TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/31/2006
Start Time:	9:07:43
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	

Calibration		Sensor:	Aerosol
		Cal. date	6/22/2005

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
7/31/2006	9:22:43	0.052
7/31/2006	9:37:43	0.069
7/31/2006	9:52:43	0.079
7/31/2006	10:07:43	0.035
7/31/2006	10:22:43	0.026
7/31/2006	10:37:43	0.041
7/31/2006	10:52:43	0.028
7/31/2006	11:07:43	0.03
7/31/2006	11:22:43	0.027
7/31/2006	11:37:43	0.027
7/31/2006	11:52:43	0.098
7/31/2006	12:07:43	0.027
7/31/2006	12:22:43	0.026
7/31/2006	12:37:43	0.037
7/31/2006	12:52:43	0.039
7/31/2006	13:07:43	0.043
7/31/2006	13:22:43	0.041

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/26/2006 14:06

Measurement Type:	Avg(ppm)
High Alarm Levels:	500
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm	Alarm
1	7/31/2006 9:26	0.1	
2	7/31/2006 9:41	0.1	
3	7/31/2006 9:56	0.1	
4	7/31/2006 10:11	0.1	
5	7/31/2006 10:26	0.1	
6	7/31/2006 10:41	0.1	
7	7/31/2006 10:56	0.1	
8	7/31/2006 11:11	0.1	
9	7/31/2006 11:26	0.1	
10	7/31/2006 11:41	0.2	
11	7/31/2006 11:56	0.2	
12	7/31/2006 12:11	0.2	
13	7/31/2006 12:26	0.2	
14	7/31/2006 12:41	0.2	
15	7/31/2006 12:56	0.2	
16	7/31/2006 13:11	0.1	

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	1
Test Abbreviation:	
Start Date:	7/31/2006
Start Time:	12:21:46
Duration (dd:hh:mm:ss):	00:01:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	5
Notes:	

Calibration		Sensor:	Aerosol
		Cal. date	5/19/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
7/31/2006	12:36:46	0.045
7/31/2006	12:51:46	0.036
7/31/2006	13:06:46	0.035
7/31/2006	13:21:46	0.041
7/31/2006	13:36:46	0.055

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/27/2006 12:49

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm)	Alarm
1	7/31/2006 12:35	0.5	
2	7/31/2006 12:50	0.5	
3	7/31/2006 13:05	0.6	
4	7/31/2006 13:20	0.7	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2006 06:48

Measurement Type:	Avg(ppm)
High Alarm Levels:	500
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm)	Alarm
1	8/1/2006 8:41	0.6	
2	8/1/2006 8:56	0.4	
3	8/1/2006 9:11	0.3	
4	8/1/2006 9:26	0.4	
5	8/1/2006 9:41	0.4	
6	8/1/2006 9:56	0.3	
7	8/1/2006 10:11	0.4	
8	8/1/2006 10:26	0.4	
9	8/1/2006 10:41	0.4	
10	8/1/2006 10:56	0.4	
11	8/1/2006 11:11	0.4	
12	8/1/2006 11:26	0.4	
13	8/1/2006 11:41	0.2	
14	8/1/2006 11:56	0.4	
15	8/1/2006 12:11	0.4	
16	8/1/2006 12:26	0.5	
17	8/1/2006 12:41	0.5	
18	8/1/2006 12:56	0.5	
19	8/1/2006 13:11	0.5	
20	8/1/2006 13:26	0.5	
21	8/1/2006 13:41	0.5	
22	8/1/2006 13:56	0.6	
23	8/1/2006 14:11	0.7	
24	8/1/2006 14:26	0.7	

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/1/2006
Start Time:	8:24:37
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Calibration		Sensor:	Aerosol
		Cal. date	6/22/2005

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
8/1/2006	8:39:37	0.165
8/1/2006	8:54:37	0.132
8/1/2006	9:09:37	0.118
8/1/2006	9:24:37	0.114
8/1/2006	9:39:37	0.086
8/1/2006	9:54:37	0.092
8/1/2006	10:09:37	0.121
8/1/2006	10:24:37	0.099
8/1/2006	10:39:37	0.099
8/1/2006	10:54:37	0.118
8/1/2006	11:09:37	0.068
8/1/2006	11:24:37	0.072
8/1/2006	11:39:37	0.128
8/1/2006	11:54:37	0.113
8/1/2006	12:09:37	0.08
8/1/2006	12:24:37	0.083
8/1/2006	12:39:37	0.127
8/1/2006	12:54:37	0.209
8/1/2006	13:09:37	0.091
8/1/2006	13:24:37	0.074
8/1/2006	13:39:37	0.094
8/1/2006	13:54:37	0.068
8/1/2006	14:09:37	0.079
8/1/2006	14:24:37	0.171
8/1/2006	14:39:37	0.098
8/1/2006	14:54:37	0.127

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2006 06:51

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm)	Alarm
1	8/1/2006 8:19	0	
2	8/1/2006 8:34	0	
3	8/1/2006 8:49	0	
4	8/1/2006 9:04	0	
5	8/1/2006 9:19	0	
6	8/1/2006 9:34	0	
7	8/1/2006 9:49	0	
8	8/1/2006 10:04	0	
9	8/1/2006 10:19	0	
10	8/1/2006 10:34	0	
11	8/1/2006 10:49	0	
12	8/1/2006 11:04	0	
13	8/1/2006 11:19	0	
14	8/1/2006 11:34	0	
15	8/1/2006 11:49	0	
16	8/1/2006 12:04	0	
17	8/1/2006 12:19	0	
18	8/1/2006 12:34	0	
19	8/1/2006 12:49	0	
20	8/1/2006 13:04	0	
21	8/1/2006 13:19	0	
22	8/1/2006 13:34	0	
23	8/1/2006 13:49	0	
24	8/1/2006 14:04	0	
25	8/1/2006 14:19	0	
26	8/1/2006 14:34	0	
27	8/1/2006 14:49	0	
28	8/1/2006 15:04	0	
29	8/1/2006 15:19	0	

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	8/1/2006
Start Time:	8:03:51
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/1/2006	8:18:51	0.115
8/1/2006	8:33:51	0.106
8/1/2006	8:48:51	0.101
8/1/2006	9:03:51	0.097
8/1/2006	9:18:51	0.083
8/1/2006	9:33:51	0.077
8/1/2006	9:48:51	0.068
8/1/2006	10:03:51	0.065
8/1/2006	10:18:51	0.067
8/1/2006	10:33:51	0.071
8/1/2006	10:48:51	0.074
8/1/2006	11:03:51	0.077
8/1/2006	11:18:51	0.077
8/1/2006	11:33:51	0.078
8/1/2006	11:48:51	0.082
8/1/2006	12:03:51	0.076
8/1/2006	12:18:51	0.074
8/1/2006	12:33:51	0.076
8/1/2006	12:48:51	0.073
8/1/2006	13:03:51	0.065
8/1/2006	13:18:51	0.067
8/1/2006	13:33:51	0.068
8/1/2006	13:48:51	0.071
8/1/2006	14:03:51	0.071
8/1/2006	14:18:51	0.065
8/1/2006	14:33:51	0.067
8/1/2006	14:48:51	0.069
8/1/2006	15:03:51	0.07
8/1/2006	15:18:51	0.078
8/1/2006	15:33:51	0.074

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2006 06:55

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm)	Alarm
1	8/1/2006 7:51	0	
2	8/1/2006 8:06	0	
3	8/1/2006 8:21	0	
4	8/1/2006 8:36	0	
5	8/1/2006 8:51	0	
6	8/1/2006 9:06	0	
7	8/1/2006 9:21	0	
8	8/1/2006 9:36	0	
9	8/1/2006 9:51	0	
10	8/1/2006 10:06	0	
11	8/1/2006 10:21	0.6	
12	8/1/2006 10:36	0.3	
13	8/1/2006 10:51	0	
14	8/1/2006 11:06	0	
15	8/1/2006 11:21	0	
16	8/1/2006 11:36	0	
17	8/1/2006 11:51	0	
18	8/1/2006 12:06	0	
19	8/1/2006 12:21	0	
20	8/1/2006 12:36	0	
21	8/1/2006 12:51	0	
22	8/1/2006 13:06	0	
23	8/1/2006 13:21	0	
24	8/1/2006 13:36	0	
25	8/1/2006 13:51	0	
26	8/1/2006 14:06	0	
27	8/1/2006 14:21	0	
28	8/1/2006 14:36	0	
29	8/1/2006 14:51	0	
30	8/1/2006 15:06	0	

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	2
Test Abbreviation:	
Start Date:	8/1/2006
Start Time:	7:44:17
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/1/2006	7:59:17	0.147
8/1/2006	8:14:17	0.143
8/1/2006	8:29:17	0.132
8/1/2006	8:44:17	0.162
8/1/2006	8:59:17	0.178
8/1/2006	9:14:17	0.134
8/1/2006	9:29:17	0.104
8/1/2006	9:44:17	0.092
8/1/2006	9:59:17	0.084
8/1/2006	10:14:17	0.085
8/1/2006	10:29:17	0.09
8/1/2006	10:44:17	0.095
8/1/2006	10:59:17	0.12
8/1/2006	11:14:17	0.109
8/1/2006	11:29:17	0.107
8/1/2006	11:44:17	0.111
8/1/2006	11:59:17	0.103
8/1/2006	12:14:17	0.098
8/1/2006	12:29:17	0.104
8/1/2006	12:44:17	0.103
8/1/2006	12:59:17	0.111
8/1/2006	13:14:17	0.096
8/1/2006	13:29:17	0.109
8/1/2006	13:44:17	0.122
8/1/2006	13:59:17	0.123
8/1/2006	14:14:17	0.116
8/1/2006	14:29:17	0.114
8/1/2006	14:44:17	0.115
8/1/2006	14:59:17	0.123
8/1/2006	15:14:17	0.12
8/1/2006	15:29:17	0.126

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2006 06:57

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	50

Line#	Date Time	Avg(ppm)	Alarm
1	8/1/2006 7:45	0	
2	8/1/2006 8:00	0	
3	8/1/2006 8:15	0	
4	8/1/2006 8:30	0	
5	8/1/2006 8:45	0	
6	8/1/2006 9:00	0	
7	8/1/2006 9:15	0	
8	8/1/2006 9:30	0	
9	8/1/2006 9:45	0	
10	8/1/2006 10:00	0	
11	8/1/2006 10:15	0	
12	8/1/2006 10:30	0	
13	8/1/2006 10:45	0.1	
14	8/1/2006 11:00	0.1	
15	8/1/2006 11:15	0.1	
16	8/1/2006 11:30	0.1	
17	8/1/2006 11:45	0.1	
18	8/1/2006 12:00	0.1	
19	8/1/2006 12:15	0.1	
20	8/1/2006 12:30	0.1	
21	8/1/2006 12:45	0.1	
22	8/1/2006 13:00	0	
23	8/1/2006 13:15	0	
24	8/1/2006 13:30	0	
25	8/1/2006 13:45	0	
26	8/1/2006 14:00	0	
27	8/1/2006 14:15	0	
28	8/1/2006 14:30	0	
29	8/1/2006 14:45	0	
30	8/1/2006 15:00	0	

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	2
Test Abbreviation:	
Start Date:	8/1/2006
Start Time:	7:46:27
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/1/2006	8:01:27	0.15
8/1/2006	8:16:27	0.132
8/1/2006	8:31:27	0.125
8/1/2006	8:46:27	0.127
8/1/2006	9:01:27	0.125
8/1/2006	9:16:27	0.114
8/1/2006	9:31:27	0.104
8/1/2006	9:46:27	0.127
8/1/2006	10:01:27	0.109
8/1/2006	10:16:27	0.099
8/1/2006	10:31:27	0.103
8/1/2006	10:46:27	0.129
8/1/2006	11:01:27	0.33
8/1/2006	11:16:27	0.34
8/1/2006	11:31:27	0.181
8/1/2006	11:46:27	0.143
8/1/2006	12:01:27	0.148
8/1/2006	12:16:27	0.115
8/1/2006	12:31:27	0.121
8/1/2006	12:46:27	0.142
8/1/2006	13:01:27	0.118
8/1/2006	13:16:27	0.117
8/1/2006	13:31:27	0.116
8/1/2006	13:46:27	0.127
8/1/2006	14:01:27	0.123
8/1/2006	14:16:27	0.116
8/1/2006	14:31:27	0.119
8/1/2006	14:46:27	0.121
8/1/2006	15:01:27	0.121
8/1/2006	15:16:27	0.123

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2006 05:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:30) = 2.0 ppm
Background Reading (PM - 12:06) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/2/2006 7:48			0.9			
2	8/2/2006 8:03			0.7			
3	8/2/2006 8:18			0.6			
4	8/2/2006 8:33			0.5			
5	8/2/2006 8:48			0.5			
6	8/2/2006 9:03			0.4			
7	8/2/2006 9:18			0.4			
8	8/2/2006 9:33			0.4			
9	8/2/2006 9:48			0.4			
10	8/2/2006 10:03			0.4			
11	8/2/2006 10:18			0.4			
12	8/2/2006 10:33			0.4			
13	8/2/2006 10:48			0.4			
14	8/2/2006 11:03			0.4			
15	8/2/2006 11:18			0.4			
16	8/2/2006 11:33			0.4			
17	8/2/2006 11:48			0.4			
18	8/2/2006 12:03			0.4			
19	8/2/2006 12:18			0.5			
20	8/2/2006 12:33			0.4			
21	8/2/2006 12:48			0.3			
22	8/2/2006 13:03			0.3			
23	8/2/2006 13:18			0.4			
24	8/2/2006 13:33			0.4			
25	8/2/2006 13:48			0.4			
26	8/2/2006 14:03			0.4			
27	8/2/2006 14:18			0.4			
28	8/2/2006 14:33			0.4			
29	8/2/2006 14:48			0.4			

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	7:31:09
Duration (dd:hh:mm:ss):	00:03:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	12
Notes:	Background Reading (AM - 7:30) = 0.120 mg/m3 Background Reading (PM - 12:06) = 0.081 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	7:46:09	0.136
8/2/2006	8:01:09	0.207
8/2/2006	8:16:09	0.217
8/2/2006	8:31:09	0.218
8/2/2006	8:46:09	0.202
8/2/2006	9:01:09	0.117
8/2/2006	9:16:09	0.152
8/2/2006	9:31:09	0.084
8/2/2006	9:46:09	0.11
8/2/2006	10:01:09	0.123
8/2/2006	10:16:09	0.172
8/2/2006	10:31:09	0.077

==========

Batteries Dead - REPLACED (No measurements from 10:31:09 until 11:11:35)

==========

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	10:56:35
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	

Statistics	Channel:	Aerosol
	Units:	mg/m^3
	Average:	0.083
	Minimum:	0.064
	Time of Minimum:	12:26:35
	Date of Minimum:	8/2/2006
	Maximum:	0.122
	Time of Maximum:	14:56:35
	Date of Maximum:	8/2/2006

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	11:11:35	0.072
8/2/2006	11:26:35	0.089
8/2/2006	11:41:35	0.079
8/2/2006	11:56:35	0.07
8/2/2006	12:11:35	0.066
8/2/2006	12:26:35	0.064
8/2/2006	12:41:35	0.087
8/2/2006	12:56:35	0.083
8/2/2006	13:11:35	0.095
8/2/2006	13:26:35	0.083
8/2/2006	13:41:35	0.077
8/2/2006	13:56:35	0.073
8/2/2006	14:11:35	0.081
8/2/2006	14:26:35	0.072
8/2/2006	14:41:35	0.107
8/2/2006	14:56:35	0.122

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2006 05:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	9000	9000	9000

Background Reading (AM - 6:57) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/2/2006 7:13			0			
2	8/2/2006 7:28			0			
3	8/2/2006 7:43			0			
4	8/2/2006 7:58			0			
5	8/2/2006 8:13			0			
6	8/2/2006 8:28			0			
7	8/2/2006 8:43			0			
8	8/2/2006 8:58			0			
9	8/2/2006 9:13			0			
10	8/2/2006 9:28			0			
11	8/2/2006 9:43			0			
12	8/2/2006 9:58			0			
13	8/2/2006 10:13			0			
14	8/2/2006 10:28			0			
15	8/2/2006 10:43			0			
16	8/2/2006 10:58			0			
17	8/2/2006 11:13			0			
18	8/2/2006 11:28			0			
19	8/2/2006 11:43			0			
20	8/2/2006 11:58			0			
21	8/2/2006 12:13			0			
22	8/2/2006 12:28			0			
23	8/2/2006 12:43			0			
24	8/2/2006 12:58			0			
25	8/2/2006 13:13			0			
26	8/2/2006 13:28			0			
27	8/2/2006 13:43			0			
28	8/2/2006 13:58			0			

Battery DEAD - no measurements recorded after 13:58

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	6:56:56
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:57) = 0.127 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	7:11:56	0.133
8/2/2006	7:26:56	0.133
8/2/2006	7:41:56	0.119
8/2/2006	7:56:56	0.125
8/2/2006	8:11:56	0.15
8/2/2006	8:26:56	0.123
8/2/2006	8:41:56	0.124
8/2/2006	8:56:56	0.101
8/2/2006	9:11:56	0.103
8/2/2006	9:26:56	0.083
8/2/2006	9:41:56	0.085
8/2/2006	9:56:56	0.079
8/2/2006	10:11:56	0.12
8/2/2006	10:26:56	0.119
8/2/2006	10:41:56	0.082
8/2/2006	10:56:56	0.071
8/2/2006	11:11:56	0.081
8/2/2006	11:26:56	0.085
8/2/2006	11:41:56	0.097
8/2/2006	11:56:56	0.083
8/2/2006	12:11:56	0.075
8/2/2006	12:26:56	0.066
8/2/2006	12:41:56	0.075
8/2/2006	12:56:56	0.102
8/2/2006	13:11:56	0.084
8/2/2006	13:26:56	0.068
8/2/2006	13:41:56	0.081
8/2/2006	13:56:56	0.069
8/2/2006	14:11:56	0.066
8/2/2006	14:26:56	0.059
8/2/2006	14:41:56	0.057

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2006 05:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:46) = 1.1 ppm
Background Reading (PM - 12:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/2/2006 6:59			0.1			
2	8/2/2006 7:14			0			
3	8/2/2006 7:29			0			
4	8/2/2006 7:44			0			
5	8/2/2006 7:59			0			
6	8/2/2006 8:14			0			
7	8/2/2006 8:29			0			
8	8/2/2006 8:44			0			
9	8/2/2006 8:59			0			
10	8/2/2006 9:14			0			
11	8/2/2006 9:29			0			
12	8/2/2006 9:44			0			
13	8/2/2006 9:59			0			
14	8/2/2006 10:14			0			
15	8/2/2006 10:29			0			
16	8/2/2006 10:44			0			
17	8/2/2006 10:59			0			
18	8/2/2006 11:14			0			
19	8/2/2006 11:29			0			
20	8/2/2006 11:44			0			
21	8/2/2006 11:59			0			
22	8/2/2006 12:14			0			
23	8/2/2006 12:29			0			
24	8/2/2006 12:44			0			
25	8/2/2006 12:59			0			
26	8/2/2006 13:14			0			
27	8/2/2006 13:29			0			
28	8/2/2006 13:44			0			
29	8/2/2006 13:59			0			
30	8/2/2006 14:14			0			
31	8/2/2006 14:29			0			
32	8/2/2006 14:44			0			
33	8/2/2006 14:59			0			
34	8/2/2006 15:14			0			

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	3
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	6:45:48
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 6:46) = 0.190 mg/m3
Background Reading (PM - 12:02) = 0.098 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	7:00:48	0.178
8/2/2006	7:15:48	0.184
8/2/2006	7:30:48	0.168
8/2/2006	7:45:48	0.162
8/2/2006	8:00:48	0.175
8/2/2006	8:15:48	0.195
8/2/2006	8:30:48	0.171
8/2/2006	8:45:48	0.183
8/2/2006	9:00:48	0.133
8/2/2006	9:15:48	0.129
8/2/2006	9:30:48	0.118
8/2/2006	9:45:48	0.146
8/2/2006	10:00:48	0.127
8/2/2006	10:15:48	0.174
8/2/2006	10:30:48	0.165
8/2/2006	10:45:48	0.117
8/2/2006	11:00:48	0.12
8/2/2006	11:15:48	0.172
8/2/2006	11:30:48	0.221
8/2/2006	11:45:48	0.137
8/2/2006	12:00:48	0.114
8/2/2006	12:15:48	0.102
8/2/2006	12:30:48	0.099
8/2/2006	12:45:48	0.167
8/2/2006	13:00:48	0.163
8/2/2006	13:15:48	0.157
8/2/2006	13:30:48	0.117
8/2/2006	13:45:48	0.141
8/2/2006	14:00:48	0.124

==========

Batteries Dead - REPLACED (No measurements from 14:00:48 until 14:44:20)

==========

Model:	Dust Trak
Serial Number:	85201504
Test ID:	4
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	14:29:40
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	

Statistics	Channel:	Aerosol
	Units:	mg/m^3
	Average:	0.117
	Minimum:	0.114
	Time of Minimum:	14:44:40
	Date of Minimum:	8/2/2006
	Maximum:	0.122
	Time of Maximum:	15:29:40
	Date of Maximum:	8/2/2006

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	14:44:40	0.114
8/2/2006	14:59:40	0.116
8/2/2006	15:14:40	0.118
8/2/2006	15:29:40	0.122

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2006 05:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/2/2006 6:47			0			
2	8/2/2006 7:02			0			
3	8/2/2006 7:17			0			
4	8/2/2006 7:32			0			
5	8/2/2006 7:47			0			
6	8/2/2006 8:02			0			
7	8/2/2006 8:17			0			
8	8/2/2006 8:32			0			
9	8/2/2006 8:47			0			
10	8/2/2006 9:02			0			
11	8/2/2006 9:17			0			
12	8/2/2006 9:32			0			
13	8/2/2006 9:47			0			
14	8/2/2006 10:02			0			
15	8/2/2006 10:17			0			
16	8/2/2006 10:32			0			
17	8/2/2006 10:47			0			
18	8/2/2006 11:02			0			
19	8/2/2006 11:17			0			
20	8/2/2006 11:32			0			
21	8/2/2006 11:47			0			
22	8/2/2006 12:02			0			
23	8/2/2006 12:17			0			
24	8/2/2006 12:32			0			
25	8/2/2006 12:47			0			
26	8/2/2006 13:02			0			
27	8/2/2006 13:17			0.5			
28	8/2/2006 13:32			0			
29	8/2/2006 13:47			0			
30	8/2/2006 14:02			0			
31	8/2/2006 14:17			0			
32	8/2/2006 14:32			0			
33	8/2/2006 14:47			0			
34	8/2/2006 15:02			0			

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	3
Test Abbreviation:	
Start Date:	8/2/2006
Start Time:	6:50:57
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:32) = 0.213 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
8/2/2006	7:05:57	0.197
8/2/2006	7:20:57	0.203
8/2/2006	7:35:57	0.243
8/2/2006	7:50:57	0.177
8/2/2006	8:05:57	0.166
8/2/2006	8:20:57	0.21
8/2/2006	8:35:57	0.168
8/2/2006	8:50:57	0.175
8/2/2006	9:05:57	0.154
8/2/2006	9:20:57	0.142
8/2/2006	9:35:57	0.14
8/2/2006	9:50:57	0.148
8/2/2006	10:05:57	0.147
8/2/2006	10:20:57	0.169
8/2/2006	10:35:57	0.135
8/2/2006	10:50:57	0.127
8/2/2006	11:05:57	0.129
8/2/2006	11:20:57	0.129
8/2/2006	11:35:57	0.287
8/2/2006	11:50:57	0.144
8/2/2006	12:05:57	0.143
8/2/2006	12:20:57	0.131
8/2/2006	12:35:57	0.122
8/2/2006	12:50:57	0.13
8/2/2006	13:05:57	0.172
8/2/2006	13:20:57	0.188
8/2/2006	13:35:57	0.258
8/2/2006	13:50:57	0.156
8/2/2006	14:05:57	0.137
8/2/2006	14:20:57	0.131
8/2/2006	14:35:57	0.155
8/2/2006	14:50:57	0.169
8/2/2006	15:05:57	0.149
8/2/2006	15:20:57	0.129

STATION 1 (SOUTHERN PERIMETER)

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2006 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:33) = 0.0 ppm
Background Reading (PM - 12:06) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg -background (ppm)
1	8/3/2006 7:48			0.5				0.5
2	8/3/2006 8:03			0.4				0.4
3	8/3/2006 8:18			0.4				0.4
4	8/3/2006 8:33			0.3				0.3
5	8/3/2006 8:48			0.3				0.3
6	8/3/2006 9:03			0.3				0.3
7	8/3/2006 9:18			0.3				0.3
8	8/3/2006 9:33			0.3				0.3
9	8/3/2006 9:48			0.3				0.3
10	8/3/2006 10:03			0.3				0.3
11	8/3/2006 10:18			0.3				0.3
12	8/3/2006 10:33			0.3				0.3
13	8/3/2006 10:48			0.3				0.3
14	8/3/2006 11:03			0.3				0.3
15	8/3/2006 11:18			0.4				0.4
16	8/3/2006 11:33			0.4				0.4
17	8/3/2006 11:48			0.4				0.4
18	8/3/2006 12:03			0.4				0.4
19	8/3/2006 12:18			0.4				0
20	8/3/2006 12:33			0.4				0
21	8/3/2006 12:48			0.4				0
22	8/3/2006 13:03			0.4				0
23	8/3/2006 13:18			0.4				0
24	8/3/2006 13:33			0.4				0
25	8/3/2006 13:48			0.4				0
26	8/3/2006 14:03			0.4				0
27	8/3/2006 14:18			0.4				0
28	8/3/2006 14:33			0.4				0
29	8/3/2006 14:48			0.4				0

STATION 1 (SOUTHERN PERIMETER)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	8/3/2006
Start Time:	7:32:09
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 7:33) = 0.128 mg/m3
Background Reading (PM - 12:06) = 0.074 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol (-background) mg/m^3
8/3/2006	7:47:09	0.128	0
8/3/2006	8:02:09	0.114	-0.014
8/3/2006	8:17:09	0.122	-0.006
8/3/2006	8:32:09	0.118	-0.01
8/3/2006	8:47:09	0.101	-0.027
8/3/2006	9:02:09	0.097	-0.031
8/3/2006	9:17:09	0.104	-0.024
8/3/2006	9:32:09	0.098	-0.03
8/3/2006	9:47:09	0.106	-0.022
8/3/2006	10:02:09	0.09	-0.038
8/3/2006	10:17:09	0.09	-0.038
8/3/2006	10:32:09	0.091	-0.037
8/3/2006	10:47:09	0.085	-0.043
8/3/2006	11:02:09	0.081	-0.047
8/3/2006	11:17:09	0.074	-0.054
8/3/2006	11:32:09	0.077	-0.051
8/3/2006	11:47:09	0.073	-0.055
8/3/2006	12:02:09	0.057	-0.071
8/3/2006	12:17:09	0.064	-0.01
8/3/2006	12:32:09	0.058	-0.016
8/3/2006	12:47:09	0.063	-0.011
8/3/2006	13:02:09	0.078	0.004
8/3/2006	13:17:09	0.094	0.02
8/3/2006	13:32:09	0.075	0.001
8/3/2006	13:47:09	0.099	0.025
8/3/2006	14:02:09	0.076	0.002
8/3/2006	14:17:09	0.074	0
8/3/2006	14:32:09	0.083	0.009
8/3/2006	14:47:09	0.085	0.011
8/3/2006	15:02:09	0.088	0.014

STATION 2 (I.S. 156)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2006 05:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:08) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background (ppm)
1	8/3/2006 7:14			0				0
2	8/3/2006 7:29			0				0
3	8/3/2006 7:44			0				0
4	8/3/2006 7:59			0				0
5	8/3/2006 8:14			0				0
6	8/3/2006 8:29			0				0
7	8/3/2006 8:44			0				0
8	8/3/2006 8:59			0				0
9	8/3/2006 9:14			0				0
10	8/3/2006 9:29			0				0
11	8/3/2006 9:44			0				0
12	8/3/2006 9:59			0				0
13	8/3/2006 10:14			0				0
14	8/3/2006 10:29			0				0
15	8/3/2006 10:44			0				0
16	8/3/2006 10:59			0				0
17	8/3/2006 11:14			0				0
18	8/3/2006 11:29			0				0
19	8/3/2006 11:44			0				0
20	8/3/2006 11:59			0				0
21	8/3/2006 12:14			0				0
22	8/3/2006 12:29			0				0
23	8/3/2006 12:44			0				0
24	8/3/2006 12:59			0				0
25	8/3/2006 13:14			0				0
26	8/3/2006 13:29			0				0
27	8/3/2006 13:44			0				0
28	8/3/2006 13:59			0				0
29	8/3/2006 14:14			0				0
30	8/3/2006 14:29			0				0
31	8/3/2006 14:44			0				0
32	8/3/2006 14:59			0				0
33	8/3/2006 15:14			0				0

STATION 2 (I.S. 156)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	8/3/2006
Start Time:	7:10:40
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (AM - 7:08) = 0.115 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol-background
8/3/2006	7:25:40	0.116	0.001
8/3/2006	7:40:40	0.112	-0.003
8/3/2006	7:55:40	0.111	-0.004
8/3/2006	8:10:40	0.107	-0.008
8/3/2006	8:25:40	0.107	-0.008
8/3/2006	8:40:40	0.105	-0.01
8/3/2006	8:55:40	0.097	-0.018
8/3/2006	9:10:40	0.104	-0.011
8/3/2006	9:25:40	0.096	-0.019
8/3/2006	9:40:40	0.087	-0.028
8/3/2006	9:55:40	0.086	-0.029
8/3/2006	10:10:40	0.087	-0.028
8/3/2006	10:25:40	0.084	-0.031
8/3/2006	10:40:40	0.097	-0.018
8/3/2006	10:55:40	0.081	-0.034
8/3/2006	11:10:40	0.079	-0.036
8/3/2006	11:25:40	0.066	-0.049
8/3/2006	11:40:40	0.069	-0.046
8/3/2006	11:55:40	0.061	-0.054
8/3/2006	12:10:40	0.057	-0.058
8/3/2006	12:25:40	0.057	-0.058
8/3/2006	12:40:40	0.053	-0.062
8/3/2006	12:55:40	0.054	-0.061
8/3/2006	13:10:40	0.063	-0.052
8/3/2006	13:25:40	0.066	-0.049
8/3/2006	13:40:40	0.062	-0.053
8/3/2006	13:55:40	0.064	-0.051
8/3/2006	14:10:40	0.077	-0.038
8/3/2006	14:25:40	0.078	-0.037
8/3/2006	14:40:40	0.115	0
8/3/2006	14:55:40	0.069	-0.046
8/3/2006	15:10:40	0.076	-0.039
8/3/2006	15:25:40	0.067	-0.048

STATION 3 (P.S. 151)

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2006 05:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:00) = 0.5 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background (ppm)
1	8/3/2006 7:14			0				0
2	8/3/2006 7:29			0				0
3	8/3/2006 7:44			0				0
4	8/3/2006 7:59			0				0
5	8/3/2006 8:14			0				0
6	8/3/2006 8:29			0				0
7	8/3/2006 8:44			0				0
8	8/3/2006 8:59			0				0
9	8/3/2006 9:14			0				0
10	8/3/2006 9:29			0				0
11	8/3/2006 9:44			0				0
12	8/3/2006 9:59			0				0
13	8/3/2006 10:14			0				0
14	8/3/2006 10:29			0				0
15	8/3/2006 10:44			0				0
16	8/3/2006 10:59			0				0
17	8/3/2006 11:14			0				0
18	8/3/2006 11:29			0				0
19	8/3/2006 11:44			0				0
20	8/3/2006 11:59			0				0
21	8/3/2006 12:14			0				0
22	8/3/2006 12:29			0				0
23	8/3/2006 12:44			0				0
24	8/3/2006 12:59			0				0
25	8/3/2006 13:14			0				0
26	8/3/2006 13:29			0				0
27	8/3/2006 13:44			0				0
28	8/3/2006 13:59			0				0
29	8/3/2006 14:14			0				0
30	8/3/2006 14:29			0				0
31	8/3/2006 14:44			0				0
32	8/3/2006 14:59			0				0
33	8/3/2006 15:14			0				0

STATION 3 (I.S. 151)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	5
Test Abbreviation:	
Start Date:	8/3/2006
Start Time:	7:00:38
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 7:00) = 0.178 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol (-background)
8/3/2006	7:15:38	0.179	0.001
8/3/2006	7:30:38	0.163	-0.015
8/3/2006	7:45:38	0.153	-0.025
8/3/2006	8:00:38	0.15	-0.028
8/3/2006	8:15:38	0.144	-0.034
8/3/2006	8:30:38	0.146	-0.032
8/3/2006	8:45:38	0.136	-0.042
8/3/2006	9:00:38	0.123	-0.055
8/3/2006	9:15:38	0.126	-0.052
8/3/2006	9:30:38	0.122	-0.056
8/3/2006	9:45:38	0.115	-0.063
8/3/2006	10:00:38	0.12	-0.058
8/3/2006	10:15:38	0.116	-0.062
8/3/2006	10:30:38	0.119	-0.059
8/3/2006	10:45:38	0.121	-0.057
8/3/2006	11:00:38	0.108	-0.07
8/3/2006	11:15:38	0.099	-0.079
8/3/2006	11:30:38	0.094	-0.084
8/3/2006	11:45:38	0.094	-0.084
8/3/2006	12:00:38	0.08	-0.098
8/3/2006	12:15:38	0.092	-0.086
8/3/2006	12:30:38	0.08	-0.098
8/3/2006	12:45:38	0.084	-0.094
8/3/2006	13:00:38	0.09	-0.088
8/3/2006	13:15:38	0.118	-0.06
8/3/2006	13:30:38	0.125	-0.053
8/3/2006	13:45:38	0.111	-0.067
8/3/2006	14:00:38	0.108	-0.07
8/3/2006	14:15:38	0.117	-0.061
8/3/2006	14:30:38	0.115	-0.063
8/3/2006	14:45:38	0.119	-0.059
8/3/2006	15:00:38	0.116	-0.062
8/3/2006	15:15:38	0.117	-0.061
8/3/2006	15:30:38	0.11	-0.068

STATION 4 (CONCOURSE VILLAGE WEST)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background (ppm)
1	8/3/2006 7:10			1.9				1.9
2	8/3/2006 7:25			2.5				2.5
3	8/3/2006 7:40			2.9				2.9
4	8/3/2006 7:55			3.3				3.3
5	8/3/2006 8:10			3.6				3.6
6	8/3/2006 8:25			3.9				3.9
7	8/3/2006 8:40			3.7				3.7
8	8/3/2006 8:55			4.2				4.2
9	8/3/2006 9:10			4.4				4.4
10	8/3/2006 9:25			5				5
11	8/3/2006 9:40			5.2				5.2
12	8/3/2006 9:55			5.4				5.4
13	8/3/2006 10:10			5.5				5.5
14	8/3/2006 10:25			5.5				5.5
15	8/3/2006 10:40			5				5
16	8/3/2006 10:55			4.5				4.5
17	8/3/2006 11:10			5.2				5.2
18	8/3/2006 11:25			5.2				5.2
19	8/3/2006 11:40			5.6				5.6
20	8/3/2006 11:55			6.1				6.1
21	8/3/2006 12:10			5.9				5.9
22	8/3/2006 12:25			6				6
23	8/3/2006 12:40			6				6
24	8/3/2006 12:55			6.1				6.1
25	8/3/2006 13:10			6.3				6.3
26	8/3/2006 13:25			5.7				5.7
27	8/3/2006 13:40			5.4				5.4
28	8/3/2006 13:55			6.1				6.1
29	8/3/2006 14:10			6.3				6.3
30	8/3/2006 14:25			6.5				6.5
31	8/3/2006 14:40			6.3				6.3
32	8/3/2006 14:55			5.7				5.7

STATION 4 (CONCOURSE VILLAGE WEST)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	4
Test Abbreviation:	
Start Date:	8/3/2006
Start Time:	6:54:36
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (AM - 6:55) = 0.203 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol (-background) mg/m^3
8/3/2006	7:09:36	0.203	0
8/3/2006	7:24:36	0.187	-0.016
8/3/2006	7:39:36	0.171	-0.032
8/3/2006	7:54:36	0.166	-0.037
8/3/2006	8:09:36	0.212	0.009
8/3/2006	8:24:36	0.171	-0.032
8/3/2006	8:39:36	0.189	-0.014
8/3/2006	8:54:36	0.163	-0.04
8/3/2006	9:09:36	0.153	-0.05
8/3/2006	9:24:36	0.185	-0.018
8/3/2006	9:39:36	0.148	-0.055
8/3/2006	9:54:36	0.146	-0.057
8/3/2006	10:09:36	0.142	-0.061
8/3/2006	10:24:36	0.136	-0.067
8/3/2006	10:39:36	0.137	-0.066
8/3/2006	10:54:36	0.137	-0.066
8/3/2006	11:09:36	0.128	-0.075
8/3/2006	11:24:36	0.141	-0.062
8/3/2006	11:39:36	0.128	-0.075
8/3/2006	11:54:36	0.126	-0.077
8/3/2006	12:09:36	0.131	-0.072
8/3/2006	12:24:36	0.122	-0.081
8/3/2006	12:39:36	0.106	-0.097
8/3/2006	12:54:36	0.114	-0.089
8/3/2006	13:09:36	0.123	-0.08
8/3/2006	13:24:36	0.145	-0.058
8/3/2006	13:39:36	0.158	-0.045
8/3/2006	13:54:36	0.145	-0.058
8/3/2006	14:09:36	0.164	-0.039
8/3/2006	14:24:36	0.155	-0.048
8/3/2006	14:39:36	0.135	-0.068
8/3/2006	14:54:36	0.152	-0.051
8/3/2006	15:09:36	0.22	0.017

STATION 1 (SOUTHERN PERIMETER)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/04/2006 04:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:11) = 1.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/4/2006 7:22			0.5				-0.5
2	8/4/2006 7:37			0.4				-0.6
3	8/4/2006 7:52			0.3				-0.7
4	8/4/2006 8:07			0.3				-0.7
5	8/4/2006 8:22			0.3				-0.7
6	8/4/2006 8:37			0.2				-0.8
7	8/4/2006 8:52			0.3				-0.7
8	8/4/2006 9:07			0.3				-0.7
9	8/4/2006 9:22			0.3				-0.7
10	8/4/2006 9:37			0.3				-0.7
11	8/4/2006 9:52			0.3				-0.7
12	8/4/2006 10:07			0.3				-0.7
13	8/4/2006 10:22			0.2				-0.8
14	8/4/2006 10:37			0.2				-0.8
15	8/4/2006 10:52			0.2				-0.8
16	8/4/2006 11:07			0.2				-0.8
17	8/4/2006 11:22			0.3				-0.7
18	8/4/2006 11:37			0.3				-0.7
19	8/4/2006 11:52			0.2				-0.8
20	8/4/2006 12:07			0.3				-0.7
21	8/4/2006 12:22			0.3				-0.7
22	8/4/2006 12:37			0.3				-0.7
23	8/4/2006 12:52			0.3				-0.7
24	8/4/2006 13:07			0.2				-0.8
25	8/4/2006 13:22			0.2				-0.8
26	8/4/2006 13:37			0.2				-0.8
27	8/4/2006 13:52			0.2				-0.8
28	8/4/2006 14:07			0.2				-0.8
29	8/4/2006 14:22			0.2				-0.8
30	8/4/2006 14:37			0.2				-0.8
31	8/4/2006 14:52			0.2				-0.8

STATION 1 (SOUTHERN PERIMETER)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	8/4/2006
Start Time:	7:09:54
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (AM - 7:11) = 0.050 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/4/2006	7:24:54	0.052	0.002
8/4/2006	7:39:54	0.043	-0.007
8/4/2006	7:54:54	0.052	0.002
8/4/2006	8:09:54	0.047	-0.003
8/4/2006	8:24:54	0.044	-0.006
8/4/2006	8:39:54	0.049	-0.001
8/4/2006	8:54:54	0.048	-0.002
8/4/2006	9:09:54	0.042	-0.008
8/4/2006	9:24:54	0.037	-0.013
8/4/2006	9:39:54	0.034	-0.016
8/4/2006	9:54:54	0.031	-0.019
8/4/2006	10:09:54	0.03	-0.02
8/4/2006	10:24:54	0.035	-0.015
8/4/2006	10:39:54	0.045	-0.005
8/4/2006	10:54:54	0.029	-0.021
8/4/2006	11:09:54	0.028	-0.022
8/4/2006	11:24:54	0.032	-0.018
8/4/2006	11:39:54	0.03	-0.02
8/4/2006	11:54:54	0.044	-0.006
8/4/2006	12:09:54	0.03	-0.02
8/4/2006	12:24:54	0.039	-0.011
8/4/2006	12:39:54	0.036	-0.014
8/4/2006	12:54:54	0.025	-0.025
8/4/2006	13:09:54	0.036	-0.014
8/4/2006	13:24:54	0.022	-0.028
8/4/2006	13:39:54	0.022	-0.028
8/4/2006	13:54:54	0.027	-0.023
8/4/2006	14:09:54	0.016	-0.034
8/4/2006	14:24:54	0.015	-0.035
8/4/2006	14:39:54	0.019	-0.031
8/4/2006	14:54:54	0.009	-0.041

STATION 2 (I.S. 151)

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/04/2006 05:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	9000	9000	9000

Background Reading (AM - 6:41) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/4/2006 6:57			0				-0.2
2	8/4/2006 7:12			0				-0.2
3	8/4/2006 7:27			0				-0.2
4	8/4/2006 7:42			0				-0.2
5	8/4/2006 7:57			0				-0.2
6	8/4/2006 8:12			0				-0.2
7	8/4/2006 8:27			0				-0.2
8	8/4/2006 8:42			0				-0.2
9	8/4/2006 8:57			0				-0.2
10	8/4/2006 9:12			0.1				-0.1
11	8/4/2006 9:27			0.1				-0.1
12	8/4/2006 9:42			0.2				0
13	8/4/2006 9:57			0.1				-0.1
14	8/4/2006 10:12			0.1				-0.1
15	8/4/2006 10:27			0.1				-0.1
16	8/4/2006 10:42			0.1				-0.1
17	8/4/2006 10:57			0.1				-0.1
18	8/4/2006 11:12			0.1				-0.1
19	8/4/2006 11:27			0.1				-0.1
20	8/4/2006 11:42			0.1				-0.1
21	8/4/2006 11:57			0.1				-0.1
22	8/4/2006 12:12			0.1				-0.1
23	8/4/2006 12:27			0.1				-0.1
24	8/4/2006 12:42			0.1				-0.1
25	8/4/2006 12:57			0.1				-0.1
26	8/4/2006 13:12			0.1				-0.1
27	8/4/2006 13:27			0.1				-0.1

STATION 2 (I.S. 151)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	9
Test Abbreviation:	
Start Date:	8/4/2006
Start Time:	6:40:58
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:41) = 0.043 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/4/2006	6:55:58	0.044	0.001
8/4/2006	7:10:58	0.045	0.002
8/4/2006	7:25:58	0.044	0.001
8/4/2006	7:40:58	0.045	0.002
8/4/2006	7:55:58	0.052	0.009
8/4/2006	8:10:58	0.044	0.001
8/4/2006	8:25:58	0.044	0.001
8/4/2006	8:40:58	0.044	0.001
8/4/2006	8:55:58	0.051	0.008
8/4/2006	9:10:58	0.043	0
8/4/2006	9:25:58	0.039	-0.004
8/4/2006	9:40:58	0.035	-0.008
8/4/2006	9:55:58	0.029	-0.014
8/4/2006	10:10:58	0.028	-0.015
8/4/2006	10:25:58	0.032	-0.011
8/4/2006	10:40:58	0.028	-0.015
8/4/2006	10:55:58	0.039	-0.004
8/4/2006	11:10:58	0.034	-0.009
8/4/2006	11:25:58	0.036	-0.007
8/4/2006	11:40:58	0.036	-0.007
8/4/2006	11:55:58	0.032	-0.011
8/4/2006	12:10:58	0.027	-0.016
8/4/2006	12:25:58	0.023	-0.02
8/4/2006	12:40:58	0.019	-0.024
8/4/2006	12:55:58	0.015	-0.028
8/4/2006	13:10:58	0.014	-0.029
8/4/2006	13:25:58	0.024	-0.019
8/4/2006	13:40:58	0.029	-0.014
8/4/2006	13:55:58	0.021	-0.022
8/4/2006	14:10:58	0.016	-0.027
8/4/2006	14:25:58	0.012	-0.031
8/4/2006	14:40:58	0.011	-0.032
8/4/2006	14:55:58	0.01	-0.033
8/4/2006	15:10:58	0.014	-0.029
8/4/2006	15:25:58	0.013	-0.03
8/4/2006	15:40:58	0.008	-0.035

STATION 3 (P.S. 156)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/04/2006 05:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:28) = 0.6 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/4/2006 6:42			0.3				-0.3
2	8/4/2006 6:57			0.2				-0.4
3	8/4/2006 7:12			0.2				-0.4
4	8/4/2006 7:27			0.2				-0.4
5	8/4/2006 7:42			0.2				-0.4
6	8/4/2006 7:57			0.2				-0.4
7	8/4/2006 8:12			0.2				-0.4
8	8/4/2006 8:27			0.2				-0.4
9	8/4/2006 8:42			0.1				-0.5
10	8/4/2006 8:57			0.1				-0.5
11	8/4/2006 9:12			0.2				-0.4
12	8/4/2006 9:27			0.2				-0.4
13	8/4/2006 9:42			0.2				-0.4
14	8/4/2006 9:57			0.1				-0.5
15	8/4/2006 10:12			0.1				-0.5
16	8/4/2006 10:27			0.1				-0.5
17	8/4/2006 10:42			0				-0.6
18	8/4/2006 10:57			0				-0.6
19	8/4/2006 11:12			0.1				-0.5
20	8/4/2006 11:27			0.1				-0.5
21	8/4/2006 11:42			0.1				-0.5
22	8/4/2006 11:57			0				-0.6
23	8/4/2006 12:12			0.1				-0.5
24	8/4/2006 12:27			0.1				-0.5
25	8/4/2006 12:42			0.1				-0.5
26	8/4/2006 12:57			0.1				-0.5
27	8/4/2006 13:12			0				-0.6
28	8/4/2006 13:27			0				-0.6
29	8/4/2006 13:42			0				-0.6
30	8/4/2006 13:57			0				-0.6
31	8/4/2006 14:12			0.1				-0.5
32	8/4/2006 14:27			0.1				-0.5
33	8/4/2006 14:42			0.1				-0.5
34	8/4/2006 14:57			0.1				-0.5
35	8/4/2006 15:12			0.1				-0.5

STATION 3 (P.S. 156)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	6
Test Abbreviation:	
Start Date:	8/4/2006
Start Time:	6:31:00
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:28) = 0.059 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/4/2006	6:46:00	0.058	-0.001
8/4/2006	7:01:00	0.059	0
8/4/2006	7:16:00	0.058	-0.001
8/4/2006	7:31:00	0.056	-0.003
8/4/2006	7:46:00	0.064	0.005
8/4/2006	8:01:00	0.067	0.008
8/4/2006	8:16:00	0.061	0.002
8/4/2006	8:31:00	0.059	0
8/4/2006	8:46:00	0.06	0.001
8/4/2006	9:01:00	0.071	0.012
8/4/2006	9:16:00	0.062	0.003
8/4/2006	9:31:00	0.068	0.009
8/4/2006	9:46:00	0.065	0.006
8/4/2006	10:01:00	0.049	-0.01
8/4/2006	10:16:00	0.068	0.009
8/4/2006	10:31:00	0.042	-0.017
8/4/2006	10:46:00	0.044	-0.015
8/4/2006	11:01:00	0.054	-0.005
8/4/2006	11:16:00	0.057	-0.002
8/4/2006	11:31:00	0.05	-0.009
8/4/2006	11:46:00	0.075	0.016
8/4/2006	12:01:00	0.062	0.003
8/4/2006	12:16:00	0.044	-0.015
8/4/2006	12:31:00	0.035	-0.024
8/4/2006	12:46:00	0.032	-0.027
8/4/2006	13:01:00	0.031	-0.028
8/4/2006	13:16:00	0.03	-0.029
8/4/2006	13:31:00	0.041	-0.018
8/4/2006	13:46:00	0.042	-0.017
8/4/2006	14:01:00	0.04	-0.019
8/4/2006	14:16:00	0.026	-0.033
8/4/2006	14:31:00	0.021	-0.038
8/4/2006	14:46:00	0.021	-0.038
8/4/2006	15:01:00	0.021	-0.038
8/4/2006	15:16:00	0.018	-0.041
8/4/2006	15:31:00	0.016	-0.043

STATION 4 (CONCOURSE VILLAGE WEST)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/04/2006 05:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/4/2006 6:36			0.7				0.7
2	8/4/2006 6:51			0.8				0.8
3	8/4/2006 7:06			1.3				1.3
4	8/4/2006 7:21			1.7				1.7
5	8/4/2006 7:36			1.9				1.9
6	8/4/2006 7:51			1.9				1.9
7	8/4/2006 8:06			2.2				2.2
8	8/4/2006 8:21			4				4
9	8/4/2006 8:36			2.3				2.3
10	8/4/2006 8:51			2.9				2.9
11	8/4/2006 9:06			3.3				3.3
12	8/4/2006 9:21			3.7				3.7
13	8/4/2006 9:36			4.4				4.4
14	8/4/2006 9:51			4.3				4.3
15	8/4/2006 10:06			4.8				4.8
16	8/4/2006 10:21			4.7				4.7
17	8/4/2006 10:36			3.7				3.7
18	8/4/2006 10:51			3.5				3.5
19	8/4/2006 11:06			3.5				3.5
20	8/4/2006 11:21			3.9				3.9
21	8/4/2006 11:36			4				4
22	8/4/2006 11:51			4				4
23	8/4/2006 12:06			4.2				4.2
24	8/4/2006 12:21			4.1				4.1
25	8/4/2006 12:36			3.9				3.9
26	8/4/2006 12:51			4				4
27	8/4/2006 13:06			4.2				4.2
28	8/4/2006 13:21			3				3
29	8/4/2006 13:36			3.1				3.1
30	8/4/2006 13:51			3.6				3.6
31	8/4/2006 14:06			4				4
32	8/4/2006 14:21			3.9				3.9
33	8/4/2006 14:36			4				4
34	8/4/2006 14:51			4.1				4.1
35	8/4/2006 15:06			4.3				4.3
36	8/4/2006 15:21			3.9				3.9

STATION 4 (CONCOURSE VILLAGE WEST)

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	5
Test Abbreviation:	
Start Date:	8/4/2006
Start Time:	6:20:11
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:20) = 0.046 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/4/2006	6:35:11	0.051	0.005
8/4/2006	6:50:11	0.052	0.006
8/4/2006	7:05:11	0.055	0.009
8/4/2006	7:20:11	0.054	0.008
8/4/2006	7:35:11	0.08	0.034
8/4/2006	7:50:11	0.066	0.02
8/4/2006	8:05:11	0.073	0.027
8/4/2006	8:20:11	0.079	0.033
8/4/2006	8:35:11	0.083	0.037
8/4/2006	8:50:11	0.061	0.015
8/4/2006	9:05:11	0.064	0.018
8/4/2006	9:20:11	0.059	0.013
8/4/2006	9:35:11	0.06	0.014
8/4/2006	9:50:11	0.058	0.012
8/4/2006	10:05:11	0.049	0.003
8/4/2006	10:20:11	0.064	0.018
8/4/2006	10:35:11	0.067	0.021
8/4/2006	10:50:11	0.082	0.036
8/4/2006	11:05:11	0.074	0.028
8/4/2006	11:20:11	0.074	0.028
8/4/2006	11:35:11	0.069	0.023
8/4/2006	11:50:11	0.077	0.031
8/4/2006	12:05:11	0.074	0.028
8/4/2006	12:20:11	0.059	0.013
8/4/2006	12:35:11	0.045	-0.001
8/4/2006	12:50:11	0.044	-0.002
8/4/2006	13:05:11	0.068	0.022
8/4/2006	13:20:11	0.129	0.083
8/4/2006	13:35:11	0.042	-0.004
8/4/2006	13:50:11	0.032	-0.014
8/4/2006	14:05:11	0.025	-0.021
8/4/2006	14:20:11	0.023	-0.023
8/4/2006	14:35:11	0.02	-0.026
8/4/2006	14:50:11	0.019	-0.027
8/4/2006	15:05:11	0.021	-0.025
8/4/2006	15:20:11	0.019	-0.027

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:46) = 1.0 ppm
Background Reading (PM - 12:03) = 0.4 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	8/7/2006 6:59		0.4		-0.6
2	8/7/2006 7:14		0.2		-0.8
3	8/7/2006 7:29		0.2		-0.8
4	8/7/2006 7:44		0.2		-0.8
5	8/7/2006 7:59		0.2		-0.8
6	8/7/2006 8:14		0.2		-0.8
7	8/7/2006 8:29		0.2		-0.8
8	8/7/2006 8:44		0.2		-0.8
9	8/7/2006 8:59		0.1		-0.9
10	8/7/2006 9:14		0.2		-0.8
11	8/7/2006 9:29		0.2		-0.8
12	8/7/2006 9:44		0.2		-0.8
13	8/7/2006 9:59		0.2		-0.8
14	8/7/2006 10:14		0.2		-0.8
15	8/7/2006 10:29		0.2		-0.8
16	8/7/2006 10:44		0.2		-0.8
17	8/7/2006 10:59		0.3		-0.7
18	8/7/2006 11:14		0.3		-0.7
19	8/7/2006 11:29		0.3		-0.7
20	8/7/2006 11:44		0.3		-0.7
21	8/7/2006 11:59		0.3		-0.7
22	8/7/2006 12:14		0.3		-0.1
23	8/7/2006 12:29		0.4		0
24	8/7/2006 12:44		0.4		0
25	8/7/2006 12:59		0.4		0
26	8/7/2006 13:14		0.4		0
27	8/7/2006 13:29		0.4		0
28	8/7/2006 13:44		0.4		0
29	8/7/2006 13:59		0.3		-0.1
30	8/7/2006 14:14		0.4		0
31	8/7/2006 14:29		0.2		-0.2
32	8/7/2006 14:44		0.1		-0.3
33	8/7/2006 14:59		0		-0.4
34	8/7/2006 15:14		0		-0.4
35	8/7/2006 15:29		0		-0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	8/7/2006
Start Time:	6:43:43
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:46) = 0.027 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/7/2006	6:58:43	0.038	0.011
8/7/2006	7:13:43	0.029	0.002
8/7/2006	7:28:43	0.026	-0.001
8/7/2006	7:43:43	0.027	0
8/7/2006	7:58:43	0.026	-0.001
8/7/2006	8:13:43	0.029	0.002
8/7/2006	8:28:43	0.029	0.002
8/7/2006	8:43:43	0.031	0.004
8/7/2006	8:58:43	0.035	0.008
8/7/2006	9:13:43	0.036	0.009
8/7/2006	9:28:43	0.033	0.006
8/7/2006	9:43:43	0.033	0.006
8/7/2006	9:58:43	0.035	0.008
8/7/2006	10:13:43	0.035	0.008
8/7/2006	10:28:43	0.037	0.01
8/7/2006	10:43:43	0.035	0.008
8/7/2006	10:58:43	0.035	0.008
8/7/2006	11:13:43	0.037	0.01
8/7/2006	11:28:43	0.039	0.012
8/7/2006	11:43:43	0.04	0.013
8/7/2006	11:58:43	0.044	0.017
8/7/2006	12:13:43	0.045	0.018
8/7/2006	12:28:43	0.047	0.02
8/7/2006	12:43:43	0.05	0.023
8/7/2006	12:58:43	0.049	0.022
8/7/2006	13:13:43	0.051	0.024
8/7/2006	13:28:43	0.054	0.027
8/7/2006	13:43:43	0.056	0.029
8/7/2006	13:58:43	0.089	0.062
8/7/2006	14:13:43	0.061	0.034
8/7/2006	14:28:43	0.065	0.038
8/7/2006	14:43:43	0.066	0.039
8/7/2006	14:58:43	0.069	0.042
8/7/2006	15:13:43	0.069	0.042
8/7/2006	15:28:43	0.068	0.041
8/7/2006	15:43:43	0.067	0.04

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/07/2006 05:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	9000	9000	9000

Background Reading (AM - 7:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/7/2006 7:23			0.1				0.1
2	8/7/2006 7:38			0.1				0.1
3	8/7/2006 7:53			0.3				0.3
4	8/7/2006 8:08			0.3				0.3
5	8/7/2006 8:23			0.4				0.4
6	8/7/2006 8:38			0.4				0.4
7	8/7/2006 8:53			0.5				0.5
8	8/7/2006 9:08			0.5				0.5
9	8/7/2006 9:23			0.6				0.6
10	8/7/2006 9:38			0.6				0.6
11	8/7/2006 9:53			0.6				0.6
12	8/7/2006 10:08			0.7				0.7
13	8/7/2006 10:23			0.7				0.7
14	8/7/2006 10:38			0.8				0.8
15	8/7/2006 10:53			0.8				0.8
16	8/7/2006 11:08			0.9				0.9
17	8/7/2006 11:23			0.9				0.9
18	8/7/2006 11:38			0.9				0.9
19	8/7/2006 11:53			0.9				0.9
20	8/7/2006 12:08			0.9				0.9
21	8/7/2006 12:23			1				1
22	8/7/2006 12:38			0.9				0.9
23	8/7/2006 12:53			0.9				0.9
24	8/7/2006 13:08			1				1
25	8/7/2006 13:23			1				1
26	8/7/2006 13:38			0.9				0.9
27	8/7/2006 13:53			0.9				0.9
28	8/7/2006 14:08			0.9				0.9
29	8/7/2006 14:23			0.9				0.9
30	8/7/2006 14:38			0.8				0.8
31	8/7/2006 14:53			0.6				0.6
32	8/7/2006 15:08			0.6				0.6
33	8/7/2006 15:23			0.8				0.8
34	8/7/2006 15:38			0.8				0.8

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	8/7/2006
Start Time:	7:07:08
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 7:06) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/7/2006	7:22:08	0.023	0.001
8/7/2006	7:37:08	0.025	0.003
8/7/2006	7:52:08	0.028	0.006
8/7/2006	8:07:08	0.027	0.005
8/7/2006	8:22:08	0.028	0.006
8/7/2006	8:37:08	0.028	0.006
8/7/2006	8:52:08	0.034	0.012
8/7/2006	9:07:08	0.035	0.013
8/7/2006	9:22:08	0.036	0.014
8/7/2006	9:37:08	0.032	0.01
8/7/2006	9:52:08	0.031	0.009
8/7/2006	10:07:08	0.034	0.012
8/7/2006	10:22:08	0.036	0.014
8/7/2006	10:37:08	0.036	0.014
8/7/2006	10:52:08	0.039	0.017
8/7/2006	11:07:08	0.042	0.02
8/7/2006	11:22:08	0.043	0.021
8/7/2006	11:37:08	0.043	0.021
8/7/2006	11:52:08	0.058	0.036
8/7/2006	12:07:08	0.047	0.025
8/7/2006	12:22:08	0.047	0.025
8/7/2006	12:37:08	0.05	0.028
8/7/2006	12:52:08	0.066	0.044
8/7/2006	13:07:08	0.062	0.04
8/7/2006	13:22:08	0.067	0.045
8/7/2006	13:37:08	0.06	0.038
8/7/2006	13:52:08	0.07	0.048
8/7/2006	14:07:08	0.077	0.055
8/7/2006	14:22:08	0.077	0.055
8/7/2006	14:37:08	0.081	0.059
8/7/2006	14:52:08	0.08	0.058
8/7/2006	15:07:08	0.084	0.062
8/7/2006	15:22:08	0.078	0.056
8/7/2006	15:37:08	0.077	0.055
8/7/2006	15:52:08	0.076	0.054
8/7/2006	16:07:08	0.076	0.054
8/7/2006	16:22:08	0.078	0.056

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/07/2006 05:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:54) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/7/2006 7:07			0				0
2	8/7/2006 7:22			0				0
3	8/7/2006 7:37			0				0
4	8/7/2006 7:52			0				0
5	8/7/2006 8:07			0				0
6	8/7/2006 8:22			0				0
7	8/7/2006 8:37			0				0
8	8/7/2006 8:52			0				0
9	8/7/2006 9:07			0				0
10	8/7/2006 9:22			0				0
11	8/7/2006 9:37			0				0
12	8/7/2006 9:52			0				0
13	8/7/2006 10:07			0				0
14	8/7/2006 10:22			0				0
15	8/7/2006 10:37			0				0
16	8/7/2006 10:52			0				0
17	8/7/2006 11:07			0				0
18	8/7/2006 11:22			0				0
19	8/7/2006 11:37			0				0
20	8/7/2006 11:52			0				0
21	8/7/2006 12:07			0				0
22	8/7/2006 12:22			0				0
23	8/7/2006 12:37			0				0
24	8/7/2006 12:52			0				0
25	8/7/2006 13:07			0				0
26	8/7/2006 13:22			0				0
27	8/7/2006 13:37			0				0
28	8/7/2006 13:52			0				0
29	8/7/2006 14:07			0				0
30	8/7/2006 14:22			0				0
31	8/7/2006 14:37			0				0
32	8/7/2006 14:52			0				0
33	8/7/2006 15:07			0				0
34	8/7/2006 15:22			0				0
35	8/7/2006 15:37			0				0
36	8/7/2006 15:52			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	7
Test Abbreviation:	
Start Date:	8/7/2006
Start Time:	6:54:43
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:54) = 0.032 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/7/2006	7:09:43	0.037	0.005
8/7/2006	7:24:43	0.034	0.002
8/7/2006	7:39:43	0.035	0.003
8/7/2006	7:54:43	0.034	0.002
8/7/2006	8:09:43	0.04	0.008
8/7/2006	8:24:43	0.041	0.009
8/7/2006	8:39:43	0.038	0.006
8/7/2006	8:54:43	0.042	0.01
8/7/2006	9:09:43	0.046	0.014
8/7/2006	9:24:43	0.057	0.025
8/7/2006	9:39:43	0.049	0.017
8/7/2006	9:54:43	0.062	0.03
8/7/2006	10:09:43	0.049	0.017
8/7/2006	10:24:43	0.049	0.017
8/7/2006	10:39:43	0.049	0.017
8/7/2006	10:54:43	0.073	0.041
8/7/2006	11:09:43	0.055	0.023
8/7/2006	11:24:43	0.085	0.053
8/7/2006	11:39:43	0.069	0.037
8/7/2006	11:54:43	0.088	0.056
8/7/2006	12:09:43	0.076	0.044
8/7/2006	12:24:43	0.082	0.05
8/7/2006	12:39:43	0.1	0.068
8/7/2006	12:54:43	0.102	0.07
8/7/2006	13:09:43	0.109	0.077
8/7/2006	13:24:43	0.09	0.058
8/7/2006	13:39:43	0.101	0.069
8/7/2006	13:54:43	0.091	0.059
8/7/2006	14:09:43	0.095	0.063
8/7/2006	14:24:43	0.108	0.076
8/7/2006	14:39:43	0.125	0.093
8/7/2006	14:54:43	0.135	0.103
8/7/2006	15:09:43	0.111	0.079
8/7/2006	15:24:43	0.119	0.087
8/7/2006	15:39:43	0.119	0.087
8/7/2006	15:54:43	0.107	0.075
8/7/2006	16:09:43	0.104	0.072

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2006 05:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/7/2006 6:43			0				0
2	8/7/2006 6:58			0				0
3	8/7/2006 7:13			0				0
4	8/7/2006 7:28			0				0
5	8/7/2006 7:43			0				0
6	8/7/2006 7:58			0				0
7	8/7/2006 8:13			0				0
8	8/7/2006 8:28			0				0
9	8/7/2006 8:43			0				0
10	8/7/2006 8:58			0				0
11	8/7/2006 9:13			0				0
12	8/7/2006 9:28			0				0
13	8/7/2006 9:43			0				0
14	8/7/2006 9:58			0.1				0.1
15	8/7/2006 10:13			0.1				0.1
16	8/7/2006 10:28			0.1				0.1
17	8/7/2006 10:43			0.1				0.1
18	8/7/2006 10:58			0.1				0.1
19	8/7/2006 11:13			0.1				0.1
20	8/7/2006 11:28			0.1				0.1
21	8/7/2006 11:43			0.2				0.2
22	8/7/2006 11:58			0.2				0.2
23	8/7/2006 12:13			0.2				0.2
24	8/7/2006 12:28			0.1				0.1
25	8/7/2006 12:43			0				0
26	8/7/2006 12:58			0				0
27	8/7/2006 13:13			0				0
28	8/7/2006 13:28			0				0
29	8/7/2006 13:43			0				0
30	8/7/2006 13:58			0				0
31	8/7/2006 14:13			0				0
32	8/7/2006 14:28			0				0
33	8/7/2006 14:43			0				0
34	8/7/2006 14:58			0.2				0.2
35	8/7/2006 15:13			0.3				0.3
36	8/7/2006 15:28			0.3				0.3
37	8/7/2006 15:43			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	6
Test Abbreviation:	
Start Date:	8/7/2006
Start Time:	6:27:24
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:27) = 0.035 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/7/2006	6:42:24	0.034	-0.001
8/7/2006	6:57:24	0.035	0
8/7/2006	7:12:24	0.155	0.12
8/7/2006	7:27:24	0.044	0.009
8/7/2006	7:42:24	0.038	0.003
8/7/2006	7:57:24	0.038	0.003
8/7/2006	8:12:24	0.055	0.02
8/7/2006	8:27:24	0.047	0.012
8/7/2006	8:42:24	0.043	0.008
8/7/2006	8:57:24	0.043	0.008
8/7/2006	9:12:24	0.048	0.013
8/7/2006	9:27:24	0.047	0.012
8/7/2006	9:42:24	0.045	0.01
8/7/2006	9:57:24	0.044	0.009
8/7/2006	10:12:24	0.078	0.043
8/7/2006	10:27:24	0.065	0.03
8/7/2006	10:42:24	0.072	0.037
8/7/2006	10:57:24	0.166	0.131
8/7/2006	11:12:24	0.172	0.137
8/7/2006	11:27:24	0.061	0.026
8/7/2006	11:42:24	0.103	0.068
8/7/2006	11:57:24	0.06	0.025
8/7/2006	12:12:24	0.064	0.029
8/7/2006	12:27:24	0.069	0.034
8/7/2006	12:42:24	0.082	0.047
8/7/2006	12:57:24	0.134	0.099
8/7/2006	13:12:24	0.132	0.097
8/7/2006	13:27:24	0.124	0.089
8/7/2006	13:42:24	0.127	0.092
8/7/2006	13:57:24	0.273	0.238
8/7/2006	14:12:24	0.224	0.189
8/7/2006	14:27:24	0.216	0.181
8/7/2006	14:42:24	0.198	0.163
8/7/2006	14:57:24	0.389	0.354
8/7/2006	15:12:24	0.206	0.171
8/7/2006	15:27:24	0.145	0.11
8/7/2006	15:42:24	0.396	0.361
8/7/2006	15:57:24	0.143	0.108

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/08/2006 04:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:54) = 0.5 ppm
Background Reading (PM - 12:00) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/8/2006 7:09			0.2				-0.3
2	8/8/2006 7:24			0.1				-0.4
3	8/8/2006 7:39			0.1				-0.4
4	8/8/2006 7:54			0.1				-0.4
5	8/8/2006 8:09			0.2				-0.3
6	8/8/2006 8:24			0.2				-0.3
7	8/8/2006 8:39			0.2				-0.3
8	8/8/2006 8:54			0.2				-0.3
9	8/8/2006 9:09			0.2				-0.3
10	8/8/2006 9:24			0.2				-0.3
11	8/8/2006 9:39			0.2				-0.3
12	8/8/2006 9:54			0.2				-0.3
13	8/8/2006 10:09			0.2				-0.3
14	8/8/2006 10:24			0.2				-0.3
15	8/8/2006 10:39			0.2				-0.3
16	8/8/2006 10:54			0.2				-0.3
17	8/8/2006 11:09			0.2				-0.3
18	8/8/2006 11:24			0.2				-0.3
19	8/8/2006 11:39			0.2				-0.3
20	8/8/2006 11:54			0.2				-0.3
21	8/8/2006 12:09			0.3				0
22	8/8/2006 12:24			0.3				0
23	8/8/2006 12:39			0.3				0
24	8/8/2006 12:54			0.3				0
25	8/8/2006 13:09			0.3				0
26	8/8/2006 13:24			0.3				0
27	8/8/2006 13:39			0.2				-0.1
28	8/8/2006 13:54			0.2				-0.1
29	8/8/2006 14:09			0.2				-0.1
30	8/8/2006 14:24			0.3				0
31	8/8/2006 14:39			0.3				0
32	8/8/2006 14:54			0.2				-0.1
33	8/8/2006 15:09			0.2				-0.1
34	8/8/2006 15:24			0.2				-0.1
35	8/8/2006 15:39			0.2				-0.1
36	8/8/2006 15:54			0.2				-0.1
37	8/8/2006 16:09			0.2				-0.1
38	8/8/2006 16:24			0.2				-0.1
39	8/8/2006 16:39			0.3				0
40	8/8/2006 16:54			0.2				-0.1
41	8/8/2006 17:09			0.2				-0.1
42	8/8/2006 17:24			0.2				-0.1
43	8/8/2006 17:39			0.2				-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	8/8/2006
Start Time:	6:55:10
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (AM - 6:54) = 0.040 mg/m3 Background Reading (PM - 12:00) = 0.020 mg/m3
Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol-background mg/m^3
8/8/2006	7:10:10	0.048	0.008
8/8/2006	7:25:10	0.049	0.009
8/8/2006	7:40:10	0.041	0.001
8/8/2006	7:55:10	0.038	-0.002
8/8/2006	8:10:10	0.031	-0.009
8/8/2006	8:25:10	0.027	-0.013
8/8/2006	8:40:10	0.033	-0.007
8/8/2006	8:55:10	0.026	-0.014
8/8/2006	9:10:10	0.039	-0.001
8/8/2006	9:25:10	0.025	-0.015
8/8/2006	9:40:10	0.024	-0.016
8/8/2006	9:55:10	0.021	-0.019
8/8/2006	10:10:10	0.025	-0.015
8/8/2006	10:25:10	0.022	-0.018
8/8/2006	10:40:10	0.023	-0.017
8/8/2006	10:55:10	0.067	0.027
8/8/2006	11:10:10	0.051	0.011
8/8/2006	11:25:10	0.056	0.016
8/8/2006	11:40:10	0.016	-0.024
8/8/2006	11:55:10	0.018	-0.022
8/8/2006	12:10:10	0.033	0.013
8/8/2006	12:25:10	0.025	0.005
8/8/2006	12:40:10	0.021	0.001
8/8/2006	12:55:10	0.022	0.002
8/8/2006	13:10:10	0.064	0.044
8/8/2006	13:25:10	0.023	0.003
8/8/2006	13:40:10	0.025	0.005
8/8/2006	13:55:10	0.023	0.003
8/8/2006	14:10:10	0.017	-0.003
8/8/2006	14:25:10	0.018	-0.002
8/8/2006	14:40:10	0.039	0.019
8/8/2006	14:55:10	0.051	0.031
8/8/2006	15:10:10	0.074	0.054
8/8/2006	15:25:10	0.044	0.024
8/8/2006	15:40:10	0.021	0.001
8/8/2006	15:55:10	0.027	0.007
8/8/2006	16:10:10	0.019	-0.001
8/8/2006	16:25:10	0.016	-0.004
8/8/2006	16:40:10	0.023	0.003
8/8/2006	16:55:10	0.021	0.001
8/8/2006	17:10:10	0.027	0.007
8/8/2006	17:25:10	0.011	-0.009

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/08/2006 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	9000	9000	9000

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/8/2006 6:56			0				0
2	8/8/2006 7:11			0				0
3	8/8/2006 7:26			0				0
4	8/8/2006 7:41			0.1				0.1
5	8/8/2006 7:56			0.1				0.1
6	8/8/2006 8:11			0.2				0.2
7	8/8/2006 8:26			0.2				0.2
8	8/8/2006 8:41			0.3				0.3
9	8/8/2006 8:56			0.4				0.4
10	8/8/2006 9:11			0.6				0.6
11	8/8/2006 9:26			0.8				0.8
12	8/8/2006 9:41			0.9				0.9
13	8/8/2006 9:56			0.9				0.9
14	8/8/2006 10:11			0.9				0.9
15	8/8/2006 10:26			0.8				0.8
16	8/8/2006 10:41			0.7				0.7
17	8/8/2006 10:56			0.8				0.8
18	8/8/2006 11:11			0.9				0.9
19	8/8/2006 11:26			0.9				0.9
20	8/8/2006 11:41			0.9				0.9
21	8/8/2006 11:56			1				1
22	8/8/2006 12:11			1				1
23	8/8/2006 12:26			1.1				1.1
24	8/8/2006 12:41			1.1				1.1
25	8/8/2006 12:56			1.1				1.1
26	8/8/2006 13:11			1.1				1.1
27	8/8/2006 13:26			1.2				1.2
28	8/8/2006 13:41			1.2				1.2
29	8/8/2006 13:56			1.1				1.1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	12
Test Abbreviation:	
Start Date:	8/8/2006
Start Time:	6:40:27
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:40) = 0.037 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/8/2006	6:55:27	0.041	0.004
8/8/2006	7:10:27	0.038	0.001
8/8/2006	7:25:27	0.038	0.001
8/8/2006	7:40:27	0.039	0.002
8/8/2006	7:55:27	0.034	-0.003
8/8/2006	8:10:27	0.029	-0.008
8/8/2006	8:25:27	0.025	-0.012
8/8/2006	8:40:27	0.027	-0.01
8/8/2006	8:55:27	0.023	-0.014
8/8/2006	9:10:27	0.019	-0.018
8/8/2006	9:25:27	0.021	-0.016
8/8/2006	9:40:27	0.02	-0.017
8/8/2006	9:55:27	0.02	-0.017
8/8/2006	10:10:27	0.02	-0.017
8/8/2006	10:25:27	0.027	-0.01
8/8/2006	10:40:27	0.018	-0.019
8/8/2006	10:55:27	0.018	-0.019
8/8/2006	11:10:27	0.019	-0.018
8/8/2006	11:25:27	0.019	-0.018
8/8/2006	11:40:27	0.018	-0.019
8/8/2006	11:55:27	0.015	-0.022
8/8/2006	12:10:27	0.017	-0.02
8/8/2006	12:25:27	0.016	-0.021
8/8/2006	12:40:27	0.015	-0.022
8/8/2006	12:55:27	0.017	-0.02
8/8/2006	13:10:27	0.018	-0.019
8/8/2006	13:25:27	0.017	-0.02
8/8/2006	13:40:27	0.017	-0.02
8/8/2006	13:55:27	0.023	-0.014
8/8/2006	14:10:27	0.029	-0.008
8/8/2006	14:25:27	0.028	-0.009
8/8/2006	14:40:27	0.021	-0.016
8/8/2006	14:55:27	0.037	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/08/2006 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:32) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/8/2006 6:44			0				-0.2
2	8/8/2006 6:59			0				-0.2
3	8/8/2006 7:14			0				-0.2
4	8/8/2006 7:29			0				-0.2
5	8/8/2006 7:44			0				-0.2
6	8/8/2006 7:59			0				-0.2
7	8/8/2006 8:14			0.1				-0.1
8	8/8/2006 8:29			0.1				-0.1
9	8/8/2006 8:44			0				-0.2
10	8/8/2006 8:59			0				-0.2
11	8/8/2006 9:14			0				-0.2
12	8/8/2006 9:29			0				-0.2
13	8/8/2006 9:44			0				-0.2
14	8/8/2006 9:59			0				-0.2
15	8/8/2006 10:14			0				-0.2
16	8/8/2006 10:29			0				-0.2
17	8/8/2006 10:44			0				-0.2
18	8/8/2006 10:59			0				-0.2
19	8/8/2006 11:14			0				-0.2
20	8/8/2006 11:29			0				-0.2
21	8/8/2006 11:44			0				-0.2
22	8/8/2006 11:59			0				-0.2
23	8/8/2006 12:14			0				-0.2
24	8/8/2006 12:29			0				-0.2
25	8/8/2006 12:44			0				-0.2
26	8/8/2006 12:59			0				-0.2
27	8/8/2006 13:14			0				-0.2
28	8/8/2006 13:29			0				-0.2
29	8/8/2006 13:44			0				-0.2
30	8/8/2006 13:59			0				-0.2
31	8/8/2006 14:14			0				-0.2
32	8/8/2006 14:29			0				-0.2
33	8/8/2006 14:44			0				-0.2
34	8/8/2006 14:59			0				-0.2
35	8/8/2006 15:14			0				-0.2
36	8/8/2006 15:29			0				-0.2
37	8/8/2006 15:44			0				-0.2
38	8/8/2006 15:59			0				-0.2
39	8/8/2006 16:14			0				-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	8
Test Abbreviation:	
Start Date:	8/8/2006
Start Time:	6:31:58
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (AM - 6:32) = 0.063 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/8/2006	6:46:58	0.065	0.002
8/8/2006	7:01:58	0.057	-0.006
8/8/2006	7:16:58	0.055	-0.008
8/8/2006	7:31:58	0.056	-0.007
8/8/2006	7:46:58	0.054	-0.009
8/8/2006	8:01:58	0.046	-0.017
8/8/2006	8:16:58	0.044	-0.019
8/8/2006	8:31:58	0.036	-0.027
8/8/2006	8:46:58	0.038	-0.025
8/8/2006	9:01:58	0.042	-0.021
8/8/2006	9:16:58	0.03	-0.033
8/8/2006	9:31:58	0.042	-0.021
8/8/2006	9:46:58	0.051	-0.012
8/8/2006	10:01:58	0.031	-0.032
8/8/2006	10:16:58	0.04	-0.023
8/8/2006	10:31:58	0.028	-0.035
8/8/2006	10:46:58	0.026	-0.037
8/8/2006	11:01:58	0.038	-0.025
8/8/2006	11:16:58	0.058	-0.005
8/8/2006	11:31:58	0.047	-0.016
8/8/2006	11:46:58	0.028	-0.035
8/8/2006	12:01:58	0.04	-0.023
8/8/2006	12:16:58	0.034	-0.029
8/8/2006	12:31:58	0.023	-0.04
8/8/2006	12:46:58	0.027	-0.036
8/8/2006	13:01:58	0.026	-0.037
8/8/2006	13:16:58	0.026	-0.037
8/8/2006	13:31:58	0.03	-0.033
8/8/2006	13:46:58	0.046	-0.017
8/8/2006	14:01:58	0.053	-0.01
8/8/2006	14:16:58	0.058	-0.005
8/8/2006	14:31:58	0.082	0.019
8/8/2006	14:46:58	0.06	-0.003
8/8/2006	15:01:58	0.095	0.032
8/8/2006	15:16:58	0.123	0.06
8/8/2006	15:31:58	0.053	-0.01
8/8/2006	15:46:58	0.04	-0.023
8/8/2006	16:01:58	0.033	-0.03
8/8/2006	16:16:58	0.035	-0.028
8/8/2006	16:31:58	0.026	-0.037
8/8/2006	16:46:58	0.094	0.031

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/08/2006 05:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:25) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/8/2006 6:39			0				0
2	8/8/2006 6:54			0				0
3	8/8/2006 7:09			0.1				0.1
4	8/8/2006 7:24			0.1				0.1
5	8/8/2006 7:39			0.1				0.1
6	8/8/2006 7:54			0.2				0.2
7	8/8/2006 8:09			0.4				0.4
8	8/8/2006 8:24			0.3				0.3
9	8/8/2006 8:39			0.3				0.3
10	8/8/2006 8:54			0.2				0.2
11	8/8/2006 9:09			0.2				0.2
12	8/8/2006 9:24			0.3				0.3
13	8/8/2006 9:39			0.3				0.3
14	8/8/2006 9:54			0.2				0.2
15	8/8/2006 10:09			0.1				0.1
16	8/8/2006 10:24			0.2				0.2
17	8/8/2006 10:39			0.2				0.2
18	8/8/2006 10:54			0.2				0.2
19	8/8/2006 11:09			0.3				0.3
20	8/8/2006 11:24			0.3				0.3
21	8/8/2006 11:39			0.3				0.3
22	8/8/2006 11:54			0.2				0.2
23	8/8/2006 12:09			0.2				0.2
24	8/8/2006 12:24			0.2				0.2
25	8/8/2006 12:39			0.2				0.2
26	8/8/2006 12:54			0.2				0.2
27	8/8/2006 13:09			0.2				0.2
28	8/8/2006 13:24			0.2				0.2
29	8/8/2006 13:39			0.1				0.1
30	8/8/2006 13:54			0.1				0.1
31	8/8/2006 14:09			0.2				0.2
32	8/8/2006 14:24			0.1				0.1
33	8/8/2006 14:39			0.2				0.2
34	8/8/2006 14:54			0.1				0.1
35	8/8/2006 15:09			0				0
36	8/8/2006 15:24			0				0
37	8/8/2006 15:39			0				0
38	8/8/2006 15:54			0				0
39	8/8/2006 16:09			0				0
40	8/8/2006 16:24			0				0
41	8/8/2006 16:39			0.1				0.1
42	8/8/2006 16:54			0.1				0.1
43	8/8/2006 17:09			0.1				0.1
44	8/8/2006 17:24			0				0
45	8/8/2006 17:39			0				0
46	8/8/2006 17:54			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	7
Test Abbreviation:	
Start Date:	8/8/2006
Start Time:	6:25:32
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (AM - 6:25) = 0.154 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/8/2006	6:40:32	0.082	-0.072
8/8/2006	6:55:32	0.072	-0.082
8/8/2006	7:10:32	0.068	-0.086
8/8/2006	7:25:32	0.094	-0.06
8/8/2006	7:40:32	0.077	-0.077
8/8/2006	7:55:32	0.078	-0.076
8/8/2006	8:10:32	0.08	-0.074
8/8/2006	8:25:32	0.038	-0.116
8/8/2006	8:40:32	0.038	-0.116
8/8/2006	8:55:32	0.05	-0.104
8/8/2006	9:10:32	0.031	-0.123
8/8/2006	9:25:32	0.051	-0.103
8/8/2006	9:40:32	0.028	-0.126
8/8/2006	9:55:32	0.039	-0.115
8/8/2006	10:10:32	0.059	-0.095
8/8/2006	10:25:32	0.047	-0.107
8/8/2006	10:40:32	0.022	-0.132
8/8/2006	10:55:32	0.06	-0.094
8/8/2006	11:10:32	0.115	-0.039
8/8/2006	11:25:32	0.047	-0.107
8/8/2006	11:40:32	0.039	-0.115
8/8/2006	11:55:32	0.041	-0.113
8/8/2006	12:10:32	0.032	-0.122
8/8/2006	12:25:32	0.025	-0.129
8/8/2006	12:40:32	0.078	-0.076
8/8/2006	12:55:32	0.046	-0.108
8/8/2006	13:10:32	0.036	-0.118
8/8/2006	13:25:32	0.032	-0.122
8/8/2006	13:40:32	0.085	-0.069
8/8/2006	13:55:32	0.065	-0.089
8/8/2006	14:10:32	0.038	-0.116
8/8/2006	14:25:32	0.06	-0.094
8/8/2006	14:40:32	0.11	-0.044
8/8/2006	14:55:32	0.074	-0.08
8/8/2006	15:10:32	0.071	-0.083
8/8/2006	15:25:32	0.064	-0.09
8/8/2006	15:40:32	0.293	0.139
8/8/2006	15:55:32	0.069	-0.085
8/8/2006	16:10:32	0.066	-0.088
8/8/2006	16:25:32	0.075	-0.079
8/8/2006	16:40:32	0.068	-0.086
8/8/2006	16:55:32	0.062	-0.092
8/8/2006	17:10:32	0.053	-0.101
8/8/2006	17:25:32	0.05	-0.104
8/8/2006	17:40:32	0.047	-0.107
8/8/2006	17:55:32	0.025	-0.129
8/8/2006	18:10:32	0.016	-0.138

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/09/2006 04:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:48) = 0.2 ppm

Background Reading (PM - 12:30) = 0.5 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/9/2006 7:03			0.1				-0.1
2	8/9/2006 7:18			0.1				-0.1
3	8/9/2006 7:33			0.1				-0.1
4	8/9/2006 7:48			0.2				0
5	8/9/2006 8:03			0.2				0
6	8/9/2006 8:18			0.2				0
7	8/9/2006 8:33			0.2				0
8	8/9/2006 8:48			0.2				0
9	8/9/2006 9:03			0.3				0.1
10	8/9/2006 9:18			0.3				0.1
11	8/9/2006 9:33			0.3				0.1
12	8/9/2006 9:48			0.4				0.2
13	8/9/2006 10:03			0.4				0.2
14	8/9/2006 10:18			0.4				0.2
15	8/9/2006 10:33			0.4				0.2
16	8/9/2006 10:48			0.4				0.2
17	8/9/2006 11:03			0.4				0.2
18	8/9/2006 11:18			0.4				0.2
19	8/9/2006 11:33			0.5				0.3
20	8/9/2006 11:48			0.4				0.2
21	8/9/2006 12:03			0.5				0.3
22	8/9/2006 12:18			0.6				0.4
23	8/9/2006 12:33			0.5				0
24	8/9/2006 12:48			0.5				0
25	8/9/2006 13:03			0.5				0
26	8/9/2006 13:18			0.5				0
27	8/9/2006 13:33			0.6				0.1
28	8/9/2006 13:48			0.5				0
29	8/9/2006 14:03			0.6				0.1
30	8/9/2006 14:18			0.6				0.1
31	8/9/2006 14:33			0.6				0.1
32	8/9/2006 14:48			0.6				0.1
33	8/9/2006 15:03			0.5				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	8/9/2006
Start Time:	6:41:44
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:48) = 0.017 mg/m3
Background Reading (PM - 12:30) = 0.062 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/9/2006	6:56:44	0.023	0.006
8/9/2006	7:11:44	0.019	0.002
8/9/2006	7:26:44	0.014	-0.003
8/9/2006	7:41:44	0.015	-0.002
8/9/2006	7:56:44	0.016	-0.001
8/9/2006	8:11:44	0.02	0.003
8/9/2006	8:26:44	0.045	0.028
8/9/2006	8:41:44	0.041	0.024
8/9/2006	8:56:44	0.038	0.021
8/9/2006	9:11:44	0.027	0.01
8/9/2006	9:26:44	0.015	-0.002
8/9/2006	9:41:44	0.018	0.001
8/9/2006	9:56:44	0.029	0.012
8/9/2006	10:11:44	0.021	0.004
8/9/2006	10:26:44	0.026	0.009
8/9/2006	10:41:44	0.014	-0.003
8/9/2006	10:56:44	0.023	0.006
8/9/2006	11:11:44	0.067	0.05
8/9/2006	11:26:44	0.045	0.028
8/9/2006	11:41:44	0.038	0.021
8/9/2006	11:56:44	0.011	-0.006
8/9/2006	12:11:44	0.026	0.009
8/9/2006	12:26:44	0.059	0.042
8/9/2006	12:41:44	0.031	0.014
8/9/2006	12:56:44	0.024	0.007
8/9/2006	13:11:44	0.012	-0.005
8/9/2006	13:26:44	0.014	-0.003
8/9/2006	13:41:44	0.015	-0.002
8/9/2006	13:56:44	0.023	0.006
8/9/2006	14:11:44	0.018	0.001
8/9/2006	14:26:44	0.027	0.01
8/9/2006	14:41:44	0.076	0.059
8/9/2006	14:56:44	0.02	0.003
8/9/2006	15:11:44	0.034	0.017
8/9/2006	15:26:44	0.025	0.008

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/09/2006 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:36) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/9/2006 6:51			0.1				-0.1
2	8/9/2006 7:06			0.1				-0.1
3	8/9/2006 7:21			0.2				0
4	8/9/2006 7:36			0.2				0
5	8/9/2006 7:51			0.3				0.1
6	8/9/2006 8:06			0.3				0.1
7	8/9/2006 8:21			0.3				0.1
8	8/9/2006 8:36			0.3				0.1
9	8/9/2006 8:51			0.4				0.2
10	8/9/2006 9:06			0.4				0.2
11	8/9/2006 9:21			0.6				0.4
12	8/9/2006 9:36			0.7				0.5
13	8/9/2006 9:51			0.6				0.4
14	8/9/2006 10:06			0.6				0.4
15	8/9/2006 10:21			0.5				0.3
16	8/9/2006 10:36			0.4				0.2
17	8/9/2006 10:51			0.4				0.2
18	8/9/2006 11:06			0.4				0.2
19	8/9/2006 11:21			0.5				0.3
20	8/9/2006 11:36			0.4				0.2
21	8/9/2006 11:51			0.4				0.2
22	8/9/2006 12:06			0.5				0.3
23	8/9/2006 12:21			0.4				0.2
24	8/9/2006 12:36			0.4				0.2
25	8/9/2006 12:51			0.4				0.2
26	8/9/2006 13:06			0.4				0.2
27	8/9/2006 13:21			0.4				0.2
28	8/9/2006 13:36			0.8				0.6
29	8/9/2006 13:51			1				0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	13
Test Abbreviation:	
Start Date:	8/9/2006
Start Time:	6:35:25
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (AM - 6:36) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol-background mg/m^3
8/9/2006	6:50:25	0.011	0.001
8/9/2006	7:05:25	0.013	0.003
8/9/2006	7:20:25	0.014	0.004
8/9/2006	7:35:25	0.015	0.005
8/9/2006	7:50:25	0.012	0.002
8/9/2006	8:05:25	0.013	0.003
8/9/2006	8:20:25	0.013	0.003
8/9/2006	8:35:25	0.014	0.004
8/9/2006	8:50:25	0.016	0.006
8/9/2006	9:05:25	0.015	0.005
8/9/2006	9:20:25	0.086	0.076
8/9/2006	9:35:25	0.016	0.006
8/9/2006	9:50:25	0.019	0.009
8/9/2006	10:05:25	0.014	0.004
8/9/2006	10:20:25	0.013	0.003
8/9/2006	10:35:25	0.013	0.003
8/9/2006	10:50:25	0.011	0.001
8/9/2006	11:05:25	0.014	0.004
8/9/2006	11:20:25	0.013	0.003
8/9/2006	11:35:25	0.014	0.004
8/9/2006	11:50:25	0.02	0.01
8/9/2006	12:05:25	0.011	0.001
8/9/2006	12:20:25	0.013	0.003
8/9/2006	12:35:25	0.013	0.003
8/9/2006	12:50:25	0.02	0.01
8/9/2006	13:05:25	0.035	0.025
8/9/2006	13:20:25	0.014	0.004
8/9/2006	13:35:25	0.017	0.007
8/9/2006	13:50:25	0.023	0.013
8/9/2006	14:05:25	0.024	0.014
8/9/2006	14:20:25	0.023	0.013
8/9/2006	14:35:25	0.031	0.021
8/9/2006	14:50:25	0.02	0.01
8/9/2006	15:05:25	0.024	0.014
8/9/2006	15:20:25	0.03	0.02

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/09/2006 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:35) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/9/2006 7:46			0.3				-0.1
2	8/9/2006 8:01			0.3				-0.1
3	8/9/2006 8:16			0.4				0
4	8/9/2006 8:31			0.5				0.1
5	8/9/2006 8:46			0.5				0.1
6	8/9/2006 9:01			0.4				0
7	8/9/2006 9:16			0.4				0
8	8/9/2006 9:31			0.3				-0.1
9	8/9/2006 9:46			0.3				-0.1
10	8/9/2006 10:01			0.3				-0.1
11	8/9/2006 10:16			0.2				-0.2
12	8/9/2006 10:31			0.2				-0.2
13	8/9/2006 10:46			0.3				-0.1
14	8/9/2006 11:01			0.3				-0.1
15	8/9/2006 11:16			0.4				0
16	8/9/2006 11:31			0.4				0
17	8/9/2006 11:46			0.5				0.1
18	8/9/2006 12:01			0.5				0.1
19	8/9/2006 12:16			0.5				0.1
20	8/9/2006 12:31			0.4				0
21	8/9/2006 12:46			0.4				0
22	8/9/2006 13:01			0.5				0.1
23	8/9/2006 13:16			0.5				0.1
24	8/9/2006 13:31			0.4				0
25	8/9/2006 13:46			0.4				0
26	8/9/2006 14:01			0.3				-0.1
27	8/9/2006 14:16			0.4				0
28	8/9/2006 14:31			0.3				-0.1
29	8/9/2006 14:46			0.3				-0.1
30	8/9/2006 15:01			0.3				-0.1
31	8/9/2006 15:16			0.2				-0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	9
Test Abbreviation:	
Start Date:	8/9/2006
Start Time:	7:33:18
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 7:35) = 0.018 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/9/2006	7:48:18	0.02	0.002
8/9/2006	8:03:18	0.018	0
8/9/2006	8:18:18	0.049	0.031
8/9/2006	8:33:18	0.076	0.058
8/9/2006	8:48:18	0.061	0.043
8/9/2006	9:03:18	0.051	0.033
8/9/2006	9:18:18	0.023	0.005
8/9/2006	9:33:18	0.016	-0.002
8/9/2006	9:48:18	0.023	0.005
8/9/2006	10:03:18	0.019	0.001
8/9/2006	10:18:18	0.014	-0.004
8/9/2006	10:33:18	0.013	-0.005
8/9/2006	10:48:18	0.012	-0.006
8/9/2006	11:03:18	0.014	-0.004
8/9/2006	11:18:18	0.016	-0.002
8/9/2006	11:33:18	0.014	-0.004
8/9/2006	11:48:18	0.017	-0.001
8/9/2006	12:03:18	0.013	-0.005
8/9/2006	12:18:18	0.014	-0.004
8/9/2006	12:33:18	0.015	-0.003
8/9/2006	12:48:18	0.018	0
8/9/2006	13:03:18	0.019	0.001
8/9/2006	13:18:18	0.018	0
8/9/2006	13:33:18	0.025	0.007
8/9/2006	13:48:18	0.024	0.006
8/9/2006	14:03:18	0.027	0.009
8/9/2006	14:18:18	0.027	0.009
8/9/2006	14:33:18	0.027	0.009
8/9/2006	14:48:18	0.03	0.012
8/9/2006	15:03:18	0.027	0.009
8/9/2006	15:18:18	0.036	0.018
8/9/2006	15:33:18	0.028	0.01

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2006 05:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:24) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	8/9/2006 6:39		0		0
2	8/9/2006 6:54		0		0
3	8/9/2006 7:09		0.1		0.1
4	8/9/2006 7:24		0.2		0.2
5	8/9/2006 7:39		0.3		0.3
6	8/9/2006 7:54		0.3		0.3
7	8/9/2006 8:09		0.3		0.3
8	8/9/2006 8:24		0.3		0.3
9	8/9/2006 8:39		0.3		0.3
10	8/9/2006 8:54		0.3		0.3
11	8/9/2006 9:09		0.3		0.3
12	8/9/2006 9:24		0.3		0.3
13	8/9/2006 9:39		0.2		0.2
14	8/9/2006 9:54		0.2		0.2
15	8/9/2006 10:09		0.2		0.2
16	8/9/2006 10:24		0.2		0.2
17	8/9/2006 10:39		0.2		0.2
18	8/9/2006 10:54		0.1		0.1
19	8/9/2006 11:09		0.2		0.2
20	8/9/2006 11:24		0.1		0.1
21	8/9/2006 11:39		1.3		1.3
22	8/9/2006 11:54		0.3		0.3
23	8/9/2006 12:09		0.3		0.3
24	8/9/2006 12:24		0.2		0.2
25	8/9/2006 12:39		0.2		0.2
26	8/9/2006 12:54		0.3		0.3
27	8/9/2006 13:09		0.3		0.3
28	8/9/2006 13:24		0.2		0.2
29	8/9/2006 13:39		0.2		0.2
30	8/9/2006 13:54		0.2		0.2
31	8/9/2006 14:09		0.1		0.1
32	8/9/2006 14:24		0.1		0.1
33	8/9/2006 14:39		0.1		0.1
34	8/9/2006 14:54		0.1		0.1
35	8/9/2006 15:09		0.1		0.1
36	8/9/2006 15:24		0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	8
Test Abbreviation:	
Start Date:	8/9/2006
Start Time:	6:24:09
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:24) = 0.026 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/9/2006	6:39:09	0.023	-0.003
8/9/2006	6:54:09	0.02	-0.006
8/9/2006	7:09:09	0.03	0.004
8/9/2006	7:24:09	0.031	0.005
8/9/2006	7:39:09	0.027	0.001
8/9/2006	7:54:09	0.023	-0.003
8/9/2006	8:09:09	0.02	-0.006
8/9/2006	8:24:09	0.02	-0.006
8/9/2006	8:39:09	0.043	0.017
8/9/2006	8:54:09	0.021	-0.005
8/9/2006	9:09:09	0.022	-0.004
8/9/2006	9:24:09	0.029	0.003
8/9/2006	9:39:09	0.037	0.011
8/9/2006	9:54:09	0.048	0.022
8/9/2006	10:09:09	0.029	0.003
8/9/2006	10:24:09	0.033	0.007
8/9/2006	10:39:09	0.029	0.003
8/9/2006	10:54:09	0.037	0.011
8/9/2006	11:09:09	0.067	0.041
8/9/2006	11:24:09	0.059	0.033
8/9/2006	11:39:09	0.039	0.013
8/9/2006	11:54:09	0.083	0.057
8/9/2006	12:09:09	0.022	-0.004
8/9/2006	12:24:09	0.038	0.012
8/9/2006	12:39:09	0.023	-0.003
8/9/2006	12:54:09	0.047	0.021
8/9/2006	13:09:09	0.023	-0.003
8/9/2006	13:24:09	0.064	0.038
8/9/2006	13:39:09	0.104	0.078
8/9/2006	13:54:09	0.033	0.007
8/9/2006	14:09:09	0.034	0.008
8/9/2006	14:24:09	0.048	0.022
8/9/2006	14:39:09	0.039	0.013
8/9/2006	14:54:09	0.036	0.01
8/9/2006	15:09:09	0.075	0.049
8/9/2006	15:24:09	0.062	0.036
8/9/2006	15:39:09	0.054	0.028

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/10/2006 06:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:08) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/10/2006 7:15			0.2				0
2	8/10/2006 7:30			0.2				0
3	8/10/2006 7:45			0.2				0
4	8/10/2006 8:00			0.3				0.1
5	8/10/2006 8:15			0.3				0.1
6	8/10/2006 8:30			0.3				0.1
7	8/10/2006 8:45			0.3				0.1
8	8/10/2006 9:00			0.4				0.2
9	8/10/2006 9:15			0.4				0.2
10	8/10/2006 9:30			0.4				0.2
11	8/10/2006 9:45			0.4				0.2
12	8/10/2006 10:00			0.4				0.2
13	8/10/2006 10:15			0.4				0.2
14	8/10/2006 10:30			0.4				0.2
15	8/10/2006 10:45			0.4				0.2
16	8/10/2006 11:00			0.4				0.2
17	8/10/2006 11:15			0.4				0.2
18	8/10/2006 11:30			0.4				0.2
19	8/10/2006 11:45			0.4				0.2
20	8/10/2006 12:00			0.4				0.2
21	8/10/2006 12:15			0.4				0.2
22	8/10/2006 12:30			0.3				0.1
23	8/10/2006 12:45			0.3				0.1
24	8/10/2006 13:00			0.4				0.2
25	8/10/2006 13:15			0.4				0.2
26	8/10/2006 13:30			0.3				0.1
27	8/10/2006 13:45			0.3				0.1
28	8/10/2006 14:00			0.3				0.1
29	8/10/2006 14:15			0.3				0.1
30	8/10/2006 14:30			0.3				0.1
31	8/10/2006 14:45			0.3				0.1
32	8/10/2006 15:00			0.3				0.1
33	8/10/2006 15:15			0.3				0.1
34	8/10/2006 15:30			0.3				0.1
35	8/10/2006 15:45			0.3				0.1
36	8/10/2006 16:00			0.3				0.1
37	8/10/2006 16:15			0.3				0.1
38	8/10/2006 16:30			0.2				0
39	8/10/2006 16:45			0.3				0.1
40	8/10/2006 17:00			0.3				0.1
41	8/10/2006 17:15			0.3				0.1
42	8/10/2006 17:30			0.3				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	8/10/2006
Start Time:	7:02:01
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (AM - 5:45) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/10/2006	7:17:01	0.022	0
8/10/2006	7:32:01	0.023	0.001
8/10/2006	7:47:01	0.022	0
8/10/2006	8:02:01	0.024	0.002
8/10/2006	8:17:01	0.026	0.004
8/10/2006	8:32:01	0.025	0.003
8/10/2006	8:47:01	0.036	0.014
8/10/2006	9:02:01	0.03	0.008
8/10/2006	9:17:01	0.036	0.014
8/10/2006	9:32:01	0.034	0.012
8/10/2006	9:47:01	0.031	0.009
8/10/2006	10:02:01	0.029	0.007
8/10/2006	10:17:01	0.03	0.008
8/10/2006	10:32:01	0.025	0.003
8/10/2006	10:47:01	0.022	0
8/10/2006	11:02:01	0.024	0.002
8/10/2006	11:17:01	0.025	0.003
8/10/2006	11:32:01	0.035	0.013
8/10/2006	11:47:01	0.028	0.006
8/10/2006	12:02:01	0.029	0.007
8/10/2006	12:17:01	0.03	0.008
8/10/2006	12:32:01	0.034	0.012
8/10/2006	12:47:01	0.035	0.013
8/10/2006	13:02:01	0.037	0.015
8/10/2006	13:17:01	0.032	0.01
8/10/2006	13:32:01	0.034	0.012
8/10/2006	13:47:01	0.031	0.009
8/10/2006	14:02:01	0.035	0.013
8/10/2006	14:17:01	0.038	0.016
8/10/2006	14:32:01	0.036	0.014
8/10/2006	14:47:01	0.038	0.016
8/10/2006	15:02:01	0.03	0.008
8/10/2006	15:17:01	0.029	0.007
8/10/2006	15:32:01	0.029	0.007
8/10/2006	15:47:01	0.038	0.016
8/10/2006	16:02:01	0.032	0.01
8/10/2006	16:17:01	0.045	0.023
8/10/2006	16:32:01	0.037	0.015
8/10/2006	16:47:01	0.033	0.011
8/10/2006	17:02:01	0.031	0.009
8/10/2006	17:17:01	0.033	0.011
8/10/2006	17:32:01	0.039	0.017

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/10/2006 06:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:54) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/10/2006 8:11			0.1				0
2	8/10/2006 8:26			0.1				0
3	8/10/2006 8:41			0.1				0
4	8/10/2006 8:56			0.2				0.1
5	8/10/2006 9:11			0.2				0.1
6	8/10/2006 9:26			0.3				0.2
7	8/10/2006 9:41			0.3				0.2
8	8/10/2006 9:56			0.3				0.2
9	8/10/2006 10:11			0.3				0.2
10	8/10/2006 10:26			0.3				0.2
11	8/10/2006 10:41			0.3				0.2
12	8/10/2006 10:56			0.3				0.2
13	8/10/2006 11:11			0.4				0.3
14	8/10/2006 11:26			0.4				0.3
15	8/10/2006 11:41			0.4				0.3
16	8/10/2006 11:56			0.4				0.3
17	8/10/2006 12:11			0.4				0.3
18	8/10/2006 12:26			0.4				0.3
19	8/10/2006 12:41			0.4				0.3
20	8/10/2006 12:56			0.4				0.3
21	8/10/2006 13:11			0.4				0.3
22	8/10/2006 13:26			0.4				0.3
23	8/10/2006 13:41			0.4				0.3
24	8/10/2006 13:56			0.3				0.2
25	8/10/2006 14:11			0.3				0.2
26	8/10/2006 14:26			0.4				0.3
27	8/10/2006 14:41			0.4				0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	14
Test Abbreviation:	
Start Date:	8/10/2006
Start Time:	7:55:39
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (AM - 7:54) = 0.025 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/10/2006	8:10:39	0.027	0.002
8/10/2006	8:25:39	0.028	0.003
8/10/2006	8:40:39	0.031	0.006
8/10/2006	8:55:39	0.033	0.008
8/10/2006	9:10:39	0.035	0.01
8/10/2006	9:25:39	0.035	0.01
8/10/2006	9:40:39	0.034	0.009
8/10/2006	9:55:39	0.049	0.024
8/10/2006	10:10:39	0.046	0.021
8/10/2006	10:25:39	0.03	0.005
8/10/2006	10:40:39	0.029	0.004
8/10/2006	10:55:39	0.036	0.011
8/10/2006	11:10:39	0.039	0.014
8/10/2006	11:25:39	0.036	0.011
8/10/2006	11:40:39	0.034	0.009
8/10/2006	11:55:39	0.035	0.01
8/10/2006	12:10:39	0.036	0.011
8/10/2006	12:25:39	0.035	0.01
8/10/2006	12:40:39	0.037	0.012
8/10/2006	12:55:39	0.041	0.016
8/10/2006	13:10:39	0.062	0.037
8/10/2006	13:25:39	0.057	0.032
8/10/2006	13:40:39	0.04	0.015
8/10/2006	13:55:39	0.044	0.019
8/10/2006	14:10:39	0.049	0.024
8/10/2006	14:25:39	0.072	0.047
8/10/2006	14:40:39	0.059	0.034
8/10/2006	14:55:39	0.036	0.011
8/10/2006	15:10:39	0.041	0.016
8/10/2006	15:25:39	0.037	0.012
8/10/2006	15:40:39	0.034	0.009
8/10/2006	15:55:39	0.063	0.038
8/10/2006	16:10:39	0.061	0.036
8/10/2006	16:25:39	0.04	0.015
8/10/2006	16:40:39	0.036	0.011
8/10/2006	16:55:39	0.033	0.008
8/10/2006	17:10:39	0.033	0.008

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/10/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:39) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/10/2006 7:52			0.1				-0.1
2	8/10/2006 8:07			0.2				0
3	8/10/2006 8:22			0.2				0
4	8/10/2006 8:37			0.2				0
5	8/10/2006 8:52			0.2				0
6	8/10/2006 9:07			0.1				-0.1
7	8/10/2006 9:22			0.1				-0.1
8	8/10/2006 9:37			0.1				-0.1
9	8/10/2006 9:52			0.1				-0.1
10	8/10/2006 10:07			0.1				-0.1
11	8/10/2006 10:22			0				-0.2
12	8/10/2006 10:37			0				-0.2
13	8/10/2006 10:52			0.1				-0.1
14	8/10/2006 11:07			0.1				-0.1
15	8/10/2006 11:22			0.1				-0.1
16	8/10/2006 11:37			0.1				-0.1
17	8/10/2006 11:52			0.1				-0.1
18	8/10/2006 12:07			0.1				-0.1
19	8/10/2006 12:22			0.1				-0.1
20	8/10/2006 12:37			0.1				-0.1
21	8/10/2006 12:52			0.1				-0.1
22	8/10/2006 13:07			0.1				-0.1
23	8/10/2006 13:22			0				-0.2
24	8/10/2006 13:37			0				-0.2
25	8/10/2006 13:52			0				-0.2
26	8/10/2006 14:07			0				-0.2
27	8/10/2006 14:22			0.1				-0.1
28	8/10/2006 14:37			0.1				-0.1
29	8/10/2006 14:52			0.1				-0.1
30	8/10/2006 15:07			0.1				-0.1
31	8/10/2006 15:22			0.1				-0.1
32	8/10/2006 15:37			0.1				-0.1
33	8/10/2006 15:52			0.1				-0.1
34	8/10/2006 16:07			0.1				-0.1
35	8/10/2006 16:22			0.1				-0.1
36	8/10/2006 16:37			0.1				-0.1
37	8/10/2006 16:52			0				-0.2
38	8/10/2006 17:07			0				-0.2
39	8/10/2006 17:22			0.1				-0.1
40	8/10/2006 17:37			0.1				-0.1
41	8/10/2006 17:52			0				-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	10
Test Abbreviation:	
Start Date:	8/10/2006
Start Time:	7:39:30
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (AM - 7:39) = 0.030 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/10/2006	7:54:30	0.036	0.006
8/10/2006	8:09:30	0.042	0.012
8/10/2006	8:24:30	0.041	0.011
8/10/2006	8:39:30	0.042	0.012
8/10/2006	8:54:30	0.041	0.011
8/10/2006	9:09:30	0.047	0.017
8/10/2006	9:24:30	0.041	0.011
8/10/2006	9:39:30	0.039	0.009
8/10/2006	9:54:30	0.048	0.018
8/10/2006	10:09:30	0.043	0.013
8/10/2006	10:24:30	0.041	0.011
8/10/2006	10:39:30	0.037	0.007
8/10/2006	10:54:30	0.037	0.007
8/10/2006	11:09:30	0.039	0.009
8/10/2006	11:24:30	0.046	0.016
8/10/2006	11:39:30	0.045	0.015
8/10/2006	11:54:30	0.043	0.013
8/10/2006	12:09:30	0.046	0.016
8/10/2006	12:24:30	0.049	0.019
8/10/2006	12:39:30	0.052	0.022
8/10/2006	12:54:30	0.056	0.026
8/10/2006	13:09:30	0.052	0.022
8/10/2006	13:24:30	0.051	0.021
8/10/2006	13:39:30	0.052	0.022
8/10/2006	13:54:30	0.049	0.019
8/10/2006	14:09:30	0.052	0.022
8/10/2006	14:24:30	0.055	0.025
8/10/2006	14:39:30	0.055	0.025
8/10/2006	14:54:30	0.045	0.015
8/10/2006	15:09:30	0.044	0.014
8/10/2006	15:24:30	0.044	0.014
8/10/2006	15:39:30	0.042	0.012
8/10/2006	15:54:30	0.049	0.019
8/10/2006	16:09:30	0.056	0.026
8/10/2006	16:24:30	0.05	0.02
8/10/2006	16:39:30	0.05	0.02
8/10/2006	16:54:30	0.052	0.022
8/10/2006	17:09:30	0.047	0.017
8/10/2006	17:24:30	0.052	0.022
8/10/2006	17:39:30	0.051	0.021
8/10/2006	17:54:30	0.059	0.029
8/10/2006	18:09:30	0.071	0.041

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/10/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:22) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/10/2006 7:38			0.2				0
2	8/10/2006 7:53			0.2				0
3	8/10/2006 8:08			0.2				0
4	8/10/2006 8:23			0.1				-0.1
5	8/10/2006 8:38			0.1				-0.1
6	8/10/2006 8:53			0.4				0.2
7	8/10/2006 9:08			0.1				-0.1
8	8/10/2006 9:23			0.1				-0.1
9	8/10/2006 9:38			0.3				0.1
10	8/10/2006 9:53			0.1				-0.1
11	8/10/2006 10:08			0.1				-0.1
12	8/10/2006 10:23			0.2				0
13	8/10/2006 10:38			0.1				-0.1
14	8/10/2006 10:53			0.1				-0.1
15	8/10/2006 11:08			0.1				-0.1
16	8/10/2006 11:23			0.1				-0.1
17	8/10/2006 11:38			0.1				-0.1
18	8/10/2006 11:53			0				-0.2
19	8/10/2006 12:08			0.1				-0.1
20	8/10/2006 12:23			0.1				-0.1
21	8/10/2006 12:38			0.1				-0.1
22	8/10/2006 12:53			0.1				-0.1
23	8/10/2006 13:08			0				-0.2
24	8/10/2006 13:23			0				-0.2
25	8/10/2006 13:38			0				-0.2
26	8/10/2006 13:53			0				-0.2
27	8/10/2006 14:08			0.1				-0.1
28	8/10/2006 14:23			0.1				-0.1
29	8/10/2006 14:38			0.1				-0.1
30	8/10/2006 14:53			0.3				0.1
31	8/10/2006 15:08			0.2				0
32	8/10/2006 15:23			0.1				-0.1
33	8/10/2006 15:38			0.1				-0.1
34	8/10/2006 15:53			0.1				-0.1
35	8/10/2006 16:08			0.1				-0.1
36	8/10/2006 16:23			0.1				-0.1
37	8/10/2006 16:38			0.1				-0.1
38	8/10/2006 16:53			0.1				-0.1
39	8/10/2006 17:08			0.1				-0.1
40	8/10/2006 17:23			0.1				-0.1
41	8/10/2006 17:38			0.1				-0.1
42	8/10/2006 17:53			0.1				-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	9
Test Abbreviation:	
Start Date:	8/10/2006
Start Time:	7:22:29
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (AM - 7:22) = 0.050 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3
8/10/2006	7:37:29	0.041	-0.009
8/10/2006	7:52:29	0.038	-0.012
	Meter fault - logging disabled		
8/10/2006	10:18:23	0.052	0.002
8/10/2006	10:33:23	0.046	-0.004
8/10/2006	10:48:23	0.047	-0.003
8/10/2006	11:03:23	0.04	-0.01
8/10/2006	11:18:23	0.049	-0.001
8/10/2006	11:33:23	0.045	-0.005
8/10/2006	11:48:23	0.045	-0.005
8/10/2006	12:03:23	0.048	-0.002
8/10/2006	12:18:23	0.049	-0.001
8/10/2006	12:33:23	0.054	0.004
8/10/2006	12:48:23	0.058	0.008
	Batteries died		
8/10/2006	14:04:38	0.058	0.008
8/10/2006	14:19:38	0.06	0.01
8/10/2006	14:34:38	0.063	0.013
8/10/2006	14:49:38	0.059	0.009
8/10/2006	15:04:38	0.049	-0.001
8/10/2006	15:19:38	0.048	-0.002
8/10/2006	15:34:38	0.045	-0.005
8/10/2006	15:49:38	0.052	0.002
8/10/2006	16:04:38	0.051	0.001
8/10/2006	16:19:38	0.06	0.01
8/10/2006	16:34:38	0.057	0.007
8/10/2006	16:49:38	0.055	0.005
8/10/2006	17:04:38	0.048	-0.002
8/10/2006	17:19:38	0.054	0.004
8/10/2006	17:34:38	0.054	0.004
8/10/2006	17:49:38	0.055	0.005
8/10/2006	18:04:38	0.065	0.015

STATION 1 (SOUTHERN PERIMETER) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/11/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:24) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/11/2006 7:39			0				-0.1
2	8/11/2006 7:54			0				-0.1
3	8/11/2006 8:09			0.1				0
4	8/11/2006 8:24			0.1				0
5	8/11/2006 8:39			0.1				0
6	8/11/2006 8:54			0.1				0
7	8/11/2006 9:09			0.1				0
8	8/11/2006 9:24			0.1				0
9	8/11/2006 9:39			0.1				0
10	8/11/2006 9:54			0.1				0
11	8/11/2006 10:09			0.2				0.1
12	8/11/2006 10:24			0.2				0.1
13	8/11/2006 10:39			0.2				0.1
14	8/11/2006 10:54			0.2				0.1
15	8/11/2006 11:09			0.2				0.1
16	8/11/2006 11:24			0.3				0.2
17	8/11/2006 11:39			0.2				0.1
18	8/11/2006 11:54			0.2				0.1
19	8/11/2006 12:09			0.2				0.1
20	8/11/2006 12:24			0.2				0.1
21	8/11/2006 12:39			0.3				0.2
22	8/11/2006 12:54			0.2				0.1
23	8/11/2006 13:09			0.3				0.2
24	8/11/2006 13:24			0.3				0.2
25	8/11/2006 13:39			0.2				0.1
26	8/11/2006 13:54			0.2				0.1
27	8/11/2006 14:09			0.2				0.1
28	8/11/2006 14:24			0.2				0.1
29	8/11/2006 14:39			0.2				0.1
30	8/11/2006 14:54			0.2				0.1

STATION 1 (SOUTHERN PERIMETER)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	11
Test Abbreviation:	
Start Date:	8/11/2006
Start Time:	7:25:45
Duration (dd:hh:mm:ss	00:07:45:00
Time constant (second	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 7:24) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/11/2006	7:40:45	0.011	0.004	4
8/11/2006	7:55:45	0.011	0.004	4
8/11/2006	8:10:45	0.01	0.003	3
8/11/2006	8:25:45	0.009	0.002	2
8/11/2006	8:40:45	0.011	0.004	4
8/11/2006	8:55:45	0.011	0.004	4
8/11/2006	9:10:45	0.011	0.004	4
8/11/2006	9:25:45	0.009	0.002	2
8/11/2006	9:40:45	0.009	0.002	2
8/11/2006	9:55:45	0.01	0.003	3
8/11/2006	10:10:45	0.008	0.001	1
8/11/2006	10:25:45	0.007	0	0
8/11/2006	10:40:45	0.007	0	0
8/11/2006	10:55:45	0.011	0.004	4
8/11/2006	11:10:45	0.008	0.001	1
8/11/2006	11:25:45	0.005	-0.002	-2
8/11/2006	11:40:45	0.007	0	0
8/11/2006	11:55:45	0.008	0.001	1
8/11/2006	12:10:45	0.008	0.001	1
8/11/2006	12:25:45	0.009	0.002	2
8/11/2006	12:40:45	0.008	0.001	1
8/11/2006	12:55:45	0.007	0	0
8/11/2006	13:10:45	0.007	0	0
8/11/2006	13:25:45	0.007	0	0
8/11/2006	13:40:45	0.008	0.001	1
8/11/2006	13:55:45	0.007	0	0
8/11/2006	14:10:45	0.007	0	0
8/11/2006	14:25:45	0.008	0.001	1
8/11/2006	14:40:45	0.008	0.001	1
8/11/2006	14:55:45	0.01	0.003	3
8/11/2006	15:10:45	0.009	0.002	2

STATION 2 (I.S. 151) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/11/2006 05:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/11/2006 7:03			0				0
2	8/11/2006 7:18			0				0
3	8/11/2006 7:33			0.1				0.1
4	8/11/2006 7:48			0.1				0.1
5	8/11/2006 8:03			0.2				0.2
6	8/11/2006 8:18			0.2				0.2
7	8/11/2006 8:33			0.3				0.3
8	8/11/2006 8:48			0.3				0.3
9	8/11/2006 9:03			0.4				0.4
10	8/11/2006 9:18			0.5				0.5
11	8/11/2006 9:33			0.6				0.6
12	8/11/2006 9:48			0.7				0.7
13	8/11/2006 10:03			0.7				0.7
14	8/11/2006 10:18			0.7				0.7
15	8/11/2006 10:33			0.7				0.7
16	8/11/2006 10:48			0.7				0.7
17	8/11/2006 11:03			0.7				0.7
18	8/11/2006 11:18			0.7				0.7
19	8/11/2006 11:33			0.7				0.7
20	8/11/2006 11:48			0.6				0.6
21	8/11/2006 12:03			0.6				0.6
22	8/11/2006 12:18			0.6				0.6
23	8/11/2006 12:33			0.6				0.6
24	8/11/2006 12:48			0.6				0.6
25	8/11/2006 13:03			0.6				0.6
26	8/11/2006 13:18			0.6				0.6
27	8/11/2006 13:33			0.7				0.7

STATION 2 (I.S. 151)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	15
Test Abbreviation:	
Start Date:	8/11/2006
Start Time:	6:47:33
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:47) = 0.001 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/11/2006	7:02:33	0.012	0.011	11
8/11/2006	7:17:33	0.01	0.009	9
8/11/2006	7:32:33	0.011	0.01	10
8/11/2006	7:47:33	0.009	0.008	8
8/11/2006	8:02:33	0.008	0.007	7
8/11/2006	8:17:33	0.006	0.005	5
8/11/2006	8:32:33	0.006	0.005	5
8/11/2006	8:47:33	0.009	0.008	8
8/11/2006	9:02:33	0.009	0.008	8
8/11/2006	9:17:33	0.007	0.006	6
8/11/2006	9:32:33	0.006	0.005	5
8/11/2006	9:47:33	0.006	0.005	5
8/11/2006	10:02:33	0.004	0.003	3
8/11/2006	10:17:33	0.005	0.004	4
8/11/2006	10:32:33	0.005	0.004	4
8/11/2006	10:47:33	0.006	0.005	5
8/11/2006	11:02:33	0.005	0.004	4
8/11/2006	11:17:33	0.006	0.005	5
8/11/2006	11:32:33	0.005	0.004	4
8/11/2006	11:47:33	0.005	0.004	4
8/11/2006	12:02:33	0.005	0.004	4
8/11/2006	12:17:33	0.007	0.006	6
8/11/2006	12:32:33	0.006	0.005	5
8/11/2006	12:47:33	0.01	0.009	9
8/11/2006	13:02:33	0.008	0.007	7
8/11/2006	13:17:33	0.009	0.008	8
8/11/2006	13:32:33	0.007	0.006	6
8/11/2006	13:47:33	0.007	0.006	6
8/11/2006	14:02:33	0.005	0.004	4
8/11/2006	14:17:33	0.01	0.009	9
8/11/2006	14:32:33	0.022	0.021	21
8/11/2006	14:47:33	0.022	0.021	21
8/11/2006	15:02:33	0.035	0.034	34
8/11/2006	15:17:33	0.007	0.006	6
8/11/2006	15:32:33	0.008	0.007	7

STATION 3 (P.S. 156) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/11/2006 05:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:36) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/11/2006 6:51			0				-0.3
2	8/11/2006 7:06			0.1				-0.2
3	8/11/2006 7:21			0.1				-0.2
4	8/11/2006 7:36			0.2				-0.1
5	8/11/2006 7:51			0.2				-0.1
6	8/11/2006 8:06			0.3				0
7	8/11/2006 8:21			0.3				0
8	8/11/2006 8:36			0.2				-0.1
9	8/11/2006 8:51			0.2				-0.1
10	8/11/2006 9:06			0.2				-0.1
11	8/11/2006 9:21			0.2				-0.1
12	8/11/2006 9:36			0.2				-0.1
13	8/11/2006 9:51			0.1				-0.2
14	8/11/2006 10:06			0.1				-0.2
15	8/11/2006 10:21			0				-0.3
16	8/11/2006 10:36			0.1				-0.2
17	8/11/2006 10:51			0.1				-0.2
18	8/11/2006 11:06			0.2				-0.1
19	8/11/2006 11:21			0.2				-0.1
20	8/11/2006 11:36			0.2				-0.1
21	8/11/2006 11:51			0.2				-0.1
22	8/11/2006 12:06			0.2				-0.1
23	8/11/2006 12:21			0.2				-0.1
24	8/11/2006 12:36			0.2				-0.1
25	8/11/2006 12:51			0.1				-0.2
26	8/11/2006 13:06			0.2				-0.1
27	8/11/2006 13:21			0.2				-0.1
28	8/11/2006 13:36			0.1				-0.2
29	8/11/2006 13:51			0.1				-0.2
30	8/11/2006 14:06			0				-0.3
31	8/11/2006 14:21			0				-0.3
32	8/11/2006 14:36			0				-0.3
33	8/11/2006 14:51			0				-0.3
34	8/11/2006 15:06			0				-0.3
35	8/11/2006 15:21			0				-0.3

STATION 3 (P.S. 156)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	11
Test Abbreviation:	
Start Date:	8/11/2006
Start Time:	6:37:14
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:36) = 0.010 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/11/2006	6:52:14	0.011	0.001	1
8/11/2006	7:07:14	0.011	0.001	1
8/11/2006	7:22:14	0.013	0.003	3
8/11/2006	7:37:14	0.016	0.006	6
8/11/2006	7:52:14	0.016	0.006	6
8/11/2006	8:07:14	0.022	0.012	12
8/11/2006	8:22:14	0.02	0.01	10
8/11/2006	8:37:14	0.023	0.013	13
8/11/2006	8:52:14	0.019	0.009	9
8/11/2006	9:07:14	0.015	0.005	5
8/11/2006	9:22:14	0.017	0.007	7
8/11/2006	9:37:14	0.012	0.002	2
8/11/2006	9:52:14	0.01	0	0
8/11/2006	10:07:14	0.013	0.003	3
8/11/2006	10:22:14	0.01	0	0
8/11/2006	10:37:14	0.01	0	0
8/11/2006	10:52:14	0.01	0	0
8/11/2006	11:07:14	0.011	0.001	1
8/11/2006	11:22:14	0.01	0	0
8/11/2006	11:37:14	0.01	0	0
8/11/2006	11:52:14	0.01	0	0
8/11/2006	12:07:14	0.009	-0.001	-1
8/11/2006	12:22:14	0.009	-0.001	-1
8/11/2006	12:37:14	0.011	0.001	1
8/11/2006	12:52:14	0.028	0.018	18
8/11/2006	13:07:14	0.021	0.011	11
8/11/2006	13:22:14	0.019	0.009	9
8/11/2006	13:37:14	0.029	0.019	19
8/11/2006	13:52:14	0.025	0.015	15
8/11/2006	14:07:14	0.023	0.013	13
8/11/2006	14:22:14	0.026	0.016	16
8/11/2006	14:37:14	0.029	0.019	19
8/11/2006	14:52:14	0.022	0.012	12
8/11/2006	15:07:14	0.023	0.013	13
8/11/2006	15:22:14	0.022	0.012	12
8/11/2006	15:37:14	0.053	0.043	43
8/11/2006	15:52:14	0.038	0.028	28

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/11/2006 05:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/11/2006 6:41			0				0
2	8/11/2006 6:56			0				0
3	8/11/2006 7:11			0				0
4	8/11/2006 7:26			0				0
5	8/11/2006 7:41			0				0
6	8/11/2006 7:56			0				0
7	8/11/2006 8:11			0				0
8	8/11/2006 8:26			0				0
9	8/11/2006 8:41			0				0
10	8/11/2006 8:56			0				0
11	8/11/2006 9:11			0				0
12	8/11/2006 9:26			0				0
13	8/11/2006 9:41			0				0
14	8/11/2006 9:56			0				0
15	8/11/2006 10:11			0				0
16	8/11/2006 10:26			0				0
17	8/11/2006 10:41			0				0
18	8/11/2006 10:56			0				0
19	8/11/2006 11:11			0				0
20	8/11/2006 11:26			0				0
21	8/11/2006 11:41			0				0
22	8/11/2006 11:56			0.1				0.1
23	8/11/2006 12:11			0				0
24	8/11/2006 12:26			0				0
25	8/11/2006 12:41			0				0
26	8/11/2006 12:56			0				0
27	8/11/2006 13:11			0				0
28	8/11/2006 13:26			0.1				0.1
29	8/11/2006 13:41			0				0
30	8/11/2006 13:56			0				0
31	8/11/2006 14:11			0				0
32	8/11/2006 14:26			0				0
33	8/11/2006 14:41			0				0
34	8/11/2006 14:56			0				0
35	8/11/2006 15:11			0				0
36	8/11/2006 15:26			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 0.150 mg/m3 (150 ug/m3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	12
Test Abbreviation:	
Start Date:	8/11/2006
Start Time:	6:23:20
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:24) = 0.015 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/11/2006	6:38:20	0.021	0.006	6
8/11/2006	6:53:20	0.017	0.002	2
8/11/2006	7:08:20	0.017	0.002	2
8/11/2006	7:23:20	0.018	0.003	3
8/11/2006	7:38:20	0.018	0.003	3
8/11/2006	7:53:20	0.018	0.003	3
8/11/2006	8:08:20	0.018	0.003	3
8/11/2006	8:23:20	0.015	0	0
8/11/2006	8:38:20	0.014	-0.001	-1
8/11/2006	8:53:20	0.014	-0.001	-1
8/11/2006	9:08:20	0.012	-0.003	-3
8/11/2006	9:23:20	0.012	-0.003	-3
8/11/2006	9:38:20	0.011	-0.004	-4
8/11/2006	9:53:20	0.012	-0.003	-3
8/11/2006	10:08:20	0.009	-0.006	-6
8/11/2006	10:23:20	0.009	-0.006	-6
8/11/2006	10:38:20	0.009	-0.006	-6
8/11/2006	10:53:20	0.013	-0.002	-2
8/11/2006	11:08:20	0.015	0	0
8/11/2006	11:23:20	0.022	0.007	7
8/11/2006	11:38:20	0.147	0.132	132
8/11/2006	11:53:20	0.243	0.228	228
8/11/2006	12:08:20	0.249	0.234	234
8/11/2006	12:23:20	0.022	0.007	7
8/11/2006	12:38:20	0.023	0.008	8
8/11/2006	12:53:20	0.022	0.007	7
8/11/2006	13:08:20	0.027	0.012	12
8/11/2006	13:23:20	0.024	0.009	9
8/11/2006	13:38:20	0.022	0.007	7
8/11/2006	13:53:20	0.429	0.414	414
8/11/2006	14:08:20	0.064	0.049	49
8/11/2006	14:23:20	0.181	0.166	166
8/11/2006	14:38:20	0.25	0.235	235
8/11/2006	14:53:20	0.073	0.058	58
8/11/2006	15:08:20	0.035	0.02	20
8/11/2006	15:23:20	0.021	0.006	6
8/11/2006	15:38:20	0.016	0.001	1

STATION 1 (SOUTHERN PERIMETER) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/12/2006 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 9:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/12/2006 9:25			0				0
2	8/12/2006 9:40			0				0
3	8/12/2006 9:55			0				0
4	8/12/2006 10:10			0				0
5	8/12/2006 10:25			0				0
6	8/12/2006 10:40			0				0
7	8/12/2006 10:55			0				0
8	8/12/2006 11:10			0				0
9	8/12/2006 11:25			0				0
10	8/12/2006 11:40			0				0
11	8/12/2006 11:55			0				0
12	8/12/2006 12:10			0				0
13	8/12/2006 12:25			0				0
14	8/12/2006 12:40			0				0
15	8/12/2006 12:55			0				0
16	8/12/2006 13:10			0				0
17	8/12/2006 13:25			0				0
18	8/12/2006 13:40			0.1				0.1
19	8/12/2006 13:55			0.1				0.1
20	8/12/2006 14:10			0				0
21	8/12/2006 14:25			0.1				0.1
22	8/12/2006 14:40			0.1				0.1

STATION 1 (SOUTHERN PERIMETER)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	12
Test Abbreviation:	
Start Date:	8/12/2006
Start Time:	9:11:49
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	

Background Reading (AM - 9:10) = 0.039 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/12/2006	9:26:49	0.013	-0.026	-26
8/12/2006	9:41:49	0.005	-0.034	-34
8/12/2006	9:56:49	0.005	-0.034	-34
8/12/2006	10:11:49	0.006	-0.033	-33
8/12/2006	10:26:49	0.012	-0.027	-27
8/12/2006	10:41:49	0.005	-0.034	-34
8/12/2006	10:56:49	0.004	-0.035	-35
8/12/2006	11:11:49	0.009	-0.03	-30
8/12/2006	11:26:49	0.007	-0.032	-32
8/12/2006	11:41:49	0.008	-0.031	-31
8/12/2006	11:56:49	0.011	-0.028	-28
8/12/2006	12:11:49	0.004	-0.035	-35
8/12/2006	12:26:49	0.005	-0.034	-34
8/12/2006	12:41:49	0.006	-0.033	-33
8/12/2006	12:56:49	0.005	-0.034	-34
8/12/2006	13:11:49	0.011	-0.028	-28
8/12/2006	13:26:49	0.012	-0.027	-27
8/12/2006	13:41:49	0.004	-0.035	-35
8/12/2006	13:56:49	0.005	-0.034	-34
8/12/2006	14:11:49	0.005	-0.034	-34
8/12/2006	14:26:49	0.004	-0.035	-35
8/12/2006	14:41:49	0.003	-0.036	-36
8/12/2006	14:56:49	0.005	-0.034	-34

STATION 2 (I.S. 151) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/12/2006 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:43) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/12/2006 8:59			0				0
2	8/12/2006 9:14			0				0
3	8/12/2006 9:29			0				0
4	8/12/2006 9:44			0				0
5	8/12/2006 9:59			0				0
6	8/12/2006 10:14			0				0
7	8/12/2006 10:29			0				0
8	8/12/2006 10:44			0				0
9	8/12/2006 10:59			0				0
10	8/12/2006 11:14			0				0
11	8/12/2006 11:29			0				0
12	8/12/2006 11:44			0				0
13	8/12/2006 11:59			0				0
14	8/12/2006 12:14			0				0
15	8/12/2006 12:29			0				0
16	8/12/2006 12:44			0				0
17	8/12/2006 12:59			0				0
18	8/12/2006 13:14			0				0
19	8/12/2006 13:29			0				0
20	8/12/2006 13:44			0				0
21	8/12/2006 13:59			0				0
22	8/12/2006 14:14			0				0
23	8/12/2006 14:29			0				0
24	8/12/2006 14:44			0				0
25	8/12/2006 14:59			0				0

STATION 2 (I.S. 151)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	16
Test Abbreviation:	
Start Date:	8/12/2006
Start Time:	8:44:24
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 8:43) = 0.003 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/12/2006	8:59:24	0.003	0	0
8/12/2006	9:14:24	0.002	-0.001	-1
8/12/2006	9:29:24	0.008	0.005	5
8/12/2006	9:44:24	0.004	0.001	1
8/12/2006	9:59:24	0.004	0.001	1
8/12/2006	10:14:24	0.003	0	0
8/12/2006	10:29:24	0.007	0.004	4
8/12/2006	10:44:24	0.009	0.006	6
8/12/2006	10:59:24	0.003	0	0
8/12/2006	11:14:24	0.003	0	0
8/12/2006	11:29:24	0.004	0.001	1
8/12/2006	11:44:24	0.006	0.003	3
8/12/2006	11:59:24	0.007	0.004	4
8/12/2006	12:14:24	0.059	0.056	56
8/12/2006	12:29:24	0.013	0.01	10
8/12/2006	12:44:24	0.022	0.019	19
8/12/2006	12:59:24	0.01	0.007	7
8/12/2006	13:14:24	0.007	0.004	4
8/12/2006	13:29:24	0.011	0.008	8
8/12/2006	13:44:24	0.021	0.018	18
8/12/2006	13:59:24	0.022	0.019	19
8/12/2006	14:14:24	0.007	0.004	4
8/12/2006	14:29:24	0.005	0.002	2
8/12/2006	14:44:24	0.016	0.013	13
8/12/2006	14:59:24	0.005	0.002	2
8/12/2006	15:14:24	0.005	0.002	2

STATION 3 (P.S. 156) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/12/2006 06:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:32) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/12/2006 8:45			0.1				-0.1
2	8/12/2006 9:00			0				-0.2
3	8/12/2006 9:15			0.2				0
4	8/12/2006 9:30			0				-0.2
5	8/12/2006 9:45			0				-0.2
6	8/12/2006 10:00			0				-0.2
7	8/12/2006 10:15			0				-0.2
8	8/12/2006 10:30			0				-0.2
9	8/12/2006 10:45			0				-0.2
10	8/12/2006 11:00			0				-0.2
11	8/12/2006 11:15			0				-0.2
12	8/12/2006 11:30			0				-0.2
13	8/12/2006 11:45			0				-0.2
14	8/12/2006 12:00			0.3				0.1
15	8/12/2006 12:15			0.1				-0.1
16	8/12/2006 12:30			0.2				0
17	8/12/2006 12:45			0.1				-0.1
18	8/12/2006 13:00			0.1				-0.1
19	8/12/2006 13:15			0				-0.2
20	8/12/2006 13:30			0				-0.2
21	8/12/2006 13:45			0				-0.2
22	8/12/2006 14:00			0.2				0
23	8/12/2006 14:15			0				-0.2
24	8/12/2006 14:30			0				-0.2
25	8/12/2006 14:45			0				-0.2
26	8/12/2006 15:00			0				-0.2

STATION 3 (P.S. 156)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	12
Test Abbreviation:	
Start Date:	8/12/2006
Start Time:	8:38:08
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (AM - 8:32) = 0.005 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	5/19/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/12/2006	8:53:08	0.007	0.002	2
8/12/2006	9:08:08	0.024	0.019	19
8/12/2006	9:23:08	0.044	0.039	39
8/12/2006	9:38:08	0.024	0.019	19
8/12/2006	9:53:08	0.022	0.017	17
8/12/2006	10:08:08	0.022	0.017	17
8/12/2006	10:23:08	0.035	0.03	30
8/12/2006	10:38:08	0.028	0.023	23
8/12/2006	10:53:08	0.035	0.03	30
8/12/2006	11:08:08	0.009	0.004	4
8/12/2006	11:23:08	0.005	0	0
8/12/2006	11:38:08	0.038	0.033	33
8/12/2006	11:53:08	0.035	0.03	30
8/12/2006	12:08:08	0.026	0.021	21
8/12/2006	12:23:08	0.033	0.028	28
8/12/2006	12:38:08	0.022	0.017	17
8/12/2006	12:53:08	0.04	0.035	35
8/12/2006	13:08:08	0.028	0.023	23
8/12/2006	13:23:08	0.018	0.013	13
8/12/2006	13:38:08	0.021	0.016	16
8/12/2006	13:53:08	0.021	0.016	16
8/12/2006	14:08:08	0.017	0.012	12
8/12/2006	14:23:08	0.02	0.015	15
8/12/2006	14:38:08	0.016	0.011	11
8/12/2006	14:53:08	0.021	0.016	16

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/12/2006 07:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/12/2006 8:42			0				0
2	8/12/2006 8:57			0				0
3	8/12/2006 9:12			0				0
4	8/12/2006 9:27			0				0
5	8/12/2006 9:42			0				0
6	8/12/2006 9:57			0				0
7	8/12/2006 10:12			0				0
8	8/12/2006 10:27			0				0
9	8/12/2006 10:42			0				0
10	8/12/2006 10:57			0				0
11	8/12/2006 11:12			0				0
12	8/12/2006 11:27			0				0
13	8/12/2006 11:42			0				0
14	8/12/2006 11:57			0				0
15	8/12/2006 12:12			0				0
16	8/12/2006 12:27			0				0
17	8/12/2006 12:42			0				0
18	8/12/2006 12:57			0				0
19	8/12/2006 13:12			0				0
20	8/12/2006 13:27			0				0
21	8/12/2006 13:42			0				0
22	8/12/2006 13:57			0				0
23	8/12/2006 14:12			0				0
24	8/12/2006 14:27			0				0
25	8/12/2006 14:42			0				0
26	8/12/2006 14:57			0				0

STATION 4 (CONCOURSE VILLAGE WEST)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	13
Test Abbreviation:	
Start Date:	8/12/2006
Start Time:	8:27:11
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	

Background Reading (AM - 8:26) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/12/2006	8:42:11	0.009	0.002	2
8/12/2006	8:57:11	0.007	0	0
8/12/2006	9:12:11	0.006	-0.001	-1
8/12/2006	9:27:11	0.006	-0.001	-1
8/12/2006	9:42:11	0.005	-0.002	-2
8/12/2006	9:57:11	0.006	-0.001	-1
8/12/2006	10:12:11	0.007	0	0
8/12/2006	10:27:11	0.008	0.001	1
8/12/2006	10:42:11	0.008	0.001	1
8/12/2006	10:57:11	0.008	0.001	1
8/12/2006	11:12:11	0.008	0.001	1
8/12/2006	11:27:11	0.008	0.001	1
8/12/2006	11:42:11	0.008	0.001	1
8/12/2006	11:57:11	0.008	0.001	1
8/12/2006	12:12:11	0.009	0.002	2
8/12/2006	12:27:11	0.009	0.002	2
8/12/2006	12:42:11	0.008	0.001	1
8/12/2006	12:57:11	0.009	0.002	2
8/12/2006	13:12:11	0.01	0.003	3
8/12/2006	13:27:11	0.01	0.003	3
8/12/2006	13:42:11	0.01	0.003	3
8/12/2006	13:57:11	0.01	0.003	3
8/12/2006	14:12:11	0.009	0.002	2
8/12/2006	14:27:11	0.012	0.005	5
8/12/2006	14:42:11	0.013	0.006	6
8/12/2006	14:57:11	0.013	0.006	6
8/12/2006	15:12:11	0.013	0.006	6

STATION 1 (SOUTHERN PERIMETER) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2006 04:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:45) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/14/2006 8:00			0.1				-0.2
2	8/14/2006 8:15			0.1				-0.2
3	8/14/2006 8:30			0.1				-0.2
4	8/14/2006 8:45			0.1				-0.2
5	8/14/2006 9:00			0.1				-0.2
6	8/14/2006 9:15			0.1				-0.2
7	8/14/2006 9:30			0.1				-0.2
8	8/14/2006 9:45			0.1				-0.2
9	8/14/2006 10:00			0.1				-0.2
10	8/14/2006 10:15			0.1				-0.2
11	8/14/2006 10:30			0.1				-0.2
12	8/14/2006 10:45			0.1				-0.2
13	8/14/2006 11:00			0.1				-0.2
14	8/14/2006 11:15			0.1				-0.2
15	8/14/2006 11:30			0.1				-0.2
16	8/14/2006 11:45			0.1				-0.2
17	8/14/2006 12:00			0.1				-0.2
18	8/14/2006 12:15			0.1				-0.2
19	8/14/2006 12:30			0.1				-0.2
20	8/14/2006 12:45			0.1				-0.2
21	8/14/2006 13:00			0.1				-0.2
22	8/14/2006 13:15			0.1				-0.2
23	8/14/2006 13:30			0.1				-0.2
24	8/14/2006 13:45			0.1				-0.2
25	8/14/2006 14:00			0.1				-0.2
26	8/14/2006 14:15			0.1				-0.2
27	8/14/2006 14:30			0.1				-0.2
28	8/14/2006 14:45			0.1				-0.2
29	8/14/2006 15:00			0.1				-0.2

STATION 1 (SOUTHERN PERIMETER)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

Model:	Dust Trak
Serial Number:	0
Test ID:	13
Test Abbreviation:	
Start Date:	8/14/2006
Start Time:	7:46:36
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 7:45) = 0.033 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/14/2006	8:01:36	0.028	-0.005	-5
8/14/2006	8:16:36	0.026	-0.007	-7
8/14/2006	8:31:36	0.027	-0.006	-6
8/14/2006	8:46:36	0.031	-0.002	-2
8/14/2006	9:01:36	0.032	-0.001	-1
8/14/2006	9:16:36	0.036	0.003	3
8/14/2006	9:31:36	0.036	0.003	3
8/14/2006	9:46:36	0.034	0.001	1
8/14/2006	10:01:36	0.035	0.002	2
8/14/2006	10:16:36	0.038	0.005	5
8/14/2006	10:31:36	0.038	0.005	5
8/14/2006	10:46:36	0.036	0.003	3
8/14/2006	11:01:36	0.034	0.001	1
8/14/2006	11:16:36	0.035	0.002	2
8/14/2006	11:31:36	0.039	0.006	6
8/14/2006	11:46:36	0.037	0.004	4
8/14/2006	12:01:36	0.038	0.005	5
8/14/2006	12:16:36	0.04	0.007	7
8/14/2006	12:31:36	0.041	0.008	8
8/14/2006	12:46:36	0.04	0.007	7
8/14/2006	13:01:36	0.04	0.007	7
8/14/2006	13:16:36	0.042	0.009	9
8/14/2006	13:31:36	0.044	0.011	11
8/14/2006	13:46:36	0.046	0.013	13
8/14/2006	14:01:36	0.047	0.014	14
8/14/2006	14:16:36	0.047	0.014	14
8/14/2006	14:31:36	0.049	0.016	16
8/14/2006	14:46:36	0.052	0.019	19
8/14/2006	15:01:36	0.047	0.014	14
8/14/2006	15:16:36	0.047	0.014	14

STATION 2 (I.S. 151) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/14/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/14/2006 7:07			0				0
2	8/14/2006 7:22			0				0
3	8/14/2006 7:37			0				0
4	8/14/2006 7:52			0				0
5	8/14/2006 8:07			0				0
6	8/14/2006 8:22			0				0
7	8/14/2006 8:37			0				0
8	8/14/2006 8:52			0				0
9	8/14/2006 9:07			0				0
10	8/14/2006 9:22			0				0
11	8/14/2006 9:37			0				0
12	8/14/2006 9:52			0				0
13	8/14/2006 10:07			0				0
14	8/14/2006 10:22			0				0
15	8/14/2006 10:37			0				0
16	8/14/2006 10:52			0				0
17	8/14/2006 11:07			0				0
18	8/14/2006 11:22			0				0
19	8/14/2006 11:37			0				0
20	8/14/2006 11:52			0				0
21	8/14/2006 12:07			0				0
22	8/14/2006 12:22			0				0
23	8/14/2006 12:37			0				0
24	8/14/2006 12:52			0				0
25	8/14/2006 13:07			0				0
26	8/14/2006 13:22			0				0
27	8/14/2006 13:37			0				0

STATION 2 (I.S. 151)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	17
Test Abbreviation:	
Start Date:	8/14/2006
Start Time:	6:51:48
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:50) = 0.026 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/14/2006	7:06:48	0.031	0.005	5
8/14/2006	7:21:48	0.035	0.009	9
8/14/2006	7:36:48	0.038	0.012	12
8/14/2006	7:51:48	0.036	0.01	10
8/14/2006	8:06:48	0.032	0.006	6
8/14/2006	8:21:48	0.036	0.01	10
8/14/2006	8:36:48	0.04	0.014	14
8/14/2006	8:51:48	0.05	0.024	24
8/14/2006	9:06:48	0.045	0.019	19
8/14/2006	9:21:48	0.041	0.015	15
8/14/2006	9:36:48	0.044	0.018	18
8/14/2006	9:51:48	0.04	0.014	14
8/14/2006	10:06:48	0.048	0.022	22
8/14/2006	10:21:48	0.05	0.024	24
8/14/2006	10:36:48	0.045	0.019	19
8/14/2006	10:51:48	0.045	0.019	19
8/14/2006	11:06:48	0.044	0.018	18
8/14/2006	11:21:48	0.046	0.02	20
8/14/2006	11:36:48	0.049	0.023	23
8/14/2006	11:51:48	0.047	0.021	21
8/14/2006	12:06:48	0.045	0.019	19
8/14/2006	12:21:48	0.047	0.021	21
8/14/2006	12:36:48	0.045	0.019	19
8/14/2006	12:51:48	0.049	0.023	23
8/14/2006	13:06:48	0.051	0.025	25
8/14/2006	13:21:48	0.051	0.025	25
8/14/2006	13:36:48	0.05	0.024	24
8/14/2006	13:51:48	0.054	0.028	28
8/14/2006	14:06:48	0.054	0.028	28
8/14/2006	14:21:48	0.054	0.028	28
8/14/2006	14:36:48	0.057	0.031	31
8/14/2006	14:51:48	0.05	0.024	24
8/14/2006	15:06:48	0.055	0.029	29
8/14/2006	15:21:48	0.05	0.024	24

STATION 3 (P.S. 156) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/14/2006 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:39) = 0.8 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/14/2006 6:51			0.2				-0.6
2	8/14/2006 7:06			0.1				-0.7
3	8/14/2006 7:21			0.1				-0.7
4	8/14/2006 7:36			0.1				-0.7
5	8/14/2006 7:51			0				-0.8
6	8/14/2006 8:06			0.1				-0.7
7	8/14/2006 8:21			0.1				-0.7
8	8/14/2006 8:36			0				-0.8
9	8/14/2006 8:51			0				-0.8
10	8/14/2006 9:06			0				-0.8
11	8/14/2006 9:21			0				-0.8
12	8/14/2006 9:36			0				-0.8
13	8/14/2006 9:51			0				-0.8
14	8/14/2006 10:06			0				-0.8
15	8/14/2006 10:21			0				-0.8
16	8/14/2006 10:36			0				-0.8
17	8/14/2006 10:51			0				-0.8
18	8/14/2006 11:06			0				-0.8
19	8/14/2006 11:21			0				-0.8
20	8/14/2006 11:36			0				-0.8
21	8/14/2006 11:51			0				-0.8
22	8/14/2006 12:06			0				-0.8
23	8/14/2006 12:21			0				-0.8
24	8/14/2006 12:36			0				-0.8
25	8/14/2006 12:51			0				-0.8
26	8/14/2006 13:06			0				-0.8
27	8/14/2006 13:21			0				-0.8
28	8/14/2006 13:36			0				-0.8
29	8/14/2006 13:51			0				-0.8
30	8/14/2006 14:06			0				-0.8
31	8/14/2006 14:21			0				-0.8
32	8/14/2006 14:36			0				-0.8
33	8/14/2006 14:51			0				-0.8
34	8/14/2006 15:06			0				-0.8
35	8/14/2006 15:21			0				-0.8

STATION 3 (P.S. 156)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	13
Test Abbreviation:	
Start Date:	8/14/2006
Start Time:	6:38:36
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:39) = 0.048 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/14/2006	6:53:36	0.064	0.016	16
8/14/2006	7:08:36	0.063	0.015	15
8/14/2006	7:23:36	0.049	0.001	1
8/14/2006	7:38:36	0.073	0.025	25
8/14/2006	7:53:36	0.059	0.011	11
8/14/2006	8:08:36	0.081	0.033	33
8/14/2006	8:23:36	0.047	-0.001	-1
8/14/2006	8:38:36	0.062	0.014	14
8/14/2006	8:53:36	0.067	0.019	19
8/14/2006	9:08:36	0.072	0.024	24
8/14/2006	9:23:36	0.074	0.026	26
8/14/2006	9:38:36	0.072	0.024	24
8/14/2006	9:53:36	0.094	0.046	46
8/14/2006	10:08:36	0.076	0.028	28
8/14/2006	10:23:36	0.057	0.009	9
8/14/2006	10:38:36	0.062	0.014	14
8/14/2006	10:53:36	0.07	0.022	22
8/14/2006	11:08:36	0.058	0.01	10
8/14/2006	11:23:36	0.073	0.025	25
8/14/2006	11:38:36	0.068	0.02	20
8/14/2006	11:53:36	0.065	0.017	17
8/14/2006	12:08:36	0.057	0.009	9
8/14/2006	12:23:36	0.057	0.009	9
8/14/2006	12:38:36	0.077	0.029	29
8/14/2006	12:53:36	0.074	0.026	26
8/14/2006	13:08:36	0.12	0.072	72
8/14/2006	13:23:36	0.103	0.055	55
8/14/2006	13:38:36	0.124	0.076	76
8/14/2006	13:53:36	0.123	0.075	75
8/14/2006	14:08:36	0.135	0.087	87
8/14/2006	14:23:36	0.12	0.072	72
8/14/2006	14:38:36	0.107	0.059	59
8/14/2006	14:53:36	0.115	0.067	67
8/14/2006	15:08:36	0.369	0.321	321
8/14/2006	15:23:36	0.095	0.047	47
8/14/2006	15:38:36	0.079	0.031	31

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2006 05:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:25) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/14/2006 6:41			0				-0.2
2	8/14/2006 6:56			0.2				0
3	8/14/2006 7:11			0.4				0.2
4	8/14/2006 7:26			0.4				0.2
5	8/14/2006 7:41			0.4				0.2
6	8/14/2006 7:56			0.4				0.2
7	8/14/2006 8:11			0.4				0.2
8	8/14/2006 8:26			0.4				0.2
9	8/14/2006 8:41			0.4				0.2
10	8/14/2006 8:56			0.5				0.3
11	8/14/2006 9:11			0.2				0
12	8/14/2006 9:26			0.2				0
13	8/14/2006 9:41			0.2				0
14	8/14/2006 9:56			0.2				0
15	8/14/2006 10:11			0.1				-0.1
16	8/14/2006 10:26			0.2				0
17	8/14/2006 10:41			0.1				-0.1
18	8/14/2006 10:56			0.1				-0.1
19	8/14/2006 11:11			0				-0.2
20	8/14/2006 11:26			0				-0.2
21	8/14/2006 11:41			0				-0.2
22	8/14/2006 11:56			0				-0.2
23	8/14/2006 12:11			0				-0.2
24	8/14/2006 12:26			0				-0.2
25	8/14/2006 12:41			0				-0.2
26	8/14/2006 12:56			0				-0.2
27	8/14/2006 13:11			0				-0.2
28	8/14/2006 13:26			0				-0.2
29	8/14/2006 13:41			0				-0.2
30	8/14/2006 13:56			0				-0.2
31	8/14/2006 14:11			0				-0.2
32	8/14/2006 14:26			0				-0.2
33	8/14/2006 14:41			0				-0.2
34	8/14/2006 14:56			0.1				-0.1
35	8/14/2006 15:11			0.1				-0.1

STATION 4 (CONCOURSE VILLAGE WEST)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

Model:	Dust Trak
Serial Number:	85200855
Test ID:	14
Test Abbreviation:	
Start Date:	8/14/2006
Start Time:	6:25:58
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:25) = 0.002 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/14/2006	6:40:58	0.004	0.002	2
8/14/2006	6:55:58	0.004	0.002	2
8/14/2006	7:10:58	0.009	0.007	7
8/14/2006	7:25:58	0.011	0.009	9
8/14/2006	7:40:58	0.006	0.004	4
8/14/2006	7:55:58	0.005	0.003	3
8/14/2006	8:10:58	0.005	0.003	3
8/14/2006	8:25:58	0.006	0.004	4
8/14/2006	8:40:58	0.008	0.006	6
8/14/2006	8:55:58	0.011	0.009	9
8/14/2006	9:10:58	0.013	0.011	11
8/14/2006	9:25:58	0.013	0.011	11
8/14/2006	9:40:58	0.014	0.012	12
8/14/2006	9:55:58	0.011	0.009	9
8/14/2006	10:10:58	0.013	0.011	11
8/14/2006	10:25:58	0.012	0.01	10
8/14/2006	10:40:58	0.013	0.011	11
8/14/2006	10:55:58	0.016	0.014	14
8/14/2006	11:10:58	0.02	0.018	18
8/14/2006	11:25:58	0.014	0.012	12
8/14/2006	11:40:58	0.016	0.014	14
8/14/2006	11:55:58	0.024	0.022	22
8/14/2006	12:10:58	0.022	0.02	20
8/14/2006	12:25:58	0.021	0.019	19
8/14/2006	12:40:58	0.021	0.019	19
8/14/2006	12:55:58	0.023	0.021	21
8/14/2006	13:10:58	0.023	0.021	21
8/14/2006	13:25:58	0.027	0.025	25
8/14/2006	13:40:58	0.025	0.023	23
8/14/2006	13:55:58	0.025	0.023	23
8/14/2006	14:10:58	0.024	0.022	22
8/14/2006	14:25:58	0.024	0.022	22
8/14/2006	14:40:58	0.025	0.023	23
8/14/2006	14:55:58	0.027	0.025	25
8/14/2006	15:10:58	0.027	0.025	25
8/14/2006	15:25:58	0.025	0.023	23

STATION 1 (SOUTHERN PERIMETER) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/15/2006 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/15/2006 7:15			0				0
2	8/15/2006 7:30			0				0
3	8/15/2006 7:45			0				0
4	8/15/2006 8:00			0				0
5	8/15/2006 8:15			0				0
6	8/15/2006 8:30			0				0
7	8/15/2006 8:45			0				0
8	8/15/2006 9:00			0				0
9	8/15/2006 9:15			0				0
10	8/15/2006 9:30			0				0
11	8/15/2006 9:45			0				0
12	8/15/2006 10:00			0				0
13	8/15/2006 10:15			0				0
14	8/15/2006 10:30			0				0
15	8/15/2006 10:45			0				0
16	8/15/2006 11:00			0				0
17	8/15/2006 11:15			0				0
18	8/15/2006 11:30			0				0
19	8/15/2006 11:45			0				0
20	8/15/2006 12:00			0				0
21	8/15/2006 12:15			0				0
22	8/15/2006 12:30			0				0
23	8/15/2006 12:45			0				0
24	8/15/2006 13:00			0				0
25	8/15/2006 13:15			0				0
26	8/15/2006 13:30			0				0
27	8/15/2006 13:45			0				0
28	8/15/2006 14:00			0				0
29	8/15/2006 14:15			0				0
30	8/15/2006 14:30			0				0
31	8/15/2006 14:45			0				0
32	8/15/2006 15:00			0				0
33	8/15/2006 15:15			0				0
34	8/15/2006 15:30			0				0
35	8/15/2006 15:45			0				0
36	8/15/2006 16:00			0				0

STATION 1 (SOUTHERN PERIMETER)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	14
Test Abbreviation:	
Start Date:	8/15/2006
Start Time:	7:01:09
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 7:00) = 0.064 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2006	7:16:09	0.069	0.005	5
8/15/2006	7:31:09	0.073	0.009	9
8/15/2006	7:46:09	0.082	0.018	18
8/15/2006	8:01:09	0.081	0.017	17
8/15/2006	8:16:09	0.07	0.006	6
8/15/2006	8:31:09	0.058	-0.006	-6
8/15/2006	8:46:09	0.061	-0.003	-3
8/15/2006	9:01:09	0.051	-0.013	-13
8/15/2006	9:16:09	0.052	-0.012	-12
8/15/2006	9:31:09	0.055	-0.009	-9
8/15/2006	9:46:09	0.048	-0.016	-16
8/15/2006	10:01:09	0.046	-0.018	-18
8/15/2006	10:16:09	0.047	-0.017	-17
8/15/2006	10:31:09	0.043	-0.021	-21
8/15/2006	10:46:09	0.048	-0.016	-16
8/15/2006	11:01:09	0.052	-0.012	-12
8/15/2006	11:16:09	0.053	-0.011	-11
8/15/2006	11:31:09	0.052	-0.012	-12
8/15/2006	11:46:09	0.053	-0.011	-11
8/15/2006	12:01:09	0.053	-0.011	-11
8/15/2006	12:16:09	0.056	-0.008	-8
8/15/2006	12:31:09	0.054	-0.01	-10
8/15/2006	12:46:09	0.048	-0.016	-16
8/15/2006	13:01:09	0.047	-0.017	-17
8/15/2006	13:16:09	0.05	-0.014	-14
8/15/2006	13:31:09	0.043	-0.021	-21
8/15/2006	13:46:09	0.038	-0.026	-26
8/15/2006	14:01:09	0.039	-0.025	-25
8/15/2006	14:16:09	0.04	-0.024	-24
8/15/2006	14:31:09	0.038	-0.026	-26
8/15/2006	14:46:09	0.037	-0.027	-27
8/15/2006	15:01:09	0.034	-0.03	-30
8/15/2006	15:16:09	0.029	-0.035	-35
8/15/2006	15:31:09	0.027	-0.037	-37
8/15/2006	15:46:09	0.026	-0.038	-38
8/15/2006	16:01:09	0.023	-0.041	-41
8/15/2006	16:16:09	0.022	-0.042	-42

STATION 2 (I.S. 151) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/15/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:34) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	8/15/2006 6:49		0		0
2	8/15/2006 7:04		0		0
3	8/15/2006 7:19		0		0
4	8/15/2006 7:34		0		0
5	8/15/2006 7:49		0		0
6	8/15/2006 8:04		0		0
7	8/15/2006 8:19		0		0
8	8/15/2006 8:34		0		0
9	8/15/2006 8:49		0		0
10	8/15/2006 9:04		0		0
11	8/15/2006 9:19		0		0
12	8/15/2006 9:34		0		0
13	8/15/2006 9:49		0		0
14	8/15/2006 10:04		0		0
15	8/15/2006 10:19		0		0
16	8/15/2006 10:34		0		0
17	8/15/2006 10:49		0		0
18	8/15/2006 11:04		0		0
19	8/15/2006 11:19		0		0
20	8/15/2006 11:34		0		0
21	8/15/2006 11:49		0		0
22	8/15/2006 12:04		0		0
23	8/15/2006 12:19		0		0
24	8/15/2006 12:34		0		0
25	8/15/2006 12:49		0		0
26	8/15/2006 13:04		0		0
27	8/15/2006 13:19		0		0

STATION 2 (I.S. 151)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	18
Test Abbreviation:	
Start Date:	8/15/2006
Start Time:	6:34:16
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 6:34) = 0.064 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2006	6:49:16	0.068	0.004	4
8/15/2006	7:04:16	0.068	0.004	4
8/15/2006	7:19:16	0.071	0.007	7
8/15/2006	7:34:16	0.076	0.012	12
8/15/2006	7:49:16	0.083	0.019	19
8/15/2006	8:04:16	0.075	0.011	11
8/15/2006	8:19:16	0.057	-0.007	-7
8/15/2006	8:34:16	0.061	-0.003	-3
8/15/2006	8:49:16	0.06	-0.004	-4
8/15/2006	9:04:16	0.049	-0.015	-15
8/15/2006	9:19:16	0.052	-0.012	-12
8/15/2006	9:34:16	0.054	-0.01	-10
8/15/2006	9:49:16	0.051	-0.013	-13
8/15/2006	10:04:16	0.051	-0.013	-13
8/15/2006	10:19:16	0.057	-0.007	-7
8/15/2006	10:34:16	0.046	-0.018	-18
8/15/2006	10:49:16	0.049	-0.015	-15
8/15/2006	11:04:16	0.051	-0.013	-13
8/15/2006	11:19:16	0.06	-0.004	-4
8/15/2006	11:34:16	0.062	-0.002	-2
8/15/2006	11:49:16	0.061	-0.003	-3
8/15/2006	12:04:16	0.059	-0.005	-5
8/15/2006	12:19:16	0.06	-0.004	-4
8/15/2006	12:34:16	0.055	-0.009	-9
8/15/2006	12:49:16	0.05	-0.014	-14
8/15/2006	13:04:16	0.049	-0.015	-15
8/15/2006	13:19:16	0.047	-0.017	-17
8/15/2006	13:34:16	0.046	-0.018	-18
8/15/2006	13:49:16	0.047	-0.017	-17
8/15/2006	14:04:16	0.048	-0.016	-16

STATION 3 (P.S. 156) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/15/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:20) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/15/2006 6:35			0.2				0.1
2	8/15/2006 6:50			0.2				0.1
3	8/15/2006 7:05			0.2				0.1
4	8/15/2006 7:20			0.2				0.1
5	8/15/2006 7:35			0.1				0
6	8/15/2006 7:50			0.2				0.1
7	8/15/2006 8:05			0.2				0.1
8	8/15/2006 8:20			0.2				0.1
9	8/15/2006 8:35			0.3				0.2
10	8/15/2006 8:50			0.3				0.2
11	8/15/2006 9:05			0.3				0.2
12	8/15/2006 9:20			0.3				0.2
13	8/15/2006 9:35			0.3				0.2
14	8/15/2006 9:50			0.3				0.2
15	8/15/2006 10:05			0.3				0.2
16	8/15/2006 10:20			0.4				0.3
17	8/15/2006 10:35			0.4				0.3
18	8/15/2006 10:50			0.4				0.3
19	8/15/2006 11:05			0.4				0.3
20	8/15/2006 11:20			0.4				0.3
21	8/15/2006 11:35			0.4				0.3
22	8/15/2006 11:50			0.4				0.3
23	8/15/2006 12:05			0.5				0.4
24	8/15/2006 12:20			0.5				0.4
25	8/15/2006 12:35			0.5				0.4
26	8/15/2006 12:50			0.5				0.4
27	8/15/2006 13:05			0.4				0.3
28	8/15/2006 13:20			0.4				0.3
29	8/15/2006 13:35			0.3				0.2
30	8/15/2006 13:50			0.2				0.1
31	8/15/2006 14:05			0.2				0.1
32	8/15/2006 14:20			0.3				0.2
33	8/15/2006 14:35			0.3				0.2
34	8/15/2006 14:50			0.3				0.2
35	8/15/2006 15:05			0.3				0.2
36	8/15/2006 15:20			0.3				0.2
37	8/15/2006 15:35			0.3				0.2
38	8/15/2006 15:50			0.4				0.3

STATION 3 (P.S. 156)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	14
Test Abbreviation:	
Start Date:	8/15/2006
Start Time:	6:23:00
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (AM - 6:20) = 0.086 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2006	6:38:00	0.089	0.003	3
8/15/2006	6:53:00	0.089	0.003	3
8/15/2006	7:08:00	0.091	0.005	5
8/15/2006	7:23:00	0.141	0.055	55
8/15/2006	7:38:00	0.14	0.054	54
8/15/2006	7:53:00	0.12	0.034	34
8/15/2006	8:08:00	0.125	0.039	39
8/15/2006	8:23:00	0.1	0.014	14
8/15/2006	8:38:00	0.096	0.01	10
8/15/2006	8:53:00	0.113	0.027	27
8/15/2006	9:08:00	0.112	0.026	26
8/15/2006	9:23:00	0.077	-0.009	-9
8/15/2006	9:38:00	0.071	-0.015	-15
8/15/2006	9:53:00	0.09	0.004	4
8/15/2006	10:08:00	0.1	0.014	14
8/15/2006	10:23:00	0.116	0.03	30
8/15/2006	10:38:00	0.086	0	0
8/15/2006	10:53:00	0.08	-0.006	-6
8/15/2006	11:08:00	0.086	0	0
8/15/2006	11:23:00	0.087	0.001	1
8/15/2006	11:38:00	0.084	-0.002	-2
8/15/2006	11:53:00	0.084	-0.002	-2
8/15/2006	12:08:00	0.087	0.001	1
8/15/2006	12:23:00	0.137	0.051	51
8/15/2006	12:38:00	0.092	0.006	6
8/15/2006	12:53:00	0.093	0.007	7
8/15/2006	13:08:00	0.096	0.01	10
8/15/2006	13:23:00	0.085	-0.001	-1
8/15/2006	13:38:00	0.065	-0.021	-21
8/15/2006	13:53:00	0.109	0.023	23
8/15/2006	14:08:00	0.097	0.011	11
8/15/2006	14:23:00	0.109	0.023	23
8/15/2006	14:38:00	0.071	-0.015	-15
8/15/2006	14:53:00	0.081	-0.005	-5
8/15/2006	15:08:00	0.059	-0.027	-27
8/15/2006	15:23:00	0.082	-0.004	-4
8/15/2006	15:38:00	0.066	-0.02	-20
8/15/2006	15:53:00	0.057	-0.029	-29
8/15/2006	16:08:00	0.065	-0.021	-21

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/15/2006 05:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:16) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/15/2006 6:32			0				0
2	8/15/2006 6:47			0				0
3	8/15/2006 7:02			0				0
4	8/15/2006 7:17			0				0
5	8/15/2006 7:32			0.1				0.1
6	8/15/2006 7:47			0.1				0.1
7	8/15/2006 8:02			0				0
8	8/15/2006 8:17			0				0
9	8/15/2006 8:32			0.3				0.3
10	8/15/2006 8:47			0.3				0.3
11	8/15/2006 9:02			0.1				0.1
12	8/15/2006 9:17			0.1				0.1
13	8/15/2006 9:32			0.1				0.1
14	8/15/2006 9:47			0.2				0.2
15	8/15/2006 10:02			0.1				0.1
16	8/15/2006 10:17			0.4				0.4
17	8/15/2006 10:32			0.2				0.2
18	8/15/2006 10:47			0.2				0.2
19	8/15/2006 11:02			0.2				0.2
20	8/15/2006 11:17			0.2				0.2
21	8/15/2006 11:32			0.2				0.2
22	8/15/2006 11:47			0.3				0.3
23	8/15/2006 12:02			0.3				0.3
24	8/15/2006 12:17			0.4				0.4
25	8/15/2006 12:32			2.3				2.3
26	8/15/2006 12:47			0.6				0.6
27	8/15/2006 13:02			0.4				0.4
28	8/15/2006 13:17			0.2				0.2
29	8/15/2006 13:32			0.2				0.2
30	8/15/2006 13:47			0.2				0.2
31	8/15/2006 14:02			0.2				0.2
32	8/15/2006 14:17			0.2				0.2
33	8/15/2006 14:32			0.4				0.4
34	8/15/2006 14:47			0.6				0.6
35	8/15/2006 15:02			0.3				0.3
36	8/15/2006 15:17			0.3				0.3
37	8/15/2006 15:32			0.3				0.3
38	8/15/2006 15:47			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 0.150 mg/m3 (150 ug/m3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	15
Test Abbreviation:	
Start Date:	8/15/2006
Start Time:	6:17:14
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (AM - 6:16) = 0.039 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2006	6:32:14	0.041	0.002	2
8/15/2006	6:47:14	0.04	0.001	1
8/15/2006	7:02:14	0.04	0.001	1
8/15/2006	7:17:14	0.042	0.003	3
8/15/2006	7:32:14	0.049	0.01	10
8/15/2006	7:47:14	0.054	0.015	15
8/15/2006	8:02:14	0.056	0.017	17
8/15/2006	8:17:14	0.047	0.008	8
8/15/2006	8:32:14	0.04	0.001	1
8/15/2006	8:47:14	0.046	0.007	7
8/15/2006	9:02:14	0.05	0.011	11
8/15/2006	9:17:14	0.036	-0.003	-3
8/15/2006	9:32:14	0.035	-0.004	-4
8/15/2006	9:47:14	0.035	-0.004	-4
8/15/2006	10:02:14	0.053	0.014	14
8/15/2006	10:17:14	0.044	0.005	5
8/15/2006	10:32:14	0.034	-0.005	-5
8/15/2006	10:47:14	0.034	-0.005	-5
8/15/2006	11:02:14	0.052	0.013	13
8/15/2006	11:17:14	0.066	0.027	27
8/15/2006	11:32:14	0.047	0.008	8
8/15/2006	11:47:14	0.037	-0.002	-2
8/15/2006	12:02:14	0.039	0	0
8/15/2006	12:17:14	0.042	0.003	3
8/15/2006	12:32:14	0.044	0.005	5
8/15/2006	12:47:14	0.044	0.005	5
8/15/2006	13:02:14	0.034	-0.005	-5
8/15/2006	13:17:14	0.035	-0.004	-4
8/15/2006	13:32:14	0.033	-0.006	-6
8/15/2006	13:47:14	0.03	-0.009	-9
8/15/2006	14:02:14	0.032	-0.007	-7
8/15/2006	14:17:14	0.029	-0.01	-10
8/15/2006	14:32:14	0.029	-0.01	-10
8/15/2006	14:47:14	0.03	-0.009	-9
8/15/2006	15:02:14	0.029	-0.01	-10
8/15/2006	15:17:14	0.027	-0.012	-12
8/15/2006	15:32:14	0.021	-0.018	-18
8/15/2006	15:47:14	0.02	-0.019	-19
8/15/2006	16:02:14	0.018	-0.021	-21

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/16/2006 04:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:41) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/16/2006 6:56			0				0
2	8/16/2006 7:11			0				0
3	8/16/2006 7:26			0				0
4	8/16/2006 7:41			0				0
5	8/16/2006 7:56			0				0
6	8/16/2006 8:11			0				0
7	8/16/2006 8:26			0				0
8	8/16/2006 8:41			0				0
9	8/16/2006 8:56			0				0
10	8/16/2006 9:11			0.1				0.1
11	8/16/2006 9:26			0.1				0.1
12	8/16/2006 9:41			0.1				0.1
13	8/16/2006 9:56			0.1				0.1
14	8/16/2006 10:11			0.1				0.1
15	8/16/2006 10:26			0.2				0.2
16	8/16/2006 10:41			0.2				0.2
17	8/16/2006 10:56			0.2				0.2
18	8/16/2006 11:11			0.2				0.2
19	8/16/2006 11:26			0.2				0.2
20	8/16/2006 11:41			0.2				0.2
21	8/16/2006 11:56			0.2				0.2
22	8/16/2006 12:11			0.2				0.2
23	8/16/2006 12:26			0.2				0.2
24	8/16/2006 12:41			0.2				0.2
25	8/16/2006 12:56			0.2				0.2
26	8/16/2006 13:11			0.2				0.2
27	8/16/2006 13:26			0.2				0.2
28	8/16/2006 13:41			0.2				0.2
29	8/16/2006 13:56			0.2				0.2
30	8/16/2006 14:11			0.2				0.2
31	8/16/2006 14:26			0.2				0.2
32	8/16/2006 14:41			0.2				0.2
33	8/16/2006 14:56			0.2				0.2
34	8/16/2006 15:11			0.2				0.2
35	8/16/2006 15:26			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	15
Test Abbreviation:	
Start Date:	8/16/2006
Start Time:	6:42:17
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:41) = 0.027 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2006	6:57:17	0.019	0.006	6
8/16/2006	7:12:17	0.019	0.006	6
8/16/2006	7:27:17	0.023	0.01	10
8/16/2006	7:42:17	0.023	0.01	10
8/16/2006	7:57:17	0.031	0.018	18
8/16/2006	8:12:17	0.021	0.008	8
8/16/2006	8:27:17	0.023	0.01	10
8/16/2006	8:42:17	0.015	0.002	2
8/16/2006	8:57:17	0.015	0.002	2
8/16/2006	9:12:17	0.015	0.002	2
8/16/2006	9:27:17	0.015	0.002	2
8/16/2006	9:42:17	0.012	-0.001	-1
8/16/2006	9:57:17	0.012	-0.001	-1
8/16/2006	10:12:17	0.011	-0.002	-2
8/16/2006	10:27:17	0.011	-0.002	-2
8/16/2006	10:42:17	0.011	-0.002	-2
8/16/2006	10:57:17	0.009	-0.004	-4
8/16/2006	11:12:17	0.009	-0.004	-4
8/16/2006	11:27:17	0.01	-0.003	-3
8/16/2006	11:42:17	0.009	-0.004	-4
8/16/2006	11:57:17	0.008	-0.005	-5
8/16/2006	12:12:17	0.008	-0.005	-5
8/16/2006	12:27:17	0.01	-0.003	-3
8/16/2006	12:42:17	0.009	-0.004	-4
8/16/2006	12:57:17	0.009	-0.004	-4
8/16/2006	13:12:17	0.009	-0.004	-4
8/16/2006	13:27:17	0.01	-0.003	-3
8/16/2006	13:42:17	0.01	-0.003	-3
8/16/2006	13:57:17	0.011	-0.002	-2
8/16/2006	14:12:17	0.009	-0.004	-4
8/16/2006	14:27:17	0.009	-0.004	-4
8/16/2006	14:42:17	0.01	-0.003	-3
8/16/2006	14:57:17	0.01	-0.003	-3
8/16/2006	15:12:17	0.009	-0.004	-4
8/16/2006	15:27:17	0.009	-0.004	-4
8/16/2006	15:42:17	0.009	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/16/2006 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:31) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/16/2006 6:46			0.1				0
2	8/16/2006 7:01			0.2				0.1
3	8/16/2006 7:16			0.2				0.1
4	8/16/2006 7:31			0.2				0.1
5	8/16/2006 7:46			0.3				0.2
6	8/16/2006 8:01			0.3				0.2
7	8/16/2006 8:16			0.3				0.2
8	8/16/2006 8:31			0.4				0.3
9	8/16/2006 8:46			0.4				0.3
10	8/16/2006 9:01			0.4				0.3
11	8/16/2006 9:16			0.5				0.4
12	8/16/2006 9:31			0.5				0.4
13	8/16/2006 9:46			0.5				0.4
14	8/16/2006 10:01			0.4				0.3
15	8/16/2006 10:16			0.4				0.3
16	8/16/2006 10:31			0.4				0.3
17	8/16/2006 10:46			0.4				0.3
18	8/16/2006 11:01			0.5				0.4
19	8/16/2006 11:16			0.5				0.4
20	8/16/2006 11:31			0.5				0.4
21	8/16/2006 11:46			0.5				0.4
22	8/16/2006 12:01			0.5				0.4
23	8/16/2006 12:16			0.5				0.4
24	8/16/2006 12:31			0.5				0.4
25	8/16/2006 12:46			0.5				0.4
26	8/16/2006 13:01			0.5				0.4
27	8/16/2006 13:16			0.5				0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	19
Test Abbreviation:	
Start Date:	8/16/2006
Start Time:	6:31:25
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:31) = 0.017 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2006	6:46:25	0.019	0.002	2
8/16/2006	7:01:25	0.023	0.006	6
8/16/2006	7:16:25	0.03	0.013	13
8/16/2006	7:31:25	0.026	0.009	9
8/16/2006	7:46:25	0.026	0.009	9
8/16/2006	8:01:25	0.029	0.012	12
8/16/2006	8:16:25	0.021	0.004	4
8/16/2006	8:31:25	0.021	0.004	4
8/16/2006	8:46:25	0.016	-0.001	-1
8/16/2006	9:01:25	0.016	-0.001	-1
8/16/2006	9:16:25	0.017	0	0
8/16/2006	9:31:25	0.016	-0.001	-1
8/16/2006	9:46:25	0.019	0.002	2
8/16/2006	10:01:25	0.014	-0.003	-3
8/16/2006	10:16:25	0.013	-0.004	-4
8/16/2006	10:31:25	0.016	-0.001	-1
8/16/2006	10:46:25	0.014	-0.003	-3
8/16/2006	11:01:25	0.012	-0.005	-5
8/16/2006	11:16:25	0.014	-0.003	-3
8/16/2006	11:31:25	0.012	-0.005	-5
8/16/2006	11:46:25	0.012	-0.005	-5
8/16/2006	12:01:25	0.011	-0.006	-6
8/16/2006	12:16:25	0.019	0.002	2
8/16/2006	12:31:25	0.012	-0.005	-5
8/16/2006	12:46:25	0.014	-0.003	-3
8/16/2006	13:01:25	0.013	-0.004	-4
8/16/2006	13:16:25	0.014	-0.003	-3
8/16/2006	13:31:25	0.016	-0.001	-1
8/16/2006	13:46:25	0.013	-0.004	-4
8/16/2006	14:01:25	0.013	-0.004	-4
8/16/2006	14:16:25	0.014	-0.003	-3
8/16/2006	14:31:25	0.015	-0.002	-2
8/16/2006	14:46:25	0.014	-0.003	-3
8/16/2006	15:01:25	0.016	-0.001	-1
8/16/2006	15:16:25	0.014	-0.003	-3
8/16/2006	15:31:25	0.014	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/16/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:20) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/16/2006 6:33			0.1				-0.1
2	8/16/2006 6:48			0.1				-0.1
3	8/16/2006 7:03			0.2				0
4	8/16/2006 7:18			0.3				0.1
5	8/16/2006 7:33			0.2				0
6	8/16/2006 7:48			0.2				0
7	8/16/2006 8:03			0.2				0
8	8/16/2006 8:18			0.3				0.1
9	8/16/2006 8:33			0.3				0.1
10	8/16/2006 8:48			0.2				0
11	8/16/2006 9:03			0.1				-0.1
12	8/16/2006 9:18			0				-0.2
13	8/16/2006 9:33			0				-0.2
14	8/16/2006 9:48			0				-0.2
15	8/16/2006 10:03			0				-0.2
16	8/16/2006 10:18			0				-0.2
17	8/16/2006 10:33			0				-0.2
18	8/16/2006 10:48			0.1				-0.1
19	8/16/2006 11:03			0.2				0
20	8/16/2006 11:18			0.2				0
21	8/16/2006 11:33			0.2				0
22	8/16/2006 11:48			0.2				0
23	8/16/2006 12:03			0.2				0
24	8/16/2006 12:18			0.4				0.2
25	8/16/2006 12:33			0.2				0
26	8/16/2006 12:48			0.2				0
27	8/16/2006 13:03			0.2				0
28	8/16/2006 13:18			0.2				0
29	8/16/2006 13:33			0.2				0
30	8/16/2006 13:48			0.2				0
31	8/16/2006 14:03			0.1				-0.1
32	8/16/2006 14:18			0.1				-0.1
33	8/16/2006 14:33			0.1				-0.1
34	8/16/2006 14:48			0				-0.2
35	8/16/2006 15:03			0				-0.2
36	8/16/2006 15:18			0				-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	15
Test Abbreviation:	
Start Date:	8/16/2006
Start Time:	6:21:19
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (AM - 6:20) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2006	6:36:19	0.04	0.018	18
8/16/2006	6:51:19	0.041	0.019	19
8/16/2006	7:06:19	0.032	0.01	10
8/16/2006	7:21:19	0.043	0.021	21
8/16/2006	7:36:19	0.054	0.032	32
8/16/2006	7:51:19	0.11	0.088	88
8/16/2006	8:06:19	0.095	0.073	73
8/16/2006	8:21:19	0.072	0.05	50
8/16/2006	8:36:19	0.037	0.015	15
8/16/2006	8:51:19	0.04	0.018	18
8/16/2006	9:06:19	0.046	0.024	24
8/16/2006	9:21:19	0.025	0.003	3
8/16/2006	9:36:19	0.057	0.035	35
8/16/2006	9:51:19	0.019	-0.003	-3
8/16/2006	10:06:19	0.035	0.013	13
8/16/2006	10:21:19	0.024	0.002	2
8/16/2006	10:36:19	0.03	0.008	8
8/16/2006	10:51:19	0.03	0.008	8
8/16/2006	11:06:19	0.023	0.001	1
8/16/2006	11:21:19	0.023	0.001	1
8/16/2006	11:36:19	0.014	-0.008	-8
8/16/2006	11:51:19	0.026	0.004	4
8/16/2006	12:06:19	0.024	0.002	2
8/16/2006	12:21:19	0.026	0.004	4
8/16/2006	12:36:19	0.024	0.002	2
8/16/2006	12:51:19	0.02	-0.002	-2
8/16/2006	13:06:19	0.026	0.004	4
8/16/2006	13:21:19	0.026	0.004	4
8/16/2006	13:36:19	0.026	0.004	4
8/16/2006	13:51:19	0.024	0.002	2
8/16/2006	14:06:19	0.021	-0.001	-1
8/16/2006	14:21:19	0.026	0.004	4
8/16/2006	14:36:19	0.024	0.002	2
8/16/2006	14:51:19	0.034	0.012	12
8/16/2006	15:06:19	0.042	0.02	20
8/16/2006	15:21:19	0.03	0.008	8
8/16/2006	15:36:19	0.021	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/16/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:13) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/16/2006 6:30			0				0
2	8/16/2006 6:45			0				0
3	8/16/2006 7:00			0.1				0.1
4	8/16/2006 7:15			0.2				0.2
5	8/16/2006 7:30			0.3				0.3
6	8/16/2006 7:45			0.3				0.3
7	8/16/2006 8:00			0.3				0.3
8	8/16/2006 8:15			0.3				0.3
9	8/16/2006 8:30			0.2				0.2
10	8/16/2006 8:45			0.2				0.2
11	8/16/2006 9:00			0.1				0.1
12	8/16/2006 9:15			0.1				0.1
13	8/16/2006 9:30			0.1				0.1
14	8/16/2006 9:45			0				0
15	8/16/2006 10:00			0				0
16	8/16/2006 10:15			0				0
17	8/16/2006 10:30			0				0
18	8/16/2006 10:45			0				0
19	8/16/2006 11:00			0				0
20	8/16/2006 11:15			0				0
21	8/16/2006 11:30			0				0
22	8/16/2006 11:45			0				0
23	8/16/2006 12:00			0				0
24	8/16/2006 12:15			0				0
25	8/16/2006 12:30			0				0
26	8/16/2006 12:45			0				0
27	8/16/2006 13:00			0				0
28	8/16/2006 13:15			0				0
29	8/16/2006 13:30			0				0
30	8/16/2006 13:45			0				0
31	8/16/2006 14:00			0				0
32	8/16/2006 14:15			0				0
33	8/16/2006 14:30			0				0
34	8/16/2006 14:45			0				0
35	8/16/2006 15:00			0				0
36	8/16/2006 15:15			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	16
Test Abbreviation:	
Start Date:	8/16/2006
Start Time:	6:14:56
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:13) = 0.011 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2006	6:29:56	0.013	0.002	2
8/16/2006	6:44:56	0.014	0.003	3
8/16/2006	6:59:56	0.015	0.004	4
8/16/2006	7:14:56	0.015	0.004	4
8/16/2006	7:29:56	0.018	0.007	7
8/16/2006	7:44:56	0.018	0.007	7
8/16/2006	7:59:56	0.02	0.009	9
8/16/2006	8:14:56	0.018	0.007	7
8/16/2006	8:29:56	0.025	0.014	14
8/16/2006	8:44:56	0.019	0.008	8
8/16/2006	8:59:56	0.018	0.007	7
8/16/2006	9:14:56	0.017	0.006	6
8/16/2006	9:29:56	0.02	0.009	9
8/16/2006	9:44:56	0.016	0.005	5
8/16/2006	9:59:56	0.015	0.004	4
8/16/2006	10:14:56	0.025	0.014	14
8/16/2006	10:29:56	0.021	0.01	10
8/16/2006	10:44:56	0.016	0.005	5
8/16/2006	10:59:56	0.016	0.005	5
8/16/2006	11:14:56	0.017	0.006	6
8/16/2006	11:29:56	0.018	0.007	7
8/16/2006	11:44:56	0.017	0.006	6
8/16/2006	11:59:56	0.017	0.006	6
8/16/2006	12:14:56	0.023	0.012	12
8/16/2006	12:29:56	0.02	0.009	9
8/16/2006	12:44:56	0.021	0.01	10
8/16/2006	12:59:56	0.018	0.007	7
8/16/2006	13:14:56	0.021	0.01	10
8/16/2006	13:29:56	0.025	0.014	14
8/16/2006	13:44:56	0.021	0.01	10
8/16/2006	13:59:56	0.021	0.01	10
8/16/2006	14:14:56	0.021	0.01	10
8/16/2006	14:29:56	0.024	0.013	13
8/16/2006	14:44:56	0.031	0.02	20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/17/2006 04:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:15) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/17/2006 7:29			0				-0.1
2	8/17/2006 7:44			0				-0.1
3	8/17/2006 7:59			0				-0.1
4	8/17/2006 8:14			0				-0.1
5	8/17/2006 8:29			0.1				0
6	8/17/2006 8:44			0.1				0
7	8/17/2006 8:59			0.1				0
8	8/17/2006 9:14			0.1				0
9	8/17/2006 9:29			0.1				0
10	8/17/2006 9:44			0.1				0
11	8/17/2006 9:59			0.1				0
12	8/17/2006 10:14			0.1				0
13	8/17/2006 10:29			0.1				0
14	8/17/2006 10:44			0.1				0
15	8/17/2006 10:59			0.1				0
16	8/17/2006 11:14			0				-0.1
17	8/17/2006 11:29			0.1				0
18	8/17/2006 11:44			0.1				0
19	8/17/2006 11:59			0				-0.1
20	8/17/2006 12:14			0				-0.1
21	8/17/2006 12:29			0.1				0
22	8/17/2006 12:44			0.1				0
23	8/17/2006 12:59			0.1				0
24	8/17/2006 13:14			0.2				0.1
25	8/17/2006 13:29			0.2				0.1
26	8/17/2006 13:44			0.2				0.1
27	8/17/2006 13:59			0.2				0.1
28	8/17/2006 14:14			0.2				0.1
29	8/17/2006 14:29			0.2				0.1
30	8/17/2006 14:44			0.2				0.1
31	8/17/2006 14:59			0.2				0.1
32	8/17/2006 15:14			0.2				0.1
33	8/17/2006 15:29			0.3				0.2
34	8/17/2006 15:44			0.3				0.2
35	8/17/2006 15:59			0.3				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	16
Test Abbreviation:	
Start Date:	8/17/2006
Start Time:	7:16:08
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 7:15) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/17/2006	7:31:08	0.011	0.002	2
8/17/2006	7:46:08	0.01	0.001	1
8/17/2006	8:01:08	0.012	0.003	3
8/17/2006	8:16:08	0.011	0.002	2
8/17/2006	8:31:08	0.01	0.001	1
8/17/2006	8:46:08	0.01	0.001	1
8/17/2006	9:01:08	0.01	0.001	1
8/17/2006	9:16:08	0.011	0.002	2
8/17/2006	9:31:08	0.012	0.003	3
8/17/2006	9:46:08	0.014	0.005	5
8/17/2006	10:01:08	0.011	0.002	2
8/17/2006	10:16:08	0.014	0.005	5
8/17/2006	10:31:08	0.011	0.002	2
8/17/2006	10:46:08	0.013	0.004	4
8/17/2006	11:01:08	0.014	0.005	5
8/17/2006	11:16:08	0.012	0.003	3
8/17/2006	11:31:08	0.012	0.003	3
8/17/2006	11:46:08	0.014	0.005	5
8/17/2006	12:01:08	0.038	0.029	29
8/17/2006	12:16:08	0.017	0.008	8
8/17/2006	12:31:08	0.016	0.007	7
8/17/2006	12:46:08	0.017	0.008	8
8/17/2006	13:01:08	0.015	0.006	6
8/17/2006	13:16:08	0.016	0.007	7
8/17/2006	13:31:08	0.014	0.005	5
8/17/2006	13:46:08	0.013	0.004	4
8/17/2006	14:01:08	0.019	0.01	10
8/17/2006	14:16:08	0.014	0.005	5
8/17/2006	14:31:08	0.016	0.007	7
8/17/2006	14:46:08	0.014	0.005	5
8/17/2006	15:01:08	0.016	0.007	7
8/17/2006	15:16:08	0.014	0.005	5
8/17/2006	15:31:08	0.017	0.008	8
8/17/2006	15:46:08	0.015	0.006	6
8/17/2006	16:01:08	0.018	0.009	9
8/17/2006	16:16:08	0.016	0.007	7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/17/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/17/2006 7:04			0.3				0.3
2	8/17/2006 7:19			0.4				0.4
3	8/17/2006 7:34			0.5				0.5
4	8/17/2006 7:49			0.6				0.6
5	8/17/2006 8:04			0.7				0.7
6	8/17/2006 8:19			0.7				0.7
7	8/17/2006 8:34			0.8				0.8
8	8/17/2006 8:49			0.8				0.8
9	8/17/2006 9:04			0.9				0.9
10	8/17/2006 9:19			1.1				1.1
11	8/17/2006 9:34			1.1				1.1
12	8/17/2006 9:49			1.1				1.1
13	8/17/2006 10:04			1				1
14	8/17/2006 10:19			0.9				0.9
15	8/17/2006 10:34			0.9				0.9
16	8/17/2006 10:49			0.9				0.9
17	8/17/2006 11:04			1				1
18	8/17/2006 11:19			1.1				1.1
19	8/17/2006 11:34			1.1				1.1
20	8/17/2006 11:49			1.1				1.1
21	8/17/2006 12:04			1.1				1.1
22	8/17/2006 12:19			1.1				1.1
23	8/17/2006 12:34			1.1				1.1
24	8/17/2006 12:49			1.2				1.2
25	8/17/2006 13:04			1.2				1.2
26	8/17/2006 13:19			1.2				1.2
27	8/17/2006 13:34			1.2				1.2
28	8/17/2006 13:49			1.2				1.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	20
Test Abbreviation:	
Start Date:	8/17/2006
Start Time:	6:51:47
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:50) = 0.012 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2006	7:06:47	0.023	0.011	11
8/17/2006	7:21:47	0.018	0.006	6
8/17/2006	7:36:47	0.017	0.005	5
8/17/2006	7:51:47	0.026	0.014	14
8/17/2006	8:06:47	0.014	0.002	2
8/17/2006	8:21:47	0.016	0.004	4
8/17/2006	8:36:47	0.017	0.005	5
8/17/2006	8:51:47	0.014	0.002	2
8/17/2006	9:06:47	0.022	0.01	10
8/17/2006	9:21:47	0.02	0.008	8
8/17/2006	9:36:47	0.015	0.003	3
8/17/2006	9:51:47	0.019	0.007	7
8/17/2006	10:06:47	0.016	0.004	4
8/17/2006	10:21:47	0.016	0.004	4
8/17/2006	10:36:47	0.015	0.003	3
8/17/2006	10:51:47	0.025	0.013	13
8/17/2006	11:06:47	0.019	0.007	7
8/17/2006	11:21:47	0.02	0.008	8
8/17/2006	11:36:47	0.021	0.009	9
8/17/2006	11:51:47	0.014	0.002	2
8/17/2006	12:06:47	0.021	0.009	9
8/17/2006	12:21:47	0.023	0.011	11
8/17/2006	12:36:47	0.016	0.004	4
8/17/2006	12:51:47	0.018	0.006	6
8/17/2006	13:06:47	0.018	0.006	6
8/17/2006	13:21:47	0.019	0.007	7
8/17/2006	13:36:47	0.014	0.002	2
8/17/2006	13:51:47	0.021	0.009	9
8/17/2006	14:06:47	0.015	0.003	3
8/17/2006	14:21:47	0.015	0.003	3
8/17/2006	14:36:47	0.016	0.004	4
8/17/2006	14:51:47	0.017	0.005	5
8/17/2006	15:06:47	0.014	0.002	2
8/17/2006	15:21:47	0.015	0.003	3
8/17/2006	15:36:47	0.015	0.003	3
8/17/2006	15:51:47	0.018	0.006	6
8/17/2006	16:06:47	0.018	0.006	6
8/17/2006	16:21:47	0.025	0.013	13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/17/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/17/2006 6:52			0				0
2	8/17/2006 7:07			0				0
3	8/17/2006 7:22			0				0
4	8/17/2006 7:37			0				0
5	8/17/2006 7:52			0				0
6	8/17/2006 8:07			0				0
7	8/17/2006 8:22			0				0
8	8/17/2006 8:37			0				0
9	8/17/2006 8:52			0				0
10	8/17/2006 9:07			0				0
11	8/17/2006 9:22			0				0
12	8/17/2006 9:37			0				0
13	8/17/2006 9:52			0				0
14	8/17/2006 10:07			0				0
15	8/17/2006 10:22			0				0
16	8/17/2006 10:37			0				0
17	8/17/2006 10:52			0				0
18	8/17/2006 11:07			0				0
19	8/17/2006 11:22			0				0
20	8/17/2006 11:37			0				0
21	8/17/2006 11:52			0				0
22	8/17/2006 12:07			0				0
23	8/17/2006 12:22			0				0
24	8/17/2006 12:37			0				0
25	8/17/2006 12:52			0				0
26	8/17/2006 13:07			0				0
27	8/17/2006 13:22			0				0
28	8/17/2006 13:37			0				0
29	8/17/2006 13:52			0				0
30	8/17/2006 14:07			0				0
31	8/17/2006 14:22			0				0
32	8/17/2006 14:37			0				0
33	8/17/2006 14:52			0				0
34	8/17/2006 15:07			0				0
35	8/17/2006 15:22			0				0
36	8/17/2006 15:37			0				0
37	8/17/2006 15:52			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	16
Test Abbreviation:	
Start Date:	8/17/2006
Start Time:	6:37:15
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (AM - 6:40) = 0.028 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2006	6:52:15	0.036	0.008	8
8/17/2006	7:07:15	0.027	-0.001	-1
8/17/2006	7:22:15	0.044	0.016	16
8/17/2006	7:37:15	0.06	0.032	32
8/17/2006	7:52:15	0.037	0.009	9
8/17/2006	8:07:15	0.055	0.027	27
8/17/2006	8:22:15	0.046	0.018	18
8/17/2006	8:37:15	0.046	0.018	18
8/17/2006	8:52:15	0.038	0.01	10
8/17/2006	9:07:15	0.029	0.001	1
8/17/2006	9:22:15	0.025	-0.003	-3
8/17/2006	9:37:15	0.028	0	0
8/17/2006	9:52:15	0.043	0.015	15
8/17/2006	10:07:15	0.033	0.005	5
8/17/2006	10:22:15	0.041	0.013	13
8/17/2006	10:37:15	0.025	-0.003	-3
8/17/2006	10:52:15	0.032	0.004	4
8/17/2006	11:07:15	0.037	0.009	9
8/17/2006	11:22:15	0.04	0.012	12
8/17/2006	11:37:15	0.023	-0.005	-5
8/17/2006	11:52:15	0.022	-0.006	-6
8/17/2006	12:07:15	0.037	0.009	9
8/17/2006	12:22:15	0.049	0.021	21
8/17/2006	12:37:15	0.039	0.011	11
8/17/2006	12:52:15	0.044	0.016	16
8/17/2006	13:07:15	0.045	0.017	17
8/17/2006	13:22:15	0.049	0.021	21
8/17/2006	13:37:15	0.053	0.025	25
8/17/2006	13:52:15	0.038	0.01	10
8/17/2006	14:07:15	0.039	0.011	11
8/17/2006	14:22:15	0.063	0.035	35
8/17/2006	14:37:15	0.075	0.047	47
8/17/2006	14:52:15	0.064	0.036	36
8/17/2006	15:07:15	0.053	0.025	25
8/17/2006	15:22:15	0.034	0.006	6
8/17/2006	15:37:15	0.027	-0.001	-1
8/17/2006	15:52:15	0.043	0.015	15
8/17/2006	16:07:15	0.037	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/17/2006 05:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/17/2006 6:42			0				0
2	8/17/2006 6:57			0.1				0.1
3	8/17/2006 7:12			0.2				0.2
4	8/17/2006 7:27			0.2				0.2
5	8/17/2006 7:42			0.3				0.3
6	8/17/2006 7:57			0.3				0.3
7	8/17/2006 8:12			0.3				0.3
8	8/17/2006 8:27			0.3				0.3
9	8/17/2006 8:42			0.2				0.2
10	8/17/2006 8:57			0.2				0.2
11	8/17/2006 9:12			0.3				0.3
12	8/17/2006 9:27			0.3				0.3
13	8/17/2006 9:42			0.3				0.3
14	8/17/2006 9:57			0.3				0.3
15	8/17/2006 10:12			0.2				0.2
16	8/17/2006 10:27			0.2				0.2
17	8/17/2006 10:42			0.2				0.2
18	8/17/2006 10:57			0.2				0.2
19	8/17/2006 11:12			0.2				0.2
20	8/17/2006 11:27			0.2				0.2
21	8/17/2006 11:42			0.2				0.2
22	8/17/2006 11:57			0.2				0.2
23	8/17/2006 12:12			0.2				0.2
24	8/17/2006 12:27			0.2				0.2
25	8/17/2006 12:42			0.2				0.2
26	8/17/2006 12:57			0.2				0.2
27	8/17/2006 13:12			0.3				0.3
28	8/17/2006 13:27			0.3				0.3
29	8/17/2006 13:42			0.4				0.4
30	8/17/2006 13:57			0.4				0.4
31	8/17/2006 14:12			0.3				0.3
32	8/17/2006 14:27			0.2				0.2
33	8/17/2006 14:42			0.4				0.4
34	8/17/2006 14:57			0.2				0.2
35	8/17/2006 15:12			0.5				0.5
36	8/17/2006 15:27			0.2				0.2
37	8/17/2006 15:42			0.3				0.3
38	8/17/2006 15:57			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	17
Test Abbreviation:	
Start Date:	8/17/2006
Start Time:	6:22:42
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (AM - 6:27) = 0.016 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2006	6:37:42	0.019	0.003	3
8/17/2006	6:52:42	0.015	-0.001	-1
8/17/2006	7:07:42	0.014	-0.002	-2
8/17/2006	7:22:42	0.02	0.004	4
8/17/2006	7:37:42	0.028	0.012	12
8/17/2006	7:52:42	0.022	0.006	6
8/17/2006	8:07:42	0.015	-0.001	-1
8/17/2006	8:22:42	0.019	0.003	3
8/17/2006	8:37:42	0.019	0.003	3
8/17/2006	8:52:42	0.016	0	0
8/17/2006	9:07:42	0.016	0	0
8/17/2006	9:22:42	0.015	-0.001	-1
8/17/2006	9:37:42	0.018	0.002	2
8/17/2006	9:52:42	0.02	0.004	4
8/17/2006	10:07:42	0.021	0.005	5
8/17/2006	10:22:42	0.019	0.003	3
8/17/2006	10:37:42	0.018	0.002	2
8/17/2006	10:52:42	0.023	0.007	7
8/17/2006	11:07:42	0.019	0.003	3
8/17/2006	11:22:42	0.021	0.005	5
8/17/2006	11:37:42	0.02	0.004	4
8/17/2006	11:52:42	0.019	0.003	3
8/17/2006	12:07:42	0.019	0.003	3
8/17/2006	12:22:42	0.022	0.006	6
8/17/2006	12:37:42	0.022	0.006	6
8/17/2006	12:52:42	0.024	0.008	8
8/17/2006	13:07:42	0.019	0.003	3
8/17/2006	13:22:42	0.02	0.004	4
8/17/2006	13:37:42	0.02	0.004	4
8/17/2006	13:52:42	0.022	0.006	6
8/17/2006	14:07:42	0.023	0.007	7
8/17/2006	14:22:42	0.048	0.032	32
8/17/2006	14:37:42	0.031	0.015	15
8/17/2006	14:52:42	0.032	0.016	16
8/17/2006	15:07:42	0.041	0.025	25
8/17/2006	15:22:42	0.043	0.027	27
8/17/2006	15:37:42	0.047	0.031	31
8/17/2006	15:52:42	0.024	0.008	8
8/17/2006	16:07:42	0.031	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/18/2006 04:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/18/2006 7:04			0				0
2	8/18/2006 7:19			0				0
3	8/18/2006 7:34			0				0
4	8/18/2006 7:49			0				0
5	8/18/2006 8:04			0				0
6	8/18/2006 8:19			0				0
7	8/18/2006 8:34			0				0
8	8/18/2006 8:49			0				0
9	8/18/2006 9:04			0				0
10	8/18/2006 9:19			0				0
11	8/18/2006 9:34			0				0
12	8/18/2006 9:49			0				0
13	8/18/2006 10:04			0				0
14	8/18/2006 10:19			0				0
15	8/18/2006 10:34			0				0
16	8/18/2006 10:49			0				0
17	8/18/2006 11:04			0				0
18	8/18/2006 11:19			0				0
19	8/18/2006 11:34			0				0
20	8/18/2006 11:49			0				0
21	8/18/2006 12:04			0				0
22	8/18/2006 12:19			0				0
23	8/18/2006 12:34			0				0
24	8/18/2006 12:49			0				0
25	8/18/2006 13:04			0				0
26	8/18/2006 13:19			0				0
27	8/18/2006 13:34			0				0
28	8/18/2006 13:49			0				0
29	8/18/2006 14:04			0				0
30	8/18/2006 14:19			0				0
31	8/18/2006 14:34			0				0
32	8/18/2006 14:49			0				0
33	8/18/2006 15:04			0				0
34	8/18/2006 15:19			0				0
35	8/18/2006 15:34			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	17
Test Abbreviation:	
Start Date:	8/18/2006
Start Time:	6:52:05
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:51) = 0.057 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/18/2006	7:07:05	0.062	0.005	5
8/18/2006	7:22:05	0.067	0.01	10
8/18/2006	7:37:05	0.066	0.009	9
8/18/2006	7:52:05	0.065	0.008	8
8/18/2006	8:07:05	0.064	0.007	7
8/18/2006	8:22:05	0.059	0.002	2
8/18/2006	8:37:05	0.056	-0.001	-1
8/18/2006	8:52:05	0.056	-0.001	-1
8/18/2006	9:07:05	0.054	-0.003	-3
8/18/2006	9:22:05	0.055	-0.002	-2
8/18/2006	9:37:05	0.055	-0.002	-2
8/18/2006	9:52:05	0.047	-0.01	-10
8/18/2006	10:07:05	0.04	-0.017	-17
8/18/2006	10:22:05	0.036	-0.021	-21
8/18/2006	10:37:05	0.038	-0.019	-19
8/18/2006	10:52:05	0.031	-0.026	-26
8/18/2006	11:07:05	0.026	-0.031	-31
8/18/2006	11:22:05	0.023	-0.034	-34
8/18/2006	11:37:05	0.024	-0.033	-33
8/18/2006	11:52:05	0.013	-0.044	-44
8/18/2006	12:07:05	0.018	-0.039	-39
8/18/2006	12:22:05	0.014	-0.043	-43
8/18/2006	12:37:05	0.012	-0.045	-45
8/18/2006	12:52:05	0.014	-0.043	-43
8/18/2006	13:07:05	0.013	-0.044	-44
8/18/2006	13:22:05	0.045	-0.012	-12
8/18/2006	13:37:05	0.033	-0.024	-24
8/18/2006	13:52:05	0.022	-0.035	-35
8/18/2006	14:07:05	0.016	-0.041	-41
8/18/2006	14:22:05	0.027	-0.03	-30
8/18/2006	14:37:05	0.028	-0.029	-29
8/18/2006	14:52:05	0.022	-0.035	-35
8/18/2006	15:07:05	0.014	-0.043	-43
8/18/2006	15:22:05	0.015	-0.042	-42
8/18/2006	15:37:05	0.012	-0.045	-45
8/18/2006	15:52:05	0.011	-0.046	-46

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/18/2006 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/18/2006 6:58			0				0
2	8/18/2006 7:13			0				0
3	8/18/2006 7:28			0				0
4	8/18/2006 7:43			0				0
5	8/18/2006 7:58			0				0
6	8/18/2006 8:13			0				0
7	8/18/2006 8:28			0				0
8	8/18/2006 8:43			0				0
9	8/18/2006 8:58			0				0
10	8/18/2006 9:13			0				0
11	8/18/2006 9:28			0				0
12	8/18/2006 9:43			0				0
13	8/18/2006 9:58			0				0
14	8/18/2006 10:13			0				0
15	8/18/2006 10:28			0.1				0.1
16	8/18/2006 10:43			0.1				0.1
17	8/18/2006 10:58			0.1				0.1
18	8/18/2006 11:13			0.2				0.2
19	8/18/2006 11:28			0.2				0.2
20	8/18/2006 11:43			0.2				0.2
21	8/18/2006 11:58			0.2				0.2
22	8/18/2006 12:13			0.1				0.1
23	8/18/2006 12:28			0.1				0.1
24	8/18/2006 12:43			0.1				0.1
25	8/18/2006 12:58			0.1				0.1
26	8/18/2006 13:13			0.2				0.2
27	8/18/2006 13:28			0.2				0.2
28	8/18/2006 13:43			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	21
Test Abbreviation:	
Start Date:	8/18/2006
Start Time:	6:42:35
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 6:40) = 0.055 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/18/2006	6:57:35	0.068	0.013	13
8/18/2006	7:12:35	0.066	0.011	11
8/18/2006	7:27:35	0.066	0.011	11
8/18/2006	7:42:35	0.065	0.01	10
8/18/2006	7:57:35	0.061	0.006	6
8/18/2006	8:12:35	0.066	0.011	11
8/18/2006	8:27:35	0.067	0.012	12
8/18/2006	8:42:35	0.062	0.007	7
8/18/2006	8:57:35	0.066	0.011	11
8/18/2006	9:12:35	0.081	0.026	26
8/18/2006	9:27:35	0.058	0.003	3
8/18/2006	9:42:35	0.06	0.005	5
8/18/2006	9:57:35	0.051	-0.004	-4
8/18/2006	10:12:35	0.045	-0.01	-10
8/18/2006	10:27:35	0.052	-0.003	-3
8/18/2006	10:42:35	0.041	-0.014	-14
8/18/2006	10:57:35	0.039	-0.016	-16
8/18/2006	11:12:35	0.033	-0.022	-22
8/18/2006	11:27:35	0.028	-0.027	-27
8/18/2006	11:42:35	0.021	-0.034	-34
8/18/2006	11:57:35	0.034	-0.021	-21
8/18/2006	12:12:35	0.021	-0.034	-34
8/18/2006	12:27:35	0.02	-0.035	-35
8/18/2006	12:42:35	0.023	-0.032	-32
8/18/2006	12:57:35	0.019	-0.036	-36
8/18/2006	13:12:35	0.02	-0.035	-35
8/18/2006	13:27:35	0.018	-0.037	-37
8/18/2006	13:42:35	0.016	-0.039	-39
8/18/2006	13:57:35	0.016	-0.039	-39
8/18/2006	14:12:35	0.016	-0.039	-39
8/18/2006	14:27:35	0.013	-0.042	-42
8/18/2006	14:42:35	0.015	-0.04	-40
8/18/2006	14:57:35	0.016	-0.039	-39
8/18/2006	15:12:35	0.014	-0.041	-41

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/18/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 06:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/18/2006 6:45			0				0
2	8/18/2006 7:00			0				0
3	8/18/2006 7:15			0				0
4	8/18/2006 7:30			0				0
5	8/18/2006 7:45			0				0
6	8/18/2006 8:00			0				0
7	8/18/2006 8:15			0				0
8	8/18/2006 8:30			0				0
9	8/18/2006 8:45			0				0
10	8/18/2006 9:00			0				0
11	8/18/2006 9:15			0				0
12	8/18/2006 9:30			0				0
13	8/18/2006 9:45			0				0
14	8/18/2006 10:00			0				0
15	8/18/2006 10:15			0				0
16	8/18/2006 10:30			0				0
17	8/18/2006 10:45			0				0
18	8/18/2006 11:00			0				0
19	8/18/2006 11:15			0				0
20	8/18/2006 11:30			0				0
21	8/18/2006 11:45			0				0
22	8/18/2006 12:00			0				0
23	8/18/2006 12:15			0				0
24	8/18/2006 12:30			0				0
25	8/18/2006 12:45			0				0
26	8/18/2006 13:00			0				0
27	8/18/2006 13:15			0				0
28	8/18/2006 13:30			0				0
29	8/18/2006 13:45			0				0
30	8/18/2006 14:00			0				0
31	8/18/2006 14:15			0				0
32	8/18/2006 14:30			0				0
33	8/18/2006 14:45			0				0
34	8/18/2006 15:00			0				0
35	8/18/2006 15:15			0				0
36	8/18/2006 15:30			0				0
37	8/18/2006 15:45			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	17
Test Abbreviation:	
Start Date:	8/18/2006
Start Time:	6:32:00
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:32) = 0.075 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/18/2006	6:47:00	0.121	0.046	46
8/18/2006	7:02:00	0.087	0.012	12
8/18/2006	7:17:00	0.095	0.02	20
8/18/2006	7:32:00	0.126	0.051	51
8/18/2006	7:47:00	0.094	0.019	19
8/18/2006	8:02:00	0.092	0.017	17
8/18/2006	8:17:00	0.09	0.015	15
8/18/2006	8:32:00	0.09	0.015	15
8/18/2006	8:47:00	0.092	0.017	17
8/18/2006	9:02:00	0.101	0.026	26
8/18/2006	9:17:00	0.086	0.011	11
8/18/2006	9:32:00	0.078	0.003	3
8/18/2006	9:47:00	0.08	0.005	5
8/18/2006	10:02:00	0.072	-0.003	-3
8/18/2006	10:17:00	0.064	-0.011	-11
8/18/2006	10:32:00	0.062	-0.013	-13
8/18/2006	10:47:00	0.054	-0.021	-21
8/18/2006	11:02:00	0.057	-0.018	-18
8/18/2006	11:17:00	0.04	-0.035	-35
8/18/2006	11:32:00	0.039	-0.036	-36
8/18/2006	11:47:00	0.019	-0.056	-56
8/18/2006	12:02:00	0.023	-0.052	-52
8/18/2006	12:17:00	0.024	-0.051	-51
8/18/2006	12:32:00	0.021	-0.054	-54
8/18/2006	12:47:00	0.02	-0.055	-55
8/18/2006	13:02:00	0.024	-0.051	-51
8/18/2006	13:17:00	0.032	-0.043	-43
8/18/2006	13:32:00	0.029	-0.046	-46
8/18/2006	13:47:00	0.026	-0.049	-49
8/18/2006	14:02:00	0.03	-0.045	-45
8/18/2006	14:17:00	0.035	-0.04	-40
8/18/2006	14:32:00	0.032	-0.043	-43
8/18/2006	14:47:00	0.028	-0.047	-47
8/18/2006	15:02:00	0.024	-0.051	-51
8/18/2006	15:17:00	0.018	-0.057	-57
8/18/2006	15:32:00	0.027	-0.048	-48
8/18/2006	15:47:00	0.034	-0.041	-41
8/18/2006	16:02:00	0.023	-0.052	-52

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/18/2006 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 06:22) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/18/2006 6:36			0				0
2	8/18/2006 6:51			0				0
3	8/18/2006 7:06			0				0
4	8/18/2006 7:21			0				0
5	8/18/2006 7:36			0				0
6	8/18/2006 7:51			0.1				0.1
7	8/18/2006 8:06			0.1				0.1
8	8/18/2006 8:21			0.1				0.1
9	8/18/2006 8:36			0.2				0.2
10	8/18/2006 8:51			0.2				0.2
11	8/18/2006 9:06			0.3				0.3
12	8/18/2006 9:21			0.5				0.5
13	8/18/2006 9:36			0.2				0.2
14	8/18/2006 9:51			0.2				0.2
15	8/18/2006 10:06			0.2				0.2
16	8/18/2006 10:21			0.2				0.2
17	8/18/2006 10:36			0.2				0.2
18	8/18/2006 10:51			0.3				0.3
19	8/18/2006 11:06			0.3				0.3
20	8/18/2006 11:21			0.3				0.3
21	8/18/2006 11:36			0.3				0.3
22	8/18/2006 11:51			0.3				0.3
23	8/18/2006 12:06			0.3				0.3
24	8/18/2006 12:21			0.3				0.3
25	8/18/2006 12:36			0.3				0.3
26	8/18/2006 12:51			0.3				0.3
27	8/18/2006 13:06			0.3				0.3
28	8/18/2006 13:21			0.3				0.3
29	8/18/2006 13:36			0.3				0.3
30	8/18/2006 13:51			0.3				0.3
31	8/18/2006 14:06			0.4				0.4
32	8/18/2006 14:21			0.3				0.3
33	8/18/2006 14:36			0.2				0.2
34	8/18/2006 14:51			0.4				0.4
35	8/18/2006 15:06			0.4				0.4
36	8/18/2006 15:21			0.4				0.4
37	8/18/2006 15:36			0.3				0.3
38	8/18/2006 15:51			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	20
Test Abbreviation:	
Start Date:	8/18/2006
Start Time:	9:51:09
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (AM - 6:22) = 0.043 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/18/2006	10:06:09	0.126	0.083	83
8/18/2006	10:21:09	0.072	0.029	29
8/18/2006	10:36:09	0.106	0.063	63
8/18/2006	10:51:09	0.071	0.028	28
8/18/2006	11:06:09	0.069	0.026	26
8/18/2006	11:21:09	0.06	0.017	17
8/18/2006	11:36:09	0.045	0.002	2
8/18/2006	11:51:09	0.05	0.007	7
8/18/2006	12:06:09	0.036	-0.007	-7
8/18/2006	12:21:09	0.033	-0.01	-10
8/18/2006	12:36:09	0.042	-0.001	-1
8/18/2006	12:51:09	0.048	0.005	5
8/18/2006	13:06:09	0.029	-0.014	-14
8/18/2006	13:21:09	0.043	0	0
8/18/2006	13:36:09	0.046	0.003	3
8/18/2006	13:51:09	0.06	0.017	17
8/18/2006	14:06:09	0.042	-0.001	-1
8/18/2006	14:21:09	0.052	0.009	9
8/18/2006	14:36:09	0.059	0.016	16
8/18/2006	14:51:09	0.045	0.002	2
8/18/2006	15:06:09	0.065	0.022	22
8/18/2006	15:21:09	0.047	0.004	4
8/18/2006	15:36:09	0.068	0.025	25
8/18/2006	15:51:09	0.032	-0.011	-11
8/18/2006	16:06:09	0.032	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2006 04:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:51) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/21/2006 7:08			0				-0.3
2	8/21/2006 7:23			0				-0.3
3	8/21/2006 7:38			0				-0.3
4	8/21/2006 7:53			0				-0.3
5	8/21/2006 8:08			0				-0.3
6	8/21/2006 8:23			0				-0.3
7	8/21/2006 8:38			0.1				-0.2
8	8/21/2006 8:53			0.1				-0.2
9	8/21/2006 9:08			0.1				-0.2
10	8/21/2006 9:23			0.1				-0.2
11	8/21/2006 9:38			0.1				-0.2
12	8/21/2006 9:53			0.1				-0.2
13	8/21/2006 10:08			0.1				-0.2
14	8/21/2006 10:23			0.1				-0.2
15	8/21/2006 10:38			0.2				-0.1
16	8/21/2006 10:53			0.2				-0.1
17	8/21/2006 11:08			0.2				-0.1
18	8/21/2006 11:23			0.2				-0.1
19	8/21/2006 11:38			0.3				0
20	8/21/2006 11:53			0.3				0
21	8/21/2006 12:08			0.3				0
22	8/21/2006 12:23			0.2				-0.1
23	8/21/2006 12:38			0.2				-0.1
24	8/21/2006 12:53			0.2				-0.1
25	8/21/2006 13:08			0.2				-0.1
26	8/21/2006 13:23			0.2				-0.1
27	8/21/2006 13:38			0.2				-0.1
28	8/21/2006 13:53			0.2				-0.1
29	8/21/2006 14:08			0.2				-0.1
30	8/21/2006 14:23			0.2				-0.1
31	8/21/2006 14:38			0.2				-0.1
32	8/21/2006 14:53			0.1				-0.2
33	8/21/2006 15:08			0.1				-0.2
34	8/21/2006 15:23			0.1				-0.2
35	8/21/2006 15:38			0.1				-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	18
Test Abbreviation:	
Start Date:	8/21/2006
Start Time:	6:54:11
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:51) = 0.005 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2006	7:09:11	0.007	0.002	2
8/21/2006	7:24:11	0.008	0.003	3
8/21/2006	7:39:11	0.008	0.003	3
8/21/2006	7:54:11	0.013	0.008	8
8/21/2006	8:09:11	0.015	0.01	10
8/21/2006	8:24:11	0.012	0.007	7
8/21/2006	8:39:11	0.013	0.008	8
8/21/2006	8:54:11	0.011	0.006	6
8/21/2006	9:09:11	0.017	0.012	12
8/21/2006	9:24:11	0.012	0.007	7
8/21/2006	9:39:11	0.014	0.009	9
8/21/2006	9:54:11	0.011	0.006	6
8/21/2006	10:09:11	0.011	0.006	6
8/21/2006	10:24:11	0.01	0.005	5
8/21/2006	10:39:11	0.01	0.005	5
8/21/2006	10:54:11	0.01	0.005	5
8/21/2006	11:09:11	0.01	0.005	5
8/21/2006	11:24:11	0.011	0.006	6
8/21/2006	11:39:11	0.022	0.017	17
8/21/2006	11:54:11	0.013	0.008	8
8/21/2006	12:09:11	0.013	0.008	8
8/21/2006	12:24:11	0.013	0.008	8
8/21/2006	12:39:11	0.023	0.018	18
8/21/2006	12:54:11	0.018	0.013	13
8/21/2006	13:09:11	0.018	0.013	13
8/21/2006	13:24:11	0.016	0.011	11
8/21/2006	13:39:11	0.013	0.008	8
8/21/2006	13:54:11	0.013	0.008	8
8/21/2006	14:09:11	0.018	0.013	13
8/21/2006	14:24:11	0.016	0.011	11
8/21/2006	14:39:11	0.016	0.011	11
8/21/2006	14:54:11	0.017	0.012	12
8/21/2006	15:09:11	0.018	0.013	13
8/21/2006	15:24:11	0.018	0.013	13
8/21/2006	15:39:11	0.014	0.009	9
8/21/2006	15:54:11	0.013	0.008	8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/21/2006 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/21/2006 7:00			0				0
2	8/21/2006 7:15			0				0
3	8/21/2006 7:30			0.1				0.1
4	8/21/2006 7:45			0.1				0.1
5	8/21/2006 8:00			0.2				0.2
6	8/21/2006 8:15			0.2				0.2
7	8/21/2006 8:30			0.3				0.3
8	8/21/2006 8:45			0.3				0.3
9	8/21/2006 9:00			0.4				0.4
10	8/21/2006 9:15			0.4				0.4
11	8/21/2006 9:30			0.4				0.4
12	8/21/2006 9:45			0.4				0.4
13	8/21/2006 10:00			0.3				0.3
14	8/21/2006 10:15			0.3				0.3
15	8/21/2006 10:30			0.3				0.3
16	8/21/2006 10:45			0.4				0.4
17	8/21/2006 11:00			0.4				0.4
18	8/21/2006 11:15			0.4				0.4
19	8/21/2006 11:30			0.4				0.4
20	8/21/2006 11:45			0.4				0.4
21	8/21/2006 12:00			0.4				0.4
22	8/21/2006 12:15			0.4				0.4
23	8/21/2006 12:30			0.4				0.4
24	8/21/2006 12:45			0.3				0.3
25	8/21/2006 13:00			0.3				0.3
26	8/21/2006 13:15			0.3				0.3
27	8/21/2006 13:30			0.3				0.3
28	8/21/2006 13:45			0.3				0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	22
Test Abbreviation:	
Start Date:	8/21/2006
Start Time:	6:46:23
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (AM - 6:45) = 0.003 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2006	7:01:23	0.004	0.001	1
8/21/2006	7:16:23	0.007	0.004	4
8/21/2006	7:31:23	0.006	0.003	3
8/21/2006	7:46:23	0.005	0.002	2
8/21/2006	8:01:23	0.006	0.003	3
8/21/2006	8:16:23	0.005	0.002	2
8/21/2006	8:31:23	0.006	0.003	3
8/21/2006	8:46:23	0.006	0.003	3
8/21/2006	9:01:23	0.007	0.004	4
8/21/2006	9:16:23	0.007	0.004	4
8/21/2006	9:31:23	0.008	0.005	5
8/21/2006	9:46:23	0.007	0.004	4
8/21/2006	10:01:23	0.007	0.004	4
8/21/2006	10:16:23	0.009	0.006	6
8/21/2006	10:31:23	0.007	0.004	4
8/21/2006	10:46:23	0.007	0.004	4
8/21/2006	11:01:23	0.009	0.006	6
8/21/2006	11:16:23	0.009	0.006	6
8/21/2006	11:31:23	0.01	0.007	7
8/21/2006	11:46:23	0.007	0.004	4
8/21/2006	12:01:23	0.01	0.007	7
8/21/2006	12:16:23	0.007	0.004	4
8/21/2006	12:31:23	0.011	0.008	8
8/21/2006	12:46:23	0.01	0.007	7
8/21/2006	13:01:23	0.008	0.005	5
8/21/2006	13:16:23	0.011	0.008	8
8/21/2006	13:31:23	0.008	0.005	5
8/21/2006	13:46:23	0.009	0.006	6
8/21/2006	14:01:23	0.009	0.006	6
8/21/2006	14:16:23	0.009	0.006	6
8/21/2006	14:31:23	0.009	0.006	6
8/21/2006	14:46:23	0.008	0.005	5
8/21/2006	15:01:23	0.012	0.009	9
8/21/2006	15:16:23	0.009	0.006	6
8/21/2006	15:31:23	0.014	0.011	11
8/21/2006	15:46:23	0.012	0.009	9
8/21/2006	16:01:23	0.011	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/21/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:34) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/21/2006 6:47			0				-0.3
2	8/21/2006 7:02			0				-0.3
3	8/21/2006 7:17			0				-0.3
4	8/21/2006 7:32			0.1				-0.2
5	8/21/2006 7:47			0.1				-0.2
6	8/21/2006 8:02			0.2				-0.1
7	8/21/2006 8:17			0.2				-0.1
8	8/21/2006 8:32			0.2				-0.1
9	8/21/2006 8:47			0.3				0
10	8/21/2006 9:02			1				0.7
11	8/21/2006 9:17			1.1				0.8
12	8/21/2006 9:32			0.7				0.4
13	8/21/2006 9:47			0.6				0.3
14	8/21/2006 10:02			0.5				0.2
15	8/21/2006 10:17			0.5				0.2
16	8/21/2006 10:32			0.5				0.2
17	8/21/2006 10:47			0.5				0.2
18	8/21/2006 11:02			0.6				0.3
19	8/21/2006 11:17			0.5				0.2
20	8/21/2006 11:32			0.5				0.2
21	8/21/2006 11:47			0.6				0.3
22	8/21/2006 12:02			0.6				0.3
23	8/21/2006 12:17			0.6				0.3
24	8/21/2006 12:32			0.5				0.2
25	8/21/2006 12:47			0.5				0.2
26	8/21/2006 13:02			0.4				0.1
27	8/21/2006 13:17			0.4				0.1
28	8/21/2006 13:32			0.4				0.1
29	8/21/2006 13:47			0.4				0.1
30	8/21/2006 14:02			0.4				0.1
31	8/21/2006 14:17			0.5				0.2
32	8/21/2006 14:32			0.4				0.1
33	8/21/2006 14:47			0.4				0.1
34	8/21/2006 15:02			0.3				0
35	8/21/2006 15:17			0.3				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	18
Test Abbreviation:	
Start Date:	8/21/2006
Start Time:	6:35:29
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:34) = 0.027 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2006	6:50:29	0.013	-0.014	-14
8/21/2006	7:05:29	0.01	-0.017	-17
8/21/2006	7:20:29	0.024	-0.003	-3
8/21/2006	7:35:29	0.018	-0.009	-9
8/21/2006	7:50:29	0.012	-0.015	-15
8/21/2006	8:05:29	0.011	-0.016	-16
8/21/2006	8:20:29	0.011	-0.016	-16
8/21/2006	8:35:29	0.012	-0.015	-15
8/21/2006	8:50:29	0.012	-0.015	-15
8/21/2006	9:05:29	0.019	-0.008	-8
8/21/2006	9:20:29	0.011	-0.016	-16
8/21/2006	9:35:29	0.012	-0.015	-15
8/21/2006	9:50:29	0.015	-0.012	-12
8/21/2006	10:05:29	0.01	-0.017	-17
8/21/2006	10:20:29	0.016	-0.011	-11
8/21/2006	10:35:29	0.013	-0.014	-14
8/21/2006	10:50:29	0.014	-0.013	-13
8/21/2006	11:05:29	0.011	-0.016	-16
8/21/2006	11:20:29	0.012	-0.015	-15
8/21/2006	11:35:29	0.017	-0.01	-10
8/21/2006	11:50:29	0.012	-0.015	-15
8/21/2006	12:05:29	0.016	-0.011	-11
8/21/2006	12:20:29	0.014	-0.013	-13
8/21/2006	12:35:29	0.022	-0.005	-5
8/21/2006	12:50:29	0.021	-0.006	-6
8/21/2006	13:05:29	0.032	0.005	5
8/21/2006	13:20:29	0.028	0.001	1
8/21/2006	13:35:29	0.029	0.002	2
8/21/2006	13:50:29	0.028	0.001	1
8/21/2006	14:05:29	0.025	-0.002	-2
8/21/2006	14:20:29	0.022	-0.005	-5
8/21/2006	14:35:29	0.026	-0.001	-1
8/21/2006	14:50:29	0.024	-0.003	-3
8/21/2006	15:05:29	0.033	0.006	6
8/21/2006	15:20:29	0.053	0.026	26
8/21/2006	15:35:29	0.026	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2006 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/21/2006 6:42			0				0
2	8/21/2006 6:57			0				0
3	8/21/2006 7:12			0				0
4	8/21/2006 7:27			0.1				0.1
5	8/21/2006 7:42			0.2				0.2
6	8/21/2006 7:57			0.2				0.2
7	8/21/2006 8:12			0.2				0.2
8	8/21/2006 8:27			0.2				0.2
9	8/21/2006 8:42			0.3				0.3
10	8/21/2006 8:57			0.3				0.3
11	8/21/2006 9:12			0.3				0.3
12	8/21/2006 9:27			0.3				0.3
13	8/21/2006 9:42			0.3				0.3
14	8/21/2006 9:57			0.3				0.3
15	8/21/2006 10:12			0.4				0.4
16	8/21/2006 10:27			0.4				0.4
17	8/21/2006 10:42			0.3				0.3
18	8/21/2006 10:57			0.3				0.3
19	8/21/2006 11:12			0.3				0.3
20	8/21/2006 11:27			0.2				0.2
21	8/21/2006 11:42			0.2				0.2
22	8/21/2006 11:57			0.3				0.3
23	8/21/2006 12:12			0.3				0.3
24	8/21/2006 12:27			0.3				0.3
25	8/21/2006 12:42			0.3				0.3
26	8/21/2006 12:57			0.3				0.3
27	8/21/2006 13:12			0.4				0.4
28	8/21/2006 13:27			0.3				0.3
29	8/21/2006 13:42			0.2				0.2
30	8/21/2006 13:57			0.3				0.3
31	8/21/2006 14:12			0.3				0.3
32	8/21/2006 14:27			0.4				0.4
33	8/21/2006 14:42			0.3				0.3
34	8/21/2006 14:57			0.2				0.2
35	8/21/2006 15:12			0.2				0.2
36	8/21/2006 15:27			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	21
Test Abbreviation:	
Start Date:	8/21/2006
Start Time:	6:28:48
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:28) = 0.012 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2006	6:43:48	0.014	0.002	2
8/21/2006	6:58:48	0.009	-0.003	-3
8/21/2006	7:13:48	0.019	0.007	7
8/21/2006	7:28:48	0.016	0.004	4
8/21/2006	7:43:48	0.028	0.016	16
8/21/2006	7:58:48	0.031	0.019	19
8/21/2006	8:13:48	0.029	0.017	17
8/21/2006	8:28:48	0.049	0.037	37
8/21/2006	8:43:48	0.03	0.018	18
8/21/2006	8:58:48	0.033	0.021	21
8/21/2006	9:13:48	0.026	0.014	14
8/21/2006	9:28:48	0.024	0.012	12
8/21/2006	9:43:48	0.042	0.03	30
8/21/2006	9:58:48	0.037	0.025	25
8/21/2006	10:13:48	0.03	0.018	18
8/21/2006	10:28:48	0.033	0.021	21
8/21/2006	10:43:48	0.028	0.016	16
8/21/2006	10:58:48	0.02	0.008	8
8/21/2006	11:13:48	0.02	0.008	8
8/21/2006	11:28:48	0.016	0.004	4
8/21/2006	11:43:48	0.014	0.002	2
8/21/2006	11:58:48	0.019	0.007	7
8/21/2006	12:13:48	0.014	0.002	2
8/21/2006	12:28:48	0.03	0.018	18
8/21/2006	12:43:48	0.054	0.042	42
8/21/2006	12:58:48	0.034	0.022	22
8/21/2006	13:13:48	0.025	0.013	13
8/21/2006	13:28:48	0.039	0.027	27
8/21/2006	13:43:48	0.03	0.018	18
8/21/2006	13:58:48	0.023	0.011	11
8/21/2006	14:13:48	0.043	0.031	31
8/21/2006	14:28:48	0.057	0.045	45
8/21/2006	14:43:48	0.046	0.034	34
8/21/2006	14:58:48	0.035	0.023	23
8/21/2006	15:13:48	0.049	0.037	37
8/21/2006	15:28:48	0.028	0.016	16
8/21/2006	15:43:48	0.045	0.033	33

STATION 1 (SOUTHERN PERIMETER) **Action Level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/22/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:49) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/22/2006 7:04			0				0
2	8/22/2006 7:19			0				0
3	8/22/2006 7:34			0				0
4	8/22/2006 7:49			0				0
5	8/22/2006 8:04			0				0
6	8/22/2006 8:19			0				0
7	8/22/2006 8:34			0				0
8	8/22/2006 8:49			0				0
9	8/22/2006 9:04			0				0
10	8/22/2006 9:19			0				0
11	8/22/2006 9:34			0				0
12	8/22/2006 9:49			0				0
13	8/22/2006 10:04			0				0
14	8/22/2006 10:19			0				0
15	8/22/2006 10:34			0				0
16	8/22/2006 10:49			0				0
17	8/22/2006 11:04			0				0
18	8/22/2006 11:19			0				0
19	8/22/2006 11:34			0				0
20	8/22/2006 11:49			0				0
21	8/22/2006 12:04			0				0
22	8/22/2006 12:19			0				0
23	8/22/2006 12:34			0				0
24	8/22/2006 12:49			0				0
25	8/22/2006 13:04			0				0
26	8/22/2006 13:19			0				0
27	8/22/2006 13:34			0				0
28	8/22/2006 13:49			0				0
29	8/22/2006 14:04			0				0
30	8/22/2006 14:19			0				0
31	8/22/2006 14:34			0				0
32	8/22/2006 14:49			0				0
33	8/22/2006 15:04			0				0

STATION 1 (SOUTHERN PERIMETER)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	19
Test Abbreviation:	
Start Date:	8/22/2006
Start Time:	6:49:16
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:49) = 0.010 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2006	7:04:16	0.014	0.004	4
8/22/2006	7:19:16	0.016	0.006	6
8/22/2006	7:34:16	0.013	0.003	3
8/22/2006	7:49:16	0.017	0.007	7
8/22/2006	8:04:16	0.015	0.005	5
8/22/2006	8:19:16	0.011	0.001	1
8/22/2006	8:34:16	0.019	0.009	9
8/22/2006	8:49:16	0.014	0.004	4
8/22/2006	9:04:16	0.02	0.01	10
8/22/2006	9:19:16	0.017	0.007	7
8/22/2006	9:34:16	0.015	0.005	5
8/22/2006	9:49:16	0.015	0.005	5
8/22/2006	10:04:16	0.033	0.023	23
8/22/2006	10:19:16	0.016	0.006	6
8/22/2006	10:34:16	0.02	0.01	10
8/22/2006	10:49:16	0.013	0.003	3
8/22/2006	11:04:16	0.015	0.005	5
8/22/2006	11:19:16	0.016	0.006	6
8/22/2006	11:34:16	0.023	0.013	13
8/22/2006	11:49:16	0.012	0.002	2
8/22/2006	12:04:16	0.017	0.007	7
8/22/2006	12:19:16	0.026	0.016	16
8/22/2006	12:34:16	0.02	0.01	10
8/22/2006	12:49:16	0.018	0.008	8
8/22/2006	13:04:16	0.019	0.009	9
8/22/2006	13:19:16	0.02	0.01	10
8/22/2006	13:34:16	0.025	0.015	15
8/22/2006	13:49:16	0.024	0.014	14
8/22/2006	14:04:16	0.021	0.011	11
8/22/2006	14:19:16	0.024	0.014	14
8/22/2006	14:34:16	0.034	0.024	24
8/22/2006	14:49:16	0.017	0.007	7
8/22/2006	15:04:16	0.047	0.037	37
8/22/2006	15:19:16	0.015	0.005	5

STATION 2 (I.S. 151) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/22/2006 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/22/2006 6:56			0				0
2	8/22/2006 7:11			0				0
3	8/22/2006 7:26			0.1				0.1
4	8/22/2006 7:41			0.1				0.1
5	8/22/2006 7:56			0.2				0.2
6	8/22/2006 8:11			0.2				0.2
7	8/22/2006 8:26			0.2				0.2
8	8/22/2006 8:41			0.2				0.2
9	8/22/2006 8:56			0.2				0.2
10	8/22/2006 9:11			0.3				0.3
11	8/22/2006 9:26			0.3				0.3
12	8/22/2006 9:41			0.3				0.3
13	8/22/2006 9:56			0.2				0.2
14	8/22/2006 10:11			0.2				0.2
15	8/22/2006 10:26			0.2				0.2
16	8/22/2006 10:41			0.2				0.2
17	8/22/2006 10:56			0.2				0.2
18	8/22/2006 11:11			0.2				0.2
19	8/22/2006 11:26			0.2				0.2
20	8/22/2006 11:41			0.2				0.2
21	8/22/2006 11:56			0.2				0.2
22	8/22/2006 12:11			0.2				0.2
23	8/22/2006 12:26			0.2				0.2
24	8/22/2006 12:41			0.2				0.2
25	8/22/2006 12:56			0.1				0.1
26	8/22/2006 13:11			0.2				0.2
27	8/22/2006 13:26			0.2				0.2
28	8/22/2006 13:41			0.1				0.1

STATION 2 (I.S. 151)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	23
Test Abbreviation:	
Start Date:	8/22/2006
Start Time:	6:41:20
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:40) = 0.008 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2006	6:56:20	0.008	0	0
8/22/2006	7:11:20	0.011	0.003	3
8/22/2006	7:26:20	0.013	0.005	5
8/22/2006	7:41:20	0.01	0.002	2
8/22/2006	7:56:20	0.011	0.003	3
8/22/2006	8:11:20	0.015	0.007	7
8/22/2006	8:26:20	0.011	0.003	3
8/22/2006	8:41:20	0.017	0.009	9
8/22/2006	8:56:20	0.02	0.012	12
8/22/2006	9:11:20	0.012	0.004	4
8/22/2006	9:26:20	0.01	0.002	2
8/22/2006	9:41:20	0.01	0.002	2
8/22/2006	9:56:20	0.013	0.005	5
8/22/2006	10:11:20	0.016	0.008	8
8/22/2006	10:26:20	0.017	0.009	9
8/22/2006	10:41:20	0.012	0.004	4
8/22/2006	10:56:20	0.012	0.004	4
8/22/2006	11:11:20	0.018	0.01	10
8/22/2006	11:26:20	0.013	0.005	5
8/22/2006	11:41:20	0.02	0.012	12
8/22/2006	11:56:20	0.02	0.012	12
8/22/2006	12:11:20	0.014	0.006	6
8/22/2006	12:26:20	0.014	0.006	6
8/22/2006	12:41:20	0.014	0.006	6
8/22/2006	12:56:20	0.016	0.008	8
8/22/2006	13:11:20	0.016	0.008	8
8/22/2006	13:26:20	0.017	0.009	9
8/22/2006	13:41:20	0.016	0.008	8
8/22/2006	13:56:20	0.023	0.015	15
8/22/2006	14:11:20	0.027	0.019	19
8/22/2006	14:26:20	0.023	0.015	15
8/22/2006	14:41:20	0.024	0.016	16
8/22/2006	14:56:20	0.031	0.023	23
8/22/2006	15:11:20	0.025	0.017	17

STATION 3 (P.S. 156) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/22/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:30) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/22/2006 6:43			0.5				0.4
2	8/22/2006 6:58			0.6				0.5
3	8/22/2006 7:13			0.7				0.6
4	8/22/2006 7:28			0.7				0.6
5	8/22/2006 7:43			0.8				0.7
6	8/22/2006 7:58			0.8				0.7
7	8/22/2006 8:13			1				0.9
8	8/22/2006 8:28			1.1				1
9	8/22/2006 8:43			0.8				0.7
10	8/22/2006 8:58			0.7				0.6
11	8/22/2006 9:13			0.7				0.6
12	8/22/2006 9:28			0.8				0.7
13	8/22/2006 9:43			1.3				1.2
14	8/22/2006 9:58			0.6				0.5
15	8/22/2006 10:13			0.5				0.4
16	8/22/2006 10:28			0.6				0.5
17	8/22/2006 10:43			0.5				0.4
18	8/22/2006 10:58			0.3				0.2
19	8/22/2006 11:13			0.2				0.1
20	8/22/2006 11:28			0.2				0.1
21	8/22/2006 11:43			0.2				0.1
22	8/22/2006 11:58			0.2				0.1
23	8/22/2006 12:13			0				-0.1
24	8/22/2006 12:28			0				-0.1
25	8/22/2006 12:43			0				-0.1
26	8/22/2006 12:58			0				-0.1
27	8/22/2006 13:13			0				-0.1
28	8/22/2006 13:28			0				-0.1
29	8/22/2006 13:43			0				-0.1
30	8/22/2006 13:58			0				-0.1
31	8/22/2006 14:13			0.2				0.1
32	8/22/2006 14:28			0.1				0
33	8/22/2006 14:43			0.1				0

STATION 3 (P.S. 156)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	19
Test Abbreviation:	
Start Date:	8/22/2006
Start Time:	6:30:49
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:30) = 0.013 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2006	6:45:49	0.014	0.001	1
8/22/2006	7:00:49	0.014	0.001	1
8/22/2006	7:15:49	0.019	0.006	6
8/22/2006	7:30:49	0.021	0.008	8
8/22/2006	7:45:49	0.026	0.013	13
8/22/2006	8:00:49	0.019	0.006	6
8/22/2006	8:15:49	0.019	0.006	6
8/22/2006	8:30:49	0.018	0.005	5
8/22/2006	8:45:49	0.019	0.006	6
8/22/2006	9:00:49	0.016	0.003	3
8/22/2006	9:15:49	0.014	0.001	1
8/22/2006	9:30:49	0.024	0.011	11
8/22/2006	9:45:49	0.011	-0.002	-2
8/22/2006	10:00:49	0.02	0.007	7
8/22/2006	10:15:49	0.028	0.015	15
8/22/2006	10:30:49	0.017	0.004	4
8/22/2006	10:45:49	0.022	0.009	9
8/22/2006	11:00:49	0.015	0.002	2
8/22/2006	11:15:49	0.026	0.013	13
8/22/2006	11:30:49	0.018	0.005	5
8/22/2006	11:45:49	0.024	0.011	11
8/22/2006	12:00:49	0.021	0.008	8
8/22/2006	12:15:49	0.018	0.005	5
8/22/2006	12:30:49	0.02	0.007	7
8/22/2006	12:45:49	0.023	0.01	10
8/22/2006	13:00:49	0.033	0.02	20
8/22/2006	13:15:49	0.028	0.015	15
8/22/2006	13:30:49	0.034	0.021	21
8/22/2006	13:45:49	0.046	0.033	33
8/22/2006	14:00:49	0.048	0.035	35
8/22/2006	14:15:49	0.039	0.026	26
8/22/2006	14:30:49	0.032	0.019	19
8/22/2006	14:45:49	0.047	0.034	34
8/22/2006	15:00:49	0.04	0.027	27

STATION 4 (CONCOURSE VILLAGE WEST) **Action Level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/22/2006 04:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/22/2006 6:38			0				0
2	8/22/2006 6:53			0				0
3	8/22/2006 7:08			0				0
4	8/22/2006 7:23			0				0
5	8/22/2006 7:38			0				0
6	8/22/2006 7:53			0				0
7	8/22/2006 8:08			0.1				0.1
8	8/22/2006 8:23			0.2				0.2
9	8/22/2006 8:38			0.3				0.3
10	8/22/2006 8:53			0.2				0.2
11	8/22/2006 9:08			0.2				0.2
12	8/22/2006 9:23			0.2				0.2
13	8/22/2006 9:38			0.2				0.2
14	8/22/2006 9:53			0.1				0.1
15	8/22/2006 10:08			0.3				0.3
16	8/22/2006 10:23			0.5				0.5
17	8/22/2006 10:38			1.6				1.6
18	8/22/2006 10:53			0.7				0.7
19	8/22/2006 11:08			0.1				0.1
20	8/22/2006 11:23			0.1				0.1
21	8/22/2006 11:38			0.1				0.1
22	8/22/2006 11:53			0.2				0.2
23	8/22/2006 12:08			0.1				0.1
24	8/22/2006 12:23			0.1				0.1
25	8/22/2006 12:38			0				0
26	8/22/2006 12:53			0				0
27	8/22/2006 13:08			0				0
28	8/22/2006 13:23			0.1				0.1
29	8/22/2006 13:38			0				0
30	8/22/2006 13:53			0.1				0.1
31	8/22/2006 14:08			0.3				0.3
32	8/22/2006 14:23			0.3				0.3
33	8/22/2006 14:38			0.4				0.4
34	8/22/2006 14:53			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST)

Action Level = 0.150 mg/m3 (150 ug/m3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	22
Test Abbreviation:	
Start Date:	8/22/2006
Start Time:	6:22:02
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:21) = 0.016 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2006	6:37:02	0.023	0.007	7
8/22/2006	6:52:02	0.049	0.033	33
8/22/2006	7:07:02	0.018	0.002	2
8/22/2006	7:22:02	0.018	0.002	2
8/22/2006	7:37:02	0.021	0.005	5
8/22/2006	7:52:02	0.023	0.007	7
8/22/2006	8:07:02	0.023	0.007	7
8/22/2006	8:22:02	0.019	0.003	3
8/22/2006	8:37:02	0.049	0.033	33
8/22/2006	8:52:02	0.031	0.015	15
8/22/2006	9:07:02	0.045	0.029	29
8/22/2006	9:22:02	0.049	0.033	33
8/22/2006	9:37:02	0.025	0.009	9
8/22/2006	9:52:02	0.036	0.02	20
8/22/2006	10:07:02	0.035	0.019	19
8/22/2006	10:22:02	0.045	0.029	29
8/22/2006	10:37:02	0.026	0.01	10
8/22/2006	10:52:02	0.047	0.031	31
8/22/2006	11:07:02	0.049	0.033	33
8/22/2006	11:22:02	0.044	0.028	28
8/22/2006	11:37:02	0.041	0.025	25
8/22/2006	11:52:02	0.039	0.023	23
8/22/2006	12:07:02	0.038	0.022	22
8/22/2006	12:22:02	0.028	0.012	12
8/22/2006	12:37:02	0.034	0.018	18
8/22/2006	12:52:02	0.034	0.018	18
8/22/2006	13:07:02	0.043	0.027	27
8/22/2006	13:22:02	0.043	0.027	27
8/22/2006	13:37:02	0.055	0.039	39
8/22/2006	13:52:02	0.038	0.022	22
8/22/2006	14:07:02	0.04	0.024	24
8/22/2006	14:22:02	0.042	0.026	26
8/22/2006	14:37:02	0.064	0.048	48
8/22/2006	14:52:02	0.041	0.025	25
8/22/2006	15:07:02	0.048	0.032	32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

User ID: 00000001 Site ID: 00000022

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/23/2006 04:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/23/2006 7:02			0				0
2	8/23/2006 7:17			0				0
3	8/23/2006 7:32			0				0
4	8/23/2006 7:47			0				0
5	8/23/2006 8:02			0				0
6	8/23/2006 8:17			0				0
7	8/23/2006 8:32			0				0
8	8/23/2006 8:47			0				0
9	8/23/2006 9:02			0				0
10	8/23/2006 9:17			0				0
11	8/23/2006 9:32			0				0
12	8/23/2006 9:47			0				0
13	8/23/2006 10:02			0				0
14	8/23/2006 10:17			0				0
15	8/23/2006 10:32			0				0
16	8/23/2006 10:47			0				0
17	8/23/2006 11:02			0				0
18	8/23/2006 11:17			0				0
19	8/23/2006 11:32			0				0
20	8/23/2006 11:47			0				0
21	8/23/2006 12:02			0				0
22	8/23/2006 12:17			0				0
23	8/23/2006 12:32			0				0
24	8/23/2006 12:47			0				0
25	8/23/2006 13:02			0				0
26	8/23/2006 13:17			0				0
27	8/23/2006 13:32			0				0
28	8/23/2006 13:47			0				0
29	8/23/2006 14:02			0				0
30	8/23/2006 14:17			0				0
31	8/23/2006 14:32			0				0
32	8/23/2006 14:47			0				0
33	8/23/2006 15:02			0				0
34	8/23/2006 15:17			0				0
35	8/23/2006 15:32			0				0
36	8/23/2006 15:47			0				0
37	8/23/2006 16:02			0				0
38	8/23/2006 16:17			0				0
39	8/23/2006 16:32			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	20
Test Abbreviation:	
Start Date:	8/23/2006
Start Time:	6:48:40
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (AM - 6:46) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2006	7:03:40	0.028	0.006	6
8/23/2006	7:18:40	0.03	0.008	8
8/23/2006	7:33:40	0.027	0.005	5
8/23/2006	7:48:40	0.03	0.008	8
8/23/2006	8:03:40	0.031	0.009	9
8/23/2006	8:18:40	0.034	0.012	12
8/23/2006	8:33:40	0.03	0.008	8
8/23/2006	8:48:40	0.025	0.003	3
8/23/2006	9:03:40	0.024	0.002	2
8/23/2006	9:18:40	0.024	0.002	2
8/23/2006	9:33:40	0.026	0.004	4
8/23/2006	9:48:40	0.022	0	0
8/23/2006	10:03:40	0.021	-0.001	-1
8/23/2006	10:18:40	0.023	0.001	1
8/23/2006	10:33:40	0.022	0	0
8/23/2006	10:48:40	0.018	-0.004	-4
8/23/2006	11:03:40	0.019	-0.003	-3
8/23/2006	11:18:40	0.034	0.012	12
8/23/2006	11:33:40	0.016	-0.006	-6
8/23/2006	11:48:40	0.017	-0.005	-5
8/23/2006	12:03:40	0.025	0.003	3
8/23/2006	12:18:40	0.035	0.013	13
8/23/2006	12:33:40	0.034	0.012	12
8/23/2006	12:48:40	0.027	0.005	5
8/23/2006	13:03:40	0.038	0.016	16
8/23/2006	13:18:40	0.033	0.011	11
8/23/2006	13:33:40	0.03	0.008	8
8/23/2006	13:48:40	0.029	0.007	7
8/23/2006	14:03:40	0.043	0.021	21
8/23/2006	14:18:40	0.03	0.008	8
8/23/2006	14:33:40	0.025	0.003	3
8/23/2006	14:48:40	0.019	-0.003	-3
8/23/2006	15:03:40	0.022	0	0
8/23/2006	15:18:40	0.015	-0.007	-7
8/23/2006	15:33:40	0.02	-0.002	-2
8/23/2006	15:48:40	0.016	-0.006	-6
8/23/2006	16:03:40	0.03	0.008	8
8/23/2006	16:18:40	0.017	-0.005	-5
8/23/2006	16:33:40	0.015	-0.007	-7
8/23/2006	16:48:40	0.019	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/23/2006 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/23/2006 6:56			0				0
2	8/23/2006 7:11			0				0
3	8/23/2006 7:26			0.1				0.1
4	8/23/2006 7:41			0.1				0.1
5	8/23/2006 7:56			0.2				0.2
6	8/23/2006 8:11			0.2				0.2
7	8/23/2006 8:26			0.2				0.2
8	8/23/2006 8:41			0.2				0.2
9	8/23/2006 8:56			0.3				0.3
10	8/23/2006 9:11			0.4				0.4
11	8/23/2006 9:26			0.4				0.4
12	8/23/2006 9:41			0.3				0.3
13	8/23/2006 9:56			0.3				0.3
14	8/23/2006 10:11			0.2				0.2
15	8/23/2006 10:26			0.3				0.3
16	8/23/2006 10:41			0.3				0.3
17	8/23/2006 10:56			0.3				0.3
18	8/23/2006 11:11			0.3				0.3
19	8/23/2006 11:26			0.4				0.4
20	8/23/2006 11:41			0.4				0.4
21	8/23/2006 11:56			0.3				0.3
22	8/23/2006 12:11			0.3				0.3
23	8/23/2006 12:26			0.3				0.3
24	8/23/2006 12:41			0.3				0.3
25	8/23/2006 12:56			0.3				0.3
26	8/23/2006 13:11			0.2				0.2
27	8/23/2006 13:26			0.2				0.2
28	8/23/2006 13:41			0.2				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	24
Test Abbreviation:	
Start Date:	8/23/2006
Start Time:	6:41:25
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (AM - 6:38) = 0.021 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2006	6:56:25	0.029	0.008	8
8/23/2006	7:11:25	0.027	0.006	6
8/23/2006	7:26:25	0.025	0.004	4
8/23/2006	7:41:25	0.023	0.002	2
8/23/2006	7:56:25	0.024	0.003	3
8/23/2006	8:11:25	0.029	0.008	8
8/23/2006	8:26:25	0.024	0.003	3
8/23/2006	8:41:25	0.022	0.001	1
8/23/2006	8:56:25	0.02	-0.001	-1
8/23/2006	9:11:25	0.021	0	0
8/23/2006	9:26:25	0.037	0.016	16
8/23/2006	9:41:25	0.021	0	0
8/23/2006	9:56:25	0.019	-0.002	-2
8/23/2006	10:11:25	0.02	-0.001	-1
8/23/2006	10:26:25	0.019	-0.002	-2
8/23/2006	10:41:25	0.018	-0.003	-3
8/23/2006	10:56:25	0.017	-0.004	-4
8/23/2006	11:11:25	0.016	-0.005	-5
8/23/2006	11:26:25	0.017	-0.004	-4
8/23/2006	11:41:25	0.017	-0.004	-4
8/23/2006	11:56:25	0.018	-0.003	-3
8/23/2006	12:11:25	0.018	-0.003	-3
8/23/2006	12:26:25	0.02	-0.001	-1
8/23/2006	12:41:25	0.023	0.002	2
8/23/2006	12:56:25	0.021	0	0
8/23/2006	13:11:25	0.04	0.019	19
8/23/2006	13:26:25	0.026	0.005	5
8/23/2006	13:41:25	0.075	0.054	54
8/23/2006	13:56:25	0.021	0	0
8/23/2006	14:11:25	0.024	0.003	3
8/23/2006	14:26:25	0.017	-0.004	-4
8/23/2006	14:41:25	0.015	-0.006	-6
8/23/2006	14:56:25	0.017	-0.004	-4
8/23/2006	15:11:25	0.019	-0.002	-2
8/23/2006	15:26:25	0.018	-0.003	-3
8/23/2006	15:41:25	0.018	-0.003	-3
8/23/2006	15:56:25	0.016	-0.005	-5
8/23/2006	16:11:25	0.015	-0.006	-6
8/23/2006	16:26:25	0.016	-0.005	-5
8/23/2006	16:41:25	0.018	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/23/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:29) = 0.1 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	8/23/2006 6:44		0.1		0
2	8/23/2006 6:59		0.1		0
3	8/23/2006 7:14		0.2		0.1
4	8/23/2006 7:29		0.3		0.2
5	8/23/2006 7:44		0.2		0.1
6	8/23/2006 7:59		0.2		0.1
7	8/23/2006 8:14		0.2		0.1
8	8/23/2006 8:29		0.2		0.1
9	8/23/2006 8:44		0.3		0.2
10	8/23/2006 8:59		0.2		0.1
11	8/23/2006 9:14		0.2		0.1
12	8/23/2006 9:29		0.1		0
13	8/23/2006 9:44		0.2		0.1
14	8/23/2006 9:59		0.2		0.1
15	8/23/2006 10:14		0.2		0.1
16	8/23/2006 10:29		0.2		0.1
17	8/23/2006 10:44		0.2		0.1
18	8/23/2006 10:59		0.3		0.2
19	8/23/2006 11:14		0.3		0.2
20	8/23/2006 11:29		0.3		0.2
21	8/23/2006 11:44		0.3		0.2
22	8/23/2006 11:59		0.3		0.2
23	8/23/2006 12:14		0.3		0.2
24	8/23/2006 12:29		0.3		0.2
25	8/23/2006 12:44		0.3		0.2
26	8/23/2006 12:59		0.2		0.1
27	8/23/2006 13:14		0.4		0.3
28	8/23/2006 13:29		0.5		0.4
29	8/23/2006 13:44		0.4		0.3
30	8/23/2006 13:59		0.3		0.2
31	8/23/2006 14:14		0.4		0.3
32	8/23/2006 14:29		0.4		0.3
33	8/23/2006 14:44		0.5		0.4
34	8/23/2006 14:59		0.3		0.2
35	8/23/2006 15:14		0.5		0.4
36	8/23/2006 15:29		0.4		0.3
37	8/23/2006 15:44		0.5		0.4
38	8/23/2006 15:59		0.5		0.4
39	8/23/2006 16:14		0.4		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	20
Test Abbreviation:	
Start Date:	8/23/2006
Start Time:	6:32:01
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (AM - 6:29) = 0.029 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2006	6:47:01	0.087	0.058	58
8/23/2006	7:02:01	0.049	0.02	20
8/23/2006	7:17:01	0.038	0.009	9
8/23/2006	7:32:01	0.042	0.013	13
8/23/2006	7:47:01	0.045	0.016	16
8/23/2006	8:02:01	0.044	0.015	15
8/23/2006	8:17:01	0.036	0.007	7
8/23/2006	8:32:01	0.053	0.024	24
8/23/2006	8:47:01	0.036	0.007	7
8/23/2006	9:02:01	0.032	0.003	3
8/23/2006	9:17:01	0.034	0.005	5
8/23/2006	9:32:01	0.027	-0.002	-2
8/23/2006	9:47:01	0.027	-0.002	-2
8/23/2006	10:02:01	0.026	-0.003	-3
8/23/2006	10:17:01	0.039	0.01	10
8/23/2006	10:32:01	0.027	-0.002	-2
8/23/2006	10:47:01	0.026	-0.003	-3
8/23/2006	11:02:01	0.029	0	0
8/23/2006	11:17:01	0.025	-0.004	-4
8/23/2006	11:32:01	0.02	-0.009	-9
8/23/2006	11:47:01	0.024	-0.005	-5
8/23/2006	12:02:01	0.027	-0.002	-2
8/23/2006	12:17:01	0.031	0.002	2
8/23/2006	12:32:01	0.03	0.001	1
8/23/2006	12:47:01	0.031	0.002	2
8/23/2006	13:02:01	0.04	0.011	11
8/23/2006	13:17:01	0.077	0.048	48
8/23/2006	13:32:01	0.038	0.009	9
8/23/2006	13:47:01	0.035	0.006	6
8/23/2006	14:02:01	0.058	0.029	29
8/23/2006	14:17:01	0.03	0.001	1
8/23/2006	14:32:01	0.032	0.003	3
8/23/2006	14:47:01	0.025	-0.004	-4
8/23/2006	15:02:01	0.039	0.01	10
8/23/2006	15:17:01	0.037	0.008	8
8/23/2006	15:32:01	0.03	0.001	1
8/23/2006	15:47:01	0.041	0.012	12
8/23/2006	16:02:01	0.028	-0.001	-1
8/23/2006	16:17:01	0.039	0.01	10
8/23/2006	16:32:01	0.036	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/23/2006 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/23/2006 6:40			0				0
2	8/23/2006 6:55			0				0
3	8/23/2006 7:10			0				0
4	8/23/2006 7:25			0				0
5	8/23/2006 7:40			0				0
6	8/23/2006 7:55			0				0
7	8/23/2006 8:10			0				0
8	8/23/2006 8:25			0				0
9	8/23/2006 8:40			0				0
10	8/23/2006 8:55			0				0
11	8/23/2006 9:10			0				0
12	8/23/2006 9:25			0				0
13	8/23/2006 9:40			0				0
14	8/23/2006 9:55			0				0
15	8/23/2006 10:10			0				0
16	8/23/2006 10:25			0				0
17	8/23/2006 10:40			0				0
18	8/23/2006 10:55			0				0
19	8/23/2006 11:10			0				0
20	8/23/2006 11:25			0				0
21	8/23/2006 11:40			0				0
22	8/23/2006 11:55			0				0
23	8/23/2006 12:10			0				0
24	8/23/2006 12:25			0				0
25	8/23/2006 12:40			0				0
26	8/23/2006 12:55			0				0
27	8/23/2006 13:10			0				0
28	8/23/2006 13:25			0				0
29	8/23/2006 13:40			0				0
30	8/23/2006 13:55			0				0
31	8/23/2006 14:10			0				0
32	8/23/2006 14:25			0				0
33	8/23/2006 14:40			0				0
34	8/23/2006 14:55			0				0
35	8/23/2006 15:10			0				0
36	8/23/2006 15:25			0				0
37	8/23/2006 15:40			0.2				0.2
38	8/23/2006 15:55			0				0
39	8/23/2006 16:10			0				0
40	8/23/2006 16:25			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	23
Test Abbreviation:	
Start Date:	8/23/2006
Start Time:	6:26:22
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (AM - 6:24) = 0.032 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2006	6:41:22	0.036	0.004	4
8/23/2006	6:56:22	0.038	0.006	6
8/23/2006	7:11:22	0.044	0.012	12
8/23/2006	7:26:22	0.052	0.02	20
8/23/2006	7:41:22	0.079	0.047	47
8/23/2006	7:56:22	0.045	0.013	13
8/23/2006	8:11:22	0.048	0.016	16
8/23/2006	8:26:22	0.063	0.031	31
8/23/2006	8:41:22	0.044	0.012	12
8/23/2006	8:56:22	0.051	0.019	19
8/23/2006	9:11:22	0.057	0.025	25
8/23/2006	9:26:22	0.055	0.023	23
8/23/2006	9:41:22	0.041	0.009	9
8/23/2006	9:56:22	0.038	0.006	6
8/23/2006	10:11:22	0.044	0.012	12
8/23/2006	10:26:22	0.045	0.013	13
8/23/2006	10:41:22	0.038	0.006	6
8/23/2006	10:56:22	0.038	0.006	6
8/23/2006	11:11:22	0.042	0.01	10
8/23/2006	11:26:22	0.033	0.001	1
8/23/2006	11:41:22	0.034	0.002	2
8/23/2006	11:56:22	0.035	0.003	3
8/23/2006	12:11:22	0.04	0.008	8
8/23/2006	12:26:22	0.04	0.008	8
8/23/2006	12:41:22	0.043	0.011	11
8/23/2006	12:56:22	0.042	0.01	10
8/23/2006	13:11:22	0.059	0.027	27
8/23/2006	13:26:22	0.054	0.022	22
8/23/2006	13:41:22	0.043	0.011	11
8/23/2006	13:56:22	0.043	0.011	11
8/23/2006	14:11:22	0.089	0.057	57
8/23/2006	14:26:22	0.057	0.025	25
8/23/2006	14:41:22	0.039	0.007	7
8/23/2006	14:56:22	0.093	0.061	61
8/23/2006	15:11:22	0.053	0.021	21
8/23/2006	15:26:22	0.041	0.009	9
8/23/2006	15:41:22	0.066	0.034	34
8/23/2006	15:56:22	0.068	0.036	36
8/23/2006	16:11:22	0.071	0.039	39
8/23/2006	16:26:22	0.079	0.047	47
8/23/2006	16:41:22	0.091	0.059	59

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/24/2006 04:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 6:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/24/2006 7:12			0				0
2	8/24/2006 7:27			0				0
3	8/24/2006 7:42			0				0
4	8/24/2006 7:57			0				0
5	8/24/2006 8:12			0				0
6	8/24/2006 8:27			0				0
7	8/24/2006 8:42			0				0
8	8/24/2006 8:57			0				0
9	8/24/2006 9:12			0				0
10	8/24/2006 9:27			0.1				0.1
11	8/24/2006 9:42			0.1				0.1
12	8/24/2006 9:57			0.1				0.1
13	8/24/2006 10:12			0.1				0.1
14	8/24/2006 10:27			0.1				0.1
15	8/24/2006 10:42			0.1				0.1
16	8/24/2006 10:57			0.1				0.1
17	8/24/2006 11:12			0.1				0.1
18	8/24/2006 11:27			0.1				0.1
19	8/24/2006 11:42			0.1				0.1
20	8/24/2006 11:57			0.1				0.1
21	8/24/2006 12:12			0.1				0.1
22	8/24/2006 12:27			0.1				0.1
23	8/24/2006 12:42			0.1				0.1
24	8/24/2006 12:57			0.1				0.1
25	8/24/2006 13:12			0.1				0.1
26	8/24/2006 13:27			0.1				0.1
27	8/24/2006 13:42			0.1				0.1
28	8/24/2006 13:57			0.1				0.1
29	8/24/2006 14:12			0.1				0.1
30	8/24/2006 14:27			0.1				0.1
31	8/24/2006 14:42			0.1				0.1
32	8/24/2006 14:57			0				0
33	8/24/2006 15:12			0.1				0.1
34	8/24/2006 15:27			0.1				0.1
35	8/24/2006 15:42			0.1				0.1
36	8/24/2006 15:57			0.1				0.1
37	8/24/2006 16:12			0.1				0.1
38	8/24/2006 16:27			0.1				0.1
39	8/24/2006 16:42			0.1				0.1
40	8/24/2006 16:57			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

Model:	Dust Trak
Serial Number:	0
Test ID:	21
Test Abbreviation:	
Start Date:	8/24/2006
Start Time:	6:59:07
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (AM - 6:58) = 0.018 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/24/2006	7:14:07	0.019	0.001	1
8/24/2006	7:29:07	0.028	0.01	10
8/24/2006	7:44:07	0.023	0.005	5
8/24/2006	7:59:07	0.027	0.009	9
8/24/2006	8:14:07	0.023	0.005	5
8/24/2006	8:29:07	0.022	0.004	4
8/24/2006	8:44:07	0.024	0.006	6
8/24/2006	8:59:07	0.02	0.002	2
8/24/2006	9:14:07	0.023	0.005	5
8/24/2006	9:29:07	0.025	0.007	7
8/24/2006	9:44:07	0.024	0.006	6
8/24/2006	9:59:07	0.023	0.005	5
8/24/2006	10:14:07	0.021	0.003	3
8/24/2006	10:29:07	0.018	0	0
8/24/2006	10:44:07	0.019	0.001	1
8/24/2006	10:59:07	0.019	0.001	1
8/24/2006	11:14:07	0.016	-0.002	-2
8/24/2006	11:29:07	0.018	0	0
8/24/2006	11:44:07	0.02	0.002	2
8/24/2006	11:59:07	0.017	-0.001	-1
8/24/2006	12:14:07	0.016	-0.002	-2
8/24/2006	12:29:07	0.019	0.001	1
8/24/2006	12:44:07	0.02	0.002	2
8/24/2006	12:59:07	0.022	0.004	4
8/24/2006	13:14:07	0.027	0.009	9
8/24/2006	13:29:07	0.025	0.007	7
8/24/2006	13:44:07	0.029	0.011	11
8/24/2006	13:59:07	0.024	0.006	6
8/24/2006	14:14:07	0.025	0.007	7
8/24/2006	14:29:07	0.025	0.007	7
8/24/2006	14:44:07	0.028	0.01	10
8/24/2006	14:59:07	0.028	0.01	10
8/24/2006	15:14:07	0.027	0.009	9
8/24/2006	15:29:07	0.028	0.01	10
8/24/2006	15:44:07	0.028	0.01	10
8/24/2006	15:59:07	0.03	0.012	12
8/24/2006	16:14:07	0.031	0.013	13
8/24/2006	16:29:07	0.033	0.015	15
8/24/2006	16:44:07	0.028	0.01	10
8/24/2006	16:59:07	0.028	0.01	10
8/24/2006	17:14:07	0.029	0.011	11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/24/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/24/2006 7:03			0.1				0.1
2	8/24/2006 7:18			0.2				0.2
3	8/24/2006 7:33			0.2				0.2
4	8/24/2006 7:48			0.3				0.3
5	8/24/2006 8:03			0.3				0.3
6	8/24/2006 8:18			0.3				0.3
7	8/24/2006 8:33			0.4				0.4
8	8/24/2006 8:48			0.4				0.4
9	8/24/2006 9:03			0.4				0.4
10	8/24/2006 9:18			0.5				0.5
11	8/24/2006 9:33			0.5				0.5
12	8/24/2006 9:48			0.5				0.5
13	8/24/2006 10:03			0.4				0.4
14	8/24/2006 10:18			0.4				0.4
15	8/24/2006 10:33			0.5				0.5
16	8/24/2006 10:48			0.5				0.5
17	8/24/2006 11:03			0.4				0.4
18	8/24/2006 11:18			0.4				0.4
19	8/24/2006 11:33			0.4				0.4
20	8/24/2006 11:48			0.4				0.4
21	8/24/2006 12:03			0.4				0.4
22	8/24/2006 12:18			0.3				0.3
23	8/24/2006 12:33			0.3				0.3
24	8/24/2006 12:48			0.3				0.3
25	8/24/2006 13:03			0.3				0.3
26	8/24/2006 13:18			0.2				0.2
27	8/24/2006 13:33			0.2				0.2
28	8/24/2006 13:48			0.2				0.2
29	8/24/2006 14:03			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	17
Test Abbreviation:	
Start Date:	8/24/2006
Start Time:	6:51:48
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 7:06) = 0.031 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/24/2006	7:06:48	0.031	0	0
8/24/2006	7:21:48	0.035	0.004	4
8/24/2006	7:36:48	0.038	0.007	7
8/24/2006	7:51:48	0.036	0.005	5
8/24/2006	8:06:48	0.032	0.001	1
8/24/2006	8:21:48	0.036	0.005	5
8/24/2006	8:36:48	0.04	0.009	9
8/24/2006	8:51:48	0.05	0.019	19
8/24/2006	9:06:48	0.045	0.014	14
8/24/2006	9:21:48	0.041	0.01	10
8/24/2006	9:36:48	0.044	0.013	13
8/24/2006	9:51:48	0.04	0.009	9
8/24/2006	10:06:48	0.048	0.017	17
8/24/2006	10:21:48	0.05	0.019	19
8/24/2006	10:36:48	0.045	0.014	14
8/24/2006	10:51:48	0.045	0.014	14
8/24/2006	11:06:48	0.044	0.013	13
8/24/2006	11:21:48	0.046	0.015	15
8/24/2006	11:36:48	0.049	0.018	18
8/24/2006	11:51:48	0.047	0.016	16
8/24/2006	12:06:48	0.045	0.014	14
8/24/2006	12:21:48	0.047	0.016	16
8/24/2006	12:36:48	0.045	0.014	14
8/24/2006	12:51:48	0.049	0.018	18
8/24/2006	13:06:48	0.051	0.02	20
8/24/2006	13:21:48	0.051	0.02	20
8/24/2006	13:36:48	0.05	0.019	19
8/24/2006	13:51:48	0.054	0.023	23
8/24/2006	14:06:48	0.054	0.023	23
8/24/2006	14:21:48	0.054	0.023	23
8/24/2006	14:36:48	0.057	0.026	26
8/24/2006	14:51:48	0.05	0.019	19
8/24/2006	15:06:48	0.055	0.024	24
8/24/2006	15:21:48	0.05	0.019	19

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/24/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/24/2006 6:48			0				0
2	8/24/2006 7:03			0				0
3	8/24/2006 7:18			0.1				0.1
4	8/24/2006 7:33			0.1				0.1
5	8/24/2006 7:48			0.1				0.1
6	8/24/2006 8:03			0.1				0.1
7	8/24/2006 8:18			0.1				0.1
8	8/24/2006 8:33			0.1				0.1
9	8/24/2006 8:48			0.2				0.2
10	8/24/2006 9:03			0.1				0.1
11	8/24/2006 9:18			0.1				0.1
12	8/24/2006 9:33			0.1				0.1
13	8/24/2006 9:48			0.1				0.1
14	8/24/2006 10:03			0				0
15	8/24/2006 10:18			0				0
16	8/24/2006 10:33			0.1				0.1
17	8/24/2006 10:48			0				0
18	8/24/2006 11:03			0				0
19	8/24/2006 11:18			0				0
20	8/24/2006 11:33			0.1				0.1
21	8/24/2006 11:48			0				0
22	8/24/2006 12:03			0				0
23	8/24/2006 12:18			0				0
24	8/24/2006 12:33			0				0
25	8/24/2006 12:48			0				0
26	8/24/2006 13:03			0				0
27	8/24/2006 13:18			0				0
28	8/24/2006 13:33			0				0
29	8/24/2006 13:48			0				0
30	8/24/2006 14:03			0				0
31	8/24/2006 14:18			0				0
32	8/24/2006 14:33			0				0
33	8/24/2006 14:48			0				0
34	8/24/2006 15:03			0				0
35	8/24/2006 15:18			0				0
36	8/24/2006 15:33			0				0
37	8/24/2006 15:48			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	21
Test Abbreviation:	
Start Date:	8/24/2006
Start Time:	6:38:51
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:37) = 0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/24/2006	6:53:51	0.032	0.012	12
8/24/2006	7:08:51	0.033	0.013	13
8/24/2006	7:23:51	0.028	0.008	8
8/24/2006	7:38:51	0.029	0.009	9
8/24/2006	7:53:51	0.056	0.036	36
8/24/2006	8:08:51	0.04	0.02	20
8/24/2006	8:23:51	0.044	0.024	24
8/24/2006	8:38:51	0.074	0.054	54
8/24/2006	8:53:51	0.054	0.034	34
8/24/2006	9:08:51	0.038	0.018	18
8/24/2006	9:23:51	0.042	0.022	22
8/24/2006	9:38:51	0.044	0.024	24
8/24/2006	9:53:51	0.031	0.011	11
8/24/2006	10:08:51	0.029	0.009	9
8/24/2006	10:23:51	0.028	0.008	8
8/24/2006	10:38:51	0.033	0.013	13
8/24/2006	10:53:51	0.03	0.01	10
8/24/2006	11:08:51	0.028	0.008	8
8/24/2006	11:23:51	0.031	0.011	11
8/24/2006	11:38:51	0.027	0.007	7
8/24/2006	11:53:51	0.025	0.005	5
8/24/2006	12:08:51	0.028	0.008	8
8/24/2006	12:23:51	0.028	0.008	8
8/24/2006	12:38:51	0.033	0.013	13
8/24/2006	12:53:51	0.037	0.017	17
8/24/2006	13:08:51	0.043	0.023	23
8/24/2006	13:23:51	0.065	0.045	45
8/24/2006	13:38:51	0.044	0.024	24
8/24/2006	13:53:51	0.045	0.025	25
8/24/2006	14:08:51	0.051	0.031	31
8/24/2006	14:23:51	0.062	0.042	42
8/24/2006	14:38:51	0.043	0.023	23
8/24/2006	14:53:51	0.063	0.043	43
8/24/2006	15:08:51	0.056	0.036	36
8/24/2006	15:23:51	0.047	0.027	27
8/24/2006	15:38:51	0.061	0.041	41
8/24/2006	15:53:51	0.063	0.043	43
8/24/2006	16:08:51	0.062	0.042	42

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/24/2006 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/24/2006 6:43			0				0
2	8/24/2006 6:58			0				0
3	8/24/2006 7:13			0				0
4	8/24/2006 7:28			0.2				0.2
5	8/24/2006 7:43			0.2				0.2
6	8/24/2006 7:58			0.2				0.2
7	8/24/2006 8:13			0.2				0.2
8	8/24/2006 8:28			0.3				0.3
9	8/24/2006 8:43			0.3				0.3
10	8/24/2006 8:58			0.3				0.3
11	8/24/2006 9:13			0.4				0.4
12	8/24/2006 9:28			0.4				0.4
13	8/24/2006 9:43			0.4				0.4
14	8/24/2006 9:58			0.4				0.4
15	8/24/2006 10:13			0.3				0.3
16	8/24/2006 10:28			0.3				0.3
17	8/24/2006 10:43			0.2				0.2
18	8/24/2006 10:58			0.2				0.2
19	8/24/2006 11:13			0.1				0.1
20	8/24/2006 11:28			0.1				0.1
21	8/24/2006 11:43			0.2				0.2
22	8/24/2006 11:58			0.1				0.1
23	8/24/2006 12:13			0.1				0.1
24	8/24/2006 12:28			0.1				0.1
25	8/24/2006 12:43			0.1				0.1
26	8/24/2006 12:58			0.1				0.1
27	8/24/2006 13:13			0.1				0.1
28	8/24/2006 13:28			0.2				0.2
29	8/24/2006 13:43			0.1				0.1
30	8/24/2006 13:58			0.1				0.1
31	8/24/2006 14:13			0.1				0.1
32	8/24/2006 14:28			0.3				0.3
33	8/24/2006 14:43			0.2				0.2
34	8/24/2006 14:58			0.1				0.1
35	8/24/2006 15:13			0.2				0.2
36	8/24/2006 15:28			0.2				0.2
37	8/24/2006 15:43			0.3				0.3
38	8/24/2006 15:58			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	21
Test Abbreviation:	
Start Date:	8/24/2006
Start Time:	6:38:51
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:26) = 0.022 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/24/2006	6:53:51	0.032	0.01	10
8/24/2006	7:08:51	0.033	0.011	11
8/24/2006	7:23:51	0.028	0.006	6
8/24/2006	7:38:51	0.029	0.007	7
8/24/2006	7:53:51	0.056	0.034	34
8/24/2006	8:08:51	0.04	0.018	18
8/24/2006	8:23:51	0.044	0.022	22
8/24/2006	8:38:51	0.074	0.052	52
8/24/2006	8:53:51	0.054	0.032	32
8/24/2006	9:08:51	0.038	0.016	16
8/24/2006	9:23:51	0.042	0.02	20
8/24/2006	9:38:51	0.044	0.022	22
8/24/2006	9:53:51	0.031	0.009	9
8/24/2006	10:08:51	0.029	0.007	7
8/24/2006	10:23:51	0.028	0.006	6
8/24/2006	10:38:51	0.033	0.011	11
8/24/2006	10:53:51	0.03	0.008	8
8/24/2006	11:08:51	0.028	0.006	6
8/24/2006	11:23:51	0.031	0.009	9
8/24/2006	11:38:51	0.027	0.005	5
8/24/2006	11:53:51	0.025	0.003	3
8/24/2006	12:08:51	0.028	0.006	6
8/24/2006	12:23:51	0.028	0.006	6
8/24/2006	12:38:51	0.033	0.011	11
8/24/2006	12:53:51	0.037	0.015	15
8/24/2006	13:08:51	0.043	0.021	21
8/24/2006	13:23:51	0.065	0.043	43
8/24/2006	13:38:51	0.044	0.022	22
8/24/2006	13:53:51	0.045	0.023	23
8/24/2006	14:08:51	0.051	0.029	29
8/24/2006	14:23:51	0.062	0.04	40
8/24/2006	14:38:51	0.043	0.021	21
8/24/2006	14:53:51	0.063	0.041	41
8/24/2006	15:08:51	0.056	0.034	34
8/24/2006	15:23:51	0.047	0.025	25
8/24/2006	15:38:51	0.061	0.039	39
8/24/2006	15:53:51	0.063	0.041	41
8/24/2006	16:08:51	0.062	0.04	40

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/25/2006 04:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	50	50	50

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/25/2006 7:19			0				0
2	8/25/2006 7:34			0				0
3	8/25/2006 7:49			0				0
4	8/25/2006 8:04			0				0
5	8/25/2006 8:19			0				0
6	8/25/2006 8:34			0				0
7	8/25/2006 8:49			0				0
8	8/25/2006 9:04			0				0
9	8/25/2006 9:19			0				0
10	8/25/2006 9:34			0				0
11	8/25/2006 9:49			0				0
12	8/25/2006 10:04			0				0
13	8/25/2006 10:19			0				0
14	8/25/2006 10:34			0				0
15	8/25/2006 10:49			0				0
16	8/25/2006 11:04			0				0
17	8/25/2006 11:19			0				0
18	8/25/2006 11:34			0				0
19	8/25/2006 11:49			0				0
20	8/25/2006 12:04			0				0
21	8/25/2006 12:19			0				0
22	8/25/2006 12:34			0				0
23	8/25/2006 12:49			0				0
24	8/25/2006 13:04			0				0
25	8/25/2006 13:19			0				0
26	8/25/2006 13:34			0				0
27	8/25/2006 13:49			0				0
28	8/25/2006 14:04			0				0
29	8/25/2006 14:19			0				0
30	8/25/2006 14:34			0				0
31	8/25/2006 14:49			0				0
32	8/25/2006 15:04			0				0
33	8/25/2006 15:19			0				0
34	8/25/2006 15:34			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	22
Test Abbreviation:	
Start Date:	8/25/2006
Start Time:	7:07:35
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 7:05) = 0.070 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2006	7:22:35	0.068	-0.002	-2
8/25/2006	7:37:35	0.069	-0.001	-1
8/25/2006	7:52:35	0.067	-0.003	-3
8/25/2006	8:07:35	0.065	-0.005	-5
8/25/2006	8:22:35	0.057	-0.013	-13
8/25/2006	8:37:35	0.053	-0.017	-17
8/25/2006	8:52:35	0.05	-0.02	-20
8/25/2006	9:07:35	0.049	-0.021	-21
8/25/2006	9:22:35	0.049	-0.021	-21
8/25/2006	9:37:35	0.053	-0.017	-17
8/25/2006	9:52:35	0.055	-0.015	-15
8/25/2006	10:07:35	0.053	-0.017	-17
8/25/2006	10:22:35	0.057	-0.013	-13
8/25/2006	10:37:35	0.062	-0.008	-8
8/25/2006	10:52:35	0.063	-0.007	-7
8/25/2006	11:07:35	0.04	-0.03	-30
8/25/2006	11:22:35	0.032	-0.038	-38
8/25/2006	11:37:35	0.043	-0.027	-27
8/25/2006	11:52:35	0.051	-0.019	-19
8/25/2006	12:07:35	0.044	-0.026	-26
8/25/2006	12:22:35	0.044	-0.026	-26
8/25/2006	12:37:35	0.037	-0.033	-33
8/25/2006	12:52:35	0.03	-0.04	-40
8/25/2006	13:07:35	0.033	-0.037	-37
8/25/2006	13:22:35	0.038	-0.032	-32
8/25/2006	13:37:35	0.037	-0.033	-33

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000040

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/25/2006 04:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/25/2006 6:45			0				0
2	8/25/2006 7:00			0				0
3	8/25/2006 7:30			0				0
4	8/25/2006 7:45			0				0
5	8/25/2006 8:00			0				0
6	8/25/2006 8:15			0				0
7	8/25/2006 8:30			0				0
8	8/25/2006 8:45			0				0
9	8/25/2006 9:00			0				0
10	8/25/2006 9:15			0				0
11	8/25/2006 9:30			0				0
12	8/25/2006 9:45			0				0
13	8/25/2006 10:00			0				0
14	8/25/2006 10:15			0				0
15	8/25/2006 10:30			0				0
16	8/25/2006 10:45			0				0
17	8/25/2006 11:00			0				0
18	8/25/2006 11:15			0				0
19	8/25/2006 11:30			0				0
20	8/25/2006 11:45			0				0
21	8/25/2006 12:00			0				0
22	8/25/2006 12:15			0				0
23	8/25/2006 12:30			0				0
24	8/25/2006 12:45			0				0
25	8/25/2006 13:00			0				0
26	8/25/2006 13:15			0				0
27	8/25/2006 13:30			0				0
28	8/25/2006 13:45			0				0
29	8/25/2006 14:00			0				0
30	8/25/2006 14:15			0				0
31	8/25/2006 14:30			0				0
32	8/25/2006 14:45			0				0
33	8/25/2006 15:00			0				0
34	8/25/2006 15:15			0				0
35	8/25/2006 15:30			0				0
36	8/25/2006 15:45			0				0
37	8/25/2006 16:00			0				0
38	8/25/2006 16:15			0				0
39	8/25/2006 16:30			0				0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	25
Test Abbreviation:	
Start Date:	8/25/2006
Start Time:	6:49:06
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:48) = 0.061 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2006	7:04:06	0.068	0.007	7
8/25/2006	7:19:06	0.051	-0.01	-10
8/25/2006	7:34:06	0.045	-0.016	-16
8/25/2006	7:49:06	0.047	-0.014	-14
8/25/2006	8:04:06	0.047	-0.014	-14
8/25/2006	8:19:06	0.045	-0.016	-16
8/25/2006	8:34:06	0.039	-0.022	-22
8/25/2006	8:49:06	0.038	-0.023	-23
8/25/2006	9:04:06	0.037	-0.024	-24
8/25/2006	9:19:06	0.034	-0.027	-27
8/25/2006	9:34:06	0.036	-0.025	-25
8/25/2006	9:49:06	0.04	-0.021	-21
8/25/2006	10:04:06	0.044	-0.017	-17
8/25/2006	10:19:06	0.055	-0.006	-6
8/25/2006	10:34:06	0.051	-0.01	-10
8/25/2006	10:49:06	0.057	-0.004	-4
8/25/2006	11:04:06	0.038	-0.023	-23
8/25/2006	11:19:06	0.025	-0.036	-36
8/25/2006	11:34:06	0.033	-0.028	-28
8/25/2006	11:49:06	0.036	-0.025	-25
8/25/2006	12:04:06	0.034	-0.027	-27
8/25/2006	12:19:06	0.032	-0.029	-29
8/25/2006	12:34:06	0.027	-0.034	-34
8/25/2006	12:49:06	0.027	-0.034	-34
8/25/2006	13:04:06	0.019	-0.042	-42
8/25/2006	13:19:06	0.021	-0.04	-40
8/25/2006	13:34:06	0.024	-0.037	-37
8/25/2006	13:49:06	0.019	-0.042	-42
8/25/2006	14:04:06	0.021	-0.04	-40
8/25/2006	14:19:06	0.026	-0.035	-35
8/25/2006	14:34:06	0.033	-0.028	-28
8/25/2006	14:49:06	0.031	-0.03	-30
8/25/2006	15:04:06	0.029	-0.032	-32
8/25/2006	15:19:06	0.028	-0.033	-33
8/25/2006	15:34:06	0.028	-0.033	-33

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/25/2006 04:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/25/2006 6:47			0				0
2	8/25/2006 7:02			0				0
3	8/25/2006 7:17			0				0
4	8/25/2006 7:32			0				0
5	8/25/2006 7:47			0				0
6	8/25/2006 8:02			0				0
7	8/25/2006 8:17			0				0
8	8/25/2006 8:32			0				0
9	8/25/2006 8:47			0				0
10	8/25/2006 9:02			0				0
11	8/25/2006 9:17			0				0
12	8/25/2006 9:32			0				0
13	8/25/2006 9:47			0				0
14	8/25/2006 10:02			0				0
15	8/25/2006 10:17			0				0
16	8/25/2006 10:32			0				0
17	8/25/2006 10:47			0				0
18	8/25/2006 11:02			0				0
19	8/25/2006 11:17			0				0
20	8/25/2006 11:32			0				0
21	8/25/2006 11:47			0				0
22	8/25/2006 12:02			0				0
23	8/25/2006 12:17			0				0
24	8/25/2006 12:32			0				0
25	8/25/2006 12:47			0				0
26	8/25/2006 13:02			0				0
27	8/25/2006 13:17			0				0
28	8/25/2006 13:32			0				0
29	8/25/2006 13:47			0				0
30	8/25/2006 14:02			0				0
31	8/25/2006 14:17			0				0
32	8/25/2006 14:32			0				0
33	8/25/2006 14:47			0				0
34	8/25/2006 15:02			0				0
35	8/25/2006 15:17			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	22
Test Abbreviation:	
Start Date:	8/25/2006
Start Time:	6:36:09
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 6:37) = 0.113 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2006	6:51:09	0.12	0.007	7
8/25/2006	7:06:09	0.118	0.005	5
8/25/2006	7:21:09	0.101	-0.012	-12
8/25/2006	7:36:09	0.094	-0.019	-19
8/25/2006	7:51:09	0.096	-0.017	-17
8/25/2006	8:06:09	0.1	-0.013	-13
8/25/2006	8:21:09	0.089	-0.024	-24
8/25/2006	8:36:09	0.079	-0.034	-34
8/25/2006	8:51:09	0.075	-0.038	-38
8/25/2006	9:06:09	0.08	-0.033	-33
8/25/2006	9:21:09	0.074	-0.039	-39
8/25/2006	9:36:09	0.078	-0.035	-35
8/25/2006	9:51:09	0.081	-0.032	-32
8/25/2006	10:06:09	0.08	-0.033	-33
8/25/2006	10:21:09	0.092	-0.021	-21
8/25/2006	10:36:09	0.105	-0.008	-8
8/25/2006	10:51:09	0.111	-0.002	-2
8/25/2006	11:06:09	0.075	-0.038	-38
8/25/2006	11:21:09	0.056	-0.057	-57
8/25/2006	11:36:09	0.069	-0.044	-44
8/25/2006	11:51:09	0.079	-0.034	-34
8/25/2006	12:06:09	0.091	-0.022	-22
8/25/2006	12:21:09	0.072	-0.041	-41
8/25/2006	12:36:09	0.074	-0.039	-39
8/25/2006	12:51:09	0.05	-0.063	-63
8/25/2006	13:06:09	0.044	-0.069	-69
8/25/2006	13:21:09	0.055	-0.058	-58
8/25/2006	13:36:09	0.047	-0.066	-66
8/25/2006	13:51:09	0.045	-0.068	-68
8/25/2006	14:06:09	0.067	-0.046	-46

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/25/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/25/2006 6:40			0				0
2	8/25/2006 6:55			0				0
3	8/25/2006 7:10			0.1				0.1
4	8/25/2006 7:25			0.3				0.3
5	8/25/2006 7:40			0.3				0.3
6	8/25/2006 7:55			0.3				0.3
7	8/25/2006 8:10			0.3				0.3
8	8/25/2006 8:25			0.3				0.3
9	8/25/2006 8:40			0.3				0.3
10	8/25/2006 8:55			0.3				0.3
11	8/25/2006 9:10			0.3				0.3
12	8/25/2006 9:25			0.3				0.3
13	8/25/2006 9:40			0.3				0.3
14	8/25/2006 9:55			0.3				0.3
15	8/25/2006 10:10			0.3				0.3
16	8/25/2006 10:25			0.3				0.3
17	8/25/2006 10:40			0.3				0.3
18	8/25/2006 10:55			0.3				0.3
19	8/25/2006 11:10			0.4				0.4
20	8/25/2006 11:25			0.3				0.3
21	8/25/2006 11:40			0.3				0.3
22	8/25/2006 11:55			0.2				0.2
23	8/25/2006 12:10			0.3				0.3
24	8/25/2006 12:25			0.3				0.3
25	8/25/2006 12:40			0.3				0.3
26	8/25/2006 12:55			0.4				0.4
27	8/25/2006 13:10			0.4				0.4
28	8/25/2006 13:25			0.3				0.3
29	8/25/2006 13:40			0.4				0.4
30	8/25/2006 13:55			0.5				0.5
31	8/25/2006 14:10			0.4				0.4
32	8/25/2006 14:25			0.4				0.4
33	8/25/2006 14:40			0.4				0.4
34	8/25/2006 14:55			0.4				0.4
35	8/25/2006 15:10			0.4				0.4
36	8/25/2006 15:25			0.4				0.4
37	8/25/2006 15:40			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	25
Test Abbreviation:	
Start Date:	8/25/2006
Start Time:	6:30:36
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:26) = 0.110 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2006	6:45:36	0.107	-0.003	-3
8/25/2006	7:00:36	0.101	-0.009	-9
8/25/2006	7:15:36	0.103	-0.007	-7
8/25/2006	7:30:36	0.105	-0.005	-5
8/25/2006	7:45:36	0.187	0.077	77
8/25/2006	8:00:36	0.104	-0.006	-6
8/25/2006	8:15:36	0.098	-0.012	-12
8/25/2006	8:30:36	0.102	-0.008	-8
8/25/2006	8:45:36	0.089	-0.021	-21
8/25/2006	9:00:36	0.082	-0.028	-28
8/25/2006	9:15:36	0.08	-0.03	-30
8/25/2006	9:30:36	0.091	-0.019	-19
8/25/2006	9:45:36	0.084	-0.026	-26
8/25/2006	10:00:36	0.094	-0.016	-16
8/25/2006	10:15:36	0.102	-0.008	-8
8/25/2006	10:30:36	0.108	-0.002	-2
8/25/2006	10:45:36	0.125	0.015	15
8/25/2006	11:00:36	0.086	-0.024	-24
8/25/2006	11:15:36	0.06	-0.05	-50
8/25/2006	11:30:36	0.065	-0.045	-45
8/25/2006	11:45:36	0.073	-0.037	-37
8/25/2006	12:00:36	0.077	-0.033	-33
8/25/2006	12:15:36	0.077	-0.033	-33
8/25/2006	12:30:36	0.072	-0.038	-38
8/25/2006	12:45:36	0.068	-0.042	-42
8/25/2006	13:00:36	0.079	-0.031	-31
8/25/2006	13:15:36	0.061	-0.049	-49
8/25/2006	13:30:36	0.052	-0.058	-58
8/25/2006	13:45:36	0.038	-0.072	-72
8/25/2006	14:00:36	0.056	-0.054	-54
8/25/2006	14:15:36	0.074	-0.036	-36
8/25/2006	14:30:36	0.069	-0.041	-41
8/25/2006	14:45:36	0.07	-0.04	-40
8/25/2006	15:00:36	0.099	-0.011	-11
8/25/2006	15:15:36	0.076	-0.034	-34
8/25/2006	15:30:36	0.056	-0.054	-54
8/25/2006	15:45:36	0.061	-0.049	-49
8/25/2006	16:00:36	0.061	-0.049	-49

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/26/2006 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/26/2006 8:25			0				0
2	8/26/2006 8:40			0				0
3	8/26/2006 8:55			0				0
4	8/26/2006 9:10			0				0
5	8/26/2006 9:25			0				0
6	8/26/2006 9:40			0				0
7	8/26/2006 9:55			0				0
8	8/26/2006 10:10			0				0
9	8/26/2006 10:25			0				0
10	8/26/2006 10:40			0				0
11	8/26/2006 10:55			0				0
12	8/26/2006 11:10			0				0
13	8/26/2006 11:25			0				0
14	8/26/2006 11:40			0				0
15	8/26/2006 11:55			0				0
16	8/26/2006 12:10			0				0
17	8/26/2006 12:25			0				0
18	8/26/2006 12:40			0				0
19	8/26/2006 12:55			0				0
20	8/26/2006 13:10			0				0
21	8/26/2006 13:25			0				0
22	8/26/2006 13:40			0				0
23	8/26/2006 13:55			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	23
Test Abbreviation:	
Start Date:	8/26/2006
Start Time:	8:12:11
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (AM - 8:10) = 0.019 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/26/2006	8:27:11	0.019	0	0
8/26/2006	8:42:11	0.02	0.001	1
8/26/2006	8:57:11	0.019	0	0
8/26/2006	9:12:11	0.02	0.001	1
8/26/2006	9:27:11	0.019	0	0
8/26/2006	9:42:11	0.018	-0.001	-1
8/26/2006	9:57:11	0.017	-0.002	-2
8/26/2006	10:12:11	0.015	-0.004	-4
8/26/2006	10:27:11	0.014	-0.005	-5
8/26/2006	10:42:11	0.015	-0.004	-4
8/26/2006	10:57:11	0.013	-0.006	-6
8/26/2006	11:12:11	0.013	-0.006	-6
8/26/2006	11:27:11	0.014	-0.005	-5
8/26/2006	11:42:11	0.022	0.003	3
8/26/2006	11:57:11	0.013	-0.006	-6
8/26/2006	12:12:11	0.012	-0.007	-7
8/26/2006	12:27:11	0.017	-0.002	-2
8/26/2006	12:42:11	0.016	-0.003	-3
8/26/2006	12:57:11	0.014	-0.005	-5
8/26/2006	13:12:11	0.019	0	0
8/26/2006	13:27:11	0.019	0	0
8/26/2006	13:42:11	0.016	-0.003	-3
8/26/2006	13:57:11	0.015	-0.004	-4
8/26/2006	14:12:11	0.014	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000040

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/01/1997 23:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:04) = 1.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/26/2006 8:01			1.3				-0.1
2	8/26/2006 8:16			0.3				-1.1
3	8/26/2006 8:31			0.2				-1.2
4	8/26/2006 8:46			0.1				-1.3
5	8/26/2006 9:01			0				-1.4
6	8/26/2006 9:16			0				-1.4
7	8/26/2006 9:31			0				-1.4
8	8/26/2006 9:46			0				-1.4
9	8/26/2006 10:01			0.1				-1.3
10	8/26/2006 10:16			0.2				-1.2
11	8/26/2006 10:31			0.3				-1.1
12	8/26/2006 10:46			0.2				-1.2
13	8/26/2006 11:01			0.1				-1.3
14	8/26/2006 11:01			0				-1.4
15	8/26/2006 11:31			0				-1.4
16	8/26/2006 11:46			0				-1.4
17	8/26/2006 12:01			0				-1.4
18	8/26/2006 12:16			0				-1.4
19	8/26/2006 12:31			0				-1.4
20	8/26/2006 12:46			0				-1.4
21	8/26/2006 13:01			0				-1.4
22	8/26/2006 13:16			0				-1.4
23	8/26/2006 13:31			0				-1.4
24	8/26/2006 13:46			0				-1.4
25	8/26/2006 14:01			0				-1.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	26
Test Abbreviation:	
Start Date:	8/26/2006
Start Time:	8:04:31
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	13
Notes:	Background Reading (AM - 8:04) = 0.013 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/26/2006	8:19:31	0.013	0	0	
8/26/2006	8:34:31	0.011	-0.002	-2	
8/26/2006	8:49:31	0.01	-0.003	-3	
8/26/2006	9:04:31	0	-0.013	-13	
8/26/2006	9:19:31	0.011	-0.002	-2	
8/26/2006	9:34:31	0.006	-0.007	-7	
8/26/2006	9:49:31	0.021	0.008	8	
8/26/2006	10:04:31	0.022	0.009	9	
8/26/2006	10:19:31	0.023	0.01	10	
8/26/2006	10:34:31	0.017	0.004	4	
8/26/2006	10:49:31	0.018	0.005	5	
8/26/2006	11:04:31	0.005	-0.008	-8	
8/26/2006	11:19:31	0.007	-0.006	-6	
8/26/2006	11:42:45	0.019	0.006	6	Instrument taken off-line at ~11:20 to re-calibrate due to negative readings. Back on-line by 11:27.
8/26/2006	11:57:45	0.015	0.002	2	
8/26/2006	12:12:45	0.013	0	0	
8/26/2006	12:27:45	0.017	0.004	4	
8/26/2006	12:42:45	0.02	0.007	7	
8/26/2006	12:57:45	0.02	0.007	7	
8/26/2006	13:53:34	0.02	0.007	7	Batteries died at approximately 13:00. Batteries replaced and instrument back on-line by 13:38.
8/26/2006	14:08:34	0.02	0.007	7	
8/26/2006	14:23:34	0.018	0.005	5	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/26/2006 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/26/2006 8:00			0				0
2	8/26/2006 8:15			0				0
3	8/26/2006 8:30			0				0
4	8/26/2006 8:45			0				0
5	8/26/2006 9:00			0				0
6	8/26/2006 9:15			0				0
7	8/26/2006 9:30			0				0
8	8/26/2006 9:45			0				0
9	8/26/2006 10:00			0				0
10	8/26/2006 10:15			0				0
11	8/26/2006 10:30			0				0
12	8/26/2006 10:45			0				0
13	8/26/2006 11:00			0				0
14	8/26/2006 11:15			0				0
15	8/26/2006 11:30			0				0
16	8/26/2006 11:45			0				0
17	8/26/2006 12:00			0				0
18	8/26/2006 12:15			0				0
19	8/26/2006 12:30			0				0
20	8/26/2006 12:45			0				0
21	8/26/2006 13:00			0				0
22	8/26/2006 13:15			0				0
23	8/26/2006 13:30			0				0
24	8/26/2006 13:45			0				0
25	8/26/2006 14:00			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	23
Test Abbreviation:	
Start Date:	8/26/2006
Start Time:	7:49:27
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 7:51) = 0.042 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/26/2006	8:04:27	0.035	-0.007	-7
8/26/2006	8:19:27	0.048	0.006	6
8/26/2006	8:34:27	0.044	0.002	2
8/26/2006	8:49:27	0.039	-0.003	-3
8/26/2006	9:04:27	0.033	-0.009	-9
8/26/2006	9:19:27	0.032	-0.01	-10
8/26/2006	9:34:27	0.174	0.132	132
8/26/2006	9:49:27	0.028	-0.014	-14
8/26/2006	10:04:27	0.022	-0.02	-20
8/26/2006	10:19:27	0.023	-0.019	-19
8/26/2006	10:34:27	0.022	-0.02	-20
8/26/2006	10:49:27	0.021	-0.021	-21
8/26/2006	11:04:27	0.022	-0.02	-20
8/26/2006	11:19:27	0.026	-0.016	-16
8/26/2006	11:34:27	0.042	0	0
8/26/2006	11:49:27	0.045	0.003	3
8/26/2006	12:04:27	0.043	0.001	1
8/26/2006	12:19:27	0.06	0.018	18
8/26/2006	12:34:27	0.054	0.012	12
8/26/2006	12:49:27	0.06	0.018	18
8/26/2006	13:04:27	0.036	-0.006	-6
8/26/2006	13:19:27	0.088	0.046	46
8/26/2006	13:34:27	0.041	-0.001	-1
8/26/2006	13:49:27	0.04	-0.002	-2
8/26/2006	14:04:27	0.026	-0.016	-16
8/26/2006	14:19:27	0.026	-0.016	-16

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/26/2006 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/26/2006 7:45			0				0
2	8/26/2006 8:00			0				0
3	8/26/2006 8:15			0				0
4	8/26/2006 8:30			0				0
5	8/26/2006 8:45			0				0
6	8/26/2006 9:00			0.1				0.1
7	8/26/2006 9:15			0.1				0.1
8	8/26/2006 9:30			0.1				0.1
9	8/26/2006 9:45			0.2				0.2
10	8/26/2006 10:00			0.2				0.2
11	8/26/2006 10:15			0.2				0.2
12	8/26/2006 10:30			0.2				0.2
13	8/26/2006 10:45			0.3				0.3
14	8/26/2006 11:00			0.3				0.3
15	8/26/2006 11:15			0.3				0.3
16	8/26/2006 11:30			0.3				0.3
17	8/26/2006 11:45			0.3				0.3
18	8/26/2006 12:00			0.3				0.3
19	8/26/2006 12:15			0.3				0.3
20	8/26/2006 12:30			0.4				0.4
21	8/26/2006 12:45			0.4				0.4
22	8/26/2006 13:00			0.4				0.4
23	8/26/2006 13:15			0.4				0.4
24	8/26/2006 13:30			0.4				0.4
25	8/26/2006 13:45			0.4				0.4
26	8/26/2006 14:00			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	26
Test Abbreviation:	
Start Date:	8/26/2006
Start Time:	7:32:42
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (AM - 7:32) = 0.032 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/26/2006	7:47:42	0.032	0	0
8/26/2006	8:02:42	0.03	-0.002	-2
8/26/2006	8:17:42	0.029	-0.003	-3
8/26/2006	8:32:42	0.03	-0.002	-2
8/26/2006	8:47:42	0.033	0.001	1
8/26/2006	9:02:42	0.032	0	0
8/26/2006	9:17:42	0.033	0.001	1
8/26/2006	9:32:42	0.027	-0.005	-5
8/26/2006	9:47:42	0.023	-0.009	-9
8/26/2006	10:02:42	0.019	-0.013	-13
8/26/2006	10:17:42	0.02	-0.012	-12
8/26/2006	10:32:42	0.019	-0.013	-13
8/26/2006	10:47:42	0.021	-0.011	-11
8/26/2006	11:02:42	0.019	-0.013	-13
8/26/2006	11:17:42	0.018	-0.014	-14
8/26/2006	11:32:42	0.021	-0.011	-11
8/26/2006	11:47:42	0.015	-0.017	-17
8/26/2006	12:02:42	0.014	-0.018	-18
8/26/2006	12:17:42	0.015	-0.017	-17
8/26/2006	12:32:42	0.017	-0.015	-15
8/26/2006	12:47:42	0.018	-0.014	-14
8/26/2006	13:02:42	0.019	-0.013	-13
8/26/2006	13:17:42	0.021	-0.011	-11
8/26/2006	13:32:42	0.026	-0.006	-6
8/26/2006	13:47:42	0.031	-0.001	-1
8/26/2006	14:02:42	0.027	-0.005	-5
8/26/2006	14:17:42	0.019	-0.013	-13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/27/2006 23:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:01) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/28/2006 7:16			0				0
2	8/28/2006 7:31			0				0
3	8/28/2006 7:46			0				0
4	8/28/2006 8:01			0				0
5	8/28/2006 8:16			0				0
6	8/28/2006 8:31			0				0
7	8/28/2006 8:46			0				0
8	8/28/2006 9:01			0				0
9	8/28/2006 9:16			0				0
10	8/28/2006 9:31			0				0
11	8/28/2006 9:46			0				0
12	8/28/2006 10:01			0				0
13	8/28/2006 10:16			0				0
14	8/28/2006 10:31			0				0
15	8/28/2006 10:46			0				0
16	8/28/2006 11:01			0				0
17	8/28/2006 11:16			0				0
18	8/28/2006 11:31			0				0
19	8/28/2006 11:46			0				0
20	8/28/2006 12:01			0				0
21	8/28/2006 12:16			0				0
22	8/28/2006 12:31			0				0
23	8/28/2006 12:46			0				0
24	8/28/2006 13:01			0				0
25	8/28/2006 13:16			0				0
26	8/28/2006 13:31			0				0
27	8/28/2006 13:46			0				0
28	8/28/2006 14:01			0				0
29	8/28/2006 14:16			0				0
30	8/28/2006 14:31			0				0
31	8/28/2006 14:46			0				0
32	8/28/2006 15:01			0				0
33	8/28/2006 15:16			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	24
Test Abbreviation:	
Start Date:	8/28/2006
Start Time:	7:09:40
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 7:01) = 0.088 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2006	7:24:40	0.078	-0.01	-10
8/28/2006	7:39:40	0.065	-0.023	-23
8/28/2006	7:54:40	0.067	-0.021	-21
8/28/2006	8:09:40	0.069	-0.019	-19
8/28/2006	8:24:40	0.066	-0.022	-22
8/28/2006	8:39:40	0.073	-0.015	-15
8/28/2006	8:54:40	0.069	-0.019	-19
8/28/2006	9:09:40	0.064	-0.024	-24
8/28/2006	9:24:40	0.062	-0.026	-26
8/28/2006	9:39:40	0.054	-0.034	-34
8/28/2006	9:54:40	0.057	-0.031	-31
8/28/2006	10:09:40	0.038	-0.05	-50
8/28/2006	10:24:40	0.028	-0.06	-60
8/28/2006	10:39:40	0.021	-0.067	-67
8/28/2006	10:54:40	0.019	-0.069	-69
8/28/2006	11:09:40	0.021	-0.067	-67
8/28/2006	11:24:40	0.022	-0.066	-66
8/28/2006	11:39:40	0.021	-0.067	-67
8/28/2006	11:54:40	0.025	-0.063	-63
8/28/2006	12:09:40	0.025	-0.063	-63
8/28/2006	12:24:40	0.025	-0.063	-63
8/28/2006	12:39:40	0.025	-0.063	-63
8/28/2006	12:54:40	0.027	-0.061	-61
8/28/2006	13:09:40	0.028	-0.06	-60
8/28/2006	13:24:40	0.028	-0.06	-60
8/28/2006	13:39:40	0.027	-0.061	-61
8/28/2006	13:54:40	0.06	-0.028	-28
8/28/2006	14:09:40	0.026	-0.062	-62
8/28/2006	14:24:40	0.022	-0.066	-66
8/28/2006	14:39:40	0.024	-0.064	-64
8/28/2006	14:54:40	0.027	-0.061	-61
8/28/2006	15:09:40	0.026	-0.062	-62
8/28/2006	15:24:40	0.023	-0.065	-65

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/28/2006 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/28/2006 7:35			0				0
2	8/28/2006 7:50			0				0
3	8/28/2006 8:05			0				0
4	8/28/2006 8:20			0				0
5	8/28/2006 8:35			0				0
6	8/28/2006 8:50			0				0
7	8/28/2006 9:05			0				0
8	8/28/2006 9:20			0				0
9	8/28/2006 9:35			0				0
10	8/28/2006 9:50			0				0
11	8/28/2006 10:05			0				0
12	8/28/2006 10:20			0.4				0.4
13	8/28/2006 10:35			0.6				0.6
14	8/28/2006 10:50			0.8				0.8
15	8/28/2006 11:05			0.9				0.9
16	8/28/2006 11:20			1				1
17	8/28/2006 11:35			1.1				1.1
18	8/28/2006 11:50			1.2				1.2
19	8/28/2006 12:05			1.2				1.2
20	8/28/2006 12:20			1.2				1.2
21	8/28/2006 12:35			1.2				1.2
22	8/28/2006 12:50			1.4				1.4
23	8/28/2006 13:05			1.5				1.5
24	8/28/2006 13:20			1.5				1.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	29
Test Abbreviation:	
Start Date:	8/28/2006
Start Time:	7:35:28
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 7:15) = 0.062 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2006	7:50:28	0.066	0.004	4
8/28/2006	8:05:28	0.065	0.003	3
8/28/2006	8:20:28	0.06	-0.002	-2
8/28/2006	8:35:28	0.06	-0.002	-2
8/28/2006	8:50:28	0.055	-0.007	-7
8/28/2006	9:05:28	0.054	-0.008	-8
8/28/2006	9:20:28	0.051	-0.011	-11
8/28/2006	9:35:28	0.035	-0.027	-27
8/28/2006	9:50:28	0.049	-0.013	-13
8/28/2006	10:05:28	0.044	-0.018	-18
8/28/2006	10:20:28	0.023	-0.039	-39
8/28/2006	10:35:28	0.02	-0.042	-42
8/28/2006	10:50:28	0.019	-0.043	-43
8/28/2006	11:05:28	0.019	-0.043	-43
8/28/2006	11:20:28	0.019	-0.043	-43
8/28/2006	11:35:28	0.029	-0.033	-33
8/28/2006	11:50:28	0.053	-0.009	-9
8/28/2006	12:05:28	0.025	-0.037	-37
8/28/2006	12:20:28	0.022	-0.04	-40
8/28/2006	12:35:28	0.021	-0.041	-41
8/28/2006	12:50:28	0.022	-0.04	-40
8/28/2006	13:05:28	0.024	-0.038	-38
8/28/2006	13:20:28	0.028	-0.034	-34
8/28/2006	13:35:28	0.03	-0.032	-32
8/28/2006	13:50:28	0.035	-0.027	-27
8/28/2006	14:05:28	0.023	-0.039	-39
8/28/2006	14:20:28	0.028	-0.034	-34
8/28/2006	14:35:28	0.021	-0.041	-41
8/28/2006	14:50:28	0.026	-0.036	-36
8/28/2006	15:05:28	0.027	-0.035	-35
8/28/2006	15:20:28	0.022	-0.04	-40
8/28/2006	15:35:28	0.024	-0.038	-38

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/27/2006 23:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:56) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/28/2006 8:09			0				0
2	8/28/2006 8:24			0				0
3	8/28/2006 8:39			0				0
4	8/28/2006 8:54			0				0
5	8/28/2006 9:09			0				0
6	8/28/2006 9:24			0				0
7	8/28/2006 9:39			0				0
8	8/28/2006 9:54			0				0
9	8/28/2006 10:09			0				0
10	8/28/2006 10:24			0				0
11	8/28/2006 10:39			0				0
12	8/28/2006 10:54			0				0
13	8/28/2006 11:09			0				0
14	8/28/2006 11:24			0				0
15	8/28/2006 11:39			0				0
16	8/28/2006 11:54			0				0
17	8/28/2006 12:09			0				0
18	8/28/2006 12:24			0				0
19	8/28/2006 12:39			0				0
20	8/28/2006 12:54			0				0
21	8/28/2006 13:09			0				0
22	8/28/2006 13:24			0				0
23	8/28/2006 13:39			0				0
24	8/28/2006 13:54			0				0
25	8/28/2006 14:09			0				0
26	8/28/2006 14:24			0				0
27	8/28/2006 14:39			0				0
28	8/28/2006 14:54			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	24
Test Abbreviation:	
Start Date:	8/28/2006
Start Time:	7:57:21
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 7:56) = 0.111 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2006	8:12:21	0.108	-0.003	-3
8/28/2006	8:27:21	0.111	0	0
8/28/2006	8:42:21	0.106	-0.005	-5
8/28/2006	8:57:21	0.102	-0.009	-9
8/28/2006	9:12:21	0.098	-0.013	-13
8/28/2006	9:27:21	0.095	-0.016	-16
8/28/2006	9:42:21	0.092	-0.019	-19
8/28/2006	9:57:21	0.09	-0.021	-21
8/28/2006	10:12:21	0.068	-0.043	-43
8/28/2006	10:27:21	0.107	-0.004	-4
8/28/2006	10:42:21	0.077	-0.034	-34
8/28/2006	10:57:21	0.067	-0.044	-44
8/28/2006	11:12:21	0.044	-0.067	-67
8/28/2006	11:27:21	0.038	-0.073	-73
8/28/2006	11:42:21	0.041	-0.07	-70
8/28/2006	11:57:21	0.04	-0.071	-71
8/28/2006	12:12:21	0.046	-0.065	-65
8/28/2006	12:27:21	0.038	-0.073	-73
8/28/2006	12:42:21	0.04	-0.071	-71
8/28/2006	12:57:21	0.04	-0.071	-71
8/28/2006	13:12:21	0.067	-0.044	-44
8/28/2006	13:27:21	0.062	-0.049	-49
8/28/2006	13:42:21	0.052	-0.059	-59
8/28/2006	13:57:21	0.056	-0.055	-55
8/28/2006	14:12:21	0.041	-0.07	-70
8/28/2006	14:27:21	0.156	0.045	45
8/28/2006	14:42:21	0.038	-0.073	-73
8/28/2006	14:57:21	0.042	-0.069	-69
8/28/2006	15:12:21	0.042	-0.069	-69

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/27/2006 23:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 8:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/28/2006 8:00			0				0
2	8/28/2006 8:15			0				0
3	8/28/2006 8:30			0				0
4	8/28/2006 8:45			0				0
5	8/28/2006 9:00			0				0
6	8/28/2006 9:15			0				0
7	8/28/2006 9:30			0				0
8	8/28/2006 9:45			0				0
9	8/28/2006 10:00			0				0
10	8/28/2006 10:15			0				0
11	8/28/2006 10:30			0				0
12	8/28/2006 10:45			0				0
13	8/28/2006 11:00			0				0
14	8/28/2006 11:15			0				0
15	8/28/2006 11:30			0				0
16	8/28/2006 11:45			0				0
17	8/28/2006 12:00			0				0
18	8/28/2006 12:15			0				0
19	8/28/2006 12:30			0				0
20	8/28/2006 12:45			0				0
21	8/28/2006 13:00			0				0
22	8/28/2006 13:15			0				0
23	8/28/2006 13:30			0				0
24	8/28/2006 13:45			0				0
25	8/28/2006 14:00			0				0
26	8/28/2006 14:15			0				0
27	8/28/2006 14:30			0				0
28	8/28/2006 14:45			0				0
29	8/28/2006 15:00			0				0
30	8/28/2006 15:15			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	15
Test Abbreviation:	
Start Date:	8/15/2006
Start Time:	6:17:14
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (AM - 8:05) = 0.041mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2006	8:05:16	0.041	0	0
8/28/2006	8:20:16	0.04	-0.001	-1
8/28/2006	8:35:16	0.04	-0.001	-1
8/28/2006	8:50:16	0.042	0.001	1
8/28/2006	9:05:16	0.049	0.008	8
8/28/2006	9:20:16	0.054	0.013	13
8/28/2006	9:35:16	0.056	0.015	15
8/28/2006	9:50:16	0.047	0.006	6
8/28/2006	10:05:16	0.04	-0.001	-1
8/28/2006	10:20:16	0.046	0.005	5
8/28/2006	10:35:16	0.05	0.009	9
8/28/2006	10:50:16	0.036	-0.005	-5
8/28/2006	11:05:16	0.035	-0.006	-6
8/28/2006	11:20:16	0.035	-0.006	-6
8/28/2006	11:35:16	0.053	0.012	12
8/28/2006	11:50:16	0.044	0.003	3
8/28/2006	12:05:16	0.034	-0.007	-7
8/28/2006	12:20:16	0.034	-0.007	-7
8/28/2006	12:35:16	0.052	0.011	11
8/28/2006	12:50:16	0.066	0.025	25
8/28/2006	13:05:16	0.047	0.006	6
8/28/2006	13:20:16	0.037	-0.004	-4
8/28/2006	13:35:16	0.039	-0.002	-2
8/28/2006	13:50:16	0.042	0.001	1
8/28/2006	14:05:16	0.044	0.003	3
8/28/2006	14:20:16	0.044	0.003	3
8/28/2006	14:35:16	0.034	-0.007	-7
8/28/2006	14:50:16	0.035	-0.006	-6
8/28/2006	15:05:16	0.033	-0.008	-8
8/28/2006	15:20:16	0.03	-0.011	-11
8/28/2006	15:35:16	0.032	-0.009	-9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:56) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/29/2006 7:11			0				0
2	8/29/2006 7:26			0				0
3	8/29/2006 7:41			0				0
4	8/29/2006 7:56			0				0
5	8/29/2006 8:11			0				0
6	8/29/2006 8:26			0				0
7	8/29/2006 8:41			0				0
8	8/29/2006 8:56			0				0
9	8/29/2006 9:11			0				0
10	8/29/2006 9:26			0				0
11	8/29/2006 9:41			0				0
12	8/29/2006 9:56			0				0
13	8/29/2006 10:11			0				0
14	8/29/2006 10:26			0				0
15	8/29/2006 10:41			0				0
16	8/29/2006 10:56			0				0
17	8/29/2006 11:11			0				0
18	8/29/2006 11:26			0				0
19	8/29/2006 11:41			0				0
20	8/29/2006 11:56			0				0
21	8/29/2006 12:11			0				0
22	8/29/2006 12:26			0				0
23	8/29/2006 12:41			0				0
24	8/29/2006 12:56			0				0
25	8/29/2006 13:11			0				0
26	8/29/2006 13:26			0				0
27	8/29/2006 13:41			0				0
28	8/29/2006 13:56			0				0
29	8/29/2006 14:11			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2006
Start Time:	6:58:02
Duration (dd:hh:mm:ss):	00:02:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	8
Notes:	Background Reading (AM - 6:56) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2006	7:13:02	0.013	-0.009	-9
8/29/2006	7:28:02	0.009	-0.013	-13
8/29/2006	7:43:02	0.009	-0.013	-13
8/29/2006	7:58:02	0.009	-0.013	-13
8/29/2006	8:13:02	0.012	-0.01	-10
8/29/2006	8:28:02	0.012	-0.01	-10
8/29/2006	8:43:02	0.014	-0.008	-8
8/29/2006	8:58:02	0.017	-0.005	-5
8/29/2006	9:13:02	0.009	-0.013	-13
8/29/2006	9:28:02	0.01	-0.012	-12
8/29/2006	9:43:02	0.02	-0.002	-2
8/29/2006	9:58:02	0.016	-0.006	-6
8/29/2006	10:13:02	0.013	-0.009	-9
8/29/2006	10:28:02	0.025	0.003	3
8/29/2006	10:43:02	0.014	-0.008	-8
8/29/2006	10:58:02	0.016	-0.006	-6
8/29/2006	11:13:02	0.021	-0.001	-1
8/29/2006	11:28:02	0.01	-0.012	-12
8/29/2006	11:43:02	0.008	-0.014	-14
8/29/2006	11:58:02	0.022	0	0
8/29/2006	12:13:02	0.013	-0.009	-9
8/29/2006	12:28:02	0.024	0.002	2
8/29/2006	12:43:02	0.011	-0.011	-11
8/29/2006	12:58:02	0.026	0.004	4
8/29/2006	13:13:02	0.005	-0.017	-17
8/29/2006	13:28:02	0.015	-0.007	-7
8/29/2006	13:43:02	0.013	-0.009	-9
8/29/2006	13:58:02	0.009	-0.013	-13
8/29/2006	14:13:02	0.007	-0.015	-15
8/29/2006	14:28:02	0.011	-0.011	-11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/29/2006 7:01			0				0
2	8/29/2006 7:16			0.1				0.1
3	8/29/2006 7:31			0.1				0.1
4	8/29/2006 7:46			0.2				0.2
5	8/29/2006 8:01			0.3				0.3
6	8/29/2006 8:16			0.3				0.3
7	8/29/2006 8:31			0.3				0.3
8	8/29/2006 8:46			0.4				0.4
9	8/29/2006 9:01			0.4				0.4
10	8/29/2006 9:16			0.4				0.4
11	8/29/2006 9:31			0.4				0.4
12	8/29/2006 9:46			0.5				0.5
13	8/29/2006 10:01			0.4				0.4
14	8/29/2006 10:16			0.5				0.5
15	8/29/2006 10:31			0.5				0.5
16	8/29/2006 10:46			0.5				0.5
17	8/29/2006 11:01			0.6				0.6
18	8/29/2006 11:16			0.6				0.6
19	8/29/2006 11:31			0.6				0.6
20	8/29/2006 11:46			0.6				0.6
21	8/29/2006 12:01			0.6				0.6
22	8/29/2006 12:16			0.6				0.6
23	8/29/2006 12:31			0.7				0.7
24	8/29/2006 12:46			0.7				0.7
25	8/29/2006 13:01			0.7				0.7
26	8/29/2006 13:16			0.7				0.7
27	8/29/2006 13:31			0.7				0.7
28	8/29/2006 13:46			0.7				0.7
29	8/29/2006 14:01			0.7				0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2006
Start Time:	6:46:59
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	

Background Reading (AM - 6:47) = 0.038 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2006	7:01:59	0.018	-0.02	-20
8/29/2006	7:16:59	0.018	-0.02	-20
8/29/2006	7:31:59	0.016	-0.022	-22
8/29/2006	7:46:59	0.015	-0.023	-23
8/29/2006	8:01:59	0.017	-0.021	-21
8/29/2006	8:16:59	0.018	-0.02	-20
8/29/2006	8:31:59	0.021	-0.017	-17
8/29/2006	8:46:59	0.02	-0.018	-18
8/29/2006	9:01:59	0.022	-0.016	-16
8/29/2006	9:16:59	0.027	-0.011	-11
8/29/2006	9:31:59	0.025	-0.013	-13
8/29/2006	9:46:59	0.024	-0.014	-14
8/29/2006	10:01:59	0.033	-0.005	-5
8/29/2006	10:16:59	0.034	-0.004	-4
8/29/2006	10:31:59	0.039	0.001	1
8/29/2006	10:46:59	0.035	-0.003	-3
8/29/2006	11:01:59	0.027	-0.011	-11
8/29/2006	11:16:59	0.023	-0.015	-15

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/29/2006 6:46			0				0
2	8/29/2006 7:01			0				0
3	8/29/2006 7:16			0				0
4	8/29/2006 7:31			0				0
5	8/29/2006 7:46			0				0
6	8/29/2006 8:01			0				0
7	8/29/2006 8:16			0				0
8	8/29/2006 8:31			0				0
9	8/29/2006 8:46			0				0
10	8/29/2006 9:01			0				0
11	8/29/2006 9:16			0				0
12	8/29/2006 9:31			0				0
13	8/29/2006 9:46			0				0
14	8/29/2006 10:01			0				0
15	8/29/2006 10:16			0				0
16	8/29/2006 10:31			0				0
17	8/29/2006 10:46			0				0
18	8/29/2006 11:01			0				0
19	8/29/2006 11:16			0				0
20	8/29/2006 11:31			0				0
21	8/29/2006 11:46			0				0
22	8/29/2006 12:01			0				0
23	8/29/2006 12:16			0				0
24	8/29/2006 12:31			0				0
25	8/29/2006 12:46			0				0
26	8/29/2006 13:01			0				0
27	8/29/2006 13:16			0				0
28	8/29/2006 13:31			0				0
29	8/29/2006 13:46			0				0
30	8/29/2006 14:01			0				0
31	8/29/2006 14:16			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2006
Start Time:	6:35:30
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 6:32) = 0.026 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2006	6:50:30	0.028	0.002	2
8/29/2006	7:05:30	0.025	-0.001	-1
8/29/2006	7:20:30	0.024	-0.002	-2
8/29/2006	7:35:30	0.025	-0.001	-1
8/29/2006	7:50:30	0.023	-0.003	-3
8/29/2006	8:05:30	0.024	-0.002	-2
8/29/2006	8:20:30	0.026	0	0
8/29/2006	8:35:30	0.033	0.007	7
8/29/2006	8:50:30	0.051	0.025	25
8/29/2006	9:05:30	0.052	0.026	26
8/29/2006	9:20:30	0.038	0.012	12
8/29/2006	9:35:30	0.049	0.023	23
8/29/2006	9:50:30	0.065	0.039	39
8/29/2006	10:05:30	0.033	0.007	7
8/29/2006	10:20:30	0.046	0.02	20
8/29/2006	10:35:30	0.045	0.019	19
8/29/2006	10:50:30	0.032	0.006	6
8/29/2006	11:05:30	0.03	0.004	4
8/29/2006	11:20:30	0.033	0.007	7
8/29/2006	11:35:30	0.047	0.021	21
8/29/2006	11:50:30	0.037	0.011	11
8/29/2006	12:05:30	0.033	0.007	7
8/29/2006	12:20:30	0.03	0.004	4
8/29/2006	12:35:30	0.027	0.001	1
8/29/2006	12:50:30	0.023	-0.003	-3
8/29/2006	13:05:30	0.019	-0.007	-7
8/29/2006	13:20:30	0.016	-0.01	-10
8/29/2006	13:35:30	0.016	-0.01	-10
8/29/2006	13:50:30	0.02	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 05:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/29/2006 6:41			0				0
2	8/29/2006 6:56			0				0
3	8/29/2006 7:11			0				0
4	8/29/2006 7:26			0				0
5	8/29/2006 7:41			0				0
6	8/29/2006 7:56			0				0
7	8/29/2006 8:11			0				0
8	8/29/2006 8:26			0				0
9	8/29/2006 8:41			0				0
10	8/29/2006 8:56			0				0
11	8/29/2006 9:11			0				0
12	8/29/2006 9:26			0				0
13	8/29/2006 9:41			0				0
14	8/29/2006 9:56			0				0
15	8/29/2006 10:11			0				0
16	8/29/2006 10:26			0				0
17	8/29/2006 10:41			0				0
18	8/29/2006 10:56			0				0
19	8/29/2006 11:11			0				0
20	8/29/2006 11:26			0				0
21	8/29/2006 11:41			0				0
22	8/29/2006 11:56			0				0
23	8/29/2006 12:11			0				0
24	8/29/2006 12:26			0				0
25	8/29/2006 12:41			0				0
26	8/29/2006 12:56			0				0
27	8/29/2006 13:11			0				0
28	8/29/2006 13:26			0				0
29	8/29/2006 13:41			0				0
30	8/29/2006 13:56			0				0
31	8/29/2006 14:11			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	27
Test Abbreviation:	
Start Date:	8/29/2006
Start Time:	6:29:02
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	

Background Reading (AM - 6:24) = 0.031 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2006	6:44:02	0.028	-0.003	-3
8/29/2006	6:59:02	0.047	0.016	16
8/29/2006	7:14:02	0.043	0.012	12
8/29/2006	7:29:02	0.029	-0.002	-2
8/29/2006	7:44:02	0.032	0.001	1
8/29/2006	7:59:02	0.03	-0.001	-1
8/29/2006	8:14:02	0.036	0.005	5
8/29/2006	8:29:02	0.042	0.011	11
8/29/2006	8:44:02	0.042	0.011	11
8/29/2006	8:59:02	0.038	0.007	7
8/29/2006	9:14:02	0.044	0.013	13
8/29/2006	9:29:02	0.045	0.014	14
8/29/2006	9:44:02	0.043	0.012	12
8/29/2006	9:59:02	0.038	0.007	7
8/29/2006	10:14:02	0.049	0.018	18
8/29/2006	10:29:02	0.052	0.021	21
8/29/2006	10:44:02	0.039	0.008	8
8/29/2006	10:59:02	0.048	0.017	17
8/29/2006	11:14:02	0.066	0.035	35
8/29/2006	11:29:02	0.098	0.067	67
8/29/2006	12:12:42	0.039	0.008	8
8/29/2006	12:27:42	0.033	0.002	2
8/29/2006	12:42:42	0.029	-0.002	-2
8/29/2006	12:57:42	0.026	-0.005	-5
8/29/2006	13:12:42	0.028	-0.003	-3
8/29/2006	13:27:42	0.024	-0.007	-7
8/29/2006	13:42:42	0.036	0.005	5
8/29/2006	13:57:42	0.063	0.032	32
8/29/2006	14:12:42	0.08	0.049	49
8/29/2006	14:27:42	0.059	0.028	28

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/30/2006 07:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/30/2006 7:26			0				0
2	8/30/2006 7:41			0				0
3	8/30/2006 7:56			0				0
4	8/30/2006 8:11			0				0
5	8/30/2006 8:26			0				0
6	8/30/2006 8:41			0				0
7	8/30/2006 8:56			0				0
8	8/30/2006 9:11			0				0
9	8/30/2006 9:26			0				0
10	8/30/2006 9:41			0				0
11	8/30/2006 9:56			0				0
12	8/30/2006 10:11			0				0
13	8/30/2006 10:26			0				0
14	8/30/2006 10:41			0				0
15	8/30/2006 10:56			0				0
16	8/30/2006 11:11			0				0
17	8/30/2006 11:26			0				0
18	8/30/2006 11:41			0				0
19	8/30/2006 11:56			0				0
20	8/30/2006 12:11			0				0
21	8/30/2006 12:26			0				0
22	8/30/2006 12:41			0				0
23	8/30/2006 12:56			0				0
24	8/30/2006 13:11			0				0
25	8/30/2006 13:26			0				0
26	8/30/2006 13:41			0				0
27	8/30/2006 13:56			0				0
28	8/30/2006 14:11			0				0
29	8/30/2006 14:26			0				0
30	8/30/2006 14:41			0				0
31	8/30/2006 14:56			0				0
32	8/30/2006 15:11			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/30/2006
Start Time:	7:03:59
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 7:02) = 0.039 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2006	7:18:59	0.014	-0.025	-25
8/30/2006	7:33:59	0.015	-0.024	-24
8/30/2006	7:48:59	0.012	-0.027	-27
8/30/2006	8:03:59	0.013	-0.026	-26
8/30/2006	8:18:59	0.014	-0.025	-25
8/30/2006	8:33:59	0.012	-0.027	-27
8/30/2006	8:48:59	0.013	-0.026	-26
8/30/2006	9:03:59	0.014	-0.025	-25
8/30/2006	9:18:59	0.014	-0.025	-25
8/30/2006	9:33:59	0.014	-0.025	-25
8/30/2006	9:48:59	0.013	-0.026	-26
8/30/2006	10:03:59	0.019	-0.02	-20
8/30/2006	10:18:59	0.016	-0.023	-23
8/30/2006	10:33:59	0.014	-0.025	-25
8/30/2006	10:48:59	0.014	-0.025	-25
8/30/2006	11:03:59	0.015	-0.024	-24
8/30/2006	11:18:59	0.015	-0.024	-24
8/30/2006	11:33:59	0.017	-0.022	-22
8/30/2006	11:48:59	0.018	-0.021	-21
8/30/2006	12:03:59	0.016	-0.023	-23
8/30/2006	12:18:59	0.015	-0.024	-24
8/30/2006	12:33:59	0.013	-0.026	-26
8/30/2006	12:48:59	0.015	-0.024	-24
8/30/2006	13:03:59	0.014	-0.025	-25
8/30/2006	13:18:59	0.016	-0.023	-23
8/30/2006	13:33:59	0.014	-0.025	-25
8/30/2006	13:48:59	0.013	-0.026	-26
8/30/2006	14:03:59	0.012	-0.027	-27
8/30/2006	14:18:59	0.013	-0.026	-26
8/30/2006	14:33:59	0.013	-0.026	-26
8/30/2006	14:48:59	0.013	-0.026	-26
8/30/2006	15:03:59	0.014	-0.025	-25
8/30/2006	15:18:59	0.014	-0.025	-25

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/30/2006 04:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/30/2006 7:11			0				0
2	8/30/2006 7:26			0				0
3	8/30/2006 7:41			0				0
4	8/30/2006 7:56			0.1				0.1
5	8/30/2006 8:11			0.2				0.2
6	8/30/2006 8:26			0.2				0.2
7	8/30/2006 8:41			0.2				0.2
8	8/30/2006 8:56			0.3				0.3
9	8/30/2006 9:11			0.3				0.3
10	8/30/2006 9:26			0.3				0.3
11	8/30/2006 9:41			0.3				0.3
12	8/30/2006 9:56			0.4				0.4
13	8/30/2006 10:11			0.4				0.4
14	8/30/2006 10:26			0.4				0.4
15	8/30/2006 10:41			0.4				0.4
16	8/30/2006 10:56			0.4				0.4
17	8/30/2006 11:11			0.4				0.4
18	8/30/2006 11:26			0.4				0.4
19	8/30/2006 11:41			0.4				0.4
20	8/30/2006 11:56			0.5				0.5
21	8/30/2006 12:11			0.5				0.5
22	8/30/2006 12:26			0.4				0.4
23	8/30/2006 12:41			0.4				0.4
24	8/30/2006 12:56			0.4				0.4
25	8/30/2006 13:11			0.5				0.5
26	8/30/2006 13:26			0.5				0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/30/2006
Start Time:	6:57:47
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:46) = 0.016 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2006	7:12:47	0.012	-0.004	-4
8/30/2006	7:27:47	0.015	-0.001	-1
8/30/2006	7:42:47	0.011	-0.005	-5
8/30/2006	7:57:47	0.01	-0.006	-6
8/30/2006	8:12:47	0.014	-0.002	-2
8/30/2006	8:27:47	0.015	-0.001	-1
8/30/2006	8:42:47	0.01	-0.006	-6
8/30/2006	8:57:47	0.013	-0.003	-3
8/30/2006	9:12:47	0.012	-0.004	-4
8/30/2006	9:27:47	0.01	-0.006	-6
8/30/2006	9:42:47	0.015	-0.001	-1
8/30/2006	9:57:47	0.014	-0.002	-2
8/30/2006	10:12:47	0.016	0	0
8/30/2006	10:27:47	0.015	-0.001	-1
8/30/2006	10:42:47	0.015	-0.001	-1
8/30/2006	10:57:47	0.015	-0.001	-1
8/30/2006	11:12:47	0.016	0	0
8/30/2006	11:27:47	0.019	0.003	3
8/30/2006	11:42:47	0.017	0.001	1
8/30/2006	11:57:47	0.019	0.003	3
8/30/2006	12:12:47	0.018	0.002	2
8/30/2006	12:27:47	0.015	-0.001	-1
8/30/2006	12:42:47	0.011	-0.005	-5
8/30/2006	12:57:47	0.015	-0.001	-1
8/30/2006	13:12:47	0.012	-0.004	-4
8/30/2006	13:27:47	0.016	0	0
8/30/2006	13:42:47	0.014	-0.002	-2
8/30/2006	13:57:47	0.011	-0.005	-5
8/30/2006	14:12:47	0.012	-0.004	-4
8/30/2006	14:27:47	0.013	-0.003	-3
8/30/2006	14:42:47	0.017	0.001	1
8/30/2006	14:57:47	0.014	-0.002	-2
8/30/2006	15:12:47	0.016	0	0
8/30/2006	15:27:47	0.019	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/30/2006 04:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/30/2006 6:59			0				0
2	8/30/2006 7:14			0				0
3	8/30/2006 7:29			0				0
4	8/30/2006 7:44			0				0
5	8/30/2006 7:59			0				0
6	8/30/2006 8:14			0				0
7	8/30/2006 8:29			0				0
8	8/30/2006 8:44			0				0
9	8/30/2006 8:59			0				0
10	8/30/2006 9:14			0				0
11	8/30/2006 9:29			0				0
12	8/30/2006 9:44			0				0
13	8/30/2006 9:59			0				0
14	8/30/2006 10:14			0				0
15	8/30/2006 10:29			0				0
16	8/30/2006 10:44			0				0
17	8/30/2006 10:59			0				0
18	8/30/2006 11:14			0				0
19	8/30/2006 11:29			0				0
20	8/30/2006 11:44			0				0
21	8/30/2006 11:59			0				0
22	8/30/2006 12:14			0				0
23	8/30/2006 12:29			0				0
24	8/30/2006 12:44			0				0
25	8/30/2006 12:59			0				0
26	8/30/2006 13:14			0				0
27	8/30/2006 13:29			0				0
28	8/30/2006 13:44			0				0
29	8/30/2006 13:59			0				0
30	8/30/2006 14:14			0				0
31	8/30/2006 14:29			0				0
32	8/30/2006 14:44			0				0
33	8/30/2006 14:59			0				0
34	8/30/2006 15:14			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	2
Test Abbreviation:	
Start Date:	8/30/2006
Start Time:	6:44:14
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:46) = 0.016 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2006	6:59:14	0.021	0.005	5
8/30/2006	7:14:14	0.028	0.012	12
8/30/2006	7:29:14	0.02	0.004	4
8/30/2006	7:44:14	0.014	-0.002	-2
8/30/2006	7:59:14	0.018	0.002	2
8/30/2006	8:14:14	0.018	0.002	2
8/30/2006	8:29:14	0.016	0	0
8/30/2006	8:44:14	0.017	0.001	1
8/30/2006	8:59:14	0.024	0.008	8
8/30/2006	9:14:14	0.02	0.004	4
8/30/2006	9:29:14	0.015	-0.001	-1
8/30/2006	9:44:14	0.02	0.004	4
8/30/2006	9:59:14	0.019	0.003	3
8/30/2006	10:14:14	0.023	0.007	7
8/30/2006	10:29:14	0.02	0.004	4
8/30/2006	10:44:14	0.028	0.012	12
8/30/2006	10:59:14	0.022	0.006	6
8/30/2006	11:14:14	0.023	0.007	7
8/30/2006	11:29:14	0.028	0.012	12
8/30/2006	11:44:14	0.029	0.013	13
8/30/2006	11:59:14	0.028	0.012	12
8/30/2006	12:14:14	0.021	0.005	5
8/30/2006	12:29:14	0.022	0.006	6
8/30/2006	12:44:14	0.02	0.004	4
8/30/2006	12:59:14	0.019	0.003	3
8/30/2006	13:14:14	0.021	0.005	5
8/30/2006	13:29:14	0.021	0.005	5
8/30/2006	13:44:14	0.019	0.003	3
8/30/2006	13:59:14	0.03	0.014	14
8/30/2006	14:14:14	0.019	0.003	3
8/30/2006	14:29:14	0.026	0.01	10
8/30/2006	14:44:14	0.026	0.01	10
8/30/2006	14:59:14	0.018	0.002	2
8/30/2006	15:14:14	0.02	0.004	4
8/30/2006	15:29:14	0.021	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/30/2006 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:36) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/30/2006 6:49			0				0
2	8/30/2006 7:04			0				0
3	8/30/2006 7:19			0				0
4	8/30/2006 7:34			0				0
5	8/30/2006 7:49			0				0
6	8/30/2006 8:04			0				0
7	8/30/2006 8:19			0				0
8	8/30/2006 8:34			0				0
9	8/30/2006 8:49			0.1				0.1
10	8/30/2006 9:04			0.1				0.1
11	8/30/2006 9:19			0				0
12	8/30/2006 9:34			0				0
13	8/30/2006 9:49			0				0
14	8/30/2006 10:04			0				0
15	8/30/2006 10:19			0.1				0.1
16	8/30/2006 10:34			0.1				0.1
17	8/30/2006 10:49			0.1				0.1
18	8/30/2006 11:04			0.1				0.1
19	8/30/2006 11:19			0.1				0.1
20	8/30/2006 11:34			0.1				0.1
21	8/30/2006 11:49			0.2				0.2
22	8/30/2006 12:04			0.2				0.2
23	8/30/2006 12:19			0.2				0.2
24	8/30/2006 12:34			0.2				0.2
25	8/30/2006 12:49			0.3				0.3
26	8/30/2006 13:04			0.3				0.3
27	8/30/2006 13:19			0.3				0.3
28	8/30/2006 13:34			0.3				0.3
29	8/30/2006 13:49			0.4				0.4
30	8/30/2006 14:04			0.3				0.3
31	8/30/2006 14:19			0.3				0.3
32	8/30/2006 14:34			0.3				0.3
33	8/30/2006 14:49			0.3				0.3
34	8/30/2006 15:04			0.3				0.3
35	8/30/2006 15:19			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	29
Test Abbreviation:	
Start Date:	8/30/2006
Start Time:	6:37:08
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:36) = 0.013 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2006	6:52:08	0.015	0.002	2
8/30/2006	7:07:08	0.017	0.004	4
8/30/2006	7:22:08	0.02	0.007	7
8/30/2006	7:37:08	0.02	0.007	7
8/30/2006	7:52:08	0.024	0.011	11
8/30/2006	8:07:08	0.033	0.02	20
8/30/2006	8:22:08	0.025	0.012	12
8/30/2006	8:37:08	0.034	0.021	21
8/30/2006	8:52:08	0.043	0.03	30
8/30/2006	9:07:08	0.027	0.014	14
8/30/2006	9:22:08	0.022	0.009	9
8/30/2006	9:37:08	0.025	0.012	12
8/30/2006	9:52:08	0.031	0.018	18
8/30/2006	10:07:08	0.025	0.012	12
8/30/2006	10:22:08	0.025	0.012	12
8/30/2006	10:37:08	0.021	0.008	8
8/30/2006	10:52:08	0.025	0.012	12
8/30/2006	11:07:08	0.032	0.019	19
8/30/2006	11:22:08	0.023	0.01	10
8/30/2006	11:37:08	0.029	0.016	16
8/30/2006	11:52:08	0.024	0.011	11
8/30/2006	12:07:08	0.022	0.009	9
8/30/2006	12:22:08	0.021	0.008	8
8/30/2006	12:37:08	0.02	0.007	7
8/30/2006	12:52:08	0.02	0.007	7
8/30/2006	13:07:08	0.019	0.006	6
8/30/2006	13:22:08	0.02	0.007	7
8/30/2006	13:37:08	0.02	0.007	7
8/30/2006	13:52:08	0.029	0.016	16
8/30/2006	14:07:08	0.031	0.018	18
8/30/2006	14:22:08	0.024	0.011	11
8/30/2006	14:37:08	0.027	0.014	14
8/30/2006	14:52:08	0.052	0.039	39
8/30/2006	15:07:08	0.038	0.025	25
8/30/2006	15:22:08	0.045	0.032	32
8/30/2006	15:37:08	0.041	0.028	28

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/29/2006 7:01			0				0
2	8/29/2006 7:16			0.1				0.1
3	8/29/2006 7:31			0.1				0.1
4	8/29/2006 7:46			0.2				0.2
5	8/29/2006 8:01			0.3				0.3
6	8/29/2006 8:16			0.3				0.3
7	8/29/2006 8:31			0.3				0.3
8	8/29/2006 8:46			0.4				0.4
9	8/29/2006 9:01			0.4				0.4
10	8/29/2006 9:16			0.4				0.4
11	8/29/2006 9:31			0.4				0.4
12	8/29/2006 9:46			0.5				0.5
13	8/29/2006 10:01			0.4				0.4
14	8/29/2006 10:16			0.5				0.5
15	8/29/2006 10:31			0.5				0.5
16	8/29/2006 10:46			0.5				0.5
17	8/29/2006 11:01			0.6				0.6
18	8/29/2006 11:16			0.6				0.6
19	8/29/2006 11:31			0.6				0.6
20	8/29/2006 11:46			0.6				0.6
21	8/29/2006 12:01			0.6				0.6
22	8/29/2006 12:16			0.6				0.6
23	8/29/2006 12:31			0.7				0.7
24	8/29/2006 12:46			0.7				0.7
25	8/29/2006 13:01			0.7				0.7
26	8/29/2006 13:16			0.7				0.7
27	8/29/2006 13:31			0.7				0.7
28	8/29/2006 13:46			0.7				0.7
29	8/29/2006 14:01			0.7				0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	8/31/2006
Start Time:	6:55:31
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:51) = 0.006 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2006	7:10:31	0.009	0.003	3
8/31/2006	7:25:31	0.008	0.002	2
8/31/2006	7:40:31	0.009	0.003	3
8/31/2006	7:55:31	0.011	0.005	5
8/31/2006	8:10:31	0.01	0.004	4
8/31/2006	8:25:31	0.009	0.003	3
8/31/2006	8:40:31	0.01	0.004	4
8/31/2006	8:55:31	0.009	0.003	3
8/31/2006	9:10:31	0.01	0.004	4
8/31/2006	9:25:31	0.01	0.004	4
8/31/2006	9:40:31	0.01	0.004	4
8/31/2006	9:55:31	0.011	0.005	5
8/31/2006	10:10:31	0.011	0.005	5
8/31/2006	10:25:31	0.011	0.005	5
8/31/2006	10:40:31	0.01	0.004	4
8/31/2006	10:55:31	0.011	0.005	5
8/31/2006	11:10:31	0.011	0.005	5
8/31/2006	11:25:31	0.012	0.006	6
8/31/2006	11:40:31	0.013	0.007	7
8/31/2006	11:55:31	0.013	0.007	7
8/31/2006	12:10:31	0.011	0.005	5
8/31/2006	12:25:31	0.008	0.002	2
8/31/2006	12:40:31	0.008	0.002	2
8/31/2006	12:55:31	0.009	0.003	3
8/31/2006	13:10:31	0.01	0.004	4
8/31/2006	13:25:31	0.009	0.003	3
8/31/2006	13:40:31	0.011	0.005	5
8/31/2006	13:55:31	0.01	0.004	4
8/31/2006	14:10:31	0.011	0.005	5
8/31/2006	14:25:31	0.008	0.002	2
8/31/2006	14:40:31	0.009	0.003	3
8/31/2006	14:55:31	0.009	0.003	3
8/31/2006	15:10:31	0.008	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:43) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/31/2006 6:57			0				0
2	8/31/2006 7:12			0				0
3	8/31/2006 7:27			0				0
4	8/31/2006 7:42			0				0
5	8/31/2006 7:57			0				0
6	8/31/2006 8:12			0				0
7	8/31/2006 8:27			0				0
8	8/31/2006 8:42			0.1				0.1
9	8/31/2006 8:57			0.1				0.1
10	8/31/2006 9:12			0.1				0.1
11	8/31/2006 9:27			0.1				0.1
12	8/31/2006 9:42			0.1				0.1
13	8/31/2006 9:57			0.1				0.1
14	8/31/2006 10:12			0.1				0.1
15	8/31/2006 10:27			0.1				0.1
16	8/31/2006 10:42			0.1				0.1
17	8/31/2006 10:57			0.1				0.1
18	8/31/2006 11:12			0.1				0.1
19	8/31/2006 11:27			0.1				0.1
20	8/31/2006 11:42			0.1				0.1
21	8/31/2006 11:57			0.1				0.1
22	8/31/2006 12:12			0.1				0.1
23	8/31/2006 12:27			0.2				0.2
24	8/31/2006 12:42			0.2				0.2
25	8/31/2006 12:57			0.2				0.2
26	8/31/2006 13:12			0.2				0.2
27	8/31/2006 13:27			0.2				0.2
28	8/31/2006 13:42			0.2				0.2
29	8/31/2006 13:57			0.2				0.2
30	8/31/2006 14:12			0.2				0.2
31	8/31/2006 14:27			0.2				0.2
32	8/31/2006 14:42			0.2				0.2
33	8/31/2006 14:57			0.2				0.2
34	8/31/2006 15:12			0.2				0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	8/31/2006
Start Time:	6:47:32
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	

Background Reading (AM - 6:43) = 0.009 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2006	7:02:32	0.014	0.005	5
8/31/2006	7:17:32	0.012	0.003	3
8/31/2006	7:32:32	0.01	0.001	1
8/31/2006	7:47:32	0.009	0	0
8/31/2006	8:02:32	0.01	0.001	1
8/31/2006	8:17:32	0.013	0.004	4
8/31/2006	8:32:32	0.014	0.005	5
8/31/2006	8:47:32	0.011	0.002	2
8/31/2006	9:02:32	0.009	0	0
8/31/2006	9:17:32	0.011	0.002	2
8/31/2006	9:32:32	0.01	0.001	1
8/31/2006	9:47:32	0.009	0	0
8/31/2006	10:02:32	0.009	0	0
8/31/2006	10:17:32	0.009	0	0
8/31/2006	10:32:32	0.012	0.003	3
8/31/2006	10:47:32	0.011	0.002	2
8/31/2006	11:02:32	0.011	0.002	2
8/31/2006	11:17:32	0.009	0	0
8/31/2006	11:32:32	0.008	-0.001	-1
8/31/2006	11:47:32	0.009	0	0
8/31/2006	12:02:32	0.009	0	0
8/31/2006	12:17:32	0.009	0	0
8/31/2006	12:32:32	0.008	-0.001	-1
8/31/2006	12:47:32	0.009	0	0
8/31/2006	13:02:32	0.012	0.003	3
8/31/2006	13:17:32	0.009	0	0
8/31/2006	13:32:32	0.011	0.002	2
8/31/2006	13:47:32	0.007	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:34) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/31/2006 6:46			0				0
2	8/31/2006 7:01			0				0
3	8/31/2006 7:16			0				0
4	8/31/2006 7:31			0				0
5	8/31/2006 7:46			0				0
6	8/31/2006 8:01			0				0
7	8/31/2006 8:16			0				0
8	8/31/2006 8:31			0				0
9	8/31/2006 8:46			0				0
10	8/31/2006 9:01			0				0
11	8/31/2006 9:16			0				0
12	8/31/2006 9:31			0				0
13	8/31/2006 9:46			0				0
14	8/31/2006 10:01			0				0
15	8/31/2006 10:16			0				0
16	8/31/2006 10:31			0				0
17	8/31/2006 10:46			0				0
18	8/31/2006 11:01			0				0
19	8/31/2006 11:16			0				0
20	8/31/2006 11:31			0				0
21	8/31/2006 11:46			0				0
22	8/31/2006 12:01			0				0
23	8/31/2006 12:16			0				0
24	8/31/2006 12:31			0				0
25	8/31/2006 12:46			0				0
26	8/31/2006 13:01			0				0
27	8/31/2006 13:16			0				0
28	8/31/2006 13:31			0				0
29	8/31/2006 13:46			0				0
30	8/31/2006 14:01			0				0
31	8/31/2006 14:16			0				0
32	8/31/2006 14:31			0				0
33	8/31/2006 14:46			0				0
34	8/31/2006 15:01			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	3
Test Abbreviation:	
Start Date:	8/31/2006
Start Time:	6:36:04
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:34) = 0.006 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2006	6:51:04	0.007	0.001	1
8/31/2006	7:06:04	0.008	0.002	2
8/31/2006	7:21:04	0.014	0.008	8
8/31/2006	7:36:04	0.017	0.011	11
8/31/2006	7:51:04	0.006	0	0
8/31/2006	8:06:04	0.016	0.01	10
8/31/2006	8:21:04	0.008	0.002	2
8/31/2006	8:36:04	0.009	0.003	3
8/31/2006	8:51:04	0.008	0.002	2
8/31/2006	9:06:04	0.009	0.003	3
8/31/2006	9:21:04	0.013	0.007	7
8/31/2006	9:36:04	0.01	0.004	4
8/31/2006	9:51:04	0.009	0.003	3
8/31/2006	10:06:04	0.012	0.006	6
8/31/2006	10:21:04	0.007	0.001	1
8/31/2006	10:36:04	0.018	0.012	12
8/31/2006	10:51:04	0.023	0.017	17
8/31/2006	11:06:04	0.015	0.009	9
8/31/2006	11:21:04	0.013	0.007	7
8/31/2006	11:36:04	0.008	0.002	2
8/31/2006	11:51:04	0.006	0	0
8/31/2006	12:06:04	0.011	0.005	5
8/31/2006	12:21:04	0.011	0.005	5
8/31/2006	12:36:04	0.016	0.01	10
8/31/2006	12:51:04	0.011	0.005	5
8/31/2006	13:06:04	0.011	0.005	5
8/31/2006	13:21:04	0.011	0.005	5
8/31/2006	13:36:04	0.021	0.015	15
8/31/2006	13:51:04	0.015	0.009	9
8/31/2006	14:06:04	0.017	0.011	11
8/31/2006	14:21:04	0.017	0.011	11
8/31/2006	14:36:04	0.016	0.01	10
8/31/2006	14:51:04	0.014	0.008	8
8/31/2006	15:06:04	0.012	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	8/31/2006 6:41			0				0
2	8/31/2006 6:56			0				0
3	8/31/2006 7:11			0				0
4	8/31/2006 7:26			0				0
5	8/31/2006 7:41			0				0
6	8/31/2006 7:56			0.1				0.1
7	8/31/2006 8:11			0.1				0.1
8	8/31/2006 8:26			0.1				0.1
9	8/31/2006 8:41			0.2				0.2
10	8/31/2006 8:56			0.2				0.2
11	8/31/2006 9:11			0.2				0.2
12	8/31/2006 9:26			0.2				0.2
13	8/31/2006 9:41			0.2				0.2
14	8/31/2006 9:56			0.2				0.2
15	8/31/2006 10:11			0.2				0.2
16	8/31/2006 10:26			0.2				0.2
17	8/31/2006 10:41			0.3				0.3
18	8/31/2006 10:56			0.3				0.3
19	8/31/2006 11:11			0.3				0.3
20	8/31/2006 11:26			0.3				0.3
21	8/31/2006 11:41			0.3				0.3
22	8/31/2006 11:56			0.3				0.3
23	8/31/2006 12:11			0.3				0.3
24	8/31/2006 12:26			0.3				0.3
25	8/31/2006 12:41			0.3				0.3
26	8/31/2006 12:56			0.3				0.3
27	8/31/2006 13:11			0.3				0.3
28	8/31/2006 13:26			0.3				0.3
29	8/31/2006 13:41			0.4				0.4
30	8/31/2006 13:56			0.3				0.3
31	8/31/2006 14:11			0.4				0.4
32	8/31/2006 14:26			0.6				0.6
33	8/31/2006 14:41			0.5				0.5
34	8/31/2006 14:56			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	1
Test Abbreviation:	
Start Date:	8/31/2006
Start Time:	6:28:02
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 6:26) = 0.014 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2006	6:43:02	0.009	-0.005	-5
8/31/2006	6:58:02	0.011	-0.003	-3
8/31/2006	7:13:02	0.012	-0.002	-2
8/31/2006	7:28:02	0.009	-0.005	-5
8/31/2006	7:43:02	0.009	-0.005	-5
8/31/2006	7:58:02	0.028	0.014	14
8/31/2006	8:13:02	0.019	0.005	5
8/31/2006	8:28:02	0.022	0.008	8
8/31/2006	8:43:02	0.025	0.011	11
8/31/2006	8:58:02	0.039	0.025	25
8/31/2006	9:13:02	0.033	0.019	19
8/31/2006	9:28:02	0.025	0.011	11
8/31/2006	9:43:02	0.021	0.007	7
8/31/2006	9:58:02	0.021	0.007	7
8/31/2006	10:13:02	0.01	-0.004	-4
8/31/2006	10:28:02	0.008	-0.006	-6
8/31/2006	10:43:02	0.01	-0.004	-4
8/31/2006	10:58:02	0.01	-0.004	-4
8/31/2006	11:13:02	0.01	-0.004	-4
8/31/2006	11:28:02	0.008	-0.006	-6
8/31/2006	11:43:02	0.017	0.003	3
8/31/2006	11:58:02	0.015	0.001	1
8/31/2006	12:13:02	0.014	0	0
8/31/2006	12:28:02	0.015	0.001	1
8/31/2006	12:43:02	0.02	0.006	6
8/31/2006	12:58:02	0.025	0.011	11
8/31/2006	13:13:02	0.013	-0.001	-1
8/31/2006	13:28:02	0.024	0.01	10
8/31/2006	13:43:02	0.014	0	0
8/31/2006	13:58:02	0.016	0.002	2
8/31/2006	14:13:02	0.017	0.003	3
8/31/2006	14:28:02	0.017	0.003	3
8/31/2006	14:43:02	0.018	0.004	4
8/31/2006	14:58:02	0.015	0.001	1
8/31/2006	15:13:02	0.012	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:13) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/1/2006 7:29			0				0
2	9/1/2006 7:44			0				0
3	9/1/2006 7:59			0				0
4	9/1/2006 8:14			0				0
5	9/1/2006 8:29			0				0
6	9/1/2006 8:44			0.1				0.1
7	9/1/2006 8:59			0.1				0.1
8	9/1/2006 9:14			0.1				0.1
9	9/1/2006 9:29			0.1				0.1
10	9/1/2006 9:44			0.1				0.1
11	9/1/2006 9:59			0.1				0.1
12	9/1/2006 10:14			0.1				0.1
13	9/1/2006 10:29			0.1				0.1
14	9/1/2006 10:44			0.1				0.1
15	9/1/2006 10:59			0.1				0.1
16	9/1/2006 11:14			0.1				0.1
17	9/1/2006 11:29			0.1				0.1
18	9/1/2006 11:44			0.1				0.1
19	9/1/2006 11:59			0.1				0.1
20	9/1/2006 12:14			0.1				0.1

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	9/1/2006
Start Time:	7:16:24
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (AM - 7:13) = 0.007 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/1/2006	7:31:24	0.011	0.004	4
9/1/2006	7:46:24	0.01	0.003	3
9/1/2006	8:01:24	0.011	0.004	4
9/1/2006	8:16:24	0.011	0.004	4
9/1/2006	8:31:24	0.012	0.005	5
9/1/2006	8:46:24	0.014	0.007	7
9/1/2006	9:01:24	0.013	0.006	6
9/1/2006	9:16:24	0.014	0.007	7
9/1/2006	9:31:24	0.015	0.008	8
9/1/2006	9:46:24	0.014	0.007	7
9/1/2006	10:01:24	0.01	0.003	3
9/1/2006	10:16:24	0.01	0.003	3
9/1/2006	10:31:24	0.011	0.004	4
9/1/2006	10:46:24	0.009	0.002	2
9/1/2006	11:01:24	0.01	0.003	3
9/1/2006	11:16:24	0.01	0.003	3
9/1/2006	11:31:24	0.009	0.002	2
9/1/2006	11:46:24	0.011	0.004	4
9/1/2006	12:01:24	0.008	0.001	1
9/1/2006	12:16:24	0.009	0.002	2
9/1/2006	12:31:24	0.008	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/1/2006 7:21			0.1				0.1
2	9/1/2006 7:36			0.3				0.3
3	9/1/2006 7:51			0.4				0.4
4	9/1/2006 8:06			0.4				0.4
5	9/1/2006 8:21			0.5				0.5
6	9/1/2006 8:36			0.5				0.5
7	9/1/2006 8:51			0.5				0.5
8	9/1/2006 9:06			0.5				0.5
9	9/1/2006 9:21			0.6				0.6
10	9/1/2006 9:36			0.6				0.6
11	9/1/2006 9:51			0.6				0.6
12	9/1/2006 10:06			0.6				0.6
13	9/1/2006 10:21			0.6				0.6
14	9/1/2006 10:36			0.6				0.6
15	9/1/2006 10:51			0.6				0.6
16	9/1/2006 11:06			0.6				0.6
17	9/1/2006 11:21			0.6				0.6
18	9/1/2006 11:36			0.6				0.6
19	9/1/2006 11:51			0.6				0.6
20	9/1/2006 12:06			0.6				0.6
21	9/1/2006 12:21			0.6				0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	9/1/2006
Start Time:	7:09:02
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (AM - 7:05) = 0.025 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/1/2006	7:24:02	0.019	-0.006	-6
9/1/2006	7:39:02	0.016	-0.009	-9
9/1/2006	7:54:02	0.017	-0.008	-8
9/1/2006	8:09:02	0.022	-0.003	-3
9/1/2006	8:24:02	0.02	-0.005	-5
9/1/2006	8:39:02	0.021	-0.004	-4
9/1/2006	8:54:02	0.025	0	0
9/1/2006	9:09:02	0.034	0.009	9
9/1/2006	9:24:02	0.032	0.007	7
9/1/2006	9:39:02	0.028	0.003	3
9/1/2006	9:54:02	0.02	-0.005	-5
9/1/2006	10:09:02	0.017	-0.008	-8
9/1/2006	10:24:02	0.019	-0.006	-6
9/1/2006	10:39:02	0.017	-0.008	-8
9/1/2006	10:54:02	0.017	-0.008	-8
9/1/2006	11:09:02	0.016	-0.009	-9
9/1/2006	11:24:02	0.016	-0.009	-9
9/1/2006	11:39:02	0.014	-0.011	-11
9/1/2006	11:54:02	0.016	-0.009	-9
9/1/2006	12:09:02	0.015	-0.01	-10
9/1/2006	12:24:02	0.017	-0.008	-8
9/1/2006	12:39:02	0.016	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:36) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/1/2006 6:49			0				0
2	9/1/2006 7:04			0				0
3	9/1/2006 7:19			0				0
4	9/1/2006 7:34			0				0
5	9/1/2006 7:49			0				0
6	9/1/2006 8:04			0				0
7	9/1/2006 8:19			0				0
8	9/1/2006 8:34			0				0
9	9/1/2006 8:49			0				0
10	9/1/2006 9:04			0				0
11	9/1/2006 9:19			0				0
12	9/1/2006 9:34			0				0
13	9/1/2006 9:49			0				0
14	9/1/2006 10:04			0				0
15	9/1/2006 10:19			0				0
16	9/1/2006 10:34			0				0
17	9/1/2006 10:49			0				0
18	9/1/2006 11:04			0				0
19	9/1/2006 11:19			0				0
20	9/1/2006 11:34			0				0
21	9/1/2006 11:49			0				0
22	9/1/2006 12:04			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	4
Test Abbreviation:	
Start Date:	9/1/2006
Start Time:	6:41:14
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (AM - 6:36)=0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/1/2006	6:56:14	0.01	0.001	1
9/1/2006	7:11:14	0.017	0.008	8
9/1/2006	7:26:14	0.015	0.006	6
9/1/2006	7:41:14	0.017	0.008	8
9/1/2006	7:56:14	0.02	0.011	11
9/1/2006	8:11:14	0.02	0.011	11
9/1/2006	8:26:14	0.018	0.009	9
9/1/2006	8:41:14	0.024	0.015	15
9/1/2006	8:56:14	0.017	0.008	8
9/1/2006	9:11:14	0.019	0.01	10
9/1/2006	9:26:14	0.018	0.009	9
9/1/2006	9:41:14	0.03	0.021	21
9/1/2006	9:56:14	0.015	0.006	6
9/1/2006	10:11:14	0.017	0.008	8
9/1/2006	10:26:14	0.012	0.003	3
9/1/2006	10:41:14	0.016	0.007	7
9/1/2006	10:56:14	0.013	0.004	4
9/1/2006	11:11:14	0.013	0.004	4
9/1/2006	11:26:14	0.01	0.001	1
9/1/2006	11:41:14	0.01	0.001	1
9/1/2006	11:56:14	0.011	0.002	2
9/1/2006	12:11:14	0.01	0.001	1
9/1/2006	12:26:14	0.011	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/31/2006 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/1/2006 6:40			0.3				0.3
2	9/1/2006 6:55			0				0
3	9/1/2006 7:10			0				0
4	9/1/2006 7:25			0				0
5	9/1/2006 7:40			0.1				0.1
6	9/1/2006 7:55			0.1				0.1
7	9/1/2006 8:10			0.1				0.1
8	9/1/2006 8:25			0.1				0.1
9	9/1/2006 8:40			0.2				0.2
10	9/1/2006 8:55			0.2				0.2
11	9/1/2006 9:10			0.2				0.2
12	9/1/2006 9:25			0.2				0.2
13	9/1/2006 9:40			0.2				0.2
14	9/1/2006 9:55			0.2				0.2
15	9/1/2006 10:10			0.2				0.2
16	9/1/2006 10:25			0.3				0.3
17	9/1/2006 10:40			0.3				0.3
18	9/1/2006 10:55			0.3				0.3
19	9/1/2006 11:10			0.3				0.3
20	9/1/2006 11:25			0.3				0.3
21	9/1/2006 11:40			0.3				0.3
22	9/1/2006 11:55			0.3				0.3
23	9/1/2006 12:10			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

Background Reading (AM - 6:26) = 0.014 mg/m3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/05/2006 07:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:14) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/5/2006 7:27			0				0
2	9/5/2006 7:42			0.1				0.1
3	9/5/2006 7:57			0.1				0.1
4	9/5/2006 8:12			0.1				0.1
5	9/5/2006 8:27			0.1				0.1
6	9/5/2006 8:42			0.1				0.1
7	9/5/2006 8:57			0.2				0.2
8	9/5/2006 9:12			0.2				0.2
9	9/5/2006 9:27			0.2				0.2
10	9/5/2006 9:42			0.2				0.2
11	9/5/2006 9:57			0.2				0.2
12	9/5/2006 10:12			0.2				0.2
13	9/5/2006 10:27			0.2				0.2
14	9/5/2006 10:42			0.2				0.2
15	9/5/2006 10:57			0.2				0.2
16	9/5/2006 11:12			0.2				0.2
17	9/5/2006 11:27			0.2				0.2
18	9/5/2006 11:42			0.2				0.2
19	9/5/2006 11:57			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	9/5/2006
Start Time:	7:45:22
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (AM - 07:14)= 0.026

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2006	8:00:22	0.032	0.006	6
9/5/2006	8:15:22	0.031	0.005	5
9/5/2006	8:30:22	0.033	0.007	7
9/5/2006	8:45:22	0.038	0.012	12
9/5/2006	9:00:22	0.038	0.012	12
9/5/2006	9:15:22	0.038	0.012	12
9/5/2006	9:30:22	0.041	0.015	15
9/5/2006	9:45:22	0.041	0.015	15
9/5/2006	10:00:22	0.037	0.011	11
9/5/2006	10:15:22	0.036	0.01	10
9/5/2006	10:30:22	0.035	0.009	9
9/5/2006	10:45:22	0.036	0.01	10
9/5/2006	11:00:22	0.035	0.009	9
9/5/2006	11:15:22	0.04	0.014	14
9/5/2006	11:30:22	0.037	0.011	11
9/5/2006	11:45:22	0.038	0.012	12
9/5/2006	12:00:22	0.038	0.012	12
9/5/2006	12:15:22	0.038	0.012	12

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/05/2006 07:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/5/2006 7:18			0.3				0.3
2	9/5/2006 7:33			0.5				0.5
3	9/5/2006 7:48			0.6				0.6
4	9/5/2006 8:03			0.7				0.7
5	9/5/2006 8:18			0.7				0.7
6	9/5/2006 8:33			0.8				0.8
7	9/5/2006 8:48			0.9				0.9
8	9/5/2006 9:03			0.9				0.9
9	9/5/2006 9:18			0.9				0.9
10	9/5/2006 9:33			1				1
11	9/5/2006 9:48			1				1
12	9/5/2006 10:03			1.1				1.1
13	9/5/2006 10:18			1				1
14	9/5/2006 10:33			1.1				1.1
15	9/5/2006 10:48			1.1				1.1
16	9/5/2006 11:03			1.1				1.1
17	9/5/2006 11:18			1				1
18	9/5/2006 11:33			1.1				1.1
19	9/5/2006 11:48			1.1				1.1
20	9/5/2006 12:03			1				1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	9/5/2006
Start Time:	7:07:06
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (AM - 07:05)= 0.038

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2006	7:22:06	0.035	-0.003	-3
9/5/2006	7:37:06	0.035	-0.003	-3
9/5/2006	7:52:06	0.038	0	0
9/5/2006	8:07:06	0.036	-0.002	-2
9/5/2006	8:22:06	0.034	-0.004	-4
9/5/2006	8:37:06	0.037	-0.001	-1
9/5/2006	8:52:06	0.041	0.003	3
9/5/2006	9:07:06	0.044	0.006	6
9/5/2006	9:22:06	0.043	0.005	5
9/5/2006	9:37:06	0.046	0.008	8
9/5/2006	9:52:06	0.045	0.007	7
9/5/2006	10:07:06	0.041	0.003	3
9/5/2006	10:22:06	0.042	0.004	4
9/5/2006	10:37:06	0.038	0	0
9/5/2006	10:52:06	0.038	0	0
9/5/2006	11:07:06	0.044	0.006	6
9/5/2006	11:22:06	0.046	0.008	8
9/5/2006	11:37:06	0.044	0.006	6
9/5/2006	11:52:06	0.044	0.006	6
9/5/2006	12:07:06	0.051	0.013	13
9/5/2006	12:22:06	0.055	0.017	17

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/5/2006 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:52) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/5/2006 7:05			0				0
2	9/5/2006 7:20			0				0
3	9/5/2006 7:35			0				0
4	9/5/2006 7:50			0				0
5	9/5/2006 8:05			0				0
6	9/5/2006 8:20			0				0
7	9/5/2006 8:35			0				0
8	9/5/2006 8:50			0				0
9	9/5/2006 9:05			0				0
10	9/5/2006 9:20			0				0
11	9/5/2006 9:35			0				0
12	9/5/2006 9:50			0				0
13	9/5/2006 10:05			0				0
14	9/5/2006 10:20			0				0
15	9/5/2006 10:35			0				0
16	9/5/2006 10:50			0				0
17	9/5/2006 11:05			0				0
18	9/5/2006 11:20			0				0
19	9/5/2006 11:35			0				0
20	9/5/2006 11:50			0				0
21	9/5/2006 12:05			0				0
22	9/5/2006 12:20			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	5
Test Abbreviation:	
Start Date:	9/5/2006
Start Time:	11:36:55
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	Background Reading (AM - 06:52)= 0.038 (Logging activated at 11:36)

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2006	11:51:55	0.039	0.001	1
9/5/2006	12:06:55	0.038	0	0
9/5/2006	12:21:55	0.034	-0.004	-4
9/5/2006	12:36:55	0.032	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/05/2006 09:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 06:37) = 0.0 ppm

MiniRae was recalibrated at 09:36 due to problem with pump; previous readings yielded faulty data.

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/5/2006 9:58			0				0
2	9/5/2006 10:13			0				0
3	9/5/2006 10:28			0				0
4	9/5/2006 10:43			0				0
5	9/5/2006 10:58			0				0
6	9/5/2006 11:13			0				0
7	9/5/2006 11:28			0				0
8	9/5/2006 11:43			0				0
9	9/5/2006 11:58			0				0
10	9/5/2006 12:13			0				0

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/06/2006 07:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 07:12) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/6/2006 7:12			0				0
2	9/6/2006 7:27			0				0
3	9/6/2006 7:42			0				0
4	9/6/2006 7:57			0				0
5	9/6/2006 8:12			0				0
6	9/6/2006 8:27			0				0
7	9/6/2006 8:42			0				0
8	9/6/2006 8:57			0				0
9	9/6/2006 9:12			0				0
10	9/6/2006 9:27			0.1				0.1
11	9/6/2006 9:42			0.1				0.1
12	9/6/2006 9:57			0.1				0.1
13	9/6/2006 10:12			0.1				0.1
14	9/6/2006 10:27			0.1				0.1
15	9/6/2006 10:42			0.1				0.1
16	9/6/2006 10:57			0.1				0.1
17	9/6/2006 11:12			0.1				0.1
18	9/6/2006 11:27			0.1				0.1
19	9/6/2006 11:42			0.1				0.1
20	9/6/2006 11:57			0.1				0.1
21	9/6/2006 12:12			0.1				0.1
22	9/6/2006 12:27			0.1				0.1
23	9/6/2006 12:42			0.2				0.2
24	9/6/2006 12:57			0.1				0.1
25	9/6/2006 13:12			0.1				0.1
26	9/6/2006 13:27			0.1				0.1
27	9/6/2006 13:42			0.1				0.1
28	9/6/2006 13:57			0.1				0.1
29	9/6/2006 14:12			0.1				0.1
30	9/6/2006 14:27			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	9/6/2006
Start Time:	6:59:37
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (AM - 07:10)= 0.033

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2006	7:14:37	0.032	-0.001	-1
9/6/2006	7:29:37	0.035	0.002	2
9/6/2006	7:44:37	0.035	0.002	2
9/6/2006	7:59:37	0.037	0.004	4
9/6/2006	8:14:37	0.039	0.006	6
9/6/2006	8:29:37	0.037	0.004	4
9/6/2006	8:44:37	0.037	0.004	4
9/6/2006	8:59:37	0.037	0.004	4
9/6/2006	9:14:37	0.038	0.005	5
9/6/2006	9:29:37	0.035	0.002	2
9/6/2006	9:44:37	0.035	0.002	2
9/6/2006	9:59:37	0.033	0	0
9/6/2006	10:14:37	0.034	0.001	1
9/6/2006	10:29:37	0.033	0	0
9/6/2006	10:44:37	0.031	-0.002	-2
9/6/2006	10:59:37	0.028	-0.005	-5
9/6/2006	11:14:37	0.027	-0.006	-6
9/6/2006	11:29:37	0.025	-0.008	-8
9/6/2006	11:44:37	0.022	-0.011	-11
9/6/2006	11:59:37	0.024	-0.009	-9
9/6/2006	12:14:37	0.02	-0.013	-13
9/6/2006	12:29:37	0.021	-0.012	-12
9/6/2006	12:44:37	0.023	-0.01	-10
9/6/2006	12:59:37	0.025	-0.008	-8
9/6/2006	13:14:37	0.028	-0.005	-5
9/6/2006	13:29:37	0.027	-0.006	-6
9/6/2006	13:44:37	0.024	-0.009	-9
9/6/2006	13:59:37	0.023	-0.01	-10
9/6/2006	14:14:37	0.025	-0.008	-8
9/6/2006	14:29:37	0.023	-0.01	-10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/06/2006 07:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/6/2006 7:13			0.2				0.2
2	9/6/2006 7:28			0.3				0.3
3	9/6/2006 7:43			0.3				0.3
4	9/6/2006 7:58			0.4				0.4
5	9/6/2006 8:13			0.4				0.4
6	9/6/2006 8:28			0.5				0.5
7	9/6/2006 8:43			0.5				0.5
8	9/6/2006 8:58			0.5				0.5
9	9/6/2006 9:13			0.6				0.6
10	9/6/2006 9:28			0.6				0.6
11	9/6/2006 9:43			0.6				0.6
12	9/6/2006 9:58			0.6				0.6
13	9/6/2006 10:13			0.6				0.6
14	9/6/2006 10:28			0.6				0.6
15	9/6/2006 10:43			0.6				0.6
16	9/6/2006 10:58			0.6				0.6
17	9/6/2006 11:13			0.6				0.6
18	9/6/2006 11:28			0.6				0.6
19	9/6/2006 11:43			0.6				0.6
20	9/6/2006 11:58			0.6				0.6
21	9/6/2006 12:13			0.6				0.6
22	9/6/2006 12:28			0.6				0.6
23	9/6/2006 12:43			0.5				0.5
24	9/6/2006 12:58			0.4				0.4
25	9/6/2006 13:13			0.4				0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	9/6/2006
Start Time:	7:00:55
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (AM - 07:05)= 0.034

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2006	7:15:55	0.032	-0.002	-2
9/6/2006	7:30:55	0.037	0.003	3
9/6/2006	7:45:55	0.035	0.001	1
9/6/2006	8:00:55	0.035	0.001	1
9/6/2006	8:15:55	0.036	0.002	2
9/6/2006	8:30:55	0.032	-0.002	-2
9/6/2006	8:45:55	0.032	-0.002	-2
9/6/2006	9:00:55	0.034	0	0
9/6/2006	9:15:55	0.037	0.003	3
9/6/2006	9:30:55	0.035	0.001	1
9/6/2006	9:45:55	0.034	0	0
9/6/2006	10:00:55	0.03	-0.004	-4
9/6/2006	10:15:55	0.031	-0.003	-3
9/6/2006	10:30:55	0.029	-0.005	-5
9/6/2006	10:45:55	0.029	-0.005	-5
9/6/2006	11:00:55	0.028	-0.006	-6
9/6/2006	11:15:55	0.027	-0.007	-7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/06/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 06:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/6/2006 6:56			0				0
2	9/6/2006 7:11			0				0
3	9/6/2006 7:26			0				0
4	9/6/2006 7:41			0				0
5	9/6/2006 7:56			0				0
6	9/6/2006 8:11			0				0
7	9/6/2006 8:26			0				0
8	9/6/2006 8:41			0				0
9	9/6/2006 8:56			0				0
10	9/6/2006 9:11			0				0
11	9/6/2006 9:26			0				0
12	9/6/2006 9:41			0				0
13	9/6/2006 9:56			0				0
14	9/6/2006 10:11			0				0
15	9/6/2006 10:26			0				0
16	9/6/2006 10:41			0				0
17	9/6/2006 10:56			0				0
18	9/6/2006 11:11			0				0
19	9/6/2006 11:26			0				0
20	9/6/2006 11:41			0				0
21	9/6/2006 11:56			0				0
22	9/6/2006 12:11			0				0
23	9/6/2006 12:26			0				0
24	9/6/2006 12:41			0				0
25	9/6/2006 12:56			0				0
26	9/6/2006 13:11			0				0
27	9/6/2006 13:26			0				0
28	9/6/2006 13:41			0				0
29	9/6/2006 13:56			0				0
30	9/6/2006 14:11			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	6
Test Abbreviation:	
Start Date:	9/6/2006
Start Time:	7:01:55
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (AM - 06:48)= 0.053

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2006	7:16:55	0.049	-0.004	-4
9/6/2006	7:31:55	0.051	-0.002	-2
9/6/2006	7:46:55	0.047	-0.006	-6
9/6/2006	8:01:55	0.061	0.008	8
9/6/2006	8:16:55	0.055	0.002	2
9/6/2006	8:31:55	0.051	-0.002	-2
9/6/2006	8:46:55	0.051	-0.002	-2
9/6/2006	9:01:55	0.053	0	0
9/6/2006	9:16:55	0.057	0.004	4
9/6/2006	9:31:55	0.052	-0.001	-1
9/6/2006	9:46:55	0.048	-0.005	-5
9/6/2006	10:01:55	0.046	-0.007	-7
9/6/2006	10:16:55	0.043	-0.01	-10
9/6/2006	10:31:55	0.041	-0.012	-12
9/6/2006	10:46:55	0.042	-0.011	-11
9/6/2006	11:01:55	0.039	-0.014	-14
9/6/2006	11:16:55	0.034	-0.019	-19
9/6/2006	11:31:55	0.031	-0.022	-22
9/6/2006	11:46:55	0.032	-0.021	-21
9/6/2006	12:01:55	0.034	-0.019	-19
9/6/2006	12:16:55	0.027	-0.026	-26
9/6/2006	12:31:55	0.026	-0.027	-27
9/6/2006	12:46:55	0.027	-0.026	-26
9/6/2006	13:01:55	0.028	-0.025	-25
9/6/2006	13:16:55	0.033	-0.02	-20
9/6/2006	13:31:55	0.033	-0.02	-20
9/6/2006	13:46:55	0.032	-0.021	-21
9/6/2006	14:01:55	0.031	-0.022	-22
9/6/2006	14:16:55	0.028	-0.025	-25
9/6/2006	14:31:55	0.029	-0.024	-24

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/06/2006 08:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 06:47) = 0.2 ppm

PID was recalibrated due to a problem with the pump at 0828.

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/6/2006 8:47			0				-0.2
2	9/6/2006 9:02			0				-0.2
3	9/6/2006 9:17			0				-0.2
4	9/6/2006 9:32			0				-0.2
5	9/6/2006 9:47			0				-0.2
6	9/6/2006 10:02			0				-0.2
7	9/6/2006 10:17			0				-0.2
8	9/6/2006 10:32			0				-0.2
9	9/6/2006 10:47			0				-0.2
10	9/6/2006 11:02			0				-0.2
11	9/6/2006 11:17			0				-0.2
12	9/6/2006 11:32			0				-0.2
13	9/6/2006 11:47			0				-0.2
14	9/6/2006 12:02			0				-0.2
15	9/6/2006 12:17			0				-0.2
16	9/6/2006 12:32			0.2				0
17	9/6/2006 12:47			0				-0.2
18	9/6/2006 13:02			0				-0.2
19	9/6/2006 13:17			0				-0.2
20	9/6/2006 13:32			0				-0.2
21	9/6/2006 13:47			0				-0.2
22	9/6/2006 14:02			0				-0.2
23	9/6/2006 14:17			0				-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	2
Test Abbreviation:	
Start Date:	9/6/2006
Start Time:	6:36:19
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (AM - 06:47)= 0.073

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2006	6:51:19	0.063	-0.01	-10
9/6/2006	7:06:19	0.065	-0.008	-8
9/6/2006	7:21:19	0.059	-0.014	-14
9/6/2006	7:36:19	0.068	-0.005	-5
9/6/2006	7:51:19	0.055	-0.018	-18
9/6/2006	8:06:19	0.055	-0.018	-18
9/6/2006	8:21:19	0.061	-0.012	-12
9/6/2006	8:36:19	0.056	-0.017	-17
9/6/2006	8:51:19	0.055	-0.018	-18
9/6/2006	9:06:19	0.054	-0.019	-19
9/6/2006	9:21:19	0.056	-0.017	-17
9/6/2006	9:36:19	0.056	-0.017	-17
9/6/2006	9:51:19	0.058	-0.015	-15
9/6/2006	10:06:19	0.046	-0.027	-27
9/6/2006	10:21:19	0.054	-0.019	-19
9/6/2006	10:36:19	0.041	-0.032	-32
9/6/2006	10:51:19	0.037	-0.036	-36
9/6/2006	11:06:19	0.033	-0.04	-40
9/6/2006	11:21:19	0.031	-0.042	-42
9/6/2006	11:36:19	0.03	-0.043	-43
9/6/2006	11:51:19	0.029	-0.044	-44
9/6/2006	12:06:19	0.034	-0.039	-39
9/6/2006	12:21:19	0.027	-0.046	-46
9/6/2006	12:36:19	0.036	-0.037	-37
9/6/2006	12:51:19	0.057	-0.016	-16
9/6/2006	13:06:19	0.042	-0.031	-31
9/6/2006	13:21:19	0.05	-0.023	-23
9/6/2006	13:36:19	0.072	-0.001	-1
9/6/2006	13:51:19	0.045	-0.028	-28
9/6/2006	14:06:19	0.058	-0.015	-15
9/6/2006	14:21:19	0.072	-0.001	-1
9/6/2006	14:36:19	0.042	-0.031	-31

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/07/2006 07:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/7/2006 7:22			0				0
2	9/7/2006 7:37			0				0
3	9/7/2006 7:52			0.1				0.1
4	9/7/2006 8:07			0.1				0.1
5	9/7/2006 8:22			0.1				0.1
6	9/7/2006 8:37			0.1				0.1
7	9/7/2006 8:52			0.1				0.1
8	9/7/2006 9:07			0.1				0.1
9	9/7/2006 9:22			0.2				0.2
10	9/7/2006 9:37			0.1				0.1
11	9/7/2006 9:52			0.2				0.2
12	9/7/2006 10:07			0.2				0.2
13	9/7/2006 10:22			0.2				0.2
14	9/7/2006 10:37			0.2				0.2
15	9/7/2006 10:52			0.2				0.2
16	9/7/2006 11:07			0.3				0.3
17	9/7/2006 11:22			0.2				0.2
18	9/7/2006 11:37			0.2				0.2
19	9/7/2006 11:52			0.2				0.2
20	9/7/2006 12:07			0.2				0.2
21	9/7/2006 12:22			0.2				0.2
22	9/7/2006 12:37			0.3				0.3
23	9/7/2006 12:52			0.3				0.3
24	9/7/2006 13:07			0.3				0.3
25	9/7/2006 13:22			0.2				0.2
26	9/7/2006 13:37			0.3				0.3
27	9/7/2006 13:52			0.3				0.3
28	9/7/2006 14:07			0.3				0.3
29	9/7/2006 14:22			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	9/7/2006
Start Time:	7:08:29
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 7:06) = 0.038

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/7/2006	7:23:29	0.037	-0.001	-1
9/7/2006	7:38:29	0.037	-0.001	-1
9/7/2006	7:53:29	0.032	-0.006	-6
9/7/2006	8:08:29	0.03	-0.008	-8
9/7/2006	8:23:29	0.03	-0.008	-8
9/7/2006	8:38:29	0.027	-0.011	-11
9/7/2006	8:53:29	0.026	-0.012	-12
9/7/2006	9:08:29	0.024	-0.014	-14
9/7/2006	9:23:29	0.024	-0.014	-14
9/7/2006	9:38:29	0.025	-0.013	-13
9/7/2006	9:53:29	0.023	-0.015	-15
9/7/2006	10:08:29	0.023	-0.015	-15
9/7/2006	10:23:29	0.025	-0.013	-13
9/7/2006	10:38:29	0.024	-0.014	-14
9/7/2006	10:53:29	0.023	-0.015	-15
9/7/2006	11:08:29	0.025	-0.013	-13
9/7/2006	11:23:29	0.018	-0.02	-20
9/7/2006	11:38:29	0.019	-0.019	-19
9/7/2006	11:53:29	0.017	-0.021	-21
9/7/2006	12:08:29	0.017	-0.021	-21
9/7/2006	12:23:29	0.016	-0.022	-22
9/7/2006	12:38:29	0.016	-0.022	-22
9/7/2006	12:53:29	0.017	-0.021	-21
9/7/2006	13:08:29	0.015	-0.023	-23
9/7/2006	13:23:29	0.019	-0.019	-19
9/7/2006	13:38:29	0.019	-0.019	-19
9/7/2006	13:53:29	0.016	-0.022	-22
9/7/2006	14:08:29	0.017	-0.021	-21
9/7/2006	14:23:29	0.018	-0.02	-20
9/7/2006	14:38:29	0.019	-0.019	-19

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/07/2006 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:58) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/7/2006 7:11			0.1				0
2	9/7/2006 7:26			0.2				0.1
3	9/7/2006 7:41			0.2				0.1
4	9/7/2006 7:56			0.3				0.2
5	9/7/2006 8:11			0.3				0.2
6	9/7/2006 8:26			0.4				0.3
7	9/7/2006 8:41			0.4				0.3
8	9/7/2006 8:56			0.5				0.4
9	9/7/2006 9:11			0.5				0.4
10	9/7/2006 9:26			0.5				0.4
11	9/7/2006 9:41			0.5				0.4
12	9/7/2006 9:56			0.5				0.4
13	9/7/2006 10:11			0.6				0.5
14	9/7/2006 10:26			0.5				0.4
15	9/7/2006 10:41			0.5				0.4
16	9/7/2006 10:56			0.5				0.4
17	9/7/2006 11:11			0.5				0.4
18	9/7/2006 11:26			0.4				0.3
19	9/7/2006 11:41			0.4				0.3
20	9/7/2006 11:56			0.4				0.3
21	9/7/2006 12:11			0.3				0.2
22	9/7/2006 12:26			0.3				0.2
23	9/7/2006 12:41			0.3				0.2
24	9/7/2006 12:56			0.3				0.2
25	9/7/2006 13:11			0.2				0.1
26	9/7/2006 13:26			0.2				0.1
27	9/7/2006 13:41			0.2				0.1
28	9/7/2006 13:56			0.2				0.1
29	9/7/2006 14:11			0.2				0.1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	9/7/2006
Start Time:	6:59:22
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:58) = 0.040

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/7/2006	7:14:22	0.039	-0.001	-1
9/7/2006	7:29:22	0.039	-0.001	-1
9/7/2006	7:44:22	0.035	-0.005	-5
9/7/2006	7:59:22	0.031	-0.009	-9
9/7/2006	8:14:22	0.03	-0.01	-10
9/7/2006	8:29:22	0.034	-0.006	-6
9/7/2006	8:44:22	0.029	-0.011	-11
9/7/2006	8:59:22	0.026	-0.014	-14
9/7/2006	9:14:22	0.024	-0.016	-16
9/7/2006	9:29:22	0.024	-0.016	-16
9/7/2006	9:44:22	0.025	-0.015	-15
9/7/2006	9:59:22	0.026	-0.014	-14
9/7/2006	10:14:22	0.026	-0.014	-14
9/7/2006	10:29:22	0.028	-0.012	-12
9/7/2006	10:44:22	0.027	-0.013	-13
9/7/2006	10:59:22	0.026	-0.014	-14
9/7/2006	11:14:22	0.024	-0.016	-16
9/7/2006	11:29:22	0.024	-0.016	-16
9/7/2006	11:44:22	0.024	-0.016	-16
9/7/2006	11:59:22	0.021	-0.019	-19
9/7/2006	12:14:22	0.025	-0.015	-15
9/7/2006	12:29:22	0.024	-0.016	-16
9/7/2006	12:44:22	0.024	-0.016	-16
9/7/2006	12:59:22	0.024	-0.016	-16
9/7/2006	13:14:22	0.023	-0.017	-17
9/7/2006	13:29:22	0.025	-0.015	-15
9/7/2006	13:44:22	0.026	-0.014	-14
9/7/2006	13:59:22	0.028	-0.012	-12
9/7/2006	14:14:22	0.027	-0.013	-13
9/7/2006	14:29:22	0.028	-0.012	-12
9/7/2006	14:44:22	0.029	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/07/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:46) = 0.5 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/7/2006 6:56			0.3				-0.2
2	9/7/2006 7:11			0.3				-0.2
3	9/7/2006 7:26			0.4				-0.1
4	9/7/2006 7:41			0.4				-0.1
5	9/7/2006 7:56			0.5				0
6	9/7/2006 8:11			0.5				0
7	9/7/2006 8:26			0.5				0
8	9/7/2006 8:41			0.5				0
9	9/7/2006 8:56			0.5				0
10	9/7/2006 9:11			0.4				-0.1
11	9/7/2006 9:26			0.4				-0.1
12	9/7/2006 9:41			0.4				-0.1
13	9/7/2006 9:56			0.5				0
14	9/7/2006 10:11			0.5				0
15	9/7/2006 10:26			0.5				0
16	9/7/2006 10:41			0.6				0.1
17	9/7/2006 10:56			0.6				0.1
18	9/7/2006 11:11			0.5				0
19	9/7/2006 11:26			0.5				0
20	9/7/2006 11:41			0.5				0
21	9/7/2006 11:56			0				-0.5
22	9/7/2006 12:11			0				-0.5
23	9/7/2006 12:26			0				-0.5
24	9/7/2006 12:41			0				-0.5
25	9/7/2006 12:56			0				-0.5
26	9/7/2006 13:11			0				-0.5
27	9/7/2006 13:26			0				-0.5
28	9/7/2006 13:41			0				-0.5
29	9/7/2006 13:56			0				-0.5
30	9/7/2006 14:11			0				-0.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	7
Test Abbreviation:	
Start Date:	9/7/2006
Start Time:	6:48:09
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:46) = 0.052

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/7/2006	7:03:09	0.055	0.003	3
9/7/2006	7:18:09	0.058	0.006	6
9/7/2006	7:33:09	0.056	0.004	4
9/7/2006	7:48:09	0.051	-0.001	-1
9/7/2006	8:03:09	0.047	-0.005	-5
9/7/2006	8:18:09	0.046	-0.006	-6
9/7/2006	8:33:09	0.046	-0.006	-6
9/7/2006	8:48:09	0.041	-0.011	-11
9/7/2006	9:03:09	0.034	-0.018	-18
9/7/2006	9:18:09	0.036	-0.016	-16
9/7/2006	9:33:09	0.033	-0.019	-19
9/7/2006	9:48:09	0.032	-0.02	-20
9/7/2006	10:03:09	0.031	-0.021	-21
9/7/2006	10:18:09	0.033	-0.019	-19
9/7/2006	10:33:09	0.04	-0.012	-12
9/7/2006	10:48:09	0.043	-0.009	-9
9/7/2006	11:03:09	0.032	-0.02	-20
9/7/2006	11:18:09	0.026	-0.026	-26
9/7/2006	11:33:09	0.026	-0.026	-26
9/7/2006	11:48:09	0.024	-0.028	-28
9/7/2006	12:03:09	0.02	-0.032	-32
9/7/2006	12:18:09	0.02	-0.032	-32
9/7/2006	12:33:09	0.022	-0.03	-30
9/7/2006	12:48:09	0.023	-0.029	-29
9/7/2006	13:03:09	0.023	-0.029	-29
9/7/2006	13:18:09	0.022	-0.03	-30
9/7/2006	13:33:09	0.026	-0.026	-26
9/7/2006	13:48:09	0.025	-0.027	-27
9/7/2006	14:03:09	0.027	-0.025	-25
9/7/2006	14:18:09	0.027	-0.025	-25
9/7/2006	14:33:09	0.032	-0.02	-20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/07/2006 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:33) = 0.5 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/7/2006 6:48			0.1				-0.4
2	9/7/2006 7:03			0.2				-0.3
3	9/7/2006 7:18			0.3				-0.2
4	9/7/2006 7:33			0.3				-0.2
5	9/7/2006 7:48			0.4				-0.1
6	9/7/2006 8:03			0.4				-0.1
7	9/7/2006 8:18			0.4				-0.1
8	9/7/2006 8:33			0.4				-0.1
9	9/7/2006 8:48			0.4				-0.1
10	9/7/2006 9:03			0.4				-0.1
11	9/7/2006 9:18			0.4				-0.1
12	9/7/2006 9:33			0.4				-0.1
13	9/7/2006 9:48			0.3				-0.2
14	9/7/2006 10:03			0.3				-0.2
15	9/7/2006 10:18			0.3				-0.2
16	9/7/2006 10:33			0.3				-0.2
17	9/7/2006 10:48			0.3				-0.2
18	9/7/2006 11:03			0.3				-0.2
19	9/7/2006 11:18			0.3				-0.2
20	9/7/2006 11:33			0.3				-0.2
21	9/7/2006 11:48			0.3				-0.2
22	9/7/2006 12:03			0.3				-0.2
23	9/7/2006 12:18			0.3				-0.2
24	9/7/2006 12:33			0.3				-0.2
25	9/7/2006 12:48			0.3				-0.2
26	9/7/2006 13:03			0.3				-0.2
27	9/7/2006 13:18			0.3				-0.2
28	9/7/2006 13:33			0.3				-0.2
29	9/7/2006 13:48			0.3				-0.2
30	9/7/2006 14:03			0.4				-0.1
31	9/7/2006 14:18			0.4				-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	3
Test Abbreviation:	
Start Date:	9/7/2006
Start Time:	6:33:42
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (AM - 6:33) = 0.054

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/7/2006	6:48:42	0.055	0.001	1
9/7/2006	7:03:42	0.055	0.001	1
9/7/2006	7:18:42	0.054	0	0
9/7/2006	7:33:42	0.052	-0.002	-2
9/7/2006	7:48:42	0.043	-0.011	-11
9/7/2006	8:03:42	0.035	-0.019	-19
9/7/2006	8:18:42	0.033	-0.021	-21
9/7/2006	8:33:42	0.035	-0.019	-19
9/7/2006	8:48:42	0.031	-0.023	-23
9/7/2006	9:03:42	0.026	-0.028	-28
9/7/2006	9:18:42	0.027	-0.027	-27
9/7/2006	9:33:42	0.029	-0.025	-25
9/7/2006	9:48:42	0.031	-0.023	-23
9/7/2006	10:03:42	0.031	-0.023	-23
9/7/2006	10:18:42	0.062	0.008	8
9/7/2006	10:33:42	0.039	-0.015	-15
9/7/2006	10:48:42	0.04	-0.014	-14
9/7/2006	11:03:42	0.037	-0.017	-17
9/7/2006	11:18:42	0.034	-0.02	-20
9/7/2006	11:33:42	0.045	-0.009	-9
9/7/2006	11:48:42	0.082	0.028	28
9/7/2006	12:03:42	0.055	0.001	1
9/7/2006	12:18:42	0.027	-0.027	-27
9/7/2006	12:33:42	0.029	-0.025	-25
9/7/2006	12:48:42	0.041	-0.013	-13
9/7/2006	13:03:42	0.041	-0.013	-13
9/7/2006	13:18:42	0.038	-0.016	-16
9/7/2006	13:33:42	0.03	-0.024	-24
9/7/2006	13:48:42	0.037	-0.017	-17
9/7/2006	14:03:42	0.034	-0.02	-20
9/7/2006	14:18:42	0.046	-0.008	-8
9/7/2006	14:33:42	0.086	0.032	32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/08/2006 07:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:17) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/8/2006 7:33			0				0
2	9/8/2006 7:48			0				0
3	9/8/2006 8:03			0.1				0.1
4	9/8/2006 8:18			0.1				0.1
5	9/8/2006 8:33			0.1				0.1
6	9/8/2006 8:48			0.1				0.1
7	9/8/2006 9:03			0.1				0.1
8	9/8/2006 9:18			0.1				0.1
9	9/8/2006 9:33			0.2				0.2
10	9/8/2006 9:48			0.2				0.2
11	9/8/2006 10:03			0.2				0.2
12	9/8/2006 10:18			0.2				0.2
13	9/8/2006 10:33			0.2				0.2
14	9/8/2006 10:48			0.2				0.2
15	9/8/2006 11:03			0.2				0.2
16	9/8/2006 11:18			0.2				0.2
17	9/8/2006 11:33			0.2				0.2
18	9/8/2006 11:48			0.2				0.2
19	9/8/2006 12:03			0.2				0.2
20	9/8/2006 12:18			0.2				0.2
21	9/8/2006 12:33			0.3				0.3
22	9/8/2006 12:48			0.2				0.2
23	9/8/2006 13:03			0.2				0.2
24	9/8/2006 13:18			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	9/8/2006
Start Time:	7:18:33
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (AM - 7:17) = 0.075

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/8/2006	7:33:33	0.074	-0.001	-1
9/8/2006	7:48:33	0.068	-0.007	-7
9/8/2006	8:03:33	0.057	-0.018	-18
9/8/2006	8:18:33	0.057	-0.018	-18
9/8/2006	8:33:33	0.048	-0.027	-27
9/8/2006	8:48:33	0.048	-0.027	-27
9/8/2006	9:03:33	0.046	-0.029	-29
9/8/2006	9:18:33	0.051	-0.024	-24
9/8/2006	9:33:33	0.046	-0.029	-29
9/8/2006	9:48:33	0.048	-0.027	-27
9/8/2006	10:03:33	0.041	-0.034	-34
9/8/2006	10:18:33	0.038	-0.037	-37
9/8/2006	10:33:33	0.036	-0.039	-39
9/8/2006	10:48:33	0.032	-0.043	-43
9/8/2006	11:03:33	0.029	-0.046	-46
9/8/2006	11:18:33	0.028	-0.047	-47
9/8/2006	11:33:33	0.029	-0.046	-46
9/8/2006	11:48:33	0.026	-0.049	-49
9/8/2006	12:03:33	0.024	-0.051	-51
9/8/2006	12:18:33	0.024	-0.051	-51
9/8/2006	12:33:33	0.025	-0.05	-50
9/8/2006	12:48:33	0.027	-0.048	-48
9/8/2006	13:03:33	0.025	-0.05	-50
9/8/2006	13:18:33	0.027	-0.048	-48
9/8/2006	13:33:33	0.028	-0.047	-47

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/08/2006 07:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:06) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/8/2006 7:24			0.6				0.5
2	9/8/2006 7:39			0.8				0.7
3	9/8/2006 7:54			0.9				0.8
4	9/8/2006 8:09			1				0.9
5	9/8/2006 8:24			1.1				1
6	9/8/2006 8:39			1.2				1.1
7	9/8/2006 8:54			1.2				1.1
8	9/8/2006 9:09			1.3				1.2
9	9/8/2006 9:24			1.4				1.3
10	9/8/2006 9:39			1.3				1.2
11	9/8/2006 9:54			1.3				1.2
12	9/8/2006 10:09			1.2				1.1
13	9/8/2006 10:24			1.3				1.2
14	9/8/2006 10:39			1.3				1.2
15	9/8/2006 10:54			1.4				1.3
16	9/8/2006 11:09			1.3				1.2
17	9/8/2006 11:24			1.4				1.3
18	9/8/2006 11:39			1.3				1.2
19	9/8/2006 11:54			1.3				1.2
20	9/8/2006 12:09			1.3				1.2
21	9/8/2006 12:24			1.4				1.3
22	9/8/2006 12:39			1.5				1.4
23	9/8/2006 12:54			1.4				1.3
24	9/8/2006 13:09			1.4				1.3
25	9/8/2006 13:24			1.4				1.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	9/8/2006
Start Time:	7:10:38
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 7:06) = 0.069

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/8/2006	7:25:38	0.07	0.001	1
9/8/2006	7:40:38	0.065	-0.004	-4
9/8/2006	7:55:38	0.058	-0.011	-11
9/8/2006	8:10:38	0.056	-0.013	-13
9/8/2006	8:25:38	0.053	-0.016	-16
9/8/2006	8:40:38	0.047	-0.022	-22
9/8/2006	8:55:38	0.046	-0.023	-23
9/8/2006	9:10:38	0.045	-0.024	-24
9/8/2006	9:25:38	0.051	-0.018	-18
9/8/2006	9:40:38	0.048	-0.021	-21
9/8/2006	9:55:38	0.044	-0.025	-25
9/8/2006	10:10:38	0.04	-0.029	-29
9/8/2006	10:25:38	0.041	-0.028	-28
9/8/2006	10:40:38	0.035	-0.034	-34
9/8/2006	10:55:38	0.034	-0.035	-35
9/8/2006	11:10:38	0.033	-0.036	-36
9/8/2006	11:25:38	0.03	-0.039	-39
9/8/2006	11:40:38	0.03	-0.039	-39
9/8/2006	11:55:38	0.029	-0.04	-40
9/8/2006	12:10:38	0.031	-0.038	-38
9/8/2006	12:25:38	0.029	-0.04	-40
9/8/2006	12:40:38	0.037	-0.032	-32
9/8/2006	12:55:38	0.034	-0.035	-35
9/8/2006	13:10:38	0.032	-0.037	-37
9/8/2006	13:25:38	0.033	-0.036	-36
9/8/2006	13:40:38	0.034	-0.035	-35

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/08/2006 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:53) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/8/2006 7:05			0.3				0.3
2	9/8/2006 7:20			0.4				0.4
3	9/8/2006 7:35			0.4				0.4
4	9/8/2006 7:50			0.4				0.4
5	9/8/2006 8:05			0.5				0.5
6	9/8/2006 8:20			0.5				0.5
7	9/8/2006 8:35			0.5				0.5
8	9/8/2006 8:50			0.5				0.5
9	9/8/2006 9:05			0.5				0.5
10	9/8/2006 9:20			0.5				0.5
11	9/8/2006 9:35			0.4				0.4
12	9/8/2006 9:50			0.4				0.4
13	9/8/2006 10:05			0.4				0.4
14	9/8/2006 10:20			0.4				0.4
15	9/8/2006 10:35			0.5				0.5
16	9/8/2006 10:50			0.5				0.5
17	9/8/2006 11:05			0.4				0.4
18	9/8/2006 11:20			0.4				0.4
19	9/8/2006 11:35			0				0
20	9/8/2006 11:50			0				0
21	9/8/2006 12:05			0				0
22	9/8/2006 12:20			0				0
23	9/8/2006 12:35			0				0
24	9/8/2006 12:50			0				0
25	9/8/2006 13:05			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	8
Test Abbreviation:	
Start Date:	9/8/2006
Start Time:	6:53:20
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 6:53) = 0.112

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/8/2006	7:08:20	0.115	0.003	3
9/8/2006	7:23:20	0.114	0.002	2
9/8/2006	7:38:20	0.107	-0.005	-5
9/8/2006	7:53:20	0.095	-0.017	-17
9/8/2006	8:08:20	0.09	-0.022	-22
9/8/2006	8:23:20	0.079	-0.033	-33
9/8/2006	8:38:20	0.075	-0.037	-37
9/8/2006	8:53:20	0.075	-0.037	-37
9/8/2006	9:08:20	0.067	-0.045	-45
9/8/2006	9:23:20	0.069	-0.043	-43
9/8/2006	9:38:20	0.067	-0.045	-45
9/8/2006	9:53:20	0.064	-0.048	-48
9/8/2006	10:08:20	0.059	-0.053	-53
9/8/2006	10:23:20	0.055	-0.057	-57
9/8/2006	10:38:20	0.049	-0.063	-63
9/8/2006	10:53:20	0.044	-0.068	-68
9/8/2006	11:08:20	0.041	-0.071	-71
9/8/2006	11:23:20	0.04	-0.072	-72
9/8/2006	11:38:20	0.041	-0.071	-71
9/8/2006	11:53:20	0.038	-0.074	-74
9/8/2006	12:08:20	0.041	-0.071	-71
9/8/2006	12:23:20	0.037	-0.075	-75
9/8/2006	12:38:20	0.038	-0.074	-74
9/8/2006	12:53:20	0.044	-0.068	-68
9/8/2006	13:08:20	0.04	-0.072	-72
9/8/2006	13:23:20	0.042	-0.07	-70

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/08/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/8/2006 7:01			0.1				-0.1
2	9/8/2006 7:16			0.2				0
3	9/8/2006 7:31			0.3				0.1
4	9/8/2006 7:46			0.4				0.2
5	9/8/2006 8:01			0.4				0.2
6	9/8/2006 8:16			0.4				0.2
7	9/8/2006 8:31			0.4				0.2
8	9/8/2006 8:46			0.4				0.2
9	9/8/2006 9:01			0.5				0.3
10	9/8/2006 9:16			0.5				0.3
11	9/8/2006 9:31			0.5				0.3
12	9/8/2006 9:46			0.4				0.2
13	9/8/2006 10:01			0.4				0.2
14	9/8/2006 10:16			0.4				0.2
15	9/8/2006 10:31			0.4				0.2
16	9/8/2006 10:46			0.4				0.2
17	9/8/2006 11:01			0.4				0.2
18	9/8/2006 11:16			0.3				0.1
19	9/8/2006 11:31			0.3				0.1
20	9/8/2006 11:46			0.3				0.1
21	9/8/2006 12:01			0.3				0.1
22	9/8/2006 12:16			0.3				0.1
23	9/8/2006 12:31			0.3				0.1
24	9/8/2006 12:46			0.3				0.1
25	9/8/2006 13:01			0.3				0.1
26	9/8/2006 13:16			0.3				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	4
Test Abbreviation:	
Start Date:	9/8/2006
Start Time:	6:46:17
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	

Background Reading (AM - 6:45) = 0.096

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/8/2006	7:01:17	0.11	0.014	14
9/8/2006	7:16:17	0.11	0.014	14
9/8/2006	7:31:17	0.095	-0.001	-1
9/8/2006	7:46:17	0.087	-0.009	-9
9/8/2006	8:01:17	0.069	-0.027	-27
9/8/2006	8:16:17	0.066	-0.03	-30
9/8/2006	8:31:17	0.054	-0.042	-42
9/8/2006	8:46:17	0.051	-0.045	-45
9/8/2006	9:01:17	0.05	-0.046	-46
9/8/2006	9:16:17	0.056	-0.04	-40
9/8/2006	9:31:17	0.05	-0.046	-46
9/8/2006	9:46:17	0.05	-0.046	-46
9/8/2006	10:01:17	0.046	-0.05	-50
9/8/2006	10:16:17	0.047	-0.049	-49
9/8/2006	10:31:17	0.042	-0.054	-54
9/8/2006	10:46:17	0.038	-0.058	-58
9/8/2006	11:01:17	0.037	-0.059	-59
9/8/2006	11:16:17	0.034	-0.062	-62
9/8/2006	11:31:17	0.039	-0.057	-57
9/8/2006	11:46:17	0.034	-0.062	-62
9/8/2006	12:01:17	0.031	-0.065	-65
9/8/2006	12:16:17	0.03	-0.066	-66
9/8/2006	12:31:17	0.032	-0.064	-64
9/8/2006	12:46:17	0.034	-0.062	-62
9/8/2006	13:01:17	0.034	-0.062	-62
9/8/2006	13:16:17	0.034	-0.062	-62
9/8/2006	13:31:17	0.033	-0.063	-63

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/11/2006 7:18			0				0
2	9/11/2006 7:33			0				0
3	9/11/2006 7:48			0				0
4	9/11/2006 8:03			0				0
5	9/11/2006 8:18			0				0
6	9/11/2006 8:33			0				0
7	9/11/2006 8:48			0				0
8	9/11/2006 9:03			0				0
9	9/11/2006 9:18			0				0
10	9/11/2006 9:33			0				0
11	9/11/2006 9:48			0				0
12	9/11/2006 10:03			0				0
13	9/11/2006 10:18			0				0
14	9/11/2006 10:33			0				0
15	9/11/2006 10:48			0				0
16	9/11/2006 11:03			0				0
17	9/11/2006 11:18			0				0
18	9/11/2006 11:33			0				0
19	9/11/2006 11:48			0				0
20	9/11/2006 12:03			0				0
21	9/11/2006 12:18			0				0
22	9/11/2006 12:33			0				0
23	9/11/2006 12:48			0				0
24	9/11/2006 13:03			0				0
25	9/11/2006 13:18			0				0
26	9/11/2006 13:33			0				0
27	9/11/2006 13:48			0				0
28	9/11/2006 14:03			0				0
29	9/11/2006 14:18			0				0
30	9/11/2006 14:33			0				0
31	9/11/2006 14:48			0				0
32	9/11/2006 15:03			0				0
33	9/11/2006 15:18			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	9/11/2006
Start Time:	7:06:44
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 7:02) = 0.008

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2006	7:21:44	0.012	0.004	4
9/11/2006	7:36:44	0.008	0	0
9/11/2006	7:51:44	0.01	0.002	2
9/11/2006	8:06:44	0.011	0.003	3
9/11/2006	8:21:44	0.015	0.007	7
9/11/2006	8:36:44	0.009	0.001	1
9/11/2006	8:51:44	0.013	0.005	5
9/11/2006	9:06:44	0.008	0	0
9/11/2006	9:21:44	0.012	0.004	4
9/11/2006	9:36:44	0.007	-0.001	-1
9/11/2006	9:51:44	0.012	0.004	4
9/11/2006	10:06:44	0.007	-0.001	-1
9/11/2006	10:21:44	0.007	-0.001	-1
9/11/2006	10:36:44	0.008	0	0
9/11/2006	10:51:44	0.012	0.004	4
9/11/2006	11:06:44	0.007	-0.001	-1
9/11/2006	11:21:44	0.007	-0.001	-1
9/11/2006	11:36:44	0.007	-0.001	-1
9/11/2006	11:51:44	0.007	-0.001	-1
9/11/2006	12:06:44	0.006	-0.002	-2
9/11/2006	12:21:44	0.005	-0.003	-3
9/11/2006	12:36:44	0.005	-0.003	-3
9/11/2006	12:51:44	0.004	-0.004	-4
9/11/2006	13:06:44	0.007	-0.001	-1
9/11/2006	13:21:44	0.005	-0.003	-3
9/11/2006	13:36:44	0.005	-0.003	-3
9/11/2006	13:51:44	0.008	0	0
9/11/2006	14:06:44	0.008	0	0
9/11/2006	14:21:44	0.006	-0.002	-2
9/11/2006	14:36:44	0.006	-0.002	-2
9/11/2006	14:51:44	0.008	0	0
9/11/2006	15:06:44	0.006	-0.002	-2
9/11/2006	15:21:44	0.006	-0.002	-2
9/11/2006	15:36:44	0.007	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:56) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/11/2006 7:09			0				0
2	9/11/2006 7:24			0				0
3	9/11/2006 7:39			0.1				0.1
4	9/11/2006 7:54			0.1				0.1
5	9/11/2006 8:09			0.2				0.2
6	9/11/2006 8:24			0.2				0.2
7	9/11/2006 8:39			0.2				0.2
8	9/11/2006 8:54			0.3				0.3
9	9/11/2006 9:09			0.3				0.3
10	9/11/2006 9:24			0.3				0.3
11	9/11/2006 9:39			0.2				0.2
12	9/11/2006 9:54			0.3				0.3
13	9/11/2006 10:09			0.2				0.2
14	9/11/2006 10:24			0.2				0.2
15	9/11/2006 10:39			0.1				0.1
16	9/11/2006 10:54			0.2				0.2
17	9/11/2006 11:09			0.2				0.2
18	9/11/2006 11:24			0.3				0.3
19	9/11/2006 11:39			0.1				0.1
20	9/11/2006 11:54			0.2				0.2
21	9/11/2006 12:09			0.2				0.2
22	9/11/2006 12:24			0.3				0.3
23	9/11/2006 12:39			0.2				0.2
24	9/11/2006 12:54			0.1				0.1
25	9/11/2006 13:09			0.1				0.1
26	9/11/2006 13:24			0.1				0.1
27	9/11/2006 13:39			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	9
Test Abbreviation:	
Start Date:	9/11/2006
Start Time:	6:58:33
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (AM - 6:56) = 0.024

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2006	7:13:33	0.019	-0.005	-5
9/11/2006	7:28:33	0.018	-0.006	-6
9/11/2006	7:43:33	0.016	-0.008	-8
9/11/2006	7:58:33	0.022	-0.002	-2
9/11/2006	8:13:33	0.018	-0.006	-6
9/11/2006	8:28:33	0.017	-0.007	-7
9/11/2006	8:43:33	0.018	-0.006	-6
9/11/2006	8:58:33	0.016	-0.008	-8
9/11/2006	9:13:33	0.016	-0.008	-8
9/11/2006	9:28:33	0.012	-0.012	-12
9/11/2006	9:43:33	0.025	0.001	1
9/11/2006	9:58:33	0.015	-0.009	-9
9/11/2006	10:13:33	0.014	-0.01	-10
9/11/2006	10:28:33	0.017	-0.007	-7
9/11/2006	10:43:33	0.018	-0.006	-6
9/11/2006	10:58:33	0.015	-0.009	-9
9/11/2006	11:13:33	0.022	-0.002	-2
9/11/2006	11:28:33	0.018	-0.006	-6
9/11/2006	11:43:33	0.016	-0.008	-8
9/11/2006	11:58:33	0.017	-0.007	-7
9/11/2006	12:13:33	0.018	-0.006	-6
9/11/2006	12:28:33	0.018	-0.006	-6
9/11/2006	12:43:33	0.018	-0.006	-6
9/11/2006	12:58:33	0.016	-0.008	-8
9/11/2006	13:13:33	0.018	-0.006	-6
9/11/2006	13:28:33	0.018	-0.006	-6
9/11/2006	13:43:33	0.018	-0.006	-6
9/11/2006	13:58:33	0.019	-0.005	-5
9/11/2006	14:13:33	0.021	-0.003	-3
9/11/2006	14:28:33	0.021	-0.003	-3
9/11/2006	14:43:33	0.018	-0.006	-6
9/11/2006	14:58:33	0.018	-0.006	-6
9/11/2006	15:13:33	0.02	-0.004	-4
9/11/2006	15:28:33	0.018	-0.006	-6
9/11/2006	15:43:33	0.02	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/11/2006 6:56			0				0
2	9/11/2006 7:11			0.1				0.1
3	9/11/2006 7:26			0.1				0.1
4	9/11/2006 7:41			0.2				0.2
5	9/11/2006 7:56			0.2				0.2
6	9/11/2006 8:11			0.3				0.3
7	9/11/2006 8:26			0.4				0.4
8	9/11/2006 8:41			0.3				0.3
9	9/11/2006 8:56			0.2				0.2
10	9/11/2006 9:11			0.2				0.2
11	9/11/2006 9:26			0.2				0.2
12	9/11/2006 9:41			0.2				0.2
13	9/11/2006 9:56			0.3				0.3
14	9/11/2006 10:11			0.3				0.3
15	9/11/2006 10:26			0.4				0.4
16	9/11/2006 10:41			0.4				0.4
17	9/11/2006 10:56			0.4				0.4
18	9/11/2006 11:11			0.4				0.4
19	9/11/2006 11:26			0.3				0.3
20	9/11/2006 11:41			0.3				0.3
21	9/11/2006 11:56			0.3				0.3
22	9/11/2006 12:11			0.3				0.3
23	9/11/2006 12:26			0.3				0.3
24	9/11/2006 12:41			0.3				0.3
25	9/11/2006 12:56			0.3				0.3
26	9/11/2006 13:11			0.3				0.3
27	9/11/2006 13:26			0.3				0.3
28	9/11/2006 13:41			0.3				0.3
29	9/11/2006 13:56			0.3				0.3
30	9/11/2006 14:11			0.3				0.3
31	9/11/2006 14:26			0.3				0.3
32	9/11/2006 14:41			0.3				0.3
33	9/11/2006 14:56			0.3				0.3
34	9/11/2006 15:11			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	9
Test Abbreviation:	
Start Date:	9/11/2006
Start Time:	6:49:02
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (AM - 6:46) = 0.015

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2006	7:04:02	0.023	0.008	8
9/11/2006	7:19:02	0.016	0.001	1
9/11/2006	7:34:02	0.012	-0.003	-3
9/11/2006	7:49:02	0.012	-0.003	-3
9/11/2006	8:04:02	0.012	-0.003	-3
9/11/2006	8:19:02	0.011	-0.004	-4
9/11/2006	8:34:02	0.011	-0.004	-4
9/11/2006	8:49:02	0.013	-0.002	-2
9/11/2006	9:04:02	0.014	-0.001	-1
9/11/2006	9:19:02	0.013	-0.002	-2
9/11/2006	9:34:02	0.01	-0.005	-5
9/11/2006	9:49:02	0.014	-0.001	-1
9/11/2006	10:04:02	0.012	-0.003	-3
9/11/2006	10:19:02	0.014	-0.001	-1
9/11/2006	10:34:02	0.017	0.002	2
9/11/2006	10:49:02	0.013	-0.002	-2
9/11/2006	11:04:02	0.011	-0.004	-4
9/11/2006	11:19:02	0.011	-0.004	-4
9/11/2006	11:34:02	0.011	-0.004	-4
9/11/2006	11:49:02	0.01	-0.005	-5
9/11/2006	12:04:02	0.009	-0.006	-6
9/11/2006	12:19:02	0.008	-0.007	-7
9/11/2006	12:34:02	0.007	-0.008	-8
9/11/2006	12:49:02	0.006	-0.009	-9
9/11/2006	13:04:02	0.008	-0.007	-7
9/11/2006	13:19:02	0.005	-0.01	-10
9/11/2006	13:34:02	0.005	-0.01	-10
9/11/2006	13:49:02	0.008	-0.007	-7
9/11/2006	14:04:02	0.022	0.007	7
9/11/2006	14:19:02	0.01	-0.005	-5
9/11/2006	14:34:02	0.008	-0.007	-7
9/11/2006	14:49:02	0.008	-0.007	-7
9/11/2006	15:04:02	0.011	-0.004	-4
9/11/2006	15:19:02	0.012	-0.003	-3
9/11/2006	15:34:02	0.011	-0.004	-4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/11/2006 6:52			0				0
2	9/11/2006 7:07			0				0
3	9/11/2006 7:22			0				0
4	9/11/2006 7:37			0.1				0.1
5	9/11/2006 7:52			0.1				0.1
6	9/11/2006 8:07			0.1				0.1
7	9/11/2006 8:22			0.2				0.2
8	9/11/2006 8:37			0.2				0.2
9	9/11/2006 8:52			0.2				0.2
10	9/11/2006 9:07			0.2				0.2
11	9/11/2006 9:22			0.2				0.2
12	9/11/2006 9:37			0.2				0.2
13	9/11/2006 9:52			0.2				0.2
14	9/11/2006 10:07			0.2				0.2
15	9/11/2006 10:22			0.2				0.2
16	9/11/2006 10:37			0.2				0.2
17	9/11/2006 10:52			0.3				0.3
18	9/11/2006 11:07			0.4				0.4
19	9/11/2006 11:22			0.3				0.3
20	9/11/2006 11:37			0.3				0.3
21	9/11/2006 11:52			0.4				0.4
22	9/11/2006 12:07			0.4				0.4
23	9/11/2006 12:22			0.4				0.4
24	9/11/2006 12:37			0.4				0.4
25	9/11/2006 12:52			0.4				0.4
26	9/11/2006 13:07			0.4				0.4
27	9/11/2006 13:22			0.5				0.5
28	9/11/2006 13:37			0.5				0.5
29	9/11/2006 13:52			0.5				0.5
30	9/11/2006 14:07			0.5				0.5
31	9/11/2006 14:22			0.5				0.5
32	9/11/2006 14:37			0.5				0.5
33	9/11/2006 14:52			0.5				0.5
34	9/11/2006 15:07			0.6				0.6

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	5
Test Abbreviation:	
Start Date:	9/11/2006
Start Time:	6:41:04
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (AM - 6:37) = 0.008

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2006	6:56:04	0.008	0	0
9/11/2006	7:11:04	0.008	0	0
9/11/2006	7:26:04	0.007	-0.001	-1
9/11/2006	7:41:04	0.004	-0.004	-4
9/11/2006	7:56:04	0.012	0.004	4
9/11/2006	8:11:04	0.008	0	0
9/11/2006	8:26:04	0.006	-0.002	-2
9/11/2006	8:41:04	0.006	-0.002	-2
9/11/2006	8:56:04	0.007	-0.001	-1
9/11/2006	9:11:04	0.009	0.001	1
9/11/2006	9:26:04	0.007	-0.001	-1
9/11/2006	9:41:04	0.006	-0.002	-2
9/11/2006	9:56:04	0.005	-0.003	-3
9/11/2006	10:11:04	0.006	-0.002	-2
9/11/2006	10:26:04	0.021	0.013	13
9/11/2006	10:41:04	0.018	0.01	10
9/11/2006	10:56:04	0.008	0	0
9/11/2006	11:11:04	0.013	0.005	5
9/11/2006	11:26:04	0.009	0.001	1
9/11/2006	11:41:04	0.012	0.004	4
9/11/2006	11:56:04	0.013	0.005	5
9/11/2006	12:11:04	0.012	0.004	4
9/11/2006	12:26:04	0.016	0.008	8
9/11/2006	12:41:04	0.008	0	0
9/11/2006	12:56:04	0.009	0.001	1
9/11/2006	13:11:04	0.008	0	0
9/11/2006	13:26:04	0.009	0.001	1
9/11/2006	13:41:04	0.01	0.002	2
9/11/2006	13:56:04	0.012	0.004	4
9/11/2006	14:11:04	0.019	0.011	11
9/11/2006	14:26:04	0.009	0.001	1
9/11/2006	14:41:04	0.009	0.001	1
9/11/2006	14:56:04	0.013	0.005	5
9/11/2006	15:11:04	0.007	-0.001	-1
9/11/2006	15:26:04	0.008	0	0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/12/2006 7:17			0				0
2	9/12/2006 7:32			0				0
3	9/12/2006 7:47			0				0
4	9/12/2006 8:02			0				0
5	9/12/2006 8:17			0				0
6	9/12/2006 8:32			0				0
7	9/12/2006 8:47			0				0
8	9/12/2006 9:02			0				0
9	9/12/2006 9:17			0				0
10	9/12/2006 9:32			0				0
11	9/12/2006 9:47			0				0
12	9/12/2006 10:02			0				0
13	9/12/2006 10:17			0				0
14	9/12/2006 10:32			0				0
15	9/12/2006 10:47			0				0
16	9/12/2006 11:02			0				0
17	9/12/2006 11:17			0				0
18	9/12/2006 11:32			0				0
19	9/12/2006 11:47			0				0
20	9/12/2006 12:02			0				0
21	9/12/2006 12:17			0				0
22	9/12/2006 12:32			0				0
23	9/12/2006 12:47			0				0
24	9/12/2006 13:02			0				0
25	9/12/2006 13:17			0				0
26	9/12/2006 13:32			0				0
27	9/12/2006 13:47			0				0
28	9/12/2006 14:02			0				0
29	9/12/2006 14:17			0				0
30	9/12/2006 14:32			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	9/12/2006
Start Time:	7:05:33
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	

Background Reading (AM - 7:05) = 0.007

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/12/2006	7:20:33	0.009	0.002	2	
9/12/2006	7:35:33	0.011	0.004	4	
9/12/2006	7:50:33	0.015	0.008	8	
9/12/2006	8:05:33	0.011	0.004	4	
9/12/2006	8:29:02	0.02	0.013	13	Batteries replaced at 8:29
9/12/2006	8:44:02	0.011	0.004	4	
9/12/2006	8:59:02	0.007	0	0	
9/12/2006	9:14:02	0.008	0.001	1	
9/12/2006	9:29:02	0.008	0.001	1	
9/12/2006	9:44:02	0.008	0.001	1	
9/12/2006	9:59:02	0.01	0.003	3	
9/12/2006	10:14:02	0.006	-0.001	-1	
9/12/2006	10:29:02	0.006	-0.001	-1	
9/12/2006	10:44:02	0.004	-0.003	-3	
9/12/2006	10:59:02	0.005	-0.002	-2	
9/12/2006	11:14:02	0.005	-0.002	-2	
9/12/2006	11:29:02	0.014	0.007	7	
9/12/2006	11:44:02	0.006	-0.001	-1	
9/12/2006	11:59:02	0.004	-0.003	-3	
9/12/2006	12:14:02	0.004	-0.003	-3	
9/12/2006	12:29:02	0.004	-0.003	-3	
9/12/2006	12:44:02	0.004	-0.003	-3	
9/12/2006	12:59:02	0.004	-0.003	-3	
9/12/2006	13:14:02	0.005	-0.002	-2	
9/12/2006	13:29:02	0.004	-0.003	-3	
9/12/2006	13:44:02	0.005	-0.002	-2	
9/12/2006	13:59:02	0.004	-0.003	-3	
9/12/2006	14:14:02	0.004	-0.003	-3	
9/12/2006	14:29:02	0.005	-0.002	-2	
9/12/2006	14:44:02	0.006	-0.001	-1	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/12/2006 7:04			0				0
2	9/12/2006 7:19			0				0
3	9/12/2006 7:34			0				0
4	9/12/2006 7:49			0				0
5	9/12/2006 8:04			0				0
6	9/12/2006 8:19			0				0
7	9/12/2006 8:34			0				0
8	9/12/2006 8:49			0				0
9	9/12/2006 9:04			0				0
10	9/12/2006 9:19			0				0
11	9/12/2006 9:34			0				0
12	9/12/2006 9:49			0				0
13	9/12/2006 10:04			0				0
14	9/12/2006 10:19			0				0
15	9/12/2006 10:34			0.1				0.1
16	9/12/2006 10:49			0.1				0.1
17	9/12/2006 11:04			0.3				0.3
18	9/12/2006 11:19			0.3				0.3
19	9/12/2006 11:34			0.3				0.3
20	9/12/2006 11:49			0.3				0.3
21	9/12/2006 12:04			0.3				0.3
22	9/12/2006 12:19			0.2				0.2
23	9/12/2006 12:34			0.2				0.2
24	9/12/2006 12:49			0.2				0.2
25	9/12/2006 13:04			0.2				0.2
26	9/12/2006 13:19			0.2				0.2
27	9/12/2006 13:34			0.2				0.2
28	9/12/2006 13:49			0.2				0.2
29	9/12/2006 14:04			0.2				0.2
30	9/12/2006 14:19			0.1				0.1
31	9/12/2006 14:34			0.2				0.2
32	9/12/2006 14:49			0.2				0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	9/12/2006
Start Time:	6:56:30
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:51) = 0.015

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2006	7:11:30	0.021	0.006	6
9/12/2006	7:26:30	0.025	0.01	10
9/12/2006	7:41:30	0.029	0.014	14
9/12/2006	7:56:30	0.027	0.012	12
9/12/2006	8:11:30	0.027	0.012	12
9/12/2006	8:26:30	0.034	0.019	19
9/12/2006	8:41:30	0.029	0.014	14
9/12/2006	8:56:30	0.032	0.017	17
9/12/2006	9:11:30	0.023	0.008	8
9/12/2006	9:26:30	0.018	0.003	3
9/12/2006	9:41:30	0.063	0.048	48
9/12/2006	9:56:30	0.025	0.01	10
9/12/2006	10:11:30	0.027	0.012	12
9/12/2006	10:26:30	0.025	0.01	10
9/12/2006	10:41:30	0.026	0.011	11
9/12/2006	10:56:30	0.014	-0.001	-1
9/12/2006	11:11:30	0.015	0	0
9/12/2006	11:26:30	0.024	0.009	9
9/12/2006	11:41:30	0.02	0.005	5
9/12/2006	11:56:30	0.016	0.001	1
9/12/2006	12:11:30	0.014	-0.001	-1
9/12/2006	12:26:30	0.014	-0.001	-1
9/12/2006	12:41:30	0.014	-0.001	-1
9/12/2006	12:56:30	0.014	-0.001	-1
9/12/2006	13:11:30	0.015	0	0
9/12/2006	13:26:30	0.015	0	0
9/12/2006	13:41:30	0.015	0	0
9/12/2006	13:56:30	0.016	0.001	1
9/12/2006	14:11:30	0.015	0	0
9/12/2006	14:26:30	0.016	0.001	1
9/12/2006	14:41:30	0.017	0.002	2
9/12/2006	14:56:30	0.014	-0.001	-1
9/12/2006	15:11:30	0.016	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/12/2006 6:52			0				0
2	9/12/2006 7:07			0.1				0.1
3	9/12/2006 7:22			0.1				0.1
4	9/12/2006 7:37			0.2				0.2
5	9/12/2006 7:52			0.3				0.3
6	9/12/2006 8:07			0.3				0.3
7	9/12/2006 8:22			0.3				0.3
8	9/12/2006 8:37			0.3				0.3
9	9/12/2006 8:52			0.3				0.3
10	9/12/2006 9:07			0.3				0.3
11	9/12/2006 9:22			0.3				0.3
12	9/12/2006 9:37			0.3				0.3
13	9/12/2006 9:52			0.3				0.3
14	9/12/2006 10:07			0.4				0.4
15	9/12/2006 10:22			0.4				0.4
16	9/12/2006 10:37			0.5				0.5
17	9/12/2006 10:52			0.5				0.5
18	9/12/2006 11:07			0.4				0.4
19	9/12/2006 11:22			0.4				0.4
20	9/12/2006 11:37			0.4				0.4
21	9/12/2006 11:52			0.4				0.4
22	9/12/2006 12:07			0.4				0.4
23	9/12/2006 12:22			0.3				0.3
24	9/12/2006 12:37			0.3				0.3
25	9/12/2006 12:52			0.3				0.3
26	9/12/2006 13:07			0.3				0.3
27	9/12/2006 13:22			0.3				0.3
28	9/12/2006 13:37			0.3				0.3
29	9/12/2006 13:52			0.3				0.3
30	9/12/2006 14:07			0.3				0.3
31	9/12/2006 14:22			0.2				0.2
32	9/12/2006 14:37			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	6
Test Abbreviation:	
Start Date:	9/12/2006
Start Time:	7:01:55
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (AM - 7:02) = 0.008

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2006	6:40:21	0.013	0.005	5
9/12/2006	6:55:21	0.027	0.019	19
9/12/2006	7:10:21	0.016	0.008	8
9/12/2006	7:25:21	0.009	0.001	1
9/12/2006	7:40:21	0.006	-0.002	-2
9/12/2006	7:55:21	0.011	0.003	3
9/12/2006	8:10:21	0.023	0.015	15
9/12/2006	8:25:21	0.032	0.024	24
9/12/2006	8:40:21	0.02	0.012	12
9/12/2006	8:55:21	0.018	0.01	10
9/12/2006	9:10:21	0.018	0.01	10
9/12/2006	9:25:21	0.024	0.016	16
9/12/2006	9:40:21	0.015	0.007	7
9/12/2006	9:55:21	0.036	0.028	28
9/12/2006	10:10:21	0.032	0.024	24
9/12/2006	10:25:21	0.025	0.017	17
9/12/2006	10:40:21	0.023	0.015	15
9/12/2006	10:55:21	0.029	0.021	21
9/12/2006	11:10:21	0.011	0.003	3
9/12/2006	11:25:21	0.015	0.007	7
9/12/2006	11:40:21	0.041	0.033	33
9/12/2006	11:55:21	0.037	0.029	29
9/12/2006	12:10:21	0.021	0.013	13
9/12/2006	12:25:21	0.032	0.024	24
9/12/2006	12:40:21	0.035	0.027	27
9/12/2006	12:55:21	0.029	0.021	21
9/12/2006	13:10:21	0.024	0.016	16
9/12/2006	13:25:21	0.021	0.013	13
9/12/2006	13:40:21	0.014	0.006	6
9/12/2006	13:55:21	0.015	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/12/2006 6:39			0				0
2	9/12/2006 6:54			0				0
3	9/12/2006 7:09			0				0
4	9/12/2006 7:24			0.1				0.1
5	9/12/2006 7:39			0.2				0.2
6	9/12/2006 7:54			0.3				0.3
7	9/12/2006 8:09			0.3				0.3
8	9/12/2006 8:24			0.3				0.3
9	9/12/2006 8:39			0.2				0.2
10	9/12/2006 8:54			0.3				0.3
11	9/12/2006 9:09			0.4				0.4
12	9/12/2006 9:24			0.4				0.4
13	9/12/2006 9:39			0.5				0.5
14	9/12/2006 9:54			0.4				0.4
15	9/12/2006 10:09			0.4				0.4
16	9/12/2006 10:24			0.4				0.4
17	9/12/2006 10:39			0.4				0.4
18	9/12/2006 10:54			0.4				0.4
19	9/12/2006 11:09			0.4				0.4
20	9/12/2006 11:24			0.3				0.3
21	9/12/2006 11:39			0.4				0.4
22	9/12/2006 11:54			0.3				0.3
23	9/12/2006 12:09			0.3				0.3
24	9/12/2006 12:24			0.3				0.3
25	9/12/2006 12:39			0.3				0.3
26	9/12/2006 12:54			0.3				0.3
27	9/12/2006 13:09			0.3				0.3
28	9/12/2006 13:24			0.3				0.3
29	9/12/2006 13:39			0.3				0.3
30	9/12/2006 13:54			0.4				0.4
31	9/12/2006 14:09			0.4				0.4
32	9/12/2006 14:24			0.5				0.5
33	9/12/2006 14:39			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	6
Test Abbreviation:	
Start Date:	9/12/2006
Start Time:	6:29:57
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background Reading (AM - 6:28) = 0.010

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/12/2006	6:44:57	0.013	0.003	3	
9/12/2006	6:59:57	0.008	-0.002	-2	
9/12/2006	7:14:57	0.008	-0.002	-2	
9/12/2006	7:29:57	0.01	0	0	
9/12/2006	7:44:57	0.013	0.003	3	
9/12/2006	7:59:57	0.017	0.007	7	
9/12/2006	8:14:57	0.017	0.007	7	
9/12/2006	8:29:57	0.015	0.005	5	
9/12/2006	8:44:57	0.013	0.003	3	
9/12/2006	8:59:57	0.013	0.003	3	
9/12/2006	9:14:57	0.008	-0.002	-2	
9/12/2006	9:29:57	0.011	0.001	1	
9/12/2006	9:44:57	0.01	0	0	
9/12/2006	9:59:57	0.007	-0.003	-3	
9/12/2006	10:14:57	0.005	-0.005	-5	
9/12/2006	10:29:57	0.011	0.001	1	
9/12/2006	10:44:57	0.007	-0.003	-3	
9/12/2006	10:59:57	0.009	-0.001	-1	
9/12/2006	11:14:57	0.004	-0.006	-6	
9/12/2006	11:29:57	0.008	-0.002	-2	
9/12/2006	11:44:57	0.009	-0.001	-1	
9/12/2006	11:59:57	0.006	-0.004	-4	
9/12/2006	12:14:57	0.005	-0.005	-5	
9/12/2006	12:29:57	0.008	-0.002	-2	
9/12/2006	12:44:57	0.007	-0.003	-3	
9/12/2006	12:59:57	0.003	-0.007	-7	
9/12/2006	14:20:18	0.005	-0.005	-5	Batteries replaced at 14:20
9/12/2006	14:35:18	0.005	-0.005	-5	
9/12/2006	14:50:18	0.004	-0.006	-6	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:54) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/13/2006 7:10			0				0
2	9/13/2006 7:25			0				0
3	9/13/2006 7:40			0				0
4	9/13/2006 7:55			0				0
5	9/13/2006 8:10			0				0
6	9/13/2006 8:25			0				0
7	9/13/2006 8:40			0				0
8	9/13/2006 8:55			0				0
9	9/13/2006 9:10			0				0
10	9/13/2006 9:25			0				0
11	9/13/2006 9:40			0				0
12	9/13/2006 9:55			0				0
13	9/13/2006 10:10			0				0
14	9/13/2006 10:25			0				0
15	9/13/2006 10:40			0				0
16	9/13/2006 10:55			0				0
17	9/13/2006 11:10			0				0
18	9/13/2006 11:25			0				0
19	9/13/2006 11:40			0				0
20	9/13/2006 11:55			0				0
21	9/13/2006 12:10			0				0
22	9/13/2006 12:25			0				0
23	9/13/2006 12:40			0				0
24	9/13/2006 12:55			0				0
25	9/13/2006 13:10			0				0
26	9/13/2006 13:25			0				0
27	9/13/2006 13:40			0				0
28	9/13/2006 13:55			0				0
29	9/13/2006 14:10			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	12
Test Abbreviation:	
Start Date:	9/13/2006
Start Time:	6:56:53
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 6:54) = 0.015

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2006	7:11:53	0.018	0.003	3
9/13/2006	7:26:53	0.011	-0.004	-4
9/13/2006	7:41:53	0.016	0.001	1
9/13/2006	7:56:53	0.029	0.014	14
9/13/2006	8:11:53	0.015	0	0
9/13/2006	8:26:53	0.021	0.006	6
9/13/2006	8:41:53	0.015	0	0
9/13/2006	8:56:53	0.016	0.001	1
9/13/2006	9:11:53	0.019	0.004	4
9/13/2006	9:26:53	0.016	0.001	1
9/13/2006	9:41:53	0.015	0	0
9/13/2006	9:56:53	0.018	0.003	3
9/13/2006	10:11:53	0.016	0.001	1
9/13/2006	10:26:53	0.014	-0.001	-1
9/13/2006	10:41:53	0.012	-0.003	-3
9/13/2006	10:56:53	0.012	-0.003	-3
9/13/2006	11:11:53	0.012	-0.003	-3
9/13/2006	11:26:53	0.01	-0.005	-5
9/13/2006	11:41:53	0.012	-0.003	-3
9/13/2006	11:56:53	0.008	-0.007	-7
9/13/2006	12:11:53	0.008	-0.007	-7
9/13/2006	12:26:53	0.007	-0.008	-8
9/13/2006	12:41:53	0.008	-0.007	-7
9/13/2006	12:56:53	0.007	-0.008	-8
9/13/2006	13:11:53	0.007	-0.008	-8
9/13/2006	13:26:53	0.007	-0.008	-8
9/13/2006	13:41:53	0.007	-0.008	-8
9/13/2006	13:56:53	0.007	-0.008	-8
9/13/2006	14:11:53	0.007	-0.008	-8
9/13/2006	14:26:53	0.007	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/13/2006 7:01			0.1				0.1
2	9/13/2006 7:16			0.2				0.2
3	9/13/2006 7:31			0.3				0.3
4	9/13/2006 7:46			0.4				0.4
5	9/13/2006 8:01			0.5				0.5
6	9/13/2006 8:16			0.4				0.4
7	9/13/2006 8:31			0.5				0.5
8	9/13/2006 8:46			0.6				0.6
9	9/13/2006 9:01			0.6				0.6
10	9/13/2006 9:16			0.6				0.6
11	9/13/2006 9:31			0.7				0.7
12	9/13/2006 9:46			0.7				0.7
13	9/13/2006 10:01			0.7				0.7
14	9/13/2006 10:16			0.7				0.7
15	9/13/2006 10:31			0.7				0.7
16	9/13/2006 10:46			0.7				0.7
17	9/13/2006 11:01			0.7				0.7
18	9/13/2006 11:16			0.7				0.7
19	9/13/2006 11:31			0.7				0.7
20	9/13/2006 11:46			0.7				0.7
21	9/13/2006 12:01			0.7				0.7
22	9/13/2006 12:16			0.7				0.7
23	9/13/2006 12:31			0.8				0.8
24	9/13/2006 12:46			0.8				0.8
25	9/13/2006 13:01			0.7				0.7
26	9/13/2006 13:16			0.8				0.8
27	9/13/2006 13:31			0.8				0.8
28	9/13/2006 13:46			0.8				0.8
29	9/13/2006 14:01			0.7				0.7
30	9/13/2006 14:16			0.8				0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	9/13/2006
Start Time:	6:49:39
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (AM - 6:47) = 0.018

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2006	7:04:39	0.019	0.001	1
9/13/2006	7:19:39	0.019	0.001	1
9/13/2006	7:34:39	0.02	0.002	2
9/13/2006	7:49:39	0.023	0.005	5
9/13/2006	8:04:39	0.027	0.009	9
9/13/2006	8:19:39	0.026	0.008	8
9/13/2006	8:34:39	0.024	0.006	6
9/13/2006	8:49:39	0.028	0.01	10
9/13/2006	9:04:39	0.024	0.006	6
9/13/2006	9:19:39	0.025	0.007	7
9/13/2006	9:34:39	0.022	0.004	4
9/13/2006	9:49:39	0.021	0.003	3
9/13/2006	10:04:39	0.025	0.007	7
9/13/2006	10:19:39	0.023	0.005	5
9/13/2006	10:34:39	0.02	0.002	2
9/13/2006	10:49:39	0.021	0.003	3
9/13/2006	11:04:39	0.021	0.003	3
9/13/2006	11:19:39	0.021	0.003	3
9/13/2006	11:34:39	0.018	0	0
9/13/2006	11:49:39	0.018	0	0
9/13/2006	12:04:39	0.019	0.001	1
9/13/2006	12:19:39	0.019	0.001	1
9/13/2006	12:34:39	0.016	-0.002	-2
9/13/2006	12:49:39	0.015	-0.003	-3
9/13/2006	13:04:39	0.015	-0.003	-3
9/13/2006	13:19:39	0.015	-0.003	-3
9/13/2006	13:34:39	0.017	-0.001	-1
9/13/2006	13:49:39	0.015	-0.003	-3
9/13/2006	14:04:39	0.018	0	0
9/13/2006	14:19:39	0.016	-0.002	-2
9/13/2006	14:34:39	0.018	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/13/2006 6:45			0				0
2	9/13/2006 7:00			0				0
3	9/13/2006 7:15			0.1				0.1
4	9/13/2006 7:30			0.1				0.1
5	9/13/2006 7:45			0.1				0.1
6	9/13/2006 8:00			0.1				0.1
7	9/13/2006 8:15			0.2				0.2
8	9/13/2006 8:30			0.2				0.2
9	9/13/2006 8:45			0.2				0.2
10	9/13/2006 9:00			0.2				0.2
11	9/13/2006 9:15			0.3				0.3
12	9/13/2006 9:30			0.3				0.3
13	9/13/2006 9:45			0.3				0.3
14	9/13/2006 10:00			0.3				0.3
15	9/13/2006 10:15			0.3				0.3
16	9/13/2006 10:30			0.3				0.3
17	9/13/2006 10:45			0.3				0.3
18	9/13/2006 11:00			0.3				0.3
19	9/13/2006 11:15			0.3				0.3
20	9/13/2006 11:30			0.3				0.3
21	9/13/2006 11:45			0.3				0.3
22	9/13/2006 12:00			0.3				0.3
23	9/13/2006 12:15			0.3				0.3
24	9/13/2006 12:30			0.3				0.3
25	9/13/2006 12:45			0.3				0.3
26	9/13/2006 13:00			0.3				0.3
27	9/13/2006 13:15			0.3				0.3
28	9/13/2006 13:30			0.3				0.3
29	9/13/2006 13:45			0.3				0.3
30	9/13/2006 14:00			0.2				0.2
31	9/13/2006 14:15			0.2				0.2
32	9/13/2006 14:30			0.3				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	10
Test Abbreviation:	
Start Date:	9/13/2006
Start Time:	6:35:23
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:35) = 0.012

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2006	6:50:23	0.014	0.002	2
9/13/2006	7:05:23	0.016	0.004	4
9/13/2006	7:20:23	0.015	0.003	3
9/13/2006	7:35:23	0.019	0.007	7
9/13/2006	7:50:23	0.027	0.015	15
9/13/2006	8:05:23	0.022	0.01	10
9/13/2006	8:20:23	0.023	0.011	11
9/13/2006	8:35:23	0.024	0.012	12
9/13/2006	8:50:23	0.025	0.013	13
9/13/2006	9:05:23	0.026	0.014	14
9/13/2006	9:20:23	0.024	0.012	12
9/13/2006	9:35:23	0.021	0.009	9
9/13/2006	9:50:23	0.021	0.009	9
9/13/2006	10:05:23	0.024	0.012	12
9/13/2006	10:20:23	0.023	0.011	11
9/13/2006	10:35:23	0.017	0.005	5
9/13/2006	10:50:23	0.017	0.005	5
9/13/2006	11:05:23	0.023	0.011	11
9/13/2006	11:20:23	0.015	0.003	3
9/13/2006	11:35:23	0.015	0.003	3
9/13/2006	11:50:23	0.013	0.001	1
9/13/2006	12:05:23	0.014	0.002	2
9/13/2006	12:20:23	0.012	0	0
9/13/2006	12:35:23	0.011	-0.001	-1
9/13/2006	12:50:23	0.011	-0.001	-1
9/13/2006	13:05:23	0.009	-0.003	-3
9/13/2006	13:20:23	0.011	-0.001	-1
9/13/2006	13:35:23	0.011	-0.001	-1
9/13/2006	13:50:23	0.01	-0.002	-2
9/13/2006	14:05:23	0.012	0	0
9/13/2006	14:20:23	0.011	-0.001	-1
9/13/2006	14:35:23	0.011	-0.001	-1
9/13/2006	14:50:23	0.013	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/11/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/13/2006 6:42			0				0
2	9/13/2006 6:57			0				0
3	9/13/2006 7:12			0				0
4	9/13/2006 7:27			0				0
5	9/13/2006 7:42			0.1				0.1
6	9/13/2006 7:57			0.1				0.1
7	9/13/2006 8:12			0.1				0.1
8	9/13/2006 8:27			0.1				0.1
9	9/13/2006 8:42			0.2				0.2
10	9/13/2006 8:57			0.2				0.2
11	9/13/2006 9:12			0.2				0.2
12	9/13/2006 9:27			0.2				0.2
13	9/13/2006 9:42			0.2				0.2
14	9/13/2006 9:57			0.3				0.3
15	9/13/2006 10:12			0.2				0.2
16	9/13/2006 10:27			0.3				0.3
17	9/13/2006 10:42			0.3				0.3
18	9/13/2006 10:57			0.3				0.3
19	9/13/2006 11:12			0.3				0.3
20	9/13/2006 11:27			0.3				0.3
21	9/13/2006 11:42			0.3				0.3
22	9/13/2006 11:57			0.3				0.3
23	9/13/2006 12:12			0.3				0.3
24	9/13/2006 12:27			0.3				0.3
25	9/13/2006 12:42			0.3				0.3
26	9/13/2006 12:57			0.3				0.3
27	9/13/2006 13:12			0.3				0.3
28	9/13/2006 13:27			0.3				0.3
29	9/13/2006 13:42			0.3				0.3
30	9/13/2006 13:57			0.3				0.3
31	9/13/2006 14:12			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	8
Test Abbreviation:	
Start Date:	9/13/2006
Start Time:	6:29:32
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (AM - 6:27) = 0.009

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2006	6:44:32	0.011	0.002	2
9/13/2006	6:59:32	0.011	0.002	2
9/13/2006	7:14:32	0.014	0.005	5
9/13/2006	7:29:32	0.014	0.005	5
9/13/2006	7:44:32	0.025	0.016	16
9/13/2006	7:59:32	0.022	0.013	13
9/13/2006	8:14:32	0.016	0.007	7
9/13/2006	8:29:32	0.022	0.013	13
9/13/2006	8:44:32	0.016	0.007	7
9/13/2006	8:59:32	0.018	0.009	9
9/13/2006	9:14:32	0.02	0.011	11
9/13/2006	9:29:32	0.018	0.009	9
9/13/2006	9:44:32	0.017	0.008	8
9/13/2006	9:59:32	0.019	0.01	10
9/13/2006	10:14:32	0.027	0.018	18
9/13/2006	10:29:32	0.021	0.012	12
9/13/2006	10:44:32	0.015	0.006	6
9/13/2006	10:59:32	0.019	0.01	10
9/13/2006	11:14:32	0.027	0.018	18
9/13/2006	11:29:32	0.027	0.018	18
9/13/2006	11:44:32	0.02	0.011	11
9/13/2006	11:59:32	0.016	0.007	7
9/13/2006	12:14:32	0.01	0.001	1
9/13/2006	12:29:32	0.011	0.002	2
9/13/2006	12:44:32	0.01	0.001	1
9/13/2006	12:59:32	0.027	0.018	18
9/13/2006	13:14:32	0.017	0.008	8
9/13/2006	13:29:32	0.011	0.002	2
9/13/2006	13:44:32	0.022	0.013	13
9/13/2006	13:59:32	0.04	0.031	31
9/13/2006	14:14:32	0.036	0.027	27
9/13/2006	14:29:32	0.022	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/14/2006 05:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/14/2006 7:07			0				0
2	9/14/2006 7:22			0				0
3	9/14/2006 7:37			0				0
4	9/14/2006 7:52			0				0
5	9/14/2006 8:07			0				0
6	9/14/2006 8:22			0				0
7	9/14/2006 8:37			0				0
8	9/14/2006 8:52			0				0
9	9/14/2006 9:07			0				0
10	9/14/2006 9:22			0				0
11	9/14/2006 9:37			0				0
12	9/14/2006 9:52			0				0
13	9/14/2006 10:07			0				0
14	9/14/2006 10:22			0				0
15	9/14/2006 10:37			0				0
16	9/14/2006 10:52			0				0
17	9/14/2006 11:07			0				0
18	9/14/2006 11:22			0				0
19	9/14/2006 11:37			0				0
20	9/14/2006 11:52			0				0
21	9/14/2006 12:07			0				0
22	9/14/2006 12:22			0				0
23	9/14/2006 12:37			0				0
24	9/14/2006 12:52			0				0
25	9/14/2006 13:07			0				0
26	9/14/2006 13:22			0				0
27	9/14/2006 13:37			0				0
28	9/14/2006 13:52			0				0
29	9/14/2006 14:07			0				0
30	9/14/2006 14:22			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	13
Test Abbreviation:	
Start Date:	9/14/2006
Start Time:	6:55:37
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:51) = 0.008

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/14/2006	7:10:37	0.01	0.002	2
9/14/2006	7:25:37	0.012	0.004	4
9/14/2006	7:40:37	0.013	0.005	5
9/14/2006	7:55:37	0.015	0.007	7
9/14/2006	8:10:37	0.017	0.009	9
9/14/2006	8:25:37	0.017	0.009	9
9/14/2006	8:40:37	0.018	0.01	10
9/14/2006	8:55:37	0.017	0.009	9
9/14/2006	9:10:37	0.018	0.01	10
9/14/2006	9:25:37	0.019	0.011	11
9/14/2006	9:40:37	0.015	0.007	7
9/14/2006	9:55:37	0.014	0.006	6
9/14/2006	10:10:37	0.017	0.009	9
9/14/2006	10:25:37	0.022	0.014	14
9/14/2006	10:40:37	0.02	0.012	12
9/14/2006	10:55:37	0.02	0.012	12
9/14/2006	11:10:37	0.016	0.008	8
9/14/2006	11:25:37	0.016	0.008	8
9/14/2006	11:40:37	0.015	0.007	7
9/14/2006	11:55:37	0.015	0.007	7
9/14/2006	12:10:37	0.015	0.007	7
9/14/2006	12:25:37	0.014	0.006	6
9/14/2006	12:40:37	0.013	0.005	5
9/14/2006	12:55:37	0.013	0.005	5
9/14/2006	13:10:37	0.016	0.008	8
9/14/2006	13:25:37	0.016	0.008	8
9/14/2006	13:40:37	0.016	0.008	8
9/14/2006	13:55:37	0.012	0.004	4
9/14/2006	14:10:37	0.015	0.007	7
9/14/2006	14:25:37	0.014	0.006	6
9/14/2006	14:40:37	0.014	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/14/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/14/2006 6:59			0.2				0.2
2	9/14/2006 7:14			0.6				0.6
3	9/14/2006 7:29			0.9				0.9
4	9/14/2006 7:44			1.2				1.2
5	9/14/2006 7:59			1.3				1.3
6	9/14/2006 8:14			1.6				1.6
7	9/14/2006 8:29			1.7				1.7
8	9/14/2006 8:44			1.9				1.9
9	9/14/2006 8:59			2				2
10	9/14/2006 9:14			2.1				2.1
11	9/14/2006 9:29			2.1				2.1
12	9/14/2006 9:44			2.1				2.1
13	9/14/2006 9:59			2.1				2.1
14	9/14/2006 10:14			2.2				2.2
15	9/14/2006 10:29			2.1				2.1
16	9/14/2006 10:44			2.2				2.2
17	9/14/2006 10:59			2.2				2.2
18	9/14/2006 11:14			2.2				2.2
19	9/14/2006 11:29			2.3				2.3
20	9/14/2006 11:44			2.3				2.3
21	9/14/2006 11:59			2.4				2.4
22	9/14/2006 12:14			2.4				2.4
23	9/14/2006 12:29			2.4				2.4
24	9/14/2006 12:44			2.5				2.5
25	9/14/2006 12:59			2.6				2.6
26	9/14/2006 13:14			2.4				2.4
27	9/14/2006 13:29			2.1				2.1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	12
Test Abbreviation:	
Start Date:	9/14/2006
Start Time:	6:48:29
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (AM - 6:45) = 0.010

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/14/2006	7:03:29	0.011	0.001	1	
9/14/2006	7:18:29	0.012	0.002	2	
9/14/2006	7:33:29	0.011	0.001	1	
9/14/2006	7:48:29	0.017	0.007	7	
9/14/2006	8:03:29	0.016	0.006	6	
9/14/2006	8:18:29	0.017	0.007	7	
9/14/2006	8:33:29	0.017	0.007	7	
9/14/2006	8:48:29	0.017	0.007	7	
9/14/2006	9:03:29	0.016	0.006	6	
9/14/2006	9:18:29	0.017	0.007	7	
9/14/2006	9:33:29	0.014	0.004	4	
9/14/2006	9:48:29	0.012	0.002	2	
9/14/2006	10:03:29	0.013	0.003	3	
9/14/2006	10:18:29	0.015	0.005	5	
9/14/2006	10:33:29	0.018	0.008	8	
9/14/2006	10:48:29	0.016	0.006	6	
9/14/2006	11:03:29	0.016	0.006	6	
9/14/2006	11:18:29	0.012	0.002	2	
9/14/2006	11:33:29	0.011	0.001	1	
9/14/2006	11:48:29	0.011	0.001	1	
9/14/2006	12:03:29	0.012	0.002	2	
9/14/2006	12:18:29	0.013	0.003	3	
9/14/2006	13:42:01	0.012	0.002	2	Batteries replaced at 13:42
9/14/2006	13:57:01	0.011	0.001	1	
9/14/2006	14:12:01	0.013	0.003	3	
9/14/2006	14:27:01	0.012	0.002	2	
9/14/2006	14:42:01	0.012	0.002	2	
9/14/2006	14:57:01	0.009	-0.001	-1	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/14/2006 05:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/14/2006 6:46			0				0
2	9/14/2006 7:01			0				0
3	9/14/2006 7:16			0				0
4	9/14/2006 7:31			0				0
5	9/14/2006 7:46			0				0
6	9/14/2006 8:01			0				0
7	9/14/2006 8:16			0				0
8	9/14/2006 8:31			0				0
9	9/14/2006 8:46			0				0
10	9/14/2006 9:01			0				0
11	9/14/2006 9:16			0				0
12	9/14/2006 9:31			0				0
13	9/14/2006 9:46			0				0
14	9/14/2006 10:01			0				0
15	9/14/2006 10:16			0				0
16	9/14/2006 10:31			0				0
17	9/14/2006 10:46			0				0
18	9/14/2006 11:01			0				0
19	9/14/2006 11:16			0				0
20	9/14/2006 11:31			0				0
21	9/14/2006 11:46			0				0
22	9/14/2006 12:01			0				0
23	9/14/2006 12:16			0				0
24	9/14/2006 12:31			0				0
25	9/14/2006 12:46			0				0
26	9/14/2006 13:01			0				0
27	9/14/2006 13:16			0				0
28	9/14/2006 13:31			0.1				0.1
29	9/14/2006 13:46			0.1				0.1
30	9/14/2006 14:01			0				0
31	9/14/2006 14:16			0				0
32	9/14/2006 14:31			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	11
Test Abbreviation:	
Start Date:	9/14/2006
Start Time:	6:39:19
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background Reading (AM - 6:35) = 0.010

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/14/2006	6:54:19	0.013	0.003	3	
9/14/2006	7:09:19	0.014	0.004	4	
9/14/2006	7:24:19	0.016	0.006	6	
9/14/2006	7:39:19	0.017	0.007	7	
9/14/2006	7:54:19	0.02	0.01	10	
9/14/2006	8:09:19	0.023	0.013	13	
9/14/2006	8:24:19	0.021	0.011	11	
9/14/2006	8:39:19	0.022	0.012	12	
9/14/2006	8:54:19	0.023	0.013	13	
9/14/2006	9:09:19	0.023	0.013	13	
9/14/2006	9:24:19	0.025	0.015	15	
9/14/2006	9:39:19	0.019	0.009	9	
9/14/2006	9:54:19	0.018	0.008	8	
9/14/2006	10:09:19	0.021	0.011	11	
9/14/2006	10:24:19	0.028	0.018	18	
9/14/2006	10:39:19	0.027	0.017	17	
9/14/2006	10:54:19	0.027	0.017	17	
9/14/2006	11:09:19	0.022	0.012	12	
9/14/2006	11:24:19	0.02	0.01	10	
9/14/2006	11:39:19	0.019	0.009	9	
9/14/2006	11:54:19	0.02	0.01	10	
9/14/2006	12:09:19	0.02	0.01	10	
9/14/2006	12:24:19	0.019	0.009	9	
9/14/2006	12:39:19	0.017	0.007	7	
9/14/2006	12:54:19	0.017	0.007	7	
9/14/2006	13:09:19	0.019	0.009	9	
9/14/2006	13:33:38	0.02	0.01	10	Batteries replaced at 13:33
9/14/2006	13:48:38	0.018	0.008	8	
9/14/2006	14:03:38	0.018	0.008	8	
9/14/2006	14:18:38	0.022	0.012	12	
9/14/2006	14:33:38	0.019	0.009	9	
9/14/2006	14:48:38	0.02	0.01	10	
9/14/2006	15:03:38	0.016	0.006	6	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/14/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:29) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/14/2006 6:44			0				0
2	9/14/2006 6:59			0				0
3	9/14/2006 7:14			0				0
4	9/14/2006 7:29			0				0
5	9/14/2006 7:44			0				0
6	9/14/2006 7:59			0				0
7	9/14/2006 8:14			0				0
8	9/14/2006 8:29			0				0
9	9/14/2006 8:44			0				0
10	9/14/2006 8:59			0				0
11	9/14/2006 9:14			0				0
12	9/14/2006 9:29			0				0
13	9/14/2006 9:44			0				0
14	9/14/2006 9:59			0				0
15	9/14/2006 10:14			0				0
16	9/14/2006 10:29			0				0
17	9/14/2006 10:44			0				0
18	9/14/2006 10:59			0				0
19	9/14/2006 11:14			0				0
20	9/14/2006 11:29			0				0
21	9/14/2006 11:44			0				0
22	9/14/2006 11:59			0				0
23	9/14/2006 12:14			0				0
24	9/14/2006 12:29			0				0
25	9/14/2006 12:44			0				0
26	9/14/2006 12:59			0				0
27	9/14/2006 13:14			0.1				0.1
28	9/14/2006 13:29			0.1				0.1
29	9/14/2006 13:44			0.1				0.1
30	9/14/2006 13:59			0				0
31	9/14/2006 14:14			0				0
32	9/14/2006 14:29			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	9
Test Abbreviation:	
Start Date:	9/14/2006
Start Time:	6:32:43
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	

Background Reading (AM - 6:29) = 0.009

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/14/2006	6:47:43	0.017	0.008	8	
9/14/2006	7:02:43	0.014	0.005	5	
9/14/2006	7:17:43	0.017	0.008	8	
9/14/2006	7:32:43	0.024	0.015	15	
9/14/2006	7:47:43	0.025	0.016	16	
9/14/2006	8:02:43	0.027	0.018	18	
9/14/2006	8:17:43	0.051	0.042	42	
9/14/2006	8:32:43	0.036	0.027	27	
9/14/2006	8:47:43	0.034	0.025	25	
9/14/2006	9:02:43	0.038	0.029	29	
9/14/2006	9:17:43	0.033	0.024	24	
9/14/2006	9:32:43	0.036	0.027	27	
9/14/2006	9:47:43	0.032	0.023	23	
9/14/2006	10:02:43	0.043	0.034	34	
9/14/2006	10:17:43	0.043	0.034	34	
9/14/2006	10:32:43	0.054	0.045	45	
9/14/2006	10:47:43	0.033	0.024	24	
9/14/2006	11:02:43	0.028	0.019	19	
9/14/2006	13:26:12	0.043	0.034	34	Batteries replaced at 13:36
9/14/2006	13:41:12	0.033	0.024	24	
9/14/2006	13:56:12	0.065	0.056	56	
9/14/2006	14:11:12	0.041	0.032	32	
9/14/2006	14:26:12	0.035	0.026	26	
9/14/2006	14:41:12	0.031	0.022	22	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/15/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:56) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/15/2006 7:11			0				0
2	9/15/2006 7:26			0				0
3	9/15/2006 7:41			0				0
4	9/15/2006 7:56			0				0
5	9/15/2006 8:11			0				0
6	9/15/2006 8:26			0				0
7	9/15/2006 8:41			0				0
8	9/15/2006 8:56			0				0
9	9/15/2006 9:11			0				0
10	9/15/2006 9:26			0				0
11	9/15/2006 9:41			0				0
12	9/15/2006 9:56			0				0
13	9/15/2006 10:11			0				0
14	9/15/2006 10:26			0				0
15	9/15/2006 10:41			0				0
16	9/15/2006 10:56			0				0
17	9/15/2006 11:11			0				0
18	9/15/2006 11:26			0				0
19	9/15/2006 11:41			0				0
20	9/15/2006 11:56			0				0
21	9/15/2006 12:11			0				0
22	9/15/2006 12:26			0				0
23	9/15/2006 12:41			0				0
24	9/15/2006 12:56			0				0
25	9/15/2006 13:11			0				0
26	9/15/2006 13:26			0				0
27	9/15/2006 13:41			0				0
28	9/15/2006 13:56			0				0
29	9/15/2006 14:11			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	14
Test Abbreviation:	
Start Date:	9/15/2006
Start Time:	6:59:19
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (AM - 6:56) = 0.010

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/15/2006	7:14:19	0.012	0.002	2
9/15/2006	7:29:19	0.016	0.006	6
9/15/2006	7:44:19	0.013	0.003	3
9/15/2006	7:59:19	0.011	0.001	1
9/15/2006	8:14:19	0.01	0	0
9/15/2006	8:29:19	0.008	-0.002	-2
9/15/2006	8:44:19	0.01	0	0
9/15/2006	8:59:19	0.013	0.003	3
9/15/2006	9:14:19	0.008	-0.002	-2
9/15/2006	9:29:19	0.006	-0.004	-4
9/15/2006	9:44:19	0.006	-0.004	-4
9/15/2006	9:59:19	0.005	-0.005	-5
9/15/2006	10:14:19	0.007	-0.003	-3
9/15/2006	10:29:19	0.007	-0.003	-3
9/15/2006	10:44:19	0.008	-0.002	-2
9/15/2006	10:59:19	0.011	0.001	1
9/15/2006	11:14:19	0.013	0.003	3
9/15/2006	11:29:19	0.014	0.004	4
9/15/2006	11:44:19	0.016	0.006	6
9/15/2006	11:59:19	0.016	0.006	6
9/15/2006	12:14:19	0.019	0.009	9
9/15/2006	12:29:19	0.026	0.016	16
9/15/2006	12:44:19	0.028	0.018	18
9/15/2006	12:59:19	0.027	0.017	17
9/15/2006	13:14:19	0.03	0.02	20
9/15/2006	13:29:19	0.031	0.021	21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/15/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/15/2006 7:29			0		0		0
2	9/15/2006 7:44			0		0		0
3	9/15/2006 7:59			0		0		0
4	9/15/2006 8:14			0		0		0
5	9/15/2006 8:29			0		0		0
6	9/15/2006 8:44			0		0		0
7	9/15/2006 8:59			0		0		0
8	9/15/2006 9:14			0		0		0
9	9/15/2006 9:29			0		0		0
10	9/15/2006 9:44			0		0		0
11	9/15/2006 9:59			0		0		0
12	9/15/2006 10:14			0		0		0
13	9/15/2006 10:29			0		0		0
14	9/15/2006 10:44			0		0		0
15	9/15/2006 10:59			0		0		0
16	9/15/2006 11:14			0		0		0
17	9/15/2006 11:29			0		0		0
18	9/15/2006 11:44			0		0		0
19	9/15/2006 11:59			0		0		0
20	9/15/2006 12:14			0		0		0
21	9/15/2006 12:29			0		0		0
22	9/15/2006 12:44			0		0		0
23	9/15/2006 12:59			0		0		0
24	9/15/2006 13:14			0		0		0
25	9/15/2006 13:29			0		0		0
26	9/15/2006 13:44			0		0		0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	14
Test Abbreviation:	
Start Date:	9/15/2006
Start Time:	6:53:29
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 6:48) = 0.014

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/15/2006	7:08:29	0.015	0.001	1
9/15/2006	7:23:29	0.015	0.001	1
9/15/2006	7:38:29	0.016	0.002	2
9/15/2006	7:53:29	0.013	-0.001	-1
9/15/2006	8:08:29	0.012	-0.002	-2
9/15/2006	8:23:29	0.008	-0.006	-6
9/15/2006	8:38:29	0.008	-0.006	-6
9/15/2006	8:53:29	0.008	-0.006	-6
9/15/2006	9:08:29	0.01	-0.004	-4
9/15/2006	9:23:29	0.007	-0.007	-7
9/15/2006	9:38:29	0.006	-0.008	-8
9/15/2006	9:53:29	0.006	-0.008	-8
9/15/2006	10:08:29	0.008	-0.006	-6
9/15/2006	10:23:29	0.01	-0.004	-4
9/15/2006	10:38:29	0.008	-0.006	-6
9/15/2006	10:53:29	0.008	-0.006	-6
9/15/2006	11:08:29	0.01	-0.004	-4
9/15/2006	11:23:29	0.013	-0.001	-1
9/15/2006	11:38:29	0.013	-0.001	-1
9/15/2006	11:53:29	0.014	0	0
9/15/2006	12:08:29	0.014	0	0
9/15/2006	12:23:29	0.019	0.005	5
9/15/2006	12:38:29	0.023	0.009	9
9/15/2006	12:53:29	0.024	0.01	10
9/15/2006	13:08:29	0.025	0.011	11
9/15/2006	13:23:29	0.024	0.01	10
9/15/2006	13:38:29	0.023	0.009	9
9/15/2006	13:53:29	0.023	0.009	9
9/15/2006	14:08:29	0.019	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/15/2006 05:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/15/2006 6:51			0				0
2	9/15/2006 7:06			0				0
3	9/15/2006 7:21			0				0
4	9/15/2006 7:36			0				0
5	9/15/2006 7:51			0				0
6	9/15/2006 8:06			0				0
7	9/15/2006 8:21			0				0
8	9/15/2006 8:36			0				0
9	9/15/2006 8:51			0				0
10	9/15/2006 9:06			0				0
11	9/15/2006 9:21			0				0
12	9/15/2006 9:36			0				0
13	9/15/2006 9:51			0				0
14	9/15/2006 10:06			0				0
15	9/15/2006 10:21			0				0
16	9/15/2006 10:36			0				0
17	9/15/2006 10:51			0				0
18	9/15/2006 11:06			0				0
19	9/15/2006 11:21			0				0
20	9/15/2006 11:36			0				0
21	9/15/2006 11:51			0				0
22	9/15/2006 12:06			0				0
23	9/15/2006 12:21			0				0
24	9/15/2006 12:36			0				0
25	9/15/2006 12:51			0				0
26	9/15/2006 13:06			0				0
27	9/15/2006 13:21			0				0
28	9/15/2006 13:36			0.1				0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	13
Test Abbreviation:	
Start Date:	9/15/2006
Start Time:	6:43:31
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 6:38) = 0.023

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/15/2006	6:58:31	0.02	-0.003	-3
9/15/2006	7:13:31	0.019	-0.004	-4
9/15/2006	7:28:31	0.017	-0.006	-6
9/15/2006	7:43:31	0.02	-0.003	-3
9/15/2006	7:58:31	0.017	-0.006	-6
9/15/2006	8:13:31	0.014	-0.009	-9
9/15/2006	8:28:31	0.014	-0.009	-9
9/15/2006	8:43:31	0.011	-0.012	-12
9/15/2006	8:58:31	0.016	-0.007	-7
9/15/2006	9:13:31	0.012	-0.011	-11
9/15/2006	9:28:31	0.009	-0.014	-14
9/15/2006	9:43:31	0.009	-0.014	-14
9/15/2006	9:58:31	0.007	-0.016	-16
9/15/2006	10:13:31	0.008	-0.015	-15
9/15/2006	10:28:31	0.01	-0.013	-13
9/15/2006	10:43:31	0.013	-0.01	-10
9/15/2006	10:58:31	0.016	-0.007	-7
9/15/2006	11:13:31	0.02	-0.003	-3
9/15/2006	11:28:31	0.023	0	0
9/15/2006	11:43:31	0.024	0.001	1
9/15/2006	11:58:31	0.024	0.001	1
9/15/2006	12:13:31	0.029	0.006	6
9/15/2006	12:28:31	0.039	0.016	16
9/15/2006	12:43:31	0.044	0.021	21
9/15/2006	12:58:31	0.041	0.018	18
9/15/2006	13:13:31	0.044	0.021	21
9/15/2006	13:28:31	0.043	0.02	20
9/15/2006	13:43:31	0.041	0.018	18
9/15/2006	13:58:31	0.036	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/14/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/15/2006 6:40			0				0
2	9/15/2006 6:55			0				0
3	9/15/2006 7:10			0				0
4	9/15/2006 7:25			0				0
5	9/15/2006 7:40			0				0
6	9/15/2006 7:55			0				0
7	9/15/2006 8:10			0				0
8	9/15/2006 8:25			0				0
9	9/15/2006 8:40			0				0
10	9/15/2006 8:55			0				0
11	9/15/2006 9:10			0				0
12	9/15/2006 9:25			0				0
13	9/15/2006 9:40			0				0
14	9/15/2006 9:55			0				0
15	9/15/2006 10:10			0				0
16	9/15/2006 10:25			0				0
17	9/15/2006 10:40			0				0
18	9/15/2006 10:55			0				0
19	9/15/2006 11:10			0				0
20	9/15/2006 11:25			0				0
21	9/15/2006 11:40			0				0
22	9/15/2006 11:55			0				0
23	9/15/2006 12:10			0				0
24	9/15/2006 12:25			0				0
25	9/15/2006 12:40			0				0
26	9/15/2006 12:55			0				0
27	9/15/2006 13:10			0				0
28	9/15/2006 13:25			0				0
29	9/15/2006 13:40			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	11
Test Abbreviation:	
Start Date:	9/15/2006
Start Time:	6:28:30
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	

Background Reading (AM - 6:26) = 0.025

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/15/2006	6:43:30	0.048	0.023	23
9/15/2006	6:58:30	0.024	-0.001	-1
9/15/2006	7:13:30	0.022	-0.003	-3
9/15/2006	7:28:30	0.02	-0.005	-5
9/15/2006	7:43:30	0.023	-0.002	-2
9/15/2006	7:58:30	0.021	-0.004	-4
9/15/2006	8:13:30	0.018	-0.007	-7
9/15/2006	8:28:30	0.018	-0.007	-7
9/15/2006	8:43:30	0.021	-0.004	-4
9/15/2006	8:58:30	0.02	-0.005	-5
9/15/2006	9:13:30	0.018	-0.007	-7
9/15/2006	9:28:30	0.014	-0.011	-11
9/15/2006	9:43:30	0.014	-0.011	-11
9/15/2006	9:58:30	0.013	-0.012	-12
9/15/2006	10:13:30	0.014	-0.011	-11
9/15/2006	10:28:30	0.015	-0.01	-10
9/15/2006	10:43:30	0.019	-0.006	-6
9/15/2006	10:58:30	0.02	-0.005	-5
9/15/2006	11:13:30	0.023	-0.002	-2
9/15/2006	11:28:30	0.024	-0.001	-1
9/15/2006	11:43:30	0.026	0.001	1
9/15/2006	11:58:30	0.027	0.002	2
9/15/2006	12:13:30	0.032	0.007	7
9/15/2006	12:28:30	0.039	0.014	14
9/15/2006	12:43:30	0.042	0.017	17
9/15/2006	12:58:30	0.042	0.017	17
9/15/2006	13:13:30	0.045	0.02	20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/18/2006 05:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:44) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/18/2006 7:02			0				0
2	9/18/2006 7:17			0				0
3	9/18/2006 7:32			0				0
4	9/18/2006 7:47			0				0
5	9/18/2006 8:02			0				0
6	9/18/2006 8:17			0				0
7	9/18/2006 8:32			0				0
8	9/18/2006 8:47			0				0
9	9/18/2006 9:02			0				0
10	9/18/2006 9:17			0				0
11	9/18/2006 9:32			0				0
12	9/18/2006 9:47			0				0
13	9/18/2006 10:02			0				0
14	9/18/2006 10:17			0				0
15	9/18/2006 10:32			0				0
16	9/18/2006 10:47			0				0
17	9/18/2006 11:02			0				0
18	9/18/2006 11:17			0				0
19	9/18/2006 11:32			0				0
20	9/18/2006 11:47			0				0
21	9/18/2006 12:02			0				0
22	9/18/2006 12:17			0				0
23	9/18/2006 12:32			0				0
24	9/18/2006 12:47			0				0
25	9/18/2006 13:02			0				0
26	9/18/2006 13:17			0				0
27	9/18/2006 13:32			0				0
28	9/18/2006 13:47			0				0
29	9/18/2006 14:02			0				0
30	9/18/2006 14:17			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	15
Test Abbreviation:	
Start Date:	9/18/2006
Start Time:	6:48:47
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:44) = 0.027

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2006	7:03:47	0.03	0.003	3
9/18/2006	7:18:47	0.035	0.008	8
9/18/2006	7:33:47	0.037	0.01	10
9/18/2006	7:48:47	0.038	0.011	11
9/18/2006	8:03:47	0.043	0.016	16
9/18/2006	8:18:47	0.046	0.019	19
9/18/2006	8:33:47	0.048	0.021	21
9/18/2006	8:48:47	0.047	0.02	20
9/18/2006	9:03:47	0.043	0.016	16
9/18/2006	9:18:47	0.041	0.014	14
9/18/2006	9:33:47	0.042	0.015	15
9/18/2006	9:48:47	0.046	0.019	19
9/18/2006	10:03:47	0.041	0.014	14
9/18/2006	10:18:47	0.026	-0.001	-1
9/18/2006	10:33:47	0.029	0.002	2
9/18/2006	10:48:47	0.029	0.002	2
9/18/2006	11:03:47	0.025	-0.002	-2
9/18/2006	11:18:47	0.021	-0.006	-6
9/18/2006	11:33:47	0.026	-0.001	-1
9/18/2006	11:48:47	0.028	0.001	1
9/18/2006	12:03:47	0.025	-0.002	-2
9/18/2006	12:18:47	0.024	-0.003	-3
9/18/2006	12:33:47	0.023	-0.004	-4
9/18/2006	12:48:47	0.029	0.002	2
9/18/2006	13:03:47	0.029	0.002	2
9/18/2006	13:18:47	0.031	0.004	4
9/18/2006	13:33:47	0.033	0.006	6
9/18/2006	13:48:47	0.03	0.003	3
9/18/2006	14:03:47	0.032	0.005	5
9/18/2006	14:18:47	0.033	0.006	6
9/18/2006	14:33:47	0.028	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/18/2006 05:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/18/2006 6:45			0.1		0.5		0.5
2	9/18/2006 7:00			0.3		0.7		0.7
3	9/18/2006 7:15			0.4		0.7		0.7
4	9/18/2006 7:30			0.5		0.8		0.8
5	9/18/2006 7:45			0.6		1		1
6	9/18/2006 8:00			0.7		1		1
7	9/18/2006 8:15			0.8		1.3		1.3
8	9/18/2006 8:30			0.9		2.2		2.2
9	9/18/2006 8:45			1		1.4		1.4
10	9/18/2006 9:00			0.8		1.2		1.2
11	9/18/2006 9:15			0.8		1.2		1.2
12	9/18/2006 9:30			0.8		1.1		1.1
13	9/18/2006 9:45			0.9		1.2		1.2
14	9/18/2006 10:00			0.9		1.2		1.2
15	9/18/2006 10:15			0.9		1.2		1.2
16	9/18/2006 10:30			0.9		1.2		1.2
17	9/18/2006 10:45			0.9		1.2		1.2
18	9/18/2006 11:00			0.9		1.2		1.2
19	9/18/2006 11:15			0.7		0.9		0.9
20	9/18/2006 11:30			0.6		0.9		0.9
21	9/18/2006 11:45			0.6		0.9		0.9
22	9/18/2006 12:00			0.6		0.9		0.9
23	9/18/2006 12:15			0.6		0.9		0.9
24	9/18/2006 12:30			0.5		0.8		0.8
25	9/18/2006 12:45			0.5		0.8		0.8
26	9/18/2006 13:00			0.6		0.8		0.8
27	9/18/2006 13:15			0.4		0.8		0.8
28	9/18/2006 13:30			0.4		0.7		0.7
29	9/18/2006 13:45			0.5		0.9		0.9
30	9/18/2006 14:00			0.5		0.8		0.8
31	9/18/2006 14:15			0.6		0.8		0.8
32	9/18/2006 14:30			0.6		0.9		0.9

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	15
Test Abbreviation:	
Start Date:	9/18/2006
Start Time:	6:43:04
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:37) = 0.023

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2006	6:58:04	0.026	0.003	3
9/18/2006	7:13:04	0.027	0.004	4
9/18/2006	7:28:04	0.028	0.005	5
9/18/2006	7:43:04	0.031	0.008	8
9/18/2006	7:58:04	0.035	0.012	12
9/18/2006	8:13:04	0.044	0.021	21
9/18/2006	8:28:04	0.043	0.02	20
9/18/2006	8:43:04	0.048	0.025	25
9/18/2006	8:58:04	0.044	0.021	21
9/18/2006	9:13:04	0.037	0.014	14
9/18/2006	9:28:04	0.038	0.015	15
9/18/2006	9:43:04	0.043	0.02	20
9/18/2006	9:58:04	0.043	0.02	20
9/18/2006	10:13:04	0.034	0.011	11
9/18/2006	10:28:04	0.028	0.005	5
9/18/2006	10:43:04	0.033	0.01	10
9/18/2006	10:58:04	0.026	0.003	3
9/18/2006	11:13:04	0.025	0.002	2
9/18/2006	11:28:04	0.027	0.004	4
9/18/2006	11:43:04	0.033	0.01	10
9/18/2006	11:58:04	0.037	0.014	14
9/18/2006	12:13:04	0.032	0.009	9
9/18/2006	12:28:04	0.03	0.007	7
9/18/2006	12:43:04	0.033	0.01	10
9/18/2006	12:58:04	0.04	0.017	17
9/18/2006	13:13:04	0.04	0.017	17
9/18/2006	13:28:04	0.043	0.02	20
9/18/2006	13:43:04	0.045	0.022	22
9/18/2006	13:58:04	0.04	0.017	17
9/18/2006	14:13:04	0.041	0.018	18
9/18/2006	14:28:04	0.04	0.017	17
9/18/2006	14:43:04	0.037	0.014	14
9/18/2006	14:58:04	0.035	0.012	12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/18/2006 05:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/18/2006 6:37			0.1				0.1
2	9/18/2006 6:52			0.2				0.2
3	9/18/2006 7:07			0.2				0.2
4	9/18/2006 7:22			0.2				0.2
5	9/18/2006 7:37			0.3				0.3
6	9/18/2006 7:52			0.3				0.3
7	9/18/2006 8:07			0.4				0.4
8	9/18/2006 8:22			0.4				0.4
9	9/18/2006 8:37			0.4				0.4
10	9/18/2006 8:52			0.3				0.3
11	9/18/2006 9:07			0.3				0.3
12	9/18/2006 9:22			0.3				0.3
13	9/18/2006 9:37			0.3				0.3
14	9/18/2006 9:52			0.3				0.3
15	9/18/2006 10:07			0.3				0.3
16	9/18/2006 10:22			0.4				0.4
17	9/18/2006 10:37			0.4				0.4
18	9/18/2006 10:52			0.4				0.4
19	9/18/2006 11:07			0.4				0.4
20	9/18/2006 11:22			0.3				0.3
21	9/18/2006 11:37			0.3				0.3
22	9/18/2006 11:52			0.3				0.3
23	9/18/2006 12:07			0.3				0.3
24	9/18/2006 12:22			0.2				0.2
25	9/18/2006 12:37			0.2				0.2
26	9/18/2006 12:52			0.2				0.2
27	9/18/2006 13:07			0.2				0.2
28	9/18/2006 13:22			0.1				0.1
29	9/18/2006 13:37			0.1				0.1
30	9/18/2006 13:52			0.2				0.2
31	9/18/2006 14:07			0.2				0.2
32	9/18/2006 14:22			0.2				0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	14
Test Abbreviation:	
Start Date:	9/18/2006
Start Time:	6:30:56
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:27) = 0.045

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2006	6:45:56	0.05	0.005	5
9/18/2006	7:00:56	0.04	-0.005	-5
9/18/2006	7:15:56	0.04	-0.005	-5
9/18/2006	7:30:56	0.045	0	0
9/18/2006	7:45:56	0.051	0.006	6
9/18/2006	8:00:56	0.054	0.009	9
9/18/2006	8:15:56	0.065	0.02	20
9/18/2006	8:30:56	0.064	0.019	19
9/18/2006	8:45:56	0.066	0.021	21
9/18/2006	9:00:56	0.063	0.018	18
9/18/2006	9:15:56	0.058	0.013	13
9/18/2006	9:30:56	0.06	0.015	15
9/18/2006	9:45:56	0.064	0.019	19
9/18/2006	10:00:56	0.067	0.022	22
9/18/2006	10:15:56	0.043	-0.002	-2
9/18/2006	10:30:56	0.041	-0.004	-4
9/18/2006	10:45:56	0.044	-0.001	-1
9/18/2006	11:00:56	0.036	-0.009	-9
9/18/2006	11:15:56	0.031	-0.014	-14
9/18/2006	11:30:56	0.033	-0.012	-12
9/18/2006	11:45:56	0.04	-0.005	-5
9/18/2006	12:00:56	0.043	-0.002	-2
9/18/2006	12:15:56	0.039	-0.006	-6
9/18/2006	12:30:56	0.035	-0.01	-10
9/18/2006	12:45:56	0.042	-0.003	-3
9/18/2006	13:00:56	0.046	0.001	1
9/18/2006	13:15:56	0.047	0.002	2
9/18/2006	13:30:56	0.048	0.003	3
9/18/2006	13:45:56	0.049	0.004	4
9/18/2006	14:00:56	0.047	0.002	2
9/18/2006	14:15:56	0.052	0.007	7
9/18/2006	14:30:56	0.044	-0.001	-1
9/18/2006	14:45:56	0.037	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/18/2006 6:33			0				0
2	9/18/2006 6:48			0				0
3	9/18/2006 7:03			0				0
4	9/18/2006 7:18			0.1				0.1
5	9/18/2006 7:33			0.2				0.2
6	9/18/2006 7:48			0.3				0.3
7	9/18/2006 8:03			0.3				0.3
8	9/18/2006 8:18			0.3				0.3
9	9/18/2006 8:33			0.3				0.3
10	9/18/2006 8:48			0.3				0.3
11	9/18/2006 9:03			0.3				0.3
12	9/18/2006 9:18			0.3				0.3
13	9/18/2006 9:33			0.3				0.3
14	9/18/2006 9:48			0.2				0.2
15	9/18/2006 10:03			0.2				0.2
16	9/18/2006 10:18			0.1				0.1
17	9/18/2006 10:33			0.1				0.1
18	9/18/2006 10:48			0.1				0.1
19	9/18/2006 11:03			0.1				0.1
20	9/18/2006 11:18			0.1				0.1
21	9/18/2006 11:33			0.1				0.1
22	9/18/2006 11:48			0.1				0.1
23	9/18/2006 12:03			0.1				0.1
24	9/18/2006 12:18			0.1				0.1
25	9/18/2006 12:33			0.1				0.1
26	9/18/2006 12:48			0.1				0.1
27	9/18/2006 13:03			0.1				0.1
28	9/18/2006 13:18			0.2				0.2
29	9/18/2006 13:33			0.2				0.2
30	9/18/2006 13:48			0.2				0.2
31	9/18/2006 14:03			0.2				0.2
32	9/18/2006 14:18			0.2				0.2
33	9/18/2006 14:33			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	12
Test Abbreviation:	
Start Date:	9/18/2006
Start Time:	6:23:49
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:20) = 0.036

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2006	6:38:49	0.039	0.003	3
9/18/2006	6:53:49	0.05	0.014	14
9/18/2006	7:08:49	0.048	0.012	12
9/18/2006	7:23:49	0.05	0.014	14
9/18/2006	7:38:49	0.05	0.014	14
9/18/2006	7:53:49	0.047	0.011	11
9/18/2006	8:08:49	0.05	0.014	14
9/18/2006	8:23:49	0.047	0.011	11
9/18/2006	8:38:49	0.051	0.015	15
9/18/2006	8:53:49	0.068	0.032	32
9/18/2006	9:08:49	0.058	0.022	22
9/18/2006	9:23:49	0.056	0.02	20
9/18/2006	9:38:49	0.052	0.016	16
9/18/2006	9:53:49	0.068	0.032	32
9/18/2006	10:08:49	0.048	0.012	12
9/18/2006	10:23:49	0.042	0.006	6
9/18/2006	10:38:49	0.046	0.01	10
9/18/2006	10:53:49	0.039	0.003	3
9/18/2006	11:08:49	0.037	0.001	1
9/18/2006	11:23:49	0.032	-0.004	-4
9/18/2006	11:38:49	0.04	0.004	4
9/18/2006	11:53:49	0.055	0.019	19
9/18/2006	12:08:49	0.043	0.007	7
9/18/2006	12:23:49	0.052	0.016	16
9/18/2006	12:38:49	0.04	0.004	4
9/18/2006	12:53:49	0.05	0.014	14
9/18/2006	13:08:49	0.043	0.007	7
9/18/2006	13:23:49	0.045	0.009	9
9/18/2006	13:38:49	0.046	0.01	10
9/18/2006	13:53:49	0.046	0.01	10
9/18/2006	14:08:49	0.058	0.022	22
9/18/2006	14:23:49	0.053	0.017	17
9/18/2006	14:38:49	0.05	0.014	14
9/18/2006	14:53:49	0.04	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/19/2006 7:04			0				0
2	9/19/2006 7:19			0				0
3	9/19/2006 7:34			0				0
4	9/19/2006 7:49			0				0
5	9/19/2006 8:04			0				0
6	9/19/2006 8:19			0				0
7	9/19/2006 8:34			0				0
8	9/19/2006 8:49			0				0
9	9/19/2006 9:04			0				0
10	9/19/2006 9:19			0				0
11	9/19/2006 9:34			0				0
12	9/19/2006 9:49			0				0
13	9/19/2006 10:04			0				0
14	9/19/2006 10:19			0				0
15	9/19/2006 10:34			0				0
16	9/19/2006 10:49			0				0
17	9/19/2006 11:04			0				0
18	9/19/2006 11:19			0				0
19	9/19/2006 11:34			0				0
20	9/19/2006 11:49			0				0
21	9/19/2006 12:04			0				0
22	9/19/2006 12:19			0				0
23	9/19/2006 12:34			0				0
24	9/19/2006 12:49			0				0
25	9/19/2006 13:04			0				0
26	9/19/2006 13:19			0				0
27	9/19/2006 13:34			0				0
28	9/19/2006 13:49			0				0
29	9/19/2006 14:04			0				0
30	9/19/2006 14:19			0				0
31	9/19/2006 14:34			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	16
Test Abbreviation:	
Start Date:	9/19/2006
Start Time:	6:52:13
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:48) = 0.059

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2006	7:07:13	0.064	0.005	5
9/19/2006	7:22:13	0.067	0.008	8
9/19/2006	7:37:13	0.064	0.005	5
9/19/2006	7:52:13	0.064	0.005	5
9/19/2006	8:07:13	0.068	0.009	9
9/19/2006	8:22:13	0.068	0.009	9
9/19/2006	8:37:13	0.065	0.006	6
9/19/2006	8:52:13	0.061	0.002	2
9/19/2006	9:07:13	0.06	0.001	1
9/19/2006	9:22:13	0.064	0.005	5
9/19/2006	9:37:13	0.061	0.002	2
9/19/2006	9:52:13	0.057	-0.002	-2
9/19/2006	10:07:13	0.056	-0.003	-3
9/19/2006	10:22:13	0.056	-0.003	-3
9/19/2006	10:37:13	0.056	-0.003	-3
9/19/2006	10:52:13	0.056	-0.003	-3
9/19/2006	11:07:13	0.056	-0.003	-3
9/19/2006	11:22:13	0.054	-0.005	-5
9/19/2006	11:37:13	0.054	-0.005	-5
9/19/2006	11:52:13	0.059	0	0
9/19/2006	12:07:13	0.058	-0.001	-1
9/19/2006	12:22:13	0.057	-0.002	-2
9/19/2006	12:37:13	0.056	-0.003	-3
9/19/2006	12:52:13	0.058	-0.001	-1
9/19/2006	13:07:13	0.067	0.008	8
9/19/2006	13:22:13	0.072	0.013	13
9/19/2006	13:37:13	0.053	-0.006	-6
9/19/2006	13:52:13	0.056	-0.003	-3
9/19/2006	14:07:13	0.055	-0.004	-4
9/19/2006	14:22:13	0.058	-0.001	-1
9/19/2006	14:37:13	0.059	0	0
9/19/2006	14:52:13	0.063	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:41) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/19/2006 6:44			0		0		0
2	9/19/2006 6:59			0		0.2		0.2
3	9/19/2006 7:14			0		0.2		0.2
4	9/19/2006 7:29			0		0.3		0.3
5	9/19/2006 7:44			0		0.4		0.4
6	9/19/2006 7:59			0.1		0.3		0.3
7	9/19/2006 8:14			0.1		0.4		0.4
8	9/19/2006 8:29			0.2		0.5		0.5
9	9/19/2006 8:44			0.3		1.2		1.2
10	9/19/2006 8:59			0.2		0.6		0.6
11	9/19/2006 9:14			0.1		0.4		0.4
12	9/19/2006 9:29			0.1		0.4		0.4
13	9/19/2006 9:44			0.2		0.5		0.5
14	9/19/2006 9:59			0.2		0.5		0.5
15	9/19/2006 10:14			0.3		0.6		0.6
16	9/19/2006 10:29			0.3		0.6		0.6
17	9/19/2006 10:44			0.3		0.6		0.6
18	9/19/2006 10:59			0.3		0.6		0.6
19	9/19/2006 11:14			0.3		0.7		0.7
20	9/19/2006 11:29			0.3		0.6		0.6
21	9/19/2006 11:44			0.2		0.4		0.4
22	9/19/2006 11:59			0.1		0.4		0.4
23	9/19/2006 12:14			0.1		0.4		0.4
24	9/19/2006 12:29			0.1		0.4		0.4
25	9/19/2006 12:44			0.1		0.4		0.4
26	9/19/2006 12:59			0.1		0.4		0.4
27	9/19/2006 13:14			0.1		0.3		0.3
28	9/19/2006 13:29			0.1		0.3		0.3
29	9/19/2006 13:44			0.1		0.4		0.4
30	9/19/2006 13:59			0.1		0.3		0.3
31	9/19/2006 14:14			0.1		0.4		0.4
32	9/19/2006 14:29			0.2		0.5		0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/19/2006 6:37			0				0
2	9/19/2006 6:52			0.1				0.1
3	9/19/2006 7:07			0.1				0.1
4	9/19/2006 7:22			0.1				0.1
5	9/19/2006 7:37			0.1				0.1
6	9/19/2006 7:52			0.2				0.2
7	9/19/2006 8:07			0.2				0.2
8	9/19/2006 8:22			0.2				0.2
9	9/19/2006 8:37			0.2				0.2
10	9/19/2006 8:52			0.2				0.2
11	9/19/2006 9:07			0.1				0.1
12	9/19/2006 9:22			0.1				0.1
13	9/19/2006 9:37			0.2				0.2
14	9/19/2006 9:52			0.2				0.2
15	9/19/2006 10:07			0.2				0.2
16	9/19/2006 10:22			0.2				0.2
17	9/19/2006 10:37			0.2				0.2
18	9/19/2006 10:52			0.2				0.2
19	9/19/2006 11:07			0.2				0.2
20	9/19/2006 11:22			0.2				0.2
21	9/19/2006 11:37			0.1				0.1
22	9/19/2006 11:52			0.1				0.1
23	9/19/2006 12:07			0.1				0.1
24	9/19/2006 12:22			0.1				0.1
25	9/19/2006 12:37			0.1				0.1
26	9/19/2006 12:52			0.1				0.1
27	9/19/2006 13:07			0.1				0.1
28	9/19/2006 13:22			0.1				0.1
29	9/19/2006 13:37			0.1				0.1
30	9/19/2006 13:52			0.1				0.1
31	9/19/2006 14:07			0.1				0.1
32	9/19/2006 14:22			0.1				0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201504
Test ID:	15
Test Abbreviation:	
Start Date:	9/19/2006
Start Time:	6:32:04
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:27) = 0.091

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2006	6:47:04	0.086	-0.005	-5
9/19/2006	7:02:04	0.09	-0.001	-1
9/19/2006	7:17:04	0.095	0.004	4
9/19/2006	7:32:04	0.09	-0.001	-1
9/19/2006	7:47:04	0.086	-0.005	-5
9/19/2006	8:02:04	0.094	0.003	3
9/19/2006	8:17:04	0.097	0.006	6
9/19/2006	8:32:04	0.094	0.003	3
9/19/2006	8:47:04	0.091	0	0
9/19/2006	9:02:04	0.086	-0.005	-5
9/19/2006	9:17:04	0.091	0	0
9/19/2006	9:32:04	0.094	0.003	3
9/19/2006	9:47:04	0.089	-0.002	-2
9/19/2006	10:02:04	0.084	-0.007	-7
9/19/2006	10:17:04	0.084	-0.007	-7
9/19/2006	10:32:04	0.079	-0.012	-12
9/19/2006	10:47:04	0.081	-0.01	-10
9/19/2006	11:02:04	0.081	-0.01	-10
9/19/2006	11:17:04	0.08	-0.011	-11
9/19/2006	11:32:04	0.079	-0.012	-12
9/19/2006	11:47:04	0.081	-0.01	-10
9/19/2006	12:02:04	0.082	-0.009	-9
9/19/2006	12:17:04	0.085	-0.006	-6
9/19/2006	12:32:04	0.079	-0.012	-12
9/19/2006	12:47:04	0.079	-0.012	-12
9/19/2006	13:02:04	0.087	-0.004	-4
9/19/2006	13:17:04	0.094	0.003	3
9/19/2006	13:32:04	0.083	-0.008	-8
9/19/2006	13:47:04	0.078	-0.013	-13
9/19/2006	14:02:04	0.079	-0.012	-12
9/19/2006	14:17:04	0.079	-0.012	-12
9/19/2006	14:32:04	0.083	-0.008	-8
9/19/2006	14:47:04	0.088	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/19/2006 6:37			0				0
2	9/19/2006 6:52			0.1				0.1
3	9/19/2006 7:07			0.1				0.1
4	9/19/2006 7:22			0.1				0.1
5	9/19/2006 7:37			0.1				0.1
6	9/19/2006 7:52			0.2				0.2
7	9/19/2006 8:07			0.2				0.2
8	9/19/2006 8:22			0.2				0.2
9	9/19/2006 8:37			0.2				0.2
10	9/19/2006 8:52			0.2				0.2
11	9/19/2006 9:07			0.1				0.1
12	9/19/2006 9:22			0.1				0.1
13	9/19/2006 9:37			0.2				0.2
14	9/19/2006 9:52			0.2				0.2
15	9/19/2006 10:07			0.2				0.2
16	9/19/2006 10:22			0.2				0.2
17	9/19/2006 10:37			0.2				0.2
18	9/19/2006 10:52			0.2				0.2
19	9/19/2006 11:07			0.2				0.2
20	9/19/2006 11:22			0.2				0.2
21	9/19/2006 11:37			0.1				0.1
22	9/19/2006 11:52			0.1				0.1
23	9/19/2006 12:07			0.1				0.1
24	9/19/2006 12:22			0.1				0.1
25	9/19/2006 12:37			0.1				0.1
26	9/19/2006 12:52			0.1				0.1
27	9/19/2006 13:07			0.1				0.1
28	9/19/2006 13:22			0.1				0.1
29	9/19/2006 13:37			0.1				0.1
30	9/19/2006 13:52			0.1				0.1
31	9/19/2006 14:07			0.1				0.1
32	9/19/2006 14:22			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	13
Test Abbreviation:	
Start Date:	9/19/2006
Start Time:	6:24:22
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:20) = 0.080

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2006	6:39:22	0.085	0.005	5
9/19/2006	6:54:22	0.083	0.003	3
9/19/2006	7:09:22	0.094	0.014	14
9/19/2006	7:24:22	0.085	0.005	5
9/19/2006	7:39:22	0.077	-0.003	-3
9/19/2006	7:54:22	0.071	-0.009	-9
9/19/2006	8:09:22	0.07	-0.01	-10
9/19/2006	8:24:22	0.064	-0.016	-16
9/19/2006	8:39:22	0.06	-0.02	-20
9/19/2006	8:54:22	0.059	-0.021	-21
9/19/2006	9:09:22	0.06	-0.02	-20
9/19/2006	9:24:22	0.073	-0.007	-7
9/19/2006	9:39:22	0.074	-0.006	-6
9/19/2006	9:54:22	0.068	-0.012	-12
9/19/2006	10:09:22	0.068	-0.012	-12
9/19/2006	10:24:22	0.07	-0.01	-10
9/19/2006	10:39:22	0.068	-0.012	-12
9/19/2006	10:54:22	0.073	-0.007	-7
9/19/2006	11:09:22	0.075	-0.005	-5
9/19/2006	11:24:22	0.079	-0.001	-1
9/19/2006	11:39:22	0.08	0	0
9/19/2006	11:54:22	0.086	0.006	6
9/19/2006	12:09:22	0.089	0.009	9
9/19/2006	12:24:22	0.08	0	0
9/19/2006	12:39:22	0.078	-0.002	-2
9/19/2006	12:54:22	0.081	0.001	1
9/19/2006	13:09:22	0.095	0.015	15
9/19/2006	13:24:22	0.085	0.005	5
9/19/2006	13:39:22	0.073	-0.007	-7
9/19/2006	13:54:22	0.072	-0.008	-8
9/19/2006	14:09:22	0.073	-0.007	-7
9/19/2006	14:24:22	0.075	-0.005	-5
9/19/2006	14:39:22	0.075	-0.005	-5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:42) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/20/2006 6:58			0				0
2	9/20/2006 7:13			0				0
3	9/20/2006 7:28			0				0
4	9/20/2006 7:43			0				0
5	9/20/2006 7:58			0				0
6	9/20/2006 8:13			0				0
7	9/20/2006 8:28			0				0
8	9/20/2006 8:43			0				0
9	9/20/2006 8:58			0				0
10	9/20/2006 9:13			0				0
11	9/20/2006 9:28			0				0
12	9/20/2006 9:43			0				0
13	9/20/2006 9:58			0				0
14	9/20/2006 10:13			0				0
15	9/20/2006 10:28			0				0
16	9/20/2006 10:43			0				0
17	9/20/2006 10:58			0				0
18	9/20/2006 11:13			0				0
19	9/20/2006 11:28			0				0
20	9/20/2006 11:43			0				0
21	9/20/2006 11:58			0				0
22	9/20/2006 12:13			0				0
23	9/20/2006 12:28			0				0
24	9/20/2006 12:43			0				0
25	9/20/2006 12:58			0				0
26	9/20/2006 13:13			0				0
27	9/20/2006 13:28			0				0
28	9/20/2006 13:43			0				0
29	9/20/2006 13:58			0				0
30	9/20/2006 14:13			0				0
31	9/20/2006 14:28			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	17
Test Abbreviation:	
Start Date:	9/20/2006
Start Time:	6:46:35
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:42) = 0.012

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2006	7:01:35	0.014	0.002	2
9/20/2006	7:16:35	0.015	0.003	3
9/20/2006	7:31:35	0.015	0.003	3
9/20/2006	7:46:35	0.015	0.003	3
9/20/2006	8:01:35	0.017	0.005	5
9/20/2006	8:16:35	0.017	0.005	5
9/20/2006	8:31:35	0.014	0.002	2
9/20/2006	8:46:35	0.016	0.004	4
9/20/2006	9:01:35	0.014	0.002	2
9/20/2006	9:16:35	0.014	0.002	2
9/20/2006	9:31:35	0.011	-0.001	-1
9/20/2006	9:46:35	0.011	-0.001	-1
9/20/2006	10:01:35	0.011	-0.001	-1
9/20/2006	10:16:35	0.01	-0.002	-2
9/20/2006	10:31:35	0.009	-0.003	-3
9/20/2006	10:46:35	0.008	-0.004	-4
9/20/2006	11:01:35	0.009	-0.003	-3
9/20/2006	11:16:35	0.008	-0.004	-4
9/20/2006	11:31:35	0.008	-0.004	-4
9/20/2006	11:46:35	0.008	-0.004	-4
9/20/2006	12:01:35	0.009	-0.003	-3
9/20/2006	12:16:35	0.011	-0.001	-1
9/20/2006	12:31:35	0.01	-0.002	-2
9/20/2006	12:46:35	0.01	-0.002	-2
9/20/2006	13:01:35	0.011	-0.001	-1
9/20/2006	13:16:35	0.012	0	0
9/20/2006	13:31:35	0.014	0.002	2
9/20/2006	13:46:35	0.014	0.002	2
9/20/2006	14:01:35	0.013	0.001	1
9/20/2006	14:16:35	0.017	0.005	5
9/20/2006	14:31:35	0.015	0.003	3
9/20/2006	14:46:35	0.016	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/20/2006 6:43			0.1		0.5		0.5
2	9/20/2006 6:58			0.3		0.7		0.7
3	9/20/2006 7:13			0.5		1		1
4	9/20/2006 7:28			0.7		1.1		1.1
5	9/20/2006 7:43			0.8		1.2		1.2
6	9/20/2006 7:58			0.9		1.2		1.2
7	9/20/2006 8:13			1		1.3		1.3
8	9/20/2006 8:28			1		1.4		1.4
9	9/20/2006 8:43			1.2		1.5		1.5
10	9/20/2006 8:58			1.1		1.5		1.5
11	9/20/2006 9:13			1.1		1.3		1.3
12	9/20/2006 9:28			1		1.3		1.3
13	9/20/2006 9:43			1.1		1.4		1.4
14	9/20/2006 9:58			1.1		1.3		1.3
15	9/20/2006 10:13			1.1		1.4		1.4
16	9/20/2006 10:28			1.1		1.4		1.4
17	9/20/2006 10:43			1.2		2.1		2.1
18	9/20/2006 10:58			1.1		1.4		1.4
19	9/20/2006 11:13			1.1		1.4		1.4
20	9/20/2006 11:28			0.9		1.2		1.2
21	9/20/2006 11:43			0.8		1.2		1.2
22	9/20/2006 11:58			0.9		1.2		1.2
23	9/20/2006 12:13			0.9		1.1		1.1
24	9/20/2006 12:28			0.9		1.2		1.2
25	9/20/2006 12:43			0.7		1.1		1.1
26	9/20/2006 12:58			0.8		1.2		1.2
27	9/20/2006 13:13			0.9		1.1		1.1
28	9/20/2006 13:28			0.8		1.1		1.1
29	9/20/2006 13:43			0.6		0.9		0.9
30	9/20/2006 13:58			0.6		0.9		0.9
31	9/20/2006 14:13			0.7		1		1
32	9/20/2006 14:28			0.7		1		1
33	9/20/2006 14:43			0.8		1		1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/20/2006
Start Time:	6:40:56
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:35) = 0.014

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2006	6:55:56	0.016	0.002	2
9/20/2006	7:10:56	0.017	0.003	3
9/20/2006	7:25:56	0.017	0.003	3
9/20/2006	7:40:56	0.018	0.004	4
9/20/2006	7:55:56	0.017	0.003	3
9/20/2006	8:10:56	0.019	0.005	5
9/20/2006	8:25:56	0.018	0.004	4
9/20/2006	8:40:56	0.017	0.003	3
9/20/2006	8:55:56	0.017	0.003	3
9/20/2006	9:10:56	0.017	0.003	3
9/20/2006	9:25:56	0.016	0.002	2
9/20/2006	9:40:56	0.014	0	0
9/20/2006	9:55:56	0.016	0.002	2
9/20/2006	10:10:56	0.015	0.001	1
9/20/2006	10:25:56	0.013	-0.001	-1
9/20/2006	10:40:56	0.014	0	0
9/20/2006	10:55:56	0.013	-0.001	-1
9/20/2006	11:10:56	0.014	0	0
9/20/2006	11:25:56	0.015	0.001	1
9/20/2006	11:40:56	0.014	0	0
9/20/2006	11:55:56	0.017	0.003	3
9/20/2006	12:10:56	0.018	0.004	4
9/20/2006	12:25:56	0.02	0.006	6
9/20/2006	12:40:56	0.019	0.005	5
9/20/2006	12:55:56	0.02	0.006	6
9/20/2006	13:10:56	0.021	0.007	7
9/20/2006	13:25:56	0.022	0.008	8
9/20/2006	13:40:56	0.024	0.01	10
9/20/2006	13:55:56	0.023	0.009	9
9/20/2006	14:10:56	0.025	0.011	11
9/20/2006	14:25:56	0.025	0.011	11
9/20/2006	14:40:56	0.023	0.009	9
9/20/2006	14:55:56	0.026	0.012	12
9/20/2006	15:10:56	0.024	0.01	10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/19/2006 05:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:27) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/20/2006 6:37			0				0
2	9/20/2006 6:52			0				0
3	9/20/2006 7:07			0				0
4	9/20/2006 7:22			0.1				0.1
5	9/20/2006 7:37			0.1				0.1
6	9/20/2006 7:52			0.1				0.1
7	9/20/2006 8:07			0.2				0.2
8	9/20/2006 8:22			0.3				0.3
9	9/20/2006 8:37			0.4				0.4
10	9/20/2006 8:52			0.3				0.3
11	9/20/2006 9:07			0.3				0.3
12	9/20/2006 9:22			0.3				0.3
13	9/20/2006 9:37			0.3				0.3
14	9/20/2006 9:52			0.4				0.4
15	9/20/2006 10:07			0.4				0.4
16	9/20/2006 10:22			0.4				0.4
17	9/20/2006 10:37			0.4				0.4
18	9/20/2006 10:52			0.4				0.4
19	9/20/2006 11:07			0.4				0.4
20	9/20/2006 11:22			0.3				0.3
21	9/20/2006 11:37			0.3				0.3
22	9/20/2006 11:52			0.3				0.3
23	9/20/2006 12:07			0.4				0.4
24	9/20/2006 12:22			0.3				0.3
25	9/20/2006 12:37			0.3				0.3
26	9/20/2006 12:52			0.3				0.3
27	9/20/2006 13:07			0.4				0.4
28	9/20/2006 13:22			0.4				0.4
29	9/20/2006 13:37			0.3				0.3
30	9/20/2006 13:52			0.2				0.2
31	9/20/2006 14:07			0.3				0.3
32	9/20/2006 14:22			0.4				0.4

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	16
Test Abbreviation:	
Start Date:	9/20/2006
Start Time:	6:32:24
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:27) = 0.020

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2006	6:47:24	0.024	0.004	4
9/20/2006	7:02:24	0.022	0.002	2
9/20/2006	7:17:24	0.023	0.003	3
9/20/2006	7:32:24	0.022	0.002	2
9/20/2006	7:47:24	0.025	0.005	5
9/20/2006	8:02:24	0.024	0.004	4
9/20/2006	8:17:24	0.023	0.003	3
9/20/2006	8:32:24	0.017	-0.003	-3
9/20/2006	8:47:24	0.024	0.004	4
9/20/2006	9:02:24	0.023	0.003	3
9/20/2006	9:17:24	0.023	0.003	3
9/20/2006	9:32:24	0.022	0.002	2
9/20/2006	9:47:24	0.022	0.002	2
9/20/2006	10:02:24	0.024	0.004	4
9/20/2006	10:17:24	0.021	0.001	1
9/20/2006	10:32:24	0.024	0.004	4
9/20/2006	10:47:24	0.023	0.003	3
9/20/2006	11:02:24	0.024	0.004	4
9/20/2006	11:17:24	0.024	0.004	4
9/20/2006	11:32:24	0.022	0.002	2
9/20/2006	11:47:24	0.023	0.003	3
9/20/2006	12:02:24	0.023	0.003	3
9/20/2006	12:17:24	0.021	0.001	1
9/20/2006	12:32:24	0.022	0.002	2
9/20/2006	12:47:24	0.022	0.002	2
9/20/2006	13:02:24	0.023	0.003	3
9/20/2006	13:17:24	0.021	0.001	1
9/20/2006	13:32:24	0.024	0.004	4
9/20/2006	13:47:24	0.022	0.002	2
9/20/2006	14:07:24	0.023	0.003	3
9/20/2006	14:17:24	0.024	0.004	4
9/20/2006	14:32:24	0.024	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/19/2006 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/20/2006 6:35			0				0
2	9/20/2006 6:50			0				0
3	9/20/2006 7:05			0				0
4	9/20/2006 7:20			0				0
5	9/20/2006 7:35			0				0
6	9/20/2006 7:50			0				0
7	9/20/2006 8:05			0.1				0.1
8	9/20/2006 8:20			0.2				0.2
9	9/20/2006 8:35			0.2				0.2
10	9/20/2006 8:50			0.2				0.2
11	9/20/2006 9:05			0.3				0.3
12	9/20/2006 9:20			0.2				0.2
13	9/20/2006 9:35			0.2				0.2
14	9/20/2006 9:50			0.3				0.3
15	9/20/2006 10:05			0.3				0.3
16	9/20/2006 10:20			0.3				0.3
17	9/20/2006 10:35			0.4				0.4
18	9/20/2006 10:50			0.4				0.4
19	9/20/2006 11:05			0.4				0.4
20	9/20/2006 11:20			0.4				0.4
21	9/20/2006 11:35			0.2				0.2
22	9/20/2006 11:50			0.2				0.2
23	9/20/2006 12:05			0.5				0.5
24	9/20/2006 12:20			0.5				0.5
25	9/20/2006 12:35			0.5				0.5
26	9/20/2006 12:50			0.2				0.2
27	9/20/2006 13:05			0.3				0.3
28	9/20/2006 13:20			0.4				0.4
29	9/20/2006 13:35			0.6				0.6
30	9/20/2006 13:50			0.6				0.6
31	9/20/2006 14:05			0.4				0.4
32	9/20/2006 14:20			0.7				0.7

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	14
Test Abbreviation:	
Start Date:	9/20/2006
Start Time:	6:25:56
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (AM - 6:21) = 0.018

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2006	6:40:56	0.019	0.001	1
9/20/2006	6:55:56	0.02	0.002	2
9/20/2006	7:10:56	0.02	0.002	2
9/20/2006	7:25:56	0.021	0.003	3
9/20/2006	7:40:56	0.019	0.001	1
9/20/2006	7:55:56	0.02	0.002	2
9/20/2006	8:10:56	0.021	0.003	3
9/20/2006	8:25:56	0.017	-0.001	-1
9/20/2006	8:40:56	0.03	0.012	12
9/20/2006	8:55:56	0.02	0.002	2
9/20/2006	9:10:56	0.021	0.003	3
9/20/2006	9:25:56	0.012	-0.006	-6
9/20/2006	9:40:56	0.013	-0.005	-5
9/20/2006	9:55:56	0.012	-0.006	-6
9/20/2006	10:10:56	0.012	-0.006	-6
9/20/2006	10:25:56	0.011	-0.007	-7
9/20/2006	10:40:56	0.012	-0.006	-6
9/20/2006	10:55:56	0.014	-0.004	-4
9/20/2006	11:10:56	0.02	0.002	2
9/20/2006	11:25:56	0.027	0.009	9
9/20/2006	11:40:56	0.048	0.03	30
9/20/2006	11:55:56	0.03	0.012	12
9/20/2006	12:10:56	0.049	0.031	31
9/20/2006	12:25:56	0.083	0.065	65
9/20/2006	12:40:56	0.044	0.026	26
9/20/2006	12:55:56	0.045	0.027	27
9/20/2006	13:10:56	0.016	-0.002	-2
9/20/2006	13:25:56	0.018	0	0
9/20/2006	13:40:56	0.06	0.042	42

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/21/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/21/2006 7:01			0				0
2	9/21/2006 7:16			0				0
3	9/21/2006 7:31			0				0
4	9/21/2006 7:46			0				0
5	9/21/2006 8:01			0.1				0.1
6	9/21/2006 8:16			0.1				0.1
7	9/21/2006 8:31			0.2				0.2
8	9/21/2006 8:46			0.3				0.3
9	9/21/2006 9:01			0.4				0.4
10	9/21/2006 9:16			0.3				0.3
11	9/21/2006 9:31			0.4				0.4
12	9/21/2006 9:46			0.4				0.4
13	9/21/2006 10:01			0.5				0.5
14	9/21/2006 10:16			0.5				0.5
15	9/21/2006 10:31			0.5				0.5
16	9/21/2006 10:46			0.5				0.5
17	9/21/2006 11:01			0.6				0.6
18	9/21/2006 11:16			0.6				0.6
19	9/21/2006 11:31			0.6				0.6
20	9/21/2006 11:46			0.6				0.6
21	9/21/2006 12:01			0.7				0.7
22	9/21/2006 12:16			0.6				0.6
23	9/21/2006 12:31			0.5				0.5
24	9/21/2006 12:46			0.5				0.5
25	9/21/2006 13:01			0.5				0.5
26	9/21/2006 13:16			0.4				0.4
27	9/21/2006 13:31			0.4				0.4
28	9/21/2006 13:46			0.4				0.4
29	9/21/2006 14:01			0.4				0.4
30	9/21/2006 14:16			0.4				0.4
31	9/21/2006 14:31			0.4				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	9/21/2006
Start Time:	6:50:19
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:48) = 0.005

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2006	7:05:19	0.007	0.002	2
9/21/2006	7:20:19	0.009	0.004	4
9/21/2006	7:35:19	0.007	0.002	2
9/21/2006	7:50:19	0.011	0.006	6
9/21/2006	8:05:19	0.007	0.002	2
9/21/2006	8:20:19	0.008	0.003	3
9/21/2006	8:35:19	0.008	0.003	3
9/21/2006	8:50:19	0.009	0.004	4
9/21/2006	9:05:19	0.007	0.002	2
9/21/2006	9:20:19	0.006	0.001	1
9/21/2006	9:35:19	0.005	0	0
9/21/2006	9:50:19	0.005	0	0
9/21/2006	10:05:19	0.005	0	0
9/21/2006	10:20:19	0.007	0.002	2
9/21/2006	10:35:19	0.007	0.002	2
9/21/2006	10:50:19	0.006	0.001	1
9/21/2006	11:05:19	0.004	-0.001	-1
9/21/2006	11:20:19	0.016	0.011	11
9/21/2006	11:35:19	0.004	-0.001	-1
9/21/2006	11:50:19	0.004	-0.001	-1
9/21/2006	12:05:19	0.003	-0.002	-2
9/21/2006	12:20:19	0.003	-0.002	-2
9/21/2006	12:35:19	0.005	0	0
9/21/2006	12:50:19	0.003	-0.002	-2
9/21/2006	13:05:19	0.005	0	0
9/21/2006	13:20:19	0.005	0	0
9/21/2006	13:35:19	0.004	-0.001	-1
9/21/2006	13:50:19	0.005	0	0
9/21/2006	14:05:19	0.006	0.001	1
9/21/2006	14:20:19	0.005	0	0
9/21/2006	14:35:19	0.005	0	0
9/21/2006	14:50:19	0.006	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/21/2006 05:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/21/2006 6:46			0		0		0
2	9/21/2006 7:01			0		0		0
3	9/21/2006 7:16			0		0		0
4	9/21/2006 7:31			0		0		0
5	9/21/2006 7:46			0		0		0
6	9/21/2006 8:01			0		0.1		0.1
7	9/21/2006 8:16			0.1		0.2		0.2
8	9/21/2006 8:31			0.1		0.2		0.2
9	9/21/2006 8:46			0.1		0.2		0.2
10	9/21/2006 9:01			0.1		0.2		0.2
11	9/21/2006 9:16			0		0.1		0.1
12	9/21/2006 9:31			0		0.1		0.1
13	9/21/2006 9:46			0.1		0.1		0.1
14	9/21/2006 10:01			0.1		0.2		0.2
15	9/21/2006 10:16			0.2		0.3		0.3
16	9/21/2006 10:31			0.3		0.6		0.6
17	9/21/2006 10:46			0.4		0.5		0.5
18	9/21/2006 11:01			0.4		0.5		0.5
19	9/21/2006 11:16			0.3		0.4		0.4
20	9/21/2006 11:31			0.4		0.7		0.7
21	9/21/2006 11:46			0.4		0.7		0.7
22	9/21/2006 12:01			0.4		0.5		0.5
23	9/21/2006 12:16			0.4		0.5		0.5
24	9/21/2006 12:31			0.4		0.5		0.5
25	9/21/2006 12:46			0.4		0.5		0.5
26	9/21/2006 13:01			0.4		0.5		0.5
27	9/21/2006 13:16			0.4		0.5		0.5
28	9/21/2006 13:31			0.4		0.5		0.5
29	9/21/2006 13:46			0.4		0.5		0.5
30	9/21/2006 14:01			0.4		0.5		0.5
31	9/21/2006 14:16			0.4		0.5		0.5
32	9/21/2006 14:31			0.3		0.4		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/21/2006
Start Time:	6:42:40
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background reading (AM - 6:57) = 0.012

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2006	6:57:40	0.012	0	0
9/21/2006	7:12:40	0.013	0.001	1
9/21/2006	7:27:40	0.012	0	0
9/21/2006	7:42:40	0.012	0	0
9/21/2006	7:57:40	0.012	0	0
9/21/2006	8:12:40	0.012	0	0
9/21/2006	8:27:40	0.012	0	0
9/21/2006	8:42:40	0.011	-0.001	-1
9/21/2006	8:57:40	0.011	-0.001	-1
9/21/2006	9:12:40	0.011	-0.001	-1
9/21/2006	9:27:40	0.011	-0.001	-1
9/21/2006	9:42:40	0.012	0	0
9/21/2006	9:57:40	0.011	-0.001	-1
9/21/2006	10:12:40	0.011	-0.001	-1
9/21/2006	10:27:40	0.015	0.003	3
9/21/2006	10:42:40	0.012	0	0
9/21/2006	10:57:40	0.012	0	0
9/21/2006	11:12:40	0.012	0	0
9/21/2006	11:27:40	0.013	0.001	1
9/21/2006	11:42:40	0.012	0	0
9/21/2006	11:57:40	0.013	0.001	1
9/21/2006	12:12:40	0.013	0.001	1
9/21/2006	12:27:40	0.013	0.001	1
9/21/2006	12:42:40	0.013	0.001	1
9/21/2006	12:57:40	0.014	0.002	2
9/21/2006	13:12:40	0.014	0.002	2
9/21/2006	13:27:40	0.014	0.002	2
9/21/2006	13:42:40	0.014	0.002	2
9/21/2006	13:57:40	0.016	0.004	4
9/21/2006	14:12:40	0.015	0.003	3
9/21/2006	14:27:40	0.015	0.003	3
9/21/2006	14:42:40	0.018	0.006	6
9/21/2006	14:57:40	0.015	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/21/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/21/2006 6:40			0				0
2	9/21/2006 6:55			0				0
3	9/21/2006 7:10			0				0
4	9/21/2006 7:25			0.1				0.1
5	9/21/2006 7:40			0.1				0.1
6	9/21/2006 7:55			0.2				0.2
7	9/21/2006 8:10			0.2				0.2
8	9/21/2006 8:25			0.2				0.2
9	9/21/2006 8:40			0.2				0.2
10	9/21/2006 8:55			0.1				0.1
11	9/21/2006 9:10			0.1				0.1
12	9/21/2006 9:25			0.1				0.1
13	9/21/2006 9:40			0.2				0.2
14	9/21/2006 9:55			0.2				0.2
15	9/21/2006 10:10			0.2				0.2
16	9/21/2006 10:25			0.3				0.3
17	9/21/2006 10:40			0.4				0.4
18	9/21/2006 10:55			0.4				0.4
19	9/21/2006 11:10			0.4				0.4
20	9/21/2006 11:25			0.4				0.4
21	9/21/2006 11:40			0.4				0.4
22	9/21/2006 11:55			0.3				0.3
23	9/21/2006 12:10			0.3				0.3
24	9/21/2006 12:25			0.3				0.3
25	9/21/2006 12:40			0.3				0.3
26	9/21/2006 12:55			0.3				0.3
27	9/21/2006 13:10			0.2				0.2
28	9/21/2006 13:25			0.2				0.2
29	9/21/2006 13:40			0.2				0.2
30	9/21/2006 13:55			0.2				0.2
31	9/21/2006 14:10			0.2				0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	1
Test Abbreviation:	
Start Date:	9/21/2006
Start Time:	6:32:58
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:28) = 0.043

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2006	6:47:58	0.01	-0.033	-33
9/21/2006	7:02:58	0.01	-0.033	-33
9/21/2006	7:17:58	0.009	-0.034	-34
9/21/2006	7:32:58	0.008	-0.035	-35
9/21/2006	7:47:58	0.007	-0.036	-36
9/21/2006	8:02:58	0.007	-0.036	-36
9/21/2006	8:17:58	0.009	-0.034	-34
9/21/2006	8:32:58	0.009	-0.034	-34
9/21/2006	8:47:58	0.009	-0.034	-34
9/21/2006	9:02:58	0.01	-0.033	-33
9/21/2006	9:17:58	0.01	-0.033	-33
9/21/2006	9:32:58	0.009	-0.034	-34
9/21/2006	9:47:58	0.009	-0.034	-34
9/21/2006	10:02:58	0.008	-0.035	-35
9/21/2006	10:17:58	0.008	-0.035	-35
9/21/2006	10:32:58	0.009	-0.034	-34
9/21/2006	10:47:58	0.007	-0.036	-36
9/21/2006	11:02:58	0.007	-0.036	-36
9/21/2006	11:17:58	0.005	-0.038	-38
9/21/2006	11:32:58	0.006	-0.037	-37
9/21/2006	11:47:58	0.005	-0.038	-38
9/21/2006	12:02:58	0.004	-0.039	-39
9/21/2006	12:17:58	0.003	-0.04	-40
9/21/2006	12:32:58	0.004	-0.039	-39
9/21/2006	12:47:58	0.003	-0.04	-40
9/21/2006	13:02:58	0.005	-0.038	-38
9/21/2006	13:17:58	0.009	-0.034	-34
9/21/2006	13:32:58	0.006	-0.037	-37
9/21/2006	13:47:58	0.008	-0.035	-35
9/21/2006	14:02:58	0.008	-0.035	-35
9/21/2006	14:17:58	0.008	-0.035	-35
9/21/2006	14:32:58	0.012	-0.031	-31

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/21/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/21/2006 6:37			0				0
2	9/21/2006 6:52			0				0
3	9/21/2006 7:07			0				0
4	9/21/2006 7:22			0.1				0.1
5	9/21/2006 7:37			0.2				0.2
6	9/21/2006 7:52			0.3				0.3
7	9/21/2006 8:07			0.4				0.4
8	9/21/2006 8:22			0.4				0.4
9	9/21/2006 8:37			0.4				0.4
10	9/21/2006 8:52			0.4				0.4
11	9/21/2006 9:07			0.5				0.5
12	9/21/2006 9:22			0.4				0.4
13	9/21/2006 9:37			0.4				0.4
14	9/21/2006 9:52			0.5				0.5
15	9/21/2006 10:07			0.6				0.6
16	9/21/2006 10:22			0.8				0.8
17	9/21/2006 10:37			1.1				1.1
18	9/21/2006 10:52			0.7				0.7
19	9/21/2006 11:07			0.8				0.8
20	9/21/2006 11:22			0.6				0.6
21	9/21/2006 11:37			0.8				0.8
22	9/21/2006 11:52			0.5				0.5
23	9/21/2006 12:07			0.5				0.5
24	9/21/2006 12:22			0.6				0.6
25	9/21/2006 12:37			0.6				0.6
26	9/21/2006 12:52			0.3				0.3
27	9/21/2006 13:07			0.3				0.3
28	9/21/2006 13:22			0.4				0.4
29	9/21/2006 13:37			0.8				0.8
30	9/21/2006 13:52			0.7				0.7
31	9/21/2006 14:07			0.6				0.6

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	1
Test Abbreviation:	
Start Date:	9/21/2006
Start Time:	6:23:47
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (AM - 6:21) = 0.001

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2006	6:38:47	0.006	0.005	5
9/21/2006	6:53:47	0.001	0	0
9/21/2006	7:08:47	0.001	0	0
9/21/2006	7:23:47	0	-0.001	-1
9/21/2006	7:38:47	0.004	0.003	3
9/21/2006	7:53:47	0.004	0.003	3
9/21/2006	8:08:47	0.005	0.004	4
9/21/2006	8:23:47	0.008	0.007	7
9/21/2006	8:38:47	0.007	0.006	6
9/21/2006	8:53:47	0.005	0.004	4
9/21/2006	9:08:47	0.006	0.005	5
9/21/2006	9:23:47	0.004	0.003	3
9/21/2006	9:38:47	0.005	0.004	4
9/21/2006	9:53:47	0.005	0.004	4
9/21/2006	10:08:47	0.027	0.026	26
9/21/2006	10:23:47	0.019	0.018	18
9/21/2006	10:38:47	0.087	0.086	86
9/21/2006	10:53:47	0.141	0.14	140
9/21/2006	11:08:47	0.037	0.036	36
9/21/2006	11:23:47	0.084	0.083	83
9/21/2006	11:38:47	0.065	0.064	64
9/21/2006	11:53:47	0.056	0.055	55
9/21/2006	12:08:47	0.035	0.034	34
9/21/2006	12:23:47	0.043	0.042	42
9/21/2006	12:38:47	0.03	0.029	29
9/21/2006	12:53:47	0.042	0.041	41
9/21/2006	13:08:47	0.007	0.006	6
9/21/2006	13:23:47	0.007	0.006	6
9/21/2006	13:38:47	0.012	0.011	11
9/21/2006	13:53:47	0.076	0.075	75
9/21/2006	14:08:47	0.04	0.039	39
9/21/2006	14:23:47	0.047	0.046	46
9/21/2006	14:38:47	0.02	0.019	19

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/22/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:49) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/22/2006 7:06			0				0
2	9/22/2006 7:21			0				0
3	9/22/2006 7:36			0				0
4	9/22/2006 7:51			0				0
5	9/22/2006 8:06			0				0
6	9/22/2006 8:21			0.1				0.1
7	9/22/2006 8:36			0.3				0.3
8	9/22/2006 8:51			0.3				0.3
9	9/22/2006 9:06			0.2				0.2
10	9/22/2006 9:21			0.3				0.3
11	9/22/2006 9:36			0.1				0.1
12	9/22/2006 9:51			0.1				0.1
13	9/22/2006 10:06			0.1				0.1
14	9/22/2006 10:21			0.1				0.1
15	9/22/2006 10:36			0.2				0.2
16	9/22/2006 10:51			0.3				0.3
17	9/22/2006 11:06			0.3				0.3
18	9/22/2006 11:21			0.3				0.3
19	9/22/2006 11:36			0.3				0.3
20	9/22/2006 11:51			0.3				0.3
21	9/22/2006 12:06			0.4				0.4
22	9/22/2006 12:21			0.4				0.4
23	9/22/2006 12:36			0.5				0.5
24	9/22/2006 12:51			0.5				0.5
25	9/22/2006 13:06			0.5				0.5
26	9/22/2006 13:21			0.5				0.5
27	9/22/2006 13:36			0.6				0.6
28	9/22/2006 13:51			0.6				0.6
29	9/22/2006 14:06			0.5				0.5
30	9/22/2006 14:21			0.6				0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	9/22/2006
Start Time:	6:50:42
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (AM - 6:49) = 0.025

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/22/2006	7:05:42	0.034	0.009	9
9/22/2006	7:20:42	0.031	0.006	6
9/22/2006	7:35:42	0.032	0.007	7
9/22/2006	7:50:42	0.039	0.014	14
9/22/2006	8:05:42	0.034	0.009	9
9/22/2006	8:20:42	0.035	0.01	10
9/22/2006	8:35:42	0.039	0.014	14
9/22/2006	8:50:42	0.05	0.025	25
9/22/2006	9:05:42	0.053	0.028	28
9/22/2006	9:20:42	0.047	0.022	22
9/22/2006	9:35:42	0.04	0.015	15
9/22/2006	9:50:42	0.04	0.015	15
9/22/2006	10:05:42	0.031	0.006	6
9/22/2006	10:20:42	0.02	-0.005	-5
9/22/2006	10:35:42	0.018	-0.007	-7
9/22/2006	10:50:42	0.019	-0.006	-6
9/22/2006	11:05:42	0.017	-0.008	-8
9/22/2006	11:20:42	0.018	-0.007	-7
9/22/2006	11:35:42	0.022	-0.003	-3
9/22/2006	11:50:42	0.024	-0.001	-1
9/22/2006	12:05:42	0.016	-0.009	-9
9/22/2006	12:20:42	0.015	-0.01	-10
9/22/2006	12:35:42	0.015	-0.01	-10
9/22/2006	12:50:42	0.015	-0.01	-10
9/22/2006	13:05:42	0.019	-0.006	-6
9/22/2006	13:20:42	0.017	-0.008	-8
9/22/2006	13:35:42	0.015	-0.01	-10
9/22/2006	13:50:42	0.015	-0.01	-10
9/22/2006	14:05:42	0.016	-0.009	-9
9/22/2006	14:20:42	0.017	-0.008	-8
9/22/2006	14:35:42	0.017	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/22/2006 05:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:39) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/22/2006 6:48			0.4		0.9		0.5
2	9/22/2006 7:03			0.6		1.1		0.7
3	9/22/2006 7:18			0.7		1.1		0.7
4	9/22/2006 7:33			0.6		1.1		0.7
5	9/22/2006 7:48			0		0		-0.4
6	9/22/2006 8:03			0		0		-0.4
7	9/22/2006 8:18			0		0		-0.4
8	9/22/2006 8:33			0		0		-0.4
9	9/22/2006 8:48			0		0		-0.4
10	9/22/2006 9:03			0		0		-0.4
11	9/22/2006 9:18			0.1		0.8		0.4
12	9/22/2006 9:33			0.9		1.3		0.9
13	9/22/2006 9:48			1.2		1.6		1.2
14	9/22/2006 10:03			1.3		1.6		1.2
15	9/22/2006 10:18			1.3		1.6		1.2
16	9/22/2006 10:33			1.4		1.6		1.2
17	9/22/2006 10:48			1.3		1.6		1.2
18	9/22/2006 11:03			1.3		2		1.6
19	9/22/2006 11:18			1.3		2.2		1.8
20	9/22/2006 11:33			1.3		1.5		1.1
21	9/22/2006 11:48			1.1		1.4		1
22	9/22/2006 12:03			1.1		1.3		0.9
23	9/22/2006 12:18			1		1.3		0.9
24	9/22/2006 12:33			0.9		1.2		0.8
25	9/22/2006 12:48			1		1.2		0.8
26	9/22/2006 13:03			0.9		1.2		0.8
27	9/22/2006 13:18			1		1.2		0.8
28	9/22/2006 13:33			0.7		1.2		0.8
29	9/22/2006 13:48			0.9		1.1		0.7
30	9/22/2006 14:03			0.8		1		0.6
31	9/22/2006 14:18			0.7		1		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/22/2006
Start Time:	6:42:12
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (AM - 6:39) = 0.006

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/22/2006	6:57:12	0.029	0.023	23
9/22/2006	7:12:12	0.036	0.03	30
9/22/2006	7:27:12	0.039	0.033	33
9/22/2006	7:42:12	0.038	0.032	32
9/22/2006	7:57:12	0.039	0.033	33
9/22/2006	8:12:12	0.039	0.033	33
9/22/2006	8:27:12	0.041	0.035	35
9/22/2006	8:42:12	0.043	0.037	37
9/22/2006	8:57:12	0.052	0.046	46
9/22/2006	9:12:12	0.06	0.054	54
9/22/2006	9:27:12	0.056	0.05	50
9/22/2006	9:42:12	0.046	0.04	40
9/22/2006	9:57:12	0.045	0.039	39
9/22/2006	10:12:12	0.034	0.028	28
9/22/2006	10:27:12	0.026	0.02	20
9/22/2006	10:42:12	0.026	0.02	20
9/22/2006	10:57:12	0.028	0.022	22
9/22/2006	11:12:12	0.028	0.022	22
9/22/2006	11:27:12	0.027	0.021	21
9/22/2006	11:42:12	0.033	0.027	27
9/22/2006	11:57:12	0.034	0.028	28
9/22/2006	12:12:12	0.025	0.019	19
9/22/2006	12:27:12	0.026	0.02	20
9/22/2006	12:42:12	0.026	0.02	20
9/22/2006	12:57:12	0.028	0.022	22
9/22/2006	13:12:12	0.029	0.023	23
9/22/2006	13:27:12	0.028	0.022	22
9/22/2006	13:42:12	0.029	0.023	23
9/22/2006	13:57:12	0.03	0.024	24
9/22/2006	14:12:12	0.03	0.024	24

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/22/2006 05:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:30) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/22/2006 6:40			0				0
2	9/22/2006 6:55			0				0
3	9/22/2006 7:10			0				0
4	9/22/2006 7:25			0.1				0.1
5	9/22/2006 7:40			0.1				0.1
6	9/22/2006 7:55			0.1				0.1
7	9/22/2006 8:10			0.2				0.2
8	9/22/2006 8:25			0.2				0.2
9	9/22/2006 8:40			0.2				0.2
10	9/22/2006 8:55			0.2				0.2
11	9/22/2006 9:10			0.2				0.2
12	9/22/2006 9:25			0.2				0.2
13	9/22/2006 9:40			0.2				0.2
14	9/22/2006 9:55			0.2				0.2
15	9/22/2006 10:10			0.2				0.2
16	9/22/2006 10:25			0.2				0.2
17	9/22/2006 10:40			0.2				0.2
18	9/22/2006 10:55			0.2				0.2
19	9/22/2006 11:10			0.2				0.2
20	9/22/2006 11:25			0.2				0.2
21	9/22/2006 11:40			0.2				0.2
22	9/22/2006 11:55			0.2				0.2
23	9/22/2006 12:10			0.2				0.2
24	9/22/2006 12:25			0.2				0.2
25	9/22/2006 12:40			0.2				0.2
26	9/22/2006 12:55			0.2				0.2
27	9/22/2006 13:10			0.2				0.2
28	9/22/2006 13:25			0.2				0.2
29	9/22/2006 13:40			0.2				0.2
30	9/22/2006 13:55			0.1				0.1
31	9/22/2006 14:10			0.1				0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	2
Test Abbreviation:	
Start Date:	9/22/2006
Start Time:	6:32:23
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:30) = 0.029

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/22/2006	6:47:23	0.046	0.017	17
9/22/2006	7:02:23	0.035	0.006	6
9/22/2006	7:17:23	0.042	0.013	13
9/22/2006	7:32:23	0.041	0.012	12
9/22/2006	7:47:23	0.043	0.014	14
9/22/2006	8:02:23	0.042	0.013	13
9/22/2006	8:17:23	0.048	0.019	19
9/22/2006	8:32:23	0.05	0.021	21
9/22/2006	8:47:23	0.059	0.03	30
9/22/2006	9:02:23	0.07	0.041	41
9/22/2006	9:17:23	0.071	0.042	42
9/22/2006	9:32:23	0.065	0.036	36
9/22/2006	9:47:23	0.062	0.033	33
9/22/2006	10:02:23	0.051	0.022	22
9/22/2006	10:17:23	0.035	0.006	6
9/22/2006	10:32:23	0.027	-0.002	-2
9/22/2006	10:47:23	0.029	0	0
9/22/2006	11:02:23	0.028	-0.001	-1
9/22/2006	11:17:23	0.029	0	0
9/22/2006	11:32:23	0.028	-0.001	-1
9/22/2006	11:47:23	0.037	0.008	8
9/22/2006	12:02:23	0.028	-0.001	-1
9/22/2006	12:17:23	0.021	-0.008	-8
9/22/2006	12:32:23	0.021	-0.008	-8
9/22/2006	12:47:23	0.021	-0.008	-8
9/22/2006	13:02:23	0.025	-0.004	-4
9/22/2006	13:17:23	0.026	-0.003	-3
9/22/2006	13:32:23	0.021	-0.008	-8
9/22/2006	13:47:23	0.021	-0.008	-8
9/22/2006	14:02:23	0.02	-0.009	-9
9/22/2006	14:17:23	0.032	0.003	3
9/22/2006	14:32:23	0.023	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/22/2006 05:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:23) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/22/2006 6:36			0				-0.1
2	9/22/2006 6:51			0				-0.1
3	9/22/2006 7:06			0.2				0.1
4	9/22/2006 7:21			0.6				0.5
5	9/22/2006 7:36			0.7				0.6
6	9/22/2006 7:51			0.9				0.8
7	9/22/2006 8:06			1.1				1
8	9/22/2006 8:21			0.9				0.8
9	9/22/2006 8:36			0.9				0.8
10	9/22/2006 8:51			0.9				0.8
11	9/22/2006 9:06			0.8				0.7
12	9/22/2006 9:21			0.7				0.6
13	9/22/2006 9:36			0.7				0.6
14	9/22/2006 9:51			0.9				0.8
15	9/22/2006 10:06			0.8				0.7
16	9/22/2006 10:21			0.5				0.4
17	9/22/2006 10:36			1				0.9
18	9/22/2006 10:51			0.7				0.6
19	9/22/2006 11:06			0.8				0.7
20	9/22/2006 11:21			0.8				0.7
21	9/22/2006 11:36			0.8				0.7
22	9/22/2006 11:51			0.6				0.5
23	9/22/2006 12:06			0.5				0.4
24	9/22/2006 12:21			0.5				0.4
25	9/22/2006 12:36			0.4				0.3
26	9/22/2006 12:51			0.5				0.4
27	9/22/2006 13:06			0.5				0.4
28	9/22/2006 13:21			0.4				0.3
29	9/22/2006 13:36			0.5				0.4
30	9/22/2006 13:51			0.5				0.4
31	9/22/2006 14:06			0.4				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	2
Test Abbreviation:	
Start Date:	9/22/2006
Start Time:	6:27:39
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (AM - 6:23) = 0.017

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/22/2006	6:42:39	0.019	0.002	2	
9/22/2006	6:57:39	0.025	0.008	8	
9/22/2006	7:12:39	0.03	0.013	13	
9/22/2006	7:27:39	0.041	0.024	24	
9/22/2006	7:42:39	0.051	0.034	34	
9/22/2006	7:57:39	0.134	0.117	117	
9/22/2006	8:12:39	0.078	0.061	61	
9/22/2006	8:27:39	0.165	0.148	148	
9/22/2006	8:42:39	0.087	0.07	70	
9/22/2006	8:57:39	0.122	0.105	105	
9/22/2006	9:12:39	0.127	0.11	110	
9/22/2006	9:27:39	0.091	0.074	74	
9/22/2006	9:42:39	0.095	0.078	78	
9/22/2006	9:57:39	0.173	0.156	156	No site activity near Station 4 - drill rig exhaust immediately upwind of monitoring station.
9/22/2006	10:12:39	0.18	0.163	163	No site activity near Station 4 - drill rig exhaust immediately upwind of monitoring station.
9/22/2006	10:27:39	0.244	0.227	227	No site activity near Station 4 - drill rig exhaust immediately upwind of monitoring station.
9/22/2006	10:42:39	0.086	0.069	69	
9/22/2006	10:57:39	0.252	0.235	235	No site activity near Station 4 - drill rig exhaust immediately upwind of monitoring station.
9/22/2006	11:12:39	0.055	0.038	38	
9/22/2006	11:27:39	0.119	0.102	102	
9/22/2006	11:42:39	0.1	0.083	83	
9/22/2006	11:57:39	0.142	0.125	125	
9/22/2006	12:12:39	0.055	0.038	38	
9/22/2006	12:27:39	0.028	0.011	11	
9/22/2006	12:42:39	0.027	0.01	10	
9/22/2006	12:57:39	0.022	0.005	5	
9/22/2006	13:12:39	0.042	0.025	25	
9/22/2006	13:27:39	0.036	0.019	19	
9/22/2006	13:42:39	0.022	0.005	5	
9/22/2006	13:57:39	0.027	0.01	10	
9/22/2006	14:12:39	0.034	0.017	17	
9/22/2006	14:27:39	0.027	0.01	10	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/25/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/25/2006 7:02			0				0
2	9/25/2006 7:17			0				0
3	9/25/2006 7:32			0				0
4	9/25/2006 7:47			0				0
5	9/25/2006 8:02			0				0
6	9/25/2006 8:17			0				0
7	9/25/2006 8:32			0				0
8	9/25/2006 8:47			0.1				0.1
9	9/25/2006 9:02			0.1				0.1
10	9/25/2006 9:17			0.1				0.1
11	9/25/2006 9:32			0.1				0.1
12	9/25/2006 9:47			0.1				0.1
13	9/25/2006 10:02			0.1				0.1
14	9/25/2006 10:17			0.1				0.1
15	9/25/2006 10:32			0.1				0.1
16	9/25/2006 10:47			0.1				0.1
17	9/25/2006 11:02			0.1				0.1
18	9/25/2006 11:17			0.1				0.1
19	9/25/2006 11:32			0.1				0.1
20	9/25/2006 11:47			0.1				0.1
21	9/25/2006 12:02			0.1				0.1
22	9/25/2006 12:17			0.1				0.1
23	9/25/2006 12:32			0.1				0.1
24	9/25/2006 12:47			0.1				0.1
25	9/25/2006 13:02			0.1				0.1
26	9/25/2006 13:17			0.1				0.1
27	9/25/2006 13:32			0.1				0.1
28	9/25/2006 13:47			0.1				0.1
29	9/25/2006 14:02			0.1				0.1
30	9/25/2006 14:17			0.1				0.1
31	9/25/2006 14:32			0.1				0.1
32	9/25/2006 14:47			0.1				0.1
33	9/25/2006 15:02			0.1				0.1
34	9/25/2006 15:17			0.1				0.1
35	9/25/2006 15:32			0.1				0.1

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	9/25/2006
Start Time:	6:49:16
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:45) = 0.009

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2006	7:04:16	0.009	0	0
9/25/2006	7:19:16	0.012	0.003	3
9/25/2006	7:34:16	0.009	0	0
9/25/2006	7:49:16	0.011	0.002	2
9/25/2006	8:04:16	0.012	0.003	3
9/25/2006	8:19:16	0.011	0.002	2
9/25/2006	8:34:16	0.011	0.002	2
9/25/2006	8:49:16	0.01	0.001	1
9/25/2006	9:04:16	0.008	-0.001	-1
9/25/2006	9:19:16	0.008	-0.001	-1
9/25/2006	9:34:16	0.007	-0.002	-2
9/25/2006	9:49:16	0.007	-0.002	-2
9/25/2006	10:04:16	0.006	-0.003	-3
9/25/2006	10:19:16	0.016	0.007	7
9/25/2006	10:34:16	0.006	-0.003	-3
9/25/2006	10:49:16	0.008	-0.001	-1
9/25/2006	11:04:16	0.005	-0.004	-4
9/25/2006	11:19:16	0.006	-0.003	-3
9/25/2006	11:34:16	0.008	-0.001	-1
9/25/2006	11:49:16	0.007	-0.002	-2
9/25/2006	12:04:16	0.009	0	0
9/25/2006	12:19:16	0.007	-0.002	-2
9/25/2006	12:34:16	0.007	-0.002	-2
9/25/2006	12:49:16	0.007	-0.002	-2
9/25/2006	13:04:16	0.007	-0.002	-2
9/25/2006	13:19:16	0.006	-0.003	-3
9/25/2006	13:34:16	0.007	-0.002	-2
9/25/2006	13:49:16	0.01	0.001	1
9/25/2006	14:04:16	0.014	0.005	5
9/25/2006	14:19:16	0.008	-0.001	-1
9/25/2006	14:34:16	0.008	-0.001	-1
9/25/2006	14:49:16	0.008	-0.001	-1
9/25/2006	15:04:16	0.007	-0.002	-2
9/25/2006	15:19:16	0.007	-0.002	-2
9/25/2006	15:34:16	0.007	-0.002	-2
9/25/2006	15:49:16	0.007	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/25/2006 05:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/25/2006 6:47			0.3		0.5		0.3
2	9/25/2006 7:02			0.4		0.7		0.4
3	9/25/2006 7:17			0.5		0.7		0.5
4	9/25/2006 7:32			0.5		0.8		0.5
5	9/25/2006 7:47			0.6		0.8		0.6
6	9/25/2006 8:02			0.1		0.8		0.1
7	9/25/2006 8:17			0		0		0
8	9/25/2006 8:32			0		0		0
9	9/25/2006 8:47			0		0		0
10	9/25/2006 9:02			0		0		0
11	9/25/2006 9:17			0		0		0
12	9/25/2006 9:32			0		0		0
13	9/25/2006 9:47			0		0		0
14	9/25/2006 10:02			0		0		0
15	9/25/2006 10:17			0		0		0
16	9/25/2006 10:32			0		0		0
17	9/25/2006 10:47			0		0		0
18	9/25/2006 11:02			0		0		0
19	9/25/2006 11:17			0		0		0
20	9/25/2006 11:32			0		0		0
21	9/25/2006 11:47			0		0		0
22	9/25/2006 12:02			0		0		0
23	9/25/2006 12:17			0		0.1		0
24	9/25/2006 12:32			0.1		0.4		0.1
25	9/25/2006 12:47			0.3		0.6		0.3
26	9/25/2006 13:02			0.5		0.7		0.5
27	9/25/2006 13:17			0.5		0.6		0.5
28	9/25/2006 13:32			0.5		0.7		0.5
29	9/25/2006 13:47			0.5		0.6		0.5
30	9/25/2006 14:02			0.5		0.7		0.5
31	9/25/2006 14:17			0.5		0.7		0.5
32	9/25/2006 14:32			0.6		0.8		0.6
33	9/25/2006 14:47			0.7		0.9		0.7
34	9/25/2006 15:02			0.5		0.7		0.5
35	9/25/2006 15:17			0.5		0.7		0.5
36	9/25/2006 15:32			0.6		0.8		0.6
37	9/25/2006 15:47			0.6		0.8		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	9/25/2006
Start Time:	6:45:08
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (AM - 6:38) = 0.008

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2006	7:00:08	0.01	0.002	2
9/25/2006	7:15:08	0.011	0.003	3
9/25/2006	7:30:08	0.011	0.003	3
9/25/2006	7:45:08	0.013	0.005	5
9/25/2006	8:00:08	0.015	0.007	7
9/25/2006	8:15:08	0.013	0.005	5
9/25/2006	8:30:08	0.013	0.005	5
9/25/2006	8:45:08	0.012	0.004	4
9/25/2006	9:00:08	0.011	0.003	3
9/25/2006	9:15:08	0.011	0.003	3
9/25/2006	9:30:08	0.011	0.003	3
9/25/2006	9:45:08	0.01	0.002	2
9/25/2006	10:00:08	0.01	0.002	2
9/25/2006	10:15:08	0.01	0.002	2
9/25/2006	10:30:08	0.009	0.001	1
9/25/2006	10:45:08	0.011	0.003	3
9/25/2006	11:00:08	0.012	0.004	4
9/25/2006	11:15:08	0.012	0.004	4
9/25/2006	11:30:08	0.014	0.006	6
9/25/2006	11:45:08	0.014	0.006	6
9/25/2006	12:00:08	0.016	0.008	8
9/25/2006	12:15:08	0.017	0.009	9
9/25/2006	12:30:08	0.016	0.008	8
9/25/2006	12:45:08	0.018	0.01	10
9/25/2006	13:00:08	0.016	0.008	8
9/25/2006	13:15:08	0.017	0.009	9
9/25/2006	13:30:08	0.017	0.009	9
9/25/2006	13:45:08	0.017	0.009	9
9/25/2006	14:00:08	0.017	0.009	9
9/25/2006	14:15:08	0.017	0.009	9
9/25/2006	14:30:08	0.017	0.009	9
9/25/2006	14:45:08	0.018	0.01	10
9/25/2006	15:00:08	0.018	0.01	10
9/25/2006	15:15:08	0.018	0.01	10
9/25/2006	15:30:08	0.018	0.01	10
9/25/2006	15:45:08	0.018	0.01	10
9/25/2006	16:00:08	0.018	0.01	10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029
User ID: 00000001 Site ID: 00000005
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/25/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:31) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/25/2006 6:40			0.2				0.2
2	9/25/2006 6:55			0.3				0.3
3	9/25/2006 7:10			0.4				0.4
4	9/25/2006 7:25			0.5				0.5
5	9/25/2006 7:40			0.5				0.5
6	9/25/2006 7:55			0.6				0.6
7	9/25/2006 8:10			0.7				0.7
8	9/25/2006 8:25			0.8				0.8
9	9/25/2006 8:40			0.8				0.8
10	9/25/2006 8:55			0.8				0.8
11	9/25/2006 9:10			0.8				0.8
12	9/25/2006 9:25			0.7				0.7
13	9/25/2006 9:40			0.8				0.8
14	9/25/2006 9:55			0.8				0.8
15	9/25/2006 10:10			1				1
16	9/25/2006 10:25			1				1
17	9/25/2006 10:40			1.1				1.1
18	9/25/2006 10:55			1.1				1.1
19	9/25/2006 11:10			1				1
20	9/25/2006 11:25			1				1
21	9/25/2006 11:40			0.9				0.9
22	9/25/2006 11:55			0.9				0.9
23	9/25/2006 12:10			0.9				0.9
24	9/25/2006 12:25			0.9				0.9
25	9/25/2006 12:40			0.9				0.9
26	9/25/2006 12:55			1				1
27	9/25/2006 13:10			1				1
28	9/25/2006 13:25			1				1
29	9/25/2006 13:40			0.9				0.9
30	9/25/2006 13:55			0.9				0.9
31	9/25/2006 14:10			0.9				0.9
32	9/25/2006 14:25			0.9				0.9
33	9/25/2006 14:40			1				1
34	9/25/2006 14:55			1				1
35	9/25/2006 15:10			0.9				0.9
36	9/25/2006 15:25			0.9				0.9
37	9/25/2006 15:40			1				1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	3
Test Abbreviation:	
Start Date:	9/25/2006
Start Time:	6:35:21
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:31) = 0.018

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2006	6:50:21	0.012	-0.006	-6
9/25/2006	7:05:21	0.015	-0.003	-3
9/25/2006	7:20:21	0.014	-0.004	-4
9/25/2006	7:35:21	0.013	-0.005	-5
9/25/2006	7:50:21	0.018	0	0
9/25/2006	8:05:21	0.016	-0.002	-2
9/25/2006	8:20:21	0.016	-0.002	-2
9/25/2006	8:35:21	0.016	-0.002	-2
9/25/2006	8:50:21	0.014	-0.004	-4
9/25/2006	9:05:21	0.015	-0.003	-3
9/25/2006	9:20:21	0.014	-0.004	-4
9/25/2006	9:35:21	0.011	-0.007	-7
9/25/2006	9:50:21	0.011	-0.007	-7
9/25/2006	10:05:21	0.012	-0.006	-6
9/25/2006	10:20:21	0.009	-0.009	-9
9/25/2006	10:35:21	0.008	-0.01	-10
9/25/2006	10:50:21	0.01	-0.008	-8
9/25/2006	11:05:21	0.01	-0.008	-8
9/25/2006	11:20:21	0.008	-0.01	-10
9/25/2006	11:35:21	0.009	-0.009	-9
9/25/2006	11:50:21	0.008	-0.01	-10
9/25/2006	12:05:21	0.01	-0.008	-8
9/25/2006	12:20:21	0.011	-0.007	-7
9/25/2006	12:35:21	0.008	-0.01	-10
9/25/2006	12:50:21	0.009	-0.009	-9
9/25/2006	13:05:21	0.01	-0.008	-8
9/25/2006	13:20:21	0.009	-0.009	-9
9/25/2006	13:35:21	0.012	-0.006	-6
9/25/2006	13:50:21	0.01	-0.008	-8
9/25/2006	14:05:21	0.008	-0.01	-10
9/25/2006	14:20:21	0.008	-0.01	-10
9/25/2006	14:35:21	0.008	-0.01	-10
9/25/2006	14:50:21	0.011	-0.007	-7
9/25/2006	15:05:21	0.011	-0.007	-7
9/25/2006	15:20:21	0.01	-0.008	-8
9/25/2006	15:35:21	0.012	-0.006	-6
9/25/2006	15:50:21	0.009	-0.009	-9
9/25/2006	16:05:21	0.01	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/25/2006 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:23) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/25/2006 6:37			0				0
2	9/25/2006 6:52			0				0
3	9/25/2006 7:07			0				0
4	9/25/2006 7:22			0.1				0.1
5	9/25/2006 7:37			0.2				0.2
6	9/25/2006 7:52			0.2				0.2
7	9/25/2006 8:07			0.3				0.3
8	9/25/2006 8:22			0.3				0.3
9	9/25/2006 8:37			0.3				0.3
10	9/25/2006 8:52			0.3				0.3
11	9/25/2006 9:07			0.3				0.3
12	9/25/2006 9:22			0.3				0.3
13	9/25/2006 9:37			0.3				0.3
14	9/25/2006 9:52			0.3				0.3
15	9/25/2006 10:07			0.3				0.3
16	9/25/2006 10:22			0.3				0.3
17	9/25/2006 10:37			0.3				0.3
18	9/25/2006 10:52			0.3				0.3
19	9/25/2006 11:07			0.3				0.3
20	9/25/2006 11:22			0.3				0.3
21	9/25/2006 11:37			0.3				0.3
22	9/25/2006 11:52			0.2				0.2
23	9/25/2006 12:07			0.2				0.2
24	9/25/2006 12:22			0.2				0.2
25	9/25/2006 12:37			0.3				0.3
26	9/25/2006 12:52			0.3				0.3
27	9/25/2006 13:07			0.3				0.3
28	9/25/2006 13:22			0.4				0.4
29	9/25/2006 13:37			0.4				0.4
30	9/25/2006 13:52			0.4				0.4
31	9/25/2006 14:07			0.4				0.4
32	9/25/2006 14:22			0.4				0.4
33	9/25/2006 14:37			0.4				0.4
34	9/25/2006 14:52			0.5				0.5
35	9/25/2006 15:07			0.4				0.4
36	9/25/2006 15:22			0.3				0.3
37	9/25/2006 15:37			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	3
Test Abbreviation:	
Start Date:	9/25/2006
Start Time:	6:27:02
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:23) = 0.009

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2006	6:42:02	0.007	-0.002	-2
9/25/2006	6:57:02	0.009	0	0
9/25/2006	7:12:02	0.008	-0.001	-1
9/25/2006	7:27:02	0.009	0	0
9/25/2006	7:42:02	0.012	0.003	3
9/25/2006	7:57:02	0.042	0.033	33
9/25/2006	8:12:02	0.014	0.005	5
9/25/2006	8:27:02	0.02	0.011	11
9/25/2006	8:42:02	0.014	0.005	5
9/25/2006	8:57:02	0.011	0.002	2
9/25/2006	9:12:02	0.012	0.003	3
9/25/2006	9:27:02	0.005	-0.004	-4
9/25/2006	9:42:02	0.004	-0.005	-5
9/25/2006	9:57:02	0.004	-0.005	-5
9/25/2006	10:12:02	0.005	-0.004	-4
9/25/2006	10:27:02	0.003	-0.006	-6
9/25/2006	10:42:02	0.013	0.004	4
9/25/2006	10:57:02	0.005	-0.004	-4
9/25/2006	11:12:02	0.005	-0.004	-4
9/25/2006	11:27:02	0.008	-0.001	-1
9/25/2006	11:42:02	0.006	-0.003	-3
9/25/2006	11:57:02	0.008	-0.001	-1
9/25/2006	12:12:02	0.011	0.002	2
9/25/2006	12:27:02	0.009	0	0
9/25/2006	12:42:02	0.006	-0.003	-3
9/25/2006	12:57:02	0.01	0.001	1
9/25/2006	13:12:02	0.009	0	0
9/25/2006	13:27:02	0.011	0.002	2
9/25/2006	13:42:02	0.057	0.048	48
9/25/2006	13:57:02	0.016	0.007	7
9/25/2006	14:12:02	0.013	0.004	4
9/25/2006	14:27:02	0.014	0.005	5
9/25/2006	14:42:02	0.022	0.013	13
9/25/2006	14:57:02	0.008	-0.001	-1
9/25/2006	15:12:02	0.01	0.001	1
9/25/2006	15:27:02	0.013	0.004	4
9/25/2006	15:42:02	0.008	-0.001	-1
9/25/2006	15:57:02	0.011	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/26/2006 05:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/26/2006 7:01			0				0
2	9/26/2006 7:16			0				0
3	9/26/2006 7:31			0				0
4	9/26/2006 7:46			0				0
5	9/26/2006 8:01			0				0
6	9/26/2006 8:16			0.1				0.1
7	9/26/2006 8:31			0.1				0.1
8	9/26/2006 8:46			0.1				0.1
9	9/26/2006 9:01			0.1				0.1
10	9/26/2006 9:16			0.2				0.2
11	9/26/2006 9:31			0.2				0.2
12	9/26/2006 9:46			0.2				0.2
13	9/26/2006 10:01			0.2				0.2
14	9/26/2006 10:16			0.2				0.2
15	9/26/2006 10:31			0.2				0.2
16	9/26/2006 10:46			0.2				0.2
17	9/26/2006 11:01			0.3				0.3
18	9/26/2006 11:16			0.3				0.3
19	9/26/2006 11:31			0.3				0.3
20	9/26/2006 11:46			0.3				0.3
21	9/26/2006 12:01			0.3				0.3
22	9/26/2006 12:16			0.3				0.3
23	9/26/2006 12:31			0.3				0.3
24	9/26/2006 12:46			0.3				0.3
25	9/26/2006 13:01			0.3				0.3
26	9/26/2006 13:16			0.3				0.3
27	9/26/2006 13:31			0.3				0.3
28	9/26/2006 13:46			0.3				0.3
29	9/26/2006 14:01			0.3				0.3
30	9/26/2006 14:16			0.3				0.3
31	9/26/2006 14:31			0.3				0.3
32	9/26/2006 14:46			0.3				0.3
33	9/26/2006 15:01			0.3				0.3
34	9/26/2006 15:16			0.3				0.3
35	9/26/2006 15:31			0.3				0.3
36	9/26/2006 15:46			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	9/26/2006
Start Time:	6:49:21
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (AM - 6:46) = 0.011

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/26/2006	7:04:21	0.013	0.002	2	
9/26/2006	7:19:21	0.013	0.002	2	
9/26/2006	7:34:21	0.013	0.002	2	
9/26/2006	7:49:21	0.015	0.004	4	
9/26/2006	8:04:21	0.015	0.004	4	
9/26/2006	8:19:21	0.017	0.006	6	
9/26/2006	8:34:21	0.016	0.005	5	
9/26/2006	8:49:21	0.016	0.005	5	
9/26/2006	9:04:21	0.015	0.004	4	
9/26/2006	9:19:21	0.013	0.002	2	
9/26/2006	9:34:21	0.011	0	0	
9/26/2006	9:49:21	0.012	0.001	1	
9/26/2006	10:04:21	0.011	0	0	
9/26/2006	10:19:21	0.011	0	0	
9/26/2006	10:34:21	0.011	0	0	
9/26/2006	10:49:21	0.01	-0.001	-1	
9/26/2006	11:04:21	0.02	0.009	9	
9/26/2006	11:19:21	0.016	0.005	5	
9/26/2006	11:34:21	0.009	-0.002	-2	
9/26/2006	11:49:21	0.009	-0.002	-2	
9/26/2006	12:04:21	0.009	-0.002	-2	
9/26/2006	12:19:21	0.01	-0.001	-1	
9/26/2006	12:34:21	0.009	-0.002	-2	
9/26/2006	12:49:21	0.008	-0.003	-3	
9/26/2006	13:04:21	0.008	-0.003	-3	
9/26/2006	13:19:21	0.01	-0.001	-1	
9/26/2006	13:34:21	0.01	-0.001	-1	
9/26/2006	13:49:21	0.009	-0.002	-2	
9/26/2006	14:23:32	0.012	0.001	1	Batteries replaced at 14:23
9/26/2006	14:38:32	0.008	-0.003	-3	
9/26/2006	14:53:32	0.009	-0.002	-2	
9/26/2006	15:08:32	0.008	-0.003	-3	
9/26/2006	15:23:32	0.007	-0.004	-4	
9/26/2006	15:38:32	0.007	-0.004	-4	
9/26/2006	15:53:32	0.007	-0.004	-4	
9/26/2006	16:08:32	0.006	-0.005	-5	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/26/2006 05:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/26/2006 6:46			0		0.4		0
2	9/26/2006 7:01			0		0		0
3	9/26/2006 7:16			0		0		0
4	9/26/2006 7:31			0		0		0
5	9/26/2006 7:46			0		0		0
6	9/26/2006 8:01			0		0		0
7	9/26/2006 8:16			0		0		0
8	9/26/2006 8:31			0		0		0
9	9/26/2006 8:46			0		0		0
10	9/26/2006 9:01			0		0		0
11	9/26/2006 9:16			0		0		0
12	9/26/2006 9:31			0		0		0
13	9/26/2006 9:46			0		0		0
14	9/26/2006 10:01			0		0		0
15	9/26/2006 10:16			0		0		0
16	9/26/2006 10:31			0		0		0
17	9/26/2006 10:46			0		0		0
18	9/26/2006 11:01			0		0		0
19	9/26/2006 11:16			0		0		0
20	9/26/2006 11:31			0		0		0
21	9/26/2006 11:46			0		0		0
22	9/26/2006 12:01			0		0		0
23	9/26/2006 12:16			0		0		0
24	9/26/2006 12:31			0		0		0
25	9/26/2006 12:46			0		0		0
26	9/26/2006 13:01			0		0		0
27	9/26/2006 13:16			0.1		0.4		0.1
28	9/26/2006 13:31			0.3		0.6		0.3
29	9/26/2006 13:46			0.5		0.7		0.5
30	9/26/2006 14:01			0.5		0.7		0.5
31	9/26/2006 14:16			0.6		0.8		0.6
32	9/26/2006 14:31			0.7		0.9		0.7
33	9/26/2006 14:46			0.7		0.9		0.7
34	9/26/2006 15:01			0.8		1		0.8
35	9/26/2006 15:16			0.8		1		0.8
36	9/26/2006 15:31			0.8		1		0.8
37	9/26/2006 15:46			0.7		1		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	9/26/2006
Start Time:	6:42:17
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (AM - 6:57) = 0.016

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/26/2006	6:57:17	0.016	0	0	
9/26/2006	7:12:17	0.017	0.001	1	
9/26/2006	7:27:17	0.021	0.005	5	
9/26/2006	7:42:17	0.019	0.003	3	
9/26/2006	7:57:17	0.021	0.005	5	
9/26/2006	8:12:17	0.02	0.004	4	
9/26/2006	8:27:17	0.021	0.005	5	
9/26/2006	8:42:17	0.021	0.005	5	
9/26/2006	8:57:17	0.022	0.006	6	
9/26/2006	9:12:17	0.02	0.004	4	
9/26/2006	9:27:17	0.02	0.004	4	
9/26/2006	9:42:17	0.019	0.003	3	
9/26/2006	9:57:17	0.021	0.005	5	
9/26/2006	10:12:17	0.02	0.004	4	
9/26/2006	10:27:17	0.019	0.003	3	
9/26/2006	10:42:17	0.019	0.003	3	
9/26/2006	10:57:17	0.019	0.003	3	
9/26/2006	11:12:17	0.018	0.002	2	
9/26/2006	11:27:17	0.019	0.003	3	
9/26/2006	11:42:17	0.02	0.004	4	
9/26/2006	11:57:17	0.018	0.002	2	
9/26/2006	12:17:17	0.017	0.001	1	
9/26/2006	13:29:37	0.02	0.004	4	Batteries replaced at 13:29
9/26/2006	13:44:37	0.019	0.003	3	
9/26/2006	13:59:37	0.019	0.003	3	
9/26/2006	14:14:37	0.019	0.003	3	
9/26/2006	14:29:37	0.02	0.004	4	
9/26/2006	14:44:37	0.019	0.003	3	
9/26/2006	14:59:37	0.018	0.002	2	
9/26/2006	15:14:37	0.019	0.003	3	
9/26/2006	15:29:37	0.018	0.002	2	
9/26/2006	15:44:37	0.018	0.002	2	
9/26/2006	15:59:37	0.018	0.002	2	
9/26/2006	16:14:37	0.017	0.001	1	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/26/2006 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/26/2006 6:38			0.1				0.1
2	9/26/2006 6:53			0.3				0.3
3	9/26/2006 7:08			0.4				0.4
4	9/26/2006 7:23			0.4				0.4
5	9/26/2006 7:38			0.5				0.5
6	9/26/2006 7:53			0.6				0.6
7	9/26/2006 8:08			0.8				0.8
8	9/26/2006 8:23			0.8				0.8
9	9/26/2006 8:38			0.7				0.7
10	9/26/2006 8:53			0.7				0.7
11	9/26/2006 9:08			0.7				0.7
12	9/26/2006 9:23			0.7				0.7
13	9/26/2006 9:38			0.7				0.7
14	9/26/2006 9:53			0.7				0.7
15	9/26/2006 10:08			0.8				0.8
16	9/26/2006 10:23			0.7				0.7
17	9/26/2006 10:38			0.7				0.7
18	9/26/2006 10:53			0.6				0.6
19	9/26/2006 11:08			0.6				0.6
20	9/26/2006 11:23			0.6				0.6
21	9/26/2006 11:38			0.5				0.5
22	9/26/2006 11:53			0.5				0.5
23	9/26/2006 12:08			0.5				0.5
24	9/26/2006 12:23			0.3				0.3
25	9/26/2006 12:38			0.3				0.3
26	9/26/2006 12:53			0.2				0.2
27	9/26/2006 13:08			0.2				0.2
28	9/26/2006 13:23			0.4				0.4
29	9/26/2006 13:38			0.4				0.4
30	9/26/2006 13:53			0.3				0.3
31	9/26/2006 14:08			0.3				0.3
32	9/26/2006 14:23			0.3				0.3
33	9/26/2006 14:38			0.1				0.1
34	9/26/2006 14:53			0.3				0.3
35	9/26/2006 15:08			0.3				0.3
36	9/26/2006 15:23			0.3				0.3
37	9/26/2006 15:38			0.2				0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	4
Test Abbreviation:	
Start Date:	9/26/2006
Start Time:	6:32:40
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:28) = 0.016

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2006	6:47:40	0.016	0	0
9/26/2006	7:02:40	0.014	-0.002	-2
9/26/2006	7:17:40	0.02	0.004	4
9/26/2006	7:32:40	0.019	0.003	3
9/26/2006	7:47:40	0.019	0.003	3
9/26/2006	8:02:40	0.021	0.005	5
9/26/2006	8:17:40	0.019	0.003	3
9/26/2006	8:32:40	0.022	0.006	6
9/26/2006	8:47:40	0.026	0.01	10
9/26/2006	9:02:40	0.021	0.005	5
9/26/2006	9:17:40	0.02	0.004	4
9/26/2006	9:32:40	0.022	0.006	6
9/26/2006	9:47:40	0.017	0.001	1
9/26/2006	10:02:40	0.019	0.003	3
9/26/2006	10:17:40	0.018	0.002	2
9/26/2006	10:32:40	0.016	0	0
9/26/2006	10:47:40	0.015	-0.001	-1
9/26/2006	11:02:40	0.016	0	0
9/26/2006	11:17:40	0.012	-0.004	-4
9/26/2006	11:32:40	0.013	-0.003	-3
9/26/2006	11:47:40	0.014	-0.002	-2
9/26/2006	12:02:40	0.014	-0.002	-2
9/26/2006	12:17:40	0.013	-0.003	-3
9/26/2006	12:32:40	0.013	-0.003	-3
9/26/2006	12:47:40	0.014	-0.002	-2
9/26/2006	13:02:40	0.017	0.001	1
9/26/2006	13:17:40	0.013	-0.003	-3
9/26/2006	13:32:40	0.012	-0.004	-4
9/26/2006	13:47:40	0.016	0	0
9/26/2006	14:02:40	0.021	0.005	5
9/26/2006	14:17:40	0.019	0.003	3
9/26/2006	14:32:40	0.017	0.001	1
9/26/2006	14:47:40	0.016	0	0
9/26/2006	15:02:40	0.014	-0.002	-2
9/26/2006	15:17:40	0.015	-0.001	-1
9/26/2006	15:32:40	0.014	-0.002	-2
9/26/2006	15:47:40	0.013	-0.003	-3
9/26/2006	16:02:40	0.013	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/26/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/26/2006 6:34			0				0
2	9/26/2006 6:49			0				0
3	9/26/2006 7:04			0				0
4	9/26/2006 7:19			0.1				0.1
5	9/26/2006 7:34			0.2				0.2
6	9/26/2006 7:49			0.2				0.2
7	9/26/2006 8:04			0.3				0.3
8	9/26/2006 8:19			0.3				0.3
9	9/26/2006 8:34			0.4				0.4
10	9/26/2006 8:49			0.4				0.4
11	9/26/2006 9:04			0.3				0.3
12	9/26/2006 9:19			0.4				0.4
13	9/26/2006 9:34			0.3				0.3
14	9/26/2006 9:49			0.4				0.4
15	9/26/2006 10:04			0.4				0.4
16	9/26/2006 10:19			0.4				0.4
17	9/26/2006 10:34			0.4				0.4
18	9/26/2006 10:49			0.3				0.3
19	9/26/2006 11:04			0.3				0.3
20	9/26/2006 11:19			0.3				0.3
21	9/26/2006 11:34			0.3				0.3
22	9/26/2006 11:49			0.3				0.3
23	9/26/2006 12:04			0.3				0.3
24	9/26/2006 12:19			0.3				0.3
25	9/26/2006 12:34			0.3				0.3
26	9/26/2006 12:49			0.3				0.3
27	9/26/2006 13:04			0.3				0.3
28	9/26/2006 13:19			0.3				0.3
29	9/26/2006 13:34			0.4				0.4
30	9/26/2006 13:49			0.4				0.4
31	9/26/2006 14:04			0.4				0.4
32	9/26/2006 14:19			0.5				0.5
33	9/26/2006 14:34			0.4				0.4
34	9/26/2006 14:49			0.4				0.4
35	9/26/2006 15:04			0.5				0.5
36	9/26/2006 15:19			0.5				0.5
37	9/26/2006 15:34			0.4				0.4
38	9/26/2006 15:49			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	4
Test Abbreviation:	
Start Date:	9/26/2006
Start Time:	6:24:07
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	

Background Reading (AM - 6:20) = 0.009

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/26/2006	6:39:07	0.013	0.004	4	
9/26/2006	6:54:07	0.01	0.001	1	
9/26/2006	7:09:07	0.013	0.004	4	
9/26/2006	7:24:07	0.016	0.007	7	
9/26/2006	7:39:07	0.016	0.007	7	
9/26/2006	7:54:07	0.025	0.016	16	
9/26/2006	8:09:07	0.024	0.015	15	
9/26/2006	8:24:07	0.021	0.012	12	
9/26/2006	8:39:07	0.019	0.01	10	
9/26/2006	8:54:07	0.019	0.01	10	
9/26/2006	9:09:07	0.016	0.007	7	
9/26/2006	9:24:07	0.014	0.005	5	
9/26/2006	9:39:07	0.013	0.004	4	
9/26/2006	9:54:07	0.021	0.012	12	
9/26/2006	10:09:07	0.014	0.005	5	
9/26/2006	10:24:07	0.015	0.006	6	
9/26/2006	10:39:07	0.017	0.008	8	
9/26/2006	10:54:07	0.018	0.009	9	
9/26/2006	11:09:07	0.018	0.009	9	
9/26/2006	11:24:07	0.013	0.004	4	
9/26/2006	11:39:07	0.012	0.003	3	
9/26/2006	11:54:07	0.014	0.005	5	
9/26/2006	12:09:07	0.02	0.011	11	
9/26/2006	12:24:07	0.018	0.009	9	
9/26/2006	12:39:07	0.015	0.006	6	
9/26/2006	12:54:07	0.01	0.001	1	
9/26/2006	13:09:07	0.018	0.009	9	
9/26/2006	13:24:07	0.018	0.009	9	
9/26/2006	13:52:04	0.018	0.009	9	Batteries replaced at 13:52
9/26/2006	14:07:04	0.01	0.001	1	
9/26/2006	14:22:04	0.012	0.003	3	
9/26/2006	14:37:04	0.014	0.005	5	
9/26/2006	14:52:04	0.01	0.001	1	
9/26/2006	15:07:04	0.012	0.003	3	
9/26/2006	15:22:04	0.013	0.004	4	
9/26/2006	15:37:04	0.01	0.001	1	
9/26/2006	15:52:04	0.011	0.002	2	
9/26/2006	16:07:04	0.009	0	0	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:52) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/27/2006 7:10			0				0
2	9/27/2006 7:25			0				0
3	9/27/2006 7:40			0				0
4	9/27/2006 7:55			0				0
5	9/27/2006 8:10			0				0
6	9/27/2006 8:25			0				0
7	9/27/2006 8:40			0				0
8	9/27/2006 8:55			0				0
9	9/27/2006 9:10			0				0
10	9/27/2006 9:25			0				0
11	9/27/2006 9:40			0				0
12	9/27/2006 9:55			0				0
13	9/27/2006 10:10			0				0
14	9/27/2006 10:25			0.1				0.1
15	9/27/2006 10:40			0.1				0.1
16	9/27/2006 10:55			0.1				0.1
17	9/27/2006 11:10			0.1				0.1
18	9/27/2006 11:25			0.1				0.1
19	9/27/2006 11:40			0.1				0.1
20	9/27/2006 11:55			0.2				0.2
21	9/27/2006 12:10			0.2				0.2
22	9/27/2006 12:25			0.1				0.1
23	9/27/2006 12:40			0.1				0.1
24	9/27/2006 12:55			0.1				0.1
25	9/27/2006 13:10			0.1				0.1
26	9/27/2006 13:25			0.1				0.1
27	9/27/2006 13:40			0.2				0.2
28	9/27/2006 13:55			0.1				0.1
29	9/27/2006 14:10			0.1				0.1
30	9/27/2006 14:25			0.2				0.2
31	9/27/2006 14:40			0.1				0.1
32	9/27/2006 14:55			0.1				0.1
33	9/27/2006 15:10			0.1				0.1
34	9/27/2006 15:25			0.2				0.2
35	9/27/2006 15:40			0.2				0.2
36	9/27/2006 15:55			0.1				0.1
37	9/27/2006 16:10			0.1				0.1

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	9/27/2006
Start Time:	6:56:51
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:52) = 0.014

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2006	7:11:51	0.014	0	0
9/27/2006	7:26:51	0.012	-0.002	-2
9/27/2006	7:41:51	0.015	0.001	1
9/27/2006	7:56:51	0.017	0.003	3
9/27/2006	8:11:51	0.017	0.003	3
9/27/2006	8:26:51	0.017	0.003	3
9/27/2006	8:41:51	0.019	0.005	5
9/27/2006	8:56:51	0.044	0.03	30
9/27/2006	9:11:51	0.017	0.003	3
9/27/2006	9:26:51	0.018	0.004	4
9/27/2006	9:41:51	0.018	0.004	4
9/27/2006	9:56:51	0.017	0.003	3
9/27/2006	10:11:51	0.015	0.001	1
9/27/2006	10:26:51	0.017	0.003	3
9/27/2006	10:41:51	0.019	0.005	5
9/27/2006	10:56:51	0.024	0.01	10
9/27/2006	11:11:51	0.022	0.008	8
9/27/2006	11:26:51	0.025	0.011	11
9/27/2006	11:41:51	0.024	0.01	10
9/27/2006	11:56:51	0.024	0.01	10
9/27/2006	12:11:51	0.024	0.01	10
9/27/2006	12:26:51	0.024	0.01	10
9/27/2006	12:41:51	0.021	0.007	7
9/27/2006	12:56:51	0.022	0.008	8
9/27/2006	13:11:51	0.029	0.015	15
9/27/2006	13:26:51	0.03	0.016	16
9/27/2006	13:41:51	0.015	0.001	1
9/27/2006	13:56:51	0.016	0.002	2
9/27/2006	14:11:51	0.02	0.006	6
9/27/2006	14:26:51	0.02	0.006	6
9/27/2006	14:41:51	0.019	0.005	5
9/27/2006	14:56:51	0.021	0.007	7
9/27/2006	15:11:51	0.015	0.001	1
9/27/2006	15:26:51	0.014	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/25/2006 05:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/25/2006 6:47			0.3		0.5		0.3
2	9/25/2006 7:02			0.4		0.7		0.4
3	9/25/2006 7:17			0.5		0.7		0.5
4	9/25/2006 7:32			0.5		0.8		0.5
5	9/25/2006 7:47			0.6		0.8		0.6
6	9/25/2006 8:02			0.1		0.8		0.1
7	9/25/2006 8:17			0		0		0
8	9/25/2006 8:32			0		0		0
9	9/25/2006 8:47			0		0		0
10	9/25/2006 9:02			0		0		0
11	9/25/2006 9:17			0		0		0
12	9/25/2006 9:32			0		0		0
13	9/25/2006 9:47			0		0		0
14	9/25/2006 10:02			0		0		0
15	9/25/2006 10:17			0		0		0
16	9/25/2006 10:32			0		0		0
17	9/25/2006 10:47			0		0		0
18	9/25/2006 11:02			0		0		0
19	9/25/2006 11:17			0		0		0
20	9/25/2006 11:32			0		0		0
21	9/25/2006 11:47			0		0		0
22	9/25/2006 12:02			0		0		0
23	9/25/2006 12:17			0		0.1		0
24	9/25/2006 12:32			0.1		0.4		0.1
25	9/25/2006 12:47			0.3		0.6		0.3
26	9/25/2006 13:02			0.5		0.7		0.5
27	9/25/2006 13:17			0.5		0.6		0.5
28	9/25/2006 13:32			0.5		0.7		0.5
29	9/25/2006 13:47			0.5		0.6		0.5
30	9/25/2006 14:02			0.5		0.7		0.5
31	9/25/2006 14:17			0.5		0.7		0.5
32	9/25/2006 14:32			0.6		0.8		0.6
33	9/25/2006 14:47			0.7		0.9		0.7
34	9/25/2006 15:02			0.5		0.7		0.5
35	9/25/2006 15:17			0.5		0.7		0.5
36	9/25/2006 15:32			0.6		0.8		0.6
37	9/25/2006 15:47			0.6		0.8		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	9/27/2006
Start Time:	6:52:17
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (AM - 6:45) = 0.018

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2006	7:07:17	0.019	0.001	1
9/27/2006	7:22:17	0.019	0.001	1
9/27/2006	7:37:17	0.022	0.004	4
9/27/2006	7:52:17	0.024	0.006	6
9/27/2006	8:07:17	0.026	0.008	8
9/27/2006	8:22:17	0.029	0.011	11
9/27/2006	8:37:17	0.028	0.01	10
9/27/2006	8:52:17	0.029	0.011	11
9/27/2006	9:07:17	0.023	0.005	5
9/27/2006	9:22:17	0.025	0.007	7
9/27/2006	9:37:17	0.025	0.007	7
9/27/2006	9:52:17	0.024	0.006	6
9/27/2006	10:07:17	0.023	0.005	5
9/27/2006	10:22:17	0.023	0.005	5
9/27/2006	10:37:17	0.026	0.008	8
9/27/2006	10:52:17	0.029	0.011	11
9/27/2006	11:07:17	0.029	0.011	11
9/27/2006	11:22:17	0.033	0.015	15
9/27/2006	11:37:17	0.034	0.016	16
9/27/2006	11:52:17	0.032	0.014	14
9/27/2006	12:07:17	0.033	0.015	15
9/27/2006	12:22:17	0.033	0.015	15
9/27/2006	12:37:17	0.028	0.01	10
9/27/2006	12:52:17	0.029	0.011	11
9/27/2006	13:07:17	0.031	0.013	13
9/27/2006	13:22:17	0.033	0.015	15
9/27/2006	13:37:17	0.037	0.019	19
9/27/2006	13:52:17	0.035	0.017	17
9/27/2006	14:07:17	0.035	0.017	17
9/27/2006	14:22:17	0.035	0.017	17
9/27/2006	14:37:17	0.037	0.019	19
9/27/2006	14:52:17	0.038	0.02	20
9/27/2006	15:07:17	0.044	0.026	26
9/27/2006	15:22:17	0.041	0.023	23
9/27/2006	15:37:17	0.045	0.027	27
9/27/2006	15:52:17	0.037	0.019	19
9/27/2006	16:07:17	0.039	0.021	21
9/27/2006	16:22:17	0.038	0.02	20
9/27/2006	16:37:17	0.036	0.018	18

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013029

User ID: 00000001 Site ID: 00000005

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/27/2006 05:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/27/2006 6:48			0				0
2	9/27/2006 7:03			0				0
3	9/27/2006 7:18			0.1				0.1
4	9/27/2006 7:33			0.1				0.1
5	9/27/2006 7:48			0.2				0.2
6	9/27/2006 8:03			0.2				0.2
7	9/27/2006 8:18			0.2				0.2
8	9/27/2006 8:33			0.2				0.2
9	9/27/2006 8:48			0.2				0.2
10	9/27/2006 9:03			0.2				0.2
11	9/27/2006 9:18			0.2				0.2
12	9/27/2006 9:33			0.2				0.2
13	9/27/2006 9:48			0.2				0.2
14	9/27/2006 10:03			0.2				0.2
15	9/27/2006 10:18			0.1				0.1
16	9/27/2006 10:33			0.2				0.2
17	9/27/2006 10:48			0.2				0.2
18	9/27/2006 11:03			0.2				0.2
19	9/27/2006 11:18			0.2				0.2
20	9/27/2006 11:33			0.1				0.1
21	9/27/2006 11:48			0.2				0.2
22	9/27/2006 12:03			0.3				0.3
23	9/27/2006 12:18			0.3				0.3
24	9/27/2006 12:33			0.2				0.2
25	9/27/2006 12:48			0.1				0.1
26	9/27/2006 13:03			0.1				0.1
27	9/27/2006 13:18			0.1				0.1
28	9/27/2006 13:33			0.2				0.2
29	9/27/2006 13:48			0.2				0.2
30	9/27/2006 14:03			0.2				0.2
31	9/27/2006 14:18			0.2				0.2
32	9/27/2006 14:33			0.2				0.2
33	9/27/2006 14:48			0.2				0.2
34	9/27/2006 15:03			0.2				0.2
35	9/27/2006 15:18			0.2				0.2
36	9/27/2006 15:33			0.2				0.2
37	9/27/2006 15:48			0.2				0.2
38	9/27/2006 16:03			0.2				0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	5
Test Abbreviation:	
Start Date:	9/27/2006
Start Time:	6:42:24
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (AM - 6:37) = 0.019

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2006	6:57:24	0.019	0	0
9/27/2006	7:12:24	0.017	-0.002	-2
9/27/2006	7:27:24	0.018	-0.001	-1
9/27/2006	7:42:24	0.021	0.002	2
9/27/2006	7:57:24	0.021	0.002	2
9/27/2006	8:12:24	0.024	0.005	5
9/27/2006	8:27:24	0.029	0.01	10
9/27/2006	8:42:24	0.03	0.011	11
9/27/2006	8:57:24	0.034	0.015	15
9/27/2006	9:12:24	0.028	0.009	9
9/27/2006	9:27:24	0.033	0.014	14
9/27/2006	9:42:24	0.029	0.01	10
9/27/2006	9:57:24	0.03	0.011	11
9/27/2006	10:12:24	0.026	0.007	7
9/27/2006	10:27:24	0.028	0.009	9
9/27/2006	10:42:24	0.032	0.013	13
9/27/2006	10:57:24	0.043	0.024	24
9/27/2006	11:12:24	0.04	0.021	21
9/27/2006	11:27:24	0.039	0.02	20
9/27/2006	11:42:24	0.041	0.022	22
9/27/2006	11:57:24	0.04	0.021	21
9/27/2006	12:12:24	0.037	0.018	18
9/27/2006	12:27:24	0.039	0.02	20
9/27/2006	12:42:24	0.031	0.012	12
9/27/2006	12:57:24	0.032	0.013	13
9/27/2006	13:12:24	0.037	0.018	18
9/27/2006	13:27:24	0.046	0.027	27
9/27/2006	13:42:24	0.044	0.025	25
9/27/2006	13:57:24	0.043	0.024	24
9/27/2006	14:12:24	0.047	0.028	28
9/27/2006	14:27:24	0.04	0.021	21
9/27/2006	14:42:24	0.038	0.019	19
9/27/2006	14:57:24	0.038	0.019	19
9/27/2006	15:12:24	0.04	0.021	21
9/27/2006	15:27:24	0.049	0.03	30
9/27/2006	15:42:24	0.042	0.023	23
9/27/2006	15:57:24	0.037	0.018	18
9/27/2006	16:12:24	0.041	0.022	22
9/27/2006	16:27:24	0.043	0.024	24

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2006 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:31) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/27/2006 6:46			0				0
2	9/27/2006 7:01			0				0
3	9/27/2006 7:16			0				0
4	9/27/2006 7:31			0				0
5	9/27/2006 7:46			0.1				0.1
6	9/27/2006 8:01			0.1				0.1
7	9/27/2006 8:16			0.1				0.1
8	9/27/2006 8:31			0.2				0.2
9	9/27/2006 8:46			0.1				0.1
10	9/27/2006 9:01			0.1				0.1
11	9/27/2006 9:16			0.1				0.1
12	9/27/2006 9:31			0.2				0.2
13	9/27/2006 9:46			0.2				0.2
14	9/27/2006 10:01			0.1				0.1
15	9/27/2006 10:16			0.1				0.1
16	9/27/2006 10:31			0.1				0.1
17	9/27/2006 10:46			0.1				0.1
18	9/27/2006 11:01			0.2				0.2
19	9/27/2006 11:16			0.2				0.2
20	9/27/2006 11:31			0.2				0.2
21	9/27/2006 11:46			0.2				0.2
22	9/27/2006 12:01			0.2				0.2
23	9/27/2006 12:16			0.2				0.2
24	9/27/2006 12:31			0.2				0.2
25	9/27/2006 12:46			0.2				0.2
26	9/27/2006 13:01			0.2				0.2
27	9/27/2006 13:16			0.2				0.2
28	9/27/2006 13:31			0.2				0.2
29	9/27/2006 13:46			0.2				0.2
30	9/27/2006 14:01			0.2				0.2
31	9/27/2006 14:16			0.2				0.2
32	9/27/2006 14:31			0.3				0.3
33	9/27/2006 14:46			0.2				0.2
34	9/27/2006 15:01			0.2				0.2
35	9/27/2006 15:16			0.2				0.2
36	9/27/2006 15:31			0.3				0.3
37	9/27/2006 15:46			0.2				0.2
38	9/27/2006 16:01			0.3				0.3
39	9/27/2006 16:16			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	6
Test Abbreviation:	
Start Date:	9/27/2006
Start Time:	6:36:00
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (AM - 6:31) = 0.016

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2006	6:51:00	0.017	0.001	1
9/27/2006	7:06:00	0.012	-0.004	-4
9/27/2006	7:21:00	0.014	-0.002	-2
9/27/2006	7:36:00	0.014	-0.002	-2
9/27/2006	7:51:00	0.018	0.002	2
9/27/2006	8:06:00	0.019	0.003	3
9/27/2006	8:21:00	0.019	0.003	3
9/27/2006	8:36:00	0.025	0.009	9
9/27/2006	8:51:00	0.027	0.011	11
9/27/2006	9:06:00	0.024	0.008	8
9/27/2006	9:21:00	0.028	0.012	12
9/27/2006	9:36:00	0.026	0.01	10
9/27/2006	9:51:00	0.03	0.014	14
9/27/2006	10:06:00	0.026	0.01	10
9/27/2006	10:21:00	0.028	0.012	12
9/27/2006	10:36:00	0.024	0.008	8
9/27/2006	10:51:00	0.026	0.01	10
9/27/2006	11:06:00	0.028	0.012	12
9/27/2006	11:21:00	0.033	0.017	17
9/27/2006	11:36:00	0.039	0.023	23
9/27/2006	11:51:00	0.038	0.022	22
9/27/2006	12:06:00	0.032	0.016	16
9/27/2006	12:21:00	0.032	0.016	16
9/27/2006	12:36:00	0.03	0.014	14
9/27/2006	12:51:00	0.029	0.013	13
9/27/2006	13:06:00	0.03	0.014	14
9/27/2006	13:21:00	0.034	0.018	18
9/27/2006	13:36:00	0.035	0.019	19
9/27/2006	13:51:00	0.036	0.02	20
9/27/2006	14:06:00	0.033	0.017	17
9/27/2006	14:21:00	0.035	0.019	19
9/27/2006	14:36:00	0.034	0.018	18
9/27/2006	14:51:00	0.033	0.017	17
9/27/2006	15:06:00	0.035	0.019	19
9/27/2006	15:21:00	0.034	0.018	18
9/27/2006	15:36:00	0.037	0.021	21
9/27/2006	15:51:00	0.032	0.016	16
9/27/2006	16:06:00	0.035	0.019	19
9/27/2006	16:21:00	0.036	0.02	20
9/27/2006	16:36:00	0.032	0.016	16

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/28/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	9/28/2006 7:05			0				0	
2	9/28/2006 7:20			0				0	
3	9/28/2006 7:35			0				0	
4	9/28/2006 7:50			0				0	
5	9/28/2006 8:05			0.1				0.1	
6	9/28/2006 8:20			0.1				0.1	
7	9/28/2006 8:35			0.1				0.1	
8	9/28/2006 8:50			0.1				0.1	
9	9/28/2006 9:05			0.2				0.2	
10	9/28/2006 9:20			0.2				0.2	
11	9/28/2006 9:35			0.2				0.2	
12	9/28/2006 9:50			0.2				0.2	
13	9/28/2006 10:05			0.1				0.1	
14	9/28/2006 10:20			0.1				0.1	
15	9/28/2006 10:35			0.2				0.2	
16	9/28/2006 10:50			0.2				0.2	
17	9/28/2006 11:05			0.2				0.2	
18	9/28/2006 11:20			0.2				0.2	
19	9/28/2006 11:35			0.3				0.3	
20	9/28/2006 11:50			0.3				0.3	
21	9/28/2006 12:05			0.2				0.2	
22	9/28/2006 12:20			0.2				0.2	
23	9/28/2006 12:35			0.2				0.2	
24	9/28/2006 12:50			0.2				0.2	
1	9/28/2006 15:21			0				0	Batteries replaced at 15:21
2	9/28/2006 15:36			0				0	
3	9/28/2006 15:51			0				0	
4	9/28/2006 16:06			0				0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	9/28/2006
Start Time:	6:53:38
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (AM - 6:48) = 0.037

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2006	7:08:38	0.045	0.008	8
9/28/2006	7:23:38	0.047	0.01	10
9/28/2006	7:38:38	0.052	0.015	15
9/28/2006	7:53:38	0.055	0.018	18
9/28/2006	8:08:38	0.066	0.029	29
9/28/2006	8:23:38	0.09	0.053	53
9/28/2006	8:38:38	0.079	0.042	42
9/28/2006	8:53:38	0.044	0.007	7
9/28/2006	9:08:38	0.046	0.009	9
9/28/2006	9:23:38	0.048	0.011	11
9/28/2006	9:38:38	0.028	-0.009	-9
9/28/2006	9:53:38	0.016	-0.021	-21
9/28/2006	10:08:38	0.014	-0.023	-23
9/28/2006	10:23:38	0.015	-0.022	-22
9/28/2006	10:38:38	0.017	-0.02	-20
9/28/2006	10:53:38	0.016	-0.021	-21
9/28/2006	11:08:38	0.019	-0.018	-18
9/28/2006	11:23:38	0.022	-0.015	-15
9/28/2006	11:38:38	0.022	-0.015	-15
9/28/2006	11:53:38	0.02	-0.017	-17
9/28/2006	12:08:38	0.015	-0.022	-22
9/28/2006	12:23:38	0.015	-0.022	-22
9/28/2006	12:38:38	0.013	-0.024	-24
9/28/2006	12:53:38	0.014	-0.023	-23
9/28/2006	13:08:38	0.018	-0.019	-19
9/28/2006	13:23:38	0.017	-0.02	-20
9/28/2006	13:38:38	0.015	-0.022	-22
9/28/2006	13:53:38	0.013	-0.024	-24
9/28/2006	14:08:38	0.018	-0.019	-19
9/28/2006	14:23:38	0.025	-0.012	-12
9/28/2006	14:38:38	0.013	-0.024	-24
9/28/2006	14:53:38	0.018	-0.019	-19
9/28/2006	15:08:38	0.017	-0.02	-20
9/28/2006	15:23:38	0.014	-0.023	-23
9/28/2006	15:38:38	0.017	-0.02	-20
9/28/2006	15:53:38	0.014	-0.023	-23
9/28/2006	16:08:38	0.014	-0.023	-23
9/28/2006	16:23:38	0.016	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/28/2006 05:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:42) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/28/2006 6:52			0		0		0
2	9/28/2006 7:07			0		0.4		0
3	9/28/2006 7:22			0.3		0.6		0.3
4	9/28/2006 7:37			0.5		0.9		0.5
5	9/28/2006 7:52			0.7		1		0.7
6	9/28/2006 8:07			0.8		1.1		0.8
7	9/28/2006 8:22			0.9		1.2		0.9
8	9/28/2006 8:37			0.9		1.2		0.9
9	9/28/2006 8:52			0.9		1.2		0.9
10	9/28/2006 9:07			0.9		1.3		0.9
11	9/28/2006 9:22			1		1.3		1
12	9/28/2006 9:37			0.9		1.9		0.9
13	9/28/2006 9:52			0.9		1.9		0.9
14	9/28/2006 10:07			0.9		1.3		0.9
15	9/28/2006 10:22			0.9		1.2		0.9
16	9/28/2006 10:37			0.9		1.1		0.9
17	9/28/2006 10:52			0.9		1.1		0.9
18	9/28/2006 11:07			0.9		1.2		0.9
19	9/28/2006 11:22			1		1.1		1
20	9/28/2006 11:37			0.9		1.2		0.9
21	9/28/2006 11:52			0.7		1		0.7
22	9/28/2006 12:07			0.6		0.8		0.6
23	9/28/2006 12:22			0.6		0.8		0.6
24	9/28/2006 12:37			0.6		0.8		0.6
25	9/28/2006 12:52			0.5		0.7		0.5
26	9/28/2006 13:07			0.5		0.7		0.5
27	9/28/2006 13:22			0.5		0.7		0.5
28	9/28/2006 13:37			0.5		0.7		0.5
29	9/28/2006 13:52			0.5		0.7		0.5
30	9/28/2006 14:07			0.5		0.7		0.5
31	9/28/2006 14:22			0.5		0.7		0.5
32	9/28/2006 14:37			0.5		0.7		0.5
33	9/28/2006 14:52			0.5		0.7		0.5
34	9/28/2006 15:07			0.5		0.7		0.5
35	9/28/2006 15:22			0.5		0.6		0.5
36	9/28/2006 15:37			0.5		0.7		0.5
37	9/28/2006 15:52			0.5		0.6		0.5
38	9/28/2006 16:07			0.4		0.7		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	9/28/2006
Start Time:	7:24:01
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (AM - 6:42) = 0.037

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2006	7:39:01	0.045	0.008	8
9/28/2006	7:54:01	0.046	0.009	9
9/28/2006	8:09:01	0.047	0.01	10
9/28/2006	8:24:01	0.049	0.012	12
9/28/2006	8:39:01	0.044	0.007	7
9/28/2006	8:54:01	0.054	0.017	17
9/28/2006	9:09:01	0.039	0.002	2
9/28/2006	9:24:01	0.029	-0.008	-8
9/28/2006	9:39:01	0.024	-0.013	-13
9/28/2006	9:54:01	0.025	-0.012	-12
9/28/2006	10:09:01	0.026	-0.011	-11
9/28/2006	10:24:01	0.021	-0.016	-16
9/28/2006	10:39:01	0.025	-0.012	-12
9/28/2006	10:54:01	0.026	-0.011	-11
9/28/2006	11:09:01	0.027	-0.01	-10
9/28/2006	11:24:01	0.026	-0.011	-11
9/28/2006	11:39:01	0.022	-0.015	-15
9/28/2006	11:54:01	0.023	-0.014	-14
9/28/2006	12:09:01	0.024	-0.013	-13
9/28/2006	12:24:01	0.025	-0.012	-12
9/28/2006	12:39:01	0.026	-0.011	-11
9/28/2006	12:54:01	0.023	-0.014	-14
9/28/2006	13:09:01	0.028	-0.009	-9
9/28/2006	13:24:01	0.028	-0.009	-9
9/28/2006	13:39:01	0.029	-0.008	-8
9/28/2006	13:54:01	0.03	-0.007	-7
9/28/2006	14:09:01	0.03	-0.007	-7
9/28/2006	14:24:01	0.028	-0.009	-9
9/28/2006	14:39:01	0.027	-0.01	-10
9/28/2006	14:54:01	0.025	-0.012	-12
9/28/2006	15:09:01	0.023	-0.014	-14
9/28/2006	15:24:01	0.027	-0.01	-10
9/28/2006	15:39:01	0.027	-0.01	-10
9/28/2006	15:54:01	0.024	-0.013	-13
9/28/2006	16:09:01	0.024	-0.013	-13
9/28/2006	16:24:01	0.028	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000005

Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/28/2006 05:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:33) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	9/28/2006 6:44			0				0	
2	9/28/2006 6:59			0				0	
3	9/28/2006 7:14			3.2				3.2	PID started malfunctioning at 7:14; taken out of service and replaced with new unit at 9:25
1	9/28/2006 9:25			0				0	
2	9/28/2006 9:40			0				0	
3	9/28/2006 9:55			0				0	
4	9/28/2006 10:10			0				0	
5	9/28/2006 10:25			0				0	
6	9/28/2006 10:40			0				0	
7	9/28/2006 10:55			0				0	
8	9/28/2006 11:10			0				0	
9	9/28/2006 11:25			0.4				0.4	
10	9/28/2006 11:40			0				0	
11	9/28/2006 11:55			0				0	
12	9/28/2006 12:10			0				0	
13	9/28/2006 12:25			0				0	
14	9/28/2006 12:40			0				0	
15	9/28/2006 12:55			0				0	
16	9/28/2006 13:10			0				0	
17	9/28/2006 13:25			0				0	
18	9/28/2006 13:40			0				0	
19	9/28/2006 13:55			0				0	
20	9/28/2006 14:10			0				0	
21	9/28/2006 14:25			0				0	
22	9/28/2006 14:40			0				0	
23	9/28/2006 14:55			0				0	
24	9/28/2006 15:10			0				0	
25	9/28/2006 15:25			0				0	
26	9/28/2006 15:40			0				0	

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	6
Test Abbreviation:	
Start Date:	9/28/2006
Start Time:	8:13:26
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (AM - 6:33) = 0.052

Calibration — Sensor: Aerosol; Cal. date: 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/28/2006	8:28:26	0.084	0.032	32	
9/28/2006	8:43:26	0.076	0.024	24	
9/28/2006	8:58:26	0.06	0.008	8	
9/28/2006	9:13:26	0.057	0.005	5	
9/28/2006	9:28:26	0.04	-0.012	-12	
9/28/2006	9:43:26	0.03	-0.022	-22	
9/28/2006	9:58:26	0.027	-0.025	-25	
9/28/2006	10:13:26	0.023	-0.029	-29	
9/28/2006	10:28:26	0.024	-0.028	-28	
9/28/2006	10:43:26	0.026	-0.026	-26	
9/28/2006	10:58:26	0.025	-0.027	-27	
9/28/2006	11:13:26	0.027	-0.025	-25	
9/28/2006	11:28:26	0.026	-0.026	-26	
9/28/2006	11:43:26	0.024	-0.028	-28	
9/28/2006	11:58:26	0.024	-0.028	-28	
9/28/2006	12:13:26	0.019	-0.033	-33	
9/28/2006	12:28:26	0.024	-0.028	-28	
9/28/2006	12:43:26	0.017	-0.035	-35	
9/28/2006	12:58:26	0.021	-0.031	-31	
9/28/2006	13:13:26	0.026	-0.026	-26	
9/28/2006	13:28:26	0.03	-0.022	-22	
9/28/2006	13:43:26	0.025	-0.027	-27	
9/28/2006	13:58:26	0.026	-0.026	-26	
9/28/2006	14:13:26	0.028	-0.024	-24	
9/28/2006	14:28:26	0.023	-0.029	-29	
9/28/2006	15:09:03	0.018	-0.034	-34	Batteries replaced at 15:09
9/28/2006	15:24:03	0.019	-0.033	-33	
9/28/2006	15:39:03	0.021	-0.031	-31	
9/28/2006	15:54:03	0.021	-0.031	-31	
9/28/2006	16:09:03	0.021	-0.031	-31	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/28/2006 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:25) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	9/28/2006 6:38			0.1				0.1	
2	9/28/2006 6:53			0.3				0.3	
3	9/28/2006 7:08			0.4				0.4	
4	9/28/2006 7:23			0.5				0.5	
5	9/28/2006 7:38			0.6				0.6	
6	9/28/2006 7:53			0.7				0.7	
7	9/28/2006 8:08			0.8				0.8	
8	9/28/2006 8:23			0.8				0.8	
9	9/28/2006 8:38			0.7				0.7	
10	9/28/2006 8:53			0.8				0.8	
11	9/28/2006 9:08			1				1	
12	9/28/2006 9:23			0.9				0.9	
13	9/28/2006 9:38			0.7				0.7	
14	9/28/2006 9:53			0.8				0.8	
15	9/28/2006 10:08			0.7				0.7	
16	9/28/2006 10:23			0.7				0.7	
17	9/28/2006 10:38			0.8				0.8	
18	9/28/2006 10:53			0.8				0.8	
19	9/28/2006 11:08			0.7				0.7	
20	9/28/2006 11:23			0.8				0.8	
21	9/28/2006 11:38			0.8				0.8	
22	9/28/2006 11:53			0.8				0.8	
23	9/28/2006 12:08			0.8				0.8	
24	9/28/2006 12:23			0.8				0.8	
25	9/28/2006 12:38			0.8				0.8	
1	9/28/2006 13:11			0.9				0.9	Batteries replaced at 13:11
2	9/28/2006 13:26			0.7				0.7	
3	9/28/2006 13:41			0.8				0.8	
4	9/28/2006 13:56			0.8				0.8	
5	9/28/2006 14:11			0.8				0.8	
6	9/28/2006 14:26			1.1				1.1	
7	9/28/2006 14:41			0.9				0.9	
8	9/28/2006 14:56			0.8				0.8	
9	9/28/2006 15:11			0.8				0.8	
10	9/28/2006 15:26			0.8				0.8	
11	9/28/2006 15:41			0.8				0.8	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	7
Test Abbreviation:	
Start Date:	9/28/2006
Start Time:	6:28:39
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (AM - 6:25) = 0.055

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	mg/m^3
9/28/2006	6:43:39	0.059	0.004	4
9/28/2006	6:58:39	0.056	0.001	1
9/28/2006	7:13:39	0.063	0.008	8
9/28/2006	7:28:39	0.063	0.008	8
9/28/2006	7:43:39	0.067	0.012	12
9/28/2006	7:58:39	0.061	0.006	6
9/28/2006	8:13:39	0.075	0.02	20
9/28/2006	8:28:39	0.077	0.022	22
9/28/2006	8:43:39	0.063	0.008	8
9/28/2006	8:58:39	0.032	-0.023	-23
9/28/2006	9:13:39	0.043	-0.012	-12
9/28/2006	9:28:39	0.029	-0.026	-26
9/28/2006	9:43:39	0.023	-0.032	-32
9/28/2006	9:58:39	0.016	-0.039	-39
9/28/2006	10:13:39	0.015	-0.04	-40
9/28/2006	10:28:39	0.015	-0.04	-40
9/28/2006	10:43:39	0.016	-0.039	-39
9/28/2006	10:58:39	0.017	-0.038	-38
9/28/2006	11:13:39	0.018	-0.037	-37
9/28/2006	11:28:39	0.022	-0.033	-33
9/28/2006	11:43:39	0.018	-0.037	-37
9/28/2006	11:58:39	0.02	-0.035	-35
9/28/2006	12:13:39	0.02	-0.035	-35
9/28/2006	12:28:39	0.017	-0.038	-38
9/28/2006	12:43:39	0.015	-0.04	-40
9/28/2006	12:58:39	0.018	-0.037	-37
9/28/2006	13:13:39	0.021	-0.034	-34
9/28/2006	13:28:39	0.027	-0.028	-28
9/28/2006	13:43:39	0.023	-0.032	-32
9/28/2006	13:58:39	0.016	-0.039	-39
9/28/2006	14:13:39	0.03	-0.025	-25
9/28/2006	14:28:39	0.02	-0.035	-35
9/28/2006	14:43:39	0.016	-0.039	-39
9/28/2006	14:58:39	0.021	-0.034	-34
9/28/2006	15:13:39	0.026	-0.029	-29
9/28/2006	15:28:39	0.017	-0.038	-38
9/28/2006	15:43:39	0.02	-0.035	-35
9/28/2006	15:58:39	0.018	-0.037	-37

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/29/2006 7:35			0				0
2	9/29/2006 7:50			0				0
3	9/29/2006 8:05			0				0
4	9/29/2006 8:20			0				0
5	9/29/2006 8:35			0.1				0.1
6	9/29/2006 8:50			0.1				0.1
7	9/29/2006 9:05			0.2				0.2
8	9/29/2006 9:20			0.2				0.2
9	9/29/2006 9:35			0.2				0.2
10	9/29/2006 9:50			0.3				0.3
11	9/29/2006 10:05			0.3				0.3
12	9/29/2006 10:20			0.3				0.3
13	9/29/2006 10:35			0.3				0.3
14	9/29/2006 10:50			0.3				0.3
15	9/29/2006 11:05			0.3				0.3
16	9/29/2006 11:20			0.3				0.3
17	9/29/2006 11:35			0.3				0.3
18	9/29/2006 11:50			0.3				0.3
19	9/29/2006 12:05			0.3				0.3
20	9/29/2006 12:20			0.3				0.3
21	9/29/2006 12:35			0.3				0.3
22	9/29/2006 12:50			0.3				0.3
23	9/29/2006 13:05			0.3				0.3
24	9/29/2006 13:20			0.3				0.3
25	9/29/2006 13:35			0.4				0.4
26	9/29/2006 13:50			0.4				0.4
27	9/29/2006 14:05			0.4				0.4
28	9/29/2006 14:20			0.4				0.4
29	9/29/2006 14:35			0.4				0.4
30	9/29/2006 14:50			0.4				0.4
31	9/29/2006 15:05			0.4				0.4
32	9/29/2006 15:20			0.4				0.4
33	9/29/2006 15:35			0.4				0.4
34	9/29/2006 15:50			0.4				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	9/29/2006
Start Time:	7:22:44
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (AM - 7:05) = 0.016

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/29/2006	7:37:44	0.016	0	0
9/29/2006	7:52:44	0.021	0.005	5
9/29/2006	8:07:44	0.026	0.01	10
9/29/2006	8:22:44	0.031	0.015	15
9/29/2006	8:37:44	0.034	0.018	18
9/29/2006	8:52:44	0.037	0.021	21
9/29/2006	9:07:44	0.032	0.016	16
9/29/2006	9:22:44	0.009	-0.007	-7
9/29/2006	9:37:44	0.004	-0.012	-12
9/29/2006	9:52:44	0.004	-0.012	-12
9/29/2006	10:07:44	0.005	-0.011	-11
9/29/2006	10:22:44	0.005	-0.011	-11
9/29/2006	10:37:44	0.006	-0.01	-10
9/29/2006	10:52:44	0.006	-0.01	-10
9/29/2006	11:07:44	0.007	-0.009	-9
9/29/2006	11:22:44	0.004	-0.012	-12
9/29/2006	11:37:44	0.004	-0.012	-12
9/29/2006	11:52:44	0.005	-0.011	-11
9/29/2006	12:07:44	0.005	-0.011	-11
9/29/2006	12:22:44	0.005	-0.011	-11
9/29/2006	12:37:44	0.005	-0.011	-11
9/29/2006	12:52:44	0.006	-0.01	-10
9/29/2006	13:07:44	0.006	-0.01	-10
9/29/2006	13:22:44	0.006	-0.01	-10
9/29/2006	13:37:44	0.012	-0.004	-4
9/29/2006	13:52:44	0.009	-0.007	-7
9/29/2006	14:07:44	0.007	-0.009	-9
9/29/2006	14:22:44	0.009	-0.007	-7
9/29/2006	14:37:44	0.01	-0.006	-6
9/29/2006	14:52:44	0.008	-0.008	-8
9/29/2006	15:07:44	0.008	-0.008	-8
9/29/2006	15:22:44	0.01	-0.006	-6
9/29/2006	15:37:44	0.009	-0.007	-7
9/29/2006	15:52:44	0.008	-0.008	-8
9/29/2006	16:07:44	0.009	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/29/2006 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:55) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/29/2006 7:19			0				-0.1
2	9/29/2006 7:34			0				-0.1
3	9/29/2006 7:49			0				-0.1
4	9/29/2006 8:04			0.1				0
5	9/29/2006 8:19			0.2				0.1
6	9/29/2006 8:34			0.2				0.1
7	9/29/2006 8:49			0.3				0.2
8	9/29/2006 9:04			0.3				0.2
9	9/29/2006 9:19			0.4				0.3
10	9/29/2006 9:34			0.4				0.3
11	9/29/2006 9:49			0.5				0.4
12	9/29/2006 10:04			0.4				0.3
13	9/29/2006 10:19			0.5				0.4
14	9/29/2006 10:34			0.9				0.8
15	9/29/2006 10:49			0.9				0.8
16	9/29/2006 11:04			0.9				0.8
17	9/29/2006 11:19			0.7				0.6
18	9/29/2006 11:34			0.5				0.4
19	9/29/2006 11:49			0.5				0.4
20	9/29/2006 12:04			0.5				0.4
21	9/29/2006 12:19			0.5				0.4
22	9/29/2006 12:34			0.5				0.4
23	9/29/2006 12:49			0.6				0.5
24	9/29/2006 13:04			0.6				0.5
25	9/29/2006 13:19			0.7				0.6
26	9/29/2006 13:34			0.7				0.6
27	9/29/2006 13:49			0.6				0.5
28	9/29/2006 14:04			0.7				0.6
29	9/29/2006 14:19			0.8				0.7
30	9/29/2006 14:34			0.6				0.5
31	9/29/2006 14:49			0.5				0.4
32	9/29/2006 15:04			0.5				0.4
33	9/29/2006 15:19			0.6				0.5
34	9/29/2006 15:34			0.6				0.5
35	9/29/2006 15:49			0.6				0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	9
Test Abbreviation:	
Start Date:	9/29/2006
Start Time:	7:13:53
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	13
Notes:	Background Reading (AM - 6:55) = 0.009

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/29/2006	7:28:53	0.016	0.007	7
9/29/2006	7:43:53	0.018	0.009	9
9/29/2006	7:58:53	0.025	0.016	16
9/29/2006	8:13:53	0.027	0.018	18
9/29/2006	8:28:53	0.03	0.021	21
9/29/2006	8:43:53	0.032	0.023	23
9/29/2006	8:58:53	0.035	0.026	26
9/29/2006	9:13:53	0.026	0.017	17
9/29/2006	9:28:53	0.008	-0.001	-1
9/29/2006	9:43:53	0.008	-0.001	-1
9/29/2006	9:58:53	0.008	-0.001	-1
9/29/2006	10:13:53	0.01	0.001	1
9/29/2006	10:28:53	0.009	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/29/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/29/2006 7:08			0		0		0
2	9/29/2006 7:23			0		0.1		0
3	9/29/2006 7:38			0		0		0
4	9/29/2006 7:53			0		0.1		0
5	9/29/2006 8:08			0		0.2		0
6	9/29/2006 8:23			0		0.3		0
7	9/29/2006 8:38			0		0.4		0
8	9/29/2006 8:53			0.1		0.4		0.1
9	9/29/2006 9:08			0.1		0.4		0.1
10	9/29/2006 9:23			0.2		0.4		0.2
11	9/29/2006 9:38			0.2		0.4		0.2
12	9/29/2006 9:53			0.2		0.4		0.2
13	9/29/2006 10:08			0.2		0.4		0.2
14	9/29/2006 10:23			0.3		0.5		0.3
15	9/29/2006 10:38			0.3		0.6		0.3
16	9/29/2006 10:53			0.3		0.5		0.3
17	9/29/2006 11:08			0.2		0.5		0.2
18	9/29/2006 11:23			0.2		0.3		0.2
19	9/29/2006 11:38			0.1		0.4		0.1
20	9/29/2006 11:53			0.1		0.4		0.1
21	9/29/2006 12:08			0.1		0.6		0.1
22	9/29/2006 12:23			0.1		0.4		0.1
23	9/29/2006 12:38			0.1		0.3		0.1
24	9/29/2006 12:53			0.1		0.4		0.1
25	9/29/2006 13:08			0.1		0.4		0.1
26	9/29/2006 13:23			0.2		0.3		0.2
27	9/29/2006 13:38			0.1		0.3		0.1
28	9/29/2006 13:53			0.1		0.3		0.1
29	9/29/2006 14:08			0.2		0.4		0.2
30	9/29/2006 14:23			0.1		0.7		0.1
31	9/29/2006 14:38			0.2		0.5		0.2
32	9/29/2006 14:53			0.1		0.4		0.1
33	9/29/2006 15:08			0.1		0.5		0.1
34	9/29/2006 15:23			0.1		0.4		0.1
35	9/29/2006 15:38			0.1		0.4		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	8
Test Abbreviation:	
Start Date:	9/29/2006
Start Time:	7:33:23
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:50) = 0.022

Calibration	Sensor: Aerosol
	Cal. date 5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/29/2006	7:48:23	0.029	0.007	7
9/29/2006	8:03:23	0.035	0.013	13
9/29/2006	8:18:23	0.044	0.022	22
9/29/2006	8:33:23	0.053	0.031	31
9/29/2006	8:48:23	0.058	0.036	36
9/29/2006	9:03:23	0.056	0.034	34
9/29/2006	9:18:23	0.026	0.004	4
9/29/2006	9:33:23	0.012	-0.01	-10
9/29/2006	9:48:23	0.006	-0.016	-16
9/29/2006	10:03:23	0.012	-0.01	-10
9/29/2006	10:18:23	0.013	-0.009	-9
9/29/2006	10:33:23	0.017	-0.005	-5
9/29/2006	10:48:23	0.01	-0.012	-12
9/29/2006	11:03:23	0.006	-0.016	-16
9/29/2006	11:18:23	0.01	-0.012	-12
9/29/2006	11:33:23	0.018	-0.004	-4
9/29/2006	11:48:23	0.008	-0.014	-14
9/29/2006	12:03:23	0.007	-0.015	-15
9/29/2006	12:18:23	0.008	-0.014	-14
9/29/2006	12:33:23	0.006	-0.016	-16
9/29/2006	12:48:23	0.007	-0.015	-15
9/29/2006	13:03:23	0.009	-0.013	-13
9/29/2006	13:18:23	0.01	-0.012	-12
9/29/2006	13:33:23	0.022	0	0
9/29/2006	13:48:23	0.013	-0.009	-9
9/29/2006	14:03:23	0.011	-0.011	-11
9/29/2006	14:18:23	0.007	-0.015	-15
9/29/2006	14:33:23	0.01	-0.012	-12
9/29/2006	14:48:23	0.008	-0.014	-14
9/29/2006	15:03:23	0.009	-0.013	-13
9/29/2006	15:18:23	0.01	-0.012	-12
9/29/2006	15:33:23	0.009	-0.013	-13
9/29/2006	15:48:23	0.01	-0.012	-12
9/29/2006	16:03:23	0.019	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/29/2006 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/29/2006 7:08			0				0
2	9/29/2006 7:23			0				0
3	9/29/2006 7:38			0.1				0.1
4	9/29/2006 7:53			0.1				0.1
5	9/29/2006 8:08			0.1				0.1
6	9/29/2006 8:23			0.1				0.1
7	9/29/2006 8:38			0.2				0.2
8	9/29/2006 8:53			0.2				0.2
9	9/29/2006 9:08			0.3				0.3
10	9/29/2006 9:23			0.3				0.3
11	9/29/2006 9:38			0.3				0.3
12	9/29/2006 9:53			0.3				0.3
13	9/29/2006 10:08			0.3				0.3
14	9/29/2006 10:23			0.3				0.3
15	9/29/2006 10:38			0.4				0.4
16	9/29/2006 10:53			0.5				0.5
17	9/29/2006 11:08			0.4				0.4
18	9/29/2006 11:23			0.5				0.5
19	9/29/2006 11:38			0.4				0.4
20	9/29/2006 11:53			0.4				0.4
21	9/29/2006 12:08			0.4				0.4
22	9/29/2006 12:23			0.4				0.4
23	9/29/2006 12:38			0.4				0.4
24	9/29/2006 12:53			0.4				0.4
25	9/29/2006 13:08			0.4				0.4
26	9/29/2006 13:23			0.4				0.4
27	9/29/2006 13:38			0.4				0.4
28	9/29/2006 13:53			0.4				0.4
29	9/29/2006 14:08			0.4				0.4
30	9/29/2006 14:23			0.5				0.5
31	9/29/2006 14:38			0.5				0.5
32	9/29/2006 14:53			0.5				0.5
33	9/29/2006 15:08			0.5				0.5
34	9/29/2006 15:23			0.5				0.5
35	9/29/2006 15:38			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	8
Test Abbreviation:	
Start Date:	9/29/2006
Start Time:	7:27:17
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 6:40) = 0.015

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/29/2006	7:42:17	0.021	0.006	6
9/29/2006	7:57:17	0.031	0.016	16
9/29/2006	8:12:17	0.045	0.03	30
9/29/2006	8:27:17	0.043	0.028	28
9/29/2006	8:42:17	0.051	0.036	36
9/29/2006	8:57:17	0.048	0.033	33
9/29/2006	9:12:17	0.041	0.026	26
9/29/2006	9:27:17	0.018	0.003	3
9/29/2006	9:42:17	0.021	0.006	6
9/29/2006	9:57:17	0.009	-0.006	-6
9/29/2006	10:12:17	0.01	-0.005	-5
9/29/2006	10:27:17	0.009	-0.006	-6
9/29/2006	10:42:17	0.016	0.001	1
9/29/2006	10:57:17	0.026	0.011	11
9/29/2006	11:12:17	0.019	0.004	4
9/29/2006	11:27:17	0.007	-0.008	-8
9/29/2006	11:42:17	0.023	0.008	8
9/29/2006	11:57:17	0.028	0.013	13
9/29/2006	12:12:17	0.031	0.016	16
9/29/2006	12:27:17	0.024	0.009	9
9/29/2006	12:42:17	0.031	0.016	16
9/29/2006	12:57:17	0.032	0.017	17
9/29/2006	13:12:17	0.026	0.011	11
9/29/2006	13:27:17	0.021	0.006	6
9/29/2006	13:42:17	0.047	0.032	32
9/29/2006	13:57:17	0.03	0.015	15
9/29/2006	14:12:17	0.053	0.038	38
9/29/2006	14:27:17	0.042	0.027	27
9/29/2006	14:42:17	0.025	0.01	10
9/29/2006	14:57:17	0.021	0.006	6
9/29/2006	15:12:17	0.024	0.009	9
9/29/2006	15:27:17	0.033	0.018	18
9/29/2006	15:42:17	0.033	0.018	18
9/29/2006	15:57:17	0.035	0.02	20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2006 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM-07:39) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/30/2006 7:27			0.7				0.3
2	9/30/2006 7:42			0.2				-0.2
3	9/30/2006 7:57			0.3				-0.1
4	9/30/2006 8:12			0.3				-0.1
5	9/30/2006 8:27			0.3				-0.1
6	9/30/2006 8:42			0.3				-0.1
7	9/30/2006 8:57			0.4				0
8	9/30/2006 9:12			0.4				0
9	9/30/2006 9:27			0.3				-0.1
10	9/30/2006 9:42			0.3				-0.1
11	9/30/2006 9:57			0.3				-0.1
12	9/30/2006 10:12			0.4				0
13	9/30/2006 10:27			0.4				0
14	9/30/2006 10:42			0.4				0
15	9/30/2006 10:57			0.4				0
16	9/30/2006 11:12			0.4				0
17	9/30/2006 11:27			0.4				0
18	9/30/2006 11:42			0.4				0
19	9/30/2006 11:57			0.4				0
20	9/30/2006 12:12			0.3				-0.1
21	9/30/2006 12:27			0.3				-0.1
22	9/30/2006 12:42			0.3				-0.1
23	9/30/2006 12:57			0.3				-0.1
24	9/30/2006 13:12			0.3				-0.1
25	9/30/2006 13:27			0.3				-0.1
26	9/30/2006 13:42			0.4				0
27	9/30/2006 13:57			0.4				0
28	9/30/2006 14:12			0.4				0
29	9/30/2006 14:27			0.5				0.1
30	9/30/2006 14:42			0.5				0.1
31	9/30/2006 14:57			0.5				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	9/30/2006
Start Time:	8:31:49
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background reading (AM-07:39) = 0.018 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/30/2006	8:46:49	0.015	-0.003	-3
9/30/2006	9:01:49	0.016	-0.002	-2
9/30/2006	9:16:49	0.017	-0.001	-1
9/30/2006	9:31:49	0.015	-0.003	-3
9/30/2006	9:46:49	0.013	-0.005	-5
9/30/2006	10:01:49	0.01	-0.008	-8
9/30/2006	10:16:49	0.014	-0.004	-4
9/30/2006	10:31:49	0.014	-0.004	-4
9/30/2006	10:46:49	0.013	-0.005	-5
9/30/2006	11:01:49	0.017	-0.001	-1
9/30/2006	11:16:49	0.023	0.005	5
9/30/2006	11:31:49	0.023	0.005	5
9/30/2006	11:46:49	0.02	0.002	2
9/30/2006	12:01:49	0.019	0.001	1
9/30/2006	12:16:49	0.013	-0.005	-5
9/30/2006	12:31:49	0.01	-0.008	-8
9/30/2006	12:46:49	0.01	-0.008	-8
9/30/2006	13:01:49	0.01	-0.008	-8
9/30/2006	13:16:49	0.012	-0.006	-6
9/30/2006	13:31:49	0.013	-0.005	-5
9/30/2006	13:46:49	0.014	-0.004	-4
9/30/2006	14:01:49	0.016	-0.002	-2
9/30/2006	14:16:49	0.014	-0.004	-4
9/30/2006	14:31:49	0.011	-0.007	-7
9/30/2006	14:46:49	0.018	0	0
9/30/2006	15:01:49	0.014	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/30/2006 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-08:03) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/30/2006 7:31			0				0
2	9/30/2006 7:46			0.3				0.3
3	9/30/2006 8:01			0.1				0.1
4	9/30/2006 8:16			0				0
5	9/30/2006 8:31			0.3				0.3
6	9/30/2006 8:46			0.3				0.3
7	9/30/2006 9:01			0.3				0.3
8	9/30/2006 9:16			0.4				0.4
9	9/30/2006 9:31			0.4				0.4
10	9/30/2006 9:46			0.5				0.5
11	9/30/2006 10:01			0.6				0.6
12	9/30/2006 10:16			0.6				0.6
13	9/30/2006 10:31			0.6				0.6
14	9/30/2006 10:46			0.5				0.5
15	9/30/2006 11:01			0.4				0.4
16	9/30/2006 11:16			0.4				0.4
17	9/30/2006 11:31			0.3				0.3
18	9/30/2006 11:46			0.3				0.3
19	9/30/2006 12:01			0.4				0.4
20	9/30/2006 12:16			0.4				0.4
21	9/30/2006 12:31			0.3				0.3
22	9/30/2006 12:46			0.3				0.3
23	9/30/2006 13:01			0.2				0.2
24	9/30/2006 13:16			0.1				0.1
25	9/30/2006 13:31			0.2				0.2
26	9/30/2006 13:46			0.2				0.2
27	9/30/2006 14:01			0.3				0.3
28	9/30/2006 14:16			0.3				0.3
29	9/30/2006 14:31			0.4				0.4
30	9/30/2006 14:46			0.5				0.5
31	9/30/2006 15:01			0.4				0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	9/30/2006
Start Time:	8:13:46
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading - (AM 08:03) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/30/2006	8:28:46	0.02	-0.002	-2
9/30/2006	8:43:46	0.022	0	0
9/30/2006	8:58:46	0.021	-0.001	-1
9/30/2006	9:13:46	0.022	0	0
9/30/2006	9:28:46	0.03	0.008	8
9/30/2006	9:43:46	0.02	-0.002	-2
9/30/2006	9:58:46	0.018	-0.004	-4
9/30/2006	10:13:46	0.018	-0.004	-4
9/30/2006	10:28:46	0.022	0	0
9/30/2006	10:43:46	0.02	-0.002	-2
9/30/2006	10:58:46	0.022	0	0
9/30/2006	11:13:46	0.028	0.006	6
9/30/2006	11:28:46	0.026	0.004	4
9/30/2006	11:43:46	0.029	0.007	7
9/30/2006	11:58:46	0.03	0.008	8
9/30/2006	12:13:46	0.027	0.005	5
9/30/2006	12:28:46	0.021	-0.001	-1
9/30/2006	12:43:46	0.022	0	0
9/30/2006	12:58:46	0.021	-0.001	-1
9/30/2006	13:13:46	0.028	0.006	6
9/30/2006	13:28:46	0.026	0.004	4
9/30/2006	13:43:46	0.03	0.008	8
9/30/2006	13:58:46	0.025	0.003	3
9/30/2006	14:13:46	0.025	0.003	3
9/30/2006	14:28:46	0.028	0.006	6
9/30/2006	14:43:46	0.028	0.006	6
9/30/2006	14:58:46	0.025	0.003	3
9/30/2006	15:13:46	0.026	0.004	4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/30/2006 07:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-08:00) = 0.5 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/30/2006 8:11			0.4		0.8		-0.1
2	9/30/2006 8:26			0.3		0.7		-0.2
3	9/30/2006 8:41			0.2		0.3		-0.3
4	9/30/2006 8:56			0.1		0.3		-0.4
5	9/30/2006 9:11			0.3		0.8		-0.2
6	9/30/2006 9:26			0.3		0.5		-0.2
7	9/30/2006 9:41			0.2		0.3		-0.3
8	9/30/2006 9:56			0.2		0.3		-0.3
9	9/30/2006 10:11			0.2		0.4		-0.3
10	9/30/2006 10:26			0.2		0.4		-0.3
11	9/30/2006 10:41			0.2		0.5		-0.3
12	9/30/2006 10:56			0.1		0.3		-0.4
13	9/30/2006 11:11			0.1		0.2		-0.4
14	9/30/2006 11:26			0.1		0.3		-0.4
15	9/30/2006 11:41			0.1		0.2		-0.4
16	9/30/2006 11:56			0.1		0.2		-0.4
17	9/30/2006 12:11			0.1		0.2		-0.4
18	9/30/2006 12:26			0		0.2		-0.5
19	9/30/2006 12:41			0		0.3		-0.5
20	9/30/2006 12:56			0		0.1		-0.5
21	9/30/2006 13:11			0		0.2		-0.5
22	9/30/2006 13:26			0		0.1		-0.5
23	9/30/2006 13:41			0		0.2		-0.5
24	9/30/2006 13:56			0		0.1		-0.5
25	9/30/2006 14:11			0		0.2		-0.5
26	9/30/2006 14:26			0.1		0.3		-0.4
27	9/30/2006 14:41			0.1		0.2		-0.4

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	9
Test Abbreviation:	
Start Date:	9/30/2006
Start Time:	8:04:45
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading - (AM 08:00)=0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/30/2006	8:19:45	0.025	0.005	5
9/30/2006	8:34:45	0.025	0.005	5
9/30/2006	8:49:45	0.024	0.004	4
9/30/2006	9:04:45	0.023	0.003	3
9/30/2006	9:19:45	0.027	0.007	7
9/30/2006	9:34:45	0.028	0.008	8
9/30/2006	9:49:45	0.02	0	0
9/30/2006	10:04:45	0.016	-0.004	-4
9/30/2006	10:19:45	0.022	0.002	2
9/30/2006	10:34:45	0.02	0	0
9/30/2006	10:49:45	0.024	0.004	4
9/30/2006	11:04:45	0.024	0.004	4
9/30/2006	11:19:45	0.027	0.007	7
9/30/2006	11:34:45	0.031	0.011	11
9/30/2006	11:49:45	0.032	0.012	12
9/30/2006	12:04:45	0.024	0.004	4
9/30/2006	12:19:45	0.019	-0.001	-1
9/30/2006	12:34:45	0.015	-0.005	-5
9/30/2006	12:49:45	0.015	-0.005	-5
9/30/2006	13:04:45	0.015	-0.005	-5
9/30/2006	13:19:45	0.015	-0.005	-5
9/30/2006	13:34:45	0.02	0	0
9/30/2006	13:49:45	0.019	-0.001	-1
9/30/2006	14:04:45	0.024	0.004	4
9/30/2006	14:19:45	0.019	-0.001	-1
9/30/2006	14:34:45	0.017	-0.003	-3
9/30/2006	14:49:45	0.023	0.003	3
9/30/2006	15:04:45	0.022	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 09/30/2006 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-08:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	9/30/2006 7:35			0.2				0.2
2	9/30/2006 7:50			0.2				0.2
3	9/30/2006 8:05			0.4				0.4
4	9/30/2006 8:20			0.5				0.5
5	9/30/2006 8:35			0.6				0.6
6	9/30/2006 8:50			0.6				0.6
7	9/30/2006 9:05			0.7				0.7
8	9/30/2006 9:20			0.7				0.7
9	9/30/2006 9:35			0.7				0.7
10	9/30/2006 9:50			0.7				0.7
11	9/30/2006 10:05			0.7				0.7
12	9/30/2006 10:20			0.7				0.7
13	9/30/2006 10:35			0.7				0.7
14	9/30/2006 10:50			0.6				0.6
15	9/30/2006 11:05			0.5				0.5
16	9/30/2006 11:20			0.5				0.5
17	9/30/2006 11:35			0.5				0.5
18	9/30/2006 11:50			0.5				0.5
19	9/30/2006 12:05			0.5				0.5
20	9/30/2006 12:20			0.5				0.5
21	9/30/2006 12:35			0.5				0.5
22	9/30/2006 12:50			0.5				0.5
23	9/30/2006 13:05			0.5				0.5
24	9/30/2006 13:20			0.5				0.5
25	9/30/2006 13:35			0.5				0.5
26	9/30/2006 13:50			0.5				0.5
27	9/30/2006 14:05			0.5				0.5
28	9/30/2006 14:20			0.5				0.5
29	9/30/2006 14:35			0.5				0.5
30	9/30/2006 14:50			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	9
Test Abbreviation:	
Start Date:	9/30/2006
Start Time:	8:00:25
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading - (AM 08:26) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/30/2006	8:15:25	0.046	0.035	35
9/30/2006	8:30:25	0.017	0.006	6
9/30/2006	8:45:25	0.013	0.002	2
9/30/2006	9:00:25	0.02	0.009	9
9/30/2006	9:15:25	0.02	0.009	9
9/30/2006	9:30:25	0.019	0.008	8
9/30/2006	9:45:25	0.014	0.003	3
9/30/2006	10:00:25	0.027	0.016	16
9/30/2006	10:15:25	0.018	0.007	7
9/30/2006	10:30:25	0.015	0.004	4
9/30/2006	10:45:25	0.012	0.001	1
9/30/2006	11:00:25	0.022	0.011	11
9/30/2006	11:15:25	0.028	0.017	17
9/30/2006	11:30:25	0.051	0.04	40
9/30/2006	11:45:25	0.033	0.022	22
9/30/2006	12:00:25	0.039	0.028	28
9/30/2006	12:15:25	0.029	0.018	18
9/30/2006	12:30:25	0.014	0.003	3
9/30/2006	12:45:25	0.017	0.006	6
9/30/2006	13:00:25	0.017	0.006	6
9/30/2006	13:15:25	0.02	0.009	9
9/30/2006	13:30:25	0.016	0.005	5
9/30/2006	13:45:25	0.015	0.004	4
9/30/2006	14:00:25	0.018	0.007	7
9/30/2006	14:15:25	0.015	0.004	4
9/30/2006	14:30:25	0.017	0.006	6
9/30/2006	14:45:25	0.02	0.009	9
9/30/2006	15:00:25	0.02	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/02/2006 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM-7:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/2/2006 7:36			0				0
2	10/2/2006 7:51			0				0
3	10/2/2006 8:06			0				0
4	10/2/2006 8:21			0				0
5	10/2/2006 8:36			0				0
6	10/2/2006 8:51			0				0
7	10/2/2006 9:06			0				0
8	10/2/2006 9:21			0				0
9	10/2/2006 9:36			0				0
10	10/2/2006 9:51			0				0
11	10/2/2006 10:06			0				0
12	10/2/2006 10:21			0				0
13	10/2/2006 10:36			0				0
14	10/2/2006 10:51			0				0
15	10/2/2006 11:06			0				0
16	10/2/2006 11:21			0				0
17	10/2/2006 11:36			0				0
18	10/2/2006 11:51			0				0
19	10/2/2006 12:06			0				0
20	10/2/2006 12:21			0				0
21	10/2/2006 12:36			0				0
22	10/2/2006 12:51			0				0
23	10/2/2006 13:06			0				0
24	10/2/2006 13:21			0				0
25	10/2/2006 13:36			0				0
26	10/2/2006 13:51			0				0
27	10/2/2006 14:06			0				0
28	10/2/2006 14:21			0				0
29	10/2/2006 14:36			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	10/2/2006
Start Time:	7:24:31
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background reading (AM-07:10) = 0.014 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2006	7:39:31	0.014	0	0
10/2/2006	7:54:31	0.016	0.002	2
10/2/2006	8:09:31	0.018	0.004	4
10/2/2006	8:24:31	0.02	0.006	6
10/2/2006	8:39:31	0.017	0.003	3
10/2/2006	8:54:31	0.016	0.002	2
10/2/2006	9:09:31	0.015	0.001	1
10/2/2006	9:24:31	0.02	0.006	6
10/2/2006	9:39:31	0.014	0	0
10/2/2006	9:54:31	0.012	-0.002	-2
10/2/2006	10:09:31	0.012	-0.002	-2
10/2/2006	10:24:31	0.012	-0.002	-2
10/2/2006	10:39:31	0.011	-0.003	-3
10/2/2006	10:54:31	0.011	-0.003	-3
10/2/2006	11:09:31	0.013	-0.001	-1
10/2/2006	11:24:31	0.01	-0.004	-4
10/2/2006	11:39:31	0.011	-0.003	-3
10/2/2006	11:54:31	0.011	-0.003	-3
10/2/2006	12:09:31	0.01	-0.004	-4
10/2/2006	12:24:31	0.009	-0.005	-5
10/2/2006	12:39:31	0.009	-0.005	-5
10/2/2006	12:54:31	0.009	-0.005	-5
10/2/2006	13:09:31	0.011	-0.003	-3
10/2/2006	13:24:31	0.009	-0.005	-5
10/2/2006	13:39:31	0.009	-0.005	-5
10/2/2006	13:54:31	0.012	-0.002	-2
10/2/2006	14:09:31	0.009	-0.005	-5
10/2/2006	14:24:31	0.008	-0.006	-6
10/2/2006	14:39:31	0.009	-0.005	-5
10/2/2006	14:54:31	0.008	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/02/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/2/2006 7:31			0.3				0.3
2	10/2/2006 7:46			0.4				0.4
3	10/2/2006 8:01			0.5				0.5
4	10/2/2006 8:16			0.6				0.6
5	10/2/2006 8:31			0.7				0.7
6	10/2/2006 8:46			0.7				0.7
7	10/2/2006 9:01			0.7				0.7
8	10/2/2006 9:16			0.7				0.7
9	10/2/2006 9:31			0.7				0.7
10	10/2/2006 9:46			0.8				0.8
11	10/2/2006 10:01			0.8				0.8
12	10/2/2006 10:16			0.9				0.9
13	10/2/2006 10:31			0.9				0.9
14	10/2/2006 10:46			0.8				0.8
15	10/2/2006 11:01			0.8				0.8
16	10/2/2006 11:16			0.8				0.8
17	10/2/2006 11:31			0.8				0.8
18	10/2/2006 11:46			0.9				0.9
19	10/2/2006 12:01			0.9				0.9
20	10/2/2006 12:16			0.9				0.9
21	10/2/2006 12:31			0.9				0.9
22	10/2/2006 12:46			0.8				0.8
23	10/2/2006 13:01			0.8				0.8
24	10/2/2006 13:16			0.8				0.8
25	10/2/2006 13:31			0.8				0.8
26	10/2/2006 13:46			0.9				0.9
27	10/2/2006 14:01			0.9				0.9
28	10/2/2006 14:16			0.9				0.9
29	10/2/2006 14:31			0.9				0.9

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	10/2/2006
Start Time:	7:23:01
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background reading (AM-07:05) = 0.018 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2006	7:38:01	0.021	0.003	3
10/2/2006	7:53:01	0.02	0.002	2
10/2/2006	8:08:01	0.021	0.003	3
10/2/2006	8:23:01	0.025	0.007	7
10/2/2006	8:38:01	0.019	0.001	1
10/2/2006	8:53:01	0.017	-0.001	-1
10/2/2006	9:08:01	0.017	-0.001	-1
10/2/2006	9:23:01	0.016	-0.002	-2
10/2/2006	9:38:01	0.017	-0.001	-1
10/2/2006	9:53:01	0.014	-0.004	-4
10/2/2006	10:08:01	0.014	-0.004	-4
10/2/2006	10:23:01	0.015	-0.003	-3
10/2/2006	10:38:01	0.014	-0.004	-4
10/2/2006	10:53:01	0.013	-0.005	-5
10/2/2006	11:08:01	0.014	-0.004	-4
10/2/2006	11:23:01	0.014	-0.004	-4
10/2/2006	11:38:01	0.015	-0.003	-3
10/2/2006	11:53:01	0.015	-0.003	-3
10/2/2006	12:08:01	0.014	-0.004	-4
10/2/2006	12:23:01	0.014	-0.004	-4
10/2/2006	12:38:01	0.015	-0.003	-3
10/2/2006	12:53:01	0.016	-0.002	-2
10/2/2006	13:08:01	0.016	-0.002	-2
10/2/2006	13:23:01	0.015	-0.003	-3
10/2/2006	13:38:01	0.016	-0.002	-2
10/2/2006	13:53:01	0.016	-0.002	-2
10/2/2006	14:08:01	0.016	-0.002	-2
10/2/2006	14:23:01	0.016	-0.002	-2
10/2/2006	14:38:01	0.015	-0.003	-3
10/2/2006	14:53:01	0.017	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/02/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/2/2006 7:09			0.4		3.2		0.4
2	10/2/2006 7:24			0.4		3.2		0.4
3	10/2/2006 7:39			0.4		0.6		0.4
4	10/2/2006 7:54			0.1		0.6		0.1
5	10/2/2006 8:09			0		0.2		0
6	10/2/2006 8:24			0.2		0.5		0.2
7	10/2/2006 8:39			0.3		0.5		0.3
8	10/2/2006 8:54			0.4		0.6		0.4
9	10/2/2006 9:09			0.4		0.6		0.4
10	10/2/2006 9:24			0.5		0.7		0.5
11	10/2/2006 9:39			0.6		0.8		0.6
12	10/2/2006 9:54			0.6		0.8		0.6
13	10/2/2006 10:09			0.7		0.9		0.7
14	10/2/2006 10:24			0.6		0.9		0.6
15	10/2/2006 10:39			0.5		0.8		0.5
16	10/2/2006 10:54			0.5		1.1		0.5
17	10/2/2006 11:09			0.4		0.7		0.4
18	10/2/2006 11:24			0.4		0.6		0.4
19	10/2/2006 11:39			0.4		0.5		0.4
20	10/2/2006 11:54			0.4		0.6		0.4
21	10/2/2006 12:09			0.4		0.6		0.4
22	10/2/2006 12:24			0.4		0.6		0.4
23	10/2/2006 12:39			0.4		0.6		0.4
24	10/2/2006 12:54			0.3		0.5		0.3
25	10/2/2006 13:09			0.2		0.3		0.2
26	10/2/2006 13:24			0.1		0.2		0.1
27	10/2/2006 13:39			0.1		0.3		0.1
28	10/2/2006 13:54			0.1		0.3		0.1
29	10/2/2006 14:09			0.2		0.3		0.2
30	10/2/2006 14:24			0.2		0.3		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	10
Test Abbreviation:	
Start Date:	10/2/2006
Start Time:	7:12:33
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background reading (AM-06:55) = 0.021 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2006	7:27:33	0.023	0.002	2
10/2/2006	7:42:33	0.021	0	0
10/2/2006	7:57:33	0.022	0.001	1
10/2/2006	8:12:33	0.028	0.007	7
10/2/2006	8:27:33	0.024	0.003	3
10/2/2006	8:42:33	0.02	-0.001	-1
10/2/2006	8:57:33	0.022	0.001	1
10/2/2006	9:12:33	0.019	-0.002	-2
10/2/2006	9:27:33	0.019	-0.002	-2
10/2/2006	9:42:33	0.019	-0.002	-2
10/2/2006	9:57:33	0.015	-0.006	-6
10/2/2006	10:12:33	0.016	-0.005	-5
10/2/2006	10:27:33	0.018	-0.003	-3
10/2/2006	10:42:33	0.016	-0.005	-5
10/2/2006	10:57:33	0.014	-0.007	-7
10/2/2006	11:12:33	0.016	-0.005	-5
10/2/2006	11:27:33	0.014	-0.007	-7
10/2/2006	11:42:33	0.015	-0.006	-6
10/2/2006	11:57:33	0.016	-0.005	-5
10/2/2006	12:12:33	0.013	-0.008	-8
10/2/2006	12:27:33	0.012	-0.009	-9
10/2/2006	12:42:33	0.012	-0.009	-9
10/2/2006	12:57:33	0.013	-0.008	-8
10/2/2006	13:12:33	0.01	-0.011	-11
10/2/2006	13:27:33	0.012	-0.009	-9
10/2/2006	13:42:33	0.012	-0.009	-9
10/2/2006	13:57:33	0.011	-0.01	-10
10/2/2006	14:12:33	0.012	-0.009	-9
10/2/2006	14:27:33	0.011	-0.01	-10
10/2/2006	14:42:33	0.012	-0.009	-9
10/2/2006	14:57:33	0.019	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/02/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/2/2006 7:08			0				0
2	10/2/2006 7:23			0				0
3	10/2/2006 7:38			0				0
4	10/2/2006 7:53			0.1				0.1
5	10/2/2006 8:08			0.1				0.1
6	10/2/2006 8:23			0.2				0.2
7	10/2/2006 8:38			0.2				0.2
8	10/2/2006 8:53			0.2				0.2
9	10/2/2006 9:08			0.2				0.2
10	10/2/2006 9:23			0.3				0.3
11	10/2/2006 9:38			0.3				0.3
12	10/2/2006 9:53			0.3				0.3
13	10/2/2006 10:08			0.3				0.3
14	10/2/2006 10:23			0.3				0.3
15	10/2/2006 10:38			0.3				0.3
16	10/2/2006 10:53			0.3				0.3
17	10/2/2006 11:08			0.3				0.3
18	10/2/2006 11:23			0.3				0.3
19	10/2/2006 11:38			0.3				0.3
20	10/2/2006 11:53			0.3				0.3
21	10/2/2006 12:08			0.3				0.3
22	10/2/2006 12:23			0.3				0.3
23	10/2/2006 12:38			0.3				0.3
24	10/2/2006 12:53			0.3				0.3
25	10/2/2006 13:08			0.3				0.3
26	10/2/2006 13:23			0.3				0.3
27	10/2/2006 13:38			0.3				0.3
28	10/2/2006 13:53			0.4				0.4
29	10/2/2006 14:08			0.4				0.4
30	10/2/2006 14:23			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	10
Test Abbreviation:	
Start Date:	10/2/2006
Start Time:	7:00:21
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background reading (AM-06:50) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2006	7:15:21	0.012	0.001	1
10/2/2006	7:30:21	0.05	0.039	39
10/2/2006	7:45:21	0.015	0.004	4
10/2/2006	8:00:21	0.019	0.008	8
10/2/2006	8:15:21	0.029	0.018	18
10/2/2006	8:30:21	0.038	0.027	27
10/2/2006	8:45:21	0.035	0.024	24
10/2/2006	9:00:21	0.022	0.011	11
10/2/2006	9:15:21	0.028	0.017	17
10/2/2006	9:30:21	0.026	0.015	15
10/2/2006	9:45:21	0.026	0.015	15
10/2/2006	10:00:21	0.019	0.008	8
10/2/2006	10:15:21	0.027	0.016	16
10/2/2006	10:30:21	0.024	0.013	13
10/2/2006	10:45:21	0.02	0.009	9
10/2/2006	11:00:21	0.031	0.02	20
10/2/2006	11:15:21	0.039	0.028	28
10/2/2006	11:30:21	0.017	0.006	6
10/2/2006	11:45:21	0.016	0.005	5
10/2/2006	12:00:21	0.024	0.013	13
10/2/2006	12:15:21	0.032	0.021	21
10/2/2006	12:30:21	0.034	0.023	23
10/2/2006	12:45:21	0.011	0	0
10/2/2006	13:00:21	0.015	0.004	4
10/2/2006	13:15:21	0.033	0.022	22
10/2/2006	13:30:21	0.023	0.012	12
10/2/2006	13:45:21	0.014	0.003	3
10/2/2006	14:00:21	0.017	0.006	6
10/2/2006	14:15:21	0.011	0	0
10/2/2006	14:30:21	0.029	0.018	18
10/2/2006	14:45:21	0.026	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/03/2006 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM-07:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/3/2006 7:22			0				0
2	10/3/2006 7:37			0				0
3	10/3/2006 7:52			0				0
4	10/3/2006 8:07			0				0
5	10/3/2006 8:22			0				0
6	10/3/2006 8:37			0.2				0.2
7	10/3/2006 8:52			0.1				0.1
8	10/3/2006 9:07			0.1				0.1
9	10/3/2006 9:22			0.2				0.2
10	10/3/2006 9:37			0.1				0.1
11	10/3/2006 9:52			0				0
12	10/3/2006 10:07			0				0
13	10/3/2006 10:22			0.1				0.1
14	10/3/2006 10:37			0				0
15	10/3/2006 10:52			0				0
16	10/3/2006 11:07			0				0
17	10/3/2006 11:22			0				0
18	10/3/2006 11:37			0.1				0.1
19	10/3/2006 11:52			0.1				0.1
20	10/3/2006 12:07			0.1				0.1
21	10/3/2006 12:22			0.1				0.1
22	10/3/2006 12:37			0.1				0.1
23	10/3/2006 12:52			0.1				0.1
24	10/3/2006 13:07			0.1				0.1
25	10/3/2006 13:22			0.1				0.1
26	10/3/2006 13:37			0.1				0.1
27	10/3/2006 13:52			0.1				0.1
28	10/3/2006 14:07			0.1				0.1
29	10/3/2006 14:22			0.1				0.1
30	10/3/2006 14:37			0.1				0.1
31	10/3/2006 14:52			0.1				0.1
32	10/3/2006 15:07			0.1				0.1
33	10/3/2006 15:22			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	11
Test Abbreviation:	
Start Date:	10/3/2006
Start Time:	7:13:47
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background reading (AM-07:00) = 0.032 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2006	7:28:47	0.025	-0.007	-7
10/3/2006	7:43:47	0.025	-0.007	-7
10/3/2006	7:58:47	0.031	-0.001	-1
10/3/2006	8:13:47	0.039	0.007	7
10/3/2006	8:28:47	0.03	-0.002	-2
10/3/2006	8:43:47	0.026	-0.006	-6
10/3/2006	8:58:47	0.024	-0.008	-8
10/3/2006	9:13:47	0.023	-0.009	-9
10/3/2006	9:28:47	0.022	-0.01	-10
10/3/2006	9:43:47	0.019	-0.013	-13
10/3/2006	9:58:47	0.017	-0.015	-15
10/3/2006	10:13:47	0.017	-0.015	-15
10/3/2006	10:28:47	0.02	-0.012	-12
10/3/2006	10:43:47	0.021	-0.011	-11
10/3/2006	10:58:47	0.022	-0.01	-10
10/3/2006	11:13:47	0.022	-0.01	-10
10/3/2006	11:28:47	0.022	-0.01	-10
10/3/2006	11:43:47	0.021	-0.011	-11
10/3/2006	11:58:47	0.021	-0.011	-11
10/3/2006	12:13:47	0.022	-0.01	-10
10/3/2006	12:28:47	0.02	-0.012	-12
10/3/2006	12:43:47	0.023	-0.009	-9
10/3/2006	12:58:47	0.018	-0.014	-14
10/3/2006	13:13:47	0.018	-0.014	-14
10/3/2006	13:28:47	0.018	-0.014	-14
10/3/2006	13:43:47	0.019	-0.013	-13
10/3/2006	13:58:47	0.02	-0.012	-12
10/3/2006	14:13:47	0.02	-0.012	-12
10/3/2006	14:28:47	0.019	-0.013	-13
10/3/2006	14:43:47	0.018	-0.014	-14
10/3/2006	14:58:47	0.021	-0.011	-11
10/3/2006	15:13:47	0.017	-0.015	-15
10/3/2006	15:28:47	0.016	-0.016	-16
10/3/2006	15:43:47	0.016	-0.016	-16

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/03/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/3/2006 7:14			0.2				0.2
2	10/3/2006 7:29			0.4				0.4
3	10/3/2006 7:44			0.5				0.5
4	10/3/2006 7:59			0.6				0.6
5	10/3/2006 8:14			0.7				0.7
6	10/3/2006 8:29			0.8				0.8
7	10/3/2006 8:44			0.8				0.8
8	10/3/2006 8:59			0.7				0.7
9	10/3/2006 9:14			0.8				0.8
10	10/3/2006 9:29			0.8				0.8
11	10/3/2006 9:44			0.7				0.7
12	10/3/2006 9:59			0.7				0.7
13	10/3/2006 10:14			0.7				0.7
14	10/3/2006 10:29			0.7				0.7
15	10/3/2006 10:44			0.7				0.7
16	10/3/2006 10:59			0.7				0.7
17	10/3/2006 11:14			0.7				0.7
18	10/3/2006 11:29			0.6				0.6
19	10/3/2006 11:44			0.7				0.7
20	10/3/2006 11:59			0.6				0.6
21	10/3/2006 12:14			0.6				0.6
22	10/3/2006 12:29			0.6				0.6
23	10/3/2006 12:44			0.6				0.6
24	10/3/2006 12:59			0.5				0.5
25	10/3/2006 13:14			0.5				0.5
26	10/3/2006 13:29			0.5				0.5
27	10/3/2006 13:44			0.5				0.5
28	10/3/2006 13:59			0.5				0.5
29	10/3/2006 14:14			0.4				0.4
30	10/3/2006 14:29			0.4				0.4
31	10/3/2006 14:44			0.4				0.4
32	10/3/2006 14:59			0.4				0.4
33	10/3/2006 15:14			0.4				0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	12
Test Abbreviation:	
Start Date:	10/3/2006
Start Time:	7:06:58
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background reading (AM-06:58) = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/3/2006	7:21:58	0.026	0.002	2
10/3/2006	7:36:58	0.028	0.004	4
10/3/2006	7:51:58	0.032	0.008	8
10/3/2006	8:06:58	0.032	0.008	8
10/3/2006	8:21:58	0.04	0.016	16
10/3/2006	8:36:58	0.035	0.011	11
10/3/2006	8:51:58	0.033	0.009	9
10/3/2006	9:06:58	0.031	0.007	7
10/3/2006	9:21:58	0.031	0.007	7
10/3/2006	9:36:58	0.03	0.006	6
10/3/2006	9:51:58	0.027	0.003	3
10/3/2006	10:06:58	0.026	0.002	2
10/3/2006	10:21:58	0.027	0.003	3
10/3/2006	10:36:58	0.03	0.006	6
10/3/2006	10:51:58	0.032	0.008	8
10/3/2006	11:06:58	0.033	0.009	9
10/3/2006	11:21:58	0.033	0.009	9
10/3/2006	11:36:58	0.033	0.009	9
10/3/2006	11:51:58	0.033	0.009	9
10/3/2006	12:06:58	0.033	0.009	9
10/3/2006	12:21:58	0.033	0.009	9
10/3/2006	12:36:58	0.033	0.009	9
10/3/2006	12:51:58	0.03	0.006	6
10/3/2006	13:06:58	0.03	0.006	6
10/3/2006	13:21:58	0.03	0.006	6
10/3/2006	13:36:58	0.031	0.007	7
10/3/2006	13:51:58	0.031	0.007	7
10/3/2006	14:06:58	0.038	0.014	14
10/3/2006	14:21:58	0.034	0.01	10
10/3/2006	14:36:58	0.036	0.012	12
10/3/2006	14:51:58	0.035	0.011	11
10/3/2006	15:06:58	0.034	0.01	10
10/3/2006	15:21:58	0.028	0.004	4
10/3/2006	15:36:58	0.03	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/03/2006 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/3/2006 7:03			0		0.4		0
2	10/3/2006 7:18			0.1		0.5		0.1
3	10/3/2006 7:33			0.3		0.5		0.3
4	10/3/2006 7:48			0.5		0.7		0.5
5	10/3/2006 8:03			0.5		0.6		0.5
6	10/3/2006 8:18			0.4		0.5		0.4
7	10/3/2006 8:33			0.3		0.4		0.3
8	10/3/2006 8:48			0.2		0.4		0.2
9	10/3/2006 9:03			0.2		0.4		0.2
10	10/3/2006 9:18			0.3		0.5		0.3
11	10/3/2006 9:33			0.3		0.4		0.3
12	10/3/2006 9:48			0.3		0.5		0.3
13	10/3/2006 10:03			0.3		0.9		0.3
14	10/3/2006 10:18			0.3		0.9		0.3
15	10/3/2006 10:33			0.3		1		0.3
16	10/3/2006 10:48			0.3		0.5		0.3
17	10/3/2006 11:03			0.2		0.4		0.2
18	10/3/2006 11:18			0.2		0.3		0.2
19	10/3/2006 11:33			0.2		0.4		0.2
20	10/3/2006 11:48			0.2		0.3		0.2
21	10/3/2006 12:03			0.2		0.3		0.2
22	10/3/2006 12:18			0.2		0.4		0.2
23	10/3/2006 12:33			0.2		0.3		0.2
24	10/3/2006 12:48			0.2		0.3		0.2
25	10/3/2006 13:03			0.2		0.3		0.2
26	10/3/2006 13:18			0.2		0.3		0.2
27	10/3/2006 13:33			0.2		0.3		0.2
28	10/3/2006 13:48			0.1		0.3		0.1
29	10/3/2006 14:03			0.1		0.2		0.1
30	10/3/2006 14:18			0.1		0.2		0.1
31	10/3/2006 14:33			0.1		0.3		0.1
32	10/3/2006 14:48			0.2		0.3		0.2
33	10/3/2006 15:03			0.2		0.3		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

Model:	Dust Trak
Serial Number:	85196800
Test ID:	11
Test Abbreviation:	
Start Date:	10/3/2006
Start Time:	7:00:07
Duration (dd:hh:mm:ss):	00:03:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	12
Notes:	Background reading (AM-06:50) = 0.023 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2006	7:15:07	0.03	0.007	7
10/3/2006	7:30:07	0.026	0.003	3
10/3/2006	7:45:07	0.038	0.015	15
10/3/2006	8:00:07	0.039	0.016	16
10/3/2006	8:15:07	0.046	0.023	23
10/3/2006	8:30:07	0.046	0.023	23
10/3/2006	8:45:07	0.045	0.022	22
10/3/2006	9:00:07	0.045	0.022	22
10/3/2006	9:15:07	0.039	0.016	16
10/3/2006	9:30:07	0.036	0.013	13
10/3/2006	9:45:07	0.031	0.008	8
10/3/2006	10:00:07	0.03	0.007	7
10/3/2006	10:29:10	0.032	0.009	9
10/3/2006	10:44:10	0.034	0.011	11
10/3/2006	10:59:10	0.035	0.012	12
10/3/2006	11:14:10	0.039	0.016	16
10/3/2006	11:29:10	0.037	0.014	14
10/3/2006	11:44:10	0.035	0.012	12
10/3/2006	11:59:10	0.034	0.011	11
10/3/2006	12:14:10	0.035	0.012	12
10/3/2006	12:29:10	0.034	0.011	11
10/3/2006	12:44:10	0.03	0.007	7
10/3/2006	12:59:10	0.029	0.006	6
10/3/2006	13:14:10	0.03	0.007	7
10/3/2006	13:29:10	0.029	0.006	6
10/3/2006	13:44:10	0.03	0.007	7
10/3/2006	13:59:10	0.036	0.013	13
10/3/2006	14:14:10	0.038	0.015	15
10/3/2006	14:29:10	0.167	0.144	144
10/3/2006	14:44:10	0.029	0.006	6
10/3/2006	14:59:10	0.029	0.006	6
10/3/2006	15:14:10	0.029	0.006	6
10/3/2006	15:29:10	0.029	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/03/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-6:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/3/2006 7:04			0.1				0.1
2	10/3/2006 7:19			0.2				0.2
3	10/3/2006 7:34			0.3				0.3
4	10/3/2006 7:49			0.4				0.4
5	10/3/2006 8:04			0.5				0.5
6	10/3/2006 8:19			0.4				0.4
7	10/3/2006 8:34			0.4				0.4
8	10/3/2006 8:49			0.4				0.4
9	10/3/2006 9:04			0.4				0.4
10	10/3/2006 9:19			0.5				0.5
11	10/3/2006 9:34			0.5				0.5
12	10/3/2006 9:49			0.5				0.5
13	10/3/2006 10:04			0.5				0.5
14	10/3/2006 10:19			0.5				0.5
15	10/3/2006 10:34			0.5				0.5
16	10/3/2006 10:49			0.5				0.5
17	10/3/2006 11:04			0.5				0.5
18	10/3/2006 11:19			0.5				0.5
19	10/3/2006 11:34			0.5				0.5
20	10/3/2006 11:49			0.5				0.5
21	10/3/2006 12:04			0.5				0.5
22	10/3/2006 12:19			0.5				0.5
23	10/3/2006 12:34			0.5				0.5
24	10/3/2006 12:49			0.5				0.5
25	10/3/2006 13:04			0.5				0.5
26	10/3/2006 13:19			0.5				0.5
27	10/3/2006 13:34			0.5				0.5
28	10/3/2006 13:49			0.5				0.5
29	10/3/2006 14:04			0.5				0.5
30	10/3/2006 14:19			0.6				0.6
31	10/3/2006 14:34			0.5				0.5
32	10/3/2006 14:49			0.5				0.5
33	10/3/2006 15:04			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	11
Test Abbreviation:	
Start Date:	10/3/2006
Start Time:	6:54:02
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background reading (AM-06:45) = 0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/3/2006	7:09:02	0.022	0.002	2
10/3/2006	7:24:02	0.035	0.015	15
10/3/2006	7:39:02	0.037	0.017	17
10/3/2006	7:54:02	0.028	0.008	8
10/3/2006	8:09:02	0.038	0.018	18
10/3/2006	8:24:02	0.044	0.024	24
10/3/2006	8:39:02	0.049	0.029	29
10/3/2006	8:54:02	0.038	0.018	18
10/3/2006	9:09:02	0.032	0.012	12
10/3/2006	9:24:02	0.036	0.016	16
10/3/2006	9:39:02	0.027	0.007	7
10/3/2006	9:54:02	0.027	0.007	7
10/3/2006	10:09:02	0.061	0.041	41
10/3/2006	10:24:02	0.031	0.011	11
10/3/2006	10:39:02	0.03	0.01	10
10/3/2006	10:54:02	0.04	0.02	20
10/3/2006	11:09:02	0.036	0.016	16
10/3/2006	11:24:02	0.039	0.019	19
10/3/2006	11:39:02	0.038	0.018	18
10/3/2006	11:54:02	0.033	0.013	13
10/3/2006	12:09:02	0.042	0.022	22
10/3/2006	12:24:02	0.041	0.021	21
10/3/2006	12:39:02	0.039	0.019	19
10/3/2006	12:54:02	0.035	0.015	15
10/3/2006	13:09:02	0.037	0.017	17
10/3/2006	13:24:02	0.044	0.024	24
10/3/2006	13:39:02	0.053	0.033	33
10/3/2006	13:54:02	0.063	0.043	43
10/3/2006	14:09:02	0.049	0.029	29
10/3/2006	14:24:02	0.049	0.029	29
10/3/2006	14:39:02	0.026	0.006	6
10/3/2006	14:54:02	0.023	0.003	3
10/3/2006	15:09:02	0.026	0.006	6
10/3/2006	15:24:02	0.035	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/04/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM-06:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/4/2006 7:36			0				0
2	10/4/2006 7:51			0				0
3	10/4/2006 8:06			0				0
4	10/4/2006 8:21			0				0
5	10/4/2006 8:36			0				0
6	10/4/2006 8:51			0				0
7	10/4/2006 9:06			0				0
8	10/4/2006 9:21			0				0
9	10/4/2006 9:36			0				0
10	10/4/2006 9:51			0				0
11	10/4/2006 10:06			0				0
12	10/4/2006 10:21			0				0
13	10/4/2006 10:36			0				0
14	10/4/2006 10:51			0				0
15	10/4/2006 11:06			0				0
16	10/4/2006 11:21			0				0
17	10/4/2006 11:36			0				0
18	10/4/2006 11:51			0				0
19	10/4/2006 12:06			0				0
20	10/4/2006 12:21			0				0
21	10/4/2006 12:36			0				0
22	10/4/2006 12:51			0				0
23	10/4/2006 13:06			0				0
24	10/4/2006 13:21			0				0
25	10/4/2006 13:36			0				0
26	10/4/2006 13:51			0				0
27	10/4/2006 14:06			0				0
28	10/4/2006 14:21			0				0
29	10/4/2006 14:36			0				0
30	10/4/2006 14:51			0				0
31	10/4/2006 15:06			0				0
32	10/4/2006 15:21			0				0
33	10/4/2006 15:36			0				0
34	10/4/2006 15:51			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	12
Test Abbreviation:	
Start Date:	10/4/2006
Start Time:	7:23:38
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background reading (AM-06:05) = 0.086 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	mg/m^3
10/4/2006	7:38:38	0.09	0.004	4
10/4/2006	7:53:38	0.09	0.004	4
10/4/2006	8:08:38	0.101	0.015	15
10/4/2006	8:23:38	0.1	0.014	14
10/4/2006	8:38:38	0.089	0.003	3
10/4/2006	8:53:38	0.093	0.007	7
10/4/2006	9:08:38	0.082	-0.004	-4
10/4/2006	9:23:38	0.082	-0.004	-4
10/4/2006	9:38:38	0.076	-0.01	-10
10/4/2006	9:53:38	0.078	-0.008	-8
10/4/2006	10:08:38	0.078	-0.008	-8
10/4/2006	10:23:38	0.08	-0.006	-6
10/4/2006	10:38:38	0.079	-0.007	-7
10/4/2006	10:53:38	0.066	-0.02	-20
10/4/2006	11:08:38	0.056	-0.03	-30
10/4/2006	11:23:38	0.06	-0.026	-26
10/4/2006	11:38:38	0.067	-0.019	-19
10/4/2006	11:53:38	0.054	-0.032	-32
10/4/2006	12:08:38	0.048	-0.038	-38
10/4/2006	12:23:38	0.043	-0.043	-43
10/4/2006	12:38:38	0.04	-0.046	-46
10/4/2006	12:53:38	0.04	-0.046	-46
10/4/2006	13:08:38	0.044	-0.042	-42
10/4/2006	13:23:38	0.044	-0.042	-42
10/4/2006	13:38:38	0.042	-0.044	-44
10/4/2006	13:53:38	0.035	-0.051	-51
10/4/2006	14:08:38	0.035	-0.051	-51
10/4/2006	14:23:38	0.034	-0.052	-52
10/4/2006	14:38:38	0.034	-0.052	-52
10/4/2006	14:53:38	0.033	-0.053	-53
10/4/2006	15:08:38	0.034	-0.052	-52
10/4/2006	15:23:38	0.03	-0.056	-56
10/4/2006	15:38:38	0.026	-0.06	-60
10/4/2006	15:53:38	0.023	-0.063	-63
10/4/2006	16:08:38	0.023	-0.063	-63

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/04/2006 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:10) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/4/2006 7:23		0.1		0.1
2	10/4/2006 7:38		0.4		0.4
3	10/4/2006 7:53		0.6		0.6
4	10/4/2006 8:08		0.7		0.7
5	10/4/2006 8:23		0.9		0.9
6	10/4/2006 8:38		1		1
7	10/4/2006 8:53		1		1
8	10/4/2006 9:08		1		1
9	10/4/2006 9:23		1		1
10	10/4/2006 9:38		1		1
11	10/4/2006 9:53		1.1		1.1
12	10/4/2006 10:08		1		1
13	10/4/2006 10:23		1.1		1.1
14	10/4/2006 10:38		0.9		0.9
15	10/4/2006 10:53		0.8		0.8
16	10/4/2006 11:08		0.8		0.8
17	10/4/2006 11:23		0.9		0.9
18	10/4/2006 11:38		0.8		0.8
19	10/4/2006 11:53		0.8		0.8
20	10/4/2006 12:08		0.7		0.7
21	10/4/2006 12:23		0.6		0.6
22	10/4/2006 12:38		0.6		0.6
23	10/4/2006 12:53		0.6		0.6
24	10/4/2006 13:08		0.5		0.5
25	10/4/2006 13:23		0.5		0.5
26	10/4/2006 13:38		0.5		0.5
27	10/4/2006 13:53		0.5		0.5
28	10/4/2006 14:08		0.5		0.5
29	10/4/2006 14:23		0.5		0.5
30	10/4/2006 14:38		0.5		0.5
31	10/4/2006 14:53		0.5		0.5
32	10/4/2006 15:08		0.4		0.4
33	10/4/2006 15:23		0.5		0.5
34	10/4/2006 15:38		0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	13
Test Abbreviation:	
Start Date:	10/4/2006
Start Time:	7:14:24
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background reading (AM-06:10) = 0.070 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2006	7:29:24	0.066	-0.004	-4
10/4/2006	7:44:24	0.067	-0.003	-3
10/4/2006	7:59:24	0.07	0	0
10/4/2006	8:14:24	0.076	0.006	6
10/4/2006	8:29:24	0.078	0.008	8
10/4/2006	8:44:24	0.085	0.015	15
10/4/2006	8:59:24	0.081	0.011	11
10/4/2006	9:14:24	0.09	0.02	20
10/4/2006	9:29:24	0.091	0.021	21
10/4/2006	9:44:24	0.083	0.013	13
10/4/2006	9:59:24	0.087	0.017	17
10/4/2006	10:14:24	0.086	0.016	16
10/4/2006	10:29:24	0.089	0.019	19
10/4/2006	10:44:24	0.09	0.02	20
10/4/2006	10:59:24	0.076	0.006	6
10/4/2006	11:14:24	0.068	-0.002	-2
10/4/2006	11:29:24	0.074	0.004	4
10/4/2006	11:44:24	0.08	0.01	10
10/4/2006	11:59:24	0.07	0	0
10/4/2006	12:14:24	0.063	-0.007	-7
10/4/2006	12:29:24	0.054	-0.016	-16
10/4/2006	12:44:24	0.05	-0.02	-20
10/4/2006	12:59:24	0.053	-0.017	-17
10/4/2006	13:14:24	0.056	-0.014	-14
10/4/2006	13:29:24	0.055	-0.015	-15
10/4/2006	13:44:24	0.053	-0.017	-17
10/4/2006	13:59:24	0.05	-0.02	-20
10/4/2006	14:14:24	0.049	-0.021	-21
10/4/2006	14:29:24	0.046	-0.024	-24
10/4/2006	14:44:24	0.045	-0.025	-25
10/4/2006	14:59:24	0.044	-0.026	-26
10/4/2006	15:14:24	0.043	-0.027	-27
10/4/2006	15:29:24	0.04	-0.03	-30
10/4/2006	15:44:24	0.036	-0.034	-34
10/4/2006	15:59:24	0.033	-0.037	-37

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/04/2006 07:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/4/2006 7:26			0.1		0.7		0.1
2	10/4/2006 7:41			0		0		0
3	10/4/2006 7:56			0		0		0
4	10/4/2006 8:11			0		0.1		0
5	10/4/2006 8:26			0		0.2		0
6	10/4/2006 8:41			0		0		0
7	10/4/2006 8:56			0		0		0
8	10/4/2006 9:11			0		0		0
9	10/4/2006 9:26			0		0		0
10	10/4/2006 9:41			0		0		0
11	10/4/2006 9:56			0		0		0
12	10/4/2006 10:11			0		0.1		0
13	10/4/2006 10:26			0		0.2		0
14	10/4/2006 10:41			0		0.2		0
15	10/4/2006 10:56			0.1		0.3		0.1
16	10/4/2006 11:11			0.2		0.3		0.2
17	10/4/2006 11:26			0.2		0.3		0.2
18	10/4/2006 11:41			0.1		0.3		0.1
19	10/4/2006 11:56			0.1		0.3		0.1
20	10/4/2006 12:11			0		0.2		0
21	10/4/2006 12:26			0		0.2		0
22	10/4/2006 12:41			0		0.2		0
23	10/4/2006 12:56			0		0.2		0
24	10/4/2006 13:11			0		0.2		0
25	10/4/2006 13:26			0		0.2		0
26	10/4/2006 13:41			0		0.1		0
27	10/4/2006 13:56			0		0.1		0
28	10/4/2006 14:11			0		0.1		0
29	10/4/2006 14:26			0		0.1		0
30	10/4/2006 14:41			0		0.1		0
31	10/4/2006 14:56			0		0.2		0
32	10/4/2006 15:11			0		0.2		0
33	10/4/2006 15:26			0		0.2		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	13
Test Abbreviation:	
Start Date:	10/4/2006
Start Time:	7:05:36
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (AM-06:15) = 0.112 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2006	7:20:36	0.101	-0.011	-11
10/4/2006	7:35:36	0.092	-0.02	-20
10/4/2006	7:50:36	0.109	-0.003	-3
10/4/2006	8:05:36	0.111	-0.001	-1
10/4/2006	8:20:36	0.112	0	0
10/4/2006	8:35:36	0.115	0.003	3
10/4/2006	8:50:36	0.126	0.014	14
10/4/2006	9:05:36	0.127	0.015	15
10/4/2006	9:20:36	0.128	0.016	16
10/4/2006	9:35:36	0.121	0.009	9
10/4/2006	9:50:36	0.12	0.008	8
10/4/2006	10:05:36	0.122	0.01	10
10/4/2006	10:20:36	0.124	0.012	12
10/4/2006	10:35:36	0.127	0.015	15
10/4/2006	10:50:36	0.11	-0.002	-2
10/4/2006	11:05:36	0.09	-0.022	-22
10/4/2006	11:20:36	0.085	-0.027	-27
10/4/2006	11:35:36	0.102	-0.01	-10
10/4/2006	11:50:36	0.102	-0.01	-10
10/4/2006	12:05:36	0.084	-0.028	-28
10/4/2006	12:20:36	0.07	-0.042	-42
10/4/2006	12:35:36	0.059	-0.053	-53
10/4/2006	12:50:36	0.059	-0.053	-53
10/4/2006	13:05:36	0.065	-0.047	-47
10/4/2006	13:20:36	0.065	-0.047	-47
10/4/2006	13:35:36	0.063	-0.049	-49
10/4/2006	13:50:36	0.056	-0.056	-56
10/4/2006	14:05:36	0.054	-0.058	-58
10/4/2006	14:20:36	0.051	-0.061	-61
10/4/2006	14:35:36	0.051	-0.061	-61
10/4/2006	14:50:36	0.052	-0.06	-60
10/4/2006	15:05:36	0.046	-0.066	-66
10/4/2006	15:20:36	0.048	-0.064	-64
10/4/2006	15:35:36	0.04	-0.072	-72
10/4/2006	15:50:36	0.036	-0.076	-76

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/04/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM-06:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/4/2006 7:07			0.6				0.6
2	10/4/2006 7:22			0.9				0.9
3	10/4/2006 7:37			1				1
4	10/4/2006 7:52			1.2				1.2
5	10/4/2006 8:07			1.4				1.4
6	10/4/2006 8:22			1.5				1.5
7	10/4/2006 8:37			1.4				1.4
8	10/4/2006 8:52			1.4				1.4
9	10/4/2006 9:07			1.3				1.3
10	10/4/2006 9:22			1.3				1.3
11	10/4/2006 9:37			1.3				1.3
12	10/4/2006 9:52			1.2				1.2
13	10/4/2006 10:07			1.3				1.3
14	10/4/2006 10:22			1.3				1.3
15	10/4/2006 10:37			1.2				1.2
16	10/4/2006 10:52			1.2				1.2
17	10/4/2006 11:07			1.1				1.1
18	10/4/2006 11:22			1.4				1.4
19	10/4/2006 11:37			1.1				1.1
20	10/4/2006 11:52			1.1				1.1
21	10/4/2006 12:07			1.2				1.2
22	10/4/2006 12:22			1.2				1.2
23	10/4/2006 12:37			1.2				1.2
24	10/4/2006 12:52			1.1				1.1
25	10/4/2006 13:07			1.2				1.2
26	10/4/2006 13:22			1.3				1.3
27	10/4/2006 13:37			1.3				1.3
28	10/4/2006 13:52			1.3				1.3
29	10/4/2006 14:07			1.2				1.2
30	10/4/2006 14:22			1.3				1.3
31	10/4/2006 14:37			1.3				1.3
32	10/4/2006 14:52			1.4				1.4
33	10/4/2006 15:07			1.4				1.4
34	10/4/2006 15:22			1.4				1.4
35	10/4/2006 15:37			1.3				1.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	12
Test Abbreviation:	
Start Date:	10/4/2006
Start Time:	7:00:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background reading (AM-06:20) = 0.108 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/4/2006	7:15:12	0.124	0.016	16
10/4/2006	7:30:12	0.193	0.085	85
10/4/2006	7:45:12	0.098	-0.01	-10
10/4/2006	8:00:12	0.11	0.002	2
10/4/2006	8:15:12	0.123	0.015	15
10/4/2006	8:30:12	0.1	-0.008	-8
10/4/2006	8:45:12	0.119	0.011	11
10/4/2006	9:00:12	0.113	0.005	5
10/4/2006	9:15:12	0.104	-0.004	-4
10/4/2006	9:30:12	0.096	-0.012	-12
10/4/2006	9:45:12	0.094	-0.014	-14
10/4/2006	10:00:12	0.107	-0.001	-1
10/4/2006	10:15:12	0.108	0	0
10/4/2006	10:30:12	0.109	0.001	1
10/4/2006	10:45:12	0.106	-0.002	-2
10/4/2006	11:00:12	0.079	-0.029	-29
10/4/2006	11:15:12	0.076	-0.032	-32
10/4/2006	11:30:12	0.099	-0.009	-9
10/4/2006	11:45:12	0.101	-0.007	-7
10/4/2006	12:00:12	0.08	-0.028	-28
10/4/2006	12:15:12	0.074	-0.034	-34
10/4/2006	12:30:12	0.063	-0.045	-45
10/4/2006	12:45:12	0.059	-0.049	-49
10/4/2006	13:00:12	0.073	-0.035	-35
10/4/2006	13:15:12	0.094	-0.014	-14
10/4/2006	13:30:12	0.064	-0.044	-44
10/4/2006	13:45:12	0.062	-0.046	-46
10/4/2006	14:00:12	0.054	-0.054	-54
10/4/2006	14:15:12	0.058	-0.05	-50
10/4/2006	14:30:12	0.05	-0.058	-58
10/4/2006	14:45:12	0.053	-0.055	-55
10/4/2006	15:00:12	0.048	-0.06	-60
10/4/2006	15:15:12	0.049	-0.059	-59
10/4/2006	15:30:12	0.042	-0.066	-66
10/4/2006	15:45:12	0.038	-0.07	-70
10/4/2006	16:00:12	0.035	-0.073	-73

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/05/2006 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:09) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/5/2006 7:28			0				0
2	10/5/2006 7:43			0				0
3	10/5/2006 7:58			0				0
4	10/5/2006 8:13			0				0
5	10/5/2006 8:28			0				0
6	10/5/2006 8:43			0				0
7	10/5/2006 8:58			0.1				0.1
8	10/5/2006 9:13			0.1				0.1
9	10/5/2006 9:28			0.1				0.1
10	10/5/2006 9:43			0.1				0.1
11	10/5/2006 9:58			0.1				0.1
12	10/5/2006 10:13			0.1				0.1
13	10/5/2006 10:28			0.2				0.2
14	10/5/2006 10:43			0.2				0.2
15	10/5/2006 10:58			0.2				0.2
16	10/5/2006 11:13			0.2				0.2
17	10/5/2006 11:28			0.2				0.2
18	10/5/2006 11:43			0.2				0.2
19	10/5/2006 11:58			0.2				0.2
20	10/5/2006 12:13			0.2				0.2
21	10/5/2006 12:28			0.2				0.2
22	10/5/2006 12:43			0.2				0.2
23	10/5/2006 12:58			0.2				0.2
24	10/5/2006 13:13			0.2				0.2
25	10/5/2006 13:28			0.2				0.2
26	10/5/2006 13:43			0.2				0.2
27	10/5/2006 13:58			0.2				0.2
28	10/5/2006 14:13			0.2				0.2
29	10/5/2006 14:28			0.3				0.3
30	10/5/2006 14:43			0.3				0.3
31	10/5/2006 14:58			0.3				0.3
32	10/5/2006 15:13			0.3				0.3
33	10/5/2006 15:28			0.3				0.3
34	10/5/2006 15:43			0.3				0.3
35	10/5/2006 15:58			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	13
Test Abbreviation:	
Start Date:	10/5/2006
Start Time:	7:15:09
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 7:09) = 0.003

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/5/2006	7:30:09	0.004	0.001	1
10/5/2006	7:45:09	0.004	0.001	1
10/5/2006	8:00:09	0.005	0.002	2
10/5/2006	8:15:09	0.005	0.002	2
10/5/2006	8:30:09	0.004	0.001	1
10/5/2006	8:45:09	0.004	0.001	1
10/5/2006	9:00:09	0.004	0.001	1
10/5/2006	9:15:09	0.004	0.001	1
10/5/2006	9:30:09	0.004	0.001	1
10/5/2006	9:45:09	0.004	0.001	1
10/5/2006	10:00:09	0.003	0	0
10/5/2006	10:15:09	0.003	0	0
10/5/2006	10:30:09	0.003	0	0
10/5/2006	10:45:09	0.004	0.001	1
10/5/2006	11:00:09	0.004	0.001	1
10/5/2006	11:15:09	0.009	0.006	6
10/5/2006	11:30:09	0.004	0.001	1
10/5/2006	11:45:09	0.004	0.001	1
10/5/2006	12:00:09	0.005	0.002	2
10/5/2006	12:15:09	0.006	0.003	3
10/5/2006	12:30:09	0.008	0.005	5
10/5/2006	12:45:09	0.009	0.006	6
10/5/2006	13:00:09	0.007	0.004	4
10/5/2006	13:15:09	0.006	0.003	3
10/5/2006	13:30:09	0.006	0.003	3
10/5/2006	13:45:09	0.009	0.006	6
10/5/2006	14:00:09	0.008	0.005	5
10/5/2006	14:15:09	0.007	0.004	4
10/5/2006	14:30:09	0.008	0.005	5
10/5/2006	14:45:09	0.007	0.004	4
10/5/2006	15:00:09	0.007	0.004	4
10/5/2006	15:15:09	0.007	0.004	4
10/5/2006	15:30:09	0.008	0.005	5
10/5/2006	15:45:09	0.004	0.001	1
10/5/2006	16:00:09	0.005	0.002	2
10/5/2006	16:15:09	0.004	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/05/2006 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/5/2006 7:18			0.3				0.3
2	10/5/2006 7:33			0.5				0.5
3	10/5/2006 7:48			0.7				0.7
4	10/5/2006 8:03			0.8				0.8
5	10/5/2006 8:18			0.8				0.8
6	10/5/2006 8:33			0.9				0.9
7	10/5/2006 8:48			1				1
8	10/5/2006 9:03			1.1				1.1
9	10/5/2006 9:18			1.1				1.1
10	10/5/2006 9:33			1.2				1.2
11	10/5/2006 9:48			1.2				1.2
12	10/5/2006 10:03			1.2				1.2
13	10/5/2006 10:18			1.3				1.3
14	10/5/2006 10:33			1.4				1.4
15	10/5/2006 10:48			1.4				1.4
16	10/5/2006 11:03			1.4				1.4
17	10/5/2006 11:18			1.4				1.4
18	10/5/2006 11:33			1.5				1.5
19	10/5/2006 11:48			1.4				1.4
20	10/5/2006 12:03			1.3				1.3
21	10/5/2006 12:18			1.4				1.4
22	10/5/2006 12:33			1.4				1.4
23	10/5/2006 12:48			1.4				1.4
24	10/5/2006 13:03			1.4				1.4
25	10/5/2006 13:18			1.5				1.5
26	10/5/2006 13:33			1.5				1.5
27	10/5/2006 13:48			1.4				1.4
28	10/5/2006 14:03			1.3				1.3
29	10/5/2006 14:18			1.2				1.2
30	10/5/2006 14:33			1.4				1.4
31	10/5/2006 14:48			1.4				1.4
32	10/5/2006 15:03			1.4				1.4
33	10/5/2006 15:18			1.3				1.3
34	10/5/2006 15:33			1.2				1.2
35	10/5/2006 15:48			1.2				1.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	14
Test Abbreviation:	
Start Date:	10/5/2006
Start Time:	7:11:00
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (AM - 7:02) = 0.005

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2006	7:26:00	0.006	0.001	1
10/5/2006	7:41:00	0.007	0.002	2
10/5/2006	7:56:00	0.008	0.003	3
10/5/2006	8:11:00	0.041	0.036	36
10/5/2006	8:26:00	0.032	0.027	27
10/5/2006	8:41:00	0.009	0.004	4
10/5/2006	8:56:00	0.009	0.004	4
10/5/2006	9:11:00	0.009	0.004	4
10/5/2006	9:26:00	0.008	0.003	3
10/5/2006	9:41:00	0.009	0.004	4
10/5/2006	9:56:00	0.009	0.004	4
10/5/2006	10:11:00	0.008	0.003	3
10/5/2006	10:26:00	0.009	0.004	4
10/5/2006	10:41:00	0.009	0.004	4
10/5/2006	10:56:00	0.023	0.018	18
10/5/2006	11:11:00	0.01	0.005	5
10/5/2006	11:26:00	0.01	0.005	5
10/5/2006	11:41:00	0.011	0.006	6
10/5/2006	11:56:00	0.011	0.006	6
10/5/2006	12:11:00	0.012	0.007	7
10/5/2006	12:26:00	0.012	0.007	7
10/5/2006	12:41:00	0.013	0.008	8
10/5/2006	12:56:00	0.012	0.007	7
10/5/2006	13:11:00	0.012	0.007	7
10/5/2006	13:26:00	0.013	0.008	8
10/5/2006	13:41:00	0.014	0.009	9
10/5/2006	13:56:00	0.014	0.009	9
10/5/2006	14:11:00	0.014	0.009	9
10/5/2006	14:26:00	0.014	0.009	9
10/5/2006	15:51:45	0.013	0.008	8
10/5/2006	16:06:45	0.013	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/05/2006 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/5/2006 7:00			0		0		-0.1
2	10/5/2006 7:15			0		0		-0.1
3	10/5/2006 7:30			0		0.1		-0.1
4	10/5/2006 7:45			0.1		0.3		0
5	10/5/2006 8:00			0.2		0.4		0.1
6	10/5/2006 8:15			0.3		0.4		0.2
7	10/5/2006 8:30			0.3		0.5		0.2
8	10/5/2006 8:45			0.4		0.5		0.3
9	10/5/2006 9:00			0.5		0.7		0.4
10	10/5/2006 9:15			0.4		0.6		0.3
11	10/5/2006 9:30			0.5		1.1		0.4
12	10/5/2006 9:45			0.5		0.8		0.4
13	10/5/2006 10:00			0.5		1		0.4
14	10/5/2006 10:15			0.6		1.1		0.5
15	10/5/2006 10:30			0.6		0.8		0.5
16	10/5/2006 10:45			0.5		0.6		0.4
17	10/5/2006 11:00			0.4		0.6		0.3
18	10/5/2006 11:15			0.4		0.5		0.3
19	10/5/2006 11:30			0.3		0.5		0.2
20	10/5/2006 11:45			0.3		0.5		0.2
21	10/5/2006 12:00			0.3		0.7		0.2
22	10/5/2006 12:15			0.3		0.4		0.2
23	10/5/2006 12:30			0.3		0.4		0.2
24	10/5/2006 12:45			0.3		0.5		0.2
25	10/5/2006 13:00			0.3		0.4		0.2
26	10/5/2006 13:15			0.3		0.4		0.2
27	10/5/2006 13:30			0.2		0.4		0.1
28	10/5/2006 13:45			0.2		0.3		0.1
29	10/5/2006 14:00			0.2		0.3		0.1
30	10/5/2006 14:15			0.2		0.3		0.1
31	10/5/2006 14:30			0.2		0.4		0.1
32	10/5/2006 14:45			0.3		0.4		0.2
33	10/5/2006 15:00			0.2		0.3		0.1
34	10/5/2006 15:15			0.2		0.3		0.1
35	10/5/2006 15:30			0.2		0.3		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	14
Test Abbreviation:	
Start Date:	10/5/2006
Start Time:	6:56:54
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	7
Notes:	Background Reading (AM - 6:48) = 0.002

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/5/2006	7:11:54	0.009	0.007	7
10/5/2006	7:26:54	0.003	0.001	1
10/5/2006	7:41:54	0.007	0.005	5
10/5/2006	7:56:54	0.007	0.005	5
10/5/2006	8:11:54	0.007	0.005	5
10/5/2006	8:26:54	0.006	0.004	4
10/5/2006	8:41:54	0.011	0.009	9
10/5/2006	10:08:01	0.009	0.007	7
10/5/2006	10:46:15	0.062	0.06	60
10/5/2006	11:01:15	0.006	0.004	4
10/5/2006	11:16:15	0.006	0.004	4
10/5/2006	11:31:15	0.006	0.004	4
10/5/2006	11:46:15	0.006	0.004	4
10/5/2006	12:01:15	0.007	0.005	5
10/5/2006	12:16:15	0.007	0.005	5
10/5/2006	12:31:15	0.008	0.006	6
10/5/2006	12:46:15	0.007	0.005	5
10/5/2006	13:01:15	0.012	0.01	10
10/5/2006	13:16:15	0.006	0.004	4
10/5/2006	13:31:15	0.008	0.006	6
10/5/2006	13:46:15	0.007	0.005	5
10/5/2006	14:01:15	0.007	0.005	5
10/5/2006	14:16:15	0.007	0.005	5
10/5/2006	14:31:15	0.007	0.005	5
10/5/2006	14:46:15	0.007	0.005	5
10/5/2006	15:01:15	0.008	0.006	6
10/5/2006	15:16:15	0.01	0.008	8
10/5/2006	15:31:15	0.013	0.011	11
10/5/2006	15:46:15	0.008	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/05/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:43) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/5/2006 6:58			0				0
2	10/5/2006 7:13			0				0
3	10/5/2006 7:28			0.1				0.1
4	10/5/2006 7:43			0.2				0.2
5	10/5/2006 7:58			0.2				0.2
6	10/5/2006 8:13			0.2				0.2
7	10/5/2006 8:28			0.3				0.3
8	10/5/2006 8:43			0.3				0.3
9	10/5/2006 8:58			0.3				0.3
10	10/5/2006 9:13			0.4				0.4
11	10/5/2006 9:28			0.4				0.4
12	10/5/2006 9:43			0.4				0.4
13	10/5/2006 9:58			0.4				0.4
14	10/5/2006 10:13			0.4				0.4
15	10/5/2006 10:28			0.5				0.5
16	10/5/2006 10:43			0.5				0.5
17	10/5/2006 10:58			0.5				0.5
18	10/5/2006 11:13			0.5				0.5
19	10/5/2006 11:28			0.4				0.4
20	10/5/2006 11:43			0.4				0.4
21	10/5/2006 11:58			0.5				0.5
22	10/5/2006 12:13			0.4				0.4
23	10/5/2006 12:28			0.5				0.5
24	10/5/2006 12:43			0.5				0.5
25	10/5/2006 12:58			0.5				0.5
26	10/5/2006 13:13			0.5				0.5
27	10/5/2006 13:28			0.5				0.5
28	10/5/2006 13:43			0.5				0.5
29	10/5/2006 13:58			0.6				0.6
30	10/5/2006 14:13			0.5				0.5
31	10/5/2006 14:28			0.5				0.5
32	10/5/2006 14:43			0.6				0.6
33	10/5/2006 14:58			0.6				0.6
34	10/5/2006 15:13			0.6				0.6
35	10/5/2006 15:28			0.5				0.5
36	10/5/2006 15:43			0.5				0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	13
Test Abbreviation:	
Start Date:	10/5/2006
Start Time:	6:51:12
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (AM - 6:43) = 0.002

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2006	7:06:12	0.002	0	0
10/5/2006	7:21:12	0.002	0	0
10/5/2006	7:36:12	0.011	0.009	9
10/5/2006	7:51:12	0.004	0.002	2
10/5/2006	8:06:12	0.007	0.005	5
10/5/2006	8:21:12	0.008	0.006	6
10/5/2006	8:36:12	0.009	0.007	7
10/5/2006	8:51:12	0.008	0.006	6
10/5/2006	9:06:12	0.01	0.008	8
10/5/2006	9:21:12	0.006	0.004	4
10/5/2006	9:36:12	0.006	0.004	4
10/5/2006	9:51:12	0.009	0.007	7
10/5/2006	10:06:12	0.01	0.008	8
10/5/2006	10:21:12	0.012	0.01	10
10/5/2006	10:36:12	0.019	0.017	17
10/5/2006	10:51:12	0.012	0.01	10
10/5/2006	11:06:12	0.009	0.007	7
10/5/2006	11:21:12	0.012	0.01	10
10/5/2006	11:36:12	0.01	0.008	8
10/5/2006	11:51:12	0.01	0.008	8
10/5/2006	12:06:12	0.019	0.017	17
10/5/2006	12:21:12	0.021	0.019	19
10/5/2006	12:40:42	0.04	0.038	38
10/5/2006	12:55:42	0.039	0.037	37
10/5/2006	13:10:42	0.028	0.026	26
10/5/2006	13:51:03	0.022	0.02	20
10/5/2006	14:06:03	0.024	0.022	22
10/5/2006	14:21:03	0.028	0.026	26
10/5/2006	14:36:03	0.036	0.034	34
10/5/2006	14:51:03	0.019	0.017	17
10/5/2006	15:06:03	0.02	0.018	18
10/5/2006	15:21:03	0.03	0.028	28
10/5/2006	15:36:03	0.018	0.016	16
10/5/2006	15:51:03	0.017	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/6/2006 7:30			0				0
2	10/6/2006 7:45			0				0
3	10/6/2006 8:00			0				0
4	10/6/2006 8:15			0				0
5	10/6/2006 8:30			0				0
6	10/6/2006 8:45			0				0
7	10/6/2006 9:00			0.1				0.1
8	10/6/2006 9:15			0.1				0.1
9	10/6/2006 9:30			0.1				0.1
10	10/6/2006 9:45			0.1				0.1
11	10/6/2006 10:00			0.2				0.2
12	10/6/2006 10:15			0.2				0.2
13	10/6/2006 10:30			0.2				0.2
14	10/6/2006 10:45			0.2				0.2
15	10/6/2006 11:00			0.2				0.2
16	10/6/2006 11:15			0.2				0.2
17	10/6/2006 11:30			0.2				0.2
18	10/6/2006 11:45			0.2				0.2
19	10/6/2006 12:00			0.2				0.2
20	10/6/2006 12:15			0.2				0.2
21	10/6/2006 12:30			0.2				0.2
22	10/6/2006 12:45			0.3				0.3
23	10/6/2006 13:00			0.3				0.3
24	10/6/2006 13:15			0.2				0.2
25	10/6/2006 13:30			0.2				0.2
26	10/6/2006 13:45			0.2				0.2
27	10/6/2006 14:00			0.2				0.2
28	10/6/2006 14:15			0.2				0.2
29	10/6/2006 14:30			0.2				0.2
30	10/6/2006 14:45			0.3				0.3
31	10/6/2006 15:00			0.3				0.3
32	10/6/2006 15:15			0.3				0.3
33	10/6/2006 15:30			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	14
Test Abbreviation:	
Start Date:	10/6/2006
Start Time:	7:18:03
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (AM - 7:11) = 0.008

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2006	7:33:03	0.006	-0.002	-2
10/6/2006	7:48:03	0.01	0.002	2
10/6/2006	8:03:03	0.008	0	0
10/6/2006	8:18:03	0.009	0.001	1
10/6/2006	8:33:03	0.008	0	0
10/6/2006	8:48:03	0.007	-0.001	-1
10/6/2006	9:03:03	0.007	-0.001	-1
10/6/2006	9:18:03	0.007	-0.001	-1
10/6/2006	9:33:03	0.007	-0.001	-1
10/6/2006	9:48:03	0.008	0	0
10/6/2006	10:03:03	0.007	-0.001	-1
10/6/2006	10:18:03	0.007	-0.001	-1
10/6/2006	10:33:03	0.008	0	0
10/6/2006	10:48:03	0.007	-0.001	-1
10/6/2006	11:03:03	0.006	-0.002	-2
10/6/2006	11:18:03	0.007	-0.001	-1
10/6/2006	11:33:03	0.008	0	0
10/6/2006	11:48:03	0.01	0.002	2
10/6/2006	12:03:03	0.007	-0.001	-1
10/6/2006	12:18:03	0.009	0.001	1
10/6/2006	12:33:03	0.008	0	0
10/6/2006	12:48:03	0.006	-0.002	-2
10/6/2006	13:03:03	0.006	-0.002	-2
10/6/2006	13:18:03	0.006	-0.002	-2
10/6/2006	13:33:03	0.006	-0.002	-2
10/6/2006	13:48:03	0.005	-0.003	-3
10/6/2006	14:03:03	0.006	-0.002	-2
10/6/2006	14:18:03	0.005	-0.003	-3
10/6/2006	14:33:03	0.007	-0.001	-1
10/6/2006	14:48:03	0.006	-0.002	-2
10/6/2006	15:03:03	0.006	-0.002	-2
10/6/2006	15:18:03	0.006	-0.002	-2
10/6/2006	15:33:03	0.006	-0.002	-2
10/6/2006	15:48:03	0.006	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:16) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/6/2006 7:33		0.4		0.4
2	10/6/2006 7:48		0.7		0.7
3	10/6/2006 8:03		0.8		0.8
4	10/6/2006 8:18		1		1
5	10/6/2006 8:33		1		1
6	10/6/2006 8:48		1.1		1.1
7	10/6/2006 9:03		1.1		1.1
8	10/6/2006 9:18		1.1		1.1
9	10/6/2006 9:33		1.2		1.2
10	10/6/2006 9:48		1.2		1.2
11	10/6/2006 10:03		1.2		1.2
12	10/6/2006 10:18		1.2		1.2
13	10/6/2006 10:33		1.3		1.3
14	10/6/2006 10:48		1.3		1.3
15	10/6/2006 11:03		1.3		1.3
16	10/6/2006 11:18		1.3		1.3
17	10/6/2006 11:33		1.3		1.3
18	10/6/2006 11:48		1.3		1.3
19	10/6/2006 12:03		1.3		1.3
20	10/6/2006 12:18		1.3		1.3
21	10/6/2006 12:33		1.3		1.3
22	10/6/2006 12:48		1.4		1.4
23	10/6/2006 13:03		1.4		1.4
24	10/6/2006 13:18		1.3		1.3
25	10/6/2006 13:33		1.3		1.3
26	10/6/2006 13:48		1.3		1.3
27	10/6/2006 14:03		1.3		1.3
28	10/6/2006 14:18		1.3		1.3
29	10/6/2006 14:33		1.3		1.3
30	10/6/2006 14:48		1.3		1.3
31	10/6/2006 15:03		1.3		1.3
32	10/6/2006 15:18		1.3		1.3
33	10/6/2006 15:33		1.3		1.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	16
Test Abbreviation:	
Start Date:	10/6/2006
Start Time:	7:24:41
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 7:16) = 0.005

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2006	7:39:41	0.004	-0.001	-1
10/6/2006	7:54:41	0.007	0.002	2
10/6/2006	8:09:41	0.006	0.001	1
10/6/2006	8:24:41	0.007	0.002	2
10/6/2006	8:39:41	0.006	0.001	1
10/6/2006	8:54:41	0.006	0.001	1
10/6/2006	9:09:41	0.006	0.001	1
10/6/2006	9:24:41	0.006	0.001	1
10/6/2006	9:39:41	0.006	0.001	1
10/6/2006	9:54:41	0.007	0.002	2
10/6/2006	10:09:41	0.006	0.001	1
10/6/2006	10:24:41	0.007	0.002	2
10/6/2006	10:39:41	0.006	0.001	1
10/6/2006	10:54:41	0.005	0	0
10/6/2006	11:09:41	0.006	0.001	1
10/6/2006	11:24:41	0.006	0.001	1
10/6/2006	11:39:41	0.007	0.002	2
10/6/2006	11:54:41	0.007	0.002	2
10/6/2006	12:09:41	0.007	0.002	2
10/6/2006	12:24:41	0.007	0.002	2
10/6/2006	12:39:41	0.006	0.001	1
10/6/2006	12:54:41	0.005	0	0
10/6/2006	13:09:41	0.005	0	0
10/6/2006	13:24:41	0.005	0	0
10/6/2006	13:39:41	0.006	0.001	1
10/6/2006	13:54:41	0.005	0	0
10/6/2006	14:09:41	0.005	0	0
10/6/2006	14:24:41	0.005	0	0
10/6/2006	14:39:41	0.005	0	0
10/6/2006	14:54:41	0.005	0	0
10/6/2006	15:09:41	0.005	0	0
10/6/2006	15:24:41	0.005	0	0
10/6/2006	15:39:41	0.005	0	0
10/6/2006	15:54:41	0.005	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:58) = 0.3 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/6/2006 7:18		0.1		-0.2
2	10/6/2006 7:33		0.2		-0.1
3	10/6/2006 7:48		0.3		0
4	10/6/2006 8:03		0.3		0
5	10/6/2006 8:18		0.3		0
6	10/6/2006 8:33		0.4		0.1
7	10/6/2006 8:48		0.4		0.1
8	10/6/2006 9:03		0.4		0.1
9	10/6/2006 9:18		0.4		0.1
10	10/6/2006 9:33		0.4		0.1
11	10/6/2006 9:48		0.5		0.2
12	10/6/2006 10:03		0.5		0.2
13	10/6/2006 10:18		0.5		0.2
14	10/6/2006 10:33		0.5		0.2
15	10/6/2006 10:48		0.5		0.2
16	10/6/2006 11:03		0.6		0.3
17	10/6/2006 11:18		0.6		0.3
18	10/6/2006 11:33		0.6		0.3
19	10/6/2006 11:48		1.1		0.8
20	10/6/2006 12:03		1.3		1
21	10/6/2006 12:18		0.9		0.6
22	10/6/2006 12:33		1.1		0.8
23	10/6/2006 12:48		1.2		0.9
24	10/6/2006 13:03		1.2		0.9
25	10/6/2006 13:18		0.9		0.6
26	10/6/2006 13:33		0.9		0.6
27	10/6/2006 13:48		0.9		0.6
28	10/6/2006 14:03		0.9		0.6
29	10/6/2006 14:18		0.9		0.6
30	10/6/2006 14:33		0.8		0.5
31	10/6/2006 14:48		0.8		0.5
32	10/6/2006 15:03		0.9		0.6
33	10/6/2006 15:18		0.9		0.6
34	10/6/2006 15:33		0.9		0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	17
Test Abbreviation:	
Start Date:	10/6/2006
Start Time:	7:12:02
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (AM - 6:58) = 0.015

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2006	7:27:02	0.01	-0.005	-5
10/6/2006	7:42:02	0.013	-0.002	-2
10/6/2006	7:57:02	0.013	-0.002	-2
10/6/2006	8:12:02	0.021	0.006	6
10/6/2006	8:27:02	0.014	-0.001	-1
10/6/2006	8:42:02	0.01	-0.005	-5
10/6/2006	8:57:02	0.01	-0.005	-5
10/6/2006	9:12:02	0.009	-0.006	-6
10/6/2006	9:27:02	0.01	-0.005	-5
10/6/2006	9:42:02	0.011	-0.004	-4
10/6/2006	9:57:02	0.019	0.004	4
10/6/2006	10:12:02	0.013	-0.002	-2
10/6/2006	10:27:02	0.011	-0.004	-4
10/6/2006	10:42:02	0.009	-0.006	-6
10/6/2006	10:57:02	0.01	-0.005	-5
10/6/2006	11:12:02	0.012	-0.003	-3
10/6/2006	11:27:02	0.019	0.004	4
10/6/2006	11:42:02	0.02	0.005	5
10/6/2006	11:57:02	0.018	0.003	3
10/6/2006	13:24:32	0.012	-0.003	-3
10/6/2006	13:39:32	0.014	-0.001	-1
10/6/2006	13:54:32	0.01	-0.005	-5
10/6/2006	14:09:32	0.012	-0.003	-3
10/6/2006	14:24:32	0.017	0.002	2
10/6/2006	14:39:32	0.011	-0.004	-4
10/6/2006	14:54:32	0.011	-0.004	-4
10/6/2006	15:09:32	0.012	-0.003	-3
10/6/2006	15:24:32	0.011	-0.004	-4
10/6/2006	15:39:32	0.012	-0.003	-3
10/6/2006	15:54:32	0.009	-0.006	-6
10/6/2006	16:09:32	0.01	-0.005	-5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
1	10/6/2006 8:47			0		0.1		0	
2	10/6/2006 8:48			0		0.1		0	
3	10/6/2006 8:49			0		0.1		0	
4	10/6/2006 8:50			0		0		0	
5	10/6/2006 8:51			0.1		0.6		0.1	
6	10/6/2006 8:52			0		0.1		0	
7	10/6/2006 8:53			0		0		0	
8	10/6/2006 8:54			0		0		0	
9	10/6/2006 8:55			0		0		0	
10	10/6/2006 8:56			0		0		0	
11	10/6/2006 8:57			0		0		0	
12	10/6/2006 8:58			0		0		0	
13	10/6/2006 8:59			0		0.1		0	
14	10/6/2006 9:00			0		0		0	
15	10/6/2006 9:01			0		0		0	0.006667
16	10/6/2006 9:02			0		0		0	
17	10/6/2006 9:03			0		0		0	
18	10/6/2006 9:04			0		0		0	
19	10/6/2006 9:05			0		0		0	
20	10/6/2006 9:06			0		0		0	
21	10/6/2006 9:07			0		0.2		0	
22	10/6/2006 9:08			0		0		0	
23	10/6/2006 9:09			0		0		0	
24	10/6/2006 9:10			0		0		0	
25	10/6/2006 9:11			0		0		0	
26	10/6/2006 9:12			0		0		0	
27	10/6/2006 9:13			0		0.1		0	
28	10/6/2006 9:14			0		0		0	
29	10/6/2006 9:15			0		0		0	
30	10/6/2006 9:16			0		0		0	0
31	10/6/2006 9:17			0		0		0	
32	10/6/2006 9:18			0		0		0	
33	10/6/2006 9:19			0		0		0	
34	10/6/2006 9:20			0		0		0	
35	10/6/2006 9:21			0		0		0	
36	10/6/2006 9:22			0		0		0	
37	10/6/2006 9:23			0		0		0	
38	10/6/2006 9:24			0		0.1		0	
39	10/6/2006 9:25			0		0		0	
40	10/6/2006 9:26			0		0		0	
41	10/6/2006 9:27			0		0		0	
42	10/6/2006 9:28			0		0		0	
43	10/6/2006 9:29			0		0		0	
44	10/6/2006 9:30			0		0		0	
45	10/6/2006 9:31			0		0		0	0
46	10/6/2006 9:32			0		0		0	
47	10/6/2006 9:33			0		0		0	
48	10/6/2006 9:34			0		0		0	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
49	10/6/2006 9:35			0		0		0	
50	10/6/2006 9:36			0		0.1		0	
51	10/6/2006 9:37			0		0		0	
52	10/6/2006 9:38			0		0		0	
53	10/6/2006 9:39			0		0		0	
54	10/6/2006 9:40			0		0.2		0	
55	10/6/2006 9:41			0		0.1		0	
56	10/6/2006 9:42			0		0		0	
57	10/6/2006 9:43			0		0		0	
58	10/6/2006 9:44			0		0		0	
59	10/6/2006 9:45			0		0.1		0	
60	10/6/2006 9:46			0		0.1		0	0
61	10/6/2006 9:47			0		0.1		0	
62	10/6/2006 9:48			0		0		0	
63	10/6/2006 9:49			0		0.1		0	
64	10/6/2006 9:50			0		0.1		0	
65	10/6/2006 9:51			0		0		0	
66	10/6/2006 9:52			0		0.1		0	
67	10/6/2006 9:53			0		0.1		0	
68	10/6/2006 9:54			0		0.1		0	
69	10/6/2006 9:55			0		0.1		0	
70	10/6/2006 9:56			0		0.1		0	
71	10/6/2006 9:57			0		0.1		0	
72	10/6/2006 9:58			0		0.1		0	
73	10/6/2006 9:59			0		0.1		0	
74	10/6/2006 10:00			0		0.1		0	
75	10/6/2006 10:01			0		0.1		0	0
76	10/6/2006 10:02			0		0.1		0	
77	10/6/2006 10:03			0		0.1		0	
78	10/6/2006 10:04			0		0.1		0	
79	10/6/2006 10:05			0		0.1		0	
80	10/6/2006 10:06			0		0.1		0	
81	10/6/2006 10:07			0		0.1		0	
82	10/6/2006 10:08			0		0.1		0	
83	10/6/2006 10:09			0		0.1		0	
84	10/6/2006 10:10			0		0.1		0	
85	10/6/2006 10:11			0		0.1		0	
86	10/6/2006 10:12			0		0.1		0	
87	10/6/2006 10:13			0		0.1		0	
88	10/6/2006 10:14			0		0.1		0	
89	10/6/2006 10:15			0		0.1		0	
90	10/6/2006 10:16			0		0.1		0	0
91	10/6/2006 10:17			0		0.1		0	
92	10/6/2006 10:18			0		0.1		0	
93	10/6/2006 10:19			0		0.1		0	
94	10/6/2006 10:20			0		0.1		0	
95	10/6/2006 10:21			0		0.1		0	
96	10/6/2006 10:22			0		0.1		0	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
97	10/6/2006 10:23			0		0.1		0	
98	10/6/2006 10:24			0		0.1		0	
99	10/6/2006 10:25			0		0.1		0	
100	10/6/2006 10:26			0		0.1		0	
101	10/6/2006 10:27			0		0.1		0	
102	10/6/2006 10:28			0		0.1		0	
103	10/6/2006 10:29			0		0.1		0	
104	10/6/2006 10:30			0		0.1		0	
105	10/6/2006 10:31			0		0.1		0	0
106	10/6/2006 10:32			0		0.1		0	
107	10/6/2006 10:33			0		0.1		0	
108	10/6/2006 10:34			0		0.1		0	
109	10/6/2006 10:35			0		0.2		0	
110	10/6/2006 10:36			0		0.1		0	
111	10/6/2006 10:37			0		0.1		0	
112	10/6/2006 10:38			0		0.1		0	
113	10/6/2006 10:39			0		0.1		0	
114	10/6/2006 10:40			0		0.1		0	
115	10/6/2006 10:41			0		0.1		0	
116	10/6/2006 10:42			0		0.1		0	
117	10/6/2006 10:43			0		0.1		0	
118	10/6/2006 10:44			0		0.1		0	
119	10/6/2006 10:45			0		0.1		0	
120	10/6/2006 10:46			0		0.1		0	0
121	10/6/2006 10:47			0		0.1		0	
122	10/6/2006 10:48			0		0.1		0	
123	10/6/2006 10:49			0		0.1		0	
124	10/6/2006 10:50			0		0.1		0	
125	10/6/2006 10:51			0		0.1		0	
126	10/6/2006 10:52			0		0.1		0	
127	10/6/2006 10:53			0		0.1		0	
128	10/6/2006 10:54			0		0.1		0	
129	10/6/2006 10:55			0		0.1		0	
130	10/6/2006 10:56			0		0.1		0	
131	10/6/2006 10:57			0		0.1		0	
132	10/6/2006 10:58			0		0.1		0	
133	10/6/2006 10:59			0		0.1		0	
134	10/6/2006 11:00			0		0.1		0	
135	10/6/2006 11:01			0		0.1		0	0
136	10/6/2006 11:02			0		0.1		0	
137	10/6/2006 11:03			0		0.1		0	
138	10/6/2006 11:04			0		0.1		0	
139	10/6/2006 11:05			0		0.1		0	
140	10/6/2006 11:06			0		0.1		0	
141	10/6/2006 11:07			0		0.1		0	
142	10/6/2006 11:08			0		0.1		0	
143	10/6/2006 11:09			0		0.1		0	
144	10/6/2006 11:10			0		0.1		0	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
145	10/6/2006 11:11			0		0.1		0	
146	10/6/2006 11:12			0		0.1		0	
147	10/6/2006 11:13			0		0.1		0	
148	10/6/2006 11:14			0		0.1		0	
149	10/6/2006 11:15			0		0.1		0	
150	10/6/2006 11:16			0		0.1		0	0
151	10/6/2006 11:17			0		0.1		0	
152	10/6/2006 11:18			0		0.1		0	
153	10/6/2006 11:19			0		0.1		0	
154	10/6/2006 11:20			0		0.1		0	
155	10/6/2006 11:21			0		0.1		0	
156	10/6/2006 11:22			0		0.1		0	
157	10/6/2006 11:23			0		0.1		0	
158	10/6/2006 11:24			0		0.1		0	
159	10/6/2006 11:25			0		0.1		0	
160	10/6/2006 11:26			0		0.1		0	
161	10/6/2006 11:27			0		0.1		0	
162	10/6/2006 11:28			0		0.1		0	
163	10/6/2006 11:29			0		0.1		0	
164	10/6/2006 11:30			0		0.1		0	
165	10/6/2006 11:31			0		0.1		0	0
166	10/6/2006 11:32			0		0.1		0	
167	10/6/2006 11:33			0		0.1		0	
168	10/6/2006 11:34			0		0.1		0	
169	10/6/2006 11:35			0		0.2		0	
170	10/6/2006 11:36			0		0.1		0	
171	10/6/2006 11:37			0		0.1		0	
172	10/6/2006 11:38			0		0.1		0	
173	10/6/2006 11:39			0		0.1		0	
174	10/6/2006 11:40			0		0.1		0	
175	10/6/2006 11:41			0		0.1		0	
176	10/6/2006 11:42			0		0.1		0	
177	10/6/2006 11:43			0		0.1		0	
178	10/6/2006 11:44			0		0.1		0	
179	10/6/2006 11:45			0		0.1		0	
180	10/6/2006 11:46			0		0.1		0	0
181	10/6/2006 11:47			0		0.1		0	
182	10/6/2006 11:48			0		0.1		0	
183	10/6/2006 11:49			0		0.1		0	
184	10/6/2006 11:50			0.1		0.2		0.1	
185	10/6/2006 11:51			0		0.1		0	
186	10/6/2006 11:52			0		0.1		0	
187	10/6/2006 11:53			0		0.1		0	
188	10/6/2006 11:54			0		0.1		0	
189	10/6/2006 11:55			0		0.1		0	
190	10/6/2006 11:56			0		0.2		0	
191	10/6/2006 11:57			0		0.1		0	
192	10/6/2006 11:58			0		0.1		0	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
193	10/6/2006 11:59			0		0.1		0	
194	10/6/2006 12:00			0		0.1		0	
195	10/6/2006 12:01			0		0.1		0	0.006667
196	10/6/2006 12:02			0		0.1		0	
197	10/6/2006 12:03			0.1		0.2		0.1	
198	10/6/2006 12:04			0.1		0.2		0.1	
199	10/6/2006 12:05			0		0.1		0	
200	10/6/2006 12:06			0		0.2		0	
201	10/6/2006 12:07			0		0.2		0	
202	10/6/2006 12:08			0		0.1		0	
203	10/6/2006 12:09			0		0.1		0	
204	10/6/2006 12:10			0		0.1		0	
205	10/6/2006 12:11			0		0.1		0	
206	10/6/2006 12:12			0		0.1		0	
207	10/6/2006 12:13			0		0.1		0	
208	10/6/2006 12:14			0		0.1		0	
209	10/6/2006 12:15			0		0.1		0	
210	10/6/2006 12:16			0		0.1		0	0.013333
211	10/6/2006 12:17			0		0.2		0	
212	10/6/2006 12:18			0		0.1		0	
213	10/6/2006 12:19			0		0.1		0	
214	10/6/2006 12:20			0		0.1		0	
215	10/6/2006 12:21			0		0.1		0	
216	10/6/2006 12:22			0		0.1		0	
217	10/6/2006 12:23			0		0.1		0	
218	10/6/2006 12:24			0		0.1		0	
219	10/6/2006 12:25			0		0.1		0	
220	10/6/2006 12:26			0		0.1		0	
221	10/6/2006 12:27			0		0.1		0	
222	10/6/2006 12:28			0		0.1		0	
223	10/6/2006 12:29			0		0.1		0	
224	10/6/2006 12:30			0		0.1		0	
225	10/6/2006 12:31			0		0.2		0	0
226	10/6/2006 12:32			0		0.1		0	
227	10/6/2006 12:33			0		0.1		0	
228	10/6/2006 12:34			0		0.1		0	
229	10/6/2006 12:35			0		0.1		0	
230	10/6/2006 12:36			0		0.1		0	
231	10/6/2006 12:37			0		0.2		0	
232	10/6/2006 12:38			0		0.2		0	
233	10/6/2006 12:39			0		0.2		0	
234	10/6/2006 12:40			0		0.1		0	
235	10/6/2006 12:41			0		0.1		0	
236	10/6/2006 12:42			0		0.2		0	
237	10/6/2006 12:43			0		0.1		0	
238	10/6/2006 12:44			0.1		0.2		0.1	
239	10/6/2006 12:45			0.1		0.3		0.1	
240	10/6/2006 12:46			0.1		0.3		0.1	0.02

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
241	10/6/2006 12:47			0		0.2		0	
242	10/6/2006 12:48			0.1		0.2		0.1	
243	10/6/2006 12:49			0.1		0.3		0.1	
244	10/6/2006 12:50			0.1		0.2		0.1	
245	10/6/2006 12:51			0.1		0.2		0.1	
246	10/6/2006 12:52			0		0.2		0	
247	10/6/2006 12:53			0		0.1		0	
248	10/6/2006 12:54			0.1		0.2		0.1	
249	10/6/2006 12:55			0.1		0.1		0.1	
250	10/6/2006 12:56			0.1		0.5		0.1	
251	10/6/2006 12:57			0.1		0.2		0.1	
252	10/6/2006 12:58			0.1		0.2		0.1	
253	10/6/2006 12:59			0.1		0.2		0.1	
254	10/6/2006 13:00			0.1		0.2		0.1	
255	10/6/2006 13:01			0.1		0.2		0.1	0.08
256	10/6/2006 13:02			0		0.1		0	
257	10/6/2006 13:03			0.1		0.2		0.1	
258	10/6/2006 13:04			0.1		0.2		0.1	
259	10/6/2006 13:05			0		0.1		0	
260	10/6/2006 13:06			0.1		0.2		0.1	
261	10/6/2006 13:07			0.2		0.4		0.2	
262	10/6/2006 13:08			0.1		0.2		0.1	
263	10/6/2006 13:09			0.1		0.2		0.1	
264	10/6/2006 13:10			0		0.2		0	
265	10/6/2006 13:11			0.1		0.2		0.1	
266	10/6/2006 13:12			0		0.2		0	
267	10/6/2006 13:13			0.1		0.1		0.1	
268	10/6/2006 13:14			0.1		0.1		0.1	
269	10/6/2006 13:15			0		0.1		0	
270	10/6/2006 13:16			0.1		0.2		0.1	0.073333
271	10/6/2006 13:17			0.1		0.2		0.1	
272	10/6/2006 13:18			0		0.1		0	
273	10/6/2006 13:19			0		0.1		0	
274	10/6/2006 13:20			0		0.2		0	
275	10/6/2006 13:21			0		0.2		0	
276	10/6/2006 13:22			0		0.2		0	
277	10/6/2006 13:23			0		0.2		0	
278	10/6/2006 13:24			0		0.2		0	
279	10/6/2006 13:25			0		0.2		0	
280	10/6/2006 13:26			0		0.2		0	
281	10/6/2006 13:27			0		0.2		0	
282	10/6/2006 13:28			0		0.2		0	
283	10/6/2006 13:29			0		0.1		0	
284	10/6/2006 13:30			0		0.2		0	
285	10/6/2006 13:31			0.1		0.2		0.1	0.013333
286	10/6/2006 13:32			0.1		0.2		0.1	
287	10/6/2006 13:33			0		0.1		0	
288	10/6/2006 13:34			0.1		0.2		0.1	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
289	10/6/2006 13:35			0.1		0.2		0.1	
290	10/6/2006 13:36			0		0.1		0	
291	10/6/2006 13:37			0		0.1		0	
292	10/6/2006 13:38			0		0.1		0	
293	10/6/2006 13:39			0		0.2		0	
294	10/6/2006 13:40			0		0.1		0	
295	10/6/2006 13:41			0		0.1		0	
296	10/6/2006 13:42			0		0.1		0	
297	10/6/2006 13:43			0.1		0.2		0.1	
298	10/6/2006 13:44			0		0.2		0	
299	10/6/2006 13:45			0		0.1		0	
300	10/6/2006 13:46			0		0.1		0	0.026667
301	10/6/2006 13:47			0		0.1		0	
302	10/6/2006 13:48			0		0.1		0	
303	10/6/2006 13:49			0		0.1		0	
304	10/6/2006 13:50			0		0.1		0	
305	10/6/2006 13:51			0		0.1		0	
306	10/6/2006 13:52			0		0.1		0	
307	10/6/2006 13:53			0		0.1		0	
308	10/6/2006 13:54			0		0.2		0	
309	10/6/2006 13:55			0		0.1		0	
310	10/6/2006 13:56			0		0.1		0	
311	10/6/2006 13:57			0		0.2		0	
312	10/6/2006 13:58			0		0.1		0	
313	10/6/2006 13:59			0		0.1		0	
314	10/6/2006 14:00			0		0.1		0	
315	10/6/2006 14:01			0		0.1		0	0
316	10/6/2006 14:02			0		0.2		0	
317	10/6/2006 14:03			0		0.1		0	
318	10/6/2006 14:04			0.1		0.1		0.1	
319	10/6/2006 14:05			0.1		0.2		0.1	
320	10/6/2006 14:06			0.1		0.2		0.1	
321	10/6/2006 14:07			0		0.1		0	
322	10/6/2006 14:08			0		0.1		0	
323	10/6/2006 14:09			0		0.1		0	
324	10/6/2006 14:10			0		0.1		0	
325	10/6/2006 14:11			0.1		0.2		0.1	
326	10/6/2006 14:12			0		0.2		0	
327	10/6/2006 14:13			0		0.1		0	
328	10/6/2006 14:14			0		0.1		0	
329	10/6/2006 14:15			0		0.1		0	
330	10/6/2006 14:16			0.1		0.2		0.1	0.033333
331	10/6/2006 14:17			0		0.1		0	
332	10/6/2006 14:18			0.1		0.2		0.1	
333	10/6/2006 14:19			0.1		0.2		0.1	
334	10/6/2006 14:20			0		0.2		0	
335	10/6/2006 14:21			0		0.2		0	
336	10/6/2006 14:22			0		0.2		0	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
337	10/6/2006 14:23			0		0.2		0	
338	10/6/2006 14:24			0.1		0.2		0.1	
339	10/6/2006 14:25			0.1		0.2		0.1	
340	10/6/2006 14:26			0		0.2		0	
341	10/6/2006 14:27			0		0.2		0	
342	10/6/2006 14:28			0.1		0.2		0.1	
343	10/6/2006 14:29			0.1		0.2		0.1	
344	10/6/2006 14:30			0.1		0.2		0.1	
345	10/6/2006 14:31			0.1		0.3		0.1	0.053333
346	10/6/2006 14:32			0.1		0.2		0.1	
347	10/6/2006 14:33			0		0.2		0	
348	10/6/2006 14:34			0		0.2		0	
349	10/6/2006 14:35			0.1		0.2		0.1	
350	10/6/2006 14:36			0		0.2		0	
351	10/6/2006 14:37			0		0.1		0	
352	10/6/2006 14:38			0.1		0.2		0.1	
353	10/6/2006 14:39			0.1		0.2		0.1	
354	10/6/2006 14:40			0		0.2		0	
355	10/6/2006 14:41			0.1		0.2		0.1	
356	10/6/2006 14:42			0		0.2		0	
357	10/6/2006 14:43			0		0.1		0	
358	10/6/2006 14:44			0.1		0.2		0.1	
359	10/6/2006 14:45			0.1		0.2		0.1	
360	10/6/2006 14:46			0.1		0.2		0.1	0.053333
361	10/6/2006 14:47			0.1		0.2		0.1	
362	10/6/2006 14:48			0.1		0.2		0.1	
363	10/6/2006 14:49			0.1		0.2		0.1	
364	10/6/2006 14:50			0.1		0.2		0.1	
365	10/6/2006 14:51			0.1		0.2		0.1	
366	10/6/2006 14:52			0.1		0.2		0.1	
367	10/6/2006 14:53			0.1		0.2		0.1	
368	10/6/2006 14:54			0.1		0.2		0.1	
369	10/6/2006 14:55			0.1		0.2		0.1	
370	10/6/2006 14:56			0.1		0.2		0.1	
371	10/6/2006 14:57			0.1		0.2		0.1	
372	10/6/2006 14:58			0.1		0.2		0.1	
373	10/6/2006 14:59			0.1		0.2		0.1	
374	10/6/2006 15:00			0.1		0.2		0.1	
375	10/6/2006 15:01			0.1		0.2		0.1	0.1
376	10/6/2006 15:02			0.1		0.2		0.1	
377	10/6/2006 15:03			0.1		0.2		0.1	
378	10/6/2006 15:04			0.1		0.2		0.1	
379	10/6/2006 15:05			0.1		0.2		0.1	
380	10/6/2006 15:06			0.1		0.2		0.1	
381	10/6/2006 15:07			0.1		0.2		0.1	
382	10/6/2006 15:08			0.1		0.2		0.1	
383	10/6/2006 15:09			0.1		0.2		0.1	
384	10/6/2006 15:10			0.1		0.2		0.1	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 431 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 10/06/2006 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Background Reading (AM - 8:48) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	15-minute average(ppr
385	10/6/2006 15:11			0.1		0.2		0.1	
386	10/6/2006 15:12			0.1		0.2		0.1	
387	10/6/2006 15:13			0.1		0.2		0.1	
388	10/6/2006 15:14			0.1		0.2		0.1	
389	10/6/2006 15:15			0.1		0.2		0.1	
390	10/6/2006 15:16			0.1		0.2		0.1	0.1
391	10/6/2006 15:17			0.1		0.2		0.1	
392	10/6/2006 15:18			0.1		0.2		0.1	
393	10/6/2006 15:19			0.1		0.2		0.1	
394	10/6/2006 15:20			0.1		0.2		0.1	
395	10/6/2006 15:21			0.1		0.2		0.1	
396	10/6/2006 15:22			0.1		0.2		0.1	
397	10/6/2006 15:23			0.1		0.2		0.1	
398	10/6/2006 15:24			0.1		0.2		0.1	
399	10/6/2006 15:25			0.1		0.2		0.1	
400	10/6/2006 15:26			0.1		0.2		0.1	
401	10/6/2006 15:27			0.1		0.2		0.1	
402	10/6/2006 15:28			0.1		0.2		0.1	
403	10/6/2006 15:29			0.1		0.2		0.1	
404	10/6/2006 15:30			0.1		0.2		0.1	
405	10/6/2006 15:31			0.1		0.2		0.1	0.1
406	10/6/2006 15:32			0.1		0.2		0.1	
407	10/6/2006 15:33			0.1		0.2		0.1	
408	10/6/2006 15:34			0.1		0.2		0.1	
409	10/6/2006 15:35			0.1		0.2		0.1	
410	10/6/2006 15:36			0.1		0.2		0.1	
411	10/6/2006 15:37			0.1		0.2		0.1	
412	10/6/2006 15:38			0.1		0.2		0.1	
413	10/6/2006 15:39			0.1		0.2		0.1	
414	10/6/2006 15:40			0.1		0.2		0.1	
415	10/6/2006 15:41			0.1		0.2		0.1	
416	10/6/2006 15:42			0.1		0.2		0.1	
417	10/6/2006 15:43			0.1		0.2		0.1	
418	10/6/2006 15:44			0.1		0.2		0.1	
419	10/6/2006 15:45			0.1		0.2		0.1	
420	10/6/2006 15:46			0.1		0.2		0.1	0.1
421	10/6/2006 15:47			0.1		0.2		0.1	
422	10/6/2006 15:48			0.1		0.2		0.1	
423	10/6/2006 15:49			0.1		0.2		0.1	
424	10/6/2006 15:50			0.1		0.2		0.1	
425	10/6/2006 15:51			0.1		0.2		0.1	
426	10/6/2006 15:52			0.1		0.2		0.1	
427	10/6/2006 15:53			0.1		0.2		0.1	
428	10/6/2006 15:54			0.1		0.3		0.1	
429	10/6/2006 15:55			0.1		0.2		0.1	
430	10/6/2006 15:56			0.1		0.2		0.1	
431	10/6/2006 15:57			0.1		0.2		0.1	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	16
Test Abbreviation:	
Start Date:	10/6/2006
Start Time:	6:58:08
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (AM - 6:54) = 0.013

Statistics		
	Channel:	Aerosol
	Units:	mg/m^3
	Average:	0.007
	Minimum:	0
	Time of Minimum:	7:28:08
	Date of Minimum:	10/6/2006
	Maximum:	0.014
	Time of Maximum:	8:43:08
	Date of Maximum:	10/6/2006

Calibration		
	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/6/2006	7:13:08	0.003	-0.01	-10
10/6/2006	7:28:08	0	-0.013	-13
10/6/2006	7:43:08	0.003	-0.01	-10
10/6/2006	7:58:08	0.007	-0.006	-6
10/6/2006	8:13:08	0.008	-0.005	-5
10/6/2006	8:28:08	0.008	-0.005	-5
10/6/2006	8:43:08	0.014	0.001	1
10/6/2006	8:58:08	0.004	-0.009	-9
10/6/2006	9:13:08	0.003	-0.01	-10
10/6/2006	9:28:08	0.014	0.001	1
10/6/2006	9:43:08	0.006	-0.007	-7
10/6/2006	9:58:08	0.01	-0.003	-3
10/6/2006	10:13:08	0.012	-0.001	-1
10/6/2006	10:28:08	0.005	-0.008	-8
10/6/2006	10:43:08	0.005	-0.008	-8
10/6/2006	10:58:08	0.005	-0.008	-8
10/6/2006	11:13:08	0.007	-0.006	-6
10/6/2006	11:28:08	0.007	-0.006	-6
10/6/2006	11:43:08	0.01	-0.003	-3
10/6/2006	12:59:33	0.014	0.001	1
10/6/2006	13:14:33	0.019	0.006	6
10/6/2006	13:29:33	0.007	-0.006	-6
10/6/2006	13:44:33	0.012	-0.001	-1
10/6/2006	13:59:33	0.008	-0.005	-5
10/6/2006	14:14:33	0.018	0.005	5
10/6/2006	14:29:33	0.013	0	0
10/6/2006	14:44:33	0.014	0.001	1
10/6/2006	14:59:33	0.017	0.004	4
10/6/2006	15:14:33	0.014	0.001	1
10/6/2006	15:29:33	0.016	0.003	3
10/6/2006	15:44:33	0.013	0	0
10/6/2006	15:59:33	0.008	-0.005	-5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 16:45

Measurement Type:		Min(ppm)	Min(ppm)		
Line#	Date Time	Min(ppm) AVG	Avg(ppm) AVG	Max(ppm) AVG	Avg-background(ppm)
Initial	10/7/2006 8:36		0		
1	10/7/2006 8:36		0		0
2	10/7/2006 8:51		0		0
3	10/7/2006 9:06		0		0
4	10/7/2006 9:21		0		0
5	10/7/2006 9:36		0		0
6	10/7/2006 9:51		0		0
7	10/7/2006 10:06		0		0
8	10/7/2006 10:21		0		0
9	10/7/2006 10:36		0		0
10	10/7/2006 10:51		0		0
11	10/7/2006 11:06		0		0
12	10/7/2006 11:21		0		0
13	10/7/2006 11:36		0		0
14	10/7/2006 11:51		0		0
15	10/7/2006 12:06		0		0
16	10/7/2006 12:21		0		0
17	10/7/2006 12:36		0		0
18	10/7/2006 12:51		0		0
19	10/7/2006 13:06		0		0
20	10/7/2006 13:21		0		0
21	10/7/2006 13:36		0		0
22	10/7/2006 13:51		0		0
23	10/7/2006 14:06		0		0
24	10/7/2006 14:21		0		0
25	10/7/2006 14:36		0		0
26	10/7/2006 14:51		0		0
27	10/7/2006 15:06		0		0
28	10/7/2006 15:21		0		0
29	10/7/2006 15:36		0		0
30	10/7/2006 15:51		0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		0
Test ID:		15
Test Abbreviation:		
Start Date:		10/7/2006
Start Time:		8:24:13
Duration (dd:hh:mm:ss):	00:07:45:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		31
Notes:		

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3
10/7/2006	8:35:00 AM (Background)	0.005		
10/7/2006	8:39:13	0.005	0	0
10/7/2006	8:54:13	0.005	0	0
10/7/2006	9:09:13	0.016	0.011	11
10/7/2006	9:24:13	0.006	0.001	1
10/7/2006	9:39:13	0.006	0.001	1
10/7/2006	9:54:13	0.007	0.002	2
10/7/2006	10:09:13	0.006	0.001	1
10/7/2006	10:24:13	0.006	0.001	1
10/7/2006	10:39:13	0.006	0.001	1
10/7/2006	10:54:13	0.005	0	0
10/7/2006	11:09:13	0.006	0.001	1
10/7/2006	11:24:13	0.006	0.001	1
10/7/2006	11:39:13	0.013	0.008	8
10/7/2006	11:54:13	0.011	0.006	6
10/7/2006	12:09:13	0.008	0.003	3
10/7/2006	12:24:13	0.006	0.001	1
10/7/2006	12:39:13	0.006	0.001	1
10/7/2006	12:54:13	0.007	0.002	2
10/7/2006	13:09:13	0.006	0.001	1
10/7/2006	13:24:13	0.015	0.01	10
10/7/2006	13:39:13	0.006	0.001	1
10/7/2006	13:54:13	0.006	0.001	1
10/7/2006	14:09:13	0.006	0.001	1
10/7/2006	14:24:13	0.008	0.003	3
10/7/2006	14:39:13	0.012	0.007	7
10/7/2006	14:54:13	0.008	0.003	3
10/7/2006	15:09:13	0.006	0.001	1
10/7/2006	15:24:13	0.008	0.003	3
10/7/2006	15:39:13	0.006	0.001	1
10/7/2006	15:54:13	0.007	0.002	2
10/7/2006	16:09:13	0.008	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 16:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
Background	10/7/2006 8:00			0				
1	10/7/2006 8:27			0				0
2	10/7/2006 8:42			0				0
3	10/7/2006 8:57			0				0
4	10/7/2006 9:12			0				0
5	10/7/2006 9:27			0				0
6	10/7/2006 9:42			0				0
7	10/7/2006 9:57			0				0
8	10/7/2006 10:12			0				0
9	10/7/2006 10:27			0				0
10	10/7/2006 10:42			0				0
11	10/7/2006 10:57			0				0
12	10/7/2006 11:12			0				0
13	10/7/2006 11:27			0				0
14	10/7/2006 11:42			0				0
15	10/7/2006 11:57			0				0
16	10/7/2006 12:12			0				0
17	10/7/2006 12:27			0				0
18	10/7/2006 12:42			0				0
19	10/7/2006 12:57			0				0
20	10/7/2006 13:12			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		85200858
Test ID:		17
Test Abbreviation:		
Start Date:		10/7/2006
Start Time:		8:17:46
Duration (dd:hh:mm:ss):	00:08:00:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		32
Notes:		

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/7/2006	8:00:00 AM (Background)	0.005		
10/7/2006	8:32:46	0.005	0	0
10/7/2006	8:47:46	0.005	0	0
10/7/2006	9:02:46	0.005	0	0
10/7/2006	9:17:46	0.007	0.002	2
10/7/2006	9:32:46	0.005	0	0
10/7/2006	9:47:46	0.006	0.001	1
10/7/2006	10:02:46	0.005	0	0
10/7/2006	10:17:46	0.005	0	0
10/7/2006	10:32:46	0.005	0	0
10/7/2006	10:47:46	0.005	0	0
10/7/2006	11:02:46	0.005	0	0
10/7/2006	11:17:46	0.006	0.001	1
10/7/2006	11:32:46	0.007	0.002	2
10/7/2006	11:47:46	0.006	0.001	1
10/7/2006	12:02:46	0.006	0.001	1
10/7/2006	12:17:46	0.007	0.002	2
10/7/2006	12:32:46	0.007	0.002	2
10/7/2006	12:47:46	0.007	0.002	2
10/7/2006	13:02:46	0.007	0.002	2
10/7/2006	13:17:46	0.007	0.002	2
10/7/2006	13:32:46	0.007	0.002	2
10/7/2006	13:47:46	0.007	0.002	2
10/7/2006	14:02:46	0.007	0.002	2
10/7/2006	14:17:46	0.008	0.003	3
10/7/2006	14:32:46	0.008	0.003	3
10/7/2006	14:47:46	0.008	0.003	3
10/7/2006	15:02:46	0.008	0.003	3
10/7/2006	15:17:46	0.008	0.003	3
10/7/2006	15:32:46	0.009	0.004	4
10/7/2006	15:47:46	0.008	0.003	3
10/7/2006	16:02:46	0.009	0.004	4
10/7/2006	16:17:46	0.009	0.004	4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 16:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
Background	10/7/2006 7:50			0				
1	10/7/2006 8:02			0		0.1		0
2	10/7/2006 8:17			0		0.2		0
3	10/7/2006 8:32			0		0.3		0
4	10/7/2006 8:47			0		0		0
5	10/7/2006 9:02			0		0		0
6	10/7/2006 9:17			0		0		0
7	10/7/2006 9:32			0		0		0
8	10/7/2006 9:47			0		0		0
9	10/7/2006 10:02			0		0		0
10	10/7/2006 10:17			0		0		0
11	10/7/2006 10:32			0		0		0
12	10/7/2006 10:47			0		0.2		0
13	10/7/2006 11:02			0		0.1		0
14	10/7/2006 11:17			0		0.1		0
15	10/7/2006 11:32			0		0.1		0
16	10/7/2006 11:47			0		0		0
17	10/7/2006 12:02			0		0		0
18	10/7/2006 12:17			0		0		0
19	10/7/2006 12:32			0		0		0
20	10/7/2006 12:47			0		0.1		0
21	10/7/2006 13:02			0		0		0
22	10/7/2006 13:17			0		0		0
23	10/7/2006 13:32			0		0		0
24	10/7/2006 13:47			0		0.4		0
25	10/7/2006 14:02			0		0		0
26	10/7/2006 14:17			0		0.1		0
27	10/7/2006 14:32			0		0		0
28	10/7/2006 14:47			0		0		0
29	10/7/2006 15:02			0		0		0
30	10/7/2006 15:17			0		0		0
31	10/7/2006 15:32			0		0.8		0
32	10/7/2006 15:47			0		0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		85196800
Test ID:		19
Test Abbreviation:		
Start Date:		10/7/2006
Start Time:		7:59:26
Duration (dd:hh:mm:ss):	00:08:15:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		33
Notes:		

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3
10/7/2006	7:50:00 AM (Background)	0.006		
10/7/2006	8:14:26	0.009	0.003	3
10/7/2006	8:29:26	0.007	0.001	1
10/7/2006	8:44:26	0.007	0.001	1
10/7/2006	8:59:26	0.009	0.003	3
10/7/2006	9:14:26	0.01	0.004	4
10/7/2006	9:29:26	0.009	0.003	3
10/7/2006	9:44:26	0.01	0.004	4
10/7/2006	9:59:26	0.012	0.006	6
10/7/2006	10:14:26	0.008	0.002	2
10/7/2006	10:29:26	0.011	0.005	5
10/7/2006	10:44:26	0.01	0.004	4
10/7/2006	10:59:26	0.008	0.002	2
10/7/2006	11:14:26	0.009	0.003	3
10/7/2006	11:29:26	0.01	0.004	4
10/7/2006	11:44:26	0.009	0.003	3
10/7/2006	11:59:26	0.009	0.003	3
10/7/2006	12:14:26	0.01	0.004	4
10/7/2006	12:29:26	0.01	0.004	4
10/7/2006	12:44:26	0.011	0.005	5
10/7/2006	12:59:26	0.011	0.005	5
10/7/2006	13:14:26	0.01	0.004	4
10/7/2006	13:29:26	0.011	0.005	5
10/7/2006	13:44:26	0.012	0.006	6
10/7/2006	13:59:26	0.011	0.005	5
10/7/2006	14:14:26	0.011	0.005	5
10/7/2006	14:29:26	0.011	0.005	5
10/7/2006	14:44:26	0.011	0.005	5
10/7/2006	14:59:26	0.01	0.004	4
10/7/2006	15:14:26	0.009	0.003	3
10/7/2006	15:29:26	0.01	0.004	4
10/7/2006	15:44:26	0.009	0.003	3
10/7/2006	15:59:26	0.009	0.003	3
10/7/2006	16:14:26	0.01	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 16:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
Background	10/7/2006 7:40			0				
1	10/7/2006 7:52			0		0.1		0
2	10/7/2006 8:07			0		0		0
3	10/7/2006 8:22			0		0.1		0
4	10/7/2006 8:37			0		0.1		0
5	10/7/2006 8:52			0		0.1		0
6	10/7/2006 9:07			0		0.2		0
7	10/7/2006 9:22			0		0.2		0
8	10/7/2006 9:37			0.2		0.3		0.2
9	10/7/2006 9:52			0.2		0.5		0.2
10	10/7/2006 10:07			0.2		0.4		0.2
11	10/7/2006 10:22			0.2		0.4		0.2
12	10/7/2006 10:37			0.2		0.4		0.2
13	10/7/2006 10:52			0.2		0.4		0.2
14	10/7/2006 11:07			0.2		0.4		0.2
15	10/7/2006 11:22			0.2		0.4		0.2
16	10/7/2006 11:37			0.2		0.3		0.2
17	10/7/2006 11:52			0.2		0.4		0.2
18	10/7/2006 12:07			0.2		0.4		0.2
19	10/7/2006 12:22			0.2		0.4		0.2
20	10/7/2006 12:37			0.2		0.4		0.2
21	10/7/2006 12:52			0.2		0.4		0.2
22	10/7/2006 13:07			0.2		0.4		0.2
23	10/7/2006 13:22			0.2		0.4		0.2
24	10/7/2006 13:37			0.2		0.4		0.2
25	10/7/2006 13:52			0.2		0.4		0.2
26	10/7/2006 14:07			0.3		0.6		0.3
27	10/7/2006 14:22			0.3		0.4		0.3
28	10/7/2006 14:37			0.2		0.4		0.2
29	10/7/2006 14:52			0.3		0.5		0.3
30	10/7/2006 15:07			0.4		0.6		0.4
31	10/7/2006 15:22			0.2		0.5		0.2
32	10/7/2006 15:37			0.2		0.4		0.2
33	10/7/2006 15:52			0.2		0.4		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		85200855
Test ID:		18
Test Abbreviation:		
Start Date:		10/7/2006
Start Time:		7:43:36
Duration (dd:hh:mm:ss):	00:05:30:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		22
Notes:		

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)		
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	
10/7/2006	7:40:00 AM (Background)	0.008			
10/7/2006	7:58:36	0.021	0.013	13	
10/7/2006	8:13:36	0.008	0	0	
10/7/2006	8:28:36	0.008	0	0	
10/7/2006	8:43:36	0.008	0	0	
10/7/2006	8:58:36	0.01	0.002	2	
10/7/2006	9:13:36	0.016	0.008	8	
10/7/2006	9:28:36	0.015	0.007	7	
10/7/2006	9:43:36	0.012	0.004	4	
10/7/2006	9:58:36	0.01	0.002	2	
10/7/2006	10:13:36	0.009	0.001	1	
10/7/2006	10:28:36	0.012	0.004	4	
10/7/2006	10:43:36	0.014	0.006	6	
10/7/2006	10:58:36	0.013	0.005	5	
10/7/2006	11:13:36	0.016	0.008	8	
10/7/2006	11:28:36	0.024	0.016	16	
10/7/2006	11:43:36	0.02	0.012	12	
10/7/2006	11:58:36	0.017	0.009	9	
10/7/2006	12:13:36	0.035	0.027	27	
10/7/2006	12:28:36	0.014	0.006	6	
10/7/2006	12:43:36	0.015	0.007	7	
10/7/2006	12:58:36	0.032	0.024	24	
10/7/2006	13:13:36	0.02	0.012	12	
10/7/2006	14:22:59	0.015	0.007	7	Batteries replaced at 14:22
10/7/2006	14:37:59	0.016	0.008	8	
10/7/2006	14:52:59	0.018	0.01	10	
10/7/2006	15:07:59	0.018	0.01	10	
10/7/2006	15:22:59	0.02	0.012	12	
10/7/2006	15:37:59	0.02	0.012	12	
10/7/2006	15:52:59	0.017	0.009	9	
10/7/2006	16:07:59	0.018	0.01	10	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/06/2006 16:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:37) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/9/2006 6:56			0				0
2	10/9/2006 7:11			0				0
3	10/9/2006 7:26			0				0
4	10/9/2006 7:41			0				0
5	10/9/2006 7:56			0				0
6	10/9/2006 8:11			0.1				0.1
7	10/9/2006 8:26			0.1				0.1
8	10/9/2006 8:41			0.1				0.1
9	10/9/2006 8:56			0.1				0.1
10	10/9/2006 9:11			0.1				0.1
11	10/9/2006 9:26			0.1				0.1
12	10/9/2006 9:41			0.1				0.1
13	10/9/2006 9:56			0.1				0.1
14	10/9/2006 10:11			0.1				0.1
15	10/9/2006 10:26			0.1				0.1
16	10/9/2006 10:41			0.1				0.1
17	10/9/2006 10:56			0.1				0.1
18	10/9/2006 11:11			0.1				0.1
19	10/9/2006 11:26			0.2				0.2
20	10/9/2006 11:41			0.2				0.2
21	10/9/2006 11:56			0.2				0.2
22	10/9/2006 12:11			0.2				0.2
23	10/9/2006 12:26			0.2				0.2
24	10/9/2006 12:41			0.2				0.2
25	10/9/2006 12:56			0.2				0.2
26	10/9/2006 13:11			0.2				0.2
27	10/9/2006 13:26			0.2				0.2
28	10/9/2006 13:41			0.2				0.2
29	10/9/2006 13:56			0.2				0.2
30	10/9/2006 14:11			0.2				0.2
31	10/9/2006 14:26			0.2				0.2
32	10/9/2006 14:41			0.2				0.2
33	10/9/2006 14:56			0.2				0.2
34	10/9/2006 15:11			0.2				0.2
35	10/9/2006 15:26			0.2				0.2
36	10/9/2006 15:41			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	16
Test Abbreviation:	
Start Date:	10/9/2006
Start Time:	6:45:05
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (AM - 6:37) = 0.026

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/9/2006	7:00:05	0.026	0	0
10/9/2006	7:15:05	0.03	0.004	4
10/9/2006	7:30:05	0.03	0.004	4
10/9/2006	7:45:05	0.058	0.032	32
10/9/2006	8:00:05	0.03	0.004	4
10/9/2006	8:15:05	0.029	0.003	3
10/9/2006	8:30:05	0.029	0.003	3
10/9/2006	8:45:05	0.029	0.003	3
10/9/2006	9:00:05	0.029	0.003	3
10/9/2006	9:15:05	0.031	0.005	5
10/9/2006	9:30:05	0.031	0.005	5
10/9/2006	9:45:05	0.032	0.006	6
10/9/2006	10:00:05	0.033	0.007	7
10/9/2006	10:15:05	0.034	0.008	8
10/9/2006	10:30:05	0.03	0.004	4
10/9/2006	10:45:05	0.027	0.001	1
10/9/2006	11:00:05	0.027	0.001	1
10/9/2006	11:15:05	0.029	0.003	3
10/9/2006	11:30:05	0.033	0.007	7
10/9/2006	11:45:05	0.036	0.01	10
10/9/2006	12:00:05	0.028	0.002	2
10/9/2006	12:15:05	0.028	0.002	2
10/9/2006	12:30:05	0.027	0.001	1
10/9/2006	12:45:05	0.026	0	0
10/9/2006	13:00:05	0.023	-0.003	-3
10/9/2006	13:15:05	0.022	-0.004	-4
10/9/2006	13:30:05	0.02	-0.006	-6
10/9/2006	13:45:05	0.02	-0.006	-6
10/9/2006	14:00:05	0.019	-0.007	-7
10/9/2006	14:15:05	0.017	-0.009	-9
10/9/2006	14:30:05	0.016	-0.01	-10
10/9/2006	14:45:05	0.016	-0.01	-10
10/9/2006	15:00:05	0.015	-0.011	-11
10/9/2006	15:15:05	0.014	-0.012	-12
10/9/2006	15:30:05	0.014	-0.012	-12
10/9/2006	15:45:05	0.013	-0.013	-13
10/9/2006	16:00:05	0.014	-0.012	-12

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/09/2006 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:43) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/9/2006 6:59			0.1				0.1
2	10/9/2006 7:14			0.1				0.1
3	10/9/2006 7:29			0.2				0.2
4	10/9/2006 7:44			0.2				0.2
5	10/9/2006 7:59			0.3				0.3
6	10/9/2006 8:14			0.4				0.4
7	10/9/2006 8:29			0.4				0.4
8	10/9/2006 8:44			0.4				0.4
9	10/9/2006 8:59			0.5				0.5
10	10/9/2006 9:14			0.5				0.5
11	10/9/2006 9:29			0.5				0.5
12	10/9/2006 9:44			0.5				0.5
13	10/9/2006 9:59			0.5				0.5
14	10/9/2006 10:14			0.5				0.5
15	10/9/2006 10:29			0.5				0.5
16	10/9/2006 10:44			0.6				0.6
17	10/9/2006 10:59			0.6				0.6
18	10/9/2006 11:14			0.6				0.6
19	10/9/2006 11:29			0.6				0.6
20	10/9/2006 11:44			0.6				0.6
21	10/9/2006 11:59			0.6				0.6
22	10/9/2006 12:14			0.5				0.5
23	10/9/2006 12:29			0.5				0.5
24	10/9/2006 12:44			0.5				0.5
25	10/9/2006 12:59			0.5				0.5
26	10/9/2006 13:14			0.4				0.4
27	10/9/2006 13:29			0.4				0.4
28	10/9/2006 13:44			0.4				0.4
29	10/9/2006 13:59			0.4				0.4
30	10/9/2006 14:14			0.4				0.4
31	10/9/2006 14:29			0.4				0.4
32	10/9/2006 14:44			0.4				0.4
33	10/9/2006 14:59			0.4				0.4
34	10/9/2006 15:14			0.3				0.3
35	10/9/2006 15:29			0.3				0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	18
Test Abbreviation:	
Start Date:	10/9/2006
Start Time:	6:52:21
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:43) = 0.021

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2006	7:07:21	0.024	0.003	3
10/9/2006	7:22:21	0.023	0.002	2
10/9/2006	7:37:21	0.025	0.004	4
10/9/2006	7:52:21	0.026	0.005	5
10/9/2006	8:07:21	0.031	0.01	10
10/9/2006	8:22:21	0.027	0.006	6
10/9/2006	8:37:21	0.027	0.006	6
10/9/2006	8:52:21	0.028	0.007	7
10/9/2006	9:07:21	0.031	0.01	10
10/9/2006	9:22:21	0.033	0.012	12
10/9/2006	9:37:21	0.033	0.012	12
10/9/2006	9:52:21	0.039	0.018	18
10/9/2006	10:07:21	0.04	0.019	19
10/9/2006	10:22:21	0.04	0.019	19
10/9/2006	10:37:21	0.035	0.014	14
10/9/2006	10:52:21	0.03	0.009	9
10/9/2006	11:07:21	0.034	0.013	13
10/9/2006	11:22:21	0.037	0.016	16
10/9/2006	11:37:21	0.036	0.015	15
10/9/2006	11:52:21	0.034	0.013	13
10/9/2006	12:07:21	0.033	0.012	12
10/9/2006	12:22:21	0.035	0.014	14
10/9/2006	12:37:21	0.036	0.015	15
10/9/2006	12:52:21	0.034	0.013	13
10/9/2006	13:07:21	0.03	0.009	9
10/9/2006	13:22:21	0.032	0.011	11
10/9/2006	13:37:21	0.027	0.006	6
10/9/2006	13:52:21	0.027	0.006	6
10/9/2006	14:07:21	0.03	0.009	9
10/9/2006	14:22:21	0.03	0.009	9
10/9/2006	14:37:21	0.025	0.004	4
10/9/2006	14:52:21	0.027	0.006	6
10/9/2006	15:07:21	0.023	0.002	2
10/9/2006	15:22:21	0.023	0.002	2
10/9/2006	15:37:21	0.023	0.002	2
10/9/2006	15:52:21	0.021	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011749

User ID: 00000001 Site ID: 00000123

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/09/2006 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.1 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/9/2006 7:14		0.2		0.1
2	10/9/2006 7:29		0.2		0.1
3	10/9/2006 7:44		0.3		0.2
4	10/9/2006 7:59		0.4		0.3
5	10/9/2006 8:14		0.3		0.2
6	10/9/2006 8:29		0.3		0.2
7	10/9/2006 8:44		0.4		0.3
8	10/9/2006 8:59		0.4		0.3
9	10/9/2006 9:14		0.4		0.3
10	10/9/2006 9:29		0.4		0.3
11	10/9/2006 9:44		0.4		0.3
12	10/9/2006 9:59		0.4		0.3
13	10/9/2006 10:14		0.5		0.4
14	10/9/2006 10:29		0.5		0.4
15	10/9/2006 10:44		0.5		0.4
16	10/9/2006 10:59		0.5		0.4
17	10/9/2006 11:14		0.5		0.4
18	10/9/2006 11:29		0.5		0.4
19	10/9/2006 11:44		0.5		0.4
20	10/9/2006 11:59		0.5		0.4
21	10/9/2006 12:14		0.5		0.4
22	10/9/2006 12:29		0.5		0.4
23	10/9/2006 12:44		0.5		0.4
24	10/9/2006 12:59		0.5		0.4
25	10/9/2006 13:14		0.5		0.4
26	10/9/2006 13:29		0.5		0.4
27	10/9/2006 13:44		0.5		0.4
28	10/9/2006 13:59		0.5		0.4
29	10/9/2006 14:14		0.5		0.4
30	10/9/2006 14:29		0.5		0.4
31	10/9/2006 14:44		0.5		0.4
32	10/9/2006 14:59		0.5		0.4
33	10/9/2006 15:14		0.5		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	20
Test Abbreviation:	
Start Date:	10/9/2006
Start Time:	7:12:52
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (AM - 7:05) = 0.036

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/9/2006	7:27:52	0.04	0.004	4
10/9/2006	7:42:52	0.041	0.005	5
10/9/2006	8:04:52	0.053	0.017	17
10/9/2006	8:19:52	0.07	0.034	34
10/9/2006	8:34:52	0.1	0.064	64
10/9/2006	8:49:52	0.082	0.046	46
10/9/2006	9:04:52	0.058	0.022	22
10/9/2006	9:19:52	0.051	0.015	15
10/9/2006	9:34:52	0.05	0.014	14
10/9/2006	9:49:52	0.054	0.018	18
10/9/2006	10:40:09	0.13	0.094	94
10/9/2006	10:55:09	0.093	0.057	57
10/9/2006	11:10:09	0.079	0.043	43
10/9/2006	11:25:09	0.05	0.014	14
10/9/2006	11:40:09	0.051	0.015	15
10/9/2006	11:55:09	0.044	0.008	8
10/9/2006	12:10:09	0.045	0.009	9
10/9/2006	12:25:09	0.044	0.008	8
10/9/2006	12:40:09	0.046	0.01	10
10/9/2006	12:55:09	0.043	0.007	7
10/9/2006	13:10:09	0.047	0.011	11
10/9/2006	13:25:09	0.041	0.005	5
10/9/2006	13:40:09	0.037	0.001	1
10/9/2006	13:55:09	0.041	0.005	5
10/9/2006	14:10:09	0.039	0.003	3
10/9/2006	14:25:09	0.044	0.008	8
10/9/2006	14:40:09	0.04	0.004	4
10/9/2006	14:55:09	0.038	0.002	2
10/9/2006	15:10:09	0.03	-0.006	-6
10/9/2006	15:25:09	0.031	-0.005	-5
10/9/2006	15:40:09	0.031	-0.005	-5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/09/2006 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:56) = 0.1 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/9/2006 7:09		0		-0.1
2	10/9/2006 7:24		0		-0.1
3	10/9/2006 7:39		0		-0.1
4	10/9/2006 7:54		0		-0.1
5	10/9/2006 8:09		0		-0.1
6	10/9/2006 8:24		0		-0.1
7	10/9/2006 8:39		0		-0.1
8	10/9/2006 8:54		0		-0.1
9	10/9/2006 9:09		0		-0.1
10	10/9/2006 9:24		0		-0.1
11	10/9/2006 9:39		0		-0.1
12	10/9/2006 9:54		0		-0.1
13	10/9/2006 10:09		0		-0.1
14	10/9/2006 10:24		0		-0.1
15	10/9/2006 10:39		0		-0.1
16	10/9/2006 10:54		0		-0.1
17	10/9/2006 11:09		0		-0.1
18	10/9/2006 11:24		0		-0.1
19	10/9/2006 11:39		0		-0.1
20	10/9/2006 11:54		0		-0.1
21	10/9/2006 12:09		0		-0.1
22	10/9/2006 12:24		0		-0.1
23	10/9/2006 12:39		0		-0.1
24	10/9/2006 12:54		0		-0.1
25	10/9/2006 13:09		0		-0.1
26	10/9/2006 13:24		0		-0.1
27	10/9/2006 13:39		0		-0.1
28	10/9/2006 13:54		0		-0.1
29	10/9/2006 14:09		0		-0.1
30	10/9/2006 14:24		0		-0.1
31	10/9/2006 14:39		0		-0.1
32	10/9/2006 14:54		0		-0.1
33	10/9/2006 15:09		0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	20
Test Abbreviation:	
Start Date:	10/9/2006
Start Time:	7:03:55
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 6:56) = 0.050

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2006	7:18:55	0.041	-0.009	-9
10/9/2006	7:33:55	0.044	-0.006	-6
10/9/2006	7:48:55	0.071	0.021	21
10/9/2006	8:03:55	0.048	-0.002	-2
10/9/2006	8:18:55	0.042	-0.008	-8
10/9/2006	8:33:55	0.044	-0.006	-6
10/9/2006	8:48:55	0.049	-0.001	-1
10/9/2006	9:03:55	0.043	-0.007	-7
10/9/2006	9:18:55	0.045	-0.005	-5
10/9/2006	9:33:55	0.045	-0.005	-5
10/9/2006	9:48:55	0.047	-0.003	-3
10/9/2006	10:03:55	0.049	-0.001	-1
10/9/2006	10:18:55	0.05	0	0
10/9/2006	10:33:55	0.044	-0.006	-6
10/9/2006	10:48:55	0.041	-0.009	-9
10/9/2006	11:03:55	0.044	-0.006	-6
10/9/2006	11:18:55	0.045	-0.005	-5
10/9/2006	11:33:55	0.047	-0.003	-3
10/9/2006	11:48:55	0.047	-0.003	-3
10/9/2006	12:03:55	0.046	-0.004	-4
10/9/2006	12:18:55	0.046	-0.004	-4
10/9/2006	12:33:55	0.046	-0.004	-4
10/9/2006	12:48:55	0.047	-0.003	-3
10/9/2006	13:03:55	0.038	-0.012	-12
10/9/2006	13:18:55	0.037	-0.013	-13
10/9/2006	13:33:55	0.036	-0.014	-14
10/9/2006	13:48:55	0.038	-0.012	-12
10/9/2006	14:03:55	0.037	-0.013	-13
10/9/2006	14:18:55	0.034	-0.016	-16
10/9/2006	14:33:55	0.034	-0.016	-16
10/9/2006	14:48:55	0.036	-0.014	-14
10/9/2006	15:03:55	0.033	-0.017	-17
10/9/2006	15:18:55	0.034	-0.016	-16
10/9/2006	15:33:55	0.036	-0.014	-14

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/10/2006 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:03) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/10/2006 7:21			0				0
2	10/10/2006 7:36			0				0
3	10/10/2006 7:51			0				0
4	10/10/2006 8:06			0				0
5	10/10/2006 8:21			0				0
6	10/10/2006 8:36			0				0
7	10/10/2006 8:51			0				0
8	10/10/2006 9:06			0				0
9	10/10/2006 9:21			0.1				0.1
10	10/10/2006 9:36			0.1				0.1
11	10/10/2006 9:51			0.1				0.1
12	10/10/2006 10:06			0				0
13	10/10/2006 10:21			0				0
14	10/10/2006 10:36			0				0
15	10/10/2006 10:51			0				0
16	10/10/2006 11:06			0				0
17	10/10/2006 11:21			0				0
18	10/10/2006 11:36			0.1				0.1
19	10/10/2006 11:51			0.1				0.1
20	10/10/2006 12:06			0.1				0.1
21	10/10/2006 12:21			0.1				0.1
22	10/10/2006 12:36			0.1				0.1
23	10/10/2006 12:51			0.1				0.1
24	10/10/2006 13:06			0.1				0.1
25	10/10/2006 13:21			0.1				0.1
26	10/10/2006 13:36			0.1				0.1
27	10/10/2006 13:51			0.2				0.2
28	10/10/2006 14:06			0.2				0.2
29	10/10/2006 14:21			0.1				0.1
30	10/10/2006 14:36			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	10/10/2006
Start Time:	7:09:57
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (AM - 7:03) = 0.034

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/10/2006	7:24:57	0.04	0.006	6
10/10/2006	7:39:57	0.039	0.005	5
10/10/2006	7:54:57	0.037	0.003	3
10/10/2006	8:09:57	0.037	0.003	3
10/10/2006	8:24:57	0.042	0.008	8
10/10/2006	8:39:57	0.037	0.003	3
10/10/2006	8:54:57	0.026	-0.008	-8
10/10/2006	9:09:57	0.028	-0.006	-6
10/10/2006	9:24:57	0.038	0.004	4
10/10/2006	9:39:57	0.027	-0.007	-7
10/10/2006	9:54:57	0.028	-0.006	-6
10/10/2006	10:09:57	0.023	-0.011	-11
10/10/2006	10:24:57	0.021	-0.013	-13
10/10/2006	10:39:57	0.025	-0.009	-9
10/10/2006	10:54:57	0.02	-0.014	-14
10/10/2006	11:09:57	0.016	-0.018	-18
10/10/2006	11:24:57	0.017	-0.017	-17
10/10/2006	11:39:57	0.017	-0.017	-17
10/10/2006	11:54:57	0.027	-0.007	-7
10/10/2006	12:09:57	0.017	-0.017	-17
10/10/2006	12:24:57	0.017	-0.017	-17
10/10/2006	12:39:57	0.017	-0.017	-17
10/10/2006	12:54:57	0.017	-0.017	-17
10/10/2006	13:09:57	0.016	-0.018	-18
10/10/2006	13:24:57	0.023	-0.011	-11
10/10/2006	13:39:57	0.016	-0.018	-18
10/10/2006	13:54:57	0.02	-0.014	-14
10/10/2006	14:09:57	0.018	-0.016	-16
10/10/2006	14:24:57	0.022	-0.012	-12
10/10/2006	14:39:57	0.021	-0.013	-13
10/10/2006	14:54:57	0.019	-0.015	-15

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/10/2006 08:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 10:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	10/10/2006 9:03			4.2					*Instrument malfunction resulted in erroneously high readings
2	10/10/2006 9:18			7.9	L				*Instrument malfunction resulted in erroneously high readings
3	10/10/2006 9:33			10.2	L				*Instrument malfunction resulted in erroneously high readings
4	10/10/2006 9:48			10.8	L				*Instrument malfunction resulted in erroneously high readings
5	10/10/2006 10:03			11.4	L				*Instrument malfunction resulted in erroneously high readings
6	10/10/2006 10:18			8.2	L				*Instrument malfunction resulted in erroneously high readings
7	10/10/2006 10:33			1.2				1.2	Instrument successfully cleaned/recalibrated
8	10/10/2006 10:48			0				0	
9	10/10/2006 11:03			0				0	
10	10/10/2006 11:18			0				0	
11	10/10/2006 11:33			0				0	
12	10/10/2006 11:48			0				0	
13	10/10/2006 12:03			0				0	
14	10/10/2006 12:18			0				0	
15	10/10/2006 12:33			0				0	
16	10/10/2006 12:48			0				0	
17	10/10/2006 13:03			0				0	
18	10/10/2006 13:18			0				0	
19	10/10/2006 13:33			0				0	
20	10/10/2006 13:48			0				0	
21	10/10/2006 14:03			0				0	
22	10/10/2006 14:18			0				0	
23	10/10/2006 14:33			0				0	
24	10/10/2006 14:48			0				0	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/10/2006
Start Time:	6:56:56
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (AM - 6:45) = 0.032

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/10/2006	7:11:56	0.036	0.004	4
10/10/2006	7:26:56	0.036	0.004	4
10/10/2006	7:41:56	0.036	0.004	4
10/10/2006	7:56:56	0.035	0.003	3
10/10/2006	8:11:56	0.035	0.003	3
10/10/2006	8:26:56	0.033	0.001	1
10/10/2006	8:41:56	0.028	-0.004	-4
10/10/2006	8:56:56	0.027	-0.005	-5
10/10/2006	9:11:56	0.031	-0.001	-1
10/10/2006	9:26:56	0.032	0	0
10/10/2006	9:41:56	0.032	0	0
10/10/2006	9:56:56	0.031	-0.001	-1
10/10/2006	10:11:56	0.027	-0.005	-5
10/10/2006	10:26:56	0.026	-0.006	-6
10/10/2006	10:41:56	0.025	-0.007	-7
10/10/2006	10:56:56	0.023	-0.009	-9
10/10/2006	11:11:56	0.021	-0.011	-11
10/10/2006	11:26:56	0.024	-0.008	-8
10/10/2006	11:41:56	0.022	-0.01	-10
10/10/2006	11:56:56	0.024	-0.008	-8
10/10/2006	12:11:56	0.024	-0.008	-8
10/10/2006	12:26:56	0.024	-0.008	-8
10/10/2006	12:41:56	0.024	-0.008	-8
10/10/2006	12:56:56	0.023	-0.009	-9
10/10/2006	13:11:56	0.024	-0.008	-8
10/10/2006	13:26:56	0.024	-0.008	-8
10/10/2006	13:41:56	0.023	-0.009	-9
10/10/2006	13:56:56	0.024	-0.008	-8
10/10/2006	14:11:56	0.023	-0.009	-9
10/10/2006	14:26:56	0.024	-0.008	-8
10/10/2006	14:41:56	0.027	-0.005	-5
10/10/2006	14:56:56	0.026	-0.006	-6
10/10/2006	15:11:56	0.026	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/10/2006 07:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/10/2006 8:01			0				0
2	10/10/2006 8:16			0				0
3	10/10/2006 8:31			0				0
4	10/10/2006 8:46			0				0
5	10/10/2006 9:01			0				0
6	10/10/2006 9:16			0				0
7	10/10/2006 9:31			0				0
8	10/10/2006 9:46			0				0
9	10/10/2006 10:01			0				0
10	10/10/2006 10:16			0				0
11	10/10/2006 10:31			0				0
12	10/10/2006 10:46			0				0
13	10/10/2006 11:01			0				0
14	10/10/2006 11:16			0				0
15	10/10/2006 11:31			0				0
16	10/10/2006 11:46			0				0
17	10/10/2006 12:01			0				0
18	10/10/2006 12:16			0				0
19	10/10/2006 12:31			0				0
20	10/10/2006 12:46			0				0
21	10/10/2006 13:01			0				0
22	10/10/2006 13:16			0				0
23	10/10/2006 13:31			0				0
24	10/10/2006 13:46			0				0
25	10/10/2006 14:01			0				0
26	10/10/2006 14:16			0				0
27	10/10/2006 14:31			0				0
28	10/10/2006 14:46			0.1				0.1

STATION 3 (P.S. 156)

Instantaneous Readings Using Handheld Dust Trak

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

Background Reading (AM - 7:05) = 0.065

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/10/2006	7:05:00	0.065	0	0
10/10/2006	8:02:00	0.056	-0.009	-9
10/10/2006	9:21	0.045	-0.02	-20
10/10/2006	9:43	0.039	-0.026	-26
10/10/2006	10:46	0.026	-0.039	-39
10/10/2006	12:15	0.033	-0.032	-32
10/10/2006	13:26	0.034	-0.031	-31
10/10/2006	14:21	0.036	-0.029	-29
10/10/2006	15:00	0.037	-0.028	-28

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/10/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/10/2006 7:24			0				0
2	10/10/2006 7:39			0				0
3	10/10/2006 7:54			0				0
4	10/10/2006 8:09			0				0
5	10/10/2006 8:24			0				0
6	10/10/2006 8:39			0				0
7	10/10/2006 8:54			0				0
8	10/10/2006 9:09			0				0
9	10/10/2006 9:24			0				0
10	10/10/2006 9:39			0				0
11	10/10/2006 9:54			0				0
12	10/10/2006 10:09			0				0
13	10/10/2006 10:24			0				0
14	10/10/2006 10:39			0				0
15	10/10/2006 10:54			0				0
16	10/10/2006 11:09			0				0
17	10/10/2006 11:24			0				0
18	10/10/2006 11:39			0				0
19	10/10/2006 11:54			2				2
20	10/10/2006 12:09			0				0
21	10/10/2006 12:24			0				0
22	10/10/2006 12:39			0				0
23	10/10/2006 12:54			0				0
24	10/10/2006 13:09			0.4				0.4
25	10/10/2006 13:24			0				0
26	10/10/2006 13:39			0.2				0.2
27	10/10/2006 13:54			0				0
28	10/10/2006 14:09			0				0
29	10/10/2006 14:24			0				0
30	10/10/2006 14:39			0.3				0.3
31	10/10/2006 14:54			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	1
Test Abbreviation:	
Start Date:	10/10/2006
Start Time:	7:18:55
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	Background Reading (AM - 7:05) = 0.040

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/10/2006	7:33:55	0.053	0.013	13
10/10/2006	7:48:55	0.055	0.015	15
10/10/2006	8:03:55	0.06	0.02	20
10/10/2006	8:18:55	0.062	0.022	22
10/10/2006	8:33:55	0.061	0.021	21
10/10/2006	8:48:55	0.046	0.006	6
10/10/2006	9:03:55	0.047	0.007	7
10/10/2006	9:18:55	0.051	0.011	11
10/10/2006	9:33:55	0.047	0.007	7
10/10/2006	9:48:55	0.045	0.005	5
10/10/2006	10:27:33	0.058	0.018	18
10/10/2006	10:42:33	0.033	-0.007	-7
10/10/2006	10:57:33	0.047	0.007	7
10/10/2006	11:12:33	0.033	-0.007	-7
10/10/2006	11:27:33	0.04	0	0
10/10/2006	11:42:33	0.036	-0.004	-4
10/10/2006	11:57:33	0.05	0.01	10
10/10/2006	12:12:33	0.063	0.023	23
10/10/2006	12:31:23	0.037	-0.003	-3
10/10/2006	12:46:23	0.037	-0.003	-3
10/10/2006	13:01:23	0.052	0.012	12
10/10/2006	13:16:23	0.05	0.01	10
10/10/2006	13:31:23	0.066	0.026	26
10/10/2006	13:46:23	0.037	-0.003	-3
10/10/2006	14:01:23	0.036	-0.004	-4
10/10/2006	14:16:23	0.041	0.001	1
10/10/2006	14:31:23	0.039	-0.001	-1
10/10/2006	14:46:23	0.06	0.02	20
10/10/2006	15:01:23	0.051	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/11/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/11/2006 7:25			0				0
2	10/11/2006 7:40			0				0
3	10/11/2006 7:55			0.1				0.1
4	10/11/2006 8:10			0.1				0.1
5	10/11/2006 8:25			0.1				0.1
6	10/11/2006 8:40			0.2				0.2
7	10/11/2006 8:55			0.2				0.2
8	10/11/2006 9:10			0.2				0.2
9	10/11/2006 9:25			0.3				0.3
10	10/11/2006 9:40			0.3				0.3
11	10/11/2006 9:55			0.3				0.3
12	10/11/2006 10:10			0.3				0.3
13	10/11/2006 10:25			0.3				0.3
14	10/11/2006 10:40			0.4				0.4
15	10/11/2006 10:55			0.4				0.4
16	10/11/2006 11:10			0.4				0.4
17	10/11/2006 11:25			0.4				0.4
18	10/11/2006 11:40			0.4				0.4
19	10/11/2006 11:55			0.4				0.4
20	10/11/2006 12:10			0.4				0.4
21	10/11/2006 12:25			0.4				0.4
22	10/11/2006 12:40			0.5				0.5
23	10/11/2006 12:55			0.5				0.5
24	10/11/2006 13:10			0.5				0.5
25	10/11/2006 13:25			0.5				0.5
26	10/11/2006 13:40			0.5				0.5
27	10/11/2006 13:55			0.5				0.5
28	10/11/2006 14:10			0.5				0.5
29	10/11/2006 14:25			0.5				0.5
30	10/11/2006 14:40			0.5				0.5
31	10/11/2006 14:55			0.5				0.5
32	10/11/2006 15:10			0.5				0.5
33	10/11/2006 15:25			0.5				0.5
34	10/11/2006 15:40			0.5				0.5
35	10/11/2006 15:55			0.5				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	10/11/2006
Start Time:	7:13:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 7:06) = 0.027

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2006	7:28:12	0.026	-0.001	-1
10/11/2006	7:43:12	0.025	-0.002	-2
10/11/2006	7:58:12	0.027	0	0
10/11/2006	8:13:12	0.031	0.004	4
10/11/2006	8:28:12	0.029	0.002	2
10/11/2006	8:43:12	0.029	0.002	2
10/11/2006	8:58:12	0.029	0.002	2
10/11/2006	9:13:12	0.03	0.003	3
10/11/2006	9:28:12	0.029	0.002	2
10/11/2006	9:43:12	0.029	0.002	2
10/11/2006	9:58:12	0.031	0.004	4
10/11/2006	10:13:12	0.029	0.002	2
10/11/2006	10:28:12	0.029	0.002	2
10/11/2006	10:43:12	0.031	0.004	4
10/11/2006	10:58:12	0.032	0.005	5
10/11/2006	11:13:12	0.032	0.005	5
10/11/2006	11:28:12	0.033	0.006	6
10/11/2006	11:43:12	0.034	0.007	7
10/11/2006	11:58:12	0.035	0.008	8
10/11/2006	12:13:12	0.035	0.008	8
10/11/2006	12:28:12	0.037	0.01	10
10/11/2006	12:43:12	0.036	0.009	9
10/11/2006	12:58:12	0.037	0.01	10
10/11/2006	13:13:12	0.037	0.01	10
10/11/2006	13:28:12	0.045	0.018	18
10/11/2006	13:43:12	0.047	0.02	20
10/11/2006	13:58:12	0.041	0.014	14
10/11/2006	14:13:12	0.04	0.013	13
10/11/2006	14:28:12	0.04	0.013	13
10/11/2006	14:43:12	0.043	0.016	16
10/11/2006	14:58:12	0.045	0.018	18
10/11/2006	15:13:12	0.047	0.02	20
10/11/2006	15:28:12	0.042	0.015	15
10/11/2006	15:43:12	0.044	0.017	17
10/11/2006	15:58:12	0.043	0.016	16
10/11/2006	16:13:12	0.046	0.019	19

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/11/2006 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/11/2006 7:11			0				0
2	10/11/2006 7:26			0				0
3	10/11/2006 7:41			0				0
4	10/11/2006 7:56			0				0
5	10/11/2006 8:11			0				0
6	10/11/2006 8:26			0				0
7	10/11/2006 8:41			0				0
8	10/11/2006 8:56			0				0
9	10/11/2006 9:11			0				0
10	10/11/2006 9:26			0				0
11	10/11/2006 9:41			0				0
12	10/11/2006 9:56			0				0
13	10/11/2006 10:11			0				0
14	10/11/2006 10:26			0				0
15	10/11/2006 10:41			0				0
16	10/11/2006 10:56			0				0
17	10/11/2006 11:11			0				0
18	10/11/2006 11:26			0				0
19	10/11/2006 11:41			0				0
20	10/11/2006 11:56			0				0
21	10/11/2006 12:11			0				0
22	10/11/2006 12:26			0				0
23	10/11/2006 12:41			0				0
24	10/11/2006 12:56			0.1				0.1
25	10/11/2006 13:11			0				0
26	10/11/2006 13:26			0				0
27	10/11/2006 13:41			0				0
28	10/11/2006 13:56			0.1				0.1
29	10/11/2006 14:11			0.1				0.1
30	10/11/2006 14:26			0.1				0.1
31	10/11/2006 14:41			0.1				0.1
32	10/11/2006 14:56			0.1				0.1
33	10/11/2006 15:11			0.1				0.1
34	10/11/2006 15:26			0.1				0.1
35	10/11/2006 15:41			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	10/11/2006
Start Time:	7:05:32
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (AM - 6:55) = 0.025

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2006	7:20:32	0.025	0	0
10/11/2006	7:35:32	0.027	0.002	2
10/11/2006	7:50:32	0.028	0.003	3
10/11/2006	8:05:32	0.028	0.003	3
10/11/2006	8:20:32	0.029	0.004	4
10/11/2006	8:35:32	0.029	0.004	4
10/11/2006	8:50:32	0.03	0.005	5
10/11/2006	9:05:32	0.03	0.005	5
10/11/2006	9:20:32	0.031	0.006	6
10/11/2006	9:35:32	0.029	0.004	4
10/11/2006	9:50:32	0.029	0.004	4
10/11/2006	10:05:32	0.03	0.005	5
10/11/2006	10:20:32	0.03	0.005	5
10/11/2006	10:35:32	0.031	0.006	6
10/11/2006	10:50:32	0.032	0.007	7
10/11/2006	11:05:32	0.033	0.008	8
10/11/2006	11:20:32	0.034	0.009	9
10/11/2006	11:35:32	0.033	0.008	8
10/11/2006	11:50:32	0.034	0.009	9
10/11/2006	12:05:32	0.035	0.01	10
10/11/2006	12:20:32	0.036	0.011	11
10/11/2006	12:35:32	0.038	0.013	13
10/11/2006	12:50:32	0.038	0.013	13
10/11/2006	13:05:32	0.036	0.011	11
10/11/2006	13:20:32	0.038	0.013	13
10/11/2006	13:35:32	0.039	0.014	14
10/11/2006	13:50:32	0.04	0.015	15
10/11/2006	14:05:32	0.041	0.016	16
10/11/2006	14:20:32	0.039	0.014	14
10/11/2006	14:35:32	0.041	0.016	16
10/11/2006	14:50:32	0.04	0.015	15
10/11/2006	15:05:32	0.037	0.012	12
10/11/2006	15:20:32	0.038	0.013	13
10/11/2006	15:35:32	0.042	0.017	17
10/11/2006	15:50:32	0.043	0.018	18
10/11/2006	16:05:32	0.041	0.016	16

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/11/2006 06:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/11/2006 7:24			0				0
2	10/11/2006 7:39			0				0
3	10/11/2006 7:54			0				0
4	10/11/2006 8:09			0				0
5	10/11/2006 8:24			0				0
6	10/11/2006 8:39			0				0
7	10/11/2006 8:54			0				0
8	10/11/2006 9:09			0.1				0.1
9	10/11/2006 9:24			0.1				0.1
10	10/11/2006 9:39			0.1				0.1
11	10/11/2006 9:54			0.1				0.1
12	10/11/2006 10:09			0.1				0.1
13	10/11/2006 10:24			0.1				0.1
14	10/11/2006 10:39			0.1				0.1
15	10/11/2006 10:54			0.1				0.1
16	10/11/2006 11:09			0.1				0.1
17	10/11/2006 11:24			0.1				0.1
18	10/11/2006 11:39			0.1				0.1
19	10/11/2006 11:54			0.1				0.1
20	10/11/2006 12:09			0.1				0.1
21	10/11/2006 12:24			0.1				0.1
22	10/11/2006 12:39			0.1				0.1
23	10/11/2006 12:54			0.1				0.1
24	10/11/2006 13:09			0.1				0.1
25	10/11/2006 13:24			0.1				0.1
26	10/11/2006 13:39			0.5				0.5
27	10/11/2006 13:54			0.7				0.7
28	10/11/2006 14:09			0.5				0.5
29	10/11/2006 14:24			0.2				0.2
30	10/11/2006 14:39			0.2				0.2
31	10/11/2006 14:54			0.2				0.2
32	10/11/2006 15:09			0.2				0.2
33	10/11/2006 15:24			0.2				0.2
34	10/11/2006 15:39			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	1
Test Abbreviation:	
Start Date:	10/11/2006
Start Time:	7:19:02
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (AM - 7:06) = 0.032

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3
10/11/2006	7:34:02	0.036	0.004	4
10/11/2006	7:49:02	0.038	0.006	6
10/11/2006	8:04:02	0.045	0.013	13
10/11/2006	8:19:02	0.047	0.015	15
10/11/2006	8:34:02	0.041	0.009	9
10/11/2006	8:49:02	0.043	0.011	11
10/11/2006	9:04:02	0.045	0.013	13
10/11/2006	9:19:02	0.044	0.012	12
10/11/2006	9:34:02	0.041	0.009	9
10/11/2006	9:49:02	0.042	0.01	10
10/11/2006	10:04:02	0.042	0.01	10
10/11/2006	10:19:02	0.044	0.012	12
10/11/2006	10:34:02	0.044	0.012	12
10/11/2006	10:49:02	0.045	0.013	13
10/11/2006	11:04:02	0.048	0.016	16
10/11/2006	11:19:02	0.049	0.017	17
10/11/2006	11:34:02	0.049	0.017	17
10/11/2006	11:49:02	0.055	0.023	23
10/11/2006	12:04:02	0.057	0.025	25
10/11/2006	12:19:02	0.056	0.024	24
10/11/2006	12:34:02	0.055	0.023	23
10/11/2006	12:49:02	0.06	0.028	28
10/11/2006	13:04:02	0.06	0.028	28
10/11/2006	13:19:02	0.06	0.028	28
10/11/2006	13:34:02	0.055	0.023	23
10/11/2006	13:49:02	0.059	0.027	27
10/11/2006	14:04:02	0.059	0.027	27
10/11/2006	14:19:02	0.059	0.027	27
10/11/2006	14:34:02	0.062	0.03	30

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/11/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/11/2006 7:28			0				0
2	10/11/2006 7:43			0				0
3	10/11/2006 7:58			0				0
4	10/11/2006 8:13			0				0
5	10/11/2006 8:28			0				0
6	10/11/2006 8:43			0				0
7	10/11/2006 8:58			0				0
8	10/11/2006 9:13			0				0
9	10/11/2006 9:28			0				0
10	10/11/2006 9:43			0				0
11	10/11/2006 9:58			0				0
12	10/11/2006 10:13			0				0
13	10/11/2006 10:28			0				0
14	10/11/2006 10:43			0				0
15	10/11/2006 10:58			0				0
16	10/11/2006 11:13			0				0
17	10/11/2006 11:28			0.1				0.1
18	10/11/2006 11:43			0.2				0.2
19	10/11/2006 11:58			0.2				0.2
20	10/11/2006 12:13			0.1				0.1
21	10/11/2006 12:28			0.2				0.2
22	10/11/2006 12:43			0.2				0.2
23	10/11/2006 12:58			0.2				0.2
24	10/11/2006 13:13			0.2				0.2
25	10/11/2006 13:28			0.2				0.2
26	10/11/2006 13:43			0.1				0.1
27	10/11/2006 13:58			0				0
28	10/11/2006 14:13			0				0
29	10/11/2006 14:28			0				0
30	10/11/2006 14:43			0				0
31	10/11/2006 14:58			0				0
32	10/11/2006 15:13			0				0
33	10/11/2006 15:28			0				0
34	10/11/2006 15:43			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	4
Test Abbreviation:	
Start Date:	10/11/2006
Start Time:	7:21:01
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17

Background Reading (AM - 7:10) = 0.038

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/11/2006	7:36:01	0.044	0.006	6	
10/11/2006	7:51:01	0.047	0.009	9	
10/11/2006	8:06:01	0.044	0.006	6	
10/11/2006	8:21:01	0.045	0.007	7	
10/11/2006	8:36:01	0.041	0.003	3	
10/11/2006	8:51:01	0.043	0.005	5	
10/11/2006	9:06:01	0.043	0.005	5	
10/11/2006	9:21:01	0.042	0.004	4	
10/11/2006	9:36:01	0.039	0.001	1	
10/11/2006	9:51:01	0.041	0.003	3	
10/11/2006	10:06:01	0.044	0.006	6	
10/11/2006	10:21:01	0.047	0.009	9	
10/11/2006	10:36:01	0.054	0.016	16	
10/11/2006	10:51:01	0.048	0.01	10	
10/11/2006	11:06:01	0.049	0.011	11	
10/11/2006	11:21:01	0.049	0.011	11	
10/11/2006	11:36:01	0.05	0.012	12	
10/11/2006	14:17:34	0.067	0.029	29	Batteries replaced at 14:17
10/11/2006	14:32:34	0.079	0.041	41	
10/11/2006	14:47:34	0.075	0.037	37	
10/11/2006	15:02:34	0.072	0.034	34	
10/11/2006	15:17:34	0.078	0.04	40	
10/11/2006	15:32:34	0.076	0.038	38	
10/11/2006	15:47:34	0.072	0.034	34	
10/11/2006	16:02:34	0.079	0.041	41	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/12/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/12/2006 7:29			0				0
2	10/12/2006 7:44			0				0
3	10/12/2006 7:59			0				0
4	10/12/2006 8:14			0				0
5	10/12/2006 8:29			0				0
6	10/12/2006 8:44			0				0
7	10/12/2006 8:59			0				0
8	10/12/2006 9:14			0				0
9	10/12/2006 9:29			0				0
10	10/12/2006 9:44			0				0
11	10/12/2006 9:59			0				0
12	10/12/2006 10:14			0				0
13	10/12/2006 10:29			0				0
14	10/12/2006 10:44			0				0
15	10/12/2006 10:59			0				0
16	10/12/2006 11:14			0				0
17	10/12/2006 11:29			0				0
18	10/12/2006 11:44			0				0
19	10/12/2006 11:59			0				0
20	10/12/2006 12:14			0				0
21	10/12/2006 12:29			0				0
22	10/12/2006 12:44			0				0
23	10/12/2006 12:59			0				0
24	10/12/2006 13:14			0				0
25	10/12/2006 13:29			0				0
26	10/12/2006 13:44			0				0
27	10/12/2006 13:59			0				0
28	10/12/2006 14:14			0				0
29	10/12/2006 14:29			0				0
30	10/12/2006 14:44			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

Equipment Malfunction - Data Corrupted/Rendered Unusable

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/12/2006 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:40) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/12/2006 6:55		0		0
2	10/12/2006 7:10		0		0
3	10/12/2006 7:25		0		0
4	10/12/2006 7:40		0		0
5	10/12/2006 7:55		0		0
6	10/12/2006 8:10		0		0
7	10/12/2006 8:25		0		0
8	10/12/2006 8:40		0		0
9	10/12/2006 8:55		0		0
10	10/12/2006 9:10		0		0
11	10/12/2006 9:25		0		0
12	10/12/2006 9:40		0		0
13	10/12/2006 9:55		0		0
14	10/12/2006 10:10		0		0
15	10/12/2006 10:25		0		0
16	10/12/2006 10:40		0		0
17	10/12/2006 10:55		0		0
18	10/12/2006 11:10		0		0
19	10/12/2006 11:25		0		0
20	10/12/2006 11:40		0		0
21	10/12/2006 11:55		0		0
22	10/12/2006 12:10		0		0
23	10/12/2006 12:25		0		0
24	10/12/2006 12:40		0		0
25	10/12/2006 12:55		0.1		0.1
26	10/12/2006 13:10		0.1		0.1
27	10/12/2006 13:25		0.1		0.1
28	10/12/2006 13:40		0.1		0.1
29	10/12/2006 13:55		0.1		0.1
30	10/12/2006 14:10		0.1		0.1
31	10/12/2006 14:25		0.1		0.1
32	10/12/2006 14:40		0.2		0.2
33	10/12/2006 14:55		0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	10/12/2006
Start Time:	6:47:25
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (AM - 6:40) = 0.015

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2006	7:02:25	0.016	0.001	1
10/12/2006	7:17:25	0.019	0.004	4
10/12/2006	7:32:25	0.022	0.007	7
10/12/2006	7:47:25	0.029	0.014	14
10/12/2006	8:02:25	0.042	0.027	27
10/12/2006	8:17:25	0.045	0.03	30
10/12/2006	8:32:25	0.046	0.031	31
10/12/2006	8:47:25	0.043	0.028	28
10/12/2006	9:02:25	0.052	0.037	37
10/12/2006	9:17:25	0.052	0.037	37
10/12/2006	9:32:25	0.045	0.03	30
10/12/2006	9:47:25	0.044	0.029	29
10/12/2006	10:02:25	0.049	0.034	34
10/12/2006	10:17:25	0.042	0.027	27
10/12/2006	10:32:25	0.043	0.028	28
10/12/2006	10:47:25	0.04	0.025	25
10/12/2006	11:02:25	0.04	0.025	25
10/12/2006	11:17:25	0.039	0.024	24
10/12/2006	11:32:25	0.039	0.024	24
10/12/2006	11:47:25	0.04	0.025	25
10/12/2006	12:02:25	0.044	0.029	29
10/12/2006	12:17:25	0.044	0.029	29
10/12/2006	12:32:25	0.031	0.016	16
10/12/2006	12:47:25	0.025	0.01	10
10/12/2006	13:02:25	0.02	0.005	5
10/12/2006	13:17:25	0.021	0.006	6
10/12/2006	13:32:25	0.024	0.009	9
10/12/2006	13:47:25	0.018	0.003	3
10/12/2006	14:02:25	0.015	0	0
10/12/2006	14:17:25	0.014	-0.001	-1
10/12/2006	14:32:25	0.012	-0.003	-3
10/12/2006	14:47:25	0.01	-0.005	-5
10/12/2006	15:02:25	0.008	-0.007	-7
10/12/2006	15:17:25	0.009	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/12/2006 07:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:52) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/12/2006 7:23			1.9				1.9
2	10/12/2006 7:38			0.7				0.7
3	10/12/2006 7:53			0.2				0.2
4	10/12/2006 8:08			0				0
5	10/12/2006 8:23			0.2				0.2
6	10/12/2006 8:38			0.6				0.6
7	10/12/2006 8:53			0.3				0.3
8	10/12/2006 9:08			0.1				0.1
9	10/12/2006 9:23			0.1				0.1
10	10/12/2006 9:38			0.4				0.4
11	10/12/2006 9:53			0.7				0.7
12	10/12/2006 10:08			0.8				0.8
13	10/12/2006 10:23			0.5				0.5
14	10/12/2006 10:38			0.3				0.3
15	10/12/2006 10:53			0.2				0.2
16	10/12/2006 11:08			0				0
17	10/12/2006 11:23			0				0
18	10/12/2006 11:38			0				0
19	10/12/2006 11:53			0				0
20	10/12/2006 12:08			0				0
21	10/12/2006 12:23			0				0
22	10/12/2006 12:38			0				0
23	10/12/2006 12:53			0				0
24	10/12/2006 13:08			0				0
25	10/12/2006 13:23			0				0
26	10/12/2006 13:38			0				0
27	10/12/2006 13:53			0				0
28	10/12/2006 14:08			0				0
29	10/12/2006 14:23			0				0
30	10/12/2006 14:38			0				0
31	10/12/2006 14:53			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	2
Test Abbreviation:	
Start Date:	10/12/2006
Start Time:	6:58:21
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (AM - 6:52) = 0.009

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/12/2006	7:13:21	0.034	0.025	25
10/12/2006	7:28:21	0.048	0.039	39
10/12/2006	7:43:21	0.062	0.053	53
Readings below are instantaneous measurements collected by the roving monitor				
10/12/2006	8:22	0.091	0.082	82
10/12/2006	8:43	0.101	0.092	92
10/12/2006	10:07	0.089	0.08	80
10/12/2006	11:29	0.079	0.07	70
10/12/2006	12:02	0.084	0.075	75
10/12/2006	13:28	0.058	0.049	49
10/12/2006	14:22	0.027	0.018	18
10/12/2006	15:09	0.015	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/12/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/12/2006 7:10			0.2				0.2
2	10/12/2006 7:25			0.2				0.2
3	10/12/2006 7:40			0.2				0.2
4	10/12/2006 7:55			0				0
5	10/12/2006 8:10			0				0
6	10/12/2006 8:25			0				0
7	10/12/2006 8:40			0.1				0.1
8	10/12/2006 8:55			0.1				0.1
9	10/12/2006 9:10			0.1				0.1
10	10/12/2006 9:25			0.1				0.1
11	10/12/2006 9:40			0.1				0.1
12	10/12/2006 9:55			0.1				0.1
13	10/12/2006 10:10			0.1				0.1
14	10/12/2006 10:25			0				0
15	10/12/2006 10:40			0				0
16	10/12/2006 10:55			0.1				0.1
17	10/12/2006 11:10			0.2				0.2
18	10/12/2006 11:25			0.1				0.1
19	10/12/2006 11:40			0.2				0.2
20	10/12/2006 11:55			0.4				0.4
21	10/12/2006 12:10			0.3				0.3
22	10/12/2006 12:25			0.3				0.3
23	10/12/2006 12:40			0.3				0.3
24	10/12/2006 12:55			0.3				0.3
25	10/12/2006 13:10			0.3				0.3
26	10/12/2006 13:25			0.2				0.2
27	10/12/2006 13:40			0.2				0.2
28	10/12/2006 13:55			0.3				0.3
29	10/12/2006 14:10			0.3				0.3
30	10/12/2006 14:25			0.2				0.2
31	10/12/2006 14:40			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	6
Test Abbreviation:	
Start Date:	10/12/2006
Start Time:	7:05:58
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (AM - 7:02) = 0.039

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2006	7:20:58	0.046	0.007	7
10/12/2006	7:35:58	0.528	0.489	489
10/12/2006	7:50:58	0.075	0.036	36
10/12/2006	8:05:58	0.099	0.06	60
10/12/2006	8:20:58	0.091	0.052	52
10/12/2006	8:35:58	0.093	0.054	54
10/12/2006	8:50:58	0.091	0.052	52
10/12/2006	9:05:58	0.092	0.053	53
10/12/2006	9:20:58	0.081	0.042	42
10/12/2006	9:35:58	0.074	0.035	35
10/12/2006	9:50:58	0.08	0.041	41
10/12/2006	10:05:58	0.086	0.047	47
10/12/2006	10:20:58	0.084	0.045	45
10/12/2006	10:35:58	0.085	0.046	46
10/12/2006	10:50:58	0.081	0.042	42
10/12/2006	11:05:58	0.08	0.041	41
10/12/2006	11:20:58	0.075	0.036	36
10/12/2006	11:35:58	0.076	0.037	37
10/12/2006	11:50:58	0.078	0.039	39
10/12/2006	12:05:58	0.084	0.045	45
10/12/2006	12:20:58	0.072	0.033	33
10/12/2006	12:35:58	0.059	0.02	20
10/12/2006	12:50:58	0.049	0.01	10
10/12/2006	13:05:58	0.049	0.01	10
10/12/2006	13:20:58	0.046	0.007	7
10/12/2006	13:35:58	0.05	0.011	11
10/12/2006	13:50:58	0.04	0.001	1
10/12/2006	14:05:58	0.039	0	0
10/12/2006	14:20:58	0.039	0	0
10/12/2006	14:35:58	0.033	-0.006	-6
10/12/2006	14:50:58	0.034	-0.005	-5
10/12/2006	15:05:58	0.026	-0.013	-13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/13/2006 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/13/2006 7:24			0				0
2	10/13/2006 7:39			0				0
3	10/13/2006 7:54			0				0
4	10/13/2006 8:09			0.1				0.1
5	10/13/2006 8:24			0.1				0.1
6	10/13/2006 8:39			0.1				0.1
7	10/13/2006 8:54			0.1				0.1
8	10/13/2006 9:09			0.1				0.1
9	10/13/2006 9:24			0.1				0.1
10	10/13/2006 9:39			0.1				0.1
11	10/13/2006 9:54			0.1				0.1
12	10/13/2006 10:09			0.1				0.1
13	10/13/2006 10:24			0.1				0.1
14	10/13/2006 10:39			0.1				0.1
15	10/13/2006 10:54			0.1				0.1
16	10/13/2006 11:09			0.1				0.1
17	10/13/2006 11:24			0.1				0.1
18	10/13/2006 11:39			0.1				0.1
19	10/13/2006 11:54			0.1				0.1
20	10/13/2006 12:09			0.1				0.1
21	10/13/2006 12:24			0.1				0.1
22	10/13/2006 12:39			0.1				0.1
23	10/13/2006 12:54			0.1				0.1
24	10/13/2006 13:09			0.1				0.1
25	10/13/2006 13:24			0.1				0.1
26	10/13/2006 13:39			0.1				0.1
27	10/13/2006 13:54			0.1				0.1
28	10/13/2006 14:09			0.1				0.1
29	10/13/2006 14:24			0.1				0.1
30	10/13/2006 14:39			0.1				0.1
31	10/13/2006 14:54			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	10/13/2006
Start Time:	7:12:00
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (AM - 7:05) = 0.011

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2006	7:27:00	0.008	-0.003	-3
10/13/2006	7:42:00	0.008	-0.003	-3
10/13/2006	7:57:00	0.008	-0.003	-3
10/13/2006	8:12:00	0.01	-0.001	-1
10/13/2006	8:27:00	0.009	-0.002	-2
10/13/2006	8:42:00	0.009	-0.002	-2
10/13/2006	8:57:00	0.01	-0.001	-1
10/13/2006	9:12:00	0.01	-0.001	-1
10/13/2006	9:27:00	0.009	-0.002	-2
10/13/2006	9:42:00	0.009	-0.002	-2
10/13/2006	9:57:00	0.01	-0.001	-1
10/13/2006	10:12:00	0.011	0	0
10/13/2006	10:27:00	0.012	0.001	1
10/13/2006	10:42:00	0.011	0	0
10/13/2006	10:57:00	0.011	0	0
10/13/2006	11:12:00	0.015	0.004	4
10/13/2006	11:27:00	0.01	-0.001	-1
10/13/2006	11:42:00	0.011	0	0
10/13/2006	11:57:00	0.011	0	0
10/13/2006	12:12:00	0.009	-0.002	-2
10/13/2006	12:27:00	0.01	-0.001	-1
10/13/2006	12:42:00	0.009	-0.002	-2
10/13/2006	12:57:00	0.01	-0.001	-1
10/13/2006	13:12:00	0.01	-0.001	-1
10/13/2006	13:27:00	0.01	-0.001	-1
10/13/2006	13:42:00	0.01	-0.001	-1
10/13/2006	13:57:00	0.011	0	0
10/13/2006	14:12:00	0.012	0.001	1
10/13/2006	14:27:00	0.01	-0.001	-1
10/13/2006	14:42:00	0.009	-0.002	-2
10/13/2006	14:57:00	0.008	-0.003	-3
10/13/2006	15:12:00	0.008	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/13/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:42) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/13/2006 6:35			0.1				0
2	10/13/2006 6:50			0.1				0
3	10/13/2006 7:05			0.1				0
4	10/13/2006 7:20			0.1				0
5	10/13/2006 7:35			0.1				0
6	10/13/2006 7:50			0.1				0
7	10/13/2006 8:05			0.1				0
8	10/13/2006 8:20			0.1				0
9	10/13/2006 8:35			0.1				0
10	10/13/2006 8:50			0.1				0
11	10/13/2006 9:05			0.1				0
12	10/13/2006 9:20			0.1				0
13	10/13/2006 9:35			0.1				0
14	10/13/2006 9:50			0.1				0
15	10/13/2006 10:05			0.2				0.1
16	10/13/2006 10:20			0.2				0.1
17	10/13/2006 10:35			0.2				0.1
18	10/13/2006 10:50			0.2				0.1
19	10/13/2006 11:05			0.2				0.1
20	10/13/2006 11:20			0.2				0.1
21	10/13/2006 11:35			0.2				0.1
22	10/13/2006 11:50			0.2				0.1
23	10/13/2006 12:05			0.2				0.1
24	10/13/2006 12:20			0.2				0.1
25	10/13/2006 12:35			0.2				0.1
26	10/13/2006 12:50			0.2				0.1
27	10/13/2006 13:05			0.2				0.1
28	10/13/2006 13:20			0.2				0.1
29	10/13/2006 13:35			0.3				0.2
30	10/13/2006 13:50			0.3				0.2
31	10/13/2006 14:05			0.3				0.2
32	10/13/2006 14:20			0.3				0.2
33	10/13/2006 14:35			0.3				0.2
34	10/13/2006 14:50			0.3				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	10/13/2006
Start Time:	7:22:56
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (AM - 6:42) = 0.007

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/13/2006	7:37:56	0.012	0.005	5	
10/13/2006	7:52:56	0.01	0.003	3	
10/13/2006	8:07:56	0.014	0.007	7	
10/13/2006	8:22:56	0.011	0.004	4	
10/13/2006	8:37:56	0.011	0.004	4	
10/13/2006	8:52:56	0.011	0.004	4	
10/13/2006	9:07:56	0.011	0.004	4	
10/13/2006	9:22:56	0.012	0.005	5	
10/13/2006	9:37:56	0.012	0.005	5	
10/13/2006	9:52:56	0.011	0.004	4	
10/13/2006	10:07:56	0.012	0.005	5	
10/13/2006	10:22:56	0.017	0.01	10	
10/13/2006	10:37:56	0.013	0.006	6	
10/13/2006	10:52:56	0.013	0.006	6	
10/13/2006	11:07:56	0.015	0.008	8	
10/13/2006	11:22:56	0.012	0.005	5	
10/13/2006	11:37:56	0.016	0.009	9	
10/13/2006	11:52:56	0.021	0.014	14	
10/13/2006	12:07:56	0.013	0.006	6	
10/13/2006	13:23:25	0.018	0.011	11	Batteries replaced
10/13/2006	13:38:25	0.012	0.005	5	
10/13/2006	13:53:25	0.015	0.008	8	
10/13/2006	14:08:25	0.017	0.01	10	
10/13/2006	14:23:25	0.015	0.008	8	
10/13/2006	14:38:25	0.015	0.008	8	
10/13/2006	14:53:25	0.013	0.006	6	
10/13/2006	15:08:25	0.012	0.005	5	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/13/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/13/2006 7:11			0.1				0.1
2	10/13/2006 7:26			0.1				0.1
3	10/13/2006 7:41			0.1				0.1
4	10/13/2006 7:56			0.2				0.2
5	10/13/2006 8:11			0.2				0.2
6	10/13/2006 8:26			0.2				0.2
7	10/13/2006 8:41			0.1				0.1
8	10/13/2006 8:56			0.2				0.2
9	10/13/2006 9:11			0.2				0.2
10	10/13/2006 9:26			0.2				0.2
11	10/13/2006 9:41			0.2				0.2
12	10/13/2006 9:56			0.3				0.3
13	10/13/2006 10:11			0.3				0.3
14	10/13/2006 10:26			0.3				0.3
15	10/13/2006 10:41			0.3				0.3
16	10/13/2006 10:56			0.3				0.3
17	10/13/2006 11:11			0.3				0.3
18	10/13/2006 11:26			0.3				0.3
19	10/13/2006 11:41			0.3				0.3
20	10/13/2006 11:56			0.2				0.2
21	10/13/2006 12:11			0.2				0.2
22	10/13/2006 12:26			0.2				0.2
23	10/13/2006 12:41			0.2				0.2
24	10/13/2006 12:56			0.2				0.2
25	10/13/2006 13:11			0.2				0.2
26	10/13/2006 13:26			0.2				0.2
27	10/13/2006 13:41			0.2				0.2
28	10/13/2006 13:56			0.2				0.2
29	10/13/2006 14:11			0.3				0.3
30	10/13/2006 14:26			0.3				0.3
31	10/13/2006 14:41			0.3				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	3
Test Abbreviation:	
Start Date:	10/13/2006
Start Time:	7:12:38
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (AM - 7:05) = 0.012

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2006	7:27:38	0.025	0.013	13
10/13/2006	7:42:38	0.014	0.002	2
10/13/2006	7:57:38	0.013	0.001	1
10/13/2006	8:12:38	0.031	0.019	19
10/13/2006	8:27:38	0.029	0.017	17
10/13/2006	8:42:38	0.016	0.004	4
10/13/2006	8:57:38	0.016	0.004	4
10/13/2006	9:12:38	0.017	0.005	5
10/13/2006	9:27:38	0.016	0.004	4
10/13/2006	9:42:38	0.015	0.003	3
10/13/2006	9:57:38	0.015	0.003	3
10/13/2006	10:12:38	0.029	0.017	17
10/13/2006	10:27:38	0.022	0.01	10
10/13/2006	10:42:38	0.018	0.006	6
10/13/2006	10:57:38	0.018	0.006	6
10/13/2006	11:12:38	0.021	0.009	9
10/13/2006	11:27:38	0.017	0.005	5
10/13/2006	11:42:38	0.035	0.023	23
10/13/2006	11:57:38	0.041	0.029	29
10/13/2006	12:12:38	0.03	0.018	18
10/13/2006	12:27:38	0.022	0.01	10
10/13/2006	12:42:38	0.022	0.01	10
10/13/2006	12:57:38	0.021	0.009	9
10/13/2006	13:12:38	0.024	0.012	12
10/13/2006	13:27:38	0.031	0.019	19
10/13/2006	13:42:38	0.019	0.007	7
10/13/2006	13:57:38	0.025	0.013	13
10/13/2006	14:12:38	0.026	0.014	14
10/13/2006	14:27:38	0.028	0.016	16
10/13/2006	14:42:38	0.02	0.008	8
10/13/2006	14:57:38	0.022	0.01	10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/12/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:59) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/13/2006 6:50			0.6				0.2
2	10/13/2006 7:05			0.4				0
3	10/13/2006 7:20			0.5				0.1
4	10/13/2006 7:35			0.5				0.1
5	10/13/2006 7:50			0.5				0.1
6	10/13/2006 8:05			0.5				0.1
7	10/13/2006 8:20			0.6				0.2
8	10/13/2006 8:35			0.4				0
9	10/13/2006 8:50			0.4				0
10	10/13/2006 9:05			0.3				-0.1
11	10/13/2006 9:20			0.3				-0.1
12	10/13/2006 9:35			0.3				-0.1
13	10/13/2006 9:50			0.3				-0.1
14	10/13/2006 10:05			0.3				-0.1
15	10/13/2006 10:20			0.3				-0.1
16	10/13/2006 10:35			0.3				-0.1
17	10/13/2006 10:50			0.3				-0.1
18	10/13/2006 11:05			0.3				-0.1
19	10/13/2006 11:20			0.3				-0.1
20	10/13/2006 11:35			0.3				-0.1
21	10/13/2006 11:50			0.3				-0.1
22	10/13/2006 12:05			0.3				-0.1
23	10/13/2006 12:20			0.3				-0.1
24	10/13/2006 12:35			0.3				-0.1
25	10/13/2006 12:50			0.4				0
26	10/13/2006 13:05			0.4				0
27	10/13/2006 13:20			0.4				0
28	10/13/2006 13:35			0.4				0
29	10/13/2006 13:50			0.5				0.1
30	10/13/2006 14:05			0.5				0.1
31	10/13/2006 14:20			0.6				0.2
32	10/13/2006 14:35			0.6				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	7
Test Abbreviation:	
Start Date:	10/13/2006
Start Time:	7:04:06
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (AM - 6:59) = 0.010

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2006	7:19:06	0.02	0.01	10
10/13/2006	7:34:06	0.023	0.013	13
10/13/2006	7:49:06	0.026	0.016	16
10/13/2006	8:04:06	0.025	0.015	15
10/13/2006	8:19:06	0.021	0.011	11
10/13/2006	8:34:06	0.026	0.016	16
10/13/2006	8:49:06	0.016	0.006	6
10/13/2006	9:04:06	0.017	0.007	7
10/13/2006	9:19:06	0.016	0.006	6
10/13/2006	9:34:06	0.018	0.008	8
10/13/2006	9:49:06	0.019	0.009	9
10/13/2006	10:04:06	0.021	0.011	11
10/13/2006	10:19:06	0.064	0.054	54
10/13/2006	10:34:06	0.033	0.023	23
10/13/2006	10:49:06	0.024	0.014	14
10/13/2006	11:04:06	0.032	0.022	22
10/13/2006	11:19:06	0.024	0.014	14
10/13/2006	11:34:06	0.026	0.016	16
10/13/2006	11:49:06	0.032	0.022	22
10/13/2006	12:04:06	0.025	0.015	15
10/13/2006	12:19:06	0.023	0.013	13
10/13/2006	12:34:06	0.025	0.015	15
10/13/2006	12:49:06	0.026	0.016	16
10/13/2006	13:04:06	0.028	0.018	18
10/13/2006	13:19:06	0.023	0.013	13
10/13/2006	13:34:06	0.02	0.01	10
10/13/2006	13:49:06	0.019	0.009	9
10/13/2006	14:04:06	0.016	0.006	6
10/13/2006	14:19:06	0.019	0.009	9
10/13/2006	14:34:06	0.018	0.008	8
10/13/2006	14:49:06	0.018	0.008	8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/16/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:45) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/16/2006 7:03			0.3				0
2	10/16/2006 7:18			0.5				0.2
3	10/16/2006 7:33			0.7				0.4
4	10/16/2006 7:48			0.8				0.5
5	10/16/2006 8:03			0.9				0.6
6	10/16/2006 8:18			0.9				0.6
7	10/16/2006 8:33			0.9				0.6
8	10/16/2006 8:48			0.9				0.6
9	10/16/2006 9:03			1				0.7
10	10/16/2006 9:18			0.9				0.6
11	10/16/2006 9:33			0.9				0.6
12	10/16/2006 9:48			1				0.7
13	10/16/2006 10:03			0.9				0.6
14	10/16/2006 10:18			1				0.7
15	10/16/2006 10:33			0.9				0.6
16	10/16/2006 10:48			0.9				0.6
17	10/16/2006 11:03			0.8				0.5
18	10/16/2006 11:18			0.8				0.5
19	10/16/2006 11:33			0.9				0.6
20	10/16/2006 11:48			1				0.7
21	10/16/2006 12:03			1				0.7
22	10/16/2006 12:18			0.9				0.6
23	10/16/2006 12:33			1				0.7
24	10/16/2006 12:48			1.1				0.8
25	10/16/2006 13:03			0.9				0.6
26	10/16/2006 13:18			0.9				0.6
27	10/16/2006 13:33			0.9				0.6
28	10/16/2006 13:48			1				0.7
29	10/16/2006 14:03			0.9				0.6
30	10/16/2006 14:18			0.9				0.6
31	10/16/2006 14:33			0.9				0.6
32	10/16/2006 14:48			0.9				0.6
33	10/16/2006 15:03			1				0.7
34	10/16/2006 15:18			1				0.7
35	10/16/2006 15:33			1				0.7
36	10/16/2006 15:48			1				0.7
37	10/16/2006 16:03			1.1				0.8

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	10/16/2006
Start Time:	6:50:41
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading: (06:45) = 0.040 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2006	7:05:41	0.044	0.004	4
10/16/2006	7:20:41	0.069	0.029	29
10/16/2006	7:35:41	0.048	0.008	8
10/16/2006	7:50:41	0.051	0.011	11
10/16/2006	8:05:41	0.071	0.031	31
10/16/2006	8:20:41	0.054	0.014	14
10/16/2006	8:35:41	0.049	0.009	9
10/16/2006	8:50:41	0.046	0.006	6
10/16/2006	9:05:41	0.046	0.006	6
10/16/2006	9:20:41	0.046	0.006	6
10/16/2006	9:35:41	0.043	0.003	3
10/16/2006	9:50:41	0.043	0.003	3
10/16/2006	10:05:41	0.044	0.004	4
10/16/2006	10:20:41	0.042	0.002	2
10/16/2006	10:35:41	0.041	0.001	1
10/16/2006	10:50:41	0.041	0.001	1
10/16/2006	11:05:41	0.035	-0.005	-5
10/16/2006	11:20:41	0.034	-0.006	-6
10/16/2006	11:35:41	0.033	-0.007	-7
10/16/2006	11:50:41	0.039	-0.001	-1
10/16/2006	12:05:41	0.046	0.006	6
10/16/2006	12:20:41	0.052	0.012	12
10/16/2006	12:35:41	0.043	0.003	3
10/16/2006	12:50:41	0.044	0.004	4
10/16/2006	13:05:41	0.055	0.015	15
10/16/2006	13:20:41	0.047	0.007	7
10/16/2006	13:35:41	0.037	-0.003	-3
10/16/2006	13:50:41	0.03	-0.01	-10
10/16/2006	14:05:41	0.028	-0.012	-12
10/16/2006	14:20:41	0.025	-0.015	-15
10/16/2006	14:35:41	0.016	-0.024	-24
10/16/2006	14:50:41	0.016	-0.024	-24
10/16/2006	15:05:41	0.016	-0.024	-24
10/16/2006	15:20:41	0.015	-0.025	-25
10/16/2006	15:35:41	0.016	-0.024	-24
10/16/2006	15:50:41	0.016	-0.024	-24
10/16/2006	16:05:41	0.016	-0.024	-24
10/16/2006	16:20:41	0.017	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/16/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 6:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/16/2006 7:07			0.1				0.1
2	10/16/2006 7:22			0.1				0.1
3	10/16/2006 7:37			0.1				0.1
4	10/16/2006 7:52			0.1				0.1
5	10/16/2006 8:07			0.1				0.1
6	10/16/2006 8:22			0.1				0.1
7	10/16/2006 8:37			0.2				0.2
8	10/16/2006 8:52			0.2				0.2
9	10/16/2006 9:07			0.2				0.2
10	10/16/2006 9:22			0.2				0.2
11	10/16/2006 9:37			0.2				0.2
12	10/16/2006 9:52			0.2				0.2
13	10/16/2006 10:07			0.2				0.2
14	10/16/2006 10:22			0.2				0.2
15	10/16/2006 10:37			0.2				0.2
16	10/16/2006 10:52			0.2				0.2
17	10/16/2006 11:07			0.2				0.2
18	10/16/2006 11:22			0.2				0.2
19	10/16/2006 11:37			0.3				0.3
20	10/16/2006 11:52			0.3				0.3
21	10/16/2006 12:07			0.3				0.3
22	10/16/2006 12:22			0.3				0.3
23	10/16/2006 12:37			0.3				0.3
24	10/16/2006 12:52			0.3				0.3
25	10/16/2006 13:07			0.3				0.3
26	10/16/2006 13:22			0.3				0.3
27	10/16/2006 13:37			0.4				0.4
28	10/16/2006 13:52			0.4				0.4
29	10/16/2006 14:07			0.4				0.4
30	10/16/2006 14:22			0.4				0.4
31	10/16/2006 14:37			0.4				0.4
32	10/16/2006 14:52			0.4				0.4
33	10/16/2006 15:07			0.4				0.4
34	10/16/2006 15:22			0.4				0.4
35	10/16/2006 15:37			0.4				0.4
36	10/16/2006 15:52			0.4				0.4
37	10/16/2006 16:07			0.4				0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	10/16/2006
Start Time:	7:02:14
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading: (06:55) = 0.048 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2006	7:17:14	0.05	0.002	2
10/16/2006	7:32:14	0.053	0.005	5
10/16/2006	7:47:14	0.044	-0.004	-4
10/16/2006	8:02:14	0.051	0.003	3
10/16/2006	8:17:14	0.048	0	0
10/16/2006	8:32:14	0.045	-0.003	-3
10/16/2006	8:47:14	0.054	0.006	6
10/16/2006	9:02:14	0.048	0	0
10/16/2006	9:17:14	0.042	-0.006	-6
10/16/2006	9:32:14	0.042	-0.006	-6
10/16/2006	9:47:14	0.049	0.001	1
10/16/2006	10:02:14	0.049	0.001	1
10/16/2006	10:17:14	0.044	-0.004	-4
10/16/2006	10:32:14	0.046	-0.002	-2
10/16/2006	10:47:14	0.044	-0.004	-4
10/16/2006	11:02:14	0.04	-0.008	-8
10/16/2006	11:17:14	0.038	-0.01	-10
10/16/2006	11:32:14	0.041	-0.007	-7
10/16/2006	11:47:14	0.042	-0.006	-6
10/16/2006	12:02:14	0.047	-0.001	-1
10/16/2006	12:17:14	0.051	0.003	3
10/16/2006	12:32:14	0.049	0.001	1
10/16/2006	12:47:14	0.049	0.001	1
10/16/2006	13:02:14	0.06	0.012	12
10/16/2006	13:17:14	0.063	0.015	15
10/16/2006	13:32:14	0.047	-0.001	-1
10/16/2006	13:47:14	0.041	-0.007	-7
10/16/2006	14:02:14	0.037	-0.011	-11
10/16/2006	14:17:14	0.033	-0.015	-15
10/16/2006	14:32:14	0.026	-0.022	-22
10/16/2006	14:47:14	0.024	-0.024	-24
10/16/2006	15:02:14	0.02	-0.028	-28
10/16/2006	15:17:14	0.022	-0.026	-26
10/16/2006	15:32:14	0.022	-0.026	-26
10/16/2006	15:47:14	0.022	-0.026	-26
10/16/2006	16:02:14	0.021	-0.027	-27
10/16/2006	16:17:14	0.022	-0.026	-26
10/16/2006	16:32:14	0.028	-0.02	-20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/16/2006 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:19) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/16/2006 7:28			0.2				0.2
2	10/16/2006 7:43			0.3				0.3
3	10/16/2006 7:58			0.3				0.3
4	10/16/2006 8:13			0.3				0.3
5	10/16/2006 8:28			0.3				0.3
6	10/16/2006 8:43			0.3				0.3
7	10/16/2006 8:58			0.3				0.3
8	10/16/2006 9:13			0.3				0.3
9	10/16/2006 9:28			0.3				0.3
10	10/16/2006 9:43			0.4				0.4
11	10/16/2006 9:58			0.3				0.3
12	10/16/2006 10:13			0.3				0.3
13	10/16/2006 10:28			0.3				0.3
14	10/16/2006 10:43			0.3				0.3
15	10/16/2006 10:58			0.3				0.3
16	10/16/2006 11:13			0.2				0.2
17	10/16/2006 11:28			0.3				0.3
18	10/16/2006 11:43			0.3				0.3
19	10/16/2006 11:58			0.3				0.3
20	10/16/2006 12:13			0.3				0.3
21	10/16/2006 12:28			0.3				0.3
22	10/16/2006 12:43			0.3				0.3
23	10/16/2006 12:58			0.2				0.2
24	10/16/2006 13:13			0.2				0.2
25	10/16/2006 13:28			0.3				0.3
26	10/16/2006 13:43			0.3				0.3
27	10/16/2006 13:58			0.3				0.3
28	10/16/2006 14:13			0.2				0.2
29	10/16/2006 14:28			0.3				0.3
30	10/16/2006 14:43			0.3				0.3
31	10/16/2006 14:58			0.3				0.3
32	10/16/2006 15:13			0.3				0.3
33	10/16/2006 15:28			0.3				0.3
34	10/16/2006 15:43			0.3				0.3
35	10/16/2006 15:58			0.3				0.3
36	10/16/2006 16:13			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	6
Test Abbreviation:	
Start Date:	10/16/2006
Start Time:	12:06:29
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading: (07:19) = 0.055 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2006	12:21:29	0.073	0.018	18
10/16/2006	12:36:29	0.067	0.012	12
10/16/2006	12:51:29	0.078	0.023	23
10/16/2006	13:06:29	0.083	0.028	28
10/16/2006	13:21:29	0.082	0.027	27
10/16/2006	13:36:29	0.063	0.008	8
10/16/2006	13:51:29	0.05	-0.005	-5
10/16/2006	14:06:29	0.047	-0.008	-8
10/16/2006	14:21:29	0.041	-0.014	-14
10/16/2006	14:36:29	0.041	-0.014	-14
10/16/2006	14:51:29	0.029	-0.026	-26
10/16/2006	15:06:29	0.032	-0.023	-23
10/16/2006	15:21:29	0.027	-0.028	-28
10/16/2006	15:36:29	0.029	-0.026	-26
10/16/2006	15:51:29	0.036	-0.019	-19
10/16/2006	16:06:29	0.03	-0.025	-25
10/16/2006	16:21:29	0.03	-0.025	-25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/16/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (AM - 7:08) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/16/2006 7:21			0				0
2	10/16/2006 7:36			0				0
3	10/16/2006 7:51			0				0
4	10/16/2006 8:06			0				0
5	10/16/2006 8:21			0				0
6	10/16/2006 8:36			0				0
7	10/16/2006 8:51			0				0
8	10/16/2006 9:06			0				0
9	10/16/2006 9:21			0				0
10	10/16/2006 9:36			0				0
11	10/16/2006 9:51			0				0
12	10/16/2006 10:06			0				0
13	10/16/2006 10:21			0				0
14	10/16/2006 10:36			0				0
15	10/16/2006 10:51			0				0
16	10/16/2006 11:06			0				0
17	10/16/2006 11:21			0				0
18	10/16/2006 11:36			0				0
19	10/16/2006 11:51			0				0
20	10/16/2006 12:06			0				0
21	10/16/2006 12:21			0				0
22	10/16/2006 12:36			0				0
23	10/16/2006 12:51			0				0
24	10/16/2006 13:06			0				0
25	10/16/2006 13:21			0				0
26	10/16/2006 13:36			0				0
27	10/16/2006 13:51			0				0
28	10/16/2006 14:06			0				0
29	10/16/2006 14:21			0.1				0.1
30	10/16/2006 14:36			0.1				0.1
31	10/16/2006 14:51			0.1				0.1
32	10/16/2006 15:06			0.1				0.1
33	10/16/2006 15:21			0.1				0.1
34	10/16/2006 15:36			0.1				0.1
35	10/16/2006 15:51			0.1				0.1
36	10/16/2006 16:06			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	9
Test Abbreviation:	
Start Date:	10/16/2006
Start Time:	11:56:56
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading: (07:08) = 0.052 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2006	12:11:56	0.069	0.017	17
10/16/2006	12:26:56	0.07	0.018	18
10/16/2006	12:41:56	0.065	0.013	13
10/16/2006	12:56:56	0.074	0.022	22
10/16/2006	13:11:56	0.082	0.03	30
10/16/2006	13:26:56	0.062	0.01	10
10/16/2006	13:41:56	0.053	0.001	1
10/16/2006	13:56:56	0.048	-0.004	-4
10/16/2006	14:11:56	0.041	-0.011	-11
10/16/2006	14:26:56	0.035	-0.017	-17
10/16/2006	14:41:56	0.029	-0.023	-23
10/16/2006	14:56:56	0.028	-0.024	-24
10/16/2006	15:11:56	0.028	-0.024	-24
10/16/2006	15:26:56	0.03	-0.022	-22
10/16/2006	15:41:56	0.03	-0.022	-22
10/16/2006	15:56:56	0.031	-0.021	-21
10/16/2006	16:11:56	0.032	-0.02	-20
10/16/2006	16:26:56	0.04	-0.012	-12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/17/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading: (06:57) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/17/2006 7:14			0				-0.1
2	10/17/2006 7:29			0.1				0
3	10/17/2006 7:44			0.1				0
4	10/17/2006 7:59			0.2				0.1
5	10/17/2006 8:14			0.2				0.1
6	10/17/2006 8:29			0.2				0.1
7	10/17/2006 8:44			0.2				0.1
8	10/17/2006 8:59			0.3				0.2
9	10/17/2006 9:14			0.3				0.2
10	10/17/2006 9:29			0.3				0.2
11	10/17/2006 9:44			0.3				0.2
12	10/17/2006 9:59			0.4				0.3
13	10/17/2006 10:14			0.4				0.3
14	10/17/2006 10:29			0.3				0.2
15	10/17/2006 10:44			0.3				0.2
16	10/17/2006 10:59			0.4				0.3
17	10/17/2006 11:14			0.4				0.3
18	10/17/2006 11:29			0.3				0.2
19	10/17/2006 11:44			0.4				0.3
20	10/17/2006 11:59			0.3				0.2
21	10/17/2006 12:14			0.3				0.2
22	10/17/2006 12:29			0.3				0.2
23	10/17/2006 12:44			0.3				0.2
24	10/17/2006 12:59			0.3				0.2
25	10/17/2006 13:14			0.3				0.2
26	10/17/2006 13:29			0.3				0.2
27	10/17/2006 13:44			0.3				0.2
28	10/17/2006 13:59			0.3				0.2
29	10/17/2006 14:14			0.3				0.2
30	10/17/2006 14:29			0.3				0.2
31	10/17/2006 14:44			0.3				0.2
32	10/17/2006 14:59			0.3				0.2
33	10/17/2006 15:14			0.3				0.2
34	10/17/2006 15:29			0.3				0.2
35	10/17/2006 15:44			0.4				0.3
36	10/17/2006 15:59			0.3				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	10/17/2006
Start Time:	7:03:42
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading: (06:57) = 0.019 m/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2006	7:18:42	0.022	0.003	3
10/17/2006	7:33:42	0.022	0.003	3
10/17/2006	7:48:42	0.023	0.004	4
10/17/2006	8:03:42	0.026	0.007	7
10/17/2006	8:18:42	0.036	0.017	17
10/17/2006	8:33:42	0.03	0.011	11
10/17/2006	8:48:42	0.028	0.009	9
10/17/2006	9:03:42	0.028	0.009	9
10/17/2006	9:18:42	0.027	0.008	8
10/17/2006	9:33:42	0.029	0.01	10
10/17/2006	9:48:42	0.025	0.006	6
10/17/2006	10:03:42	0.025	0.006	6
10/17/2006	10:18:42	0.024	0.005	5
10/17/2006	10:33:42	0.023	0.004	4
10/17/2006	10:48:42	0.019	0	0
10/17/2006	11:03:42	0.018	-0.001	-1
10/17/2006	11:18:42	0.018	-0.001	-1
10/17/2006	11:33:42	0.017	-0.002	-2
10/17/2006	11:48:42	0.017	-0.002	-2
10/17/2006	12:03:42	0.017	-0.002	-2
10/17/2006	12:18:42	0.018	-0.001	-1
10/17/2006	12:33:42	0.017	-0.002	-2
10/17/2006	12:48:42	0.018	-0.001	-1
10/17/2006	13:03:42	0.017	-0.002	-2
10/17/2006	13:18:42	0.017	-0.002	-2
10/17/2006	13:33:42	0.019	0	0
10/17/2006	13:48:42	0.019	0	0
10/17/2006	14:03:42	0.02	0.001	1
10/17/2006	14:18:42	0.019	0	0
10/17/2006	14:33:42	0.018	-0.001	-1
10/17/2006	14:48:42	0.016	-0.003	-3
10/17/2006	15:03:42	0.015	-0.004	-4
10/17/2006	15:18:42	0.016	-0.003	-3
10/17/2006	15:33:42	0.014	-0.005	-5
10/17/2006	15:48:42	0.015	-0.004	-4
10/17/2006	16:03:42	0.021	0.002	2
10/17/2006	16:18:42	0.015	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/17/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/17/2006 6:28			0				0
2	10/17/2006 6:43			0				0
3	10/17/2006 6:58			0				0
4	10/17/2006 7:13			0				0
5	10/17/2006 7:28			0				0
6	10/17/2006 7:43			0.1				0.1
7	10/17/2006 7:58			0.1				0.1
8	10/17/2006 8:13			0.1				0.1
9	10/17/2006 8:28			0.2				0.2
10	10/17/2006 8:43			0.2				0.2
11	10/17/2006 8:58			0.2				0.2
12	10/17/2006 9:13			0.2				0.2
13	10/17/2006 9:28			0.2				0.2
14	10/17/2006 9:43			0.2				0.2
15	10/17/2006 9:58			0.2				0.2
16	10/17/2006 10:13			0.2				0.2
17	10/17/2006 10:28			0.2				0.2
18	10/17/2006 10:43			0.2				0.2
19	10/17/2006 10:58			0.2				0.2
20	10/17/2006 11:13			0.2				0.2
21	10/17/2006 11:28			0.1				0.1
22	10/17/2006 11:43			0.1				0.1
23	10/17/2006 11:58			0.1				0.1
24	10/17/2006 12:13			0.1				0.1
25	10/17/2006 12:28			0.1				0.1
26	10/17/2006 12:43			0.1				0.1
27	10/17/2006 12:58			0.1				0.1
28	10/17/2006 13:13			0.1				0.1
29	10/17/2006 13:28			0.1				0.1
30	10/17/2006 13:43			0.1				0.1
31	10/17/2006 13:58			0.1				0.1
32	10/17/2006 14:13			0.1				0.1
33	10/17/2006 14:28			0.1				0.1
34	10/17/2006 14:43			0.1				0.1
35	10/17/2006 14:58			0.1				0.1
36	10/17/2006 15:13			0.1				0.1
37	10/17/2006 15:28			0.1				0.1
38	10/17/2006 15:43			0.1				0.1
39	10/17/2006 15:58			0.1				0.1
40	10/17/2006 16:13			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	10/17/2006
Start Time:	6:50:13
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading: (06:40) = 0.023 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2006	7:05:13	0.022	-0.001	-1
10/17/2006	7:20:13	0.022	-0.001	-1
10/17/2006	7:35:13	0.025	0.002	2
10/17/2006	7:50:13	0.032	0.009	9
10/17/2006	8:05:13	0.055	0.032	32
10/17/2006	8:20:13	0.028	0.005	5
10/17/2006	8:35:13	0.03	0.007	7
10/17/2006	8:50:13	0.025	0.002	2
10/17/2006	9:05:13	0.026	0.003	3
10/17/2006	9:20:13	0.028	0.005	5
10/17/2006	9:35:13	0.027	0.004	4
10/17/2006	9:50:13	0.032	0.009	9
10/17/2006	10:05:13	0.028	0.005	5
10/17/2006	10:20:13	0.026	0.003	3
10/17/2006	10:35:13	0.024	0.001	1
10/17/2006	10:50:13	0.017	-0.006	-6
10/17/2006	11:05:13	0.018	-0.005	-5
10/17/2006	11:20:13	0.018	-0.005	-5
10/17/2006	11:37:40	0.015	-0.008	-8
10/17/2006	11:52:40	0.017	-0.006	-6
10/17/2006	12:07:40	0.017	-0.006	-6
10/17/2006	12:22:40	0.017	-0.006	-6
10/17/2006	12:37:40	0.017	-0.006	-6
10/17/2006	12:52:40	0.017	-0.006	-6
10/17/2006	13:07:40	0.017	-0.006	-6
10/17/2006	13:22:40	0.017	-0.006	-6
10/17/2006	13:37:40	0.016	-0.007	-7
10/17/2006	13:52:40	0.016	-0.007	-7
10/17/2006	14:07:40	0.017	-0.006	-6
10/17/2006	14:22:40	0.017	-0.006	-6
10/17/2006	14:37:40	0.016	-0.007	-7
10/17/2006	14:52:40	0.014	-0.009	-9
10/17/2006	15:07:40	0.013	-0.01	-10
10/17/2006	15:22:40	0.012	-0.011	-11
10/17/2006	15:37:40	0.012	-0.011	-11
10/17/2006	15:52:40	0.013	-0.01	-10
10/17/2006	16:07:40	0.013	-0.01	-10
10/17/2006	16:22:40	0.013	-0.01	-10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/17/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (06:57) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/17/2006 6:29			0.1				-0.1
2	10/17/2006 6:44			0.2				0
3	10/17/2006 6:59			0.2				0
4	10/17/2006 7:14			0.3				0.1
5	10/17/2006 7:29			0.3				0.1
6	10/17/2006 7:44			0.4				0.2
7	10/17/2006 7:59			0.3				0.1
8	10/17/2006 8:14			0.4				0.2
9	10/17/2006 8:29			0.7				0.5
10	10/17/2006 8:44			1.3				1.1
11	10/17/2006 8:59			1.4				1.2
12	10/17/2006 9:14			1.4				1.2
13	10/17/2006 9:29			1.3				1.1
14	10/17/2006 9:44			1.3				1.1
15	10/17/2006 9:59			1.3				1.1
16	10/17/2006 10:14			1.3				1.1
17	10/17/2006 10:29			1.2				1
18	10/17/2006 10:44			1.2				1
19	10/17/2006 10:59			1.1				0.9
20	10/17/2006 11:14			1.1				0.9
21	10/17/2006 11:29			1				0.8
22	10/17/2006 11:44			1				0.8
23	10/17/2006 11:59			1				0.8
24	10/17/2006 12:14			0.9				0.7
25	10/17/2006 12:29			0.9				0.7
26	10/17/2006 12:44			0.9				0.7
27	10/17/2006 12:59			0.8				0.6
28	10/17/2006 13:14			0.8				0.6
29	10/17/2006 13:29			0.8				0.6
30	10/17/2006 13:44			0.8				0.6
31	10/17/2006 13:59			0.8				0.6
32	10/17/2006 14:14			0.8				0.6
33	10/17/2006 14:29			0.8				0.6
34	10/17/2006 14:44			0.8				0.6
35	10/17/2006 14:59			0.7				0.5
36	10/17/2006 15:14			0.7				0.5
37	10/17/2006 15:29			0.7				0.5
38	10/17/2006 15:44			0.7				0.5
39	10/17/2006 15:59			0.6				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	7
Test Abbreviation:	
Start Date:	10/17/2006
Start Time:	7:04:06
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading: (06:57) = 0.028 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2006	7:19:06	0.029	0.001	1
10/17/2006	7:34:06	0.034	0.006	6
10/17/2006	7:49:06	0.033	0.005	5
10/17/2006	8:04:06	0.036	0.008	8
10/17/2006	8:19:06	0.045	0.017	17
10/17/2006	8:34:06	0.042	0.014	14
10/17/2006	8:49:06	0.039	0.011	11
10/17/2006	9:04:06	0.043	0.015	15
10/17/2006	9:19:06	0.037	0.009	9
10/17/2006	9:34:06	0.038	0.01	10
10/17/2006	9:49:06	0.036	0.008	8
10/17/2006	10:04:06	0.037	0.009	9
10/17/2006	10:19:06	0.035	0.007	7
10/17/2006	10:34:06	0.034	0.006	6
10/17/2006	10:49:06	0.025	-0.003	-3
10/17/2006	11:04:06	0.028	0	0
10/17/2006	11:19:06	0.025	-0.003	-3
10/17/2006	11:34:06	0.023	-0.005	-5
10/17/2006	11:49:06	0.026	-0.002	-2
10/17/2006	12:04:06	0.025	-0.003	-3
10/17/2006	12:19:06	0.031	0.003	3
10/17/2006	12:34:06	0.034	0.006	6
10/17/2006	12:49:06	0.026	-0.002	-2
10/17/2006	13:04:06	0.038	0.01	10
10/17/2006	13:19:06	0.032	0.004	4
10/17/2006	13:34:06	0.027	-0.001	-1
10/17/2006	13:49:06	0.031	0.003	3
10/17/2006	14:04:06	0.029	0.001	1
10/17/2006	14:19:06	0.028	0	0
10/17/2006	14:34:06	0.032	0.004	4
10/17/2006	14:49:06	0.024	-0.004	-4
10/17/2006	15:04:06	0.031	0.003	3
10/17/2006	15:19:06	0.024	-0.004	-4
10/17/2006	15:34:06	0.025	-0.003	-3
10/17/2006	15:49:06	0.03	0.002	2
10/17/2006	16:04:06	0.03	0.002	2
10/17/2006	16:19:06	0.022	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/17/2006 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (06:51) = 0.3 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/17/2006 6:21		0.2		-0.1
2	10/17/2006 6:36		0.4		0.1
3	10/17/2006 6:51		0.3		0
4	10/17/2006 7:06		0.3		0
5	10/17/2006 7:21		0.3		0
6	10/17/2006 7:36		0.4		0.1
7	10/17/2006 7:51		0.5		0.2
8	10/17/2006 8:06		0.5		0.2
9	10/17/2006 8:21		0.5		0.2
10	10/17/2006 8:36		0.5		0.2
11	10/17/2006 8:51		0.7		0.4
12	10/17/2006 9:06		0.6		0.3
13	10/17/2006 9:21		0.5		0.2
14	10/17/2006 9:36		0.6		0.3
15	10/17/2006 9:51		0.7		0.4
16	10/17/2006 10:06		1.1		0.8
17	10/17/2006 10:21		0.6		0.3
18	10/17/2006 10:36		0.6		0.3
19	10/17/2006 10:51		0.5		0.2
20	10/17/2006 11:06		0.6		0.3
21	10/17/2006 11:21		0.6		0.3
22	10/17/2006 11:36		0.3		0
23	10/17/2006 11:51		0.3		0
24	10/17/2006 12:06		0.3		0
25	10/17/2006 12:21		0.3		0
26	10/17/2006 12:36		0.2		-0.1
27	10/17/2006 12:51		0.2		-0.1
28	10/17/2006 13:06		1.3		1
29	10/17/2006 13:21		0.6		0.3
30	10/17/2006 13:36		0.5		0.2
31	10/17/2006 13:51		0.6		0.3
32	10/17/2006 14:06		0.1		-0.2
33	10/17/2006 14:21		0.2		-0.1
34	10/17/2006 14:36		0.3		0
35	10/17/2006 14:51		0.3		0
36	10/17/2006 15:06		1.2		0.9
37	10/17/2006 15:21		0.1		-0.2
38	10/17/2006 15:36		0.1		-0.2
39	10/17/2006 15:51		0.1		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	10
Test Abbreviation:	
Start Date:	10/17/2006
Start Time:	6:57:08
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	Background Reading: (06:51) = 0.030 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/17/2006	7:12:08	0.044	0.014	14
10/17/2006	7:27:08	0.032	0.002	2
10/17/2006	7:42:08	0.03	0	0
10/17/2006	7:57:08	0.031	0.001	1
10/17/2006	8:12:08	0.087	0.057	57
10/17/2006	8:27:08	0.051	0.021	21
10/17/2006	8:42:08	0.044	0.014	14
10/17/2006	8:57:08	0.044	0.014	14
10/17/2006	9:12:08	0.058	0.028	28
10/17/2006	9:27:08	0.068	0.038	38
10/17/2006	9:53:17	0.065	0.035	35
10/17/2006	10:08:17	0.049	0.019	19
10/17/2006	10:23:17	0.046	0.016	16
10/17/2006	10:38:17	0.037	0.007	7
10/17/2006	10:53:17	0.03	0	0
10/17/2006	11:08:17	0.033	0.003	3
10/17/2006	11:23:17	0.035	0.005	5
10/17/2006	11:38:17	0.044	0.014	14
10/17/2006	13:34:05	0.051	0.021	21
10/17/2006	14:23:39	0.037	0.007	7
10/17/2006	14:45:00	0.04	0.01	10
10/17/2006	15:00:00	0.03	0	0
10/17/2006	15:31:10	0.035	0.005	5
10/17/2006	15:46:10	0.019	-0.011	-11
10/17/2006	16:01:10	0.026	-0.004	-4
10/17/2006	16:16:10	0.019	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/18/2006 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading: (07:11) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/18/2006 6:46			1.2				0.8
2	10/18/2006 7:01			0.5				0.1
3	10/18/2006 7:16			0.4				0
4	10/18/2006 7:31			0.5				0.1
5	10/18/2006 7:46			0.5				0.1
6	10/18/2006 8:01			0.5				0.1
7	10/18/2006 8:16			0.5				0.1
8	10/18/2006 8:31			0.6				0.2
9	10/18/2006 8:46			0.6				0.2
10	10/18/2006 9:01			0.5				0.1
11	10/18/2006 9:16			0.6				0.2
12	10/18/2006 9:31			0.6				0.2
13	10/18/2006 9:46			0.6				0.2
14	10/18/2006 10:01			0.6				0.2
15	10/18/2006 10:16			0.6				0.2
16	10/18/2006 10:31			0.6				0.2
17	10/18/2006 10:46			0.6				0.2
18	10/18/2006 11:01			0.6				0.2
19	10/18/2006 11:16			0.6				0.2
20	10/18/2006 11:31			0.6				0.2
21	10/18/2006 11:46			0.6				0.2
22	10/18/2006 12:01			0.6				0.2
23	10/18/2006 12:16			0.6				0.2
24	10/18/2006 12:31			0.6				0.2
25	10/18/2006 12:46			0.6				0.2
26	10/18/2006 13:01			0.7				0.3
27	10/18/2006 13:16			0.7				0.3
28	10/18/2006 13:31			0.7				0.3
29	10/18/2006 13:46			0.7				0.3
30	10/18/2006 14:01			0.7				0.3
31	10/18/2006 14:16			0.7				0.3
32	10/18/2006 14:31			0.8				0.4
33	10/18/2006 14:46			0.8				0.4
34	10/18/2006 15:01			0.8				0.4
35	10/18/2006 15:16			0.8				0.4
36	10/18/2006 15:31			0.8				0.4
37	10/18/2006 15:46			0.9				0.5
38	10/18/2006 16:01			0.9				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	10/18/2006
Start Time:	7:18:20
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading: (07:11) = 0.043 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2006	7:33:20	0.046	0.003	3
10/18/2006	7:48:20	0.048	0.005	5
10/18/2006	8:03:20	0.051	0.008	8
10/18/2006	8:18:20	0.052	0.009	9
10/18/2006	8:33:20	0.049	0.006	6
10/18/2006	8:48:20	0.048	0.005	5
10/18/2006	9:03:20	0.052	0.009	9
10/18/2006	9:18:20	0.052	0.009	9
10/18/2006	9:33:20	0.054	0.011	11
10/18/2006	9:48:20	0.057	0.014	14
10/18/2006	10:03:20	0.055	0.012	12
10/18/2006	10:18:20	0.054	0.011	11
10/18/2006	10:33:20	0.051	0.008	8
10/18/2006	10:48:20	0.046	0.003	3
10/18/2006	11:03:20	0.04	-0.003	-3
10/18/2006	11:18:20	0.038	-0.005	-5
10/18/2006	11:33:20	0.033	-0.01	-10
10/18/2006	11:48:20	0.029	-0.014	-14
10/18/2006	12:03:20	0.028	-0.015	-15
10/18/2006	12:18:20	0.027	-0.016	-16
10/18/2006	12:33:20	0.027	-0.016	-16
10/18/2006	12:48:20	0.026	-0.017	-17
10/18/2006	13:03:20	0.026	-0.017	-17
10/18/2006	13:18:20	0.027	-0.016	-16
10/18/2006	13:33:20	0.028	-0.015	-15
10/18/2006	13:48:20	0.024	-0.019	-19
10/18/2006	14:03:20	0.024	-0.019	-19
10/18/2006	14:18:20	0.025	-0.018	-18
10/18/2006	14:33:20	0.031	-0.012	-12
10/18/2006	14:48:20	0.028	-0.015	-15
10/18/2006	15:03:20	0.025	-0.018	-18
10/18/2006	15:18:20	0.024	-0.019	-19
10/18/2006	15:33:20	0.03	-0.013	-13
10/18/2006	15:48:20	0.02	-0.023	-23
10/18/2006	16:03:20	0.035	-0.008	-8
10/18/2006	16:18:20	0.022	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/18/2006 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:14) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	10/18/2006 7:32			0				0	
2	10/18/2006 7:47			0				0	
3	10/18/2006 8:02			1.9				1.9	
4	10/18/2006 8:17			2.5				2.5	*Instrument malfunction resulted in erroneously high readings
5	10/18/2006 8:32			3.3				3.3	*Instrument malfunction resulted in erroneously high readings
6	10/18/2006 8:47			6.4	L			6.4	*Instrument malfunction resulted in erroneously high readings
7	10/18/2006 9:02			7.4	L			7.4	*Instrument malfunction resulted in erroneously high readings
8	10/18/2006 9:17			9.5	L			9.5	*Instrument malfunction resulted in erroneously high readings
9	10/18/2006 9:32			11.1	L			11.1	*Instrument malfunction resulted in erroneously high readings
10	10/18/2006 9:47			11.4	L			11.4	*Instrument malfunction resulted in erroneously high readings

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	10/18/2006 10:30			0				0	*Instrument successfully recalibrated.
2	10/18/2006 10:45			0.6				0.6	
3	10/18/2006 11:00			1.5				1.5	
4	10/18/2006 11:15			0.9				0.9	
5	10/18/2006 11:30			0.6				0.6	
6	10/18/2006 11:45			0.5				0.5	
7	10/18/2006 12:00			0.3				0.3	
8	10/18/2006 12:15			0.2				0.2	
9	10/18/2006 12:30			0.2				0.2	
10	10/18/2006 12:45			0.2				0.2	
11	10/18/2006 13:00			0.2				0.2	
12	10/18/2006 13:15			0.2				0.2	
13	10/18/2006 13:30			0.2				0.2	
14	10/18/2006 13:45			0.2				0.2	
15	10/18/2006 14:00			0.1				0.1	
16	10/18/2006 14:15			0.1				0.1	
17	10/18/2006 14:30			0				0	
18	10/18/2006 14:45			0.1				0.1	
19	10/18/2006 15:00			0.1				0.1	
20	10/18/2006 15:15			0.1				0.1	
21	10/18/2006 15:30			0.1				0.1	
22	10/18/2006 15:45			0.1				0.1	
23	10/18/2006 16:00			0.1				0.1	
24	10/18/2006 16:15			0.1				0.1	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	9
Test Abbreviation:	
Start Date:	10/18/2006
Start Time:	7:23:00
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading: (07:14) = 0.034 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2006	7:38:00	0.035	0.001	1
10/18/2006	7:53:00	0.034	0	0
10/18/2006	8:08:00	0.036	0.002	2
10/18/2006	8:23:00	0.036	0.002	2
10/18/2006	8:38:00	0.031	-0.003	-3
10/18/2006	8:53:00	0.033	-0.001	-1
10/18/2006	9:08:00	0.035	0.001	1
10/18/2006	9:23:00	0.036	0.002	2
10/18/2006	9:38:00	0.038	0.004	4
10/18/2006	9:53:00	0.04	0.006	6
10/18/2006	10:08:00	0.038	0.004	4
10/18/2006	10:23:00	0.037	0.003	3
10/18/2006	10:38:00	0.037	0.003	3
10/18/2006	10:53:00	0.032	-0.002	-2
10/18/2006	11:08:00	0.028	-0.006	-6
10/18/2006	11:23:00	0.032	-0.002	-2
10/18/2006	11:38:00	0.022	-0.012	-12
10/18/2006	11:53:00	0.018	-0.016	-16
10/18/2006	12:08:00	0.019	-0.015	-15
10/18/2006	12:23:00	0.018	-0.016	-16
10/18/2006	12:38:00	0.019	-0.015	-15
10/18/2006	12:53:00	0.017	-0.017	-17
10/18/2006	13:08:00	0.019	-0.015	-15
10/18/2006	13:23:00	0.025	-0.009	-9
10/18/2006	13:38:00	0.018	-0.016	-16
10/18/2006	13:53:00	0.019	-0.015	-15
10/18/2006	14:08:00	0.017	-0.017	-17
10/18/2006	14:23:00	0.016	-0.018	-18
10/18/2006	14:38:00	0.02	-0.014	-14
10/18/2006	14:53:00	0.018	-0.016	-16
10/18/2006	15:08:00	0.017	-0.017	-17
10/18/2006	15:23:00	0.02	-0.014	-14
10/18/2006	15:38:00	0.015	-0.019	-19
10/18/2006	15:53:00	0.015	-0.019	-19
10/18/2006	16:08:00	0.016	-0.018	-18
10/18/2006	16:23:00	0.014	-0.02	-20
10/18/2006	16:38:00	0.013	-0.021	-21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/18/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:41) = 1.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/18/2006 6:28			0.4				-0.6
2	10/18/2006 6:43			0.6				-0.4
3	10/18/2006 6:58			0.9				-0.1
4	10/18/2006 7:13			1				0
5	10/18/2006 7:28			1				0
6	10/18/2006 7:43			0.9				-0.1
7	10/18/2006 7:58			0.9				-0.1
8	10/18/2006 8:13			1				0
9	10/18/2006 8:28			1				0
10	10/18/2006 8:43			1				0
11	10/18/2006 8:58			1				0
12	10/18/2006 9:13			1				0
13	10/18/2006 9:28			1				0
14	10/18/2006 9:43			1.1				0.1
15	10/18/2006 9:58			1.1				0.1
16	10/18/2006 10:13			1.1				0.1
17	10/18/2006 10:28			1.2				0.2
18	10/18/2006 10:43			1.2				0.2
19	10/18/2006 10:58			1.2				0.2
20	10/18/2006 11:13			1.3				0.3
21	10/18/2006 11:28			1.4				0.4
22	10/18/2006 11:43			1.3				0.3
23	10/18/2006 11:58			1.4				0.4
24	10/18/2006 12:13			1.4				0.4
25	10/18/2006 12:28			1.3				0.3
26	10/18/2006 12:43			1.4				0.4
27	10/18/2006 12:58			1.3				0.3
28	10/18/2006 13:13			1.3				0.3
29	10/18/2006 13:28			1.4				0.4
30	10/18/2006 13:43			1.5				0.5
31	10/18/2006 13:58			1.5				0.5
32	10/18/2006 14:13			1.4				0.4
33	10/18/2006 14:28			1.4				0.4
34	10/18/2006 14:43			1.4				0.4
35	10/18/2006 14:58			1.5				0.5
36	10/18/2006 15:13			1.5				0.5
37	10/18/2006 15:28			1.6				0.6
38	10/18/2006 15:43			1.5				0.5
39	10/18/2006 15:58			1.6				0.6
40	10/18/2006 16:13			1.6				0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	8
Test Abbreviation:	
Start Date:	10/18/2006
Start Time:	7:55:47
Duration (dd:hh:mm:ss):	00:02:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	8
Notes:	Background Reading: (07:41) = 0.095 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/18/2006	8:10:47	0.089	-0.006	-6
10/18/2006	8:25:47	0.079	-0.016	-16
10/18/2006	8:40:47	0.072	-0.023	-23
10/18/2006	8:55:47	0.077	-0.018	-18
10/18/2006	9:10:47	0.08	-0.015	-15
10/18/2006	9:25:47	0.081	-0.014	-14
10/18/2006	9:40:47	0.082	-0.013	-13
10/18/2006	9:55:47	0.087	-0.008	-8
10/18/2006	10:10:51	0.085	-0.01	-10
10/18/2006	10:25:51	0.08	-0.015	-15
10/18/2006	10:40:51	0.077	-0.018	-18
10/18/2006	10:55:51	0.069	-0.026	-26
10/18/2006	11:10:51	0.077	-0.018	-18
10/18/2006	11:25:51	0.069	-0.026	-26
10/18/2006	11:40:51	0.055	-0.04	-40
10/18/2006	11:55:51	0.048	-0.047	-47
10/18/2006	12:10:51	0.048	-0.047	-47
10/18/2006	12:25:51	0.048	-0.047	-47
10/18/2006	12:40:51	0.058	-0.037	-37
10/18/2006	12:55:51	0.046	-0.049	-49
10/18/2006	13:10:51	0.043	-0.052	-52
10/18/2006	13:25:51	0.053	-0.042	-42
10/18/2006	13:40:51	0.044	-0.051	-51
10/18/2006	13:55:51	0.049	-0.046	-46
10/18/2006	14:10:51	0.046	-0.049	-49
10/18/2006	14:25:51	0.04	-0.055	-55
10/18/2006	14:40:51	0.049	-0.046	-46
10/18/2006	14:55:51	0.04	-0.055	-55
10/18/2006	15:10:51	0.037	-0.058	-58
10/18/2006	15:25:51	0.063	-0.032	-32
10/18/2006	15:40:51	0.036	-0.059	-59
10/18/2006	15:55:51	0.038	-0.057	-57
10/18/2006	16:10:51	0.036	-0.059	-59
10/18/2006	16:25:51	0.031	-0.064	-64

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/18/2006 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/18/2006 6:32			0				0
2	10/18/2006 6:47			0				0
3	10/18/2006 7:02			0				0
4	10/18/2006 7:17			0				0
5	10/18/2006 7:32			0.1				0.1
6	10/18/2006 7:47			0.2				0.2
7	10/18/2006 8:02			0.2				0.2
8	10/18/2006 8:17			0.2				0.2
9	10/18/2006 8:32			0.2				0.2
10	10/18/2006 8:47			0.4				0.4
11	10/18/2006 9:02			0.4				0.4
12	10/18/2006 9:17			0.3				0.3
13	10/18/2006 9:32			0.3				0.3
14	10/18/2006 9:47			0.3				0.3
15	10/18/2006 10:02			0.4				0.4
16	10/18/2006 10:17			0.6				0.6
17	10/18/2006 10:32			0.4				0.4
18	10/18/2006 10:47			0.5				0.5
19	10/18/2006 11:02			0.7				0.7
	10/18/2006 11:17			0.9				0.9
21	10/18/2006 11:32			0.8				0.8
22	10/18/2006 11:47			0.5				0.5
23	10/18/2006 12:02			0.6				0.6
24	10/18/2006 12:17			0.8				0.8
25	10/18/2006 12:32			0.7				0.7
26	10/18/2006 12:47			0.7				0.7
27	10/18/2006 13:02			0.8				0.8
28	10/18/2006 13:17			0.8				0.8
29	10/18/2006 13:32			0.8				0.8
30	10/18/2006 13:47			0.7				0.7
31	10/18/2006 14:02			0.8				0.8
32	10/18/2006 14:17			1.1				1.1
33	10/18/2006 14:32			1.6				1.6
34	10/18/2006 14:47			1.4				1.4
35	10/18/2006 15:02			1.4				1.4
36	10/18/2006 15:17			1.4				1.4
37	10/18/2006 15:32			1.5				1.5
38	10/18/2006 15:47			1.5				1.5
39	10/18/2006 16:02			1.4				1.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	16
Test Abbreviation:	
Start Date:	10/18/2006
Start Time:	7:34:57
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	Background Reading: (07:28) = 0.074 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2006	7:49:57	0.081	0.007	7
10/18/2006	8:04:57	0.117	0.043	43
10/18/2006	8:19:57	0.09	0.016	16
10/18/2006	8:34:57	0.082	0.008	8
10/18/2006	8:56:31	0.074	0	0
10/18/2006	9:11:31	0.073	-0.001	-1
10/18/2006	9:26:31	0.07	-0.004	-4
10/18/2006	9:44:49	0.072	-0.002	-2
10/18/2006	9:59:49	0.075	0.001	1
10/18/2006	10:14:49	0.071	-0.003	-3
10/18/2006	10:29:49	0.072	-0.002	-2
10/18/2006	10:44:49	0.065	-0.009	-9
10/18/2006	10:59:49	0.059	-0.015	-15
10/18/2006	11:14:49	0.053	-0.021	-21
10/18/2006	11:29:49	0.056	-0.018	-18
10/18/2006	11:44:49	0.045	-0.029	-29
10/18/2006	11:59:49	0.042	-0.032	-32
10/18/2006	12:14:49	0.043	-0.031	-31
10/18/2006	12:29:49	0.042	-0.032	-32
10/18/2006	12:44:49	0.041	-0.033	-33
10/18/2006	12:59:49	0.036	-0.038	-38
10/18/2006	13:14:49	0.042	-0.032	-32
10/18/2006	13:29:49	0.047	-0.027	-27
10/18/2006	13:49:26	0.056	-0.018	-18
10/18/2006	14:04:26	0.037	-0.037	-37
10/18/2006	14:19:26	0.074	0	0
10/18/2006	14:34:26	0.099	0.025	25
10/18/2006	14:49:26	0.091	0.017	17
10/18/2006	15:04:26	0.056	-0.018	-18
10/18/2006	15:19:26	0.052	-0.022	-22
10/18/2006	15:34:26	0.113	0.039	39
10/18/2006	15:49:26	0.036	-0.038	-38
10/18/2006	16:04:26	0.082	0.008	8
10/18/2006	16:19:26	0.047	-0.027	-27
10/18/2006	16:34:26	0.046	-0.028	-28

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/19/2006 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading: (7:04) = 0.6 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/19/2006 7:14			0				-0.6
2	10/19/2006 7:29			0				-0.6
3	10/19/2006 7:44			0.1				-0.5
4	10/19/2006 7:59			0				-0.6
5	10/19/2006 8:14			0.1				-0.5
6	10/19/2006 8:29			0.1				-0.5
7	10/19/2006 8:44			0.1				-0.5
8	10/19/2006 8:59			0.1				-0.5
9	10/19/2006 9:14			0.1				-0.5
10	10/19/2006 9:29			0.2				-0.4
11	10/19/2006 9:44			0.2				-0.4
12	10/19/2006 9:59			0.2				-0.4
13	10/19/2006 10:14			0.3				-0.3
14	10/19/2006 10:29			0.3				-0.3
15	10/19/2006 10:44			0.3				-0.3
16	10/19/2006 10:59			0.2				-0.4
17	10/19/2006 11:14			0.3				-0.3
18	10/19/2006 11:29			0.2				-0.4
19	10/19/2006 11:44			0.2				-0.4
20	10/19/2006 11:59			0.2				-0.4
21	10/19/2006 12:14			0.2				-0.4
22	10/19/2006 12:29			0.2				-0.4
23	10/19/2006 12:44			0.2				-0.4
24	10/19/2006 12:59			0.2				-0.4
25	10/19/2006 13:14			0.2				-0.4
26	10/19/2006 13:29			0.2				-0.4
27	10/19/2006 13:44			0.2				-0.4
28	10/19/2006 13:59			0.2				-0.4
29	10/19/2006 14:14			0.3				-0.3
30	10/19/2006 14:29			0.3				-0.3
31	10/19/2006 14:44			0.3				-0.3
32	10/19/2006 14:59			0.3				-0.3
33	10/19/2006 15:14			0.3				-0.3
34	10/19/2006 15:29			0.3				-0.3
35	10/19/2006 15:44			0.3				-0.3
36	10/19/2006 15:59			0.3				-0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	10/19/2006
Start Time:	7:03:23
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading: (07:13) = 0.067 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2006	7:18:23	0.034	-0.033	-33
10/19/2006	7:33:23	0.036	-0.031	-31
10/19/2006	7:48:23	0.035	-0.032	-32
10/19/2006	8:03:23	0.037	-0.03	-30
10/19/2006	8:18:23	0.037	-0.03	-30
10/19/2006	8:33:23	0.037	-0.03	-30
10/19/2006	8:48:23	0.035	-0.032	-32
10/19/2006	9:03:23	0.038	-0.029	-29
10/19/2006	9:18:23	0.037	-0.03	-30
10/19/2006	9:33:23	0.038	-0.029	-29
10/19/2006	9:48:23	0.041	-0.026	-26
10/19/2006	10:03:23	0.042	-0.025	-25
10/19/2006	10:18:23	0.04	-0.027	-27
10/19/2006	10:33:23	0.04	-0.027	-27
10/19/2006	10:48:23	0.043	-0.024	-24
10/19/2006	11:03:23	0.044	-0.023	-23
10/19/2006	11:18:23	0.04	-0.027	-27
10/19/2006	11:33:23	0.037	-0.03	-30
10/19/2006	11:48:23	0.037	-0.03	-30
10/19/2006	12:03:23	0.035	-0.032	-32
10/19/2006	12:18:23	0.034	-0.033	-33
10/19/2006	12:33:23	0.029	-0.038	-38
10/19/2006	12:48:23	0.029	-0.038	-38
10/19/2006	13:03:23	0.028	-0.039	-39
10/19/2006	13:18:23	0.029	-0.038	-38
10/19/2006	13:33:23	0.029	-0.038	-38
10/19/2006	13:48:23	0.031	-0.036	-36
10/19/2006	14:03:23	0.029	-0.038	-38
10/19/2006	14:18:23	0.03	-0.037	-37
10/19/2006	14:33:23	0.034	-0.033	-33
10/19/2006	14:48:23	0.037	-0.03	-30
10/19/2006	15:03:23	0.041	-0.026	-26
10/19/2006	15:18:23	0.042	-0.025	-25
10/19/2006	15:33:23	0.038	-0.029	-29
10/19/2006	15:48:23	0.037	-0.03	-30
10/19/2006	16:03:23	0.039	-0.028	-28
10/19/2006	16:18:23	0.037	-0.03	-30

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/19/2006 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (6:50) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	10/19/2006 6:47			0.7				0.4	
2	10/19/2006 7:02			1.4				1.1	*Instrument malfunction resulted in erroneously high readings
3	10/19/2006 7:17			1.6				1.3	*Instrument malfunction resulted in erroneously high readings
4	10/19/2006 7:32			1.7				1.4	*Instrument malfunction resulted in erroneously high readings
5	10/19/2006 7:47			1.9				1.6	*Instrument malfunction resulted in erroneously high readings
6	10/19/2006 8:02			1.9				1.6	*Instrument malfunction resulted in erroneously high readings
7	10/19/2006 8:17			2				1.7	*Instrument malfunction resulted in erroneously high readings
8	10/19/2006 8:32			2.1				1.8	*Instrument malfunction resulted in erroneously high readings
9	10/19/2006 8:47			2.1				1.8	*Instrument malfunction resulted in erroneously high readings
10	10/19/2006 9:02			2.2				1.9	*Instrument malfunction resulted in erroneously high readings
11	10/19/2006 9:17			2.2				1.9	*Instrument malfunction resulted in erroneously high readings
12	10/19/2006 9:32			1.9				1.6	*Instrument malfunction resulted in erroneously high readings
1	10/19/2006 10:21			0				-0.3	*Instrument successfully recalibrated
2	10/19/2006 10:36			0				-0.3	
3	10/19/2006 10:51			0				-0.3	
4	10/19/2006 11:06			0				-0.3	
5	10/19/2006 11:21			0				-0.3	
6	10/19/2006 11:36			0				-0.3	
7	10/19/2006 11:51			0				-0.3	
8	10/19/2006 12:06			0				-0.3	
9	10/19/2006 12:21			0				-0.3	
10	10/19/2006 12:36			0				-0.3	
11	10/19/2006 12:51			0				-0.3	
12	10/19/2006 13:06			0				-0.3	
13	10/19/2006 13:21			0				-0.3	
14	10/19/2006 13:36			0				-0.3	
15	10/19/2006 13:51			0				-0.3	
16	10/19/2006 14:06			0				-0.3	
17	10/19/2006 14:21			0				-0.3	
18	10/19/2006 14:36			0				-0.3	
19	10/19/2006 14:51			0				-0.3	
20	10/19/2006 15:06			0				-0.3	
21	10/19/2006 15:21			0				-0.3	
22	10/19/2006 15:36			0				-0.3	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	10/19/2006
Start Time:	6:59:54
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading: (06:50) = 0.025 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/19/2006	7:14:54	0.026	0.001	1	
10/19/2006	7:29:54	0.028	0.003	3	
10/19/2006	7:44:54	0.026	0.001	1	
10/19/2006	7:59:54	0.029	0.004	4	
10/19/2006	8:14:54	0.027	0.002	2	
10/19/2006	8:29:54	0.025	0	0	
10/19/2006	8:44:54	0.026	0.001	1	
10/19/2006	8:59:54	0.028	0.003	3	
10/19/2006	9:14:54	0.031	0.006	6	
10/19/2006	9:29:54	0.032	0.007	7	
10/19/2006	9:44:54	0.035	0.01	10	
10/19/2006	9:59:54	0.036	0.011	11	
10/19/2006	10:14:54	0.035	0.01	10	
10/19/2006	10:29:54	0.033	0.008	8	
10/19/2006	10:44:54	0.036	0.011	11	
10/19/2006	10:59:54	0.038	0.013	13	
10/19/2006	11:14:54	0.035	0.01	10	
10/19/2006	11:29:54	0.033	0.008	8	
10/19/2006	11:44:54	0.033	0.008	8	
10/19/2006	11:59:54	0.031	0.006	6	
10/19/2006	12:14:54	0.031	0.006	6	
10/19/2006	12:29:54	0.027	0.002	2	
10/19/2006	12:44:54	0.024	-0.001	-1	
10/19/2006	12:59:54	0.024	-0.001	-1	
10/19/2006	13:14:54	0.028	0.003	3	
10/19/2006	13:29:54	0.029	0.004	4	
10/19/2006	13:44:54	0.028	0.003	3	
10/19/2006	15:56:01	0.036	0.011	11	Batteries replaced

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/19/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (7:04) = 0.6 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/19/2006 7:16		0.5		-0.1
2	10/19/2006 7:31		0.6		0
3	10/19/2006 7:46		0.7		0.1
4	10/19/2006 8:01		0.6		0
5	10/19/2006 8:16		0.7		0.1
6	10/19/2006 8:31		0.7		0.1
7	10/19/2006 8:46		0.8		0.2
8	10/19/2006 9:01		0.8		0.2
9	10/19/2006 9:16		0.8		0.2
10	10/19/2006 9:31		0.8		0.2
11	10/19/2006 9:46		0.9		0.3
12	10/19/2006 10:01		0.9		0.3
13	10/19/2006 10:16		0.9		0.3
14	10/19/2006 10:31		0.9		0.3
15	10/19/2006 10:46		0.9		0.3
16	10/19/2006 11:01		0.9		0.3
17	10/19/2006 11:16		0.9		0.3
18	10/19/2006 11:31		0.9		0.3
19	10/19/2006 11:46		0.9		0.3
20	10/19/2006 12:01		0.9		0.3
21	10/19/2006 12:16		0.9		0.3
22	10/19/2006 12:31		0.9		0.3
23	10/19/2006 12:46		0.9		0.3
24	10/19/2006 13:01		0.8		0.2
25	10/19/2006 13:16		0.8		0.2
26	10/19/2006 13:31		0.8		0.2
27	10/19/2006 13:46		0.8		0.2
28	10/19/2006 14:01		0.8		0.2
29	10/19/2006 14:16		0.8		0.2
30	10/19/2006 14:31		0.8		0.2
31	10/19/2006 14:46		0.8		0.2
32	10/19/2006 15:01		0.8		0.2
33	10/19/2006 15:16		0.8		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	10
Test Abbreviation:	
Start Date:	10/19/2006
Start Time:	7:12:59
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading: (07:04) = 0.061 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/19/2006	7:27:59	0.069	0.008	8
10/19/2006	7:42:59	0.054	-0.007	-7
10/19/2006	7:57:59	0.071	0.01	10
10/19/2006	8:12:59	0.048	-0.013	-13
10/19/2006	8:27:59	0.048	-0.013	-13
10/19/2006	8:42:59	0.053	-0.008	-8
10/19/2006	8:57:59	0.051	-0.01	-10
10/19/2006	9:12:59	0.053	-0.008	-8
10/19/2006	9:27:59	0.055	-0.006	-6
10/19/2006	9:42:59	0.057	-0.004	-4
10/19/2006	9:57:59	0.064	0.003	3
10/19/2006	10:12:59	0.076	0.015	15
10/19/2006	10:27:59	0.066	0.005	5
10/19/2006	10:42:59	0.066	0.005	5
10/19/2006	10:57:59	0.07	0.009	9
10/19/2006	11:12:59	0.067	0.006	6
10/19/2006	11:27:59	0.071	0.01	10
10/19/2006	11:42:59	0.06	-0.001	-1
10/19/2006	11:57:59	0.069	0.008	8
10/19/2006	12:12:59	0.058	-0.003	-3
10/19/2006	12:27:59	0.057	-0.004	-4
10/19/2006	12:42:59	0.061	0	0
10/19/2006	12:57:59	0.061	0	0
10/19/2006	13:12:59	0.048	-0.013	-13
10/19/2006	13:27:59	0.046	-0.015	-15
10/19/2006	13:42:59	0.047	-0.014	-14
10/19/2006	13:57:59	0.047	-0.014	-14
10/19/2006	14:12:59	0.047	-0.014	-14
10/19/2006	14:27:59	0.049	-0.012	-12
10/19/2006	14:42:59	0.055	-0.006	-6
10/19/2006	14:57:59	0.062	0.001	1
10/19/2006	15:12:59	0.076	0.015	15
10/19/2006	15:27:59	0.067	0.006	6
10/19/2006	15:42:59	0.065	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/19/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (7:13) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/19/2006 6:47			0				-0.1
2	10/19/2006 7:02			0				-0.1
3	10/19/2006 7:17			0				-0.1
4	10/19/2006 7:32			0				-0.1
5	10/19/2006 7:47			0				-0.1
6	10/19/2006 8:02			0				-0.1
7	10/19/2006 8:17			0				-0.1
8	10/19/2006 8:32			0				-0.1
9	10/19/2006 8:47			0				-0.1
10	10/19/2006 9:02			0.2				0.1
11	10/19/2006 9:17			0.4				0.3
12	10/19/2006 9:32			0.6				0.5
13	10/19/2006 9:47			1				0.9
14	10/19/2006 10:02			1.1				1
15	10/19/2006 10:17			0.1				0
16	10/19/2006 10:32			0				-0.1
17	10/19/2006 10:47			0				-0.1
18	10/19/2006 11:02			0				-0.1
19	10/19/2006 11:17			0				-0.1
20	10/19/2006 11:32			0				-0.1
21	10/19/2006 11:47			0				-0.1
22	10/19/2006 12:02			0				-0.1
23	10/19/2006 12:17			0				-0.1
24	10/19/2006 12:32			0				-0.1
25	10/19/2006 12:47			0				-0.1
26	10/19/2006 13:02			0				-0.1
27	10/19/2006 13:17			0				-0.1
28	10/19/2006 13:32			0				-0.1
29	10/19/2006 13:47			0				-0.1
30	10/19/2006 14:02			0				-0.1
31	10/19/2006 14:17			0				-0.1
32	10/19/2006 14:32			0				-0.1
33	10/19/2006 14:47			0				-0.1
34	10/19/2006 15:02			0				-0.1
35	10/19/2006 15:17			0				-0.1
36	10/19/2006 15:32			0				-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	20
Test Abbreviation:	
Start Date:	10/19/2006
Start Time:	13:46:03
Duration (dd:hh:mm:ss):	00:02:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	8
Notes:	Background Reading: (07:13) = 0.067 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2006	14:01:03	0.038	-0.029	-29
10/19/2006	14:16:03	0.044	-0.023	-23
10/19/2006	14:31:03	0.046	-0.021	-21
10/19/2006	14:46:03	0.055	-0.012	-12
10/19/2006	15:01:03	0.056	-0.011	-11
10/19/2006	15:16:03	0.064	-0.003	-3
10/19/2006	15:31:03	0.074	0.007	7
10/19/2006	15:46:03	0.056	-0.011	-11

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/19/2006	7:13	0.067	0	0	Instantaneous measurements using hand-held Dust Trak
10/19/2006	7:57	0.05	-0.017	-17	Instantaneous measurements using hand-held Dust Trak
10/19/2006	8:19	0.049	-0.018	-18	Instantaneous measurements using hand-held Dust Trak
10/19/2006	9:27	0.055	-0.012	-12	Instantaneous measurements using hand-held Dust Trak
10/19/2006	10:13	0.06	-0.007	-7	Instantaneous measurements using hand-held Dust Trak
10/19/2006	11:01	0.049	-0.018	-18	Instantaneous measurements using hand-held Dust Trak
10/19/2006	11:51	0.045	-0.022	-22	Instantaneous measurements using hand-held Dust Trak
10/19/2006	13:02	0.036	-0.031	-31	Instantaneous measurements using hand-held Dust Trak

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/20/2006 06:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading: (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/20/2006 7:13			0				0
2	10/20/2006 7:28			0				0
3	10/20/2006 7:43			0				0
4	10/20/2006 7:58			0				0
5	10/20/2006 8:13			0				0
6	10/20/2006 8:28			0				0
7	10/20/2006 8:43			0				0
8	10/20/2006 8:58			0				0
9	10/20/2006 9:13			0				0
10	10/20/2006 9:28			0				0
11	10/20/2006 9:43			0				0
12	10/20/2006 9:58			0				0
13	10/20/2006 10:13			0				0
14	10/20/2006 10:28			0				0
15	10/20/2006 10:43			0				0
16	10/20/2006 10:58			0				0
17	10/20/2006 11:13			0				0
18	10/20/2006 11:28			0				0
19	10/20/2006 11:43			0				0
20	10/20/2006 11:58			0				0
21	10/20/2006 12:13			0				0
22	10/20/2006 12:28			0				0
23	10/20/2006 12:43			0				0
24	10/20/2006 12:58			0				0
25	10/20/2006 13:13			0				0
26	10/20/2006 13:28			0				0
27	10/20/2006 13:43			0				0
28	10/20/2006 13:58			0				0
29	10/20/2006 14:13			0				0
30	10/20/2006 14:28			0				0
31	10/20/2006 14:43			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	10/20/2006
Start Time:	7:34:13
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading: (07:11) = 0.076 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/20/2006	7:00:05	0.026	-0.05	-50
10/20/2006	7:15:05	0.03	-0.046	-46
10/20/2006	7:30:05	0.03	-0.046	-46
10/20/2006	7:45:05	0.058	-0.018	-18
10/20/2006	8:00:05	0.03	-0.046	-46
10/20/2006	8:15:05	0.029	-0.047	-47
10/20/2006	8:30:05	0.029	-0.047	-47
10/20/2006	8:45:05	0.029	-0.047	-47
10/20/2006	9:00:05	0.029	-0.047	-47
10/20/2006	10:07:43	0.035	-0.041	-41
10/20/2006	10:22:43	0.026	-0.05	-50
10/20/2006	10:37:43	0.041	-0.035	-35
10/20/2006	10:52:43	0.028	-0.048	-48
10/20/2006	11:07:43	0.03	-0.046	-46
10/20/2006	11:22:43	0.027	-0.049	-49
10/20/2006	11:37:43	0.027	-0.049	-49
10/20/2006	11:52:43	0.098	0.022	22
10/20/2006	12:07:43	0.027	-0.049	-49
10/20/2006	12:22:43	0.026	-0.05	-50
10/20/2006	12:37:43	0.037	-0.039	-39
10/20/2006	12:52:43	0.039	-0.037	-37
10/20/2006	13:07:43	0.043	-0.033	-33
10/20/2006	13:22:43	0.041	-0.035	-35
10/20/2006	13:45:05	0.02	-0.056	-56
10/20/2006	14:00:05	0.019	-0.057	-57
10/20/2006	14:15:05	0.017	-0.059	-59
10/20/2006	14:30:05	0.016	-0.06	-60
10/20/2006	14:45:05	0.016	-0.06	-60
10/20/2006	15:00:05	0.015	-0.061	-61
10/20/2006	15:15:05	0.014	-0.062	-62
10/20/2006	15:30:05	0.014	-0.062	-62

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/20/2006 06:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/20/2006 7:34			0				0
2	10/20/2006 7:49			0				0
3	10/20/2006 8:04			0				0
4	10/20/2006 8:19			0				0
5	10/20/2006 8:34			0				0
6	10/20/2006 8:49			0.1				0.1
7	10/20/2006 9:04			0.1				0.1
8	10/20/2006 9:19			0.1				0.1
9	10/20/2006 9:34			0.2				0.2
10	10/20/2006 9:49			0.2				0.2
11	10/20/2006 10:04			0.2				0.2
12	10/20/2006 10:19			0.2				0.2
13	10/20/2006 10:34			0.2				0.2
14	10/20/2006 10:49			0.2				0.2
15	10/20/2006 11:04			0.2				0.2
16	10/20/2006 11:19			0.2				0.2
17	10/20/2006 11:34			0.2				0.2
18	10/20/2006 11:49			0.2				0.2
19	10/20/2006 12:04			0.2				0.2
20	10/20/2006 12:19			0.2				0.2
21	10/20/2006 12:34			0.2				0.2
22	10/20/2006 12:49			0.3				0.3
23	10/20/2006 13:04			0.3				0.3
24	10/20/2006 13:19			0.3				0.3
25	10/20/2006 13:34			0.3				0.3
26	10/20/2006 13:49			0.2				0.2
27	10/20/2006 14:04			0.2				0.2
28	10/20/2006 14:19			0.2				0.2
29	10/20/2006 14:34			0.2				0.2
30	10/20/2006 14:49			0.2				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	12
Test Abbreviation:	
Start Date:	10/20/2006
Start Time:	7:26:59
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading: (07:15) = 0.062 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/20/2006	7:41:59	0.064	0.002	2
10/20/2006	7:56:59	0.065	0.003	3
10/20/2006	8:11:59	0.063	0.001	1
10/20/2006	8:26:59	0.057	-0.005	-5
10/20/2006	8:41:59	0.053	-0.009	-9
10/20/2006	8:56:59	0.054	-0.008	-8
10/20/2006	9:11:59	0.052	-0.01	-10
10/20/2006	9:26:59	0.048	-0.014	-14
10/20/2006	9:41:59	0.045	-0.017	-17
10/20/2006	9:56:59	0.042	-0.02	-20
10/20/2006	10:11:59	0.038	-0.024	-24
10/20/2006	10:26:59	0.039	-0.023	-23
10/20/2006	10:41:59	0.04	-0.022	-22
10/20/2006	10:56:59	0.035	-0.027	-27
10/20/2006	11:11:59	0.034	-0.028	-28
10/20/2006	11:26:59	0.025	-0.037	-37
10/20/2006	11:41:59	0.025	-0.037	-37
10/20/2006	11:56:59	0.027	-0.035	-35
10/20/2006	13:40:51	0.036	-0.026	-26

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/20/2006 06:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/20/2006 7:24			0				0
2	10/20/2006 7:39			0.1				0.1
3	10/20/2006 7:54			0.2				0.2
4	10/20/2006 8:09			0.3				0.3
5	10/20/2006 8:24			0.3				0.3
6	10/20/2006 8:39			0.4				0.4
7	10/20/2006 8:54			0.4				0.4
8	10/20/2006 9:09			0.5				0.5
9	10/20/2006 9:24			0.5				0.5
10	10/20/2006 9:39			0.5				0.5
11	10/20/2006 9:54			0.5				0.5
12	10/20/2006 10:09			0.5				0.5
13	10/20/2006 10:24			0.5				0.5
14	10/20/2006 10:39			0.5				0.5
15	10/20/2006 10:54			0.5				0.5
16	10/20/2006 11:09			0.5				0.5
17	10/20/2006 11:24			0.5				0.5
18	10/20/2006 11:39			0.4				0.4
19	10/20/2006 11:54			0.4				0.4
20	10/20/2006 12:09			0.4				0.4
21	10/20/2006 12:24			0.4				0.4
22	10/20/2006 12:39			0.4				0.4
23	10/20/2006 12:54			0.4				0.4
24	10/20/2006 13:09			0.4				0.4
25	10/20/2006 13:24			0.4				0.4
26	10/20/2006 13:39			0.4				0.4
27	10/20/2006 13:54			0.5				0.5
28	10/20/2006 14:09			0.4				0.4
29	10/20/2006 14:24			0.4				0.4
30	10/20/2006 14:39			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	11
Test Abbreviation:	
Start Date:	10/20/2006
Start Time:	7:18:49
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading: (07:10) = 0.115 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/20/2006	7:33:49	0.123	0.008	8
10/20/2006	7:48:49	0.125	0.01	10
10/20/2006	8:03:49	0.128	0.013	13
10/20/2006	8:18:49	0.125	0.01	10
10/20/2006	8:33:49	0.111	-0.004	-4
10/20/2006	8:48:49	0.105	-0.01	-10
10/20/2006	9:03:49	0.104	-0.011	-11
10/20/2006	9:18:49	0.095	-0.02	-20
10/20/2006	9:33:49	0.09	-0.025	-25
10/20/2006	9:48:49	0.085	-0.03	-30
10/20/2006	10:03:49	0.079	-0.036	-36
10/20/2006	10:18:49	0.079	-0.036	-36
10/20/2006	10:33:49	0.09	-0.025	-25
10/20/2006	10:48:49	0.075	-0.04	-40
10/20/2006	11:03:49	0.076	-0.039	-39
10/20/2006	11:18:49	0.067	-0.048	-48
10/20/2006	11:33:49	0.062	-0.053	-53
10/20/2006	11:48:49	0.069	-0.046	-46
10/20/2006	12:03:49	0.07	-0.045	-45
10/20/2006	12:18:49	0.069	-0.046	-46
10/20/2006	15:00:43	0.065	-0.05	-50

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/20/2006 06:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:00) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/20/2006 7:17			0				-0.2
2	10/20/2006 7:32			0				-0.2
3	10/20/2006 7:47			0				-0.2
4	10/20/2006 8:02			0				-0.2
5	10/20/2006 8:17			0				-0.2
6	10/20/2006 8:32			0				-0.2
7	10/20/2006 8:47			0				-0.2
8	10/20/2006 9:02			0				-0.2
9	10/20/2006 9:17			0				-0.2
10	10/20/2006 9:32			0				-0.2
11	10/20/2006 9:47			0				-0.2
12	10/20/2006 10:02			0				-0.2
13	10/20/2006 10:17			0				-0.2
14	10/20/2006 10:32			0.1				-0.1
15	10/20/2006 10:47			0.1				-0.1
16	10/20/2006 11:02			0				-0.2
17	10/20/2006 11:17			0				-0.2
18	10/20/2006 11:32			0				-0.2
19	10/20/2006 11:47			0				-0.2
20	10/20/2006 12:02			0				-0.2
21	10/20/2006 12:17			0				-0.2
22	10/20/2006 12:32			0				-0.2
23	10/20/2006 12:47			0				-0.2
24	10/20/2006 13:02			0				-0.2
25	10/20/2006 13:17			0				-0.2
26	10/20/2006 13:32			0				-0.2
27	10/20/2006 13:47			0				-0.2
28	10/20/2006 14:02			0				-0.2
29	10/20/2006 14:17			0				-0.2
30	10/20/2006 14:32			0				-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	21
Test Abbreviation:	
Start Date:	10/20/2006
Start Time:	7:11:27
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading: (07:00) = 0.025 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/20/2006	7:26:27	0.026	0.001	1
10/20/2006	7:41:27	0.036	0.011	11
10/20/2006	7:56:27	0.022	-0.003	-3
10/20/2006	8:11:27	0.027	0.002	2
10/20/2006	8:26:27	0.026	0.001	1
10/20/2006	8:41:27	0.024	-0.001	-1
10/20/2006	8:56:27	0.023	-0.002	-2
10/20/2006	9:11:27	0.023	-0.002	-2
10/20/2006	9:26:27	0.024	-0.001	-1
10/20/2006	9:41:27	0.024	-0.001	-1
10/20/2006	9:56:27	0.024	-0.001	-1
10/20/2006	10:11:27	0.029	0.004	4
10/20/2006	10:26:27	0.027	0.002	2
10/20/2006	10:41:27	0.026	0.001	1
10/20/2006	10:56:27	0.035	0.01	10
10/20/2006	11:11:27	0.027	0.002	2
10/20/2006	11:26:27	0.023	-0.002	-2
10/20/2006	11:41:27	0.021	-0.004	-4
10/20/2006	11:56:27	0.022	-0.003	-3
10/20/2006	12:11:27	0.02	-0.005	-5
10/20/2006	12:26:27	0.023	-0.002	-2
10/20/2006	12:41:27	0.025	0	0
10/20/2006	12:56:27	0.027	0.002	2
10/20/2006	13:11:27	0.021	-0.004	-4
10/20/2006	13:26:27	0.02	-0.005	-5
10/20/2006	13:41:27	0.021	-0.004	-4
10/20/2006	13:56:27	0.02	-0.005	-5
10/20/2006	14:11:27	0.021	-0.004	-4
10/20/2006	14:26:27	0.022	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2006 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/23/2006 6:41			0.4				0.4
2	10/23/2006 6:56			0.2				0.2
3	10/23/2006 7:11			0				0
4	10/23/2006 7:26			0				0
5	10/23/2006 7:41			0				0
6	10/23/2006 7:56			0				0
7	10/23/2006 8:11			0				0
8	10/23/2006 8:26			0.1				0.1
9	10/23/2006 8:41			0.1				0.1
10	10/23/2006 8:56			0.1				0.1
11	10/23/2006 9:11			0.2				0.2
12	10/23/2006 9:26			0.2				0.2
13	10/23/2006 9:41			0.2				0.2
14	10/23/2006 9:56			0.2				0.2
15	10/23/2006 10:11			0.2				0.2
16	10/23/2006 10:26			0.2				0.2
17	10/23/2006 10:41			0.2				0.2
18	10/23/2006 10:56			0.2				0.2
19	10/23/2006 11:11			0.2				0.2
20	10/23/2006 11:26			0.2				0.2
21	10/23/2006 11:41			0.2				0.2
22	10/23/2006 11:56			0.2				0.2
23	10/23/2006 12:11			0.2				0.2
24	10/23/2006 12:26			0.2				0.2
25	10/23/2006 12:41			0.2				0.2
26	10/23/2006 12:56			0.1				0.1
27	10/23/2006 13:11			0.2				0.2
28	10/23/2006 13:26			0.1				0.1
29	10/23/2006 13:41			0.1				0.1
30	10/23/2006 13:56			0.1				0.1
31	10/23/2006 14:11			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	10/23/2006
Start Time:	7:07:18
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0700) = 0.013 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/23/2006	7:22:18	0.011	-0.002	-2
10/23/2006	7:37:18	0.01	-0.003	-3
10/23/2006	7:52:18	0.011	-0.002	-2
10/23/2006	8:07:18	0.011	-0.002	-2
10/23/2006	8:22:18	0.014	0.001	1
10/23/2006	8:37:18	0.013	0	0
10/23/2006	8:52:18	0.012	-0.001	-1
10/23/2006	9:07:18	0.011	-0.002	-2
10/23/2006	9:22:18	0.009	-0.004	-4
10/23/2006	9:37:18	0.008	-0.005	-5
10/23/2006	9:52:18	0.008	-0.005	-5
10/23/2006	10:07:18	0.008	-0.005	-5
10/23/2006	10:22:18	0.009	-0.004	-4
10/23/2006	10:37:18	0.006	-0.007	-7
10/23/2006	10:52:18	0.005	-0.008	-8
10/23/2006	11:07:18	0.005	-0.008	-8
10/23/2006	11:22:18	0.008	-0.005	-5
10/23/2006	11:37:18	0.004	-0.009	-9
10/23/2006	11:52:18	0.004	-0.009	-9
10/23/2006	12:07:18	0.006	-0.007	-7
10/23/2006	12:22:18	0.004	-0.009	-9
10/23/2006	12:37:18	0.005	-0.008	-8
10/23/2006	12:52:18	0.005	-0.008	-8
10/23/2006	13:07:18	0.007	-0.006	-6
10/23/2006	13:22:18	0.007	-0.006	-6
10/23/2006	13:37:18	0.006	-0.007	-7
10/23/2006	13:52:18	0.006	-0.007	-7
10/23/2006	14:07:18	0.006	-0.007	-7
10/23/2006	14:22:18	0.006	-0.007	-7
10/23/2006	14:37:18	0.007	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/23/2006 6:36			0				0
2	10/23/2006 6:51			0.1				0.1
3	10/23/2006 7:06			0.1				0.1
4	10/23/2006 7:21			0.1				0.1
5	10/23/2006 7:36			0.9				0.9
6	10/23/2006 7:51			0.8				0.8
7	10/23/2006 8:06			0.7				0.7
8	10/23/2006 8:21			0.8				0.8
9	10/23/2006 8:36			0.8				0.8
10	10/23/2006 8:51			0.7				0.7
11	10/23/2006 9:06			0.7				0.7
12	10/23/2006 9:21			0.7				0.7
13	10/23/2006 9:36			0.7				0.7
14	10/23/2006 9:51			0.7				0.7
15	10/23/2006 10:06			0.7				0.7
16	10/23/2006 10:21			0.6				0.6
17	10/23/2006 10:36			0.6				0.6
18	10/23/2006 10:51			0.6				0.6
19	10/23/2006 11:06			0.7				0.7
20	10/23/2006 11:21			0.7				0.7
21	10/23/2006 11:36			0.7				0.7
22	10/23/2006 11:51			0.6				0.6
23	10/23/2006 12:06			0.5				0.5
24	10/23/2006 12:21			0.5				0.5
25	10/23/2006 12:36			0.5				0.5
26	10/23/2006 12:51			0.5				0.5
27	10/23/2006 13:06			0.5				0.5
28	10/23/2006 13:21			0.6				0.6
29	10/23/2006 13:36			0.6				0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	14
Test Abbreviation:	
Start Date:	10/23/2006
Start Time:	6:55:16
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading: (06:43) = 0.017 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2006	7:10:16	0.02	0.003	3
10/23/2006	7:25:16	0.013	-0.004	-4
10/23/2006	7:40:16	0.01	-0.007	-7
10/23/2006	7:55:16	0.013	-0.004	-4
10/23/2006	8:10:16	0.011	-0.006	-6
10/23/2006	8:25:16	0.014	-0.003	-3
10/23/2006	8:40:16	0.012	-0.005	-5
10/23/2006	8:55:16	0.011	-0.006	-6
10/23/2006	9:10:16	0.01	-0.007	-7
10/23/2006	9:25:16	0.009	-0.008	-8
10/23/2006	9:40:16	0.011	-0.006	-6
10/23/2006	9:55:16	0.008	-0.009	-9
10/23/2006	10:10:16	0.011	-0.006	-6
10/23/2006	10:25:16	0.007	-0.01	-10
10/23/2006	10:40:16	0.008	-0.009	-9
10/23/2006	10:55:16	0.01	-0.007	-7
10/23/2006	11:10:16	0.004	-0.013	-13
10/23/2006	11:25:16	0.007	-0.01	-10
10/23/2006	11:40:16	0.004	-0.013	-13
10/23/2006	11:55:16	0.004	-0.013	-13
10/23/2006	12:10:16	0.007	-0.01	-10
10/23/2006	13:11:46	0.005	-0.012	-12
10/23/2006	13:26:46	0.012	-0.005	-5
10/23/2006	13:41:46	0.006	-0.011	-11
10/23/2006	13:56:46	0.007	-0.01	-10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2006 07:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/23/2006 7:44			0.1				0.1
2	10/23/2006 7:59			0.1				0.1
3	10/23/2006 8:14			0.1				0.1
4	10/23/2006 8:29			0.2				0.2
5	10/23/2006 8:44			0.2				0.2
6	10/23/2006 8:59			0.2				0.2
7	10/23/2006 9:14			0.3				0.3
8	10/23/2006 9:29			0.3				0.3
9	10/23/2006 9:44			0.3				0.3
10	10/23/2006 9:59			0.3				0.3
11	10/23/2006 10:14			0.3				0.3
12	10/23/2006 10:29			0.4				0.4
13	10/23/2006 10:44			0.4				0.4
14	10/23/2006 10:59			0.4				0.4
15	10/23/2006 11:14			0.4				0.4
16	10/23/2006 11:29			0.4				0.4
17	10/23/2006 11:44			0.4				0.4
18	10/23/2006 11:59			0.4				0.4
19	10/23/2006 12:14			0.4				0.4
20	10/23/2006 12:29			0.4				0.4
21	10/23/2006 12:44			0.4				0.4
22	10/23/2006 12:59			0.4				0.4
23	10/23/2006 13:14			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	13
Test Abbreviation:	
Start Date:	10/23/2006
Start Time:	7:20:10
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (0710) = 0.012 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2006	7:35:10	0.013	0.001	1
10/23/2006	7:50:10	0.007	-0.005	-5
10/23/2006	8:05:10	0.004	-0.008	-8
10/23/2006	8:20:10	0.011	-0.001	-1
10/23/2006	8:35:10	0.004	-0.008	-8
10/23/2006	8:50:10	0.004	-0.008	-8
10/23/2006	9:05:10	0.004	-0.008	-8
10/23/2006	9:20:10	0.006	-0.006	-6
10/23/2006	9:35:10	0.004	-0.008	-8
10/23/2006	9:50:10	0.003	-0.009	-9
10/23/2006	10:05:10	0.006	-0.006	-6
10/23/2006	10:20:10	0.006	-0.006	-6
10/23/2006	10:35:10	0.032	0.02	20
10/23/2006	10:50:10	0.024	0.012	12
10/23/2006	11:05:10	0.008	-0.004	-4
10/23/2006	11:20:10	0.011	-0.001	-1
10/23/2006	11:35:10	0.009	-0.003	-3
10/23/2006	11:50:10	0.009	-0.003	-3
10/23/2006	12:05:10	0.017	0.005	5
10/23/2006	12:20:10	0.009	-0.003	-3
10/23/2006	12:35:10	0.011	-0.001	-1
10/23/2006	13:23:37	0.03	0.018	18
10/23/2006	13:38:37	0.01	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0702) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/23/2006 7:14			0.3				0.3
2	10/23/2006 7:29			0.4				0.4
3	10/23/2006 7:44			0.5				0.5
4	10/23/2006 7:59			0.5				0.5
5	10/23/2006 8:14			0.6				0.6
6	10/23/2006 8:29			0.6				0.6
7	10/23/2006 8:44			0.8				0.8
8	10/23/2006 8:59			0.8				0.8
9	10/23/2006 9:14			1				1
10	10/23/2006 9:29			1.1				1.1
11	10/23/2006 9:44			1.2				1.2
12	10/23/2006 9:59			1.3				1.3
13	10/23/2006 10:14			1.1				1.1
14	10/23/2006 10:29			1.2				1.2
15	10/23/2006 10:44			1.1				1.1
16	10/23/2006 10:59			0.6				0.6
17	10/23/2006 11:14			0.5				0.5
18	10/23/2006 11:29			0.4				0.4
19	10/23/2006 11:44			0.3				0.3
20	10/23/2006 11:59			0.3				0.3
21	10/23/2006 12:14			0.3				0.3
22	10/23/2006 12:29			0.2				0.2
23	10/23/2006 12:44			0.2				0.2
24	10/23/2006 12:59			0.2				0.2
25	10/23/2006 13:14			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	22
Test Abbreviation:	
Start Date:	10/23/2006
Start Time:	7:09:48
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (0702) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/23/2006	7:24:48	0.01	-0.001	-1
10/23/2006	7:39:48	0.009	-0.002	-2
10/23/2006	7:54:48	0.009	-0.002	-2
10/23/2006	8:09:48	0.009	-0.002	-2
10/23/2006	8:24:48	0.01	-0.001	-1
10/23/2006	8:39:48	0.01	-0.001	-1
10/23/2006	8:54:48	0.01	-0.001	-1
10/23/2006	9:09:48	0.01	-0.001	-1
10/23/2006	9:24:48	0.009	-0.002	-2
10/23/2006	9:39:48	0.01	-0.001	-1
10/23/2006	9:54:48	0.011	0	0
10/23/2006	10:09:48	0.012	0.001	1
10/23/2006	10:24:48	0.01	-0.001	-1
10/23/2006	10:39:48	0.009	-0.002	-2
10/23/2006	10:54:48	0.009	-0.002	-2
10/23/2006	11:09:48	0.009	-0.002	-2
10/23/2006	12:50:16	0.01	-0.001	-1
10/23/2006	13:05:16	0.008	-0.003	-3
10/23/2006	13:20:16	0.016	0.005	5
10/23/2006	13:35:16	0.01	-0.001	-1
10/23/2006	13:50:16	0.009	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2006 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading: (07:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/24/2006 7:38			0				0
2	10/24/2006 7:53			0				0
3	10/24/2006 8:08			0				0
4	10/24/2006 8:23			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	10/24/2006
Start Time:	7:28:17
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading: (07:20) = 0.006 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2006	7:43:17	0.008	0.002	2
10/24/2006	7:58:17	0.008	0.002	2
10/24/2006	8:13:17	0.008	0.002	2
10/24/2006	8:28:17	0.008	0.002	2
10/24/2006	8:43:17	0.007	0.001	1
10/24/2006	8:58:17	0.009	0.003	3
10/24/2006	9:13:17	0.009	0.003	3
10/24/2006	9:28:17	0.012	0.006	6
10/24/2006	9:43:17	0.024	0.018	18
10/24/2006	9:58:17	0.008	0.002	2
10/24/2006	10:13:17	0.008	0.002	2
10/24/2006	10:28:17	0.005	-0.001	-1
10/24/2006	10:43:17	0.007	0.001	1
10/24/2006	10:58:17	0.01	0.004	4
10/24/2006	11:13:17	0.012	0.006	6
10/24/2006	11:28:17	0.008	0.002	2
10/24/2006	11:43:17	0.007	0.001	1
10/24/2006	11:58:17	0.009	0.003	3
10/24/2006	12:13:17	0.007	0.001	1
10/24/2006	12:28:17	0.005	-0.001	-1
10/24/2006	12:43:17	0.008	0.002	2
10/24/2006	12:58:17	0.007	0.001	1
10/24/2006	13:13:17	0.012	0.006	6
10/24/2006	13:28:17	0.006	0	0
10/24/2006	13:43:17	0.007	0.001	1
10/24/2006	13:58:17	0.007	0.001	1
10/24/2006	14:13:17	0.007	0.001	1
10/24/2006	14:28:17	0.007	0.001	1
10/24/2006	14:43:17	0.007	0.001	1
10/24/2006	14:58:17	0.006	0	0
10/24/2006	15:13:17	0.007	0.001	1
10/24/2006	15:28:17	0.006	0	0
10/24/2006	15:43:17	0.007	0.001	1
10/24/2006	15:58:17	0.008	0.002	2
10/24/2006	16:13:17	0.006	0	0
10/24/2006	16:28:17	0.007	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/24/2006 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/24/2006 6:52			0				0
2	10/24/2006 7:07			0				0
3	10/24/2006 7:22			0				0
4	10/24/2006 7:37			0				0
5	10/24/2006 7:52			0				0
6	10/24/2006 8:07			0				0
7	10/24/2006 8:22			0				0
8	10/24/2006 8:37			0				0
9	10/24/2006 8:52			0				0
10	10/24/2006 9:07			0				0
11	10/24/2006 9:22			0				0
12	10/24/2006 9:37			0				0
13	10/24/2006 9:52			0.1				0.1
14	10/24/2006 10:07			0.1				0.1
15	10/24/2006 10:22			0.2				0.2
16	10/24/2006 10:37			0.2				0.2
17	10/24/2006 10:52			0.2				0.2
18	10/24/2006 11:07			0.3				0.3
19	10/24/2006 11:22			0.3				0.3
20	10/24/2006 11:37			0.4				0.4
21	10/24/2006 11:52			0.4				0.4
22	10/24/2006 12:07			0.4				0.4
23	10/24/2006 12:22			0.5				0.5
24	10/24/2006 12:37			0.6				0.6
25	10/24/2006 12:52			0.5				0.5
26	10/24/2006 13:07			0.5				0.5
27	10/24/2006 13:22			0.5				0.5
28	10/24/2006 13:37			0.5				0.5
29	10/24/2006 13:52			0.4				0.4
30	10/24/2006 14:07			0.4				0.4
31	10/24/2006 14:22			0.3				0.3
32	10/24/2006 14:37			0.3				0.3
33	10/24/2006 14:52			0.3				0.3
34	10/24/2006 15:07			0.3				0.3
35	10/24/2006 15:22			0.3				0.3
36	10/24/2006 15:37			0.3				0.3
37	10/24/2006 15:52			0.3				0.3
38	10/24/2006 16:07			0.3				0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	16
Test Abbreviation:	
Start Date:	10/24/2006
Start Time:	7:16:38
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading: (07:04) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2006	7:31:38	0.009	0.002	2
10/24/2006	7:46:38	0.013	0.006	6
10/24/2006	8:01:38	0.009	0.002	2
10/24/2006	8:16:38	0.014	0.007	7
10/24/2006	8:31:38	0.01	0.003	3
10/24/2006	8:46:38	0.008	0.001	1
10/24/2006	9:01:38	0.018	0.011	11
10/24/2006	9:16:38	0.013	0.006	6
10/24/2006	9:31:38	0.01	0.003	3
10/24/2006	9:46:38	0.013	0.006	6
10/24/2006	10:01:38	0.01	0.003	3
10/24/2006	10:16:38	0.008	0.001	1
10/24/2006	10:31:38	0.007	0	0
10/24/2006	10:46:38	0.015	0.008	8
10/24/2006	11:01:38	0.007	0	0
10/24/2006	11:16:38	0.009	0.002	2
10/24/2006	11:31:38	0.008	0.001	1
10/24/2006	11:46:38	0.007	0	0
10/24/2006	12:01:38	0.013	0.006	6
10/24/2006	12:16:38	0.008	0.001	1
10/24/2006	12:31:38	0.008	0.001	1
10/24/2006	12:46:38	0.01	0.003	3
10/24/2006	13:01:38	0.01	0.003	3
10/24/2006	13:16:38	0.01	0.003	3
10/24/2006	13:31:38	0.011	0.004	4
10/24/2006	13:46:38	0.012	0.005	5
10/24/2006	14:01:38	0.011	0.004	4
10/24/2006	14:16:38	0.01	0.003	3
10/24/2006	14:31:38	0.009	0.002	2
10/24/2006	14:46:38	0.008	0.001	1
10/24/2006	15:01:38	0.009	0.002	2
10/24/2006	15:16:38	0.008	0.001	1
10/24/2006	15:31:38	0.009	0.002	2
10/24/2006	15:46:38	0.008	0.001	1
10/24/2006	16:01:38	0.007	0	0
10/24/2006	16:16:38	0.008	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/24/2006 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:28) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/24/2006 6:43			0.1				0.1
2	10/24/2006 6:58			0				0
3	10/24/2006 7:13			0.1				0.1
4	10/24/2006 7:28			0.1				0.1
5	10/24/2006 7:43			0.1				0.1
6	10/24/2006 7:58			0.1				0.1
7	10/24/2006 8:13			0.1				0.1
8	10/24/2006 8:28			0.1				0.1
9	10/24/2006 8:43			0.2				0.2
10	10/24/2006 8:58			0.2				0.2
11	10/24/2006 9:13			0.2				0.2
12	10/24/2006 9:28			0.2				0.2
13	10/24/2006 9:43			0.2				0.2
14	10/24/2006 9:58			0.3				0.3
15	10/24/2006 10:13			0.3				0.3
16	10/24/2006 10:28			0.3				0.3
17	10/24/2006 10:43			0.3				0.3
18	10/24/2006 10:58			0.3				0.3
19	10/24/2006 11:13			0.4				0.4
20	10/24/2006 11:28			0.4				0.4
21	10/24/2006 11:43			0.4				0.4
22	10/24/2006 11:58			0.4				0.4
23	10/24/2006 12:13			0.5				0.5
24	10/24/2006 12:28			0.5				0.5
25	10/24/2006 12:43			0.4				0.4
26	10/24/2006 12:58			0.4				0.4
27	10/24/2006 13:13			0.4				0.4
28	10/24/2006 13:28			0.4				0.4
29	10/24/2006 13:43			0.3				0.3
30	10/24/2006 13:58			0.3				0.3
31	10/24/2006 14:13			0.3				0.3
32	10/24/2006 14:28			0.3				0.3
33	10/24/2006 14:43			0.3				0.3
34	10/24/2006 14:58			0.3				0.3
35	10/24/2006 15:13			0.3				0.3
36	10/24/2006 15:28			0.3				0.3
37	10/24/2006 15:43			0.3				0.3
38	10/24/2006 15:58			0.3				0.3
39	10/24/2006 16:13			0.9				0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	15
Test Abbreviation:	
Start Date:	10/24/2006
Start Time:	7:39:53
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading: (07:23) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2006	7:54:53	0.012	0.003	3
10/24/2006	8:09:53	0.033	0.024	24
10/24/2006	8:24:53	0.023	0.014	14
10/24/2006	8:39:53	0.011	0.002	2
10/24/2006	8:54:53	0.019	0.01	10
10/24/2006	9:09:53	0.023	0.014	14
10/24/2006	9:24:53	0.014	0.005	5
10/24/2006	9:39:53	0.033	0.024	24
10/24/2006	9:54:53	0.011	0.002	2
10/24/2006	10:09:53	0.012	0.003	3
10/24/2006	10:24:53	0.008	-0.001	-1
10/24/2006	10:39:53	0.022	0.013	13
10/24/2006	10:54:53	0.009	0	0
10/24/2006	11:09:53	0.009	0	0
10/24/2006	11:24:53	0.021	0.012	12
10/24/2006	11:39:53	0.011	0.002	2
10/24/2006	11:54:53	0.024	0.015	15
10/24/2006	12:09:53	0.012	0.003	3
10/24/2006	12:24:53	0.014	0.005	5
10/24/2006	12:39:53	0.027	0.018	18
10/24/2006	12:54:53	0.026	0.017	17
10/24/2006	13:09:53	0.015	0.006	6
10/24/2006	13:24:53	0.018	0.009	9
10/24/2006	13:39:53	0.021	0.012	12
10/24/2006	13:54:53	0.021	0.012	12
10/24/2006	14:09:53	0.013	0.004	4
10/24/2006	14:24:53	0.011	0.002	2
10/24/2006	14:39:53	0.011	0.002	2
10/24/2006	14:54:53	0.012	0.003	3
10/24/2006	15:09:53	0.011	0.002	2
10/24/2006	15:24:53	0.013	0.004	4
10/24/2006	15:39:53	0.012	0.003	3
10/24/2006	15:54:53	0.01	0.001	1
10/24/2006	16:09:53	0.01	0.001	1
10/24/2006	16:24:53	0.011	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/24/2006 06:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading: (07:23) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/24/2006 6:52			0				0
2	10/24/2006 7:07			0				0
3	10/24/2006 7:22			0				0
4	10/24/2006 7:37			0				0
5	10/24/2006 7:52			0				0
6	10/24/2006 8:07			0				0
7	10/24/2006 8:22			0				0
8	10/24/2006 8:37			0				0
9	10/24/2006 8:52			0				0
10	10/24/2006 9:07			0				0
11	10/24/2006 9:22			0				0
12	10/24/2006 9:37			0				0
13	10/24/2006 9:52			0				0
14	10/24/2006 10:07			0				0
15	10/24/2006 10:22			0				0
16	10/24/2006 10:37			0				0
17	10/24/2006 10:52			0				0
18	10/24/2006 11:07			0				0
19	10/24/2006 11:22			0				0
20	10/24/2006 11:37			0				0
21	10/24/2006 11:52			0				0
22	10/24/2006 12:07			0				0
23	10/24/2006 12:22			0				0
24	10/24/2006 12:37			0				0
25	10/24/2006 12:52			0				0
26	10/24/2006 13:07			0				0
27	10/24/2006 13:22			0				0
28	10/24/2006 13:37			0				0
29	10/24/2006 13:52			0				0
30	10/24/2006 14:07			0				0
31	10/24/2006 14:22			0				0
32	10/24/2006 14:37			0				0
33	10/24/2006 14:52			0				0
34	10/24/2006 15:07			0				0
35	10/24/2006 15:22			0				0
36	10/24/2006 15:37			0				0
37	10/24/2006 15:52			0				0
38	10/24/2006 16:07			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	24
Test Abbreviation:	
Start Date:	10/24/2006
Start Time:	7:30:20
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading: (07:28) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2006	7:45:20	0.008	-0.002	-2
10/24/2006	8:00:20	0.006	-0.004	-4
10/24/2006	8:15:20	0.006	-0.004	-4
10/24/2006	8:30:20	0.011	0.001	1
10/24/2006	8:45:20	0.007	-0.003	-3
10/24/2006	9:00:20	0.016	0.006	6
10/24/2006	9:15:20	0.013	0.003	3
10/24/2006	9:30:20	0.013	0.003	3
10/24/2006	9:45:20	0.016	0.006	6
10/24/2006	10:00:20	0.013	0.003	3
10/24/2006	10:15:20	0.009	-0.001	-1
10/24/2006	10:30:20	0.008	-0.002	-2
10/24/2006	10:45:20	0.007	-0.003	-3
10/24/2006	11:00:20	0.008	-0.002	-2
10/24/2006	11:15:20	0.017	0.007	7
10/24/2006	11:30:20	0.01	0	0
10/24/2006	11:45:20	0.015	0.005	5
10/24/2006	12:00:20	0.016	0.006	6
10/24/2006	12:15:20	0.013	0.003	3
10/24/2006	12:30:20	0.01	0	0
10/24/2006	12:45:20	0.016	0.006	6
10/24/2006	13:00:20	0.014	0.004	4
10/24/2006	13:15:20	0.019	0.009	9
10/24/2006	13:30:20	0.012	0.002	2
10/24/2006	13:45:20	0.015	0.005	5
10/24/2006	14:00:20	0.013	0.003	3
10/24/2006	14:15:20	0.012	0.002	2
10/24/2006	14:30:20	0.012	0.002	2
10/24/2006	14:45:20	0.01	0	0
10/24/2006	15:00:20	0.01	0	0
10/24/2006	15:15:20	0.014	0.004	4
10/24/2006	15:30:20	0.011	0.001	1
10/24/2006	15:45:20	0.012	0.002	2
10/24/2006	16:00:20	0.01	0	0
10/24/2006	16:15:20	0.009	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/25/2006 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.3ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/25/2006 6:47			0.9				0.6
2	10/25/2006 7:02			0.5				0.2
3	10/25/2006 7:17			0.2				-0.1
4	10/25/2006 7:32			0.2				-0.1
5	10/25/2006 7:47			0.3				0
6	10/25/2006 8:02			0.3				0
7	10/25/2006 8:17			0.3				0
8	10/25/2006 8:32			0.4				0.1
9	10/25/2006 8:47			0.4				0.1
10	10/25/2006 9:02			0.4				0.1
11	10/25/2006 9:17			0.4				0.1
12	10/25/2006 9:32			0.4				0.1
13	10/25/2006 9:47			0.4				0.1
14	10/25/2006 10:02			0.4				0.1
15	10/25/2006 10:17			0.4				0.1
16	10/25/2006 10:32			0.4				0.1
17	10/25/2006 10:47			0.4				0.1
18	10/25/2006 11:02			0.4				0.1
19	10/25/2006 11:17			0.3				0
20	10/25/2006 11:32			0.4				0.1
21	10/25/2006 11:47			0.4				0.1
22	10/25/2006 12:02			0.3				0
23	10/25/2006 12:17			0.3				0
24	10/25/2006 12:32			0.3				0
25	10/25/2006 12:47			0.4				0.1
26	10/25/2006 13:02			0.4				0.1
27	10/25/2006 13:17			0.3				0
28	10/25/2006 13:32			0.3				0
29	10/25/2006 13:47			0.3				0
30	10/25/2006 14:02			0.4				0.1
31	10/25/2006 14:17			0.3				0
32	10/25/2006 14:32			0.4				0.1
33	10/25/2006 14:47			0.4				0.1
34	10/25/2006 15:02			0.4				0.1
35	10/25/2006 15:17			0.4				0.1
36	10/25/2006 15:32			0.4				0.1
37	10/25/2006 15:47			0.4				0.1
38	10/25/2006 16:02			0.4				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	10/25/2006
Start Time:	7:13:36
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (07:05) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2006	7:28:36	0.01	0.003	3
10/25/2006	7:43:36	0.009	0.002	2
10/25/2006	7:58:36	0.01	0.003	3
10/25/2006	8:13:36	0.01	0.003	3
10/25/2006	8:28:36	0.01	0.003	3
10/25/2006	8:43:36	0.01	0.003	3
10/25/2006	8:58:36	0.011	0.004	4
10/25/2006	9:13:36	0.008	0.001	1
10/25/2006	9:28:36	0.007	0	0
10/25/2006	9:43:36	0.006	-0.001	-1
10/25/2006	9:58:36	0.006	-0.001	-1
10/25/2006	10:13:36	0.005	-0.002	-2
10/25/2006	10:28:36	0.009	0.002	2
10/25/2006	10:43:36	0.006	-0.001	-1
10/25/2006	10:58:36	0.006	-0.001	-1
10/25/2006	11:13:36	0.005	-0.002	-2
10/25/2006	11:28:36	0.006	-0.001	-1
10/25/2006	11:43:36	0.005	-0.002	-2
10/25/2006	11:58:36	0.008	0.001	1
10/25/2006	12:13:36	0.005	-0.002	-2
10/25/2006	12:28:36	0.004	-0.003	-3
10/25/2006	12:43:36	0.004	-0.003	-3
10/25/2006	12:58:36	0.004	-0.003	-3
10/25/2006	13:13:36	0.009	0.002	2
10/25/2006	13:28:36	0.005	-0.002	-2
10/25/2006	13:43:36	0.004	-0.003	-3
10/25/2006	13:58:36	0.004	-0.003	-3
10/25/2006	14:13:36	0.007	0	0
10/25/2006	14:28:36	0.005	-0.002	-2
10/25/2006	14:43:36	0.008	0.001	1
10/25/2006	14:58:36	0.005	-0.002	-2
10/25/2006	15:13:36	0.005	-0.002	-2
10/25/2006	15:28:36	0.004	-0.003	-3
10/25/2006	15:43:36	0.006	-0.001	-1
10/25/2006	15:58:36	0.007	0	0
10/25/2006	16:13:36	0.005	-0.002	-2
10/25/2006	16:28:36	0.008	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/25/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:02) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/25/2006 6:45			0.1				0.1
2	10/25/2006 7:00			0.2				0.2
3	10/25/2006 7:15			0				0
4	10/25/2006 7:30			0				0
5	10/25/2006 7:45			0				0
6	10/25/2006 8:00			0				0
7	10/25/2006 8:15			0				0
8	10/25/2006 8:30			0				0
9	10/25/2006 8:45			0.2				0.2
10	10/25/2006 9:00			0				0
11	10/25/2006 9:15			0				0
12	10/25/2006 9:30			0.3				0.3
13	10/25/2006 9:45			0				0
14	10/25/2006 10:00			0				0
15	10/25/2006 10:15			0				0
16	10/25/2006 10:30			0				0
17	10/25/2006 10:45			0				0
18	10/25/2006 11:00			0				0
19	10/25/2006 11:15			0				0
20	10/25/2006 11:30			0				0
21	10/25/2006 11:45			0				0
22	10/25/2006 12:00			0				0
23	10/25/2006 12:15			0				0
24	10/25/2006 12:30			0				0
25	10/25/2006 12:45			0.2				0.2
26	10/25/2006 13:00			1.3				1.3
27	10/25/2006 13:15			0				0
28	10/25/2006 13:30			0				0
29	10/25/2006 13:45			0				0
30	10/25/2006 14:00			0				0
31	10/25/2006 14:15			0				0
32	10/25/2006 14:30			0				0
33	10/25/2006 14:45			0				0
34	10/25/2006 15:00			0				0
35	10/25/2006 15:15			0				0
36	10/25/2006 15:30			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	17
Test Abbreviation:	
Start Date:	10/25/2006
Start Time:	7:12:12
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (07:02) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/25/2006	7:27:12	0.042	0.033	33	
10/25/2006	7:42:12	0.011	0.002	2	
10/25/2006	7:57:12	0.015	0.006	6	
10/25/2006	8:12:12	0.016	0.007	7	
10/25/2006	8:27:12	0.012	0.003	3	
10/25/2006	8:42:12	0.011	0.002	2	
10/25/2006	8:57:12	0.012	0.003	3	
10/25/2006	9:12:12	0.01	0.001	1	
10/25/2006	9:27:12	0.008	-0.001	-1	
10/25/2006	9:42:12	0.008	-0.001	-1	
10/25/2006	9:57:12	0.007	-0.002	-2	
10/25/2006	10:12:12	0.006	-0.003	-3	
10/25/2006	10:27:12	0.006	-0.003	-3	
10/25/2006	10:42:12	0.006	-0.003	-3	
10/25/2006	10:57:12	0.006	-0.003	-3	
10/25/2006	11:12:12	0.007	-0.002	-2	
10/25/2006	11:27:12	0.007	-0.002	-2	
10/25/2006	11:42:12	0.007	-0.002	-2	
10/25/2006	11:57:12	0.008	-0.001	-1	
10/25/2006	13:31:05	0.006	-0.003	-3	Batteries replaced
10/25/2006	13:46:05	0.006	-0.003	-3	
10/25/2006	14:01:05	0.006	-0.003	-3	
10/25/2006	14:16:05	0.008	-0.001	-1	
10/25/2006	14:31:05	0.007	-0.002	-2	
10/25/2006	14:46:05	0.007	-0.002	-2	
10/25/2006	15:01:05	0.009	0	0	
10/25/2006	15:16:05	0.006	-0.003	-3	
10/25/2006	15:31:05	0.007	-0.002	-2	
10/25/2006	15:46:05	0.006	-0.003	-3	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/25/2006 07:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:24) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/25/2006 7:35			0				0
2	10/25/2006 7:50			0				0
3	10/25/2006 8:05			0				0
4	10/25/2006 8:20			0				0
5	10/25/2006 8:35			0.1				0.1
6	10/25/2006 8:50			0.1				0.1
7	10/25/2006 9:05			0.1				0.1
8	10/25/2006 9:20			0.1				0.1
9	10/25/2006 9:35			0.1				0.1
10	10/25/2006 9:50			0.1				0.1
11	10/25/2006 10:05			0.2				0.2
12	10/25/2006 10:20			0.2				0.2
13	10/25/2006 10:35			0.2				0.2
14	10/25/2006 10:50			0.2				0.2
15	10/25/2006 11:05			0.3				0.3
16	10/25/2006 11:20			0.3				0.3
17	10/25/2006 11:35			0.2				0.2
18	10/25/2006 11:50			0.2				0.2
19	10/25/2006 12:05			0.2				0.2
20	10/25/2006 12:20			0.2				0.2
21	10/25/2006 12:35			0.2				0.2
22	10/25/2006 12:50			0.2				0.2
23	10/25/2006 13:05			0.2				0.2
24	10/25/2006 13:20			0.2				0.2
25	10/25/2006 13:35			0.3				0.3
26	10/25/2006 13:50			0.2				0.2
27	10/25/2006 14:05			0.2				0.2
28	10/25/2006 14:20			0.2				0.2
29	10/25/2006 14:35			0.2				0.2
30	10/25/2006 14:50			0.2				0.2
31	10/25/2006 15:05			0.2				0.2
32	10/25/2006 15:20			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	16
Test Abbreviation:	
Start Date:	10/25/2006
Start Time:	7:35:52
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:24) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2006	7:50:52	0.019	0.008	8
10/25/2006	8:05:52	0.017	0.006	6
10/25/2006	8:20:52	0.016	0.005	5
10/25/2006	8:35:52	0.014	0.003	3
10/25/2006	8:50:52	0.013	0.002	2
10/25/2006	9:05:52	0.017	0.006	6
10/25/2006	9:20:52	0.01	-0.001	-1
10/25/2006	9:35:52	0.009	-0.002	-2
10/25/2006	9:50:52	0.008	-0.003	-3
10/25/2006	10:05:52	0.008	-0.003	-3
10/25/2006	10:20:52	0.007	-0.004	-4
10/25/2006	10:35:52	0.006	-0.005	-5
10/25/2006	10:50:52	0.008	-0.003	-3
10/25/2006	11:05:52	0.008	-0.003	-3
10/25/2006	11:20:52	0.009	-0.002	-2
10/25/2006	11:35:52	0.007	-0.004	-4
10/25/2006	11:50:52	0.008	-0.003	-3
10/25/2006	12:05:52	0.01	-0.001	-1
10/25/2006	12:20:52	0.008	-0.003	-3
10/25/2006	12:35:52	0.008	-0.003	-3
10/25/2006	12:50:52	0.008	-0.003	-3
10/25/2006	13:05:52	0.009	-0.002	-2
10/25/2006	13:20:52	0.009	-0.002	-2
10/25/2006	13:35:52	0.01	-0.001	-1
10/25/2006	13:50:52	0.009	-0.002	-2
10/25/2006	14:05:52	0.008	-0.003	-3
10/25/2006	14:20:52	0.012	0.001	1
10/25/2006	14:35:52	0.008	-0.003	-3
10/25/2006	14:50:52	0.009	-0.002	-2
10/25/2006	15:05:52	0.009	-0.002	-2
10/25/2006	15:20:52	0.01	-0.001	-1
10/25/2006	15:35:52	0.008	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/25/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:30) = 0.1ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/25/2006 6:41			0.1				0
2	10/25/2006 6:56			0.1				0
3	10/25/2006 7:11			0.1				0
4	10/25/2006 7:26			0				-0.1
5	10/25/2006 7:41			0.1				0
6	10/25/2006 7:56			0.1				0
7	10/25/2006 8:11			0.1				0
8	10/25/2006 8:26			0.1				0
9	10/25/2006 8:41			0.1				0
10	10/25/2006 8:56			0.1				0
11	10/25/2006 9:11			0.1				0
12	10/25/2006 9:26			0.2				0.1
13	10/25/2006 9:41			0.1				0
14	10/25/2006 9:56			0.1				0
15	10/25/2006 10:11			0.1				0
16	10/25/2006 10:26			0.2				0.1
17	10/25/2006 10:41			0.2				0.1
18	10/25/2006 10:56			0.4				0.3
19	10/25/2006 11:11			0.2				0.1
20	10/25/2006 11:26			0.2				0.1
21	10/25/2006 11:41			0.2				0.1
22	10/25/2006 11:56			0.2				0.1
23	10/25/2006 12:11			0.2				0.1
24	10/25/2006 12:26			0.2				0.1
25	10/25/2006 12:41			0.2				0.1
26	10/25/2006 12:56			0.2				0.1
27	10/25/2006 13:11			0.2				0.1
28	10/25/2006 13:26			0.2				0.1
29	10/25/2006 13:41			0.2				0.1
30	10/25/2006 13:56			0.2				0.1
31	10/25/2006 14:11			0.2				0.1
32	10/25/2006 14:26			0.2				0.1
33	10/25/2006 14:41			0.2				0.1
34	10/25/2006 14:56			0.2				0.1
35	10/25/2006 15:11			0.2				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	25
Test Abbreviation:	
Start Date:	10/25/2006
Start Time:	7:42:10
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:30) = 0.002 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2006	7:57:10	0.005	0.003	3
10/25/2006	8:12:10	0.014	0.012	12
10/25/2006	8:27:10	0.008	0.006	6
10/25/2006	8:42:10	0.006	0.004	4
10/25/2006	8:57:10	0.006	0.004	4
10/25/2006	9:12:10	0.005	0.003	3
10/25/2006	9:27:10	0.003	0.001	1
10/25/2006	9:42:10	0.005	0.003	3
10/25/2006	9:57:10	0.003	0.001	1
10/25/2006	10:12:10	0.009	0.007	7
10/25/2006	10:27:10	0.008	0.006	6
10/25/2006	10:42:10	0.006	0.004	4
10/25/2006	10:57:10	0.01	0.008	8
10/25/2006	11:12:10	0.008	0.006	6
10/25/2006	11:27:10	0.009	0.007	7
10/25/2006	11:42:10	0.009	0.007	7
10/25/2006	11:57:10	0.01	0.008	8
10/25/2006	12:12:10	0.007	0.005	5
10/25/2006	12:27:10	0.007	0.005	5
10/25/2006	12:42:10	0.005	0.003	3
10/25/2006	12:57:10	0.008	0.006	6
10/25/2006	13:12:10	0.007	0.005	5
10/25/2006	13:27:10	0.008	0.006	6
10/25/2006	13:42:10	0.008	0.006	6
10/25/2006	13:57:10	0.006	0.004	4
10/25/2006	14:12:10	0.007	0.005	5
10/25/2006	14:27:10	0.008	0.006	6
10/25/2006	14:42:10	0.008	0.006	6
10/25/2006	14:57:10	0.006	0.004	4
10/25/2006	15:12:10	0.008	0.006	6
10/25/2006	15:27:10	0.006	0.004	4
10/25/2006	15:42:10	0.006	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/26/2006 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/26/2006 7:03			0				0
2	10/26/2006 7:18			0				0
3	10/26/2006 7:33			0				0
4	10/26/2006 7:48			0.1				0.1
5	10/26/2006 8:03			0.2				0.2
6	10/26/2006 8:18			0.2				0.2
7	10/26/2006 8:33			0.2				0.2
8	10/26/2006 8:48			0.3				0.3
9	10/26/2006 9:03			0.3				0.3
10	10/26/2006 9:18			0.3				0.3
11	10/26/2006 9:33			0.2				0.2
12	10/26/2006 9:48			0.2				0.2
13	10/26/2006 10:03			0.2				0.2
14	10/26/2006 10:18			0.3				0.3
15	10/26/2006 10:33			0.3				0.3
16	10/26/2006 10:48			0.3				0.3
17	10/26/2006 11:03			0.3				0.3
18	10/26/2006 11:18			0.2				0.2
19	10/26/2006 11:33			0.2				0.2
20	10/26/2006 11:48			0.3				0.3
21	10/26/2006 12:03			0.3				0.3
22	10/26/2006 12:18			0.3				0.3
23	10/26/2006 12:33			0.2				0.2
24	10/26/2006 12:48			0.3				0.3
25	10/26/2006 13:03			0.3				0.3
26	10/26/2006 13:18			0.3				0.3
27	10/26/2006 13:33			0.3				0.3
28	10/26/2006 13:48			0.3				0.3
29	10/26/2006 14:03			0.3				0.3
30	10/26/2006 14:18			0.3				0.3
31	10/26/2006 14:33			0.3				0.3
32	10/26/2006 14:48			0.3				0.3
33	10/26/2006 15:03			0.3				0.3
34	10/26/2006 15:18			0.3				0.3
35	10/26/2006 15:33			0.3				0.3
36	10/26/2006 15:48			0.4				0.4
37	10/26/2006 16:03			0.4				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	10/26/2006
Start Time:	7:15:23
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (07:05) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/26/2006	7:30:23	0.011	0.004	4
10/26/2006	7:45:23	0.012	0.005	5
10/26/2006	8:00:23	0.012	0.005	5
10/26/2006	8:15:23	0.011	0.004	4
10/26/2006	8:30:23	0.012	0.005	5
10/26/2006	8:45:23	0.009	0.002	2
10/26/2006	9:00:23	0.008	0.001	1
10/26/2006	9:15:23	0.008	0.001	1
10/26/2006	9:30:23	0.007	0	0
10/26/2006	9:45:23	0.006	-0.001	-1
10/26/2006	10:00:23	0.005	-0.002	-2
10/26/2006	10:15:23	0.004	-0.003	-3
10/26/2006	10:30:23	0.005	-0.002	-2
10/26/2006	10:45:23	0.005	-0.002	-2
10/26/2006	11:00:23	0.006	-0.001	-1
10/26/2006	11:15:23	0.01	0.003	3
10/26/2006	11:30:23	0.006	-0.001	-1
10/26/2006	11:45:23	0.004	-0.003	-3
10/26/2006	12:00:23	0.004	-0.003	-3
10/26/2006	12:15:23	0.006	-0.001	-1
10/26/2006	12:30:23	0.005	-0.002	-2
10/26/2006	12:45:23	0.004	-0.003	-3
10/26/2006	13:00:23	0.005	-0.002	-2
10/26/2006	13:15:23	0.004	-0.003	-3
10/26/2006	13:30:23	0.005	-0.002	-2
10/26/2006	13:45:23	0.006	-0.001	-1
10/26/2006	14:00:23	0.006	-0.001	-1
10/26/2006	14:15:23	0.006	-0.001	-1
10/26/2006	14:30:23	0.006	-0.001	-1
10/26/2006	14:45:23	0.007	0	0
10/26/2006	15:00:23	0.005	-0.002	-2
10/26/2006	15:15:23	0.006	-0.001	-1
10/26/2006	15:30:23	0.007	0	0
10/26/2006	15:45:23	0.006	-0.001	-1
10/26/2006	16:00:23	0.005	-0.002	-2
10/26/2006	16:15:23	0.006	-0.001	-1
10/26/2006	16:30:23	0.006	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/26/2006 06:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:58) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/26/2006 7:04			0				-0.1
2	10/26/2006 7:19			0				-0.1
3	10/26/2006 7:34			0				-0.1
4	10/26/2006 7:49			0				-0.1
5	10/26/2006 8:04			0.1				0
6	10/26/2006 8:19			0				-0.1
7	10/26/2006 8:34			0				-0.1
8	10/26/2006 8:49			0.1				0
9	10/26/2006 9:04			0				-0.1
10	10/26/2006 9:19			0.1				0
11	10/26/2006 9:34			0				-0.1
12	10/26/2006 9:49			0.1				0
13	10/26/2006 10:04			0.1				0
14	10/26/2006 10:19			0.1				0
15	10/26/2006 10:34			0.1				0
16	10/26/2006 10:49			0.1				0
17	10/26/2006 11:04			0.1				0
18	10/26/2006 11:19			0.1				0
19	10/26/2006 11:34			0.1				0
20	10/26/2006 11:49			0.1				0
21	10/26/2006 12:04			0.1				0
22	10/26/2006 12:19			0.1				0
23	10/26/2006 12:34			0.1				0
24	10/26/2006 12:49			0.1				0
25	10/26/2006 13:04			0.1				0
26	10/26/2006 13:19			0.1				0
27	10/26/2006 13:34			0.1				0
28	10/26/2006 13:49			0.1				0
29	10/26/2006 14:04			0.1				0
30	10/26/2006 14:19			0.1				0
31	10/26/2006 14:34			0.1				0
32	10/26/2006 14:49			0.1				0
33	10/26/2006 15:04			0.1				0
34	10/26/2006 15:19			0.1				0
35	10/26/2006 15:34			0.1				0
36	10/26/2006 15:49			0.2				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	19
Test Abbreviation:	
Start Date:	10/26/2006
Start Time:	7:07:43
Duration (dd:hh:mm:ss):	00:03:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	15
Notes:	Background Reading (06:58) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/26/2006	7:22:43	0.024	0.015	15	
10/26/2006	7:37:43	0.013	0.004	4	
10/26/2006	7:52:43	0.015	0.006	6	
10/26/2006	8:07:43	0.015	0.006	6	
10/26/2006	8:22:43	0.015	0.006	6	
10/26/2006	8:37:43	0.009	0	0	
10/26/2006	8:52:43	0.008	-0.001	-1	
10/26/2006	9:07:43	0.008	-0.001	-1	
10/26/2006	9:22:43	0.008	-0.001	-1	
10/26/2006	9:37:43	0.008	-0.001	-1	
10/26/2006	9:52:43	0.006	-0.003	-3	
10/26/2006	10:07:43	0.006	-0.003	-3	
10/26/2006	10:22:43	0.006	-0.003	-3	
10/26/2006	10:37:43	0.006	-0.003	-3	
10/26/2006	10:52:43	0.005	-0.004	-4	
10/26/2006	11:17:20	0.006	-0.003	-3	
10/26/2006	11:49:57	0.006	-0.003	-3	Batteries replaced
10/26/2006	12:04:57	0.006	-0.003	-3	
10/26/2006	12:19:57	0.006	-0.003	-3	
10/26/2006	12:34:57	0.005	-0.004	-4	
10/26/2006	12:49:57	0.006	-0.003	-3	
10/26/2006	13:04:57	0.007	-0.002	-2	
10/26/2006	13:19:57	0.007	-0.002	-2	
10/26/2006	13:34:57	0.008	-0.001	-1	
10/26/2006	13:49:57	0.008	-0.001	-1	
10/26/2006	14:04:57	0.008	-0.001	-1	
10/26/2006	14:19:57	0.009	0	0	
10/26/2006	14:34:57	0.009	0	0	
10/26/2006	14:49:57	0.008	-0.001	-1	
10/26/2006	15:04:57	0.007	-0.002	-2	
10/26/2006	15:19:57	0.007	-0.002	-2	
10/26/2006	15:34:57	0.009	0	0	
10/26/2006	15:49:57	0.008	-0.001	-1	
10/26/2006	16:04:57	0.009	0	0	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/26/2006 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Bacground Reading (07:39) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/26/2006 6:40			0.2				0.1
2	10/26/2006 6:55			0.1				0
3	10/26/2006 7:10			0.2				0.1
4	10/26/2006 7:25			0.3				0.2
5	10/26/2006 7:55			0.2				0.1
6	10/26/2006 8:10			0.3				0.2
7	10/26/2006 8:25			0.3				0.2
8	10/26/2006 8:40			0.3				0.2
9	10/26/2006 8:55			0.3				0.2
10	10/26/2006 9:10			0.4				0.3
11	10/26/2006 9:25			0.4				0.3
12	10/26/2006 9:40			0.4				0.3
13	10/26/2006 9:55			0.4				0.3
14	10/26/2006 10:10			0.4				0.3
15	10/26/2006 10:25			0.4				0.3
16	10/26/2006 10:40			0.5				0.4
17	10/26/2006 10:55			0.5				0.4
18	10/26/2006 11:10			0.5				0.4
19	10/26/2006 11:25			0.5				0.4
20	10/26/2006 11:40			0.5				0.4
21	10/26/2006 11:55			0.5				0.4
22	10/26/2006 12:10			0.5				0.4
23	10/26/2006 12:25			0.5				0.4
24	10/26/2006 12:40			0.5				0.4
25	10/26/2006 12:55			0.5				0.4
26	10/26/2006 13:10			0.5				0.4
27	10/26/2006 13:25			0.5				0.4
28	10/26/2006 13:40			0.6				0.5
29	10/26/2006 13:55			0.6				0.5
30	10/26/2006 14:10			0.5				0.4
31	10/26/2006 14:25			0.5				0.4
32	10/26/2006 14:40			0.5				0.4
33	10/26/2006 14:55			0.5				0.4
34	10/26/2006 15:10			0.5				0.4
35	10/26/2006 15:25			0.5				0.4
36	10/26/2006 15:40			0.5				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	17
Test Abbreviation:	
Start Date:	10/26/2006
Start Time:	7:51:09
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (07:39) = 0.016 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	5/19/2006	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/26/2006	8:06:09	0.018	0.002	2
10/26/2006	8:21:09	0.016	0	0
10/26/2006	8:36:09	0.011	-0.005	-5
10/26/2006	8:51:09	0.011	-0.005	-5
10/26/2006	9:06:09	0.011	-0.005	-5
10/26/2006	9:21:09	0.01	-0.006	-6
10/26/2006	9:36:09	0.009	-0.007	-7
10/26/2006	9:51:09	0.008	-0.008	-8
10/26/2006	10:06:09	0.006	-0.01	-10
10/26/2006	10:21:09	0.006	-0.01	-10
10/26/2006	10:36:09	0.007	-0.009	-9
10/26/2006	10:51:09	0.007	-0.009	-9
10/26/2006	11:06:09	0.009	-0.007	-7
10/26/2006	11:21:09	0.01	-0.006	-6
10/26/2006	11:36:09	0.01	-0.006	-6
10/26/2006	11:51:09	0.011	-0.005	-5
10/26/2006	12:06:09	0.008	-0.008	-8
10/26/2006	12:21:09	0.008	-0.008	-8
10/26/2006	12:36:09	0.007	-0.009	-9
10/26/2006	12:51:09	0.01	-0.006	-6
10/26/2006	13:06:09	0.009	-0.007	-7
10/26/2006	13:21:09	0.009	-0.007	-7
10/26/2006	13:36:09	0.013	-0.003	-3
10/26/2006	13:51:09	0.011	-0.005	-5
10/26/2006	14:06:09	0.01	-0.006	-6
10/26/2006	14:21:09	0.011	-0.005	-5
10/26/2006	14:36:09	0.012	-0.004	-4
10/26/2006	14:51:09	0.011	-0.005	-5
10/26/2006	15:06:09	0.012	-0.004	-4
10/26/2006	15:21:09	0.012	-0.004	-4
10/26/2006	15:36:09	0.014	-0.002	-2
10/26/2006	15:51:09	0.012	-0.004	-4
10/26/2006	16:06:09	0.015	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/26/2006 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:33) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/26/2006 7:45			0.1				0
2	10/26/2006 8:00			0.1				0
3	10/26/2006 8:15			0.1				0
4	10/26/2006 8:30			0.1				0
5	10/26/2006 8:45			0.1				0
6	10/26/2006 9:00			0.1				0
7	10/26/2006 9:15			0.1				0
8	10/26/2006 9:30			0.1				0
9	10/26/2006 9:45			0.1				0
10	10/26/2006 10:00			0.1				0
11	10/26/2006 10:15			0.1				0
12	10/26/2006 10:30			0.1				0
13	10/26/2006 10:45			0.1				0
14	10/26/2006 11:00			0.1				0
15	10/26/2006 11:15			0.1				0
16	10/26/2006 11:30			0.1				0
17	10/26/2006 11:45			0.1				0
18	10/26/2006 12:00			0.1				0
19	10/26/2006 12:15			0.1				0
20	10/26/2006 12:30			0.1				0
21	10/26/2006 12:45			0.1				0
22	10/26/2006 13:00			0.1				0
23	10/26/2006 13:15			0.1				0
24	10/26/2006 13:30			0.1				0
25	10/26/2006 13:45			0.2				0.1
26	10/26/2006 14:00			0.2				0.1
27	10/26/2006 14:15			0.2				0.1
28	10/26/2006 14:30			0.2				0.1
29	10/26/2006 14:45			0.2				0.1
30	10/26/2006 15:00			0.2				0.1
31	10/26/2006 15:15			0.1				0
32	10/26/2006 15:30			0.2				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	1
Test Abbreviation:	
Start Date:	10/26/2006
Start Time:	7:41:31
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (07:33) = 0.001 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
10/26/2006	7:56:31	0.005	0.004	4	
10/26/2006	8:11:31	0.004	0.003	3	
10/26/2006	8:26:31	0.002	0.001	1	
10/26/2006	8:41:31	0.001	0	0	
10/26/2006	8:56:31	0	-0.001	-1	
10/26/2006	9:11:31	0	-0.001	-1	
10/26/2006	9:26:31	0	-0.001	-1	
10/26/2006	9:41:31	0	-0.001	-1	
10/26/2006	9:56:31	0	-0.001	-1	
10/26/2006	10:11:31	0	-0.001	-1	
10/26/2006	10:26:31	0.002	0.001	1	
10/26/2006	10:41:31	0	-0.001	-1	
10/26/2006	10:56:31	0.001	0	0	
10/26/2006	11:11:31	0.001	0	0	
10/26/2006	11:26:31	0.006	0.005	5	
10/26/2006	11:41:31	0.001	0	0	
10/26/2006	11:56:31	0.002	0.001	1	
10/26/2006	12:11:31	0.004	0.003	3	
10/26/2006	12:26:31	0.001	0	0	
10/26/2006	12:41:31	0.002	0.001	1	
10/26/2006	12:56:31	0.003	0.002	2	
10/26/2006	13:11:31	0.003	0.002	2	
10/26/2006	13:26:31	0.006	0.005	5	
10/26/2006	13:41:31	0.003	0.002	2	
10/26/2006	13:56:31	0.005	0.004	4	
10/26/2006	14:11:31	0.003	0.002	2	
10/26/2006	14:26:31	0.007	0.006	6	
10/26/2006	14:58:06	0.007	0.006	6	Batteries replaced
10/26/2006	15:13:06	0.006	0.005	5	
10/26/2006	15:28:06	0.006	0.005	5	
10/26/2006	15:43:06	0.011	0.01	10	
10/26/2006	15:58:06	0.009	0.008	8	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/27/2006 06:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:57) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/27/2006 6:50			0.1				0.1
2	10/27/2006 7:05			0				0
3	10/27/2006 7:20			0				0
4	10/27/2006 7:35			0.1				0.1
5	10/27/2006 7:50			0.2				0.2
6	10/27/2006 8:05			0.2				0.2
7	10/27/2006 8:20			0.2				0.2
8	10/27/2006 8:35			0.2				0.2
9	10/27/2006 8:50			0.2				0.2
10	10/27/2006 9:05			0.2				0.2
11	10/27/2006 9:20			0.2				0.2
12	10/27/2006 9:35			0.2				0.2
13	10/27/2006 9:50			0.2				0.2
14	10/27/2006 10:05			0.2				0.2
15	10/27/2006 10:20			0.2				0.2
16	10/27/2006 10:35			0.2				0.2
17	10/27/2006 10:50			0.2				0.2
18	10/27/2006 11:05			0.2				0.2
19	10/27/2006 11:20			0.2				0.2
20	10/27/2006 11:35			0.1				0.1
21	10/27/2006 11:50			0.2				0.2
22	10/27/2006 12:05			0.1				0.1
23	10/27/2006 12:20			0.2				0.2
24	10/27/2006 12:35			0.2				0.2
25	10/27/2006 12:50			0.2				0.2
26	10/27/2006 13:05			0.3				0.3
27	10/27/2006 13:20			0.3				0.3
28	10/27/2006 13:35			0.3				0.3
29	10/27/2006 13:50			0.3				0.3
30	10/27/2006 14:05			0.3				0.3
31	10/27/2006 14:20			0.3				0.3
32	10/27/2006 14:35			0.3				0.3
33	10/27/2006 14:50			0.3				0.3
34	10/27/2006 15:05			0.4				0.4
35	10/27/2006 15:20			0.4				0.4
36	10/27/2006 15:35			0.4				0.4
37	10/27/2006 15:50			0.4				0.4
38	10/27/2006 16:05			0.4				0.4
39	10/27/2006 16:20			0.4				0.4
40	10/27/2006 16:35			0.4				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	11
Test Abbreviation:	
Start Date:	10/27/2006
Start Time:	7:06:29
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (06:57) = 0.010mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/27/2006	7:21:29	0.012	0.002	2
10/27/2006	7:36:29	0.013	0.003	3
10/27/2006	7:51:29	0.015	0.005	5
10/27/2006	8:06:29	0.021	0.011	11
10/27/2006	8:21:29	0.02	0.01	10
10/27/2006	8:36:29	0.022	0.012	12
10/27/2006	8:51:29	0.01	0	0
10/27/2006	9:06:29	0.011	0.001	1
10/27/2006	9:21:29	0.008	-0.002	-2
10/27/2006	9:36:29	0.009	-0.001	-1
10/27/2006	9:51:29	0.009	-0.001	-1
10/27/2006	10:06:29	0.009	-0.001	-1
10/27/2006	10:21:29	0.009	-0.001	-1
10/27/2006	10:36:29	0.008	-0.002	-2
10/27/2006	10:51:29	0.009	-0.001	-1
10/27/2006	11:06:29	0.01	0	0
10/27/2006	11:21:29	0.01	0	0
10/27/2006	11:54:58	0.009	-0.001	-1
10/27/2006	12:09:58	0.01	0	0
10/27/2006	12:24:58	0.009	-0.001	-1
10/27/2006	12:39:58	0.009	-0.001	-1
10/27/2006	12:54:58	0.01	0	0
10/27/2006	13:09:58	0.012	0.002	2
10/27/2006	13:24:58	0.014	0.004	4
10/27/2006	13:39:58	0.017	0.007	7
10/27/2006	13:54:58	0.019	0.009	9
10/27/2006	14:09:58	0.021	0.011	11
10/27/2006	14:24:58	0.022	0.012	12
10/27/2006	14:39:58	0.02	0.01	10
10/27/2006	14:54:58	0.015	0.005	5
10/27/2006	15:09:58	0.014	0.004	4
10/27/2006	15:24:58	0.013	0.003	3
10/27/2006	15:39:58	0.013	0.003	3
10/27/2006	15:54:58	0.012	0.002	2
10/27/2006	16:09:58	0.01	0	0
10/27/2006	16:24:58	0.011	0.001	1
10/27/2006	16:39:58	0.01	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/27/2006 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:00) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/27/2006 6:49			0.1				0
2	10/27/2006 7:04			0.1				0
3	10/27/2006 7:19			0				-0.1
4	10/27/2006 7:34			0.1				0
5	10/27/2006 7:49			0.1				0
6	10/27/2006 8:04			0.1				0
7	10/27/2006 8:19			0.1				0
8	10/27/2006 8:34			0.1				0
9	10/27/2006 8:49			0.1				0
10	10/27/2006 9:04			0.1				0
11	10/27/2006 9:19			0.1				0
12	10/27/2006 9:34			0.1				0
13	10/27/2006 9:49			0.1				0
14	10/27/2006 10:04			0.1				0
15	10/27/2006 10:19			0.1				0
16	10/27/2006 10:34			0.1				0
17	10/27/2006 10:49			0.1				0
18	10/27/2006 11:04			0.1				0
19	10/27/2006 11:19			0.1				0
20	10/27/2006 11:34			0.2				0.1
21	10/27/2006 11:49			0.1				0
22	10/27/2006 12:04			0.1				0
23	10/27/2006 12:19			0.1				0
24	10/27/2006 12:34			0.1				0
25	10/27/2006 12:49			0.1				0
26	10/27/2006 13:04			0.1				0
27	10/27/2006 13:19			0.2				0.1
28	10/27/2006 13:34			0.2				0.1
29	10/27/2006 13:49			0.2				0.1
30	10/27/2006 14:04			0.2				0.1
31	10/27/2006 14:19			0.2				0.1
32	10/27/2006 14:34			0.2				0.1
33	10/27/2006 14:49			0.2				0.1
34	10/27/2006 15:04			0.2				0.1
35	10/27/2006 15:19			0.2				0.1
36	10/27/2006 15:34			0.2				0.1
37	10/27/2006 15:49			0.2				0.1
38	10/27/2006 16:04			0.1				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	22
Test Abbreviation:	
Start Date:	10/27/2006
Start Time:	7:12:25
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (07:00) = 0.012 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/27/2006	7:27:25	0.027	0.015	15
10/27/2006	7:42:25	0.014	0.002	2
10/27/2006	7:57:25	0.014	0.002	2
10/27/2006	8:12:25	0.02	0.008	8
10/27/2006	8:27:25	0.021	0.009	9
10/27/2006	8:42:25	0.02	0.008	8
10/27/2006	8:57:25	0.012	0	0
10/27/2006	9:12:25	0.012	0	0
10/27/2006	9:27:25	0.009	-0.003	-3
10/27/2006	9:42:25	0.01	-0.002	-2
10/27/2006	9:57:25	0.01	-0.002	-2
10/27/2006	10:12:25	0.01	-0.002	-2
10/27/2006	10:27:25	0.01	-0.002	-2
10/27/2006	10:42:25	0.01	-0.002	-2
10/27/2006	10:57:25	0.011	-0.001	-1
10/27/2006	11:12:25	0.012	0	0
10/27/2006	11:27:25	0.01	-0.002	-2
10/27/2006	11:42:25	0.015	0.003	3
10/27/2006	11:57:25	0.014	0.002	2
10/27/2006	12:12:25	0.012	0	0
10/27/2006	12:27:25	0.011	-0.001	-1
10/27/2006	12:42:25	0.011	-0.001	-1
10/27/2006	12:57:25	0.012	0	0
10/27/2006	13:20:04	0.062	0.05	50
10/27/2006	13:35:04	0.021	0.009	9
10/27/2006	13:50:04	0.021	0.009	9
10/27/2006	14:05:04	0.027	0.015	15
10/27/2006	14:20:04	0.026	0.014	14
10/27/2006	14:35:04	0.026	0.014	14
10/27/2006	14:50:04	0.022	0.01	10
10/27/2006	15:05:04	0.019	0.007	7
10/27/2006	15:20:04	0.017	0.005	5
10/27/2006	15:35:04	0.017	0.005	5
10/27/2006	15:50:04	0.017	0.005	5
10/27/2006	16:05:04	0.016	0.004	4
10/27/2006	16:20:04	0.013	0.001	1
10/27/2006	16:35:04	0.013	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/27/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:31) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/27/2006 6:45			0.5				0.3
2	10/27/2006 7:00			0.1				-0.1
3	10/27/2006 7:15			0.7				0.5
4	10/27/2006 7:30			0.3				0.1
5	10/27/2006 7:45			0.3				0.1
6	10/27/2006 8:00			0.3				0.1
7	10/27/2006 8:15			0.4				0.2
8	10/27/2006 8:30			0.4				0.2
9	10/27/2006 8:45			0.4				0.2
10	10/27/2006 9:00			0.5				0.3
11	10/27/2006 9:15			0.5				0.3
12	10/27/2006 9:30			0.5				0.3
13	10/27/2006 9:45			0.6				0.4
14	10/27/2006 10:00			0.6				0.4
15	10/27/2006 10:15			0.6				0.4
16	10/27/2006 10:30			0.6				0.4
17	10/27/2006 10:45			0.7				0.5
18	10/27/2006 11:00			0.7				0.5
19	10/27/2006 11:15			0.7				0.5
20	10/27/2006 11:30			0.8				0.6
21	10/27/2006 11:45			0.8				0.6
22	10/27/2006 12:00			0.8				0.6
23	10/27/2006 12:15			0.7				0.5
24	10/27/2006 12:30			0.7				0.5
25	10/27/2006 12:45			0.7				0.5
26	10/27/2006 13:00			0.8				0.6
27	10/27/2006 13:15			0.8				0.6
28	10/27/2006 13:30			0.8				0.6
29	10/27/2006 13:45			0.7				0.5
30	10/27/2006 14:00			0.7				0.5
31	10/27/2006 14:15			0.6				0.4
32	10/27/2006 14:30			0.6				0.4
33	10/27/2006 14:45			0.6				0.4
34	10/27/2006 15:00			0.6				0.4
35	10/27/2006 15:15			0.6				0.4
36	10/27/2006 15:30			0.6				0.4
37	10/27/2006 15:45			0.6				0.4
38	10/27/2006 16:00			0.6				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	18
Test Abbreviation:	
Start Date:	10/27/2006
Start Time:	7:41:02
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (07:31) = 0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/27/2006	7:56:02	0.032	0.012	12
10/27/2006	8:11:02	0.03	0.01	10
10/27/2006	8:26:02	0.026	0.006	6
10/27/2006	8:41:02	0.028	0.008	8
10/27/2006	8:56:02	0.027	0.007	7
10/27/2006	9:11:02	0.027	0.007	7
10/27/2006	9:26:02	0.02	0	0
10/27/2006	9:41:02	0.012	-0.008	-8
10/27/2006	9:56:02	0.011	-0.009	-9
10/27/2006	10:11:02	0.011	-0.009	-9
10/27/2006	10:26:02	0.014	-0.006	-6
10/27/2006	10:41:02	0.014	-0.006	-6
10/27/2006	10:56:02	0.015	-0.005	-5
10/27/2006	11:11:02	0.024	0.004	4
10/27/2006	11:26:02	0.031	0.011	11
10/27/2006	11:41:02	0.024	0.004	4
10/27/2006	11:56:02	0.027	0.007	7
10/27/2006	12:11:02	0.021	0.001	1
10/27/2006	12:26:02	0.022	0.002	2
10/27/2006	12:41:02	0.017	-0.003	-3
10/27/2006	12:56:02	0.017	-0.003	-3
10/27/2006	13:11:02	0.019	-0.001	-1
10/27/2006	13:26:02	0.027	0.007	7
10/27/2006	13:41:02	0.028	0.008	8
10/27/2006	14:03:49	0.041	0.021	21
10/27/2006	14:18:49	0.035	0.015	15
10/27/2006	14:33:49	0.038	0.018	18
10/27/2006	14:48:49	0.036	0.016	16
10/27/2006	15:03:49	0.031	0.011	11
10/27/2006	15:18:49	0.028	0.008	8
10/27/2006	15:33:49	0.033	0.013	13
10/27/2006	15:48:49	0.027	0.007	7
10/27/2006	16:03:49	0.026	0.006	6
10/27/2006	16:18:49	0.025	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/27/2006 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:21) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/27/2006 6:43			0.1				0
2	10/27/2006 6:58			0				-0.1
3	10/27/2006 7:13			0				-0.1
4	10/27/2006 7:28			0				-0.1
5	10/27/2006 7:43			0.1				0
6	10/27/2006 7:58			0.1				0
7	10/27/2006 8:13			0.1				0
8	10/27/2006 8:28			0.2				0.1
9	10/27/2006 8:43			0.2				0.1
10	10/27/2006 8:58			0.2				0.1
11	10/27/2006 9:13			0.2				0.1
12	10/27/2006 9:28			0.3				0.2
13	10/27/2006 9:43			0.3				0.2
14	10/27/2006 9:58			0.3				0.2
15	10/27/2006 10:13			0.3				0.2
16	10/27/2006 10:28			0.4				0.3
17	10/27/2006 10:43			0.4				0.3
18	10/27/2006 10:58			0.4				0.3
19	10/27/2006 11:13			0.5				0.4
20	10/27/2006 11:28			0.4				0.3
21	10/27/2006 11:43			0.4				0.3
22	10/27/2006 11:58			0.4				0.3
23	10/27/2006 12:13			0.4				0.3
24	10/27/2006 12:28			0.4				0.3
25	10/27/2006 12:43			0.5				0.4
26	10/27/2006 12:58			0.5				0.4
27	10/27/2006 13:13			0.5				0.4
28	10/27/2006 13:28			0.5				0.4
29	10/27/2006 13:43			0.5				0.4
30	10/27/2006 13:58			0.5				0.4
31	10/27/2006 14:13			0.5				0.4
32	10/27/2006 14:28			0.5				0.4
33	10/27/2006 14:43			0.5				0.4
34	10/27/2006 14:58			0.5				0.4
35	10/27/2006 15:13			0.5				0.4
36	10/27/2006 15:28			0.5				0.4
37	10/27/2006 15:43			0.5				0.4
38	10/27/2006 15:58			0.5				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	3
Test Abbreviation:	
Start Date:	10/27/2006
Start Time:	7:30:02
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (07:21) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/27/2006	7:45:02	0.009	0	0
10/27/2006	8:00:02	0.013	0.004	4
10/27/2006	8:15:02	0.011	0.002	2
10/27/2006	8:30:02	0.011	0.002	2
10/27/2006	8:45:02	0.012	0.003	3
10/27/2006	9:00:02	0.011	0.002	2
10/27/2006	9:15:02	0.01	0.001	1
10/27/2006	9:30:02	0.007	-0.002	-2
10/27/2006	9:45:02	0.007	-0.002	-2
10/27/2006	10:00:02	0.009	0	0
10/27/2006	10:15:02	0.009	0	0
10/27/2006	10:30:02	0.01	0.001	1
10/27/2006	10:45:02	0.008	-0.001	-1
10/27/2006	11:00:02	0.007	-0.002	-2
10/27/2006	11:15:02	0.007	-0.002	-2
10/27/2006	11:30:02	0.015	0.006	6
10/27/2006	12:00:23	0.012	0.003	3
10/27/2006	12:15:23	0.013	0.004	4
10/27/2006	12:30:23	0.01	0.001	1
10/27/2006	12:45:23	0.01	0.001	1
10/27/2006	13:00:23	0.011	0.002	2
10/27/2006	13:15:23	0.013	0.004	4
10/27/2006	13:30:23	0.019	0.01	10
10/27/2006	13:45:23	0.019	0.01	10
10/27/2006	14:00:23	0.021	0.012	12
10/27/2006	14:15:23	0.024	0.015	15
10/27/2006	14:30:23	0.022	0.013	13
10/27/2006	14:45:23	0.018	0.009	9
10/27/2006	15:00:23	0.014	0.005	5
10/27/2006	15:15:23	0.012	0.003	3
10/27/2006	15:30:23	0.012	0.003	3
10/27/2006	15:45:23	0.011	0.002	2
10/27/2006	16:00:23	0.01	0.001	1
10/27/2006	16:15:23	0.009	0	0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/28/2006 07:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:30) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/28/2006 7:58			0				0
2	10/28/2006 8:13			0				0
3	10/28/2006 8:28			0				0
4	10/28/2006 8:43			0				0
5	10/28/2006 8:58			0				0
6	10/28/2006 9:13			0				0
7	10/28/2006 9:28			0				0
8	10/28/2006 9:43			0				0
9	10/28/2006 9:58			0				0
10	10/28/2006 10:13			0				0
11	10/28/2006 10:28			0				0
12	10/28/2006 10:43			0				0
13	10/28/2006 10:58			0				0
14	10/28/2006 11:13			0				0
15	10/28/2006 11:28			0				0
16	10/28/2006 11:43			0				0
17	10/28/2006 11:58			0				0
18	10/28/2006 12:13			0				0
19	10/28/2006 12:28			0				0
20	10/28/2006 12:43			0				0
21	10/28/2006 12:58			0				0
22	10/28/2006 13:13			0				0
23	10/28/2006 13:28			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	13
Test Abbreviation:	
Start Date:	10/28/2006
Start Time:	7:47:23
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (07:30) = 0.014mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/28/2006	8:02:23	0.025	0.011	11
10/28/2006	8:17:23	0.028	0.014	14
10/28/2006	8:32:23	0.03	0.016	16
10/28/2006	8:47:23	0.034	0.02	20
10/28/2006	9:02:23	0.037	0.023	23
10/28/2006	9:17:23	0.035	0.021	21
10/28/2006	9:32:23	0.03	0.016	16
10/28/2006	9:47:23	0.027	0.013	13
10/28/2006	10:02:23	0.027	0.013	13
10/28/2006	10:17:23	0.035	0.021	21
10/28/2006	10:32:23	0.027	0.013	13
10/28/2006	10:47:23	0.028	0.014	14
10/28/2006	11:02:23	0.033	0.019	19
10/28/2006	11:17:23	0.037	0.023	23
10/28/2006	11:32:23	0.037	0.023	23
10/28/2006	11:47:23	0.036	0.022	22
10/28/2006	12:02:23	0.038	0.024	24
10/28/2006	12:17:23	0.039	0.025	25
10/28/2006	12:32:23	0.036	0.022	22
10/28/2006	12:47:23	0.031	0.017	17
10/28/2006	13:02:23	0.028	0.014	14
10/28/2006	13:17:23	0.025	0.011	11
10/28/2006	13:32:23	0.026	0.012	12
10/28/2006	13:47:23	0.018	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/28/2006 07:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/28/2006 7:50			0				0
2	10/28/2006 8:05			0				0
3	10/28/2006 8:20			0				0
4	10/28/2006 8:35			0				0
5	10/28/2006 8:50			0				0
6	10/28/2006 9:05			0				0
7	10/28/2006 9:20			0				0
8	10/28/2006 9:35			0				0
9	10/28/2006 9:50			0				0
10	10/28/2006 10:05			0				0
11	10/28/2006 10:20			0				0
12	10/28/2006 10:35			0				0
13	10/28/2006 10:50			0				0
14	10/28/2006 11:05			0				0
15	10/28/2006 11:20			0				0
16	10/28/2006 11:35			0				0
17	10/28/2006 11:50			0				0
18	10/28/2006 12:05			0				0
19	10/28/2006 12:20			0				0
20	10/28/2006 12:35			0				0
21	10/28/2006 12:50			0				0
22	10/28/2006 13:05			0				0
23	10/28/2006 13:20			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	24
Test Abbreviation:	
Start Date:	10/28/2006
Start Time:	7:45:02
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (07:45) = 0.023mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/28/2006	8:00:02	0.021	-0.002	-2
10/28/2006	8:15:02	0.02	-0.003	-3
10/28/2006	8:30:02	0.017	-0.006	-6
10/28/2006	8:45:02	0.02	-0.003	-3
10/28/2006	9:00:02	0.02	-0.003	-3
10/28/2006	9:15:02	0.021	-0.002	-2
10/28/2006	9:30:02	0.014	-0.009	-9
10/28/2006	9:45:02	0.015	-0.008	-8
10/28/2006	10:00:02	0.013	-0.01	-10
10/28/2006	10:15:02	0.018	-0.005	-5
10/28/2006	10:30:02	0.017	-0.006	-6
10/28/2006	10:45:02	0.013	-0.01	-10
10/28/2006	11:00:02	0.017	-0.006	-6
10/28/2006	11:15:02	0.021	-0.002	-2
10/28/2006	11:30:02	0.023	0	0
10/28/2006	11:45:02	0.023	0	0
10/28/2006	12:00:02	0.023	0	0
10/28/2006	12:15:02	0.023	0	0
10/28/2006	12:30:02	0.022	-0.001	-1
10/28/2006	12:45:02	0.02	-0.003	-3
10/28/2006	13:00:02	0.016	-0.007	-7
10/28/2006	13:15:02	0.014	-0.009	-9
10/28/2006	13:30:02	0.013	-0.01	-10
10/28/2006	13:45:02	0.012	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/28/2006 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/28/2006 8:02			0				0
2	10/28/2006 8:17			0				0
3	10/28/2006 8:32			0				0
4	10/28/2006 8:47			0				0
5	10/28/2006 9:02			0.1				0.1
6	10/28/2006 9:17			0.1				0.1
7	10/28/2006 9:32			0.2				0.2
8	10/28/2006 9:47			0.2				0.2
9	10/28/2006 10:02			0.2				0.2
10	10/28/2006 10:17			0.1				0.1
11	10/28/2006 10:32			0.1				0.1
12	10/28/2006 10:47			0.3				0.3
13	10/28/2006 11:02			0.3				0.3
14	10/28/2006 11:17			0.3				0.3
15	10/28/2006 11:32			0.2				0.2
16	10/28/2006 11:47			0.2				0.2
17	10/28/2006 12:02			0.4				0.4
18	10/28/2006 12:17			0.4				0.4
19	10/28/2006 12:32			0.2				0.2
20	10/28/2006 12:47			0.2				0.2
21	10/28/2006 13:02			0.2				0.2
22	10/28/2006 13:17			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	20
Test Abbreviation:	
Start Date:	10/28/2006
Start Time:	7:56:26
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (07:50) = 0.025mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/28/2006	8:11:26	0.029	0.004	4
10/28/2006	8:26:26	0.029	0.004	4
10/28/2006	8:41:26	0.033	0.008	8
10/28/2006	8:56:26	0.034	0.009	9
10/28/2006	9:11:26	0.035	0.01	10
10/28/2006	9:26:26	0.031	0.006	6
10/28/2006	9:41:26	0.033	0.008	8
10/28/2006	9:56:26	0.031	0.006	6
10/28/2006	10:11:26	0.034	0.009	9
10/28/2006	10:26:26	0.039	0.014	14
10/28/2006	10:41:26	0.034	0.009	9
10/28/2006	10:56:26	0.037	0.012	12
10/28/2006	11:11:26	0.036	0.011	11
10/28/2006	11:26:26	0.05	0.025	25
10/28/2006	11:41:26	0.048	0.023	23
10/28/2006	11:56:26	0.049	0.024	24
10/28/2006	12:11:26	0.042	0.017	17
10/28/2006	12:26:26	0.044	0.019	19
10/28/2006	12:41:26	0.043	0.018	18
10/28/2006	12:56:26	0.042	0.017	17
10/28/2006	13:11:26	0.04	0.015	15
10/28/2006	13:26:26	0.043	0.018	18
10/28/2006	13:41:26	0.036	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/28/2006 06:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/28/2006 7:55			0				0
2	10/28/2006 8:10			0				0
3	10/28/2006 8:25			0				0
4	10/28/2006 8:40			0				0
5	10/28/2006 8:55			0				0
5	10/28/2006 9:10			0				0
6	10/28/2006 9:25			0				0
7	10/28/2006 9:40			0				0
8	10/28/2006 9:55			0				0
9	10/28/2006 10:10			0				0
10	10/28/2006 10:25			0				0
11	10/28/2006 10:40			0				0
12	10/28/2006 10:55			0				0
13	10/28/2006 11:10			0				0
14	10/28/2006 11:25			0.1				0.1
15	10/28/2006 11:40			0.1				0.1
16	10/28/2006 11:55			0.1				0.1
17	10/28/2006 12:10			0.1				0.1
18	10/28/2006 12:25			0.5				0.5
19	10/28/2006 12:40			0.9				0.9
20	10/28/2006 12:55			1.2				1.2
21	10/28/2006 13:10			1				1
22	10/28/2006 13:25			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	5
Test Abbreviation:	
Start Date:	10/28/2006
Start Time:	7:49:43
Duration (dd:hh:mm:ss):	00:02:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	11
Notes:	Background Reading (08:00) = 0.019mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/28/2006	8:04:43	0.015	-0.004	-4
10/28/2006	8:19:43	0.015	-0.004	-4
10/28/2006	8:34:43	0.017	-0.002	-2
10/28/2006	8:49:43	0.017	-0.002	-2
10/28/2006	9:04:43	0.017	-0.002	-2
10/28/2006	9:19:43	0.017	-0.002	-2
10/28/2006	9:34:43	0.015	-0.004	-4
10/28/2006	9:49:43	0.015	-0.004	-4
10/28/2006	10:04:43	0.015	-0.004	-4
10/28/2006	10:19:43	0.024	0.005	5
10/28/2006	10:34:43	0.015	-0.004	-4
10/28/2006	12:37:27	0.025	0.006	6
10/28/2006	12:52:27	0.036	0.017	17
10/28/2006	13:07:27	0.033	0.014	14
10/28/2006	13:22:27	0.026	0.007	7
10/28/2006	13:37:27	0.028	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/30/2006 07:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/30/2006 7:26			0				0
2	10/30/2006 7:41			0				0
3	10/30/2006 7:56			0				0
4	10/30/2006 8:11			0				0
5	10/30/2006 8:26			0				0
6	10/30/2006 8:41			0				0
7	10/30/2006 8:56			0				0
8	10/30/2006 9:11			0				0
9	10/30/2006 9:26			0				0
10	10/30/2006 9:41			0				0
11	10/30/2006 9:56			0				0
12	10/30/2006 10:11			0.1				0.1
13	10/30/2006 10:26			0.1				0.1
14	10/30/2006 10:41			0.1				0.1
15	10/30/2006 10:56			0				0
16	10/30/2006 11:11			0.1				0.1
17	10/30/2006 11:26			0.1				0.1
18	10/30/2006 11:41			0.1				0.1
19	10/30/2006 11:56			0.1				0.1
20	10/30/2006 12:11			0.1				0.1
21	10/30/2006 12:26			0.1				0.1
22	10/30/2006 12:41			0				0
23	10/30/2006 12:56			0.1				0.1
24	10/30/2006 13:11			0.1				0.1
25	10/30/2006 13:26			0.1				0.1
26	10/30/2006 13:41			0.1				0.1
27	10/30/2006 13:56			0.1				0.1
28	10/30/2006 14:11			0.1				0.1
29	10/30/2006 14:26			0.1				0.1
30	10/30/2006 14:41			0.1				0.1
31	10/30/2006 14:56			0.1				0.1
32	10/30/2006 15:11			0.1				0.1
33	10/30/2006 15:26			0.1				0.1
34	10/30/2006 15:41			0.1				0.1
35	10/30/2006 15:56			0.1				0.1
36	10/30/2006 16:11			0.1				0.1
37	10/30/2006 16:26			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	14
Test Abbreviation:	
Start Date:	10/30/2006
Start Time:	7:48:39
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (06:40) = 0.006mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/30/2006	8:03:39	0.007	0.001	1
10/30/2006	8:18:39	0.007	0.001	1
10/30/2006	8:33:39	0.007	0.001	1
10/30/2006	8:48:39	0.008	0.002	2
10/30/2006	9:03:39	0.008	0.002	2
10/30/2006	9:18:39	0.009	0.003	3
10/30/2006	9:33:39	0.01	0.004	4
10/30/2006	9:48:39	0.01	0.004	4
10/30/2006	10:03:39	0.01	0.004	4
10/30/2006	10:18:39	0.011	0.005	5
10/30/2006	10:33:39	0.009	0.003	3
10/30/2006	10:48:39	0.008	0.002	2
10/30/2006	11:03:39	0.009	0.003	3
10/30/2006	11:18:39	0.008	0.002	2
10/30/2006	11:33:39	0.007	0.001	1
10/30/2006	11:48:39	0.007	0.001	1
10/30/2006	12:03:39	0.006	0	0
10/30/2006	12:18:39	0.007	0.001	1
10/30/2006	12:33:39	0.007	0.001	1
10/30/2006	12:48:39	0.007	0.001	1
10/30/2006	13:03:39	0.006	0	0
10/30/2006	13:18:39	0.007	0.001	1
10/30/2006	13:33:39	0.006	0	0
10/30/2006	13:48:39	0.005	-0.001	-1
10/30/2006	14:03:39	0.006	0	0
10/30/2006	14:18:39	0.007	0.001	1
10/30/2006	14:33:39	0.007	0.001	1
10/30/2006	14:48:39	0.006	0	0
10/30/2006	15:03:39	0.006	0	0
10/30/2006	15:18:39	0.006	0	0
10/30/2006	15:33:39	0.006	0	0
10/30/2006	15:48:39	0.006	0	0
10/30/2006	16:03:39	0.007	0.001	1
10/30/2006	16:18:39	0.006	0	0
10/30/2006	16:33:39	0.006	0	0
10/30/2006	16:48:39	0.007	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/30/2006 07:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/30/2006 7:27		0		0
2	10/30/2006 7:42		0		0
3	10/30/2006 7:57		0		0
4	10/30/2006 8:12		0		0
5	10/30/2006 8:27		0		0
6	10/30/2006 8:42		0		0
7	10/30/2006 8:57		0		0
8	10/30/2006 9:12		0		0
9	10/30/2006 9:27		0		0
10	10/30/2006 9:42		0		0
11	10/30/2006 9:57		0		0
12	10/30/2006 10:12		0		0
13	10/30/2006 10:27		0		0
14	10/30/2006 10:42		0		0
15	10/30/2006 10:57		0		0
16	10/30/2006 11:12		0		0
17	10/30/2006 11:27		0		0
18	10/30/2006 11:42		0		0
19	10/30/2006 11:57		0.1		0.1
20	10/30/2006 12:12		0.1		0.1
21	10/30/2006 12:27		0.1		0.1
22	10/30/2006 12:42		0.2		0.2
23	10/30/2006 12:57		0.2		0.2
24	10/30/2006 13:12		0.2		0.2
25	10/30/2006 13:27		0.3		0.3
26	10/30/2006 13:42		0.3		0.3
27	10/30/2006 13:57		0.3		0.3
28	10/30/2006 14:12		0.4		0.4
29	10/30/2006 14:27		0.4		0.4
30	10/30/2006 14:42		0.4		0.4
31	10/30/2006 14:57		0.4		0.4
32	10/30/2006 15:12		0.4		0.4
33	10/30/2006 15:27		0.4		0.4
34	10/30/2006 15:42		0.4		0.4
35	10/30/2006 15:57		0.3		0.3
36	10/30/2006 16:12		0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	25
Test Abbreviation:	
Start Date:	10/30/2006
Start Time:	7:52:15
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (06:40) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/30/2006	8:07:15	0.011	0.001	1
10/30/2006	8:22:15	0.015	0.005	5
10/30/2006	8:37:15	0.012	0.002	2
10/30/2006	8:52:15	0.011	0.001	1
10/30/2006	9:07:15	0.011	0.001	1
10/30/2006	9:22:15	0.011	0.001	1
10/30/2006	9:37:15	0.011	0.001	1
10/30/2006	9:52:15	0.013	0.003	3
10/30/2006	10:07:15	0.013	0.003	3
10/30/2006	10:22:15	0.012	0.002	2
10/30/2006	10:37:15	0.011	0.001	1
10/30/2006	10:52:15	0.01	0	0
10/30/2006	11:07:15	0.01	0	0
10/30/2006	11:22:15	0.01	0	0
10/30/2006	11:37:15	0.01	0	0
10/30/2006	11:52:15	0.01	0	0
10/30/2006	12:07:15	0.009	-0.001	-1
10/30/2006	12:22:15	0.009	-0.001	-1
10/30/2006	12:37:15	0.011	0.001	1
10/30/2006	12:52:15	0.01	0	0
10/30/2006	13:07:15	0.013	0.003	3
10/30/2006	13:22:15	0.009	-0.001	-1
10/30/2006	13:37:15	0.009	-0.001	-1
10/30/2006	13:52:15	0.009	-0.001	-1
10/30/2006	14:07:15	0.011	0.001	1
10/30/2006	14:22:15	0.011	0.001	1
10/30/2006	14:37:15	0.011	0.001	1
10/30/2006	14:52:15	0.01	0	0
10/30/2006	15:07:15	0.012	0.002	2
10/30/2006	15:22:15	0.01	0	0
10/30/2006	15:37:15	0.011	0.001	1
10/30/2006	15:52:15	0.011	0.001	1
10/30/2006	16:07:15	0.012	0.002	2
10/30/2006	16:31:15	0.01	0	0
10/30/2006	16:46:15	0.012	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/30/2006 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:54) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/30/2006 7:28			0				0
2	10/30/2006 7:43			0				0
3	10/30/2006 7:58			0				0
4	10/30/2006 8:13			0.1				0.1
5	10/30/2006 8:28			0.1				0.1
6	10/30/2006 8:43			0.1				0.1
7	10/30/2006 8:58			0.2				0.2
8	10/30/2006 9:13			0.2				0.2
9	10/30/2006 9:28			0.2				0.2
10	10/30/2006 9:43			0.3				0.3
11	10/30/2006 9:58			0.3				0.3
12	10/30/2006 10:13			0.3				0.3
13	10/30/2006 10:28			0.3				0.3
14	10/30/2006 10:43			0.3				0.3
15	10/30/2006 10:58			0.3				0.3
16	10/30/2006 11:13			0.4				0.4
17	10/30/2006 11:28			0.4				0.4
18	10/30/2006 11:43			0.3				0.3
19	10/30/2006 11:58			0.3				0.3
20	10/30/2006 12:13			0.4				0.4
21	10/30/2006 12:28			0.4				0.4
22	10/30/2006 12:43			0.4				0.4
23	10/30/2006 12:58			0.4				0.4
24	10/30/2006 13:13			0.4				0.4
25	10/30/2006 13:28			0.4				0.4
26	10/30/2006 13:43			0.4				0.4
27	10/30/2006 13:58			0.4				0.4
28	10/30/2006 14:13			0.4				0.4
29	10/30/2006 14:28			0.4				0.4
30	10/30/2006 14:43			0.4				0.4
31	10/30/2006 14:58			0.4				0.4
32	10/30/2006 15:13			0.4				0.4
33	10/30/2006 15:28			0.4				0.4
34	10/30/2006 15:43			0.4				0.4
35	10/30/2006 15:58			0.4				0.4
36	10/30/2006 16:13			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	21
Test Abbreviation:	
Start Date:	10/30/2006
Start Time:	8:03:00
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (06:54) = 0.021 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/30/2006	8:18:00	0.041	0.02	20
10/30/2006	8:33:00	0.041	0.02	20
10/30/2006	8:48:00	0.024	0.003	3
10/30/2006	9:03:00	0.015	-0.006	-6
10/30/2006	9:18:00	0.02	-0.001	-1
10/30/2006	9:33:00	0.019	-0.002	-2
10/30/2006	9:48:00	0.02	-0.001	-1
10/30/2006	10:03:00	0.023	0.002	2
10/30/2006	10:18:00	0.023	0.002	2
10/30/2006	10:33:00	0.018	-0.003	-3
10/30/2006	10:48:00	0.017	-0.004	-4
10/30/2006	11:03:00	0.013	-0.008	-8
10/30/2006	11:18:00	0.014	-0.007	-7
10/30/2006	11:33:00	0.015	-0.006	-6
10/30/2006	11:48:00	0.016	-0.005	-5
10/30/2006	12:03:00	0.017	-0.004	-4
10/30/2006	12:18:00	0.014	-0.007	-7
10/30/2006	12:33:00	0.019	-0.002	-2
10/30/2006	12:48:00	0.016	-0.005	-5
10/30/2006	13:03:00	0.025	0.004	4
10/30/2006	13:18:00	0.023	0.002	2
10/30/2006	13:33:00	0.018	-0.003	-3
10/30/2006	13:48:00	0.014	-0.007	-7
10/30/2006	14:03:00	0.015	-0.006	-6
10/30/2006	14:18:00	0.02	-0.001	-1
10/30/2006	14:33:00	0.017	-0.004	-4
10/30/2006	14:48:00	0.018	-0.003	-3
10/30/2006	15:03:00	0.019	-0.002	-2
10/30/2006	15:18:00	0.016	-0.005	-5
10/30/2006	15:33:00	0.025	0.004	4
10/30/2006	15:48:00	0.023	0.002	2
10/30/2006	16:03:00	0.027	0.006	6
10/30/2006	16:18:00	0.022	0.001	1
10/30/2006	16:33:00	0.024	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/30/2006 07:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/30/2006 7:22			0				0
2	10/30/2006 7:37			0.1				0.1
3	10/30/2006 7:52			0.1				0.1
4	10/30/2006 8:07			0.5				0.5
5	10/30/2006 8:22			0.9				0.9
6	10/30/2006 8:37			1.1				1.1
7	10/30/2006 8:52			1.4				1.4
8	10/30/2006 9:07			1.5				1.5
9	10/30/2006 9:22			1.5				1.5
10	10/30/2006 9:37			1.6				1.6
11	10/30/2006 9:52			1.4				1.4
12	10/30/2006 10:07			1.6				1.6
13	10/30/2006 10:22			1.8				1.8
14	10/30/2006 10:37			1.8				1.8
15	10/30/2006 10:52			1.7				1.7
16	10/30/2006 11:07			2				2
17	10/30/2006 11:22			2				2
18	10/30/2006 11:37			2.1				2.1
19	10/30/2006 11:52			2.1				2.1
20	10/30/2006 12:07			1.9				1.9
21	10/30/2006 12:22			2.1				2.1
22	10/30/2006 12:37			2.3				2.3
23	10/30/2006 12:52			1.9				1.9
24	10/30/2006 13:07			2				2
25	10/30/2006 13:22			2.1				2.1
26	10/30/2006 13:37			1.9				1.9
27	10/30/2006 13:52			1.7				1.7
28	10/30/2006 14:07			1.8				1.8
29	10/30/2006 14:22			1.9				1.9
30	10/30/2006 14:37			2				2
31	10/30/2006 14:52			2				2
32	10/30/2006 15:07			2.3				2.3
33	10/30/2006 15:22			2.7				2.7
34	10/30/2006 15:37			2.4				2.4
35	10/30/2006 15:52			2.5				2.5
36	10/30/2006 16:07			2.3				2.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	7
Test Abbreviation:	
Start Date:	10/30/2006
Start Time:	8:08:35
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (07:00) = 0.006 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/30/2006	8:23:35	0.008	0.002	2
10/30/2006	8:38:35	0.007	0.001	1
10/30/2006	8:53:35	0.01	0.004	4
10/30/2006	9:08:35	0.009	0.003	3
10/30/2006	9:23:35	0.012	0.006	6
10/30/2006	9:38:35	0.012	0.006	6
10/30/2006	9:53:35	0.013	0.007	7
10/30/2006	10:08:35	0.012	0.006	6
10/30/2006	10:23:35	0.012	0.006	6
10/30/2006	10:38:35	0.011	0.005	5
10/30/2006	10:53:35	0.011	0.005	5
10/30/2006	11:08:35	0.012	0.006	6
10/30/2006	11:23:35	0.012	0.006	6
10/30/2006	11:38:35	0.012	0.006	6
10/30/2006	11:53:35	0.012	0.006	6
10/30/2006	12:08:35	0.013	0.007	7
10/30/2006	12:23:35	0.015	0.009	9
10/30/2006	12:38:35	0.017	0.011	11
10/30/2006	12:53:35	0.014	0.008	8
10/30/2006	13:08:35	0.014	0.008	8
10/30/2006	13:23:35	0.011	0.005	5
10/30/2006	13:38:35	0.011	0.005	5
10/30/2006	13:53:35	0.014	0.008	8
10/30/2006	14:08:35	0.012	0.006	6
10/30/2006	14:23:35	0.014	0.008	8
10/30/2006	14:38:35	0.012	0.006	6
10/30/2006	14:53:35	0.013	0.007	7
10/30/2006	15:08:35	0.013	0.007	7
10/30/2006	15:23:35	0.013	0.007	7
10/30/2006	15:38:35	0.013	0.007	7
10/30/2006	15:53:35	0.012	0.006	6
10/30/2006	16:08:35	0.014	0.008	8
10/30/2006	16:23:35	0.014	0.008	8
10/30/2006	16:38:35	0.01	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/31/2006 07:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/31/2006 8:24		0.1		0.1
2	10/31/2006 8:39		0.2		0.2
3	10/31/2006 8:54		0.2		0.2
4	10/31/2006 9:09		0.2		0.2
5	10/31/2006 9:24		0.2		0.2
6	10/31/2006 9:39		0.2		0.2
7	10/31/2006 9:54		0.2		0.2
8	10/31/2006 10:09		0.2		0.2
9	10/31/2006 10:24		0.2		0.2
10	10/31/2006 10:39		0.3		0.3
11	10/31/2006 10:54		0.4		0.4
12	10/31/2006 11:09		0.5		0.5
13	10/31/2006 11:24		0.5		0.5
14	10/31/2006 11:39		0.5		0.5
15	10/31/2006 11:54		0.5		0.5
16	10/31/2006 12:09		0.6		0.6
17	10/31/2006 12:24		0.6		0.6
18	10/31/2006 12:39		0.6		0.6
19	10/31/2006 12:54		0.5		0.5
20	10/31/2006 13:09		0.6		0.6
21	10/31/2006 13:24		0.6		0.6
22	10/31/2006 13:39		0.6		0.6
23	10/31/2006 13:54		0.6		0.6
24	10/31/2006 14:09		0.6		0.6
25	10/31/2006 14:24		0.6		0.6
26	10/31/2006 14:39		0.7		0.7
27	10/31/2006 14:54		0.6		0.6
28	10/31/2006 15:09		0.6		0.6
29	10/31/2006 15:24		0.7		0.7
30	10/31/2006 15:39		1.1		1.1
31	10/31/2006 15:54		0.9		0.9
32	10/31/2006 16:09		0.7		0.7
33	10/31/2006 16:24		0.7		0.7
34	10/31/2006 16:39		0.7		0.7
35	10/31/2006 16:54		0.7		0.7
36	10/31/2006 17:09		0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	15
Test Abbreviation:	
Start Date:	10/31/2006
Start Time:	8:20:24
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (07:11) = 0.033 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/31/2006	8:35:24	0.039	0.006	6
10/31/2006	8:50:24	0.037	0.004	4
10/31/2006	9:05:24	0.035	0.002	2
10/31/2006	9:20:24	0.034	0.001	1
10/31/2006	9:35:24	0.036	0.003	3
10/31/2006	9:50:24	0.031	-0.002	-2
10/31/2006	10:05:24	0.032	-0.001	-1
10/31/2006	10:20:24	0.028	-0.005	-5
10/31/2006	10:35:24	0.029	-0.004	-4
10/31/2006	10:50:24	0.029	-0.004	-4
10/31/2006	11:05:24	0.032	-0.001	-1
10/31/2006	11:20:24	0.035	0.002	2
10/31/2006	11:35:24	0.036	0.003	3
10/31/2006	11:50:24	0.035	0.002	2
10/31/2006	12:05:24	0.033	0	0
10/31/2006	12:20:24	0.032	-0.001	-1
10/31/2006	12:35:24	0.033	0	0
10/31/2006	12:50:24	0.033	0	0
10/31/2006	13:05:24	0.028	-0.005	-5
10/31/2006	13:20:24	0.025	-0.008	-8
10/31/2006	13:35:24	0.025	-0.008	-8
10/31/2006	13:50:24	0.025	-0.008	-8
10/31/2006	14:05:24	0.025	-0.008	-8
10/31/2006	14:20:24	0.024	-0.009	-9
10/31/2006	14:35:24	0.023	-0.01	-10
10/31/2006	14:50:24	0.025	-0.008	-8
10/31/2006	15:05:24	0.026	-0.007	-7
10/31/2006	15:20:24	0.026	-0.007	-7
10/31/2006	15:35:24	0.022	-0.011	-11
10/31/2006	15:50:24	0.022	-0.011	-11
10/31/2006	16:05:24	0.021	-0.012	-12
10/31/2006	16:20:24	0.02	-0.013	-13
10/31/2006	16:35:24	0.02	-0.013	-13
10/31/2006	16:50:24	0.019	-0.014	-14
10/31/2006	17:05:24	0.018	-0.015	-15
10/31/2006	17:20:24	0.019	-0.014	-14

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/31/2006 07:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/31/2006 7:51			0				0
2	10/31/2006 8:06			0				0
3	10/31/2006 8:21			0				0
4	10/31/2006 8:36			0				0
5	10/31/2006 8:51			0				0
6	10/31/2006 9:06			0				0
7	10/31/2006 9:21			0				0
8	10/31/2006 9:36			0				0
9	10/31/2006 9:51			0				0
10	10/31/2006 10:06			0				0
11	10/31/2006 10:21			0				0
12	10/31/2006 10:36			0				0
13	10/31/2006 10:51			0.1				0.1
14	10/31/2006 11:06			0.1				0.1
15	10/31/2006 11:21			0.1				0.1
16	10/31/2006 11:36			0.1				0.1
17	10/31/2006 11:51			0.1				0.1
18	10/31/2006 12:06			0.1				0.1
19	10/31/2006 12:21			0.2				0.2
20	10/31/2006 12:36			0.2				0.2
21	10/31/2006 12:51			0.2				0.2
22	10/31/2006 13:06			0.2				0.2
23	10/31/2006 13:21			0.3				0.3
24	10/31/2006 13:36			0.3				0.3
25	10/31/2006 13:51			0.3				0.3
26	10/31/2006 14:06			0.3				0.3
27	10/31/2006 14:21			0.3				0.3
28	10/31/2006 14:36			0.3				0.3
29	10/31/2006 14:51			0.3				0.3
30	10/31/2006 15:06			0.3				0.3
31	10/31/2006 15:21			0.3				0.3
32	10/31/2006 15:36			0.3				0.3
33	10/31/2006 15:51			0.4				0.4
34	10/31/2006 16:06			0.3				0.3
35	10/31/2006 16:21			0.3				0.3
36	10/31/2006 16:36			0.3				0.3
37	10/31/2006 16:51			0.3				0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	27
Test Abbreviation:	
Start Date:	10/31/2006
Start Time:	7:46:01
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	Background Reading (06:35) = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
10/31/2006	8:01:01	0.026	0.002	2
10/31/2006	8:16:01	0.028	0.004	4
10/31/2006	8:31:01	0.033	0.009	9
10/31/2006	8:46:01	0.036	0.012	12
10/31/2006	9:10:49	0.038	0.014	14
10/31/2006	9:25:49	0.041	0.017	17
10/31/2006	9:40:49	0.037	0.013	13
10/31/2006	9:55:49	0.033	0.009	9
10/31/2006	10:10:49	0.035	0.011	11
10/31/2006	10:25:49	0.029	0.005	5
10/31/2006	10:40:49	0.031	0.007	7
10/31/2006	10:55:49	0.03	0.006	6
10/31/2006	11:10:49	0.034	0.01	10
10/31/2006	11:25:49	0.038	0.014	14
10/31/2006	11:40:49	0.038	0.014	14
10/31/2006	11:55:49	0.037	0.013	13
10/31/2006	12:10:49	0.035	0.011	11
10/31/2006	12:25:49	0.036	0.012	12
10/31/2006	12:40:49	0.038	0.014	14
10/31/2006	12:55:49	0.036	0.012	12
10/31/2006	13:10:49	0.03	0.006	6
10/31/2006	13:25:49	0.029	0.005	5
10/31/2006	13:40:49	0.029	0.005	5
10/31/2006	13:55:49	0.029	0.005	5
10/31/2006	14:10:49	0.03	0.006	6
10/31/2006	14:25:49	0.029	0.005	5
10/31/2006	15:17:38	0.031	0.007	7
10/31/2006	16:31:23	0.025	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/30/2006 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:50) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	10/31/2006 8:05		0.1		0.1
2	10/31/2006 8:20		0.2		0.2
3	10/31/2006 8:35		0.2		0.2
4	10/31/2006 8:50		0.3		0.3
5	10/31/2006 9:05		0.3		0.3
6	10/31/2006 9:20		0.4		0.4
7	10/31/2006 9:35		0.4		0.4
8	10/31/2006 9:50		0.4		0.4
9	10/31/2006 10:05		0.4		0.4
10	10/31/2006 10:20		0.5		0.5
11	10/31/2006 10:35		0.5		0.5
12	10/31/2006 10:50		0.5		0.5
13	10/31/2006 11:05		0.5		0.5
14	10/31/2006 11:20		0.5		0.5
15	10/31/2006 11:35		0.6		0.6
16	10/31/2006 11:50		0.6		0.6
17	10/31/2006 12:05		0.6		0.6
18	10/31/2006 12:20		0.6		0.6
19	10/31/2006 12:35		0.6		0.6
20	10/31/2006 12:50		0.6		0.6
21	10/31/2006 13:05		0.6		0.6
22	10/31/2006 13:20		0.6		0.6
23	10/31/2006 13:35		0.6		0.6
24	10/31/2006 13:50		0.6		0.6
25	10/31/2006 14:05		0.6		0.6
26	10/31/2006 14:20		0.6		0.6
27	10/31/2006 14:35		0.6		0.6
28	10/31/2006 14:50		0.6		0.6
29	10/31/2006 15:05		0.6		0.6
30	10/31/2006 15:20		0.6		0.6
31	10/31/2006 15:35		0.6		0.6
32	10/31/2006 15:50		0.7		0.7
33	10/31/2006 16:05		0.6		0.6
34	10/31/2006 16:20		0.5		0.5
35	10/31/2006 16:35		0.5		0.5
36	10/31/2006 16:50		0.6		0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	22
Test Abbreviation:	
Start Date:	10/31/2006
Start Time:	7:58:21
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:50) = 0.036 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/31/2006	8:13:21	0.046	0.01	10
10/31/2006	8:28:21	0.046	0.01	10
10/31/2006	8:43:21	0.056	0.02	20
10/31/2006	8:58:21	0.053	0.017	17
10/31/2006	9:13:21	0.053	0.017	17
10/31/2006	9:28:21	0.061	0.025	25
10/31/2006	9:43:21	0.053	0.017	17
10/31/2006	9:58:21	0.05	0.014	14
10/31/2006	10:13:21	0.049	0.013	13
10/31/2006	10:28:21	0.049	0.013	13
10/31/2006	10:43:21	0.043	0.007	7
10/31/2006	10:58:21	0.047	0.011	11
10/31/2006	11:13:21	0.055	0.019	19
10/31/2006	11:28:21	0.068	0.032	32
10/31/2006	11:43:21	0.063	0.027	27
10/31/2006	11:58:21	0.066	0.03	30
10/31/2006	12:13:21	0.068	0.032	32
10/31/2006	12:28:21	0.07	0.034	34
10/31/2006	12:43:21	0.071	0.035	35
10/31/2006	12:58:21	0.062	0.026	26
10/31/2006	13:13:21	0.054	0.018	18
10/31/2006	13:28:21	0.055	0.019	19
10/31/2006	13:43:21	0.051	0.015	15
10/31/2006	13:58:21	0.049	0.013	13
10/31/2006	14:13:21	0.05	0.014	14
10/31/2006	14:28:21	0.057	0.021	21
10/31/2006	14:43:21	0.052	0.016	16
10/31/2006	14:58:21	0.056	0.02	20
10/31/2006	15:13:21	0.051	0.015	15
10/31/2006	15:28:21	0.05	0.014	14
10/31/2006	15:43:21	0.045	0.009	9
10/31/2006	15:58:21	0.043	0.007	7
10/31/2006	16:13:21	0.049	0.013	13
10/31/2006	16:28:21	0.044	0.008	8
10/31/2006	16:43:21	0.049	0.013	13
10/31/2006	16:58:21	0.038	0.002	2
10/31/2006	17:13:21	0.042	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/31/2006 07:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:58) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	10/31/2006 8:11			0.4				0.3
2	10/31/2006 8:26			0.4				0.3
3	10/31/2006 8:41			0.4				0.3
4	10/31/2006 8:56			0.5				0.4
5	10/31/2006 9:11			0.6				0.5
6	10/31/2006 9:26			0.7				0.6
7	10/31/2006 9:41			0.7				0.6
8	10/31/2006 9:56			0.7				0.6
9	10/31/2006 10:11			0.7				0.6
10	10/31/2006 10:26			0.8				0.7
11	10/31/2006 10:41			0.8				0.7
12	10/31/2006 10:56			0.9				0.8
13	10/31/2006 11:11			0.9				0.8
14	10/31/2006 11:26			1				0.9
15	10/31/2006 11:41			0.9				0.8
16	10/31/2006 11:56			1				0.9
17	10/31/2006 12:11			1				0.9
18	10/31/2006 12:26			1.1				1
19	10/31/2006 12:41			1.1				1
20	10/31/2006 12:56			1				0.9
21	10/31/2006 13:11			1.1				1
22	10/31/2006 13:26			1.1				1
23	10/31/2006 13:41			1.1				1
24	10/31/2006 13:56			1.1				1
25	10/31/2006 14:11			1.1				1
26	10/31/2006 14:26			1.2				1.1
27	10/31/2006 14:41			1.2				1.1
28	10/31/2006 14:56			1.2				1.1
29	10/31/2006 15:11			1.2				1.1
30	10/31/2006 15:26			1.4				1.3
31	10/31/2006 15:41			1.5				1.4
32	10/31/2006 15:56			1.4				1.3
33	10/31/2006 16:11			1.3				1.2
34	10/31/2006 16:26			1.4				1.3
35	10/31/2006 16:41			1.4				1.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	8
Test Abbreviation:	
Start Date:	10/31/2006
Start Time:	8:06:16
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (06:58) = 0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/31/2006	8:21:16	0.021	0.001	1
10/31/2006	8:36:16	0.026	0.006	6
10/31/2006	8:58:07	0.031	0.011	11
10/31/2006	9:13:07	0.029	0.009	9
10/31/2006	9:28:07	0.032	0.012	12
10/31/2006	9:43:07	0.028	0.008	8
10/31/2006	9:58:07	0.03	0.01	10
10/31/2006	10:13:07	0.028	0.008	8
10/31/2006	10:28:07	0.027	0.007	7
10/31/2006	10:43:07	0.028	0.008	8
10/31/2006	10:58:07	0.035	0.015	15
10/31/2006	11:13:07	0.032	0.012	12
10/31/2006	11:28:07	0.034	0.014	14
10/31/2006	11:43:07	0.035	0.015	15
10/31/2006	11:58:07	0.035	0.015	15
10/31/2006	12:13:07	0.034	0.014	14
10/31/2006	12:28:07	0.033	0.013	13
10/31/2006	12:43:07	0.034	0.014	14
10/31/2006	12:58:07	0.033	0.013	13
10/31/2006	13:13:07	0.03	0.01	10
10/31/2006	13:28:07	0.029	0.009	9
10/31/2006	13:43:07	0.029	0.009	9
10/31/2006	13:58:07	0.032	0.012	12
10/31/2006	14:13:07	0.029	0.009	9
10/31/2006	14:28:07	0.031	0.011	11
10/31/2006	14:43:07	0.028	0.008	8
10/31/2006	14:58:07	0.029	0.009	9
10/31/2006	15:13:07	0.03	0.01	10
10/31/2006	15:28:07	0.027	0.007	7
10/31/2006	15:43:07	0.025	0.005	5
10/31/2006	15:58:07	0.026	0.006	6
10/31/2006	16:13:07	0.026	0.006	6
10/31/2006	16:28:07	0.024	0.004	4
10/31/2006	16:43:07	0.025	0.005	5
10/31/2006	16:58:07	0.022	0.002	2
10/31/2006	17:13:07	0.021	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/01/2006 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/1/2006 7:35			0.1				0
2	11/1/2006 7:50			0.1				0
3	11/1/2006 8:05			0.1				0
4	11/1/2006 8:20			0.1				0
5	11/1/2006 8:35			0.1				0
6	11/1/2006 8:50			0.1				0
7	11/1/2006 9:05			0.1				0
8	11/1/2006 9:20			0.1				0
9	11/1/2006 9:35			0.1				0
10	11/1/2006 9:50			0.1				0
11	11/1/2006 10:05			0.2				0.1
12	11/1/2006 10:20			0.2				0.1
13	11/1/2006 10:35			0.2				0.1
14	11/1/2006 10:50			0.2				0.1
15	11/1/2006 11:05			0.2				0.1
16	11/1/2006 11:20			0.2				0.1
17	11/1/2006 11:35			0.2				0.1
18	11/1/2006 11:50			0.2				0.1
19	11/1/2006 12:05			0.2				0.1
20	11/1/2006 12:20			0.2				0.1
21	11/1/2006 12:35			0.2				0.1
22	11/1/2006 12:50			0.1				0
23	11/1/2006 13:05			0.2				0.1
24	11/1/2006 13:20			0.2				0.1
25	11/1/2006 13:35			0.2				0.1
26	11/1/2006 13:50			0.2				0.1
27	11/1/2006 14:05			0.2				0.1
28	11/1/2006 14:20			0.2				0.1
29	11/1/2006 14:35			0.2				0.1
30	11/1/2006 14:50			0.2				0.1
31	11/1/2006 15:05			0.2				0.1
32	11/1/2006 15:20			0.2				0.1
33	11/1/2006 15:35			0.2				0.1
34	11/1/2006 15:50			0.2				0.1
35	11/1/2006 16:05			0.2				0.1
36	11/1/2006 16:20			0.2				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	16
Test Abbreviation:	
Start Date:	11/1/2006
Start Time:	7:49:13
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (06:40) = 0.042 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/1/2006	8:04:13	0.046	0.004	4
11/1/2006	8:19:13	0.044	0.002	2
11/1/2006	8:34:13	0.052	0.01	10
11/1/2006	8:49:13	0.045	0.003	3
11/1/2006	9:04:13	0.042	0	0
11/1/2006	9:19:13	0.039	-0.003	-3
11/1/2006	9:34:13	0.035	-0.007	-7
11/1/2006	9:49:13	0.032	-0.01	-10
11/1/2006	10:04:13	0.029	-0.013	-13
11/1/2006	10:19:13	0.032	-0.01	-10
11/1/2006	10:34:13	0.03	-0.012	-12
11/1/2006	10:49:13	0.026	-0.016	-16
11/1/2006	11:04:13	0.024	-0.018	-18
11/1/2006	11:19:13	0.023	-0.019	-19
11/1/2006	11:34:13	0.022	-0.02	-20
11/1/2006	11:49:13	0.02	-0.022	-22
11/1/2006	12:04:13	0.02	-0.022	-22
11/1/2006	12:19:13	0.021	-0.021	-21
11/1/2006	12:34:13	0.017	-0.025	-25
11/1/2006	12:49:13	0.017	-0.025	-25
11/1/2006	13:04:13	0.017	-0.025	-25
11/1/2006	13:19:13	0.017	-0.025	-25
11/1/2006	13:34:13	0.021	-0.021	-21
11/1/2006	13:49:13	0.019	-0.023	-23
11/1/2006	14:04:13	0.017	-0.025	-25
11/1/2006	14:19:13	0.016	-0.026	-26
11/1/2006	14:34:13	0.018	-0.024	-24
11/1/2006	14:49:13	0.019	-0.023	-23
11/1/2006	15:04:13	0.017	-0.025	-25
11/1/2006	15:19:13	0.017	-0.025	-25
11/1/2006	15:34:13	0.017	-0.025	-25
11/1/2006	15:49:13	0.018	-0.024	-24
11/1/2006	16:04:13	0.019	-0.023	-23
11/1/2006	16:19:13	0.02	-0.022	-22
11/1/2006	16:34:13	0.021	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/01/2006 07:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/1/2006 7:29			0.5				0.5
2	11/1/2006 7:44			0				0
3	11/1/2006 7:59			0				0
4	11/1/2006 8:14			0				0
5	11/1/2006 8:29			0				0
6	11/1/2006 8:44			0.1				0.1
7	11/1/2006 8:59			0.1				0.1
8	11/1/2006 9:14			0.1				0.1
9	11/1/2006 9:29			0.1				0.1
10	11/1/2006 9:44			0.1				0.1
11	11/1/2006 9:59			0.1				0.1
12	11/1/2006 10:14			0.2				0.2
13	11/1/2006 10:29			0.2				0.2
14	11/1/2006 10:44			0.2				0.2
15	11/1/2006 10:59			0.3				0.3
16	11/1/2006 11:14			0.4				0.4
17	11/1/2006 11:29			0.4				0.4
18	11/1/2006 11:44			0.5				0.5
19	11/1/2006 11:59			0.6				0.6
20	11/1/2006 12:14			0.7				0.7
21	11/1/2006 12:29			0.7				0.7
22	11/1/2006 12:44			0.8				0.8
23	11/1/2006 12:59			0.9				0.9
24	11/1/2006 13:14			0.8				0.8
25	11/1/2006 13:29			0.8				0.8
26	11/1/2006 13:44			0.6				0.6
27	11/1/2006 13:59			0.5				0.5
28	11/1/2006 14:14			0.4				0.4
29	11/1/2006 14:29			0.5				0.5
30	11/1/2006 14:44			0.7				0.7
31	11/1/2006 14:59			0.9				0.9
32	11/1/2006 15:14			0.9				0.9
33	11/1/2006 15:29			1				1
34	11/1/2006 15:44			1.1				1.1
35	11/1/2006 15:59			1.1				1.1
36	11/1/2006 16:14			1				1
37	11/1/2006 16:29			1				1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

*"Handshaking" Error (communication error). Unable to transfer 11/01/06 Data from Dust Trak

The following are instantaneous readings that were manually logged at the Station 2 Dust Trak.

time (sec)	reading (mg/m3)	reading (ug/m3)
6:38	0.068	68
7:26	0.077	77
8:06	0.058	58
8:56	0.048	48
9:57	0.033	33
10:53	0.041	41
11:59	0.03	30
12:54	0.03	30
14:02	0.029	29

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/01/2006 07:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:58) = 0.6 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/1/2006 7:29			0.6				0
2	11/1/2006 7:44			0.7				0.1
3	11/1/2006 7:59			0.6				0
4	11/1/2006 8:14			0.8				0.2
5	11/1/2006 8:29			0.8				0.2
6	11/1/2006 8:44			0.9				0.3
7	11/1/2006 8:59			1				0.4
8	11/1/2006 9:14			1				0.4
9	11/1/2006 9:29			1.1				0.5
10	11/1/2006 9:44			1.1				0.5
11	11/1/2006 9:59			1.1				0.5
12	11/1/2006 10:14			1.2				0.6
13	11/1/2006 10:29			1.2				0.6
14	11/1/2006 10:44			1.3				0.7
15	11/1/2006 10:59			1.3				0.7
16	11/1/2006 11:14			1.4				0.8
17	11/1/2006 11:29			1.4				0.8
18	11/1/2006 11:44			1.4				0.8
19	11/1/2006 11:59			1.5				0.9
20	11/1/2006 12:14			1.5				0.9
21	11/1/2006 12:29			1.6				1
22	11/1/2006 12:44			1.6				1
23	11/1/2006 12:59			1.6				1
24	11/1/2006 13:14			1.6				1
25	11/1/2006 13:29			1.6				1
26	11/1/2006 13:44			1.5				0.9
27	11/1/2006 13:59			1.4				0.8
28	11/1/2006 14:14			1.4				0.8
29	11/1/2006 14:29			1.4				0.8
30	11/1/2006 14:44			1.6				1
31	11/1/2006 14:59			1.7				1.1
32	11/1/2006 15:14			1.6				1
33	11/1/2006 15:29			1.6				1
34	11/1/2006 15:44			1.7				1.1
35	11/1/2006 15:59			1.6				1
36	11/1/2006 16:14			1.6				1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	23
Test Abbreviation:	
Start Date:	11/1/2006
Start Time:	8:14:09
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (06:58) = 0.111 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/1/2006	8:29:09	0.076	-0.035	-35
11/1/2006	8:44:09	0.064	-0.047	-47
11/1/2006	8:59:09	0.066	-0.045	-45
11/1/2006	9:14:09	0.065	-0.046	-46
11/1/2006	9:29:09	0.056	-0.055	-55
11/1/2006	9:44:09	0.053	-0.058	-58
11/1/2006	9:59:09	0.045	-0.066	-66
11/1/2006	10:14:09	0.046	-0.065	-65
11/1/2006	10:29:09	0.048	-0.063	-63
11/1/2006	10:44:09	0.051	-0.06	-60
11/1/2006	10:59:09	0.048	-0.063	-63
11/1/2006	11:14:09	0.046	-0.065	-65
11/1/2006	11:29:09	0.033	-0.078	-78
11/1/2006	11:44:09	0.041	-0.07	-70
11/1/2006	11:59:09	0.038	-0.073	-73
11/1/2006	12:14:09	0.033	-0.078	-78
11/1/2006	12:29:09	0.036	-0.075	-75
11/1/2006	12:44:09	0.038	-0.073	-73
11/1/2006	12:59:09	0.039	-0.072	-72
11/1/2006	13:14:09	0.032	-0.079	-79
11/1/2006	13:29:09	0.04	-0.071	-71
11/1/2006	13:44:09	0.029	-0.082	-82
11/1/2006	13:59:09	0.044	-0.067	-67
11/1/2006	14:14:09	0.045	-0.066	-66
11/1/2006	14:29:09	0.041	-0.07	-70
11/1/2006	14:44:09	0.065	-0.046	-46
11/1/2006	14:59:09	0.065	-0.046	-46
11/1/2006	15:14:09	0.05	-0.061	-61
11/1/2006	15:29:09	0.038	-0.073	-73
11/1/2006	15:44:09	0.047	-0.064	-64
11/1/2006	15:59:09	0.034	-0.077	-77
11/1/2006	16:14:09	0.043	-0.068	-68
11/1/2006	16:29:09	0.055	-0.056	-56
11/1/2006	16:44:09	0.034	-0.077	-77

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/01/2006 07:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:56) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/1/2006 7:26			1				0.7
2	11/1/2006 7:41			0.9				0.6
3	11/1/2006 7:56			0.2				-0.1
4	11/1/2006 8:11			0.2				-0.1
5	11/1/2006 8:26			0.2				-0.1
6	11/1/2006 8:41			0.2				-0.1
7	11/1/2006 8:56			0.3				0
8	11/1/2006 9:11			0.3				0
9	11/1/2006 9:26			0.5				0.2
10	11/1/2006 9:41			0.8				0.5
11	11/1/2006 9:56			0.9				0.6
12	11/1/2006 10:11			1.6				1.3
13	11/1/2006 10:26			2.1				1.8
14	11/1/2006 10:41			2				1.7
15	11/1/2006 10:56			2.4				2.1
16	11/1/2006 11:11			2.5				2.2
17	11/1/2006 11:26			2.7				2.4
18	11/1/2006 11:41			2.6				2.3
19	11/1/2006 11:56			2.8				2.5
20	11/1/2006 12:11			3				2.7
21	11/1/2006 12:26			3				2.7
22	11/1/2006 12:41			2.9				2.6
23	11/1/2006 12:56			2.8				2.5
24	11/1/2006 13:11			2.2				1.9
25	11/1/2006 13:26			2.4				2.1
26	11/1/2006 13:41			2.4				2.1
27	11/1/2006 13:56			2.3				2
28	11/1/2006 14:11			2.2				1.9
29	11/1/2006 14:26			2.3				2
30	11/1/2006 14:41			2.4				2.1
31	11/1/2006 14:56			2.8				2.5
32	11/1/2006 15:11			2.9				2.6
33	11/1/2006 15:26			3.4				3.1
34	11/1/2006 15:41			3.3				3
35	11/1/2006 15:56			3.2				2.9
36	11/1/2006 16:11			3.1				2.8

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	10
Test Abbreviation:	
Start Date:	11/1/2006
Start Time:	8:05:59
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (06:56) = 0.041 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/1/2006	8:20:59	0.048	0.007	7
11/1/2006	8:35:59	0.049	0.008	8
11/1/2006	8:50:59	0.043	0.002	2
11/1/2006	9:05:59	0.043	0.002	2
11/1/2006	9:20:59	0.042	0.001	1
11/1/2006	9:35:59	0.036	-0.005	-5
11/1/2006	9:50:59	0.035	-0.006	-6
11/1/2006	10:05:59	0.034	-0.007	-7
11/1/2006	10:20:59	0.031	-0.01	-10
11/1/2006	10:35:59	0.03	-0.011	-11
11/1/2006	10:50:59	0.028	-0.013	-13
11/1/2006	11:05:59	0.029	-0.012	-12
11/1/2006	11:20:59	0.026	-0.015	-15
11/1/2006	11:35:59	0.024	-0.017	-17
11/1/2006	11:50:59	0.023	-0.018	-18
11/1/2006	12:05:59	0.024	-0.017	-17
11/1/2006	12:20:59	0.024	-0.017	-17
11/1/2006	12:35:59	0.024	-0.017	-17
11/1/2006	12:50:59	0.021	-0.02	-20
11/1/2006	13:05:59	0.023	-0.018	-18
11/1/2006	13:20:59	0.031	-0.01	-10
11/1/2006	13:35:59	0.025	-0.016	-16
11/1/2006	13:50:59	0.024	-0.017	-17
11/1/2006	14:05:59	0.022	-0.019	-19
11/1/2006	14:20:59	0.021	-0.02	-20
11/1/2006	14:35:59	0.031	-0.01	-10
11/1/2006	14:50:59	0.026	-0.015	-15
11/1/2006	15:05:59	0.022	-0.019	-19
11/1/2006	15:20:59	0.021	-0.02	-20
11/1/2006	15:35:59	0.022	-0.019	-19
11/1/2006	15:50:59	0.024	-0.017	-17
11/1/2006	16:05:59	0.023	-0.018	-18
11/1/2006	16:20:59	0.023	-0.018	-18
11/1/2006	16:35:59	0.029	-0.012	-12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/02/2006 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:44) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/2/2006 7:31			0				0
2	11/2/2006 7:46			0				0
3	11/2/2006 8:01			0				0
4	11/2/2006 8:16			0				0
5	11/2/2006 8:31			0				0
6	11/2/2006 8:46			0				0
7	11/2/2006 9:01			0				0
8	11/2/2006 9:16			0				0
9	11/2/2006 9:31			0				0
10	11/2/2006 9:46			0				0
11	11/2/2006 10:01			0				0
12	11/2/2006 10:16			0				0
13	11/2/2006 10:31			0				0
14	11/2/2006 10:46			0				0
15	11/2/2006 11:01			0				0
16	11/2/2006 11:16			0				0
17	11/2/2006 11:31			0.1				0.1
18	11/2/2006 11:46			0.1				0.1
19	11/2/2006 12:01			0.1				0.1
20	11/2/2006 12:16			0.1				0.1
21	11/2/2006 12:31			0.1				0.1
22	11/2/2006 12:46			0.1				0.1
23	11/2/2006 13:01			0.1				0.1
24	11/2/2006 13:16			0.1				0.1
25	11/2/2006 13:31			0.1				0.1
26	11/2/2006 13:46			0.2				0.2
27	11/2/2006 14:01			0.1				0.1
28	11/2/2006 14:16			0.1				0.1
29	11/2/2006 14:31			0.1				0.1
30	11/2/2006 14:46			0.1				0.1
31	11/2/2006 15:01			0.1				0.1
32	11/2/2006 15:16			0.1				0.1
33	11/2/2006 15:31			0.1				0.1
34	11/2/2006 15:46			0.1				0.1
35	11/2/2006 16:01			0.1				0.1
36	11/2/2006 16:16			0.1				0.1
37	11/2/2006 16:31			0.1				0.1
38	11/2/2006 16:46			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	11/2/2006
Start Time:	7:53:24
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:44) = 0.008 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	8:08:24	0.01	0.002	2
11/2/2006	8:23:24	0.008	0	0
11/2/2006	8:38:24	0.011	0.003	3
11/2/2006	8:53:24	0.008	0	0
11/2/2006	9:08:24	0.012	0.004	4
11/2/2006	9:23:24	0.011	0.003	3
11/2/2006	9:38:24	0.011	0.003	3
11/2/2006	9:53:24	0.015	0.007	7
11/2/2006	10:08:24	0.016	0.008	8
11/2/2006	10:23:24	0.018	0.01	10
11/2/2006	10:38:24	0.014	0.006	6
11/2/2006	10:53:24	0.014	0.006	6
11/2/2006	11:08:24	0.018	0.01	10
11/2/2006	11:23:24	0.018	0.01	10
11/2/2006	11:38:24	0.017	0.009	9
11/2/2006	11:53:24	0.016	0.008	8
11/2/2006	12:08:24	0.017	0.009	9
11/2/2006	12:23:24	0.017	0.009	9
11/2/2006	12:38:24	0.018	0.01	10
11/2/2006	12:53:24	0.014	0.006	6
11/2/2006	13:08:24	0.015	0.007	7
11/2/2006	13:23:24	0.017	0.009	9
11/2/2006	13:38:24	0.017	0.009	9
11/2/2006	13:53:24	0.018	0.01	10
11/2/2006	14:08:24	0.014	0.006	6
11/2/2006	14:23:24	0.017	0.009	9
11/2/2006	14:38:24	0.017	0.009	9
11/2/2006	14:53:24	0.015	0.007	7
11/2/2006	15:08:24	0.014	0.006	6
11/2/2006	15:23:24	0.014	0.006	6
11/2/2006	15:38:24	0.016	0.008	8
11/2/2006	15:53:24	0.019	0.011	11
11/2/2006	16:08:24	0.014	0.006	6
11/2/2006	16:23:24	0.016	0.008	8
11/2/2006	16:38:24	0.016	0.008	8
11/2/2006	16:53:24	0.013	0.005	5
11/2/2006	17:08:24	0.012	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/02/2006 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:54) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/2/2006 7:30			0				0
2	11/2/2006 7:45			0.2				0.2
3	11/2/2006 8:00			0				0
4	11/2/2006 8:15			0				0
5	11/2/2006 8:30			0.1				0.1
6	11/2/2006 8:45			0.1				0.1
7	11/2/2006 9:00			0.1				0.1
8	11/2/2006 9:15			0.1				0.1
9	11/2/2006 9:30			0.2				0.2
10	11/2/2006 9:45			0.2				0.2
11	11/2/2006 10:00			0.2				0.2
12	11/2/2006 10:15			0.2				0.2
13	11/2/2006 10:30			0.2				0.2
14	11/2/2006 10:45			0.2				0.2
15	11/2/2006 11:00			0.2				0.2
16	11/2/2006 11:15			0.2				0.2
17	11/2/2006 11:30			0.1				0.1
18	11/2/2006 11:45			0.2				0.2
19	11/2/2006 12:00			0.2				0.2
20	11/2/2006 12:15			0.2				0.2
21	11/2/2006 12:30			0.2				0.2
22	11/2/2006 12:45			0.2				0.2
23	11/2/2006 13:00			0.2				0.2
24	11/2/2006 13:15			0.3				0.3
25	11/2/2006 13:30			0.3				0.3
26	11/2/2006 13:45			0.3				0.3
27	11/2/2006 14:00			0.3				0.3
28	11/2/2006 14:15			0.3				0.3
29	11/2/2006 14:30			0.3				0.3
30	11/2/2006 14:45			0.3				0.3
31	11/2/2006 15:00			0.3				0.3
32	11/2/2006 15:15			0.3				0.3
33	11/2/2006 15:30			0.4				0.4
34	11/2/2006 15:45			0.3				0.3
35	11/2/2006 16:00			0.4				0.4
36	11/2/2006 16:15			0.4				0.4
37	11/2/2006 16:30			0.4				0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	2
Test Abbreviation:	
Start Date:	11/2/2006
Start Time:	6:16:03
Duration (dd:hh:mm:ss):	00:09:01:00
Time constant (seconds):	10
Log Interval (mm:ss):	1:00
Number of points:	541
Notes:	Background Reading (06:54) = 0.011 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	6:17:03	0.012	0.001	1	11/2/2006	6:47:03	0.011	0	0
11/2/2006	6:18:03	0.012	0.001	1	11/2/2006	6:48:03	0.012	0.001	1
11/2/2006	6:19:03	0.013	0.002	2	11/2/2006	6:49:03	0.012	0.001	1
11/2/2006	6:20:03	0.014	0.003	3	11/2/2006	6:50:03	0.013	0.002	2
11/2/2006	6:21:03	0.012	0.001	1	11/2/2006	6:51:03	0.014	0.003	3
11/2/2006	6:22:03	0.012	0.001	1	11/2/2006	6:52:03	0.014	0.003	3
11/2/2006	6:23:03	0.01	-0.001	-1	11/2/2006	6:53:03	0.013	0.002	2
11/2/2006	6:24:03	0.01	-0.001	-1	11/2/2006	6:54:03	0.011	0	0
11/2/2006	6:25:03	0.01	-0.001	-1	11/2/2006	6:55:03	0.008	-0.003	-3
11/2/2006	6:26:03	0.01	-0.001	-1	11/2/2006	6:56:03	0.007	-0.004	-4
11/2/2006	6:27:03	0.011	0	0	11/2/2006	6:57:03	0.007	-0.004	-4
11/2/2006	6:28:03	0.011	0	0	11/2/2006	6:58:03	0.008	-0.003	-3
11/2/2006	6:29:03	0.011	0	0	11/2/2006	6:59:03	0.007	-0.004	-4
11/2/2006	6:30:03	0.009	-0.002	-2	11/2/2006	7:00:03	0.007	-0.004	-4
11/2/2006	6:31:03	0.008	-0.003	-3	11/2/2006	7:01:03	0.008	-0.003	-3
11/2/2006	6:32:03	0.009	-0.002	-2	11/2/2006	7:02:03	0.007	-0.004	-4
11/2/2006	6:33:03	0.008	-0.003	-3	11/2/2006	7:03:03	0.008	-0.003	-3
11/2/2006	6:34:03	0.008	-0.003	-3	11/2/2006	7:04:03	0.008	-0.003	-3
11/2/2006	6:35:03	0.008	-0.003	-3	11/2/2006	7:05:03	0.008	-0.003	-3
11/2/2006	6:36:03	0.008	-0.003	-3	11/2/2006	7:06:03	0.009	-0.002	-2
11/2/2006	6:37:03	0.008	-0.003	-3	11/2/2006	7:07:03	0.009	-0.002	-2
11/2/2006	6:38:03	0.008	-0.003	-3	11/2/2006	7:08:03	0.01	-0.001	-1
11/2/2006	6:39:03	0.008	-0.003	-3	11/2/2006	7:09:03	0.009	-0.002	-2
11/2/2006	6:40:03	0.007	-0.004	-4	11/2/2006	7:10:03	0.011	0	0
11/2/2006	6:41:03	0.009	-0.002	-2	11/2/2006	7:11:03	0.013	0.002	2
11/2/2006	6:42:03	0.008	-0.003	-3	11/2/2006	7:12:03	0.013	0.002	2
11/2/2006	6:43:03	0.008	-0.003	-3	11/2/2006	7:13:03	0.014	0.003	3
11/2/2006	6:44:03	0.012	0.001	1	11/2/2006	7:14:03	0.013	0.002	2
11/2/2006	6:45:03	0.011	0	0	11/2/2006	7:15:03	0.013	0.002	2
11/2/2006	6:46:03	0.011	0	0	11/2/2006	7:16:03	0.012	0.001	1

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	7:17:03	0.013	0.002	2
11/2/2006	7:18:03	0.014	0.003	3
11/2/2006	7:19:03	0.013	0.002	2
11/2/2006	7:20:03	0.014	0.003	3
11/2/2006	7:21:03	0.014	0.003	3
11/2/2006	7:22:03	0.015	0.004	4
11/2/2006	7:23:03	0.013	0.002	2
11/2/2006	7:24:03	0.012	0.001	1
11/2/2006	7:25:03	0.012	0.001	1
11/2/2006	7:26:03	0.012	0.001	1
11/2/2006	7:27:03	0.013	0.002	2
11/2/2006	7:28:03	0.012	0.001	1
11/2/2006	7:29:03	0.011	0	0
11/2/2006	7:30:03	0.012	0.001	1
11/2/2006	7:31:03	0.012	0.001	1
11/2/2006	7:32:03	0.012	0.001	1
11/2/2006	7:33:03	0.014	0.003	3
11/2/2006	7:34:03	0.014	0.003	3
11/2/2006	7:35:03	0.014	0.003	3
11/2/2006	7:36:03	0.014	0.003	3
11/2/2006	7:37:03	0.014	0.003	3
11/2/2006	7:38:03	0.013	0.002	2
11/2/2006	7:39:03	0.012	0.001	1
11/2/2006	7:40:03	0.011	0	0
11/2/2006	7:41:03	0.011	0	0
11/2/2006	7:42:03	0.012	0.001	1
11/2/2006	7:43:03	0.013	0.002	2
11/2/2006	7:44:03	0.012	0.001	1
11/2/2006	7:45:03	0.011	0	0
11/2/2006	7:46:03	0.012	0.001	1
11/2/2006	7:47:03	0.012	0.001	1
11/2/2006	7:48:03	0.012	0.001	1
11/2/2006	7:49:03	0.013	0.002	2
11/2/2006	7:50:03	0.018	0.007	7
11/2/2006	7:51:03	0.017	0.006	6
11/2/2006	7:52:03	0.017	0.006	6
11/2/2006	7:53:03	0.017	0.006	6
11/2/2006	7:54:03	0.017	0.006	6
11/2/2006	7:55:03	0.016	0.005	5
11/2/2006	7:56:03	0.014	0.003	3
11/2/2006	7:57:03	0.015	0.004	4
11/2/2006	7:58:03	0.014	0.003	3
11/2/2006	7:59:03	0.013	0.002	2
11/2/2006	8:00:03	0.012	0.001	1
11/2/2006	8:01:03	0.012	0.001	1
11/2/2006	8:02:03	0.012	0.001	1
11/2/2006	8:03:03	0.013	0.002	2
11/2/2006	8:04:03	0.014	0.003	3
11/2/2006	8:05:03	0.015	0.004	4
11/2/2006	8:06:03	0.015	0.004	4
11/2/2006	8:07:03	0.016	0.005	5
11/2/2006	8:08:03	0.016	0.005	5
11/2/2006	8:09:03	0.016	0.005	5
11/2/2006	8:10:03	0.018	0.007	7
11/2/2006	8:11:03	0.018	0.007	7
11/2/2006	8:12:03	0.019	0.008	8
11/2/2006	8:13:03	0.02	0.009	9
11/2/2006	8:14:03	0.02	0.009	9
11/2/2006	8:15:03	0.021	0.01	10
11/2/2006	8:16:03	0.02	0.009	9
11/2/2006	8:17:03	0.02	0.009	9
11/2/2006	8:18:03	0.021	0.01	10
11/2/2006	8:19:03	0.021	0.01	10
11/2/2006	8:20:03	0.019	0.008	8
11/2/2006	8:21:03	0.018	0.007	7
11/2/2006	8:22:03	0.016	0.005	5
11/2/2006	8:23:03	0.016	0.005	5
11/2/2006	8:24:03	0.015	0.004	4
11/2/2006	8:25:03	0.017	0.006	6
11/2/2006	8:26:03	0.034	0.023	23
11/2/2006	8:27:03	0.037	0.026	26
11/2/2006	8:28:03	0.023	0.012	12
11/2/2006	8:29:03	0.023	0.012	12
11/2/2006	8:30:03	0.019	0.008	8
11/2/2006	8:31:03	0.017	0.006	6
11/2/2006	8:32:03	0.016	0.005	5
11/2/2006	8:33:03	0.015	0.004	4
11/2/2006	8:34:03	0.015	0.004	4
11/2/2006	8:35:03	0.017	0.006	6
11/2/2006	8:36:03	0.017	0.006	6
11/2/2006	8:37:03	0.017	0.006	6
11/2/2006	8:38:03	0.017	0.006	6
11/2/2006	8:39:03	0.017	0.006	6
11/2/2006	8:40:03	0.016	0.005	5
11/2/2006	8:41:03	0.015	0.004	4
11/2/2006	8:42:03	0.014	0.003	3
11/2/2006	8:43:03	0.014	0.003	3
11/2/2006	8:44:03	0.015	0.004	4
11/2/2006	8:45:03	0.017	0.006	6
11/2/2006	8:46:03	0.017	0.006	6
11/2/2006	8:47:03	0.017	0.006	6
11/2/2006	8:48:03	0.017	0.006	6
11/2/2006	8:49:03	0.016	0.005	5
11/2/2006	8:50:03	0.016	0.005	5

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	8:51:03	0.014	0.003	3
11/2/2006	8:52:03	0.014	0.003	3
11/2/2006	8:53:03	0.015	0.004	4
11/2/2006	8:54:03	0.014	0.003	3
11/2/2006	8:55:03	0.014	0.003	3
11/2/2006	8:56:03	0.015	0.004	4
11/2/2006	8:57:03	0.014	0.003	3
11/2/2006	8:58:03	0.015	0.004	4
11/2/2006	8:59:03	0.015	0.004	4
11/2/2006	9:00:03	0.015	0.004	4
11/2/2006	9:01:03	0.016	0.005	5
11/2/2006	9:02:03	0.016	0.005	5
11/2/2006	9:03:03	0.017	0.006	6
11/2/2006	9:04:03	0.015	0.004	4
11/2/2006	9:05:03	0.014	0.003	3
11/2/2006	9:06:03	0.014	0.003	3
11/2/2006	9:07:03	0.015	0.004	4
11/2/2006	9:08:03	0.015	0.004	4
11/2/2006	9:09:03	0.016	0.005	5
11/2/2006	9:10:03	0.017	0.006	6
11/2/2006	9:11:03	0.017	0.006	6
11/2/2006	9:12:03	0.018	0.007	7
11/2/2006	9:13:03	0.019	0.008	8
11/2/2006	9:14:03	0.017	0.006	6
11/2/2006	9:15:03	0.016	0.005	5
11/2/2006	9:16:03	0.027	0.016	16
11/2/2006	9:17:03	0.02	0.009	9
11/2/2006	9:18:03	0.018	0.007	7
11/2/2006	9:19:03	0.015	0.004	4
11/2/2006	9:20:03	0.02	0.009	9
11/2/2006	9:21:03	0.02	0.009	9
11/2/2006	9:22:03	0.018	0.007	7
11/2/2006	9:23:03	0.017	0.006	6
11/2/2006	9:24:03	0.016	0.005	5
11/2/2006	9:25:03	0.03	0.019	19
11/2/2006	9:26:03	0.034	0.023	23
11/2/2006	9:27:03	0.019	0.008	8
11/2/2006	9:28:03	0.019	0.008	8
11/2/2006	9:29:03	0.021	0.01	10
11/2/2006	9:30:03	0.02	0.009	9
11/2/2006	9:31:03	0.018	0.007	7
11/2/2006	9:32:03	0.018	0.007	7
11/2/2006	9:33:03	0.018	0.007	7
11/2/2006	9:34:03	0.018	0.007	7
11/2/2006	9:35:03	0.019	0.008	8
11/2/2006	9:36:03	0.018	0.007	7
11/2/2006	9:37:03	0.018	0.007	7
11/2/2006	9:38:03	0.038	0.027	27
11/2/2006	9:39:03	0.045	0.034	34
11/2/2006	9:40:03	0.027	0.016	16
11/2/2006	9:41:03	0.018	0.007	7
11/2/2006	9:42:03	0.017	0.006	6
11/2/2006	9:43:03	0.018	0.007	7
11/2/2006	9:44:03	0.018	0.007	7
11/2/2006	9:45:03	0.019	0.008	8
11/2/2006	9:46:03	0.02	0.009	9
11/2/2006	9:47:03	0.021	0.01	10
11/2/2006	9:48:03	0.019	0.008	8
11/2/2006	9:49:03	0.022	0.011	11
11/2/2006	9:50:03	0.022	0.011	11
11/2/2006	9:51:03	0.024	0.013	13
11/2/2006	9:52:03	0.02	0.009	9
11/2/2006	9:53:03	0.017	0.006	6
11/2/2006	9:54:03	0.018	0.007	7
11/2/2006	9:55:03	0.017	0.006	6
11/2/2006	9:56:03	0.018	0.007	7
11/2/2006	9:57:03	0.02	0.009	9
11/2/2006	9:58:03	0.018	0.007	7
11/2/2006	9:59:03	0.02	0.009	9
11/2/2006	10:00:03	0.019	0.008	8
11/2/2006	10:01:03	0.017	0.006	6
11/2/2006	10:02:03	0.017	0.006	6
11/2/2006	10:03:03	0.016	0.005	5
11/2/2006	10:04:03	0.018	0.007	7
11/2/2006	10:05:03	0.017	0.006	6
11/2/2006	10:06:03	0.017	0.006	6
11/2/2006	10:07:03	0.022	0.011	11
11/2/2006	10:08:03	0.019	0.008	8
11/2/2006	10:09:03	0.025	0.014	14
11/2/2006	10:10:03	0.023	0.012	12
11/2/2006	10:11:03	0.019	0.008	8
11/2/2006	10:12:03	0.02	0.009	9
11/2/2006	10:13:03	0.028	0.017	17
11/2/2006	10:14:03	0.027	0.016	16
11/2/2006	10:15:03	0.024	0.013	13
11/2/2006	10:16:03	0.021	0.01	10
11/2/2006	10:17:03	0.02	0.009	9
11/2/2006	10:18:03	0.02	0.009	9
11/2/2006	10:19:03	0.02	0.009	9
11/2/2006	10:20:03	0.022	0.011	11
11/2/2006	10:21:03	0.023	0.012	12
11/2/2006	10:22:03	0.02	0.009	9
11/2/2006	10:23:03	0.021	0.01	10
11/2/2006	10:24:03	0.023	0.012	12

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	10:25:03	0.021	0.01	10
11/2/2006	10:26:03	0.021	0.01	10
11/2/2006	10:27:03	0.025	0.014	14
11/2/2006	10:28:03	0.025	0.014	14
11/2/2006	10:29:03	0.019	0.008	8
11/2/2006	10:30:03	0.025	0.014	14
11/2/2006	10:31:03	0.022	0.011	11
11/2/2006	10:32:03	0.022	0.011	11
11/2/2006	10:33:03	0.025	0.014	14
11/2/2006	10:34:03	0.02	0.009	9
11/2/2006	10:35:03	0.021	0.01	10
11/2/2006	10:36:03	0.02	0.009	9
11/2/2006	10:37:03	0.022	0.011	11
11/2/2006	10:38:03	0.021	0.01	10
11/2/2006	10:39:03	0.02	0.009	9
11/2/2006	10:40:03	0.02	0.009	9
11/2/2006	10:41:03	0.04	0.029	29
11/2/2006	10:42:03	0.022	0.011	11
11/2/2006	10:43:03	0.021	0.01	10
11/2/2006	10:44:03	0.021	0.01	10
11/2/2006	10:45:03	0.02	0.009	9
11/2/2006	10:46:03	0.021	0.01	10
11/2/2006	10:47:03	0.022	0.011	11
11/2/2006	10:48:03	0.022	0.011	11
11/2/2006	10:49:03	0.021	0.01	10
11/2/2006	10:50:03	0.021	0.01	10
11/2/2006	10:51:03	0.021	0.01	10
11/2/2006	10:52:03	0.022	0.011	11
11/2/2006	10:53:03	0.025	0.014	14
11/2/2006	10:54:03	0.019	0.008	8
11/2/2006	10:55:03	0.019	0.008	8
11/2/2006	10:56:03	0.021	0.01	10
11/2/2006	10:57:03	0.021	0.01	10
11/2/2006	10:58:03	0.02	0.009	9
11/2/2006	10:59:03	0.017	0.006	6
11/2/2006	11:00:03	0.02	0.009	9
11/2/2006	11:01:03	0.024	0.013	13
11/2/2006	11:02:03	0.019	0.008	8
11/2/2006	11:03:03	0.019	0.008	8
11/2/2006	11:04:03	0.019	0.008	8
11/2/2006	11:05:03	0.018	0.007	7
11/2/2006	11:06:03	0.02	0.009	9
11/2/2006	11:07:03	0.018	0.007	7
11/2/2006	11:08:03	0.016	0.005	5
11/2/2006	11:09:03	0.016	0.005	5
11/2/2006	11:10:03	0.018	0.007	7
11/2/2006	11:11:03	0.017	0.006	6

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	11:12:03	0.017	0.006	6
11/2/2006	11:13:03	0.016	0.005	5
11/2/2006	11:14:03	0.017	0.006	6
11/2/2006	11:15:03	0.014	0.003	3
11/2/2006	11:16:03	0.013	0.002	2
11/2/2006	11:17:03	0.014	0.003	3
11/2/2006	11:18:03	0.015	0.004	4
11/2/2006	11:19:03	0.034	0.023	23
11/2/2006	11:20:03	0.022	0.011	11
11/2/2006	11:21:03	0.02	0.009	9
11/2/2006	11:22:03	0.019	0.008	8
11/2/2006	11:23:03	0.015	0.004	4
11/2/2006	11:24:03	0.015	0.004	4
11/2/2006	11:25:03	0.017	0.006	6
11/2/2006	11:26:03	0.016	0.005	5
11/2/2006	11:27:03	0.015	0.004	4
11/2/2006	11:28:03	0.016	0.005	5
11/2/2006	11:29:03	0.016	0.005	5
11/2/2006	11:30:03	0.015	0.004	4
11/2/2006	11:31:03	0.015	0.004	4
11/2/2006	11:32:03	0.015	0.004	4
11/2/2006	11:33:03	0.014	0.003	3
11/2/2006	11:34:03	0.013	0.002	2
11/2/2006	11:35:03	0.014	0.003	3
11/2/2006	11:36:03	0.014	0.003	3
11/2/2006	11:37:03	0.019	0.008	8
11/2/2006	11:38:03	0.017	0.006	6
11/2/2006	11:39:03	0.021	0.01	10
11/2/2006	11:40:03	0.019	0.008	8
11/2/2006	11:41:03	0.027	0.016	16
11/2/2006	11:42:03	0.016	0.005	5
11/2/2006	11:43:03	0.016	0.005	5
11/2/2006	11:44:03	0.016	0.005	5
11/2/2006	11:45:03	0.017	0.006	6
11/2/2006	11:46:03	0.017	0.006	6
11/2/2006	11:47:03	0.016	0.005	5
11/2/2006	11:48:03	0.016	0.005	5
11/2/2006	11:49:03	0.018	0.007	7
11/2/2006	11:50:03	0.017	0.006	6
11/2/2006	11:51:03	0.018	0.007	7
11/2/2006	11:52:03	0.018	0.007	7
11/2/2006	11:53:03	0.018	0.007	7
11/2/2006	11:54:03	0.018	0.007	7
11/2/2006	11:55:03	0.018	0.007	7
11/2/2006	11:56:03	0.018	0.007	7
11/2/2006	11:57:03	0.018	0.007	7
11/2/2006	11:58:03	0.02	0.009	9

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	11:59:03	0.021	0.01	10
11/2/2006	12:00:03	0.019	0.008	8
11/2/2006	12:01:03	0.02	0.009	9
11/2/2006	12:02:03	0.019	0.008	8
11/2/2006	12:03:03	0.023	0.012	12
11/2/2006	12:04:03	0.021	0.01	10
11/2/2006	12:05:03	0.022	0.011	11
11/2/2006	12:06:03	0.021	0.01	10
11/2/2006	12:07:03	0.021	0.01	10
11/2/2006	12:08:03	0.021	0.01	10
11/2/2006	12:09:03	0.021	0.01	10
11/2/2006	12:10:03	0.019	0.008	8
11/2/2006	12:11:03	0.019	0.008	8
11/2/2006	12:12:03	0.021	0.01	10
11/2/2006	12:13:03	0.025	0.014	14
11/2/2006	12:14:03	0.024	0.013	13
11/2/2006	12:15:03	0.025	0.014	14
11/2/2006	12:16:03	0.025	0.014	14
11/2/2006	12:17:03	0.024	0.013	13
11/2/2006	12:18:03	0.022	0.011	11
11/2/2006	12:19:03	0.02	0.009	9
11/2/2006	12:20:03	0.029	0.018	18
11/2/2006	12:21:03	0.022	0.011	11
11/2/2006	12:22:03	0.023	0.012	12
11/2/2006	12:23:03	0.024	0.013	13
11/2/2006	12:24:03	0.026	0.015	15
11/2/2006	12:25:03	0.023	0.012	12
11/2/2006	12:26:03	0.026	0.015	15
11/2/2006	12:27:03	0.029	0.018	18
11/2/2006	12:28:03	0.024	0.013	13
11/2/2006	12:29:03	0.023	0.012	12
11/2/2006	12:30:03	0.021	0.01	10
11/2/2006	12:31:03	0.021	0.01	10
11/2/2006	12:32:03	0.035	0.024	24
11/2/2006	12:33:03	0.022	0.011	11
11/2/2006	12:34:03	0.022	0.011	11
11/2/2006	12:35:03	0.022	0.011	11
11/2/2006	12:36:03	0.024	0.013	13
11/2/2006	12:37:03	0.027	0.016	16
11/2/2006	12:38:03	0.036	0.025	25
11/2/2006	12:39:03	0.03	0.019	19
11/2/2006	12:40:03	0.037	0.026	26
11/2/2006	12:41:03	0.027	0.016	16
11/2/2006	12:42:03	0.028	0.017	17
11/2/2006	12:43:03	0.028	0.017	17
11/2/2006	12:44:03	0.026	0.015	15
11/2/2006	12:45:03	0.024	0.013	13
11/2/2006	12:46:03	0.025	0.014	14
11/2/2006	12:47:03	0.026	0.015	15
11/2/2006	12:48:03	0.028	0.017	17
11/2/2006	12:49:03	0.026	0.015	15
11/2/2006	12:50:03	0.032	0.021	21
11/2/2006	12:51:03	0.033	0.022	22
11/2/2006	12:52:03	0.028	0.017	17
11/2/2006	12:53:03	0.032	0.021	21
11/2/2006	12:54:03	0.032	0.021	21
11/2/2006	12:55:03	0.031	0.02	20
11/2/2006	12:56:03	0.029	0.018	18
11/2/2006	12:57:03	0.035	0.024	24
11/2/2006	12:58:03	0.026	0.015	15
11/2/2006	12:59:03	0.031	0.02	20
11/2/2006	13:00:03	0.03	0.019	19
11/2/2006	13:01:03	0.023	0.012	12
11/2/2006	13:02:03	0.025	0.014	14
11/2/2006	13:03:03	0.024	0.013	13
11/2/2006	13:04:03	0.027	0.016	16
11/2/2006	13:05:03	0.028	0.017	17
11/2/2006	13:06:03	0.028	0.017	17
11/2/2006	13:07:03	0.028	0.017	17
11/2/2006	13:08:03	0.028	0.017	17
11/2/2006	13:09:03	0.027	0.016	16
11/2/2006	13:10:03	0.03	0.019	19
11/2/2006	13:11:03	0.023	0.012	12
11/2/2006	13:12:03	0.024	0.013	13
11/2/2006	13:13:03	0.038	0.027	27
11/2/2006	13:14:03	0.024	0.013	13
11/2/2006	13:15:03	0.026	0.015	15
11/2/2006	13:16:03	0.023	0.012	12
11/2/2006	13:17:03	0.022	0.011	11
11/2/2006	13:18:03	0.021	0.01	10
11/2/2006	13:19:03	0.021	0.01	10
11/2/2006	13:20:03	0.02	0.009	9
11/2/2006	13:21:03	0.019	0.008	8
11/2/2006	13:22:03	0.024	0.013	13
11/2/2006	13:23:03	0.021	0.01	10
11/2/2006	13:24:03	0.02	0.009	9
11/2/2006	13:25:03	0.021	0.01	10
11/2/2006	13:26:03	0.022	0.011	11
11/2/2006	13:27:03	0.021	0.01	10
11/2/2006	13:28:03	0.024	0.013	13
11/2/2006	13:29:03	0.021	0.01	10
11/2/2006	13:30:03	0.02	0.009	9
11/2/2006	13:31:03	0.018	0.007	7
11/2/2006	13:32:03	0.019	0.008	8

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	13:33:03	0.021	0.01	10
11/2/2006	13:34:03	0.02	0.009	9
11/2/2006	13:35:03	0.019	0.008	8
11/2/2006	13:36:03	0.019	0.008	8
11/2/2006	13:37:03	0.043	0.032	32
11/2/2006	13:38:03	0.031	0.02	20
11/2/2006	13:39:03	0.023	0.012	12
11/2/2006	13:40:03	0.02	0.009	9
11/2/2006	13:41:03	0.02	0.009	9
11/2/2006	13:42:03	0.017	0.006	6
11/2/2006	13:43:03	0.019	0.008	8
11/2/2006	13:44:03	0.022	0.011	11
11/2/2006	13:45:03	0.019	0.008	8
11/2/2006	13:46:03	0.033	0.022	22
11/2/2006	13:47:03	0.019	0.008	8
11/2/2006	13:48:03	0.02	0.009	9
11/2/2006	13:49:03	0.02	0.009	9
11/2/2006	13:50:03	0.02	0.009	9
11/2/2006	13:51:03	0.021	0.01	10
11/2/2006	13:52:03	0.025	0.014	14
11/2/2006	13:53:03	0.023	0.012	12
11/2/2006	13:54:03	0.023	0.012	12
11/2/2006	13:55:03	0.024	0.013	13
11/2/2006	13:56:03	0.019	0.008	8
11/2/2006	13:57:03	0.019	0.008	8
11/2/2006	13:58:03	0.018	0.007	7
11/2/2006	13:59:03	0.018	0.007	7
11/2/2006	14:00:03	0.019	0.008	8
11/2/2006	14:01:03	0.023	0.012	12
11/2/2006	14:02:03	0.021	0.01	10
11/2/2006	14:03:03	0.018	0.007	7
11/2/2006	14:04:03	0.021	0.01	10
11/2/2006	14:05:03	0.022	0.011	11
11/2/2006	14:06:03	0.021	0.01	10
11/2/2006	14:07:03	0.03	0.019	19
11/2/2006	14:08:03	0.018	0.007	7
11/2/2006	14:09:03	0.022	0.011	11
11/2/2006	14:10:03	0.02	0.009	9
11/2/2006	14:11:03	0.018	0.007	7
11/2/2006	14:12:03	0.019	0.008	8
11/2/2006	14:13:03	0.022	0.011	11
11/2/2006	14:14:03	0.022	0.011	11
11/2/2006	14:15:03	0.025	0.014	14
11/2/2006	14:16:03	0.02	0.009	9
11/2/2006	14:17:03	0.022	0.011	11
11/2/2006	14:18:03	0.022	0.011	11
11/2/2006	14:19:03	0.019	0.008	8
11/2/2006	14:20:03	0.02	0.009	9
11/2/2006	14:21:03	0.085	0.074	74
11/2/2006	14:22:03	0.029	0.018	18
11/2/2006	14:23:03	0.028	0.017	17
11/2/2006	14:24:03	0.026	0.015	15
11/2/2006	14:25:03	0.027	0.016	16
11/2/2006	14:26:03	0.028	0.017	17
11/2/2006	14:27:03	0.022	0.011	11
11/2/2006	14:28:03	0.028	0.017	17
11/2/2006	14:29:03	0.024	0.013	13
11/2/2006	14:30:03	0.022	0.011	11
11/2/2006	14:31:03	0.021	0.01	10
11/2/2006	14:32:03	0.03	0.019	19
11/2/2006	14:33:03	0.043	0.032	32
11/2/2006	14:34:03	0.031	0.02	20
11/2/2006	14:35:03	0.034	0.023	23
11/2/2006	14:36:03	0.03	0.019	19
11/2/2006	14:37:03	0.022	0.011	11
11/2/2006	14:38:03	0.021	0.01	10
11/2/2006	14:39:03	0.027	0.016	16
11/2/2006	14:40:03	0.023	0.012	12
11/2/2006	14:41:03	0.024	0.013	13
11/2/2006	14:42:03	0.021	0.01	10
11/2/2006	14:43:03	0.018	0.007	7
11/2/2006	14:44:03	0.02	0.009	9
11/2/2006	14:45:03	0.019	0.008	8
11/2/2006	14:46:03	0.022	0.011	11
11/2/2006	14:47:03	0.024	0.013	13
11/2/2006	14:48:03	0.026	0.015	15
11/2/2006	14:49:03	0.026	0.015	15
11/2/2006	14:50:03	0.033	0.022	22
11/2/2006	14:51:03	0.035	0.024	24
11/2/2006	14:52:03	0.024	0.013	13
11/2/2006	14:53:03	0.022	0.011	11
11/2/2006	14:54:03	0.028	0.017	17
11/2/2006	14:55:03	0.027	0.016	16
11/2/2006	14:56:03	0.025	0.014	14
11/2/2006	14:57:03	0.023	0.012	12
11/2/2006	14:58:03	0.022	0.011	11
11/2/2006	14:59:03	0.021	0.01	10
11/2/2006	15:00:03	0.022	0.011	11
11/2/2006	15:01:03	0.021	0.01	10
11/2/2006	15:02:03	0.02	0.009	9
11/2/2006	15:03:03	0.019	0.008	8
11/2/2006	15:04:03	0.018	0.007	7
11/2/2006	15:05:03	0.018	0.007	7
11/2/2006	15:06:03	0.018	0.007	7

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	15:07:03	0.019	0.008	8
11/2/2006	15:08:03	0.022	0.011	11
11/2/2006	15:09:03	0.018	0.007	7
11/2/2006	15:10:03	0.021	0.01	10
11/2/2006	15:11:03	0.017	0.006	6
11/2/2006	15:12:03	0.019	0.008	8
11/2/2006	15:13:03	0.026	0.015	15
11/2/2006	15:14:03	0.025	0.014	14
11/2/2006	15:15:03	0.023	0.012	12
11/2/2006	15:16:03	0.022	0.011	11
11/2/2006	15:17:03	0.023	0.012	12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/02/2006 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/2/2006 7:30			0.1				-0.2
2	11/2/2006 7:45			0.2				-0.1
3	11/2/2006 8:00			0.2				-0.1
4	11/2/2006 8:15			0.3				0
5	11/2/2006 8:30			0.3				0
6	11/2/2006 8:45			0.4				0.1
7	11/2/2006 9:00			0.4				0.1
8	11/2/2006 9:15			0.5				0.2
9	11/2/2006 9:30			0.5				0.2
10	11/2/2006 9:45			0.5				0.2
11	11/2/2006 10:00			0.5				0.2
12	11/2/2006 10:15			0.6				0.3
13	11/2/2006 10:30			0.6				0.3
14	11/2/2006 10:45			0.6				0.3
15	11/2/2006 11:00			0.6				0.3
16	11/2/2006 11:15			0.6				0.3
17	11/2/2006 11:30			0.6				0.3
18	11/2/2006 11:45			0.7				0.4
19	11/2/2006 12:00			0.8				0.5
20	11/2/2006 12:15			0.7				0.4
21	11/2/2006 12:30			0.7				0.4
22	11/2/2006 12:45			0.6				0.3
23	11/2/2006 13:00			0.6				0.3
24	11/2/2006 13:15			0.6				0.3
25	11/2/2006 13:30			0.6				0.3
26	11/2/2006 13:45			0.6				0.3
27	11/2/2006 14:00			0.6				0.3
28	11/2/2006 14:15			0.5				0.2
29	11/2/2006 14:30			0.5				0.2
30	11/2/2006 14:45			0.5				0.2
31	11/2/2006 15:00			0.5				0.2
32	11/2/2006 15:15			0.5				0.2
33	11/2/2006 15:30			0.4				0.1
34	11/2/2006 15:45			0.4				0.1
35	11/2/2006 16:00			0.4				0.1
36	11/2/2006 16:15			0.4				0.1
37	11/2/2006 16:30			0.4				0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	1
Test Abbreviation:	
Start Date:	11/2/2006
Start Time:	8:14:58
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (07:05) = 0.016 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	8:29:58	0.023	0.007	7
11/2/2006	8:44:58	0.029	0.013	13
11/2/2006	8:59:58	0.031	0.015	15
11/2/2006	9:14:58	0.054	0.038	38
11/2/2006	9:29:58	0.021	0.005	5
11/2/2006	9:44:58	0.022	0.006	6
11/2/2006	9:59:58	0.036	0.02	20
11/2/2006	10:14:58	0.02	0.004	4
11/2/2006	10:29:58	0.02	0.004	4
11/2/2006	10:44:58	0.015	-0.001	-1
11/2/2006	10:59:58	0.015	-0.001	-1
11/2/2006	11:14:58	0.027	0.011	11
11/2/2006	11:29:58	0.026	0.01	10
11/2/2006	11:44:58	0.05	0.034	34
11/2/2006	11:59:58	0.028	0.012	12
11/2/2006	12:14:58	0.026	0.01	10
11/2/2006	12:29:58	0.022	0.006	6
11/2/2006	12:44:58	0.019	0.003	3
11/2/2006	12:59:58	0.018	0.002	2
11/2/2006	13:14:58	0.016	0	0
11/2/2006	13:29:58	0.017	0.001	1
11/2/2006	13:44:58	0.019	0.003	3
11/2/2006	13:59:58	0.034	0.018	18
11/2/2006	14:14:58	0.039	0.023	23
11/2/2006	14:29:58	0.028	0.012	12
11/2/2006	14:44:58	0.028	0.012	12
11/2/2006	14:59:58	0.028	0.012	12
11/2/2006	15:14:58	0.022	0.006	6
11/2/2006	15:29:58	0.02	0.004	4
11/2/2006	15:44:58	0.018	0.002	2
11/2/2006	15:59:58	0.019	0.003	3
11/2/2006	16:14:58	0.024	0.008	8
11/2/2006	16:29:58	0.022	0.006	6
11/2/2006	16:44:58	0.029	0.013	13
11/2/2006	16:59:58	0.023	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/29/2006 02:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/2/2006 6:50			0				0
2	11/2/2006 7:05			0				0
3	11/2/2006 7:20			0				0
4	11/2/2006 7:35			0				0
5	11/2/2006 7:50			0				0
6	11/2/2006 8:05			0				0
7	11/2/2006 8:20			0				0
8	11/2/2006 8:35			0				0
9	11/2/2006 8:50			0				0
10	11/2/2006 9:05			0				0
11	11/2/2006 9:20			0				0
12	11/2/2006 9:35			0				0
13	11/2/2006 9:50			0				0
14	11/2/2006 10:05			0.1				0.1
15	11/2/2006 10:20			0				0
16	11/2/2006 10:35			0				0
17	11/2/2006 10:50			0.1				0.1
18	11/2/2006 11:05			0.1				0.1
19	11/2/2006 11:20			0.2				0.2
20	11/2/2006 11:35			0.1				0.1
21	11/2/2006 11:50			0.1				0.1
22	11/2/2006 12:05			0.1				0.1
23	11/2/2006 12:20			0.2				0.2
24	11/2/2006 12:35			0.1				0.1
25	11/2/2006 12:50			0.1				0.1
26	11/2/2006 13:05			0.2				0.2
27	11/2/2006 13:20			0.2				0.2
28	11/2/2006 13:35			0.2				0.2
29	11/2/2006 13:50			0.2				0.2
30	11/2/2006 14:05			0.3				0.3
31	11/2/2006 14:20			0.4				0.4
32	11/2/2006 14:35			0.5				0.5
33	11/2/2006 14:50			0.4				0.4
34	11/2/2006 15:05			0.4				0.4
35	11/2/2006 15:20			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	1
Test Abbreviation:	
Start Date:	11/2/2006
Start Time:	8:20:45
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background Reading (07:11) = 0.005 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/2/2006	8:35:45	0.006	0.001	1
11/2/2006	8:50:45	0.006	0.001	1
11/2/2006	9:05:45	0.01	0.005	5
11/2/2006	9:20:45	0.011	0.006	6
11/2/2006	9:35:45	0.007	0.002	2
11/2/2006	9:50:45	0.013	0.008	8
11/2/2006	10:05:45	0.013	0.008	8
11/2/2006	10:20:45	0.013	0.008	8
11/2/2006	10:35:45	0.015	0.01	10
11/2/2006	10:50:45	0.01	0.005	5
11/2/2006	11:05:45	0.014	0.009	9
11/2/2006	11:20:45	0.019	0.014	14
11/2/2006	11:35:45	0.032	0.027	27
11/2/2006	11:50:45	0.019	0.014	14
11/2/2006	12:05:45	0.016	0.011	11
11/2/2006	12:20:45	0.017	0.012	12
11/2/2006	12:35:45	0.015	0.01	10
11/2/2006	12:50:45	0.014	0.009	9
11/2/2006	13:05:45	0.017	0.012	12
11/2/2006	13:20:45	0.016	0.011	11
11/2/2006	13:35:45	0.012	0.007	7
11/2/2006	13:50:45	0.018	0.013	13
11/2/2006	14:05:45	0.018	0.013	13
11/2/2006	14:20:45	0.017	0.012	12
11/2/2006	14:35:45	0.024	0.019	19
11/2/2006	14:50:45	0.019	0.014	14
11/2/2006	15:20:44	0.019	0.014	14
11/2/2006	15:35:44	0.022	0.017	17
11/2/2006	15:50:44	0.03	0.025	25
11/2/2006	16:05:44	0.027	0.022	22
11/2/2006	16:20:44	0.033	0.028	28
11/2/2006	16:35:44	0.023	0.018	18
11/2/2006	16:50:44	0.02	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/03/2006 07:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:44) = 0.1 ppm

Line#	Date Time (EDT)	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/3/2006 7:29			0.2				0.1
2	11/3/2006 7:44			0.1				0
3	11/3/2006 7:59			0.1				0
4	11/3/2006 8:14			0.1				0
5	11/3/2006 8:29			0.1				0
6	11/3/2006 8:44			0.1				0
7	11/3/2006 8:59			0.1				0
8	11/3/2006 9:14			0.1				0
9	11/3/2006 9:29			0.1				0
10	11/3/2006 9:44			0.1				0
11	11/3/2006 9:59			0.1				0
12	11/3/2006 10:14			0.1				0
13	11/3/2006 10:29			0.1				0
14	11/3/2006 10:44			0.1				0
15	11/3/2006 10:59			0.2				0.1
16	11/3/2006 11:14			0.2				0.1
17	11/3/2006 11:29			0.2				0.1
18	11/3/2006 11:44			0.2				0.1
19	11/3/2006 11:59			0.2				0.1
20	11/3/2006 12:14			0.2				0.1
21	11/3/2006 12:29			0.2				0.1
22	11/3/2006 12:44			0.2				0.1
23	11/3/2006 12:59			0.2				0.1
24	11/3/2006 13:14			0.2				0.1
25	11/3/2006 13:29			0.2				0.1
26	11/3/2006 13:44			0.2				0.1
27	11/3/2006 13:59			0.2				0.1
28	11/3/2006 14:14			0.2				0.1
29	11/3/2006 14:29			0.2				0.1
30	11/3/2006 14:44			0.2				0.1
31	11/3/2006 14:59			0.2				0.1
32	11/3/2006 15:14			0.2				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	11/3/2006
Start Time:	7:53:43
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (06:44) = 0.014 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time (EDT) hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/3/2006	8:08:43	0.016	0.002	2
11/3/2006	8:23:43	0.016	0.002	2
11/3/2006	8:38:43	0.018	0.004	4
11/3/2006	8:53:43	0.023	0.009	9
11/3/2006	9:08:43	0.018	0.004	4
11/3/2006	9:23:43	0.017	0.003	3
11/3/2006	9:38:43	0.014	0	0
11/3/2006	9:53:43	0.012	-0.002	-2
11/3/2006	10:08:43	0.012	-0.002	-2
11/3/2006	10:23:43	0.011	-0.003	-3
11/3/2006	10:38:43	0.01	-0.004	-4
11/3/2006	10:53:43	0.01	-0.004	-4
11/3/2006	11:08:43	0.009	-0.005	-5
11/3/2006	11:23:43	0.011	-0.003	-3
11/3/2006	11:38:43	0.015	0.001	1
11/3/2006	11:53:43	0.012	-0.002	-2
11/3/2006	12:08:43	0.011	-0.003	-3
11/3/2006	12:23:43	0.01	-0.004	-4
11/3/2006	12:38:43	0.01	-0.004	-4
11/3/2006	12:53:43	0.008	-0.006	-6
11/3/2006	13:08:43	0.011	-0.003	-3
11/3/2006	13:23:43	0.01	-0.004	-4
11/3/2006	13:38:43	0.009	-0.005	-5
11/3/2006	13:53:43	0.007	-0.007	-7
11/3/2006	14:08:43	0.008	-0.006	-6
11/3/2006	14:23:43	0.01	-0.004	-4
11/3/2006	14:38:43	0.008	-0.006	-6
11/3/2006	14:53:43	0.009	-0.005	-5
11/3/2006	15:08:43	0.008	-0.006	-6
11/3/2006	15:23:43	0.01	-0.004	-4
11/3/2006	15:38:43	0.006	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/03/2006 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:52) = 0.0 ppm

Line#	Date Time (EDT)	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/3/2006 7:30			0.2				0.2
2	11/3/2006 7:45			0				0
3	11/3/2006 8:00			0				0
4	11/3/2006 8:15			0				0
5	11/3/2006 8:30			0				0
6	11/3/2006 8:45			0				0
7	11/3/2006 9:00			0.1				0.1
8	11/3/2006 9:15			0.1				0.1
9	11/3/2006 9:30			0.1				0.1
10	11/3/2006 9:45			0.1				0.1
11	11/3/2006 10:00			0.1				0.1
12	11/3/2006 10:15			0.1				0.1
13	11/3/2006 10:30			0.1				0.1
14	11/3/2006 10:45			0.1				0.1
15	11/3/2006 11:00			0.2				0.2
16	11/3/2006 11:15			0.2				0.2
17	11/3/2006 11:30			0.2				0.2
18	11/3/2006 11:45			0.2				0.2
19	11/3/2006 12:00			0.2				0.2
20	11/3/2006 12:15			0.2				0.2
21	11/3/2006 12:30			0.2				0.2
22	11/3/2006 12:45			0.2				0.2
23	11/3/2006 13:00			0.2				0.2
24	11/3/2006 13:15			0.2				0.2
25	11/3/2006 13:30			0.3				0.3
26	11/3/2006 13:45			0.3				0.3
27	11/3/2006 14:00			0.3				0.3
28	11/3/2006 14:15			0.3				0.3
29	11/3/2006 14:30			0.3				0.3
30	11/3/2006 14:45			0.3				0.3
31	11/3/2006 15:00			0.4				0.4
32	11/3/2006 15:15			0.4				0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	3
Test Abbreviation:	
Start Date:	11/3/2006
Start Time:	6:15:11
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (06:52) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time (EDT) hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/3/2006	6:30:11	0.047	0.025	25
11/3/2006	6:45:11	0.03	0.008	8
11/3/2006	7:00:11	0.026	0.004	4
11/3/2006	7:15:11	0.025	0.003	3
11/3/2006	7:30:11	0.026	0.004	4
11/3/2006	7:45:11	0.022	0	0
11/3/2006	8:00:11	0.021	-0.001	-1
11/3/2006	8:15:11	0.02	-0.002	-2
11/3/2006	8:30:11	0.019	-0.003	-3
11/3/2006	8:45:11	0.019	-0.003	-3
11/3/2006	9:00:11	0.014	-0.008	-8
11/3/2006	9:15:11	0.016	-0.006	-6
11/3/2006	9:30:11	0.015	-0.007	-7
11/3/2006	9:45:11	0.015	-0.007	-7
11/3/2006	10:00:11	0.015	-0.007	-7
11/3/2006	10:15:11	0.02	-0.002	-2
11/3/2006	10:30:11	0.017	-0.005	-5
11/3/2006	10:45:11	0.016	-0.006	-6
11/3/2006	11:00:11	0.015	-0.007	-7
11/3/2006	11:15:11	0.012	-0.01	-10
11/3/2006	11:30:11	0.013	-0.009	-9
11/3/2006	11:45:11	0.013	-0.009	-9
11/3/2006	12:00:11	0.012	-0.01	-10
11/3/2006	12:15:11	0.011	-0.011	-11
11/3/2006	12:30:11	0.013	-0.009	-9
11/3/2006	12:45:11	0.012	-0.01	-10
11/3/2006	13:00:11	0.012	-0.01	-10
11/3/2006	13:17:29	0.01	-0.012	-12
11/3/2006	13:32:29	0.012	-0.01	-10
11/3/2006	13:47:29	0.012	-0.01	-10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025
User ID: 00000001 Site ID: 00000009
Data Points: 3 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/03/2006 07:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:18) = 0.0 ppm

Line#	Date Time (EDT)	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	11/3/2006 7:26		0.2		0.2
2	11/3/2006 7:41		0.1		0.1
3	11/3/2006 7:56		0		0
4	11/3/2006 8:32		0		0
5	11/3/2006 8:47		0		0
6	11/3/2006 9:02		0.1		0.1
7	11/3/2006 9:17		0.2		0.2
8	11/3/2006 9:32		0.2		0.2
9	11/3/2006 9:47		0.2		0.2
10	11/3/2006 10:02		0.2		0.2
11	11/3/2006 10:17		0.3		0.3
12	11/3/2006 10:32		0.3		0.3
13	11/3/2006 10:47		0.3		0.3
14	11/3/2006 11:02		0.3		0.3
15	11/3/2006 11:17		0.3		0.3
16	11/3/2006 11:32		0.4		0.4
17	11/3/2006 11:47		0.4		0.4
18	11/3/2006 12:02		0.4		0.4
19	11/3/2006 12:17		0.4		0.4
20	11/3/2006 12:32		0.4		0.4
21	11/3/2006 12:47		0.4		0.4
22	11/3/2006 13:02		0.4		0.4
23	11/3/2006 13:17		0.4		0.4
24	11/3/2006 13:32		0.4		0.4
25	11/3/2006 13:47		0.4		0.4
26	11/3/2006 14:02		0.4		0.4
27	11/3/2006 14:17		0.4		0.4
28	11/3/2006 14:32		0.3		0.3
29	11/3/2006 14:47		0.4		0.4
30	11/3/2006 15:02		0.4		0.4

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	2
Test Abbreviation:	
Start Date:	11/3/2006
Start Time:	8:29:14
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	

Background Reading (07:18) = 0.029 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	5/19/2006

Date MM/dd/yyyy	Time (EDT) hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/3/2006	8:44:14	0.019	-0.01	-10
11/3/2006	8:59:14	0.024	-0.005	-5
11/3/2006	9:14:14	0.021	-0.008	-8
11/3/2006	9:29:14	0.019	-0.01	-10
11/3/2006	9:44:14	0.017	-0.012	-12
11/3/2006	9:59:14	0.017	-0.012	-12
11/3/2006	10:14:14	0.014	-0.015	-15
11/3/2006	10:29:14	0.018	-0.011	-11
11/3/2006	10:44:14	0.011	-0.018	-18
11/3/2006	10:59:14	0.012	-0.017	-17
11/3/2006	11:40:59	0.013	-0.016	-16
11/3/2006	11:55:59	0.014	-0.015	-15
11/3/2006	12:10:59	0.019	-0.01	-10
11/3/2006	12:25:59	0.014	-0.015	-15
11/3/2006	12:40:59	0.015	-0.014	-14
11/3/2006	12:55:59	0.013	-0.016	-16
11/3/2006	13:10:59	0.014	-0.015	-15
11/3/2006	13:25:59	0.013	-0.016	-16
11/3/2006	13:40:59	0.019	-0.01	-10
11/3/2006	13:55:59	0.016	-0.013	-13
11/3/2006	14:10:59	0.018	-0.011	-11
11/3/2006	14:25:59	0.018	-0.011	-11
11/3/2006	14:40:59	0.014	-0.015	-15
11/3/2006	14:55:59	0.012	-0.017	-17
11/3/2006	15:10:59	0.012	-0.017	-17
11/3/2006	15:25:59	0.014	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/03/2006 07:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:12) = 0.0 ppm

Line#	Date Time (EDT)	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/3/2006 7:25			0				0
2	11/3/2006 7:40			0				0
3	11/3/2006 7:55			0				0
4	11/3/2006 8:10			0				0
5	11/3/2006 8:25			0				0
6	11/3/2006 8:40			0				0
7	11/3/2006 8:55			0.1				0.1
8	11/3/2006 9:10			0				0
9	11/3/2006 9:25			0				0
10	11/3/2006 9:40			0				0
11	11/3/2006 9:55			0.1				0.1
12	11/3/2006 10:10			0				0
13	11/3/2006 10:25			0				0
14	11/3/2006 10:40			0.1				0.1
15	11/3/2006 10:55			0.1				0.1
16	11/3/2006 11:10			0.1				0.1
17	11/3/2006 11:25			0.1				0.1
18	11/3/2006 11:40			0.1				0.1
19	11/3/2006 11:55			0.1				0.1
20	11/3/2006 12:10			0.1				0.1
21	11/3/2006 12:25			0.1				0.1
22	11/3/2006 12:40			0				0
23	11/3/2006 12:55			0				0
24	11/3/2006 13:10			0				0
25	11/3/2006 13:25			0				0
26	11/3/2006 13:40			0				0
27	11/3/2006 13:55			0				0
28	11/3/2006 14:10			0				0
29	11/3/2006 14:25			0				0
30	11/3/2006 14:40			0				0
31	11/3/2006 14:55			0				0
32	11/3/2006 15:10			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	3
Test Abbreviation:	
Start Date:	11/3/2006
Start Time:	8:14:53
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (07:12) = 0.018 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time (EDT) hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/3/2006	8:29:53	0.026	0.008	8
11/3/2006	8:44:53	0.032	0.014	14
11/3/2006	8:59:53	0.024	0.006	6
11/3/2006	9:14:53	0.026	0.008	8
11/3/2006	9:29:53	0.02	0.002	2
11/3/2006	9:44:53	0.017	-0.001	-1
11/3/2006	9:59:53	0.012	-0.006	-6
11/3/2006	10:14:53	0.016	-0.002	-2
11/3/2006	10:29:53	0.013	-0.005	-5
11/3/2006	10:44:53	0.011	-0.007	-7
11/3/2006	10:59:53	0.014	-0.004	-4
11/3/2006	11:14:53	0.013	-0.005	-5
11/3/2006	11:29:53	0.018	0	0
11/3/2006	11:44:53	0.019	0.001	1
11/3/2006	11:59:53	0.013	-0.005	-5
11/3/2006	12:14:53	0.014	-0.004	-4
11/3/2006	12:29:53	0.013	-0.005	-5
11/3/2006	12:44:53	0.011	-0.007	-7
11/3/2006	13:15:13	0.014	-0.004	-4
11/3/2006	13:30:13	0.014	-0.004	-4
11/3/2006	13:45:13	0.009	-0.009	-9
11/3/2006	14:00:13	0.01	-0.008	-8
11/3/2006	14:15:13	0.015	-0.003	-3
11/3/2006	14:30:13	0.009	-0.009	-9
11/3/2006	14:45:13	0.011	-0.007	-7
11/3/2006	15:00:13	0.009	-0.009	-9
11/3/2006	15:15:13	0.009	-0.009	-9
11/3/2006	15:30:13	0.009	-0.009	-9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/06/2006 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/6/2006 6:24			0				0
2	11/6/2006 6:39			0				0
3	11/6/2006 6:54			0				0
4	11/6/2006 7:09			0				0
5	11/6/2006 7:24			0				0
6	11/6/2006 7:39			0				0
7	11/6/2006 7:54			0				0
8	11/6/2006 8:09			0				0
9	11/6/2006 8:24			0				0
10	11/6/2006 8:39			0				0
11	11/6/2006 8:54			0				0
12	11/6/2006 9:09			0				0
13	11/6/2006 9:24			0				0
14	11/6/2006 9:39			0				0
15	11/6/2006 9:54			0				0
16	11/6/2006 10:09			0.1				0.1
17	11/6/2006 10:24			0.1				0.1
18	11/6/2006 10:39			0.1				0.1
19	11/6/2006 10:54			0.1				0.1
20	11/6/2006 11:09			0.1				0.1
21	11/6/2006 11:24			0.1				0.1
22	11/6/2006 11:39			0.1				0.1
23	11/6/2006 11:54			0.1				0.1
24	11/6/2006 12:09			0.1				0.1
25	11/6/2006 12:24			0.1				0.1
26	11/6/2006 12:39			0.1				0.1
27	11/6/2006 12:54			0.1				0.1
28	11/6/2006 13:09			0.1				0.1
29	11/6/2006 13:24			0.2				0.2
30	11/6/2006 13:39			0.1				0.1
31	11/6/2006 13:54			0.1				0.1
32	11/6/2006 14:09			0.1				0.1
33	11/6/2006 14:24			0.1				0.1
34	11/6/2006 14:39			0.2				0.2
35	11/6/2006 14:54			0.1				0.1
36	11/6/2006 15:09			0.2				0.2
37	11/6/2006 15:24			0.2				0.2
38	11/6/2006 15:39			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	11/6/2006
Start Time:	6:49:41
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:46) = 0.040 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/6/2006	7:04:41	0.042	0.002	2
11/6/2006	7:19:41	0.041	0.001	1
11/6/2006	7:34:41	0.038	-0.002	-2
11/6/2006	7:49:41	0.04	0	0
11/6/2006	8:04:41	0.037	-0.003	-3
11/6/2006	8:19:41	0.038	-0.002	-2
11/6/2006	8:34:41	0.038	-0.002	-2
11/6/2006	8:49:41	0.041	0.001	1
11/6/2006	9:04:41	0.041	0.001	1
11/6/2006	9:19:41	0.04	0	0
11/6/2006	9:34:41	0.037	-0.003	-3
11/6/2006	9:49:41	0.038	-0.002	-2
11/6/2006	10:04:41	0.043	0.003	3
11/6/2006	10:19:41	0.045	0.005	5
11/6/2006	10:34:41	0.044	0.004	4
11/6/2006	10:49:41	0.045	0.005	5
11/6/2006	11:04:41	0.043	0.003	3
11/6/2006	11:19:41	0.041	0.001	1
11/6/2006	11:34:41	0.04	0	0
11/6/2006	11:49:41	0.038	-0.002	-2
11/6/2006	12:04:41	0.035	-0.005	-5
11/6/2006	12:19:41	0.033	-0.007	-7
11/6/2006	12:34:41	0.034	-0.006	-6
11/6/2006	12:49:41	0.034	-0.006	-6
11/6/2006	13:04:41	0.033	-0.007	-7
11/6/2006	13:19:41	0.033	-0.007	-7
11/6/2006	13:34:41	0.031	-0.009	-9
11/6/2006	13:49:41	0.031	-0.009	-9
11/6/2006	14:04:41	0.03	-0.01	-10
11/6/2006	14:19:41	0.029	-0.011	-11
11/6/2006	14:34:41	0.03	-0.01	-10
11/6/2006	14:49:41	0.033	-0.007	-7
11/6/2006	15:04:41	0.03	-0.01	-10
11/6/2006	15:19:41	0.03	-0.01	-10
11/6/2006	15:34:41	0.032	-0.008	-8
11/6/2006	15:49:41	0.033	-0.007	-7
11/6/2006	16:04:41	0.037	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/03/2006 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/6/2006 7:04			0				0
2	11/6/2006 7:19			0.1				0.1
3	11/6/2006 7:34			0.2				0.2
4	11/6/2006 7:49			0.2				0.2
5	11/6/2006 8:04			0.3				0.3
6	11/6/2006 8:19			0.4				0.4
7	11/6/2006 8:34			0.4				0.4
8	11/6/2006 8:49			0.4				0.4
9	11/6/2006 9:04			0.4				0.4
10	11/6/2006 9:19			0.4				0.4
11	11/6/2006 9:34			0.5				0.5
12	11/6/2006 9:49			0.5				0.5
13	11/6/2006 10:04			0.6				0.6
14	11/6/2006 10:19			0.7				0.7
15	11/6/2006 10:34			0.7				0.7
16	11/6/2006 10:49			0.7				0.7
17	11/6/2006 11:04			0.8				0.8
18	11/6/2006 11:19			0.8				0.8
19	11/6/2006 11:34			0.9				0.9
20	11/6/2006 11:49			1				1
21	11/6/2006 12:04			1				1
22	11/6/2006 12:19			1				1
23	11/6/2006 12:34			1.1				1.1
24	11/6/2006 12:49			1.2				1.2
25	11/6/2006 13:04			1.2				1.2
26	11/6/2006 13:19			1.3				1.3
27	11/6/2006 13:34			1.3				1.3
28	11/6/2006 13:49			1.3				1.3
29	11/6/2006 14:04			1.3				1.3
30	11/6/2006 14:19			1.3				1.3
31	11/6/2006 14:34			1.4				1.4
32	11/6/2006 14:49			1.4				1.4
33	11/6/2006 15:04			1.4				1.4
34	11/6/2006 15:19			1.4				1.4
35	11/6/2006 15:34			1.5				1.5
36	11/6/2006 15:49			1.5				1.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	5
Test Abbreviation:	
Start Date:	11/6/2006
Start Time:	6:53:52
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:51) = 0.057 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/6/2006	7:08:52	0.061	0.004	4
11/6/2006	7:23:52	0.083	0.026	26
11/6/2006	7:38:52	0.063	0.006	6
11/6/2006	7:53:52	0.062	0.005	5
11/6/2006	8:08:52	0.063	0.006	6
11/6/2006	8:23:52	0.063	0.006	6
11/6/2006	8:38:52	0.065	0.008	8
11/6/2006	8:53:52	0.069	0.012	12
11/6/2006	9:08:52	0.068	0.011	11
11/6/2006	9:23:52	0.065	0.008	8
11/6/2006	9:38:52	0.063	0.006	6
11/6/2006	9:53:52	0.066	0.009	9
11/6/2006	10:08:52	0.073	0.016	16
11/6/2006	10:23:52	0.075	0.018	18
11/6/2006	10:38:52	0.076	0.019	19
11/6/2006	10:53:52	0.078	0.021	21
11/6/2006	11:08:52	0.075	0.018	18
11/6/2006	11:23:52	0.068	0.011	11
11/6/2006	11:38:52	0.067	0.01	10
11/6/2006	11:53:52	0.063	0.006	6
11/6/2006	12:08:52	0.058	0.001	1
11/6/2006	12:23:52	0.057	0	0
11/6/2006	12:38:52	0.058	0.001	1
11/6/2006	12:53:52	0.058	0.001	1
11/6/2006	13:08:52	0.056	-0.001	-1
11/6/2006	13:23:52	0.055	-0.002	-2
11/6/2006	13:38:52	0.054	-0.003	-3
11/6/2006	13:53:52	0.052	-0.005	-5
11/6/2006	14:08:52	0.053	-0.004	-4
11/6/2006	14:23:52	0.052	-0.005	-5
11/6/2006	14:38:52	0.052	-0.005	-5
11/6/2006	14:53:52	0.054	-0.003	-3
11/6/2006	15:08:52	0.051	-0.006	-6
11/6/2006	15:23:52	0.054	-0.003	-3
11/6/2006	15:38:52	0.056	-0.001	-1
11/6/2006	15:53:52	0.057	0	0
11/6/2006	16:08:52	0.072	0.015	15

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/06/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:08) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/6/2006 6:31			0.1				0
2	11/6/2006 6:46			0.1				0
3	11/6/2006 7:01			0.3				0.2
4	11/6/2006 7:16			0.3				0.2
5	11/6/2006 7:31			0.3				0.2
6	11/6/2006 7:46			0.3				0.2
7	11/6/2006 8:01			0.3				0.2
8	11/6/2006 8:16			0.3				0.2
9	11/6/2006 8:31			0.4				0.3
10	11/6/2006 8:46			0.5				0.4
11	11/6/2006 9:01			0.5				0.4
12	11/6/2006 9:16			0.5				0.4
13	11/6/2006 9:31			0.5				0.4
14	11/6/2006 9:46			0.6				0.5
15	11/6/2006 10:01			0.5				0.4
16	11/6/2006 10:16			0.6				0.5
17	11/6/2006 10:31			0.6				0.5
18	11/6/2006 10:46			0.6				0.5
19	11/6/2006 11:01			0.6				0.5
20	11/6/2006 11:16			0.6				0.5
21	11/6/2006 11:31			0.5				0.4
22	11/6/2006 11:46			0.5				0.4
23	11/6/2006 12:01			0.5				0.4
24	11/6/2006 12:16			0.5				0.4
25	11/6/2006 12:31			0.5				0.4
26	11/6/2006 12:46			0.5				0.4
27	11/6/2006 13:01			0.5				0.4
28	11/6/2006 13:16			0.6				0.5
29	11/6/2006 13:31			0.6				0.5
30	11/6/2006 13:46			0.5				0.4
31	11/6/2006 14:01			0.5				0.4
32	11/6/2006 14:16			0.5				0.4
33	11/6/2006 14:31			0.5				0.4
34	11/6/2006 14:46			0.5				0.4
35	11/6/2006 15:01			0.5				0.4
36	11/6/2006 15:16			0.5				0.4
37	11/6/2006 15:31			0.5				0.4
38	11/6/2006 15:46			0.5				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	4
Test Abbreviation:	
Start Date:	11/6/2006
Start Time:	7:11:52
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (07:08) = 0.057 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/6/2006	7:26:52	0.06	0.003	3
11/6/2006	7:41:52	0.064	0.007	7
11/6/2006	7:56:52	0.055	-0.002	-2
11/6/2006	8:11:52	0.059	0.002	2
11/6/2006	8:26:52	0.06	0.003	3
11/6/2006	8:41:52	0.06	0.003	3
11/6/2006	8:56:52	0.084	0.027	27
11/6/2006	9:11:52	0.067	0.01	10
11/6/2006	9:26:52	0.058	0.001	1
11/6/2006	9:41:52	0.054	-0.003	-3
11/6/2006	9:56:52	0.065	0.008	8
11/6/2006	10:11:52	0.07	0.013	13
11/6/2006	10:26:52	0.064	0.007	7
11/6/2006	10:41:52	0.081	0.024	24
11/6/2006	10:56:52	0.073	0.016	16
11/6/2006	11:11:52	0.077	0.02	20
11/6/2006	11:26:52	0.09	0.033	33
11/6/2006	11:41:52	0.068	0.011	11
11/6/2006	11:56:52	0.062	0.005	5
11/6/2006	12:11:52	0.055	-0.002	-2
11/6/2006	12:26:52	0.053	-0.004	-4
11/6/2006	12:41:52	0.054	-0.003	-3
11/6/2006	12:56:52	0.054	-0.003	-3
11/6/2006	13:11:52	0.055	-0.002	-2
11/6/2006	13:26:52	0.052	-0.005	-5
11/6/2006	13:41:52	0.05	-0.007	-7
11/6/2006	13:56:52	0.051	-0.006	-6
11/6/2006	14:11:52	0.072	0.015	15
11/6/2006	14:26:52	0.045	-0.012	-12
11/6/2006	14:41:52	0.044	-0.013	-13
11/6/2006	14:56:52	0.048	-0.009	-9
11/6/2006	15:11:52	0.047	-0.01	-10
11/6/2006	15:26:52	0.049	-0.008	-8
11/6/2006	15:41:52	0.052	-0.005	-5
11/6/2006	15:56:52	0.049	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/06/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/6/2006 6:34			0				-0.1
2	11/6/2006 6:49			0				-0.1
3	11/6/2006 7:04			0				-0.1
4	11/6/2006 7:19			0.1				0
5	11/6/2006 7:34			0.2				0.1
6	11/6/2006 7:49			0.3				0.2
7	11/6/2006 8:04			0.3				0.2
8	11/6/2006 8:19			0.4				0.3
9	11/6/2006 8:34			0.4				0.3
10	11/6/2006 8:49			0.5				0.4
11	11/6/2006 9:04			0.5				0.4
12	11/6/2006 9:19			0.5				0.4
13	11/6/2006 9:34			0.6				0.5
14	11/6/2006 9:49			0.5				0.4
15	11/6/2006 10:04			0.3				0.2
16	11/6/2006 10:19			0.3				0.2
17	11/6/2006 10:34			0.3				0.2
18	11/6/2006 10:49			0.3				0.2
19	11/6/2006 11:04			0.3				0.2
20	11/6/2006 11:19			0.3				0.2
21	11/6/2006 11:34			0.3				0.2
22	11/6/2006 11:49			0.3				0.2
23	11/6/2006 12:04			0.3				0.2
24	11/6/2006 12:19			0.3				0.2
25	11/6/2006 12:34			0.3				0.2
26	11/6/2006 12:49			0.3				0.2
27	11/6/2006 13:04			0.3				0.2
28	11/6/2006 13:19			0.4				0.3
29	11/6/2006 13:34			0.3				0.2
30	11/6/2006 13:49			0.3				0.2
31	11/6/2006 14:04			0.3				0.2
32	11/6/2006 14:19			0.3				0.2
33	11/6/2006 14:34			0.3				0.2
34	11/6/2006 14:49			0.3				0.2
35	11/6/2006 15:04			0.3				0.2
36	11/6/2006 15:19			0.3				0.2
37	11/6/2006 15:34			0.4				0.3
38	11/6/2006 15:49			0.4				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	5
Test Abbreviation:	
Start Date:	11/6/2006
Start Time:	7:06:34
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (07:05) = 0.036 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/6/2006	7:21:34	0.037	0.001	1
11/6/2006	7:36:34	0.035	-0.001	-1
11/6/2006	7:51:34	0.035	-0.001	-1
11/6/2006	8:06:34	0.037	0.001	1
11/6/2006	8:21:34	0.036	0	0
11/6/2006	8:36:34	0.038	0.002	2
11/6/2006	8:51:34	0.04	0.004	4
11/6/2006	9:06:34	0.04	0.004	4
11/6/2006	9:21:34	0.04	0.004	4
11/6/2006	9:36:34	0.039	0.003	3
11/6/2006	9:51:34	0.04	0.004	4
11/6/2006	10:06:34	0.045	0.009	9
11/6/2006	10:21:34	0.048	0.012	12
11/6/2006	10:36:34	0.048	0.012	12
11/6/2006	10:51:34	0.047	0.011	11
11/6/2006	11:06:34	0.045	0.009	9
11/6/2006	11:21:34	0.043	0.007	7
11/6/2006	11:36:34	0.042	0.006	6
11/6/2006	11:51:34	0.04	0.004	4
11/6/2006	12:06:34	0.038	0.002	2
11/6/2006	12:21:34	0.036	0	0
11/6/2006	12:36:34	0.037	0.001	1
11/6/2006	12:51:34	0.036	0	0
11/6/2006	13:06:34	0.036	0	0
11/6/2006	13:21:34	0.037	0.001	1
11/6/2006	13:36:34	0.038	0.002	2
11/6/2006	13:51:34	0.034	-0.002	-2
11/6/2006	14:06:34	0.033	-0.003	-3
11/6/2006	14:21:34	0.034	-0.002	-2
11/6/2006	14:36:34	0.034	-0.002	-2
11/6/2006	14:51:34	0.037	0.001	1
11/6/2006	15:06:34	0.037	0.001	1
11/6/2006	15:21:34	0.041	0.005	5
11/6/2006	15:36:34	0.041	0.005	5
11/6/2006	15:51	0.043	0.007	7
11/6/2006	16:06:34	0.042	0.006	6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/07/2006 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/7/2006 6:46			0				0
2	11/7/2006 7:01			0				0
3	11/7/2006 7:16			0				0
4	11/7/2006 7:31			0				0
5	11/7/2006 7:46			0				0
6	11/7/2006 8:01			0				0
7	11/7/2006 8:16			0.1				0.1
8	11/7/2006 8:31			0.1				0.1
9	11/7/2006 8:46			0.1				0.1
10	11/7/2006 9:01			0.1				0.1
11	11/7/2006 9:16			0.1				0.1
12	11/7/2006 9:31			0.1				0.1
13	11/7/2006 9:46			0.1				0.1
14	11/7/2006 10:01			0.1				0.1
15	11/7/2006 10:16			0.1				0.1
16	11/7/2006 10:31			0.1				0.1
17	11/7/2006 10:46			0.1				0.1
18	11/7/2006 11:01			0.1				0.1
19	11/7/2006 11:16			0.1				0.1
20	11/7/2006 11:31			0.1				0.1
21	11/7/2006 11:46			0.1				0.1
22	11/7/2006 12:01			0.1				0.1
23	11/7/2006 12:16			0.1				0.1
24	11/7/2006 12:31			0.1				0.1
25	11/7/2006 12:46			0.1				0.1
26	11/7/2006 13:01			0.1				0.1
27	11/7/2006 13:16			0.1				0.1
28	11/7/2006 13:31			0.1				0.1
29	11/7/2006 13:46			0.2				0.2
30	11/7/2006 14:01			0.1				0.1
31	11/7/2006 14:16			0.1				0.1
32	11/7/2006 14:31			0.1				0.1
33	11/7/2006 14:46			0.1				0.1
34	11/7/2006 15:01			0.1				0.1
35	11/7/2006 15:16			0.1				0.1
36	11/7/2006 15:31			0.1				0.1
37	11/7/2006 15:46			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	11/7/2006
Start Time:	6:35:17
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (06:32) = 0.047 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/7/2006	6:50:17	0.051	0.004	4
11/7/2006	7:05:17	0.058	0.011	11
11/7/2006	7:20:17	0.059	0.012	12
11/7/2006	7:35:17	0.057	0.01	10
11/7/2006	7:50:17	0.06	0.013	13
11/7/2006	8:05:17	0.062	0.015	15
11/7/2006	8:20:17	0.062	0.015	15
11/7/2006	8:35:17	0.063	0.016	16
11/7/2006	8:50:17	0.063	0.016	16
11/7/2006	9:05:17	0.064	0.017	17
11/7/2006	9:20:17	0.039	-0.008	-8
11/7/2006	9:35:17	0.037	-0.01	-10
11/7/2006	9:50:17	0.043	-0.004	-4
11/7/2006	10:05:17	0.036	-0.011	-11
11/7/2006	10:20:17	0.029	-0.018	-18
11/7/2006	10:35:17	0.023	-0.024	-24
11/7/2006	10:50:17	0.023	-0.024	-24
11/7/2006	11:05:17	0.021	-0.026	-26
11/7/2006	11:20:17	0.023	-0.024	-24
11/7/2006	11:35:17	0.021	-0.026	-26
11/7/2006	11:50:17	0.014	-0.033	-33
11/7/2006	12:05:17	0.011	-0.036	-36
11/7/2006	12:20:17	0.011	-0.036	-36
11/7/2006	12:35:17	0.013	-0.034	-34
11/7/2006	12:50:17	0.013	-0.034	-34
11/7/2006	13:05:17	0.011	-0.036	-36
11/7/2006	13:20:17	0.01	-0.037	-37
11/7/2006	13:35:17	0.009	-0.038	-38
11/7/2006	13:50:17	0.014	-0.033	-33
11/7/2006	14:05:17	0.017	-0.03	-30
11/7/2006	14:20:17	0.021	-0.026	-26
11/7/2006	14:35:17	0.021	-0.026	-26
11/7/2006	14:50:17	0.017	-0.03	-30
11/7/2006	15:05:17	0.014	-0.033	-33
11/7/2006	15:20:17	0.015	-0.032	-32
11/7/2006	15:35:17	0.016	-0.031	-31
11/7/2006	15:50:17	0.017	-0.03	-30
11/7/2006	16:05:17	0.022	-0.025	-25

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/07/2006 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:34) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/7/2006 6:47			0				0
2	11/7/2006 7:02			0				0
3	11/7/2006 7:17			0				0
4	11/7/2006 7:32			0				0
5	11/7/2006 7:47			0				0
6	11/7/2006 8:02			0				0
7	11/7/2006 8:17			0				0
8	11/7/2006 8:32			0				0
9	11/7/2006 8:47			0				0
10	11/7/2006 9:02			0				0
11	11/7/2006 9:17			0				0
12	11/7/2006 9:32			0				0
13	11/7/2006 9:47			0				0
14	11/7/2006 10:02			0				0
15	11/7/2006 10:17			0				0
16	11/7/2006 10:32			0				0
17	11/7/2006 10:47			0				0
18	11/7/2006 11:02			0				0
19	11/7/2006 11:17			0				0
20	11/7/2006 11:32			0				0
21	11/7/2006 11:47			0				0
22	11/7/2006 12:02			0.1				0.1
23	11/7/2006 12:17			0.1				0.1
24	11/7/2006 12:32			0.1				0.1
25	11/7/2006 12:47			0.1				0.1
26	11/7/2006 13:02			0.1				0.1
27	11/7/2006 13:17			0.1				0.1
28	11/7/2006 13:32			0.1				0.1
29	11/7/2006 13:47			0.1				0.1
30	11/7/2006 14:02			0				0
31	11/7/2006 14:17			0				0
32	11/7/2006 14:32			0.1				0.1
33	11/7/2006 14:47			0.1				0.1
34	11/7/2006 15:02			0				0
35	11/7/2006 15:17			0				0
36	11/7/2006 15:32			0				0
37	11/7/2006 15:47			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	6
Test Abbreviation:	
Start Date:	11/7/2006
Start Time:	6:59:06
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (06:34) = 0.078 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/7/2006	7:14:06	0.09	0.012	12
11/7/2006	7:29:06	0.095	0.017	17
11/7/2006	7:44:06	0.092	0.014	14
11/7/2006	7:59:06	0.096	0.018	18
11/7/2006	8:14:06	0.101	0.023	23
11/7/2006	8:29:06	0.104	0.026	26
11/7/2006	8:44:06	0.102	0.024	24
11/7/2006	8:59:06	0.107	0.029	29
11/7/2006	9:14:06	0.092	0.014	14
11/7/2006	9:29:06	0.061	-0.017	-17
11/7/2006	9:44:06	0.071	-0.007	-7
11/7/2006	9:59:06	0.073	-0.005	-5
11/7/2006	10:14:06	0.055	-0.023	-23
11/7/2006	10:29:06	0.045	-0.033	-33
11/7/2006	10:44:06	0.039	-0.039	-39
11/7/2006	10:59:06	0.041	-0.037	-37
11/7/2006	11:14:06	0.038	-0.04	-40
11/7/2006	11:29:06	0.046	-0.032	-32
11/7/2006	11:44:06	0.028	-0.05	-50
11/7/2006	11:59:06	0.022	-0.056	-56
11/7/2006	12:14:06	0.018	-0.06	-60
11/7/2006	12:29:06	0.022	-0.056	-56
11/7/2006	12:44:06	0.022	-0.056	-56
11/7/2006	12:59:06	0.021	-0.057	-57
11/7/2006	13:14:06	0.019	-0.059	-59
11/7/2006	13:29:06	0.018	-0.06	-60
11/7/2006	13:44:06	0.022	-0.056	-56
11/7/2006	13:59:06	0.024	-0.054	-54
11/7/2006	14:14:06	0.023	-0.055	-55
11/7/2006	14:29:06	0.024	-0.054	-54
11/7/2006	14:44:06	0.027	-0.051	-51
11/7/2006	14:59:06	0.025	-0.053	-53
11/7/2006	15:14:06	0.028	-0.05	-50
11/7/2006	15:29:06	0.029	-0.049	-49
11/7/2006	15:44:06	0.034	-0.044	-44
11/7/2006	15:59:06	0.032	-0.046	-46
11/7/2006	16:14:06	0.033	-0.045	-45

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/07/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:49) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/7/2006 7:04			0.3				0.3
2	11/7/2006 7:19			0.4				0.4
3	11/7/2006 7:34			0.4				0.4
4	11/7/2006 7:49			0.3				0.3
5	11/7/2006 8:04			0.4				0.4
6	11/7/2006 8:19			0.5				0.5
7	11/7/2006 8:34			0.5				0.5
8	11/7/2006 8:49			0.6				0.6
9	11/7/2006 9:04			0.6				0.6
10	11/7/2006 9:19			0.6				0.6
11	11/7/2006 9:34			0.7				0.7
12	11/7/2006 9:49			0.7				0.7
13	11/7/2006 10:04			0.7				0.7
14	11/7/2006 10:19			0.7				0.7
15	11/7/2006 10:34			0.7				0.7
16	11/7/2006 10:49			0.7				0.7
17	11/7/2006 11:04			0.6				0.6
18	11/7/2006 11:19			0.7				0.7
19	11/7/2006 11:34			0.7				0.7
20	11/7/2006 11:49			0.7				0.7
21	11/7/2006 12:04			0.8				0.8
22	11/7/2006 12:19			0.8				0.8
23	11/7/2006 12:34			0.7				0.7
24	11/7/2006 12:49			0.7				0.7
25	11/7/2006 13:04			0.6				0.6
26	11/7/2006 13:19			0.7				0.7
27	11/7/2006 13:34			0.7				0.7
28	11/7/2006 13:49			0.7				0.7
29	11/7/2006 14:04			0.7				0.7
30	11/7/2006 14:19			0.6				0.6
31	11/7/2006 14:34			0.6				0.6
32	11/7/2006 14:49			0.6				0.6
33	11/7/2006 15:04			0.6				0.6
34	11/7/2006 15:19			0.3				0.3
35	11/7/2006 15:34			0				0
36	11/7/2006 15:49			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	5
Test Abbreviation:	
Start Date:	11/7/2006
Start Time:	6:53:04
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (06:49) = 0.046 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/7/2006	7:08:04	0.055	0.009	9
11/7/2006	7:23:04	0.087	0.041	41
11/7/2006	7:38:04	0.076	0.03	30
11/7/2006	7:53:04	0.079	0.033	33
11/7/2006	8:08:04	0.09	0.044	44
11/7/2006	8:23:04	0.085	0.039	39
11/7/2006	8:38:04	0.085	0.039	39
11/7/2006	8:53:04	0.096	0.05	50
11/7/2006	9:08:04	0.146	0.1	100
11/7/2006	9:23:04	0.078	0.032	32
11/7/2006	9:38:04	0.057	0.011	11
11/7/2006	9:53:04	0.066	0.02	20
11/7/2006	10:08:04	0.054	0.008	8
11/7/2006	10:23:04	0.061	0.015	15
11/7/2006	10:38:04	0.043	-0.003	-3
11/7/2006	10:53:04	0.059	0.013	13
11/7/2006	11:08:04	0.046	0	0
11/7/2006	11:23:04	0.065	0.019	19
11/7/2006	11:38:04	0.042	-0.004	-4
11/7/2006	11:53:04	0.028	-0.018	-18
11/7/2006	12:08:04	0.022	-0.024	-24
11/7/2006	12:23:04	0.021	-0.025	-25
11/7/2006	12:38:04	0.023	-0.023	-23
11/7/2006	12:53:04	0.023	-0.023	-23
11/7/2006	13:08:04	0.038	-0.008	-8
11/7/2006	13:23:04	0.031	-0.015	-15
11/7/2006	13:38:04	0.037	-0.009	-9
11/7/2006	13:53:04	0.032	-0.014	-14
11/7/2006	14:08:04	0.03	-0.016	-16
11/7/2006	14:23:04	0.064	0.018	18
11/7/2006	14:38:04	0.059	0.013	13
11/7/2006	14:53:04	0.053	0.007	7
11/7/2006	15:08:04	0.06	0.014	14
11/7/2006	15:23:04	0.058	0.012	12
11/7/2006	15:38:04	0.04	-0.006	-6
11/7/2006	15:53:04	0.04	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/07/2006 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/7/2006 7:19			0				-0.1
2	11/7/2006 7:34			0				-0.1
3	11/7/2006 7:49			0				-0.1
4	11/7/2006 8:04			0				-0.1
5	11/7/2006 8:19			0				-0.1
6	11/7/2006 8:34			0				-0.1
7	11/7/2006 8:49			0				-0.1
8	11/7/2006 9:04			0				-0.1
9	11/7/2006 9:19			0				-0.1
10	11/7/2006 9:34			0				-0.1
11	11/7/2006 9:49			0				-0.1
12	11/7/2006 10:04			0				-0.1
13	11/7/2006 10:19			0				-0.1
14	11/7/2006 10:34			0				-0.1
15	11/7/2006 10:49			0				-0.1
16	11/7/2006 11:04			0				-0.1
17	11/7/2006 11:19			0				-0.1
18	11/7/2006 11:34			0				-0.1
19	11/7/2006 11:49			0				-0.1
20	11/7/2006 12:04			0				-0.1
21	11/7/2006 12:19			0				-0.1
22	11/7/2006 12:34			0				-0.1
23	11/7/2006 12:49			0				-0.1
24	11/7/2006 13:04			0				-0.1
25	11/7/2006 13:19			0				-0.1
26	11/7/2006 13:34			0				-0.1
27	11/7/2006 13:49			0				-0.1
28	11/7/2006 14:04			0				-0.1
29	11/7/2006 14:19			0				-0.1
30	11/7/2006 14:34			0				-0.1
31	11/7/2006 14:49			0				-0.1
32	11/7/2006 15:04			0				-0.1
33	11/7/2006 15:19			0				-0.1
34	11/7/2006 15:34			0				-0.1
35	11/7/2006 15:49			0				-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	6
Test Abbreviation:	
Start Date:	11/7/2006
Start Time:	7:07:49
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (07:04) = 0.072 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/7/2006	7:22:49	0.052	-0.02	-20
11/7/2006	7:37:49	0.049	-0.023	-23
11/7/2006	7:52:49	0.057	-0.015	-15
11/7/2006	8:07:49	0.053	-0.019	-19
11/7/2006	8:22:49	0.053	-0.019	-19
11/7/2006	8:37:49	0.053	-0.019	-19
11/7/2006	8:52:49	0.053	-0.019	-19
11/7/2006	9:07:49	0.053	-0.019	-19
11/7/2006	9:22:49	0.033	-0.039	-39
11/7/2006	9:37:49	0.033	-0.039	-39
11/7/2006	9:52:49	0.04	-0.032	-32
11/7/2006	10:07:49	0.038	-0.034	-34
11/7/2006	10:22:49	0.033	-0.039	-39
11/7/2006	10:37:49	0.029	-0.043	-43
11/7/2006	10:52:49	0.026	-0.046	-46
11/7/2006	11:07:49	0.033	-0.039	-39
11/7/2006	11:22:49	0.038	-0.034	-34
11/7/2006	11:37:49	0.025	-0.047	-47
11/7/2006	11:52:49	0.019	-0.053	-53
11/7/2006	12:07:49	0.017	-0.055	-55
11/7/2006	12:22:49	0.018	-0.054	-54
11/7/2006	12:37:49	0.018	-0.054	-54
11/7/2006	12:52:49	0.021	-0.051	-51
11/7/2006	13:07:49	0.02	-0.052	-52
11/7/2006	13:22:49	0.018	-0.054	-54
11/7/2006	13:37:49	0.02	-0.052	-52
11/7/2006	13:52:49	0.028	-0.044	-44
11/7/2006	14:07:49	0.023	-0.049	-49
11/7/2006	14:22:49	0.021	-0.051	-51
11/7/2006	14:37:49	0.032	-0.04	-40
11/7/2006	14:52:49	0.023	-0.049	-49
11/7/2006	15:07:49	0.018	-0.054	-54
11/7/2006	15:22:49	0.013	-0.059	-59
11/7/2006	15:37:49	0.013	-0.059	-59
11/7/2006	15:52	0.02	-0.052	-52
11/7/2006	16:07:49	0.021	-0.051	-51

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/08/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:07) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/8/2006 7:23			0				0
2	11/8/2006 7:38			0				0
3	11/8/2006 7:53			0				0
4	11/8/2006 8:08			0				0
5	11/8/2006 8:23			0				0
6	11/8/2006 8:38			0				0
7	11/8/2006 8:53			0				0
8	11/8/2006 9:08			0				0
9	11/8/2006 9:23			0				0
10	11/8/2006 9:38			0				0
11	11/8/2006 9:53			0				0
12	11/8/2006 10:08			0				0
13	11/8/2006 10:23			0				0
14	11/8/2006 10:38			0				0
15	11/8/2006 10:53			0				0
16	11/8/2006 11:08			0				0
17	11/8/2006 11:23			0				0
18	11/8/2006 11:38			0				0
19	11/8/2006 11:53			0				0
20	11/8/2006 12:08			0				0
21	11/8/2006 12:23			0				0
22	11/8/2006 12:38			0				0
23	11/8/2006 12:53			0				0
24	11/8/2006 13:08			0				0
25	11/8/2006 13:23			0				0
26	11/8/2006 13:38			0				0
27	11/8/2006 13:53			0				0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	11/8/2006
Start Time:	7:11:16
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	

Background Reading (07:07) = 0.019 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/8/2006	7:26:16	0.017	-0.002	-2
11/8/2006	7:41:16	0.019	0	0
11/8/2006	7:56:16	0.024	0.005	5
11/8/2006	8:11:16	0.017	-0.002	-2
11/8/2006	8:26:16	0.018	-0.001	-1
11/8/2006	8:41:16	0.023	0.004	4
11/8/2006	8:56:16	0.018	-0.001	-1
11/8/2006	9:11:16	0.016	-0.003	-3
11/8/2006	9:26:16	0.013	-0.006	-6
11/8/2006	9:41:16	0.011	-0.008	-8
11/8/2006	9:56:16	0.011	-0.008	-8
11/8/2006	10:11:16	0.009	-0.01	-10
11/8/2006	10:26:16	0.01	-0.009	-9
11/8/2006	10:41:16	0.011	-0.008	-8
11/8/2006	10:56:16	0.01	-0.009	-9
11/8/2006	11:11:16	0.009	-0.01	-10
11/8/2006	11:26:16	0.008	-0.011	-11
11/8/2006	11:41:16	0.01	-0.009	-9
11/8/2006	11:56:16	0.01	-0.009	-9
11/8/2006	12:11:16	0.013	-0.006	-6
11/8/2006	12:26:16	0.011	-0.008	-8
11/8/2006	12:41:16	0.01	-0.009	-9
11/8/2006	12:56:16	0.01	-0.009	-9
11/8/2006	13:11:16	0.015	-0.004	-4
11/8/2006	13:26:16	0.01	-0.009	-9
11/8/2006	13:41:16	0.009	-0.01	-10
11/8/2006	13:56:16	0.015	-0.004	-4
11/8/2006	14:11:16	0.015	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/08/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/8/2006 6:59			0				0
2	11/8/2006 7:14			0				0
3	11/8/2006 7:29			0				0
4	11/8/2006 7:44			0				0
5	11/8/2006 7:59			0				0
6	11/8/2006 8:14			0				0
7	11/8/2006 8:29			0				0
8	11/8/2006 8:44			0				0
9	11/8/2006 8:59			0				0
10	11/8/2006 9:14			0				0
11	11/8/2006 9:29			0				0
12	11/8/2006 9:44			0				0
13	11/8/2006 9:59			0				0
14	11/8/2006 10:14			0				0
15	11/8/2006 10:29			0				0
16	11/8/2006 10:44			0				0
17	11/8/2006 10:59			0				0
18	11/8/2006 11:14			0				0
19	11/8/2006 11:29			0				0
20	11/8/2006 11:44			0				0
21	11/8/2006 11:59			0				0
22	11/8/2006 12:14			0				0
23	11/8/2006 12:29			0				0
24	11/8/2006 12:44			0				0
25	11/8/2006 12:59			0				0
26	11/8/2006 13:14			0				0
27	11/8/2006 13:29			0				0
28	11/8/2006 13:44			0				0
29	11/8/2006 13:59			0				0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85196800
Test ID:	6
Test Abbreviation:	
Start Date:	11/8/2006
Start Time:	7:05:51
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	Background Reading (06:48) = 0.029 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date	Time	Aerosol	Aerosol(-background)		
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	
11/8/2006	7:20:51	0.036	0.007	7	Unit took in water and became inoperable

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013025

User ID: 00000001 Site ID: 00000009

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/08/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/8/2006 7:17			0				0
2	11/8/2006 7:32			0				0
3	11/8/2006 7:47			0				0
4	11/8/2006 8:02			0				0
5	11/8/2006 8:17			0				0
6	11/8/2006 8:32			0				0
7	11/8/2006 8:47			0				0
8	11/8/2006 9:02			0				0
9	11/8/2006 9:17			0				0
10	11/8/2006 9:32			0				0
1	11/8/2006 10:19			0				0
2	11/8/2006 10:34			0.2				0.2
3	11/8/2006 10:49			0.3				0.3
4	11/8/2006 11:04			0.3				0.3
5	11/8/2006 11:19			0.4				0.4
6	11/8/2006 11:34			0.3				0.3
7	11/8/2006 11:49			0.3				0.3
8	11/8/2006 12:04			0.3				0.3
9	11/8/2006 12:19			0.3				0.3
10	11/8/2006 12:34			0.3				0.3
11	11/8/2006 12:49			0.3				0.3
12	11/8/2006 13:04			0.3				0.3
13	11/8/2006 13:19			0.3				0.3
14	11/8/2006 13:34			0.3				0.3
15	11/8/2006 13:49			0.4				0.4
16	11/8/2006 14:04			0.4				0.4

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	11/8/2006
Start Time:	6:48:51
Duration (dd:hh:mm:ss):	00:03:45:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	

Background Reading (07:04) = 0.01 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/8/2006	7:03:51	0.028	0.018	18	
11/8/2006	7:18:51	0.035	0.025	25	
11/8/2006	7:33:51	0.036	0.026	26	
11/8/2006	7:48:51	0.033	0.023	23	
11/8/2006	8:03:51	0.004	-0.006	-6	
11/8/2006	8:18:51	-0.037	-0.047	-47	
11/8/2006	8:33:51	-0.015	-0.025	-25	
11/8/2006	8:48:51	-0.044	-0.054	-54	
11/8/2006	9:03:51	-0.044	-0.054	-54	
11/8/2006	9:18:51	-0.044	-0.054	-54	
11/8/2006	9:33:51	-0.044	-0.054	-54	
11/8/2006	9:48:51	-0.044	-0.054	-54	
11/8/2006	10:03:51	-0.044	-0.054	-54	
11/8/2006	10:18:51	-0.044	-0.054	-54	
11/8/2006	10:33:51	-0.044	-0.054	-54	
11/8/2006	11:17:26	0.005	-0.005	-5	Unit recalibrated due to negative readings
11/8/2006	11:32:26	0	-0.01	-10	
11/8/2006	11:47:26	0	-0.01	-10	
11/8/2006	12:02:26	0	-0.01	-10	
11/8/2006	12:17:26	0	-0.01	-10	
11/8/2006	12:32:26	0	-0.01	-10	
11/8/2006	12:47:26	0	-0.01	-10	
11/8/2006	13:02:26	0	-0.01	-10	
11/8/2006	13:17:26	0	-0.01	-10	
11/8/2006	13:32:26	0	-0.01	-10	
11/8/2006	13:47:26	0	-0.01	-10	
11/8/2006	14:02:26	0	-0.01	-10	
11/8/2006	14:17:26	0	-0.01	-10	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/08/2006 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:59) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/8/2006 7:13			0				0
2	11/8/2006 7:28			0				0
3	11/8/2006 7:43			0				0
4	11/8/2006 7:58			0				0
5	11/8/2006 8:13			0				0
6	11/8/2006 8:28			0				0
7	11/8/2006 8:43			0				0
8	11/8/2006 8:58			0				0
9	11/8/2006 9:13			0				0
10	11/8/2006 9:28			0				0
11	11/8/2006 9:43			0				0
12	11/8/2006 9:58			0				0
13	11/8/2006 10:13			0				0
14	11/8/2006 10:28			0				0
15	11/8/2006 10:43			0				0
16	11/8/2006 10:58			0				0
17	11/8/2006 11:13			0				0
18	11/8/2006 11:28			0				0
19	11/8/2006 11:43			0				0
20	11/8/2006 11:58			0				0
21	11/8/2006 12:13			0				0
22	11/8/2006 12:28			0				0
23	11/8/2006 12:43			0				0
24	11/8/2006 12:58			0				0
25	11/8/2006 13:13			0				0
26	11/8/2006 13:28			0				0
27	11/8/2006 13:43			0				0
28	11/8/2006 13:58			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200855
Test ID:	7
Test Abbreviation:	
Start Date:	11/8/2006
Start Time:	7:02:12
Duration (dd:hh:mm:ss):	00:03:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	14
Notes:	Background Reading (06:59) = 0.019 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/8/2006	7:17:12	0.016	-0.003	-3	
11/8/2006	7:32:12	0.002	-0.017	-17	
11/8/2006	7:47:12	0.005	-0.014	-14	
11/8/2006	8:02:12	0.008	-0.011	-11	
11/8/2006	8:17:12	0.024	0.005	5	
11/8/2006	8:32:12	0.02	0.001	1	
11/8/2006	8:47:12	0.019	0	0	
11/8/2006	9:02:12	0.032	0.013	13	
11/8/2006	9:17:12	0.029	0.01	10	
11/8/2006	9:32:12	0.019	0	0	
11/8/2006	9:47:12	0.02	0.001	1	
11/8/2006	10:02:12	0.026	0.007	7	
11/8/2006	10:17:12	0.024	0.005	5	Unit took in water and became inoperable
11/8/2006	13:18:46	0.002	-0.017	-17	Unit replaced with spare Dust Trak
11/8/2006	13:33:46	0.002	-0.017	-17	
11/8/2006	13:48:46	0.000	-0.019	-19	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/09/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/9/2006 7:02			0				0
2	11/9/2006 7:17			0				0
3	11/9/2006 7:32			0				0
4	11/9/2006 7:47			0				0
5	11/9/2006 8:02			0				0
6	11/9/2006 8:17			0.1				0.1
7	11/9/2006 8:32			0.1				0.1
8	11/9/2006 8:47			0.1				0.1
9	11/9/2006 9:02			0.1				0.1
10	11/9/2006 9:17			0.1				0.1
11	11/9/2006 9:32			0.1				0.1
12	11/9/2006 9:47			0.1				0.1
13	11/9/2006 10:02			0.1				0.1
14	11/9/2006 10:17			0.1				0.1
15	11/9/2006 10:32			0.1				0.1
16	11/9/2006 10:47			0.1				0.1
17	11/9/2006 11:02			0.2				0.2
18	11/9/2006 11:17			0.2				0.2
19	11/9/2006 11:32			0.2				0.2
20	11/9/2006 11:47			0.2				0.2
21	11/9/2006 12:02			0.2				0.2
22	11/9/2006 12:17			0.2				0.2
23	11/9/2006 12:32			0.2				0.2
24	11/9/2006 12:47			0.2				0.2
25	11/9/2006 13:02			0.2				0.2
26	11/9/2006 13:17			0.2				0.2
27	11/9/2006 13:32			0.2				0.2
28	11/9/2006 13:47			0.2				0.2
29	11/9/2006 14:02			0.2				0.2
30	11/9/2006 14:17			0.2				0.2
31	11/9/2006 14:32			0.2				0.2
32	11/9/2006 14:47			0.2				0.2
33	11/9/2006 15:02			0.2				0.2
34	11/9/2006 15:17			0.2				0.2
35	11/9/2006 15:32			0.2				0.2
36	11/9/2006 15:47			0.2				0.2
37	11/9/2006 16:02			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	11/9/2006
Start Time:	6:50:32
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (06:47) = 0.004 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/9/2006	7:05:32	0.006	0.002	2
11/9/2006	7:20:32	0.015	0.011	11
11/9/2006	7:35:32	0.012	0.008	8
11/9/2006	7:50:32	0.012	0.008	8
11/9/2006	8:05:32	0.01	0.006	6
11/9/2006	8:20:32	0.012	0.008	8
11/9/2006	8:35:32	0.013	0.009	9
11/9/2006	8:50:32	0.01	0.006	6
11/9/2006	9:05:32	0.007	0.003	3
11/9/2006	9:20:32	0.01	0.006	6
11/9/2006	9:35:32	0.01	0.006	6
11/9/2006	9:50:32	0.005	0.001	1
11/9/2006	10:05:32	0.012	0.008	8
11/9/2006	10:20:32	0.011	0.007	7
11/9/2006	10:35:32	0.009	0.005	5
11/9/2006	10:50:32	0.004	0	0
11/9/2006	11:05:32	0.005	0.001	1
11/9/2006	11:20:32	0.005	0.001	1
11/9/2006	11:35:32	0.005	0.001	1
11/9/2006	11:50:32	0.006	0.002	2
11/9/2006	12:05:32	0.006	0.002	2
11/9/2006	12:20:32	0.005	0.001	1
11/9/2006	12:35:32	0.005	0.001	1
11/9/2006	12:50:32	0.005	0.001	1
11/9/2006	13:05:32	0.006	0.002	2
11/9/2006	13:20:32	0.005	0.001	1
11/9/2006	13:35:32	0.003	-0.001	-1
11/9/2006	13:50:32	0.008	0.004	4
11/9/2006	14:05:32	0.007	0.003	3
11/9/2006	14:20:32	0.005	0.001	1
11/9/2006	14:35:32	0.004	0	0
11/9/2006	14:50:32	0.004	0	0
11/9/2006	15:05:32	0.006	0.002	2
11/9/2006	15:20:32	0.008	0.004	4
11/9/2006	15:35:32	0.012	0.008	8
11/9/2006	15:50:32	0.011	0.007	7
11/9/2006	16:05:32	0.012	0.008	8
11/9/2006	16:20:32	0.012	0.008	8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/09/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/9/2006 7:05			0				0
2	11/9/2006 7:20			0				0
3	11/9/2006 7:35			0				0
4	11/9/2006 7:50			0				0
5	11/9/2006 8:05			0				0
6	11/9/2006 8:20			0				0
7	11/9/2006 8:35			0				0
8	11/9/2006 8:50			0				0
9	11/9/2006 9:05			0				0
10	11/9/2006 9:20			0				0
11	11/9/2006 9:35			0				0
12	11/9/2006 9:50			0				0
13	11/9/2006 10:05			0				0
14	11/9/2006 10:20			0				0
15	11/9/2006 10:35			0				0
16	11/9/2006 10:50			0				0
17	11/9/2006 11:05			0				0
18	11/9/2006 11:20			0				0
19	11/9/2006 11:35			0				0
20	11/9/2006 11:50			0				0
21	11/9/2006 12:05			0				0
22	11/9/2006 12:20			0				0
23	11/9/2006 12:35			0				0
24	11/9/2006 12:50			0				0
25	11/9/2006 13:05			0				0
26	11/9/2006 13:20			0				0
27	11/9/2006 13:35			0				0
28	11/9/2006 13:50			0				0
29	11/9/2006 14:05			0				0
30	11/9/2006 14:20			0				0
31	11/9/2006 14:35			0				0
32	11/9/2006 14:50			0				0
33	11/9/2006 15:05			0				0
34	11/9/2006 15:20			0				0
35	11/9/2006 15:35			0				0
36	11/9/2006 15:50			0				0
37	11/9/2006 16:05			0				0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	32
Test Abbreviation:	
Start Date:	11/9/2006
Start Time:	8:29:40
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (06:51) = 0.003 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/9/2006	8:44:40	0.014	0.011	11
11/9/2006	8:59:40	0.018	0.015	15
11/9/2006	9:14:40	0.023	0.02	20
11/9/2006	9:29:40	0.013	0.01	10
11/9/2006	9:44:40	0.014	0.011	11
11/9/2006	9:59:40	0.004	0.001	1
11/9/2006	10:14:40	0.028	0.025	25
11/9/2006	10:29:40	0.008	0.005	5
11/9/2006	10:44:40	0.005	0.002	2
11/9/2006	10:59:40	0.005	0.002	2
11/9/2006	11:14:40	0.012	0.009	9
11/9/2006	11:29:40	0.007	0.004	4
11/9/2006	11:44:40	0.004	0.001	1
11/9/2006	11:59:40	0.025	0.022	22
11/9/2006	12:14:40	0.009	0.006	6
11/9/2006	12:29:40	0.01	0.007	7
11/9/2006	12:44:40	0.012	0.009	9
11/9/2006	12:59:40	0.006	0.003	3
11/9/2006	13:14:40	0.01	0.007	7
11/9/2006	13:29:40	0.01	0.007	7
11/9/2006	13:44:40	0.005	0.002	2
11/9/2006	13:59:40	0.008	0.005	5
11/9/2006	14:14:40	0.012	0.009	9
11/9/2006	14:29:40	0.009	0.006	6
11/9/2006	14:44:40	0.009	0.006	6
11/9/2006	14:59:40	0.008	0.005	5
11/9/2006	15:14:40	0.018	0.015	15
11/9/2006	15:29:40	0.017	0.014	14
11/9/2006	15:44:40	0.01	0.007	7
11/9/2006	15:59:40	0.017	0.014	14
11/9/2006	16:14:40	0.009	0.006	6
11/9/2006	16:29:40	0.016	0.013	13
11/9/2006	16:44:40	0.018	0.015	15
11/9/2006	16:59:40	0.017	0.014	14
11/9/2006	17:14:40	0.018	0.015	15

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/03/2006 07:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/9/2006 14:00			0				0
2	11/9/2006 14:15			0				0
3	11/9/2006 14:30			0				0
4	11/9/2006 14:45			0				0
5	11/9/2006 15:00			0				0
6	11/9/2006 15:15			0				0
7	11/9/2006 15:30			0				0
8	11/9/2006 15:45			0				0
9	11/9/2006 16:00			0				0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	9
Test Abbreviation:	
Start Date:	11/9/2006
Start Time:	7:11:31
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	

Background Reading (07:06) = 0.020 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/9/2006	7:26:31	0.047	0.027	27
11/9/2006	7:41:31	0.048	0.028	28
11/9/2006	7:56:31	0.035	0.015	15
11/9/2006	8:11:31	0.021	0.001	1
11/9/2006	8:26:31	0.022	0.002	2
11/9/2006	8:41:31	0.023	0.003	3
11/9/2006	8:56:31	0.02	0	0
11/9/2006	9:11:31	0.021	0.001	1
11/9/2006	9:26:31	0.024	0.004	4
11/9/2006	9:41:31	0.02	0	0
11/9/2006	9:56:31	0.017	-0.003	-3
11/9/2006	10:11:31	0.016	-0.004	-4
11/9/2006	10:26:31	0.013	-0.007	-7
11/9/2006	10:41:31	0.016	-0.004	-4
11/9/2006	10:56:31	0.014	-0.006	-6
11/9/2006	11:11:31	0.019	-0.001	-1
11/9/2006	11:26:31	0.017	-0.003	-3
11/9/2006	11:41:31	0.02	0	0
11/9/2006	11:56:31	0.019	-0.001	-1
11/9/2006	12:11:31	0.016	-0.004	-4
11/9/2006	12:26:31	0.015	-0.005	-5
11/9/2006	12:41:31	0.012	-0.008	-8
11/9/2006	12:56:31	0.015	-0.005	-5
11/9/2006	13:11:31	0.019	-0.001	-1
11/9/2006	13:26:31	0.005	-0.015	-15
11/9/2006	13:41:31	0.006	-0.014	-14
11/9/2006	13:56:31	0.004	-0.016	-16
11/9/2006	14:24:23	0.022	0.002	2
11/9/2006	14:39:23	0.021	0.001	1
11/9/2006	14:54:23	0.027	0.007	7
11/9/2006	15:09:23	0.027	0.007	7
11/9/2006	15:24:23	0.028	0.008	8
11/9/2006	15:39:23	0.032	0.012	12
11/9/2006	15:54:23	0.03	0.01	10
11/9/2006	16:09:23	0.036	0.016	16

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/09/2006 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:17) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/9/2006 7:31			0.1				0
2	11/9/2006 7:46			0.1				0
3	11/9/2006 8:01			0.1				0
4	11/9/2006 8:16			0				-0.1
5	11/9/2006 8:31			0				-0.1
6	11/9/2006 8:46			0.2				0.1
7	11/9/2006 9:01			0.2				0.1
8	11/9/2006 9:16			0.2				0.1
9	11/9/2006 9:31			0				-0.1
10	11/9/2006 9:46			0				-0.1
11	11/9/2006 10:01			0.1				0
12	11/9/2006 10:16			0.3				0.2
13	11/9/2006 10:31			0.4				0.3
14	11/9/2006 10:46			0.7				0.6
15	11/9/2006 11:01			0.6				0.5
16	11/9/2006 11:16			0.7				0.6
17	11/9/2006 11:31			0.6				0.5
18	11/9/2006 11:46			0.5				0.4
19	11/9/2006 12:01			0.5				0.4
20	11/9/2006 12:16			0.5				0.4
21	11/9/2006 12:31			0.5				0.4
22	11/9/2006 12:46			0.6				0.5
23	11/9/2006 13:01			0.5				0.4
24	11/9/2006 13:16			0.5				0.4
25	11/9/2006 13:31			0.6				0.5
26	11/9/2006 13:46			0.6				0.5
27	11/9/2006 14:01			0.6				0.5
28	11/9/2006 14:16			0.6				0.5
29	11/9/2006 14:31			0.6				0.5
30	11/9/2006 14:46			0.7				0.6
31	11/9/2006 15:01			0.5				0.4
32	11/9/2006 15:16			0.5				0.4
33	11/9/2006 15:31			0.5				0.4
34	11/9/2006 15:46			0.5				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	1
Test Abbreviation:	
Start Date:	11/9/2006
Start Time:	6:53:16
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	5:00
Number of points:	9
Notes:	

Background Reading (07:17) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/9/2006	6:58:16	0.003	-0.006	-6
11/9/2006	7:03:16	0.002	-0.007	-7
11/9/2006	7:08:16	0.002	-0.007	-7
11/9/2006	7:13:16	0.002	-0.007	-7
11/9/2006	7:18:16	0.002	-0.007	-7
11/9/2006	7:23:16	0.002	-0.007	-7
11/9/2006	7:28:16	0.002	-0.007	-7
11/9/2006	7:33:16	0.002	-0.007	-7
11/9/2006	7:38:16	0.003	-0.006	-6
11/9/2006	7:57:39	0.002	-0.007	-7
11/9/2006	8:12:39	0.002	-0.007	-7
11/9/2006	8:27:39	0.002	-0.007	-7
11/9/2006	8:42:39	0.004	-0.005	-5
11/9/2006	8:57:39	0.001	-0.008	-8
11/9/2006	9:12:39	0.003	-0.006	-6
11/9/2006	9:27:39	0.002	-0.007	-7
11/9/2006	9:42:39	0.002	-0.007	-7
11/9/2006	9:57:39	0.002	-0.007	-7
11/9/2006	10:12:39	0.002	-0.007	-7
11/9/2006	10:27:39	0.002	-0.007	-7
11/9/2006	10:42:39	0.002	-0.007	-7
11/9/2006	10:57:39	0.002	-0.007	-7
11/9/2006	11:12:39	0.003	-0.006	-6
11/9/2006	11:27:39	0.003	-0.006	-6
11/9/2006	11:42:39	0.003	-0.006	-6
11/9/2006	11:57:39	0.003	-0.006	-6
11/9/2006	12:12:39	0.003	-0.006	-6
11/9/2006	12:27:39	0.004	-0.005	-5
11/9/2006	12:42:39	0.004	-0.005	-5
11/9/2006	12:57:39	0.004	-0.005	-5
11/9/2006	13:12:39	0.004	-0.005	-5
11/9/2006	13:27:39	0.004	-0.005	-5
11/9/2006	13:42:39	0.004	-0.005	-5
11/9/2006	13:57:39	0.004	-0.005	-5
11/9/2006	14:12:39	0.004	-0.005	-5
11/9/2006	14:27:39	0.004	-0.005	-5
11/9/2006	14:42:39	0.004	-0.005	-5
11/9/2006	15:35:59	0.005	-0.004	-4
11/9/2006	16:08:15	0.005	-0.004	-4
11/9/2006	16:23:15	0.005	-0.004	-4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/10/2006 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/10/2006 7:01			0				0
2	11/10/2006 7:16			0				0
3	11/10/2006 7:31			0				0
4	11/10/2006 7:46			0				0
5	11/10/2006 8:01			0				0
6	11/10/2006 8:16			0				0
7	11/10/2006 8:31			0				0
8	11/10/2006 8:46			0				0
9	11/10/2006 9:01			0.1				0.1
10	11/10/2006 9:16			0.1				0.1
11	11/10/2006 9:31			0.1				0.1
12	11/10/2006 9:46			0.1				0.1
13	11/10/2006 10:01			0.1				0.1
14	11/10/2006 10:16			0.1				0.1
15	11/10/2006 10:31			0.1				0.1
16	11/10/2006 10:46			0.1				0.1
17	11/10/2006 11:01			0.1				0.1
18	11/10/2006 11:16			0.1				0.1
19	11/10/2006 11:31			0.1				0.1
20	11/10/2006 11:46			0.1				0.1
21	11/10/2006 12:01			0.1				0.1
22	11/10/2006 12:16			0.1				0.1
23	11/10/2006 12:31			0.1				0.1
24	11/10/2006 12:46			0.1				0.1
25	11/10/2006 13:01			0.1				0.1
26	11/10/2006 13:16			0.1				0.1
27	11/10/2006 13:31			0.1				0.1
28	11/10/2006 13:46			0.1				0.1
29	11/10/2006 14:01			0.1				0.1
30	11/10/2006 14:16			0.2				0.2
31	11/10/2006 14:31			0.2				0.2
32	11/10/2006 14:46			0.2				0.2
33	11/10/2006 15:01			0.2				0.2
34	11/10/2006 15:16			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	11/10/2006
Start Time:	7:47:31
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (06:45) = 0.012 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/10/2006	8:02:31	0.013	0.001	1
11/10/2006	8:17:31	0.012	0	0
11/10/2006	8:32:31	0.013	0.001	1
11/10/2006	8:47:31	0.011	-0.001	-1
11/10/2006	9:02:31	0.01	-0.002	-2
11/10/2006	9:17:31	0.008	-0.004	-4
11/10/2006	9:32:31	0.009	-0.003	-3
11/10/2006	9:47:31	0.008	-0.004	-4
11/10/2006	10:02:31	0.009	-0.003	-3
11/10/2006	10:17:31	0.014	0.002	2
11/10/2006	10:32:31	0.007	-0.005	-5
11/10/2006	10:47:31	0.007	-0.005	-5
11/10/2006	11:02:31	0.009	-0.003	-3
11/10/2006	11:17:31	0.009	-0.003	-3
11/10/2006	11:32:31	0.008	-0.004	-4
11/10/2006	11:47:31	0.013	0.001	1
11/10/2006	12:02:31	0.01	-0.002	-2
11/10/2006	12:17:31	0.008	-0.004	-4
11/10/2006	12:32:31	0.005	-0.007	-7
11/10/2006	12:47:31	0.008	-0.004	-4
11/10/2006	13:02:31	0.007	-0.005	-5
11/10/2006	13:17:31	0.007	-0.005	-5
11/10/2006	13:32:31	0.006	-0.006	-6
11/10/2006	13:47:31	0.006	-0.006	-6
11/10/2006	14:02:31	0.008	-0.004	-4
11/10/2006	14:17:31	0.006	-0.006	-6
11/10/2006	14:32:31	0.006	-0.006	-6
11/10/2006	14:47:31	0.005	-0.007	-7
11/10/2006	15:02:31	0.008	-0.004	-4
11/10/2006	15:17:31	0.006	-0.006	-6
11/10/2006	15:32:31	0.006	-0.006	-6
11/10/2006	15:47:31	0.006	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/10/2006 06:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/10/2006 7:06			0				0
2	11/10/2006 7:21			0				0
3	11/10/2006 7:36			0				0
4	11/10/2006 7:51			0				0
5	11/10/2006 8:06			0				0
6	11/10/2006 8:21			0				0
7	11/10/2006 8:36			0				0
8	11/10/2006 8:51			0				0
9	11/10/2006 9:06			0				0
10	11/10/2006 9:21			0				0
11	11/10/2006 9:36			0				0
12	11/10/2006 9:51			0				0
13	11/10/2006 10:06			0				0
14	11/10/2006 10:21			0				0
15	11/10/2006 10:36			0				0
16	11/10/2006 10:51			0				0
17	11/10/2006 11:06			0				0
18	11/10/2006 11:21			0.1				0.1
19	11/10/2006 11:36			0.1				0.1
20	11/10/2006 11:51			0.1				0.1
21	11/10/2006 12:06			0.2				0.2
22	11/10/2006 12:21			0.2				0.2
23	11/10/2006 12:36			0.3				0.3
24	11/10/2006 12:51			0.3				0.3
25	11/10/2006 13:06			0.3				0.3
26	11/10/2006 13:21			0.4				0.4
27	11/10/2006 13:36			0.4				0.4
28	11/10/2006 13:51			0.4				0.4
29	11/10/2006 14:06			0.4				0.4
30	11/10/2006 14:21			0.1				0.1
31	11/10/2006 14:36			0				0
32	11/10/2006 14:51			0				0
33	11/10/2006 15:06			0				0
34	11/10/2006 15:21			0				0
35	11/10/2006 15:36			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	33
Test Abbreviation:	
Start Date:	11/10/2006
Start Time:	8:04:38
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (06:50) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/10/2006	8:19:38	0.014	0.004	4
11/10/2006	8:34:38	0.015	0.005	5
11/10/2006	8:49:38	0.013	0.003	3
11/10/2006	9:04:38	0.013	0.003	3
11/10/2006	9:19:38	0.01	0	0
11/10/2006	9:34:38	0.012	0.002	2
11/10/2006	9:49:38	0.011	0.001	1
11/10/2006	10:04:38	0.011	0.001	1
11/10/2006	10:19:38	0.012	0.002	2
11/10/2006	10:34:38	0.009	-0.001	-1
11/10/2006	10:49:38	0.008	-0.002	-2
11/10/2006	11:04:38	0.009	-0.001	-1
11/10/2006	11:19:38	0.009	-0.001	-1
11/10/2006	11:34:38	0.011	0.001	1
11/10/2006	11:49:38	0.01	0	0
11/10/2006	12:04:38	0.009	-0.001	-1
11/10/2006	12:19:38	0.009	-0.001	-1
11/10/2006	12:34:38	0.011	0.001	1
11/10/2006	12:49:38	0.011	0.001	1
11/10/2006	13:04:38	0.01	0	0
11/10/2006	13:19:38	0.01	0	0
11/10/2006	13:34:38	0.011	0.001	1
11/10/2006	13:49:38	0.01	0	0
11/10/2006	14:04:38	0.012	0.002	2
11/10/2006	14:19:38	0.012	0.002	2
11/10/2006	14:34:38	0.014	0.004	4
11/10/2006	14:49:38	0.013	0.003	3
11/10/2006	15:04:38	0.012	0.002	2
11/10/2006	15:19:38	0.013	0.003	3
11/10/2006	15:48:04	0.014	0.004	4
11/10/2006	16:03:04	0.014	0.004	4
11/10/2006	16:18:04	0.015	0.005	5
11/10/2006	16:33:04	0.015	0.005	5
11/10/2006	16:48:04	0.014	0.004	4
11/10/2006	17:03:04	0.014	0.004	4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/10/2006 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:09) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/10/2006 7:28			0.1				-0.1
2	11/10/2006 7:43			0.1				-0.1
3	11/10/2006 7:58			0.1				-0.1
4	11/10/2006 8:13			0.1				-0.1
5	11/10/2006 8:28			0.1				-0.1
6	11/10/2006 8:43			0.1				-0.1
7	11/10/2006 8:58			0.1				-0.1
8	11/10/2006 9:13			0.1				-0.1
9	11/10/2006 9:28			0.1				-0.1
10	11/10/2006 9:43			0.2				0
11	11/10/2006 9:58			0.2				0
12	11/10/2006 10:13			0.1				-0.1
13	11/10/2006 10:28			0.2				0
14	11/10/2006 10:43			0.2				0
15	11/10/2006 10:58			0.2				0
16	11/10/2006 11:13			0.2				0
17	11/10/2006 11:28			0.2				0
18	11/10/2006 11:43			0.2				0
19	11/10/2006 11:58			0.2				0
20	11/10/2006 12:13			0.1				-0.1
21	11/10/2006 12:28			0.1				-0.1
22	11/10/2006 12:43			0.2				0
23	11/10/2006 12:58			0.5				0.3
24	11/10/2006 13:13			0.6				0.4
25	11/10/2006 13:28			0.6				0.4
26	11/10/2006 13:43			0.6				0.4
27	11/10/2006 13:58			0.7				0.5
28	11/10/2006 14:13			0.7				0.5
29	11/10/2006 14:28			0.4				0.2
30	11/10/2006 14:43			0.3				0.1
31	11/10/2006 14:58			0.2				0
32	11/10/2006 15:13			0.2				0
33	11/10/2006 15:28			0.5				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	11
Test Abbreviation:	
Start Date:	11/10/2006
Start Time:	7:15:04
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (07:09) = 0.032 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/10/2006	7:30:04	0.038	0.006	6
11/10/2006	7:45:04	0.02	-0.012	-12
11/10/2006	8:00:04	0.022	-0.01	-10
11/10/2006	8:15:04	0.019	-0.013	-13
11/10/2006	8:30:04	0.024	-0.008	-8
11/10/2006	8:45:04	0.028	-0.004	-4
11/10/2006	9:00:04	0.019	-0.013	-13
11/10/2006	9:15:04	0.021	-0.011	-11
11/10/2006	9:30:04	0.015	-0.017	-17
11/10/2006	9:45:04	0.014	-0.018	-18
11/10/2006	10:00:04	0.029	-0.003	-3
11/10/2006	10:15:04	0.038	0.006	6
11/10/2006	10:30:04	0.035	0.003	3
11/10/2006	10:45:04	0.012	-0.02	-20
11/10/2006	11:00:04	0.012	-0.02	-20
11/10/2006	11:15:04	0.014	-0.018	-18
11/10/2006	11:30:04	0.011	-0.021	-21
11/10/2006	11:45:04	0.011	-0.021	-21
11/10/2006	12:00:04	0.015	-0.017	-17
11/10/2006	12:15:04	0.011	-0.021	-21
11/10/2006	12:30:04	0.014	-0.018	-18
11/10/2006	12:45:04	0.009	-0.023	-23
11/10/2006	13:00:04	0.018	-0.014	-14
11/10/2006	13:15:04	0.013	-0.019	-19
11/10/2006	13:30:04	0.011	-0.021	-21
11/10/2006	13:45:04	0.015	-0.017	-17
11/10/2006	14:00:04	0.011	-0.021	-21
11/10/2006	14:15:04	0.012	-0.02	-20
11/10/2006	14:30:04	0.014	-0.018	-18
11/10/2006	14:45:04	0.013	-0.019	-19
11/10/2006	15:00:04	0.012	-0.02	-20
11/10/2006	15:15:04	0.017	-0.015	-15
11/10/2006	15:30:04	0.014	-0.018	-18
11/10/2006	15:45:04	0.013	-0.019	-19

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/10/2006 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:59) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/10/2006 7:19			0				0
2	11/10/2006 7:34			0				0
3	11/10/2006 7:49			0				0
4	11/10/2006 8:04			0				0
5	11/10/2006 8:19			0				0
6	11/10/2006 8:34			0				0
7	11/10/2006 8:49			0.1				0.1
8	11/10/2006 9:04			0.1				0.1
9	11/10/2006 9:19			0				0
10	11/10/2006 9:34			0				0
11	11/10/2006 9:49			0				0
12	11/10/2006 10:04			0				0
13	11/10/2006 10:19			0				0
14	11/10/2006 10:34			0				0
15	11/10/2006 10:49			0				0
16	11/10/2006 11:04			0				0
17	11/10/2006 11:19			0				0
18	11/10/2006 11:34			0				0
19	11/10/2006 11:49			0				0
20	11/10/2006 12:04			0				0
21	11/10/2006 12:19			0				0
22	11/10/2006 12:34			0				0
23	11/10/2006 12:49			0				0
24	11/10/2006 13:04			0				0
25	11/10/2006 13:19			0				0
26	11/10/2006 13:34			0				0
27	11/10/2006 13:49			0				0
28	11/10/2006 14:04			0				0
29	11/10/2006 14:19			0				0
30	11/10/2006 14:34			0				0
31	11/10/2006 14:49			0				0
32	11/10/2006 15:04			0				0
33	11/10/2006 15:19			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	5
Test Abbreviation:	
Start Date:	11/10/2006
Start Time:	7:05:22
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	

Background Reading (06:59) = 0.003 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/10/2006	7:20:22	0.006	0.003	3
11/10/2006	7:35:22	0.004	0.001	1
11/10/2006	7:50:22	0.006	0.003	3
11/10/2006	8:05:22	0.006	0.003	3
11/10/2006	8:20:22	0.004	0.001	1
11/10/2006	8:35:22	0.007	0.004	4
11/10/2006	8:50:22	0.007	0.004	4
11/10/2006	9:05:22	0.004	0.001	1
11/10/2006	9:20:22	0.016	0.013	13
11/10/2006	9:35:22	0.003	0	0
11/10/2006	10:00:21	0.025	0.022	22
11/10/2006	10:15:21	0.003	0	0
11/10/2006	10:30:21	0.004	0.001	1
11/10/2006	10:45:21	0.004	0.001	1
11/10/2006	11:00:21	0.006	0.003	3
11/10/2006	11:15:21	0.008	0.005	5
11/10/2006	11:30:21	0.006	0.003	3
11/10/2006	11:45:21	0.003	0	0
11/10/2006	12:00:21	0.005	0.002	2
11/10/2006	12:15:21	0.003	0	0
11/10/2006	12:30:21	0.003	0	0
11/10/2006	12:45:21	0.004	0.001	1
11/10/2006	13:00:21	0.007	0.004	4
11/10/2006	13:15:21	0.004	0.001	1
11/10/2006	13:30:21	0.005	0.002	2
11/10/2006	13:45:21	0.005	0.002	2
11/10/2006	14:00:21	0.004	0.001	1
11/10/2006	14:15:21	0.003	0	0
11/10/2006	14:30:21	0.004	0.001	1
11/10/2006	14:45:21	0.005	0.002	2
11/10/2006	15:00:21	0.028	0.025	25
11/10/2006	15:15:21	0.026	0.023	23
11/10/2006	15:30:21	0.004	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/11/2006 07:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/11/2006 7:25			0				0
2	11/11/2006 7:40			0				0
3	11/11/2006 7:55			0				0
4	11/11/2006 8:10			0				0
5	11/11/2006 8:25			0				0
6	11/11/2006 8:40			0				0
7	11/11/2006 8:55			0				0
8	11/11/2006 9:10			0				0
9	11/11/2006 9:25			0				0
10	11/11/2006 9:40			0				0
11	11/11/2006 9:55			0				0
12	11/11/2006 10:10			0				0
13	11/11/2006 10:25			0				0
14	11/11/2006 10:40			0				0
15	11/11/2006 10:55			0				0
16	11/11/2006 11:10			0				0
17	11/11/2006 11:25			0				0
18	11/11/2006 11:40			0				0
19	11/11/2006 11:55			0				0
20	11/11/2006 12:10			0				0
21	11/11/2006 12:25			0				0
22	11/11/2006 12:40			0				0
23	11/11/2006 12:55			0				0
24	11/11/2006 13:10			0				0
25	11/11/2006 13:25			0				0
26	11/11/2006 13:40			0				0
27	11/11/2006 13:55			0				0
28	11/11/2006 14:10			0				0
29	11/11/2006 14:25			0				0
30	11/11/2006 14:40			0				0
31	11/11/2006 14:55			0				0
32	11/11/2006 15:10			0				0
33	11/11/2006 15:25			0				0
34	11/11/2006 15:40			0				0
35	11/11/2006 15:55			0				0
36	11/11/2006 16:10			0				0
37	11/11/2006 16:25			0				0
38	11/11/2006 16:40			0				0
39	11/11/2006 16:55			0				0
40	11/11/2006 17:10			0				0
41	11/11/2006 17:25			0				0
42	11/11/2006 17:40			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	11/11/2006
Start Time:	7:27:40
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (07:26) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/11/2006	7:42:40	0.025	0.003	3
11/11/2006	7:57:40	0.028	0.006	6
11/11/2006	8:12:40	0.034	0.012	12
11/11/2006	8:27:40	0.036	0.014	14
11/11/2006	8:42:40	0.042	0.02	20
11/11/2006	8:57:40	0.064	0.042	42
11/11/2006	9:12:40	0.062	0.04	40
11/11/2006	9:27:40	0.069	0.047	47
11/11/2006	9:42:40	0.068	0.046	46
11/11/2006	9:57:40	0.064	0.042	42
11/11/2006	10:12:40	0.062	0.04	40
11/11/2006	10:27:40	0.058	0.036	36
11/11/2006	10:42:40	0.056	0.034	34
11/11/2006	10:57:40	0.053	0.031	31
11/11/2006	11:12:40	0.051	0.029	29
11/11/2006	11:27:40	0.051	0.029	29
11/11/2006	11:42:40	0.049	0.027	27
11/11/2006	11:57:40	0.047	0.025	25
11/11/2006	12:12:40	0.048	0.026	26
11/11/2006	12:27:40	0.045	0.023	23
11/11/2006	12:42:40	0.046	0.024	24
11/11/2006	12:57:40	0.047	0.025	25
11/11/2006	13:12:40	0.046	0.024	24
11/11/2006	13:27:40	0.042	0.02	20
11/11/2006	13:42:40	0.042	0.02	20
11/11/2006	13:57:40	0.04	0.018	18
11/11/2006	14:12:40	0.04	0.018	18
11/11/2006	14:27:40	0.039	0.017	17
11/11/2006	14:42:40	0.04	0.018	18
11/11/2006	14:57:40	0.039	0.017	17
11/11/2006	15:12:40	0.042	0.02	20
11/11/2006	15:27:40	0.041	0.019	19
11/11/2006	15:42:40	0.043	0.021	21
11/11/2006	15:57:40	0.045	0.023	23
11/11/2006	16:12:40	0.045	0.023	23
11/11/2006	16:27:40	0.048	0.026	26
11/11/2006	16:42:40	0.049	0.027	27
11/11/2006	16:57:40	0.051	0.029	29
11/11/2006	17:12:40	0.056	0.034	34
11/11/2006	17:27:40	0.057	0.035	35
11/11/2006	17:42:40	0.058	0.036	36
11/11/2006	17:57:40	0.059	0.037	37

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/11/2006 07:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:50) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/11/2006 7:26			0				-0.1
2	11/11/2006 7:41			0				-0.1
3	11/11/2006 7:56			0.1				0
4	11/11/2006 8:11			0.1				0
5	11/11/2006 8:26			0.1				0
6	11/11/2006 8:41			0				-0.1
7	11/11/2006 8:56			0				-0.1
8	11/11/2006 9:11			0				-0.1
9	11/11/2006 9:26			0				-0.1
10	11/11/2006 9:41			0				-0.1
11	11/11/2006 9:56			0				-0.1
12	11/11/2006 10:11			0				-0.1
13	11/11/2006 10:26			0				-0.1
14	11/11/2006 10:41			0				-0.1
15	11/11/2006 10:56			0				-0.1
16	11/11/2006 11:11			0.1				0
17	11/11/2006 11:26			0.1				0
18	11/11/2006 11:41			0.1				0
19	11/11/2006 11:56			0.1				0
20	11/11/2006 12:11			0.2				0.1
21	11/11/2006 12:26			0.2				0.1
22	11/11/2006 12:41			0.2				0.1
23	11/11/2006 12:56			0.3				0.2
24	11/11/2006 13:11			0.3				0.2
25	11/11/2006 13:26			0.3				0.2
26	11/11/2006 13:41			0.3				0.2
27	11/11/2006 13:56			0.3				0.2
28	11/11/2006 14:11			0.3				0.2
29	11/11/2006 14:26			0.3				0.2
30	11/11/2006 14:41			0.3				0.2
31	11/11/2006 14:56			0.3				0.2
32	11/11/2006 15:11			0.3				0.2
33	11/11/2006 15:26			0.3				0.2
34	11/11/2006 15:41			0.3				0.2
35	11/11/2006 15:56			0.3				0.2
36	11/11/2006 16:11			0.3				0.2
37	11/11/2006 16:26			0.3				0.2
38	11/11/2006 16:41			0.2				0.1
39	11/11/2006 16:56			0.2				0.1
40	11/11/2006 17:11			0.2				0.1
41	11/11/2006 17:26			0.2				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	35
Test Abbreviation:	
Start Date:	11/11/2006
Start Time:	9:04:11
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	Background Reading (07:50) = 0.031 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/11/2006	9:19:11	0.035	0.004	4
11/11/2006	9:34:11	0.033	0.002	2
11/11/2006	9:49:11	0.037	0.006	6
11/11/2006	10:04:11	0.046	0.015	15
11/11/2006	10:26:27	0.056	0.025	25
11/11/2006	10:41:27	0.059	0.028	28
11/11/2006	10:56:27	0.057	0.026	26
11/11/2006	11:31:13	0.048	0.017	17
11/11/2006	11:46:13	0.047	0.016	16
11/11/2006	12:01:13	0.044	0.013	13
11/11/2006	12:16:13	0.043	0.012	12
11/11/2006	12:31:13	0.042	0.011	11
11/11/2006	12:46:13	0.041	0.01	10
11/11/2006	13:01:13	0.038	0.007	7
11/11/2006	13:16:13	0.039	0.008	8
11/11/2006	13:31:13	0.038	0.007	7
11/11/2006	13:46:13	0.037	0.006	6
11/11/2006	14:01:13	0.038	0.007	7
11/11/2006	14:16:13	0.036	0.005	5
11/11/2006	14:31:13	0.038	0.007	7
11/11/2006	14:46:13	0.037	0.006	6
11/11/2006	15:01:13	0.038	0.007	7
11/11/2006	15:16:13	0.036	0.005	5
11/11/2006	15:31:13	0.036	0.005	5
11/11/2006	15:46:13	0.036	0.005	5
11/11/2006	16:01:13	0.036	0.005	5
11/11/2006	16:16:13	0.037	0.006	6
11/11/2006	16:31:13	0.037	0.006	6
11/11/2006	16:46:13	0.037	0.006	6
11/11/2006	17:01:13	0.039	0.008	8
11/11/2006	17:16:13	0.039	0.008	8
11/11/2006	17:31:13	0.039	0.008	8
11/11/2006	17:46:13	0.041	0.01	10
11/11/2006	18:01:13	0.042	0.011	11
11/11/2006	18:16:13	0.044	0.013	13
11/11/2006	18:31:13	0.043	0.012	12
11/11/2006	18:46:13	0.044	0.013	13
11/11/2006	19:01:13	0.045	0.014	14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/11/2006 07:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:08) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/11/2006 7:26			0.1				-0.1
2	11/11/2006 7:41			0.2				0
3	11/11/2006 7:56			0.2				0
4	11/11/2006 8:11			0.2				0
5	11/11/2006 8:26			0.3				0.1
6	11/11/2006 8:41			0.2				0
7	11/11/2006 8:56			0.1				-0.1
8	11/11/2006 9:11			0.1				-0.1
9	11/11/2006 9:26			0.2				0
10	11/11/2006 9:41			0.2				0
11	11/11/2006 9:56			0.2				0
12	11/11/2006 10:11			0.2				0
13	11/11/2006 10:26			0.2				0
14	11/11/2006 10:41			0.2				0
15	11/11/2006 10:56			0.2				0
16	11/11/2006 11:11			0.2				0
17	11/11/2006 11:26			0.2				0
18	11/11/2006 11:41			0.2				0
19	11/11/2006 11:56			0.2				0
20	11/11/2006 12:11			0.2				0
21	11/11/2006 12:26			0.2				0
22	11/11/2006 12:41			0.2				0
23	11/11/2006 12:56			0.2				0
24	11/11/2006 13:11			0.2				0
25	11/11/2006 13:26			0.2				0
26	11/11/2006 13:41			0.2				0
27	11/11/2006 13:56			0.2				0
28	11/11/2006 14:11			0.2				0
29	11/11/2006 14:26			0.2				0
30	11/11/2006 14:41			0.2				0
31	11/11/2006 14:56			0.2				0
32	11/11/2006 15:11			0.2				0
33	11/11/2006 15:26			0.2				0
34	11/11/2006 15:41			0.2				0
35	11/11/2006 15:56			0.2				0
36	11/11/2006 16:11			0.2				0
37	11/11/2006 16:26			0.2				0
38	11/11/2006 16:41			0.2				0
39	11/11/2006 16:56			0.2				0
40	11/11/2006 17:11			0.2				0
41	11/11/2006 17:26			0.2				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	12
Test Abbreviation:	
Start Date:	11/11/2006
Start Time:	8:11:50
Duration (dd:hh:mm:ss):	00:01:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	5
Notes:	Background Reading (08:08) = 0.055 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/11/2006	8:26:50	0.065	0.01	10
11/11/2006	8:41:50	0.075	0.02	20
11/11/2006	8:56:50	0.093	0.038	38
11/11/2006	9:11:50	0.113	0.058	58
11/11/2006	9:26:50	0.123	0.068	68
11/11/2006	10:01:36	0.121	0.066	66
11/11/2006	10:16:36	0.11	0.055	55
11/11/2006	10:31:36	0.107	0.052	52
11/11/2006	10:46:36	0.102	0.047	47
11/11/2006	11:01:36	0.098	0.043	43
11/11/2006	11:16:36	0.1	0.045	45
11/11/2006	11:31:36	0.091	0.036	36
11/11/2006	11:46:36	0.089	0.034	34
11/11/2006	12:01:36	0.086	0.031	31
11/11/2006	12:16:36	0.093	0.038	38
11/11/2006	12:31	0.088	0.033	33
11/11/2006	12:46:36	0.079	0.024	24
11/11/2006	13:01:36	0.079	0.024	24
11/11/2006	13:16:36	0.08	0.025	25
11/11/2006	13:31:36	0.083	0.028	28
11/11/2006	13:46:36	0.083	0.028	28
11/11/2006	14:01:36	0.071	0.016	16
11/11/2006	14:16:36	0.076	0.021	21
11/11/2006	14:31:36	0.072	0.017	17
11/11/2006	14:46:36	0.073	0.018	18
11/11/2006	15:01:36	0.069	0.014	14
11/11/2006	15:16:36	0.071	0.016	16
11/11/2006	15:31:36	0.072	0.017	17
11/11/2006	15:46:36	0.073	0.018	18
11/11/2006	16:01:36	0.073	0.018	18
11/11/2006	16:16:36	0.075	0.02	20
11/11/2006	16:31:36	0.077	0.022	22
11/11/2006	16:46:36	0.086	0.031	31
11/11/2006	17:01:36	0.093	0.038	38
11/11/2006	17:16:36	0.107	0.052	52
11/11/2006	17:31:36	0.09	0.035	35
11/11/2006	17:46:36	0.091	0.036	36

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/11/2006 07:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:02) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/11/2006 7:35			0				0
2	11/11/2006 7:50			0				0
3	11/11/2006 8:05			0				0
4	11/11/2006 8:20			0				0
5	11/11/2006 8:35			0				0
6	11/11/2006 8:50			0				0
7	11/11/2006 9:05			0				0
8	11/11/2006 9:20			0				0
9	11/11/2006 9:35			0				0
10	11/11/2006 9:50			0				0
11	11/11/2006 10:05			0				0
12	11/11/2006 10:20			0				0
13	11/11/2006 10:35			0				0
14	11/11/2006 10:50			0				0
15	11/11/2006 11:05			0				0
16	11/11/2006 11:20			0				0
17	11/11/2006 11:35			0				0
18	11/11/2006 11:50			0				0
19	11/11/2006 12:05			0				0
20	11/11/2006 12:20			0				0
21	11/11/2006 12:35			0				0
22	11/11/2006 12:50			0				0
23	11/11/2006 13:05			0				0
24	11/11/2006 13:20			0				0
25	11/11/2006 13:35			0.1				0.1
26	11/11/2006 13:50			0.1				0.1
27	11/11/2006 14:05			0.2				0.2
28	11/11/2006 14:20			0.3				0.3
29	11/11/2006 14:35			0.4				0.4
30	11/11/2006 14:50			0.4				0.4
31	11/11/2006 15:05			0.2				0.2
32	11/11/2006 15:20			0.1				0.1
33	11/11/2006 15:35			0.1				0.1
34	11/11/2006 15:50			0.1				0.1
35	11/11/2006 16:05			0				0
36	11/11/2006 16:20			0				0
37	11/11/2006 16:35			0				0
38	11/11/2006 16:50			0				0
39	11/11/2006 17:05			0				0
40	11/11/2006 17:20			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		85201588
Test ID:		7
Test Abbreviation:		
Start Date:		11/11/2006
Start Time:		8:05:06
Duration (dd:hh:mm:ss):	00:03:15:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		13
Notes:		

Background Reading (08:02) = 0.008 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	7/10/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/11/2006	8:20:06	0.008	0	0
11/11/2006	8:35:06	0.01	0.002	2
11/11/2006	8:50:06	0.011	0.003	3
11/11/2006	9:05:06	0.014	0.006	6
11/11/2006	9:20:06	0.015	0.007	7
11/11/2006	9:35:06	0.015	0.007	7
11/11/2006	9:50:06	0.016	0.008	8
11/11/2006	10:05:06	0.015	0.007	7
11/11/2006	10:20:06	0.013	0.005	5
11/11/2006	10:35:06	0.013	0.005	5
11/11/2006	10:50:06	0.013	0.005	5
11/11/2006	11:05:06	0.012	0.004	4
11/11/2006	11:20:06	0.012	0.004	4
11/11/2006	11:59:27	0.021	0.013	13
11/11/2006	12:14:27	0.011	0.003	3
11/11/2006	12:29:27	0.011	0.003	3
11/11/2006	12:44:27	0.011	0.003	3
11/11/2006	12:59:27	0.011	0.003	3
11/11/2006	13:14:27	0.011	0.003	3
11/11/2006	13:29:27	0.011	0.003	3
11/11/2006	13:44:27	0.01	0.002	2
11/11/2006	13:59:27	0.01	0.002	2
11/11/2006	14:14:27	0.01	0.002	2
11/11/2006	14:29:27	0.01	0.002	2
11/11/2006	14:44:27	0.009	0.001	1
11/11/2006	14:59:27	0.01	0.002	2
11/11/2006	15:14:27	0.01	0.002	2
11/11/2006	15:29:27	0.01	0.002	2
11/11/2006	15:44:27	0.01	0.002	2
11/11/2006	15:59:27	0.01	0.002	2
11/11/2006	16:14:27	0.01	0.002	2
11/11/2006	16:29:27	0.01	0.002	2
11/11/2006	16:44:27	0.01	0.002	2
11/11/2006	16:59:27	0.01	0.002	2
11/11/2006	17:14:27	0.01	0.002	2
11/11/2006	17:29:27	0.011	0.003	3
11/11/2006	17:44:27	0.011	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/13/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/13/2006 7:20			0				0
2	11/13/2006 7:35			0				0
3	11/13/2006 7:50			0				0
4	11/13/2006 8:05			0				0
5	11/13/2006 8:20			0				0
6	11/13/2006 8:35			0				0
7	11/13/2006 8:50			0				0
8	11/13/2006 9:05			0				0
9	11/13/2006 9:20			0				0
10	11/13/2006 9:35			0				0
11	11/13/2006 9:50			0				0
12	11/13/2006 10:05			0				0
13	11/13/2006 10:20			0				0
14	11/13/2006 10:35			0				0
15	11/13/2006 10:50			0				0
16	11/13/2006 11:05			0				0
17	11/13/2006 11:20			0				0
18	11/13/2006 11:35			0				0
19	11/13/2006 11:50			0				0
20	11/13/2006 12:05			0				0
21	11/13/2006 12:20			0				0
22	11/13/2006 12:35			0				0
23	11/13/2006 12:50			0				0
24	11/13/2006 13:05			0				0
25	11/13/2006 13:20			0				0
26	11/13/2006 13:35			0				0
27	11/13/2006 13:50			0				0
28	11/13/2006 14:05			0				0
29	11/13/2006 14:20			0				0
30	11/13/2006 14:35			0				0
31	11/13/2006 14:50			0				0
32	11/13/2006 15:05			0				0
33	11/13/2006 15:20			0				0
34	11/13/2006 15:35			0				0
35	11/13/2006 15:50			0				0
36	11/13/2006 16:05			0				0
37	11/13/2006 16:20			0				0
38	11/13/2006 16:35			0				0
39	11/13/2006 16:50			0				0
40	11/13/2006 17:05			0				0
41	11/13/2006 17:20			0				0
42	11/13/2006 17:35			0				0
43	11/13/2006 17:50			0				0
44	11/13/2006 18:05			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	11/13/2006
Start Time:	7:08:22
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	

Background Reading (07:04) = 0.012 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/13/2006	7:23:22	0.013	0.001	1
11/13/2006	7:38:22	0.012	0	0
11/13/2006	7:53:22	0.012	0	0
11/13/2006	8:08:22	0.013	0.001	1
11/13/2006	8:23:22	0.014	0.002	2
11/13/2006	8:38:22	0.012	0	0
11/13/2006	8:53:22	0.014	0.002	2
11/13/2006	9:08:22	0.013	0.001	1
11/13/2006	9:23:22	0.014	0.002	2
11/13/2006	9:38:22	0.012	0	0
11/13/2006	9:53:22	0.011	-0.001	-1
11/13/2006	10:08:22	0.013	0.001	1
11/13/2006	10:23:22	0.013	0.001	1
11/13/2006	10:38:22	0.013	0.001	1
11/13/2006	10:53:22	0.013	0.001	1
11/13/2006	11:08:22	0.015	0.003	3
11/13/2006	11:23:22	0.014	0.002	2
11/13/2006	11:38:22	0.016	0.004	4
11/13/2006	11:53:22	0.019	0.007	7
11/13/2006	12:08:22	0.018	0.006	6
11/13/2006	12:23:22	0.017	0.005	5
11/13/2006	12:38:22	0.016	0.004	4
11/13/2006	12:53:22	0.017	0.005	5
11/13/2006	13:08:22	0.017	0.005	5
11/13/2006	13:23:22	0.018	0.006	6
11/13/2006	13:38:22	0.018	0.006	6
11/13/2006	13:53:22	0.018	0.006	6
11/13/2006	14:08:22	0.019	0.007	7
11/13/2006	14:23:22	0.019	0.007	7
11/13/2006	14:38:22	0.022	0.01	10
11/13/2006	14:53:22	0.022	0.01	10
11/13/2006	15:08:22	0.019	0.007	7
11/13/2006	15:23:22	0.02	0.008	8
11/13/2006	15:38:22	0.022	0.01	10
11/13/2006	15:53:22	0.021	0.009	9
11/13/2006	16:08:22	0.022	0.01	10
11/13/2006	16:23:22	0.024	0.012	12
11/13/2006	16:38:22	0.021	0.009	9
11/13/2006	16:53:22	0.023	0.011	11
11/13/2006	17:08:22	0.023	0.011	11
11/13/2006	17:23:22	0.025	0.013	13
11/13/2006	17:38:22	0.023	0.011	11
11/13/2006	17:53:22	0.025	0.013	13
11/13/2006	18:08:22	0.026	0.014	14
11/13/2006	18:23:22	0.025	0.013	13

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/13/2006 07:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:35) = 0.9 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/13/2006 7:40			1.5				0.6
2	11/13/2006 7:55			1.4				0.5
3	11/13/2006 8:10			1.3				0.4
4	11/13/2006 8:25			1.1				0.2
5	11/13/2006 8:40			0.9				0
6	11/13/2006 8:55			0.9				0
7	11/13/2006 9:10			0.9				0
8	11/13/2006 9:25			0.9				0
9	11/13/2006 9:40			0.9				0
10	11/13/2006 9:55			0.8				-0.1
11	11/13/2006 10:10			0.7				-0.2
12	11/13/2006 10:25			0.6				-0.3
13	11/13/2006 10:40			0.7				-0.2
14	11/13/2006 10:55			0.7				-0.2
15	11/13/2006 11:10			0.8				-0.1
16	11/13/2006 11:25			0.9				0
17	11/13/2006 11:40			0.8				-0.1
18	11/13/2006 11:55			0.8				-0.1
19	11/13/2006 12:10			0.8				-0.1
20	11/13/2006 12:25			0.7				-0.2
21	11/13/2006 12:40			0.7				-0.2
22	11/13/2006 12:55			0.8				-0.1
23	11/13/2006 13:10			0.8				-0.1
24	11/13/2006 13:25			0.7				-0.2
25	11/13/2006 13:40			0.7				-0.2
26	11/13/2006 13:55			0.7				-0.2
27	11/13/2006 14:10			0.8				-0.1
28	11/13/2006 14:25			1.3				0.4
29	11/13/2006 14:40			1.2				0.3
30	11/13/2006 14:55			1.2				0.3
31	11/13/2006 15:10			1.2				0.3
32	11/13/2006 15:25			1.1				0.2
33	11/13/2006 15:40			1.1				0.2
34	11/13/2006 15:55			1.2				0.3
35	11/13/2006 16:10			1.1				0.2
36	11/13/2006 16:25			0.9				0
37	11/13/2006 16:40			0.8				-0.1
38	11/13/2006 16:55			0.8				-0.1
39	11/13/2006 17:10			0.9				0
40	11/13/2006 17:25			1.1				0.2
41	11/13/2006 17:40			1.6				0.7
42	11/13/2006 17:55			1.5				0.6
43	11/13/2006 18:10			1.5				0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	38
Test Abbreviation:	
Start Date:	11/13/2006
Start Time:	8:21:51
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (07:35) = 0.003 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/13/2006	8:36:51	0.006	0.003	3
11/13/2006	8:51:51	0.005	0.002	2
11/13/2006	9:06:51	0.004	0.001	1
11/13/2006	9:21:51	0.003	0	0
11/13/2006	9:36:51	0.003	0	0
11/13/2006	9:51:51	0.004	0.001	1
11/13/2006	10:06:51	0.004	0.001	1
11/13/2006	10:21:51	0.003	0	0
11/13/2006	10:36:51	0.004	0.001	1
11/13/2006	10:51:51	0.004	0.001	1
11/13/2006	11:06:51	0.003	0	0
11/13/2006	11:21:51	0.003	0	0
11/13/2006	11:36:51	0.003	0	0
11/13/2006	11:51:51	0.004	0.001	1
11/13/2006	12:06:51	0.006	0.003	3
11/13/2006	12:21:51	0.005	0.002	2
11/13/2006	12:36:51	0.006	0.003	3
11/13/2006	12:51:51	0.009	0.006	6
11/13/2006	13:06:51	0.009	0.006	6
11/13/2006	13:21:51	0.008	0.005	5
11/13/2006	13:36:51	0.009	0.006	6
11/13/2006	13:51:51	0.008	0.005	5
11/13/2006	14:06:51	0.008	0.005	5
11/13/2006	14:21:51	0.009	0.006	6
11/13/2006	14:36:51	0.01	0.007	7
11/13/2006	14:51:51	0.01	0.007	7
11/13/2006	15:06:51	0.009	0.006	6
11/13/2006	15:21:51	0.009	0.006	6
11/13/2006	15:36:51	0.01	0.007	7
11/13/2006	15:51:51	0.01	0.007	7
11/13/2006	16:06:51	0.011	0.008	8
11/13/2006	16:21:51	0.01	0.007	7
11/13/2006	16:36:51	0.012	0.009	9
11/13/2006	16:51:51	0.012	0.009	9
11/13/2006	17:06:51	0.012	0.009	9
11/13/2006	17:21:51	0.012	0.009	9
11/13/2006	17:36:51	0.011	0.008	8
11/13/2006	17:51:51	0.011	0.008	8
11/13/2006	18:06:51	0.011	0.008	8
11/13/2006	18:21:51	0.012	0.009	9
11/13/2006	18:36:51	0.012	0.009	9
11/13/2006	18:51:51	0.012	0.009	9
11/13/2006	19:06:51	0.013	0.01	10
11/13/2006	19:21:51	0.014	0.011	11
11/13/2006	19:36:51	0.015	0.012	12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/13/2006 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/13/2006 7:14			0				0
2	11/13/2006 7:29			0				0
3	11/13/2006 7:44			0				0
4	11/13/2006 7:59			0				0
5	11/13/2006 8:14			0				0
6	11/13/2006 8:29			0				0
7	11/13/2006 8:44			0				0
8	11/13/2006 8:59			0				0
9	11/13/2006 9:14			0.1				0.1
10	11/13/2006 9:29			0.1				0.1
11	11/13/2006 9:44			0.1				0.1
12	11/13/2006 9:59			0.1				0.1
13	11/13/2006 10:14			0.1				0.1
14	11/13/2006 10:29			0.1				0.1
15	11/13/2006 10:44			0.1				0.1
16	11/13/2006 10:59			0.1				0.1
17	11/13/2006 11:14			0.2				0.2
18	11/13/2006 11:29			0.2				0.2
19	11/13/2006 11:44			0.2				0.2
20	11/13/2006 11:59			0.2				0.2
21	11/13/2006 12:14			0.2				0.2
22	11/13/2006 12:29			0.2				0.2
23	11/13/2006 12:44			0.2				0.2
24	11/13/2006 12:59			0.2				0.2
25	11/13/2006 13:14			0.2				0.2
26	11/13/2006 13:29			0.2				0.2
27	11/13/2006 13:44			0.2				0.2
28	11/13/2006 13:59			0.2				0.2
29	11/13/2006 14:14			0.2				0.2
30	11/13/2006 14:29			0.2				0.2
31	11/13/2006 14:44			0.2				0.2
32	11/13/2006 14:59			0.2				0.2
33	11/13/2006 15:14			0.2				0.2
34	11/13/2006 15:29			0.2				0.2
35	11/13/2006 15:44			0.2				0.2
36	11/13/2006 15:59			0.2				0.2
37	11/13/2006 16:14			0.2				0.2
38	11/13/2006 16:29			0.2				0.2
39	11/13/2006 16:44			0.2				0.2
40	11/13/2006 16:59			0.3				0.3
41	11/13/2006 17:14			0.3				0.3
42	11/13/2006 17:29			0.2				0.2
43	11/13/2006 17:44			0.3				0.3
44	11/13/2006 17:59			0.3				0.3

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	14
Test Abbreviation:	
Start Date:	11/13/2006
Start Time:	7:03:33
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (06:58) = 0.025 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/13/2006	7:18:33	0.024	-0.001	-1
11/13/2006	7:33:33	0.024	-0.001	-1
11/13/2006	7:48:33	0.022	-0.003	-3
11/13/2006	8:03:33	0.02	-0.005	-5
11/13/2006	8:18:33	0.021	-0.004	-4
11/13/2006	8:33:33	0.021	-0.004	-4
11/13/2006	8:48:33	0.021	-0.004	-4
11/13/2006	9:03:33	0.02	-0.005	-5
11/13/2006	9:18:33	0.021	-0.004	-4
11/13/2006	9:33:33	0.023	-0.002	-2
11/13/2006	9:48:33	0.019	-0.006	-6
11/13/2006	10:03:33	0.02	-0.005	-5
11/13/2006	10:18:33	0.021	-0.004	-4
11/13/2006	10:33:33	0.023	-0.002	-2
11/13/2006	10:48:33	0.021	-0.004	-4
11/13/2006	11:03:33	0.022	-0.003	-3
11/13/2006	11:18:33	0.022	-0.003	-3
11/13/2006	11:33:33	0.024	-0.001	-1
11/13/2006	11:48:33	0.026	0.001	1
11/13/2006	12:03:33	0.024	-0.001	-1
11/13/2006	12:18:33	0.028	0.003	3
11/13/2006	12:33:33	0.026	0.001	1
11/13/2006	12:48:33	0.025	0	0
11/13/2006	13:03:33	0.026	0.001	1
11/13/2006	13:18:33	0.028	0.003	3
11/13/2006	13:33:33	0.028	0.003	3
11/13/2006	13:48:33	0.029	0.004	4
11/13/2006	14:03:33	0.029	0.004	4
11/13/2006	14:18:33	0.034	0.009	9
11/13/2006	14:33:33	0.034	0.009	9
11/13/2006	14:48:33	0.033	0.008	8
11/13/2006	15:03:33	0.03	0.005	5
11/13/2006	15:18:33	0.032	0.007	7
11/13/2006	15:33:33	0.033	0.008	8
11/13/2006	15:48:33	0.032	0.007	7
11/13/2006	16:03:33	0.034	0.009	9
11/13/2006	16:18:33	0.033	0.008	8
11/13/2006	16:33:33	0.035	0.01	10
11/13/2006	16:48:33	0.031	0.006	6
11/13/2006	17:03:33	0.036	0.011	11
11/13/2006	17:18:33	0.038	0.013	13
11/13/2006	17:33:33	0.034	0.009	9
11/13/2006	17:48:33	0.039	0.014	14
11/13/2006	18:03:33	0.041	0.016	16
11/13/2006	18:18:33	0.039	0.014	14

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/13/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/13/2006 7:04			0				0
2	11/13/2006 7:19			0				0
3	11/13/2006 7:34			0				0
4	11/13/2006 7:49			0				0
5	11/13/2006 8:04			0				0
6	11/13/2006 8:19			0				0
7	11/13/2006 8:34			0				0
8	11/13/2006 8:49			0				0
9	11/13/2006 9:04			0				0
10	11/13/2006 9:19			0				0
11	11/13/2006 9:34			0				0
12	11/13/2006 9:49			0				0
13	11/13/2006 10:04			0.1				0.1
14	11/13/2006 10:19			0				0
15	11/13/2006 10:34			0.1				0.1
16	11/13/2006 10:49			0.1				0.1
17	11/13/2006 11:04			0.1				0.1
18	11/13/2006 11:19			0.1				0.1
19	11/13/2006 11:34			0				0
20	11/13/2006 11:49			0.1				0.1
21	11/13/2006 12:04			0.1				0.1
22	11/13/2006 12:19			0.1				0.1
23	11/13/2006 12:34			0.1				0.1
24	11/13/2006 12:49			0.1				0.1
25	11/13/2006 13:04			0.1				0.1
26	11/13/2006 13:19			0.1				0.1
27	11/13/2006 13:34			0.1				0.1
28	11/13/2006 13:49			0.1				0.1
29	11/13/2006 14:04			0.1				0.1
30	11/13/2006 14:19			0.1				0.1
31	11/13/2006 14:34			0.1				0.1
32	11/13/2006 14:49			0.1				0.1
33	11/13/2006 15:04			0.1				0.1
34	11/13/2006 15:19			0.1				0.1
35	11/13/2006 15:34			0.1				0.1
36	11/13/2006 15:49			0.1				0.1
37	11/13/2006 16:04			0.2				0.2
38	11/13/2006 16:19			0.1				0.1
39	11/13/2006 16:34			0.2				0.2
40	11/13/2006 16:49			0.2				0.2
41	11/13/2006 17:04			0.2				0.2
42	11/13/2006 17:19			0.1				0.1
43	11/13/2006 17:34			0.1				0.1
44	11/13/2006 17:49			0.2				0.2
45	11/13/2006 18:04			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	9
Test Abbreviation:	
Start Date:	11/13/2006
Start Time:	6:51:07
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (06:50) = 0.002 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/13/2006	7:06:07	0.003	0.001	1
11/13/2006	7:21:07	0.003	0.001	1
11/13/2006	7:36:07	0.003	0.001	1
11/13/2006	7:51:07	0.003	0.001	1
11/13/2006	8:06:07	0.002	0	0
11/13/2006	8:21:07	0.002	0	0
11/13/2006	8:36:07	0.002	0	0
11/13/2006	8:51:07	0.003	0.001	1
11/13/2006	9:06:07	0.002	0	0
11/13/2006	9:21:07	0.003	0.001	1
11/13/2006	9:36:07	0.003	0.001	1
11/13/2006	9:51:07	0.002	0	0
11/13/2006	10:06:07	0.002	0	0
11/13/2006	10:21:07	0.002	0	0
11/13/2006	10:36:07	0.002	0	0
11/13/2006	10:51:07	0.002	0	0
11/13/2006	11:06:07	0.002	0	0
11/13/2006	11:21:07	0.003	0.001	1
11/13/2006	11:36:07	0.003	0.001	1
11/13/2006	11:51:07	0.003	0.001	1
11/13/2006	12:06:07	0.003	0.001	1
11/13/2006	12:21:07	0.003	0.001	1
11/13/2006	12:36:07	0.003	0.001	1
11/13/2006	12:51:07	0.003	0.001	1
11/13/2006	13:06:07	0.003	0.001	1
11/13/2006	13:21:07	0.003	0.001	1
11/13/2006	13:36:07	0.003	0.001	1
11/13/2006	13:51:07	0.004	0.002	2
11/13/2006	14:06:07	0.004	0.002	2
11/13/2006	14:21:07	0.004	0.002	2
11/13/2006	14:36:07	0.004	0.002	2
11/13/2006	14:51:07	0.005	0.003	3
11/13/2006	15:06:07	0.004	0.002	2
11/13/2006	15:34:27	0.004	0.002	2
11/13/2006	15:49:27	0.004	0.002	2
11/13/2006	16:04:27	0.006	0.004	4
11/13/2006	16:19:27	0.004	0.002	2
11/13/2006	16:34:27	0.003	0.001	1
11/13/2006	16:49:27	0.004	0.002	2
11/13/2006	17:04:27	0.004	0.002	2
11/13/2006	17:19:27	0.004	0.002	2
11/13/2006	17:34:27	0.004	0.002	2
11/13/2006	17:49:27	0.005	0.003	3
11/13/2006	18:04:27	0.004	0.002	2
11/13/2006	18:19:27	0.004	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/14/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/14/2006 7:06			0				0
2	11/14/2006 7:21			0				0
3	11/14/2006 7:36			0				0
4	11/14/2006 7:51			0				0
5	11/14/2006 8:06			0				0
6	11/14/2006 8:21			0				0
7	11/14/2006 8:36			0				0
8	11/14/2006 8:51			0				0
9	11/14/2006 9:06			0				0
10	11/14/2006 9:21			0				0
11	11/14/2006 9:36			0				0
12	11/14/2006 9:51			0				0
13	11/14/2006 10:06			0				0
14	11/14/2006 10:21			0				0
15	11/14/2006 10:36			0				0
16	11/14/2006 10:51			0				0
17	11/14/2006 11:06			0				0
18	11/14/2006 11:21			0				0
19	11/14/2006 11:36			0				0
20	11/14/2006 11:51			0				0
21	11/14/2006 12:06			0				0
22	11/14/2006 12:21			0				0
23	11/14/2006 12:36			0				0
24	11/14/2006 12:51			0				0
25	11/14/2006 13:06			0				0
26	11/14/2006 13:21			0				0
27	11/14/2006 13:36			0				0
28	11/14/2006 13:51			0				0
29	11/14/2006 14:06			0				0
30	11/14/2006 14:21			0				0
31	11/14/2006 14:36			0				0
32	11/14/2006 14:51			0				0
33	11/14/2006 15:06			0				0
34	11/14/2006 15:21			0				0
35	11/14/2006 15:36			0				0
36	11/14/2006 15:51			0				0
37	11/14/2006 16:06			0				0
38	11/14/2006 16:21			0				0
39	11/14/2006 16:36			0				0
40	11/14/2006 16:51			0				0
41	11/14/2006 17:06			0				0
42	11/14/2006 17:21			0				0
43	11/14/2006 17:36			0				0
44	11/14/2006 17:51			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	11/14/2006
Start Time:	6:54:48
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	

Background Reading (06:50) = 0.006 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/14/2006	7:09:48	0.008	0.002	2
11/14/2006	7:24:48	0.01	0.004	4
11/14/2006	7:39:48	0.013	0.007	7
11/14/2006	7:54:48	0.008	0.002	2
11/14/2006	8:09:48	0.014	0.008	8
11/14/2006	8:24:48	0.018	0.012	12
11/14/2006	8:39:48	0.009	0.003	3
11/14/2006	8:54:48	0.014	0.008	8
11/14/2006	9:09:48	0.013	0.007	7
11/14/2006	9:24:48	0.019	0.013	13
11/14/2006	9:39:48	0.012	0.006	6
11/14/2006	9:54:48	0.015	0.009	9
11/14/2006	10:09:48	0.017	0.011	11
11/14/2006	10:24:48	0.024	0.018	18
11/14/2006	10:39:48	0.025	0.019	19
11/14/2006	10:54:48	0.012	0.006	6
11/14/2006	11:09:48	0.013	0.007	7
11/14/2006	11:24:48	0.014	0.008	8
11/14/2006	11:39:48	0.019	0.013	13
11/14/2006	11:54:48	0.024	0.018	18
11/14/2006	12:09:48	0.021	0.015	15
11/14/2006	12:24:48	0.022	0.016	16
11/14/2006	12:39:48	0.018	0.012	12
11/14/2006	12:54:48	0.017	0.011	11
11/14/2006	13:09:48	0.015	0.009	9
11/14/2006	13:24:48	0.015	0.009	9
11/14/2006	13:39:48	0.016	0.01	10
11/14/2006	13:54:48	0.018	0.012	12
11/14/2006	14:09:48	0.017	0.011	11
11/14/2006	14:24:48	0.014	0.008	8
11/14/2006	14:39:48	0.012	0.006	6
11/14/2006	14:54:48	0.011	0.005	5
11/14/2006	15:09:48	0.008	0.002	2
11/14/2006	15:24:48	0.009	0.003	3
11/14/2006	15:39:48	0.011	0.005	5
11/14/2006	15:54:48	0.012	0.006	6
11/14/2006	16:09:48	0.013	0.007	7
11/14/2006	16:24:48	0.016	0.01	10
11/14/2006	16:39:48	0.017	0.011	11
11/14/2006	16:54:48	0.018	0.012	12
11/14/2006	17:09:48	0.017	0.011	11
11/14/2006	17:24:48	0.016	0.01	10
11/14/2006	17:39:48	0.015	0.009	9
11/14/2006	17:54:48	0.015	0.009	9
11/14/2006	18:09:48	0.013	0.007	7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/14/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/14/2006 7:10			0				0
2	11/14/2006 7:25			0				0
3	11/14/2006 7:40			0				0
4	11/14/2006 7:55			0				0
5	11/14/2006 8:10			0				0
6	11/14/2006 8:25			0				0
7	11/14/2006 8:40			0				0
8	11/14/2006 8:55			0				0
9	11/14/2006 9:10			0				0
10	11/14/2006 9:25			0				0
11	11/14/2006 9:40			0				0
12	11/14/2006 9:55			0				0
13	11/14/2006 10:10			0				0
14	11/14/2006 10:25			0				0
15	11/14/2006 10:40			0				0
16	11/14/2006 10:55			0				0
17	11/14/2006 11:10			0				0
18	11/14/2006 11:25			0				0
19	11/14/2006 11:40			0				0
20	11/14/2006 11:55			0				0
21	11/14/2006 12:10			0				0
22	11/14/2006 12:25			0				0
23	11/14/2006 12:40			0				0
24	11/14/2006 12:55			0				0
25	11/14/2006 13:10			0				0
26	11/14/2006 13:25			0				0
27	11/14/2006 13:40			0				0
28	11/14/2006 13:55			0				0
29	11/14/2006 14:10			0				0
30	11/14/2006 14:25			0				0
31	11/14/2006 14:40			0				0
32	11/14/2006 14:55			0				0
33	11/14/2006 15:10			0.1				0.1
34	11/14/2006 15:25			0.1				0.1
35	11/14/2006 15:40			0.1				0.1
36	11/14/2006 15:55			0.1				0.1
37	11/14/2006 16:10			0.1				0.1
38	11/14/2006 16:25			0.1				0.1
39	11/14/2006 16:40			0.1				0.1
40	11/14/2006 16:55			0.1				0.1
41	11/14/2006 17:10			0.1				0.1
42	11/14/2006 17:25			0.1				0.1
43	11/14/2006 17:40			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	11/14/2006
Start Time:	6:57:09
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (06:55) = 0.007 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/14/2006	7:12:09	0.007	0	0
11/14/2006	7:27:09	0.007	0	0
11/14/2006	7:42:09	0.007	0	0
11/14/2006	7:57:09	0.009	0.002	2
11/14/2006	8:12:09	0.009	0.002	2
11/14/2006	8:27:09	0.01	0.003	3
11/14/2006	8:42:09	0.008	0.001	1
11/14/2006	8:57:09	0.008	0.001	1
11/14/2006	9:12:09	0.01	0.003	3
11/14/2006	9:27:09	0.01	0.003	3
11/14/2006	9:42:09	0.01	0.003	3
11/14/2006	9:57:09	0.012	0.005	5
11/14/2006	10:12:09	0.011	0.004	4
11/14/2006	10:27:09	0.014	0.007	7
11/14/2006	10:42:09	0.013	0.006	6
11/14/2006	10:57:09	0.011	0.004	4
11/14/2006	11:12:09	0.017	0.01	10
11/14/2006	11:27:09	0.015	0.008	8
11/14/2006	11:42:09	0.019	0.012	12
11/14/2006	11:57:09	0.022	0.015	15
11/14/2006	12:17:59	0.02	0.013	13
11/14/2006	12:32:59	0.02	0.013	13
11/14/2006	12:47:59	0.018	0.011	11
11/14/2006	13:02:59	0.016	0.009	9
11/14/2006	13:17:59	0.017	0.01	10
11/14/2006	13:32:59	0.018	0.011	11
11/14/2006	13:47:59	0.019	0.012	12
11/14/2006	14:02:59	0.022	0.015	15
11/14/2006	14:17:59	0.018	0.011	11
11/14/2006	14:32:59	0.016	0.009	9
11/14/2006	14:47:59	0.014	0.007	7
11/14/2006	15:02:59	0.014	0.007	7
11/14/2006	15:17:59	0.017	0.01	10
11/14/2006	15:32:59	0.016	0.009	9
11/14/2006	15:47:59	0.023	0.016	16
11/14/2006	16:02:59	0.019	0.012	12
11/14/2006	16:17:59	0.021	0.014	14
11/14/2006	16:32:59	0.021	0.014	14
11/14/2006	16:47:59	0.02	0.013	13
11/14/2006	17:02:59	0.021	0.014	14
11/14/2006	17:17:59	0.021	0.014	14
11/14/2006	17:32:59	0.022	0.015	15
11/14/2006	17:47:59	0.021	0.014	14
11/14/2006	18:02:59	0.019	0.012	12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/14/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:19) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/14/2006 7:23			0				-0.2
2	11/14/2006 7:38			0.1				-0.1
3	11/14/2006 7:53			0.1				-0.1
4	11/14/2006 8:08			0.1				-0.1
5	11/14/2006 8:23			0.1				-0.1
6	11/14/2006 8:38			0.1				-0.1
7	11/14/2006 8:53			0.4				0.2
8	11/14/2006 9:08			0.2				0
9	11/14/2006 9:23			0.2				0
10	11/14/2006 9:38			0.2				0
11	11/14/2006 9:53			0.2				0
12	11/14/2006 10:08			0.2				0
13	11/14/2006 10:23			0.2				0
14	11/14/2006 10:38			0.2				0
15	11/14/2006 10:53			0.2				0
16	11/14/2006 11:08			0.2				0
17	11/14/2006 11:23			0.2				0
18	11/14/2006 11:38			0.2				0
19	11/14/2006 11:53			0.3				0.1
20	11/14/2006 12:08			0.2				0
21	11/14/2006 12:23			0.2				0
22	11/14/2006 12:38			0.2				0
23	11/14/2006 12:53			0.2				0
24	11/14/2006 13:08			0.2				0
25	11/14/2006 13:23			0.2				0
26	11/14/2006 13:38			0.3				0.1
27	11/14/2006 13:53			0.3				0.1
28	11/14/2006 14:08			0.3				0.1
29	11/14/2006 14:23			0.3				0.1
30	11/14/2006 14:38			0.3				0.1
31	11/14/2006 14:53			0.3				0.1
32	11/14/2006 15:08			0.2				0
33	11/14/2006 15:23			0.3				0.1
34	11/14/2006 15:38			0.3				0.1
35	11/14/2006 15:53			0.4				0.2
36	11/14/2006 16:08			0.5				0.3
37	11/14/2006 16:23			0.4				0.2
38	11/14/2006 16:38			0.4				0.2
39	11/14/2006 16:53			0.3				0.1
40	11/14/2006 17:08			0.3				0.1
41	11/14/2006 17:23			0.3				0.1
42	11/14/2006 17:38			0.3				0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	11/14/2006
Start Time:	7:22:42
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (07:19) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/17/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/14/2006	7:37:42	0.011	0	0
11/14/2006	7:52:42	0.015	0.004	4
11/14/2006	8:07:42	0.016	0.005	5
11/14/2006	8:22:42	0.021	0.01	10
11/14/2006	8:37:42	0.016	0.005	5
11/14/2006	8:52:42	0.018	0.007	7
11/14/2006	9:07:42	0.014	0.003	3
11/14/2006	9:22:42	0.016	0.005	5
11/14/2006	9:37:42	0.015	0.004	4
11/14/2006	9:52:42	0.019	0.008	8
11/14/2006	10:07:42	0.02	0.009	9
11/14/2006	10:22:42	0.02	0.009	9
11/14/2006	10:37:42	0.023	0.012	12
11/14/2006	10:52:42	0.021	0.01	10
11/14/2006	11:07:42	0.018	0.007	7
11/14/2006	11:22:42	0.025	0.014	14
11/14/2006	11:37:42	0.041	0.03	30
11/14/2006	11:52:42	0.046	0.035	35
11/14/2006	12:07:42	0.033	0.022	22
11/14/2006	12:22:42	0.037	0.026	26
11/14/2006	12:37:42	0.034	0.023	23
11/14/2006	12:52:42	0.034	0.023	23
11/14/2006	13:07:42	0.032	0.021	21
11/14/2006	13:22:42	0.04	0.029	29
11/14/2006	13:37:42	0.039	0.028	28
11/14/2006	13:52:42	0.039	0.028	28
11/14/2006	14:07:42	0.043	0.032	32
11/14/2006	14:22:42	0.034	0.023	23
11/14/2006	14:37:42	0.026	0.015	15
11/14/2006	14:52:42	0.035	0.024	24
11/14/2006	15:07:42	0.024	0.013	13
11/14/2006	15:22:42	0.045	0.034	34
11/14/2006	15:37:42	0.105	0.094	94
11/14/2006	15:52:42	0.09	0.079	79
11/14/2006	16:07:42	0.068	0.057	57
11/14/2006	16:22:42	0.104	0.093	93
11/14/2006	16:37:42	0.036	0.025	25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/14/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/14/2006 7:35			0				0
2	11/14/2006 7:50			0				0
3	11/14/2006 8:05			0				0
4	11/14/2006 8:20			0				0
5	11/14/2006 8:35			0				0
6	11/14/2006 8:50			0				0
7	11/14/2006 9:05			0				0
8	11/14/2006 9:20			0				0
9	11/14/2006 9:35			0				0
10	11/14/2006 9:50			0				0
11	11/14/2006 10:05			0				0
12	11/14/2006 10:20			0				0
13	11/14/2006 10:35			0				0
14	11/14/2006 10:50			0				0
15	11/14/2006 11:05			0				0
16	11/14/2006 11:20			0				0
17	11/14/2006 11:35			0				0
18	11/14/2006 11:50			0				0
19	11/14/2006 12:05			0				0
20	11/14/2006 12:20			0				0
21	11/14/2006 12:35			0				0
22	11/14/2006 12:50			0				0
23	11/14/2006 13:05			0				0
24	11/14/2006 13:20			0				0
25	11/14/2006 13:35			0				0
26	11/14/2006 13:50			0				0
27	11/14/2006 14:05			0				0
28	11/14/2006 14:20			0				0
29	11/14/2006 14:35			0				0
30	11/14/2006 14:50			0				0
31	11/14/2006 15:05			0				0
32	11/14/2006 15:20			0				0
33	11/14/2006 15:35			0				0
34	11/14/2006 15:50			0				0
35	11/14/2006 16:05			0				0
36	11/14/2006 16:20			0				0
37	11/14/2006 16:35			0				0
38	11/14/2006 16:50			0				0
39	11/14/2006 17:05			0				0
40	11/14/2006 17:20			0				0
41	11/14/2006 17:35			0				0
42	11/14/2006 17:50			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	1
Test Abbreviation:	
Start Date:	11/14/2006
Start Time:	7:13:38
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:10) = 0.001 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/14/2006	7:28:38	0.002	0.001	1	
11/14/2006	7:43:38	0.002	0.001	1	
11/14/2006	7:58:38	0.004	0.003	3	
11/14/2006	8:13:38	0.002	0.001	1	
11/14/2006	8:28:38	0.001	0	0	
11/14/2006	8:43:38	0.003	0.002	2	
11/14/2006	8:58:38	0.014	0.013	13	
11/14/2006	9:13:38	0.033	0.032	32	
11/14/2006	9:28:38	0.055	0.054	54	
11/14/2006	9:43:38	0.002	0.001	1	
11/14/2006	9:58:38	0.018	0.017	17	
11/14/2006	10:13:38	0.004	0.003	3	
11/14/2006	10:28:38	0.012	0.011	11	
11/14/2006	10:43:38	0.009	0.008	8	
11/14/2006	10:58:38	0.011	0.01	10	
11/14/2006	11:13:38	0.012	0.011	11	
11/14/2006	11:28:38	0.033	0.032	32	
11/14/2006	11:43:38	0.005	0.004	4	
11/14/2006	11:58:38	0.007	0.006	6	
11/14/2006	12:13:38	0.006	0.005	5	
11/14/2006	12:28:38	0.004	0.003	3	
11/14/2006	12:43:38	0.005	0.004	4	
11/14/2006	12:58:38	0.005	0.004	4	
11/14/2006	13:13:38	0.006	0.005	5	
11/14/2006	13:28:38	0.012	0.011	11	
11/14/2006	13:43:38	0.012	0.011	11	
11/14/2006	13:58:38	0.011	0.01	10	
11/14/2006	14:13:38	0.006	0.005	5	
11/14/2006	14:28:38	0.03	0.029	29	
11/14/2006	14:43:38	0.025	0.024	24	
11/14/2006	14:58:38	0.012	0.011	11	
11/14/2006	15:13:38	0.058	0.057	57	
11/14/2006	15:50:28	0.249	0.248	248	water vapor, not dust, from tie back redrilling operation
11/14/2006	16:05:28	0.189	0.188	188	water vapor, not dust, from tie back redrilling operation
11/14/2006	16:20:28	0.267	0.266	266	water vapor, not dust, from tie back redrilling operation
11/14/2006	16:35:28	0.004	0.003	3	
11/14/2006	16:50:28	0.004	0.003	3	
11/14/2006	17:05:28	0.004	0.003	3	
11/14/2006	17:20:28	0.004	0.003	3	
11/14/2006	17:35:28	0.004	0.003	3	
11/14/2006	17:50:28	0.004	0.003	3	
11/14/2006	18:05:28	0.003	0.002	2	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/15/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/15/2006 7:01			0				0
2	11/15/2006 7:16			0				0
3	11/15/2006 7:31			0				0
4	11/15/2006 7:46			0				0
5	11/15/2006 8:01			0				0
6	11/15/2006 8:16			0				0
7	11/15/2006 8:31			0				0
8	11/15/2006 8:46			0				0
9	11/15/2006 9:01			0				0
10	11/15/2006 9:16			0				0
11	11/15/2006 9:31			0				0
12	11/15/2006 9:46			0				0
13	11/15/2006 10:01			0				0
14	11/15/2006 10:16			0				0
15	11/15/2006 10:31			0				0
16	11/15/2006 10:46			0				0
17	11/15/2006 11:01			0				0
18	11/15/2006 11:16			0				0
19	11/15/2006 11:31			0				0
20	11/15/2006 11:46			0				0
21	11/15/2006 12:01			0				0
22	11/15/2006 12:16			0				0
23	11/15/2006 12:31			0				0
24	11/15/2006 12:46			0				0
25	11/15/2006 13:01			0				0
26	11/15/2006 13:16			0				0
27	11/15/2006 13:31			0.1				0.1
28	11/15/2006 13:46			0.1				0.1
29	11/15/2006 14:01			0.1				0.1
30	11/15/2006 14:16			0.1				0.1
31	11/15/2006 14:31			0.1				0.1
32	11/15/2006 14:46			0				0
33	11/15/2006 15:01			0.1				0.1
34	11/15/2006 15:16			0.1				0.1
35	11/15/2006 15:31			0.1				0.1
36	11/15/2006 15:46			0.1				0.1
37	11/15/2006 16:01			0.1				0.1
38	11/15/2006 16:16			0.1				0.1
39	11/15/2006 16:31			0.1				0.1
40	11/15/2006 16:46			0.1				0.1
41	11/15/2006 17:01			0				0
42	11/15/2006 17:16			0				0
43	11/15/2006 17:31			0				0
44	11/15/2006 17:46			0				0
45	11/15/2006 18:01			0				0
46	11/15/2006 18:16			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	11/15/2006
Start Time:	6:49:29
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (06:45) = 0.035 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/15/2006	7:04:29	0.038	0.003	3
11/15/2006	7:19:29	0.039	0.004	4
11/15/2006	7:34:29	0.045	0.01	10
11/15/2006	7:49:29	0.041	0.006	6
11/15/2006	8:04:29	0.04	0.005	5
11/15/2006	8:19:29	0.046	0.011	11
11/15/2006	8:34:29	0.045	0.01	10
11/15/2006	8:49:29	0.042	0.007	7
11/15/2006	9:04:29	0.043	0.008	8
11/15/2006	9:19:29	0.043	0.008	8
11/15/2006	9:34:29	0.042	0.007	7
11/15/2006	9:49:29	0.042	0.007	7
11/15/2006	10:04:29	0.043	0.008	8
11/15/2006	10:19:29	0.04	0.005	5
11/15/2006	10:34:29	0.046	0.011	11
11/15/2006	10:49:29	0.046	0.011	11
11/15/2006	11:04:29	0.043	0.008	8
11/15/2006	11:19:29	0.04	0.005	5
11/15/2006	11:34:29	0.04	0.005	5
11/15/2006	11:49:29	0.036	0.001	1
11/15/2006	12:04:29	0.035	0	0
11/15/2006	12:19:29	0.04	0.005	5
11/15/2006	12:34:29	0.039	0.004	4
11/15/2006	12:49:29	0.037	0.002	2
11/15/2006	13:04:29	0.038	0.003	3
11/15/2006	13:19:29	0.039	0.004	4
11/15/2006	13:34:29	0.037	0.002	2
11/15/2006	13:49:29	0.039	0.004	4
11/15/2006	14:04:29	0.041	0.006	6
11/15/2006	14:19:29	0.04	0.005	5
11/15/2006	14:34:29	0.04	0.005	5
11/15/2006	14:49:29	0.037	0.002	2
11/15/2006	15:04:29	0.038	0.003	3
11/15/2006	15:19:29	0.036	0.001	1
11/15/2006	15:34:29	0.036	0.001	1
11/15/2006	15:49:29	0.035	0	0
11/15/2006	16:04:29	0.039	0.004	4
11/15/2006	16:19:29	0.044	0.009	9
11/15/2006	16:34:29	0.042	0.007	7
11/15/2006	16:49:29	0.038	0.003	3
11/15/2006	17:04:29	0.041	0.006	6
11/15/2006	17:19:29	0.044	0.009	9
11/15/2006	17:34:29	0.048	0.013	13
11/15/2006	17:49:29	0.049	0.014	14
11/15/2006	18:04:29	0.054	0.019	19
11/15/2006	18:19:29	0.049	0.014	14
11/15/2006	18:34:29	0.05	0.015	15

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/15/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/15/2006 7:02			0				0
2	11/15/2006 7:17			0				0
3	11/15/2006 7:32			0				0
4	11/15/2006 7:47			0				0
5	11/15/2006 8:02			0				0
6	11/15/2006 8:17			0				0
7	11/15/2006 8:32			0				0
8	11/15/2006 8:47			0				0
9	11/15/2006 9:02			0				0
10	11/15/2006 9:17			0				0
11	11/15/2006 9:32			0				0
12	11/15/2006 9:47			0				0
13	11/15/2006 10:02			0				0
14	11/15/2006 10:17			0				0
15	11/15/2006 10:32			0				0
16	11/15/2006 10:47			0				0
17	11/15/2006 11:02			0				0
18	11/15/2006 11:17			0				0
19	11/15/2006 11:32			0				0
20	11/15/2006 11:47			0				0
21	11/15/2006 12:02			0				0
22	11/15/2006 12:17			0				0
23	11/15/2006 12:32			0				0
24	11/15/2006 12:47			0				0
25	11/15/2006 13:02			0				0
26	11/15/2006 13:17			0				0
27	11/15/2006 13:32			0				0
28	11/15/2006 13:47			0				0
29	11/15/2006 14:02			0				0
30	11/15/2006 14:17			0				0
31	11/15/2006 14:32			0				0
32	11/15/2006 14:47			0				0
33	11/15/2006 15:02			0				0
34	11/15/2006 15:17			0				0
35	11/15/2006 15:32			0				0
36	11/15/2006 15:47			0				0
37	11/15/2006 16:02			0				0
38	11/15/2006 16:17			0				0
39	11/15/2006 16:32			0				0
40	11/15/2006 16:47			0				0
41	11/15/2006 17:02			0				0
42	11/15/2006 17:17			0				0
43	11/15/2006 17:32			0				0
44	11/15/2006 17:47			0				0
45	11/15/2006 18:02			0				0
46	11/15/2006 18:17			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	11/15/2006
Start Time:	6:51:26
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (06:48) = 0.031 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/15/2006	7:06:26	0.033	0.002	2
11/15/2006	7:21:26	0.034	0.003	3
11/15/2006	7:36:26	0.032	0.001	1
11/15/2006	7:51:26	0.032	0.001	1
11/15/2006	8:06:26	0.042	0.011	11
11/15/2006	8:21:26	0.042	0.011	11
11/15/2006	8:36:26	0.036	0.005	5
11/15/2006	8:51:26	0.033	0.002	2
11/15/2006	9:06:26	0.032	0.001	1
11/15/2006	9:21:26	0.032	0.001	1
11/15/2006	9:36:26	0.03	-0.001	-1
11/15/2006	9:51:26	0.031	0	0
11/15/2006	10:06:26	0.029	-0.002	-2
11/15/2006	10:21:26	0.029	-0.002	-2
11/15/2006	10:36:26	0.039	0.008	8
11/15/2006	10:51:26	0.037	0.006	6
11/15/2006	11:06:26	0.034	0.003	3
11/15/2006	11:21:26	0.031	0	0
11/15/2006	11:36:26	0.029	-0.002	-2
11/15/2006	11:51:26	0.027	-0.004	-4
11/15/2006	12:06:26	0.026	-0.005	-5
11/15/2006	12:21:26	0.027	-0.004	-4
11/15/2006	12:36:26	0.028	-0.003	-3
11/15/2006	12:51:26	0.027	-0.004	-4
11/15/2006	13:06:26	0.028	-0.003	-3
11/15/2006	13:21:26	0.029	-0.002	-2
11/15/2006	13:36:26	0.028	-0.003	-3
11/15/2006	13:51:26	0.03	-0.001	-1
11/15/2006	14:06:26	0.031	0	0
11/15/2006	14:21:26	0.031	0	0
11/15/2006	14:36:26	0.029	-0.002	-2
11/15/2006	14:51:26	0.027	-0.004	-4
11/15/2006	15:06:26	0.027	-0.004	-4
11/15/2006	15:21:26	0.026	-0.005	-5
11/15/2006	15:36:26	0.025	-0.006	-6
11/15/2006	15:51:26	0.025	-0.006	-6
11/15/2006	16:06:26	0.026	-0.005	-5
11/15/2006	16:21:26	0.028	-0.003	-3
11/15/2006	16:36:26	0.026	-0.005	-5
11/15/2006	16:51:26	0.027	-0.004	-4
11/15/2006	17:10:13	0.028	-0.003	-3
11/15/2006	17:25:13	0.031	0	0
11/15/2006	17:40:13	0.031	0	0
11/15/2006	17:55:13	0.033	0.002	2
11/15/2006	18:10:13	0.032	0.001	1
11/15/2006	18:25:13	0.034	0.003	3
11/15/2006	18:40:13	0.037	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/15/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/15/2006 7:34			0				0
2	11/15/2006 7:49			0				0
3	11/15/2006 8:04			0.1				0.1
4	11/15/2006 8:19			0.1				0.1
5	11/15/2006 8:34			0.1				0.1
6	11/15/2006 8:49			0.1				0.1
7	11/15/2006 9:04			0.1				0.1
8	11/15/2006 9:19			0.1				0.1
9	11/15/2006 9:34			0.1				0.1
10	11/15/2006 9:49			0.1				0.1
11	11/15/2006 10:04			0.2				0.2
12	11/15/2006 10:19			0.2				0.2
13	11/15/2006 10:34			0.2				0.2
14	11/15/2006 10:49			0.2				0.2
15	11/15/2006 11:04			0.2				0.2
16	11/15/2006 11:19			0.2				0.2
17	11/15/2006 11:34			0.3				0.3
18	11/15/2006 11:49			0.3				0.3
19	11/15/2006 12:04			0.2				0.2
20	11/15/2006 12:19			0.3				0.3
21	11/15/2006 12:34			0.3				0.3
22	11/15/2006 12:49			0.3				0.3
23	11/15/2006 13:04			0.3				0.3
24	11/15/2006 13:19			0.3				0.3
25	11/15/2006 13:34			0.3				0.3
26	11/15/2006 13:49			0.3				0.3
27	11/15/2006 14:04			0.4				0.4
28	11/15/2006 14:19			0.4				0.4
29	11/15/2006 14:34			0.3				0.3
30	11/15/2006 14:49			0.4				0.4
31	11/15/2006 15:04			0.4				0.4
32	11/15/2006 15:19			0.4				0.4
33	11/15/2006 15:34			0.4				0.4
34	11/15/2006 15:49			0.4				0.4
35	11/15/2006 16:04			0.4				0.4
36	11/15/2006 16:19			0.4				0.4
37	11/15/2006 16:34			0.4				0.4
38	11/15/2006 16:49			0.4				0.4
39	11/15/2006 17:04			0.4				0.4
40	11/15/2006 17:19			0.4				0.4
41	11/15/2006 17:34			0.4				0.4
42	11/15/2006 17:49			0.4				0.4
43	11/15/2006 18:04			0.4				0.4
44	11/15/2006 18:19			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	1
Test Abbreviation:	
Start Date:	11/15/2006
Start Time:	9:17:42
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (09:27) = 0.085 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/15/2006	9:32:42	0.077	-0.008	-8
11/15/2006	9:47:42	0.073	-0.012	-12
11/15/2006	10:02:42	0.072	-0.013	-13
11/15/2006	10:17:42	0.074	-0.011	-11
11/15/2006	10:32:42	0.087	0.002	2
11/15/2006	10:47:42	0.105	0.02	20
11/15/2006	11:02:42	0.081	-0.004	-4
11/15/2006	11:17:42	0.079	-0.006	-6
11/15/2006	11:32:42	0.075	-0.01	-10
11/15/2006	11:47:42	0.084	-0.001	-1
11/15/2006	12:02:42	0.099	0.014	14
11/15/2006	12:17:42	0.088	0.003	3
11/15/2006	12:32:42	0.084	-0.001	-1
11/15/2006	12:47:42	0.071	-0.014	-14
11/15/2006	13:02:42	0.077	-0.008	-8
11/15/2006	13:17:42	0.08	-0.005	-5
11/15/2006	13:32:42	0.09	0.005	5
11/15/2006	13:47:42	0.078	-0.007	-7
11/15/2006	14:02:42	0.071	-0.014	-14
11/15/2006	14:17:42	0.096	0.011	11
11/15/2006	14:32:42	0.106	0.021	21
11/15/2006	14:47:42	0.166	0.081	81
11/15/2006	15:02:42	0.075	-0.01	-10
11/15/2006	15:17:42	0.075	-0.01	-10
11/15/2006	15:32:42	0.074	-0.011	-11
11/15/2006	15:47:42	0.072	-0.013	-13
11/15/2006	16:02:42	0.105	0.02	20
11/15/2006	16:17:42	0.083	-0.002	-2
11/15/2006	16:32:42	0.092	0.007	7
11/15/2006	16:47:42	0.088	0.003	3
11/15/2006	17:02:42	0.074	-0.011	-11
11/15/2006	17:17:42	0.079	-0.006	-6
11/15/2006	17:32:42	0.074	-0.011	-11
11/15/2006	17:47:42	0.08	-0.005	-5
11/15/2006	18:02:42	0.076	-0.009	-9
11/15/2006	18:17:42	0.081	-0.004	-4
11/15/2006	18:32:42	0.086	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/15/2006 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:13) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/15/2006 7:19			0				0
2	11/15/2006 7:34			0				0
3	11/15/2006 7:49			0				0
4	11/15/2006 8:04			0				0
5	11/15/2006 8:19			0				0
6	11/15/2006 8:34			0				0
7	11/15/2006 8:49			0				0
8	11/15/2006 9:04			0				0
9	11/15/2006 9:19			0				0
10	11/15/2006 9:34			0				0
11	11/15/2006 9:49			0				0
12	11/15/2006 10:04			0.1				0.1
13	11/15/2006 10:19			0.1				0.1
14	11/15/2006 10:34			0.1				0.1
15	11/15/2006 10:49			0.1				0.1
16	11/15/2006 11:04			0.1				0.1
17	11/15/2006 11:19			0.1				0.1
18	11/15/2006 11:34			0.1				0.1
19	11/15/2006 11:49			0.1				0.1
20	11/15/2006 12:04			0.1				0.1
21	11/15/2006 12:19			0.1				0.1
22	11/15/2006 12:34			0.1				0.1
23	11/15/2006 12:49			0.2				0.2
24	11/15/2006 13:04			0.1				0.1
25	11/15/2006 13:19			0.1				0.1
26	11/15/2006 13:34			0.2				0.2
27	11/15/2006 13:49			0.2				0.2
28	11/15/2006 14:04			0.2				0.2
29	11/15/2006 14:19			0.2				0.2
30	11/15/2006 14:34			0.1				0.1
31	11/15/2006 14:49			0.2				0.2
32	11/15/2006 15:04			0.2				0.2
33	11/15/2006 15:19			0.2				0.2
34	11/15/2006 15:34			0.2				0.2
35	11/15/2006 15:49			0.2				0.2
36	11/15/2006 16:04			0.2				0.2
37	11/15/2006 16:19			0.1				0.1
38	11/15/2006 16:34			0.1				0.1
39	11/15/2006 16:49			0.1				0.1
40	11/15/2006 17:04			0.1				0.1
41	11/15/2006 17:19			0.1				0.1
42	11/15/2006 17:34			0.1				0.1
43	11/15/2006 17:49			0.1				0.1
44	11/15/2006 18:04			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	3
Test Abbreviation:	
Start Date:	11/15/2006
Start Time:	7:17:09
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (07:13) = 0.011 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/15/2006	7:32:09	0.211	0.2	200	water vapor, not dust, from tie back redrilling operation
11/15/2006	7:47:09	0.024	0.013	13	
11/15/2006	8:02:09	0.021	0.01	10	
11/15/2006	8:17:09	0.015	0.004	4	
11/15/2006	8:32:09	0.028	0.017	17	
11/15/2006	8:47:09	0.092	0.081	81	
11/15/2006	9:02:09	0.023	0.012	12	
11/15/2006	9:17:09	0.02	0.009	9	
11/15/2006	9:32:09	0.01	-0.001	-1	
11/15/2006	9:47:09	0.008	-0.003	-3	
11/15/2006	10:02:09	0.01	-0.001	-1	
11/15/2006	10:17:09	0.01	-0.001	-1	
11/15/2006	10:32:09	0.011	0	0	
11/15/2006	10:47:09	0.011	0	0	
11/15/2006	11:02:09	0.011	0	0	
11/15/2006	11:17:09	0.012	0.001	1	
11/15/2006	11:32:09	0.011	0	0	
11/15/2006	11:47:09	0.013	0.002	2	
11/15/2006	12:02:09	0.009	-0.002	-2	
11/15/2006	12:17:09	0.009	-0.002	-2	
11/15/2006	12:32:09	0.007	-0.004	-4	
11/15/2006	12:47:09	0.008	-0.003	-3	
11/15/2006	13:02:09	0.01	-0.001	-1	
11/15/2006	13:17:09	0.009	-0.002	-2	
11/15/2006	13:32:09	0.009	-0.002	-2	
11/15/2006	13:47:09	0.009	-0.002	-2	
11/15/2006	14:02:09	0.011	0	0	
11/15/2006	14:17:09	0.012	0.001	1	
11/15/2006	14:32:09	0.013	0.002	2	
11/15/2006	14:47:09	0.011	0	0	
11/15/2006	15:02:09	0.009	-0.002	-2	
11/15/2006	15:17:09	0.008	-0.003	-3	
11/15/2006	15:32:09	0.008	-0.003	-3	
11/15/2006	15:47:09	0.007	-0.004	-4	
11/15/2006	16:02	0.007	-0.004	-4	
11/15/2006	16:17:09	0.008	-0.003	-3	
11/15/2006	16:32:09	0.007	-0.004	-4	
11/15/2006	16:56:46	0.007	-0.004	-4	
11/15/2006	17:11:46	0.007	-0.004	-4	
11/15/2006	17:26:46	0.007	-0.004	-4	
11/15/2006	17:41:46	0.009	-0.002	-2	
11/15/2006	17:56:46	0.009	-0.002	-2	
11/15/2006	18:11:46	0.009	-0.002	-2	
11/15/2006	18:26:46	0.013	0.002	2	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/16/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/16/2006 7:21			0				0
2	11/16/2006 7:36			0				0
3	11/16/2006 7:51			0				0
4	11/16/2006 8:06			0				0
5	11/16/2006 8:21			0				0
6	11/16/2006 8:36			0				0
7	11/16/2006 8:51			0				0
8	11/16/2006 9:06			0				0
9	11/16/2006 9:21			0				0
10	11/16/2006 9:36			0				0
11	11/16/2006 9:51			0				0
12	11/16/2006 10:06			0				0
13	11/16/2006 10:21			0				0
14	11/16/2006 10:36			0				0
15	11/16/2006 10:51			0				0
16	11/16/2006 11:06			0				0
17	11/16/2006 11:21			0				0
18	11/16/2006 11:36			0				0
19	11/16/2006 11:51			0				0
20	11/16/2006 12:06			0				0
21	11/16/2006 12:21			0				0
22	11/16/2006 12:36			0				0
23	11/16/2006 12:51			0				0
24	11/16/2006 13:06			0				0
25	11/16/2006 13:21			0				0
26	11/16/2006 13:36			0				0
27	11/16/2006 13:51			0				0
28	11/16/2006 14:06			0				0
29	11/16/2006 14:21			0				0
30	11/16/2006 14:36			0				0
31	11/16/2006 14:51			0				0
32	11/16/2006 15:06			0				0
33	11/16/2006 15:21			0				0
34	11/16/2006 15:36			0				0
35	11/16/2006 15:51			0				0
36	11/16/2006 16:06			0				0
37	11/16/2006 16:21			0				0
38	11/16/2006 16:36			0				0
39	11/16/2006 16:51			0				0
40	11/16/2006 17:06			0				0
41	11/16/2006 17:21			0				0
42	11/16/2006 17:36			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	11/16/2006
Start Time:	7:09:35
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	

Background Reading (07:05) = 0.020 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/16/2006	7:24:35	0.024	0.004	4
11/16/2006	7:39:35	0.024	0.004	4
11/16/2006	7:54:35	0.022	0.002	2
11/16/2006	8:09:35	0.02	0	0
11/16/2006	8:24:35	0.021	0.001	1
11/16/2006	8:39:35	0.019	-0.001	-1
11/16/2006	8:54:35	0.019	-0.001	-1
11/16/2006	9:09:35	0.018	-0.002	-2
11/16/2006	9:24:35	0.017	-0.003	-3
11/16/2006	9:39:35	0.018	-0.002	-2
11/16/2006	9:54:35	0.019	-0.001	-1
11/16/2006	10:09:35	0.018	-0.002	-2
11/16/2006	10:24:35	0.017	-0.003	-3
11/16/2006	10:39:35	0.017	-0.003	-3
11/16/2006	10:54:35	0.016	-0.004	-4
11/16/2006	11:09:35	0.015	-0.005	-5
11/16/2006	11:24:35	0.015	-0.005	-5
11/16/2006	11:39:35	0.015	-0.005	-5
11/16/2006	11:54:35	0.014	-0.006	-6
11/16/2006	12:09:35	0.015	-0.005	-5
11/16/2006	12:24:35	0.015	-0.005	-5
11/16/2006	12:39:35	0.015	-0.005	-5
11/16/2006	12:54:35	0.014	-0.006	-6
11/16/2006	13:09:35	0.016	-0.004	-4
11/16/2006	13:24:35	0.015	-0.005	-5
11/16/2006	13:39:35	0.015	-0.005	-5
11/16/2006	13:54:35	0.016	-0.004	-4
11/16/2006	14:09:35	0.014	-0.006	-6
11/16/2006	14:24:35	0.015	-0.005	-5
11/16/2006	14:39:35	0.015	-0.005	-5
11/16/2006	14:54:35	0.014	-0.006	-6
11/16/2006	15:09:35	0.015	-0.005	-5
11/16/2006	15:24:35	0.014	-0.006	-6
11/16/2006	15:39:35	0.014	-0.006	-6
11/16/2006	15:54:35	0.015	-0.005	-5
11/16/2006	16:09:35	0.014	-0.006	-6
11/16/2006	16:24:35	0.014	-0.006	-6
11/16/2006	16:39:35	0.015	-0.005	-5
11/16/2006	16:54:35	0.015	-0.005	-5
11/16/2006	17:09:35	0.016	-0.004	-4
11/16/2006	17:24:35	0.016	-0.004	-4
11/16/2006	17:39:35	0.016	-0.004	-4
11/16/2006	17:54:35	0.017	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/16/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:57) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/16/2006 7:07			0				0
2	11/16/2006 7:22			0				0
3	11/16/2006 7:37			0				0
4	11/16/2006 7:52			0				0
5	11/16/2006 8:07			0				0
6	11/16/2006 8:22			0				0
7	11/16/2006 8:37			0				0
8	11/16/2006 8:52			0				0
9	11/16/2006 9:07			0				0
10	11/16/2006 9:22			0				0
11	11/16/2006 9:37			0				0
12	11/16/2006 9:52			0				0
13	11/16/2006 10:07			0				0
14	11/16/2006 10:22			0				0
15	11/16/2006 10:37			0				0
16	11/16/2006 10:52			0				0
17	11/16/2006 11:07			0				0
18	11/16/2006 11:22			0				0
19	11/16/2006 11:37			0				0
20	11/16/2006 11:52			0				0
21	11/16/2006 12:07			0				0
22	11/16/2006 12:22			0				0
23	11/16/2006 12:37			0				0
24	11/16/2006 12:52			0				0
25	11/16/2006 13:07			0				0
26	11/16/2006 13:22			0				0
27	11/16/2006 13:37			0				0
28	11/16/2006 13:52			0				0
29	11/16/2006 14:07			0				0
30	11/16/2006 14:22			0				0
31	11/16/2006 14:37			0				0
32	11/16/2006 14:52			0				0
33	11/16/2006 15:07			0				0
34	11/16/2006 15:22			0				0
35	11/16/2006 15:37			0				0
36	11/16/2006 15:52			0				0
37	11/16/2006 16:07			0				0
38	11/16/2006 16:22			0				0
39	11/16/2006 16:37			0				0
40	11/16/2006 16:52			0				0
41	11/16/2006 17:07			0				0
42	11/16/2006 17:22			0				0
43	11/16/2006 17:37			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	11/16/2006
Start Time:	6:59:57
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (06:57) = 0.015 mg/m3

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/16/2006	7:14:57	0.016	0.001	1
11/16/2006	7:29:57	0.013	-0.002	-2
11/16/2006	7:44:57	0.013	-0.002	-2
11/16/2006	7:59:57	0.011	-0.004	-4
11/16/2006	8:14:57	0.014	-0.001	-1
11/16/2006	8:29:57	0.012	-0.003	-3
11/16/2006	8:44:57	0.01	-0.005	-5
11/16/2006	8:59:57	0.01	-0.005	-5
11/16/2006	9:14:57	0.009	-0.006	-6
11/16/2006	9:29:57	0.011	-0.004	-4
11/16/2006	9:44:57	0.012	-0.003	-3
11/16/2006	9:59:57	0.011	-0.004	-4
11/16/2006	10:14:57	0.011	-0.004	-4
11/16/2006	10:29:57	0.011	-0.004	-4
11/16/2006	10:44:57	0.012	-0.003	-3
11/16/2006	10:59:57	0.012	-0.003	-3
11/16/2006	11:14:57	0.013	-0.002	-2
11/16/2006	11:29:57	0.012	-0.003	-3
11/16/2006	11:44:57	0.012	-0.003	-3
11/16/2006	11:59:57	0.013	-0.002	-2
11/16/2006	12:14:57	0.013	-0.002	-2
11/16/2006	12:29:57	0.014	-0.001	-1
11/16/2006	12:44:57	0.014	-0.001	-1
11/16/2006	12:59:57	0.014	-0.001	-1
11/16/2006	13:14:57	0.014	-0.001	-1
11/16/2006	13:29:57	0.015	0	0
11/16/2006	13:44:57	0.015	0	0
11/16/2006	13:59:57	0.015	0	0
11/16/2006	14:14:57	0.017	0.002	2
11/16/2006	14:29:57	0.017	0.002	2
11/16/2006	14:44:57	0.015	0	0
11/16/2006	14:59:57	0.015	0	0
11/16/2006	15:14:57	0.015	0	0
11/16/2006	15:29:57	0.016	0.001	1
11/16/2006	15:44:57	0.014	-0.001	-1
11/16/2006	15:59:57	0.014	-0.001	-1
11/16/2006	16:14:57	0.013	-0.002	-2
11/16/2006	16:29:57	0.013	-0.002	-2
11/16/2006	16:44:57	0.013	-0.002	-2
11/16/2006	16:59:57	0.016	0.001	1
11/16/2006	17:14:57	0.014	-0.001	-1
11/16/2006	17:29:57	0.014	-0.001	-1
11/16/2006	17:44:57	0.014	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/16/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/16/2006 7:33			0				0
2	11/16/2006 7:48			0				0
3	11/16/2006 8:03			0				0
4	11/16/2006 8:18			0.1				0.1
5	11/16/2006 8:33			0.1				0.1
6	11/16/2006 8:48			0.2				0.2
7	11/16/2006 9:03			0.2				0.2
8	11/16/2006 9:18			0.2				0.2
9	11/16/2006 9:33			0.2				0.2
10	11/16/2006 9:48			0.3				0.3
11	11/16/2006 10:03			0.3				0.3
12	11/16/2006 10:18			0.3				0.3
13	11/16/2006 10:33			0.3				0.3
14	11/16/2006 10:48			0.4				0.4
15	11/16/2006 11:03			0.4				0.4
16	11/16/2006 11:18			0.4				0.4
17	11/16/2006 11:33			0.4				0.4
18	11/16/2006 11:48			0.5				0.5
19	11/16/2006 12:03			0.5				0.5
20	11/16/2006 12:18			0.5				0.5
21	11/16/2006 12:33			0.5				0.5
22	11/16/2006 12:48			0.5				0.5
23	11/16/2006 13:03			0.5				0.5
24	11/16/2006 13:18			0.5				0.5
25	11/16/2006 13:33			0.5				0.5
26	11/16/2006 13:48			0.5				0.5
27	11/16/2006 14:03			0.5				0.5
28	11/16/2006 14:18			0.5				0.5
29	11/16/2006 14:33			0.5				0.5
30	11/16/2006 14:48			0.5				0.5
31	11/16/2006 15:03			0.5				0.5
32	11/16/2006 15:18			0.5				0.5
33	11/16/2006 15:33			0.5				0.5
34	11/16/2006 15:48			0.5				0.5
35	11/16/2006 16:03			0.5				0.5
36	11/16/2006 16:18			0.5				0.5
37	11/16/2006 16:33			0.5				0.5
38	11/16/2006 16:48			0.5				0.5
39	11/16/2006 17:03			0.5				0.5
40	11/16/2006 17:18			0.5				0.5
41	11/16/2006 17:33			0.5				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	2
Test Abbreviation:	
Start Date:	11/16/2006
Start Time:	7:23:32
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (07:21) = 0.040 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/16/2006	7:38:32	0.042	0.002	2
11/16/2006	7:53:32	0.074	0.034	34
11/16/2006	8:08:32	0.046	0.006	6
11/16/2006	8:23:32	0.054	0.014	14
11/16/2006	8:38:32	0.057	0.017	17
11/16/2006	8:53:32	0.053	0.013	13
11/16/2006	9:08:32	0.041	0.001	1
11/16/2006	9:23:32	0.055	0.015	15
11/16/2006	9:38:32	0.036	-0.004	-4
11/16/2006	9:53:32	0.036	-0.004	-4
11/16/2006	10:08:32	0.049	0.009	9
11/16/2006	10:23:32	0.045	0.005	5
11/16/2006	10:38:32	0.043	0.003	3
11/16/2006	10:53:32	0.042	0.002	2
11/16/2006	11:08:32	0.034	-0.006	-6
11/16/2006	11:23:32	0.03	-0.01	-10
11/16/2006	11:38:32	0.031	-0.009	-9
11/16/2006	11:53:32	0.029	-0.011	-11
11/16/2006	12:08:32	0.045	0.005	5
11/16/2006	12:23:32	0.036	-0.004	-4
11/16/2006	12:38:32	0.041	0.001	1
11/16/2006	12:53:32	0.037	-0.003	-3
11/16/2006	13:08:32	0.04	0	0
11/16/2006	13:23:32	0.045	0.005	5
11/16/2006	13:38:32	0.035	-0.005	-5
11/16/2006	13:53:32	0.033	-0.007	-7
11/16/2006	14:08:32	0.029	-0.011	-11
11/16/2006	14:23:32	0.041	0.001	1
11/16/2006	14:38:32	0.037	-0.003	-3
11/16/2006	14:53:32	0.035	-0.005	-5
11/16/2006	15:08:32	0.049	0.009	9
11/16/2006	15:23:32	0.061	0.021	21
11/16/2006	15:38:32	0.042	0.002	2
11/16/2006	15:53:32	0.029	-0.011	-11
11/16/2006	16:08:32	0.025	-0.015	-15
11/16/2006	16:23:32	0.027	-0.013	-13
11/16/2006	16:38:32	0.028	-0.012	-12
11/16/2006	16:53:32	0.033	-0.007	-7
11/16/2006	17:08:32	0.03	-0.01	-10
11/16/2006	17:23:32	0.029	-0.011	-11
11/16/2006	17:38:32	0.033	-0.007	-7
11/16/2006	17:53:32	0.031	-0.009	-9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/16/2006 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:12) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/16/2006 7:24			0				0
2	11/16/2006 7:39			0				0
3	11/16/2006 7:54			0				0
4	11/16/2006 8:09			0				0
5	11/16/2006 8:24			0				0
6	11/16/2006 8:39			0				0
7	11/16/2006 8:54			0				0
8	11/16/2006 9:09			0				0
9	11/16/2006 9:24			0				0
10	11/16/2006 9:39			0				0
11	11/16/2006 9:54			0				0
12	11/16/2006 10:09			0				0
13	11/16/2006 10:24			0				0
14	11/16/2006 10:39			0				0
15	11/16/2006 10:54			0				0
16	11/16/2006 11:09			0				0
17	11/16/2006 11:24			0				0
18	11/16/2006 11:39			0				0
19	11/16/2006 11:54			0				0
20	11/16/2006 12:09			0				0
21	11/16/2006 12:24			0				0
22	11/16/2006 12:39			0				0
23	11/16/2006 12:54			0				0
24	11/16/2006 13:09			0				0
25	11/16/2006 13:24			0				0
26	11/16/2006 13:39			0				0
27	11/16/2006 13:54			0				0
28	11/16/2006 14:09			0				0
29	11/16/2006 14:24			0				0
30	11/16/2006 14:39			0				0
31	11/16/2006 14:54			0				0
32	11/16/2006 15:09			0				0
33	11/16/2006 15:24			0				0
34	11/16/2006 15:39			0				0
35	11/16/2006 15:54			0				0
36	11/16/2006 16:09			0				0
37	11/16/2006 16:24			0				0
38	11/16/2006 16:39			0				0
39	11/16/2006 16:54			0				0
40	11/16/2006 17:09			0				0
41	11/16/2006 17:24			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	5
Test Abbreviation:	
Start Date:	11/16/2006
Start Time:	7:15:18
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (07:12) = 0.005 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/16/2006	7:30:18	0.005	0	0
11/16/2006	7:45:18	0.005	0	0
11/16/2006	8:00:18	0.008	0.003	3
11/16/2006	8:15:18	0.028	0.023	23
11/16/2006	8:30:18	0.043	0.038	38
11/16/2006	8:45:18	0.018	0.013	13
11/16/2006	9:00:18	0.007	0.002	2
11/16/2006	9:15:18	0.006	0.001	1
11/16/2006	9:30:18	0.004	-0.001	-1
11/16/2006	9:45:18	0.003	-0.002	-2
11/16/2006	10:00:18	0.004	-0.001	-1
11/16/2006	10:15:18	0.005	0	0
11/16/2006	10:30:18	0.006	0.001	1
11/16/2006	10:45:18	0.009	0.004	4
11/16/2006	11:00:18	0.007	0.002	2
11/16/2006	11:15:18	0.004	-0.001	-1
11/16/2006	11:30:18	0.005	0	0
11/16/2006	11:45:18	0.004	-0.001	-1
11/16/2006	12:00:18	0.006	0.001	1
11/16/2006	12:15:18	0.005	0	0
11/16/2006	12:30:18	0.005	0	0
11/16/2006	12:45:18	0.004	-0.001	-1
11/16/2006	13:00:18	0.005	0	0
11/16/2006	13:15:18	0.004	-0.001	-1
11/16/2006	13:30:18	0.004	-0.001	-1
11/16/2006	13:45:18	0.004	-0.001	-1
11/16/2006	14:00:18	0.005	0	0
11/16/2006	14:15:18	0.004	-0.001	-1
11/16/2006	14:30:18	0.006	0.001	1
11/16/2006	14:45:18	0.005	0	0
11/16/2006	15:00:18	0.005	0	0
11/16/2006	15:15:18	0.003	-0.002	-2
11/16/2006	15:30:18	0.004	-0.001	-1
11/16/2006	15:45:18	0.005	0	0
11/16/2006	16:00	0.004	-0.001	-1
11/16/2006	16:15:18	0.002	-0.003	-3
11/16/2006	16:30:18	0.002	-0.003	-3
11/16/2006	16:45:18	0.002	-0.003	-3
11/16/2006	17:00:18	0.002	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/17/2006 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/17/2006 6:50			0				0
2	11/17/2006 7:05			0				0
3	11/17/2006 7:20			0				0
4	11/17/2006 7:35			0				0
5	11/17/2006 7:50			0				0
6	11/17/2006 8:05			0				0
7	11/17/2006 8:20			0				0
8	11/17/2006 8:35			0				0
9	11/17/2006 8:50			0				0
10	11/17/2006 9:05			0.1				0.1
11	11/17/2006 9:20			0.1				0.1
12	11/17/2006 9:35			0.1				0.1
13	11/17/2006 9:50			0.1				0.1
14	11/17/2006 10:05			0.1				0.1
15	11/17/2006 10:20			0.1				0.1
16	11/17/2006 10:35			0.1				0.1
17	11/17/2006 10:50			0.1				0.1
18	11/17/2006 11:05			0.1				0.1
19	11/17/2006 11:20			0.1				0.1
20	11/17/2006 11:35			0.1				0.1
21	11/17/2006 11:50			0.1				0.1
22	11/17/2006 12:05			0.1				0.1
23	11/17/2006 12:20			0.1				0.1
24	11/17/2006 12:35			0.1				0.1
25	11/17/2006 12:50			0.1				0.1
26	11/17/2006 13:05			0.1				0.1
27	11/17/2006 13:20			0.1				0.1
28	11/17/2006 13:35			0.1				0.1
29	11/17/2006 13:50			0.1				0.1
30	11/17/2006 14:05			0.1				0.1
31	11/17/2006 14:20			0.1				0.1
32	11/17/2006 14:35			0.1				0.1
33	11/17/2006 14:50			0.1				0.1
34	11/17/2006 15:05			0.1				0.1
35	11/17/2006 15:20			0.1				0.1
36	11/17/2006 15:35			0.1				0.1
37	11/17/2006 15:50			0.1				0.1
38	11/17/2006 16:05			0.1				0.1
39	11/17/2006 16:20			0.1				0.1
40	11/17/2006 16:35			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	11/17/2006
Start Time:	6:56:20
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (06:45) = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/17/2006	7:11:20	0.027	0.003	3
11/17/2006	7:26:20	0.028	0.004	4
11/17/2006	7:41:20	0.029	0.005	5
11/17/2006	7:56:20	0.029	0.005	5
11/17/2006	8:11:20	0.033	0.009	9
11/17/2006	8:26:20	0.038	0.014	14
11/17/2006	8:41:20	0.041	0.017	17
11/17/2006	8:56:20	0.037	0.013	13
11/17/2006	9:11:20	0.033	0.009	9
11/17/2006	9:26:20	0.021	-0.003	-3
11/17/2006	9:41:20	0.013	-0.011	-11
11/17/2006	9:56:20	0.012	-0.012	-12
11/17/2006	10:11:20	0.01	-0.014	-14
11/17/2006	10:26:20	0.011	-0.013	-13
11/17/2006	10:41:20	0.008	-0.016	-16
11/17/2006	10:56:20	0.007	-0.017	-17
11/17/2006	11:11:20	0.007	-0.017	-17
11/17/2006	11:26:20	0.008	-0.016	-16
11/17/2006	11:41:20	0.006	-0.018	-18
11/17/2006	11:56:20	0.006	-0.018	-18
11/17/2006	12:11:20	0.008	-0.016	-16
11/17/2006	12:26:20	0.006	-0.018	-18
11/17/2006	12:41:20	0.006	-0.018	-18
11/17/2006	12:56:20	0.006	-0.018	-18
11/17/2006	13:11:20	0.008	-0.016	-16
11/17/2006	13:26:20	0.007	-0.017	-17
11/17/2006	13:41:20	0.007	-0.017	-17
11/17/2006	13:56:20	0.007	-0.017	-17
11/17/2006	14:11:20	0.008	-0.016	-16
11/17/2006	14:26:20	0.007	-0.017	-17
11/17/2006	14:41:20	0.01	-0.014	-14
11/17/2006	14:56:20	0.008	-0.016	-16
11/17/2006	15:11:20	0.008	-0.016	-16
11/17/2006	15:26:20	0.008	-0.016	-16
11/17/2006	15:41:20	0.006	-0.018	-18
11/17/2006	15:56:20	0.007	-0.017	-17
11/17/2006	16:11:20	0.006	-0.018	-18
11/17/2006	16:26:20	0.006	-0.018	-18
11/17/2006	16:41:20	0.008	-0.016	-16
11/17/2006	16:56:20	0.008	-0.016	-16

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/17/2006 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/17/2006 6:52			0				0
2	11/17/2006 7:07			0				0
3	11/17/2006 7:22			0				0
4	11/17/2006 7:37			0				0
5	11/17/2006 7:52			0				0
6	11/17/2006 8:07			0				0
7	11/17/2006 8:22			0				0
8	11/17/2006 8:37			0				0
9	11/17/2006 8:52			0				0
10	11/17/2006 9:07			0				0
11	11/17/2006 9:22			0				0
12	11/17/2006 9:37			0				0
13	11/17/2006 9:52			0				0
14	11/17/2006 10:07			0				0
15	11/17/2006 10:22			0				0
16	11/17/2006 10:37			0				0
17	11/17/2006 10:52			0				0
18	11/17/2006 11:07			0				0
19	11/17/2006 11:22			0				0
20	11/17/2006 11:37			0				0
21	11/17/2006 11:52			0.1				0.1
22	11/17/2006 12:07			0.1				0.1
23	11/17/2006 12:22			0				0
24	11/17/2006 12:37			0				0
25	11/17/2006 12:52			0				0
26	11/17/2006 13:07			0.1				0.1
27	11/17/2006 13:22			0				0
28	11/17/2006 13:37			0				0
29	11/17/2006 13:52			0				0
30	11/17/2006 14:07			0				0
31	11/17/2006 14:22			0				0
32	11/17/2006 14:37			0				0
33	11/17/2006 14:52			0				0
34	11/17/2006 15:07			0.1				0.1
35	11/17/2006 15:22			0.1				0.1
36	11/17/2006 15:37			0.1				0.1
37	11/17/2006 15:52			0.1				0.1
38	11/17/2006 16:07			0.1				0.1
39	11/17/2006 16:22			0.1				0.1
40	11/17/2006 16:37			0.1				0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	11/17/2006
Start Time:	6:40:40
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (06:38) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/17/2006	6:55:40	0.018	0.017	17
11/17/2006	7:10:40	0.019	0.018	18
11/17/2006	7:25:40	0.02	0.019	19
11/17/2006	7:40:40	0.021	0.02	20
11/17/2006	7:55:40	0.021	0.02	20
11/17/2006	8:10:40	0.024	0.023	23
11/17/2006	8:25:40	0.026	0.025	25
11/17/2006	8:40:40	0.028	0.027	27
11/17/2006	8:55:40	0.028	0.027	27
11/17/2006	9:10:40	0.025	0.024	24
11/17/2006	9:25:40	0.018	0.017	17
11/17/2006	9:40:40	0.013	0.012	12
11/17/2006	9:55:40	0.015	0.014	14
11/17/2006	10:10:40	0.014	0.013	13
11/17/2006	10:25:40	0.015	0.014	14
11/17/2006	10:40:40	0.013	0.012	12
11/17/2006	10:55:40	0.012	0.011	11
11/17/2006	11:10:40	0.011	0.01	10
11/17/2006	11:25:40	0.012	0.011	11
11/17/2006	11:40:40	0.011	0.01	10
11/17/2006	11:55:40	0.012	0.011	11
11/17/2006	12:10:40	0.013	0.012	12
11/17/2006	12:25:40	0.011	0.01	10
11/17/2006	12:40:40	0.012	0.011	11
11/17/2006	12:55:40	0.012	0.011	11
11/17/2006	13:10:40	0.014	0.013	13
11/17/2006	13:25:40	0.013	0.012	12
11/17/2006	13:40:40	0.015	0.014	14
11/17/2006	13:55:40	0.014	0.013	13
11/17/2006	14:10:40	0.015	0.014	14
11/17/2006	14:25:40	0.015	0.014	14
11/17/2006	14:40:40	0.015	0.014	14
11/17/2006	14:55:40	0.015	0.014	14
11/17/2006	15:10:40	0.015	0.014	14
11/17/2006	15:25:40	0.014	0.013	13
11/17/2006	15:40:40	0.013	0.012	12
11/17/2006	15:55:40	0.024	0.023	23
11/17/2006	16:10:40	0.013	0.012	12
11/17/2006	16:25:40	0.015	0.014	14
11/17/2006	16:40:40	0.018	0.017	17
11/17/2006	16:55:40	0.014	0.013	13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/17/2006 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:57) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/17/2006 7:12			0.1				0.1
2	11/17/2006 7:27			0.1				0.1
3	11/17/2006 7:42			0.2				0.2
4	11/17/2006 7:57			0.2				0.2
5	11/17/2006 8:12			0.3				0.3
6	11/17/2006 8:27			0.3				0.3
7	11/17/2006 8:42			0.3				0.3
8	11/17/2006 8:57			0.3				0.3
9	11/17/2006 9:12			0.4				0.4
10	11/17/2006 9:27			0.4				0.4
11	11/17/2006 9:42			0.4				0.4
12	11/17/2006 9:57			0.4				0.4
13	11/17/2006 10:12			0.4				0.4
14	11/17/2006 10:27			0.4				0.4
15	11/17/2006 10:42			0.4				0.4
16	11/17/2006 10:57			0.4				0.4
17	11/17/2006 11:12			0.4				0.4
18	11/17/2006 11:27			0.4				0.4
19	11/17/2006 11:42			0.4				0.4
20	11/17/2006 11:57			0.4				0.4
21	11/17/2006 12:12			0.4				0.4
22	11/17/2006 12:27			0.3				0.3
23	11/17/2006 12:42			0.3				0.3
24	11/17/2006 12:57			0.3				0.3
25	11/17/2006 13:12			0.4				0.4
26	11/17/2006 13:27			0.4				0.4
27	11/17/2006 13:42			0.4				0.4
28	11/17/2006 13:57			0.4				0.4
29	11/17/2006 14:12			0.4				0.4
30	11/17/2006 14:27			0.3				0.3
31	11/17/2006 14:42			0.3				0.3
32	11/17/2006 14:57			0.3				0.3
33	11/17/2006 15:12			0.3				0.3
34	11/17/2006 15:27			0.3				0.3
35	11/17/2006 15:42			0.4				0.4
36	11/17/2006 15:57			0.3				0.3
37	11/17/2006 16:12			0.4				0.4
38	11/17/2006 16:27			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	3
Test Abbreviation:	
Start Date:	11/17/2006
Start Time:	6:59:08
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (06:57) = 0.038 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/17/2006	7:14:08	0.042	0.004	4
11/17/2006	7:29:08	0.061	0.023	23
11/17/2006	7:44:08	0.06	0.022	22
11/17/2006	7:59:08	0.06	0.022	22
11/17/2006	8:14:08	0.059	0.021	21
11/17/2006	8:29:08	0.071	0.033	33
11/17/2006	8:44:08	0.076	0.038	38
11/17/2006	8:59:08	0.07	0.032	32
11/17/2006	9:14:08	0.059	0.021	21
11/17/2006	9:29:08	0.043	0.005	5
11/17/2006	9:44:08	0.03	-0.008	-8
11/17/2006	9:59:08	0.034	-0.004	-4
11/17/2006	10:14:08	0.026	-0.012	-12
11/17/2006	10:29:08	0.027	-0.011	-11
11/17/2006	10:44:08	0.026	-0.012	-12
11/17/2006	10:59:08	0.03	-0.008	-8
11/17/2006	11:14:08	0.02	-0.018	-18
11/17/2006	11:29:08	0.025	-0.013	-13
11/17/2006	11:44:08	0.021	-0.017	-17
11/17/2006	11:59:08	0.017	-0.021	-21
11/17/2006	12:14:08	0.019	-0.019	-19
11/17/2006	12:29:08	0.012	-0.026	-26
11/17/2006	12:44:08	0.009	-0.029	-29
11/17/2006	12:59:08	0.012	-0.026	-26
11/17/2006	13:14:08	0.013	-0.025	-25
11/17/2006	13:29:08	0.011	-0.027	-27
11/17/2006	13:44:08	0.021	-0.017	-17
11/17/2006	13:59:08	0.022	-0.016	-16
11/17/2006	14:14:08	0.022	-0.016	-16
11/17/2006	14:29:08	0.023	-0.015	-15
11/17/2006	14:44:08	0.017	-0.021	-21
11/17/2006	14:59:08	0.016	-0.022	-22
11/17/2006	15:14:08	0.014	-0.024	-24
11/17/2006	15:29:08	0.017	-0.021	-21
11/17/2006	15:44:08	0.067	0.029	29
11/17/2006	15:59:08	0.1	0.062	62
11/17/2006	16:14:08	0.023	-0.015	-15
11/17/2006	16:29:08	0.023	-0.015	-15
11/17/2006	16:44:08	0.015	-0.023	-23

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/17/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/17/2006 7:04			0				0
2	11/17/2006 7:19			0				0
3	11/17/2006 7:34			0				0
4	11/17/2006 7:49			0				0
5	11/17/2006 8:04			0				0
6	11/17/2006 8:19			0				0
7	11/17/2006 8:34			0				0
8	11/17/2006 8:49			0				0
9	11/17/2006 9:04			0				0
10	11/17/2006 9:19			0				0
11	11/17/2006 9:34			0				0
12	11/17/2006 9:49			0				0
13	11/17/2006 10:04			0				0
14	11/17/2006 10:19			0				0
15	11/17/2006 10:34			0				0
16	11/17/2006 10:49			0				0
17	11/17/2006 11:04			0				0
18	11/17/2006 11:19			0				0
19	11/17/2006 11:34			0				0
20	11/17/2006 11:49			0				0
21	11/17/2006 12:04			0				0
22	11/17/2006 12:19			0				0
23	11/17/2006 12:34			0				0
24	11/17/2006 12:49			0				0
25	11/17/2006 13:04			0				0
26	11/17/2006 13:19			0				0
27	11/17/2006 13:34			0				0
28	11/17/2006 13:49			0				0
29	11/17/2006 14:04			0				0
30	11/17/2006 14:19			0				0
31	11/17/2006 14:34			0				0
32	11/17/2006 14:49			0				0
33	11/17/2006 15:04			0				0
34	11/17/2006 15:19			0				0
35	11/17/2006 15:34			0				0
36	11/17/2006 15:49			0				0
37	11/17/2006 16:04			0				0
38	11/17/2006 16:19			0				0
39	11/17/2006 16:34			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	6
Test Abbreviation:	
Start Date:	11/17/2006
Start Time:	6:52:49
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (06:51) = 0.003 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/17/2006	7:07:49	0.003	0	0
11/17/2006	7:22:49	0.003	0	0
11/17/2006	7:37:49	0.004	0.001	1
11/17/2006	7:52:49	0.006	0.003	3
11/17/2006	8:07:49	0.005	0.002	2
11/17/2006	8:22:49	0.005	0.002	2
11/17/2006	8:37:49	0.006	0.003	3
11/17/2006	8:52:49	0.006	0.003	3
11/17/2006	9:07:49	0.006	0.003	3
11/17/2006	9:22:49	0.008	0.005	5
11/17/2006	9:37:49	0.003	0	0
11/17/2006	9:52:49	0.008	0.005	5
11/17/2006	10:07:49	0.004	0.001	1
11/17/2006	10:22:49	0.004	0.001	1
11/17/2006	10:37:49	0.006	0.003	3
11/17/2006	10:52:49	0.004	0.001	1
11/17/2006	11:07:49	0.003	0	0
11/17/2006	11:22:49	0.005	0.002	2
11/17/2006	11:37:49	0.002	-0.001	-1
11/17/2006	11:52:49	0.003	0	0
11/17/2006	12:07:49	0.002	-0.001	-1
11/17/2006	12:22:49	0.002	-0.001	-1
11/17/2006	12:37:49	0.002	-0.001	-1
11/17/2006	12:52:49	0.003	0	0
11/17/2006	13:07:49	0.002	-0.001	-1
11/17/2006	13:22:49	0.002	-0.001	-1
11/17/2006	13:37:49	0.003	0	0
11/17/2006	13:52:49	0.002	-0.001	-1
11/17/2006	14:07:49	0.003	0	0
11/17/2006	14:22:49	0.002	-0.001	-1
11/17/2006	14:37:49	0.003	0	0
11/17/2006	14:52:49	0.003	0	0
11/17/2006	15:07:49	0.003	0	0
11/17/2006	15:22:49	0.003	0	0
11/17/2006	15:37	0.003	0	0
11/17/2006	15:52:49	0.027	0.024	24
11/17/2006	16:07:49	0.002	-0.001	-1
11/17/2006	16:22:49	0.002	-0.001	-1
11/17/2006	16:37:49	0.003	0	0
11/17/2006	16:52:49	0.002	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/18/2006 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/18/2006 7:28			0				0
2	11/18/2006 7:43			0				0
3	11/18/2006 7:58			0				0
4	11/18/2006 8:13			0				0
5	11/18/2006 8:28			0				0
6	11/18/2006 8:43			0				0
7	11/18/2006 8:58			0				0
8	11/18/2006 9:13			0				0
9	11/18/2006 9:28			0				0
10	11/18/2006 9:43			0				0
11	11/18/2006 9:58			0				0
12	11/18/2006 10:13			0				0
13	11/18/2006 10:28			0				0
14	11/18/2006 10:43			0				0
15	11/18/2006 10:58			0				0
16	11/18/2006 11:13			0				0
17	11/18/2006 11:28			0				0
18	11/18/2006 11:43			0				0
19	11/18/2006 11:58			0				0
20	11/18/2006 12:13			0				0
21	11/18/2006 12:28			0				0
22	11/18/2006 12:43			0				0
23	11/18/2006 12:58			0				0
24	11/18/2006 13:13			0				0
25	11/18/2006 13:28			0				0
26	11/18/2006 13:43			0				0
27	11/18/2006 13:58			0				0
28	11/18/2006 14:13			0				0
29	11/18/2006 14:28			0				0
30	11/18/2006 14:43			0				0
31	11/18/2006 14:58			0				0
32	11/18/2006 15:13			0				0
33	11/18/2006 15:28			0				0
34	11/18/2006 15:43			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	11/18/2006
Start Time:	7:16:07
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (07:11) = 0.014 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/18/2006	7:31:07	0.023	0.009	9
11/18/2006	7:46:07	0.022	0.008	8
11/18/2006	8:01:07	0.017	0.003	3
11/18/2006	8:16:07	0.018	0.004	4
11/18/2006	8:31:07	0.021	0.007	7
11/18/2006	8:46:07	0.011	-0.003	-3
11/18/2006	9:01:07	0.012	-0.002	-2
11/18/2006	9:16:07	0.015	0.001	1
11/18/2006	9:31:07	0.012	-0.002	-2
11/18/2006	9:46:07	0.013	-0.001	-1
11/18/2006	10:01:07	0.013	-0.001	-1
11/18/2006	10:16:07	0.014	0	0
11/18/2006	10:31:07	0.011	-0.003	-3
11/18/2006	10:46:07	0.047	0.033	33
11/18/2006	11:01:07	0.027	0.013	13
11/18/2006	11:16:07	0.012	-0.002	-2
11/18/2006	11:31:07	0.01	-0.004	-4
11/18/2006	11:46:07	0.008	-0.006	-6
11/18/2006	12:01:07	0.011	-0.003	-3
11/18/2006	12:16:07	0.007	-0.007	-7
11/18/2006	12:31:07	0.007	-0.007	-7
11/18/2006	12:46:07	0.011	-0.003	-3
11/18/2006	13:01:07	0.009	-0.005	-5
11/18/2006	13:16:07	0.011	-0.003	-3
11/18/2006	13:31:07	0.008	-0.006	-6
11/18/2006	13:46:07	0.009	-0.005	-5
11/18/2006	14:01:07	0.01	-0.004	-4
11/18/2006	14:16:07	0.01	-0.004	-4
11/18/2006	14:31:07	0.013	-0.001	-1
11/18/2006	14:46:07	0.008	-0.006	-6
11/18/2006	15:01:07	0.009	-0.005	-5
11/18/2006	15:16:07	0.012	-0.002	-2
11/18/2006	15:31:07	0.011	-0.003	-3
11/18/2006	15:46:07	0.01	-0.004	-4
11/18/2006	16:01:07	0.024	0.01	10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/18/2006 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:33) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/18/2006 6:48			0				0
2	11/18/2006 7:03			0				0
3	11/18/2006 7:18			0				0
4	11/18/2006 7:33			0				0
5	11/18/2006 7:48			0				0
6	11/18/2006 8:03			0				0
7	11/18/2006 8:18			0				0
8	11/18/2006 8:33			0				0
9	11/18/2006 8:48			0				0
10	11/18/2006 9:03			0				0
11	11/18/2006 9:18			0				0
12	11/18/2006 9:33			0				0
13	11/18/2006 9:48			0				0
14	11/18/2006 10:03			0				0
15	11/18/2006 10:18			0				0
16	11/18/2006 10:33			0				0
17	11/18/2006 10:48			0				0
18	11/18/2006 11:03			0				0
19	11/18/2006 11:18			0				0
20	11/18/2006 11:33			0				0
21	11/18/2006 11:48			0				0
22	11/18/2006 12:03			0				0
23	11/18/2006 12:18			0				0
24	11/18/2006 12:33			0				0
25	11/18/2006 12:48			0				0
26	11/18/2006 13:03			0				0
27	11/18/2006 13:18			0				0
28	11/18/2006 13:33			0				0
29	11/18/2006 13:48			0				0
30	11/18/2006 14:03			0				0
31	11/18/2006 14:18			0				0
32	11/18/2006 14:33			0				0
33	11/18/2006 14:48			0				0
34	11/18/2006 15:03			0				0
35	11/18/2006 15:18			0				0
36	11/18/2006 15:33			0				0
37	11/18/2006 15:48			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	11/18/2006
Start Time:	6:38:20
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (06:33) = 0.015 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
11/18/2006	6:53:20	0.014	-0.001	-1
11/18/2006	7:08:20	0.015	0	0
11/18/2006	7:23:20	0.013	-0.002	-2
11/18/2006	7:38:20	0.014	-0.001	-1
11/18/2006	7:53:20	0.013	-0.002	-2
11/18/2006	8:08:20	0.015	0	0
11/18/2006	8:23:20	0.013	-0.002	-2
11/18/2006	8:38:20	0.01	-0.005	-5
11/18/2006	8:53:20	0.012	-0.003	-3
11/18/2006	9:08:20	0.013	-0.002	-2
11/18/2006	9:23:20	0.013	-0.002	-2
11/18/2006	9:38:20	0.014	-0.001	-1
11/18/2006	9:53:20	0.011	-0.004	-4
11/18/2006	10:08:20	0.013	-0.002	-2
11/18/2006	10:23:20	0.012	-0.003	-3
11/18/2006	10:38:20	0.011	-0.004	-4
11/18/2006	10:53:20	0.011	-0.004	-4
11/18/2006	11:08:20	0.013	-0.002	-2
11/18/2006	11:23:20	0.011	-0.004	-4
11/18/2006	11:38:20	0.01	-0.005	-5
11/18/2006	11:53:20	0.01	-0.005	-5
11/18/2006	12:08:20	0.014	-0.001	-1
11/18/2006	12:23:20	0.017	0.002	2
11/18/2006	12:38:20	0.014	-0.001	-1
11/18/2006	12:53:20	0.016	0.001	1
11/18/2006	13:08:20	0.015	0	0
11/18/2006	13:23:20	0.017	0.002	2
11/18/2006	13:38:20	0.015	0	0
11/18/2006	13:53:20	0.018	0.003	3
11/18/2006	14:08:20	0.018	0.003	3
11/18/2006	14:23:20	0.023	0.008	8
11/18/2006	14:38:20	0.017	0.002	2
11/18/2006	14:53:20	0.015	0	0
11/18/2006	15:08:20	0.019	0.004	4
11/18/2006	15:23:20	0.013	-0.002	-2
11/18/2006	15:38:20	0.014	-0.001	-1
11/18/2006	15:53:20	0.013	-0.002	-2
11/18/2006	16:08:20	0.014	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/18/2006 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/18/2006 6:57			0				0
2	11/18/2006 7:12			0				0
3	11/18/2006 7:27			0				0
4	11/18/2006 7:42			0				0
5	11/18/2006 7:57			0				0
6	11/18/2006 8:12			0				0
7	11/18/2006 8:27			0				0
8	11/18/2006 8:42			0				0
9	11/18/2006 8:57			0				0
10	11/18/2006 9:12			0				0
11	11/18/2006 9:27			0				0
12	11/18/2006 9:42			0				0
13	11/18/2006 9:57			0				0
14	11/18/2006 10:12			0.1				0.1
15	11/18/2006 10:27			0.1				0.1
16	11/18/2006 10:42			0.2				0.2
17	11/18/2006 10:57			0.2				0.2
18	11/18/2006 11:12			0.1				0.1
19	11/18/2006 11:27			0.2				0.2
20	11/18/2006 11:42			0.2				0.2
21	11/18/2006 11:57			0.2				0.2
22	11/18/2006 12:12			0.3				0.3
23	11/18/2006 12:27			0.3				0.3
24	11/18/2006 12:42			0.2				0.2
25	11/18/2006 12:57			0.4				0.4
26	11/18/2006 13:12			0.4				0.4
27	11/18/2006 13:27			0.3				0.3
28	11/18/2006 13:42			0.1				0.1
29	11/18/2006 13:57			0				0
30	11/18/2006 14:12			0				0
31	11/18/2006 14:27			0				0
32	11/18/2006 14:42			0				0
33	11/18/2006 14:57			0				0
34	11/18/2006 15:12			0				0
35	11/18/2006 15:27			0				0
36	11/18/2006 15:42			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	4
Test Abbreviation:	
Start Date:	11/18/2006
Start Time:	6:44:37
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:40) = 0.023 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/18/2006	6:59:37	0.019	-0.004	-4
11/18/2006	7:14:37	0.017	-0.006	-6
11/18/2006	7:29:37	0.018	-0.005	-5
11/18/2006	7:44:37	0.017	-0.006	-6
11/18/2006	7:59:37	0.016	-0.007	-7
11/18/2006	8:14:37	0.016	-0.007	-7
11/18/2006	8:29:37	0.013	-0.01	-10
11/18/2006	8:44:37	0.014	-0.009	-9
11/18/2006	8:59:37	0.015	-0.008	-8
11/18/2006	9:14:37	0.014	-0.009	-9
11/18/2006	9:29:37	0.014	-0.009	-9
11/18/2006	9:44:37	0.016	-0.007	-7
11/18/2006	9:59:37	0.015	-0.008	-8
11/18/2006	10:14:37	0.013	-0.01	-10
11/18/2006	10:29:37	0.012	-0.011	-11
11/18/2006	10:44:37	0.017	-0.006	-6
11/18/2006	10:59:37	0.014	-0.009	-9
11/18/2006	11:14:37	0.016	-0.007	-7
11/18/2006	11:29:37	0.013	-0.01	-10
11/18/2006	11:44:37	0.01	-0.013	-13
11/18/2006	11:59:37	0.011	-0.012	-12
11/18/2006	12:14:37	0.019	-0.004	-4
11/18/2006	12:29:37	0.021	-0.002	-2
11/18/2006	12:44:37	0.017	-0.006	-6
11/18/2006	12:59:37	0.014	-0.009	-9
11/18/2006	13:14:37	0.02	-0.003	-3
11/18/2006	13:29:37	0.033	0.01	10
11/18/2006	13:44:37	0.023	0	0
11/18/2006	13:59:37	0.015	-0.008	-8
11/18/2006	14:14:37	0.015	-0.008	-8
11/18/2006	14:29:37	0.018	-0.005	-5
11/18/2006	14:44:37	0.017	-0.006	-6
11/18/2006	14:59:37	0.013	-0.01	-10
11/18/2006	15:14:37	0.023	0	0
11/18/2006	15:29:37	0.017	-0.006	-6
11/18/2006	15:44:37	0.02	-0.003	-3
11/18/2006	15:59:37	0.014	-0.009	-9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/18/2006 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/18/2006 7:02			0				0
2	11/18/2006 7:17			0				0
3	11/18/2006 7:32			0				0
4	11/18/2006 7:47			0				0
5	11/18/2006 8:02			0				0
6	11/18/2006 8:17			0				0
7	11/18/2006 8:32			0				0
8	11/18/2006 8:47			0				0
9	11/18/2006 9:02			0				0
10	11/18/2006 9:17			0				0
11	11/18/2006 9:32			0				0
12	11/18/2006 9:47			0				0
13	11/18/2006 10:02			0				0
14	11/18/2006 10:17			0				0
15	11/18/2006 10:32			0				0
16	11/18/2006 10:47			0				0
17	11/18/2006 11:02			0				0
18	11/18/2006 11:17			0				0
19	11/18/2006 11:32			0				0
20	11/18/2006 11:47			0				0
21	11/18/2006 12:02			0				0
22	11/18/2006 12:17			0				0
23	11/18/2006 12:32			0				0
24	11/18/2006 12:47			0				0
25	11/18/2006 13:02			0				0
26	11/18/2006 13:17			0				0
27	11/18/2006 13:32			0				0
28	11/18/2006 13:47			0				0
29	11/18/2006 14:02			0				0
30	11/18/2006 14:17			0				0
31	11/18/2006 14:32			0				0
32	11/18/2006 14:47			0				0
33	11/18/2006 15:02			0				0
34	11/18/2006 15:17			0				0
35	11/18/2006 15:32			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	7
Test Abbreviation:	
Start Date:	11/18/2006
Start Time:	6:50:07
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (06:46) = 0.000 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	7/10/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/18/2006	7:05:07	0.001	0.001	1
11/18/2006	7:20:07	0.002	0.002	2
11/18/2006	7:35:07	0.011	0.011	11
11/18/2006	7:50:07	0.003	0.003	3
11/18/2006	8:05:07	0.001	0.001	1
11/18/2006	8:20:07	0.003	0.003	3
11/18/2006	8:35:07	0.006	0.006	6
11/18/2006	8:50:07	0.003	0.003	3
11/18/2006	9:05:07	0.001	0.001	1
11/18/2006	9:20:07	0.002	0.002	2
11/18/2006	9:35:07	0.001	0.001	1
11/18/2006	9:50:07	0.002	0.002	2
11/18/2006	10:05:07	0.003	0.003	3
11/18/2006	10:20:07	0.001	0.001	1
11/18/2006	10:35:07	0.001	0.001	1
11/18/2006	10:50:07	0.001	0.001	1
11/18/2006	11:05:07	0.001	0.001	1
11/18/2006	11:20:07	0.002	0.002	2
11/18/2006	11:35:07	0.001	0.001	1
11/18/2006	11:50:07	0	0	0
11/18/2006	12:05:07	0.002	0.002	2
11/18/2006	12:20:07	0.002	0.002	2
11/18/2006	12:35:07	0.001	0.001	1
11/18/2006	12:50:07	0.005	0.005	5
11/18/2006	13:05:07	0.001	0.001	1
11/18/2006	13:20:07	0.003	0.003	3
11/18/2006	13:35:07	0.001	0.001	1
11/18/2006	13:50:07	0.002	0.002	2
11/18/2006	14:05:07	0.008	0.008	8
11/18/2006	14:20:07	0.009	0.009	9
11/18/2006	14:35:07	0.003	0.003	3
11/18/2006	14:50:07	0.001	0.001	1
11/18/2006	15:52:46	0.001	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/20/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:42) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/20/2006 6:58			0				0
2	11/20/2006 7:13			0				0
3	11/20/2006 7:28			0				0
4	11/20/2006 7:43			0.1				0.1
5	11/20/2006 7:58			0.2				0.2
6	11/20/2006 8:13			0.3				0.3
7	11/20/2006 8:28			0.5				0.5
8	11/20/2006 8:43			0.6				0.6
9	11/20/2006 8:58			0.8				0.8
10	11/20/2006 9:13			0.7				0.7
11	11/20/2006 9:28			0.8				0.8
12	11/20/2006 9:43			0.8				0.8
13	11/20/2006 9:58			0.8				0.8
14	11/20/2006 10:13			0.8				0.8
15	11/20/2006 10:28			1				1
16	11/20/2006 10:43			1.3				1.3
17	11/20/2006 10:58			1.1				1.1
18	11/20/2006 11:13			1.1				1.1
19	11/20/2006 11:28			1.2				1.2
20	11/20/2006 11:43			1.1				1.1
21	11/20/2006 11:58			1.3				1.3
22	11/20/2006 12:13			1.3				1.3
23	11/20/2006 12:28			1.2				1.2
24	11/20/2006 12:43			1.3				1.3
25	11/20/2006 12:58			1.3				1.3
26	11/20/2006 13:13			1.1				1.1
27	11/20/2006 13:28			1.9				1.9
28	11/20/2006 13:43			1.4				1.4
29	11/20/2006 13:58			1.3				1.3
30	11/20/2006 14:13			1.3				1.3
31	11/20/2006 14:28			1.3				1.3
32	11/20/2006 14:43			1.4				1.4
33	11/20/2006 14:58			1.2				1.2
34	11/20/2006 15:13			1.4				1.4
35	11/20/2006 15:28			1.8				1.8
36	11/20/2006 15:43			1.8				1.8
37	11/20/2006 15:58			1.7				1.7
38	11/20/2006 16:13			2.1				2.1
39	11/20/2006 16:28			1.9				1.9
40	11/20/2006 16:43			1.8				1.8
41	11/20/2006 16:58			1.8				1.8

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	11/20/2006
Start Time:	6:46:45
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (06:42) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/20/2006	7:01:45	0.008	-0.003	-3
11/20/2006	7:16:45	0.021	0.01	10
11/20/2006	7:31:45	0.013	0.002	2
11/20/2006	7:46:45	0.01	-0.001	-1
11/20/2006	8:01:45	0.01	-0.001	-1
11/20/2006	8:16:45	0.009	-0.002	-2
11/20/2006	8:31:45	0.011	0	0
11/20/2006	8:46:45	0.016	0.005	5
11/20/2006	9:01:45	0.013	0.002	2
11/20/2006	9:16:45	0.011	0	0
11/20/2006	9:31:45	0.011	0	0
11/20/2006	9:46:45	0.011	0	0
11/20/2006	10:01:45	0.011	0	0
11/20/2006	10:16:45	0.012	0.001	1
11/20/2006	10:31:45	0.011	0	0
11/20/2006	10:46:45	0.017	0.006	6
11/20/2006	11:01:45	0.017	0.006	6
11/20/2006	11:16:45	0.013	0.002	2
11/20/2006	11:31:45	0.016	0.005	5
11/20/2006	11:46:45	0.016	0.005	5
11/20/2006	12:01:45	0.015	0.004	4
11/20/2006	12:16:45	0.015	0.004	4
11/20/2006	12:31:45	0.016	0.005	5
11/20/2006	12:46:45	0.013	0.002	2
11/20/2006	13:01:45	0.015	0.004	4
11/20/2006	13:16:45	0.018	0.007	7
11/20/2006	13:31:45	0.01	-0.001	-1
11/20/2006	13:46:45	0.016	0.005	5
11/20/2006	14:01:45	0.014	0.003	3
11/20/2006	14:16:45	0.015	0.004	4
11/20/2006	14:31:45	0.012	0.001	1
11/20/2006	14:46:45	0.012	0.001	1
11/20/2006	15:01:45	0.012	0.001	1
11/20/2006	15:16:45	0.011	0	0
11/20/2006	15:31:45	0.011	0	0
11/20/2006	15:46:45	0.013	0.002	2
11/20/2006	16:01:45	0.013	0.002	2
11/20/2006	16:16:45	0.011	0	0
11/20/2006	16:31:45	0.016	0.005	5
11/20/2006	16:46:45	0.013	0.002	2
11/20/2006	17:01:45	0.009	-0.002	-2
11/20/2006	17:16:45	0.009	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/20/2006 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/20/2006 7:02			0				0
2	11/20/2006 7:17			0				0
3	11/20/2006 7:32			0				0
4	11/20/2006 7:47			0				0
5	11/20/2006 8:02			0				0
6	11/20/2006 8:17			0				0
7	11/20/2006 8:32			0				0
8	11/20/2006 8:47			0				0
9	11/20/2006 9:02			0				0
10	11/20/2006 9:17			0				0
11	11/20/2006 9:32			0				0
12	11/20/2006 9:47			0				0
13	11/20/2006 10:02			0				0
14	11/20/2006 10:17			0				0
15	11/20/2006 10:32			0				0
16	11/20/2006 10:47			0				0
17	11/20/2006 11:02			0				0
18	11/20/2006 11:17			0				0
19	11/20/2006 11:32			0				0
20	11/20/2006 11:47			0				0
21	11/20/2006 12:02			0				0
22	11/20/2006 12:17			0				0
23	11/20/2006 12:32			0				0
24	11/20/2006 12:47			0				0
25	11/20/2006 13:02			0				0
26	11/20/2006 13:17			0				0
27	11/20/2006 13:32			0				0
28	11/20/2006 13:47			0				0
29	11/20/2006 14:02			0				0
30	11/20/2006 14:17			0				0
31	11/20/2006 14:32			0				0
32	11/20/2006 14:47			0				0
33	11/20/2006 15:02			0				0
34	11/20/2006 15:17			0				0
35	11/20/2006 15:32			0				0
36	11/20/2006 15:47			0				0
37	11/20/2006 16:02			0				0
38	11/20/2006 16:17			0				0
39	11/20/2006 16:32			0				0
40	11/20/2006 16:47			0				0
41	11/20/2006 17:02			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	11/20/2006
Start Time:	6:52:02
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (06:47) = 0.012 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/20/2006	7:07:02	0.006	-0.006	-6
11/20/2006	7:22:02	0.005	-0.007	-7
11/20/2006	7:37:02	0.007	-0.005	-5
11/20/2006	7:52:02	0.006	-0.006	-6
11/20/2006	8:07:02	0.008	-0.004	-4
11/20/2006	8:22:02	0.008	-0.004	-4
11/20/2006	8:37:02	0.012	0	0
11/20/2006	8:52:02	0.018	0.006	6
11/20/2006	9:07:02	0.01	-0.002	-2
11/20/2006	9:22:02	0.01	-0.002	-2
11/20/2006	9:37:02	0.007	-0.005	-5
11/20/2006	9:52:02	0.01	-0.002	-2
11/20/2006	10:07:02	0.01	-0.002	-2
11/20/2006	10:22:02	0.012	0	0
11/20/2006	10:37:02	0.009	-0.003	-3
11/20/2006	10:52:02	0.008	-0.004	-4
11/20/2006	11:07:02	0.009	-0.003	-3
11/20/2006	11:22:02	0.011	-0.001	-1
11/20/2006	11:37:02	0.01	-0.002	-2
11/20/2006	11:52:02	0.009	-0.003	-3
11/20/2006	12:43:27	0.01	-0.002	-2
11/20/2006	12:58:27	0.012	0	0
11/20/2006	13:13:27	0.014	0.002	2
11/20/2006	13:28:27	0.012	0	0
11/20/2006	13:43:27	0.011	-0.001	-1
11/20/2006	13:58:27	0.009	-0.003	-3
11/20/2006	14:13:27	0.008	-0.004	-4
11/20/2006	14:28:27	0.009	-0.003	-3
11/20/2006	14:43:27	0.011	-0.001	-1
11/20/2006	14:58:27	0.008	-0.004	-4
11/20/2006	15:13:27	0.01	-0.002	-2
11/20/2006	15:28:27	0.012	0	0
11/20/2006	15:43:27	0.009	-0.003	-3
11/20/2006	15:58:27	0.01	-0.002	-2
11/20/2006	16:13:27	0.008	-0.004	-4
11/20/2006	16:28:27	0.009	-0.003	-3
11/20/2006	16:43:27	0.009	-0.003	-3
11/20/2006	16:58:27	0.01	-0.002	-2
11/20/2006	17:13:27	0.008	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/20/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:16) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/20/2006 7:32			0				0
2	11/20/2006 7:47			0				0
3	11/20/2006 8:02			0.1				0.1
4	11/20/2006 8:17			0.1				0.1
5	11/20/2006 8:32			0.1				0.1
6	11/20/2006 8:47			0.1				0.1
7	11/20/2006 9:02			0.1				0.1
8	11/20/2006 9:17			0.1				0.1
9	11/20/2006 9:32			0.1				0.1
10	11/20/2006 9:47			0.1				0.1
11	11/20/2006 10:02			0.1				0.1
12	11/20/2006 10:17			0.1				0.1
13	11/20/2006 10:32			0.1				0.1
14	11/20/2006 10:47			0.2				0.2
15	11/20/2006 11:02			0.2				0.2
16	11/20/2006 11:17			0.1				0.1
17	11/20/2006 11:32			0.1				0.1
18	11/20/2006 11:47			0.1				0.1
19	11/20/2006 12:02			0.1				0.1
20	11/20/2006 12:17			0.1				0.1
21	11/20/2006 12:32			0.1				0.1
22	11/20/2006 12:47			0.2				0.2
23	11/20/2006 13:02			0.2				0.2
24	11/20/2006 13:17			0.2				0.2
25	11/20/2006 13:32			0.2				0.2
26	11/20/2006 13:47			0.1				0.1
27	11/20/2006 14:02			0.1				0.1
28	11/20/2006 14:17			0.1				0.1
29	11/20/2006 14:32			0.1				0.1
30	11/20/2006 14:47			0.1				0.1
31	11/20/2006 15:02			0.1				0.1
32	11/20/2006 15:17			0.1				0.1
33	11/20/2006 15:32			0.1				0.1
34	11/20/2006 15:47			0.1				0.1
35	11/20/2006 16:02			0.2				0.2
36	11/20/2006 16:17			0.2				0.2
37	11/20/2006 16:32			0.2				0.2
38	11/20/2006 16:47			0.2				0.2
39	11/20/2006 17:02			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	5
Test Abbreviation:	
Start Date:	11/20/2006
Start Time:	7:20:11
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (07:16) = 0.008 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/20/2006	7:35:11	0.015	0.007	7
11/20/2006	7:50:11	0.013	0.005	5
11/20/2006	8:05:11	0.014	0.006	6
11/20/2006	8:20:11	0.014	0.006	6
11/20/2006	8:35:11	0.017	0.009	9
11/20/2006	8:50:11	0.023	0.015	15
11/20/2006	9:05:11	0.019	0.011	11
11/20/2006	9:20:11	0.017	0.009	9
11/20/2006	9:35:11	0.015	0.007	7
11/20/2006	9:50:11	0.023	0.015	15
11/20/2006	10:05:11	0.018	0.01	10
11/20/2006	10:20:11	0.032	0.024	24
11/20/2006	10:35:11	0.018	0.01	10
11/20/2006	10:50:11	0.019	0.011	11
11/20/2006	11:05:11	0.015	0.007	7
11/20/2006	11:20:11	0.033	0.025	25
11/20/2006	11:35:11	0.019	0.011	11
11/20/2006	11:50:11	0.016	0.008	8
11/20/2006	12:05:11	0.02	0.012	12
11/20/2006	12:20:11	0.02	0.012	12
11/20/2006	12:35:11	0.018	0.01	10
11/20/2006	12:50:11	0.018	0.01	10
11/20/2006	13:05:11	0.019	0.011	11
11/20/2006	13:20:11	0.018	0.01	10
11/20/2006	13:35:11	0.021	0.013	13
11/20/2006	13:50:11	0.018	0.01	10
11/20/2006	14:05:11	0.016	0.008	8
11/20/2006	14:20:11	0.016	0.008	8
11/20/2006	14:35:11	0.015	0.007	7
11/20/2006	14:50:11	0.017	0.009	9
11/20/2006	15:05:11	0.026	0.018	18
11/20/2006	15:20:11	0.022	0.014	14
11/20/2006	15:35:11	0.017	0.009	9
11/20/2006	15:50:11	0.016	0.008	8
11/20/2006	16:05:11	0.016	0.008	8
11/20/2006	16:20:11	0.017	0.009	9
11/20/2006	16:35:11	0.016	0.008	8
11/20/2006	16:50:11	0.016	0.008	8
11/20/2006	17:05:11	0.015	0.007	7
11/20/2006	17:20:11	0.014	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/20/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:09) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/20/2006 7:26			0				0
2	11/20/2006 7:41			0				0
3	11/20/2006 7:56			0				0
4	11/20/2006 8:11			0				0
5	11/20/2006 8:26			0				0
6	11/20/2006 8:41			0				0
7	11/20/2006 8:56			0				0
8	11/20/2006 9:11			0				0
9	11/20/2006 9:26			0				0
10	11/20/2006 9:41			0				0
11	11/20/2006 9:56			0				0
12	11/20/2006 10:11			0				0
13	11/20/2006 10:26			0				0
14	11/20/2006 10:41			0				0
15	11/20/2006 10:56			0				0
16	11/20/2006 11:11			0				0
17	11/20/2006 11:26			0				0
18	11/20/2006 11:41			0				0
19	11/20/2006 11:56			0				0
20	11/20/2006 12:11			0				0
21	11/20/2006 12:26			0				0
22	11/20/2006 12:41			0				0
23	11/20/2006 12:56			0				0
24	11/20/2006 13:11			0				0
25	11/20/2006 13:26			0.1				0.1
26	11/20/2006 13:41			0.2				0.2
27	11/20/2006 13:56			0				0
28	11/20/2006 14:11			0				0
29	11/20/2006 14:26			0				0
30	11/20/2006 14:41			0				0
31	11/20/2006 14:56			0				0
32	11/20/2006 15:11			0				0
33	11/20/2006 15:26			0				0
34	11/20/2006 15:41			0				0
35	11/20/2006 15:56			0				0
36	11/20/2006 16:11			0				0
37	11/20/2006 16:26			0				0
38	11/20/2006 16:41			0				0
39	11/20/2006 16:56			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	9
Test Abbreviation:	
Start Date:	11/20/2006
Start Time:	7:13:59
Duration (dd:hh:mm:ss):	00:03:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	15
Notes:	Background Reading (07:09) = 0.000 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/20/2006	7:28:59	0.003	0.003	3
11/20/2006	7:43:59	0.000	0.000	0
11/20/2006	7:58:59	0.000	0.000	0
11/20/2006	8:13:59	0.000	0.000	0
11/20/2006	8:28:59	0.000	0.000	0
11/20/2006	8:43:59	0.001	0.001	1
11/20/2006	8:58:59	0.000	0.000	0
11/20/2006	9:13:59	0.001	0.001	1
11/20/2006	9:28:59	0.005	0.005	5
11/20/2006	9:43:59	0.001	0.001	1
11/20/2006	9:58:59	0.000	0.000	0
11/20/2006	10:13:59	0.002	0.002	2
11/20/2006	10:28:59	0.000	0.000	0
11/20/2006	10:43:59	0.001	0.001	1
11/20/2006	10:58:59	0.003	0.003	3
11/20/2006	11:51:16	0.004	0.004	4
11/20/2006	12:06:16	0.000	0.000	0
11/20/2006	12:21:16	0.002	0.002	2
11/20/2006	12:36:16	0.001	0.001	1
11/20/2006	12:51:16	0.000	0.000	0
11/20/2006	13:06:16	0.001	0.001	1
11/20/2006	13:21:16	0.001	0.001	1
11/20/2006	13:36:16	0.001	0.001	1
11/20/2006	13:51:16	0.001	0.001	1
11/20/2006	14:06:16	0.002	0.002	2
11/20/2006	14:21:16	0.001	0.001	1
11/20/2006	14:36:16	0.001	0.001	1
11/20/2006	14:51:16	0.000	0.000	0
11/20/2006	15:06:16	0.000	0.000	0
11/20/2006	15:21:16	0.000	0.000	0
11/20/2006	16:45:45	0.000	0.000	0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/21/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:44) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/21/2006 6:59			0				0
2	11/21/2006 7:14			0				0
3	11/21/2006 7:29			0				0
4	11/21/2006 7:44			0.1				0.1
5	11/21/2006 7:59			0.1				0.1
6	11/21/2006 8:14			0.2				0.2
7	11/21/2006 8:29			0.2				0.2
8	11/21/2006 8:44			0.2				0.2
9	11/21/2006 8:59			0.2				0.2
10	11/21/2006 9:14			0.2				0.2
11	11/21/2006 9:29			0.3				0.3
12	11/21/2006 9:44			0.3				0.3
13	11/21/2006 9:59			0.3				0.3
14	11/21/2006 10:14			0.4				0.4
15	11/21/2006 10:29			0.5				0.5
16	11/21/2006 10:44			0.5				0.5
17	11/21/2006 10:59			0.6				0.6
18	11/21/2006 11:14			0.5				0.5
19	11/21/2006 11:29			0.5				0.5
20	11/21/2006 11:44			0.5				0.5
21	11/21/2006 11:59			0.6				0.6
22	11/21/2006 12:14			0.5				0.5
23	11/21/2006 12:29			0.5				0.5
24	11/21/2006 12:44			0.6				0.6
25	11/21/2006 12:59			0.5				0.5
26	11/21/2006 13:14			0.5				0.5
27	11/21/2006 13:29			0.5				0.5
28	11/21/2006 13:44			0.5				0.5
29	11/21/2006 13:59			0.5				0.5
30	11/21/2006 14:14			0.5				0.5
31	11/21/2006 14:29			0.6				0.6
32	11/21/2006 14:44			0.6				0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	11/21/2006
Start Time:	6:48:20
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (06:44) = 0.015 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/21/2006	7:03:20	0.013	-0.002	-2
11/21/2006	7:18:20	0.025	0.01	10
11/21/2006	7:33:20	0.014	-0.001	-1
11/21/2006	7:48:20	0.01	-0.005	-5
11/21/2006	8:03:20	0.011	-0.004	-4
11/21/2006	8:18:20	0.01	-0.005	-5
11/21/2006	8:33:20	0.012	-0.003	-3
11/21/2006	8:48:20	0.014	-0.001	-1
11/21/2006	9:03:20	0.011	-0.004	-4
11/21/2006	9:18:20	0.013	-0.002	-2
11/21/2006	9:33:20	0.012	-0.003	-3
11/21/2006	9:48:20	0.012	-0.003	-3
11/21/2006	10:03:20	0.014	-0.001	-1
11/21/2006	10:18:20	0.014	-0.001	-1
11/21/2006	10:33:20	0.014	-0.001	-1
11/21/2006	10:48:20	0.02	0.005	5
11/21/2006	11:03:20	0.019	0.004	4
11/21/2006	11:18:20	0.016	0.001	1
11/21/2006	11:33:20	0.013	-0.002	-2
11/21/2006	11:48:20	0.017	0.002	2
11/21/2006	12:03:20	0.013	-0.002	-2
11/21/2006	12:18:20	0.016	0.001	1
11/21/2006	12:33:20	0.011	-0.004	-4
11/21/2006	12:48:20	0.013	-0.002	-2
11/21/2006	13:03:20	0.022	0.007	7
11/21/2006	13:18:20	0.011	-0.004	-4
11/21/2006	13:33:20	0.011	-0.004	-4
11/21/2006	13:48:20	0.011	-0.004	-4
11/21/2006	14:03:20	0.012	-0.003	-3
11/21/2006	14:18:20	0.01	-0.005	-5
11/21/2006	14:33:20	0.012	-0.003	-3
11/21/2006	14:48:20	0.019	0.004	4
11/21/2006	15:03:20	0.019	0.004	4
11/21/2006	15:18:20	0.026	0.011	11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/21/2006 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:45) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/21/2006 7:02			0				-0.1
2	11/21/2006 7:17			0				-0.1
3	11/21/2006 7:32			0				-0.1
4	11/21/2006 7:47			0				-0.1
5	11/21/2006 8:02			0				-0.1
6	11/21/2006 8:17			0				-0.1
7	11/21/2006 8:32			0				-0.1
8	11/21/2006 8:47			0				-0.1
9	11/21/2006 9:02			0				-0.1
10	11/21/2006 9:17			0				-0.1
11	11/21/2006 9:32			0				-0.1
12	11/21/2006 9:47			0				-0.1
13	11/21/2006 10:02			0				-0.1
14	11/21/2006 10:17			0				-0.1
15	11/21/2006 10:32			0				-0.1
16	11/21/2006 10:47			0				-0.1
17	11/21/2006 11:02			0				-0.1
18	11/21/2006 11:17			0				-0.1
19	11/21/2006 11:32			0				-0.1
20	11/21/2006 11:47			0				-0.1
21	11/21/2006 12:02			0				-0.1
22	11/21/2006 12:17			0				-0.1
23	11/21/2006 12:32			0				-0.1
24	11/21/2006 12:47			0				-0.1
25	11/21/2006 13:02			0				-0.1
26	11/21/2006 13:17			0				-0.1
27	11/21/2006 13:32			0				-0.1
28	11/21/2006 13:47			0				-0.1
29	11/21/2006 14:02			0				-0.1
30	11/21/2006 14:17			0				-0.1
31	11/21/2006 14:32			0				-0.1
32	11/21/2006 14:47			0				-0.1
33	11/21/2006 15:02			0				-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	11/21/2006
Start Time:	6:50:33
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (06:45) = 0.022 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/21/2006	7:05:33	0.013	-0.009	-9
11/21/2006	7:20:33	0.011	-0.011	-11
11/21/2006	7:35:33	0.009	-0.013	-13
11/21/2006	7:50:33	0.011	-0.011	-11
11/21/2006	8:05:33	0.008	-0.014	-14
11/21/2006	8:20:33	0.008	-0.014	-14
11/21/2006	8:35:33	0.009	-0.013	-13
11/21/2006	8:50:33	0.009	-0.013	-13
11/21/2006	9:05:33	0.008	-0.014	-14
11/21/2006	9:20:33	0.008	-0.014	-14
11/21/2006	9:35:33	0.009	-0.013	-13
11/21/2006	9:50:33	0.01	-0.012	-12
11/21/2006	10:05:33	0.01	-0.012	-12
11/21/2006	10:20:33	0.01	-0.012	-12
11/21/2006	10:35:33	0.009	-0.013	-13
11/21/2006	10:50:33	0.008	-0.014	-14
11/21/2006	11:05:33	0.009	-0.013	-13
11/21/2006	11:20:33	0.01	-0.012	-12
11/21/2006	11:35:33	0.01	-0.012	-12
11/21/2006	11:50:33	0.014	-0.008	-8
11/21/2006	12:05:33	0.01	-0.012	-12
11/21/2006	12:20:33	0.009	-0.013	-13
11/21/2006	12:35:33	0.009	-0.013	-13
11/21/2006	12:50:33	0.009	-0.013	-13
11/21/2006	13:05:33	0.01	-0.012	-12
11/21/2006	13:20:33	0.009	-0.013	-13
11/21/2006	13:35:33	0.01	-0.012	-12
11/21/2006	13:50:33	0.011	-0.011	-11
11/21/2006	14:05:33	0.011	-0.011	-11
11/21/2006	14:20:33	0.01	-0.012	-12
11/21/2006	14:35:33	0.012	-0.01	-10
11/21/2006	14:50:33	0.012	-0.01	-10
11/21/2006	15:05:33	0.011	-0.011	-11
11/21/2006	15:20:33	0.011	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/21/2006 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/21/2006 7:20			0				0
2	11/21/2006 7:35			0				0
3	11/21/2006 7:50			0.1				0.1
4	11/21/2006 8:05			0.1				0.1
5	11/21/2006 8:20			0.1				0.1
6	11/21/2006 8:35			0.1				0.1
7	11/21/2006 8:50			0.1				0.1
8	11/21/2006 9:05			0.1				0.1
9	11/21/2006 9:20			0.1				0.1
10	11/21/2006 9:35			0.1				0.1
11	11/21/2006 9:50			0.1				0.1
12	11/21/2006 10:05			0.1				0.1
13	11/21/2006 10:20			0.1				0.1
14	11/21/2006 10:35			0.1				0.1
15	11/21/2006 10:50			0.2				0.2
16	11/21/2006 11:05			0.2				0.2
17	11/21/2006 11:20			0.1				0.1
18	11/21/2006 11:35			0.1				0.1
19	11/21/2006 11:50			0.1				0.1
20	11/21/2006 12:05			0.1				0.1
21	11/21/2006 12:20			0.1				0.1
22	11/21/2006 12:35			0.1				0.1
23	11/21/2006 12:50			0.1				0.1
24	11/21/2006 13:05			0.1				0.1
25	11/21/2006 13:20			0.1				0.1
26	11/21/2006 13:35			0.1				0.1
27	11/21/2006 13:50			0.1				0.1
28	11/21/2006 14:05			0.1				0.1
29	11/21/2006 14:20			0.1				0.1
30	11/21/2006 14:35			0.2				0.2
31	11/21/2006 14:50			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	11/21/2006
Start Time:	6:50:33
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (07:11) = 0.018 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/21/2006	7:05:33	0.013	-0.005	-5
11/21/2006	7:20:33	0.011	-0.007	-7
11/21/2006	7:35:33	0.009	-0.009	-9
11/21/2006	7:50:33	0.011	-0.007	-7
11/21/2006	8:05:33	0.008	-0.01	-10
11/21/2006	8:20:33	0.008	-0.01	-10
11/21/2006	8:35:33	0.009	-0.009	-9
11/21/2006	8:50:33	0.009	-0.009	-9
11/21/2006	9:05:33	0.008	-0.01	-10
11/21/2006	9:20:33	0.008	-0.01	-10
11/21/2006	9:35:33	0.009	-0.009	-9
11/21/2006	9:50:33	0.01	-0.008	-8
11/21/2006	10:05:33	0.01	-0.008	-8
11/21/2006	10:20:33	0.01	-0.008	-8
11/21/2006	10:35:33	0.009	-0.009	-9
11/21/2006	10:50:33	0.008	-0.01	-10
11/21/2006	11:05:33	0.009	-0.009	-9
11/21/2006	11:20:33	0.01	-0.008	-8
11/21/2006	11:35:33	0.01	-0.008	-8
11/21/2006	11:50:33	0.014	-0.004	-4
11/21/2006	12:05:33	0.01	-0.008	-8
11/21/2006	12:20:33	0.009	-0.009	-9
11/21/2006	12:35:33	0.009	-0.009	-9
11/21/2006	12:50:33	0.009	-0.009	-9
11/21/2006	13:05:33	0.01	-0.008	-8
11/21/2006	13:20:33	0.009	-0.009	-9
11/21/2006	13:35:33	0.01	-0.008	-8
11/21/2006	13:50:33	0.011	-0.007	-7
11/21/2006	14:05:33	0.011	-0.007	-7
11/21/2006	14:20:33	0.01	-0.008	-8
11/21/2006	14:35:33	0.012	-0.006	-6
11/21/2006	14:50:33	0.012	-0.006	-6
11/21/2006	15:05:33	0.011	-0.007	-7
11/21/2006	15:20:33	0.011	-0.007	-7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/21/2006 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/21/2006 7:25			0				0
2	11/21/2006 7:40			0				0
3	11/21/2006 7:55			0				0
4	11/21/2006 8:10			0				0
5	11/21/2006 8:25			0				0
6	11/21/2006 8:40			0				0
7	11/21/2006 8:55			0				0
8	11/21/2006 9:10			0				0
9	11/21/2006 9:25			0				0
10	11/21/2006 9:40			0				0
11	11/21/2006 9:55			0				0
12	11/21/2006 10:10			0				0
13	11/21/2006 10:25			0				0
14	11/21/2006 10:40			0				0
15	11/21/2006 10:55			0.1				0.1
16	11/21/2006 11:10			0.3				0.3
17	11/21/2006 11:25			0				0
18	11/21/2006 11:40			0				0
19	11/21/2006 11:55			0.1				0.1
20	11/21/2006 12:10			0.1				0.1
21	11/21/2006 12:25			0				0
22	11/21/2006 12:40			0				0
23	11/21/2006 12:55			0				0
24	11/21/2006 13:10			0				0
25	11/21/2006 13:25			0				0
26	11/21/2006 13:40			0				0
27	11/21/2006 13:55			0				0
28	11/21/2006 14:10			0.1				0.1
29	11/21/2006 14:25			0				0
30	11/21/2006 14:40			0				0
31	11/21/2006 14:55			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	12
Test Abbreviation:	
Start Date:	11/21/2006
Start Time:	7:09:02
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (07:04) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/21/2006	7:24:02	0.01	-0.001	-1
11/21/2006	7:39:02	0.001	-0.01	-10
11/21/2006	7:54:02	0.001	-0.01	-10
11/21/2006	8:09:02	0.001	-0.01	-10
11/21/2006	8:24:02	0	-0.011	-11
11/21/2006	8:39:02	0	-0.011	-11
11/21/2006	8:54:02	0	-0.011	-11
11/21/2006	9:09:02	0.001	-0.01	-10
11/21/2006	9:24:02	0	-0.011	-11
11/21/2006	9:39:02	0	-0.011	-11
11/21/2006	9:54:02	0.001	-0.01	-10
11/21/2006	10:09:02	0.001	-0.01	-10
11/21/2006	10:24:02	0.001	-0.01	-10
11/21/2006	10:39:02	0	-0.011	-11
11/21/2006	10:54:02	0	-0.011	-11
11/21/2006	11:09:02	0.001	-0.01	-10
11/21/2006	11:24:02	0	-0.011	-11
11/21/2006	11:39:02	0.002	-0.009	-9
11/21/2006	11:54:02	0.001	-0.01	-10
11/21/2006	12:09:02	0	-0.011	-11
11/21/2006	12:24:02	0	-0.011	-11
11/21/2006	12:39:02	0	-0.011	-11
11/21/2006	12:54:02	0	-0.011	-11
11/21/2006	13:09:02	0.001	-0.01	-10
11/21/2006	13:24:02	0.001	-0.01	-10
11/21/2006	13:39:02	0	-0.011	-11
11/21/2006	13:54:02	0.008	-0.003	-3
11/21/2006	14:09:02	0.001	-0.01	-10
11/21/2006	14:47:10	0.002	-0.009	-9
11/21/2006	15:02:10	0.002	-0.009	-9
11/21/2006	15:17:10	0.003	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/22/2006 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:46) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/22/2006 7:02			0				0
2	11/22/2006 7:17			0				0
3	11/22/2006 7:32			0				0
4	11/22/2006 7:47			0				0
5	11/22/2006 8:02			0				0
6	11/22/2006 8:17			0				0
7	11/22/2006 8:32			0.1				0.1
8	11/22/2006 8:47			0.1				0.1
9	11/22/2006 9:02			0.1				0.1
10	11/22/2006 9:17			0.2				0.2
11	11/22/2006 9:32			0.2				0.2
12	11/22/2006 9:47			0.2				0.2
13	11/22/2006 10:02			0.2				0.2
14	11/22/2006 10:17			0.2				0.2
15	11/22/2006 10:32			0.2				0.2
16	11/22/2006 10:47			0.2				0.2
17	11/22/2006 11:02			0.2				0.2
18	11/22/2006 11:17			0.2				0.2
19	11/22/2006 11:32			0.2				0.2
20	11/22/2006 11:47			0.3				0.3
21	11/22/2006 12:02			0.3				0.3
22	11/22/2006 12:17			0.3				0.3
23	11/22/2006 12:32			0.3				0.3
24	11/22/2006 12:47			0.3				0.3
25	11/22/2006 13:02			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	11/22/2006
Start Time:	6:50:25
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (06:46) = 0.015 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/22/2006	7:05:25	0.013	-0.002	-2
11/22/2006	7:20:25	0.024	0.009	9
11/22/2006	7:35:25	0.014	-0.001	-1
11/22/2006	7:50:25	0.012	-0.003	-3
11/22/2006	8:05:25	0.014	-0.001	-1
11/22/2006	8:20:25	0.014	-0.001	-1
11/22/2006	9:00:04	0.002	-0.013	-13
11/22/2006	9:15:04	0.002	-0.013	-13
11/22/2006	9:30:04	0.002	-0.013	-13
11/22/2006	9:45:04	0.002	-0.013	-13
11/22/2006	10:00:04	0.002	-0.013	-13
11/22/2006	10:15:04	0.002	-0.013	-13
11/22/2006	10:30:04	0.002	-0.013	-13
11/22/2006	10:45:04	0.002	-0.013	-13
11/22/2006	11:00:04	0.002	-0.013	-13
11/22/2006	11:15:04	0.002	-0.013	-13
11/22/2006	11:30:04	0.002	-0.013	-13
11/22/2006	11:45:04	0.002	-0.013	-13
11/22/2006	12:00:04	0.002	-0.013	-13
11/22/2006	12:15:04	0.002	-0.013	-13
11/22/2006	12:30:04	0.002	-0.013	-13
11/22/2006	12:45:04	0.002	-0.013	-13
11/22/2006	13:00:04	0.002	-0.013	-13
11/22/2006	13:15:04	0.002	-0.013	-13

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/22/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/22/2006 7:02			0				0
2	11/22/2006 7:17			0				0
3	11/22/2006 7:32			0				0
4	11/22/2006 7:47			0				0
5	11/22/2006 8:02			0				0
6	11/22/2006 8:17			0				0
7	11/22/2006 8:32			0				0
8	11/22/2006 8:47			0				0
9	11/22/2006 9:02			0				0
10	11/22/2006 9:17			0				0
11	11/22/2006 9:32			0				0
12	11/22/2006 9:47			0				0
13	11/22/2006 10:02			0				0
14	11/22/2006 10:17			0				0
15	11/22/2006 10:32			0				0
16	11/22/2006 10:47			0				0
17	11/22/2006 11:02			0				0
18	11/22/2006 11:17			0				0
19	11/22/2006 11:32			0				0
20	11/22/2006 11:47			0				0
21	11/22/2006 12:02			0				0
22	11/22/2006 12:17			0				0
23	11/22/2006 12:32			0				0
24	11/22/2006 12:47			0				0
25	11/22/2006 13:02			0				0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	11/22/2006
Start Time:	6:52:10
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	

Background Reading (06:47) = 0.011 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/22/2006	7:07:10	0.011	0	0
11/22/2006	7:22:10	0.01	-0.001	-1
11/22/2006	7:37:10	0.01	-0.001	-1
11/22/2006	7:52:10	0.01	-0.001	-1
11/22/2006	8:07:10	0.011	0	0
11/22/2006	8:22:10	0.011	0	0
11/22/2006	8:37:10	0.011	0	0
11/22/2006	8:52:10	0.011	0	0
11/22/2006	9:07:10	0.012	0.001	1
11/22/2006	9:22:10	0.011	0	0
11/22/2006	9:37:10	0.011	0	0
11/22/2006	9:52:10	0.011	0	0
11/22/2006	10:07:10	0.011	0	0
11/22/2006	10:22:10	0.011	0	0
11/22/2006	10:37:10	0.01	-0.001	-1
11/22/2006	10:52:10	0.012	0.001	1
11/22/2006	11:07:10	0.011	0	0
11/22/2006	12:42:27	0.009	-0.002	-2
11/22/2006	12:57:27	0.009	-0.002	-2
11/22/2006	13:12:27	0.01	-0.001	-1
11/22/2006	13:27:27	0.011	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/22/2006 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	11/22/2006 7:20		0.1		0.1
2	11/22/2006 7:35		0.1		0.1
3	11/22/2006 7:50		0.1		0.1
4	11/22/2006 8:05		0.1		0.1
5	11/22/2006 8:20		0.1		0.1
6	11/22/2006 8:35		0.2		0.2
7	11/22/2006 8:50		0.2		0.2
8	11/22/2006 9:05		0.2		0.2
9	11/22/2006 9:20		0.2		0.2
10	11/22/2006 9:35		0.2		0.2
11	11/22/2006 9:50		0.4		0.4
12	11/22/2006 10:05		0.2		0.2
13	11/22/2006 10:20		0.2		0.2
14	11/22/2006 10:35		0.2		0.2
15	11/22/2006 10:50		0.2		0.2
16	11/22/2006 11:05		0.2		0.2
17	11/22/2006 11:20		0.3		0.3
18	11/22/2006 11:35		0.2		0.2
19	11/22/2006 11:50		0.2		0.2
20	11/22/2006 12:05		0.2		0.2
21	11/22/2006 12:20		0.2		0.2
22	11/22/2006 12:35		0.2		0.2
23	11/22/2006 12:50		0.2		0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	23441
Test ID:	7
Test Abbreviation:	
Start Date:	11/22/2006
Start Time:	7:10:25
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (07:05) = 0.020 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	4/5/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/22/2006	7:25:25	0.028	0.008	8
11/22/2006	7:40:25	0.034	0.014	14
11/22/2006	7:55:25	0.025	0.005	5
11/22/2006	8:10:25	0.026	0.006	6
11/22/2006	8:25:25	0.025	0.005	5
11/22/2006	8:40:25	0.022	0.002	2
11/22/2006	8:55:25	0.023	0.003	3
11/22/2006	9:10:25	0.026	0.006	6
11/22/2006	9:25:25	0.024	0.004	4
11/22/2006	9:40:25	0.025	0.005	5
11/22/2006	9:55:25	0.026	0.006	6
11/22/2006	10:10:25	0.025	0.005	5
11/22/2006	10:25:25	0.032	0.012	12
11/22/2006	10:40:25	0.023	0.003	3
11/22/2006	10:55:25	0.027	0.007	7
11/22/2006	11:10:25	0.023	0.003	3
11/22/2006	12:27:01	0.074	0.054	54
11/22/2006	12:42:01	0.055	0.035	35
11/22/2006	12:57:01	0.062	0.042	42
11/22/2006	13:12:01	0.057	0.037	37

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/22/2006 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:01) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	11/22/2006 7:17		0		0
2	11/22/2006 7:32		0		0
3	11/22/2006 7:47		0		0
4	11/22/2006 8:02		0		0
5	11/22/2006 8:17		0		0
6	11/22/2006 8:32		0		0
7	11/22/2006 8:47		0		0
8	11/22/2006 9:02		0		0
9	11/22/2006 9:17		0		0
10	11/22/2006 9:32		0		0
11	11/22/2006 9:47		0		0
12	11/22/2006 10:02		0		0
13	11/22/2006 10:17		0		0
14	11/22/2006 10:32		0		0
15	11/22/2006 10:47		0		0
16	11/22/2006 11:02		0		0
17	11/22/2006 11:17		0		0
18	11/22/2006 11:32		0		0
19	11/22/2006 11:47		0		0
20	11/22/2006 12:02		0		0
21	11/22/2006 12:17		0		0
22	11/22/2006 12:32		0		0
23	11/22/2006 12:47		0		0
24	11/22/2006 13:02		0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	11/22/2006
Start Time:	7:04:48
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	

Background Reading (07:01) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/22/2006	7:19:48	0.022	0.013	13
11/22/2006	7:34:48	0.014	0.005	5
11/22/2006	7:49:48	0.015	0.006	6
11/22/2006	8:04:48	0.014	0.005	5
11/22/2006	9:01	0.02	0.011	11
11/22/2006	9:16:30	0.02	0.011	11
11/22/2006	9:31:30	0.015	0.006	6
11/22/2006	9:46:30	0.014	0.005	5
11/22/2006	10:01:30	0.015	0.006	6
11/22/2006	10:16:30	0.017	0.008	8
11/22/2006	10:31:30	0.02	0.011	11
11/22/2006	10:46:30	0.015	0.006	6
11/22/2006	11:01:30	0.019	0.01	10
11/22/2006	11:16:30	0.016	0.007	7
11/22/2006	11:31:30	0.018	0.009	9
11/22/2006	11:46:30	0.014	0.005	5
11/22/2006	12:01:30	0.015	0.006	6
11/22/2006	12:16:30	0.015	0.006	6
11/22/2006	12:31:30	0.012	0.003	3
11/22/2006	12:46:30	0.013	0.004	4
11/22/2006	13:01:30	0.015	0.006	6
11/22/2006	13:16:30	0.015	0.006	6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/27/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:53) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/27/2006 7:08			0.1				0.1
2	11/27/2006 7:23			0.3				0.3
3	11/27/2006 7:38			0.4				0.4
4	11/27/2006 7:53			0.4				0.4
5	11/27/2006 8:08			0.4				0.4
6	11/27/2006 8:23			0.5				0.5
7	11/27/2006 8:38			0.5				0.5
8	11/27/2006 8:53			0.6				0.6
9	11/27/2006 9:08			0.6				0.6
10	11/27/2006 9:23			0.6				0.6
11	11/27/2006 9:38			0.6				0.6
12	11/27/2006 9:53			0.6				0.6
13	11/27/2006 10:08			0.6				0.6
14	11/27/2006 10:23			0.6				0.6
15	11/27/2006 10:38			0.6				0.6
16	11/27/2006 10:53			0.6				0.6
17	11/27/2006 11:08			0.7				0.7
18	11/27/2006 11:23			0.7				0.7
19	11/27/2006 11:38			0.8				0.8
20	11/27/2006 11:53			0.7				0.7
21	11/27/2006 12:08			0.7				0.7
22	11/27/2006 12:23			0.7				0.7
23	11/27/2006 12:38			0.7				0.7
24	11/27/2006 12:53			0.7				0.7
25	11/27/2006 13:08			0.7				0.7
26	11/27/2006 13:23			0.7				0.7
27	11/27/2006 13:38			0.7				0.7
28	11/27/2006 13:53			0.8				0.8
29	11/27/2006 14:08			0.8				0.8
30	11/27/2006 14:23			0.8				0.8
31	11/27/2006 14:38			0.8				0.8
32	11/27/2006 14:53			1				1
33	11/27/2006 15:08			0.9				0.9

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	15
Test Abbreviation:	
Start Date:	11/27/2006
Start Time:	6:57:44
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (06:53) = 0.012 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/27/2006	7:12:44	0.021	0	0
11/27/2006	7:27:44	0.014	-0.007	-7
11/27/2006	7:42:44	0.015	-0.006	-6
11/27/2006	7:57:44	0.016	-0.005	-5
11/27/2006	8:12:44	0.016	-0.005	-5
11/27/2006	8:27:44	0.015	-0.006	-6
11/27/2006	8:42:44	0.017	-0.004	-4
11/27/2006	8:57:44	0.019	-0.002	-2
11/27/2006	9:12:44	0.018	-0.003	-3
11/27/2006	9:27:44	0.018	-0.003	-3
11/27/2006	9:42:44	0.018	-0.003	-3
11/27/2006	9:57:44	0.018	-0.003	-3
11/27/2006	10:12:44	0.018	-0.003	-3
11/27/2006	10:27:44	0.017	-0.004	-4
11/27/2006	10:42:44	0.018	-0.003	-3
11/27/2006	10:57:44	0.019	-0.002	-2
11/27/2006	11:12:44	0.019	-0.002	-2
11/27/2006	11:27:44	0.02	-0.001	-1
11/27/2006	11:42:44	0.019	-0.002	-2
11/27/2006	11:57:44	0.018	-0.003	-3
11/27/2006	12:12:44	0.018	-0.003	-3
11/27/2006	12:27:44	0.018	-0.003	-3
11/27/2006	12:42:44	0.019	-0.002	-2
11/27/2006	12:57:44	0.019	-0.002	-2
11/27/2006	13:12:44	0.019	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/27/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:52) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/27/2006 7:05			0				0
2	11/27/2006 7:20			0				0
3	11/27/2006 7:35			0				0
4	11/27/2006 7:50			0				0
5	11/27/2006 8:05			0				0
6	11/27/2006 8:20			0				0
7	11/27/2006 8:35			0				0
8	11/27/2006 8:50			0				0
9	11/27/2006 9:05			0				0
10	11/27/2006 9:20			0				0
11	11/27/2006 9:35			0				0
12	11/27/2006 9:50			0				0
13	11/27/2006 10:05			0				0
14	11/27/2006 10:20			0				0
15	11/27/2006 10:35			0				0
16	11/27/2006 10:50			0				0
17	11/27/2006 11:05			0				0
18	11/27/2006 11:20			0				0
19	11/27/2006 11:35			0				0
20	11/27/2006 11:50			0				0
21	11/27/2006 12:05			0				0
22	11/27/2006 12:20			0				0
23	11/27/2006 12:35			0				0
24	11/27/2006 12:50			0				0
25	11/27/2006 13:05			0				0
26	11/27/2006 13:20			0				0
27	11/27/2006 13:35			0				0
28	11/27/2006 13:50			0				0
29	11/27/2006 14:05			0				0
30	11/27/2006 14:20			0				0
31	11/27/2006 14:35			0				0
32	11/27/2006 14:50			0				0
33	11/27/2006 15:05			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	13
Test Abbreviation:	
Start Date:	11/27/2006
Start Time:	6:57:29
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (06:52) = 0.059 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/27/2006	7:12:29	0.059	0	0
11/27/2006	7:27:29	0.07	0.011	11
11/27/2006	7:42:29	0.069	0.01	10
11/27/2006	7:57:29	0.073	0.014	14
11/27/2006	8:12:29	0.075	0.016	16
11/27/2006	8:27:29	0.068	0.009	9
11/27/2006	8:42:29	0.078	0.019	19
11/27/2006	8:57:29	0.076	0.017	17
11/27/2006	9:12:29	0.069	0.01	10
11/27/2006	9:27:29	0.068	0.009	9
11/27/2006	9:42:29	0.071	0.012	12
11/27/2006	9:57:29	0.072	0.013	13
11/27/2006	10:12:29	0.066	0.007	7
11/27/2006	10:27:29	0.067	0.008	8
11/27/2006	10:42:29	0.07	0.011	11
11/27/2006	10:57:29	0.071	0.012	12
11/27/2006	11:12:29	0.073	0.014	14
11/27/2006	11:27:29	0.075	0.016	16
11/27/2006	11:42:29	0.076	0.017	17
11/27/2006	11:57:29	0.071	0.012	12
11/27/2006	12:12:29	0.073	0.014	14
11/27/2006	12:27:29	0.073	0.014	14
11/27/2006	12:42:29	0.076	0.017	17
11/27/2006	12:57:29	0.08	0.021	21
11/27/2006	13:12:29	0.082	0.023	23
11/27/2006	13:27:29	0.083	0.024	24
11/27/2006	13:42:29	0.081	0.022	22
11/27/2006	13:57:29	0.08	0.021	21
11/27/2006	14:12:29	0.084	0.025	25
11/27/2006	14:27:29	0.083	0.024	24
11/27/2006	14:42:29	0.083	0.024	24
11/27/2006	14:57:29	0.073	0.014	14
11/27/2006	15:12:29	0.057	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/27/2006 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/27/2006 7:24			0				0
2	11/27/2006 7:39			0				0
3	11/27/2006 7:54			0				0
4	11/27/2006 8:09			0				0
5	11/27/2006 8:24			0.1				0.1
6	11/27/2006 8:39			0.1				0.1
7	11/27/2006 8:54			0.1				0.1
8	11/27/2006 9:09			0.1				0.1
9	11/27/2006 9:24			0.1				0.1
10	11/27/2006 9:39			0.1				0.1
11	11/27/2006 9:54			0.1				0.1
12	11/27/2006 10:09			0.2				0.2
13	11/27/2006 10:24			0.2				0.2
14	11/27/2006 10:39			0.2				0.2
15	11/27/2006 10:54			0.2				0.2
16	11/27/2006 11:09			0.3				0.3
17	11/27/2006 11:24			0.3				0.3
18	11/27/2006 11:39			0.3				0.3
19	11/27/2006 11:54			0.4				0.4
20	11/27/2006 12:09			0.4				0.4
21	11/27/2006 12:24			0.5				0.5
22	11/27/2006 12:39			0.5				0.5
23	11/27/2006 12:54			0.6				0.6
24	11/27/2006 13:09			0.6				0.6
25	11/27/2006 13:24			0.6				0.6
26	11/27/2006 13:39			0.6				0.6
27	11/27/2006 13:54			0.6				0.6
28	11/27/2006 14:09			0.5				0.5
29	11/27/2006 14:24			0.6				0.6
30	11/27/2006 14:39			0.6				0.6
31	11/27/2006 14:54			0.6				0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

NOTE: Data listed below are from instantaneous measurements recorded at STA 3 by the roving air monitor.

Date	Time	Aerosol	Aerosol(-background)		
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	Background Reading (08:06) = 0.065 mg/m3
11/27/2006	8:06 AM	0.065	0	0	
11/27/2006	8:16 AM	0.064	-0.001	-1	
11/27/2006	8:37 AM	0.075	0.01	10	
11/27/2006	9:18:00	0.077	0.012	12	
11/27/2006	9:57 AM	0.073	0.008	8	
11/27/2006	10:54 AM	0.087	0.022	22	
11/27/2006	11:23	0.075	0.01	10	
11/27/2006	11:48 AM	0.07	0.005	5	
11/27/2006	12:51 PM	0.074	0.009	9	
11/27/2006	1:29 PM	0.075	0.01	10	
11/27/2006	2:04 PM	0.067	0.002	2	
11/27/2006	2:31 PM	0.071	0.006	6	
11/27/2006	2:42 PM	0.068	0.003	3	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/27/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:02) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/27/2006 7:20			0				-0.1
2	11/27/2006 7:35			0				-0.1
3	11/27/2006 7:50			0				-0.1
4	11/27/2006 8:05			0				-0.1
5	11/27/2006 8:20			0				-0.1
6	11/27/2006 8:35			0				-0.1
7	11/27/2006 8:50			0				-0.1
8	11/27/2006 9:05			0				-0.1
9	11/27/2006 9:20			0				-0.1
10	11/27/2006 9:35			0				-0.1
11	11/27/2006 9:50			0				-0.1
12	11/27/2006 10:05			0				-0.1
13	11/27/2006 10:20			0				-0.1
14	11/27/2006 10:35			0				-0.1
15	11/27/2006 10:50			0				-0.1
16	11/27/2006 11:05			0				-0.1
17	11/27/2006 11:20			0				-0.1
18	11/27/2006 11:35			0				-0.1
19	11/27/2006 11:50			0				-0.1
20	11/27/2006 12:05			0				-0.1
21	11/27/2006 12:20			0				-0.1
22	11/27/2006 12:35			0				-0.1
23	11/27/2006 12:50			0				-0.1
24	11/27/2006 13:05			0				-0.1
25	11/27/2006 13:20			0				-0.1
26	11/27/2006 13:35			0				-0.1
27	11/27/2006 13:50			0				-0.1
28	11/27/2006 14:05			0				-0.1
29	11/27/2006 14:20			0				-0.1
30	11/27/2006 14:35			0				-0.1
31	11/27/2006 14:50			0				-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	11/27/2006
Start Time:	7:08:50
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (07:02) = 0.063 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/27/2006	7:23:50	0.09	0.027	27
11/27/2006	7:38:50	0.076	0.013	13
11/27/2006	7:53:50	0.08	0.017	17
11/27/2006	8:08:50	0.084	0.021	21
11/27/2006	8:23:50	0.078	0.015	15
11/27/2006	8:38:50	0.08	0.017	17
11/27/2006	8:53:50	0.09	0.027	27
11/27/2006	9:08:50	0.088	0.025	25
11/27/2006	9:23:50	0.085	0.022	22
11/27/2006	9:38:50	0.087	0.024	24
11/27/2006	9:53:50	0.084	0.021	21
11/27/2006	10:08:50	0.085	0.022	22
11/27/2006	10:23:50	0.082	0.019	19
11/27/2006	10:38:50	0.086	0.023	23
11/27/2006	10:53:50	0.091	0.028	28
11/27/2006	11:08:50	0.097	0.034	34
11/27/2006	11:23:50	0.103	0.04	40
11/27/2006	11:38:50	0.097	0.034	34
11/27/2006	11:53:50	0.1	0.037	37
11/27/2006	12:08:50	0.095	0.032	32
11/27/2006	12:23:50	0.087	0.024	24
11/27/2006	12:38:50	0.096	0.033	33
11/27/2006	12:53:50	0.095	0.032	32
11/27/2006	13:08:50	0.102	0.039	39
11/27/2006	13:23:50	0.099	0.036	36
11/27/2006	13:38:50	0.099	0.036	36
11/27/2006	13:53:50	0.099	0.036	36
11/27/2006	14:08:50	0.096	0.033	33
11/27/2006	14:23:50	0.099	0.036	36
11/27/2006	14:38:50	0.098	0.035	35
11/27/2006	14:53:50	0.091	0.028	28
11/27/2006	15:08:50	0.069	0.006	6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/28/2006 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:42) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/28/2006 6:58			0				0
2	11/28/2006 7:13			0				0
3	11/28/2006 7:28			0				0
4	11/28/2006 7:43			0				0
5	11/28/2006 7:58			0				0
6	11/28/2006 8:13			0				0
7	11/28/2006 8:28			0				0
8	11/28/2006 8:43			0				0
9	11/28/2006 8:58			0.1				0.1
10	11/28/2006 9:13			0				0
11	11/28/2006 9:28			0				0
12	11/28/2006 9:43			0				0
13	11/28/2006 9:58			0				0
14	11/28/2006 10:13			0				0
15	11/28/2006 10:28			0				0
16	11/28/2006 10:43			0				0
17	11/28/2006 10:58			0				0
18	11/28/2006 11:13			0				0
19	11/28/2006 11:28			0				0
20	11/28/2006 11:43			0				0
21	11/28/2006 11:58			0				0
22	11/28/2006 12:13			0				0
23	11/28/2006 12:28			0				0
24	11/28/2006 12:43			0				0
25	11/28/2006 12:58			0				0
26	11/28/2006 13:13			0				0
27	11/28/2006 13:28			0				0
28	11/28/2006 13:43			0				0
29	11/28/2006 13:58			0				0
30	11/28/2006 14:13			0				0
31	11/28/2006 14:28			0				0
32	11/28/2006 14:43			0				0
33	11/28/2006 14:58			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	1
Test Abbreviation:	
Start Date:	11/28/2006
Start Time:	6:46:58
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (06:42) = 0.016 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	7/10/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	7:01:58	0.017	0.001	1
11/28/2006	7:16:58	0.019	0.003	3
11/28/2006	7:31:58	0.02	0.004	4
11/28/2006	7:46:58	0.021	0.005	5
11/28/2006	8:01:58	0.021	0.005	5
11/28/2006	8:16:58	0.019	0.003	3
11/28/2006	8:31:58	0.018	0.002	2
11/28/2006	8:46:58	0.019	0.003	3
11/28/2006	9:01:58	0.022	0.006	6
11/28/2006	9:16:58	0.021	0.005	5
11/28/2006	9:31:58	0.021	0.005	5
11/28/2006	9:46:58	0.019	0.003	3
11/28/2006	10:01:58	0.018	0.002	2
11/28/2006	10:16:58	0.016	0	0
11/28/2006	10:31:58	0.015	-0.001	-1
11/28/2006	10:46:58	0.013	-0.003	-3
11/28/2006	11:01:58	0.013	-0.003	-3
11/28/2006	11:16:58	0.013	-0.003	-3
11/28/2006	11:31:58	0.013	-0.003	-3
11/28/2006	11:46:58	0.015	-0.001	-1
11/28/2006	12:01:58	0.014	-0.002	-2
11/28/2006	12:16:58	0.012	-0.004	-4
11/28/2006	12:31:58	0.012	-0.004	-4
11/28/2006	12:46:58	0.012	-0.004	-4
11/28/2006	13:01:58	0.012	-0.004	-4
11/28/2006	13:16:58	0.012	-0.004	-4
11/28/2006	13:31:58	0.013	-0.003	-3
11/28/2006	13:46:58	0.014	-0.002	-2
11/28/2006	14:01:58	0.013	-0.003	-3
11/28/2006	14:16:58	0.013	-0.003	-3
11/28/2006	14:31:58	0.013	-0.003	-3
11/28/2006	14:46:58	0.014	-0.002	-2
11/28/2006	15:01:58	0.015	-0.001	-1
11/28/2006	15:16:58	0.014	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/28/2006 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/28/2006 6:55			0				0
2	11/28/2006 7:10			0				0
3	11/28/2006 7:25			0				0
4	11/28/2006 7:40			0				0
5	11/28/2006 7:55			0				0
6	11/28/2006 8:10			0				0
7	11/28/2006 8:25			0				0
8	11/28/2006 8:40			0				0
9	11/28/2006 8:55			0				0
10	11/28/2006 9:10			0				0
11	11/28/2006 9:25			0				0
12	11/28/2006 9:40			0				0
13	11/28/2006 9:55			0				0
14	11/28/2006 10:10			0				0
15	11/28/2006 10:25			0				0
16	11/28/2006 10:40			0				0
17	11/28/2006 10:55			0				0
18	11/28/2006 11:10			0				0
19	11/28/2006 11:25			0				0
20	11/28/2006 11:40			0				0
21	11/28/2006 11:55			0				0
22	11/28/2006 12:10			0				0
23	11/28/2006 12:25			0				0
24	11/28/2006 12:40			0				0
25	11/28/2006 12:55			0				0
26	11/28/2006 13:10			0				0
27	11/28/2006 13:25			0				0
28	11/28/2006 13:40			0				0
29	11/28/2006 13:55			0				0
30	11/28/2006 14:10			0				0
31	11/28/2006 14:25			0				0
32	11/28/2006 14:40			0				0
33	11/28/2006 14:55			0				0
34	11/28/2006 15:10			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	11/28/2006
Start Time:	6:45:44
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (06:40) = 0.074 mg/m3

Calibration Sensor: Aerosol
Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	7:00:44	0.08	0.006	6
11/28/2006	7:15:44	0.088	0.014	14
11/28/2006	7:30:44	0.09	0.016	16
11/28/2006	7:45:44	0.095	0.021	21
11/28/2006	8:00:44	0.092	0.018	18
11/28/2006	8:15:44	0.081	0.007	7
11/28/2006	8:30:44	0.074	0	0
11/28/2006	8:45:44	0.08	0.006	6
11/28/2006	9:00:44	0.088	0.014	14
11/28/2006	9:15:44	0.086	0.012	12
11/28/2006	9:30:44	0.086	0.012	12
11/28/2006	9:45:44	0.077	0.003	3
11/28/2006	10:00:44	0.073	-0.001	-1
11/28/2006	10:15:44	0.066	-0.008	-8
11/28/2006	10:30:44	0.059	-0.015	-15
11/28/2006	10:45:44	0.052	-0.022	-22
11/28/2006	11:00:44	0.05	-0.024	-24
11/28/2006	11:15:44	0.053	-0.021	-21
11/28/2006	11:30:44	0.052	-0.022	-22
11/28/2006	11:45:44	0.055	-0.019	-19
11/28/2006	12:00:44	0.055	-0.019	-19
11/28/2006	12:15:44	0.048	-0.026	-26
11/28/2006	12:30:44	0.047	-0.027	-27
11/28/2006	12:45:44	0.047	-0.027	-27
11/28/2006	13:00:44	0.048	-0.026	-26
11/28/2006	13:15:44	0.047	-0.027	-27
11/28/2006	13:30:44	0.048	-0.026	-26
11/28/2006	13:45:44	0.05	-0.024	-24
11/28/2006	14:00:44	0.05	-0.024	-24
11/28/2006	14:15:44	0.051	-0.023	-23
11/28/2006	14:30:44	0.052	-0.022	-22
11/28/2006	14:45:44	0.051	-0.023	-23
11/28/2006	15:00:44	0.052	-0.022	-22
11/28/2006	15:15:44	0.054	-0.02	-20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/28/2006 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/28/2006 7:21			0.1				0.1
2	11/28/2006 7:36			0.1				0.1
3	11/28/2006 7:51			0.2				0.2
4	11/28/2006 8:06			0.2				0.2
5	11/28/2006 8:21			0.2				0.2
6	11/28/2006 8:36			0.2				0.2
7	11/28/2006 8:51			0.2				0.2
8	11/28/2006 9:06			0.3				0.3
9	11/28/2006 9:21			0.3				0.3
10	11/28/2006 9:36			0.3				0.3
11	11/28/2006 9:51			0.3				0.3
12	11/28/2006 10:06			0.2				0.2
13	11/28/2006 10:21			0.3				0.3
14	11/28/2006 10:36			0.3				0.3
15	11/28/2006 10:51			0.3				0.3
16	11/28/2006 11:06			0.4				0.4
17	11/28/2006 11:21			0.3				0.3
18	11/28/2006 11:36			0.4				0.4
19	11/28/2006 11:51			0.4				0.4
20	11/28/2006 12:06			0.5				0.5
21	11/28/2006 12:21			0.5				0.5
22	11/28/2006 12:36			0.5				0.5
23	11/28/2006 12:51			0.4				0.4
24	11/28/2006 13:06			0.5				0.5
25	11/28/2006 13:21			0.5				0.5
26	11/28/2006 13:36			0.5				0.5
27	11/28/2006 13:51			0.5				0.5
28	11/28/2006 14:06			0.6				0.6
29	11/28/2006 14:21			0.6				0.6
30	11/28/2006 14:36			0.5				0.5
31	11/28/2006 14:51			0.5				0.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	11/28/2006
Start Time:	7:08:48
Duration (dd:hh:mm:ss):	00:08:06:00
Time constant (seconds):	10
Log Interval (mm:ss):	1:00
Number of points:	486
Notes:	Background Reading (07:04) = 0.082 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	7:09:48	0.085	0.003	3	11/28/2006	7:39:48	0.09	0.008	8
11/28/2006	7:10:48	0.085	0.003	3	11/28/2006	7:40:48	0.089	0.007	7
11/28/2006	7:11:48	0.087	0.005	5	11/28/2006	7:41:48	0.089	0.007	7
11/28/2006	7:12:48	0.085	0.003	3	11/28/2006	7:42:48	0.089	0.007	7
11/28/2006	7:13:48	0.084	0.002	2	11/28/2006	7:43:48	0.118	0.036	36
11/28/2006	7:14:48	0.083	0.001	1	11/28/2006	7:44:48	0.11	0.028	28
11/28/2006	7:15:48	0.087	0.005	5	11/28/2006	7:45:48	0.1	0.018	18
11/28/2006	7:16:48	0.085	0.003	3	11/28/2006	7:46:48	0.106	0.024	24
11/28/2006	7:17:48	0.082	0	0	11/28/2006	7:47:48	0.096	0.014	14
11/28/2006	7:18:48	0.082	0	0	11/28/2006	7:48:48	0.095	0.013	13
11/28/2006	7:19:48	0.08	-0.002	-2	11/28/2006	7:49:48	0.112	0.03	30
11/28/2006	7:20:48	0.082	0	0	11/28/2006	7:50:48	0.101	0.019	19
11/28/2006	7:21:48	0.083	0.001	1	11/28/2006	7:51:48	0.096	0.014	14
11/28/2006	7:22:48	0.084	0.002	2	11/28/2006	7:52:48	0.089	0.007	7
11/28/2006	7:23:48	0.086	0.004	4	11/28/2006	7:53:48	0.096	0.014	14
11/28/2006	7:24:48	0.088	0.006	6	11/28/2006	7:54:48	0.087	0.005	5
11/28/2006	7:25:48	0.087	0.005	5	11/28/2006	7:55:48	0.087	0.005	5
11/28/2006	7:26:48	0.089	0.007	7	11/28/2006	7:56:48	0.088	0.006	6
11/28/2006	7:27:48	0.089	0.007	7	11/28/2006	7:57:48	0.087	0.005	5
11/28/2006	7:28:48	0.087	0.005	5	11/28/2006	7:58:48	0.085	0.003	3
11/28/2006	7:29:48	0.089	0.007	7	11/28/2006	7:59:48	0.086	0.004	4
11/28/2006	7:30:48	0.085	0.003	3	11/28/2006	8:00:48	0.084	0.002	2
11/28/2006	7:31:48	0.088	0.006	6	11/28/2006	8:01:48	0.086	0.004	4
11/28/2006	7:32:48	0.089	0.007	7	11/28/2006	8:02:48	0.089	0.007	7
11/28/2006	7:33:48	0.092	0.01	10	11/28/2006	8:03:48	0.09	0.008	8
11/28/2006	7:34:48	0.088	0.006	6	11/28/2006	8:04:48	0.086	0.004	4
11/28/2006	7:35:48	0.085	0.003	3	11/28/2006	8:05:48	0.097	0.015	15
11/28/2006	7:36:48	0.087	0.005	5	11/28/2006	8:06:48	0.081	-0.001	-1
11/28/2006	7:37:48	0.086	0.004	4	11/28/2006	8:07:48	0.096	0.014	14
11/28/2006	7:38:48	0.086	0.004	4	11/28/2006	8:08:48	0.088	0.006	6

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	8:09:48	0.077	-0.005	-5
11/28/2006	8:10:48	0.082	0	0
11/28/2006	8:11:48	0.08	-0.002	-2
11/28/2006	8:12:48	0.087	0.005	5
11/28/2006	8:13:48	0.079	-0.003	-3
11/28/2006	8:14:48	0.078	-0.004	-4
11/28/2006	8:15:48	0.076	-0.006	-6
11/28/2006	8:16:48	0.075	-0.007	-7
11/28/2006	8:17:48	0.079	-0.003	-3
11/28/2006	8:18:48	0.075	-0.007	-7
11/28/2006	8:19:48	0.076	-0.006	-6
11/28/2006	8:20:48	0.078	-0.004	-4
11/28/2006	8:21:48	0.076	-0.006	-6
11/28/2006	8:22:48	0.072	-0.01	-10
11/28/2006	8:23:48	0.077	-0.005	-5
11/28/2006	8:24:48	0.076	-0.006	-6
11/28/2006	8:25:48	0.075	-0.007	-7
11/28/2006	8:26:48	0.074	-0.008	-8
11/28/2006	8:27:48	0.074	-0.008	-8
11/28/2006	8:28:48	0.077	-0.005	-5
11/28/2006	8:29:48	0.075	-0.007	-7
11/28/2006	8:30:48	0.073	-0.009	-9
11/28/2006	8:31:48	0.075	-0.007	-7
11/28/2006	8:32:48	0.073	-0.009	-9
11/28/2006	8:33:48	0.078	-0.004	-4
11/28/2006	8:34:48	0.077	-0.005	-5
11/28/2006	8:35:48	0.077	-0.005	-5
11/28/2006	8:36:48	0.076	-0.006	-6
11/28/2006	8:37:48	0.073	-0.009	-9
11/28/2006	8:38:48	0.073	-0.009	-9
11/28/2006	8:39:48	0.075	-0.007	-7
11/28/2006	8:40:48	0.077	-0.005	-5
11/28/2006	8:41:48	0.074	-0.008	-8
11/28/2006	8:42:48	0.074	-0.008	-8
11/28/2006	8:43:48	0.076	-0.006	-6
11/28/2006	8:44:48	0.082	0	0
11/28/2006	8:45:48	0.088	0.006	6
11/28/2006	8:46:48	0.077	-0.005	-5
11/28/2006	8:47:48	0.1	0.018	18
11/28/2006	8:48:48	0.084	0.002	2
11/28/2006	8:49:48	0.081	-0.001	-1
11/28/2006	8:50:48	0.083	0.001	1
11/28/2006	8:51:48	0.082	0	0
11/28/2006	8:52:48	0.081	-0.001	-1
11/28/2006	8:53:48	0.081	-0.001	-1
11/28/2006	8:54:48	0.082	0	0
11/28/2006	8:55:48	0.083	0.001	1
11/28/2006	8:56:48	0.085	0.003	3
11/28/2006	8:57:48	0.093	0.011	11
11/28/2006	8:58:48	0.092	0.01	10
11/28/2006	8:59:48	0.087	0.005	5
11/28/2006	9:00:48	0.089	0.007	7
11/28/2006	9:01:48	0.09	0.008	8
11/28/2006	9:02:48	0.09	0.008	8
11/28/2006	9:03:48	0.089	0.007	7
11/28/2006	9:04:48	0.086	0.004	4
11/28/2006	9:05:48	0.086	0.004	4
11/28/2006	9:06:48	0.088	0.006	6
11/28/2006	9:07:48	0.084	0.002	2
11/28/2006	9:08:48	0.085	0.003	3
11/28/2006	9:09:48	0.088	0.006	6
11/28/2006	9:10:48	0.086	0.004	4
11/28/2006	9:11:48	0.084	0.002	2
11/28/2006	9:12:48	0.085	0.003	3
11/28/2006	9:13:48	0.086	0.004	4
11/28/2006	9:14:48	0.086	0.004	4
11/28/2006	9:15:48	0.084	0.002	2
11/28/2006	9:16:48	0.084	0.002	2
11/28/2006	9:17:48	0.086	0.004	4
11/28/2006	9:18:48	0.085	0.003	3
11/28/2006	9:19:48	0.086	0.004	4
11/28/2006	9:20:48	0.086	0.004	4
11/28/2006	9:21:48	0.088	0.006	6
11/28/2006	9:22:48	0.083	0.001	1
11/28/2006	9:23:48	0.082	0	0
11/28/2006	9:24:48	0.081	-0.001	-1
11/28/2006	9:25:48	0.08	-0.002	-2
11/28/2006	9:26:48	0.084	0.002	2
11/28/2006	9:27:48	0.083	0.001	1
11/28/2006	9:28:48	0.081	-0.001	-1
11/28/2006	9:29:48	0.08	-0.002	-2
11/28/2006	9:30:48	0.087	0.005	5
11/28/2006	9:31:48	0.077	-0.005	-5
11/28/2006	9:32:48	0.077	-0.005	-5
11/28/2006	9:33:48	0.078	-0.004	-4
11/28/2006	9:34:48	0.077	-0.005	-5
11/28/2006	9:35:48	0.078	-0.004	-4
11/28/2006	9:36:48	0.077	-0.005	-5
11/28/2006	9:37:48	0.077	-0.005	-5
11/28/2006	9:38:48	0.074	-0.008	-8
11/28/2006	9:39:48	0.076	-0.006	-6
11/28/2006	9:40:48	0.076	-0.006	-6
11/28/2006	9:41:48	0.074	-0.008	-8

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	9:42:48	0.077	-0.005	-5
11/28/2006	9:43:48	0.078	-0.004	-4
11/28/2006	9:44:48	0.075	-0.007	-7
11/28/2006	9:45:48	0.072	-0.01	-10
11/28/2006	9:46:48	0.069	-0.013	-13
11/28/2006	9:47:48	0.071	-0.011	-11
11/28/2006	9:48:48	0.075	-0.007	-7
11/28/2006	9:49:48	0.073	-0.009	-9
11/28/2006	9:50:48	0.073	-0.009	-9
11/28/2006	9:51:48	0.073	-0.009	-9
11/28/2006	9:52:48	0.074	-0.008	-8
11/28/2006	9:53:48	0.074	-0.008	-8
11/28/2006	9:54:48	0.071	-0.011	-11
11/28/2006	9:55:48	0.072	-0.01	-10
11/28/2006	9:56:48	0.07	-0.012	-12
11/28/2006	9:57:48	0.069	-0.013	-13
11/28/2006	9:58:48	0.069	-0.013	-13
11/28/2006	9:59:48	0.069	-0.013	-13
11/28/2006	10:00:48	0.069	-0.013	-13
11/28/2006	10:01:48	0.068	-0.014	-14
11/28/2006	10:02:48	0.069	-0.013	-13
11/28/2006	10:03:48	0.067	-0.015	-15
11/28/2006	10:04:48	0.072	-0.01	-10
11/28/2006	10:05:48	0.066	-0.016	-16
11/28/2006	10:06:48	0.07	-0.012	-12
11/28/2006	10:07:48	0.068	-0.014	-14
11/28/2006	10:08:48	0.071	-0.011	-11
11/28/2006	10:09:48	0.071	-0.011	-11
11/28/2006	10:10:48	0.069	-0.013	-13
11/28/2006	10:11:48	0.068	-0.014	-14
11/28/2006	10:12:48	0.064	-0.018	-18
11/28/2006	10:13:48	0.062	-0.02	-20
11/28/2006	10:14:48	0.059	-0.023	-23
11/28/2006	10:15:48	0.059	-0.023	-23
11/28/2006	10:16:48	0.063	-0.019	-19
11/28/2006	10:17:48	0.064	-0.018	-18
11/28/2006	10:18:48	0.062	-0.02	-20
11/28/2006	10:19:48	0.058	-0.024	-24
11/28/2006	10:20:48	0.057	-0.025	-25
11/28/2006	10:21:48	0.055	-0.027	-27
11/28/2006	10:22:48	0.059	-0.023	-23
11/28/2006	10:23:48	0.062	-0.02	-20
11/28/2006	10:24:48	0.058	-0.024	-24
11/28/2006	10:25:48	0.055	-0.027	-27
11/28/2006	10:26:48	0.056	-0.026	-26
11/28/2006	10:27:48	0.056	-0.026	-26
11/28/2006	10:28:48	0.055	-0.027	-27

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	10:29:48	0.054	-0.028	-28
11/28/2006	10:30:48	0.049	-0.033	-33
11/28/2006	10:31:48	0.047	-0.035	-35
11/28/2006	10:32:48	0.049	-0.033	-33
11/28/2006	10:33:48	0.053	-0.029	-29
11/28/2006	10:34:48	0.053	-0.029	-29
11/28/2006	10:35:48	0.049	-0.033	-33
11/28/2006	10:36:48	0.05	-0.032	-32
11/28/2006	10:37:48	0.047	-0.035	-35
11/28/2006	10:38:48	0.049	-0.033	-33
11/28/2006	10:39:48	0.049	-0.033	-33
11/28/2006	10:40:48	0.048	-0.034	-34
11/28/2006	10:41:48	0.047	-0.035	-35
11/28/2006	10:42:48	0.046	-0.036	-36
11/28/2006	10:43:48	0.052	-0.03	-30
11/28/2006	10:44:48	0.049	-0.033	-33
11/28/2006	10:45:48	0.049	-0.033	-33
11/28/2006	10:46:48	0.059	-0.023	-23
11/28/2006	10:47:48	0.057	-0.025	-25
11/28/2006	10:48:48	0.049	-0.033	-33
11/28/2006	10:49:48	0.051	-0.031	-31
11/28/2006	10:50:48	0.047	-0.035	-35
11/28/2006	10:51:48	0.047	-0.035	-35
11/28/2006	10:52:48	0.048	-0.034	-34
11/28/2006	10:53:48	0.054	-0.028	-28
11/28/2006	10:54:48	0.052	-0.03	-30
11/28/2006	10:55:48	0.05	-0.032	-32
11/28/2006	10:56:48	0.051	-0.031	-31
11/28/2006	10:57:48	0.051	-0.031	-31
11/28/2006	10:58:48	0.05	-0.032	-32
11/28/2006	10:59:48	0.055	-0.027	-27
11/28/2006	11:00:48	0.056	-0.026	-26
11/28/2006	11:01:48	0.055	-0.027	-27
11/28/2006	11:02:48	0.055	-0.027	-27
11/28/2006	11:03:48	0.053	-0.029	-29
11/28/2006	11:04:48	0.054	-0.028	-28
11/28/2006	11:05:48	0.056	-0.026	-26
11/28/2006	11:06:48	0.08	-0.002	-2
11/28/2006	11:07:48	0.066	-0.016	-16
11/28/2006	11:08:48	0.059	-0.023	-23
11/28/2006	11:09:48	0.059	-0.023	-23
11/28/2006	11:10:48	0.055	-0.027	-27
11/28/2006	11:11:48	0.055	-0.027	-27
11/28/2006	11:12:48	0.053	-0.029	-29
11/28/2006	11:13:48	0.054	-0.028	-28
11/28/2006	11:14:48	0.055	-0.027	-27
11/28/2006	11:15:48	0.052	-0.03	-30

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	11:16:48	0.054	-0.028	-28
11/28/2006	11:17:48	0.053	-0.029	-29
11/28/2006	11:18:48	0.055	-0.027	-27
11/28/2006	11:19:48	0.056	-0.026	-26
11/28/2006	11:20:48	0.053	-0.029	-29
11/28/2006	11:21:48	0.049	-0.033	-33
11/28/2006	11:22:48	0.049	-0.033	-33
11/28/2006	11:23:48	0.049	-0.033	-33
11/28/2006	11:24:48	0.046	-0.036	-36
11/28/2006	11:25:48	0.05	-0.032	-32
11/28/2006	11:26:48	0.049	-0.033	-33
11/28/2006	11:27:48	0.048	-0.034	-34
11/28/2006	11:28:48	0.052	-0.03	-30
11/28/2006	11:29:48	0.054	-0.028	-28
11/28/2006	11:30:48	0.056	-0.026	-26
11/28/2006	11:31:48	0.055	-0.027	-27
11/28/2006	11:32:48	0.06	-0.022	-22
11/28/2006	11:33:48	0.058	-0.024	-24
11/28/2006	11:34:48	0.06	-0.022	-22
11/28/2006	11:35:48	0.054	-0.028	-28
11/28/2006	11:36:48	0.053	-0.029	-29
11/28/2006	11:37:48	0.052	-0.03	-30
11/28/2006	11:38:48	0.053	-0.029	-29
11/28/2006	11:39:48	0.054	-0.028	-28
11/28/2006	11:40:48	0.052	-0.03	-30
11/28/2006	11:41:48	0.052	-0.03	-30
11/28/2006	11:42:48	0.054	-0.028	-28
11/28/2006	11:43:48	0.053	-0.029	-29
11/28/2006	11:44:48	0.053	-0.029	-29
11/28/2006	11:45:48	0.055	-0.027	-27
11/28/2006	11:46:48	0.055	-0.027	-27
11/28/2006	11:47:48	0.052	-0.03	-30
11/28/2006	11:48:48	0.052	-0.03	-30
11/28/2006	11:49:48	0.051	-0.031	-31
11/28/2006	11:50:48	0.057	-0.025	-25
11/28/2006	11:51:48	0.051	-0.031	-31
11/28/2006	11:52:48	0.051	-0.031	-31
11/28/2006	11:53:48	0.052	-0.03	-30
11/28/2006	11:54:48	0.05	-0.032	-32
11/28/2006	11:55:48	0.048	-0.034	-34
11/28/2006	11:56:48	0.046	-0.036	-36
11/28/2006	11:57:48	0.048	-0.034	-34
11/28/2006	11:58:48	0.045	-0.037	-37
11/28/2006	11:59:48	0.05	-0.032	-32
11/28/2006	12:00:48	0.046	-0.036	-36
11/28/2006	12:01:48	0.046	-0.036	-36
11/28/2006	12:02:48	0.048	-0.034	-34
11/28/2006	12:03:48	0.046	-0.036	-36
11/28/2006	12:04:48	0.076	-0.006	-6
11/28/2006	12:05:48	0.062	-0.02	-20
11/28/2006	12:06:48	0.05	-0.032	-32
11/28/2006	12:07:48	0.048	-0.034	-34
11/28/2006	12:08:48	0.048	-0.034	-34
11/28/2006	12:09:48	0.048	-0.034	-34
11/28/2006	12:10:48	0.048	-0.034	-34
11/28/2006	12:11:48	0.049	-0.033	-33
11/28/2006	12:12:48	0.042	-0.04	-40
11/28/2006	12:13:48	0.042	-0.04	-40
11/28/2006	12:14:48	0.043	-0.039	-39
11/28/2006	12:15:48	0.043	-0.039	-39
11/28/2006	12:16:48	0.043	-0.039	-39
11/28/2006	12:17:48	0.045	-0.037	-37
11/28/2006	12:18:48	0.045	-0.037	-37
11/28/2006	12:19:48	0.045	-0.037	-37
11/28/2006	12:20:48	0.047	-0.035	-35
11/28/2006	12:21:48	0.053	-0.029	-29
11/28/2006	12:22:48	0.051	-0.031	-31
11/28/2006	12:23:48	0.042	-0.04	-40
11/28/2006	12:24:48	0.042	-0.04	-40
11/28/2006	12:25:48	0.042	-0.04	-40
11/28/2006	12:26:48	0.042	-0.04	-40
11/28/2006	12:27:48	0.042	-0.04	-40
11/28/2006	12:28:48	0.044	-0.038	-38
11/28/2006	12:29:48	0.043	-0.039	-39
11/28/2006	12:30:48	0.042	-0.04	-40
11/28/2006	12:31:48	0.042	-0.04	-40
11/28/2006	12:32:48	0.043	-0.039	-39
11/28/2006	12:33:48	0.043	-0.039	-39
11/28/2006	12:34:48	0.043	-0.039	-39
11/28/2006	12:35:48	0.043	-0.039	-39
11/28/2006	12:36:48	0.042	-0.04	-40
11/28/2006	12:37:48	0.043	-0.039	-39
11/28/2006	12:38:48	0.042	-0.04	-40
11/28/2006	12:39:48	0.043	-0.039	-39
11/28/2006	12:40:48	0.043	-0.039	-39
11/28/2006	12:41:48	0.044	-0.038	-38
11/28/2006	12:42:48	0.044	-0.038	-38
11/28/2006	12:43:48	0.042	-0.04	-40
11/28/2006	12:44:48	0.043	-0.039	-39
11/28/2006	12:45:48	0.045	-0.037	-37
11/28/2006	12:46:48	0.044	-0.038	-38
11/28/2006	12:47:48	0.043	-0.039	-39
11/28/2006	12:48:48	0.042	-0.04	-40

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	12:49:48	0.044	-0.038	-38
11/28/2006	12:50:48	0.042	-0.04	-40
11/28/2006	12:51:48	0.043	-0.039	-39
11/28/2006	12:52:48	0.042	-0.04	-40
11/28/2006	12:53:48	0.042	-0.04	-40
11/28/2006	12:54:48	0.042	-0.04	-40
11/28/2006	12:55:48	0.043	-0.039	-39
11/28/2006	12:56:48	0.042	-0.04	-40
11/28/2006	12:57:48	0.046	-0.036	-36
11/28/2006	12:58:48	0.045	-0.037	-37
11/28/2006	12:59:48	0.046	-0.036	-36
11/28/2006	13:00:48	0.044	-0.038	-38
11/28/2006	13:01:48	0.042	-0.04	-40
11/28/2006	13:02:48	0.044	-0.038	-38
11/28/2006	13:03:48	0.044	-0.038	-38
11/28/2006	13:04:48	0.056	-0.026	-26
11/28/2006	13:05:48	0.073	-0.009	-9
11/28/2006	13:06:48	0.05	-0.032	-32
11/28/2006	13:07:48	0.044	-0.038	-38
11/28/2006	13:08:48	0.047	-0.035	-35
11/28/2006	13:09:48	0.048	-0.034	-34
11/28/2006	13:10:48	0.047	-0.035	-35
11/28/2006	13:11:48	0.045	-0.037	-37
11/28/2006	13:12:48	0.046	-0.036	-36
11/28/2006	13:13:48	0.047	-0.035	-35
11/28/2006	13:14:48	0.045	-0.037	-37
11/28/2006	13:15:48	0.047	-0.035	-35
11/28/2006	13:16:48	0.044	-0.038	-38
11/28/2006	13:17:48	0.043	-0.039	-39
11/28/2006	13:18:48	0.044	-0.038	-38
11/28/2006	13:19:48	0.044	-0.038	-38
11/28/2006	13:20:48	0.043	-0.039	-39
11/28/2006	13:21:48	0.043	-0.039	-39
11/28/2006	13:22:48	0.044	-0.038	-38
11/28/2006	13:23:48	0.046	-0.036	-36
11/28/2006	13:24:48	0.046	-0.036	-36
11/28/2006	13:25:48	0.046	-0.036	-36
11/28/2006	13:26:48	0.044	-0.038	-38
11/28/2006	13:27:48	0.044	-0.038	-38
11/28/2006	13:28:48	0.045	-0.037	-37
11/28/2006	13:29:48	0.045	-0.037	-37
11/28/2006	13:30:48	0.044	-0.038	-38
11/28/2006	13:31:48	0.044	-0.038	-38
11/28/2006	13:32:48	0.044	-0.038	-38
11/28/2006	13:33:48	0.044	-0.038	-38
11/28/2006	13:34:48	0.045	-0.037	-37
11/28/2006	13:35:48	0.046	-0.036	-36
11/28/2006	13:36:48	0.044	-0.038	-38
11/28/2006	13:37:48	0.047	-0.035	-35
11/28/2006	13:38:48	0.044	-0.038	-38
11/28/2006	13:39:48	0.043	-0.039	-39
11/28/2006	13:40:48	0.043	-0.039	-39
11/28/2006	13:41:48	0.044	-0.038	-38
11/28/2006	13:42:48	0.044	-0.038	-38
11/28/2006	13:43:48	0.045	-0.037	-37
11/28/2006	13:44:48	0.043	-0.039	-39
11/28/2006	13:45:48	0.045	-0.037	-37
11/28/2006	13:46:48	0.047	-0.035	-35
11/28/2006	13:47:48	0.048	-0.034	-34
11/28/2006	13:48:48	0.047	-0.035	-35
11/28/2006	13:49:48	0.046	-0.036	-36
11/28/2006	13:50:48	0.049	-0.033	-33
11/28/2006	13:51:48	0.046	-0.036	-36
11/28/2006	13:52:48	0.045	-0.037	-37
11/28/2006	13:53:48	0.043	-0.039	-39
11/28/2006	13:54:48	0.046	-0.036	-36
11/28/2006	13:55:48	0.046	-0.036	-36
11/28/2006	13:56:48	0.046	-0.036	-36
11/28/2006	13:57:48	0.046	-0.036	-36
11/28/2006	13:58:48	0.049	-0.033	-33
11/28/2006	13:59:48	0.051	-0.031	-31
11/28/2006	14:00:48	0.047	-0.035	-35
11/28/2006	14:01:48	0.047	-0.035	-35
11/28/2006	14:02:48	0.046	-0.036	-36
11/28/2006	14:03:48	0.049	-0.033	-33
11/28/2006	14:04:48	0.051	-0.031	-31
11/28/2006	14:05:48	0.047	-0.035	-35
11/28/2006	14:06:48	0.046	-0.036	-36
11/28/2006	14:07:48	0.046	-0.036	-36
11/28/2006	14:08:48	0.049	-0.033	-33
11/28/2006	14:09:48	0.048	-0.034	-34
11/28/2006	14:10:48	0.046	-0.036	-36
11/28/2006	14:11:48	0.047	-0.035	-35
11/28/2006	14:12:48	0.047	-0.035	-35
11/28/2006	14:13:48	0.048	-0.034	-34
11/28/2006	14:14:48	0.048	-0.034	-34
11/28/2006	14:15:48	0.052	-0.03	-30
11/28/2006	14:16:48	0.048	-0.034	-34
11/28/2006	14:17:48	0.049	-0.033	-33
11/28/2006	14:18:48	0.048	-0.034	-34
11/28/2006	14:19:48	0.053	-0.029	-29
11/28/2006	14:20:48	0.047	-0.035	-35
11/28/2006	14:21:48	0.05	-0.032	-32
11/28/2006	14:22:48	0.047	-0.035	-35

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	14:23:48	0.049	-0.033	-33
11/28/2006	14:24:48	0.049	-0.033	-33
11/28/2006	14:25:48	0.048	-0.034	-34
11/28/2006	14:26:48	0.047	-0.035	-35
11/28/2006	14:27:48	0.048	-0.034	-34
11/28/2006	14:28:48	0.048	-0.034	-34
11/28/2006	14:29:48	0.047	-0.035	-35
11/28/2006	14:30:48	0.048	-0.034	-34
11/28/2006	14:31:48	0.049	-0.033	-33
11/28/2006	14:32:48	0.049	-0.033	-33
11/28/2006	14:33:48	0.047	-0.035	-35
11/28/2006	14:34:48	0.047	-0.035	-35
11/28/2006	14:35:48	0.047	-0.035	-35
11/28/2006	14:36:48	0.048	-0.034	-34
11/28/2006	14:37:48	0.049	-0.033	-33
11/28/2006	14:38:48	0.049	-0.033	-33
11/28/2006	14:39:48	0.046	-0.036	-36
11/28/2006	14:40:48	0.049	-0.033	-33
11/28/2006	14:41:48	0.047	-0.035	-35
11/28/2006	14:42:48	0.048	-0.034	-34
11/28/2006	14:43:48	0.047	-0.035	-35
11/28/2006	14:44:48	0.047	-0.035	-35
11/28/2006	14:45:48	0.048	-0.034	-34
11/28/2006	14:46:48	0.05	-0.032	-32
11/28/2006	14:47:48	0.047	-0.035	-35
11/28/2006	14:48:48	0.047	-0.035	-35
11/28/2006	14:49:48	0.046	-0.036	-36
11/28/2006	14:50:48	0.047	-0.035	-35
11/28/2006	14:51:48	0.047	-0.035	-35
11/28/2006	14:52:48	0.047	-0.035	-35
11/28/2006	14:53:48	0.055	-0.027	-27
11/28/2006	14:54:48	0.048	-0.034	-34
11/28/2006	14:55:48	0.049	-0.033	-33
11/28/2006	14:56:48	0.048	-0.034	-34
11/28/2006	14:57:48	0.05	-0.032	-32
11/28/2006	14:58:48	0.05	-0.032	-32
11/28/2006	14:59:48	0.051	-0.031	-31
11/28/2006	15:00:48	0.049	-0.033	-33
11/28/2006	15:01:48	0.052	-0.03	-30
11/28/2006	15:02:48	0.049	-0.033	-33
11/28/2006	15:03:48	0.051	-0.031	-31
11/28/2006	15:04:48	0.051	-0.031	-31
11/28/2006	15:05:48	0.052	-0.03	-30
11/28/2006	15:06:48	0.054	-0.028	-28
11/28/2006	15:07:48	0.052	-0.03	-30
11/28/2006	15:08:48	0.051	-0.031	-31
11/28/2006	15:09:48	0.05	-0.032	-32
11/28/2006	15:10:48	0.051	-0.031	-31
11/28/2006	15:11:48	0.052	-0.03	-30
11/28/2006	15:12:48	0.065	-0.017	-17
11/28/2006	15:13:48	0.06	-0.022	-22
11/28/2006	15:14:48	0.057	-0.025	-25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/28/2006 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:59) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/28/2006 7:15			0				0
2	11/28/2006 7:30			0				0
3	11/28/2006 7:45			0				0
4	11/28/2006 8:00			0				0
5	11/28/2006 8:15			0				0
6	11/28/2006 8:30			0				0
7	11/28/2006 8:45			0				0
8	11/28/2006 9:00			0				0
9	11/28/2006 9:15			0				0
10	11/28/2006 9:30			0				0
11	11/28/2006 9:45			0				0
12	11/28/2006 10:00			0				0
13	11/28/2006 10:15			0				0
14	11/28/2006 10:30			0				0
15	11/28/2006 10:45			0				0
16	11/28/2006 11:00			0				0
17	11/28/2006 11:15			0				0
18	11/28/2006 11:30			0				0
19	11/28/2006 11:45			0				0
20	11/28/2006 12:00			0				0
21	11/28/2006 12:15			0				0
22	11/28/2006 12:30			0				0
23	11/28/2006 12:45			0				0
24	11/28/2006 13:00			0				0
25	11/28/2006 13:15			0				0
26	11/28/2006 13:30			0				0
27	11/28/2006 13:45			0				0
28	11/28/2006 14:00			0				0
29	11/28/2006 14:15			0				0
30	11/28/2006 14:30			0				0
31	11/28/2006 14:45			0				0
32	11/28/2006 15:00			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	11/28/2006
Start Time:	7:17:39
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (06:59) = 0.097 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/28/2006	7:32:39	0.098	0.001	1
11/28/2006	7:47:39	0.102	0.005	5
11/28/2006	8:02:39	0.105	0.008	8
11/28/2006	8:17:39	0.093	-0.004	-4
11/28/2006	8:32:39	0.088	-0.009	-9
11/28/2006	8:47:39	0.096	-0.001	-1
11/28/2006	9:02:39	0.104	0.007	7
11/28/2006	9:17:39	0.115	0.018	18
11/28/2006	9:32:39	0.101	0.004	4
11/28/2006	9:47:39	0.091	-0.006	-6
11/28/2006	10:02:39	0.088	-0.009	-9
11/28/2006	10:17:39	0.082	-0.015	-15
11/28/2006	10:32:39	0.073	-0.024	-24
11/28/2006	10:47:39	0.062	-0.035	-35
11/28/2006	11:02:39	0.063	-0.034	-34
11/28/2006	11:17:39	0.072	-0.025	-25
11/28/2006	11:32:39	0.064	-0.033	-33
11/28/2006	11:47:39	0.069	-0.028	-28
11/28/2006	12:02:39	0.064	-0.033	-33
11/28/2006	12:17:39	0.06	-0.037	-37
11/28/2006	12:32:39	0.057	-0.04	-40
11/28/2006	12:47:39	0.059	-0.038	-38
11/28/2006	13:02:39	0.056	-0.041	-41
11/28/2006	13:17:39	0.062	-0.035	-35
11/28/2006	13:32:39	0.059	-0.038	-38
11/28/2006	13:47:39	0.06	-0.037	-37
11/28/2006	14:02:39	0.064	-0.033	-33
11/28/2006	14:17:39	0.063	-0.034	-34
11/28/2006	14:32:39	0.065	-0.032	-32
11/28/2006	14:47:39	0.062	-0.035	-35
11/28/2006	15:02:39	0.063	-0.034	-34
11/28/2006	15:17:39	0.069	-0.028	-28

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/29/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/29/2006 7:07			0				0
2	11/29/2006 7:22			0				0
3	11/29/2006 7:37			0				0
4	11/29/2006 7:52			0				0
5	11/29/2006 8:07			0				0
6	11/29/2006 8:22			0				0
7	11/29/2006 8:37			0				0
8	11/29/2006 8:52			0				0
9	11/29/2006 9:07			0				0
10	11/29/2006 9:22			0				0
11	11/29/2006 9:37			0.1				0.1
12	11/29/2006 9:52			0.1				0.1
13	11/29/2006 10:07			0.1				0.1
14	11/29/2006 10:22			0.1				0.1
15	11/29/2006 10:37			0.2				0.2
16	11/29/2006 10:52			0.2				0.2
17	11/29/2006 11:07			0.2				0.2
18	11/29/2006 11:22			0.2				0.2
19	11/29/2006 11:37			0.2				0.2
20	11/29/2006 11:52			0.2				0.2
21	11/29/2006 12:07			0.2				0.2
22	11/29/2006 12:22			0.2				0.2
23	11/29/2006 12:37			0.2				0.2
24	11/29/2006 12:52			0.2				0.2
25	11/29/2006 13:07			0.2				0.2
26	11/29/2006 13:22			0.2				0.2
27	11/29/2006 13:37			0.2				0.2
28	11/29/2006 13:52			0.2				0.2
29	11/29/2006 14:07			0.2				0.2
30	11/29/2006 14:22			0.2				0.2
31	11/29/2006 14:37			0.2				0.2
32	11/29/2006 14:52			0.2				0.2
33	11/29/2006 15:07			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	2
Test Abbreviation:	
Start Date:	11/29/2006
Start Time:	6:56:44
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (06:51) = 0.010 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/29/2006	7:11:44	0.012	0.002	2
11/29/2006	7:26:44	0.013	0.003	3
11/29/2006	7:41:44	0.014	0.004	4
11/29/2006	7:56:44	0.015	0.005	5
11/29/2006	8:11:44	0.015	0.005	5
11/29/2006	8:26:44	0.015	0.005	5
11/29/2006	8:41:44	0.016	0.006	6
11/29/2006	8:56:44	0.016	0.006	6
11/29/2006	9:11:44	0.017	0.007	7
11/29/2006	9:26:44	0.017	0.007	7
11/29/2006	9:41:44	0.017	0.007	7
11/29/2006	9:56:44	0.018	0.008	8
11/29/2006	10:11:44	0.018	0.008	8
11/29/2006	10:26:44	0.018	0.008	8
11/29/2006	10:41:44	0.018	0.008	8
11/29/2006	10:56:44	0.018	0.008	8
11/29/2006	11:11:44	0.019	0.009	9
11/29/2006	11:26:44	0.018	0.008	8
11/29/2006	11:41:44	0.018	0.008	8
11/29/2006	11:56:44	0.018	0.008	8
11/29/2006	12:11:44	0.032	0.022	22
11/29/2006	12:26:44	0.018	0.008	8
11/29/2006	12:41:44	0.034	0.024	24
11/29/2006	12:56:44	0.016	0.006	6
11/29/2006	13:11:44	0.033	0.023	23
11/29/2006	13:26:44	0.016	0.006	6
11/29/2006	13:41:44	0.016	0.006	6
11/29/2006	13:56:44	0.016	0.006	6
11/29/2006	14:11:44	0.016	0.006	6
11/29/2006	14:26:44	0.016	0.006	6
11/29/2006	14:41:44	0.019	0.009	9
11/29/2006	14:56:44	0.018	0.008	8
11/29/2006	15:11:44	0.019	0.009	9
11/29/2006	15:26:44	0.017	0.007	7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/29/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/29/2006 7:01			0				0
2	11/29/2006 7:16			0				0
3	11/29/2006 7:31			0				0
4	11/29/2006 7:46			0				0
5	11/29/2006 8:01			0				0
6	11/29/2006 8:16			0				0
7	11/29/2006 8:31			0				0
8	11/29/2006 8:46			0				0
9	11/29/2006 9:01			0				0
10	11/29/2006 9:16			0				0
11	11/29/2006 9:31			0				0
12	11/29/2006 9:46			0				0
13	11/29/2006 10:01			0				0
14	11/29/2006 10:16			0				0
15	11/29/2006 10:31			0				0
16	11/29/2006 10:46			0				0
17	11/29/2006 11:01			0				0
18	11/29/2006 11:16			0				0
19	11/29/2006 11:31			0				0
20	11/29/2006 11:46			0				0
21	11/29/2006 12:01			0				0
22	11/29/2006 12:16			0				0
23	11/29/2006 12:31			0				0
24	11/29/2006 12:46			0				0
25	11/29/2006 13:01			0				0
26	11/29/2006 13:16			0				0
27	11/29/2006 13:31			0				0
28	11/29/2006 13:46			0				0
29	11/29/2006 14:01			0				0
30	11/29/2006 14:16			0				0
31	11/29/2006 14:31			0				0
32	11/29/2006 14:46			0				0
33	11/29/2006 15:01			0				0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	11/29/2006
Start Time:	6:52:48
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (06:47) = 0.049 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/29/2006	7:07:48	0.054	0.005	5
11/29/2006	7:22:48	0.06	0.011	11
11/29/2006	7:37:48	0.06	0.011	11
11/29/2006	7:52:48	0.064	0.015	15
11/29/2006	8:07:48	0.064	0.015	15
11/29/2006	8:22:48	0.063	0.014	14
11/29/2006	8:37:48	0.062	0.013	13
11/29/2006	8:52:48	0.065	0.016	16
11/29/2006	9:07:48	0.071	0.022	22
11/29/2006	9:22:48	0.068	0.019	19
11/29/2006	9:37:48	0.068	0.019	19
11/29/2006	9:52:48	0.07	0.021	21
11/29/2006	10:07:48	0.069	0.02	20
11/29/2006	10:22:48	0.069	0.02	20
11/29/2006	10:37:48	0.068	0.019	19
11/29/2006	10:52:48	0.068	0.019	19
11/29/2006	11:07:48	0.071	0.022	22
11/29/2006	11:22:48	0.071	0.022	22
11/29/2006	11:37:48	0.067	0.018	18
11/29/2006	11:52:48	0.07	0.021	21
11/29/2006	12:07:48	0.068	0.019	19
11/29/2006	12:22:48	0.07	0.021	21
11/29/2006	12:37:48	0.071	0.022	22
11/29/2006	12:52:48	0.069	0.02	20
11/29/2006	13:07:48	0.063	0.014	14
11/29/2006	13:22:48	0.074	0.025	25
11/29/2006	13:37:48	0.073	0.024	24
11/29/2006	13:52:48	0.068	0.019	19
11/29/2006	14:07:48	0.069	0.02	20
11/29/2006	14:22:48	0.068	0.019	19
11/29/2006	14:37:48	0.072	0.023	23
11/29/2006	14:52:48	0.078	0.029	29
11/29/2006	15:07:48	0.075	0.026	26
11/29/2006	15:22:48	0.073	0.024	24

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/29/2006 06:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/29/2006 7:27			0				0
2	11/29/2006 7:42			0				0
3	11/29/2006 7:57			0				0
4	11/29/2006 8:12			0				0
5	11/29/2006 8:27			0.2				0.2
6	11/29/2006 8:42			0.1				0.1
7	11/29/2006 8:57			0.1				0.1
8	11/29/2006 9:12			0.1				0.1
9	11/29/2006 9:27			0.1				0.1
10	11/29/2006 9:42			0.1				0.1
11	11/29/2006 9:57			0.1				0.1
12	11/29/2006 10:12			0				0
13	11/29/2006 10:27			0.1				0.1
14	11/29/2006 10:42			0.1				0.1
15	11/29/2006 10:57			0.1				0.1
16	11/29/2006 11:12			0.1				0.1
17	11/29/2006 11:27			0.1				0.1
18	11/29/2006 11:42			0.1				0.1
19	11/29/2006 11:57			0.1				0.1
20	11/29/2006 12:12			0.1				0.1
21	11/29/2006 12:27			0.2				0.2
22	11/29/2006 12:42			0.2				0.2
23	11/29/2006 12:57			0.3				0.3
24	11/29/2006 13:12			0.3				0.3
25	11/29/2006 13:27			0.3				0.3
26	11/29/2006 13:42			0.3				0.3
27	11/29/2006 13:57			0.3				0.3
28	11/29/2006 14:12			0.4				0.4
29	11/29/2006 14:27			0.4				0.4
30	11/29/2006 14:42			0.4				0.4
31	11/29/2006 14:57			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	11/29/2006
Start Time:	7:15:09
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	Background Reading (07:11) = 0.114 mg/m3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/29/2006	7:30:09	0.127	0.013	13	
11/29/2006	7:53:34	0.119	0.005	5	
11/29/2006	8:08:34	0.122	0.008	8	
11/29/2006	8:23:34	0.121	0.007	7	
11/29/2006	8:38:34	0.123	0.009	9	
11/29/2006	8:53:34	0.127	0.013	13	
11/29/2006	9:08:34	0.129	0.015	15	
11/29/2006	9:23:34	0.127	0.013	13	
11/29/2006	9:38:34	0.128	0.014	14	
11/29/2006	9:53:34	0.127	0.013	13	
11/29/2006	10:08:34	0.136	0.022	22	
11/29/2006	10:23:34	0.133	0.019	19	
11/29/2006	10:38:34	0.132	0.018	18	
11/29/2006	10:53:34	0.135	0.021	21	
11/29/2006	11:23:06	0.223	0.109	109	Test of Dust Trak conducted.
11/29/2006	13:54:20	0.079	-0.035	-35	
11/29/2006	14:09:20	0.072	-0.042	-42	
11/29/2006	14:24:20	0.08	-0.034	-34	
11/29/2006	14:39:20	0.076	-0.038	-38	
11/29/2006	14:54:20	0.086	-0.028	-28	
11/29/2006	15:09:20	0.081	-0.033	-33	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/29/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/29/2006 7:20			0				0
2	11/29/2006 7:35			0				0
3	11/29/2006 7:50			0				0
4	11/29/2006 8:05			0				0
5	11/29/2006 8:20			0				0
6	11/29/2006 8:35			0				0
7	11/29/2006 8:50			0				0
8	11/29/2006 9:05			0.2				0.2
9	11/29/2006 9:20			0				0
10	11/29/2006 9:35			0				0
11	11/29/2006 9:50			0				0
12	11/29/2006 10:05			0				0
13	11/29/2006 10:20			0.9				0.9
14	11/29/2006 10:35			0.4				0.4
15	11/29/2006 10:50			0.2				0.2
16	11/29/2006 11:05			0				0
17	11/29/2006 11:20			0.7				0.7
18	11/29/2006 11:35			0.1				0.1
19	11/29/2006 11:50			0				0
20	11/29/2006 12:05			0				0
21	11/29/2006 12:20			0				0
22	11/29/2006 12:35			0				0
23	11/29/2006 12:50			0				0
24	11/29/2006 13:05			0.2				0.2
25	11/29/2006 13:20			0				0
26	11/29/2006 13:35			0				0
27	11/29/2006 13:50			0				0
28	11/29/2006 14:05			0				0
29	11/29/2006 14:20			0				0
30	11/29/2006 14:35			0				0
31	11/29/2006 14:50			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	11/29/2006
Start Time:	7:11:03
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (07:06) = 0.056 mg/m3

Calibration	
Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
11/29/2006	7:26:03	0.068	0.012	12	
11/29/2006	7:41:03	0.066	0.01	10	
11/29/2006	7:56:03	0.076	0.02	20	
11/29/2006	8:11:03	0.081	0.025	25	
11/29/2006	8:26:03	0.079	0.023	23	
11/29/2006	8:41:03	0.078	0.022	22	
11/29/2006	8:56:03	0.079	0.023	23	
11/29/2006	9:11:03	0.084	0.028	28	
11/29/2006	9:26:03	0.086	0.03	30	
11/29/2006	9:41:03	0.084	0.028	28	
11/29/2006	9:56:03	0.087	0.031	31	
11/29/2006	10:11:03	0.093	0.037	37	
11/29/2006	10:26:03	0.089	0.033	33	
11/29/2006	10:41:03	0.092	0.036	36	
11/29/2006	10:56:03	0.091	0.035	35	
11/29/2006	11:11:03	0.094	0.038	38	
11/29/2006	11:26:03	0.089	0.033	33	
11/29/2006	11:41:03	0.091	0.035	35	
11/29/2006	11:56:03	0.088	0.032	32	
11/29/2006	12:11:03	0.095	0.039	39	
11/29/2006	12:26:03	0.09	0.034	34	
11/29/2006	12:41:03	0.091	0.035	35	
11/29/2006	12:56:03	0.179	0.123	123	Test of Dust Trak conducted.
11/29/2006	13:11:03	0.091	0.035	35	
11/29/2006	13:26:03	0.089	0.033	33	
11/29/2006	13:41:03	0.095	0.039	39	
11/29/2006	13:56:03	0.091	0.035	35	
11/29/2006	14:11:03	0.09	0.034	34	
11/29/2006	14:26:03	0.085	0.029	29	
11/29/2006	14:41:03	0.101	0.045	45	
11/29/2006	14:56:03	0.099	0.043	43	
11/29/2006	15:11:03	0.099	0.043	43	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/30/2006 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:53) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/30/2006 7:09			0				0
2	11/30/2006 7:24			0				0
3	11/30/2006 7:39			0				0
4	11/30/2006 7:54			0				0
5	11/30/2006 8:09			0				0
6	11/30/2006 8:24			0				0
7	11/30/2006 8:39			0				0
8	11/30/2006 8:54			0				0
9	11/30/2006 9:09			0				0
10	11/30/2006 9:24			0.3				0.3
11	11/30/2006 9:39			0				0
12	11/30/2006 9:54			0				0
13	11/30/2006 10:09			0				0
14	11/30/2006 10:24			0				0
15	11/30/2006 10:39			0				0
16	11/30/2006 10:54			0.2				0.2
17	11/30/2006 11:09			0.3				0.3
18	11/30/2006 11:24			0.1				0.1
19	11/30/2006 11:39			0				0
20	11/30/2006 11:54			0				0
21	11/30/2006 12:09			0				0
22	11/30/2006 12:24			0.7				0.7
23	11/30/2006 12:39			0.1				0.1
24	11/30/2006 12:54			0				0
25	11/30/2006 13:09			0				0
26	11/30/2006 13:24			0				0
27	11/30/2006 13:39			0				0
28	11/30/2006 13:54			0				0
29	11/30/2006 14:09			0				0
30	11/30/2006 14:24			0				0
31	11/30/2006 14:39			0				0
32	11/30/2006 14:54			0				0
33	11/30/2006 15:09			0				0
34	11/30/2006 15:24			0				0
35	11/30/2006 15:39			0				0
36	11/30/2006 15:54			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	3
Test Abbreviation:	
Start Date:	11/30/2006
Start Time:	6:58:13
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (06:53) = 0.011 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	7/10/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/30/2006	7:13:13	0.011	0	0
11/30/2006	7:28:13	0.01	-0.001	-1
11/30/2006	7:43:13	0.012	0.001	1
11/30/2006	7:58:13	0.011	0	0
11/30/2006	8:13:13	0.011	0	0
11/30/2006	8:28:13	0.011	0	0
11/30/2006	8:43:13	0.011	0	0
11/30/2006	8:58:13	0.011	0	0
11/30/2006	9:13:13	0.011	0	0
11/30/2006	9:28:13	0.011	0	0
11/30/2006	9:43:13	0.01	-0.001	-1
11/30/2006	9:58:13	0.01	-0.001	-1
11/30/2006	10:13:13	0.01	-0.001	-1
11/30/2006	10:28:13	0.01	-0.001	-1
11/30/2006	10:43:13	0.011	0	0
11/30/2006	10:58:13	0.01	-0.001	-1
11/30/2006	11:13:13	0.009	-0.002	-2
11/30/2006	11:28:13	0.009	-0.002	-2
11/30/2006	11:43:13	0.009	-0.002	-2
11/30/2006	11:58:13	0.009	-0.002	-2
11/30/2006	12:13:13	0.009	-0.002	-2
11/30/2006	12:28:13	0.009	-0.002	-2
11/30/2006	12:43:13	0.008	-0.003	-3
11/30/2006	12:58:13	0.007	-0.004	-4
11/30/2006	13:13:13	0.005	-0.006	-6
11/30/2006	13:28:13	0.005	-0.006	-6
11/30/2006	13:43:13	0.005	-0.006	-6
11/30/2006	13:58:13	0.004	-0.007	-7
11/30/2006	14:13:13	0.003	-0.008	-8
11/30/2006	14:28:13	0.003	-0.008	-8
11/30/2006	14:43:13	0.003	-0.008	-8
11/30/2006	14:58:13	0.003	-0.008	-8
11/30/2006	15:13:13	0.002	-0.009	-9
11/30/2006	15:28:13	0.003	-0.008	-8
11/30/2006	15:43:13	0.003	-0.008	-8
11/30/2006	15:58:13	0.002	-0.009	-9
11/30/2006	16:13:13	0.003	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/30/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/30/2006 7:20			0				0
2	11/30/2006 7:35			0				0
3	11/30/2006 7:50			0				0
4	11/30/2006 8:05			0				0
5	11/30/2006 8:20			0				0
6	11/30/2006 8:35			0				0
7	11/30/2006 8:50			0				0
8	11/30/2006 9:05			0				0
9	11/30/2006 9:20			0				0
10	11/30/2006 9:35			0				0
11	11/30/2006 9:50			0				0
12	11/30/2006 10:05			0				0
13	11/30/2006 10:20			0				0
14	11/30/2006 10:35			0				0
15	11/30/2006 10:50			0				0
16	11/30/2006 11:05			0				0
17	11/30/2006 11:20			0				0
18	11/30/2006 11:35			0				0
19	11/30/2006 11:50			0				0
20	11/30/2006 12:05			0				0
21	11/30/2006 12:20			0				0
22	11/30/2006 12:35			0				0
23	11/30/2006 12:50			0				0
24	11/30/2006 13:05			0				0
25	11/30/2006 13:20			0				0
26	11/30/2006 13:35			0				0
27	11/30/2006 13:50			0				0
28	11/30/2006 14:05			0				0
29	11/30/2006 14:20			0				0
30	11/30/2006 14:35			0				0
31	11/30/2006 14:50			0				0
32	11/30/2006 15:05			0				0
33	11/30/2006 15:20			0				0
34	11/30/2006 15:35			0				0
35	11/30/2006 15:50			0				0
36	11/30/2006 16:05			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	11/30/2006
Start Time:	7:11:06
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (07:05) = 0.037 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/30/2006	7:26:06	0.04	0.003	3
11/30/2006	7:41:06	0.047	0.01	10
11/30/2006	7:56:06	0.049	0.012	12
11/30/2006	8:11:06	0.051	0.014	14
11/30/2006	8:26:06	0.045	0.008	8
11/30/2006	8:41:06	0.047	0.01	10
11/30/2006	8:56:06	0.051	0.014	14
11/30/2006	9:11:06	0.051	0.014	14
11/30/2006	9:26:06	0.045	0.008	8
11/30/2006	9:41:06	0.034	-0.003	-3
11/30/2006	9:56:06	0.035	-0.002	-2
11/30/2006	10:11:06	0.034	-0.003	-3
11/30/2006	10:26:06	0.035	-0.002	-2
11/30/2006	10:41:06	0.039	0.002	2
11/30/2006	10:56:06	0.037	0	0
11/30/2006	11:11:06	0.03	-0.007	-7
11/30/2006	11:26:06	0.029	-0.008	-8
11/30/2006	11:41:06	0.03	-0.007	-7
11/30/2006	11:56:06	0.03	-0.007	-7
11/30/2006	12:11:06	0.031	-0.006	-6
11/30/2006	12:26:06	0.031	-0.006	-6
11/30/2006	12:41:06	0.027	-0.01	-10
11/30/2006	12:56:06	0.022	-0.015	-15
11/30/2006	13:11:06	0.014	-0.023	-23
11/30/2006	13:26:06	0.015	-0.022	-22
11/30/2006	13:41:06	0.015	-0.022	-22
11/30/2006	13:56:06	0.014	-0.023	-23
11/30/2006	14:11:06	0.01	-0.027	-27
11/30/2006	14:26:06	0.01	-0.027	-27
11/30/2006	14:41:06	0.009	-0.028	-28
11/30/2006	14:56:06	0.009	-0.028	-28
11/30/2006	15:11:06	0.008	-0.029	-29
11/30/2006	15:26:06	0.008	-0.029	-29
11/30/2006	15:41:06	0.013	-0.024	-24
11/30/2006	15:56:06	0.012	-0.025	-25
11/30/2006	16:11:06	0.014	-0.023	-23
11/30/2006	16:26:06	0.017	-0.02	-20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/30/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:23) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/30/2006 7:38			0				0
2	11/30/2006 7:53			0				0
3	11/30/2006 8:08			0				0
4	11/30/2006 8:23			0.1				0.1
5	11/30/2006 8:38			0.1				0.1
6	11/30/2006 8:53			0.1				0.1
7	11/30/2006 9:08			0.1				0.1
8	11/30/2006 9:23			0.1				0.1
9	11/30/2006 9:38			0.1				0.1
10	11/30/2006 9:53			0.1				0.1
11	11/30/2006 10:08			0.1				0.1
12	11/30/2006 10:23			0.2				0.2
13	11/30/2006 10:38			0.2				0.2
14	11/30/2006 10:53			0.2				0.2
15	11/30/2006 11:08			0.2				0.2
16	11/30/2006 11:23			0.2				0.2
17	11/30/2006 11:38			0.2				0.2
18	11/30/2006 11:53			0.2				0.2
19	11/30/2006 12:08			0.2				0.2
20	11/30/2006 12:23			0.2				0.2
21	11/30/2006 12:38			0.3				0.3
22	11/30/2006 12:53			0.2				0.2
23	11/30/2006 13:08			0.3				0.3
24	11/30/2006 13:23			0.3				0.3
25	11/30/2006 13:38			0.3				0.3
26	11/30/2006 13:53			0.3				0.3
27	11/30/2006 14:08			0.3				0.3
28	11/30/2006 14:23			0.3				0.3
29	11/30/2006 14:38			0.4				0.4
30	11/30/2006 14:53			0.4				0.4
31	11/30/2006 15:08			0.4				0.4
32	11/30/2006 15:23			0.4				0.4
33	11/30/2006 15:38			0.5				0.5
34	11/30/2006 15:53			0.4				0.4

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	11/30/2006
Start Time:	7:25:04
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (07:23) = 0.047 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/30/2006	7:40:04	0.052	0.005	5
11/30/2006	7:55:04	0.049	0.002	2
11/30/2006	8:10:04	0.051	0.004	4
11/30/2006	8:25:04	0.05	0.003	3
11/30/2006	8:40:04	0.052	0.005	5
11/30/2006	8:55:04	0.055	0.008	8
11/30/2006	9:10:04	0.05	0.003	3
11/30/2006	9:25:04	0.049	0.002	2
11/30/2006	9:40:04	0.04	-0.007	-7
11/30/2006	9:55:04	0.042	-0.005	-5
11/30/2006	10:10:04	0.042	-0.005	-5
11/30/2006	10:25:04	0.042	-0.005	-5
11/30/2006	10:40:04	0.045	-0.002	-2
11/30/2006	10:55:04	0.043	-0.004	-4
11/30/2006	11:10:04	0.036	-0.011	-11
11/30/2006	11:25:04	0.038	-0.009	-9
11/30/2006	11:40:04	0.038	-0.009	-9
11/30/2006	11:55:04	0.04	-0.007	-7
11/30/2006	12:10:04	0.038	-0.009	-9
11/30/2006	12:25:04	0.037	-0.01	-10
11/30/2006	12:40:04	0.031	-0.016	-16
11/30/2006	12:55:04	0.026	-0.021	-21
11/30/2006	13:10:04	0.017	-0.03	-30
11/30/2006	13:25:04	0.019	-0.028	-28
11/30/2006	13:40:04	0.02	-0.027	-27
11/30/2006	13:55:04	0.016	-0.031	-31
11/30/2006	14:10:04	0.013	-0.034	-34
11/30/2006	14:25:04	0.01	-0.037	-37
11/30/2006	14:40:04	0.009	-0.038	-38
11/30/2006	14:55:04	0.011	-0.036	-36
11/30/2006	15:10:04	0.009	-0.038	-38
11/30/2006	15:25:04	0.008	-0.039	-39
11/30/2006	15:40:04	0.008	-0.039	-39
11/30/2006	15:55:04	0.006	-0.041	-41
11/30/2006	16:10:04	0.008	-0.039	-39

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/30/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:14) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/30/2006 7:38			0				0
2	11/30/2006 7:53			0				0
3	11/30/2006 8:08			0				0
4	11/30/2006 8:23			0.1				0.1
5	11/30/2006 8:38			0.1				0.1
6	11/30/2006 8:53			0.1				0.1
7	11/30/2006 9:08			0.1				0.1
8	11/30/2006 9:23			0.1				0.1
9	11/30/2006 9:38			0.1				0.1
10	11/30/2006 9:53			0.1				0.1
11	11/30/2006 10:08			0.1				0.1
12	11/30/2006 10:23			0.2				0.2
13	11/30/2006 10:38			0.2				0.2
14	11/30/2006 10:53			0.2				0.2
15	11/30/2006 11:08			0.2				0.2
16	11/30/2006 11:23			0.2				0.2
17	11/30/2006 11:38			0.2				0.2
18	11/30/2006 11:53			0.2				0.2
19	11/30/2006 12:08			0.2				0.2
20	11/30/2006 12:23			0.2				0.2
21	11/30/2006 12:38			0.3				0.3
22	11/30/2006 12:53			0.2				0.2
23	11/30/2006 13:08			0.3				0.3
24	11/30/2006 13:23			0.3				0.3
25	11/30/2006 13:38			0.3				0.3
26	11/30/2006 13:53			0.3				0.3
27	11/30/2006 14:08			0.3				0.3
28	11/30/2006 14:23			0.3				0.3
29	11/30/2006 14:38			0.4				0.4
30	11/30/2006 14:53			0.4				0.4
31	11/30/2006 15:08			0.4				0.4
32	11/30/2006 15:23			0.4				0.4
33	11/30/2006 15:38			0.5				0.5
34	11/30/2006 15:53			0.4				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	11/30/2006
Start Time:	7:20:37
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (07:14) = 0.056 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
11/30/2006	7:35:37	0.06	0.004	4
11/30/2006	7:50:37	0.064	0.008	8
11/30/2006	8:05:37	0.063	0.007	7
11/30/2006	8:20:37	0.06	0.004	4
11/30/2006	8:35:37	0.06	0.004	4
11/30/2006	8:50:37	0.06	0.004	4
11/30/2006	9:05:37	0.061	0.005	5
11/30/2006	9:20:37	0.057	0.001	1
11/30/2006	9:35:37	0.052	-0.004	-4
11/30/2006	9:50:37	0.051	-0.005	-5
11/30/2006	10:05:37	0.052	-0.004	-4
11/30/2006	10:20:37	0.052	-0.004	-4
11/30/2006	10:35:37	0.056	0	0
11/30/2006	10:50:37	0.054	-0.002	-2
11/30/2006	11:05:37	0.048	-0.008	-8
11/30/2006	11:20:37	0.046	-0.01	-10
11/30/2006	11:35:37	0.045	-0.011	-11
11/30/2006	11:50:37	0.049	-0.007	-7
11/30/2006	12:05:37	0.048	-0.008	-8
11/30/2006	12:20:37	0.046	-0.01	-10
11/30/2006	12:35:37	0.043	-0.013	-13
11/30/2006	12:50:37	0.038	-0.018	-18
11/30/2006	13:05:37	0.027	-0.029	-29
11/30/2006	13:20:37	0.024	-0.032	-32
11/30/2006	13:35:37	0.027	-0.029	-29
11/30/2006	13:50:37	0.024	-0.032	-32
11/30/2006	14:05:37	0.018	-0.038	-38
11/30/2006	14:20:37	0.015	-0.041	-41
11/30/2006	14:35:37	0.015	-0.041	-41
11/30/2006	14:50:37	0.014	-0.042	-42
11/30/2006	15:05:37	0.013	-0.043	-43
11/30/2006	15:20:37	0.013	-0.043	-43
11/30/2006	15:35:37	0.012	-0.044	-44
11/30/2006	15:50:37	0.012	-0.044	-44
11/30/2006	16:05	0.011	-0.045	-45
11/30/2006	16:20:37	0.022	-0.034	-34

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/01/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (06:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/1/2006 7:04			0				0
2	12/1/2006 7:19			0				0
3	12/1/2006 7:34			0				0
4	12/1/2006 7:49			0				0
5	12/1/2006 8:04			0				0
6	12/1/2006 8:19			0				0
7	12/1/2006 8:34			0				0
8	12/1/2006 8:49			0				0
9	12/1/2006 9:04			0				0
10	12/1/2006 9:19			0				0
11	12/1/2006 9:34			0				0
12	12/1/2006 9:49			0				0
13	12/1/2006 10:04			0				0
14	12/1/2006 10:19			0				0
15	12/1/2006 10:34			0				0
16	12/1/2006 10:49			0				0
17	12/1/2006 11:04			0				0
18	12/1/2006 11:19			0				0
19	12/1/2006 11:34			0				0
20	12/1/2006 11:49			0				0
21	12/1/2006 12:04			0				0
22	12/1/2006 12:19			0				0
23	12/1/2006 12:34			0				0
24	12/1/2006 12:49			0				0
25	12/1/2006 13:04			0				0
26	12/1/2006 13:19			0				0
27	12/1/2006 13:34			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	4
Test Abbreviation:	
Start Date:	12/1/2006
Start Time:	6:53:05
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (06:47) = 0.005 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/1/2006	7:08:05	0.004	-0.001	-1
12/1/2006	7:23:05	0.003	-0.002	-2
12/1/2006	7:38:05	0.004	-0.001	-1
12/1/2006	7:53:05	0.004	-0.001	-1
12/1/2006	8:08:05	0.004	-0.001	-1
12/1/2006	8:23:05	0.005	0	0
12/1/2006	8:38:05	0.006	0.001	1
12/1/2006	8:53:05	0.005	0	0
12/1/2006	9:08:05	0.005	0	0
12/1/2006	9:23:05	0.007	0.002	2
12/1/2006	9:38:05	0.005	0	0
12/1/2006	9:53:05	0.005	0	0
12/1/2006	10:08:05	0.005	0	0
12/1/2006	10:23:05	0.005	0	0
12/1/2006	10:38:05	0.006	0.001	1
12/1/2006	10:53:05	0.007	0.002	2
12/1/2006	11:08:05	0.007	0.002	2
12/1/2006	11:23:05	0.008	0.003	3
12/1/2006	11:38:05	0.006	0.001	1
12/1/2006	11:53:05	0.006	0.001	1
12/1/2006	12:08:05	0.006	0.001	1
12/1/2006	12:23:05	0.006	0.001	1
12/1/2006	12:38:05	0.006	0.001	1
12/1/2006	12:53:05	0.005	0	0
12/1/2006	13:08:05	0.005	0	0
12/1/2006	13:23:05	0.005	0	0
12/1/2006	13:38:05	0.005	0	0
12/1/2006	13:53:05	0.005	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/01/2006 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/1/2006 7:09			0				0
2	12/1/2006 7:24			0				0
3	12/1/2006 7:39			0				0
4	12/1/2006 7:54			0				0
5	12/1/2006 8:09			0				0
6	12/1/2006 8:24			0				0
7	12/1/2006 8:39			0				0
8	12/1/2006 8:54			0				0
9	12/1/2006 9:09			0				0
10	12/1/2006 9:24			0				0
11	12/1/2006 9:39			0				0
12	12/1/2006 9:54			0				0
13	12/1/2006 10:09			0				0
14	12/1/2006 10:24			0				0
15	12/1/2006 10:39			0				0
16	12/1/2006 10:54			0				0
17	12/1/2006 11:09			0				0
18	12/1/2006 11:24			0				0
19	12/1/2006 11:39			0				0
20	12/1/2006 11:54			0				0
21	12/1/2006 12:09			0				0
22	12/1/2006 12:24			0				0
23	12/1/2006 12:39			0				0
24	12/1/2006 12:54			0				0
25	12/1/2006 13:09			0				0
26	12/1/2006 13:24			0				0
27	12/1/2006 13:39			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	12/1/2006
Start Time:	6:59:39
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (07:05) = 0.037 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/1/2006	7:14:39	0.015	-0.022	-22
12/1/2006	7:29:39	0.014	-0.023	-23
12/1/2006	7:44:39	0.016	-0.021	-21
12/1/2006	7:59:39	0.017	-0.02	-20
12/1/2006	8:14:39	0.017	-0.02	-20
12/1/2006	8:29:39	0.021	-0.016	-16
12/1/2006	8:44:39	0.025	-0.012	-12
12/1/2006	8:59:39	0.027	-0.01	-10
12/1/2006	9:14:39	0.019	-0.018	-18
12/1/2006	9:29:39	0.022	-0.015	-15
12/1/2006	9:44:39	0.02	-0.017	-17
12/1/2006	9:59:39	0.018	-0.019	-19
12/1/2006	10:14:39	0.017	-0.02	-20
12/1/2006	10:29:39	0.019	-0.018	-18
12/1/2006	10:44:39	0.022	-0.015	-15
12/1/2006	10:59:39	0.022	-0.015	-15
12/1/2006	11:14:39	0.021	-0.016	-16
12/1/2006	11:29:39	0.02	-0.017	-17
12/1/2006	11:44:39	0.021	-0.016	-16
12/1/2006	11:59:39	0.02	-0.017	-17
12/1/2006	12:14:39	0.02	-0.017	-17
12/1/2006	12:29:39	0.02	-0.017	-17
12/1/2006	12:44:39	0.019	-0.018	-18
12/1/2006	12:59:39	0.017	-0.02	-20
12/1/2006	13:14:39	0.018	-0.019	-19
12/1/2006	13:29:39	0.019	-0.018	-18
12/1/2006	13:44:39	0.017	-0.02	-20
12/1/2006	13:59:39	0.018	-0.019	-19

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/01/2006 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:22) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/1/2006 7:38			0				0
2	12/1/2006 7:53			0				0
3	12/1/2006 8:08			0				0
4	12/1/2006 8:23			0				0
5	12/1/2006 8:38			0				0
6	12/1/2006 8:53			0				0
7	12/1/2006 9:08			0.1				0.1
8	12/1/2006 9:23			0.1				0.1
9	12/1/2006 9:38			0.1				0.1
10	12/1/2006 9:53			0.1				0.1
11	12/1/2006 10:08			0.1				0.1
12	12/1/2006 10:23			0.1				0.1
13	12/1/2006 10:38			0.1				0.1
14	12/1/2006 10:53			0.1				0.1
15	12/1/2006 11:08			0.1				0.1
16	12/1/2006 11:23			0.2				0.2
17	12/1/2006 11:38			0.1				0.1
18	12/1/2006 11:53			0.1				0.1
19	12/1/2006 12:08			0.1				0.1
20	12/1/2006 12:23			0.1				0.1
21	12/1/2006 12:38			0.2				0.2
22	12/1/2006 12:53			0.1				0.1
23	12/1/2006 13:08			0.1				0.1
24	12/1/2006 13:23			0.2				0.2
25	12/1/2006 13:38			0.1				0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	Model:	Dust Trak
Serial Number:	0	Serial Number:	0
Test ID:	6	Test ID:	7
Test Abbreviation:		Test Abbreviation:	
Start Date:	12/1/2006	Start Date:	12/1/2006
Start Time:	7:26:00	Start Time:	8:56:32
Duration (dd:hh:mm:ss):	00:00:15:00	Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10	Time constant (seconds):	10
Log Interval (mm:ss):	15:00	Log Interval (mm:ss):	15:00
Number of points:	1	Number of points:	20
Notes:	Background Reading (067:22) = 0.017 mg/m3	Notes:	Data logger reset

Calibration

Sensor:	Aerosol
Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
12/1/2006	7:41:00	0.018

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/1/2006	9:11:32	0.029	0.012	12
12/1/2006	9:26:32	0.035	0.018	18
12/1/2006	9:41:32	0.027	0.01	10
12/1/2006	9:56:32	0.027	0.01	10
12/1/2006	10:11:32	0.025	0.008	8
12/1/2006	10:26:32	0.026	0.009	9
12/1/2006	10:41:32	0.033	0.016	16
12/1/2006	10:56:32	0.03	0.013	13
12/1/2006	11:11:32	0.029	0.012	12
12/1/2006	11:26:32	0.027	0.01	10
12/1/2006	11:41:32	0.028	0.011	11
12/1/2006	11:56:32	0.027	0.01	10
12/1/2006	12:11:32	0.026	0.009	9
12/1/2006	12:26:32	0.026	0.009	9
12/1/2006	12:41:32	0.025	0.008	8
12/1/2006	12:56:32	0.023	0.006	6
12/1/2006	13:11:32	0.022	0.005	5
12/1/2006	13:26:32	0.024	0.007	7
12/1/2006	13:41:32	0.022	0.005	5
12/1/2006	13:56:32	0.023	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/01/2006 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:16) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/1/2006 7:33			0				0
2	12/1/2006 7:48			0				0
3	12/1/2006 8:03			0				0
4	12/1/2006 8:18			0				0
5	12/1/2006 8:33			0				0
6	12/1/2006 8:48			0				0
7	12/1/2006 9:03			0				0
8	12/1/2006 9:18			0				0
9	12/1/2006 9:33			0				0
10	12/1/2006 9:48			0				0
11	12/1/2006 10:03			0				0
12	12/1/2006 10:18			0				0
13	12/1/2006 10:33			0				0
14	12/1/2006 10:48			0				0
15	12/1/2006 11:03			0				0
16	12/1/2006 11:18			0				0
17	12/1/2006 11:33			0				0
18	12/1/2006 11:48			0				0
19	12/1/2006 12:03			0				0
20	12/1/2006 12:18			0				0
21	12/1/2006 12:33			0				0
22	12/1/2006 12:48			0				0
23	12/1/2006 13:03			0				0
24	12/1/2006 13:18			0				0
25	12/1/2006 13:33			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/1/2006
Start Time:	7:21:34
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background Reading (07:16) = 0.019 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/1/2006	7:36:34	0.019	0	0
12/1/2006	7:51:34	0.025	0.006	6
12/1/2006	8:06:34	0.025	0.006	6
12/1/2006	8:21:34	0.031	0.012	12
12/1/2006	8:36:34	0.035	0.016	16
12/1/2006	8:51:34	0.035	0.016	16
12/1/2006	9:06:34	0.028	0.009	9
12/1/2006	9:21:34	0.039	0.02	20
12/1/2006	9:36:34	0.031	0.012	12
12/1/2006	9:51:34	0.029	0.01	10
12/1/2006	10:06:34	0.034	0.015	15
12/1/2006	10:21:34	0.038	0.019	19
12/1/2006	10:36:34	0.042	0.023	23
12/1/2006	10:51:34	0.042	0.023	23
12/1/2006	11:06:34	0.042	0.023	23
12/1/2006	11:21:34	0.042	0.023	23
12/1/2006	11:36:34	0.042	0.023	23
12/1/2006	11:51:34	0.034	0.015	15
12/1/2006	12:06:34	0.031	0.012	12
12/1/2006	12:21:34	0.031	0.012	12
12/1/2006	12:36:34	0.029	0.01	10
12/1/2006	12:51:34	0.027	0.008	8
12/1/2006	13:06:34	0.026	0.007	7
12/1/2006	13:21:34	0.028	0.009	9
12/1/2006	13:36:34	0.027	0.008	8
12/1/2006	13:51:34	0.026	0.007	7

STATION 1 (SOUTHERN PERIMETER)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 12/04/2006 13:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (01:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/4/2006 14:04			0			
2	12/4/2006 14:19			0			
3	12/4/2006 14:34			0			
4	12/4/2006 14:49			0			
5	12/4/2006 15:04			0			
6	12/4/2006 15:19			0			
7	12/4/2006 15:34			0			
8	12/4/2006 15:49			0			
9	12/4/2006 16:04			0			
10	12/4/2006 16:19			0			
11	12/4/2006 16:34			0			
12	12/4/2006 16:49			0			

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	5
Test Abbreviation:	
Start Date:	12/4/2006
Start Time:	13:53:19
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	13
Notes:	Background Reading (01:47) = 0.001 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/4/2006	14:08:19	0.001	0	0
12/4/2006	14:23:19	0.001	0	0
12/4/2006	14:38:19	0.001	0	0
12/4/2006	14:53:19	0	-0.001	-1
12/4/2006	15:08:19	0	-0.001	-1
12/4/2006	15:23:19	0	-0.001	-1
12/4/2006	15:38:19	0.001	0	0
12/4/2006	15:53:19	0.001	0	0
12/4/2006	16:08:19	0	-0.001	-1
12/4/2006	16:23:19	0.001	0	0
12/4/2006	16:38:19	0	-0.001	-1
12/4/2006	16:53:19	0	-0.001	-1
12/4/2006	17:08:19	0	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/04/2006 13:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (01:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/4/2006 14:09			0				0
2	12/4/2006 14:24			0				0
3	12/4/2006 14:39			0				0
4	12/4/2006 14:54			0				0
5	12/4/2006 15:09			0				0
6	12/4/2006 15:24			0				0
7	12/4/2006 15:39			0				0
8	12/4/2006 15:54			0				0
9	12/4/2006 16:09			0				0
10	12/4/2006 16:24			0				0
11	12/4/2006 16:39			0				0
12	12/4/2006 16:54			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	12/4/2006
Start Time:	14:04:08
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	13
Notes:	Background Reading (01:58) = 0.006 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/4/2006	14:19:08	0.013	0.007	7
12/4/2006	14:34:08	0.005	-0.001	-1
12/4/2006	14:49:08	0.005	-0.001	-1
12/4/2006	15:04:08	0.005	-0.001	-1
12/4/2006	15:19:08	0.007	0.001	1
12/4/2006	15:34:08	0.006	0	0
12/4/2006	15:49:08	0.007	0.001	1
12/4/2006	16:04:08	0.004	-0.002	-2
12/4/2006	16:19:08	0.006	0	0
12/4/2006	16:34:08	0.008	0.002	2
12/4/2006	16:49:08	0.009	0.003	3
12/4/2006	17:04:08	0.006	0	0
12/4/2006	17:19:08	0.004	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/04/2006 12:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/4/2006 14:38			0				0
2	12/4/2006 14:53			0.1				0.1
3	12/4/2006 15:08			0.2				0.2
4	12/4/2006 15:23			0.2				0.2
5	12/4/2006 15:38			0.2				0.2
6	12/4/2006 15:53			0.3				0.3
7	12/4/2006 16:08			0.3				0.3
8	12/4/2006 16:23			0.3				0.3
9	12/4/2006 16:38			0.3				0.3
10	12/4/2006 16:53			0.3				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/4/2006
Start Time:	14:25:51
Duration (dd:hh:mm:ss):	00:02:49:00
Time constant (seconds):	5
Log Interval (mm:ss):	1:00
Number of points:	169
Notes:	Background Reading (02:21) = 0.006 mg/m3

Calibration Sensor: Aerosol
Cal. date 11/30/1999

Date	Time	Aerosol	Aerosol(-background)		Date	Time	Aerosol	Aerosol(-background)		Date	Time	Aerosol	Aerosol(-background)		Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/4/2006	14:26:51	0.006	0	0	12/4/2006	15:08:51	0.01	0.004	4	12/4/2006	15:51:51	0.01	0.004	4	12/4/2006	16:33:51	0.007	0.001	1
12/4/2006	14:27:51	0.007	0.001	1	12/4/2006	15:09:51	0.01	0.004	4	12/4/2006	15:52:51	0.009	0.003	3	12/4/2006	16:34:51	0.008	0.002	2
12/4/2006	14:28:51	0.008	0.002	2	12/4/2006	15:10:51	0.01	0.004	4	12/4/2006	15:53:51	0.008	0.002	2	12/4/2006	16:35:51	0.008	0.002	2
12/4/2006	14:29:51	0.006	0	0	12/4/2006	15:11:51	0.01	0.004	4	12/4/2006	15:54:51	0.007	0.001	1	12/4/2006	16:36:51	0.017	0.011	11
12/4/2006	14:30:51	0.005	-0.001	-1	12/4/2006	15:12:51	0.011	0.005	5	12/4/2006	15:55:51	0.008	0.002	2	12/4/2006	16:37:51	0.009	0.003	3
12/4/2006	14:31:51	0.006	0	0	12/4/2006	15:13:51	0.011	0.005	5	12/4/2006	15:56:51	0.009	0.003	3	12/4/2006	16:38:51	0.009	0.003	3
12/4/2006	14:32:51	0.006	0	0	12/4/2006	15:14:51	0.009	0.003	3	12/4/2006	15:57:51	0.008	0.002	2	12/4/2006	16:39:51	0.01	0.004	4
12/4/2006	14:33:51	0.007	0.001	1	12/4/2006	15:15:51	0.008	0.002	2	12/4/2006	15:58:51	0.008	0.002	2	12/4/2006	16:40:51	0.007	0.001	1
12/4/2006	14:34:51	0.006	0	0	12/4/2006	15:16:51	0.007	0.001	1	12/4/2006	15:59:51	0.007	0.001	1	12/4/2006	16:41:51	0.007	0.001	1
12/4/2006	14:35:51	0.006	0	0	12/4/2006	15:17:51	0.008	0.002	2	12/4/2006	16:00:51	0.011	0.005	5	12/4/2006	16:42:51	0.009	0.003	3
12/4/2006	14:36:51	0.006	0	0	12/4/2006	15:18:51	0.008	0.002	2	12/4/2006	16:01:51	0.008	0.002	2	12/4/2006	16:43:51	0.01	0.004	4
12/4/2006	14:37:51	0.006	0	0	12/4/2006	15:19:51	0.01	0.004	4	12/4/2006	16:02:51	0.007	0.001	1	12/4/2006	16:44:51	0.007	0.001	1
12/4/2006	14:38:51	0.007	0.001	1	12/4/2006	15:20:51	0.014	0.008	8	12/4/2006	16:03:51	0.008	0.002	2	12/4/2006	16:45:51	0.009	0.003	3
12/4/2006	14:39:51	0.006	0	0	12/4/2006	15:21:51	0.012	0.006	6	12/4/2006	16:04:51	0.009	0.003	3	12/4/2006	16:46:51	0.009	0.003	3
12/4/2006	14:40:51	0.007	0.001	1	12/4/2006	15:22:51	0.017	0.011	11	12/4/2006	16:05:51	0.007	0.001	1	12/4/2006	16:47:51	0.008	0.002	2
12/4/2006	14:41:51	0.007	0.001	1	12/4/2006	15:23:51	0.01	0.004	4	12/4/2006	16:06:51	0.009	0.003	3	12/4/2006	16:48:51	0.01	0.004	4
12/4/2006	14:42:51	0.007	0.001	1	12/4/2006	15:24:51	0.009	0.003	3	12/4/2006	16:07:51	0.007	0.001	1	12/4/2006	16:49:51	0.012	0.006	6
12/4/2006	14:43:51	0.015	0.009	9	12/4/2006	15:25:51	0.01	0.004	4	12/4/2006	16:08:51	0.007	0.001	1	12/4/2006	16:50:51	0.011	0.005	5
12/4/2006	14:44:51	0.009	0.003	3	12/4/2006	15:26:51	0.01	0.004	4	12/4/2006	16:09:51	0.007	0.001	1	12/4/2006	16:51:51	0.009	0.003	3
12/4/2006	14:45:51	0.012	0.006	6	12/4/2006	15:27:51	0.009	0.003	3	12/4/2006	16:10:51	0.007	0.001	1	12/4/2006	16:52:51	0.008	0.002	2
12/4/2006	14:46:51	0.009	0.003	3	12/4/2006	15:28:51	0.011	0.005	5	12/4/2006	16:11:51	0.008	0.002	2	12/4/2006	16:53:51	0.008	0.002	2
12/4/2006	14:47:51	0.008	0.002	2	12/4/2006	15:29:51	0.009	0.003	3	12/4/2006	16:12:51	0.008	0.002	2	12/4/2006	16:54:51	0.009	0.003	3
12/4/2006	14:48:51	0.007	0.001	1	12/4/2006	15:30:51	0.009	0.003	3	12/4/2006	16:13:51	0.008	0.002	2	12/4/2006	16:55:51	0.009	0.003	3
12/4/2006	14:49:51	0.007	0.001	1	12/4/2006	15:31:51	0.015	0.009	9	12/4/2006	16:14:51	0.008	0.002	2	12/4/2006	16:56:51	0.009	0.003	3
12/4/2006	14:50:51	0.007	0.001	1	12/4/2006	15:32:51	0.01	0.004	4	12/4/2006	16:15:51	0.013	0.007	7	12/4/2006	16:57:51	0.015	0.009	9
12/4/2006	14:51:51	0.008	0.002	2	12/4/2006	15:33:51	0.008	0.002	2	12/4/2006	16:16:51	0.009	0.003	3	12/4/2006	16:58:51	0.011	0.005	5
12/4/2006	14:52:51	0.008	0.002	2	12/4/2006	15:34:51	0.009	0.003	3	12/4/2006	16:17:51	0.009	0.003	3	12/4/2006	16:59:51	0.008	0.002	2
12/4/2006	14:53:51	0.009	0.003	3	12/4/2006	15:35:51	0.01	0.004	4	12/4/2006	16:18:51	0.01	0.004	4	12/4/2006	17:00:51	0.009	0.003	3
12/4/2006	14:54:51	0.009	0.003	3	12/4/2006	15:36:51	0.011	0.005	5	12/4/2006	16:19:51	0.012	0.006	6	12/4/2006	17:01:51	0.009	0.003	3
12/4/2006	14:55:51	0.011	0.005	5	12/4/2006	15:37:51	0.01	0.004	4	12/4/2006	16:20:51	0.011	0.005	5	12/4/2006	17:02:51	0.009	0.003	3
12/4/2006	14:56:51	0.009	0.003	3	12/4/2006	15:38:51	0.012	0.006	6	12/4/2006	16:21:51	0.022	0.016	16	12/4/2006	17:03:51	0.01	0.004	4
12/4/2006	14:57:51	0.011	0.005	5	12/4/2006	15:39:51	0.01	0.004	4	12/4/2006	16:22:51	0.013	0.007	7	12/4/2006	17:04:51	0.009	0.003	3
12/4/2006	14:58:51	0.01	0.004	4	12/4/2006	15:40:51	0.009	0.003	3	12/4/2006	16:23:51	0.014	0.008	8	12/4/2006	17:05:51	0.009	0.003	3
12/4/2006	14:59:51	0.008	0.002	2	12/4/2006	15:41:51	0.023	0.017	17	12/4/2006	16:24:51	0.011	0.005	5	12/4/2006	17:06:51	0.009	0.003	3
12/4/2006	15:00:51	0.007	0.001	1	12/4/2006	15:42:51	0.037	0.031	31	12/4/2006	16:25:51	0.01	0.004	4	12/4/2006	17:07:51	0.009	0.003	3
12/4/2006	15:01:51	0.008	0.002	2	12/4/2006	15:43:51	0.013	0.007	7	12/4/2006	16:26:51	0.012	0.006	6	12/4/2006	17:08:51	0.009	0.003	3
12/4/2006	15:02:51	0.01	0.004	4	12/4/2006	15:44:51	0.01	0.004	4	12/4/2006	16:27:51	0.014	0.008	8	12/4/2006	17:09:51	0.009	0.003	3
12/4/2006	15:03:51	0.011	0.005	5	12/4/2006	15:45:51	0.009	0.003	3	12/4/2006	16:28:51	0.011	0.005	5	12/4/2006	17:10:51	0.009	0.003	3
12/4/2006	15:04:51	0.012	0.006	6	12/4/2006	15:46:51	0.009	0.003	3	12/4/2006	16:29:51	0.008	0.002	2	12/4/2006	17:11:51	0.009	0.003	3
12/4/2006	15:05:51	0.01	0.004	4	12/4/2006	15:47:51	0.009	0.003	3	12/4/2006	16:30:51	0.01	0.004	4	12/4/2006	17:12:51	0.009	0.003	3
12/4/2006	15:06:51	0.011	0.005	5	12/4/2006	15:48:51	0.009	0.003	3	12/4/2006	16:31:51	0.007	0.001	1	12/4/2006	17:13:51	0.009	0.003	3
12/4/2006	15:07:51	0.009	0.003	3	12/4/2006	15:49:51	0.01	0.004	4	12/4/2006	16:32:51	0.007	0.001	1	12/4/2006	17:14:51	0.009	0.003	3
					12/4/2006	15:50:51	0.009	0.003	3	12/4/2006	16:33:51	0.007	0.001	1					

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/04/2006 12:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/4/2006 14:34			0				0
2	12/4/2006 14:49			0				0
3	12/4/2006 15:04			0				0
4	12/4/2006 15:19			0				0
5	12/4/2006 15:34			0				0
6	12/4/2006 15:49			0				0
7	12/4/2006 16:04			0				0
8	12/4/2006 16:19			0				0
9	12/4/2006 16:34			0				0
10	12/4/2006 16:49			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	12/4/2006
Start Time:	14:21:09
Duration (dd:hh:mm:ss):	00:02:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	11
Notes:	Background Reading (02:15) = 0.039 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/4/2006	14:36:09	0.015	-0.024	-24
12/4/2006	14:51:09	0.008	-0.031	-31
12/4/2006	15:06:09	0.013	-0.026	-26
12/4/2006	15:21:09	0.017	-0.022	-22
12/4/2006	15:36:09	0.025	-0.014	-14
12/4/2006	15:51:09	0.023	-0.016	-16
12/4/2006	16:06:09	0.014	-0.025	-25
12/4/2006	16:21:09	0.019	-0.02	-20
12/4/2006	16:36:09	0.019	-0.02	-20
12/4/2006	16:51:09	0.019	-0.02	-20
12/4/2006	17:06:09	0.013	-0.026	-26

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/05/2006 13:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (02:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/5/2006 14:53			0.8				0.8
2	12/5/2006 15:08			0.2				0.2
1	12/5/2006 15:46			0				0
2	12/5/2006 16:01			0				0
3	12/5/2006 16:16			0.3				0.3
4	12/5/2006 16:31			0.8				0.8
5	12/5/2006 16:46			0				0
6	12/5/2006 17:01			0				0
7	12/5/2006 17:16			0				0
8	12/5/2006 17:31			0				0
9	12/5/2006 17:46			0				0
10	12/5/2006 18:01			0				0
11	12/5/2006 18:16			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	6
Test Abbreviation:	
Start Date:	12/5/2006
Start Time:	14:12:30
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (02:06) = 0.006 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	7/10/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/5/2006	14:27:30	0.002	-0.004	-4
12/5/2006	14:42:30	0.019	0.013	13
12/5/2006	14:57:30	0.002	-0.004	-4
12/5/2006	15:12:30	0.002	-0.004	-4
12/5/2006	15:27:30	0.002	-0.004	-4
12/5/2006	15:42:30	0.001	-0.005	-5
12/5/2006	15:57:30	0.002	-0.004	-4
12/5/2006	16:12:30	0.001	-0.005	-5
12/5/2006	16:27:30	0.002	-0.004	-4
12/5/2006	16:42:30	0.002	-0.004	-4
12/5/2006	16:57:30	0.002	-0.004	-4
12/5/2006	17:12:30	0.003	-0.003	-3
12/5/2006	17:27:30	0.001	-0.005	-5
12/5/2006	17:42:30	0.001	-0.005	-5
12/5/2006	17:57:30	0.002	-0.004	-4
12/5/2006	18:12:30	0.001	-0.005	-5
12/5/2006	18:27:30	0.001	-0.005	-5
12/5/2006	18:42:30	0.001	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/05/2006 12:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/5/2006 14:55			0				0
2	12/5/2006 15:10			0				0
3	12/5/2006 15:25			0				0
4	12/5/2006 15:40			0				0
5	12/5/2006 15:55			0				0
6	12/5/2006 16:10			0				0
7	12/5/2006 16:25			0				0
8	12/5/2006 16:40			0				0
9	12/5/2006 16:55			0				0
10	12/5/2006 17:10			0				0
11	12/5/2006 17:25			0				0
12	12/5/2006 17:40			0				0
13	12/5/2006 17:55			0				0
14	12/5/2006 18:10			0				0
15	12/5/2006 18:25			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	12/5/2006
Start Time:	14:46:50
Duration (dd:hh:mm:ss):	00:03:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	14
Notes:	Background Reading (02:40) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/5/2006	15:01:50	0.011	0.002	2
12/5/2006	15:16:50	0.011	0.002	2
12/5/2006	15:31:50	0.011	0.002	2
12/5/2006	15:46:50	0.01	0.001	1
12/5/2006	16:01:50	0.013	0.004	4
12/5/2006	16:16:50	0.011	0.002	2
12/5/2006	16:31:50	0.011	0.002	2
12/5/2006	16:46:50	0.015	0.006	6
12/5/2006	17:01:50	0.018	0.009	9
12/5/2006	17:16:50	0.013	0.004	4
12/5/2006	17:31:50	0.012	0.003	3
12/5/2006	17:46:50	0.018	0.009	9
12/5/2006	18:01:50	0.019	0.01	10
12/5/2006	18:16:50	0.019	0.01	10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/05/2006 12:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:23) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/5/2006 14:41			0.1				0.1
2	12/5/2006 14:56			0.2				0.2
3	12/5/2006 15:11			0.3				0.3
4	12/5/2006 15:26			0.4				0.4
5	12/5/2006 15:41			0.4				0.4
6	12/5/2006 15:56			0.4				0.4
7	12/5/2006 16:11			0.5				0.5
8	12/5/2006 16:26			0.5				0.5
9	12/5/2006 16:41			0.5				0.5
10	12/5/2006 16:56			0.5				0.5
11	12/5/2006 17:11			0.5				0.5
12	12/5/2006 17:26			0.5				0.5
13	12/5/2006 17:41			0.5				0.5
14	12/5/2006 17:56			0.6				0.6
15	12/5/2006 18:11			0.6				0.6
16	12/5/2006 18:26			0.6				0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	12/5/2006
Start Time:	14:27:33
Duration (dd:hh:mm:ss):	00:03:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	14
Notes:	Background Reading (02:23) = 0.015 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/5/2006	14:42:33	0.017	0.002	2
12/5/2006	14:57:33	0.013	-0.002	-2
12/5/2006	15:12:33	0.013	-0.002	-2
12/5/2006	15:27:33	0.014	-0.001	-1
12/5/2006	15:42:33	0.013	-0.002	-2
12/5/2006	15:57:33	0.012	-0.003	-3
12/5/2006	16:12:33	0.012	-0.003	-3
12/5/2006	16:27:33	0.012	-0.003	-3
12/5/2006	16:42:33	0.014	-0.001	-1
12/5/2006	16:57:33	0.015	0	0
12/5/2006	17:12:33	0.015	0	0
12/5/2006	17:27:33	0.016	0.001	1
12/5/2006	17:42:33	0.027	0.012	12
12/5/2006	17:57:33	0.028	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/05/2006 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:19) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/5/2006 14:36			0				0
2	12/5/2006 14:51			0				0
3	12/5/2006 15:06			0				0
4	12/5/2006 15:21			0				0
5	12/5/2006 15:36			0				0
6	12/5/2006 15:51			0				0
7	12/5/2006 16:06			0				0
8	12/5/2006 16:21			0				0
9	12/5/2006 16:36			0				0
10	12/5/2006 16:51			0				0
11	12/5/2006 17:06			0				0
12	12/5/2006 17:21			0				0
13	12/5/2006 17:36			0				0
14	12/5/2006 17:51			0				0
15	12/5/2006 18:06			0				0
16	12/5/2006 18:21			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	12/5/2006
Start Time:	14:25:34
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	13
Notes:	Background Reading (02:19) = 0.023 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/5/2006	14:40:34	0.018	-0.005	-5
12/5/2006	14:55:34	0.06	0.037	37
12/5/2006	15:10:34	0.016	-0.007	-7
12/5/2006	15:25:34	0.025	0.002	2
12/5/2006	15:40:34	0.022	-0.001	-1
12/5/2006	15:55:34	0.024	0.001	1
12/5/2006	16:10:34	0.017	-0.006	-6
12/5/2006	16:25:34	0.022	-0.001	-1
12/5/2006	16:40:34	0.026	0.003	3
12/5/2006	16:55:34	0.023	0	0
12/5/2006	17:10:34	0.024	0.001	1
12/5/2006	17:25:34	0.019	-0.004	-4
12/5/2006	17:40:34	0.016	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/06/2006 14:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (02:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/6/2006 14:50			0				0
2	12/6/2006 15:05			0				0
3	12/6/2006 15:20			0				0
4	12/6/2006 15:35			0				0
5	12/6/2006 15:50			0				0
6	12/6/2006 16:05			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/6/2006
Start Time:	14:38:15
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	7
Notes:	Background Reading (02:40) = 0.009 mg/m3

Calibration	Sensor:	Aerosol	
	Cal. date	11/2/2006	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/6/2006	14:53:15	0.026	0.017	17
12/6/2006	15:08:15	0.033	0.024	24
12/6/2006	15:23:15	0.019	0.01	10
12/6/2006	15:38:15	0.018	0.009	9
12/6/2006	15:53:15	0.019	0.01	10
12/6/2006	16:08:15	0.019	0.01	10
12/6/2006	16:23:15	0.02	0.011	11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/06/2006 13:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/6/2006 15:00			0				0
2	12/6/2006 15:15			0				0
3	12/6/2006 15:30			0				0
4	12/6/2006 15:45			0				0
5	12/6/2006 16:00			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/6/2006
Start Time:	14:38:15
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	7
Notes:	Background Reading (02:40) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/6/2006	14:53:15	0.026	0.017	17
12/6/2006	15:08:15	0.033	0.024	24
12/6/2006	15:23:15	0.019	0.01	10
12/6/2006	15:38:15	0.018	0.009	9
12/6/2006	15:53:15	0.019	0.01	10
12/6/2006	16:08:15	0.019	0.01	10
12/6/2006	16:23:15	0.02	0.011	11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/06/2006 13:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/6/2006 14:49			0				0
2	12/6/2006 15:04			0.1				0.1
3	12/6/2006 15:19			0.2				0.2
4	12/6/2006 15:34			0.3				0.3
5	12/6/2006 15:49			0.3				0.3
6	12/6/2006 16:04			0.4				0.4
7	12/6/2006 16:19			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	12/6/2006
Start Time:	14:36:44
Duration (dd:hh:mm:ss):	00:02:00:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	Background Reading (02:40) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/6/2006	14:51:44	0.012	0.003	3
12/6/2006	15:06:44	0.012	0.003	3
12/6/2006	15:21:44	0.011	0.002	2
12/6/2006	15:36:44	0.01	0.001	1
12/6/2006	15:51:44	0.012	0.003	3
12/6/2006	16:06:44	0.013	0.004	4
12/6/2006	16:21:44	0.013	0.004	4
12/6/2006	16:36:44	0.013	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/06/2006 13:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/6/2006 14:45			0				0
2	12/6/2006 15:00			0				0
3	12/6/2006 15:15			0				0
4	12/6/2006 15:30			0				0
5	12/6/2006 15:45			0				0
6	12/6/2006 16:00			0				0
7	12/6/2006 16:15			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:	0:00:00	
Test ID:	0:00:00	
Test Abbreviation:		
Start Date:	12/6/2006	
Start Time:	14:34:25	
Duration (dd:hh:mm:ss):	00:02:00:00	
Time constant (seconds):	0:00:00	
Log Interval (mm:ss):	15:00:00	
Number of points:	0:00:00	
Notes:		Background Reading (02:23) = 0.015 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/6/2006	14:49:25	0.015	0	0
12/6/2006	15:04:25	0.015	0	0
12/6/2006	15:19:25	0.015	0	0
12/6/2006	15:34:25	0.014	-0.001	-1
12/6/2006	15:49:25	0.014	-0.001	-1
12/6/2006	16:04:25	0.014	-0.001	-1
12/6/2006	16:19:25	0.015	0	0
12/6/2006	16:34:25	0.015	0	0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/07/2006 13:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (02:01) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/7/2006 14:18			0				0
2	12/7/2006 14:33			0.1				0.1
3	12/7/2006 14:48			1.7				1.7
4	12/7/2006 15:03			2.7				2.7
1	12/7/2006 15:39			0				0
2	12/7/2006 15:54			0				0
3	12/7/2006 16:09			0.7				0.7
4	12/7/2006 16:24			0				0
5	12/7/2006 16:39			0				0
6	12/7/2006 16:54			0				0
7	12/7/2006 17:09			0.2				0.2
8	12/7/2006 17:24			0				0
9	12/7/2006 17:39			0				0
10	12/7/2006 17:54			0				0
11	12/7/2006 18:09			0				0
12	12/7/2006 18:24			0				0
13	12/7/2006 18:39			0.1				0.1
14	12/7/2006 18:54			0.8				0.8
15	12/7/2006 19:09			2.4				2.4
1	12/7/2006 19:41			0.3				0.3
2	12/7/2006 19:56			0.9				0.9

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	12/7/2006
Start Time:	14:06:44
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (02:01) = 0.035 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/7/2006	14:21:44	0.041	0.006	6
12/7/2006	14:36:44	0.039	0.004	4
12/7/2006	14:51:44	0.037	0.002	2
12/7/2006	15:06:44	0.041	0.006	6
12/7/2006	15:21:44	0.041	0.006	6
12/7/2006	15:36:44	0.037	0.002	2
12/7/2006	15:51:44	0.037	0.002	2
12/7/2006	16:06:44	0.038	0.003	3
12/7/2006	16:21:44	0.084	0.049	49
12/7/2006	16:36:44	0.039	0.004	4
12/7/2006	16:51:44	0.037	0.002	2
12/7/2006	17:06:44	0.038	0.003	3
12/7/2006	17:21:44	0.034	-0.001	-1
12/7/2006	17:36:44	0.026	-0.009	-9
12/7/2006	17:51:44	0.022	-0.013	-13
12/7/2006	18:06:44	0.023	-0.012	-12
12/7/2006	18:21:44	0.022	-0.013	-13
12/7/2006	18:36:44	0.02	-0.015	-15
12/7/2006	18:51:44	0.017	-0.018	-18
12/7/2006	19:06:44	0.018	-0.017	-17
12/7/2006	19:21:44	0.026	-0.009	-9
12/7/2006	19:36:44	0.021	-0.014	-14
12/7/2006	19:51:44	0.013	-0.022	-22
12/7/2006	20:06:44	0.014	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/07/2006 13:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (01:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/7/2006 14:12			0				0
2	12/7/2006 14:27			0				0
3	12/7/2006 14:42			0				0
4	12/7/2006 14:57			0				0
5	12/7/2006 15:12			0				0
6	12/7/2006 15:27			0				0
7	12/7/2006 15:42			0				0
8	12/7/2006 15:57			0				0
9	12/7/2006 16:12			0				0
10	12/7/2006 16:27			0				0
11	12/7/2006 16:42			0				0
12	12/7/2006 16:57			0				0
13	12/7/2006 17:12			0				0
14	12/7/2006 17:27			0				0
15	12/7/2006 17:42			0				0
16	12/7/2006 17:57			0				0
17	12/7/2006 18:12			0				0
18	12/7/2006 18:27			0				0
19	12/7/2006 18:42			0				0
20	12/7/2006 18:57			0				0
21	12/7/2006 19:12			0				0
22	12/7/2006 19:27			0				0
23	12/7/2006 19:42			0				0
24	12/7/2006 19:57			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	12/7/2006
Start Time:	14:06:14
Duration (dd:hh:mm:ss):	00:03:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	15
Notes:	Background Reading (01:58) = 0.021 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/7/2006	14:21:14	0.023	0.002	2
12/7/2006	14:36:14	0.024	0.003	3
12/7/2006	14:51:14	0.023	0.002	2
12/7/2006	15:06:14	0.025	0.004	4
12/7/2006	15:21:14	0.024	0.003	3
12/7/2006	15:36:14	0.024	0.003	3
12/7/2006	15:51:14	0.033	0.012	12
12/7/2006	16:06:14	0.022	0.001	1
12/7/2006	16:21:14	0.022	0.001	1
12/7/2006	16:36:14	0.028	0.007	7
12/7/2006	16:51:14	0.027	0.006	6
12/7/2006	17:06:14	0.132	0.111	111
12/7/2006	17:21:14	0.02	-0.001	-1
12/7/2006	17:36:14	0.017	-0.004	-4
12/7/2006	17:51:14	0.016	-0.005	-5
12/7/2006	18:36:56	0.014	-0.007	-7
12/7/2006	18:51:56	0.01	-0.011	-11
12/7/2006	19:06:56	0.01	-0.011	-11
12/7/2006	19:21:56	0.009	-0.012	-12
12/7/2006	19:36:56	0.008	-0.013	-13
12/7/2006	19:51:56	0.01	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/07/2006 13:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/7/2006 14:32			0				0
2	12/7/2006 14:47			0				0
3	12/7/2006 15:02			0				0
4	12/7/2006 15:17			0				0
5	12/7/2006 15:32			0				0
6	12/7/2006 15:47			0				0
7	12/7/2006 16:02			0				0
8	12/7/2006 16:17			0				0
9	12/7/2006 16:32			0				0
10	12/7/2006 16:47			0.3				0.3
11	12/7/2006 17:02			0				0
12	12/7/2006 17:17			0				0
13	12/7/2006 17:32			0				0
14	12/7/2006 17:47			0				0
15	12/7/2006 18:02			0				0
16	12/7/2006 18:17			0				0
17	12/7/2006 18:32			0				0
18	12/7/2006 18:47			0				0
19	12/7/2006 19:02			0				0
20	12/7/2006 19:17			0				0
21	12/7/2006 19:32			0				0
22	12/7/2006 19:47			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/7/2006
Start Time:	14:37:20
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (02:21) = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/7/2006	14:52:20	0.024	0	0	
12/7/2006	15:07:20	0.032	0.008	8	
12/7/2006	15:22:20	0.041	0.017	17	
12/7/2006	15:37:20	0.038	0.014	14	
12/7/2006	15:52:20	0.034	0.01	10	
12/7/2006	16:07:20	0.024	0	0	
12/7/2006	16:22:20	0.026	0.002	2	
12/7/2006	16:37:20	0.041	0.017	17	
12/7/2006	16:52:20	0.03	0.006	6	
12/7/2006	17:07:20	0.381	0.357	357	* Exceedance due to testing of equipment by Shaw representative
12/7/2006	17:22:20	0.076	0.052	52	
12/7/2006	17:37:20	0.023	-0.001	-1	
12/7/2006	17:52:20	0.026	0.002	2	
12/7/2006	18:07:20	0.028	0.004	4	
12/7/2006	18:22:20	0.031	0.007	7	
12/7/2006	18:37:20	0.022	-0.002	-2	
12/7/2006	18:52:20	0.014	-0.01	-10	
12/7/2006	19:07:20	0.014	-0.01	-10	
12/7/2006	19:22:20	0.014	-0.01	-10	
12/7/2006	19:37:20	0.012	-0.012	-12	
12/7/2006	19:52:20	0.015	-0.009	-9	
12/7/2006	20:07:20	0.01	-0.014	-14	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/07/2006 13:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:11) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/7/2006 14:26			0				0
2	12/7/2006 14:41			0				0
3	12/7/2006 14:56			0				0
4	12/7/2006 15:11			0				0
5	12/7/2006 15:26			0				0
6	12/7/2006 15:41			0				0
7	12/7/2006 15:56			0				0
8	12/7/2006 16:11			0				0
9	12/7/2006 16:26			0				0
10	12/7/2006 16:41			0				0
11	12/7/2006 16:56			0.2				0.2
12	12/7/2006 17:11			0				0
13	12/7/2006 17:26			0				0
14	12/7/2006 17:41			0				0
15	12/7/2006 17:56			0				0
16	12/7/2006 18:11			0				0
17	12/7/2006 18:26			0				0
18	12/7/2006 18:41			0				0
19	12/7/2006 18:56			0				0
20	12/7/2006 19:11			0				0
21	12/7/2006 19:26			0				0
22	12/7/2006 19:41			0				0
23	12/7/2006 19:56			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	12/7/2006
Start Time:	14:17:17
Duration (dd:hh:mm:ss):	00:03:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	12
Notes:	Background Reading (02:11) = 0.027 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/7/2006	14:32:17	0.031	0.004	4	
12/7/2006	14:47:17	0.029	0.002	2	
12/7/2006	15:02:17	0.032	0.005	5	
12/7/2006	15:17:17	0.031	0.004	4	
12/7/2006	15:32:17	0.029	0.002	2	
12/7/2006	15:47:17	0.044	0.017	17	
12/7/2006	16:02:17	0.033	0.006	6	
12/7/2006	16:17:17	0.036	0.009	9	
12/7/2006	16:32:17	0.032	0.005	5	
12/7/2006	16:47:17	0.035	0.008	8	
12/7/2006	17:02:17	0.033	0.006	6	
12/7/2006	17:17:17	0.808	0.781	781	* Exceedance due to testing of equipment by Shaw representative
12/7/2006	17:48:24	0.024	-0.003	-3	
12/7/2006	18:03:24	0.024	-0.003	-3	
12/7/2006	18:18:24	0.023	-0.004	-4	
12/7/2006	18:33:24	0.028	0.001	1	
12/7/2006	18:48:24	0.017	-0.01	-10	
12/7/2006	19:03:24	0.018	-0.009	-9	
12/7/2006	19:18:24	0.027	0	0	
12/7/2006	19:33:24	0.029	0.002	2	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/13/2006 14:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/8/2006 14:42			0				0
2	12/8/2006 14:57			0.1				0.1
3	12/8/2006 15:12			0.2				0.2
4	12/8/2006 15:27			0				0
5	12/8/2006 15:42			0				0
6	12/8/2006 15:57			0				0
7	12/8/2006 16:12			0.1				0.1
8	12/8/2006 16:27			0				0
9	12/8/2006 16:42			0.7				0.7
10	12/8/2006 16:57			2.2				2.2
1	12/8/2006 17:43			0				0
2	12/8/2006 17:58			0				0
3	12/8/2006 18:13			0				0
4	12/8/2006 18:28			0				0
1	12/8/2006 19:27			0				0
2	12/8/2006 19:42			0				0
3	12/8/2006 19:57			0				0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	12/8/2006
Start Time:	14:29:04
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (02:24) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/8/2006	14:44:04	0.009	0	0
12/8/2006	14:59:04	0.009	0	0
12/8/2006	15:14:04	0.02	0.011	11
12/8/2006	15:29:04	0.015	0.006	6
12/8/2006	15:44:04	0.015	0.006	6
12/8/2006	15:59:04	0.007	-0.002	-2
12/8/2006	16:14:04	0.007	-0.002	-2
12/8/2006	16:29:04	0.019	0.01	10
12/8/2006	16:44:04	0.01	0.001	1
12/8/2006	16:59:04	0.01	0.001	1
12/8/2006	17:14:04	0.009	0	0
12/8/2006	17:29:04	0.009	0	0
12/8/2006	17:44:04	0.007	-0.002	-2
12/8/2006	17:59:04	0.008	-0.001	-1
12/8/2006	18:14:04	0.009	0	0
12/8/2006	18:29:04	0.009	0	0
12/8/2006	18:44:04	0.007	-0.002	-2
12/8/2006	18:59:04	0.006	-0.003	-3
12/8/2006	19:14:04	0.007	-0.002	-2
12/8/2006	19:29:04	0.008	-0.001	-1
12/8/2006	19:44:04	0.007	-0.002	-2
12/8/2006	19:59:04	0.007	-0.002	-2
12/8/2006	20:14:04	0.008	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/08/2006 13:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (04:32) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/8/2006 16:46			0				0
2	12/8/2006 17:01			0				0
3	12/8/2006 17:16			0				0
4	12/8/2006 17:31			0				0
5	12/8/2006 17:46			0				0
6	12/8/2006 18:01			0				0
7	12/8/2006 18:16			0				0
8	12/8/2006 18:31			0				0
9	12/8/2006 18:46			0				0
10	12/8/2006 19:01			0				0
11	12/8/2006 19:16			0				0
12	12/8/2006 19:31			0				0
13	12/8/2006 19:46			0				0
14	12/8/2006 20:01			0				0
15	12/8/2006 20:16			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

Date	Time	Aerosol	
MM/dd/yyyy	hh:mm:ss	mg/m^3	
12/8/2006	4:32	0.001	Background Reading (04:32) = 0.001 mg/m3
12/8/2006	5:15	0.022	
12/8/2006	6:38	0.003	
12/8/2006	7:59	0.009	

* NOTE: No Logged data available from STA 2 Dusttrak due to equipment malfunction -- listed data includes instantaneous readings recorded at STA 2 by roving monitor

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/08/2006 13:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:53) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/8/2006 14:50			0				0
2	12/8/2006 15:05			0				0
3	12/8/2006 15:20			0				0
4	12/8/2006 15:35			0				0
5	12/8/2006 15:50			0				0
6	12/8/2006 16:05			0				0
7	12/8/2006 16:20			0				0
8	12/8/2006 16:35			0				0
9	12/8/2006 16:50			0.1				0.1
10	12/8/2006 17:05			0.1				0.1
11	12/8/2006 17:20			0.2				0.2
12	12/8/2006 17:35			0.2				0.2
13	12/8/2006 17:50			0.2				0.2
14	12/8/2006 18:05			0.3				0.3
15	12/8/2006 18:20			0.3				0.3
16	12/8/2006 18:35			0.3				0.3
17	12/8/2006 18:50			0.3				0.3
18	12/8/2006 19:05			0.3				0.3
19	12/8/2006 19:20			0.3				0.3
20	12/8/2006 19:35			0.3				0.3
21	12/8/2006 19:50			0.3				0.3
22	12/8/2006 20:05			0.3				0.3
23	12/8/2006 20:20			0.6				0.6
24	12/8/2006 20:35			0.7				0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	12/8/2006
Start Time:	14:46:08
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (02:53) = 0.011 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/8/2006	15:01:08	0.016	0.005	5
12/8/2006	15:16:08	0.014	0.003	3
12/8/2006	15:31:08	0.012	0.001	1
12/8/2006	15:46:08	0.011	0	0
12/8/2006	16:01:08	0.011	0	0
12/8/2006	16:16:08	0.011	0	0
12/8/2006	16:31:08	0.011	0	0
12/8/2006	16:46:08	0.011	0	0
12/8/2006	17:01:08	0.014	0.003	3
12/8/2006	17:16:08	0.018	0.007	7
12/8/2006	17:31:08	0.021	0.01	10
12/8/2006	17:46:08	0.013	0.002	2
12/8/2006	18:01:08	0.015	0.004	4
12/8/2006	18:16:08	0.02	0.009	9
12/8/2006	18:31:08	0.013	0.002	2
12/8/2006	18:46:08	0.013	0.002	2
12/8/2006	19:01:08	0.015	0.004	4
12/8/2006	19:16:08	0.018	0.007	7
12/8/2006	19:31:08	0.02	0.009	9
12/8/2006	19:46:08	0.014	0.003	3
12/8/2006	20:01:08	0.016	0.005	5
12/8/2006	20:16:08	0.022	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/08/2006 13:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (03:59) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/8/2006 16:12			0				0
2	12/8/2006 16:27			0				0
3	12/8/2006 16:42			0				0
4	12/8/2006 16:57			0				0
5	12/8/2006 17:12			0				0
6	12/8/2006 17:27			0				0
7	12/8/2006 17:42			0				0
8	12/8/2006 17:57			0				0
9	12/8/2006 18:12			0				0
10	12/8/2006 18:27			0				0
11	12/8/2006 18:42			0				0
12	12/8/2006 18:57			0				0
13	12/8/2006 19:12			0				0
14	12/8/2006 19:27			0				0
15	12/8/2006 19:42			0				0
16	12/8/2006 19:57			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	12/8/2006
Start Time:	16:05:14
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (03:59) = 0.005 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/8/2006	16:20:14	0.012	0.007	7
12/8/2006	16:35:14	0.014	0.009	9
12/8/2006	16:50:14	0.012	0.007	7
12/8/2006	17:05:14	0.017	0.012	12
12/8/2006	17:20:14	0.013	0.008	8
12/8/2006	17:35:14	0.013	0.008	8
12/8/2006	17:50:14	0.011	0.006	6
12/8/2006	18:05:14	0.013	0.008	8
12/8/2006	18:20:14	0.018	0.013	13
12/8/2006	18:35:14	0.013	0.008	8
12/8/2006	18:50:14	0.013	0.008	8
12/8/2006	19:05:14	0.008	0.003	3
12/8/2006	19:20:14	0.016	0.011	11
12/8/2006	19:35:14	0.036	0.031	31
12/8/2006	19:50:14	0.023	0.018	18
12/8/2006	20:05:14	0.01	0.005	5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/09/2006 06:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:42) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/9/2006 8:01			0.1				0.1
2	12/9/2006 8:16			0.3				0.3
3	12/9/2006 8:31			0.4				0.4
4	12/9/2006 8:46			0.5				0.5
5	12/9/2006 9:01			0.6				0.6
6	12/9/2006 9:16			0.6				0.6
7	12/9/2006 9:31			0.7				0.7
8	12/9/2006 9:46			0.7				0.7
9	12/9/2006 10:01			0.7				0.7
10	12/9/2006 10:16			0.7				0.7
11	12/9/2006 10:31			0.8				0.8
12	12/9/2006 10:46			0.8				0.8
13	12/9/2006 11:01			0.8				0.8
14	12/9/2006 11:16			0.8				0.8
15	12/9/2006 11:31			0.8				0.8
16	12/9/2006 11:46			0.8				0.8
17	12/9/2006 12:01			0.8				0.8
18	12/9/2006 12:16			0.8				0.8
19	12/9/2006 12:31			0.9				0.9
20	12/9/2006 12:46			0.9				0.9
21	12/9/2006 13:01			0.9				0.9
22	12/9/2006 13:16			0.9				0.9
23	12/9/2006 13:31			0.9				0.9
24	12/9/2006 13:46			0.9				0.9
25	12/9/2006 14:01			0.9				0.9
26	12/9/2006 14:16			0.9				0.9
27	12/9/2006 14:31			0.9				0.9
28	12/9/2006 14:46			0.9				0.9
29	12/9/2006 15:01			0.9				0.9

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	12/9/2006
Start Time:	7:47:00
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (07:42) = 0.02 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/9/2006	8:02:00	0.033	0.013	13
12/9/2006	8:17:00	0.034	0.014	14
12/9/2006	8:32:00	0.037	0.017	17
12/9/2006	8:47:00	0.041	0.021	21
12/9/2006	9:02:00	0.043	0.023	23
12/9/2006	9:17:00	0.041	0.021	21
12/9/2006	9:32:00	0.038	0.018	18
12/9/2006	9:47:00	0.037	0.017	17
12/9/2006	10:02:00	0.038	0.018	18
12/9/2006	10:17:00	0.034	0.014	14
12/9/2006	10:32:00	0.028	0.008	8
12/9/2006	10:47:00	0.029	0.009	9
12/9/2006	11:02:00	0.028	0.008	8
12/9/2006	11:17:00	0.027	0.007	7
12/9/2006	11:32:00	0.027	0.007	7
12/9/2006	11:47:00	0.025	0.005	5
12/9/2006	12:02:00	0.023	0.003	3
12/9/2006	12:17:00	0.024	0.004	4
12/9/2006	12:32:00	0.024	0.004	4
12/9/2006	12:47:00	0.024	0.004	4
12/9/2006	13:02:00	0.026	0.006	6
12/9/2006	13:17:00	0.027	0.007	7
12/9/2006	13:32:00	0.029	0.009	9
12/9/2006	13:47:00	0.027	0.007	7
12/9/2006	14:02:00	0.028	0.008	8
12/9/2006	14:17:00	0.028	0.008	8
12/9/2006	14:32:00	0.027	0.007	7
12/9/2006	14:47:00	0.029	0.009	9
12/9/2006	15:02:00	0.029	0.009	9
12/9/2006	15:17:00	0.028	0.008	8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/09/2006 06:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:31) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/9/2006 7:44			0				0
2	12/9/2006 7:59			0				0
3	12/9/2006 8:14			0				0
4	12/9/2006 8:29			0				0
5	12/9/2006 8:44			0				0
6	12/9/2006 8:59			0				0
7	12/9/2006 9:14			0				0
8	12/9/2006 9:29			0				0
9	12/9/2006 9:44			0				0
10	12/9/2006 9:59			0				0
11	12/9/2006 10:14			0				0
12	12/9/2006 10:29			0				0
13	12/9/2006 10:44			0				0
14	12/9/2006 10:59			0				0
15	12/9/2006 11:14			0				0
16	12/9/2006 11:29			0				0
17	12/9/2006 11:44			0				0
18	12/9/2006 11:59			0				0
19	12/9/2006 12:14			0				0
20	12/9/2006 12:29			0				0
21	12/9/2006 12:44			0				0
22	12/9/2006 12:59			0				0
23	12/9/2006 13:14			0				0
24	12/9/2006 13:29			0				0
25	12/9/2006 13:44			0				0
26	12/9/2006 13:59			0				0
27	12/9/2006 14:14			0				0
28	12/9/2006 14:29			0				0
29	12/9/2006 14:44			0				0
30	12/9/2006 14:59			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	12/9/2006
Start Time:	7:37:25
Duration (dd:hh:mm:ss):	00:07:53:15
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:31) = 0.017 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/9/2006	7:37:40	0.017	0	0
12/9/2006	7:52:40	0.015	-0.002	-2
12/9/2006	8:07:40	0.017	0	0
12/9/2006	8:22:40	0.018	0.001	1
12/9/2006	8:37:40	0.018	0.001	1
12/9/2006	8:52:40	0.017	0	0
12/9/2006	9:07:40	0.018	0.001	1
12/9/2006	9:22:40	0.019	0.002	2
12/9/2006	9:37:40	0.016	-0.001	-1
12/9/2006	9:52:40	0.017	0	0
12/9/2006	10:07:40	0.018	0.001	1
12/9/2006	10:22:40	0.017	0	0
12/9/2006	10:37:40	0.016	-0.001	-1
12/9/2006	10:52:40	0.016	-0.001	-1
12/9/2006	11:07:40	0.018	0.001	1
12/9/2006	11:22:40	0.015	-0.002	-2
12/9/2006	11:37:40	0.016	-0.001	-1
12/9/2006	11:52:40	0.017	0	0
12/9/2006	12:07:40	0.019	0.002	2
12/9/2006	12:22:40	0.021	0.004	4
12/9/2006	12:37:40	0.019	0.002	2
12/9/2006	12:52:40	0.021	0.004	4
12/9/2006	13:07:40	0.022	0.005	5
12/9/2006	13:22:40	0.026	0.009	9
12/9/2006	13:37:40	0.023	0.006	6
12/9/2006	13:52:40	0.023	0.006	6
12/9/2006	14:07:40	0.027	0.01	10
12/9/2006	14:22:40	0.025	0.008	8
12/9/2006	14:37:40	0.024	0.007	7
12/9/2006	14:52:40	0.026	0.009	9
12/9/2006	15:07:40	0.022	0.005	5
12/9/2006	15:22:40	0.019	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/09/2006 06:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:09) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/9/2006 8:25			0.1				0
2	12/9/2006 8:40			0.2				0.1
3	12/9/2006 8:55			0.2				0.1
4	12/9/2006 9:10			0.3				0.2
5	12/9/2006 9:25			0.3				0.2
6	12/9/2006 9:40			0.4				0.3
7	12/9/2006 9:55			0.4				0.3
8	12/9/2006 10:10			0.4				0.3
9	12/9/2006 10:25			0.4				0.3
10	12/9/2006 10:40			0.4				0.3
11	12/9/2006 10:55			0.4				0.3
12	12/9/2006 11:10			0.4				0.3
13	12/9/2006 11:25			0.4				0.3
14	12/9/2006 11:40			0.4				0.3
15	12/9/2006 11:55			0.4				0.3
16	12/9/2006 12:10			0.5				0.4
17	12/9/2006 12:25			0.5				0.4
18	12/9/2006 12:40			0.5				0.4
19	12/9/2006 12:55			0.5				0.4
20	12/9/2006 13:10			0.5				0.4
21	12/9/2006 13:25			0.5				0.4
22	12/9/2006 13:40			0.5				0.4
23	12/9/2006 13:55			0.5				0.4
24	12/9/2006 14:10			0.5				0.4
25	12/9/2006 14:25			0.5				0.4
26	12/9/2006 14:40			0.5				0.4
27	12/9/2006 14:55			0.5				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	12/9/2006
Start Time:	8:14:19
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (08:09) = 0.026 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/9/2006	8:29:19	0.031	0.005	5
12/9/2006	8:44:19	0.037	0.011	11
12/9/2006	8:59:19	0.04	0.014	14
12/9/2006	9:14:19	0.037	0.011	11
12/9/2006	9:29:19	0.031	0.005	5
12/9/2006	9:44:19	0.031	0.005	5
12/9/2006	9:59:19	0.036	0.01	10
12/9/2006	10:14:19	0.035	0.009	9
12/9/2006	10:29:19	0.031	0.005	5
12/9/2006	10:44:19	0.03	0.004	4
12/9/2006	10:59:19	0.028	0.002	2
12/9/2006	11:14:19	0.03	0.004	4
12/9/2006	11:29:19	0.03	0.004	4
12/9/2006	11:44:19	0.026	0	0
12/9/2006	11:59:19	0.027	0.001	1
12/9/2006	12:14:19	0.026	0	0
12/9/2006	12:29:19	0.027	0.001	1
12/9/2006	12:44:19	0.027	0.001	1
12/9/2006	12:59:19	0.027	0.001	1
12/9/2006	13:14:19	0.027	0.001	1
12/9/2006	13:29:19	0.03	0.004	4
12/9/2006	13:44:19	0.032	0.006	6
12/9/2006	13:59:19	0.028	0.002	2
12/9/2006	14:14:19	0.03	0.004	4
12/9/2006	14:29:19	0.032	0.006	6
12/9/2006	14:44:19	0.029	0.003	3
12/9/2006	14:59:19	0.026	0	0
12/9/2006	15:14:19	0.027	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/09/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/9/2006 8:18			0				0
2	12/9/2006 8:33			0				0
3	12/9/2006 8:48			0				0
4	12/9/2006 9:03			0				0
5	12/9/2006 9:18			0				0
6	12/9/2006 9:33			0				0
7	12/9/2006 9:48			0				0
8	12/9/2006 10:03			0				0
9	12/9/2006 10:18			0				0
10	12/9/2006 10:33			0				0
11	12/9/2006 10:48			0				0
12	12/9/2006 11:03			0				0
13	12/9/2006 11:18			0				0
14	12/9/2006 11:33			0				0
15	12/9/2006 11:48			0				0
16	12/9/2006 12:03			0				0
17	12/9/2006 12:18			0				0
18	12/9/2006 12:33			0				0
19	12/9/2006 12:48			0				0
20	12/9/2006 13:03			0				0
21	12/9/2006 13:18			0				0
22	12/9/2006 13:33			0				0
23	12/9/2006 13:48			0				0
24	12/9/2006 14:03			0				0
25	12/9/2006 14:18			0				0
26	12/9/2006 14:33			0				0
27	12/9/2006 14:48			0				0
28	12/9/2006 15:03			0				0
29	12/9/2006 15:18			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	11
Test Abbreviation:	
Start Date:	12/9/2006
Start Time:	8:07:05
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (08:00) = 0.021 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/9/2006	8:22:05	0.026	0.005	5
12/9/2006	8:37:05	0.03	0.009	9
12/9/2006	8:52:05	0.031	0.01	10
12/9/2006	9:07:05	0.03	0.009	9
12/9/2006	9:22:05	0.03	0.009	9
12/9/2006	9:37:05	0.027	0.006	6
12/9/2006	9:52:05	0.027	0.006	6
12/9/2006	10:07:05	0.029	0.008	8
12/9/2006	10:22:05	0.027	0.006	6
12/9/2006	10:37:05	0.024	0.003	3
12/9/2006	10:52:05	0.023	0.002	2
12/9/2006	11:07:05	0.023	0.002	2
12/9/2006	11:22:05	0.024	0.003	3
12/9/2006	11:37:05	0.022	0.001	1
12/9/2006	11:52:05	0.021	0	0
12/9/2006	12:07:05	0.02	-0.001	-1
12/9/2006	12:22:05	0.021	0	0
12/9/2006	12:37:05	0.02	-0.001	-1
12/9/2006	12:52:05	0.02	-0.001	-1
12/9/2006	13:07:05	0.026	0.005	5
12/9/2006	13:22:05	0.031	0.01	10
12/9/2006	13:37:05	0.032	0.011	11
12/9/2006	13:52:05	0.03	0.009	9
12/9/2006	14:07:05	0.029	0.008	8
12/9/2006	14:22:05	0.035	0.014	14
12/9/2006	14:37:05	0.028	0.007	7
12/9/2006	14:52:05	0.029	0.008	8
12/9/2006	15:07:05	0.042	0.021	21
12/9/2006	15:22:05	0.023	0.002	2
12/9/2006	15:37:05	0.02	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/11/2006 13:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading 01:58) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/11/2006 14:15			0				0
2	12/11/2006 14:30			0				0
3	12/11/2006 14:45			0.1				0.1
4	12/11/2006 15:00			0.1				0.1
5	12/11/2006 15:15			0.2				0.2
6	12/11/2006 15:30			0.3				0.3
7	12/11/2006 15:45			0.3				0.3
8	12/11/2006 16:00			0.5				0.5
9	12/11/2006 16:15			0.7				0.7
10	12/11/2006 16:30			0.9				0.9
11	12/11/2006 16:45			0.7				0.7
12	12/11/2006 17:00			1				1
13	12/11/2006 17:15			1				1
14	12/11/2006 17:30			1				1
15	12/11/2006 17:45			1				1
16	12/11/2006 18:00			1.3				1.3
17	12/11/2006 18:15			1.2				1.2
18	12/11/2006 18:30			1.2				1.2
19	12/11/2006 18:45			1.1				1.1
20	12/11/2006 19:00			1.1				1.1
21	12/11/2006 19:15			1.4				1.4
22	12/11/2006 19:30			1.4				1.4
23	12/11/2006 19:45			1.6				1.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/11/2006
Start Time:	14:02:22
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (01:58) = 0.018 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/11/2006	14:17:22	0.022	0.004	4
12/11/2006	14:32:22	0.027	0.009	9
12/11/2006	14:47:22	0.026	0.008	8
12/11/2006	15:02:22	0.019	0.001	1
12/11/2006	15:17:22	0.029	0.011	11
12/11/2006	15:32:22	0.025	0.007	7
12/11/2006	15:47:22	0.022	0.004	4
12/11/2006	16:02:22	0.022	0.004	4
12/11/2006	16:17:22	0.028	0.01	10
12/11/2006	16:32:22	0.023	0.005	5
12/11/2006	16:47:22	0.024	0.006	6
12/11/2006	17:02:22	0.023	0.005	5
12/11/2006	17:17:22	0.026	0.008	8
12/11/2006	17:32:22	0.034	0.016	16
12/11/2006	17:47:22	0.025	0.007	7
12/11/2006	18:02:22	0.028	0.01	10
12/11/2006	18:17:22	0.025	0.007	7
12/11/2006	18:32:22	0.031	0.013	13
12/11/2006	18:47:22	0.023	0.005	5
12/11/2006	19:02:22	0.026	0.008	8
12/11/2006	19:17:22	0.027	0.009	9
12/11/2006	19:32:22	0.03	0.012	12
12/11/2006	19:47:22	0.035	0.017	17
12/11/2006	20:02:22	0.035	0.017	17

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/11/2006 13:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:34) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/11/2006 14:48			0				0
2	12/11/2006 15:03			0				0
3	12/11/2006 15:18			0				0
4	12/11/2006 15:33			0				0
5	12/11/2006 15:48			0				0
6	12/11/2006 16:03			0				0
7	12/11/2006 16:18			0				0
8	12/11/2006 16:33			0				0
9	12/11/2006 16:48			0				0
10	12/11/2006 17:03			0				0
11	12/11/2006 17:18			0				0
12	12/11/2006 17:33			0				0
13	12/11/2006 17:48			0				0
14	12/11/2006 18:03			0				0
15	12/11/2006 18:18			0				0
16	12/11/2006 18:33			0				0
17	12/11/2006 18:48			0				0
18	12/11/2006 19:03			0				0
19	12/11/2006 19:18			0				0
20	12/11/2006 19:33			0				0
21	12/11/2006 19:48			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	12/11/2006
Start Time:	14:40:57
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (02:34) = 0.009 mg/m3

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/11/2006	14:55:57	0.011	0.002	2
12/11/2006	15:10:57	0.01	0.001	1
12/11/2006	15:25:57	0.01	0.001	1
12/11/2006	15:40:57	0.011	0.002	2
12/11/2006	15:55:57	0.013	0.004	4
12/11/2006	16:10:57	0.01	0.001	1
12/11/2006	16:25:57	0.011	0.002	2
12/11/2006	16:40:57	0.014	0.005	5
12/11/2006	16:55:57	0.014	0.005	5
12/11/2006	17:10:57	0.013	0.004	4
12/11/2006	17:25:57	0.012	0.003	3
12/11/2006	17:40:57	0.011	0.002	2
12/11/2006	17:55:57	0.015	0.006	6
12/11/2006	18:10:57	0.012	0.003	3
12/11/2006	18:25:57	0.016	0.007	7
12/11/2006	18:40:57	0.014	0.005	5
12/11/2006	18:55:57	0.015	0.006	6
12/11/2006	19:10:57	0.017	0.008	8
12/11/2006	19:25:57	0.016	0.007	7
12/11/2006	19:40:57	0.014	0.005	5
12/11/2006	19:55:57	0.015	0.006	6
12/11/2006	20:10:57	0.016	0.007	7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/11/2006 13:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:22) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/11/2006 14:39			0.1				0.1
2	12/11/2006 14:54			0.1				0.1
3	12/11/2006 15:09			0.1				0.1
4	12/11/2006 15:24			0.2				0.2
5	12/11/2006 15:39			0.2				0.2
6	12/11/2006 15:54			0.2				0.2
7	12/11/2006 16:09			0.2				0.2
8	12/11/2006 16:24			0.3				0.3
9	12/11/2006 16:39			0.3				0.3
10	12/11/2006 16:54			0.3				0.3
11	12/11/2006 17:09			0.3				0.3
12	12/11/2006 17:24			0.3				0.3
13	12/11/2006 17:39			0.3				0.3
14	12/11/2006 17:54			0.3				0.3
15	12/11/2006 18:09			0.3				0.3
16	12/11/2006 18:24			0.4				0.4
17	12/11/2006 18:39			0.5				0.5
18	12/11/2006 18:54			0.4				0.4
19	12/11/2006 19:09			0.4				0.4
20	12/11/2006 19:24			0.4				0.4
21	12/11/2006 19:39			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/11/2006
Start Time:	14:28:15
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (02:22) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/11/2006	14:43:15	0.01	0	0
12/11/2006	14:58:15	0.017	0.007	7
12/11/2006	15:13:15	0.011	0.001	1
12/11/2006	15:28:15	0.012	0.002	2
12/11/2006	15:43:15	0.012	0.002	2
12/11/2006	15:58:15	0.012	0.002	2
12/11/2006	16:13:15	0.011	0.001	1
12/11/2006	16:28:15	0.012	0.002	2
12/11/2006	16:43:15	0.013	0.003	3
12/11/2006	16:58:15	0.014	0.004	4
12/11/2006	17:13:15	0.015	0.005	5
12/11/2006	17:28:15	0.014	0.004	4
12/11/2006	17:43:15	0.014	0.004	4
12/11/2006	17:58:15	0.017	0.007	7
12/11/2006	18:13:15	0.015	0.005	5
12/11/2006	18:28:15	0.017	0.007	7
12/11/2006	18:43:15	0.016	0.006	6
12/11/2006	18:58:15	0.124	0.114	114
12/11/2006	19:13:15	0.018	0.008	8
12/11/2006	19:28:15	0.019	0.009	9
12/11/2006	19:43:15	0.019	0.009	9
12/11/2006	19:58:15	0.02	0.01	10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/11/2006 13:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/11/2006 14:32			0.2				0.2
2	12/11/2006 14:47			0.2				0.2
3	12/11/2006 15:02			0.3				0.3
4	12/11/2006 15:17			0.4				0.4
5	12/11/2006 15:32			0.2				0.2
6	12/11/2006 15:47			0.2				0.2
7	12/11/2006 16:02			0.2				0.2
8	12/11/2006 16:17			0.3				0.3
9	12/11/2006 16:32			0.3				0.3
10	12/11/2006 16:47			0.2				0.2
11	12/11/2006 17:02			0.3				0.3
12	12/11/2006 17:17			0.4				0.4
13	12/11/2006 17:32			0.3				0.3
14	12/11/2006 17:47			0.2				0.2
15	12/11/2006 18:02			0.3				0.3
16	12/11/2006 18:17			0.3				0.3
17	12/11/2006 18:32			0.3				0.3
18	12/11/2006 18:47			0.4				0.4
19	12/11/2006 19:02			0.4				0.4
20	12/11/2006 19:17			0.4				0.4
21	12/11/2006 19:32			0.3				0.3
22	12/11/2006 19:47			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/11/2006
Start Time:	14:21:46
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (02:15) = 0.018 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/11/2006	14:36:46	0.022	0.004	4
12/11/2006	14:51:46	0.023	0.005	5
12/11/2006	15:06:46	0.017	-0.001	-1
12/11/2006	15:21:46	0.028	0.01	10
12/11/2006	15:36:46	0.019	0.001	1
12/11/2006	15:51:46	0.018	0	0
12/11/2006	16:06:46	0.013	-0.005	-5
12/11/2006	16:21:46	0.02	0.002	2
12/11/2006	16:36:46	0.017	-0.001	-1
12/11/2006	16:51:46	0.027	0.009	9
12/11/2006	17:06:46	0.02	0.002	2
12/11/2006	17:21:46	0.016	-0.002	-2
12/11/2006	17:36:46	0.032	0.014	14
12/11/2006	17:51:46	0.017	-0.001	-1
12/11/2006	18:06:46	0.048	0.03	30
12/11/2006	18:21:46	0.017	-0.001	-1
12/11/2006	18:36:46	0.022	0.004	4
12/11/2006	18:51:46	0.017	-0.001	-1
12/11/2006	19:06:46	0.102	0.084	84
12/11/2006	19:21:46	0.024	0.006	6
12/11/2006	19:36:46	0.023	0.005	5
12/11/2006	19:51:46	0.032	0.014	14

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/12/2006 13:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (01:00) = 0.7 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/12/2006 13:53			0				-0.7
2	12/12/2006 14:08			0.2				-0.5
3	12/12/2006 14:23			0.4				-0.3
4	12/12/2006 14:38			0.6				-0.1
5	12/12/2006 14:53			0.8				0.1
6	12/12/2006 15:08			0.8				0.1
7	12/12/2006 15:23			0.8				0.1
8	12/12/2006 15:38			0.8				0.1
9	12/12/2006 15:53			0.8				0.1
10	12/12/2006 16:08			0.7				0
11	12/12/2006 16:23			0.7				0
12	12/12/2006 16:38			0.7				0
13	12/12/2006 16:53			0.7				0
14	12/12/2006 17:08			0.6				-0.1
15	12/12/2006 17:23			0.6				-0.1
16	12/12/2006 17:38			0.6				-0.1
17	12/12/2006 17:53			0.6				-0.1
18	12/12/2006 18:08			0.6				-0.1
19	12/12/2006 18:23			0.6				-0.1
20	12/12/2006 18:38			0.6				-0.1
21	12/12/2006 18:53			0.6				-0.1
22	12/12/2006 19:08			0.6				-0.1
23	12/12/2006 19:23			0.6				-0.1
24	12/12/2006 19:38			0.6				-0.1
25	12/12/2006 19:53			0.6				-0.1
26	12/12/2006 20:08			0.6				-0.1
27	12/12/2006 20:23			0.6				-0.1
28	12/12/2006 20:38			0.6				-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	12/12/2006
Start Time:	13:39:12
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (01:00) = 0.038 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/12/2006	13:54:12	0.034	-0.004	-4
12/12/2006	14:09:12	0.035	-0.003	-3
12/12/2006	14:24:12	0.039	0.001	1
12/12/2006	14:39:12	0.036	-0.002	-2
12/12/2006	14:54:12	0.039	0.001	1
12/12/2006	15:09:12	0.051	0.013	13
12/12/2006	15:24:12	0.04	0.002	2
12/12/2006	15:39:12	0.042	0.004	4
12/12/2006	15:54:12	0.045	0.007	7
12/12/2006	16:09:12	0.044	0.006	6
12/12/2006	16:24:12	0.044	0.006	6
12/12/2006	16:39:12	0.04	0.002	2
12/12/2006	16:54:12	0.041	0.003	3
12/12/2006	17:09:12	0.042	0.004	4
12/12/2006	17:24:12	0.039	0.001	1
12/12/2006	17:39:12	0.041	0.003	3
12/12/2006	17:54:12	0.041	0.003	3
12/12/2006	18:09:12	0.04	0.002	2
12/12/2006	18:24:12	0.043	0.005	5
12/12/2006	18:39:12	0.043	0.005	5
12/12/2006	18:54:12	0.044	0.006	6
12/12/2006	19:09:12	0.043	0.005	5
12/12/2006	19:24:12	0.044	0.006	6
12/12/2006	19:39:12	0.046	0.008	8
12/12/2006	19:54:12	0.048	0.01	10
12/12/2006	20:09:12	0.048	0.01	10
12/12/2006	20:24:12	0.046	0.008	8
12/12/2006	20:39:12	0.046	0.008	8
12/12/2006	20:54:12	0.044	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/12/2006 13:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (01:53) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/12/2006 14:08			0				0
2	12/12/2006 14:23			0				0
3	12/12/2006 14:38			0				0
4	12/12/2006 14:53			0				0
5	12/12/2006 15:08			0				0
6	12/12/2006 15:23			0				0
7	12/12/2006 15:38			0				0
8	12/12/2006 15:53			0				0
9	12/12/2006 16:08			0				0
10	12/12/2006 16:23			0				0
11	12/12/2006 16:38			0				0
12	12/12/2006 16:53			0				0
13	12/12/2006 17:08			0				0
14	12/12/2006 17:23			0				0
15	12/12/2006 17:38			0				0
16	12/12/2006 17:53			0				0
17	12/12/2006 18:08			0				0
18	12/12/2006 18:23			0				0
19	12/12/2006 18:38			0				0
20	12/12/2006 18:53			0				0
21	12/12/2006 19:08			0				0
22	12/12/2006 19:23			0				0
23	12/12/2006 19:38			0				0
24	12/12/2006 19:53			0				0
25	12/12/2006 20:08			0				0
26	12/12/2006 20:23			0				0
27	12/12/2006 20:38			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File	
Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	12/12/2006
Start Time:	13:59:39
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (01:53) = 0.026 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/12/2006	14:14:39	0.024	-0.002	-2
12/12/2006	14:29:39	0.021	-0.005	-5
12/12/2006	14:44:39	0.021	-0.005	-5
12/12/2006	14:59:39	0.02	-0.006	-6
12/12/2006	15:14:39	0.021	-0.005	-5
12/12/2006	15:29:39	0.023	-0.003	-3
12/12/2006	15:44:39	0.022	-0.004	-4
12/12/2006	15:59:39	0.022	-0.004	-4
12/12/2006	16:14:39	0.02	-0.006	-6
12/12/2006	16:29:39	0.02	-0.006	-6
12/12/2006	16:44:39	0.021	-0.005	-5
12/12/2006	16:59:39	0.023	-0.003	-3
12/12/2006	17:14:39	0.02	-0.006	-6
12/12/2006	17:29:39	0.02	-0.006	-6
12/12/2006	17:44:39	0.021	-0.005	-5
12/12/2006	17:59:39	0.022	-0.004	-4
12/12/2006	18:14:39	0.022	-0.004	-4
12/12/2006	18:29:39	0.024	-0.002	-2
12/12/2006	18:44:39	0.023	-0.003	-3
12/12/2006	18:59:39	0.023	-0.003	-3
12/12/2006	19:14:39	0.023	-0.003	-3
12/12/2006	19:29:39	0.025	-0.001	-1
12/12/2006	19:44:39	0.026	0	0
12/12/2006	19:59:39	0.027	0.001	1
12/12/2006	20:14:39	0.026	0	0
12/12/2006	20:29:39	0.024	-0.002	-2
12/12/2006	20:44:39	0.023	-0.003	-3
12/12/2006	20:59:39	0.022	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/12/2006 13:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:22) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/12/2006 14:27			0.2				0.2
2	12/12/2006 14:42			0.3				0.3
3	12/12/2006 14:57			0.4				0.4
4	12/12/2006 15:12			0.4				0.4
5	12/12/2006 15:27			0.5				0.5
6	12/12/2006 15:42			0.5				0.5
7	12/12/2006 15:57			0.5				0.5
8	12/12/2006 16:12			0.5				0.5
9	12/12/2006 16:27			0.6				0.6
10	12/12/2006 16:42			0.6				0.6
11	12/12/2006 16:57			0.6				0.6
12	12/12/2006 17:12			0.6				0.6
13	12/12/2006 17:27			0.6				0.6
14	12/12/2006 17:42			0.7				0.7
15	12/12/2006 17:57			0.7				0.7
16	12/12/2006 18:12			0.7				0.7
17	12/12/2006 18:27			0.7				0.7
18	12/12/2006 18:42			0.7				0.7
19	12/12/2006 18:57			0.7				0.7
20	12/12/2006 19:12			1				1
21	12/12/2006 19:27			0.7				0.7
22	12/12/2006 19:42			0.7				0.7
23	12/12/2006 19:57			0.7				0.7
24	12/12/2006 20:12			0.7				0.7
25	12/12/2006 20:27			0.7				0.7
26	12/12/2006 20:42			0.7				0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	12/12/2006
Start Time:	14:15:18
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (02:22) = 0.010 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/12/2006	14:30:18	0.026	0.016	16
12/12/2006	14:45:18	0.024	0.014	14
12/12/2006	15:00:18	0.023	0.013	13
12/12/2006	15:15:18	0.024	0.014	14
12/12/2006	15:30:18	0.024	0.014	14
12/12/2006	15:45:18	0.028	0.018	18
12/12/2006	16:00:18	0.026	0.016	16
12/12/2006	16:15:18	0.027	0.017	17
12/12/2006	16:30:18	0.031	0.021	21
12/12/2006	16:45:18	0.034	0.024	24
12/12/2006	17:00:18	0.026	0.016	16
12/12/2006	17:15:18	0.023	0.013	13
12/12/2006	17:30:18	0.025	0.015	15
12/12/2006	17:45:18	0.027	0.017	17
12/12/2006	18:00:18	0.027	0.017	17
12/12/2006	18:15:18	0.03	0.02	20
12/12/2006	18:30:18	0.029	0.019	19
12/12/2006	18:45:18	0.03	0.02	20
12/12/2006	19:00:18	0.029	0.019	19
12/12/2006	19:15:18	0.048	0.038	38
12/12/2006	19:30:18	0.033	0.023	23
12/12/2006	19:45:18	0.031	0.021	21
12/12/2006	20:00:18	0.034	0.024	24
12/12/2006	20:15:18	0.031	0.021	21
12/12/2006	20:30:18	0.029	0.019	19
12/12/2006	20:45:18	0.03	0.02	20
12/12/2006	21:00:18	0.028	0.018	18

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/12/2006 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (02:01) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/12/2006 14:21			0				0
2	12/12/2006 14:36			0				0
3	12/12/2006 14:51			0				0
4	12/12/2006 15:06			0				0
5	12/12/2006 15:21			0				0
6	12/12/2006 15:36			0				0
7	12/12/2006 15:51			0				0
8	12/12/2006 16:06			0				0
9	12/12/2006 16:21			0				0
10	12/12/2006 16:36			0				0
11	12/12/2006 16:51			0				0
12	12/12/2006 17:06			0				0
13	12/12/2006 17:21			0				0
14	12/12/2006 17:36			0				0
15	12/12/2006 17:51			0				0
16	12/12/2006 18:06			0				0
17	12/12/2006 18:21			0				0
18	12/12/2006 18:36			0				0
19	12/12/2006 18:51			0				0
20	12/12/2006 19:06			0				0
21	12/12/2006 19:21			0				0
22	12/12/2006 19:36			0				0
23	12/12/2006 19:51			0				0
24	12/12/2006 20:06			0				0
25	12/12/2006 20:21			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	12/12/2006
Start Time:	14:10:42
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	Background Reading (02:01) = 0.029 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/12/2006	14:25:42	0.03	0.001	1
12/12/2006	14:40:42	0.028	-0.001	-1
12/12/2006	14:55:42	0.028	-0.001	-1
12/12/2006	15:10:42	0.028	-0.001	-1
12/12/2006	15:25:42	0.03	0.001	1
12/12/2006	15:40:42	0.028	-0.001	-1
12/12/2006	15:55:42	0.03	0.001	1
12/12/2006	16:10:42	0.027	-0.002	-2
12/12/2006	16:25:42	0.104	0.075	75
12/12/2006	16:40:42	0.042	0.013	13
12/12/2006	16:55:42	0.026	-0.003	-3
12/12/2006	17:10:42	0.028	-0.001	-1
12/12/2006	17:25:42	0.027	-0.002	-2
12/12/2006	17:40:42	0.035	0.006	6
12/12/2006	17:55:42	0.034	0.005	5
12/12/2006	18:10:42	0.034	0.005	5
12/12/2006	18:25:42	0.037	0.008	8
12/12/2006	18:40:42	0.036	0.007	7
12/12/2006	18:55:42	0.035	0.006	6
12/12/2006	19:10:42	0.041	0.012	12
12/12/2006	19:25:42	0.05	0.021	21
12/12/2006	19:40:42	0.036	0.007	7
12/12/2006	19:55:42	0.04	0.011	11
12/12/2006	20:10:42	0.038	0.009	9
12/12/2006	20:25:42	0.04	0.011	11
12/12/2006	20:40:42	0.036	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/13/2006 07:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:16) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/13/2006 8:36			0				0	
2	12/13/2006 8:51			0				0	
3	12/13/2006 9:06			0				0	
4	12/13/2006 9:21			0				0	
5	12/13/2006 9:36			0				0	
6	12/13/2006 9:51			0				0	
7	12/13/2006 10:06			0				0	
8	12/13/2006 10:21			0				0	
9	12/13/2006 10:36			0				0	
10	12/13/2006 10:51			0				0	
11	12/13/2006 11:06			0				0	
12	12/13/2006 11:21			0				0	
13	12/13/2006 11:36			0				0	
14	12/13/2006 11:51			0				0	
15	12/13/2006 12:06			0				0	
16	12/13/2006 12:21			0				0	
17	12/13/2006 12:36			0				0	
18	12/13/2006 12:51			0				0	
19	12/13/2006 13:06			0				0	
20	12/13/2006 13:21			0				0	
21	12/13/2006 13:36			0				0	
22	12/13/2006 13:51			0				0	
23	12/13/2006 14:06			0				0	
24	12/13/2006 14:21			0				0	
25	12/13/2006 14:36			0				0	
26	12/13/2006 14:51			0				0	
27	12/13/2006 15:06			0				0	
28	12/13/2006 15:21			0.1				0.1	
29	12/13/2006 15:36			0				0	
30	12/13/2006 15:51			0				0	
31	12/13/2006 16:06			0				0	
32	12/13/2006 16:21			0				0	
33	12/13/2006 16:36			0				0	
34	12/13/2006 16:51			0				0	
35	12/13/2006 17:06			0.1				0.1	
36	12/13/2006 17:21			0.1				0.1	
37	12/13/2006 17:36			0				0	
38	12/13/2006 17:51			0				0	
39	12/13/2006 18:06			0				0	
40	12/13/2006 18:21			0.1				0.1	
41	12/13/2006 18:36			0.1				0.1	
42	12/13/2006 18:51			0				0	
1	12/13/2006 19:31			0				0	Batteries replaced at ~19:31
2	12/13/2006 19:46			0				0	
3	12/13/2006 20:01			0				0	
4	12/13/2006 20:16			0.1				0.1	
5	12/13/2006 20:31			0.1				0.1	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	12/13/2006
Start Time:	8:22:50
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (08:16) = 0.028 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/13/2006	8:37:50	0.03	0.002	2
12/13/2006	8:52:50	0.034	0.006	6
12/13/2006	9:07:50	0.035	0.007	7
12/13/2006	9:22:50	0.036	0.008	8
12/13/2006	9:37:50	0.034	0.006	6
12/13/2006	9:52:50	0.035	0.007	7
12/13/2006	10:07:50	0.037	0.009	9
12/13/2006	10:22:50	0.042	0.014	14
12/13/2006	10:37:50	0.046	0.018	18
12/13/2006	10:52:50	0.055	0.027	27
12/13/2006	11:07:50	0.06	0.032	32
12/13/2006	11:22:50	0.051	0.023	23
12/13/2006	11:37:50	0.045	0.017	17
12/13/2006	11:52:50	0.044	0.016	16
12/13/2006	12:07:50	0.044	0.016	16
12/13/2006	12:22:50	0.037	0.009	9
12/13/2006	12:37:50	0.03	0.002	2
12/13/2006	12:52:50	0.029	0.001	1
12/13/2006	13:07:50	0.03	0.002	2
12/13/2006	13:22:50	0.03	0.002	2
12/13/2006	13:37:50	0.031	0.003	3
12/13/2006	13:52:50	0.034	0.006	6
12/13/2006	14:07:50	0.037	0.009	9
12/13/2006	14:22:50	0.038	0.01	10
12/13/2006	14:37:50	0.037	0.009	9
12/13/2006	14:52:50	0.039	0.011	11
12/13/2006	15:07:50	0.043	0.015	15
12/13/2006	15:22:50	0.047	0.019	19
12/13/2006	15:37:50	0.053	0.025	25
12/13/2006	15:52:50	0.06	0.032	32
12/13/2006	16:07:50	0.059	0.031	31
12/13/2006	16:22:50	0.059	0.031	31
12/13/2006	16:37:50	0.061	0.033	33
12/13/2006	16:52:50	0.066	0.038	38
12/13/2006	17:07:50	0.065	0.037	37
12/13/2006	17:22:50	0.068	0.04	40
12/13/2006	17:37:50	0.066	0.038	38
12/13/2006	17:52:50	0.069	0.041	41
12/13/2006	18:07:50	0.078	0.05	50
12/13/2006	18:22:50	0.092	0.064	64
12/13/2006	18:37:50	0.092	0.064	64
12/13/2006	18:52:50	0.089	0.061	61
12/13/2006	19:07:50	0.098	0.07	70
12/13/2006	19:22:50	0.1	0.072	72
12/13/2006	19:37:50	0.097	0.069	69
12/13/2006	19:52:50	0.106	0.078	78
12/13/2006	20:07:50	0.105	0.077	77
12/13/2006	20:22:50	0.1	0.072	72
12/13/2006	20:37:50	0.101	0.073	73
12/13/2006	20:52:50	0.092	0.064	64

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/13/2006 07:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:43) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/13/2006 7:58			0				-0.1
2	12/13/2006 8:13			0				-0.1
3	12/13/2006 8:28			0				-0.1
4	12/13/2006 8:43			0				-0.1
5	12/13/2006 8:58			0				-0.1
6	12/13/2006 9:13			0				-0.1
7	12/13/2006 9:28			0				-0.1
8	12/13/2006 9:43			0				-0.1
9	12/13/2006 9:58			0				-0.1
10	12/13/2006 10:13			0				-0.1
11	12/13/2006 10:28			0				-0.1
12	12/13/2006 10:43			0				-0.1
13	12/13/2006 10:58			0				-0.1
14	12/13/2006 11:13			0				-0.1
15	12/13/2006 11:28			0				-0.1
16	12/13/2006 11:43			0				-0.1
17	12/13/2006 11:58			0				-0.1
18	12/13/2006 12:13			0				-0.1
19	12/13/2006 12:28			0				-0.1
20	12/13/2006 12:43			0				-0.1
21	12/13/2006 12:58			0				-0.1
22	12/13/2006 13:13			0				-0.1
23	12/13/2006 13:28			0				-0.1
24	12/13/2006 13:43			0				-0.1
25	12/13/2006 13:58			0				-0.1
26	12/13/2006 14:13			0				-0.1
27	12/13/2006 14:28			0				-0.1
28	12/13/2006 14:43			0				-0.1
29	12/13/2006 14:58			0				-0.1
30	12/13/2006 15:13			0				-0.1
31	12/13/2006 15:28			0				-0.1
32	12/13/2006 15:43			0				-0.1
33	12/13/2006 15:58			0				-0.1
34	12/13/2006 16:13			0				-0.1
35	12/13/2006 16:28			0				-0.1
36	12/13/2006 16:43			0				-0.1
37	12/13/2006 16:58			0				-0.1
38	12/13/2006 17:13			0				-0.1
39	12/13/2006 17:28			0				-0.1
40	12/13/2006 17:43			0				-0.1
41	12/13/2006 17:58			0				-0.1
42	12/13/2006 18:13			0				-0.1
43	12/13/2006 18:28			0				-0.1
44	12/13/2006 18:43			0				-0.1
45	12/13/2006 18:58			0				-0.1
46	12/13/2006 19:13			0				-0.1
47	12/13/2006 19:28			0				-0.1
48	12/13/2006 19:43			0				-0.1
49	12/13/2006 19:58			0				-0.1
50	12/13/2006 20:13			0				-0.1
51	12/13/2006 20:28			0				-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	12/13/2006
Start Time:	7:51:16
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (07:43) = 0.014 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/13/2006	8:06:16	0.015	0.001	1
12/13/2006	8:21:16	0.016	0.002	2
12/13/2006	8:36:16	0.019	0.005	5
12/13/2006	8:51:16	0.02	0.006	6
12/13/2006	9:06:16	0.02	0.006	6
12/13/2006	9:21:16	0.022	0.008	8
12/13/2006	9:36:16	0.019	0.005	5
12/13/2006	9:51:16	0.019	0.005	5
12/13/2006	10:06:16	0.019	0.005	5
12/13/2006	10:21:16	0.021	0.007	7
12/13/2006	10:36:16	0.024	0.01	10
12/13/2006	10:51:16	0.027	0.013	13
12/13/2006	11:06:16	0.029	0.015	15
12/13/2006	11:21:16	0.025	0.011	11
12/13/2006	11:36:16	0.02	0.006	6
12/13/2006	11:51:16	0.021	0.007	7
12/13/2006	12:06:16	0.019	0.005	5
12/13/2006	12:21:16	0.017	0.003	3
12/13/2006	12:36:16	0.01	-0.004	-4
12/13/2006	12:51:16	0.01	-0.004	-4
12/13/2006	13:06:16	0.01	-0.004	-4
12/13/2006	13:21:16	0.01	-0.004	-4
12/13/2006	13:36:16	0.012	-0.002	-2
12/13/2006	13:51:16	0.013	-0.001	-1
12/13/2006	14:06:16	0.015	0.001	1
12/13/2006	14:21:16	0.016	0.002	2
12/13/2006	14:36:16	0.016	0.002	2
12/13/2006	14:51:16	0.015	0.001	1
12/13/2006	15:06:16	0.018	0.004	4
12/13/2006	15:21:16	0.02	0.006	6
12/13/2006	15:36:16	0.023	0.009	9
12/13/2006	15:51:16	0.026	0.012	12
12/13/2006	16:06:16	0.027	0.013	13
12/13/2006	16:21:16	0.027	0.013	13
12/13/2006	16:36:16	0.028	0.014	14
12/13/2006	16:51:16	0.03	0.016	16
12/13/2006	17:06:16	0.03	0.016	16
12/13/2006	17:21:16	0.031	0.017	17
12/13/2006	17:36:16	0.03	0.016	16
12/13/2006	17:51:16	0.031	0.017	17
12/13/2006	18:06:16	0.035	0.021	21
12/13/2006	18:21:16	0.042	0.028	28
12/13/2006	18:36:16	0.045	0.031	31
12/13/2006	18:51:16	0.041	0.027	27
12/13/2006	19:06:16	0.046	0.032	32
12/13/2006	19:21:16	0.048	0.034	34
12/13/2006	19:36:16	0.134	0.12	120
12/13/2006	19:51:16	0.05	0.036	36
12/13/2006	20:06:16	0.051	0.037	37
12/13/2006	20:21:16	0.051	0.037	37
12/13/2006	20:36:16	0.046	0.032	32
12/13/2006	20:51:16	0.043	0.029	29

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/13/2006 07:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:03) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/13/2006 7:44			0.1				0	
2	12/13/2006 7:59			0.2				0.1	
3	12/13/2006 8:14			0.2				0.1	
4	12/13/2006 8:29			0.2				0.1	
5	12/13/2006 8:44			0.2				0.1	
6	12/13/2006 8:59			0.2				0.1	
7	12/13/2006 9:14			0.3				0.2	
8	12/13/2006 9:29			0.2				0.1	
9	12/13/2006 9:44			0.3				0.2	
10	12/13/2006 9:59			0.2				0.1	
11	12/13/2006 10:14			0.3				0.2	
12	12/13/2006 10:29			0.3				0.2	
13	12/13/2006 10:44			0.3				0.2	
14	12/13/2006 10:59			0.2				0.1	
15	12/13/2006 11:14			0.2				0.1	
16	12/13/2006 11:29			0.2				0.1	
17	12/13/2006 11:44			0.2				0.1	
18	12/13/2006 11:59			0.2				0.1	
19	12/13/2006 12:14			0.3				0.2	
20	12/13/2006 12:29			0.2				0.1	
21	12/13/2006 12:44			0.3				0.2	
22	12/13/2006 12:59			0.2				0.1	
23	12/13/2006 13:14			0.2				0.1	
24	12/13/2006 13:29			0.3				0.2	
25	12/13/2006 13:44			0.3				0.2	
26	12/13/2006 13:59			0.3				0.2	
27	12/13/2006 14:14			0.2				0.1	
28	12/13/2006 14:29			0.2				0.1	
29	12/13/2006 14:44			0.3				0.2	
30	12/13/2006 14:59			0.2				0.1	
31	12/13/2006 15:14			0.3				0.2	
32	12/13/2006 15:29			0.2				0.1	
33	12/13/2006 15:44			0.3				0.2	
34	12/13/2006 15:59			0.2				0.1	
35	12/13/2006 16:14			0.3				0.2	
36	12/13/2006 16:29			0.2				0.1	
37	12/13/2006 16:44			0.2				0.1	
38	12/13/2006 16:59			0.2				0.1	
39	12/13/2006 17:14			0.3				0.2	
40	12/13/2006 17:29			0.3				0.2	
41	12/13/2006 17:44			0.2				0.1	
42	12/13/2006 17:59			0.2				0.1	
43	12/13/2006 18:14			0.2				0.1	
44	12/13/2006 18:29			0.3				0.2	
45	12/13/2006 18:44			0.2				0.1	
46	12/13/2006 18:59			0.2				0.1	
1	12/13/2006 19:23			0.2				0.1	Batteries replaced at ~19:23
2	12/13/2006 19:38			0.2				0.1	
3	12/13/2006 19:53			0.2				0.1	
4	12/13/2006 20:08			0.2				0.1	
5	12/13/2006 20:23			0.3				0.2	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	12/13/2006
Start Time:	8:07:33
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (08:03) = 0.017 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/13/2006	8:22:33	0.017	0	0
12/13/2006	8:37:33	0.021	0.004	4
12/13/2006	8:52:33	0.021	0.004	4
12/13/2006	9:07:33	0.022	0.005	5
12/13/2006	9:22:33	0.022	0.005	5
12/13/2006	9:37:33	0.021	0.004	4
12/13/2006	9:52:33	0.021	0.004	4
12/13/2006	10:07:33	0.022	0.005	5
12/13/2006	10:22:33	0.024	0.007	7
12/13/2006	10:37:33	0.026	0.009	9
12/13/2006	10:52:33	0.028	0.011	11
12/13/2006	11:07:33	0.03	0.013	13
12/13/2006	11:22:33	0.026	0.009	9
12/13/2006	11:37:33	0.023	0.006	6
12/13/2006	11:52:33	0.023	0.006	6
12/13/2006	12:07:33	0.023	0.006	6
12/13/2006	12:22:33	0.019	0.002	2
12/13/2006	12:37:33	0.016	-0.001	-1
12/13/2006	12:52:33	0.015	-0.002	-2
12/13/2006	13:07:33	0.015	-0.002	-2
12/13/2006	13:22:33	0.015	-0.002	-2
12/13/2006	13:37:33	0.016	-0.001	-1
12/13/2006	13:52:33	0.018	0.001	1
12/13/2006	14:07:33	0.02	0.003	3
12/13/2006	14:22:33	0.021	0.004	4
12/13/2006	14:37:33	0.021	0.004	4
12/13/2006	14:52:33	0.024	0.007	7
12/13/2006	15:07:33	0.026	0.009	9
12/13/2006	15:22:33	0.033	0.016	16
12/13/2006	15:37:33	0.033	0.016	16
12/13/2006	15:52:33	0.036	0.019	19
12/13/2006	16:07:33	0.038	0.021	21
12/13/2006	16:22:33	0.036	0.019	19
12/13/2006	16:37:33	0.038	0.021	21
12/13/2006	16:52:33	0.04	0.023	23
12/13/2006	17:07:33	0.064	0.047	47
12/13/2006	17:22:33	0.049	0.032	32
12/13/2006	17:37:33	0.042	0.025	25
12/13/2006	17:52:33	0.043	0.026	26
12/13/2006	18:07:33	0.049	0.032	32
12/13/2006	18:22:33	0.056	0.039	39
12/13/2006	18:37:33	0.06	0.043	43
12/13/2006	18:52:33	0.06	0.043	43
12/13/2006	19:07:33	0.064	0.047	47
12/13/2006	19:22:33	0.069	0.052	52
12/13/2006	19:37:33	0.059	0.042	42
12/13/2006	19:52:33	0.062	0.045	45
12/13/2006	20:07:33	0.065	0.048	48
12/13/2006	20:22:33	0.059	0.042	42
12/13/2006	20:37:33	0.058	0.041	41
12/13/2006	20:52:33	0.056	0.039	39

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 12/13/2006 07:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:57) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/13/2006 8:14			0.2				0.2
2	12/13/2006 8:29			0.3				0.3
3	12/13/2006 8:44			0.3				0.3
4	12/13/2006 8:59			0.4				0.4
5	12/13/2006 9:14			0.4				0.4
6	12/13/2006 9:29			0.5				0.5
7	12/13/2006 9:44			0.5				0.5
8	12/13/2006 9:59			0.5				0.5
9	12/13/2006 10:14			0.5				0.5
10	12/13/2006 10:29			0.5				0.5
11	12/13/2006 10:44			0.5				0.5
12	12/13/2006 10:59			0.5				0.5
13	12/13/2006 11:14			0.5				0.5
14	12/13/2006 11:29			0.5				0.5
15	12/13/2006 11:44			0.5				0.5
16	12/13/2006 11:59			0.4				0.4
17	12/13/2006 12:14			0.4				0.4
18	12/13/2006 12:29			0.4				0.4
19	12/13/2006 12:44			0.5				0.5
20	12/13/2006 12:59			0.5				0.5
21	12/13/2006 13:14			0.5				0.5
22	12/13/2006 13:29			0.5				0.5
23	12/13/2006 13:44			0.6				0.6
24	12/13/2006 13:59			0.6				0.6
25	12/13/2006 14:14			0.6				0.6
26	12/13/2006 14:29			0.6				0.6
27	12/13/2006 14:44			0.6				0.6
28	12/13/2006 14:59			0.4				0.4
29	12/13/2006 15:14			0.2				0.2
30	12/13/2006 15:29			0.2				0.2
31	12/13/2006 15:44			0.1				0.1
32	12/13/2006 15:59			0.1				0.1
33	12/13/2006 16:14			0.1				0.1
34	12/13/2006 16:29			0.1				0.1
35	12/13/2006 16:44			0.2				0.2
36	12/13/2006 16:59			0.3				0.3
37	12/13/2006 17:14			0.3				0.3
38	12/13/2006 17:29			0.3				0.3
39	12/13/2006 17:44			0.3				0.3
40	12/13/2006 17:59			0.3				0.3
41	12/13/2006 18:14			0.3				0.3
42	12/13/2006 18:29			0.3				0.3
43	12/13/2006 18:44			0.3				0.3
44	12/13/2006 18:59			0.2				0.2
45	12/13/2006 19:14			0.3				0.3
46	12/13/2006 19:29			0.3				0.3
47	12/13/2006 19:44			0.3				0.3
48	12/13/2006 19:59			0.3				0.3
49	12/13/2006 20:14			0.4				0.4
50	12/13/2006 20:29			0.3				0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	12/13/2006
Start Time:	8:04:08
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (07:57) = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/13/2006	8:19:08	0.019	-0.005	-5
12/13/2006	8:34:08	0.02	-0.004	-4
12/13/2006	8:49:08	0.022	-0.002	-2
12/13/2006	9:04:08	0.024	0	0
12/13/2006	9:19:08	0.024	0	0
12/13/2006	9:34:08	0.022	-0.002	-2
12/13/2006	9:49:08	0.022	-0.002	-2
12/13/2006	10:04:08	0.025	0.001	1
12/13/2006	10:19:08	0.027	0.003	3
12/13/2006	10:34:08	0.032	0.008	8
12/13/2006	10:49:08	0.031	0.007	7
12/13/2006	11:04:08	0.032	0.008	8
12/13/2006	11:19:08	0.029	0.005	5
12/13/2006	11:34:08	0.027	0.003	3
12/13/2006	11:49:08	0.026	0.002	2
12/13/2006	12:04:08	0.028	0.004	4
12/13/2006	12:19:08	0.025	0.001	1
12/13/2006	12:34:08	0.019	-0.005	-5
12/13/2006	12:49:08	0.019	-0.005	-5
12/13/2006	13:04:08	0.018	-0.006	-6
12/13/2006	13:19:08	0.018	-0.006	-6
12/13/2006	13:34:08	0.02	-0.004	-4
12/13/2006	13:49:08	0.021	-0.003	-3
12/13/2006	14:04:08	0.025	0.001	1
12/13/2006	14:19:08	0.028	0.004	4
12/13/2006	14:34:08	0.026	0.002	2
12/13/2006	14:49:08	0.028	0.004	4
12/13/2006	15:04:08	0.03	0.006	6
12/13/2006	15:19:08	0.033	0.009	9
12/13/2006	15:34:08	0.044	0.02	20
12/13/2006	15:49:08	0.049	0.025	25
12/13/2006	16:04:08	0.052	0.028	28
12/13/2006	16:19:08	0.047	0.023	23
12/13/2006	16:34:08	0.05	0.026	26
12/13/2006	16:49:08	0.048	0.024	24
12/13/2006	17:04:08	0.049	0.025	25
12/13/2006	17:19:08	0.049	0.025	25
12/13/2006	17:34:08	0.047	0.023	23
12/13/2006	17:49:08	0.052	0.028	28
12/13/2006	18:04:08	0.059	0.035	35
12/13/2006	18:19:08	0.065	0.041	41
12/13/2006	18:34:08	0.073	0.049	49
12/13/2006	18:49:08	0.066	0.042	42
12/13/2006	19:04:08	0.071	0.047	47
12/13/2006	19:19:08	0.072	0.048	48
12/13/2006	19:34:08	0.072	0.048	48
12/13/2006	19:49:08	0.076	0.052	52
12/13/2006	20:04:08	0.075	0.051	51
12/13/2006	20:19:08	0.070	0.046	46
12/13/2006	20:34:08	0.070	0.046	46
12/13/2006	20:49:08	0.065	0.041	41

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/14/2006 07:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/14/2006 8:57			0				0	
2	12/14/2006 9:12			0				0	
3	12/14/2006 9:27			0.1				0.1	
4	12/14/2006 9:42			0.1				0.1	
5	12/14/2006 9:57			0.1				0.1	
6	12/14/2006 10:12			0.2				0.2	
7	12/14/2006 10:27			0.2				0.2	
8	12/14/2006 10:42			0.2				0.2	
9	12/14/2006 10:57			0.2				0.2	
10	12/14/2006 11:12			0.2				0.2	
11	12/14/2006 11:27			0.2				0.2	
12	12/14/2006 11:42			0.2				0.2	
13	12/14/2006 11:57			0.1				0.1	
14	12/14/2006 12:12			0.2				0.2	
15	12/14/2006 12:27			0.1				0.1	
16	12/14/2006 12:42			0.2				0.2	
17	12/14/2006 12:57			0.2				0.2	
18	12/14/2006 13:12			0.2				0.2	
19	12/14/2006 13:27			0.2				0.2	
20	12/14/2006 13:42			0.1				0.1	
1	12/14/2006 14:35			0.2				0.2	Replaced batteries
2	12/14/2006 14:50			0.2				0.2	
3	12/14/2006 15:05			0.2				0.2	
4	12/14/2006 15:20			0.2				0.2	
5	12/14/2006 15:35			0.2				0.2	
6	12/14/2006 15:50			0.2				0.2	
7	12/14/2006 16:05			0.2				0.2	
8	12/14/2006 16:20			0.2				0.2	
9	12/14/2006 16:35			0.2				0.2	
10	12/14/2006 16:50			0.2				0.2	
11	12/14/2006 17:05			0.2				0.2	
1	12/14/2006 17:53			0.2				0.2	Replaced batteries
2	12/14/2006 18:08			0.2				0.2	
3	12/14/2006 18:23			0.2				0.2	
4	12/14/2006 18:38			0.2				0.2	
5	12/14/2006 18:53			0.2				0.2	
6	12/14/2006 19:08			0.2				0.2	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	12/14/2006
Start Time:	8:44:32
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (08:38) = 0.117 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	mg/m^3
12/14/2006	8:59:32	0.125	0.008	8
12/14/2006	9:14:32	0.128	0.011	11
12/14/2006	9:29:32	0.125	0.008	8
12/14/2006	9:44:32	0.125	0.008	8
12/14/2006	9:59:32	0.127	0.01	10
12/14/2006	10:14:32	0.126	0.009	9
12/14/2006	10:29:32	0.128	0.011	11
12/14/2006	10:44:32	0.131	0.014	14
12/14/2006	10:59:32	0.118	0.001	1
12/14/2006	11:14:32	0.128	0.011	11
12/14/2006	11:29:32	0.118	0.001	1
12/14/2006	11:44:32	0.108	-0.009	-9
12/14/2006	11:59:32	0.11	-0.007	-7
12/14/2006	12:14:32	0.106	-0.011	-11
12/14/2006	12:29:32	0.099	-0.018	-18
12/14/2006	12:44:32	0.097	-0.02	-20
12/14/2006	12:59:32	0.092	-0.025	-25
12/14/2006	13:14:32	0.088	-0.029	-29
12/14/2006	13:29:32	0.086	-0.031	-31
12/14/2006	13:44:32	0.08	-0.037	-37
12/14/2006	13:59:32	0.076	-0.041	-41
12/14/2006	14:14:32	0.101	-0.016	-16
12/14/2006	14:29:32	0.101	-0.016	-16
12/14/2006	14:44:32	0.1	-0.017	-17
12/14/2006	14:59:32	0.1	-0.017	-17
12/14/2006	15:14:32	0.094	-0.023	-23
12/14/2006	15:29:32	0.093	-0.024	-24
12/14/2006	15:44:32	0.097	-0.02	-20
12/14/2006	15:59:32	0.096	-0.021	-21
12/14/2006	16:14:32	0.095	-0.022	-22
12/14/2006	16:29:32	0.097	-0.02	-20
12/14/2006	16:44:32	0.084	-0.033	-33
12/14/2006	16:59:32	0.078	-0.039	-39
12/14/2006	17:14:32	0.071	-0.046	-46
12/14/2006	17:29:32	0.072	-0.045	-45
12/14/2006	17:44:32	0.076	-0.041	-41
12/14/2006	17:59:32	0.073	-0.044	-44
12/14/2006	18:14:32	0.075	-0.042	-42
12/14/2006	18:29:32	0.077	-0.04	-40
12/14/2006	18:44:32	0.08	-0.037	-37
12/14/2006	18:59:32	0.082	-0.035	-35
12/14/2006	19:14:32	0.086	-0.031	-31
12/14/2006	19:29:32	0.093	-0.024	-24

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 3 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/14/2006 07:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:47) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/14/2006 7:50			0				0
2	12/14/2006 8:05			0				0
3	12/14/2006 8:20			0				0
1	12/14/2006 9:05			0				0
2	12/14/2006 9:20			0				0
3	12/14/2006 9:35			0				0
4	12/14/2006 9:50			0				0
5	12/14/2006 10:05			0				0
6	12/14/2006 10:20			0				0
7	12/14/2006 10:35			0				0
8	12/14/2006 10:50			0				0
9	12/14/2006 11:05			0				0
10	12/14/2006 11:20			0				0
11	12/14/2006 11:35			0				0
12	12/14/2006 11:50			0				0
13	12/14/2006 12:05			0				0
14	12/14/2006 12:20			0				0
15	12/14/2006 12:35			0				0
16	12/14/2006 12:50			0				0
17	12/14/2006 13:05			0				0
18	12/14/2006 13:20			0				0
19	12/14/2006 13:35			0				0
20	12/14/2006 13:50			0				0
21	12/14/2006 14:05			0				0
22	12/14/2006 14:20			0				0
23	12/14/2006 14:35			0				0
24	12/14/2006 14:50			0				0
25	12/14/2006 15:05			0				0
26	12/14/2006 15:20			0				0
27	12/14/2006 15:35			0				0
28	12/14/2006 15:50			0				0
29	12/14/2006 16:05			0				0
30	12/14/2006 16:20			0				0
31	12/14/2006 16:35			0				0
32	12/14/2006 16:50			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	12/14/2006
Start Time:	7:43:56
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (07:47) = 0.060 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/14/2006	7:58:56	0.064	0.004	4
12/14/2006	8:13:56	0.068	0.008	8
12/14/2006	8:28:56	0.074	0.014	14
12/14/2006	8:43:56	0.074	0.014	14
12/14/2006	8:58:56	0.08	0.02	20
12/14/2006	9:13:56	0.077	0.017	17
12/14/2006	9:28:56	0.077	0.017	17
12/14/2006	9:43:56	0.076	0.016	16
12/14/2006	9:58:56	0.079	0.019	19
12/14/2006	10:13:56	0.079	0.019	19
12/14/2006	10:28:56	0.08	0.02	20
12/14/2006	10:43:56	0.084	0.024	24
12/14/2006	10:58:56	0.077	0.017	17
12/14/2006	11:13:56	0.082	0.022	22
12/14/2006	11:28:56	0.077	0.017	17
12/14/2006	11:43:56	0.072	0.012	12
12/14/2006	11:58:56	0.072	0.012	12
12/14/2006	12:13:56	0.068	0.008	8
12/14/2006	12:28:56	0.064	0.004	4
12/14/2006	12:43:56	0.058	-0.002	-2
12/14/2006	12:58:56	0.058	-0.002	-2
12/14/2006	13:13:56	0.054	-0.006	-6
12/14/2006	13:28:56	0.053	-0.007	-7
12/14/2006	13:43:56	0.051	-0.009	-9
12/14/2006	13:58:56	0.043	-0.017	-17
12/14/2006	14:13:56	0.064	0.004	4
12/14/2006	14:28:56	0.063	0.003	3
12/14/2006	14:43:56	0.061	0.001	1
12/14/2006	14:58:56	0.064	0.004	4
12/14/2006	15:13:56	0.061	0.001	1
12/14/2006	15:28:56	0.057	-0.003	-3
12/14/2006	15:43:56	0.057	-0.003	-3
12/14/2006	15:58:56	0.055	-0.005	-5
12/14/2006	16:13:56	0.056	-0.004	-4
12/14/2006	16:28:56	0.057	-0.003	-3
12/14/2006	16:43:56	0.049	-0.011	-11
12/14/2006	16:58:56	0.043	-0.017	-17
12/14/2006	17:13:56	0.037	-0.023	-23
12/14/2006	17:28:56	0.036	-0.024	-24
12/14/2006	17:43:56	0.037	-0.023	-23
12/14/2006	17:58:56	0.035	-0.025	-25
12/14/2006	18:13:56	0.036	-0.024	-24
12/14/2006	18:28:56	0.035	-0.025	-25
12/14/2006	18:43:56	0.037	-0.023	-23
12/14/2006	18:58:56	0.038	-0.022	-22
12/14/2006	19:13:56	0.041	-0.019	-19
12/14/2006	19:28:56	0.044	-0.016	-16
12/14/2006	19:43:56	0.047	-0.013	-13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/14/2006 07:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:59) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)	
1	12/14/2006 8:14		0.2		0.2	
2	12/14/2006 8:29		0.2		0.2	
3	12/14/2006 8:44		0.3		0.3	
4	12/14/2006 8:59		0.3		0.3	
5	12/14/2006 9:14		0.4		0.4	
6	12/14/2006 9:29		0.4		0.4	
7	12/14/2006 9:44		0.4		0.4	
8	12/14/2006 9:59		0.4		0.4	
9	12/14/2006 10:14		0.4		0.4	
10	12/14/2006 10:29		0.4		0.4	
11	12/14/2006 10:44		0.4		0.4	
12	12/14/2006 10:59		0.5		0.5	
13	12/14/2006 11:14		0.5		0.5	
14	12/14/2006 11:29		0.5		0.5	
15	12/14/2006 11:44		0.5		0.5	Replaced batteries

Instrument failed to log data after batteries were replaced. Data below includes instantaneous readings collected at Station 3 using the handheld MiniRae

1	12/14/2006 15:13		0.6		0.6	
2	12/14/2006 16:05		0.7		0.7	
3	12/14/2006 17:01		0.6		0.6	
4	12/14/2006 18:00		0.6		0.6	
5	12/14/2006 19:10		0.5		0.5	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/14/2006
Start Time:	8:05:41
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (07:51) = 0.071 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/14/2006	8:20:41	0.076	0.005	5
12/14/2006	8:35:41	0.077	0.006	6
12/14/2006	8:50:41	0.081	0.01	10
12/14/2006	9:05:41	0.084	0.013	13
12/14/2006	9:20:41	0.082	0.011	11
12/14/2006	9:35:41	0.081	0.01	10
12/14/2006	9:50:41	0.083	0.012	12
12/14/2006	10:05:41	0.085	0.014	14
12/14/2006	10:20:41	0.087	0.016	16
12/14/2006	10:35:41	0.09	0.019	19
12/14/2006	10:50:41	0.096	0.025	25
12/14/2006	11:05:41	0.086	0.015	15
12/14/2006	11:20:41	0.092	0.021	21
12/14/2006	11:35:41	0.082	0.011	11
12/14/2006	11:50:41	0.078	0.007	7
12/14/2006	12:05:41	0.076	0.005	5
12/14/2006	12:20:41	0.071	0	0
12/14/2006	12:35:41	0.068	-0.003	-3
12/14/2006	12:50:41	0.067	-0.004	-4
12/14/2006	13:05:41	0.063	-0.008	-8
12/14/2006	13:20:41	0.058	-0.013	-13
12/14/2006	13:35:41	0.056	-0.015	-15
12/14/2006	13:50:41	0.049	-0.022	-22
12/14/2006	14:05:41	0.058	-0.013	-13
12/14/2006	14:20:41	0.063	-0.008	-8
12/14/2006	14:35:41	0.062	-0.009	-9
12/14/2006	14:50:41	0.062	-0.009	-9
12/14/2006	15:05:41	0.061	-0.01	-10
12/14/2006	15:20:41	0.056	-0.015	-15
12/14/2006	15:35:41	0.069	-0.002	-2
12/14/2006	15:50:41	0.058	-0.013	-13
12/14/2006	16:05:41	0.057	-0.014	-14
12/14/2006	16:20:41	0.056	-0.015	-15
12/14/2006	16:35:41	0.056	-0.015	-15
12/14/2006	16:50:41	0.047	-0.024	-24
12/14/2006	17:05:41	0.041	-0.03	-30
12/14/2006	17:20:41	0.04	-0.031	-31
12/14/2006	17:35:41	0.041	-0.03	-30
12/14/2006	17:50:41	0.041	-0.03	-30
12/14/2006	18:05:41	0.04	-0.031	-31
12/14/2006	18:20:41	0.041	-0.03	-30
12/14/2006	18:35:41	0.042	-0.029	-29
12/14/2006	18:50:41	0.044	-0.027	-27
12/14/2006	19:05:41	0.045	-0.026	-26
12/14/2006	19:20:41	0.048	-0.023	-23
12/14/2006	19:35:41	0.052	-0.019	-19

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/14/2006 07:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/14/2006 8:05			0				0	
2	12/14/2006 8:20			0				0	
3	12/14/2006 8:35			0				0	
4	12/14/2006 8:50			0				0	
1	12/14/2006 11:46			0				0	Replaced batteries
2	12/14/2006 12:01			0				0	
3	12/14/2006 12:16			0				0	
4	12/14/2006 12:31			0				0	
5	12/14/2006 12:46			0				0	
6	12/14/2006 13:01			0				0	
7	12/14/2006 13:16			0				0	
8	12/14/2006 13:31			0				0	
9	12/14/2006 13:46			0				0	
10	12/14/2006 14:01			0				0	
11	12/14/2006 14:16			0				0	
12	12/14/2006 14:31			0				0	
13	12/14/2006 14:46			0.1				0.1	
14	12/14/2006 15:01			0				0	
15	12/14/2006 15:16			0				0	
16	12/14/2006 15:31			0				0	
17	12/14/2006 15:46			0				0	
18	12/14/2006 16:01			0				0	
19	12/14/2006 16:16			0				0	
20	12/14/2006 16:31			0				0	
21	12/14/2006 16:46			0				0	
22	12/14/2006 17:01			0				0	
23	12/14/2006 17:16			0				0	
24	12/14/2006 17:31			0				0	
25	12/14/2006 17:46			0				0	
26	12/14/2006 18:01			0				0	
27	12/14/2006 18:16			0				0	
28	12/14/2006 18:31			0				0	
29	12/14/2006 18:46			0				0	
30	12/14/2006 19:01			0				0	
31	12/14/2006 19:16			0				0	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/14/2006
Start Time:	8:01:34
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (07:50) = 0.083 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/14/2006	8:16:34	0.086	0.003	3
12/14/2006	8:31:34	0.089	0.006	6
12/14/2006	8:46:34	0.092	0.009	9
12/14/2006	9:01:34	0.095	0.012	12
12/14/2006	9:16:34	0.097	0.014	14
12/14/2006	9:31:34	0.093	0.01	10
12/14/2006	9:46:34	0.092	0.009	9
12/14/2006	10:01:34	0.097	0.014	14
12/14/2006	10:16:34	0.096	0.013	13
12/14/2006	10:31:34	0.098	0.015	15
12/14/2006	10:46:34	0.105	0.022	22
12/14/2006	11:01:34	0.102	0.019	19
12/14/2006	11:16:34	0.107	0.024	24
12/14/2006	11:31:34	0.099	0.016	16
12/14/2006	11:46:34	0.092	0.009	9
12/14/2006	12:01:34	0.088	0.005	5
12/14/2006	12:16:34	0.088	0.005	5
12/14/2006	12:31:34	0.08	-0.003	-3
12/14/2006	12:46:34	0.076	-0.007	-7
12/14/2006	13:01:34	0.075	-0.008	-8
12/14/2006	13:16:34	0.072	-0.011	-11
12/14/2006	13:31:34	0.069	-0.014	-14
12/14/2006	13:46:34	0.07	-0.013	-13
12/14/2006	14:01:34	0.066	-0.017	-17
12/14/2006	14:16:34	0.081	-0.002	-2
12/14/2006	14:31:34	0.082	-0.001	-1
12/14/2006	14:46:34	0.081	-0.002	-2
12/14/2006	15:01:34	0.074	-0.009	-9
12/14/2006	15:16:34	0.079	-0.004	-4
12/14/2006	15:31:34	0.076	-0.007	-7
12/14/2006	15:46:34	0.079	-0.004	-4
12/14/2006	16:01:34	0.082	-0.001	-1
12/14/2006	16:16:34	0.085	0.002	2
12/14/2006	16:31:34	0.078	-0.005	-5
12/14/2006	16:46:34	0.076	-0.007	-7
12/14/2006	17:01:34	0.062	-0.021	-21
12/14/2006	17:16:34	0.064	-0.019	-19
12/14/2006	17:31:34	0.055	-0.028	-28
12/14/2006	17:46:34	0.06	-0.023	-23
12/14/2006	18:01:34	0.06	-0.023	-23
12/14/2006	18:16:34	0.061	-0.022	-22
12/14/2006	18:31:34	0.06	-0.023	-23
12/14/2006	18:46:34	0.066	-0.017	-17
12/14/2006	19:01:34	0.055	-0.028	-28
12/14/2006	19:16:34	0.053	-0.03	-30
12/14/2006	19:31:34	0.064	-0.019	-19

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/15/2006 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/15/2006 8:17			0				0
2	12/15/2006 8:32			0.1				0.1
3	12/15/2006 8:47			0.1				0.1
4	12/15/2006 9:02			0.2				0.2
5	12/15/2006 9:17			0.2				0.2
6	12/15/2006 9:32			0.2				0.2
7	12/15/2006 9:47			0.2				0.2
8	12/15/2006 10:02			0.2				0.2
9	12/15/2006 10:17			0.2				0.2
10	12/15/2006 10:32			0.2				0.2
11	12/15/2006 10:47			0.2				0.2
12	12/15/2006 11:02			0.2				0.2
13	12/15/2006 11:17			0.2				0.2
14	12/15/2006 11:32			0.2				0.2
15	12/15/2006 11:47			0.2				0.2
16	12/15/2006 12:02			0.3				0.3
17	12/15/2006 12:17			0.3				0.3
18	12/15/2006 12:32			0.3				0.3
19	12/15/2006 12:47			0.3				0.3
20	12/15/2006 13:02			0.3				0.3
21	12/15/2006 13:17			0.3				0.3
22	12/15/2006 13:32			0.3				0.3
23	12/15/2006 13:47			0.3				0.3
24	12/15/2006 14:02			0.3				0.3
25	12/15/2006 14:17			0.3				0.3
26	12/15/2006 14:32			0.3				0.3
27	12/15/2006 14:47			0.3				0.3
28	12/15/2006 15:02			0.3				0.3
29	12/15/2006 15:17			0.3				0.3
30	12/15/2006 15:32			0.3				0.3
31	12/15/2006 15:47			0.3				0.3
32	12/15/2006 16:02			0.3				0.3
33	12/15/2006 16:17			0.3				0.3
34	12/15/2006 16:32			0.3				0.3
35	12/15/2006 16:47			0.3				0.3
36	12/15/2006 17:02			0.3				0.3
37	12/15/2006 17:17			0.3				0.3
38	12/15/2006 17:32			0.3				0.3
39	12/15/2006 17:47			0.3				0.3
40	12/15/2006 18:02			0.3				0.3
41	12/15/2006 18:17			0.3				0.3
42	12/15/2006 18:32			0.3				0.3
43	12/15/2006 18:47			0.3				0.3
44	12/15/2006 19:02			0.3				0.3
45	12/15/2006 19:17			0.3				0.3
46	12/15/2006 19:32			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	12/15/2006
Start Time:	8:04:49
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (08:38) = 0.117 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)		
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3	
12/15/2006	8:19:49	0.075	-0.042	-42	
12/15/2006	8:34:49	0.081	-0.036	-36	
12/15/2006	8:49:49	0.089	-0.028	-28	
12/15/2006	9:04:49	0.086	-0.031	-31	
12/15/2006	9:19:49	0.105	-0.012	-12	
12/15/2006	9:34:49	0.105	-0.012	-12	
12/15/2006	9:49:49	0.119	0.002	2	
12/15/2006	10:04:49	0.115	-0.002	-2	
12/15/2006	10:19:49	0.112	-0.005	-5	
12/15/2006	10:34:49	0.119	0.002	2	
12/15/2006	10:49:49	0.122	0.005	5	
12/15/2006	11:04:49	0.126	0.009	9	
12/15/2006	11:19:49	0.121	0.004	4	
12/15/2006	11:34:49	0.12	0.003	3	
12/15/2006	11:49:49	0.124	0.007	7	
12/15/2006	12:04:49	0.123	0.006	6	
12/15/2006	12:19:49	0.112	-0.005	-5	
12/15/2006	12:34:49	0.116	-0.001	-1	
12/15/2006	12:49:49	0.113	-0.004	-4	
12/15/2006	13:04:49	0.118	0.001	1	
12/15/2006	13:19:49	0.121	0.004	4	
12/15/2006	13:34:49	0.12	0.003	3	
12/15/2006	13:49:49	0.117	0	0	
12/15/2006	14:04:49	0.115	-0.002	-2	
12/15/2006	14:19:49	0.107	-0.01	-10	
12/15/2006	14:34:49	0.1	-0.017	-17	
12/15/2006	14:49:49	0.099	-0.018	-18	
12/15/2006	15:04:49	0.155	0.038	38	Elevated reading due to testing of equipment
12/15/2006	15:19:49	0.112	-0.005	-5	
12/15/2006	15:34:49	0.092	-0.025	-25	
12/15/2006	15:49:49	0.091	-0.026	-26	
12/15/2006	16:04:49	0.088	-0.029	-29	
12/15/2006	16:19:49	0.097	-0.02	-20	
12/15/2006	16:34:49	0.086	-0.031	-31	
12/15/2006	16:49:49	0.076	-0.041	-41	
12/15/2006	17:04:49	0.084	-0.033	-33	
12/15/2006	17:19:49	0.09	-0.027	-27	
12/15/2006	17:34:49	0.089	-0.028	-28	
12/15/2006	17:49:49	0.087	-0.03	-30	
12/15/2006	18:04:49	0.096	-0.021	-21	
12/15/2006	18:19:49	0.099	-0.018	-18	
12/15/2006	18:34:49	0.1	-0.017	-17	
12/15/2006	18:49:49	0.105	-0.012	-12	
12/15/2006	19:04:49	0.112	-0.005	-5	
12/15/2006	19:19:49	0.115	-0.002	-2	
12/15/2006	19:34:49	0.116	-0.001	-1	
12/15/2006	19:49:49	0.117	0	0	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/15/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/15/2006 7:24			0				0
2	12/15/2006 7:39			0				0
3	12/15/2006 7:54			0				0
4	12/15/2006 8:09			0				0
5	12/15/2006 8:24			0				0
6	12/15/2006 8:39			0				0
7	12/15/2006 8:54			0				0
8	12/15/2006 9:09			0				0
9	12/15/2006 9:24			0				0
10	12/15/2006 9:39			0				0
11	12/15/2006 9:54			0				0
12	12/15/2006 10:09			0				0
13	12/15/2006 10:24			0				0
14	12/15/2006 10:39			0				0
15	12/15/2006 10:54			0				0
16	12/15/2006 11:09			0				0
17	12/15/2006 11:24			0				0
18	12/15/2006 11:39			0				0
19	12/15/2006 11:54			0				0
20	12/15/2006 12:09			0				0
21	12/15/2006 12:24			0				0
22	12/15/2006 12:39			0				0
23	12/15/2006 12:54			0				0
24	12/15/2006 13:09			0				0
25	12/15/2006 13:24			0				0
26	12/15/2006 13:39			0				0
27	12/15/2006 13:54			0				0
28	12/15/2006 14:09			0				0
29	12/15/2006 14:24			0				0
30	12/15/2006 14:39			0				0
31	12/15/2006 14:54			0				0
32	12/15/2006 15:09			0				0
33	12/15/2006 15:24			0				0
34	12/15/2006 15:39			0				0
35	12/15/2006 15:54			0				0
36	12/15/2006 16:09			0				0
37	12/15/2006 16:24			0				0
38	12/15/2006 16:39			0				0
39	12/15/2006 16:54			0				0
40	12/15/2006 17:09			0				0
41	12/15/2006 17:24			0				0
42	12/15/2006 17:39			0				0
43	12/15/2006 17:54			0				0
44	12/15/2006 18:09			0				0
45	12/15/2006 18:24			0				0
46	12/15/2006 18:39			0				0
47	12/15/2006 18:54			0				0
48	12/15/2006 19:09			0				0
49	12/15/2006 19:24			0				0
50	12/15/2006 19:39			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	12/15/2006
Start Time:	7:18:34
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (07:33) = 0.047 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/15/2006	7:33:34	0.047	0	0
12/15/2006	7:48:34	0.049	0.002	2
12/15/2006	8:03:34	0.056	0.009	9
12/15/2006	8:18:34	0.054	0.007	7
12/15/2006	8:33:34	0.054	0.007	7
12/15/2006	8:48:34	0.056	0.009	9
12/15/2006	9:03:34	0.055	0.008	8
12/15/2006	9:18:34	0.06	0.013	13
12/15/2006	9:33:34	0.064	0.017	17
12/15/2006	9:48:34	0.069	0.022	22
12/15/2006	10:03:34	0.07	0.023	23
12/15/2006	10:18:34	0.072	0.025	25
12/15/2006	10:33:34	0.074	0.027	27
12/15/2006	10:48:34	0.074	0.027	27
12/15/2006	11:03:34	0.081	0.034	34
12/15/2006	11:18:34	0.078	0.031	31
12/15/2006	11:33:34	0.077	0.03	30
12/15/2006	11:48:34	0.077	0.03	30
12/15/2006	12:03:34	0.076	0.029	29
12/15/2006	12:18:34	0.075	0.028	28
12/15/2006	12:33:34	0.074	0.027	27
12/15/2006	12:48:34	0.072	0.025	25
12/15/2006	13:03:34	0.075	0.028	28
12/15/2006	13:18:34	0.075	0.028	28
12/15/2006	13:33:34	0.075	0.028	28
12/15/2006	13:48:34	0.076	0.029	29
12/15/2006	14:03:34	0.07	0.023	23
12/15/2006	14:18:34	0.068	0.021	21
12/15/2006	14:33:34	0.061	0.014	14
12/15/2006	14:48:34	0.063	0.016	16
12/15/2006	15:03:34	0.062	0.015	15
12/15/2006	15:18:34	0.063	0.016	16
12/15/2006	15:33:34	0.059	0.012	12
12/15/2006	15:48:34	0.071	0.024	24
12/15/2006	16:03:34	0.054	0.007	7
12/15/2006	16:18:34	0.06	0.013	13
12/15/2006	16:33:34	0.055	0.008	8
12/15/2006	16:48:34	0.046	-0.001	-1
12/15/2006	17:03:34	0.05	0.003	3
12/15/2006	17:18:34	0.051	0.004	4
12/15/2006	17:33:34	0.051	0.004	4
12/15/2006	17:48:34	0.05	0.003	3
12/15/2006	18:03:34	0.055	0.008	8
12/15/2006	18:18:34	0.057	0.01	10
12/15/2006	18:33:34	0.057	0.01	10
12/15/2006	18:48:34	0.059	0.012	12
12/15/2006	19:03:34	0.062	0.015	15
12/15/2006	19:18:34	0.065	0.018	18
12/15/2006	19:33:34	0.065	0.018	18
12/15/2006	19:48:34	0.066	0.019	19
12/15/2006	20:03:34	0.068	0.021	21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/15/2006 06:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/15/2006 7:44			0.4				0.4
2	12/15/2006 7:59			0.4				0.4
3	12/15/2006 8:14			0.5				0.5
4	12/15/2006 8:29			0.5				0.5
5	12/15/2006 8:44			0.6				0.6
6	12/15/2006 8:59			0.6				0.6
7	12/15/2006 9:14			0.7				0.7
8	12/15/2006 9:29			0.7				0.7
9	12/15/2006 9:44			0.7				0.7
10	12/15/2006 9:59			0.7				0.7
11	12/15/2006 10:14			0.7				0.7
12	12/15/2006 10:29			0.7				0.7
13	12/15/2006 10:44			0.7				0.7
14	12/15/2006 10:59			0.7				0.7
15	12/15/2006 11:14			0.7				0.7
16	12/15/2006 11:29			0.7				0.7
17	12/15/2006 11:44			0.7				0.7
18	12/15/2006 11:59			0.7				0.7
19	12/15/2006 12:14			0.7				0.7
20	12/15/2006 12:29			0.7				0.7
21	12/15/2006 12:44			0.7				0.7
22	12/15/2006 12:59			0.7				0.7
23	12/15/2006 13:14			0.7				0.7
24	12/15/2006 13:29			0.7				0.7
25	12/15/2006 13:44			0.7				0.7
26	12/15/2006 13:59			0.7				0.7
27	12/15/2006 14:14			0.7				0.7
28	12/15/2006 14:29			0.7				0.7
29	12/15/2006 14:44			0.7				0.7
30	12/15/2006 14:59			0.7				0.7
31	12/15/2006 15:14			0.7				0.7
32	12/15/2006 15:29			0.7				0.7
33	12/15/2006 15:44			0.7				0.7
34	12/15/2006 15:59			0.7				0.7
35	12/15/2006 16:14			0.7				0.7
36	12/15/2006 16:29			0.7				0.7
37	12/15/2006 16:44			0.6				0.6
38	12/15/2006 16:59			0.7				0.7
39	12/15/2006 17:14			0.7				0.7
40	12/15/2006 17:29			0.7				0.7
41	12/15/2006 17:44			0.7				0.7
42	12/15/2006 17:59			0.7				0.7
43	12/15/2006 18:14			0.7				0.7
44	12/15/2006 18:29			0.7				0.7
45	12/15/2006 18:44			0.7				0.7
46	12/15/2006 18:59			0.7				0.7
47	12/15/2006 19:14			0.7				0.7
48	12/15/2006 19:29			0.7				0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	12/15/2006
Start Time:	7:34:26
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (07:49) = 0.05 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/15/2006	7:49:26	0.05	0	0
12/15/2006	8:04:26	0.054	0.004	4
12/15/2006	8:19:26	0.052	0.002	2
12/15/2006	8:34:26	0.054	0.004	4
12/15/2006	8:49:26	0.056	0.006	6
12/15/2006	9:04:26	0.059	0.009	9
12/15/2006	9:19:26	0.063	0.013	13
12/15/2006	9:34:26	0.066	0.016	16
12/15/2006	9:49:26	0.073	0.023	23
12/15/2006	10:04:26	0.073	0.023	23
12/15/2006	10:19:26	0.078	0.028	28
12/15/2006	10:34:26	0.08	0.03	30
12/15/2006	10:49:26	0.082	0.032	32
12/15/2006	11:04:26	0.085	0.035	35
12/15/2006	11:19:26	0.084	0.034	34
12/15/2006	11:34:26	0.082	0.032	32
12/15/2006	11:49:26	0.082	0.032	32
12/15/2006	12:04:26	0.082	0.032	32
12/15/2006	12:19:26	0.081	0.031	31
12/15/2006	12:34:26	0.087	0.037	37
12/15/2006	12:49:26	0.077	0.027	27
12/15/2006	13:04:26	0.087	0.037	37
12/15/2006	13:19:26	0.081	0.031	31
12/15/2006	13:34:26	0.079	0.029	29
12/15/2006	13:49:26	0.085	0.035	35
12/15/2006	14:04:26	0.083	0.033	33
12/15/2006	14:19:26	0.078	0.028	28
12/15/2006	14:34:26	0.068	0.018	18
12/15/2006	14:49:26	0.067	0.017	17
12/15/2006	15:04:26	0.07	0.02	20
12/15/2006	15:19:26	0.07	0.02	20
12/15/2006	15:34:26	0.064	0.014	14
12/15/2006	15:49:26	0.092	0.042	42
12/15/2006	16:04:26	0.06	0.01	10
12/15/2006	16:19:26	0.067	0.017	17
12/15/2006	16:34:26	0.061	0.011	11
12/15/2006	16:49:26	0.054	0.004	4
12/15/2006	17:04:26	0.055	0.005	5
12/15/2006	17:19:26	0.053	0.003	3
12/15/2006	17:34:26	0.055	0.005	5
12/15/2006	17:49:26	0.055	0.005	5
12/15/2006	18:04:26	0.06	0.01	10
12/15/2006	18:19:26	0.062	0.012	12
12/15/2006	18:34:26	0.063	0.013	13
12/15/2006	18:49:26	0.064	0.014	14
12/15/2006	19:04:26	0.069	0.019	19
12/15/2006	19:19:26	0.069	0.019	19
12/15/2006	19:34:26	0.07	0.02	20
12/15/2006	19:49:26	0.07	0.02	20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 8 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/15/2006 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (08:38) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/15/2006 7:39			0				0
2	12/15/2006 7:54			0				0
3	12/15/2006 8:09			0				0
4	12/15/2006 8:24			0				0
5	12/15/2006 8:39			0				0
6	12/15/2006 8:54			0				0
7	12/15/2006 9:09			0				0
8	12/15/2006 9:24			0				0
1	12/15/2006 10:45			0				0
2	12/15/2006 11:00			0				0
3	12/15/2006 11:15			0				0
4	12/15/2006 11:30			0				0
5	12/15/2006 11:45			0				0
6	12/15/2006 12:00			0				0
7	12/15/2006 12:15			0				0
8	12/15/2006 12:30			0				0
9	12/15/2006 12:45			0				0
10	12/15/2006 13:00			0				0
11	12/15/2006 13:15			0				0
12	12/15/2006 13:30			0				0
13	12/15/2006 13:45			0				0
14	12/15/2006 14:00			0				0
15	12/15/2006 14:15			0				0
16	12/15/2006 14:30			0				0
17	12/15/2006 14:45			0				0
18	12/15/2006 15:00			0				0
19	12/15/2006 15:15			0				0
20	12/15/2006 15:30			0				0
21	12/15/2006 15:45			0				0
22	12/15/2006 16:00			0				0
23	12/15/2006 16:15			0				0
24	12/15/2006 16:30			0				0
25	12/15/2006 16:45			0				0
26	12/15/2006 17:00			0				0
27	12/15/2006 17:15			0				0
28	12/15/2006 17:30			0				0
29	12/15/2006 17:45			0				0
30	12/15/2006 18:00			0				0
31	12/15/2006 18:15			0				0
32	12/15/2006 18:30			0				0
33	12/15/2006 18:45			0				0
34	12/15/2006 19:00			0				0
35	12/15/2006 19:15			0				0
36	12/15/2006 19:30			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	12/15/2006
Start Time:	7:30:49
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (07:45) = 0.066 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/15/2006	7:45:49	0.066	0	0	
12/15/2006	8:00:49	0.066	0	0	
12/15/2006	8:15:49	0.062	-0.004	-4	
12/15/2006	8:30:49	0.063	-0.003	-3	
12/15/2006	8:45:49	0.065	-0.001	-1	
12/15/2006	9:00:49	0.071	0.005	5	
12/15/2006	9:24:46	0.081	0.015	15	Batteries replaced.
12/15/2006	9:39:46	0.084	0.018	18	
12/15/2006	9:54:46	0.094	0.028	28	
12/15/2006	10:09:46	0.100	0.034	34	
12/15/2006	10:24:46	0.098	0.032	32	
12/15/2006	10:39:46	0.109	0.043	43	
12/15/2006	10:54:46	0.103	0.037	37	
12/15/2006	11:09:46	0.106	0.04	40	
12/15/2006	11:24:46	0.103	0.037	37	
12/15/2006	11:39:46	0.099	0.033	33	
12/15/2006	11:54:46	0.101	0.035	35	
12/15/2006	12:09:46	0.100	0.034	34	
12/15/2006	12:24:46	0.097	0.031	31	
12/15/2006	12:39:46	0.096	0.03	30	
12/15/2006	12:54:46	0.092	0.026	26	
12/15/2006	13:09:46	0.097	0.031	31	
12/15/2006	13:24:46	0.096	0.03	30	
12/15/2006	13:39:46	0.094	0.028	28	
12/15/2006	13:54:46	0.093	0.027	27	
12/15/2006	14:09:46	0.102	0.036	36	
12/15/2006	14:24:46	0.089	0.023	23	
12/15/2006	14:39:46	0.091	0.025	25	
12/15/2006	14:54:46	0.081	0.015	15	
12/15/2006	15:09:46	0.087	0.021	21	
12/15/2006	15:24:46	0.107	0.041	41	
12/15/2006	15:39:46	0.096	0.03	30	
12/15/2006	15:54:46	0.106	0.04	40	
12/15/2006	16:09:46	0.083	0.017	17	
12/15/2006	16:24:46	0.083	0.017	17	
12/15/2006	16:39:46	0.071	0.005	5	
12/15/2006	16:54:46	0.066	0	0	
12/15/2006	17:09:46	0.065	-0.001	-1	
12/15/2006	17:24:46	0.068	0.002	2	
12/15/2006	17:39:46	0.068	0.002	2	
12/15/2006	17:54:46	0.067	0.001	1	
12/15/2006	18:09:46	0.074	0.008	8	
12/15/2006	18:24:46	0.073	0.007	7	
12/15/2006	18:39:46	0.077	0.011	11	
12/15/2006	18:54:46	0.076	0.01	10	
12/15/2006	19:09:46	0.08	0.014	14	
12/15/2006	19:24:46	0.081	0.015	15	
12/15/2006	19:39:46	0.082	0.016	16	
12/15/2006	19:54:46	0.083	0.017	17	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/18/2006 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:19) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/18/2006 7:38			0				0
2	12/18/2006 7:53			0				0
3	12/18/2006 8:08			0.1				0.1
4	12/18/2006 8:23			0.1				0.1
5	12/18/2006 8:38			0.1				0.1
6	12/18/2006 8:53			0.1				0.1
7	12/18/2006 9:08			0.1				0.1
8	12/18/2006 9:23			0.1				0.1
9	12/18/2006 9:38			0.2				0.2
10	12/18/2006 9:53			0.2				0.2
11	12/18/2006 10:08			0.2				0.2
12	12/18/2006 10:23			0.2				0.2
13	12/18/2006 10:38			0.2				0.2
14	12/18/2006 10:53			0.2				0.2
15	12/18/2006 11:08			0.2				0.2
16	12/18/2006 11:23			0.2				0.2
17	12/18/2006 11:38			0.2				0.2
18	12/18/2006 11:53			0.2				0.2
19	12/18/2006 12:08			0.2				0.2
20	12/18/2006 12:23			0.2				0.2
21	12/18/2006 12:38			0.2				0.2
22	12/18/2006 12:53			0.2				0.2
23	12/18/2006 13:08			0.2				0.2
24	12/18/2006 13:23			0.2				0.2
25	12/18/2006 13:38			0.2				0.2
26	12/18/2006 13:53			0.2				0.2
27	12/18/2006 14:08			0.2				0.2
28	12/18/2006 14:23			0.2				0.2
29	12/18/2006 14:38			0.2				0.2
30	12/18/2006 14:53			0.2				0.2
31	12/18/2006 15:08			0.2				0.2
32	12/18/2006 15:23			0.2				0.2
33	12/18/2006 15:38			0.2				0.2
34	12/18/2006 15:53			0.2				0.2
35	12/18/2006 16:08			0.3				0.3
36	12/18/2006 16:23			0.3				0.3
37	12/18/2006 16:38			0.3				0.3
38	12/18/2006 16:53			0.3				0.3
39	12/18/2006 17:08			0.3				0.3
40	12/18/2006 17:23			0.3				0.3
41	12/18/2006 17:38			0.4				0.4
42	12/18/2006 17:53			0.3				0.3
43	12/18/2006 18:08			0.3				0.3
44	12/18/2006 18:23			0.3				0.3
45	12/18/2006 18:38			0.3				0.3
46	12/18/2006 18:53			0.3				0.3
47	12/18/2006 19:08			0.3				0.3
48	12/18/2006 19:23			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/18/2006
Start Time:	7:25:00
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (07:19) = 0.058 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/18/2006	7:40:00	0.059	0.001	1
12/18/2006	7:55:00	0.065	0.007	7
12/18/2006	8:10:00	0.071	0.013	13
12/18/2006	8:25:00	0.076	0.018	18
12/18/2006	8:40:00	0.08	0.022	22
12/18/2006	8:55:00	0.08	0.022	22
12/18/2006	9:10:00	0.078	0.02	20
12/18/2006	9:25:00	0.075	0.017	17
12/18/2006	9:40:00	0.073	0.015	15
12/18/2006	9:55:00	0.074	0.016	16
12/18/2006	10:10:00	0.077	0.019	19
12/18/2006	10:25:00	0.077	0.019	19
12/18/2006	10:40:00	0.072	0.014	14
12/18/2006	10:55:00	0.081	0.023	23
12/18/2006	11:10:00	0.068	0.01	10
12/18/2006	11:25:00	0.07	0.012	12
12/18/2006	11:40:00	0.074	0.016	16
12/18/2006	11:55:00	0.078	0.02	20
12/18/2006	12:10:00	0.075	0.017	17
12/18/2006	12:25:00	0.075	0.017	17
12/18/2006	12:40:00	0.074	0.016	16
12/18/2006	12:55:00	0.076	0.018	18
12/18/2006	13:10:00	0.073	0.015	15
12/18/2006	13:25:00	0.079	0.021	21
12/18/2006	13:40:00	0.06	0.002	2
12/18/2006	13:55:00	0.061	0.003	3
12/18/2006	14:10:00	0.056	-0.002	-2
12/18/2006	14:25:00	0.05	-0.008	-8
12/18/2006	14:40:00	0.045	-0.013	-13
12/18/2006	14:55:00	0.038	-0.02	-20
12/18/2006	15:10:00	0.037	-0.021	-21
12/18/2006	15:25:00	0.024	-0.034	-34
12/18/2006	15:40:00	0.012	-0.046	-46
12/18/2006	15:55:00	0.022	-0.036	-36
12/18/2006	16:10:00	0.018	-0.04	-40
12/18/2006	16:25:00	0.016	-0.042	-42
12/18/2006	16:40:00	0.015	-0.043	-43
12/18/2006	16:55:00	0.014	-0.044	-44
12/18/2006	17:10:00	0.016	-0.042	-42
12/18/2006	17:25:00	0.02	-0.038	-38
12/18/2006	17:40:00	0.018	-0.04	-40
12/18/2006	17:55:00	0.016	-0.042	-42
12/18/2006	18:10:00	0.085	0.027	27
12/18/2006	18:25:00	0.015	-0.043	-43
12/18/2006	18:40:00	0.017	-0.041	-41
12/18/2006	18:55:00	0.018	-0.04	-40
12/18/2006	19:10:00	0.023	-0.035	-35
12/18/2006	19:25:00	0.021	-0.037	-37
12/18/2006	19:40:00	0.023	-0.035	-35

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/18/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:06) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/18/2006 7:23			0				-0.1
2	12/18/2006 7:38			0				-0.1
3	12/18/2006 7:53			0				-0.1
4	12/18/2006 8:08			0				-0.1
5	12/18/2006 8:23			0				-0.1
6	12/18/2006 8:38			0				-0.1
7	12/18/2006 8:53			0				-0.1
8	12/18/2006 9:08			0				-0.1
9	12/18/2006 9:23			0				-0.1
10	12/18/2006 9:38			0				-0.1
11	12/18/2006 9:53			0				-0.1
12	12/18/2006 10:08			0				-0.1
13	12/18/2006 10:23			0				-0.1
14	12/18/2006 10:38			0				-0.1
15	12/18/2006 10:53			0				-0.1
16	12/18/2006 11:08			0				-0.1
17	12/18/2006 11:23			0				-0.1
18	12/18/2006 11:38			0				-0.1
19	12/18/2006 11:53			0				-0.1
20	12/18/2006 12:08			0				-0.1
21	12/18/2006 12:23			0				-0.1
22	12/18/2006 12:38			0				-0.1
23	12/18/2006 12:53			0				-0.1
24	12/18/2006 13:08			0				-0.1
25	12/18/2006 13:23			0				-0.1
26	12/18/2006 13:38			0				-0.1
27	12/18/2006 13:53			0				-0.1
28	12/18/2006 14:08			0				-0.1
29	12/18/2006 14:23			0				-0.1
30	12/18/2006 14:38			0				-0.1
31	12/18/2006 14:53			0				-0.1
32	12/18/2006 15:08			0				-0.1
33	12/18/2006 15:23			0				-0.1
34	12/18/2006 15:38			0				-0.1
35	12/18/2006 15:53			0				-0.1
36	12/18/2006 16:08			0				-0.1
37	12/18/2006 16:23			0				-0.1
38	12/18/2006 16:38			0				-0.1
39	12/18/2006 16:53			0				-0.1
40	12/18/2006 17:08			0				-0.1
41	12/18/2006 17:23			0				-0.1
42	12/18/2006 17:38			0				-0.1
43	12/18/2006 17:53			0				-0.1
44	12/18/2006 18:08			0				-0.1
45	12/18/2006 18:23			0				-0.1
46	12/18/2006 18:38			0				-0.1
47	12/18/2006 18:53			0				-0.1
48	12/18/2006 19:08			0				-0.1
49	12/18/2006 19:23			0				-0.1
50	12/18/2006 19:38			0				-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	12/18/2006
Start Time:	7:15:36
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (07:06) = 0.034 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/18/2006	7:30:36	0.038	0.004	4
12/18/2006	7:45:36	0.039	0.005	5
12/18/2006	8:00:36	0.042	0.008	8
12/18/2006	8:15:36	0.045	0.011	11
12/18/2006	8:30:36	0.051	0.017	17
12/18/2006	8:45:36	0.049	0.015	15
12/18/2006	9:00:36	0.046	0.012	12
12/18/2006	9:15:36	0.047	0.013	13
12/18/2006	9:30:36	0.048	0.014	14
12/18/2006	9:45:36	0.047	0.013	13
12/18/2006	10:00:36	0.049	0.015	15
12/18/2006	10:15:36	0.05	0.016	16
12/18/2006	10:30:36	0.044	0.01	10
12/18/2006	10:45:36	0.045	0.011	11
12/18/2006	11:00:36	0.044	0.01	10
12/18/2006	11:15:36	0.045	0.011	11
12/18/2006	11:30:36	0.046	0.012	12
12/18/2006	11:45:36	0.049	0.015	15
12/18/2006	12:00:36	0.049	0.015	15
12/18/2006	12:15:36	0.051	0.017	17
12/18/2006	12:30:36	0.049	0.015	15
12/18/2006	12:45:36	0.05	0.016	16
12/18/2006	13:00:36	0.047	0.013	13
12/18/2006	13:15:36	0.048	0.014	14
12/18/2006	13:30:36	0.048	0.014	14
12/18/2006	13:45:36	0.034	0	0
12/18/2006	14:00:36	0.033	-0.001	-1
12/18/2006	14:15:36	0.031	-0.003	-3
12/18/2006	14:30:36	0.029	-0.005	-5
12/18/2006	14:45:36	0.025	-0.009	-9
12/18/2006	15:00:36	0.021	-0.013	-13
12/18/2006	15:15:36	0.019	-0.015	-15
12/18/2006	15:30:36	0.012	-0.022	-22
12/18/2006	15:45:36	0.007	-0.027	-27
12/18/2006	16:00:36	0.007	-0.027	-27
12/18/2006	16:15:36	0.007	-0.027	-27
12/18/2006	16:30:36	0.008	-0.026	-26
12/18/2006	16:45:36	0.008	-0.026	-26
12/18/2006	17:00:36	0.02	-0.014	-14
12/18/2006	17:15:36	0.012	-0.022	-22
12/18/2006	17:30:36	0.009	-0.025	-25
12/18/2006	17:45:36	0.009	-0.025	-25
12/18/2006	18:00:36	0.009	-0.025	-25
12/18/2006	18:15:36	0.009	-0.025	-25
12/18/2006	18:30:36	0.009	-0.025	-25
12/18/2006	18:45:36	0.01	-0.024	-24
12/18/2006	19:00:36	0.011	-0.023	-23
12/18/2006	19:15:36	0.011	-0.023	-23
12/18/2006	19:30:36	0.012	-0.022	-22
12/18/2006	19:45:36	0.013	-0.021	-21
12/18/2006	20:00:36	0.014	-0.02	-20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/18/2006 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:24) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/18/2006 7:41			0.2				0.1
2	12/18/2006 7:56			0.3				0.2
3	12/18/2006 8:11			0.4				0.3
4	12/18/2006 8:26			0.4				0.3
5	12/18/2006 8:41			0.4				0.3
6	12/18/2006 8:56			0.5				0.4
7	12/18/2006 9:11			0.5				0.4
8	12/18/2006 9:26			0.5				0.4
9	12/18/2006 9:41			0.5				0.4
10	12/18/2006 9:56			0.5				0.4
11	12/18/2006 10:11			0.5				0.4
12	12/18/2006 10:26			0.5				0.4
13	12/18/2006 10:41			0.5				0.4
14	12/18/2006 10:56			0.5				0.4
15	12/18/2006 11:11			0.5				0.4
16	12/18/2006 11:26			0.5				0.4
17	12/18/2006 11:41			0.5				0.4
18	12/18/2006 11:56			0.6				0.5
19	12/18/2006 12:11			0.6				0.5
20	12/18/2006 12:26			0.6				0.5
21	12/18/2006 12:41			0.6				0.5
22	12/18/2006 12:56			0.6				0.5
23	12/18/2006 13:11			0.6				0.5
24	12/18/2006 13:26			0.6				0.5
25	12/18/2006 13:41			0.6				0.5
26	12/18/2006 13:56			0.6				0.5
27	12/18/2006 14:11			0.6				0.5
28	12/18/2006 14:26			0.6				0.5
29	12/18/2006 14:41			0.6				0.5
30	12/18/2006 14:56			0.6				0.5
31	12/18/2006 15:11			0.7				0.6
32	12/18/2006 15:26			0.7				0.6
33	12/18/2006 15:41			0.8				0.7
34	12/18/2006 15:56			0.8				0.7
35	12/18/2006 16:11			0.8				0.7
36	12/18/2006 16:26			0.8				0.7
37	12/18/2006 16:41			0.9				0.8
38	12/18/2006 16:56			0.8				0.7
39	12/18/2006 17:11			0.8				0.7
40	12/18/2006 17:26			0.8				0.7
41	12/18/2006 17:41			0.8				0.7
42	12/18/2006 17:56			0.8				0.7
43	12/18/2006 18:11			0.8				0.7
44	12/18/2006 18:26			0.8				0.7
45	12/18/2006 18:41			0.8				0.7
46	12/18/2006 18:56			0.8				0.7
47	12/18/2006 19:11			0.8				0.7
48	12/18/2006 19:26			0.8				0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/18/2006
Start Time:	7:30:32
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (07:45) = 0.038 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/18/2006	7:45:32	0.038	0	0	
12/18/2006	8:00:32	0.038	0	0	
12/18/2006	8:15:32	0.043	0.005	5	
12/18/2006	8:30:32	0.055	0.017	17	
12/18/2006	8:45:32	0.047	0.009	9	
12/18/2006	9:00:32	0.046	0.008	8	
12/18/2006	9:15:32	0.046	0.008	8	
12/18/2006	9:30:32	0.046	0.008	8	
12/18/2006	9:45:32	0.045	0.007	7	
12/18/2006	10:00:32	0.052	0.014	14	
12/18/2006	10:15:32	0.051	0.013	13	
12/18/2006	10:30:32	0.045	0.007	7	
12/18/2006	10:45:32	0.044	0.006	6	
12/18/2006	11:00:32	0.042	0.004	4	
12/18/2006	11:15:32	0.043	0.005	5	
12/18/2006	11:30:32	0.049	0.011	11	
12/18/2006	11:45:32	0.049	0.011	11	
12/18/2006	12:00:32	0.046	0.008	8	
12/18/2006	12:15:32	0.048	0.01	10	
12/18/2006	12:30:32	0.046	0.008	8	
12/18/2006	12:45:32	0.047	0.009	9	
12/18/2006	13:00:32	0.046	0.008	8	
12/18/2006	13:15:32	0.051	0.013	13	
12/18/2006	13:30:32	0.046	0.008	8	
12/18/2006	13:45:32	0.037	-0.001	-1	
12/18/2006	14:00:32	0.035	-0.003	-3	
12/18/2006	14:15:32	0.031	-0.007	-7	
12/18/2006	14:30:32	0.029	-0.009	-9	
12/18/2006	14:45:32	0.025	-0.013	-13	
12/18/2006	15:00:32	0.024	-0.014	-14	
12/18/2006	15:15:32	0.024	-0.014	-14	
12/18/2006	15:30:32	0.012	-0.026	-26	
12/18/2006	15:45:32	0.012	-0.026	-26	
12/18/2006	16:00:32	0.008	-0.03	-30	
12/18/2006	16:15:32	0.01	-0.028	-28	
12/18/2006	16:30:32	0.013	-0.025	-25	
12/18/2006	16:45:32	0.062	0.024	24	
12/18/2006	17:00:32	0.013	-0.025	-25	
12/18/2006	17:15:32	0.014	-0.024	-24	
12/18/2006	17:30:32	0.013	-0.025	-25	
12/18/2006	17:45:32	0.013	-0.025	-25	
12/18/2006	18:00:32	0.011	-0.027	-27	
12/18/2006	18:15:32	0.013	-0.025	-25	
12/18/2006	18:30:32	0.011	-0.027	-27	
12/18/2006	18:45:32	0.013	-0.025	-25	
12/18/2006	19:00:32	0.014	-0.024	-24	
12/18/2006	19:35:31	0.014	-0.024	-24	Batteries replaced.
12/18/2006	19:50:31	0.016	-0.022	-22	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/18/2006 06:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:19) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/18/2006 7:36			0.3				0.1
2	12/18/2006 7:51			0.4				0.2
3	12/18/2006 8:06			0.5				0.3
4	12/18/2006 8:21			0.5				0.3
5	12/18/2006 8:36			0.5				0.3
6	12/18/2006 8:51			0.5				0.3
7	12/18/2006 9:06			0.5				0.3
8	12/18/2006 9:21			0.6				0.4
9	12/18/2006 9:36			0.6				0.4
10	12/18/2006 9:51			0.6				0.4
11	12/18/2006 10:06			0.6				0.4
12	12/18/2006 10:21			0.6				0.4
13	12/18/2006 10:36			0.6				0.4
14	12/18/2006 10:51			0.7				0.5
15	12/18/2006 11:06			0.7				0.5
16	12/18/2006 11:21			0.7				0.5
17	12/18/2006 11:36			0.7				0.5
18	12/18/2006 11:51			0.7				0.5
19	12/18/2006 12:06			0.7				0.5
20	12/18/2006 12:21			0.8				0.6
21	12/18/2006 12:36			0.8				0.6
22	12/18/2006 12:51			0.8				0.6
23	12/18/2006 13:06			0.8				0.6
24	12/18/2006 13:21			0.8				0.6
25	12/18/2006 13:36			0.8				0.6
26	12/18/2006 13:51			0.8				0.6
27	12/18/2006 14:06			0.8				0.6
28	12/18/2006 14:21			0.8				0.6
29	12/18/2006 14:36			0.8				0.6
30	12/18/2006 14:51			0.8				0.6
31	12/18/2006 15:06			0.8				0.6
32	12/18/2006 15:21			0.7				0.5
33	12/18/2006 15:36			0.8				0.6
34	12/18/2006 15:51			0.8				0.6
35	12/18/2006 16:06			0.6				0.4
36	12/18/2006 16:21			0.6				0.4
37	12/18/2006 16:36			0.6				0.4
38	12/18/2006 16:51			0.6				0.4
39	12/18/2006 17:06			0.7				0.5
40	12/18/2006 17:21			0.7				0.5
41	12/18/2006 17:36			0.7				0.5
42	12/18/2006 17:51			0.7				0.5
43	12/18/2006 18:06			0.7				0.5
44	12/18/2006 18:21			0.6				0.4
45	12/18/2006 18:36			0.6				0.4
46	12/18/2006 18:51			0.7				0.5
47	12/18/2006 19:06			0.7				0.5
48	12/18/2006 19:21			0.6				0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/18/2006
Start Time:	7:27:23
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (07:19) = 0.053 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/18/2006	7:42:23	0.047	-0.006	-6
12/18/2006	7:57:23	0.048	-0.005	-5
12/18/2006	8:12:23	0.054	0.001	1
12/18/2006	8:27:23	0.059	0.006	6
12/18/2006	8:42:23	0.062	0.009	9
12/18/2006	8:57:23	0.057	0.004	4
12/18/2006	9:12:23	0.058	0.005	5
12/18/2006	9:27:23	0.056	0.003	3
12/18/2006	9:42:23	0.057	0.004	4
12/18/2006	9:57:23	0.059	0.006	6
12/18/2006	10:12:23	0.067	0.014	14
12/18/2006	10:27:23	0.056	0.003	3
12/18/2006	10:42:23	0.053	0	0
12/18/2006	10:57:23	0.053	0	0
12/18/2006	11:12:23	0.052	-0.001	-1
12/18/2006	11:27:23	0.055	0.002	2
12/18/2006	11:42:23	0.057	0.004	4
12/18/2006	11:57:23	0.056	0.003	3
12/18/2006	12:12:23	0.057	0.004	4
12/18/2006	12:27:23	0.057	0.004	4
12/18/2006	12:42:23	0.057	0.004	4
12/18/2006	12:57:23	0.056	0.003	3
12/18/2006	13:12:23	0.056	0.003	3
12/18/2006	13:27:23	0.067	0.014	14
12/18/2006	13:42:23	0.045	-0.008	-8
12/18/2006	13:57:23	0.047	-0.006	-6
12/18/2006	14:12:23	0.042	-0.011	-11
12/18/2006	14:27:23	0.04	-0.013	-13
12/18/2006	14:42:23	0.037	-0.016	-16
12/18/2006	14:57:23	0.029	-0.024	-24
12/18/2006	15:12:23	0.037	-0.016	-16
12/18/2006	15:27:23	0.022	-0.031	-31
12/18/2006	15:42:23	0.018	-0.035	-35
12/18/2006	15:57:23	0.015	-0.038	-38
12/18/2006	16:12	0.04	-0.013	-13
12/18/2006	16:27:23	0.021	-0.032	-32
12/18/2006	16:42:23	0.02	-0.033	-33
12/18/2006	16:57:23	0.1	0.047	47
12/18/2006	17:12:23	0.022	-0.031	-31
12/18/2006	17:27:23	0.024	-0.029	-29
12/18/2006	17:42:23	0.019	-0.034	-34
12/18/2006	17:57:23	0.017	-0.036	-36
12/18/2006	18:12:23	0.014	-0.039	-39
12/18/2006	18:27:23	0.014	-0.039	-39
12/18/2006	18:42:23	0.014	-0.039	-39
12/18/2006	18:57:23	0.019	-0.034	-34
12/18/2006	19:12:23	0.022	-0.031	-31
12/18/2006	19:27:23	0.019	-0.034	-34
12/18/2006	19:42:23	0.022	-0.031	-31

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/19/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:03) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/19/2006 7:22			0				0
2	12/19/2006 7:37			0				0
3	12/19/2006 7:52			0				0
4	12/19/2006 8:07			0				0
5	12/19/2006 8:22			0.1				0.1
6	12/19/2006 8:37			0.1				0.1
7	12/19/2006 8:52			0.1				0.1
8	12/19/2006 9:07			0.1				0.1
9	12/19/2006 9:22			0.1				0.1
10	12/19/2006 9:37			0.2				0.2
11	12/19/2006 9:52			0.2				0.2
12	12/19/2006 10:07			0.2				0.2
13	12/19/2006 10:22			0.2				0.2
14	12/19/2006 10:37			0.2				0.2
15	12/19/2006 10:52			0.2				0.2
16	12/19/2006 11:07			0.2				0.2
17	12/19/2006 11:22			0.2				0.2
18	12/19/2006 11:37			0.2				0.2
19	12/19/2006 11:52			0.2				0.2
20	12/19/2006 12:07			0.2				0.2
21	12/19/2006 12:22			0.2				0.2
22	12/19/2006 12:37			0.2				0.2
23	12/19/2006 12:52			0.2				0.2
24	12/19/2006 13:07			0.2				0.2
25	12/19/2006 13:22			0.2				0.2
1	12/19/2006 13:55			0.3				0.3
2	12/19/2006 14:10			0.6				0.6
3	12/19/2006 14:25			0.3				0.3
4	12/19/2006 14:40			0.2				0.2
5	12/19/2006 14:55			0.2				0.2
6	12/19/2006 15:10			0.2				0.2
7	12/19/2006 15:25			0.2				0.2
8	12/19/2006 15:40			0.2				0.2
9	12/19/2006 15:55			0.2				0.2
10	12/19/2006 16:10			0.3				0.3
11	12/19/2006 16:25			0.3				0.3
12	12/19/2006 16:40			0.3				0.3
13	12/19/2006 16:55			0.3				0.3
14	12/19/2006 17:10			0.3				0.3
15	12/19/2006 17:25			0.3				0.3
16	12/19/2006 17:40			0.4				0.4
17	12/19/2006 17:55			0.3				0.3
18	12/19/2006 18:10			0.3				0.3
1	12/19/2006 18:51			0.3				0.3
2	12/19/2006 19:06			0.3				0.3
3	12/19/2006 19:21			0.3				0.3
4	12/19/2006 19:36			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/19/2006
Start Time:	7:09:17
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (07:03) = 0.011 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/19/2006	7:24:17	0.01	-0.001	-1	
12/19/2006	7:39:17	0.011	0	0	
12/19/2006	7:54:17	0.009	-0.002	-2	
12/19/2006	8:09:17	0.009	-0.002	-2	
12/19/2006	8:24:17	0.01	-0.001	-1	
12/19/2006	8:39:17	0.011	0	0	
12/19/2006	8:54:17	0.011	0	0	
12/19/2006	9:09:17	0.013	0.002	2	
12/19/2006	9:24:17	0.008	-0.003	-3	
12/19/2006	9:39:17	0.008	-0.003	-3	
12/19/2006	9:54:17	0.007	-0.004	-4	
12/19/2006	10:09:17	0.008	-0.003	-3	
12/19/2006	10:24:17	0.014	0.003	3	
12/19/2006	10:39:17	0.011	0	0	
12/19/2006	10:54:17	0.007	-0.004	-4	
12/19/2006	11:09:17	0.009	-0.002	-2	
12/19/2006	11:24:17	0.008	-0.003	-3	
12/19/2006	11:39:17	0.009	-0.002	-2	
12/19/2006	11:54:17	0.01	-0.001	-1	
12/19/2006	12:09:17	0.009	-0.002	-2	
12/19/2006	12:24:17	0.014	0.003	3	
12/19/2006	12:39:17	0.011	0	0	
12/19/2006	12:54:17	0.011	0	0	
12/19/2006	13:09:17	0.012	0.001	1	
12/19/2006	13:24:17	0.016	0.005	5	
12/19/2006	13:39:17	0.016	0.005	5	
12/19/2006	13:54:17	0.197	0.186	186	* Elevated reading due to AKRF testing of new alarm unit at STA 1
12/19/2006	14:09:17	0.012	0.001	1	
12/19/2006	14:24:17	0.017	0.006	6	
12/19/2006	14:39:17	0.014	0.003	3	
12/19/2006	14:54:17	0.015	0.004	4	
12/19/2006	15:09:17	0.02	0.009	9	
12/19/2006	15:24:17	0.011	0	0	
12/19/2006	15:39:17	0.012	0.001	1	
12/19/2006	15:54:17	0.012	0.001	1	
12/19/2006	16:09:17	0.011	0	0	
12/19/2006	16:24:17	0.011	0	0	
12/19/2006	16:39:17	0.018	0.007	7	
12/19/2006	16:54:17	0.012	0.001	1	
12/19/2006	17:09:17	0.013	0.002	2	
12/19/2006	17:24:17	0.011	0	0	
12/19/2006	17:39:17	0.012	0.001	1	
12/19/2006	17:54:17	0.106	0.095	95	* Elevated reading due to Shaw testing of AKRF equipment at STA 1
12/19/2006	18:09:17	0.011	0	0	
12/19/2006	18:24:17	0.012	0.001	1	
12/19/2006	18:39:17	0.013	0.002	2	
12/19/2006	18:54:17	0.015	0.004	4	
12/19/2006	19:09:17	0.017	0.006	6	
12/19/2006	19:24:17	0.015	0.004	4	
12/19/2006	19:39:17	0.017	0.006	6	
12/19/2006	19:54:17	0.014	0.003	3	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/19/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/19/2006 7:18			0				0
2	12/19/2006 7:33			0				0
3	12/19/2006 7:48			0				0
4	12/19/2006 8:03			0				0
5	12/19/2006 8:18			0				0
6	12/19/2006 8:33			0				0
7	12/19/2006 8:48			0				0
8	12/19/2006 9:03			0				0
9	12/19/2006 9:18			0				0
10	12/19/2006 9:33			0				0
11	12/19/2006 9:48			0				0
12	12/19/2006 10:03			0				0
13	12/19/2006 10:18			0				0
14	12/19/2006 10:33			0				0
15	12/19/2006 10:48			0				0
16	12/19/2006 11:03			0				0
17	12/19/2006 11:18			0				0
18	12/19/2006 11:33			0				0
19	12/19/2006 11:48			0				0
20	12/19/2006 12:03			0				0
21	12/19/2006 12:18			0				0
22	12/19/2006 12:33			0				0
23	12/19/2006 12:48			0				0
24	12/19/2006 13:03			0				0
25	12/19/2006 13:18			0				0
26	12/19/2006 13:33			0				0
27	12/19/2006 13:48			0				0
28	12/19/2006 14:03			0				0
29	12/19/2006 14:18			0				0
30	12/19/2006 14:33			0				0
31	12/19/2006 14:48			0				0
32	12/19/2006 15:03			0				0
33	12/19/2006 15:18			0				0
34	12/19/2006 15:33			0				0
35	12/19/2006 15:48			0				0
36	12/19/2006 16:03			0				0
37	12/19/2006 16:18			0				0
38	12/19/2006 16:33			0				0
39	12/19/2006 16:48			0				0
40	12/19/2006 17:03			0				0
41	12/19/2006 17:18			0				0
42	12/19/2006 17:33			0				0
43	12/19/2006 17:48			0				0
44	12/19/2006 18:03			0				0
45	12/19/2006 18:18			0				0
46	12/19/2006 18:33			0				0
47	12/19/2006 18:48			0				0
48	12/19/2006 19:03			0				0
49	12/19/2006 19:18			0				0
50	12/19/2006 19:33			0				0
51	12/19/2006 19:48			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	12/19/2006
Start Time:	7:10:46
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (07:00) = 0.005 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/19/2006	7:25:46	0.005	0	0
12/19/2006	7:40:46	0.005	0	0
12/19/2006	7:55:46	0.006	0.001	1
12/19/2006	8:10:46	0.004	-0.001	-1
12/19/2006	8:25:46	0.004	-0.001	-1
12/19/2006	8:40:46	0.004	-0.001	-1
12/19/2006	8:55:46	0.005	0	0
12/19/2006	9:10:46	0.005	0	0
12/19/2006	9:25:46	0.004	-0.001	-1
12/19/2006	9:40:46	0.004	-0.001	-1
12/19/2006	9:55:46	0.004	-0.001	-1
12/19/2006	10:10:46	0.004	-0.001	-1
12/19/2006	10:25:46	0.004	-0.001	-1
12/19/2006	10:40:46	0.004	-0.001	-1
12/19/2006	10:55:46	0.011	0.006	6
12/19/2006	11:10:46	0.004	-0.001	-1
12/19/2006	11:25:46	0.007	0.002	2
12/19/2006	11:40:46	0.005	0	0
12/19/2006	11:55:46	0.005	0	0
12/19/2006	12:10:46	0.005	0	0
12/19/2006	12:25:46	0.004	-0.001	-1
12/19/2006	12:40:46	0.006	0.001	1
12/19/2006	12:55:46	0.005	0	0
12/19/2006	13:10:46	0.006	0.001	1
12/19/2006	13:25:46	0.008	0.003	3
12/19/2006	13:40:46	0.008	0.003	3
12/19/2006	13:55:46	0.006	0.001	1
12/19/2006	14:10:46	0.006	0.001	1
12/19/2006	14:25:46	0.006	0.001	1
12/19/2006	14:40:46	0.005	0	0
12/19/2006	14:55:46	0.005	0	0
12/19/2006	15:10:46	0.005	0	0
12/19/2006	15:25:46	0.005	0	0
12/19/2006	15:40:46	0.005	0	0
12/19/2006	15:55:46	0.004	-0.001	-1
12/19/2006	16:10:46	0.005	0	0
12/19/2006	16:25:46	0.004	-0.001	-1
12/19/2006	16:40:46	0.005	0	0
12/19/2006	16:55:46	0.004	-0.001	-1
12/19/2006	17:10:46	0.005	0	0
12/19/2006	17:25:46	0.005	0	0
12/19/2006	17:40:46	0.005	0	0
12/19/2006	17:55:46	0.007	0.002	2
12/19/2006	18:10:46	0.006	0.001	1
12/19/2006	18:25:46	0.007	0.002	2
12/19/2006	18:40:46	0.007	0.002	2
12/19/2006	18:55:46	0.007	0.002	2
12/19/2006	19:10:46	0.007	0.002	2
12/19/2006	19:25:46	0.007	0.002	2
12/19/2006	19:40:46	0.008	0.003	3
12/19/2006	19:55:46	0.007	0.002	2
12/19/2006	20:10:46	0.007	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/19/2006 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:21) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/19/2006 7:39			0.2				0.2
2	12/19/2006 7:54			0.3				0.3
3	12/19/2006 8:09			0.3				0.3
4	12/19/2006 8:24			0.4				0.4
5	12/19/2006 8:39			0.4				0.4
6	12/19/2006 8:54			0.5				0.5
7	12/19/2006 9:09			0.5				0.5
8	12/19/2006 9:24			0.5				0.5
9	12/19/2006 9:39			0.5				0.5
10	12/19/2006 9:54			0.5				0.5
11	12/19/2006 10:09			0.5				0.5
12	12/19/2006 10:24			0.6				0.6
13	12/19/2006 10:39			0.6				0.6
14	12/19/2006 10:54			0.6				0.6
15	12/19/2006 11:09			0.6				0.6
16	12/19/2006 11:24			0.6				0.6
17	12/19/2006 11:39			0.7				0.7
18	12/19/2006 11:54			0.7				0.7
19	12/19/2006 12:09			0.7				0.7
20	12/19/2006 12:24			0.7				0.7
21	12/19/2006 12:39			0.7				0.7
22	12/19/2006 12:54			0.7				0.7
23	12/19/2006 13:09			0.7				0.7
24	12/19/2006 13:24			0.7				0.7
25	12/19/2006 13:39			0.7				0.7
26	12/19/2006 13:54			0.8				0.8
27	12/19/2006 14:09			0.8				0.8
28	12/19/2006 14:24			0.8				0.8
29	12/19/2006 14:39			0.8				0.8
30	12/19/2006 14:54			0.8				0.8
31	12/19/2006 15:09			0.8				0.8
32	12/19/2006 15:24			0.7				0.7
33	12/19/2006 15:39			0.7				0.7
34	12/19/2006 15:54			0.6				0.6
35	12/19/2006 16:09			0.6				0.6
36	12/19/2006 16:24			0.7				0.7
37	12/19/2006 16:39			0.7				0.7
38	12/19/2006 16:54			0.7				0.7
39	12/19/2006 17:09			0.7				0.7
40	12/19/2006 17:24			0.7				0.7
41	12/19/2006 17:39			0.7				0.7
42	12/19/2006 17:54			0.8				0.8
43	12/19/2006 18:09			0.8				0.8
44	12/19/2006 18:24			0.8				0.8
45	12/19/2006 18:39			0.8				0.8
46	12/19/2006 18:54			0.8				0.8
47	12/19/2006 19:09			0.8				0.8
48	12/19/2006 19:24			0.8				0.8
49	12/19/2006 19:39			0.9				0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	12/19/2006
Start Time:	7:28:17
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (07:21) = 0.005 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/19/2006	7:43:17	0.01	0.005	5
12/19/2006	7:58:17	0.008	0.003	3
12/19/2006	8:13:17	0.009	0.004	4
12/19/2006	8:28:17	0.009	0.004	4
12/19/2006	8:43:17	0.009	0.004	4
12/19/2006	8:58:17	0.01	0.005	5
12/19/2006	9:13:17	0.011	0.006	6
12/19/2006	9:28:17	0.009	0.004	4
12/19/2006	9:43:17	0.01	0.005	5
12/19/2006	9:58:17	0.01	0.005	5
12/19/2006	10:13:17	0.01	0.005	5
12/19/2006	10:28:17	0.013	0.008	8
12/19/2006	10:43:17	0.009	0.004	4
12/19/2006	10:58:17	0.015	0.01	10
12/19/2006	11:13:17	0.009	0.004	4
12/19/2006	11:28:17	0.027	0.022	22
12/19/2006	11:43:17	0.01	0.005	5
12/19/2006	11:58:17	0.01	0.005	5
12/19/2006	12:13:17	0.012	0.007	7
12/19/2006	12:28:17	0.01	0.005	5
12/19/2006	12:43:17	0.011	0.006	6
12/19/2006	13:34:52	0.014	0.009	9
12/19/2006	15:46:39	0.011	0.006	6
12/19/2006	16:54:13	0.012	0.007	7
12/19/2006	17:09:13	0.013	0.008	8
12/19/2006	17:38:25	0.013	0.008	8
12/19/2006	17:53:25	0.012	0.007	7
12/19/2006	18:08:25	0.013	0.008	8
12/19/2006	18:23:25	0.016	0.011	11
12/19/2006	18:38:25	0.015	0.01	10
12/19/2006	18:53:25	0.013	0.008	8
12/19/2006	19:08:25	0.014	0.009	9
12/19/2006	19:23:25	0.013	0.008	8
12/19/2006	19:38:25	0.015	0.01	10
12/19/2006	19:53:25	0.014	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/19/2006 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:14) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/19/2006 7:33			0				0
2	12/19/2006 7:48			0				0
3	12/19/2006 8:03			0				0
4	12/19/2006 8:18			0				0
5	12/19/2006 8:33			0				0
6	12/19/2006 8:48			0				0
7	12/19/2006 9:03			0				0
8	12/19/2006 9:18			0				0
9	12/19/2006 9:33			0				0
10	12/19/2006 9:48			0				0
11	12/19/2006 10:03			0				0
12	12/19/2006 10:18			0				0
13	12/19/2006 10:33			0				0
14	12/19/2006 10:48			0				0
15	12/19/2006 11:03			0				0
16	12/19/2006 11:18			0				0
17	12/19/2006 11:33			0				0
18	12/19/2006 11:48			0				0
19	12/19/2006 12:03			0				0
20	12/19/2006 12:18			0				0
21	12/19/2006 12:33			0				0
22	12/19/2006 12:48			0				0
23	12/19/2006 13:03			0				0
24	12/19/2006 13:18			0				0
25	12/19/2006 13:33			0				0
26	12/19/2006 13:48			0				0
27	12/19/2006 14:03			0.2				0.2
28	12/19/2006 14:18			0				0
29	12/19/2006 14:33			0				0
30	12/19/2006 14:48			0				0
31	12/19/2006 15:03			0				0
32	12/19/2006 15:18			0				0
33	12/19/2006 15:33			0				0
34	12/19/2006 15:48			0				0
35	12/19/2006 16:03			0				0
36	12/19/2006 16:18			0				0
37	12/19/2006 16:33			0				0
38	12/19/2006 16:48			0				0
39	12/19/2006 17:03			0				0
40	12/19/2006 17:18			0				0
41	12/19/2006 17:33			0				0
42	12/19/2006 17:48			0				0
43	12/19/2006 18:03			0				0
44	12/19/2006 18:18			0				0
45	12/19/2006 18:33			0				0
46	12/19/2006 18:48			0				0
47	12/19/2006 19:03			0				0
48	12/19/2006 19:18			0				0
49	12/19/2006 19:33			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	12/19/2006
Start Time:	7:21:25
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:14) = 0.008 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/19/2006	7:36:25	0.008	0	0
12/19/2006	7:51:25	0.01	0.002	2
12/19/2006	8:06:25	0.01	0.002	2
12/19/2006	8:21:25	0.014	0.006	6
12/19/2006	8:36:25	0.01	0.002	2
12/19/2006	8:51:25	0.015	0.007	7
12/19/2006	9:06:25	0.019	0.011	11
12/19/2006	9:21:25	0.011	0.003	3
12/19/2006	9:36:25	0.038	0.03	30
12/19/2006	9:51:25	0.01	0.002	2
12/19/2006	10:06:25	0.011	0.003	3
12/19/2006	10:21:25	0.014	0.006	6
12/19/2006	10:36:25	0.023	0.015	15
12/19/2006	10:51:25	0.011	0.003	3
12/19/2006	11:06:25	0.012	0.004	4
12/19/2006	11:21:25	0.008	0	0
12/19/2006	11:36:25	0.01	0.002	2
12/19/2006	11:51:25	0.009	0.001	1
12/19/2006	12:06:25	0.01	0.002	2
12/19/2006	12:21:25	0.008	0	0
12/19/2006	12:36:25	0.015	0.007	7
12/19/2006	12:51:25	0.013	0.005	5
12/19/2006	13:06:25	0.011	0.003	3
12/19/2006	13:21:25	0.014	0.006	6
12/19/2006	13:36:25	0.014	0.006	6
12/19/2006	13:51:25	0.015	0.007	7
12/19/2006	14:06:25	0.012	0.004	4
12/19/2006	14:21:25	0.032	0.024	24
12/19/2006	14:36:25	0.011	0.003	3
12/19/2006	14:51:25	0.009	0.001	1
12/19/2006	15:06:25	0.013	0.005	5
12/19/2006	15:21:25	0.012	0.004	4
12/19/2006	15:36:25	0.047	0.039	39
12/19/2006	15:51:25	0.019	0.011	11
12/19/2006	16:06:25	0.015	0.007	7
12/19/2006	16:21:25	0.017	0.009	9
12/19/2006	16:36:25	0.015	0.007	7
12/19/2006	16:51:25	0.02	0.012	12
12/19/2006	17:06:25	0.018	0.01	10
12/19/2006	17:21:25	0.013	0.005	5
12/19/2006	17:36:25	0.015	0.007	7
12/19/2006	17:51:25	0.016	0.008	8
12/19/2006	18:06:25	0.016	0.008	8
12/19/2006	18:21:25	0.016	0.008	8
12/19/2006	18:36:25	0.015	0.007	7
12/19/2006	18:51:25	0.024	0.016	16
12/19/2006	19:06:25	0.024	0.016	16
12/19/2006	19:21:25	0.019	0.011	11
12/19/2006	19:36:25	0.019	0.011	11
12/19/2006	19:51:25	0.017	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/20/2006 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:16) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/20/2006 7:33			0				0	
2	12/20/2006 7:48			0				0	
3	12/20/2006 8:03			1.6				1.6	* AKRF testing of equipment at STA 1
4	12/20/2006 8:18			0				0	
5	12/20/2006 8:33			0				0	
6	12/20/2006 8:48			0				0	
7	12/20/2006 9:03			0				0	
8	12/20/2006 9:18			0				0	
9	12/20/2006 9:33			0				0	
10	12/20/2006 9:48			0				0	
11	12/20/2006 10:03			0				0	
12	12/20/2006 10:18			0				0	
13	12/20/2006 10:33			0				0	
14	12/20/2006 10:48			0.6				0.6	
15	12/20/2006 11:03			0				0	
16	12/20/2006 11:18			0				0	
17	12/20/2006 11:33			0				0	
18	12/20/2006 11:48			0.4				0.4	
19	12/20/2006 12:03			0				0	
20	12/20/2006 12:18			0				0	
21	12/20/2006 12:33			0				0	
22	12/20/2006 12:48			0				0	
23	12/20/2006 13:03			0				0	
24	12/20/2006 13:18			0				0	
25	12/20/2006 13:33			0				0	
26	12/20/2006 13:48			0				0	
27	12/20/2006 14:03			0				0	
28	12/20/2006 14:18			0				0	
29	12/20/2006 14:33			0				0	
30	12/20/2006 14:48			0				0	
31	12/20/2006 15:03			0				0	
32	12/20/2006 15:18			0				0	
33	12/20/2006 15:33			0				0	
34	12/20/2006 15:48			0				0	
35	12/20/2006 16:03			0				0	
36	12/20/2006 16:18			0				0	
37	12/20/2006 16:33			0				0	
38	12/20/2006 16:48			0				0	
39	12/20/2006 17:03			0				0	
40	12/20/2006 17:18			0				0	
41	12/20/2006 17:33			0				0	
42	12/20/2006 17:48			0				0	
43	12/20/2006 18:03			0				0	
44	12/20/2006 18:18			0				0	
1	12/20/2006 19:07			0				0	
2	12/20/2006 19:22			0				0	
3	12/20/2006 19:37			0				0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	12/20/2006
Start Time:	7:20:00
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:16) = 0.029 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/20/2006	7:35:00	0.03	0.001	1
12/20/2006	7:50:00	0.027	-0.002	-2
12/20/2006	8:05:00	0.036	0.007	7
12/20/2006	8:20:00	0.044	0.015	15
12/20/2006	8:35:00	0.037	0.008	8
12/20/2006	8:50:00	0.041	0.012	12
12/20/2006	9:05:00	0.041	0.012	12
12/20/2006	9:20:00	0.039	0.01	10
12/20/2006	9:35:00	0.039	0.01	10
12/20/2006	9:50:00	0.042	0.013	13
12/20/2006	10:05:00	0.043	0.014	14
12/20/2006	10:20:00	0.044	0.015	15
12/20/2006	10:35:00	0.044	0.015	15
12/20/2006	10:50:00	0.043	0.014	14
12/20/2006	11:05:00	0.061	0.032	32
12/20/2006	11:20:00	0.039	0.01	10
12/20/2006	11:35:00	0.035	0.006	6
12/20/2006	11:50:00	0.033	0.004	4
12/20/2006	12:05:00	0.044	0.015	15
12/20/2006	12:20:00	0.029	0	0
12/20/2006	12:35:00	0.028	-0.001	-1
12/20/2006	12:50:00	0.035	0.006	6
12/20/2006	13:05:00	0.038	0.009	9
12/20/2006	13:20:00	0.036	0.007	7
12/20/2006	13:35:00	0.034	0.005	5
12/20/2006	13:50:00	0.026	-0.003	-3
12/20/2006	14:05:00	0.028	-0.001	-1
12/20/2006	14:20:00	0.027	-0.002	-2
12/20/2006	14:35:00	0.024	-0.005	-5
12/20/2006	14:50:00	0.023	-0.006	-6
12/20/2006	15:05:00	0.022	-0.007	-7
12/20/2006	15:20:00	0.025	-0.004	-4
12/20/2006	15:35:00	0.023	-0.006	-6
12/20/2006	15:50:00	0.024	-0.005	-5
12/20/2006	16:05:00	0.024	-0.005	-5
12/20/2006	16:20:00	0.023	-0.006	-6
12/20/2006	16:35:00	0.024	-0.005	-5
12/20/2006	16:50:00	0.025	-0.004	-4
12/20/2006	17:05:00	0.023	-0.006	-6
12/20/2006	17:20:00	0.029	0	0
12/20/2006	17:35:00	0.026	-0.003	-3
12/20/2006	17:50:00	0.029	0	0
12/20/2006	18:05:00	0.035	0.006	6
12/20/2006	18:20:00	0.035	0.006	6
12/20/2006	18:35:00	0.034	0.005	5
12/20/2006	18:50:00	0.033	0.004	4
12/20/2006	19:05:00	0.034	0.005	5
12/20/2006	19:20:00	0.033	0.004	4
12/20/2006	19:35:00	0.034	0.005	5
12/20/2006	19:50:00	0.034	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 12/20/2006 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/20/2006 7:21			0				0
2	12/20/2006 7:36			0				0
3	12/20/2006 7:51			0				0
4	12/20/2006 8:06			0				0
5	12/20/2006 8:21			0				0
6	12/20/2006 8:36			0				0
7	12/20/2006 8:51			0				0
8	12/20/2006 9:06			0				0
9	12/20/2006 9:21			0				0
10	12/20/2006 9:36			0				0
11	12/20/2006 9:51			0				0
12	12/20/2006 10:06			0				0
13	12/20/2006 10:21			0				0
14	12/20/2006 10:36			0				0
15	12/20/2006 10:51			0				0
16	12/20/2006 11:06			0				0
17	12/20/2006 11:21			0				0
18	12/20/2006 11:36			0				0
19	12/20/2006 11:51			0				0
20	12/20/2006 12:06			0				0
21	12/20/2006 12:21			0				0
22	12/20/2006 12:36			0				0
23	12/20/2006 12:51			0				0
24	12/20/2006 13:06			0				0
25	12/20/2006 13:21			0				0
26	12/20/2006 13:36			0				0
27	12/20/2006 13:51			0				0
28	12/20/2006 14:06			0				0
29	12/20/2006 14:21			0				0
30	12/20/2006 14:36			0				0
31	12/20/2006 14:51			0				0
32	12/20/2006 15:06			0				0
33	12/20/2006 15:21			0				0
34	12/20/2006 15:36			0				0
35	12/20/2006 15:51			0				0
36	12/20/2006 16:06			0				0
37	12/20/2006 16:21			0				0
38	12/20/2006 16:36			0				0
39	12/20/2006 16:51			0				0
40	12/20/2006 17:06			0				0
41	12/20/2006 17:21			0				0
42	12/20/2006 17:36			0				0
43	12/20/2006 17:51			0				0
44	12/20/2006 18:06			0				0
45	12/20/2006 18:21			0				0
46	12/20/2006 18:36			0				0
47	12/20/2006 18:51			0				0
48	12/20/2006 19:06			0				0
49	12/20/2006 19:21			0				0
50	12/20/2006 19:36			0				0
51	12/20/2006 19:51			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	12/20/2006
Start Time:	7:13:16
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (07:05) = 0.016 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/20/2006	7:28:16	0.018	0.002	2
12/20/2006	7:43:16	0.018	0.002	2
12/20/2006	7:58:16	0.019	0.003	3
12/20/2006	8:13:16	0.019	0.003	3
12/20/2006	8:28:16	0.021	0.005	5
12/20/2006	8:43:16	0.025	0.009	9
12/20/2006	8:58:16	0.024	0.008	8
12/20/2006	9:13:16	0.022	0.006	6
12/20/2006	9:28:16	0.025	0.009	9
12/20/2006	9:43:16	0.024	0.008	8
12/20/2006	9:58:16	0.027	0.011	11
12/20/2006	10:13:16	0.028	0.012	12
12/20/2006	10:28:16	0.027	0.011	11
12/20/2006	10:43:16	0.028	0.012	12
12/20/2006	10:58:16	0.027	0.011	11
12/20/2006	11:13:16	0.024	0.008	8
12/20/2006	12:22:05	0.018	0.002	2
12/20/2006	12:37:05	0.018	0.002	2
12/20/2006	12:52:05	0.023	0.007	7
12/20/2006	13:07:05	0.024	0.008	8
12/20/2006	13:22:05	0.024	0.008	8
12/20/2006	13:37:05	0.022	0.006	6
12/20/2006	13:52:05	0.017	0.001	1
12/20/2006	14:07:05	0.018	0.002	2
12/20/2006	14:22:05	0.018	0.002	2
12/20/2006	14:37:05	0.015	-0.001	-1
12/20/2006	14:52:05	0.015	-0.001	-1
12/20/2006	15:07:05	0.014	-0.002	-2
12/20/2006	15:22:05	0.015	-0.001	-1
12/20/2006	15:37:05	0.015	-0.001	-1
12/20/2006	15:52:05	0.015	-0.001	-1
12/20/2006	16:07:05	0.016	0	0
12/20/2006	16:22:05	0.015	-0.001	-1
12/20/2006	16:37:05	0.016	0	0
12/20/2006	16:52:05	0.016	0	0
12/20/2006	17:07:05	0.049	0.033	33
12/20/2006	17:22:05	0.017	0.001	1
12/20/2006	17:37:05	0.016	0	0
12/20/2006	17:52:05	0.018	0.002	2
12/20/2006	18:07:05	0.022	0.006	6
12/20/2006	18:22:05	0.022	0.006	6
12/20/2006	18:37:05	0.021	0.005	5
12/20/2006	18:52:05	0.021	0.005	5
12/20/2006	19:07:05	0.021	0.005	5
12/20/2006	19:22:05	0.02	0.004	4
12/20/2006	19:37:05	0.021	0.005	5
12/20/2006	19:52:05	0.021	0.005	5
12/20/2006	20:07:05	0.021	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/20/2006 06:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:30) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/20/2006 7:47			0.1				0
2	12/20/2006 8:02			0.1				0
3	12/20/2006 8:17			0.2				0.1
4	12/20/2006 8:32			0.2				0.1
5	12/20/2006 8:47			0.2				0.1
6	12/20/2006 9:02			0.3				0.2
7	12/20/2006 9:17			0.3				0.2
8	12/20/2006 9:32			0.3				0.2
9	12/20/2006 9:47			0.3				0.2
10	12/20/2006 10:02			0.3				0.2
11	12/20/2006 10:17			0.3				0.2
12	12/20/2006 10:32			0.3				0.2
13	12/20/2006 10:47			0.3				0.2
14	12/20/2006 11:02			0.3				0.2
15	12/20/2006 11:17			0.3				0.2
16	12/20/2006 11:32			0.3				0.2
17	12/20/2006 11:47			0.3				0.2
18	12/20/2006 12:02			0.3				0.2
19	12/20/2006 12:17			0.3				0.2
20	12/20/2006 12:32			0.3				0.2
21	12/20/2006 12:47			0.3				0.2
22	12/20/2006 13:02			0.3				0.2
23	12/20/2006 13:17			0.3				0.2
24	12/20/2006 13:32			0.3				0.2
25	12/20/2006 13:47			0.3				0.2
26	12/20/2006 14:02			0.3				0.2
27	12/20/2006 14:17			0.3				0.2
28	12/20/2006 14:32			0.3				0.2
29	12/20/2006 14:47			0.3				0.2
30	12/20/2006 15:02			0.4				0.3
31	12/20/2006 15:17			0.4				0.3
32	12/20/2006 15:32			0.5				0.4
33	12/20/2006 15:47			0.6				0.5
34	12/20/2006 16:02			0.6				0.5
35	12/20/2006 16:17			0.6				0.5
36	12/20/2006 16:32			0.6				0.5
37	12/20/2006 16:47			0.5				0.4
38	12/20/2006 17:02			0.5				0.4
39	12/20/2006 17:17			0.5				0.4
40	12/20/2006 17:32			0.5				0.4
41	12/20/2006 17:47			0.5				0.4
42	12/20/2006 18:02			0.5				0.4
43	12/20/2006 18:17			0.4				0.3
44	12/20/2006 18:32			0.4				0.3
45	12/20/2006 18:47			0.5				0.4
46	12/20/2006 19:02			0.5				0.4
47	12/20/2006 19:17			0.5				0.4
48	12/20/2006 19:32			0.5				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	12/20/2006
Start Time:	7:37:35
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:30) = 0.022 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/20/2006	7:52:35	0.022	0	0
12/20/2006	8:07:35	0.022	0	0
12/20/2006	8:22:35	0.025	0.003	3
12/20/2006	8:37:35	0.03	0.008	8
12/20/2006	8:52:35	0.032	0.01	10
12/20/2006	9:07:35	0.03	0.008	8
12/20/2006	9:22:35	0.032	0.01	10
12/20/2006	9:37:35	0.033	0.011	11
12/20/2006	9:52:35	0.036	0.014	14
12/20/2006	10:07:35	0.035	0.013	13
12/20/2006	10:22:35	0.035	0.013	13
12/20/2006	10:37:35	0.037	0.015	15
12/20/2006	10:52:35	0.035	0.013	13
12/20/2006	11:07:35	0.034	0.012	12
12/20/2006	11:22:35	0.03	0.008	8
12/20/2006	11:37:35	0.029	0.007	7
12/20/2006	11:52:35	0.03	0.008	8
12/20/2006	12:07:35	0.03	0.008	8
12/20/2006	12:22:35	0.025	0.003	3
12/20/2006	12:37:35	0.024	0.002	2
12/20/2006	12:52:35	0.03	0.008	8
12/20/2006	13:07:35	0.033	0.011	11
12/20/2006	13:22:35	0.031	0.009	9
12/20/2006	13:37:35	0.028	0.006	6
12/20/2006	13:52:35	0.022	0	0
12/20/2006	14:07:35	0.025	0.003	3
12/20/2006	14:22:35	0.024	0.002	2
12/20/2006	14:37:35	0.022	0	0
12/20/2006	14:52:35	0.02	-0.002	-2
12/20/2006	15:07:35	0.022	0	0
12/20/2006	15:22:35	0.023	0.001	1
12/20/2006	15:37:35	0.021	-0.001	-1
12/20/2006	15:52:35	0.02	-0.002	-2
12/20/2006	16:07:35	0.023	0.001	1
12/20/2006	16:22:35	0.022	0	0
12/20/2006	16:37:35	0.023	0.001	1
12/20/2006	16:52:35	0.044	0.022	22
12/20/2006	17:07:35	0.022	0	0
12/20/2006	17:22:35	0.029	0.007	7
12/20/2006	17:37:35	0.024	0.002	2
12/20/2006	17:52:35	0.028	0.006	6
12/20/2006	18:07:35	0.032	0.01	10
12/20/2006	18:22:35	0.031	0.009	9
12/20/2006	18:37:35	0.03	0.008	8
12/20/2006	18:52:35	0.03	0.008	8
12/20/2006	19:07:35	0.03	0.008	8
12/20/2006	19:22:35	0.031	0.009	9
12/20/2006	19:37:35	0.03	0.008	8
12/20/2006	19:52:35	0.031	0.009	9
12/20/2006	20:07:35	0.03	0.008	8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 3 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 12/20/2006 06:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:19) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/20/2006 7:37			0				0
2	12/20/2006 7:52			0				0
3	12/20/2006 8:07			0				0
1	12/20/2006 8:39			0				0
2	12/20/2006 8:54			0				0
3	12/20/2006 9:09			0				0
4	12/20/2006 9:24			0				0
5	12/20/2006 9:39			0				0
6	12/20/2006 9:54			0				0
7	12/20/2006 10:09			0				0
8	12/20/2006 10:24			0				0
9	12/20/2006 10:39			0				0
10	12/20/2006 10:54			0				0
11	12/20/2006 11:09			0				0
12	12/20/2006 11:24			0				0
13	12/20/2006 11:39			0				0
14	12/20/2006 11:54			0				0
15	12/20/2006 12:09			0				0
16	12/20/2006 12:24			0				0
17	12/20/2006 12:39			0				0
18	12/20/2006 12:54			0				0
19	12/20/2006 13:09			0				0
20	12/20/2006 13:24			0				0
21	12/20/2006 13:39			0				0
22	12/20/2006 13:54			0				0
23	12/20/2006 14:09			0				0
24	12/20/2006 14:24			0				0
25	12/20/2006 14:39			0				0
26	12/20/2006 14:54			0				0
27	12/20/2006 15:09			0				0
28	12/20/2006 15:24			0				0
29	12/20/2006 15:39			0				0
30	12/20/2006 15:54			0				0
31	12/20/2006 16:09			0				0
32	12/20/2006 16:24			0				0
33	12/20/2006 16:39			0				0
34	12/20/2006 16:54			0				0
35	12/20/2006 17:09			0				0
36	12/20/2006 17:24			0				0
37	12/20/2006 17:39			0				0
38	12/20/2006 17:54			0				0
39	12/20/2006 18:09			0				0
40	12/20/2006 18:24			0				0
41	12/20/2006 18:39			0				0
42	12/20/2006 18:54			0				0
43	12/20/2006 19:09			0				0
44	12/20/2006 19:24			0				0
45	12/20/2006 19:39			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	12/20/2006
Start Time:	7:28:03
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:19) = 0.026 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/20/2006	7:43:03	0.022	-0.004	-4
12/20/2006	7:58:03	0.026	0	0
12/20/2006	8:13:03	0.034	0.008	8
12/20/2006	8:28:03	0.031	0.005	5
12/20/2006	8:43:03	0.033	0.007	7
12/20/2006	8:58:03	0.057	0.031	31
12/20/2006	9:13:03	0.033	0.007	7
12/20/2006	9:28:03	0.035	0.009	9
12/20/2006	9:43:03	0.031	0.005	5
12/20/2006	9:58:03	0.128	0.102	102
12/20/2006	10:13:03	0.128	0.102	102
12/20/2006	10:28:03	0.051	0.025	25
12/20/2006	10:43:03	0.048	0.022	22
12/20/2006	10:58:03	0.035	0.009	9
12/20/2006	11:13:03	0.045	0.019	19
12/20/2006	11:28:03	0.033	0.007	7
12/20/2006	11:43:03	0.027	0.001	1
12/20/2006	11:58:03	0.027	0.001	1
12/20/2006	12:13:03	0.028	0.002	2
12/20/2006	12:28:03	0.023	-0.003	-3
12/20/2006	12:43:03	0.024	-0.002	-2
12/20/2006	12:58:03	0.035	0.009	9
12/20/2006	13:13:03	0.033	0.007	7
12/20/2006	13:28:03	0.033	0.007	7
12/20/2006	13:43:03	0.026	0	0
12/20/2006	13:58:03	0.022	-0.004	-4
12/20/2006	14:13:03	0.035	0.009	9
12/20/2006	14:28:03	0.025	-0.001	-1
12/20/2006	14:43:03	0.023	-0.003	-3
12/20/2006	14:58:03	0.02	-0.006	-6
12/20/2006	15:13:03	0.021	-0.005	-5
12/20/2006	15:28:03	0.023	-0.003	-3
12/20/2006	15:43:03	0.026	0	0
12/20/2006	15:58:03	0.032	0.006	6
12/20/2006	16:13:03	0.049	0.023	23
12/20/2006	16:28:03	0.034	0.008	8
12/20/2006	16:43:03	0.026	0	0
12/20/2006	16:58:03	0.064	0.038	38
12/20/2006	17:13:03	0.03	0.004	4
12/20/2006	17:28:03	0.027	0.001	1
12/20/2006	17:43:03	0.03	0.004	4
12/20/2006	17:58:03	0.037	0.011	11
12/20/2006	18:13:03	0.042	0.016	16
12/20/2006	18:28:03	0.030	0.004	4
12/20/2006	18:43:03	0.029	0.003	3
12/20/2006	18:58:03	0.029	0.003	3
12/20/2006	19:13:03	0.029	0.003	3
12/20/2006	19:28:03	0.031	0.005	5
12/20/2006	19:43:03	0.032	0.006	6
12/20/2006	19:58:03	0.039	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/21/2006 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:06) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/21/2006 7:26			0				0
2	12/21/2006 7:41			0				0
3	12/21/2006 7:56			0.1				0.1
4	12/21/2006 8:11			0.1				0.1
5	12/21/2006 8:26			0.1				0.1
6	12/21/2006 8:41			0.2				0.2
7	12/21/2006 8:56			0.2				0.2
8	12/21/2006 9:11			0.2				0.2
9	12/21/2006 9:26			0.2				0.2
10	12/21/2006 9:41			0.2				0.2
11	12/21/2006 9:56			0.2				0.2
12	12/21/2006 10:11			0.3				0.3
13	12/21/2006 10:26			0.3				0.3
14	12/21/2006 10:41			0.3				0.3
15	12/21/2006 10:56			0.3				0.3
16	12/21/2006 11:11			0.3				0.3
17	12/21/2006 11:26			0.3				0.3
18	12/21/2006 11:41			0.3				0.3
19	12/21/2006 11:56			0.3				0.3
20	12/21/2006 12:11			0.3				0.3
21	12/21/2006 12:26			0.3				0.3
22	12/21/2006 12:41			0.3				0.3
23	12/21/2006 12:56			0.3				0.3
24	12/21/2006 13:11			0.3				0.3
25	12/21/2006 13:26			0.3				0.3
26	12/21/2006 13:41			0.3				0.3
27	12/21/2006 13:56			0.3				0.3
28	12/21/2006 14:11			0.2				0.2
29	12/21/2006 14:26			0.2				0.2
30	12/21/2006 14:41			0.2				0.2
31	12/21/2006 14:56			0.2				0.2
32	12/21/2006 15:11			0.2				0.2
33	12/21/2006 15:26			0.2				0.2
34	12/21/2006 15:41			0.2				0.2
35	12/21/2006 15:56			0.2				0.2
36	12/21/2006 16:11			0.3				0.3
37	12/21/2006 16:26			0.2				0.2
38	12/21/2006 16:41			0.2				0.2
39	12/21/2006 16:56			0.3				0.3
40	12/21/2006 17:11			0.3				0.3
41	12/21/2006 17:26			0.3				0.3
42	12/21/2006 17:41			0.3				0.3
43	12/21/2006 17:56			0.3				0.3
44	12/21/2006 18:11			0.3				0.3
45	12/21/2006 18:26			0.3				0.3
46	12/21/2006 18:41			0.4				0.4
1	12/21/2006 19:17			0.4				0.4
2	12/21/2006 19:32			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	12/21/2006
Start Time:	7:12:53
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:06) = 0.033 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/21/2006	7:27:53	0.055	0.022	22
12/21/2006	7:42:53	0.087	0.054	54
12/21/2006	7:57:53	0.059	0.026	26
12/21/2006	8:12:53	0.06	0.027	27
12/21/2006	8:27:53	0.06	0.027	27
12/21/2006	8:42:53	0.062	0.029	29
12/21/2006	8:57:53	0.06	0.027	27
12/21/2006	9:12:53	0.059	0.026	26
12/21/2006	9:27:53	0.059	0.026	26
12/21/2006	9:42:53	0.058	0.025	25
12/21/2006	9:57:53	0.057	0.024	24
12/21/2006	10:12:53	0.066	0.033	33
12/21/2006	10:27:53	0.061	0.028	28
12/21/2006	10:42:53	0.058	0.025	25
12/21/2006	10:57:53	0.055	0.022	22
12/21/2006	11:12:53	0.052	0.019	19
12/21/2006	11:27:53	0.052	0.019	19
12/21/2006	11:42:53	0.059	0.026	26
12/21/2006	11:57:53	0.054	0.021	21
12/21/2006	12:12:53	0.048	0.015	15
12/21/2006	12:27:53	0.04	0.007	7
12/21/2006	12:42:53	0.053	0.02	20
12/21/2006	12:57:53	0.038	0.005	5
12/21/2006	13:12:53	0.034	0.001	1
12/21/2006	13:27:53	0.032	-0.001	-1
12/21/2006	13:42:53	0.03	-0.003	-3
12/21/2006	13:57:53	0.029	-0.004	-4
12/21/2006	14:12:53	0.027	-0.006	-6
12/21/2006	14:27:53	0.029	-0.004	-4
12/21/2006	14:42:53	0.031	-0.002	-2
12/21/2006	14:57:53	0.03	-0.003	-3
12/21/2006	15:12:53	0.023	-0.01	-10
12/21/2006	15:27:53	0.023	-0.01	-10
12/21/2006	15:42:53	0.025	-0.008	-8
12/21/2006	15:57:53	0.024	-0.009	-9
12/21/2006	16:12:53	0.023	-0.01	-10
12/21/2006	16:27:53	0.031	-0.002	-2
12/21/2006	16:42:53	0.021	-0.012	-12
12/21/2006	16:57:53	0.022	-0.011	-11
12/21/2006	17:12:53	0.024	-0.009	-9
12/21/2006	17:27:53	0.05	0.017	17
12/21/2006	17:42:53	0.025	-0.008	-8
12/21/2006	17:57:53	0.023	-0.01	-10
12/21/2006	18:12:53	0.023	-0.01	-10
12/21/2006	18:27:53	0.021	-0.012	-12
12/21/2006	18:42:53	0.021	-0.012	-12
12/21/2006	18:57:53	0.026	-0.007	-7
12/21/2006	19:12:53	0.032	-0.001	-1
12/21/2006	19:27:53	0.034	0.001	1
12/21/2006	19:42:53	0.031	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/21/2006 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:00) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/21/2006 7:17			0				0
2	12/21/2006 7:32			0				0
3	12/21/2006 7:47			0				0
4	12/21/2006 8:02			0				0
5	12/21/2006 8:17			0				0
6	12/21/2006 8:32			0				0
7	12/21/2006 8:47			0				0
8	12/21/2006 9:02			0				0
9	12/21/2006 9:17			0				0
10	12/21/2006 9:32			0				0
11	12/21/2006 9:47			0				0
12	12/21/2006 10:02			0				0
13	12/21/2006 10:17			0				0
14	12/21/2006 10:32			0				0
15	12/21/2006 10:47			0				0
16	12/21/2006 11:02			0				0
17	12/21/2006 11:17			0				0
18	12/21/2006 11:32			0				0
19	12/21/2006 11:47			0				0
20	12/21/2006 12:02			0				0
21	12/21/2006 12:17			0				0
22	12/21/2006 12:32			0				0
23	12/21/2006 12:47			0				0
24	12/21/2006 13:02			0				0
25	12/21/2006 13:17			0				0
26	12/21/2006 13:32			0				0
27	12/21/2006 13:47			0				0
28	12/21/2006 14:02			0				0
29	12/21/2006 14:17			0				0
30	12/21/2006 14:32			0				0
31	12/21/2006 14:47			0				0
32	12/21/2006 15:02			0				0
33	12/21/2006 15:17			0				0
34	12/21/2006 15:32			0				0
35	12/21/2006 15:47			0				0
36	12/21/2006 16:02			0				0
37	12/21/2006 16:17			0				0
38	12/21/2006 16:32			0				0
39	12/21/2006 16:47			0				0
40	12/21/2006 17:02			0				0
41	12/21/2006 17:17			0				0
42	12/21/2006 17:32			0				0
43	12/21/2006 17:47			0				0
44	12/21/2006 18:02			0				0
45	12/21/2006 18:17			0				0
46	12/21/2006 18:32			0				0
47	12/21/2006 18:47			0				0
48	12/21/2006 19:02			0				0
49	12/21/2006 19:17			0				0
50	12/21/2006 19:32			0				0
51	12/21/2006 19:47			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	12/21/2006
Start Time:	7:08:57
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (07:00) = 0.034 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/21/2006	7:23:57	0.034	0	0
12/21/2006	7:38:57	0.041	0.007	7
12/21/2006	7:53:57	0.037	0.003	3
12/21/2006	8:08:57	0.036	0.002	2
12/21/2006	8:23:57	0.038	0.004	4
12/21/2006	8:38:57	0.04	0.006	6
12/21/2006	8:53:57	0.038	0.004	4
12/21/2006	9:08:57	0.038	0.004	4
12/21/2006	9:23:57	0.036	0.002	2
12/21/2006	9:38:57	0.035	0.001	1
12/21/2006	9:53:57	0.036	0.002	2
12/21/2006	10:08:57	0.038	0.004	4
12/21/2006	10:23:57	0.04	0.006	6
12/21/2006	10:38:57	0.039	0.005	5
12/21/2006	10:53:57	0.033	-0.001	-1
12/21/2006	11:08:57	0.034	0	0
12/21/2006	11:23:57	0.033	-0.001	-1
12/21/2006	11:38:57	0.032	-0.002	-2
12/21/2006	11:53:57	0.035	0.001	1
12/21/2006	12:08:57	0.029	-0.005	-5
12/21/2006	12:23:57	0.026	-0.008	-8
12/21/2006	12:38:57	0.027	-0.007	-7
12/21/2006	12:53:57	0.028	-0.006	-6
12/21/2006	13:08:57	0.023	-0.011	-11
12/21/2006	13:23:57	0.027	-0.007	-7
12/21/2006	13:38:57	0.021	-0.013	-13
12/21/2006	13:53:57	0.019	-0.015	-15
12/21/2006	14:08:57	0.021	-0.013	-13
12/21/2006	14:23:57	0.018	-0.016	-16
12/21/2006	14:38:57	0.014	-0.02	-20
12/21/2006	14:53:57	0.011	-0.023	-23
12/21/2006	15:08:57	0.012	-0.022	-22
12/21/2006	15:23:57	0.011	-0.023	-23
12/21/2006	15:38:57	0.011	-0.023	-23
12/21/2006	15:53:57	0.012	-0.022	-22
12/21/2006	16:08:57	0.014	-0.02	-20
12/21/2006	16:23:57	0.013	-0.021	-21
12/21/2006	16:38:57	0.011	-0.023	-23
12/21/2006	16:53:57	0.014	-0.02	-20
12/21/2006	17:08:57	0.013	-0.021	-21
12/21/2006	17:23:57	0.015	-0.019	-19
12/21/2006	17:38:57	0.021	-0.013	-13
12/21/2006	17:53:57	0.016	-0.018	-18
12/21/2006	18:08:57	0.015	-0.019	-19
12/21/2006	18:23:57	0.013	-0.021	-21
12/21/2006	18:38:57	0.017	-0.017	-17
12/21/2006	18:53:57	0.016	-0.018	-18
12/21/2006	19:08:57	0.021	-0.013	-13
12/21/2006	19:23:57	0.02	-0.014	-14
12/21/2006	19:38:57	0.019	-0.015	-15
12/21/2006	19:53:57	0.013	-0.021	-21
12/21/2006	20:08:57	0.013	-0.021	-21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/21/2006 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/21/2006 7:33			0.1				0.1
2	12/21/2006 7:48			0.2				0.2
3	12/21/2006 8:03			0.3				0.3
4	12/21/2006 8:18			0.3				0.3
5	12/21/2006 8:33			0.3				0.3
6	12/21/2006 8:48			0.4				0.4
7	12/21/2006 9:03			0.4				0.4
8	12/21/2006 9:18			0.4				0.4
9	12/21/2006 9:33			0.5				0.5
10	12/21/2006 9:48			0.5				0.5
11	12/21/2006 10:03			0.5				0.5
12	12/21/2006 10:18			0.5				0.5
13	12/21/2006 10:33			0.4				0.4
14	12/21/2006 10:48			0.4				0.4
15	12/21/2006 11:03			0.4				0.4
16	12/21/2006 11:18			0.5				0.5
17	12/21/2006 11:33			0.5				0.5
18	12/21/2006 11:48			0.6				0.6
19	12/21/2006 12:03			0.6				0.6
20	12/21/2006 12:18			0.6				0.6
21	12/21/2006 12:33			0.6				0.6
22	12/21/2006 12:48			0.7				0.7
23	12/21/2006 13:03			0.6				0.6
24	12/21/2006 13:18			0.6				0.6
25	12/21/2006 13:33			0.6				0.6
26	12/21/2006 13:48			0.5				0.5
27	12/21/2006 14:03			0.5				0.5
28	12/21/2006 14:18			0.5				0.5
29	12/21/2006 14:33			0.5				0.5
30	12/21/2006 14:48			0.5				0.5
31	12/21/2006 15:03			0.5				0.5
32	12/21/2006 15:18			0.6				0.6
33	12/21/2006 15:33			0.6				0.6
34	12/21/2006 15:48			0.6				0.6
35	12/21/2006 16:03			0.6				0.6
36	12/21/2006 16:18			0.6				0.6
37	12/21/2006 16:33			0.6				0.6
38	12/21/2006 16:48			0.7				0.7
39	12/21/2006 17:03			0.7				0.7
40	12/21/2006 17:18			0.7				0.7
41	12/21/2006 17:33			0.7				0.7
42	12/21/2006 17:48			0.7				0.7
43	12/21/2006 18:03			0.7				0.7
44	12/21/2006 18:18			0.8				0.8
45	12/21/2006 18:33			0.8				0.8
46	12/21/2006 18:48			0.8				0.8
47	12/21/2006 19:03			0.8				0.8
48	12/21/2006 19:18			0.9				0.9
49	12/21/2006 19:33			0.9				0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	12/21/2006
Start Time:	7:22:36
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (07:15) = 0.036 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/30/1999

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/21/2006	7:37:36	0.021	-0.015	-15	
12/21/2006	7:52:36	0.041	0.005	5	
12/21/2006	8:07:36	0.041	0.005	5	
12/21/2006	8:22:36	0.051	0.015	15	
12/21/2006	8:37:36	0.06	0.024	24	
12/21/2006	8:52:36	0.046	0.01	10	
12/21/2006	9:07:36	0.052	0.016	16	
12/21/2006	9:22:36	0.041	0.005	5	
12/21/2006	9:37:36	0.043	0.007	7	
12/21/2006	9:52:36	0.042	0.006	6	
12/21/2006	10:07:36	0.048	0.012	12	
12/21/2006	10:22:36	0.049	0.013	13	
12/21/2006	10:37:36	0.048	0.012	12	
12/21/2006	10:52:36	0.041	0.005	5	
12/21/2006	11:07:36	0.045	0.009	9	
12/21/2006	11:22:36	0.041	0.005	5	
12/21/2006	11:37:36	0.04	0.004	4	
12/21/2006	11:52:36	0.041	0.005	5	Dust Trak memory failed at 11:52
12/21/2006	18:56:15	0.032	-0.004	-4	Unit Replaced at 18:56
12/21/2006	19:11:15	0.035	-0.001	-1	
12/21/2006	19:26:15	0.034	-0.002	-2	
12/21/2006	19:41:15	0.032	-0.004	-4	
12/21/2006	19:56:15	0.024	-0.012	-12	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/21/2006 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:10) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/21/2006 7:28			0				0
2	12/21/2006 7:43			0				0
3	12/21/2006 7:58			0				0
4	12/21/2006 8:13			0				0
5	12/21/2006 8:28			0				0
6	12/21/2006 8:43			0				0
7	12/21/2006 8:58			0				0
8	12/21/2006 9:13			0				0
9	12/21/2006 9:28			0				0
10	12/21/2006 9:43			0				0
11	12/21/2006 9:58			0				0
12	12/21/2006 10:13			0				0
13	12/21/2006 10:28			0				0
14	12/21/2006 10:43			0				0
15	12/21/2006 10:58			0				0
16	12/21/2006 11:13			0				0
17	12/21/2006 11:28			0				0
18	12/21/2006 11:43			0				0
19	12/21/2006 11:58			0				0
20	12/21/2006 12:13			0				0
21	12/21/2006 12:28			0				0
22	12/21/2006 12:43			0				0
23	12/21/2006 12:58			0				0
24	12/21/2006 13:13			0				0
25	12/21/2006 13:28			0				0
26	12/21/2006 13:43			0				0
27	12/21/2006 13:58			0				0
28	12/21/2006 14:13			0				0
29	12/21/2006 14:28			0				0
30	12/21/2006 14:43			0				0
31	12/21/2006 14:58			0				0
32	12/21/2006 15:13			0				0
33	12/21/2006 15:28			0				0
34	12/21/2006 15:43			0				0
35	12/21/2006 15:58			0				0
36	12/21/2006 16:13			0				0
37	12/21/2006 16:28			0				0
38	12/21/2006 16:43			0				0
39	12/21/2006 16:58			0				0
40	12/21/2006 17:13			0				0
41	12/21/2006 17:28			0				0
42	12/21/2006 17:43			0				0
43	12/21/2006 17:58			0				0
44	12/21/2006 18:13			0				0
45	12/21/2006 18:28			0				0
46	12/21/2006 18:43			0				0
47	12/21/2006 18:58			0				0
48	12/21/2006 19:13			0				0
49	12/21/2006 19:28			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/21/2006
Start Time:	7:18:44
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (07:1) = 0.041 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/21/2006	7:33:44	0.046	0.005	5
12/21/2006	7:48:44	0.05	0.009	9
12/21/2006	8:03:44	0.05	0.009	9
12/21/2006	8:18:44	0.053	0.012	12
12/21/2006	8:33:44	0.054	0.013	13
12/21/2006	8:48:44	0.056	0.015	15
12/21/2006	9:03:44	0.051	0.01	10
12/21/2006	9:18:44	0.048	0.007	7
12/21/2006	9:33:44	0.047	0.006	6
12/21/2006	9:48:44	0.05	0.009	9
12/21/2006	10:03:44	0.051	0.01	10
12/21/2006	10:18:44	0.054	0.013	13
12/21/2006	10:33:44	0.055	0.014	14
12/21/2006	10:48:44	0.047	0.006	6
12/21/2006	11:03:44	0.048	0.007	7
12/21/2006	11:18:44	0.046	0.005	5
12/21/2006	11:33:44	0.045	0.004	4
12/21/2006	11:48:44	0.05	0.009	9
12/21/2006	12:03:44	0.044	0.003	3
12/21/2006	12:18:44	0.041	0	0
12/21/2006	12:33:44	0.036	-0.005	-5
12/21/2006	12:48:44	0.035	-0.006	-6
12/21/2006	13:03:44	0.032	-0.009	-9
12/21/2006	13:18:44	0.029	-0.012	-12
12/21/2006	13:33:44	0.03	-0.011	-11
12/21/2006	13:48:44	0.03	-0.011	-11
12/21/2006	14:03:44	0.029	-0.012	-12
12/21/2006	14:18:44	0.026	-0.015	-15
12/21/2006	14:33:44	0.024	-0.017	-17
12/21/2006	14:48:44	0.022	-0.019	-19
12/21/2006	15:03:44	0.031	-0.01	-10
12/21/2006	15:18:44	0.029	-0.012	-12
12/21/2006	15:33:44	0.033	-0.008	-8
12/21/2006	15:48:44	0.029	-0.012	-12
12/21/2006	16:03:44	0.026	-0.015	-15
12/21/2006	16:18:44	0.031	-0.01	-10
12/21/2006	16:33:44	0.03	-0.011	-11
12/21/2006	16:48:44	0.027	-0.014	-14
12/21/2006	17:03:44	0.031	-0.01	-10
12/21/2006	17:18:44	0.051	0.01	10
12/21/2006	17:33:44	0.036	-0.005	-5
12/21/2006	17:48:44	0.036	-0.005	-5
12/21/2006	18:03:44	0.034	-0.007	-7
12/21/2006	18:18:44	0.037	-0.004	-4
12/21/2006	18:33:44	0.029	-0.012	-12
12/21/2006	18:48:44	0.041	0	0
12/21/2006	19:03:44	0.037	-0.004	-4
12/21/2006	19:18:44	0.034	-0.007	-7
12/21/2006	19:33:44	0.030	-0.011	-11
12/21/2006	19:48:44	0.027	-0.014	-14

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/22/2006 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:05) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/22/2006 7:25			0				0	
2	12/22/2006 7:40			0				0	
3	12/22/2006 7:55			0				0	
4	12/22/2006 8:10			0				0	
5	12/22/2006 8:25			0				0	
6	12/22/2006 8:40			0				0	
7	12/22/2006 8:55			0				0	
8	12/22/2006 9:10			0				0	
9	12/22/2006 9:25			0				0	
10	12/22/2006 9:40			0				0	
11	12/22/2006 9:55			0				0	
12	12/22/2006 10:10			0				0	
13	12/22/2006 10:25			0				0	
14	12/22/2006 10:40			0				0	
15	12/22/2006 10:55			0				0	
16	12/22/2006 11:10			0				0	
17	12/22/2006 11:25			0				0	
18	12/22/2006 11:40			0				0	
19	12/22/2006 11:55			0				0	
20	12/22/2006 12:10			0				0	
21	12/22/2006 12:25			0				0	
22	12/22/2006 12:40			0				0	
23	12/22/2006 12:55			0				0	
24	12/22/2006 13:10			0				0	
25	12/22/2006 13:25			0				0	
26	12/22/2006 13:40			0				0	
27	12/22/2006 13:55			0				0	
28	12/22/2006 14:10			0				0	
29	12/22/2006 14:25			0				0	
30	12/22/2006 14:40			0				0	
31	12/22/2006 14:55			0				0	
32	12/22/2006 15:10			0				0	
33	12/22/2006 15:25			0				0	
34	12/22/2006 15:40			0.2				0.2	*Shaw testing of AKRF equipment at STA 1
35	12/22/2006 15:55			0				0	
36	12/22/2006 16:10			0				0	
37	12/22/2006 16:25			0				0	
38	12/22/2006 16:40			0				0	
39	12/22/2006 16:55			0				0	
40	12/22/2006 17:10			0				0	
41	12/22/2006 17:25			0				0	
42	12/22/2006 17:40			0				0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	12/22/2006
Start Time:	7:11:59
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (07:05) = 0.019 ug/m3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/22/2006	7:26:59	0.019	0	0	
12/22/2006	7:41:59	0.022	0.003	3	
12/22/2006	7:56:59	0.024	0.005	5	
12/22/2006	8:11:59	0.025	0.006	6	
12/22/2006	8:26:59	0.027	0.008	8	
12/22/2006	8:41:59	0.028	0.009	9	
12/22/2006	8:56:59	0.026	0.007	7	
12/22/2006	9:11:59	0.028	0.009	9	
12/22/2006	9:26:59	0.026	0.007	7	
12/22/2006	9:41:59	0.024	0.005	5	
12/22/2006	9:56:59	0.024	0.005	5	
12/22/2006	10:11:59	0.024	0.005	5	
12/22/2006	10:26:59	0.023	0.004	4	
12/22/2006	10:41:59	0.028	0.009	9	
12/22/2006	10:56:59	0.026	0.007	7	
12/22/2006	11:11:59	0.023	0.004	4	
12/22/2006	11:26:59	0.021	0.002	2	
12/22/2006	11:41:59	0.025	0.006	6	
12/22/2006	11:56:59	0.023	0.004	4	
12/22/2006	12:11:59	0.021	0.002	2	
12/22/2006	12:26:59	0.019	0	0	
12/22/2006	12:41:59	0.019	0	0	
12/22/2006	12:56:59	0.017	-0.002	-2	
12/22/2006	13:11:59	0.017	-0.002	-2	
12/22/2006	13:26:59	0.017	-0.002	-2	
12/22/2006	13:41:59	0.019	0	0	
12/22/2006	13:56:59	0.019	0	0	
12/22/2006	14:11:59	0.017	-0.002	-2	
12/22/2006	14:26:59	0.017	-0.002	-2	
12/22/2006	14:41:59	0.016	-0.003	-3	
12/22/2006	14:56:59	0.018	-0.001	-1	
12/22/2006	15:11:59	0.034	0.015	15	
12/22/2006	15:26:59	0.023	0.004	4	
12/22/2006	15:41:59	0.019	0	0	
12/22/2006	15:56:59	0.321	0.302	302	*Elevated reading due to Shaw testing of AKRF equipment at STA 1
12/22/2006	16:11:59	0.016	-0.003	-3	
12/22/2006	16:26:59	0.015	-0.004	-4	
12/22/2006	16:41:59	0.014	-0.005	-5	
12/22/2006	16:56:59	0.014	-0.005	-5	
12/22/2006	17:11:59	0.014	-0.005	-5	
12/22/2006	17:26:59	0.016	-0.003	-3	
12/22/2006	17:41:59	0.017	-0.002	-2	
12/22/2006	17:56:59	0.019	0	0	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/22/2006 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:30) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	12/22/2006 7:46			0				0	
2	12/22/2006 8:01			0				0	
3	12/22/2006 8:16			0				0	
4	12/22/2006 8:31			0				0	
5	12/22/2006 8:46			0				0	
6	12/22/2006 9:01			0				0	
7	12/22/2006 9:16			0				0	
8	12/22/2006 9:31			0				0	
9	12/22/2006 9:46			0				0	
10	12/22/2006 10:01			0				0	
11	12/22/2006 10:16			0				0	
12	12/22/2006 10:31			0				0	
13	12/22/2006 10:46			0				0	
14	12/22/2006 11:01			0				0	
15	12/22/2006 11:16			0				0	
16	12/22/2006 11:31			0				0	
17	12/22/2006 11:46			0				0	
18	12/22/2006 12:01			0				0	
19	12/22/2006 12:16			0				0	
20	12/22/2006 12:31			0				0	
21	12/22/2006 12:46			0				0	
22	12/22/2006 13:01			0				0	
23	12/22/2006 13:16			0				0	
24	12/22/2006 13:31			0				0	
25	12/22/2006 13:46			0				0	
26	12/22/2006 14:01			0				0	
27	12/22/2006 14:16			0				0	
28	12/22/2006 14:31			0				0	
29	12/22/2006 14:46			0				0	
30	12/22/2006 15:01			0				0	
31	12/22/2006 15:16			0				0	
32	12/22/2006 15:31			0				0	
33	12/22/2006 15:46			0.2				0.2	*Shaw testing of AKRF equipment at STA 2
34	12/22/2006 16:01			0				0	
35	12/22/2006 16:16			0				0	
36	12/22/2006 16:31			0				0	
37	12/22/2006 16:46			0				0	
38	12/22/2006 17:01			0				0	
39	12/22/2006 17:16			0				0	
40	12/22/2006 17:31			0				0	
41	12/22/2006 17:46			0				0	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	12/22/2006
Start Time:	7:38:04
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (07:30) = 0.015 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3
12/22/2006	7:53:04	0.013	-0.002	-2
12/22/2006	8:08:04	0.015	0	0
12/22/2006	8:23:04	0.015	0	0
12/22/2006	8:38:04	0.016	0.001	1
12/22/2006	8:53:04	0.014	-0.001	-1
12/22/2006	9:08:04	0.016	0.001	1
12/22/2006	9:23:04	0.017	0.002	2
12/22/2006	9:38:04	0.014	-0.001	-1
12/22/2006	9:53:04	0.015	0	0
12/22/2006	10:08:04	0.014	-0.001	-1
12/22/2006	10:23:04	0.013	-0.002	-2
12/22/2006	10:38:04	0.015	0	0
12/22/2006	10:53:04	0.015	0	0
12/22/2006	11:08:04	0.014	-0.001	-1
12/22/2006	11:23:04	0.013	-0.002	-2
12/22/2006	11:38:04	0.013	-0.002	-2
12/22/2006	11:53:04	0.014	-0.001	-1
12/22/2006	12:08:04	0.013	-0.002	-2
12/22/2006	12:23:04	0.013	-0.002	-2
12/22/2006	12:38:04	0.011	-0.004	-4
12/22/2006	12:53:04	0.011	-0.004	-4
12/22/2006	13:08:04	0.01	-0.005	-5
12/22/2006	13:23:04	0.01	-0.005	-5
12/22/2006	13:38:04	0.01	-0.005	-5
12/22/2006	13:53:04	0.011	-0.004	-4
12/22/2006	14:08:04	0.01	-0.005	-5
12/22/2006	14:23:04	0.009	-0.006	-6
12/22/2006	14:38:04	0.01	-0.005	-5
12/22/2006	14:53:04	0.01	-0.005	-5
12/22/2006	15:08:04	0.024	0.009	9
12/22/2006	15:23:04	0.018	0.003	3
12/22/2006	15:38:04	0.015	0	0
12/22/2006	15:53:04	0.011	-0.004	-4
12/22/2006	16:08:04	0.012	-0.003	-3
12/22/2006	16:23:04	0.008	-0.007	-7
12/22/2006	16:38:04	0.008	-0.007	-7
12/22/2006	16:53:04	0.008	-0.007	-7
12/22/2006	17:08:04	0.008	-0.007	-7
12/22/2006	17:23:04	0.009	-0.006	-6
12/22/2006	17:38:04	0.01	-0.005	-5
12/22/2006	17:53:04	0.01	-0.005	-5
12/22/2006	18:08:04	0.011	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/22/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:20) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/22/2006 7:40			0.1				0.1
2	12/22/2006 7:55			0.1				0.1
3	12/22/2006 8:10			0.2				0.2
4	12/22/2006 8:25			0.2				0.2
5	12/22/2006 8:40			0.2				0.2
6	12/22/2006 8:55			0.3				0.3
7	12/22/2006 9:10			0.3				0.3
8	12/22/2006 9:25			0.3				0.3
9	12/22/2006 9:40			0.3				0.3
10	12/22/2006 9:55			0.3				0.3
11	12/22/2006 10:10			0.3				0.3
12	12/22/2006 10:25			0.3				0.3
13	12/22/2006 10:40			0.3				0.3
14	12/22/2006 10:55			0.3				0.3
15	12/22/2006 11:10			0.3				0.3
16	12/22/2006 11:25			0.3				0.3
17	12/22/2006 11:40			0.3				0.3
18	12/22/2006 11:55			0.3				0.3
19	12/22/2006 12:10			0.3				0.3
20	12/22/2006 12:25			0.3				0.3
21	12/22/2006 12:40			0.3				0.3
22	12/22/2006 12:55			0.3				0.3
23	12/22/2006 13:10			0.3				0.3
24	12/22/2006 13:25			0.3				0.3
25	12/22/2006 13:40			0.3				0.3
26	12/22/2006 13:55			0.4				0.4
27	12/22/2006 14:10			0.4				0.4
28	12/22/2006 14:25			0.4				0.4
29	12/22/2006 14:40			0.4				0.4
30	12/22/2006 14:55			0.4				0.4
31	12/22/2006 15:10			0.3				0.3
32	12/22/2006 15:25			0.4				0.4
33	12/22/2006 15:40			0.3				0.3
34	12/22/2006 15:55			0.4				0.4
35	12/22/2006 16:10			0.3				0.3
36	12/22/2006 16:25			0.3				0.3
37	12/22/2006 16:40			0.3				0.3
38	12/22/2006 16:55			0.4				0.4
39	12/22/2006 17:10			0.3				0.3
40	12/22/2006 17:25			0.4				0.4
41	12/22/2006 17:40			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	4
Test Abbreviation:	
Start Date:	12/22/2006
Start Time:	7:27:01
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (07:20) = 0.022 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/22/2006	7:42:01	0.023	0.001	1	
12/22/2006	7:57:01	0.024	0.002	2	
12/22/2006	8:12:01	0.025	0.003	3	
12/22/2006	8:27:01	0.027	0.005	5	
12/22/2006	8:42:01	0.026	0.004	4	
12/22/2006	8:57:01	0.032	0.01	10	
12/22/2006	9:12:01	0.03	0.008	8	
12/22/2006	9:27:01	0.027	0.005	5	
12/22/2006	9:42:01	0.025	0.003	3	
12/22/2006	9:57:01	0.025	0.003	3	
12/22/2006	10:12:01	0.024	0.002	2	
12/22/2006	10:27:01	0.024	0.002	2	
12/22/2006	10:42:01	0.026	0.004	4	
12/22/2006	10:57:01	0.026	0.004	4	
12/22/2006	11:12:01	0.025	0.003	3	
12/22/2006	11:27:01	0.023	0.001	1	
12/22/2006	11:42:01	0.024	0.002	2	
12/22/2006	11:57:01	0.024	0.002	2	
12/22/2006	12:12:01	0.023	0.001	1	
12/22/2006	12:27:01	0.021	-0.001	-1	
12/22/2006	12:42:01	0.019	-0.003	-3	
12/22/2006	12:57:01	0.019	-0.003	-3	
12/22/2006	13:12:01	0.017	-0.005	-5	
12/22/2006	13:27:01	0.018	-0.004	-4	
12/22/2006	13:42:01	0.019	-0.003	-3	
12/22/2006	13:57:01	0.019	-0.003	-3	
12/22/2006	14:12:01	0.018	-0.004	-4	
12/22/2006	14:27:01	0.017	-0.005	-5	
12/22/2006	14:42:01	0.018	-0.004	-4	
12/22/2006	14:57:01	0.025	0.003	3	
12/22/2006	15:12:01	0.035	0.013	13	
12/22/2006	15:27:01	0.028	0.006	6	
12/22/2006	15:42:01	0.022	0	0	
12/22/2006	15:57:01	0.019	-0.003	-3	
12/22/2006	16:12:01	0.126	0.104	104	*Shaw testing of AKRF equipment at STA 3
12/22/2006	16:27:01	0.018	-0.004	-4	
12/22/2006	16:42:01	0.015	-0.007	-7	
12/22/2006	16:57:01	0.014	-0.008	-8	
12/22/2006	17:12:01	0.022	0	0	
12/22/2006	17:27:01	0.019	-0.003	-3	
12/22/2006	17:42:01	0.019	-0.003	-3	
12/22/2006	17:57:01	0.019	-0.003	-3	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/22/2006 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:04) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/22/2006 7:57			0				0
2	12/22/2006 8:12			0				0
3	12/22/2006 8:27			0				0
4	12/22/2006 8:42			0				0
5	12/22/2006 8:57			0				0
6	12/22/2006 9:12			0				0
7	12/22/2006 9:27			0				0
8	12/22/2006 9:42			0				0
9	12/22/2006 9:57			0				0
10	12/22/2006 10:12			0				0
11	12/22/2006 10:27			0				0
12	12/22/2006 10:42			0				0
13	12/22/2006 10:57			0				0
14	12/22/2006 11:12			0				0
15	12/22/2006 11:27			0				0
16	12/22/2006 11:42			0				0
17	12/22/2006 11:57			0				0
18	12/22/2006 12:12			0				0
19	12/22/2006 12:27			0				0
20	12/22/2006 12:42			0				0
21	12/22/2006 12:57			0				0
22	12/22/2006 13:12			0				0
23	12/22/2006 13:27			0				0
24	12/22/2006 13:42			0				0
25	12/22/2006 13:57			0				0
26	12/22/2006 14:12			0				0
27	12/22/2006 14:27			0				0
28	12/22/2006 14:42			0				0
29	12/22/2006 14:57			0				0
30	12/22/2006 15:12			0				0
31	12/22/2006 15:27			0.1				0.1
32	12/22/2006 15:42			0.1				0.1
33	12/22/2006 15:57			0.1				0.1
34	12/22/2006 16:12			0				0
35	12/22/2006 16:27			0				0
36	12/22/2006 16:42			0				0
37	12/22/2006 16:57			0				0
38	12/22/2006 17:12			0				0
39	12/22/2006 17:27			0				0
40	12/22/2006 17:42			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	12/22/2006
Start Time:	7:14:17
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	Background Reading (07:04) = 0.021 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/22/2006	7:29:17	0.016	-0.005	-5	
12/22/2006	8:02:45	0.019	-0.002	-2	
12/22/2006	8:17:45	0.02	-0.001	-1	
12/22/2006	8:32:45	0.024	0.003	3	
12/22/2006	8:47:45	0.025	0.004	4	
12/22/2006	9:02:45	0.022	0.001	1	
12/22/2006	9:17:45	0.025	0.004	4	
12/22/2006	9:32:45	0.024	0.003	3	
12/22/2006	9:47:45	0.02	-0.001	-1	
12/22/2006	10:02:45	0.019	-0.002	-2	
12/22/2006	10:17:45	0.018	-0.003	-3	
12/22/2006	10:32:45	0.022	0.001	1	
12/22/2006	10:47:45	0.02	-0.001	-1	
12/22/2006	11:02:45	0.019	-0.002	-2	
12/22/2006	11:17:45	0.019	-0.002	-2	
12/22/2006	11:32:45	0.017	-0.004	-4	
12/22/2006	11:47:45	0.019	-0.002	-2	
12/22/2006	12:02:45	0.019	-0.002	-2	
12/22/2006	12:17:45	0.019	-0.002	-2	
12/22/2006	12:32:45	0.015	-0.006	-6	
12/22/2006	12:47:45	0.014	-0.007	-7	
12/22/2006	13:02:45	0.014	-0.007	-7	
12/22/2006	13:17:45	0.013	-0.008	-8	
12/22/2006	13:32:45	0.014	-0.007	-7	
12/22/2006	13:47:45	0.015	-0.006	-6	
12/22/2006	14:02:45	0.015	-0.006	-6	
12/22/2006	14:17:45	0.013	-0.008	-8	
12/22/2006	14:32:45	0.014	-0.007	-7	
12/22/2006	14:47:45	0.016	-0.005	-5	
12/22/2006	15:02:45	0.025	0.004	4	
12/22/2006	15:17:45	0.023	0.002	2	
12/22/2006	15:32:45	0.025	0.004	4	
12/22/2006	15:47:45	0.038	0.017	17	
12/22/2006	16:02:45	0.016	-0.005	-5	
12/22/2006	16:17:45	0.096	0.075	75	*Shaw testing of AKRF equipment at STA 4
12/22/2006	16:32:45	0.012	-0.009	-9	
12/22/2006	16:47:45	0.013	-0.008	-8	
12/22/2006	17:02:45	0.015	-0.006	-6	
12/22/2006	17:17:45	0.015	-0.006	-6	
12/22/2006	17:32:45	0.017	-0.004	-4	
12/22/2006	17:47:45	0.021	0	0	
12/22/2006	18:02:45	0.016	-0.005	-5	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/26/2006 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/26/2006 7:15			0				0
2	12/26/2006 7:30			0				0
3	12/26/2006 7:45			0				0
4	12/26/2006 8:00			0.1				0.1
5	12/26/2006 8:15			0.1				0.1
6	12/26/2006 8:30			0.1				0.1
7	12/26/2006 8:45			0.1				0.1
8	12/26/2006 9:00			0.1				0.1
9	12/26/2006 9:15			0.1				0.1
10	12/26/2006 9:30			0.1				0.1
11	12/26/2006 9:45			0.1				0.1
12	12/26/2006 10:00			0.1				0.1
13	12/26/2006 10:15			0.1				0.1
14	12/26/2006 10:30			0.1				0.1
15	12/26/2006 10:45			0.1				0.1
16	12/26/2006 11:00			0.1				0.1
17	12/26/2006 11:15			0.1				0.1
18	12/26/2006 11:30			0.1				0.1
19	12/26/2006 11:45			0.1				0.1
20	12/26/2006 12:00			0.1				0.1
21	12/26/2006 12:15			0.1				0.1
22	12/26/2006 12:30			0.1				0.1
23	12/26/2006 12:45			0.1				0.1
24	12/26/2006 13:00			0.1				0.1
25	12/26/2006 13:15			0.1				0.1
26	12/26/2006 13:30			0.1				0.1
27	12/26/2006 13:45			0.1				0.1
28	12/26/2006 14:00			0.1				0.1
29	12/26/2006 14:15			0.1				0.1
30	12/26/2006 14:30			0.1				0.1
31	12/26/2006 14:45			0.1				0.1
32	12/26/2006 15:00			0.1				0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	12/26/2006
Start Time:	7:02:05
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (06:55) = 0.021 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/26/2006	7:17:05	0.02	-0.001	-1
12/26/2006	7:32:05	0.02	-0.001	-1
12/26/2006	7:47:05	0.033	0.012	12
12/26/2006	8:02:05	0.033	0.012	12
12/26/2006	8:17:05	0.032	0.011	11
12/26/2006	8:32:05	0.04	0.019	19
12/26/2006	8:47:05	0.042	0.021	21
12/26/2006	9:02:05	0.045	0.024	24
12/26/2006	9:17:05	0.05	0.029	29
12/26/2006	9:32:05	0.059	0.038	38
12/26/2006	9:47:05	0.056	0.035	35
12/26/2006	10:02:05	0.055	0.034	34
12/26/2006	10:17:05	0.056	0.035	35
12/26/2006	10:32:05	0.065	0.044	44
12/26/2006	10:47:05	0.079	0.058	58
12/26/2006	11:02:05	0.076	0.055	55
12/26/2006	11:17:05	0.069	0.048	48
12/26/2006	11:32:05	0.072	0.051	51
12/26/2006	11:47:05	0.056	0.035	35
12/26/2006	12:02:05	0.044	0.023	23
12/26/2006	12:17:05	0.043	0.022	22
12/26/2006	12:32:05	0.026	0.005	5
12/26/2006	12:47:05	0.025	0.004	4
12/26/2006	13:02:05	0.025	0.004	4
12/26/2006	13:17:05	0.026	0.005	5
12/26/2006	13:32:05	0.027	0.006	6
12/26/2006	13:47:05	0.028	0.007	7
12/26/2006	14:02:05	0.026	0.005	5
12/26/2006	14:17:05	0.028	0.007	7
12/26/2006	14:32:05	0.028	0.007	7
12/26/2006	14:47:05	0.03	0.009	9
12/26/2006	15:02:05	0.025	0.004	4
12/26/2006	15:17:05	0.026	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/26/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:55) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/26/2006 7:14			0				0
2	12/26/2006 7:29			0				0
3	12/26/2006 7:44			0				0
4	12/26/2006 7:59			0				0
5	12/26/2006 8:14			0				0
6	12/26/2006 8:29			0				0
7	12/26/2006 8:44			0				0
8	12/26/2006 8:59			0				0
9	12/26/2006 9:14			0				0
10	12/26/2006 9:29			0				0
11	12/26/2006 9:44			0				0
12	12/26/2006 9:59			0				0
13	12/26/2006 10:14			0				0
14	12/26/2006 10:29			0				0
15	12/26/2006 10:44			0				0
16	12/26/2006 10:59			0				0
17	12/26/2006 11:14			0				0
18	12/26/2006 11:29			0				0
19	12/26/2006 11:44			0				0
20	12/26/2006 11:59			0				0
21	12/26/2006 12:14			0				0
22	12/26/2006 12:29			0				0
23	12/26/2006 12:44			0				0
24	12/26/2006 12:59			0				0
25	12/26/2006 13:14			0				0
26	12/26/2006 13:29			0				0
27	12/26/2006 13:44			0				0
28	12/26/2006 13:59			0				0
29	12/26/2006 14:14			0				0
30	12/26/2006 14:29			0				0
31	12/26/2006 14:44			0				0
32	12/26/2006 14:59			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	12/26/2006
Start Time:	7:06:46
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (06:56) = 0.011 ug/m3

Calibration Sensor: Aerosol
Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/26/2006	7:21:46	0.012	0.001	1
12/26/2006	7:36:46	0.017	0.006	6
12/26/2006	7:51:46	0.018	0.007	7
12/26/2006	8:06:46	0.02	0.009	9
12/26/2006	8:21:46	0.02	0.009	9
12/26/2006	8:36:46	0.023	0.012	12
12/26/2006	8:51:46	0.026	0.015	15
12/26/2006	9:06:46	0.029	0.018	18
12/26/2006	9:21:46	0.029	0.018	18
12/26/2006	9:36:46	0.034	0.023	23
12/26/2006	9:51:46	0.034	0.023	23
12/26/2006	10:06:46	0.035	0.024	24
12/26/2006	10:21:46	0.034	0.023	23
12/26/2006	10:36:46	0.039	0.028	28
12/26/2006	10:51:46	0.047	0.036	36
12/26/2006	11:06:46	0.043	0.032	32
12/26/2006	11:21:46	0.041	0.03	30
12/26/2006	11:36:46	0.039	0.028	28
12/26/2006	11:51:46	0.03	0.019	19
12/26/2006	12:06:46	0.023	0.012	12
12/26/2006	12:21:46	0.022	0.011	11
12/26/2006	12:36:46	0.012	0.001	1
12/26/2006	12:51:46	0.012	0.001	1
12/26/2006	13:06:46	0.012	0.001	1
12/26/2006	13:21:46	0.013	0.002	2
12/26/2006	13:36:46	0.014	0.003	3
12/26/2006	13:51:46	0.014	0.003	3
12/26/2006	14:06:46	0.014	0.003	3
12/26/2006	14:21:46	0.014	0.003	3
12/26/2006	14:36:46	0.013	0.002	2
12/26/2006	14:51:46	0.014	0.003	3
12/26/2006	15:06:46	0.013	0.002	2
12/26/2006	15:21:46	0.013	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/26/2006 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:10) = 0.3 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/26/2006 7:28			0.5				0.2
2	12/26/2006 7:43			0.7				0.4
3	12/26/2006 7:58			0.8				0.5
4	12/26/2006 8:13			0.8				0.5
5	12/26/2006 8:28			0.9				0.6
6	12/26/2006 8:43			0.9				0.6
7	12/26/2006 8:58			0.9				0.6
8	12/26/2006 9:13			0.9				0.6
9	12/26/2006 9:28			1				0.7
10	12/26/2006 9:43			1				0.7
11	12/26/2006 9:58			1				0.7
12	12/26/2006 10:13			1				0.7
13	12/26/2006 10:28			1.1				0.8
14	12/26/2006 10:43			1.1				0.8
15	12/26/2006 10:58			1.5				1.2
16	12/26/2006 11:13			1.5				1.2
17	12/26/2006 11:28			1.4				1.1
18	12/26/2006 11:43			1.2				0.9
19	12/26/2006 11:58			1.1				0.8
20	12/26/2006 12:13			0.9				0.6
21	12/26/2006 12:28			0.9				0.6
22	12/26/2006 12:43			0.8				0.5
23	12/26/2006 12:58			0.8				0.5
24	12/26/2006 13:13			0.8				0.5
25	12/26/2006 13:28			0.9				0.6
26	12/26/2006 13:43			0.8				0.5
27	12/26/2006 13:58			0.8				0.5
28	12/26/2006 14:13			0.8				0.5
29	12/26/2006 14:28			0.7				0.4
30	12/26/2006 14:43			0.6				0.3
31	12/26/2006 14:58			0.6				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	1
Test Abbreviation:	
Start Date:	12/26/2006
Start Time:	7:15:24
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:10) = 0.017 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/26/2006	7:30:24	0.022	0.005	5
12/26/2006	7:45:24	0.029	0.012	12
12/26/2006	8:00:24	0.033	0.016	16
12/26/2006	8:15:24	0.032	0.015	15
12/26/2006	8:30:24	0.039	0.022	22
12/26/2006	8:45:24	0.04	0.023	23
12/26/2006	9:00:24	0.044	0.027	27
12/26/2006	9:15:24	0.045	0.028	28
12/26/2006	9:30:24	0.063	0.046	46
12/26/2006	9:45:24	0.059	0.042	42
12/26/2006	10:00:24	0.056	0.039	39
12/26/2006	10:15:24	0.059	0.042	42
12/26/2006	10:30:24	0.063	0.046	46
12/26/2006	10:45:24	0.083	0.066	66
12/26/2006	11:00:24	0.08	0.063	63
12/26/2006	11:15:24	0.071	0.054	54
12/26/2006	11:30:24	0.075	0.058	58
12/26/2006	11:45:24	0.06	0.043	43
12/26/2006	12:00:24	0.047	0.03	30
12/26/2006	12:15:24	0.045	0.028	28
12/26/2006	12:30:24	0.027	0.01	10
12/26/2006	12:45:24	0.023	0.006	6
12/26/2006	13:00:24	0.026	0.009	9
12/26/2006	13:15:24	0.029	0.012	12
12/26/2006	13:30:24	0.032	0.015	15
12/26/2006	13:45:24	0.028	0.011	11
12/26/2006	14:00:24	0.028	0.011	11
12/26/2006	14:15:24	0.03	0.013	13
12/26/2006	14:30:24	0.027	0.01	10
12/26/2006	14:45:24	0.028	0.011	11
12/26/2006	15:00:24	0.03	0.013	13
12/26/2006	15:15:24	0.03	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/26/2006 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (07:15) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/26/2006 7:35			0				0
2	12/26/2006 7:50			0				0
3	12/26/2006 8:05			0				0
4	12/26/2006 8:20			0				0
5	12/26/2006 8:35			0				0
6	12/26/2006 8:50			0				0
7	12/26/2006 9:05			0				0
8	12/26/2006 9:20			0				0
9	12/26/2006 9:35			0				0
10	12/26/2006 9:50			0				0
11	12/26/2006 10:05			0				0
12	12/26/2006 10:20			0				0
13	12/26/2006 10:35			0				0
14	12/26/2006 10:50			0				0
15	12/26/2006 11:05			0				0
16	12/26/2006 11:20			0				0
17	12/26/2006 11:35			0				0
18	12/26/2006 11:50			0				0
19	12/26/2006 12:05			0				0
20	12/26/2006 12:20			0				0
21	12/26/2006 12:35			0				0
22	12/26/2006 12:50			0				0
23	12/26/2006 13:05			0				0
24	12/26/2006 13:20			0				0
25	12/26/2006 13:35			0				0
26	12/26/2006 13:50			0				0
27	12/26/2006 14:05			0				0
28	12/26/2006 14:20			0				0
29	12/26/2006 14:35			0				0
30	12/26/2006 14:50			0				0
31	12/26/2006 15:05			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	12/26/2006
Start Time:	7:24:46
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:15) = 0.016 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/26/2006	7:39:46	0.018	0.002	2
12/26/2006	7:54:46	0.023	0.007	7
12/26/2006	8:09:46	0.024	0.008	8
12/26/2006	8:24:46	0.026	0.01	10
12/26/2006	8:39:46	0.029	0.013	13
12/26/2006	8:54:46	0.032	0.016	16
12/26/2006	9:09:46	0.033	0.017	17
12/26/2006	9:24:46	0.039	0.023	23
12/26/2006	9:39:46	0.041	0.025	25
12/26/2006	9:54:46	0.041	0.025	25
12/26/2006	10:09:46	0.044	0.028	28
12/26/2006	10:24:46	0.042	0.026	26
12/26/2006	10:39:46	0.055	0.039	39
12/26/2006	10:54:46	0.06	0.044	44
12/26/2006	11:09:46	0.056	0.04	40
12/26/2006	11:24:46	0.061	0.045	45
12/26/2006	11:39:46	0.052	0.036	36
12/26/2006	11:54:46	0.041	0.025	25
12/26/2006	12:09:46	0.038	0.022	22
12/26/2006	12:24:46	0.029	0.013	13
12/26/2006	12:39:46	0.018	0.002	2
12/26/2006	12:54:46	0.019	0.003	3
12/26/2006	13:09:46	0.019	0.003	3
12/26/2006	13:24:46	0.021	0.005	5
12/26/2006	13:39:46	0.022	0.006	6
12/26/2006	13:54:46	0.021	0.005	5
12/26/2006	14:09:46	0.022	0.006	6
12/26/2006	14:24:46	0.022	0.006	6
12/26/2006	14:39:46	0.021	0.005	5
12/26/2006	14:54:46	0.022	0.006	6
12/26/2006	15:09:46	0.021	0.005	5
12/26/2006	15:24:46	0.02	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/27/2006 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:23) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)	
1	12/27/2006 6:41		0		0	
2	12/27/2006 6:56		0		0	
3	12/27/2006 7:11		0.1		0.1	
4	12/27/2006 7:26		0.1		0.1	
5	12/27/2006 7:41		0.1		0.1	
6	12/27/2006 7:56		0.2		0.2	
7	12/27/2006 8:11		0.2		0.2	
8	12/27/2006 8:26		0.2		0.2	
9	12/27/2006 8:41		0.2		0.2	
10	12/27/2006 8:56		0.2		0.2	
11	12/27/2006 9:11		0.2		0.2	
12	12/27/2006 9:26		0.2		0.2	
13	12/27/2006 9:41		0.2		0.2	
14	12/27/2006 9:56		0.2		0.2	
15	12/27/2006 10:11		0.2		0.2	
16	12/27/2006 10:26		0.2		0.2	
17	12/27/2006 10:41		0.2		0.2	
18	12/27/2006 10:56		0.2		0.2	
19	12/27/2006 11:11		0.2		0.2	
20	12/27/2006 11:26		0.2		0.2	
21	12/27/2006 11:41		0.2		0.2	
22	12/27/2006 11:56		0.2		0.2	
23	12/27/2006 12:11		0.3		0.3	
24	12/27/2006 12:26		0.2		0.2	
25	12/27/2006 12:41		0.3		0.3	
26	12/27/2006 12:56		0.2		0.2	
27	12/27/2006 13:11		0.2		0.2	
28	12/27/2006 13:26		0.2		0.2	
29	12/27/2006 13:41		0.2		0.2	
30	12/27/2006 13:56		0.5		0.5	*Shaw testing of AKRF equipment at STA 1
31	12/27/2006 14:11		0.2		0.2	
32	12/27/2006 14:26		0.2		0.2	
33	12/27/2006 14:41		0.3		0.3	
34	12/27/2006 14:56		0.3		0.3	
35	12/27/2006 15:11		0.3		0.3	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	12/27/2006
Start Time:	6:29:55
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	36
Notes:	Background Reading (06:23) = 0.006 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/27/2006	6:44:55	0.008	0.002	2	
12/27/2006	6:59:55	0.007	0.001	1	
12/27/2006	7:14:55	0.009	0.003	3	
12/27/2006	7:29:55	0.008	0.002	2	
12/27/2006	7:44:55	0.012	0.006	6	
12/27/2006	7:59:55	0.01	0.004	4	
12/27/2006	8:14:55	0.012	0.006	6	
12/27/2006	8:29:55	0.014	0.008	8	
12/27/2006	8:44:55	0.014	0.008	8	
12/27/2006	8:59:55	0.013	0.007	7	
12/27/2006	9:14:55	0.01	0.004	4	
12/27/2006	9:29:55	0.01	0.004	4	
12/27/2006	9:44:55	0.012	0.006	6	
12/27/2006	9:59:55	0.018	0.012	12	
12/27/2006	10:14:55	0.013	0.007	7	
12/27/2006	10:29:55	0.012	0.006	6	
12/27/2006	10:44:55	0.012	0.006	6	
12/27/2006	10:59:55	0.011	0.005	5	
12/27/2006	11:14:55	0.013	0.007	7	
12/27/2006	11:29:55	0.012	0.006	6	
12/27/2006	11:44:55	0.01	0.004	4	
12/27/2006	11:59:55	0.01	0.004	4	
12/27/2006	12:14:55	0.009	0.003	3	
12/27/2006	12:29:55	0.011	0.005	5	
12/27/2006	12:44:55	0.008	0.002	2	
12/27/2006	12:59:55	0.01	0.004	4	
12/27/2006	13:14:55	0.011	0.005	5	
12/27/2006	13:29:55	0.011	0.005	5	
12/27/2006	13:44:55	0.01	0.004	4	
12/27/2006	13:59:55	0.01	0.004	4	
12/27/2006	14:14:55	0.045	0.039	39	*Shaw testing of AKRF equipment at STA 1
12/27/2006	14:29:55	0.011	0.005	5	
12/27/2006	14:44:55	0.011	0.005	5	
12/27/2006	14:59:55	0.012	0.006	6	
12/27/2006	15:14:55	0.014	0.008	8	
12/27/2006	15:29:55	0.013	0.007	7	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/27/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:24) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/27/2006 6:40			0				0
2	12/27/2006 6:55			0				0
3	12/27/2006 7:10			0				0
4	12/27/2006 7:25			0				0
5	12/27/2006 7:40			0				0
6	12/27/2006 7:55			0				0
7	12/27/2006 8:10			0				0
8	12/27/2006 8:25			0				0
9	12/27/2006 8:40			0				0
10	12/27/2006 8:55			0				0
11	12/27/2006 9:10			0				0
12	12/27/2006 9:25			0				0
13	12/27/2006 9:40			0				0
14	12/27/2006 9:55			0				0
15	12/27/2006 10:10			0				0
16	12/27/2006 10:25			0				0
17	12/27/2006 10:40			0				0
18	12/27/2006 10:55			0				0
19	12/27/2006 11:10			0				0
20	12/27/2006 11:25			0				0
21	12/27/2006 11:40			0				0
22	12/27/2006 11:55			0				0
23	12/27/2006 12:10			0				0
24	12/27/2006 12:25			0				0
25	12/27/2006 12:40			0				0
26	12/27/2006 12:55			0				0
27	12/27/2006 13:10			0				0
28	12/27/2006 13:25			0				0
29	12/27/2006 13:40			0				0
30	12/27/2006 13:55			0				0
31	12/27/2006 14:10			0				0
32	12/27/2006 14:25			0				0
33	12/27/2006 14:40			0				0
34	12/27/2006 14:55			0.1				0.1
35	12/27/2006 15:10			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	12/27/2006
Start Time:	6:33:34
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (06:24) = 0.003 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/27/2006	6:48:34	0.004	0.001	1
12/27/2006	7:03:34	0.007	0.004	4
12/27/2006	7:18:34	0.004	0.001	1
12/27/2006	7:33:34	0.004	0.001	1
12/27/2006	7:48:34	0.004	0.001	1
12/27/2006	8:03:34	0.004	0.001	1
12/27/2006	8:18:34	0.009	0.006	6
12/27/2006	8:33:34	0.005	0.002	2
12/27/2006	8:48:34	0.006	0.003	3
12/27/2006	9:03:34	0.006	0.003	3
12/27/2006	9:18:34	0.006	0.003	3
12/27/2006	9:33:34	0.006	0.003	3
12/27/2006	9:48:34	0.005	0.002	2
12/27/2006	10:03:34	0.005	0.002	2
12/27/2006	10:18:34	0.006	0.003	3
12/27/2006	10:33:34	0.005	0.002	2
12/27/2006	10:48:34	0.007	0.004	4
12/27/2006	11:03:34	0.006	0.003	3
12/27/2006	11:18:34	0.005	0.002	2
12/27/2006	11:33:34	0.005	0.002	2
12/27/2006	11:48:34	0.004	0.001	1
12/27/2006	12:03:34	0.005	0.002	2
12/27/2006	12:18:34	0.004	0.001	1
12/27/2006	12:33:34	0.005	0.002	2
12/27/2006	12:48:34	0.004	0.001	1
12/27/2006	13:03:34	0.004	0.001	1
12/27/2006	13:18:34	0.004	0.001	1
12/27/2006	13:33:34	0.003	0	0
12/27/2006	13:48:34	0.004	0.001	1
12/27/2006	14:03:34	0.004	0.001	1
12/27/2006	14:18:34	0.004	0.001	1
12/27/2006	14:33:34	0.006	0.003	3
12/27/2006	14:48:34	0.005	0.002	2
12/27/2006	15:03:34	0.005	0.002	2
12/27/2006	15:18:34	0.009	0.006	6
12/27/2006	15:33:34	0.006	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/27/2006 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:40) = 0.1 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)	
1	12/27/2006 6:58		0.1		0	
2	12/27/2006 7:13		0.2		0.1	
3	12/27/2006 7:28		0.3		0.2	
4	12/27/2006 7:43		0.3		0.2	
5	12/27/2006 7:58		0.4		0.3	
6	12/27/2006 8:13		0.4		0.3	
7	12/27/2006 8:28		0.4		0.3	
8	12/27/2006 8:43		0.4		0.3	
9	12/27/2006 8:58		0.4		0.3	
10	12/27/2006 9:13		0.4		0.3	
11	12/27/2006 9:28		0.4		0.3	
12	12/27/2006 9:43		0.4		0.3	
13	12/27/2006 9:58		0.5		0.4	
14	12/27/2006 10:13		0.4		0.3	
15	12/27/2006 10:28		0.5		0.4	
16	12/27/2006 10:43		0.4		0.3	
17	12/27/2006 10:58		0.4		0.3	
18	12/27/2006 11:13		0.5		0.4	
19	12/27/2006 11:28		0.4		0.3	
20	12/27/2006 11:43		0.4		0.3	
21	12/27/2006 11:58		0.5		0.4	
22	12/27/2006 12:13		0.4		0.3	
23	12/27/2006 12:28		0.4		0.3	
24	12/27/2006 12:43		0.5		0.4	
25	12/27/2006 12:58		0.5		0.4	
26	12/27/2006 13:13		0.4		0.3	
27	12/27/2006 13:28		0.4		0.3	
28	12/27/2006 13:43		0.4		0.3	
29	12/27/2006 13:58		0.5		0.4	
30	12/27/2006 14:13		0.5		0.4	
31	12/27/2006 14:28		0.5		0.4	
32	12/27/2006 14:43		1.7		1.6	*Shaw testing of AKRF equipment at STA 3
33	12/27/2006 14:58		0.5		0.4	
34	12/27/2006 15:13		0.5		0.4	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	2
Test Abbreviation:	
Start Date:	12/27/2006
Start Time:	6:45:03
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (06:40) = 0.008 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
12/27/2006	7:00:03	0.008	0	0	
12/27/2006	7:15:03	0.012	0.004	4	
12/27/2006	7:30:03	0.007	-0.001	-1	
12/27/2006	7:45:03	0.015	0.007	7	
12/27/2006	8:00:03	0.007	-0.001	-1	
12/27/2006	8:15:03	0.013	0.005	5	
12/27/2006	8:30:03	0.009	0.001	1	
12/27/2006	8:45:03	0.011	0.003	3	
12/27/2006	9:00:03	0.011	0.003	3	
12/27/2006	9:15:03	0.012	0.004	4	
12/27/2006	9:30:03	0.011	0.003	3	
12/27/2006	9:45:03	0.01	0.002	2	
12/27/2006	10:00:03	0.011	0.003	3	
12/27/2006	10:15:03	0.013	0.005	5	
12/27/2006	10:30:03	0.011	0.003	3	
12/27/2006	10:45:03	0.014	0.006	6	
12/27/2006	11:00:03	0.017	0.009	9	
12/27/2006	11:15:03	0.015	0.007	7	
12/27/2006	11:30:03	0.014	0.006	6	
12/27/2006	11:45:03	0.01	0.002	2	
12/27/2006	12:00:03	0.011	0.003	3	
12/27/2006	12:15:03	0.01	0.002	2	
12/27/2006	12:30:03	0.01	0.002	2	
12/27/2006	12:45:03	0.008	0	0	
12/27/2006	13:00:03	0.009	0.001	1	
12/27/2006	13:15:03	0.012	0.004	4	
12/27/2006	13:30:03	0.015	0.007	7	
12/27/2006	13:45:03	0.009	0.001	1	
12/27/2006	14:00:03	0.011	0.003	3	
12/27/2006	14:15:03	0.008	0	0	
12/27/2006	14:30:03	0.01	0.002	2	
12/27/2006	14:45:03	0.01	0.002	2	
12/27/2006	15:00:03	0.208	0.2	200	*Shaw testing of AKRF equipment at STA 3
12/27/2006	15:15:03	0.01	0.002	2	
12/27/2006	15:30:03	0.011	0.003	3	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/27/2006 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:33) = 0.1 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	12/27/2006 6:53		0		-0.1
2	12/27/2006 7:08		0		-0.1
3	12/27/2006 7:23		0		-0.1
4	12/27/2006 7:38		0		-0.1
5	12/27/2006 7:53		0		-0.1
6	12/27/2006 8:08		0.1		0
7	12/27/2006 8:23		0.1		0
8	12/27/2006 8:38		0.1		0
9	12/27/2006 8:53		0.1		0
10	12/27/2006 9:08		0.1		0
11	12/27/2006 9:23		0.1		0
12	12/27/2006 9:38		0.1		0
13	12/27/2006 9:53		0.1		0
14	12/27/2006 10:08		0.1		0
15	12/27/2006 10:23		0.1		0
16	12/27/2006 10:38		0.1		0
17	12/27/2006 10:53		0.1		0
18	12/27/2006 11:08		0.1		0
19	12/27/2006 11:23		0.1		0
20	12/27/2006 11:38		0.1		0
21	12/27/2006 11:53		0.1		0
22	12/27/2006 12:08		0.1		0
23	12/27/2006 12:23		0.1		0
24	12/27/2006 12:38		0.1		0
25	12/27/2006 12:53		0.1		0
26	12/27/2006 13:08		0.1		0
27	12/27/2006 13:23		0.1		0
28	12/27/2006 13:38		0.1		0
29	12/27/2006 13:53		0.1		0
30	12/27/2006 14:08		0.1		0
31	12/27/2006 14:23		0.1		0
32	12/27/2006 14:38		0.1		0
33	12/27/2006 14:53		0.1		0
34	12/27/2006 15:08		0.1		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	12/27/2006
Start Time:	6:43:25
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (06:33) = 0.005 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/27/2006	6:58:25	0.007	0.002	2
12/27/2006	7:13:25	0.007	0.002	2
12/27/2006	7:28:25	0.013	0.008	8
12/27/2006	7:43:25	0.017	0.012	12
12/27/2006	7:58:25	0.02	0.015	15
12/27/2006	8:13:25	0.02	0.015	15
12/27/2006	8:28:25	0.024	0.019	19
12/27/2006	8:43:25	0.023	0.018	18
12/27/2006	8:58:25	0.017	0.012	12
12/27/2006	9:13:25	0.015	0.01	10
12/27/2006	9:28:25	0.111	0.106	106
12/27/2006	9:43:25	0.02	0.015	15
12/27/2006	9:58:25	0.019	0.014	14
12/27/2006	10:13:25	0.019	0.014	14
12/27/2006	10:28:25	0.017	0.012	12
12/27/2006	10:43:25	0.034	0.029	29
12/27/2006	10:58:25	0.024	0.019	19
12/27/2006	11:13:25	0.032	0.027	27
12/27/2006	11:28:25	0.022	0.017	17
12/27/2006	11:43:25	0.021	0.016	16
12/27/2006	11:58:25	0.017	0.012	12
12/27/2006	12:13:25	0.014	0.009	9
12/27/2006	12:28:25	0.017	0.012	12
12/27/2006	12:43:25	0.011	0.006	6
12/27/2006	12:58:25	0.015	0.01	10
12/27/2006	13:13:25	0.025	0.02	20
12/27/2006	13:28:25	0.024	0.019	19
12/27/2006	13:43:25	0.028	0.023	23
12/27/2006	13:58:25	0.029	0.024	24
12/27/2006	14:13:25	0.022	0.017	17
12/27/2006	14:28:25	0.022	0.017	17
12/27/2006	14:43:25	0.02	0.015	15
12/27/2006	14:58:25	0.019	0.014	14
12/27/2006	15:13:25	0.072	0.067	67
12/27/2006	15:28:25	0.017	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/28/2006 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:44) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/28/2006 7:04			0				0
2	12/28/2006 7:19			0				0
3	12/28/2006 7:34			0.1				0.1
4	12/28/2006 7:49			0.1				0.1
5	12/28/2006 8:04			0.1				0.1
6	12/28/2006 8:19			0.1				0.1
7	12/28/2006 8:34			0.2				0.2
8	12/28/2006 8:49			0.2				0.2
9	12/28/2006 9:04			0.2				0.2
10	12/28/2006 9:19			0.2				0.2
11	12/28/2006 9:34			0.2				0.2
12	12/28/2006 9:49			0.2				0.2
13	12/28/2006 10:04			0.2				0.2
14	12/28/2006 10:19			0.2				0.2
15	12/28/2006 10:34			0.2				0.2
16	12/28/2006 10:49			0.2				0.2
17	12/28/2006 11:04			0.2				0.2
18	12/28/2006 11:19			0.2				0.2
19	12/28/2006 11:34			0.2				0.2
20	12/28/2006 11:49			0.2				0.2
21	12/28/2006 12:04			0.2				0.2
22	12/28/2006 12:19			0.2				0.2
23	12/28/2006 12:34			0.3				0.3
24	12/28/2006 12:49			0.3				0.3
25	12/28/2006 13:04			0.3				0.3
26	12/28/2006 13:19			0.3				0.3
27	12/28/2006 13:34			0.3				0.3
28	12/28/2006 13:49			0.3				0.3
29	12/28/2006 14:04			0.3				0.3
30	12/28/2006 14:19			0.3				0.3
31	12/28/2006 14:34			0.3				0.3
32	12/28/2006 14:49			0.3				0.3
33	12/28/2006 15:04			0.3				0.3
34	12/28/2006 15:19			0.3				0.3
35	12/28/2006 15:34			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	12/28/2006
Start Time:	6:51:53
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (06:44) = 0.033 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/28/2006	7:06:53	0.034	0.001	1
12/28/2006	7:21:53	0.036	0.003	3
12/28/2006	7:36:53	0.038	0.005	5
12/28/2006	7:51:53	0.041	0.008	8
12/28/2006	8:06:53	0.044	0.011	11
12/28/2006	8:21:53	0.046	0.013	13
12/28/2006	8:36:53	0.048	0.015	15
12/28/2006	8:51:53	0.049	0.016	16
12/28/2006	9:06:53	0.049	0.016	16
12/28/2006	9:21:53	0.049	0.016	16
12/28/2006	9:36:53	0.048	0.015	15
12/28/2006	9:51:53	0.05	0.017	17
12/28/2006	10:06:53	0.049	0.016	16
12/28/2006	10:21:53	0.049	0.016	16
12/28/2006	10:36:53	0.049	0.016	16
12/28/2006	10:51:53	0.047	0.014	14
12/28/2006	11:06:53	0.046	0.013	13
12/28/2006	11:21:53	0.048	0.015	15
12/28/2006	11:36:53	0.047	0.014	14
12/28/2006	11:51:53	0.045	0.012	12
12/28/2006	12:06:53	0.047	0.014	14
12/28/2006	12:21:53	0.049	0.016	16
12/28/2006	12:36:53	0.048	0.015	15
12/28/2006	12:51:53	0.048	0.015	15
12/28/2006	13:06:53	0.045	0.012	12
12/28/2006	13:21:53	0.052	0.019	19
12/28/2006	13:36:53	0.044	0.011	11
12/28/2006	13:51:53	0.041	0.008	8
12/28/2006	14:06:53	0.038	0.005	5
12/28/2006	14:21:53	0.037	0.004	4
12/28/2006	14:36:53	0.043	0.01	10
12/28/2006	14:51:53	0.045	0.012	12
12/28/2006	15:06:53	0.039	0.006	6
12/28/2006	15:21:53	0.038	0.005	5
12/28/2006	15:36:53	0.037	0.004	4
12/28/2006	15:51:53	0.036	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/28/2006 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:27) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/28/2006 6:44			0				-0.1
2	12/28/2006 6:59			0				-0.1
3	12/28/2006 7:14			0				-0.1
4	12/28/2006 7:29			0				-0.1
5	12/28/2006 7:44			0				-0.1
6	12/28/2006 7:59			0				-0.1
7	12/28/2006 8:14			0				-0.1
8	12/28/2006 8:29			0				-0.1
9	12/28/2006 8:44			0				-0.1
10	12/28/2006 8:59			0				-0.1
11	12/28/2006 9:14			0				-0.1
12	12/28/2006 9:29			0				-0.1
13	12/28/2006 9:44			0				-0.1
14	12/28/2006 9:59			0				-0.1
15	12/28/2006 10:14			0				-0.1
16	12/28/2006 10:29			0				-0.1
17	12/28/2006 10:44			0				-0.1
18	12/28/2006 10:59			0				-0.1
19	12/28/2006 11:14			0				-0.1
20	12/28/2006 11:29			0				-0.1
21	12/28/2006 11:44			0				-0.1
22	12/28/2006 11:59			0				-0.1
23	12/28/2006 12:14			0				-0.1
24	12/28/2006 12:29			0				-0.1
25	12/28/2006 12:44			0				-0.1
26	12/28/2006 12:59			0				-0.1
27	12/28/2006 13:14			0				-0.1
28	12/28/2006 13:29			0				-0.1
29	12/28/2006 13:44			0				-0.1
30	12/28/2006 13:59			0				-0.1
31	12/28/2006 14:14			0				-0.1
32	12/28/2006 14:29			0				-0.1
33	12/28/2006 14:44			0				-0.1
34	12/28/2006 14:59			0				-0.1
35	12/28/2006 15:14			0				-0.1
36	12/28/2006 15:29			0				-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	12/28/2006
Start Time:	6:37:04
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:27) = 0.020 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/28/2006	6:52:04	0.023	0.003	3
12/28/2006	7:07:04	0.023	0.003	3
12/28/2006	7:22:04	0.024	0.004	4
12/28/2006	7:37:04	0.024	0.004	4
12/28/2006	7:52:04	0.026	0.006	6
12/28/2006	8:07:04	0.027	0.007	7
12/28/2006	8:22:04	0.028	0.008	8
12/28/2006	8:37:04	0.028	0.008	8
12/28/2006	8:52:04	0.028	0.008	8
12/28/2006	9:07:04	0.03	0.01	10
12/28/2006	9:22:04	0.03	0.01	10
12/28/2006	9:37:04	0.03	0.01	10
12/28/2006	9:52:04	0.031	0.011	11
12/28/2006	10:07:04	0.031	0.011	11
12/28/2006	10:22:04	0.03	0.01	10
12/28/2006	10:37:04	0.031	0.011	11
12/28/2006	10:52:04	0.029	0.009	9
12/28/2006	11:07:04	0.03	0.01	10
12/28/2006	11:22:04	0.032	0.012	12
12/28/2006	11:37:04	0.029	0.009	9
12/28/2006	11:52:04	0.029	0.009	9
12/28/2006	12:07:04	0.031	0.011	11
12/28/2006	12:22:04	0.031	0.011	11
12/28/2006	12:37:04	0.031	0.011	11
12/28/2006	12:52:04	0.029	0.009	9
12/28/2006	13:07:04	0.029	0.009	9
12/28/2006	13:22:04	0.03	0.01	10
12/28/2006	13:37:04	0.029	0.009	9
12/28/2006	13:52:04	0.027	0.007	7
12/28/2006	14:07:04	0.025	0.005	5
12/28/2006	14:22:04	0.025	0.005	5
12/28/2006	14:37:04	0.027	0.007	7
12/28/2006	14:52:04	0.03	0.01	10
12/28/2006	15:07:04	0.024	0.004	4
12/28/2006	15:22:04	0.024	0.004	4
12/28/2006	15:37:04	0.023	0.003	3
12/28/2006	15:52:04	0.023	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/28/2006 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:45) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/28/2006 7:03			0.3				0.2
2	12/28/2006 7:18			0.4				0.3
3	12/28/2006 7:33			0.5				0.4
4	12/28/2006 7:48			0.5				0.4
5	12/28/2006 8:03			0.6				0.5
6	12/28/2006 8:18			0.6				0.5
7	12/28/2006 8:33			0.7				0.6
8	12/28/2006 8:48			0.7				0.6
9	12/28/2006 9:03			0.7				0.6
10	12/28/2006 9:18			0.7				0.6
11	12/28/2006 9:33			0.8				0.7
12	12/28/2006 9:48			0.8				0.7
13	12/28/2006 10:03			0.8				0.7
14	12/28/2006 10:18			0.8				0.7
15	12/28/2006 10:33			0.8				0.7
16	12/28/2006 10:48			0.8				0.7
17	12/28/2006 11:03			0.8				0.7
18	12/28/2006 11:18			0.8				0.7
19	12/28/2006 11:33			0.8				0.7
20	12/28/2006 11:48			0.8				0.7
21	12/28/2006 12:03			0.8				0.7
22	12/28/2006 12:18			0.8				0.7
23	12/28/2006 12:33			0.8				0.7
24	12/28/2006 12:48			0.8				0.7
25	12/28/2006 13:03			0.8				0.7
26	12/28/2006 13:18			0.8				0.7
27	12/28/2006 13:33			0.8				0.7
28	12/28/2006 13:48			0.8				0.7
29	12/28/2006 14:03			0.8				0.7
30	12/28/2006 14:18			0.8				0.7
31	12/28/2006 14:33			0.8				0.7
32	12/28/2006 14:48			0.8				0.7
33	12/28/2006 15:03			0.8				0.7
34	12/28/2006 15:18			0.8				0.7
35	12/28/2006 15:33			0.8				0.7
36	12/28/2006 15:48			0.9				0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	3
Test Abbreviation:	
Start Date:	12/28/2006
Start Time:	6:50:10
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (06:45) = 0.037 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/28/2006	7:05:10	0.039	0.002	2
12/28/2006	7:20:10	0.044	0.007	7
12/28/2006	7:35:10	0.046	0.009	9
12/28/2006	7:50:10	0.049	0.012	12
12/28/2006	8:05:10	0.051	0.014	14
12/28/2006	8:20:10	0.05	0.013	13
12/28/2006	8:35:10	0.05	0.013	13
12/28/2006	8:50:10	0.052	0.015	15
12/28/2006	9:05:10	0.053	0.016	16
12/28/2006	9:20:10	0.052	0.015	15
12/28/2006	9:35:10	0.052	0.015	15
12/28/2006	9:50:10	0.054	0.017	17
12/28/2006	10:05:10	0.056	0.019	19
12/28/2006	10:20:10	0.054	0.017	17
12/28/2006	10:35:10	0.057	0.02	20
12/28/2006	10:50:10	0.054	0.017	17
12/28/2006	11:05:10	0.054	0.017	17
12/28/2006	11:20:10	0.055	0.018	18
12/28/2006	11:35:10	0.052	0.015	15
12/28/2006	11:50:10	0.051	0.014	14
12/28/2006	12:05:10	0.055	0.018	18
12/28/2006	12:20:10	0.053	0.016	16
12/28/2006	12:35:10	0.05	0.013	13
12/28/2006	12:50:10	0.05	0.013	13
12/28/2006	13:05:10	0.05	0.013	13
12/28/2006	13:20:10	0.051	0.014	14
12/28/2006	13:35:10	0.049	0.012	12
12/28/2006	13:50:10	0.048	0.011	11
12/28/2006	14:05:10	0.045	0.008	8
12/28/2006	14:20:10	0.044	0.007	7
12/28/2006	14:35:10	0.051	0.014	14
12/28/2006	14:50:10	0.055	0.018	18
12/28/2006	15:05:10	0.043	0.006	6
12/28/2006	15:20:10	0.045	0.008	8
12/28/2006	15:35:10	0.041	0.004	4
12/28/2006	15:50:10	0.043	0.006	6
12/28/2006	16:05:10	0.041	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/28/2006 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:50) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/28/2006 7:09			0				0
2	12/28/2006 7:24			0				0
3	12/28/2006 7:39			0				0
4	12/28/2006 7:54			0.1				0.1
5	12/28/2006 8:09			0.1				0.1
6	12/28/2006 8:24			0.1				0.1
7	12/28/2006 8:39			0.1				0.1
8	12/28/2006 8:54			0.1				0.1
9	12/28/2006 9:09			0.1				0.1
10	12/28/2006 9:24			0.1				0.1
11	12/28/2006 9:39			0.1				0.1
12	12/28/2006 9:54			0.1				0.1
13	12/28/2006 10:09			0.1				0.1
14	12/28/2006 10:24			0.1				0.1
15	12/28/2006 10:39			0.1				0.1
16	12/28/2006 10:54			0.2				0.2
17	12/28/2006 11:09			0.2				0.2
18	12/28/2006 11:24			0.2				0.2
19	12/28/2006 11:39			0.2				0.2
20	12/28/2006 11:54			0.2				0.2
21	12/28/2006 12:09			0.2				0.2
22	12/28/2006 12:24			0.2				0.2
23	12/28/2006 12:39			0.2				0.2
24	12/28/2006 12:54			0.2				0.2
25	12/28/2006 13:09			0.2				0.2
26	12/28/2006 13:24			0.2				0.2
27	12/28/2006 13:39			0.2				0.2
28	12/28/2006 13:54			0.2				0.2
29	12/28/2006 14:09			0.2				0.2
30	12/28/2006 14:24			0.2				0.2
31	12/28/2006 14:39			0.2				0.2
32	12/28/2006 14:54			0.2				0.2
33	12/28/2006 15:09			0.2				0.2
34	12/28/2006 15:24			0.2				0.2
35	12/28/2006 15:39			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	12/28/2006
Start Time:	6:59:54
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (06:50) = 0.028 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
12/28/2006	7:14:54	0.03	0.002	2
12/28/2006	7:29:54	0.032	0.004	4
12/28/2006	7:44:54	0.034	0.006	6
12/28/2006	7:59:54	0.039	0.011	11
12/28/2006	8:14:54	0.04	0.012	12
12/28/2006	8:29:54	0.043	0.015	15
12/28/2006	8:44:54	0.046	0.018	18
12/28/2006	8:59:54	0.042	0.014	14
12/28/2006	9:14:54	0.044	0.016	16
12/28/2006	9:29:54	0.04	0.012	12
12/28/2006	9:44:54	0.042	0.014	14
12/28/2006	9:59:54	0.042	0.014	14
12/28/2006	10:14:54	0.04	0.012	12
12/28/2006	10:29:54	0.061	0.033	33
12/28/2006	10:44:54	0.039	0.011	11
12/28/2006	10:59:54	0.042	0.014	14
12/28/2006	11:14:54	0.051	0.023	23
12/28/2006	11:29:54	0.053	0.025	25
12/28/2006	11:44:54	0.057	0.029	29
12/28/2006	11:59:54	0.061	0.033	33
12/28/2006	12:14:54	0.045	0.017	17
12/28/2006	12:29:54	0.042	0.014	14
12/28/2006	12:44:54	0.038	0.01	10
12/28/2006	12:59:54	0.043	0.015	15
12/28/2006	13:14:54	0.041	0.013	13
12/28/2006	13:29:54	0.044	0.016	16
12/28/2006	13:44:54	0.039	0.011	11
12/28/2006	13:59:54	0.04	0.012	12
12/28/2006	14:14:54	0.037	0.009	9
12/28/2006	14:29:54	0.043	0.015	15
12/28/2006	14:44:54	0.051	0.023	23
12/28/2006	14:59:54	0.039	0.011	11
12/28/2006	15:14:54	0.033	0.005	5
12/28/2006	15:29:54	0.032	0.004	4
12/28/2006	15:44:54	0.03	0.002	2
12/28/2006	15:59:54	0.03	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/29/2006 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background reading at 6:22 AM = 0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/29/2006 6:22			0		0.1		0
2	12/29/2006 6:37			0		0.2		0
3	12/29/2006 6:52			0.1		0.2		0.1
4	12/29/2006 7:07			0.1		0.2		0.1
5	12/29/2006 7:22			0.1		0.2		0.1
6	12/29/2006 7:37			0.1		0.2		0.1
7	12/29/2006 7:52			0.1		0.2		0.1
8	12/29/2006 8:07			0.1		0.2		0.1
9	12/29/2006 8:22			0.2		0.6		0.2
10	12/29/2006 8:37			0.1		0.3		0.1
11	12/29/2006 8:52			0.1		0.2		0.1
12	12/29/2006 9:07			0.2		0.2		0.2
13	12/29/2006 9:22			0.2		0.2		0.2
14	12/29/2006 9:37			0.2		0.2		0.2
15	12/29/2006 9:52			0.2		0.3		0.2
16	12/29/2006 10:07			0.2		0.3		0.2
17	12/29/2006 10:22			0.2		0.3		0.2
18	12/29/2006 10:37			0.2		0.3		0.2
19	12/29/2006 10:52			0.2		0.3		0.2
20	12/29/2006 11:07			0.2		0.3		0.2
21	12/29/2006 11:22			0.2		0.3		0.2
22	12/29/2006 11:37			0.2		0.3		0.2
23	12/29/2006 11:52			0.2		0.3		0.2
24	12/29/2006 12:07			0.2		0.3		0.2
25	12/29/2006 12:22			0.2		0.3		0.2
26	12/29/2006 12:37			0.2		0.3		0.2
27	12/29/2006 12:52			0.2		0.3		0.2
28	12/29/2006 13:07			0.2		0.3		0.2
29	12/29/2006 13:22			0.2		0.3		0.2
30	12/29/2006 13:37			0.2		0.3		0.2
31	12/29/2006 13:52			0.2		0.3		0.2
32	12/29/2006 14:07			0.2		0.3		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	12/29/2006
Start Time:	6:11:34
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background reading at 6:26 AM = 0.032 mg/m3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/29/2006	6:26:34	0.032	0	0
12/29/2006	6:41:34	0.034	0.002	2
12/29/2006	6:56:34	0.034	0.002	2
12/29/2006	7:11:34	0.034	0.002	2
12/29/2006	7:26:34	0.047	0.015	15
12/29/2006	7:41:34	0.039	0.007	7
12/29/2006	7:56:34	0.041	0.009	9
12/29/2006	8:11:34	0.04	0.008	8
12/29/2006	8:26:34	0.038	0.006	6
12/29/2006	8:41:34	0.04	0.008	8
12/29/2006	8:56:34	0.039	0.007	7
12/29/2006	9:11:34	0.039	0.007	7
12/29/2006	9:26:34	0.038	0.006	6
12/29/2006	9:41:34	0.041	0.009	9
12/29/2006	9:56:34	0.046	0.014	14
12/29/2006	10:11:34	0.038	0.006	6
12/29/2006	10:26:34	0.038	0.006	6
12/29/2006	10:41:34	0.042	0.01	10
12/29/2006	10:56:34	0.04	0.008	8
12/29/2006	11:11:34	0.038	0.006	6
12/29/2006	11:26:34	0.037	0.005	5
12/29/2006	11:41:34	0.038	0.006	6
12/29/2006	11:56:34	0.04	0.008	8
12/29/2006	12:11:34	0.039	0.007	7
12/29/2006	12:26:34	0.042	0.01	10
12/29/2006	12:41:34	0.042	0.01	10
12/29/2006	12:56:34	0.04	0.008	8
12/29/2006	13:11:34	0.037	0.005	5
12/29/2006	13:26:34	0.04	0.008	8
12/29/2006	13:41:34	0.037	0.005	5
12/29/2006	13:56:34	0.035	0.003	3
12/29/2006	14:11:34	0.037	0.005	5
12/29/2006	14:26:34	0.035	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018

User ID: 00000001 Site ID: 00000004

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/29/2006 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background reading at 6:17 AM = 0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/29/2006 6:17			0				0
2	12/29/2006 6:32			0				0
3	12/29/2006 6:47			0				0
4	12/29/2006 7:02			0				0
5	12/29/2006 7:17			0				0
6	12/29/2006 7:32			0				0
7	12/29/2006 7:47			0				0
8	12/29/2006 8:02			0				0
9	12/29/2006 8:17			0				0
10	12/29/2006 8:32			0				0
11	12/29/2006 8:47			0				0
12	12/29/2006 9:02			0				0
13	12/29/2006 9:17			0				0
14	12/29/2006 9:32			0				0
15	12/29/2006 9:47			0				0
16	12/29/2006 10:02			0				0
17	12/29/2006 10:17			0				0
18	12/29/2006 10:32			0				0
19	12/29/2006 10:47			0				0
20	12/29/2006 11:02			0				0
21	12/29/2006 11:17			0				0
22	12/29/2006 11:32			0				0
23	12/29/2006 11:47			0				0
24	12/29/2006 12:02			0				0
25	12/29/2006 12:17			0				0
26	12/29/2006 12:32			0				0
27	12/29/2006 12:47			0				0
28	12/29/2006 13:02			0				0
29	12/29/2006 13:17			0				0
30	12/29/2006 13:32			0				0
31	12/29/2006 13:47			0				0
32	12/29/2006 14:02			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	12/29/2006
Start Time:	6:10:07
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background reading at 6:25 AM = 0.019 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/29/2006	6:25:07	0.019	0	0
12/29/2006	6:40:07	0.019	0	0
12/29/2006	6:55:07	0.022	0.003	3
12/29/2006	7:10:07	0.019	0	0
12/29/2006	7:25:07	0.02	0.001	1
12/29/2006	7:40:07	0.026	0.007	7
12/29/2006	7:55:07	0.027	0.008	8
12/29/2006	8:10:07	0.025	0.006	6
12/29/2006	8:25:07	0.023	0.004	4
12/29/2006	8:40:07	0.025	0.006	6
12/29/2006	8:55:07	0.025	0.006	6
12/29/2006	9:10:07	0.025	0.006	6
12/29/2006	9:25:07	0.026	0.007	7
12/29/2006	9:40:07	0.025	0.006	6
12/29/2006	9:55:07	0.028	0.009	9
12/29/2006	10:10:07	0.026	0.007	7
12/29/2006	10:25:07	0.027	0.008	8
12/29/2006	10:40:07	0.028	0.009	9
12/29/2006	10:55:07	0.029	0.01	10
12/29/2006	11:10:07	0.027	0.008	8
12/29/2006	11:25:07	0.027	0.008	8
12/29/2006	11:40:07	0.027	0.008	8
12/29/2006	11:55:07	0.026	0.007	7
12/29/2006	12:10:07	0.027	0.008	8
12/29/2006	12:25:07	0.029	0.01	10
12/29/2006	12:40:07	0.028	0.009	9
12/29/2006	12:55:07	0.026	0.007	7
12/29/2006	13:10:07	0.024	0.005	5
12/29/2006	13:25:07	0.024	0.005	5
12/29/2006	13:40:07	0.024	0.005	5
12/29/2006	13:55:07	0.024	0.005	5
12/29/2006	14:10:07	0.025	0.006	6
12/29/2006	14:25:07	0.027	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/29/2006 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background reading at 6:34 AM = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/29/2006 6:34			0.1				0
2	12/29/2006 6:49			0.2				0.1
3	12/29/2006 7:04			0.2				0.1
4	12/29/2006 7:19			0.3				0.2
5	12/29/2006 7:34			0.3				0.2
6	12/29/2006 7:49			0.3				0.2
7	12/29/2006 8:04			0.4				0.3
8	12/29/2006 8:19			0.4				0.3
9	12/29/2006 8:34			0.4				0.3
10	12/29/2006 8:49			0.4				0.3
11	12/29/2006 9:04			0.4				0.3
12	12/29/2006 9:19			0.4				0.3
13	12/29/2006 9:34			0.5				0.4
14	12/29/2006 9:49			0.5				0.4
15	12/29/2006 10:04			0.5				0.4
16	12/29/2006 10:19			0.5				0.4
17	12/29/2006 10:34			0.5				0.4
18	12/29/2006 10:49			0.5				0.4
19	12/29/2006 11:04			0.5				0.4
20	12/29/2006 11:19			0.5				0.4
21	12/29/2006 11:34			0.5				0.4
22	12/29/2006 11:49			0.6				0.5
23	12/29/2006 12:04			0.6				0.5
24	12/29/2006 12:19			0.6				0.5
25	12/29/2006 12:34			0.6				0.5
26	12/29/2006 12:49			0.6				0.5
27	12/29/2006 13:04			0.6				0.5
28	12/29/2006 13:19			0.6				0.5
29	12/29/2006 13:34			0.6				0.5
30	12/29/2006 13:49			0.6				0.5
31	12/29/2006 14:04			0.6				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	4
Test Abbreviation:	
Start Date:	12/29/2006
Start Time:	6:21:25
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background reading at 6:36 AM = 0.03 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/29/2006	6:36:25	0.03	0	0
12/29/2006	6:51:25	0.031	0.001	1
12/29/2006	7:06:25	0.03	0	0
12/29/2006	7:21:25	0.033	0.003	3
12/29/2006	7:36:25	0.037	0.007	7
12/29/2006	7:51:25	0.039	0.009	9
12/29/2006	8:06:25	0.038	0.008	8
12/29/2006	8:21:25	0.036	0.006	6
12/29/2006	8:36:25	0.04	0.01	10
12/29/2006	8:51:25	0.04	0.01	10
12/29/2006	9:06:25	0.04	0.01	10
12/29/2006	9:21:25	0.038	0.008	8
12/29/2006	9:36:25	0.039	0.009	9
12/29/2006	9:51:25	0.043	0.013	13
12/29/2006	10:06:25	0.041	0.011	11
12/29/2006	10:21:25	0.044	0.014	14
12/29/2006	10:36:25	0.045	0.015	15
12/29/2006	10:51:25	0.043	0.013	13
12/29/2006	11:06:25	0.042	0.012	12
12/29/2006	11:21:25	0.042	0.012	12
12/29/2006	11:36:25	0.041	0.011	11
12/29/2006	11:51:25	0.044	0.014	14
12/29/2006	12:06:25	0.044	0.014	14
12/29/2006	12:21:25	0.045	0.015	15
12/29/2006	12:36:25	0.043	0.013	13
12/29/2006	12:51:25	0.041	0.011	11
12/29/2006	13:06:25	0.041	0.011	11
12/29/2006	13:21:25	0.041	0.011	11
12/29/2006	13:36:25	0.038	0.008	8
12/29/2006	13:51:25	0.037	0.007	7
12/29/2006	14:06:25	0.037	0.007	7
12/29/2006	14:21:25	0.037	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 12/29/2006 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background reading at 6:29 AM = 0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	12/29/2006 6:29			0				0
2	12/29/2006 6:44			0				0
3	12/29/2006 6:59			0.1				0.1
4	12/29/2006 7:14			0.1				0.1
5	12/29/2006 7:29			0				0
6	12/29/2006 7:44			0.1				0.1
7	12/29/2006 7:59			0.1				0.1
8	12/29/2006 8:14			0.1				0.1
9	12/29/2006 8:29			0.1				0.1
10	12/29/2006 8:44			0.6				0.6
11	12/29/2006 8:59			0.7				0.7
12	12/29/2006 9:14			0.2				0.2
13	12/29/2006 9:29			0.3				0.3
14	12/29/2006 9:44			0.2				0.2
15	12/29/2006 9:59			0.3				0.3
16	12/29/2006 10:14			0.2				0.2
17	12/29/2006 10:29			0.5				0.5
18	12/29/2006 10:44			0.4				0.4
19	12/29/2006 10:59			0.6				0.6
20	12/29/2006 11:14			0.6				0.6
21	12/29/2006 11:29			0.3				0.3
22	12/29/2006 11:44			0.7				0.7
23	12/29/2006 11:59			0.8				0.8
24	12/29/2006 12:14			0.4				0.4
25	12/29/2006 12:29			0.2				0.2
26	12/29/2006 12:44			0.1				0.1
27	12/29/2006 12:59			0.1				0.1
28	12/29/2006 13:14			0.1				0.1
29	12/29/2006 13:29			0.1				0.1
30	12/29/2006 13:44			0.3				0.3
31	12/29/2006 13:59			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	12/29/2006
Start Time:	6:20:38
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background reading at 6:35 AM = 0.024 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
12/29/2006	6:35:38	0.024	0	0
12/29/2006	6:50:38	0.025	0.001	1
12/29/2006	7:05:38	0.023	-0.001	-1
12/29/2006	7:20:38	0.034	0.01	10
12/29/2006	7:35:38	0.035	0.011	11
12/29/2006	7:50:38	0.037	0.013	13
12/29/2006	8:05:38	0.045	0.021	21
12/29/2006	8:20:38	0.038	0.014	14
12/29/2006	8:35:38	0.04	0.016	16
12/29/2006	8:50:38	0.07	0.046	46
12/29/2006	9:05:38	0.108	0.084	84
12/29/2006	9:20:38	0.142	0.118	118
12/29/2006	9:35:38	0.043	0.019	19
12/29/2006	9:50:38	0.064	0.04	40
12/29/2006	10:05:38	0.053	0.029	29
12/29/2006	10:20:38	0.046	0.022	22
12/29/2006	10:35:38	0.016	-0.008	-8
12/29/2006	10:50:38	0.035	0.011	11
12/29/2006	11:05:38	0.021	-0.003	-3
12/29/2006	11:20:38	0.04	0.016	16
12/29/2006	11:35:38	0.023	-0.001	-1
12/29/2006	11:50:38	0.023	-0.001	-1
12/29/2006	12:05:38	0.052	0.028	28
12/29/2006	12:20:38	0.031	0.007	7
12/29/2006	12:35:38	0.025	0.001	1
12/29/2006	12:50:38	0.015	-0.009	-9
12/29/2006	13:05:38	0.013	-0.011	-11
12/29/2006	13:20:38	0.013	-0.011	-11
12/29/2006	13:35:38	0.012	-0.012	-12
12/29/2006	13:50:38	0.012	-0.012	-12
12/29/2006	14:05:38	0.02	-0.004	-4
12/29/2006	14:20:38	0.022	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/02/2007 06:27

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/2/2007 7:58			0				0
2	1/2/2007 8:13			0				0
3	1/2/2007 8:28			0				0
4	1/2/2007 8:43			0				0
5	1/2/2007 8:58			0.1				0.1
6	1/2/2007 9:13			0.1				0.1
7	1/2/2007 9:28			0.1				0.1
8	1/2/2007 9:43			0.1				0.1
9	1/2/2007 9:58			0.1				0.1
10	1/2/2007 10:13			0.2				0.2
11	1/2/2007 10:28			0.2				0.2
12	1/2/2007 10:43			0.2				0.2
13	1/2/2007 10:58			0.2				0.2
14	1/2/2007 11:13			0.2				0.2
15	1/2/2007 11:28			0.2				0.2
16	1/2/2007 11:43			0.2				0.2
17	1/2/2007 11:58			0.2				0.2
18	1/2/2007 12:13			0.2				0.2
19	1/2/2007 12:28			0.2				0.2
20	1/2/2007 12:43			0.2				0.2
21	1/2/2007 12:58			0.2				0.2
22	1/2/2007 13:13			0.2				0.2
23	1/2/2007 13:28			0.2				0.2
24	1/2/2007 13:43			0.2				0.2
25	1/2/2007 13:58			0.2				0.2
26	1/2/2007 14:13			0.2				0.2
27	1/2/2007 14:28			0.2				0.2
28	1/2/2007 14:43			0.2				0.2
29	1/2/2007 14:58			0.2				0.2
30	1/2/2007 15:13			0.2				0.2
31	1/2/2007 15:28			0.2				0.2
32	1/2/2007 15:43			0.2				0.2
33	1/2/2007 15:58			0.2				0.2
34	1/2/2007 16:13			0.2				0.2
35	1/2/2007 16:28			0.2				0.2
36	1/2/2007 16:43			0.2				0.2
37	1/2/2007 16:58			0.2				0.2
38	1/2/2007 17:13			0.2				0.2
39	1/2/2007 17:28			0.2				0.2
40	1/2/2007 17:43			0.2				0.2
41	1/2/2007 17:58			0.2				0.2
42	1/2/2007 18:13			0.2				0.2
43	1/2/2007 18:28			0.5				0.5
44	1/2/2007 18:43			0.2				0.2
45	1/2/2007 18:58			0.3				0.3
46	1/2/2007 19:13			0.3				0.3
47	1/2/2007 19:28			0.3				0.3
48	1/2/2007 19:43			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	1/2/2007
Start Time:	7:47:26
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (07:40) = 0.001 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/2/2007	8:02:26	0.001	0	0	
1/2/2007	8:17:26	0.003	0.002	2	
1/2/2007	8:32:26	0.005	0.004	4	
1/2/2007	8:47:26	0.003	0.002	2	
1/2/2007	9:02:26	0.003	0.002	2	
1/2/2007	9:17:26	0.01	0.009	9	
1/2/2007	9:32:26	0.004	0.003	3	
1/2/2007	9:47:26	0.008	0.007	7	
1/2/2007	10:02:26	0.005	0.004	4	
1/2/2007	10:17:26	0.008	0.007	7	
1/2/2007	10:32:26	0.003	0.002	2	
1/2/2007	10:47:26	0.002	0.001	1	
1/2/2007	11:02:26	0.001	0	0	
1/2/2007	11:17:26	0.001	0	0	
1/2/2007	11:32:26	0.001	0	0	
1/2/2007	11:47:26	0	-0.001	-1	
1/2/2007	12:02:26	0.001	0	0	
1/2/2007	12:17:26	0.001	0	0	
1/2/2007	12:32:26	0.001	0	0	
1/2/2007	12:47:26	0.001	0	0	
1/2/2007	13:02:26	0.001	0	0	
1/2/2007	13:17:26	0.002	0.001	1	
1/2/2007	13:32:26	0.002	0.001	1	
1/2/2007	13:47:26	0.002	0.001	1	
1/2/2007	14:02:26	0.002	0.001	1	
1/2/2007	14:17:26	0.002	0.001	1	
1/2/2007	14:32:26	0.005	0.004	4	
1/2/2007	14:47:26	0.003	0.002	2	
1/2/2007	15:02:26	0.003	0.002	2	
1/2/2007	15:17:26	0.002	0.001	1	
1/2/2007	15:32:26	0.002	0.001	1	
1/2/2007	15:47:26	0.003	0.002	2	
1/2/2007	16:02:26	0.001	0	0	
1/2/2007	16:17:26	0.002	0.001	1	
1/2/2007	16:32:26	0.002	0.001	1	
1/2/2007	16:47:26	0.005	0.004	4	
1/2/2007	17:02:26	0.002	0.001	1	
1/2/2007	17:17:26	0.003	0.002	2	
1/2/2007	17:32:26	0.002	0.001	1	
1/2/2007	17:47:26	0.007	0.006	6	
1/2/2007	18:02:26	0.004	0.003	3	
1/2/2007	18:17:26	0.004	0.003	3	
1/2/2007	18:32:26	0.005	0.004	4	
1/2/2007	18:47:26	0.145	0.144	144	*Elevated reading due to Shaw testing of AKRF equipment at STA 1
1/2/2007	19:02:26	0.003	0.002	2	
1/2/2007	19:17:26	0.005	0.004	4	
1/2/2007	19:32:26	0.006	0.005	5	
1/2/2007	19:47:26	0.005	0.004	4	
1/2/2007	20:02:26	0.004	0.003	3	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 53 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/02/2007 06:27

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (06:35) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/2/2007 6:52			0				0
2	1/2/2007 7:07			0				0
3	1/2/2007 7:22			0				0
4	1/2/2007 7:37			0				0
5	1/2/2007 7:52			0				0
6	1/2/2007 8:07			0				0
7	1/2/2007 8:22			0				0
8	1/2/2007 8:37			0				0
9	1/2/2007 8:52			0				0
10	1/2/2007 9:07			0				0
11	1/2/2007 9:22			0				0
12	1/2/2007 9:37			0				0
13	1/2/2007 9:52			0				0
14	1/2/2007 10:07			0				0
15	1/2/2007 10:22			0				0
16	1/2/2007 10:37			0				0
17	1/2/2007 10:52			0				0
18	1/2/2007 11:07			0				0
19	1/2/2007 11:22			0				0
20	1/2/2007 11:37			0				0
21	1/2/2007 11:52			0				0
22	1/2/2007 12:07			0				0
23	1/2/2007 12:22			0				0
24	1/2/2007 12:37			0				0
25	1/2/2007 12:52			0				0
26	1/2/2007 13:07			0				0
27	1/2/2007 13:22			0				0
28	1/2/2007 13:37			0				0
29	1/2/2007 13:52			0				0
30	1/2/2007 14:07			0				0
31	1/2/2007 14:22			0				0
32	1/2/2007 14:37			0				0
33	1/2/2007 14:52			0				0
34	1/2/2007 15:07			0				0
35	1/2/2007 15:22			0				0
36	1/2/2007 15:37			0				0
37	1/2/2007 15:52			0				0
38	1/2/2007 16:07			0				0
39	1/2/2007 16:22			0				0
40	1/2/2007 16:37			0				0
41	1/2/2007 16:52			0				0
42	1/2/2007 17:07			0				0
43	1/2/2007 17:22			0				0
44	1/2/2007 17:37			0				0
45	1/2/2007 17:52			0				0
46	1/2/2007 18:07			0				0
47	1/2/2007 18:22			0				0
48	1/2/2007 18:37			0.1				0.1
49	1/2/2007 18:52			0				0
50	1/2/2007 19:07			0				0
51	1/2/2007 19:22			0				0
52	1/2/2007 19:37			0				0
53	1/2/2007 19:52			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	1/2/2007
Start Time:	7:57:31
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (06:35) = 0.006 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
1/2/2007	8:12:31	0.002	-0.004	-4
1/2/2007	8:27:31	0.005	-0.001	-1
1/2/2007	8:42:31	0.007	0.001	1
1/2/2007	8:57:31	0.004	-0.002	-2
1/2/2007	9:12:31	0.006	0	0
1/2/2007	9:27:31	0.005	-0.001	-1
1/2/2007	9:42:31	0.005	-0.001	-1
1/2/2007	9:57:31	0.006	0	0
1/2/2007	10:12:31	0.006	0	0
1/2/2007	10:27:31	0.004	-0.002	-2
1/2/2007	10:42:31	0.004	-0.002	-2
1/2/2007	10:57:31	0.004	-0.002	-2
1/2/2007	11:12:31	0.003	-0.003	-3
1/2/2007	11:27:31	0.003	-0.003	-3
1/2/2007	11:42:31	0.003	-0.003	-3
1/2/2007	11:57:31	0.003	-0.003	-3
1/2/2007	12:12:31	0.003	-0.003	-3
1/2/2007	12:27:31	0.003	-0.003	-3
1/2/2007	12:42:31	0.003	-0.003	-3
1/2/2007	12:57:31	0.003	-0.003	-3
1/2/2007	13:12:31	0.003	-0.003	-3
1/2/2007	13:27:31	0.003	-0.003	-3
1/2/2007	13:42:31	0.004	-0.002	-2
1/2/2007	13:57:31	0.006	0	0
1/2/2007	14:12:31	0.004	-0.002	-2
1/2/2007	14:27:31	0.003	-0.003	-3
1/2/2007	14:42:31	0.003	-0.003	-3
1/2/2007	14:57:31	0.003	-0.003	-3
1/2/2007	15:12:31	0.004	-0.002	-2
1/2/2007	15:27:31	0.003	-0.003	-3
1/2/2007	15:42:31	0.004	-0.002	-2
1/2/2007	15:57:31	0.004	-0.002	-2
1/2/2007	16:12:31	0.003	-0.003	-3
1/2/2007	16:27:31	0.003	-0.003	-3
1/2/2007	16:42:31	0.003	-0.003	-3
1/2/2007	16:57:31	0.003	-0.003	-3
1/2/2007	17:12:31	0.003	-0.003	-3
1/2/2007	17:27:31	0.003	-0.003	-3
1/2/2007	17:42:31	0.004	-0.002	-2
1/2/2007	17:57:31	0.004	-0.002	-2
1/2/2007	18:12:31	0.005	-0.001	-1
1/2/2007	18:27:31	0.004	-0.002	-2
1/2/2007	18:42:31	0.005	-0.001	-1
1/2/2007	18:57:31	0.023	0.017	17
1/2/2007	19:12:31	0.006	0	0
1/2/2007	19:30:10	0.008	0.002	2
1/2/2007	19:45:10	0.006	0	0
1/2/2007	20:00:10	0.007	0.001	1
1/2/2007	20:15:10	0.005	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/02/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (06:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/2/2007 7:04			0.2				0.2
2	1/2/2007 7:19			0.3				0.3
3	1/2/2007 7:34			0.3				0.3
4	1/2/2007 7:49			0.4				0.4
5	1/2/2007 8:04			0.4				0.4
6	1/2/2007 8:19			0.4				0.4
7	1/2/2007 8:34			0.5				0.5
8	1/2/2007 8:49			0.5				0.5
9	1/2/2007 9:04			0.5				0.5
10	1/2/2007 9:19			0.5				0.5
11	1/2/2007 9:34			0.5				0.5
12	1/2/2007 9:49			0.5				0.5
13	1/2/2007 10:04			0.5				0.5
14	1/2/2007 10:19			0.6				0.6
15	1/2/2007 10:34			0.6				0.6
16	1/2/2007 10:49			0.6				0.6
17	1/2/2007 11:04			0.6				0.6
18	1/2/2007 11:19			0.6				0.6
19	1/2/2007 11:34			0.6				0.6
20	1/2/2007 11:49			0.6				0.6
21	1/2/2007 12:04			0.6				0.6
22	1/2/2007 12:19			0.6				0.6
23	1/2/2007 12:34			0.6				0.6
24	1/2/2007 12:49			0.6				0.6
25	1/2/2007 13:04			0.6				0.6
26	1/2/2007 13:19			0.6				0.6
27	1/2/2007 13:34			0.6				0.6
28	1/2/2007 13:49			0.6				0.6
29	1/2/2007 14:04			0.6				0.6
30	1/2/2007 14:19			0.6				0.6
31	1/2/2007 14:34			0.6				0.6
32	1/2/2007 14:49			0.6				0.6
33	1/2/2007 15:04			0.6				0.6
34	1/2/2007 15:19			0.6				0.6
35	1/2/2007 15:34			0.7				0.7
36	1/2/2007 15:49			0.8				0.8
37	1/2/2007 16:04			0.8				0.8
38	1/2/2007 16:19			0.8				0.8
39	1/2/2007 16:34			0.8				0.8
40	1/2/2007 16:49			0.9				0.9
41	1/2/2007 17:04			0.9				0.9
42	1/2/2007 17:19			0.9				0.9
43	1/2/2007 17:34			0.9				0.9
44	1/2/2007 17:49			0.9				0.9
45	1/2/2007 18:04			0.9				0.9
46	1/2/2007 18:19			0.9				0.9
47	1/2/2007 18:34			0.9				0.9
48	1/2/2007 18:49			1.1				1.1
49	1/2/2007 19:04			0.9				0.9
50	1/2/2007 19:19			0.8				0.8
51	1/2/2007 19:34			0.8				0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/2/2007
Start Time:	7:45:55
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	Background Reading (06:40) = 0.002 ug/m3

Calibration — Sensor: Aerosol; Cal. date: 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/2/2007	8:00:55	0.005	0.003	3	
1/2/2007	8:15:55	0.008	0.006	6	
1/2/2007	8:30:55	0.011	0.009	9	
1/2/2007	8:45:55	0.008	0.006	6	
1/2/2007	9:00:55	0.009	0.007	7	
1/2/2007	9:15:55	0.009	0.007	7	
1/2/2007	9:30:55	0.008	0.006	6	
1/2/2007	9:45:55	0.011	0.009	9	
1/2/2007	10:00:55	0.007	0.005	5	
1/2/2007	10:15:55	0.011	0.009	9	
1/2/2007	10:30:55	0.005	0.003	3	
1/2/2007	10:45:55	0.007	0.005	5	
1/2/2007	11:00:55	0.005	0.003	3	
1/2/2007	11:15:55	0.004	0.002	2	
1/2/2007	11:30:55	0.005	0.003	3	
1/2/2007	11:45:55	0.004	0.002	2	
1/2/2007	12:00:55	0.005	0.003	3	
1/2/2007	12:15:55	0.005	0.003	3	
1/2/2007	12:30:55	0.004	0.002	2	
1/2/2007	12:45:55	0.005	0.003	3	
1/2/2007	13:00:55	0.005	0.003	3	
1/2/2007	13:15:55	0.005	0.003	3	
1/2/2007	13:30:55	0.005	0.003	3	
1/2/2007	13:45:55	0.005	0.003	3	
1/2/2007	14:00:55	0.006	0.004	4	
1/2/2007	14:15:55	0.005	0.003	3	
1/2/2007	14:30:55	0.005	0.003	3	
1/2/2007	14:45:55	0.005	0.003	3	
1/2/2007	15:00:55	0.005	0.003	3	
1/2/2007	15:15:55	0.006	0.004	4	
1/2/2007	15:30:55	0.006	0.004	4	
1/2/2007	15:45:55	0.005	0.003	3	
1/2/2007	16:00:55	0.004	0.002	2	
1/2/2007	16:15:55	0.005	0.003	3	
1/2/2007	16:30:55	0.005	0.003	3	
1/2/2007	16:45:55	0.006	0.004	4	
1/2/2007	17:00:55	0.006	0.004	4	
1/2/2007	17:15:55	0.006	0.004	4	
1/2/2007	17:30:55	0.006	0.004	4	
1/2/2007	17:45:55	0.007	0.005	5	
1/2/2007	18:00:55	0.007	0.005	5	
1/2/2007	18:15:55	0.008	0.006	6	
1/2/2007	18:30:55	0.007	0.005	5	
1/2/2007	18:45:55	0.008	0.006	6	
1/2/2007	19:00:55	0.112	0.11	110	*Elevated reading due to Shaw testing of AKRF equipment at STA 3
1/2/2007	19:15:55	0.009	0.007	7	
1/2/2007	19:30:55	0.013	0.011	11	
1/2/2007	19:45:55	0.012	0.01	10	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/02/2007 06:17

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (06:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/2/2007 7:10			0				0
2	1/2/2007 7:25			0				0
3	1/2/2007 7:40			0				0
4	1/2/2007 7:55			0.1				0.1
5	1/2/2007 8:10			0				0
6	1/2/2007 8:25			0				0
7	1/2/2007 8:40			0				0
8	1/2/2007 8:55			0				0
9	1/2/2007 9:10			0				0
10	1/2/2007 9:25			0				0
11	1/2/2007 9:40			0				0
12	1/2/2007 9:55			0				0
13	1/2/2007 10:10			0				0
14	1/2/2007 10:25			0				0
15	1/2/2007 10:40			0				0
16	1/2/2007 10:55			0				0
17	1/2/2007 11:10			0				0
18	1/2/2007 11:25			0				0
19	1/2/2007 11:40			0				0
20	1/2/2007 11:55			0				0
21	1/2/2007 12:10			0				0
22	1/2/2007 12:25			0				0
23	1/2/2007 12:40			0				0
24	1/2/2007 12:55			0				0
25	1/2/2007 13:10			0				0
26	1/2/2007 13:25			0				0
27	1/2/2007 13:40			0				0
28	1/2/2007 13:55			0				0
29	1/2/2007 14:10			0				0
30	1/2/2007 14:25			0				0
31	1/2/2007 14:40			0				0
32	1/2/2007 14:55			0				0
33	1/2/2007 15:10			0				0
34	1/2/2007 15:25			0				0
35	1/2/2007 15:40			0				0
36	1/2/2007 15:55			0				0
37	1/2/2007 16:10			0				0
38	1/2/2007 16:25			0				0
39	1/2/2007 16:40			0				0
40	1/2/2007 16:55			0				0
41	1/2/2007 17:10			0				0
42	1/2/2007 17:25			0				0
43	1/2/2007 17:40			0				0
44	1/2/2007 17:55			0				0
45	1/2/2007 18:10			0				0
46	1/2/2007 18:25			0				0
47	1/2/2007 18:40			0.1				0.1
48	1/2/2007 18:55			0				0
49	1/2/2007 19:10			0				0
50	1/2/2007 19:25			0				0
51	1/2/2007 19:40			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/2/2007
Start Time:	7:42:23
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	Background Reading (06:45) = 0.018 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/2/2007	7:57:23	0.011	-0.007	-7
1/2/2007	8:12:23	0.02	0.002	2
1/2/2007	8:27:23	0.011	-0.007	-7
1/2/2007	8:42:23	0.01	-0.008	-8
1/2/2007	8:57:23	0.008	-0.01	-10
1/2/2007	9:12:23	0.01	-0.008	-8
1/2/2007	9:27:23	0.008	-0.01	-10
1/2/2007	9:42:23	0.008	-0.01	-10
1/2/2007	9:57:23	0.008	-0.01	-10
1/2/2007	10:12:23	0.009	-0.009	-9
1/2/2007	10:27:23	0.008	-0.01	-10
1/2/2007	10:42:23	0.006	-0.012	-12
1/2/2007	10:57:23	0.008	-0.01	-10
1/2/2007	11:12:23	0.005	-0.013	-13
1/2/2007	11:27:23	0.006	-0.012	-12
1/2/2007	11:42:23	0.004	-0.014	-14
1/2/2007	11:57:23	0.005	-0.013	-13
1/2/2007	12:12:23	0.005	-0.013	-13
1/2/2007	12:27:23	0.004	-0.014	-14
1/2/2007	12:42:23	0.004	-0.014	-14
1/2/2007	12:57:23	0.004	-0.014	-14
1/2/2007	13:12:23	0.005	-0.013	-13
1/2/2007	13:27:23	0.008	-0.01	-10
1/2/2007	13:42:23	0.007	-0.011	-11
1/2/2007	13:57:23	0.007	-0.011	-11
1/2/2007	14:12:23	0.006	-0.012	-12
1/2/2007	14:27:23	0.005	-0.013	-13
1/2/2007	14:42:23	0.005	-0.013	-13
1/2/2007	14:57:23	0.006	-0.012	-12
1/2/2007	15:12:23	0.011	-0.007	-7
1/2/2007	15:27:23	0.008	-0.01	-10
1/2/2007	15:42:23	0.012	-0.006	-6
1/2/2007	15:57:23	0.025	0.007	7
1/2/2007	16:12:23	0.035	0.017	17
1/2/2007	16:27:23	0.016	-0.002	-2
1/2/2007	16:42:23	0.031	0.013	13
1/2/2007	16:57:23	0.009	-0.009	-9
1/2/2007	17:12:23	0.02	0.002	2
1/2/2007	17:27:23	0.008	-0.01	-10
1/2/2007	17:42:23	0.01	-0.008	-8
1/2/2007	17:57:23	0.019	0.001	1
1/2/2007	18:12:23	0.013	-0.005	-5
1/2/2007	18:27:23	0.028	0.01	10
1/2/2007	18:42:23	0.015	-0.003	-3
1/2/2007	18:57:23	0.012	-0.006	-6
1/2/2007	19:12:23	0.049	0.031	31
1/2/2007	19:27:23	0.01	-0.008	-8
1/2/2007	19:42:23	0.009	-0.009	-9
1/2/2007	19:57:23	0.024	0.006	6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/03/2007 07:14

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	1/3/2007 7:45			0.1				0.1	*AKRF testing of STA 1 equipment
2	1/3/2007 8:00			0.2				0.2	
3	1/3/2007 8:15			0.2				0.2	
4	1/3/2007 8:30			0.2				0.2	
5	1/3/2007 8:45			0.3				0.3	
6	1/3/2007 9:00			0.3				0.3	
7	1/3/2007 9:15			0.3				0.3	
8	1/3/2007 9:30			0.3				0.3	
9	1/3/2007 9:45			0.6				0.6	*AKRF testing of STA 1 equipment
10	1/3/2007 10:00			0.3				0.3	
11	1/3/2007 10:15			0.3				0.3	
12	1/3/2007 10:30			0.3				0.3	
13	1/3/2007 10:45			0.3				0.3	
14	1/3/2007 11:00			0.4				0.4	
15	1/3/2007 11:15			0.4				0.4	
16	1/3/2007 11:30			0.4				0.4	
17	1/3/2007 11:45			0.4				0.4	
18	1/3/2007 12:00			0.4				0.4	
19	1/3/2007 12:15			0.4				0.4	
20	1/3/2007 12:30			0.4				0.4	
21	1/3/2007 12:45			0.4				0.4	
22	1/3/2007 13:00			0.4				0.4	
23	1/3/2007 13:15			0.4				0.4	
24	1/3/2007 13:30			0.4				0.4	
25	1/3/2007 13:45			0.4				0.4	
26	1/3/2007 14:00			0.4				0.4	
27	1/3/2007 14:15			0.4				0.4	
28	1/3/2007 14:30			0.4				0.4	
29	1/3/2007 14:45			0.4				0.4	
30	1/3/2007 15:00			0.4				0.4	
31	1/3/2007 15:15			0.4				0.4	
32	1/3/2007 15:30			0.3				0.3	
33	1/3/2007 15:45			0.4				0.4	
34	1/3/2007 16:00			0.4				0.4	
35	1/3/2007 16:15			0.4				0.4	
36	1/3/2007 16:30			0.4				0.4	
37	1/3/2007 16:45			0.4				0.4	
38	1/3/2007 17:00			0.4				0.4	
39	1/3/2007 17:15			0.4				0.4	
40	1/3/2007 17:30			0.4				0.4	
41	1/3/2007 17:45			0.4				0.4	
42	1/3/2007 18:00			0.4				0.4	
43	1/3/2007 18:15			0.4				0.4	
44	1/3/2007 18:30			0.4				0.4	
45	1/3/2007 18:45			0.4				0.4	
46	1/3/2007 19:00			0.4				0.4	
47	1/3/2007 19:15			0.4				0.4	
48	1/3/2007 19:30			0.4				0.4	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	6
Test Abbreviation:	
Start Date:	1/3/2007
Start Time:	7:37:04
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (07:40) = 0.027 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/3/2007	7:52:04	0.022	-0.005	-5
1/3/2007	8:07:04	0.027	0	0
1/3/2007	8:22:04	0.034	0.007	7
1/3/2007	8:37:04	0.035	0.008	8
1/3/2007	8:52:04	0.025	-0.002	-2
1/3/2007	9:07:04	0.042	0.015	15
1/3/2007	9:22:04	0.057	0.03	30
1/3/2007	9:37:04	0.055	0.028	28
1/3/2007	9:52:04	0.062	0.035	35
1/3/2007	10:07:04	0.061	0.034	34
1/3/2007	10:22:04	0.044	0.017	17
1/3/2007	10:37:04	0.028	0.001	1
1/3/2007	10:52:04	0.02	-0.007	-7
1/3/2007	11:07:04	0.018	-0.009	-9
1/3/2007	11:22:04	0.022	-0.005	-5
1/3/2007	11:37:04	0.025	-0.002	-2
1/3/2007	11:52:04	0.026	-0.001	-1
1/3/2007	12:07:04	0.028	0.001	1
1/3/2007	12:22:04	0.024	-0.003	-3
1/3/2007	12:37:04	0.022	-0.005	-5
1/3/2007	12:52:04	0.022	-0.005	-5
1/3/2007	13:07:04	0.023	-0.004	-4
1/3/2007	13:22:04	0.022	-0.005	-5
1/3/2007	13:37:04	0.021	-0.006	-6
1/3/2007	13:52:04	0.029	0.002	2
1/3/2007	14:07:04	0.022	-0.005	-5
1/3/2007	14:22:04	0.022	-0.005	-5
1/3/2007	14:37:04	0.02	-0.007	-7
1/3/2007	14:52:04	0.019	-0.008	-8
1/3/2007	15:07:04	0.017	-0.01	-10
1/3/2007	15:22:04	0.018	-0.009	-9
1/3/2007	15:37:04	0.018	-0.009	-9
1/3/2007	15:52:04	0.019	-0.008	-8
1/3/2007	16:07:04	0.018	-0.009	-9
1/3/2007	16:22:04	0.019	-0.008	-8
1/3/2007	16:37:04	0.019	-0.008	-8
1/3/2007	16:52:04	0.02	-0.007	-7
1/3/2007	17:07:04	0.02	-0.007	-7
1/3/2007	17:22:04	0.019	-0.008	-8
1/3/2007	17:37:04	0.018	-0.009	-9
1/3/2007	17:52:04	0.019	-0.008	-8
1/3/2007	18:07:04	0.018	-0.009	-9
1/3/2007	18:22:04	0.018	-0.009	-9
1/3/2007	18:37:04	0.018	-0.009	-9
1/3/2007	18:52:04	0.019	-0.008	-8
1/3/2007	19:07:04	0.02	-0.007	-7
1/3/2007	19:22:04	0.02	-0.007	-7
1/3/2007	19:37:04	0.02	-0.007	-7
1/3/2007	19:52:04	0.02	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013018
User ID: 00000001 Site ID: 00000004
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/03/2007 07:14

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:30) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	1/3/2007 7:41			0				0	
1	1/3/2007 8:43			0				0	
2	1/3/2007 8:58			0				0	
3	1/3/2007 9:13			0.9				0.9	*AKRF testing of STA 2 equipment
4	1/3/2007 9:28			0				0	
1	1/3/2007 10:21			0				0	
2	1/3/2007 10:36			0				0	
3	1/3/2007 10:51			0				0	
4	1/3/2007 11:06			0				0	
5	1/3/2007 11:21			0				0	
6	1/3/2007 11:36			0				0	
7	1/3/2007 11:51			0				0	
8	1/3/2007 12:06			0				0	
9	1/3/2007 12:21			0				0	
10	1/3/2007 12:36			0				0	
11	1/3/2007 12:51			0				0	
12	1/3/2007 13:06			0				0	
13	1/3/2007 13:21			0				0	
14	1/3/2007 13:36			0				0	
15	1/3/2007 13:51			0				0	
16	1/3/2007 14:06			0				0	
17	1/3/2007 14:21			0				0	
1	1/3/2007 14:59			0				0	
2	1/3/2007 15:07			0				0	
3	1/3/2007 15:15			0				0	
4	1/3/2007 15:24			0				0	
5	1/3/2007 15:32			0				0	
6	1/3/2007 15:40			0				0	
7	1/3/2007 15:49			0				0	
8	1/3/2007 15:57			0				0	
9	1/3/2007 16:05			0				0	
10	1/3/2007 16:14			0				0	
11	1/3/2007 16:22			0				0	
12	1/3/2007 16:30			0				0	
13	1/3/2007 16:39			0				0	
14	1/3/2007 16:47			0				0	
15	1/3/2007 16:55			0				0	
16	1/3/2007 17:04			0				0	
17	1/3/2007 17:12			0				0	
18	1/3/2007 17:20			0				0	
19	1/3/2007 17:29			0				0	
20	1/3/2007 17:37			0				0	
21	1/3/2007 17:45			0				0	
22	1/3/2007 17:54			0				0	
23	1/3/2007 18:02			0				0	
24	1/3/2007 18:10			0				0	
25	1/3/2007 18:19			0				0	
26	1/3/2007 18:27			0				0	
27	1/3/2007 18:35			0				0	
28	1/3/2007 18:44			0				0	
29	1/3/2007 18:52			0				0	
30	1/3/2007 19:00			0				0	
31	1/3/2007 19:09			0				0	
32	1/3/2007 19:17			0				0	
33	1/3/2007 19:25			0				0	
34	1/3/2007 19:34			0				0	
35	1/3/2007 19:42			0				0	
36	1/3/2007 19:50			0				0	
37	1/3/2007 19:59			0				0	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	1/3/2007
Start Time:	8:00:16
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (07:30) = 0.020 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
1/3/2007	8:15:16	0.03	0.01	10
1/3/2007	8:30:16	0.019	-0.001	-1
1/3/2007	8:45:16	0.022	0.002	2
1/3/2007	9:00:16	0.017	-0.003	-3
1/3/2007	9:15:16	0.036	0.016	16
1/3/2007	9:30:16	0.042	0.022	22
1/3/2007	9:45:16	0.04	0.02	20
1/3/2007	10:00:16	0.044	0.024	24
1/3/2007	10:15:16	0.04	0.02	20
1/3/2007	10:30:16	0.028	0.008	8
1/3/2007	10:45:16	0.015	-0.005	-5
1/3/2007	11:00:16	0.012	-0.008	-8
1/3/2007	11:15:16	0.012	-0.008	-8
1/3/2007	11:30:16	0.015	-0.005	-5
1/3/2007	11:45:16	0.016	-0.004	-4
1/3/2007	12:00:16	0.018	-0.002	-2
1/3/2007	12:15:16	0.017	-0.003	-3
1/3/2007	12:30:16	0.015	-0.005	-5
1/3/2007	12:45:16	0.014	-0.006	-6
1/3/2007	13:00:16	0.015	-0.005	-5
1/3/2007	13:15:16	0.014	-0.006	-6
1/3/2007	13:30:16	0.014	-0.006	-6
1/3/2007	13:45:16	0.015	-0.005	-5
1/3/2007	14:00:16	0.013	-0.007	-7
1/3/2007	14:15:16	0.013	-0.007	-7
1/3/2007	14:30:16	0.013	-0.007	-7
1/3/2007	14:45:16	0.012	-0.008	-8
1/3/2007	15:00:16	0.013	-0.007	-7
1/3/2007	15:15:16	0.012	-0.008	-8
1/3/2007	15:30:16	0.012	-0.008	-8
1/3/2007	15:45:16	0.012	-0.008	-8
1/3/2007	16:00:16	0.012	-0.008	-8
1/3/2007	16:15:16	0.012	-0.008	-8
1/3/2007	16:30:16	0.012	-0.008	-8
1/3/2007	16:45:16	0.013	-0.007	-7
1/3/2007	17:00:16	0.013	-0.007	-7
1/3/2007	17:15:16	0.012	-0.008	-8
1/3/2007	17:30:16	0.012	-0.008	-8
1/3/2007	17:45:16	0.012	-0.008	-8
1/3/2007	18:00:16	0.011	-0.009	-9
1/3/2007	18:15:16	0.012	-0.008	-8
1/3/2007	18:30:16	0.011	-0.009	-9
1/3/2007	18:45:16	0.011	-0.009	-9
1/3/2007	19:00:16	0.012	-0.008	-8
1/3/2007	19:15:16	0.013	-0.007	-7
1/3/2007	19:30:16	0.013	-0.007	-7
1/3/2007	19:45:16	0.013	-0.007	-7
1/3/2007	20:00:16	0.013	-0.007	-7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/03/2007 07:03

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:48) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/3/2007 8:06			0.3				0.3
2	1/3/2007 8:21			0.5				0.5
3	1/3/2007 8:36			0.5				0.5
4	1/3/2007 8:51			0.6				0.6
5	1/3/2007 9:06			0.7				0.7
6	1/3/2007 9:21			0.8				0.8
7	1/3/2007 9:36			0.8				0.8
8	1/3/2007 9:51			0.8				0.8
9	1/3/2007 10:06			0.9				0.9
10	1/3/2007 10:21			0.9				0.9
11	1/3/2007 10:36			0.9				0.9
12	1/3/2007 10:51			0.9				0.9
13	1/3/2007 11:06			1				1
14	1/3/2007 11:21			1				1
15	1/3/2007 11:36			1				1
16	1/3/2007 11:51			1				1
17	1/3/2007 12:06			1				1
18	1/3/2007 12:21			1.1				1.1
19	1/3/2007 12:36			1.1				1.1
20	1/3/2007 12:51			1.1				1.1
21	1/3/2007 13:06			1.2				1.2
22	1/3/2007 13:21			1.2				1.2
23	1/3/2007 13:36			1.2				1.2
24	1/3/2007 13:51			1.2				1.2
25	1/3/2007 14:06			1.2				1.2
26	1/3/2007 14:21			1.2				1.2
27	1/3/2007 14:36			1.2				1.2
28	1/3/2007 14:51			1.3				1.3
29	1/3/2007 15:06			1.3				1.3
30	1/3/2007 15:21			1.3				1.3
31	1/3/2007 15:36			1.3				1.3
32	1/3/2007 15:51			1.3				1.3
33	1/3/2007 16:06			1.3				1.3
34	1/3/2007 16:21			1.3				1.3
35	1/3/2007 16:36			1.3				1.3
36	1/3/2007 16:51			1.4				1.4
37	1/3/2007 17:06			1.4				1.4
38	1/3/2007 17:21			1.4				1.4
39	1/3/2007 17:36			1.4				1.4
40	1/3/2007 17:51			1.4				1.4
41	1/3/2007 18:06			1.4				1.4
42	1/3/2007 18:21			1.4				1.4
43	1/3/2007 18:36			1.4				1.4
44	1/3/2007 18:51			1.5				1.5
45	1/3/2007 19:06			1.5				1.5
46	1/3/2007 19:21			1.5				1.5
47	1/3/2007 19:36			1.5				1.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	7
Test Abbreviation:	
Start Date:	1/3/2007
Start Time:	7:55:06
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	

Background Reading (07:48) = 0.070 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/3/2007	8:10:06	0.025	-0.045	-45
1/3/2007	8:25:06	0.031	-0.039	-39
1/3/2007	8:40:06	0.029	-0.041	-41
1/3/2007	8:55:06	0.026	-0.044	-44
1/3/2007	9:10:06	0.051	-0.019	-19
1/3/2007	9:25:06	0.068	-0.002	-2
1/3/2007	9:40:06	0.056	-0.014	-14
1/3/2007	9:55:06	0.07	0	0
1/3/2007	10:10:06	0.063	-0.007	-7
1/3/2007	10:25:06	0.044	-0.026	-26
1/3/2007	10:40:06	0.025	-0.045	-45
1/3/2007	10:55:06	0.022	-0.048	-48
1/3/2007	11:10:06	0.023	-0.047	-47
1/3/2007	11:25:06	0.026	-0.044	-44
1/3/2007	11:40:06	0.03	-0.04	-40
1/3/2007	11:55:06	0.031	-0.039	-39
1/3/2007	12:10:06	0.03	-0.04	-40
1/3/2007	12:25:06	0.026	-0.044	-44
1/3/2007	12:40:06	0.025	-0.045	-45
1/3/2007	12:55:06	0.025	-0.045	-45
1/3/2007	13:10:06	0.025	-0.045	-45
1/3/2007	13:25:06	0.024	-0.046	-46
1/3/2007	13:40:06	0.024	-0.046	-46
1/3/2007	13:55:06	0.027	-0.043	-43
1/3/2007	14:10:06	0.025	-0.045	-45
1/3/2007	14:25:06	0.024	-0.046	-46
1/3/2007	14:40:06	0.024	-0.046	-46
1/3/2007	14:55:06	0.024	-0.046	-46
1/3/2007	15:10:06	0.022	-0.048	-48
1/3/2007	15:25:06	0.022	-0.048	-48
1/3/2007	15:40:06	0.022	-0.048	-48
1/3/2007	15:55:06	0.026	-0.044	-44
1/3/2007	16:10:06	0.022	-0.048	-48
1/3/2007	16:25:06	0.024	-0.046	-46
1/3/2007	16:40:06	0.025	-0.045	-45
1/3/2007	16:55:06	0.025	-0.045	-45
1/3/2007	17:10:06	0.023	-0.047	-47
1/3/2007	17:25:06	0.022	-0.048	-48
1/3/2007	17:40:06	0.024	-0.046	-46
1/3/2007	17:55:06	0.024	-0.046	-46
1/3/2007	18:10:06	0.026	-0.044	-44
1/3/2007	18:25:06	0.024	-0.046	-46
1/3/2007	18:40:06	0.023	-0.047	-47
1/3/2007	18:55:06	0.024	-0.046	-46
1/3/2007	19:10:06	0.024	-0.046	-46
1/3/2007	19:25:06	0.026	-0.044	-44
1/3/2007	19:40:06	0.023	-0.047	-47
1/3/2007	19:55:06	0.023	-0.047	-47

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/03/2007 07:08

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:40) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/3/2007 7:58			0				0
2	1/3/2007 8:13			0				0
3	1/3/2007 8:28			0				0
4	1/3/2007 8:43			0				0
5	1/3/2007 8:58			0				0
6	1/3/2007 9:13			0				0
7	1/3/2007 9:28			0				0
8	1/3/2007 9:43			0				0
9	1/3/2007 9:58			0				0
10	1/3/2007 10:13			0				0
11	1/3/2007 10:28			0				0
12	1/3/2007 10:43			0				0
13	1/3/2007 10:58			0				0
14	1/3/2007 11:13			0				0
15	1/3/2007 11:28			0				0
16	1/3/2007 11:43			0				0
17	1/3/2007 11:58			0				0
18	1/3/2007 12:13			0				0
19	1/3/2007 12:28			0				0
20	1/3/2007 12:43			0				0
21	1/3/2007 12:58			0				0
22	1/3/2007 13:13			0				0
23	1/3/2007 13:28			0				0
24	1/3/2007 13:43			0				0
25	1/3/2007 13:58			0				0
26	1/3/2007 14:13			0				0
27	1/3/2007 14:28			0				0
28	1/3/2007 14:43			0				0
29	1/3/2007 14:58			0				0
30	1/3/2007 15:13			0				0
31	1/3/2007 15:28			0				0
32	1/3/2007 15:43			0				0
33	1/3/2007 15:58			0				0
34	1/3/2007 16:13			0				0
35	1/3/2007 16:28			0				0
36	1/3/2007 16:43			0.1				0.1
37	1/3/2007 16:58			0.1				0.1
38	1/3/2007 17:13			0.1				0.1
39	1/3/2007 17:28			0.1				0.1
40	1/3/2007 17:43			0.1				0.1
41	1/3/2007 17:58			0.1				0.1
42	1/3/2007 18:13			0.1				0.1
43	1/3/2007 18:28			0.1				0.1
44	1/3/2007 18:43			0.1				0.1
45	1/3/2007 18:58			0.1				0.1
46	1/3/2007 19:13			0.1				0.1
47	1/3/2007 19:28			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	1/3/2007
Start Time:	7:48:16
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (07:40) = 0.017 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/3/2007	8:03:16	0.02	0.003	3
1/3/2007	8:18:16	0.024	0.007	7
1/3/2007	8:33:16	0.025	0.008	8
1/3/2007	8:48:16	0.021	0.004	4
1/3/2007	9:03:16	0.028	0.011	11
1/3/2007	9:18:16	0.045	0.028	28
1/3/2007	9:33:16	0.047	0.03	30
1/3/2007	9:48:16	0.046	0.029	29
1/3/2007	10:03:16	0.055	0.038	38
1/3/2007	10:18:16	0.043	0.026	26
1/3/2007	10:33:16	0.03	0.013	13
1/3/2007	10:48:16	0.018	0.001	1
1/3/2007	11:03:16	0.017	0	0
1/3/2007	11:18:16	0.02	0.003	3
1/3/2007	11:33:16	0.021	0.004	4
1/3/2007	11:48:16	0.025	0.008	8
1/3/2007	12:03:16	0.024	0.007	7
1/3/2007	12:18:16	0.022	0.005	5
1/3/2007	12:33:16	0.02	0.003	3
1/3/2007	12:48:16	0.019	0.002	2
1/3/2007	13:03:16	0.019	0.002	2
1/3/2007	13:18:16	0.019	0.002	2
1/3/2007	13:33:16	0.02	0.003	3
1/3/2007	13:48:16	0.021	0.004	4
1/3/2007	14:03:16	0.02	0.003	3
1/3/2007	14:18:16	0.017	0	0
1/3/2007	14:33:16	0.017	0	0
1/3/2007	14:48:16	0.02	0.003	3
1/3/2007	15:03:16	0.017	0	0
1/3/2007	15:18:16	0.016	-0.001	-1
1/3/2007	15:33:16	0.016	-0.001	-1
1/3/2007	15:48:16	0.021	0.004	4
1/3/2007	16:03:16	0.028	0.011	11
1/3/2007	16:18:16	0.022	0.005	5
1/3/2007	16:33:16	0.016	-0.001	-1
1/3/2007	16:48:16	0.017	0	0
1/3/2007	17:03:16	0.019	0.002	2
1/3/2007	17:18:16	0.023	0.006	6
1/3/2007	17:33:16	0.023	0.006	6
1/3/2007	17:48:16	0.018	0.001	1
1/3/2007	18:03:16	0.037	0.02	20
1/3/2007	18:18:16	0.027	0.01	10
1/3/2007	18:33:16	0.025	0.008	8
1/3/2007	18:48:16	0.028	0.011	11
1/3/2007	19:03:16	0.018	0.001	1
1/3/2007	19:18:16	0.029	0.012	12
1/3/2007	19:33:16	0.028	0.011	11
1/3/2007	19:48:16	0.025	0.008	8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:11

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:51) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/4/2007 8:10			0				0
2	1/4/2007 8:25			0.1				0.1
3	1/4/2007 8:40			0.2				0.2
4	1/4/2007 8:55			0.2				0.2
5	1/4/2007 9:10			0.2				0.2
6	1/4/2007 9:25			0.2				0.2
7	1/4/2007 9:40			0.2				0.2
8	1/4/2007 9:55			0.2				0.2
9	1/4/2007 10:10			0.3				0.3
10	1/4/2007 10:25			0.3				0.3
11	1/4/2007 10:40			0.3				0.3
12	1/4/2007 10:55			0.3				0.3
13	1/4/2007 11:10			0.3				0.3
14	1/4/2007 11:25			0.3				0.3
15	1/4/2007 11:40			0.3				0.3
16	1/4/2007 11:55			0.3				0.3
17	1/4/2007 12:10			0.3				0.3
18	1/4/2007 12:25			0.3				0.3
19	1/4/2007 12:40			0.3				0.3
20	1/4/2007 12:55			0.3				0.3
21	1/4/2007 13:10			0.3				0.3
22	1/4/2007 13:25			0.3				0.3
23	1/4/2007 13:40			0.3				0.3
24	1/4/2007 13:55			0.3				0.3
25	1/4/2007 14:10			0.3				0.3
26	1/4/2007 14:25			0.3				0.3
27	1/4/2007 14:40			0.3				0.3
28	1/4/2007 14:55			0.3				0.3
29	1/4/2007 15:10			0.3				0.3
30	1/4/2007 15:25			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	7
Test Abbreviation:	
Start Date:	1/4/2007
Start Time:	7:59:19
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (07:51) = 0.035 ug/m3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/4/2007	8:14:19	0.033	-0.002	-2	
1/4/2007	8:29:19	0.036	0.001	1	
1/4/2007	8:44:19	0.04	0.005	5	
1/4/2007	8:59:19	0.048	0.013	13	
1/4/2007	9:14:19	0.047	0.012	12	
1/4/2007	9:29:19	0.049	0.014	14	
1/4/2007	9:44:19	0.045	0.01	10	
1/4/2007	9:59:19	0.043	0.008	8	
1/4/2007	10:14:19	0.045	0.01	10	
1/4/2007	10:29:19	0.049	0.014	14	
1/4/2007	10:44:19	0.04	0.005	5	
1/4/2007	10:59:19	0.042	0.007	7	
1/4/2007	11:14:19	0.041	0.006	6	
1/4/2007	11:29:19	0.044	0.009	9	
1/4/2007	11:44:19	0.044	0.009	9	
1/4/2007	11:59:19	0.042	0.007	7	
1/4/2007	12:14:19	0.037	0.002	2	
1/4/2007	12:29:19	0.037	0.002	2	
1/4/2007	12:44:19	0.034	-0.001	-1	
1/4/2007	12:59:19	0.035	0	0	
1/4/2007	13:14:19	0.038	0.003	3	
1/4/2007	13:29:19	0.035	0	0	
1/4/2007	13:44:19	0.04	0.005	5	
1/4/2007	13:59:19	0.038	0.003	3	
1/4/2007	14:14:19	0.035	0	0	
1/4/2007	14:29:19	0.034	-0.001	-1	
1/4/2007	14:44:19	0.031	-0.004	-4	
1/4/2007	14:59:19	0.194	0.159	159	*Elevated reading due to Shaw testing of AKRF equipment at STA 1
1/4/2007	15:14:19	0.032	-0.003	-3	
1/4/2007	15:29:19	0.031	-0.004	-4	
1/4/2007	15:44:19	0.03	-0.005	-5	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:13

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:26) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/4/2007 7:47			0				0
2	1/4/2007 8:02			0				0
3	1/4/2007 8:17			0.2				0.2
4	1/4/2007 8:32			0.4				0.4
5	1/4/2007 8:47			0.5				0.5
6	1/4/2007 9:02			0.7				0.7
7	1/4/2007 9:17			0.8				0.8
8	1/4/2007 9:32			0.9				0.9
9	1/4/2007 9:47			0.9				0.9
10	1/4/2007 10:02			0.9				0.9
11	1/4/2007 10:17			0.9				0.9
12	1/4/2007 10:32			1				1
13	1/4/2007 10:47			1.1				1.1
14	1/4/2007 11:02			1.1				1.1
15	1/4/2007 11:17			1.1				1.1
16	1/4/2007 11:32			1.1				1.1
17	1/4/2007 11:47			1.1				1.1
18	1/4/2007 12:02			1.2				1.2
19	1/4/2007 12:17			1.2				1.2
20	1/4/2007 12:32			1.3				1.3
21	1/4/2007 12:47			1.3				1.3
22	1/4/2007 13:02			1.3				1.3
23	1/4/2007 13:17			1.3				1.3
24	1/4/2007 13:32			1.3				1.3
25	1/4/2007 13:47			1.3				1.3
26	1/4/2007 14:02			1.3				1.3
27	1/4/2007 14:17			1.3				1.3
28	1/4/2007 14:32			1.4				1.4
1	1/4/2007 15:30			0				0
2	1/4/2007 15:45			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	9
Test Abbreviation:	
Start Date:	1/4/2007
Start Time:	7:38:06
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (07:26) = 0.021 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol-background mg/m^3	ug/m^3
1/4/2007	7:53:06	0.023	0.002	2
1/4/2007	8:08:06	0.024	0.003	3
1/4/2007	8:23:06	0.021	0	0
1/4/2007	8:38:06	0.024	0.003	3
1/4/2007	8:53:06	0.028	0.007	7
1/4/2007	9:08:06	0.029	0.008	8
1/4/2007	9:23:06	0.031	0.01	10
1/4/2007	9:38:06	0.029	0.008	8
1/4/2007	9:53:06	0.029	0.008	8
1/4/2007	10:08:06	0.028	0.007	7
1/4/2007	10:23:06	0.03	0.009	9
1/4/2007	10:38:06	0.03	0.009	9
1/4/2007	10:53:06	0.026	0.005	5
1/4/2007	11:08:06	0.028	0.007	7
1/4/2007	11:23:06	0.04	0.019	19
1/4/2007	11:38:06	0.028	0.007	7
1/4/2007	11:53:06	0.028	0.007	7
1/4/2007	12:08:06	0.026	0.005	5
1/4/2007	12:23:06	0.026	0.005	5
1/4/2007	12:38:06	0.024	0.003	3
1/4/2007	12:53:06	0.023	0.002	2
1/4/2007	13:08:06	0.026	0.005	5
1/4/2007	13:23:06	0.025	0.004	4
1/4/2007	13:38:06	0.025	0.004	4
1/4/2007	13:53:06	0.031	0.01	10
1/4/2007	14:08:06	0.024	0.003	3
1/4/2007	14:23:06	0.023	0.002	2
1/4/2007	14:38:06	0.022	0.001	1
1/4/2007	14:53:06	0.021	0	0
1/4/2007	15:08:06	0.022	0.001	1
1/4/2007	15:23:06	0.02	-0.001	-1
1/4/2007	15:38:06	0.021	0	0
1/4/2007	15:53:06	0.02	-0.001	-1
1/4/2007	16:08:06	0.021	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:14

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:45) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/4/2007 8:02			0				0
2	1/4/2007 8:17			0				0
3	1/4/2007 8:32			0				0
4	1/4/2007 8:47			0				0
5	1/4/2007 9:02			0				0
6	1/4/2007 9:17			0				0
7	1/4/2007 9:32			0				0
8	1/4/2007 9:47			0				0
9	1/4/2007 10:02			0				0
10	1/4/2007 10:17			0				0
11	1/4/2007 10:32			0				0
12	1/4/2007 10:47			0				0
13	1/4/2007 11:02			0				0
14	1/4/2007 11:17			0				0
15	1/4/2007 11:32			0				0
16	1/4/2007 11:47			0				0
17	1/4/2007 12:02			0				0
18	1/4/2007 12:17			0				0
19	1/4/2007 12:32			0				0
20	1/4/2007 12:47			0				0
21	1/4/2007 13:02			0				0
22	1/4/2007 13:17			0				0
23	1/4/2007 13:32			0				0
24	1/4/2007 13:47			0				0
25	1/4/2007 14:02			0				0
26	1/4/2007 14:17			0				0
27	1/4/2007 14:32			0				0
28	1/4/2007 14:47			0				0
29	1/4/2007 15:02			0				0
30	1/4/2007 15:17			0				0
31	1/4/2007 15:32			0				0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	8
Test Abbreviation:	
Start Date:	1/4/2007
Start Time:	7:49:15
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:45) = 0.043 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/4/2007	8:04:15	0.046	0.003	3
1/4/2007	8:19:15	0.038	-0.005	-5
1/4/2007	8:34:15	0.043	0	0
1/4/2007	8:49:15	0.05	0.007	7
1/4/2007	9:04:15	0.056	0.013	13
1/4/2007	9:19:15	0.053	0.01	10
1/4/2007	9:34:15	0.049	0.006	6
1/4/2007	9:49:15	0.049	0.006	6
1/4/2007	10:04:15	0.05	0.007	7
1/4/2007	10:19:15	0.054	0.011	11
1/4/2007	10:34:15	0.052	0.009	9
1/4/2007	10:49:15	0.046	0.003	3
1/4/2007	11:04:15	0.045	0.002	2
1/4/2007	11:19:15	0.049	0.006	6
1/4/2007	11:34:15	0.049	0.006	6
1/4/2007	11:49:15	0.047	0.004	4
1/4/2007	12:04:15	0.043	0	0
1/4/2007	12:19:15	0.04	-0.003	-3
1/4/2007	12:34:15	0.04	-0.003	-3
1/4/2007	12:49:15	0.038	-0.005	-5
1/4/2007	13:04:15	0.04	-0.003	-3
1/4/2007	13:19:15	0.041	-0.002	-2
1/4/2007	13:34:15	0.041	-0.002	-2
1/4/2007	13:49:15	0.05	0.007	7
1/4/2007	14:04:15	0.041	-0.002	-2
1/4/2007	14:19:15	0.04	-0.003	-3
1/4/2007	14:34:15	0.037	-0.006	-6
1/4/2007	14:49:15	0.035	-0.008	-8
1/4/2007	15:04:15	0.039	-0.004	-4
1/4/2007	15:19:15	0.036	-0.007	-7
1/4/2007	15:34:15	0.039	-0.004	-4
1/4/2007	15:49:15	0.035	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:19

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (07:39) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/4/2007 7:57			0				0
2	1/4/2007 8:12			0				0
3	1/4/2007 8:27			0				0
4	1/4/2007 8:42			0				0
5	1/4/2007 8:57			0				0
6	1/4/2007 9:12			0				0
7	1/4/2007 9:27			0				0
8	1/4/2007 9:42			0				0
9	1/4/2007 9:57			0				0
10	1/4/2007 10:12			0				0
11	1/4/2007 10:27			0				0
12	1/4/2007 10:42			0				0
13	1/4/2007 10:57			0				0
14	1/4/2007 11:12			0				0
15	1/4/2007 11:27			0				0
16	1/4/2007 11:42			0				0
17	1/4/2007 11:57			0				0
18	1/4/2007 12:12			0				0
19	1/4/2007 12:27			0				0
20	1/4/2007 12:42			0				0
21	1/4/2007 12:57			0				0
22	1/4/2007 13:12			0				0
23	1/4/2007 13:27			0				0
24	1/4/2007 13:42			0				0
25	1/4/2007 13:57			0				0
26	1/4/2007 14:12			0				0
27	1/4/2007 14:27			0				0
28	1/4/2007 14:42			0				0
29	1/4/2007 14:57			0				0
30	1/4/2007 15:12			0				0
31	1/4/2007 15:27			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	1/4/2007
Start Time:	7:49:16
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (07:39) = 0.032 ug/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/4/2007	8:04:16	0.032	0	0
1/4/2007	8:19:16	0.029	-0.003	-3
1/4/2007	8:34:16	0.031	-0.001	-1
1/4/2007	8:49:16	0.037	0.005	5
1/4/2007	9:04:16	0.042	0.01	10
1/4/2007	9:19:16	0.041	0.009	9
1/4/2007	9:34:16	0.038	0.006	6
1/4/2007	9:49:16	0.039	0.007	7
1/4/2007	10:04:16	0.036	0.004	4
1/4/2007	10:19:16	0.038	0.006	6
1/4/2007	10:34:16	0.04	0.008	8
1/4/2007	10:49:16	0.034	0.002	2
1/4/2007	11:04:16	0.034	0.002	2
1/4/2007	11:19:16	0.036	0.004	4
1/4/2007	11:34:16	0.035	0.003	3
1/4/2007	11:49:16	0.037	0.005	5
1/4/2007	12:04:16	0.033	0.001	1
1/4/2007	12:19:16	0.031	-0.001	-1
1/4/2007	12:34:16	0.03	-0.002	-2
1/4/2007	12:49:16	0.028	-0.004	-4
1/4/2007	13:04:16	0.03	-0.002	-2
1/4/2007	13:19:16	0.031	-0.001	-1
1/4/2007	13:34:16	0.03	-0.002	-2
1/4/2007	13:49:16	0.033	0.001	1
1/4/2007	14:04:16	0.032	0	0
1/4/2007	14:19:16	0.03	-0.002	-2
1/4/2007	14:34:16	0.027	-0.005	-5
1/4/2007	14:49:16	0.026	-0.006	-6
1/4/2007	15:04:16	0.031	-0.001	-1
1/4/2007	15:19:16	0.025	-0.007	-7
1/4/2007	15:34:16	0.027	-0.005	-5
1/4/2007	15:49:16	0.03	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/11/2007 06:19

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0658) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/11/2007 7:18			0				0
2	1/11/2007 7:33			0				0
3	1/11/2007 7:48			0.1				0.1
4	1/11/2007 8:03			0.1				0.1
5	1/11/2007 8:18			0.2				0.2
6	1/11/2007 8:33			0.2				0.2
7	1/11/2007 8:48			0.2				0.2
8	1/11/2007 9:03			0.3				0.3
9	1/11/2007 9:18			0.3				0.3
10	1/11/2007 9:33			0.3				0.3
11	1/11/2007 9:48			0.3				0.3
12	1/11/2007 10:03			0.3				0.3
13	1/11/2007 10:18			0.3				0.3
14	1/11/2007 10:33			0.4				0.4
15	1/11/2007 10:48			0.4				0.4
16	1/11/2007 11:03			0.4				0.4
17	1/11/2007 11:18			0.4				0.4
18	1/11/2007 11:33			0.4				0.4
19	1/11/2007 11:48			0.4				0.4
20	1/11/2007 12:03			0.3				0.3
21	1/11/2007 12:18			0.4				0.4
22	1/11/2007 12:33			0.4				0.4
23	1/11/2007 12:48			0.4				0.4
24	1/11/2007 13:03			0.4				0.4
25	1/11/2007 13:18			0.4				0.4
26	1/11/2007 13:33			0.4				0.4
27	1/11/2007 13:48			0.4				0.4
28	1/11/2007 14:03			0.4				0.4
29	1/11/2007 14:18			0.4				0.4
30	1/11/2007 14:33			0.4				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	9
Test Abbreviation:	
Start Date:	1/11/2007
Start Time:	7:06:27
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (06:58) = 0.028 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/11/2007	7:21:27	0.028	0	0
1/11/2007	7:36:27	0.017	-0.011	-11
1/11/2007	7:51:27	0.012	-0.016	-16
1/11/2007	8:06:27	0.012	-0.016	-16
1/11/2007	8:21:27	0.014	-0.014	-14
1/11/2007	8:36:27	0.013	-0.015	-15
1/11/2007	8:51:27	0.011	-0.017	-17
1/11/2007	9:06:27	0.013	-0.015	-15
1/11/2007	9:21:27	0.014	-0.014	-14
1/11/2007	9:36:27	0.019	-0.009	-9
1/11/2007	9:51:27	0.014	-0.014	-14
1/11/2007	10:06:27	0.013	-0.015	-15
1/11/2007	10:21:27	0.015	-0.013	-13
1/11/2007	10:36:27	0.018	-0.01	-10
1/11/2007	10:51:27	0.021	-0.007	-7
1/11/2007	11:06:27	0.019	-0.009	-9
1/11/2007	11:21:27	0.023	-0.005	-5
1/11/2007	11:36:27	0.019	-0.009	-9
1/11/2007	11:51:27	0.022	-0.006	-6
1/11/2007	12:06:27	0.023	-0.005	-5
1/11/2007	12:21:27	0.018	-0.01	-10
1/11/2007	12:36:27	0.018	-0.01	-10
1/11/2007	12:51:27	0.02	-0.008	-8
1/11/2007	13:06:27	0.021	-0.007	-7
1/11/2007	13:21:27	0.02	-0.008	-8
1/11/2007	13:36:27	0.022	-0.006	-6
1/11/2007	13:51:27	0.021	-0.007	-7
1/11/2007	14:06:27	0.019	-0.009	-9
1/11/2007	14:21:27	0.019	-0.009	-9
1/11/2007	14:36:27	0.019	-0.009	-9
1/11/2007	14:51:27	0.019	-0.009	-9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013396

User ID: 00000001 Site ID: 00000004

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/11/2007 06:21

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0729) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/11/2007 7:49			0				0
2	1/11/2007 8:04			0				0
3	1/11/2007 8:19			0				0
4	1/11/2007 8:34			0				0
5	1/11/2007 8:49			0				0
6	1/11/2007 9:04			0				0
7	1/11/2007 9:19			0				0
8	1/11/2007 9:34			0				0
9	1/11/2007 9:49			0				0
10	1/11/2007 10:04			0				0
11	1/11/2007 10:19			0				0
12	1/11/2007 10:34			0				0
13	1/11/2007 10:49			0				0
14	1/11/2007 11:04			0				0
15	1/11/2007 11:19			0				0
16	1/11/2007 11:34			0				0
17	1/11/2007 11:49			0				0
18	1/11/2007 12:04			0				0
19	1/11/2007 12:19			0				0
20	1/11/2007 12:34			0				0
21	1/11/2007 12:49			0.1				0.1
22	1/11/2007 13:04			0.1				0.1
23	1/11/2007 13:19			0.1				0.1
24	1/11/2007 13:34			0.1				0.1
25	1/11/2007 13:49			0.1				0.1
26	1/11/2007 14:04			0.1				0.1
27	1/11/2007 14:19			0.1				0.1
28	1/11/2007 14:34			0.2				0.2
29	1/11/2007 14:49			0.2				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	10
Test Abbreviation:	
Start Date:	1/11/2007
Start Time:	7:38:56
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0729) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/11/2007	7:53:56	0.007	-0.003	-3
1/11/2007	8:08:56	0.007	-0.003	-3
1/11/2007	8:23:56	0.008	-0.002	-2
1/11/2007	8:38:56	0.008	-0.002	-2
1/11/2007	8:53:56	0.007	-0.003	-3
1/11/2007	9:08:56	0.008	-0.002	-2
1/11/2007	9:23:56	0.009	-0.001	-1
1/11/2007	9:38:56	0.009	-0.001	-1
1/11/2007	9:53:56	0.008	-0.002	-2
1/11/2007	10:08:56	0.009	-0.001	-1
1/11/2007	10:23:56	0.01	0	0
1/11/2007	10:38:56	0.011	0.001	1
1/11/2007	10:53:56	0.014	0.004	4
1/11/2007	11:08:56	0.011	0.001	1
1/11/2007	11:23:56	0.013	0.003	3
1/11/2007	11:38:56	0.013	0.003	3
1/11/2007	11:53:56	0.013	0.003	3
1/11/2007	12:08:56	0.015	0.005	5
1/11/2007	12:23:56	0.012	0.002	2
1/11/2007	12:38:56	0.011	0.001	1
1/11/2007	12:53:56	0.013	0.003	3
1/11/2007	13:08:56	0.014	0.004	4
1/11/2007	13:23:56	0.013	0.003	3
1/11/2007	13:38:56	0.015	0.005	5
1/11/2007	13:53:56	0.014	0.004	4
1/11/2007	14:08:56	0.014	0.004	4
1/11/2007	14:23:56	0.013	0.003	3
1/11/2007	14:38:56	0.013	0.003	3
1/11/2007	14:53:56	0.013	0.003	3
1/11/2007	15:08:56	0.011	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/11/2007 06:21

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0710) = 0.2ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/11/2007 7:28			0				-0.2
2	1/11/2007 7:43			0.1				-0.1
3	1/11/2007 7:58			0.2				0
4	1/11/2007 8:13			0.3				0.1
5	1/11/2007 8:28			0.3				0.1
6	1/11/2007 8:43			0.3				0.1
7	1/11/2007 8:58			0.3				0.1
8	1/11/2007 9:13			0.4				0.2
9	1/11/2007 9:28			0.4				0.2
10	1/11/2007 9:43			0.4				0.2
11	1/11/2007 9:58			0.4				0.2
12	1/11/2007 10:13			0.4				0.2
13	1/11/2007 10:28			0.4				0.2
14	1/11/2007 10:43			0.5				0.3
15	1/11/2007 10:58			0.4				0.2
16	1/11/2007 11:13			0.4				0.2
17	1/11/2007 11:28			0.5				0.3
18	1/11/2007 11:43			0.5				0.3
19	1/11/2007 11:58			0.5				0.3
20	1/11/2007 12:13			0.5				0.3
21	1/11/2007 12:28			0.5				0.3
22	1/11/2007 12:43			0.5				0.3
23	1/11/2007 12:58			0.5				0.3
24	1/11/2007 13:13			0.4				0.2
25	1/11/2007 13:28			0.5				0.3
26	1/11/2007 13:43			0.5				0.3
27	1/11/2007 13:58			0.5				0.3
28	1/11/2007 14:13			0.5				0.3
29	1/11/2007 14:28			0.5				0.3
30	1/11/2007 14:43			0.5				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	9
Test Abbreviation:	
Start Date:	1/11/2007
Start Time:	7:16:20
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0710) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/11/2007	7:31:20	0.018	0.007	-0.004
1/11/2007	7:46:20	0.014	0.003	-0.008
1/11/2007	8:01:20	0.014	0.003	-0.008
1/11/2007	8:16:20	0.022	0.011	0
1/11/2007	8:31:20	0.016	0.005	-0.006
1/11/2007	8:46:20	0.013	0.002	-0.009
1/11/2007	9:01:20	0.016	0.005	-0.006
1/11/2007	9:16:20	0.017	0.006	-0.005
1/11/2007	9:31:20	0.018	0.007	-0.004
1/11/2007	9:46:20	0.018	0.007	-0.004
1/11/2007	10:01:20	0.018	0.007	-0.004
1/11/2007	10:16:20	0.017	0.006	-0.005
1/11/2007	10:31:20	0.021	0.01	-0.001
1/11/2007	10:46:20	0.024	0.013	0.002
1/11/2007	11:01:20	0.023	0.012	0.001
1/11/2007	11:16:20	0.022	0.011	0
1/11/2007	11:31:20	0.024	0.013	0.002
1/11/2007	11:46:20	0.024	0.013	0.002
1/11/2007	12:01:20	0.027	0.016	0.005
1/11/2007	12:16:20	0.024	0.013	0.002
1/11/2007	12:31:20	0.021	0.01	-0.001
1/11/2007	12:46:20	0.024	0.013	0.002
1/11/2007	13:01:20	0.027	0.016	0.005
1/11/2007	13:16:20	0.024	0.013	0.002
1/11/2007	13:31:20	0.024	0.013	0.002
1/11/2007	13:46:20	0.026	0.015	0.004
1/11/2007	14:01:20	0.022	0.011	0
1/11/2007	14:16:20	0.022	0.011	0
1/11/2007	14:31:20	0.023	0.012	0.001
1/11/2007	14:46:20	0.022	0.011	0
1/11/2007	15:01:20	0.019	0.008	-0.003

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/11/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/11/2007 7:16			0				0
2	1/11/2007 7:31			0				0
3	1/11/2007 7:46			0				0
4	1/11/2007 8:01			0				0
5	1/11/2007 8:16			0				0
6	1/11/2007 8:31			0				0
7	1/11/2007 8:46			0				0
8	1/11/2007 9:01			0				0
9	1/11/2007 9:16			0				0
10	1/11/2007 9:31			0				0
11	1/11/2007 9:46			0				0
12	1/11/2007 10:01			0				0
13	1/11/2007 10:16			0				0
14	1/11/2007 10:31			0				0
15	1/11/2007 10:46			0				0
16	1/11/2007 11:01			0				0
17	1/11/2007 11:16			0				0
18	1/11/2007 11:31			0				0
19	1/11/2007 11:46			0				0
20	1/11/2007 12:01			0				0
21	1/11/2007 12:16			0				0
22	1/11/2007 12:31			0				0
23	1/11/2007 12:46			0				0
24	1/11/2007 13:01			0				0
25	1/11/2007 13:16			0				0
26	1/11/2007 13:31			0				0
27	1/11/2007 13:46			0				0
28	1/11/2007 14:01			0				0
29	1/11/2007 14:16			0.1				0.1
30	1/11/2007 14:31			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	1/11/2007
Start Time:	7:07:34
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0700) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/11/2007	7:22:34	0.018	0.007	7
1/11/2007	7:37:34	0.015	0.004	4
1/11/2007	7:52:34	0.016	0.005	5
1/11/2007	8:07:34	0.039	0.028	28
1/11/2007	8:22:34	0.015	0.004	4
1/11/2007	8:37:34	0.013	0.002	2
1/11/2007	8:52:34	0.012	0.001	1
1/11/2007	9:07:34	0.013	0.002	2
1/11/2007	9:22:34	0.014	0.003	3
1/11/2007	9:37:34	0.017	0.006	6
1/11/2007	9:52:34	0.017	0.006	6
1/11/2007	10:07:34	0.013	0.002	2
1/11/2007	10:22:34	0.02	0.009	9
1/11/2007	10:37:34	0.017	0.006	6
1/11/2007	10:52:34	0.024	0.013	13
1/11/2007	11:07:34	0.022	0.011	11
1/11/2007	11:22:34	0.018	0.007	7
1/11/2007	11:37:34	0.025	0.014	14
1/11/2007	11:52:34	0.033	0.022	22
1/11/2007	12:07:34	0.029	0.018	18
1/11/2007	12:22:34	0.024	0.013	13
1/11/2007	12:37:34	0.016	0.005	5
1/11/2007	12:52:34	0.023	0.012	12
1/11/2007	13:07:34	0.019	0.008	8
1/11/2007	13:22:34	0.018	0.007	7
1/11/2007	13:37:34	0.023	0.012	12
1/11/2007	13:52:34	0.022	0.011	11
1/11/2007	14:07:34	0.019	0.008	8
1/11/2007	14:22:34	0.02	0.009	9
1/11/2007	14:37:34	0.024	0.013	13
1/11/2007	14:52:34	0.022	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/12/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/12/2007 7:19			0				0
2	1/12/2007 7:34			0.1				0.1
3	1/12/2007 7:49			0.2				0.2
4	1/12/2007 8:04			0.2				0.2
5	1/12/2007 8:19			0.2				0.2
6	1/12/2007 8:34			0.2				0.2
7	1/12/2007 8:49			0.2				0.2
8	1/12/2007 9:04			0.2				0.2
9	1/12/2007 9:19			0.3				0.3
10	1/12/2007 9:34			0.3				0.3
11	1/12/2007 9:49			0.3				0.3
12	1/12/2007 10:04			0.3				0.3
13	1/12/2007 10:19			0.3				0.3
14	1/12/2007 10:34			0.3				0.3
15	1/12/2007 10:49			0.3				0.3
16	1/12/2007 11:04			0.3				0.3
17	1/12/2007 11:19			0.3				0.3
18	1/12/2007 11:34			0.3				0.3
19	1/12/2007 11:49			0.3				0.3
20	1/12/2007 12:04			0.5				0.5
21	1/12/2007 12:19			0.3				0.3
22	1/12/2007 12:34			0.3				0.3
23	1/12/2007 12:49			0.3				0.3
24	1/12/2007 13:04			0.3				0.3
25	1/12/2007 13:19			0.3				0.3
26	1/12/2007 13:34			0.3				0.3
27	1/12/2007 13:49			0.3				0.3
28	1/12/2007 14:04			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	10
Test Abbreviation:	
Start Date:	1/12/2007
Start Time:	7:09:03
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0700) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/12/2007	7:24:03	0.024	0.002	2	
1/12/2007	7:39:03	0.026	0.004	4	
1/12/2007	7:54:03	0.029	0.007	7	
1/12/2007	8:09:03	0.032	0.01	10	
1/12/2007	8:24:03	0.034	0.012	12	
1/12/2007	8:39:03	0.036	0.014	14	
1/12/2007	8:54:03	0.035	0.013	13	
1/12/2007	9:09:03	0.034	0.012	12	
1/12/2007	9:24:03	0.035	0.013	13	
1/12/2007	9:39:03	0.038	0.016	16	
1/12/2007	9:54:03	0.039	0.017	17	
1/12/2007	10:09:03	0.039	0.017	17	
1/12/2007	10:24:03	0.04	0.018	18	
1/12/2007	10:39:03	0.038	0.016	16	
1/12/2007	10:54:03	0.035	0.013	13	
1/12/2007	11:09:03	0.036	0.014	14	
1/12/2007	11:24:03	0.038	0.016	16	
1/12/2007	11:39:03	0.036	0.014	14	
1/12/2007	11:54:03	0.037	0.015	15	
1/12/2007	12:09:03	0.037	0.015	15	
1/12/2007	12:24:03	0.229	0.207	207	*Elevated reading due to Shaw testing of AKRF equipment.
1/12/2007	12:39:03	0.056	0.034	34	
1/12/2007	12:54:03	0.039	0.017	17	
1/12/2007	13:09:03	0.036	0.014	14	
1/12/2007	13:24:03	0.036	0.014	14	
1/12/2007	13:39:03	0.036	0.014	14	
1/12/2007	13:54:03	0.038	0.016	16	
1/12/2007	14:09:03	0.036	0.014	14	
1/12/2007	14:24:03	0.035	0.013	13	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013396

User ID: 00000001 Site ID: 00000004

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/12/2007 06:25

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Backgroud Reading (0724) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/12/2007 7:45			0				0
2	1/12/2007 8:00			0				0
3	1/12/2007 8:15			0				0
4	1/12/2007 8:30			0				0
5	1/12/2007 8:45			0				0
6	1/12/2007 9:00			0				0
7	1/12/2007 9:15			0				0
8	1/12/2007 9:30			0.1				0.1
9	1/12/2007 9:45			0.1				0.1
10	1/12/2007 10:00			0.1				0.1
11	1/12/2007 10:15			0.1				0.1
12	1/12/2007 10:30			0.1				0.1
13	1/12/2007 10:45			0.1				0.1
14	1/12/2007 11:00			0.1				0.1
15	1/12/2007 11:15			0.1				0.1
16	1/12/2007 11:30			0.1				0.1
17	1/12/2007 11:45			0.1				0.1
18	1/12/2007 12:00			0.1				0.1
19	1/12/2007 12:15			0.1				0.1
20	1/12/2007 12:30			0.1				0.1
21	1/12/2007 12:45			0.2				0.2
22	1/12/2007 13:00			0.1				0.1
23	1/12/2007 13:15			0.1				0.1
24	1/12/2007 13:30			0.1				0.1
25	1/12/2007 13:45			0.1				0.1
26	1/12/2007 14:00			0.1				0.1
27	1/12/2007 14:15			0.2				0.2
28	1/12/2007 14:30			0.2				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	11
Test Abbreviation:	
Start Date:	1/12/2007
Start Time:	7:37:28
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0724) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/12/2007	7:52:28	0.018	0.002	2
1/12/2007	8:07:28	0.019	0.003	3
1/12/2007	8:22:28	0.021	0.005	5
1/12/2007	8:37:28	0.02	0.004	4
1/12/2007	8:52:28	0.029	0.013	13
1/12/2007	9:07:28	0.022	0.006	6
1/12/2007	9:22:28	0.021	0.005	5
1/12/2007	9:37:28	0.022	0.006	6
1/12/2007	9:52:28	0.024	0.008	8
1/12/2007	10:07:28	0.024	0.008	8
1/12/2007	10:22:28	0.025	0.009	9
1/12/2007	10:37:28	0.024	0.008	8
1/12/2007	10:52:28	0.022	0.006	6
1/12/2007	11:07:28	0.022	0.006	6
1/12/2007	11:22:28	0.023	0.007	7
1/12/2007	11:37:28	0.023	0.007	7
1/12/2007	11:52:28	0.024	0.008	8
1/12/2007	12:07:28	0.023	0.007	7
1/12/2007	12:22:28	0.024	0.008	8
1/12/2007	12:37:28	0.023	0.007	7
1/12/2007	12:52:28	0.023	0.007	7
1/12/2007	13:07:28	0.042	0.026	26
1/12/2007	13:22:28	0.024	0.008	8
1/12/2007	13:37:28	0.023	0.007	7
1/12/2007	13:52:28	0.024	0.008	8
1/12/2007	14:07:28	0.023	0.007	7
1/12/2007	14:22:28	0.023	0.007	7
1/12/2007	14:37:28	0.023	0.007	7
1/12/2007	14:52:28	0.024	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/12/2007 06:24

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0709) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/12/2007 7:27			0				0
2	1/12/2007 7:42			0.1				0.1
3	1/12/2007 7:57			0.1				0.1
4	1/12/2007 8:12			0.2				0.2
5	1/12/2007 8:27			0.2				0.2
6	1/12/2007 8:42			0.2				0.2
7	1/12/2007 8:57			0.2				0.2
8	1/12/2007 9:12			0.2				0.2
9	1/12/2007 9:27			0.2				0.2
10	1/12/2007 9:42			0.2				0.2
11	1/12/2007 9:57			0.2				0.2
12	1/12/2007 10:12			0.2				0.2
13	1/12/2007 10:27			0.2				0.2
14	1/12/2007 10:42			0.2				0.2
15	1/12/2007 10:57			0.2				0.2
16	1/12/2007 11:12			0.2				0.2
17	1/12/2007 11:27			0.3				0.3
18	1/12/2007 11:42			0.3				0.3
19	1/12/2007 11:57			0.3				0.3
20	1/12/2007 12:12			0.3				0.3
21	1/12/2007 12:27			0.3				0.3
22	1/12/2007 12:42			0.4				0.4
23	1/12/2007 12:57			0.4				0.4
24	1/12/2007 13:12			0.4				0.4
25	1/12/2007 13:27			0.4				0.4
26	1/12/2007 13:42			0.4				0.4
27	1/12/2007 13:57			0.4				0.4
28	1/12/2007 14:12			0.4				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	10
Test Abbreviation:	
Start Date:	1/12/2007
Start Time:	7:15:02
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0709) = 0.029 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/12/2007	7:30:02	0.028	-0.001	-1
1/12/2007	7:45:02	0.031	0.002	2
1/12/2007	8:00:02	0.033	0.004	4
1/12/2007	8:15:02	0.034	0.005	5
1/12/2007	8:30:02	0.09	0.061	61
1/12/2007	8:45:02	0.036	0.007	7
1/12/2007	9:00:02	0.036	0.007	7
1/12/2007	9:15:02	0.037	0.008	8
1/12/2007	9:30:02	0.036	0.007	7
1/12/2007	9:45:02	0.039	0.01	10
1/12/2007	10:00:02	0.049	0.02	20
1/12/2007	10:15:02	0.04	0.011	11
1/12/2007	10:30:02	0.04	0.011	11
1/12/2007	10:45:02	0.038	0.009	9
1/12/2007	11:00:02	0.037	0.008	8
1/12/2007	11:15:02	0.042	0.013	13
1/12/2007	11:30:02	0.039	0.01	10
1/12/2007	11:45:02	0.04	0.011	11
1/12/2007	12:00:02	0.042	0.013	13
1/12/2007	12:15:02	0.041	0.012	12
1/12/2007	12:30:02	0.04	0.011	11
1/12/2007	12:45:02	0.041	0.012	12
1/12/2007	13:00:02	0.038	0.009	9
1/12/2007	13:15:02	0.057	0.028	28
1/12/2007	13:30:02	0.041	0.012	12
1/12/2007	13:45:02	0.041	0.012	12
1/12/2007	14:00:02	0.041	0.012	12
1/12/2007	14:15:02	0.039	0.01	10
1/12/2007	14:30:02	0.041	0.012	12

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/12/2007 06:25

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0656) = 0.0ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/12/2007 7:14			0				0
2	1/12/2007 7:29			0				0
3	1/12/2007 7:44			0				0
4	1/12/2007 7:59			0				0
5	1/12/2007 8:14			0				0
6	1/12/2007 8:29			0				0
7	1/12/2007 8:44			0				0
8	1/12/2007 8:59			0				0
9	1/12/2007 9:14			0				0
10	1/12/2007 9:29			0				0
11	1/12/2007 9:44			0				0
12	1/12/2007 9:59			0				0
13	1/12/2007 10:14			0				0
14	1/12/2007 10:29			0				0
15	1/12/2007 10:44			0				0
16	1/12/2007 10:59			0				0
17	1/12/2007 11:14			0				0
18	1/12/2007 11:29			0				0
19	1/12/2007 11:44			0				0
20	1/12/2007 11:59			0				0
21	1/12/2007 12:14			0				0
22	1/12/2007 12:29			0				0
23	1/12/2007 12:44			0				0
24	1/12/2007 12:59			0.9				0.9
25	1/12/2007 13:14			0				0
26	1/12/2007 13:29			0				0
27	1/12/2007 13:44			0				0
28	1/12/2007 13:59			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	10
Test Abbreviation:	
Start Date:	1/12/2007
Start Time:	7:05:13
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0656) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/12/2007	7:20:13	0.023	0.005	5	
1/12/2007	7:35:13	0.022	0.004	4	
1/12/2007	7:50:13	0.024	0.006	6	
1/12/2007	8:05:13	0.025	0.007	7	
1/12/2007	8:20:13	0.027	0.009	9	
1/12/2007	8:35:13	0.031	0.013	13	
1/12/2007	8:50:13	0.028	0.01	10	
1/12/2007	9:05:13	0.077	0.059	59	
1/12/2007	9:20:13	0.028	0.01	10	
1/12/2007	9:35:13	0.029	0.011	11	
1/12/2007	9:50:13	0.031	0.013	13	
1/12/2007	10:05:13	0.033	0.015	15	
1/12/2007	10:20:13	0.032	0.014	14	
1/12/2007	10:35:13	0.033	0.015	15	
1/12/2007	10:50:13	0.031	0.013	13	
1/12/2007	11:05:13	0.029	0.011	11	
1/12/2007	11:20:13	0.044	0.026	26	
1/12/2007	11:35:13	0.037	0.019	19	
1/12/2007	11:50:13	0.032	0.014	14	
1/12/2007	12:05:13	0.032	0.014	14	
1/12/2007	12:20:13	0.033	0.015	15	
1/12/2007	12:35:13	0.031	0.013	13	
1/12/2007	12:50:13	0.031	0.013	13	
1/12/2007	13:05:13	0.029	0.011	11	
1/12/2007	13:20:13	0.17	0.152	152	*Elevated reading due to Shaw testing of AKRF equipment.
1/12/2007	13:35:13	0.031	0.013	13	
1/12/2007	13:50:13	0.03	0.012	12	
1/12/2007	14:05:13	0.029	0.011	11	
1/12/2007	14:20:13	0.03	0.012	12	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/15/2007 7:00			0				0
2	1/15/2007 7:15			0				0
3	1/15/2007 7:30			0.1				0.1
4	1/15/2007 7:45			0.1				0.1
5	1/15/2007 8:00			0.1				0.1
6	1/15/2007 8:15			0.1				0.1
7	1/15/2007 8:30			0.1				0.1
8	1/15/2007 8:45			0.1				0.1
9	1/15/2007 9:00			0.1				0.1
10	1/15/2007 9:15			0.1				0.1
11	1/15/2007 9:30			0.1				0.1
12	1/15/2007 9:45			0.1				0.1
13	1/15/2007 10:00			0.1				0.1
14	1/15/2007 10:15			0.1				0.1
15	1/15/2007 10:30			0.1				0.1
16	1/15/2007 10:45			0.1				0.1
17	1/15/2007 11:00			0.1				0.1
18	1/15/2007 11:15			0.1				0.1
19	1/15/2007 11:30			0.2				0.2
20	1/15/2007 11:45			0.1				0.1
21	1/15/2007 12:00			0.2				0.2
22	1/15/2007 12:15			0.1				0.1
23	1/15/2007 12:30			0.1				0.1
24	1/15/2007 12:45			0.1				0.1
25	1/15/2007 13:00			0.1				0.1
26	1/15/2007 13:15			0.1				0.1
27	1/15/2007 13:30			0.1				0.1
28	1/15/2007 13:45			0.1				0.1
29	1/15/2007 14:00			0.1				0.1
30	1/15/2007 14:15			0.2				0.2
31	1/15/2007 14:30			0.2				0.2
32	1/15/2007 14:45			0.1				0.1
33	1/15/2007 15:00			0.2				0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	11
Test Abbreviation:	
Start Date:	1/15/2007
Start Time:	6:50:18
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0641) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/15/2007	7:05:18	0.014	0.002	2
1/15/2007	7:20:18	0.015	0.003	3
1/15/2007	7:35:18	0.016	0.004	4
1/15/2007	7:50:18	0.016	0.004	4
1/15/2007	8:05:18	0.017	0.005	5
1/15/2007	8:20:18	0.016	0.004	4
1/15/2007	8:35:18	0.016	0.004	4
1/15/2007	8:50:18	0.018	0.006	6
1/15/2007	9:05:18	0.019	0.007	7
1/15/2007	9:20:18	0.019	0.007	7
1/15/2007	9:35:18	0.02	0.008	8
1/15/2007	9:50:18	0.024	0.012	12
1/15/2007	10:05:18	0.021	0.009	9
1/15/2007	10:20:18	0.018	0.006	6
1/15/2007	10:35:18	0.02	0.008	8
1/15/2007	10:50:18	0.017	0.005	5
1/15/2007	11:05:18	0.016	0.004	4
1/15/2007	11:20:18	0.018	0.006	6
1/15/2007	11:35:18	0.019	0.007	7
1/15/2007	11:50:18	0.022	0.01	10
1/15/2007	12:05:18	0.025	0.013	13
1/15/2007	12:20:18	0.033	0.021	21
1/15/2007	12:35:18	0.034	0.022	22
1/15/2007	12:50:18	0.035	0.023	23
1/15/2007	13:05:18	0.042	0.03	30
1/15/2007	13:20:18	0.044	0.032	32
1/15/2007	13:35:18	0.047	0.035	35
1/15/2007	13:50:18	0.052	0.04	40
1/15/2007	14:05:18	0.059	0.047	47
1/15/2007	14:20:18	0.075	0.063	63
1/15/2007	14:35:18	0.08	0.068	68
1/15/2007	14:50:18	0.091	0.079	79
1/15/2007	15:05:18	0.097	0.085	85

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013396

User ID: 00000001 Site ID: 00000004

Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/15/2007 7:11			0				0
2	1/15/2007 7:26			0.3				0.3
3	1/15/2007 7:41			0.7				0.7
4	1/15/2007 7:56			0.7				0.7
5	1/15/2007 8:11			1				1
6	1/15/2007 8:26			1.8				1.8
7	1/15/2007 8:41			1.8				1.8
1	1/15/2007 9:13			0.3				0.3
2	1/15/2007 9:28			0				0
3	1/15/2007 9:43			0				0
4	1/15/2007 9:58			0				0
5	1/15/2007 10:13			0				0
6	1/15/2007 10:28			0				0
7	1/15/2007 10:43			0				0
8	1/15/2007 10:58			0				0
9	1/15/2007 11:13			0				0
10	1/15/2007 11:28			0				0
11	1/15/2007 11:43			0				0
12	1/15/2007 11:58			0				0
13	1/15/2007 12:13			0				0
14	1/15/2007 12:28			0				0
15	1/15/2007 12:43			0				0
16	1/15/2007 12:58			0				0
17	1/15/2007 13:13			0				0
18	1/15/2007 13:28			0				0
19	1/15/2007 13:43			0				0
20	1/15/2007 13:58			0				0
21	1/15/2007 14:13			0				0
22	1/15/2007 14:28			0				0
23	1/15/2007 14:43			0				0
24	1/15/2007 14:58			0				0
25	1/15/2007 15:13			0				0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	12
Test Abbreviation:	
Start Date:	1/15/2007
Start Time:	7:01:10
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/15/2007	7:16:10	0.009	0	0
1/15/2007	7:31:10	0.009	0	0
1/15/2007	7:46:10	0.008	-0.001	-1
1/15/2007	8:01:10	0.009	0	0
1/15/2007	8:16:10	0.008	-0.001	-1
1/15/2007	8:31:10	0.008	-0.001	-1
1/15/2007	8:46:10	0.009	0	0
1/15/2007	9:01:10	0.009	0	0
1/15/2007	9:16:10	0.009	0	0
1/15/2007	9:31:10	0.01	0.001	1
1/15/2007	9:46:10	0.011	0.002	2
1/15/2007	10:01:10	0.011	0.002	2
1/15/2007	10:16:10	0.009	0	0
1/15/2007	10:31:10	0.009	0	0
1/15/2007	10:46:10	0.009	0	0
1/15/2007	11:01:10	0.007	-0.002	-2
1/15/2007	11:16:10	0.007	-0.002	-2
1/15/2007	11:31:10	0.008	-0.001	-1
1/15/2007	11:46:10	0.009	0	0
1/15/2007	12:01:10	0.011	0.002	2
1/15/2007	12:16:10	0.014	0.005	5
1/15/2007	12:31:10	0.017	0.008	8
1/15/2007	12:46:10	0.018	0.009	9
1/15/2007	13:01:10	0.02	0.011	11
1/15/2007	13:16:10	0.022	0.013	13
1/15/2007	13:31:10	0.024	0.015	15
1/15/2007	13:46:10	0.029	0.02	20
1/15/2007	14:01:10	0.031	0.022	22
1/15/2007	14:16:10	0.041	0.032	32
1/15/2007	14:31:10	0.044	0.035	35
1/15/2007	14:46:10	0.05	0.041	41
1/15/2007	15:01:10	0.053	0.044	44
1/15/2007	15:16:10	0.062	0.053	53
1/15/2007	15:31:10	0.066	0.057	57

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0710) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/15/2007 7:33			0.2				0.1
2	1/15/2007 7:48			0.3				0.2
3	1/15/2007 8:03			0.4				0.3
4	1/15/2007 8:18			0.4				0.3
5	1/15/2007 8:33			0.4				0.3
6	1/15/2007 8:48			0.4				0.3
7	1/15/2007 9:03			0.4				0.3
8	1/15/2007 9:18			0.3				0.2
9	1/15/2007 9:33			0.3				0.2
10	1/15/2007 9:48			0.7				0.6
11	1/15/2007 10:03			1.2				1.1
12	1/15/2007 10:18			1.4				1.3
13	1/15/2007 10:33			1.6				1.5
14	1/15/2007 10:48			1.5				1.4
15	1/15/2007 11:03			1.3				1.2
16	1/15/2007 11:18			1.3				1.2
17	1/15/2007 11:33			1.3				1.2
18	1/15/2007 11:48			1.3				1.2
19	1/15/2007 12:03			1.3				1.2
20	1/15/2007 12:18			1.3				1.2
21	1/15/2007 12:33			1.4				1.3
22	1/15/2007 12:48			1.5				1.4
23	1/15/2007 13:03			1.3				1.2
24	1/15/2007 13:18			1.2				1.1
25	1/15/2007 13:33			1.2				1.1
26	1/15/2007 13:48			1.2				1.1
27	1/15/2007 14:03			0.5				0.4
28	1/15/2007 14:18			0.2				0.1
29	1/15/2007 14:33			0.2				0.1
30	1/15/2007 14:48			0.2				0.1
31	1/15/2007 15:03			0.2				0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	13
Test Abbreviation:	
Start Date:	1/15/2007
Start Time:	7:15:02
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0710) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/15/2007	7:30:02	0.028	0.018	18
1/15/2007	7:45:02	0.031	0.021	21
1/15/2007	8:00:02	0.033	0.023	23
1/15/2007	8:15:02	0.034	0.024	24
1/15/2007	8:30:02	0.09	0.08	80
1/15/2007	8:45:02	0.036	0.026	26
1/15/2007	9:00:02	0.036	0.026	26
1/15/2007	9:15:02	0.037	0.027	27
1/15/2007	9:30:02	0.036	0.026	26
1/15/2007	9:45:02	0.039	0.029	29
1/15/2007	10:00:02	0.049	0.039	39
1/15/2007	10:15:02	0.04	0.03	30
1/15/2007	10:30:02	0.04	0.03	30
1/15/2007	10:45:02	0.038	0.028	28
1/15/2007	11:00:02	0.037	0.027	27
1/15/2007	11:15:02	0.042	0.032	32
1/15/2007	11:30:02	0.039	0.029	29
1/15/2007	11:45:02	0.04	0.03	30
1/15/2007	12:00:02	0.042	0.032	32
1/15/2007	12:15:02	0.041	0.031	31
1/15/2007	12:30:02	0.04	0.03	30
1/15/2007	12:45:02	0.041	0.031	31
1/15/2007	13:00:02	0.038	0.028	28
1/15/2007	13:15:02	0.057	0.047	47
1/15/2007	13:30:02	0.041	0.031	31
1/15/2007	13:45:02	0.041	0.031	31
1/15/2007	14:00:02	0.041	0.031	31
1/15/2007	14:15:02	0.039	0.029	29
1/15/2007	14:30:02	0.041	0.031	31
1/15/2007	14:45:02	0.04	0.03	30
1/15/2007	15:00:02	0.041	0.031	31
1/15/2007	15:15:02	0.041	0.031	31

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0725) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/15/2007 7:45			0				0
2	1/15/2007 8:00			0				0
3	1/15/2007 8:15			0				0
4	1/15/2007 8:30			0				0
5	1/15/2007 8:45			0				0
6	1/15/2007 9:00			0.1				0.1
7	1/15/2007 9:15			0				0
8	1/15/2007 9:30			0				0
9	1/15/2007 9:45			0				0
10	1/15/2007 10:00			0				0
11	1/15/2007 10:15			0				0
12	1/15/2007 10:30			0				0
13	1/15/2007 10:45			0				0
14	1/15/2007 11:00			0				0
15	1/15/2007 11:15			0				0
16	1/15/2007 11:30			0				0
17	1/15/2007 11:45			0.1				0.1
18	1/15/2007 12:00			0.1				0.1
19	1/15/2007 12:15			0.1				0.1
20	1/15/2007 12:30			0.1				0.1
21	1/15/2007 12:45			0.1				0.1
22	1/15/2007 13:00			0.1				0.1
23	1/15/2007 13:15			0.1				0.1
24	1/15/2007 13:30			0.1				0.1
25	1/15/2007 13:45			0.1				0.1
26	1/15/2007 14:00			0.2				0.2
27	1/15/2007 14:15			0.1				0.1
28	1/15/2007 14:30			0.1				0.1
29	1/15/2007 14:45			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	11
Test Abbreviation:	
Start Date:	1/15/2007
Start Time:	7:36:15
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0725) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/15/2007	7:51:15	0.01	0.001	1
1/15/2007	8:06:15	0.011	0.002	2
1/15/2007	8:21:15	0.013	0.004	4
1/15/2007	8:36:15	0.011	0.002	2
1/15/2007	8:51:15	0.015	0.006	6
1/15/2007	9:06:15	0.014	0.005	5
1/15/2007	9:21:15	0.015	0.006	6
1/15/2007	9:36:15	0.014	0.005	5
1/15/2007	9:51:15	0.015	0.006	6
1/15/2007	10:06:15	0.015	0.006	6
1/15/2007	10:21:15	0.016	0.007	7
1/15/2007	10:36:15	0.018	0.009	9
1/15/2007	10:51:15	0.015	0.006	6
1/15/2007	11:06:15	0.014	0.005	5
1/15/2007	11:21:15	0.014	0.005	5
1/15/2007	11:36:15	0.015	0.006	6
1/15/2007	11:51:15	0.021	0.012	12
1/15/2007	12:06:15	0.022	0.013	13
1/15/2007	12:21:15	0.027	0.018	18
1/15/2007	12:36:15	0.025	0.016	16
1/15/2007	12:51:15	0.032	0.023	23
1/15/2007	13:06:15	0.033	0.024	24
1/15/2007	13:21:15	0.037	0.028	28
1/15/2007	13:36:15	0.038	0.029	29
1/15/2007	13:51:15	0.046	0.037	37
1/15/2007	14:06:15	0.053	0.044	44
1/15/2007	14:21:15	0.065	0.056	56
1/15/2007	14:36:15	0.064	0.055	55
1/15/2007	14:51:15	0.073	0.064	64
1/15/2007	15:06:15	0.076	0.067	67
1/15/2007	15:21:15	0.086	0.077	77

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/16/2007 11:09

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1153) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/16/2007 12:13			0				0
2	1/16/2007 12:28			0				0
3	1/16/2007 12:43			0.1				0.1
4	1/16/2007 12:58			0.1				0.1
5	1/16/2007 13:13			0.2				0.2
6	1/16/2007 13:28			0.2				0.2
7	1/16/2007 13:43			0.2				0.2
8	1/16/2007 13:58			0.2				0.2
9	1/16/2007 14:13			0.3				0.3
10	1/16/2007 14:28			0.3				0.3
11	1/16/2007 14:43			0.3				0.3
12	1/16/2007 14:58			0.3				0.3
13	1/16/2007 15:13			0.3				0.3
14	1/16/2007 15:28			0.3				0.3
15	1/16/2007 15:43			0.3				0.3
16	1/16/2007 15:58			0.3				0.3
17	1/16/2007 16:13			0.4				0.4
18	1/16/2007 16:28			0.4				0.4
19	1/16/2007 16:43			0.4				0.4
20	1/16/2007 16:58			0.4				0.4
21	1/16/2007 17:13			0.4				0.4
22	1/16/2007 17:28			0.4				0.4
23	1/16/2007 17:43			0.4				0.4
24	1/16/2007 17:58			0.4				0.4
25	1/16/2007 18:13			0.4				0.4
26	1/16/2007 18:28			0.4				0.4
27	1/16/2007 18:43			0.5				0.5
28	1/16/2007 18:58			0.6				0.6
29	1/16/2007 19:13			0.5				0.5
30	1/16/2007 19:28			0.5				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	1/16/2007
Start Time:	12:02:36
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (1153) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/16/2007	12:17:36	0.006	-0.003	-3	
1/16/2007	12:32:36	0.006	-0.003	-3	
1/16/2007	12:47:36	0.007	-0.002	-2	
1/16/2007	13:02:36	0.006	-0.003	-3	
1/16/2007	13:17:36	0.008	-0.001	-1	
1/16/2007	13:32:36	0.008	-0.001	-1	
1/16/2007	13:47:36	0.006	-0.003	-3	
1/16/2007	14:02:36	0.008	-0.001	-1	
1/16/2007	14:17:36	0.007	-0.002	-2	
1/16/2007	14:32:36	0.006	-0.003	-3	
1/16/2007	14:47:36	0.006	-0.003	-3	
1/16/2007	15:02:36	0.008	-0.001	-1	
1/16/2007	15:17:36	0.007	-0.002	-2	
1/16/2007	15:32:36	0.007	-0.002	-2	
1/16/2007	15:47:36	0.007	-0.002	-2	
1/16/2007	16:02:36	0.006	-0.003	-3	
1/16/2007	16:17:36	0.006	-0.003	-3	
1/16/2007	16:32:36	0.006	-0.003	-3	
1/16/2007	16:47:36	0.006	-0.003	-3	
1/16/2007	17:02:36	0.007	-0.002	-2	
1/16/2007	17:17:36	0.008	-0.001	-1	
1/16/2007	17:32:36	0.006	-0.003	-3	
1/16/2007	17:47:36	0.005	-0.004	-4	
1/16/2007	18:02:36	0.006	-0.003	-3	
1/16/2007	18:17:36	0.006	-0.003	-3	
1/16/2007	18:32:36	0.005	-0.004	-4	
1/16/2007	18:47:36	0.005	-0.004	-4	
1/16/2007	19:02:36	0.006	-0.003	-3	
1/16/2007	19:17:36	0.183	0.174	174	*Shaw testing of AKRF equipment at STA 1
1/16/2007	19:32:36	0.005	-0.004	-4	
1/16/2007	19:47:36	0.005	-0.004	-4	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:13

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1130) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/16/2007 11:51			0				0
2	1/16/2007 12:06			0.4				0.4
3	1/16/2007 12:21			1				1
4	1/16/2007 12:36			1.4				1.4
5	1/16/2007 12:51			1.7				1.7
6	1/16/2007 13:06			1.9				1.9
7	1/16/2007 13:21			2				2
8	1/16/2007 13:36			2.2				2.2
9	1/16/2007 13:51			2.2				2.2
10	1/16/2007 14:06			2.6				2.6
1	1/16/2007 14:38			0.2				0.2
2	1/16/2007 14:53			0.3				0.3
3	1/16/2007 15:08			0.5				0.5
4	1/16/2007 15:23			0.5				0.5
5	1/16/2007 15:38			0.6				0.6
6	1/16/2007 15:53			0.6				0.6
7	1/16/2007 16:08			0.6				0.6
8	1/16/2007 16:23			0.7				0.7
9	1/16/2007 16:38			0.8				0.8
10	1/16/2007 16:53			0.8				0.8
11	1/16/2007 17:08			0.9				0.9
12	1/16/2007 17:23			0.9				0.9
13	1/16/2007 17:38			1				1
14	1/16/2007 17:53			1.1				1.1
15	1/16/2007 18:08			1.1				1.1
16	1/16/2007 18:23			1.2				1.2
17	1/16/2007 18:38			1.4				1.4
18	1/16/2007 18:53			1.3				1.3
19	1/16/2007 19:08			1.4				1.4
20	1/16/2007 19:23			1.4				1.4
21	1/16/2007 19:38			1.5				1.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	1/16/2007
Start Time:	11:43:17
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (1130) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/16/2007	11:58:17	0.005	0	0
1/16/2007	12:13:17	0.003	-0.002	-2
1/16/2007	12:28:17	0.003	-0.002	-2
1/16/2007	12:43:17	0.003	-0.002	-2
1/16/2007	12:58:17	0.003	-0.002	-2
1/16/2007	13:13:17	0.004	-0.001	-1
1/16/2007	13:28:17	0.005	0	0
1/16/2007	13:43:17	0.004	-0.001	-1
1/16/2007	13:58:17	0.003	-0.002	-2
1/16/2007	14:13:17	0.003	-0.002	-2
1/16/2007	14:28:17	0.003	-0.002	-2
1/16/2007	14:43:17	0.003	-0.002	-2
1/16/2007	14:58:17	0.003	-0.002	-2
1/16/2007	15:13:17	0.004	-0.001	-1
1/16/2007	15:28:17	0.002	-0.003	-3
1/16/2007	15:43:17	0.003	-0.002	-2
1/16/2007	15:58:17	0.002	-0.003	-3
1/16/2007	16:13:17	0.002	-0.003	-3
1/16/2007	16:28:17	0.003	-0.002	-2
1/16/2007	16:43:17	0.002	-0.003	-3
1/16/2007	16:58:17	0.002	-0.003	-3
1/16/2007	17:13:17	0.003	-0.002	-2
1/16/2007	17:28:17	0.003	-0.002	-2
1/16/2007	17:43:17	0.002	-0.003	-3
1/16/2007	17:58:17	0.002	-0.003	-3
1/16/2007	18:13:17	0.003	-0.002	-2
1/16/2007	18:28:17	0.002	-0.003	-3
1/16/2007	18:43:17	0.002	-0.003	-3
1/16/2007	18:58:17	0.003	-0.002	-2
1/16/2007	19:13:17	0.005	0	0
1/16/2007	19:28:17	0.001	-0.004	-4
1/16/2007	19:43:17	0.001	-0.004	-4
1/16/2007	19:58:17	0.001	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1226) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/16/2007 12:32			0.1				-0.2
2	1/16/2007 12:47			0.2				-0.2
3	1/16/2007 13:02			0.2				-0.2
4	1/16/2007 13:17			0.2				-0.2
5	1/16/2007 13:32			0.3				-0.2
6	1/16/2007 13:47			0.3				-0.2
7	1/16/2007 14:02			0.3				-0.2
8	1/16/2007 14:17			0.3				-0.2
9	1/16/2007 14:32			0.3				-0.2
10	1/16/2007 14:47			0.3				-0.2
11	1/16/2007 15:02			0.3				-0.2
12	1/16/2007 15:17			0.3				-0.2
13	1/16/2007 15:32			0.3				-0.2
14	1/16/2007 15:47			0.3				-0.2
15	1/16/2007 16:02			0.3				-0.2
16	1/16/2007 16:17			0.4				-0.2
17	1/16/2007 16:32			0.4				-0.2
18	1/16/2007 16:47			0.4				-0.2
19	1/16/2007 17:02			0.4				-0.2
20	1/16/2007 17:17			0.4				-0.2
21	1/16/2007 17:32			0.4				-0.2
22	1/16/2007 17:47			0.4				-0.2
23	1/16/2007 18:02			0.4				-0.2
24	1/16/2007 18:17			0.4				-0.2
25	1/16/2007 18:32			0.4				-0.2
26	1/16/2007 18:47			0.4				-0.2
27	1/16/2007 19:02			0.4				-0.2
28	1/16/2007 19:17			0.4				-0.2
29	1/16/2007 19:32			0.4				-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	1
Test Abbreviation:	
Start Date:	1/16/2007
Start Time:	12:28:09
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (1226) = 0.004 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/16/2007	12:43:09	0.005	0.001	1
1/16/2007	12:58:09	0.005	0.001	1
1/16/2007	13:13:09	0.007	0.003	3
1/16/2007	13:28:09	0.006	0.002	2
1/16/2007	13:43:09	0.003	-0.001	-1
1/16/2007	13:58:09	0.004	0	0
1/16/2007	14:13:09	0.005	0.001	1
1/16/2007	14:28:09	0.004	0	0
1/16/2007	14:43:09	0.003	-0.001	-1
1/16/2007	14:58:09	0.008	0.004	4
1/16/2007	15:13:09	0.008	0.004	4
1/16/2007	15:28:09	0.004	0	0
1/16/2007	15:43:09	0.005	0.001	1
1/16/2007	15:58:09	0.004	0	0
1/16/2007	16:13:09	0.004	0	0
1/16/2007	16:28:09	0.004	0	0
1/16/2007	16:43:09	0.003	-0.001	-1
1/16/2007	16:58:09	0.004	0	0
1/16/2007	17:13:09	0.006	0.002	2
1/16/2007	17:28:09	0.005	0.001	1
1/16/2007	17:43:09	0.003	-0.001	-1
1/16/2007	17:58:09	0.004	0	0
1/16/2007	18:13:09	0.004	0	0
1/16/2007	18:28:09	0.004	0	0
1/16/2007	18:43:09	0.005	0.001	1
1/16/2007	18:58:09	0.003	-0.001	-1
1/16/2007	19:13:09	0.002	-0.002	-2
1/16/2007	19:28:09	0.002	-0.002	-2
1/16/2007	19:43:09	0.003	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1201) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/16/2007 12:19			0				0
2	1/16/2007 12:34			0				0
3	1/16/2007 12:49			0				0
4	1/16/2007 13:04			0				0
5	1/16/2007 13:19			0				0
6	1/16/2007 13:34			0				0
7	1/16/2007 13:49			0				0
8	1/16/2007 14:04			0				0
9	1/16/2007 14:19			0				0
10	1/16/2007 14:34			0				0
11	1/16/2007 14:49			0				0
12	1/16/2007 15:04			0				0
13	1/16/2007 15:19			0				0
14	1/16/2007 15:34			0				0
15	1/16/2007 15:49			0.1				0.1
16	1/16/2007 16:04			0.1				0.1
17	1/16/2007 16:19			0				0
18	1/16/2007 16:34			0				0
19	1/16/2007 16:49			0				0
20	1/16/2007 17:04			0.1				0.1
21	1/16/2007 17:19			0.1				0.1
22	1/16/2007 17:34			0				0
23	1/16/2007 17:49			0				0
24	1/16/2007 18:04			0				0
25	1/16/2007 18:19			0				0
26	1/16/2007 18:34			0				0
27	1/16/2007 18:49			0				0
28	1/16/2007 19:04			0				0
29	1/16/2007 19:19			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	1/16/2007
Start Time:	12:11:26
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (1201) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/16/2007	12:26:26	0.006	0.001	1
1/16/2007	12:41:26	0.009	0.004	4
1/16/2007	12:56:26	0.012	0.007	7
1/16/2007	13:11:26	0.009	0.004	4
1/16/2007	13:26:26	0.011	0.006	6
1/16/2007	13:41:26	0.01	0.005	5
1/16/2007	13:56:26	0.008	0.003	3
1/16/2007	14:11:26	0.01	0.005	5
1/16/2007	14:26:26	0.007	0.002	2
1/16/2007	14:41:26	0.006	0.001	1
1/16/2007	14:56:26	0.009	0.004	4
1/16/2007	15:11:26	0.012	0.007	7
1/16/2007	15:26:26	0.012	0.007	7
1/16/2007	15:41:26	0.009	0.004	4
1/16/2007	15:56:26	0.007	0.002	2
1/16/2007	16:11:26	0.012	0.007	7
1/16/2007	16:26:26	0.012	0.007	7
1/16/2007	16:41:26	0.012	0.007	7
1/16/2007	16:56:26	0.014	0.009	9
1/16/2007	17:11:26	0.019	0.014	14
1/16/2007	17:26:26	0.017	0.012	12
1/16/2007	17:41:26	0.009	0.004	4
1/16/2007	17:56:26	0.006	0.001	1
1/16/2007	18:11:26	0.006	0.001	1
1/16/2007	18:26:26	0.006	0.001	1
1/16/2007	18:41:26	0.01	0.005	5
1/16/2007	18:56:26	0.01	0.005	5
1/16/2007	19:11:26	0.008	0.003	3
1/16/2007	19:26:26	0.009	0.004	4
1/16/2007	19:41:26	0.012	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/16/2007 11:09

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1150) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/17/2007 12:10			0				0
2	1/17/2007 12:25			0				0
3	1/17/2007 12:40			0.1				0.1
4	1/17/2007 12:55			0.1				0.1
5	1/17/2007 13:10			0.2				0.2
6	1/17/2007 13:25			0.2				0.2
7	1/17/2007 13:40			0.3				0.3
8	1/17/2007 13:55			0.3				0.3
9	1/17/2007 14:10			0.3				0.3
10	1/17/2007 14:25			0.3				0.3
11	1/17/2007 14:40			0.3				0.3
12	1/17/2007 14:55			0.4				0.4
13	1/17/2007 15:10			0.4				0.4
14	1/17/2007 15:25			0.4				0.4
15	1/17/2007 15:40			0.4				0.4
16	1/17/2007 15:55			0.4				0.4
17	1/17/2007 16:10			0.4				0.4
18	1/17/2007 16:25			0.4				0.4
19	1/17/2007 16:40			0.4				0.4
20	1/17/2007 16:55			0.5				0.5
21	1/17/2007 17:10			0.5				0.5
22	1/17/2007 17:25			0.5				0.5
23	1/17/2007 17:40			0.5				0.5
24	1/17/2007 17:55			0.5				0.5
25	1/17/2007 18:10			0.5				0.5
26	1/17/2007 18:25			0.5				0.5
27	1/17/2007 18:40			0.5				0.5
28	1/17/2007 18:55			0.5				0.5
29	1/17/2007 19:10			0.6				0.6
30	1/17/2007 19:25			0.6				0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	1/17/2007
Start Time:	11:58:50
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (1150) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/17/2007	12:13:50	0.006	-0.002	-2
1/17/2007	12:28:50	0.006	-0.002	-2
1/17/2007	12:43:50	0.008	0	0
1/17/2007	12:58:50	0.01	0.002	2
1/17/2007	13:13:50	0.009	0.001	1
1/17/2007	13:28:50	0.009	0.001	1
1/17/2007	13:43:50	0.008	0	0
1/17/2007	13:58:50	0.008	0	0
1/17/2007	14:13:50	0.007	-0.001	-1
1/17/2007	14:28:50	0.008	0	0
1/17/2007	14:43:50	0.006	-0.002	-2
1/17/2007	14:58:50	0.007	-0.001	-1
1/17/2007	15:13:50	0.013	0.005	5
1/17/2007	15:28:50	0.007	-0.001	-1
1/17/2007	15:43:50	0.007	-0.001	-1
1/17/2007	15:58:50	0.006	-0.002	-2
1/17/2007	16:13:50	0.007	-0.001	-1
1/17/2007	16:28:50	0.008	0	0
1/17/2007	16:43:50	0.013	0.005	5
1/17/2007	16:58:50	0.008	0	0
1/17/2007	17:13:50	0.009	0.001	1
1/17/2007	17:28:50	0.009	0.001	1
1/17/2007	17:43:50	0.009	0.001	1
1/17/2007	17:58:50	0.008	0	0
1/17/2007	18:13:50	0.005	-0.003	-3
1/17/2007	18:28:50	0.007	-0.001	-1
1/17/2007	18:43:50	0.008	0	0
1/17/2007	18:58:50	0.007	-0.001	-1
1/17/2007	19:13:50	0.008	0	0
1/17/2007	19:28:50	0.01	0.002	2
1/17/2007	19:43:50	0.011	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/04/2007 07:13

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1138) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/17/2007 11:49			1.3				1.2
2	1/17/2007 12:04			2				1.9
3	1/17/2007 12:19			2.5				2.4
4	1/17/2007 12:34			2.8				2.7
5	1/17/2007 12:49			3				2.9
6	1/17/2007 13:04			3.2				3.1
1	1/17/2007 13:35			0.1				0
2	1/17/2007 13:50			0.2				0.1
3	1/17/2007 14:05			0.3				0.2
4	1/17/2007 14:20			0.3				0.2
5	1/17/2007 14:35			0.4				0.3
6	1/17/2007 14:50			0.4				0.3
7	1/17/2007 15:05			0.5				0.4
8	1/17/2007 15:20			0.5				0.4
9	1/17/2007 15:35			0.6				0.5
10	1/17/2007 15:50			0.6				0.5
11	1/17/2007 16:05			0.6				0.5
12	1/17/2007 16:20			0.7				0.6
13	1/17/2007 16:35			0.7				0.6
14	1/17/2007 16:50			0.8				0.7
15	1/17/2007 17:05			0.8				0.7
16	1/17/2007 17:20			0.9				0.8
17	1/17/2007 17:35			0.9				0.8
18	1/17/2007 17:50			1				0.9
19	1/17/2007 18:05			1.1				1
20	1/17/2007 18:20			1.2				1.1
21	1/17/2007 18:35			1.2				1.1
22	1/17/2007 18:50			1.3				1.2
23	1/17/2007 19:05			1.3				1.2
24	1/17/2007 19:20			1.4				1.3
25	1/17/2007 19:35			1.4				1.3
26	1/17/2007 19:50			1.5				1.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	1/17/2007
Start Time:	11:40:59
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (1138) = 0.002 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/17/2007	11:55:59	0.003	0.001	1
1/17/2007	12:10:59	0.003	0.001	1
1/17/2007	12:25:59	0.003	0.001	1
1/17/2007	12:40:59	0.004	0.002	2
1/17/2007	12:55:59	0.003	0.001	1
1/17/2007	13:10:59	0.004	0.002	2
1/17/2007	13:25:59	0.003	0.001	1
1/17/2007	13:40:59	0.003	0.001	1
1/17/2007	13:55:59	0.003	0.001	1
1/17/2007	14:10:59	0.003	0.001	1
1/17/2007	14:25:59	0.003	0.001	1
1/17/2007	14:40:59	0.003	0.001	1
1/17/2007	14:55:59	0.003	0.001	1
1/17/2007	15:10:59	0.003	0.001	1
1/17/2007	15:25:59	0.002	0	0
1/17/2007	15:40:59	0.003	0.001	1
1/17/2007	15:55:59	0.003	0.001	1
1/17/2007	16:10:59	0.002	0	0
1/17/2007	16:25:59	0.003	0.001	1
1/17/2007	16:40:59	0.003	0.001	1
1/17/2007	16:55:59	0.003	0.001	1
1/17/2007	17:10:59	0.002	0	0
1/17/2007	17:25:59	0.002	0	0
1/17/2007	17:40:59	0.002	0	0
1/17/2007	17:55:59	0.003	0.001	1
1/17/2007	18:10:59	0.003	0.001	1
1/17/2007	18:25:59	0.003	0.001	1
1/17/2007	18:40:59	0.003	0.001	1
1/17/2007	18:55:59	0.002	0	0
1/17/2007	19:10:59	0.002	0	0
1/17/2007	19:25:59	0.002	0	0
1/17/2007	19:40:59	0.004	0.002	2
1/17/2007	19:55:59	0.003	0.001	1
1/17/2007	20:10:59	0.003	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1203) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/17/2007 12:23			0.1				0.1
2	1/17/2007 12:38			0.2				0.2
3	1/17/2007 12:53			0.2				0.2
4	1/17/2007 13:08			0.2				0.2
5	1/17/2007 13:23			0.3				0.3
6	1/17/2007 13:38			0.3				0.3
7	1/17/2007 13:53			0.3				0.3
8	1/17/2007 14:08			0.3				0.3
9	1/17/2007 14:23			0.3				0.3
10	1/17/2007 14:38			0.3				0.3
11	1/17/2007 14:53			0.4				0.4
12	1/17/2007 15:08			0.4				0.4
13	1/17/2007 15:23			0.4				0.4
14	1/17/2007 15:38			0.4				0.4
15	1/17/2007 15:53			0.4				0.4
16	1/17/2007 16:08			0.4				0.4
17	1/17/2007 16:23			0.4				0.4
18	1/17/2007 16:38			0.4				0.4
19	1/17/2007 16:53			0.4				0.4
20	1/17/2007 17:08			0.4				0.4
21	1/17/2007 17:23			0.4				0.4
22	1/17/2007 17:38			0.5				0.5
23	1/17/2007 17:53			0.5				0.5
24	1/17/2007 18:08			0.5				0.5
25	1/17/2007 18:23			0.5				0.5
26	1/17/2007 18:38			0.5				0.5
27	1/17/2007 18:53			0.5				0.5
28	1/17/2007 19:08			0.5				0.5
29	1/17/2007 19:23			0.5				0.5
30	1/17/2007 19:38			0.5				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	2
Test Abbreviation:	
Start Date:	1/17/2007
Start Time:	12:13:01
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (1203) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/17/2007	12:28:01	0.005	0.001	1
1/17/2007	12:43:01	0.004	0	0
1/17/2007	12:58:01	0.005	0.001	1
1/17/2007	13:13:01	0.005	0.001	1
1/17/2007	13:28:01	0.004	0	0
1/17/2007	13:43:01	0.005	0.001	1
1/17/2007	13:58:01	0.005	0.001	1
1/17/2007	14:13:01	0.006	0.002	2
1/17/2007	14:28:01	0.005	0.001	1
1/17/2007	14:43:01	0.003	-0.001	-1
1/17/2007	14:58:01	0.005	0.001	1
1/17/2007	15:13:01	0.005	0.001	1
1/17/2007	15:28:01	0.006	0.002	2
1/17/2007	15:43:01	0.006	0.002	2
1/17/2007	15:58:01	0.004	0	0
1/17/2007	16:13:01	0.004	0	0
1/17/2007	16:28:01	0.006	0.002	2
1/17/2007	16:43:01	0.005	0.001	1
1/17/2007	16:58:01	0.006	0.002	2
1/17/2007	17:13:01	0.005	0.001	1
1/17/2007	17:28:01	0.004	0	0
1/17/2007	17:43:01	0.006	0.002	2
1/17/2007	17:58:01	0.006	0.002	2
1/17/2007	18:13:01	0.006	0.002	2
1/17/2007	18:28:01	0.005	0.001	1
1/17/2007	18:43:01	0.004	0	0
1/17/2007	18:58:01	0.004	0	0
1/17/2007	19:13:01	0.007	0.003	3
1/17/2007	19:28:01	0.008	0.004	4
1/17/2007	19:43:01	0.006	0.002	2
1/17/2007	19:58:01	0.005	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1151) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/17/2007 12:11			0				0
2	1/17/2007 12:26			0				0
3	1/17/2007 12:41			0				0
4	1/17/2007 12:56			0				0
5	1/17/2007 13:11			0				0
6	1/17/2007 13:26			0				0
7	1/17/2007 13:41			0				0
8	1/17/2007 13:56			0				0
9	1/17/2007 14:11			0				0
10	1/17/2007 14:26			0				0
11	1/17/2007 14:41			0.1				0.1
12	1/17/2007 14:56			0.1				0.1
13	1/17/2007 15:11			0.1				0.1
14	1/17/2007 15:26			0.1				0.1
15	1/17/2007 15:41			0.1				0.1
16	1/17/2007 15:56			0.1				0.1
17	1/17/2007 16:11			0				0
18	1/17/2007 16:26			0				0
19	1/17/2007 16:41			0				0
20	1/17/2007 16:56			0				0
21	1/17/2007 17:11			0.1				0.1
22	1/17/2007 17:26			0				0
23	1/17/2007 17:41			0				0
24	1/17/2007 17:56			0				0
25	1/17/2007 18:11			0				0
26	1/17/2007 18:26			0				0
27	1/17/2007 18:41			0.1				0.1
28	1/17/2007 18:56			0				0
29	1/17/2007 19:11			0				0
30	1/17/2007 19:26			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	1/17/2007
Start Time:	12:04:10
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (1151) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/17/2007	12:19:10	0.005	0	0
1/17/2007	12:34:10	0.01	0.005	5
1/17/2007	12:49:10	0.007	0.002	2
1/17/2007	13:04:10	0.01	0.005	5
1/17/2007	13:19:10	0.012	0.007	7
1/17/2007	13:34:10	0.016	0.011	11
1/17/2007	13:49:10	0.022	0.017	17
1/17/2007	14:04:10	0.011	0.006	6
1/17/2007	14:19:10	0.014	0.009	9
1/17/2007	14:34:10	0.012	0.007	7
1/17/2007	14:49:10	0.012	0.007	7
1/17/2007	15:04:10	0.008	0.003	3
1/17/2007	15:19:10	0.02	0.015	15
1/17/2007	15:34:10	0.015	0.01	10
1/17/2007	15:49:10	0.015	0.01	10
1/17/2007	16:04:10	0.011	0.006	6
1/17/2007	16:19:10	0.009	0.004	4
1/17/2007	16:34:10	0.009	0.004	4
1/17/2007	16:49:10	0.013	0.008	8
1/17/2007	17:04:10	0.015	0.01	10
1/17/2007	17:19:10	0.021	0.016	16
1/17/2007	17:34:10	0.02	0.015	15
1/17/2007	17:49:10	0.01	0.005	5
1/17/2007	18:04:10	0.008	0.003	3
1/17/2007	18:19:10	0.009	0.004	4
1/17/2007	18:34:10	0.008	0.003	3
1/17/2007	18:49:10	0.011	0.006	6
1/17/2007	19:04:10	0.014	0.009	9
1/17/2007	19:19:10	0.016	0.011	11
1/17/2007	19:34:10	0.015	0.01	10
1/17/2007	19:49:10	0.014	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/16/2007 11:09

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0857) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/18/2007 9:18			0				0
2	1/18/2007 9:33			0.1				0.1
3	1/18/2007 9:48			0.2				0.2
4	1/18/2007 10:03			0.2				0.2
5	1/18/2007 10:18			0.3				0.3
6	1/18/2007 10:33			0.3				0.3
7	1/18/2007 10:48			0.3				0.3
8	1/18/2007 11:03			0.4				0.4
9	1/18/2007 11:18			0.4				0.4
10	1/18/2007 11:33			0.4				0.4
11	1/18/2007 11:48			0.4				0.4
12	1/18/2007 12:03			0.5				0.5
13	1/18/2007 12:18			0.5				0.5
14	1/18/2007 12:33			0.5				0.5
15	1/18/2007 12:48			0.5				0.5
16	1/18/2007 13:03			0.5				0.5
17	1/18/2007 13:18			0.4				0.4
18	1/18/2007 13:33			0.4				0.4
19	1/18/2007 13:48			0.4				0.4
20	1/18/2007 14:03			0.4				0.4
21	1/18/2007 14:18			0.4				0.4
22	1/18/2007 14:33			0.4				0.4
23	1/18/2007 14:48			0.4				0.4
24	1/18/2007 15:03			0.4				0.4
25	1/18/2007 15:18			0.4				0.4
26	1/18/2007 15:33			0.4				0.4
27	1/18/2007 15:48			0.4				0.4
28	1/18/2007 16:03			0.4				0.4
29	1/18/2007 16:18			0.4				0.4
30	1/18/2007 16:33			0.5				0.5
31	1/18/2007 16:48			0.4				0.4
32	1/18/2007 17:03			0.3				0.3
33	1/18/2007 17:18			0.3				0.3
34	1/18/2007 17:33			0.3				0.3
35	1/18/2007 17:48			0.3				0.3
36	1/18/2007 18:03			0.3				0.3
37	1/18/2007 18:18			0.4				0.4
38	1/18/2007 18:33			0.3				0.3
39	1/18/2007 18:48			0.3				0.3
40	1/18/2007 19:03			0.3				0.3
41	1/18/2007 19:18			0.4				0.4
42	1/18/2007 19:33			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	1/18/2007
Start Time:	9:08:04
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0857) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) ug/m^3	mg/m^3	
1/18/2007	9:23:04	0.03	0.011	11	
1/18/2007	9:38:04	0.027	0.008	8	
1/18/2007	9:53:04	0.021	0.002	2	
1/18/2007	10:08:04	0.023	0.004	4	
1/18/2007	10:23:04	0.026	0.007	7	
1/18/2007	10:38:04	0.03	0.011	11	
1/18/2007	10:53:04	0.032	0.013	13	
1/18/2007	11:08:04	0.028	0.009	9	
1/18/2007	11:23:04	0.029	0.01	10	
1/18/2007	11:38:04	0.031	0.012	12	
1/18/2007	11:53:04	0.027	0.008	8	
1/18/2007	12:08:04	0.026	0.007	7	
1/18/2007	12:23:04	0.02	0.001	1	
1/18/2007	12:38:04	0.017	-0.002	-2	
1/18/2007	12:53:04	0.015	-0.004	-4	
1/18/2007	13:08:04	0.016	-0.003	-3	
1/18/2007	13:23:04	0.029	0.01	10	
1/18/2007	13:38:04	0.02	0.001	1	
1/18/2007	13:53:04	0.025	0.006	6	
1/18/2007	14:08:04	0.029	0.01	10	
1/18/2007	14:23:04	0.025	0.006	6	
1/18/2007	14:38:04	0.027	0.008	8	
1/18/2007	14:53:04	0.029	0.01	10	
1/18/2007	15:08:04	0.03	0.011	11	
1/18/2007	15:23:04	0.032	0.013	13	
1/18/2007	15:38:04	0.036	0.017	17	
1/18/2007	15:53:04	0.044	0.025	25	
1/18/2007	16:08:04	0.043	0.024	24	
1/18/2007	16:23:04	0.044	0.025	25	
1/18/2007	16:38:04	0.051	0.032	32	
1/18/2007	16:53:04	0.408	0.389	389	Elevated reading due to Shaw testing of equipment at Station 1.
1/18/2007	17:08:04	0.083	0.064	64	
1/18/2007	17:23:04	0.073	0.054	54	
1/18/2007	17:38:04	0.066	0.047	47	
1/18/2007	17:53:04	0.091	0.072	72	
1/18/2007	18:08:04	0.102	0.083	83	
1/18/2007	18:23:04	0.1	0.081	81	
1/18/2007	18:38:04	0.108	0.089	89	
1/18/2007	18:53:04	0.104	0.085	85	
1/18/2007	19:08:04	0.101	0.082	82	
1/18/2007	19:23:04	0.093	0.074	74	
1/18/2007	19:38:04	0.126	0.107	107	
1/18/2007	19:53:04	0.083	0.064	64	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071

User ID: 00000001 Site ID: 00000003

Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/16/2007 05:42

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0930) = 1.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	1/18/2007 9:46			1.5				0.5	
2	1/18/2007 10:01			1.7				0.7	
3	1/18/2007 10:16			1.8				0.8	
4	1/18/2007 10:31			1.9				0.9	
5	1/18/2007 10:46			2.1				1.1	
6	1/18/2007 11:01			2.2				1.2	
7	1/18/2007 11:16			2.1				1.1	
8	1/18/2007 11:31			2.2				1.2	
9	1/18/2007 11:46			2.3				1.3	
10	1/18/2007 12:01			2.3				1.3	
11	1/18/2007 12:16			2.3				1.3	
12	1/18/2007 12:31			2.3				1.3	
1	1/18/2007 13:03			0				-1	PID recalibrated at ~1:00 PM
2	1/18/2007 13:18			0				-1	
3	1/18/2007 13:33			0.1				-0.9	
4	1/18/2007 13:48			0.1				-0.9	
5	1/18/2007 14:03			0.1				-0.9	
6	1/18/2007 14:18			0.2				-0.8	
7	1/18/2007 14:33			0.2				-0.8	
8	1/18/2007 14:48			0.3				-0.7	
9	1/18/2007 15:03			0.3				-0.7	
10	1/18/2007 15:18			0.4				-0.6	
11	1/18/2007 15:33			0.4				-0.6	
12	1/18/2007 15:48			0.4				-0.6	
13	1/18/2007 16:03			0.4				-0.6	
14	1/18/2007 16:18			0.5				-0.5	
15	1/18/2007 16:33			0.9				-0.1	
16	1/18/2007 16:48			1.7				0.7	
17	1/18/2007 17:03			0.9				-0.1	
18	1/18/2007 17:18			0.3				-0.7	
19	1/18/2007 17:33			0.1				-0.9	
20	1/18/2007 17:48			0				-1	
21	1/18/2007 18:03			0				-1	
22	1/18/2007 18:18			0.7				-0.3	
23	1/18/2007 18:33			0.4				-0.6	
24	1/18/2007 18:48			0.5				-0.5	
25	1/18/2007 19:03			0.5				-0.5	
26	1/18/2007 19:18			0.5				-0.5	
27	1/18/2007 19:33			0.5				-0.5	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	1/18/2007
Start Time:	9:44:32
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0930) = 0.010 mg/m^3

Calibration Sensor: Aerosol
Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/18/2007	9:59:32	0.014	0.004	4	
1/18/2007	10:14:32	0.016	0.006	6	
1/18/2007	10:29:32	0.018	0.008	8	
1/18/2007	10:44:32	0.021	0.011	11	
1/18/2007	10:59:32	0.021	0.011	11	
1/18/2007	11:14:32	0.023	0.013	13	
1/18/2007	11:29:32	0.022	0.012	12	
1/18/2007	11:44:32	0.021	0.011	11	
1/18/2007	11:59:32	0.019	0.009	9	
1/18/2007	12:14:32	0.017	0.007	7	
1/18/2007	12:29:32	0.013	0.003	3	
1/18/2007	12:44:32	0.01	0	0	
1/18/2007	12:59:32	0.011	0.001	1	
1/18/2007	13:14:32	0.011	0.001	1	
1/18/2007	13:29:32	0.014	0.004	4	
1/18/2007	13:44:32	0.014	0.004	4	
1/18/2007	13:59:32	0.02	0.01	10	
1/18/2007	14:14:32	0.019	0.009	9	
1/18/2007	14:29:32	0.016	0.006	6	
1/18/2007	14:44:32	0.019	0.009	9	
1/18/2007	14:59:32	0.022	0.012	12	
1/18/2007	15:14:32	0.019	0.009	9	
1/18/2007	15:29:32	0.022	0.012	12	
1/18/2007	15:44:32	0.026	0.016	16	
1/18/2007	15:59:32	0.026	0.016	16	
1/18/2007	16:14:32	0.026	0.016	16	
1/18/2007	16:29:32	0.027	0.017	17	
1/18/2007	16:44:32	0.03	0.02	20	
1/18/2007	16:59:32	0.038	0.028	28	
1/18/2007	17:14:32	0.216	0.206	206	*Elevated reading due to Shaw testing of AKRF equipment at Station 2
1/18/2007	17:29:32	0.043	0.033	33	
1/18/2007	17:44:32	0.037	0.027	27	
1/18/2007	17:59:32	0.048	0.038	38	
1/18/2007	18:14:32	0.056	0.046	46	
1/18/2007	18:29:32	0.055	0.045	45	
1/18/2007	18:44:32	0.058	0.048	48	
1/18/2007	18:59:32	0.056	0.046	46	
1/18/2007	19:14:32	0.053	0.043	43	
1/18/2007	19:29:32	0.05	0.04	40	
1/18/2007	19:44:32	0.044	0.034	34	
1/18/2007	19:59:32	0.044	0.034	34	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/15/2007 06:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0915) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	1/18/2007 9:30			0.1				0.1	
2	1/18/2007 9:45			0.1				0.1	
3	1/18/2007 10:00			0.2				0.2	
4	1/18/2007 10:15			0.3				0.3	
5	1/18/2007 10:30			0.3				0.3	
6	1/18/2007 10:45			0.3				0.3	
7	1/18/2007 11:00			0.4				0.4	
8	1/18/2007 11:15			0.4				0.4	
9	1/18/2007 11:30			0.4				0.4	
10	1/18/2007 11:45			0.4				0.4	
11	1/18/2007 12:00			0.4				0.4	
12	1/18/2007 12:15			0.4				0.4	
13	1/18/2007 12:30			0.4				0.4	
14	1/18/2007 12:45			0.4				0.4	
15	1/18/2007 13:00			0.4				0.4	
16	1/18/2007 13:15			0.5				0.5	
17	1/18/2007 13:30			0.5				0.5	
18	1/18/2007 13:45			0.5				0.5	
19	1/18/2007 14:00			0.5				0.5	
20	1/18/2007 14:15			0.5				0.5	
21	1/18/2007 14:30			0.5				0.5	
22	1/18/2007 14:45			0.5				0.5	
23	1/18/2007 15:00			0.5				0.5	
24	1/18/2007 15:15			0.5				0.5	
25	1/18/2007 15:30			0.5				0.5	
26	1/18/2007 15:45			0.5				0.5	
27	1/18/2007 16:00			0.5				0.5	
28	1/18/2007 16:15			0.5				0.5	
29	1/18/2007 16:30			0.5				0.5	
30	1/18/2007 16:45			0.5				0.5	
31	1/18/2007 17:00			1.6				1.6	*Shaw testing of AKRF equipment at STA 3
32	1/18/2007 17:15			0.6				0.6	
33	1/18/2007 17:30			0.6				0.6	
34	1/18/2007 17:45			0.6				0.6	
35	1/18/2007 18:00			0.6				0.6	
36	1/18/2007 18:15			0.6				0.6	
37	1/18/2007 18:30			0.6				0.6	
38	1/18/2007 18:45			0.6				0.6	
39	1/18/2007 19:00			0.6				0.6	
40	1/18/2007 19:15			0.6				0.6	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	3
Test Abbreviation:	
Start Date:	1/18/2007
Start Time:	9:18:46
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0915) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/18/2007	9:33:46	0.024	0.012	12	
1/18/2007	9:48:46	0.025	0.013	13	
1/18/2007	10:03:46	0.025	0.013	13	
1/18/2007	10:18:46	0.029	0.017	17	
1/18/2007	10:33:46	0.036	0.024	24	
1/18/2007	10:48:46	0.038	0.026	26	
1/18/2007	11:03:46	0.035	0.023	23	
1/18/2007	11:18:46	0.033	0.021	21	
1/18/2007	11:33:46	0.037	0.025	25	
1/18/2007	11:48:46	0.035	0.023	23	
1/18/2007	12:03:46	0.031	0.019	19	
1/18/2007	12:18:46	0.024	0.012	12	
1/18/2007	12:33:46	0.022	0.01	10	
1/18/2007	12:48:46	0.027	0.015	15	
1/18/2007	13:03:46	0.019	0.007	7	
1/18/2007	13:18:46	0.025	0.013	13	
1/18/2007	13:33:46	0.025	0.013	13	
1/18/2007	13:48:46	0.029	0.017	17	
1/18/2007	14:03:46	0.032	0.02	20	
1/18/2007	14:18:46	0.028	0.016	16	
1/18/2007	14:33:46	0.03	0.018	18	
1/18/2007	14:48:46	0.065	0.053	53	
1/18/2007	15:03:46	0.033	0.021	21	
1/18/2007	15:18:46	0.036	0.024	24	
1/18/2007	15:33:46	0.041	0.029	29	
1/18/2007	15:48:46	0.041	0.029	29	
1/18/2007	16:03:46	0.044	0.032	32	
1/18/2007	16:18:46	0.045	0.033	33	
1/18/2007	16:33:46	0.049	0.037	37	
1/18/2007	16:48:46	0.055	0.043	43	
1/18/2007	17:03:46	0.063	0.051	51	
1/18/2007	17:18:46	0.104	0.092	92	*Shaw testing of equipment at Station 3.
1/18/2007	17:33:46	0.063	0.051	51	
1/18/2007	17:48:46	0.069	0.057	57	
1/18/2007	18:03:46	0.086	0.074	74	
1/18/2007	18:18:46	0.084	0.072	72	
1/18/2007	18:33:46	0.091	0.079	79	
1/18/2007	18:48:46	0.095	0.083	83	
1/18/2007	19:03:46	0.091	0.079	79	
1/18/2007	19:18:46	0.082	0.07	70	
1/18/2007	19:33:46	0.075	0.063	63	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/15/2007 06:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0900) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/18/2007 9:22			0				0
2	1/18/2007 9:37			0.1				0.1
3	1/18/2007 9:52			0.1				0.1
4	1/18/2007 10:07			0.1				0.1
5	1/18/2007 10:22			0.1				0.1
6	1/18/2007 10:37			0.1				0.1
7	1/18/2007 10:52			0.1				0.1
8	1/18/2007 11:07			0.1				0.1
9	1/18/2007 11:22			0.1				0.1
10	1/18/2007 11:37			0.1				0.1
11	1/18/2007 11:52			0.1				0.1
12	1/18/2007 12:07			0.1				0.1
13	1/18/2007 12:22			0.1				0.1
14	1/18/2007 12:37			0.1				0.1
15	1/18/2007 12:52			0				0
16	1/18/2007 13:07			0.1				0.1
17	1/18/2007 13:22			0.1				0.1
18	1/18/2007 13:37			0.1				0.1
19	1/18/2007 13:52			0.1				0.1
20	1/18/2007 14:07			0				0
21	1/18/2007 14:22			0				0
22	1/18/2007 14:37			0.1				0.1
23	1/18/2007 14:52			0.1				0.1
24	1/18/2007 15:07			0.1				0.1
25	1/18/2007 15:22			0.1				0.1
26	1/18/2007 15:37			0.1				0.1
27	1/18/2007 15:52			0				0
28	1/18/2007 16:07			0.1				0.1
29	1/18/2007 16:22			0.1				0.1
30	1/18/2007 16:37			0.1				0.1
31	1/18/2007 16:52			0.1				0.1
32	1/18/2007 17:07			0.2				0.2
33	1/18/2007 17:22			0				0
34	1/18/2007 17:37			0				0
35	1/18/2007 17:52			0.1				0.1
36	1/18/2007 18:07			0.1				0.1
37	1/18/2007 18:22			0				0
38	1/18/2007 18:37			0				0
39	1/18/2007 18:52			0				0
40	1/18/2007 19:07			0				0
41	1/18/2007 19:22			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	1/18/2007
Start Time:	9:15:32
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0900) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/18/2007	9:30:32	0.045	0.035	35
1/18/2007	9:45:32	0.031	0.021	21
1/18/2007	10:00:32	0.033	0.023	23
1/18/2007	10:15:32	0.024	0.014	14
1/18/2007	10:30:32	0.046	0.036	36
1/18/2007	10:45:32	0.049	0.039	39
1/18/2007	11:00:32	0.089	0.079	79
1/18/2007	11:15:32	0.07	0.06	60
1/18/2007	11:30:32	0.078	0.068	68
1/18/2007	11:45:32	0.034	0.024	24
1/18/2007	12:00:32	0.029	0.019	19
1/18/2007	12:15:32	0.024	0.014	14
1/18/2007	12:30:32	0.028	0.018	18
1/18/2007	12:45:32	0.08	0.07	70
1/18/2007	13:00:32	0.035	0.025	25
1/18/2007	13:15:32	0.034	0.024	24
1/18/2007	13:30:32	0.036	0.026	26
1/18/2007	13:45:32	0.026	0.016	16
1/18/2007	14:00:32	0.031	0.021	21
1/18/2007	14:15:32	0.031	0.021	21
1/18/2007	14:30:32	0.024	0.014	14
1/18/2007	14:45:32	0.023	0.013	13
1/18/2007	15:00:32	0.024	0.014	14
1/18/2007	15:15:32	0.044	0.034	34
1/18/2007	15:30:32	0.054	0.044	44
1/18/2007	15:45:32	0.06	0.05	50
1/18/2007	16:00:32	0.049	0.039	39
1/18/2007	16:15:32	0.033	0.023	23
1/18/2007	16:30:32	0.04	0.03	30
1/18/2007	16:45:32	0.043	0.033	33
1/18/2007	17:00:32	0.058	0.048	48
1/18/2007	17:15:32	0.059	0.049	49
1/18/2007	17:30:32	0.098	0.088	88
1/18/2007	17:45:32	0.061	0.051	51
1/18/2007	18:00	0.065	0.055	55
1/18/2007	18:15:32	0.073	0.063	63
1/18/2007	18:30:32	0.079	0.069	69
1/18/2007	18:45:32	0.076	0.066	66
1/18/2007	19:00:32	0.076	0.066	66
1/18/2007	19:15:32	0.07	0.06	60
1/18/2007	19:30:32	0.067	0.057	57
1/18/2007	19:45:32	0.059	0.049	49

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/19/2007 06:04

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/19/2007 6:56			0				0
2	1/19/2007 7:11			0				0
3	1/19/2007 7:26			0				0
4	1/19/2007 7:41			0.1				0.1
5	1/19/2007 7:56			0.1				0.1
6	1/19/2007 8:11			0.1				0.1
7	1/19/2007 8:26			0.1				0.1
8	1/19/2007 8:41			0.2				0.2
9	1/19/2007 8:56			0.2				0.2
10	1/19/2007 9:11			0.2				0.2
11	1/19/2007 9:26			0.2				0.2
12	1/19/2007 9:41			0.2				0.2
13	1/19/2007 9:56			0.2				0.2
14	1/19/2007 10:11			0.2				0.2
15	1/19/2007 10:26			0.2				0.2
16	1/19/2007 10:41			0.2				0.2
17	1/19/2007 10:56			0.2				0.2
18	1/19/2007 11:11			0.3				0.3
19	1/19/2007 11:26			0.3				0.3
20	1/19/2007 11:41			0.3				0.3
21	1/19/2007 11:56			0.3				0.3
22	1/19/2007 12:11			0.3				0.3
23	1/19/2007 12:26			0.3				0.3
24	1/19/2007 12:41			0.3				0.3
25	1/19/2007 12:56			0.3				0.3
26	1/19/2007 13:11			0.3				0.3
27	1/19/2007 13:26			0.3				0.3
28	1/19/2007 13:41			0.3				0.3
29	1/19/2007 13:56			0.3				0.3
30	1/19/2007 14:11			0.3				0.3
31	1/19/2007 14:26			0.3				0.3
32	1/19/2007 14:41			0.3				0.3
33	1/19/2007 14:56			0.3				0.3
34	1/19/2007 15:11			0.3				0.3
35	1/19/2007 15:26			0.3				0.3
36	1/19/2007 15:41			0.3				0.3
37	1/19/2007 15:56			0.3				0.3
38	1/19/2007 16:11			0.3				0.3
39	1/19/2007 16:26			0.3				0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	1/19/2007
Start Time:	6:45:11
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0635) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/19/2007	7:00:11	0.039	0.001	1
1/19/2007	7:15:11	0.042	0.004	4
1/19/2007	7:30:11	0.05	0.012	12
1/19/2007	7:45:11	0.06	0.022	22
1/19/2007	8:00:11	0.069	0.031	31
1/19/2007	8:15:11	0.075	0.037	37
1/19/2007	8:30:11	0.077	0.039	39
1/19/2007	8:45:11	0.088	0.05	50
1/19/2007	9:00:11	0.091	0.053	53
1/19/2007	9:15:11	0.091	0.053	53
1/19/2007	9:30:11	0.111	0.073	73
1/19/2007	9:45:11	0.08	0.042	42
1/19/2007	10:00:11	0.07	0.032	32
1/19/2007	10:15:11	0.065	0.027	27
1/19/2007	10:30:11	0.052	0.014	14
1/19/2007	10:45:11	0.05	0.012	12
1/19/2007	11:00:11	0.041	0.003	3
1/19/2007	11:15:11	0.029	-0.009	-9
1/19/2007	11:30:11	0.021	-0.017	-17
1/19/2007	11:45:11	0.022	-0.016	-16
1/19/2007	12:00:11	0.022	-0.016	-16
1/19/2007	12:15:11	0.022	-0.016	-16
1/19/2007	12:30:11	0.018	-0.02	-20
1/19/2007	12:45:11	0.013	-0.025	-25
1/19/2007	13:00:11	0.013	-0.025	-25
1/19/2007	13:15:11	0.011	-0.027	-27
1/19/2007	13:30:11	0.013	-0.025	-25
1/19/2007	13:45:11	0.013	-0.025	-25
1/19/2007	14:00:11	0.014	-0.024	-24
1/19/2007	14:15:11	0.013	-0.025	-25
1/19/2007	14:30:11	0.014	-0.024	-24
1/19/2007	14:45:11	0.013	-0.025	-25
1/19/2007	15:00:11	0.013	-0.025	-25
1/19/2007	15:15:11	0.013	-0.025	-25
1/19/2007	15:30:11	0.014	-0.024	-24
1/19/2007	15:45:11	0.014	-0.024	-24
1/19/2007	16:00:11	0.014	-0.024	-24
1/19/2007	16:15:11	0.018	-0.02	-20
1/19/2007	16:30:11	0.015	-0.023	-23
1/19/2007	16:45:11	0.015	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071

User ID: 00000001 Site ID: 00000003

Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/19/2006 00:39

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0645) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	11/19/2006 7:41			1				0.6	
2	11/19/2006 7:56			1.3				0.9	
3	11/19/2006 8:11			1.5				1.1	
4	11/19/2006 8:26			1.7				1.3	
5	11/19/2006 8:41			1.7				1.3	
6	11/19/2006 9:56			1.9				1.5	
7	11/19/2006 9:11			2				1.6	
8	11/19/2006 9:26			2.2				1.8	
9	11/19/2006 9:41			2.1				1.7	
10	11/19/2006 9:56			2.1				1.7	
11	11/19/2006 10:11			2.2				1.8	
1	11/19/2006 10:42			0				-0.4	PID recalibrated at ~10:40 AM
2	11/19/2006 10:57			0				-0.4	
3	11/19/2006 11:12			0				-0.4	
4	11/19/2006 11:27			0				-0.4	
5	11/19/2006 11:42			0				-0.4	
6	11/19/2006 11:57			0				-0.4	
7	11/19/2006 12:12			0				-0.4	
8	11/19/2006 12:27			0				-0.4	
9	11/19/2006 12:42			0				-0.4	
10	11/19/2006 12:57			0				-0.4	
11	11/19/2006 13:12:			0				-0.4	
12	11/19/2006 13:27:			0				-0.4	
13	11/19/2006 13:42:			0				-0.4	
14	11/19/2006 13:57:			0				-0.4	
15	11/19/2006 14:12:			0				-0.4	
16	11/19/2006 14:27:			0				-0.4	
17	11/19/2006 14:42:			0				-0.4	
18	11/19/2006 14:57:			0				-0.4	
19	11/19/2006 15:12:			0				-0.4	
20	11/19/2006 15:27:			0				-0.4	
21	11/19/2006 15:42:			0				-0.4	
22	11/19/2006 15:57:			0				-0.4	
23	11/19/2006 16:12:			0				-0.4	
24	11/19/2006 16:27:			0				-0.4	
25	11/19/2006 16:42:			0				-0.4	
26	11/19/2006 16:57:			0				-0.4	
27	11/19/2006 17:12:			0				-0.4	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	1/19/2007
Start Time:	6:59:29
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0645) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/19/2007	7:14:29	0.024	0.001	1
1/19/2007	7:29:29	0.027	0.004	4
1/19/2007	7:44:29	0.031	0.008	8
1/19/2007	7:59:29	0.035	0.012	12
1/19/2007	8:14:29	0.037	0.014	14
1/19/2007	8:29:29	0.038	0.015	15
1/19/2007	8:44:29	0.042	0.019	19
1/19/2007	8:59:29	0.044	0.021	21
1/19/2007	9:14:29	0.045	0.022	22
1/19/2007	9:29:29	0.043	0.02	20
1/19/2007	9:44:29	0.046	0.023	23
1/19/2007	9:59:29	0.042	0.019	19
1/19/2007	10:14:29	0.042	0.019	19
1/19/2007	10:29:29	0.033	0.01	10
1/19/2007	10:44:29	0.03	0.007	7
1/19/2007	10:59:29	0.027	0.004	4
1/19/2007	11:14:29	0.019	-0.004	-4
1/19/2007	11:29:29	0.013	-0.01	-10
1/19/2007	11:44:29	0.012	-0.011	-11
1/19/2007	11:59:29	0.014	-0.009	-9
1/19/2007	12:14:29	0.013	-0.01	-10
1/19/2007	12:29:29	0.012	-0.011	-11
1/19/2007	12:44:29	0.008	-0.015	-15
1/19/2007	12:59:29	0.008	-0.015	-15
1/19/2007	13:14:29	0.007	-0.016	-16
1/19/2007	13:29:29	0.007	-0.016	-16
1/19/2007	13:44:29	0.007	-0.016	-16
1/19/2007	13:59:29	0.008	-0.015	-15
1/19/2007	14:14:29	0.007	-0.016	-16
1/19/2007	14:29:29	0.008	-0.015	-15
1/19/2007	14:44:29	0.008	-0.015	-15
1/19/2007	14:59:29	0.007	-0.016	-16
1/19/2007	15:14:29	0.007	-0.016	-16
1/19/2007	15:29:29	0.008	-0.015	-15
1/19/2007	15:44:29	0.008	-0.015	-15
1/19/2007	15:59:29	0.008	-0.015	-15
1/19/2007	16:14:29	0.009	-0.014	-14
1/19/2007	16:29:29	0.008	-0.015	-15
1/19/2007	16:44:29	0.009	-0.014	-14
1/19/2007	16:59:29	0.008	-0.015	-15

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/19/2007 06:05

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0720) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/19/2007 7:38			0.1				0.1
2	1/19/2007 7:53			0.1				0.1
3	1/19/2007 8:08			0.1				0.1
4	1/19/2007 8:23			0.2				0.2
5	1/19/2007 8:38			0.2				0.2
6	1/19/2007 8:53			0.2				0.2
7	1/19/2007 9:08			0.2				0.2
8	1/19/2007 9:23			0.2				0.2
9	1/19/2007 9:38			0.2				0.2
10	1/19/2007 9:53			0.2				0.2
11	1/19/2007 10:08			0.2				0.2
12	1/19/2007 10:23			0.2				0.2
13	1/19/2007 10:38			0.2				0.2
14	1/19/2007 10:53			0.2				0.2
15	1/19/2007 11:08			0.2				0.2
16	1/19/2007 11:23			0.2				0.2
17	1/19/2007 11:38			0.2				0.2
18	1/19/2007 11:53			0.2				0.2
19	1/19/2007 12:08			0.2				0.2
20	1/19/2007 12:23			0.2				0.2
21	1/19/2007 12:38			0.2				0.2
22	1/19/2007 12:53			0.2				0.2
23	1/19/2007 13:08			0.2				0.2
24	1/19/2007 13:23			0.2				0.2
25	1/19/2007 13:38			0.2				0.2
26	1/19/2007 13:53			0.2				0.2
27	1/19/2007 14:08			0.2				0.2
28	1/19/2007 14:23			0.2				0.2
29	1/19/2007 14:38			0.2				0.2
30	1/19/2007 14:53			0.2				0.2
31	1/19/2007 15:08			0.2				0.2
32	1/19/2007 15:23			0.2				0.2
33	1/19/2007 15:38			0.2				0.2
34	1/19/2007 15:53			0.2				0.2
35	1/19/2007 16:08			0.2				0.2
36	1/19/2007 16:23			0.2				0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	4
Test Abbreviation:	
Start Date:	1/19/2007
Start Time:	7:29:27
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0720) = 0.052 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/19/2007	7:44:27	0.058	0.006	6
1/19/2007	7:59:27	0.065	0.013	13
1/19/2007	8:14:27	0.067	0.015	15
1/19/2007	8:29:27	0.07	0.018	18
1/19/2007	8:44:27	0.075	0.023	23
1/19/2007	8:59:27	0.08	0.028	28
1/19/2007	9:14:27	0.074	0.022	22
1/19/2007	9:29:27	0.073	0.021	21
1/19/2007	9:44:27	0.073	0.021	21
1/19/2007	9:59:27	0.071	0.019	19
1/19/2007	10:14:27	0.069	0.017	17
1/19/2007	10:29:27	0.056	0.004	4
1/19/2007	10:44:27	0.049	-0.003	-3
1/19/2007	10:59:27	0.044	-0.008	-8
1/19/2007	11:14:27	0.031	-0.021	-21
1/19/2007	11:29:27	0.023	-0.029	-29
1/19/2007	11:44:27	0.024	-0.028	-28
1/19/2007	11:59:27	0.024	-0.028	-28
1/19/2007	12:14:27	0.024	-0.028	-28
1/19/2007	12:29:27	0.02	-0.032	-32
1/19/2007	12:44:27	0.016	-0.036	-36
1/19/2007	12:59:27	0.017	-0.035	-35
1/19/2007	13:14:27	0.015	-0.037	-37
1/19/2007	13:29:27	0.014	-0.038	-38
1/19/2007	13:44:27	0.014	-0.038	-38
1/19/2007	13:59:27	0.013	-0.039	-39
1/19/2007	14:14:27	0.016	-0.036	-36
1/19/2007	14:29:27	0.015	-0.037	-37
1/19/2007	14:44:27	0.014	-0.038	-38
1/19/2007	14:59:27	0.013	-0.039	-39
1/19/2007	15:14:27	0.014	-0.038	-38
1/19/2007	15:29:27	0.016	-0.036	-36
1/19/2007	15:44:27	0.014	-0.038	-38
1/19/2007	15:59:27	0.014	-0.038	-38
1/19/2007	16:14:27	0.016	-0.036	-36
1/19/2007	16:29:27	0.015	-0.037	-37
1/19/2007	16:44:27	0.016	-0.036	-36

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/19/2007 06:06

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/19/2007 7:29			0				0
2	1/19/2007 7:44			0				0
3	1/19/2007 7:59			0				0
4	1/19/2007 8:14			0				0
5	1/19/2007 8:29			0				0
6	1/19/2007 8:44			0				0
7	1/19/2007 8:59			0				0
8	1/19/2007 9:14			0				0
9	1/19/2007 9:29			0				0
10	1/19/2007 9:44			0				0
11	1/19/2007 9:59			0				0
12	1/19/2007 10:14			0				0
13	1/19/2007 10:29			0				0
14	1/19/2007 10:44			0				0
15	1/19/2007 10:59			0				0
16	1/19/2007 11:14			0				0
17	1/19/2007 11:29			0				0
18	1/19/2007 11:44			0				0
19	1/19/2007 11:59			0				0
20	1/19/2007 12:14			0				0
21	1/19/2007 12:29			0				0
22	1/19/2007 12:44			0				0
23	1/19/2007 12:59			0				0
24	1/19/2007 13:14			0				0
25	1/19/2007 13:29			0				0
26	1/19/2007 13:44			0				0
27	1/19/2007 13:59			0				0
28	1/19/2007 14:14			0				0
29	1/19/2007 14:29			0				0
30	1/19/2007 14:44			0				0
31	1/19/2007 14:59			0				0
32	1/19/2007 15:14			0				0
33	1/19/2007 15:29			0				0
34	1/19/2007 15:44			0				0
35	1/19/2007 15:59			0				0
36	1/19/2007 16:14			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	1/19/2007
Start Time:	7:22:48
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0710) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/19/2007	7:37:48	0.038	0.005	5
1/19/2007	7:52:48	0.044	0.011	11
1/19/2007	8:07:48	0.048	0.015	15
1/19/2007	8:22:48	0.049	0.016	16
1/19/2007	8:37:48	0.084	0.051	51
1/19/2007	8:52:48	0.095	0.062	62
1/19/2007	9:07:48	0.093	0.06	60
1/19/2007	9:22:48	0.06	0.027	27
1/19/2007	9:37:48	0.063	0.03	30
1/19/2007	9:52:48	0.064	0.031	31
1/19/2007	10:07:48	0.054	0.021	21
1/19/2007	10:22:48	0.052	0.019	19
1/19/2007	10:37:48	0.048	0.015	15
1/19/2007	10:52:48	0.047	0.014	14
1/19/2007	11:07:48	0.047	0.014	14
1/19/2007	11:22:48	0.032	-0.001	-1
1/19/2007	11:37:48	0.021	-0.012	-12
1/19/2007	11:52:48	0.025	-0.008	-8
1/19/2007	12:07:48	0.021	-0.012	-12
1/19/2007	12:22:48	0.022	-0.011	-11
1/19/2007	12:37:48	0.018	-0.015	-15
1/19/2007	12:52:48	0.013	-0.02	-20
1/19/2007	13:07:48	0.013	-0.02	-20
1/19/2007	13:22:48	0.02	-0.013	-13
1/19/2007	13:37:48	0.029	-0.004	-4
1/19/2007	13:52:48	0.013	-0.02	-20
1/19/2007	14:07:48	0.013	-0.02	-20
1/19/2007	14:22:48	0.016	-0.017	-17
1/19/2007	14:37:48	0.015	-0.018	-18
1/19/2007	14:52:48	0.018	-0.015	-15
1/19/2007	15:07:48	0.029	-0.004	-4
1/19/2007	15:22:48	0.024	-0.009	-9
1/19/2007	15:37:48	0.024	-0.009	-9
1/19/2007	15:52:48	0.038	0.005	5
1/19/2007	16:07	0.03	-0.003	-3
1/19/2007	16:22:48	0.024	-0.009	-9
1/19/2007	16:37:48	0.03	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/20/2007 07:34

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0801) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/20/2007 7:38			0.1				0.1
2	1/20/2007 7:53			0.2				0.2
3	1/20/2007 8:08			0.1				0.1
4	1/20/2007 8:23			0.1				0.1
5	1/20/2007 8:38			0.2				0.2
6	1/20/2007 8:53			0.2				0.2
7	1/20/2007 9:08			0.3				0.3
8	1/20/2007 9:23			0.3				0.3
9	1/20/2007 9:38			0.3				0.3
10	1/20/2007 9:53			0.3				0.3
11	1/20/2007 10:08			0.3				0.3
12	1/20/2007 10:23			0.4				0.4
13	1/20/2007 10:38			0.4				0.4
14	1/20/2007 10:53			0.4				0.4
15	1/20/2007 11:08			0.4				0.4
16	1/20/2007 11:23			0.4				0.4
17	1/20/2007 11:38			0.4				0.4
18	1/20/2007 11:53			0.4				0.4
19	1/20/2007 12:08			0.4				0.4
20	1/20/2007 12:23			0.4				0.4
21	1/20/2007 12:38			0.4				0.4
22	1/20/2007 12:53			0.5				0.5
23	1/20/2007 13:08			0.5				0.5
24	1/20/2007 13:23			0.5				0.5
25	1/20/2007 13:38			0.4				0.4
26	1/20/2007 13:53			0.5				0.5
27	1/20/2007 14:08			0.5				0.5
28	1/20/2007 14:23			0.5				0.5
29	1/20/2007 14:38			0.5				0.5
30	1/20/2007 14:53			0.5				0.5
31	1/20/2007 15:08			0.5				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/20/2007
Start Time:	8:06:25
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0801) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/20/2007	8:21:25	0.012	-0.003	-3
1/20/2007	8:36:25	0.012	-0.003	-3
1/20/2007	8:51:25	0.012	-0.003	-3
1/20/2007	9:06:25	0.011	-0.004	-4
1/20/2007	9:21:25	0.01	-0.005	-5
1/20/2007	9:36:25	0.011	-0.004	-4
1/20/2007	9:51:25	0.011	-0.004	-4
1/20/2007	10:06:25	0.01	-0.005	-5
1/20/2007	10:21:25	0.008	-0.007	-7
1/20/2007	10:36:25	0.011	-0.004	-4
1/20/2007	10:51:25	0.009	-0.006	-6
1/20/2007	11:06:25	0.009	-0.006	-6
1/20/2007	11:21:25	0.007	-0.008	-8
1/20/2007	11:36:25	0.009	-0.006	-6
1/20/2007	11:51:25	0.008	-0.007	-7
1/20/2007	12:06:25	0.009	-0.006	-6
1/20/2007	12:21:25	0.009	-0.006	-6
1/20/2007	12:36:25	0.01	-0.005	-5
1/20/2007	12:51:25	0.008	-0.007	-7
1/20/2007	13:06:25	0.01	-0.005	-5
1/20/2007	13:21:25	0.006	-0.009	-9
1/20/2007	13:36:25	0.007	-0.008	-8
1/20/2007	13:51:25	0.008	-0.007	-7
1/20/2007	14:06:25	0.008	-0.007	-7
1/20/2007	14:21:25	0.009	-0.006	-6
1/20/2007	14:36:25	0.008	-0.007	-7
1/20/2007	14:51:25	0.009	-0.006	-6
1/20/2007	15:06:25	0.009	-0.006	-6
1/20/2007	15:21:25	0.009	-0.006	-6
1/20/2007	15:36:25	0.007	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/19/2006 00:39

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0810) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/20/2006 7:34			0.7				0.5
2	11/20/2006 7:49			1.2				1
3	11/20/2006 8:04			1.3				1.1
4	11/20/2006 8:19			1.6				1.4
5	11/20/2006 8:34			1.8				1.6
6	11/20/2006 8:49			1.9				1.7
7	11/20/2006 9:04			2.2				2
8	11/20/2006 9:19			2.2				2
9	11/20/2006 9:34			2.2				2
10	11/20/2006 9:49			2.3				2.1
11	11/20/2006 10:04			2.4				2.2
12	11/20/2006 10:19			2.5				2.3
13	11/20/2006 10:34			2.5				2.3
14	11/20/2006 10:49			2.5				2.3
15	11/20/2006 11:04			2.5				2.3
16	11/20/2006 11:19			2.6				2.4
17	11/20/2006 11:34			2.6				2.4
18	11/20/2006 11:49			2.6				2.4
19	11/20/2006 12:04			2.6				2.4
20	11/20/2006 12:19			2.6				2.4
21	11/20/2006 12:34			2.7				2.5
22	11/20/2006 12:49			2.8				2.6
23	11/20/2006 13:04			2.7				2.5
24	11/20/2006 13:19			2.7				2.5
25	11/20/2006 13:34			2.6				2.4
26	11/20/2006 13:49			2.6				2.4
27	11/20/2006 14:04			2.6				2.4
28	11/20/2006 14:19			2.7				2.5
29	11/20/2006 14:34			2.7				2.5
30	11/20/2006 14:49			2.6				2.4
31	11/20/2006 15:04			2.6				2.4
32	11/20/2006 15:19			2.6				2.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	1/20/2007
Start Time:	8:10:16
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0810) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/20/2007	8:25:16	0.005	-0.025	-25
1/20/2007	8:40:16	0.003	-0.027	-27
1/20/2007	8:55:16	0.004	-0.026	-26
1/20/2007	9:10:16	0.004	-0.026	-26
1/20/2007	9:25:16	0.003	-0.027	-27
1/20/2007	9:40:16	0.003	-0.027	-27
1/20/2007	9:55:16	0.003	-0.027	-27
1/20/2007	10:10:16	0.003	-0.027	-27
1/20/2007	10:25:16	0.002	-0.028	-28
1/20/2007	10:40:16	0.002	-0.028	-28
1/20/2007	10:55:16	0.002	-0.028	-28
1/20/2007	11:10:16	0.002	-0.028	-28
1/20/2007	11:25:16	0.002	-0.028	-28
1/20/2007	11:40:16	0.002	-0.028	-28
1/20/2007	11:55:16	0.003	-0.027	-27
1/20/2007	12:10:16	0.003	-0.027	-27
1/20/2007	12:25:16	0.003	-0.027	-27
1/20/2007	12:40:16	0.003	-0.027	-27
1/20/2007	12:55:16	0.002	-0.028	-28
1/20/2007	13:10:16	0.003	-0.027	-27
1/20/2007	13:25:16	0.002	-0.028	-28
1/20/2007	13:40:16	0.002	-0.028	-28
1/20/2007	13:55:16	0.003	-0.027	-27
1/20/2007	14:10:16	0.003	-0.027	-27
1/20/2007	14:25:16	0.003	-0.027	-27
1/20/2007	14:40:16	0.003	-0.027	-27
1/20/2007	14:55:16	0.003	-0.027	-27
1/20/2007	15:10:16	0.003	-0.027	-27
1/20/2007	15:25:16	0.003	-0.027	-27
1/20/2007	15:40:16	0.002	-0.028	-28
1/20/2007	15:55:16	0.002	-0.028	-28

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/19/2007 06:05

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0815) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/20/2007 7:35			0				-0.1
2	1/20/2007 7:50			0.1				0
3	1/20/2007 8:05			0				-0.1
4	1/20/2007 8:20			0				-0.1
5	1/20/2007 8:35			0.1				0
6	1/20/2007 8:50			0.2				0.1
7	1/20/2007 9:05			0.2				0.1
8	1/20/2007 9:20			0.3				0.2
9	1/20/2007 9:35			0.3				0.2
10	1/20/2007 9:50			0.3				0.2
11	1/20/2007 10:05			0.3				0.2
12	1/20/2007 10:20			0.3				0.2
13	1/20/2007 10:35			0.4				0.3
14	1/20/2007 10:50			0.4				0.3
15	1/20/2007 11:05			0.4				0.3
16	1/20/2007 11:20			0.4				0.3
17	1/20/2007 11:35			0.4				0.3
18	1/20/2007 11:50			0.5				0.4
19	1/20/2007 12:05			0.5				0.4
20	1/20/2007 12:20			0.5				0.4
21	1/20/2007 12:35			0.5				0.4
22	1/20/2007 12:50			0.5				0.4
23	1/20/2007 13:05			0.5				0.4
24	1/20/2007 13:20			0.5				0.4
25	1/20/2007 13:35			0.5				0.4
26	1/20/2007 13:50			0.5				0.4
27	1/20/2007 14:05			0.5				0.4
28	1/20/2007 14:20			0.5				0.4
29	1/20/2007 14:35			0.5				0.4
30	1/20/2007 14:50			0.5				0.4
31	1/20/2007 15:05			0.5				0.4
32	1/20/2007 15:20			0.5				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/20/2007
Start Time:	8:20:02
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0815) = 0.010 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/20/2007	8:35:02	0.008	-0.002	-2
1/20/2007	8:50:02	0.008	-0.002	-2
1/20/2007	9:05:02	0.009	-0.001	-1
1/20/2007	9:20:02	0.008	-0.002	-2
1/20/2007	9:35:02	0.008	-0.002	-2
1/20/2007	9:50:02	0.009	-0.001	-1
1/20/2007	10:05:02	0.009	-0.001	-1
1/20/2007	10:20:02	0.008	-0.002	-2
1/20/2007	10:35:02	0.009	-0.001	-1
1/20/2007	10:50:02	0.008	-0.002	-2
1/20/2007	11:05:02	0.008	-0.002	-2
1/20/2007	11:20:02	0.008	-0.002	-2
1/20/2007	11:35:02	0.008	-0.002	-2
1/20/2007	11:50:02	0.008	-0.002	-2
1/20/2007	12:05:02	0.008	-0.002	-2
1/20/2007	12:20:02	0.009	-0.001	-1
1/20/2007	12:35:02	0.01	0	0
1/20/2007	12:50:02	0.008	-0.002	-2
1/20/2007	13:05:02	0.009	-0.001	-1
1/20/2007	13:20:02	0.008	-0.002	-2
1/20/2007	13:35:02	0.008	-0.002	-2
1/20/2007	13:50:02	0.008	-0.002	-2
1/20/2007	14:05:02	0.008	-0.002	-2
1/20/2007	14:20:02	0.008	-0.002	-2
1/20/2007	14:35:02	0.009	-0.001	-1
1/20/2007	14:50:02	0.009	-0.001	-1
1/20/2007	15:05:02	0.009	-0.001	-1
1/20/2007	15:20:02	0.009	-0.001	-1
1/20/2007	15:35:02	0.009	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/19/2007 06:06

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0820) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/20/2007 7:33			0				-0.2
2	1/20/2007 7:48			0				-0.2
3	1/20/2007 8:03			0				-0.2
4	1/20/2007 8:18			0.1				-0.1
5	1/20/2007 8:33			0				-0.2
6	1/20/2007 8:48			0				-0.2
7	1/20/2007 9:03			0				-0.2
8	1/20/2007 9:18			0				-0.2
9	1/20/2007 9:33			0				-0.2
10	1/20/2007 9:48			0				-0.2
11	1/20/2007 10:03			0				-0.2
12	1/20/2007 10:18			0				-0.2
13	1/20/2007 10:33			0				-0.2
14	1/20/2007 10:48			0				-0.2
15	1/20/2007 11:03			0				-0.2
16	1/20/2007 11:18			0				-0.2
17	1/20/2007 11:33			0				-0.2
18	1/20/2007 11:48			0				-0.2
19	1/20/2007 12:03			0				-0.2
20	1/20/2007 12:18			0				-0.2
21	1/20/2007 12:33			0				-0.2
22	1/20/2007 12:48			0				-0.2
23	1/20/2007 13:03			0				-0.2
24	1/20/2007 13:18			0				-0.2
25	1/20/2007 13:33			0				-0.2
26	1/20/2007 13:48			0				-0.2
27	1/20/2007 14:03			0				-0.2
28	1/20/2007 14:18			0				-0.2
29	1/20/2007 14:33			0				-0.2
30	1/20/2007 14:48			0				-0.2
31	1/20/2007 15:03			0				-0.2
32	1/20/2007 15:18			0				-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:	0:00:00	
Test ID:	5	
Test Abbreviation:		
Start Date:	1/20/2007	
Start Time:	8:31:53	
Duration (dd:hh:mm:ss):	00:07:15:00	
Time constant (seconds):	10	
Log Interval (mm:ss):	15:00	
Number of points:	29	
Notes:		Background Reading (0820) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/20/2007	8:46:53	0.056	0.024	24
1/20/2007	9:01:53	0.056	0.024	24
1/20/2007	9:16:53	0.092	0.06	60
1/20/2007	9:31:53	0.11	0.078	78
1/20/2007	9:46:53	0.075	0.043	43
1/20/2007	10:01:53	0.07	0.038	38
1/20/2007	10:16:53	0.046	0.014	14
1/20/2007	10:31:53	0.043	0.011	11
1/20/2007	10:46:53	0.049	0.017	17
1/20/2007	11:01:53	0.099	0.067	67
1/20/2007	11:16:53	0.043	0.011	11
1/20/2007	11:31:53	0.053	0.021	21
1/20/2007	11:46:53	0.04	0.008	8
1/20/2007	12:01:53	0.078	0.046	46
1/20/2007	12:16:53	0.058	0.026	26
1/20/2007	12:31:53	0.033	0.001	1
1/20/2007	12:46:53	0.042	0.01	10
1/20/2007	13:01:53	0.041	0.009	9
1/20/2007	13:16:53	0.018	-0.014	-14
1/20/2007	13:31:53	0.02	-0.012	-12
1/20/2007	13:46:53	0.023	-0.009	-9
1/20/2007	14:01:53	0.041	0.009	9
1/20/2007	14:16:53	0.035	0.003	3
1/20/2007	14:31:53	0.04	0.008	8
1/20/2007	14:46:53	0.048	0.016	16
1/20/2007	15:01:53	0.021	-0.011	-11
1/20/2007	15:16:53	0.012	-0.02	-20
1/20/2007	15:31:53	0.011	-0.021	-21
1/20/2007	15:46:53	0.012	-0.02	-20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071
User ID: 00000001 Site ID: 00000003
Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/22/2006 05:49

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/22/2006 6:58			0				0
2	11/22/2006 7:13			0.1				0.1
3	11/22/2006 7:28			0.2				0.2
4	11/22/2006 7:43			0.4				0.4
5	11/22/2006 7:58			0.6				0.6
6	11/22/2006 8:13			0.7				0.7
7	11/22/2006 8:28			0.8				0.8
8	11/22/2006 8:43			1				1
9	11/22/2006 8:58			1.1				1.1
10	11/22/2006 9:13			1				1
11	11/22/2006 9:28			1				1
12	11/22/2006 9:43			1.1				1.1
1	11/22/2006 10:13			0				0
2	11/22/2006 10:28			0				0
3	11/22/2006 10:43			0				0
4	11/22/2006 10:58			0				0
5	11/22/2006 11:13			0				0
6	11/22/2006 11:28			0				0
7	11/22/2006 11:43			0				0
8	11/22/2006 11:58			0				0
9	11/22/2006 12:13			0				0
10	11/22/2006 12:28			0				0
11	11/22/2006 12:43			0				0
12	11/22/2006 12:58			0				0
13	11/22/2006 13:13			0				0
14	11/22/2006 13:28			0.1				0.1
15	11/22/2006 13:43			0				0
16	11/22/2006 13:58			0				0
17	11/22/2006 14:13			0				0
18	11/22/2006 14:28			0				0
19	11/22/2006 14:43			0.1				0.1
20	11/22/2006 14:58			0.1				0.1
21	11/22/2006 15:13			0				0
22	11/22/2006 15:28			0.1				0.1
23	11/22/2006 15:43			0.2				0.2
24	11/22/2006 15:58			0.2				0.2
25	11/22/2006 16:13			0.1				0.1
26	11/22/2006 16:28			0.2				0.2
27	11/22/2006 16:43			0.2				0.2
28	11/22/2006 16:58			0.2				0.2
29	11/22/2006 17:13			0.3				0.3
30	11/22/2006 17:28			0.3				0.3
31	11/22/2006 17:43			0.3				0.3
32	11/22/2006 17:58			0.3				0.3
33	11/22/2006 18:13			0.3				0.3
1	11/22/2006 18:58			0.4				0.4
2	11/22/2006 19:13			0.4				0.4
3	11/22/2006 19:28			0.5				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	6
Test Abbreviation:	
Start Date:	1/22/2007
Start Time:	6:51:38
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	

Background Reading (0635) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/22/2007	7:06:38	0.035	-0.003	-3
1/22/2007	7:21:38	0.047	0.009	9
1/22/2007	7:36:38	0.055	0.017	17
1/22/2007	7:51:38	0.041	0.003	3
1/22/2007	8:06:38	0.042	0.004	4
1/22/2007	8:21:38	0.043	0.005	5
1/22/2007	8:36:38	0.022	-0.016	-16
1/22/2007	8:51:38	0.026	-0.012	-12
1/22/2007	9:06:38	0.047	0.009	9
1/22/2007	9:21:38	0.043	0.005	5
1/22/2007	9:36:38	0.041	0.003	3
1/22/2007	9:51:38	0.038	0	0
1/22/2007	10:06:38	0.041	0.003	3
1/22/2007	10:21:38	0.04	0.002	2
1/22/2007	10:36:38	0.039	0.001	1
1/22/2007	10:51:38	0.041	0.003	3
1/22/2007	11:06:38	0.04	0.002	2
1/22/2007	11:21:38	0.038	0	0
1/22/2007	11:36:38	0.031	-0.007	-7
1/22/2007	11:51:38	0.031	-0.007	-7
1/22/2007	12:06:38	0.031	-0.007	-7
1/22/2007	12:21:38	0.029	-0.009	-9
1/22/2007	12:36:38	0.03	-0.008	-8
1/22/2007	12:51:38	0.031	-0.007	-7
1/22/2007	13:06:38	0.031	-0.007	-7
1/22/2007	13:21:38	0.038	0	0
1/22/2007	13:36:38	0.037	-0.001	-1
1/22/2007	13:51:38	0.043	0.005	5
1/22/2007	14:06:38	0.036	-0.002	-2
1/22/2007	14:21:38	0.032	-0.006	-6
1/22/2007	14:36:38	0.034	-0.004	-4
1/22/2007	14:51:38	0.034	-0.004	-4
1/22/2007	15:06:38	0.04	0.002	2
1/22/2007	15:21:38	0.04	0.002	2
1/22/2007	15:36:38	0.042	0.004	4
1/22/2007	15:51:38	0.042	0.004	4
1/22/2007	16:06:38	0.043	0.005	5
1/22/2007	16:21:38	0.04	0.002	2
1/22/2007	16:36:38	0.037	-0.001	-1
1/22/2007	16:51:38	0.036	-0.002	-2
1/22/2007	17:06:38	0.04	0.002	2
1/22/2007	17:21:38	0.039	0.001	1
1/22/2007	17:36:38	0.039	0.001	1
1/22/2007	17:51:38	0.044	0.006	6
1/22/2007	18:06:38	0.041	0.003	3
1/22/2007	18:21:38	0.046	0.008	8
1/22/2007	18:36:38	0.05	0.012	12
1/22/2007	18:51:38	0.05	0.012	12
1/22/2007	19:06:38	0.053	0.015	15
1/22/2007	19:21:38	0.053	0.015	15
1/22/2007	19:36:38	0.055	0.017	17
1/22/2007	19:51:38	0.058	0.02	20

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/22/2007 05:51

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/22/2007 6:48			0.1				0.1
2	1/22/2007 7:03			0.2				0.2
3	1/22/2007 7:18			0.3				0.3
4	1/22/2007 7:33			0.4				0.4
5	1/22/2007 7:48			0.5				0.5
6	1/22/2007 8:03			0.5				0.5
7	1/22/2007 8:18			0.6				0.6
8	1/22/2007 8:33			0.6				0.6
9	1/22/2007 8:48			0.7				0.7
10	1/22/2007 9:03			0.7				0.7
11	1/22/2007 9:18			0.7				0.7
12	1/22/2007 9:33			0.7				0.7
13	1/22/2007 9:48			0.8				0.8
14	1/22/2007 10:03			0.8				0.8
15	1/22/2007 10:18			0.8				0.8
16	1/22/2007 10:33			0.8				0.8
17	1/22/2007 10:48			0.8				0.8
18	1/22/2007 11:03			0.8				0.8
19	1/22/2007 11:18			0.8				0.8
20	1/22/2007 11:33			0.8				0.8
21	1/22/2007 11:48			0.8				0.8
22	1/22/2007 12:03			0.8				0.8
23	1/22/2007 12:18			0.8				0.8
24	1/22/2007 12:33			0.8				0.8
25	1/22/2007 12:48			0.8				0.8
26	1/22/2007 13:03			0.8				0.8
27	1/22/2007 13:18			0.8				0.8
28	1/22/2007 13:33			0.8				0.8
29	1/22/2007 13:48			0.8				0.8
30	1/22/2007 14:03			0.8				0.8
31	1/22/2007 14:18			0.8				0.8
32	1/22/2007 14:33			0.8				0.8
33	1/22/2007 14:48			0.8				0.8
34	1/22/2007 15:03			0.8				0.8
35	1/22/2007 15:18			0.8				0.8
36	1/22/2007 15:33			0.8				0.8
37	1/22/2007 15:48			0.8				0.8
38	1/22/2007 16:03			0.8				0.8
39	1/22/2007 16:18			0.8				0.8
40	1/22/2007 16:33			0.8				0.8
41	1/22/2007 16:48			0.8				0.8
42	1/22/2007 17:03			0.9				0.9
1	1/22/2007 18:02			0.7				0.7
2	1/22/2007 18:17			0.7				0.7
3	1/22/2007 18:32			0.7				0.7
4	1/22/2007 18:47			0.7				0.7
5	1/22/2007 19:02			0.7				0.7
6	1/22/2007 19:17			0.7				0.7
7	1/22/2007 19:32			0.7				0.7
8	1/22/2007 19:47			0.7				0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	1/22/2007
Start Time:	6:40:39
Duration (dd:hh:mm:ss):	00:13:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	53
Notes:	Background Reading (0635) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/22/2007	6:55:39	0.016	-0.022	-22
1/22/2007	7:10:39	0.021	-0.017	-17
1/22/2007	7:25:39	0.021	-0.017	-17
1/22/2007	7:40:39	0.02	-0.018	-18
1/22/2007	7:55:39	0.03	-0.008	-8
1/22/2007	8:10:39	0.022	-0.016	-16
1/22/2007	8:25:39	0.012	-0.026	-26
1/22/2007	8:40:39	0.01	-0.028	-28
1/22/2007	8:55:39	0.014	-0.024	-24
1/22/2007	9:10:39	0.023	-0.015	-15
1/22/2007	9:25:39	0.024	-0.014	-14
1/22/2007	9:40:39	0.022	-0.016	-16
1/22/2007	9:55:39	0.022	-0.016	-16
1/22/2007	10:10:39	0.026	-0.012	-12
1/22/2007	10:25:39	0.023	-0.015	-15
1/22/2007	10:40:39	0.024	-0.014	-14
1/22/2007	10:55:39	0.024	-0.014	-14
1/22/2007	11:10:39	0.025	-0.013	-13
1/22/2007	11:25:39	0.023	-0.015	-15
1/22/2007	11:40:39	0.019	-0.019	-19
1/22/2007	11:55:39	0.02	-0.018	-18
1/22/2007	12:10:39	0.019	-0.019	-19
1/22/2007	12:25:39	0.017	-0.021	-21
1/22/2007	12:40:39	0.018	-0.02	-20
1/22/2007	12:55:39	0.018	-0.02	-20
1/22/2007	13:10:39	0.019	-0.019	-19
1/22/2007	13:25:39	0.021	-0.017	-17
1/22/2007	13:40:39	0.021	-0.017	-17
1/22/2007	13:55:39	0.02	-0.018	-18
1/22/2007	14:10:39	0.021	-0.017	-17
1/22/2007	14:25:39	0.02	-0.018	-18
1/22/2007	14:40:39	0.02	-0.018	-18
1/22/2007	14:55:39	0.021	-0.017	-17
1/22/2007	15:10:39	0.022	-0.016	-16
1/22/2007	15:25:39	0.025	-0.013	-13
1/22/2007	15:40:39	0.026	-0.012	-12
1/22/2007	15:55:39	0.025	-0.013	-13
1/22/2007	16:10:39	0.025	-0.013	-13
1/22/2007	16:25:39	0.023	-0.015	-15
1/22/2007	16:40:39	0.021	-0.017	-17
1/22/2007	16:55:39	0.021	-0.017	-17
1/22/2007	17:10:39	0.024	-0.014	-14
1/22/2007	17:25:39	0.024	-0.014	-14
1/22/2007	17:40:39	0.024	-0.014	-14
1/22/2007	17:55:39	0.026	-0.012	-12
1/22/2007	18:10:39	0.025	-0.013	-13
1/22/2007	18:25:39	0.028	-0.01	-10
1/22/2007	18:40:39	0.031	-0.007	-7
1/22/2007	18:55:39	0.03	-0.008	-8
1/22/2007	19:10:39	0.031	-0.007	-7
1/22/2007	19:25:39	0.031	-0.007	-7
1/22/2007	19:40:39	0.03	-0.008	-8
1/22/2007	19:55:39	0.031	-0.007	-7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/22/2007 06:01

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/22/2007 7:04			0.2				0.2
2	1/22/2007 7:19			0.2				0.2
3	1/22/2007 7:34			0.3				0.3
4	1/22/2007 7:49			0.4				0.4
5	1/22/2007 8:04			0.4				0.4
6	1/22/2007 8:19			0.4				0.4
7	1/22/2007 8:34			0.5				0.5
8	1/22/2007 8:49			0.5				0.5
9	1/22/2007 9:04			0.5				0.5
10	1/22/2007 9:19			0.5				0.5
11	1/22/2007 9:34			0.5				0.5
12	1/22/2007 9:49			0.5				0.5
13	1/22/2007 10:04			0.5				0.5
14	1/22/2007 10:19			0.5				0.5
15	1/22/2007 10:34			0.5				0.5
16	1/22/2007 10:49			0.5				0.5
17	1/22/2007 11:04			0.5				0.5
18	1/22/2007 11:19			0.5				0.5
19	1/22/2007 11:34			0.5				0.5
20	1/22/2007 11:49			0.5				0.5
21	1/22/2007 12:04			0.5				0.5
22	1/22/2007 12:19			0.5				0.5
23	1/22/2007 12:34			0.5				0.5
24	1/22/2007 12:49			0.5				0.5
25	1/22/2007 13:04			0.5				0.5
26	1/22/2007 13:19			0.5				0.5
27	1/22/2007 13:34			0.5				0.5
28	1/22/2007 13:49			0.5				0.5
29	1/22/2007 14:04			0.5				0.5
30	1/22/2007 14:19			0.5				0.5
31	1/22/2007 14:34			0.5				0.5
32	1/22/2007 14:49			0.5				0.5
33	1/22/2007 15:04			0.5				0.5
34	1/22/2007 15:19			0.5				0.5
35	1/22/2007 15:34			0.5				0.5
36	1/22/2007 15:49			0.5				0.5
37	1/22/2007 16:04			0.5				0.5
38	1/22/2007 16:19			0.5				0.5
39	1/22/2007 16:34			0.5				0.5
40	1/22/2007 16:49			0.5				0.5
41	1/22/2007 17:04			0.5				0.5
42	1/22/2007 17:19			0.5				0.5
43	1/22/2007 17:34			0.5				0.5
44	1/22/2007 17:49			0.5				0.5
45	1/22/2007 18:04			0.5				0.5
46	1/22/2007 18:19			0.5				0.5
47	1/22/2007 18:34			0.5				0.5
48	1/22/2007 18:49			0.5				0.5
49	1/22/2007 19:04			0.5				0.5
50	1/22/2007 19:19			0.5				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	6
Test Abbreviation:	
Start Date:	1/22/2007
Start Time:	6:54:50
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (0635) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/22/2007	7:09:50	0.035	-0.003	-3
1/22/2007	7:24:50	0.032	-0.006	-6
1/22/2007	7:39:50	0.044	0.006	6
1/22/2007	7:54:50	0.047	0.009	9
1/22/2007	8:09:50	0.039	0.001	1
1/22/2007	8:24:50	0.021	-0.017	-17
1/22/2007	8:39:50	0.021	-0.017	-17
1/22/2007	8:54:50	0.034	-0.004	-4
1/22/2007	9:09:50	0.044	0.006	6
1/22/2007	9:24:50	0.04	0.002	2
1/22/2007	9:39:50	0.035	-0.003	-3
1/22/2007	9:54:50	0.038	0	0
1/22/2007	10:09:50	0.04	0.002	2
1/22/2007	10:24:50	0.039	0.001	1
1/22/2007	10:39:50	0.039	0.001	1
1/22/2007	10:54:50	0.041	0.003	3
1/22/2007	11:09:50	0.041	0.003	3
1/22/2007	11:24:50	0.037	-0.001	-1
1/22/2007	11:39:50	0.034	-0.004	-4
1/22/2007	11:54:50	0.032	-0.006	-6
1/22/2007	12:09:50	0.036	-0.002	-2
1/22/2007	12:24:50	0.039	0.001	1
1/22/2007	12:39:50	0.032	-0.006	-6
1/22/2007	12:54:50	0.032	-0.006	-6
1/22/2007	13:09:50	0.036	-0.002	-2
1/22/2007	13:24:50	0.036	-0.002	-2
1/22/2007	13:39:50	0.035	-0.003	-3
1/22/2007	13:54:50	0.035	-0.003	-3
1/22/2007	14:09:50	0.036	-0.002	-2
1/22/2007	14:24:50	0.035	-0.003	-3
1/22/2007	14:39:50	0.036	-0.002	-2
1/22/2007	14:54:50	0.037	-0.001	-1
1/22/2007	15:09:50	0.04	0.002	2
1/22/2007	15:24:50	0.044	0.006	6
1/22/2007	15:39:50	0.043	0.005	5
1/22/2007	15:54:50	0.047	0.009	9
1/22/2007	16:09:50	0.052	0.014	14
1/22/2007	16:24:50	0.044	0.006	6
1/22/2007	16:39:50	0.046	0.008	8
1/22/2007	16:54:50	0.044	0.006	6
1/22/2007	17:09:50	0.047	0.009	9
1/22/2007	17:24:50	0.042	0.004	4
1/22/2007	17:39:50	0.042	0.004	4
1/22/2007	17:54:50	0.051	0.013	13
1/22/2007	18:09:50	0.047	0.009	9
1/22/2007	18:24:50	0.054	0.016	16
1/22/2007	18:39:50	0.053	0.015	15
1/22/2007	18:54:50	0.052	0.014	14
1/22/2007	19:09:50	0.057	0.019	19
1/22/2007	19:24:50	0.057	0.019	19
1/22/2007	19:39:50	0.056	0.018	18
1/22/2007	19:54:50	0.059	0.021	21

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/22/2007 05:55

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/22/2007 7:12			0				0
2	1/22/2007 7:27			0				0
3	1/22/2007 7:42			0				0
4	1/22/2007 7:57			0				0
5	1/22/2007 8:12			0				0
6	1/22/2007 8:27			0				0
7	1/22/2007 8:42			0				0
8	1/22/2007 8:57			0				0
9	1/22/2007 9:12			0				0
10	1/22/2007 9:27			0				0
11	1/22/2007 9:42			0				0
12	1/22/2007 9:57			0				0
13	1/22/2007 10:12			0				0
14	1/22/2007 10:27			0				0
15	1/22/2007 10:42			0				0
16	1/22/2007 10:57			0				0
17	1/22/2007 11:12			0				0
18	1/22/2007 11:27			0				0
19	1/22/2007 11:42			0				0
20	1/22/2007 11:57			0				0
21	1/22/2007 12:12			0				0
22	1/22/2007 12:27			0				0
23	1/22/2007 12:42			0				0
24	1/22/2007 12:57			0				0
25	1/22/2007 13:12			0				0
26	1/22/2007 13:27			0				0
27	1/22/2007 13:42			0				0
28	1/22/2007 13:57			0				0
29	1/22/2007 14:12			0				0
30	1/22/2007 14:27			0				0
31	1/22/2007 14:42			0				0
32	1/22/2007 14:57			0				0
33	1/22/2007 15:12			0				0
34	1/22/2007 15:27			0				0
35	1/22/2007 15:42			0				0
36	1/22/2007 15:57			0				0
37	1/22/2007 16:12			0				0
38	1/22/2007 16:27			0				0
39	1/22/2007 16:42			0				0
40	1/22/2007 16:57			0				0
41	1/22/2007 17:12			0				0
42	1/22/2007 17:27			0				0
43	1/22/2007 17:42			0				0
44	1/22/2007 17:57			0				0
45	1/22/2007 18:12			0				0
46	1/22/2007 18:27			0				0
47	1/22/2007 18:42			0				0
48	1/22/2007 18:57			0				0
49	1/22/2007 19:12			0				0
50	1/22/2007 19:27			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	1/22/2007
Start Time:	7:05:51
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (0635) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/22/2007	7:20:51	0.029	-0.009	-9
1/22/2007	7:35:51	0.04	0.002	2
1/22/2007	7:50:51	0.049	0.011	11
1/22/2007	8:05:51	0.05	0.012	12
1/22/2007	8:20:51	0.04	0.002	2
1/22/2007	8:35:51	0.015	-0.023	-23
1/22/2007	8:50:51	0.024	-0.014	-14
1/22/2007	9:05:51	0.045	0.007	7
1/22/2007	9:20:51	0.033	-0.005	-5
1/22/2007	9:35:51	0.033	-0.005	-5
1/22/2007	9:50:51	0.027	-0.011	-11
1/22/2007	10:05:51	0.032	-0.006	-6
1/22/2007	10:20:51	0.032	-0.006	-6
1/22/2007	10:35:51	0.032	-0.006	-6
1/22/2007	10:50:51	0.033	-0.005	-5
1/22/2007	11:05:51	0.034	-0.004	-4
1/22/2007	11:20:51	0.033	-0.005	-5
1/22/2007	11:35:51	0.031	-0.007	-7
1/22/2007	11:50:51	0.028	-0.01	-10
1/22/2007	12:05:51	0.033	-0.005	-5
1/22/2007	12:20:51	0.029	-0.009	-9
1/22/2007	12:35:51	0.026	-0.012	-12
1/22/2007	12:50:51	0.027	-0.011	-11
1/22/2007	13:05:51	0.031	-0.007	-7
1/22/2007	13:20:51	0.031	-0.007	-7
1/22/2007	13:35:51	0.033	-0.005	-5
1/22/2007	13:50:51	0.032	-0.006	-6
1/22/2007	14:05:51	0.038	0	0
1/22/2007	14:20:51	0.04	0.002	2
1/22/2007	14:35:51	0.028	-0.01	-10
1/22/2007	14:50:51	0.033	-0.005	-5
1/22/2007	15:05:51	0.05	0.012	12
1/22/2007	15:20:51	0.063	0.025	25
1/22/2007	15:35:51	0.049	0.011	11
1/22/2007	15:50:51	0.065	0.027	27
1/22/2007	16:05:51	0.046	0.008	8
1/22/2007	16:20:51	0.039	0.001	1
1/22/2007	16:35:51	0.032	-0.006	-6
1/22/2007	16:50:51	0.042	0.004	4
1/22/2007	17:05:51	0.058	0.02	20
1/22/2007	17:20:51	0.036	-0.002	-2
1/22/2007	17:35:51	0.036	-0.002	-2
1/22/2007	17:50:51	0.040	0.002	2
1/22/2007	18:05:51	0.035	-0.003	-3
1/22/2007	18:20:51	0.040	0.002	2
1/22/2007	18:35:51	0.044	0.006	6
1/22/2007	18:50:51	0.042	0.004	4
1/22/2007	19:05:51	0.046	0.008	8
1/22/2007	19:20:51	0.055	0.017	17
1/22/2007	19:35:51	0.046	0.008	8
1/22/2007	19:50:51	0.046	0.008	8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/23/2007 05:47

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/23/2007 6:29			0				0
2	1/23/2007 6:44			0.1				0.1
3	1/23/2007 6:59			0.1				0.1
4	1/23/2007 7:14			0.2				0.2
5	1/23/2007 7:29			0.3				0.3
6	1/23/2007 7:44			0.3				0.3
7	1/23/2007 7:59			0.3				0.3
8	1/23/2007 8:14			0.4				0.4
9	1/23/2007 8:29			0.4				0.4
10	1/23/2007 8:44			0.4				0.4
11	1/23/2007 8:59			0.4				0.4
12	1/23/2007 9:14			0.4				0.4
13	1/23/2007 9:29			0.4				0.4
14	1/23/2007 9:44			0.4				0.4
15	1/23/2007 9:59			0.4				0.4
16	1/23/2007 10:14			0.4				0.4
17	1/23/2007 10:29			0.4				0.4
18	1/23/2007 10:44			0.4				0.4
19	1/23/2007 10:59			0.4				0.4
20	1/23/2007 11:14			0.4				0.4
21	1/23/2007 11:29			0.4				0.4
22	1/23/2007 11:44			0.4				0.4
23	1/23/2007 11:59			0.4				0.4
24	1/23/2007 12:14			0.4				0.4
25	1/23/2007 12:29			0.4				0.4
26	1/23/2007 12:44			0.4				0.4
27	1/23/2007 12:59			0.4				0.4
28	1/23/2007 13:14			0.4				0.4
29	1/23/2007 13:29			0.4				0.4
30	1/23/2007 13:44			0.4				0.4
31	1/23/2007 13:59			0.4				0.4
32	1/23/2007 14:14			0.5				0.5
33	1/23/2007 14:29			0.4				0.4
34	1/23/2007 14:44			0.5				0.5
35	1/23/2007 14:59			0.5				0.5
36	1/23/2007 15:14			0.5				0.5
37	1/23/2007 15:29			0.5				0.5
38	1/23/2007 15:44			0.5				0.5
39	1/23/2007 15:59			0.5				0.5
40	1/23/2007 16:14			0.5				0.5
41	1/23/2007 16:29			0.5				0.5
42	1/23/2007 16:44			0.5				0.5
43	1/23/2007 16:59			0.5				0.5
44	1/23/2007 17:14			0.5				0.5
45	1/23/2007 17:29			0.5				0.5
46	1/23/2007 17:44			0.6				0.6
1	1/23/2007 18:42			0.4				0.4
2	1/23/2007 18:57			0.6				0.6
3	1/23/2007 19:12			0.9				0.9
4	1/23/2007 19:27			0.9				0.9

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	1/23/2007
Start Time:	6:22:17
Duration (dd:hh:mm:ss):	00:13:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	54
Notes:	Background Reading (0612) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/23/2007	6:37:17	0.016	0.001	1
1/23/2007	6:52:17	0.019	0.004	4
1/23/2007	7:07:17	0.018	0.003	3
1/23/2007	7:22:17	0.021	0.006	6
1/23/2007	7:37:17	0.019	0.004	4
1/23/2007	7:52:17	0.02	0.005	5
1/23/2007	8:07:17	0.017	0.002	2
1/23/2007	8:22:17	0.02	0.005	5
1/23/2007	8:37:17	0.022	0.007	7
1/23/2007	8:52:17	0.021	0.006	6
1/23/2007	9:07:17	0.019	0.004	4
1/23/2007	9:22:17	0.019	0.004	4
1/23/2007	9:37:17	0.014	-0.001	-1
1/23/2007	9:52:17	0.013	-0.002	-2
1/23/2007	10:07:17	0.012	-0.003	-3
1/23/2007	10:22:17	0.012	-0.003	-3
1/23/2007	10:37:17	0.015	0	0
1/23/2007	10:52:17	0.014	-0.001	-1
1/23/2007	11:07:17	0.016	0.001	1
1/23/2007	11:22:17	0.015	0	0
1/23/2007	11:37:17	0.017	0.002	2
1/23/2007	11:52:17	0.015	0	0
1/23/2007	12:07:17	0.019	0.004	4
1/23/2007	12:22:17	0.015	0	0
1/23/2007	12:37:17	0.015	0	0
1/23/2007	12:52:17	0.014	-0.001	-1
1/23/2007	13:07:17	0.018	0.003	3
1/23/2007	13:22:17	0.016	0.001	1
1/23/2007	13:37:17	0.017	0.002	2
1/23/2007	13:52:17	0.018	0.003	3
1/23/2007	14:07:17	0.018	0.003	3
1/23/2007	14:22:17	0.027	0.012	12
1/23/2007	14:37:17	0.024	0.009	9
1/23/2007	14:52:17	0.021	0.006	6
1/23/2007	15:07:17	0.018	0.003	3
1/23/2007	15:22:17	0.018	0.003	3
1/23/2007	15:37:17	0.021	0.006	6
1/23/2007	15:52:17	0.02	0.005	5
1/23/2007	16:07:17	0.066	0.051	51
1/23/2007	16:22:17	0.033	0.018	18
1/23/2007	16:37:17	0.019	0.004	4
1/23/2007	16:52:17	0.02	0.005	5
1/23/2007	17:07:17	0.023	0.008	8
1/23/2007	17:22:17	0.02	0.005	5
1/23/2007	17:37:17	0.02	0.005	5
1/23/2007	17:52:17	0.021	0.006	6
1/23/2007	18:07:17	0.022	0.007	7
1/23/2007	18:22:17	0.021	0.006	6
1/23/2007	18:37:17	0.021	0.006	6
1/23/2007	18:52:17	0.025	0.01	10
1/23/2007	19:07:17	0.026	0.011	11
1/23/2007	19:22:17	0.027	0.012	12
1/23/2007	19:37:17	0.026	0.011	11
1/23/2007	19:52:17	0.026	0.011	11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071

User ID: 00000001 Site ID: 00000003

Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/23/2006 05:42

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0551) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)	
1	11/23/2006 5:57			0				0	
2	11/23/2006 6:12			0.4				0.4	
3	11/23/2006 6:27			0.7				0.7	
4	11/23/2006 6:42			0.9				0.9	
5	11/23/2006 6:57			1				1	
6	11/23/2006 7:12			1.3				1.3	
7	11/23/2006 7:27			1.4				1.4	
8	11/23/2006 7:42			1.6				1.6	
9	11/23/2006 7:57			1.7				1.7	
10	11/23/2006 8:12			1.8				1.8	
11	11/23/2006 8:27			1.9				1.9	
12	11/23/2006 8:42			1.9				1.9	
13	11/23/2006 8:57			1.9				1.9	
14	11/23/2006 9:12			2				2	
15	11/23/2006 9:27			1.9				1.9	
16	11/23/2006 9:42			2				2	
17	11/23/2006 9:57			2				2	
18	11/23/2006 10:12			2				2	
19	11/23/2006 10:27			2				2	Instrument recalibrated at ~11:00 AM
1	11/23/2006 11:07			0.1				0.1	
2	11/23/2006 11:22			0.1				0.1	
3	11/23/2006 11:37			0.1				0.1	
4	11/23/2006 11:52			0				0	
5	11/23/2006 12:07			0				0	
6	11/23/2006 12:22			0				0	
7	11/23/2006 12:37			0				0	
8	11/23/2006 12:52			0				0	
9	11/23/2006 13:07			0				0	
10	11/23/2006 13:22			0				0	
11	11/23/2006 13:37			0				0	
12	11/23/2006 13:52			0				0	
13	11/23/2006 14:07			0				0	
14	11/23/2006 14:22			0				0	
15	11/23/2006 14:37			0				0	
16	11/23/2006 14:52			0				0	
17	11/23/2006 15:07			0				0	
18	11/23/2006 15:22			0				0	
19	11/23/2006 15:37			0				0	
20	11/23/2006 15:52			0				0	
21	11/23/2006 16:07			0.4				0.4	
22	11/23/2006 16:22			0				0	
23	11/23/2006 16:37			0				0	
24	11/23/2006 16:52			2.5				2.5	
25	11/23/2006 17:07			3.1				3.1	
26	11/23/2006 17:22			3.2				3.2	
27	11/23/2006 17:37			3				3	
1	11/23/2006 19:07			0.4				0.4	*Instrument recalibrated at ~7PM
2	11/23/2006 19:22			0.3				0.3	
3	11/23/2006 19:37			0.3				0.3	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	1/23/2007
Start Time:	6:09:10
Duration (dd:hh:mm:ss):	00:14:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	56
Notes:	Background Reading (0551) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/23/2007	6:24:10	0.008	0	0
1/23/2007	6:39:10	0.009	0.001	1
1/23/2007	6:54:10	0.009	0.001	1
1/23/2007	7:09:10	0.008	0	0
1/23/2007	7:24:10	0.008	0	0
1/23/2007	7:39:10	0.009	0.001	1
1/23/2007	7:54:10	0.009	0.001	1
1/23/2007	8:09:10	0.007	-0.001	-1
1/23/2007	8:24:10	0.009	0.001	1
1/23/2007	8:39:10	0.009	0.001	1
1/23/2007	8:54:10	0.009	0.001	1
1/23/2007	9:09:10	0.008	0	0
1/23/2007	9:24:10	0.009	0.001	1
1/23/2007	9:39:10	0.007	-0.001	-1
1/23/2007	9:54:10	0.006	-0.002	-2
1/23/2007	10:09:10	0.006	-0.002	-2
1/23/2007	10:24:10	0.006	-0.002	-2
1/23/2007	10:39:10	0.007	-0.001	-1
1/23/2007	10:54:10	0.008	0	0
1/23/2007	11:09:10	0.008	0	0
1/23/2007	11:24:10	0.007	-0.001	-1
1/23/2007	11:39:10	0.008	0	0
1/23/2007	11:54:10	0.008	0	0
1/23/2007	12:09:10	0.01	0.002	2
1/23/2007	12:24:10	0.008	0	0
1/23/2007	12:39:10	0.007	-0.001	-1
1/23/2007	12:54:10	0.009	0.001	1
1/23/2007	13:09:10	0.008	0	0
1/23/2007	13:24:10	0.011	0.003	3
1/23/2007	13:39:10	0.008	0	0
1/23/2007	13:54:10	0.008	0	0
1/23/2007	14:09:10	0.008	0	0
1/23/2007	14:24:10	0.011	0.003	3
1/23/2007	14:39:10	0.009	0.001	1
1/23/2007	14:54:10	0.013	0.005	5
1/23/2007	15:09:10	0.01	0.002	2
1/23/2007	15:24:10	0.01	0.002	2
1/23/2007	15:39:10	0.009	0.001	1
1/23/2007	15:54:10	0.011	0.003	3
1/23/2007	16:09:10	0.011	0.003	3
1/23/2007	16:24:10	0.01	0.002	2
1/23/2007	16:39:10	0.035	0.027	27
1/23/2007	16:54:10	0.01	0.002	2
1/23/2007	17:09:10	0.012	0.004	4
1/23/2007	17:24:10	0.01	0.002	2
1/23/2007	17:39:10	0.014	0.006	6
1/23/2007	17:54:10	0.015	0.007	7
1/23/2007	18:09:10	0.013	0.005	5
1/23/2007	18:24:10	0.013	0.005	5
1/23/2007	18:39:10	0.013	0.005	5
1/23/2007	18:54:10	0.014	0.006	6
1/23/2007	19:09:10	0.016	0.008	8
1/23/2007	19:24:10	0.016	0.008	8
1/23/2007	19:39:10	0.015	0.007	7
1/23/2007	19:54:10	0.015	0.007	7
1/23/2007	20:09:10	0.017	0.009	9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/23/2007 05:48

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0601) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/23/2007 6:30			0				0
2	1/23/2007 6:45			0				0
3	1/23/2007 7:00			0				0
4	1/23/2007 7:15			0.1				0.1
5	1/23/2007 7:30			0.1				0.1
6	1/23/2007 7:45			0.2				0.2
7	1/23/2007 8:00			0.2				0.2
8	1/23/2007 8:15			0.2				0.2
9	1/23/2007 8:30			0.2				0.2
10	1/23/2007 8:45			0.2				0.2
11	1/23/2007 9:00			0.2				0.2
12	1/23/2007 9:15			0.2				0.2
13	1/23/2007 9:30			0.2				0.2
14	1/23/2007 9:45			0.3				0.3
15	1/23/2007 10:00			0.3				0.3
16	1/23/2007 10:15			0.3				0.3
17	1/23/2007 10:30			0.3				0.3
18	1/23/2007 10:45			0.2				0.2
19	1/23/2007 11:00			0.2				0.2
20	1/23/2007 11:15			0.2				0.2
21	1/23/2007 11:30			0.2				0.2
22	1/23/2007 11:45			0.2				0.2
23	1/23/2007 12:00			0.2				0.2
24	1/23/2007 12:15			0.2				0.2
25	1/23/2007 12:30			0.2				0.2
26	1/23/2007 12:45			0.2				0.2
27	1/23/2007 13:00			0.2				0.2
28	1/23/2007 13:15			0.2				0.2
29	1/23/2007 13:30			0.2				0.2
30	1/23/2007 13:45			0.2				0.2
31	1/23/2007 14:00			0.2				0.2
32	1/23/2007 14:15			0.2				0.2
33	1/23/2007 14:30			0.2				0.2
34	1/23/2007 14:45			0.2				0.2
35	1/23/2007 15:00			0.3				0.3
36	1/23/2007 15:15			0.3				0.3
37	1/23/2007 15:30			0.3				0.3
38	1/23/2007 15:45			0.3				0.3
39	1/23/2007 16:00			0.7				0.7
40	1/23/2007 16:15			0.3				0.3
41	1/23/2007 16:30			0.3				0.3
42	1/23/2007 16:45			0.3				0.3
43	1/23/2007 17:00			0.3				0.3
44	1/23/2007 17:15			0.3				0.3
45	1/23/2007 17:30			0.3				0.3
46	1/23/2007 17:45			0.3				0.3
1	1/23/2007 18:33			0.3				0.3
2	1/23/2007 18:48			0.4				0.4
3	1/23/2007 19:03			0.4				0.4
4	1/23/2007 19:18			0.4				0.4
5	1/23/2007 19:33			0.3				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	1
Test Abbreviation:	
Start Date:	1/23/2007
Start Time:	6:18:16
Duration (dd:hh:mm:ss):	00:13:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	54
Notes:	Background Reading (0618) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
1/23/2007	6:33:16	0.016	-0.002	-2	
1/23/2007	6:48:16	0.018	0	0	
1/23/2007	7:03:16	0.017	-0.001	-1	
1/23/2007	7:18:16	0.017	-0.001	-1	
1/23/2007	7:33:16	0.018	0	0	
1/23/2007	7:48:16	0.019	0.001	1	
1/23/2007	8:03:16	0.018	0	0	
1/23/2007	8:18:16	0.021	0.003	3	
1/23/2007	8:33:16	0.021	0.003	3	
1/23/2007	8:48:16	0.019	0.001	1	
1/23/2007	9:03:16	0.018	0	0	
1/23/2007	9:18:16	0.02	0.002	2	
1/23/2007	9:33:16	0.016	-0.002	-2	
1/23/2007	9:48:16	0.016	-0.002	-2	
1/23/2007	10:03:16	0.021	0.003	3	
1/23/2007	10:18:16	0.015	-0.003	-3	
1/23/2007	10:33:16	0.016	-0.002	-2	
1/23/2007	10:48:16	0.018	0	0	
1/23/2007	11:03:16	0.017	-0.001	-1	
1/23/2007	11:18:16	0.017	-0.001	-1	
1/23/2007	11:33:16	0.018	0	0	
1/23/2007	11:48:16	0.017	-0.001	-1	
1/23/2007	12:03:16	0.022	0.004	4	
1/23/2007	12:18:16	0.019	0.001	1	
1/23/2007	12:33:16	0.016	-0.002	-2	
1/23/2007	12:48:16	0.017	-0.001	-1	
1/23/2007	13:03:16	0.017	-0.001	-1	
1/23/2007	13:18:16	0.021	0.003	3	
1/23/2007	13:33:16	0.017	-0.001	-1	
1/23/2007	13:48:16	0.016	-0.002	-2	
1/23/2007	14:03:16	0.018	0	0	
1/23/2007	14:18:16	0.023	0.005	5	
1/23/2007	14:33:16	0.018	0	0	
1/23/2007	14:48:16	0.021	0.003	3	
1/23/2007	15:03:16	0.02	0.002	2	
1/23/2007	15:18:16	0.021	0.003	3	
1/23/2007	15:33:16	0.019	0.001	1	
1/23/2007	15:48:16	0.022	0.004	4	
1/23/2007	16:03:16	0.021	0.003	3	
1/23/2007	16:18:16	0.175	0.157	157	*Elevated reading due to Shaw testing of equipment at Station 3
1/23/2007	16:33:16	0.02	0.002	2	
1/23/2007	16:48:16	0.02	0.002	2	
1/23/2007	17:03:16	0.024	0.006	6	
1/23/2007	17:18:16	0.021	0.003	3	
1/23/2007	17:33:16	0.029	0.011	11	
1/23/2007	17:48:16	0.027	0.009	9	
1/23/2007	18:03:16	0.025	0.007	7	
1/23/2007	18:18:16	0.026	0.008	8	
1/23/2007	18:33:16	0.033	0.015	15	
1/23/2007	18:48:16	0.029	0.011	11	
1/23/2007	19:03:16	0.032	0.014	14	
1/23/2007	19:18:16	0.033	0.015	15	
1/23/2007	19:33:16	0.032	0.014	14	
1/23/2007	19:48:16	0.032	0.014	14	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/23/2007 05:49

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0601) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/23/2007 6:24			0				0
2	1/23/2007 6:39			0.1				0.1
3	1/23/2007 6:54			0.1				0.1
4	1/23/2007 7:09			0.1				0.1
5	1/23/2007 7:24			0.1				0.1
6	1/23/2007 7:39			0.1				0.1
7	1/23/2007 7:54			0.1				0.1
8	1/23/2007 8:09			0.2				0.2
9	1/23/2007 8:24			0.1				0.1
10	1/23/2007 8:39			0.1				0.1
11	1/23/2007 8:54			0.1				0.1
12	1/23/2007 9:09			0.1				0.1
13	1/23/2007 9:24			0.1				0.1
14	1/23/2007 9:39			0.1				0.1
15	1/23/2007 9:54			0.1				0.1
16	1/23/2007 10:09			0.1				0.1
17	1/23/2007 10:24			0.1				0.1
18	1/23/2007 10:39			0.1				0.1
19	1/23/2007 10:54			0.1				0.1
20	1/23/2007 11:09			0.1				0.1
21	1/23/2007 11:24			0.1				0.1
22	1/23/2007 11:39			0.1				0.1
23	1/23/2007 11:54			0.2				0.2
24	1/23/2007 12:09			0.2				0.2
25	1/23/2007 12:24			0.2				0.2
26	1/23/2007 12:39			0.2				0.2
27	1/23/2007 12:54			0.4				0.4
28	1/23/2007 13:09			0.2				0.2
29	1/23/2007 13:24			0.2				0.2
30	1/23/2007 13:39			0.2				0.2
31	1/23/2007 13:54			0.2				0.2
32	1/23/2007 14:09			0.2				0.2
33	1/23/2007 14:24			0.1				0.1
34	1/23/2007 14:39			0.1				0.1
35	1/23/2007 14:54			0.1				0.1
36	1/23/2007 15:09			0.1				0.1
37	1/23/2007 15:24			0.1				0.1
38	1/23/2007 15:39			0.1				0.1
39	1/23/2007 15:54			0.2				0.2
40	1/23/2007 16:09			0.2				0.2
41	1/23/2007 16:24			0.2				0.2
42	1/23/2007 16:39			0.2				0.2
43	1/23/2007 16:54			0.2				0.2
44	1/23/2007 17:09			0.2				0.2
45	1/23/2007 17:24			0.2				0.2
46	1/23/2007 17:39			0.1				0.1
1	1/23/2007 18:48			0.1				0.1
2	1/23/2007 19:03			0.1				0.1
3	1/23/2007 19:18			0.1				0.1
4	1/23/2007 19:33			0.2				0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	1/23/2007
Start Time:	6:17:28
Duration (dd:hh:mm:ss):	00:13:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	55
Notes:	Background Reading (0601) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	mg/m^3
1/23/2007	6:32:28	0.014	0.002	2
1/23/2007	6:47:28	0.017	0.005	5
1/23/2007	7:02:28	0.016	0.004	4
1/23/2007	7:17:28	0.016	0.004	4
1/23/2007	7:32:28	0.017	0.005	5
1/23/2007	7:47:28	0.02	0.008	8
1/23/2007	8:02:28	0.018	0.006	6
1/23/2007	8:17:28	0.019	0.007	7
1/23/2007	8:32:28	0.021	0.009	9
1/23/2007	8:47:28	0.021	0.009	9
1/23/2007	9:02:28	0.019	0.007	7
1/23/2007	9:17:28	0.019	0.007	7
1/23/2007	9:32:28	0.018	0.006	6
1/23/2007	9:47:28	0.013	0.001	1
1/23/2007	10:02:28	0.019	0.007	7
1/23/2007	10:17:28	0.012	0	0
1/23/2007	10:32:28	0.014	0.002	2
1/23/2007	10:47:28	0.017	0.005	5
1/23/2007	11:02:28	0.03	0.018	18
1/23/2007	11:17:28	0.016	0.004	4
1/23/2007	11:32:28	0.021	0.009	9
1/23/2007	11:47:28	0.015	0.003	3
1/23/2007	12:02:28	0.02	0.008	8
1/23/2007	12:17:28	0.021	0.009	9
1/23/2007	12:32:28	0.018	0.006	6
1/23/2007	12:47:28	0.014	0.002	2
1/23/2007	13:02:28	0.015	0.003	3
1/23/2007	13:17:28	0.018	0.006	6
1/23/2007	13:32:28	0.02	0.008	8
1/23/2007	13:47:28	0.028	0.016	16
1/23/2007	14:02:28	0.03	0.018	18
1/23/2007	14:17:28	0.044	0.032	32
1/23/2007	14:32:28	0.023	0.011	11
1/23/2007	14:47:28	0.025	0.013	13
1/23/2007	15:02	0.026	0.014	14
1/23/2007	15:17:28	0.021	0.009	9
1/23/2007	15:32:28	0.023	0.011	11
1/23/2007	15:47:28	0.023	0.011	11
1/23/2007	16:02:28	0.021	0.009	9
1/23/2007	16:17:28	0.095	0.083	83
1/23/2007	16:32:28	0.025	0.013	13
1/23/2007	16:47:28	0.023	0.011	11
1/23/2007	17:02:28	0.019	0.007	7
1/23/2007	17:17:28	0.023	0.011	11
1/23/2007	17:32:28	0.024	0.012	12
1/23/2007	17:47:28	0.026	0.014	14
1/23/2007	18:02:28	0.019	0.007	7
1/23/2007	18:17:28	0.020	0.008	8
1/23/2007	18:32:28	0.021	0.009	9
1/23/2007	18:47:28	0.020	0.008	8
1/23/2007	19:02:28	0.022	0.01	10
1/23/2007	19:17:28	0.023	0.011	11
1/23/2007	19:32:28	0.022	0.01	10
1/23/2007	19:47:28	0.022	0.01	10
1/23/2007	20:02:28	0.024	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/24/2007 08:32

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0909) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/24/2007 9:02			0				-0.2
2	1/24/2007 9:17			0.1				-0.1
3	1/24/2007 9:32			0.2				0
4	1/24/2007 9:47			0.2				0
5	1/24/2007 10:02			0.3				0.1
6	1/24/2007 10:17			0.3				0.1
7	1/24/2007 10:32			0.3				0.1
8	1/24/2007 10:47			0.4				0.2
9	1/24/2007 11:02			0.4				0.2
10	1/24/2007 11:17			0.5				0.3
11	1/24/2007 11:32			0.4				0.2
12	1/24/2007 11:47			0.4				0.2
13	1/24/2007 12:02			0.4				0.2
14	1/24/2007 12:17			0.4				0.2
15	1/24/2007 12:32			0.5				0.3
16	1/24/2007 12:47			0.5				0.3
17	1/24/2007 13:02			0.8				0.6
18	1/24/2007 13:17			0.6				0.4
19	1/24/2007 13:32			0.6				0.4
20	1/24/2007 13:47			0.6				0.4
21	1/24/2007 14:02			0.6				0.4
22	1/24/2007 14:17			0.5				0.3
23	1/24/2007 14:32			0.5				0.3
24	1/24/2007 14:47			0.5				0.3
25	1/24/2007 15:02			0.5				0.3
26	1/24/2007 15:17			0.5				0.3
27	1/24/2007 15:32			0.5				0.3
28	1/24/2007 15:47			0.5				0.3
29	1/24/2007 16:02			0.5				0.3
30	1/24/2007 16:17			0.5				0.3
31	1/24/2007 16:32			0.6				0.4
32	1/24/2007 16:47			0.6				0.4
33	1/24/2007 17:02			0.6				0.4
34	1/24/2007 17:17			0.6				0.4
35	1/24/2007 17:32			0.6				0.4
36	1/24/2007 17:47			0.6				0.4
37	1/24/2007 18:02			0.6				0.4
38	1/24/2007 18:17			0.6				0.4
39	1/24/2007 18:32			0.7				0.5
40	1/24/2007 18:47			0.6				0.4
41	1/24/2007 19:02			0.7				0.5
42	1/24/2007 19:17			0.7				0.5
43	1/24/2007 19:32			0.7				0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

Instantaneous measurements recorded by work-zone monitor at STA 1 Dusttrak

Date	Time	Aerosol
MM/dd/yyyy	hh:mm	mg/m^3
1/24/2007	9:09:00	0.041
1/24/2007	10:10:00	0.044
1/24/2007	10:55:00	0.033
1/24/2007	11:30:00	0.029
1/24/2007	13:00:00	0.017

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1/2/1900
Test Abbreviation:	
Start Date:	1/24/2007
Start Time:	14:16:23
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (0909) = 0.041 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
1/24/2007	14:31:23	0.018	-0.023	-23
1/24/2007	14:46:23	0.023	-0.018	-18
1/24/2007	15:01:23	0.022	-0.019	-19
1/24/2007	15:16:23	0.02	-0.021	-21
1/24/2007	15:31:23	0.023	-0.018	-18
1/24/2007	15:46:23	0.018	-0.023	-23
1/24/2007	16:01:23	0.019	-0.022	-22
1/24/2007	16:16:23	0.024	-0.017	-17
1/24/2007	16:31:23	0.021	-0.02	-20
1/24/2007	16:46:23	0.019	-0.022	-22
1/24/2007	17:01:23	0.017	-0.024	-24
1/24/2007	17:16:23	0.019	-0.022	-22
1/24/2007	17:31:23	0.025	-0.016	-16
1/24/2007	17:46:23	0.022	-0.019	-19
1/24/2007	18:01:23	0.016	-0.025	-25
1/24/2007	18:16:23	0.015	-0.026	-26
1/24/2007	18:31:23	0.017	-0.024	-24
1/24/2007	18:46:23	0.017	-0.024	-24
1/24/2007	19:01:23	0.015	-0.026	-26
1/24/2007	19:16:23	0.017	-0.024	-24
1/24/2007	19:31:23	0.021	-0.02	-20
1/24/2007	19:46:23	0.018	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071

User ID: 00000001 Site ID: 00000003

Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 11/24/2006 08:21

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0845) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/24/2006 8:59			0.9				0.9
2	11/24/2006 9:14			1.1				1.1
3	11/24/2006 9:29			1.3				1.3
4	11/24/2006 9:44			1.5				1.5
1	11/24/2006 10:16			0.1				0.1
2	11/24/2006 10:31			0.2				0.2
3	11/24/2006 10:46			0.2				0.2
4	11/24/2006 11:01			0.2				0.2
5	11/24/2006 11:16			0.2				0.2
6	11/24/2006 11:31			0.2				0.2
7	11/24/2006 11:46			0				0
8	11/24/2006 12:01			0				0
9	11/24/2006 12:16			0				0
10	11/24/2006 12:31			0.1				0.1
11	11/24/2006 12:46			0.1				0.1
12	11/24/2006 13:01			0.1				0.1
13	11/24/2006 13:16			0.2				0.2
14	11/24/2006 13:31			0.2				0.2
15	11/24/2006 13:46			0.2				0.2
16	11/24/2006 14:01			0.2				0.2
17	11/24/2006 14:16			0.2				0.2
18	11/24/2006 14:31			0.1				0.1
19	11/24/2006 14:46			0.2				0.2
20	11/24/2006 15:01			0.2				0.2
21	11/24/2006 15:16			0.2				0.2
22	11/24/2006 15:31			0.3				0.3
23	11/24/2006 15:46			0.3				0.3
24	11/24/2006 16:01			0.3				0.3
25	11/24/2006 16:16			0.3				0.3
26	11/24/2006 16:31			0.4				0.4
27	11/24/2006 16:46			0.4				0.4
28	11/24/2006 17:01			0.5				0.5
29	11/24/2006 17:16			0.4				0.4
30	11/24/2006 17:31			0.4				0.4
31	11/24/2006 17:46			0.5				0.5
32	11/24/2006 18:01			0.5				0.5
33	11/24/2006 18:16			0.6				0.6
34	11/24/2006 18:31			0.5				0.5
35	11/24/2006 18:46			0.5				0.5
36	11/24/2006 19:01			0.4				0.4
37	11/24/2006 19:16			0.5				0.5
38	11/24/2006 19:31			0.5				0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	1/24/2007
Start Time:	8:56:34
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0845) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/24/2007	9:11:34	0.029	0	0
1/24/2007	9:26:34	0.025	-0.004	-4
1/24/2007	9:41:34	0.023	-0.006	-6
1/24/2007	9:56:34	0.022	-0.007	-7
1/24/2007	10:11:34	0.021	-0.008	-8
1/24/2007	10:26:34	0.021	-0.008	-8
1/24/2007	10:41:34	0.02	-0.009	-9
1/24/2007	10:56:34	0.021	-0.008	-8
1/24/2007	11:11:34	0.017	-0.012	-12
1/24/2007	11:26:34	0.016	-0.013	-13
1/24/2007	11:41:34	0.018	-0.011	-11
1/24/2007	11:56:34	0.013	-0.016	-16
1/24/2007	12:11:34	0.009	-0.02	-20
1/24/2007	12:26:34	0.008	-0.021	-21
1/24/2007	12:41:34	0.009	-0.02	-20
1/24/2007	12:56:34	0.008	-0.021	-21
1/24/2007	13:11:34	0.01	-0.019	-19
1/24/2007	13:26:34	0.01	-0.019	-19
1/24/2007	13:41:34	0.013	-0.016	-16
1/24/2007	13:56:34	0.012	-0.017	-17
1/24/2007	14:11:34	0.01	-0.019	-19
1/24/2007	14:26:34	0.011	-0.018	-18
1/24/2007	14:41:34	0.012	-0.017	-17
1/24/2007	14:56:34	0.018	-0.011	-11
1/24/2007	15:11:34	0.013	-0.016	-16
1/24/2007	15:26:34	0.013	-0.016	-16
1/24/2007	15:41:34	0.012	-0.017	-17
1/24/2007	15:56:34	0.012	-0.017	-17
1/24/2007	16:11:34	0.011	-0.018	-18
1/24/2007	16:26:34	0.016	-0.013	-13
1/24/2007	16:41:34	0.01	-0.019	-19
1/24/2007	16:56:34	0.01	-0.019	-19
1/24/2007	17:11:34	0.011	-0.018	-18
1/24/2007	17:26:34	0.01	-0.019	-19
1/24/2007	17:41:34	0.012	-0.017	-17
1/24/2007	17:56:34	0.011	-0.018	-18
1/24/2007	18:11:34	0.009	-0.02	-20
1/24/2007	18:26:34	0.01	-0.019	-19
1/24/2007	18:41:34	0.01	-0.019	-19
1/24/2007	18:56:34	0.01	-0.019	-19
1/24/2007	19:11:34	0.01	-0.019	-19
1/24/2007	19:26:34	0.012	-0.017	-17
1/24/2007	19:41:34	0.011	-0.018	-18
1/24/2007	19:56:34	0.012	-0.017	-17

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/24/2007 08:16

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0905) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/24/2007 9:24			0.1				0.1
2	1/24/2007 9:39			0.2				0.2
3	1/24/2007 9:54			0.3				0.3
4	1/24/2007 10:09			0.3				0.3
5	1/24/2007 10:24			0.3				0.3
6	1/24/2007 10:39			0.3				0.3
7	1/24/2007 10:54			0.3				0.3
8	1/24/2007 11:09			0.3				0.3
9	1/24/2007 11:24			0.3				0.3
10	1/24/2007 11:39			0.3				0.3
11	1/24/2007 11:54			0.3				0.3
12	1/24/2007 12:09			0.3				0.3
13	1/24/2007 12:24			0.3				0.3
14	1/24/2007 12:39			0.3				0.3
15	1/24/2007 12:54			0.3				0.3
16	1/24/2007 13:09			0.3				0.3
17	1/24/2007 13:24			0.3				0.3
18	1/24/2007 13:39			0.4				0.4
19	1/24/2007 13:54			0.4				0.4
20	1/24/2007 14:09			0.4				0.4
21	1/24/2007 14:24			0.4				0.4
22	1/24/2007 14:39			0.4				0.4
23	1/24/2007 14:54			0.4				0.4
24	1/24/2007 15:09			0.4				0.4
25	1/24/2007 15:24			0.4				0.4
26	1/24/2007 15:39			0.4				0.4
27	1/24/2007 15:54			0.4				0.4
28	1/24/2007 16:09			0.4				0.4
29	1/24/2007 16:24			0.4				0.4
30	1/24/2007 16:39			0.4				0.4
31	1/24/2007 16:54			0.5				0.5
32	1/24/2007 17:09			0.5				0.5
33	1/24/2007 17:24			0.5				0.5
34	1/24/2007 17:39			0.5				0.5
35	1/24/2007 17:54			0.5				0.5
36	1/24/2007 18:09			0.5				0.5
37	1/24/2007 18:24			0.5				0.5
38	1/24/2007 18:39			0.5				0.5
39	1/24/2007 18:54			0.5				0.5
40	1/24/2007 19:09			0.6				0.6
41	1/24/2007 19:24			0.6				0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	2
Test Abbreviation:	
Start Date:	1/24/2007
Start Time:	9:11:22
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0905) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/24/2007	9:26:22	0.041	-0.001	-1
1/24/2007	9:41:22	0.042	0	0
1/24/2007	9:56:22	0.038	-0.004	-4
1/24/2007	10:11:22	0.037	-0.005	-5
1/24/2007	10:26:22	0.036	-0.006	-6
1/24/2007	10:41:22	0.036	-0.006	-6
1/24/2007	10:56:22	0.034	-0.008	-8
1/24/2007	11:11:22	0.029	-0.013	-13
1/24/2007	11:26:22	0.029	-0.013	-13
1/24/2007	11:41:22	0.032	-0.01	-10
1/24/2007	11:56:22	0.022	-0.02	-20
1/24/2007	12:11:22	0.017	-0.025	-25
1/24/2007	12:26:22	0.018	-0.024	-24
1/24/2007	12:41:22	0.018	-0.024	-24
1/24/2007	12:56:22	0.017	-0.025	-25
1/24/2007	13:11:22	0.019	-0.023	-23
1/24/2007	13:26:22	0.019	-0.023	-23
1/24/2007	13:41:22	0.022	-0.02	-20
1/24/2007	13:56:22	0.022	-0.02	-20
1/24/2007	14:11:22	0.022	-0.02	-20
1/24/2007	14:26:22	0.024	-0.018	-18
1/24/2007	14:41:22	0.039	-0.003	-3
1/24/2007	14:56:22	0.037	-0.005	-5
1/24/2007	15:11:22	0.025	-0.017	-17
1/24/2007	15:26:22	0.027	-0.015	-15
1/24/2007	15:41:22	0.023	-0.019	-19
1/24/2007	15:56:22	0.023	-0.019	-19
1/24/2007	16:11:22	0.021	-0.021	-21
1/24/2007	16:26:22	0.028	-0.014	-14
1/24/2007	16:41:22	0.019	-0.023	-23
1/24/2007	16:56:22	0.019	-0.023	-23
1/24/2007	17:11:22	0.022	-0.02	-20
1/24/2007	17:26:22	0.02	-0.022	-22
1/24/2007	17:41:22	0.021	-0.021	-21
1/24/2007	17:56:22	0.022	-0.02	-20
1/24/2007	18:11:22	0.018	-0.024	-24
1/24/2007	18:26:22	0.02	-0.022	-22
1/24/2007	18:41:22	0.021	-0.021	-21
1/24/2007	18:56:22	0.018	-0.024	-24
1/24/2007	19:11:22	0.02	-0.022	-22
1/24/2007	19:26:22	0.021	-0.021	-21
1/24/2007	19:41:22	0.022	-0.02	-20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/24/2007 08:19

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0900) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/24/2007 9:16			0				0
2	1/24/2007 9:31			0				0
3	1/24/2007 9:46			0				0
4	1/24/2007 10:01			0				0
5	1/24/2007 10:16			0.1				0.1
6	1/24/2007 10:31			0.1				0.1
7	1/24/2007 10:46			0.1				0.1
8	1/24/2007 11:01			0.1				0.1
9	1/24/2007 11:16			0.1				0.1
10	1/24/2007 11:31			0.1				0.1
11	1/24/2007 11:46			0.1				0.1
12	1/24/2007 12:01			0.1				0.1
13	1/24/2007 12:16			0.1				0.1
14	1/24/2007 12:31			0.1				0.1
15	1/24/2007 12:46			0.1				0.1
16	1/24/2007 13:01			0.1				0.1
17	1/24/2007 13:16			0.1				0.1
18	1/24/2007 13:31			0.1				0.1
19	1/24/2007 13:46			0.1				0.1
20	1/24/2007 14:01			0.1				0.1
21	1/24/2007 14:16			0.1				0.1
22	1/24/2007 14:31			0.1				0.1
23	1/24/2007 14:46			0.1				0.1
24	1/24/2007 15:01			0.1				0.1
25	1/24/2007 15:16			0.1				0.1
26	1/24/2007 15:31			0.1				0.1
27	1/24/2007 15:46			0.1				0.1
28	1/24/2007 16:01			0.1				0.1
29	1/24/2007 16:16			0.1				0.1
30	1/24/2007 16:31			0.1				0.1
31	1/24/2007 16:46			0.1				0.1
32	1/24/2007 17:01			0.1				0.1
33	1/24/2007 17:16			0.1				0.1
34	1/24/2007 17:31			0.1				0.1
35	1/24/2007 17:46			0				0
36	1/24/2007 18:01			0.1				0.1
37	1/24/2007 18:16			0.1				0.1
38	1/24/2007 18:31			0.1				0.1
39	1/24/2007 18:46			0.1				0.1
40	1/24/2007 19:01			0.1				0.1
41	1/24/2007 19:16			0.1				0.1
42	1/24/2007 19:31			0.1				0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	1/24/2007
Start Time:	9:09:03
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0900) = 0.034 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/24/2007	9:24:03	0.039	0.005	5
1/24/2007	9:39:03	0.38	0.346	346
1/24/2007	9:54:03	0.044	0.01	10
1/24/2007	10:09:03	0.037	0.003	3
1/24/2007	10:24:03	0.055	0.021	21
1/24/2007	10:39:03	0.042	0.008	8
1/24/2007	10:54:03	0.048	0.014	14
1/24/2007	11:09:03	0.032	-0.002	-2
1/24/2007	11:24:03	0.029	-0.005	-5
1/24/2007	11:39:03	0.032	-0.002	-2
1/24/2007	11:54:03	0.025	-0.009	-9
1/24/2007	12:09:03	0.029	-0.005	-5
1/24/2007	12:24:03	0.021	-0.013	-13
1/24/2007	12:39:03	0.015	-0.019	-19
1/24/2007	12:54:03	0.014	-0.02	-20
1/24/2007	13:09:03	0.017	-0.017	-17
1/24/2007	13:24:03	0.021	-0.013	-13
1/24/2007	13:39:03	0.019	-0.015	-15
1/24/2007	13:54:03	0.019	-0.015	-15
1/24/2007	14:09:03	0.019	-0.015	-15
1/24/2007	14:24:03	0.019	-0.015	-15
1/24/2007	14:39:03	0.025	-0.009	-9
1/24/2007	14:54:03	0.041	0.007	7
1/24/2007	15:09:03	0.035	0.001	1
1/24/2007	15:24:03	0.022	-0.012	-12
1/24/2007	15:39:03	0.022	-0.012	-12
1/24/2007	15:54:03	0.022	-0.012	-12
1/24/2007	16:09:03	0.024	-0.01	-10
1/24/2007	16:24:03	0.03	-0.004	-4
1/24/2007	16:39:03	0.023	-0.011	-11
1/24/2007	16:54:03	0.025	-0.009	-9
1/24/2007	17:09:03	0.026	-0.008	-8
1/24/2007	17:24:03	0.023	-0.011	-11
1/24/2007	17:39:03	0.025	-0.009	-9
1/24/2007	17:54:03	0.019	-0.015	-15
1/24/2007	18:09:03	0.016	-0.018	-18
1/24/2007	18:24:03	0.018	-0.016	-16
1/24/2007	18:39:03	0.019	-0.015	-15
1/24/2007	18:54:03	0.022	-0.012	-12
1/24/2007	19:09:03	0.017	-0.017	-17
1/24/2007	19:24:03	0.036	0.002	2
1/24/2007	19:39:03	0.019	-0.015	-15
1/24/2007	19:54:03	0.023	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:18

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0909) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 6:51			0				-0.2
2	1/25/2007 7:06			0.2				0
3	1/25/2007 7:21			0.4				0.2
4	1/25/2007 7:36			0.5				0.3
5	1/25/2007 7:51			0.6				0.4
6	1/25/2007 8:06			0.6				0.4
7	1/25/2007 8:21			0.7				0.5
8	1/25/2007 8:36			0.7				0.5
9	1/25/2007 8:51			0.7				0.5
10	1/25/2007 9:06			0.8				0.6
11	1/25/2007 9:21			0.8				0.6
12	1/25/2007 9:36			0.8				0.6
13	1/25/2007 9:51			0.8				0.6
14	1/25/2007 10:06			0.8				0.6
15	1/25/2007 10:21			0.8				0.6
16	1/25/2007 10:36			0.8				0.6
17	1/25/2007 10:51			0.8				0.6

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:18

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 14:40			0.5		0.3
2	1/25/2007 14:55			0.6		0.4
3	1/25/2007 15:10			0.8		0.6
4	1/25/2007 15:25			0.6		0.4
5	1/25/2007 15:40			0.6		0.4
6	1/25/2007 15:55			0.6		0.4
7	1/25/2007 16:10			0.6		0.4
8	1/25/2007 16:25			0.6		0.4
9	1/25/2007 16:40			0.7		0.5
10	1/25/2007 16:55			0.8		0.6
11	1/25/2007 17:10			0.7		0.5
12	1/25/2007 17:25			0.7		0.5
13	1/25/2007 17:40			0.7		0.5
14	1/25/2007 17:55			0.8		0.6
15	1/25/2007 18:10			0.8		0.6
16	1/25/2007 18:25			0.8		0.6
17	1/25/2007 18:40			0.8		0.6
18	1/25/2007 18:55			0.9		0.7
19	1/25/2007 19:10			1		0.8
20	1/25/2007 19:25			1.3		1.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	6:39:38
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (0909) = 0.041 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	6:54:38	0.023	-0.018	-18
1/25/2007	7:09:38	0.026	-0.015	-15
1/25/2007	7:24:38	0.027	-0.014	-14
1/25/2007	7:39:38	0.024	-0.017	-17
1/25/2007	7:54:38	0.027	-0.014	-14
1/25/2007	8:09:38	0.029	-0.012	-12
1/25/2007	8:24:38	0.031	-0.01	-10
1/25/2007	8:39:38	0.034	-0.007	-7
1/25/2007	8:54:38	0.037	-0.004	-4
1/25/2007	9:09:38	0.022	-0.019	-19
1/25/2007	9:24:38	0.029	-0.012	-12
1/25/2007	9:39:38	0.029	-0.012	-12
1/25/2007	9:54:38	0.065	0.024	24
1/25/2007	10:09:38	0.037	-0.004	-4
1/25/2007	10:24:38	0.044	0.003	3
1/25/2007	10:39:38	0.036	-0.005	-5
1/25/2007	10:54:38	0.031	-0.01	-10
1/25/2007	11:09:38	0.023	-0.018	-18

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	14:29:03
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	14:44:03	0.009	-0.032	-32
1/25/2007	14:59:03	0.01	-0.031	-31
1/25/2007	15:14:03	0.011	-0.03	-30
1/25/2007	15:29:03	0.01	-0.031	-31
1/25/2007	15:44:03	0.013	-0.028	-28
1/25/2007	15:59:03	0.011	-0.03	-30
1/25/2007	16:14:03	0.012	-0.029	-29
1/25/2007	16:29:03	0.009	-0.032	-32
1/25/2007	16:44:03	0.009	-0.032	-32
1/25/2007	16:59:03	0.009	-0.032	-32
1/25/2007	17:14:03	0.012	-0.029	-29
1/25/2007	17:29:03	0.01	-0.031	-31
1/25/2007	17:44:03	0.009	-0.032	-32
1/25/2007	17:59:03	0.008	-0.033	-33
1/25/2007	18:14:03	0.007	-0.034	-34
1/25/2007	18:29:03	0.008	-0.033	-33
1/25/2007	18:44:03	0.007	-0.034	-34
1/25/2007	18:59:03	0.007	-0.034	-34
1/25/2007	19:14:03	0.007	-0.034	-34
1/25/2007	19:29:03	0.012	-0.029	-29
1/25/2007	19:44:03	0.018	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071
User ID: 00000001 Site ID: 00000003
Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/25/2006 06:15

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0909) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	11/25/2006 6:46			0.9				0.9
2	11/25/2006 7:01			1.2				1.2
3	11/25/2006 7:16			1.5				1.5
4	11/25/2006 7:31			1.8				1.8
5	11/25/2006 7:46			2				2
6	11/25/2006 8:01			2.2				2.2
1	11/25/2006 8:32			0				0
2	11/25/2006 8:47			0				0
3	11/25/2006 9:02			0				0
4	11/25/2006 9:17			0				0
5	11/25/2006 9:32			0				0
6	11/25/2006 9:47			0				0
7	11/25/2006 10:02			0				0
8	11/25/2006 10:17			0				0
9	11/25/2006 10:32			0				0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010071
User ID: 00000001 Site ID: 00000003
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 11/25/2006 06:15

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	11/25/2006 15:13			0		0
2	11/25/2006 15:28			0		0
3	11/25/2006 15:43			0		0
4	11/25/2006 15:58			0		0
5	11/25/2006 16:13			0		0
6	11/25/2006 16:28			0		0
7	11/25/2006 16:43			0		0
8	11/25/2006 16:58			0		0
9	11/25/2006 17:13			0		0
10	11/25/2006 17:28			0		0
11	11/25/2006 17:43			0		0
12	11/25/2006 17:58			0		0
13	11/25/2006 18:13			0		0
14	11/25/2006 18:28			0		0
15	11/25/2006 18:43			0		0
16	11/25/2006 18:58			0		0
17	11/25/2006 19:13			0		0
18	11/25/2006 19:28			0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	6:45:32
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (0909) = 0.041 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	7:00:32	0.013	-0.028	-28
1/25/2007	7:15:32	0.014	-0.027	-27
1/25/2007	7:30:32	0.013	-0.028	-28
1/25/2007	7:45:32	0.013	-0.028	-28
1/25/2007	8:00:32	0.015	-0.026	-26
1/25/2007	8:15:32	0.018	-0.023	-23
1/25/2007	8:30:32	0.017	-0.024	-24
1/25/2007	8:45:32	0.02	-0.021	-21
1/25/2007	9:00:32	0.018	-0.023	-23
1/25/2007	9:15:32	0.014	-0.027	-27
1/25/2007	9:30:32	0.016	-0.025	-25
1/25/2007	9:45:32	0.019	-0.022	-22
1/25/2007	10:00:32	0.02	-0.021	-21
1/25/2007	10:15:32	0.021	-0.02	-20
1/25/2007	10:30:32	0.022	-0.019	-19
1/25/2007	10:45:32	0.019	-0.022	-22
1/25/2007	11:00:32	0.015	-0.026	-26

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	15:15:02
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	15:30:02	0.003	-0.038	-38
1/25/2007	15:45:02	0.005	-0.036	-36
1/25/2007	16:00:02	0.005	-0.036	-36
1/25/2007	16:15:02	0.004	-0.037	-37
1/25/2007	16:30:02	0.006	-0.035	-35
1/25/2007	16:45:02	0.003	-0.038	-38
1/25/2007	17:00:02	0.004	-0.037	-37
1/25/2007	17:15:02	0.003	-0.038	-38
1/25/2007	17:30:02	0.004	-0.037	-37
1/25/2007	17:45:02	0.003	-0.038	-38
1/25/2007	18:00:02	0.002	-0.039	-39
1/25/2007	18:15:02	0.002	-0.039	-39
1/25/2007	18:30:02	0.002	-0.039	-39
1/25/2007	18:45:02	0.002	-0.039	-39
1/25/2007	19:00:02	0.003	-0.038	-38
1/25/2007	19:15:02	0.002	-0.039	-39
1/25/2007	19:30:02	0.002	-0.039	-39
1/25/2007	19:45:02	0.003	-0.038	-38
1/25/2007	20:00:02	0.002	-0.039	-39

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:24

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0909) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 7:06			0.2				0
2	1/25/2007 7:21			0.4				0.2
3	1/25/2007 7:36			0.4				0.2
4	1/25/2007 7:51			0.5				0.3
5	1/25/2007 8:06			0.6				0.4
6	1/25/2007 8:21			0.6				0.4
7	1/25/2007 8:36			0.7				0.5
8	1/25/2007 8:51			0.7				0.5
9	1/25/2007 9:06			0.7				0.5
10	1/25/2007 9:21			0.7				0.5
11	1/25/2007 9:36			0.7				0.5
12	1/25/2007 9:51			0.7				0.5
13	1/25/2007 10:06			0.7				0.5
14	1/25/2007 10:21			0.7				0.5
15	1/25/2007 10:36			0.7				0.5

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:24

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 15:03			0		-0.2
2	1/25/2007 15:18			0		-0.2
3	1/25/2007 15:33			0		-0.2
4	1/25/2007 15:48			0		-0.2
5	1/25/2007 16:03			0		-0.2
6	1/25/2007 16:18			0		-0.2
7	1/25/2007 16:33			0		-0.2
8	1/25/2007 16:48			0		-0.2
9	1/25/2007 17:03			0		-0.2
10	1/25/2007 17:18			0		-0.2
11	1/25/2007 17:33			0		-0.2
12	1/25/2007 17:48			0		-0.2
13	1/25/2007 18:03			0		-0.2
14	1/25/2007 18:18			0		-0.2
15	1/25/2007 18:33			0		-0.2
16	1/25/2007 18:48			0		-0.2
17	1/25/2007 19:03			0		-0.2
18	1/25/2007 19:18			0		-0.2
19	1/25/2007 19:33			0		-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	3
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	6:55:31
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (0909) = 0.041 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	7:10:31	0.023	-0.018	-18
1/25/2007	7:25:31	0.025	-0.016	-16
1/25/2007	7:40:31	0.024	-0.017	-17
1/25/2007	7:55:31	0.027	-0.014	-14
1/25/2007	8:10:31	0.03	-0.011	-11
1/25/2007	8:25:31	0.031	-0.01	-10
1/25/2007	8:40:31	0.037	-0.004	-4
1/25/2007	8:55:31	0.034	-0.007	-7
1/25/2007	9:10:31	0.025	-0.016	-16
1/25/2007	9:25:31	0.03	-0.011	-11
1/25/2007	9:40:31	0.039	-0.002	-2
1/25/2007	9:55:31	0.036	-0.005	-5
1/25/2007	10:10:31	0.039	-0.002	-2
1/25/2007	10:25:31	0.039	-0.002	-2
1/25/2007	10:40:31	0.039	-0.002	-2
1/25/2007	10:55:31	0.03	-0.011	-11
1/25/2007	11:10:31	0.024	-0.017	-17

Model:	Dust Trak
Serial Number:	85201839
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	14:52:23
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	

Calibration — Sensor: Aerosol; Cal. date: 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	15:07:23	0.009	-0.032	-32
1/25/2007	15:22:23	0.009	-0.032	-32
1/25/2007	15:37:23	0.01	-0.031	-31
1/25/2007	15:52:23	0.011	-0.03	-30
1/25/2007	16:07:23	0.01	-0.031	-31
1/25/2007	16:22:23	0.009	-0.032	-32
1/25/2007	16:37:23	0.007	-0.034	-34
1/25/2007	16:52:23	0.009	-0.032	-32
1/25/2007	17:07:23	0.011	-0.03	-30
1/25/2007	17:22:23	0.009	-0.032	-32
1/25/2007	17:37:23	0.009	-0.032	-32
1/25/2007	17:52:23	0.007	-0.034	-34
1/25/2007	18:07:23	0.008	-0.033	-33
1/25/2007	18:22:23	0.008	-0.033	-33
1/25/2007	18:37:23	0.007	-0.034	-34
1/25/2007	18:52:23	0.008	-0.033	-33
1/25/2007	19:07:23	0.008	-0.033	-33
1/25/2007	19:22:23	0.009	-0.032	-32
1/25/2007	19:37:23	0.009	-0.032	-32
1/25/2007	19:52:23	0.008	-0.033	-33

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:25

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (0909) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 7:00			0				-0.2
2	1/25/2007 7:15			0				-0.2
3	1/25/2007 7:30			0				-0.2
4	1/25/2007 7:45			0				-0.2
5	1/25/2007 8:00			0				-0.2
6	1/25/2007 8:15			0				-0.2
7	1/25/2007 8:30			0				-0.2
8	1/25/2007 8:45			0				-0.2
9	1/25/2007 9:00			0				-0.2
10	1/25/2007 9:15			0				-0.2
11	1/25/2007 9:30			0				-0.2
12	1/25/2007 9:45			0				-0.2
13	1/25/2007 10:00			0				-0.2
14	1/25/2007 10:15			0				-0.2
15	1/25/2007 10:30			0				-0.2
16	1/25/2007 10:45			0				-0.2

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/25/2007 06:25

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/25/2007 14:54			0				-0.2
2	1/25/2007 15:09			0				-0.2
3	1/25/2007 15:24			0				-0.2
4	1/25/2007 15:39			0				-0.2
5	1/25/2007 15:54			0				-0.2
6	1/25/2007 16:09			0				-0.2
7	1/25/2007 16:24			0				-0.2
8	1/25/2007 16:39			0				-0.2
9	1/25/2007 16:54			0				-0.2
10	1/25/2007 17:09			0				-0.2
11	1/25/2007 17:24			0				-0.2
12	1/25/2007 17:39			0				-0.2
13	1/25/2007 17:54			0				-0.2
14	1/25/2007 18:09			0				-0.2
15	1/25/2007 18:24			0				-0.2
16	1/25/2007 18:39			0				-0.2
17	1/25/2007 18:54			0				-0.2
18	1/25/2007 19:09			0				-0.2
19	1/25/2007 19:24			0				-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	6:52:53
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (0909) = 0.041 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	7:07:53	0.019	-0.022	-22
1/25/2007	7:22:53	0.02	-0.021	-21
1/25/2007	7:37:53	0.022	-0.019	-19
1/25/2007	7:52:53	0.023	-0.018	-18
1/25/2007	8:07:53	0.024	-0.017	-17
1/25/2007	8:22:53	0.025	-0.016	-16
1/25/2007	8:37:53	0.03	-0.011	-11
1/25/2007	8:52:53	0.036	-0.005	-5
1/25/2007	9:07:53	0.023	-0.018	-18
1/25/2007	9:22:53	0.023	-0.018	-18
1/25/2007	9:37:53	0.029	-0.012	-12
1/25/2007	9:52:53	0.027	-0.014	-14
1/25/2007	10:07:53	0.03	-0.011	-11
1/25/2007	10:22:53	0.038	-0.003	-3
1/25/2007	10:37:53	0.033	-0.008	-8
1/25/2007	10:52:53	0.031	-0.01	-10
1/25/2007	11:07:53	0.021	-0.02	-20

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/25/2007
Start Time:	14:48:21
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	20
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/25/2007	15:03:21	0.010	-0.031	-31
1/25/2007	15:18:21	0.009	-0.032	-32
1/25/2007	15:33:21	0.014	-0.027	-27
1/25/2007	15:48:21	0.017	-0.024	-24
1/25/2007	16:03:21	0.015	-0.026	-26
1/25/2007	16:18:21	0.023	-0.018	-18
1/25/2007	16:33:21	0.014	-0.027	-27
1/25/2007	16:48:21	0.013	-0.028	-28
1/25/2007	17:03:21	0.015	-0.026	-26
1/25/2007	17:18:21	0.015	-0.026	-26
1/25/2007	17:33:21	0.012	-0.029	-29
1/25/2007	17:48:21	0.01	-0.031	-31
1/25/2007	18:03:21	0.011	-0.03	-30
1/25/2007	18:18:21	0.013	-0.028	-28
1/25/2007	18:33:21	0.014	-0.027	-27
1/25/2007	18:48:21	0.015	-0.026	-26
1/25/2007	19:03:21	0.017	-0.024	-24
1/25/2007	19:18:21	0.016	-0.025	-25
1/25/2007	19:33:21	0.014	-0.027	-27
1/25/2007	19:48:21	0.022	-0.019	-19

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/26/2007 13:35

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1400) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/26/2007 14:23			0.1				0
2	1/26/2007 14:38			0.2				0.1
3	1/26/2007 14:53			0.3				0.2
4	1/26/2007 15:08			0.3				0.2
5	1/26/2007 15:23			0.3				0.2
6	1/26/2007 15:38			0.4				0.3
7	1/26/2007 15:53			0.4				0.3
8	1/26/2007 16:08			0.4				0.3
9	1/26/2007 16:23			0.4				0.3
10	1/26/2007 16:38			0.4				0.3
11	1/26/2007 16:53			0.5				0.4
12	1/26/2007 17:08			0.5				0.4
13	1/26/2007 17:23			0.4				0.3
14	1/26/2007 17:38			0.4				0.3
15	1/26/2007 17:53			0.4				0.3
16	1/26/2007 18:08			0.4				0.3
17	1/26/2007 18:23			0.5				0.4
18	1/26/2007 18:38			0.5				0.4
19	1/26/2007 18:53			0.5				0.4
20	1/26/2007 19:08			0.5				0.4
21	1/26/2007 19:23			0.5				0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	1/26/2007
Start Time:	14:12:38
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	

Background Reading (1400) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/26/2007	14:27:38	0.01	-0.003	-3
1/26/2007	14:42:38	0.01	-0.003	-3
1/26/2007	14:57:38	0.01	-0.003	-3
1/26/2007	15:12:38	0.017	0.004	4
1/26/2007	15:27:38	0.022	0.009	9
1/26/2007	15:42:38	0.012	-0.001	-1
1/26/2007	15:57:38	0.011	-0.002	-2
1/26/2007	16:12:38	0.011	-0.002	-2
1/26/2007	16:27:38	0.009	-0.004	-4
1/26/2007	16:42:38	0.008	-0.005	-5
1/26/2007	16:57:38	0.007	-0.006	-6
1/26/2007	17:12:38	0.008	-0.005	-5
1/26/2007	17:27:38	0.012	-0.001	-1
1/26/2007	17:42:38	0.013	0	0
1/26/2007	17:57:38	0.012	-0.001	-1
1/26/2007	18:12:38	0.007	-0.006	-6
1/26/2007	18:27:38	0.01	-0.003	-3
1/26/2007	18:42:38	0.007	-0.006	-6
1/26/2007	18:57:38	0.006	-0.007	-7
1/26/2007	19:12:38	0.014	0.001	1
1/26/2007	19:27:38	0.009	-0.004	-4
1/26/2007	19:42:38	0.015	0.002	2
1/26/2007	19:57:38	0.009	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011568

User ID: 00000001 Site ID: 00000043

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/26/2007 11:17

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1400) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/26/2007 12:02			0				-0.1
2	1/26/2007 12:17			0				-0.1
3	1/26/2007 12:32			0				-0.1
4	1/26/2007 12:47			0				-0.1
5	1/26/2007 13:02			0				-0.1
6	1/26/2007 13:17			0				-0.1
7	1/26/2007 13:32			0				-0.1
8	1/26/2007 13:47			0				-0.1
9	1/26/2007 14:02			0				-0.1
10	1/26/2007 14:17			0				-0.1
11	1/26/2007 14:32			0				-0.1
12	1/26/2007 14:47			0				-0.1
13	1/26/2007 15:02			0				-0.1
14	1/26/2007 15:17			0.1				0
15	1/26/2007 15:32			0.1				0
16	1/26/2007 15:47			0.1				0
17	1/26/2007 16:02			0.1				0
18	1/26/2007 16:17			0.2				0.1
19	1/26/2007 16:32			0.2				0.1
20	1/26/2007 16:47			0.3				0.2
21	1/26/2007 17:02			0.3				0.2
22	1/26/2007 17:17			0.3				0.2
23	1/26/2007 17:32			0.3				0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	1/26/2007
Start Time:	14:14:40
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (1400) = 0.002 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/26/2007	14:29:40	0.002	0	0
1/26/2007	14:44:40	0.004	0.002	2
1/26/2007	14:59:40	0.004	0.002	2
1/26/2007	15:14:40	0.004	0.002	2
1/26/2007	15:29:40	0.003	0.001	1
1/26/2007	15:44:40	0.002	0	0
1/26/2007	15:59:40	0.003	0.001	1
1/26/2007	16:14:40	0.003	0.001	1
1/26/2007	16:29:40	0.002	0	0
1/26/2007	16:44:40	0.002	0	0
1/26/2007	16:59:40	0.003	0.001	1
1/26/2007	17:14:40	0.002	0	0
1/26/2007	17:29:40	0.002	0	0
1/26/2007	17:44:40	0.001	-0.001	-1
1/26/2007	17:59:40	0.002	0	0
1/26/2007	18:14:40	0.001	-0.001	-1
1/26/2007	18:29:40	0.001	-0.001	-1
1/26/2007	18:44:40	0.002	0	0
1/26/2007	18:59:40	0.002	0	0
1/26/2007	19:14:40	0.003	0.001	1
1/26/2007	19:29:40	0.003	0.001	1
1/26/2007	19:44:40	0.005	0.003	3
1/26/2007	19:59:40	0.003	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/26/2007 13:37

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1424) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/26/2007 14:57			0.2				0.1
2	1/26/2007 15:12			0.3				0.2
3	1/26/2007 15:27			0.3				0.2
4	1/26/2007 15:42			0.4				0.3
5	1/26/2007 15:57			0.4				0.3
6	1/26/2007 16:12			0.3				0.2
7	1/26/2007 16:27			0.3				0.2
8	1/26/2007 16:42			0.3				0.2
9	1/26/2007 16:57			0.4				0.3
10	1/26/2007 17:12			0.4				0.3
11	1/26/2007 17:27			0.4				0.3
12	1/26/2007 17:42			0.4				0.3
13	1/26/2007 17:57			0.4				0.3
14	1/26/2007 18:12			0.4				0.3
15	1/26/2007 18:27			0.4				0.3
16	1/26/2007 18:42			0.4				0.3
17	1/26/2007 18:57			0.4				0.3
18	1/26/2007 19:12			0.4				0.3
19	1/26/2007 19:27			0.4				0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	1
Test Abbreviation:	
Start Date:	1/26/2007
Start Time:	14:13:09 PM
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (1424) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/16/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
1/26/2007	14:13:09	0.005	-0.004	-4
1/26/2007	14:28:09	0.004	-0.005	-5
1/26/2007	14:43:09	0.003	-0.006	-6
1/26/2007	14:58:09	0.008	-0.001	-1
1/26/2007	15:13:09	0.008	-0.001	-1
1/26/2007	15:28:09	0.004	-0.005	-5
1/26/2007	15:43:09	0.005	-0.004	-4
1/26/2007	15:58:09	0.004	-0.005	-5
1/26/2007	16:13:09	0.004	-0.005	-5
1/26/2007	16:28:09	0.004	-0.005	-5
1/26/2007	16:43:09	0.003	-0.006	-6
1/26/2007	16:58:09	0.004	-0.005	-5
1/26/2007	17:13:09	0.006	-0.003	-3
1/26/2007	17:28:09	0.005	-0.004	-4
1/26/2007	17:43:09	0.003	-0.006	-6
1/26/2007	17:58:09	0.004	-0.005	-5
1/26/2007	18:13:09	0.004	-0.005	-5
1/26/2007	18:28:09	0.004	-0.005	-5
1/26/2007	18:43:09	0.005	-0.004	-4
1/26/2007	18:58:09	0.003	-0.006	-6
1/26/2007	19:13:09	0.002	-0.007	-7
1/26/2007	19:28:09	0.002	-0.007	-7
1/26/2007	19:43:09	0.003	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/26/2007 13:38

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1417) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/26/2007 14:38			0				0
2	1/26/2007 14:53			0				0
3	1/26/2007 15:08			0				0
4	1/26/2007 15:23			0				0
5	1/26/2007 15:38			0				0
6	1/26/2007 15:53			0				0
7	1/26/2007 16:08			0				0
8	1/26/2007 16:23			0				0
9	1/26/2007 16:38			0				0
10	1/26/2007 16:53			0				0
11	1/26/2007 17:08			0				0
12	1/26/2007 17:23			0				0
13	1/26/2007 17:38			0				0
14	1/26/2007 17:53			0				0
15	1/26/2007 18:08			0				0
16	1/26/2007 18:23			0				0
17	1/26/2007 18:38			0				0
18	1/26/2007 18:53			0				0
19	1/26/2007 19:08			0				0
20	1/26/2007 19:23			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	1/26/2007
Start Time:	14:31:31
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (1417) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/26/2007	14:46:31	0.007	0.001	1
1/26/2007	15:01:31	0.009	0.003	3
1/26/2007	15:16:31	0.013	0.007	7
1/26/2007	15:31:31	0.014	0.008	8
1/26/2007	15:46:31	0.013	0.007	7
1/26/2007	16:01:31	0.022	0.016	16
1/26/2007	16:16:31	0.03	0.024	24
1/26/2007	16:31:31	0.026	0.02	20
1/26/2007	16:46:31	0.029	0.023	23
1/26/2007	17:01:31	0.019	0.013	13
1/26/2007	17:16:31	0.027	0.021	21
1/26/2007	17:31:31	0.024	0.018	18
1/26/2007	17:46:31	0.048	0.042	42
1/26/2007	18:01:31	0.015	0.009	9
1/26/2007	18:16:31	0.02	0.014	14
1/26/2007	18:31:31	0.016	0.01	10
1/26/2007	18:46:31	0.014	0.008	8
1/26/2007	19:01:31	0.02	0.014	14
1/26/2007	19:16:31	0.037	0.031	31
1/26/2007	19:31:31	0.017	0.011	11
1/26/2007	19:46:31	0.038	0.032	32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041 Background Reading (0844) = 0.1 ppm
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/27/2007 08:28

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/27/2007 9:05			0.1				0
2	1/27/2007 9:20			0.3				0.2
3	1/27/2007 9:35			0.4				0.3
4	1/27/2007 9:50			0.4				0.3
5	1/27/2007 10:05			0.5				0.4
6	1/27/2007 10:20			0.5				0.4
7	1/27/2007 10:35			0.5				0.4
8	1/27/2007 10:50			0.6				0.5
9	1/27/2007 11:05			0.6				0.5
10	1/27/2007 11:20			0.6				0.5
11	1/27/2007 11:35			0.6				0.5
12	1/27/2007 11:50			0.6				0.5
13	1/27/2007 12:05			0.6				0.5
14	1/27/2007 12:20			0.6				0.5
15	1/27/2007 12:35			0.6				0.5
16	1/27/2007 12:50			0.6				0.5
17	1/27/2007 13:05			0.7				0.6
18	1/27/2007 13:20			0.7				0.6
19	1/27/2007 13:35			0.7				0.6
20	1/27/2007 13:50			0.7				0.6
21	1/27/2007 14:05			0.7				0.6
22	1/27/2007 14:20			0.7				0.6
23	1/27/2007 14:35			0.7				0.6
24	1/27/2007 14:50			0.7				0.6
25	1/27/2007 15:05			0.7				0.6
26	1/27/2007 15:20			0.7				0.6
27	1/27/2007 15:35			0.7				0.6
28	1/27/2007 15:50			0.7				0.6
29	1/27/2007 16:05			0.7				0.6
30	1/27/2007 16:20			0.7				0.6
31	1/27/2007 16:35			0.7				0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	6
Test Abbreviation:	
Start Date:	1/27/2007
Start Time:	8:54:18
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0844) = 0.010 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/27/2007	9:09:18	0.011	0.001	1
1/27/2007	9:24:18	0.012	0.002	2
1/27/2007	9:39:18	0.012	0.002	2
1/27/2007	9:54:18	0.013	0.003	3
1/27/2007	10:09:18	0.014	0.004	4
1/27/2007	10:24:18	0.016	0.006	6
1/27/2007	10:39:18	0.018	0.008	8
1/27/2007	10:54:18	0.028	0.018	18
1/27/2007	11:09:18	0.021	0.011	11
1/27/2007	11:24:18	0.021	0.011	11
1/27/2007	11:39:18	0.024	0.014	14
1/27/2007	11:54:18	0.024	0.014	14
1/27/2007	12:09:18	0.026	0.016	16
1/27/2007	12:24:18	0.025	0.015	15
1/27/2007	12:39:18	0.027	0.017	17
1/27/2007	12:54:18	0.029	0.019	19
1/27/2007	13:09:18	0.026	0.016	16
1/27/2007	13:24:18	0.03	0.02	20
1/27/2007	13:39:18	0.031	0.021	21
1/27/2007	13:54:18	0.023	0.013	13
1/27/2007	14:09:18	0.023	0.013	13
1/27/2007	14:24:18	0.027	0.017	17
1/27/2007	14:39:18	0.023	0.013	13
1/27/2007	14:54:18	0.025	0.015	15
1/27/2007	15:09:18	0.029	0.019	19
1/27/2007	15:24:18	0.031	0.021	21
1/27/2007	15:39:18	0.026	0.016	16
1/27/2007	15:54:18	0.029	0.019	19
1/27/2007	16:09:18	0.03	0.02	20
1/27/2007	16:24:18	0.032	0.022	22
1/27/2007	16:39:18	0.032	0.022	22
1/27/2007	16:54:18	0.034	0.024	24

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011568
User ID: 00000001 Site ID: 00000043 Background PID (0837) = 0.0 ppm
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/27/2007 06:07

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/27/2007 6:40			0				0
2	1/27/2007 6:55			0.2				0.2
3	1/27/2007 7:10			0.3				0.3
4	1/27/2007 7:25			0.4				0.4
5	1/27/2007 7:40			0.5				0.5
6	1/27/2007 7:55			0.5				0.5
7	1/27/2007 8:10			0.6				0.6
1	1/27/2007 8:41			0				0
2	1/27/2007 8:56			0				0
3	1/27/2007 9:11			0.1				0.1
4	1/27/2007 9:26			0.1				0.1
5	1/27/2007 9:41			0.2				0.2
6	1/27/2007 9:56			0.2				0.2
7	1/27/2007 10:11			0.3				0.3
8	1/27/2007 10:26			0.3				0.3
9	1/27/2007 10:41			0.3				0.3
10	1/27/2007 10:56			0.4				0.4
11	1/27/2007 11:11			0.4				0.4
12	1/27/2007 11:26			0.4				0.4
13	1/27/2007 11:41			0.4				0.4
14	1/27/2007 11:56			0.5				0.5
15	1/27/2007 12:11			0.5				0.5
16	1/27/2007 12:26			0.5				0.5
17	1/27/2007 12:41			0.5				0.5
18	1/27/2007 12:56			0.6				0.6
19	1/27/2007 13:11			0.6				0.6
20	1/27/2007 13:26			0.6				0.6
21	1/27/2007 13:41			0.6				0.6
22	1/27/2007 13:56			0.6				0.6
23	1/27/2007 14:11			0.6				0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	1/27/2007
Start Time:	8:52:13
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0837) = 0.007 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/27/2007	9:07:13	0.007	0	0
1/27/2007	9:22:13	0.007	0	0
1/27/2007	9:37:13	0.008	0.001	1
1/27/2007	9:52:13	0.011	0.004	4
1/27/2007	10:07:13	0.01	0.003	3
1/27/2007	10:22:13	0.01	0.003	3
1/27/2007	10:37:13	0.011	0.004	4
1/27/2007	10:52:13	0.014	0.007	7
1/27/2007	11:07:13	0.012	0.005	5
1/27/2007	11:22:13	0.011	0.004	4
1/27/2007	11:37:13	0.012	0.005	5
1/27/2007	11:52:13	0.012	0.005	5
1/27/2007	12:07:13	0.013	0.006	6
1/27/2007	12:22:13	0.015	0.008	8
1/27/2007	12:37:13	0.017	0.01	10
1/27/2007	12:52:13	0.018	0.011	11
1/27/2007	13:07:13	0.018	0.011	11
1/27/2007	13:22:13	0.019	0.012	12
1/27/2007	13:37:13	0.018	0.011	11
1/27/2007	13:52:13	0.015	0.008	8
1/27/2007	14:07:13	0.015	0.008	8
1/27/2007	14:22:13	0.015	0.008	8
1/27/2007	14:37:13	0.016	0.009	9
1/27/2007	14:52:13	0.016	0.009	9
1/27/2007	15:07:13	0.017	0.01	10
1/27/2007	15:22:13	0.018	0.011	11
1/27/2007	15:37:13	0.016	0.009	9
1/27/2007	15:52:13	0.018	0.011	11
1/27/2007	16:07:13	0.019	0.012	12
1/27/2007	16:22:13	0.021	0.014	14
1/27/2007	16:37:13	0.02	0.013	13
1/27/2007	16:52:13	0.019	0.012	12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014 Background PID (0915) = 0.1 ppm

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/27/2007 08:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/27/2007 9:59			0.2				0.1
2	1/27/2007 10:14			0.3				0.2
3	1/27/2007 10:29			0.3				0.2
4	1/27/2007 10:44			0.4				0.3
5	1/27/2007 10:59			0.4				0.3
6	1/27/2007 11:14			0.4				0.3
7	1/27/2007 11:29			0.5				0.4
8	1/27/2007 11:44			0.5				0.4
9	1/27/2007 11:59			0.5				0.4
10	1/27/2007 12:14			0.5				0.4
11	1/27/2007 12:29			0.6				0.5
12	1/27/2007 12:44			0.6				0.5
13	1/27/2007 12:59			0.6				0.5
14	1/27/2007 13:14			0.6				0.5
15	1/27/2007 13:29			0.6				0.5
16	1/27/2007 13:44			0.6				0.5
17	1/27/2007 13:59			0.6				0.5
18	1/27/2007 14:14			0.6				0.5
19	1/27/2007 14:29			0.6				0.5
20	1/27/2007 14:44			0.6				0.5
21	1/27/2007 14:59			0.6				0.5
22	1/27/2007 15:14			0.6				0.5
23	1/27/2007 15:29			0.6				0.5
24	1/27/2007 15:44			0.6				0.5
25	1/27/2007 15:59			0.6				0.5
26	1/27/2007 16:14			0.6				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	1/27/2007
Start Time:	8:08:37
Duration (dd:hh:mm:ss):	00:00:14:00
Time constant (seconds):	10
Log Interval (mm:ss):	1:00
Number of points:	14
Notes:	Background Reading (0915) = 0.016 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/27/2007	8:09:37	0.035	0.019	19
1/27/2007	8:10:37	0.041	0.025	25
1/27/2007	8:11:37	0.048	0.032	32
1/27/2007	8:12:37	0.05	0.034	34
1/27/2007	8:13:37	0.048	0.032	32
1/27/2007	8:14:37	0.038	0.022	22
1/27/2007	8:15:37	0.044	0.028	28
1/27/2007	8:16:37	0.035	0.019	19
1/27/2007	8:17:37	0.051	0.035	35
1/27/2007	8:18:37	0.04	0.024	24
1/27/2007	8:19:37	0.027	0.011	11
1/27/2007	8:20:37	0.031	0.015	15
1/27/2007	8:21:37	0.033	0.017	17
1/27/2007	10:15:21	0.017	0.001	1
1/27/2007	10:30:21	0.024	0.008	8
1/27/2007	10:45:21	0.024	0.008	8
1/27/2007	11:00:21	0.022	0.006	6
1/27/2007	11:15:21	0.02	0.004	4
1/27/2007	11:30:21	0.022	0.006	6
1/27/2007	11:45:21	0.021	0.005	5
1/27/2007	12:00:21	0.028	0.012	12
1/27/2007	12:15:21	0.028	0.012	12
1/27/2007	12:30:21	0.028	0.012	12
1/27/2007	12:45:21	0.034	0.018	18
1/27/2007	13:00:21	0.037	0.021	21
1/27/2007	13:15:21	0.034	0.018	18
1/27/2007	13:30:21	0.038	0.022	22
1/27/2007	13:45:21	0.035	0.019	19
1/27/2007	14:00:21	0.036	0.02	20
1/27/2007	14:15:21	0.028	0.012	12
1/27/2007	14:30:21	0.032	0.016	16
1/27/2007	14:45:21	0.034	0.018	18
1/27/2007	15:00:21	0.035	0.019	19
1/27/2007	15:15:21	0.04	0.024	24
1/27/2007	15:30:21	0.038	0.022	22
1/27/2007	15:45:21	0.04	0.024	24
1/27/2007	16:00:21	0.042	0.026	26
1/27/2007	16:15:21	0.043	0.027	27
1/27/2007	16:30:21	0.036	0.02	20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012 Background PID (0849) = 0.0 ppm

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/27/2007 08:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/27/2007 9:08			0				0
2	1/27/2007 9:23			0				0
3	1/27/2007 9:38			0				0
4	1/27/2007 9:53			0				0
5	1/27/2007 10:08			0				0
6	1/27/2007 10:23			0				0
7	1/27/2007 10:38			0				0
8	1/27/2007 10:53			0				0
9	1/27/2007 11:08			0				0
10	1/27/2007 11:23			0				0
11	1/27/2007 11:38			0				0
12	1/27/2007 11:53			0				0
13	1/27/2007 12:08			0				0
14	1/27/2007 12:23			0				0
15	1/27/2007 12:38			0				0
16	1/27/2007 12:53			0				0
17	1/27/2007 13:08			0				0
18	1/27/2007 13:23			0				0
19	1/27/2007 13:38			0				0
20	1/27/2007 13:53			0				0
21	1/27/2007 14:08			0				0
22	1/27/2007 14:23			0				0
23	1/27/2007 14:38			0				0
24	1/27/2007 14:53			0				0
25	1/27/2007 15:08			0				0
26	1/27/2007 15:23			0				0
27	1/27/2007 15:38			0				0
28	1/27/2007 15:53			0				0
29	1/27/2007 16:08			0				0
30	1/27/2007 16:23			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	1/27/2007
Start Time:	9:01:16
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0849) = 0.009 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/27/2007	9:16:16	0.011	0.002	2
1/27/2007	9:31:16	0.014	0.005	5
1/27/2007	9:46:16	0.017	0.008	8
1/27/2007	10:01:16	0.017	0.008	8
1/27/2007	10:16:16	0.025	0.016	16
1/27/2007	10:31:16	0.021	0.012	12
1/27/2007	10:46:16	0.024	0.015	15
1/27/2007	11:01:16	0.025	0.016	16
1/27/2007	11:16:16	0.024	0.015	15
1/27/2007	11:31:16	0.023	0.014	14
1/27/2007	11:46:16	0.04	0.031	31
1/27/2007	12:01:16	0.022	0.013	13
1/27/2007	12:16:16	0.029	0.02	20
1/27/2007	12:31:16	0.025	0.016	16
1/27/2007	12:46:16	0.029	0.02	20
1/27/2007	13:01:16	0.027	0.018	18
1/27/2007	13:16:16	0.028	0.019	19
1/27/2007	13:31:16	0.028	0.019	19
1/27/2007	13:46:16	0.031	0.022	22
1/27/2007	14:01:16	0.032	0.023	23
1/27/2007	14:16:16	0.027	0.018	18
1/27/2007	14:31:16	0.027	0.018	18
1/27/2007	14:46:16	0.028	0.019	19
1/27/2007	15:01:16	0.034	0.025	25
1/27/2007	15:16:16	0.038	0.029	29
1/27/2007	15:31:16	0.041	0.032	32
1/27/2007	15:46:16	0.034	0.025	25
1/27/2007	16:01:16	0.041	0.032	32
1/27/2007	16:16:16	0.035	0.026	26
1/27/2007	16:31:16	0.034	0.025	25
1/27/2007	16:46:16	0.039	0.03	30

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/29/2007 13:36

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1406) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/29/2007 14:28			0.1				0.1
2	1/29/2007 14:43			0.3				0.3
3	1/29/2007 14:58			0.5				0.5
4	1/29/2007 15:13			0.7				0.7
5	1/29/2007 15:28			0.8				0.8
6	1/29/2007 15:43			0.9				0.9
7	1/29/2007 15:58			1				1
8	1/29/2007 16:13			1				1
9	1/29/2007 16:28			1.1				1.1
10	1/29/2007 16:43			1.2				1.2
11	1/29/2007 16:58			1.2				1.2
12	1/29/2007 17:13			1.3				1.3
13	1/29/2007 17:28			1.4				1.4
14	1/29/2007 17:43			1.4				1.4
15	1/29/2007 17:58			1.5				1.5
16	1/29/2007 18:13			1.5				1.5
17	1/29/2007 18:28			1.5				1.5
18	1/29/2007 18:43			1.6				1.6
19	1/29/2007 18:58			1.6				1.6
20	1/29/2007 19:13			1.6				1.6
21	1/29/2007 19:28			1.6				1.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	1/29/2007
Start Time:	14:17:10
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	0:00:00
Log Interval (mm:ss):	15:00:00
Number of points:	0:00:00
Notes:	Background Reading (1406) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/29/2007	14:32:10	0.01	0	0
1/29/2007	14:47:10	0.009	-0.001	-1
1/29/2007	15:02:10	0.008	-0.002	-2
1/29/2007	15:17:10	0.008	-0.002	-2
1/29/2007	15:32:10	0.007	-0.003	-3
1/29/2007	15:47:10	0.007	-0.003	-3
1/29/2007	16:02:10	0.01	0	0
1/29/2007	16:17:10	0.01	0	0
1/29/2007	16:32:10	0.011	0.001	1
1/29/2007	16:47:10	0.012	0.002	2
1/29/2007	17:02:10	0.011	0.001	1
1/29/2007	17:17:10	0.01	0	0
1/29/2007	17:32:10	0.01	0	0
1/29/2007	17:47:10	0.012	0.002	2
1/29/2007	18:02:10	0.009	-0.001	-1
1/29/2007	18:17:10	0.009	-0.001	-1
1/29/2007	18:32:10	0.009	-0.001	-1
1/29/2007	18:47:10	0.008	-0.002	-2
1/29/2007	19:02:10	0.01	0	0
1/29/2007	19:17:10	0.009	-0.001	-1
1/29/2007	19:32:10	0.01	0	0
1/29/2007	19:47:10	0.01	0	0
1/29/2007	20:02:10	0.012	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011568

User ID: 00000001 Site ID: 00000043

Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/29/2007 11:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1400) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/29/2007 14:02:			0				0
2	1/29/2007 14:17:			0				0
3	1/29/2007 14:32:			0				0
4	1/29/2007 14:47:			0				0
5	1/29/2007 15:02:			0.1				0.1
6	1/29/2007 15:17:			0.2				0.2
7	1/29/2007 15:32:			0.2				0.2
8	1/29/2007 15:47:			0.3				0.3
9	1/29/2007 16:02:			0.4				0.4
10	1/29/2007 16:17:			0.4				0.4
11	1/29/2007 16:32:			0.4				0.4
12	1/29/2007 16:47:			0.5				0.5
13	1/29/2007 17:02:			0.5				0.5
14	1/29/2007 17:17:			0.6				0.6
15	1/29/2007 17:32:			0.6				0.6
16	1/29/2007 17:47:			0.6				0.6
17	1/29/2007 18:02:			0.7				0.7
18	1/29/2007 18:17:			0.7				0.7
19	1/29/2007 18:32:			0.7				0.7
20	1/29/2007 18:47:			0.7				0.7
21	1/29/2007 19:02:			0.7				0.7
22	1/29/2007 19:17:			0.7				0.7
23	1/29/2007 19:32:			0.7				0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	1/29/2007
Start Time:	14:14:51
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (1400) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/29/2007	14:29:51	0.006	0	0
1/29/2007	14:44:51	0.005	-0.001	-1
1/29/2007	14:59:51	0.004	-0.002	-2
1/29/2007	15:14:51	0.005	-0.001	-1
1/29/2007	15:29:51	0.004	-0.002	-2
1/29/2007	15:44:51	0.003	-0.003	-3
1/29/2007	15:59:51	0.004	-0.002	-2
1/29/2007	16:14:51	0.003	-0.003	-3
1/29/2007	16:29:51	0.003	-0.003	-3
1/29/2007	16:44:51	0.005	-0.001	-1
1/29/2007	16:59:51	0.003	-0.003	-3
1/29/2007	17:14:51	0.004	-0.002	-2
1/29/2007	17:29:51	0.005	-0.001	-1
1/29/2007	17:44:51	0.004	-0.002	-2
1/29/2007	17:59:51	0.003	-0.003	-3
1/29/2007	18:14:51	0.004	-0.002	-2
1/29/2007	18:29:51	0.004	-0.002	-2
1/29/2007	18:44:51	0.004	-0.002	-2
1/29/2007	18:59:51	0.004	-0.002	-2
1/29/2007	19:14:51	0.005	-0.001	-1
1/29/2007	19:29:51	0.005	-0.001	-1
1/29/2007	19:44:51	0.005	-0.001	-1
1/29/2007	19:59:51	0.006	0	0
1/29/2007	20:14:51	0.006	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/29/2007 13:29

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1435) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/29/2007 14:59			0.2				0.1
2	1/29/2007 15:14			0.3				0.2
3	1/29/2007 15:29			0.4				0.3
4	1/29/2007 15:44			0.5				0.4
5	1/29/2007 15:59			0.5				0.4
6	1/29/2007 16:14			0.5				0.4
7	1/29/2007 16:29			0.6				0.5
8	1/29/2007 16:44			0.6				0.5
9	1/29/2007 16:59			0.6				0.5
10	1/29/2007 17:14			0.7				0.6
11	1/29/2007 17:29			0.7				0.6
12	1/29/2007 17:44			0.7				0.6
13	1/29/2007 17:59			0.7				0.6
14	1/29/2007 18:14			0.8				0.7
15	1/29/2007 18:29			0.8				0.7
16	1/29/2007 18:44			0.8				0.7
17	1/29/2007 18:59			0.9				0.8
18	1/29/2007 19:14			0.9				0.8
19	1/29/2007 19:29			0.9				0.8

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	1/29/2007
Start Time:	14:47:49
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (1435) = 0.007 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/29/2007	15:02:49	0.008	0.001	1
1/29/2007	15:17:49	0.01	0.003	3
1/29/2007	15:32:49	0.006	-0.001	-1
1/29/2007	15:47:49	0.01	0.003	3
1/29/2007	16:02:49	0.006	-0.001	-1
1/29/2007	16:17:49	0.007	0	0
1/29/2007	16:32:49	0.012	0.005	5
1/29/2007	16:47:49	0.01	0.003	3
1/29/2007	17:02:49	0.009	0.002	2
1/29/2007	17:17:49	0.011	0.004	4
1/29/2007	17:32:49	0.009	0.002	2
1/29/2007	17:47:49	0.008	0.001	1
1/29/2007	18:02:49	0.009	0.002	2
1/29/2007	18:17:49	0.01	0.003	3
1/29/2007	18:32:49	0.009	0.002	2
1/29/2007	18:47:49	0.009	0.002	2
1/29/2007	19:02:49	0.01	0.003	3
1/29/2007	19:17:49	0.013	0.006	6
1/29/2007	19:32:49	0.012	0.005	5
1/29/2007	19:47:49	0.013	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163

User ID: 00000001 Site ID: 00000012

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/29/2007 13:30

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1425) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/29/2007 14:46			0				0
2	1/29/2007 15:01			0				0
3	1/29/2007 15:16			0.1				0.1
4	1/29/2007 15:31			0.1				0.1
5	1/29/2007 15:46			0.2				0.2
6	1/29/2007 16:01			0.3				0.3
7	1/29/2007 16:16			0.2				0.2
8	1/29/2007 16:31			0				0
9	1/29/2007 16:46			0				0
10	1/29/2007 17:01			0				0
11	1/29/2007 17:16			0				0
12	1/29/2007 17:31			0				0
13	1/29/2007 17:46			0				0
14	1/29/2007 18:01			0				0
15	1/29/2007 18:16			0				0
16	1/29/2007 18:31			0				0
17	1/29/2007 18:46			0				0
18	1/29/2007 19:01			0				0
19	1/29/2007 19:16			0				0
20	1/29/2007 19:31			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	1/29/2007
Start Time:	14:40:07
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (1425) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/29/2007	14:55:07	0.008	0.001	1
1/29/2007	15:10:07	0.008	0.001	1
1/29/2007	15:25:07	0.012	0.005	5
1/29/2007	15:40:07	0.012	0.005	5
1/29/2007	15:55:07	0.032	0.025	25
1/29/2007	16:10:07	0.024	0.017	17
1/29/2007	16:25:07	0.083	0.076	76
1/29/2007	16:40:07	0.027	0.02	20
1/29/2007	16:55:07	0.013	0.006	6
1/29/2007	17:10:07	0.015	0.008	8
1/29/2007	17:25:07	0.018	0.011	11
1/29/2007	17:40:07	0.021	0.014	14
1/29/2007	17:55:07	0.019	0.012	12
1/29/2007	18:10:07	0.018	0.011	11
1/29/2007	18:25:07	0.019	0.012	12
1/29/2007	18:40:07	0.016	0.009	9
1/29/2007	18:55:07	0.016	0.009	9
1/29/2007	19:10:07	0.014	0.007	7
1/29/2007	19:25:07	0.015	0.008	8
1/29/2007	19:40:07	0.016	0.009	9
1/29/2007	19:55:07	0.019	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/30/2007 13:19

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1344) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/30/2007 14:05			0.1				0.1
2	1/30/2007 14:20			0.3				0.3
3	1/30/2007 14:35			0.4				0.4
4	1/30/2007 14:50			0.5				0.5
5	1/30/2007 15:05			0.7				0.7
6	1/30/2007 15:20			0.7				0.7
7	1/30/2007 15:35			0.8				0.8
8	1/30/2007 15:50			0.9				0.9
9	1/30/2007 16:05			0.9				0.9
10	1/30/2007 16:20			0.9				0.9
11	1/30/2007 16:35			0.9				0.9
12	1/30/2007 16:50			0.9				0.9
13	1/30/2007 17:05			0.9				0.9
14	1/30/2007 17:20			0.9				0.9
15	1/30/2007 17:35			1				1
16	1/30/2007 17:50			1				1
17	1/30/2007 18:05			1				1
18	1/30/2007 18:20			1				1
19	1/30/2007 18:35			1				1
20	1/30/2007 18:50			1				1
21	1/30/2007 19:05			1				1
22	1/30/2007 19:20			1				1
23	1/30/2007 19:35			0.9				0.9

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	1/30/2007
Start Time:	13:54:59
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (1344) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	11/2/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/30/2007	14:09:59	0.025	0.001	1
1/30/2007	14:24:59	0.024	0	0
1/30/2007	14:39:59	0.025	0.001	1
1/30/2007	14:54:59	0.027	0.003	3
1/30/2007	15:09:59	0.026	0.002	2
1/30/2007	15:24:59	0.027	0.003	3
1/30/2007	15:39:59	0.028	0.004	4
1/30/2007	15:54:59	0.028	0.004	4
1/30/2007	16:09:59	0.027	0.003	3
1/30/2007	16:24:59	0.024	0	0
1/30/2007	16:39:59	0.024	0	0
1/30/2007	16:54:59	0.022	-0.002	-2
1/30/2007	17:09:59	0.02	-0.004	-4
1/30/2007	17:24:59	0.018	-0.006	-6
1/30/2007	17:39:59	0.017	-0.007	-7
1/30/2007	17:54:59	0.017	-0.007	-7
1/30/2007	18:09:59	0.019	-0.005	-5
1/30/2007	18:24:59	0.02	-0.004	-4
1/30/2007	18:39:59	0.025	0.001	1
1/30/2007	18:54:59	0.027	0.003	3
1/30/2007	19:09:59	0.025	0.001	1
1/30/2007	19:24:59	0.026	0.002	2
1/30/2007	19:39:59	0.033	0.009	9
1/30/2007	19:54:59	0.036	0.012	12

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/30/2007 13:15

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1340) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/30/2007 13:56			0.1				0.1
2	1/30/2007 14:11			0.3				0.3
3	1/30/2007 14:26			0.5				0.5
4	1/30/2007 14:41			0.6				0.6
5	1/30/2007 14:56			0.7				0.7
6	1/30/2007 15:11			0.8				0.8
7	1/30/2007 15:26			0.9				0.9
8	1/30/2007 15:41			0.9				0.9
9	1/30/2007 15:56			1				1
10	1/30/2007 16:11			1.1				1.1
11	1/30/2007 16:26			1.1				1.1
12	1/30/2007 16:41			1.1				1.1
13	1/30/2007 16:56			1.2				1.2
14	1/30/2007 17:11			1.2				1.2
15	1/30/2007 17:26			1.3				1.3
16	1/30/2007 17:41			1.3				1.3
17	1/30/2007 17:56			1.2				1.2
18	1/30/2007 18:11			1.2				1.2
19	1/30/2007 18:26			1.2				1.2
20	1/30/2007 18:41			1.2				1.2
21	1/30/2007 18:56			1.3				1.3
22	1/30/2007 19:11			1.3				1.3
23	1/30/2007 19:26			1.2				1.2
24	1/30/2007 19:41			1.2				1.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	1/30/2007
Start Time:	13:54:53
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	Background Reading (1340) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/30/2007	14:09:53	0.017	0.002	2
1/30/2007	14:24:53	0.015	0	0
1/30/2007	14:39:53	0.016	0.001	1
1/30/2007	14:54:53	0.017	0.002	2
1/30/2007	15:09:53	0.017	0.002	2
1/30/2007	15:24:53	0.018	0.003	3
1/30/2007	15:39:53	0.018	0.003	3
1/30/2007	15:54:53	0.018	0.003	3
1/30/2007	16:09:53	0.017	0.002	2
1/30/2007	16:24:53	0.015	0	0
1/30/2007	16:39:53	0.014	-0.001	-1
1/30/2007	16:54:53	0.014	-0.001	-1
1/30/2007	17:09:53	0.012	-0.003	-3
1/30/2007	17:24:53	0.011	-0.004	-4
1/30/2007	17:39:53	0.01	-0.005	-5
1/30/2007	17:54:53	0.01	-0.005	-5
1/30/2007	18:09:53	0.011	-0.004	-4
1/30/2007	18:24:53	0.011	-0.004	-4
1/30/2007	18:39:53	0.014	-0.001	-1
1/30/2007	18:54:53	0.016	0.001	1
1/30/2007	19:09:53	0.016	0.001	1
1/30/2007	19:24:53	0.016	0.001	1
1/30/2007	19:39:53	0.019	0.004	4
1/30/2007	19:54:53	0.02	0.005	5
1/30/2007	20:09:53	0.021	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/30/2007 13:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1412) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/30/2007 14:35			0.2				0.1
2	1/30/2007 14:50			0.2				0.1
3	1/30/2007 15:05			0.3				0.2
4	1/30/2007 15:20			0.3				0.2
5	1/30/2007 15:35			0.3				0.2
6	1/30/2007 15:50			0.4				0.3
7	1/30/2007 16:05			0.4				0.3
8	1/30/2007 16:20			0.4				0.3
9	1/30/2007 16:35			0.4				0.3
10	1/30/2007 16:50			0.4				0.3
11	1/30/2007 17:05			0.5				0.4
12	1/30/2007 17:20			0.5				0.4
13	1/30/2007 17:35			0.5				0.4
14	1/30/2007 17:50			0.6				0.5
15	1/30/2007 18:05			0.6				0.5
16	1/30/2007 18:20			0.6				0.5
17	1/30/2007 18:35			0.6				0.5
18	1/30/2007 18:50			0.6				0.5
19	1/30/2007 19:05			0.6				0.5
20	1/30/2007 19:20			0.6				0.5
21	1/30/2007 19:35			0.7				0.6

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	1/30/2007
Start Time:	15:33:52
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (1412) = 0.025 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/30/2007	15:48:52	0.033	0.008	8
1/30/2007	16:03:52	0.034	0.009	9
1/30/2007	16:18:52	0.033	0.008	8
1/30/2007	16:33:52	0.03	0.005	5
1/30/2007	16:48:52	0.028	0.003	3
1/30/2007	17:03:52	0.026	0.001	1
1/30/2007	17:18:52	0.024	-0.001	-1
1/30/2007	17:33:52	0.02	-0.005	-5
1/30/2007	17:48:52	0.021	-0.004	-4
1/30/2007	18:03:52	0.021	-0.004	-4
1/30/2007	18:18:52	0.022	-0.003	-3
1/30/2007	18:33:52	0.03	0.005	5
1/30/2007	18:48:52	0.033	0.008	8
1/30/2007	19:03:52	0.032	0.007	7
1/30/2007	19:18:52	0.031	0.006	6
1/30/2007	19:33:52	0.033	0.008	8
1/30/2007	19:48:52	0.033	0.008	8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/30/2007 13:20

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1402) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm	Avg-background(ppm)
1	1/30/2007 14:23		0		0
2	1/30/2007 14:38		0		0
3	1/30/2007 14:53		0.1		0.1
4	1/30/2007 15:08		0.1		0.1
5	1/30/2007 15:23		0.1		0.1
6	1/30/2007 15:38		0.1		0.1
7	1/30/2007 15:53		0.1		0.1
8	1/30/2007 16:08		0.1		0.1
9	1/30/2007 16:23		0.1		0.1
10	1/30/2007 16:38		0.1		0.1
11	1/30/2007 16:53		0.1		0.1
12	1/30/2007 17:08		0.1		0.1
13	1/30/2007 17:23		0.1		0.1
14	1/30/2007 17:38		0.1		0.1
15	1/30/2007 17:53		0.1		0.1
16	1/30/2007 18:08		0.1		0.1
17	1/30/2007 18:23		0.1		0.1
18	1/30/2007 18:38		0		0
19	1/30/2007 18:53		0		0
20	1/30/2007 19:08		0		0
21	1/30/2007 19:23		0		0
22	1/30/2007 19:38		0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	1/30/2007
Start Time:	14:17:14
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (1402) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/30/2007	14:32:14	0.021	0.003	3
1/30/2007	14:47:14	0.024	0.006	6
1/30/2007	15:02:14	0.025	0.007	7
1/30/2007	15:17:14	0.026	0.008	8
1/30/2007	15:32:14	0.024	0.006	6
1/30/2007	15:47:14	0.028	0.01	10
1/30/2007	16:02:14	0.034	0.016	16
1/30/2007	16:17:14	0.025	0.007	7
1/30/2007	16:32:14	0.025	0.007	7
1/30/2007	16:47:14	0.024	0.006	6
1/30/2007	17:02:14	0.025	0.007	7
1/30/2007	17:17:14	0.02	0.002	2
1/30/2007	17:32:14	0.019	0.001	1
1/30/2007	17:47:14	0.021	0.003	3
1/30/2007	18:02:14	0.019	0.001	1
1/30/2007	18:17:14	0.022	0.004	4
1/30/2007	18:32:14	0.027	0.009	9
1/30/2007	18:47:14	0.05	0.032	32
1/30/2007	19:02:14	0.04	0.022	22
1/30/2007	19:17:14	0.031	0.013	13
1/30/2007	19:32:14	0.043	0.025	25
1/30/2007	19:47:14	0.043	0.025	25
1/30/2007	20:02:14	0.039	0.021	21

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/31/2007 13:22

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1403) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/31/2007 14:23			0.1				0.1
2	1/31/2007 14:38			0.2				0.2
3	1/31/2007 14:53			0.2				0.2
4	1/31/2007 15:08			0.6				0.6
5	1/31/2007 15:23			0.4				0.4
6	1/31/2007 15:38			0.4				0.4
7	1/31/2007 15:53			0.4				0.4
8	1/31/2007 16:08			0.5				0.5
9	1/31/2007 16:23			0.5				0.5
10	1/31/2007 16:38			0.5				0.5
11	1/31/2007 16:53			0.5				0.5
12	1/31/2007 17:08			0.5				0.5
13	1/31/2007 17:23			0.5				0.5
14	1/31/2007 17:38			0.6				0.6
15	1/31/2007 17:53			0.6				0.6
16	1/31/2007 18:08			0.6				0.6
17	1/31/2007 18:23			0.6				0.6
18	1/31/2007 18:38			0.6				0.6
19	1/31/2007 18:53			0.6				0.6
20	1/31/2007 19:08			0.6				0.6
21	1/31/2007 19:23			0.6				0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	1/31/2007
Start Time:	14:12:18
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1403) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/31/2007	14:27:18	0.014	-0.001	-1
1/31/2007	14:42:18	0.013	-0.002	-2
1/31/2007	14:57:18	0.012	-0.003	-3
1/31/2007	15:12:18	0.012	-0.003	-3
1/31/2007	15:27:18	0.062	0.047	47
1/31/2007	15:42:18	0.016	0.001	1
1/31/2007	15:57:18	0.014	-0.001	-1
1/31/2007	16:12:18	0.014	-0.001	-1
1/31/2007	16:27:18	0.013	-0.002	-2
1/31/2007	16:42:18	0.016	0.001	1
1/31/2007	16:57:18	0.018	0.003	3
1/31/2007	17:12:18	0.017	0.002	2
1/31/2007	17:27:18	0.018	0.003	3
1/31/2007	17:42:18	0.019	0.004	4
1/31/2007	17:57:18	0.018	0.003	3
1/31/2007	18:12:18	0.02	0.005	5
1/31/2007	18:27:18	0.02	0.005	5
1/31/2007	18:42:18	0.021	0.006	6
1/31/2007	18:57:18	0.021	0.006	6
1/31/2007	19:12:18	0.021	0.006	6
1/31/2007	19:27:18	0.022	0.007	7
1/31/2007	19:42:18	0.023	0.008	8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 1/31/2007 13:12

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1457) = 0.4 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/31/2007 14:56:00			0.4				0
2	1/31/2007 15:11:00			0.5				0.1
3	1/31/2007 15:26:00			0.7				0.3
4	1/31/2007 15:41:00			0.8				0.4
5	1/31/2007 15:56:00			0.9				0.5
6	1/31/2007 16:11:00			1				0.6
7	1/31/2007 16:26:00			1				0.6
8	1/31/2007 16:41:00			1.1				0.7
9	1/31/2007 16:56:00			1.1				0.7
10	1/31/2007 17:11:00			1.1				0.7
11	1/31/2007 17:26:00			1.2				0.8
12	1/31/2007 17:41:00			1.2				0.8
13	1/31/2007 17:56:00			1.2				0.8
14	1/31/2007 18:11:00			1.2				0.8
15	1/31/2007 18:26:00			1.3				0.9
16	1/31/2007 18:41:00			1.3				0.9
17	1/31/2007 18:56:00			1.4				1
18	1/31/2007 19:11:00			1.4				1
19	1/31/2007 19:26:00			1.4				1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	1/31/2007
Start Time:	15:11:28
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (1457) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/31/2007	15:26:28	0.008	0.001	1
1/31/2007	15:41:28	0.008	0.001	1
1/31/2007	15:56:28	0.008	0.001	1
1/31/2007	16:11:28	0.009	0.002	2
1/31/2007	16:26:28	0.009	0.002	2
1/31/2007	16:41:28	0.008	0.001	1
1/31/2007	16:56:28	0.008	0.001	1
1/31/2007	17:11:28	0.011	0.004	4
1/31/2007	17:26:28	0.011	0.004	4
1/31/2007	17:41:28	0.011	0.004	4
1/31/2007	17:56:28	0.01	0.003	3
1/31/2007	18:11:28	0.011	0.004	4
1/31/2007	18:26:28	0.012	0.005	5
1/31/2007	18:41:28	0.012	0.005	5
1/31/2007	18:56:28	0.012	0.005	5
1/31/2007	19:11:28	0.013	0.006	6
1/31/2007	19:26:28	0.014	0.007	7
1/31/2007	19:41:28	0.014	0.007	7
1/31/2007	19:56:28	0.013	0.006	6
1/31/2007	20:11:28	0.014	0.007	7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/31/2007 13:24

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1442) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/31/2007 15:02			0.2				0
2	1/31/2007 15:17			0.4				0.2
3	1/31/2007 15:32			0.3				0.1
4	1/31/2007 15:47			0.4				0.2
5	1/31/2007 16:02			0.4				0.2
6	1/31/2007 16:17			0.4				0.2
7	1/31/2007 16:32			0.4				0.2
8	1/31/2007 16:47			0.4				0.2
9	1/31/2007 17:02			0.4				0.2
10	1/31/2007 17:17			0.5				0.3
11	1/31/2007 17:32			0.5				0.3
12	1/31/2007 17:47			0.5				0.3
13	1/31/2007 18:02			0.5				0.3
14	1/31/2007 18:17			0.5				0.3
15	1/31/2007 18:32			0.6				0.4
16	1/31/2007 18:47			0.6				0.4
17	1/31/2007 19:02			0.6				0.4
18	1/31/2007 19:17			0.6				0.4
19	1/31/2007 19:32			0.6				0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	1/31/2007
Start Time:	14:52:47
Duration (dd:hh:mm:ss):	00:00:01:00
Time constant (seconds):	10
Log Interval (mm:ss):	1:00
Number of points:	1
Notes:	Background Reading (1442) = 0.014 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/31/2007	14:53:47	0.014	0	0
1/31/2007	15:09:10	0.015	0.001	1
1/31/2007	15:24:10	0.022	0.008	8
1/31/2007	15:39:10	0.017	0.003	3
1/31/2007	15:54:10	0.017	0.003	3
1/31/2007	16:09:10	0.017	0.003	3
1/31/2007	16:24:10	0.017	0.003	3
1/31/2007	16:39:10	0.016	0.002	2
1/31/2007	16:54:10	0.018	0.004	4
1/31/2007	17:09:10	0.022	0.008	8
1/31/2007	17:24:10	0.023	0.009	9
1/31/2007	17:39:10	0.021	0.007	7
1/31/2007	17:54:10	0.022	0.008	8
1/31/2007	18:09:10	0.021	0.007	7
1/31/2007	18:24:10	0.021	0.007	7
1/31/2007	18:39:10	0.022	0.008	8
1/31/2007	18:54:10	0.022	0.008	8
1/31/2007	19:09:10	0.024	0.01	10
1/31/2007	19:24:10	0.026	0.012	12
1/31/2007	19:39:10	0.024	0.01	10
1/31/2007	19:54:10	0.023	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 01/31/2007 13:21

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1436) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	1/31/2007 14:54			0				0
2	1/31/2007 15:09			0				0
3	1/31/2007 15:24			0				0
4	1/31/2007 15:39			0				0
5	1/31/2007 15:54			0				0
6	1/31/2007 16:09			0				0
7	1/31/2007 16:24			0				0
8	1/31/2007 16:39			0				0
9	1/31/2007 16:54			0				0
10	1/31/2007 17:09			0				0
11	1/31/2007 17:24			0				0
12	1/31/2007 17:39			0				0
13	1/31/2007 17:54			0				0
14	1/31/2007 18:09			0				0
15	1/31/2007 18:24			0				0
16	1/31/2007 18:39			0				0
17	1/31/2007 18:54			0				0
18	1/31/2007 19:09			0				0
19	1/31/2007 19:24			0				0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	1/31/2007
Start Time:	14:44:51
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (1436) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
1/31/2007	14:59:51	0.019	0.003	3
1/31/2007	15:14:51	0.018	0.002	2
1/31/2007	15:34:58	0.018	0.002	2
1/31/2007	15:49:58	0.018	0.002	2
1/31/2007	16:04:58	0.018	0.002	2
1/31/2007	16:19:58	0.024	0.008	8
1/31/2007	16:34:58	0.027	0.011	11
1/31/2007	16:49:58	0.032	0.016	16
1/31/2007	17:04:58	0.027	0.011	11
1/31/2007	17:19:58	0.027	0.011	11
1/31/2007	17:34:58	0.02	0.004	4
1/31/2007	17:49:58	0.019	0.003	3
1/31/2007	18:04:58	0.048	0.032	32
1/31/2007	18:19:58	0.025	0.009	9
1/31/2007	18:34:58	0.035	0.019	19
1/31/2007	18:49:58	0.027	0.011	11
1/31/2007	19:04:58	0.028	0.012	12
1/31/2007	19:19:58	0.074	0.058	58
1/31/2007	19:34:58	0.069	0.053	53
1/31/2007	19:49:58	0.048	0.032	32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/01/2007 13:00

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1338) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/1/2007 13:58	0.1		0.1
2	2/1/2007 14:13	0.2		0.2
3	2/1/2007 14:28	0.3		0.3
4	2/1/2007 14:43	0.4		0.4
5	2/1/2007 14:58	0.4		0.4
6	2/1/2007 15:13	0.5		0.5
7	2/1/2007 15:28	0.5		0.5
8	2/1/2007 15:43	0.6		0.6
9	2/1/2007 15:58	0.6		0.6
10	2/1/2007 16:13	0.6		0.6
11	2/1/2007 16:28	0.6		0.6
12	2/1/2007 16:43	0.6		0.6
13	2/1/2007 16:58	0.6		0.6
14	2/1/2007 17:13	0.6		0.6
15	2/1/2007 17:28	0.6		0.6
16	2/1/2007 17:43	0.6		0.6
17	2/1/2007 17:58	0.6		0.6
18	2/1/2007 18:13	0.6		0.6
19	2/1/2007 18:28	0.6		0.6
20	2/1/2007 18:43	0.6		0.6
21	2/1/2007 18:58	0.6		0.6
22	2/1/2007 19:13	0.6		0.6
23	2/1/2007 19:28	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	2/1/2007
Start Time:	13:48:59
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (1338) = 0.037 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/1/2007	14:03:59	0.037	0	0
2/1/2007	14:18:59	0.038	0.001	1
2/1/2007	14:33:59	0.039	0.002	2
2/1/2007	14:48:59	0.042	0.005	5
2/1/2007	15:03:59	0.045	0.008	8
2/1/2007	15:18:59	0.044	0.007	7
2/1/2007	15:33:59	0.054	0.017	17
2/1/2007	15:48:59	0.048	0.011	11
2/1/2007	16:03:59	0.054	0.017	17
2/1/2007	16:18:59	0.051	0.014	14
2/1/2007	16:33:59	0.049	0.012	12
2/1/2007	16:48:59	0.049	0.012	12
2/1/2007	17:03:59	0.051	0.014	14
2/1/2007	17:18:59	0.052	0.015	15
2/1/2007	17:33:59	0.055	0.018	18
2/1/2007	17:48:59	0.054	0.017	17
2/1/2007	18:03:59	0.054	0.017	17
2/1/2007	18:18:59	0.056	0.019	19
2/1/2007	18:33:59	0.06	0.023	23
2/1/2007	18:48:59	0.062	0.025	25
2/1/2007	19:03:59	0.064	0.027	27
2/1/2007	19:18:59	0.063	0.026	26
2/1/2007	19:33:59	0.064	0.027	27
2/1/2007	19:48:59	0.061	0.024	24

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/01/2007 12:54

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1337) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/1/2007 13:50	0		0
2	2/1/2007 14:05	0.1		0.1
3	2/1/2007 14:20	0.2		0.2
4	2/1/2007 14:35	0.2		0.2
5	2/1/2007 14:50	0.3		0.3
6	2/1/2007 15:05	0.3		0.3
7	2/1/2007 15:20	0.4		0.4
8	2/1/2007 15:35	0.4		0.4
9	2/1/2007 15:50	0.4		0.4
10	2/1/2007 16:05	0.4		0.4
11	2/1/2007 16:20	0.4		0.4
12	2/1/2007 16:35	0.5		0.5
13	2/1/2007 16:50	0.5		0.5
14	2/1/2007 17:05	0.5		0.5
15	2/1/2007 17:20	0.5		0.5
16	2/1/2007 17:35	0.6		0.6
17	2/1/2007 17:50	0.6		0.6
18	2/1/2007 18:05	0.6		0.6
19	2/1/2007 18:20	0.6		0.6
20	2/1/2007 18:35	0.6		0.6
21	2/1/2007 18:50	0.6		0.6
22	2/1/2007 19:05	0.6		0.6
23	2/1/2007 19:20	0.6		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	2/1/2007
Start Time:	13:49:31
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	7
Notes:	

Background Reading (1337) = 0.025 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/1/2007	14:04:31	0.025	0	0
2/1/2007	14:19:31	0.025	0	0
2/1/2007	14:34:31	0.024	-0.001	-1
2/1/2007	14:49:31	0.026	0.001	1
2/1/2007	15:04:31	0.028	0.003	3
2/1/2007	15:19:31	0.027	0.002	2
2/1/2007	15:34:31	0.029	0.004	4
2/1/2007	16:00:08	0.029	0.004	4
2/1/2007	16:15:08	0.031	0.006	6
2/1/2007	16:30:08	0.031	0.006	6
2/1/2007	16:45:08	0.029	0.004	4
2/1/2007	17:00:08	0.031	0.006	6
2/1/2007	17:15:08	0.033	0.008	8
2/1/2007	17:30:08	0.035	0.01	10
2/1/2007	17:45:08	0.032	0.007	7
2/1/2007	18:00:08	0.033	0.008	8
2/1/2007	18:15:08	0.034	0.009	9
2/1/2007	18:30:08	0.035	0.01	10
2/1/2007	18:45:08	0.036	0.011	11
2/1/2007	19:00:08	0.037	0.012	12
2/1/2007	19:15:08	0.038	0.013	13
2/1/2007	19:30:08	0.037	0.012	12
2/1/2007	19:45:08	0.037	0.012	12
2/1/2007	20:00:08	0.036	0.011	11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/01/2007 13:02

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1400) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/1/2007 14:18	0.3		0.2
2	2/1/2007 14:33	0.4		0.3
3	2/1/2007 14:48	0.5		0.4
4	2/1/2007 15:03	0.5		0.4
5	2/1/2007 15:18	0.5		0.4
6	2/1/2007 15:33	0.5		0.4
7	2/1/2007 15:48	0.6		0.5
8	2/1/2007 16:03	0.6		0.5
9	2/1/2007 16:18	0.6		0.5
10	2/1/2007 16:33	0.6		0.5
11	2/1/2007 16:48	0.6		0.5
12	2/1/2007 17:03	0.6		0.5
13	2/1/2007 17:18	0.7		0.6
14	2/1/2007 17:33	0.7		0.6
15	2/1/2007 17:48	0.7		0.6
16	2/1/2007 18:03	0.7		0.6
17	2/1/2007 18:18	0.7		0.6
18	2/1/2007 18:33	0.7		0.6
19	2/1/2007 18:48	0.7		0.6
20	2/1/2007 19:03	0.7		0.6
21	2/1/2007 19:18	0.7		0.6

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	2/1/2007
Start Time:	14:05:12
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	

Background Reading (1400) = 0.038 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/1/2007	14:20:12	0.042	0.004	4
2/1/2007	14:35:12	0.041	0.003	3
2/1/2007	14:50:12	0.045	0.007	7
2/1/2007	15:05:12	0.046	0.008	8
2/1/2007	15:31:05	0.055	0.017	17
2/1/2007	15:46:05	0.054	0.016	16
2/1/2007	16:01:05	0.055	0.017	17
2/1/2007	16:16:05	0.056	0.018	18
2/1/2007	16:31:05	0.061	0.023	23
2/1/2007	16:46:05	0.059	0.021	21
2/1/2007	17:01:05	0.059	0.021	21
2/1/2007	17:16:05	0.062	0.024	24
2/1/2007	17:31:05	0.058	0.02	20
2/1/2007	17:46:05	0.054	0.016	16
2/1/2007	18:01:05	0.055	0.017	17
2/1/2007	18:16:05	0.058	0.02	20
2/1/2007	18:31:05	0.061	0.023	23
2/1/2007	18:46:05	0.063	0.025	25
2/1/2007	19:01:05	0.063	0.025	25
2/1/2007	19:16:05	0.062	0.024	24
2/1/2007	19:31:05	0.063	0.025	25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/01/2007 13:02

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1350) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/1/2007 14:09	0		-0.1
2	2/1/2007 14:24	0		-0.1
3	2/1/2007 14:39	0		-0.1
4	2/1/2007 14:54	0		-0.1
5	2/1/2007 15:09	0		-0.1
6	2/1/2007 15:24	0		-0.1
7	2/1/2007 15:39	0		-0.1
8	2/1/2007 15:54	0		-0.1
9	2/1/2007 16:09	0		-0.1
10	2/1/2007 16:24	0		-0.1
11	2/1/2007 16:39	0		-0.1
12	2/1/2007 16:54	0		-0.1
13	2/1/2007 17:09	0		-0.1
14	2/1/2007 17:24	0		-0.1
15	2/1/2007 17:39	0		-0.1
16	2/1/2007 17:54	0		-0.1
17	2/1/2007 18:09	0		-0.1
18	2/1/2007 18:24	0		-0.1
19	2/1/2007 18:39	0		-0.1
20	2/1/2007 18:54	0		-0.1
21	2/1/2007 19:09	0		-0.1
22	2/1/2007 19:24	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	2/1/2007
Start Time:	14:01:58
Duration (dd:hh:mm:ss):	00:01:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	5
Notes:	

Background Reading (1350) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/1/2007	14:16:58	0.033	0	0
2/1/2007	14:31:58	0.033	0	0
2/1/2007	14:46:58	0.036	0.003	3
2/1/2007	15:01:58	0.038	0.005	5
2/1/2007	15:16:58	0.038	0.005	5
2/1/2007	15:43:55	0.044	0.011	11
2/1/2007	15:58:55	0.045	0.012	12
2/1/2007	16:24:04	0.049	0.016	16
2/1/2007	16:39:04	0.087	0.054	54
2/1/2007	16:54:04	0.052	0.019	19
2/1/2007	17:09:04	0.059	0.026	26
2/1/2007	17:24:04	0.06	0.027	27
2/1/2007	17:39:04	0.064	0.031	31
2/1/2007	17:54:04	0.07	0.037	37
2/1/2007	18:09:04	0.062	0.029	29
2/1/2007	18:24:04	0.076	0.043	43
2/1/2007	18:39:04	0.058	0.025	25
2/1/2007	18:54:04	0.104	0.071	71
2/1/2007	19:09:04	0.073	0.04	40
2/1/2007	19:24:04	0.067	0.034	34
2/1/2007	19:39:04	0.086	0.053	53

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/02/2007 13:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1353) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/2/2007 14:15	0.1		0.1
2	2/2/2007 14:30	0.2		0.2
3	2/2/2007 14:45	0.2		0.2
4	2/2/2007 15:00	0.3		0.3
5	2/2/2007 15:15	0.3		0.3
6	2/2/2007 15:30	0.3		0.3
7	2/2/2007 15:45	0.4		0.4
8	2/2/2007 16:00	0.4		0.4
9	2/2/2007 16:15	0.4		0.4
10	2/2/2007 16:30	0.4		0.4
11	2/2/2007 16:45	0.4		0.4
12	2/2/2007 17:00	0.4		0.4
13	2/2/2007 17:15	0.4		0.4
14	2/2/2007 17:30	0.4		0.4
15	2/2/2007 17:45	0.4		0.4
16	2/2/2007 18:00	0.3		0.3
17	2/2/2007 18:15	0.3		0.3
18	2/2/2007 18:30	0.3		0.3
19	2/2/2007 18:45	0.3		0.3
20	2/2/2007 19:00	0.3		0.3
21	2/2/2007 19:15	0.4		0.4
22	2/2/2007 19:30	0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	2/2/2007
Start Time:	14:04:47
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	

Background Reading (1353) = 0.088 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/2/2007	14:19:47	0.09	0.002	2
2/2/2007	14:34:47	0.11	0.022	22
2/2/2007	14:49:47	0.089	0.001	1
2/2/2007	15:04:47	0.086	-0.002	-2
2/2/2007	15:19:47	0.093	0.005	5
2/2/2007	15:34:47	0.098	0.01	10
2/2/2007	15:49:47	0.091	0.003	3
2/2/2007	16:04:47	0.09	0.002	2
2/2/2007	16:19:47	0.092	0.004	4
2/2/2007	16:34:47	0.095	0.007	7
2/2/2007	16:49:47	0.098	0.01	10
2/2/2007	17:04:47	0.101	0.013	13
2/2/2007	17:19:47	0.112	0.024	24
2/2/2007	17:34:47	0.11	0.022	22
2/2/2007	17:49:47	0.113	0.025	25
2/2/2007	18:04:47	0.109	0.021	21
2/2/2007	18:19:47	0.113	0.025	25
2/2/2007	18:34:47	0.114	0.026	26
2/2/2007	18:49:47	0.11	0.022	22
2/2/2007	19:04:47	0.11	0.022	22
2/2/2007	19:19:47	0.115	0.027	27
2/2/2007	19:34:47	0.142	0.054	54
2/2/2007	19:49:47	0.111	0.023	23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/02/2007 13:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1350) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/2/2007 14:05	0.1		0.1
2	2/2/2007 14:20	0.2		0.2
3	2/2/2007 14:35	0.3		0.3
4	2/2/2007 14:50	0.3		0.3
5	2/2/2007 15:05	0.4		0.4
6	2/2/2007 15:20	0.4		0.4
7	2/2/2007 15:35	0.4		0.4
8	2/2/2007 15:50	0.4		0.4
9	2/2/2007 16:05	0.5		0.5
10	2/2/2007 16:20	0.5		0.5
11	2/2/2007 16:35	0.5		0.5
12	2/2/2007 16:50	0.5		0.5
13	2/2/2007 17:05	0.5		0.5
14	2/2/2007 17:20	0.6		0.6
15	2/2/2007 17:35	0.5		0.5
16	2/2/2007 17:50	0.6		0.6
17	2/2/2007 18:05	0.6		0.6
18	2/2/2007 18:20	0.6		0.6
19	2/2/2007 18:35	0.6		0.6
20	2/2/2007 18:50	0.6		0.6
21	2/2/2007 19:05	0.6		0.6
22	2/2/2007 19:20	0.6		0.6
23	2/2/2007 19:35	0.6		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	2/2/2007
Start Time:	14:04:07
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	

Background Reading (1350) = 0.056 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/2/2007	14:19:07	0.059	0.003	3
2/2/2007	14:34:07	0.073	0.017	17
2/2/2007	14:49:07	0.064	0.008	8
2/2/2007	15:04:07	0.058	0.002	2
2/2/2007	15:19:07	0.061	0.005	5
2/2/2007	15:34:07	0.063	0.007	7
2/2/2007	15:49:07	0.062	0.006	6
2/2/2007	16:04:07	0.06	0.004	4
2/2/2007	16:19:07	0.06	0.004	4
2/2/2007	16:34:07	0.062	0.006	6
2/2/2007	16:49:07	0.064	0.008	8
2/2/2007	17:04:07	0.066	0.01	10
2/2/2007	17:19:07	0.07	0.014	14
2/2/2007	17:34:07	0.072	0.016	16
2/2/2007	17:49:07	0.076	0.02	20
2/2/2007	18:04:07	0.073	0.017	17
2/2/2007	18:19:07	0.075	0.019	19
2/2/2007	18:34:07	0.076	0.02	20
2/2/2007	18:49:07	0.078	0.022	22
2/2/2007	19:04:07	0.076	0.02	20
2/2/2007	19:19:07	0.074	0.018	18
2/2/2007	19:34:07	0.083	0.027	27
2/2/2007	19:49:07	0.072	0.016	16
2/2/2007	20:04:07	0.048	-0.008	-8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/02/2007 13:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1421) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/2/2007 14:37	0.3		0.3
2	2/2/2007 14:52	0.4		0.4
3	2/2/2007 15:07	0.5		0.5
4	2/2/2007 15:22	0.5		0.5
5	2/2/2007 15:37	0.5		0.5
6	2/2/2007 15:52	0.5		0.5
7	2/2/2007 16:07	0.6		0.6
8	2/2/2007 16:22	0.6		0.6
9	2/2/2007 16:37	0.6		0.6
10	2/2/2007 16:52	0.6		0.6
11	2/2/2007 17:07	0.6		0.6
12	2/2/2007 17:22	0.6		0.6
13	2/2/2007 17:37	0.6		0.6
14	2/2/2007 17:52	0.6		0.6
15	2/2/2007 18:07	0.7		0.7
16	2/2/2007 18:22	0.7		0.7
17	2/2/2007 18:37	0.7		0.7
18	2/2/2007 18:52	0.7		0.7
19	2/2/2007 19:07	0.7		0.7
20	2/2/2007 19:22	0.7		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/2/2007
Start Time:	14:28:58
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (1421) = 0.110 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/2/2007	14:43:58	0.11	0	0
2/2/2007	14:58:58	0.094	-0.016	-16
2/2/2007	15:13:58	0.101	-0.009	-9
2/2/2007	15:28:58	0.105	-0.005	-5
2/2/2007	15:43:58	0.106	-0.004	-4
2/2/2007	15:58:58	0.097	-0.013	-13
2/2/2007	16:13:58	0.103	-0.007	-7
2/2/2007	16:28:58	0.106	-0.004	-4
2/2/2007	16:43:58	0.105	-0.005	-5
2/2/2007	16:58:58	0.11	0	0
2/2/2007	17:13:58	0.119	0.009	9
2/2/2007	17:28:58	0.119	0.009	9
2/2/2007	17:43:58	0.122	0.012	12
2/2/2007	17:58:58	0.116	0.006	6
2/2/2007	18:13:58	0.12	0.01	10
2/2/2007	18:28:58	0.121	0.011	11
2/2/2007	18:43:58	0.117	0.007	7
2/2/2007	18:58:58	0.122	0.012	12
2/2/2007	19:13:58	0.134	0.024	24
2/2/2007	19:28:58	0.14	0.03	30
2/2/2007	19:43:58	0.11	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/02/2007 13:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1407) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/2/2007 14:29	0		0
2	2/2/2007 14:44	0		0
3	2/2/2007 14:59	0		0
4	2/2/2007 15:14	0.1		0.1
5	2/2/2007 15:29	0.1		0.1
6	2/2/2007 15:44	0.1		0.1
7	2/2/2007 15:59	0.1		0.1
8	2/2/2007 16:14	0.1		0.1
9	2/2/2007 16:29	0.1		0.1
10	2/2/2007 16:44	0.1		0.1
11	2/2/2007 16:59	0.1		0.1
12	2/2/2007 17:14	0.1		0.1
13	2/2/2007 17:29	0.1		0.1
14	2/2/2007 17:44	0.1		0.1
15	2/2/2007 17:59	0.1		0.1
16	2/2/2007 18:14	0.1		0.1
17	2/2/2007 18:29	0.1		0.1
18	2/2/2007 18:44	0.1		0.1
19	2/2/2007 18:59	0.1		0.1
20	2/2/2007 19:14	0.1		0.1
21	2/2/2007 19:29	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	2/2/2007
Start Time:	14:22:41
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1407) = 0.087 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/2/2007	14:37:41	0.093	0.006	6
2/2/2007	14:52:41	0.073	-0.014	-14
2/2/2007	15:07:41	0.071	-0.016	-16
2/2/2007	15:22:41	0.087	0	0
2/2/2007	15:37:41	0.079	-0.008	-8
2/2/2007	15:52:41	0.082	-0.005	-5
2/2/2007	16:07:41	0.083	-0.004	-4
2/2/2007	16:22:41	0.092	0.005	5
2/2/2007	16:37:41	0.097	0.01	10
2/2/2007	16:52:41	0.101	0.014	14
2/2/2007	17:07:41	0.104	0.017	17
2/2/2007	17:22:41	0.099	0.012	12
2/2/2007	17:37:41	0.108	0.021	21
2/2/2007	17:52:41	0.107	0.02	20
2/2/2007	18:07:41	0.096	0.009	9
2/2/2007	18:22:41	0.1	0.013	13
2/2/2007	18:37:41	0.111	0.024	24
2/2/2007	18:52:41	0.124	0.037	37
2/2/2007	19:07:41	0.097	0.01	10
2/2/2007	19:22:41	0.102	0.015	15
2/2/2007	19:37:41	0.154	0.067	67
2/2/2007	19:52:41	0.09	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/05/2007 13:07

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1350) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/5/2007 14:11	0		0
2	2/5/2007 14:26	0.1		0.1
3	2/5/2007 14:41	0.2		0.2
4	2/5/2007 14:56	0.2		0.2
5	2/5/2007 15:11	0.1		0.1
6	2/5/2007 15:26	0.1		0.1
7	2/5/2007 15:41	0.2		0.2
8	2/5/2007 15:56	0.2		0.2
9	2/5/2007 16:11	0.2		0.2
10	2/5/2007 16:26	0.3		0.3
11	2/5/2007 16:41	0.3		0.3
12	2/5/2007 16:56	0.3		0.3
13	2/5/2007 17:11	0.3		0.3
14	2/5/2007 17:26	0.3		0.3
15	2/5/2007 17:41	0.3		0.3
16	2/5/2007 17:56	0.3		0.3
17	2/5/2007 18:11	0.3		0.3
18	2/5/2007 18:26	0.3		0.3
19	2/5/2007 18:41	0.4		0.4
20	2/5/2007 18:56	0.4		0.4
21	2/5/2007 19:11	0.4		0.4
22	2/5/2007 19:26	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	2/5/2007
Start Time:	13:49:37
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	

Background Reading (1350) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/5/2007	14:04:37	0.016	-0.027	-27
2/5/2007	14:19:37	0.015	-0.028	-28
2/5/2007	14:34:37	0.017	-0.026	-26
2/5/2007	14:49:37	0.02	-0.023	-23
2/5/2007	15:04:37	0.019	-0.024	-24
2/5/2007	15:19:37	0.02	-0.023	-23
2/5/2007	15:34:37	0.015	-0.028	-28
2/5/2007	15:49:37	0.015	-0.028	-28
2/5/2007	16:04:37	0.019	-0.024	-24
2/5/2007	16:19:37	0.013	-0.03	-30
2/5/2007	16:34:37	0.015	-0.028	-28
2/5/2007	16:49:37	0.014	-0.029	-29
2/5/2007	17:04:37	0.012	-0.031	-31
2/5/2007	17:19:37	0.011	-0.032	-32
2/5/2007	17:34:37	0.011	-0.032	-32
2/5/2007	17:49:37	0.012	-0.031	-31
2/5/2007	18:04:37	0.011	-0.032	-32
2/5/2007	18:19:37	0.01	-0.033	-33
2/5/2007	18:34:37	0.01	-0.033	-33
2/5/2007	18:49:37	0.01	-0.033	-33
2/5/2007	19:04:37	0.011	-0.032	-32
2/5/2007	19:19:37	0.01	-0.033	-33
2/5/2007	19:34:37	0.011	-0.032	-32

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/05/2007 13:03

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1340) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/5/2007 13:56	0		0
2	2/5/2007 14:11	0		0
3	2/5/2007 14:26	0		0
4	2/5/2007 14:41	0.1		0.1
5	2/5/2007 14:56	0.1		0.1
6	2/5/2007 15:11	0.2		0.2
7	2/5/2007 15:26	0.2		0.2
8	2/5/2007 15:41	0.3		0.3
9	2/5/2007 15:56	0.3		0.3
10	2/5/2007 16:11	0.3		0.3
11	2/5/2007 16:26	0.4		0.4
12	2/5/2007 16:41	0.4		0.4
13	2/5/2007 16:56	0.4		0.4
14	2/5/2007 17:11	0.5		0.5
15	2/5/2007 17:26	0.5		0.5
16	2/5/2007 17:41	0.5		0.5
17	2/5/2007 17:56	0.6		0.6
18	2/5/2007 18:11	0.6		0.6
19	2/5/2007 18:26	0.6		0.6
20	2/5/2007 18:41	0.7		0.7
21	2/5/2007 18:56	0.7		0.7
22	2/5/2007 19:11	0.7		0.7
23	2/5/2007 19:26	0.8		0.8
24	2/5/2007 19:41	0.8		0.8

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	2/5/2007
Start Time:	13:42:04
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (1340) = 0.007 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/5/2007	13:57:04	0.008	0.001	1
2/5/2007	14:12:04	0.008	0.001	1
2/5/2007	14:27:04	0.009	0.002	2
2/5/2007	14:42:04	0.008	0.001	1
2/5/2007	14:57:04	0.007	0	0
2/5/2007	15:12:04	0.009	0.002	2
2/5/2007	15:27:04	0.011	0.004	4
2/5/2007	15:42:04	0.008	0.001	1
2/5/2007	15:57:04	0.007	0	0
2/5/2007	16:12:04	0.008	0.001	1
2/5/2007	16:27:04	0.007	0	0
2/5/2007	16:42:04	0.007	0	0
2/5/2007	16:57:04	0.006	-0.001	-1
2/5/2007	17:12:04	0.006	-0.001	-1
2/5/2007	17:27:04	0.006	-0.001	-1
2/5/2007	17:42:04	0.004	-0.003	-3
2/5/2007	17:57:04	0.005	-0.002	-2
2/5/2007	18:12:04	0.006	-0.001	-1
2/5/2007	18:27:04	0.005	-0.002	-2
2/5/2007	18:42:04	0.004	-0.003	-3
2/5/2007	18:57:04	0.004	-0.003	-3
2/5/2007	19:12:04	0.004	-0.003	-3
2/5/2007	19:27:04	0.004	-0.003	-3
2/5/2007	19:42:04	0.005	-0.002	-2
2/5/2007	19:57:04	0.005	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/05/2007 13:11

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1415) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/5/2007 14:37	0.1		0.1
2	2/5/2007 14:52	0.1		0.1
3	2/5/2007 15:07	0.2		0.2
4	2/5/2007 15:22	0.2		0.2
5	2/5/2007 15:37	0.3		0.3
6	2/5/2007 15:52	0.3		0.3
7	2/5/2007 16:07	0.3		0.3
8	2/5/2007 16:22	0.3		0.3
9	2/5/2007 16:37	0.3		0.3
10	2/5/2007 16:52	0.3		0.3
11	2/5/2007 17:07	0.3		0.3
12	2/5/2007 17:22	0.3		0.3
13	2/5/2007 17:37	0.2		0.2
14	2/5/2007 17:52	0.3		0.3
15	2/5/2007 18:07	0.3		0.3
16	2/5/2007 18:22	0.3		0.3
17	2/5/2007 18:37	0.3		0.3
18	2/5/2007 18:52	0.3		0.3
19	2/5/2007 19:07	0.3		0.3
20	2/5/2007 19:22	0.3		0.3
21	2/5/2007 19:37	0.3		0.3

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/5/2007
Start Time:	14:19:08
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (1415) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/5/2007	14:34:08	0.019	-0.014	-14
2/5/2007	14:49:08	0.014	-0.019	-19
2/5/2007	15:04:08	0.025	-0.008	-8
2/5/2007	15:19:08	0.029	-0.004	-4
2/5/2007	15:34:08	0.019	-0.014	-14
2/5/2007	15:49:08	0.021	-0.012	-12
2/5/2007	16:04:08	0.015	-0.018	-18
2/5/2007	16:19:08	0.017	-0.016	-16
2/5/2007	16:34:08	0.016	-0.017	-17
2/5/2007	16:49:08	0.02	-0.013	-13
2/5/2007	17:04:08	0.018	-0.015	-15
2/5/2007	17:19:08	0.017	-0.016	-16
2/5/2007	17:34:08	0.013	-0.02	-20
2/5/2007	17:49:08	0.014	-0.019	-19
2/5/2007	18:04:08	0.014	-0.019	-19
2/5/2007	18:19:08	0.016	-0.017	-17
2/5/2007	18:34:08	0.015	-0.018	-18
2/5/2007	18:49:08	0.011	-0.022	-22
2/5/2007	19:04:08	0.014	-0.019	-19
2/5/2007	19:19:08	0.015	-0.018	-18
2/5/2007	19:34:08	0.012	-0.021	-21
2/5/2007	19:49:08	0.015	-0.018	-18

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012163
User ID: 00000001 Site ID: 00000012
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/05/2007 13:11

Measurement Type:	Avg(ppm)
High Alarm Levels:	100
Low Alarm Levels:	5

Background Reading (1400) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/5/2007 14:22	0		0
2	2/5/2007 14:37	0		0
3	2/5/2007 14:52	0		0
4	2/5/2007 15:07	0		0
5	2/5/2007 15:22	0		0
6	2/5/2007 15:37	0		0
7	2/5/2007 15:52	0		0
8	2/5/2007 16:07	0		0
9	2/5/2007 16:22	0		0
10	2/5/2007 16:37	0		0
11	2/5/2007 16:52	0		0
12	2/5/2007 17:07	0		0
13	2/5/2007 17:22	0		0
14	2/5/2007 17:37	0		0
15	2/5/2007 17:52	0		0
16	2/5/2007 18:07	0		0
17	2/5/2007 18:22	0		0
18	2/5/2007 18:37	0		0
19	2/5/2007 18:52	0		0
20	2/5/2007 19:07	0		0
21	2/5/2007 19:22	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	2/5/2007
Start Time:	14:04:16
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1400) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/5/2007	14:19:16	0.013	0.004	4
2/5/2007	14:34:16	0.013	0.004	4
2/5/2007	14:49:16	0.015	0.006	6
2/5/2007	15:04:16	0.029	0.02	20
2/5/2007	15:19:16	0.03	0.021	21
2/5/2007	15:34:16	0.048	0.039	39
2/5/2007	15:49:16	0.044	0.035	35
2/5/2007	16:04:16	0.03	0.021	21
2/5/2007	16:19:16	0.034	0.025	25
2/5/2007	16:34:16	0.032	0.023	23
2/5/2007	16:49:16	0.035	0.026	26
2/5/2007	17:04:16	0.028	0.019	19
2/5/2007	17:19:16	0.025	0.016	16
2/5/2007	17:34:16	0.022	0.013	13
2/5/2007	17:49:16	0.02	0.011	11
2/5/2007	18:04:16	0.021	0.012	12
2/5/2007	18:19:16	0.018	0.009	9
2/5/2007	18:34:16	0.019	0.01	10
2/5/2007	18:49:16	0.013	0.004	4
2/5/2007	19:04:16	0.026	0.017	17
2/5/2007	19:19:16	0.027	0.018	18
2/5/2007	19:34:16	0.02	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/06/2007 13:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1357) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/6/2007 14:18	0		0
2	2/6/2007 14:33	0		0
3	2/6/2007 14:48	0.1		0.1
4	2/6/2007 15:03	0.1		0.1
5	2/6/2007 15:18	0.2		0.2
6	2/6/2007 15:33	0.2		0.2
7	2/6/2007 15:48	0.2		0.2
8	2/6/2007 16:03	0.2		0.2
9	2/6/2007 16:18	0.3		0.3
10	2/6/2007 16:33	0.3		0.3
11	2/6/2007 16:48	0.3		0.3
12	2/6/2007 17:03	0.4		0.4
13	2/6/2007 17:18	0.4		0.4
14	2/6/2007 17:33	0.3		0.3
15	2/6/2007 17:48	0.3		0.3
16	2/6/2007 18:03	0.4		0.4
17	2/6/2007 18:18	0.3		0.3
18	2/6/2007 18:33	0.4		0.4
19	2/6/2007 18:48	0.4		0.4
20	2/6/2007 19:03	0.4		0.4
21	2/6/2007 19:18	0.4		0.4
22	2/6/2007 19:33	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	2/6/2007
Start Time:	13:55:25
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (1357) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/6/2007	14:10:25	0.017	-0.009	-9
2/6/2007	14:25:25	0.014	-0.012	-12
2/6/2007	14:40:25	0.015	-0.011	-11
2/6/2007	14:55:25	0.015	-0.011	-11
2/6/2007	15:10:25	0.017	-0.009	-9
2/6/2007	15:25:25	0.02	-0.006	-6
2/6/2007	15:40:25	0.015	-0.011	-11
2/6/2007	15:55:25	0.015	-0.011	-11
2/6/2007	16:10:25	0.012	-0.014	-14
2/6/2007	16:25:25	0.011	-0.015	-15
2/6/2007	16:40:25	0.011	-0.015	-15
2/6/2007	16:55:25	0.014	-0.012	-12
2/6/2007	17:10:25	0.017	-0.009	-9
2/6/2007	17:25:25	0.018	-0.008	-8
2/6/2007	17:40:25	0.019	-0.007	-7
2/6/2007	17:55:25	0.014	-0.012	-12
2/6/2007	18:10:25	0.018	-0.008	-8
2/6/2007	18:25:25	0.016	-0.01	-10
2/6/2007	18:40:25	0.015	-0.011	-11
2/6/2007	18:55:25	0.014	-0.012	-12
2/6/2007	19:10:25	0.013	-0.013	-13
2/6/2007	19:25:25	0.014	-0.012	-12
2/6/2007	19:40:25	0.017	-0.009	-9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/06/2007 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1345) = 1.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/6/2007 13:59	0.2		-1.1
2	2/6/2007 14:14	0.5		-0.8
3	2/6/2007 14:29	0.7		-0.6
4	2/6/2007 14:44	0.9		-0.4
5	2/6/2007 14:59	1.1		-0.2
6	2/6/2007 15:14	1.2		-0.1
7	2/6/2007 15:29	1.5		0.2
8	2/6/2007 15:44	1.3		0
9	2/6/2007 15:59	1.5		0.2
10	2/6/2007 16:14	1.6		0.3
11	2/6/2007 16:29	1.6		0.3
12	2/6/2007 16:44	1.7		0.4
13	2/6/2007 16:59	1.8		0.5
14	2/6/2007 17:14	1.9		0.6
15	2/6/2007 17:29	1.9		0.6
16	2/6/2007 17:44	2		0.7
17	2/6/2007 17:59	2.1		0.8
18	2/6/2007 18:14	2.2		0.9
19	2/6/2007 18:29	2.3		1
20	2/6/2007 18:44	2.3		1
21	2/6/2007 18:59	2.4		1.1
22	2/6/2007 19:14	2.4		1.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	2/6/2007
Start Time:	13:46:38
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (1345) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/6/2007	14:01:38	0.009	0.001	1
2/6/2007	14:16:38	0.007	-0.001	-1
2/6/2007	14:31:38	0.009	0.001	1
2/6/2007	14:46:38	0.008	0	0
2/6/2007	15:01:38	0.008	0	0
2/6/2007	15:16:38	0.009	0.001	1
2/6/2007	15:31:38	0.008	0	0
2/6/2007	15:46:38	0.013	0.005	5
2/6/2007	16:01:38	0.007	-0.001	-1
2/6/2007	16:16:38	0.008	0	0
2/6/2007	16:31:38	0.007	-0.001	-1
2/6/2007	16:46:38	0.007	-0.001	-1
2/6/2007	17:01:38	0.008	0	0
2/6/2007	17:16:38	0.009	0.001	1
2/6/2007	17:31:38	0.009	0.001	1
2/6/2007	17:46:38	0.01	0.002	2
2/6/2007	18:01:38	0.007	-0.001	-1
2/6/2007	18:16:38	0.008	0	0
2/6/2007	18:31:38	0.009	0.001	1
2/6/2007	18:46:38	0.007	-0.001	-1
2/6/2007	19:01:38	0.006	-0.002	-2
2/6/2007	19:16:38	0.007	-0.001	-1
2/6/2007	19:31:38	0.007	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/06/2007 13:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1534) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/6/2007 14:48	0		-0.2
2	2/6/2007 15:03	0.1		-0.1
3	2/6/2007 15:18	0.1		-0.1
4	2/6/2007 15:33	0.2		0
5	2/6/2007 15:48	0.2		0
6	2/6/2007 16:03	0.2		0
7	2/6/2007 16:18	0.2		0
8	2/6/2007 16:33	0.2		0
9	2/6/2007 16:48	0.2		0
10	2/6/2007 17:03	0.2		0
11	2/6/2007 17:18	0.2		0
12	2/6/2007 17:33	0.2		0
13	2/6/2007 17:48	0.2		0
14	2/6/2007 18:03	0.2		0
15	2/6/2007 18:18	0.1		-0.1
16	2/6/2007 18:33	0.2		0
17	2/6/2007 18:48	0.1		-0.1
18	2/6/2007 19:03	0.2		0
19	2/6/2007 19:18	0.2		0
20	2/6/2007 19:33	0.2		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/6/2007
Start Time:	14:35:40
Duration (dd:hh:mm:ss):	00:04:59:59
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (1534) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/6/2007	14:50:40	0.018	0.004	4
2/6/2007	15:05:40	0.024	0.01	10
2/6/2007	15:20:40	0.019	0.005	5
2/6/2007	15:35:40	0.018	0.004	4
2/6/2007	15:50:40	0.024	0.01	10
2/6/2007	16:05:40	0.022	0.008	8
2/6/2007	16:20:40	0.023	0.009	9
2/6/2007	16:35:40	0.021	0.007	7
2/6/2007	16:50:40	0.021	0.007	7
2/6/2007	17:05:40	0.022	0.008	8
2/6/2007	17:20:40	0.022	0.008	8
2/6/2007	17:35:40	0.022	0.008	8
2/6/2007	17:50:40	0.022	0.008	8
2/6/2007	18:05:40	0.021	0.007	7
2/6/2007	18:20:40	0.022	0.008	8
2/6/2007	18:35:40	0.021	0.007	7
2/6/2007	18:50:40	0.023	0.009	9
2/6/2007	19:05:40	0.02	0.006	6
2/6/2007	19:20:40	0.024	0.01	10
2/6/2007	19:35:40	0.022	0.008	8

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365

User ID: 00000001 Site ID: 00000004

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/29/2007 12:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1526) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/6/2007 14:23	0		0
2	2/6/2007 14:38	0		0
3	2/6/2007 14:53	0		0
4	2/6/2007 15:08	0		0
5	2/6/2007 15:23	0		0
6	2/6/2007 15:38	0		0
7	2/6/2007 15:53	0		0
8	2/6/2007 16:08	0		0
9	2/6/2007 16:23	0		0
10	2/6/2007 16:38	0		0
11	2/6/2007 16:53	0		0
12	2/6/2007 17:08	0		0
13	2/6/2007 17:23	0		0
14	2/6/2007 17:38	0		0
15	2/6/2007 17:53	0		0
16	2/6/2007 18:08	0		0
17	2/6/2007 18:23	0		0
18	2/6/2007 18:38	0		0
19	2/6/2007 18:53	0		0
20	2/6/2007 19:08	0		0
21	2/6/2007 19:23	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	2/6/2007
Start Time:	14:08:42
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1526) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/6/2007	14:23:42	0.012	-0.003	-3
2/6/2007	14:38:42	0.015	0	0
2/6/2007	14:53:42	0.014	-0.001	-1
2/6/2007	15:08:42	0.021	0.006	6
2/6/2007	15:23:42	0.04	0.025	25
2/6/2007	15:38:42	0.029	0.014	14
2/6/2007	15:53:42	0.024	0.009	9
2/6/2007	16:08:42	0.03	0.015	15
2/6/2007	16:23:42	0.031	0.016	16
2/6/2007	16:38:42	0.021	0.006	6
2/6/2007	16:53:42	0.028	0.013	13
2/6/2007	17:08:42	0.025	0.01	10
2/6/2007	17:23:42	0.026	0.011	11
2/6/2007	17:38:42	0.036	0.021	21
2/6/2007	17:53:42	0.028	0.013	13
2/6/2007	18:08:42	0.021	0.006	6
2/6/2007	18:23:42	0.032	0.017	17
2/6/2007	18:38:42	0.033	0.018	18
2/6/2007	18:53:42	0.021	0.006	6
2/6/2007	19:08:42	0.02	0.005	5
2/6/2007	19:23:42	0.03	0.015	15
2/6/2007	19:38:42	0.022	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/07/2007 14:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1451) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/7/2007 15:13	0		0
2	2/7/2007 15:28	0.1		0.1
3	2/7/2007 15:43	0.1		0.1
4	2/7/2007 15:58	0.1		0.1
5	2/7/2007 16:13	0.2		0.2
6	2/7/2007 16:28	0.2		0.2
7	2/7/2007 16:43	0.2		0.2
8	2/7/2007 16:58	0.2		0.2
9	2/7/2007 17:13	0.3		0.3
10	2/7/2007 17:28	0.3		0.3
11	2/7/2007 17:43	0.9		0.9
12	2/7/2007 17:58	0.3		0.3
13	2/7/2007 18:13	0.3		0.3
14	2/7/2007 18:28	0.3		0.3
15	2/7/2007 18:43	0.4		0.4
16	2/7/2007 18:58	0.4		0.4
17	2/7/2007 19:13	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	2/7/2007
Start Time:	14:39:29
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (1451) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/7/2007	14:54:29	0.009	-0.001	-1
2/7/2007	15:09:29	0.011	0.001	1
2/7/2007	15:24:29	0.015	0.005	5
2/7/2007	15:39:29	0.019	0.009	9
2/7/2007	15:54:29	0.012	0.002	2
2/7/2007	16:09:29	0.012	0.002	2
2/7/2007	16:24:29	0.013	0.003	3
2/7/2007	16:39:29	0.014	0.004	4
2/7/2007	16:54:29	0.013	0.003	3
2/7/2007	17:09:29	0.029	0.019	19
2/7/2007	17:24:29	0.017	0.007	7
2/7/2007	17:39:29	0.027	0.017	17
2/7/2007	17:54:29	0.014	0.004	4
2/7/2007	18:09:29	0.012	0.002	2
2/7/2007	18:24:29	0.011	0.001	1
2/7/2007	18:39:29	0.013	0.003	3
2/7/2007	18:54:29	0.013	0.003	3
2/7/2007	19:09:29	0.012	0.002	2
2/7/2007	19:24:29	0.012	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/06/2007 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1358) = 0.5 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/7/2007 14:02	0.4		-0.1
2	2/7/2007 14:17	0.6		0.1
3	2/7/2007 14:32	0.9		0.4
4	2/7/2007 14:47	1.2		0.7
5	2/7/2007 15:02	1.3		0.8
6	2/7/2007 15:17	1.4		0.9
7	2/7/2007 15:32	1.5		1
8	2/7/2007 15:47	1.8		1.3
9	2/7/2007 16:02	1.9		1.4
10	2/7/2007 16:17	2		1.5
11	2/7/2007 16:32	2.1		1.6
12	2/7/2007 16:47	2.3		1.8
13	2/7/2007 17:02	2.4		1.9
14	2/7/2007 17:17	2.5		2
15	2/7/2007 17:32	2.6		2.1
16	2/7/2007 17:47	3		2.5
17	2/7/2007 18:02	2.9		2.4
18	2/7/2007 18:17	2.9		2.4
19	2/7/2007 18:32	3		2.5
20	2/7/2007 18:47	3.1		2.6
21	2/7/2007 19:02	3.1		2.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	2/7/2007
Start Time:	13:48:35
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Backgroud Reading (1358) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/7/2007	14:03:35	0.005	0.001	1
2/7/2007	14:18:35	0.005	0.001	1
2/7/2007	14:33:35	0.004	0	0
2/7/2007	14:48:35	0.003	-0.001	-1
2/7/2007	15:03:35	0.003	-0.001	-1
2/7/2007	15:18:35	0.003	-0.001	-1
2/7/2007	15:33:35	0.004	0	0
2/7/2007	15:48:35	0.003	-0.001	-1
2/7/2007	16:03:35	0.003	-0.001	-1
2/7/2007	16:18:35	0.004	0	0
2/7/2007	16:33:35	0.005	0.001	1
2/7/2007	16:48:35	0.005	0.001	1
2/7/2007	17:03:35	0.006	0.002	2
2/7/2007	17:18:35	0.004	0	0
2/7/2007	17:33:35	0.004	0	0
2/7/2007	17:48:35	0.005	0.001	1
2/7/2007	18:03:35	0.079	0.075	75
2/7/2007	18:18:35	0.003	-0.001	-1
2/7/2007	18:33:35	0.004	0	0
2/7/2007	18:48:35	0.006	0.002	2
2/7/2007	19:03:35	0.006	0.002	2
2/7/2007	19:18:35	0.006	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112

User ID: 00000001 Site ID: 00000014

Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/06/2007 13:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1413) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/7/2007 14:33	0.1		0.1
2	2/7/2007 14:48	0.1		0.1
3	2/7/2007 15:03	0.2		0.2
4	2/7/2007 15:18	0.2		0.2
5	2/7/2007 15:33	0.2		0.2
6	2/7/2007 15:48	0.2		0.2
7	2/7/2007 16:03	0.2		0.2
8	2/7/2007 16:18	0.2		0.2
9	2/7/2007 16:33	0.3		0.3
10	2/7/2007 16:48	0.2		0.2
11	2/7/2007 17:03	0.2		0.2
12	2/7/2007 17:18	0.2		0.2
13	2/7/2007 17:33	0.2		0.2
14	2/7/2007 17:48	0.3		0.3
15	2/7/2007 18:03	0.3		0.3
16	2/7/2007 18:18	0.2		0.2
17	2/7/2007 18:33	0.3		0.3
18	2/7/2007 18:48	0.3		0.3
19	2/7/2007 19:03	0.3		0.3
20	2/7/2007 19:18	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	2/7/2007
Start Time:	14:13:04
Duration (dd:hh:mm:ss):	00:01:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	5
Notes:	Background Reading (1413) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
2/7/2007	14:28:04	0.011	-0.001	-1	
2/7/2007	14:43:04	0.011	-0.001	-1	
2/7/2007	14:58:04	0.009	-0.003	-3	
2/7/2007	15:13:04	0.013	0.001	1	
2/7/2007	15:28:04	0.011	-0.001	-1	
2/7/2007	16:42:01	0.01	-0.002	-2	Batteries replaced at ~16:30
2/7/2007	16:57:01	0.017	0.005	5	
2/7/2007	17:12:01	0.011	-0.001	-1	
2/7/2007	17:27:01	0.01	-0.002	-2	
2/7/2007	17:42:01	0.012	0	0	
2/7/2007	17:57:01	0.126	0.114	114	Elevated reading due to Shaw testing of equipment.
2/7/2007	18:12:01	0.009	-0.003	-3	
2/7/2007	18:27:01	0.009	-0.003	-3	
2/7/2007	18:42:01	0.012	0	0	
2/7/2007	18:57:01	0.017	0.005	5	
2/7/2007	19:12:01	0.016	0.004	4	
2/7/2007	19:27:01	0.018	0.006	6	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365

User ID: 00000001 Site ID: 00000004

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 01/29/2007 12:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Backgroud Reading (1402) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/7/2007 14:16	0		-0.1
2	2/7/2007 14:31	0.1		0
3	2/7/2007 14:46	0.2		0.1
4	2/7/2007 15:01	0.2		0.1
5	2/7/2007 15:16	0.2		0.1
6	2/7/2007 15:31	0.2		0.1
7	2/7/2007 15:46	0.3		0.2
8	2/7/2007 16:01	0.3		0.2
9	2/7/2007 16:16	0.3		0.2
10	2/7/2007 16:31	0.3		0.2
11	2/7/2007 16:46	0.3		0.2
12	2/7/2007 17:01	0.4		0.3
13	2/7/2007 17:16	0.4		0.3
14	2/7/2007 17:31	0.4		0.3
15	2/7/2007 17:46	0.5		0.4
16	2/7/2007 18:01	0.5		0.4
17	2/7/2007 18:16	0.5		0.4
18	2/7/2007 18:31	0.5		0.4
19	2/7/2007 18:46	0.5		0.4
20	2/7/2007 19:01	0.5		0.4
21	2/7/2007 19:16	0.5		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	2/7/2007
Start Time:	14:01:46
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1402) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/7/2007	14:16:46	0.015	-0.001	-1
2/7/2007	14:31:46	0.011	-0.005	-5
2/7/2007	14:46:46	0.01	-0.006	-6
2/7/2007	15:01:46	0.02	0.004	4
2/7/2007	15:16:46	0.022	0.006	6
2/7/2007	15:31:46	0.034	0.018	18
2/7/2007	15:46:46	0.031	0.015	15
2/7/2007	16:01:46	0.032	0.016	16
2/7/2007	16:16:46	0.034	0.018	18
2/7/2007	16:31:46	0.035	0.019	19
2/7/2007	16:46:46	0.03	0.014	14
2/7/2007	17:01:46	0.031	0.015	15
2/7/2007	17:16:46	0.039	0.023	23
2/7/2007	17:31:46	0.03	0.014	14
2/7/2007	17:46:46	0.021	0.005	5
2/7/2007	18:01:46	0.053	0.037	37
2/7/2007	18:16:46	0.02	0.004	4
2/7/2007	18:31:46	0.018	0.002	2
2/7/2007	18:46:46	0.028	0.012	12
2/7/2007	19:01:46	0.028	0.012	12
2/7/2007	19:16:46	0.022	0.006	6
2/7/2007	19:31:46	0.02	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/08/2007 06:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	2/8/2007 6:50	0		0	
2	2/8/2007 7:05	0.4		0.4	
3	2/8/2007 7:20	0.2		0.2	
4	2/8/2007 7:35	0.2		0.2	
5	2/8/2007 7:50	0.2		0.2	
6	2/8/2007 8:05	0.2		0.2	
7	2/8/2007 8:20	0.3		0.3	
8	2/8/2007 8:35	0.3		0.3	
9	2/8/2007 8:50	0.3		0.3	
10	2/8/2007 9:05	0.3		0.3	
11	2/8/2007 9:20	0.3		0.3	
12	2/8/2007 9:35	0.3		0.3	
13	2/8/2007 9:50	0.4		0.4	
14	2/8/2007 10:05	0.4		0.4	
15	2/8/2007 10:20	0.4		0.4	
16	2/8/2007 10:35	0.4		0.4	
17	2/8/2007 10:50	0.4		0.4	
18	2/8/2007 11:05	0.4		0.4	
19	2/8/2007 11:20	0.4		0.4	
20	2/8/2007 11:35	0.4		0.4	
21	2/8/2007 11:50	0.4		0.4	
22	2/8/2007 12:05	0.4		0.4	
23	2/8/2007 12:20	0.4		0.4	
24	2/8/2007 12:35	0.4		0.4	
25	2/8/2007 12:50	0.5		0.5	
26	2/8/2007 13:05	0.4		0.4	
27	2/8/2007 13:20	0.4		0.4	
28	2/8/2007 13:35	0.4		0.4	
29	2/8/2007 13:50	0.4		0.4	
30	2/8/2007 14:05	0.5		0.5	
31	2/8/2007 14:20	0.5		0.5	
32	2/8/2007 14:35	0.5		0.5	
33	2/8/2007 14:50	0.5		0.5	
34	2/8/2007 15:05	0.5		0.5	
35	2/8/2007 15:20	0.7		0.7	
36	2/8/2007 15:35	0.5		0.5	
37	2/8/2007 15:50	0.5		0.5	
38	2/8/2007 16:05	0.5		0.5	
39	2/8/2007 16:20	0.5		0.5	
40	2/8/2007 16:35	0.7		0.7	
41	2/8/2007 16:50	0.5		0.5	
42	2/8/2007 17:05	0.5		0.5	
1	2/8/2007 17:52	0.5		0.5	Batteries replaced at ~17:52
2	2/8/2007 18:07	0.5		0.5	
3	2/8/2007 18:22	0.5		0.5	
4	2/8/2007 18:37	0.5		0.5	
5	2/8/2007 18:52	0.5		0.5	
6	2/8/2007 19:07	0.5		0.5	
7	2/8/2007 19:22	0.6		0.6	
8	2/8/2007 19:37	0.6		0.6	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	2/8/2007
Start Time:	6:44:49
Duration (dd:hh:mm:ss):	00:02:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	9
Notes:	Background Reading (0645) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/8/2007	6:59:49	0.016	0.002	2
2/8/2007	7:14:49	0.026	0.012	12
2/8/2007	7:29:49	0.022	0.008	8
2/8/2007	7:44:49	0.02	0.006	6
2/8/2007	7:59:49	0.022	0.008	8
2/8/2007	8:14:49	0.022	0.008	8
2/8/2007	8:29:49	0.023	0.009	9
2/8/2007	8:44:49	0.022	0.008	8
2/8/2007	8:59:49	0.025	0.011	11
2/8/2007	10:06:29	0.021	0.007	7
2/8/2007	10:21:29	0.019	0.005	5
2/8/2007	10:36:29	0.018	0.004	4
2/8/2007	10:51:29	0.023	0.009	9
2/8/2007	11:06:29	0.021	0.007	7
2/8/2007	11:21:29	0.02	0.006	6
2/8/2007	11:36:29	0.023	0.009	9
2/8/2007	11:51:29	0.024	0.01	10
2/8/2007	12:06:29	0.021	0.007	7
2/8/2007	12:21:29	0.019	0.005	5
2/8/2007	12:36:29	0.021	0.007	7
2/8/2007	12:51:29	0.022	0.008	8
2/8/2007	13:06:29	0.023	0.009	9
2/8/2007	13:21:29	0.018	0.004	4
2/8/2007	13:36:29	0.026	0.012	12
2/8/2007	13:54:17	0.02	0.006	6
2/8/2007	14:09:17	0.02	0.006	6
2/8/2007	14:24:17	0.018	0.004	4
2/8/2007	14:39:17	0.017	0.003	3
2/8/2007	14:54:17	0.018	0.004	4
2/8/2007	15:09:17	0.028	0.014	14
2/8/2007	15:24:17	0.024	0.01	10
2/8/2007	15:39:17	0.024	0.01	10
2/8/2007	15:54:17	0.02	0.006	6
2/8/2007	16:09:17	0.018	0.004	4
2/8/2007	16:24:17	0.021	0.007	7
2/8/2007	16:39:17	0.017	0.003	3
2/8/2007	16:54:17	0.014	0	0
2/8/2007	17:09:17	0.024	0.01	10
2/8/2007	17:24:17	0.017	0.003	3
2/8/2007	17:39:17	0.016	0.002	2
2/8/2007	17:54:17	0.011	-0.003	-3
2/8/2007	18:09:17	0.013	-0.001	-1
2/8/2007	18:24:17	0.041	0.027	27
2/8/2007	18:39:17	0.049	0.035	35
2/8/2007	18:54:17	0.014	0	0
2/8/2007	19:09:17	0.012	-0.002	-2
2/8/2007	19:24:17	0.015	0.001	1
2/8/2007	19:39:17	0.015	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/08/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0731) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/8/2007 6:53	0		-0.2
2	2/8/2007 7:08	0.1		-0.1
3	2/8/2007 7:23	0.2		0
4	2/8/2007 7:38	0.3		0.1
5	2/8/2007 7:53	0.3		0.1
6	2/8/2007 8:08	0.4		0.2
7	2/8/2007 8:23	0.4		0.2
8	2/8/2007 8:38	0.5		0.3
9	2/8/2007 8:53	0.5		0.3
10	2/8/2007 9:08	0.6		0.4
11	2/8/2007 9:23	0.6		0.4
12	2/8/2007 9:38	0.6		0.4
13	2/8/2007 9:53	0.7		0.5
14	2/8/2007 10:08	0.7		0.5
15	2/8/2007 10:23	0.7		0.5
16	2/8/2007 10:38	0.8		0.6
17	2/8/2007 10:53	0.8		0.6
18	2/8/2007 11:08	0.8		0.6
19	2/8/2007 11:23	0.9		0.7
20	2/8/2007 11:38	0.9		0.7
21	2/8/2007 11:53	0.9		0.7
22	2/8/2007 12:08	0.9		0.7
23	2/8/2007 12:23	0.9		0.7
24	2/8/2007 12:38	1		0.8
25	2/8/2007 12:53	1		0.8
26	2/8/2007 13:08	1		0.8
27	2/8/2007 13:23	1		0.8
28	2/8/2007 13:38	1.1		0.9
29	2/8/2007 13:53	1.1		0.9
30	2/8/2007 14:08	1.1		0.9
31	2/8/2007 14:23	1.1		0.9
32	2/8/2007 14:38	1.1		0.9
33	2/8/2007 14:53	1.2		1
34	2/8/2007 15:08	1.2		1
35	2/8/2007 15:23	1.2		1
36	2/8/2007 15:38	1.2		1
37	2/8/2007 15:53	1.2		1
38	2/8/2007 16:08	1.2		1
39	2/8/2007 16:23	1.3		1.1
40	2/8/2007 16:38	1.3		1.1
41	2/8/2007 16:53	1.3		1.1
42	2/8/2007 17:08	1.3		1.1
43	2/8/2007 17:23	1.3		1.1
1	2/8/2007 18:09	1.2		1
2	2/8/2007 18:24	1.2		1
3	2/8/2007 18:39	1.2		1
4	2/8/2007 18:54	1.2		1
5	2/8/2007 19:09	1.2		1
6	2/8/2007 19:24	1.2		1
7	2/8/2007 19:39	1.2		1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	2/8/2007
Start Time:	6:40:53
Duration (dd:hh:mm:ss):	00:13:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	53
Notes:	Background Reading (0731) = 0.024 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/8/2007	6:55:53	0.009	-0.015	-15
2/8/2007	7:10:53	0.01	-0.014	-14
2/8/2007	7:25:53	0.012	-0.012	-12
2/8/2007	7:40:53	0.011	-0.013	-13
2/8/2007	7:55:53	0.014	-0.01	-10
2/8/2007	8:10:53	0.018	-0.006	-6
2/8/2007	8:25:53	0.015	-0.009	-9
2/8/2007	8:40:53	0.018	-0.006	-6
2/8/2007	8:55:53	0.017	-0.007	-7
2/8/2007	9:10:53	0.013	-0.011	-11
2/8/2007	9:25:53	0.012	-0.012	-12
2/8/2007	9:40:53	0.014	-0.01	-10
2/8/2007	9:55:53	0.018	-0.006	-6
2/8/2007	10:10:53	0.013	-0.011	-11
2/8/2007	10:25:53	0.009	-0.015	-15
2/8/2007	10:40:53	0.01	-0.014	-14
2/8/2007	10:55:53	0.021	-0.003	-3
2/8/2007	11:10:53	0.011	-0.013	-13
2/8/2007	11:25:53	0.011	-0.013	-13
2/8/2007	11:40:53	0.011	-0.013	-13
2/8/2007	11:55:53	0.01	-0.014	-14
2/8/2007	12:10:53	0.01	-0.014	-14
2/8/2007	12:25:53	0.011	-0.013	-13
2/8/2007	12:40:53	0.011	-0.013	-13
2/8/2007	12:55:53	0.008	-0.016	-16
2/8/2007	13:10:53	0.007	-0.017	-17
2/8/2007	13:25:53	0.011	-0.013	-13
2/8/2007	13:40:53	0.011	-0.013	-13
2/8/2007	13:55:53	0.009	-0.015	-15
2/8/2007	14:10:53	0.01	-0.014	-14
2/8/2007	14:25:53	0.009	-0.015	-15
2/8/2007	14:40:53	0.008	-0.016	-16
2/8/2007	14:55:53	0.009	-0.015	-15
2/8/2007	15:10:53	0.01	-0.014	-14
2/8/2007	15:25:53	0.006	-0.018	-18
2/8/2007	15:40:53	0.007	-0.017	-17
2/8/2007	15:55:53	0.006	-0.018	-18
2/8/2007	16:10:53	0.007	-0.017	-17
2/8/2007	16:25:53	0.004	-0.02	-20
2/8/2007	16:40:53	0.004	-0.02	-20
2/8/2007	16:55:53	0.003	-0.021	-21
2/8/2007	17:10:53	0.004	-0.02	-20
2/8/2007	17:25:53	0.004	-0.02	-20
2/8/2007	17:40:53	0.005	-0.019	-19
2/8/2007	17:55:53	0.007	-0.017	-17
2/8/2007	18:10:53	0.005	-0.019	-19
2/8/2007	18:25:53	0.006	-0.018	-18
2/8/2007	18:40:53	0.009	-0.015	-15
2/8/2007	18:55:53	0.005	-0.019	-19
2/8/2007	19:10:53	0.007	-0.017	-17
2/8/2007	19:25:53	0.01	-0.014	-14
2/8/2007	19:40:53	0.01	-0.014	-14
2/8/2007	19:55:53	0.007	-0.017	-17

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012112
User ID: 00000001 Site ID: 00000014
Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/08/2007 06:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0717) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	2/8/2007 7:14	0		0	
2	2/8/2007 7:29	0		0	
3	2/8/2007 7:44	0.1		0.1	
4	2/8/2007 7:59	2.3		2.3	
5	2/8/2007 8:14	7.3	L	7.3	*Inaccurate readings due to equipment malfunction; not work-related
1	2/8/2007 10:00	0		0	*Station 3 PID replaced with spare unit at ~10:00
2	2/8/2007 10:15	0		0	
3	2/8/2007 10:30	0		0	
4	2/8/2007 10:45	0		0	
5	2/8/2007 11:00	0		0	
6	2/8/2007 11:15	0		0	
7	2/8/2007 11:30	0		0	
8	2/8/2007 11:45	0		0	
9	2/8/2007 12:00	0		0	
10	2/8/2007 12:15	0		0	
11	2/8/2007 12:30	0		0	
12	2/8/2007 12:45	0		0	
13	2/8/2007 13:00	0		0	
14	2/8/2007 13:15	0		0	
15	2/8/2007 13:30	0		0	
16	2/8/2007 13:45	0		0	
17	2/8/2007 14:00	0		0	
18	2/8/2007 14:15	0		0	
19	2/8/2007 14:30	0		0	
20	2/8/2007 14:45	0		0	
21	2/8/2007 15:00	0		0	
22	2/8/2007 15:15	0		0	
23	2/8/2007 15:30	0		0	
24	2/8/2007 15:45	0		0	
25	2/8/2007 16:00	0		0	
26	2/8/2007 16:15	0		0	
27	2/8/2007 16:30	0		0	
28	2/8/2007 16:45	0		0	
29	2/8/2007 17:00	0		0	
1	2/8/2007 17:52	0		0	Batteries replaced at ~17:52
2	2/8/2007 18:07	0		0	
3	2/8/2007 18:22	0		0	
4	2/8/2007 18:37	0		0	
5	2/8/2007 18:52	0		0	
6	2/8/2007 19:07	0		0	
7	2/8/2007 19:22	0		0	
8	2/8/2007 19:37	0		0	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	2/8/2007
Start Time:	6:57:42
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	

Background Reading (0717) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/8/2007	7:12:42	0.022	0.002	2
2/8/2007	7:27:42	0.023	0.003	3
2/8/2007	7:42:42	0.024	0.004	4
2/8/2007	7:57:42	0.033	0.013	13
2/8/2007	8:12:42	0.071	0.051	51
2/8/2007	8:27:42	0.051	0.031	31
2/8/2007	8:42:42	0.072	0.052	52
2/8/2007	8:57:42	0.043	0.023	23
2/8/2007	9:12:42	0.026	0.006	6
2/8/2007	9:27:42	0.027	0.007	7
2/8/2007	9:42:42	0.06	0.04	40
2/8/2007	9:57:42	0.05	0.03	30
2/8/2007	10:12:42	0.034	0.014	14
2/8/2007	10:27:42	0.02	0	0
2/8/2007	10:42:42	0.023	0.003	3
2/8/2007	10:57:42	0.055	0.035	35
2/8/2007	11:12:42	0.023	0.003	3
2/8/2007	11:27:42	0.028	0.008	8
2/8/2007	11:42:42	0.023	0.003	3
2/8/2007	11:57:42	0.018	-0.002	-2
2/8/2007	12:12:42	0.02	0	0
2/8/2007	12:27:42	0.026	0.006	6
2/8/2007	12:42:42	0.025	0.005	5
2/8/2007	12:57:42	0.018	-0.002	-2
2/8/2007	13:12:42	0.017	-0.003	-3
2/8/2007	13:27:42	0.021	0.001	1
2/8/2007	13:42:42	0.021	0.001	1
2/8/2007	13:57:42	0.017	-0.003	-3
2/8/2007	14:12:42	0.018	-0.002	-2
2/8/2007	14:27:42	0.02	0	0
2/8/2007	14:42:42	0.021	0.001	1
2/8/2007	14:57:42	0.021	0.001	1
2/8/2007	15:12:42	0.018	-0.002	-2
2/8/2007	15:27:42	0.015	-0.005	-5
2/8/2007	15:42:42	0.015	-0.005	-5
2/8/2007	15:57:42	0.015	-0.005	-5
2/8/2007	16:12:42	0.016	-0.004	-4
2/8/2007	16:27:42	0.012	-0.008	-8
2/8/2007	16:42:42	0.011	-0.009	-9
2/8/2007	16:57:42	0.01	-0.01	-10
2/8/2007	17:12:42	0.011	-0.009	-9
2/8/2007	17:27:42	0.012	-0.008	-8
2/8/2007	17:42:42	0.012	-0.008	-8
2/8/2007	17:57:42	0.016	-0.004	-4
2/8/2007	18:12:42	0.012	-0.008	-8
2/8/2007	18:27:42	0.012	-0.008	-8
2/8/2007	18:42:42	0.012	-0.008	-8
2/8/2007	18:57:42	0.013	-0.007	-7
2/8/2007	19:12:42	0.017	-0.003	-3
2/8/2007	19:27:42	0.025	0.005	5
2/8/2007	19:42:42	0.025	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/08/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0706) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	2/8/2007 8:00	0.3		0.3	
2	2/8/2007 8:15	0.4		0.4	
3	2/8/2007 8:30	0.3		0.3	
4	2/8/2007 8:45	0.3		0.3	
5	2/8/2007 9:00	0.3		0.3	
6	2/8/2007 9:15	0.3		0.3	
7	2/8/2007 9:30	0.3		0.3	
8	2/8/2007 9:45	0.2		0.2	
9	2/8/2007 10:00	0.2		0.2	
10	2/8/2007 10:15	0.2		0.2	
11	2/8/2007 10:30	0.2		0.2	
12	2/8/2007 10:45	0.2		0.2	
13	2/8/2007 11:00	0.2		0.2	
14	2/8/2007 11:15	0.2		0.2	
15	2/8/2007 11:30	0.2		0.2	
16	2/8/2007 11:45	0.2		0.2	
17	2/8/2007 12:00	0.2		0.2	
18	2/8/2007 12:15	0.1		0.1	
19	2/8/2007 12:30	0.1		0.1	
20	2/8/2007 12:45	0.2		0.2	
21	2/8/2007 13:00	0.1		0.1	
22	2/8/2007 13:15	0.1		0.1	
23	2/8/2007 13:30	0.1		0.1	
24	2/8/2007 13:45	0.2		0.2	
25	2/8/2007 14:00	0.1		0.1	
26	2/8/2007 14:15	0.2		0.2	
27	2/8/2007 14:30	0.1		0.1	
28	2/8/2007 14:45	0.1		0.1	
29	2/8/2007 15:00	0.1		0.1	
30	2/8/2007 15:15	0.1		0.1	
31	2/8/2007 15:30	0.1		0.1	
32	2/8/2007 15:45	0.1		0.1	
33	2/8/2007 16:00	0.1		0.1	
34	2/8/2007 16:15	0.1		0.1	
35	2/8/2007 16:30	0.1		0.1	
36	2/8/2007 16:45	0.1		0.1	
37	2/8/2007 17:00	0.1		0.1	
1	2/8/2007 17:38	0.1		0.1	Batteries replaced at ~17:38
2	2/8/2007 17:53	0.1		0.1	
3	2/8/2007 18:08	0.1		0.1	
4	2/8/2007 18:23	0		0	
5	2/8/2007 18:38	0.1		0.1	
6	2/8/2007 18:53	0.1		0.1	
7	2/8/2007 19:08	0.1		0.1	
8	2/8/2007 19:23	0.1		0.1	
9	2/8/2007 19:38	0.1		0.1	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	2/8/2007
Start Time:	6:50:49
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (0706) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/8/2007	7:05:49	0.013	0.001	1
2/8/2007	7:20:49	0.014	0.002	2
2/8/2007	7:35:49	0.018	0.006	6
2/8/2007	7:50:49	0.024	0.012	12
2/8/2007	8:05:49	0.023	0.011	11
2/8/2007	8:20:49	0.022	0.01	10
2/8/2007	8:35:49	0.023	0.011	11
2/8/2007	8:50:49	0.03	0.018	18
2/8/2007	9:05:49	0.027	0.015	15
2/8/2007	9:20:49	0.021	0.009	9
2/8/2007	9:35:49	0.025	0.013	13
2/8/2007	9:50:49	0.028	0.016	16
2/8/2007	10:05:49	0.024	0.012	12
2/8/2007	10:20:49	0.021	0.009	9
2/8/2007	10:35:49	0.022	0.01	10
2/8/2007	10:50:49	0.029	0.017	17
2/8/2007	11:05:49	0.024	0.012	12
2/8/2007	11:20:49	0.024	0.012	12
2/8/2007	11:35:49	0.032	0.02	20
2/8/2007	11:50:49	0.026	0.014	14
2/8/2007	12:05:49	0.021	0.009	9
2/8/2007	12:20:49	0.024	0.012	12
2/8/2007	12:35:49	0.025	0.013	13
2/8/2007	12:50:49	0.02	0.008	8
2/8/2007	13:05:49	0.018	0.006	6
2/8/2007	13:20:49	0.018	0.006	6
2/8/2007	13:35:49	0.027	0.015	15
2/8/2007	13:50:49	0.027	0.015	15
2/8/2007	14:05:49	0.023	0.011	11
2/8/2007	14:20:49	0.024	0.012	12
2/8/2007	14:35:49	0.017	0.005	5
2/8/2007	14:50:49	0.02	0.008	8
2/8/2007	15:05:49	0.031	0.019	19
2/8/2007	15:20:49	0.023	0.011	11
2/8/2007	15:35:49	0.04	0.028	28
2/8/2007	15:50:49	0.038	0.026	26
2/8/2007	16:05:49	0.031	0.019	19
2/8/2007	16:20:49	0.034	0.022	22
2/8/2007	16:35:49	0.024	0.012	12
2/8/2007	16:50:49	0.02	0.008	8
2/8/2007	17:05:49	0.03	0.018	18
2/8/2007	17:20:49	0.028	0.016	16
2/8/2007	17:35:49	0.025	0.013	13
2/8/2007	17:50:49	0.018	0.006	6
2/8/2007	18:05:49	0.021	0.009	9
2/8/2007	18:20:49	0.042	0.03	30
2/8/2007	18:35:49	0.044	0.032	32
2/8/2007	18:50:49	0.026	0.014	14
2/8/2007	19:05:49	0.028	0.016	16
2/8/2007	19:20:49	0.025	0.013	13
2/8/2007	19:35:49	0.027	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/09/2007 13:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1406) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/9/2007 14:27	0		0
2	2/9/2007 14:42	0		0
3	2/9/2007 14:57	0.1		0.1
4	2/9/2007 15:12	0.2		0.2
5	2/9/2007 15:27	0.2		0.2
6	2/9/2007 15:42	0.2		0.2
7	2/9/2007 15:57	0.2		0.2
8	2/9/2007 16:12	0.2		0.2
9	2/9/2007 16:27	0.3		0.3
10	2/9/2007 16:42	0.3		0.3
11	2/9/2007 16:57	0.3		0.3
12	2/9/2007 17:12	0.3		0.3
13	2/9/2007 17:27	0.3		0.3
14	2/9/2007 17:42	0.4		0.4
15	2/9/2007 17:57	0.4		0.4
16	2/9/2007 18:12	0.4		0.4
17	2/9/2007 18:27	0.4		0.4
18	2/9/2007 18:42	0.4		0.4
19	2/9/2007 18:57	0.4		0.4
20	2/9/2007 19:12	0.5		0.5
21	2/9/2007 19:27	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	7
Test Abbreviation:	
Start Date:	2/9/2007
Start Time:	14:04:59
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (1406) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/9/2007	14:19:59	0.009	-0.01	-10
2/9/2007	14:34:59	0.009	-0.01	-10
2/9/2007	14:49:59	0.009	-0.01	-10
2/9/2007	15:04:59	0.01	-0.009	-9
2/9/2007	15:19:59	0.016	-0.003	-3
2/9/2007	15:34:59	0.011	-0.008	-8
2/9/2007	15:49:59	0.014	-0.005	-5
2/9/2007	16:04:59	0.013	-0.006	-6
2/9/2007	16:19:59	0.012	-0.007	-7
2/9/2007	16:34:59	0.011	-0.008	-8
2/9/2007	16:49:59	0.01	-0.009	-9
2/9/2007	17:04:59	0.009	-0.01	-10
2/9/2007	17:19:59	0.01	-0.009	-9
2/9/2007	17:34:59	0.011	-0.008	-8
2/9/2007	17:49:59	0.011	-0.008	-8
2/9/2007	18:04:59	0.008	-0.011	-11
2/9/2007	18:19:59	0.011	-0.008	-8
2/9/2007	18:34:59	0.011	-0.008	-8
2/9/2007	18:49:59	0.013	-0.006	-6
2/9/2007	19:04:59	0.011	-0.008	-8
2/9/2007	19:19:59	0.013	-0.006	-6
2/9/2007	19:34:59	0.021	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/09/2007 13:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1339) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/9/2007 13:54	0		0
2	2/9/2007 14:09	0.1		0.1
3	2/9/2007 14:24	0.2		0.2
4	2/9/2007 14:39	0.3		0.3
5	2/9/2007 14:54	0.4		0.4
6	2/9/2007 15:09	0.5		0.5
7	2/9/2007 15:24	0.5		0.5
8	2/9/2007 15:39	0.5		0.5
9	2/9/2007 15:54	0.5		0.5
10	2/9/2007 16:09	0.5		0.5
11	2/9/2007 16:24	0.6		0.6
12	2/9/2007 16:39	0.6		0.6
13	2/9/2007 16:54	0.6		0.6
14	2/9/2007 17:09	0.6		0.6
15	2/9/2007 17:24	0.7		0.7
16	2/9/2007 17:39	0.7		0.7
17	2/9/2007 17:54	0.7		0.7
18	2/9/2007 18:09	0.7		0.7
19	2/9/2007 18:24	0.7		0.7
20	2/9/2007 18:39	0.8		0.8
21	2/9/2007 18:54	0.8		0.8
22	2/9/2007 19:09	0.8		0.8
23	2/9/2007 19:24	0.8		0.8
24	2/9/2007 19:39	0.8		0.8

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	2/9/2007
Start Time:	13:39:45
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (1339) = 0.002 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/9/2007	13:54:45	0.004	0.002	2
2/9/2007	14:09:45	0.007	0.005	5
2/9/2007	14:24:45	0.003	0.001	1
2/9/2007	14:39:45	0.003	0.001	1
2/9/2007	14:54:45	0.003	0.001	1
2/9/2007	15:09:45	0.004	0.002	2
2/9/2007	15:24:45	0.003	0.001	1
2/9/2007	15:39:45	0.002	0	0
2/9/2007	15:54:45	0.004	0.002	2
2/9/2007	16:09:45	0.002	0	0
2/9/2007	16:24:45	0.002	0	0
2/9/2007	16:39:45	0.002	0	0
2/9/2007	16:54:45	0.002	0	0
2/9/2007	17:09:45	0.002	0	0
2/9/2007	17:24:45	0.002	0	0
2/9/2007	17:39:45	0.003	0.001	1
2/9/2007	17:54:45	0.002	0	0
2/9/2007	18:09:45	0.003	0.001	1
2/9/2007	18:24:45	0.003	0.001	1
2/9/2007	18:39:45	0.002	0	0
2/9/2007	18:54:45	0.004	0.002	2
2/9/2007	19:09:45	0.003	0.001	1
2/9/2007	19:24:45	0.002	0	0
2/9/2007	19:39:45	0.002	0	0
2/9/2007	19:54:45	0.002	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/09/2007 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (1326) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/9/2007 14:38	0.3		0.3
2	2/9/2007 14:53	0.6		0.6
3	2/9/2007 15:08	0.6		0.6
4	2/9/2007 15:23	0.7		0.7
5	2/9/2007 15:38	0.8		0.8
6	2/9/2007 15:53	0.9		0.9
7	2/9/2007 16:08	0.9		0.9
8	2/9/2007 16:23	1		1
9	2/9/2007 16:38	1		1
10	2/9/2007 16:53	1.1		1.1
11	2/9/2007 17:08	1.1		1.1
12	2/9/2007 17:23	1.2		1.2
13	2/9/2007 17:38	1.3		1.3
14	2/9/2007 17:53	1.3		1.3
15	2/9/2007 18:08	1.4		1.4
16	2/9/2007 18:23	1.4		1.4
17	2/9/2007 18:38	1.5		1.5
18	2/9/2007 18:53	1.5		1.5
19	2/9/2007 19:08	1.6		1.6
20	2/9/2007 19:23	1.6		1.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201839
Test ID:	1
Test Abbreviation:	
Start Date:	2/9/2007
Start Time:	13:43:09
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	15
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (1336) = 0.014 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 11/16/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/9/2007	13:43:09	0.003	-0.011	-11
2/9/2007	13:58:09	0.004	-0.01	-10
2/9/2007	14:13:09	0.005	-0.009	-9
2/9/2007	14:28:09	0.004	-0.01	-10
2/9/2007	14:43:09	0.004	-0.01	-10
2/9/2007	14:58:09	0.008	-0.006	-6
2/9/2007	15:13:09	0.008	-0.006	-6
2/9/2007	15:28:09	0.003	-0.011	-11
2/9/2007	15:43:09	0.005	-0.009	-9
2/9/2007	15:58:09	0.004	-0.01	-10
2/9/2007	16:13:09	0.004	-0.01	-10
2/9/2007	16:28:09	0.004	-0.01	-10
2/9/2007	16:43:09	0.003	-0.011	-11
2/9/2007	16:58:09	0.004	-0.01	-10
2/9/2007	17:13:09	0.006	-0.008	-8
2/9/2007	17:28:09	0.005	-0.009	-9
2/9/2007	17:43:09	0.003	-0.011	-11
2/9/2007	17:58:09	0.004	-0.01	-10
2/9/2007	18:13:09	0.004	-0.01	-10
2/9/2007	18:28:09	0.004	-0.01	-10
2/9/2007	18:43:09	0.004	-0.01	-10
2/9/2007	18:58:09	0.004	-0.01	-10
2/9/2007	19:13:09	0.002	-0.012	-12
2/9/2007	19:28:09	0.002	-0.012	-12
2/9/2007	19:43:09	0.003	-0.011	-11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/09/2007 13:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1420) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/9/2007 14:34	0		0
2	2/9/2007 14:49	0		0
3	2/9/2007 15:04	0		0
4	2/9/2007 15:19	0		0
5	2/9/2007 15:34	0		0
6	2/9/2007 15:49	0		0
7	2/9/2007 16:04	0		0
8	2/9/2007 16:19	0		0
9	2/9/2007 16:34	0		0
10	2/9/2007 16:49	0		0
11	2/9/2007 17:04	0		0
12	2/9/2007 17:19	0		0
13	2/9/2007 17:34	0		0
14	2/9/2007 17:49	0		0
15	2/9/2007 18:04	0		0
16	2/9/2007 18:19	0		0
17	2/9/2007 18:34	0		0
18	2/9/2007 18:49	0		0
19	2/9/2007 19:04	0		0
20	2/9/2007 19:19	0		0
21	2/9/2007 19:34	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	2/9/2007
Start Time:	14:14:31
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (1420) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/9/2007	14:29:31	0.007	-0.017	-17
2/9/2007	14:44:31	0.01	-0.014	-14
2/9/2007	14:59:31	0.013	-0.011	-11
2/9/2007	15:14:31	0.028	0.004	4
2/9/2007	15:29:31	0.016	-0.008	-8
2/9/2007	15:44:31	0.024	0	0
2/9/2007	15:59:31	0.021	-0.003	-3
2/9/2007	16:14:31	0.028	0.004	4
2/9/2007	16:29:31	0.018	-0.006	-6
2/9/2007	16:44:31	0.012	-0.012	-12
2/9/2007	16:59:31	0.016	-0.008	-8
2/9/2007	17:14:31	0.02	-0.004	-4
2/9/2007	17:29:31	0.02	-0.004	-4
2/9/2007	17:44:31	0.012	-0.012	-12
2/9/2007	17:59:31	0.01	-0.014	-14
2/9/2007	18:14:31	0.016	-0.008	-8
2/9/2007	18:29:31	0.023	-0.001	-1
2/9/2007	18:44:31	0.049	0.025	25
2/9/2007	18:59:31	0.046	0.022	22
2/9/2007	19:14:31	0.012	-0.012	-12
2/9/2007	19:29:31	0.013	-0.011	-11
2/9/2007	19:44:31	0.014	-0.01	-10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/12/2007 13:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1405) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/12/2007 14:28	0		0
2	2/12/2007 14:43	0.1		0.1
3	2/12/2007 14:58	0.2		0.2
4	2/12/2007 15:13	0.3		0.3
5	2/12/2007 15:28	0.3		0.3
6	2/12/2007 15:43	0.3		0.3
7	2/12/2007 15:58	0.3		0.3
8	2/12/2007 16:13	0.4		0.4
9	2/12/2007 16:28	0.4		0.4
10	2/12/2007 16:43	0.4		0.4
11	2/12/2007 16:58	0.4		0.4
12	2/12/2007 17:13	0.4		0.4
13	2/12/2007 17:28	0.4		0.4
14	2/12/2007 17:43	0.5		0.5
15	2/12/2007 17:58	0.5		0.5
16	2/12/2007 18:13	0.5		0.5
17	2/12/2007 18:28	0.5		0.5
18	2/12/2007 18:43	0.5		0.5
19	2/12/2007 18:58	0.6		0.6
20	2/12/2007 19:13	0.6		0.6
21	2/12/2007 19:28	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	2/12/2007
Start Time:	14:06:12
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (1405) = 0.019 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/12/2007	14:21:12	0.025	0.006	6
2/12/2007	14:36:12	0.02	0.001	1
2/12/2007	14:51:12	0.018	-0.001	-1
2/12/2007	15:06:12	0.021	0.002	2
2/12/2007	15:21:12	0.028	0.009	9
2/12/2007	15:36:12	0.025	0.006	6
2/12/2007	15:51:12	0.024	0.005	5
2/12/2007	16:06:12	0.019	0	0
2/12/2007	16:21:12	0.024	0.005	5
2/12/2007	16:36:12	0.026	0.007	7
2/12/2007	16:51:12	0.022	0.003	3
2/12/2007	17:06:12	0.021	0.002	2
2/12/2007	17:21:12	0.024	0.005	5
2/12/2007	17:36:12	0.025	0.006	6
2/12/2007	17:51:12	0.023	0.004	4
2/12/2007	18:06:12	0.026	0.007	7
2/12/2007	18:21:12	0.025	0.006	6
2/12/2007	18:36:12	0.024	0.005	5
2/12/2007	18:51:12	0.028	0.009	9
2/12/2007	19:06:12	0.031	0.012	12
2/12/2007	19:21:12	0.029	0.01	10
2/12/2007	19:36:12	0.029	0.01	10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/12/2007 13:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1332) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/12/2007 13:44	0.2		0.2
2	2/12/2007 13:59	0.4		0.4
3	2/12/2007 14:14	0.5		0.5
4	2/12/2007 14:29	0.6		0.6
5	2/12/2007 14:44	0.7		0.7
6	2/12/2007 14:59	0.7		0.7
7	2/12/2007 15:14	0.7		0.7
8	2/12/2007 15:29	0.8		0.8
9	2/12/2007 15:44	0.8		0.8
10	2/12/2007 15:59	0.8		0.8
11	2/12/2007 16:14	0.8		0.8
12	2/12/2007 16:29	0.9		0.9
13	2/12/2007 16:44	0.9		0.9
14	2/12/2007 16:59	0.9		0.9
15	2/12/2007 17:14	0.9		0.9
16	2/12/2007 17:29	0.9		0.9
17	2/12/2007 17:44	0.9		0.9
18	2/12/2007 17:59	0.9		0.9
19	2/12/2007 18:14	0.9		0.9
20	2/12/2007 18:29	1		1
21	2/12/2007 18:44	1		1
22	2/12/2007 18:59	1		1
23	2/12/2007 19:14	1		1
24	2/12/2007 19:29	1		1
25	2/12/2007 19:44	1		1

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	2/12/2007
Start Time:	13:30:52
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (1332) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/12/2007	13:45:52	0.02	0.007	7
2/12/2007	14:00:52	0.013	0	0
2/12/2007	14:15:52	0.014	0.001	1
2/12/2007	14:30:52	0.013	0	0
2/12/2007	14:45:52	0.013	0	0
2/12/2007	15:00:52	0.011	-0.002	-2
2/12/2007	15:15:52	0.012	-0.001	-1
2/12/2007	15:30:52	0.013	0	0
2/12/2007	15:45:52	0.013	0	0
2/12/2007	16:00:52	0.011	-0.002	-2
2/12/2007	16:15:52	0.009	-0.004	-4
2/12/2007	16:30:52	0.012	-0.001	-1
2/12/2007	16:45:52	0.012	-0.001	-1
2/12/2007	17:00:52	0.01	-0.003	-3
2/12/2007	17:15:52	0.01	-0.003	-3
2/12/2007	17:30:52	0.012	-0.001	-1
2/12/2007	17:45:52	0.012	-0.001	-1
2/12/2007	18:00:52	0.015	0.002	2
2/12/2007	18:15:52	0.016	0.003	3
2/12/2007	18:30:52	0.014	0.001	1
2/12/2007	18:45:52	0.015	0.002	2
2/12/2007	19:00:52	0.015	0.002	2
2/12/2007	19:15:52	0.016	0.003	3
2/12/2007	19:30:52	0.017	0.004	4
2/12/2007	19:45:52	0.017	0.004	4
2/12/2007	20:00:52	0.018	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/12/2007 13:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (1405) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/12/2007 14:18	0.1		0
2	2/12/2007 14:33	0.2		0.1
3	2/12/2007 14:48	0.3		0.2
4	2/12/2007 15:03	0.3		0.2
5	2/12/2007 15:18	0.4		0.3
6	2/12/2007 15:33	0.4		0.3
7	2/12/2007 15:48	0.5		0.4
8	2/12/2007 16:03	0.5		0.4
9	2/12/2007 16:18	0.5		0.4
10	2/12/2007 16:33	0.5		0.4
11	2/12/2007 16:48	0.6		0.5
12	2/12/2007 17:03	0.6		0.5
13	2/12/2007 17:18	0.6		0.5
14	2/12/2007 17:33	0.6		0.5
15	2/12/2007 17:48	0.6		0.5
16	2/12/2007 18:03	0.6		0.5
17	2/12/2007 18:18	0.6		0.5
18	2/12/2007 18:33	0.7		0.6
19	2/12/2007 18:48	0.7		0.6
20	2/12/2007 19:03	0.7		0.6
21	2/12/2007 19:18	0.7		0.6

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/12/2007
Start Time:	14:04:42
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1405) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/12/2007	14:19:42	0.021	0.002	2
2/12/2007	14:34:42	0.022	0.003	3
2/12/2007	14:49:42	0.019	0	0
2/12/2007	15:04:42	0.025	0.006	6
2/12/2007	15:19:42	0.022	0.003	3
2/12/2007	15:34:42	0.028	0.009	9
2/12/2007	15:49:42	0.023	0.004	4
2/12/2007	16:04:42	0.015	-0.004	-4
2/12/2007	16:19:42	0.016	-0.003	-3
2/12/2007	16:34:42	0.02	0.001	1
2/12/2007	16:49:42	0.016	-0.003	-3
2/12/2007	17:04:42	0.022	0.003	3
2/12/2007	17:19:42	0.018	-0.001	-1
2/12/2007	17:34:42	0.027	0.008	8
2/12/2007	17:49:42	0.02	0.001	1
2/12/2007	18:04:42	0.032	0.013	13
2/12/2007	18:19:42	0.028	0.009	9
2/12/2007	18:34:42	0.025	0.006	6
2/12/2007	18:49:42	0.025	0.006	6
2/12/2007	19:04:42	0.026	0.007	7
2/12/2007	19:19:42	0.027	0.008	8
2/12/2007	19:34:42	0.028	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/12/2007 13:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1358) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/12/2007 14:16	0.2		0.2
2	2/12/2007 14:31	0.4		0.4
3	2/12/2007 14:46	0.5		0.5
4	2/12/2007 15:01	0.3		0.3
5	2/12/2007 15:16	0.3		0.3
6	2/12/2007 15:31	0.3		0.3
7	2/12/2007 15:46	0.2		0.2
8	2/12/2007 16:01	0		0
9	2/12/2007 16:16	0		0
10	2/12/2007 16:31	0		0
11	2/12/2007 16:46	0		0
12	2/12/2007 17:01	0		0
13	2/12/2007 17:16	0		0
14	2/12/2007 17:31	0		0
15	2/12/2007 17:46	0		0
16	2/12/2007 18:01	0		0
17	2/12/2007 18:16	0		0
18	2/12/2007 18:31	0		0
19	2/12/2007 18:46	0		0
20	2/12/2007 19:01	0		0
21	2/12/2007 19:16	0		0
22	2/12/2007 19:31	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	2/12/2007
Start Time:	13:58:13
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	

Background Reading (1358) = 0.019 mg/m^3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/12/2007	14:13:13	0.023	0.004	4
2/12/2007	14:28:13	0.021	0.002	2
2/12/2007	14:43:13	0.021	0.002	2
2/12/2007	14:58:13	0.018	-0.001	-1
2/12/2007	15:13:13	0.024	0.005	5
2/12/2007	15:28:13	0.027	0.008	8
2/12/2007	15:43:13	0.034	0.015	15
2/12/2007	15:58:13	0.036	0.017	17
2/12/2007	16:13:13	0.028	0.009	9
2/12/2007	16:28:13	0.051	0.032	32
2/12/2007	16:43:13	0.032	0.013	13
2/12/2007	16:58:13	0.044	0.025	25
2/12/2007	17:13:13	0.039	0.02	20
2/12/2007	17:28:13	0.038	0.019	19
2/12/2007	17:43:13	0.025	0.006	6
2/12/2007	17:58:13	0.132	0.113	113
2/12/2007	18:13:13	0.058	0.039	39
2/12/2007	18:28:13	0.026	0.007	7
2/12/2007	18:43:13	0.024	0.005	5
2/12/2007	18:58:13	0.025	0.006	6
2/12/2007	19:13:13	0.043	0.024	24
2/12/2007	19:28:13	0.026	0.007	7
2/12/2007	19:43:13	0.031	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/13/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/13/2007 6:30	0.1		0.1
2	2/13/2007 6:45	0.1		0.1
3	2/13/2007 7:00	0.1		0.1
4	2/13/2007 7:15	0.2		0.2
5	2/13/2007 7:30	0.2		0.2
6	2/13/2007 7:45	0.2		0.2
7	2/13/2007 8:00	0.2		0.2
8	2/13/2007 8:15	0.2		0.2
9	2/13/2007 8:30	0.2		0.2
10	2/13/2007 8:45	0.2		0.2
11	2/13/2007 9:00	0.2		0.2
12	2/13/2007 9:15	0.2		0.2
13	2/13/2007 9:30	0.3		0.3
14	2/13/2007 9:45	0.3		0.3
15	2/13/2007 10:00	0.3		0.3
16	2/13/2007 10:15	0.3		0.3
17	2/13/2007 10:30	0.3		0.3
18	2/13/2007 10:45	0.3		0.3
19	2/13/2007 11:00	0.3		0.3
20	2/13/2007 11:15	0.3		0.3
21	2/13/2007 11:30	0.3		0.3
22	2/13/2007 11:45	0.4		0.4
23	2/13/2007 12:00	0.4		0.4
24	2/13/2007 12:15	0.4		0.4
25	2/13/2007 12:30	0.4		0.4
26	2/13/2007 12:45	0.4		0.4
27	2/13/2007 13:00	0.4		0.4
28	2/13/2007 13:15	0.4		0.4
29	2/13/2007 13:30	0.4		0.4
30	2/13/2007 13:45	0.4		0.4
31	2/13/2007 14:00	0.4		0.4
32	2/13/2007 14:15	0.5		0.5
33	2/13/2007 14:30	0.5		0.5
34	2/13/2007 14:45	0.5		0.5
35	2/13/2007 15:00	0.5		0.5
36	2/13/2007 15:15	0.5		0.5
37	2/13/2007 15:30	0.5		0.5
38	2/13/2007 15:45	0.5		0.5
39	2/13/2007 16:00	0.5		0.5
40	2/13/2007 16:15	0.5		0.5
41	2/13/2007 16:30	0.5		0.5
42	2/13/2007 16:45	0.6		0.6
43	2/13/2007 17:00	0.6		0.6
44	2/13/2007 17:15	0.6		0.6
45	2/13/2007 17:30	0.6		0.6
46	2/13/2007 17:45	0.6		0.6
1	2/13/2007 18:09	0.6		0.6
2	2/13/2007 18:24	0.7		0.7
3	2/13/2007 18:39	0.7		0.7
4	2/13/2007 18:54	0.7		0.7
5	2/13/2007 19:09	0.7		0.7
6	2/13/2007 19:24	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	2/13/2007
Start Time:	6:30:56
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (0630) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/13/2007	6:45:56	0.015	0.001	1
2/13/2007	7:00:56	0.015	0.001	1
2/13/2007	7:15:56	0.017	0.003	3
2/13/2007	7:30:56	0.015	0.001	1
2/13/2007	7:45:56	0.015	0.001	1
2/13/2007	8:00:56	0.015	0.001	1
2/13/2007	8:15:56	0.016	0.002	2
2/13/2007	8:30:56	0.019	0.005	5
2/13/2007	8:45:56	0.016	0.002	2
2/13/2007	9:00:56	0.014	0	0
2/13/2007	9:15:56	0.017	0.003	3
2/13/2007	9:30:56	0.016	0.002	2
2/13/2007	9:45:56	0.015	0.001	1
2/13/2007	10:00:56	0.013	-0.001	-1
2/13/2007	10:15:56	0.016	0.002	2
2/13/2007	10:30:56	0.016	0.002	2
2/13/2007	10:45:56	0.016	0.002	2
2/13/2007	11:00:56	0.016	0.002	2
2/13/2007	11:15:56	0.015	0.001	1
2/13/2007	11:30:56	0.015	0.001	1
2/13/2007	11:45:56	0.014	0	0
2/13/2007	12:00:56	0.014	0	0
2/13/2007	12:15:56	0.013	-0.001	-1
2/13/2007	12:30:56	0.014	0	0
2/13/2007	12:45:56	0.012	-0.002	-2
2/13/2007	13:00:56	0.011	-0.003	-3
2/13/2007	13:15:56	0.012	-0.002	-2
2/13/2007	13:30:56	0.012	-0.002	-2
2/13/2007	13:45:56	0.012	-0.002	-2
2/13/2007	14:00:56	0.014	0	0
2/13/2007	14:15:56	0.013	-0.001	-1
2/13/2007	14:30:56	0.012	-0.002	-2
2/13/2007	14:45:56	0.013	-0.001	-1
2/13/2007	15:00:56	0.015	0.001	1
2/13/2007	15:15:56	0.014	0	0
2/13/2007	15:30:56	0.017	0.003	3
2/13/2007	15:45:56	0.023	0.009	9
2/13/2007	16:00:56	0.014	0	0
2/13/2007	16:15:56	0.011	-0.003	-3
2/13/2007	16:30:56	0.011	-0.003	-3
2/13/2007	16:45:56	0.013	-0.001	-1
2/13/2007	17:00:56	0.015	0.001	1
2/13/2007	17:15:56	0.013	-0.001	-1
2/13/2007	17:30:56	0.012	-0.002	-2
2/13/2007	17:45:56	0.015	0.001	1
2/13/2007	18:00:56	0.013	-0.001	-1
2/13/2007	18:15:56	0.014	0	0
2/13/2007	18:30:56	0.013	-0.001	-1
2/13/2007	18:45:56	0.01	-0.004	-4
2/13/2007	19:00:56	0.012	-0.002	-2
2/13/2007	19:15:56	0.011	-0.003	-3
2/13/2007	19:30:56	0.01	-0.004	-4

STATION 2 (I.S. 151)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/13/2007 06:02

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0709) = 0.6 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/13/2007 6:53	0.4		-0.2
2	2/13/2007 7:08	0.5		-0.1
3	2/13/2007 7:23	0.6		0
4	2/13/2007 7:38	0.7		0.1
5	2/13/2007 7:53	0.8		0.2
6	2/13/2007 8:08	0.8		0.2
7	2/13/2007 8:23	0.9		0.3
8	2/13/2007 8:38	0.9		0.3
9	2/13/2007 8:53	1		0.4
10	2/13/2007 9:08	1		0.4
11	2/13/2007 9:23	1		0.4
12	2/13/2007 9:38	1		0.4
13	2/13/2007 9:53	1.1		0.5
14	2/13/2007 10:08	1.1		0.5
15	2/13/2007 10:23	1.1		0.5
16	2/13/2007 10:38	1.1		0.5
17	2/13/2007 10:53	1.2		0.6
18	2/13/2007 11:08	1.2		0.6
19	2/13/2007 11:23	1.2		0.6
20	2/13/2007 11:38	1.2		0.6
21	2/13/2007 11:53	1.2		0.6
22	2/13/2007 12:08	1.3		0.7
23	2/13/2007 12:23	1.3		0.7
24	2/13/2007 12:38	1.3		0.7
25	2/13/2007 12:53	1.3		0.7
26	2/13/2007 13:08	1.3		0.7
27	2/13/2007 13:23	1.4		0.8
28	2/13/2007 13:38	1.4		0.8
29	2/13/2007 13:53	1.4		0.8
30	2/13/2007 14:08	1.4		0.8
31	2/13/2007 14:23	1.4		0.8
32	2/13/2007 14:38	1.4		0.8
33	2/13/2007 14:53	1.4		0.8
34	2/13/2007 15:08	1.4		0.8
35	2/13/2007 15:23	1.4		0.8
36	2/13/2007 15:38	1.4		0.8
37	2/13/2007 15:53	1.4		0.8
38	2/13/2007 16:08	1.4		0.8
39	2/13/2007 16:23	1.5		0.9
40	2/13/2007 16:38	1.5		0.9
41	2/13/2007 16:53	1.5		0.9
42	2/13/2007 17:08	1.5		0.9
43	2/13/2007 17:23	1.5		0.9
44	2/13/2007 17:38	1.4		0.8
45	2/13/2007 17:53	1.4		0.8
46	2/13/2007 18:08	1.5		0.9
47	2/13/2007 18:23	1.5		0.9
48	2/13/2007 18:38	1.5		0.9
49	2/13/2007 18:53	1.5		0.9
50	2/13/2007 19:08	1.5		0.9
51	2/13/2007 19:23	1.5		

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m³ (150 ug/m³) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	2/13/2007
Start Time:	6:39:43
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	

Background Reading (0709) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/13/2007	6:54:43	0.009	0.003	3
2/13/2007	7:09:43	0.009	0.003	3
2/13/2007	7:24:43	0.008	0.002	2
2/13/2007	7:39:43	0.008	0.002	2
2/13/2007	7:54:43	0.009	0.003	3
2/13/2007	8:09:43	0.011	0.005	5
2/13/2007	8:24:43	0.009	0.003	3
2/13/2007	8:39:43	0.01	0.004	4
2/13/2007	8:54:43	0.008	0.002	2
2/13/2007	9:09:43	0.008	0.002	2
2/13/2007	9:24:43	0.009	0.003	3
2/13/2007	9:39:43	0.009	0.003	3
2/13/2007	9:54:43	0.008	0.002	2
2/13/2007	10:09:43	0.008	0.002	2
2/13/2007	10:24:43	0.008	0.002	2
2/13/2007	10:39:43	0.008	0.002	2
2/13/2007	10:54:43	0.008	0.002	2
2/13/2007	11:09:43	0.007	0.001	1
2/13/2007	11:24:43	0.007	0.001	1
2/13/2007	11:39:43	0.007	0.001	1
2/13/2007	11:54:43	0.006	0	0
2/13/2007	12:09:43	0.006	0	0
2/13/2007	12:24:43	0.007	0.001	1
2/13/2007	12:39:43	0.005	-0.001	-1
2/13/2007	12:54:43	0.006	0	0
2/13/2007	13:09:43	0.005	-0.001	-1
2/13/2007	13:24:43	0.006	0	0
2/13/2007	13:39:43	0.006	0	0
2/13/2007	13:54:43	0.006	0	0
2/13/2007	14:09:43	0.006	0	0
2/13/2007	14:24:43	0.006	0	0
2/13/2007	14:39:43	0.007	0.001	1
2/13/2007	14:54:43	0.007	0.001	1
2/13/2007	15:09:43	0.007	0.001	1
2/13/2007	15:24:43	0.007	0.001	1
2/13/2007	15:39:43	0.006	0	0
2/13/2007	15:54:43	0.007	0.001	1
2/13/2007	16:09:43	0.007	0.001	1
2/13/2007	16:24:43	0.007	0.001	1
2/13/2007	16:39:43	0.007	0.001	1
2/13/2007	16:54:43	0.008	0.002	2
2/13/2007	17:09:43	0.014	0.008	8
2/13/2007	17:24:43	0.014	0.008	8
2/13/2007	17:39:43	0.009	0.003	3
2/13/2007	17:54:43	0.008	0.002	2
2/13/2007	18:09:43	0.009	0.003	3
2/13/2007	18:24:43	0.009	0.003	3
2/13/2007	18:39:43	0.006	0	0
2/13/2007	18:54:43	0.005	-0.001	-1
2/13/2007	19:09:43	0.005	-0.001	-1
2/13/2007	19:24:43	0.006	0	0
2/13/2007	19:39:43	0.006	0	0

VOC action level = 5 ppm above background

STATION 3 (P.S. 156)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 13 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/13/2007 06:00

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	2/13/2007 7:04	0.9		0.9	
2	2/13/2007 7:19	1.3		1.3	
3	2/13/2007 7:34	1.6		1.6	
4	2/13/2007 7:49	1.8		1.8	
5	2/13/2007 8:04	2		2	
6	2/13/2007 8:19	2		2	
7	2/13/2007 8:34	2.2		2.2	
8	2/13/2007 8:49	2.3		2.3	
9	2/13/2007 9:04	2.3		2.3	
10	2/13/2007 9:19	2.4		2.4	
11	2/13/2007 9:34	2.5		2.5	
12	2/13/2007 9:49	2.6		2.6	
13	2/13/2007 10:04	2.7		2.7	
1	2/13/2007 10:12	0.2		0.2	*PID recalibrated
2	2/13/2007 10:27	0.4		0.4	
3	2/13/2007 10:42	0.3		0.3	
4	2/13/2007 10:57	0.3		0.3	
5	2/13/2007 11:12	0.3		0.3	
6	2/13/2007 11:27	0.2		0.2	
7	2/13/2007 11:42	0.4		0.4	
8	2/13/2007 11:57	0.2		0.2	
9	2/13/2007 12:12	0.3		0.3	
10	2/13/2007 12:27	0.2		0.2	
11	2/13/2007 12:42	0.2		0.2	
12	2/13/2007 12:57	0.2		0.2	
13	2/13/2007 13:12	0.2		0.2	
14	2/13/2007 13:27	0.5		0.5	
15	2/13/2007 13:42	0.4		0.4	
16	2/13/2007 13:57	0.4		0.4	
17	2/13/2007 14:12	0.5		0.5	
18	2/13/2007 14:27	0.3		0.3	
19	2/13/2007 14:42	0.3		0.3	
20	2/13/2007 14:57	0.3		0.3	
21	2/13/2007 15:12	0.2		0.2	
22	2/13/2007 15:27	0.3		0.3	
23	2/13/2007 15:42	0.4		0.4	
24	2/13/2007 15:57	0.4		0.4	
25	2/13/2007 16:12	0.2		0.2	
26	2/13/2007 16:27	0.1		0.1	
27	2/13/2007 16:42	0.4		0.4	
28	2/13/2007 16:57	0.3		0.3	
29	2/13/2007 17:12	0.4		0.4	
30	2/13/2007 17:27	0.4		0.4	
31	2/13/2007 17:42	0		0	
32	2/13/2007 17:57	0.1		0.1	
33	2/13/2007 18:12	0.4		0.4	
34	2/13/2007 18:27	0.1		0.1	
35	2/13/2007 18:42	0.5		0.5	
36	2/13/2007 18:57	0.6		0.6	

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	2/13/2007
Start Time:	6:56:14
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	

Background Reading (0648) = 0.014 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/13/2007	7:11:14	0.012	-0.002	-2
2/13/2007	7:26:14	0.012	-0.002	-2
2/13/2007	7:41:14	0.013	-0.001	-1
2/13/2007	7:56:14	0.015	0.001	1
2/13/2007	8:11:14	0.016	0.002	2
2/13/2007	8:26:14	0.019	0.005	5
2/13/2007	8:41:14	0.017	0.003	3
2/13/2007	8:56:14	0.015	0.001	1
2/13/2007	9:11:14	0.017	0.003	3
2/13/2007	9:26:14	0.015	0.001	1
2/13/2007	9:41:14	0.015	0.001	1
2/13/2007	9:56:14	0.019	0.005	5
2/13/2007	10:11:14	0.016	0.002	2
2/13/2007	10:26:14	0.014	0	0
2/13/2007	10:41:14	0.015	0.001	1
2/13/2007	10:56:14	0.015	0.001	1
2/13/2007	11:11:14	0.015	0.001	1
2/13/2007	11:26:14	0.014	0	0
2/13/2007	11:41:14	0.014	0	0
2/13/2007	11:56:14	0.013	-0.001	-1
2/13/2007	12:11:14	0.013	-0.001	-1
2/13/2007	12:26:14	0.014	0	0
2/13/2007	12:41:14	0.011	-0.003	-3
2/13/2007	12:56:14	0.01	-0.004	-4
2/13/2007	13:11:14	0.012	-0.002	-2
2/13/2007	13:26:14	0.011	-0.003	-3
2/13/2007	13:41:14	0.013	-0.001	-1
2/13/2007	13:56:14	0.013	-0.001	-1
2/13/2007	14:11:14	0.011	-0.003	-3
2/13/2007	14:26:14	0.012	-0.002	-2
2/13/2007	14:41:14	0.013	-0.001	-1
2/13/2007	14:56:14	0.014	0	0
2/13/2007	15:11:14	0.015	0.001	1
2/13/2007	15:26:14	0.013	-0.001	-1
2/13/2007	15:41:14	0.011	-0.003	-3
2/13/2007	15:56:14	0.012	-0.002	-2
2/13/2007	16:11:14	0.012	-0.002	-2
2/13/2007	16:26:14	0.012	-0.002	-2
2/13/2007	16:41:14	0.014	0	0
2/13/2007	16:56:14	0.014	0	0
2/13/2007	17:11:14	0.014	0	0
2/13/2007	17:26:14	0.012	-0.002	-2
2/13/2007	17:41:14	0.014	0	0
2/13/2007	17:56:14	0.015	0.001	1
2/13/2007	18:11:14	0.015	0.001	1
2/13/2007	18:26:14	0.015	0.001	1
2/13/2007	18:41:14	0.011	-0.003	-3
2/13/2007	18:56:14	0.009	-0.005	-5
2/13/2007	19:11:14	0.01	-0.004	-4
2/13/2007	19:26:14	0.012	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/13/2007 06:03

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/13/2007 7:16	0.1		-0.1
2	2/13/2007 7:31	0.2		0
3	2/13/2007 7:46	0.2		0
4	2/13/2007 8:01	0.2		0
5	2/13/2007 8:16	0.2		0
6	2/13/2007 8:31	0.3		0.1
7	2/13/2007 8:46	0.3		0.1
8	2/13/2007 9:01	0.3		0.1
9	2/13/2007 9:16	0.3		0.1
10	2/13/2007 9:31	0.3		0.1
11	2/13/2007 9:46	0.3		0.1
12	2/13/2007 10:01	0.3		0.1
13	2/13/2007 10:16	0.3		0.1
14	2/13/2007 10:31	0.4		0.2
15	2/13/2007 10:46	0.4		0.2
16	2/13/2007 11:01	0.4		0.2
17	2/13/2007 11:16	0.4		0.2
18	2/13/2007 11:31	0.4		0.2
19	2/13/2007 11:46	0.4		0.2
20	2/13/2007 12:01	0.4		0.2
21	2/13/2007 12:16	0.4		0.2
22	2/13/2007 12:31	0.3		0.1
23	2/13/2007 12:46	0.3		0.1
24	2/13/2007 13:01	0.3		0.1
25	2/13/2007 13:16	0.3		0.1
26	2/13/2007 13:31	0.3		0.1
27	2/13/2007 13:46	0.3		0.1
28	2/13/2007 14:01	0.3		0.1
29	2/13/2007 14:16	0.3		0.1
30	2/13/2007 14:31	0.3		0.1
31	2/13/2007 14:46	0.3		0.1
32	2/13/2007 15:01	0.3		0.1
33	2/13/2007 15:16	0.3		0.1
34	2/13/2007 15:31	0.3		0.1
35	2/13/2007 15:46	0.3		0.1
36	2/13/2007 16:01	0.3		0.1
37	2/13/2007 16:16	0.3		0.1
38	2/13/2007 16:31	0.3		0.1
39	2/13/2007 16:46	0.4		0.2
40	2/13/2007 17:01	0.4		0.2
41	2/13/2007 17:16	0.4		0.2
42	2/13/2007 17:31	0.4		0.2
43	2/13/2007 17:46	0.4		0.2
44	2/13/2007 18:01	0.4		0.2
45	2/13/2007 18:16	0.4		0.2
46	2/13/2007 18:31	0.5		0.3
47	2/13/2007 18:46	0.5		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	2/13/2007
Start Time:	6:50:06
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (0656) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/13/2007	7:05:06	0.012	-0.009	-9
2/13/2007	7:20:06	0.013	-0.008	-8
2/13/2007	7:35:06	0.015	-0.006	-6
2/13/2007	7:50:06	0.014	-0.007	-7
2/13/2007	8:05:06	0.016	-0.005	-5
2/13/2007	8:20:06	0.017	-0.004	-4
2/13/2007	8:35:06	0.016	-0.005	-5
2/13/2007	8:50:06	0.014	-0.007	-7
2/13/2007	9:05:06	0.018	-0.003	-3
2/13/2007	9:20:06	0.015	-0.006	-6
2/13/2007	9:35:06	0.018	-0.003	-3
2/13/2007	9:50:06	0.019	-0.002	-2
2/13/2007	10:05:06	0.025	0.004	4
2/13/2007	10:20:06	0.014	-0.007	-7
2/13/2007	10:35:06	0.015	-0.006	-6
2/13/2007	10:50:06	0.014	-0.007	-7
2/13/2007	11:05:06	0.014	-0.007	-7
2/13/2007	11:20:06	0.016	-0.005	-5
2/13/2007	11:35:06	0.013	-0.008	-8
2/13/2007	11:50:06	0.013	-0.008	-8
2/13/2007	12:05:06	0.013	-0.008	-8
2/13/2007	12:20:06	0.013	-0.008	-8
2/13/2007	12:35:06	0.012	-0.009	-9
2/13/2007	12:50:06	0.01	-0.011	-11
2/13/2007	13:05:06	0.011	-0.01	-10
2/13/2007	13:20:06	0.019	-0.002	-2
2/13/2007	13:35:06	0.012	-0.009	-9
2/13/2007	13:50:06	0.013	-0.008	-8
2/13/2007	14:05:06	0.01	-0.011	-11
2/13/2007	14:20:06	0.012	-0.009	-9
2/13/2007	14:35:06	0.012	-0.009	-9
2/13/2007	14:50:06	0.013	-0.008	-8
2/13/2007	15:05:06	0.014	-0.007	-7
2/13/2007	15:20:06	0.014	-0.007	-7
2/13/2007	15:35:06	0.017	-0.004	-4
2/13/2007	15:50:06	0.021	0	0
2/13/2007	16:05:06	0.015	-0.006	-6
2/13/2007	16:20:06	0.049	0.028	28
2/13/2007	16:35:06	0.013	-0.008	-8
2/13/2007	16:50:06	0.014	-0.007	-7
2/13/2007	17:05:06	0.017	-0.004	-4
2/13/2007	17:20:06	0.013	-0.008	-8
2/13/2007	17:35:06	0.015	-0.006	-6
2/13/2007	17:50:06	0.013	-0.008	-8
2/13/2007	18:05:06	0.017	-0.004	-4
2/13/2007	18:20:06	0.021	0	0
2/13/2007	18:35:06	0.012	-0.009	-9
2/13/2007	18:50:06	0.072	0.051	51
2/13/2007	19:05:06	0.035	0.014	14
2/13/2007	19:20:06	0.021	0	0
2/13/2007	19:35:06	0.012	-0.009	-9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/15/2007 13:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1402) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/15/2007 14:24	0.1		0
2	2/15/2007 14:39	0.3		0.2
3	2/15/2007 14:54	0.4		0.3
4	2/15/2007 15:09	0.4		0.3
5	2/15/2007 15:24	0.5		0.4
6	2/15/2007 15:39	0.5		0.4
7	2/15/2007 15:54	0.5		0.4
8	2/15/2007 16:09	0.6		0.5
9	2/15/2007 16:24	0.6		0.5
10	2/15/2007 16:39	0.6		0.5
11	2/15/2007 16:54	0.6		0.5
12	2/15/2007 17:09	0.7		0.6
13	2/15/2007 17:24	0.7		0.6
14	2/15/2007 17:39	0.7		0.6
15	2/15/2007 17:54	0.7		0.6
16	2/15/2007 18:09	0.7		0.6
17	2/15/2007 18:24	0.6		0.5
18	2/15/2007 18:39	0.7		0.6
19	2/15/2007 18:54	0.7		0.6
20	2/15/2007 19:09	0.7		0.6
21	2/15/2007 19:24	0.7		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	2/15/2007
Start Time:	14:03:04
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1402) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/15/2007	14:18:04	0.012	-0.009	-9
2/15/2007	14:33:04	0.01	-0.011	-11
2/15/2007	14:48:04	0.009	-0.012	-12
2/15/2007	15:03:04	0.01	-0.011	-11
2/15/2007	15:18:04	0.009	-0.012	-12
2/15/2007	15:33:04	0.017	-0.004	-4
2/15/2007	15:48:04	0.009	-0.012	-12
2/15/2007	16:03:04	0.009	-0.012	-12
2/15/2007	16:18:04	0.009	-0.012	-12
2/15/2007	16:33:04	0.009	-0.012	-12
2/15/2007	16:48:04	0.016	-0.005	-5
2/15/2007	17:03:04	0.011	-0.01	-10
2/15/2007	17:18:04	0.011	-0.01	-10
2/15/2007	17:33:04	0.013	-0.008	-8
2/15/2007	17:48:04	0.018	-0.003	-3
2/15/2007	18:03:04	0.011	-0.01	-10
2/15/2007	18:18:04	0.011	-0.01	-10
2/15/2007	18:33:04	0.01	-0.011	-11
2/15/2007	18:48:04	0.01	-0.011	-11
2/15/2007	19:03:04	0.011	-0.01	-10
2/15/2007	19:18:04	0.015	-0.006	-6
2/15/2007	19:33:04	0.014	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/15/2007 13:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1340) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/15/2007 13:55	0		0
2	2/15/2007 14:10	0		0
3	2/15/2007 14:25	0.2		0.2
4	2/15/2007 14:40	0.3		0.3
5	2/15/2007 14:55	0.4		0.4
6	2/15/2007 15:10	0.1		0.1
7	2/15/2007 15:25	0		0
8	2/15/2007 15:40	0		0
9	2/15/2007 15:55	0		0
10	2/15/2007 16:10	0		0
11	2/15/2007 16:25	0		0
12	2/15/2007 16:40	0		0
13	2/15/2007 16:55	0		0
14	2/15/2007 17:10	0		0
15	2/15/2007 17:25	0		0
16	2/15/2007 17:40	0		0
17	2/15/2007 17:55	0		0
18	2/15/2007 18:10	0		0
19	2/15/2007 18:25	0		0
20	2/15/2007 18:40	0		0
21	2/15/2007 18:55	0		0
22	2/15/2007 19:10	0		0
23	2/15/2007 19:25	0		0
24	2/15/2007 19:40	0		0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	2/15/2007
Start Time:	13:41:55
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	

Background Reading (1340) = 0.006 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/15/2007	13:56:55	0.005	-0.001	-1
2/15/2007	14:11:55	0.005	-0.001	-1
2/15/2007	14:26:55	0.005	-0.001	-1
2/15/2007	14:41:55	0.004	-0.002	-2
2/15/2007	14:56:55	0.004	-0.002	-2
2/15/2007	15:11:55	0.004	-0.002	-2
2/15/2007	15:26:55	0.005	-0.001	-1
2/15/2007	15:41:55	0.004	-0.002	-2
2/15/2007	15:56:55	0.003	-0.003	-3
2/15/2007	16:11:55	0.003	-0.003	-3
2/15/2007	16:26:55	0.003	-0.003	-3
2/15/2007	16:41:55	0.003	-0.003	-3
2/15/2007	16:56:55	0.006	0	0
2/15/2007	17:11:55	0.003	-0.003	-3
2/15/2007	17:26:55	0.004	-0.002	-2
2/15/2007	17:41:55	0.004	-0.002	-2
2/15/2007	17:56:55	0.005	-0.001	-1
2/15/2007	18:11:55	0.004	-0.002	-2
2/15/2007	18:26:55	0.005	-0.001	-1
2/15/2007	18:41:55	0.004	-0.002	-2
2/15/2007	18:56:55	0.004	-0.002	-2
2/15/2007	19:11:55	0.004	-0.002	-2
2/15/2007	19:26:55	0.005	-0.001	-1
2/15/2007	19:41:55	0.005	-0.001	-1
2/15/2007	19:56:55	0.004	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/13/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (1407) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/15/2007 14:21	1.2		0.8
2	2/15/2007 14:36	1.5		1.1
3	2/15/2007 14:51	1.7		1.3
4	2/15/2007 15:06	1.9		1.5
5	2/15/2007 15:21	2		1.6
6	2/15/2007 15:36	2.1		1.7
7	2/15/2007 15:51	2.2		1.8
8	2/15/2007 16:06	2.3		1.9
9	2/15/2007 16:21	2.4		2
10	2/15/2007 16:36	2.5		2.1
11	2/15/2007 16:51	2.6		2.2
12	2/15/2007 17:06	2.7		2.3
13	2/15/2007 17:21	2.8		2.4
14	2/15/2007 17:36	2.9		2.5
15	2/15/2007 17:51	3		2.6
16	2/15/2007 18:06	3.1		2.7
17	2/15/2007 18:21	3.2		2.8
18	2/15/2007 18:36	3.2		2.8
19	2/15/2007 18:51	3.3		2.9
20	2/15/2007 19:06	3.5		3.1
21	2/15/2007 19:21	3.6		3.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	2/15/2007
Start Time:	14:07:53
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	

Background Reading (1407) = 0.007 mg/m^3

Calibration

Sensor: Aerosol

Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/15/2007	14:22:53	0.006	-0.001	-1
2/15/2007	14:37:53	0.007	0	0
2/15/2007	14:52:53	0.007	0	0
2/15/2007	15:07:53	0.009	0.002	2
2/15/2007	15:22:53	0.009	0.002	2
2/15/2007	15:37:53	0.009	0.002	2
2/15/2007	15:52:53	0.007	0	0
2/15/2007	16:07:53	0.007	0	0
2/15/2007	16:22:53	0.007	0	0
2/15/2007	16:37:53	0.006	-0.001	-1
2/15/2007	16:52:53	0.013	0.006	6
2/15/2007	17:07:53	0.008	0.001	1
2/15/2007	17:22:53	0.009	0.002	2
2/15/2007	17:37:53	0.01	0.003	3
2/15/2007	17:52:53	0.011	0.004	4
2/15/2007	18:07:53	0.009	0.002	2
2/15/2007	18:22:53	0.01	0.003	3
2/15/2007	18:37:53	0.01	0.003	3
2/15/2007	19:03:50	0.008	0.001	1
2/15/2007	19:18:50	0.009	0.002	2
2/15/2007	19:33:50	0.017	0.01	10
2/15/2007	19:48:50	0.009	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/15/2007 13:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1400) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/15/2007 14:21	0		0
2	2/15/2007 14:36	0		0
3	2/15/2007 14:51	0		0
4	2/15/2007 15:06	0		0
5	2/15/2007 15:21	0		0
6	2/15/2007 15:36	0		0
7	2/15/2007 15:51	0		0
8	2/15/2007 16:06	0		0
9	2/15/2007 16:21	0		0
10	2/15/2007 16:36	0		0
11	2/15/2007 16:51	0		0
12	2/15/2007 17:06	0		0
13	2/15/2007 17:21	0		0
14	2/15/2007 17:36	0.1		0.1
15	2/15/2007 17:51	0.2		0.2
16	2/15/2007 18:06	0.2		0.2
17	2/15/2007 18:21	0.2		0.2
18	2/15/2007 18:36	0.2		0.2
19	2/15/2007 18:51	0.2		0.2
20	2/15/2007 19:06	0.2		0.2
21	2/15/2007 19:21	0.2		0.2
22	2/15/2007 19:36	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	2/15/2007
Start Time:	14:11:15
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	Background Reading (1400) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/15/2007	14:26:15	0.008	0.001	1
2/15/2007	14:41:15	0.011	0.004	4
2/15/2007	14:56:15	0.008	0.001	1
2/15/2007	15:11:15	0.009	0.002	2
2/15/2007	15:26:15	0.014	0.007	7
2/15/2007	15:41:15	0.014	0.007	7
2/15/2007	15:56:15	0.012	0.005	5
2/15/2007	16:11:15	0.013	0.006	6
2/15/2007	16:26:15	0.012	0.005	5
2/15/2007	16:41:15	0.034	0.027	27
2/15/2007	16:56:15	0.037	0.03	30
2/15/2007	17:11:15	0.034	0.027	27
2/15/2007	17:26:15	0.051	0.044	44
2/15/2007	17:41:15	0.06	0.053	53
2/15/2007	17:56:15	0.03	0.023	23
2/15/2007	18:11:15	0.014	0.007	7
2/15/2007	18:26:15	0.016	0.009	9
2/15/2007	18:41:15	0.016	0.009	9
2/15/2007	18:56:15	0.011	0.004	4
2/15/2007	19:11:15	0.037	0.03	30
2/15/2007	19:26:15	0.051	0.044	44
2/15/2007	19:41:15	0.02	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/16/2007 13:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1413) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/16/2007 14:35	0.1		0
2	2/16/2007 14:50	0.2		0.1
3	2/16/2007 15:05	0.3		0.2
4	2/16/2007 15:20	0.4		0.3
5	2/16/2007 15:35	0.4		0.3
6	2/16/2007 15:50	0.4		0.3
7	2/16/2007 16:05	0.5		0.4
8	2/16/2007 16:20	0.5		0.4
9	2/16/2007 16:35	0.5		0.4
10	2/16/2007 16:50	0.6		0.5
11	2/16/2007 17:05	0.6		0.5
12	2/16/2007 17:20	0.6		0.5
13	2/16/2007 17:35	0.7		0.6
14	2/16/2007 17:50	0.7		0.6
15	2/16/2007 18:05	1.9		1.8
16	2/16/2007 18:20	0.7		0.6
17	2/16/2007 18:35	0.7		0.6
18	2/16/2007 18:50	0.7		0.6
19	2/16/2007 19:05	0.7		0.6
20	2/16/2007 19:20	0.8		0.7
21	2/16/2007 19:35	0.8		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	2/16/2007
Start Time:	14:14:11
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	22
Notes:	

Background Reading (1413) = 0.009 mg/m^3

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/16/2007	14:29:11	0.01	0.001	1
2/16/2007	14:44:11	0.011	0.002	2
2/16/2007	14:59:11	0.015	0.006	6
2/16/2007	15:14:11	0.019	0.01	10
2/16/2007	15:29:11	0.02	0.011	11
2/16/2007	15:44:11	0.014	0.005	5
2/16/2007	15:59:11	0.02	0.011	11
2/16/2007	16:14:11	0.014	0.005	5
2/16/2007	16:29:11	0.016	0.007	7
2/16/2007	16:44:11	0.016	0.007	7
2/16/2007	16:59:11	0.012	0.003	3
2/16/2007	17:14:11	0.013	0.004	4
2/16/2007	17:29:11	0.012	0.003	3
2/16/2007	17:44:11	0.012	0.003	3
2/16/2007	17:59:11	0.013	0.004	4
2/16/2007	18:14:11	0.055	0.046	46
2/16/2007	18:29:11	0.013	0.004	4
2/16/2007	18:44:11	0.012	0.003	3
2/16/2007	18:59:11	0.014	0.005	5
2/16/2007	19:14:11	0.012	0.003	3
2/16/2007	19:29:11	0.013	0.004	4
2/16/2007	19:44:11	0.014	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/16/2007 13:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1352) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/16/2007 14:05	0		0
2	2/16/2007 14:20	0.1		0.1
3	2/16/2007 14:35	0.1		0.1
4	2/16/2007 14:50	0.2		0.2
5	2/16/2007 15:05	0.3		0.3
6	2/16/2007 15:20	0.3		0.3
7	2/16/2007 15:35	0.4		0.4
8	2/16/2007 15:50	0.5		0.5
9	2/16/2007 16:05	0.5		0.5
10	2/16/2007 16:20	0.5		0.5
11	2/16/2007 16:35	0.5		0.5
12	2/16/2007 16:50	0.6		0.6
13	2/16/2007 17:05	0.6		0.6
14	2/16/2007 17:20	0.6		0.6
15	2/16/2007 17:35	0.6		0.6
16	2/16/2007 17:50	0.8		0.8
17	2/16/2007 18:05	0.6		0.6
18	2/16/2007 18:20	0.7		0.7
19	2/16/2007 18:35	0.7		0.7
20	2/16/2007 18:50	0.7		0.7
21	2/16/2007 19:05	0.7		0.7
22	2/16/2007 19:20	0.7		0.7
23	2/16/2007 19:35	0.7		0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	2/16/2007
Start Time:	14:37:14
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	

Background Reading (1352) = 0.008 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/16/2007	14:52:14	0.006	-0.002	-2
2/16/2007	15:07:14	0.006	-0.002	-2
2/16/2007	15:22:14	0.007	-0.001	-1
2/16/2007	15:37:14	0.007	-0.001	-1
2/16/2007	15:52:14	0.009	0.001	1
2/16/2007	16:07:14	0.008	0	0
2/16/2007	16:22:14	0.007	-0.001	-1
2/16/2007	16:37:14	0.007	-0.001	-1
2/16/2007	16:52:14	0.007	-0.001	-1
2/16/2007	17:07:14	0.008	0	0
2/16/2007	17:22:14	0.008	0	0
2/16/2007	17:37:14	0.007	-0.001	-1
2/16/2007	17:52:14	0.007	-0.001	-1
2/16/2007	18:07:14	0.058	0.05	50
2/16/2007	18:22:14	0.008	0	0
2/16/2007	18:37:14	0.008	0	0
2/16/2007	18:52:14	0.008	0	0
2/16/2007	19:07:14	0.009	0.001	1
2/16/2007	19:22:14	0.008	0	0
2/16/2007	19:37:14	0.008	0	0
2/16/2007	19:52:14	0.007	-0.001	-1

VOC action level = 5 ppm above background

STATION 3 (P.S. 156)
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 20 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/16/2007 13:19

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (1426) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/16/2007 14:41	0		0
2	2/16/2007 14:56	0.1		0.1
3	2/16/2007 15:11	0.2		0.2
4	2/16/2007 15:26	0.2		0.2
5	2/16/2007 15:41	0.3		0.3
6	2/16/2007 15:56	0.3		0.3
7	2/16/2007 16:11	0.3		0.3
8	2/16/2007 16:26	0.4		0.4
9	2/16/2007 16:41	0.4		0.4
10	2/16/2007 16:56	0.4		0.4
11	2/16/2007 17:11	0.5		0.5
12	2/16/2007 17:26	0.4		0.4
13	2/16/2007 17:41	0.5		0.5
14	2/16/2007 17:56	0.4		0.4
15	2/16/2007 18:11	0.4		0.4
16	2/16/2007 18:26	0.5		0.5
17	2/16/2007 18:41	0.5		0.5
18	2/16/2007 18:56	0.5		0.5
19	2/16/2007 19:11	0.5		0.5
20	2/16/2007 19:26	0.5		0.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	2/16/2007
Start Time:	14:27:26
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	

Background Reading (1426) = 0.009 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/16/2007	14:42:26	0.01	0.001	1
2/16/2007	14:57:26	0.009	0	0
2/16/2007	15:12:26	0.011	0.002	2
2/16/2007	15:27:26	0.012	0.003	3
2/16/2007	15:42:26	0.011	0.002	2
2/16/2007	15:57:26	0.013	0.004	4
2/16/2007	16:12:26	0.012	0.003	3
2/16/2007	16:27:26	0.013	0.004	4
2/16/2007	16:42:26	0.014	0.005	5
2/16/2007	16:57:26	0.014	0.005	5
2/16/2007	17:12:26	0.017	0.008	8
2/16/2007	17:27:26	0.014	0.005	5
2/16/2007	17:42:26	0.015	0.006	6
2/16/2007	17:57:26	0.13	0.121	121
2/16/2007	18:12:26	0.014	0.005	5
2/16/2007	18:27:26	0.015	0.006	6
2/16/2007	18:42:26	0.015	0.006	6
2/16/2007	18:57:26	0.02	0.011	11
2/16/2007	19:12:26	0.024	0.015	15
2/16/2007	19:27:26	0.017	0.008	8
2/16/2007	19:42:26	0.016	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/16/2007 13:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (1400) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/16/2007 14:38	0		0
2	2/16/2007 14:53	0		0
3	2/16/2007 15:08	0		0
4	2/16/2007 15:23	0		0
5	2/16/2007 15:38	0		0
6	2/16/2007 15:53	0		0
7	2/16/2007 16:08	0		0
8	2/16/2007 16:23	0		0
9	2/16/2007 16:38	0		0
10	2/16/2007 16:53	0		0
11	2/16/2007 17:08	0		0
12	2/16/2007 17:23	0		0
13	2/16/2007 17:38	0.1		0.1
14	2/16/2007 17:53	0.1		0.1
15	2/16/2007 18:08	0		0
16	2/16/2007 18:23	0		0
17	2/16/2007 18:38	0.1		0.1
18	2/16/2007 18:53	0.1		0.1
19	2/16/2007 19:08	0.2		0.2
20	2/16/2007 19:23	0.2		0.2
21	2/16/2007 19:38	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	2/16/2007
Start Time:	14:21:34
Duration (dd:hh:mm:ss):	00:05:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (1400) = 0.007 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/16/2007	14:36:34	0.009	0.002	2
2/16/2007	14:51:34	0.011	0.004	4
2/16/2007	15:06:34	0.012	0.005	5
2/16/2007	15:21:34	0.015	0.008	8
2/16/2007	15:36:34	0.023	0.016	16
2/16/2007	15:51:34	0.102	0.095	95
2/16/2007	16:06:34	0.021	0.014	14
2/16/2007	16:21:34	0.02	0.013	13
2/16/2007	16:36:34	0.019	0.012	12
2/16/2007	16:51:34	0.017	0.01	10
2/16/2007	17:06:34	0.016	0.009	9
2/16/2007	17:21:34	0.019	0.012	12
2/16/2007	17:36:34	0.041	0.034	34
2/16/2007	17:51:34	0.076	0.069	69
2/16/2007	18:06:34	0.014	0.007	7
2/16/2007	18:21:34	0.015	0.008	8
2/16/2007	18:36:34	0.019	0.012	12
2/16/2007	18:51:34	0.017	0.01	10
2/16/2007	19:06:34	0.026	0.019	19
2/16/2007	19:21:34	0.018	0.011	11
2/16/2007	19:36:34	0.014	0.007	7

STATION 1 (SOUTHERN PERIMETER)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/19/2007 06:17

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)
1	2/19/2007 6:58	0.1	0.1
2	2/19/2007 7:13	0.2	0.2
3	2/19/2007 7:28	0.2	0.2
4	2/19/2007 7:43	0.2	0.2
5	2/19/2007 7:58	0.3	0.3
6	2/19/2007 8:13	0.3	0.3
7	2/19/2007 8:28	0.3	0.3
8	2/19/2007 8:43	0.4	0.4
9	2/19/2007 8:58	0.4	0.4
10	2/19/2007 9:13	0.4	0.4
11	2/19/2007 9:28	0.4	0.4
12	2/19/2007 9:43	0.4	0.4
13	2/19/2007 9:58	0.5	0.5
14	2/19/2007 10:13	0.5	0.5
15	2/19/2007 10:28	0.5	0.5
16	2/19/2007 10:43	0.5	0.5
17	2/19/2007 10:58	0.4	0.4
18	2/19/2007 11:13	0.4	0.4
19	2/19/2007 11:28	0.5	0.5
20	2/19/2007 11:43	0.5	0.5
21	2/19/2007 11:58	0.5	0.5
22	2/19/2007 12:13	0.5	0.5
23	2/19/2007 12:28	0.5	0.5
24	2/19/2007 12:43	0.5	0.5
25	2/19/2007 12:58	0.5	0.5
26	2/19/2007 13:13	0.5	0.5
27	2/19/2007 13:28	0.5	0.5
28	2/19/2007 13:43	0.5	0.5
29	2/19/2007 13:58	0.5	0.5
30	2/19/2007 14:13	0.5	0.5
31	2/19/2007 14:28	0.5	0.5
32	2/19/2007 14:43	0.5	0.5
33	2/19/2007 14:58	0.5	0.5
34	2/19/2007 15:13	0.5	0.5
35	2/19/2007 15:28	0.5	0.5
36	2/19/2007 15:43	0.5	0.5
1	2/19/2007 16:51		

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	2/19/2007
Start Time:	6:36:44
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0635) = 0.009 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/19/2007	6:51:44	0.008	-0.001	-1
2/19/2007	7:06:44	0.014	0.005	5
2/19/2007	7:21:44	0.026	0.017	17
2/19/2007	7:36:44	0.011	0.002	2
2/19/2007	7:51:44	0.016	0.007	7
2/19/2007	8:06:44	0.011	0.002	2
2/19/2007	8:21:44	0.011	0.002	2
2/19/2007	8:36:44	0.02	0.011	11
2/19/2007	8:51:44	0.018	0.009	9
2/19/2007	9:06:44	0.016	0.007	7
2/19/2007	9:21:44	0.017	0.008	8
2/19/2007	9:36:44	0.015	0.006	6
2/19/2007	9:51:44	0.013	0.004	4
2/19/2007	10:06:44	0.013	0.004	4
2/19/2007	10:21:44	0.086	0.077	77
2/19/2007	10:36:44	0.016	0.007	7
2/19/2007	10:51:44	0.01	0.001	1
2/19/2007	11:06:44	0.011	0.002	2
2/19/2007	11:21:44	0.014	0.005	5
2/19/2007	11:36:44	0.011	0.002	2
2/19/2007	11:51:44	0.021	0.012	12
2/19/2007	12:06:44	0.025	0.016	16
2/19/2007	12:21:44	0.008	-0.001	-1
2/19/2007	12:36:44	0.008	-0.001	-1
2/19/2007	12:51:44	0.012	0.003	3
2/19/2007	13:06:44	0.02	0.011	11
2/19/2007	13:21:44	0.013	0.004	4
2/19/2007	13:36:44	0.01	0.001	1
2/19/2007	13:51:44	0.012	0.003	3
2/19/2007	14:06:44	0.013	0.004	4
2/19/2007	14:21:44	0.016	0.007	7
2/19/2007	14:36:44	0.008	-0.001	-1
2/19/2007	14:51:44	0.012	0.003	3
2/19/2007	15:06:44	0.011	0.002	2
2/19/2007	15:21:44	0.01	0.001	1
2/19/2007	15:36:44	0.014	0.005	5
2/19/2007	15:51:44	0.017	0.008	8
2/19/2007	16:06:44	0.019	0.01	10
2/19/2007	16:21:44	0.012	0.003	3
2/19/2007	16:36:44	0.01	0.001	1
2/19/2007	16:51:44	0.014	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/19/2007 06:10

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/19/2007 6:48	0		0
2	2/19/2007 7:03	0		0
3	2/19/2007 7:18	0.1		0.1
4	2/19/2007 7:33	0.2		0.2
5	2/19/2007 7:48	0.3		0.3
6	2/19/2007 8:03	0.3		0.3
7	2/19/2007 8:18	0.4		0.4
8	2/19/2007 8:33	0.5		0.5
9	2/19/2007 8:48	0.5		0.5
10	2/19/2007 9:03	0.5		0.5
11	2/19/2007 9:18	0.6		0.6
12	2/19/2007 9:33	0.6		0.6
13	2/19/2007 9:48	0.6		0.6
14	2/19/2007 10:03	0.6		0.6
15	2/19/2007 10:18	0.7		0.7
16	2/19/2007 10:33	0.7		0.7
17	2/19/2007 10:48	0.7		0.7
18	2/19/2007 11:03	0.7		0.7
19	2/19/2007 11:18	0.7		0.7
20	2/19/2007 11:33	0.7		0.7
21	2/19/2007 11:48	0.7		0.7
22	2/19/2007 12:03	0.8		0.8
23	2/19/2007 12:18	0.7		0.7
24	2/19/2007 12:33	0.8		0.8
25	2/19/2007 12:48	0.8		0.8
26	2/19/2007 13:03	0.8		0.8
27	2/19/2007 13:18	0.8		0.8
28	2/19/2007 13:33	0.8		0.8
29	2/19/2007 13:48	0.8		0.8
30	2/19/2007 14:03	0.8		0.8
31	2/19/2007 14:18	0.8		0.8
32	2/19/2007 14:33	0.8		0.8
33	2/19/2007 14:48	0.8		0.8
34	2/19/2007 15:03	0.9		0.9
35	2/19/2007 15:18	0.9		0.9
36	2/19/2007 15:33	0.9		0.9
37	2/19/2007 15:48	0.8		0.8
38	2/19/2007 16:03	0.9		0.9
39	2/19/2007 16:18	0.9		0.9
40	2/19/2007 16:33	0.9		0.9
41	2/19/2007 16:48	0.9		0.9

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	2/19/2007
Start Time:	6:35:24
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0650) = 0.011 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/19/2007	6:50:24	0.004	-0.007	-7
2/19/2007	7:05:24	0.003	-0.008	-8
2/19/2007	7:20:24	0.003	-0.008	-8
2/19/2007	7:35:24	0.003	-0.008	-8
2/19/2007	7:50:24	0.002	-0.009	-9
2/19/2007	8:05:24	0.002	-0.009	-9
2/19/2007	8:20:24	0.002	-0.009	-9
2/19/2007	8:35:24	0.002	-0.009	-9
2/19/2007	8:50:24	0.003	-0.008	-8
2/19/2007	9:05:24	0.003	-0.008	-8
2/19/2007	9:20:24	0.004	-0.007	-7
2/19/2007	9:35:24	0.003	-0.008	-8
2/19/2007	9:50:24	0.003	-0.008	-8
2/19/2007	10:05:24	0.004	-0.007	-7
2/19/2007	10:20:24	0.002	-0.009	-9
2/19/2007	10:35:24	0.003	-0.008	-8
2/19/2007	10:50:24	0.002	-0.009	-9
2/19/2007	11:05:24	0.002	-0.009	-9
2/19/2007	11:20:24	0.002	-0.009	-9
2/19/2007	11:35:24	0.001	-0.01	-10
2/19/2007	11:50:24	0.001	-0.01	-10
2/19/2007	12:05:24	0.002	-0.009	-9
2/19/2007	12:20:24	0.002	-0.009	-9
2/19/2007	12:35:24	0.002	-0.009	-9
2/19/2007	12:50:24	0.002	-0.009	-9
2/19/2007	13:05:24	0.004	-0.007	-7
2/19/2007	13:20:24	0.004	-0.007	-7
2/19/2007	13:35:24	0.004	-0.007	-7
2/19/2007	13:50:24	0.003	-0.008	-8
2/19/2007	14:05:24	0.002	-0.009	-9
2/19/2007	14:20:24	0.003	-0.008	-8
2/19/2007	14:35:24	0.003	-0.008	-8
2/19/2007	14:50:24	0.003	-0.008	-8
2/19/2007	15:05:24	0.003	-0.008	-8
2/19/2007	15:20:24	0.003	-0.008	-8
2/19/2007	15:35:24	0.004	-0.007	-7
2/19/2007	15:50:24	0.003	-0.008	-8
2/19/2007	16:05:24	0.004	-0.007	-7
2/19/2007	16:20:24	0.004	-0.007	-7
2/19/2007	16:35:24	0.004	-0.007	-7
2/19/2007	16:50:24	0.005	-0.006	-6
2/19/2007	17:05:24	0.005	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174

User ID: 00000001 Site ID: 00000019

Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/19/2007 06:12

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/19/2007 7:34	0.3		0.3
2	2/19/2007 7:49	0.4		0.4
3	2/19/2007 8:04	0.5		0.5
4	2/19/2007 8:19	0.6		0.6
5	2/19/2007 8:34	0.6		0.6
6	2/19/2007 8:49	0.7		0.7
7	2/19/2007 9:04	0.8		0.8
8	2/19/2007 9:19	0.8		0.8
9	2/19/2007 9:34	0.8		0.8
10	2/19/2007 9:49	0.9		0.9
11	2/19/2007 10:04	0.9		0.9
12	2/19/2007 10:19	0.7		0.7
13	2/19/2007 10:34	0.9		0.9
14	2/19/2007 10:49	0.9		0.9
15	2/19/2007 11:04	1		1
16	2/19/2007 11:19	1		1
17	2/19/2007 11:34	0.8		0.8
18	2/19/2007 11:49	0.8		0.8
19	2/19/2007 12:04	0.9		0.9
20	2/19/2007 12:19	1		1
21	2/19/2007 12:34	1		1
22	2/19/2007 12:49	1.1		1.1
23	2/19/2007 13:04	1.1		1.1
24	2/19/2007 13:19	1.1		1.1
25	2/19/2007 13:34	1.1		1.1
26	2/19/2007 13:49	1.1		1.1
1	2/19/2007 14:33	0.5		0.5
2	2/19/2007 14:48	0.5		0.5
1	2/19/2007 15:24	0.3		0.3
2	2/19/2007 15:39	0.4		0.4
3	2/19/2007 15:54	0.4		0.4
4	2/19/2007 16:09	0.4		0.4
5	2/19/2007 16:24	0.5		0.5
6	2/19/2007 16:39	0.5		0.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/19/2007
Start Time:	7:22:28
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0715) = 0.015 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/19/2007	7:37:28	0.006	-0.009	-9
2/19/2007	7:52:28	0.006	-0.009	-9
2/19/2007	8:07:28	0.006	-0.009	-9
2/19/2007	8:22:28	0.006	-0.009	-9
2/19/2007	8:37:28	0.007	-0.008	-8
2/19/2007	8:52:28	0.009	-0.006	-6
2/19/2007	9:07:28	0.01	-0.005	-5
2/19/2007	9:22:28	0.011	-0.004	-4
2/19/2007	9:37:28	0.009	-0.006	-6
2/19/2007	9:52:28	0.01	-0.005	-5
2/19/2007	10:07:28	0.012	-0.003	-3
2/19/2007	10:22:28	0.009	-0.006	-6
2/19/2007	10:37:28	0.009	-0.006	-6
2/19/2007	10:52:28	0.007	-0.008	-8
2/19/2007	11:07:28	0.007	-0.008	-8
2/19/2007	11:22:28	0.006	-0.009	-9
2/19/2007	11:37:28	0.005	-0.01	-10
2/19/2007	11:52:28	0.006	-0.009	-9
2/19/2007	12:07:28	0.006	-0.009	-9
2/19/2007	12:22:28	0.007	-0.008	-8
2/19/2007	12:37:28	0.007	-0.008	-8
2/19/2007	12:52:28	0.008	-0.007	-7
2/19/2007	13:07:28	0.013	-0.002	-2
2/19/2007	13:22:28	0.008	-0.007	-7
2/19/2007	13:37:28	0.009	-0.006	-6
2/19/2007	13:52:28	0.008	-0.007	-7
2/19/2007	14:07:28	0.008	-0.007	-7
2/19/2007	14:22:28	0.021	0.006	6
2/19/2007	14:37:28	0.006	-0.009	-9
2/19/2007	14:52:28	0.007	-0.008	-8
2/19/2007	15:07:28	0.007	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/19/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/19/2007 7:05	0		0
2	2/19/2007 7:20	0		0
3	2/19/2007 7:35	0		0
4	2/19/2007 7:50	0		0
5	2/19/2007 8:05	0		0
6	2/19/2007 8:20	0		0
7	2/19/2007 8:35	0		0
8	2/19/2007 8:50	0		0
9	2/19/2007 9:05	0		0
10	2/19/2007 9:20	0		0
11	2/19/2007 9:35	0		0
12	2/19/2007 9:50	0		0
13	2/19/2007 10:05	0		0
14	2/19/2007 10:20	0		0
15	2/19/2007 10:35	0		0
16	2/19/2007 10:50	0		0
17	2/19/2007 11:05	0		0
18	2/19/2007 11:20	0		0
19	2/19/2007 11:35	0		0
20	2/19/2007 11:50	0		0
21	2/19/2007 12:05	0		0
22	2/19/2007 12:20	0		0
23	2/19/2007 12:35	0		0
24	2/19/2007 12:50	0		0
25	2/19/2007 13:05	0		0
26	2/19/2007 13:20	0		0
27	2/19/2007 13:35	0		0
28	2/19/2007 13:50	0		0
29	2/19/2007 14:05	0		0
30	2/19/2007 14:20	0		0
31	2/19/2007 14:35	0		0
32	2/19/2007 14:50	0		0
33	2/19/2007 15:05	0		0
34	2/19/2007 15:20	0		0
35	2/19/2007 15:35	0		0
36	2/19/2007 15:50	0		0
37	2/19/2007 16:05	0		0
38	2/19/2007 16:20	0		0
39	2/19/2007 16:35	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	2/19/2007
Start Time:	6:45:39
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0641) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/19/2007	7:00:39	0.007	0	0
2/19/2007	7:15:39	0.022	0.015	15
2/19/2007	7:30:39	0.006	-0.001	-1
2/19/2007	7:45:39	0.009	0.002	2
2/19/2007	8:00:39	0.01	0.003	3
2/19/2007	8:15:39	0.01	0.003	3
2/19/2007	8:30:39	0.016	0.009	9
2/19/2007	8:45:39	0.013	0.006	6
2/19/2007	9:00:39	0.082	0.075	75
2/19/2007	9:15:39	0.019	0.012	12
2/19/2007	9:30:39	0.013	0.006	6
2/19/2007	9:45:39	0.016	0.009	9
2/19/2007	10:00:39	0.017	0.01	10
2/19/2007	10:15:39	0.011	0.004	4
2/19/2007	10:30:39	0.013	0.006	6
2/19/2007	10:45:39	0.01	0.003	3
2/19/2007	11:00:39	0.013	0.006	6
2/19/2007	11:15:39	0.012	0.005	5
2/19/2007	11:30:39	0.009	0.002	2
2/19/2007	11:45:39	0.01	0.003	3
2/19/2007	12:00:39	0.01	0.003	3
2/19/2007	12:15:39	0.008	0.001	1
2/19/2007	12:30:39	0.007	0	0
2/19/2007	12:45:39	0.009	0.002	2
2/19/2007	13:00:39	0.013	0.006	6
2/19/2007	13:15:39	0.012	0.005	5
2/19/2007	13:30:39	0.012	0.005	5
2/19/2007	13:45:39	0.011	0.004	4
2/19/2007	14:00:39	0.01	0.003	3
2/19/2007	14:15:39	0.012	0.005	5
2/19/2007	14:30:39	0.011	0.004	4
2/19/2007	14:45:39	0.01	0.003	3
2/19/2007	15:00:39	0.009	0.002	2
2/19/2007	15:15:39	0.01	0.003	3
2/19/2007	15:30:39	0.021	0.014	14
2/19/2007	15:45:39	0.022	0.015	15
2/19/2007	16:00:39	0.009	0.002	2
2/19/2007	16:15:39	0.011	0.004	4
2/19/2007	16:30:39	0.012	0.005	5
2/19/2007	16:45:39	0.011	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/20/2007 7:04	0.1		0.1
2	2/20/2007 7:19	0.2		0.2
3	2/20/2007 7:34	0.3		0.3
4	2/20/2007 7:49	0.4		0.4
5	2/20/2007 8:04	0.5		0.5
6	2/20/2007 8:19	0.5		0.5
7	2/20/2007 8:34	0.5		0.5
8	2/20/2007 8:49	0.6		0.6
9	2/20/2007 9:04	0.6		0.6
10	2/20/2007 9:19	0.6		0.6
11	2/20/2007 9:34	0.6		0.6
12	2/20/2007 9:49	0.6		0.6
13	2/20/2007 10:04	0.6		0.6
14	2/20/2007 10:19	0.6		0.6
15	2/20/2007 10:34	0.6		0.6
16	2/20/2007 10:49	0.6		0.6
17	2/20/2007 11:04	0.6		0.6
18	2/20/2007 11:19	0.6		0.6
19	2/20/2007 11:34	0.6		0.6
20	2/20/2007 11:49	0.6		0.6
21	2/20/2007 12:04	0.6		0.6
22	2/20/2007 12:19	0.6		0.6
23	2/20/2007 12:34	0.6		0.6
24	2/20/2007 12:49	0.6		0.6
25	2/20/2007 13:04	0.6		0.6
26	2/20/2007 13:19	0.6		0.6
27	2/20/2007 13:34	0.6		0.6
28	2/20/2007 13:49	0.6		0.6
29	2/20/2007 14:04	0.6		0.6
30	2/20/2007 14:19	0.6		0.6
31	2/20/2007 14:34	0.6		0.6
32	2/20/2007 14:49	0.6		0.6
33	2/20/2007 15:04	0.6		0.6
34	2/20/2007 15:19	0.6		0.6
35	2/20/2007 15:34	0.6		0.6
36	2/20/2007 15:49	0.6		0.6
37	2/20/2007 16:04	0.6		0.6
38	2/20/2007 16:19	0.6		0.6
39	2/20/2007 16:34	0.7		0.7
40	2/20/2007 16:49	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	2/20/2007
Start Time:	6:43:56
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0642) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/20/2007	6:58:56	0.041	0.001	1
2/20/2007	7:13:56	0.057	0.017	17
2/20/2007	7:28:56	0.056	0.016	16
2/20/2007	7:43:56	0.04	0	0
2/20/2007	7:58:56	0.04	0	0
2/20/2007	8:13:56	0.045	0.005	5
2/20/2007	8:28:56	0.045	0.005	5
2/20/2007	8:43:56	0.046	0.006	6
2/20/2007	8:58:56	0.051	0.011	11
2/20/2007	9:13:56	0.049	0.009	9
2/20/2007	9:28:56	0.047	0.007	7
2/20/2007	9:43:56	0.045	0.005	5
2/20/2007	9:58:56	0.049	0.009	9
2/20/2007	10:13:56	0.047	0.007	7
2/20/2007	10:28:56	0.046	0.006	6
2/20/2007	10:43:56	0.044	0.004	4
2/20/2007	10:58:56	0.048	0.008	8
2/20/2007	11:13:56	0.056	0.016	16
2/20/2007	11:28:56	0.051	0.011	11
2/20/2007	11:43:56	0.046	0.006	6
2/20/2007	11:58:56	0.046	0.006	6
2/20/2007	12:13:56	0.045	0.005	5
2/20/2007	12:28:56	0.044	0.004	4
2/20/2007	12:43:56	0.045	0.005	5
2/20/2007	12:58:56	0.046	0.006	6
2/20/2007	13:13:56	0.047	0.007	7
2/20/2007	13:28:56	0.045	0.005	5
2/20/2007	13:43:56	0.045	0.005	5
2/20/2007	13:58:56	0.046	0.006	6
2/20/2007	14:13:56	0.045	0.005	5
2/20/2007	14:28:56	0.045	0.005	5
2/20/2007	14:43:56	0.043	0.003	3
2/20/2007	14:58:56	0.043	0.003	3
2/20/2007	15:13:56	0.047	0.007	7
2/20/2007	15:28:56	0.048	0.008	8
2/20/2007	15:43:56	0.044	0.004	4
2/20/2007	15:58:56	0.049	0.009	9
2/20/2007	16:13:56	0.05	0.01	10
2/20/2007	16:28:56	0.046	0.006	6
2/20/2007	16:43:56	0.046	0.006	6
2/20/2007	16:58:56	0.049	0.009	9

STATION 2 (I.S. 151)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:22

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/20/2007 6:54	0.2		-0.2
2	2/20/2007 7:09	0.3		-0.1
3	2/20/2007 7:24	0.4		0
4	2/20/2007 7:39	0.5		0.1
5	2/20/2007 7:54	0.6		0.2
6	2/20/2007 8:09	0.6		0.2
7	2/20/2007 8:24	0.7		0.3
8	2/20/2007 8:39	0.7		0.3
9	2/20/2007 8:54	0.8		0.4
10	2/20/2007 9:09	0.8		0.4
11	2/20/2007 9:24	0.8		0.4
12	2/20/2007 9:39	0.8		0.4
13	2/20/2007 9:54	0.9		0.5
14	2/20/2007 10:09	0.9		0.5
15	2/20/2007 10:24	0.9		0.5
16	2/20/2007 10:39	0.9		0.5
17	2/20/2007 10:54	0.9		0.5
18	2/20/2007 11:09	0.9		0.5
19	2/20/2007 11:24	0.9		0.5
20	2/20/2007 11:39	0.9		0.5
21	2/20/2007 11:54	0.9		0.5
22	2/20/2007 12:09	0.9		0.5
23	2/20/2007 12:24	0.9		0.5
24	2/20/2007 12:39	0.9		0.5
25	2/20/2007 12:54	1		0.6
26	2/20/2007 13:09	1		0.6
27	2/20/2007 13:24	1		0.6
28	2/20/2007 13:39	1		0.6
29	2/20/2007 13:54	1		0.6
30	2/20/2007 14:09	1		0.6
31	2/20/2007 14:24	1		0.6
32	2/20/2007 14:39	1		0.6
33	2/20/2007 14:54	1		0.6
34	2/20/2007 15:09	1		0.6
35	2/20/2007 15:24	1		0.6
36	2/20/2007 15:39	1		0.6
37	2/20/2007 15:54	1		0.6
38	2/20/2007 16:09	1		0.6
39	2/20/2007 16:24	1		0.6
40	2/20/2007 16:39	1		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	2/20/2007
Start Time:	6:41:49
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0715) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/20/2007	6:56:49	0.029	-0.006	-6
2/20/2007	7:11:49	0.03	-0.005	-5
2/20/2007	7:26:49	0.037	0.002	2
2/20/2007	7:41:49	0.026	-0.009	-9
2/20/2007	7:56:49	0.026	-0.009	-9
2/20/2007	8:11:49	0.029	-0.006	-6
2/20/2007	8:26:49	0.03	-0.005	-5
2/20/2007	8:41:49	0.031	-0.004	-4
2/20/2007	8:56:49	0.034	-0.001	-1
2/20/2007	9:11:49	0.034	-0.001	-1
2/20/2007	9:26:49	0.031	-0.004	-4
2/20/2007	9:41:49	0.031	-0.004	-4
2/20/2007	9:56:49	0.032	-0.003	-3
2/20/2007	10:11:49	0.032	-0.003	-3
2/20/2007	10:26:49	0.033	-0.002	-2
2/20/2007	10:41:49	0.031	-0.004	-4
2/20/2007	10:56:49	0.032	-0.003	-3
2/20/2007	11:11:49	0.034	-0.001	-1
2/20/2007	11:26:49	0.033	-0.002	-2
2/20/2007	11:41:49	0.03	-0.005	-5
2/20/2007	11:56:49	0.029	-0.006	-6
2/20/2007	12:11:49	0.03	-0.005	-5
2/20/2007	12:26:49	0.03	-0.005	-5
2/20/2007	12:41:49	0.03	-0.005	-5
2/20/2007	12:56:49	0.032	-0.003	-3
2/20/2007	13:11:49	0.03	-0.005	-5
2/20/2007	13:26:49	0.031	-0.004	-4
2/20/2007	13:41:49	0.03	-0.005	-5
2/20/2007	13:56:49	0.031	-0.004	-4
2/20/2007	14:11:49	0.03	-0.005	-5
2/20/2007	14:26:49	0.031	-0.004	-4
2/20/2007	14:41:49	0.029	-0.006	-6
2/20/2007	14:56:49	0.028	-0.007	-7
2/20/2007	15:11:49	0.031	-0.004	-4
2/20/2007	15:26:49	0.032	-0.003	-3
2/20/2007	15:41:49	0.029	-0.006	-6
2/20/2007	15:56:49	0.032	-0.003	-3
2/20/2007	16:11:49	0.034	-0.001	-1
2/20/2007	16:26:49	0.031	-0.004	-4
2/20/2007	16:41:49	0.031	-0.004	-4
2/20/2007	16:56:49	0.032	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:24

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/20/2007 7:13	0.3		0.3
2	2/20/2007 7:28	0.6		0.6
3	2/20/2007 7:43	0.7		0.7
4	2/20/2007 7:58	0.8		0.8
5	2/20/2007 8:13	0.8		0.8
6	2/20/2007 8:28	0.9		0.9
7	2/20/2007 8:43	0.9		0.9
8	2/20/2007 8:58	1		1
9	2/20/2007 9:13	1		1
10	2/20/2007 9:28	1.1		1.1
11	2/20/2007 9:43	1.1		1.1
12	2/20/2007 9:58	1.1		1.1
13	2/20/2007 10:13	1.1		1.1
14	2/20/2007 10:28	1.1		1.1
15	2/20/2007 10:43	1.1		1.1
16	2/20/2007 10:58	1.1		1.1
17	2/20/2007 11:13	1.1		1.1
18	2/20/2007 11:28	1.1		1.1
19	2/20/2007 11:43	1.1		1.1
20	2/20/2007 11:58	1.2		1.2
21	2/20/2007 12:13	1.1		1.1
22	2/20/2007 12:28	1.1		1.1
23	2/20/2007 12:43	1.1		1.1
24	2/20/2007 12:58	1.1		1.1
25	2/20/2007 13:13	1.2		1.2
26	2/20/2007 13:28	1.1		1.1
27	2/20/2007 13:43	1.1		1.1
28	2/20/2007 13:58	0.9		0.9
29	2/20/2007 14:13	0.7		0.7
30	2/20/2007 14:28	0.7		0.7
31	2/20/2007 14:43	0.7		0.7
32	2/20/2007 14:58	0.8		0.8
33	2/20/2007 15:13	0.8		0.8
34	2/20/2007 15:28	0.8		0.8
35	2/20/2007 15:43	0.8		0.8
36	2/20/2007 15:58	0.8		0.8
37	2/20/2007 16:13	0.8		0.8
38	2/20/2007 16:28	0.8		0.8
39	2/20/2007 16:43	0.8		0.8
40	2/20/2007 16:58	0.8		0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/20/2007
Start Time:	7:00:36
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0643) = 0.044 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/20/2007	7:15:36	0.053	0.009	9
2/20/2007	7:30:36	0.053	0.009	9
2/20/2007	7:45:36	0.045	0.001	1
2/20/2007	8:00:36	0.051	0.007	7
2/20/2007	8:15:36	0.049	0.005	5
2/20/2007	8:30:36	0.052	0.008	8
2/20/2007	8:45:36	0.058	0.014	14
2/20/2007	9:00:36	0.06	0.016	16
2/20/2007	9:15:36	0.061	0.017	17
2/20/2007	9:30:36	0.056	0.012	12
2/20/2007	9:45:36	0.055	0.011	11
2/20/2007	10:00:36	0.055	0.011	11
2/20/2007	10:15:36	0.053	0.009	9
2/20/2007	10:30:36	0.053	0.009	9
2/20/2007	10:45:36	0.052	0.008	8
2/20/2007	11:00:36	0.057	0.013	13
2/20/2007	11:15:36	0.056	0.012	12
2/20/2007	11:30:36	0.055	0.011	11
2/20/2007	11:45:36	0.053	0.009	9
2/20/2007	12:00:36	0.05	0.006	6
2/20/2007	12:15:36	0.049	0.005	5
2/20/2007	12:30:36	0.05	0.006	6
2/20/2007	12:45:36	0.05	0.006	6
2/20/2007	13:00:36	0.056	0.012	12
2/20/2007	13:15:36	0.052	0.008	8
2/20/2007	13:30:36	0.057	0.013	13
2/20/2007	13:45:36	0.051	0.007	7
2/20/2007	14:00:36	0.053	0.009	9
2/20/2007	14:15:36	0.051	0.007	7
2/20/2007	14:30:36	0.053	0.009	9
2/20/2007	14:45:36	0.051	0.007	7
2/20/2007	15:00:36	0.05	0.006	6
2/20/2007	15:15:36	0.053	0.009	9
2/20/2007	15:30:36	0.051	0.007	7
2/20/2007	15:45:36	0.05	0.006	6
2/20/2007	16:00:36	0.057	0.013	13
2/20/2007	16:15:36	0.057	0.013	13
2/20/2007	16:30:36	0.053	0.009	9
2/20/2007	16:45:36	0.055	0.011	11
2/20/2007	17:00:36	0.058	0.014	14
2/20/2007	17:15:36	0.053	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0658) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/20/2007 7:13	0		0
2	2/20/2007 7:28	0		0
3	2/20/2007 7:43	0		0
4	2/20/2007 7:58	0		0
5	2/20/2007 8:13	0		0
6	2/20/2007 8:28	0.1		0.1
7	2/20/2007 8:43	0.1		0.1
8	2/20/2007 8:58	0		0
9	2/20/2007 9:13	0		0
10	2/20/2007 9:28	0		0
11	2/20/2007 9:43	0		0
12	2/20/2007 9:58	0		0
13	2/20/2007 10:13	0		0
14	2/20/2007 10:28	0		0
15	2/20/2007 10:43	0		0
16	2/20/2007 10:58	0		0
17	2/20/2007 11:13	0		0
18	2/20/2007 11:28	0		0
19	2/20/2007 11:43	0		0
20	2/20/2007 11:58	0		0
21	2/20/2007 12:13	0		0
22	2/20/2007 12:28	0		0
23	2/20/2007 12:43	0		0
24	2/20/2007 12:58	0		0
25	2/20/2007 13:13	0		0
26	2/20/2007 13:28	0		0
27	2/20/2007 13:43	0		0
28	2/20/2007 13:58	0		0
29	2/20/2007 14:13	0		0
30	2/20/2007 14:28	0		0
31	2/20/2007 14:43	0		0
32	2/20/2007 14:58	0		0
33	2/20/2007 15:13	0		0
34	2/20/2007 15:28	0		0
35	2/20/2007 15:43	0		0
36	2/20/2007 15:58	0		0
37	2/20/2007 16:13	0		0
38	2/20/2007 16:28	0		0
39	2/20/2007 16:43	0		0
40	2/20/2007 16:58	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	2/20/2007
Start Time:	6:54:18
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0658) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/20/2007	7:09:18	0.038	0	0
2/20/2007	7:24:18	0.051	0.013	13
2/20/2007	7:39:18	0.036	-0.002	-2
2/20/2007	7:54:18	0.037	-0.001	-1
2/20/2007	8:09:18	0.042	0.004	4
2/20/2007	8:24:18	0.041	0.003	3
2/20/2007	8:39:18	0.046	0.008	8
2/20/2007	8:54:18	0.049	0.011	11
2/20/2007	9:09:18	0.051	0.013	13
2/20/2007	9:24:18	0.045	0.007	7
2/20/2007	9:39:18	0.046	0.008	8
2/20/2007	9:54:18	0.043	0.005	5
2/20/2007	10:09:18	0.042	0.004	4
2/20/2007	10:24:18	0.044	0.006	6
2/20/2007	10:39:18	0.04	0.002	2
2/20/2007	10:54:18	0.042	0.004	4
2/20/2007	11:09:18	0.046	0.008	8
2/20/2007	11:24:18	0.045	0.007	7
2/20/2007	11:39:18	0.042	0.004	4
2/20/2007	11:54:18	0.04	0.002	2
2/20/2007	12:09:18	0.041	0.003	3
2/20/2007	12:24:18	0.04	0.002	2
2/20/2007	12:39:18	0.042	0.004	4
2/20/2007	12:54:18	0.044	0.006	6
2/20/2007	13:09:18	0.042	0.004	4
2/20/2007	13:24:18	0.045	0.007	7
2/20/2007	13:39:18	0.043	0.005	5
2/20/2007	13:54:18	0.042	0.004	4
2/20/2007	14:09:18	0.042	0.004	4
2/20/2007	14:24:18	0.044	0.006	6
2/20/2007	14:39:18	0.041	0.003	3
2/20/2007	14:54:18	0.039	0.001	1
2/20/2007	15:09:18	0.044	0.006	6
2/20/2007	15:24:18	0.043	0.005	5
2/20/2007	15:39:18	0.04	0.002	2
2/20/2007	15:54:18	0.042	0.004	4
2/20/2007	16:09:18	0.044	0.006	6
2/20/2007	16:24:18	0.042	0.004	4
2/20/2007	16:39:18	0.044	0.006	6
2/20/2007	16:54:18	0.045	0.007	7
2/20/2007	17:09:18	0.049	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/21/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0639) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/21/2007 7:00	0.1		0.1
2	2/21/2007 7:15	0.2		0.2
3	2/21/2007 7:30	0.3		0.3
4	2/21/2007 7:45	0.3		0.3
5	2/21/2007 8:00	0.4		0.4
6	2/21/2007 8:15	0.4		0.4
7	2/21/2007 8:30	0.4		0.4
8	2/21/2007 8:45	0.5		0.5
9	2/21/2007 9:00	0.5		0.5
10	2/21/2007 9:15	0.5		0.5
11	2/21/2007 9:30	0.5		0.5
12	2/21/2007 9:45	0.6		0.6
13	2/21/2007 10:00	0.6		0.6
14	2/21/2007 10:15	0.6		0.6
15	2/21/2007 10:30	0.6		0.6
16	2/21/2007 10:45	0.6		0.6
17	2/21/2007 11:00	0.6		0.6
18	2/21/2007 11:15	0.6		0.6
19	2/21/2007 11:30	0.5		0.5
20	2/21/2007 11:45	0.6		0.6
21	2/21/2007 12:00	0.5		0.5
22	2/21/2007 12:15	0.5		0.5
23	2/21/2007 12:30	0.5		0.5
24	2/21/2007 12:45	0.5		0.5
25	2/21/2007 13:00	0.6		0.6
26	2/21/2007 13:15	0.5		0.5
27	2/21/2007 13:30	0.4		0.4
28	2/21/2007 13:45	0.5		0.5
29	2/21/2007 14:00	0.5		0.5
30	2/21/2007 14:15	0.5		0.5
31	2/21/2007 14:30	0.4		0.4
32	2/21/2007 14:45	0.5		0.5
33	2/21/2007 15:00	0.5		0.5
34	2/21/2007 15:15	0.5		0.5
35	2/21/2007 15:30	0.5		0.5
36	2/21/2007 15:45	0.5		0.5
37	2/21/2007 16:00	0.5		0.5
38	2/21/2007 16:15	0.5		0.5
39	2/21/2007 16:30	0.5		0.5
40	2/21/2007 16:45	0.5		0.5
41	2/21/2007 17:00	0.5		0.5
42	2/21/2007 17:15	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	2/21/2007
Start Time:	6:40:36
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	

Background Reading (0639) = 0.052 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/21/2007	6:55:36	0.053	0.001	1
2/21/2007	7:10:36	0.057	0.005	5
2/21/2007	7:25:36	0.064	0.012	12
2/21/2007	7:40:36	0.058	0.006	6
2/21/2007	7:55:36	0.049	-0.003	-3
2/21/2007	8:10:36	0.051	-0.001	-1
2/21/2007	8:25:36	0.043	-0.009	-9
2/21/2007	8:40:36	0.042	-0.01	-10
2/21/2007	8:55:36	0.044	-0.008	-8
2/21/2007	9:10:36	0.043	-0.009	-9
2/21/2007	9:25:36	0.04	-0.012	-12
2/21/2007	9:40:36	0.034	-0.018	-18
2/21/2007	9:55:36	0.035	-0.017	-17
2/21/2007	10:10:36	0.033	-0.019	-19
2/21/2007	10:25:36	0.034	-0.018	-18
2/21/2007	10:40:36	0.032	-0.02	-20
2/21/2007	10:55:36	0.033	-0.019	-19
2/21/2007	11:10:36	0.035	-0.017	-17
2/21/2007	11:25:36	0.036	-0.016	-16
2/21/2007	11:40:36	0.037	-0.015	-15
2/21/2007	11:55:36	0.032	-0.02	-20
2/21/2007	12:10:36	0.031	-0.021	-21
2/21/2007	12:25:36	0.029	-0.023	-23
2/21/2007	12:40:36	0.026	-0.026	-26
2/21/2007	12:55:36	0.084	0.032	32
2/21/2007	13:10:36	0.028	-0.024	-24
2/21/2007	13:25:36	0.037	-0.015	-15
2/21/2007	13:40:36	0.029	-0.023	-23
2/21/2007	13:55:36	0.041	-0.011	-11
2/21/2007	14:10:36	0.028	-0.024	-24
2/21/2007	14:25:36	0.036	-0.016	-16
2/21/2007	14:40:36	0.033	-0.019	-19
2/21/2007	14:55:36	0.02	-0.032	-32
2/21/2007	15:10:36	0.02	-0.032	-32
2/21/2007	15:25:36	0.019	-0.033	-33
2/21/2007	15:40:36	0.019	-0.033	-33
2/21/2007	15:55:36	0.019	-0.033	-33
2/21/2007	16:10:36	0.018	-0.034	-34
2/21/2007	16:25:36	0.019	-0.033	-33
2/21/2007	16:40:36	0.016	-0.036	-36
2/21/2007	16:55:36	0.015	-0.037	-37
2/21/2007	17:10:36	0.015	-0.037	-37
2/21/2007	17:25:36	0.016	-0.036	-36

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/21/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/21/2007 6:44	0		0
2	2/21/2007 6:59	0		0
3	2/21/2007 7:14	0.1		0.1
4	2/21/2007 7:29	0.3		0.3
5	2/21/2007 7:44	0.3		0.3
6	2/21/2007 7:59	0.4		0.4
7	2/21/2007 8:14	0.5		0.5
8	2/21/2007 8:29	0.6		0.6
9	2/21/2007 8:44	0.6		0.6
10	2/21/2007 8:59	0.7		0.7
11	2/21/2007 9:14	0.7		0.7
12	2/21/2007 9:29	0.7		0.7
13	2/21/2007 9:44	0.7		0.7
14	2/21/2007 9:59	0.7		0.7
15	2/21/2007 10:14	0.8		0.8
16	2/21/2007 10:29	0.8		0.8
17	2/21/2007 10:44	0.8		0.8
18	2/21/2007 10:59	0.8		0.8
19	2/21/2007 11:14	0.8		0.8
20	2/21/2007 11:29	0.8		0.8
21	2/21/2007 11:44	0.8		0.8
22	2/21/2007 11:59	0.8		0.8
23	2/21/2007 12:14	0.7		0.7
24	2/21/2007 12:29	0.8		0.8
25	2/21/2007 12:44	0.8		0.8
26	2/21/2007 12:59	0.8		0.8
27	2/21/2007 13:14	0.8		0.8
28	2/21/2007 13:29	1		1
29	2/21/2007 13:44	0.8		0.8
30	2/21/2007 13:59	0.8		0.8
31	2/21/2007 14:14	0.8		0.8
32	2/21/2007 14:29	0.8		0.8
33	2/21/2007 14:44	0.8		0.8
34	2/21/2007 14:59	0.8		0.8
35	2/21/2007 15:14	0.8		0.8
36	2/21/2007 15:29	0.8		0.8
37	2/21/2007 15:44	0.8		0.8
38	2/21/2007 15:59	0.8		0.8
39	2/21/2007 16:14	0.7		0.7
40	2/21/2007 16:29	0.7		0.7
41	2/21/2007 16:44	0.8		0.8
42	2/21/2007 16:59	0.8		0.8
43	2/21/2007 17:14	0.8		0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	2/21/2007
Start Time:	6:31:05
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0630) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/21/2007	6:46:05	0.038	0.011	11
2/21/2007	7:01:05	0.038	0.011	11
2/21/2007	7:16:05	0.042	0.015	15
2/21/2007	7:31:05	0.037	0.01	10
2/21/2007	7:46:05	0.032	0.005	5
2/21/2007	8:01:05	0.027	0	0
2/21/2007	8:16:05	0.027	0	0
2/21/2007	8:31:05	0.028	0.001	1
2/21/2007	8:46:05	0.026	-0.001	-1
2/21/2007	9:01:05	0.028	0.001	1
2/21/2007	9:16:05	0.027	0	0
2/21/2007	9:31:05	0.025	-0.002	-2
2/21/2007	9:46:05	0.023	-0.004	-4
2/21/2007	10:01:05	0.024	-0.003	-3
2/21/2007	10:16:05	0.022	-0.005	-5
2/21/2007	10:31:05	0.024	-0.003	-3
2/21/2007	10:46:05	0.022	-0.005	-5
2/21/2007	11:01:05	0.021	-0.006	-6
2/21/2007	11:16:05	0.022	-0.005	-5
2/21/2007	11:31:05	0.024	-0.003	-3
2/21/2007	11:46:05	0.019	-0.008	-8
2/21/2007	12:01:05	0.019	-0.008	-8
2/21/2007	12:16:05	0.021	-0.006	-6
2/21/2007	12:31:05	0.018	-0.009	-9
2/21/2007	12:46:05	0.017	-0.01	-10
2/21/2007	13:01:05	0.017	-0.01	-10
2/21/2007	13:16:05	0.019	-0.008	-8
2/21/2007	13:31:05	0.017	-0.01	-10
2/21/2007	13:46:05	0.15	0.123	123
2/21/2007	14:01:05	0.016	-0.011	-11
2/21/2007	14:16:05	0.015	-0.012	-12
2/21/2007	14:31:05	0.013	-0.014	-14
2/21/2007	14:46:05	0.013	-0.014	-14
2/21/2007	15:01:05	0.014	-0.013	-13
2/21/2007	15:16:05	0.012	-0.015	-15
2/21/2007	15:31:05	0.012	-0.015	-15
2/21/2007	15:46:05	0.012	-0.015	-15
2/21/2007	16:01:05	0.012	-0.015	-15
2/21/2007	16:16:05	0.011	-0.016	-16
2/21/2007	16:31:05	0.011	-0.016	-16
2/21/2007	16:46:05	0.009	-0.018	-18
2/21/2007	17:01:05	0.008	-0.019	-19
2/21/2007	17:16:05	0.01	-0.017	-17
2/21/2007	17:31:05	0.011	-0.016	-16

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/21/2007 6:56	0.2		0.2
2	2/21/2007 7:11	0.3		0.3
3	2/21/2007 7:26	0.3		0.3
4	2/21/2007 7:41	0.4		0.4
5	2/21/2007 7:56	0.4		0.4
6	2/21/2007 8:11	0.5		0.5
7	2/21/2007 8:26	0.5		0.5
8	2/21/2007 8:41	0.5		0.5
9	2/21/2007 8:56	0.6		0.6
10	2/21/2007 9:11	0.6		0.6
11	2/21/2007 9:26	0.6		0.6
12	2/21/2007 9:41	0.7		0.7
13	2/21/2007 9:56	0.6		0.6
14	2/21/2007 10:11	0.6		0.6
15	2/21/2007 10:26	0.6		0.6
16	2/21/2007 10:41	0.5		0.5
17	2/21/2007 10:56	0.6		0.6
18	2/21/2007 11:11	0.7		0.7
19	2/21/2007 11:26	0.6		0.6
20	2/21/2007 11:41	0.5		0.5
21	2/21/2007 11:56	0.5		0.5
22	2/21/2007 12:11	0.6		0.6
23	2/21/2007 12:26	0.7		0.7
24	2/21/2007 12:41	0.7		0.7
25	2/21/2007 12:56	0.6		0.6
26	2/21/2007 13:11	0.7		0.7
27	2/21/2007 13:26	0.7		0.7
28	2/21/2007 13:41	0.7		0.7
29	2/21/2007 13:56	0		0
30	2/21/2007 14:11	0		0
31	2/21/2007 14:26	0		0
32	2/21/2007 14:41	0		0
33	2/21/2007 14:56	0		0
34	2/21/2007 15:11	0		0
35	2/21/2007 15:26	0		0
36	2/21/2007 15:41	0		0
37	2/21/2007 15:56	0		0
38	2/21/2007 16:11	0.1		0.1
39	2/21/2007 16:26	0.2		0.2
40	2/21/2007 16:41	0.3		0.3
41	2/21/2007 16:56	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	2/21/2007
Start Time:	6:50:18
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0651) = 0.055 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
2/21/2007	7:05:18	0.059	0.004	4	
2/21/2007	7:20:18	0.061	0.006	6	
2/21/2007	7:35:18	0.056	0.001	1	
2/21/2007	7:50:18	0.049	-0.006	-6	
2/21/2007	8:05:18	0.045	-0.01	-10	
2/21/2007	8:20:18	0.045	-0.01	-10	
2/21/2007	8:35:18	0.048	-0.007	-7	
2/21/2007	8:50:18	0.043	-0.012	-12	
2/21/2007	9:05:18	0.046	-0.009	-9	
2/21/2007	9:20:18	0.043	-0.012	-12	
2/21/2007	9:35:18	0.038	-0.017	-17	
2/21/2007	9:50:18	0.037	-0.018	-18	
2/21/2007	10:05:18	0.036	-0.019	-19	
2/21/2007	10:20:18	0.036	-0.019	-19	
2/21/2007	10:35:18	0.037	-0.018	-18	
2/21/2007	10:50:18	0.036	-0.019	-19	
2/21/2007	11:05:18	0.036	-0.019	-19	
2/21/2007	11:20:18	0.036	-0.019	-19	
2/21/2007	11:35:18	0.036	-0.019	-19	
2/21/2007	11:50:18	0.033	-0.022	-22	
2/21/2007	12:05:18	0.033	-0.022	-22	
2/21/2007	12:20:18	0.035	-0.02	-20	
2/21/2007	12:35:18	0.029	-0.026	-26	
2/21/2007	12:50:18	0.029	-0.026	-26	
2/21/2007	13:05:18	0.027	-0.028	-28	
2/21/2007	13:20:18	0.029	-0.026	-26	
2/21/2007	13:35:18	0.289	0.234	234	*Shaw testing of AKRF equipment at STA 3
2/21/2007	13:50:18	0.026	-0.029	-29	
2/21/2007	14:05:18	0.025	-0.03	-30	
2/21/2007	14:20:18	0.024	-0.031	-31	
2/21/2007	14:35:18	0.024	-0.031	-31	
2/21/2007	14:50:18	0.022	-0.033	-33	
2/21/2007	15:05:18	0.022	-0.033	-33	
2/21/2007	15:20:18	0.019	-0.036	-36	
2/21/2007	15:35:18	0.019	-0.036	-36	
2/21/2007	15:50:18	0.019	-0.036	-36	
2/21/2007	16:05:18	0.019	-0.036	-36	
2/21/2007	16:20:18	0.017	-0.038	-38	
2/21/2007	16:35:18	0.016	-0.039	-39	
2/21/2007	16:50:18	0.014	-0.041	-41	
2/21/2007	17:05:18	0.014	-0.041	-41	
2/21/2007	17:20:18	0.018	-0.037	-37	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/20/2007 06:32

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/21/2007 7:06	0.2		0.2
2	2/21/2007 7:21	0.2		0.2
3	2/21/2007 7:36	0.3		0.3
4	2/21/2007 7:51	0.3		0.3
5	2/21/2007 8:06	0.3		0.3
6	2/21/2007 8:21	0.3		0.3
7	2/21/2007 8:36	0.4		0.4
8	2/21/2007 8:51	0.4		0.4
9	2/21/2007 9:06	0.4		0.4
10	2/21/2007 9:21	0.4		0.4
11	2/21/2007 9:36	0.4		0.4
12	2/21/2007 9:51	0.4		0.4
13	2/21/2007 10:06	0.4		0.4
14	2/21/2007 10:21	0.4		0.4
15	2/21/2007 10:36	0.4		0.4
16	2/21/2007 10:51	0.4		0.4
17	2/21/2007 11:06	0.4		0.4
18	2/21/2007 11:21	0.4		0.4
19	2/21/2007 11:36	0.3		0.3
20	2/21/2007 11:51	0.3		0.3
21	2/21/2007 12:06	0.3		0.3
22	2/21/2007 12:21	0.3		0.3
23	2/21/2007 12:36	0.3		0.3
24	2/21/2007 12:51	0.2		0.2
25	2/21/2007 13:06	0.2		0.2
26	2/21/2007 13:21	0.7		0.7
27	2/21/2007 13:36	0.1		0.1
28	2/21/2007 13:51	0		0
29	2/21/2007 14:06	0		0
30	2/21/2007 14:21	0		0
31	2/21/2007 14:36	0		0
32	2/21/2007 14:51	0		0
33	2/21/2007 15:06	0		0
34	2/21/2007 15:21	0		0
35	2/21/2007 15:36	0		0
36	2/21/2007 15:51	0		0
37	2/21/2007 16:06	0		0
38	2/21/2007 16:21	0		0
39	2/21/2007 16:36	0		0
40	2/21/2007 16:51	0		0
41	2/21/2007 17:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	2/21/2007
Start Time:	6:42:19
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0643) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
2/21/2007	6:57:19	0.017	-0.002	-2	
2/21/2007	7:12:19	0.011	-0.008	-8	
2/21/2007	7:27:19	0.024	0.005	5	
2/21/2007	7:42:19	0.009	-0.01	-10	
2/21/2007	7:57:19	0.01	-0.009	-9	
2/21/2007	8:12:19	0.012	-0.007	-7	
2/21/2007	8:27:19	0.017	-0.002	-2	
2/21/2007	8:42:19	0.018	-0.001	-1	
2/21/2007	8:57:19	0.021	0.002	2	
2/21/2007	9:12:19	0.031	0.012	12	
2/21/2007	9:27:19	0.015	-0.004	-4	
2/21/2007	9:42:19	0.013	-0.006	-6	
2/21/2007	9:57:19	0.012	-0.007	-7	
2/21/2007	10:12:19	0.014	-0.005	-5	
2/21/2007	10:27:19	0.016	-0.003	-3	
2/21/2007	10:42:19	0.016	-0.003	-3	
2/21/2007	10:57:19	0.024	0.005	5	
2/21/2007	11:12:19	0.017	-0.002	-2	
2/21/2007	11:27:19	0.031	0.012	12	
2/21/2007	11:42:19	0.11	0.091	91	
2/21/2007	11:57:19	0.064	0.045	45	
2/21/2007	12:12:19	0.037	0.018	18	
2/21/2007	12:27:19	0.026	0.007	7	
2/21/2007	12:42:19	0.026	0.007	7	
2/21/2007	12:57:19	0.025	0.006	6	
2/21/2007	13:12:19	0.078	0.059	59	
2/21/2007	13:27:19	0.263	0.244	244	*Shaw testing of AKRF equipment at STA 4
2/21/2007	13:42:19	0.138	0.119	119	
2/21/2007	13:57:19	0.025	0.006	6	
2/21/2007	14:12:19	0.022	0.003	3	
2/21/2007	14:27:19	0.054	0.035	35	
2/21/2007	14:42:19	0.066	0.047	47	
2/21/2007	14:57:19	0.02	0.001	1	
2/21/2007	15:12:19	0.019	0	0	
2/21/2007	15:27:19	0.017	-0.002	-2	
2/21/2007	15:42:19	0.024	0.005	5	
2/21/2007	15:57:19	0.019	0	0	
2/21/2007	16:12:19	0.02	0.001	1	
2/21/2007	16:27:19	0.021	0.002	2	
2/21/2007	16:42:19	0.022	0.003	3	
2/21/2007	16:57:19	0.022	0.003	3	
2/21/2007	17:12:19	0.022	0.003	3	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/22/2007 7:14	0.1		-0.1
2	2/22/2007 7:29	0.2		0
3	2/22/2007 7:44	0.3		0.1
4	2/22/2007 7:59	0.3		0.1
5	2/22/2007 8:14	0.3		0.1
6	2/22/2007 8:29	0.2		0
7	2/22/2007 8:44	0.3		0.1
8	2/22/2007 8:59	0.3		0.1
9	2/22/2007 9:14	0.3		0.1
10	2/22/2007 9:29	0.3		0.1
11	2/22/2007 9:44	0.3		0.1
12	2/22/2007 9:59	0.3		0.1
13	2/22/2007 10:14	0.2		0
14	2/22/2007 10:29	0.2		0
15	2/22/2007 10:44	0.2		0
16	2/22/2007 10:59	0.2		0
17	2/22/2007 11:14	0.2		0
18	2/22/2007 11:29	0.3		0.1
19	2/22/2007 11:44	0.3		0.1
20	2/22/2007 11:59	0.3		0.1
21	2/22/2007 12:14	0.3		0.1
22	2/22/2007 12:29	0.3		0.1
23	2/22/2007 12:44	0.3		0.1
24	2/22/2007 12:59	0.3		0.1
25	2/22/2007 13:14	0.3		0.1
26	2/22/2007 13:29	0.3		0.1
27	2/22/2007 13:44	0.3		0.1
28	2/22/2007 13:59	0.3		0.1
29	2/22/2007 14:14	0.3		0.1
30	2/22/2007 14:29	0.3		0.1
31	2/22/2007 14:44	0.3		0.1
32	2/22/2007 14:59	0.2		0
33	2/22/2007 15:14	0.2		0
34	2/22/2007 15:29	0.1		-0.1
35	2/22/2007 15:44	0.1		-0.1
36	2/22/2007 15:59	0.1		-0.1
37	2/22/2007 16:14	0		-0.2
38	2/22/2007 16:29	0		-0.2
39	2/22/2007 16:44	0		-0.2
40	2/22/2007 16:59	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	2/22/2007
Start Time:	6:52:46
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0651) = 0.091 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/22/2007	7:07:46	0.087	-0.004	-4
2/22/2007	7:22:46	0.086	-0.005	-5
2/22/2007	7:37:46	0.082	-0.009	-9
2/22/2007	7:52:46	0.081	-0.01	-10
2/22/2007	8:07:46	0.077	-0.014	-14
2/22/2007	8:22:46	0.072	-0.019	-19
2/22/2007	8:37:46	0.058	-0.033	-33
2/22/2007	8:52:46	0.057	-0.034	-34
2/22/2007	9:07:46	0.062	-0.029	-29
2/22/2007	9:22:46	0.065	-0.026	-26
2/22/2007	9:37:46	0.066	-0.025	-25
2/22/2007	9:52:46	0.066	-0.025	-25
2/22/2007	10:07:46	0.071	-0.02	-20
2/22/2007	10:22:46	0.065	-0.026	-26
2/22/2007	10:37:46	0.062	-0.029	-29
2/22/2007	10:52:46	0.064	-0.027	-27
2/22/2007	11:07:46	0.063	-0.028	-28
2/22/2007	11:22:46	0.066	-0.025	-25
2/22/2007	11:37:46	0.066	-0.025	-25
2/22/2007	11:52:46	0.054	-0.037	-37
2/22/2007	12:07:46	0.052	-0.039	-39
2/22/2007	12:22:46	0.052	-0.039	-39
2/22/2007	12:37:46	0.038	-0.053	-53
2/22/2007	12:52:46	0.037	-0.054	-54
2/22/2007	13:07:46	0.03	-0.061	-61
2/22/2007	13:22:46	0.027	-0.064	-64
2/22/2007	13:37:46	0.028	-0.063	-63
2/22/2007	13:52:46	0.027	-0.064	-64
2/22/2007	14:07:46	0.031	-0.06	-60
2/22/2007	14:22:46	0.031	-0.06	-60
2/22/2007	14:37:46	0.035	-0.056	-56
2/22/2007	14:52:46	0.034	-0.057	-57
2/22/2007	15:07:46	0.028	-0.063	-63
2/22/2007	15:22:46	0.03	-0.061	-61
2/22/2007	15:37:46	0.03	-0.061	-61
2/22/2007	15:52:46	0.034	-0.057	-57
2/22/2007	16:07:46	0.035	-0.056	-56
2/22/2007	16:22:46	0.042	-0.049	-49
2/22/2007	16:37:46	0.034	-0.057	-57
2/22/2007	16:52:46	0.04	-0.051	-51
2/22/2007	17:07:46	0.035	-0.056	-56

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:05

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:		100	
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/22/2007 7:00	0		0
2	2/22/2007 7:15	0		0
3	2/22/2007 7:30	0.1		0.1
4	2/22/2007 7:45	0.1		0.1
5	2/22/2007 8:00	0.1		0.1
6	2/22/2007 8:15	0.1		0.1
7	2/22/2007 8:30	0.2		0.2
8	2/22/2007 8:45	0.2		0.2
9	2/22/2007 9:00	0.2		0.2
10	2/22/2007 9:15	0.2		0.2
11	2/22/2007 9:30	0.2		0.2
12	2/22/2007 9:45	0.2		0.2
13	2/22/2007 10:00	0.2		0.2
14	2/22/2007 10:15	0.2		0.2
15	2/22/2007 10:30	0.2		0.2
16	2/22/2007 10:45	0.2		0.2
17	2/22/2007 11:00	0.2		0.2
18	2/22/2007 11:15	0.2		0.2
19	2/22/2007 11:30	0.2		0.2
20	2/22/2007 11:45	0.2		0.2
21	2/22/2007 12:00	0.2		0.2
22	2/22/2007 12:15	0.3		0.3
23	2/22/2007 12:30	0.3		0.3
24	2/22/2007 12:45	0.3		0.3
25	2/22/2007 13:00	0.3		0.3
26	2/22/2007 13:15	0.3		0.3
27	2/22/2007 13:30	0.3		0.3
28	2/22/2007 13:45	0.3		0.3
29	2/22/2007 14:00	0.3		0.3
30	2/22/2007 14:15	0.2		0.2
31	2/22/2007 14:30	0.2		0.2
32	2/22/2007 14:45	0.2		0.2
33	2/22/2007 15:00	0.1		0.1
34	2/22/2007 15:15	0.1		0.1
35	2/22/2007 15:30	0		0
36	2/22/2007 15:45	0		0
37	2/22/2007 16:00	0		0
38	2/22/2007 16:15	0		0
39	2/22/2007 16:30	0		0
40	2/22/2007 16:45	0		0
41	2/22/2007 17:00	0		0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	2/22/2007
Start Time:	6:48:12
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0645) = 0.055 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/22/2007	7:03:12	0.053	-0.002	-2
2/22/2007	7:18:12	0.055	0	0
2/22/2007	7:33:12	0.053	-0.002	-2
2/22/2007	7:48:12	0.048	-0.007	-7
2/22/2007	8:03:12	0.05	-0.005	-5
2/22/2007	8:18:12	0.055	0	0
2/22/2007	8:33:12	0.043	-0.012	-12
2/22/2007	8:48:12	0.04	-0.015	-15
2/22/2007	9:03:12	0.04	-0.015	-15
2/22/2007	9:18:12	0.046	-0.009	-9
2/22/2007	9:33:12	0.046	-0.009	-9
2/22/2007	9:48:12	0.049	-0.006	-6
2/22/2007	10:03:12	0.051	-0.004	-4
2/22/2007	10:18:12	0.052	-0.003	-3
2/22/2007	10:33:12	0.044	-0.011	-11
2/22/2007	10:48:12	0.046	-0.009	-9
2/22/2007	11:03:12	0.045	-0.01	-10
2/22/2007	11:18:12	0.047	-0.008	-8
2/22/2007	11:33:12	0.049	-0.006	-6
2/22/2007	11:48:12	0.04	-0.015	-15
2/22/2007	12:03:12	0.034	-0.021	-21
2/22/2007	12:18:12	0.036	-0.019	-19
2/22/2007	12:33:12	0.027	-0.028	-28
2/22/2007	12:48:12	0.025	-0.03	-30
2/22/2007	13:03:12	0.022	-0.033	-33
2/22/2007	13:18:12	0.019	-0.036	-36
2/22/2007	13:33:12	0.018	-0.037	-37
2/22/2007	13:48:12	0.017	-0.038	-38
2/22/2007	14:03:12	0.018	-0.037	-37
2/22/2007	14:18:12	0.021	-0.034	-34
2/22/2007	14:33:12	0.022	-0.033	-33
2/22/2007	14:48:12	0.024	-0.031	-31
2/22/2007	15:03:12	0.021	-0.034	-34
2/22/2007	15:18:12	0.017	-0.038	-38
2/22/2007	15:33:12	0.019	-0.036	-36
2/22/2007	15:48:12	0.02	-0.035	-35
2/22/2007	16:03:12	0.021	-0.034	-34
2/22/2007	16:18:12	0.028	-0.027	-27
2/22/2007	16:33:12	0.023	-0.032	-32
2/22/2007	16:48:12	0.021	-0.034	-34
2/22/2007	17:03:12	0.023	-0.032	-32
2/22/2007	17:18:12	0.022	-0.033	-33

STATION 3 (P.S. 156)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0713) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/22/2007 7:29	0.1		0.1
2	2/22/2007 7:44	0.2		0.2
3	2/22/2007 7:59	0.1		0.1
4	2/22/2007 8:14	0.1		0.1
5	2/22/2007 8:29	0.1		0.1
6	2/22/2007 8:44	0.2		0.2
7	2/22/2007 8:59	0.2		0.2
8	2/22/2007 9:14	0.2		0.2
9	2/22/2007 9:29	0.1		0.1
10	2/22/2007 9:44	0		0
11	2/22/2007 9:59	0		0
12	2/22/2007 10:14	0		0
13	2/22/2007 10:29	0		0
14	2/22/2007 10:44	0.1		0.1
15	2/22/2007 10:59	0.1		0.1
16	2/22/2007 11:14	0.1		0.1
17	2/22/2007 11:29	0.1		0.1
18	2/22/2007 11:44	0.1		0.1
19	2/22/2007 11:59	0.1		0.1
20	2/22/2007 12:14	0.1		0.1
21	2/22/2007 12:29	0.1		0.1
22	2/22/2007 12:44	0.1		0.1
23	2/22/2007 12:59	0.1		0.1
24	2/22/2007 13:14	0.1		0.1
25	2/22/2007 13:29	0.1		0.1
26	2/22/2007 13:44	0.1		0.1
27	2/22/2007 13:59	0.1		0.1
28	2/22/2007 14:14	0.1		0.1
29	2/22/2007 14:29	0.1		0.1
30	2/22/2007 14:44	0.1		0.1
31	2/22/2007 14:59	0.1		0.1
32	2/22/2007 15:14	0.1		0.1
33	2/22/2007 15:29	0.1		0.1
34	2/22/2007 15:44	0.1		0.1
35	2/22/2007 15:59	0.1		0.1
36	2/22/2007 16:14	0.1		0.1
37	2/22/2007 16:29	0.1		0.1
38	2/22/2007 16:44	0.1		0.1
39	2/22/2007 16:59	0.1		0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	2/22/2007
Start Time:	7:16:59
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0713) = 0.084 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/22/2007	7:31:59	0.082	-0.002	-2
2/22/2007	7:46:59	0.078	-0.006	-6
2/22/2007	8:01:59	0.077	-0.007	-7
2/22/2007	8:16:59	0.084	0	0
2/22/2007	8:31:59	0.067	-0.017	-17
2/22/2007	8:46:59	0.061	-0.023	-23
2/22/2007	9:01:59	0.062	-0.022	-22
2/22/2007	9:16:59	0.07	-0.014	-14
2/22/2007	9:31:59	0.072	-0.012	-12
2/22/2007	9:46:59	0.074	-0.01	-10
2/22/2007	10:01:59	0.078	-0.006	-6
2/22/2007	10:16:59	0.08	-0.004	-4
2/22/2007	10:31:59	0.069	-0.015	-15
2/22/2007	10:46:59	0.072	-0.012	-12
2/22/2007	11:01:59	0.071	-0.013	-13
2/22/2007	11:16:59	0.071	-0.013	-13
2/22/2007	11:31:59	0.074	-0.01	-10
2/22/2007	11:46:59	0.065	-0.019	-19
2/22/2007	12:01:59	0.054	-0.03	-30
2/22/2007	12:16:59	0.059	-0.025	-25
2/22/2007	12:31:59	0.046	-0.038	-38
2/22/2007	12:46:59	0.041	-0.043	-43
2/22/2007	13:01:59	0.035	-0.049	-49
2/22/2007	13:16:59	0.03	-0.054	-54
2/22/2007	13:31:59	0.028	-0.056	-56
2/22/2007	13:46:59	0.028	-0.056	-56
2/22/2007	14:01:59	0.03	-0.054	-54
2/22/2007	14:16:59	0.031	-0.053	-53
2/22/2007	14:31:59	0.034	-0.05	-50
2/22/2007	14:46:59	0.034	-0.05	-50
2/22/2007	15:01:59	0.033	-0.051	-51
2/22/2007	15:16:59	0.028	-0.056	-56
2/22/2007	15:31:59	0.029	-0.055	-55
2/22/2007	15:46:59	0.032	-0.052	-52
2/22/2007	16:01:59	0.035	-0.049	-49
2/22/2007	16:16:59	0.044	-0.04	-40
2/22/2007	16:31:59	0.039	-0.045	-45
2/22/2007	16:46:59	0.036	-0.048	-48
2/22/2007	17:01:59	0.037	-0.047	-47
2/22/2007	17:16:59	0.037	-0.047	-47

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/22/2007 7:24	0		0
2	2/22/2007 7:39	0		0
3	2/22/2007 7:54	0		0
4	2/22/2007 8:09	0		0
5	2/22/2007 8:24	0		0
6	2/22/2007 8:39	0		0
7	2/22/2007 8:54	0		0
8	2/22/2007 9:09	0		0
9	2/22/2007 9:24	0		0
10	2/22/2007 9:39	0.9		0.9
11	2/22/2007 9:54	0		0
12	2/22/2007 10:09	0		0
13	2/22/2007 10:24	0		0
14	2/22/2007 10:39	0		0
15	2/22/2007 10:54	0		0
16	2/22/2007 11:09	0		0
17	2/22/2007 11:24	0		0
18	2/22/2007 11:39	0		0
19	2/22/2007 11:54	0		0
20	2/22/2007 12:09	0		0
21	2/22/2007 12:24	0		0
22	2/22/2007 12:39	0		0
23	2/22/2007 12:54	0		0
24	2/22/2007 13:09	0		0
25	2/22/2007 13:24	0		0
26	2/22/2007 13:39	0		0
27	2/22/2007 13:54	0		0
28	2/22/2007 14:09	0		0
29	2/22/2007 14:24	0		0
30	2/22/2007 14:39	0		0
31	2/22/2007 14:54	0		0
32	2/22/2007 15:09	0		0
33	2/22/2007 15:24	0		0
34	2/22/2007 15:39	0		0
35	2/22/2007 15:54	0		0
36	2/22/2007 16:09	0		0
37	2/22/2007 16:24	0		0
38	2/22/2007 16:39	0		0
39	2/22/2007 16:54	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	2/22/2007
Start Time:	7:05:49
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0700) = 0.090 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
2/22/2007	7:20:49	0.076	-0.014	-14	
2/22/2007	7:35:49	0.078	-0.012	-12	
2/22/2007	7:50:49	0.074	-0.016	-16	
2/22/2007	8:05:49	0.067	-0.023	-23	
2/22/2007	8:20:49	0.071	-0.019	-19	
2/22/2007	8:35:49	0.056	-0.034	-34	
2/22/2007	8:50:49	0.055	-0.035	-35	
2/22/2007	9:05:49	0.057	-0.033	-33	
2/22/2007	9:20:49	0.064	-0.026	-26	
2/22/2007	9:35:49	0.065	-0.025	-25	
2/22/2007	9:50:49	1.065	0.975	975	*Particulate reading caused by exhaust from car parked directly in front of STA 4
2/22/2007	10:05:49	0.073	-0.017	-17	
2/22/2007	10:20:49	0.068	-0.022	-22	
2/22/2007	10:35:49	0.065	-0.025	-25	
2/22/2007	10:50:49	0.068	-0.022	-22	
2/22/2007	11:05:49	0.07	-0.02	-20	
2/22/2007	11:20:49	0.064	-0.026	-26	
2/22/2007	11:35:49	0.063	-0.027	-27	
2/22/2007	11:50:49	0.06	-0.03	-30	
2/22/2007	12:05:49	0.052	-0.038	-38	
2/22/2007	12:20:49	0.046	-0.044	-44	
2/22/2007	12:35:49	0.037	-0.053	-53	
2/22/2007	12:50:49	0.036	-0.054	-54	
2/22/2007	13:05:49	0.041	-0.049	-49	
2/22/2007	13:20:49	0.034	-0.056	-56	
2/22/2007	13:35:49	0.037	-0.053	-53	
2/22/2007	13:50:49	0.03	-0.06	-60	
2/22/2007	14:05:49	0.034	-0.056	-56	
2/22/2007	14:20:49	0.031	-0.059	-59	
2/22/2007	14:35:49	0.035	-0.055	-55	
2/22/2007	14:50:49	0.036	-0.054	-54	
2/22/2007	15:05:49	0.034	-0.056	-56	
2/22/2007	15:20:49	0.028	-0.062	-62	
2/22/2007	15:35:49	0.036	-0.054	-54	
2/22/2007	15:50	0.032	-0.058	-58	
2/22/2007	16:05:49	0.029	-0.061	-61	
2/22/2007	16:20:49	0.036	-0.054	-54	
2/22/2007	16:35:49	0.032	-0.058	-58	
2/22/2007	16:50:49	0.032	-0.058	-58	
2/22/2007	17:05:49	0.033	-0.057	-57	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/23/2007 6:57	0.1		0.1
2	2/23/2007 7:12	0.2		0.2
3	2/23/2007 7:27	0.3		0.3
4	2/23/2007 7:42	0.4		0.4
5	2/23/2007 7:57	0.4		0.4
6	2/23/2007 8:12	0.5		0.5
7	2/23/2007 8:27	0.5		0.5
8	2/23/2007 8:42	0.5		0.5
9	2/23/2007 8:57	0.5		0.5
10	2/23/2007 9:12	0.6		0.6
11	2/23/2007 9:27	0.6		0.6
12	2/23/2007 9:42	0.6		0.6
13	2/23/2007 9:57	0.6		0.6
14	2/23/2007 10:12	0.6		0.6
15	2/23/2007 10:27	0.6		0.6
16	2/23/2007 10:42	0.6		0.6
17	2/23/2007 10:57	0.6		0.6
18	2/23/2007 11:12	0.6		0.6
19	2/23/2007 11:27	0.6		0.6
20	2/23/2007 11:42	0.7		0.7
21	2/23/2007 11:57	0.7		0.7
22	2/23/2007 12:12	0.6		0.6
23	2/23/2007 12:27	0.6		0.6
24	2/23/2007 12:42	0.6		0.6
25	2/23/2007 12:57	0.6		0.6
26	2/23/2007 13:12	0.6		0.6
27	2/23/2007 13:27	0.6		0.6
28	2/23/2007 13:42	0.6		0.6
29	2/23/2007 13:57	0.6		0.6
30	2/23/2007 14:12	0.6		0.6
31	2/23/2007 14:27	0.6		0.6
32	2/23/2007 14:42	0.6		0.6
33	2/23/2007 14:57	0.6		0.6
34	2/23/2007 15:12	0.7		0.7
35	2/23/2007 15:27	0.7		0.7
36	2/23/2007 15:42	0.7		0.7
37	2/23/2007 15:57	0.7		0.7
38	2/23/2007 16:12	0.7		0.7
39	2/23/2007 16:27	0.7		0.7
40	2/23/2007 16:42	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	2/23/2007
Start Time:	6:36:12
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0634) = 0.009 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/23/2007	6:51:12	0.01	0.001	1
2/23/2007	7:06:12	0.014	0.005	5
2/23/2007	7:21:12	0.013	0.004	4
2/23/2007	7:36:12	0.014	0.005	5
2/23/2007	7:51:12	0.017	0.008	8
2/23/2007	8:06:12	0.017	0.008	8
2/23/2007	8:21:12	0.021	0.012	12
2/23/2007	8:36:12	0.022	0.013	13
2/23/2007	8:51:12	0.02	0.011	11
2/23/2007	9:06:12	0.019	0.01	10
2/23/2007	9:21:12	0.019	0.01	10
2/23/2007	9:36:12	0.016	0.007	7
2/23/2007	9:51:12	0.015	0.006	6
2/23/2007	10:06:12	0.015	0.006	6
2/23/2007	10:21:12	0.012	0.003	3
2/23/2007	10:36:12	0.011	0.002	2
2/23/2007	10:51:12	0.011	0.002	2
2/23/2007	11:06:12	0.009	0	0
2/23/2007	11:21:12	0.009	0	0
2/23/2007	11:36:12	0.008	-0.001	-1
2/23/2007	11:51:12	0.007	-0.002	-2
2/23/2007	12:06:12	0.007	-0.002	-2
2/23/2007	12:21:12	0.007	-0.002	-2
2/23/2007	12:36:12	0.007	-0.002	-2
2/23/2007	12:51:12	0.005	-0.004	-4
2/23/2007	13:06:12	0.008	-0.001	-1
2/23/2007	13:21:12	0.005	-0.004	-4
2/23/2007	13:36:12	0.005	-0.004	-4
2/23/2007	13:51:12	0.005	-0.004	-4
2/23/2007	14:06:12	0.005	-0.004	-4
2/23/2007	14:21:12	0.007	-0.002	-2
2/23/2007	14:36:12	0.006	-0.003	-3
2/23/2007	14:51:12	0.008	-0.001	-1
2/23/2007	15:06:12	0.006	-0.003	-3
2/23/2007	15:21:12	0.008	-0.001	-1
2/23/2007	15:36:12	0.005	-0.004	-4
2/23/2007	15:51:12	0.006	-0.003	-3
2/23/2007	16:06:12	0.006	-0.003	-3
2/23/2007	16:21:12	0.006	-0.003	-3
2/23/2007	16:36:12	0.008	-0.001	-1
2/23/2007	16:51:12	0.006	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/23/2007 6:51	0.4		0
2	2/23/2007 7:06	0.4		0
3	2/23/2007 7:21	0.4		0
4	2/23/2007 7:36	0.5		0.1
5	2/23/2007 7:51	0.5		0.1
6	2/23/2007 8:06	0.5		0.1
7	2/23/2007 8:21	0.5		0.1
8	2/23/2007 8:36	0.5		0.1
9	2/23/2007 8:51	0.5		0.1
10	2/23/2007 9:06	0.5		0.1
11	2/23/2007 9:21	0.6		0.2
12	2/23/2007 9:36	0.6		0.2
13	2/23/2007 9:51	0.6		0.2
14	2/23/2007 10:06	0.6		0.2
15	2/23/2007 10:21	0.6		0.2
16	2/23/2007 10:36	0.6		0.2
17	2/23/2007 10:51	0.6		0.2
18	2/23/2007 11:06	0.7		0.3
19	2/23/2007 11:21	0.7		0.3
20	2/23/2007 11:36	0.7		0.3
21	2/23/2007 11:51	0.7		0.3
22	2/23/2007 12:06	0.7		0.3
23	2/23/2007 12:21	0.7		0.3
24	2/23/2007 12:36	0.7		0.3
25	2/23/2007 12:51	0.8		0.4
26	2/23/2007 13:06	0.8		0.4
27	2/23/2007 13:21	0.8		0.4
28	2/23/2007 13:36	0.8		0.4
29	2/23/2007 13:51	0.8		0.4
30	2/23/2007 14:06	0.8		0.4
31	2/23/2007 14:21	0.8		0.4
32	2/23/2007 14:36	0.8		0.4
33	2/23/2007 14:51	0.8		0.4
34	2/23/2007 15:06	0.8		0.4
35	2/23/2007 15:21	0.8		0.4
36	2/23/2007 15:36	0.8		0.4
37	2/23/2007 15:51	0.7		0.3
38	2/23/2007 16:06	0.8		0.4
39	2/23/2007 16:21	0.8		0.4
40	2/23/2007 16:36	0.8		0.4
41	2/23/2007 16:51	0.8		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	2/23/2007
Start Time:	6:41:46
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0635) = 0.003 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/23/2007	6:56:46	0.004	0.001	1
2/23/2007	7:11:46	0.006	0.003	3
2/23/2007	7:26:46	0.006	0.003	3
2/23/2007	7:41:46	0.007	0.004	4
2/23/2007	7:56:46	0.009	0.006	6
2/23/2007	8:11:46	0.01	0.007	7
2/23/2007	8:26:46	0.012	0.009	9
2/23/2007	8:41:46	0.012	0.009	9
2/23/2007	8:56:46	0.011	0.008	8
2/23/2007	9:11:46	0.011	0.008	8
2/23/2007	9:26:46	0.01	0.007	7
2/23/2007	9:41:46	0.008	0.005	5
2/23/2007	9:56:46	0.008	0.005	5
2/23/2007	10:11:46	0.007	0.004	4
2/23/2007	10:26:46	0.006	0.003	3
2/23/2007	10:41:46	0.005	0.002	2
2/23/2007	10:56:46	0.005	0.002	2
2/23/2007	11:11:46	0.004	0.001	1
2/23/2007	11:26:46	0.004	0.001	1
2/23/2007	11:41:46	0.004	0.001	1
2/23/2007	11:56:46	0.003	0	0
2/23/2007	12:11:46	0.002	-0.001	-1
2/23/2007	12:26:46	0.002	-0.001	-1
2/23/2007	12:41:46	0.002	-0.001	-1
2/23/2007	12:56:46	0.002	-0.001	-1
2/23/2007	13:11:46	0.002	-0.001	-1
2/23/2007	13:26:46	0.002	-0.001	-1
2/23/2007	13:41:46	0.002	-0.001	-1
2/23/2007	13:56:46	0.002	-0.001	-1
2/23/2007	14:11:46	0.002	-0.001	-1
2/23/2007	14:26:46	0.002	-0.001	-1
2/23/2007	14:41:46	0.002	-0.001	-1
2/23/2007	14:56:46	0.002	-0.001	-1
2/23/2007	15:11:46	0.002	-0.001	-1
2/23/2007	15:26:46	0.002	-0.001	-1
2/23/2007	15:41:46	0.002	-0.001	-1
2/23/2007	15:56:46	0.002	-0.001	-1
2/23/2007	16:11:46	0.002	-0.001	-1
2/23/2007	16:26:46	0.002	-0.001	-1
2/23/2007	16:41:46	0.002	-0.001	-1
2/23/2007	16:56:46	0.001	-0.002	-2
2/23/2007	17:11:46	0.002	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012174
User ID: 00000001 Site ID: 00000019
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	50	50	50
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.5 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/23/2007 7:31	0.5		0
2	2/23/2007 7:46	0.4		-0.1
3	2/23/2007 8:01	0.5		0
4	2/23/2007 8:16	0.5		0
5	2/23/2007 8:31	0.5		0
6	2/23/2007 8:46	0.3		-0.2
7	2/23/2007 9:01	0.4		-0.1
8	2/23/2007 9:16	0.4		-0.1
9	2/23/2007 9:31	0.5		0
10	2/23/2007 9:46	0.5		0
11	2/23/2007 10:01	0.5		0
12	2/23/2007 10:16	0.6		0.1
13	2/23/2007 10:31	0.6		0.1
14	2/23/2007 10:46	0.6		0.1
15	2/23/2007 11:01	0.6		0.1
16	2/23/2007 11:16	0.6		0.1
17	2/23/2007 11:31	0.6		0.1
18	2/23/2007 11:46	0.6		0.1
19	2/23/2007 12:01	0.6		0.1
20	2/23/2007 12:16	0.7		0.2
21	2/23/2007 12:31	0.7		0.2
22	2/23/2007 12:46	0.7		0.2
23	2/23/2007 13:01	0.7		0.2
24	2/23/2007 13:16	0.7		0.2
25	2/23/2007 13:31	0.7		0.2
26	2/23/2007 13:46	0.7		0.2
27	2/23/2007 14:01	0.7		0.2
28	2/23/2007 14:16	0.7		0.2
29	2/23/2007 14:31	0.7		0.2
30	2/23/2007 14:46	0.7		0.2
31	2/23/2007 15:01	0.7		0.2
32	2/23/2007 15:16	0.7		0.2
33	2/23/2007 15:31	0.7		0.2
34	2/23/2007 15:46	0.7		0.2
35	2/23/2007 16:01	0.7		0.2
36	2/23/2007 16:16	0.6		0.1
37	2/23/2007 16:31	0.6		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	2/23/2007
Start Time:	7:17:18
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0715) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/23/2007	7:32:18	0.009	0.001	1
2/23/2007	7:47:18	0.012	0.004	4
2/23/2007	8:02:18	0.016	0.008	8
2/23/2007	8:17:18	0.018	0.01	10
2/23/2007	8:32:18	0.02	0.012	12
2/23/2007	8:47:18	0.02	0.012	12
2/23/2007	9:02:18	0.019	0.011	11
2/23/2007	9:17:18	0.02	0.012	12
2/23/2007	9:32:18	0.017	0.009	9
2/23/2007	9:47:18	0.015	0.007	7
2/23/2007	10:02:18	0.014	0.006	6
2/23/2007	10:17:18	0.012	0.004	4
2/23/2007	10:32:18	0.011	0.003	3
2/23/2007	10:47:18	0.009	0.001	1
2/23/2007	11:02:18	0.01	0.002	2
2/23/2007	11:17:18	0.009	0.001	1
2/23/2007	11:32:18	0.007	-0.001	-1
2/23/2007	11:47:18	0.006	-0.002	-2
2/23/2007	12:02:18	0.006	-0.002	-2
2/23/2007	12:17:18	0.005	-0.003	-3
2/23/2007	12:32:18	0.006	-0.002	-2
2/23/2007	12:47:18	0.005	-0.003	-3
2/23/2007	13:02:18	0.005	-0.003	-3
2/23/2007	13:17:18	0.004	-0.004	-4
2/23/2007	13:32:18	0.004	-0.004	-4
2/23/2007	13:47:18	0.005	-0.003	-3
2/23/2007	14:02:18	0.005	-0.003	-3
2/23/2007	14:17:18	0.004	-0.004	-4
2/23/2007	14:32:18	0.004	-0.004	-4
2/23/2007	14:47:18	0.004	-0.004	-4
2/23/2007	15:02:18	0.004	-0.004	-4
2/23/2007	15:17:18	0.004	-0.004	-4
2/23/2007	15:32:18	0.004	-0.004	-4
2/23/2007	15:47:18	0.005	-0.003	-3
2/23/2007	16:02:18	0.005	-0.003	-3
2/23/2007	16:17:18	0.005	-0.003	-3
2/23/2007	16:32:18	0.004	-0.004	-4
2/23/2007	16:47:18	0.005	-0.003	-3
2/23/2007	17:02:18	0.004	-0.004	-4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/22/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.9 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/23/2007 7:15	0.8		-0.1
2	2/23/2007 7:30	0.7		-0.2
3	2/23/2007 7:45	0.6		-0.3
4	2/23/2007 8:00	0.6		-0.3
5	2/23/2007 8:15	0.5		-0.4
6	2/23/2007 8:30	0.5		-0.4
7	2/23/2007 8:45	0.4		-0.5
8	2/23/2007 9:00	0.5		-0.4
9	2/23/2007 9:15	0.6		-0.3
10	2/23/2007 9:30	0.5		-0.4
11	2/23/2007 9:45	0.5		-0.4
12	2/23/2007 10:00	0.4		-0.5
13	2/23/2007 10:15	0.4		-0.5
14	2/23/2007 10:30	0.4		-0.5
15	2/23/2007 10:45	0.3		-0.6
16	2/23/2007 11:00	0.2		-0.7
17	2/23/2007 11:15	0.2		-0.7
18	2/23/2007 11:30	0.2		-0.7
19	2/23/2007 11:45	0.2		-0.7
20	2/23/2007 12:00	0.2		-0.7
21	2/23/2007 12:15	0.2		-0.7
22	2/23/2007 12:30	0.2		-0.7
23	2/23/2007 12:45	0.1		-0.8
24	2/23/2007 13:00	0.1		-0.8
25	2/23/2007 13:15	0.1		-0.8
26	2/23/2007 13:30	0		-0.9
27	2/23/2007 13:45	0		-0.9
28	2/23/2007 14:00	0		-0.9
29	2/23/2007 14:15	0		-0.9
30	2/23/2007 14:30	0		-0.9
31	2/23/2007 14:45	0		-0.9
32	2/23/2007 15:00	0		-0.9
33	2/23/2007 15:15	0		-0.9
34	2/23/2007 15:30	0		-0.9
35	2/23/2007 15:45	0		-0.9
36	2/23/2007 16:00	0		-0.9
37	2/23/2007 16:15	0		-0.9
38	2/23/2007 16:30	0		-0.9
39	2/23/2007 16:45	0		-0.9

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	2/23/2007
Start Time:	7:00:00
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0655) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/23/2007	7:15:00	0.062	0.051	51
2/23/2007	7:30:00	0.015	0.004	4
2/23/2007	7:45:00	0.023	0.012	12
2/23/2007	8:00:00	0.017	0.006	6
2/23/2007	8:15:00	0.018	0.007	7
2/23/2007	8:30:00	0.022	0.011	11
2/23/2007	8:45:00	0.024	0.013	13
2/23/2007	9:00:00	0.022	0.011	11
2/23/2007	9:15:00	0.021	0.01	10
2/23/2007	9:30:00	0.018	0.007	7
2/23/2007	9:45:00	0.016	0.005	5
2/23/2007	10:00:00	0.017	0.006	6
2/23/2007	10:15:00	0.014	0.003	3
2/23/2007	10:30:00	0.016	0.005	5
2/23/2007	10:45:00	0.016	0.005	5
2/23/2007	11:00:00	0.018	0.007	7
2/23/2007	11:15:00	0.01	-0.001	-1
2/23/2007	11:30:00	0.013	0.002	2
2/23/2007	11:45:00	0.008	-0.003	-3
2/23/2007	12:00:00	0.01	-0.001	-1
2/23/2007	12:15:00	0.01	-0.001	-1
2/23/2007	12:30:00	0.009	-0.002	-2
2/23/2007	12:45:00	0.008	-0.003	-3
2/23/2007	13:00:00	0.011	0	0
2/23/2007	13:15:00	0.011	0	0
2/23/2007	13:30:00	0.01	-0.001	-1
2/23/2007	13:45:00	0.007	-0.004	-4
2/23/2007	14:00:00	0.009	-0.002	-2
2/23/2007	14:15:00	0.014	0.003	3
2/23/2007	14:30:00	0.008	-0.003	-3
2/23/2007	14:45:00	0.01	-0.001	-1
2/23/2007	15:00:00	0.012	0.001	1
2/23/2007	15:15:00	0.018	0.007	7
2/23/2007	15:30:00	0.011	0	0
2/23/2007	15:45:00	0.01	-0.001	-1
2/23/2007	16:00:00	0.01	-0.001	-1
2/23/2007	16:15:00	0.01	-0.001	-1
2/23/2007	16:30:00	0.013	0.002	2
2/23/2007	16:45:00	0.01	-0.001	-1
2/23/2007	17:00:00	0.01	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Level: (08:31) 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg. - (Background) ppm
1	2/24/2007 8:34			0.2		0
2	2/24/2007 8:49			0.5		0.3
3	2/24/2007 9:04			0.5		0.3
4	2/24/2007 9:19			0.4		0.2
5	2/24/2007 9:34			0.5		0.3
6	2/24/2007 9:49			0.5		0.3
7	2/24/2007 10:04			0.6		0.4
8	2/24/2007 10:19			0.6		0.4
9	2/24/2007 10:34			0.6		0.4
10	2/24/2007 10:49			0.6		0.4
11	2/24/2007 11:04			0.6		0.4
12	2/24/2007 11:19			0.6		0.4
13	2/24/2007 11:34			0.7		0.5
14	2/24/2007 11:49			0.7		0.5
15	2/24/2007 12:04			0.7		0.5
16	2/24/2007 12:19			0.7		0.5
17	2/24/2007 12:34			0.7		0.5
18	2/24/2007 12:49			0.7		0.5
19	2/24/2007 13:04			0.7		0.5
20	2/24/2007 13:19			0.7		0.5
21	2/24/2007 13:34			0.7		0.5
22	2/24/2007 13:49			0.6		0.4
23	2/24/2007 14:04			0.6		0.4
24	2/24/2007 14:19			0.6		0.4
25	2/24/2007 14:34			0.6		0.4
26	2/24/2007 14:49			0.6		0.4
27	2/24/2007 15:04			0.6		0.4
28	2/24/2007 15:19			0.6		0.4
29	2/24/2007 15:34			0.6		0.4
30	2/24/2007 15:49			0.6		0.4
31	2/24/2007 16:04			0.6		0.4
32	2/24/2007 16:19			0.6		0.4
33	2/24/2007 16:34			0.6		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	2/24/2007
Start Time:	8:34:23
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	*Background Level: (08:31) 0.009 mg/m^3*

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol - (Background) mg/m^3
2/24/2007	8:49:23	0.007	-0.002
2/24/2007	9:04:23	0.018	0.009
2/24/2007	9:19:23	0.014	0.005
2/24/2007	9:34:23	0.009	0
2/24/2007	9:49:23	0.007	-0.002
2/24/2007	10:04:23	0.008	-0.001
2/24/2007	10:19:23	0.005	-0.004
2/24/2007	10:34:23	0.006	-0.003
2/24/2007	10:49:23	0.006	-0.003
2/24/2007	11:04:23	0.007	-0.002
2/24/2007	11:19:23	0.006	-0.003
2/24/2007	11:34:23	0.006	-0.003
2/24/2007	11:49:23	0.006	-0.003
2/24/2007	12:04:23	0.006	-0.003
2/24/2007	12:19:23	0.007	-0.002
2/24/2007	12:34:23	0.008	-0.001
2/24/2007	12:49:23	0.008	-0.001
2/24/2007	13:04:23	0.006	-0.003
2/24/2007	13:19:23	0.006	-0.003
2/24/2007	13:34:23	0.006	-0.003
2/24/2007	13:49:23	0.007	-0.002
2/24/2007	14:04:23	0.008	-0.001
2/24/2007	14:19:23	0.006	-0.003
2/24/2007	14:34:23	0.007	-0.002
2/24/2007	14:49:23	0.005	-0.004
2/24/2007	15:04:23	0.008	-0.001
2/24/2007	15:19:23	0.007	-0.002
2/24/2007	15:34:23	0.007	-0.002
2/24/2007	15:49:23	0.012	0.003
2/24/2007	16:04:23	0.009	0
2/24/2007	16:19:23	0.008	-0.001
2/24/2007	16:34:23	0.007	-0.002

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/24/2007 08:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Level: (09:04) 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Avg. - (Background) ppm
1	2/24/2007 9:16			0.2	0.2
2	2/24/2007 9:31			0.2	0.2
3	2/24/2007 9:46			0.3	0.3
4	2/24/2007 10:01			0.3	0.3
5	2/24/2007 10:16			0.4	0.4
6	2/24/2007 10:31			0.4	0.4
7	2/24/2007 10:46			0.4	0.4
8	2/24/2007 11:01			0.5	0.5
9	2/24/2007 11:16			0.5	0.5
10	2/24/2007 11:31			0.5	0.5
11	2/24/2007 11:46			0.6	0.6
12	2/24/2007 12:01			0.6	0.6
13	2/24/2007 12:16			0.6	0.6
14	2/24/2007 12:31			0.6	0.6
15	2/24/2007 12:46			0.6	0.6
16	2/24/2007 13:01			0.7	0.7
17	2/24/2007 13:16			0.7	0.7
18	2/24/2007 13:31			0.7	0.7
19	2/24/2007 13:46			0.7	0.7
20	2/24/2007 14:01			0.7	0.7
21	2/24/2007 14:16			0.8	0.8
22	2/24/2007 14:31			0.8	0.8
23	2/24/2007 14:46			0.8	0.8
24	2/24/2007 15:01			0.8	0.8
25	2/24/2007 15:16			0.8	0.8
26	2/24/2007 15:31			0.8	0.8
27	2/24/2007 15:46			0.9	0.9
28	2/24/2007 16:01			0.9	0.9
29	2/24/2007 16:16			0.9	0.9
30	2/24/2007 16:31			0.9	0.9
31	2/24/2007 16:46			0.8	0.8
32	2/24/2007 17:01			0.9	0.9

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	2/24/2007
Start Time:	9:19:02
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	*Background Level: (09:04) 0.001 mg/m^3*

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol - (Background) mg/m^3
2/24/2007	9:34:02	0.011	0.01
2/24/2007	9:49:02	0.002	0.001
2/24/2007	10:04:02	0.002	0.001
2/24/2007	10:19:02	0.002	0.001
2/24/2007	10:34:02	0.003	0.002
2/24/2007	10:49:02	0.002	0.001
2/24/2007	11:04:02	0.002	0.001
2/24/2007	11:19:02	0.002	0.001
2/24/2007	11:34:02	0.002	0.001
2/24/2007	11:49:02	0.002	0.001
2/24/2007	12:04:02	0.003	0.002
2/24/2007	12:19:02	0.002	0.001
2/24/2007	12:34:02	0.003	0.002
2/24/2007	12:49:02	0.003	0.002
2/24/2007	13:04:02	0.003	0.002
2/24/2007	13:19:02	0.003	0.002
2/24/2007	13:34:02	0.003	0.002
2/24/2007	13:49:02	0.011	0.01
2/24/2007	14:04:02	0.003	0.002
2/24/2007	14:19:02	0.003	0.002
2/24/2007	14:34:02	0.004	0.003
2/24/2007	14:49:02	0.004	0.003
2/24/2007	15:04:02	0.004	0.003
2/24/2007	15:19:02	0.004	0.003
2/24/2007	15:34:02	0.004	0.003
2/24/2007	15:49:02	0.004	0.003
2/24/2007	16:04:02	0.004	0.003
2/24/2007	16:19:02	0.004	0.003
2/24/2007	16:34:02	0.003	0.002
2/24/2007	16:49:02	0.003	0.002
2/24/2007	17:04:02	0.005	0.004
2/24/2007	17:19:02	0.013	0.012

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/24/2007 08:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Level: (08:45) 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Avg. -(Background) ppm
1	2/24/2007 8:58			0	0
2	2/24/2007 9:13			0.1	0.1
3	2/24/2007 9:28			0.1	0.1
4	2/24/2007 9:43			0.1	0.1
5	2/24/2007 9:58			0.1	0.1
6	2/24/2007 10:13			0.1	0.1
7	2/24/2007 10:28			0.1	0.1
8	2/24/2007 10:43			0.2	0.2
9	2/24/2007 10:58			0.3	0.3
10	2/24/2007 11:13			0.3	0.3
11	2/24/2007 11:28			0.3	0.3
12	2/24/2007 11:43			0.3	0.3
13	2/24/2007 11:58			0.3	0.3
14	2/24/2007 12:13			0.3	0.3
15	2/24/2007 12:28			0.4	0.4
16	2/24/2007 12:43			0.4	0.4
17	2/24/2007 12:58			0.4	0.4
18	2/24/2007 13:13			0.4	0.4
19	2/24/2007 13:28			0.4	0.4
20	2/24/2007 13:43			0.4	0.4
21	2/24/2007 13:58			0.5	0.5
22	2/24/2007 14:13			0.5	0.5
23	2/24/2007 14:28			0.5	0.5
24	2/24/2007 14:43			0.5	0.5
25	2/24/2007 14:58			0.5	0.5
26	2/24/2007 15:13			0.6	0.6
27	2/24/2007 15:28			0.6	0.6
28	2/24/2007 15:43			0.7	0.7
29	2/24/2007 15:58			0.6	0.6
30	2/24/2007 16:13			0.7	0.7
31	2/24/2007 16:28			0.7	0.7
32	2/24/2007 16:43			0.7	0.7
33	2/24/2007 16:58			0.5	0.5

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	2/24/2007
Start Time:	8:46:24
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	*Background Level: (08:45) 0.005 mg/m^3*

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol - (Background) mg/m^3
2/24/2007	9:01:24	0.003	-0.002
2/24/2007	9:16:24	0.005	0
2/24/2007	9:31:24	0.005	0
2/24/2007	9:46:24	0.007	0.002
2/24/2007	10:01:24	0.005	0
2/24/2007	10:16:24	0.005	0
2/24/2007	10:31:24	0.005	0
2/24/2007	10:46:24	0.005	0
2/24/2007	11:01:24	0.005	0
2/24/2007	11:16:24	0.005	0
2/24/2007	11:31:24	0.005	0
2/24/2007	11:46:24	0.006	0.001
2/24/2007	12:01:24	0.005	0
2/24/2007	12:16:24	0.006	0.001
2/24/2007	12:31:24	0.005	0
2/24/2007	12:46:24	0.006	0.001
2/24/2007	13:01:24	0.006	0.001
2/24/2007	13:16:24	0.005	0
2/24/2007	13:31:24	0.005	0
2/24/2007	13:46:24	0.006	0.001
2/24/2007	14:01:24	0.007	0.002
2/24/2007	14:16:24	0.007	0.002
2/24/2007	14:31:24	0.011	0.006
2/24/2007	14:46:24	0.006	0.001
2/24/2007	15:01:24	0.013	0.008
2/24/2007	15:16:24	0.007	0.002
2/24/2007	15:31:24	0.007	0.002
2/24/2007	15:46:24	0.009	0.004
2/24/2007	16:01:24	0.077	0.072
2/24/2007	16:16:24	0.008	0.003
2/24/2007	16:31:24	0.005	0
2/24/2007	16:46:24	0.004	-0.001
2/24/2007	17:01:24	0.005	0
2/24/2007	17:16:24	0.002	-0.003

STATION 4 (CONCOURSE VILLAGE WE VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/24/2007 08:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Level: (08:51) 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Avg. -(Background) ppm
1	2/24/2007 8:32			0	0
2	2/24/2007 8:47			0	0
3	2/24/2007 9:02			0.4	0.4
4	2/24/2007 9:17			0.5	0.5
5	2/24/2007 9:32			0.4	0.4
6	2/24/2007 9:47			0.3	0.3
7	2/24/2007 10:02			0.2	0.2
8	2/24/2007 10:17			0.3	0.3
9	2/24/2007 10:32			0.2	0.2
10	2/24/2007 10:47			0.2	0.2
11	2/24/2007 11:02			0.2	0.2
12	2/24/2007 11:17			0.2	0.2
13	2/24/2007 11:32			0.1	0.1
14	2/24/2007 11:47			0.1	0.1
15	2/24/2007 12:02			0.1	0.1
16	2/24/2007 12:17			0.1	0.1
17	2/24/2007 12:32			0.1	0.1
18	2/24/2007 12:47			0.1	0.1
19	2/24/2007 13:02			0.1	0.1
20	2/24/2007 13:17			0.1	0.1
21	2/24/2007 13:32			0.2	0.2
22	2/24/2007 13:47			0.2	0.2
23	2/24/2007 14:02			0.3	0.3
24	2/24/2007 14:17			0.2	0.2
25	2/24/2007 14:32			0.2	0.2
26	2/24/2007 14:47			0.2	0.2
27	2/24/2007 15:02			0.2	0.2
28	2/24/2007 15:17			0.3	0.3
29	2/24/2007 15:32			0.3	0.3
30	2/24/2007 15:47			0.3	0.3
31	2/24/2007 16:02			0.4	0.4
32	2/24/2007 16:17			0.3	0.3
33	2/24/2007 16:32			0.1	0.1
34	2/24/2007 16:47			0	0
35	2/24/2007 17:02			0	0
36	2/24/2007 17:17			0	0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	2/24/2007
Start Time:	8:51:08
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	*Background Level: (08:51) 0.011 mg/m^3*

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol - (Background) mg/m^3
2/24/2007	9:06:08	0.013	0.002
2/24/2007	9:21:08	0.014	0.003
2/24/2007	9:36:08	0.012	0.001
2/24/2007	9:51:08	0.084	0.073
2/24/2007	10:06:08	0.012	0.001
2/24/2007	10:21:08	0.009	-0.002
2/24/2007	10:36:08	0.012	0.001
2/24/2007	10:51:08	0.014	0.003
2/24/2007	11:06:08	0.014	0.003
2/24/2007	11:21:08	0.01	-0.001
2/24/2007	11:36:08	0.007	-0.004
2/24/2007	11:51:08	0.01	-0.001
2/24/2007	12:06:08	0.011	0
2/24/2007	12:21:08	0.01	-0.001
2/24/2007	12:36:08	0.016	0.005
2/24/2007	12:51:08	0.017	0.006
2/24/2007	13:06:08	0.009	-0.002
2/24/2007	13:21:08	0.012	0.001
2/24/2007	13:36:08	0.012	0.001
2/24/2007	13:51:08	0.015	0.004
2/24/2007	14:06:08	0.023	0.012
2/24/2007	14:21:08	0.019	0.008
2/24/2007	14:36:08	0.022	0.011
2/24/2007	14:51:08	0.021	0.01
2/24/2007	15:06:08	0.023	0.012
2/24/2007	15:21:08	0.024	0.013
2/24/2007	15:36:08	0.012	0.001
2/24/2007	15:51:08	0.025	0.014
2/24/2007	16:06:08	0.017	0.006
2/24/2007	16:21:08	0.015	0.004
2/24/2007	16:36:08	0.011	0
2/24/2007	16:51:08	0.011	0
2/24/2007	17:06:08	0.012	0.001

STATION 1 (SOUTHERN PERIMETER)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:19

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0855) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/26/2007 9:18	0.1		0.1
2	2/26/2007 9:33	0.2		0.2
3	2/26/2007 9:48	0.3		0.3
4	2/26/2007 10:03	0.3		0.3
5	2/26/2007 10:18	0.4		0.4
6	2/26/2007 10:33	0.4		0.4
7	2/26/2007 10:48	0.4		0.4
8	2/26/2007 11:03	0.5		0.5
9	2/26/2007 11:18	0.5		0.5
10	2/26/2007 11:33	0.5		0.5
11	2/26/2007 11:48	0.5		0.5
12	2/26/2007 12:03	0.5		0.5
13	2/26/2007 12:18	0.5		0.5
14	2/26/2007 12:33	0.5		0.5
15	2/26/2007 12:48	0.5		0.5
16	2/26/2007 13:03	0.5		0.5
17	2/26/2007 13:18	0.6		0.6
18	2/26/2007 13:33	0.6		0.6
19	2/26/2007 13:48	0.6		0.6
20	2/26/2007 14:03	0.5		0.5
21	2/26/2007 14:18	0.5		0.5
22	2/26/2007 14:33	0.5		0.5
23	2/26/2007 14:48	0.5		0.5
24	2/26/2007 15:03	0.5		0.5
25	2/26/2007 15:18	0.5		0.5
26	2/26/2007 15:33	0.5		0.5
27	2/26/2007 15:48	0.4		0.4
28	2/26/2007 16:03	0.4		0.4
29	2/26/2007 16:18	0.4		0.4
30	2/26/2007 16:33	0.4		0.4
31	2/26/2007 16:48	0.3		0.3
32	2/26/2007 17:03	0.3		0.3
33	2/26/2007 17:18	0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	2/26/2007
Start Time:	8:58:19
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0855) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/26/2007	9:13:19	0.032	0.003	3
2/26/2007	9:28:19	0.031	0.002	2
2/26/2007	9:43:19	0.029	0	0
2/26/2007	9:58:19	0.033	0.004	4
2/26/2007	10:13:19	0.037	0.008	8
2/26/2007	10:28:19	0.044	0.015	15
2/26/2007	10:43:19	0.037	0.008	8
2/26/2007	10:58:19	0.032	0.003	3
2/26/2007	11:13:19	0.032	0.003	3
2/26/2007	11:28:19	0.021	-0.008	-8
2/26/2007	11:43:19	0.018	-0.011	-11
2/26/2007	11:58:19	0.015	-0.014	-14
2/26/2007	12:13:19	0.014	-0.015	-15
2/26/2007	12:28:19	0.013	-0.016	-16
2/26/2007	12:43:19	0.013	-0.016	-16
2/26/2007	12:58:19	0.01	-0.019	-19
2/26/2007	13:13:19	0.011	-0.018	-18
2/26/2007	13:28:19	0.012	-0.017	-17
2/26/2007	13:43:19	0.011	-0.018	-18
2/26/2007	13:58:19	0.015	-0.014	-14
2/26/2007	14:13:19	0.016	-0.013	-13
2/26/2007	14:28:19	0.017	-0.012	-12
2/26/2007	14:43:19	0.023	-0.006	-6
2/26/2007	14:58:19	0.026	-0.003	-3
2/26/2007	15:13:19	0.027	-0.002	-2
2/26/2007	15:28:19	0.028	-0.001	-1
2/26/2007	15:43:19	0.029	0	0
2/26/2007	15:58:19	0.031	0.002	2
2/26/2007	16:13:19	0.033	0.004	4
2/26/2007	16:28:19	0.039	0.01	10
2/26/2007	16:43:19	0.039	0.01	10
2/26/2007	16:58:19	0.04	0.011	11
2/26/2007	17:13:19	0.041	0.012	12
2/26/2007	17:28:19	0.048	0.019	19

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:12

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0856) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/26/2007 9:09	0.2		0
2	2/26/2007 9:24	0.3		0.1
3	2/26/2007 9:39	0.3		0.1
4	2/26/2007 9:54	0.4		0.2
5	2/26/2007 10:09	0.4		0.2
6	2/26/2007 10:24	0.4		0.2
7	2/26/2007 10:39	0.4		0.2
8	2/26/2007 10:54	0.4		0.2
9	2/26/2007 11:09	0.4		0.2
10	2/26/2007 11:24	0.4		0.2
11	2/26/2007 11:39	0.4		0.2
12	2/26/2007 11:54	0.4		0.2
13	2/26/2007 12:09	0.5		0.3
14	2/26/2007 12:24	0.4		0.2
15	2/26/2007 12:39	0.4		0.2
16	2/26/2007 12:54	0.4		0.2
17	2/26/2007 13:09	0.5		0.3
18	2/26/2007 13:24	0.5		0.3
19	2/26/2007 13:39	0.5		0.3
20	2/26/2007 13:54	0.5		0.3
21	2/26/2007 14:09	0.5		0.3
22	2/26/2007 14:24	0.5		0.3
23	2/26/2007 14:39	0.4		0.2
24	2/26/2007 14:54	0.4		0.2
25	2/26/2007 15:09	0.4		0.2
26	2/26/2007 15:24	0.4		0.2
27	2/26/2007 15:39	0.4		0.2
28	2/26/2007 15:54	0.4		0.2
29	2/26/2007 16:09	0.4		0.2
30	2/26/2007 16:24	0.4		0.2
31	2/26/2007 16:39	0.4		0.2
32	2/26/2007 16:54	0.4		0.2
33	2/26/2007 17:09	0.4		0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	2/26/2007
Start Time:	8:58:20
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0856) = 0.024 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/26/2007	9:13:20	0.021	-0.003	-3
2/26/2007	9:28:20	0.021	-0.003	-3
2/26/2007	9:43:20	0.021	-0.003	-3
2/26/2007	9:58:20	0.021	-0.003	-3
2/26/2007	10:13:20	0.025	0.001	1
2/26/2007	10:28:20	0.028	0.004	4
2/26/2007	10:43:20	0.025	0.001	1
2/26/2007	10:58:20	0.023	-0.001	-1
2/26/2007	11:13:20	0.021	-0.003	-3
2/26/2007	11:28:20	0.016	-0.008	-8
2/26/2007	11:43:20	0.012	-0.012	-12
2/26/2007	11:58:20	0.01	-0.014	-14
2/26/2007	12:13:20	0.01	-0.014	-14
2/26/2007	12:28:20	0.009	-0.015	-15
2/26/2007	12:43:20	0.009	-0.015	-15
2/26/2007	12:58:20	0.007	-0.017	-17
2/26/2007	13:13:20	0.007	-0.017	-17
2/26/2007	13:28:20	0.008	-0.016	-16
2/26/2007	13:43:20	0.007	-0.017	-17
2/26/2007	13:58:20	0.01	-0.014	-14
2/26/2007	14:13:20	0.011	-0.013	-13
2/26/2007	14:28:20	0.012	-0.012	-12
2/26/2007	14:43:20	0.015	-0.009	-9
2/26/2007	14:58:20	0.017	-0.007	-7
2/26/2007	15:13:20	0.018	-0.006	-6
2/26/2007	15:28:20	0.024	0	0
2/26/2007	15:43:20	0.026	0.002	2
2/26/2007	15:58:20	0.023	-0.001	-1
2/26/2007	16:13:20	0.023	-0.001	-1
2/26/2007	16:28:20	0.025	0.001	1
2/26/2007	16:43:20	0.026	0.002	2
2/26/2007	16:58:20	0.029	0.005	5
2/26/2007	17:13:20	0.027	0.003	3
2/26/2007	17:28:20	0.033	0.009	9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0915) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/26/2007 9:31	0.1		0
2	2/26/2007 9:46	0.1		0
3	2/26/2007 10:01	0.1		0
4	2/26/2007 10:16	0.2		0.1
5	2/26/2007 10:31	0.2		0.1
6	2/26/2007 10:46	0.2		0.1
7	2/26/2007 11:01	0.2		0.1
8	2/26/2007 11:16	0.2		0.1
9	2/26/2007 11:31	0.2		0.1
10	2/26/2007 11:46	0.2		0.1
11	2/26/2007 12:01	0.2		0.1
12	2/26/2007 12:16	0.2		0.1
13	2/26/2007 12:31	0.2		0.1
14	2/26/2007 12:46	0.2		0.1
15	2/26/2007 13:01	0.2		0.1
16	2/26/2007 13:16	0.2		0.1
17	2/26/2007 13:31	0.2		0.1
18	2/26/2007 13:46	0.2		0.1
19	2/26/2007 14:01	0.2		0.1
20	2/26/2007 14:16	0.2		0.1
21	2/26/2007 14:31	0.2		0.1
22	2/26/2007 14:46	0.2		0.1
23	2/26/2007 15:01	0.2		0.1
24	2/26/2007 15:16	0.2		0.1
25	2/26/2007 15:31	0.2		0.1
26	2/26/2007 15:46	0.2		0.1
27	2/26/2007 16:01	0.2		0.1
28	2/26/2007 16:16	0.2		0.1
29	2/26/2007 16:31	0.2		0.1
30	2/26/2007 16:46	0.2		0.1
31	2/26/2007 17:01	0.2		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	2/26/2007
Start Time:	9:17:14
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0915) = 0.026 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/26/2007	9:32:14	0.029	0.003	3
2/26/2007	9:47:14	0.031	0.005	5
2/26/2007	10:02:14	0.033	0.007	7
2/26/2007	10:17:14	0.037	0.011	11
2/26/2007	10:32:14	0.047	0.021	21
2/26/2007	10:47:14	0.038	0.012	12
2/26/2007	11:02:14	0.038	0.012	12
2/26/2007	11:17:14	0.031	0.005	5
2/26/2007	11:32:14	0.02	-0.006	-6
2/26/2007	11:47:14	0.017	-0.009	-9
2/26/2007	12:02:14	0.014	-0.012	-12
2/26/2007	12:17:14	0.014	-0.012	-12
2/26/2007	12:32:14	0.012	-0.014	-14
2/26/2007	12:47:14	0.011	-0.015	-15
2/26/2007	13:02:14	0.009	-0.017	-17
2/26/2007	13:17:14	0.01	-0.016	-16
2/26/2007	13:32:14	0.014	-0.012	-12
2/26/2007	13:47:14	0.011	-0.015	-15
2/26/2007	14:02:14	0.016	-0.01	-10
2/26/2007	14:17:14	0.018	-0.008	-8
2/26/2007	14:32:14	0.022	-0.004	-4
2/26/2007	14:47:14	0.026	0	0
2/26/2007	15:02:14	0.029	0.003	3
2/26/2007	15:17:14	0.046	0.02	20
2/26/2007	15:32:14	0.065	0.039	39
2/26/2007	15:47:14	0.043	0.017	17
2/26/2007	16:02:14	0.038	0.012	12
2/26/2007	16:17:14	0.043	0.017	17
2/26/2007	16:32:14	0.05	0.024	24
2/26/2007	16:47:14	0.046	0.02	20
2/26/2007	17:02:14	0.044	0.018	18
2/26/2007	17:17:14	0.047	0.021	21

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0910) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/26/2007 9:31	0.7		0.4
2	2/26/2007 9:46	0.6		0.3
3	2/26/2007 10:01	0.7		0.4
4	2/26/2007 10:16	0.7		0.4
5	2/26/2007 10:31	0.7		0.4
6	2/26/2007 10:46	0.7		0.4
7	2/26/2007 11:01	0.7		0.4
8	2/26/2007 11:16	0.7		0.4
9	2/26/2007 11:31	0.7		0.4
10	2/26/2007 11:46	0.7		0.4
11	2/26/2007 12:01	0.7		0.4
12	2/26/2007 12:16	0.7		0.4
13	2/26/2007 12:31	0.7		0.4
14	2/26/2007 12:46	0.7		0.4
15	2/26/2007 13:01	0.7		0.4
16	2/26/2007 13:16	0.7		0.4
17	2/26/2007 13:31	0.7		0.4
18	2/26/2007 13:46	0.7		0.4
19	2/26/2007 14:01	0.7		0.4
20	2/26/2007 14:16	0.7		0.4
21	2/26/2007 14:31	0.7		0.4
22	2/26/2007 14:46	0.7		0.4
23	2/26/2007 15:01	0.7		0.4
24	2/26/2007 15:16	0.7		0.4
25	2/26/2007 15:31	0.7		0.4
26	2/26/2007 15:46	0.7		0.4
27	2/26/2007 16:01	0.7		0.4
28	2/26/2007 16:16	0.7		0.4
29	2/26/2007 16:31	0.7		0.4
30	2/26/2007 16:46	0.7		0.4
31	2/26/2007 17:01	0.7		0.4
32	2/26/2007 17:16	0.8		0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	2/26/2007
Start Time:	9:11:31
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0910) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/26/2007	9:26:31	0.025	-0.001	-1
2/26/2007	9:41:31	0.024	-0.002	-2
2/26/2007	9:56:31	0.027	0.001	1
2/26/2007	10:11:31	0.028	0.002	2
2/26/2007	10:26:31	0.034	0.008	8
2/26/2007	10:41:31	0.034	0.008	8
2/26/2007	10:56:31	0.032	0.006	6
2/26/2007	11:11:31	0.028	0.002	2
2/26/2007	11:26:31	0.033	0.007	7
2/26/2007	11:41:31	0.015	-0.011	-11
2/26/2007	11:56:31	0.013	-0.013	-13
2/26/2007	12:11:31	0.012	-0.014	-14
2/26/2007	12:26:31	0.011	-0.015	-15
2/26/2007	12:41:31	0.011	-0.015	-15
2/26/2007	12:56:31	0.009	-0.017	-17
2/26/2007	13:11:31	0.009	-0.017	-17
2/26/2007	13:26:31	0.01	-0.016	-16
2/26/2007	13:41:31	0.01	-0.016	-16
2/26/2007	13:56:31	0.012	-0.014	-14
2/26/2007	14:11:31	0.014	-0.012	-12
2/26/2007	14:26:31	0.017	-0.009	-9
2/26/2007	14:41:31	0.023	-0.003	-3
2/26/2007	14:56:31	0.024	-0.002	-2
2/26/2007	15:11:31	0.028	0.002	2
2/26/2007	15:26:31	0.036	0.01	10
2/26/2007	15:41:31	0.028	0.002	2
2/26/2007	15:56:31	0.032	0.006	6
2/26/2007	16:11:31	0.031	0.005	5
2/26/2007	16:26:31	0.033	0.007	7
2/26/2007	16:41:31	0.034	0.008	8
2/26/2007	16:56:31	0.036	0.01	10
2/26/2007	17:11:31	0.037	0.011	11
2/26/2007	17:26:31	0.042	0.016	16

STATION 1 (SOUTHERN PERIMETER)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:19

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0900) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/27/2007 9:24	0		0
2	2/27/2007 9:39	0.1		0.1
3	2/27/2007 9:54	0.2		0.2
4	2/27/2007 10:09	0.2		0.2
5	2/27/2007 10:24	0.6		0.6
6	2/27/2007 10:39	0.3		0.3
7	2/27/2007 10:54	0.3		0.3
8	2/27/2007 11:09	0.3		0.3
9	2/27/2007 11:24	0.3		0.3
10	2/27/2007 11:39	0.3		0.3
11	2/27/2007 11:54	0.4		0.4
12	2/27/2007 12:09	0.4		0.4
13	2/27/2007 12:24	0.4		0.4
14	2/27/2007 12:39	0.4		0.4
15	2/27/2007 12:54	0.4		0.4
16	2/27/2007 13:09	0.4		0.4
17	2/27/2007 13:24	0.4		0.4
18	2/27/2007 13:39	0.4		0.4
19	2/27/2007 13:54	0.5		0.5
20	2/27/2007 14:09	0.4		0.4
21	2/27/2007 14:24	0.5		0.5
22	2/27/2007 14:39	0.5		0.5
23	2/27/2007 14:54	0.4		0.4
24	2/27/2007 15:09	0.5		0.5
25	2/27/2007 15:24	0.5		0.5
26	2/27/2007 15:39	0.5		0.5
27	2/27/2007 15:54	0.9		0.9
28	2/27/2007 16:09	0.6		0.6
29	2/27/2007 16:24	0.5		0.5
30	2/27/2007 16:39	0.6		0.6
31	2/27/2007 16:54	0.5		0.5
32	2/27/2007 17:09	0.5		0.5
33	2/27/2007 17:24	0.5		0.5
34	2/27/2007 17:39	0.5		0.5
35	2/27/2007 17:54	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	2/27/2007
Start Time:	9:03:38
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0900) = 0.052 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/27/2007	9:18:38	0.057	0.005	5
2/27/2007	9:33:38	0.072	0.02	20
2/27/2007	9:48:38	0.073	0.021	21
2/27/2007	10:03:38	0.075	0.023	23
2/27/2007	10:18:38	0.072	0.02	20
2/27/2007	10:33:38	0.075	0.023	23
2/27/2007	10:48:38	0.052	0	0
2/27/2007	11:03:38	0.028	-0.024	-24
2/27/2007	11:18:38	0.027	-0.025	-25
2/27/2007	11:33:38	0.04	-0.012	-12
2/27/2007	11:48:38	0.044	-0.008	-8
2/27/2007	12:03:38	0.054	0.002	2
2/27/2007	12:18:38	0.055	0.003	3
2/27/2007	12:33:38	0.053	0.001	1
2/27/2007	12:48:38	0.061	0.009	9
2/27/2007	13:03:38	0.057	0.005	5
2/27/2007	13:18:38	0.06	0.008	8
2/27/2007	13:33:38	0.052	0	0
2/27/2007	13:48:38	0.045	-0.007	-7
2/27/2007	14:03:38	0.051	-0.001	-1
2/27/2007	14:18:38	0.041	-0.011	-11
2/27/2007	14:33:38	0.044	-0.008	-8
2/27/2007	14:48:38	0.042	-0.01	-10
2/27/2007	15:03:38	0.043	-0.009	-9
2/27/2007	15:18:38	0.05	-0.002	-2
2/27/2007	15:33:38	0.053	0.001	1
2/27/2007	15:48:38	0.053	0.001	1
2/27/2007	16:03:38	0.169	0.117	117
2/27/2007	16:18:38	0.063	0.011	11
2/27/2007	16:33:38	0.066	0.014	14
2/27/2007	16:48:38	0.062	0.01	10
2/27/2007	17:03:38	0.046	-0.006	-6
2/27/2007	17:18:38	0.048	-0.004	-4
2/27/2007	17:33:38	0.051	-0.001	-1
2/27/2007	17:48:38	0.057	0.005	5
2/27/2007	18:03:38	0.056	0.004	4

STATION 2 (I.S. 151)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:12

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:		100	100
High Alarm Levels:	100	5	5
Low Alarm Levels:	5		

Background Reading (0858) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/27/2007 9:09	0.1		0.1
2	2/27/2007 9:24	0.2		0.2
3	2/27/2007 9:39	0.2		0.2
4	2/27/2007 9:54	0.3		0.3
5	2/27/2007 10:09	0.3		0.3
6	2/27/2007 10:24	0.4		0.4
7	2/27/2007 10:39	0.4		0.4
8	2/27/2007 10:54	0.4		0.4
9	2/27/2007 11:09	0.4		0.4
1	2/27/2007 11:40	0		0
2	2/27/2007 11:55	0		0
3	2/27/2007 12:10	0		0
4	2/27/2007 12:25	0		0
5	2/27/2007 12:40	0		0
6	2/27/2007 12:55	0		0
7	2/27/2007 13:10	0		0
8	2/27/2007 13:25	0		0
9	2/27/2007 13:40	0		0
10	2/27/2007 13:55	0		0
11	2/27/2007 14:10	0		0
12	2/27/2007 14:25	0		0
13	2/27/2007 14:40	0		0
14	2/27/2007 14:55	0		0
15	2/27/2007 15:10	0		0
16	2/27/2007 15:25	0		0
17	2/27/2007 15:40	0		0
18	2/27/2007 15:55	0		0
19	2/27/2007 16:10	0		0
20	2/27/2007 16:25	0		0
21	2/27/2007 16:40	0		0
22	2/27/2007 16:55	0		0
23	2/27/2007 17:10	0		0
24	2/27/2007 17:25	0		0
25	2/27/2007 17:40	0		0
26	2/27/2007 17:55	0		

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	2/27/2007
Start Time:	9:00:32
Duration (dd:hh:mm:ss):	00:03:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	15
Notes:	

Background Reading (0858) = 0.036 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/27/2007	9:15:32	0.038	0.002	2
2/27/2007	9:30:32	0.05	0.014	14
2/27/2007	9:45:32	0.051	0.015	15
2/27/2007	10:00:32	0.05	0.014	14
2/27/2007	10:15:32	0.053	0.017	17
2/27/2007	10:30:32	0.054	0.018	18
2/27/2007	10:45:32	0.045	0.009	9
2/27/2007	11:00:32	0.032	-0.004	-4
2/27/2007	11:15:32	0.02	-0.016	-16
2/27/2007	11:30:32	0.027	-0.009	-9
2/27/2007	11:45:32	0.031	-0.005	-5
2/27/2007	12:00:32	0.039	0.003	3
2/27/2007	12:15:32	0.042	0.006	6
2/27/2007	12:30:32	0.037	0.001	1
2/27/2007	12:45:32	0.042	0.006	6
2/27/2007	14:15:18	0.028	-0.008	-8
2/27/2007	14:30:18	0.028	-0.008	-8
2/27/2007	14:45:18	0.028	-0.008	-8
2/27/2007	15:00:18	0.027	-0.009	-9
2/27/2007	15:15:18	0.033	-0.003	-3
2/27/2007	15:30:18	0.036	0	0
2/27/2007	15:45:18	0.035	-0.001	-1
2/27/2007	16:00:18	0.087	0.051	51
2/27/2007	16:15:18	0.045	0.009	9
2/27/2007	16:30:18	0.06	0.024	24
2/27/2007	16:45:18	0.042	0.006	6
2/27/2007	17:00:18	0.033	-0.003	-3
2/27/2007	17:15:18	0.03	-0.006	-6
2/27/2007	17:30:18	0.045	0.009	9
2/27/2007	17:45:18	0.038	0.002	2
2/27/2007	18:00:18	0.034	-0.002	-2
2/27/2007	18:15:18	0.035	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 02/24/2007 08:09

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0849) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/27/2007 9:05	0.1		0
2	2/27/2007 9:20	0.1		0
3	2/27/2007 9:35	0.2		0.1
4	2/27/2007 9:50	0.5		0.4
5	2/27/2007 10:05	0.2		0.1
6	2/27/2007 10:20	0.2		0.1
1	2/27/2007 11:08	0		-0.1
2	2/27/2007 11:23	0		-0.1
3	2/27/2007 11:38	0		-0.1
4	2/27/2007 11:53	0		-0.1
5	2/27/2007 12:08	0		-0.1
6	2/27/2007 12:23	0		-0.1
7	2/27/2007 12:38	0		-0.1
8	2/27/2007 12:53	0		-0.1
9	2/27/2007 13:08	0		-0.1
10	2/27/2007 13:23	0		-0.1
11	2/27/2007 13:38	0		-0.1
12	2/27/2007 13:53	0		-0.1
13	2/27/2007 14:08	0		-0.1
14	2/27/2007 14:23	0		-0.1
15	2/27/2007 14:38	0		-0.1
16	2/27/2007 14:53	0		-0.1
17	2/27/2007 15:08	0		-0.1
18	2/27/2007 15:23	0		-0.1
19	2/27/2007 15:38	0		-0.1
20	2/27/2007 15:53	0		-0.1
21	2/27/2007 16:08	0		-0.1
22	2/27/2007 16:23	0		-0.1
23	2/27/2007 16:38	0		-0.1
24	2/27/2007 16:53	0		-0.1
25	2/27/2007 17:08	0		-0.1
26	2/27/2007 17:23	0		-0.1
27	2/27/2007 17:38	0		-0.1
28	2/27/2007 17:53	0		-0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	2/27/2007
Start Time:	8:51:26
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	7
Notes:	Background Reading (0849) = 0.087 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/27/2007	9:06:26	0.057	-0.03	-30
2/27/2007	9:21:26	0.074	-0.013	-13
2/27/2007	9:36:26	0.077	-0.01	-10
2/27/2007	9:51:26	0.078	-0.009	-9
2/27/2007	10:06:26	0.083	-0.004	-4
2/27/2007	10:21:26	0.082	-0.005	-5
2/27/2007	10:36:26	0.084	-0.003	-3
2/27/2007	11:07:07	0.042	-0.045	-45
2/27/2007	11:22:07	0.045	-0.042	-42
2/27/2007	11:37:07	0.049	-0.038	-38
2/27/2007	11:52:07	0.055	-0.032	-32
2/27/2007	12:07:07	0.065	-0.022	-22
2/27/2007	12:22:07	0.062	-0.025	-25
2/27/2007	12:37:07	0.064	-0.023	-23
2/27/2007	12:52:07	0.066	-0.021	-21
2/27/2007	13:07:07	0.063	-0.024	-24
2/27/2007	13:22:07	0.065	-0.022	-22
2/27/2007	13:37:07	0.059	-0.028	-28
2/27/2007	13:52:07	0.045	-0.042	-42
2/27/2007	14:07:07	0.046	-0.041	-41
2/27/2007	14:22:07	0.044	-0.043	-43
2/27/2007	14:37:07	0.046	-0.041	-41
2/27/2007	14:52:07	0.044	-0.043	-43
2/27/2007	15:07:07	0.051	-0.036	-36
2/27/2007	15:22:07	0.056	-0.031	-31
2/27/2007	15:37:07	0.058	-0.029	-29
2/27/2007	15:52:07	0.194	0.107	107
2/27/2007	16:07:07	0.083	-0.004	-4
2/27/2007	16:22:07	0.062	-0.025	-25
2/27/2007	16:37:07	0.1	0.013	13
2/27/2007	16:52:07	0.054	-0.033	-33
2/27/2007	17:07:07	0.055	-0.032	-32
2/27/2007	17:22:07	0.059	-0.028	-28
2/27/2007	17:37:07	0.064	-0.023	-23
2/27/2007	17:52:07	0.059	-0.028	-28
2/27/2007	18:07:07	0.058	-0.029	-29

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/24/2007 08:21

	Min(ppm)	Avg(ppm)	Max(ppm)
Measurement Type:			
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0841) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/27/2007 9:00	0.5		0.5
2	2/27/2007 9:15	0.5		0.5
3	2/27/2007 9:30	0.5		0.5
4	2/27/2007 9:45	0.5		0.5
5	2/27/2007 10:00	0.8		0.8
1	2/27/2007 10:31	0		0
2	2/27/2007 10:46	0		0
3	2/27/2007 11:01	0		0
4	2/27/2007 11:16	0		0
5	2/27/2007 11:31	0		0
6	2/27/2007 11:46	0		0
7	2/27/2007 12:01	0		0
8	2/27/2007 12:16	0		0
9	2/27/2007 12:31	0		0
10	2/27/2007 12:46	0		0
11	2/27/2007 13:01	0		0
12	2/27/2007 13:16	0		0
13	2/27/2007 13:31	0		0
14	2/27/2007 13:46	0		0
15	2/27/2007 14:01	0		0
16	2/27/2007 14:16	0		0
17	2/27/2007 14:31	0		0
18	2/27/2007 14:46	0		0
19	2/27/2007 15:01	0		0
20	2/27/2007 15:16	0		0
21	2/27/2007 15:31	0		0
22	2/27/2007 15:46	0		0
23	2/27/2007 16:01	0		0
24	2/27/2007 16:16	0		0
25	2/27/2007 16:31	0		0
26	2/27/2007 16:46	0		0
27	2/27/2007 17:01	0		0
28	2/27/2007 17:16	0		0
29	2/27/2007 17:31	0		0
30	2/27/2007 17:46	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	2/27/2007
Start Time:	8:40:26
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0841) = 0.056 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/27/2007	8:55:26	0.06	0.004	4
2/27/2007	9:10:26	0.051	-0.005	-5
2/27/2007	9:25:26	0.068	0.012	12
2/27/2007	9:40:26	0.076	0.02	20
2/27/2007	9:55:26	0.074	0.018	18
2/27/2007	10:10:26	0.075	0.019	19
2/27/2007	10:25:26	0.072	0.016	16
2/27/2007	10:40:26	0.067	0.011	11
2/27/2007	10:55:26	0.048	-0.008	-8
2/27/2007	11:10:26	0.03	-0.026	-26
2/27/2007	11:25:26	0.035	-0.021	-21
2/27/2007	11:40:26	0.04	-0.016	-16
2/27/2007	11:55:26	0.046	-0.01	-10
2/27/2007	12:10:26	0.056	0	0
2/27/2007	12:25:26	0.051	-0.005	-5
2/27/2007	12:40:26	0.05	-0.006	-6
2/27/2007	12:55:26	0.052	-0.004	-4
2/27/2007	13:10:26	0.057	0.001	1
2/27/2007	13:25:26	0.054	-0.002	-2
2/27/2007	13:40:26	0.064	0.008	8
2/27/2007	13:55:26	0.049	-0.007	-7
2/27/2007	14:10:26	0.059	0.003	3
2/27/2007	14:25:26	0.054	-0.002	-2
2/27/2007	14:40:26	0.041	-0.015	-15
2/27/2007	14:55:26	0.041	-0.015	-15
2/27/2007	15:10:26	0.06	0.004	4
2/27/2007	15:25:26	0.048	-0.008	-8
2/27/2007	15:40:26	0.05	-0.006	-6
2/27/2007	15:55:26	0.122	0.066	66
2/27/2007	16:10:26	0.145	0.089	89
2/27/2007	16:25:26	0.064	0.008	8
2/27/2007	16:40:26	0.076	0.02	20
2/27/2007	16:55:26	0.074	0.018	18
2/27/2007	17:10:26	0.043	-0.013	-13
2/27/2007	17:25	0.043	-0.013	-13
2/27/2007	17:40:26	0.046	-0.01	-10
2/27/2007	17:55:26	0.052	-0.004	-4
2/27/2007	18:10:26	0.048	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/28/2007 08:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0855) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/28/2007 9:17	0		0
2	2/28/2007 9:32	0.1		0.1
3	2/28/2007 9:47	0.2		0.2
4	2/28/2007 10:02	0.2		0.2
5	2/28/2007 10:17	0.3		0.3
6	2/28/2007 10:32	0.3		0.3
7	2/28/2007 10:47	0.3		0.3
8	2/28/2007 11:02	0.4		0.4
9	2/28/2007 11:17	0.4		0.4
10	2/28/2007 11:32	0.4		0.4
11	2/28/2007 11:47	0.4		0.4
12	2/28/2007 12:02	0.4		0.4
13	2/28/2007 12:17	0.4		0.4
14	2/28/2007 12:32	0.4		0.4
15	2/28/2007 12:47	0.4		0.4
16	2/28/2007 13:02	0.4		0.4
17	2/28/2007 13:17	0.4		0.4
18	2/28/2007 13:32	0.4		0.4
19	2/28/2007 13:47	0.4		0.4
20	2/28/2007 14:02	0.4		0.4
21	2/28/2007 14:17	0.4		0.4
22	2/28/2007 14:32	0.4		0.4
23	2/28/2007 14:47	0.4		0.4
24	2/28/2007 15:02	0.4		0.4
25	2/28/2007 15:17	0.4		0.4
26	2/28/2007 15:32	0.4		0.4
27	2/28/2007 15:47	0.4		0.4
28	2/28/2007 16:02	0.4		0.4
29	2/28/2007 16:17	0.4		0.4
30	2/28/2007 16:32	0.4		0.4
31	2/28/2007 16:47	0.3		0.3
32	2/28/2007 17:02	0.4		0.4
33	2/28/2007 17:17	0.4		0.4
34	2/28/2007 17:32	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	2/28/2007
Start Time:	9:03:22
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0855) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	11/2/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/28/2007	9:18:22	0.026	-0.003	-3
2/28/2007	9:33:22	0.026	-0.003	-3
2/28/2007	9:48:22	0.023	-0.006	-6
2/28/2007	10:03:22	0.022	-0.007	-7
2/28/2007	10:18:22	0.023	-0.006	-6
2/28/2007	10:33:22	0.021	-0.008	-8
2/28/2007	10:48:22	0.021	-0.008	-8
2/28/2007	11:03:22	0.021	-0.008	-8
2/28/2007	11:18:22	0.019	-0.01	-10
2/28/2007	11:33:22	0.018	-0.011	-11
2/28/2007	11:48:22	0.015	-0.014	-14
2/28/2007	12:03:22	0.018	-0.011	-11
2/28/2007	12:18:22	0.016	-0.013	-13
2/28/2007	12:33:22	0.016	-0.013	-13
2/28/2007	12:48:22	0.014	-0.015	-15
2/28/2007	13:03:22	0.014	-0.015	-15
2/28/2007	13:18:22	0.014	-0.015	-15
2/28/2007	13:33:22	0.014	-0.015	-15
2/28/2007	13:48:22	0.015	-0.014	-14
2/28/2007	14:03:22	0.013	-0.016	-16
2/28/2007	14:18:22	0.012	-0.017	-17
2/28/2007	14:33:22	0.012	-0.017	-17
2/28/2007	14:48:22	0.012	-0.017	-17
2/28/2007	15:03:22	0.011	-0.018	-18
2/28/2007	15:18:22	0.011	-0.018	-18
2/28/2007	15:33:22	0.009	-0.02	-20
2/28/2007	15:48:22	0.012	-0.017	-17
2/28/2007	16:03:22	0.012	-0.017	-17
2/28/2007	16:18:22	0.01	-0.019	-19
2/28/2007	16:33:22	0.009	-0.02	-20
2/28/2007	16:48:22	0.011	-0.018	-18
2/28/2007	17:03:22	0.011	-0.018	-18
2/28/2007	17:18:22	0.011	-0.018	-18
2/28/2007	17:33:22	0.008	-0.021	-21
2/28/2007	17:48:22	0.009	-0.02	-20

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/28/2007 08:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0841) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/28/2007 8:54	0.1		0
2	2/28/2007 9:09	0.2		0.1
3	2/28/2007 9:24	0.2		0.1
4	2/28/2007 9:39	0.2		0.1
5	2/28/2007 9:54	0.3		0.2
6	2/28/2007 10:09	0.3		0.2
7	2/28/2007 10:24	0.3		0.2
8	2/28/2007 10:39	0.3		0.2
9	2/28/2007 10:54	0.4		0.3
10	2/28/2007 11:09	0.4		0.3
11	2/28/2007 11:24	0.4		0.3
12	2/28/2007 11:39	0.4		0.3
13	2/28/2007 11:54	0.5		0.4
14	2/28/2007 12:09	0.4		0.3
15	2/28/2007 12:24	0.4		0.3
16	2/28/2007 12:39	0.4		0.3
17	2/28/2007 12:54	0.4		0.3
18	2/28/2007 13:09	0.4		0.3
19	2/28/2007 13:24	0.4		0.3
20	2/28/2007 13:39	0.4		0.3
21	2/28/2007 13:54	0.5		0.4
22	2/28/2007 14:09	0.5		0.4
23	2/28/2007 14:24	0.5		0.4
24	2/28/2007 14:39	0.5		0.4
25	2/28/2007 14:54	0.5		0.4
26	2/28/2007 15:09	0.5		0.4
27	2/28/2007 15:24	0.5		0.4
28	2/28/2007 15:39	0.5		0.4
29	2/28/2007 15:54	0.5		0.4
30	2/28/2007 16:09	0.6		0.5
31	2/28/2007 16:24	0.6		0.5
32	2/28/2007 16:39	0.6		0.5
33	2/28/2007 16:54	0.6		0.5
34	2/28/2007 17:09	0.6		0.5
35	2/28/2007 17:24	0.6		0.5
36	2/28/2007 17:39	0.6		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	2/28/2007
Start Time:	8:43:35
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0841) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/28/2007	8:58:35	0.018	-0.002	-2
2/28/2007	9:13:35	0.017	-0.003	-3
2/28/2007	9:28:35	0.017	-0.003	-3
2/28/2007	9:43:35	0.016	-0.004	-4
2/28/2007	9:58:35	0.017	-0.003	-3
2/28/2007	10:13:35	0.016	-0.004	-4
2/28/2007	10:28:35	0.015	-0.005	-5
2/28/2007	10:43:35	0.014	-0.006	-6
2/28/2007	10:58:35	0.015	-0.005	-5
2/28/2007	11:13:35	0.013	-0.007	-7
2/28/2007	11:28:35	0.014	-0.006	-6
2/28/2007	11:43:35	0.011	-0.009	-9
2/28/2007	11:58:35	0.012	-0.008	-8
2/28/2007	12:13:35	0.012	-0.008	-8
2/28/2007	12:28:35	0.012	-0.008	-8
2/28/2007	12:43:35	0.012	-0.008	-8
2/28/2007	12:58:35	0.015	-0.005	-5
2/28/2007	13:13:35	0.008	-0.012	-12
2/28/2007	13:28:35	0.009	-0.011	-11
2/28/2007	13:43:35	0.01	-0.01	-10
2/28/2007	13:58:35	0.009	-0.011	-11
2/28/2007	14:13:35	0.008	-0.012	-12
2/28/2007	14:28:35	0.008	-0.012	-12
2/28/2007	14:43:35	0.007	-0.013	-13
2/28/2007	14:58:35	0.007	-0.013	-13
2/28/2007	15:13:35	0.007	-0.013	-13
2/28/2007	15:28:35	0.007	-0.013	-13
2/28/2007	15:43:35	0.005	-0.015	-15
2/28/2007	15:58:35	0.006	-0.014	-14
2/28/2007	16:13:35	0.006	-0.014	-14
2/28/2007	16:28:35	0.005	-0.015	-15
2/28/2007	16:43:35	0.006	-0.014	-14
2/28/2007	16:58:35	0.006	-0.014	-14
2/28/2007	17:13:35	0.005	-0.015	-15
2/28/2007	17:28:35	0.007	-0.013	-13
2/28/2007	17:43:35	0.006	-0.014	-14
2/28/2007	17:58:35	0.007	-0.013	-13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/28/2007 08:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0856) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/28/2007 9:36	0		-0.4
2	2/28/2007 9:51	0.1		-0.3
3	2/28/2007 10:06	0.1		-0.3
4	2/28/2007 10:21	0.2		-0.2
5	2/28/2007 10:36	0.2		-0.2
6	2/28/2007 10:51	0.2		-0.2
7	2/28/2007 11:06	0.3		-0.1
8	2/28/2007 11:21	0.3		-0.1
9	2/28/2007 11:36	0.3		-0.1
10	2/28/2007 11:51	0.3		-0.1
11	2/28/2007 12:06	0.4		0
12	2/28/2007 12:21	0.3		-0.1
13	2/28/2007 12:36	0.3		-0.1
14	2/28/2007 12:51	0.4		0
15	2/28/2007 13:06	0.4		0
16	2/28/2007 13:21	0.4		0
17	2/28/2007 13:36	0.4		0
18	2/28/2007 13:51	0.4		0
19	2/28/2007 14:06	0.5		0.1
20	2/28/2007 14:21	0.5		0.1
21	2/28/2007 14:36	0.5		0.1
22	2/28/2007 14:51	0.5		0.1
23	2/28/2007 15:06	0.5		0.1
24	2/28/2007 15:21	0.5		0.1
25	2/28/2007 15:36	0.5		0.1
26	2/28/2007 15:51	0.5		0.1
27	2/28/2007 16:06	0.5		0.1
28	2/28/2007 16:21	0.5		0.1
29	2/28/2007 16:36	0.5		0.1
30	2/28/2007 16:51	0.5		0.1
31	2/28/2007 17:06	0.5		0.1
32	2/28/2007 17:21	0.5		0.1
33	2/28/2007 17:36	0.6		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	2/28/2007
Start Time:	10:11:35
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0856) = 0.025 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/28/2007	10:26:35	0.023	-0.002	-2
2/28/2007	10:41:35	0.021	-0.004	-4
2/28/2007	10:56:35	0.024	-0.001	-1
2/28/2007	11:11:35	0.021	-0.004	-4
2/28/2007	11:26:35	0.021	-0.004	-4
2/28/2007	11:41:35	0.017	-0.008	-8
2/28/2007	11:56:35	0.018	-0.007	-7
2/28/2007	12:11:35	0.017	-0.008	-8
2/28/2007	12:26:35	0.017	-0.008	-8
2/28/2007	12:41:35	0.044	0.019	19
2/28/2007	12:56:35	0.015	-0.01	-10
2/28/2007	13:11:35	0.014	-0.011	-11
2/28/2007	13:26:35	0.014	-0.011	-11
2/28/2007	13:41:35	0.015	-0.01	-10
2/28/2007	13:56:35	0.013	-0.012	-12
2/28/2007	14:11:35	0.014	-0.011	-11
2/28/2007	14:26:35	0.013	-0.012	-12
2/28/2007	14:41:35	0.011	-0.014	-14
2/28/2007	14:56:35	0.012	-0.013	-13
2/28/2007	15:11:35	0.011	-0.014	-14
2/28/2007	15:26:35	0.012	-0.013	-13
2/28/2007	15:41:35	0.008	-0.017	-17
2/28/2007	15:56:35	0.009	-0.016	-16
2/28/2007	16:11:35	0.009	-0.016	-16
2/28/2007	16:26:35	0.007	-0.018	-18
2/28/2007	16:41:35	0.008	-0.017	-17
2/28/2007	16:56:35	0.009	-0.016	-16
2/28/2007	17:11:35	0.008	-0.017	-17
2/28/2007	17:26:35	0.008	-0.017	-17
2/28/2007	17:41:35	0.007	-0.018	-18

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 02/28/2007 08:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0851) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	2/28/2007 9:12	0.6		0.2
2	2/28/2007 9:27	0.5		0.1
3	2/28/2007 9:42	0.5		0.1
4	2/28/2007 9:57	0.4		0
5	2/28/2007 10:12	0.3		-0.1
6	2/28/2007 10:27	0.3		-0.1
7	2/28/2007 10:42	0.3		-0.1
8	2/28/2007 10:57	0.3		-0.1
9	2/28/2007 11:12	0.3		-0.1
10	2/28/2007 11:27	0.3		-0.1
11	2/28/2007 11:42	0.2		-0.2
12	2/28/2007 11:57	0.2		-0.2
13	2/28/2007 12:12	0.2		-0.2
14	2/28/2007 12:27	0.1		-0.3
15	2/28/2007 12:42	0		-0.4
16	2/28/2007 12:57	0		-0.4
17	2/28/2007 13:12	0		-0.4
18	2/28/2007 13:27	0		-0.4
19	2/28/2007 13:42	0		-0.4
20	2/28/2007 13:57	0		-0.4
21	2/28/2007 14:12	0		-0.4
22	2/28/2007 14:27	0		-0.4
23	2/28/2007 14:42	0		-0.4
24	2/28/2007 14:57	0		-0.4
25	2/28/2007 15:12	0		-0.4
26	2/28/2007 15:27	0		-0.4
27	2/28/2007 15:42	0		-0.4
28	2/28/2007 15:57	0		-0.4
29	2/28/2007 16:12	0		-0.4
30	2/28/2007 16:27	0		-0.4
31	2/28/2007 16:42	0		-0.4
32	2/28/2007 16:57	0		-0.4
33	2/28/2007 17:12	0		-0.4
34	2/28/2007 17:27	0		-0.4
35	2/28/2007 17:42	0		-0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	2/28/2007
Start Time:	8:53:17
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0851) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
2/28/2007	9:08:17	0.025	-0.002	-2
2/28/2007	9:23:17	0.024	-0.003	-3
2/28/2007	9:38:17	0.025	-0.002	-2
2/28/2007	9:53:17	0.024	-0.003	-3
2/28/2007	10:08:17	0.023	-0.004	-4
2/28/2007	10:23:17	0.023	-0.004	-4
2/28/2007	10:38:17	0.02	-0.007	-7
2/28/2007	10:53:17	0.022	-0.005	-5
2/28/2007	11:08:17	0.02	-0.007	-7
2/28/2007	11:23:17	0.019	-0.008	-8
2/28/2007	11:38:17	0.016	-0.011	-11
2/28/2007	11:53:17	0.016	-0.011	-11
2/28/2007	12:08:17	0.02	-0.007	-7
2/28/2007	12:23:17	0.017	-0.01	-10
2/28/2007	12:38:17	0.038	0.011	11
2/28/2007	12:53:17	0.017	-0.01	-10
2/28/2007	13:08:17	0.017	-0.01	-10
2/28/2007	13:23:17	0.016	-0.011	-11
2/28/2007	13:38:17	0.018	-0.009	-9
2/28/2007	13:53:17	0.018	-0.009	-9
2/28/2007	14:08:17	0.015	-0.012	-12
2/28/2007	14:23:17	0.017	-0.01	-10
2/28/2007	14:38:17	0.015	-0.012	-12
2/28/2007	14:53:17	0.017	-0.01	-10
2/28/2007	15:08:17	0.016	-0.011	-11
2/28/2007	15:23:17	0.014	-0.013	-13
2/28/2007	15:38:17	0.016	-0.011	-11
2/28/2007	15:53:17	0.02	-0.007	-7
2/28/2007	16:08:17	0.013	-0.014	-14
2/28/2007	16:23:17	0.02	-0.007	-7
2/28/2007	16:38:17	0.032	0.005	5
2/28/2007	16:53:17	0.023	-0.004	-4
2/28/2007	17:08:17	0.025	-0.002	-2
2/28/2007	17:23:17	0.039	0.012	12
2/28/2007	17:38:17	0.026	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 07:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0755) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/1/2007 8:18	0		0
2	3/1/2007 8:33	0.1		0.1
3	3/1/2007 8:48	0.2		0.2
4	3/1/2007 9:03	0.2		0.2
5	3/1/2007 9:18	0.3		0.3
6	3/1/2007 9:33	0.3		0.3
7	3/1/2007 9:48	0.3		0.3
8	3/1/2007 10:03	0.3		0.3
9	3/1/2007 10:18	0.4		0.4
10	3/1/2007 10:33	0.4		0.4
11	3/1/2007 10:48	0.4		0.4
12	3/1/2007 11:03	0.4		0.4
13	3/1/2007 11:18	0.4		0.4
14	3/1/2007 11:33	0.4		0.4
15	3/1/2007 11:48	0.4		0.4
16	3/1/2007 12:03	0.4		0.4
17	3/1/2007 12:18	0.4		0.4
18	3/1/2007 12:33	0.4		0.4
19	3/1/2007 12:48	0.5		0.5
20	3/1/2007 13:03	0.4		0.4
21	3/1/2007 13:18	0.4		0.4
22	3/1/2007 13:33	0.4		0.4
23	3/1/2007 13:48	0.4		0.4
24	3/1/2007 14:03	0.3		0.3
25	3/1/2007 14:18	0.3		0.3
26	3/1/2007 14:33	0.3		0.3
27	3/1/2007 14:48	0.3		0.3
28	3/1/2007 15:03	0.3		0.3
29	3/1/2007 15:18	0.3		0.3
30	3/1/2007 15:33	0.4		0.4
31	3/1/2007 15:48	0.3		0.3
32	3/1/2007 16:03	0.4		0.4
33	3/1/2007 16:18	0.4		0.4
34	3/1/2007 16:33	0.4		0.4
35	3/1/2007 16:48	0.4		0.4
36	3/1/2007 17:03	0.4		0.4
37	3/1/2007 17:18	0.5		0.5
38	3/1/2007 17:33	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	3/1/2007
Start Time:	7:57:32
Duration (dd:hh:mm:ss):	00:01:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	5
Notes:	Background Reading (0755) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/1/2007	8:12:32	0.021	-0.002	-2
3/1/2007	8:27:32	0.022	-0.001	-1
3/1/2007	8:42:32	0.025	0.002	2
3/1/2007	8:57:32	0.019	-0.004	-4
3/1/2007	9:12:32	0.021	-0.002	-2
3/1/2007	9:35:37	0.02	-0.003	-3
3/1/2007	9:50:37	0.022	-0.001	-1
3/1/2007	10:05:37	0.02	-0.003	-3
3/1/2007	10:20:37	0.022	-0.001	-1
3/1/2007	10:35:37	0.019	-0.004	-4
3/1/2007	10:50:37	0.019	-0.004	-4
3/1/2007	11:05:37	0.017	-0.006	-6
3/1/2007	11:20:37	0.016	-0.007	-7
3/1/2007	11:35:37	0.016	-0.007	-7
3/1/2007	11:50:37	0.016	-0.007	-7
3/1/2007	12:05:37	0.017	-0.006	-6
3/1/2007	12:20:37	0.016	-0.007	-7
3/1/2007	12:35:37	0.014	-0.009	-9
3/1/2007	12:50:37	0.051	0.028	28
3/1/2007	13:05:37	0.018	-0.005	-5
3/1/2007	13:20:37	0.021	-0.002	-2
3/1/2007	13:35:37	0.024	0.001	1
3/1/2007	13:50:37	0.024	0.001	1
3/1/2007	14:05:37	0.023	0	0
3/1/2007	14:20:37	0.021	-0.002	-2
3/1/2007	14:35:37	0.022	-0.001	-1
3/1/2007	14:50:37	0.021	-0.002	-2
3/1/2007	15:05:37	0.02	-0.003	-3
3/1/2007	15:20:37	0.021	-0.002	-2
3/1/2007	15:35:37	0.023	0	0
3/1/2007	15:50:37	0.022	-0.001	-1
3/1/2007	16:05:37	0.024	0.001	1
3/1/2007	16:20:37	0.023	0	0
3/1/2007	16:35:37	0.023	0	0
3/1/2007	16:50:37	0.024	0.001	1
3/1/2007	17:05:37	0.025	0.002	2
3/1/2007	17:20:37	0.026	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0800) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/1/2007 8:12	0		0
2	3/1/2007 8:27	0.1		0.1
3	3/1/2007 8:42	0.1		0.1
4	3/1/2007 8:57	0.2		0.2
5	3/1/2007 9:12	0.2		0.2
6	3/1/2007 9:27	0.2		0.2
7	3/1/2007 9:42	0.3		0.3
8	3/1/2007 9:57	0.3		0.3
9	3/1/2007 10:12	0.3		0.3
10	3/1/2007 10:27	0.3		0.3
11	3/1/2007 10:42	0.3		0.3
12	3/1/2007 10:57	0.4		0.4
13	3/1/2007 11:12	0.4		0.4
14	3/1/2007 11:27	0.4		0.4
15	3/1/2007 11:42	0.4		0.4
16	3/1/2007 11:57	0.5		0.5
17	3/1/2007 12:12	0.5		0.5
18	3/1/2007 12:27	0.5		0.5
19	3/1/2007 12:42	0.5		0.5
20	3/1/2007 12:57	0.7		0.7
21	3/1/2007 13:12	0.5		0.5
22	3/1/2007 13:27	0.5		0.5
23	3/1/2007 13:42	0.6		0.6
24	3/1/2007 13:57	0.6		0.6
25	3/1/2007 14:12	0.6		0.6
26	3/1/2007 14:27	0.6		0.6
27	3/1/2007 14:42	0.6		0.6
28	3/1/2007 14:57	0.6		0.6
29	3/1/2007 15:12	0.6		0.6
30	3/1/2007 15:27	0.6		0.6
31	3/1/2007 15:42	0.6		0.6
32	3/1/2007 15:57	0.6		0.6
33	3/1/2007 16:12	0.6		0.6
34	3/1/2007 16:27	0.6		0.6
35	3/1/2007 16:42	0.6		0.6
36	3/1/2007 16:57	0.6		0.6
37	3/1/2007 17:12	0.6		0.6
38	3/1/2007 17:27	0.6		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	3/1/2007
Start Time:	8:01:49
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0800) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/1/2007	8:16:49	0.014	0	0	
3/1/2007	8:31:49	0.016	0.002	2	
3/1/2007	8:46:49	0.015	0.001	1	
3/1/2007	9:01:49	0.013	-0.001	-1	
3/1/2007	9:16:49	0.013	-0.001	-1	
3/1/2007	9:31:49	0.013	-0.001	-1	
3/1/2007	9:46:49	0.016	0.002	2	
3/1/2007	10:01:49	0.014	0	0	
3/1/2007	10:16:49	0.014	0	0	
3/1/2007	10:31:49	0.014	0	0	
3/1/2007	10:46:49	0.013	-0.001	-1	
3/1/2007	11:01:49	0.012	-0.002	-2	
3/1/2007	11:16:49	0.011	-0.003	-3	
3/1/2007	11:31:49	0.01	-0.004	-4	
3/1/2007	11:46:49	0.01	-0.004	-4	
3/1/2007	12:01:49	0.011	-0.003	-3	
3/1/2007	12:16:49	0.012	-0.002	-2	
3/1/2007	12:31:49	0.009	-0.005	-5	
3/1/2007	12:46:49	0.009	-0.005	-5	
3/1/2007	13:01:49	0.011	-0.003	-3	
3/1/2007	13:16:49	0.156	0.142	142	*Shaw testing of equipment at Station 2.
3/1/2007	13:31:49	0.016	0.002	2	
3/1/2007	13:46:49	0.017	0.003	3	
3/1/2007	14:01:49	0.015	0.001	1	
3/1/2007	14:16:49	0.015	0.001	1	
3/1/2007	14:31:49	0.015	0.001	1	
3/1/2007	14:46:49	0.014	0	0	
3/1/2007	15:01:49	0.014	0	0	
3/1/2007	15:16:49	0.014	0	0	
3/1/2007	15:31:49	0.015	0.001	1	
3/1/2007	15:46:49	0.014	0	0	
3/1/2007	16:01:49	0.016	0.002	2	
3/1/2007	16:16:49	0.017	0.003	3	
3/1/2007	16:31:49	0.016	0.002	2	
3/1/2007	16:46:49	0.017	0.003	3	
3/1/2007	17:01:49	0.018	0.004	4	
3/1/2007	17:16:49	0.018	0.004	4	
3/1/2007	17:31:49	0.017	0.003	3	
3/1/2007	17:46:49	0.017	0.003	3	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 06:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0744) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/1/2007 7:59	0.4		0.4
2	3/1/2007 8:14	0.6		0.6
3	3/1/2007 8:29	0.8		0.8
4	3/1/2007 8:44	0.9		0.9
5	3/1/2007 8:59	1		1
6	3/1/2007 9:14	1		1
7	3/1/2007 9:29	1.1		1.1
8	3/1/2007 9:44	1.2		1.2
9	3/1/2007 9:59	1.3		1.3
10	3/1/2007 10:14	1.3		1.3
11	3/1/2007 10:29	1.3		1.3
12	3/1/2007 10:44	1.4		1.4
13	3/1/2007 10:59	1.5		1.5
14	3/1/2007 11:14	1.5		1.5
15	3/1/2007 11:29	1.5		1.5
16	3/1/2007 11:44	1.6		1.6
17	3/1/2007 11:59	1.7		1.7
18	3/1/2007 12:14	1.7		1.7
19	3/1/2007 12:29	1.8		1.8
20	3/1/2007 12:44	1.8		1.8
21	3/1/2007 12:59	2		2
22	3/1/2007 13:14	1.9		1.9
23	3/1/2007 13:29	1.9		1.9
24	3/1/2007 13:44	1.9		1.9
25	3/1/2007 13:59	1.9		1.9
26	3/1/2007 14:14	1.9		1.9
27	3/1/2007 14:29	1.9		1.9
28	3/1/2007 14:44	1.9		1.9
29	3/1/2007 14:59	1.9		1.9
30	3/1/2007 15:14	1.9		1.9
31	3/1/2007 15:29	1.9		1.9
32	3/1/2007 15:44	1.9		1.9
33	3/1/2007 15:59	1.9		1.9
34	3/1/2007 16:14	1.9		1.9
35	3/1/2007 16:29	1.9		1.9
36	3/1/2007 16:44	1.9		1.9
37	3/1/2007 16:59	1.9		1.9
38	3/1/2007 17:14	1.9		1.9
39	3/1/2007 17:29	1.9		1.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	3/1/2007
Start Time:	7:47:12
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0744) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/1/2007	8:02:12	0.024	0.002	2
3/1/2007	8:17:12	0.02	-0.002	-2
3/1/2007	8:32:12	0.023	0.001	1
3/1/2007	8:47:12	0.023	0.001	1
3/1/2007	9:02:12	0.018	-0.004	-4
3/1/2007	9:17:12	0.019	-0.003	-3
3/1/2007	9:32:12	0.019	-0.003	-3
3/1/2007	9:47:12	0.022	0	0
3/1/2007	10:02:12	0.02	-0.002	-2
3/1/2007	10:17:12	0.021	-0.001	-1
3/1/2007	10:32:12	0.019	-0.003	-3
3/1/2007	10:47:12	0.018	-0.004	-4
3/1/2007	11:02:12	0.017	-0.005	-5
3/1/2007	11:17:12	0.016	-0.006	-6
3/1/2007	11:32:12	0.016	-0.006	-6
3/1/2007	11:47:12	0.015	-0.007	-7
3/1/2007	12:02:12	0.016	-0.006	-6
3/1/2007	12:17:12	0.016	-0.006	-6
3/1/2007	12:32:12	0.014	-0.008	-8
3/1/2007	12:47:12	0.013	-0.009	-9
3/1/2007	13:02:12	0.015	-0.007	-7
3/1/2007	13:17:12	0.053	0.031	31
3/1/2007	13:32:12	0.025	0.003	3
3/1/2007	13:47:12	0.025	0.003	3
3/1/2007	14:02:12	0.022	0	0
3/1/2007	14:17:12	0.022	0	0
3/1/2007	14:32:12	0.021	-0.001	-1
3/1/2007	14:47:12	0.02	-0.002	-2
3/1/2007	15:02:12	0.02	-0.002	-2
3/1/2007	15:17:12	0.02	-0.002	-2
3/1/2007	15:32:12	0.022	0	0
3/1/2007	15:47:12	0.021	-0.001	-1
3/1/2007	16:02:12	0.024	0.002	2
3/1/2007	16:17:12	0.023	0.001	1
3/1/2007	16:32:12	0.024	0.002	2
3/1/2007	16:47:12	0.024	0.002	2
3/1/2007	17:02:12	0.025	0.003	3
3/1/2007	17:17:12	0.026	0.004	4
3/1/2007	17:32:12	0.026	0.004	4
3/1/2007	17:47:12	0.025	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 07:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0735) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/1/2007 7:55	0		0
2	3/1/2007 8:10	0		0
3	3/1/2007 8:25	0		0
4	3/1/2007 8:40	0		0
5	3/1/2007 8:55	0		0
6	3/1/2007 9:10	0		0
7	3/1/2007 9:25	0		0
8	3/1/2007 9:40	0		0
9	3/1/2007 9:55	0		0
10	3/1/2007 10:10	0		0
11	3/1/2007 10:25	0		0
12	3/1/2007 10:40	0		0
13	3/1/2007 10:55	0		0
14	3/1/2007 11:10	0		0
15	3/1/2007 11:25	0		0
16	3/1/2007 11:40	0		0
17	3/1/2007 11:55	0		0
18	3/1/2007 12:10	0		0
19	3/1/2007 12:25	0		0
20	3/1/2007 12:40	0		0
21	3/1/2007 12:55	0.1		0.1
22	3/1/2007 13:10	0		0
23	3/1/2007 13:25	0		0
24	3/1/2007 13:40	0		0
25	3/1/2007 13:55	0		0
26	3/1/2007 14:10	0		0
27	3/1/2007 14:25	0		0
28	3/1/2007 14:40	0		0
29	3/1/2007 14:55	0		0
30	3/1/2007 15:10	0		0
31	3/1/2007 15:25	0		0
32	3/1/2007 15:40	0		0
33	3/1/2007 15:55	0		0
34	3/1/2007 16:10	0		0
35	3/1/2007 16:25	0		0
36	3/1/2007 16:40	0		0
37	3/1/2007 16:55	0		0
38	3/1/2007 17:10	0		0
39	3/1/2007 17:25	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	3/1/2007
Start Time:	7:37:16
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0735) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/1/2007	7:52:16	0.022	-0.002	-2	
3/1/2007	8:07:16	0.02	-0.004	-4	
3/1/2007	8:22:16	0.018	-0.006	-6	
3/1/2007	8:37:16	0.022	-0.002	-2	
3/1/2007	8:52:16	0.019	-0.005	-5	
3/1/2007	9:07:16	0.017	-0.007	-7	
3/1/2007	9:22:16	0.016	-0.008	-8	
3/1/2007	9:37:16	0.019	-0.005	-5	
3/1/2007	9:52:16	0.02	-0.004	-4	
3/1/2007	10:07:16	0.022	-0.002	-2	
3/1/2007	10:22:16	0.019	-0.005	-5	
3/1/2007	10:37:16	0.065	0.041	41	
3/1/2007	10:52:16	0.048	0.024	24	
3/1/2007	11:07:16	0.029	0.005	5	
3/1/2007	11:22:16	0.033	0.009	9	
3/1/2007	11:37:16	0.025	0.001	1	
3/1/2007	11:52:16	0.043	0.019	19	
3/1/2007	12:07:16	0.023	-0.001	-1	
3/1/2007	12:22:16	0.017	-0.007	-7	
3/1/2007	12:37:16	0.013	-0.011	-11	
3/1/2007	12:52:16	0.013	-0.011	-11	
3/1/2007	13:07:16	0.162	0.138	138	*Shaw testing of equipment at Station 2.
3/1/2007	13:22:16	0.033	0.009	9	
3/1/2007	13:37:16	0.066	0.042	42	
3/1/2007	13:52:16	0.029	0.005	5	
3/1/2007	14:07:16	0.058	0.034	34	
3/1/2007	14:22:16	0.042	0.018	18	
3/1/2007	14:37:16	0.02	-0.004	-4	
3/1/2007	14:52:16	0.049	0.025	25	
3/1/2007	15:07:16	0.03	0.006	6	
3/1/2007	15:22:16	0.097	0.073	73	
3/1/2007	15:37:16	0.042	0.018	18	
3/1/2007	15:52:16	0.085	0.061	61	
3/1/2007	16:07:16	0.021	-0.003	-3	
3/1/2007	16:22	0.03	0.006	6	
3/1/2007	16:37:16	0.024	0	0	
3/1/2007	16:52:16	0.113	0.089	89	
3/1/2007	17:07:16	0.048	0.024	24	
3/1/2007	17:22:16	0.049	0.025	25	
3/1/2007	17:37:16	0.047	0.023	23	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 07:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0755) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/2/2007 8:19	0		0
2	3/2/2007 8:34	0		0
3	3/2/2007 8:49	0		0
4	3/2/2007 9:04	0		0
5	3/2/2007 9:19	0		0
6	3/2/2007 9:34	0		0
7	3/2/2007 9:49	0		0
8	3/2/2007 10:04	0		0
9	3/2/2007 10:19	0		0
10	3/2/2007 10:34	0		0
11	3/2/2007 10:49	0		0
12	3/2/2007 11:04	0		0
13	3/2/2007 11:19	0		0
14	3/2/2007 11:34	0		0
15	3/2/2007 11:49	0		0
16	3/2/2007 12:04	0		0
17	3/2/2007 12:19	0		0
18	3/2/2007 12:34	0		0
19	3/2/2007 12:49	0		0
20	3/2/2007 13:04	0		0
21	3/2/2007 13:19	0		0
22	3/2/2007 13:34	0		0
23	3/2/2007 13:49	0		0
24	3/2/2007 14:04	0		0
25	3/2/2007 14:19	0		0
26	3/2/2007 14:34	0		0
27	3/2/2007 14:49	0		0
28	3/2/2007 15:04	0		0
29	3/2/2007 15:19	0		0
30	3/2/2007 15:34	0		0
31	3/2/2007 15:49	0		0
32	3/2/2007 16:04	0		0
33	3/2/2007 16:19	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	7
Test Abbreviation:	
Start Date:	3/2/2007
Start Time:	7:57:51
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0755) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/2/2007	8:12:51	0.014	-0.001	-1
3/2/2007	8:27:51	0.015	0	0
3/2/2007	8:42:51	0.01	-0.005	-5
3/2/2007	8:57:51	0.009	-0.006	-6
3/2/2007	9:12:51	0.011	-0.004	-4
3/2/2007	9:27:51	0.012	-0.003	-3
3/2/2007	9:42:51	0.019	0.004	4
3/2/2007	9:57:51	0.03	0.015	15
3/2/2007	10:12:51	0.04	0.025	25
3/2/2007	10:27:51	0.044	0.029	29
3/2/2007	10:42:51	0.042	0.027	27
3/2/2007	10:57:51	0.043	0.028	28
3/2/2007	11:12:51	0.047	0.032	32
3/2/2007	11:27:51	0.047	0.032	32
3/2/2007	11:42:51	0.046	0.031	31
3/2/2007	11:57:51	0.046	0.031	31
3/2/2007	12:12:51	0.048	0.033	33
3/2/2007	12:27:51	0.047	0.032	32
3/2/2007	12:42:51	0.046	0.031	31
3/2/2007	12:57:51	0.03	0.015	15
3/2/2007	13:12:51	0.018	0.003	3
3/2/2007	13:27:51	0.018	0.003	3
3/2/2007	13:42:51	0.015	0	0
3/2/2007	13:57:51	0.014	-0.001	-1
3/2/2007	14:12:51	0.011	-0.004	-4
3/2/2007	14:27:51	0.009	-0.006	-6
3/2/2007	14:42:51	0.01	-0.005	-5
3/2/2007	14:57:51	0.011	-0.004	-4
3/2/2007	15:12:51	0.01	-0.005	-5
3/2/2007	15:27:51	0.011	-0.004	-4
3/2/2007	15:42:51	0.011	-0.004	-4
3/2/2007	15:57:51	0.012	-0.003	-3
3/2/2007	16:12:51	0.013	-0.002	-2
3/2/2007	16:27:51	0.009	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0741) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/2/2007 7:55	0		0
2	3/2/2007 8:10	0		0
3	3/2/2007 8:25	0		0
4	3/2/2007 8:40	0		0
5	3/2/2007 8:55	0		0
6	3/2/2007 9:10	0		0
7	3/2/2007 9:25	0		0
8	3/2/2007 9:40	0.1		0.1
9	3/2/2007 9:55	0.1		0.1
10	3/2/2007 10:10	0.1		0.1
11	3/2/2007 10:25	0.1		0.1
12	3/2/2007 10:40	0.1		0.1
13	3/2/2007 10:55	0.2		0.2
14	3/2/2007 11:10	0.3		0.3
15	3/2/2007 11:25	0.4		0.4
16	3/2/2007 11:40	0.4		0.4
17	3/2/2007 11:55	0.4		0.4
18	3/2/2007 12:10	0.5		0.5
19	3/2/2007 12:25	0.5		0.5
20	3/2/2007 12:40	0.2		0.2
21	3/2/2007 12:55	0.1		0.1
22	3/2/2007 13:10	0.1		0.1
23	3/2/2007 13:25	0.1		0.1
24	3/2/2007 13:40	0.1		0.1
25	3/2/2007 13:55	0.1		0.1
26	3/2/2007 14:10	0.2		0.2
27	3/2/2007 14:25	0.2		0.2
28	3/2/2007 14:40	0.2		0.2
29	3/2/2007 14:55	0.3		0.3
30	3/2/2007 15:10	0.3		0.3
31	3/2/2007 15:25	0.3		0.3
32	3/2/2007 15:40	0.3		0.3
33	3/2/2007 15:55	0.3		0.3
34	3/2/2007 16:10	0.3		0.3
35	3/2/2007 16:25	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	3/2/2007
Start Time:	7:44:13
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0741) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/2/2007	7:59:13	0.012	-0.001	-1
3/2/2007	8:14:13	0.01	-0.003	-3
3/2/2007	8:29:13	0.008	-0.005	-5
3/2/2007	8:44:13	0.006	-0.007	-7
3/2/2007	8:59:13	0.005	-0.008	-8
3/2/2007	9:14:13	0.006	-0.007	-7
3/2/2007	9:29:13	0.006	-0.007	-7
3/2/2007	9:44:13	0.01	-0.003	-3
3/2/2007	9:59:13	0.017	0.004	4
3/2/2007	10:14:13	0.023	0.01	10
3/2/2007	10:29:13	0.026	0.013	13
3/2/2007	10:44:13	0.025	0.012	12
3/2/2007	10:59:13	0.025	0.012	12
3/2/2007	11:14:13	0.027	0.014	14
3/2/2007	11:29:13	0.028	0.015	15
3/2/2007	11:44:13	0.027	0.014	14
3/2/2007	11:59:13	0.026	0.013	13
3/2/2007	12:14:13	0.027	0.014	14
3/2/2007	12:29:13	0.025	0.012	12
3/2/2007	12:44:13	0.024	0.011	11
3/2/2007	12:59:13	0.014	0.001	1
3/2/2007	13:14:13	0.006	-0.007	-7
3/2/2007	13:29:13	0.007	-0.006	-6
3/2/2007	13:44:13	0.006	-0.007	-7
3/2/2007	13:59:13	0.007	-0.006	-6
3/2/2007	14:14:13	0.004	-0.009	-9
3/2/2007	14:29:13	0.003	-0.01	-10
3/2/2007	14:44:13	0.005	-0.008	-8
3/2/2007	14:59:13	0.006	-0.007	-7
3/2/2007	15:14:13	0.005	-0.008	-8
3/2/2007	15:29:13	0.006	-0.007	-7
3/2/2007	15:44:13	0.007	-0.006	-6
3/2/2007	15:59:13	0.008	-0.005	-5
3/2/2007	16:14:13	0.008	-0.005	-5
3/2/2007	16:29:13	0.006	-0.007	-7
3/2/2007	16:44:13	0.006	-0.007	-7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 06:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0759) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/2/2007 8:09	0		0
2	3/2/2007 8:24	0		0
3	3/2/2007 8:39	0		0
4	3/2/2007 8:54	0		0
5	3/2/2007 9:09	0		0
6	3/2/2007 9:24	0		0
7	3/2/2007 9:39	0		0
8	3/2/2007 9:54	0		0
9	3/2/2007 10:09	0		0
10	3/2/2007 10:24	0		0
11	3/2/2007 10:39	0		0
12	3/2/2007 10:54	0.1		0.1
13	3/2/2007 11:09	0.1		0.1
14	3/2/2007 11:24	0.2		0.2
15	3/2/2007 11:39	0.2		0.2
16	3/2/2007 11:54	0.3		0.3
17	3/2/2007 12:09	0.4		0.4
18	3/2/2007 12:24	0.5		0.5
19	3/2/2007 12:39	0.6		0.6
20	3/2/2007 12:54	0.6		0.6
21	3/2/2007 13:09	0.5		0.5
22	3/2/2007 13:24	0.5		0.5
23	3/2/2007 13:39	0.5		0.5
24	3/2/2007 13:54	0.5		0.5
25	3/2/2007 14:09	0.5		0.5
26	3/2/2007 14:24	0.5		0.5
27	3/2/2007 14:39	0.6		0.6
28	3/2/2007 14:54	0.6		0.6
29	3/2/2007 15:09	0.7		0.7
30	3/2/2007 15:24	0.7		0.7
31	3/2/2007 15:39	0.8		0.8
32	3/2/2007 15:54	0.8		0.8
33	3/2/2007 16:09	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	7
Test Abbreviation:	
Start Date:	3/2/2007
Start Time:	8:00:08
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0759) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/2/2007	8:15:08	0.014	-0.003	-3
3/2/2007	8:30:08	0.014	-0.003	-3
3/2/2007	8:45:08	0.01	-0.007	-7
3/2/2007	9:00:08	0.007	-0.01	-10
3/2/2007	9:15:08	0.01	-0.007	-7
3/2/2007	9:30:08	0.012	-0.005	-5
3/2/2007	9:45:08	0.02	0.003	3
3/2/2007	10:00:08	0.033	0.016	16
3/2/2007	10:15:08	0.043	0.026	26
3/2/2007	10:30:08	0.047	0.03	30
3/2/2007	10:45:08	0.045	0.028	28
3/2/2007	11:00:08	0.046	0.029	29
3/2/2007	11:15:08	0.053	0.036	36
3/2/2007	11:30:08	0.054	0.037	37
3/2/2007	11:45:08	0.055	0.038	38
3/2/2007	12:00:08	0.056	0.039	39
3/2/2007	12:15:08	0.059	0.042	42
3/2/2007	12:30:08	0.066	0.049	49
3/2/2007	12:45:08	0.054	0.037	37
3/2/2007	13:00:08	0.034	0.017	17
3/2/2007	13:15:08	0.018	0.001	1
3/2/2007	13:30:08	0.02	0.003	3
3/2/2007	13:45:08	0.017	0	0
3/2/2007	14:00:08	0.016	-0.001	-1
3/2/2007	14:15:08	0.012	-0.005	-5
3/2/2007	14:30:08	0.009	-0.008	-8
3/2/2007	14:45:08	0.011	-0.006	-6
3/2/2007	15:00:08	0.011	-0.006	-6
3/2/2007	15:15:08	0.01	-0.007	-7
3/2/2007	15:30:08	0.011	-0.006	-6
3/2/2007	15:45:08	0.011	-0.006	-6
3/2/2007	16:00:08	0.012	-0.005	-5
3/2/2007	16:15:08	0.012	-0.005	-5
3/2/2007	16:30:08	0.011	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/01/2007 07:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0752) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/2/2007 8:13	0		0
2	3/2/2007 8:28	0.1		0.1
3	3/2/2007 8:43	0.1		0.1
4	3/2/2007 8:58	0.1		0.1
5	3/2/2007 9:13	0.2		0.2
6	3/2/2007 9:28	0.1		0.1
7	3/2/2007 9:43	0.1		0.1
8	3/2/2007 9:58	0.1		0.1
9	3/2/2007 10:13	0.1		0.1
10	3/2/2007 10:28	0.1		0.1
11	3/2/2007 10:43	0		0
12	3/2/2007 10:58	0		0
13	3/2/2007 11:13	0		0
14	3/2/2007 11:28	0		0
15	3/2/2007 11:43	0		0
16	3/2/2007 11:58	0		0
17	3/2/2007 12:13	0		0
18	3/2/2007 12:28	0		0
19	3/2/2007 12:43	0		0
20	3/2/2007 12:58	0		0
21	3/2/2007 13:13	0		0
22	3/2/2007 13:28	0.1		0.1
23	3/2/2007 13:43	0.1		0.1
24	3/2/2007 13:58	0.1		0.1
25	3/2/2007 14:13	0.2		0.2
26	3/2/2007 14:28	0.2		0.2
27	3/2/2007 14:43	0.2		0.2
28	3/2/2007 14:58	0.2		0.2
29	3/2/2007 15:13	0.1		0.1
30	3/2/2007 15:28	0		0
31	3/2/2007 15:43	0		0
32	3/2/2007 15:58	0		0
33	3/2/2007 16:13	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	3/2/2007
Start Time:	7:53:49
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0752) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/2/2007	8:08:49	0.013	-0.001	-1
3/2/2007	8:23:49	0.012	-0.002	-2
3/2/2007	8:38:49	0.01	-0.004	-4
3/2/2007	8:53:49	0.006	-0.008	-8
3/2/2007	9:08:49	0.009	-0.005	-5
3/2/2007	9:23:49	0.009	-0.005	-5
3/2/2007	9:38:49	0.013	-0.001	-1
3/2/2007	9:53:49	0.021	0.007	7
3/2/2007	10:08:49	0.029	0.015	15
3/2/2007	10:23:49	0.034	0.02	20
3/2/2007	10:38:49	0.033	0.019	19
3/2/2007	10:53:49	0.034	0.02	20
3/2/2007	11:08:49	0.037	0.023	23
3/2/2007	11:23:49	0.038	0.024	24
3/2/2007	11:38:49	0.036	0.022	22
3/2/2007	11:53:49	0.039	0.025	25
3/2/2007	12:08:49	0.039	0.025	25
3/2/2007	12:23:49	0.041	0.027	27
3/2/2007	12:38:49	0.045	0.031	31
3/2/2007	12:53:49	0.038	0.024	24
3/2/2007	13:08:49	0.02	0.006	6
3/2/2007	13:23:49	0.242	0.228	228
3/2/2007	13:38:49	0.055	0.041	41
3/2/2007	13:53:49	0.017	0.003	3
3/2/2007	14:08:49	0.015	0.001	1
3/2/2007	14:23:49	0.022	0.008	8
3/2/2007	14:38:49	0.015	0.001	1
3/2/2007	14:53:49	0.034	0.02	20
3/2/2007	15:08:49	0.05	0.036	36
3/2/2007	15:23:49	0.044	0.03	30
3/2/2007	15:38:49	0.033	0.019	19
3/2/2007	15:53:49	0.048	0.034	34
3/2/2007	16:08:49	0.023	0.009	9
3/2/2007	16:23:49	0.023	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/05/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0741) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/5/2007 8:05	0		0
2	3/5/2007 8:20	0		0
3	3/5/2007 8:35	0.1		0.1
4	3/5/2007 8:50	0.1		0.1
5	3/5/2007 9:05	0.1		0.1
6	3/5/2007 9:20	0.2		0.2
7	3/5/2007 9:35	0.2		0.2
8	3/5/2007 9:50	0.2		0.2
9	3/5/2007 10:05	0.2		0.2
10	3/5/2007 10:20	0.2		0.2
11	3/5/2007 10:35	0.2		0.2
12	3/5/2007 10:50	0.2		0.2
13	3/5/2007 11:05	0.2		0.2
14	3/5/2007 11:20	0.2		0.2
15	3/5/2007 11:35	0.2		0.2
16	3/5/2007 11:50	0.2		0.2
17	3/5/2007 12:05	0.2		0.2
18	3/5/2007 12:20	0.2		0.2
19	3/5/2007 12:35	0.2		0.2
20	3/5/2007 12:50	0.2		0.2
21	3/5/2007 13:05	0.2		0.2
22	3/5/2007 13:20	0.2		0.2
23	3/5/2007 13:35	0.3		0.3
24	3/5/2007 13:50	0.2		0.2
25	3/5/2007 14:05	0.2		0.2
26	3/5/2007 14:20	0.2		0.2
27	3/5/2007 14:35	0.2		0.2
28	3/5/2007 14:50	0.2		0.2
29	3/5/2007 15:05	0.2		0.2
30	3/5/2007 15:20	0.2		0.2
31	3/5/2007 15:35	0.2		0.2
32	3/5/2007 15:50	0.2		0.2
33	3/5/2007 16:05	0.2		0.2
34	3/5/2007 16:20	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	3/5/2007
Start Time:	8:50:24
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	21
Notes:	Background Reading (0741) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/5/2007	7:50:24	0.024	0	0
3/5/2007	8:05:24	0.022	-0.002	-2
3/5/2007	8:20:24	0.023	-0.001	-1
3/5/2007	8:35:24	0.026	0.002	2
3/5/2007	8:50:24	0.026	0.002	2
3/5/2007	9:05:24	0.027	0.003	3
3/5/2007	9:20:24	0.029	0.005	5
3/5/2007	9:35:24	0.026	0.002	2
3/5/2007	9:50:24	0.024	0	0
3/5/2007	10:05:24	0.023	-0.001	-1
3/5/2007	10:20:24	0.026	0.002	2
3/5/2007	10:35:24	0.026	0.002	2
3/5/2007	10:50:24	0.029	0.005	5
3/5/2007	11:05:24	0.023	-0.001	-1
3/5/2007	11:20:24	0.021	-0.003	-3
3/5/2007	11:35:24	0.02	-0.004	-4
3/5/2007	11:50:24	0.02	-0.004	-4
3/5/2007	12:05:24	0.018	-0.006	-6
3/5/2007	12:20:24	0.017	-0.007	-7
3/5/2007	12:35:24	0.015	-0.009	-9
3/5/2007	12:50:24	0.017	-0.007	-7
3/5/2007	13:49:33	0.017	-0.007	-7
3/5/2007	14:04:33	0.019	-0.005	-5
3/5/2007	14:19:33	0.019	-0.005	-5
3/5/2007	14:34:33	0.019	-0.005	-5
3/5/2007	14:49:33	0.022	-0.002	-2
3/5/2007	15:04:33	0.028	0.004	4
3/5/2007	15:19:33	0.024	0	0
3/5/2007	15:34:33	0.021	-0.003	-3
3/5/2007	15:49:33	0.023	-0.001	-1
3/5/2007	16:04:33	0.019	-0.005	-5
3/5/2007	16:19:33	0.018	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/05/2007 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0721) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/5/2007 7:35	0		0
2	3/5/2007 7:50	0		0
3	3/5/2007 8:05	0		0
4	3/5/2007 8:20	0		0
5	3/5/2007 8:35	0		0
6	3/5/2007 8:50	0		0
7	3/5/2007 9:05	0		0
8	3/5/2007 9:20	0		0
9	3/5/2007 9:35	0.1		0.1
10	3/5/2007 9:50	0.1		0.1
11	3/5/2007 10:05	0.1		0.1
12	3/5/2007 10:20	0.1		0.1
13	3/5/2007 10:35	0.1		0.1
14	3/5/2007 10:50	0.1		0.1
15	3/5/2007 11:05	0.1		0.1
16	3/5/2007 11:20	0.2		0.2
17	3/5/2007 11:35	0.2		0.2
18	3/5/2007 11:50	0.2		0.2
19	3/5/2007 12:05	0.2		0.2
20	3/5/2007 12:20	0.2		0.2
21	3/5/2007 12:35	0.2		0.2
22	3/5/2007 12:50	0.2		0.2
23	3/5/2007 13:05	0.2		0.2
24	3/5/2007 13:20	0.2		0.2
25	3/5/2007 13:35	0.3		0.3
26	3/5/2007 13:50	0.3		0.3
27	3/5/2007 14:05	0.3		0.3
28	3/5/2007 14:20	0.3		0.3
29	3/5/2007 14:35	0.3		0.3
30	3/5/2007 14:50	0.3		0.3
31	3/5/2007 15:05	0.2		0.2
32	3/5/2007 15:20	0.3		0.3
33	3/5/2007 15:35	0.2		0.2
34	3/5/2007 15:50	0.2		0.2
35	3/5/2007 16:05	0.2		0.2
36	3/5/2007 16:20	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	3/5/2007
Start Time:	7:21:18
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0721) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/5/2007	7:36:18	0.015	0.012	12
3/5/2007	7:51:18	0.015	0.012	12
3/5/2007	8:06:18	0.016	0.013	13
3/5/2007	8:21:18	0.015	0.012	12
3/5/2007	8:36:18	0.017	0.014	14
3/5/2007	8:51:18	0.017	0.014	14
3/5/2007	9:06:18	0.017	0.014	14
3/5/2007	9:21:18	0.019	0.016	16
3/5/2007	9:36:18	0.017	0.014	14
3/5/2007	9:51:18	0.017	0.014	14
3/5/2007	10:06:18	0.016	0.013	13
3/5/2007	10:21:18	0.017	0.014	14
3/5/2007	10:36:18	0.017	0.014	14
3/5/2007	10:51:18	0.017	0.014	14
3/5/2007	11:06:18	0.015	0.012	12
3/5/2007	11:21:18	0.013	0.01	10
3/5/2007	11:36:18	0.013	0.01	10
3/5/2007	11:51:18	0.013	0.01	10
3/5/2007	12:06:18	0.012	0.009	9
3/5/2007	12:21:18	0.012	0.009	9
3/5/2007	12:36:18	0.011	0.008	8
3/5/2007	12:51:18	0.011	0.008	8
3/5/2007	13:06:18	0.011	0.008	8
3/5/2007	13:21:18	0.011	0.008	8
3/5/2007	13:36:18	0.012	0.009	9
3/5/2007	13:51:18	0.012	0.009	9
3/5/2007	14:06:18	0.011	0.008	8
3/5/2007	14:21:18	0.013	0.01	10
3/5/2007	14:36:18	0.012	0.009	9
3/5/2007	14:51:18	0.015	0.012	12
3/5/2007	15:06:18	0.016	0.013	13
3/5/2007	15:21:18	0.015	0.012	12
3/5/2007	15:36:18	0.013	0.01	10
3/5/2007	15:51:18	0.014	0.011	11
3/5/2007	16:06:18	0.013	0.01	10
3/5/2007	16:21:18	0.012	0.009	9
3/5/2007	16:36:18	0.011	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/05/2007 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0748) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/5/2007 8:03	0.1		0.1
2	3/5/2007 8:18	0.2		0.2
3	3/5/2007 8:33	0.3		0.3
4	3/5/2007 8:48	0.4		0.4
5	3/5/2007 9:03	0.4		0.4
6	3/5/2007 9:18	0.5		0.5
7	3/5/2007 9:33	0.5		0.5
8	3/5/2007 9:48	0.6		0.6
9	3/5/2007 10:03	0.6		0.6
10	3/5/2007 10:18	0.7		0.7
11	3/5/2007 10:33	0.7		0.7
12	3/5/2007 10:48	0.7		0.7
13	3/5/2007 11:03	0.8		0.8
14	3/5/2007 11:18	0.8		0.8
15	3/5/2007 11:33	0.8		0.8
16	3/5/2007 11:48	0.8		0.8
17	3/5/2007 12:03	0.8		0.8
18	3/5/2007 12:18	0.9		0.9
19	3/5/2007 12:33	0.9		0.9
20	3/5/2007 12:48	1		1
21	3/5/2007 13:03	1		1
22	3/5/2007 13:18	1		1
23	3/5/2007 13:33	1		1
24	3/5/2007 13:48	1		1
25	3/5/2007 14:03	1.1		1.1
26	3/5/2007 14:18	1.1		1.1
27	3/5/2007 14:33	1.1		1.1
28	3/5/2007 14:48	1.1		1.1
29	3/5/2007 15:03	1.1		1.1
30	3/5/2007 15:18	1.1		1.1
31	3/5/2007 15:33	1.1		1.1
32	3/5/2007 15:48	1		1
33	3/5/2007 16:03	1		1
34	3/5/2007 16:18	1		1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	3/5/2007
Start Time:	7:48:55
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0748) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/5/2007	8:03:55	0.027	0.006	6
3/5/2007	8:18:55	0.026	0.005	5
3/5/2007	8:33:55	0.029	0.008	8
3/5/2007	8:48:55	0.029	0.008	8
3/5/2007	9:03:55	0.028	0.007	7
3/5/2007	9:18:55	0.034	0.013	13
3/5/2007	9:33:55	0.032	0.011	11
3/5/2007	9:48:55	0.028	0.007	7
3/5/2007	10:03:55	0.028	0.007	7
3/5/2007	10:18:55	0.029	0.008	8
3/5/2007	10:33:55	0.028	0.007	7
3/5/2007	10:48:55	0.028	0.007	7
3/5/2007	11:03:55	0.024	0.003	3
3/5/2007	11:18:55	0.022	0.001	1
3/5/2007	11:33:55	0.022	0.001	1
3/5/2007	11:48:55	0.021	0	0
3/5/2007	12:03:55	0.021	0	0
3/5/2007	12:18:55	0.019	-0.002	-2
3/5/2007	12:33:55	0.019	-0.002	-2
3/5/2007	12:48:55	0.017	-0.004	-4
3/5/2007	13:03:55	0.019	-0.002	-2
3/5/2007	13:18:55	0.02	-0.001	-1
3/5/2007	13:33:55	0.025	0.004	4
3/5/2007	13:48:55	0.019	-0.002	-2
3/5/2007	14:03:55	0.021	0	0
3/5/2007	14:18:55	0.019	-0.002	-2
3/5/2007	14:33:55	0.019	-0.002	-2
3/5/2007	14:48:55	0.023	0.002	2
3/5/2007	15:03:55	0.026	0.005	5
3/5/2007	15:18:55	0.025	0.004	4
3/5/2007	15:33:55	0.023	0.002	2
3/5/2007	15:48:55	0.021	0	0
3/5/2007	16:03:55	0.021	0	0
3/5/2007	16:18:55	0.019	-0.002	-2
3/5/2007	16:33:55	0.018	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/05/2007 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0737) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/5/2007 7:58	0		0
2	3/5/2007 8:13	0		0
3	3/5/2007 8:28	0		0
4	3/5/2007 8:43	0		0
5	3/5/2007 8:58	0		0
6	3/5/2007 9:13	0		0
7	3/5/2007 9:28	0		0
8	3/5/2007 9:43	0		0
9	3/5/2007 9:58	0		0
10	3/5/2007 10:13	0		0
11	3/5/2007 10:28	0		0
12	3/5/2007 10:43	0		0
13	3/5/2007 10:58	0		0
14	3/5/2007 11:13	0		0
15	3/5/2007 11:28	0		0
16	3/5/2007 11:43	0		0
17	3/5/2007 11:58	0		0
18	3/5/2007 12:13	0		0
19	3/5/2007 12:28	0		0
20	3/5/2007 12:43	0		0
21	3/5/2007 12:58	0		0
22	3/5/2007 13:13	0		0
23	3/5/2007 13:28	0		0
24	3/5/2007 13:43	0		0
25	3/5/2007 13:58	0		0
26	3/5/2007 14:13	0		0
27	3/5/2007 14:28	0		0
28	3/5/2007 14:43	0		0
29	3/5/2007 14:58	0		0
30	3/5/2007 15:13	0		0
31	3/5/2007 15:28	0		0
32	3/5/2007 15:43	0		0
33	3/5/2007 15:58	0		0
34	3/5/2007 16:13	0		

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	3/5/2007
Start Time:	7:37:09
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0737) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/5/2007	7:52:09	0.02	0.003	3
3/5/2007	8:07:09	0.021	0.004	4
3/5/2007	8:22:09	0.021	0.004	4
3/5/2007	8:37:09	0.022	0.005	5
3/5/2007	8:52:09	0.023	0.006	6
3/5/2007	9:07:09	0.024	0.007	7
3/5/2007	9:22:09	0.027	0.01	10
3/5/2007	9:37:09	0.026	0.009	9
3/5/2007	9:52:09	0.024	0.007	7
3/5/2007	10:07:09	0.023	0.006	6
3/5/2007	10:22:09	0.028	0.011	11
3/5/2007	10:37:09	0.032	0.015	15
3/5/2007	10:52:09	0.034	0.017	17
3/5/2007	11:07:09	0.025	0.008	8
3/5/2007	11:22:09	0.02	0.003	3
3/5/2007	11:37:09	0.02	0.003	3
3/5/2007	11:52:09	0.028	0.011	11
3/5/2007	12:07:09	0.031	0.014	14
3/5/2007	12:22:09	0.024	0.007	7
3/5/2007	12:37:09	0.014	-0.003	-3
3/5/2007	12:52:09	0.016	-0.001	-1
3/5/2007	13:07:09	0.02	0.003	3
3/5/2007	13:22:09	0.016	-0.001	-1
3/5/2007	13:37:09	0.021	0.004	4
3/5/2007	13:52:09	0.025	0.008	8
3/5/2007	14:07:09	0.02	0.003	3
3/5/2007	14:22:09	0.019	0.002	2
3/5/2007	14:37:09	0.02	0.003	3
3/5/2007	14:52:09	0.024	0.007	7
3/5/2007	15:07:09	0.027	0.01	10
3/5/2007	15:22:09	0.024	0.007	7
3/5/2007	15:37:09	0.02	0.003	3
3/5/2007	15:52:09	0.035	0.018	18
3/5/2007	16:07:09	0.028	0.011	11
3/5/2007	16:22:09	0.018	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/06/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/6/2007 6:54	0		0
2	3/6/2007 7:09	0.2		0.2
3	3/6/2007 7:24	0.2		0.2
4	3/6/2007 7:39	0.2		0.2
5	3/6/2007 7:54	0.2		0.2
6	3/6/2007 8:09	0.2		0.2
7	3/6/2007 8:24	0.2		0.2
8	3/6/2007 8:39	0.2		0.2
9	3/6/2007 8:54	0.3		0.3
10	3/6/2007 9:09	0.3		0.3
11	3/6/2007 9:24	0.3		0.3
12	3/6/2007 9:39	0.3		0.3
13	3/6/2007 9:54	0.3		0.3
14	3/6/2007 10:09	0.3		0.3
15	3/6/2007 10:24	0.3		0.3
16	3/6/2007 10:39	0.3		0.3
17	3/6/2007 10:54	0.3		0.3
18	3/6/2007 11:09	0.3		0.3
19	3/6/2007 11:24	0.3		0.3
20	3/6/2007 11:39	0.3		0.3
21	3/6/2007 11:54	0.3		0.3
22	3/6/2007 12:09	0.3		0.3
23	3/6/2007 12:24	0.4		0.4
24	3/6/2007 12:39	0.4		0.4
25	3/6/2007 12:54	0.4		0.4
26	3/6/2007 13:09	0.4		0.4
27	3/6/2007 13:24	0.4		0.4
1	3/6/2007 14:02	0.3		0.3
2	3/6/2007 14:17	0.4		0.4
3	3/6/2007 14:32	0.4		0.4
4	3/6/2007 14:47	0.4		0.4
5	3/6/2007 15:02	0.4		0.4
6	3/6/2007 15:17	0.4		0.4
7	3/6/2007 15:32	0.4		0.4
8	3/6/2007 15:47	0.4		0.4
9	3/6/2007 16:02	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	3/6/2007
Start Time:	6:31:59
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (0632) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/6/2007	6:46:59	0.009	0	0
3/6/2007	7:01:59	0.008	-0.001	-1
3/6/2007	7:16:59	0.019	0.01	10
3/6/2007	7:31:59	0.016	0.007	7
3/6/2007	7:46:59	0.022	0.013	13
3/6/2007	8:01:59	0.019	0.01	10
3/6/2007	9:09:25	0.012	0.003	3
3/6/2007	9:24:25	0.016	0.007	7
3/6/2007	9:39:25	0.02	0.011	11
3/6/2007	9:54:25	0.014	0.005	5
3/6/2007	10:09:25	0.015	0.006	6
3/6/2007	10:24:25	0.009	0	0
3/6/2007	10:39:25	0.009	0	0
3/6/2007	10:54:25	0.013	0.004	4
3/6/2007	11:09:25	0.011	0.002	2
3/6/2007	11:24:25	0.01	0.001	1
3/6/2007	11:39:25	0.01	0.001	1
3/6/2007	11:54:25	0.009	0	0
3/6/2007	12:09:25	0.008	-0.001	-1
3/6/2007	12:24:25	0.011	0.002	2
3/6/2007	13:34:29	0.011	0.002	2
3/6/2007	13:49:29	0.011	0.002	2
3/6/2007	14:04:29	0.009	0	0
3/6/2007	14:19:29	0.008	-0.001	-1
3/6/2007	14:47:24	0.007	-0.002	-2
3/6/2007	15:02:24	0.01	0.001	1
3/6/2007	15:17:24	0.009	0	0
3/6/2007	15:32:24	0.011	0.002	2
3/6/2007	15:47:24	0.009	0	0
3/6/2007	16:02:24	0.009	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/06/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/6/2007 6:40	0		0
2	3/6/2007 6:55	0		0
3	3/6/2007 7:10	0		0
4	3/6/2007 7:25	0		0
5	3/6/2007 7:40	0		0
6	3/6/2007 7:55	0		0
7	3/6/2007 8:10	0		0
8	3/6/2007 8:25	0.1		0.1
9	3/6/2007 8:40	0.1		0.1
10	3/6/2007 8:55	0.1		0.1
11	3/6/2007 9:10	0.1		0.1
12	3/6/2007 9:25	0.1		0.1
13	3/6/2007 9:40	0.1		0.1
14	3/6/2007 9:55	0.2		0.2
15	3/6/2007 10:10	0.2		0.2
16	3/6/2007 10:25	0.2		0.2
17	3/6/2007 10:40	0.2		0.2
18	3/6/2007 10:55	0.2		0.2
19	3/6/2007 11:10	0.2		0.2
20	3/6/2007 11:25	0.2		0.2
21	3/6/2007 11:40	0.2		0.2
22	3/6/2007 11:55	0.2		0.2
23	3/6/2007 12:10	0.2		0.2
24	3/6/2007 12:25	0.3		0.3
25	3/6/2007 12:40	0.3		0.3
26	3/6/2007 12:55	0.3		0.3
27	3/6/2007 13:10	0.3		0.3
28	3/6/2007 13:25	0.3		0.3
29	3/6/2007 13:40	0.3		0.3
30	3/6/2007 13:55	0.3		0.3
31	3/6/2007 14:10	0.3		0.3
32	3/6/2007 14:25	0.3		0.3
33	3/6/2007 14:40	0.4		0.4
34	3/6/2007 14:55	0.4		0.4
35	3/6/2007 15:10	0.4		0.4
36	3/6/2007 15:25	0.4		0.4
37	3/6/2007 15:40	0.4		0.4
38	3/6/2007 15:55	0.4		0.4
39	3/6/2007 16:10	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	3/6/2007
Start Time:	6:28:02
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0627) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/6/2007	6:43:02	0.015	0.001	1
3/6/2007	6:58:02	0.015	0.001	1
3/6/2007	7:13:02	0.017	0.003	3
3/6/2007	7:28:02	0.02	0.006	6
3/6/2007	7:43:02	0.017	0.003	3
3/6/2007	7:58:02	0.017	0.003	3
3/6/2007	8:13:02	0.015	0.001	1
3/6/2007	8:28:02	0.018	0.004	4
3/6/2007	8:43:02	0.016	0.002	2
3/6/2007	8:58:02	0.017	0.003	3
3/6/2007	9:13:02	0.015	0.001	1
3/6/2007	9:28:02	0.015	0.001	1
3/6/2007	9:43:02	0.014	0	0
3/6/2007	9:58:02	0.014	0	0
3/6/2007	10:13:02	0.014	0	0
3/6/2007	10:28:02	0.013	-0.001	-1
3/6/2007	10:43:02	0.013	-0.001	-1
3/6/2007	10:58:02	0.014	0	0
3/6/2007	11:13:02	0.014	0	0
3/6/2007	11:28:02	0.013	-0.001	-1
3/6/2007	11:43:02	0.013	-0.001	-1
3/6/2007	11:58:02	0.013	-0.001	-1
3/6/2007	12:13:02	0.014	0	0
3/6/2007	12:28:02	0.014	0	0
3/6/2007	12:43:02	0.014	0	0
3/6/2007	12:58:02	0.013	-0.001	-1
3/6/2007	13:13:02	0.015	0.001	1
3/6/2007	13:28:02	0.014	0	0
3/6/2007	13:43:02	0.014	0	0
3/6/2007	13:58:02	0.014	0	0
3/6/2007	14:13:02	0.013	-0.001	-1
3/6/2007	14:28:02	0.013	-0.001	-1
3/6/2007	14:43:02	0.014	0	0
3/6/2007	14:58:02	0.013	-0.001	-1
3/6/2007	15:13:02	0.013	-0.001	-1
3/6/2007	15:28:02	0.017	0.003	3
3/6/2007	15:43:02	0.013	-0.001	-1
3/6/2007	15:58:02	0.014	0	0
3/6/2007	16:13:02	0.013	-0.001	-1
3/6/2007	16:28:02	0.014	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/06/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/6/2007 6:58	0.1		0
2	3/6/2007 7:13	0.2		0.1
3	3/6/2007 7:28	0.3		0.2
4	3/6/2007 7:43	0.3		0.2
5	3/6/2007 7:58	0.3		0.2
6	3/6/2007 8:13	0.4		0.3
7	3/6/2007 8:28	0.3		0.2
8	3/6/2007 8:43	0.3		0.2
9	3/6/2007 8:58	0.3		0.2
10	3/6/2007 9:13	0.4		0.3
11	3/6/2007 9:28	0.4		0.3
12	3/6/2007 9:43	0.4		0.3
13	3/6/2007 9:58	0.4		0.3
14	3/6/2007 10:13	0.4		0.3
15	3/6/2007 10:28	0.4		0.3
16	3/6/2007 10:43	0.4		0.3
17	3/6/2007 10:58	0.4		0.3
18	3/6/2007 11:13	0.4		0.3
19	3/6/2007 11:28	0.4		0.3
20	3/6/2007 11:43	0.4		0.3
21	3/6/2007 11:58	0.5		0.4
22	3/6/2007 12:13	0.5		0.4
23	3/6/2007 12:28	0.5		0.4
24	3/6/2007 12:43	0.5		0.4
25	3/6/2007 12:58	0.5		0.4
26	3/6/2007 13:13	0.5		0.4
27	3/6/2007 13:28	0.5		0.4
28	3/6/2007 13:43	0.5		0.4
29	3/6/2007 13:58	0.5		0.4
30	3/6/2007 14:13	0.5		0.4
31	3/6/2007 14:28	0.5		0.4
32	3/6/2007 14:43	0.6		0.5
33	3/6/2007 14:58	0.6		0.5
34	3/6/2007 15:13	0.6		0.5
35	3/6/2007 15:28	0.6		0.5
36	3/6/2007 15:43	0.6		0.5
37	3/6/2007 15:58	0.6		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	3/6/2007
Start Time:	6:44:42
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0650) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/6/2007	6:59:42	0.008	0	0
3/6/2007	7:14:42	0.012	0.004	4
3/6/2007	7:29:42	0.014	0.006	6
3/6/2007	7:44:42	0.011	0.003	3
3/6/2007	7:59:42	0.012	0.004	4
3/6/2007	8:14:42	0.011	0.003	3
3/6/2007	8:29:42	0.011	0.003	3
3/6/2007	8:44:42	0.012	0.004	4
3/6/2007	8:59:42	0.011	0.003	3
3/6/2007	9:14:42	0.009	0.001	1
3/6/2007	9:29:42	0.01	0.002	2
3/6/2007	9:44:42	0.013	0.005	5
3/6/2007	9:59:42	0.01	0.002	2
3/6/2007	10:14:42	0.01	0.002	2
3/6/2007	10:29:42	0.008	0	0
3/6/2007	10:44:42	0.008	0	0
3/6/2007	10:59:42	0.009	0.001	1
3/6/2007	11:14:42	0.009	0.001	1
3/6/2007	11:29:42	0.009	0.001	1
3/6/2007	11:44:42	0.008	0	0
3/6/2007	11:59:42	0.009	0.001	1
3/6/2007	12:14:42	0.01	0.002	2
3/6/2007	12:29:42	0.01	0.002	2
3/6/2007	12:44:42	0.009	0.001	1
3/6/2007	12:59:42	0.009	0.001	1
3/6/2007	13:14:42	0.011	0.003	3
3/6/2007	13:29:42	0.011	0.003	3
3/6/2007	13:44:42	0.009	0.001	1
3/6/2007	13:59:42	0.01	0.002	2
3/6/2007	14:14:42	0.009	0.001	1
3/6/2007	14:29:42	0.008	0	0
3/6/2007	14:44:42	0.01	0.002	2
3/6/2007	14:59:42	0.009	0.001	1
3/6/2007	15:14:42	0.009	0.001	1
3/6/2007	15:29:42	0.014	0.006	6
3/6/2007	15:44:42	0.009	0.001	1
3/6/2007	15:59:42	0.01	0.002	2
3/6/2007	16:14:42	0.009	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/06/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/6/2007 6:57	0		0
2	3/6/2007 7:12	0		0
3	3/6/2007 7:27	0		0
4	3/6/2007 7:42	0		0
5	3/6/2007 7:57	0		0
6	3/6/2007 8:12	0		0
7	3/6/2007 8:27	0		0
8	3/6/2007 8:42	0		0
9	3/6/2007 8:57	0		0
10	3/6/2007 9:12	0		0
11	3/6/2007 9:27	0		0
12	3/6/2007 9:42	0		0
13	3/6/2007 9:57	0		0
14	3/6/2007 10:12	0		0
15	3/6/2007 10:27	0		0
16	3/6/2007 10:42	0		0
17	3/6/2007 10:57	0		0
18	3/6/2007 11:12	0		0
19	3/6/2007 11:27	0		0
20	3/6/2007 11:42	0		0
21	3/6/2007 11:57	0		0
22	3/6/2007 12:12	0		0
23	3/6/2007 12:27	0		0
24	3/6/2007 12:42	0		0
25	3/6/2007 12:57	0		0
26	3/6/2007 13:12	0		0
27	3/6/2007 13:27	0		0
28	3/6/2007 13:42	0		0
29	3/6/2007 13:57	0		0
30	3/6/2007 14:12	0		0
31	3/6/2007 14:27	0		0
32	3/6/2007 14:42	0		0
33	3/6/2007 14:57	0		0
34	3/6/2007 15:12	0		0
35	3/6/2007 15:27	0		0
36	3/6/2007 15:42	0		0
37	3/6/2007 15:57	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	3/6/2007
Start Time:	6:51:48
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	11
Notes:	Background Reading (0638) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/6/2007	7:06:48	0.008	0	0
3/6/2007	7:21:48	0.015	0.007	7
3/6/2007	7:36:48	0.009	0.001	1
3/6/2007	7:51:48	0.009	0.001	1
3/6/2007	8:06:48	0.01	0.002	2
3/6/2007	8:21:48	0.009	0.001	1
3/6/2007	8:36:48	0.014	0.006	6
3/6/2007	8:51:48	0.011	0.003	3
3/6/2007	9:06:48	0.01	0.002	2
3/6/2007	9:21:48	0.012	0.004	4
3/6/2007	9:36:48	0.011	0.003	3
3/6/2007	10:06:10	0.013	0.005	5
3/6/2007	10:21:10	0.017	0.009	9
3/6/2007	10:36:10	0.012	0.004	4
3/6/2007	10:51:10	0.016	0.008	8
3/6/2007	11:06:10	0.022	0.014	14
3/6/2007	11:21:10	0.016	0.008	8
3/6/2007	11:36:10	0.012	0.004	4
3/6/2007	11:51:10	0.018	0.01	10
3/6/2007	12:06:10	0.014	0.006	6
3/6/2007	12:21:10	0.015	0.007	7
3/6/2007	12:36:10	0.011	0.003	3
3/6/2007	12:51:10	0.009	0.001	1
3/6/2007	13:06:10	0.009	0.001	1
3/6/2007	13:21:10	0.025	0.017	17
3/6/2007	13:36:10	0.017	0.009	9
3/6/2007	13:51:10	0.013	0.005	5
3/6/2007	14:06:10	0.014	0.006	6
3/6/2007	14:21:10	0.012	0.004	4
3/6/2007	14:36:10	0.010	0.002	2
3/6/2007	14:51:10	0.012	0.004	4
3/6/2007	15:06:10	0.013	0.005	5
3/6/2007	15:21:10	0.018	0.01	10
3/6/2007	15:36:10	0.015	0.007	7
3/6/2007	15:51:10	0.013	0.005	5
3/6/2007	16:06:10	0.012	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/07/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/7/2007 7:07	0.1		0.1
2	3/7/2007 7:22	0.3		0.3
3	3/7/2007 7:37	0.3		0.3
4	3/7/2007 7:52	0.4		0.4
5	3/7/2007 8:07	0.4		0.4
6	3/7/2007 8:22	0.4		0.4
7	3/7/2007 8:37	0.4		0.4
8	3/7/2007 8:52	0.4		0.4
9	3/7/2007 9:07	0.4		0.4
10	3/7/2007 9:22	0.4		0.4
11	3/7/2007 9:37	0.4		0.4
12	3/7/2007 9:52	0.5		0.5
13	3/7/2007 10:07	0.4		0.4
14	3/7/2007 10:22	0.4		0.4
15	3/7/2007 10:37	0.4		0.4
16	3/7/2007 10:52	0.4		0.4
17	3/7/2007 11:07	0.4		0.4
18	3/7/2007 11:22	0.5		0.5
19	3/7/2007 11:37	0.5		0.5
20	3/7/2007 11:52	0.5		0.5
21	3/7/2007 12:07	0.5		0.5
22	3/7/2007 12:22	0.5		0.5
23	3/7/2007 12:37	0.5		0.5
24	3/7/2007 12:52	0.5		0.5
25	3/7/2007 13:07	0.5		0.5
26	3/7/2007 13:22	0.5		0.5
27	3/7/2007 13:37	0.5		0.5
28	3/7/2007 13:52	0.5		0.5
29	3/7/2007 14:07	0.5		0.5
30	3/7/2007 14:22	0.5		0.5
31	3/7/2007 14:37	0.5		0.5
32	3/7/2007 14:52	0.5		0.5
33	3/7/2007 15:07	0.5		0.5
34	3/7/2007 15:22	0.5		0.5
35	3/7/2007 15:37	0.5		0.5
36	3/7/2007 15:52	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	7
Test Abbreviation:	
Start Date:	3/7/2007
Start Time:	6:43:58
Duration (dd:hh:mm:ss):	00:03:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	14
Notes:	Background Reading (0643) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/7/2007	6:58:58	0.009	0.001	1
3/7/2007	7:13:58	0.009	0.001	1
3/7/2007	7:28:58	0.016	0.008	8
3/7/2007	7:43:58	0.009	0.001	1
3/7/2007	7:58:58	0.012	0.004	4
3/7/2007	8:13:58	0.013	0.005	5
3/7/2007	8:28:58	0.013	0.005	5
3/7/2007	8:43:58	0.014	0.006	6
3/7/2007	8:58:58	0.013	0.005	5
3/7/2007	9:13:58	0.016	0.008	8
3/7/2007	9:28:58	0.021	0.013	13
3/7/2007	9:43:58	0.019	0.011	11
3/7/2007	9:58:58	0.021	0.013	13
3/7/2007	10:13:58	0.021	0.013	13
3/7/2007	11:03:18	0.013	0.005	5
3/7/2007	11:18:18	0.012	0.004	4
3/7/2007	11:33:18	0.014	0.006	6
3/7/2007	11:48:18	0.014	0.006	6
3/7/2007	12:03:18	0.013	0.005	5
3/7/2007	12:18:18	0.015	0.007	7
3/7/2007	12:33:18	0.015	0.007	7
3/7/2007	12:48:18	0.016	0.008	8
3/7/2007	13:03:18	0.016	0.008	8
3/7/2007	13:18:18	0.017	0.009	9
3/7/2007	13:33:18	0.021	0.013	13
3/7/2007	13:48:18	0.018	0.01	10
3/7/2007	14:15:56	0.024	0.016	16
3/7/2007	14:30:56	0.023	0.015	15
3/7/2007	14:45:56	0.026	0.018	18
3/7/2007	15:00:56	0.024	0.016	16
3/7/2007	15:15:56	0.024	0.016	16
3/7/2007	15:30:56	0.023	0.015	15
3/7/2007	15:45:56	0.024	0.016	16
3/7/2007	16:00:56	0.024	0.016	16
3/7/2007	16:15:56	0.024	0.016	16

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/07/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/7/2007 7:14	0		-0.2
2	3/7/2007 7:29	0		-0.2
3	3/7/2007 7:44	0		-0.2
4	3/7/2007 7:59	0.1		-0.1
5	3/7/2007 8:14	0.2		0
6	3/7/2007 8:29	0.2		0
7	3/7/2007 8:44	0.2		0
8	3/7/2007 8:59	0.2		0
9	3/7/2007 9:14	0.2		0
10	3/7/2007 9:29	0.2		0
11	3/7/2007 9:44	0.2		0
12	3/7/2007 9:59	0.2		0
13	3/7/2007 10:14	0.2		0
14	3/7/2007 10:29	0.2		0
15	3/7/2007 10:44	0.2		0
16	3/7/2007 10:59	0.2		0
17	3/7/2007 11:14	0.2		0
18	3/7/2007 11:29	0.2		0
19	3/7/2007 11:44	0.2		0
20	3/7/2007 11:59	0.2		0
21	3/7/2007 12:14	0.2		0
22	3/7/2007 12:29	0.2		0
23	3/7/2007 12:44	0.2		0
24	3/7/2007 12:59	0.3		0.1
25	3/7/2007 13:14	0.3		0.1
26	3/7/2007 13:29	0.3		0.1
27	3/7/2007 13:44	0.3		0.1
28	3/7/2007 13:59	0.3		0.1
29	3/7/2007 14:14	0.3		0.1
30	3/7/2007 14:29	0.3		0.1
31	3/7/2007 14:44	0.3		0.1
32	3/7/2007 14:59	0.3		0.1
33	3/7/2007 15:14	0.3		0.1
34	3/7/2007 15:29	0.3		0.1
35	3/7/2007 15:44	0.3		0.1
36	3/7/2007 15:59	0.3		0.1
37	3/7/2007 16:14	0.2		0
38	3/7/2007 16:29	0.3		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	3/7/2007
Start Time:	7:00:18
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0700) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/7/2007	7:15:18	0.014	-0.001	-1
3/7/2007	7:30:18	0.014	-0.001	-1
3/7/2007	7:45:18	0.014	-0.001	-1
3/7/2007	8:00:18	0.014	-0.001	-1
3/7/2007	8:15:18	0.015	0	0
3/7/2007	8:30:18	0.015	0	0
3/7/2007	8:45:18	0.015	0	0
3/7/2007	9:00:18	0.015	0	0
3/7/2007	9:15:18	0.015	0	0
3/7/2007	9:30:18	0.016	0.001	1
3/7/2007	9:45:18	0.018	0.003	3
3/7/2007	10:00:18	0.017	0.002	2
3/7/2007	10:15:18	0.018	0.003	3
3/7/2007	10:30:18	0.015	0	0
3/7/2007	10:45:18	0.015	0	0
3/7/2007	11:00:18	0.016	0.001	1
3/7/2007	11:15:18	0.014	-0.001	-1
3/7/2007	11:30:18	0.015	0	0
3/7/2007	11:45:18	0.016	0.001	1
3/7/2007	12:00:18	0.015	0	0
3/7/2007	12:15:18	0.015	0	0
3/7/2007	12:30:18	0.015	0	0
3/7/2007	12:45:18	0.016	0.001	1
3/7/2007	13:00:18	0.016	0.001	1
3/7/2007	13:15:18	0.017	0.002	2
3/7/2007	13:30:18	0.018	0.003	3
3/7/2007	13:45:18	0.018	0.003	3
3/7/2007	14:00:18	0.019	0.004	4
3/7/2007	14:15:18	0.019	0.004	4
3/7/2007	14:30:18	0.02	0.005	5
3/7/2007	14:45:18	0.019	0.004	4
3/7/2007	15:00:18	0.019	0.004	4
3/7/2007	15:15:18	0.017	0.002	2
3/7/2007	15:30:18	0.018	0.003	3
3/7/2007	15:45:18	0.017	0.002	2
3/7/2007	16:00:18	0.017	0.002	2
3/7/2007	16:15:18	0.014	-0.001	-1
3/7/2007	16:30:18	0.017	0.002	2
3/7/2007	16:45:18	0.036	0.021	21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/07/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/7/2007 6:54	0.1		0
2	3/7/2007 7:09	0.1		0
3	3/7/2007 7:24	0.1		0
4	3/7/2007 7:39	0.2		0.1
5	3/7/2007 7:54	0.2		0.1
6	3/7/2007 8:09	0.3		0.2
7	3/7/2007 8:24	0.3		0.2
8	3/7/2007 8:39	0.3		0.2
9	3/7/2007 8:54	0.4		0.3
10	3/7/2007 9:09	0.4		0.3
11	3/7/2007 9:24	0.4		0.3
12	3/7/2007 9:39	0.4		0.3
13	3/7/2007 9:54	0.4		0.3
14	3/7/2007 10:09	0.4		0.3
15	3/7/2007 10:24	0.4		0.3
16	3/7/2007 10:39	0.4		0.3
17	3/7/2007 10:54	0.4		0.3
18	3/7/2007 11:09	0.4		0.3
19	3/7/2007 11:24	0.4		0.3
20	3/7/2007 11:39	0.4		0.3
21	3/7/2007 11:54	0.4		0.3
22	3/7/2007 12:09	0.4		0.3
23	3/7/2007 12:24	0.4		0.3
24	3/7/2007 12:39	0.4		0.3
25	3/7/2007 12:54	0.4		0.3
26	3/7/2007 13:09	0.4		0.3
27	3/7/2007 13:24	0.4		0.3
28	3/7/2007 13:39	0.5		0.4
29	3/7/2007 13:54	0.5		0.4
30	3/7/2007 14:09	0.5		0.4
31	3/7/2007 14:24	0.5		0.4
32	3/7/2007 14:39	0.5		0.4
33	3/7/2007 14:54	0.5		0.4
34	3/7/2007 15:09	0.5		0.4
35	3/7/2007 15:24	0.5		0.4
36	3/7/2007 15:39	0.5		0.4
37	3/7/2007 15:54	0.5		0.4
38	3/7/2007 16:09	0.5		0.4
39	3/7/2007 16:24	0.5		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	3/7/2007
Start Time:	6:40:18
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0640) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/7/2007	6:55:18	0.009	0.001	1
3/7/2007	7:10:18	0.01	0.002	2
3/7/2007	7:25:18	0.011	0.003	3
3/7/2007	7:40:18	0.013	0.005	5
3/7/2007	7:55:18	0.013	0.005	5
3/7/2007	8:10:18	0.016	0.008	8
3/7/2007	8:25:18	0.024	0.016	16
3/7/2007	8:40:18	0.015	0.007	7
3/7/2007	8:55:18	0.019	0.011	11
3/7/2007	9:10:18	0.018	0.01	10
3/7/2007	9:25:18	0.02	0.012	12
3/7/2007	9:40:18	0.022	0.014	14
3/7/2007	9:55:18	0.023	0.015	15
3/7/2007	10:10:18	0.027	0.019	19
3/7/2007	10:25:18	0.02	0.012	12
3/7/2007	10:40:18	0.016	0.008	8
3/7/2007	10:55:18	0.018	0.01	10
3/7/2007	11:10:18	0.018	0.01	10
3/7/2007	11:25:18	0.019	0.011	11
3/7/2007	11:40:18	0.018	0.01	10
3/7/2007	11:55:18	0.015	0.007	7
3/7/2007	12:10:18	0.016	0.008	8
3/7/2007	12:25:18	0.015	0.007	7
3/7/2007	12:40:18	0.018	0.01	10
3/7/2007	12:55:18	0.019	0.011	11
3/7/2007	13:10:18	0.02	0.012	12
3/7/2007	13:25:18	0.021	0.013	13
3/7/2007	13:40:18	0.025	0.017	17
3/7/2007	13:55:18	0.032	0.024	24
3/7/2007	14:10:18	0.042	0.034	34
3/7/2007	14:25:18	0.036	0.028	28
3/7/2007	14:40:18	0.049	0.041	41
3/7/2007	14:55:18	0.037	0.029	29
3/7/2007	15:10:18	0.04	0.032	32
3/7/2007	15:25:18	0.032	0.024	24
3/7/2007	15:40:18	0.022	0.014	14
3/7/2007	15:55:18	0.022	0.014	14
3/7/2007	16:10:18	0.018	0.01	10
3/7/2007	16:25:18	0.02	0.012	12
3/7/2007	16:40:18	0.019	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/07/2007 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/7/2007 7:09	0		0
2	3/7/2007 7:24	0		0
3	3/7/2007 7:39	0		0
4	3/7/2007 7:54	0		0
5	3/7/2007 8:09	0		0
6	3/7/2007 8:24	0		0
7	3/7/2007 8:39	0		0
8	3/7/2007 8:54	0		0
9	3/7/2007 9:09	0		0
10	3/7/2007 9:24	0		0
11	3/7/2007 9:39	0		0
12	3/7/2007 9:54	0		0
13	3/7/2007 10:09	0		0
14	3/7/2007 10:24	0		0
15	3/7/2007 10:39	0		0
16	3/7/2007 10:54	0		0
17	3/7/2007 11:09	0		0
18	3/7/2007 11:24	0		0
19	3/7/2007 11:39	0		0
20	3/7/2007 11:54	0		0
21	3/7/2007 12:09	0		0
22	3/7/2007 12:24	0		0
23	3/7/2007 12:39	0		0
24	3/7/2007 12:54	0		0
25	3/7/2007 13:09	0		0
26	3/7/2007 13:24	0		0
27	3/7/2007 13:39	0		0
28	3/7/2007 13:54	0		0
29	3/7/2007 14:09	0		0
30	3/7/2007 14:24	0		0
31	3/7/2007 14:39	0		0
32	3/7/2007 14:54	0		0
33	3/7/2007 15:09	0		0
34	3/7/2007 15:24	0		0
35	3/7/2007 15:39	0		0
36	3/7/2007 15:54	0		0
37	3/7/2007 16:09	0		0
38	3/7/2007 16:24	0		0
39	3/7/2007 16:39	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	3/7/2007
Start Time:	6:47:46
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0648) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/7/2007	7:02:46	0.006	0.001	1
3/7/2007	7:17:46	0.007	0.002	2
3/7/2007	7:32:46	0.009	0.004	4
3/7/2007	7:47:46	0.009	0.004	4
3/7/2007	8:02:46	0.021	0.016	16
3/7/2007	8:17:46	0.014	0.009	9
3/7/2007	8:32:46	0.036	0.031	31
3/7/2007	8:47:46	0.017	0.012	12
3/7/2007	9:02:46	0.012	0.007	7
3/7/2007	9:17:46	0.02	0.015	15
3/7/2007	9:32:46	0.016	0.011	11
3/7/2007	9:47:46	0.018	0.013	13
3/7/2007	10:02:46	0.018	0.013	13
3/7/2007	10:17:46	0.018	0.013	13
3/7/2007	10:32:46	0.012	0.007	7
3/7/2007	10:47:46	0.014	0.009	9
3/7/2007	11:02:46	0.014	0.009	9
3/7/2007	11:17:46	0.033	0.028	28
3/7/2007	11:32:46	0.121	0.116	116
3/7/2007	11:47:46	0.047	0.042	42
3/7/2007	12:02:46	0.061	0.056	56
3/7/2007	12:17:46	0.016	0.011	11
3/7/2007	12:32:46	0.013	0.008	8
3/7/2007	12:47:46	0.015	0.01	10
3/7/2007	13:02:46	0.015	0.01	10
3/7/2007	13:17:46	0.017	0.012	12
3/7/2007	13:32:46	0.019	0.014	14
3/7/2007	13:47:46	0.018	0.013	13
3/7/2007	14:02:46	0.021	0.016	16
3/7/2007	14:17:46	0.022	0.017	17
3/7/2007	14:32:46	0.02	0.015	15
3/7/2007	14:47:46	0.02	0.015	15
3/7/2007	15:02:46	0.019	0.014	14
3/7/2007	15:17:46	0.021	0.016	16
3/7/2007	15:32:46	0.017	0.012	12
3/7/2007	15:47:46	0.018	0.013	13
3/7/2007	16:02:46	0.016	0.011	11
3/7/2007	16:17:46	0.02	0.015	15
3/7/2007	16:32:46	0.018	0.013	13
3/7/2007	16:47:46	0.016	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/08/2007 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0657) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/8/2007 7:20	0		0
2	3/8/2007 7:35	0.1		0.1
3	3/8/2007 7:50	0.2		0.2
4	3/8/2007 8:05	0.2		0.2
5	3/8/2007 8:20	0.3		0.3
6	3/8/2007 8:35	0.3		0.3
7	3/8/2007 8:50	0.3		0.3
8	3/8/2007 9:05	0.4		0.4
9	3/8/2007 9:20	0.4		0.4
10	3/8/2007 9:35	0.4		0.4
11	3/8/2007 9:50	0.5		0.5
12	3/8/2007 10:05	0.4		0.4
13	3/8/2007 10:20	0.5		0.5
14	3/8/2007 10:35	0.5		0.5
15	3/8/2007 10:50	0.5		0.5
16	3/8/2007 11:05	0.5		0.5
17	3/8/2007 11:20	0.5		0.5
18	3/8/2007 11:35	0.5		0.5
19	3/8/2007 11:50	0.5		0.5
20	3/8/2007 12:05	0.5		0.5
21	3/8/2007 12:20	0.5		0.5
22	3/8/2007 12:35	0.5		0.5
23	3/8/2007 12:50	0.5		0.5
24	3/8/2007 13:05	0.6		0.6
25	3/8/2007 13:20	0.4		0.4
26	3/8/2007 13:35	0.5		0.5
27	3/8/2007 13:50	0.5		0.5
28	3/8/2007 14:05	0.5		0.5
29	3/8/2007 14:20	0.5		0.5
30	3/8/2007 14:35	0.5		0.5
31	3/8/2007 14:50	0.5		0.5
32	3/8/2007 15:05	0.5		0.5
33	3/8/2007 15:20	0.5		0.5
34	3/8/2007 15:35	0.5		0.5
35	3/8/2007 15:50	0.5		0.5
36	3/8/2007 16:05	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	10
Test Abbreviation:	
Start Date:	3/8/2007
Start Time:	6:57:08
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	16
Notes:	Background Reading (0657) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/8/2007	7:12:08	0.02	-0.007	-7
3/8/2007	7:27:08	0.023	-0.004	-4
3/8/2007	7:42:08	0.021	-0.006	-6
3/8/2007	7:57:08	0.021	-0.006	-6
3/8/2007	8:12:08	0.02	-0.007	-7
3/8/2007	8:27:08	0.02	-0.007	-7
3/8/2007	8:42:08	0.022	-0.005	-5
3/8/2007	8:57:08	0.023	-0.004	-4
3/8/2007	9:12:08	0.021	-0.006	-6
3/8/2007	9:27:08	0.021	-0.006	-6
3/8/2007	9:42:08	0.017	-0.01	-10
3/8/2007	9:57:08	0.018	-0.009	-9
3/8/2007	10:12:08	0.019	-0.008	-8
3/8/2007	10:27:08	0.017	-0.01	-10
3/8/2007	10:42:08	0.016	-0.011	-11
3/8/2007	10:57:08	0.015	-0.012	-12
3/8/2007	11:20:24	0.016	-0.011	-11
3/8/2007	11:35:24	0.017	-0.01	-10
3/8/2007	11:50:24	0.015	-0.012	-12
3/8/2007	12:05:24	0.013	-0.014	-14
3/8/2007	12:20:24	0.014	-0.013	-13
3/8/2007	12:35:24	0.013	-0.014	-14
3/8/2007	12:50:24	0.014	-0.013	-13
3/8/2007	13:05:24	0.016	-0.011	-11
3/8/2007	13:20:24	0.067	0.04	40
3/8/2007	13:35:24	0.018	-0.009	-9
3/8/2007	13:50:24	0.016	-0.011	-11
3/8/2007	14:05:24	0.016	-0.011	-11
3/8/2007	14:20:24	0.014	-0.013	-13
3/8/2007	14:35:24	0.013	-0.014	-14
3/8/2007	14:50:24	0.014	-0.013	-13
3/8/2007	15:05:24	0.015	-0.012	-12
3/8/2007	15:20:24	0.015	-0.012	-12
3/8/2007	15:35:24	0.014	-0.013	-13
3/8/2007	15:50:24	0.016	-0.011	-11
3/8/2007	16:05:24	0.016	-0.011	-11
3/8/2007	16:20:24	0.021	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/08/2007 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0731) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/8/2007 7:44	0		0
2	3/8/2007 7:59	0		0
3	3/8/2007 8:14	0		0
4	3/8/2007 8:29	0		0
5	3/8/2007 8:44	0		0
6	3/8/2007 8:59	0		0
7	3/8/2007 9:14	0		0
8	3/8/2007 9:29	0		0
9	3/8/2007 9:44	0		0
10	3/8/2007 9:59	0		0
11	3/8/2007 10:14	0		0
12	3/8/2007 10:29	0		0
13	3/8/2007 10:44	0		0
14	3/8/2007 10:59	0		0
15	3/8/2007 11:14	0		0
16	3/8/2007 11:29	0		0
17	3/8/2007 11:44	0.1		0.1
18	3/8/2007 11:59	0.1		0.1
19	3/8/2007 12:14	0.1		0.1
20	3/8/2007 12:29	0.1		0.1
21	3/8/2007 12:44	0.1		0.1
22	3/8/2007 12:59	0.1		0.1
23	3/8/2007 13:14	0.1		0.1
24	3/8/2007 13:29	0.3		0.3
25	3/8/2007 13:44	0.1		0.1
26	3/8/2007 13:59	0.1		0.1
27	3/8/2007 14:14	0.1		0.1
28	3/8/2007 14:29	0.2		0.2
29	3/8/2007 14:44	0.2		0.2
30	3/8/2007 14:59	0.2		0.2
31	3/8/2007 15:14	0.2		0.2
32	3/8/2007 15:29	0.2		0.2
33	3/8/2007 15:44	0.2		0.2
34	3/8/2007 15:59	0.2		0.2
35	3/8/2007 16:14	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	3/8/2007
Start Time:	7:30:46
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0731) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/8/2007	7:45:46	0.016	0.004	4	
3/8/2007	8:00:46	0.017	0.005	5	
3/8/2007	8:15:46	0.017	0.005	5	
3/8/2007	8:30:46	0.016	0.004	4	
3/8/2007	8:45:46	0.016	0.004	4	
3/8/2007	9:00:46	0.016	0.004	4	
3/8/2007	9:15:46	0.017	0.005	5	
3/8/2007	9:30:46	0.015	0.003	3	
3/8/2007	9:45:46	0.011	-0.001	-1	
3/8/2007	10:00:46	0.01	-0.002	-2	
3/8/2007	10:15:46	0.012	0	0	
3/8/2007	10:30:46	0.011	-0.001	-1	
3/8/2007	10:45:46	0.01	-0.002	-2	
3/8/2007	11:00:46	0.011	-0.001	-1	
3/8/2007	11:15:46	0.012	0	0	
3/8/2007	11:30:46	0.01	-0.002	-2	
3/8/2007	11:45:46	0.009	-0.003	-3	
3/8/2007	12:00:46	0.009	-0.003	-3	
3/8/2007	12:15:46	0.008	-0.004	-4	
3/8/2007	12:30:46	0.009	-0.003	-3	
3/8/2007	12:45:46	0.009	-0.003	-3	
3/8/2007	13:00:46	0.009	-0.003	-3	
3/8/2007	13:15:46	0.01	-0.002	-2	
3/8/2007	13:30:46	0.008	-0.004	-4	
3/8/2007	13:45:46	0.273	0.261	261	*Shaw testing of AKRF equipment at STA 2
3/8/2007	14:00:46	0.007	-0.005	-5	
3/8/2007	14:15:46	0.007	-0.005	-5	
3/8/2007	14:30:46	0.007	-0.005	-5	
3/8/2007	14:45:46	0.007	-0.005	-5	
3/8/2007	15:00:46	0.007	-0.005	-5	
3/8/2007	15:15:46	0.007	-0.005	-5	
3/8/2007	15:30:46	0.007	-0.005	-5	
3/8/2007	15:45:46	0.007	-0.005	-5	
3/8/2007	16:00:46	0.007	-0.005	-5	
3/8/2007	16:15:46	0.006	-0.006	-6	
3/8/2007	16:30:46	0.006	-0.006	-6	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/08/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/8/2007 7:19	0		0
2	3/8/2007 7:34	0.1		0.1
3	3/8/2007 7:49	0.1		0.1
4	3/8/2007 8:04	0.2		0.2
5	3/8/2007 8:19	0.2		0.2
6	3/8/2007 8:34	0.2		0.2
7	3/8/2007 8:49	0.3		0.3
8	3/8/2007 9:04	0.3		0.3
9	3/8/2007 9:19	0.3		0.3
10	3/8/2007 9:34	0.3		0.3
11	3/8/2007 9:49	0.4		0.4
12	3/8/2007 10:04	0.4		0.4
13	3/8/2007 10:19	0.4		0.4
14	3/8/2007 10:34	0.4		0.4
15	3/8/2007 10:49	0.4		0.4
16	3/8/2007 11:04	0.4		0.4
17	3/8/2007 11:19	0.4		0.4
18	3/8/2007 11:34	0.4		0.4
19	3/8/2007 11:49	0.4		0.4
20	3/8/2007 12:04	0.4		0.4
21	3/8/2007 12:19	0.4		0.4
22	3/8/2007 12:34	0.4		0.4
23	3/8/2007 12:49	0.4		0.4
24	3/8/2007 13:04	0.4		0.4
25	3/8/2007 13:19	0.5		0.5
26	3/8/2007 13:34	0.4		0.4
27	3/8/2007 13:49	0.5		0.5
28	3/8/2007 14:04	0.5		0.5
29	3/8/2007 14:19	0.5		0.5
30	3/8/2007 14:34	0.5		0.5
31	3/8/2007 14:49	0.5		0.5
32	3/8/2007 15:04	0.5		0.5
33	3/8/2007 15:19	0.5		0.5
34	3/8/2007 15:34	0.5		0.5
35	3/8/2007 15:49	0.5		0.5
36	3/8/2007 16:04	0.5		0.5
37	3/8/2007 16:19	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	3/8/2007
Start Time:	7:05:18
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0705) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/8/2007	7:20:18	0.02	0.002	2
3/8/2007	7:35:18	0.057	0.039	39
3/8/2007	7:50:18	0.04	0.022	22
3/8/2007	8:05:18	0.027	0.009	9
3/8/2007	8:20:18	0.025	0.007	7
3/8/2007	8:35:18	0.027	0.009	9
3/8/2007	8:50:18	0.029	0.011	11
3/8/2007	9:05:18	0.025	0.007	7
3/8/2007	9:20:18	0.025	0.007	7
3/8/2007	9:35:18	0.02	0.002	2
3/8/2007	9:50:18	0.017	-0.001	-1
3/8/2007	10:05:18	0.018	0	0
3/8/2007	10:20:18	0.021	0.003	3
3/8/2007	10:35:18	0.017	-0.001	-1
3/8/2007	10:50:18	0.019	0.001	1
3/8/2007	11:05:18	0.022	0.004	4
3/8/2007	11:20:18	0.02	0.002	2
3/8/2007	11:35:18	0.017	-0.001	-1
3/8/2007	11:50:18	0.017	-0.001	-1
3/8/2007	12:05:18	0.015	-0.003	-3
3/8/2007	12:20:18	0.014	-0.004	-4
3/8/2007	12:35:18	0.016	-0.002	-2
3/8/2007	12:50:18	0.014	-0.004	-4
3/8/2007	13:05:18	0.013	-0.005	-5
3/8/2007	13:20:18	0.014	-0.004	-4
3/8/2007	13:35:18	0.027	0.009	9
3/8/2007	13:50:18	0.013	-0.005	-5
3/8/2007	14:05:18	0.013	-0.005	-5
3/8/2007	14:20:18	0.013	-0.005	-5
3/8/2007	14:35:18	0.013	-0.005	-5
3/8/2007	14:50:18	0.012	-0.006	-6
3/8/2007	15:05:18	0.014	-0.004	-4
3/8/2007	15:20:18	0.013	-0.005	-5
3/8/2007	15:35:18	0.014	-0.004	-4
3/8/2007	15:50:18	0.014	-0.004	-4
3/8/2007	16:05:18	0.012	-0.006	-6
3/8/2007	16:20:18	0.012	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/08/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/8/2007 7:42	0		0
2	3/8/2007 7:57	0		0
3	3/8/2007 8:12	0		0
4	3/8/2007 8:27	0		0
5	3/8/2007 8:42	0		0
6	3/8/2007 8:57	0		0
7	3/8/2007 9:12	0		0
8	3/8/2007 9:27	0		0
9	3/8/2007 9:42	0		0
10	3/8/2007 9:57	0		0
11	3/8/2007 10:12	0		0
12	3/8/2007 10:27	0		0
13	3/8/2007 10:42	0		0
14	3/8/2007 10:57	0		0
15	3/8/2007 11:12	0		0
16	3/8/2007 11:27	0		0
17	3/8/2007 11:42	0		0
18	3/8/2007 11:57	0		0
19	3/8/2007 12:12	0		0
20	3/8/2007 12:27	0		0
21	3/8/2007 12:42	0		0
22	3/8/2007 12:57	0		0
23	3/8/2007 13:12	0		0
24	3/8/2007 13:27	0		0
25	3/8/2007 13:42	0		0
26	3/8/2007 13:57	0		0
27	3/8/2007 14:12	0		0
28	3/8/2007 14:27	0		0
29	3/8/2007 14:42	0		0
30	3/8/2007 14:57	0		0
31	3/8/2007 15:12	0		0
32	3/8/2007 15:27	0		0
33	3/8/2007 15:42	0		0
34	3/8/2007 15:57	0		0
35	3/8/2007 16:12	0		0
36	3/8/2007 16:27	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	3/8/2007
Start Time:	7:19:51
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0720) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/8/2007	7:34:51	0.023	0.002	2
3/8/2007	7:49:51	0.029	0.008	8
3/8/2007	8:04:51	0.025	0.004	4
3/8/2007	8:19:51	0.038	0.017	17
3/8/2007	8:34:51	0.023	0.002	2
3/8/2007	8:49:51	0.025	0.004	4
3/8/2007	9:04:51	0.021	0	0
3/8/2007	9:19:51	0.025	0.004	4
3/8/2007	9:34:51	0.029	0.008	8
3/8/2007	9:49:51	0.019	-0.002	-2
3/8/2007	10:04:51	0.027	0.006	6
3/8/2007	10:19:51	0.024	0.003	3
3/8/2007	10:34:51	0.023	0.002	2
3/8/2007	10:49:51	0.022	0.001	1
3/8/2007	11:04:51	0.017	-0.004	-4
3/8/2007	11:19:51	0.025	0.004	4
3/8/2007	11:34:51	0.025	0.004	4
3/8/2007	11:49:51	0.021	0	0
3/8/2007	12:04:51	0.023	0.002	2
3/8/2007	12:19:51	0.019	-0.002	-2
3/8/2007	12:34:51	0.015	-0.006	-6
3/8/2007	12:49:51	0.015	-0.006	-6
3/8/2007	13:04:51	0.019	-0.002	-2
3/8/2007	13:19:51	0.021	0	0
3/8/2007	13:34:51	0.032	0.011	11
3/8/2007	13:49:51	0.02	-0.001	-1
3/8/2007	14:04:51	0.023	0.002	2
3/8/2007	14:19:51	0.018	-0.003	-3
3/8/2007	14:34:51	0.019	-0.002	-2
3/8/2007	14:49:51	0.018	-0.003	-3
3/8/2007	15:04:51	0.023	0.002	2
3/8/2007	15:19:51	0.018	-0.003	-3
3/8/2007	15:34:51	0.019	-0.002	-2
3/8/2007	15:49:51	0.025	0.004	4
3/8/2007	16:04:51	0.02	-0.001	-1
3/8/2007	16:19:51	0.02	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/09/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0707) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/9/2007 7:30	0		0
2	3/9/2007 7:45	0.1		0.1
3	3/9/2007 8:00	0.1		0.1
4	3/9/2007 8:15	0.2		0.2
5	3/9/2007 8:30	0.3		0.3
6	3/9/2007 8:45	0.3		0.3
7	3/9/2007 9:00	0.3		0.3
8	3/9/2007 9:15	0.4		0.4
9	3/9/2007 9:30	0.4		0.4
10	3/9/2007 9:45	0.4		0.4
11	3/9/2007 10:00	0.4		0.4
12	3/9/2007 10:15	0.4		0.4
13	3/9/2007 10:30	0.4		0.4
14	3/9/2007 10:45	0.4		0.4
15	3/9/2007 11:00	0.4		0.4
16	3/9/2007 11:15	0.4		0.4
17	3/9/2007 11:30	0.5		0.5
18	3/9/2007 11:45	0.5		0.5
19	3/9/2007 12:00	0.4		0.4
20	3/9/2007 12:15	0.5		0.5
21	3/9/2007 12:30	0.5		0.5
22	3/9/2007 12:45	0.4		0.4
23	3/9/2007 13:00	0.4		0.4
24	3/9/2007 13:15	0.5		0.5
25	3/9/2007 13:30	0.5		0.5
26	3/9/2007 13:45	0.5		0.5
27	3/9/2007 14:00	0.5		0.5
28	3/9/2007 14:15	0.5		0.5
29	3/9/2007 14:30	0.5		0.5
30	3/9/2007 14:45	0.5		0.5
31	3/9/2007 15:00	0.5		0.5
32	3/9/2007 15:15	0.5		0.5
33	3/9/2007 15:30	0.5		0.5
34	3/9/2007 15:45	0.5		0.5
35	3/9/2007 16:00	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	12
Test Abbreviation:	
Start Date:	3/9/2007
Start Time:	7:08:49
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0707) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/9/2007	7:23:49	0.02	0	0
3/9/2007	7:38:49	0.024	0.004	4
3/9/2007	7:53:49	0.019	-0.001	-1
3/9/2007	8:08:49	0.016	-0.004	-4
3/9/2007	8:23:49	0.015	-0.005	-5
3/9/2007	8:38:49	0.018	-0.002	-2
3/9/2007	8:53:49	0.018	-0.002	-2
3/9/2007	9:08:49	0.019	-0.001	-1
3/9/2007	9:23:49	0.022	0.002	2
3/9/2007	9:38:49	0.018	-0.002	-2
3/9/2007	9:53:49	0.02	0	0
3/9/2007	10:08:49	0.02	0	0
3/9/2007	10:23:49	0.024	0.004	4
3/9/2007	10:38:49	0.026	0.006	6
3/9/2007	10:53:49	0.024	0.004	4
3/9/2007	11:08:49	0.025	0.005	5
3/9/2007	11:23:49	0.026	0.006	6
3/9/2007	11:38:49	0.03	0.01	10
3/9/2007	11:53:49	0.031	0.011	11
3/9/2007	12:08:49	0.032	0.012	12
3/9/2007	12:23:49	0.031	0.011	11
3/9/2007	12:38:49	0.031	0.011	11
3/9/2007	12:53:49	0.033	0.013	13
3/9/2007	13:08:49	0.033	0.013	13
3/9/2007	13:23:49	0.032	0.012	12
3/9/2007	13:38:49	0.033	0.013	13
3/9/2007	13:53:49	0.032	0.012	12
3/9/2007	14:08:49	0.035	0.015	15
3/9/2007	14:23:49	0.03	0.01	10
3/9/2007	14:38:49	0.026	0.006	6
3/9/2007	14:53:49	0.024	0.004	4
3/9/2007	15:08:49	0.02	0	0
3/9/2007	15:23:49	0.021	0.001	1
3/9/2007	15:38:49	0.02	0	0
3/9/2007	15:53:49	0.019	-0.001	-1
3/9/2007	16:08:49	0.017	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/09/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0653) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/9/2007 7:06	0		-0.1
2	3/9/2007 7:21	0		-0.1
3	3/9/2007 7:36	0		-0.1
4	3/9/2007 7:51	0.1		0
5	3/9/2007 8:06	0.1		0
6	3/9/2007 8:21	0.2		0.1
7	3/9/2007 8:36	0.2		0.1
8	3/9/2007 8:51	0.2		0.1
9	3/9/2007 9:06	0.2		0.1
10	3/9/2007 9:21	0.3		0.2
11	3/9/2007 9:36	0.3		0.2
12	3/9/2007 9:51	0.3		0.2
13	3/9/2007 10:06	0.3		0.2
14	3/9/2007 10:21	0.4		0.3
15	3/9/2007 10:36	0.4		0.3
16	3/9/2007 10:51	0.4		0.3
17	3/9/2007 11:06	0.5		0.4
18	3/9/2007 11:21	0.5		0.4
19	3/9/2007 11:36	0.5		0.4
20	3/9/2007 11:51	0.5		0.4
21	3/9/2007 12:06	0.5		0.4
22	3/9/2007 12:21	0.5		0.4
23	3/9/2007 12:36	0.5		0.4
24	3/9/2007 12:51	0.6		0.5
25	3/9/2007 13:06	0.6		0.5
26	3/9/2007 13:21	0.6		0.5
27	3/9/2007 13:36	0.6		0.5
28	3/9/2007 13:51	0.6		0.5
29	3/9/2007 14:06	0.6		0.5
30	3/9/2007 14:21	0.6		0.5
31	3/9/2007 14:36	0.6		0.5
32	3/9/2007 14:51	0.6		0.5
33	3/9/2007 15:06	0.6		0.5
34	3/9/2007 15:21	0.6		0.5
35	3/9/2007 15:36	0.6		0.5
36	3/9/2007 15:51	0.6		0.5
37	3/9/2007 16:06	0.6		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	3/9/2007
Start Time:	6:53:59
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0653) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/9/2007	7:08:59	0.011	0.002	2
3/9/2007	7:23:59	0.012	0.003	3
3/9/2007	7:38:59	0.011	0.002	2
3/9/2007	7:53:59	0.013	0.004	4
3/9/2007	8:08:59	0.01	0.001	1
3/9/2007	8:23:59	0.009	0	0
3/9/2007	8:38:59	0.01	0.001	1
3/9/2007	8:53:59	0.01	0.001	1
3/9/2007	9:08:59	0.011	0.002	2
3/9/2007	9:23:59	0.01	0.001	1
3/9/2007	9:38:59	0.011	0.002	2
3/9/2007	9:53:59	0.013	0.004	4
3/9/2007	10:08:59	0.013	0.004	4
3/9/2007	10:23:59	0.015	0.006	6
3/9/2007	10:38:59	0.016	0.007	7
3/9/2007	10:53:59	0.017	0.008	8
3/9/2007	11:08:59	0.02	0.011	11
3/9/2007	11:23:59	0.018	0.009	9
3/9/2007	11:38:59	0.019	0.01	10
3/9/2007	11:53:59	0.021	0.012	12
3/9/2007	12:08:59	0.022	0.013	13
3/9/2007	12:23:59	0.022	0.013	13
3/9/2007	12:38:59	0.022	0.013	13
3/9/2007	12:53:59	0.025	0.016	16
3/9/2007	13:08:59	0.023	0.014	14
3/9/2007	13:23:59	0.023	0.014	14
3/9/2007	13:38:59	0.024	0.015	15
3/9/2007	13:53:59	0.022	0.013	13
3/9/2007	14:08:59	0.021	0.012	12
3/9/2007	14:23:59	0.025	0.016	16
3/9/2007	14:38:59	0.019	0.01	10
3/9/2007	14:53:59	0.017	0.008	8
3/9/2007	15:08:59	0.013	0.004	4
3/9/2007	15:23:59	0.013	0.004	4
3/9/2007	15:38:59	0.012	0.003	3
3/9/2007	15:53:59	0.012	0.003	3
3/9/2007	16:08:59	0.011	0.002	2
3/9/2007	16:23:59	0.009	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/09/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0637) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/9/2007 6:52	0		0
2	3/9/2007 7:07	0.1		0.1
3	3/9/2007 7:22	0.2		0.2
4	3/9/2007 7:37	0.2		0.2
5	3/9/2007 7:52	0.3		0.3
6	3/9/2007 8:07	0.3		0.3
7	3/9/2007 8:22	0.3		0.3
8	3/9/2007 8:37	0.4		0.4
9	3/9/2007 8:52	0.4		0.4
10	3/9/2007 9:07	0.4		0.4
11	3/9/2007 9:22	0.4		0.4
12	3/9/2007 9:37	0.4		0.4
13	3/9/2007 9:52	0.5		0.5
14	3/9/2007 10:07	0.5		0.5
15	3/9/2007 10:22	0.4		0.4
16	3/9/2007 10:37	0.5		0.5
17	3/9/2007 10:52	0.5		0.5
18	3/9/2007 11:07	0.5		0.5
19	3/9/2007 11:22	0.5		0.5
20	3/9/2007 11:37	0.5		0.5
21	3/9/2007 11:52	0.5		0.5
22	3/9/2007 12:07	0.5		0.5
23	3/9/2007 12:22	0.5		0.5
24	3/9/2007 12:37	0.5		0.5
25	3/9/2007 12:52	0.5		0.5
26	3/9/2007 13:07	0.5		0.5
27	3/9/2007 13:22	0.6		0.6
28	3/9/2007 13:37	0.6		0.6
29	3/9/2007 13:52	0.6		0.6
30	3/9/2007 14:07	0.6		0.6
31	3/9/2007 14:22	0.6		0.6
32	3/9/2007 14:37	0.6		0.6
33	3/9/2007 14:52	0.6		0.6
34	3/9/2007 15:07	0.6		0.6
35	3/9/2007 15:22	0.6		0.6
36	3/9/2007 15:37	0.6		0.6
37	3/9/2007 15:52	0.6		0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	3/9/2007
Start Time:	6:38:58
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0637) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/9/2007	6:53:58	0.013	0.002	2
3/9/2007	7:08:58	0.016	0.005	5
3/9/2007	7:23:58	0.019	0.008	8
3/9/2007	7:38:58	0.019	0.008	8
3/9/2007	7:53:58	0.022	0.011	11
3/9/2007	8:08:58	0.018	0.007	7
3/9/2007	8:23:58	0.017	0.006	6
3/9/2007	8:38:58	0.02	0.009	9
3/9/2007	8:53:58	0.017	0.006	6
3/9/2007	9:08:58	0.018	0.007	7
3/9/2007	9:23:58	0.019	0.008	8
3/9/2007	9:38:58	0.024	0.013	13
3/9/2007	9:53:58	0.021	0.01	10
3/9/2007	10:08:58	0.021	0.01	10
3/9/2007	10:23:58	0.025	0.014	14
3/9/2007	10:38:58	0.027	0.016	16
3/9/2007	10:53:58	0.027	0.016	16
3/9/2007	11:08:58	0.036	0.025	25
3/9/2007	11:23:58	0.027	0.016	16
3/9/2007	11:38:58	0.031	0.02	20
3/9/2007	11:53:58	0.039	0.028	28
3/9/2007	12:08:58	0.034	0.023	23
3/9/2007	12:23:58	0.032	0.021	21
3/9/2007	12:38:58	0.032	0.021	21
3/9/2007	12:53:58	0.035	0.024	24
3/9/2007	13:08:58	0.038	0.027	27
3/9/2007	13:23:58	0.036	0.025	25
3/9/2007	13:38:58	0.042	0.031	31
3/9/2007	13:53:58	0.037	0.026	26
3/9/2007	14:08:58	0.036	0.025	25
3/9/2007	14:23:58	0.035	0.024	24
3/9/2007	14:38:58	0.033	0.022	22
3/9/2007	14:53:58	0.025	0.014	14
3/9/2007	15:08:58	0.021	0.01	10
3/9/2007	15:23:58	0.022	0.011	11
3/9/2007	15:38:58	0.019	0.008	8
3/9/2007	15:53:58	0.02	0.009	9
3/9/2007	16:08:58	0.017	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/09/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0631) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/9/2007 6:47	0		0
2	3/9/2007 7:02	0		0
3	3/9/2007 7:17	0		0
4	3/9/2007 7:32	0		0
5	3/9/2007 7:47	0		0
6	3/9/2007 8:02	0		0
7	3/9/2007 8:17	0		0
8	3/9/2007 8:32	0		0
9	3/9/2007 8:47	0		0
10	3/9/2007 9:02	0		0
11	3/9/2007 9:17	0		0
12	3/9/2007 9:32	0		0
13	3/9/2007 9:47	0		0
14	3/9/2007 10:02	0		0
15	3/9/2007 10:17	0		0
16	3/9/2007 10:32	0		0
17	3/9/2007 10:47	0		0
18	3/9/2007 11:02	0		0
19	3/9/2007 11:17	0		0
20	3/9/2007 11:32	0		0
21	3/9/2007 11:47	0		0
22	3/9/2007 12:02	0		0
23	3/9/2007 12:17	0		0
24	3/9/2007 12:32	0		0
25	3/9/2007 12:47	0		0
26	3/9/2007 13:02	0		0
27	3/9/2007 13:17	0		0
28	3/9/2007 13:32	0		0
29	3/9/2007 13:47	0		0
30	3/9/2007 14:02	0		0
31	3/9/2007 14:17	0		0
32	3/9/2007 14:32	0		0
33	3/9/2007 14:47	0		0
34	3/9/2007 15:02	0		0
35	3/9/2007 15:17	0		0
36	3/9/2007 15:32	0		0
37	3/9/2007 15:47	0		0
38	3/9/2007 16:02	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	3/9/2007
Start Time:	6:29:20
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0631) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/9/2007	6:44:20	0.012	-0.005	-5
3/9/2007	6:59:20	0.016	-0.001	-1
3/9/2007	7:14:20	0.017	0	0
3/9/2007	7:29:20	0.019	0.002	2
3/9/2007	7:44:20	0.023	0.006	6
3/9/2007	7:59:20	0.026	0.009	9
3/9/2007	8:14:20	0.024	0.007	7
3/9/2007	8:29:20	0.023	0.006	6
3/9/2007	8:44:20	0.025	0.008	8
3/9/2007	8:59:20	0.027	0.01	10
3/9/2007	9:14:20	0.035	0.018	18
3/9/2007	9:29:20	0.023	0.006	6
3/9/2007	9:44:20	0.052	0.035	35
3/9/2007	9:59:20	0.023	0.006	6
3/9/2007	10:14:20	0.031	0.014	14
3/9/2007	10:29:20	0.024	0.007	7
3/9/2007	10:44:20	0.026	0.009	9
3/9/2007	10:59:20	0.058	0.041	41
3/9/2007	11:14:20	0.023	0.006	6
3/9/2007	11:29:20	0.026	0.009	9
3/9/2007	11:44:20	0.031	0.014	14
3/9/2007	11:59:20	0.033	0.016	16
3/9/2007	12:14:20	0.031	0.014	14
3/9/2007	12:29:20	0.031	0.014	14
3/9/2007	12:44:20	0.028	0.011	11
3/9/2007	12:59:20	0.03	0.013	13
3/9/2007	13:14:20	0.033	0.016	16
3/9/2007	13:29:20	0.031	0.014	14
3/9/2007	13:44:20	0.033	0.016	16
3/9/2007	13:59:20	0.031	0.014	14
3/9/2007	14:14:20	0.03	0.013	13
3/9/2007	14:29:20	0.028	0.011	11
3/9/2007	14:44:20	0.028	0.011	11
3/9/2007	14:59:20	0.037	0.02	20
3/9/2007	15:14:20	0.021	0.004	4
3/9/2007	15:29:20	0.021	0.004	4
3/9/2007	15:44:20	0.024	0.007	7
3/9/2007	15:59:20	0.019	0.002	2
3/9/2007	16:14:20	0.017	0	0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/10/2007 07:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0811) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/10/2007 8:32	0		0
2	3/10/2007 8:47	0		0
3	3/10/2007 9:02	0.1		0.1
4	3/10/2007 9:17	0.1		0.1
5	3/10/2007 9:32	0.2		0.2
6	3/10/2007 9:47	0.2		0.2
7	3/10/2007 10:02	0.2		0.2
8	3/10/2007 10:17	0.3		0.3
9	3/10/2007 10:32	0.3		0.3
10	3/10/2007 10:47	0.3		0.3
11	3/10/2007 11:02	0.4		0.4
12	3/10/2007 11:17	0.3		0.3
13	3/10/2007 11:32	0.3		0.3
14	3/10/2007 11:47	0.3		0.3
15	3/10/2007 12:02	0.2		0.2
16	3/10/2007 12:17	0.2		0.2
17	3/10/2007 12:32	0.2		0.2
18	3/10/2007 12:47	0.2		0.2
19	3/10/2007 13:02	0.2		0.2
20	3/10/2007 13:17	0.2		0.2
21	3/10/2007 13:32	0.1		0.1
22	3/10/2007 13:47	0.1		0.1
23	3/10/2007 14:02	0.1		0.1
24	3/10/2007 14:17	0.1		0.1
25	3/10/2007 14:32	0.1		0.1
26	3/10/2007 14:47	0.1		0.1
27	3/10/2007 15:02	0.1		0.1
28	3/10/2007 15:17	0.1		0.1
29	3/10/2007 15:32	0.1		0.1
30	3/10/2007 15:47	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	13
Test Abbreviation:	
Start Date:	3/10/2007
Start Time:	8:10:16
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0811) = 0.055 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/10/2007	8:25:16	0.051	-0.004	-4	
3/10/2007	8:40:16	0.053	-0.002	-2	
3/10/2007	8:55:16	0.058	0.003	3	
3/10/2007	9:10:16	0.068	0.013	13	
3/10/2007	9:25:16	0.066	0.011	11	
3/10/2007	9:40:16	0.063	0.008	8	
3/10/2007	9:55:16	0.06	0.005	5	
3/10/2007	10:10:16	0.061	0.006	6	
3/10/2007	10:25:16	0.063	0.008	8	
3/10/2007	10:40:16	0.058	0.003	3	
3/10/2007	10:55:16	0.06	0.005	5	
3/10/2007	11:10:16	0.47	0.415	415	*Elevated reading due to Shaw testing of equipment.
3/10/2007	11:25:16	0.061	0.006	6	
3/10/2007	11:40:16	0.061	0.006	6	
3/10/2007	11:55:16	0.056	0.001	1	
3/10/2007	12:10:16	0.054	-0.001	-1	
3/10/2007	12:25:16	0.05	-0.005	-5	
3/10/2007	12:40:16	0.074	0.019	19	
3/10/2007	12:55:16	0.079	0.024	24	
3/10/2007	13:10:16	0.074	0.019	19	
3/10/2007	13:25:16	0.063	0.008	8	
3/10/2007	13:40:16	0.044	-0.011	-11	
3/10/2007	13:55:16	0.033	-0.022	-22	
3/10/2007	14:10:16	0.031	-0.024	-24	
3/10/2007	14:25:16	0.034	-0.021	-21	
3/10/2007	14:40:16	0.031	-0.024	-24	
3/10/2007	14:55:16	0.031	-0.024	-24	
3/10/2007	15:10:16	0.032	-0.023	-23	
3/10/2007	15:25:16	0.032	-0.023	-23	
3/10/2007	15:40:16	0.034	-0.021	-21	
3/10/2007	15:55:16	0.032	-0.023	-23	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/10/2007 07:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0759) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/10/2007 8:12	0		0
2	3/10/2007 8:27	0.1		0.1
3	3/10/2007 8:42	0.2		0.2
4	3/10/2007 8:57	0.3		0.3
5	3/10/2007 9:12	0.3		0.3
6	3/10/2007 9:27	0.3		0.3
7	3/10/2007 9:42	0.3		0.3
8	3/10/2007 9:57	0.3		0.3
9	3/10/2007 10:12	0.3		0.3
10	3/10/2007 10:27	0.3		0.3
11	3/10/2007 10:42	0.4		0.4
12	3/10/2007 10:57	0.3		0.3
13	3/10/2007 11:12	0.3		0.3
14	3/10/2007 11:27	0.3		0.3
15	3/10/2007 11:42	0.3		0.3
16	3/10/2007 11:57	0.3		0.3
17	3/10/2007 12:12	0.2		0.2
18	3/10/2007 12:27	0.3		0.3
19	3/10/2007 12:42	0.3		0.3
20	3/10/2007 12:57	0.4		0.4
21	3/10/2007 13:12	0.4		0.4
22	3/10/2007 13:27	0.3		0.3
23	3/10/2007 13:42	0.3		0.3
24	3/10/2007 13:57	0.4		0.4
25	3/10/2007 14:12	0.4		0.4
26	3/10/2007 14:27	0.5		0.5
27	3/10/2007 14:42	0.5		0.5
28	3/10/2007 14:57	0.5		0.5
29	3/10/2007 15:12	0.5		0.5
30	3/10/2007 15:27	0.5		0.5
31	3/10/2007 15:42	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	3/10/2007
Start Time:	7:59:09
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0759) = 0.045 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/10/2007	8:14:09	0.047	0.002	2	
3/10/2007	8:29:09	0.047	0.002	2	
3/10/2007	8:44:09	0.048	0.003	3	
3/10/2007	8:59:09	0.051	0.006	6	
3/10/2007	9:14:09	0.056	0.011	11	
3/10/2007	9:29:09	0.054	0.009	9	
3/10/2007	9:44:09	0.049	0.004	4	
3/10/2007	9:59:09	0.048	0.003	3	
3/10/2007	10:14:09	0.048	0.003	3	
3/10/2007	10:29:09	0.051	0.006	6	
3/10/2007	10:44:09	0.048	0.003	3	
3/10/2007	10:59:09	0.286	0.241	241	*Elevated reading due to Shaw testing of equipment.
3/10/2007	11:14:09	0.049	0.004	4	
3/10/2007	11:29:09	0.051	0.006	6	
3/10/2007	11:44:09	0.051	0.006	6	
3/10/2007	11:59:09	0.047	0.002	2	
3/10/2007	12:14:09	0.046	0.001	1	
3/10/2007	12:29:09	0.043	-0.002	-2	
3/10/2007	12:44:09	0.066	0.021	21	
3/10/2007	12:59:09	0.07	0.025	25	
3/10/2007	13:14:09	0.064	0.019	19	
3/10/2007	13:29:09	0.05	0.005	5	
3/10/2007	13:44:09	0.033	-0.012	-12	
3/10/2007	13:59:09	0.028	-0.017	-17	
3/10/2007	14:14:09	0.026	-0.019	-19	
3/10/2007	14:29:09	0.028	-0.017	-17	
3/10/2007	14:44:09	0.025	-0.02	-20	
3/10/2007	14:59:09	0.025	-0.02	-20	
3/10/2007	15:14:09	0.025	-0.02	-20	
3/10/2007	15:29:09	0.027	-0.018	-18	
3/10/2007	15:44:09	0.027	-0.018	-18	
3/10/2007	15:59:09	0.024	-0.021	-21	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/10/2007 07:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0752) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/10/2007 8:06	0		0
2	3/10/2007 8:21	0		0
3	3/10/2007 8:36	0		0
4	3/10/2007 8:51	0		0
5	3/10/2007 9:06	0		0
6	3/10/2007 9:21	0		0
7	3/10/2007 9:36	0		0
8	3/10/2007 9:51	0		0
9	3/10/2007 10:06	0		0
10	3/10/2007 10:21	0.1		0.1
11	3/10/2007 10:36	0		0
12	3/10/2007 10:51	0		0
13	3/10/2007 11:06	0		0
14	3/10/2007 11:21	0		0
15	3/10/2007 11:36	0		0
16	3/10/2007 11:51	0		0
17	3/10/2007 12:06	0		0
18	3/10/2007 12:21	0		0
19	3/10/2007 12:36	0		0
20	3/10/2007 12:51	0		0
21	3/10/2007 13:06	0		0
22	3/10/2007 13:21	0		0
23	3/10/2007 13:36	0		0
24	3/10/2007 13:51	0		0
25	3/10/2007 14:06	0		0
26	3/10/2007 14:21	0		0
27	3/10/2007 14:36	0		0
28	3/10/2007 14:51	0		0
29	3/10/2007 15:06	0		0
30	3/10/2007 15:21	0		0
31	3/10/2007 15:36	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	3/10/2007
Start Time:	7:52:18
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0752) = 0.053 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/10/2007	8:07:18	0.057	0.004	4	
3/10/2007	8:22:18	0.058	0.005	5	
3/10/2007	8:37:18	0.054	0.001	1	
3/10/2007	8:52:18	0.061	0.008	8	
3/10/2007	9:07:18	0.064	0.011	11	
3/10/2007	9:22:18	0.071	0.018	18	
3/10/2007	9:37:18	0.063	0.01	10	
3/10/2007	9:52:18	0.061	0.008	8	
3/10/2007	10:07:18	0.061	0.008	8	
3/10/2007	10:22:18	0.064	0.011	11	
3/10/2007	10:37:18	0.411	0.358	358	*Elevated reading due to Shaw testing of equipment.
3/10/2007	10:52:18	0.068	0.015	15	
3/10/2007	11:07:18	0.064	0.011	11	
3/10/2007	11:22:18	0.071	0.018	18	
3/10/2007	11:37:18	0.072	0.019	19	
3/10/2007	11:52:18	0.067	0.014	14	
3/10/2007	12:07:18	0.064	0.011	11	
3/10/2007	12:22:18	0.062	0.009	9	
3/10/2007	12:37:18	0.086	0.033	33	
3/10/2007	12:52:18	0.099	0.046	46	
3/10/2007	13:07:18	0.094	0.041	41	
3/10/2007	13:22:18	0.079	0.026	26	
3/10/2007	13:37:18	0.055	0.002	2	
3/10/2007	13:52:18	0.041	-0.012	-12	
3/10/2007	14:07:18	0.034	-0.019	-19	
3/10/2007	14:22:18	0.037	-0.016	-16	
3/10/2007	14:37:18	0.035	-0.018	-18	
3/10/2007	14:52:18	0.033	-0.02	-20	
3/10/2007	15:07:18	0.034	-0.019	-19	
3/10/2007	15:22:18	0.036	-0.017	-17	
3/10/2007	15:37:18	0.037	-0.016	-16	
3/10/2007	15:52:18	0.037	-0.016	-16	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620

User ID: 00000001 Site ID: 00000007

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/10/2007 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0747) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/10/2007 8:07	0		0
2	3/10/2007 8:22	0		0
3	3/10/2007 8:37	0		0
4	3/10/2007 8:52	0.1		0.1
5	3/10/2007 9:07	0.1		0.1
6	3/10/2007 9:22	0.2		0.2
7	3/10/2007 9:37	0.3		0.3
8	3/10/2007 9:52	0.3		0.3
9	3/10/2007 10:07	0.3		0.3
10	3/10/2007 10:22	0.3		0.3
11	3/10/2007 10:37	0.2		0.2
12	3/10/2007 10:52	0.2		0.2
13	3/10/2007 11:07	0.3		0.3
14	3/10/2007 11:22	0.3		0.3
15	3/10/2007 11:37	0.3		0.3
16	3/10/2007 11:52	0.3		0.3
17	3/10/2007 12:07	0.3		0.3
18	3/10/2007 12:22	0.2		0.2
19	3/10/2007 12:37	0.2		0.2
20	3/10/2007 12:52	0.1		0.1
21	3/10/2007 13:07	0.1		0.1
22	3/10/2007 13:22	0.1		0.1
23	3/10/2007 13:37	0.1		0.1
24	3/10/2007 13:52	0		0
25	3/10/2007 14:07	0		0
26	3/10/2007 14:22	0		0
27	3/10/2007 14:37	0		0
28	3/10/2007 14:52	0		0
29	3/10/2007 15:07	0		0
30	3/10/2007 15:22	0		0
31	3/10/2007 15:37	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	3/10/2007
Start Time:	7:47:09
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0747) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/10/2007	8:02:09	0.046	0.002	2
3/10/2007	8:17:09	0.049	0.005	5
3/10/2007	8:32:09	0.046	0.002	2
3/10/2007	8:47:09	0.056	0.012	12
3/10/2007	9:02:09	0.055	0.011	11
3/10/2007	9:17:09	0.065	0.021	21
3/10/2007	9:32:09	0.113	0.069	69
3/10/2007	9:47:09	0.101	0.057	57
3/10/2007	10:02:09	0.104	0.06	60
3/10/2007	10:17:09	0.06	0.016	16
3/10/2007	10:32:09	0.074	0.03	30
3/10/2007	10:47:09	0.121	0.077	77
3/10/2007	11:02:09	0.079	0.035	35
3/10/2007	11:17:09	0.06	0.016	16
3/10/2007	11:32:09	0.061	0.017	17
3/10/2007	11:47:09	0.062	0.018	18
3/10/2007	12:02:09	0.055	0.011	11
3/10/2007	12:17:09	0.054	0.01	10
3/10/2007	12:32:09	0.092	0.048	48
3/10/2007	12:47:09	0.098	0.054	54
3/10/2007	13:02:09	0.081	0.037	37
3/10/2007	13:17:09	0.072	0.028	28
3/10/2007	13:32:09	0.057	0.013	13
3/10/2007	13:47:09	0.051	0.007	7
3/10/2007	14:02:09	0.04	-0.004	-4
3/10/2007	14:17:09	0.035	-0.009	-9
3/10/2007	14:32:09	0.036	-0.008	-8
3/10/2007	14:47:09	0.03	-0.014	-14
3/10/2007	15:02:09	0.029	-0.015	-15
3/10/2007	15:17:09	0.033	-0.011	-11
3/10/2007	15:32:09	0.032	-0.012	-12
3/10/2007	15:47:09	0.029	-0.015	-15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/12/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/12/2007 7:03	0		0
2	3/12/2007 7:18	0		0
3	3/12/2007 7:33	0		0
4	3/12/2007 7:48	0		0
5	3/12/2007 8:03	0		0
6	3/12/2007 8:18	0		0
7	3/12/2007 8:33	0		0
8	3/12/2007 8:48	0.1		0.1
9	3/12/2007 9:03	0.1		0.1
10	3/12/2007 9:18	0.1		0.1
11	3/12/2007 9:33	0.1		0.1
12	3/12/2007 9:48	0.1		0.1
13	3/12/2007 10:03	0.1		0.1
14	3/12/2007 10:18	0.1		0.1
15	3/12/2007 10:33	0.1		0.1
16	3/12/2007 10:48	0.1		0.1
17	3/12/2007 11:03	0.1		0.1
18	3/12/2007 11:18	0.1		0.1
19	3/12/2007 11:33	0		0
20	3/12/2007 11:48	0		0
21	3/12/2007 12:03	0		0
22	3/12/2007 12:18	0		0
23	3/12/2007 12:33	0		0
24	3/12/2007 12:48	0		0
25	3/12/2007 13:03	0		0
26	3/12/2007 13:18	0		0
27	3/12/2007 13:33	0		0
28	3/12/2007 13:48	0		0
29	3/12/2007 14:03	0		0
30	3/12/2007 14:18	0		0
31	3/12/2007 14:33	0		0
32	3/12/2007 14:48	0		0
33	3/12/2007 15:03	0		0
34	3/12/2007 15:18	0		0
35	3/12/2007 15:33	0		0
36	3/12/2007 15:48	0		0
37	3/12/2007 16:03	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	3/12/2007
Start Time:	6:40:07
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0638) = 0.018 mg/m^3

Calibration Sensor: Aerosol
Cal. date 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/12/2007	6:55:07	0.019	0.001	1
3/12/2007	7:10:07	0.067	0.049	49
3/12/2007	7:25:07	0.033	0.015	15
3/12/2007	7:40:07	0.038	0.02	20
3/12/2007	7:55:07	0.03	0.012	12
3/12/2007	8:10:07	0.024	0.006	6
3/12/2007	8:25:07	0.03	0.012	12
3/12/2007	8:40:07	0.028	0.01	10
3/12/2007	8:55:07	0.027	0.009	9
3/12/2007	9:10:07	0.025	0.007	7
3/12/2007	9:25:07	0.03	0.012	12
3/12/2007	9:40:07	0.035	0.017	17
3/12/2007	9:55:07	0.027	0.009	9
3/12/2007	10:10:07	0.024	0.006	6
3/12/2007	10:25:07	0.022	0.004	4
3/12/2007	10:40:07	0.023	0.005	5
3/12/2007	10:55:07	0.027	0.009	9
3/12/2007	11:10:07	0.03	0.012	12
3/12/2007	11:25:07	0.035	0.017	17
3/12/2007	11:40:07	0.034	0.016	16
3/12/2007	11:55:07	0.035	0.017	17
3/12/2007	12:10:07	0.032	0.014	14
3/12/2007	12:25:07	0.034	0.016	16
3/12/2007	12:40:07	0.038	0.02	20
3/12/2007	12:55:07	0.042	0.024	24
3/12/2007	13:10:07	0.04	0.022	22
3/12/2007	13:25:07	0.034	0.016	16
3/12/2007	13:40:07	0.037	0.019	19
3/12/2007	13:55:07	0.034	0.016	16
3/12/2007	14:10:07	0.024	0.006	6
3/12/2007	14:25:07	0.035	0.017	17
3/12/2007	14:40:07	0.046	0.028	28
3/12/2007	14:55:07	0.04	0.022	22
3/12/2007	15:10:07	0.03	0.012	12
3/12/2007	15:25:07	0.026	0.008	8
3/12/2007	15:40:07	0.029	0.011	11
3/12/2007	15:55:07	0.033	0.015	15
3/12/2007	16:10:07	0.029	0.011	11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/12/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/12/2007 7:06			0		0
2	3/12/2007 7:21			0		0
3	3/12/2007 7:36			0		0
4	3/12/2007 7:51			0		0
5	3/12/2007 8:06			0.1		0.1
6	3/12/2007 8:21			0.1		0.1
7	3/12/2007 8:36			0.2		0.2
8	3/12/2007 8:51			0.2		0.2
9	3/12/2007 9:06			0.2		0.2
10	3/12/2007 9:21			0.3		0.3
11	3/12/2007 9:36			0.3		0.3
12	3/12/2007 9:51			0.3		0.3
13	3/12/2007 10:06			0.3		0.3
14	3/12/2007 10:21			0.4		0.4
15	3/12/2007 10:36			0.4		0.4
16	3/12/2007 10:51			0.4		0.4
17	3/12/2007 11:06			0.4		0.4
18	3/12/2007 11:21			0.5		0.5
19	3/12/2007 11:36			0.5		0.5
20	3/12/2007 11:51			0.5		0.5
21	3/12/2007 12:06			0.5		0.5
22	3/12/2007 12:21			0.6		0.6
23	3/12/2007 12:36			0.6		0.6
24	3/12/2007 12:51			0.6		0.6
25	3/12/2007 13:06			0.6		0.6
26	3/12/2007 13:21			0.6		0.6
27	3/12/2007 13:36			0.7		0.7
28	3/12/2007 13:51			0.7		0.7
29	3/12/2007 14:06			0.7		0.7
30	3/12/2007 14:21			0.7		0.7
31	3/12/2007 14:36			0.7		0.7
32	3/12/2007 14:51			0.8		0.8
33	3/12/2007 15:06			0.8		0.8
34	3/12/2007 15:21			0.8		0.8
35	3/12/2007 15:36			0.8		0.8
36	3/12/2007 15:51			0.8		0.8
37	3/12/2007 16:06			0.7		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	3/12/2007
Start Time:	6:52:52
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0652) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/12/2007	7:07:52	0.022	0.011	11
3/12/2007	7:22:52	0.02	0.009	9
3/12/2007	7:37:52	0.021	0.01	10
3/12/2007	7:52:52	0.019	0.008	8
3/12/2007	8:07:52	0.015	0.004	4
3/12/2007	8:22:52	0.018	0.007	7
3/12/2007	8:37:52	0.019	0.008	8
3/12/2007	8:52:52	0.021	0.01	10
3/12/2007	9:07:52	0.017	0.006	6
3/12/2007	9:22:52	0.023	0.012	12
3/12/2007	9:37:52	0.03	0.019	19
3/12/2007	9:52:52	0.023	0.012	12
3/12/2007	10:07:52	0.019	0.008	8
3/12/2007	10:22:52	0.018	0.007	7
3/12/2007	10:37:52	0.018	0.007	7
3/12/2007	10:52:52	0.019	0.008	8
3/12/2007	11:07:52	0.022	0.011	11
3/12/2007	11:22:52	0.024	0.013	13
3/12/2007	11:37:52	0.025	0.014	14
3/12/2007	11:52:52	0.027	0.016	16
3/12/2007	12:07:52	0.025	0.014	14
3/12/2007	12:22:52	0.026	0.015	15
3/12/2007	12:37:52	0.029	0.018	18
3/12/2007	12:52:52	0.032	0.021	21
3/12/2007	13:07:52	0.033	0.022	22
3/12/2007	13:22:52	0.028	0.017	17
3/12/2007	13:37:52	0.027	0.016	16
3/12/2007	13:52:52	0.028	0.017	17
3/12/2007	14:07:52	0.021	0.01	10
3/12/2007	14:22:52	0.024	0.013	13
3/12/2007	14:37:52	0.036	0.025	25
3/12/2007	14:52:52	0.036	0.025	25
3/12/2007	15:07:52	0.026	0.015	15
3/12/2007	15:22:52	0.021	0.01	10
3/12/2007	15:37:52	0.023	0.012	12
3/12/2007	15:52:52	0.029	0.018	18
3/12/2007	16:07:52	0.026	0.015	15
3/12/2007	16:22:52	0.024	0.013	13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/12/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/12/2007 6:49	0.1		0.1
2	3/12/2007 7:04	0.1		0.1
3	3/12/2007 7:19	0.2		0.2
4	3/12/2007 7:34	0.3		0.3
5	3/12/2007 7:49	0.3		0.3
6	3/12/2007 8:04	0.3		0.3
7	3/12/2007 8:19	0.3		0.3
8	3/12/2007 8:34	0.3		0.3
9	3/12/2007 8:49	0.4		0.4
10	3/12/2007 9:04	0.4		0.4
11	3/12/2007 9:19	0.4		0.4
12	3/12/2007 9:34	0.4		0.4
13	3/12/2007 9:49	0.4		0.4
14	3/12/2007 10:04	0.4		0.4
15	3/12/2007 10:19	0.4		0.4
16	3/12/2007 10:34	0.5		0.5
17	3/12/2007 10:49	0.5		0.5
18	3/12/2007 11:04	0.5		0.5
19	3/12/2007 11:19	0.5		0.5
20	3/12/2007 11:34	0.5		0.5
21	3/12/2007 11:49	0.5		0.5
22	3/12/2007 12:04	0.5		0.5
23	3/12/2007 12:19	0.5		0.5
24	3/12/2007 12:34	0.5		0.5
25	3/12/2007 12:49	0.5		0.5
26	3/12/2007 13:04	0.5		0.5
27	3/12/2007 13:19	0.5		0.5
28	3/12/2007 13:34	0.6		0.6
29	3/12/2007 13:49	0.6		0.6
30	3/12/2007 14:04	0.6		0.6
31	3/12/2007 14:19	0.6		0.6
32	3/12/2007 14:34	0.6		0.6
33	3/12/2007 14:49	0.6		0.6
34	3/12/2007 15:04	0.6		0.6
35	3/12/2007 15:19	0.7		0.7
36	3/12/2007 15:34	0.7		0.7
37	3/12/2007 15:49	0.7		0.7
38	3/12/2007 16:04	0.6		0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	3/12/2007
Start Time:	6:34:22
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0634) = 0.023 mg/m^3

Calibration Sensor: Aerosol
Cal. date 10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/12/2007	6:49:22	0.019	-0.004	-4
3/12/2007	7:04:22	0.034	0.011	11
3/12/2007	7:19:22	0.037	0.014	14
3/12/2007	7:34:22	0.032	0.009	9
3/12/2007	7:49:22	0.032	0.009	9
3/12/2007	8:04:22	0.024	0.001	1
3/12/2007	8:19:22	0.025	0.002	2
3/12/2007	8:34:22	0.026	0.003	3
3/12/2007	8:49:22	0.032	0.009	9
3/12/2007	9:04:22	0.023	0	0
3/12/2007	9:19:22	0.032	0.009	9
3/12/2007	9:34:22	0.041	0.018	18
3/12/2007	9:49:22	0.032	0.009	9
3/12/2007	10:04:22	0.028	0.005	5
3/12/2007	10:19:22	0.026	0.003	3
3/12/2007	10:34:22	0.025	0.002	2
3/12/2007	10:49:22	0.027	0.004	4
3/12/2007	11:04:22	0.03	0.007	7
3/12/2007	11:19:22	0.033	0.01	10
3/12/2007	11:34:22	0.036	0.013	13
3/12/2007	11:49:22	0.037	0.014	14
3/12/2007	12:04:22	0.035	0.012	12
3/12/2007	12:19:22	0.035	0.012	12
3/12/2007	12:34:22	0.037	0.014	14
3/12/2007	12:49:22	0.042	0.019	19
3/12/2007	13:04:22	0.042	0.019	19
3/12/2007	13:19:22	0.038	0.015	15
3/12/2007	13:34:22	0.035	0.012	12
3/12/2007	13:49:22	0.041	0.018	18
3/12/2007	14:04:22	0.031	0.008	8
3/12/2007	14:19:22	0.032	0.009	9
3/12/2007	14:34:22	0.047	0.024	24
3/12/2007	14:49:22	0.049	0.026	26
3/12/2007	15:04:22	0.037	0.014	14
3/12/2007	15:19:22	0.029	0.006	6
3/12/2007	15:34:22	0.03	0.007	7
3/12/2007	15:49:22	0.034	0.011	11
3/12/2007	16:04:22	0.033	0.01	10
3/12/2007	16:19:22	0.032	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/12/2007 05:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/12/2007 7:02	0		0
2	3/12/2007 7:17	0		0
3	3/12/2007 7:32	0		0
4	3/12/2007 7:47	0		0
5	3/12/2007 8:02	0		0
6	3/12/2007 8:17	0		0
7	3/12/2007 8:32	0		0
8	3/12/2007 8:47	0		0
9	3/12/2007 9:02	0		0
10	3/12/2007 9:17	0		0
11	3/12/2007 9:32	0		0
12	3/12/2007 9:47	0		0
13	3/12/2007 10:02	0		0
14	3/12/2007 10:17	0		0
15	3/12/2007 10:32	0		0
16	3/12/2007 10:47	0		0
17	3/12/2007 11:02	0		0
18	3/12/2007 11:17	0		0
19	3/12/2007 11:32	0		0
20	3/12/2007 11:47	0		0
21	3/12/2007 12:02	0		0
22	3/12/2007 12:17	0		0
23	3/12/2007 12:32	0		0
24	3/12/2007 12:47	0		0
25	3/12/2007 13:02	0		0
26	3/12/2007 13:17	0		0
27	3/12/2007 13:32	0		0
28	3/12/2007 13:47	0		0
29	3/12/2007 14:02	0		0
30	3/12/2007 14:17	0		0
31	3/12/2007 14:32	0		0
32	3/12/2007 14:47	0		0
33	3/12/2007 15:02	0		0
34	3/12/2007 15:17	0		0
35	3/12/2007 15:32	0		0
36	3/12/2007 15:47	0		0
37	3/12/2007 16:02	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	3/12/2007
Start Time:	6:40:27
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0640) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/12/2007	6:55:27	0.017	0.003	3
3/12/2007	7:10:27	0.043	0.029	29
3/12/2007	7:25:27	0.026	0.012	12
3/12/2007	7:40:27	0.024	0.01	10
3/12/2007	7:55:27	0.027	0.013	13
3/12/2007	8:10:27	0.028	0.014	14
3/12/2007	8:25:27	0.028	0.014	14
3/12/2007	8:40:27	0.027	0.013	13
3/12/2007	8:55:27	0.03	0.016	16
3/12/2007	9:10:27	0.022	0.008	8
3/12/2007	9:25:27	0.028	0.014	14
3/12/2007	9:40:27	0.03	0.016	16
3/12/2007	9:55:27	0.023	0.009	9
3/12/2007	10:10:27	0.023	0.009	9
3/12/2007	10:25:27	0.025	0.011	11
3/12/2007	10:40:27	0.024	0.01	10
3/12/2007	10:55:27	0.025	0.011	11
3/12/2007	11:10:27	0.029	0.015	15
3/12/2007	11:25:27	0.028	0.014	14
3/12/2007	11:40:27	0.028	0.014	14
3/12/2007	11:55:27	0.031	0.017	17
3/12/2007	12:10:27	0.027	0.013	13
3/12/2007	12:25:27	0.029	0.015	15
3/12/2007	12:40:27	0.033	0.019	19
3/12/2007	12:55:27	0.035	0.021	21
3/12/2007	13:10:27	0.035	0.021	21
3/12/2007	13:25:27	0.034	0.02	20
3/12/2007	13:40:27	0.031	0.017	17
3/12/2007	13:55:27	0.029	0.015	15
3/12/2007	14:10:27	0.024	0.01	10
3/12/2007	14:25:27	0.029	0.015	15
3/12/2007	14:40:27	0.039	0.025	25
3/12/2007	14:55:27	0.034	0.02	20
3/12/2007	15:25:27	0.026	0.012	12
3/12/2007	15:10:27	0.024	0.01	10
3/12/2007	15:40:27	0.028	0.014	14
3/12/2007	15:55:27	0.027	0.013	13
3/12/2007	16:10:27	0.024	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/13/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0631) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/13/2007 6:47	0		0
2	3/13/2007 7:02	0.1		0.1
3	3/13/2007 7:17	0.2		0.2
4	3/13/2007 7:32	0.3		0.3
5	3/13/2007 7:47	0.3		0.3
6	3/13/2007 8:02	0.4		0.4
7	3/13/2007 8:17	0.4		0.4
8	3/13/2007 8:32	0.4		0.4
9	3/13/2007 8:47	0.4		0.4
10	3/13/2007 9:02	0.4		0.4
11	3/13/2007 9:17	0.4		0.4
12	3/13/2007 9:32	0.4		0.4
13	3/13/2007 9:47	0.4		0.4
14	3/13/2007 10:02	0.4		0.4
15	3/13/2007 10:17	0.4		0.4
16	3/13/2007 10:32	0.4		0.4
17	3/13/2007 10:47	0.4		0.4
18	3/13/2007 11:02	0.4		0.4
19	3/13/2007 11:17	0.4		0.4
20	3/13/2007 11:32	0.3		0.3
21	3/13/2007 11:47	0.4		0.4
22	3/13/2007 12:02	0.3		0.3
23	3/13/2007 12:17	0.4		0.4
24	3/13/2007 12:32	0.3		0.3
25	3/13/2007 12:47	0.3		0.3
26	3/13/2007 13:02	0.3		0.3
27	3/13/2007 13:17	0.3		0.3
28	3/13/2007 13:32	0.3		0.3
29	3/13/2007 13:47	0.3		0.3
30	3/13/2007 14:02	0.3		0.3
31	3/13/2007 14:17	0.3		0.3
32	3/13/2007 14:32	0.3		0.3
33	3/13/2007 14:47	0.3		0.3
34	3/13/2007 15:02	0.4		0.4
35	3/13/2007 15:17	0.4		0.4
36	3/13/2007 15:32	0.4		0.4
37	3/13/2007 15:47	0.4		0.4
38	3/13/2007 16:02	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	3/13/2007
Start Time:	6:31:35
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0631) = 0.055 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/13/2007	6:46:35	0.048	-0.007	-7
3/13/2007	7:01:35	0.054	-0.001	-1
3/13/2007	7:16:35	0.053	-0.002	-2
3/13/2007	7:31:35	0.059	0.004	4
3/13/2007	7:46:35	0.062	0.007	7
3/13/2007	8:01:35	0.05	-0.005	-5
3/13/2007	8:16:35	0.058	0.003	3
3/13/2007	8:31:35	0.056	0.001	1
3/13/2007	8:46:35	0.064	0.009	9
3/13/2007	9:01:35	0.065	0.01	10
3/13/2007	9:16:35	0.078	0.023	23
3/13/2007	9:31:35	0.073	0.018	18
3/13/2007	9:46:35	0.066	0.011	11
3/13/2007	10:01:35	0.068	0.013	13
3/13/2007	10:16:35	0.075	0.02	20
3/13/2007	10:31:35	0.075	0.02	20
3/13/2007	10:46:35	0.078	0.023	23
3/13/2007	11:01:35	0.074	0.019	19
3/13/2007	11:16:35	0.075	0.02	20
3/13/2007	11:31:35	0.078	0.023	23
3/13/2007	11:46:35	0.072	0.017	17
3/13/2007	12:01:35	0.071	0.016	16
3/13/2007	12:16:35	0.067	0.012	12
3/13/2007	12:31:35	0.063	0.008	8
3/13/2007	12:46:35	0.062	0.007	7
3/13/2007	13:01:35	0.059	0.004	4
3/13/2007	13:16:35	0.052	-0.003	-3
3/13/2007	13:31:35	0.054	-0.001	-1
3/13/2007	13:46:35	0.055	0	0
3/13/2007	14:01:35	0.053	-0.002	-2
3/13/2007	14:16:35	0.05	-0.005	-5
3/13/2007	14:31:35	0.048	-0.007	-7
3/13/2007	14:46:35	0.046	-0.009	-9
3/13/2007	15:01:35	0.046	-0.009	-9
3/13/2007	15:16:35	0.044	-0.011	-11
3/13/2007	15:31:35	0.043	-0.012	-12
3/13/2007	15:46:35	0.042	-0.013	-13
3/13/2007	16:01:35	0.041	-0.014	-14
3/13/2007	16:16:35	0.041	-0.014	-14

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/13/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/13/2007 6:55	0.1		0.1
2	3/13/2007 7:10	0.3		0.3
3	3/13/2007 7:25	0.4		0.4
4	3/13/2007 7:40	0.4		0.4
5	3/13/2007 7:55	0.5		0.5
6	3/13/2007 8:10	0.5		0.5
7	3/13/2007 8:25	0.6		0.6
8	3/13/2007 8:40	0.6		0.6
9	3/13/2007 8:55	0.6		0.6
10	3/13/2007 9:10	0.7		0.7
11	3/13/2007 9:25	0.7		0.7
12	3/13/2007 9:40	0.7		0.7
13	3/13/2007 9:55	0.7		0.7
14	3/13/2007 10:10	0.8		0.8
15	3/13/2007 10:25	0.8		0.8
16	3/13/2007 10:40	0.8		0.8
17	3/13/2007 10:55	0.8		0.8
18	3/13/2007 11:10	0.8		0.8
19	3/13/2007 11:25	0.9		0.9
20	3/13/2007 11:40	0.9		0.9
21	3/13/2007 11:55	0.9		0.9
22	3/13/2007 12:10	0.9		0.9
23	3/13/2007 12:25	0.9		0.9
24	3/13/2007 12:40	0.9		0.9
25	3/13/2007 12:55	0.9		0.9
26	3/13/2007 13:10	0.9		0.9
27	3/13/2007 13:25	0.9		0.9
28	3/13/2007 13:40	0.9		0.9
29	3/13/2007 13:55	0.8		0.8
30	3/13/2007 14:10	0.8		0.8
31	3/13/2007 14:25	0.8		0.8
32	3/13/2007 14:40	0.8		0.8
33	3/13/2007 14:55	0.8		0.8
34	3/13/2007 15:10	0.8		0.8
35	3/13/2007 15:25	0.8		0.8
36	3/13/2007 15:40	0.8		0.8
37	3/13/2007 15:55	0.8		0.8
38	3/13/2007 16:10	0.8		0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	3/12/2007
Start Time:	6:52:52
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0642) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/12/2007	7:07:52	0.022	-0.01	-10
3/12/2007	7:22:52	0.02	-0.012	-12
3/12/2007	7:37:52	0.021	-0.011	-11
3/12/2007	7:52:52	0.019	-0.013	-13
3/12/2007	8:07:52	0.015	-0.017	-17
3/12/2007	8:22:52	0.018	-0.014	-14
3/12/2007	8:37:52	0.019	-0.013	-13
3/12/2007	8:52:52	0.021	-0.011	-11
3/12/2007	9:07:52	0.017	-0.015	-15
3/12/2007	9:22:52	0.023	-0.009	-9
3/12/2007	9:37:52	0.03	-0.002	-2
3/12/2007	9:52:52	0.023	-0.009	-9
3/12/2007	10:07:52	0.019	-0.013	-13
3/12/2007	10:22:52	0.018	-0.014	-14
3/12/2007	10:37:52	0.018	-0.014	-14
3/12/2007	10:52:52	0.019	-0.013	-13
3/12/2007	11:07:52	0.022	-0.01	-10
3/12/2007	11:22:52	0.024	-0.008	-8
3/12/2007	11:37:52	0.025	-0.007	-7
3/12/2007	11:52:52	0.027	-0.005	-5
3/12/2007	12:07:52	0.025	-0.007	-7
3/12/2007	12:22:52	0.026	-0.006	-6
3/12/2007	12:37:52	0.029	-0.003	-3
3/12/2007	12:52:52	0.032	0	0
3/12/2007	13:07:52	0.033	0.001	1
3/12/2007	13:22:52	0.028	-0.004	-4
3/12/2007	13:37:52	0.027	-0.005	-5
3/12/2007	13:52:52	0.028	-0.004	-4
3/12/2007	14:07:52	0.021	-0.011	-11
3/12/2007	14:22:52	0.024	-0.008	-8
3/12/2007	14:37:52	0.036	0.004	4
3/12/2007	14:52:52	0.036	0.004	4
3/12/2007	15:07:52	0.026	-0.006	-6
3/12/2007	15:22:52	0.021	-0.011	-11
3/12/2007	15:37:52	0.023	-0.009	-9
3/12/2007	15:52:52	0.029	-0.003	-3
3/12/2007	16:07:52	0.026	-0.006	-6
3/12/2007	16:22:52	0.024	-0.008	-8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/13/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/13/2007 6:38	0.2		0.1
2	3/13/2007 6:53	0.2		0.1
3	3/13/2007 7:08	0.3		0.2
4	3/13/2007 7:23	0.4		0.3
5	3/13/2007 7:38	0.4		0.3
6	3/13/2007 7:53	0.5		0.4
7	3/13/2007 8:08	0.5		0.4
8	3/13/2007 8:23	0.5		0.4
9	3/13/2007 8:38	0.5		0.4
10	3/13/2007 8:53	0.5		0.4
11	3/13/2007 9:08	0.6		0.5
12	3/13/2007 9:23	0.6		0.5
13	3/13/2007 9:38	0.6		0.5
14	3/13/2007 9:53	0.6		0.5
15	3/13/2007 10:08	0.6		0.5
16	3/13/2007 10:23	0.6		0.5
17	3/13/2007 10:38	0.7		0.6
18	3/13/2007 10:53	0.7		0.6
19	3/13/2007 11:08	0.7		0.6
20	3/13/2007 11:23	0.7		0.6
21	3/13/2007 11:38	0.7		0.6
22	3/13/2007 11:53	0.7		0.6
23	3/13/2007 12:08	0.7		0.6
24	3/13/2007 12:23	0.7		0.6
25	3/13/2007 12:38	0.7		0.6
26	3/13/2007 12:53	0.8		0.7
27	3/13/2007 13:08	0.8		0.7
28	3/13/2007 13:23	0.8		0.7
29	3/13/2007 13:38	0.8		0.7
30	3/13/2007 13:53	0.8		0.7
31	3/13/2007 14:08	0.8		0.7
32	3/13/2007 14:23	0.8		0.7
33	3/13/2007 14:38	0.8		0.7
34	3/13/2007 14:53	0.8		0.7
35	3/13/2007 15:08	0.8		0.7
36	3/13/2007 15:23	0.8		0.7
37	3/13/2007 15:38	0.8		0.7
38	3/13/2007 15:53	0.8		0.7
39	3/13/2007 16:08	0.8		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	3/13/2007
Start Time:	6:23:02
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0624) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/13/2007	6:38:02	0.054	0.003	3
3/13/2007	6:53:02	0.051	0	0
3/13/2007	7:08:02	0.051	0	0
3/13/2007	7:23:02	0.056	0.005	5
3/13/2007	7:38:02	0.06	0.009	9
3/13/2007	7:53:02	0.062	0.011	11
3/13/2007	8:08:02	0.055	0.004	4
3/13/2007	8:23:02	0.065	0.014	14
3/13/2007	8:38:02	0.06	0.009	9
3/13/2007	8:53:02	0.073	0.022	22
3/13/2007	9:08:02	0.078	0.027	27
3/13/2007	9:23:02	0.086	0.035	35
3/13/2007	9:38:02	0.074	0.023	23
3/13/2007	9:53:02	0.074	0.023	23
3/13/2007	10:08:02	0.076	0.025	25
3/13/2007	10:23:02	0.087	0.036	36
3/13/2007	10:38:02	0.084	0.033	33
3/13/2007	10:53:02	0.087	0.036	36
3/13/2007	11:08:02	0.078	0.027	27
3/13/2007	11:23:02	0.084	0.033	33
3/13/2007	11:38:02	0.08	0.029	29
3/13/2007	11:53:02	0.073	0.022	22
3/13/2007	12:08:02	0.07	0.019	19
3/13/2007	12:23:02	0.067	0.016	16
3/13/2007	12:38:02	0.063	0.012	12
3/13/2007	12:53:02	0.064	0.013	13
3/13/2007	13:08:02	0.058	0.007	7
3/13/2007	13:23:02	0.057	0.006	6
3/13/2007	13:38:02	0.057	0.006	6
3/13/2007	13:53:02	0.06	0.009	9
3/13/2007	14:08:02	0.056	0.005	5
3/13/2007	14:23:02	0.051	0	0
3/13/2007	14:38:02	0.048	-0.003	-3
3/13/2007	14:53:02	0.048	-0.003	-3
3/13/2007	15:08:02	0.046	-0.005	-5
3/13/2007	15:23:02	0.045	-0.006	-6
3/13/2007	15:38:02	0.043	-0.008	-8
3/13/2007	15:53:02	0.042	-0.009	-9
3/13/2007	16:08:02	0.04	-0.011	-11
3/13/2007	16:23:02	0.042	-0.009	-9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/13/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/13/2007 6:43	0		0
2	3/13/2007 6:58	0		0
3	3/13/2007 7:13	0		0
4	3/13/2007 7:28	0		0
5	3/13/2007 7:43	0		0
6	3/13/2007 7:58	0		0
7	3/13/2007 8:13	0		0
8	3/13/2007 8:28	0		0
9	3/13/2007 8:43	0		0
10	3/13/2007 8:58	0		0
11	3/13/2007 9:13	0		0
12	3/13/2007 9:28	0		0
13	3/13/2007 9:43	0		0
14	3/13/2007 9:58	0		0
15	3/13/2007 10:13	0		0
16	3/13/2007 10:28	0		0
17	3/13/2007 10:43	0		0
18	3/13/2007 10:58	0		0
19	3/13/2007 11:13	0		0
20	3/13/2007 11:28	0		0
21	3/13/2007 11:43	0		0
22	3/13/2007 11:58	0		0
23	3/13/2007 12:13	0		0
24	3/13/2007 12:28	0		0
25	3/13/2007 12:43	0		0
26	3/13/2007 12:58	0		0
27	3/13/2007 13:13	0		0
28	3/13/2007 13:28	0		0
29	3/13/2007 13:43	0		0
30	3/13/2007 13:58	0		0
31	3/13/2007 14:13	0		0
32	3/13/2007 14:28	0		0
33	3/13/2007 14:43	0		0
34	3/13/2007 14:58	0		0
35	3/13/2007 15:13	0		0
36	3/13/2007 15:28	0		0
37	3/13/2007 15:43	0		0
38	3/13/2007 15:58	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	3/13/2007
Start Time:	6:28:14
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0630) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/13/2007	6:43:14	0.045	0.002	2
3/13/2007	6:58:14	0.045	0.002	2
3/13/2007	7:13:14	0.045	0.002	2
3/13/2007	7:28:14	0.052	0.009	9
3/13/2007	7:43:14	0.056	0.013	13
3/13/2007	7:58:14	0.051	0.008	8
3/13/2007	8:13:14	0.05	0.007	7
3/13/2007	8:28:14	0.055	0.012	12
3/13/2007	8:43:14	0.055	0.012	12
3/13/2007	8:58:14	0.069	0.026	26
3/13/2007	9:13:14	0.074	0.031	31
3/13/2007	9:28:14	0.069	0.026	26
3/13/2007	9:43:14	0.06	0.017	17
3/13/2007	9:58:14	0.063	0.02	20
3/13/2007	10:13:14	0.068	0.025	25
3/13/2007	10:28:14	0.068	0.025	25
3/13/2007	10:43:14	0.073	0.03	30
3/13/2007	10:58:14	0.071	0.028	28
3/13/2007	11:13:14	0.07	0.027	27
3/13/2007	11:28:14	0.07	0.027	27
3/13/2007	11:43:14	0.066	0.023	23
3/13/2007	11:58:14	0.057	0.014	14
3/13/2007	12:13:14	0.057	0.014	14
3/13/2007	12:28:14	0.054	0.011	11
3/13/2007	12:43:14	0.052	0.009	9
3/13/2007	12:58:14	0.051	0.008	8
3/13/2007	13:13:14	0.047	0.004	4
3/13/2007	13:28:14	0.048	0.005	5
3/13/2007	13:43:14	0.051	0.008	8
3/13/2007	13:58:14	0.047	0.004	4
3/13/2007	14:13:14	0.043	0	0
3/13/2007	14:28:14	0.042	-0.001	-1
3/13/2007	14:43:14	0.039	-0.004	-4
3/13/2007	14:58:14	0.039	-0.004	-4
3/13/2007	15:13:14	0.038	-0.005	-5
3/13/2007	15:28:14	0.038	-0.005	-5
3/13/2007	15:43:14	0.035	-0.008	-8
3/13/2007	15:58:14	0.033	-0.01	-10
3/13/2007	16:13:14	0.033	-0.01	-10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/14/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0618) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/14/2007 6:34	0		0
2	3/14/2007 6:49	0		0
3	3/14/2007 7:04	0		0
4	3/14/2007 7:19	0		0
5	3/14/2007 7:34	0		0
6	3/14/2007 7:49	0		0
7	3/14/2007 8:04	0		0
8	3/14/2007 8:19	0.1		0.1
9	3/14/2007 8:34	0		0
10	3/14/2007 8:49	0		0
11	3/14/2007 9:04	0		0
12	3/14/2007 9:19	0		0
13	3/14/2007 9:34	0		0
14	3/14/2007 9:49	0		0
15	3/14/2007 10:04	0		0
16	3/14/2007 10:19	0		0
17	3/14/2007 10:34	0		0
18	3/14/2007 10:49	0		0
19	3/14/2007 11:04	0		0
20	3/14/2007 11:19	0		0
21	3/14/2007 11:34	0		0
22	3/14/2007 11:49	0		0
23	3/14/2007 12:04	0		0
24	3/14/2007 12:19	0		0
25	3/14/2007 12:34	0		0
26	3/14/2007 12:49	0		0
27	3/14/2007 13:04	0		0
28	3/14/2007 13:19	0		0
29	3/14/2007 13:34	0		0
30	3/14/2007 13:49	0		0
31	3/14/2007 14:04	0		0
32	3/14/2007 14:19	0		0
33	3/14/2007 14:34	0		0
34	3/14/2007 14:49	0		0
35	3/14/2007 15:04	0		0
36	3/14/2007 15:19	0		0
37	3/14/2007 15:34	0		0
38	3/14/2007 15:49	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	3/14/2007
Start Time:	6:18:34
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (0618) = 0.095 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/14/2007	6:33:34	0.103	0.008	8
3/14/2007	6:48:34	0.1	0.005	5
3/14/2007	7:03:34	0.1	0.005	5
3/14/2007	7:18:34	0.103	0.008	8
3/14/2007	7:33:34	0.107	0.012	12
3/14/2007	7:48:34	0.11	0.015	15
3/14/2007	8:03:34	0.119	0.024	24
3/14/2007	8:18:34	0.14	0.045	45
3/14/2007	8:33:34	0.142	0.047	47
3/14/2007	8:48:34	0.146	0.051	51
3/14/2007	9:03:34	0.144	0.049	49
3/14/2007	9:18:34	0.147	0.052	52
3/14/2007	9:33:34	0.127	0.032	32
3/14/2007	9:48:34	0.115	0.02	20
3/14/2007	10:03:34	0.114	0.019	19
3/14/2007	10:18:34	0.115	0.02	20
3/14/2007	10:33:34	0.112	0.017	17
3/14/2007	10:48:34	0.106	0.011	11
3/14/2007	11:03:34	0.104	0.009	9
3/14/2007	11:18:34	0.106	0.011	11
3/14/2007	11:33:34	0.106	0.011	11
3/14/2007	11:48:34	0.11	0.015	15
3/14/2007	12:03:34	0.108	0.013	13
3/14/2007	12:18:34	0.104	0.009	9
3/14/2007	12:33:34	0.092	-0.003	-3
3/14/2007	12:48:34	0.082	-0.013	-13
3/14/2007	13:03:34	0.08	-0.015	-15
3/14/2007	13:18:34	0.079	-0.016	-16
3/14/2007	13:33:34	0.078	-0.017	-17
3/14/2007	13:48:34	0.077	-0.018	-18
3/14/2007	14:03:34	0.074	-0.021	-21
3/14/2007	14:18:34	0.074	-0.021	-21
3/14/2007	14:33:34	0.072	-0.023	-23
3/14/2007	14:48:34	0.07	-0.025	-25
3/14/2007	15:03:34	0.07	-0.025	-25
3/14/2007	15:18:34	0.07	-0.025	-25
3/14/2007	15:33:34	0.072	-0.023	-23
3/14/2007	15:48:34	0.072	-0.023	-23
3/14/2007	16:03:34	0.074	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/14/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/14/2007 6:56	0		0
2	3/14/2007 7:11	0		0
3	3/14/2007 7:26	0		0
4	3/14/2007 7:41	0		0
5	3/14/2007 7:56	0		0
6	3/14/2007 8:11	0		0
7	3/14/2007 8:26	0		0
8	3/14/2007 8:41	0		0
9	3/14/2007 8:56	0		0
10	3/14/2007 9:11	0		0
11	3/14/2007 9:26	0		0
12	3/14/2007 9:41	0		0
13	3/14/2007 9:56	0		0
14	3/14/2007 10:11	0		0
15	3/14/2007 10:26	0		0
16	3/14/2007 10:41	0		0
17	3/14/2007 10:56	0		0
18	3/14/2007 11:11	0		0
19	3/14/2007 11:26	0		0
20	3/14/2007 11:41	0		0
21	3/14/2007 11:56	0		0
22	3/14/2007 12:11	0		0
23	3/14/2007 12:26	0		0
24	3/14/2007 12:41	0		0
25	3/14/2007 12:56	0		0
26	3/14/2007 13:11	0		0
27	3/14/2007 13:26	0		0
28	3/14/2007 13:41	0		0
29	3/14/2007 13:56	0		0
30	3/14/2007 14:11	0		0
31	3/14/2007 14:26	0		0
32	3/14/2007 14:41	0		0
33	3/14/2007 14:56	0		0
34	3/14/2007 15:11	0		0
35	3/14/2007 15:26	0		0
36	3/14/2007 15:41	0		0
37	3/14/2007 15:56	0		0
38	3/14/2007 16:11	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	3/14/2007
Start Time:	6:40:59
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0642) = 0.068 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/14/2007	6:55:59	0.069	0.001	1
3/14/2007	7:10:59	0.07	0.002	2
3/14/2007	7:25:59	0.072	0.004	4
3/14/2007	7:40:59	0.074	0.006	6
3/14/2007	7:55:59	0.079	0.011	11
3/14/2007	8:10:59	0.084	0.016	16
3/14/2007	8:25:59	0.088	0.02	20
3/14/2007	8:40:59	0.093	0.025	25
3/14/2007	8:55:59	0.097	0.029	29
3/14/2007	9:10:59	0.101	0.033	33
3/14/2007	9:25:59	0.094	0.026	26
3/14/2007	9:40:59	0.093	0.025	25
3/14/2007	9:55:59	0.092	0.024	24
3/14/2007	10:10:59	0.094	0.026	26
3/14/2007	10:25:59	0.099	0.031	31
3/14/2007	10:40:59	0.091	0.023	23
3/14/2007	10:55:59	0.089	0.021	21
3/14/2007	11:10:59	0.089	0.021	21
3/14/2007	11:25:59	0.09	0.022	22
3/14/2007	11:40:59	0.091	0.023	23
3/14/2007	11:55:59	0.092	0.024	24
3/14/2007	12:10:59	0.088	0.02	20
3/14/2007	12:25:59	0.081	0.013	13
3/14/2007	12:40:59	0.07	0.002	2
3/14/2007	12:55:59	0.067	-0.001	-1
3/14/2007	13:10:59	0.065	-0.003	-3
3/14/2007	13:25:59	0.063	-0.005	-5
3/14/2007	13:40:59	0.061	-0.007	-7
3/14/2007	13:55:59	0.062	-0.006	-6
3/14/2007	14:10:59	0.061	-0.007	-7
3/14/2007	14:25:59	0.061	-0.007	-7
3/14/2007	14:40:59	0.058	-0.01	-10
3/14/2007	14:55:59	0.056	-0.012	-12
3/14/2007	15:10:59	0.056	-0.012	-12
3/14/2007	15:25:59	0.056	-0.012	-12
3/14/2007	15:40:59	0.058	-0.01	-10
3/14/2007	15:55:59	0.059	-0.009	-9
3/14/2007	16:10:59	0.059	-0.009	-9
3/14/2007	16:25:59	0.057	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/14/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/14/2007 6:38	0		0
2	3/14/2007 6:53	0		0
3	3/14/2007 7:08	0		0
4	3/14/2007 7:23	0		0
5	3/14/2007 7:38	0		0
6	3/14/2007 7:53	0		0
7	3/14/2007 8:08	0		0
8	3/14/2007 8:23	0		0
9	3/14/2007 8:38	0		0
10	3/14/2007 8:53	0		0
11	3/14/2007 9:08	0		0
12	3/14/2007 9:23	0		0
13	3/14/2007 9:38	0		0
14	3/14/2007 9:53	0		0
15	3/14/2007 10:08	0		0
16	3/14/2007 10:23	0		0
17	3/14/2007 10:38	0		0
18	3/14/2007 10:53	0		0
19	3/14/2007 11:08	0		0
20	3/14/2007 11:23	0		0
21	3/14/2007 11:38	0		0
22	3/14/2007 11:53	0		0
23	3/14/2007 12:08	0		0
24	3/14/2007 12:23	0		0
25	3/14/2007 12:38	0		0
26	3/14/2007 12:53	0		0
27	3/14/2007 13:08	0		0
28	3/14/2007 13:23	0		0
29	3/14/2007 13:38	0		0
30	3/14/2007 13:53	0		0
31	3/14/2007 14:08	0		0
32	3/14/2007 14:23	0		0
33	3/14/2007 14:38	0		0
34	3/14/2007 14:53	0		0
35	3/14/2007 15:08	0		0
36	3/14/2007 15:23	0		0
37	3/14/2007 15:38	0		0
38	3/14/2007 15:53	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	3/14/2007
Start Time:	6:23:57
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0625) = 0.114 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/14/2007	6:38:57	0.1	-0.014	-14
3/14/2007	6:53:57	0.093	-0.021	-21
3/14/2007	7:08:57	0.092	-0.022	-22
3/14/2007	7:23:57	0.094	-0.02	-20
3/14/2007	7:38:57	0.112	-0.002	-2
3/14/2007	7:53:57	0.104	-0.01	-10
3/14/2007	8:08:57	0.114	0	0
3/14/2007	8:23:57	0.121	0.007	7
3/14/2007	8:38:57	0.123	0.009	9
3/14/2007	8:53:57	0.13	0.016	16
3/14/2007	9:08:57	0.136	0.022	22
3/14/2007	9:23:57	0.133	0.019	19
3/14/2007	9:38:57	0.128	0.014	14
3/14/2007	9:53:57	0.126	0.012	12
3/14/2007	10:08:57	0.128	0.014	14
3/14/2007	10:23:57	0.131	0.017	17
3/14/2007	10:38:57	0.124	0.01	10
3/14/2007	10:53:57	0.125	0.011	11
3/14/2007	11:08:57	0.118	0.004	4
3/14/2007	11:23:57	0.12	0.006	6
3/14/2007	11:38:57	0.12	0.006	6
3/14/2007	11:53:57	0.122	0.008	8
3/14/2007	12:08:57	0.117	0.003	3
3/14/2007	12:23:57	0.112	-0.002	-2
3/14/2007	12:38:57	0.095	-0.019	-19
3/14/2007	12:53:57	0.088	-0.026	-26
3/14/2007	13:08:57	0.086	-0.028	-28
3/14/2007	13:23:57	0.085	-0.029	-29
3/14/2007	13:38:57	0.084	-0.03	-30
3/14/2007	13:53:57	0.082	-0.032	-32
3/14/2007	14:08:57	0.079	-0.035	-35
3/14/2007	14:23:57	0.077	-0.037	-37
3/14/2007	14:38:57	0.075	-0.039	-39
3/14/2007	14:53:57	0.075	-0.039	-39
3/14/2007	15:08:57	0.075	-0.039	-39
3/14/2007	15:23:57	0.073	-0.041	-41
3/14/2007	15:38:57	0.075	-0.039	-39
3/14/2007	15:53:57	0.077	-0.037	-37
3/14/2007	16:08:57	0.079	-0.035	-35

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/14/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/14/2007 6:44	0		0
2	3/14/2007 6:59	0		0
3	3/14/2007 7:14	0		0
4	3/14/2007 7:29	0		0
5	3/14/2007 7:44	0		0
6	3/14/2007 7:59	0		0
7	3/14/2007 8:14	0		0
8	3/14/2007 8:29	0		0
9	3/14/2007 8:44	0		0
10	3/14/2007 8:59	0		0
11	3/14/2007 9:14	0		0
12	3/14/2007 9:29	0		0
13	3/14/2007 9:44	0		0
14	3/14/2007 9:59	0		0
15	3/14/2007 10:14	0		0
16	3/14/2007 10:29	0		0
17	3/14/2007 10:44	0		0
18	3/14/2007 10:59	0		0
19	3/14/2007 11:14	0		0
20	3/14/2007 11:29	0		0
21	3/14/2007 11:44	0		0
22	3/14/2007 11:59	0		0
23	3/14/2007 12:14	0		0
24	3/14/2007 12:29	0		0
25	3/14/2007 12:44	0		0
26	3/14/2007 12:59	0		0
27	3/14/2007 13:14	0		0
28	3/14/2007 13:29	0		0
29	3/14/2007 13:44	0		0
30	3/14/2007 13:59	0		0
31	3/14/2007 14:14	0		0
32	3/14/2007 14:29	0		0
33	3/14/2007 14:44	0		0
34	3/14/2007 14:59	0		0
35	3/14/2007 15:14	0		0
36	3/14/2007 15:29	0		0
37	3/14/2007 15:44	0		0
38	3/14/2007 15:59	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	3/14/2007
Start Time:	6:28:58
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0630) = 0.080 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/14/2007	6:43:58	0.077	-0.003	-3
3/14/2007	6:58:58	0.079	-0.001	-1
3/14/2007	7:13:58	0.078	-0.002	-2
3/14/2007	7:28:58	0.083	0.003	3
3/14/2007	7:43:58	0.089	0.009	9
3/14/2007	7:58:58	0.105	0.025	25
3/14/2007	8:13:58	0.095	0.015	15
3/14/2007	8:28:58	0.099	0.019	19
3/14/2007	8:43:58	0.105	0.025	25
3/14/2007	8:58:58	0.11	0.03	30
3/14/2007	9:13:58	0.116	0.036	36
3/14/2007	9:28:58	0.11	0.03	30
3/14/2007	9:43:58	0.101	0.021	21
3/14/2007	9:58:58	0.107	0.027	27
3/14/2007	10:13:58	0.099	0.019	19
3/14/2007	10:28:58	0.097	0.017	17
3/14/2007	10:43:58	0.093	0.013	13
3/14/2007	10:58:58	0.092	0.012	12
3/14/2007	11:13:58	0.092	0.012	12
3/14/2007	11:28:58	0.093	0.013	13
3/14/2007	11:43:58	0.095	0.015	15
3/14/2007	11:58:58	0.094	0.014	14
3/14/2007	12:13:58	0.091	0.011	11
3/14/2007	12:28:58	0.081	0.001	1
3/14/2007	12:43:58	0.07	-0.01	-10
3/14/2007	12:58:58	0.067	-0.013	-13
3/14/2007	13:13:58	0.067	-0.013	-13
3/14/2007	13:28:58	0.066	-0.014	-14
3/14/2007	13:43:58	0.066	-0.014	-14
3/14/2007	13:58:58	0.063	-0.017	-17
3/14/2007	14:13:58	0.063	-0.017	-17
3/14/2007	14:28:58	0.064	-0.016	-16
3/14/2007	14:43:58	0.06	-0.02	-20
3/14/2007	14:58:58	0.059	-0.021	-21
3/14/2007	15:13:58	0.06	-0.02	-20
3/14/2007	15:28:58	0.058	-0.022	-22
3/14/2007	15:43:58	0.062	-0.018	-18
3/14/2007	15:58:58	0.064	-0.016	-16
3/14/2007	16:13:58	0.062	-0.018	-18

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/15/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/15/2007 6:49	0		0
2	3/15/2007 7:04	0.1		0.1
3	3/15/2007 7:19	0.1		0.1
4	3/15/2007 7:34	0.1		0.1
5	3/15/2007 7:49	0		0
6	3/15/2007 8:04	0		0
7	3/15/2007 8:19	0		0
8	3/15/2007 8:34	0.1		0.1
9	3/15/2007 8:49	0.2		0.2
10	3/15/2007 9:04	0.1		0.1
11	3/15/2007 9:19	0.1		0.1
12	3/15/2007 9:34	0		0
13	3/15/2007 9:49	0		0
14	3/15/2007 10:04	0		0
15	3/15/2007 10:19	0		0
16	3/15/2007 10:34	0		0
17	3/15/2007 10:49	0		0
18	3/15/2007 11:04	0.1		0.1
19	3/15/2007 11:19	0		0
20	3/15/2007 11:34	0.1		0.1
21	3/15/2007 11:49	0.1		0.1
22	3/15/2007 12:04	0.1		0.1
23	3/15/2007 12:19	0.1		0.1
24	3/15/2007 12:34	0.1		0.1
25	3/15/2007 12:49	0.1		0.1
26	3/15/2007 13:04	0.1		0.1
27	3/15/2007 13:19	0.1		0.1
28	3/15/2007 13:34	0.2		0.2
29	3/15/2007 13:49	0.2		0.2
30	3/15/2007 14:04	0.2		0.2
31	3/15/2007 14:19	0.2		0.2
32	3/15/2007 14:34	0.2		0.2
33	3/15/2007 14:49	0.2		0.2
34	3/15/2007 15:04	0.2		0.2
35	3/15/2007 15:19	0.2		0.2
36	3/15/2007 15:34	0.2		0.2
37	3/15/2007 15:49	0.2		0.2
38	3/15/2007 16:04	0.2		0.2
39	3/15/2007 16:19	0.2		0.2
40	3/15/2007 16:34	0.2		0.2
41	3/15/2007 16:49	0.2		0.2
42	3/15/2007 17:04	0.3		0.3
43	3/15/2007 17:19	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	3/15/2007
Start Time:	6:34:21
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0634) = 0.116 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/15/2007	6:49:21	0.12	0.004	4
3/15/2007	7:04:21	0.131	0.015	15
3/15/2007	7:19:21	0.135	0.019	19
3/15/2007	7:34:21	0.166	0.05	50
3/15/2007	7:49:21	0.143	0.027	27
3/15/2007	8:04:21	0.12	0.004	4
3/15/2007	8:19:21	0.123	0.007	7
3/15/2007	8:34:21	0.123	0.007	7
3/15/2007	8:49:21	0.13	0.014	14
3/15/2007	9:04:21	0.143	0.027	27
3/15/2007	9:19:21	0.161	0.045	45
3/15/2007	9:34:21	0.141	0.025	25
3/15/2007	9:49:21	0.08	-0.036	-36
3/15/2007	10:04:21	0.087	-0.029	-29
3/15/2007	10:19:21	0.094	-0.022	-22
3/15/2007	10:34:21	0.097	-0.019	-19
3/15/2007	10:49:21	0.095	-0.021	-21
3/15/2007	11:04:21	0.089	-0.027	-27
3/15/2007	11:19:21	0.071	-0.045	-45
3/15/2007	11:34:21	0.052	-0.064	-64
3/15/2007	11:49:21	0.028	-0.088	-88
3/15/2007	12:04:21	0.017	-0.099	-99
3/15/2007	12:19:21	0.02	-0.096	-96
3/15/2007	12:34:21	0.009	-0.107	-107
3/15/2007	12:49:21	0.008	-0.108	-108
3/15/2007	13:04:21	0.008	-0.108	-108
3/15/2007	13:19:21	0.007	-0.109	-109
3/15/2007	13:34:21	0.006	-0.11	-110
3/15/2007	13:49:21	0.009	-0.107	-107
3/15/2007	14:04:21	0.009	-0.107	-107
3/15/2007	14:19:21	0.01	-0.106	-106
3/15/2007	14:34:21	0.011	-0.105	-105
3/15/2007	14:49:21	0.017	-0.099	-99
3/15/2007	15:04:21	0.015	-0.101	-101
3/15/2007	15:19:21	0.01	-0.106	-106
3/15/2007	15:34:21	0.009	-0.107	-107
3/15/2007	15:49:21	0.01	-0.106	-106
3/15/2007	16:04:21	0.009	-0.107	-107
3/15/2007	16:19:21	0.012	-0.104	-104
3/15/2007	16:34:21	0.018	-0.098	-98
3/15/2007	16:49:21	0.011	-0.105	-105
3/15/2007	17:04:21	0.009	-0.107	-107
3/15/2007	17:19:21	0.006	-0.11	-110
3/15/2007	17:34:21	0.006	-0.11	-110

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/15/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/15/2007 6:55	0		0
2	3/15/2007 7:10	0		0
3	3/15/2007 7:25	0.1		0.1
4	3/15/2007 7:40	0.1		0.1
5	3/15/2007 7:55	0.1		0.1
6	3/15/2007 8:10	0.1		0.1
7	3/15/2007 8:25	0.1		0.1
8	3/15/2007 8:40	0.2		0.2
9	3/15/2007 8:55	0.2		0.2
10	3/15/2007 9:10	0.3		0.3
11	3/15/2007 9:25	0.2		0.2
12	3/15/2007 9:40	0.1		0.1
13	3/15/2007 9:55	0.1		0.1
14	3/15/2007 10:10	0.2		0.2
15	3/15/2007 10:25	0.1		0.1
16	3/15/2007 10:40	0.1		0.1
17	3/15/2007 10:55	0.1		0.1
18	3/15/2007 11:10	0.1		0.1
19	3/15/2007 11:25	0.1		0.1
20	3/15/2007 11:40	0.1		0.1
21	3/15/2007 11:55	0.1		0.1
22	3/15/2007 12:10	0.2		0.2
23	3/15/2007 12:25	0.2		0.2
24	3/15/2007 12:40	0.1		0.1
25	3/15/2007 12:55	0.2		0.2
26	3/15/2007 13:10	0.2		0.2
27	3/15/2007 13:25	0.3		0.3
28	3/15/2007 13:40	0.3		0.3
29	3/15/2007 13:55	0.3		0.3
30	3/15/2007 14:10	0.3		0.3
31	3/15/2007 14:25	0.3		0.3
32	3/15/2007 14:40	0.3		0.3
33	3/15/2007 14:55	0.3		0.3
34	3/15/2007 15:10	0.3		0.3
35	3/15/2007 15:25	0.3		0.3
36	3/15/2007 15:40	0.4		0.4
37	3/15/2007 15:55	0.3		0.3
38	3/15/2007 16:10	0.4		0.4
39	3/15/2007 16:25	0.4		0.4
40	3/15/2007 16:40	0.4		0.4
41	3/15/2007 16:55	0.4		0.4
42	3/15/2007 17:10	0.4		0.4
43	3/15/2007 17:25	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	3/15/2007
Start Time:	6:40:09
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (06141) = 0.086 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/15/2007	6:55:09	0.093	0.007	7
3/15/2007	7:10:09	0.096	0.01	10
3/15/2007	7:25:09	0.102	0.016	16
3/15/2007	7:40:09	0.107	0.021	21
3/15/2007	7:55:09	0.095	0.009	9
3/15/2007	8:10:09	0.09	0.004	4
3/15/2007	8:25:09	0.092	0.006	6
3/15/2007	8:40:09	0.094	0.008	8
3/15/2007	8:55:09	0.1	0.014	14
3/15/2007	9:10:09	0.112	0.026	26
3/15/2007	9:25:09	0.124	0.038	38
3/15/2007	9:40:09	0.083	-0.003	-3
3/15/2007	9:55:09	0.063	-0.023	-23
3/15/2007	10:10:09	0.07	-0.016	-16
3/15/2007	10:25:09	0.075	-0.011	-11
3/15/2007	10:40:09	0.073	-0.013	-13
3/15/2007	10:55:09	0.074	-0.012	-12
3/15/2007	11:10:09	0.071	-0.015	-15
3/15/2007	11:25:09	0.043	-0.043	-43
3/15/2007	11:40:09	0.031	-0.055	-55
3/15/2007	11:55:09	0.012	-0.074	-74
3/15/2007	12:10:09	0.009	-0.077	-77
3/15/2007	12:25:09	0.007	-0.079	-79
3/15/2007	12:40:09	0.005	-0.081	-81
3/15/2007	12:55:09	0.005	-0.081	-81
3/15/2007	13:10:09	0.006	-0.08	-80
3/15/2007	13:25:09	0.005	-0.081	-81
3/15/2007	13:40:09	0.005	-0.081	-81
3/15/2007	13:55:09	0.006	-0.08	-80
3/15/2007	14:10:09	0.005	-0.081	-81
3/15/2007	14:25:09	0.006	-0.08	-80
3/15/2007	14:40:09	0.007	-0.079	-79
3/15/2007	14:55:09	0.007	-0.079	-79
3/15/2007	15:10:09	0.008	-0.078	-78
3/15/2007	15:25:09	0.005	-0.081	-81
3/15/2007	15:40:09	0.005	-0.081	-81
3/15/2007	15:55:09	0.005	-0.081	-81
3/15/2007	16:10:09	0.005	-0.081	-81
3/15/2007	16:25:09	0.006	-0.08	-80
3/15/2007	16:40:09	0.007	-0.079	-79
3/15/2007	16:55:09	0.006	-0.08	-80
3/15/2007	17:10:09	0.004	-0.082	-82
3/15/2007	17:25:09	0.003	-0.083	-83
3/15/2007	17:40:09	0.004	-0.082	-82

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/15/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0659) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/15/2007 7:14	0.2		0.2
2	3/15/2007 7:29	0.2		0.2
3	3/15/2007 7:44	0.2		0.2
4	3/15/2007 7:59	0.2		0.2
5	3/15/2007 8:14	0.2		0.2
6	3/15/2007 8:29	0.2		0.2
7	3/15/2007 8:44	0.3		0.3
8	3/15/2007 8:59	0.3		0.3
9	3/15/2007 9:14	0.3		0.3
10	3/15/2007 9:29	0.3		0.3
11	3/15/2007 9:44	0.3		0.3
12	3/15/2007 9:59	0.3		0.3
13	3/15/2007 10:14	0.3		0.3
14	3/15/2007 10:29	0.3		0.3
15	3/15/2007 10:44	0.3		0.3
16	3/15/2007 10:59	0.3		0.3
17	3/15/2007 11:14	0.3		0.3
18	3/15/2007 11:29	0.3		0.3
19	3/15/2007 11:44	0.3		0.3
20	3/15/2007 11:59	0.4		0.4
21	3/15/2007 12:14	0.4		0.4
22	3/15/2007 12:29	0.4		0.4
23	3/15/2007 12:44	0.4		0.4
24	3/15/2007 12:59	0.4		0.4
25	3/15/2007 13:14	0.4		0.4
26	3/15/2007 13:29	0.4		0.4
27	3/15/2007 13:44	0.4		0.4
28	3/15/2007 13:59	0.4		0.4
29	3/15/2007 14:14	0.4		0.4
30	3/15/2007 14:29	0.4		0.4
31	3/15/2007 14:44	0.4		0.4
32	3/15/2007 14:59	0.4		0.4
33	3/15/2007 15:14	0.4		0.4
34	3/15/2007 15:29	0.4		0.4
35	3/15/2007 15:44	0.5		0.5
36	3/15/2007 15:59	0.5		0.5
37	3/15/2007 16:14	0.4		0.4
38	3/15/2007 16:29	0.4		0.4
39	3/15/2007 16:44	0.4		0.4
40	3/15/2007 16:59	0.5		0.5
41	3/15/2007 17:14	0.5		0.5
42	3/15/2007 17:29	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	3/15/2007
Start Time:	6:58:51
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0659) = 0.123 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/15/2007	7:13:51	0.127	0.004	4
3/15/2007	7:28:51	0.144	0.021	21
3/15/2007	7:43:51	0.157	0.034	34
3/15/2007	7:58:51	0.13	0.007	7
3/15/2007	8:13:51	0.137	0.014	14
3/15/2007	8:28:51	0.132	0.009	9
3/15/2007	8:43:51	0.135	0.012	12
3/15/2007	8:58:51	0.144	0.021	21
3/15/2007	9:13:51	0.157	0.034	34
3/15/2007	9:28:51	0.165	0.042	42
3/15/2007	9:43:51	0.1	-0.023	-23
3/15/2007	9:58:51	0.091	-0.032	-32
3/15/2007	10:13:51	0.103	-0.02	-20
3/15/2007	10:28:51	0.105	-0.018	-18
3/15/2007	10:43:51	0.106	-0.017	-17
3/15/2007	10:58:51	0.101	-0.022	-22
3/15/2007	11:13:51	0.088	-0.035	-35
3/15/2007	11:28:51	0.058	-0.065	-65
3/15/2007	11:43:51	0.038	-0.085	-85
3/15/2007	11:58:51	0.016	-0.107	-107
3/15/2007	12:13:51	0.011	-0.112	-112
3/15/2007	12:28:51	0.008	-0.115	-115
3/15/2007	12:43:51	0.007	-0.116	-116
3/15/2007	12:58:51	0.008	-0.115	-115
3/15/2007	13:13:51	0.008	-0.115	-115
3/15/2007	13:28:51	0.009	-0.114	-114
3/15/2007	13:43:51	0.007	-0.116	-116
3/15/2007	13:58:51	0.009	-0.114	-114
3/15/2007	14:13:51	0.009	-0.114	-114
3/15/2007	14:28:51	0.01	-0.113	-113
3/15/2007	14:43:51	0.011	-0.112	-112
3/15/2007	14:58:51	0.012	-0.111	-111
3/15/2007	15:13:51	0.011	-0.112	-112
3/15/2007	15:28:51	0.009	-0.114	-114
3/15/2007	15:43:51	0.007	-0.116	-116
3/15/2007	15:58:51	0.007	-0.116	-116
3/15/2007	16:13:51	0.016	-0.107	-107
3/15/2007	16:28:51	0.013	-0.11	-110
3/15/2007	16:43:51	0.011	-0.112	-112
3/15/2007	16:58:51	0.009	-0.114	-114
3/15/2007	17:13:51	0.007	-0.116	-116
3/15/2007	17:28:51	0.005	-0.118	-118
3/15/2007	17:43:51	0.008	-0.115	-115

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/15/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0654) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/15/2007 7:07	0		0
2	3/15/2007 7:22	0		0
3	3/15/2007 7:37	0		0
4	3/15/2007 7:52	0		0
5	3/15/2007 8:07	0		0
6	3/15/2007 8:22	0		0
7	3/15/2007 8:37	0		0
8	3/15/2007 8:52	0		0
9	3/15/2007 9:07	0		0
10	3/15/2007 9:22	0		0
11	3/15/2007 9:37	0		0
12	3/15/2007 9:52	0		0
13	3/15/2007 10:07	0		0
14	3/15/2007 10:22	0		0
15	3/15/2007 10:37	0		0
16	3/15/2007 10:52	0		0
17	3/15/2007 11:07	0		0
18	3/15/2007 11:22	0		0
19	3/15/2007 11:37	0		0
20	3/15/2007 11:52	0		0
21	3/15/2007 12:07	0		0
22	3/15/2007 12:22	0		0
23	3/15/2007 12:37	0		0
24	3/15/2007 12:52	0		0
25	3/15/2007 13:07	0		0
26	3/15/2007 13:22	0		0
27	3/15/2007 13:37	0		0
28	3/15/2007 13:52	0		0
29	3/15/2007 14:07	0		0
30	3/15/2007 14:22	0		0
31	3/15/2007 14:37	0		0
32	3/15/2007 14:52	0		0
33	3/15/2007 15:07	0		0
1	3/15/2007 16:28	0		0
2	3/15/2007 16:43	0		0
3	3/15/2007 16:58	0		0
4	3/15/2007 17:13	0		0
5	3/15/2007 17:28	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	3/15/2007
Start Time:	6:53:23
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0654) = 0.097 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/15/2007	7:08:23	0.102	0.005	5
3/15/2007	7:23:23	0.113	0.016	16
3/15/2007	7:38:23	0.132	0.035	35
3/15/2007	7:53:23	0.124	0.027	27
3/15/2007	8:08:23	0.117	0.02	20
3/15/2007	8:23:23	0.106	0.009	9
3/15/2007	8:38:23	0.108	0.011	11
3/15/2007	8:53:23	0.113	0.016	16
3/15/2007	9:08:23	0.121	0.024	24
3/15/2007	9:23:23	0.141	0.044	44
3/15/2007	9:38:23	0.11	0.013	13
3/15/2007	9:53:23	0.076	-0.021	-21
3/15/2007	10:08:23	0.091	-0.006	-6
3/15/2007	10:23:23	0.092	-0.005	-5
3/15/2007	10:38:23	0.087	-0.01	-10
3/15/2007	10:53:23	0.083	-0.014	-14
3/15/2007	11:08:23	0.086	-0.011	-11
3/15/2007	11:23:23	0.067	-0.03	-30
3/15/2007	11:38:23	0.042	-0.055	-55
3/15/2007	11:53:23	0.023	-0.074	-74
3/15/2007	12:08:23	0.014	-0.083	-83
3/15/2007	12:23:23	0.009	-0.088	-88
3/15/2007	12:38:23	0.007	-0.09	-90
3/15/2007	12:53:23	0.008	-0.089	-89
3/15/2007	13:08:23	0.009	-0.088	-88
3/15/2007	13:23:23	0.01	-0.087	-87
3/15/2007	13:38:23	0.009	-0.088	-88
3/15/2007	13:53:23	0.012	-0.085	-85
3/15/2007	14:08:23	0.011	-0.086	-86
3/15/2007	14:23:23	0.011	-0.086	-86
3/15/2007	14:38:23	0.011	-0.086	-86
3/15/2007	14:53:23	0.012	-0.085	-85
3/15/2007	15:08:23	0.011	-0.086	-86
3/15/2007	15:38:23	0.01	-0.087	-87
3/15/2007	15:23:23	0.009	-0.088	-88
3/15/2007	15:53:23	0.008	-0.089	-89
3/15/2007	16:08:23	0.016	-0.081	-81
3/15/2007	16:23:23	0.031	-0.066	-66
3/15/2007	16:38:23	0.022	-0.075	-75
3/15/2007	16:53:23	0.01	-0.087	-87
3/15/2007	17:08:23	0.009	-0.088	-88
3/15/2007	17:23:23	0.006	-0.091	-91
3/15/2007	17:38:23	0:11:31	-0.089	-89

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/16/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/16/2007 7:07	0		0
2	3/16/2007 7:22	0.1		0.1
3	3/16/2007 7:37	0.2		0.2
4	3/16/2007 7:52	0.3		0.3
5	3/16/2007 8:07	0.3		0.3
6	3/16/2007 8:22	0.4		0.4
7	3/16/2007 8:37	0.4		0.4
8	3/16/2007 8:52	0.5		0.5
9	3/16/2007 9:07	0.5		0.5
10	3/16/2007 9:22	0.5		0.5
11	3/16/2007 9:37	0.5		0.5
12	3/16/2007 9:52	0.5		0.5
13	3/16/2007 10:07	0.5		0.5
14	3/16/2007 10:22	0.5		0.5
15	3/16/2007 10:37	0.5		0.5
16	3/16/2007 10:52	0.5		0.5
17	3/16/2007 11:07	0.5		0.5
18	3/16/2007 11:22	0.5		0.5
19	3/16/2007 11:37	0.5		0.5
20	3/16/2007 11:52	0.5		0.5
21	3/16/2007 12:07	0.5		0.5
22	3/16/2007 12:22	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	3/16/2007
Start Time:	6:51:47
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0651) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/16/2007	7:06:47	0.014	0	0
3/16/2007	7:21:47	0.014	0	0
3/16/2007	7:36:47	0.015	0.001	1
3/16/2007	7:51:47	0.017	0.003	3
3/16/2007	8:06:47	0.012	-0.002	-2
3/16/2007	8:21:47	0.013	-0.001	-1
3/16/2007	8:36:47	0.013	-0.001	-1
3/16/2007	8:51:47	0.014	0	0
3/16/2007	9:06:47	0.014	0	0
3/16/2007	9:21:47	0.013	-0.001	-1
3/16/2007	9:36:47	0.014	0	0
3/16/2007	9:51:47	0.015	0.001	1
3/16/2007	10:06:47	0.015	0.001	1
3/16/2007	10:21:47	0.015	0.001	1
3/16/2007	10:36:47	0.019	0.005	5
3/16/2007	10:51:47	0.019	0.005	5
3/16/2007	11:06:47	0.018	0.004	4
3/16/2007	11:21:47	0.018	0.004	4
3/16/2007	11:36:47	0.017	0.003	3
3/16/2007	11:51:47	0.018	0.004	4
3/16/2007	12:06:47	0.019	0.005	5
3/16/2007	12:21:47	0.016	0.002	2
3/16/2007	12:36:47	0.015	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/16/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/16/2007 7:21	0		0
2	3/16/2007 7:36	0		0
3	3/16/2007 7:51	0.1		0.1
4	3/16/2007 8:06	0.1		0.1
5	3/16/2007 8:21	0.1		0.1
6	3/16/2007 8:36	0.2		0.2
7	3/16/2007 8:51	0.2		0.2
8	3/16/2007 9:06	0.2		0.2
9	3/16/2007 9:21	0.2		0.2
10	3/16/2007 9:36	0.2		0.2
11	3/16/2007 9:51	0.2		0.2
12	3/16/2007 10:06	0.2		0.2
13	3/16/2007 10:21	0.2		0.2
14	3/16/2007 10:36	0.2		0.2
15	3/16/2007 10:51	0.2		0.2
16	3/16/2007 11:06	0.2		0.2
17	3/16/2007 11:21	0.2		0.2
18	3/16/2007 11:36	0.2		0.2
19	3/16/2007 11:51	0.2		0.2
20	3/16/2007 12:06	0.2		0.2
21	3/16/2007 12:21	0.2		0.2
22	3/16/2007 12:36	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	3/16/2007
Start Time:	7:05:45
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0705) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/16/2007	7:20:45	0.008	-0.002	-2
3/16/2007	7:35:45	0.008	-0.002	-2
3/16/2007	7:50:45	0.008	-0.002	-2
3/16/2007	8:05:45	0.008	-0.002	-2
3/16/2007	8:20:45	0.009	-0.001	-1
3/16/2007	8:35:45	0.009	-0.001	-1
3/16/2007	8:50:45	0.009	-0.001	-1
3/16/2007	9:05:45	0.01	0	0
3/16/2007	9:20:45	0.01	0	0
3/16/2007	9:35:45	0.008	-0.002	-2
3/16/2007	9:50:45	0.01	0	0
3/16/2007	10:05:45	0.009	-0.001	-1
3/16/2007	10:20:45	0.009	-0.001	-1
3/16/2007	10:35:45	0.01	0	0
3/16/2007	10:50:45	0.01	0	0
3/16/2007	11:05:45	0.01	0	0
3/16/2007	11:20:45	0.01	0	0
3/16/2007	11:35:45	0.009	-0.001	-1
3/16/2007	11:50:45	0.009	-0.001	-1
3/16/2007	12:05:45	0.01	0	0
3/16/2007	12:20:45	0.009	-0.001	-1
3/16/2007	12:35:45	0.009	-0.001	-1
3/16/2007	12:50:45	0.011	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/16/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/16/2007 7:07	0		0
2	3/16/2007 7:22	0		0
3	3/16/2007 7:37	0.1		0.1
4	3/16/2007 7:52	0.1		0.1
5	3/16/2007 8:07	0.1		0.1
6	3/16/2007 8:22	0.1		0.1
7	3/16/2007 8:37	0.2		0.2
8	3/16/2007 8:52	0.2		0.2
9	3/16/2007 9:07	0.2		0.2
10	3/16/2007 9:22	0.2		0.2
11	3/16/2007 9:37	0.2		0.2
12	3/16/2007 9:52	0.2		0.2
13	3/16/2007 10:07	0.2		0.2
14	3/16/2007 10:22	0.2		0.2
15	3/16/2007 10:37	0.2		0.2
16	3/16/2007 10:52	0.2		0.2
17	3/16/2007 11:07	0.2		0.2
18	3/16/2007 11:22	0.2		0.2
19	3/16/2007 11:37	0.2		0.2
20	3/16/2007 11:52	0.2		0.2
21	3/16/2007 12:07	0.2		0.2
22	3/16/2007 12:22	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	3/16/2007
Start Time:	6:56:45
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0656) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	10/19/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/16/2007	7:11:45	0.012	0	0
3/16/2007	7:26:45	0.013	0.001	1
3/16/2007	7:41:45	0.013	0.001	1
3/16/2007	7:56:45	0.012	0	0
3/16/2007	8:11:45	0.011	-0.001	-1
3/16/2007	8:26:45	0.013	0.001	1
3/16/2007	8:41:45	0.013	0.001	1
3/16/2007	8:56:45	0.014	0.002	2
3/16/2007	9:11:45	0.014	0.002	2
3/16/2007	9:26:45	0.012	0	0
3/16/2007	9:41:45	0.013	0.001	1
3/16/2007	9:56:45	0.014	0.002	2
3/16/2007	10:11:45	0.014	0.002	2
3/16/2007	10:26:45	0.015	0.003	3
3/16/2007	10:41:45	0.015	0.003	3
3/16/2007	10:56:45	0.015	0.003	3
3/16/2007	11:11:45	0.016	0.004	4
3/16/2007	11:26:45	0.014	0.002	2
3/16/2007	11:41:45	0.015	0.003	3
3/16/2007	11:56:45	0.015	0.003	3
3/16/2007	12:11:45	0.016	0.004	4
3/16/2007	12:26:45	0.014	0.002	2
3/16/2007	12:41:45	0.015	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/16/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/16/2007 7:07	0		0
2	3/16/2007 7:22	0.2		0.2
3	3/16/2007 7:37	0.3		0.3
4	3/16/2007 7:52	0.4		0.4
5	3/16/2007 8:07	0.5		0.5
6	3/16/2007 8:22	0.7		0.7
7	3/16/2007 8:37	0.7		0.7
8	3/16/2007 8:52	0.7		0.7
9	3/16/2007 9:07	0.7		0.7
10	3/16/2007 9:22	0.7		0.7
11	3/16/2007 9:37	0.7		0.7
12	3/16/2007 9:52	0.7		0.7
13	3/16/2007 10:07	0.7		0.7
14	3/16/2007 10:22	0.7		0.7
15	3/16/2007 10:37	0.7		0.7
16	3/16/2007 10:52	0.6		0.6
17	3/16/2007 11:07	0.7		0.7
18	3/16/2007 11:22	0.6		0.6
19	3/16/2007 11:37	0.6		0.6
20	3/16/2007 11:52	0.6		0.6
21	3/16/2007 12:07	0.6		0.6
22	3/16/2007 12:22	0.6		0.6

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	3/16/2007
Start Time:	6:51:52
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0652) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/16/2007	7:06:52	0.011	0.001	1
3/16/2007	7:21:52	0.012	0.002	2
3/16/2007	7:36:52	0.013	0.003	3
3/16/2007	7:51:52	0.01	0	0
3/16/2007	8:06:52	0.01	0	0
3/16/2007	8:21:52	0.012	0.002	2
3/16/2007	8:36:52	0.011	0.001	1
3/16/2007	8:51:52	0.013	0.003	3
3/16/2007	9:06:52	0.012	0.002	2
3/16/2007	9:21:52	0.011	0.001	1
3/16/2007	9:36:52	0.011	0.001	1
3/16/2007	9:51:52	0.014	0.004	4
3/16/2007	10:06:52	0.013	0.003	3
3/16/2007	10:21:52	0.015	0.005	5
3/16/2007	10:36:52	0.014	0.004	4
3/16/2007	10:51:52	0.016	0.006	6
3/16/2007	11:06:52	0.015	0.005	5
3/16/2007	11:21:52	0.013	0.003	3
3/16/2007	11:36:52	0.013	0.003	3
3/16/2007	11:51:52	0.014	0.004	4
3/16/2007	12:06:52	0.013	0.003	3
3/16/2007	12:21:52	0.013	0.003	3
3/16/2007	12:36:52	0.013	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/19/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/19/2007 7:02	0		0
2	3/19/2007 7:17	0		0
3	3/19/2007 7:32	0.1		0.1
4	3/19/2007 7:47	0.2		0.2
5	3/19/2007 8:02	0.2		0.2
6	3/19/2007 8:17	0.3		0.3
7	3/19/2007 8:32	0.3		0.3
8	3/19/2007 8:47	0.3		0.3
9	3/19/2007 9:02	0.4		0.4
10	3/19/2007 9:17	0.4		0.4
11	3/19/2007 9:32	0.4		0.4
12	3/19/2007 9:47	0.4		0.4
13	3/19/2007 10:02	0.4		0.4
14	3/19/2007 10:17	0.4		0.4
15	3/19/2007 10:32	0.4		0.4
16	3/19/2007 10:47	0.5		0.5
17	3/19/2007 11:02	0.5		0.5
18	3/19/2007 11:17	0.5		0.5
19	3/19/2007 11:32	0.5		0.5
20	3/19/2007 11:47	0.5		0.5
21	3/19/2007 12:02	0.5		0.5
22	3/19/2007 12:17	0.5		0.5
23	3/19/2007 12:32	0.5		0.5
24	3/19/2007 12:47	0.5		0.5
25	3/19/2007 13:02	0.5		0.5
26	3/19/2007 13:17	0.5		0.5
27	3/19/2007 13:32	0.5		0.5
28	3/19/2007 13:47	0.5		0.5
29	3/19/2007 14:02	0.5		0.5
30	3/19/2007 14:17	0.5		0.5
31	3/19/2007 14:32	0.5		0.5
32	3/19/2007 14:47	0.6		0.6
33	3/19/2007 15:02	0.6		0.6
34	3/19/2007 15:17	0.6		0.6
35	3/19/2007 15:32	0.6		0.6
36	3/19/2007 15:47	0.6		0.6
37	3/19/2007 16:02	0.6		0.6
38	3/19/2007 16:17	0.6		0.6
39	3/19/2007 16:32	0.6		0.6
40	3/19/2007 16:47	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	3/19/2007
Start Time:	6:46:04
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0645) = 0.017 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/19/2007	7:01:04	0.013	-0.004	-4
3/19/2007	7:16:04	0.011	-0.006	-6
3/19/2007	7:31:04	0.015	-0.002	-2
3/19/2007	7:46:04	0.014	-0.003	-3
3/19/2007	8:01:04	0.015	-0.002	-2
3/19/2007	8:16:04	0.014	-0.003	-3
3/19/2007	8:31:04	0.015	-0.002	-2
3/19/2007	8:46:04	0.014	-0.003	-3
3/19/2007	9:01:04	0.014	-0.003	-3
3/19/2007	9:16:04	0.017	0	0
3/19/2007	9:31:04	0.017	0	0
3/19/2007	9:46:04	0.021	0.004	4
3/19/2007	10:01:04	0.016	-0.001	-1
3/19/2007	10:16:04	0.016	-0.001	-1
3/19/2007	10:31:04	0.016	-0.001	-1
3/19/2007	10:46:04	0.014	-0.003	-3
3/19/2007	11:01:04	0.016	-0.001	-1
3/19/2007	11:16:04	0.016	-0.001	-1
3/19/2007	11:31:04	0.014	-0.003	-3
3/19/2007	11:46:04	0.015	-0.002	-2
3/19/2007	12:01:04	0.016	-0.001	-1
3/19/2007	12:16:04	0.016	-0.001	-1
3/19/2007	12:31:04	0.015	-0.002	-2
3/19/2007	12:46:04	0.015	-0.002	-2
3/19/2007	13:01:04	0.014	-0.003	-3
3/19/2007	13:16:04	0.015	-0.002	-2
3/19/2007	13:31:04	0.014	-0.003	-3
3/19/2007	13:46:04	0.016	-0.001	-1
3/19/2007	14:01:04	0.012	-0.005	-5
3/19/2007	14:16:04	0.011	-0.006	-6
3/19/2007	14:31:04	0.013	-0.004	-4
3/19/2007	14:46:04	0.01	-0.007	-7
3/19/2007	15:01:04	0.012	-0.005	-5
3/19/2007	15:16:04	0.014	-0.003	-3
3/19/2007	15:31:04	0.017	0	0
3/19/2007	15:46:04	0.02	0.003	3
3/19/2007	16:01:04	0.018	0.001	1
3/19/2007	16:16:04	0.02	0.003	3
3/19/2007	16:31:04	0.02	0.003	3
3/19/2007	16:46:04	0.02	0.003	3
3/19/2007	17:01:04	0.019	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/19/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0703) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/19/2007 7:17	0		0
2	3/19/2007 7:32	0		0
3	3/19/2007 7:47	0		0
4	3/19/2007 8:02	0.1		0.1
5	3/19/2007 8:17	0.1		0.1
6	3/19/2007 8:32	0.1		0.1
7	3/19/2007 8:47	0.2		0.2
8	3/19/2007 9:02	0.2		0.2
9	3/19/2007 9:17	0.2		0.2
10	3/19/2007 9:32	0.2		0.2
11	3/19/2007 9:47	0.2		0.2
12	3/19/2007 10:02	0.2		0.2
13	3/19/2007 10:17	0.3		0.3
14	3/19/2007 10:32	0.3		0.3
15	3/19/2007 10:47	0.3		0.3
16	3/19/2007 11:02	0.3		0.3
17	3/19/2007 11:17	0.3		0.3
18	3/19/2007 11:32	0.3		0.3
19	3/19/2007 11:47	0.3		0.3
20	3/19/2007 12:02	0.4		0.4
21	3/19/2007 12:17	0.4		0.4
22	3/19/2007 12:32	0.4		0.4
23	3/19/2007 12:47	0.4		0.4
24	3/19/2007 13:02	0.4		0.4
25	3/19/2007 13:17	0.4		0.4
26	3/19/2007 13:32	0.4		0.4
27	3/19/2007 13:47	0.4		0.4
28	3/19/2007 14:02	0.4		0.4
29	3/19/2007 14:17	0.4		0.4
30	3/19/2007 14:32	0.4		0.4
31	3/19/2007 14:47	0.4		0.4
32	3/19/2007 15:02	0.5		0.5
33	3/19/2007 15:17	0.4		0.4
34	3/19/2007 15:32	0.4		0.4
35	3/19/2007 15:47	0.4		0.4
36	3/19/2007 16:02	0.4		0.4
37	3/19/2007 16:17	0.4		0.4
38	3/19/2007 16:32	0.4		0.4
39	3/19/2007 16:47	0.4		0.4
40	3/19/2007 17:02	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	3/19/2007
Start Time:	7:06:48
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0703) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/19/2007	7:21:48	0.007	0.001	1
3/19/2007	7:36:48	0.01	0.004	4
3/19/2007	7:51:48	0.013	0.007	7
3/19/2007	8:06:48	0.012	0.006	6
3/19/2007	8:21:48	0.009	0.003	3
3/19/2007	8:36:48	0.01	0.004	4
3/19/2007	8:51:48	0.009	0.003	3
3/19/2007	9:06:48	0.022	0.016	16
3/19/2007	9:21:48	0.013	0.007	7
3/19/2007	9:36:48	0.011	0.005	5
3/19/2007	9:51:48	0.011	0.005	5
3/19/2007	10:06:48	0.01	0.004	4
3/19/2007	10:21:48	0.01	0.004	4
3/19/2007	10:36:48	0.011	0.005	5
3/19/2007	10:51:48	0.009	0.003	3
3/19/2007	11:06:48	0.01	0.004	4
3/19/2007	11:21:48	0.01	0.004	4
3/19/2007	11:36:48	0.01	0.004	4
3/19/2007	11:51:48	0.009	0.003	3
3/19/2007	12:06:48	0.01	0.004	4
3/19/2007	12:21:48	0.01	0.004	4
3/19/2007	12:36:48	0.009	0.003	3
3/19/2007	12:51:48	0.009	0.003	3
3/19/2007	13:06:48	0.009	0.003	3
3/19/2007	13:21:48	0.01	0.004	4
3/19/2007	13:36:48	0.009	0.003	3
3/19/2007	13:51:48	0.009	0.003	3
3/19/2007	14:06:48	0.007	0.001	1
3/19/2007	14:21:48	0.007	0.001	1
3/19/2007	14:36:48	0.007	0.001	1
3/19/2007	14:51:48	0.007	0.001	1
3/19/2007	15:06:48	0.008	0.002	2
3/19/2007	15:21:48	0.009	0.003	3
3/19/2007	15:36:48	0.01	0.004	4
3/19/2007	15:51:48	0.012	0.006	6
3/19/2007	16:06:48	0.013	0.007	7
3/19/2007	16:21:48	0.015	0.009	9
3/19/2007	16:36:48	0.015	0.009	9
3/19/2007	16:51:48	0.014	0.008	8
3/19/2007	17:06:48	0.013	0.007	7
3/19/2007	17:21:48	0.012	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/19/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0654) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/19/2007 7:05	0		0
2	3/19/2007 7:20	0.1		0.1
3	3/19/2007 7:35	0.1		0.1
4	3/19/2007 7:50	0.1		0.1
5	3/19/2007 8:05	0.2		0.2
6	3/19/2007 8:20	0.2		0.2
7	3/19/2007 8:35	0.2		0.2
8	3/19/2007 8:50	0.2		0.2
9	3/19/2007 9:05	0.3		0.3
10	3/19/2007 9:20	0.3		0.3
11	3/19/2007 9:35	0.3		0.3
12	3/19/2007 9:50	0.3		0.3
13	3/19/2007 10:05	0.3		0.3
14	3/19/2007 10:20	0.4		0.4
15	3/19/2007 10:35	0.4		0.4
16	3/19/2007 10:50	0.4		0.4
17	3/19/2007 11:05	0.4		0.4
18	3/19/2007 11:20	0.4		0.4
19	3/19/2007 11:35	0.4		0.4
20	3/19/2007 11:50	0.5		0.5
21	3/19/2007 12:05	0.5		0.5
22	3/19/2007 12:20	0.5		0.5
23	3/19/2007 12:35	0.5		0.5
24	3/19/2007 12:50	0.5		0.5
25	3/19/2007 13:05	0.5		0.5
26	3/19/2007 13:20	0.5		0.5
27	3/19/2007 13:35	0.5		0.5
28	3/19/2007 13:50	0.5		0.5
29	3/19/2007 14:05	0.5		0.5
30	3/19/2007 14:20	0.6		0.6
31	3/19/2007 14:35	0.6		0.6
32	3/19/2007 14:50	0.6		0.6
33	3/19/2007 15:05	0.6		0.6
34	3/19/2007 15:20	0.6		0.6
35	3/19/2007 15:35	0.6		0.6
36	3/19/2007 15:50	0.6		0.6
37	3/19/2007 16:05	0.6		0.6
38	3/19/2007 16:20	0.6		0.6
39	3/19/2007 16:35	0.6		0.6
40	3/19/2007 16:50	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	3/19/2007
Start Time:	6:53:33
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0654) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/19/2007	7:08:33	0.01	0.001	1
3/19/2007	7:23:33	0.011	0.002	2
3/19/2007	7:38:33	0.017	0.008	8
3/19/2007	7:53:33	0.023	0.014	14
3/19/2007	8:08:33	0.019	0.01	10
3/19/2007	8:23:33	0.015	0.006	6
3/19/2007	8:38:33	0.016	0.007	7
3/19/2007	8:53:33	0.023	0.014	14
3/19/2007	9:08:33	0.044	0.035	35
3/19/2007	9:23:33	0.03	0.021	21
3/19/2007	9:38:33	0.016	0.007	7
3/19/2007	9:53:33	0.018	0.009	9
3/19/2007	10:08:33	0.019	0.01	10
3/19/2007	10:23:33	0.02	0.011	11
3/19/2007	10:38:33	0.025	0.016	16
3/19/2007	10:53:33	0.018	0.009	9
3/19/2007	11:08:33	0.016	0.007	7
3/19/2007	11:23:33	0.016	0.007	7
3/19/2007	11:38:33	0.017	0.008	8
3/19/2007	11:53:33	0.017	0.008	8
3/19/2007	12:08:33	0.017	0.008	8
3/19/2007	12:23:33	0.015	0.006	6
3/19/2007	12:38:33	0.013	0.004	4
3/19/2007	12:53:33	0.022	0.013	13
3/19/2007	13:08:33	0.014	0.005	5
3/19/2007	13:23:33	0.015	0.006	6
3/19/2007	13:38:33	0.014	0.005	5
3/19/2007	13:53:33	0.012	0.003	3
3/19/2007	14:08:33	0.011	0.002	2
3/19/2007	14:23:33	0.011	0.002	2
3/19/2007	14:38:33	0.011	0.002	2
3/19/2007	14:53:33	0.011	0.002	2
3/19/2007	15:08:33	0.012	0.003	3
3/19/2007	15:23:33	0.015	0.006	6
3/19/2007	15:38:33	0.016	0.007	7
3/19/2007	15:53:33	0.019	0.01	10
3/19/2007	16:08:33	0.02	0.011	11
3/19/2007	16:23:33	0.02	0.011	11
3/19/2007	16:38:33	0.021	0.012	12
3/19/2007	16:53:33	0.019	0.01	10
3/19/2007	17:08:33	0.018	0.009	9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/19/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/19/2007 6:54	0.2		0.1
2	3/19/2007 7:09	0.3		0.2
3	3/19/2007 7:24	0.4		0.3
4	3/19/2007 7:39	0.4		0.3
5	3/19/2007 7:54	0.4		0.3
6	3/19/2007 8:09	0.3		0.2
7	3/19/2007 8:24	0.3		0.2
8	3/19/2007 8:39	0.3		0.2
9	3/19/2007 8:54	0.3		0.2
10	3/19/2007 9:09	0.3		0.2
11	3/19/2007 9:24	0.3		0.2
12	3/19/2007 9:39	0.3		0.2
13	3/19/2007 9:54	0.2		0.1
14	3/19/2007 10:09	0.2		0.1
15	3/19/2007 10:24	0.1		0
16	3/19/2007 10:39	0.1		0
17	3/19/2007 10:54	0.1		0
18	3/19/2007 11:09	0		-0.1
19	3/19/2007 11:24	0		-0.1
20	3/19/2007 11:39	0		-0.1
21	3/19/2007 11:54	0		-0.1
22	3/19/2007 12:09	0		-0.1
23	3/19/2007 12:24	0		-0.1
24	3/19/2007 12:39	0		-0.1
25	3/19/2007 12:54	0		-0.1
26	3/19/2007 13:09	0		-0.1
27	3/19/2007 13:24	0		-0.1
28	3/19/2007 13:39	0		-0.1
29	3/19/2007 13:54	0		-0.1
30	3/19/2007 14:09	0		-0.1
31	3/19/2007 14:24	0		-0.1
32	3/19/2007 14:39	0		-0.1
33	3/19/2007 14:54	0		-0.1
34	3/19/2007 15:09	0.1		0
35	3/19/2007 15:24	0.2		0.1
36	3/19/2007 15:39	0.2		0.1
37	3/19/2007 15:54	0.3		0.2
38	3/19/2007 16:09	0.3		0.2
39	3/19/2007 16:24	0.3		0.2
40	3/19/2007 16:39	0.4		0.3
41	3/19/2007 16:54	0.4		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	3/19/2007
Start Time:	6:46:22
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0645) = 0.001 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/19/2007	7:01:22	0.012	0.011	11
3/19/2007	7:16:22	0.011	0.01	10
3/19/2007	7:31:22	0.014	0.013	13
3/19/2007	7:46:22	0.033	0.032	32
3/19/2007	8:01:22	0.022	0.021	21
3/19/2007	8:16:22	0.024	0.023	23
3/19/2007	8:31:22	0.023	0.022	22
3/19/2007	8:46:22	0.043	0.042	42
3/19/2007	9:01:22	0.096	0.095	95
3/19/2007	9:16:22	0.147	0.146	146
3/19/2007	9:31:22	0.027	0.026	26
3/19/2007	9:46:22	0.018	0.017	17
3/19/2007	10:01:22	0.019	0.018	18
3/19/2007	10:16:22	0.02	0.019	19
3/19/2007	10:31:22	0.03	0.029	29
3/19/2007	10:46:22	0.028	0.027	27
3/19/2007	11:01:22	0.025	0.024	24
3/19/2007	11:16:22	0.024	0.023	23
3/19/2007	11:31:22	0.017	0.016	16
3/19/2007	11:46:22	0.017	0.016	16
3/19/2007	12:01:22	0.017	0.016	16
3/19/2007	12:16:22	0.016	0.015	15
3/19/2007	12:31:22	0.014	0.013	13
3/19/2007	12:46:22	0.013	0.012	12
3/19/2007	13:01:22	0.022	0.021	21
3/19/2007	13:16:22	0.029	0.028	28
3/19/2007	13:31:22	0.015	0.014	14
3/19/2007	13:46:22	0.015	0.014	14
3/19/2007	14:01:22	0.014	0.013	13
3/19/2007	14:16:22	0.014	0.013	13
3/19/2007	14:31:22	0.015	0.014	14
3/19/2007	14:46:22	0.013	0.012	12
3/19/2007	15:01:22	0.035	0.034	34
3/19/2007	15:16:22	0.019	0.018	18
3/19/2007	15:31:22	0.02	0.019	19
3/19/2007	15:46:22	0.017	0.016	16
3/19/2007	16:01:22	0.016	0.015	15
3/19/2007	16:16:22	0.018	0.017	17
3/19/2007	16:31:22	0.016	0.015	15
3/19/2007	16:46:22	0.018	0.017	17
3/19/2007	17:01:22	0.018	0.017	17

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/20/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/20/2007 7:02	0.1		0.1
2	3/20/2007 7:17	0.1		0.1
3	3/20/2007 7:32	0.2		0.2
4	3/20/2007 7:47	0.2		0.2
5	3/20/2007 8:02	0.3		0.3
6	3/20/2007 8:17	0.3		0.3
7	3/20/2007 8:32	0.4		0.4
8	3/20/2007 8:47	0.4		0.4
9	3/20/2007 9:02	0.4		0.4
10	3/20/2007 9:17	0.4		0.4
11	3/20/2007 9:32	0.4		0.4
12	3/20/2007 9:47	0.4		0.4
13	3/20/2007 10:02	0.4		0.4
14	3/20/2007 10:17	0.4		0.4
15	3/20/2007 10:32	0.4		0.4
16	3/20/2007 10:47	0.4		0.4
17	3/20/2007 11:02	0.4		0.4
18	3/20/2007 11:17	0.4		0.4
19	3/20/2007 11:32	0.4		0.4
20	3/20/2007 11:47	0.4		0.4
21	3/20/2007 12:02	0.4		0.4
22	3/20/2007 12:17	0.4		0.4
23	3/20/2007 12:32	0.4		0.4
24	3/20/2007 12:47	0.3		0.3
25	3/20/2007 13:02	0.3		0.3
26	3/20/2007 13:17	0.3		0.3
27	3/20/2007 13:32	0.3		0.3
28	3/20/2007 13:47	0.3		0.3
29	3/20/2007 14:02	0.3		0.3
30	3/20/2007 14:17	0.3		0.3
31	3/20/2007 14:32	0.3		0.3
32	3/20/2007 14:47	0.4		0.4
33	3/20/2007 15:02	0.4		0.4
34	3/20/2007 15:17	0.4		0.4
35	3/20/2007 15:32	0.4		0.4
36	3/20/2007 15:47	0.4		0.4
37	3/20/2007 16:02	0.4		0.4
38	3/20/2007 16:17	0.4		0.4
39	3/20/2007 16:32	0.4		0.4
40	3/20/2007 16:47	0.4		0.4
41	3/20/2007 17:02	0.4		0.4
42	3/20/2007 17:17	0.4		0.4
43	3/20/2007 17:32	0.4		0.4
44	3/20/2007 17:47	0.5		0.5
45	3/20/2007 18:02	0.6		0.6
46	3/20/2007 18:17	0.5		0.5
47	3/20/2007 18:32	0.5		0.5
48	3/20/2007 18:47	0.6		0.6
49	3/20/2007 19:02	0.6		0.6
50	3/20/2007 19:17	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	3/20/2007
Start Time:	6:47:20
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0645) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/20/2007	7:02:20	0.037	0.006	6
3/20/2007	7:17:20	0.04	0.009	9
3/20/2007	7:32:20	0.047	0.016	16
3/20/2007	7:47:20	0.045	0.014	14
3/20/2007	8:02:20	0.047	0.016	16
3/20/2007	8:17:20	0.048	0.017	17
3/20/2007	8:32:20	0.053	0.022	22
3/20/2007	8:47:20	0.049	0.018	18
3/20/2007	9:02:20	0.049	0.018	18
3/20/2007	9:17:20	0.045	0.014	14
3/20/2007	9:32:20	0.036	0.005	5
3/20/2007	9:47:20	0.028	-0.003	-3
3/20/2007	10:02:20	0.026	-0.005	-5
3/20/2007	10:17:20	0.025	-0.006	-6
3/20/2007	10:32:20	0.031	0	0
3/20/2007	10:47:20	0.026	-0.005	-5
3/20/2007	11:02:20	0.027	-0.004	-4
3/20/2007	11:17:20	0.021	-0.01	-10
3/20/2007	11:32:20	0.017	-0.014	-14
3/20/2007	11:47:20	0.014	-0.017	-17
3/20/2007	12:02:20	0.013	-0.018	-18
3/20/2007	12:17:20	0.012	-0.019	-19
3/20/2007	12:32:20	0.012	-0.019	-19
3/20/2007	12:47:20	0.012	-0.019	-19
3/20/2007	13:02:20	0.012	-0.019	-19
3/20/2007	13:17:20	0.012	-0.019	-19
3/20/2007	13:32:20	0.012	-0.019	-19
3/20/2007	13:47:20	0.01	-0.021	-21
3/20/2007	14:02:20	0.009	-0.022	-22
3/20/2007	14:17:20	0.01	-0.021	-21
3/20/2007	14:32:20	0.011	-0.02	-20
3/20/2007	14:47:20	0.01	-0.021	-21
3/20/2007	15:02:20	0.009	-0.022	-22
3/20/2007	15:17:20	0.01	-0.021	-21
3/20/2007	15:32:20	0.01	-0.021	-21
3/20/2007	15:47:20	0.008	-0.023	-23
3/20/2007	16:02:20	0.008	-0.023	-23
3/20/2007	16:17:20	0.008	-0.023	-23
3/20/2007	16:32:20	0.008	-0.023	-23
3/20/2007	16:47:20	0.007	-0.024	-24
3/20/2007	17:02:20	0.008	-0.023	-23
3/20/2007	17:17:20	0.008	-0.023	-23
3/20/2007	17:32:20	0.007	-0.024	-24
3/20/2007	17:47:20	0.007	-0.024	-24
3/20/2007	18:02:20	0.007	-0.024	-24
3/20/2007	18:17:20	0.008	-0.023	-23
3/20/2007	18:32:20	0.008	-0.023	-23
3/20/2007	18:47:20	0.007	-0.024	-24
3/20/2007	19:02:20	0.007	-0.024	-24
3/20/2007	19:17:20	0.008	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/20/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0659) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/20/2007 6:59	0		-0.1
2	3/20/2007 7:14	0.1		0
3	3/20/2007 7:29	0.1		0
4	3/20/2007 7:44	0.1		0
5	3/20/2007 7:59	0.2		0.1
6	3/20/2007 8:14	0.2		0.1
7	3/20/2007 8:29	0.2		0.1
8	3/20/2007 8:44	0.2		0.1
9	3/20/2007 8:59	0.3		0.2
10	3/20/2007 9:14	0.3		0.2
11	3/20/2007 9:29	0.3		0.2
12	3/20/2007 9:44	0.3		0.2
13	3/20/2007 9:59	0.3		0.2
14	3/20/2007 10:14	0.3		0.2
15	3/20/2007 10:29	0.3		0.2
16	3/20/2007 10:44	0.4		0.3
17	3/20/2007 10:59	0.4		0.3
18	3/20/2007 11:14	0.4		0.3
19	3/20/2007 11:29	0.4		0.3
20	3/20/2007 11:44	0.4		0.3
21	3/20/2007 11:59	0.4		0.3
22	3/20/2007 12:14	0.4		0.3
23	3/20/2007 12:29	0.4		0.3
24	3/20/2007 12:44	0.4		0.3
25	3/20/2007 12:59	0.5		0.4
26	3/20/2007 13:14	0.5		0.4
27	3/20/2007 13:29	0.5		0.4
28	3/20/2007 13:44	0.5		0.4
29	3/20/2007 13:59	0.5		0.4
30	3/20/2007 14:14	0.5		0.4
31	3/20/2007 14:29	0.5		0.4
32	3/20/2007 14:44	0.5		0.4
33	3/20/2007 14:59	0.5		0.4
34	3/20/2007 15:14	0.5		0.4
35	3/20/2007 15:29	0.5		0.4
36	3/20/2007 15:44	0.5		0.4
37	3/20/2007 15:59	0.5		0.4
38	3/20/2007 16:14	0.6		0.5
39	3/20/2007 16:29	0.6		0.5
40	3/20/2007 16:44	0.6		0.5
41	3/20/2007 16:59	0.6		0.5
42	3/20/2007 17:14	0.6		0.5
43	3/20/2007 17:29	0.6		0.5
44	3/20/2007 17:44	0.6		0.5
45	3/20/2007 17:59	0.6		0.5
46	3/20/2007 18:14	0.6		0.5
47	3/20/2007 18:29	0.6		0.5
48	3/20/2007 18:44	0.6		0.5
49	3/20/2007 18:59	0.6		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	3/20/2007
Start Time:	7:23:15
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	30:00:00
Number of points:	1
Notes:	Background Reading (0659) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/20/2007	7:53:15	0.049	0.009	9

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	3/20/2007
Start Time:	8:02:02
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/20/2007	8:17:02	0.038	-0.002	-2
3/20/2007	8:32:02	0.04	0	0
3/20/2007	8:47:02	0.037	-0.003	-3
3/20/2007	9:02:02	0.037	-0.003	-3
3/20/2007	9:17:02	0.034	-0.006	-6
3/20/2007	9:32:02	0.027	-0.013	-13
3/20/2007	9:47:02	0.021	-0.019	-19
3/20/2007	10:02:02	0.02	-0.02	-20
3/20/2007	10:17:02	0.018	-0.022	-22
3/20/2007	10:32:02	0.02	-0.02	-20
3/20/2007	10:47:02	0.019	-0.021	-21
3/20/2007	11:02:02	0.019	-0.021	-21
3/20/2007	11:17:02	0.014	-0.026	-26
3/20/2007	11:32:02	0.011	-0.029	-29
3/20/2007	11:47:02	0.008	-0.032	-32
3/20/2007	12:02:02	0.007	-0.033	-33
3/20/2007	12:17:02	0.008	-0.032	-32
3/20/2007	12:32:02	0.008	-0.032	-32
3/20/2007	12:47:02	0.007	-0.033	-33
3/20/2007	13:02:02	0.007	-0.033	-33
3/20/2007	13:17:02	0.007	-0.033	-33
3/20/2007	13:32:02	0.007	-0.033	-33
3/20/2007	13:47:02	0.007	-0.033	-33
3/20/2007	14:02:02	0.005	-0.035	-35
3/20/2007	14:17:02	0.006	-0.034	-34
3/20/2007	14:32:02	0.006	-0.034	-34
3/20/2007	14:47:02	0.006	-0.034	-34
3/20/2007	15:02:02	0.005	-0.035	-35
3/20/2007	15:17:02	0.005	-0.035	-35
3/20/2007	15:32:02	0.005	-0.035	-35
3/20/2007	15:47:02	0.005	-0.035	-35
3/20/2007	16:02:02	0.004	-0.036	-36
3/20/2007	16:17:02	0.004	-0.036	-36
3/20/2007	16:32:02	0.004	-0.036	-36
3/20/2007	16:47:02	0.004	-0.036	-36
3/20/2007	17:02:02	0.004	-0.036	-36
3/20/2007	17:17:02	0.004	-0.036	-36
3/20/2007	17:32:02	0.004	-0.036	-36
3/20/2007	17:47:02	0.003	-0.037	-37
3/20/2007	18:02:02	0.004	-0.036	-36
3/20/2007	18:17:02	0.004	-0.036	-36
3/20/2007	18:32:02	0.004	-0.036	-36
3/20/2007	18:47:02	0.004	-0.036	-36
3/20/2007	19:02:02	0.005	-0.035	-35
3/20/2007	19:17:02	0.004	-0.036	-36

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/20/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0647) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/20/2007 7:09	0.1		0.1
2	3/20/2007 7:24	0.2		0.2
3	3/20/2007 7:39	0.1		0.1
4	3/20/2007 7:54	0.2		0.2
5	3/20/2007 8:09	0.2		0.2
6	3/20/2007 8:24	0.2		0.2
7	3/20/2007 8:39	0.2		0.2
8	3/20/2007 8:54	0.3		0.3
9	3/20/2007 9:09	0.3		0.3
10	3/20/2007 9:24	0.3		0.3
11	3/20/2007 9:39	0.3		0.3
12	3/20/2007 9:54	0.3		0.3
13	3/20/2007 10:09	0.3		0.3
14	3/20/2007 10:24	0.3		0.3
15	3/20/2007 10:39	0.3		0.3
16	3/20/2007 10:54	0.3		0.3
17	3/20/2007 11:09	0.3		0.3
18	3/20/2007 11:24	0.3		0.3
19	3/20/2007 11:39	0.3		0.3
20	3/20/2007 11:54	0.4		0.4
21	3/20/2007 12:09	0.4		0.4
22	3/20/2007 12:24	0.4		0.4
23	3/20/2007 12:39	0.4		0.4
24	3/20/2007 12:54	0.4		0.4
25	3/20/2007 13:09	0.4		0.4
26	3/20/2007 13:24	0.4		0.4
27	3/20/2007 13:39	0.4		0.4
28	3/20/2007 13:54	0.4		0.4
29	3/20/2007 14:09	0.4		0.4
30	3/20/2007 14:24	0.4		0.4
31	3/20/2007 14:39	0.4		0.4
32	3/20/2007 14:54	0.4		0.4
33	3/20/2007 15:09	0.4		0.4
34	3/20/2007 15:24	0.4		0.4
35	3/20/2007 15:39	0.4		0.4
36	3/20/2007 15:54	0.4		0.4
37	3/20/2007 16:09	0.4		0.4
38	3/20/2007 16:24	0.4		0.4
39	3/20/2007 16:39	0.4		0.4
40	3/20/2007 16:54	0.4		0.4
41	3/20/2007 17:09	0.5		0.5
42	3/20/2007 17:24	0.5		0.5
43	3/20/2007 17:39	0.4		0.4
44	3/20/2007 17:54	0.5		0.5
45	3/20/2007 18:09	0.5		0.5
46	3/20/2007 18:24	0.4		0.4
47	3/20/2007 18:39	0.5		0.5
48	3/20/2007 18:54	0.5		0.5
49	3/20/2007 19:09	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	3/20/2007
Start Time:	6:44:01
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (0647) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/20/2007	6:59:01	0.036	0.004	4
3/20/2007	7:14:01	0.04	0.008	8
3/20/2007	7:29:01	0.042	0.01	10
3/20/2007	8:00:24	0.051	0.019	19
3/20/2007	8:15:24	0.052	0.02	20
3/20/2007	8:30:24	0.054	0.022	22
3/20/2007	8:45:24	0.052	0.02	20
3/20/2007	9:00:24	0.053	0.021	21
3/20/2007	9:15:24	0.049	0.017	17
3/20/2007	9:30:24	0.039	0.007	7
3/20/2007	9:45:24	0.031	-0.001	-1
3/20/2007	10:00:24	0.03	-0.002	-2
3/20/2007	10:15:24	0.027	-0.005	-5
3/20/2007	10:30:24	0.029	-0.003	-3
3/20/2007	10:45:24	0.028	-0.004	-4
3/20/2007	11:00:24	0.028	-0.004	-4
3/20/2007	11:15:24	0.022	-0.01	-10
3/20/2007	11:30:24	0.016	-0.016	-16
3/20/2007	11:45:24	0.014	-0.018	-18
3/20/2007	12:00:24	0.012	-0.02	-20
3/20/2007	12:15:24	0.012	-0.02	-20
3/20/2007	12:30:24	0.013	-0.019	-19
3/20/2007	12:45:24	0.011	-0.021	-21
3/20/2007	13:00:24	0.011	-0.021	-21
3/20/2007	13:15:24	0.011	-0.021	-21
3/20/2007	13:30:24	0.011	-0.021	-21
3/20/2007	13:45:24	0.01	-0.022	-22
3/20/2007	14:00:24	0.008	-0.024	-24
3/20/2007	14:15:24	0.009	-0.023	-23
3/20/2007	14:30:24	0.009	-0.023	-23
3/20/2007	14:45:24	0.008	-0.024	-24
3/20/2007	15:00:24	0.008	-0.024	-24
3/20/2007	15:15:24	0.007	-0.025	-25
3/20/2007	15:30:24	0.008	-0.024	-24
3/20/2007	15:45:24	0.008	-0.024	-24
3/20/2007	16:00:24	0.007	-0.025	-25
3/20/2007	16:15:24	0.006	-0.026	-26
3/20/2007	16:30:24	0.006	-0.026	-26
3/20/2007	16:45:24	0.007	-0.025	-25
3/20/2007	17:00:24	0.007	-0.025	-25
3/20/2007	17:15:24	0.007	-0.025	-25
3/20/2007	17:30:24	0.007	-0.025	-25
3/20/2007	17:45:24	0.006	-0.026	-26
3/20/2007	18:00:24	0.007	-0.025	-25
3/20/2007	18:15:24	0.006	-0.026	-26
3/20/2007	18:30:24	0.007	-0.025	-25
3/20/2007	18:45:24	0.006	-0.026	-26
3/20/2007	19:00:24	0.008	-0.024	-24
3/20/2007	19:15:24	0.007	-0.025	-25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/20/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/20/2007 6:50	0.1		0.1
2	3/20/2007 7:05	0.2		0.2
3	3/20/2007 7:20	0.3		0.3
4	3/20/2007 7:35	0.3		0.3
5	3/20/2007 7:50	0.3		0.3
6	3/20/2007 8:05	0.4		0.4
7	3/20/2007 8:20	0.4		0.4
8	3/20/2007 8:35	0.4		0.4
9	3/20/2007 8:50	0.4		0.4
10	3/20/2007 9:05	0.3		0.3
11	3/20/2007 9:20	0.3		0.3
12	3/20/2007 9:35	0.3		0.3
13	3/20/2007 9:50	0.2		0.2
14	3/20/2007 10:05	0.1		0.1
15	3/20/2007 10:20	0.1		0.1
16	3/20/2007 10:35	0		0
17	3/20/2007 10:50	0		0
18	3/20/2007 11:05	0		0
19	3/20/2007 11:20	0		0
20	3/20/2007 11:35	0		0
21	3/20/2007 11:50	0		0
22	3/20/2007 12:05	0		0
23	3/20/2007 12:20	0		0
24	3/20/2007 12:35	0		0
25	3/20/2007 12:50	0		0
26	3/20/2007 13:05	0		0
27	3/20/2007 13:20	0		0
28	3/20/2007 13:35	0		0
29	3/20/2007 13:50	0		0
30	3/20/2007 14:05	0		0
31	3/20/2007 14:20	0		0
32	3/20/2007 14:35	0		0
33	3/20/2007 14:50	0		0
34	3/20/2007 15:05	0		0
35	3/20/2007 15:20	0		0
36	3/20/2007 15:35	0		0
37	3/20/2007 15:50	0		0
38	3/20/2007 16:05	0		0
39	3/20/2007 16:20	0		0
40	3/20/2007 16:35	0		0
41	3/20/2007 16:50	0		0
42	3/20/2007 17:05	0		0
43	3/20/2007 17:20	0		0
44	3/20/2007 17:35	0		0
45	3/20/2007 17:50	0		0
46	3/20/2007 18:05	0		0
47	3/20/2007 18:20	0		0
48	3/20/2007 18:35	0		0
49	3/20/2007 18:50	0		0
50	3/20/2007 19:05	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	3/20/2007
Start Time:	6:37:31
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0634) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/20/2007	6:52:31	0.033	0.003	3
3/20/2007	7:07:31	0.034	0.004	4
3/20/2007	7:22:31	0.038	0.008	8
3/20/2007	7:37:31	0.049	0.019	19
3/20/2007	7:52:31	0.046	0.016	16
3/20/2007	8:07:31	0.054	0.024	24
3/20/2007	8:22:31	0.052	0.022	22
3/20/2007	8:37:31	0.054	0.024	24
3/20/2007	8:52:31	0.05	0.02	20
3/20/2007	9:07:31	0.056	0.026	26
3/20/2007	9:22:31	0.042	0.012	12
3/20/2007	9:37:31	0.035	0.005	5
3/20/2007	9:52:31	0.029	-0.001	-1
3/20/2007	10:07:31	0.031	0.001	1
3/20/2007	10:22:31	0.032	0.002	2
3/20/2007	10:37:31	0.032	0.002	2
3/20/2007	10:52:31	0.028	-0.002	-2
3/20/2007	11:07:31	0.026	-0.004	-4
3/20/2007	11:22:31	0.018	-0.012	-12
3/20/2007	11:37:31	0.018	-0.012	-12
3/20/2007	11:52:31	0.016	-0.014	-14
3/20/2007	12:07:31	0.014	-0.016	-16
3/20/2007	12:22:31	0.014	-0.016	-16
3/20/2007	12:37:31	0.013	-0.017	-17
3/20/2007	12:52:31	0.013	-0.017	-17
3/20/2007	13:07:31	0.015	-0.015	-15
3/20/2007	13:22:31	0.014	-0.016	-16
3/20/2007	13:37:31	0.013	-0.017	-17
3/20/2007	13:52:31	0.013	-0.017	-17
3/20/2007	14:07:31	0.011	-0.019	-19
3/20/2007	14:22:31	0.013	-0.017	-17
3/20/2007	14:37:31	0.013	-0.017	-17
3/20/2007	14:52:31	0.011	-0.019	-19
3/20/2007	15:07:31	0.011	-0.019	-19
3/20/2007	15:22:31	0.011	-0.019	-19
3/20/2007	15:37:31	0.011	-0.019	-19
3/20/2007	15:52:31	0.009	-0.021	-21
3/20/2007	16:07:31	0.011	-0.019	-19
3/20/2007	16:22:31	0.009	-0.021	-21
3/20/2007	16:37:31	0.013	-0.017	-17
3/20/2007	16:52:31	0.011	-0.019	-19
3/20/2007	17:07:31	0.01	-0.02	-20
3/20/2007	17:22:31	0.011	-0.019	-19
3/20/2007	17:37:31	0.011	-0.019	-19
3/20/2007	17:52:31	0.011	-0.019	-19
3/20/2007	18:07:31	0.010	-0.02	-20
3/20/2007	18:22:31	0.009	-0.021	-21
3/20/2007	18:37:31	0.009	-0.021	-21
3/20/2007	18:52:31	0.009	-0.021	-21
3/20/2007	19:07:31	0.010	-0.02	-20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/21/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/21/2007 7:06	0		0
2	3/21/2007 7:21	0.2		0.2
3	3/21/2007 7:36	0.2		0.2
4	3/21/2007 7:51	0.3		0.3
5	3/21/2007 8:06	0.4		0.4
6	3/21/2007 8:21	0.4		0.4
7	3/21/2007 8:36	0.4		0.4
8	3/21/2007 8:51	0.5		0.5
9	3/21/2007 9:06	0.5		0.5
10	3/21/2007 9:21	0.5		0.5
11	3/21/2007 9:36	0.5		0.5
12	3/21/2007 9:51	0.5		0.5
13	3/21/2007 10:06	0.5		0.5
14	3/21/2007 10:21	0.5		0.5
15	3/21/2007 10:36	0.5		0.5
16	3/21/2007 10:51	0.6		0.6
17	3/21/2007 11:06	0.6		0.6
18	3/21/2007 11:21	0.6		0.6
19	3/21/2007 11:36	0.6		0.6
20	3/21/2007 11:51	0.6		0.6
21	3/21/2007 12:06	0.6		0.6
22	3/21/2007 12:21	0.5		0.5
23	3/21/2007 12:36	0.5		0.5
24	3/21/2007 12:51	0.5		0.5
25	3/21/2007 13:06	0.5		0.5
26	3/21/2007 13:21	0.5		0.5
27	3/21/2007 13:36	0.5		0.5
28	3/21/2007 13:51	0.5		0.5
29	3/21/2007 14:06	0.5		0.5
30	3/21/2007 14:21	0.5		0.5
31	3/21/2007 14:36	0.5		0.5
32	3/21/2007 14:51	0.5		0.5
33	3/21/2007 15:06	0.5		0.5
34	3/21/2007 15:21	0.5		0.5
35	3/21/2007 15:36	0.6		0.6
36	3/21/2007 15:51	0.6		0.6
37	3/21/2007 16:06	0.6		0.6
38	3/21/2007 16:21	0.6		0.6
39	3/21/2007 16:36	0.6		0.6
40	3/21/2007 16:51	0.6		0.6
41	3/21/2007 17:06	0.7		0.7
42	3/21/2007 17:21	0.7		0.7
43	3/21/2007 17:36	0.7		0.7
44	3/21/2007 17:51	0.7		0.7
45	3/21/2007 18:06	0.8		0.8

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	3/21/2007
Start Time:	6:50:15
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0650) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/21/2007	7:05:15	0.012	0	0
3/21/2007	7:20:15	0.01	-0.002	-2
3/21/2007	7:35:15	0.021	0.009	9
3/21/2007	7:50:15	0.017	0.005	5
3/21/2007	8:05:15	0.013	0.001	1
3/21/2007	8:20:15	0.011	-0.001	-1
3/21/2007	8:35:15	0.012	0	0
3/21/2007	8:50:15	0.012	0	0
3/21/2007	9:05:15	0.014	0.002	2
3/21/2007	9:20:15	0.011	-0.001	-1
3/21/2007	9:35:15	0.011	-0.001	-1
3/21/2007	9:50:15	0.012	0	0
3/21/2007	10:05:15	0.01	-0.002	-2
3/21/2007	10:20:15	0.011	-0.001	-1
3/21/2007	10:35:15	0.01	-0.002	-2
3/21/2007	10:50:15	0.009	-0.003	-3
3/21/2007	11:05:15	0.009	-0.003	-3
3/21/2007	11:20:15	0.011	-0.001	-1
3/21/2007	11:35:15	0.011	-0.001	-1
3/21/2007	11:50:15	0.011	-0.001	-1
3/21/2007	12:05:15	0.012	0	0
3/21/2007	12:20:15	0.013	0.001	1
3/21/2007	12:35:15	0.012	0	0
3/21/2007	12:50:15	0.013	0.001	1
3/21/2007	13:05:15	0.012	0	0
3/21/2007	13:20:15	0.012	0	0
3/21/2007	13:35:15	0.013	0.001	1
3/21/2007	13:50:15	0.013	0.001	1
3/21/2007	14:05:15	0.012	0	0
3/21/2007	14:20:15	0.011	-0.001	-1
3/21/2007	14:35:15	0.011	-0.001	-1
3/21/2007	14:50:15	0.011	-0.001	-1
3/21/2007	15:05:15	0.011	-0.001	-1
3/21/2007	15:20:15	0.01	-0.002	-2
3/21/2007	15:35:15	0.012	0	0
3/21/2007	15:50:15	0.011	-0.001	-1
3/21/2007	16:05:15	0.011	-0.001	-1
3/21/2007	16:20:15	0.01	-0.002	-2
3/21/2007	16:35:15	0.01	-0.002	-2
3/21/2007	16:50:15	0.01	-0.002	-2
3/21/2007	17:05:15	0.01	-0.002	-2
3/21/2007	17:20:15	0.011	-0.001	-1
3/21/2007	17:35:15	0.011	-0.001	-1
3/21/2007	17:50:15	0.011	-0.001	-1
3/21/2007	18:05:15	0.012	0	0
3/21/2007	18:20:15	0.012	0	0
3/21/2007	18:35:15	0.012	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/21/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0629) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/21/2007 6:43	0.1		-0.1
2	3/21/2007 6:58	0.1		-0.1
3	3/21/2007 7:13	0.2		0
4	3/21/2007 7:28	0.2		0
5	3/21/2007 7:43	0.2		0
6	3/21/2007 7:58	0.3		0.1
7	3/21/2007 8:13	0.3		0.1
8	3/21/2007 8:28	0.3		0.1
9	3/21/2007 8:43	0.4		0.2
10	3/21/2007 8:58	0.4		0.2
11	3/21/2007 9:13	0.4		0.2
12	3/21/2007 9:28	0.4		0.2
13	3/21/2007 9:43	0.4		0.2
14	3/21/2007 9:58	0.4		0.2
15	3/21/2007 10:13	0.4		0.2
16	3/21/2007 10:28	0.4		0.2
17	3/21/2007 10:43	0.4		0.2
18	3/21/2007 10:58	0.5		0.3
19	3/21/2007 11:13	0.5		0.3
20	3/21/2007 11:28	0.5		0.3
21	3/21/2007 11:43	0.5		0.3
22	3/21/2007 11:58	0.5		0.3
23	3/21/2007 12:13	0.5		0.3
24	3/21/2007 12:28	0.5		0.3
25	3/21/2007 12:43	0.5		0.3
26	3/21/2007 12:58	0.5		0.3
27	3/21/2007 13:13	0.5		0.3
28	3/21/2007 13:28	0.5		0.3
29	3/21/2007 13:43	0.5		0.3
30	3/21/2007 13:58	0.5		0.3
31	3/21/2007 14:13	0.5		0.3
32	3/21/2007 14:28	0.5		0.3
33	3/21/2007 14:43	0.5		0.3
34	3/21/2007 14:58	0.6		0.4
35	3/21/2007 15:13	0.6		0.4
36	3/21/2007 15:28	0.6		0.4
37	3/21/2007 15:43	0.6		0.4
38	3/21/2007 15:58	0.6		0.4
39	3/21/2007 16:13	0.6		0.4
40	3/21/2007 16:28	0.6		0.4
41	3/21/2007 16:43	0.6		0.4
42	3/21/2007 16:58	0.6		0.4
43	3/21/2007 17:13	0.6		0.4
44	3/21/2007 17:28	0.5		0.3
45	3/21/2007 17:43	0.5		0.3
46	3/21/2007 17:58	0.5		0.3
47	3/21/2007 18:13	0.5		0.3
48	3/21/2007 18:28	0.5		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	3/21/2007
Start Time:	6:28:49
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0629) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/21/2007	6:43:49	0.008	0.003	3
3/21/2007	6:58:49	0.008	0.003	3
3/21/2007	7:13:49	0.007	0.002	2
3/21/2007	7:28:49	0.008	0.003	3
3/21/2007	7:43:49	0.011	0.006	6
3/21/2007	7:58:49	0.009	0.004	4
3/21/2007	8:13:49	0.008	0.003	3
3/21/2007	8:28:49	0.008	0.003	3
3/21/2007	8:43:49	0.007	0.002	2
3/21/2007	8:58:49	0.008	0.003	3
3/21/2007	9:13:49	0.006	0.001	1
3/21/2007	9:28:49	0.006	0.001	1
3/21/2007	9:43:49	0.006	0.001	1
3/21/2007	9:58:49	0.005	0	0
3/21/2007	10:13:49	0.005	0	0
3/21/2007	10:28:49	0.005	0	0
3/21/2007	10:43:49	0.005	0	0
3/21/2007	10:58:49	0.006	0.001	1
3/21/2007	11:13:49	0.006	0.001	1
3/21/2007	11:28:49	0.007	0.002	2
3/21/2007	11:43:49	0.007	0.002	2
3/21/2007	11:58:49	0.007	0.002	2
3/21/2007	12:13:49	0.007	0.002	2
3/21/2007	12:28:49	0.008	0.003	3
3/21/2007	12:43:49	0.007	0.002	2
3/21/2007	12:58:49	0.008	0.003	3
3/21/2007	13:13:49	0.008	0.003	3
3/21/2007	13:28:49	0.008	0.003	3
3/21/2007	13:43:49	0.008	0.003	3
3/21/2007	13:58:49	0.008	0.003	3
3/21/2007	14:13:49	0.007	0.002	2
3/21/2007	14:28:49	0.006	0.001	1
3/21/2007	14:43:49	0.008	0.003	3
3/21/2007	14:58:49	0.007	0.002	2
3/21/2007	15:13:49	0.007	0.002	2
3/21/2007	15:28:49	0.009	0.004	4
3/21/2007	15:43:49	0.008	0.003	3
3/21/2007	15:58:49	0.008	0.003	3
3/21/2007	16:13:49	0.007	0.002	2
3/21/2007	16:28:49	0.006	0.001	1
3/21/2007	16:43:49	0.006	0.001	1
3/21/2007	16:58:49	0.006	0.001	1
3/21/2007	17:13:49	0.006	0.001	1
3/21/2007	17:28:49	0.007	0.002	2
3/21/2007	17:43:49	0.007	0.002	2
3/21/2007	17:58:49	0.007	0.002	2
3/21/2007	18:13:49	0.007	0.002	2
3/21/2007	18:28:49	0.007	0.002	2
3/21/2007	18:43:49	0.007	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/21/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/21/2007 7:02	0		0
2	3/21/2007 7:17	0		0
3	3/21/2007 7:32	0		0
4	3/21/2007 7:47	0.1		0.1
5	3/21/2007 8:02	0.1		0.1
6	3/21/2007 8:17	0.1		0.1
7	3/21/2007 8:32	0.2		0.2
8	3/21/2007 8:47	0.2		0.2
9	3/21/2007 9:02	0.2		0.2
10	3/21/2007 9:17	0.2		0.2
11	3/21/2007 9:32	0.2		0.2
12	3/21/2007 9:47	0.2		0.2
13	3/21/2007 10:02	0.2		0.2
14	3/21/2007 10:17	0.3		0.3
15	3/21/2007 10:32	0.3		0.3
16	3/21/2007 10:47	0.3		0.3
17	3/21/2007 11:02	0.3		0.3
18	3/21/2007 11:17	0.3		0.3
19	3/21/2007 11:32	0.3		0.3
20	3/21/2007 11:47	0.3		0.3
21	3/21/2007 12:02	0.3		0.3
22	3/21/2007 12:17	0.3		0.3
23	3/21/2007 12:32	0.3		0.3
24	3/21/2007 12:47	0.3		0.3
25	3/21/2007 13:02	0.3		0.3
26	3/21/2007 13:17	0.3		0.3
27	3/21/2007 13:32	0.3		0.3
28	3/21/2007 13:47	0.3		0.3
29	3/21/2007 14:02	0.3		0.3
30	3/21/2007 14:17	0.3		0.3
31	3/21/2007 14:32	0.3		0.3
32	3/21/2007 14:47	0.3		0.3
33	3/21/2007 15:02	0.3		0.3
34	3/21/2007 15:17	0.3		0.3
35	3/21/2007 15:32	0.3		0.3
36	3/21/2007 15:47	0.3		0.3
37	3/21/2007 16:02	0.4		0.4
38	3/21/2007 16:17	0.4		0.4
39	3/21/2007 16:32	0.4		0.4
40	3/21/2007 16:47	0.4		0.4
41	3/21/2007 17:02	0.4		0.4
42	3/21/2007 17:17	0.4		0.4
43	3/21/2007 17:32	0.4		0.4
44	3/21/2007 17:47	0.4		0.4
45	3/21/2007 18:02	0.4		0.4
46	3/21/2007 18:17	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	3/21/2007
Start Time:	6:48:02
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0648) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/21/2007	7:03:02	0.011	0.001	1
3/21/2007	7:18:02	0.011	0.001	1
3/21/2007	7:33:02	0.016	0.006	6
3/21/2007	7:48:02	0.017	0.007	7
3/21/2007	8:03:02	0.015	0.005	5
3/21/2007	8:18:02	0.012	0.002	2
3/21/2007	8:33:02	0.012	0.002	2
3/21/2007	8:48:02	0.01	0	0
3/21/2007	9:03:02	0.012	0.002	2
3/21/2007	9:18:02	0.01	0	0
3/21/2007	9:33:02	0.01	0	0
3/21/2007	9:48:02	0.009	-0.001	-1
3/21/2007	10:03:02	0.007	-0.003	-3
3/21/2007	10:18:02	0.008	-0.002	-2
3/21/2007	10:33:02	0.009	-0.001	-1
3/21/2007	10:48:02	0.008	-0.002	-2
3/21/2007	11:03:02	0.01	0	0
3/21/2007	11:18:02	0.011	0.001	1
3/21/2007	11:33:02	0.011	0.001	1
3/21/2007	11:48:02	0.011	0.001	1
3/21/2007	12:03:02	0.012	0.002	2
3/21/2007	12:18:02	0.011	0.001	1
3/21/2007	12:33:02	0.011	0.001	1
3/21/2007	12:48:02	0.012	0.002	2
3/21/2007	13:03:02	0.013	0.003	3
3/21/2007	13:18:02	0.013	0.003	3
3/21/2007	13:33:02	0.013	0.003	3
3/21/2007	13:48:02	0.014	0.004	4
3/21/2007	14:03:02	0.012	0.002	2
3/21/2007	14:18:02	0.011	0.001	1
3/21/2007	14:33:02	0.01	0	0
3/21/2007	14:48:02	0.01	0	0
3/21/2007	15:03:02	0.01	0	0
3/21/2007	15:18:02	0.011	0.001	1
3/21/2007	15:33:02	0.011	0.001	1
3/21/2007	15:48:02	0.012	0.002	2
3/21/2007	16:03:02	0.011	0.001	1
3/21/2007	16:18:02	0.009	-0.001	-1
3/21/2007	16:33:02	0.009	-0.001	-1
3/21/2007	16:48:02	0.01	0	0
3/21/2007	17:03:02	0.009	-0.001	-1
3/21/2007	17:18:02	0.01	0	0
3/21/2007	17:33:02	0.009	-0.001	-1
3/21/2007	17:48:02	0.01	0	0
3/21/2007	18:03:02	0.011	0.001	1
3/21/2007	18:18:02	0.011	0.001	1
3/21/2007	18:33:02	0.011	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/21/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/21/2007 6:57	0.1		-0.2
2	3/21/2007 7:12	0.2		-0.1
3	3/21/2007 7:27	0.2		-0.1
4	3/21/2007 7:42	0.2		-0.1
5	3/21/2007 7:57	0.2		-0.1
6	3/21/2007 8:12	0.2		-0.1
7	3/21/2007 8:27	0.2		-0.1
8	3/21/2007 8:42	0.3		0
9	3/21/2007 8:57	0.2		-0.1
10	3/21/2007 9:12	0.2		-0.1
11	3/21/2007 9:27	0.2		-0.1
12	3/21/2007 9:42	0.2		-0.1
13	3/21/2007 9:57	0.2		-0.1
14	3/21/2007 10:12	0.2		-0.1
15	3/21/2007 10:27	0.2		-0.1
16	3/21/2007 10:42	0.2		-0.1
17	3/21/2007 10:57	0.3		0
18	3/21/2007 11:12	0.2		-0.1
19	3/21/2007 11:27	0.3		0
20	3/21/2007 11:42	0.2		-0.1
21	3/21/2007 11:57	0.2		-0.1
22	3/21/2007 12:12	0.2		-0.1
23	3/21/2007 12:27	0.2		-0.1
24	3/21/2007 12:42	0.2		-0.1
25	3/21/2007 12:57	0.1		-0.2
26	3/21/2007 13:12	0.1		-0.2
27	3/21/2007 13:27	0.1		-0.2
28	3/21/2007 13:42	0.1		-0.2
29	3/21/2007 13:57	0.1		-0.2
30	3/21/2007 14:12	0.2		-0.1
31	3/21/2007 14:27	0.2		-0.1
32	3/21/2007 14:42	0.3		0
33	3/21/2007 14:57	0.3		0
34	3/21/2007 15:12	0.4		0.1
35	3/21/2007 15:27	0.4		0.1
36	3/21/2007 15:42	0.4		0.1
37	3/21/2007 15:57	0.4		0.1
38	3/21/2007 16:12	0.4		0.1
39	3/21/2007 16:27	0.5		0.2
40	3/21/2007 16:42	0.5		0.2
41	3/21/2007 16:57	0.5		0.2
42	3/21/2007 17:12	0.5		0.2
43	3/21/2007 17:27	0.5		0.2
44	3/21/2007 17:42	0.5		0.2
45	3/21/2007 17:57	0.5		0.2
46	3/21/2007 18:12	0.6		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	3/21/2007
Start Time:	6:42:10
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0643) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/21/2007	6:57:10	0.011	0.003	3
3/21/2007	7:12:10	0.012	0.004	4
3/21/2007	7:27:10	0.014	0.006	6
3/21/2007	7:42:10	0.016	0.008	8
3/21/2007	7:57:10	0.02	0.012	12
3/21/2007	8:12:10	0.018	0.01	10
3/21/2007	8:27:10	0.014	0.006	6
3/21/2007	8:42:10	0.013	0.005	5
3/21/2007	8:57:10	0.014	0.006	6
3/21/2007	9:12:10	0.01	0.002	2
3/21/2007	9:27:10	0.012	0.004	4
3/21/2007	9:42:10	0.01	0.002	2
3/21/2007	9:57:10	0.012	0.004	4
3/21/2007	10:12:10	0.008	0	0
3/21/2007	10:27:10	0.009	0.001	1
3/21/2007	10:42:10	0.009	0.001	1
3/21/2007	10:57:10	0.011	0.003	3
3/21/2007	11:12:10	0.011	0.003	3
3/21/2007	11:27:10	0.012	0.004	4
3/21/2007	11:42:10	0.013	0.005	5
3/21/2007	11:57:10	0.013	0.005	5
3/21/2007	12:12:10	0.012	0.004	4
3/21/2007	12:27:10	0.012	0.004	4
3/21/2007	12:42:10	0.011	0.003	3
3/21/2007	12:57:10	0.012	0.004	4
3/21/2007	13:12:10	0.014	0.006	6
3/21/2007	13:27:10	0.014	0.006	6
3/21/2007	13:42:10	0.014	0.006	6
3/21/2007	13:57:10	0.015	0.007	7
3/21/2007	14:12:10	0.014	0.006	6
3/21/2007	14:27:10	0.013	0.005	5
3/21/2007	14:42:10	0.012	0.004	4
3/21/2007	14:57:10	0.011	0.003	3
3/21/2007	15:12:10	0.011	0.003	3
3/21/2007	15:27:10	0.011	0.003	3
3/21/2007	15:42:10	0.011	0.003	3
3/21/2007	15:57:10	0.012	0.004	4
3/21/2007	16:12:10	0.011	0.003	3
3/21/2007	16:27:10	0.011	0.003	3
3/21/2007	16:42:10	0.012	0.004	4
3/21/2007	16:57:10	0.012	0.004	4
3/21/2007	17:12:10	0.013	0.005	5
3/21/2007	17:27:10	0.016	0.008	8
3/21/2007	17:42:10	0.014	0.006	6
3/21/2007	17:57:10	0.015	0.007	7
3/21/2007	18:12:10	0.014	0.006	6
3/21/2007	18:27:10	0.015	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/22/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/22/2007 7:04	0		0
2	3/22/2007 7:19	0.2		0.2
3	3/22/2007 7:34	0.2		0.2
4	3/22/2007 7:49	0.3		0.3
5	3/22/2007 8:04	0.3		0.3
6	3/22/2007 8:19	0.3		0.3
7	3/22/2007 8:34	0.4		0.4
8	3/22/2007 8:49	0.4		0.4
9	3/22/2007 9:04	0.4		0.4
10	3/22/2007 9:19	0.4		0.4
11	3/22/2007 9:34	0.4		0.4
12	3/22/2007 9:49	0.4		0.4
13	3/22/2007 10:04	0.4		0.4
14	3/22/2007 10:19	0.4		0.4
15	3/22/2007 10:34	0.4		0.4
16	3/22/2007 10:49	0.4		0.4
17	3/22/2007 11:04	0.4		0.4
18	3/22/2007 11:19	0.4		0.4
19	3/22/2007 11:34	0.4		0.4
20	3/22/2007 11:49	0.4		0.4
21	3/22/2007 12:04	0.4		0.4
22	3/22/2007 12:19	0.4		0.4
23	3/22/2007 12:34	0.4		0.4
24	3/22/2007 12:49	0.4		0.4
25	3/22/2007 13:04	0.3		0.3
26	3/22/2007 13:19	0.3		0.3
27	3/22/2007 13:34	0.3		0.3
28	3/22/2007 13:49	0.3		0.3
29	3/22/2007 14:04	0.3		0.3
30	3/22/2007 14:19	0.3		0.3
31	3/22/2007 14:34	0.3		0.3
32	3/22/2007 14:49	0.3		0.3
33	3/22/2007 15:04	0.3		0.3
34	3/22/2007 15:19	0.3		0.3
35	3/22/2007 15:34	0.3		0.3
36	3/22/2007 15:49	0.3		0.3
37	3/22/2007 16:04	0.3		0.3
38	3/22/2007 16:19	0.3		0.3
39	3/22/2007 16:34	0.3		0.3
40	3/22/2007 16:49	0.3		0.3
41	3/22/2007 17:04	0.3		0.3
42	3/22/2007 17:19	0.3		0.3
43	3/22/2007 17:34	0.3		0.3
44	3/22/2007 17:49	0.3		0.3
45	3/22/2007 18:04	0.3		0.3
46	3/22/2007 18:19	0.3		0.3
47	3/22/2007 18:34	0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	3/22/2007
Start Time:	6:48:40
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0648) = 0.052 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/22/2007	7:03:40	0.042	-0.01	-10
3/22/2007	7:18:40	0.041	-0.011	-11
3/22/2007	7:33:40	0.048	-0.004	-4
3/22/2007	7:48:40	0.053	0.001	1
3/22/2007	8:03:40	0.055	0.003	3
3/22/2007	8:18:40	0.063	0.011	11
3/22/2007	8:33:40	0.07	0.018	18
3/22/2007	8:48:40	0.068	0.016	16
3/22/2007	9:03:40	0.058	0.006	6
3/22/2007	9:18:40	0.053	0.001	1
3/22/2007	9:33:40	0.055	0.003	3
3/22/2007	9:48:40	0.056	0.004	4
3/22/2007	10:03:40	0.058	0.006	6
3/22/2007	10:18:40	0.058	0.006	6
3/22/2007	10:33:40	0.06	0.008	8
3/22/2007	10:48:40	0.056	0.004	4
3/22/2007	11:03:40	0.059	0.007	7
3/22/2007	11:18:40	0.06	0.008	8
3/22/2007	11:33:40	0.063	0.011	11
3/22/2007	11:48:40	0.061	0.009	9
3/22/2007	12:03:40	0.056	0.004	4
3/22/2007	12:18:40	0.054	0.002	2
3/22/2007	12:33:40	0.055	0.003	3
3/22/2007	12:48:40	0.055	0.003	3
3/22/2007	13:03:40	0.052	0	0
3/22/2007	13:18:40	0.052	0	0
3/22/2007	13:33:40	0.054	0.002	2
3/22/2007	13:48:40	0.055	0.003	3
3/22/2007	14:03:40	0.055	0.003	3
3/22/2007	14:18:40	0.054	0.002	2
3/22/2007	14:33:40	0.058	0.006	6
3/22/2007	14:48:40	0.059	0.007	7
3/22/2007	15:03:40	0.055	0.003	3
3/22/2007	15:18:40	0.055	0.003	3
3/22/2007	15:33:40	0.057	0.005	5
3/22/2007	15:48:40	0.058	0.006	6
3/22/2007	16:03:40	0.052	0	0
3/22/2007	16:18:40	0.053	0.001	1
3/22/2007	16:33:40	0.051	-0.001	-1
3/22/2007	16:48:40	0.052	0	0
3/22/2007	17:03:40	0.054	0.002	2
3/22/2007	17:18:40	0.053	0.001	1
3/22/2007	17:33:40	0.053	0.001	1
3/22/2007	17:48:40	0.056	0.004	4
3/22/2007	18:03:40	0.056	0.004	4
3/22/2007	18:18:40	0.059	0.007	7
3/22/2007	18:33:40	0.058	0.006	6
3/22/2007	18:48:40	0.061	0.009	9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/22/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/22/2007 6:47	0.1		0
2	3/22/2007 7:02	0.2		0.1
3	3/22/2007 7:17	0.2		0.1
4	3/22/2007 7:32	0.3		0.2
5	3/22/2007 7:47	0.3		0.2
6	3/22/2007 8:02	0.3		0.2
7	3/22/2007 8:17	0.3		0.2
8	3/22/2007 8:32	0.3		0.2
9	3/22/2007 8:47	0.3		0.2
10	3/22/2007 9:02	0.3		0.2
11	3/22/2007 9:17	0.3		0.2
12	3/22/2007 9:32	0.3		0.2
13	3/22/2007 9:47	0.3		0.2
14	3/22/2007 10:02	0.3		0.2
15	3/22/2007 10:17	0.3		0.2
16	3/22/2007 10:32	0.3		0.2
17	3/22/2007 10:47	0.3		0.2
18	3/22/2007 11:02	0.3		0.2
19	3/22/2007 11:17	0.3		0.2
20	3/22/2007 11:32	0.3		0.2
21	3/22/2007 11:47	0.3		0.2
22	3/22/2007 12:02	0.3		0.2
23	3/22/2007 12:17	0.3		0.2
24	3/22/2007 12:32	0.3		0.2
25	3/22/2007 12:47	0.3		0.2
26	3/22/2007 13:02	0.3		0.2
27	3/22/2007 13:17	0.4		0.3
28	3/22/2007 13:32	0.4		0.3
29	3/22/2007 13:47	0.4		0.3
30	3/22/2007 14:02	0.4		0.3
31	3/22/2007 14:17	0.4		0.3
32	3/22/2007 14:32	0.4		0.3
33	3/22/2007 14:47	0.4		0.3
34	3/22/2007 15:02	0.4		0.3
35	3/22/2007 15:17	0.4		0.3
36	3/22/2007 15:32	0.4		0.3
37	3/22/2007 15:47	0.4		0.3
38	3/22/2007 16:02	0.4		0.3
39	3/22/2007 16:17	0.4		0.3
40	3/22/2007 16:32	0.4		0.3
41	3/22/2007 16:47	0.4		0.3
42	3/22/2007 17:02	0.4		0.3
43	3/22/2007 17:17	0.4		0.3
44	3/22/2007 17:32	0.4		0.3
45	3/22/2007 17:47	0.4		0.3
46	3/22/2007 18:02	0.4		0.3
47	3/22/2007 18:17	0.4		0.3
48	3/22/2007 18:32	0.4		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	3/22/2007
Start Time:	6:32:24
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0633) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/22/2007	6:47:24	0.031	0.01	10
3/22/2007	7:02:24	0.035	0.014	14
3/22/2007	7:17:24	0.031	0.01	10
3/22/2007	7:32:24	0.034	0.013	13
3/22/2007	7:47:24	0.039	0.018	18
3/22/2007	8:02:24	0.04	0.019	19
3/22/2007	8:17:24	0.045	0.024	24
3/22/2007	8:32:24	0.05	0.029	29
3/22/2007	8:47:24	0.051	0.03	30
3/22/2007	9:02:24	0.043	0.022	22
3/22/2007	9:17:24	0.038	0.017	17
3/22/2007	9:32:24	0.038	0.017	17
3/22/2007	9:47:24	0.039	0.018	18
3/22/2007	10:02:24	0.041	0.02	20
3/22/2007	10:17:24	0.043	0.022	22
3/22/2007	10:32:24	0.043	0.022	22
3/22/2007	10:47:24	0.042	0.021	21
3/22/2007	11:02:24	0.043	0.022	22
3/22/2007	11:17:24	0.044	0.023	23
3/22/2007	11:32:24	0.046	0.025	25
3/22/2007	11:47:24	0.045	0.024	24
3/22/2007	12:02:24	0.041	0.02	20
3/22/2007	12:17:24	0.04	0.019	19
3/22/2007	12:32:24	0.04	0.019	19
3/22/2007	12:47:24	0.041	0.02	20
3/22/2007	13:02:24	0.04	0.019	19
3/22/2007	13:17:24	0.041	0.02	20
3/22/2007	13:32:24	0.043	0.022	22
3/22/2007	13:47:24	0.043	0.022	22
3/22/2007	14:02:24	0.045	0.024	24
3/22/2007	14:17:24	0.042	0.021	21
3/22/2007	14:32:24	0.046	0.025	25
3/22/2007	14:47:24	0.044	0.023	23
3/22/2007	15:02:24	0.043	0.022	22
3/22/2007	15:17:24	0.043	0.022	22
3/22/2007	15:32:24	0.044	0.023	23
3/22/2007	15:47:24	0.047	0.026	26
3/22/2007	16:02:24	0.041	0.02	20
3/22/2007	16:17:24	0.041	0.02	20
3/22/2007	16:32:24	0.039	0.018	18
3/22/2007	16:47:24	0.04	0.019	19
3/22/2007	17:02:24	0.041	0.02	20
3/22/2007	17:17:24	0.041	0.02	20
3/22/2007	17:32:24	0.041	0.02	20
3/22/2007	17:47:24	0.043	0.022	22
3/22/2007	18:02:24	0.043	0.022	22
3/22/2007	18:17:24	0.044	0.023	23
3/22/2007	18:32:24	0.043	0.022	22
3/22/2007	18:47:24	0.044	0.023	23
3/22/2007	19:02:24	0.044	0.023	23

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/22/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0649) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/22/2007 7:03	0.1		0
2	3/22/2007 7:18	0.2		0.1
3	3/22/2007 7:33	0.2		0.1
4	3/22/2007 7:48	0.2		0.1
5	3/22/2007 8:03	0.3		0.2
6	3/22/2007 8:18	0.3		0.2
7	3/22/2007 8:33	0.3		0.2
8	3/22/2007 8:48	0.3		0.2
9	3/22/2007 9:03	0.3		0.2
10	3/22/2007 9:18	0.3		0.2
11	3/22/2007 9:33	0.3		0.2
12	3/22/2007 9:48	0.3		0.2
13	3/22/2007 10:03	0.3		0.2
14	3/22/2007 10:18	0.3		0.2
15	3/22/2007 10:33	0.3		0.2
16	3/22/2007 10:48	0.3		0.2
17	3/22/2007 11:03	0.3		0.2
18	3/22/2007 11:18	0.3		0.2
19	3/22/2007 11:33	0.3		0.2
20	3/22/2007 11:48	0.3		0.2
21	3/22/2007 12:03	0.3		0.2
22	3/22/2007 12:18	0.3		0.2
23	3/22/2007 12:33	0.3		0.2
24	3/22/2007 12:48	0.3		0.2
25	3/22/2007 13:03	0.3		0.2
26	3/22/2007 13:18	0.3		0.2
27	3/22/2007 13:33	0.3		0.2
28	3/22/2007 13:48	0.3		0.2
29	3/22/2007 14:03	0.3		0.2
30	3/22/2007 14:18	0.3		0.2
31	3/22/2007 14:33	0.4		0.3
32	3/22/2007 14:48	0.4		0.3
33	3/22/2007 15:03	0.4		0.3
34	3/22/2007 15:18	0.4		0.3
35	3/22/2007 15:33	0.4		0.3
36	3/22/2007 15:48	0.4		0.3
37	3/22/2007 16:03	0.5		0.4
38	3/22/2007 16:18	0.5		0.4
39	3/22/2007 16:33	0.6		0.5
40	3/22/2007 16:48	0.6		0.5
41	3/22/2007 17:03	0.6		0.5
42	3/22/2007 17:18	0.6		0.5
43	3/22/2007 17:33	0.6		0.5
44	3/22/2007 17:48	0.6		0.5
45	3/22/2007 18:03	0.6		0.5
46	3/22/2007 18:18	0.6		0.5
47	3/22/2007 18:33	0.6		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	3/22/2007
Start Time:	6:49:41
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0647) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/22/2007	7:04:41	0.05	0.038	38
3/22/2007	7:19:41	0.046	0.034	34
3/22/2007	7:34:41	0.051	0.039	39
3/22/2007	7:49:41	0.062	0.05	50
3/22/2007	8:04:41	0.064	0.052	52
3/22/2007	8:19:41	0.068	0.056	56
3/22/2007	8:34:41	0.075	0.063	63
3/22/2007	8:49:41	0.075	0.063	63
3/22/2007	9:04:41	0.064	0.052	52
3/22/2007	9:19:41	0.056	0.044	44
3/22/2007	9:34:41	0.056	0.044	44
3/22/2007	9:49:41	0.057	0.045	45
3/22/2007	10:04:41	0.063	0.051	51
3/22/2007	10:19:41	0.063	0.051	51
3/22/2007	10:34:41	0.065	0.053	53
3/22/2007	10:49:41	0.063	0.051	51
3/22/2007	11:04:41	0.066	0.054	54
3/22/2007	11:19:41	0.068	0.056	56
3/22/2007	11:34:41	0.068	0.056	56
3/22/2007	11:49:41	0.067	0.055	55
3/22/2007	12:04:41	0.069	0.057	57
3/22/2007	12:19:41	0.064	0.052	52
3/22/2007	12:34:41	0.061	0.049	49
3/22/2007	12:49:41	0.063	0.051	51
3/22/2007	13:04:41	0.06	0.048	48
3/22/2007	13:19:41	0.063	0.051	51
3/22/2007	13:34:41	0.067	0.055	55
3/22/2007	13:49:41	0.066	0.054	54
3/22/2007	14:04:41	0.068	0.056	56
3/22/2007	14:19:41	0.065	0.053	53
3/22/2007	14:34:41	0.066	0.054	54
3/22/2007	14:49:41	0.065	0.053	53
3/22/2007	15:04:41	0.064	0.052	52
3/22/2007	15:19:41	0.065	0.053	53
3/22/2007	15:34:41	0.064	0.052	52
3/22/2007	15:49:41	0.066	0.054	54
3/22/2007	16:04:41	0.059	0.047	47
3/22/2007	16:19:41	0.06	0.048	48
3/22/2007	16:34:41	0.056	0.044	44
3/22/2007	16:49:41	0.058	0.046	46
3/22/2007	17:04:41	0.059	0.047	47
3/22/2007	17:19:41	0.057	0.045	45
3/22/2007	17:34:41	0.059	0.047	47
3/22/2007	17:49:41	0.059	0.047	47
3/22/2007	18:04:41	0.06	0.048	48
3/22/2007	18:19:41	0.061	0.049	49
3/22/2007	18:34:41	0.061	0.049	49
3/22/2007	18:49:41	0.063	0.051	51

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/22/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/22/2007 6:57	0		0
2	3/22/2007 7:12	0		0
3	3/22/2007 7:27	0		0
4	3/22/2007 7:42	0		0
5	3/22/2007 7:57	0		0
6	3/22/2007 8:12	0		0
7	3/22/2007 8:27	0		0
8	3/22/2007 8:42	0		0
9	3/22/2007 8:57	0		0
10	3/22/2007 9:12	0		0
11	3/22/2007 9:27	0		0
12	3/22/2007 9:42	0		0
13	3/22/2007 9:57	0		0
14	3/22/2007 10:12	0		0
15	3/22/2007 10:27	0		0
16	3/22/2007 10:42	0		0
17	3/22/2007 10:57	0		0
18	3/22/2007 11:12	0		0
19	3/22/2007 11:27	0		0
20	3/22/2007 11:42	0		0
21	3/22/2007 11:57	0		0
22	3/22/2007 12:12	0		0
23	3/22/2007 12:27	0		0
24	3/22/2007 12:42	0		0
25	3/22/2007 12:57	0		0
26	3/22/2007 13:12	0		0
27	3/22/2007 13:27	0		0
28	3/22/2007 13:42	0		0
29	3/22/2007 13:57	0		0
30	3/22/2007 14:12	0		0
31	3/22/2007 14:27	0		0
32	3/22/2007 14:42	0		0
33	3/22/2007 14:57	0		0
34	3/22/2007 15:12	0		0
35	3/22/2007 15:27	0		0
36	3/22/2007 15:42	0		0
37	3/22/2007 15:57	0		0
38	3/22/2007 16:12	0		0
39	3/22/2007 16:27	0		0
40	3/22/2007 16:42	0		0
41	3/22/2007 16:57	0		0
42	3/22/2007 17:12	0		0
43	3/22/2007 17:27	0		0
44	3/22/2007 17:42	0		0
45	3/22/2007 17:57	0		0
46	3/22/2007 18:12	0		0
47	3/22/2007 18:27	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	3/22/2007
Start Time:	6:42:26
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0643) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/22/2007	6:57:26	0.039	0.001	1
3/22/2007	7:12:26	0.04	0.002	2
3/22/2007	7:27:26	0.043	0.005	5
3/22/2007	7:42:26	0.06	0.022	22
3/22/2007	7:57:26	0.056	0.018	18
3/22/2007	8:12:26	0.055	0.017	17
3/22/2007	8:27:26	0.063	0.025	25
3/22/2007	8:42:26	0.072	0.034	34
3/22/2007	8:57:26	0.077	0.039	39
3/22/2007	9:12:26	0.06	0.022	22
3/22/2007	9:27:26	0.046	0.008	8
3/22/2007	9:42:26	0.049	0.011	11
3/22/2007	9:57:26	0.056	0.018	18
3/22/2007	10:12:26	0.056	0.018	18
3/22/2007	10:27:26	0.061	0.023	23
3/22/2007	10:42:26	0.062	0.024	24
3/22/2007	10:57:26	0.065	0.027	27
3/22/2007	11:12:26	0.066	0.028	28
3/22/2007	11:27:26	0.06	0.022	22
3/22/2007	11:42:26	0.058	0.02	20
3/22/2007	11:57:26	0.056	0.018	18
3/22/2007	12:12:26	0.061	0.023	23
3/22/2007	12:27:26	0.052	0.014	14
3/22/2007	12:42:26	0.051	0.013	13
3/22/2007	12:57:26	0.052	0.014	14
3/22/2007	13:12:26	0.057	0.019	19
3/22/2007	13:27:26	0.058	0.02	20
3/22/2007	13:42:26	0.067	0.029	29
3/22/2007	13:57:26	0.062	0.024	24
3/22/2007	14:12:26	0.064	0.026	26
3/22/2007	14:27:26	0.061	0.023	23
3/22/2007	14:42:26	0.055	0.017	17
3/22/2007	14:57:26	0.063	0.025	25
3/22/2007	15:12:26	0.06	0.022	22
3/22/2007	15:27:26	0.051	0.013	13
3/22/2007	15:42:26	0.051	0.013	13
3/22/2007	15:57:26	0.048	0.01	10
3/22/2007	16:12:26	0.046	0.008	8
3/22/2007	16:27:26	0.046	0.008	8
3/22/2007	16:42:26	0.045	0.007	7
3/22/2007	16:57:26	0.046	0.008	8
3/22/2007	17:12:26	0.046	0.008	8
3/22/2007	17:27:26	0.045	0.007	7
3/22/2007	17:42:26	0.048	0.01	10
3/22/2007	17:57:26	0.052	0.014	14
3/22/2007	18:12:26	0.05	0.012	12
3/22/2007	18:27:26	0.053	0.015	15
3/22/2007	18:42:26	0.048	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/23/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/23/2007 7:16			0		0
2	3/23/2007 7:31			0		0
3	3/23/2007 7:46			0		0
4	3/23/2007 8:01			0		0
5	3/23/2007 8:16			0.1		0.1
6	3/23/2007 8:31			0.1		0.1
7	3/23/2007 8:46			0.1		0.1
8	3/23/2007 9:01			0.1		0.1
9	3/23/2007 9:16			0.1		0.1
10	3/23/2007 9:31			0.1		0.1
11	3/23/2007 9:46			0.1		0.1
12	3/23/2007 10:01			0.1		0.1
13	3/23/2007 10:16			0.1		0.1
14	3/23/2007 10:31			0.1		0.1
15	3/23/2007 10:46			0.1		0.1
16	3/23/2007 11:01			0.1		0.1
17	3/23/2007 11:16			0.2		0.2
18	3/23/2007 11:31			0.1		0.1
19	3/23/2007 11:46			0.1		0.1
20	3/23/2007 12:01			0.1		0.1
21	3/23/2007 12:16			0.1		0.1
22	3/23/2007 12:31			0.2		0.2
23	3/23/2007 12:46			0.1		0.1
24	3/23/2007 13:01			0.1		0.1
25	3/23/2007 13:16			0.2		0.2
26	3/23/2007 13:31			0.2		0.2
27	3/23/2007 13:46			0.2		0.2
28	3/23/2007 14:01			0.2		0.2
29	3/23/2007 14:16			0.2		0.2
30	3/23/2007 14:31			0.2		0.2
31	3/23/2007 14:46			0.2		0.2
32	3/23/2007 15:01			0.2		0.2
33	3/23/2007 15:16			0.2		0.2
34	3/23/2007 15:31			0.2		0.2
35	3/23/2007 15:46			0.2		0.2
36	3/23/2007 16:01			0.2		0.2
37	3/23/2007 16:16			0.2		0.2
38	3/23/2007 16:31			0.2		0.2
39	3/23/2007 16:46			0.2		0.2
40	3/23/2007 17:01			0.3		0.3
41	3/23/2007 17:16			0.3		0.3
42	3/23/2007 17:31			0.3		0.3
43	3/23/2007 17:46			0.3		0.3
44	3/23/2007 18:01			0.3		0.3
45	3/23/2007 18:16			0.5		0.5
46	3/23/2007 18:31			0.4		0.4
47	3/23/2007 18:46			0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	3/23/2007
Start Time:	7:02:17
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0655) = 0.081 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/23/2007	7:17:17	0.089	0.008	8
3/23/2007	7:32:17	0.101	0.02	20
3/23/2007	7:47:17	0.083	0.002	2
3/23/2007	8:02:17	0.073	-0.008	-8
3/23/2007	8:17:17	0.073	-0.008	-8
3/23/2007	8:32:17	0.074	-0.007	-7
3/23/2007	8:47:17	0.071	-0.01	-10
3/23/2007	9:02:17	0.068	-0.013	-13
3/23/2007	9:17:17	0.063	-0.018	-18
3/23/2007	9:32:17	0.055	-0.026	-26
3/23/2007	9:47:17	0.049	-0.032	-32
3/23/2007	10:02:17	0.044	-0.037	-37
3/23/2007	10:17:17	0.039	-0.042	-42
3/23/2007	10:32:17	0.03	-0.051	-51
3/23/2007	10:47:17	0.028	-0.053	-53
3/23/2007	11:02:17	0.028	-0.053	-53
3/23/2007	11:17:17	0.032	-0.049	-49
3/23/2007	11:32:17	0.032	-0.049	-49
3/23/2007	11:47:17	0.026	-0.055	-55
3/23/2007	12:02:17	0.027	-0.054	-54
3/23/2007	12:17:17	0.043	-0.038	-38
3/23/2007	12:32:17	0.022	-0.059	-59
3/23/2007	12:47:17	0.028	-0.053	-53
3/23/2007	13:02:17	0.025	-0.056	-56
3/23/2007	13:17:17	0.027	-0.054	-54
3/23/2007	13:32:17	0.048	-0.033	-33
3/23/2007	13:47:17	0.028	-0.053	-53
3/23/2007	14:02:17	0.031	-0.05	-50
3/23/2007	14:17:17	0.041	-0.04	-40
3/23/2007	14:32:17	0.032	-0.049	-49
3/23/2007	14:47:17	0.03	-0.051	-51
3/23/2007	15:02:17	0.029	-0.052	-52
3/23/2007	15:17:17	0.028	-0.053	-53
3/23/2007	15:32:17	0.02	-0.061	-61
3/23/2007	15:47:17	0.021	-0.06	-60
3/23/2007	16:02:17	0.025	-0.056	-56
3/23/2007	16:17:17	0.026	-0.055	-55
3/23/2007	16:32:17	0.022	-0.059	-59
3/23/2007	16:47:17	0.028	-0.053	-53
3/23/2007	17:02:17	0.024	-0.057	-57
3/23/2007	17:17:17	0.03	-0.051	-51
3/23/2007	17:32:17	0.029	-0.052	-52
3/23/2007	17:47:17	0.037	-0.044	-44
3/23/2007	18:02:17	0.028	-0.053	-53
3/23/2007	18:17:17	0.028	-0.053	-53
3/23/2007	18:32:17	0.029	-0.052	-52
3/23/2007	18:47:17	0.028	-0.053	-53
3/23/2007	19:02:17	0.028	-0.053	-53

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/23/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/23/2007 7:05			0		0
2	3/23/2007 7:20			0		0
3	3/23/2007 7:35			0		0
4	3/23/2007 7:50			0		0
5	3/23/2007 8:05			0.1		0.1
6	3/23/2007 8:20			0.1		0.1
7	3/23/2007 8:35			0.1		0.1
8	3/23/2007 8:50			0.1		0.1
9	3/23/2007 9:05			0.2		0.2
10	3/23/2007 9:20			0.2		0.2
11	3/23/2007 9:35			0.2		0.2
12	3/23/2007 9:50			0.2		0.2
13	3/23/2007 10:05			0.2		0.2
14	3/23/2007 10:20			0.2		0.2
15	3/23/2007 10:35			0.3		0.3
16	3/23/2007 10:50			0.3		0.3
17	3/23/2007 11:05			0.3		0.3
18	3/23/2007 11:20			0.3		0.3
19	3/23/2007 11:35			0.3		0.3
20	3/23/2007 11:50			0.3		0.3
21	3/23/2007 12:05			0.3		0.3
22	3/23/2007 12:20			0.3		0.3
23	3/23/2007 12:35			0.3		0.3
24	3/23/2007 12:50			0.3		0.3
25	3/23/2007 13:05			0.3		0.3
26	3/23/2007 13:20			0.3		0.3
27	3/23/2007 13:35			0.3		0.3
28	3/23/2007 13:50			0.3		0.3
29	3/23/2007 14:05			0.3		0.3
30	3/23/2007 14:20			0.3		0.3
31	3/23/2007 14:35			0.3		0.3
32	3/23/2007 14:50			0.3		0.3
33	3/23/2007 15:05			0.3		0.3
34	3/23/2007 15:20			0.3		0.3
35	3/23/2007 15:35			0.3		0.3
36	3/23/2007 15:50			0.3		0.3
37	3/23/2007 16:05			0.3		0.3
38	3/23/2007 16:20			0.3		0.3
39	3/23/2007 16:35			0.3		0.3
40	3/23/2007 16:50			0.3		0.3
41	3/23/2007 17:05			0.3		0.3
42	3/23/2007 17:20			0.4		0.4
43	3/23/2007 17:35			0.4		0.4
44	3/23/2007 17:50			0.4		0.4
45	3/23/2007 18:05			0.4		0.4
46	3/23/2007 18:20			0.4		0.4
47	3/23/2007 18:35			0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	3/23/2007
Start Time:	6:51:30
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0652) = 0.092 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/23/2007	7:06:30	0.063	-0.029	-29
3/23/2007	7:21:30	0.066	-0.026	-26
3/23/2007	7:36:30	0.065	-0.027	-27
3/23/2007	7:51:30	0.055	-0.037	-37
3/23/2007	8:06:30	0.052	-0.04	-40
3/23/2007	8:21:30	0.052	-0.04	-40
3/23/2007	8:36:30	0.048	-0.044	-44
3/23/2007	8:51:30	0.049	-0.043	-43
3/23/2007	9:06:30	0.047	-0.045	-45
3/23/2007	9:21:30	0.043	-0.049	-49
3/23/2007	9:36:30	0.04	-0.052	-52
3/23/2007	9:51:30	0.037	-0.055	-55
3/23/2007	10:06:30	0.028	-0.064	-64
3/23/2007	10:21:30	0.026	-0.066	-66
3/23/2007	10:36:30	0.021	-0.071	-71
3/23/2007	10:51:30	0.02	-0.072	-72
3/23/2007	11:06:30	0.02	-0.072	-72
3/23/2007	11:21:30	0.021	-0.071	-71
3/23/2007	11:36:30	0.019	-0.073	-73
3/23/2007	11:51:30	0.026	-0.066	-66
3/23/2007	12:06:30	0.024	-0.068	-68
3/23/2007	12:21:30	0.031	-0.061	-61
3/23/2007	12:36:30	0.017	-0.075	-75
3/23/2007	12:51:30	0.018	-0.074	-74
3/23/2007	13:06:30	0.018	-0.074	-74
3/23/2007	13:21:30	0.019	-0.073	-73
3/23/2007	13:36:30	0.021	-0.071	-71
3/23/2007	13:51:30	0.02	-0.072	-72
3/23/2007	14:06:30	0.02	-0.072	-72
3/23/2007	14:21:30	0.024	-0.068	-68
3/23/2007	14:36:30	0.026	-0.066	-66
3/23/2007	14:51:30	0.018	-0.074	-74
3/23/2007	15:06:30	0.022	-0.07	-70
3/23/2007	15:21:30	0.02	-0.072	-72
3/23/2007	15:36:30	0.014	-0.078	-78
3/23/2007	15:51:30	0.018	-0.074	-74
3/23/2007	16:06:30	0.022	-0.07	-70
3/23/2007	16:21:30	0.016	-0.076	-76
3/23/2007	16:36:30	0.016	-0.076	-76
3/23/2007	16:51:30	0.018	-0.074	-74
3/23/2007	17:06:30	0.017	-0.075	-75
3/23/2007	17:21:30	0.023	-0.069	-69
3/23/2007	17:36:30	0.02	-0.072	-72
3/23/2007	17:51:30	0.022	-0.07	-70
3/23/2007	18:06:30	0.021	-0.071	-71
3/23/2007	18:21:30	0.025	-0.067	-67
3/23/2007	18:36:30	0.025	-0.067	-67
3/23/2007	18:51:30	0.022	-0.07	-70

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/23/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0644) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/23/2007 6:58			0.1		0.1
2	3/23/2007 7:13			0.1		0.1
3	3/23/2007 7:28			0.1		0.1
4	3/23/2007 7:43			0.2		0.2
5	3/23/2007 7:58			0.2		0.2
6	3/23/2007 8:13			0.2		0.2
7	3/23/2007 8:28			0.2		0.2
8	3/23/2007 8:43			0.2		0.2
9	3/23/2007 8:58			0.2		0.2
10	3/23/2007 9:13			0.2		0.2
11	3/23/2007 9:28			0.3		0.3
12	3/23/2007 9:43			0.3		0.3
13	3/23/2007 9:58			0.3		0.3
14	3/23/2007 10:13			0.3		0.3
15	3/23/2007 10:28			0.3		0.3
16	3/23/2007 10:43			0.3		0.3
17	3/23/2007 10:58			0.3		0.3
18	3/23/2007 11:13			0.4		0.4
19	3/23/2007 11:28			0.4		0.4
20	3/23/2007 11:43			0.4		0.4
21	3/23/2007 11:58			0.4		0.4
22	3/23/2007 12:13			0.4		0.4
23	3/23/2007 12:28			0.4		0.4
24	3/23/2007 12:43			0.4		0.4
25	3/23/2007 12:58			0.3		0.3
26	3/23/2007 13:13			0.3		0.3
27	3/23/2007 13:28			0.3		0.3
28	3/23/2007 13:43			0.3		0.3
29	3/23/2007 13:58			0.3		0.3
30	3/23/2007 14:13			0.3		0.3
31	3/23/2007 14:28			0.3		0.3
32	3/23/2007 14:43			0.3		0.3
33	3/23/2007 14:58			0.3		0.3
34	3/23/2007 15:13			0.3		0.3
35	3/23/2007 15:28			0.3		0.3
36	3/23/2007 15:43			0.3		0.3
37	3/23/2007 15:58			0.3		0.3
38	3/23/2007 16:13			0.3		0.3
39	3/23/2007 16:28			0.3		0.3
40	3/23/2007 16:43			0.3		0.3
41	3/23/2007 16:58			0.3		0.3
42	3/23/2007 17:13			0.3		0.3
43	3/23/2007 17:28			0.4		0.4
44	3/23/2007 17:43			0.3		0.3
45	3/23/2007 17:58			0.4		0.4
46	3/23/2007 18:13			0.4		0.4
47	3/23/2007 18:28			0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	3/23/2007
Start Time:	6:44:04
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	

Background Reading (0644) = 0.084 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/23/2007	6:59:04	0.087	0.003	3
3/23/2007	7:14:04	0.089	0.005	5
3/23/2007	7:29:04	0.094	0.01	10
3/23/2007	7:44:04	0.09	0.006	6
3/23/2007	7:59:04	0.078	-0.006	-6
3/23/2007	8:14:04	0.078	-0.006	-6
3/23/2007	8:29:04	0.072	-0.012	-12
3/23/2007	8:44:04	0.07	-0.014	-14
3/23/2007	8:59:04	0.069	-0.015	-15
3/23/2007	9:14:04	0.064	-0.02	-20
3/23/2007	9:29:04	0.06	-0.024	-24
3/23/2007	9:44:04	0.061	-0.023	-23
3/23/2007	9:59:04	0.051	-0.033	-33
3/23/2007	10:14:04	0.045	-0.039	-39
3/23/2007	10:29:04	0.035	-0.049	-49
3/23/2007	10:44:04	0.029	-0.055	-55
3/23/2007	10:59:04	0.03	-0.054	-54
3/23/2007	11:14:04	0.031	-0.053	-53
3/23/2007	11:29:04	0.028	-0.056	-56
3/23/2007	11:44:04	0.026	-0.058	-58
3/23/2007	11:59:04	0.048	-0.036	-36
3/23/2007	12:14:04	0.045	-0.039	-39
3/23/2007	12:29:04	0.027	-0.057	-57
3/23/2007	12:44:04	0.024	-0.06	-60
3/23/2007	12:59:04	0.027	-0.057	-57
3/23/2007	13:14:04	0.028	-0.056	-56
3/23/2007	13:29:04	0.027	-0.057	-57
3/23/2007	13:44:04	0.031	-0.053	-53
3/23/2007	13:59:04	0.028	-0.056	-56
3/23/2007	14:14:04	0.033	-0.051	-51
3/23/2007	14:29:04	0.036	-0.048	-48
3/23/2007	14:44:04	0.031	-0.053	-53
3/23/2007	14:59:04	0.028	-0.056	-56
3/23/2007	15:14:04	0.031	-0.053	-53
3/23/2007	15:29:04	0.024	-0.06	-60
3/23/2007	15:44:04	0.022	-0.062	-62
3/23/2007	15:59:04	0.027	-0.057	-57
3/23/2007	16:14:04	0.033	-0.051	-51
3/23/2007	16:29:04	0.023	-0.061	-61
3/23/2007	16:44:04	0.025	-0.059	-59
3/23/2007	16:59:04	0.025	-0.059	-59
3/23/2007	17:14:04	0.027	-0.057	-57
3/23/2007	17:29:04	0.026	-0.058	-58
3/23/2007	17:44:04	0.033	-0.051	-51
3/23/2007	17:59:04	0.032	-0.052	-52
3/23/2007	18:14:04	0.04	-0.044	-44
3/23/2007	18:29:04	0.037	-0.047	-47
3/23/2007	18:44:04	0.032	-0.052	-52

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/23/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0639) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/23/2007 6:53			0		0
2	3/23/2007 7:08			0		0
3	3/23/2007 7:23			0		0
4	3/23/2007 7:38			0		0
5	3/23/2007 7:53			0		0
6	3/23/2007 8:08			0		0
7	3/23/2007 8:23			0		0
8	3/23/2007 8:38			0		0
9	3/23/2007 8:53			0		0
10	3/23/2007 9:08			0		0
11	3/23/2007 9:23			0		0
12	3/23/2007 9:38			0		0
13	3/23/2007 9:53			0		0
14	3/23/2007 10:08			0		0
15	3/23/2007 10:23			0		0
16	3/23/2007 10:38			0		0
17	3/23/2007 10:53			0		0
18	3/23/2007 11:08			0		0
19	3/23/2007 11:23			0		0
20	3/23/2007 11:38			0		0
21	3/23/2007 11:53			0		0
22	3/23/2007 12:08			0		0
23	3/23/2007 12:23			0		0
24	3/23/2007 12:38			0		0
25	3/23/2007 12:53			0		0
26	3/23/2007 13:08			0		0
27	3/23/2007 13:23			0		0
28	3/23/2007 13:38			0		0
29	3/23/2007 13:53			0		0
30	3/23/2007 14:08			0		0
31	3/23/2007 14:23			0		0
32	3/23/2007 14:38			0		0
33	3/23/2007 14:53			0		0
34	3/23/2007 15:08			0		0
35	3/23/2007 15:23			0.1		0.1
36	3/23/2007 15:38			0.1		0.1
37	3/23/2007 15:53			0.1		0.1
38	3/23/2007 16:08			0.1		0.1
39	3/23/2007 16:23			0.1		0.1
40	3/23/2007 16:38			0.1		0.1
41	3/23/2007 16:53			0.1		0.1
42	3/23/2007 17:08			0.1		0.1
43	3/23/2007 17:23			0.1		0.1
44	3/23/2007 17:38			0.1		0.1
45	3/23/2007 17:53			0.1		0.1
46	3/23/2007 18:08			0.1		0.1
47	3/23/2007 18:23			0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	3/23/2007
Start Time:	6:38:47
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0639) = 0.060 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/23/2007	6:53:47	0.066	0.006	6
3/23/2007	7:08:47	0.076	0.016	16
3/23/2007	7:23:47	0.092	0.032	32
3/23/2007	7:38:47	0.093	0.033	33
3/23/2007	7:53:47	0.084	0.024	24
3/23/2007	8:08:47	0.107	0.047	47
3/23/2007	8:23:47	0.1	0.04	40
3/23/2007	8:38:47	0.15	0.09	90
3/23/2007	8:53:47	0.075	0.015	15
3/23/2007	9:08:47	0.063	0.003	3
3/23/2007	9:23:47	0.057	-0.003	-3
3/23/2007	9:38:47	0.054	-0.006	-6
3/23/2007	9:53:47	0.049	-0.011	-11
3/23/2007	10:08:47	0.057	-0.003	-3
3/23/2007	10:23:47	0.038	-0.022	-22
3/23/2007	10:38:47	0.028	-0.032	-32
3/23/2007	10:53:47	0.026	-0.034	-34
3/23/2007	11:08:47	0.028	-0.032	-32
3/23/2007	11:23:47	0.028	-0.032	-32
3/23/2007	11:38:47	0.031	-0.029	-29
3/23/2007	11:53:47	0.145	0.085	85
3/23/2007	12:08:47	0.031	-0.029	-29
3/23/2007	12:23:47	0.04	-0.02	-20
3/23/2007	12:38:47	0.031	-0.029	-29
3/23/2007	12:53:47	0.023	-0.037	-37
3/23/2007	13:08:47	0.023	-0.037	-37
3/23/2007	13:23:47	0.044	-0.016	-16
3/23/2007	13:38:47	0.031	-0.029	-29
3/23/2007	13:53:47	0.041	-0.019	-19
3/23/2007	14:08:47	0.033	-0.027	-27
3/23/2007	14:23:47	0.034	-0.026	-26
3/23/2007	14:38:47	0.043	-0.017	-17
3/23/2007	14:53:47	0.029	-0.031	-31
3/23/2007	15:08:47	0.028	-0.032	-32
3/23/2007	15:23:47	0.023	-0.037	-37
3/23/2007	15:38:47	0.018	-0.042	-42
3/23/2007	15:53:47	0.023	-0.037	-37
3/23/2007	16:08:47	0.026	-0.034	-34
3/23/2007	16:23:47	0.022	-0.038	-38
3/23/2007	16:38:47	0.023	-0.037	-37
3/23/2007	16:53:47	0.023	-0.037	-37
3/23/2007	17:08:47	0.023	-0.037	-37
3/23/2007	17:23:47	0.025	-0.035	-35
3/23/2007	17:38:47	0.028	-0.032	-32
3/23/2007	17:53:47	0.028	-0.032	-32
3/23/2007	18:08:47	0.027	-0.033	-33
3/23/2007	18:23:47	0.027	-0.033	-33
3/23/2007	18:38:47	0.028	-0.032	-32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/24/2007 07:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0754) = 0.1 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/24/2007 8:08			0.1		0
2	3/24/2007 8:23			0.2		0.1
3	3/24/2007 8:38			0.2		0.1
4	3/24/2007 8:53			0.3		0.2
5	3/24/2007 9:08			0.4		0.3
6	3/24/2007 9:23			0.4		0.3
7	3/24/2007 9:38			0.4		0.3
8	3/24/2007 9:53			0.4		0.3
9	3/24/2007 10:08			0.4		0.3
10	3/24/2007 10:23			0.5		0.4
11	3/24/2007 10:38			0.5		0.4
12	3/24/2007 10:53			0.5		0.4
13	3/24/2007 11:08			0.5		0.4
14	3/24/2007 11:23			0.5		0.4
15	3/24/2007 11:38			0.5		0.4
16	3/24/2007 11:53			0.5		0.4
17	3/24/2007 12:08			0.5		0.4
18	3/24/2007 12:23			0.5		0.4
19	3/24/2007 12:38			0.5		0.4
20	3/24/2007 12:53			0.5		0.4
21	3/24/2007 13:08			0.5		0.4
22	3/24/2007 13:23			0.5		0.4
23	3/24/2007 13:38			0.5		0.4
24	3/24/2007 13:53			0.5		0.4
25	3/24/2007 14:08			0.5		0.4
26	3/24/2007 14:23			0.5		0.4
27	3/24/2007 14:38			0.5		0.4
28	3/24/2007 14:53			0.5		0.4
29	3/24/2007 15:08			0.5		0.4
30	3/24/2007 15:23			0.6		0.5
31	3/24/2007 15:38			0.4		0.3
32	3/24/2007 15:53			0.4		0.3
33	3/24/2007 16:08			0.4		0.3
34	3/24/2007 16:23			0.5		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	6
Test Abbreviation:	
Start Date:	3/24/2007
Start Time:	7:53:08
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0754) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	mg/m^3
3/24/2007	8:08:08	0.009	-0.001	-1
3/24/2007	8:23:08	0.01	0	0
3/24/2007	8:38:08	0.01	0	0
3/24/2007	8:53:08	0.012	0.002	2
3/24/2007	9:08:08	0.014	0.004	4
3/24/2007	9:23:08	0.015	0.005	5
3/24/2007	9:38:08	0.012	0.002	2
3/24/2007	9:53:08	0.012	0.002	2
3/24/2007	10:08:08	0.013	0.003	3
3/24/2007	10:23:08	0.013	0.003	3
3/24/2007	10:38:08	0.013	0.003	3
3/24/2007	10:53:08	0.014	0.004	4
3/24/2007	11:08:08	0.015	0.005	5
3/24/2007	11:23:08	0.014	0.004	4
3/24/2007	11:38:08	0.016	0.006	6
3/24/2007	11:53:08	0.016	0.006	6
3/24/2007	12:08:08	0.015	0.005	5
3/24/2007	12:23:08	0.014	0.004	4
3/24/2007	12:38:08	0.016	0.006	6
3/24/2007	12:53:08	0.016	0.006	6
3/24/2007	13:08:08	0.017	0.007	7
3/24/2007	13:23:08	0.018	0.008	8
3/24/2007	13:38:08	0.016	0.006	6
3/24/2007	13:53:08	0.016	0.006	6
3/24/2007	14:08:08	0.016	0.006	6
3/24/2007	14:23:08	0.017	0.007	7
3/24/2007	14:38:08	0.018	0.008	8
3/24/2007	14:53:08	0.019	0.009	9
3/24/2007	15:08:08	0.021	0.011	11
3/24/2007	15:23:08	0.019	0.009	9
3/24/2007	15:38:08	0.024	0.014	14
3/24/2007	15:53:08	0.014	0.004	4
3/24/2007	16:08:08	0.012	0.002	2
3/24/2007	16:23:08	0.012	0.002	2
3/24/2007	16:38:08	0.012	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/23/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0756) = 0.0 ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Avg-background(ppm)
1	3/24/2007 8:10		0	0
2	3/24/2007 8:25		0	0
3	3/24/2007 8:40		0	0
4	3/24/2007 8:55		0	0
5	3/24/2007 9:10		0.1	0.1
6	3/24/2007 9:25		0.1	0.1
7	3/24/2007 9:40		0.1	0.1
8	3/24/2007 9:55		0.2	0.2
9	3/24/2007 10:10		0.2	0.2
10	3/24/2007 10:25		0.2	0.2
11	3/24/2007 10:40		0.2	0.2
12	3/24/2007 10:55		0.2	0.2
13	3/24/2007 11:10		0.3	0.3
14	3/24/2007 11:25		0.3	0.3
15	3/24/2007 11:40		0.3	0.3
16	3/24/2007 11:55		0.3	0.3
17	3/24/2007 12:10		0.3	0.3
18	3/24/2007 12:25		0.3	0.3
19	3/24/2007 12:40		0.4	0.4
20	3/24/2007 12:55		0.4	0.4
21	3/24/2007 13:10		0.4	0.4
22	3/24/2007 13:25		0.4	0.4
23	3/24/2007 13:40		0.4	0.4
24	3/24/2007 13:55		0.4	0.4
25	3/24/2007 14:10		0.4	0.4
26	3/24/2007 14:25		0.4	0.4
27	3/24/2007 14:40		0.4	0.4
28	3/24/2007 14:55		0.4	0.4
29	3/24/2007 15:10		0.4	0.4
30	3/24/2007 15:25		0.5	0.5
31	3/24/2007 15:40		0.5	0.5
32	3/24/2007 15:55		0.5	0.5
33	3/24/2007 16:10		0.5	0.5
34	3/24/2007 16:25		0.5	0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	3/24/2007
Start Time:	7:57:41
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0756) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	mg/m^3
3/24/2007	8:12:41	0.009	0.001	1
3/24/2007	8:27:41	0.01	0.002	2
3/24/2007	8:42:41	0.01	0.002	2
3/24/2007	8:57:41	0.011	0.003	3
3/24/2007	9:12:41	0.011	0.003	3
3/24/2007	9:27:41	0.011	0.003	3
3/24/2007	9:42:41	0.01	0.002	2
3/24/2007	9:57:41	0.011	0.003	3
3/24/2007	10:12:41	0.012	0.004	4
3/24/2007	10:27:41	0.014	0.006	6
3/24/2007	10:42:41	0.013	0.005	5
3/24/2007	10:57:41	0.012	0.004	4
3/24/2007	11:12:41	0.012	0.004	4
3/24/2007	11:27:41	0.012	0.004	4
3/24/2007	11:42:41	0.012	0.004	4
3/24/2007	11:57:41	0.012	0.004	4
3/24/2007	12:12:41	0.013	0.005	5
3/24/2007	12:27:41	0.012	0.004	4
3/24/2007	12:42:41	0.013	0.005	5
3/24/2007	12:57:41	0.013	0.005	5
3/24/2007	13:12:41	0.013	0.005	5
3/24/2007	13:27:41	0.013	0.005	5
3/24/2007	13:42:41	0.013	0.005	5
3/24/2007	13:57:41	0.013	0.005	5
3/24/2007	14:12:41	0.013	0.005	5
3/24/2007	14:27:41	0.013	0.005	5
3/24/2007	14:42:41	0.014	0.006	6
3/24/2007	14:57:41	0.016	0.008	8
3/24/2007	15:12:41	0.019	0.011	11
3/24/2007	15:27:41	0.015	0.007	7
3/24/2007	15:42:41	0.014	0.006	6
3/24/2007	15:57:41	0.01	0.002	2
3/24/2007	16:12:41	0.01	0.002	2
3/24/2007	16:27:41	0.01	0.002	2
3/24/2007	16:42:41	0.01	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171

User ID: 00000001 Site ID: 00000022

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 03/23/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0820) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm	Avg-background(ppm)
1	3/24/2007 8:32			0				0
2	3/24/2007 8:47			0				0
3	3/24/2007 9:02			0				0
4	3/24/2007 9:17			0				0
5	3/24/2007 9:32			0.1				0.1
6	3/24/2007 9:47			0.1				0.1
7	3/24/2007 10:02			0.1				0.1
8	3/24/2007 10:17			0.1				0.1
9	3/24/2007 10:32			0.1				0.1
10	3/24/2007 10:47			0.2				0.2
11	3/24/2007 11:02			0.2				0.2
12	3/24/2007 11:17			0.2				0.2
13	3/24/2007 11:32			0.2				0.2
14	3/24/2007 11:47			0.2				0.2
15	3/24/2007 12:02			0.2				0.2
16	3/24/2007 12:17			0.2				0.2
17	3/24/2007 12:32			0.2				0.2
18	3/24/2007 12:47			0.2				0.2
19	3/24/2007 13:02			0.3				0.3
20	3/24/2007 13:17			0.3				0.3
21	3/24/2007 13:32			0.3				0.3
22	3/24/2007 13:47			0.3				0.3
23	3/24/2007 14:02			0.3				0.3
24	3/24/2007 14:17			0.3				0.3
25	3/24/2007 14:32			0.3				0.3
26	3/24/2007 14:47			0.3				0.3
27	3/24/2007 15:02			0.3				0.3
28	3/24/2007 15:17			0.4				0.4
29	3/24/2007 15:32			0.4				0.4
30	3/24/2007 15:47			0.4				0.4
31	3/24/2007 16:02			0.5				0.5
32	3/24/2007 16:17			0.5				0.5
33	3/24/2007 16:32			0.5				0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	7
Test Abbreviation:	
Start Date:	3/24/2007
Start Time:	8:20:25
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0820) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/24/2007	8:35:25	0.009	0.001	1
3/24/2007	8:50:25	0.011	0.003	3
3/24/2007	9:05:25	0.011	0.003	3
3/24/2007	9:20:25	0.013	0.005	5
3/24/2007	9:35:25	0.012	0.004	4
3/24/2007	9:50:25	0.012	0.004	4
3/24/2007	10:05:25	0.017	0.009	9
3/24/2007	10:20:25	0.017	0.009	9
3/24/2007	10:35:25	0.019	0.011	11
3/24/2007	10:50:25	0.023	0.015	15
3/24/2007	11:05:25	0.021	0.013	13
3/24/2007	11:20:25	0.017	0.009	9
3/24/2007	11:35:25	0.016	0.008	8
3/24/2007	11:50:25	0.014	0.006	6
3/24/2007	12:05:25	0.02	0.012	12
3/24/2007	12:20:25	0.02	0.012	12
3/24/2007	12:35:25	0.016	0.008	8
3/24/2007	12:50:25	0.016	0.008	8
3/24/2007	13:05:25	0.017	0.009	9
3/24/2007	13:20:25	0.017	0.009	9
3/24/2007	13:35:25	0.018	0.01	10
3/24/2007	13:50:25	0.018	0.01	10
3/24/2007	14:05:25	0.016	0.008	8
3/24/2007	14:20:25	0.019	0.011	11
3/24/2007	14:35:25	0.018	0.01	10
3/24/2007	14:50:25	0.023	0.015	15
3/24/2007	15:05:25	0.019	0.011	11
3/24/2007	15:20:25	0.024	0.016	16
3/24/2007	15:35:25	0.02	0.012	12
3/24/2007	15:50:25	0.016	0.008	8
3/24/2007	16:05:25	0.012	0.004	4
3/24/2007	16:20:25	0.013	0.005	5
3/24/2007	16:35:25	0.015	0.007	7
3/24/2007	16:50:25	0.014	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/23/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0808) = 0.2 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/24/2007 8:22			0.2		0
2	3/24/2007 8:37			0.2		0
3	3/24/2007 8:52			0.2		0
4	3/24/2007 9:07			0.2		0
5	3/24/2007 9:22			0.2		0
6	3/24/2007 9:37			0.3		0.1
7	3/24/2007 9:52			0.2		0
8	3/24/2007 10:07			0.2		0
9	3/24/2007 10:22			0.2		0
10	3/24/2007 10:37			0.2		0
11	3/24/2007 10:52			0.1		-0.1
12	3/24/2007 11:07			0.1		-0.1
13	3/24/2007 11:22			0.1		-0.1
14	3/24/2007 11:37			0.1		-0.1
15	3/24/2007 11:52			0.1		-0.1
16	3/24/2007 12:07			0.1		-0.1
17	3/24/2007 12:22			0.1		-0.1
18	3/24/2007 12:37			0.1		-0.1
19	3/24/2007 12:52			0		-0.2
20	3/24/2007 13:07			0		-0.2
21	3/24/2007 13:22			0		-0.2
22	3/24/2007 13:37			0		-0.2
23	3/24/2007 13:52			0		-0.2
24	3/24/2007 14:07			0		-0.2
25	3/24/2007 14:22			0		-0.2
26	3/24/2007 14:37			0.1		-0.1
27	3/24/2007 14:52			0.1		-0.1
28	3/24/2007 15:07			0.1		-0.1
29	3/24/2007 15:22			0.2		0
30	3/24/2007 15:37			0.2		0
31	3/24/2007 15:52			0.1		-0.1
32	3/24/2007 16:07			0.2		0
33	3/24/2007 16:22			0.2		0
34	3/24/2007 16:37			0.2		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	3/24/2007
Start Time:	15:18:12
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (0808) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
3/24/2007	8:08:00	0.01	0	0	*Manually logged instantaneous reading.
3/24/2007	9:54:00	0.012	0.002	2	*Manually logged instantaneous reading.
3/24/2007	10:06:00	0.019	0.009	9	*Manually logged instantaneous reading.
3/24/2007	11:34:00	0.014	0.004	4	*Manually logged instantaneous reading.
3/24/2007	12:04:00	0.016	0.006	6	*Manually logged instantaneous reading.
3/24/2007	13:59:00	0.014	0.004	4	*Manually logged instantaneous reading.
3/24/2007	14:05:00	0.013	0.003	3	*Manually logged instantaneous reading.
3/24/2007	15:17:00	0.29	0.28	280	*Manually logged instantaneous reading (elevated reading due to testing of equipment).
3/24/2007	15:33:12	0.019	0.009	9	
3/24/2007	15:48:12	0.017	0.007	7	
3/24/2007	16:03:12	0.012	0.002	2	
3/24/2007	16:18:12	0.013	0.003	3	
3/24/2007	16:33:12	0.012	0.002	2	
3/24/2007	16:48:12	0.013	0.003	3	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/26/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/26/2007 6:53	0.1		0.1
2	3/26/2007 7:08	0.2		0.2
3	3/26/2007 7:23	0.2		0.2
4	3/26/2007 7:38	0.3		0.3
5	3/26/2007 7:53	0.3		0.3
6	3/26/2007 8:08	0.3		0.3
7	3/26/2007 8:23	0.4		0.4
8	3/26/2007 8:38	0.4		0.4
9	3/26/2007 8:53	0.4		0.4
10	3/26/2007 9:08	0.4		0.4
11	3/26/2007 9:23	0.4		0.4
12	3/26/2007 9:38	0.4		0.4
13	3/26/2007 9:53	0.4		0.4
14	3/26/2007 10:08	0.4		0.4
15	3/26/2007 10:23	0.4		0.4
16	3/26/2007 10:38	0.5		0.5
17	3/26/2007 10:53	0.5		0.5
18	3/26/2007 11:08	0.5		0.5
19	3/26/2007 11:23	0.5		0.5
20	3/26/2007 11:38	0.5		0.5
21	3/26/2007 11:53	0.5		0.5
22	3/26/2007 12:08	0.5		0.5
23	3/26/2007 12:23	0.5		0.5
24	3/26/2007 12:38	0.5		0.5
25	3/26/2007 12:53	0.5		0.5
26	3/26/2007 13:08	0.5		0.5
27	3/26/2007 13:23	0.5		0.5
28	3/26/2007 13:38	0.5		0.5
29	3/26/2007 13:53	0.5		0.5
30	3/26/2007 14:08	0.5		0.5
31	3/26/2007 14:23	0.5		0.5
32	3/26/2007 14:38	0.5		0.5
33	3/26/2007 14:53	0.5		0.5
34	3/26/2007 15:08	0.5		0.5
35	3/26/2007 15:23	0.5		0.5
36	3/26/2007 15:38	0.5		0.5
37	3/26/2007 15:53	0.5		0.5
38	3/26/2007 16:08	0.5		0.5
39	3/26/2007 16:23	0.5		0.5
40	3/26/2007 16:38	0.5		0.5
41	3/26/2007 16:53	0.5		0.5
42	3/26/2007 17:08	0.5		0.5
43	3/26/2007 17:23	0.5		0.5
44	3/26/2007 17:38	0.5		0.5
45	3/26/2007 17:53	0.5		0.5
46	3/26/2007 18:08	0.5		0.5
47	3/26/2007 18:23	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	3/26/2007
Start Time:	6:38:25
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0638) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/26/2007	6:53:25	0.029	0.005	5
3/26/2007	7:08:25	0.034	0.01	10
3/26/2007	7:23:25	0.035	0.011	11
3/26/2007	7:38:25	0.032	0.008	8
3/26/2007	7:53:25	0.032	0.008	8
3/26/2007	8:08:25	0.033	0.009	9
3/26/2007	8:23:25	0.035	0.011	11
3/26/2007	8:38:25	0.033	0.009	9
3/26/2007	8:53:25	0.03	0.006	6
3/26/2007	9:08:25	0.03	0.006	6
3/26/2007	9:23:25	0.031	0.007	7
3/26/2007	9:38:25	0.033	0.009	9
3/26/2007	9:53:25	0.031	0.007	7
3/26/2007	10:08:25	0.028	0.004	4
3/26/2007	10:23:25	0.027	0.003	3
3/26/2007	10:38:25	0.023	-0.001	-1
3/26/2007	10:53:25	0.025	0.001	1
3/26/2007	11:08:25	0.025	0.001	1
3/26/2007	11:23:25	0.022	-0.002	-2
3/26/2007	11:38:25	0.02	-0.004	-4
3/26/2007	11:53:25	0.02	-0.004	-4
3/26/2007	12:08:25	0.019	-0.005	-5
3/26/2007	12:23:25	0.02	-0.004	-4
3/26/2007	12:38:25	0.021	-0.003	-3
3/26/2007	12:53:25	0.02	-0.004	-4
3/26/2007	13:08:25	0.018	-0.006	-6
3/26/2007	13:23:25	0.017	-0.007	-7
3/26/2007	13:38:25	0.017	-0.007	-7
3/26/2007	13:53:25	0.017	-0.007	-7
3/26/2007	14:08:25	0.017	-0.007	-7
3/26/2007	14:23:25	0.015	-0.009	-9
3/26/2007	14:38:25	0.016	-0.008	-8
3/26/2007	14:53:25	0.017	-0.007	-7
3/26/2007	15:08:25	0.018	-0.006	-6
3/26/2007	15:23:25	0.018	-0.006	-6
3/26/2007	15:38:25	0.018	-0.006	-6
3/26/2007	15:53:25	0.018	-0.006	-6
3/26/2007	16:08:25	0.022	-0.002	-2
3/26/2007	16:23:25	0.018	-0.006	-6
3/26/2007	16:38:25	0.017	-0.007	-7
3/26/2007	16:53:25	0.018	-0.006	-6
3/26/2007	17:08:25	0.018	-0.006	-6
3/26/2007	17:23:25	0.017	-0.007	-7
3/26/2007	17:38:25	0.019	-0.005	-5
3/26/2007	17:53:25	0.02	-0.004	-4
3/26/2007	18:08:25	0.02	-0.004	-4
3/26/2007	18:23:25	0.019	-0.005	-5
3/26/2007	18:38:25	0.021	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/26/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/26/2007 6:50	0		0
2	3/26/2007 7:05	0		0
3	3/26/2007 7:20	0		0
4	3/26/2007 7:35	0		0
5	3/26/2007 7:50	0		0
6	3/26/2007 8:05	0		0
7	3/26/2007 8:20	0		0
8	3/26/2007 8:35	0		0
9	3/26/2007 8:50	0		0
10	3/26/2007 9:05	0.1		0.1
11	3/26/2007 9:20	0.1		0.1
12	3/26/2007 9:35	0.1		0.1
13	3/26/2007 9:50	0.1		0.1
14	3/26/2007 10:05	0.1		0.1
15	3/26/2007 10:20	0.1		0.1
16	3/26/2007 10:35	0.1		0.1
17	3/26/2007 10:50	0.2		0.2
18	3/26/2007 11:05	0.2		0.2
19	3/26/2007 11:20	0.2		0.2
20	3/26/2007 11:35	0.3		0.3
21	3/26/2007 11:50	0.3		0.3
22	3/26/2007 12:05	0.3		0.3
23	3/26/2007 12:20	0.3		0.3
24	3/26/2007 12:35	0.4		0.4
25	3/26/2007 12:50	0.4		0.4
26	3/26/2007 13:05	0.4		0.4
27	3/26/2007 13:20	0.4		0.4
28	3/26/2007 13:35	0.4		0.4
29	3/26/2007 13:50	0.4		0.4
30	3/26/2007 14:05	0.4		0.4
31	3/26/2007 14:20	0.4		0.4
32	3/26/2007 14:35	0.4		0.4
33	3/26/2007 14:50	0.4		0.4
34	3/26/2007 15:05	0.4		0.4
35	3/26/2007 15:20	0.4		0.4
36	3/26/2007 15:35	0.4		0.4
37	3/26/2007 15:50	0.4		0.4
38	3/26/2007 16:05	0.4		0.4
39	3/26/2007 16:20	0.4		0.4
40	3/26/2007 16:35	0.4		0.4
41	3/26/2007 16:50	0.4		0.4
42	3/26/2007 17:05	0.3		0.3
43	3/26/2007 17:20	0.3		0.3
44	3/26/2007 17:35	0.3		0.3
45	3/26/2007 17:50	0.3		0.3
46	3/26/2007 18:05	0.3		0.3
47	3/26/2007 18:20	0.3		0.3
48	3/26/2007 18:35	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	3/26/2007
Start Time:	6:38:50
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	Background Reading (0634) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/26/2007	6:53:50	0.02	0.001	1
3/26/2007	7:08:50	0.024	0.005	5
3/26/2007	7:23:50	0.025	0.006	6
3/26/2007	7:38:50	0.022	0.003	3
3/26/2007	7:53:50	0.022	0.003	3
3/26/2007	8:08:50	0.024	0.005	5
3/26/2007	8:23:50	0.025	0.006	6
3/26/2007	8:38:50	0.024	0.005	5
3/26/2007	8:53:50	0.02	0.001	1
3/26/2007	9:08:50	0.021	0.002	2
3/26/2007	9:58:38	0.021	0.002	2
3/26/2007	10:13:38	0.021	0.002	2
3/26/2007	10:28:38	0.019	0	0
3/26/2007	10:43:38	0.018	-0.001	-1
3/26/2007	10:58:38	0.02	0.001	1
3/26/2007	11:13:38	0.017	-0.002	-2
3/26/2007	11:28:38	0.016	-0.003	-3
3/26/2007	11:43:38	0.015	-0.004	-4
3/26/2007	11:58:38	0.015	-0.004	-4
3/26/2007	12:13:38	0.014	-0.005	-5
3/26/2007	12:28:38	0.017	-0.002	-2
3/26/2007	12:43:38	0.016	-0.003	-3
3/26/2007	12:58:38	0.014	-0.005	-5
3/26/2007	13:13:38	0.013	-0.006	-6
3/26/2007	13:28:38	0.014	-0.005	-5
3/26/2007	13:43:38	0.013	-0.006	-6
3/26/2007	13:58:38	0.014	-0.005	-5
3/26/2007	14:13:38	0.013	-0.006	-6
3/26/2007	14:28:38	0.012	-0.007	-7
3/26/2007	14:43:38	0.013	-0.006	-6
3/26/2007	14:58:38	0.015	-0.004	-4
3/26/2007	15:13:38	0.014	-0.005	-5
3/26/2007	15:28:38	0.014	-0.005	-5
3/26/2007	15:43:38	0.013	-0.006	-6
3/26/2007	15:58:38	0.014	-0.005	-5
3/26/2007	16:13:38	0.014	-0.005	-5
3/26/2007	16:28:38	0.012	-0.007	-7
3/26/2007	16:43:38	0.012	-0.007	-7
3/26/2007	16:58:38	0.013	-0.006	-6
3/26/2007	17:13:38	0.012	-0.007	-7
3/26/2007	17:28:38	0.012	-0.007	-7
3/26/2007	17:43:38	0.012	-0.007	-7
3/26/2007	17:58:38	0.015	-0.004	-4
3/26/2007	18:13:38	0.013	-0.006	-6
3/26/2007	18:28:38	0.013	-0.006	-6
3/26/2007	18:43:38	0.013	-0.006	-6
3/26/2007	18:58:38	0.013	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/26/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/26/2007 7:07	0		0
2	3/26/2007 7:22	0		0
3	3/26/2007 7:37	0		0
4	3/26/2007 7:52	0.1		0.1
5	3/26/2007 8:07	0.1		0.1
6	3/26/2007 8:22	0.2		0.2
7	3/26/2007 8:37	0.2		0.2
8	3/26/2007 8:52	0.2		0.2
9	3/26/2007 9:07	0.2		0.2
10	3/26/2007 9:22	0.2		0.2
11	3/26/2007 9:37	0.3		0.3
12	3/26/2007 9:52	0.3		0.3
13	3/26/2007 10:07	0.3		0.3
14	3/26/2007 10:22	0.3		0.3
15	3/26/2007 10:37	0.3		0.3
16	3/26/2007 10:52	0.3		0.3
17	3/26/2007 11:07	0.3		0.3
18	3/26/2007 11:22	0.3		0.3
19	3/26/2007 11:37	0.3		0.3
20	3/26/2007 11:52	0.3		0.3
21	3/26/2007 12:07	0.4		0.4
22	3/26/2007 12:22	0.4		0.4
23	3/26/2007 12:37	0.4		0.4
24	3/26/2007 12:52	0.4		0.4
25	3/26/2007 13:07	0.4		0.4
26	3/26/2007 13:22	0.4		0.4
27	3/26/2007 13:37	0.4		0.4
28	3/26/2007 13:52	0.4		0.4
29	3/26/2007 14:07	0.4		0.4
30	3/26/2007 14:22	0.4		0.4
31	3/26/2007 14:37	0.5		0.5
32	3/26/2007 14:52	0.5		0.5
33	3/26/2007 15:07	0.5		0.5
34	3/26/2007 15:22	0.5		0.5
35	3/26/2007 15:37	0.5		0.5
36	3/26/2007 15:52	0.5		0.5
37	3/26/2007 16:07	0.5		0.5
38	3/26/2007 16:22	0.5		0.5
39	3/26/2007 16:37	0.5		0.5
40	3/26/2007 16:52	0.5		0.5
41	3/26/2007 17:07	0.4		0.4
42	3/26/2007 17:22	0.5		0.5
43	3/26/2007 17:37	0.5		0.5
44	3/26/2007 17:52	0.5		0.5
45	3/26/2007 18:07	0.5		0.5
46	3/26/2007 18:22	0.5		0.5
47	3/26/2007 18:37	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	3/26/2007
Start Time:	7:41:16
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0652) = 0.028 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/26/2007	7:56:16	0.033	0.005	5
3/26/2007	8:11:16	0.034	0.006	6
3/26/2007	8:26:16	0.034	0.006	6
3/26/2007	8:41:16	0.033	0.005	5
3/26/2007	8:56:16	0.029	0.001	1
3/26/2007	9:11:16	0.032	0.004	4
3/26/2007	9:26:16	0.033	0.005	5
3/26/2007	9:41:16	0.033	0.005	5
3/26/2007	9:56:16	0.032	0.004	4
3/26/2007	10:11:16	0.038	0.01	10
3/26/2007	10:26:16	0.037	0.009	9
3/26/2007	10:41:16	0.026	-0.002	-2
3/26/2007	10:56:16	0.029	0.001	1
3/26/2007	11:11:16	0.029	0.001	1
3/26/2007	11:26:16	0.027	-0.001	-1
3/26/2007	11:41:16	0.022	-0.006	-6
3/26/2007	11:56:16	0.023	-0.005	-5
3/26/2007	12:11:16	0.023	-0.005	-5
3/26/2007	12:26:16	0.023	-0.005	-5
3/26/2007	12:41:16	0.023	-0.005	-5
3/26/2007	12:56:16	0.021	-0.007	-7
3/26/2007	13:11:16	0.022	-0.006	-6
3/26/2007	13:26:16	0.02	-0.008	-8
3/26/2007	13:41:16	0.018	-0.01	-10
3/26/2007	13:56:16	0.019	-0.009	-9
3/26/2007	14:11:16	0.018	-0.01	-10
3/26/2007	14:26:16	0.015	-0.013	-13
3/26/2007	14:41:16	0.018	-0.01	-10
3/26/2007	14:56:16	0.019	-0.009	-9
3/26/2007	15:11:16	0.021	-0.007	-7
3/26/2007	15:26:16	0.02	-0.008	-8
3/26/2007	15:41:16	0.02	-0.008	-8
3/26/2007	15:56:16	0.02	-0.008	-8
3/26/2007	16:11:16	0.024	-0.004	-4
3/26/2007	16:26:16	0.018	-0.01	-10
3/26/2007	16:41:16	0.017	-0.011	-11
3/26/2007	16:56:16	0.017	-0.011	-11
3/26/2007	17:11:16	0.017	-0.011	-11
3/26/2007	17:26:16	0.017	-0.011	-11
3/26/2007	17:41:16	0.017	-0.011	-11
3/26/2007	17:56:16	0.018	-0.01	-10
3/26/2007	18:11:16	0.019	-0.009	-9
3/26/2007	18:26:16	0.017	-0.011	-11
3/26/2007	18:41:16	0.018	-0.01	-10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/26/2007 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/26/2007 7:03	0		-0.2
2	3/26/2007 7:18	0		-0.2
3	3/26/2007 7:33	0		-0.2
4	3/26/2007 7:48	0.1		-0.1
5	3/26/2007 8:03	0.2		0
6	3/26/2007 8:18	0.2		0
7	3/26/2007 8:33	0.3		0.1
8	3/26/2007 8:48	0.3		0.1
9	3/26/2007 9:03	0.3		0.1
10	3/26/2007 9:18	0.3		0.1
11	3/26/2007 9:33	0.4		0.2
12	3/26/2007 9:48	0.4		0.2
13	3/26/2007 10:03	0.4		0.2
14	3/26/2007 10:18	0.4		0.2
15	3/26/2007 10:33	0.4		0.2
16	3/26/2007 10:48	0.4		0.2
17	3/26/2007 11:03	0.4		0.2
18	3/26/2007 11:18	0.4		0.2
19	3/26/2007 11:33	0.4		0.2
20	3/26/2007 11:48	0.4		0.2
21	3/26/2007 12:03	0.3		0.1
22	3/26/2007 12:18	0.3		0.1
23	3/26/2007 12:33	0.3		0.1
24	3/26/2007 12:48	0.3		0.1
25	3/26/2007 13:03	0.3		0.1
26	3/26/2007 13:18	0.2		0
27	3/26/2007 13:33	0.2		0
28	3/26/2007 13:48	0.2		0
29	3/26/2007 14:03	0.2		0
30	3/26/2007 14:18	0.3		0.1
31	3/26/2007 14:33	0.3		0.1
32	3/26/2007 14:48	0.3		0.1
33	3/26/2007 15:03	0.3		0.1
34	3/26/2007 15:18	0.2		0
35	3/26/2007 15:33	0.2		0
36	3/26/2007 15:48	0.3		0.1
37	3/26/2007 16:03	0.3		0.1
38	3/26/2007 16:18	0.3		0.1
39	3/26/2007 16:33	0.3		0.1
40	3/26/2007 16:48	0.3		0.1
41	3/26/2007 17:03	0.3		0.1
42	3/26/2007 17:18	0.3		0.1
43	3/26/2007 17:33	0.3		0.1
44	3/26/2007 17:48	0.3		0.1
45	3/26/2007 18:03	0.3		0.1
46	3/26/2007 18:18	0.3		0.1
47	3/26/2007 18:33	0.3		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	3/26/2007
Start Time:	6:49:33
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0645) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/26/2007	7:04:33	0.027	-0.001	-1
3/26/2007	7:19:33	0.031	0.003	3
3/26/2007	7:34:33	0.032	0.004	4
3/26/2007	7:49:33	0.03	0.002	2
3/26/2007	8:04:33	0.032	0.004	4
3/26/2007	8:19:33	0.034	0.006	6
3/26/2007	8:34:33	0.031	0.003	3
3/26/2007	8:49:33	0.028	0	0
3/26/2007	9:04:33	0.026	-0.002	-2
3/26/2007	9:19:33	0.029	0.001	1
3/26/2007	9:34:33	0.03	0.002	2
3/26/2007	9:49:33	0.026	-0.002	-2
3/26/2007	10:04:33	0.025	-0.003	-3
3/26/2007	10:19:33	0.028	0	0
3/26/2007	10:34:33	0.023	-0.005	-5
3/26/2007	10:49:33	0.025	-0.003	-3
3/26/2007	11:04:33	0.027	-0.001	-1
3/26/2007	11:19:33	0.025	-0.003	-3
3/26/2007	11:34:33	0.021	-0.007	-7
3/26/2007	11:49:33	0.02	-0.008	-8
3/26/2007	12:04:33	0.021	-0.007	-7
3/26/2007	12:19:33	0.019	-0.009	-9
3/26/2007	12:34:33	0.021	-0.007	-7
3/26/2007	12:49:33	0.02	-0.008	-8
3/26/2007	13:04:33	0.018	-0.01	-10
3/26/2007	13:19:33	0.017	-0.011	-11
3/26/2007	13:34:33	0.016	-0.012	-12
3/26/2007	13:49:33	0.016	-0.012	-12
3/26/2007	14:04:33	0.017	-0.011	-11
3/26/2007	14:19:33	0.023	-0.005	-5
3/26/2007	14:34:33	0.018	-0.01	-10
3/26/2007	14:49:33	0.018	-0.01	-10
3/26/2007	15:04:33	0.018	-0.01	-10
3/26/2007	15:19:33	0.019	-0.009	-9
3/26/2007	15:34:33	0.019	-0.009	-9
3/26/2007	15:49:33	0.017	-0.011	-11
3/26/2007	16:04:33	0.02	-0.008	-8
3/26/2007	16:19:33	0.018	-0.01	-10
3/26/2007	16:34:33	0.016	-0.012	-12
3/26/2007	16:49:33	0.016	-0.012	-12
3/26/2007	17:04:33	0.016	-0.012	-12
3/26/2007	17:19:33	0.015	-0.013	-13
3/26/2007	17:34:33	0.018	-0.01	-10
3/26/2007	17:49:33	0.019	-0.009	-9
3/26/2007	18:04:33	0.019	-0.009	-9
3/26/2007	18:19:33	0.017	-0.011	-11
3/26/2007	18:34:33	0.022	-0.006	-6
3/26/2007	18:49:33	0.018	-0.01	-10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/27/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/27/2007 7:06	0		0
2	3/27/2007 7:21	0		0
3	3/27/2007 7:36	0.1		0.1
4	3/27/2007 7:51	0.1		0.1
5	3/27/2007 8:06	0.2		0.2
6	3/27/2007 8:21	0.2		0.2
7	3/27/2007 8:36	0.2		0.2
8	3/27/2007 8:51	0.2		0.2
9	3/27/2007 9:06	0.2		0.2
10	3/27/2007 9:21	0.2		0.2
11	3/27/2007 9:36	0.2		0.2
12	3/27/2007 9:51	0.2		0.2
13	3/27/2007 10:06	0.2		0.2
14	3/27/2007 10:21	0.2		0.2
15	3/27/2007 10:36	0.2		0.2
16	3/27/2007 10:51	0.2		0.2
17	3/27/2007 11:06	0.3		0.3
18	3/27/2007 11:21	0.2		0.2
19	3/27/2007 11:36	0.2		0.2
20	3/27/2007 11:51	0.2		0.2
21	3/27/2007 12:06	0.3		0.3
22	3/27/2007 12:21	0.2		0.2
23	3/27/2007 12:36	0.2		0.2
24	3/27/2007 12:51	0.2		0.2
25	3/27/2007 13:06	0.2		0.2
26	3/27/2007 13:21	0.3		0.3
27	3/27/2007 13:36	0.2		0.2
28	3/27/2007 13:51	0.2		0.2
29	3/27/2007 14:06	0.2		0.2
30	3/27/2007 14:21	0.2		0.2
31	3/27/2007 14:36	0.2		0.2
32	3/27/2007 14:51	0.2		0.2
33	3/27/2007 15:06	0.2		0.2
34	3/27/2007 15:21	0.2		0.2
35	3/27/2007 15:36	0.2		0.2
36	3/27/2007 15:51	0.2		0.2
37	3/27/2007 16:06	0.2		0.2
38	3/27/2007 16:21	0.3		0.3
39	3/27/2007 16:36	0.2		0.2
40	3/27/2007 16:51	0.2		0.2
41	3/27/2007 17:06	0.2		0.2
42	3/27/2007 17:21	0.2		0.2
43	3/27/2007 17:36	0.2		0.2
44	3/27/2007 17:51	0.3		0.3
45	3/27/2007 18:06	0.3		0.3
46	3/27/2007 18:21	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	3/27/2007
Start Time:	6:51:02
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0650) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/27/2007	7:06:02	0.043	0.001	1
3/27/2007	7:21:02	0.048	0.006	6
3/27/2007	7:36:02	0.056	0.014	14
3/27/2007	7:51:02	0.061	0.019	19
3/27/2007	8:06:02	0.065	0.023	23
3/27/2007	8:21:02	0.061	0.019	19
3/27/2007	8:36:02	0.061	0.019	19
3/27/2007	8:51:02	0.063	0.021	21
3/27/2007	9:06:02	0.065	0.023	23
3/27/2007	9:21:02	0.066	0.024	24
3/27/2007	9:36:02	0.068	0.026	26
3/27/2007	9:51:02	0.065	0.023	23
3/27/2007	10:06:02	0.065	0.023	23
3/27/2007	10:21:02	0.064	0.022	22
3/27/2007	10:36:02	0.062	0.02	20
3/27/2007	10:51:02	0.066	0.024	24
3/27/2007	11:06:02	0.06	0.018	18
3/27/2007	11:21:02	0.051	0.009	9
3/27/2007	11:36:02	0.043	0.001	1
3/27/2007	11:51:02	0.04	-0.002	-2
3/27/2007	12:06:02	0.039	-0.003	-3
3/27/2007	12:21:02	0.039	-0.003	-3
3/27/2007	12:36:02	0.035	-0.007	-7
3/27/2007	12:51:02	0.036	-0.006	-6
3/27/2007	13:06:02	0.031	-0.011	-11
3/27/2007	13:21:02	0.028	-0.014	-14
3/27/2007	13:36:02	0.03	-0.012	-12
3/27/2007	13:51:02	0.026	-0.016	-16
3/27/2007	14:06:02	0.026	-0.016	-16
3/27/2007	14:21:02	0.03	-0.012	-12
3/27/2007	14:36:02	0.026	-0.016	-16
3/27/2007	14:51:02	0.023	-0.019	-19
3/27/2007	15:06:02	0.025	-0.017	-17
3/27/2007	15:21:02	0.021	-0.021	-21
3/27/2007	15:36:02	0.023	-0.019	-19
3/27/2007	15:51:02	0.023	-0.019	-19
3/27/2007	16:06:02	0.022	-0.02	-20
3/27/2007	16:21:02	0.025	-0.017	-17
3/27/2007	16:36:02	0.024	-0.018	-18
3/27/2007	16:51:02	0.026	-0.016	-16
3/27/2007	17:06:02	0.025	-0.017	-17
3/27/2007	17:21:02	0.027	-0.015	-15
3/27/2007	17:36:02	0.025	-0.017	-17
3/27/2007	17:51:02	0.022	-0.02	-20
3/27/2007	18:06:02	0.023	-0.019	-19
3/27/2007	18:21:02	0.02	-0.022	-22
3/27/2007	18:36:02	0.018	-0.024	-24

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/27/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/27/2007 7:05	0		0
2	3/27/2007 7:20	0.6		0.6
1	3/27/2007 7:51	0		0
2	3/27/2007 8:06	0		0
3	3/27/2007 8:21	0		0
4	3/27/2007 8:36	0		0
5	3/27/2007 8:51	0		0
6	3/27/2007 9:06	0		0
7	3/27/2007 9:21	0		0
8	3/27/2007 9:36	0		0
9	3/27/2007 9:51	0		0
10	3/27/2007 10:06	0		0
11	3/27/2007 10:21	0		0
12	3/27/2007 10:36	0		0
13	3/27/2007 10:51	0		0
14	3/27/2007 11:06	0		0
15	3/27/2007 11:21	0		0
16	3/27/2007 11:36	0		0
17	3/27/2007 11:51	0		0
18	3/27/2007 12:06	0		0
19	3/27/2007 12:21	0		0
20	3/27/2007 12:36	0		0
21	3/27/2007 12:51	0		0
22	3/27/2007 13:06	0		0
23	3/27/2007 13:21	0		0
24	3/27/2007 13:36	0		0
25	3/27/2007 13:51	0		0
26	3/27/2007 14:06	0		0
27	3/27/2007 14:21	0		0
28	3/27/2007 14:36	0		0
29	3/27/2007 14:51	0		0
30	3/27/2007 15:06	0		0
31	3/27/2007 15:21	0		0
32	3/27/2007 15:36	0		0
33	3/27/2007 15:51	0		0
34	3/27/2007 16:06	0		0
35	3/27/2007 16:21	0		0
36	3/27/2007 16:36	0		0
37	3/27/2007 16:51	0		0
38	3/27/2007 17:06	0		0
39	3/27/2007 17:21	0		0
40	3/27/2007 17:36	0		0
41	3/27/2007 17:51	0		0
42	3/27/2007 18:06	0		0
43	3/27/2007 18:21	0		0
44	3/27/2007 18:36	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	3/27/2007
Start Time:	6:52:21
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0652) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/27/2007	7:07:21	0.041	0.005	5
3/27/2007	7:22:21	0.035	-0.001	-1
3/27/2007	7:37:21	0.062	0.026	26
3/27/2007	7:52:21	0.044	0.008	8
3/27/2007	8:07:21	0.047	0.011	11
3/27/2007	8:22:21	0.045	0.009	9
3/27/2007	8:37:21	0.049	0.013	13
3/27/2007	8:52:21	0.047	0.011	11
3/27/2007	9:07:21	0.051	0.015	15
3/27/2007	9:22:21	0.055	0.019	19
3/27/2007	9:37:21	0.056	0.02	20
3/27/2007	9:52:21	0.054	0.018	18
3/27/2007	10:07:21	0.053	0.017	17
3/27/2007	10:22:21	0.051	0.015	15
3/27/2007	10:37:21	0.051	0.015	15
3/27/2007	10:52:21	0.054	0.018	18
3/27/2007	11:07:21	0.05	0.014	14
3/27/2007	11:22:21	0.04	0.004	4
3/27/2007	11:37:21	0.032	-0.004	-4
3/27/2007	11:52:21	0.036	0	0
3/27/2007	12:07:21	0.031	-0.005	-5
3/27/2007	12:22:21	0.03	-0.006	-6
3/27/2007	12:37:21	0.028	-0.008	-8
3/27/2007	12:52:21	0.027	-0.009	-9
3/27/2007	13:07:21	0.022	-0.014	-14
3/27/2007	13:22:21	0.02	-0.016	-16
3/27/2007	13:37:21	0.02	-0.016	-16
3/27/2007	13:52:21	0.019	-0.017	-17
3/27/2007	14:07:21	0.02	-0.016	-16
3/27/2007	14:22:21	0.021	-0.015	-15
3/27/2007	14:37:21	0.019	-0.017	-17
3/27/2007	14:52:21	0.018	-0.018	-18
3/27/2007	15:07:21	0.017	-0.019	-19
3/27/2007	15:22:21	0.015	-0.021	-21
3/27/2007	15:37:21	0.016	-0.02	-20
3/27/2007	15:52:21	0.016	-0.02	-20
3/27/2007	16:07:21	0.015	-0.021	-21
3/27/2007	16:22:21	0.015	-0.021	-21
3/27/2007	16:37:21	0.017	-0.019	-19
3/27/2007	16:52:21	0.017	-0.019	-19
3/27/2007	17:07:21	0.017	-0.019	-19
3/27/2007	17:22:21	0.017	-0.019	-19
3/27/2007	17:37:21	0.016	-0.02	-20
3/27/2007	17:52:21	0.016	-0.02	-20
3/27/2007	18:07:21	0.016	-0.02	-20
3/27/2007	18:22:21	0.014	-0.022	-22
3/27/2007	18:37:21	0.013	-0.023	-23
3/27/2007	18:52:21	0.012	-0.024	-24

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/27/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/27/2007 6:52	0		0
2	3/27/2007 7:07	0		0
1	3/27/2007 7:37	0		0
2	3/27/2007 7:52	0		0
3	3/27/2007 8:07	0		0
4	3/27/2007 8:22	0		0
5	3/27/2007 8:37	0		0
6	3/27/2007 8:52	0		0
7	3/27/2007 9:07	0		0
8	3/27/2007 9:22	0		0
9	3/27/2007 9:37	0		0
10	3/27/2007 9:52	0		0
11	3/27/2007 10:07	0		0
12	3/27/2007 10:22	0		0
13	3/27/2007 10:37	0		0
14	3/27/2007 10:52	0		0
15	3/27/2007 11:07	0		0
16	3/27/2007 11:22	0		0
17	3/27/2007 11:37	0		0
18	3/27/2007 11:52	0		0
19	3/27/2007 12:07	0		0
20	3/27/2007 12:22	0		0
21	3/27/2007 12:37	0		0
22	3/27/2007 12:52	0		0
23	3/27/2007 13:07	0		0
24	3/27/2007 13:22	0		0
25	3/27/2007 13:37	0		0
26	3/27/2007 13:52	0		0
27	3/27/2007 14:07	0		0
28	3/27/2007 14:22	0		0
29	3/27/2007 14:37	0.1		0.1
30	3/27/2007 14:52	0.1		0.1
31	3/27/2007 15:07	0.1		0.1
32	3/27/2007 15:22	0.1		0.1
33	3/27/2007 15:37	0.1		0.1
34	3/27/2007 15:52	0.1		0.1
35	3/27/2007 16:07	0.1		0.1
36	3/27/2007 16:22	0.1		0.1
37	3/27/2007 16:37	0.1		0.1
38	3/27/2007 16:52	0.2		0.2
39	3/27/2007 17:07	0.2		0.2
40	3/27/2007 17:22	0.2		0.2
41	3/27/2007 17:37	0.2		0.2
42	3/27/2007 17:52	0.2		0.2
43	3/27/2007 18:07	0.2		0.2
44	3/27/2007 18:22	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	3/27/2007
Start Time:	6:37:31
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0638) = 0.049 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/27/2007	6:52:31	0.059	0.01	10
3/27/2007	7:07:31	0.072	0.023	23
3/27/2007	7:22:31	0.049	0	0
3/27/2007	7:37:31	0.063	0.014	14
3/27/2007	7:52:31	0.063	0.014	14
3/27/2007	8:07:31	0.065	0.016	16
3/27/2007	8:22:31	0.063	0.014	14
3/27/2007	8:37:31	0.071	0.022	22
3/27/2007	8:52:31	0.068	0.019	19
3/27/2007	9:07:31	0.073	0.024	24
3/27/2007	9:22:31	0.076	0.027	27
3/27/2007	9:37:31	0.085	0.036	36
3/27/2007	9:52:31	0.078	0.029	29
3/27/2007	10:07:31	0.078	0.029	29
3/27/2007	10:22:31	0.073	0.024	24
3/27/2007	10:37:31	0.073	0.024	24
3/27/2007	10:52:31	0.078	0.029	29
3/27/2007	11:07:31	0.076	0.027	27
3/27/2007	11:22:31	0.059	0.01	10
3/27/2007	11:37:31	0.048	-0.001	-1
3/27/2007	11:52:31	0.052	0.003	3
3/27/2007	12:07:31	0.045	-0.004	-4
3/27/2007	12:22:31	0.044	-0.005	-5
3/27/2007	12:37:31	0.043	-0.006	-6
3/27/2007	12:52:31	0.038	-0.011	-11
3/27/2007	13:07:31	0.034	-0.015	-15
3/27/2007	13:22:31	0.034	-0.015	-15
3/27/2007	13:37:31	0.038	-0.011	-11
3/27/2007	13:52:31	0.027	-0.022	-22
3/27/2007	14:07:31	0.031	-0.018	-18
3/27/2007	14:22:31	0.031	-0.018	-18
3/27/2007	14:37:31	0.028	-0.021	-21
3/27/2007	14:52:31	0.026	-0.023	-23
3/27/2007	15:07:31	0.025	-0.024	-24
3/27/2007	15:22:31	0.025	-0.024	-24
3/27/2007	15:37:31	0.023	-0.026	-26
3/27/2007	15:52:31	0.023	-0.026	-26
3/27/2007	16:07:31	0.023	-0.026	-26
3/27/2007	16:22:31	0.023	-0.026	-26
3/27/2007	16:37:31	0.024	-0.025	-25
3/27/2007	16:52:31	0.025	-0.024	-24
3/27/2007	17:07:31	0.026	-0.023	-23
3/27/2007	17:22:31	0.046	-0.003	-3
3/27/2007	17:37:31	0.025	-0.024	-24
3/27/2007	17:52:31	0.023	-0.026	-26
3/27/2007	18:07:31	0.024	-0.025	-25
3/27/2007	18:22:31	0.021	-0.028	-28
3/27/2007	18:37:31	0.019	-0.03	-30

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/27/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/27/2007 7:28	0		-0.2
2	3/27/2007 7:43	0		-0.2
3	3/27/2007 7:58	0		-0.2
4	3/27/2007 8:13	0		-0.2
5	3/27/2007 8:28	0		-0.2
6	3/27/2007 8:43	0		-0.2
7	3/27/2007 8:58	0		-0.2
8	3/27/2007 9:13	0		-0.2
9	3/27/2007 9:28	0		-0.2
10	3/27/2007 9:43	0		-0.2
11	3/27/2007 9:58	0		-0.2
12	3/27/2007 10:13	0		-0.2
13	3/27/2007 10:28	0		-0.2
14	3/27/2007 10:43	0		-0.2
15	3/27/2007 10:58	0		-0.2
16	3/27/2007 11:13	0		-0.2
17	3/27/2007 11:28	0		-0.2
18	3/27/2007 11:43	0		-0.2
19	3/27/2007 11:58	0		-0.2
20	3/27/2007 12:13	0		-0.2
21	3/27/2007 12:28	0		-0.2
22	3/27/2007 12:43	0		-0.2
23	3/27/2007 12:58	0		-0.2
24	3/27/2007 13:13	0		-0.2
25	3/27/2007 13:28	0		-0.2
26	3/27/2007 13:43	0		-0.2
27	3/27/2007 13:58	0		-0.2
28	3/27/2007 14:13	0		-0.2
29	3/27/2007 14:28	0		-0.2
30	3/27/2007 14:43	0		-0.2
31	3/27/2007 14:58	0		-0.2
32	3/27/2007 15:13	0		-0.2
33	3/27/2007 15:28	0		-0.2
34	3/27/2007 15:43	0		-0.2
35	3/27/2007 15:58	0		-0.2
36	3/27/2007 16:13	0		-0.2
37	3/27/2007 16:28	0		-0.2
38	3/27/2007 16:43	0		-0.2
39	3/27/2007 16:58	0		-0.2
40	3/27/2007 17:13	0		-0.2
41	3/27/2007 17:28	0		-0.2
42	3/27/2007 17:43	0		-0.2
43	3/27/2007 17:58	0		-0.2
44	3/27/2007 18:13	0		-0.2
45	3/27/2007 18:28	0		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	3/27/2007
Start Time:	6:43:23
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0642) = 0.041 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/27/2007	6:58:23	0.039	-0.002	-2
3/27/2007	7:13:23	0.048	0.007	7
3/27/2007	7:28:23	0.052	0.011	11
3/27/2007	7:43:23	0.058	0.017	17
3/27/2007	7:58:23	0.063	0.022	22
3/27/2007	8:13:23	0.064	0.023	23
3/27/2007	8:28:23	0.064	0.023	23
3/27/2007	8:43:23	0.067	0.026	26
3/27/2007	8:58:23	0.065	0.024	24
3/27/2007	9:13:23	0.069	0.028	28
3/27/2007	9:28:23	0.068	0.027	27
3/27/2007	9:43:23	0.067	0.026	26
3/27/2007	9:58:23	0.064	0.023	23
3/27/2007	10:13:23	0.063	0.022	22
3/27/2007	10:28:23	0.064	0.023	23
3/27/2007	10:43:23	0.065	0.024	24
3/27/2007	10:58:23	0.07	0.029	29
3/27/2007	11:13:23	0.066	0.025	25
3/27/2007	11:28:23	0.056	0.015	15
3/27/2007	11:43:23	0.05	0.009	9
3/27/2007	11:58:23	0.05	0.009	9
3/27/2007	12:13:23	0.047	0.006	6
3/27/2007	12:28:23	0.038	-0.003	-3
3/27/2007	12:43:23	0.034	-0.007	-7
3/27/2007	12:58:23	0.033	-0.008	-8
3/27/2007	13:13:23	0.026	-0.015	-15
3/27/2007	13:28:23	0.025	-0.016	-16
3/27/2007	13:43:23	0.027	-0.014	-14
3/27/2007	13:58:23	0.034	-0.007	-7
3/27/2007	14:13:23	0.027	-0.014	-14
3/27/2007	14:28:23	0.036	-0.005	-5
3/27/2007	14:43:23	0.032	-0.009	-9
3/27/2007	14:58:23	0.029	-0.012	-12
3/27/2007	15:13:23	0.034	-0.007	-7
3/27/2007	15:28:23	0.023	-0.018	-18
3/27/2007	15:43:23	0.028	-0.013	-13
3/27/2007	15:58:23	0.023	-0.018	-18
3/27/2007	16:13:23	0.021	-0.02	-20
3/27/2007	16:28:23	0.021	-0.02	-20
3/27/2007	16:43:23	0.021	-0.02	-20
3/27/2007	16:58:23	0.027	-0.014	-14
3/27/2007	17:13:23	0.026	-0.015	-15
3/27/2007	17:28:23	0.021	-0.02	-20
3/27/2007	17:43:23	0.019	-0.022	-22
3/27/2007	17:58:23	0.02	-0.021	-21
3/27/2007	18:13:23	0.019	-0.022	-22
3/27/2007	18:28:23	0.018	-0.023	-23
3/27/2007	18:43:23	0.016	-0.025	-25

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/28/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0730) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/28/2007 7:47	0		0
2	3/28/2007 8:02	0		0
3	3/28/2007 8:17	0.1		0.1
4	3/28/2007 8:32	0.1		0.1
5	3/28/2007 8:47	0.1		0.1
6	3/28/2007 9:02	0.1		0.1
7	3/28/2007 9:17	0.1		0.1
8	3/28/2007 9:32	0.1		0.1
9	3/28/2007 9:47	0.2		0.2
10	3/28/2007 10:02	0.2		0.2
11	3/28/2007 10:17	0.2		0.2
12	3/28/2007 10:32	0.2		0.2
13	3/28/2007 10:47	0.2		0.2
14	3/28/2007 11:02	0.2		0.2
15	3/28/2007 11:17	0.2		0.2
16	3/28/2007 11:32	0.2		0.2
17	3/28/2007 11:47	0.1		0.1
18	3/28/2007 12:02	0.2		0.2
19	3/28/2007 12:17	0.1		0.1
20	3/28/2007 12:32	0.2		0.2
21	3/28/2007 12:47	0.2		0.2
22	3/28/2007 13:02	0.2		0.2
23	3/28/2007 13:17	0.2		0.2
24	3/28/2007 13:32	0.2		0.2
25	3/28/2007 13:47	0.2		0.2
26	3/28/2007 14:02	0.2		0.2
27	3/28/2007 14:17	0.2		0.2
28	3/28/2007 14:32	0.2		0.2
29	3/28/2007 14:47	0.2		0.2
30	3/28/2007 15:02	0.2		0.2
31	3/28/2007 15:17	0.2		0.2
32	3/28/2007 15:32	0.2		0.2
33	3/28/2007 15:47	0.2		0.2
34	3/28/2007 16:02	0.2		0.2
35	3/28/2007 16:17	0.2		0.2
36	3/28/2007 16:32	0.2		0.2
37	3/28/2007 16:47	0.2		0.2
38	3/28/2007 17:02	0.2		0.2
39	3/28/2007 17:17	0.2		0.2
40	3/28/2007 17:32	0.2		0.2
41	3/28/2007 17:47	0.1		0.1
42	3/28/2007 18:02	0.1		0.1
43	3/28/2007 18:17	0.1		0.1
44	3/28/2007 18:32	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	3/28/2007
Start Time:	7:32:15
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0730) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	11/2/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/28/2007	7:47:15	0.024	0.001	1
3/28/2007	8:02:15	0.023	0	0
3/28/2007	8:17:15	0.024	0.001	1
3/28/2007	8:32:15	0.024	0.001	1
3/28/2007	8:47:15	0.025	0.002	2
3/28/2007	9:02:15	0.02	-0.003	-3
3/28/2007	9:17:15	0.018	-0.005	-5
3/28/2007	9:32:15	0.013	-0.01	-10
3/28/2007	9:47:15	0.014	-0.009	-9
3/28/2007	10:02:15	0.02	-0.003	-3
3/28/2007	10:17:15	0.039	0.016	16
3/28/2007	10:32:15	0.014	-0.009	-9
3/28/2007	10:47:15	0.012	-0.011	-11
3/28/2007	11:02:15	0.01	-0.013	-13
3/28/2007	11:17:15	0.011	-0.012	-12
3/28/2007	11:32:15	0.011	-0.012	-12
3/28/2007	11:47:15	0.011	-0.012	-12
3/28/2007	12:02:15	0.008	-0.015	-15
3/28/2007	12:17:15	0.012	-0.011	-11
3/28/2007	12:32:15	0.007	-0.016	-16
3/28/2007	12:47:15	0.008	-0.015	-15
3/28/2007	13:02:15	0.007	-0.016	-16
3/28/2007	13:17:15	0.008	-0.015	-15
3/28/2007	13:32:15	0.007	-0.016	-16
3/28/2007	13:47:15	0.009	-0.014	-14
3/28/2007	14:02:15	0.011	-0.012	-12
3/28/2007	14:17:15	0.007	-0.016	-16
3/28/2007	14:32:15	0.008	-0.015	-15
3/28/2007	14:47:15	0.01	-0.013	-13
3/28/2007	15:02:15	0.008	-0.015	-15
3/28/2007	15:17:15	0.008	-0.015	-15
3/28/2007	15:32:15	0.008	-0.015	-15
3/28/2007	15:47:15	0.009	-0.014	-14
3/28/2007	16:02:15	0.008	-0.015	-15
3/28/2007	16:17:15	0.01	-0.013	-13
3/28/2007	16:32:15	0.009	-0.014	-14
3/28/2007	16:47:15	0.008	-0.015	-15
3/28/2007	17:02:15	0.01	-0.013	-13
3/28/2007	17:17:15	0.035	0.012	12
3/28/2007	17:32:15	0.009	-0.014	-14
3/28/2007	17:47:15	0.009	-0.014	-14
3/28/2007	18:02:15	0.009	-0.014	-14
3/28/2007	18:17:15	0.008	-0.015	-15
3/28/2007	18:32:15	0.012	-0.011	-11
3/28/2007	18:47:15	0.01	-0.013	-13

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/28/2007 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/28/2007 6:57	0		0
2	3/28/2007 7:12	0.1		0.1
3	3/28/2007 7:27	0.2		0.2
4	3/28/2007 7:42	0.2		0.2
5	3/28/2007 7:57	0.3		0.3
6	3/28/2007 8:12	0.3		0.3
7	3/28/2007 8:27	0.3		0.3
8	3/28/2007 8:42	0.3		0.3
9	3/28/2007 8:57	0.3		0.3
10	3/28/2007 9:12	0.4		0.4
11	3/28/2007 9:27	0.4		0.4
12	3/28/2007 9:42	0.4		0.4
13	3/28/2007 9:57	0.4		0.4
14	3/28/2007 10:12	0.4		0.4
15	3/28/2007 10:27	0.4		0.4
16	3/28/2007 10:42	0.4		0.4
17	3/28/2007 10:57	0.4		0.4
18	3/28/2007 11:12	0.4		0.4
19	3/28/2007 11:27	0.4		0.4
20	3/28/2007 11:42	0.4		0.4
21	3/28/2007 11:57	0.5		0.5
22	3/28/2007 12:12	0.5		0.5
23	3/28/2007 12:27	0.5		0.5
24	3/28/2007 12:42	0.5		0.5
25	3/28/2007 12:57	0.5		0.5
26	3/28/2007 13:12	0.5		0.5
27	3/28/2007 13:27	0.5		0.5
28	3/28/2007 13:42	0.5		0.5
29	3/28/2007 13:57	0.6		0.6
30	3/28/2007 14:12	0.6		0.6
31	3/28/2007 14:27	0.6		0.6
32	3/28/2007 14:42	0.7		0.7
33	3/28/2007 14:57	0.6		0.6
34	3/28/2007 15:12	0.7		0.7
35	3/28/2007 15:27	0.7		0.7
36	3/28/2007 15:42	0.7		0.7
37	3/28/2007 15:57	0.7		0.7
38	3/28/2007 16:12	0.7		0.7
39	3/28/2007 16:27	0.7		0.7
40	3/28/2007 16:42	0.7		0.7
41	3/28/2007 16:57	0.7		0.7
42	3/28/2007 17:12	0.7		0.7
43	3/28/2007 17:27	0.7		0.7
44	3/28/2007 17:42	0.7		0.7
45	3/28/2007 17:57	0.7		0.7
46	3/28/2007 18:12	0.7		0.7
47	3/28/2007 18:27	0.7		0.7
48	3/28/2007 18:42	0.7		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	3/28/2007
Start Time:	6:42:36
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0641) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/28/2007	6:57:36	0.011	0.003	3
3/28/2007	7:12:36	0.01	0.002	2
3/28/2007	7:27:36	0.013	0.005	5
3/28/2007	7:42:36	0.014	0.006	6
3/28/2007	7:57:36	0.017	0.009	9
3/28/2007	8:12:36	0.016	0.008	8
3/28/2007	8:27:36	0.014	0.006	6
3/28/2007	8:42:36	0.013	0.005	5
3/28/2007	8:57:36	0.012	0.004	4
3/28/2007	9:12:36	0.011	0.003	3
3/28/2007	9:27:36	0.01	0.002	2
3/28/2007	9:42:36	0.009	0.001	1
3/28/2007	9:57:36	0.007	-0.001	-1
3/28/2007	10:12:36	0.008	0	0
3/28/2007	10:27:36	0.008	0	0
3/28/2007	10:42:36	0.007	-0.001	-1
3/28/2007	10:57:36	0.006	-0.002	-2
3/28/2007	11:12:36	0.006	-0.002	-2
3/28/2007	11:27:36	0.006	-0.002	-2
3/28/2007	11:42:36	0.006	-0.002	-2
3/28/2007	11:57:36	0.005	-0.003	-3
3/28/2007	12:12:36	0.005	-0.003	-3
3/28/2007	12:27:36	0.005	-0.003	-3
3/28/2007	12:42:36	0.005	-0.003	-3
3/28/2007	12:57:36	0.004	-0.004	-4
3/28/2007	13:12:36	0.004	-0.004	-4
3/28/2007	13:27:36	0.004	-0.004	-4
3/28/2007	13:42:36	0.004	-0.004	-4
3/28/2007	13:57:36	0.004	-0.004	-4
3/28/2007	14:12:36	0.004	-0.004	-4
3/28/2007	14:27:36	0.004	-0.004	-4
3/28/2007	14:42:36	0.005	-0.003	-3
3/28/2007	14:57:36	0.004	-0.004	-4
3/28/2007	15:12:36	0.005	-0.003	-3
3/28/2007	15:27:36	0.004	-0.004	-4
3/28/2007	15:42:36	0.004	-0.004	-4
3/28/2007	15:57:36	0.005	-0.003	-3
3/28/2007	16:12:36	0.004	-0.004	-4
3/28/2007	16:27:36	0.006	-0.002	-2
3/28/2007	16:42:36	0.006	-0.002	-2
3/28/2007	16:57:36	0.006	-0.002	-2
3/28/2007	17:12:36	0.006	-0.002	-2
3/28/2007	17:27:36	0.006	-0.002	-2
3/28/2007	17:42:36	0.005	-0.003	-3
3/28/2007	17:57:36	0.005	-0.003	-3
3/28/2007	18:12:36	0.005	-0.003	-3
3/28/2007	18:27:36	0.006	-0.002	-2
3/28/2007	18:42:36	0.006	-0.002	-2
3/28/2007	18:57:36	0.008	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/28/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0659) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/28/2007 7:15	0.1		0
2	3/28/2007 7:30	0.1		0
3	3/28/2007 7:45	0.1		0
4	3/28/2007 8:00	0.2		0.1
5	3/28/2007 8:15	0.2		0.1
6	3/28/2007 8:30	0.2		0.1
7	3/28/2007 8:45	0.2		0.1
8	3/28/2007 9:00	0.2		0.1
9	3/28/2007 9:15	0.2		0.1
10	3/28/2007 9:30	0.2		0.1
11	3/28/2007 9:45	0.3		0.2
12	3/28/2007 10:00	0.3		0.2
13	3/28/2007 10:15	0.3		0.2
14	3/28/2007 10:30	0.3		0.2
15	3/28/2007 10:45	0.3		0.2
16	3/28/2007 11:00	0.4		0.3
17	3/28/2007 11:15	0.4		0.3
18	3/28/2007 11:30	0.4		0.3
19	3/28/2007 11:45	0.4		0.3
20	3/28/2007 12:00	0.4		0.3
21	3/28/2007 12:15	0.4		0.3
22	3/28/2007 12:30	0.5		0.4
23	3/28/2007 12:45	0.5		0.4
24	3/28/2007 13:00	0.5		0.4
25	3/28/2007 13:15	0.5		0.4
26	3/28/2007 13:30	0.6		0.5
27	3/28/2007 13:45	0.6		0.5
28	3/28/2007 14:00	0.7		0.6
29	3/28/2007 14:15	0.7		0.6
30	3/28/2007 14:30	0.7		0.6
31	3/28/2007 14:45	0.7		0.6
32	3/28/2007 15:00	0.7		0.6
33	3/28/2007 15:15	0.8		0.7
34	3/28/2007 15:30	0.8		0.7
35	3/28/2007 15:45	0.8		0.7
36	3/28/2007 16:00	0.8		0.7
37	3/28/2007 16:15	0.8		0.7
38	3/28/2007 16:30	0.8		0.7
39	3/28/2007 16:45	0.8		0.7
40	3/28/2007 17:00	0.8		0.7
41	3/28/2007 17:15	0.8		0.7
42	3/28/2007 17:30	0.8		0.7
43	3/28/2007 17:45	0.8		0.7
44	3/28/2007 18:00	0.8		0.7
45	3/28/2007 18:15	0.7		0.6
46	3/28/2007 18:30	0.7		0.6
47	3/28/2007 18:45	0.7		0.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	3/28/2007
Start Time:	7:00:02
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0659) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/28/2007	7:15:02	0.016	0.003	3
3/28/2007	7:30:02	0.019	0.006	6
3/28/2007	7:45:02	0.021	0.008	8
3/28/2007	8:00:02	0.027	0.014	14
3/28/2007	8:15:02	0.025	0.012	12
3/28/2007	8:30:02	0.022	0.009	9
3/28/2007	8:45:02	0.02	0.007	7
3/28/2007	9:00:02	0.021	0.008	8
3/28/2007	9:15:02	0.019	0.006	6
3/28/2007	9:30:02	0.015	0.002	2
3/28/2007	9:45:02	0.015	0.002	2
3/28/2007	10:00:02	0.016	0.003	3
3/28/2007	10:15:02	0.014	0.001	1
3/28/2007	10:30:02	0.015	0.002	2
3/28/2007	10:45:02	0.017	0.004	4
3/28/2007	11:00:02	0.013	0	0
3/28/2007	11:15:02	0.029	0.016	16
3/28/2007	11:30:02	0.055	0.042	42
3/28/2007	11:45:02	0.03	0.017	17
3/28/2007	12:00:02	0.035	0.022	22
3/28/2007	12:15:02	0.022	0.009	9
3/28/2007	12:30:02	0.012	-0.001	-1
3/28/2007	12:45:02	0.009	-0.004	-4
3/28/2007	13:00:02	0.007	-0.006	-6
3/28/2007	13:15:02	0.011	-0.002	-2
3/28/2007	13:30:02	0.016	0.003	3
3/28/2007	13:45:02	0.01	-0.003	-3
3/28/2007	14:00:02	0.009	-0.004	-4
3/28/2007	14:15:02	0.011	-0.002	-2
3/28/2007	14:30:02	0.009	-0.004	-4
3/28/2007	14:45:02	0.014	0.001	1
3/28/2007	15:00:02	0.011	-0.002	-2
3/28/2007	15:15:02	0.011	-0.002	-2
3/28/2007	15:30:02	0.01	-0.003	-3
3/28/2007	15:45:02	0.011	-0.002	-2
3/28/2007	16:00:02	0.014	0.001	1
3/28/2007	16:15:02	0.02	0.007	7
3/28/2007	16:30:02	0.017	0.004	4
3/28/2007	16:45:02	0.014	0.001	1
3/28/2007	17:00:02	0.018	0.005	5
3/28/2007	17:15:02	0.029	0.016	16
3/28/2007	17:30:02	0.027	0.014	14
3/28/2007	17:45:02	0.017	0.004	4
3/28/2007	18:00:02	0.018	0.005	5
3/28/2007	18:15:02	0.016	0.003	3
3/28/2007	18:30:02	0.02	0.007	7
3/28/2007	18:45:02	0.021	0.008	8
3/28/2007	19:00:02	0.019	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/28/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/28/2007 7:10	0		0
2	3/28/2007 7:25	0		0
3	3/28/2007 7:40	0		0
4	3/28/2007 7:55	0		0
5	3/28/2007 8:10	0		0
6	3/28/2007 8:25	0		0
7	3/28/2007 8:40	0		0
8	3/28/2007 8:55	0		0
9	3/28/2007 9:10	0		0
10	3/28/2007 9:25	0		0
11	3/28/2007 9:40	0		0
12	3/28/2007 9:55	0		0
13	3/28/2007 10:10	0		0
14	3/28/2007 10:25	0		0
15	3/28/2007 10:40	0		0
16	3/28/2007 10:55	0		0
17	3/28/2007 11:10	0		0
18	3/28/2007 11:25	0		0
19	3/28/2007 11:40	0		0
20	3/28/2007 11:55	0		0
21	3/28/2007 12:10	0		0
22	3/28/2007 12:25	0		0
23	3/28/2007 12:40	0		0
24	3/28/2007 12:55	0		0
25	3/28/2007 13:10	0		0
26	3/28/2007 13:25	0		0
27	3/28/2007 13:40	0		0
28	3/28/2007 13:55	0		0
29	3/28/2007 14:10	0		0
30	3/28/2007 14:25	0		0
31	3/28/2007 14:40	0		0
32	3/28/2007 14:55	0		0
33	3/28/2007 15:10	0		0
34	3/28/2007 15:25	0		0
35	3/28/2007 15:40	0		0
36	3/28/2007 15:55	0		0
37	3/28/2007 16:10	0		0
38	3/28/2007 16:25	0		0
39	3/28/2007 16:40	0		0
40	3/28/2007 16:55	0		0
41	3/28/2007 17:10	0		0
42	3/28/2007 17:25	0		0
43	3/28/2007 17:40	0		0
44	3/28/2007 17:55	0		0
45	3/28/2007 18:10	0		0
46	3/28/2007 18:25	0		0
47	3/28/2007 18:40	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	3/28/2007
Start Time:	6:54:49
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0650) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/28/2007	7:09:49	0.012	0.001	1
3/28/2007	7:24:49	0.021	0.01	10
3/28/2007	7:39:49	0.022	0.011	11
3/28/2007	7:54:49	0.047	0.036	36
3/28/2007	8:09:49	0.029	0.018	18
3/28/2007	8:24:49	0.025	0.014	14
3/28/2007	8:39:49	0.021	0.01	10
3/28/2007	8:54:49	0.023	0.012	12
3/28/2007	9:09:49	0.016	0.005	5
3/28/2007	9:24:49	0.018	0.007	7
3/28/2007	9:39:49	0.013	0.002	2
3/28/2007	9:54:49	0.015	0.004	4
3/28/2007	10:09:49	0.015	0.004	4
3/28/2007	10:24:49	0.014	0.003	3
3/28/2007	10:39:49	0.015	0.004	4
3/28/2007	10:54:49	0.014	0.003	3
3/28/2007	11:09:49	0.013	0.002	2
3/28/2007	11:24:49	0.013	0.002	2
3/28/2007	11:39:49	0.01	-0.001	-1
3/28/2007	11:54:49	0.01	-0.001	-1
3/28/2007	12:09:49	0.01	-0.001	-1
3/28/2007	12:24:49	0.009	-0.002	-2
3/28/2007	12:39:49	0.008	-0.003	-3
3/28/2007	12:54:49	0.007	-0.004	-4
3/28/2007	13:09:49	0.007	-0.004	-4
3/28/2007	13:24:49	0.009	-0.002	-2
3/28/2007	13:39:49	0.006	-0.005	-5
3/28/2007	13:54:49	0.009	-0.002	-2
3/28/2007	14:09:49	0.007	-0.004	-4
3/28/2007	14:24:49	0.013	0.002	2
3/28/2007	14:39:49	0.009	-0.002	-2
3/28/2007	14:54:49	0.01	-0.001	-1
3/28/2007	15:09:49	0.012	0.001	1
3/28/2007	15:24:49	0.009	-0.002	-2
3/28/2007	15:39:49	0.008	-0.003	-3
3/28/2007	15:54:49	0.01	-0.001	-1
3/28/2007	16:09:49	0.013	0.002	2
3/28/2007	16:24:49	0.012	0.001	1
3/28/2007	16:39:49	0.011	0	0
3/28/2007	16:54:49	0.015	0.004	4
3/28/2007	17:09:49	0.012	0.001	1
3/28/2007	17:24:49	0.011	0	0
3/28/2007	17:39:49	0.009	-0.002	-2
3/28/2007	17:54:49	0.009	-0.002	-2
3/28/2007	18:09:49	0.01	-0.001	-1
3/28/2007	18:24:49	0.013	0.002	2
3/28/2007	18:39:49	0.012	0.001	1
3/28/2007	18:54:49	0.013	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/29/2007 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/29/2007 6:54	0		-0.2
2	3/29/2007 7:09	0.1		-0.1
3	3/29/2007 7:24	0.2		0
4	3/29/2007 7:39	0.2		0
5	3/29/2007 7:54	0.3		0.1
6	3/29/2007 8:09	0.3		0.1
7	3/29/2007 8:24	0.3		0.1
8	3/29/2007 8:39	0.4		0.2
9	3/29/2007 8:54	0.3		0.1
10	3/29/2007 9:09	0.3		0.1
11	3/29/2007 9:24	0.3		0.1
12	3/29/2007 9:39	0.3		0.1
13	3/29/2007 9:54	0.3		0.1
14	3/29/2007 10:09	0.3		0.1
15	3/29/2007 10:24	0.3		0.1
16	3/29/2007 10:39	0.3		0.1
17	3/29/2007 10:54	0.4		0.2
18	3/29/2007 11:09	0.3		0.1
19	3/29/2007 11:24	0.4		0.2
20	3/29/2007 11:39	0.4		0.2
21	3/29/2007 11:54	0.4		0.2
22	3/29/2007 12:09	0.4		0.2
23	3/29/2007 12:24	0.4		0.2
24	3/29/2007 12:39	0.4		0.2
25	3/29/2007 12:54	0.4		0.2
26	3/29/2007 13:09	0.4		0.2
27	3/29/2007 13:24	0.4		0.2
28	3/29/2007 13:39	0.4		0.2
29	3/29/2007 13:54	0.4		0.2
30	3/29/2007 14:09	0.4		0.2
31	3/29/2007 14:24	0.4		0.2
32	3/29/2007 14:39	0.4		0.2
33	3/29/2007 14:54	0.4		0.2
34	3/29/2007 15:09	0.4		0.2
35	3/29/2007 15:24	0.4		0.2
36	3/29/2007 15:39	0.3		0.1
37	3/29/2007 15:54	0.3		0.1
38	3/29/2007 16:09	0.4		0.2
39	3/29/2007 16:24	0.3		0.1
40	3/29/2007 16:39	0.3		0.1
41	3/29/2007 16:54	0.3		0.1
42	3/29/2007 17:09	0.4		0.2
43	3/29/2007 17:24	0.4		0.2
44	3/29/2007 17:39	0.3		0.1
45	3/29/2007 17:54	0.4		0.2
46	3/29/2007 18:09	0.4		0.2
47	3/29/2007 18:24	0.4		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	3/29/2007
Start Time:	6:43:48
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0651) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/29/2007	6:58:48	0.007	0	0
3/29/2007	7:13:48	0.008	0.001	1
3/29/2007	7:28:48	0.01	0.003	3
3/29/2007	7:43:48	0.01	0.003	3
3/29/2007	7:58:48	0.012	0.005	5
3/29/2007	8:13:48	0.014	0.007	7
3/29/2007	8:28:48	0.009	0.002	2
3/29/2007	8:43:48	0.008	0.001	1
3/29/2007	8:58:48	0.009	0.002	2
3/29/2007	9:13:48	0.008	0.001	1
3/29/2007	9:28:48	0.009	0.002	2
3/29/2007	9:43:48	0.008	0.001	1
3/29/2007	9:58:48	0.01	0.003	3
3/29/2007	10:13:48	0.01	0.003	3
3/29/2007	10:28:48	0.009	0.002	2
3/29/2007	10:43:48	0.01	0.003	3
3/29/2007	10:58:48	0.009	0.002	2
3/29/2007	11:13:48	0.011	0.004	4
3/29/2007	11:28:48	0.009	0.002	2
3/29/2007	11:43:48	0.007	0	0
3/29/2007	11:58:48	0.01	0.003	3
3/29/2007	12:13:48	0.011	0.004	4
3/29/2007	12:28:48	0.007	0	0
3/29/2007	12:43:48	0.006	-0.001	-1
3/29/2007	12:58:48	0.01	0.003	3
3/29/2007	13:13:48	0.012	0.005	5
3/29/2007	13:28:48	0.008	0.001	1
3/29/2007	13:43:48	0.008	0.001	1
3/29/2007	13:58:48	0.006	-0.001	-1
3/29/2007	14:13:48	0.007	0	0
3/29/2007	14:28:48	0.009	0.002	2
3/29/2007	14:43:48	0.006	-0.001	-1
3/29/2007	14:58:48	0.008	0.001	1
3/29/2007	15:13:48	0.006	-0.001	-1
3/29/2007	15:28:48	0.01	0.003	3
3/29/2007	15:43:48	0.009	0.002	2
3/29/2007	15:58:48	0.008	0.001	1
3/29/2007	16:13:48	0.008	0.001	1
3/29/2007	16:28:48	0.011	0.004	4
3/29/2007	16:43:48	0.006	-0.001	-1
3/29/2007	16:58:48	0.008	0.001	1
3/29/2007	17:13:48	0.006	-0.001	-1
3/29/2007	17:28:48	0.007	0	0
3/29/2007	17:43:48	0.007	0	0
3/29/2007	17:58:48	0.009	0.002	2
3/29/2007	18:13:48	0.007	0	0
3/29/2007	18:28:48	0.009	0.002	2
3/29/2007	18:43:48	0.007	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/29/2007 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/29/2007 6:50	0.1		-0.1
2	3/29/2007 7:05	0.2		-0.1
3	3/29/2007 7:20	0.2		-0.1
4	3/29/2007 7:35	0.2		-0.1
5	3/29/2007 7:50	0.3		-0.1
6	3/29/2007 8:05	0.3		-0.1
7	3/29/2007 8:20	0.3		-0.1
8	3/29/2007 8:35	0.4		-0.1
9	3/29/2007 8:50	0.4		-0.1
10	3/29/2007 9:05	0.4		-0.1
11	3/29/2007 9:20	0.5		-0.1
12	3/29/2007 9:35	0.5		-0.1
13	3/29/2007 9:50	0.5		-0.1
14	3/29/2007 10:05	0.6		-0.1
15	3/29/2007 10:20	0.6		-0.1
16	3/29/2007 10:35	0.6		-0.1
17	3/29/2007 10:50	0.6		-0.1
18	3/29/2007 11:05	0.6		-0.1
19	3/29/2007 11:20	0.7		-0.1
20	3/29/2007 11:35	0.7		-0.1
21	3/29/2007 11:50	0.7		-0.1
22	3/29/2007 12:05	0.7		-0.1
23	3/29/2007 12:20	0.7		-0.1
24	3/29/2007 12:35	0.7		-0.1
25	3/29/2007 12:50	0.8		-0.1
26	3/29/2007 13:05	0.8		-0.1
27	3/29/2007 13:20	0.8		-0.1
28	3/29/2007 13:35	0.8		-0.1
29	3/29/2007 13:50	0.8		-0.1
30	3/29/2007 14:05	0.9		-0.1
31	3/29/2007 14:20	0.8		-0.1
32	3/29/2007 14:35	0.9		-0.1
33	3/29/2007 14:50	0.9		-0.1
34	3/29/2007 15:05	0.9		-0.1
35	3/29/2007 15:20	0.9		-0.1
36	3/29/2007 15:35	0.9		-0.1
37	3/29/2007 15:50	0.9		-0.1
38	3/29/2007 16:05	0.8		-0.1
39	3/29/2007 16:20	0.8		-0.1
40	3/29/2007 16:35	0.8		-0.1
41	3/29/2007 16:50	0.8		-0.1
42	3/29/2007 17:05	0.8		-0.1
43	3/29/2007 17:20	0.8		-0.1
44	3/29/2007 17:35	0.8		-0.1
45	3/29/2007 17:50	0.8		-0.1
46	3/29/2007 18:05	0.8		-0.1
47	3/29/2007 18:20	0.8		-0.1
48	3/29/2007 18:35	0.8		-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	3/29/2007
Start Time:	6:37:22
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	

Background Reading (0635) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/29/2007	6:52:22	0.005	-0.001	-1
3/29/2007	7:07:22	0.005	-0.001	-1
3/29/2007	7:22:22	0.006	0	0
3/29/2007	7:37:22	0.007	0.001	1
3/29/2007	7:52:22	0.007	0.001	1
3/29/2007	8:07:22	0.01	0.004	4
3/29/2007	8:22:22	0.007	0.001	1
3/29/2007	8:37:22	0.006	0	0
3/29/2007	8:52:22	0.005	-0.001	-1
3/29/2007	9:07:22	0.005	-0.001	-1
3/29/2007	9:22:22	0.005	-0.001	-1
3/29/2007	9:37:22	0.005	-0.001	-1
3/29/2007	9:52:22	0.005	-0.001	-1
3/29/2007	10:07:22	0.006	0	0
3/29/2007	10:22:22	0.005	-0.001	-1
3/29/2007	10:37:22	0.004	-0.002	-2
3/29/2007	10:52:22	0.005	-0.001	-1
3/29/2007	11:07:22	0.005	-0.001	-1
3/29/2007	11:22:22	0.006	0	0
3/29/2007	11:37:22	0.006	0	0
3/29/2007	11:52:22	0.006	0	0
3/29/2007	12:07:22	0.005	-0.001	-1
3/29/2007	12:22:22	0.004	-0.002	-2
3/29/2007	12:37:22	0.005	-0.001	-1
3/29/2007	12:52:22	0.005	-0.001	-1
3/29/2007	13:07:22	0.007	0.001	1
3/29/2007	13:22:22	0.006	0	0
3/29/2007	13:37:22	0.006	0	0
3/29/2007	13:52:22	0.005	-0.001	-1
3/29/2007	14:07:22	0.006	0	0
3/29/2007	14:22:22	0.005	-0.001	-1
3/29/2007	14:37:22	0.005	-0.001	-1
3/29/2007	14:52:22	0.006	0	0
3/29/2007	15:07:22	0.005	-0.001	-1
3/29/2007	15:22:22	0.006	0	0
3/29/2007	15:37:22	0.005	-0.001	-1
3/29/2007	15:52:22	0.006	0	0
3/29/2007	16:07:22	0.007	0.001	1
3/29/2007	16:22:22	0.007	0.001	1
3/29/2007	16:37:22	0.007	0.001	1
3/29/2007	16:52:22	0.006	0	0
3/29/2007	17:07:22	0.005	-0.001	-1
3/29/2007	17:22:22	0.005	-0.001	-1
3/29/2007	17:37:22	0.005	-0.001	-1
3/29/2007	17:52:22	0.007	0.001	1
3/29/2007	18:07:22	0.006	0	0
3/29/2007	18:22:22	0.006	0	0
3/29/2007	18:37:22	0.006	0	0
3/29/2007	18:52:22	0.009	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 3 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/29/2007 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	3/29/2007 7:07	12.1	L	12.1	*Inaccurate readings due to equipment malfunction; not work-related
2	3/29/2007 7:22	21.3	L	21.3	*Inaccurate readings due to equipment malfunction; not work-related
3	3/29/2007 7:37	27.4	L	27.4	*Inaccurate readings due to equipment malfunction; not work-related
1	3/29/2007 8:15	5.2	L	5.2	*Inaccurate readings due to equipment malfunction; not work-related
2	3/29/2007 8:30	8.4	L	8.4	*Inaccurate readings due to equipment malfunction; not work-related
1	3/29/2007 8:44	0		0	*Station 3 PID replaced with spare unit at ~8:30
2	3/29/2007 8:59	0.1		0.1	
3	3/29/2007 9:14	0.2		0.2	
4	3/29/2007 9:29	0.2		0.2	
5	3/29/2007 9:44	0.3		0.3	
6	3/29/2007 9:59	0.3		0.3	
7	3/29/2007 10:14	0.3		0.3	
8	3/29/2007 10:29	0.4		0.4	
9	3/29/2007 10:44	0.4		0.4	
10	3/29/2007 10:59	0.4		0.4	
11	3/29/2007 11:14	0.4		0.4	
12	3/29/2007 11:29	0.4		0.4	
13	3/29/2007 11:44	0.5		0.5	
14	3/29/2007 11:59	0.5		0.5	
15	3/29/2007 12:14	0.5		0.5	
16	3/29/2007 12:29	0.5		0.5	
17	3/29/2007 12:44	0.5		0.5	
18	3/29/2007 12:59	0.5		0.5	
19	3/29/2007 13:14	0.5		0.5	
20	3/29/2007 13:29	0.5		0.5	
21	3/29/2007 13:44	0.5		0.5	
22	3/29/2007 13:59	0.5		0.5	
23	3/29/2007 14:14	0.5		0.5	
24	3/29/2007 14:29	0		0	
25	3/29/2007 14:44	0		0	
26	3/29/2007 14:59	0.1		0.1	
27	3/29/2007 15:14	0.2		0.2	
28	3/29/2007 15:29	0.3		0.3	
29	3/29/2007 15:44	0.3		0.3	
30	3/29/2007 15:59	0.3		0.3	
31	3/29/2007 16:14	0.5		0.5	
32	3/29/2007 16:29	0.6		0.6	
33	3/29/2007 16:44	0.6		0.6	
34	3/29/2007 16:59	0.7		0.7	
35	3/29/2007 17:14	0.7		0.7	
36	3/29/2007 17:29	0.7		0.7	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	3/29/2007
Start Time:	6:53:20
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0650) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/29/2007	7:08:20	0.007	0.001	1
3/29/2007	7:23:20	0.01	0.004	4
3/29/2007	7:38:20	0.011	0.005	5
3/29/2007	7:53:20	0.011	0.005	5
3/29/2007	8:08:20	0.026	0.02	20
3/29/2007	8:23:20	0.011	0.005	5
3/29/2007	8:38:20	0.009	0.003	3
3/29/2007	8:53:20	0.007	0.001	1
3/29/2007	9:08:20	0.008	0.002	2
3/29/2007	9:23:20	0.008	0.002	2
3/29/2007	9:38:20	0.012	0.006	6
3/29/2007	9:53:20	0.008	0.002	2
3/29/2007	10:08:20	0.009	0.003	3
3/29/2007	10:23:20	0.008	0.002	2
3/29/2007	10:38:20	0.006	0	0
3/29/2007	10:53:20	0.007	0.001	1
3/29/2007	11:08:20	0.007	0.001	1
3/29/2007	11:23:20	0.008	0.002	2
3/29/2007	11:38:20	0.008	0.002	2
3/29/2007	11:53:20	0.007	0.001	1
3/29/2007	12:08:20	0.007	0.001	1
3/29/2007	12:23:20	0.006	0	0
3/29/2007	12:38:20	0.006	0	0
3/29/2007	12:53:20	0.006	0	0
3/29/2007	13:08:20	0.007	0.001	1
3/29/2007	13:23:20	0.008	0.002	2
3/29/2007	13:38:20	0.008	0.002	2
3/29/2007	13:53:20	0.007	0.001	1
3/29/2007	14:08:20	0.005	-0.001	-1
3/29/2007	14:23:20	0.007	0.001	1
3/29/2007	14:38:20	0.007	0.001	1
3/29/2007	14:53:20	0.005	-0.001	-1
3/29/2007	15:08:20	0.005	-0.001	-1
3/29/2007	15:23:20	0.006	0	0
3/29/2007	15:38:20	0.006	0	0
3/29/2007	15:53:20	0.008	0.002	2
3/29/2007	16:08:20	0.007	0.001	1
3/29/2007	16:23:20	0.008	0.002	2
3/29/2007	16:38:20	0.008	0.002	2
3/29/2007	16:53:20	0.007	0.001	1
3/29/2007	17:08:20	0.007	0.001	1
3/29/2007	17:23:20	0.006	0	0
3/29/2007	17:38:20	0.006	0	0
3/29/2007	17:53:20	0.008	0.002	2
3/29/2007	18:08:20	0.008	0.002	2
3/29/2007	18:23:20	0.007	0.001	1
3/29/2007	18:38:20	0.008	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/29/2007 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/29/2007 7:00	0		0
2	3/29/2007 7:15	0		0
3	3/29/2007 7:30	0		0
4	3/29/2007 7:45	0		0
5	3/29/2007 8:00	0		0
6	3/29/2007 8:15	0		0
7	3/29/2007 8:30	0		0
8	3/29/2007 8:45	0		0
9	3/29/2007 9:00	0		0
10	3/29/2007 9:15	0		0
11	3/29/2007 9:30	0		0
12	3/29/2007 9:45	0		0
13	3/29/2007 10:00	0		0
14	3/29/2007 10:15	0		0
15	3/29/2007 10:30	0		0
16	3/29/2007 10:45	0		0
17	3/29/2007 11:00	0		0
18	3/29/2007 11:15	0		0
19	3/29/2007 11:30	0		0
20	3/29/2007 11:45	0		0
21	3/29/2007 12:00	0		0
22	3/29/2007 12:15	0		0
23	3/29/2007 12:30	0		0
24	3/29/2007 12:45	0		0
25	3/29/2007 13:00	0		0
26	3/29/2007 13:15	0		0
27	3/29/2007 13:30	0		0
28	3/29/2007 13:45	0		0
29	3/29/2007 14:00	0		0
30	3/29/2007 14:15	0		0
31	3/29/2007 14:30	0		0
32	3/29/2007 14:45	0		0
33	3/29/2007 15:00	0		0
34	3/29/2007 15:15	0		0
35	3/29/2007 15:30	0		0
36	3/29/2007 15:45	0		0
37	3/29/2007 16:00	0		0
38	3/29/2007 16:15	0		0
39	3/29/2007 16:30	0		0
40	3/29/2007 16:45	0		0
41	3/29/2007 17:00	0		0
42	3/29/2007 17:15	0		0
43	3/29/2007 17:30	0		0
44	3/29/2007 17:45	0		0
45	3/29/2007 18:00	0		0
46	3/29/2007 18:15	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	3/29/2007
Start Time:	6:46:37
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (0645) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/29/2007	7:01:37	0.005	0.001	1
3/29/2007	7:16:37	0.011	0.007	7
3/29/2007	7:31:37	0.01	0.006	6
3/29/2007	7:46:37	0.012	0.008	8
3/29/2007	8:01:37	0.015	0.011	11
3/29/2007	8:16:37	0.014	0.01	10
3/29/2007	8:31:37	0.016	0.012	12
3/29/2007	8:46:37	0.014	0.01	10
3/29/2007	9:01:37	0.015	0.011	11
3/29/2007	9:16:37	0.01	0.006	6
3/29/2007	9:31:37	0.015	0.011	11
3/29/2007	9:46:37	0.011	0.007	7
3/29/2007	10:01:37	0.03	0.026	26
3/29/2007	10:16:37	0.015	0.011	11
3/29/2007	10:31:37	0.011	0.007	7
3/29/2007	10:46:37	0.009	0.005	5
3/29/2007	11:01:37	0.02	0.016	16
3/29/2007	11:16:37	0.02	0.016	16
3/29/2007	11:31:37	0.012	0.008	8
3/29/2007	11:46:37	0.014	0.01	10
3/29/2007	12:01:37	0.011	0.007	7
3/29/2007	12:16:37	0.012	0.008	8
3/29/2007	12:31:37	0.008	0.004	4
3/29/2007	12:46:37	0.01	0.006	6
3/29/2007	13:01:37	0.017	0.013	13
3/29/2007	13:16:37	0.013	0.009	9
3/29/2007	13:31:37	0.014	0.01	10
3/29/2007	13:46:37	0.007	0.003	3
3/29/2007	14:01:37	0.007	0.003	3
3/29/2007	14:16:37	0.007	0.003	3
3/29/2007	14:31:37	0.018	0.014	14
3/29/2007	14:46:37	0.006	0.002	2
3/29/2007	15:01:37	0.006	0.002	2
3/29/2007	15:16:37	0.011	0.007	7
3/29/2007	15:31:37	0.012	0.008	8
3/29/2007	15:46:37	0.01	0.006	6
3/29/2007	16:01:37	0.007	0.003	3
3/29/2007	16:16:37	0.006	0.002	2
3/29/2007	16:31:37	0.01	0.006	6
3/29/2007	16:46:37	0.008	0.004	4
3/29/2007	17:01:37	0.007	0.003	3
3/29/2007	17:16:37	0.005	0.001	1
3/29/2007	17:31:37	0.005	0.001	1
3/29/2007	17:46:37	0.006	0.002	2
3/29/2007	18:01:37	0.008	0.004	4
3/29/2007	18:16:37	0.005	0.001	1
3/29/2007	18:31:37	0.007	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/30/2007 6:59	0.1		0
2	3/30/2007 7:14	0.2		0.1
3	3/30/2007 7:29	0.2		0.1
4	3/30/2007 7:44	0.2		0.1
5	3/30/2007 7:59	0.3		0.2
6	3/30/2007 8:14	0.3		0.2
7	3/30/2007 8:29	0.3		0.2
8	3/30/2007 8:44	0.3		0.2
9	3/30/2007 8:59	0.3		0.2
10	3/30/2007 9:14	0.3		0.2
11	3/30/2007 9:29	0.3		0.2
12	3/30/2007 9:44	0.3		0.2
13	3/30/2007 9:59	0.3		0.2
14	3/30/2007 10:14	0.3		0.2
15	3/30/2007 10:29	0.3		0.2
16	3/30/2007 10:44	0.3		0.2
17	3/30/2007 10:59	0.2		0.1
18	3/30/2007 11:14	0.2		0.1
19	3/30/2007 11:29	0.2		0.1
20	3/30/2007 11:44	0.2		0.1
21	3/30/2007 11:59	0.2		0.1
22	3/30/2007 12:14	0.2		0.1
23	3/30/2007 12:29	0.2		0.1
24	3/30/2007 12:44	0.2		0.1
25	3/30/2007 12:59	0.2		0.1
26	3/30/2007 13:14	0.2		0.1
27	3/30/2007 13:29	0.2		0.1
28	3/30/2007 13:44	0.3		0.2
29	3/30/2007 13:59	0.3		0.2
30	3/30/2007 14:14	0.2		0.1
31	3/30/2007 14:29	0.2		0.1
32	3/30/2007 14:44	0.3		0.2
33	3/30/2007 14:59	0.3		0.2
34	3/30/2007 15:14	0.3		0.2
35	3/30/2007 15:29	0.3		0.2
36	3/30/2007 15:44	0.3		0.2
37	3/30/2007 15:59	0.3		0.2
38	3/30/2007 16:14	0.3		0.2
39	3/30/2007 16:29	0.2		0.1
40	3/30/2007 16:44	0.2		0.1
41	3/30/2007 16:59	0.2		0.1
42	3/30/2007 17:14	0.2		0.1
43	3/30/2007 17:29	0.2		0.1
44	3/30/2007 17:44	0.2		0.1
45	3/30/2007 17:59	0.2		0.1
46	3/30/2007 18:14	0.2		0.1
47	3/30/2007 18:29	0.3		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	5
Test Abbreviation:	
Start Date:	3/30/2007
Start Time:	6:45:23
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0651) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/30/2007	7:00:23	0.012	0.003	3
3/30/2007	7:15:23	0.012	0.003	3
3/30/2007	7:30:23	0.011	0.002	2
3/30/2007	7:45:23	0.019	0.01	10
3/30/2007	8:00:23	0.017	0.008	8
3/30/2007	8:15:23	0.021	0.012	12
3/30/2007	8:30:23	0.013	0.004	4
3/30/2007	8:45:23	0.014	0.005	5
3/30/2007	9:00:23	0.013	0.004	4
3/30/2007	9:15:23	0.013	0.004	4
3/30/2007	9:30:23	0.013	0.004	4
3/30/2007	9:45:23	0.014	0.005	5
3/30/2007	10:00:23	0.016	0.007	7
3/30/2007	10:15:23	0.016	0.007	7
3/30/2007	10:30:23	0.016	0.007	7
3/30/2007	10:45:23	0.015	0.006	6
3/30/2007	11:00:23	0.012	0.003	3
3/30/2007	11:15:23	0.02	0.011	11
3/30/2007	11:30:23	0.015	0.006	6
3/30/2007	11:45:23	0.012	0.003	3
3/30/2007	12:00:23	0.012	0.003	3
3/30/2007	12:15:23	0.011	0.002	2
3/30/2007	12:30:23	0.009	0	0
3/30/2007	12:45:23	0.007	-0.002	-2
3/30/2007	13:00:23	0.007	-0.002	-2
3/30/2007	13:15:23	0.009	0	0
3/30/2007	13:30:23	0.008	-0.001	-1
3/30/2007	13:45:23	0.01	0.001	1
3/30/2007	14:00:23	0.013	0.004	4
3/30/2007	14:15:23	0.01	0.001	1
3/30/2007	14:30:23	0.011	0.002	2
3/30/2007	14:45:23	0.008	-0.001	-1
3/30/2007	15:00:23	0.009	0	0
3/30/2007	15:15:23	0.01	0.001	1
3/30/2007	15:30:23	0.011	0.002	2
3/30/2007	15:45:23	0.012	0.003	3
3/30/2007	16:00:23	0.009	0	0
3/30/2007	16:15:23	0.009	0	0
3/30/2007	16:30:23	0.01	0.001	1
3/30/2007	16:45:23	0.011	0.002	2
3/30/2007	17:00:23	0.011	0.002	2
3/30/2007	17:15:23	0.01	0.001	1
3/30/2007	17:30:23	0.011	0.002	2
3/30/2007	17:45:23	0.009	0	0
3/30/2007	18:00:23	0.008	-0.001	-1
3/30/2007	18:15:23	0.009	0	0
3/30/2007	18:30:23	0.009	0	0
3/30/2007	18:45:23	0.01	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/30/2007 6:58	0		0
2	3/30/2007 7:13	0.1		0.1
3	3/30/2007 7:28	0.2		0.2
4	3/30/2007 7:43	0.3		0.3
5	3/30/2007 7:58	0.4		0.4
6	3/30/2007 8:13	0.5		0.5
7	3/30/2007 8:28	0.6		0.6
8	3/30/2007 8:43	0.6		0.6
9	3/30/2007 8:58	0.7		0.7
10	3/30/2007 9:13	0.7		0.7
11	3/30/2007 9:28	0.8		0.8
12	3/30/2007 9:43	0.8		0.8
13	3/30/2007 9:58	0.9		0.9
14	3/30/2007 10:13	0.9		0.9
15	3/30/2007 10:28	1		1
16	3/30/2007 10:43	1		1
17	3/30/2007 10:58	1		1
18	3/30/2007 11:13	1		1
19	3/30/2007 11:28	1.1		1.1
20	3/30/2007 11:43	1.1		1.1
21	3/30/2007 11:58	1.1		1.1
22	3/30/2007 12:13	1.1		1.1
23	3/30/2007 12:28	1.1		1.1
24	3/30/2007 12:43	1.1		1.1
25	3/30/2007 12:58	1.1		1.1
26	3/30/2007 13:13	1		1
27	3/30/2007 13:28	1		1
28	3/30/2007 13:43	1		1
29	3/30/2007 13:58	1		1
30	3/30/2007 14:13	1.1		1.1
31	3/30/2007 14:28	1.1		1.1
32	3/30/2007 14:43	1.1		1.1
33	3/30/2007 14:58	1.2		1.2
34	3/30/2007 15:13	1.1		1.1
35	3/30/2007 15:28	1.1		1.1
36	3/30/2007 15:43	1.2		1.2
37	3/30/2007 15:58	1.2		1.2
38	3/30/2007 16:13	1.2		1.2
39	3/30/2007 16:28	1.2		1.2
40	3/30/2007 16:43	1.2		1.2
41	3/30/2007 16:58	1.2		1.2
42	3/30/2007 17:13	1.2		1.2
43	3/30/2007 17:28	1.2		1.2
44	3/30/2007 17:43	1.2		1.2
45	3/30/2007 17:58	1.2		1.2
46	3/30/2007 18:13	1.1		1.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	3/30/2007
Start Time:	6:45:16
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0645) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/30/2007	7:00:16	0.007	0	0
3/30/2007	7:15:16	0.006	-0.001	-1
3/30/2007	7:30:16	0.006	-0.001	-1
3/30/2007	7:45:16	0.011	0.004	4
3/30/2007	8:00:16	0.009	0.002	2
3/30/2007	8:15:16	0.01	0.003	3
3/30/2007	8:30:16	0.007	0	0
3/30/2007	8:45:16	0.01	0.003	3
3/30/2007	9:00:16	0.01	0.003	3
3/30/2007	9:15:16	0.01	0.003	3
3/30/2007	9:30:16	0.01	0.003	3
3/30/2007	9:45:16	0.009	0.002	2
3/30/2007	10:00:16	0.01	0.003	3
3/30/2007	10:15:16	0.009	0.002	2
3/30/2007	10:30:16	0.01	0.003	3
3/30/2007	10:45:16	0.009	0.002	2
3/30/2007	11:00:16	0.009	0.002	2
3/30/2007	11:15:16	0.01	0.003	3
3/30/2007	11:30:16	0.009	0.002	2
3/30/2007	11:45:16	0.008	0.001	1
3/30/2007	12:00:16	0.007	0	0
3/30/2007	12:15:16	0.008	0.001	1
3/30/2007	12:30:16	0.008	0.001	1
3/30/2007	12:45:16	0.005	-0.002	-2
3/30/2007	13:00:16	0.005	-0.002	-2
3/30/2007	13:15:16	0.005	-0.002	-2
3/30/2007	13:30:16	0.006	-0.001	-1
3/30/2007	13:45:16	0.007	0	0
3/30/2007	14:00:16	0.008	0.001	1
3/30/2007	14:15:16	0.007	0	0
3/30/2007	14:30:16	0.007	0	0
3/30/2007	14:45:16	0.006	-0.001	-1
3/30/2007	15:00:16	0.005	-0.002	-2
3/30/2007	15:15:16	0.006	-0.001	-1
3/30/2007	15:30:16	0.006	-0.001	-1
3/30/2007	15:45:16	0.007	0	0
3/30/2007	16:00:16	0.007	0	0
3/30/2007	16:15:16	0.007	0	0
3/30/2007	16:30:16	0.007	0	0
3/30/2007	16:45:16	0.007	0	0
3/30/2007	17:00:16	0.009	0.002	2
3/30/2007	17:15:16	0.008	0.001	1
3/30/2007	17:30:16	0.006	-0.001	-1
3/30/2007	17:45:16	0.007	0	0
3/30/2007	18:00:16	0.007	0	0
3/30/2007	18:15:16	0.007	0	0
3/30/2007	18:30:16	0.009	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012171
User ID: 00000001 Site ID: 00000022
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	500	500	500
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	3/30/2007 7:14	0.4		0.4	
2	3/30/2007 7:29	1		1	
3	3/30/2007 7:44	1.4		1.4	
4	3/30/2007 7:59	1.8		1.8	
1	3/30/2007 8:37	0		0	*Spare Mini Rae placed in STA 3
2	3/30/2007 8:52	0		0	
3	3/30/2007 9:07	0		0	
4	3/30/2007 9:22	0		0	
5	3/30/2007 9:37	0		0	
6	3/30/2007 9:52	0		0	
7	3/30/2007 10:07	0		0	
8	3/30/2007 10:22	0		0	
9	3/30/2007 10:37	0		0	
10	3/30/2007 10:52	0		0	
11	3/30/2007 11:07	0		0	
12	3/30/2007 11:22	0		0	
13	3/30/2007 11:37	0		0	
14	3/30/2007 11:52	0		0	
15	3/30/2007 12:07	0		0	
16	3/30/2007 12:22	0		0	
17	3/30/2007 12:37	0		0	
18	3/30/2007 12:52	0		0	
19	3/30/2007 13:07	0		0	
20	3/30/2007 13:22	0		0	
21	3/30/2007 13:37	0		0	
22	3/30/2007 13:52	0		0	
23	3/30/2007 14:07	0		0	
24	3/30/2007 14:22	0		0	
25	3/30/2007 14:37	0		0	
26	3/30/2007 14:52	0		0	
27	3/30/2007 15:07	0		0	
28	3/30/2007 15:22	0		0	
29	3/30/2007 15:37	0		0	
30	3/30/2007 15:52	0		0	
31	3/30/2007 16:07	0		0	
32	3/30/2007 16:22	0		0	
33	3/30/2007 16:37	0		0	
34	3/30/2007 16:52	0		0	
35	3/30/2007 17:07	0		0	
36	3/30/2007 17:22	0		0	
37	3/30/2007 17:37	0		0	
38	3/30/2007 17:52	0		0	
39	3/30/2007 18:07	0		0	
40	3/30/2007 18:22	0.1		0.1	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	3/30/2007
Start Time:	7:00:15
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0655) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/30/2007	7:15:15	0.015	0.004	4
3/30/2007	7:30:15	0.01	-0.001	-1
3/30/2007	7:45:15	0.014	0.003	3
3/30/2007	8:00:15	0.013	0.002	2
3/30/2007	8:15:15	0.016	0.005	5
3/30/2007	8:30:15	0.012	0.001	1
3/30/2007	8:45:15	0.014	0.003	3
3/30/2007	9:00:15	0.013	0.002	2
3/30/2007	9:15:15	0.017	0.006	6
3/30/2007	9:30:15	0.016	0.005	5
3/30/2007	9:45:15	0.014	0.003	3
3/30/2007	10:00:15	0.015	0.004	4
3/30/2007	10:15:15	0.014	0.003	3
3/30/2007	10:30:15	0.02	0.009	9
3/30/2007	10:45:15	0.013	0.002	2
3/30/2007	11:00:15	0.025	0.014	14
3/30/2007	11:15:15	0.02	0.009	9
3/30/2007	11:30:15	0.019	0.008	8
3/30/2007	11:45:15	0.026	0.015	15
3/30/2007	12:00:15	0.021	0.01	10
3/30/2007	12:15:15	0.02	0.009	9
3/30/2007	12:30:15	0.013	0.002	2
3/30/2007	12:45:15	0.009	-0.002	-2
3/30/2007	13:00:15	0.008	-0.003	-3
3/30/2007	13:15:15	0.01	-0.001	-1
3/30/2007	13:30:15	0.016	0.005	5
3/30/2007	13:45:15	0.012	0.001	1
3/30/2007	14:00:15	0.02	0.009	9
3/30/2007	14:15:15	0.01	-0.001	-1
3/30/2007	14:30:15	0.01	-0.001	-1
3/30/2007	14:45:15	0.008	-0.003	-3
3/30/2007	15:00:15	0.008	-0.003	-3
3/30/2007	15:15:15	0.008	-0.003	-3
3/30/2007	15:30:15	0.012	0.001	1
3/30/2007	15:45:15	0.014	0.003	3
3/30/2007	16:00:15	0.012	0.001	1
3/30/2007	16:15:15	0.011	0	0
3/30/2007	16:30:15	0.01	-0.001	-1
3/30/2007	16:45:15	0.015	0.004	4
3/30/2007	17:00:15	0.016	0.005	5
3/30/2007	17:15:15	0.013	0.002	2
3/30/2007	17:30:15	0.01	-0.001	-1
3/30/2007	17:45:15	0.01	-0.001	-1
3/30/2007	18:00:15	0.01	-0.001	-1
3/30/2007	18:15:15	0.01	-0.001	-1
3/30/2007	18:30:15	0.011	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/30/2007 7:08	0		0
2	3/30/2007 7:23	0.3		0.3
3	3/30/2007 7:38	1.1		1.1
4	3/30/2007 7:53	0		0
5	3/30/2007 8:08	0		0
6	3/30/2007 8:23	0		0
7	3/30/2007 8:38	0.4		0.4
8	3/30/2007 8:53	0		0
9	3/30/2007 9:08	0		0
10	3/30/2007 9:23	0		0
11	3/30/2007 9:38	0		0
12	3/30/2007 9:53	0		0
13	3/30/2007 10:08	0		0
14	3/30/2007 10:23	0		0
15	3/30/2007 10:38	0		0
16	3/30/2007 10:53	0		0
17	3/30/2007 11:08	0		0
18	3/30/2007 11:23	0		0
19	3/30/2007 11:38	0		0
20	3/30/2007 11:53	0		0
21	3/30/2007 12:08	0		0
22	3/30/2007 12:23	0		0
23	3/30/2007 12:38	0		0
24	3/30/2007 12:53	0		0
25	3/30/2007 13:08	0		0
26	3/30/2007 13:23	0		0
27	3/30/2007 13:38	0		0
28	3/30/2007 13:53	0		0
29	3/30/2007 14:08	0		0
30	3/30/2007 14:23	0		0
31	3/30/2007 14:38	0		0
32	3/30/2007 14:53	0		0
33	3/30/2007 15:08	0		0
34	3/30/2007 15:23	0		0
35	3/30/2007 15:38	0		0
36	3/30/2007 15:53	0		0
37	3/30/2007 16:08	0		0
38	3/30/2007 16:23	0		0
39	3/30/2007 16:38	0		0
40	3/30/2007 16:53	0		0
41	3/30/2007 17:08	0		0
42	3/30/2007 17:23	0		0
43	3/30/2007 17:38	0		0
44	3/30/2007 17:53	0		0
45	3/30/2007 18:08	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	3/30/2007
Start Time:	6:53:57
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0655) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
3/30/2007	7:08:57	0.013	0.005	5
3/30/2007	7:23:57	0.02	0.012	12
3/30/2007	7:38:57	0.123	0.115	115
3/30/2007	7:53:57	0.127	0.119	119
3/30/2007	8:08:57	0.08	0.072	72
3/30/2007	8:23:57	0.023	0.015	15
3/30/2007	8:38:57	0.021	0.013	13
3/30/2007	8:53:57	0.023	0.015	15
3/30/2007	9:08:57	0.02	0.012	12
3/30/2007	9:23:57	0.017	0.009	9
3/30/2007	9:38:57	0.019	0.011	11
3/30/2007	9:53:57	0.021	0.013	13
3/30/2007	10:08:57	0.022	0.014	14
3/30/2007	10:23:57	0.02	0.012	12
3/30/2007	10:38:57	0.019	0.011	11
3/30/2007	10:53:57	0.015	0.007	7
3/30/2007	11:08:57	0.021	0.013	13
3/30/2007	11:23:57	0.02	0.012	12
3/30/2007	11:38:57	0.018	0.01	10
3/30/2007	11:53:57	0.017	0.009	9
3/30/2007	12:08:57	0.013	0.005	5
3/30/2007	12:23:57	0.015	0.007	7
3/30/2007	12:38:57	0.014	0.006	6
3/30/2007	12:53:57	0.012	0.004	4
3/30/2007	13:08:57	0.012	0.004	4
3/30/2007	13:23:57	0.012	0.004	4
3/30/2007	13:38:57	0.012	0.004	4
3/30/2007	13:53:57	0.026	0.018	18
3/30/2007	14:08:57	0.032	0.024	24
3/30/2007	14:23:57	0.034	0.026	26
3/30/2007	14:38:57	0.059	0.051	51
3/30/2007	14:53:57	0.061	0.053	53
3/30/2007	15:08:57	0.048	0.04	40
3/30/2007	15:23:57	0.025	0.017	17
3/30/2007	15:38:57	0.018	0.01	10
3/30/2007	15:53:57	0.012	0.004	4
3/30/2007	16:08:57	0.015	0.007	7
3/30/2007	16:23:57	0.012	0.004	4
3/30/2007	16:38:57	0.021	0.013	13
3/30/2007	16:53:57	0.016	0.008	8
3/30/2007	17:08:57	0.018	0.01	10
3/30/2007	17:23:57	0.02	0.012	12
3/30/2007	17:38:57	0.018	0.01	10
3/30/2007	17:53:57	0.012	0.004	4
3/30/2007	18:08:57	0.012	0.004	4
3/30/2007	18:23:57	0.018	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0843) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/31/2007 8:32	0		0
2	3/31/2007 8:47	0.1		0.1
3	3/31/2007 9:02	0.2		0.2
4	3/31/2007 9:17	0.3		0.3
5	3/31/2007 9:32	0.3		0.3
6	3/31/2007 9:47	0.3		0.3
7	3/31/2007 10:02	0.4		0.4
8	3/31/2007 10:17	0.4		0.4
9	3/31/2007 10:32	0.4		0.4
10	3/31/2007 10:47	0.5		0.5
11	3/31/2007 11:02	0.5		0.5
12	3/31/2007 11:17	0.5		0.5
13	3/31/2007 11:32	0.5		0.5
14	3/31/2007 11:47	0.5		0.5
15	3/31/2007 12:02	0.5		0.5
16	3/31/2007 12:17	0.5		0.5
17	3/31/2007 12:32	0.5		0.5
18	3/31/2007 12:47	0.4		0.4
19	3/31/2007 13:02	0.4		0.4
20	3/31/2007 13:17	0.4		0.4
21	3/31/2007 13:32	0.4		0.4
22	3/31/2007 13:47	0.4		0.4
23	3/31/2007 14:02	0.4		0.4
24	3/31/2007 14:17	0.4		0.4
25	3/31/2007 14:32	0.4		0.4
26	3/31/2007 14:47	0.4		0.4
27	3/31/2007 15:02	0.4		0.4
28	3/31/2007 15:17	0.4		0.4
29	3/31/2007 15:32	0.4		0.4
30	3/31/2007 15:47	0.4		0.4
31	3/31/2007 16:02	0.4		0.4
32	3/31/2007 16:17	0.4		0.4
33	3/31/2007 16:32	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	6
Test Abbreviation:	
Start Date:	3/31/2007
Start Time:	8:36:52
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0843) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/31/2007	8:51:52	0.009	0	0
3/31/2007	9:06:52	0.013	0.004	4
3/31/2007	9:21:52	0.009	0	0
3/31/2007	9:36:52	0.035	0.026	26
3/31/2007	9:51:52	0.016	0.007	7
3/31/2007	10:06:52	0.012	0.003	3
3/31/2007	10:21:52	0.013	0.004	4
3/31/2007	10:36:52	0.012	0.003	3
3/31/2007	10:51:52	0.01	0.001	1
3/31/2007	11:06:52	0.009	0	0
3/31/2007	11:21:52	0.011	0.002	2
3/31/2007	11:36:52	0.01	0.001	1
3/31/2007	11:51:52	0.008	-0.001	-1
3/31/2007	12:06:52	0.013	0.004	4
3/31/2007	12:21:52	0.008	-0.001	-1
3/31/2007	12:36:52	0.005	-0.004	-4
3/31/2007	12:51:52	0.008	-0.001	-1
3/31/2007	13:06:52	0.008	-0.001	-1
3/31/2007	13:21:52	0.007	-0.002	-2
3/31/2007	13:36:52	0.008	-0.001	-1
3/31/2007	13:51:52	0.007	-0.002	-2
3/31/2007	14:06:52	0.007	-0.002	-2
3/31/2007	14:21:52	0.007	-0.002	-2
3/31/2007	14:36:52	0.008	-0.001	-1
3/31/2007	14:51:52	0.008	-0.001	-1
3/31/2007	15:06:52	0.009	0	0
3/31/2007	15:21:52	0.009	0	0
3/31/2007	15:36:52	0.007	-0.002	-2
3/31/2007	15:51:52	0.008	-0.001	-1
3/31/2007	16:06:52	0.009	0	0
3/31/2007	16:21:52	0.012	0.003	3
3/31/2007	16:36:52	0.012	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0840) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/31/2007 8:30	0.3		0.2
2	3/31/2007 8:45	0.1		0
3	3/31/2007 9:00	0.2		0.1
4	3/31/2007 9:15	0.4		0.3
5	3/31/2007 9:30	0.5		0.4
6	3/31/2007 9:45	0.6		0.5
7	3/31/2007 10:00	0.6		0.5
8	3/31/2007 10:15	0.7		0.6
9	3/31/2007 10:30	0.8		0.7
10	3/31/2007 10:45	0.9		0.8
11	3/31/2007 11:00	0.9		0.8
12	3/31/2007 11:15	1		0.9
13	3/31/2007 11:30	1		0.9
14	3/31/2007 11:45	1.1		1
15	3/31/2007 12:00	1.1		1
16	3/31/2007 12:15	1.2		1.1
17	3/31/2007 12:30	1.2		1.1
18	3/31/2007 12:45	1.2		1.1
19	3/31/2007 13:00	1.2		1.1
20	3/31/2007 13:15	1.3		1.2
21	3/31/2007 13:30	1.4		1.3
22	3/31/2007 13:45	1.4		1.3
23	3/31/2007 14:00	1.4		1.3
24	3/31/2007 14:15	1.4		1.3
25	3/31/2007 14:30	1.4		1.3
26	3/31/2007 14:45	1.4		1.3
27	3/31/2007 15:00	1.3		1.2
28	3/31/2007 15:15	1.4		1.3
29	3/31/2007 15:30	1.4		1.3
30	3/31/2007 15:45	1.4		1.3
31	3/31/2007 16:00	1.3		1.2
32	3/31/2007 16:15	1.1		1
33	3/31/2007 16:30	1		0.9

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	3/31/2007
Start Time:	8:41:38
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0840) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/31/2007	8:56:38	0.008	0.001	1
3/31/2007	9:11:38	0.009	0.002	2
3/31/2007	9:26:38	0.006	-0.001	-1
3/31/2007	9:41:38	0.006	-0.001	-1
3/31/2007	9:56:38	0.006	-0.001	-1
3/31/2007	10:11:38	0.006	-0.001	-1
3/31/2007	10:26:38	0.006	-0.001	-1
3/31/2007	10:41:38	0.006	-0.001	-1
3/31/2007	10:56:38	0.006	-0.001	-1
3/31/2007	11:11:38	0.004	-0.003	-3
3/31/2007	11:26:38	0.004	-0.003	-3
3/31/2007	11:41:38	0.004	-0.003	-3
3/31/2007	11:56:38	0.005	-0.002	-2
3/31/2007	12:11:38	0.004	-0.003	-3
3/31/2007	12:26:38	0.004	-0.003	-3
3/31/2007	12:41:38	0.004	-0.003	-3
3/31/2007	12:56:38	0.004	-0.003	-3
3/31/2007	13:11:38	0.005	-0.002	-2
3/31/2007	13:26:38	0.004	-0.003	-3
3/31/2007	13:41:38	0.006	-0.001	-1
3/31/2007	13:56:38	0.005	-0.002	-2
3/31/2007	14:11:38	0.005	-0.002	-2
3/31/2007	14:26:38	0.005	-0.002	-2
3/31/2007	14:41:38	0.005	-0.002	-2
3/31/2007	14:56:38	0.005	-0.002	-2
3/31/2007	15:11:38	0.006	-0.001	-1
3/31/2007	15:26:38	0.006	-0.001	-1
3/31/2007	15:41:38	0.006	-0.001	-1
3/31/2007	15:56:38	0.007	0	0
3/31/2007	16:11:38	0.008	0.001	1
3/31/2007	16:26:38	0.01	0.003	3
3/31/2007	16:41:38	0.009	0.002	2
3/31/2007	16:56:38	0.008	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/31/2007 07:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0858) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/31/2007 8:32	0.1		0.1
2	3/31/2007 8:47	0		0
3	3/31/2007 9:02	0		0
4	3/31/2007 9:17	0		0
5	3/31/2007 9:32	0		0
6	3/31/2007 9:47	0		0
7	3/31/2007 10:02	0		0
8	3/31/2007 10:17	0		0
9	3/31/2007 10:32	0		0
10	3/31/2007 10:47	0		0
11	3/31/2007 11:02	0		0
12	3/31/2007 11:17	0.1		0.1
13	3/31/2007 11:32	0.1		0.1
14	3/31/2007 11:47	0		0
15	3/31/2007 12:02	0		0
16	3/31/2007 12:17	0		0
17	3/31/2007 12:32	0		0
18	3/31/2007 12:47	0		0
19	3/31/2007 13:02	0		0
20	3/31/2007 13:17	0		0
21	3/31/2007 13:32	0		0
22	3/31/2007 13:47	0		0
23	3/31/2007 14:02	0		0
24	3/31/2007 14:17	0		0
25	3/31/2007 14:32	0		0
26	3/31/2007 14:47	0		0
27	3/31/2007 15:02	0		0
28	3/31/2007 15:17	0		0
29	3/31/2007 15:32	0		0
30	3/31/2007 15:47	0		0
31	3/31/2007 16:02	0		0
32	3/31/2007 16:17	0		0
33	3/31/2007 16:32	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	3/31/2007
Start Time:	8:59:02
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0858) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/31/2007	9:14:02	0.01	-0.012	-12
3/31/2007	9:29:02	0.007	-0.015	-15
3/31/2007	9:44:02	0.008	-0.014	-14
3/31/2007	9:59:02	0.008	-0.014	-14
3/31/2007	10:14:02	0.01	-0.012	-12
3/31/2007	10:29:02	0.009	-0.013	-13
3/31/2007	10:44:02	0.008	-0.014	-14
3/31/2007	10:59:02	0.006	-0.016	-16
3/31/2007	11:14:02	0.006	-0.016	-16
3/31/2007	11:29:02	0.006	-0.016	-16
3/31/2007	11:44:02	0.006	-0.016	-16
3/31/2007	11:59:02	0.007	-0.015	-15
3/31/2007	12:14:02	0.005	-0.017	-17
3/31/2007	12:29:02	0.005	-0.017	-17
3/31/2007	12:44:02	0.005	-0.017	-17
3/31/2007	12:59:02	0.005	-0.017	-17
3/31/2007	13:14:02	0.006	-0.016	-16
3/31/2007	13:29:02	0.007	-0.015	-15
3/31/2007	13:44:02	0.005	-0.017	-17
3/31/2007	13:59:02	0.008	-0.014	-14
3/31/2007	14:14:02	0.006	-0.016	-16
3/31/2007	14:29:02	0.007	-0.015	-15
3/31/2007	14:44:02	0.007	-0.015	-15
3/31/2007	14:59:02	0.006	-0.016	-16
3/31/2007	15:14:02	0.007	-0.015	-15
3/31/2007	15:29:02	0.007	-0.015	-15
3/31/2007	15:44:02	0.007	-0.015	-15
3/31/2007	15:59:02	0.009	-0.013	-13
3/31/2007	16:14:02	0.011	-0.011	-11
3/31/2007	16:29:02	0.013	-0.009	-9
3/31/2007	16:44:02	0.013	-0.009	-9

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 03/30/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0851) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	3/31/2007 9:03	0.5		0.4
2	3/31/2007 9:18	0		-0.1
3	3/31/2007 9:33	0		-0.1
4	3/31/2007 9:48	0		-0.1
5	3/31/2007 10:03	0		-0.1
6	3/31/2007 10:18	0		-0.1
7	3/31/2007 10:33	0		-0.1
8	3/31/2007 10:48	0		-0.1
9	3/31/2007 11:03	0		-0.1
10	3/31/2007 11:18	0		-0.1
11	3/31/2007 11:33	0		-0.1
12	3/31/2007 11:48	0		-0.1
13	3/31/2007 12:03	0		-0.1
14	3/31/2007 12:18	0		-0.1
15	3/31/2007 12:33	0		-0.1
16	3/31/2007 12:48	0		-0.1
17	3/31/2007 13:03	0		-0.1
18	3/31/2007 13:18	0		-0.1
19	3/31/2007 13:33	0		-0.1
20	3/31/2007 13:48	0		-0.1
21	3/31/2007 14:03	0		-0.1
22	3/31/2007 14:18	0		-0.1
23	3/31/2007 14:33	0		-0.1
24	3/31/2007 14:48	0		-0.1
25	3/31/2007 15:03	0		-0.1
26	3/31/2007 15:18	0		-0.1
27	3/31/2007 15:33	0		-0.1
28	3/31/2007 15:48	0		-0.1
29	3/31/2007 16:03	0		-0.1
30	3/31/2007 16:18	0		-0.1
31	3/31/2007 16:33	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	3/31/2007
Start Time:	8:52:38
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0851) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
3/31/2007	9:07:38	0.012	0.005	5
3/31/2007	9:22:38	0.015	0.008	8
3/31/2007	9:37:38	0.017	0.01	10
3/31/2007	9:52:38	0.012	0.005	5
3/31/2007	10:07:38	0.01	0.003	3
3/31/2007	10:22:38	0.01	0.003	3
3/31/2007	10:37:38	0.008	0.001	1
3/31/2007	10:52:38	0.008	0.001	1
3/31/2007	11:07:38	0.008	0.001	1
3/31/2007	11:22:38	0.006	-0.001	-1
3/31/2007	11:37:38	0.015	0.008	8
3/31/2007	11:52:38	0.014	0.007	7
3/31/2007	12:07:38	0.01	0.003	3
3/31/2007	12:22:38	0.008	0.001	1
3/31/2007	12:37:38	0.007	0	0
3/31/2007	12:52:38	0.009	0.002	2
3/31/2007	13:07:38	0.017	0.01	10
3/31/2007	13:22:38	0.009	0.002	2
3/31/2007	13:37:38	0.011	0.004	4
3/31/2007	13:52:38	0.008	0.001	1
3/31/2007	14:07:38	0.013	0.006	6
3/31/2007	14:22:38	0.009	0.002	2
3/31/2007	14:37:38	0.007	0	0
3/31/2007	14:52:38	0.006	-0.001	-1
3/31/2007	15:07:38	0.007	0	0
3/31/2007	15:22:38	0.011	0.004	4
3/31/2007	15:37:38	0.009	0.002	2
3/31/2007	15:52:38	0.009	0.002	2
3/31/2007	16:07:38	0.013	0.006	6
3/31/2007	16:22:38	0.02	0.013	13
3/31/2007	16:37:38	0.02	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/02/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/2/2007 7:01	0		0
2	4/2/2007 7:16	0		0
3	4/2/2007 7:31	0		0
4	4/2/2007 7:46	0		0
5	4/2/2007 8:01	0		0
6	4/2/2007 8:16	0		0
7	4/2/2007 8:31	0		0
8	4/2/2007 8:46	0		0
9	4/2/2007 9:01	0		0
10	4/2/2007 9:16	0		0
11	4/2/2007 9:31	0		0
12	4/2/2007 9:46	0		0
13	4/2/2007 10:01	0		0
14	4/2/2007 10:16	0		0
15	4/2/2007 10:31	0		0
16	4/2/2007 10:46	0		0
17	4/2/2007 11:01	0		0
18	4/2/2007 11:16	0		0
19	4/2/2007 11:31	0		0
20	4/2/2007 11:46	0		0
21	4/2/2007 12:01	0		0
22	4/2/2007 12:16	0		0
23	4/2/2007 12:31	0		0
24	4/2/2007 12:46	0		0
25	4/2/2007 13:01	0		0
26	4/2/2007 13:16	0		0
27	4/2/2007 13:31	0		0
28	4/2/2007 13:46	0		0
29	4/2/2007 14:01	0		0
30	4/2/2007 14:16	0		0
31	4/2/2007 14:31	0		0
32	4/2/2007 14:46	0		0
33	4/2/2007 15:01	0		0
34	4/2/2007 15:16	0		0
35	4/2/2007 15:31	0		0
36	4/2/2007 15:46	0		0
37	4/2/2007 16:01	0		0
38	4/2/2007 16:16	0		0
39	4/2/2007 16:31	0		0
40	4/2/2007 16:46	0		0
41	4/2/2007 17:01	0		0
42	4/2/2007 17:16	0		0
43	4/2/2007 17:31	0		0
44	4/2/2007 17:46	0		0
45	4/2/2007 18:01	0		0
46	4/2/2007 18:16	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	1
Test Abbreviation:	
Start Date:	4/2/2007
Start Time:	6:46:27
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0643) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/2/2007	7:01:27	0.041	0.003	3
4/2/2007	7:16:27	0.049	0.011	11
4/2/2007	7:31:27	0.043	0.005	5
4/2/2007	7:46:27	0.041	0.003	3
4/2/2007	8:01:27	0.042	0.004	4
4/2/2007	8:16:27	0.043	0.005	5
4/2/2007	8:31:27	0.031	-0.007	-7
4/2/2007	8:46:27	0.032	-0.006	-6
4/2/2007	9:01:27	0.031	-0.007	-7
4/2/2007	9:16:27	0.033	-0.005	-5
4/2/2007	9:31:27	0.035	-0.003	-3
4/2/2007	9:46:27	0.04	0.002	2
4/2/2007	10:01:27	0.044	0.006	6
4/2/2007	10:16:27	0.042	0.004	4
4/2/2007	10:31:27	0.039	0.001	1
4/2/2007	10:46:27	0.039	0.001	1
4/2/2007	11:01:27	0.04	0.002	2
4/2/2007	11:16:27	0.042	0.004	4
4/2/2007	11:31:27	0.044	0.006	6
4/2/2007	11:46:27	0.045	0.007	7
4/2/2007	12:01:27	0.045	0.007	7
4/2/2007	12:16:27	0.048	0.01	10
4/2/2007	12:31:27	0.047	0.009	9
4/2/2007	12:46:27	0.048	0.01	10
4/2/2007	13:01:27	0.055	0.017	17
4/2/2007	13:16:27	0.06	0.022	22
4/2/2007	13:31:27	0.07	0.032	32
4/2/2007	13:46:27	0.091	0.053	53
4/2/2007	14:01:27	0.093	0.055	55
4/2/2007	14:16:27	0.099	0.061	61
4/2/2007	14:31:27	0.104	0.066	66
4/2/2007	14:46:27	0.109	0.071	71
4/2/2007	15:01:27	0.096	0.058	58
4/2/2007	15:16:27	0.096	0.058	58
4/2/2007	15:31:27	0.1	0.062	62
4/2/2007	15:46:27	0.103	0.065	65
4/2/2007	16:01:27	0.102	0.064	64
4/2/2007	16:16:27	0.094	0.056	56
4/2/2007	16:31:27	0.091	0.053	53
4/2/2007	16:46:27	0.096	0.058	58
4/2/2007	17:01:27	0.099	0.061	61
4/2/2007	17:16:27	0.094	0.056	56
4/2/2007	17:31:27	0.08	0.042	42
4/2/2007	17:46:27	0.069	0.031	31
4/2/2007	18:01:27	0.065	0.027	27
4/2/2007	18:16:27	0.061	0.023	23
4/2/2007	18:31:27	0.06	0.022	22

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/02/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/2/2007 6:46	0		0
2	4/2/2007 7:01	0		0
3	4/2/2007 7:16	0		0
4	4/2/2007 7:31	0		0
5	4/2/2007 7:46	0		0
6	4/2/2007 8:01	0		0
7	4/2/2007 8:16	0		0
8	4/2/2007 8:31	0		0
9	4/2/2007 8:46	0		0
10	4/2/2007 9:01	0		0
11	4/2/2007 9:16	0		0
12	4/2/2007 9:31	0		0
13	4/2/2007 9:46	0		0
14	4/2/2007 10:01	0		0
15	4/2/2007 10:16	0		0
16	4/2/2007 10:31	0		0
17	4/2/2007 10:46	0		0
18	4/2/2007 11:01	0		0
19	4/2/2007 11:16	0		0
20	4/2/2007 11:31	0		0
21	4/2/2007 11:46	0		0
22	4/2/2007 12:01	0		0
23	4/2/2007 12:16	0		0
24	4/2/2007 12:31	0		0
25	4/2/2007 12:46	0		0
26	4/2/2007 13:01	0		0
27	4/2/2007 13:16	0.1		0.1
28	4/2/2007 13:31	0.1		0.1
29	4/2/2007 13:46	0.1		0.1
30	4/2/2007 14:01	0.1		0.1
31	4/2/2007 14:16	0.1		0.1
32	4/2/2007 14:31	0.1		0.1
33	4/2/2007 14:46	0.1		0.1
34	4/2/2007 15:01	0.1		0.1
35	4/2/2007 15:16	0.1		0.1
36	4/2/2007 15:31	0.1		0.1
37	4/2/2007 15:46	0.1		0.1
38	4/2/2007 16:01	0.1		0.1
39	4/2/2007 16:16	0.1		0.1
40	4/2/2007 16:31	0.1		0.1
41	4/2/2007 16:46	0.2		0.2
42	4/2/2007 17:01	0.1		0.1
43	4/2/2007 17:16	0.2		0.2
44	4/2/2007 17:31	0.2		0.2
45	4/2/2007 17:46	0.2		0.2
46	4/2/2007 18:01	0.2		0.2
47	4/2/2007 18:16	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	4/2/2007
Start Time:	6:34:11
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0630) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/2/2007	6:49:11	0.034	0.001	1
4/2/2007	7:04:11	0.032	-0.001	-1
4/2/2007	7:19:11	0.031	-0.002	-2
4/2/2007	7:34:11	0.027	-0.006	-6
4/2/2007	7:49:11	0.028	-0.005	-5
4/2/2007	8:04:11	0.026	-0.007	-7
4/2/2007	8:19:11	0.027	-0.006	-6
4/2/2007	8:34:11	0.022	-0.011	-11
4/2/2007	8:49:11	0.021	-0.012	-12
4/2/2007	9:04:11	0.021	-0.012	-12
4/2/2007	9:19:11	0.025	-0.008	-8
4/2/2007	9:34:11	0.025	-0.008	-8
4/2/2007	9:49:11	0.028	-0.005	-5
4/2/2007	10:04:11	0.031	-0.002	-2
4/2/2007	10:19:11	0.032	-0.001	-1
4/2/2007	10:34:11	0.03	-0.003	-3
4/2/2007	10:49:11	0.032	-0.001	-1
4/2/2007	11:04:11	0.032	-0.001	-1
4/2/2007	11:19:11	0.032	-0.001	-1
4/2/2007	11:34:11	0.033	0	0
4/2/2007	11:49:11	0.034	0.001	1
4/2/2007	12:04:11	0.036	0.003	3
4/2/2007	12:19:11	0.038	0.005	5
4/2/2007	12:34:11	0.037	0.004	4
4/2/2007	12:49:11	0.038	0.005	5
4/2/2007	13:04:11	0.041	0.008	8
4/2/2007	13:19:11	0.047	0.014	14
4/2/2007	13:34:11	0.057	0.024	24
4/2/2007	13:49:11	0.07	0.037	37
4/2/2007	14:04:11	0.072	0.039	39
4/2/2007	14:19:11	0.082	0.049	49
4/2/2007	14:34:11	0.085	0.052	52
4/2/2007	14:49:11	0.087	0.054	54
4/2/2007	15:04:11	0.079	0.046	46
4/2/2007	15:19:11	0.077	0.044	44
4/2/2007	15:34:11	0.08	0.047	47
4/2/2007	15:49:11	0.082	0.049	49
4/2/2007	16:04:11	0.081	0.048	48
4/2/2007	16:19:11	0.076	0.043	43
4/2/2007	16:34:11	0.078	0.045	45
4/2/2007	16:49:11	0.079	0.046	46
4/2/2007	17:04:11	0.078	0.045	45
4/2/2007	17:19:11	0.074	0.041	41
4/2/2007	17:34:11	0.061	0.028	28
4/2/2007	17:49:11	0.053	0.02	20
4/2/2007	18:04:11	0.05	0.017	17
4/2/2007	18:19:11	0.045	0.012	12
4/2/2007	18:34:11	0.044	0.011	11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/02/2007 05:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/2/2007 7:15	0		-0.3
2	4/2/2007 7:30	0		-0.3
3	4/2/2007 7:45	0		-0.3
4	4/2/2007 8:00	0		-0.3
5	4/2/2007 8:15	0		-0.3
6	4/2/2007 8:30	0		-0.3
7	4/2/2007 8:45	0		-0.3
8	4/2/2007 9:00	0		-0.3
9	4/2/2007 9:15	0.1		-0.2
10	4/2/2007 9:30	0.1		-0.2
11	4/2/2007 9:45	0.1		-0.2
12	4/2/2007 10:00	0.1		-0.2
13	4/2/2007 10:15	0.1		-0.2
14	4/2/2007 10:30	0.1		-0.2
15	4/2/2007 10:45	0.1		-0.2
16	4/2/2007 11:00	0.1		-0.2
17	4/2/2007 11:15	0.1		-0.2
18	4/2/2007 11:30	0.1		-0.2
19	4/2/2007 11:45	0.1		-0.2
20	4/2/2007 12:00	0.1		-0.2
21	4/2/2007 12:15	0.1		-0.2
22	4/2/2007 12:30	0.1		-0.2
23	4/2/2007 12:45	0.1		-0.2
24	4/2/2007 13:00	0.1		-0.2
25	4/2/2007 13:15	0.1		-0.2
26	4/2/2007 13:30	0.1		-0.2
27	4/2/2007 13:45	0.1		-0.2
28	4/2/2007 14:00	0.1		-0.2
29	4/2/2007 14:15	0.1		-0.2
30	4/2/2007 14:30	0.1		-0.2
31	4/2/2007 14:45	0.1		-0.2
32	4/2/2007 15:00	0.1		-0.2
33	4/2/2007 15:15	0.1		-0.2
34	4/2/2007 15:30	0.1		-0.2
35	4/2/2007 15:45	0.1		-0.2
36	4/2/2007 16:00	0.1		-0.2
37	4/2/2007 16:15	0.1		-0.2
38	4/2/2007 16:30	0.1		-0.2
39	4/2/2007 16:45	0		-0.3
40	4/2/2007 17:00	0		-0.3
41	4/2/2007 17:15	0		-0.3
42	4/2/2007 17:30	0		-0.3
43	4/2/2007 17:45	0		-0.3
44	4/2/2007 18:00	0		-0.3
45	4/2/2007 18:15	0		-0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	4/2/2007
Start Time:	7:00:57
Duration (dd:hh:mm:ss):	00:02:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	8
Notes:	Background Reading (0651) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/2/2007	7:15:57	0.04	0.005	5
4/2/2007	7:30:57	0.034	-0.001	-1
4/2/2007	7:45:57	0.039	0.004	4
4/2/2007	8:00:57	0.035	0	0
4/2/2007	8:15:57	0.037	0.002	2
4/2/2007	8:30:57	0.033	-0.002	-2
4/2/2007	8:45:57	0.026	-0.009	-9
4/2/2007	9:00:57	0.045	0.01	10
4/2/2007	9:21:46	0.034	-0.001	-1
4/2/2007	9:36:46	0.035	0	0
4/2/2007	9:51:46	0.047	0.012	12
4/2/2007	10:06:46	0.047	0.012	12
4/2/2007	10:21:46	0.057	0.022	22
4/2/2007	10:36:46	0.048	0.013	13
4/2/2007	10:51:46	0.046	0.011	11
4/2/2007	11:06:46	0.046	0.011	11
4/2/2007	11:21:46	0.048	0.013	13
4/2/2007	11:36:46	0.051	0.016	16
4/2/2007	11:51:46	0.048	0.013	13
4/2/2007	12:06:46	0.051	0.016	16
4/2/2007	12:21:46	0.056	0.021	21
4/2/2007	12:36:46	0.054	0.019	19
4/2/2007	12:51:46	0.055	0.02	20
4/2/2007	13:06:46	0.06	0.025	25
4/2/2007	13:21:46	0.069	0.034	34
4/2/2007	13:36:46	0.087	0.052	52
4/2/2007	13:51:46	0.098	0.063	63
4/2/2007	14:06:46	0.106	0.071	71
4/2/2007	14:21:46	0.117	0.082	82
4/2/2007	14:36:46	0.122	0.087	87
4/2/2007	14:51:46	0.121	0.086	86
4/2/2007	15:06:46	0.11	0.075	75
4/2/2007	15:21:46	0.113	0.078	78
4/2/2007	15:36:46	0.115	0.08	80
4/2/2007	15:51:46	0.121	0.086	86
4/2/2007	16:06:46	0.116	0.081	81
4/2/2007	16:21:46	0.106	0.071	71
4/2/2007	16:36:46	0.105	0.07	70
4/2/2007	16:51:46	0.113	0.078	78
4/2/2007	17:06:46	0.11	0.075	75
4/2/2007	17:21:46	0.102	0.067	67
4/2/2007	17:36:46	0.081	0.046	46
4/2/2007	17:51:46	0.071	0.036	36
4/2/2007	18:06:46	0.068	0.033	33
4/2/2007	18:21:46	0.061	0.026	26
4/2/2007	18:36:46	0.06	0.025	25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/02/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0658) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/2/2007 7:10	0.4		0.3
2	4/2/2007 7:25	0.6		0.5
3	4/2/2007 7:40	0.6		0.5
4	4/2/2007 7:55	0.6		0.5
5	4/2/2007 8:10	0.7		0.6
6	4/2/2007 8:25	0.7		0.6
7	4/2/2007 8:40	0.7		0.6
8	4/2/2007 8:55	0.7		0.6
9	4/2/2007 9:10	0.7		0.6
10	4/2/2007 9:25	0.6		0.5
11	4/2/2007 9:40	0.6		0.5
12	4/2/2007 9:55	0.6		0.5
13	4/2/2007 10:10	0.6		0.5
14	4/2/2007 10:25	0.6		0.5
15	4/2/2007 10:40	0.6		0.5
16	4/2/2007 10:55	0.6		0.5
17	4/2/2007 11:10	0.6		0.5
18	4/2/2007 11:25	0.6		0.5
19	4/2/2007 11:40	0.6		0.5
20	4/2/2007 11:55	0.6		0.5
21	4/2/2007 12:10	0.6		0.5
22	4/2/2007 12:25	0.6		0.5
23	4/2/2007 12:40	0.6		0.5
24	4/2/2007 12:55	0.6		0.5
25	4/2/2007 13:10	0.6		0.5
26	4/2/2007 13:25	0.6		0.5
27	4/2/2007 13:40	0.6		0.5
28	4/2/2007 13:55	0.6		0.5
29	4/2/2007 14:10	0.6		0.5
30	4/2/2007 14:25	0.6		0.5
31	4/2/2007 14:40	0.6		0.5
32	4/2/2007 14:55	0.6		0.5
33	4/2/2007 15:10	0.6		0.5
34	4/2/2007 15:25	0.6		0.5
35	4/2/2007 15:40	0.7		0.6
36	4/2/2007 15:55	0.7		0.6
37	4/2/2007 16:10	0.6		0.5
38	4/2/2007 16:25	0.6		0.5
39	4/2/2007 16:40	0.5		0.4
40	4/2/2007 16:55	0.5		0.4
41	4/2/2007 17:10	0.4		0.3
42	4/2/2007 17:25	0.4		0.3
43	4/2/2007 17:40	0.4		0.3
44	4/2/2007 17:55	0.4		0.3
45	4/2/2007 18:10	0.4		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	4/2/2007
Start Time:	6:55:36
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0658) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/2/2007	7:10:36	0.036	-0.006	-6
4/2/2007	7:25:36	0.03	-0.012	-12
4/2/2007	7:40:36	0.038	-0.004	-4
4/2/2007	7:55:36	0.031	-0.011	-11
4/2/2007	8:10:36	0.034	-0.008	-8
4/2/2007	8:25:36	0.032	-0.01	-10
4/2/2007	8:40:36	0.023	-0.019	-19
4/2/2007	8:55:36	0.027	-0.015	-15
4/2/2007	9:10:36	0.025	-0.017	-17
4/2/2007	9:25:36	0.029	-0.013	-13
4/2/2007	9:40:36	0.033	-0.009	-9
4/2/2007	9:55:36	0.047	0.005	5
4/2/2007	10:10:36	0.044	0.002	2
4/2/2007	10:25:36	0.041	-0.001	-1
4/2/2007	10:40:36	0.037	-0.005	-5
4/2/2007	10:55:36	0.043	0.001	1
4/2/2007	11:10:36	0.044	0.002	2
4/2/2007	11:25:36	0.046	0.004	4
4/2/2007	11:40:36	0.045	0.003	3
4/2/2007	11:55:36	0.041	-0.001	-1
4/2/2007	12:10:36	0.044	0.002	2
4/2/2007	12:25:36	0.047	0.005	5
4/2/2007	12:40:36	0.05	0.008	8
4/2/2007	12:55:36	0.047	0.005	5
4/2/2007	13:10:36	0.057	0.015	15
4/2/2007	13:25:36	0.064	0.022	22
4/2/2007	13:40:36	0.079	0.037	37
4/2/2007	13:55:36	0.084	0.042	42
4/2/2007	14:10:36	0.092	0.05	50
4/2/2007	14:25:36	0.102	0.06	60
4/2/2007	14:40:36	0.108	0.066	66
4/2/2007	14:55:36	0.105	0.063	63
4/2/2007	15:10:36	0.094	0.052	52
4/2/2007	15:25:36	0.097	0.055	55
4/2/2007	15:40:36	0.097	0.055	55
4/2/2007	15:55:36	0.097	0.055	55
4/2/2007	16:10:36	0.095	0.053	53
4/2/2007	16:25:36	0.09	0.048	48
4/2/2007	16:40:36	0.089	0.047	47
4/2/2007	16:55:36	0.096	0.054	54
4/2/2007	17:10:36	0.092	0.05	50
4/2/2007	17:25:36	0.086	0.044	44
4/2/2007	17:40:36	0.068	0.026	26
4/2/2007	17:55:36	0.064	0.022	22
4/2/2007	18:10:36	0.057	0.015	15
4/2/2007	18:25:36	0.055	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/03/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0647) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/3/2007 7:05	0		0
2	4/3/2007 7:20	0		0
3	4/3/2007 7:35	0.1		0.1
4	4/3/2007 7:50	0.1		0.1
5	4/3/2007 8:05	0.1		0.1
6	4/3/2007 8:20	0.1		0.1
7	4/3/2007 8:35	0.2		0.2
8	4/3/2007 8:50	0.2		0.2
9	4/3/2007 9:05	0.2		0.2
10	4/3/2007 9:20	0.2		0.2
11	4/3/2007 9:35	0.2		0.2
12	4/3/2007 9:50	0.2		0.2
13	4/3/2007 10:05	0.2		0.2
14	4/3/2007 10:20	0.2		0.2
15	4/3/2007 10:35	0.1		0.1
16	4/3/2007 10:50	0.1		0.1
17	4/3/2007 11:05	0.1		0.1
18	4/3/2007 11:20	0.1		0.1
19	4/3/2007 11:35	0.1		0.1
20	4/3/2007 11:50	0.1		0.1
21	4/3/2007 12:05	0.1		0.1
22	4/3/2007 12:20	0.1		0.1
23	4/3/2007 12:35	0.1		0.1
24	4/3/2007 12:50	0.1		0.1
25	4/3/2007 13:05	0.1		0.1
26	4/3/2007 13:20	0		0
27	4/3/2007 13:35	0.1		0.1
28	4/3/2007 13:50	0.1		0.1
29	4/3/2007 14:05	0.1		0.1
30	4/3/2007 14:20	0.1		0.1
31	4/3/2007 14:35	0.1		0.1
32	4/3/2007 14:50	0.1		0.1
33	4/3/2007 15:05	0.1		0.1
34	4/3/2007 15:20	0.1		0.1
35	4/3/2007 15:35	0.1		0.1
36	4/3/2007 15:50	0.1		0.1
37	4/3/2007 16:05	0.1		0.1
38	4/3/2007 16:20	0.1		0.1
39	4/3/2007 16:35	0.1		0.1
40	4/3/2007 16:50	0.1		0.1
41	4/3/2007 17:05	0.1		0.1
42	4/3/2007 17:20	0.1		0.1
43	4/3/2007 17:35	0.1		0.1
44	4/3/2007 17:50	0.1		0.1
45	4/3/2007 18:05	0.1		0.1
46	4/3/2007 18:20	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	2
Test Abbreviation:	
Start Date:	4/3/2007
Start Time:	6:49:48
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0647) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/3/2007	7:04:48	0.045	0.002	2
4/3/2007	7:19:48	0.045	0.002	2
4/3/2007	7:34:48	0.052	0.009	9
4/3/2007	7:49:48	0.062	0.019	19
4/3/2007	8:04:48	0.065	0.022	22
4/3/2007	8:19:48	0.065	0.022	22
4/3/2007	8:34:48	0.073	0.03	30
4/3/2007	8:49:48	0.053	0.01	10
4/3/2007	9:04:48	0.042	-0.001	-1
4/3/2007	9:19:48	0.047	0.004	4
4/3/2007	9:34:48	0.049	0.006	6
4/3/2007	9:49:48	0.054	0.011	11
4/3/2007	10:04:48	0.058	0.015	15
4/3/2007	10:19:48	0.058	0.015	15
4/3/2007	10:34:48	0.06	0.017	17
4/3/2007	10:49:48	0.063	0.02	20
4/3/2007	11:04:48	0.061	0.018	18
4/3/2007	11:19:48	0.061	0.018	18
4/3/2007	11:34:48	0.054	0.011	11
4/3/2007	11:49:48	0.052	0.009	9
4/3/2007	12:04:48	0.051	0.008	8
4/3/2007	12:19:48	0.049	0.006	6
4/3/2007	12:34:48	0.05	0.007	7
4/3/2007	12:49:48	0.049	0.006	6
4/3/2007	13:04:48	0.06	0.017	17
4/3/2007	13:19:48	0.058	0.015	15
4/3/2007	13:34:48	0.054	0.011	11
4/3/2007	13:49:48	0.048	0.005	5
4/3/2007	14:04:48	0.048	0.005	5
4/3/2007	14:19:48	0.046	0.003	3
4/3/2007	14:34:48	0.05	0.007	7
4/3/2007	14:49:48	0.065	0.022	22
4/3/2007	15:04:48	0.068	0.025	25
4/3/2007	15:19:48	0.065	0.022	22
4/3/2007	15:34:48	0.067	0.024	24
4/3/2007	15:49:48	0.064	0.021	21
4/3/2007	16:04:48	0.061	0.018	18
4/3/2007	16:19:48	0.06	0.017	17
4/3/2007	16:34:48	0.056	0.013	13
4/3/2007	16:49:48	0.053	0.01	10
4/3/2007	17:04:48	0.054	0.011	11
4/3/2007	17:19:48	0.052	0.009	9
4/3/2007	17:34:48	0.054	0.011	11
4/3/2007	17:49:48	0.052	0.009	9
4/3/2007	18:04:48	0.05	0.007	7
4/3/2007	18:19:48	0.048	0.005	5
4/3/2007	18:34:48	0.043	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/03/2007 05:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/3/2007 6:41	0		0
2	4/3/2007 6:56	0		0
3	4/3/2007 7:11	0.1		0.1
4	4/3/2007 7:26	0.1		0.1
5	4/3/2007 7:41	0.1		0.1
6	4/3/2007 7:56	0.1		0.1
7	4/3/2007 8:11	0.2		0.2
8	4/3/2007 8:26	0.2		0.2
9	4/3/2007 8:41	0.2		0.2
10	4/3/2007 8:56	0.2		0.2
11	4/3/2007 9:11	0.2		0.2
12	4/3/2007 9:26	0.2		0.2
13	4/3/2007 9:41	0.2		0.2
14	4/3/2007 9:56	0.2		0.2
15	4/3/2007 10:11	0.3		0.3
16	4/3/2007 10:26	0.3		0.3
17	4/3/2007 10:41	0.3		0.3
18	4/3/2007 10:56	0.3		0.3
19	4/3/2007 11:11	0.3		0.3
20	4/3/2007 11:26	0.3		0.3
21	4/3/2007 11:41	0.3		0.3
22	4/3/2007 11:56	0.3		0.3
23	4/3/2007 12:11	0.3		0.3
24	4/3/2007 12:26	0.3		0.3
25	4/3/2007 12:41	0.3		0.3
26	4/3/2007 12:56	0.3		0.3
27	4/3/2007 13:11	0.3		0.3
28	4/3/2007 13:26	0.3		0.3
29	4/3/2007 13:41	0.3		0.3
30	4/3/2007 13:56	0.3		0.3
31	4/3/2007 14:11	0.3		0.3
32	4/3/2007 14:26	0.3		0.3
33	4/3/2007 14:41	0.3		0.3
34	4/3/2007 14:56	0.3		0.3
35	4/3/2007 15:11	0.3		0.3
36	4/3/2007 15:26	0.3		0.3
37	4/3/2007 15:41	0.3		0.3
38	4/3/2007 15:56	0.3		0.3
39	4/3/2007 16:11	0.3		0.3
40	4/3/2007 16:26	0.3		0.3
41	4/3/2007 16:41	0.3		0.3
42	4/3/2007 16:56	0.3		0.3
43	4/3/2007 17:11	0.3		0.3
44	4/3/2007 17:26	0.3		0.3
45	4/3/2007 17:41	0.3		0.3
46	4/3/2007 17:56	0.3		0.3
47	4/3/2007 18:11	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	4/3/2007
Start Time:	6:28:44
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0625) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/3/2007	6:43:44	0.029	-0.004	-4
4/3/2007	6:58:44	0.033	0	0
4/3/2007	7:13:44	0.035	0.002	2
4/3/2007	7:28:44	0.032	-0.001	-1
4/3/2007	7:43:44	0.045	0.012	12
4/3/2007	7:58:44	0.042	0.009	9
4/3/2007	8:13:44	0.044	0.011	11
4/3/2007	8:28:44	0.048	0.015	15
4/3/2007	8:43:44	0.038	0.005	5
4/3/2007	8:58:44	0.032	-0.001	-1
4/3/2007	9:13:44	0.033	0	0
4/3/2007	9:28:44	0.038	0.005	5
4/3/2007	9:43:44	0.039	0.006	6
4/3/2007	9:58:44	0.041	0.008	8
4/3/2007	10:13:44	0.047	0.014	14
4/3/2007	10:28:44	0.048	0.015	15
4/3/2007	10:43:44	0.052	0.019	19
4/3/2007	10:58:44	0.055	0.022	22
4/3/2007	11:13:44	0.05	0.017	17
4/3/2007	11:28:44	0.052	0.019	19
4/3/2007	11:43:44	0.044	0.011	11
4/3/2007	11:58:44	0.043	0.01	10
4/3/2007	12:13:44	0.041	0.008	8
4/3/2007	12:28:44	0.04	0.007	7
4/3/2007	12:43:44	0.04	0.007	7
4/3/2007	12:58:44	0.047	0.014	14
4/3/2007	13:13:44	0.048	0.015	15
4/3/2007	13:28:44	0.046	0.013	13
4/3/2007	13:43:44	0.041	0.008	8
4/3/2007	13:58:44	0.039	0.006	6
4/3/2007	14:13:44	0.038	0.005	5
4/3/2007	14:28:44	0.037	0.004	4
4/3/2007	14:43:44	0.044	0.011	11
4/3/2007	14:58:44	0.052	0.019	19
4/3/2007	15:13:44	0.052	0.019	19
4/3/2007	15:28:44	0.047	0.014	14
4/3/2007	15:43:44	0.048	0.015	15
4/3/2007	15:58:44	0.048	0.015	15
4/3/2007	16:13:44	0.047	0.014	14
4/3/2007	16:28:44	0.045	0.012	12
4/3/2007	16:43:44	0.042	0.009	9
4/3/2007	16:58:44	0.041	0.008	8
4/3/2007	17:13:44	0.041	0.008	8
4/3/2007	17:28:44	0.04	0.007	7
4/3/2007	17:43:44	0.039	0.006	6
4/3/2007	17:58:44	0.038	0.005	5
4/3/2007	18:13:44	0.037	0.004	4
4/3/2007	18:28:44	0.034	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/03/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/3/2007 6:57	0.1		0.1
2	4/3/2007 7:12	0.2		0.2
3	4/3/2007 7:27	0.2		0.2
4	4/3/2007 7:42	0.3		0.3
5	4/3/2007 7:57	0		0
6	4/3/2007 8:12	0		0
7	4/3/2007 8:27	0.1		0.1
8	4/3/2007 8:42	0.2		0.2
9	4/3/2007 8:57	0.3		0.3
10	4/3/2007 9:12	0.3		0.3
11	4/3/2007 9:27	0.3		0.3
12	4/3/2007 9:42	0.4		0.4
13	4/3/2007 9:57	0.4		0.4
14	4/3/2007 10:12	0.4		0.4
15	4/3/2007 10:27	0.4		0.4
16	4/3/2007 10:42	0.4		0.4
17	4/3/2007 10:57	0.4		0.4
18	4/3/2007 11:12	0.4		0.4
19	4/3/2007 11:27	0.4		0.4
20	4/3/2007 11:42	0.4		0.4
21	4/3/2007 11:57	0.3		0.3
22	4/3/2007 12:12	0.3		0.3
23	4/3/2007 12:27	0.3		0.3
24	4/3/2007 12:42	0.3		0.3
25	4/3/2007 12:57	0.3		0.3
26	4/3/2007 13:12	0.4		0.4
27	4/3/2007 13:27	0.4		0.4
28	4/3/2007 13:42	0.4		0.4
29	4/3/2007 13:57	0.4		0.4
30	4/3/2007 14:12	0.4		0.4
31	4/3/2007 14:27	0.4		0.4
32	4/3/2007 14:42	0.3		0.3
33	4/3/2007 14:57	0.3		0.3
34	4/3/2007 15:12	0.3		0.3
35	4/3/2007 15:27	0.3		0.3
36	4/3/2007 15:42	0.3		0.3
37	4/3/2007 15:57	0.3		0.3
38	4/3/2007 16:12	0.3		0.3
39	4/3/2007 16:27	0.3		0.3
40	4/3/2007 16:42	0.3		0.3
41	4/3/2007 16:57	0.3		0.3
42	4/3/2007 17:12	0.3		0.3
43	4/3/2007 17:27	0.3		0.3
44	4/3/2007 17:42	0.4		0.4
45	4/3/2007 17:57	0.3		0.3
46	4/3/2007 18:12	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	4/3/2007
Start Time:	6:42:23
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0640) = 0.033 mg/m^3

Calibration Sensor: Aerosol
Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/3/2007	6:57:23	0.044	0.011	11
4/3/2007	7:12:23	0.05	0.017	17
4/3/2007	7:27:23	0.046	0.013	13
4/3/2007	7:42:23	0.062	0.029	29
4/3/2007	7:57:23	0.061	0.028	28
4/3/2007	8:12:23	0.064	0.031	31
4/3/2007	8:27:23	0.071	0.038	38
4/3/2007	8:42:23	0.067	0.034	34
4/3/2007	8:57:23	0.058	0.025	25
4/3/2007	9:12:23	0.053	0.02	20
4/3/2007	9:27:23	0.059	0.026	26
4/3/2007	9:42:23	0.062	0.029	29
4/3/2007	9:57:23	0.063	0.03	30
4/3/2007	10:12:23	0.07	0.037	37
4/3/2007	10:27:23	0.073	0.04	40
4/3/2007	10:42:23	0.078	0.045	45
4/3/2007	10:57:23	0.081	0.048	48
4/3/2007	11:12:23	0.074	0.041	41
4/3/2007	11:27:23	0.073	0.04	40
4/3/2007	11:42:23	0.065	0.032	32
4/3/2007	11:57:23	0.061	0.028	28
4/3/2007	12:12:23	0.059	0.026	26
4/3/2007	12:27:23	0.058	0.025	25
4/3/2007	12:42:23	0.057	0.024	24
4/3/2007	12:57:23	0.064	0.031	31
4/3/2007	13:12:23	0.066	0.033	33
4/3/2007	13:27:23	0.065	0.032	32
4/3/2007	13:42:23	0.057	0.024	24
4/3/2007	13:57:23	0.053	0.02	20
4/3/2007	14:12:23	0.051	0.018	18
4/3/2007	14:27:23	0.051	0.018	18
4/3/2007	14:42:23	0.065	0.032	32
4/3/2007	14:57:23	0.075	0.042	42
4/3/2007	15:12:23	0.073	0.04	40
4/3/2007	15:27:23	0.067	0.034	34
4/3/2007	15:42:23	0.067	0.034	34
4/3/2007	15:57:23	0.069	0.036	36
4/3/2007	16:12:23	0.068	0.035	35
4/3/2007	16:27:23	0.066	0.033	33
4/3/2007	16:42:23	0.059	0.026	26
4/3/2007	16:57:23	0.058	0.025	25
4/3/2007	17:12:23	0.056	0.023	23
4/3/2007	17:27:23	0.056	0.023	23
4/3/2007	17:42:23	0.056	0.023	23
4/3/2007	17:57:23	0.055	0.022	22
4/3/2007	18:12:23	0.052	0.019	19
4/3/2007	18:27:23	0.048	0.015	15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/03/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/3/2007 6:52	0.1		0
2	4/3/2007 7:07	0.1		0
3	4/3/2007 7:22	0.2		0.1
4	4/3/2007 7:37	0.2		0.1
5	4/3/2007 7:52	0.2		0.1
6	4/3/2007 8:07	0.2		0.1
7	4/3/2007 8:22	0.2		0.1
8	4/3/2007 8:37	0.2		0.1
9	4/3/2007 8:52	0.2		0.1
10	4/3/2007 9:07	0.2		0.1
11	4/3/2007 9:22	0.2		0.1
12	4/3/2007 9:37	0.1		0
13	4/3/2007 9:52	0.1		0
14	4/3/2007 10:07	0.1		0
15	4/3/2007 10:22	0.1		0
16	4/3/2007 10:37	0		-0.1
17	4/3/2007 10:52	0		-0.1
18	4/3/2007 11:07	0		-0.1
19	4/3/2007 11:22	0		-0.1
20	4/3/2007 11:37	0		-0.1
21	4/3/2007 11:52	0		-0.1
22	4/3/2007 12:07	0		-0.1
23	4/3/2007 12:22	0		-0.1
24	4/3/2007 12:37	0		-0.1
25	4/3/2007 12:52	0		-0.1
26	4/3/2007 13:07	0		-0.1
27	4/3/2007 13:22	0		-0.1
28	4/3/2007 13:37	0		-0.1
29	4/3/2007 13:52	0		-0.1
30	4/3/2007 14:07	0		-0.1
31	4/3/2007 14:22	0		-0.1
32	4/3/2007 14:37	0		-0.1
33	4/3/2007 14:52	0		-0.1
34	4/3/2007 15:07	0		-0.1
35	4/3/2007 15:22	0		-0.1
36	4/3/2007 15:37	0		-0.1
37	4/3/2007 15:52	0		-0.1
38	4/3/2007 16:07	0		-0.1
39	4/3/2007 16:22	0		-0.1
40	4/3/2007 16:37	0		-0.1
41	4/3/2007 16:52	0		-0.1
42	4/3/2007 17:07	0		-0.1
43	4/3/2007 17:22	0		-0.1
44	4/3/2007 17:37	0		-0.1
45	4/3/2007 17:52	0		-0.1
46	4/3/2007 18:07	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	4/3/2007
Start Time:	6:38:15
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0635) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/3/2007	6:53:15	0.035	0.003	3
4/3/2007	7:08:15	0.043	0.011	11
4/3/2007	7:23:15	0.042	0.01	10
4/3/2007	7:38:15	0.066	0.034	34
4/3/2007	7:53:15	0.057	0.025	25
4/3/2007	8:08:15	0.055	0.023	23
4/3/2007	8:23:15	0.065	0.033	33
4/3/2007	8:38:15	0.075	0.043	43
4/3/2007	8:53:15	0.062	0.03	30
4/3/2007	9:08:15	0.056	0.024	24
4/3/2007	9:23:15	0.055	0.023	23
4/3/2007	9:38:15	0.055	0.023	23
4/3/2007	9:53:15	0.06	0.028	28
4/3/2007	10:08:15	0.06	0.028	28
4/3/2007	10:23:15	0.06	0.028	28
4/3/2007	10:38:15	0.061	0.029	29
4/3/2007	10:53:15	0.067	0.035	35
4/3/2007	11:08:15	0.062	0.03	30
4/3/2007	11:23:15	0.06	0.028	28
4/3/2007	11:38:15	0.06	0.028	28
4/3/2007	11:53:15	0.057	0.025	25
4/3/2007	12:08:15	0.063	0.031	31
4/3/2007	12:23:15	0.053	0.021	21
4/3/2007	12:38:15	0.051	0.019	19
4/3/2007	12:53:15	0.051	0.019	19
4/3/2007	13:08:15	0.058	0.026	26
4/3/2007	13:23:15	0.06	0.028	28
4/3/2007	13:38:15	0.053	0.021	21
4/3/2007	13:53:15	0.053	0.021	21
4/3/2007	14:08:15	0.044	0.012	12
4/3/2007	14:23:15	0.046	0.014	14
4/3/2007	14:38:15	0.054	0.022	22
4/3/2007	14:53:15	0.063	0.031	31
4/3/2007	15:08:15	0.072	0.04	40
4/3/2007	15:23:15	0.06	0.028	28
4/3/2007	15:38:15	0.057	0.025	25
4/3/2007	15:53:15	0.059	0.027	27
4/3/2007	16:08:15	0.056	0.024	24
4/3/2007	16:23:15	0.056	0.024	24
4/3/2007	16:38:15	0.05	0.018	18
4/3/2007	16:53:15	0.048	0.016	16
4/3/2007	17:08:15	0.055	0.023	23
4/3/2007	17:23:15	0.047	0.015	15
4/3/2007	17:38:15	0.048	0.016	16
4/3/2007	17:53:15	0.045	0.013	13
4/3/2007	18:08:15	0.047	0.015	15
4/3/2007	18:23:15	0.044	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 04/04/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/4/2007 6:34	0		0
2	4/4/2007 6:49	0.1		0.1
3	4/4/2007 7:04	0.2		0.2
4	4/4/2007 7:19	0.2		0.2
5	4/4/2007 7:34	0.3		0.3
6	4/4/2007 7:49	0.3		0.3
7	4/4/2007 8:04	0.3		0.3
8	4/4/2007 8:19	0.3		0.3
9	4/4/2007 8:34	0.3		0.3
10	4/4/2007 8:49	0.3		0.3
11	4/4/2007 9:04	0.3		0.3
12	4/4/2007 9:19	0.3		0.3
13	4/4/2007 9:34	0.3		0.3
14	4/4/2007 9:49	0.3		0.3
15	4/4/2007 10:04	0.3		0.3
16	4/4/2007 10:19	0.3		0.3
17	4/4/2007 10:34	0.3		0.3
18	4/4/2007 10:49	0.3		0.3
19	4/4/2007 11:04	0.3		0.3
20	4/4/2007 11:19	0.3		0.3
21	4/4/2007 11:34	0.3		0.3
22	4/4/2007 11:49	0.3		0.3
23	4/4/2007 12:04	0.2		0.2
24	4/4/2007 12:19	0.2		0.2
25	4/4/2007 12:34	0.2		0.2
26	4/4/2007 12:49	0.3		0.3
27	4/4/2007 13:04	0.3		0.3
28	4/4/2007 13:19	0.5		0.5
29	4/4/2007 13:34	0.4		0.4
30	4/4/2007 13:49	0.4		0.4
31	4/4/2007 14:04	0.2		0.2
32	4/4/2007 14:19	0.2		0.2
33	4/4/2007 14:34	0.2		0.2
34	4/4/2007 14:49	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	3
Test Abbreviation:	
Start Date:	4/4/2007
Start Time:	6:28:57
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0628) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/4/2007	6:43:57	0.014	0	0
4/4/2007	6:58:57	0.016	0.002	2
4/4/2007	7:13:57	0.016	0.002	2
4/4/2007	7:28:57	0.018	0.004	4
4/4/2007	7:43:57	0.017	0.003	3
4/4/2007	7:58:57	0.017	0.003	3
4/4/2007	8:13:57	0.017	0.003	3
4/4/2007	8:28:57	0.029	0.015	15
4/4/2007	8:43:57	0.027	0.013	13
4/4/2007	8:58:57	0.013	-0.001	-1
4/4/2007	9:13:57	0.01	-0.004	-4
4/4/2007	9:28:57	0.013	-0.001	-1
4/4/2007	9:43:57	0.014	0	0
4/4/2007	9:58:57	0.012	-0.002	-2
4/4/2007	10:13:57	0.011	-0.003	-3
4/4/2007	10:28:57	0.008	-0.006	-6
4/4/2007	10:43:57	0.01	-0.004	-4
4/4/2007	10:58:57	0.018	0.004	4
4/4/2007	11:13:57	0.017	0.003	3
4/4/2007	11:28:57	0.012	-0.002	-2
4/4/2007	11:43:57	0.009	-0.005	-5
4/4/2007	11:58:57	0.009	-0.005	-5
4/4/2007	12:13:57	0.009	-0.005	-5
4/4/2007	12:28:57	0.009	-0.005	-5
4/4/2007	12:43:57	0.009	-0.005	-5
4/4/2007	12:58:57	0.009	-0.005	-5
4/4/2007	13:13:57	0.008	-0.006	-6
4/4/2007	13:28:57	0.009	-0.005	-5
4/4/2007	13:43:57	0.024	0.01	10
4/4/2007	13:58:57	0.016	0.002	2
4/4/2007	14:13:57	0.018	0.004	4
4/4/2007	14:28:57	0.01	-0.004	-4
4/4/2007	14:43:57	0.009	-0.005	-5
4/4/2007	14:58:57	0.007	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/04/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/4/2007 6:39	0.1		0
2	4/4/2007 6:54	0.2		0.1
3	4/4/2007 7:09	0.2		0.1
4	4/4/2007 7:24	0.3		0.2
5	4/4/2007 7:39	0.3		0.2
6	4/4/2007 7:54	0.3		0.2
7	4/4/2007 8:09	0.3		0.2
8	4/4/2007 8:24	0.4		0.3
9	4/4/2007 8:39	0.4		0.3
10	4/4/2007 8:54	0.4		0.3
11	4/4/2007 9:09	0.4		0.3
12	4/4/2007 9:24	0.4		0.3
13	4/4/2007 9:39	0.4		0.3
14	4/4/2007 9:54	0.4		0.3
15	4/4/2007 10:09	0.4		0.3
16	4/4/2007 10:24	0.4		0.3
17	4/4/2007 10:39	0.4		0.3
18	4/4/2007 10:54	0.4		0.3
19	4/4/2007 11:09	0.4		0.3
20	4/4/2007 11:24	0.4		0.3
21	4/4/2007 11:39	0.4		0.3
22	4/4/2007 11:54	0.4		0.3
23	4/4/2007 12:09	0.4		0.3
24	4/4/2007 12:24	0.4		0.3
25	4/4/2007 12:39	0.4		0.3
26	4/4/2007 12:54	0.4		0.3
27	4/4/2007 13:09	0.4		0.3
28	4/4/2007 13:24	0.4		0.3
29	4/4/2007 13:39	0.4		0.3
30	4/4/2007 13:54	0.4		0.3
31	4/4/2007 14:09	0.4		0.3
32	4/4/2007 14:24	0.4		0.3
33	4/4/2007 14:39	0.4		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	4/4/2007
Start Time:	6:27:55
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0626) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/4/2007	6:42:55	0.011	0.002	2
4/4/2007	6:57:55	0.012	0.003	3
4/4/2007	7:12:55	0.012	0.003	3
4/4/2007	7:27:55	0.013	0.004	4
4/4/2007	7:42:55	0.012	0.003	3
4/4/2007	7:57:55	0.011	0.002	2
4/4/2007	8:12:55	0.011	0.002	2
4/4/2007	8:27:55	0.017	0.008	8
4/4/2007	8:42:55	0.02	0.011	11
4/4/2007	8:57:55	0.011	0.002	2
4/4/2007	9:12:55	0.007	-0.002	-2
4/4/2007	9:27:55	0.007	-0.002	-2
4/4/2007	9:42:55	0.008	-0.001	-1
4/4/2007	9:57:55	0.007	-0.002	-2
4/4/2007	10:12:55	0.007	-0.002	-2
4/4/2007	10:27:55	0.005	-0.004	-4
4/4/2007	10:42:55	0.007	-0.002	-2
4/4/2007	10:57:55	0.011	0.002	2
4/4/2007	11:12:55	0.012	0.003	3
4/4/2007	11:27:55	0.008	-0.001	-1
4/4/2007	11:42:55	0.006	-0.003	-3
4/4/2007	11:57:55	0.005	-0.004	-4
4/4/2007	12:12:55	0.005	-0.004	-4
4/4/2007	12:27:55	0.004	-0.005	-5
4/4/2007	12:42:55	0.004	-0.005	-5
4/4/2007	12:57:55	0.005	-0.004	-4
4/4/2007	13:12:55	0.004	-0.005	-5
4/4/2007	13:27:55	0.005	-0.004	-4
4/4/2007	13:42:55	0.008	-0.001	-1
4/4/2007	13:57:55	0.009	0	0
4/4/2007	14:12:55	0.008	-0.001	-1
4/4/2007	14:27:55	0.007	-0.002	-2
4/4/2007	14:42:55	0.005	-0.004	-4
4/4/2007	14:57:55	0.004	-0.005	-5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/04/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/4/2007 7:01	0.1		0
2	4/4/2007 7:16	0.2		0.1
3	4/4/2007 7:31	0.3		0.2
4	4/4/2007 7:46	0.3		0.2
5	4/4/2007 8:01	0.4		0.3
6	4/4/2007 8:16	0.5		0.4
7	4/4/2007 8:31	0.5		0.4
8	4/4/2007 8:46	0.5		0.4
9	4/4/2007 9:01	0.6		0.5
10	4/4/2007 9:16	0.5		0.4
11	4/4/2007 9:31	0.6		0.5
12	4/4/2007 9:46	0.6		0.5
13	4/4/2007 10:01	0.3		0.2
14	4/4/2007 10:16	0.4		0.3
15	4/4/2007 10:31	0.5		0.4
16	4/4/2007 10:46	0.3		0.2
17	4/4/2007 11:01	0.4		0.3
1	4/4/2007 11:48	0		-0.1
2	4/4/2007 12:03	0		-0.1
3	4/4/2007 12:18	0		-0.1
4	4/4/2007 12:33	0		-0.1
5	4/4/2007 12:48	0		-0.1
6	4/4/2007 13:03	0		-0.1
7	4/4/2007 13:18	0		-0.1
8	4/4/2007 13:33	0		-0.1
9	4/4/2007 13:48	0		-0.1
10	4/4/2007 14:03	0		-0.1
11	4/4/2007 14:18	0		-0.1
12	4/4/2007 14:33	0		-0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	4/4/2007
Start Time:	6:46:39
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0645) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/4/2007	7:01:39	0.015	0.001	1
4/4/2007	7:16:39	0.015	0.001	1
4/4/2007	7:31:39	0.017	0.003	3
4/4/2007	7:46:39	0.02	0.006	6
4/4/2007	8:01:39	0.015	0.001	1
4/4/2007	8:16:39	0.015	0.001	1
4/4/2007	8:31:39	0.029	0.015	15
4/4/2007	8:46:39	0.026	0.012	12
4/4/2007	9:01:39	0.013	-0.001	-1
4/4/2007	9:16:39	0.011	-0.003	-3
4/4/2007	9:31:39	0.01	-0.004	-4
4/4/2007	9:46:39	0.013	-0.001	-1
4/4/2007	10:01:39	0.028	0.014	14
4/4/2007	10:16:39	0.034	0.02	20
4/4/2007	10:31:39	0.025	0.011	11
4/4/2007	10:46:39	0.019	0.005	5
4/4/2007	11:01:39	0.02	0.006	6
4/4/2007	11:16:39	0.016	0.002	2
4/4/2007	11:31:39	0.01	-0.004	-4
4/4/2007	11:46:39	0.008	-0.006	-6
4/4/2007	12:01:39	0.007	-0.007	-7
4/4/2007	12:16:39	0.006	-0.008	-8
4/4/2007	12:31:39	0.006	-0.008	-8
4/4/2007	12:46:39	0.007	-0.007	-7
4/4/2007	13:01:39	0.006	-0.008	-8
4/4/2007	13:16:39	0.005	-0.009	-9
4/4/2007	13:31:39	0.008	-0.006	-6
4/4/2007	13:46:39	0.012	-0.002	-2
4/4/2007	14:01:39	0.014	0	0
4/4/2007	14:16:39	0.01	-0.004	-4
4/4/2007	14:31:39	0.007	-0.007	-7
4/4/2007	14:46:39	0.006	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/04/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/4/2007 6:57	0		0
2	4/4/2007 7:12	0		0
3	4/4/2007 7:27	0		0
4	4/4/2007 7:42	0		0
5	4/4/2007 7:57	0		0
6	4/4/2007 8:12	0		0
7	4/4/2007 8:27	0		0
8	4/4/2007 8:42	0.1		0.1
9	4/4/2007 8:57	0.1		0.1
10	4/4/2007 9:12	0.2		0.2
11	4/4/2007 9:27	0.2		0.2
12	4/4/2007 9:42	0.2		0.2
13	4/4/2007 9:57	0.2		0.2
14	4/4/2007 10:12	0.2		0.2
15	4/4/2007 10:27	0.2		0.2
16	4/4/2007 10:42	0.2		0.2
17	4/4/2007 10:57	0.1		0.1
18	4/4/2007 11:12	0.1		0.1
19	4/4/2007 11:27	0.1		0.1
20	4/4/2007 11:42	0.1		0.1
21	4/4/2007 11:57	0.1		0.1
22	4/4/2007 12:12	0		0
23	4/4/2007 12:27	0		0
24	4/4/2007 12:42	0		0
25	4/4/2007 12:57	0		0
26	4/4/2007 13:12	0		0
27	4/4/2007 13:27	0		0
28	4/4/2007 13:42	0		0
29	4/4/2007 13:57	0		0
30	4/4/2007 14:12	0		0
31	4/4/2007 14:27	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	4/4/2007
Start Time:	6:42:28
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0638) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/4/2007	6:57:28	0.013	0.001	1
4/4/2007	7:12:28	0.014	0.002	2
4/4/2007	7:27:28	0.022	0.01	10
4/4/2007	7:42:28	0.018	0.006	6
4/4/2007	7:57:28	0.023	0.011	11
4/4/2007	8:12:28	0.018	0.006	6
4/4/2007	8:27:28	0.024	0.012	12
4/4/2007	8:42:28	0.026	0.014	14
4/4/2007	8:57:28	0.014	0.002	2
4/4/2007	9:12:28	0.009	-0.003	-3
4/4/2007	9:27:28	0.011	-0.001	-1
4/4/2007	9:42:28	0.011	-0.001	-1
4/4/2007	9:57:28	0.012	0	0
4/4/2007	10:12:28	0.012	0	0
4/4/2007	10:27:28	0.009	-0.003	-3
4/4/2007	10:42:28	0.011	-0.001	-1
4/4/2007	10:57:28	0.02	0.008	8
4/4/2007	11:12:28	0.02	0.008	8
4/4/2007	11:27:28	0.012	0	0
4/4/2007	11:42:28	0.011	-0.001	-1
4/4/2007	11:57:28	0.01	-0.002	-2
4/4/2007	12:12:28	0.009	-0.003	-3
4/4/2007	12:27:28	0.008	-0.004	-4
4/4/2007	12:42:28	0.007	-0.005	-5
4/4/2007	12:57:28	0.009	-0.003	-3
4/4/2007	13:12:28	0.006	-0.006	-6
4/4/2007	13:27:28	0.008	-0.004	-4
4/4/2007	13:42:28	0.011	-0.001	-1
4/4/2007	13:57:28	0.012	0	0
4/4/2007	14:12:28	0.013	0.001	1
4/4/2007	14:27:28	0.009	-0.003	-3
4/4/2007	14:42:28	0.007	-0.005	-5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/05/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/5/2007 7:06	0		0
2	4/5/2007 7:21	0.2		0.2
3	4/5/2007 7:36	0.3		0.3
4	4/5/2007 7:51	0.4		0.4
5	4/5/2007 8:06	0.5		0.5
6	4/5/2007 8:21	0.5		0.5
7	4/5/2007 8:36	0.6		0.6
8	4/5/2007 8:51	0.6		0.6
9	4/5/2007 9:06	0.7		0.7
10	4/5/2007 9:21	0.7		0.7
11	4/5/2007 9:36	0.8		0.8
12	4/5/2007 9:51	0.8		0.8
13	4/5/2007 10:06	0.9		0.9
14	4/5/2007 10:21	0.9		0.9
15	4/5/2007 10:36	0.9		0.9
16	4/5/2007 10:51	0.9		0.9
1	4/5/2007 11:23	0		0
2	4/5/2007 11:38	0		0
3	4/5/2007 11:53	0		0
4	4/5/2007 12:08	0		0
5	4/5/2007 12:23	0		0
6	4/5/2007 12:38	0		0
7	4/5/2007 12:53	0		0
8	4/5/2007 13:08	0		0
9	4/5/2007 13:23	0		0
10	4/5/2007 13:38	0		0
11	4/5/2007 13:53	0		0
12	4/5/2007 14:08	0		0
13	4/5/2007 14:23	0		0
14	4/5/2007 14:38	0		0
15	4/5/2007 14:53	0		0
16	4/5/2007 15:08	0		0
17	4/5/2007 15:23	0		0
18	4/5/2007 15:38	0		0
19	4/5/2007 15:53	0		0
20	4/5/2007 16:08	0		0
21	4/5/2007 16:23	0		0
22	4/5/2007 16:38	0		0
23	4/5/2007 16:53	0		0
24	4/5/2007 17:08	0.1		0.1
25	4/5/2007 17:23	0.1		0.1
26	4/5/2007 17:38	0.1		0.1
27	4/5/2007 17:53	0.1		0.1
28	4/5/2007 18:08	0.1		0.1
29	4/5/2007 18:23	0.8		0.8

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	4
Test Abbreviation:	
Start Date:	4/5/2007
Start Time:	6:51:44
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0650) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	11/2/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/5/2007	7:06:44	0.013	-0.001	-1
4/5/2007	7:21:44	0.013	-0.001	-1
4/5/2007	7:36:44	0.014	0	0
4/5/2007	7:51:44	0.013	-0.001	-1
4/5/2007	8:06:44	0.014	0	0
4/5/2007	8:21:44	0.018	0.004	4
4/5/2007	8:36:44	0.019	0.005	5
4/5/2007	8:51:44	0.017	0.003	3
4/5/2007	9:06:44	0.011	-0.003	-3
4/5/2007	9:21:44	0.009	-0.005	-5
4/5/2007	9:36:44	0.008	-0.006	-6
4/5/2007	9:51:44	0.008	-0.006	-6
4/5/2007	10:06:44	0.009	-0.005	-5
4/5/2007	10:21:44	0.009	-0.005	-5
4/5/2007	10:36:44	0.01	-0.004	-4
4/5/2007	10:51:44	0.009	-0.005	-5
4/5/2007	11:06:44	0.01	-0.004	-4
4/5/2007	11:21:44	0.009	-0.005	-5
4/5/2007	11:36:44	0.007	-0.007	-7
4/5/2007	11:51:44	0.007	-0.007	-7
4/5/2007	12:06:44	0.007	-0.007	-7
4/5/2007	12:21:44	0.007	-0.007	-7
4/5/2007	12:36:44	0.007	-0.007	-7
4/5/2007	12:51:44	0.007	-0.007	-7
4/5/2007	13:06:44	0.006	-0.008	-8
4/5/2007	13:21:44	0.007	-0.007	-7
4/5/2007	13:36:44	0.006	-0.008	-8
4/5/2007	13:51:44	0.007	-0.007	-7
4/5/2007	14:06:44	0.007	-0.007	-7
4/5/2007	14:21:44	0.008	-0.006	-6
4/5/2007	14:36:44	0.009	-0.005	-5
4/5/2007	14:51:44	0.009	-0.005	-5
4/5/2007	15:06:44	0.008	-0.006	-6
4/5/2007	15:21:44	0.009	-0.005	-5
4/5/2007	15:36:44	0.009	-0.005	-5
4/5/2007	15:51:44	0.01	-0.004	-4
4/5/2007	16:06:44	0.012	-0.002	-2
4/5/2007	16:21:44	0.011	-0.003	-3
4/5/2007	16:36:44	0.01	-0.004	-4
4/5/2007	16:51:44	0.01	-0.004	-4
4/5/2007	17:06:44	0.008	-0.006	-6
4/5/2007	17:21:44	0.009	-0.005	-5
4/5/2007	17:36:44	0.011	-0.003	-3
4/5/2007	17:51:44	0.009	-0.005	-5
4/5/2007	18:06:44	0.006	-0.008	-8
4/5/2007	18:21:44	0.005	-0.009	-9
4/5/2007	18:36:44	0.005	-0.009	-9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/05/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/5/2007 6:48	0		0
2	4/5/2007 7:03	0		0
3	4/5/2007 7:18	0		0
4	4/5/2007 7:33	0		0
5	4/5/2007 7:48	0.1		0.1
6	4/5/2007 8:03	0.1		0.1
7	4/5/2007 8:18	0.1		0.1
8	4/5/2007 8:33	0.1		0.1
9	4/5/2007 8:48	0.2		0.2
10	4/5/2007 9:03	0.2		0.2
11	4/5/2007 9:18	0.2		0.2
12	4/5/2007 9:33	0.2		0.2
13	4/5/2007 9:48	0.2		0.2
14	4/5/2007 10:03	0.2		0.2
15	4/5/2007 10:18	0.2		0.2
16	4/5/2007 10:33	0.2		0.2
17	4/5/2007 10:48	0.2		0.2
18	4/5/2007 11:03	0.2		0.2
19	4/5/2007 11:18	0.2		0.2
20	4/5/2007 11:33	0.3		0.3
21	4/5/2007 11:48	0.3		0.3
22	4/5/2007 12:03	0.3		0.3
23	4/5/2007 12:18	0.3		0.3
24	4/5/2007 12:33	0.3		0.3
25	4/5/2007 12:48	0.3		0.3
26	4/5/2007 13:03	0.3		0.3
27	4/5/2007 13:18	0.3		0.3
28	4/5/2007 13:33	0.3		0.3
29	4/5/2007 13:48	0.3		0.3
30	4/5/2007 14:03	0.3		0.3
31	4/5/2007 14:18	0.3		0.3
32	4/5/2007 14:33	0.3		0.3
33	4/5/2007 14:48	0.3		0.3
34	4/5/2007 15:03	0.3		0.3
35	4/5/2007 15:18	0.3		0.3
36	4/5/2007 15:33	0.3		0.3
37	4/5/2007 15:48	0.4		0.4
38	4/5/2007 16:03	0.4		0.4
39	4/5/2007 16:18	0.4		0.4
40	4/5/2007 16:33	0.4		0.4
41	4/5/2007 16:48	0.4		0.4
42	4/5/2007 17:03	0.4		0.4
43	4/5/2007 17:18	0.4		0.4
44	4/5/2007 17:33	0.4		0.4
45	4/5/2007 17:48	0.4		0.4
46	4/5/2007 18:03	0.4		0.4
47	4/5/2007 18:18	0.4		0.4
48	4/5/2007 18:33	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	4/5/2007
Start Time:	6:35:24
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0630) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/5/2007	6:50:24	0.007	0	0
4/5/2007	7:05:24	0.007	0	0
4/5/2007	7:20:24	0.007	0	0
4/5/2007	7:35:24	0.007	0	0
4/5/2007	7:50:24	0.008	0.001	1
4/5/2007	8:05:24	0.008	0.001	1
4/5/2007	8:20:24	0.009	0.002	2
4/5/2007	8:35:24	0.011	0.004	4
4/5/2007	8:50:24	0.009	0.002	2
4/5/2007	9:05:24	0.006	-0.001	-1
4/5/2007	9:20:24	0.005	-0.002	-2
4/5/2007	9:35:24	0.004	-0.003	-3
4/5/2007	9:50:24	0.004	-0.003	-3
4/5/2007	10:05:24	0.005	-0.002	-2
4/5/2007	10:20:24	0.005	-0.002	-2
4/5/2007	10:35:24	0.005	-0.002	-2
4/5/2007	10:50:24	0.005	-0.002	-2
4/5/2007	11:05:24	0.005	-0.002	-2
4/5/2007	11:20:24	0.006	-0.001	-1
4/5/2007	11:35:24	0.004	-0.003	-3
4/5/2007	11:50:24	0.003	-0.004	-4
4/5/2007	12:05:24	0.004	-0.003	-3
4/5/2007	12:20:24	0.004	-0.003	-3
4/5/2007	12:35:24	0.004	-0.003	-3
4/5/2007	12:50:24	0.004	-0.003	-3
4/5/2007	13:05:24	0.003	-0.004	-4
4/5/2007	13:20:24	0.003	-0.004	-4
4/5/2007	13:35:24	0.004	-0.003	-3
4/5/2007	13:50:24	0.004	-0.003	-3
4/5/2007	14:05:24	0.004	-0.003	-3
4/5/2007	14:20:24	0.004	-0.003	-3
4/5/2007	14:35:24	0.004	-0.003	-3
4/5/2007	14:50:24	0.005	-0.002	-2
4/5/2007	15:05:24	0.005	-0.002	-2
4/5/2007	15:20:24	0.005	-0.002	-2
4/5/2007	15:35:24	0.006	-0.001	-1
4/5/2007	15:50:24	0.006	-0.001	-1
4/5/2007	16:05:24	0.007	0	0
4/5/2007	16:20:24	0.007	0	0
4/5/2007	16:35:24	0.007	0	0
4/5/2007	16:50:24	0.006	-0.001	-1
4/5/2007	17:05:24	0.005	-0.002	-2
4/5/2007	17:20:24	0.005	-0.002	-2
4/5/2007	17:35:24	0.007	0	0
4/5/2007	17:50:24	0.006	-0.001	-1
4/5/2007	18:05:24	0.004	-0.003	-3
4/5/2007	18:20:24	0.003	-0.004	-4
4/5/2007	18:35:24	0.003	-0.004	-4
4/5/2007	18:50:24	0.002	-0.005	-5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 14 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/05/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)
High Alarm Levels:	100	100
Low Alarm Levels:	5	5

Background Reading (0653) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Avg-background(ppm)
1	4/5/2007 7:10	0	0
2	4/5/2007 7:25	0	0
3	4/5/2007 7:40	0.2	0.2
4	4/5/2007 7:55	0.2	0.2
5	4/5/2007 8:10	0.3	0.3
6	4/5/2007 8:25	0.4	0.4
7	4/5/2007 8:40	0.4	0.4
8	4/5/2007 8:55	0.4	0.4
9	4/5/2007 9:10	0.5	0.5
10	4/5/2007 9:25	0.5	0.5
11	4/5/2007 9:40	0.5	0.5
12	4/5/2007 9:55	0.6	0.6
13	4/5/2007 10:10	0.6	0.6
14	4/5/2007 10:25	0.6	0.6
1	4/5/2007 10:55	0	0
2	4/5/2007 11:10	0	0
3	4/5/2007 11:25	0	0
4	4/5/2007 11:40	0	0
5	4/5/2007 11:55	0	0
6	4/5/2007 12:10	0	0
7	4/5/2007 12:25	0	0
8	4/5/2007 12:40	0	0
9	4/5/2007 12:55	0	0
10	4/5/2007 13:10	0	0
11	4/5/2007 13:25	0	0
12	4/5/2007 13:40	0	0
13	4/5/2007 13:55	0	0
14	4/5/2007 14:10	0	0
15	4/5/2007 14:25	0	0
16	4/5/2007 14:40	0.1	0.1
17	4/5/2007 14:55	0.1	0.1
18	4/5/2007 15:10	0.1	0.1
19	4/5/2007 15:25	0.1	0.1
20	4/5/2007 15:40	0.1	0.1
21	4/5/2007 15:55	0.1	0.1
22	4/5/2007 16:10	0.1	0.1
23	4/5/2007 16:25	0.1	0.1
24	4/5/2007 16:40	0.1	0.1
25	4/5/2007 16:55	0.2	0.2
26	4/5/2007 17:10	0.2	0.2
27	4/5/2007 17:25	0.2	0.2
28	4/5/2007 17:40	0.2	0.2
29	4/5/2007 17:55	0.2	0.2
30	4/5/2007 18:10	0.2	0.2
31	4/5/2007 18:25	0.2	0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	4/5/2007
Start Time:	6:56:46
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0653) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	########

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/5/2007	7:11:46	0.011	0.003	3
4/5/2007	7:26:46	0.011	0.003	3
4/5/2007	7:41:46	0.012	0.004	4
4/5/2007	7:56:46	0.013	0.005	5
4/5/2007	8:11:46	0.015	0.007	7
4/5/2007	8:26:46	0.017	0.009	9
4/5/2007	8:41:46	0.02	0.012	12
4/5/2007	8:56:46	0.015	0.007	7
4/5/2007	9:11:46	0.01	0.002	2
4/5/2007	9:26:46	0.009	0.001	1
4/5/2007	9:41:46	0.007	-0.001	-1
4/5/2007	9:56:46	0.009	0.001	1
4/5/2007	10:11:46	0.01	0.002	2
4/5/2007	10:26:46	0.009	0.001	1
4/5/2007	10:41:46	0.009	0.001	1
4/5/2007	10:56:46	0.008	0	0
4/5/2007	11:11:46	0.009	0.001	1
4/5/2007	11:26:46	0.01	0.002	2
4/5/2007	11:41:46	0.006	-0.002	-2
4/5/2007	11:56:46	0.01	0.002	2
4/5/2007	12:11:46	0.006	-0.002	-2
4/5/2007	12:26:46	0.006	-0.002	-2
4/5/2007	12:41:46	0.006	-0.002	-2
4/5/2007	12:56:46	0.006	-0.002	-2
4/5/2007	13:11:46	0.005	-0.003	-3
4/5/2007	13:26:46	0.006	-0.002	-2
4/5/2007	13:41:46	0.006	-0.002	-2
4/5/2007	13:56:46	0.006	-0.002	-2
4/5/2007	14:11:46	0.006	-0.002	-2
4/5/2007	14:26:46	0.008	0	0
4/5/2007	14:41:46	0.007	-0.001	-1
4/5/2007	14:56:46	0.007	-0.001	-1
4/5/2007	15:11:46	0.008	0	0
4/5/2007	15:26:46	0.008	0	0
4/5/2007	15:41:46	0.009	0.001	1
4/5/2007	15:56:46	0.011	0.003	3
4/5/2007	16:11:46	0.011	0.003	3
4/5/2007	16:26:46	0.01	0.002	2
4/5/2007	16:41:46	0.009	0.001	1
4/5/2007	16:56:46	0.008	0	0
4/5/2007	17:11:46	0.008	0	0
4/5/2007	17:26:46	0.01	0.002	2
4/5/2007	17:41:46	0.012	0.004	4
4/5/2007	17:56:46	0.007	-0.001	-1
4/5/2007	18:11:46	0.006	-0.002	-2
4/5/2007	18:26:46	0.005	-0.003	-3
4/5/2007	18:41:46	0.004	-0.004	-4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/05/2007 06:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/5/2007 7:08	0		0
2	4/5/2007 7:23	0		0
3	4/5/2007 7:38	0		0
4	4/5/2007 7:53	0		0
5	4/5/2007 8:08	0		0
6	4/5/2007 8:23	0		0
7	4/5/2007 8:38	0		0
8	4/5/2007 8:53	0		0
9	4/5/2007 9:08	0		0
10	4/5/2007 9:23	0		0
11	4/5/2007 9:38	0.1		0.1
12	4/5/2007 9:53	0.1		0.1
13	4/5/2007 10:08	0.1		0.1
14	4/5/2007 10:23	0.1		0.1
15	4/5/2007 10:38	0.3		0.3
1	4/5/2007 11:09	0		0
2	4/5/2007 11:24	0		0
3	4/5/2007 11:39	0		0
4	4/5/2007 11:54	0		0
5	4/5/2007 12:09	0		0
6	4/5/2007 12:24	0		0
7	4/5/2007 12:39	0		0
8	4/5/2007 12:54	0		0
9	4/5/2007 13:09	0		0
10	4/5/2007 13:24	0		0
11	4/5/2007 13:39	0		0
12	4/5/2007 13:54	0		0
13	4/5/2007 14:09	0		0
14	4/5/2007 14:24	0		0
15	4/5/2007 14:39	0		0
16	4/5/2007 14:54	0		0
17	4/5/2007 15:09	0		0
18	4/5/2007 15:24	0		0
19	4/5/2007 15:39	0		0
20	4/5/2007 15:54	0		0
21	4/5/2007 16:09	0		0
22	4/5/2007 16:24	0		0
23	4/5/2007 16:39	0		0
24	4/5/2007 16:54	0		0
25	4/5/2007 17:09	0		0
26	4/5/2007 17:24	0		0
27	4/5/2007 17:39	0		0
28	4/5/2007 17:54	0		0
29	4/5/2007 18:09	0		0
30	4/5/2007 18:24	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	4/5/2007
Start Time:	6:53:36
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0650) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/5/2007	7:08:36	0.012	0.005	5
4/5/2007	7:23:36	0.014	0.007	7
4/5/2007	7:38:36	0.022	0.015	15
4/5/2007	7:53:36	0.023	0.016	16
4/5/2007	8:08:36	0.016	0.009	9
4/5/2007	8:23:36	0.02	0.013	13
4/5/2007	8:38:36	0.022	0.015	15
4/5/2007	8:53:36	0.02	0.013	13
4/5/2007	9:08:36	0.012	0.005	5
4/5/2007	9:23:36	0.011	0.004	4
4/5/2007	9:38:36	0.01	0.003	3
4/5/2007	9:53:36	0.009	0.002	2
4/5/2007	10:08:36	0.012	0.005	5
4/5/2007	10:23:36	0.019	0.012	12
4/5/2007	10:38:36	0.024	0.017	17
4/5/2007	10:53:36	0.044	0.037	37
4/5/2007	11:08:36	0.035	0.028	28
4/5/2007	11:23:36	0.02	0.013	13
4/5/2007	11:38:36	0.013	0.006	6
4/5/2007	11:53:36	0.01	0.003	3
4/5/2007	12:08:36	0.012	0.005	5
4/5/2007	12:23:36	0.016	0.009	9
4/5/2007	12:38:36	0.01	0.003	3
4/5/2007	12:53:36	0.013	0.006	6
4/5/2007	13:08:36	0.01	0.003	3
4/5/2007	13:23:36	0.01	0.003	3
4/5/2007	13:38:36	0.014	0.007	7
4/5/2007	13:53:36	0.012	0.005	5
4/5/2007	14:08:36	0.014	0.007	7
4/5/2007	14:23:36	0.013	0.006	6
4/5/2007	14:38:36	0.01	0.003	3
4/5/2007	14:53:36	0.011	0.004	4
4/5/2007	15:08:36	0.013	0.006	6
4/5/2007	15:23:36	0.014	0.007	7
4/5/2007	15:38:36	0.017	0.01	10
4/5/2007	15:53:36	0.013	0.006	6
4/5/2007	16:08:36	0.017	0.01	10
4/5/2007	16:23:36	0.017	0.01	10
4/5/2007	16:38:36	0.025	0.018	18
4/5/2007	16:53:36	0.017	0.01	10
4/5/2007	17:08:36	0.012	0.005	5
4/5/2007	17:23:36	0.015	0.008	8
4/5/2007	17:38:36	0.013	0.006	6
4/5/2007	17:53:36	0.01	0.003	3
4/5/2007	18:08:36	0.017	0.01	10
4/5/2007	18:23:36	0.021	0.014	14
4/5/2007	18:38:36	0.017	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/06/2007 06:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/6/2007 7:02	0		-0.3
2	4/6/2007 7:17	0.2		-0.1
3	4/6/2007 7:32	0.3		0
4	4/6/2007 7:47	0.3		0
5	4/6/2007 8:02	0.4		0.1
6	4/6/2007 8:17	0.4		0.1
7	4/6/2007 8:32	0.4		0.1
8	4/6/2007 8:47	0.4		0.1
9	4/6/2007 9:02	0.4		0.1
10	4/6/2007 9:17	0.5		0.2
11	4/6/2007 9:32	0.5		0.2
12	4/6/2007 9:47	0.5		0.2
13	4/6/2007 10:02	0.5		0.2
14	4/6/2007 10:17	0.4		0.1
15	4/6/2007 10:32	0.5		0.2
16	4/6/2007 10:47	0.5		0.2
17	4/6/2007 11:02	0.5		0.2
18	4/6/2007 11:17	0.5		0.2
19	4/6/2007 11:32	0.5		0.2
20	4/6/2007 11:47	0.5		0.2
21	4/6/2007 12:02	0.5		0.2
22	4/6/2007 12:17	0.5		0.2
23	4/6/2007 12:32	0.5		0.2
24	4/6/2007 12:47	0.5		0.2
25	4/6/2007 13:02	0.5		0.2
26	4/6/2007 13:17	0.5		0.2
27	4/6/2007 13:32	0.5		0.2
28	4/6/2007 13:47	0.5		0.2
29	4/6/2007 14:02	0.5		0.2
30	4/6/2007 14:17	0.5		0.2
31	4/6/2007 14:32	0.5		0.2
32	4/6/2007 14:47	0.5		0.2
33	4/6/2007 15:02	0.5		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	1
Test Abbreviation:	
Start Date:	4/6/2007
Start Time:	7:33:12
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0720) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/6/2007	7:48:12	0.009	0.003	3
4/6/2007	8:03:12	0.009	0.003	3
4/6/2007	8:18:12	0.012	0.006	6
4/6/2007	8:33:12	0.011	0.005	5
4/6/2007	8:48:12	0.012	0.006	6
4/6/2007	9:03:12	0.015	0.009	9
4/6/2007	9:18:12	0.014	0.008	8
4/6/2007	9:33:12	0.014	0.008	8
4/6/2007	9:48:12	0.013	0.007	7
4/6/2007	10:03:12	0.01	0.004	4
4/6/2007	10:18:12	0.012	0.006	6
4/6/2007	10:33:12	0.016	0.01	10
4/6/2007	10:48:12	0.012	0.006	6
4/6/2007	11:03:12	0.012	0.006	6
4/6/2007	11:18:12	0.012	0.006	6
4/6/2007	11:33:12	0.011	0.005	5
4/6/2007	11:48:12	0.012	0.006	6
4/6/2007	12:03:12	0.01	0.004	4
4/6/2007	12:18:12	0.01	0.004	4
4/6/2007	12:33:12	0.009	0.003	3
4/6/2007	12:48:12	0.016	0.01	10
4/6/2007	13:03:12	0.01	0.004	4
4/6/2007	13:18:12	0.009	0.003	3
4/6/2007	13:33:12	0.01	0.004	4
4/6/2007	13:48:12	0.012	0.006	6
4/6/2007	14:03:12	0.015	0.009	9
4/6/2007	14:18:12	0.011	0.005	5
4/6/2007	14:33:12	0.011	0.005	5
4/6/2007	14:48:12	0.01	0.004	4
4/6/2007	15:03:12	0.012	0.006	6
4/6/2007	15:18:12	0.012	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/06/2007 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/6/2007 6:56	0		0
2	4/6/2007 7:11	0		0
3	4/6/2007 7:26	0.2		0.2
4	4/6/2007 7:41	0.5		0.5
5	4/6/2007 7:56	0.9		0.9
6	4/6/2007 8:11	1.1		1.1
7	4/6/2007 8:26	1.3		1.3
8	4/6/2007 8:41	1.1		1.1
9	4/6/2007 8:56	1		1
10	4/6/2007 9:11	1.2		1.2
11	4/6/2007 9:26	1.3		1.3
12	4/6/2007 9:41	1.2		1.2
13	4/6/2007 9:56	1.1		1.1
14	4/6/2007 10:11	1		1
15	4/6/2007 10:26	1.1		1.1
16	4/6/2007 10:41	1.1		1.1
17	4/6/2007 10:56	1		1
18	4/6/2007 11:11	0.9		0.9
19	4/6/2007 11:26	1		1
20	4/6/2007 11:41	0.9		0.9
21	4/6/2007 11:56	1.1		1.1
22	4/6/2007 12:11	1.2		1.2
23	4/6/2007 12:26	1		1
24	4/6/2007 12:41	0.8		0.8
25	4/6/2007 12:56	1		1
26	4/6/2007 13:11	0.9		0.9
27	4/6/2007 13:26	0.9		0.9
28	4/6/2007 13:41	1		1
29	4/6/2007 13:56	1.1		1.1
30	4/6/2007 14:11	1.2		1.2
31	4/6/2007 14:26	1.3		1.3
32	4/6/2007 14:41	0.9		0.9
33	4/6/2007 14:56	0.8		0.8
34	4/6/2007 15:11	0.7		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	4/6/2007
Start Time:	6:43:38
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0640) = 0.004 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/6/2007	6:58:38	0.005	0.001	1
4/6/2007	7:13:38	0.005	0.001	1
4/6/2007	7:28:38	0.005	0.001	1
4/6/2007	7:43:38	0.006	0.002	2
4/6/2007	7:58:38	0.006	0.002	2
4/6/2007	8:13:38	0.006	0.002	2
4/6/2007	8:28:38	0.006	0.002	2
4/6/2007	8:43:38	0.007	0.003	3
4/6/2007	8:58:38	0.008	0.004	4
4/6/2007	9:13:38	0.008	0.004	4
4/6/2007	9:28:38	0.008	0.004	4
4/6/2007	9:43:38	0.008	0.004	4
4/6/2007	9:58:38	0.006	0.002	2
4/6/2007	10:13:38	0.006	0.002	2
4/6/2007	10:28:38	0.009	0.005	5
4/6/2007	10:43:38	0.007	0.003	3
4/6/2007	10:58:38	0.006	0.002	2
4/6/2007	11:13:38	0.006	0.002	2
4/6/2007	11:28:38	0.005	0.001	1
4/6/2007	11:43:38	0.005	0.001	1
4/6/2007	11:58:38	0.005	0.001	1
4/6/2007	12:13:38	0.005	0.001	1
4/6/2007	12:28:38	0.005	0.001	1
4/6/2007	12:43:38	0.005	0.001	1
4/6/2007	12:58:38	0.005	0.001	1
4/6/2007	13:13:38	0.005	0.001	1
4/6/2007	13:28:38	0.005	0.001	1
4/6/2007	13:43:38	0.006	0.002	2
4/6/2007	13:58:38	0.005	0.001	1
4/6/2007	14:13:38	0.005	0.001	1
4/6/2007	14:28:38	0.006	0.002	2
4/6/2007	14:43:38	0.006	0.002	2
4/6/2007	14:58:38	0.006	0.002	2
4/6/2007	15:13:38	0.007	0.003	3
4/6/2007	15:28:38	0.008	0.004	4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 04/06/2007 06:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/6/2007 7:17	0		0
2	4/6/2007 7:32	0.1		0.1
3	4/6/2007 7:47	0.3		0.3
4	4/6/2007 8:02	0.4		0.4
5	4/6/2007 8:17	0.5		0.5
6	4/6/2007 8:32	0.5		0.5
7	4/6/2007 8:47	0.6		0.6
8	4/6/2007 9:02	0.6		0.6
9	4/6/2007 9:17	0.7		0.7
10	4/6/2007 9:32	0.7		0.7
11	4/6/2007 9:47	0.7		0.7
12	4/6/2007 10:02	0.8		0.8
13	4/6/2007 10:17	0.8		0.8
14	4/6/2007 10:32	0.8		0.8
15	4/6/2007 10:47	0.8		0.8
16	4/6/2007 11:02	0.9		0.9
17	4/6/2007 11:17	0.9		0.9
18	4/6/2007 11:32	0.9		0.9
19	4/6/2007 11:47	0.9		0.9
20	4/6/2007 12:02	0.9		0.9
21	4/6/2007 12:17	0.9		0.9
22	4/6/2007 12:32	0.9		0.9
23	4/6/2007 12:47	1		1
24	4/6/2007 13:02	1		1
25	4/6/2007 13:17	1		1
26	4/6/2007 13:32	1		1
27	4/6/2007 13:47	1		1
28	4/6/2007 14:02	1		1
29	4/6/2007 14:17	1		1
30	4/6/2007 14:32	1		1
31	4/6/2007 14:47	1		1
32	4/6/2007 15:02	1		1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	4/6/2007
Start Time:	7:03:46
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0700) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/6/2007	7:18:46	0.007	0.001	1
4/6/2007	7:33:46	0.007	0.001	1
4/6/2007	7:48:46	0.011	0.005	5
4/6/2007	8:03:46	0.009	0.003	3
4/6/2007	8:18:46	0.016	0.01	10
4/6/2007	8:33:46	0.012	0.006	6
4/6/2007	8:48:46	0.01	0.004	4
4/6/2007	9:03:46	0.011	0.005	5
4/6/2007	9:18:46	0.012	0.006	6
4/6/2007	9:33:46	0.012	0.006	6
4/6/2007	9:48:46	0.01	0.004	4
4/6/2007	10:03:46	0.008	0.002	2
4/6/2007	10:18:46	0.01	0.004	4
4/6/2007	10:33:46	0.012	0.006	6
4/6/2007	10:48:46	0.008	0.002	2
4/6/2007	11:03:46	0.009	0.003	3
4/6/2007	11:18:46	0.008	0.002	2
4/6/2007	11:33:46	0.009	0.003	3
4/6/2007	11:48:46	0.007	0.001	1
4/6/2007	12:03:46	0.009	0.003	3
4/6/2007	12:18:46	0.008	0.002	2
4/6/2007	12:33:46	0.007	0.001	1
4/6/2007	12:48:46	0.007	0.001	1
4/6/2007	13:03:46	0.008	0.002	2
4/6/2007	13:18:46	0.007	0.001	1
4/6/2007	13:33:46	0.009	0.003	3
4/6/2007	13:48:46	0.008	0.002	2
4/6/2007	14:03:46	0.008	0.002	2
4/6/2007	14:18:46	0.008	0.002	2
4/6/2007	14:33:46	0.009	0.003	3
4/6/2007	14:48:46	0.011	0.005	5
4/6/2007	15:03:46	0.01	0.004	4
4/6/2007	15:18:46	0.011	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/06/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/6/2007 7:14	0		0
2	4/6/2007 7:29	0		0
3	4/6/2007 7:44	0		0
4	4/6/2007 7:59	0		0
5	4/6/2007 8:14	0		0
6	4/6/2007 8:29	0		0
7	4/6/2007 8:44	0		0
8	4/6/2007 8:59	0		0
9	4/6/2007 9:14	0		0
10	4/6/2007 9:29	0		0
11	4/6/2007 9:44	0		0
12	4/6/2007 9:59	0		0
13	4/6/2007 10:14	0		0
14	4/6/2007 10:29	0		0
15	4/6/2007 10:44	0		0
16	4/6/2007 10:59	0		0
17	4/6/2007 11:14	0		0
18	4/6/2007 11:29	0		0
19	4/6/2007 11:44	0		0
20	4/6/2007 11:59	0		0
21	4/6/2007 12:14	0		0
22	4/6/2007 12:29	0		0
23	4/6/2007 12:44	0		0
24	4/6/2007 12:59	0		0
25	4/6/2007 13:14	0		0
26	4/6/2007 13:29	0		0
27	4/6/2007 13:44	0		0
28	4/6/2007 13:59	0		0
29	4/6/2007 14:14	0		0
30	4/6/2007 14:29	0		0
31	4/6/2007 14:44	0		0
32	4/6/2007 14:59	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	4/6/2007
Start Time:	7:00:11
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0650) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/6/2007	7:15:11	0.007	0	0
4/6/2007	7:30:11	0.01	0.003	3
4/6/2007	7:45:11	0.041	0.034	34
4/6/2007	8:00:11	0.012	0.005	5
4/6/2007	8:15:11	0.015	0.008	8
4/6/2007	8:30:11	0.011	0.004	4
4/6/2007	8:45:11	0.012	0.005	5
4/6/2007	9:00:11	0.015	0.008	8
4/6/2007	9:15:11	0.016	0.009	9
4/6/2007	9:30:11	0.015	0.008	8
4/6/2007	9:45:11	0.018	0.011	11
4/6/2007	10:00:11	0.019	0.012	12
4/6/2007	10:15:11	0.015	0.008	8
4/6/2007	10:30:11	0.037	0.03	30
4/6/2007	10:45:11	0.022	0.015	15
4/6/2007	11:00:11	0.015	0.008	8
4/6/2007	11:15:11	0.014	0.007	7
4/6/2007	11:30:11	0.012	0.005	5
4/6/2007	11:45:11	0.011	0.004	4
4/6/2007	12:00:11	0.013	0.006	6
4/6/2007	12:15:11	0.012	0.005	5
4/6/2007	12:30:11	0.009	0.002	2
4/6/2007	12:45:11	0.009	0.002	2
4/6/2007	13:00:11	0.011	0.004	4
4/6/2007	13:15:11	0.011	0.004	4
4/6/2007	13:30:11	0.013	0.006	6
4/6/2007	13:45:11	0.014	0.007	7
4/6/2007	14:00:11	0.015	0.008	8
4/6/2007	14:15:11	0.017	0.01	10
4/6/2007	14:30:11	0.016	0.009	9
4/6/2007	14:45:11	0.013	0.006	6
4/6/2007	15:00:11	0.016	0.009	9
4/6/2007	15:15:11	0.019	0.012	12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/09/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/9/2007 7:06	0		0
2	4/9/2007 7:21	0		0
3	4/9/2007 7:36	0.1		0.1
4	4/9/2007 7:51	0.2		0.2
5	4/9/2007 8:06	0.3		0.3
6	4/9/2007 8:21	0.4		0.4
7	4/9/2007 8:36	0.5		0.5
8	4/9/2007 8:51	0.5		0.5
9	4/9/2007 9:06	0.6		0.6
10	4/9/2007 9:21	0.6		0.6
11	4/9/2007 9:36	0.6		0.6
12	4/9/2007 9:51	0.6		0.6
13	4/9/2007 10:06	0.6		0.6
14	4/9/2007 10:21	0.6		0.6
15	4/9/2007 10:36	0.7		0.7
16	4/9/2007 10:51	0.7		0.7
17	4/9/2007 11:06	0.7		0.7
18	4/9/2007 11:21	0.6		0.6
19	4/9/2007 11:36	0.6		0.6
20	4/9/2007 11:51	0.6		0.6
21	4/9/2007 12:06	0.6		0.6
22	4/9/2007 12:21	0.6		0.6
23	4/9/2007 12:36	0.6		0.6
24	4/9/2007 12:51	0.6		0.6
25	4/9/2007 13:06	0.6		0.6
26	4/9/2007 13:21	0.6		0.6
27	4/9/2007 13:36	0.6		0.6
28	4/9/2007 13:51	0.6		0.6
29	4/9/2007 14:06	0.6		0.6
30	4/9/2007 14:21	0.6		0.6
31	4/9/2007 14:36	0.6		0.6
32	4/9/2007 14:51	0.5		0.5
33	4/9/2007 15:06	0.5		0.5
34	4/9/2007 15:21	0.5		0.5
35	4/9/2007 15:36	0.5		0.5
36	4/9/2007 15:51	0.4		0.4
37	4/9/2007 16:06	0.5		0.5
38	4/9/2007 16:21	0.5		0.5
39	4/9/2007 16:36	0.5		0.5
40	4/9/2007 16:51	0.5		0.5
41	4/9/2007 17:06	0.5		0.5
42	4/9/2007 17:21	0.5		0.5
43	4/9/2007 17:36	0.5		0.5
44	4/9/2007 17:51	0.6		0.6
45	4/9/2007 18:06	0.6		0.6
46	4/9/2007 18:21	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/9/2007
Start Time:	6:48:19
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0648) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/9/2007	7:03:19	0.016	0.004	4
4/9/2007	7:18:19	0.03	0.018	18
4/9/2007	7:33:19	0.018	0.006	6
4/9/2007	7:48:19	0.02	0.008	8
4/9/2007	8:03:19	0.019	0.007	7
4/9/2007	8:18:19	0.018	0.006	6
4/9/2007	8:33:19	0.018	0.006	6
4/9/2007	8:48:19	0.018	0.006	6
4/9/2007	9:03:19	0.016	0.004	4
4/9/2007	9:18:19	0.012	0	0
4/9/2007	9:33:19	0.018	0.006	6
4/9/2007	9:48:19	0.018	0.006	6
4/9/2007	10:03:19	0.016	0.004	4
4/9/2007	10:18:19	0.015	0.003	3
4/9/2007	10:33:19	0.014	0.002	2
4/9/2007	10:48:19	0.015	0.003	3
4/9/2007	11:03:19	0.015	0.003	3
4/9/2007	11:18:19	0.017	0.005	5
4/9/2007	11:33:19	0.019	0.007	7
4/9/2007	11:48:19	0.018	0.006	6
4/9/2007	12:03:19	0.016	0.004	4
4/9/2007	12:18:19	0.015	0.003	3
4/9/2007	12:33:19	0.017	0.005	5
4/9/2007	12:48:19	0.019	0.007	7
4/9/2007	13:03:19	0.018	0.006	6
4/9/2007	13:18:19	0.018	0.006	6
4/9/2007	13:33:19	0.016	0.004	4
4/9/2007	13:48:19	0.016	0.004	4
4/9/2007	14:03:19	0.015	0.003	3
4/9/2007	14:18:19	0.017	0.005	5
4/9/2007	14:33:19	0.019	0.007	7
4/9/2007	14:48:19	0.015	0.003	3
4/9/2007	15:03:19	0.015	0.003	3
4/9/2007	15:18:19	0.016	0.004	4
4/9/2007	15:33:19	0.014	0.002	2
4/9/2007	15:48:19	0.015	0.003	3
4/9/2007	16:03:19	0.014	0.002	2
4/9/2007	16:18:19	0.02	0.008	8
4/9/2007	16:33:19	0.013	0.001	1
4/9/2007	16:48:19	0.012	0	0
4/9/2007	17:03:19	0.012	0	0
4/9/2007	17:18:19	0.012	0	0
4/9/2007	17:33:19	0.01	-0.002	-2
4/9/2007	17:48:19	0.01	-0.002	-2
4/9/2007	18:03:19	0.011	-0.001	-1
4/9/2007	18:18:19	0.011	-0.001	-1
4/9/2007	18:33:19	0.011	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/09/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/9/2007 6:32	0		0
2	4/9/2007 6:47	0		0
3	4/9/2007 7:02	0		0
4	4/9/2007 7:17	0		0
5	4/9/2007 7:32	0		0
6	4/9/2007 7:47	0.1		0.1
7	4/9/2007 8:02	0.1		0.1
8	4/9/2007 8:17	0.1		0.1
9	4/9/2007 8:32	0.2		0.2
10	4/9/2007 8:47	0.2		0.2
11	4/9/2007 9:02	0.2		0.2
12	4/9/2007 9:17	0.2		0.2
13	4/9/2007 9:32	0.2		0.2
14	4/9/2007 9:47	0.2		0.2
15	4/9/2007 10:02	0.3		0.3
16	4/9/2007 10:17	0.3		0.3
17	4/9/2007 10:32	0.3		0.3
18	4/9/2007 10:47	0.3		0.3
19	4/9/2007 11:02	0.3		0.3
20	4/9/2007 11:17	0.3		0.3
21	4/9/2007 11:32	0.3		0.3
22	4/9/2007 11:47	0.3		0.3
23	4/9/2007 12:02	0.3		0.3
24	4/9/2007 12:17	0.4		0.4
25	4/9/2007 12:32	0.4		0.4
26	4/9/2007 12:47	0.4		0.4
27	4/9/2007 13:02	0.4		0.4
28	4/9/2007 13:17	0.4		0.4
29	4/9/2007 13:32	0.4		0.4
30	4/9/2007 13:47	0.4		0.4
31	4/9/2007 14:02	0.4		0.4
32	4/9/2007 14:17	0.4		0.4
33	4/9/2007 14:32	0.4		0.4
34	4/9/2007 14:47	0.4		0.4
35	4/9/2007 15:02	0.4		0.4
36	4/9/2007 15:17	0.5		0.5
37	4/9/2007 15:32	0.5		0.5
38	4/9/2007 15:47	0.5		0.5
39	4/9/2007 16:02	0.5		0.5
40	4/9/2007 16:17	0.5		0.5
41	4/9/2007 16:32	0.5		0.5
42	4/9/2007 16:47	0.5		0.5
43	4/9/2007 17:02	0.5		0.5
44	4/9/2007 17:17	0.5		0.5
45	4/9/2007 17:32	0.5		0.5
46	4/9/2007 17:47	0.5		0.5
47	4/9/2007 18:02	0.5		0.5
48	4/9/2007 18:17	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	4/9/2007
Start Time:	6:20:19
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	

Background Reading (0615) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/9/2007	6:35:19	0.008	0.001	1
4/9/2007	6:50:19	0.008	0.001	1
4/9/2007	7:05:19	0.009	0.002	2
4/9/2007	7:20:19	0.01	0.003	3
4/9/2007	7:35:19	0.012	0.005	5
4/9/2007	7:50:19	0.011	0.004	4
4/9/2007	8:05:19	0.011	0.004	4
4/9/2007	8:20:19	0.011	0.004	4
4/9/2007	8:35:19	0.009	0.002	2
4/9/2007	8:50:19	0.009	0.002	2
4/9/2007	9:05:19	0.008	0.001	1
4/9/2007	9:20:19	0.007	0	0
4/9/2007	9:35:19	0.008	0.001	1
4/9/2007	9:50:19	0.009	0.002	2
4/9/2007	10:05:19	0.008	0.001	1
4/9/2007	10:20:19	0.008	0.001	1
4/9/2007	10:35:19	0.008	0.001	1
4/9/2007	10:50:19	0.007	0	0
4/9/2007	11:05:19	0.008	0.001	1
4/9/2007	11:20:19	0.009	0.002	2
4/9/2007	11:35:19	0.009	0.002	2
4/9/2007	11:50:19	0.009	0.002	2
4/9/2007	12:05:19	0.009	0.002	2
4/9/2007	12:20:19	0.008	0.001	1
4/9/2007	12:35:19	0.008	0.001	1
4/9/2007	12:50:19	0.009	0.002	2
4/9/2007	13:05:19	0.009	0.002	2
4/9/2007	13:20:19	0.009	0.002	2
4/9/2007	13:35:19	0.009	0.002	2
4/9/2007	13:50:19	0.009	0.002	2
4/9/2007	14:05:19	0.01	0.003	3
4/9/2007	14:20:19	0.009	0.002	2
4/9/2007	14:35:19	0.008	0.001	1
4/9/2007	14:50:19	0.008	0.001	1
4/9/2007	15:05:19	0.008	0.001	1
4/9/2007	15:20:19	0.008	0.001	1
4/9/2007	15:35:19	0.008	0.001	1
4/9/2007	15:50:19	0.008	0.001	1
4/9/2007	16:05:19	0.009	0.002	2
4/9/2007	16:20:19	0.009	0.002	2
4/9/2007	16:35:19	0.008	0.001	1
4/9/2007	16:50:19	0.007	0	0
4/9/2007	17:05:19	0.005	-0.002	-2
4/9/2007	17:20:19	0.005	-0.002	-2
4/9/2007	17:35:19	0.005	-0.002	-2
4/9/2007	17:50:19	0.005	-0.002	-2
4/9/2007	18:05:19	0.005	-0.002	-2
4/9/2007	18:20:19	0.005	-0.002	-2
4/9/2007	18:35:19	0.005	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/09/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/9/2007 6:51	0		-0.1
2	4/9/2007 7:06	0		-0.1
3	4/9/2007 7:21	0.2		0.1
4	4/9/2007 7:36	0.3		0.2
5	4/9/2007 7:51	0.4		0.3
6	4/9/2007 8:06	0.4		0.3
7	4/9/2007 8:21	0.5		0.4
8	4/9/2007 8:36	0.5		0.4
9	4/9/2007 8:51	0.4		0.3
10	4/9/2007 9:06	0.4		0.3
11	4/9/2007 9:21	0.5		0.4
12	4/9/2007 9:36	0.6		0.5
13	4/9/2007 9:51	0.6		0.5
14	4/9/2007 10:06	0.6		0.5
15	4/9/2007 10:21	0.7		0.6
16	4/9/2007 10:36	0.7		0.6
17	4/9/2007 10:51	0.7		0.6
18	4/9/2007 11:06	0.7		0.6
19	4/9/2007 11:21	0.7		0.6
20	4/9/2007 11:36	0.8		0.7
21	4/9/2007 11:51	0.8		0.7
22	4/9/2007 12:06	0.8		0.7
23	4/9/2007 12:21	0.8		0.7
24	4/9/2007 12:36	0.8		0.7
25	4/9/2007 12:51	0.8		0.7
26	4/9/2007 13:06	0.8		0.7
27	4/9/2007 13:21	0.8		0.7
28	4/9/2007 13:36	0.8		0.7
29	4/9/2007 13:51	0.8		0.7
30	4/9/2007 14:06	0.8		0.7
31	4/9/2007 14:21	0.8		0.7
32	4/9/2007 14:36	0.9		0.8
33	4/9/2007 14:51	0.9		0.8
34	4/9/2007 15:06	0.9		0.8
35	4/9/2007 15:21	0.9		0.8
36	4/9/2007 15:36	0.9		0.8
37	4/9/2007 15:51	0.9		0.8
38	4/9/2007 16:06	1		0.9
39	4/9/2007 16:21	1		0.9
40	4/9/2007 16:36	1		0.9
41	4/9/2007 16:51	1		0.9
42	4/9/2007 17:06	0.9		0.8
43	4/9/2007 17:21	1		0.9
44	4/9/2007 17:36	1		0.9
45	4/9/2007 17:51	1		0.9
46	4/9/2007 18:06	1		0.9
47	4/9/2007 18:21	0.9		0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	4/9/2007
Start Time:	6:37:44
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0633) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/9/2007	6:52:44	0.012	0.002	2
4/9/2007	7:07:44	0.014	0.004	4
4/9/2007	7:22:44	0.014	0.004	4
4/9/2007	7:37:44	0.021	0.011	11
4/9/2007	7:52:44	0.021	0.011	11
4/9/2007	8:07:44	0.016	0.006	6
4/9/2007	8:22:44	0.016	0.006	6
4/9/2007	8:37:44	0.014	0.004	4
4/9/2007	8:52:44	0.012	0.002	2
4/9/2007	9:07:44	0.011	0.001	1
4/9/2007	9:22:44	0.011	0.001	1
4/9/2007	9:37:44	0.013	0.003	3
4/9/2007	9:52:44	0.012	0.002	2
4/9/2007	10:07:44	0.012	0.002	2
4/9/2007	10:22:44	0.013	0.003	3
4/9/2007	10:37:44	0.012	0.002	2
4/9/2007	10:52:44	0.013	0.003	3
4/9/2007	11:07:44	0.013	0.003	3
4/9/2007	11:22:44	0.013	0.003	3
4/9/2007	11:37:44	0.013	0.003	3
4/9/2007	11:52:44	0.013	0.003	3
4/9/2007	12:07:44	0.015	0.005	5
4/9/2007	12:22:44	0.012	0.002	2
4/9/2007	12:37:44	0.012	0.002	2
4/9/2007	12:52:44	0.014	0.004	4
4/9/2007	13:07:44	0.012	0.002	2
4/9/2007	13:22:44	0.014	0.004	4
4/9/2007	13:37:44	0.014	0.004	4
4/9/2007	13:52:44	0.013	0.003	3
4/9/2007	14:07:44	0.013	0.003	3
4/9/2007	14:22:44	0.014	0.004	4
4/9/2007	14:37:44	0.012	0.002	2
4/9/2007	14:52:44	0.011	0.001	1
4/9/2007	15:07:44	0.011	0.001	1
4/9/2007	15:22:44	0.011	0.001	1
4/9/2007	15:37:44	0.011	0.001	1
4/9/2007	15:52:44	0.028	0.018	18
4/9/2007	16:07:44	0.018	0.008	8
4/9/2007	16:22:44	0.015	0.005	5
4/9/2007	16:37:44	0.019	0.009	9
4/9/2007	16:52:44	0.012	0.002	2
4/9/2007	17:07:44	0.008	-0.002	-2
4/9/2007	17:22:44	0.006	-0.004	-4
4/9/2007	17:37:44	0.007	-0.003	-3
4/9/2007	17:52:44	0.008	-0.002	-2
4/9/2007	18:07:44	0.007	-0.003	-3
4/9/2007	18:22:44	0.007	-0.003	-3
4/9/2007	18:37:44	0.007	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/09/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/9/2007 6:48	0		-0.2
2	4/9/2007 7:03	0.1		-0.1
3	4/9/2007 7:18	0.2		0
4	4/9/2007 7:33	0.2		0
5	4/9/2007 7:48	0.2		0
6	4/9/2007 8:03	0.3		0.1
7	4/9/2007 8:18	0.3		0.1
8	4/9/2007 8:33	0.2		0
9	4/9/2007 8:48	0.2		0
10	4/9/2007 9:03	0.3		0.1
11	4/9/2007 9:18	0.3		0.1
12	4/9/2007 9:33	0.3		0.1
13	4/9/2007 9:48	0.3		0.1
14	4/9/2007 10:03	0.3		0.1
15	4/9/2007 10:18	0.3		0.1
16	4/9/2007 10:33	0.3		0.1
17	4/9/2007 10:48	0.2		0
18	4/9/2007 11:03	0.2		0
19	4/9/2007 11:18	0.2		0
20	4/9/2007 11:33	0.2		0
21	4/9/2007 11:48	0.2		0
22	4/9/2007 12:03	0.1		-0.1
23	4/9/2007 12:18	0.1		-0.1
24	4/9/2007 12:33	0.1		-0.1
25	4/9/2007 12:48	0.1		-0.1
26	4/9/2007 13:03	0.2		0
27	4/9/2007 13:18	0		-0.2
28	4/9/2007 13:33	0		-0.2
29	4/9/2007 13:48	0		-0.2
30	4/9/2007 14:03	0.1		-0.1
31	4/9/2007 14:18	0		-0.2
32	4/9/2007 14:33	0.1		-0.1
33	4/9/2007 14:48	0		-0.2
34	4/9/2007 15:03	0		-0.2
35	4/9/2007 15:18	0		-0.2
36	4/9/2007 15:33	0		-0.2
37	4/9/2007 15:48	0		-0.2
38	4/9/2007 16:03	0		-0.2
39	4/9/2007 16:18	0		-0.2
40	4/9/2007 16:33	0		-0.2
41	4/9/2007 16:48	0		-0.2
42	4/9/2007 17:03	0		-0.2
43	4/9/2007 17:18	0		-0.2
44	4/9/2007 17:33	0		-0.2
45	4/9/2007 17:48	0		-0.2
46	4/9/2007 18:03	0		-0.2
47	4/9/2007 18:18	0		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	4/9/2007
Start Time:	6:34:25
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0630) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/9/2007	6:49:25	0.011	-0.001	-1
4/9/2007	7:04:25	0.028	0.016	16
4/9/2007	7:19:25	0.043	0.031	31
4/9/2007	7:34:25	0.036	0.024	24
4/9/2007	7:49:25	0.027	0.015	15
4/9/2007	8:04:25	0.027	0.015	15
4/9/2007	8:19:25	0.043	0.031	31
4/9/2007	8:34:25	0.034	0.022	22
4/9/2007	8:49:25	0.043	0.031	31
4/9/2007	9:04:25	0.029	0.017	17
4/9/2007	9:19:25	0.015	0.003	3
4/9/2007	9:34:25	0.024	0.012	12
4/9/2007	9:49:25	0.017	0.005	5
4/9/2007	10:04:25	0.022	0.01	10
4/9/2007	10:19:25	0.021	0.009	9
4/9/2007	10:34:25	0.016	0.004	4
4/9/2007	10:49:25	0.136	0.124	124
4/9/2007	11:04:25	0.028	0.016	16
4/9/2007	11:19:25	0.016	0.004	4
4/9/2007	11:34:25	0.019	0.007	7
4/9/2007	11:49:25	0.018	0.006	6
4/9/2007	12:04:25	0.018	0.006	6
4/9/2007	12:19:25	0.018	0.006	6
4/9/2007	12:34:25	0.016	0.004	4
4/9/2007	12:49:25	0.017	0.005	5
4/9/2007	13:04:25	0.03	0.018	18
4/9/2007	13:19:25	0.078	0.066	66
4/9/2007	13:34:25	0.016	0.004	4
4/9/2007	13:49:25	0.017	0.005	5
4/9/2007	14:04:25	0.02	0.008	8
4/9/2007	14:19:25	0.018	0.006	6
4/9/2007	14:34:25	0.018	0.006	6
4/9/2007	14:49:25	0.017	0.005	5
4/9/2007	15:04:25	0.024	0.012	12
4/9/2007	15:19:25	0.029	0.017	17
4/9/2007	15:34:25	0.019	0.007	7
4/9/2007	15:49:25	0.025	0.013	13
4/9/2007	16:04:25	0.018	0.006	6
4/9/2007	16:19:25	0.017	0.005	5
4/9/2007	16:34:25	0.013	0.001	1
4/9/2007	16:49:25	0.019	0.007	7
4/9/2007	17:04:25	0.013	0.001	1
4/9/2007	17:19:25	0.009	-0.003	-3
4/9/2007	17:34:25	0.01	-0.002	-2
4/9/2007	17:49:25	0.015	0.003	3
4/9/2007	18:04:25	0.015	0.003	3
4/9/2007	18:19:25	0.011	-0.001	-1
4/9/2007	18:34:25	0.011	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/10/2007 05:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/10/2007 7:09	0.1		0.1
2	4/10/2007 7:24	0.4		0.4
3	4/10/2007 7:39	0.5		0.5
4	4/10/2007 7:54	0.6		0.6
5	4/10/2007 8:09	0.7		0.7
6	4/10/2007 8:24	0.8		0.8
7	4/10/2007 8:39	0.8		0.8
8	4/10/2007 8:54	0.9		0.9
9	4/10/2007 9:09	0.9		0.9
10	4/10/2007 9:24	0.9		0.9
11	4/10/2007 9:39	0.9		0.9
12	4/10/2007 9:54	0.9		0.9
13	4/10/2007 10:09	0.9		0.9
14	4/10/2007 10:24	0.9		0.9
15	4/10/2007 10:39	0.9		0.9
16	4/10/2007 10:54	0.9		0.9
17	4/10/2007 11:09	0.9		0.9
18	4/10/2007 11:24	0.8		0.8
19	4/10/2007 11:39	0.8		0.8
20	4/10/2007 11:54	0.8		0.8
21	4/10/2007 12:09	0.7		0.7
22	4/10/2007 12:24	0.7		0.7
23	4/10/2007 12:39	0.7		0.7
24	4/10/2007 12:54	0.7		0.7
25	4/10/2007 13:09	0.6		0.6
26	4/10/2007 13:24	0.6		0.6
27	4/10/2007 13:39	0.6		0.6
28	4/10/2007 13:54	0.6		0.6
29	4/10/2007 14:09	0.6		0.6
30	4/10/2007 14:24	0.6		0.6
31	4/10/2007 14:39	0.6		0.6
32	4/10/2007 14:54	0.6		0.6
33	4/10/2007 15:09	0.6		0.6
34	4/10/2007 15:24	0.6		0.6
35	4/10/2007 15:39	0.6		0.6
36	4/10/2007 15:54	0.6		0.6
37	4/10/2007 16:09	0.6		0.6
38	4/10/2007 16:24	0.6		0.6
39	4/10/2007 16:39	0.6		0.6
40	4/10/2007 16:54	0.6		0.6
41	4/10/2007 17:09	0.6		0.6
42	4/10/2007 17:24	0.7		0.7
43	4/10/2007 17:39	0.7		0.7
44	4/10/2007 17:54	0.7		0.7
45	4/10/2007 18:09	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/10/2007
Start Time:	6:52:03
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0651) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/10/2007	7:07:03	0.028	-0.003	-3
4/10/2007	7:22:03	0.037	0.006	6
4/10/2007	7:37:03	0.033	0.002	2
4/10/2007	7:52:03	0.062	0.031	31
4/10/2007	8:07:03	0.033	0.002	2
4/10/2007	8:22:03	0.036	0.005	5
4/10/2007	8:37:03	0.035	0.004	4
4/10/2007	8:52:03	0.037	0.006	6
4/10/2007	9:07:03	0.034	0.003	3
4/10/2007	9:22:03	0.032	0.001	1
4/10/2007	9:37:03	0.029	-0.002	-2
4/10/2007	9:52:03	0.028	-0.003	-3
4/10/2007	10:07:03	0.031	0	0
4/10/2007	10:22:03	0.03	-0.001	-1
4/10/2007	10:37:03	0.033	0.002	2
4/10/2007	10:52:03	0.029	-0.002	-2
4/10/2007	11:07:03	0.032	0.001	1
4/10/2007	11:22:03	0.026	-0.005	-5
4/10/2007	11:37:03	0.024	-0.007	-7
4/10/2007	11:52:03	0.025	-0.006	-6
4/10/2007	12:07:03	0.023	-0.008	-8
4/10/2007	12:22:03	0.021	-0.01	-10
4/10/2007	12:37:03	0.018	-0.013	-13
4/10/2007	12:52:03	0.024	-0.007	-7
4/10/2007	13:07:03	0.028	-0.003	-3
4/10/2007	13:22:03	0.017	-0.014	-14
4/10/2007	13:37:03	0.022	-0.009	-9
4/10/2007	13:52:03	0.026	-0.005	-5
4/10/2007	14:07:03	0.024	-0.007	-7
4/10/2007	14:22:03	0.027	-0.004	-4
4/10/2007	14:37:03	0.021	-0.01	-10
4/10/2007	14:52:03	0.019	-0.012	-12
4/10/2007	15:07:03	0.029	-0.002	-2
4/10/2007	15:22:03	0.021	-0.01	-10
4/10/2007	15:37:03	0.017	-0.014	-14
4/10/2007	15:52:03	0.015	-0.016	-16
4/10/2007	16:07:03	0.015	-0.016	-16
4/10/2007	16:22:03	0.015	-0.016	-16
4/10/2007	16:37:03	0.015	-0.016	-16
4/10/2007	16:52:03	0.013	-0.018	-18
4/10/2007	17:07:03	0.015	-0.016	-16
4/10/2007	17:22:03	0.014	-0.017	-17
4/10/2007	17:37:03	0.012	-0.019	-19
4/10/2007	17:52:03	0.045	0.014	14
4/10/2007	18:07:03	0.012	-0.019	-19
4/10/2007	18:22:03	0.011	-0.02	-20

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/10/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/10/2007 6:34	0.1		0.1
2	4/10/2007 6:49	0.1		0.1
3	4/10/2007 7:04	0.2		0.2
4	4/10/2007 7:19	0.2		0.2
5	4/10/2007 7:34	0.3		0.3
6	4/10/2007 7:49	0.3		0.3
7	4/10/2007 8:04	0.3		0.3
8	4/10/2007 8:19	0.4		0.4
9	4/10/2007 8:34	0.4		0.4
10	4/10/2007 8:49	0.4		0.4
11	4/10/2007 9:04	0.4		0.4
12	4/10/2007 9:19	0.4		0.4
13	4/10/2007 9:34	0.4		0.4
14	4/10/2007 9:49	0.4		0.4
15	4/10/2007 10:04	0.4		0.4
16	4/10/2007 10:19	0.5		0.5
17	4/10/2007 10:34	0.5		0.5
18	4/10/2007 10:49	0.5		0.5
19	4/10/2007 11:04	0.5		0.5
20	4/10/2007 11:19	0.5		0.5
21	4/10/2007 11:34	0.5		0.5
22	4/10/2007 11:49	0.5		0.5
23	4/10/2007 12:04	0.5		0.5
24	4/10/2007 12:19	0.5		0.5
25	4/10/2007 12:34	0.5		0.5
26	4/10/2007 12:49	0.5		0.5
27	4/10/2007 13:04	0.5		0.5
28	4/10/2007 13:19	0.6		0.6
29	4/10/2007 13:34	0.6		0.6
30	4/10/2007 13:49	0.6		0.6
31	4/10/2007 14:04	0.6		0.6
32	4/10/2007 14:19	0.6		0.6
33	4/10/2007 14:34	0.6		0.6
34	4/10/2007 14:49	0.6		0.6
35	4/10/2007 15:04	0.6		0.6
36	4/10/2007 15:19	0.6		0.6
37	4/10/2007 15:34	0.6		0.6
38	4/10/2007 15:49	0.6		0.6
39	4/10/2007 16:04	0.6		0.6
40	4/10/2007 16:19	0.6		0.6
41	4/10/2007 16:34	0.6		0.6
42	4/10/2007 16:49	0.6		0.6
43	4/10/2007 17:04	0.6		0.6
44	4/10/2007 17:19	0.6		0.6
45	4/10/2007 17:34	0.7		0.7
46	4/10/2007 17:49	0.6		0.6
47	4/10/2007 18:04	0.6		0.6
48	4/10/2007 18:19	0.7		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	4/10/2007
Start Time:	6:22:33
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0620) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/10/2007	6:37:33	0.013	0.002	2
4/10/2007	6:52:33	0.014	0.003	3
4/10/2007	7:07:33	0.016	0.005	5
4/10/2007	7:22:33	0.018	0.007	7
4/10/2007	7:37:33	0.018	0.007	7
4/10/2007	7:52:33	0.017	0.006	6
4/10/2007	8:07:33	0.018	0.007	7
4/10/2007	8:22:33	0.018	0.007	7
4/10/2007	8:37:33	0.02	0.009	9
4/10/2007	8:52:33	0.018	0.007	7
4/10/2007	9:07:33	0.017	0.006	6
4/10/2007	9:22:33	0.017	0.006	6
4/10/2007	9:37:33	0.017	0.006	6
4/10/2007	9:52:33	0.017	0.006	6
4/10/2007	10:07:33	0.015	0.004	4
4/10/2007	10:22:33	0.015	0.004	4
4/10/2007	10:37:33	0.014	0.003	3
4/10/2007	10:52:33	0.013	0.002	2
4/10/2007	11:07:33	0.012	0.001	1
4/10/2007	11:22:33	0.012	0.001	1
4/10/2007	11:37:33	0.011	0	0
4/10/2007	11:52:33	0.013	0.002	2
4/10/2007	12:07:33	0.012	0.001	1
4/10/2007	12:22:33	0.012	0.001	1
4/10/2007	12:37:33	0.01	-0.001	-1
4/10/2007	12:52:33	0.01	-0.001	-1
4/10/2007	13:07:33	0.011	0	0
4/10/2007	13:22:33	0.009	-0.002	-2
4/10/2007	13:37:33	0.009	-0.002	-2
4/10/2007	13:52:33	0.013	0.002	2
4/10/2007	14:07:33	0.012	0.001	1
4/10/2007	14:22:33	0.009	-0.002	-2
4/10/2007	14:37:33	0.013	0.002	2
4/10/2007	14:52:33	0.009	-0.002	-2
4/10/2007	15:07:33	0.009	-0.002	-2
4/10/2007	15:22:33	0.011	0	0
4/10/2007	15:37:33	0.012	0.001	1
4/10/2007	15:52:33	0.011	0	0
4/10/2007	16:07:33	0.008	-0.003	-3
4/10/2007	16:22:33	0.008	-0.003	-3
4/10/2007	16:37:33	0.009	-0.002	-2
4/10/2007	16:52:33	0.008	-0.003	-3
4/10/2007	17:07:33	0.008	-0.003	-3
4/10/2007	17:22:33	0.008	-0.003	-3
4/10/2007	17:37:33	0.007	-0.004	-4
4/10/2007	17:52:33	0.007	-0.004	-4
4/10/2007	18:07:33	0.008	-0.003	-3
4/10/2007	18:22:33	0.007	-0.004	-4
4/10/2007	18:37:33	0.006	-0.005	-5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/10/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/10/2007 6:54	0.1		0
2	4/10/2007 7:09	0.3		0.2
3	4/10/2007 7:24	0.4		0.3
4	4/10/2007 7:39	0.5		0.4
5	4/10/2007 7:54	0.6		0.5
6	4/10/2007 8:09	0.7		0.6
7	4/10/2007 8:24	0.7		0.6
8	4/10/2007 8:39	0.7		0.6
9	4/10/2007 8:54	0.8		0.7
10	4/10/2007 9:09	0.8		0.7
11	4/10/2007 9:24	0.8		0.7
12	4/10/2007 9:39	0.8		0.7
13	4/10/2007 9:54	0.9		0.8
14	4/10/2007 10:09	0.9		0.8
15	4/10/2007 10:24	0.9		0.8
16	4/10/2007 10:39	0.9		0.8
17	4/10/2007 10:54	0.9		0.8
18	4/10/2007 11:09	0.9		0.8
19	4/10/2007 11:24	0.9		0.8
20	4/10/2007 11:39	0.9		0.8
21	4/10/2007 11:54	1		0.9
22	4/10/2007 12:09	1		0.9
23	4/10/2007 12:24	1		0.9
24	4/10/2007 12:39	1		0.9
25	4/10/2007 12:54	1		0.9
26	4/10/2007 13:09	1		0.9
27	4/10/2007 13:24	1		0.9
28	4/10/2007 13:39	1		0.9
29	4/10/2007 13:54	1		0.9
30	4/10/2007 14:09	1		0.9
31	4/10/2007 14:24	1		0.9
32	4/10/2007 14:39	1.1		1
33	4/10/2007 14:54	1.1		1
34	4/10/2007 15:09	1.1		1
35	4/10/2007 15:24	1.1		1
36	4/10/2007 15:39	1.1		1
37	4/10/2007 15:54	1.1		1
38	4/10/2007 16:09	1.1		1
39	4/10/2007 16:24	1.1		1
40	4/10/2007 16:39	1.1		1
41	4/10/2007 16:54	1.1		1
42	4/10/2007 17:09	1.1		1
43	4/10/2007 17:24	1.1		1
44	4/10/2007 17:39	1.1		1
45	4/10/2007 17:54	1.1		1
46	4/10/2007 18:09	1.1		1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	4/10/2007
Start Time:	6:40:44
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0634) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/10/2007	6:55:44	0.02	0.003	3
4/10/2007	7:10:44	0.022	0.005	5
4/10/2007	7:25:44	0.023	0.006	6
4/10/2007	7:40:44	0.023	0.006	6
4/10/2007	7:55:44	0.024	0.007	7
4/10/2007	8:10:44	0.024	0.007	7
4/10/2007	8:25:44	0.025	0.008	8
4/10/2007	8:40:44	0.028	0.011	11
4/10/2007	8:55:44	0.027	0.01	10
4/10/2007	9:10:44	0.025	0.008	8
4/10/2007	9:25:44	0.026	0.009	9
4/10/2007	9:40:44	0.025	0.008	8
4/10/2007	9:55:44	0.024	0.007	7
4/10/2007	10:10:44	0.023	0.006	6
4/10/2007	10:25:44	0.02	0.003	3
4/10/2007	10:40:44	0.021	0.004	4
4/10/2007	10:55:44	0.019	0.002	2
4/10/2007	11:10:44	0.017	0	0
4/10/2007	11:25:44	0.019	0.002	2
4/10/2007	11:40:44	0.016	-0.001	-1
4/10/2007	11:55:44	0.018	0.001	1
4/10/2007	12:10:44	0.015	-0.002	-2
4/10/2007	12:25:44	0.017	0	0
4/10/2007	12:40:44	0.015	-0.002	-2
4/10/2007	12:55:44	0.014	-0.003	-3
4/10/2007	13:10:44	0.019	0.002	2
4/10/2007	13:25:44	0.014	-0.003	-3
4/10/2007	13:40:44	0.013	-0.004	-4
4/10/2007	13:55:44	0.022	0.005	5
4/10/2007	14:10:44	0.014	-0.003	-3
4/10/2007	14:25:44	0.012	-0.005	-5
4/10/2007	14:40:44	0.015	-0.002	-2
4/10/2007	14:55:44	0.012	-0.005	-5
4/10/2007	15:10:44	0.012	-0.005	-5
4/10/2007	15:25:44	0.015	-0.002	-2
4/10/2007	15:40:44	0.014	-0.003	-3
4/10/2007	15:55:44	0.013	-0.004	-4
4/10/2007	16:10:44	0.013	-0.004	-4
4/10/2007	16:25:44	0.012	-0.005	-5
4/10/2007	16:40:44	0.011	-0.006	-6
4/10/2007	16:55:44	0.011	-0.006	-6
4/10/2007	17:10:44	0.011	-0.006	-6
4/10/2007	17:25:44	0.011	-0.006	-6
4/10/2007	17:40:44	0.01	-0.007	-7
4/10/2007	17:55:44	0.01	-0.007	-7
4/10/2007	18:10:44	0.01	-0.007	-7
4/10/2007	18:25:44	0.009	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/10/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0637) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/10/2007 6:51	0		-0.1
2	4/10/2007 7:06	0.1		0
3	4/10/2007 7:21	0.2		0.1
4	4/10/2007 7:36	0.2		0.1
5	4/10/2007 7:51	0.2		0.1
6	4/10/2007 8:06	0.3		0.2
7	4/10/2007 8:21	0.4		0.3
8	4/10/2007 8:36	0.4		0.3
9	4/10/2007 8:51	0.4		0.3
10	4/10/2007 9:06	0.3		0.2
11	4/10/2007 9:21	0.4		0.3
12	4/10/2007 9:36	0.4		0.3
13	4/10/2007 9:51	0.4		0.3
14	4/10/2007 10:06	0.4		0.3
15	4/10/2007 10:21	0.3		0.2
16	4/10/2007 10:36	0.3		0.2
17	4/10/2007 10:51	0.2		0.1
18	4/10/2007 11:06	0.2		0.1
19	4/10/2007 11:21	0.2		0.1
20	4/10/2007 11:36	0.2		0.1
21	4/10/2007 11:51	0.1		0
22	4/10/2007 12:06	0.1		0
23	4/10/2007 12:21	0.1		0
24	4/10/2007 12:36	0.1		0
25	4/10/2007 12:51	0.1		0
26	4/10/2007 13:06	0.1		0
27	4/10/2007 13:21	0		-0.1
28	4/10/2007 13:36	0		-0.1
29	4/10/2007 13:51	0		-0.1
30	4/10/2007 14:06	0		-0.1
31	4/10/2007 14:21	0		-0.1
32	4/10/2007 14:36	0		-0.1
33	4/10/2007 14:51	0		-0.1
34	4/10/2007 15:06	0		-0.1
35	4/10/2007 15:21	0		-0.1
36	4/10/2007 15:36	0		-0.1
37	4/10/2007 15:51	0		-0.1
38	4/10/2007 16:06	0		-0.1
39	4/10/2007 16:21	0		-0.1
40	4/10/2007 16:36	0		-0.1
41	4/10/2007 16:51	0		-0.1
42	4/10/2007 17:06	0		-0.1
43	4/10/2007 17:21	0		-0.1
44	4/10/2007 17:36	0		-0.1
45	4/10/2007 17:51	0		-0.1
46	4/10/2007 18:06	0		-0.1
47	4/10/2007 18:21	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	4/10/2007
Start Time:	6:37:12
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0637) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/10/2007	6:52:12	0.02	0.002	2
4/10/2007	7:07:12	0.021	0.003	3
4/10/2007	7:22:12	0.033	0.015	15
4/10/2007	7:37:12	0.045	0.027	27
4/10/2007	7:52:12	0.036	0.018	18
4/10/2007	8:07:12	0.033	0.015	15
4/10/2007	8:22:12	0.035	0.017	17
4/10/2007	8:37:12	0.037	0.019	19
4/10/2007	8:52:12	0.036	0.018	18
4/10/2007	9:07:12	0.037	0.019	19
4/10/2007	9:22:12	0.03	0.012	12
4/10/2007	9:37:12	0.026	0.008	8
4/10/2007	9:52:12	0.028	0.01	10
4/10/2007	10:07:12	0.029	0.011	11
4/10/2007	10:22:12	0.037	0.019	19
4/10/2007	10:37:12	0.028	0.01	10
4/10/2007	10:52:12	0.05	0.032	32
4/10/2007	11:07:12	0.024	0.006	6
4/10/2007	11:22:12	0.031	0.013	13
4/10/2007	11:37:12	0.026	0.008	8
4/10/2007	11:52:12	0.021	0.003	3
4/10/2007	12:07:12	0.019	0.001	1
4/10/2007	12:22:12	0.017	-0.001	-1
4/10/2007	12:37:12	0.017	-0.001	-1
4/10/2007	12:52:12	0.016	-0.002	-2
4/10/2007	13:07:12	0.026	0.008	8
4/10/2007	13:22:12	0.024	0.006	6
4/10/2007	13:37:12	0.019	0.001	1
4/10/2007	13:52:12	0.022	0.004	4
4/10/2007	14:07:12	0.019	0.001	1
4/10/2007	14:22:12	0.02	0.002	2
4/10/2007	14:37:12	0.019	0.001	1
4/10/2007	14:52:12	0.018	0	0
4/10/2007	15:07:12	0.024	0.006	6
4/10/2007	15:22:12	0.039	0.021	21
4/10/2007	15:37:12	0.021	0.003	3
4/10/2007	15:52:12	0.035	0.017	17
4/10/2007	16:07:12	0.016	-0.002	-2
4/10/2007	16:22:12	0.013	-0.005	-5
4/10/2007	16:37:12	0.013	-0.005	-5
4/10/2007	16:52:12	0.012	-0.006	-6
4/10/2007	17:07:12	0.024	0.006	6
4/10/2007	17:22:12	0.015	-0.003	-3
4/10/2007	17:37:12	0.011	-0.007	-7
4/10/2007	17:52:12	0.015	-0.003	-3
4/10/2007	18:07:12	0.011	-0.007	-7
4/10/2007	18:22:12	0.011	-0.007	-7
4/10/2007	18:37:12	0.01	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/11/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0639) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/11/2007 6:59	0.1		0.1
2	4/11/2007 7:14	0.4		0.4
3	4/11/2007 7:29	0.6		0.6
4	4/11/2007 7:44	0.7		0.7
5	4/11/2007 7:59	0.8		0.8
6	4/11/2007 8:14	0.9		0.9
7	4/11/2007 8:29	0.9		0.9
8	4/11/2007 8:44	0.9		0.9
9	4/11/2007 8:59	0.9		0.9
10	4/11/2007 9:14	1		1
11	4/11/2007 9:29	1		1
12	4/11/2007 9:44	1		1
13	4/11/2007 9:59	0.9		0.9
14	4/11/2007 10:14	0.9		0.9
15	4/11/2007 10:29	0.9		0.9
16	4/11/2007 10:44	0.9		0.9
17	4/11/2007 10:59	0.9		0.9
18	4/11/2007 11:14	0.9		0.9
19	4/11/2007 11:29	0.8		0.8
20	4/11/2007 11:44	0.8		0.8
21	4/11/2007 11:59	0.7		0.7
22	4/11/2007 12:14	0.6		0.6
23	4/11/2007 12:29	0.6		0.6
24	4/11/2007 12:44	0.7		0.7
25	4/11/2007 12:59	0.7		0.7
26	4/11/2007 13:14	0.8		0.8
27	4/11/2007 13:29	0.8		0.8
28	4/11/2007 13:44	0.8		0.8
29	4/11/2007 13:59	0.8		0.8
30	4/11/2007 14:14	0.7		0.7
31	4/11/2007 14:29	0.7		0.7
32	4/11/2007 14:44	0.8		0.8
33	4/11/2007 14:59	0.8		0.8
34	4/11/2007 15:14	0.8		0.8
35	4/11/2007 15:29	0.7		0.7
36	4/11/2007 15:44	0.7		0.7
37	4/11/2007 15:59	0.8		0.8
38	4/11/2007 16:14	0.9		0.9
39	4/11/2007 16:29	1.1		1.1
40	4/11/2007 16:44	1.1		1.1
41	4/11/2007 16:59	1.2		1.2
42	4/11/2007 17:14	1.3		1.3
43	4/11/2007 17:29	1.3		1.3
44	4/11/2007 17:44	1.3		1.3
45	4/11/2007 17:59	1.4		1.4
46	4/11/2007 18:14	1.4		1.4
47	4/11/2007 18:29	1.5		1.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/11/2007
Start Time:	6:39:41
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0639) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/11/2007	6:54:41	0.027	0.007	7
4/11/2007	7:09:41	0.025	0.005	5
4/11/2007	7:24:41	0.026	0.006	6
4/11/2007	7:39:41	0.022	0.002	2
4/11/2007	7:54:41	0.019	-0.001	-1
4/11/2007	8:09:41	0.022	0.002	2
4/11/2007	8:24:41	0.024	0.004	4
4/11/2007	8:39:41	0.02	0	0
4/11/2007	8:54:41	0.024	0.004	4
4/11/2007	9:09:41	0.021	0.001	1
4/11/2007	9:24:41	0.023	0.003	3
4/11/2007	9:39:41	0.024	0.004	4
4/11/2007	9:54:41	0.025	0.005	5
4/11/2007	10:09:41	0.025	0.005	5
4/11/2007	10:24:41	0.023	0.003	3
4/11/2007	10:39:41	0.022	0.002	2
4/11/2007	10:54:41	0.023	0.003	3
4/11/2007	11:09:41	0.026	0.006	6
4/11/2007	11:24:41	0.026	0.006	6
4/11/2007	11:39:41	0.027	0.007	7
4/11/2007	11:54:41	0.028	0.008	8
4/11/2007	12:09:41	0.027	0.007	7
4/11/2007	12:24:41	0.024	0.004	4
4/11/2007	12:39:41	0.021	0.001	1
4/11/2007	12:54:41	0.019	-0.001	-1
4/11/2007	13:09:41	0.019	-0.001	-1
4/11/2007	13:24:41	0.019	-0.001	-1
4/11/2007	13:39:41	0.02	0	0
4/11/2007	13:54:41	0.02	0	0
4/11/2007	14:09:41	0.02	0	0
4/11/2007	14:24:41	0.02	0	0
4/11/2007	14:39:41	0.02	0	0
4/11/2007	14:54:41	0.019	-0.001	-1
4/11/2007	15:09:41	0.019	-0.001	-1
4/11/2007	15:24:41	0.02	0	0
4/11/2007	15:39:41	0.02	0	0
4/11/2007	15:54:41	0.021	0.001	1
4/11/2007	16:09:41	0.021	0.001	1
4/11/2007	16:24:41	0.022	0.002	2
4/11/2007	16:39:41	0.022	0.002	2
4/11/2007	16:54:41	0.022	0.002	2
4/11/2007	17:09:41	0.022	0.002	2
4/11/2007	17:24:41	0.024	0.004	4
4/11/2007	17:39:41	0.023	0.003	3
4/11/2007	17:54:41	0.023	0.003	3
4/11/2007	18:09:41	0.023	0.003	3
4/11/2007	18:24:41	0.022	0.002	2
4/11/2007	18:39:41	0.022	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/11/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/11/2007 6:30	0		-0.1
2	4/11/2007 6:45	0		-0.1
3	4/11/2007 7:00	0.1		0
4	4/11/2007 7:15	0.1		0
5	4/11/2007 7:30	0.1		0
6	4/11/2007 7:45	0.2		0.1
7	4/11/2007 8:00	0.2		0.1
8	4/11/2007 8:15	0.2		0.1
9	4/11/2007 8:30	0.2		0.1
10	4/11/2007 8:45	0.3		0.2
11	4/11/2007 9:00	0.3		0.2
12	4/11/2007 9:15	0.3		0.2
13	4/11/2007 9:30	0.3		0.2
14	4/11/2007 9:45	0.3		0.2
15	4/11/2007 10:00	0.3		0.2
16	4/11/2007 10:15	0.3		0.2
17	4/11/2007 10:30	0.3		0.2
18	4/11/2007 10:45	0.3		0.2
19	4/11/2007 11:00	0.4		0.3
20	4/11/2007 11:15	0.4		0.3
21	4/11/2007 11:30	0.4		0.3
22	4/11/2007 11:45	0.4		0.3
23	4/11/2007 12:00	0.4		0.3
24	4/11/2007 12:15	0.4		0.3
25	4/11/2007 12:30	0.4		0.3
26	4/11/2007 12:45	0.4		0.3
27	4/11/2007 13:00	0.4		0.3
28	4/11/2007 13:15	0.4		0.3
29	4/11/2007 13:30	0.4		0.3
30	4/11/2007 13:45	0.4		0.3
31	4/11/2007 14:00	0.4		0.3
32	4/11/2007 14:15	0.4		0.3
33	4/11/2007 14:30	0.4		0.3
34	4/11/2007 14:45	0.4		0.3
35	4/11/2007 15:00	0.4		0.3
36	4/11/2007 15:15	0.4		0.3
37	4/11/2007 15:30	0.4		0.3
38	4/11/2007 15:45	0.4		0.3
39	4/11/2007 16:00	0.5		0.4
40	4/11/2007 16:15	0.5		0.4
41	4/11/2007 16:30	0.5		0.4
42	4/11/2007 16:45	0.5		0.4
43	4/11/2007 17:00	0.5		0.4
44	4/11/2007 17:15	0.5		0.4
45	4/11/2007 17:30	0.5		0.4
46	4/11/2007 17:45	0.5		0.4
47	4/11/2007 18:00	0.5		0.4
48	4/11/2007 18:15	0.5		0.4
49	4/11/2007 18:30	0.5		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	4/11/2007
Start Time:	6:19:06
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0615) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/11/2007	6:34:06	0.01	0.002	2
4/11/2007	6:49:06	0.011	0.003	3
4/11/2007	7:04:06	0.016	0.008	8
4/11/2007	7:19:06	0.016	0.008	8
4/11/2007	7:34:06	0.012	0.004	4
4/11/2007	7:49:06	0.011	0.003	3
4/11/2007	8:04:06	0.011	0.003	3
4/11/2007	8:19:06	0.01	0.002	2
4/11/2007	8:34:06	0.011	0.003	3
4/11/2007	8:49:06	0.011	0.003	3
4/11/2007	9:04:06	0.011	0.003	3
4/11/2007	9:19:06	0.013	0.005	5
4/11/2007	9:34:06	0.013	0.005	5
4/11/2007	9:49:06	0.014	0.006	6
4/11/2007	10:04:06	0.015	0.007	7
4/11/2007	10:19:06	0.015	0.007	7
4/11/2007	10:34:06	0.014	0.006	6
4/11/2007	10:49:06	0.013	0.005	5
4/11/2007	11:04:06	0.014	0.006	6
4/11/2007	11:19:06	0.016	0.008	8
4/11/2007	11:34:06	0.015	0.007	7
4/11/2007	11:49:06	0.017	0.009	9
4/11/2007	12:04:06	0.017	0.009	9
4/11/2007	12:19:06	0.016	0.008	8
4/11/2007	12:34:06	0.013	0.005	5
4/11/2007	12:49:06	0.011	0.003	3
4/11/2007	13:04:06	0.011	0.003	3
4/11/2007	13:19:06	0.012	0.004	4
4/11/2007	13:34:06	0.011	0.003	3
4/11/2007	13:49:06	0.012	0.004	4
4/11/2007	14:04:06	0.012	0.004	4
4/11/2007	14:19:06	0.012	0.004	4
4/11/2007	14:34:06	0.012	0.004	4
4/11/2007	14:49:06	0.012	0.004	4
4/11/2007	15:04:06	0.012	0.004	4
4/11/2007	15:19:06	0.013	0.005	5
4/11/2007	15:34:06	0.013	0.005	5
4/11/2007	15:49:06	0.013	0.005	5
4/11/2007	16:04:06	0.013	0.005	5
4/11/2007	16:19:06	0.014	0.006	6
4/11/2007	16:34:06	0.014	0.006	6
4/11/2007	16:49:06	0.013	0.005	5
4/11/2007	17:04:06	0.013	0.005	5
4/11/2007	17:19:06	0.015	0.007	7
4/11/2007	17:34:06	0.015	0.007	7
4/11/2007	17:49:06	0.014	0.006	6
4/11/2007	18:04:06	0.014	0.006	6
4/11/2007	18:19:06	0.013	0.005	5
4/11/2007	18:34:06	0.012	0.004	4
4/11/2007	18:49:06	0.013	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/11/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0631) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/11/2007 6:53	0.1		0
2	4/11/2007 7:08	0.3		0.2
3	4/11/2007 7:23	0.4		0.3
4	4/11/2007 7:38	0.5		0.4
5	4/11/2007 7:53	0.6		0.5
6	4/11/2007 8:08	0.7		0.6
7	4/11/2007 8:23	0.7		0.6
8	4/11/2007 8:38	0.7		0.6
9	4/11/2007 8:53	0.7		0.6
10	4/11/2007 9:08	0.8		0.7
11	4/11/2007 9:23	0.8		0.7
12	4/11/2007 9:38	0.8		0.7
13	4/11/2007 9:53	0.8		0.7
14	4/11/2007 10:08	0.8		0.7
15	4/11/2007 10:23	0.8		0.7
16	4/11/2007 10:38	0.8		0.7
17	4/11/2007 10:53	0.9		0.8
18	4/11/2007 11:08	0.8		0.7
19	4/11/2007 11:23	0.8		0.7
20	4/11/2007 11:38	0.9		0.8
21	4/11/2007 11:53	0.9		0.8
22	4/11/2007 12:08	0.9		0.8
23	4/11/2007 12:23	0.9		0.8
24	4/11/2007 12:38	0.9		0.8
25	4/11/2007 12:53	0.9		0.8
26	4/11/2007 13:08	0.9		0.8
27	4/11/2007 13:23	0.9		0.8
28	4/11/2007 13:38	0.9		0.8
29	4/11/2007 13:53	0.9		0.8
30	4/11/2007 14:08	0.9		0.8
31	4/11/2007 14:23	0.9		0.8
32	4/11/2007 14:38	0.9		0.8
33	4/11/2007 14:53	0.9		0.8
34	4/11/2007 15:08	0.9		0.8
35	4/11/2007 15:23	0.9		0.8
36	4/11/2007 15:38	0.9		0.8
37	4/11/2007 15:53	0.9		0.8
38	4/11/2007 16:08	0.9		0.8
39	4/11/2007 16:23	0.9		0.8
40	4/11/2007 16:38	1		0.9
41	4/11/2007 16:53	0.9		0.8
42	4/11/2007 17:08	0.9		0.8
43	4/11/2007 17:23	1		0.9
44	4/11/2007 17:38	1		0.9
45	4/11/2007 17:53	0.9		0.8
46	4/11/2007 18:08	1		0.9
47	4/11/2007 18:23	1		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	4/11/2007
Start Time:	6:40:21
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0631) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/11/2007	6:55:21	0.017	0.007	7
4/11/2007	7:10:21	0.021	0.011	11
4/11/2007	7:25:21	0.017	0.007	7
4/11/2007	7:40:21	0.03	0.02	20
4/11/2007	7:55:21	0.02	0.01	10
4/11/2007	8:10:21	0.018	0.008	8
4/11/2007	8:25:21	0.016	0.006	6
4/11/2007	8:40:21	0.015	0.005	5
4/11/2007	8:55:21	0.016	0.006	6
4/11/2007	9:10:21	0.017	0.007	7
4/11/2007	9:25:21	0.019	0.009	9
4/11/2007	9:40:21	0.019	0.009	9
4/11/2007	9:55:21	0.02	0.01	10
4/11/2007	10:10:21	0.023	0.013	13
4/11/2007	10:25:21	0.02	0.01	10
4/11/2007	10:40:21	0.022	0.012	12
4/11/2007	10:55:21	0.021	0.011	11
4/11/2007	11:10:21	0.027	0.017	17
4/11/2007	11:25:21	0.024	0.014	14
4/11/2007	11:40:21	0.023	0.013	13
4/11/2007	11:55:21	0.024	0.014	14
4/11/2007	12:10:21	0.024	0.014	14
4/11/2007	12:25:21	0.022	0.012	12
4/11/2007	12:40:21	0.016	0.006	6
4/11/2007	12:55:21	0.016	0.006	6
4/11/2007	13:10:21	0.016	0.006	6
4/11/2007	13:25:21	0.017	0.007	7
4/11/2007	13:40:21	0.018	0.008	8
4/11/2007	13:55:21	0.017	0.007	7
4/11/2007	14:10:21	0.017	0.007	7
4/11/2007	14:25:21	0.017	0.007	7
4/11/2007	14:40:21	0.016	0.006	6
4/11/2007	14:55:21	0.017	0.007	7
4/11/2007	15:10:21	0.016	0.006	6
4/11/2007	15:25:21	0.017	0.007	7
4/11/2007	15:40:21	0.016	0.006	6
4/11/2007	15:55:21	0.019	0.009	9
4/11/2007	16:10:21	0.018	0.008	8
4/11/2007	16:25:21	0.019	0.009	9
4/11/2007	16:40:21	0.019	0.009	9
4/11/2007	16:55:21	0.018	0.008	8
4/11/2007	17:10:21	0.018	0.008	8
4/11/2007	17:25:21	0.02	0.01	10
4/11/2007	17:40:21	0.021	0.011	11
4/11/2007	17:55:21	0.02	0.01	10
4/11/2007	18:10:21	0.019	0.009	9
4/11/2007	18:25:21	0.019	0.009	9
4/11/2007	18:40:21	0.018	0.008	8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/11/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/11/2007 6:50	0		0
2	4/11/2007 7:05	0		0
3	4/11/2007 7:20	0		0
4	4/11/2007 7:35	0		0
5	4/11/2007 7:50	0		0
6	4/11/2007 8:05	0		0
7	4/11/2007 8:20	0		0
8	4/11/2007 8:35	0		0
9	4/11/2007 8:50	0		0
10	4/11/2007 9:05	0		0
11	4/11/2007 9:20	0		0
12	4/11/2007 9:35	0		0
13	4/11/2007 9:50	0		0
14	4/11/2007 10:05	0		0
15	4/11/2007 10:20	0		0
16	4/11/2007 10:35	0		0
17	4/11/2007 10:50	0		0
18	4/11/2007 11:05	0		0
19	4/11/2007 11:20	0		0
20	4/11/2007 11:35	0		0
21	4/11/2007 11:50	0		0
22	4/11/2007 12:05	0		0
23	4/11/2007 12:20	0		0
24	4/11/2007 12:35	0		0
25	4/11/2007 12:50	0		0
26	4/11/2007 13:05	0		0
27	4/11/2007 13:20	0		0
28	4/11/2007 13:35	0		0
29	4/11/2007 13:50	0		0
30	4/11/2007 14:05	0		0
31	4/11/2007 14:20	0		0
32	4/11/2007 14:35	0		0
33	4/11/2007 14:50	0		0
34	4/11/2007 15:05	0		0
35	4/11/2007 15:20	0		0
36	4/11/2007 15:35	0		0
37	4/11/2007 15:50	0		0
38	4/11/2007 16:05	0		0
39	4/11/2007 16:20	0		0
40	4/11/2007 16:35	0		0
41	4/11/2007 16:50	0		0
42	4/11/2007 17:05	0		0
43	4/11/2007 17:20	0		0
44	4/11/2007 17:35	0		0
45	4/11/2007 17:50	0		0
46	4/11/2007 18:05	0		0
47	4/11/2007 18:20	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	4/11/2007
Start Time:	6:36:52
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0633) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/11/2007	6:51:52	0.014	0	0
4/11/2007	7:06:52	0.018	0.004	4
4/11/2007	7:21:52	0.017	0.003	3
4/11/2007	7:36:52	0.015	0.001	1
4/11/2007	7:51:52	0.019	0.005	5
4/11/2007	8:06:52	0.017	0.003	3
4/11/2007	8:21:52	0.014	0	0
4/11/2007	8:36:52	0.018	0.004	4
4/11/2007	8:51:52	0.02	0.006	6
4/11/2007	9:06:52	0.033	0.019	19
4/11/2007	9:21:52	0.022	0.008	8
4/11/2007	9:36:52	0.018	0.004	4
4/11/2007	9:51:52	0.02	0.006	6
4/11/2007	10:06:52	0.023	0.009	9
4/11/2007	10:21:52	0.036	0.022	22
4/11/2007	10:36:52	0.036	0.022	22
4/11/2007	10:51:52	0.039	0.025	25
4/11/2007	11:06:52	0.032	0.018	18
4/11/2007	11:21:52	0.027	0.013	13
4/11/2007	11:36:52	0.03	0.016	16
4/11/2007	11:51:52	0.03	0.016	16
4/11/2007	12:06:52	0.031	0.017	17
4/11/2007	12:21:52	0.031	0.017	17
4/11/2007	12:36:52	0.018	0.004	4
4/11/2007	12:51:52	0.02	0.006	6
4/11/2007	13:06:52	0.025	0.011	11
4/11/2007	13:21:52	0.025	0.011	11
4/11/2007	13:36:52	0.022	0.008	8
4/11/2007	13:51:52	0.023	0.009	9
4/11/2007	14:06:52	0.027	0.013	13
4/11/2007	14:21:52	0.024	0.01	10
4/11/2007	14:36:52	0.023	0.009	9
4/11/2007	14:51:52	0.021	0.007	7
4/11/2007	15:06:52	0.02	0.006	6
4/11/2007	15:21:52	0.018	0.004	4
4/11/2007	15:36:52	0.02	0.006	6
4/11/2007	15:51:52	0.021	0.007	7
4/11/2007	16:06:52	0.016	0.002	2
4/11/2007	16:21:52	0.018	0.004	4
4/11/2007	16:36:52	0.02	0.006	6
4/11/2007	16:51:52	0.016	0.002	2
4/11/2007	17:06:52	0.019	0.005	5
4/11/2007	17:21:52	0.028	0.014	14
4/11/2007	17:36:52	0.02	0.006	6
4/11/2007	17:51:52	0.018	0.004	4
4/11/2007	18:06:52	0.024	0.01	10
4/11/2007	18:21:52	0.025	0.011	11
4/11/2007	18:36:52	0.025	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159

User ID: 00000001 Site ID: 00000041

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 04/12/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/12/2007 6:56	0		0
2	4/12/2007 7:11	0		0
3	4/12/2007 7:26	0		0
4	4/12/2007 7:41	0		0
5	4/12/2007 7:56	0		0
6	4/12/2007 8:11	0		0
7	4/12/2007 8:26	0		0
8	4/12/2007 8:41	0		0
9	4/12/2007 8:56	0		0
10	4/12/2007 9:11	0		0
11	4/12/2007 9:26	0		0
12	4/12/2007 9:41	0		0
13	4/12/2007 9:56	0		0
14	4/12/2007 10:11	0		0
15	4/12/2007 10:26	0		0
16	4/12/2007 10:41	0		0
17	4/12/2007 10:56	0		0
18	4/12/2007 11:11	0		0
19	4/12/2007 11:26	0		0
20	4/12/2007 11:41	0		0
21	4/12/2007 11:56	0		0
22	4/12/2007 12:11	0		0
23	4/12/2007 12:26	0		0
24	4/12/2007 12:41	0		0
25	4/12/2007 12:56	0		0
26	4/12/2007 13:11	0		0
27	4/12/2007 13:26	0		0
28	4/12/2007 13:41	0		0
29	4/12/2007 13:56	0		0
30	4/12/2007 14:11	0		0
31	4/12/2007 14:26	0		0
32	4/12/2007 14:41	0		0
33	4/12/2007 14:56	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201588
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/12/2007
Start Time:	6:41:25
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0640) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/12/2007	6:56:25	0.036	0.023	23
4/12/2007	7:11:25	0.032	0.019	19
4/12/2007	7:26:25	0.032	0.019	19
4/12/2007	7:41:25	0.033	0.02	20
4/12/2007	7:56:25	0.035	0.022	22
4/12/2007	8:11:25	0.036	0.023	23
4/12/2007	8:26:25	0.066	0.053	53
4/12/2007	8:41:25	0.086	0.073	73
4/12/2007	8:56:25	0.046	0.033	33
4/12/2007	9:11:25	0.043	0.03	30
4/12/2007	9:26:25	0.04	0.027	27
4/12/2007	9:41:25	0.042	0.029	29
4/12/2007	9:56:25	0.035	0.022	22
4/12/2007	10:11:25	0.039	0.026	26
4/12/2007	10:26:25	0.04	0.027	27
4/12/2007	10:41:25	0.04	0.027	27
4/12/2007	10:56:25	0.038	0.025	25
4/12/2007	11:11:25	0.035	0.022	22
4/12/2007	11:26:25	0.03	0.017	17
4/12/2007	11:41:25	0.027	0.014	14
4/12/2007	11:56:25	0.028	0.015	15
4/12/2007	12:11:25	0.027	0.014	14
4/12/2007	12:26:25	0.026	0.013	13
4/12/2007	12:41:25	0.024	0.011	11
4/12/2007	12:56:25	0.023	0.01	10
4/12/2007	13:11:25	0.027	0.014	14
4/12/2007	13:26:25	0.018	0.005	5
4/12/2007	13:41:25	0.023	0.01	10
4/12/2007	13:56:25	0.018	0.005	5
4/12/2007	14:11:25	0.016	0.003	3
4/12/2007	14:26:25	0.014	0.001	1
4/12/2007	14:41:25	0.012	-0.001	-1
4/12/2007	14:56:25	0.012	-0.001	-1
4/12/2007	15:11:25	0.012	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/12/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/12/2007 6:56	0		0
2	4/12/2007 7:11	0		0
3	4/12/2007 7:26	0		0
4	4/12/2007 7:41	0		0
5	4/12/2007 7:56	0		0
6	4/12/2007 8:11	0		0
7	4/12/2007 8:26	0		0
8	4/12/2007 8:41	0		0
9	4/12/2007 8:56	0		0
10	4/12/2007 9:11	0		0
11	4/12/2007 9:26	0		0
12	4/12/2007 9:41	0		0
13	4/12/2007 9:56	0		0
14	4/12/2007 10:11	0		0
15	4/12/2007 10:26	0		0
16	4/12/2007 10:41	0		0
17	4/12/2007 10:56	0		0
18	4/12/2007 11:11	0		0
19	4/12/2007 11:26	0		0
20	4/12/2007 11:41	0		0
21	4/12/2007 11:56	0		0
22	4/12/2007 12:11	0		0
23	4/12/2007 12:26	0		0
24	4/12/2007 12:41	0		0
25	4/12/2007 12:56	0		0
26	4/12/2007 13:11	0		0
27	4/12/2007 13:26	0		0
28	4/12/2007 13:41	0		0
29	4/12/2007 13:56	0		0
30	4/12/2007 14:11	0		0
31	4/12/2007 14:26	0		0
32	4/12/2007 14:41	0		0
33	4/12/2007 14:56	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	4/12/2007
Start Time:	6:43:12
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0640) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/12/2007	6:58:12	0.02	0	0
4/12/2007	7:13:12	0.018	-0.002	-2
4/12/2007	7:28:12	0.018	-0.002	-2
4/12/2007	7:43:12	0.018	-0.002	-2
4/12/2007	7:58:12	0.019	-0.001	-1
4/12/2007	8:13:12	0.019	-0.001	-1
4/12/2007	8:28:12	0.041	0.021	21
4/12/2007	8:43:12	0.058	0.038	38
4/12/2007	8:58:12	0.028	0.008	8
4/12/2007	9:13:12	0.021	0.001	1
4/12/2007	9:28:12	0.02	0	0
4/12/2007	9:43:12	0.019	-0.001	-1
4/12/2007	9:58:12	0.019	-0.001	-1
4/12/2007	10:13:12	0.02	0	0
4/12/2007	10:28:12	0.021	0.001	1
4/12/2007	10:43:12	0.022	0.002	2
4/12/2007	10:58:12	0.021	0.001	1
4/12/2007	11:13:12	0.019	-0.001	-1
4/12/2007	11:28:12	0.017	-0.003	-3
4/12/2007	11:43:12	0.014	-0.006	-6
4/12/2007	11:58:12	0.015	-0.005	-5
4/12/2007	12:13:12	0.014	-0.006	-6
4/12/2007	12:28:12	0.014	-0.006	-6
4/12/2007	12:43:12	0.013	-0.007	-7
4/12/2007	12:58:12	0.012	-0.008	-8
4/12/2007	13:13:12	0.008	-0.012	-12
4/12/2007	13:28:12	0.008	-0.012	-12
4/12/2007	13:43:12	0.008	-0.012	-12
4/12/2007	13:58:12	0.009	-0.011	-11
4/12/2007	14:13:12	0.007	-0.013	-13
4/12/2007	14:28:12	0.006	-0.014	-14
4/12/2007	14:43:12	0.005	-0.015	-15
4/12/2007	14:58:12	0.005	-0.015	-15
4/12/2007	15:13:12	0.005	-0.015	-15
4/12/2007	15:28:12	0.006	-0.014	-14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/12/2007 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0654) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/12/2007 7:14	0.4		0
2	4/12/2007 7:29	0.9		0
1	4/12/2007 7:59	0.1		0
2	4/12/2007 8:14	0.1		0
3	4/12/2007 8:29	0.2		0
4	4/12/2007 8:44	0.1		0
5	4/12/2007 8:59	0.1		0
6	4/12/2007 9:14	0		0
7	4/12/2007 9:29	0		0
8	4/12/2007 9:44	0.1		0
9	4/12/2007 9:59	0.1		0
10	4/12/2007 10:14	0.1		0
11	4/12/2007 10:29	0.1		0
12	4/12/2007 10:44	0		0
13	4/12/2007 10:59	0		0
14	4/12/2007 11:14	0		0
15	4/12/2007 11:29	0		0
16	4/12/2007 11:44	0		0
17	4/12/2007 11:59	0		0
18	4/12/2007 12:14	0		0
19	4/12/2007 12:29	0		0
20	4/12/2007 12:44	0		0
21	4/12/2007 12:59	0		0
22	4/12/2007 13:14	0		0
23	4/12/2007 13:29	0		0
24	4/12/2007 13:44	0		0
25	4/12/2007 13:59	0		0
26	4/12/2007 14:14	0		0
27	4/12/2007 14:29	0		0
28	4/12/2007 14:44	0		0
29	4/12/2007 14:59	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	4/12/2007
Start Time:	7:00:27
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0654) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/12/2007	7:15:27	0.023	0.006	6
4/12/2007	7:30:27	0.024	0.007	7
4/12/2007	7:45:27	0.024	0.007	7
4/12/2007	8:00:27	0.026	0.009	9
4/12/2007	8:15:27	0.026	0.009	9
4/12/2007	8:30:27	0.074	0.057	57
4/12/2007	8:45:27	0.065	0.048	48
4/12/2007	9:00:27	0.033	0.016	16
4/12/2007	9:15:27	0.028	0.011	11
4/12/2007	9:30:27	0.028	0.011	11
4/12/2007	9:45:27	0.027	0.01	10
4/12/2007	10:00:27	0.027	0.01	10
4/12/2007	10:15:27	0.028	0.011	11
4/12/2007	10:30:27	0.029	0.012	12
4/12/2007	10:45:27	0.033	0.016	16
4/12/2007	11:00:27	0.03	0.013	13
4/12/2007	11:15:27	0.027	0.01	10
4/12/2007	11:30:27	0.024	0.007	7
4/12/2007	11:45:27	0.024	0.007	7
4/12/2007	12:00:27	0.022	0.005	5
4/12/2007	12:15:27	0.022	0.005	5
4/12/2007	12:30:27	0.021	0.004	4
4/12/2007	12:45:27	0.02	0.003	3
4/12/2007	13:00:27	0.019	0.002	2
4/12/2007	13:15:27	0.015	-0.002	-2
4/12/2007	13:30:27	0.014	-0.003	-3
4/12/2007	13:45:27	0.018	0.001	1
4/12/2007	14:00:27	0.014	-0.003	-3
4/12/2007	14:15:27	0.014	-0.003	-3
4/12/2007	14:30:27	0.011	-0.006	-6
4/12/2007	14:45:27	0.011	-0.006	-6
4/12/2007	15:00:27	0.01	-0.007	-7
4/12/2007	15:15:27	0.009	-0.008	-8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/12/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/12/2007 7:11	0		0
2	4/12/2007 7:26	0.4		0.4
1	4/12/2007 7:57	0.4		0.4
2	4/12/2007 8:12	1		1
3	4/12/2007 8:27	1.3		1.3
4	4/12/2007 8:42	1.5		1.5
5	4/12/2007 8:57	1.3		1.3
6	4/12/2007 9:12	1.2		1.2
7	4/12/2007 9:27	1.2		1.2
8	4/12/2007 9:42	1.3		1.3
9	4/12/2007 9:57	1.6		1.6
10	4/12/2007 10:12	1.8		1.8
11	4/12/2007 10:27	1.7		1.7
12	4/12/2007 10:42	1.4		1.4
13	4/12/2007 10:57	1.6		1.6
14	4/12/2007 11:12	0.7		0.7
15	4/12/2007 11:27	0.4		0.4
16	4/12/2007 11:42	0.2		0.2
17	4/12/2007 11:57	0		0
18	4/12/2007 12:12	0		0
19	4/12/2007 12:27	0		0
20	4/12/2007 12:42	0		0
21	4/12/2007 12:57	0		0
22	4/12/2007 13:12	0		0
23	4/12/2007 13:27	0		0
24	4/12/2007 13:42	0		0
25	4/12/2007 13:57	0		0
26	4/12/2007 14:12	0		0
27	4/12/2007 14:27	0		0
28	4/12/2007 14:42	0		0
29	4/12/2007 14:57	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	4/12/2007
Start Time:	6:57:43
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0650) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/12/2007	7:12:43	0.022	0.002	2
4/12/2007	7:27:43	0.024	0.004	4
4/12/2007	7:42:43	0.024	0.004	4
4/12/2007	7:57:43	0.025	0.005	5
4/12/2007	8:12:43	0.024	0.004	4
4/12/2007	8:27:43	0.048	0.028	28
4/12/2007	8:42:43	0.064	0.044	44
4/12/2007	8:57:43	0.034	0.014	14
4/12/2007	9:12:43	0.028	0.008	8
4/12/2007	9:27:43	0.027	0.007	7
4/12/2007	9:42:43	0.026	0.006	6
4/12/2007	9:57:43	0.025	0.005	5
4/12/2007	10:12:43	0.027	0.007	7
4/12/2007	10:27:43	0.026	0.006	6
4/12/2007	10:42:43	0.027	0.007	7
4/12/2007	10:57:43	0.027	0.007	7
4/12/2007	11:12:43	0.024	0.004	4
4/12/2007	11:27:43	0.022	0.002	2
4/12/2007	11:42:43	0.019	-0.001	-1
4/12/2007	11:57:43	0.021	0.001	1
4/12/2007	12:12:43	0.019	-0.001	-1
4/12/2007	12:27:43	0.019	-0.001	-1
4/12/2007	12:42:43	0.018	-0.002	-2
4/12/2007	12:57:43	0.017	-0.003	-3
4/12/2007	13:12:43	0.019	-0.001	-1
4/12/2007	13:27:43	0.013	-0.007	-7
4/12/2007	13:42:43	0.016	-0.004	-4
4/12/2007	13:57:43	0.013	-0.007	-7
4/12/2007	14:12:43	0.013	-0.007	-7
4/12/2007	14:27:43	0.012	-0.008	-8
4/12/2007	14:42:43	0.01	-0.01	-10
4/12/2007	14:57:43	0.01	-0.01	-10
4/12/2007	15:12:43	0.01	-0.01	-10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/13/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/13/2007 6:36	0		0
2	4/13/2007 6:51	0.2		0.2
3	4/13/2007 7:06	0.4		0.4
4	4/13/2007 7:21	0.5		0.5
5	4/13/2007 7:36	0.6		0.6
6	4/13/2007 7:51	0.6		0.6
7	4/13/2007 8:06	0.7		0.7
8	4/13/2007 8:21	0.7		0.7
9	4/13/2007 8:36	0.8		0.8
10	4/13/2007 8:51	0.8		0.8
11	4/13/2007 9:06	0.8		0.8
12	4/13/2007 9:21	0.9		0.9
13	4/13/2007 9:36	0.9		0.9
14	4/13/2007 9:51	0.9		0.9
15	4/13/2007 10:06	0.9		0.9
16	4/13/2007 10:21	0.9		0.9
17	4/13/2007 10:36	0.9		0.9
18	4/13/2007 10:51	0.9		0.9
19	4/13/2007 11:06	0.9		0.9
20	4/13/2007 11:21	0.9		0.9
21	4/13/2007 11:36	0.9		0.9
22	4/13/2007 11:51	0.9		0.9
23	4/13/2007 12:06	0.9		0.9
24	4/13/2007 12:21	0.9		0.9
25	4/13/2007 12:36	0.9		0.9
26	4/13/2007 12:51	1		1
27	4/13/2007 13:06	1		1
28	4/13/2007 13:21	1		1
29	4/13/2007 13:36	1		1
30	4/13/2007 13:51	1		1
1	4/13/2007 14:22	0		0
2	4/13/2007 14:37	0		0
3	4/13/2007 14:52	0		0
4	4/13/2007 15:07	0		0
5	4/13/2007 15:22	0		0
6	4/13/2007 15:37	0		0
7	4/13/2007 15:52	0		0
8	4/13/2007 16:07	0		0
9	4/13/2007 16:22	0		0
10	4/13/2007 16:37	0		0
11	4/13/2007 16:52	0		0
12	4/13/2007 17:07	0		0
13	4/13/2007 17:22	0		0
14	4/13/2007 17:37	0		0
15	4/13/2007 17:52	0		0
16	4/13/2007 18:07	0		0
17	4/13/2007 18:22	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/13/2007
Start Time:	6:19:07
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0620) = 0.013 mg/m^3

Calibration Sensor: Aerosol
Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/13/2007	6:34:07	0.014	0.001	1
4/13/2007	6:49:07	0.013	0	0
4/13/2007	7:04:07	0.015	0.002	2
4/13/2007	7:19:07	0.014	0.001	1
4/13/2007	7:34:07	0.015	0.002	2
4/13/2007	7:49:07	0.015	0.002	2
4/13/2007	8:04:07	0.015	0.002	2
4/13/2007	8:19:07	0.014	0.001	1
4/13/2007	8:34:07	0.015	0.002	2
4/13/2007	8:49:07	0.014	0.001	1
4/13/2007	9:04:07	0.014	0.001	1
4/13/2007	9:19:07	0.015	0.002	2
4/13/2007	9:34:07	0.016	0.003	3
4/13/2007	9:49:07	0.014	0.001	1
4/13/2007	10:04:07	0.015	0.002	2
4/13/2007	10:19:07	0.017	0.004	4
4/13/2007	10:34:07	0.014	0.001	1
4/13/2007	10:49:07	0.016	0.003	3
4/13/2007	11:04:07	0.017	0.004	4
4/13/2007	11:19:07	0.014	0.001	1
4/13/2007	11:34:07	0.015	0.002	2
4/13/2007	11:49:07	0.016	0.003	3
4/13/2007	12:04:07	0.014	0.001	1
4/13/2007	12:19:07	0.015	0.002	2
4/13/2007	12:34:07	0.014	0.001	1
4/13/2007	12:49:07	0.014	0.001	1
4/13/2007	13:04:07	0.014	0.001	1
4/13/2007	13:19:07	0.015	0.002	2
4/13/2007	13:34:07	0.014	0.001	1
4/13/2007	13:49:07	0.014	0.001	1
4/13/2007	14:04:07	0.012	-0.001	-1
4/13/2007	14:19:07	0.01	-0.003	-3
4/13/2007	14:34:07	0.01	-0.003	-3
4/13/2007	14:49:07	0.01	-0.003	-3
4/13/2007	15:04:07	0.011	-0.002	-2
4/13/2007	15:19:07	0.011	-0.002	-2
4/13/2007	15:34:07	0.011	-0.002	-2
4/13/2007	15:49:07	0.01	-0.003	-3
4/13/2007	16:04:07	0.01	-0.003	-3
4/13/2007	16:19:07	0.011	-0.002	-2
4/13/2007	16:34:07	0.011	-0.002	-2
4/13/2007	16:49:07	0.012	-0.001	-1
4/13/2007	17:04:07	0.013	0	0
4/13/2007	17:19:07	0.013	0	0
4/13/2007	17:34:07	0.013	0	0
4/13/2007	17:49:07	0.013	0	0
4/13/2007	18:04:07	0.013	0	0
4/13/2007	18:19:07	0.013	0	0
4/13/2007	18:34:07	0.014	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/13/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/13/2007 6:34	0		-0.1
2	4/13/2007 6:49	0.1		0
3	4/13/2007 7:04	0.1		0
4	4/13/2007 7:19	0.1		0
5	4/13/2007 7:34	0		-0.1
6	4/13/2007 7:49	0		-0.1
7	4/13/2007 8:04	0		-0.1
8	4/13/2007 8:19	0		-0.1
9	4/13/2007 8:34	0		-0.1
10	4/13/2007 8:49	0		-0.1
11	4/13/2007 9:04	0		-0.1
12	4/13/2007 9:19	0		-0.1
13	4/13/2007 9:34	0		-0.1
14	4/13/2007 9:49	0		-0.1
15	4/13/2007 10:04	0		-0.1
16	4/13/2007 10:19	0		-0.1
17	4/13/2007 10:34	0		-0.1
18	4/13/2007 10:49	0		-0.1
19	4/13/2007 11:04	0		-0.1
20	4/13/2007 11:19	0		-0.1
21	4/13/2007 11:34	0		-0.1
22	4/13/2007 11:49	0		-0.1
23	4/13/2007 12:04	0		-0.1
24	4/13/2007 12:19	0		-0.1
25	4/13/2007 12:34	0		-0.1
26	4/13/2007 12:49	0		-0.1
27	4/13/2007 13:04	0		-0.1
28	4/13/2007 13:19	0		-0.1
29	4/13/2007 13:34	0		-0.1
30	4/13/2007 13:49	0		-0.1
31	4/13/2007 14:04	0		-0.1
32	4/13/2007 14:19	0		-0.1
33	4/13/2007 14:34	0		-0.1
34	4/13/2007 14:49	0		-0.1
35	4/13/2007 15:04	0		-0.1
36	4/13/2007 15:19	0		-0.1
37	4/13/2007 15:34	0		-0.1
38	4/13/2007 15:49	0		-0.1
39	4/13/2007 16:04	0		-0.1
40	4/13/2007 16:19	0		-0.1
41	4/13/2007 16:34	0		-0.1
42	4/13/2007 16:49	0		-0.1
43	4/13/2007 17:04	0		-0.1
44	4/13/2007 17:19	0		-0.1
45	4/13/2007 17:34	0		-0.1
46	4/13/2007 17:49	0		-0.1
47	4/13/2007 18:04	0		-0.1
48	4/13/2007 18:19	0		-0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	4/13/2007
Start Time:	6:22:45
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	

Background Reading (0615) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/13/2007	6:37:45	0.009	-0.008	-8
4/13/2007	6:52:45	0.008	-0.009	-9
4/13/2007	7:07:45	0.007	-0.01	-10
4/13/2007	7:22:45	0.008	-0.009	-9
4/13/2007	7:37:45	0.009	-0.008	-8
4/13/2007	7:52:45	0.009	-0.008	-8
4/13/2007	8:07:45	0.01	-0.007	-7
4/13/2007	8:22:45	0.009	-0.008	-8
4/13/2007	8:37:45	0.009	-0.008	-8
4/13/2007	8:52:45	0.009	-0.008	-8
4/13/2007	9:07:45	0.008	-0.009	-9
4/13/2007	9:22:45	0.008	-0.009	-9
4/13/2007	9:37:45	0.009	-0.008	-8
4/13/2007	9:52:45	0.008	-0.009	-9
4/13/2007	10:07:45	0.008	-0.009	-9
4/13/2007	10:22:45	0.009	-0.008	-8
4/13/2007	10:37:45	0.009	-0.008	-8
4/13/2007	10:52:45	0.009	-0.008	-8
4/13/2007	11:07:45	0.009	-0.008	-8
4/13/2007	11:22:45	0.008	-0.009	-9
4/13/2007	11:37:45	0.008	-0.009	-9
4/13/2007	11:52:45	0.009	-0.008	-8
4/13/2007	12:07:45	0.009	-0.008	-8
4/13/2007	12:22:45	0.008	-0.009	-9
4/13/2007	12:37:45	0.008	-0.009	-9
4/13/2007	12:52:45	0.007	-0.01	-10
4/13/2007	13:07:45	0.007	-0.01	-10
4/13/2007	13:22:45	0.008	-0.009	-9
4/13/2007	13:37:45	0.007	-0.01	-10
4/13/2007	13:52:45	0.01	-0.007	-7
4/13/2007	14:07:45	0.006	-0.011	-11
4/13/2007	14:22:45	0.005	-0.012	-12
4/13/2007	14:37:45	0.005	-0.012	-12
4/13/2007	14:52:45	0.005	-0.012	-12
4/13/2007	15:07:45	0.005	-0.012	-12
4/13/2007	15:22:45	0.006	-0.011	-11
4/13/2007	15:37:45	0.006	-0.011	-11
4/13/2007	15:52:45	0.005	-0.012	-12
4/13/2007	16:07:45	0.006	-0.011	-11
4/13/2007	16:22:45	0.007	-0.01	-10
4/13/2007	16:37:45	0.006	-0.011	-11
4/13/2007	16:52:45	0.007	-0.01	-10
4/13/2007	17:07:45	0.007	-0.01	-10
4/13/2007	17:22:45	0.007	-0.01	-10
4/13/2007	17:37:45	0.007	-0.01	-10
4/13/2007	17:52:45	0.007	-0.01	-10
4/13/2007	18:07:45	0.007	-0.01	-10
4/13/2007	18:22:45	0.007	-0.01	-10
4/13/2007	18:37:45	0.008	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/13/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0637) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/13/2007 6:54	0.2		0.1
2	4/13/2007 7:09	0.5		0.4
3	4/13/2007 7:24	0.8		0.7
4	4/13/2007 7:39	1		0.9
5	4/13/2007 7:54	1.2		1.1
6	4/13/2007 8:09	1.3		1.2
7	4/13/2007 8:24	1.5		1.4
8	4/13/2007 8:39	1.6		1.5
9	4/13/2007 8:54	1.7		1.6
10	4/13/2007 9:09	1.7		1.6
11	4/13/2007 9:24	1.8		1.7
12	4/13/2007 9:39	1.9		1.8
13	4/13/2007 9:54	1.9		1.8
14	4/13/2007 10:09	2		1.9
15	4/13/2007 10:24	2		1.9
16	4/13/2007 10:39	2.1		2
17	4/13/2007 10:54	2.1		2
18	4/13/2007 11:09	2.1		2
19	4/13/2007 11:24	2.2		2.1
20	4/13/2007 11:39	2.2		2.1
21	4/13/2007 11:54	2.2		2.1
22	4/13/2007 12:09	2.2		2.1
23	4/13/2007 12:24	2.2		2.1
24	4/13/2007 12:39	2.2		2.1
25	4/13/2007 12:54	2.3		2.2
26	4/13/2007 13:09	2.3		2.2
27	4/13/2007 13:24	2.3		2.2
28	4/13/2007 13:39	2.4		2.3
29	4/13/2007 13:54	2.4		2.3
30	4/13/2007 14:09	2.2		2.1
31	4/13/2007 14:24	1.1		1
32	4/13/2007 14:39	0.7		0.6
33	4/13/2007 14:54	0.5		0.4
34	4/13/2007 15:09	0.4		0.3
35	4/13/2007 15:24	0.4		0.3
36	4/13/2007 15:39	0.5		0.4
37	4/13/2007 15:54	1.2		1.1
38	4/13/2007 16:09	1.5		1.4
39	4/13/2007 16:24	1.7		1.6
40	4/13/2007 16:39	1.8		1.7
41	4/13/2007 16:54	1.9		1.8
42	4/13/2007 17:09	2		1.9
43	4/13/2007 17:24	2.1		2
44	4/13/2007 17:39	2.2		2.1
45	4/13/2007 17:54	2.2		2.1
46	4/13/2007 18:09	2.4		2.3
47	4/13/2007 18:24	2.5		2.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	4/13/2007
Start Time:	6:41:26
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	

Background Reading (0637) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/13/2007	6:56:26	0.011	0.01	23
4/13/2007	7:11:26	0.011	0.01	19
4/13/2007	7:26:26	0.011	0.01	19
4/13/2007	7:41:26	0.013	0.01	20
4/13/2007	7:56:26	0.012	0.01	22
4/13/2007	8:11:26	0.015	0.01	23
4/13/2007	8:26:26	0.013	0.01	53
4/13/2007	8:41:26	0.013	0.01	73
4/13/2007	8:56:26	0.012	0.01	33
4/13/2007	9:11:26	0.012	0.01	30
4/13/2007	9:26:26	0.012	0.01	27
4/13/2007	9:41:26	0.011	0.01	29
4/13/2007	9:56:26	0.013	0.01	22
4/13/2007	10:11:26	0.012	0.01	26
4/13/2007	10:26:26	0.012	0.01	27
4/13/2007	10:41:26	0.014	0.01	27
4/13/2007	10:56:26	0.012	0.01	25
4/13/2007	11:11:26	0.012	0.01	22
4/13/2007	11:26:26	0.011	0.01	17
4/13/2007	11:41:26	0.012	0.01	14
4/13/2007	11:56:26	0.012	0.01	15
4/13/2007	12:11:26	0.012	0.01	14
4/13/2007	12:26:26	0.011	0.01	13
4/13/2007	12:41:26	0.011	0.01	11
4/13/2007	12:56:26	0.01	0.01	10
4/13/2007	13:11:26	0.011	0.01	14
4/13/2007	13:26:26	0.011	0.01	5
4/13/2007	13:41:26	0.009	0.01	10
4/13/2007	13:56:26	0.017	0.01	5
4/13/2007	14:11:26	0.008	0.01	3
4/13/2007	14:26:26	0.007	0.01	1
4/13/2007	14:41:26	0.008	0.01	-1
4/13/2007	14:56:26	0.007	0.01	-1
4/13/2007	15:11:26	0.008	0.01	-1
4/13/2007	15:26:26	0.008	0.01	-1
4/13/2007	15:41:26	0.008	0.01	-1
4/13/2007	15:56:26	0.008	0.01	-1
4/13/2007	16:11:26	0.008	0.01	-1
4/13/2007	16:26:26	0.009	0.01	-1
4/13/2007	16:41:26	0.009	0.01	-1
4/13/2007	16:56:26	0.009	0.01	-1
4/13/2007	17:11:26	0.01	0.01	-1
4/13/2007	17:26:26	0.01	0.01	-1
4/13/2007	17:41:26	0.01	0.01	-1
4/13/2007	17:56:26	0.011	0.01	-1
4/13/2007	18:11:26	0.01	0.01	-1
4/13/2007	18:26:26	0.011	0.01	-1
4/13/2007	18:41:26	0.011	0.01	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/13/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/13/2007 6:58	0		0
2	4/13/2007 7:13	0		0
3	4/13/2007 7:28	0		0
4	4/13/2007 7:43	0		0
5	4/13/2007 7:58	0.1		0.1
6	4/13/2007 8:13	0.1		0.1
7	4/13/2007 8:28	0		0
8	4/13/2007 8:43	0.1		0.1
9	4/13/2007 8:58	0.1		0.1
10	4/13/2007 9:13	0.1		0.1
11	4/13/2007 9:28	0.1		0.1
12	4/13/2007 9:43	0.1		0.1
13	4/13/2007 9:58	0		0
14	4/13/2007 10:13	0		0
15	4/13/2007 10:28	0		0
16	4/13/2007 10:43	0.1		0.1
17	4/13/2007 10:58	0.1		0.1
18	4/13/2007 11:13	0.1		0.1
19	4/13/2007 11:28	0.1		0.1
20	4/13/2007 11:43	0.1		0.1
21	4/13/2007 11:58	0.1		0.1
22	4/13/2007 12:13	0.1		0.1
23	4/13/2007 12:28	0.1		0.1
24	4/13/2007 12:43	0.1		0.1
25	4/13/2007 12:58	0.1		0.1
26	4/13/2007 13:13	0.1		0.1
27	4/13/2007 13:28	0.1		0.1
28	4/13/2007 13:43	0.1		0.1
29	4/13/2007 13:58	0.1		0.1
30	4/13/2007 14:13	0.1		0.1
31	4/13/2007 14:28	0.1		0.1
32	4/13/2007 14:43	0.1		0.1
33	4/13/2007 14:58	0		0
34	4/13/2007 15:13	0		0
35	4/13/2007 15:28	0		0
36	4/13/2007 15:43	0		0
37	4/13/2007 15:58	0		0
38	4/13/2007 16:13	0		0
39	4/13/2007 16:28	0		0
40	4/13/2007 16:43	0		0
41	4/13/2007 16:58	0		0
42	4/13/2007 17:13	0		0
43	4/13/2007 17:28	0		0
44	4/13/2007 17:43	0		0
45	4/13/2007 17:58	0		0
46	4/13/2007 18:13	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	4/13/2007
Start Time:	6:45:16
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (0643) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/13/2007	7:00:16	0.012	0.002	2
4/13/2007	7:15:16	0.012	0.002	2
4/13/2007	7:30:16	0.014	0.004	4
4/13/2007	7:45:16	0.015	0.005	5
4/13/2007	8:00:16	0.014	0.004	4
4/13/2007	8:15:16	0.045	0.035	35
4/13/2007	8:30:16	0.016	0.006	6
4/13/2007	8:45:16	0.033	0.023	23
4/13/2007	9:00:16	0.013	0.003	3
4/13/2007	9:15:16	0.013	0.003	3
4/13/2007	9:30:16	0.013	0.003	3
4/13/2007	9:45:16	0.014	0.004	4
4/13/2007	10:00:16	0.014	0.004	4
4/13/2007	10:15:16	0.025	0.015	15
4/13/2007	10:30:16	0.029	0.019	19
4/13/2007	10:45:16	0.026	0.016	16
4/13/2007	11:00:16	0.024	0.014	14
4/13/2007	11:15:16	0.016	0.006	6
4/13/2007	11:30:16	0.015	0.005	5
4/13/2007	11:45:16	0.015	0.005	5
4/13/2007	12:00:16	0.025	0.015	15
4/13/2007	12:15:16	0.019	0.009	9
4/13/2007	12:30:16	0.014	0.004	4
4/13/2007	12:45:16	0.012	0.002	2
4/13/2007	13:00:16	0.013	0.003	3
4/13/2007	13:15:16	0.014	0.004	4
4/13/2007	13:30:16	0.014	0.004	4
4/13/2007	13:45:16	0.018	0.008	8
4/13/2007	14:00:16	0.014	0.004	4
4/13/2007	14:15:16	0.012	0.002	2
4/13/2007	14:30:16	0.012	0.002	2
4/13/2007	14:45:16	0.013	0.003	3
4/13/2007	15:00:16	0.014	0.004	4
4/13/2007	15:15:16	0.016	0.006	6
4/13/2007	15:30:16	0.01	0	0
4/13/2007	15:45:16	0.01	0	0
4/13/2007	16:00:16	0.01	0	0
4/13/2007	16:15:16	0.012	0.002	2
4/13/2007	16:30:16	0.012	0.002	2
4/13/2007	16:45:16	0.012	0.002	2
4/13/2007	17:00:16	0.011	0.001	1
4/13/2007	17:15:16	0.011	0.001	1
4/13/2007	17:30:16	0.01	0	0
4/13/2007	17:45:16	0.011	0.001	1
4/13/2007	18:00:16	0.011	0.001	1
4/13/2007	18:15:16	0.011	0.001	1
4/13/2007	18:30:16	0.012	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/14/2007 08:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0840) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/14/2007 8:56	0.1		0.1
2	4/14/2007 9:11	0.3		0.3
3	4/14/2007 9:26	0.4		0.4
4	4/14/2007 9:41	0.5		0.5
5	4/14/2007 9:56	0.6		0.6
6	4/14/2007 10:11	0.7		0.7
7	4/14/2007 10:26	0.7		0.7
8	4/14/2007 10:41	0.7		0.7
9	4/14/2007 10:56	0.7		0.7
10	4/14/2007 11:11	0.8		0.8
11	4/14/2007 11:26	0.7		0.7
12	4/14/2007 11:41	0.8		0.8
13	4/14/2007 11:56	0.8		0.8
14	4/14/2007 12:11	0.8		0.8
15	4/14/2007 12:26	0.8		0.8
16	4/14/2007 12:41	0.8		0.8
17	4/14/2007 12:56	0.7		0.7
18	4/14/2007 13:11	0.7		0.7
19	4/14/2007 13:26	0.7		0.7
20	4/14/2007 13:41	0.6		0.6
21	4/14/2007 13:56	0.6		0.6
22	4/14/2007 14:11	0.6		0.6
23	4/14/2007 14:26	0.6		0.6
24	4/14/2007 14:41	0.6		0.6
25	4/14/2007 14:56	0.7		0.7
26	4/14/2007 15:11	0.7		0.7
27	4/14/2007 15:26	0.6		0.6
28	4/14/2007 15:41	0.6		0.6
29	4/14/2007 15:56	0.6		0.6
30	4/14/2007 16:11	0.7		0.7
31	4/14/2007 16:26	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/14/2007
Start Time:	8:39:56
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0840) = 0.012 mg/m^3

Calibration Sensor: Aerosol
Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/14/2007	8:54:56	0.018	0.006	6
4/14/2007	9:09:56	0.012	0	0
4/14/2007	9:24:56	0.012	0	0
4/14/2007	9:39:56	0.011	-0.001	-1
4/14/2007	9:54:56	0.014	0.002	2
4/14/2007	10:09:56	0.011	-0.001	-1
4/14/2007	10:24:56	0.011	-0.001	-1
4/14/2007	10:39:56	0.014	0.002	2
4/14/2007	10:54:56	0.011	-0.001	-1
4/14/2007	11:09:56	0.015	0.003	3
4/14/2007	11:24:56	0.014	0.002	2
4/14/2007	11:39:56	0.018	0.006	6
4/14/2007	11:54:56	0.014	0.002	2
4/14/2007	12:09:56	0.013	0.001	1
4/14/2007	12:24:56	0.011	-0.001	-1
4/14/2007	12:39:56	0.012	0	0
4/14/2007	12:54:56	0.019	0.007	7
4/14/2007	13:09:56	0.011	-0.001	-1
4/14/2007	13:24:56	0.014	0.002	2
4/14/2007	13:39:56	0.013	0.001	1
4/14/2007	13:54:56	0.015	0.003	3
4/14/2007	14:09:56	0.018	0.006	6
4/14/2007	14:24:56	0.018	0.006	6
4/14/2007	14:39:56	0.013	0.001	1
4/14/2007	14:54:56	0.013	0.001	1
4/14/2007	15:09:56	0.014	0.002	2
4/14/2007	15:24:56	0.012	0	0
4/14/2007	15:39:56	0.012	0	0
4/14/2007	15:54:56	0.012	0	0
4/14/2007	16:09:56	0.012	0	0
4/14/2007	16:24:56	0.014	0.002	2
4/14/2007	16:39:56	0.016	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/14/2007 08:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0841) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/14/2007 8:54	0.2		0.1
2	4/14/2007 9:09	0.2		0.1
3	4/14/2007 9:24	0.3		0.2
4	4/14/2007 9:39	0.3		0.2
5	4/14/2007 9:54	0.3		0.2
6	4/14/2007 10:09	0.4		0.3
7	4/14/2007 10:24	0.4		0.3
8	4/14/2007 10:39	0.4		0.3
9	4/14/2007 10:54	0.4		0.3
10	4/14/2007 11:09	0.4		0.3
11	4/14/2007 11:24	0.5		0.4
12	4/14/2007 11:39	0.5		0.4
13	4/14/2007 11:54	0.5		0.4
14	4/14/2007 12:09	0.5		0.4
15	4/14/2007 12:24	0.5		0.4
16	4/14/2007 12:39	0.5		0.4
17	4/14/2007 12:54	0.5		0.4
18	4/14/2007 13:09	0.5		0.4
19	4/14/2007 13:24	0.6		0.5
20	4/14/2007 13:39	0.6		0.5
21	4/14/2007 13:54	0.6		0.5
22	4/14/2007 14:09	0.6		0.5
23	4/14/2007 14:24	0.6		0.5
24	4/14/2007 14:39	0.6		0.5
25	4/14/2007 14:54	0.6		0.5
26	4/14/2007 15:09	0.6		0.5
27	4/14/2007 15:24	0.6		0.5
28	4/14/2007 15:39	0.6		0.5
29	4/14/2007 15:54	0.6		0.5
30	4/14/2007 16:09	0.6		0.5
31	4/14/2007 16:24	0.6		0.5
32	4/14/2007 16:39	0.7		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	4/14/2007
Start Time:	8:44:47
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0841) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/14/2007	8:59:47	0.007	0.001	1
4/14/2007	9:14:47	0.007	0.001	1
4/14/2007	9:29:47	0.006	0	0
4/14/2007	9:44:47	0.006	0	0
4/14/2007	9:59:47	0.007	0.001	1
4/14/2007	10:14:47	0.006	0	0
4/14/2007	10:29:47	0.006	0	0
4/14/2007	10:44:47	0.013	0.007	7
4/14/2007	10:59:47	0.008	0.002	2
4/14/2007	11:14:47	0.012	0.006	6
4/14/2007	11:29:47	0.007	0.001	1
4/14/2007	11:44:47	0.007	0.001	1
4/14/2007	11:59:47	0.006	0	0
4/14/2007	12:14:47	0.007	0.001	1
4/14/2007	12:29:47	0.007	0.001	1
4/14/2007	12:44:47	0.007	0.001	1
4/14/2007	12:59:47	0.007	0.001	1
4/14/2007	13:14:47	0.007	0.001	1
4/14/2007	13:29:47	0.007	0.001	1
4/14/2007	13:44:47	0.007	0.001	1
4/14/2007	13:59:47	0.008	0.002	2
4/14/2007	14:14:47	0.009	0.003	3
4/14/2007	14:29:47	0.007	0.001	1
4/14/2007	14:44:47	0.007	0.001	1
4/14/2007	14:59:47	0.008	0.002	2
4/14/2007	15:14:47	0.007	0.001	1
4/14/2007	15:29:47	0.008	0.002	2
4/14/2007	15:44:47	0.007	0.001	1
4/14/2007	15:59:47	0.007	0.001	1
4/14/2007	16:14:47	0.008	0.002	2
4/14/2007	16:29:47	0.008	0.002	2
4/14/2007	16:44:47	0.007	0.001	1
4/14/2007	16:59:47	0.008	0.002	2
4/14/2007	14:44:47	0.007	0.001	1
4/14/2007	14:59:47	0.008	0.002	2
4/14/2007	15:14:47	0.007	0.001	1
4/14/2007	15:29:47	0.008	0.002	2
4/14/2007	15:44:47	0.007	0.001	1
4/14/2007	15:59:47	0.007	0.001	1
4/14/2007	16:14:47	0.008	0.002	2
4/14/2007	16:29:47	0.008	0.002	2
4/14/2007	16:44:47	0.007	0.001	1
4/14/2007	16:59:47	0.008	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/14/2007 08:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0855) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/14/2007 9:25	0.1		-0.1
2	4/14/2007 9:40	0.2		0
3	4/14/2007 9:55	0.3		0.1
4	4/14/2007 10:10	0.4		0.2
5	4/14/2007 10:25	0.5		0.3
6	4/14/2007 10:40	0.5		0.3
7	4/14/2007 10:55	0.6		0.4
8	4/14/2007 11:10	0.6		0.4
9	4/14/2007 11:25	0.7		0.5
10	4/14/2007 11:40	0.7		0.5
11	4/14/2007 11:55	0.7		0.5
12	4/14/2007 12:10	0.8		0.6
13	4/14/2007 12:25	0.8		0.6
14	4/14/2007 12:40	0.8		0.6
15	4/14/2007 12:55	0.8		0.6
16	4/14/2007 13:10	0.9		0.7
17	4/14/2007 13:25	0.9		0.7
18	4/14/2007 13:40	0.9		0.7
19	4/14/2007 13:55	0.9		0.7
20	4/14/2007 14:10	0.9		0.7
21	4/14/2007 14:25	0.9		0.7
22	4/14/2007 14:40	0.9		0.7
23	4/14/2007 14:55	0.9		0.7
24	4/14/2007 15:10	0.9		0.7
25	4/14/2007 15:25	0.9		0.7
26	4/14/2007 15:40	0.9		0.7
27	4/14/2007 15:55	0.9		0.7
28	4/14/2007 16:10	0.9		0.7
29	4/14/2007 16:25	0.9		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	4/14/2007
Start Time:	9:00:40
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0855) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/14/2007	9:15:40	0.01	0	0
4/14/2007	9:30:40	0.009	-0.001	-1
4/14/2007	9:45:40	0.009	-0.001	-1
4/14/2007	10:00:40	0.01	0	0
4/14/2007	10:15:40	0.009	-0.001	-1
4/14/2007	10:30:40	0.014	0.004	4
4/14/2007	10:45:40	0.01	0	0
4/14/2007	11:00:40	0.009	-0.001	-1
4/14/2007	11:15:40	0.01	0	0
4/14/2007	11:30:40	0.011	0.001	1
4/14/2007	11:45:40	0.011	0.001	1
4/14/2007	12:00:40	0.01	0	0
4/14/2007	12:15:40	0.01	0	0
4/14/2007	12:30:40	0.01	0	0
4/14/2007	12:45:40	0.011	0.001	1
4/14/2007	13:00:40	0.01	0	0
4/14/2007	13:15:40	0.01	0	0
4/14/2007	13:30:40	0.009	-0.001	-1
4/14/2007	13:45:40	0.013	0.003	3
4/14/2007	14:00:40	0.011	0.001	1
4/14/2007	14:15:40	0.012	0.002	2
4/14/2007	14:30:40	0.011	0.001	1
4/14/2007	14:45:40	0.01	0	0
4/14/2007	15:00:40	0.011	0.001	1
4/14/2007	15:15:40	0.01	0	0
4/14/2007	15:30:40	0.011	0.001	1
4/14/2007	15:45:40	0.01	0	0
4/14/2007	16:00:40	0.011	0.001	1
4/14/2007	16:15:40	0.011	0.001	1
4/14/2007	16:30:40	0.012	0.002	2
4/14/2007	16:45:40	0.011	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/14/2007 08:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0849) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/14/2007 9:05	0		0
2	4/14/2007 9:20	0		0
3	4/14/2007 9:35	0		0
4	4/14/2007 9:50	0		0
5	4/14/2007 10:05	0		0
6	4/14/2007 10:20	0		0
7	4/14/2007 10:35	0		0
8	4/14/2007 10:50	0		0
9	4/14/2007 11:05	0		0
10	4/14/2007 11:20	0		0
11	4/14/2007 11:35	0		0
12	4/14/2007 11:50	0		0
13	4/14/2007 12:05	0		0
14	4/14/2007 12:20	0		0
15	4/14/2007 12:35	0		0
16	4/14/2007 12:50	0		0
17	4/14/2007 13:05	0		0
18	4/14/2007 13:20	0		0
19	4/14/2007 13:35	0		0
20	4/14/2007 13:50	0		0
21	4/14/2007 14:05	0		0
22	4/14/2007 14:20	0		0
23	4/14/2007 14:35	0		0
24	4/14/2007 14:50	0		0
25	4/14/2007 15:05	0		0
26	4/14/2007 15:20	0		0
27	4/14/2007 15:35	0		0
28	4/14/2007 15:50	0		0
29	4/14/2007 16:05	0		0
30	4/14/2007 16:20	0		0
31	4/14/2007 16:35	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	4/14/2007
Start Time:	8:52:13
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0849) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/14/2007	9:07:13	0.01	0	0
4/14/2007	9:22:13	0.011	0.001	1
4/14/2007	9:37:13	0.009	-0.001	-1
4/14/2007	9:52:13	0.081	0.071	71
4/14/2007	10:07:13	0.028	0.018	18
4/14/2007	10:22:13	0.011	0.001	1
4/14/2007	10:37:13	0.023	0.013	13
4/14/2007	10:52:13	0.012	0.002	2
4/14/2007	11:07:13	0.01	0	0
4/14/2007	11:22:13	0.011	0.001	1
4/14/2007	11:37:13	0.019	0.009	9
4/14/2007	11:52:13	0.018	0.008	8
4/14/2007	12:07:13	0.02	0.01	10
4/14/2007	12:22:13	0.016	0.006	6
4/14/2007	12:37:13	0.011	0.001	1
4/14/2007	12:52:13	0.014	0.004	4
4/14/2007	13:07:13	0.013	0.003	3
4/14/2007	13:22:13	0.013	0.003	3
4/14/2007	13:37:13	0.01	0	0
4/14/2007	13:52:13	0.01	0	0
4/14/2007	14:07:13	0.011	0.001	1
4/14/2007	14:22:13	0.012	0.002	2
4/14/2007	14:37:13	0.013	0.003	3
4/14/2007	14:52:13	0.011	0.001	1
4/14/2007	15:07:13	0.012	0.002	2
4/14/2007	15:22:13	0.01	0	0
4/14/2007	15:37:13	0.01	0	0
4/14/2007	15:52:13	0.009	-0.001	-1
4/14/2007	16:07:13	0.01	0	0
4/14/2007	16:22:13	0.013	0.003	3
4/14/2007	16:37:13	0.011	0.001	1
4/14/2007	16:52:13	0.011	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005159
User ID: 00000001 Site ID: 00000041
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/16/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/16/2007 7:03	0		0
2	4/16/2007 7:18	0		0
3	4/16/2007 7:33	0		0
4	4/16/2007 7:48	0		0
5	4/16/2007 8:03	0		0
6	4/16/2007 8:18	0		0
7	4/16/2007 8:33	0		0
8	4/16/2007 8:48	0		0
9	4/16/2007 9:03	0		0
10	4/16/2007 9:18	0		0
11	4/16/2007 9:33	0		0
12	4/16/2007 9:48	0		0
13	4/16/2007 10:03	0		0
14	4/16/2007 10:18	0		0
15	4/16/2007 10:33	0		0
16	4/16/2007 10:48	0		0
17	4/16/2007 11:03	0		0
18	4/16/2007 11:18	0		0
19	4/16/2007 11:33	0		0
20	4/16/2007 11:48	0		0
21	4/16/2007 12:03	0		0
22	4/16/2007 12:18	0		0
23	4/16/2007 12:33	0		0
24	4/16/2007 12:48	0		0
25	4/16/2007 13:03	0		0
26	4/16/2007 13:18	0		0
27	4/16/2007 13:33	0		0
28	4/16/2007 13:48	0		0
29	4/16/2007 14:03	0		0
30	4/16/2007 14:18	0		0
31	4/16/2007 14:33	0		0
32	4/16/2007 14:48	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/16/2007
Start Time:	6:45:44
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0645) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/16/2007	7:00:44	0.013	-0.004	-4
4/16/2007	7:15:44	0.012	-0.005	-5
4/16/2007	7:30:44	0.017	0	0
4/16/2007	7:45:44	0.021	0.004	4
4/16/2007	8:00:44	0.029	0.012	12
4/16/2007	8:15:44	0.03	0.013	13
4/16/2007	8:30:44	0.02	0.003	3
4/16/2007	8:45:44	0.014	-0.003	-3
4/16/2007	9:00:44	0.015	-0.002	-2
4/16/2007	9:15:44	0.015	-0.002	-2
4/16/2007	9:30:44	0.014	-0.003	-3
4/16/2007	9:45:44	0.018	0.001	1
4/16/2007	10:00:44	0.01	-0.007	-7
4/16/2007	10:15:44	0.012	-0.005	-5
4/16/2007	10:30:44	0.009	-0.008	-8
4/16/2007	10:45:44	0.01	-0.007	-7
4/16/2007	11:00:44	0.009	-0.008	-8
4/16/2007	11:15:44	0.007	-0.01	-10
4/16/2007	11:30:44	0.005	-0.012	-12
4/16/2007	11:45:44	0.005	-0.012	-12
4/16/2007	12:00:44	0.006	-0.011	-11
4/16/2007	12:15:44	0.006	-0.011	-11
4/16/2007	12:30:44	0.005	-0.012	-12
4/16/2007	12:45:44	0.004	-0.013	-13
4/16/2007	13:00:44	0.004	-0.013	-13
4/16/2007	13:15:44	0.005	-0.012	-12
4/16/2007	13:30:44	0.007	-0.01	-10
4/16/2007	13:45:44	0.005	-0.012	-12
4/16/2007	14:00:44	0.004	-0.013	-13
4/16/2007	14:15:44	0.006	-0.011	-11
4/16/2007	14:30:44	0.005	-0.012	-12
4/16/2007	14:45:44	0.007	-0.01	-10
4/16/2007	15:00:44	0.009	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/16/2007 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/16/2007 6:47	0		0
2	4/16/2007 7:02	0		0
3	4/16/2007 7:17	0		0
4	4/16/2007 7:32	0		0
5	4/16/2007 7:47	0		0
6	4/16/2007 8:02	0.1		0.1
7	4/16/2007 8:17	0.1		0.1
8	4/16/2007 8:32	0.1		0.1
9	4/16/2007 8:47	0.1		0.1
10	4/16/2007 9:02	0.1		0.1
11	4/16/2007 9:17	0.1		0.1
12	4/16/2007 9:32	0.1		0.1
13	4/16/2007 9:47	0.2		0.2
14	4/16/2007 10:02	0.2		0.2
15	4/16/2007 10:17	0.2		0.2
16	4/16/2007 10:32	0.2		0.2
17	4/16/2007 10:47	0.2		0.2
18	4/16/2007 11:02	0.2		0.2
19	4/16/2007 11:17	0.2		0.2
20	4/16/2007 11:32	0.2		0.2
21	4/16/2007 11:47	0.2		0.2
22	4/16/2007 12:02	0.2		0.2
23	4/16/2007 12:17	0.2		0.2
24	4/16/2007 12:32	0.2		0.2
25	4/16/2007 12:47	0.3		0.3
26	4/16/2007 13:02	0.2		0.2
27	4/16/2007 13:17	0.2		0.2
28	4/16/2007 13:32	0.3		0.3
29	4/16/2007 13:47	0.2		0.2
30	4/16/2007 14:02	0.2		0.2
31	4/16/2007 14:17	0.3		0.3
32	4/16/2007 14:32	0.3		0.3
33	4/16/2007 14:47	0.3		0.3
34	4/16/2007 15:02	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	4/16/2007
Start Time:	6:36:42
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/16/2007	6:51:42	0.009	0.001	1
4/16/2007	7:06:42	0.007	-0.001	-1
4/16/2007	7:21:42	0.009	0.001	1
4/16/2007	7:36:42	0.007	-0.001	-1
4/16/2007	7:51:42	0.007	-0.001	-1
4/16/2007	8:06:42	0.009	0.001	1
4/16/2007	8:21:42	0.008	0	0
4/16/2007	8:36:42	0.006	-0.002	-2
4/16/2007	8:51:42	0.005	-0.003	-3
4/16/2007	9:06:42	0.007	-0.001	-1
4/16/2007	9:21:42	0.006	-0.002	-2
4/16/2007	9:36:42	0.004	-0.004	-4
4/16/2007	9:51:42	0.009	0.001	1
4/16/2007	10:06:42	0.013	0.005	5
4/16/2007	10:21:42	0.014	0.006	6
4/16/2007	10:36:42	0.013	0.005	5
4/16/2007	10:51:42	0.005	-0.003	-3
4/16/2007	11:06:42	0.001	-0.007	-7
4/16/2007	11:21:42	0.001	-0.007	-7
4/16/2007	11:36:42	0.001	-0.007	-7
4/16/2007	11:51:42	0.002	-0.006	-6
4/16/2007	12:06:42	0.003	-0.005	-5
4/16/2007	12:21:42	0.004	-0.004	-4
4/16/2007	12:36:42	0.002	-0.006	-6
4/16/2007	12:51:42	0.001	-0.007	-7
4/16/2007	13:06:42	0	-0.008	-8
4/16/2007	13:21:42	0.001	-0.007	-7
4/16/2007	13:36:42	0.001	-0.007	-7
4/16/2007	13:51:42	0.001	-0.007	-7
4/16/2007	14:06:42	0.001	-0.007	-7
4/16/2007	14:21:42	0.002	-0.006	-6
4/16/2007	14:36:42	0.001	-0.007	-7
4/16/2007	14:51:42	0.002	-0.006	-6
4/16/2007	15:06:42	0.002	-0.006	-6
4/16/2007	15:21:42	0.002	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/16/2007 06:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/16/2007 7:02	0		-0.2
2	4/16/2007 7:17	0		-0.2
3	4/16/2007 7:32	0		-0.2
4	4/16/2007 7:47	0		-0.2
5	4/16/2007 8:02	0		-0.2
6	4/16/2007 8:17	0		-0.2
7	4/16/2007 8:32	0		-0.2
8	4/16/2007 8:47	0		-0.2
9	4/16/2007 9:02	0		-0.2
10	4/16/2007 9:17	0		-0.2
11	4/16/2007 9:32	0		-0.2
12	4/16/2007 9:47	0		-0.2
13	4/16/2007 10:02	0		-0.2
14	4/16/2007 10:17	0		-0.2
15	4/16/2007 10:32	0		-0.2
16	4/16/2007 10:47	0		-0.2
17	4/16/2007 11:02	0		-0.2
18	4/16/2007 11:17	0		-0.2
19	4/16/2007 11:32	0		-0.2
20	4/16/2007 11:47	0		-0.2
21	4/16/2007 12:02	0		-0.2
22	4/16/2007 12:17	0		-0.2
23	4/16/2007 12:32	0.1		-0.1
24	4/16/2007 12:47	0.1		-0.1
25	4/16/2007 13:02	0.1		-0.1
26	4/16/2007 13:17	0.1		-0.1
27	4/16/2007 13:32	0.1		-0.1
28	4/16/2007 13:47	0.1		-0.1
29	4/16/2007 14:02	0.1		-0.1
30	4/16/2007 14:17	0.1		-0.1
31	4/16/2007 14:32	0.1		-0.1
32	4/16/2007 14:47	0.1		-0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	4/16/2007
Start Time:	6:49:43
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0640) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/16/2007	7:04:43	0.011	-0.007	-7
4/16/2007	7:19:43	0.011	-0.007	-7
4/16/2007	7:34:43	0.012	-0.006	-6
4/16/2007	7:49:43	0.018	0	0
4/16/2007	8:04:43	0.025	0.007	7
4/16/2007	8:19:43	0.024	0.006	6
4/16/2007	8:34:43	0.018	0	0
4/16/2007	8:49:43	0.011	-0.007	-7
4/16/2007	9:04:43	0.011	-0.007	-7
4/16/2007	9:19:43	0.013	-0.005	-5
4/16/2007	9:34:43	0.011	-0.007	-7
4/16/2007	9:49:43	0.014	-0.004	-4
4/16/2007	10:04:43	0.017	-0.001	-1
4/16/2007	10:19:43	0.023	0.005	5
4/16/2007	10:34:43	0.018	0	0
4/16/2007	10:49:43	0.009	-0.009	-9
4/16/2007	11:04:43	0.005	-0.013	-13
4/16/2007	11:19:43	0.004	-0.014	-14
4/16/2007	11:34:43	0.004	-0.014	-14
4/16/2007	11:49:43	0.007	-0.011	-11
4/16/2007	12:04:43	0.006	-0.012	-12
4/16/2007	12:19:43	0.014	-0.004	-4
4/16/2007	12:34:43	0.008	-0.01	-10
4/16/2007	12:49:43	0.005	-0.013	-13
4/16/2007	13:04:43	0.003	-0.015	-15
4/16/2007	13:19:43	0.004	-0.014	-14
4/16/2007	13:34:43	0.003	-0.015	-15
4/16/2007	13:49:43	0.004	-0.014	-14
4/16/2007	14:04:43	0.004	-0.014	-14
4/16/2007	14:19:43	0.005	-0.013	-13
4/16/2007	14:34:43	0.005	-0.013	-13
4/16/2007	14:49:43	0.006	-0.012	-12
4/16/2007	15:04:43	0.004	-0.014	-14

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/16/2007 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/16/2007 6:56	0.3		0.1
2	4/16/2007 7:11	0.4		0.2
3	4/16/2007 7:26	0.5		0.3
4	4/16/2007 7:41	0.6		0.4
5	4/16/2007 7:56	0.6		0.4
6	4/16/2007 8:11	0.6		0.4
7	4/16/2007 8:26	0.6		0.4
8	4/16/2007 8:41	0.8		0.6
9	4/16/2007 8:56	0.9		0.7
10	4/16/2007 9:11	0.9		0.7
11	4/16/2007 9:26	0.9		0.7
12	4/16/2007 9:41	0.9		0.7
13	4/16/2007 9:56	1		0.8
14	4/16/2007 10:11	1		0.8
15	4/16/2007 10:26	1		0.8
16	4/16/2007 10:41	1		0.8
17	4/16/2007 10:56	1		0.8
18	4/16/2007 11:11	1		0.8
19	4/16/2007 11:26	1		0.8
20	4/16/2007 11:41	1.1		0.9
21	4/16/2007 11:56	1.1		0.9
22	4/16/2007 12:11	1		0.8
23	4/16/2007 12:26	1.1		0.9
24	4/16/2007 12:41	1.1		0.9
25	4/16/2007 12:56	1.1		0.9
26	4/16/2007 13:11	1.1		0.9
27	4/16/2007 13:26	1.1		0.9
28	4/16/2007 13:41	1.1		0.9
29	4/16/2007 13:56	1.2		1
30	4/16/2007 14:11	1.2		1
31	4/16/2007 14:26	1.1		0.9
32	4/16/2007 14:41	1.1		0.9
33	4/16/2007 14:56	1.1		0.9

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	4/16/2007
Start Time:	6:43:44
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0636) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/16/2007	6:58:44	0.012	-0.006	-6
4/16/2007	7:13:44	0.009	-0.009	-9
4/16/2007	7:28:44	0.015	-0.003	-3
4/16/2007	7:43:44	0.015	-0.003	-3
4/16/2007	7:58:44	0.036	0.018	18
4/16/2007	8:13:44	0.04	0.022	22
4/16/2007	8:28:44	0.023	0.005	5
4/16/2007	8:43:44	0.023	0.005	5
4/16/2007	8:58:44	0.01	-0.008	-8
4/16/2007	9:13:44	0.013	-0.005	-5
4/16/2007	9:28:44	0.011	-0.007	-7
4/16/2007	9:43:44	0.011	-0.007	-7
4/16/2007	9:58:44	0.011	-0.007	-7
4/16/2007	10:13:44	0.01	-0.008	-8
4/16/2007	10:28:44	0.01	-0.008	-8
4/16/2007	10:43:44	0.009	-0.009	-9
4/16/2007	10:58:44	0.011	-0.007	-7
4/16/2007	11:13:44	0.009	-0.009	-9
4/16/2007	11:28:44	0.006	-0.012	-12
4/16/2007	11:43:44	0.006	-0.012	-12
4/16/2007	11:58:44	0.012	-0.006	-6
4/16/2007	12:13:44	0.01	-0.008	-8
4/16/2007	12:28:44	0.008	-0.01	-10
4/16/2007	12:43:44	0.005	-0.013	-13
4/16/2007	12:58:44	0.004	-0.014	-14
4/16/2007	13:13:44	0.005	-0.013	-13
4/16/2007	13:28:44	0.006	-0.012	-12
4/16/2007	13:43:44	0.008	-0.01	-10
4/16/2007	13:58:44	0.006	-0.012	-12
4/16/2007	14:13:44	0.01	-0.008	-8
4/16/2007	14:28:44	0.007	-0.011	-11
4/16/2007	14:43:44	0.007	-0.011	-11
4/16/2007	14:58:44	0.008	-0.01	-10
4/16/2007	15:13:44	0.007	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/17/2007 06:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0712) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/17/2007 7:29	0		-0.1
2	4/17/2007 7:44	0		-0.1
3	4/17/2007 7:59	0		-0.1
4	4/17/2007 8:14	0		-0.1
5	4/17/2007 8:29	0		-0.1
6	4/17/2007 8:44	0.1		0
7	4/17/2007 8:59	0.1		0
8	4/17/2007 9:14	0.1		0
9	4/17/2007 9:29	0.1		0
10	4/17/2007 9:44	0.1		0
11	4/17/2007 9:59	0.1		0
12	4/17/2007 10:14	0.1		0
13	4/17/2007 10:29	0.1		0
14	4/17/2007 10:44	0.1		0
15	4/17/2007 10:59	0.1		0
16	4/17/2007 11:14	0.1		0
17	4/17/2007 11:29	0.1		0
1	4/17/2007 12:16	0.1		0
2	4/17/2007 12:31	0.1		0
3	4/17/2007 12:46	0.1		0
4	4/17/2007 13:01	0.1		0
5	4/17/2007 13:16	0.1		0
6	4/17/2007 13:31	0.1		0
7	4/17/2007 13:46	0.1		0
8	4/17/2007 14:01	0.1		0
9	4/17/2007 14:16	0.1		0
10	4/17/2007 14:31	0.1		0
11	4/17/2007 14:46	0.1		0
12	4/17/2007 15:01	0.1		0
13	4/17/2007 15:16	0.1		0
14	4/17/2007 15:31	0.1		0
15	4/17/2007 15:46	0.1		0
16	4/17/2007 16:01	0.1		0
17	4/17/2007 16:16	0.1		0
18	4/17/2007 16:31	0.1		0
19	4/17/2007 16:46	0.1		0
20	4/17/2007 17:01	0.1		0
21	4/17/2007 17:16	0.1		0
22	4/17/2007 17:31	0.1		0
23	4/17/2007 17:46	0.1		0
24	4/17/2007 18:01	0.1		0
25	4/17/2007 18:16	0.1		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/17/2007
Start Time:	7:15:17
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0712) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/17/2007	7:30:17	0.01	-0.007	-7
4/17/2007	7:45:17	0.012	-0.005	-5
4/17/2007	8:00:17	0.009	-0.008	-8
4/17/2007	8:15:17	0.009	-0.008	-8
4/17/2007	8:30:17	0.012	-0.005	-5
4/17/2007	8:45:17	0.01	-0.007	-7
4/17/2007	9:00:17	0.006	-0.011	-11
4/17/2007	9:15:17	0.008	-0.009	-9
4/17/2007	9:30:17	0.009	-0.008	-8
4/17/2007	9:45:17	0.013	-0.004	-4
4/17/2007	10:00:17	0.009	-0.008	-8
4/17/2007	10:15:17	0.009	-0.008	-8
4/17/2007	10:30:17	0.01	-0.007	-7
4/17/2007	10:45:17	0.015	-0.002	-2
4/17/2007	11:00:17	0.009	-0.008	-8
4/17/2007	11:15:17	0.007	-0.01	-10
4/17/2007	11:30:17	0.007	-0.01	-10
4/17/2007	11:45:17	0.008	-0.009	-9
4/17/2007	12:00:17	0.007	-0.01	-10
4/17/2007	12:15:17	0.008	-0.009	-9
4/17/2007	12:30:17	0.012	-0.005	-5
4/17/2007	12:45:17	0.009	-0.008	-8
4/17/2007	13:00:17	0.007	-0.01	-10
4/17/2007	13:15:17	0.006	-0.011	-11
4/17/2007	13:30:17	0.007	-0.01	-10
4/17/2007	13:45:17	0.008	-0.009	-9
4/17/2007	14:00:17	0.007	-0.01	-10
4/17/2007	14:15:17	0.008	-0.009	-9
4/17/2007	14:30:17	0.006	-0.011	-11
4/17/2007	14:45:17	0.006	-0.011	-11
4/17/2007	15:00:17	0.006	-0.011	-11
4/17/2007	15:15:17	0.007	-0.01	-10
4/17/2007	15:30:17	0.007	-0.01	-10
4/17/2007	15:45:17	0.006	-0.011	-11
4/17/2007	16:00:17	0.007	-0.01	-10
4/17/2007	16:15:17	0.009	-0.008	-8
4/17/2007	16:30:17	0.013	-0.004	-4
4/17/2007	16:45:17	0.008	-0.009	-9
4/17/2007	17:00:17	0.008	-0.009	-9
4/17/2007	17:15:17	0.01	-0.007	-7
4/17/2007	17:30:17	0.007	-0.01	-10
4/17/2007	17:45:17	0.008	-0.009	-9
4/17/2007	18:00:17	0.007	-0.01	-10
4/17/2007	18:15:17	0.007	-0.01	-10
4/17/2007	18:30:17	0.01	-0.007	-7
4/17/2007	18:45:17	0.009	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/17/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0657) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/17/2007 7:13	0		-0.1
2	4/17/2007 7:28	0.1		0
3	4/17/2007 7:43	0.1		0
4	4/17/2007 7:58	0.2		0.1
5	4/17/2007 8:13	0.2		0.1
6	4/17/2007 8:28	0.2		0.1
7	4/17/2007 8:43	0.3		0.2
8	4/17/2007 8:58	0.3		0.2
9	4/17/2007 9:13	0.3		0.2
10	4/17/2007 9:28	0.3		0.2
11	4/17/2007 9:43	0.4		0.3
12	4/17/2007 9:58	0.4		0.3
13	4/17/2007 10:13	0.4		0.3
14	4/17/2007 10:28	0.4		0.3
15	4/17/2007 10:43	0.4		0.3
16	4/17/2007 10:58	0.4		0.3
17	4/17/2007 11:13	0.5		0.4
18	4/17/2007 11:28	0.5		0.4
19	4/17/2007 11:43	0.5		0.4
20	4/17/2007 11:58	0.5		0.4
21	4/17/2007 12:13	0.5		0.4
22	4/17/2007 12:28	0.5		0.4
23	4/17/2007 12:43	0.5		0.4
24	4/17/2007 12:58	0.6		0.5
25	4/17/2007 13:13	0.6		0.5
26	4/17/2007 13:28	0.6		0.5
27	4/17/2007 13:43	0.6		0.5
28	4/17/2007 13:58	0.6		0.5
29	4/17/2007 14:13	0.6		0.5
30	4/17/2007 14:28	0.6		0.5
31	4/17/2007 14:43	0.6		0.5
32	4/17/2007 14:58	0.7		0.6
33	4/17/2007 15:13	0.7		0.6
34	4/17/2007 15:28	0.7		0.6
35	4/17/2007 15:43	0.7		0.6
36	4/17/2007 15:58	0.7		0.6
37	4/17/2007 16:13	0.7		0.6
38	4/17/2007 16:28	0.7		0.6
39	4/17/2007 16:43	0.7		0.6
40	4/17/2007 16:58	0.7		0.6
41	4/17/2007 17:13	0.7		0.6
42	4/17/2007 17:28	0.7		0.6
43	4/17/2007 17:43	0.7		0.6
44	4/17/2007 17:58	0.7		0.6
45	4/17/2007 18:13	0.7		0.6
46	4/17/2007 18:28	0.7		0.6
47	4/17/2007 18:43	0.7		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	4/17/2007
Start Time:	7:02:26
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0657) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/17/2007	7:17:26	0.005	0.001	1
4/17/2007	7:32:26	0.006	0.002	2
4/17/2007	7:47:26	0.006	0.002	2
4/17/2007	8:02:26	0.004	0	0
4/17/2007	8:17:26	0.004	0	0
4/17/2007	8:32:26	0.005	0.001	1
4/17/2007	8:47:26	0.004	0	0
4/17/2007	9:02:26	0.003	-0.001	-1
4/17/2007	9:17:26	0.003	-0.001	-1
4/17/2007	9:32:26	0.002	-0.002	-2
4/17/2007	9:47:26	0.004	0	0
4/17/2007	10:02:26	0.003	-0.001	-1
4/17/2007	10:17:26	0.004	0	0
4/17/2007	10:32:26	0.004	0	0
4/17/2007	10:47:26	0.004	0	0
4/17/2007	11:02:26	0.004	0	0
4/17/2007	11:17:26	0.004	0	0
4/17/2007	11:32:26	0.003	-0.001	-1
4/17/2007	11:47:26	0.004	0	0
4/17/2007	12:02:26	0.004	0	0
4/17/2007	12:17:26	0.004	0	0
4/17/2007	12:32:26	0.003	-0.001	-1
4/17/2007	12:47:26	0.003	-0.001	-1
4/17/2007	13:02:26	0.003	-0.001	-1
4/17/2007	13:17:26	0.003	-0.001	-1
4/17/2007	13:32:26	0.004	0	0
4/17/2007	13:47:26	0.003	-0.001	-1
4/17/2007	14:02:26	0.003	-0.001	-1
4/17/2007	14:17:26	0.004	0	0
4/17/2007	14:32:26	0.003	-0.001	-1
4/17/2007	14:47:26	0.003	-0.001	-1
4/17/2007	15:02:26	0.003	-0.001	-1
4/17/2007	15:17:26	0.004	0	0
4/17/2007	15:32:26	0.003	-0.001	-1
4/17/2007	15:47:26	0.003	-0.001	-1
4/17/2007	16:02:26	0.003	-0.001	-1
4/17/2007	16:17:26	0.003	-0.001	-1
4/17/2007	16:32:26	0.004	0	0
4/17/2007	16:47:26	0.005	0.001	1
4/17/2007	17:02:26	0.004	0	0
4/17/2007	17:17:26	0.005	0.001	1
4/17/2007	17:32:26	0.004	0	0
4/17/2007	17:47:26	0.004	0	0
4/17/2007	18:02:26	0.004	0	0
4/17/2007	18:17:26	0.003	-0.001	-1
4/17/2007	18:32:26	0.004	0	0
4/17/2007	18:47:26	0.005	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/17/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0649) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/17/2007 7:03	0.1		-0.1
2	4/17/2007 7:18	0.2		0
3	4/17/2007 7:33	0.5		0.3
4	4/17/2007 7:48	0.6		0.4
5	4/17/2007 8:03	0.7		0.5
6	4/17/2007 8:18	0.8		0.6
7	4/17/2007 8:33	0.8		0.6
8	4/17/2007 8:48	0.9		0.7
9	4/17/2007 9:03	0.9		0.7
10	4/17/2007 9:18	1		0.8
11	4/17/2007 9:33	1		0.8
12	4/17/2007 9:48	1		0.8
13	4/17/2007 10:03	1		0.8
14	4/17/2007 10:18	1.1		0.9
15	4/17/2007 10:33	1.1		0.9
16	4/17/2007 10:48	1.1		0.9
17	4/17/2007 11:03	1.1		0.9
18	4/17/2007 11:18	1.1		0.9
19	4/17/2007 11:33	1.1		0.9
20	4/17/2007 11:48	1.1		0.9
21	4/17/2007 12:03	1.1		0.9
22	4/17/2007 12:18	1.1		0.9
23	4/17/2007 12:33	1.1		0.9
24	4/17/2007 12:48	1.2		1
25	4/17/2007 13:03	1.2		1
26	4/17/2007 13:18	1.2		1
27	4/17/2007 13:33	1.2		1
28	4/17/2007 13:48	1.2		1
29	4/17/2007 14:03	1.2		1
30	4/17/2007 14:18	1.2		1
31	4/17/2007 14:33	1.2		1
32	4/17/2007 14:48	1.2		1
33	4/17/2007 15:03	1.2		1
34	4/17/2007 15:18	1.2		1
35	4/17/2007 15:33	1.2		1
36	4/17/2007 15:48	1.2		1
37	4/17/2007 16:03	1.2		1
38	4/17/2007 16:18	1.2		1
39	4/17/2007 16:33	1.2		1
40	4/17/2007 16:48	1.2		1
41	4/17/2007 17:03	1.2		1
42	4/17/2007 17:18	1.3		1.1
43	4/17/2007 17:33	1.2		1
44	4/17/2007 17:48	1.2		1
45	4/17/2007 18:03	1.3		1.1
46	4/17/2007 18:18	1.3		1.1
47	4/17/2007 18:33	1.3		1.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	4/17/2007
Start Time:	6:49:34
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (0649) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/17/2007	7:04:34	0.005	-0.001	-1
4/17/2007	7:19:34	0.006	0	0
4/17/2007	7:47:06	0.009	0.003	3
4/17/2007	8:02:06	0.01	0.004	4
4/17/2007	8:17:06	0.007	0.001	1
4/17/2007	8:32:06	0.009	0.003	3
4/17/2007	8:47:06	0.008	0.002	2
4/17/2007	9:02:06	0.005	-0.001	-1
4/17/2007	9:17:06	0.005	-0.001	-1
4/17/2007	9:32:06	0.005	-0.001	-1
4/17/2007	9:47:06	0.006	0	0
4/17/2007	10:02:06	0.006	0	0
4/17/2007	10:17:06	0.007	0.001	1
4/17/2007	10:32:06	0.008	0.002	2
4/17/2007	10:47:06	0.01	0.004	4
4/17/2007	11:02:06	0.007	0.001	1
4/17/2007	11:17:06	0.006	0	0
4/17/2007	11:32:06	0.007	0.001	1
4/17/2007	11:47:06	0.006	0	0
4/17/2007	12:02:06	0.006	0	0
4/17/2007	12:17:06	0.005	-0.001	-1
4/17/2007	12:32:06	0.005	-0.001	-1
4/17/2007	12:47:06	0.005	-0.001	-1
4/17/2007	13:02:06	0.004	-0.002	-2
4/17/2007	13:17:06	0.005	-0.001	-1
4/17/2007	13:32:06	0.005	-0.001	-1
4/17/2007	13:47:06	0.006	0	0
4/17/2007	14:02:06	0.008	0.002	2
4/17/2007	14:17:06	0.007	0.001	1
4/17/2007	14:32:06	0.006	0	0
4/17/2007	14:47:06	0.004	-0.002	-2
4/17/2007	15:02:06	0.006	0	0
4/17/2007	15:17:06	0.005	-0.001	-1
4/17/2007	15:32:06	0.004	-0.002	-2
4/17/2007	15:47:06	0.005	-0.001	-1
4/17/2007	16:02:06	0.005	-0.001	-1
4/17/2007	16:17:06	0.005	-0.001	-1
4/17/2007	16:32:06	0.007	0.001	1
4/17/2007	16:47:06	0.007	0.001	1
4/17/2007	17:02:06	0.006	0	0
4/17/2007	17:17:06	0.009	0.003	3
4/17/2007	17:32:06	0.006	0	0
4/17/2007	17:47:06	0.005	-0.001	-1
4/17/2007	18:02:06	0.005	-0.001	-1
4/17/2007	18:17:06	0.005	-0.001	-1
4/17/2007	18:32:06	0.007	0.001	1
4/17/2007	18:47:06	0.006	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/17/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/17/2007 6:53	0		-0.3
2	4/17/2007 7:08	0		-0.3
3	4/17/2007 7:23	0		-0.3
4	4/17/2007 7:38	0.1		-0.2
5	4/17/2007 7:53	0.1		-0.2
6	4/17/2007 8:08	0.1		-0.2
7	4/17/2007 8:23	0.2		-0.1
8	4/17/2007 8:38	0.2		-0.1
9	4/17/2007 8:53	0.2		-0.1
10	4/17/2007 9:08	0.2		-0.1
11	4/17/2007 9:23	0.2		-0.1
12	4/17/2007 9:38	0.2		-0.1
13	4/17/2007 9:53	0.2		-0.1
14	4/17/2007 10:08	0.2		-0.1
15	4/17/2007 10:23	0.2		-0.1
16	4/17/2007 10:38	0.2		-0.1
17	4/17/2007 10:53	0.2		-0.1
18	4/17/2007 11:08	0.2		-0.1
19	4/17/2007 11:23	0.2		-0.1
20	4/17/2007 11:38	0.1		-0.2
21	4/17/2007 11:53	0.1		-0.2
22	4/17/2007 12:08	0.1		-0.2
23	4/17/2007 12:23	0.1		-0.2
24	4/17/2007 12:38	0		-0.3
25	4/17/2007 12:53	0		-0.3
26	4/17/2007 13:08	0		-0.3
27	4/17/2007 13:23	0		-0.3
28	4/17/2007 13:38	0		-0.3
29	4/17/2007 13:53	0		-0.3
30	4/17/2007 14:08	0		-0.3
31	4/17/2007 14:23	0		-0.3
32	4/17/2007 14:38	0		-0.3
33	4/17/2007 14:53	0		-0.3
34	4/17/2007 15:08	0		-0.3
35	4/17/2007 15:23	0		-0.3
36	4/17/2007 15:38	0		-0.3
37	4/17/2007 15:53	0		-0.3
38	4/17/2007 16:08	0		-0.3
39	4/17/2007 16:23	0		-0.3
40	4/17/2007 16:38	0		-0.3
41	4/17/2007 16:53	0		-0.3
42	4/17/2007 17:08	0		-0.3
43	4/17/2007 17:23	0		-0.3
44	4/17/2007 17:38	0		-0.3
45	4/17/2007 17:53	0		-0.3
46	4/17/2007 18:08	0		-0.3
47	4/17/2007 18:23	0		-0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	4/17/2007
Start Time:	6:39:12
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	Background Reading (0636) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/17/2007	6:54:12	0.006	-0.004	-4
4/17/2007	7:09:12	0.006	-0.004	-4
4/17/2007	7:36:34	0.008	-0.002	-2
4/17/2007	7:51:34	0.009	-0.001	-1
4/17/2007	8:06:34	0.01	0	0
4/17/2007	8:21:34	0.012	0.002	2
4/17/2007	8:36:34	0.012	0.002	2
4/17/2007	8:51:34	0.007	-0.003	-3
4/17/2007	9:06:34	0.005	-0.005	-5
4/17/2007	9:21:34	0.005	-0.005	-5
4/17/2007	9:36:34	0.008	-0.002	-2
4/17/2007	9:51:34	0.008	-0.002	-2
4/17/2007	10:06:34	0.008	-0.002	-2
4/17/2007	10:21:34	0.009	-0.001	-1
4/17/2007	10:36:34	0.01	0	0
4/17/2007	10:51:34	0.014	0.004	4
4/17/2007	11:06:34	0.008	-0.002	-2
4/17/2007	11:21:34	0.007	-0.003	-3
4/17/2007	11:36:34	0.007	-0.003	-3
4/17/2007	11:51:34	0.006	-0.004	-4
4/17/2007	12:06:34	0.006	-0.004	-4
4/17/2007	12:21:34	0.006	-0.004	-4
4/17/2007	12:36:34	0.006	-0.004	-4
4/17/2007	12:51:34	0.006	-0.004	-4
4/17/2007	13:06:34	0.006	-0.004	-4
4/17/2007	13:21:34	0.006	-0.004	-4
4/17/2007	13:36:34	0.006	-0.004	-4
4/17/2007	13:51:34	0.007	-0.003	-3
4/17/2007	14:06:34	0.009	-0.001	-1
4/17/2007	14:21:34	0.006	-0.004	-4
4/17/2007	14:36:34	0.008	-0.002	-2
4/17/2007	14:51:34	0.005	-0.005	-5
4/17/2007	15:06:34	0.007	-0.003	-3
4/17/2007	15:21:34	0.006	-0.004	-4
4/17/2007	15:36:34	0.005	-0.005	-5
4/17/2007	15:51:34	0.006	-0.004	-4
4/17/2007	16:06:34	0.006	-0.004	-4
4/17/2007	16:21:34	0.007	-0.003	-3
4/17/2007	16:36:34	0.008	-0.002	-2
4/17/2007	16:51:34	0.007	-0.003	-3
4/17/2007	17:06:34	0.008	-0.002	-2
4/17/2007	17:21:34	0.007	-0.003	-3
4/17/2007	17:36:34	0.006	-0.004	-4
4/17/2007	17:51:34	0.006	-0.004	-4
4/17/2007	18:06:34	0.006	-0.004	-4
4/17/2007	18:21:34	0.008	-0.002	-2
4/17/2007	18:36:34	0.008	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/18/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0646) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/18/2007 7:02	0		0
2	4/18/2007 7:17	0		0
3	4/18/2007 7:32	0		0
4	4/18/2007 7:47	0		0
5	4/18/2007 8:02	0		0
6	4/18/2007 8:17	0.1		0.1
7	4/18/2007 8:32	0.1		0.1
8	4/18/2007 8:47	0.1		0.1
9	4/18/2007 9:02	0.1		0.1
10	4/18/2007 9:17	0.1		0.1
11	4/18/2007 9:32	0.1		0.1
12	4/18/2007 9:47	0.1		0.1
13	4/18/2007 10:02	0.1		0.1
14	4/18/2007 10:17	0.1		0.1
15	4/18/2007 10:32	0.2		0.2
16	4/18/2007 10:47	0.2		0.2
17	4/18/2007 11:02	0.2		0.2
18	4/18/2007 11:17	0.2		0.2
19	4/18/2007 11:32	0.2		0.2
20	4/18/2007 11:47	0.2		0.2
21	4/18/2007 12:02	0.2		0.2
22	4/18/2007 12:17	0.2		0.2
23	4/18/2007 12:32	0.2		0.2
24	4/18/2007 12:47	0.2		0.2
25	4/18/2007 13:02	0.2		0.2
26	4/18/2007 13:17	0.2		0.2
27	4/18/2007 13:32	0.2		0.2
28	4/18/2007 13:47	0.2		0.2
29	4/18/2007 14:02	0.2		0.2
30	4/18/2007 14:17	0.2		0.2
31	4/18/2007 14:32	0.1		0.1
32	4/18/2007 14:47	0.2		0.2
33	4/18/2007 15:02	0.2		0.2
34	4/18/2007 15:17	0.2		0.2
35	4/18/2007 15:32	0.2		0.2
36	4/18/2007 15:47	0.1		0.1
37	4/18/2007 16:02	0.1		0.1
38	4/18/2007 16:17	0.2		0.2
39	4/18/2007 16:32	0.2		0.2
40	4/18/2007 16:47	0.2		0.2
41	4/18/2007 17:02	0.2		0.2
42	4/18/2007 17:17	0.2		0.2
43	4/18/2007 17:32	0.2		0.2
44	4/18/2007 17:47	0.1		0.1
45	4/18/2007 18:02	0.1		0.1
46	4/18/2007 18:17	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	###############
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/18/2007
Start Time:	6:46:42
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0646) = 0.013 mg/m^3

Calibration Sensor: Aerosol
Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/18/2007	7:01:42	0.013	0	0
4/18/2007	7:16:42	0.015	0.002	2
4/18/2007	7:31:42	0.015	0.002	2
4/18/2007	7:46:42	0.016	0.003	3
4/18/2007	8:01:42	0.012	-0.001	-1
4/18/2007	8:16:42	0.013	0	0
4/18/2007	8:31:42	0.016	0.003	3
4/18/2007	8:46:42	0.014	0.001	1
4/18/2007	9:01:42	0.011	-0.002	-2
4/18/2007	9:16:42	0.011	-0.002	-2
4/18/2007	9:31:42	0.01	-0.003	-3
4/18/2007	9:46:42	0.012	-0.001	-1
4/18/2007	10:01:42	0.015	0.002	2
4/18/2007	10:16:42	0.011	-0.002	-2
4/18/2007	10:31:42	0.013	0	0
4/18/2007	10:46:42	0.013	0	0
4/18/2007	11:01:42	0.01	-0.003	-3
4/18/2007	11:16:42	0.01	-0.003	-3
4/18/2007	11:31:42	0.008	-0.005	-5
4/18/2007	11:46:42	0.008	-0.005	-5
4/18/2007	12:01:42	0.011	-0.002	-2
4/18/2007	12:16:42	0.009	-0.004	-4
4/18/2007	12:31:42	0.011	-0.002	-2
4/18/2007	12:46:42	0.009	-0.004	-4
4/18/2007	13:01:42	0.008	-0.005	-5
4/18/2007	13:16:42	0.008	-0.005	-5
4/18/2007	13:31:42	0.011	-0.002	-2
4/18/2007	13:46:42	0.009	-0.004	-4
4/18/2007	14:01:42	0.011	-0.002	-2
4/18/2007	14:16:42	0.012	-0.001	-1
4/18/2007	14:31:42	0.011	-0.002	-2
4/18/2007	14:46:42	0.009	-0.004	-4
4/18/2007	15:01:42	0.012	-0.001	-1
4/18/2007	15:16:42	0.012	-0.001	-1
4/18/2007	15:31:42	0.011	-0.002	-2
4/18/2007	15:46:42	0.017	0.004	4
4/18/2007	16:01:42	0.014	0.001	1
4/18/2007	16:16:42	0.015	0.002	2
4/18/2007	16:31:42	0.016	0.003	3
4/18/2007	16:46:42	0.013	0	0
4/18/2007	17:01:42	0.01	-0.003	-3
4/18/2007	17:16:42	0.009	-0.004	-4
4/18/2007	17:31:42	0.009	-0.004	-4
4/18/2007	17:46:42	0.006	-0.007	-7
4/18/2007	18:01:42	0.006	-0.007	-7
4/18/2007	18:16:42	0.011	-0.002	-2
4/18/2007	18:31:42	0.009	-0.004	-4
4/18/2007	18:46:42	0.008	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/18/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/18/2007 6:49	0		0
2	4/18/2007 7:04	0		0
3	4/18/2007 7:19	0		0
4	4/18/2007 7:34	0		0
5	4/18/2007 7:49	0		0
6	4/18/2007 8:04	0		0
7	4/18/2007 8:19	0.1		0.1
8	4/18/2007 8:34	0.1		0.1
9	4/18/2007 8:49	0.1		0.1
10	4/18/2007 9:04	0.1		0.1
11	4/18/2007 9:19	0.2		0.2
12	4/18/2007 9:34	0.2		0.2
13	4/18/2007 9:49	0.2		0.2
14	4/18/2007 10:04	0.2		0.2
15	4/18/2007 10:19	0.2		0.2
16	4/18/2007 10:34	0.2		0.2
17	4/18/2007 10:49	0.3		0.3
18	4/18/2007 11:04	0.3		0.3
19	4/18/2007 11:19	0.3		0.3
20	4/18/2007 11:34	0.3		0.3
21	4/18/2007 11:49	0.3		0.3
22	4/18/2007 12:04	0.3		0.3
23	4/18/2007 12:19	0.3		0.3
24	4/18/2007 12:34	0.3		0.3
25	4/18/2007 12:49	0.3		0.3
26	4/18/2007 13:04	0.3		0.3
27	4/18/2007 13:19	0.4		0.4
28	4/18/2007 13:34	0.4		0.4
29	4/18/2007 13:49	0.4		0.4
30	4/18/2007 14:04	0.4		0.4
31	4/18/2007 14:19	0.4		0.4
32	4/18/2007 14:34	0.4		0.4
33	4/18/2007 14:49	0.4		0.4
34	4/18/2007 15:04	0.4		0.4
35	4/18/2007 15:19	0.4		0.4
36	4/18/2007 15:34	0.4		0.4
37	4/18/2007 15:49	0.4		0.4
38	4/18/2007 16:04	0.4		0.4
39	4/18/2007 16:19	0.4		0.4
40	4/18/2007 16:34	0.4		0.4
41	4/18/2007 16:49	0.4		0.4
42	4/18/2007 17:04	0.5		0.5
43	4/18/2007 17:19	0.5		0.5
44	4/18/2007 17:34	0.5		0.5
45	4/18/2007 17:49	0.5		0.5
46	4/18/2007 18:04	0.5		0.5
47	4/18/2007 18:19	0.5		0.5
48	4/18/2007 18:34	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	4/18/2007
Start Time:	6:38:15
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0625) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/18/2007	6:53:15	0.005	-0.002	-2
4/18/2007	7:08:15	0.004	-0.003	-3
4/18/2007	7:23:15	0.004	-0.003	-3
4/18/2007	7:38:15	0.006	-0.001	-1
4/18/2007	7:53:15	0.005	-0.002	-2
4/18/2007	8:08:15	0.004	-0.003	-3
4/18/2007	8:23:15	0.006	-0.001	-1
4/18/2007	8:38:15	0.007	0	0
4/18/2007	8:53:15	0.006	-0.001	-1
4/18/2007	9:08:15	0.003	-0.004	-4
4/18/2007	9:23:15	0.004	-0.003	-3
4/18/2007	9:38:15	0.003	-0.004	-4
4/18/2007	9:53:15	0.004	-0.003	-3
4/18/2007	10:08:15	0.004	-0.003	-3
4/18/2007	10:23:15	0.004	-0.003	-3
4/18/2007	10:38:15	0.004	-0.003	-3
4/18/2007	10:53:15	0.004	-0.003	-3
4/18/2007	11:08:15	0.003	-0.004	-4
4/18/2007	11:23:15	0.004	-0.003	-3
4/18/2007	11:38:15	0.001	-0.006	-6
4/18/2007	11:53:15	0.002	-0.005	-5
4/18/2007	12:08:15	0.001	-0.006	-6
4/18/2007	12:23:15	0.001	-0.006	-6
4/18/2007	12:38:15	0.001	-0.006	-6
4/18/2007	12:53:15	0.002	-0.005	-5
4/18/2007	13:08:15	0.001	-0.006	-6
4/18/2007	13:23:15	0.001	-0.006	-6
4/18/2007	13:38:15	0.002	-0.005	-5
4/18/2007	13:53:15	0.003	-0.004	-4
4/18/2007	14:08:15	0.003	-0.004	-4
4/18/2007	14:23:15	0.003	-0.004	-4
4/18/2007	14:38:15	0.003	-0.004	-4
4/18/2007	14:53:15	0.002	-0.005	-5
4/18/2007	15:08:15	0.003	-0.004	-4
4/18/2007	15:23:15	0.004	-0.003	-3
4/18/2007	15:38:15	0.002	-0.005	-5
4/18/2007	15:53:15	0.002	-0.005	-5
4/18/2007	16:08:15	0.004	-0.003	-3
4/18/2007	16:23:15	0.002	-0.005	-5
4/18/2007	16:38:15	0.003	-0.004	-4
4/18/2007	16:53:15	0.003	-0.004	-4
4/18/2007	17:08:15	0.001	-0.006	-6
4/18/2007	17:23:15	0.002	-0.005	-5
4/18/2007	17:38:15	0.003	-0.004	-4
4/18/2007	17:53:15	0.002	-0.005	-5
4/18/2007	18:08:15	0.001	-0.006	-6
4/18/2007	18:23:15	0.003	-0.004	-4
4/18/2007	18:38:15	0.002	-0.005	-5
4/18/2007	18:53:15	0.003	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/18/2007 7:19	0		0
2	4/18/2007 7:34	1		1
3	4/18/2007 7:49	1.5		1.5
4	4/18/2007 8:04	2.6		2.6
5	4/18/2007 8:19	0		0
6	4/18/2007 8:34	0		0
7	4/18/2007 8:49	0		0
8	4/18/2007 9:04	0		0
9	4/18/2007 9:19	0.2		0.2
10	4/18/2007 9:34	0.8		0.8
1	4/18/2007 10:20	1.1		1.1
2	4/18/2007 10:35	1.2		1.2
3	4/18/2007 10:50	1.3		1.3
4	4/18/2007 11:05	1.4		1.4
1	4/18/2007 11:36	0.2		0.2
2	4/18/2007 11:51	0.3		0.3
3	4/18/2007 12:06	0.3		0.3
4	4/18/2007 12:21	0.3		0.3
5	4/18/2007 12:36	0.8		0.8
6	4/18/2007 12:51	1		1
7	4/18/2007 13:06	1.2		1.2
8	4/18/2007 13:21	1.3		1.3
9	4/18/2007 13:36	1.4		1.4
10	4/18/2007 13:51	1.1		1.1
11	4/18/2007 14:06	1.5		1.5
12	4/18/2007 14:21	1.7		1.7
13	4/18/2007 14:36	1.4		1.4
14	4/18/2007 14:51	1.3		1.3
15	4/18/2007 15:06	1.2		1.2
16	4/18/2007 15:21	1.2		1.2
17	4/18/2007 15:36	1.1		1.1
18	4/18/2007 15:51	0.9		0.9
19	4/18/2007 16:06	0.8		0.8
20	4/18/2007 16:21	0.9		0.9
21	4/18/2007 16:36	1.1		1.1
22	4/18/2007 16:51	0.9		0.9
23	4/18/2007 17:06	0.8		0.8
24	4/18/2007 17:21	0.9		0.9
25	4/18/2007 17:36	1		1
26	4/18/2007 17:51	1.1		1.1
27	4/18/2007 18:06	0.7		0.7
28	4/18/2007 18:21	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	4/18/2007
Start Time:	7:05:25
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0655) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/18/2007	7:20:25	0.014	0.006	6
4/18/2007	7:35:25	0.016	0.008	8
4/18/2007	7:50:25	0.015	0.007	7
4/18/2007	8:05:25	0.013	0.005	5
4/18/2007	8:20:25	0.013	0.005	5
4/18/2007	8:35:25	0.022	0.014	14
4/18/2007	8:50:25	0.015	0.007	7
4/18/2007	9:05:25	0.01	0.002	2
4/18/2007	9:20:25	0.011	0.003	3
4/18/2007	9:35:25	0.009	0.001	1
4/18/2007	9:50:25	0.015	0.007	7
4/18/2007	10:05:25	0.011	0.003	3
4/18/2007	10:20:25	0.01	0.002	2
4/18/2007	10:35:25	0.013	0.005	5
4/18/2007	10:50:25	0.011	0.003	3
4/18/2007	11:05:25	0.01	0.002	2
4/18/2007	11:20:25	0.01	0.002	2
4/18/2007	11:35:25	0.008	0	0
4/18/2007	11:50:25	0.01	0.002	2
4/18/2007	12:05:25	0.007	-0.001	-1
4/18/2007	12:20:25	0.008	0	0
4/18/2007	12:35:25	0.008	0	0
4/18/2007	12:50:25	0.007	-0.001	-1
4/18/2007	13:05:25	0.007	-0.001	-1
4/18/2007	13:20:25	0.005	-0.003	-3
4/18/2007	13:35:25	0.008	0	0
4/18/2007	13:50:25	0.009	0.001	1
4/18/2007	14:05:25	0.008	0	0
4/18/2007	14:20:25	0.009	0.001	1
4/18/2007	14:35:25	0.014	0.006	6
4/18/2007	14:50:25	0.01	0.002	2
4/18/2007	15:05:25	0.013	0.005	5
4/18/2007	15:20:25	0.015	0.007	7
4/18/2007	15:35:25	0.01	0.002	2
4/18/2007	15:50:25	0.008	0	0
4/18/2007	16:05:25	0.02	0.012	12
4/18/2007	16:20:25	0.023	0.015	15
4/18/2007	16:35:25	0.023	0.015	15
4/18/2007	16:50:25	0.011	0.003	3
4/18/2007	17:05:25	0.014	0.006	6
4/18/2007	17:20:25	0.008	0	0
4/18/2007	17:35:25	0.011	0.003	3
4/18/2007	17:50:25	0.013	0.005	5
4/18/2007	18:05:25	0.013	0.005	5
4/18/2007	18:20:25	0.015	0.007	7
4/18/2007	18:35:25	0.009	0.001	1
4/18/2007	18:50:25	0.009	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/18/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0653) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/18/2007 7:10	0		-0.1
2	4/18/2007 7:25	0		-0.1
3	4/18/2007 7:40	0		-0.1
4	4/18/2007 7:55	0		-0.1
5	4/18/2007 8:10	0		-0.1
6	4/18/2007 8:25	0		-0.1
7	4/18/2007 8:40	0		-0.1
8	4/18/2007 8:55	0.1		0
9	4/18/2007 9:10	0.1		0
10	4/18/2007 9:25	0.1		0
11	4/18/2007 9:40	0.1		0
12	4/18/2007 9:55	0.1		0
13	4/18/2007 10:10	0.1		0
14	4/18/2007 10:25	0.1		0
15	4/18/2007 10:40	0.1		0
16	4/18/2007 10:55	0.1		0
17	4/18/2007 11:10	0.1		0
18	4/18/2007 11:25	0.1		0
19	4/18/2007 11:40	0.1		0
20	4/18/2007 11:55	0.1		0
21	4/18/2007 12:10	0		-0.1
22	4/18/2007 12:25	0		-0.1
23	4/18/2007 12:40	0		-0.1
24	4/18/2007 12:55	0		-0.1
25	4/18/2007 13:10	0		-0.1
26	4/18/2007 13:25	0		-0.1
27	4/18/2007 13:40	0		-0.1
28	4/18/2007 13:55	0		-0.1
29	4/18/2007 14:10	0		-0.1
30	4/18/2007 14:25	0		-0.1
31	4/18/2007 14:40	0		-0.1
32	4/18/2007 14:55	0		-0.1
33	4/18/2007 15:10	0		-0.1
34	4/18/2007 15:25	0		-0.1
35	4/18/2007 15:40	0		-0.1
36	4/18/2007 15:55	0		-0.1
37	4/18/2007 16:10	0		-0.1
38	4/18/2007 16:25	0		-0.1
39	4/18/2007 16:40	0		-0.1
40	4/18/2007 16:55	0		-0.1
41	4/18/2007 17:10	0		-0.1
42	4/18/2007 17:25	0		-0.1
43	4/18/2007 17:40	0		-0.1
44	4/18/2007 17:55	0		-0.1
45	4/18/2007 18:10	0		-0.1
46	4/18/2007 18:25	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	4/18/2007
Start Time:	6:55:28
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0653) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/18/2007	7:10:28	0.009	0	0
4/18/2007	7:25:28	0.013	0.004	4
4/18/2007	7:40:28	0.014	0.005	5
4/18/2007	7:55:28	0.012	0.003	3
4/18/2007	8:10:28	0.011	0.002	2
4/18/2007	8:25:28	0.012	0.003	3
4/18/2007	8:40:28	0.015	0.006	6
4/18/2007	8:55:28	0.011	0.002	2
4/18/2007	9:10:28	0.009	0	0
4/18/2007	9:25:28	0.008	-0.001	-1
4/18/2007	9:40:28	0.008	-0.001	-1
4/18/2007	9:55:28	0.012	0.003	3
4/18/2007	10:10:28	0.01	0.001	1
4/18/2007	10:25:28	0.011	0.002	2
4/18/2007	10:40:28	0.012	0.003	3
4/18/2007	10:55:28	0.009	0	0
4/18/2007	11:10:28	0.009	0	0
4/18/2007	11:25:28	0.008	-0.001	-1
4/18/2007	11:40:28	0.006	-0.003	-3
4/18/2007	11:55:28	0.007	-0.002	-2
4/18/2007	12:10:28	0.006	-0.003	-3
4/18/2007	12:25:28	0.008	-0.001	-1
4/18/2007	12:40:28	0.008	-0.001	-1
4/18/2007	12:55:28	0.007	-0.002	-2
4/18/2007	13:10:28	0.006	-0.003	-3
4/18/2007	13:25:28	0.007	-0.002	-2
4/18/2007	13:40:28	0.007	-0.002	-2
4/18/2007	13:55:28	0.008	-0.001	-1
4/18/2007	14:10:28	0.008	-0.001	-1
4/18/2007	14:25:28	0.008	-0.001	-1
4/18/2007	14:40:28	0.009	0	0
4/18/2007	14:55:28	0.009	0	0
4/18/2007	15:10:28	0.013	0.004	4
4/18/2007	15:25:28	0.011	0.002	2
4/18/2007	15:40:28	0.008	-0.001	-1
4/18/2007	15:55:28	0.011	0.002	2
4/18/2007	16:10:28	0.013	0.004	4
4/18/2007	16:25:28	0.015	0.006	6
4/18/2007	16:40:28	0.015	0.006	6
4/18/2007	16:55:28	0.009	0	0
4/18/2007	17:10:28	0.009	0	0
4/18/2007	17:25:28	0.007	-0.002	-2
4/18/2007	17:40:28	0.007	-0.002	-2
4/18/2007	17:55:28	0.007	-0.002	-2
4/18/2007	18:10:28	0.006	-0.003	-3
4/18/2007	18:25:28	0.016	0.007	7
4/18/2007	18:40:28	0.008	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/19/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/19/2007 7:06	0		0
2	4/19/2007 7:21	0		0
3	4/19/2007 7:36	0		0
4	4/19/2007 7:51	0		0
5	4/19/2007 8:06	0.1		0.1
6	4/19/2007 8:21	0.1		0.1
7	4/19/2007 8:36	0.1		0.1
8	4/19/2007 8:51	0.1		0.1
9	4/19/2007 9:06	0.1		0.1
10	4/19/2007 9:21	0.1		0.1
11	4/19/2007 9:36	0.1		0.1
12	4/19/2007 9:51	0.2		0.2
13	4/19/2007 10:06	0.2		0.2
14	4/19/2007 10:21	0.2		0.2
15	4/19/2007 10:36	0.2		0.2
16	4/19/2007 10:51	0.2		0.2
17	4/19/2007 11:06	0.2		0.2
18	4/19/2007 11:21	0.2		0.2
19	4/19/2007 11:36	0.2		0.2
20	4/19/2007 11:51	0.2		0.2
21	4/19/2007 12:06	0.2		0.2
22	4/19/2007 12:21	0.2		0.2
23	4/19/2007 12:36	0.1		0.1
24	4/19/2007 12:51	0.1		0.1
25	4/19/2007 13:06	0.1		0.1
26	4/19/2007 13:21	0.1		0.1
27	4/19/2007 13:36	0.1		0.1
28	4/19/2007 13:51	0.1		0.1
29	4/19/2007 14:06	0.1		0.1
30	4/19/2007 14:21	0.1		0.1
31	4/19/2007 14:36	0.1		0.1
32	4/19/2007 14:51	0.1		0.1
33	4/19/2007 15:06	0.1		0.1
34	4/19/2007 15:21	0.1		0.1
35	4/19/2007 15:36	0.1		0.1
36	4/19/2007 15:51	0.1		0.1
37	4/19/2007 16:06	0.1		0.1
38	4/19/2007 16:21	0.1		0.1
39	4/19/2007 16:36	0.1		0.1
40	4/19/2007 16:51	0.1		0.1
41	4/19/2007 17:06	0.1		0.1
42	4/19/2007 17:21	0.1		0.1
43	4/19/2007 17:36	0.1		0.1
44	4/19/2007 17:51	0.1		0.1
45	4/19/2007 18:06	0		0
46	4/19/2007 18:21	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/19/2007
Start Time:	6:50:57
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (0645) = 0.017 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/19/2007	7:05:57	0.023	0.006	6
4/19/2007	7:20:57	0.023	0.006	6
4/19/2007	7:35:57	0.032	0.015	15
4/19/2007	7:50:57	0.03	0.013	13
4/19/2007	8:05:57	0.029	0.012	12
4/19/2007	8:20:57	0.027	0.01	10
4/19/2007	8:35:57	0.03	0.013	13
4/19/2007	8:50:57	0.029	0.012	12
4/19/2007	9:05:57	0.033	0.016	16
4/19/2007	9:20:57	0.024	0.007	7
4/19/2007	9:35:57	0.017	0	0
4/19/2007	9:50:57	0.019	0.002	2
4/19/2007	10:05:57	0.02	0.003	3
4/19/2007	10:20:57	0.017	0	0
4/19/2007	10:35:57	0.02	0.003	3
4/19/2007	10:50:57	0.012	-0.005	-5
4/19/2007	11:05:57	0.01	-0.007	-7
4/19/2007	11:20:57	0.017	0	0
4/19/2007	11:35:57	0.017	0	0
4/19/2007	11:50:57	0.01	-0.007	-7
4/19/2007	12:05:57	0.008	-0.009	-9
4/19/2007	12:20:57	0.019	0.002	2
4/19/2007	12:35:57	0.01	-0.007	-7
4/19/2007	12:50:57	0.009	-0.008	-8
4/19/2007	13:05:57	0.013	-0.004	-4
4/19/2007	13:20:57	0.009	-0.008	-8
4/19/2007	13:35:57	0.009	-0.008	-8
4/19/2007	13:50:57	0.008	-0.009	-9
4/19/2007	14:05:57	0.009	-0.008	-8
4/19/2007	14:20:57	0.009	-0.008	-8
4/19/2007	14:35:57	0.009	-0.008	-8
4/19/2007	14:50:57	0.013	-0.004	-4
4/19/2007	15:05:57	0.007	-0.01	-10
4/19/2007	15:20:57	0.007	-0.01	-10
4/19/2007	15:35:57	0.008	-0.009	-9
4/19/2007	15:50:57	0.01	-0.007	-7
4/19/2007	16:05:57	0.01	-0.007	-7
4/19/2007	16:20:57	0.007	-0.01	-10
4/19/2007	16:35:57	0.009	-0.008	-8
4/19/2007	16:50:57	0.01	-0.007	-7
4/19/2007	17:05:57	0.013	-0.004	-4
4/19/2007	17:20:57	0.006	-0.011	-11
4/19/2007	17:35:57	0.012	-0.005	-5
4/19/2007	17:50:57	0.013	-0.004	-4
4/19/2007	18:05:57	0.008	-0.009	-9
4/19/2007	18:20:57	0.008	-0.009	-9
4/19/2007	18:35:57	0.008	-0.009	-9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/19/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0701) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/19/2007 7:15	0.1		0.1
2	4/19/2007 7:30	0.1		0.1
3	4/19/2007 7:45	0.2		0.2
4	4/19/2007 8:00	0.3		0.3
5	4/19/2007 8:15	0.3		0.3
6	4/19/2007 8:30	0.3		0.3
7	4/19/2007 8:45	0.3		0.3
8	4/19/2007 9:00	0.4		0.4
9	4/19/2007 9:15	0.4		0.4
10	4/19/2007 9:30	0.4		0.4
11	4/19/2007 9:45	0.4		0.4
12	4/19/2007 10:00	0.4		0.4
13	4/19/2007 10:15	0.4		0.4
14	4/19/2007 10:30	0.4		0.4
15	4/19/2007 10:45	0.4		0.4
16	4/19/2007 11:00	0.5		0.5
17	4/19/2007 11:15	0.5		0.5
18	4/19/2007 11:30	0.5		0.5
19	4/19/2007 11:45	0.5		0.5
20	4/19/2007 12:00	0.5		0.5
21	4/19/2007 12:15	0.5		0.5
22	4/19/2007 12:30	0.5		0.5
23	4/19/2007 12:45	0.5		0.5
24	4/19/2007 13:00	0.5		0.5
25	4/19/2007 13:15	0.5		0.5
26	4/19/2007 13:30	0.5		0.5
27	4/19/2007 13:45	0.5		0.5
28	4/19/2007 14:00	0.5		0.5
29	4/19/2007 14:15	0.5		0.5
30	4/19/2007 14:30	0.5		0.5
31	4/19/2007 14:45	0.5		0.5
32	4/19/2007 15:00	0.5		0.5
33	4/19/2007 15:15	0.5		0.5
34	4/19/2007 15:30	0.5		0.5
35	4/19/2007 15:45	0.5		0.5
36	4/19/2007 16:00	0.5		0.5
37	4/19/2007 16:15	0.5		0.5
38	4/19/2007 16:30	0.5		0.5
39	4/19/2007 16:45	0.4		0.4
40	4/19/2007 17:00	0.4		0.4
41	4/19/2007 17:15	0.4		0.4
42	4/19/2007 17:30	0.4		0.4
43	4/19/2007 17:45	0.4		0.4
44	4/19/2007 18:00	0.4		0.4
45	4/19/2007 18:15	0.4		0.4
46	4/19/2007 18:30	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	4/19/2007
Start Time:	6:59:30
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (0701) = 0.015 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/19/2007	7:14:30	0.015	0	0
4/19/2007	7:29:30	0.015	0	0
4/19/2007	7:44:30	0.017	0.002	2
4/19/2007	7:59:30	0.017	0.002	2
4/19/2007	8:14:30	0.016	0.001	1
4/19/2007	8:29:30	0.014	-0.001	-1
4/19/2007	8:44:30	0.014	-0.001	-1
4/19/2007	8:59:30	0.015	0	0
4/19/2007	9:14:30	0.014	-0.001	-1
4/19/2007	9:29:30	0.01	-0.005	-5
4/19/2007	9:44:30	0.01	-0.005	-5
4/19/2007	9:59:30	0.011	-0.004	-4
4/19/2007	10:14:30	0.012	-0.003	-3
4/19/2007	10:29:30	0.012	-0.003	-3
4/19/2007	10:44:30	0.009	-0.006	-6
4/19/2007	10:59:30	0.007	-0.008	-8
4/19/2007	11:14:30	0.006	-0.009	-9
4/19/2007	11:29:30	0.006	-0.009	-9
4/19/2007	11:44:30	0.006	-0.009	-9
4/19/2007	11:59:30	0.005	-0.01	-10
4/19/2007	12:14:30	0.005	-0.01	-10
4/19/2007	12:29:30	0.006	-0.009	-9
4/19/2007	12:44:30	0.005	-0.01	-10
4/19/2007	12:59:30	0.007	-0.008	-8
4/19/2007	13:14:30	0.006	-0.009	-9
4/19/2007	13:29:30	0.006	-0.009	-9
4/19/2007	13:44:30	0.006	-0.009	-9
4/19/2007	13:59:30	0.005	-0.01	-10
4/19/2007	14:14:30	0.005	-0.01	-10
4/19/2007	14:29:30	0.004	-0.011	-11
4/19/2007	14:44:30	0.005	-0.01	-10
4/19/2007	14:59:30	0.005	-0.01	-10
4/19/2007	15:14:30	0.005	-0.01	-10
4/19/2007	15:29:30	0.006	-0.009	-9
4/19/2007	15:44:30	0.005	-0.01	-10
4/19/2007	15:59:30	0.004	-0.011	-11
4/19/2007	16:14:30	0.004	-0.011	-11
4/19/2007	16:29:30	0.004	-0.011	-11
4/19/2007	16:44:30	0.004	-0.011	-11
4/19/2007	16:59:30	0.004	-0.011	-11
4/19/2007	17:14:30	0.004	-0.011	-11
4/19/2007	17:29:30	0.004	-0.011	-11
4/19/2007	17:44:30	0.005	-0.01	-10
4/19/2007	17:59:30	0.005	-0.01	-10
4/19/2007	18:14:30	0.005	-0.01	-10
4/19/2007	18:29:30	0.006	-0.009	-9
4/19/2007	18:44:30	0.007	-0.008	-8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/19/2007 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0723) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/19/2007 7:39	0.4		0.4
2	4/19/2007 7:54	0.6		0.6
3	4/19/2007 8:09	0.7		0.7
4	4/19/2007 8:24	0.9		0.9
5	4/19/2007 8:39	1		1
6	4/19/2007 8:54	1.1		1.1
7	4/19/2007 9:09	1.1		1.1
8	4/19/2007 9:24	1.2		1.2
9	4/19/2007 9:39	1.3		1.3
10	4/19/2007 9:54	1.1		1.1
11	4/19/2007 10:09	1.2		1.2
12	4/19/2007 10:24	1		1
13	4/19/2007 10:39	1.1		1.1
14	4/19/2007 10:54	1.1		1.1
15	4/19/2007 11:09	1		1
16	4/19/2007 11:24	1		1
17	4/19/2007 11:39	1.1		1.1
18	4/19/2007 11:54	1.1		1.1
19	4/19/2007 12:09	1.1		1.1
20	4/19/2007 12:24	1.1		1.1
21	4/19/2007 12:39	1.1		1.1
22	4/19/2007 12:54	1.1		1.1
23	4/19/2007 13:09	1.1		1.1
24	4/19/2007 13:24	1.1		1.1
25	4/19/2007 13:39	1		1
26	4/19/2007 13:54	1		1
27	4/19/2007 14:09	1		1
28	4/19/2007 14:24	1		1
29	4/19/2007 14:39	1		1
30	4/19/2007 14:54	1		1
31	4/19/2007 15:09	1		1
32	4/19/2007 15:24	1		1
33	4/19/2007 15:39	0.9		0.9
34	4/19/2007 15:54	0.9		0.9
35	4/19/2007 16:09	0.9		0.9
36	4/19/2007 16:24	0.9		0.9
37	4/19/2007 16:39	0.9		0.9
38	4/19/2007 16:54	0.9		0.9
39	4/19/2007 17:09	0.9		0.9
40	4/19/2007 17:24	0.9		0.9
41	4/19/2007 17:39	0.9		0.9
42	4/19/2007 17:54	0.9		0.9
43	4/19/2007 18:09	0.9		0.9
44	4/19/2007 18:24	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	4/19/2007
Start Time:	7:24:46
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	

Background Reading (0723) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/19/2007	7:39:46	0.023	0.003	3
4/19/2007	7:54:46	0.025	0.005	5
4/19/2007	8:09:46	0.022	0.002	2
4/19/2007	8:24:46	0.022	0.002	2
4/19/2007	8:39:46	0.022	0.002	2
4/19/2007	8:54:46	0.021	0.001	1
4/19/2007	9:09:46	0.019	-0.001	-1
4/19/2007	9:24:46	0.014	-0.006	-6
4/19/2007	9:39:46	0.012	-0.008	-8
4/19/2007	9:54:46	0.015	-0.005	-5
4/19/2007	10:09:46	0.017	-0.003	-3
4/19/2007	10:24:46	0.016	-0.004	-4
4/19/2007	10:39:46	0.016	-0.004	-4
4/19/2007	10:54:46	0.013	-0.007	-7
4/19/2007	11:09:46	0.01	-0.01	-10
4/19/2007	11:24:46	0.009	-0.011	-11
4/19/2007	11:39:46	0.011	-0.009	-9
4/19/2007	11:54:46	0.008	-0.012	-12
4/19/2007	12:09:46	0.007	-0.013	-13
4/19/2007	12:24:46	0.01	-0.01	-10
4/19/2007	12:39:46	0.008	-0.012	-12
4/19/2007	12:54:46	0.007	-0.013	-13
4/19/2007	13:09:46	0.008	-0.012	-12
4/19/2007	13:24:46	0.008	-0.012	-12
4/19/2007	13:39:46	0.008	-0.012	-12
4/19/2007	13:54:46	0.008	-0.012	-12
4/19/2007	14:09:46	0.007	-0.013	-13
4/19/2007	14:24:46	0.008	-0.012	-12
4/19/2007	14:39:46	0.007	-0.013	-13
4/19/2007	14:54:46	0.007	-0.013	-13
4/19/2007	15:09:46	0.007	-0.013	-13
4/19/2007	15:24:46	0.007	-0.013	-13
4/19/2007	15:39:46	0.01	-0.01	-10
4/19/2007	15:54:46	0.007	-0.013	-13
4/19/2007	16:09:46	0.006	-0.014	-14
4/19/2007	16:24:46	0.006	-0.014	-14
4/19/2007	16:39:46	0.006	-0.014	-14
4/19/2007	16:54:46	0.005	-0.015	-15
4/19/2007	17:09:46	0.007	-0.013	-13
4/19/2007	17:24:46	0.008	-0.012	-12
4/19/2007	17:39:46	0.006	-0.014	-14
4/19/2007	17:54:46	0.007	-0.013	-13
4/19/2007	18:09:46	0.008	-0.012	-12
4/19/2007	18:24:46	0.007	-0.013	-13
4/19/2007	18:39:46	0.009	-0.011	-11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/19/2007 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.6 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/19/2007 7:39	0.4		-0.2
2	4/19/2007 7:54	0.6		0
3	4/19/2007 8:09	0.7		0.1
4	4/19/2007 8:24	0.9		0.3
5	4/19/2007 8:39	1		0.4
6	4/19/2007 8:54	1.1		0.5
7	4/19/2007 9:09	1.1		0.5
8	4/19/2007 9:24	1.2		0.6
9	4/19/2007 9:39	1.3		0.7
10	4/19/2007 9:54	1.1		0.5
11	4/19/2007 10:09	1.2		0.6
12	4/19/2007 10:24	1		0.4
13	4/19/2007 10:39	1.1		0.5
14	4/19/2007 10:54	1.1		0.5
15	4/19/2007 11:09	1		0.4
16	4/19/2007 11:24	1		0.4
17	4/19/2007 11:39	1.1		0.5
18	4/19/2007 11:54	1.1		0.5
19	4/19/2007 12:09	1.1		0.5
20	4/19/2007 12:24	1.1		0.5
21	4/19/2007 12:39	1.1		0.5
22	4/19/2007 12:54	1.1		0.5
23	4/19/2007 13:09	1.1		0.5
24	4/19/2007 13:24	1.1		0.5
25	4/19/2007 13:39	1		0.4
26	4/19/2007 13:54	1		0.4
27	4/19/2007 14:09	1		0.4
28	4/19/2007 14:24	1		0.4
29	4/19/2007 14:39	1		0.4
30	4/19/2007 14:54	1		0.4
31	4/19/2007 15:09	1		0.4
32	4/19/2007 15:24	1		0.4
33	4/19/2007 15:39	0.9		0.3
34	4/19/2007 15:54	0.9		0.3
35	4/19/2007 16:09	0.9		0.3
36	4/19/2007 16:24	0.9		0.3
37	4/19/2007 16:39	0.9		0.3
38	4/19/2007 16:54	0.9		0.3
39	4/19/2007 17:09	0.9		0.3
40	4/19/2007 17:24	0.9		0.3
41	4/19/2007 17:39	0.9		0.3
42	4/19/2007 17:54	0.9		0.3
43	4/19/2007 18:09	0.9		0.3
44	4/19/2007 18:24	0.9		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	4/19/2007
Start Time:	7:28:11
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	

Background Reading (0715) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/19/2007	7:43:11	0.019	0.004	4
4/19/2007	7:58:11	0.025	0.01	10
4/19/2007	8:13:11	0.018	0.003	3
4/19/2007	8:28:11	0.018	0.003	3
4/19/2007	8:43:11	0.016	0.001	1
4/19/2007	8:58:11	0.019	0.004	4
4/19/2007	9:13:11	0.02	0.005	5
4/19/2007	9:28:11	0.012	-0.003	-3
4/19/2007	9:43:11	0.011	-0.004	-4
4/19/2007	9:58:11	0.014	-0.001	-1
4/19/2007	10:13:11	0.015	0	0
4/19/2007	10:28:11	0.014	-0.001	-1
4/19/2007	10:43:11	0.012	-0.003	-3
4/19/2007	10:58:11	0.012	-0.003	-3
4/19/2007	11:13:11	0.007	-0.008	-8
4/19/2007	11:28:11	0.008	-0.007	-7
4/19/2007	11:43:11	0.009	-0.006	-6
4/19/2007	11:58:11	0.007	-0.008	-8
4/19/2007	12:13:11	0.008	-0.007	-7
4/19/2007	12:28:11	0.008	-0.007	-7
4/19/2007	12:43:11	0.006	-0.009	-9
4/19/2007	12:58:11	0.009	-0.006	-6
4/19/2007	13:13:11	0.007	-0.008	-8
4/19/2007	13:28:11	0.007	-0.008	-8
4/19/2007	13:43:11	0.007	-0.008	-8
4/19/2007	13:58:11	0.007	-0.008	-8
4/19/2007	14:13:11	0.008	-0.007	-7
4/19/2007	14:28:11	0.006	-0.009	-9
4/19/2007	14:43:11	0.008	-0.007	-7
4/19/2007	14:58:11	0.006	-0.009	-9
4/19/2007	15:13:11	0.006	-0.009	-9
4/19/2007	15:28:11	0.006	-0.009	-9
4/19/2007	15:43:11	0.007	-0.008	-8
4/19/2007	15:58:11	0.005	-0.01	-10
4/19/2007	16:13:11	0.009	-0.006	-6
4/19/2007	16:28:11	0.005	-0.01	-10
4/19/2007	16:43:11	0.007	-0.008	-8
4/19/2007	16:58:11	0.006	-0.009	-9
4/19/2007	17:13:11	0.007	-0.008	-8
4/19/2007	17:28:11	0.007	-0.008	-8
4/19/2007	17:43:11	0.005	-0.01	-10
4/19/2007	17:58:11	0.012	-0.003	-3
4/19/2007	18:13:11	0.006	-0.009	-9
4/19/2007	18:28:11	0.007	-0.008	-8
4/19/2007	18:43:11	0.007	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/20/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/20/2007 6:21	0		-0.2
2	4/20/2007 6:36	0.1		-0.1
3	4/20/2007 6:51	0.1		-0.1
4	4/20/2007 7:06	0.2		0
5	4/20/2007 7:21	0.2		0
6	4/20/2007 7:36	0.2		0
7	4/20/2007 7:51	0.2		0
8	4/20/2007 8:06	0.2		0
9	4/20/2007 8:21	0.2		0
10	4/20/2007 8:36	0.2		0
11	4/20/2007 8:51	0.2		0
12	4/20/2007 9:06	0.2		0
13	4/20/2007 9:21	0.2		0
14	4/20/2007 9:36	0.2		0
15	4/20/2007 9:51	0.2		0
16	4/20/2007 10:06	0.3		0.1
17	4/20/2007 10:21	0.3		0.1
18	4/20/2007 10:36	0.3		0.1
19	4/20/2007 10:51	0.3		0.1
20	4/20/2007 11:06	0.3		0.1
21	4/20/2007 11:21	0.3		0.1
22	4/20/2007 11:36	0.3		0.1
23	4/20/2007 11:51	0.3		0.1
24	4/20/2007 12:06	0.3		0.1
25	4/20/2007 12:21	0.3		0.1
26	4/20/2007 12:36	0.3		0.1
27	4/20/2007 12:51	0.3		0.1
28	4/20/2007 13:06	0.3		0.1
29	4/20/2007 13:21	0.3		0.1
30	4/20/2007 13:36	0.3		0.1
31	4/20/2007 13:51	0.3		0.1
32	4/20/2007 14:06	0.3		0.1
33	4/20/2007 14:21	0.3		0.1
34	4/20/2007 14:36	0.3		0.1
35	4/20/2007 14:51	0.3		0.1
36	4/20/2007 15:06	0.3		0.1
37	4/20/2007 15:21	0.3		0.1
38	4/20/2007 15:36	0.3		0.1
39	4/20/2007 15:51	0.3		0.1
40	4/20/2007 16:06	0.3		0.1
41	4/20/2007 16:21	0.2		0
42	4/20/2007 16:36	0.2		0
43	4/20/2007 16:51	0.2		0
44	4/20/2007 17:06	0.1		-0.1
45	4/20/2007 17:21	0.1		-0.1
46	4/20/2007 17:36	0.1		-0.1
47	4/20/2007 17:51	0.1		-0.1
48	4/20/2007 18:06	0.1		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/20/2007
Start Time:	6:04:59
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	

Background Reading (0605) = 0.018 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/20/2007	6:19:59	0.021	0.003	3
4/20/2007	6:34:59	0.026	0.008	8
4/20/2007	6:49:59	0.024	0.006	6
4/20/2007	7:04:59	0.026	0.008	8
4/20/2007	7:19:59	0.03	0.012	12
4/20/2007	7:34:59	0.026	0.008	8
4/20/2007	7:49:59	0.029	0.011	11
4/20/2007	8:04:59	0.037	0.019	19
4/20/2007	8:19:59	0.034	0.016	16
4/20/2007	8:34:59	0.018	0	0
4/20/2007	8:49:59	0.019	0.001	1
4/20/2007	9:04:59	0.041	0.023	23
4/20/2007	9:19:59	0.018	0	0
4/20/2007	9:34:59	0.017	-0.001	-1
4/20/2007	9:49:59	0.016	-0.002	-2
4/20/2007	10:04:59	0.014	-0.004	-4
4/20/2007	10:19:59	0.014	-0.004	-4
4/20/2007	10:34:59	0.012	-0.006	-6
4/20/2007	10:49:59	0.01	-0.008	-8
4/20/2007	11:04:59	0.011	-0.007	-7
4/20/2007	11:19:59	0.011	-0.007	-7
4/20/2007	11:34:59	0.012	-0.006	-6
4/20/2007	11:49:59	0.012	-0.006	-6
4/20/2007	12:04:59	0.011	-0.007	-7
4/20/2007	12:19:59	0.011	-0.007	-7
4/20/2007	12:34:59	0.011	-0.007	-7
4/20/2007	12:49:59	0.011	-0.007	-7
4/20/2007	13:04:59	0.013	-0.005	-5
4/20/2007	13:19:59	0.011	-0.007	-7
4/20/2007	13:34:59	0.014	-0.004	-4
4/20/2007	13:49:59	0.014	-0.004	-4
4/20/2007	14:04:59	0.02	0.002	2
4/20/2007	14:19:59	0.017	-0.001	-1
4/20/2007	14:34:59	0.016	-0.002	-2
4/20/2007	14:49:59	0.015	-0.003	-3
4/20/2007	15:04:59	0.015	-0.003	-3
4/20/2007	15:19:59	0.014	-0.004	-4
4/20/2007	15:34:59	0.014	-0.004	-4
4/20/2007	15:49:59	0.011	-0.007	-7
4/20/2007	16:04:59	0.012	-0.006	-6
4/20/2007	16:19:59	0.016	-0.002	-2
4/20/2007	16:34:59	0.015	-0.003	-3
4/20/2007	16:49:59	0.013	-0.005	-5
4/20/2007	17:04:59	0.018	0	0
4/20/2007	17:19:59	0.017	-0.001	-1
4/20/2007	17:34:59	0.018	0	0
4/20/2007	17:49:59	0.019	0.001	1
4/20/2007	18:04:59	0.022	0.004	4
4/20/2007	18:19:59	0.02	0.002	2
4/20/2007	18:34:59	0.019	0.001	1
4/20/2007	18:49:59	0.019	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/20/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0609) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/20/2007 6:24	0		-0.1
2	4/20/2007 6:39	0.1		0
3	4/20/2007 6:54	0.1		0
4	4/20/2007 7:09	0.1		0
5	4/20/2007 7:24	0.2		0.1
6	4/20/2007 7:39	0.2		0.1
7	4/20/2007 7:54	0.2		0.1
8	4/20/2007 8:09	0.2		0.1
9	4/20/2007 8:24	0.3		0.2
10	4/20/2007 8:39	0.3		0.2
11	4/20/2007 8:54	0.3		0.2
12	4/20/2007 9:09	0.3		0.2
13	4/20/2007 9:24	0.3		0.2
14	4/20/2007 9:39	0.4		0.3
15	4/20/2007 9:54	0.4		0.3
16	4/20/2007 10:09	0.4		0.3
17	4/20/2007 10:24	0.4		0.3
18	4/20/2007 10:39	0.4		0.3
19	4/20/2007 10:54	0.4		0.3
20	4/20/2007 11:09	0.4		0.3
21	4/20/2007 11:24	0.4		0.3
22	4/20/2007 11:39	0.4		0.3
23	4/20/2007 11:54	0.4		0.3
24	4/20/2007 12:09	0.4		0.3
25	4/20/2007 12:24	0.4		0.3
26	4/20/2007 12:39	0.4		0.3
27	4/20/2007 12:54	0.5		0.4
28	4/20/2007 13:09	0.5		0.4
29	4/20/2007 13:24	0.5		0.4
30	4/20/2007 13:39	0.5		0.4
31	4/20/2007 13:54	0.5		0.4
32	4/20/2007 14:09	0.5		0.4
33	4/20/2007 14:24	0.6		0.5
34	4/20/2007 14:39	0.6		0.5
35	4/20/2007 14:54	0.6		0.5
36	4/20/2007 15:09	0.6		0.5
37	4/20/2007 15:24	0.6		0.5
38	4/20/2007 15:39	0.6		0.5
39	4/20/2007 15:54	0.6		0.5
40	4/20/2007 16:09	0.5		0.4
41	4/20/2007 16:24	0.5		0.4
42	4/20/2007 16:39	0.5		0.4
43	4/20/2007 16:54	0.5		0.4
44	4/20/2007 17:09	0.4		0.3
45	4/20/2007 17:24	0.4		0.3
46	4/20/2007 17:39	0.4		0.3
47	4/20/2007 17:54	0.4		0.3
48	4/20/2007 18:09	0.4		0.3
49	4/20/2007 18:24	0.3		0.2
50	4/20/2007 18:39	0.3		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File	
Model:	Dust Trak
Serial Number:	35200858
Test ID:	5
Test Abbreviation:	
Start Date:	4/20/2007
Start Time:	6:08:45
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	

Background Reading (0609) = 0.015 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/20/2007	6:23:45	0.016	0.001	1
4/20/2007	6:38:45	0.016	0.001	1
4/20/2007	6:53:45	0.013	-0.002	-2
4/20/2007	7:08:45	0.016	0.001	1
4/20/2007	7:23:45	0.02	0.005	5
4/20/2007	7:38:45	0.014	-0.001	-1
4/20/2007	7:53:45	0.013	-0.002	-2
4/20/2007	8:08:45	0.011	-0.004	-4
4/20/2007	8:23:45	0.012	-0.003	-3
4/20/2007	8:38:45	0.009	-0.006	-6
4/20/2007	8:53:45	0.01	-0.005	-5
4/20/2007	9:08:45	0.009	-0.006	-6
4/20/2007	9:23:45	0.011	-0.004	-4
4/20/2007	9:38:45	0.008	-0.007	-7
4/20/2007	9:53:45	0.008	-0.007	-7
4/20/2007	10:08:45	0.008	-0.007	-7
4/20/2007	10:23:45	0.007	-0.008	-8
4/20/2007	10:38:45	0.007	-0.008	-8
4/20/2007	10:53:45	0.007	-0.008	-8
4/20/2007	11:08:45	0.007	-0.008	-8
4/20/2007	11:23:45	0.007	-0.008	-8
4/20/2007	11:38:45	0.008	-0.007	-7
4/20/2007	11:53:45	0.008	-0.007	-7
4/20/2007	12:08:45	0.008	-0.007	-7
4/20/2007	12:23:45	0.007	-0.008	-8
4/20/2007	12:38:45	0.007	-0.008	-8
4/20/2007	12:53:45	0.008	-0.007	-7
4/20/2007	13:08:45	0.008	-0.007	-7
4/20/2007	13:23:45	0.008	-0.007	-7
4/20/2007	13:38:45	0.008	-0.007	-7
4/20/2007	13:53:45	0.008	-0.007	-7
4/20/2007	14:08:45	0.008	-0.007	-7
4/20/2007	14:23:45	0.008	-0.007	-7
4/20/2007	14:38:45	0.008	-0.007	-7
4/20/2007	14:53:45	0.009	-0.006	-6
4/20/2007	15:08:45	0.008	-0.007	-7
4/20/2007	15:23:45	0.009	-0.006	-6
4/20/2007	15:38:45	0.008	-0.007	-7
4/20/2007	15:53:45	0.008	-0.007	-7
4/20/2007	16:08:45	0.008	-0.007	-7
4/20/2007	16:23:45	0.01	-0.005	-5
4/20/2007	16:38:45	0.008	-0.007	-7
4/20/2007	16:53:45	0.009	-0.006	-6
4/20/2007	17:08:45	0.014	-0.001	-1
4/20/2007	17:23:45	0.013	-0.002	-2
4/20/2007	17:38:45	0.013	-0.002	-2
4/20/2007	17:53:45	0.014	-0.001	-1
4/20/2007	18:08:45	0.014	-0.001	-1
4/20/2007	18:23:45	0.013	-0.002	-2
4/20/2007	18:38:45	0.014	-0.001	-1
4/20/2007	18:53:45	0.013	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/20/2007 05:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/20/2007 6:43	0.2		0
2	4/20/2007 6:58	0.4		0.2
3	4/20/2007 7:13	0.5		0.3
4	4/20/2007 7:28	0.6		0.4
5	4/20/2007 7:43	0.6		0.4
6	4/20/2007 7:58	0.7		0.5
7	4/20/2007 8:13	0.7		0.5
8	4/20/2007 8:28	0.7		0.5
9	4/20/2007 8:43	0.8		0.6
10	4/20/2007 8:58	0.8		0.6
11	4/20/2007 9:13	0.9		0.7
12	4/20/2007 9:28	0.9		0.7
13	4/20/2007 9:43	0.9		0.7
14	4/20/2007 9:58	0.9		0.7
15	4/20/2007 10:13	0.9		0.7
16	4/20/2007 10:28	0.9		0.7
17	4/20/2007 10:43	0.9		0.7
18	4/20/2007 10:58	0.9		0.7
19	4/20/2007 11:13	0.9		0.7
20	4/20/2007 11:28	0.9		0.7
21	4/20/2007 11:43	0.9		0.7
22	4/20/2007 11:58	0.9		0.7
23	4/20/2007 12:13	1		0.8
24	4/20/2007 12:28	1		0.8
25	4/20/2007 12:43	1		0.8
26	4/20/2007 12:58	1		0.8
27	4/20/2007 13:13	1		0.8
28	4/20/2007 13:28	1.1		0.9
29	4/20/2007 13:43	1		0.8
30	4/20/2007 13:58	1		0.8
31	4/20/2007 14:13	1		0.8
32	4/20/2007 14:28	1.1		0.9
33	4/20/2007 14:43	1.1		0.9
34	4/20/2007 14:58	1.1		0.9
35	4/20/2007 15:13	1.1		0.9
36	4/20/2007 15:28	1.1		0.9
37	4/20/2007 15:43	1.1		0.9
38	4/20/2007 15:58	1		0.8
39	4/20/2007 16:13	1		0.8
40	4/20/2007 16:28	1		0.8
41	4/20/2007 16:43	1		0.8
42	4/20/2007 16:58	1		0.8
43	4/20/2007 17:13	0.9		0.7
44	4/20/2007 17:28	0.9		0.7
45	4/20/2007 17:43	0.9		0.7
46	4/20/2007 17:58	0.9		0.7
47	4/20/2007 18:13	0.9		0.7
48	4/20/2007 18:28	0.9		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	4/20/2007
Start Time:	6:28:09
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	

Background Reading (0628) = 0.020 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/20/2007	6:43:09	0.021	0.001	1
4/20/2007	6:58:09	0.02	0	0
4/20/2007	7:13:09	0.025	0.005	5
4/20/2007	7:28:09	0.05	0.03	30
4/20/2007	7:43:09	0.044	0.024	24
4/20/2007	7:58:09	0.022	0.002	2
4/20/2007	8:13:09	0.017	-0.003	-3
4/20/2007	8:28:09	0.018	-0.002	-2
4/20/2007	8:43:09	0.014	-0.006	-6
4/20/2007	8:58:09	0.017	-0.003	-3
4/20/2007	9:13:09	0.014	-0.006	-6
4/20/2007	9:28:09	0.015	-0.005	-5
4/20/2007	9:43:09	0.012	-0.008	-8
4/20/2007	9:58:09	0.013	-0.007	-7
4/20/2007	10:13:09	0.013	-0.007	-7
4/20/2007	10:28:09	0.011	-0.009	-9
4/20/2007	10:43:09	0.011	-0.009	-9
4/20/2007	10:58:09	0.01	-0.01	-10
4/20/2007	11:13:09	0.011	-0.009	-9
4/20/2007	11:28:09	0.01	-0.01	-10
4/20/2007	11:43:09	0.013	-0.007	-7
4/20/2007	11:58:09	0.012	-0.008	-8
4/20/2007	12:13:09	0.016	-0.004	-4
4/20/2007	12:28:09	0.013	-0.007	-7
4/20/2007	12:43:09	0.01	-0.01	-10
4/20/2007	12:58:09	0.011	-0.009	-9
4/20/2007	13:13:09	0.011	-0.009	-9
4/20/2007	13:28:09	0.012	-0.008	-8
4/20/2007	13:43:09	0.012	-0.008	-8
4/20/2007	13:58:09	0.014	-0.006	-6
4/20/2007	14:13:09	0.013	-0.007	-7
4/20/2007	14:28:09	0.015	-0.005	-5
4/20/2007	14:43:09	0.014	-0.006	-6
4/20/2007	14:58:09	0.014	-0.006	-6
4/20/2007	15:13:09	0.016	-0.004	-4
4/20/2007	15:28:09	0.015	-0.005	-5
4/20/2007	15:43:09	0.013	-0.007	-7
4/20/2007	15:58:09	0.013	-0.007	-7
4/20/2007	16:13:09	0.014	-0.006	-6
4/20/2007	16:28:09	0.012	-0.008	-8
4/20/2007	16:43:09	0.012	-0.008	-8
4/20/2007	16:58:09	0.016	-0.004	-4
4/20/2007	17:13:09	0.02	0	0
4/20/2007	17:28:09	0.019	-0.001	-1
4/20/2007	17:43:09	0.018	-0.002	-2
4/20/2007	17:58:09	0.019	-0.001	-1
4/20/2007	18:13:09	0.02	0	0
4/20/2007	18:28:09	0.019	-0.001	-1
4/20/2007	18:43:09	0.019	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/20/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0621) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/20/2007 6:38	0.2		-0.1
2	4/20/2007 6:53	0.2		-0.1
3	4/20/2007 7:08	0.3		0
4	4/20/2007 7:23	0.2		-0.1
5	4/20/2007 7:38	0.2		-0.1
6	4/20/2007 7:53	0.2		-0.1
7	4/20/2007 8:08	0.2		-0.1
8	4/20/2007 8:23	0.1		-0.2
9	4/20/2007 8:38	0.1		-0.2
10	4/20/2007 8:53	0.1		-0.2
11	4/20/2007 9:08	0.1		-0.2
12	4/20/2007 9:23	0.1		-0.2
13	4/20/2007 9:38	0.1		-0.2
14	4/20/2007 9:53	0.1		-0.2
15	4/20/2007 10:08	0.1		-0.2
16	4/20/2007 10:23	0.1		-0.2
17	4/20/2007 10:38	0		-0.3
18	4/20/2007 10:53	0		-0.3
19	4/20/2007 11:08	0		-0.3
20	4/20/2007 11:23	0		-0.3
21	4/20/2007 11:38	0.1		-0.2
22	4/20/2007 11:53	0.1		-0.2
23	4/20/2007 12:08	0.1		-0.2
24	4/20/2007 12:23	0.1		-0.2
25	4/20/2007 12:38	0.1		-0.2
26	4/20/2007 12:53	0.1		-0.2
27	4/20/2007 13:08	0.1		-0.2
28	4/20/2007 13:23	0.1		-0.2
29	4/20/2007 13:38	0.1		-0.2
30	4/20/2007 13:53	0.1		-0.2
31	4/20/2007 14:08	0.1		-0.2
32	4/20/2007 14:23	0.1		-0.2
33	4/20/2007 14:38	0.1		-0.2
34	4/20/2007 14:53	0.1		-0.2
35	4/20/2007 15:08	0.1		-0.2
36	4/20/2007 15:23	0.1		-0.2
37	4/20/2007 15:38	0.1		-0.2
38	4/20/2007 15:53	0.1		-0.2
39	4/20/2007 16:08	0.1		-0.2
40	4/20/2007 16:23	0.1		-0.2
41	4/20/2007 16:38	0.1		-0.2
42	4/20/2007 16:53	0.2		-0.1
43	4/20/2007 17:08	0.2		-0.1
44	4/20/2007 17:23	0.1		-0.2
45	4/20/2007 17:38	0.1		-0.2
46	4/20/2007 17:53	0.1		-0.2
47	4/20/2007 18:08	0.1		-0.2
48	4/20/2007 18:23	0.1		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	4/20/2007
Start Time:	6:21:27
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	

Background Reading (0605) = 0.018 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/20/2007	6:36:27	0.018	0	0
4/20/2007	6:51:27	0.017	-0.001	-1
4/20/2007	7:06:27	0.017	-0.001	-1
4/20/2007	7:21:27	0.019	0.001	1
4/20/2007	7:36:27	0.016	-0.002	-2
4/20/2007	7:51:27	0.018	0	0
4/20/2007	8:06:27	0.014	-0.004	-4
4/20/2007	8:21:27	0.015	-0.003	-3
4/20/2007	8:36:27	0.014	-0.004	-4
4/20/2007	8:51:27	0.013	-0.005	-5
4/20/2007	9:06:27	0.013	-0.005	-5
4/20/2007	9:21:27	0.013	-0.005	-5
4/20/2007	9:36:27	0.011	-0.007	-7
4/20/2007	9:51:27	0.01	-0.008	-8
4/20/2007	10:06:27	0.012	-0.006	-6
4/20/2007	10:21:27	0.008	-0.01	-10
4/20/2007	10:36:27	0.009	-0.009	-9
4/20/2007	11:36:50	0.011	-0.007	-7
4/20/2007	11:51:50	0.009	-0.009	-9
4/20/2007	12:06:50	0.009	-0.009	-9
4/20/2007	12:21:50	0.007	-0.011	-11
4/20/2007	12:36:50	0.007	-0.011	-11
4/20/2007	12:51:50	0.008	-0.01	-10
4/20/2007	13:06:50	0.008	-0.01	-10
4/20/2007	13:21:50	0.008	-0.01	-10
4/20/2007	13:36:50	0.009	-0.009	-9
4/20/2007	13:51:50	0.01	-0.008	-8
4/20/2007	14:06:50	0.008	-0.01	-10
4/20/2007	14:21:50	0.009	-0.009	-9
4/20/2007	14:36:50	0.011	-0.007	-7
4/20/2007	14:51:50	0.011	-0.007	-7
4/20/2007	15:06:50	0.01	-0.008	-8
4/20/2007	15:21:50	0.009	-0.009	-9
4/20/2007	15:36:50	0.008	-0.01	-10
4/20/2007	15:51:50	0.007	-0.011	-11
4/20/2007	16:06:50	0.008	-0.01	-10
4/20/2007	16:21:50	0.008	-0.01	-10
4/20/2007	16:36:50	0.009	-0.009	-9
4/20/2007	16:51:50	0.008	-0.01	-10
4/20/2007	17:06:50	0.023	0.005	5
4/20/2007	17:21:50	0.025	0.007	7
4/20/2007	17:36:50	0.015	-0.003	-3
4/20/2007	17:51:50	0.018	0	0
4/20/2007	18:06:50	0.016	-0.002	-2
4/20/2007	18:21:50	0.022	0.004	4
4/20/2007	18:36:50	0.022	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/20/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0837) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/21/2007 8:51	0.1		0
2	4/21/2007 9:06	0.1		0
3	4/21/2007 9:21	0.1		0
4	4/21/2007 9:36	0.1		0
5	4/21/2007 9:51	0.1		0
6	4/21/2007 10:06	0.1		0
7	4/21/2007 10:21	0.1		0
8	4/21/2007 10:36	0.1		0
9	4/21/2007 10:51	0.1		0
10	4/21/2007 11:06	0.1		0
11	4/21/2007 11:21	0.1		0
12	4/21/2007 11:36	0.1		0
13	4/21/2007 11:51	0.1		0
14	4/21/2007 12:06	0		-0.1
15	4/21/2007 12:21	0		-0.1
16	4/21/2007 12:36	0		-0.1
17	4/21/2007 12:51	0		-0.1
18	4/21/2007 13:06	0		-0.1
19	4/21/2007 13:21	0		-0.1
20	4/21/2007 13:36	0		-0.1
21	4/21/2007 13:51	0		-0.1
22	4/21/2007 14:06	0		-0.1
23	4/21/2007 14:21	0		-0.1
24	4/21/2007 14:36	0		-0.1
25	4/21/2007 14:51	0		-0.1
26	4/21/2007 15:06	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/21/2007
Start Time:	8:24:02
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (0837) = 0.025 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/21/2007	8:39:02	0.033	0.008	8
4/21/2007	8:54:02	0.04	0.015	15
4/21/2007	9:09:02	0.043	0.018	18
4/21/2007	9:24:02	0.034	0.009	9
4/21/2007	9:39:02	0.03	0.005	5
4/21/2007	9:54:02	0.042	0.017	17
4/21/2007	10:09:02	0.027	0.002	2
4/21/2007	10:24:02	0.023	-0.002	-2
4/21/2007	10:39:02	0.021	-0.004	-4
4/21/2007	10:54:02	0.022	-0.003	-3
4/21/2007	11:09:02	0.02	-0.005	-5
4/21/2007	11:24:02	0.017	-0.008	-8
4/21/2007	11:39:02	0.016	-0.009	-9
4/21/2007	11:54:02	0.016	-0.009	-9
4/21/2007	12:09:02	0.015	-0.01	-10
4/21/2007	12:24:02	0.016	-0.009	-9
4/21/2007	12:39:02	0.015	-0.01	-10
4/21/2007	12:54:02	0.019	-0.006	-6
4/21/2007	13:09:02	0.014	-0.011	-11
4/21/2007	13:24:02	0.016	-0.009	-9
4/21/2007	13:39:02	0.015	-0.01	-10
4/21/2007	13:54:02	0.013	-0.012	-12
4/21/2007	14:09:02	0.014	-0.011	-11
4/21/2007	14:24:02	0.014	-0.011	-11
4/21/2007	14:39:02	0.013	-0.012	-12
4/21/2007	14:54:02	0.015	-0.01	-10
4/21/2007	15:09:02	0.016	-0.009	-9
4/21/2007	15:24:02	0.024	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/21/2007 07:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0810) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/21/2007 8:28	0		0
2	4/21/2007 8:43	0		0
3	4/21/2007 8:58	0		0
4	4/21/2007 9:13	0		0
5	4/21/2007 9:28	0		0
6	4/21/2007 9:43	0		0
7	4/21/2007 9:58	0		0
8	4/21/2007 10:13	0		0
9	4/21/2007 10:28	0		0
10	4/21/2007 10:43	0		0
11	4/21/2007 10:58	0		0
12	4/21/2007 11:13	0		0
13	4/21/2007 11:28	0		0
14	4/21/2007 11:43	0		0
15	4/21/2007 11:58	0		0
16	4/21/2007 12:13	0		0
17	4/21/2007 12:28	0		0
18	4/21/2007 12:43	0		0
19	4/21/2007 12:58	0		0
20	4/21/2007 13:13	0		0
21	4/21/2007 13:28	0		0
22	4/21/2007 13:43	0		0
23	4/21/2007 13:58	0		0
24	4/21/2007 14:13	0		0
25	4/21/2007 14:28	0		0
26	4/21/2007 14:43	0		0
27	4/21/2007 14:58	0		0
28	4/21/2007 15:13	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	4/21/2007
Start Time:	8:13:34
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0810) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/21/2007	8:28:34	0.022	0	0
4/21/2007	8:43:34	0.022	0	0
4/21/2007	8:58:34	0.023	0.001	1
4/21/2007	9:13:34	0.022	0	0
4/21/2007	9:28:34	0.019	-0.003	-3
4/21/2007	9:43:34	0.018	-0.004	-4
4/21/2007	9:58:34	0.02	-0.002	-2
4/21/2007	10:13:34	0.017	-0.005	-5
4/21/2007	10:28:34	0.016	-0.006	-6
4/21/2007	10:43:34	0.014	-0.008	-8
4/21/2007	10:58:34	0.014	-0.008	-8
4/21/2007	11:13:34	0.014	-0.008	-8
4/21/2007	11:28:34	0.01	-0.012	-12
4/21/2007	11:43:34	0.009	-0.013	-13
4/21/2007	11:58:34	0.01	-0.012	-12
4/21/2007	12:13:34	0.009	-0.013	-13
4/21/2007	12:28:34	0.01	-0.012	-12
4/21/2007	12:43:34	0.01	-0.012	-12
4/21/2007	12:58:34	0.009	-0.013	-13
4/21/2007	13:13:34	0.009	-0.013	-13
4/21/2007	13:28:34	0.01	-0.012	-12
4/21/2007	13:43:34	0.01	-0.012	-12
4/21/2007	13:58:34	0.009	-0.013	-13
4/21/2007	14:13:34	0.011	-0.011	-11
4/21/2007	14:28:34	0.009	-0.013	-13
4/21/2007	14:43:34	0.009	-0.013	-13
4/21/2007	14:58:34	0.009	-0.013	-13
4/21/2007	15:13:34	0.01	-0.012	-12
4/21/2007	15:28:34	0.01	-0.012	-12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/21/2007 07:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0803) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/21/2007 8:22	0.2		0
2	4/21/2007 8:37	0.2		0
3	4/21/2007 8:52	0.3		0.1
4	4/21/2007 9:07	0.2		0
5	4/21/2007 9:22	0.2		0
6	4/21/2007 9:37	0.2		0
7	4/21/2007 9:52	0.2		0
8	4/21/2007 10:07	0.3		0.1
9	4/21/2007 10:22	0.3		0.1
10	4/21/2007 10:37	0.3		0.1
11	4/21/2007 10:52	0.3		0.1
12	4/21/2007 11:07	0.3		0.1
13	4/21/2007 11:22	0.4		0.2
14	4/21/2007 11:37	0.4		0.2
15	4/21/2007 11:52	0.4		0.2
16	4/21/2007 12:07	0.4		0.2
17	4/21/2007 12:22	0.4		0.2
18	4/21/2007 12:37	0.4		0.2
19	4/21/2007 12:52	0.5		0.3
20	4/21/2007 13:07	0.5		0.3
21	4/21/2007 13:22	0.5		0.3
22	4/21/2007 13:37	0.5		0.3
23	4/21/2007 13:52	0.5		0.3
24	4/21/2007 14:07	0.5		0.3
25	4/21/2007 14:22	0.6		0.4
26	4/21/2007 14:37	0.6		0.4
27	4/21/2007 14:52	0.5		0.3
28	4/21/2007 15:07	0.6		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	7
Test Abbreviation:	
Start Date:	4/21/2007
Start Time:	8:06:20
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0803) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/21/2007	8:21:20	0.03	0.001	1
4/21/2007	8:36:20	0.034	0.005	5
4/21/2007	8:51:20	0.033	0.004	4
4/21/2007	9:06:20	0.032	0.003	3
4/21/2007	9:21:20	0.029	0	0
4/21/2007	9:36:20	0.025	-0.004	-4
4/21/2007	9:51:20	0.026	-0.003	-3
4/21/2007	10:06:20	0.027	-0.002	-2
4/21/2007	10:21:20	0.022	-0.007	-7
4/21/2007	10:36:20	0.021	-0.008	-8
4/21/2007	10:51:20	0.019	-0.01	-10
4/21/2007	11:06:20	0.021	-0.008	-8
4/21/2007	11:21:20	0.018	-0.011	-11
4/21/2007	11:36:20	0.016	-0.013	-13
4/21/2007	11:51:20	0.018	-0.011	-11
4/21/2007	12:06:20	0.014	-0.015	-15
4/21/2007	12:21:20	0.015	-0.014	-14
4/21/2007	12:36:20	0.014	-0.015	-15
4/21/2007	12:51:20	0.013	-0.016	-16
4/21/2007	13:06:20	0.014	-0.015	-15
4/21/2007	13:21:20	0.018	-0.011	-11
4/21/2007	13:36:20	0.014	-0.015	-15
4/21/2007	13:51:20	0.012	-0.017	-17
4/21/2007	14:06:20	0.014	-0.015	-15
4/21/2007	14:21:20	0.014	-0.015	-15
4/21/2007	14:36:20	0.016	-0.013	-13
4/21/2007	14:51:20	0.013	-0.016	-16
4/21/2007	15:06:20	0.015	-0.014	-14
4/21/2007	15:21:20	0.015	-0.014	-14

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/21/2007 07:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0755) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/21/2007 8:15	0.4		0.1
2	4/21/2007 8:30	0.4		0.1
3	4/21/2007 8:45	0.4		0.1
4	4/21/2007 9:00	0.4		0.1
5	4/21/2007 9:15	0.4		0.1
6	4/21/2007 9:30	0.4		0.1
7	4/21/2007 9:45	0.3		0
8	4/21/2007 10:00	0.4		0.1
9	4/21/2007 10:15	0.4		0.1
10	4/21/2007 10:30	0.3		0
11	4/21/2007 10:45	0.3		0
12	4/21/2007 11:00	0.3		0
13	4/21/2007 11:15	0.3		0
14	4/21/2007 11:30	0.2		-0.1
15	4/21/2007 11:45	0.2		-0.1
16	4/21/2007 12:00	0.2		-0.1
17	4/21/2007 12:15	0.2		-0.1
18	4/21/2007 12:30	0.2		-0.1
19	4/21/2007 12:45	0.2		-0.1
20	4/21/2007 13:00	0.2		-0.1
21	4/21/2007 13:15	0.2		-0.1
22	4/21/2007 13:30	0.2		-0.1
23	4/21/2007 13:45	0.2		-0.1
24	4/21/2007 14:00	0.3		0
25	4/21/2007 14:15	0.3		0
26	4/21/2007 14:30	0.3		0
27	4/21/2007 14:45	0.3		0
28	4/21/2007 15:00	0.3		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	8
Test Abbreviation:	
Start Date:	4/21/2007
Start Time:	7:59:51
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0755) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/21/2007	8:14:51	0.021	-0.003	-3
4/21/2007	8:29:51	0.026	0.002	2
4/21/2007	8:44:51	0.029	0.005	5
4/21/2007	8:59:51	0.026	0.002	2
4/21/2007	9:14:51	0.03	0.006	6
4/21/2007	9:29:51	0.024	0	0
4/21/2007	9:44:51	0.028	0.004	4
4/21/2007	9:59:51	0.025	0.001	1
4/21/2007	10:14:51	0.02	-0.004	-4
4/21/2007	10:29:51	0.021	-0.003	-3
4/21/2007	10:44:51	0.014	-0.01	-10
4/21/2007	10:59:51	0.015	-0.009	-9
4/21/2007	11:14:51	0.031	0.007	7
4/21/2007	11:29:51	0.011	-0.013	-13
4/21/2007	11:44:51	0.014	-0.01	-10
4/21/2007	11:59:51	0.011	-0.013	-13
4/21/2007	12:14:51	0.012	-0.012	-12
4/21/2007	12:29:51	0.014	-0.01	-10
4/21/2007	12:44:51	0.01	-0.014	-14
4/21/2007	12:59:51	0.013	-0.011	-11
4/21/2007	13:14:51	0.008	-0.016	-16
4/21/2007	13:29:51	0.011	-0.013	-13
4/21/2007	13:44:51	0.009	-0.015	-15
4/21/2007	13:59:51	0.007	-0.017	-17
4/21/2007	14:14:51	0.008	-0.016	-16
4/21/2007	14:29:51	0.007	-0.017	-17
4/21/2007	14:44:51	0.007	-0.017	-17
4/21/2007	14:59:51	0.006	-0.018	-18
4/21/2007	15:14:51	0.021	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/23/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/23/2007 7:08	0		-0.1
2	4/23/2007 7:23	0		-0.1
3	4/23/2007 7:38	0		-0.1
4	4/23/2007 7:53	0		-0.1
5	4/23/2007 8:08	0		-0.1
6	4/23/2007 8:23	0		-0.1
7	4/23/2007 8:38	0		-0.1
8	4/23/2007 8:53	0		-0.1
9	4/23/2007 9:08	0		-0.1
10	4/23/2007 9:23	0		-0.1
11	4/23/2007 9:38	0		-0.1
12	4/23/2007 9:53	0		-0.1
13	4/23/2007 10:08	0		-0.1
14	4/23/2007 10:23	0		-0.1
15	4/23/2007 10:38	0		-0.1
16	4/23/2007 10:53	0		-0.1
17	4/23/2007 11:08	0		-0.1
18	4/23/2007 11:23	0		-0.1
19	4/23/2007 11:38	0		-0.1
20	4/23/2007 11:53	0		-0.1
21	4/23/2007 12:08	0		-0.1
22	4/23/2007 12:23	0		-0.1
23	4/23/2007 12:38	0		-0.1
24	4/23/2007 12:53	0		-0.1
25	4/23/2007 13:08	0		-0.1
26	4/23/2007 13:23	0		-0.1
27	4/23/2007 13:38	0		-0.1
28	4/23/2007 13:53	0		-0.1
29	4/23/2007 14:08	0		-0.1
30	4/23/2007 14:23	0		-0.1
31	4/23/2007 14:38	0		-0.1
32	4/23/2007 14:53	0		-0.1
33	4/23/2007 15:08	0		-0.1
34	4/23/2007 15:23	0		-0.1
35	4/23/2007 15:38	0		-0.1
36	4/23/2007 15:53	0		-0.1
37	4/23/2007 16:08	0		-0.1
38	4/23/2007 16:23	0		-0.1
39	4/23/2007 16:38	0		-0.1
40	4/23/2007 16:53	0		-0.1
41	4/23/2007 17:08	0		-0.1
42	4/23/2007 17:23	0		-0.1
43	4/23/2007 17:38	0		-0.1
44	4/23/2007 17:53	0		-0.1
45	4/23/2007 18:08	0		-0.1
46	4/23/2007 18:23	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/23/2007
Start Time:	7:02:28
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0650) = 0.075 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/23/2007	7:17:28	0.096	0.021	21
4/23/2007	7:32:28	0.098	0.023	23
4/23/2007	7:47:28	0.095	0.02	20
4/23/2007	8:02:28	0.072	-0.003	-3
4/23/2007	8:17:28	0.053	-0.022	-22
4/23/2007	8:32:28	0.045	-0.03	-30
4/23/2007	8:47:28	0.043	-0.032	-32
4/23/2007	9:02:28	0.041	-0.034	-34
4/23/2007	9:17:28	0.046	-0.029	-29
4/23/2007	9:32:28	0.046	-0.029	-29
4/23/2007	9:47:28	0.051	-0.024	-24
4/23/2007	10:02:28	0.05	-0.025	-25
4/23/2007	10:17:28	0.047	-0.028	-28
4/23/2007	10:32:28	0.046	-0.029	-29
4/23/2007	10:47:28	0.045	-0.03	-30
4/23/2007	11:02:28	0.044	-0.031	-31
4/23/2007	11:17:28	0.044	-0.031	-31
4/23/2007	11:32:28	0.045	-0.03	-30
4/23/2007	11:47:28	0.047	-0.028	-28
4/23/2007	12:02:28	0.049	-0.026	-26
4/23/2007	12:17:28	0.053	-0.022	-22
4/23/2007	12:32:28	0.047	-0.028	-28
4/23/2007	12:47:28	0.045	-0.03	-30
4/23/2007	13:02:28	0.058	-0.017	-17
4/23/2007	13:17:28	0.051	-0.024	-24
4/23/2007	13:32:28	0.049	-0.026	-26
4/23/2007	13:47:28	0.042	-0.033	-33
4/23/2007	14:02:28	0.046	-0.029	-29
4/23/2007	14:17:28	0.05	-0.025	-25
4/23/2007	14:32:28	0.048	-0.027	-27
4/23/2007	14:47:28	0.047	-0.028	-28
4/23/2007	15:02:28	0.044	-0.031	-31
4/23/2007	15:17:28	0.059	-0.016	-16
4/23/2007	15:32:28	0.055	-0.02	-20
4/23/2007	15:47:28	0.051	-0.024	-24
4/23/2007	16:02:28	0.048	-0.027	-27
4/23/2007	16:17:28	0.046	-0.029	-29
4/23/2007	16:32:28	0.041	-0.034	-34
4/23/2007	16:47:28	0.042	-0.033	-33
4/23/2007	17:02:28	0.048	-0.027	-27
4/23/2007	17:44:35	0.036	-0.039	-39
4/23/2007	17:59:35	0.036	-0.039	-39
4/23/2007	18:14:35	0.038	-0.037	-37
4/23/2007	18:29:35	0.037	-0.038	-38
4/23/2007	18:44:35	0.037	-0.038	-38

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/23/2007 06:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0647) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/23/2007 7:01	0.1		0.1
2	4/23/2007 7:16	0.2		0.2
3	4/23/2007 7:31	0.2		0.2
4	4/23/2007 7:46	0.3		0.3
5	4/23/2007 8:01	0.3		0.3
6	4/23/2007 8:16	0.3		0.3
7	4/23/2007 8:31	0.3		0.3
8	4/23/2007 8:46	0.4		0.4
9	4/23/2007 9:01	0.4		0.4
10	4/23/2007 9:16	0.4		0.4
11	4/23/2007 9:31	0.5		0.5
12	4/23/2007 9:46	0.6		0.6
13	4/23/2007 10:01	0.6		0.6
14	4/23/2007 10:16	0.6		0.6
15	4/23/2007 10:31	0.7		0.7
16	4/23/2007 10:46	0.7		0.7
17	4/23/2007 11:01	0.8		0.8
18	4/23/2007 11:16	0.8		0.8
19	4/23/2007 11:31	0.8		0.8
20	4/23/2007 11:46	0.9		0.9
21	4/23/2007 12:01	0.9		0.9
22	4/23/2007 12:16	0.9		0.9
23	4/23/2007 12:31	0.9		0.9
24	4/23/2007 12:46	0.9		0.9
25	4/23/2007 13:01	0.9		0.9
26	4/23/2007 13:16	1		1
27	4/23/2007 13:31	1		1
28	4/23/2007 13:46	1		1
29	4/23/2007 14:01	1		1
30	4/23/2007 14:16	1		1
31	4/23/2007 14:31	1		1
32	4/23/2007 14:46	1		1
33	4/23/2007 15:01	1		1
34	4/23/2007 15:16	0.9		0.9
35	4/23/2007 15:31	1		1
36	4/23/2007 15:46	0.9		0.9
37	4/23/2007 16:01	0.9		0.9
38	4/23/2007 16:16	0.9		0.9
39	4/23/2007 16:31	1		1
40	4/23/2007 16:46	1		1
41	4/23/2007 17:01	1.1		1.1
42	4/23/2007 17:16	1.1		1.1
43	4/23/2007 17:31	1.1		1.1
44	4/23/2007 17:46	1.1		1.1
45	4/23/2007 18:01	1.1		1.1
46	4/23/2007 18:16	1.1		1.1
47	4/23/2007 18:31	1.1		1.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	4/23/2007
Start Time:	6:46:28
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0647) = 0.045 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/23/2007	7:01:28	0.045	0	0
4/23/2007	7:16:28	0.051	0.006	6
4/23/2007	7:31:28	0.056	0.011	11
4/23/2007	7:46:28	0.046	0.001	1
4/23/2007	8:01:28	0.043	-0.002	-2
4/23/2007	8:16:28	0.035	-0.01	-10
4/23/2007	8:31:28	0.03	-0.015	-15
4/23/2007	8:46:28	0.029	-0.016	-16
4/23/2007	9:01:28	0.027	-0.018	-18
4/23/2007	9:16:28	0.029	-0.016	-16
4/23/2007	9:31:28	0.03	-0.015	-15
4/23/2007	9:46:28	0.032	-0.013	-13
4/23/2007	10:01:28	0.031	-0.014	-14
4/23/2007	10:16:28	0.03	-0.015	-15
4/23/2007	10:31:28	0.031	-0.014	-14
4/23/2007	10:46:28	0.03	-0.015	-15
4/23/2007	11:01:28	0.029	-0.016	-16
4/23/2007	11:16:28	0.029	-0.016	-16
4/23/2007	11:31:28	0.029	-0.016	-16
4/23/2007	11:46:28	0.03	-0.015	-15
4/23/2007	12:01:28	0.031	-0.014	-14
4/23/2007	12:16:28	0.025	-0.02	-20
4/23/2007	12:31:28	0.025	-0.02	-20
4/23/2007	12:46:28	0.025	-0.02	-20
4/23/2007	13:01:28	0.025	-0.02	-20
4/23/2007	13:16:28	0.026	-0.019	-19
4/23/2007	13:31:28	0.025	-0.02	-20
4/23/2007	13:46:28	0.023	-0.022	-22
4/23/2007	14:01:28	0.023	-0.022	-22
4/23/2007	14:16:28	0.022	-0.023	-23
4/23/2007	14:31:28	0.025	-0.02	-20
4/23/2007	14:46:28	0.027	-0.018	-18
4/23/2007	15:01:28	0.025	-0.02	-20
4/23/2007	15:16:28	0.025	-0.02	-20
4/23/2007	15:31:28	0.026	-0.019	-19
4/23/2007	15:46:28	0.028	-0.017	-17
4/23/2007	16:01:28	0.028	-0.017	-17
4/23/2007	16:16:28	0.026	-0.019	-19
4/23/2007	16:31:28	0.025	-0.02	-20
4/23/2007	16:46:28	0.026	-0.019	-19
4/23/2007	17:01:28	0.025	-0.02	-20
4/23/2007	17:16:28	0.026	-0.019	-19
4/23/2007	17:31:28	0.026	-0.019	-19
4/23/2007	17:46:28	0.025	-0.02	-20
4/23/2007	18:01:28	0.025	-0.02	-20
4/23/2007	18:16:28	0.027	-0.018	-18
4/23/2007	18:31:28	0.026	-0.019	-19
4/23/2007	18:46:28	0.024	-0.021	-21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/23/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0712) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/23/2007 7:28	0		-0.2
2	4/23/2007 7:43	0.1		-0.1
3	4/23/2007 7:58	0		-0.2
4	4/23/2007 8:13	0		-0.2
5	4/23/2007 8:28	0.1		-0.1
6	4/23/2007 8:43	0.2		0
7	4/23/2007 8:58	0.1		-0.1
8	4/23/2007 9:13	0.1		-0.1
9	4/23/2007 9:28	0.1		-0.1
10	4/23/2007 9:43	0.1		-0.1
11	4/23/2007 9:58	0.1		-0.1
12	4/23/2007 10:13	0		-0.2
13	4/23/2007 10:28	0		-0.2
14	4/23/2007 10:43	0		-0.2
15	4/23/2007 10:58	0		-0.2
16	4/23/2007 11:13	0		-0.2
17	4/23/2007 11:28	0		-0.2
18	4/23/2007 11:43	0		-0.2
19	4/23/2007 11:58	0		-0.2
20	4/23/2007 12:13	0		-0.2
21	4/23/2007 12:28	0		-0.2
22	4/23/2007 12:43	0		-0.2
23	4/23/2007 12:58	0		-0.2
24	4/23/2007 13:13	0		-0.2
25	4/23/2007 13:28	0		-0.2
26	4/23/2007 13:43	0		-0.2
27	4/23/2007 13:58	0		-0.2
28	4/23/2007 14:13	0		-0.2
29	4/23/2007 14:28	0		-0.2
30	4/23/2007 14:43	0		-0.2
31	4/23/2007 14:58	0		-0.2
32	4/23/2007 15:13	0		-0.2
33	4/23/2007 15:28	0		-0.2
34	4/23/2007 15:43	0		-0.2
35	4/23/2007 15:58	0		-0.2
36	4/23/2007 16:13	0		-0.2
37	4/23/2007 16:28	0		-0.2
38	4/23/2007 16:43	0		-0.2
39	4/23/2007 16:58	0		-0.2
40	4/23/2007 17:13	0		-0.2
41	4/23/2007 17:28	0		-0.2
42	4/23/2007 17:43	0		-0.2
43	4/23/2007 17:58	0		-0.2
44	4/23/2007 18:13	0		-0.2
45	4/23/2007 18:28	0		-0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	9
Test Abbreviation:	
Start Date:	4/23/2007
Start Time:	7:09:51
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0712) = 0.057 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/23/2007	7:24:51	0.057	0	0
4/23/2007	7:39:51	0.056	-0.001	-1
4/23/2007	7:54:51	0.053	-0.004	-4
4/23/2007	8:09:51	0.048	-0.009	-9
4/23/2007	8:24:51	0.037	-0.02	-20
4/23/2007	8:39:51	0.037	-0.02	-20
4/23/2007	8:54:51	0.035	-0.022	-22
4/23/2007	9:09:51	0.034	-0.023	-23
4/23/2007	9:24:51	0.035	-0.022	-22
4/23/2007	9:39:51	0.035	-0.022	-22
4/23/2007	9:54:51	0.038	-0.019	-19
4/23/2007	10:09:51	0.036	-0.021	-21
4/23/2007	10:24:51	0.036	-0.021	-21
4/23/2007	10:39:51	0.038	-0.019	-19
4/23/2007	10:54:51	0.033	-0.024	-24
4/23/2007	11:09:51	0.032	-0.025	-25
4/23/2007	11:24:51	0.032	-0.025	-25
4/23/2007	11:39:51	0.032	-0.025	-25
4/23/2007	11:54:51	0.034	-0.023	-23
4/23/2007	12:09:51	0.032	-0.025	-25
4/23/2007	12:24:51	0.028	-0.029	-29
4/23/2007	12:39:51	0.027	-0.03	-30
4/23/2007	12:54:51	0.027	-0.03	-30
4/23/2007	13:09:51	0.029	-0.028	-28
4/23/2007	13:24:51	0.031	-0.026	-26
4/23/2007	13:39:51	0.028	-0.029	-29
4/23/2007	13:54:51	0.027	-0.03	-30
4/23/2007	14:09:51	0.025	-0.032	-32
4/23/2007	14:24:51	0.028	-0.029	-29
4/23/2007	14:39:51	0.029	-0.028	-28
4/23/2007	14:54:51	0.027	-0.03	-30
4/23/2007	15:09:51	0.027	-0.03	-30
4/23/2007	15:24:51	0.027	-0.03	-30
4/23/2007	15:39:51	0.03	-0.027	-27
4/23/2007	15:54:51	0.029	-0.028	-28
4/23/2007	16:09:51	0.028	-0.029	-29
4/23/2007	16:24:51	0.026	-0.031	-31
4/23/2007	16:39:51	0.025	-0.032	-32
4/23/2007	16:54:51	0.028	-0.029	-29
4/23/2007	17:09:51	0.032	-0.025	-25
4/23/2007	17:24:51	0.029	-0.028	-28
4/23/2007	17:39:51	0.038	-0.019	-19
4/23/2007	17:54:51	0.029	-0.028	-28
4/23/2007	18:09:51	0.027	-0.03	-30
4/23/2007	18:24:51	0.028	-0.029	-29
4/23/2007	18:39:51	0.027	-0.03	-30

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/23/2007 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0702) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/23/2007 7:17	0.2		0
2	4/23/2007 7:32	0.2		0
3	4/23/2007 7:47	0.1		-0.1
4	4/23/2007 8:02	0.2		0
5	4/23/2007 8:17	0.2		0
6	4/23/2007 8:32	0.3		0.1
7	4/23/2007 8:47	0.4		0.2
8	4/23/2007 9:02	0.4		0.2
9	4/23/2007 9:17	0.4		0.2
10	4/23/2007 9:32	0.5		0.3
11	4/23/2007 9:47	0.7		0.5
12	4/23/2007 10:02	0.5		0.3
13	4/23/2007 10:17	0.5		0.3
14	4/23/2007 10:32	0.5		0.3
15	4/23/2007 10:47	0.5		0.3
16	4/23/2007 11:02	0.5		0.3
17	4/23/2007 11:17	0.6		0.4
18	4/23/2007 11:32	0.6		0.4
19	4/23/2007 11:47	0.6		0.4
20	4/23/2007 12:02	0.5		0.3
21	4/23/2007 12:17	0.5		0.3
22	4/23/2007 12:32	0.5		0.3
23	4/23/2007 12:47	0.6		0.4
24	4/23/2007 13:02	0.6		0.4
25	4/23/2007 13:17	0.5		0.3
26	4/23/2007 13:32	0.5		0.3
27	4/23/2007 13:47	0.5		0.3
28	4/23/2007 14:02	0.5		0.3
29	4/23/2007 14:17	0.5		0.3
30	4/23/2007 14:32	0.4		0.2
31	4/23/2007 14:47	0.5		0.3
32	4/23/2007 15:02	0.5		0.3
33	4/23/2007 15:17	0.5		0.3
34	4/23/2007 15:32	0.5		0.3
35	4/23/2007 15:47	0.5		0.3
36	4/23/2007 16:02	0.5		0.3
37	4/23/2007 16:17	0.5		0.3
38	4/23/2007 16:32	0.5		0.3
39	4/23/2007 16:47	0.5		0.3
40	4/23/2007 17:02	0.5		0.3
41	4/23/2007 17:17	0.5		0.3
42	4/23/2007 17:32	0.4		0.2
43	4/23/2007 17:47	0.4		0.2
44	4/23/2007 18:02	0.4		0.2
45	4/23/2007 18:17	0.4		0.2
46	4/23/2007 18:32	0.4		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	8
Test Abbreviation:	
Start Date:	4/23/2007
Start Time:	7:01:43
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (0702) = 0.064 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/23/2007	7:16:43	0.064	0	0
4/23/2007	7:31:43	0.071	0.007	7
4/23/2007	7:46:43	0.074	0.01	10
4/23/2007	8:12:03	0.054	-0.01	-10
4/23/2007	8:27:03	0.042	-0.022	-22
4/23/2007	8:42:03	0.045	-0.019	-19
4/23/2007	8:57:03	0.045	-0.019	-19
4/23/2007	9:12:03	0.048	-0.016	-16
4/23/2007	9:27:03	0.047	-0.017	-17
4/23/2007	9:42:03	0.048	-0.016	-16
4/23/2007	9:57:03	0.067	0.003	3
4/23/2007	10:12:03	0.045	-0.019	-19
4/23/2007	10:27:03	0.051	-0.013	-13
4/23/2007	10:42:03	0.046	-0.018	-18
4/23/2007	10:57:03	0.044	-0.02	-20
4/23/2007	11:12:03	0.046	-0.018	-18
4/23/2007	11:27:03	0.043	-0.021	-21
4/23/2007	11:42:03	0.046	-0.018	-18
4/23/2007	11:57:03	0.051	-0.013	-13
4/23/2007	12:12:03	0.063	-0.001	-1
4/23/2007	12:27:03	0.042	-0.022	-22
4/23/2007	12:42:03	0.037	-0.027	-27
4/23/2007	12:57:03	0.039	-0.025	-25
4/23/2007	13:12:03	0.048	-0.016	-16
4/23/2007	13:27:03	0.046	-0.018	-18
4/23/2007	13:42:03	0.045	-0.019	-19
4/23/2007	13:57:03	0.044	-0.02	-20
4/23/2007	14:12:03	0.042	-0.022	-22
4/23/2007	14:27:03	0.042	-0.022	-22
4/23/2007	14:42:03	0.055	-0.009	-9
4/23/2007	14:57:03	0.042	-0.022	-22
4/23/2007	15:12:03	0.045	-0.019	-19
4/23/2007	15:27:03	0.043	-0.021	-21
4/23/2007	15:42:03	0.048	-0.016	-16
4/23/2007	15:57:03	0.046	-0.018	-18
4/23/2007	16:12:03	0.041	-0.023	-23
4/23/2007	16:27:03	0.039	-0.025	-25
4/23/2007	16:42:03	0.039	-0.025	-25
4/23/2007	16:57:03	0.065	0.001	1
4/23/2007	17:12:03	0.053	-0.011	-11
4/23/2007	17:27:03	0.058	-0.006	-6
4/23/2007	17:42:03	0.054	-0.01	-10
4/23/2007	17:57:03	0.054	-0.01	-10
4/23/2007	18:12:03	0.046	-0.018	-18
4/23/2007	18:27:03	0.043	-0.021	-21
4/23/2007	18:42:03	0.039	-0.025	-25

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/24/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0714) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/24/2007 7:29	0		0
2	4/24/2007 7:44	0		0
3	4/24/2007 7:59	0		0
4	4/24/2007 8:14	0		0
5	4/24/2007 8:29	0		0
6	4/24/2007 8:44	0		0
7	4/24/2007 8:59	0		0
8	4/24/2007 9:14	0		0
9	4/24/2007 9:29	0		0
10	4/24/2007 9:44	0		0
11	4/24/2007 9:59	0		0
12	4/24/2007 10:14	0		0
13	4/24/2007 10:29	0		0
14	4/24/2007 10:44	0		0
15	4/24/2007 10:59	0		0
16	4/24/2007 11:14	0		0
17	4/24/2007 11:29	0		0
18	4/24/2007 11:44	0		0
19	4/24/2007 11:59	0		0
20	4/24/2007 12:14	0		0
21	4/24/2007 12:29	0		0
22	4/24/2007 12:44	0		0
23	4/24/2007 12:59	0		0
24	4/24/2007 13:14	0		0
25	4/24/2007 13:29	0		0
26	4/24/2007 13:44	0		0
27	4/24/2007 13:59	0		0
28	4/24/2007 14:14	0		0
29	4/24/2007 14:29	0		0
30	4/24/2007 14:44	0		0
31	4/24/2007 14:59	0		0
32	4/24/2007 15:14	0		0
33	4/24/2007 15:29	0		0
34	4/24/2007 15:44	0		0
35	4/24/2007 15:59	0		0
36	4/24/2007 16:14	0		0
37	4/24/2007 16:29	0		0
38	4/24/2007 16:44	0		0
39	4/24/2007 16:59	0		0
40	4/24/2007 17:14	0		0
41	4/24/2007 17:29	0		0
42	4/24/2007 17:44	0		0
43	4/24/2007 17:59	0		0
44	4/24/2007 18:14	0		0
45	4/24/2007 18:29	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/24/2007
Start Time:	7:13:09
Duration (dd:hh:mm:ss):	00:02:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	11
Notes:	Background Reading (0714) = 0.056 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/24/2007	7:28:09	0.066	0.01	10
4/24/2007	7:43:09	0.061	0.005	5
4/24/2007	7:58:09	0.059	0.003	3
4/24/2007	8:13:09	0.059	0.003	3
4/24/2007	8:28:09	0.063	0.007	7
4/24/2007	8:43:09	0.053	-0.003	-3
4/24/2007	8:58:09	0.05	-0.006	-6
4/24/2007	9:13:09	0.045	-0.011	-11
4/24/2007	9:28:09	0.045	-0.011	-11
4/24/2007	9:43:09	0.047	-0.009	-9
4/24/2007	9:58:09	0.057	0.001	1
4/24/2007	11:09:14	0.035	-0.021	-21
4/24/2007	11:24:14	0.034	-0.022	-22
4/24/2007	11:39:14	0.033	-0.023	-23
4/24/2007	11:54:14	0.032	-0.024	-24
4/24/2007	12:09:14	0.032	-0.024	-24
4/24/2007	12:24:14	0.025	-0.031	-31
4/24/2007	12:39:14	0.025	-0.031	-31
4/24/2007	12:54:14	0.027	-0.029	-29
4/24/2007	13:09:14	0.027	-0.029	-29
4/24/2007	13:24:14	0.028	-0.028	-28
4/24/2007	13:39:14	0.027	-0.029	-29
4/24/2007	13:54:14	0.026	-0.03	-30
4/24/2007	14:09:14	0.027	-0.029	-29
4/24/2007	14:24:14	0.023	-0.033	-33
4/24/2007	14:39:14	0.019	-0.037	-37
4/24/2007	14:54:14	0.017	-0.039	-39
4/24/2007	15:09:14	0.017	-0.039	-39
4/24/2007	15:24:14	0.02	-0.036	-36
4/24/2007	15:39:14	0.022	-0.034	-34
4/24/2007	15:54:14	0.017	-0.039	-39
4/24/2007	16:09:14	0.014	-0.042	-42
4/24/2007	16:24:14	0.014	-0.042	-42
4/24/2007	16:39:14	0.015	-0.041	-41
4/24/2007	16:54:14	0.015	-0.041	-41
4/24/2007	17:09:14	0.014	-0.042	-42
4/24/2007	17:24:14	0.013	-0.043	-43
4/24/2007	17:39:14	0.016	-0.04	-40
4/24/2007	17:54:14	0.015	-0.041	-41
4/24/2007	18:09:14	0.046	-0.01	-10
4/24/2007	18:24:14	0.016	-0.04	-40
4/24/2007	18:39:14	0.015	-0.041	-41

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/24/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/24/2007 6:43	0		0
2	4/24/2007 6:58	0		0
3	4/24/2007 7:13	0		0
4	4/24/2007 7:28	0		0
5	4/24/2007 7:43	0		0
6	4/24/2007 7:58	0		0
7	4/24/2007 8:13	0		0
8	4/24/2007 8:28	0		0
9	4/24/2007 8:43	0		0
10	4/24/2007 8:58	0.1		0.1
11	4/24/2007 9:13	0.1		0.1
12	4/24/2007 9:28	0.1		0.1
13	4/24/2007 9:43	0.1		0.1
14	4/24/2007 9:58	0.1		0.1
15	4/24/2007 10:13	0.1		0.1
16	4/24/2007 10:28	0.1		0.1
17	4/24/2007 10:43	0.1		0.1
18	4/24/2007 10:58	0.1		0.1
19	4/24/2007 11:13	0.1		0.1
20	4/24/2007 11:28	0.2		0.2
21	4/24/2007 11:43	0.2		0.2
22	4/24/2007 11:58	0.2		0.2
23	4/24/2007 12:13	0.2		0.2
24	4/24/2007 12:28	0.2		0.2
25	4/24/2007 12:43	0.2		0.2
26	4/24/2007 12:58	0.2		0.2
27	4/24/2007 13:13	0.2		0.2
28	4/24/2007 13:28	0.2		0.2
29	4/24/2007 13:43	0.2		0.2
30	4/24/2007 13:58	0.2		0.2
31	4/24/2007 14:13	0.2		0.2
32	4/24/2007 14:28	0.2		0.2
33	4/24/2007 14:43	0.3		0.3
34	4/24/2007 14:58	0.3		0.3
35	4/24/2007 15:13	0.3		0.3
36	4/24/2007 15:28	0.3		0.3
37	4/24/2007 15:43	0.3		0.3
38	4/24/2007 15:58	0.3		0.3
39	4/24/2007 16:13	0.3		0.3
40	4/24/2007 16:28	0.3		0.3
41	4/24/2007 16:43	0.3		0.3
42	4/24/2007 16:58	0.2		0.2
43	4/24/2007 17:13	0.2		0.2
44	4/24/2007 17:28	0.2		0.2
45	4/24/2007 17:43	0.2		0.2
46	4/24/2007 17:58	0.2		0.2
47	4/24/2007 18:13	0.2		0.2
48	4/24/2007 18:28	0.2		0.2
49	4/24/2007 18:43	0.2		0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	4/24/2007
Start Time:	6:27:38
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	

Background Reading (0627) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/24/2007	6:42:38	0.031	0	0
4/24/2007	6:57:38	0.032	0.001	1
4/24/2007	7:12:38	0.032	0.001	1
4/24/2007	7:27:38	0.036	0.005	5
4/24/2007	7:42:38	0.036	0.005	5
4/24/2007	7:57:38	0.037	0.006	6
4/24/2007	8:12:38	0.034	0.003	3
4/24/2007	8:27:38	0.036	0.005	5
4/24/2007	8:42:38	0.035	0.004	4
4/24/2007	8:57:38	0.033	0.002	2
4/24/2007	9:12:38	0.029	-0.002	-2
4/24/2007	9:27:38	0.029	-0.002	-2
4/24/2007	9:42:38	0.029	-0.002	-2
4/24/2007	9:57:38	0.031	0	0
4/24/2007	10:12:38	0.031	0	0
4/24/2007	10:27:38	0.025	-0.006	-6
4/24/2007	10:42:38	0.022	-0.009	-9
4/24/2007	10:57:38	0.022	-0.009	-9
4/24/2007	11:12:38	0.021	-0.01	-10
4/24/2007	11:27:38	0.022	-0.009	-9
4/24/2007	11:42:38	0.021	-0.01	-10
4/24/2007	11:57:38	0.019	-0.012	-12
4/24/2007	12:12:38	0.018	-0.013	-13
4/24/2007	12:27:38	0.017	-0.014	-14
4/24/2007	12:42:38	0.015	-0.016	-16
4/24/2007	12:57:38	0.015	-0.016	-16
4/24/2007	13:12:38	0.016	-0.015	-15
4/24/2007	13:27:38	0.017	-0.014	-14
4/24/2007	13:42:38	0.016	-0.015	-15
4/24/2007	13:57:38	0.016	-0.015	-15
4/24/2007	14:12:38	0.014	-0.017	-17
4/24/2007	14:27:38	0.011	-0.02	-20
4/24/2007	14:42:38	0.011	-0.02	-20
4/24/2007	14:57:38	0.009	-0.022	-22
4/24/2007	15:12:38	0.009	-0.022	-22
4/24/2007	15:27:38	0.011	-0.02	-20
4/24/2007	15:42:38	0.01	-0.021	-21
4/24/2007	15:57:38	0.01	-0.021	-21
4/24/2007	16:12:38	0.007	-0.024	-24
4/24/2007	16:27:38	0.008	-0.023	-23
4/24/2007	16:42:38	0.009	-0.022	-22
4/24/2007	16:57:38	0.008	-0.023	-23
4/24/2007	17:12:38	0.007	-0.024	-24
4/24/2007	17:27:38	0.008	-0.023	-23
4/24/2007	17:42:38	0.008	-0.023	-23
4/24/2007	17:57:38	0.009	-0.022	-22
4/24/2007	18:12:38	0.011	-0.02	-20
4/24/2007	18:27:38	0.009	-0.022	-22
4/24/2007	18:42:38	0.009	-0.022	-22
4/24/2007	18:57:38	0.009	-0.022	-22

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/24/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0652) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/24/2007 7:08	0		0
2	4/24/2007 7:23	0		0
3	4/24/2007 7:38	0		0
4	4/24/2007 7:53	0		0
5	4/24/2007 8:08	0		0
6	4/24/2007 8:23	0		0
7	4/24/2007 8:38	0		0
8	4/24/2007 8:53	0		0
9	4/24/2007 9:08	0		0
10	4/24/2007 9:23	0		0
11	4/24/2007 9:38	0		0
12	4/24/2007 9:53	0		0
13	4/24/2007 10:08	0		0
14	4/24/2007 10:23	0		0
15	4/24/2007 10:38	0		0
16	4/24/2007 10:53	0		0
17	4/24/2007 11:08	0		0
18	4/24/2007 11:23	0		0
19	4/24/2007 11:38	0		0
20	4/24/2007 11:53	0		0
21	4/24/2007 12:08	0		0
22	4/24/2007 12:23	0		0
23	4/24/2007 12:38	0		0
24	4/24/2007 12:53	0		0
25	4/24/2007 13:08	0		0
26	4/24/2007 13:23	0		0
27	4/24/2007 13:38	0		0
28	4/24/2007 13:53	0		0
29	4/24/2007 14:08	0		0
30	4/24/2007 14:23	0		0
31	4/24/2007 14:38	0		0
32	4/24/2007 14:53	0		0
33	4/24/2007 15:08	0		0
34	4/24/2007 15:23	0		0
35	4/24/2007 15:38	0		0
36	4/24/2007 15:53	0		0
37	4/24/2007 16:08	0		0
38	4/24/2007 16:23	0		0
39	4/24/2007 16:38	0		0
40	4/24/2007 16:53	0		0
41	4/24/2007 17:08	0		0
42	4/24/2007 17:23	0		0
43	4/24/2007 17:38	0		0
44	4/24/2007 17:53	0		0
45	4/24/2007 18:08	0		0
46	4/24/2007 18:23	0		0
47	4/24/2007 18:38	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	4/24/2007
Start Time:	6:52:23
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0652) = 0.045 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/24/2007	7:07:23	0.047	0.002	2
4/24/2007	7:22:23	0.05	0.005	5
4/24/2007	7:37:23	0.056	0.011	11
4/24/2007	7:52:23	0.055	0.01	10
4/24/2007	8:07:23	0.055	0.01	10
4/24/2007	8:22:23	0.053	0.008	8
4/24/2007	8:37:23	0.055	0.01	10
4/24/2007	8:52:23	0.051	0.006	6
4/24/2007	9:07:23	0.045	0	0
4/24/2007	9:22:23	0.041	-0.004	-4
4/24/2007	9:37:23	0.04	-0.005	-5
4/24/2007	9:52:23	0.043	-0.002	-2
4/24/2007	10:07:23	0.046	0.001	1
4/24/2007	10:22:23	0.042	-0.003	-3
4/24/2007	10:37:23	0.04	-0.005	-5
4/24/2007	10:52:23	0.034	-0.011	-11
4/24/2007	11:07:23	0.032	-0.013	-13
4/24/2007	11:22:23	0.032	-0.013	-13
4/24/2007	11:37:23	0.037	-0.008	-8
4/24/2007	11:52:23	0.029	-0.016	-16
4/24/2007	12:07:23	0.033	-0.012	-12
4/24/2007	12:22:23	0.025	-0.02	-20
4/24/2007	12:37:23	0.022	-0.023	-23
4/24/2007	12:52:23	0.022	-0.023	-23
4/24/2007	13:07:23	0.035	-0.01	-10
4/24/2007	13:22:23	0.027	-0.018	-18
4/24/2007	13:37:23	0.031	-0.014	-14
4/24/2007	13:52:23	0.027	-0.018	-18
4/24/2007	14:07:23	0.033	-0.012	-12
4/24/2007	14:22:23	0.024	-0.021	-21
4/24/2007	14:37:23	0.02	-0.025	-25
4/24/2007	14:52:23	0.019	-0.026	-26
4/24/2007	15:07:23	0.014	-0.031	-31
4/24/2007	15:22:23	0.033	-0.012	-12
4/24/2007	15:37:23	0.016	-0.029	-29
4/24/2007	15:52:23	0.02	-0.025	-25
4/24/2007	16:07:23	0.013	-0.032	-32
4/24/2007	16:22:23	0.017	-0.028	-28
4/24/2007	16:37:23	0.018	-0.027	-27
4/24/2007	16:52:23	0.022	-0.023	-23
4/24/2007	17:07:23	0.013	-0.032	-32
4/24/2007	17:22:23	0.009	-0.036	-36
4/24/2007	17:37:23	0.012	-0.033	-33
4/24/2007	17:52:23	0.013	-0.032	-32
4/24/2007	18:07:23	0.015	-0.03	-30
4/24/2007	18:22:23	0.014	-0.031	-31
4/24/2007	18:37:23	0.013	-0.032	-32
4/24/2007	18:52:23	0.013	-0.032	-32

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002620
User ID: 00000001 Site ID: 00000007
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/24/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/24/2007 7:00	0.4		0.2
2	4/24/2007 7:15	0.4		0.2
3	4/24/2007 7:30	0.4		0.2
4	4/24/2007 7:45	0.4		0.2
5	4/24/2007 8:00	0.4		0.2
6	4/24/2007 8:15	0.3		0.1
7	4/24/2007 8:30	0.3		0.1
8	4/24/2007 8:45	0.3		0.1
9	4/24/2007 9:00	0.2		0
10	4/24/2007 9:15	0.2		0
11	4/24/2007 9:30	0.2		0
12	4/24/2007 9:45	0.2		0
13	4/24/2007 10:00	0.2		0
14	4/24/2007 10:15	0.1		-0.1
15	4/24/2007 10:30	0.1		-0.1
16	4/24/2007 10:45	0.1		-0.1
17	4/24/2007 11:00	0.1		-0.1
18	4/24/2007 11:15	0.1		-0.1
19	4/24/2007 11:30	0.1		-0.1
20	4/24/2007 11:45	0.1		-0.1
21	4/24/2007 12:00	0.1		-0.1
22	4/24/2007 12:15	0.1		-0.1
23	4/24/2007 12:30	0.1		-0.1
24	4/24/2007 12:45	0.1		-0.1
25	4/24/2007 13:00	0.1		-0.1
26	4/24/2007 13:15	0.1		-0.1
27	4/24/2007 13:30	0.1		-0.1
28	4/24/2007 13:45	0		-0.2
29	4/24/2007 14:00	0		-0.2
30	4/24/2007 14:15	0.1		-0.1
31	4/24/2007 14:30	0.1		-0.1
32	4/24/2007 14:45	0.1		-0.1
33	4/24/2007 15:00	0.1		-0.1
34	4/24/2007 15:15	0.1		-0.1
35	4/24/2007 15:30	0.1		-0.1
36	4/24/2007 15:45	0.1		-0.1
37	4/24/2007 16:00	0.1		-0.1
38	4/24/2007 16:15	0.1		-0.1
39	4/24/2007 16:30	0.1		-0.1
40	4/24/2007 16:45	0.1		-0.1
41	4/24/2007 17:00	0.1		-0.1
42	4/24/2007 17:15	0.1		-0.1
43	4/24/2007 17:30	0.1		-0.1
44	4/24/2007 17:45	0.1		-0.1
45	4/24/2007 18:00	0.1		-0.1
46	4/24/2007 18:15	0.1		-0.1
47	4/24/2007 18:30	0.1		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	4/24/2007
Start Time:	6:42:38
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	

Background Reading (0643) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/24/2007	6:57:38	0.038	0.002	2
4/24/2007	7:12:38	0.039	0.003	3
4/24/2007	7:27:38	0.055	0.019	19
4/24/2007	7:42:38	0.047	0.011	11
4/24/2007	7:57:38	0.049	0.013	13
4/24/2007	8:12:38	0.045	0.009	9
4/24/2007	8:27:38	0.045	0.009	9
4/24/2007	8:42:38	0.043	0.007	7
4/24/2007	8:57:38	0.047	0.011	11
4/24/2007	9:12:38	0.039	0.003	3
4/24/2007	9:27:38	0.034	-0.002	-2
4/24/2007	9:42:38	0.04	0.004	4
4/24/2007	9:57:38	0.036	0	0
4/24/2007	10:12:38	0.037	0.001	1
4/24/2007	10:27:38	0.03	-0.006	-6
4/24/2007	10:42:38	0.025	-0.011	-11
4/24/2007	10:57:38	0.023	-0.013	-13
4/24/2007	11:12:38	0.025	-0.011	-11
4/24/2007	11:27:38	0.026	-0.01	-10
4/24/2007	11:42:38	0.023	-0.013	-13
4/24/2007	11:57:38	0.026	-0.01	-10
4/24/2007	12:12:38	0.02	-0.016	-16
4/24/2007	12:27:38	0.018	-0.018	-18
4/24/2007	12:42:38	0.018	-0.018	-18
4/24/2007	12:57:38	0.018	-0.018	-18
4/24/2007	13:12:38	0.024	-0.012	-12
4/24/2007	13:27:38	0.02	-0.016	-16
4/24/2007	13:42:38	0.023	-0.013	-13
4/24/2007	13:57:38	0.02	-0.016	-16
4/24/2007	14:12:38	0.018	-0.018	-18
4/24/2007	14:27:38	0.028	-0.008	-8
4/24/2007	14:42:38	0.015	-0.021	-21
4/24/2007	14:57:38	0.065	0.029	29
4/24/2007	15:12:38	0.017	-0.019	-19
4/24/2007	15:27:38	0.013	-0.023	-23
4/24/2007	15:42:38	0.016	-0.02	-20
4/24/2007	15:57:38	0.02	-0.016	-16
4/24/2007	16:12:38	0.011	-0.025	-25
4/24/2007	16:27:38	0.011	-0.025	-25
4/24/2007	16:42:38	0.011	-0.025	-25
4/24/2007	16:57:38	0.011	-0.025	-25
4/24/2007	17:12:38	0.01	-0.026	-26
4/24/2007	17:27:38	0.009	-0.027	-27
4/24/2007	17:42:38	0.01	-0.026	-26
4/24/2007	17:57:38	0.008	-0.028	-28
4/24/2007	18:12:38	0.009	-0.027	-27
4/24/2007	18:27:38	0.009	-0.027	-27
4/24/2007	18:42:38	0.009	-0.027	-27

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/25/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0622) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/25/2007 6:39	0		0
2	4/25/2007 6:54	0		0
3	4/25/2007 7:09	0		0
4	4/25/2007 7:24	0		0
5	4/25/2007 7:39	0		0
6	4/25/2007 7:54	0		0
7	4/25/2007 8:09	0.1		0.1
8	4/25/2007 8:24	0.1		0.1
9	4/25/2007 8:39	0.1		0.1
10	4/25/2007 8:54	0.1		0.1
11	4/25/2007 9:09	0.1		0.1
12	4/25/2007 9:24	0.1		0.1
13	4/25/2007 9:39	0.2		0.2
14	4/25/2007 9:54	0.1		0.1
15	4/25/2007 10:09	0.2		0.2
16	4/25/2007 10:24	0.2		0.2
17	4/25/2007 10:39	0.2		0.2
18	4/25/2007 10:54	0.2		0.2
19	4/25/2007 11:09	0.2		0.2
20	4/25/2007 11:24	0.2		0.2
21	4/25/2007 11:39	0.2		0.2
22	4/25/2007 11:54	0.2		0.2
23	4/25/2007 12:09	0.2		0.2
24	4/25/2007 12:24	0.2		0.2
25	4/25/2007 12:39	0.2		0.2
26	4/25/2007 12:54	0.2		0.2
27	4/25/2007 13:09	0.2		0.2
28	4/25/2007 13:24	0.1		0.1
29	4/25/2007 13:39	0.1		0.1
30	4/25/2007 13:54	0.1		0.1
31	4/25/2007 14:09	0.1		0.1
32	4/25/2007 14:24	0.1		0.1
33	4/25/2007 14:39	0.1		0.1
34	4/25/2007 14:54	0.1		0.1
35	4/25/2007 15:09	0.1		0.1
36	4/25/2007 15:24	0.1		0.1
37	4/25/2007 15:39	0.1		0.1
38	4/25/2007 15:54	0.2		0.2
39	4/25/2007 16:09	0.2		0.2
40	4/25/2007 16:24	0.2		0.2
41	4/25/2007 16:39	0.2		0.2
42	4/25/2007 16:54	0.2		0.2
43	4/25/2007 17:09	0.2		0.2
44	4/25/2007 17:24	0.2		0.2
45	4/25/2007 17:39	0.2		0.2
46	4/25/2007 17:54	0.2		0.2
47	4/25/2007 18:09	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/25/2007
Start Time:	6:22:31
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0622) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/25/2007	6:37:31	0.011	-0.005	-5
4/25/2007	6:52:31	0.012	-0.004	-4
4/25/2007	7:07:31	0.015	-0.001	-1
4/25/2007	7:22:31	0.043	0.027	27
4/25/2007	7:37:31	0.019	0.003	3
4/25/2007	7:52:31	0.015	-0.001	-1
4/25/2007	8:07:31	0.013	-0.003	-3
4/25/2007	8:22:31	0.012	-0.004	-4
4/25/2007	8:37:31	0.012	-0.004	-4
4/25/2007	8:52:31	0.013	-0.003	-3
4/25/2007	9:07:31	0.017	0.001	1
4/25/2007	9:22:31	0.016	0	0
4/25/2007	9:37:31	0.015	-0.001	-1
4/25/2007	9:52:31	0.014	-0.002	-2
4/25/2007	10:07:31	0.016	0	0
4/25/2007	10:22:31	0.018	0.002	2
4/25/2007	10:37:31	0.019	0.003	3
4/25/2007	10:52:31	0.016	0	0
4/25/2007	11:07:31	0.023	0.007	7
4/25/2007	11:22:31	0.015	-0.001	-1
4/25/2007	11:37:31	0.015	-0.001	-1
4/25/2007	11:52:31	0.017	0.001	1
4/25/2007	12:07:31	0.016	0	0
4/25/2007	12:22:31	0.015	-0.001	-1
4/25/2007	12:37:31	0.016	0	0
4/25/2007	12:52:31	0.017	0.001	1
4/25/2007	13:07:31	0.019	0.003	3
4/25/2007	13:22:31	0.019	0.003	3
4/25/2007	13:37:31	0.017	0.001	1
4/25/2007	13:52:31	0.018	0.002	2
4/25/2007	14:07:31	0.016	0	0
4/25/2007	14:22:31	0.018	0.002	2
4/25/2007	14:37:31	0.019	0.003	3
4/25/2007	14:52:31	0.021	0.005	5
4/25/2007	15:07:31	0.02	0.004	4
4/25/2007	15:22:31	0.017	0.001	1
4/25/2007	15:37:31	0.017	0.001	1
4/25/2007	15:52:31	0.016	0	0
4/25/2007	16:07:31	0.018	0.002	2
4/25/2007	16:22:31	0.02	0.004	4
4/25/2007	16:37:31	0.016	0	0
4/25/2007	16:52:31	0.016	0	0
4/25/2007	17:07:31	0.014	-0.002	-2
4/25/2007	17:22:31	0.016	0	0
4/25/2007	17:37:31	0.014	-0.002	-2
4/25/2007	17:52:31	0.019	0.003	3
4/25/2007	18:07:31	0.016	0	0
4/25/2007	18:22:31	0.016	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/25/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0639) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/25/2007 6:55	0		0
2	4/25/2007 7:10	0		0
3	4/25/2007 7:25	0		0
4	4/25/2007 7:40	0.1		0.1
5	4/25/2007 7:55	0.1		0.1
6	4/25/2007 8:10	0.2		0.2
7	4/25/2007 8:25	0.2		0.2
8	4/25/2007 8:40	0.3		0.3
9	4/25/2007 8:55	0.2		0.2
10	4/25/2007 9:10	0.3		0.3
11	4/25/2007 9:25	0.3		0.3
12	4/25/2007 9:40	0.3		0.3
13	4/25/2007 9:55	0.3		0.3
14	4/25/2007 10:10	0.3		0.3
15	4/25/2007 10:25	0.3		0.3
16	4/25/2007 10:40	0.3		0.3
17	4/25/2007 10:55	0.3		0.3
18	4/25/2007 11:10	0.3		0.3
19	4/25/2007 11:25	0.3		0.3
20	4/25/2007 11:40	0.3		0.3
21	4/25/2007 11:55	0.3		0.3
22	4/25/2007 12:10	0.3		0.3
23	4/25/2007 12:25	0.3		0.3
24	4/25/2007 12:40	0.3		0.3
25	4/25/2007 12:55	0.3		0.3
26	4/25/2007 13:10	0.3		0.3
27	4/25/2007 13:25	0.3		0.3
28	4/25/2007 13:40	0.3		0.3
29	4/25/2007 13:55	0.3		0.3
30	4/25/2007 14:10	0.3		0.3
31	4/25/2007 14:25	0.3		0.3
32	4/25/2007 14:40	0.3		0.3
33	4/25/2007 14:55	0.3		0.3
34	4/25/2007 15:10	0.3		0.3
35	4/25/2007 15:25	0.3		0.3
36	4/25/2007 15:40	0.3		0.3
37	4/25/2007 15:55	0.3		0.3
38	4/25/2007 16:10	0.3		0.3
39	4/25/2007 16:25	0.3		0.3
40	4/25/2007 16:40	0.3		0.3
41	4/25/2007 16:55	0.3		0.3
42	4/25/2007 17:10	0.3		0.3
43	4/25/2007 17:25	0.3		0.3
44	4/25/2007 17:40	0.3		0.3
45	4/25/2007 17:55	0.3		0.3
46	4/25/2007 18:10	0.3		0.3
47	4/25/2007 18:25	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	4/25/2007
Start Time:	6:40:00
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0639) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/25/2007	6:55:00	0.01	0.001	1
4/25/2007	7:10:00	0.015	0.006	6
4/25/2007	7:25:00	0.016	0.007	7
4/25/2007	7:40:00	0.017	0.008	8
4/25/2007	7:55:00	0.014	0.005	5
4/25/2007	8:10:00	0.013	0.004	4
4/25/2007	8:25:00	0.013	0.004	4
4/25/2007	8:40:00	0.013	0.004	4
4/25/2007	8:55:00	0.013	0.004	4
4/25/2007	9:10:00	0.017	0.008	8
4/25/2007	9:25:00	0.018	0.009	9
4/25/2007	9:40:00	0.015	0.006	6
4/25/2007	9:55:00	0.014	0.005	5
4/25/2007	10:10:00	0.017	0.008	8
4/25/2007	10:25:00	0.019	0.01	10
4/25/2007	10:40:00	0.021	0.012	12
4/25/2007	10:55:00	0.016	0.007	7
4/25/2007	11:10:00	0.018	0.009	9
4/25/2007	11:25:00	0.017	0.008	8
4/25/2007	11:40:00	0.015	0.006	6
4/25/2007	11:55:00	0.015	0.006	6
4/25/2007	12:10:00	0.014	0.005	5
4/25/2007	12:25:00	0.014	0.005	5
4/25/2007	12:40:00	0.013	0.004	4
4/25/2007	12:55:00	0.015	0.006	6
4/25/2007	13:10:00	0.015	0.006	6
4/25/2007	13:25:00	0.016	0.007	7
4/25/2007	13:40:00	0.016	0.007	7
4/25/2007	13:55:00	0.015	0.006	6
4/25/2007	14:10:00	0.015	0.006	6
4/25/2007	14:25:00	0.018	0.009	9
4/25/2007	14:40:00	0.017	0.008	8
4/25/2007	14:55:00	0.015	0.006	6
4/25/2007	15:10:00	0.014	0.005	5
4/25/2007	15:25:00	0.013	0.004	4
4/25/2007	15:40:00	0.012	0.003	3
4/25/2007	15:55:00	0.012	0.003	3
4/25/2007	16:10:00	0.014	0.005	5
4/25/2007	16:25:00	0.016	0.007	7
4/25/2007	16:40:00	0.012	0.003	3
4/25/2007	16:55:00	0.012	0.003	3
4/25/2007	17:10:00	0.014	0.005	5
4/25/2007	17:25:00	0.015	0.006	6
4/25/2007	17:40:00	0.013	0.004	4
4/25/2007	17:55:00	0.015	0.006	6
4/25/2007	18:10:00	0.014	0.005	5
4/25/2007	18:25:00	0.013	0.004	4
4/25/2007	18:40:00	0.014	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/25/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0703) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/25/2007 7:17	0.1		0
2	4/25/2007 7:32	0.1		0
3	4/25/2007 7:47	0.2		0.1
4	4/25/2007 8:02	0.2		0.1
5	4/25/2007 8:17	0.3		0.2
6	4/25/2007 8:32	0.3		0.2
7	4/25/2007 8:47	0.3		0.2
8	4/25/2007 9:02	0.4		0.3
9	4/25/2007 9:17	0.4		0.3
10	4/25/2007 9:32	0.4		0.3
11	4/25/2007 9:47	0.4		0.3
12	4/25/2007 10:02	0.4		0.3
13	4/25/2007 10:17	0.4		0.3
14	4/25/2007 10:32	0.4		0.3
15	4/25/2007 10:47	0.4		0.3
16	4/25/2007 11:02	0.4		0.3
17	4/25/2007 11:17	0.5		0.4
18	4/25/2007 11:32	0.5		0.4
19	4/25/2007 11:47	0.5		0.4
20	4/25/2007 12:02	0.5		0.4
21	4/25/2007 12:17	0.5		0.4
22	4/25/2007 12:32	0.5		0.4
23	4/25/2007 12:47	0.5		0.4
24	4/25/2007 13:02	0.5		0.4
25	4/25/2007 13:17	0.5		0.4
26	4/25/2007 13:32	0.5		0.4
27	4/25/2007 13:47	0.5		0.4
28	4/25/2007 14:02	0.5		0.4
29	4/25/2007 14:17	0.5		0.4
30	4/25/2007 14:32	0.5		0.4
31	4/25/2007 14:47	0.5		0.4
32	4/25/2007 15:02	0.5		0.4
33	4/25/2007 15:17	0.5		0.4
34	4/25/2007 15:32	0.5		0.4
35	4/25/2007 15:47	0.5		0.4
36	4/25/2007 16:02	0.4		0.3
37	4/25/2007 16:17	0.5		0.4
38	4/25/2007 16:32	0.5		0.4
39	4/25/2007 16:47	0.5		0.4
40	4/25/2007 17:02	0.5		0.4
41	4/25/2007 17:17	0.5		0.4
42	4/25/2007 17:32	0.4		0.3
43	4/25/2007 17:47	0.4		0.3
44	4/25/2007 18:02	0.4		0.3
45	4/25/2007 18:17	0.4		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	4/25/2007
Start Time:	7:04:49
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0703) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/25/2007	7:19:49	0.013	0.004	4
4/25/2007	7:34:49	0.025	0.016	16
4/25/2007	7:49:49	0.019	0.01	10
4/25/2007	8:04:49	0.012	0.003	3
4/25/2007	8:19:49	0.011	0.002	2
4/25/2007	8:34:49	0.01	0.001	1
4/25/2007	8:49:49	0.051	0.042	42
4/25/2007	9:04:49	0.009	0	0
4/25/2007	9:19:49	0.012	0.003	3
4/25/2007	9:34:49	0.011	0.002	2
4/25/2007	9:49:49	0.014	0.005	5
4/25/2007	10:04:49	0.015	0.006	6
4/25/2007	10:19:49	0.015	0.006	6
4/25/2007	10:34:49	0.014	0.005	5
4/25/2007	10:49:49	0.014	0.005	5
4/25/2007	11:04:49	0.011	0.002	2
4/25/2007	11:19:49	0.011	0.002	2
4/25/2007	11:34:49	0.012	0.003	3
4/25/2007	11:49:49	0.013	0.004	4
4/25/2007	12:04:49	0.014	0.005	5
4/25/2007	12:19:49	0.013	0.004	4
4/25/2007	12:34:49	0.011	0.002	2
4/25/2007	12:49:49	0.012	0.003	3
4/25/2007	13:04:49	0.016	0.007	7
4/25/2007	13:19:49	0.017	0.008	8
4/25/2007	13:34:49	0.017	0.008	8
4/25/2007	13:49:49	0.014	0.005	5
4/25/2007	14:04:49	0.015	0.006	6
4/25/2007	14:19:49	0.014	0.005	5
4/25/2007	14:34:49	0.014	0.005	5
4/25/2007	14:49:49	0.012	0.003	3
4/25/2007	15:04:49	0.014	0.005	5
4/25/2007	15:19:49	0.013	0.004	4
4/25/2007	15:34:49	0.012	0.003	3
4/25/2007	15:49:49	0.011	0.002	2
4/25/2007	16:04:49	0.011	0.002	2
4/25/2007	16:19:49	0.01	0.001	1
4/25/2007	16:34:49	0.009	0	0
4/25/2007	16:49:49	0.009	0	0
4/25/2007	17:04:49	0.012	0.003	3
4/25/2007	17:19:49	0.013	0.004	4
4/25/2007	17:34:49	0.013	0.004	4
4/25/2007	17:49:49	0.013	0.004	4
4/25/2007	18:04:49	0.011	0.002	2
4/25/2007	18:19:49	0.012	0.003	3
4/25/2007	18:34:49	0.012	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/25/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/25/2007 7:10	0		0
2	4/25/2007 7:25	0.1		0.1
3	4/25/2007 7:40	0.1		0.1
4	4/25/2007 7:55	0.2		0.2
5	4/25/2007 8:10	0.2		0.2
6	4/25/2007 8:25	0.2		0.2
7	4/25/2007 8:40	0.2		0.2
8	4/25/2007 8:55	0.3		0.3
9	4/25/2007 9:10	0.3		0.3
10	4/25/2007 9:25	0.3		0.3
11	4/25/2007 9:40	0.4		0.4
12	4/25/2007 9:55	0.4		0.4
13	4/25/2007 10:10	0.4		0.4
14	4/25/2007 10:25	0.4		0.4
15	4/25/2007 10:40	0.4		0.4
16	4/25/2007 10:55	0.4		0.4
17	4/25/2007 11:10	0.4		0.4
18	4/25/2007 11:25	0.5		0.5
19	4/25/2007 11:40	0.5		0.5
20	4/25/2007 11:55	0.5		0.5
21	4/25/2007 12:10	0.5		0.5
22	4/25/2007 12:25	0.5		0.5
23	4/25/2007 12:40	0.5		0.5
24	4/25/2007 12:55	0.5		0.5
25	4/25/2007 13:10	0.6		0.6
26	4/25/2007 13:25	0.6		0.6
27	4/25/2007 13:40	0.6		0.6
28	4/25/2007 13:55	0.5		0.5
29	4/25/2007 14:10	0.5		0.5
30	4/25/2007 14:25	0.5		0.5
31	4/25/2007 14:40	0.5		0.5
32	4/25/2007 14:55	0.5		0.5
33	4/25/2007 15:10	0.5		0.5
34	4/25/2007 15:25	0.5		0.5
35	4/25/2007 15:40	0.5		0.5
36	4/25/2007 15:55	0.5		0.5
37	4/25/2007 16:10	0.5		0.5
38	4/25/2007 16:25	0.5		0.5
39	4/25/2007 16:40	0.5		0.5
40	4/25/2007 16:55	0.5		0.5
41	4/25/2007 17:10	0.6		0.6
42	4/25/2007 17:25	0.5		0.5
43	4/25/2007 17:40	0.5		0.5
44	4/25/2007 17:55	0.5		0.5
45	4/25/2007 18:10	0.5		0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	4/25/2007
Start Time:	6:55:24
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0655) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/25/2007	7:10:24	0.012	-0.005	-5
4/25/2007	7:25:24	0.011	-0.006	-6
4/25/2007	7:40:24	0.012	-0.005	-5
4/25/2007	7:55:24	0.013	-0.004	-4
4/25/2007	8:10:24	0.01	-0.007	-7
4/25/2007	8:25:24	0.01	-0.007	-7
4/25/2007	8:40:24	0.009	-0.008	-8
4/25/2007	8:55:24	0.011	-0.006	-6
4/25/2007	9:10:24	0.012	-0.005	-5
4/25/2007	9:25:24	0.01	-0.007	-7
4/25/2007	9:40:24	0.01	-0.007	-7
4/25/2007	9:55:24	0.014	-0.003	-3
4/25/2007	10:10:24	0.015	-0.002	-2
4/25/2007	10:25:24	0.013	-0.004	-4
4/25/2007	10:40:24	0.011	-0.006	-6
4/25/2007	10:55:24	0.011	-0.006	-6
4/25/2007	11:10:24	0.01	-0.007	-7
4/25/2007	11:25:24	0.01	-0.007	-7
4/25/2007	11:40:24	0.01	-0.007	-7
4/25/2007	11:55:24	0.01	-0.007	-7
4/25/2007	12:10:24	0.009	-0.008	-8
4/25/2007	12:25:24	0.009	-0.008	-8
4/25/2007	12:40:24	0.009	-0.008	-8
4/25/2007	12:55:24	0.011	-0.006	-6
4/25/2007	13:10:24	0.018	0.001	1
4/25/2007	13:25:24	0.014	-0.003	-3
4/25/2007	13:40:24	0.014	-0.003	-3
4/25/2007	13:55:24	0.01	-0.007	-7
4/25/2007	14:10:24	0.012	-0.005	-5
4/25/2007	14:25:24	0.01	-0.007	-7
4/25/2007	14:40:24	0.01	-0.007	-7
4/25/2007	14:55:24	0.01	-0.007	-7
4/25/2007	15:10:24	0.01	-0.007	-7
4/25/2007	15:25:24	0.008	-0.009	-9
4/25/2007	15:40:24	0.008	-0.009	-9
4/25/2007	15:55:24	0.008	-0.009	-9
4/25/2007	16:10:24	0.008	-0.009	-9
4/25/2007	16:25:24	0.008	-0.009	-9
4/25/2007	16:40:24	0.007	-0.01	-10
4/25/2007	16:55:24	0.01	-0.007	-7
4/25/2007	17:10:24	0.013	-0.004	-4
4/25/2007	17:25:24	0.013	-0.004	-4
4/25/2007	17:40:24	0.01	-0.007	-7
4/25/2007	17:55:24	0.01	-0.007	-7
4/25/2007	18:10:24	0.01	-0.007	-7
4/25/2007	18:25:24	0.01	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/26/2007 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/26/2007 6:51	0.2		-0.1
2	4/26/2007 7:06	0.2		-0.1
3	4/26/2007 7:21	0.2		-0.1
4	4/26/2007 7:36	0.2		-0.1
5	4/26/2007 7:51	0.3		0
6	4/26/2007 8:06	0.3		0
7	4/26/2007 8:21	0.3		0
8	4/26/2007 8:36	0.3		0
9	4/26/2007 8:51	0.3		0
10	4/26/2007 9:06	0.3		0
11	4/26/2007 9:21	0.4		0.1
12	4/26/2007 9:36	0.4		0.1
13	4/26/2007 9:51	0.3		0
14	4/26/2007 10:06	0.3		0
15	4/26/2007 10:21	0.3		0
16	4/26/2007 10:36	0.3		0
17	4/26/2007 10:51	0.3		0
18	4/26/2007 11:06	0.3		0
19	4/26/2007 11:21	0.3		0
20	4/26/2007 11:36	0.3		0
21	4/26/2007 11:51	0.3		0
22	4/26/2007 12:06	0.3		0
23	4/26/2007 12:21	0.3		0
24	4/26/2007 12:36	0.3		0
25	4/26/2007 12:51	0.3		0
26	4/26/2007 13:06	0.2		-0.1
27	4/26/2007 13:21	0.3		0
28	4/26/2007 13:36	0.2		-0.1
29	4/26/2007 13:51	0.3		0
30	4/26/2007 14:06	0.3		0
31	4/26/2007 14:21	0.3		0
32	4/26/2007 14:36	0.2		-0.1
33	4/26/2007 14:51	0.2		-0.1
34	4/26/2007 15:06	0.2		-0.1
35	4/26/2007 15:21	0.2		-0.1
36	4/26/2007 15:36	0.2		-0.1
37	4/26/2007 15:51	0.3		0
38	4/26/2007 16:06	0.3		0
39	4/26/2007 16:21	0.3		0
40	4/26/2007 16:36	0.3		0
41	4/26/2007 16:51	0.3		0
42	4/26/2007 17:06	0.3		0
43	4/26/2007 17:21	0.3		0
44	4/26/2007 17:36	0.3		0
45	4/26/2007 17:51	0.3		0
46	4/26/2007 18:06	0.4		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/26/2007
Start Time:	6:34:29
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0635) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/26/2007	6:49:29	0.023	0.007	7
4/26/2007	7:04:29	0.023	0.007	7
4/26/2007	7:19:29	0.022	0.006	6
4/26/2007	7:34:29	0.022	0.006	6
4/26/2007	7:49:29	0.023	0.007	7
4/26/2007	8:04:29	0.025	0.009	9
4/26/2007	8:19:29	0.027	0.011	11
4/26/2007	8:34:29	0.027	0.011	11
4/26/2007	8:49:29	0.027	0.011	11
4/26/2007	9:04:29	0.019	0.003	3
4/26/2007	9:19:29	0.02	0.004	4
4/26/2007	9:34:29	0.022	0.006	6
4/26/2007	9:49:29	0.024	0.008	8
4/26/2007	10:04:29	0.02	0.004	4
4/26/2007	10:19:29	0.021	0.005	5
4/26/2007	10:34:29	0.019	0.003	3
4/26/2007	10:49:29	0.02	0.004	4
4/26/2007	11:04:29	0.019	0.003	3
4/26/2007	11:19:29	0.02	0.004	4
4/26/2007	11:34:29	0.02	0.004	4
4/26/2007	11:49:29	0.021	0.005	5
4/26/2007	12:04:29	0.022	0.006	6
4/26/2007	12:19:29	0.02	0.004	4
4/26/2007	12:34:29	0.021	0.005	5
4/26/2007	12:49:29	0.025	0.009	9
4/26/2007	13:04:29	0.028	0.012	12
4/26/2007	13:19:29	0.024	0.008	8
4/26/2007	13:34:29	0.025	0.009	9
4/26/2007	13:49:29	0.02	0.004	4
4/26/2007	14:04:29	0.018	0.002	2
4/26/2007	14:19:29	0.019	0.003	3
4/26/2007	14:34:29	0.018	0.002	2
4/26/2007	14:49:29	0.016	0	0
4/26/2007	15:04:29	0.02	0.004	4
4/26/2007	15:19:29	0.018	0.002	2
4/26/2007	15:34:29	0.019	0.003	3
4/26/2007	15:49:29	0.015	-0.001	-1
4/26/2007	16:04:29	0.012	-0.004	-4
4/26/2007	16:19:29	0.014	-0.002	-2
4/26/2007	16:34:29	0.018	0.002	2
4/26/2007	16:49:29	0.018	0.002	2
4/26/2007	17:04:29	0.019	0.003	3
4/26/2007	17:19:29	0.018	0.002	2
4/26/2007	17:34:29	0.019	0.003	3
4/26/2007	17:49:29	0.02	0.004	4
4/26/2007	18:04:29	0.02	0.004	4
4/26/2007	18:19:29	0.019	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/26/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/26/2007 7:10	0		0
2	4/26/2007 7:25	0.1		0.1
3	4/26/2007 7:40	0.1		0.1
4	4/26/2007 7:55	0.2		0.2
5	4/26/2007 8:10	0.2		0.2
6	4/26/2007 8:25	0.2		0.2
7	4/26/2007 8:40	0.2		0.2
8	4/26/2007 8:55	0.3		0.3
9	4/26/2007 9:10	0.3		0.3
10	4/26/2007 9:25	0.3		0.3
11	4/26/2007 9:40	0.3		0.3
12	4/26/2007 9:55	0.4		0.4
13	4/26/2007 10:10	0.4		0.4
14	4/26/2007 10:25	0.4		0.4
15	4/26/2007 10:40	0.4		0.4
16	4/26/2007 10:55	0.4		0.4
17	4/26/2007 11:10	0.4		0.4
18	4/26/2007 11:25	0.4		0.4
19	4/26/2007 11:40	0.4		0.4
20	4/26/2007 11:55	0.4		0.4
21	4/26/2007 12:10	0.4		0.4
22	4/26/2007 12:25	0.3		0.3
23	4/26/2007 12:40	0.3		0.3
24	4/26/2007 12:55	0.3		0.3
25	4/26/2007 13:10	0.3		0.3
26	4/26/2007 13:25	0.3		0.3
27	4/26/2007 13:40	0.3		0.3
28	4/26/2007 13:55	0.3		0.3
29	4/26/2007 14:10	0.3		0.3
30	4/26/2007 14:25	0.3		0.3
31	4/26/2007 14:40	0.3		0.3
32	4/26/2007 14:55	0.3		0.3
33	4/26/2007 15:10	0.3		0.3
34	4/26/2007 15:25	0.3		0.3
35	4/26/2007 15:40	0.3		0.3
36	4/26/2007 15:55	0.3		0.3
37	4/26/2007 16:10	0.3		0.3
38	4/26/2007 16:25	0.3		0.3
39	4/26/2007 16:40	0.3		0.3
40	4/26/2007 16:55	0.3		0.3
41	4/26/2007 17:10	0.3		0.3
42	4/26/2007 17:25	0.3		0.3
43	4/26/2007 17:40	0.3		0.3
44	4/26/2007 17:55	0.3		0.3
45	4/26/2007 18:10	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	4/26/2007
Start Time:	6:54:54
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0656) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/26/2007	7:09:54	0.017	-0.001	-1
4/26/2007	7:24:54	0.016	-0.002	-2
4/26/2007	7:39:54	0.016	-0.002	-2
4/26/2007	7:54:54	0.018	0	0
4/26/2007	8:09:54	0.02	0.002	2
4/26/2007	8:24:54	0.019	0.001	1
4/26/2007	8:39:54	0.019	0.001	1
4/26/2007	8:54:54	0.018	0	0
4/26/2007	9:09:54	0.015	-0.003	-3
4/26/2007	9:24:54	0.017	-0.001	-1
4/26/2007	9:39:54	0.018	0	0
4/26/2007	9:54:54	0.017	-0.001	-1
4/26/2007	10:09:54	0.015	-0.003	-3
4/26/2007	10:24:54	0.016	-0.002	-2
4/26/2007	10:39:54	0.014	-0.004	-4
4/26/2007	10:54:54	0.014	-0.004	-4
4/26/2007	11:09:54	0.014	-0.004	-4
4/26/2007	11:24:54	0.014	-0.004	-4
4/26/2007	11:39:54	0.015	-0.003	-3
4/26/2007	11:54:54	0.015	-0.003	-3
4/26/2007	12:09:54	0.016	-0.002	-2
4/26/2007	12:24:54	0.015	-0.003	-3
4/26/2007	12:39:54	0.016	-0.002	-2
4/26/2007	12:54:54	0.017	-0.001	-1
4/26/2007	13:09:54	0.019	0.001	1
4/26/2007	13:24:54	0.017	-0.001	-1
4/26/2007	13:39:54	0.016	-0.002	-2
4/26/2007	13:54:54	0.015	-0.003	-3
4/26/2007	14:09:54	0.015	-0.003	-3
4/26/2007	14:24:54	0.014	-0.004	-4
4/26/2007	14:39:54	0.013	-0.005	-5
4/26/2007	14:54:54	0.013	-0.005	-5
4/26/2007	15:09:54	0.015	-0.003	-3
4/26/2007	15:24:54	0.013	-0.005	-5
4/26/2007	15:39:54	0.012	-0.006	-6
4/26/2007	15:54:54	0.011	-0.007	-7
4/26/2007	16:09:54	0.01	-0.008	-8
4/26/2007	16:24:54	0.011	-0.007	-7
4/26/2007	16:39:54	0.013	-0.005	-5
4/26/2007	16:54:54	0.012	-0.006	-6
4/26/2007	17:09:54	0.012	-0.006	-6
4/26/2007	17:24:54	0.013	-0.005	-5
4/26/2007	17:39:54	0.014	-0.004	-4
4/26/2007	17:54:54	0.014	-0.004	-4
4/26/2007	18:09:54	0.013	-0.005	-5
4/26/2007	18:24:54	0.012	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/26/2007 06:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0708) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/26/2007 7:28	0		0
2	4/26/2007 7:43	0.1		0.1
3	4/26/2007 7:58	0.2		0.2
4	4/26/2007 8:13	0.2		0.2
5	4/26/2007 8:28	0.3		0.3
6	4/26/2007 8:43	0.3		0.3
7	4/26/2007 8:58	0.3		0.3
8	4/26/2007 9:13	0.4		0.4
9	4/26/2007 9:28	0.4		0.4
10	4/26/2007 9:43	0.4		0.4
11	4/26/2007 9:58	0.4		0.4
12	4/26/2007 10:13	0.4		0.4
13	4/26/2007 10:28	0.4		0.4
14	4/26/2007 10:43	0.4		0.4
15	4/26/2007 10:58	0.4		0.4
16	4/26/2007 11:13	0.4		0.4
17	4/26/2007 11:28	0.3		0.3
18	4/26/2007 11:43	0.3		0.3
19	4/26/2007 11:58	0.3		0.3
20	4/26/2007 12:13	0.3		0.3
21	4/26/2007 12:28	0.4		0.4
22	4/26/2007 12:43	0.4		0.4
23	4/26/2007 12:58	0.4		0.4
24	4/26/2007 13:13	0.3		0.3
25	4/26/2007 13:28	0.4		0.4
26	4/26/2007 13:43	0.3		0.3
27	4/26/2007 13:58	0.4		0.4
28	4/26/2007 14:13	0.4		0.4
29	4/26/2007 14:28	0.4		0.4
30	4/26/2007 14:43	0.4		0.4
31	4/26/2007 14:58	0.3		0.3
32	4/26/2007 15:13	0.3		0.3
33	4/26/2007 15:28	0.3		0.3
34	4/26/2007 15:43	0.4		0.4
35	4/26/2007 15:58	0.4		0.4
36	4/26/2007 16:13	0.3		0.3
37	4/26/2007 16:28	0.3		0.3
38	4/26/2007 16:43	0.4		0.4
39	4/26/2007 16:58	0.4		0.4
40	4/26/2007 17:13	0.4		0.4
41	4/26/2007 17:28	0.4		0.4
42	4/26/2007 17:43	0.4		0.4
43	4/26/2007 17:58	0.4		0.4
44	4/26/2007 18:13	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	4/26/2007
Start Time:	7:12:35
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0708) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/26/2007	7:27:35	0.016	0	0
4/26/2007	7:42:35	0.017	0.001	1
4/26/2007	7:57:35	0.02	0.004	4
4/26/2007	8:12:35	0.021	0.005	5
4/26/2007	8:27:35	0.021	0.005	5
4/26/2007	8:42:35	0.021	0.005	5
4/26/2007	8:57:35	0.02	0.004	4
4/26/2007	9:12:35	0.017	0.001	1
4/26/2007	9:27:35	0.018	0.002	2
4/26/2007	9:42:35	0.02	0.004	4
4/26/2007	9:57:35	0.017	0.001	1
4/26/2007	10:12:35	0.017	0.001	1
4/26/2007	10:27:35	0.017	0.001	1
4/26/2007	10:42:35	0.016	0	0
4/26/2007	10:57:35	0.016	0	0
4/26/2007	11:12:35	0.016	0	0
4/26/2007	11:27:35	0.016	0	0
4/26/2007	11:42:35	0.017	0.001	1
4/26/2007	11:57:35	0.019	0.003	3
4/26/2007	12:12:35	0.018	0.002	2
4/26/2007	12:27:35	0.016	0	0
4/26/2007	12:42:35	0.017	0.001	1
4/26/2007	12:57:35	0.022	0.006	6
4/26/2007	13:12:35	0.022	0.006	6
4/26/2007	13:27:35	0.019	0.003	3
4/26/2007	13:42:35	0.02	0.004	4
4/26/2007	13:57:35	0.017	0.001	1
4/26/2007	14:12:35	0.016	0	0
4/26/2007	14:27:35	0.016	0	0
4/26/2007	14:42:35	0.015	-0.001	-1
4/26/2007	14:57:35	0.015	-0.001	-1
4/26/2007	15:12:35	0.019	0.003	3
4/26/2007	15:27:35	0.018	0.002	2
4/26/2007	15:42:35	0.015	-0.001	-1
4/26/2007	15:57:35	0.01	-0.006	-6
4/26/2007	16:12:35	0.011	-0.005	-5
4/26/2007	16:27:35	0.012	-0.004	-4
4/26/2007	16:42:35	0.016	0	0
4/26/2007	16:57:35	0.015	-0.001	-1
4/26/2007	17:12:35	0.016	0	0
4/26/2007	17:27:35	0.016	0	0
4/26/2007	17:42:35	0.015	-0.001	-1
4/26/2007	17:57:35	0.017	0.001	1
4/26/2007	18:12:35	0.016	0	0
4/26/2007	18:27:35	0.015	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	4/26/2007
Start Time:	7:06:48
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0702) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/26/2007	7:21:48	0.014	-0.001	-1
4/26/2007	7:36:48	0.015	0	0
4/26/2007	7:51:48	0.016	0.001	1
4/26/2007	8:06:48	0.018	0.003	3
4/26/2007	8:21:48	0.018	0.003	3
4/26/2007	8:36:48	0.019	0.004	4
4/26/2007	8:51:48	0.018	0.003	3
4/26/2007	9:06:48	0.015	0	0
4/26/2007	9:21:48	0.014	-0.001	-1
4/26/2007	9:36:48	0.016	0.001	1
4/26/2007	9:51:48	0.015	0	0
4/26/2007	10:06:48	0.017	0.002	2
4/26/2007	10:21:48	0.015	0	0
4/26/2007	10:36:48	0.013	-0.002	-2
4/26/2007	10:51:48	0.016	0.001	1
4/26/2007	11:06:48	0.014	-0.001	-1
4/26/2007	11:21:48	0.014	-0.001	-1
4/26/2007	11:36:48	0.015	0	0
4/26/2007	11:51:48	0.014	-0.001	-1
4/26/2007	12:06:48	0.015	0	0
4/26/2007	12:21:48	0.013	-0.002	-2
4/26/2007	12:36:48	0.016	0.001	1
4/26/2007	12:51:48	0.018	0.003	3
4/26/2007	13:06:48	0.021	0.006	6
4/26/2007	13:21:48	0.017	0.002	2
4/26/2007	13:36:48	0.018	0.003	3
4/26/2007	13:51:48	0.017	0.002	2
4/26/2007	14:06:48	0.016	0.001	1
4/26/2007	14:21:48	0.013	-0.002	-2
4/26/2007	14:36:48	0.013	-0.002	-2
4/26/2007	14:51:48	0.013	-0.002	-2
4/26/2007	15:06:48	0.014	-0.001	-1
4/26/2007	15:21:48	0.014	-0.001	-1
4/26/2007	15:36:48	0.013	-0.002	-2
4/26/2007	15:51:48	0.011	-0.004	-4
4/26/2007	16:06:48	0.01	-0.005	-5
4/26/2007	16:21:48	0.01	-0.005	-5
4/26/2007	16:36:48	0.012	-0.003	-3
4/26/2007	16:51:48	0.011	-0.004	-4
4/26/2007	17:06:48	0.012	-0.003	-3
4/26/2007	17:21:48	0.012	-0.003	-3
4/26/2007	17:36:48	0.013	-0.002	-2
4/26/2007	17:51:48	0.014	-0.001	-1
4/26/2007	18:06:48	0.014	-0.001	-1
4/26/2007	18:21:48	0.012	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/26/2007 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0702) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/26/2007 7:21	0		0
2	4/26/2007 7:36	0		0
3	4/26/2007 7:51	0.1		0.1
4	4/26/2007 8:06	0.2		0.2
5	4/26/2007 8:21	0.2		0.2
6	4/26/2007 8:36	0.2		0.2
7	4/26/2007 8:51	0.2		0.2
8	4/26/2007 9:06	0.3		0.3
9	4/26/2007 9:21	0.3		0.3
10	4/26/2007 9:36	0.3		0.3
11	4/26/2007 9:51	0.3		0.3
12	4/26/2007 10:06	0.3		0.3
13	4/26/2007 10:21	0.4		0.4
14	4/26/2007 10:36	0.4		0.4
15	4/26/2007 10:51	0.4		0.4
16	4/26/2007 11:06	0.4		0.4
17	4/26/2007 11:21	0.4		0.4
18	4/26/2007 11:36	0.4		0.4
19	4/26/2007 11:51	0.4		0.4
20	4/26/2007 12:06	0.5		0.5
21	4/26/2007 12:21	0.5		0.5
22	4/26/2007 12:36	0.5		0.5
23	4/26/2007 12:51	0.5		0.5
24	4/26/2007 13:06	0.5		0.5
25	4/26/2007 13:21	0.5		0.5
26	4/26/2007 13:36	0.5		0.5
27	4/26/2007 13:51	0.5		0.5
28	4/26/2007 14:06	0.5		0.5
29	4/26/2007 14:21	0.5		0.5
30	4/26/2007 14:36	0.5		0.5
31	4/26/2007 14:51	0.5		0.5
32	4/26/2007 15:06	0.5		0.5
33	4/26/2007 15:21	0.5		0.5
34	4/26/2007 15:36	0.5		0.5
35	4/26/2007 15:51	0.5		0.5
36	4/26/2007 16:06	0.5		0.5
37	4/26/2007 16:21	0.6		0.6
38	4/26/2007 16:36	0.5		0.5
39	4/26/2007 16:51	0.5		0.5
40	4/26/2007 17:06	0.5		0.5
41	4/26/2007 17:21	0.5		0.5
42	4/26/2007 17:36	0.5		0.5
43	4/26/2007 17:51	0.5		0.5
44	4/26/2007 18:06	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/27/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/27/2007 7:09	0		0
2	4/27/2007 7:24	0		0
3	4/27/2007 7:39	0		0
4	4/27/2007 7:54	0		0
5	4/27/2007 8:09	0		0
6	4/27/2007 8:24	0		0
7	4/27/2007 8:39	0		0
8	4/27/2007 8:54	0		0
9	4/27/2007 9:09	0		0
10	4/27/2007 9:24	0		0
11	4/27/2007 9:39	0		0
12	4/27/2007 9:54	0		0
13	4/27/2007 10:09	0		0
14	4/27/2007 10:24	0		0
15	4/27/2007 10:39	0		0
16	4/27/2007 10:54	0		0
17	4/27/2007 11:09	0		0
18	4/27/2007 11:24	0		0
19	4/27/2007 11:39	0		0
20	4/27/2007 11:54	0		0
21	4/27/2007 12:09	0		0
22	4/27/2007 12:24	0		0
23	4/27/2007 12:39	0		0
24	4/27/2007 12:54	0		0
25	4/27/2007 13:09	0		0
26	4/27/2007 13:24	0		0
27	4/27/2007 13:39	0		0
28	4/27/2007 13:54	0		0
29	4/27/2007 14:09	0		0
30	4/27/2007 14:24	0		0
31	4/27/2007 14:39	0		0
32	4/27/2007 14:54	0		0
33	4/27/2007 15:09	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/27/2007
Start Time:	6:53:03
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0650) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/27/2007	7:08:03	0.013	0.003	3
4/27/2007	7:23:03	0.014	0.004	4
4/27/2007	7:38:03	0.013	0.003	3
4/27/2007	7:53:03	0.018	0.008	8
4/27/2007	8:08:03	0.019	0.009	9
4/27/2007	8:23:03	0.021	0.011	11
4/27/2007	8:38:03	0.028	0.018	18
4/27/2007	8:53:03	0.03	0.02	20
4/27/2007	9:08:03	0.019	0.009	9
4/27/2007	9:23:03	0.02	0.01	10
4/27/2007	9:38:03	0.02	0.01	10
4/27/2007	9:53:03	0.024	0.014	14
4/27/2007	10:08:03	0.02	0.01	10
4/27/2007	10:23:03	0.017	0.007	7
4/27/2007	10:38:03	0.016	0.006	6
4/27/2007	10:53:03	0.02	0.01	10
4/27/2007	11:08:03	0.023	0.013	13
4/27/2007	11:23:03	0.024	0.014	14
4/27/2007	11:38:03	0.031	0.021	21
4/27/2007	11:53:03	0.039	0.029	29
4/27/2007	12:08:03	0.034	0.024	24
4/27/2007	12:23:03	0.026	0.016	16
4/27/2007	12:38:03	0.02	0.01	10
4/27/2007	12:53:03	0.022	0.012	12
4/27/2007	13:08:03	0.029	0.019	19
4/27/2007	13:23:03	0.033	0.023	23
4/27/2007	13:38:03	0.035	0.025	25
4/27/2007	13:53:03	0.042	0.032	32
4/27/2007	14:08:03	0.049	0.039	39
4/27/2007	14:23:03	0.055	0.045	45
4/27/2007	14:38:03	0.065	0.055	55
4/27/2007	14:53:03	0.069	0.059	59
4/27/2007	15:08:03	0.067	0.057	57

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/27/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0725) = 0.7 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/27/2007 7:38	0		-0.7
2	4/27/2007 7:53	0		-0.7
3	4/27/2007 8:08	0		-0.7
4	4/27/2007 8:23	0		-0.7
5	4/27/2007 8:38	0		-0.7
6	4/27/2007 8:53	0		-0.7
7	4/27/2007 9:08	0		-0.7
8	4/27/2007 9:23	0		-0.7
9	4/27/2007 9:38	0.1		-0.6
10	4/27/2007 9:53	0.1		-0.6
11	4/27/2007 10:08	0.1		-0.6
12	4/27/2007 10:23	0.1		-0.6
13	4/27/2007 10:38	0.2		-0.5
14	4/27/2007 10:53	0.3		-0.4
15	4/27/2007 11:08	0.5		-0.2
16	4/27/2007 11:23	0.5		-0.2
17	4/27/2007 11:38	0.4		-0.3
18	4/27/2007 11:53	0.4		-0.3
19	4/27/2007 12:08	0.4		-0.3
20	4/27/2007 12:23	0.3		-0.4
21	4/27/2007 12:38	0.5		-0.2
22	4/27/2007 12:53	1.1		0.4
23	4/27/2007 13:08	1.7		1
24	4/27/2007 13:23	2.1		1.4
25	4/27/2007 13:38	2.9		2.2
26	4/27/2007 13:53	4.1		3.4
27	4/27/2007 14:08	3.6		2.9
28	4/27/2007 14:23	3.1		2.4
29	4/27/2007 14:38	2.4		1.7
30	4/27/2007 14:53	2		1.3
31	4/27/2007 15:08	1.7		1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	4/27/2007
Start Time:	7:22:21
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0725) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/27/2007	7:37:21	0.016	0.004	4
4/27/2007	7:52:21	0.011	-0.001	-1
4/27/2007	8:07:21	0.011	-0.001	-1
4/27/2007	8:22:21	0.012	0	0
4/27/2007	8:37:21	0.016	0.004	4
4/27/2007	8:52:21	0.018	0.006	6
4/27/2007	9:07:21	0.011	-0.001	-1
4/27/2007	9:22:21	0.013	0.001	1
4/27/2007	9:37:21	0.011	-0.001	-1
4/27/2007	9:52:21	0.014	0.002	2
4/27/2007	10:07:21	0.012	0	0
4/27/2007	10:22:21	0.011	-0.001	-1
4/27/2007	10:37:21	0.008	-0.004	-4
4/27/2007	10:52:21	0.01	-0.002	-2
4/27/2007	11:07:21	0.012	0	0
4/27/2007	11:22:21	0.015	0.003	3
4/27/2007	11:37:21	0.018	0.006	6
4/27/2007	11:52:21	0.024	0.012	12
4/27/2007	12:07:21	0.019	0.007	7
4/27/2007	12:22:21	0.015	0.003	3
4/27/2007	12:37:21	0.011	-0.001	-1
4/27/2007	12:52:21	0.011	-0.001	-1
4/27/2007	13:07:21	0.017	0.005	5
4/27/2007	13:22:21	0.021	0.009	9
4/27/2007	13:37:21	0.025	0.013	13
4/27/2007	13:52:21	0.03	0.018	18
4/27/2007	14:07:21	0.035	0.023	23
4/27/2007	14:22:21	0.042	0.03	30
4/27/2007	14:37:21	0.043	0.031	31
4/27/2007	14:52:21	0.045	0.033	33
4/27/2007	15:07:21	0.043	0.031	31
4/27/2007	15:22:21	0.047	0.035	35

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/27/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/27/2007 7:28	0.1		0.1
2	4/27/2007 7:43	0.2		0.2
3	4/27/2007 7:58	0.2		0.2
4	4/27/2007 8:13	0.3		0.3
5	4/27/2007 8:28	0.3		0.3
6	4/27/2007 8:43	0.3		0.3
7	4/27/2007 8:58	0.4		0.4
8	4/27/2007 9:13	0.4		0.4
9	4/27/2007 9:28	0.4		0.4
10	4/27/2007 9:43	0.4		0.4
11	4/27/2007 9:58	0.4		0.4
12	4/27/2007 10:13	0.4		0.4
13	4/27/2007 10:28	0.4		0.4
14	4/27/2007 10:43	0.4		0.4
15	4/27/2007 10:58	0.4		0.4
16	4/27/2007 11:13	0.4		0.4
17	4/27/2007 11:28	0.4		0.4
18	4/27/2007 11:43	0.4		0.4
19	4/27/2007 11:58	0.4		0.4
20	4/27/2007 12:13	0.4		0.4
21	4/27/2007 12:28	0.4		0.4
22	4/27/2007 12:43	0.4		0.4
23	4/27/2007 12:58	0.4		0.4
24	4/27/2007 13:13	0.4		0.4
25	4/27/2007 13:28	0.4		0.4
26	4/27/2007 13:43	0.4		0.4
27	4/27/2007 13:58	0.4		0.4
28	4/27/2007 14:13	0.4		0.4
29	4/27/2007 14:28	0.4		0.4
30	4/27/2007 14:43	0.4		0.4
31	4/27/2007 14:58	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	4/27/2007
Start Time:	7:15:15
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0710) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/27/2007	7:30:15	0.011	-0.018	-18
4/27/2007	7:45:15	0.016	-0.013	-13
4/27/2007	8:00:15	0.013	-0.016	-16
4/27/2007	8:15:15	0.014	-0.015	-15
4/27/2007	8:30:15	0.019	-0.01	-10
4/27/2007	8:45:15	0.022	-0.007	-7
4/27/2007	9:00:15	0.02	-0.009	-9
4/27/2007	9:15:15	0.017	-0.012	-12
4/27/2007	9:30:15	0.018	-0.011	-11
4/27/2007	9:45:15	0.017	-0.012	-12
4/27/2007	10:00:15	0.017	-0.012	-12
4/27/2007	10:15:15	0.016	-0.013	-13
4/27/2007	10:30:15	0.013	-0.016	-16
4/27/2007	10:45:15	0.012	-0.017	-17
4/27/2007	11:00:15	0.016	-0.013	-13
4/27/2007	11:15:15	0.02	-0.009	-9
4/27/2007	11:30:15	0.022	-0.007	-7
4/27/2007	11:45:15	0.03	0.001	1
4/27/2007	12:00:15	0.031	0.002	2
4/27/2007	12:15:15	0.024	-0.005	-5
4/27/2007	12:30:15	0.018	-0.011	-11
4/27/2007	12:45:15	0.015	-0.014	-14
4/27/2007	13:00:15	0.022	-0.007	-7
4/27/2007	13:15:15	0.03	0.001	1
4/27/2007	13:30:15	0.038	0.009	9
4/27/2007	13:45:15	0.042	0.013	13
4/27/2007	14:00:15	0.055	0.026	26
4/27/2007	14:15:15	0.061	0.032	32
4/27/2007	14:30:15	0.066	0.037	37
4/27/2007	14:45:15	0.074	0.045	45
4/27/2007	15:00:15	0.07	0.041	41
4/27/2007	15:15:15	0.069	0.04	40

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/27/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0707) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/27/2007 7:22	0.2		0.2
1	4/27/2007 7:52	0.2		0.2
2	4/27/2007 8:07	0.2		0.2
3	4/27/2007 8:22	0.2		0.2
4	4/27/2007 8:37	0.3		0.3
5	4/27/2007 8:52	0.3		0.3
6	4/27/2007 9:07	0.3		0.3
7	4/27/2007 9:22	0.3		0.3
8	4/27/2007 9:37	0.3		0.3
9	4/27/2007 9:52	0.2		0.2
10	4/27/2007 10:07	0.2		0.2
11	4/27/2007 10:22	0.2		0.2
12	4/27/2007 10:37	0.2		0.2
13	4/27/2007 10:52	0.2		0.2
14	4/27/2007 11:07	0.2		0.2
15	4/27/2007 11:22	0.2		0.2
16	4/27/2007 11:37	0.2		0.2
17	4/27/2007 11:52	0.2		0.2
18	4/27/2007 12:07	0.2		0.2
19	4/27/2007 12:22	0.2		0.2
20	4/27/2007 12:37	0.2		0.2
21	4/27/2007 12:52	0.2		0.2
22	4/27/2007 13:07	0.2		0.2
23	4/27/2007 13:22	0.2		0.2
24	4/27/2007 13:37	0.2		0.2
25	4/27/2007 13:52	0.2		0.2
26	4/27/2007 14:07	0.2		0.2
27	4/27/2007 14:22	0.2		0.2
28	4/27/2007 14:37	0.2		0.2
29	4/27/2007 14:52	0.3		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	4/27/2007
Start Time:	7:08:33
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0707) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/27/2007	7:23:33	0.011	0.004	4
4/27/2007	7:38:33	0.008	0.001	1
4/27/2007	7:53:33	0.012	0.005	5
4/27/2007	8:08:33	0.012	0.005	5
4/27/2007	8:23:33	0.016	0.009	9
4/27/2007	8:38:33	0.02	0.013	13
4/27/2007	8:53:33	0.016	0.009	9
4/27/2007	9:08:33	0.017	0.01	10
4/27/2007	9:23:33	0.013	0.006	6
4/27/2007	9:38:33	0.013	0.006	6
4/27/2007	9:53:33	0.016	0.009	9
4/27/2007	10:08:33	0.015	0.008	8
4/27/2007	10:23:33	0.012	0.005	5
4/27/2007	10:38:33	0.01	0.003	3
4/27/2007	10:53:33	0.012	0.005	5
4/27/2007	11:08:33	0.015	0.008	8
4/27/2007	11:23:33	0.017	0.01	10
4/27/2007	11:38:33	0.022	0.015	15
4/27/2007	11:53:33	0.027	0.02	20
4/27/2007	12:08:33	0.024	0.017	17
4/27/2007	12:23:33	0.017	0.01	10
4/27/2007	12:38:33	0.013	0.006	6
4/27/2007	12:53:33	0.013	0.006	6
4/27/2007	13:08:33	0.022	0.015	15
4/27/2007	13:23:33	0.026	0.019	19
4/27/2007	13:38:33	0.027	0.02	20
4/27/2007	13:53:33	0.034	0.027	27
4/27/2007	14:08:33	0.04	0.033	33
4/27/2007	14:23:33	0.046	0.039	39
4/27/2007	14:38:33	0.052	0.045	45
4/27/2007	14:53:33	0.055	0.048	48
4/27/2007	15:08:33	0.051	0.044	44

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/28/2007 07:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0859) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/28/2007 9:19	0.1		0
2	4/28/2007 9:34	0.1		0
3	4/28/2007 9:49	0.1		0
4	4/28/2007 10:04	0.1		0
5	4/28/2007 10:19	0.1		0
6	4/28/2007 10:34	0		-0.1
7	4/28/2007 10:49	0		-0.1
8	4/28/2007 11:04	0		-0.1
9	4/28/2007 11:19	0		-0.1
10	4/28/2007 11:34	0		-0.1
11	4/28/2007 11:49	0		-0.1
12	4/28/2007 12:04	0		-0.1
13	4/28/2007 12:19	0		-0.1
14	4/28/2007 12:34	0		-0.1
15	4/28/2007 12:49	0		-0.1
16	4/28/2007 13:04	0		-0.1
17	4/28/2007 13:19	0		-0.1
18	4/28/2007 13:34	0		-0.1
19	4/28/2007 13:49	0		-0.1
20	4/28/2007 14:04	0		-0.1
21	4/28/2007 14:19	0		-0.1
22	4/28/2007 14:34	0		-0.1
23	4/28/2007 14:49	0		-0.1
24	4/28/2007 15:04	0		-0.1
25	4/28/2007 15:19	0.1		0
26	4/28/2007 15:34	0.1		0
27	4/28/2007 15:49	0.1		0
28	4/28/2007 16:04	0.1		0
29	4/28/2007 16:19	0.1		0
30	4/28/2007 16:34	0.1		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/28/2007
Start Time:	9:01:28
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0859) = 0.049 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/28/2007	9:16:28	0.041	-0.008	-8
4/28/2007	9:31:28	0.035	-0.014	-14
4/28/2007	9:46:28	0.036	-0.013	-13
4/28/2007	10:01:28	0.025	-0.024	-24
4/28/2007	10:16:28	0.035	-0.014	-14
4/28/2007	10:31:28	0.024	-0.025	-25
4/28/2007	10:46:28	0.021	-0.028	-28
4/28/2007	11:01:28	0.025	-0.024	-24
4/28/2007	11:16:28	0.018	-0.031	-31
4/28/2007	11:31:28	0.015	-0.034	-34
4/28/2007	11:46:28	0.02	-0.029	-29
4/28/2007	12:01:28	0.017	-0.032	-32
4/28/2007	12:16:28	0.02	-0.029	-29
4/28/2007	12:31:28	0.023	-0.026	-26
4/28/2007	12:46:28	0.024	-0.025	-25
4/28/2007	13:01:28	0.024	-0.025	-25
4/28/2007	13:16:28	0.026	-0.023	-23
4/28/2007	13:31:28	0.027	-0.022	-22
4/28/2007	13:46:28	0.025	-0.024	-24
4/28/2007	14:01:28	0.023	-0.026	-26
4/28/2007	14:16:28	0.023	-0.026	-26
4/28/2007	14:31:28	0.022	-0.027	-27
4/28/2007	14:46:28	0.021	-0.028	-28
4/28/2007	15:01:28	0.019	-0.03	-30
4/28/2007	15:16:28	0.021	-0.028	-28
4/28/2007	15:31:28	0.02	-0.029	-29
4/28/2007	15:46:28	0.019	-0.03	-30
4/28/2007	16:01:28	0.021	-0.028	-28
4/28/2007	16:16:28	0.021	-0.028	-28
4/28/2007	16:31:28	0.019	-0.03	-30
4/28/2007	16:46:28	0.019	-0.03	-30
4/28/2007	17:01:28	0.021	-0.028	-28

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/28/2007 07:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0846) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/28/2007 9:01	0.1		0
2	4/28/2007 9:16	0.1		0
3	4/28/2007 9:31	0.2		0.1
4	4/28/2007 9:46	0.2		0.1
5	4/28/2007 10:01	0.2		0.1
6	4/28/2007 10:16	0.2		0.1
7	4/28/2007 10:31	0.2		0.1
8	4/28/2007 10:46	0.3		0.2
9	4/28/2007 11:01	0.3		0.2
10	4/28/2007 11:16	0.3		0.2
11	4/28/2007 11:31	0.3		0.2
12	4/28/2007 11:46	0.3		0.2
13	4/28/2007 12:01	0.3		0.2
14	4/28/2007 12:16	0.3		0.2
15	4/28/2007 12:31	0.4		0.3
16	4/28/2007 12:46	0.4		0.3
17	4/28/2007 13:01	0.4		0.3
18	4/28/2007 13:16	0.4		0.3
19	4/28/2007 13:31	0.4		0.3
20	4/28/2007 13:46	0.4		0.3
21	4/28/2007 14:01	0.4		0.3
22	4/28/2007 14:16	0.4		0.3
23	4/28/2007 14:31	0.4		0.3
24	4/28/2007 14:46	0.4		0.3
25	4/28/2007 15:01	0.4		0.3
26	4/28/2007 15:16	0.4		0.3
27	4/28/2007 15:31	0.4		0.3
28	4/28/2007 15:46	0.4		0.3
29	4/28/2007 16:01	0.4		0.3
30	4/28/2007 16:16	0.4		0.3
31	4/28/2007 16:31	0.4		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	4/28/2007
Start Time:	8:30:28
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0846) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/28/2007	8:45:28	0.048	0.016	16
4/28/2007	9:00:28	0.046	0.014	14
4/28/2007	9:15:28	0.034	0.002	2
4/28/2007	9:30:28	0.03	-0.002	-2
4/28/2007	9:45:28	0.031	-0.001	-1
4/28/2007	10:00:28	0.023	-0.009	-9
4/28/2007	10:15:28	0.018	-0.014	-14
4/28/2007	10:30:28	0.019	-0.013	-13
4/28/2007	10:45:28	0.017	-0.015	-15
4/28/2007	11:00:28	0.031	-0.001	-1
4/28/2007	11:15:28	0.019	-0.013	-13
4/28/2007	11:30:28	0.015	-0.017	-17
4/28/2007	11:45:28	0.014	-0.018	-18
4/28/2007	12:00:28	0.013	-0.019	-19
4/28/2007	12:15:28	0.015	-0.017	-17
4/28/2007	12:30:28	0.017	-0.015	-15
4/28/2007	12:45:28	0.016	-0.016	-16
4/28/2007	13:00:28	0.016	-0.016	-16
4/28/2007	13:15:28	0.018	-0.014	-14
4/28/2007	13:30:28	0.017	-0.015	-15
4/28/2007	13:45:28	0.016	-0.016	-16
4/28/2007	14:00:28	0.016	-0.016	-16
4/28/2007	14:15:28	0.017	-0.015	-15
4/28/2007	14:30:28	0.018	-0.014	-14
4/28/2007	14:45:28	0.016	-0.016	-16
4/28/2007	15:00:28	0.015	-0.017	-17
4/28/2007	15:15:28	0.017	-0.015	-15
4/28/2007	15:30:28	0.016	-0.016	-16
4/28/2007	15:45:28	0.018	-0.014	-14
4/28/2007	16:00:28	0.03	-0.002	-2
4/28/2007	16:15:28	0.024	-0.008	-8
4/28/2007	16:30:28	0.019	-0.013	-13
4/28/2007	16:45:28	0.019	-0.013	-13
4/28/2007	17:00:28	0.023	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/28/2007 07:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0835) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/28/2007 8:51	0.4		0
2	4/28/2007 9:06	0.4		0
3	4/28/2007 9:21	0.5		0.1
4	4/28/2007 9:36	0.5		0.1
5	4/28/2007 9:51	0.6		0.2
6	4/28/2007 10:06	0.6		0.2
7	4/28/2007 10:21	0.6		0.2
8	4/28/2007 10:36	0.6		0.2
9	4/28/2007 10:51	0.6		0.2
10	4/28/2007 11:06	0.6		0.2
11	4/28/2007 11:21	0.6		0.2
12	4/28/2007 11:36	0.6		0.2
13	4/28/2007 11:51	0.6		0.2
14	4/28/2007 12:06	0.6		0.2
15	4/28/2007 12:21	0.6		0.2
16	4/28/2007 12:36	0.6		0.2
17	4/28/2007 12:51	0.6		0.2
18	4/28/2007 13:06	0.6		0.2
19	4/28/2007 13:21	0.7		0.3
20	4/28/2007 13:36	0.8		0.4
21	4/28/2007 13:51	0.9		0.5
22	4/28/2007 14:06	0.9		0.5
23	4/28/2007 14:21	0.9		0.5
24	4/28/2007 14:36	0.9		0.5
25	4/28/2007 14:51	1		0.6
26	4/28/2007 15:06	1		0.6
27	4/28/2007 15:21	0.9		0.5
28	4/28/2007 15:36	0.8		0.4
29	4/28/2007 15:51	0.8		0.4
30	4/28/2007 16:06	0.8		0.4
31	4/28/2007 16:21	0.7		0.3
32	4/28/2007 16:36	0.8		0.4
33	4/28/2007 16:51	0.7		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	4/28/2007
Start Time:	8:36:12
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0835) = 0.061 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/28/2007	8:51:12	0.061	0	0
4/28/2007	9:06:12	0.062	0.001	1
4/28/2007	9:21:12	0.047	-0.014	-14
4/28/2007	9:36:12	0.041	-0.02	-20
4/28/2007	9:51:12	0.047	-0.014	-14
4/28/2007	10:06:12	0.031	-0.03	-30
4/28/2007	10:21:12	0.032	-0.029	-29
4/28/2007	10:36:12	0.027	-0.034	-34
4/28/2007	10:51:12	0.024	-0.037	-37
4/28/2007	11:06:12	0.037	-0.024	-24
4/28/2007	11:21:12	0.029	-0.032	-32
4/28/2007	11:36:12	0.032	-0.029	-29
4/28/2007	11:51:12	0.02	-0.041	-41
4/28/2007	12:06:12	0.019	-0.042	-42
4/28/2007	12:21:12	0.021	-0.04	-40
4/28/2007	12:36:12	0.024	-0.037	-37
4/28/2007	12:51:12	0.023	-0.038	-38
4/28/2007	13:06:12	0.023	-0.038	-38
4/28/2007	13:21:12	0.025	-0.036	-36
4/28/2007	13:36:12	0.023	-0.038	-38
4/28/2007	13:51:12	0.021	-0.04	-40
4/28/2007	14:06:12	0.023	-0.038	-38
4/28/2007	14:21:12	0.023	-0.038	-38
4/28/2007	14:36:12	0.022	-0.039	-39
4/28/2007	14:51:12	0.021	-0.04	-40
4/28/2007	15:06:12	0.02	-0.041	-41
4/28/2007	15:21:12	0.021	-0.04	-40
4/28/2007	15:36:12	0.02	-0.041	-41
4/28/2007	15:51:12	0.022	-0.039	-39
4/28/2007	16:06:12	0.019	-0.042	-42
4/28/2007	16:21:12	0.019	-0.042	-42
4/28/2007	16:36:12	0.02	-0.041	-41
4/28/2007	16:51:12	0.019	-0.042	-42
4/28/2007	17:06:12	0.031	-0.03	-30

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/25/2007 13:18

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0829) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/28/2007 8:38	0		0
2	4/28/2007 8:53	0		0
3	4/28/2007 9:08	0		0
4	4/28/2007 9:23	0		0
5	4/28/2007 9:38	0		0
6	4/28/2007 9:53	0		0
7	4/28/2007 10:08	0		0
8	4/28/2007 10:23	0		0
9	4/28/2007 10:38	0		0
10	4/28/2007 10:53	0		0
11	4/28/2007 11:08	0		0
12	4/28/2007 11:23	0		0
13	4/28/2007 11:38	0		0
14	4/28/2007 11:53	0		0
15	4/28/2007 12:08	0		0
16	4/28/2007 12:23	0		0
17	4/28/2007 12:38	0		0
18	4/28/2007 12:53	0		0
19	4/28/2007 13:08	0		0
20	4/28/2007 13:23	0		0
21	4/28/2007 13:38	0		0
22	4/28/2007 13:53	0		0
23	4/28/2007 14:08	0		0
24	4/28/2007 14:23	0		0
25	4/28/2007 14:38	0		0
26	4/28/2007 14:53	0		0
27	4/28/2007 15:08	0		0
28	4/28/2007 15:23	0		0
29	4/28/2007 15:38	0		0
30	4/28/2007 15:53	0		0
31	4/28/2007 16:08	0		0
32	4/28/2007 16:23	0		0
33	4/28/2007 16:38	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	4/28/2007
Start Time:	8:30:28
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0829) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/28/2007	8:45:28	0.048	0.004	4
4/28/2007	9:00:28	0.046	0.002	2
4/28/2007	9:15:28	0.034	-0.01	-10
4/28/2007	9:30:28	0.03	-0.014	-14
4/28/2007	9:45:28	0.031	-0.013	-13
4/28/2007	10:00:28	0.023	-0.021	-21
4/28/2007	10:15:28	0.018	-0.026	-26
4/28/2007	10:30:28	0.019	-0.025	-25
4/28/2007	10:45:28	0.017	-0.027	-27
4/28/2007	11:00:28	0.031	-0.013	-13
4/28/2007	11:15:28	0.019	-0.025	-25
4/28/2007	11:30:28	0.015	-0.029	-29
4/28/2007	11:45:28	0.014	-0.03	-30
4/28/2007	12:00:28	0.013	-0.031	-31
4/28/2007	12:15:28	0.015	-0.029	-29
4/28/2007	12:30:28	0.017	-0.027	-27
4/28/2007	12:45:28	0.016	-0.028	-28
4/28/2007	13:00:28	0.016	-0.028	-28
4/28/2007	13:15:28	0.018	-0.026	-26
4/28/2007	13:30:28	0.017	-0.027	-27
4/28/2007	13:45:28	0.016	-0.028	-28
4/28/2007	14:00:28	0.016	-0.028	-28
4/28/2007	14:15:28	0.017	-0.027	-27
4/28/2007	14:30:28	0.018	-0.026	-26
4/28/2007	14:45:28	0.016	-0.028	-28
4/28/2007	15:00:28	0.015	-0.029	-29
4/28/2007	15:15:28	0.017	-0.027	-27
4/28/2007	15:30:28	0.016	-0.028	-28
4/28/2007	15:45:28	0.018	-0.026	-26
4/28/2007	16:00:28	0.03	-0.014	-14
4/28/2007	16:15:28	0.024	-0.02	-20
4/28/2007	16:30:28	0.019	-0.025	-25
4/28/2007	16:45:28	0.019	-0.025	-25
4/28/2007	17:00:28	0.023	-0.021	-21

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/30/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/30/2007 6:53	0		0
2	4/30/2007 7:08	0		0
3	4/30/2007 7:23	0		0
4	4/30/2007 7:38	0		0
5	4/30/2007 7:53	0		0
6	4/30/2007 8:08	0		0
7	4/30/2007 8:23	0		0
8	4/30/2007 8:38	0.1		0.1
9	4/30/2007 8:53	0.1		0.1
10	4/30/2007 9:08	0.1		0.1
11	4/30/2007 9:23	0.1		0.1
12	4/30/2007 9:38	0.1		0.1
13	4/30/2007 9:53	0.1		0.1
14	4/30/2007 10:08	0.1		0.1
15	4/30/2007 10:23	0.1		0.1
16	4/30/2007 10:38	0.1		0.1
17	4/30/2007 10:53	0.1		0.1
18	4/30/2007 11:08	0.1		0.1
19	4/30/2007 11:23	0.1		0.1
20	4/30/2007 11:38	0.1		0.1
21	4/30/2007 11:53	0.1		0.1
22	4/30/2007 12:08	0.1		0.1
23	4/30/2007 12:23	0.1		0.1
24	4/30/2007 12:38	0.1		0.1
25	4/30/2007 12:53	0.1		0.1
26	4/30/2007 13:08	0.1		0.1
27	4/30/2007 13:23	0		0
28	4/30/2007 13:38	0		0
29	4/30/2007 13:53	0.1		0.1
30	4/30/2007 14:08	0.1		0.1
31	4/30/2007 14:23	0.1		0.1
32	4/30/2007 14:38	0.1		0.1
33	4/30/2007 14:53	0.1		0.1
34	4/30/2007 15:08	0.1		0.1
35	4/30/2007 15:23	0.1		0.1
36	4/30/2007 15:38	0.1		0.1
37	4/30/2007 15:53	0.1		0.1
38	4/30/2007 16:08	0.1		0.1
39	4/30/2007 16:23	0		0
40	4/30/2007 16:38	0.1		0.1
41	4/30/2007 16:53	0.1		0.1
42	4/30/2007 17:08	0.1		0.1
43	4/30/2007 17:23	0.1		0.1
44	4/30/2007 17:38	0.1		0.1
45	4/30/2007 17:53	0.1		0.1
46	4/30/2007 18:08	0.1		0.1
47	4/30/2007 18:23	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	4/30/2007
Start Time:	6:38:37
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0635) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/30/2007	6:53:37	0.029	0.01	10
4/30/2007	7:08:37	0.026	0.007	7
4/30/2007	7:23:37	0.027	0.008	8
4/30/2007	7:38:37	0.027	0.008	8
4/30/2007	7:53:37	0.027	0.008	8
4/30/2007	8:08:37	0.032	0.013	13
4/30/2007	8:23:37	0.033	0.014	14
4/30/2007	8:38:37	0.033	0.014	14
4/30/2007	8:53:37	0.032	0.013	13
4/30/2007	9:08:37	0.029	0.01	10
4/30/2007	9:23:37	0.026	0.007	7
4/30/2007	9:38:37	0.025	0.006	6
4/30/2007	9:53:37	0.026	0.007	7
4/30/2007	10:08:37	0.028	0.009	9
4/30/2007	10:23:37	0.03	0.011	11
4/30/2007	10:38:37	0.027	0.008	8
4/30/2007	10:53:37	0.025	0.006	6
4/30/2007	11:08:37	0.025	0.006	6
4/30/2007	11:23:37	0.023	0.004	4
4/30/2007	11:38:37	0.021	0.002	2
4/30/2007	11:53:37	0.019	0	0
4/30/2007	12:08:37	0.019	0	0
4/30/2007	12:23:37	0.019	0	0
4/30/2007	12:38:37	0.023	0.004	4
4/30/2007	12:53:37	0.021	0.002	2
4/30/2007	13:08:37	0.02	0.001	1
4/30/2007	13:23:37	0.021	0.002	2
4/30/2007	13:38:37	0.021	0.002	2
4/30/2007	13:53:37	0.021	0.002	2
4/30/2007	14:08:37	0.02	0.001	1
4/30/2007	14:23:37	0.017	-0.002	-2
4/30/2007	14:38:37	0.016	-0.003	-3
4/30/2007	14:53:37	0.015	-0.004	-4
4/30/2007	15:08:37	0.021	0.002	2
4/30/2007	15:23:37	0.039	0.02	20
4/30/2007	15:38:37	0.018	-0.001	-1
4/30/2007	15:53:37	0.024	0.005	5
4/30/2007	16:08:37	0.024	0.005	5
4/30/2007	16:23:37	0.019	0	0
4/30/2007	16:38:37	0.037	0.018	18
4/30/2007	16:53:37	0.013	-0.006	-6
4/30/2007	17:08:37	0.013	-0.006	-6
4/30/2007	17:23:37	0.042	0.023	23
4/30/2007	17:38:37	0.011	-0.008	-8
4/30/2007	17:53:37	0.023	0.004	4
4/30/2007	18:08:37	0.015	-0.004	-4
4/30/2007	18:23:37	0.01	-0.009	-9
4/30/2007	18:38:37	0.017	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/30/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/30/2007 6:47	0		0
2	4/30/2007 7:02	0		0
3	4/30/2007 7:17	0		0
4	4/30/2007 7:32	0		0
5	4/30/2007 7:47	0		0
6	4/30/2007 8:02	0		0
7	4/30/2007 8:17	0		0
8	4/30/2007 8:32	0		0
9	4/30/2007 8:47	0		0
10	4/30/2007 9:02	0		0
11	4/30/2007 9:17	0		0
12	4/30/2007 9:32	0		0
13	4/30/2007 9:47	0		0
14	4/30/2007 10:02	0		0
15	4/30/2007 10:17	0		0
16	4/30/2007 10:32	0		0
17	4/30/2007 10:47	0		0
18	4/30/2007 11:02	0		0
19	4/30/2007 11:17	0		0
20	4/30/2007 11:32	0		0
21	4/30/2007 11:47	0		0
22	4/30/2007 12:02	0		0
23	4/30/2007 12:17	0		0
24	4/30/2007 12:32	0		0
25	4/30/2007 12:47	0		0
26	4/30/2007 13:02	0		0
27	4/30/2007 13:17	0		0
28	4/30/2007 13:32	0		0
29	4/30/2007 13:47	0		0
30	4/30/2007 14:02	0		0
31	4/30/2007 14:17	0.1		0.1
32	4/30/2007 14:32	0.1		0.1
33	4/30/2007 14:47	0.1		0.1
34	4/30/2007 15:02	0.1		0.1
35	4/30/2007 15:17	0.1		0.1
36	4/30/2007 15:32	0.1		0.1
37	4/30/2007 15:47	0.1		0.1
38	4/30/2007 16:02	0.1		0.1
39	4/30/2007 16:17	0.1		0.1
40	4/30/2007 16:32	0.1		0.1
41	4/30/2007 16:47	0.1		0.1
42	4/30/2007 17:02	0.1		0.1
43	4/30/2007 17:17	0.1		0.1
44	4/30/2007 17:32	0.1		0.1
45	4/30/2007 17:47	0.1		0.1
46	4/30/2007 18:02	0.1		0.1
47	4/30/2007 18:17	0.1		0.1
48	4/30/2007 18:32	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	4/30/2007
Start Time:	6:33:32
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0630) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/30/2007	6:48:32	0.015	0	0
4/30/2007	7:03:32	0.021	0.006	6
4/30/2007	7:18:32	0.018	0.003	3
4/30/2007	7:33:32	0.017	0.002	2
4/30/2007	7:48:32	0.018	0.003	3
4/30/2007	8:03:32	0.019	0.004	4
4/30/2007	8:18:32	0.021	0.006	6
4/30/2007	8:33:32	0.021	0.006	6
4/30/2007	8:48:32	0.02	0.005	5
4/30/2007	9:03:32	0.021	0.006	6
4/30/2007	9:18:32	0.017	0.002	2
4/30/2007	9:33:32	0.015	0	0
4/30/2007	9:48:32	0.017	0.002	2
4/30/2007	10:03:32	0.018	0.003	3
4/30/2007	10:18:32	0.02	0.005	5
4/30/2007	10:33:32	0.018	0.003	3
4/30/2007	10:48:32	0.016	0.001	1
4/30/2007	11:03:32	0.015	0	0
4/30/2007	11:18:32	0.015	0	0
4/30/2007	11:33:32	0.015	0	0
4/30/2007	11:48:32	0.013	-0.002	-2
4/30/2007	12:03:32	0.013	-0.002	-2
4/30/2007	12:18:32	0.013	-0.002	-2
4/30/2007	12:33:32	0.015	0	0
4/30/2007	12:48:32	0.016	0.001	1
4/30/2007	13:03:32	0.014	-0.001	-1
4/30/2007	13:18:32	0.016	0.001	1
4/30/2007	13:33:32	0.014	-0.001	-1
4/30/2007	13:48:32	0.016	0.001	1
4/30/2007	14:03:32	0.018	0.003	3
4/30/2007	14:18:32	0.011	-0.004	-4
4/30/2007	14:33:32	0.01	-0.005	-5
4/30/2007	14:48:32	0.012	-0.003	-3
4/30/2007	15:03:32	0.009	-0.006	-6
4/30/2007	15:18:32	0.011	-0.004	-4
4/30/2007	15:33:32	0.012	-0.003	-3
4/30/2007	15:48:32	0.009	-0.006	-6
4/30/2007	16:03:32	0.009	-0.006	-6
4/30/2007	16:18:32	0.008	-0.007	-7
4/30/2007	16:33:32	0.008	-0.007	-7
4/30/2007	16:48:32	0.008	-0.007	-7
4/30/2007	17:03:32	0.008	-0.007	-7
4/30/2007	17:18:32	0.008	-0.007	-7
4/30/2007	17:33:32	0.007	-0.008	-8
4/30/2007	17:48:32	0.007	-0.008	-8
4/30/2007	18:03:32	0.007	-0.008	-8
4/30/2007	18:18:32	0.007	-0.008	-8
4/30/2007	18:33:32	0.007	-0.008	-8
4/30/2007	18:48:32	0.007	-0.008	-8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/30/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/30/2007 7:09	0.1		0.1
2	4/30/2007 7:24	0.2		0.2
3	4/30/2007 7:39	0.3		0.3
4	4/30/2007 7:54	0.4		0.4
5	4/30/2007 8:09	0.4		0.4
6	4/30/2007 8:24	0.5		0.5
7	4/30/2007 8:39	0.5		0.5
8	4/30/2007 8:54	0.5		0.5
9	4/30/2007 9:09	0.5		0.5
10	4/30/2007 9:24	0.5		0.5
11	4/30/2007 9:39	0.6		0.6
12	4/30/2007 9:54	0.6		0.6
13	4/30/2007 10:09	0.6		0.6
14	4/30/2007 10:24	0.6		0.6
15	4/30/2007 10:39	0.6		0.6
16	4/30/2007 10:54	0.6		0.6
17	4/30/2007 11:09	0.6		0.6
18	4/30/2007 11:24	0.7		0.7
19	4/30/2007 11:39	0.7		0.7
20	4/30/2007 11:54	0.8		0.8
21	4/30/2007 12:09	0.8		0.8
22	4/30/2007 12:24	0.8		0.8
23	4/30/2007 12:39	0.8		0.8
24	4/30/2007 12:54	0.8		0.8
25	4/30/2007 13:09	0.8		0.8
26	4/30/2007 13:24	0.8		0.8
27	4/30/2007 13:39	0.8		0.8
28	4/30/2007 13:54	0.8		0.8
29	4/30/2007 14:09	0.8		0.8
30	4/30/2007 14:24	0.8		0.8
31	4/30/2007 14:39	0.8		0.8
32	4/30/2007 14:54	0.7		0.7
33	4/30/2007 15:09	0.8		0.8
34	4/30/2007 15:24	0.8		0.8
35	4/30/2007 15:39	0.8		0.8
36	4/30/2007 15:54	0.9		0.9
37	4/30/2007 16:09	0.9		0.9
38	4/30/2007 16:24	0.9		0.9
39	4/30/2007 16:39	0.9		0.9
40	4/30/2007 16:54	0.9		0.9
41	4/30/2007 17:09	0.9		0.9
42	4/30/2007 17:24	0.9		0.9
43	4/30/2007 17:39	0.9		0.9
44	4/30/2007 17:54	0.9		0.9
45	4/30/2007 18:09	0.8		0.8
46	4/30/2007 18:24	0.8		0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	4/30/2007
Start Time:	6:55:12
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0656) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
4/30/2007	7:10:12	0.022	-0.002	-2
4/30/2007	7:25:12	0.034	0.01	10
4/30/2007	7:40:12	0.026	0.002	2
4/30/2007	7:55:12	0.027	0.003	3
4/30/2007	8:10:12	0.031	0.007	7
4/30/2007	8:25:12	0.029	0.005	5
4/30/2007	8:40:12	0.028	0.004	4
4/30/2007	8:55:12	0.03	0.006	6
4/30/2007	9:10:12	0.029	0.005	5
4/30/2007	9:25:12	0.026	0.002	2
4/30/2007	9:40:12	0.024	0	0
4/30/2007	9:55:12	0.026	0.002	2
4/30/2007	10:10:12	0.028	0.004	4
4/30/2007	10:25:12	0.028	0.004	4
4/30/2007	10:40:12	0.027	0.003	3
4/30/2007	10:55:12	0.026	0.002	2
4/30/2007	11:10:12	0.027	0.003	3
4/30/2007	11:25:12	0.023	-0.001	-1
4/30/2007	11:40:12	0.02	-0.004	-4
4/30/2007	11:55:12	0.02	-0.004	-4
4/30/2007	12:10:12	0.021	-0.003	-3
4/30/2007	12:25:12	0.019	-0.005	-5
4/30/2007	12:40:12	0.029	0.005	5
4/30/2007	12:55:12	0.021	-0.003	-3
4/30/2007	13:10:12	0.02	-0.004	-4
4/30/2007	13:25:12	0.032	0.008	8
4/30/2007	13:40:12	0.019	-0.005	-5
4/30/2007	13:55:12	0.025	0.001	1
4/30/2007	14:10:12	0.018	-0.006	-6
4/30/2007	14:25:12	0.015	-0.009	-9
4/30/2007	14:40:12	0.024	0	0
4/30/2007	14:55:12	0.014	-0.01	-10
4/30/2007	15:10:12	0.015	-0.009	-9
4/30/2007	15:25:12	0.022	-0.002	-2
4/30/2007	15:40:12	0.016	-0.008	-8
4/30/2007	15:55:12	0.019	-0.005	-5
4/30/2007	16:10:12	0.012	-0.012	-12
4/30/2007	16:25:12	0.011	-0.013	-13
4/30/2007	16:40:12	0.015	-0.009	-9
4/30/2007	16:55:12	0.01	-0.014	-14
4/30/2007	17:10:12	0.01	-0.014	-14
4/30/2007	17:25:12	0.015	-0.009	-9
4/30/2007	17:40:12	0.01	-0.014	-14
4/30/2007	17:55:12	0.009	-0.015	-15
4/30/2007	18:10:12	0.011	-0.013	-13
4/30/2007	18:25:12	0.009	-0.015	-15
4/30/2007	18:40:12	0.009	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 04/30/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0644) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	4/30/2007 6:57	1.2		1.2
2	4/30/2007 7:12	1.8		1.8
3	4/30/2007 7:27	2.3		2.3
4	4/30/2007 7:42	2.9		2.9
5	4/30/2007 7:57	3.2		3.2
6	4/30/2007 8:12	3.2		3.2
7	4/30/2007 8:27	3.3		3.3
8	4/30/2007 8:42	3.4		3.4
9	4/30/2007 8:57	3.3		3.3
10	4/30/2007 9:12	3.3		3.3
11	4/30/2007 9:27	3.3		3.3
12	4/30/2007 9:42	3.3		3.3
13	4/30/2007 9:57	3.4		3.4
14	4/30/2007 10:12	3.4		3.4
15	4/30/2007 10:27	3.4		3.4
16	4/30/2007 10:42	3.7		3.7
17	4/30/2007 10:57	3.3		3.3
18	4/30/2007 11:12	3.2		3.2
19	4/30/2007 11:27	3.1		3.1
20	4/30/2007 11:42	3.1		3.1
21	4/30/2007 11:57	3		3
22	4/30/2007 12:12	2.7		2.7
23	4/30/2007 12:27	2.4		2.4
24	4/30/2007 12:42	2.1		2.1
25	4/30/2007 12:57	2		2
26	4/30/2007 13:12	2.1		2.1
27	4/30/2007 13:27	3		3
28	4/30/2007 13:42	2.4		2.4
29	4/30/2007 13:57	2.1		2.1
30	4/30/2007 14:12	2		2
31	4/30/2007 14:27	2		2
32	4/30/2007 14:42	2		2
33	4/30/2007 14:57	1.9		1.9
34	4/30/2007 15:12	2.2		2.2
35	4/30/2007 15:27	2.1		2.1
36	4/30/2007 15:42	2.1		2.1
37	4/30/2007 15:57	1.8		1.8
38	4/30/2007 16:12	2.1		2.1
39	4/30/2007 16:27	2.4		2.4
40	4/30/2007 16:42	2.6		2.6
41	4/30/2007 16:57	2.9		2.9
42	4/30/2007 17:12	3		3
43	4/30/2007 17:27	2.8		2.8

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	4/30/2007
Start Time:	6:50:15
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0644) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
4/30/2007	7:05:15	0.023	-0.013	-13
4/30/2007	7:20:15	0.023	-0.013	-13
4/30/2007	7:35:15	0.022	-0.014	-14
4/30/2007	7:50:15	0.021	-0.015	-15
4/30/2007	8:05:15	0.024	-0.012	-12
4/30/2007	8:20:15	0.029	-0.007	-7
4/30/2007	8:35:15	0.026	-0.01	-10
4/30/2007	8:50:15	0.023	-0.013	-13
4/30/2007	9:05:15	0.024	-0.012	-12
4/30/2007	9:20:15	0.022	-0.014	-14
4/30/2007	9:35:15	0.019	-0.017	-17
4/30/2007	9:50:15	0.022	-0.014	-14
4/30/2007	10:05:15	0.022	-0.014	-14
4/30/2007	10:20:15	0.024	-0.012	-12
4/30/2007	10:35:15	0.026	-0.01	-10
4/30/2007	10:50:15	0.019	-0.017	-17
4/30/2007	11:05:15	0.02	-0.016	-16
4/30/2007	11:20:15	0.018	-0.018	-18
4/30/2007	11:35:15	0.017	-0.019	-19
4/30/2007	11:50:15	0.014	-0.022	-22
4/30/2007	12:05:15	0.016	-0.02	-20
4/30/2007	12:20:15	0.014	-0.022	-22
4/30/2007	12:35:15	0.017	-0.019	-19
4/30/2007	12:50:15	0.019	-0.017	-17
4/30/2007	13:05:15	0.019	-0.017	-17
4/30/2007	13:20:15	0.021	-0.015	-15
4/30/2007	13:35:15	0.02	-0.016	-16
4/30/2007	13:50:15	0.028	-0.008	-8
4/30/2007	14:05:15	0.037	0.001	1
4/30/2007	14:20:15	0.025	-0.011	-11
4/30/2007	14:35:15	0.022	-0.014	-14
4/30/2007	14:50:15	0.015	-0.021	-21
4/30/2007	15:05:15	0.014	-0.022	-22
4/30/2007	15:20:15	0.039	0.003	3
4/30/2007	15:35:15	0.014	-0.022	-22
4/30/2007	15:50:15	0.018	-0.018	-18
4/30/2007	16:05:15	0.028	-0.008	-8
4/30/2007	16:20:15	0.028	-0.008	-8
4/30/2007	16:35:15	0.026	-0.01	-10
4/30/2007	16:50:15	0.016	-0.02	-20
4/30/2007	17:05:15	0.008	-0.028	-28
4/30/2007	17:20:15	0.061	0.025	25
4/30/2007	17:35:15	0.013	-0.023	-23
4/30/2007	17:50:15	0.021	-0.015	-15
4/30/2007	18:05:15	0.028	-0.008	-8
4/30/2007	18:20:15	0.008	-0.028	-28
4/30/2007	18:35:15	0.03	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 51 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/01/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/1/2007 6:23	0		-0.1
2	5/1/2007 6:38	0		-0.1
3	5/1/2007 6:53	0		-0.1
4	5/1/2007 7:08	0		-0.1
5	5/1/2007 7:23	0		-0.1
6	5/1/2007 7:38	0		-0.1
7	5/1/2007 7:53	0		-0.1
8	5/1/2007 8:08	0		-0.1
9	5/1/2007 8:23	0		-0.1
10	5/1/2007 8:38	0		-0.1
11	5/1/2007 8:53	0		-0.1
12	5/1/2007 9:08	0		-0.1
13	5/1/2007 9:23	0		-0.1
14	5/1/2007 9:38	0		-0.1
15	5/1/2007 9:53	0		-0.1
16	5/1/2007 10:08	0		-0.1
17	5/1/2007 10:23	0		-0.1
18	5/1/2007 10:38	0		-0.1
19	5/1/2007 10:53	0		-0.1
20	5/1/2007 11:08	0		-0.1
21	5/1/2007 11:23	0		-0.1
22	5/1/2007 11:38	0		-0.1
23	5/1/2007 11:53	0		-0.1
24	5/1/2007 12:08	0		-0.1
25	5/1/2007 12:23	0		-0.1
26	5/1/2007 12:38	0		-0.1
27	5/1/2007 12:53	0		-0.1
28	5/1/2007 13:08	0		-0.1
29	5/1/2007 13:23	0		-0.1
30	5/1/2007 13:38	0		-0.1
31	5/1/2007 13:53	0		-0.1
32	5/1/2007 14:08	0		-0.1
33	5/1/2007 14:23	0		-0.1
34	5/1/2007 14:38	0		-0.1
35	5/1/2007 14:53	0		-0.1
36	5/1/2007 15:08	0		-0.1
37	5/1/2007 15:23	0		-0.1
38	5/1/2007 15:38	0		-0.1
39	5/1/2007 15:53	0		-0.1
40	5/1/2007 16:08	0		-0.1
41	5/1/2007 16:23	0		-0.1
42	5/1/2007 16:38	0		-0.1
43	5/1/2007 16:53	0		-0.1
44	5/1/2007 17:08	0		-0.1
45	5/1/2007 17:23	0		-0.1
46	5/1/2007 17:38	0		-0.1
47	5/1/2007 17:53	0		-0.1
48	5/1/2007 18:08	0		-0.1
49	5/1/2007 18:23	0		-0.1
50	5/1/2007 18:38	0.2		0.1
51	5/1/2007 18:53	0.2		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/1/2007
Start Time:	6:07:00
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (0600) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/1/2007	6:22:00	0.009	0.001	1
5/1/2007	6:37:00	0.008	0	0
5/1/2007	6:52:00	0.025	0.017	17
5/1/2007	7:07:00	0.014	0.006	6
5/1/2007	7:22:00	0.022	0.014	14
5/1/2007	7:37:00	0.011	0.003	3
5/1/2007	7:52:00	0.039	0.031	31
5/1/2007	8:07:00	0.01	0.002	2
5/1/2007	8:22:00	0.027	0.019	19
5/1/2007	8:37:00	0.015	0.007	7
5/1/2007	8:52:00	0.014	0.006	6
5/1/2007	9:07:00	0.016	0.008	8
5/1/2007	9:22:00	0.013	0.005	5
5/1/2007	9:37:00	0.011	0.003	3
5/1/2007	9:52:00	0.011	0.003	3
5/1/2007	10:07:00	0.011	0.003	3
5/1/2007	10:22:00	0.01	0.002	2
5/1/2007	10:37:00	0.01	0.002	2
5/1/2007	10:52:00	0.02	0.012	12
5/1/2007	11:07:00	0.009	0.001	1
5/1/2007	11:22:00	0.011	0.003	3
5/1/2007	11:37:00	0.009	0.001	1
5/1/2007	11:52:00	0.01	0.002	2
5/1/2007	12:07:00	0.009	0.001	1
5/1/2007	12:22:00	0.009	0.001	1
5/1/2007	12:37:00	0.01	0.002	2
5/1/2007	12:52:00	0.013	0.005	5
5/1/2007	13:07:00	0.012	0.004	4
5/1/2007	13:22:00	0.009	0.001	1
5/1/2007	13:37:00	0.007	-0.001	-1
5/1/2007	13:52:00	0.014	0.006	6
5/1/2007	14:07:00	0.009	0.001	1
5/1/2007	14:22:00	0.009	0.001	1
5/1/2007	14:37:00	0.009	0.001	1
5/1/2007	14:52:00	0.008	0	0
5/1/2007	15:07:00	0.011	0.003	3
5/1/2007	15:22:00	0.01	0.002	2
5/1/2007	15:37:00	0.009	0.001	1
5/1/2007	15:52:00	0.009	0.001	1
5/1/2007	16:07:00	0.009	0.001	1
5/1/2007	16:22:00	0.01	0.002	2
5/1/2007	16:37:00	0.01	0.002	2
5/1/2007	16:52:00	0.01	0.002	2
5/1/2007	17:07:00	0.01	0.002	2
5/1/2007	17:22:00	0.009	0.001	1
5/1/2007	17:37:00	0.009	0.001	1
5/1/2007	17:52:00	0.009	0.001	1
5/1/2007	18:07:00	0.01	0.002	2
5/1/2007	18:22:00	0.01	0.002	2
5/1/2007	18:37:00	0.012	0.004	4
5/1/2007	18:52:00	0.014	0.006	6
5/1/2007	19:07:00	0.013	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/01/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/1/2007 6:17	0		-0.1
2	5/1/2007 6:32	0		-0.1
3	5/1/2007 6:47	0		-0.1
4	5/1/2007 7:02	0		-0.1
5	5/1/2007 7:17	0		-0.1
6	5/1/2007 7:32	0		-0.1
7	5/1/2007 7:47	0		-0.1
8	5/1/2007 8:02	0		-0.1
9	5/1/2007 8:17	0		-0.1
10	5/1/2007 8:32	0		-0.1
11	5/1/2007 8:47	0		-0.1
12	5/1/2007 9:02	0		-0.1
13	5/1/2007 9:17	0		-0.1
14	5/1/2007 9:32	0.1		0
15	5/1/2007 9:47	0.1		0
16	5/1/2007 10:02	0.1		0
17	5/1/2007 10:17	0.1		0
18	5/1/2007 10:32	0		-0.1
19	5/1/2007 10:47	0		-0.1
20	5/1/2007 11:02	0.1		0
21	5/1/2007 11:17	0.1		0
22	5/1/2007 11:32	0.1		0
23	5/1/2007 11:47	0.1		0
24	5/1/2007 12:02	0.1		0
25	5/1/2007 12:17	0.1		0
26	5/1/2007 12:32	0.1		0
27	5/1/2007 12:47	0.1		0
28	5/1/2007 13:02	0.1		0
29	5/1/2007 13:17	0.1		0
30	5/1/2007 13:32	0.1		0
31	5/1/2007 13:47	0.1		0
32	5/1/2007 14:02	0.1		0
33	5/1/2007 14:17	0.2		0.1
34	5/1/2007 14:32	0.2		0.1
35	5/1/2007 14:47	0.2		0.1
36	5/1/2007 15:02	0.2		0.1
37	5/1/2007 15:17	0.2		0.1
38	5/1/2007 15:32	0.2		0.1
39	5/1/2007 15:47	0.2		0.1
40	5/1/2007 16:02	0.2		0.1
41	5/1/2007 16:17	0.1		0
42	5/1/2007 16:32	0.1		0
43	5/1/2007 16:47	0.2		0.1
44	5/1/2007 17:02	0.2		0.1
45	5/1/2007 17:17	0.1		0
46	5/1/2007 17:32	0.1		0
47	5/1/2007 17:47	0.1		0
48	5/1/2007 18:02	0.1		0
49	5/1/2007 18:17	0.1		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	7
Test Abbreviation:	
Start Date:	5/1/2007
Start Time:	6:03:11
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0600) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/1/2007	6:18:11	0.012	0	0
5/1/2007	6:33:11	0.007	-0.005	-5
5/1/2007	6:48:11	0.01	-0.002	-2
5/1/2007	7:03:11	0.007	-0.005	-5
5/1/2007	7:18:11	0.008	-0.004	-4
5/1/2007	7:33:11	0.007	-0.005	-5
5/1/2007	7:48:11	0.008	-0.004	-4
5/1/2007	8:03:11	0.008	-0.004	-4
5/1/2007	8:18:11	0.009	-0.003	-3
5/1/2007	8:33:11	0.008	-0.004	-4
5/1/2007	8:48:11	0.006	-0.006	-6
5/1/2007	9:03:11	0.008	-0.004	-4
5/1/2007	9:18:11	0.007	-0.005	-5
5/1/2007	9:33:11	0.009	-0.003	-3
5/1/2007	9:48:11	0.007	-0.005	-5
5/1/2007	10:03:11	0.007	-0.005	-5
5/1/2007	10:18:11	0.007	-0.005	-5
5/1/2007	10:33:11	0.007	-0.005	-5
5/1/2007	10:48:11	0.007	-0.005	-5
5/1/2007	11:03:11	0.006	-0.006	-6
5/1/2007	11:18:11	0.009	-0.003	-3
5/1/2007	11:33:11	0.01	-0.002	-2
5/1/2007	11:48:11	0.006	-0.006	-6
5/1/2007	12:03:11	0.007	-0.005	-5
5/1/2007	12:18:11	0.006	-0.006	-6
5/1/2007	12:33:11	0.006	-0.006	-6
5/1/2007	12:48:11	0.008	-0.004	-4
5/1/2007	13:03:11	0.009	-0.003	-3
5/1/2007	13:18:11	0.007	-0.005	-5
5/1/2007	13:33:11	0.006	-0.006	-6
5/1/2007	13:48:11	0.006	-0.006	-6
5/1/2007	14:03:11	0.006	-0.006	-6
5/1/2007	14:18:11	0.007	-0.005	-5
5/1/2007	14:33:11	0.006	-0.006	-6
5/1/2007	14:48:11	0.007	-0.005	-5
5/1/2007	15:03:11	0.007	-0.005	-5
5/1/2007	15:18:11	0.007	-0.005	-5
5/1/2007	15:33:11	0.007	-0.005	-5
5/1/2007	15:48:11	0.007	-0.005	-5
5/1/2007	16:03:11	0.007	-0.005	-5
5/1/2007	16:18:11	0.012	0	0
5/1/2007	16:33:11	0.009	-0.003	-3
5/1/2007	16:48:11	0.008	-0.004	-4
5/1/2007	17:03:11	0.008	-0.004	-4
5/1/2007	17:18:11	0.007	-0.005	-5
5/1/2007	17:33:11	0.007	-0.005	-5
5/1/2007	17:48:11	0.008	-0.004	-4
5/1/2007	18:03:11	0.008	-0.004	-4
5/1/2007	18:18:11	0.007	-0.005	-5
5/1/2007	18:33:11	0.008	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/01/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/1/2007 6:27	0		0
2	5/1/2007 6:42	0		0
3	5/1/2007 6:57	0		0
4	5/1/2007 7:12	0		0
5	5/1/2007 7:27	0		0
6	5/1/2007 7:42	0		0
7	5/1/2007 7:57	0		0
8	5/1/2007 8:12	0		0
9	5/1/2007 8:27	0		0
10	5/1/2007 8:42	0		0
11	5/1/2007 8:57	0		0
12	5/1/2007 9:12	0		0
13	5/1/2007 9:27	0		0
14	5/1/2007 9:42	0		0
15	5/1/2007 9:57	0		0
16	5/1/2007 10:12	0		0
17	5/1/2007 10:27	0		0
18	5/1/2007 10:42	0		0
19	5/1/2007 10:57	0		0
20	5/1/2007 11:12	0		0
21	5/1/2007 11:27	0		0
22	5/1/2007 11:42	0		0
23	5/1/2007 11:57	0		0
24	5/1/2007 12:12	0		0
25	5/1/2007 12:27	0		0
26	5/1/2007 12:42	0		0
27	5/1/2007 12:57	0		0
28	5/1/2007 13:12	0		0
29	5/1/2007 13:27	0		0
30	5/1/2007 13:42	0		0
31	5/1/2007 13:57	0		0
32	5/1/2007 14:12	0		0
33	5/1/2007 14:27	0		0
34	5/1/2007 14:42	0		0
35	5/1/2007 14:57	0		0
36	5/1/2007 15:12	0		0
37	5/1/2007 15:27	0		0
38	5/1/2007 15:42	0		0
39	5/1/2007 15:57	0		0
40	5/1/2007 16:12	0		0
41	5/1/2007 16:27	0		0
42	5/1/2007 16:42	0		0
43	5/1/2007 16:57	0		0
44	5/1/2007 17:12	0		0
45	5/1/2007 17:27	0		0
46	5/1/2007 17:42	0		0
47	5/1/2007 17:57	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	7
Test Abbreviation:	
Start Date:	5/1/2007
Start Time:	6:14:00
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0610) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/1/2007	6:29:00	0.012	0.001	1
5/1/2007	6:44:00	0.022	0.011	11
5/1/2007	6:59:00	0.012	0.001	1
5/1/2007	7:14:00	0.01	-0.001	-1
5/1/2007	7:29:00	0.008	-0.003	-3
5/1/2007	7:44:00	0.01	-0.001	-1
5/1/2007	7:59:00	0.01	-0.001	-1
5/1/2007	8:14:00	0.011	0	0
5/1/2007	8:29:00	0.015	0.004	4
5/1/2007	8:44:00	0.011	0	0
5/1/2007	8:59:00	0.017	0.006	6
5/1/2007	9:14:00	0.009	-0.002	-2
5/1/2007	9:29:00	0.015	0.004	4
5/1/2007	9:44:00	0.012	0.001	1
5/1/2007	9:59:00	0.009	-0.002	-2
5/1/2007	10:14:00	0.013	0.002	2
5/1/2007	10:29:00	0.011	0	0
5/1/2007	10:44:00	0.013	0.002	2
5/1/2007	10:59:00	0.011	0	0
5/1/2007	11:14:00	0.009	-0.002	-2
5/1/2007	11:29:00	0.032	0.021	21
5/1/2007	11:44:00	0.01	-0.001	-1
5/1/2007	11:59:00	0.008	-0.003	-3
5/1/2007	12:14:00	0.01	-0.001	-1
5/1/2007	12:29:00	0.01	-0.001	-1
5/1/2007	12:44:00	0.011	0	0
5/1/2007	12:59:00	0.015	0.004	4
5/1/2007	13:14:00	0.025	0.014	14
5/1/2007	13:29:00	0.011	0	0
5/1/2007	13:44:00	0.01	-0.001	-1
5/1/2007	13:59:00	0.012	0.001	1
5/1/2007	14:14:00	0.012	0.001	1
5/1/2007	14:29:00	0.012	0.001	1
5/1/2007	14:44:00	0.017	0.006	6
5/1/2007	14:59:00	0.012	0.001	1
5/1/2007	15:14:00	0.011	0	0
5/1/2007	15:29:00	0.013	0.002	2
5/1/2007	15:44:00	0.011	0	0
5/1/2007	15:59:00	0.012	0.001	1
5/1/2007	16:14:00	0.027	0.016	16
5/1/2007	16:29:00	0.025	0.014	14
5/1/2007	16:44:00	0.012	0.001	1
5/1/2007	16:59:00	0.011	0	0
5/1/2007	17:14:00	0.011	0	0
5/1/2007	17:29:00	0.012	0.001	1
5/1/2007	17:44:00	0.011	0	0
5/1/2007	17:59:00	0.012	0.001	1
5/1/2007	18:14:00	0.01	-0.001	-1
5/1/2007	18:29:00	0.011	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/01/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/1/2007 6:17	0.1		0.1
2	5/1/2007 6:32	0.2		0.2
3	5/1/2007 6:47	0.3		0.3
4	5/1/2007 7:02	0.4		0.4
5	5/1/2007 7:17	0.4		0.4
6	5/1/2007 7:32	0.5		0.5
7	5/1/2007 7:47	0.5		0.5
8	5/1/2007 8:02	0.6		0.6
9	5/1/2007 8:17	0.6		0.6
10	5/1/2007 8:32	0.7		0.7
11	5/1/2007 8:47	0.7		0.7
12	5/1/2007 9:02	0.7		0.7
13	5/1/2007 9:17	0.7		0.7
14	5/1/2007 9:32	0.7		0.7
15	5/1/2007 9:47	0.7		0.7
16	5/1/2007 10:02	0.7		0.7
17	5/1/2007 10:17	0.7		0.7
18	5/1/2007 10:32	0.7		0.7
19	5/1/2007 10:47	0.7		0.7
20	5/1/2007 11:02	0.7		0.7
21	5/1/2007 11:17	0.7		0.7
22	5/1/2007 11:32	0.7		0.7
23	5/1/2007 11:47	0.8		0.8
24	5/1/2007 12:02	0.8		0.8
25	5/1/2007 12:17	0.8		0.8
26	5/1/2007 12:32	0.8		0.8
27	5/1/2007 12:47	0.7		0.7
28	5/1/2007 13:02	0.7		0.7
29	5/1/2007 13:17	0.7		0.7
30	5/1/2007 13:32	0.7		0.7
31	5/1/2007 13:47	0.7		0.7
32	5/1/2007 14:02	0.7		0.7
33	5/1/2007 14:17	0.7		0.7
34	5/1/2007 14:32	0.7		0.7
35	5/1/2007 14:47	0.7		0.7
36	5/1/2007 15:02	0.7		0.7
37	5/1/2007 15:17	0.7		0.7
38	5/1/2007 15:32	0.7		0.7
39	5/1/2007 15:47	0.7		0.7
40	5/1/2007 16:02	0.7		0.7
41	5/1/2007 16:17	0.7		0.7
42	5/1/2007 16:32	0.6		0.6
43	5/1/2007 16:47	0.6		0.6
44	5/1/2007 17:02	0.6		0.6
45	5/1/2007 17:17	0.6		0.6
46	5/1/2007 17:32	0.7		0.7
47	5/1/2007 17:47	0.7		0.7
48	5/1/2007 18:02	0.7		0.7

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	5/1/2007
Start Time:	6:10:16
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0608) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/1/2007	6:25:16	0.01	-0.014	-14
5/1/2007	6:40:16	0.016	-0.008	-8
5/1/2007	6:55:16	0.018	-0.006	-6
5/1/2007	7:10:16	0.011	-0.013	-13
5/1/2007	7:25:16	0.014	-0.01	-10
5/1/2007	7:40:16	0.01	-0.014	-14
5/1/2007	7:55:16	0.028	0.004	4
5/1/2007	8:10:16	0.01	-0.014	-14
5/1/2007	8:25:16	0.027	0.003	3
5/1/2007	8:40:16	0.009	-0.015	-15
5/1/2007	8:55:16	0.046	0.022	22
5/1/2007	9:10:16	0.02	-0.004	-4
5/1/2007	9:25:16	0.01	-0.014	-14
5/1/2007	9:40:16	0.014	-0.01	-10
5/1/2007	9:55:16	0.008	-0.016	-16
5/1/2007	10:10:16	0.007	-0.017	-17
5/1/2007	10:25:16	0.008	-0.016	-16
5/1/2007	10:40:16	0.008	-0.016	-16
5/1/2007	10:55:16	0.039	0.015	15
5/1/2007	11:10:16	0.007	-0.017	-17
5/1/2007	11:25:16	0.016	-0.008	-8
5/1/2007	11:40:16	0.007	-0.017	-17
5/1/2007	11:55:16	0.007	-0.017	-17
5/1/2007	12:10:16	0.007	-0.017	-17
5/1/2007	12:25:16	0.007	-0.017	-17
5/1/2007	12:40:16	0.008	-0.016	-16
5/1/2007	12:55:16	0.009	-0.015	-15
5/1/2007	13:10:16	0.009	-0.015	-15
5/1/2007	13:25:16	0.009	-0.015	-15
5/1/2007	13:40:16	0.007	-0.017	-17
5/1/2007	13:55:16	0.006	-0.018	-18
5/1/2007	14:10:16	0.008	-0.016	-16
5/1/2007	14:25:16	0.009	-0.015	-15
5/1/2007	14:40:16	0.008	-0.016	-16
5/1/2007	14:55:16	0.009	-0.015	-15
5/1/2007	15:10:16	0.007	-0.017	-17
5/1/2007	15:25:16	0.011	-0.013	-13
5/1/2007	15:40:16	0.008	-0.016	-16
5/1/2007	15:55:16	0.007	-0.017	-17
5/1/2007	16:10:16	0.008	-0.016	-16
5/1/2007	16:25:16	0.009	-0.015	-15
5/1/2007	16:40:16	0.012	-0.012	-12
5/1/2007	16:55:16	0.009	-0.015	-15
5/1/2007	17:10:16	0.009	-0.015	-15
5/1/2007	17:25:16	0.009	-0.015	-15
5/1/2007	17:40:16	0.009	-0.015	-15
5/1/2007	17:55:16	0.008	-0.016	-16
5/1/2007	18:10:16	0.008	-0.016	-16
5/1/2007	18:25:16	0.007	-0.017	-17

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/02/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/2/2007 6:29	0		0
2	5/2/2007 6:44	0		0
3	5/2/2007 6:59	0		0
4	5/2/2007 7:14	0		0
5	5/2/2007 7:29	0		0
6	5/2/2007 7:44	0		0
7	5/2/2007 7:59	0		0
8	5/2/2007 8:14	0		0
9	5/2/2007 8:29	0		0
10	5/2/2007 8:44	0		0
11	5/2/2007 8:59	0		0
12	5/2/2007 9:14	0		0
13	5/2/2007 9:29	0		0
14	5/2/2007 9:44	0		0
15	5/2/2007 9:59	0		0
16	5/2/2007 10:14	0		0
17	5/2/2007 10:29	0		0
18	5/2/2007 10:44	0		0
19	5/2/2007 10:59	0		0
20	5/2/2007 11:14	0		0
21	5/2/2007 11:29	0		0
22	5/2/2007 11:44	0		0
23	5/2/2007 11:59	0		0
24	5/2/2007 12:14	0		0
25	5/2/2007 12:29	0		0
26	5/2/2007 12:44	0		0
27	5/2/2007 12:59	0		0
28	5/2/2007 13:14	0		0
29	5/2/2007 13:29	0		0
30	5/2/2007 13:44	0		0
31	5/2/2007 13:59	0		0
32	5/2/2007 14:14	0		0
33	5/2/2007 14:29	0		0
34	5/2/2007 14:44	0		0
35	5/2/2007 14:59	0		0
36	5/2/2007 15:14	0		0
37	5/2/2007 15:29	0		0
38	5/2/2007 15:44	0		0
39	5/2/2007 15:59	0		0
40	5/2/2007 16:14	0		0
41	5/2/2007 16:29	0		0
42	5/2/2007 16:44	0		0
43	5/2/2007 16:59	0		0
44	5/2/2007 17:14	0		0
45	5/2/2007 17:29	0		0
46	5/2/2007 17:44	0		0
47	5/2/2007 17:59	0		0
48	5/2/2007 18:14	0		0
49	5/2/2007 18:29	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/2/2007
Start Time:	6:13:30
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0612) = 0.037 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/2/2007	6:28:30	0.036	-0.001	-1
5/2/2007	6:43:30	0.053	0.016	16
5/2/2007	6:58:30	0.047	0.01	10
5/2/2007	7:13:30	0.049	0.012	12
5/2/2007	7:28:30	0.066	0.029	29
5/2/2007	7:43:30	0.073	0.036	36
5/2/2007	7:58:30	0.076	0.039	39
5/2/2007	8:13:30	0.078	0.041	41
5/2/2007	8:28:30	0.079	0.042	42
5/2/2007	8:43:30	0.084	0.047	47
5/2/2007	8:58:30	0.043	0.006	6
5/2/2007	9:13:30	0.036	-0.001	-1
5/2/2007	9:28:30	0.031	-0.006	-6
5/2/2007	9:43:30	0.029	-0.008	-8
5/2/2007	9:58:30	0.026	-0.011	-11
5/2/2007	10:13:30	0.026	-0.011	-11
5/2/2007	10:28:30	0.026	-0.011	-11
5/2/2007	10:43:30	0.018	-0.019	-19
5/2/2007	10:58:30	0.017	-0.02	-20
5/2/2007	11:13:30	0.018	-0.019	-19
5/2/2007	11:28:30	0.02	-0.017	-17
5/2/2007	11:43:30	0.021	-0.016	-16
5/2/2007	11:58:30	0.018	-0.019	-19
5/2/2007	12:13:30	0.018	-0.019	-19
5/2/2007	12:28:30	0.014	-0.023	-23
5/2/2007	12:43:30	0.013	-0.024	-24
5/2/2007	12:58:30	0.014	-0.023	-23
5/2/2007	13:13:30	0.014	-0.023	-23
5/2/2007	13:28:30	0.016	-0.021	-21
5/2/2007	13:43:30	0.014	-0.023	-23
5/2/2007	13:58:30	0.016	-0.021	-21
5/2/2007	14:13:30	0.017	-0.02	-20
5/2/2007	14:28:30	0.015	-0.022	-22
5/2/2007	14:43:30	0.014	-0.023	-23
5/2/2007	14:58:30	0.012	-0.025	-25
5/2/2007	15:13:30	0.014	-0.023	-23
5/2/2007	15:28:30	0.013	-0.024	-24
5/2/2007	15:43:30	0.013	-0.024	-24
5/2/2007	15:58:30	0.012	-0.025	-25
5/2/2007	16:13:30	0.012	-0.025	-25
5/2/2007	16:28:30	0.011	-0.026	-26
5/2/2007	16:43:30	0.01	-0.027	-27
5/2/2007	16:58:30	0.009	-0.028	-28
5/2/2007	17:13:30	0.01	-0.027	-27
5/2/2007	17:28:30	0.009	-0.028	-28
5/2/2007	17:43:30	0.016	-0.021	-21
5/2/2007	17:58:30	0.01	-0.027	-27
5/2/2007	18:13:30	0.012	-0.025	-25
5/2/2007	18:28:30	0.009	-0.028	-28
5/2/2007	18:43:30	0.013	-0.024	-24

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/02/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/2/2007 6:48	0		0
2	5/2/2007 7:03	0		0
3	5/2/2007 7:18	0		0
4	5/2/2007 7:33	0		0
5	5/2/2007 7:48	0.1		0.1
6	5/2/2007 8:03	0.1		0.1
7	5/2/2007 8:18	0.1		0.1
8	5/2/2007 8:33	0.1		0.1
9	5/2/2007 8:48	0.1		0.1
10	5/2/2007 9:03	0.1		0.1
11	5/2/2007 9:18	0.1		0.1
12	5/2/2007 9:33	0.1		0.1
13	5/2/2007 9:48	0.1		0.1
14	5/2/2007 10:03	0.1		0.1
15	5/2/2007 10:18	0.1		0.1
16	5/2/2007 10:33	0.1		0.1
17	5/2/2007 10:48	0.1		0.1
18	5/2/2007 11:03	0.1		0.1
19	5/2/2007 11:18	0.1		0.1
20	5/2/2007 11:33	0.1		0.1
21	5/2/2007 11:48	0.1		0.1
22	5/2/2007 12:03	0.1		0.1
23	5/2/2007 12:18	0.1		0.1
24	5/2/2007 12:33	0.1		0.1
25	5/2/2007 12:48	0.1		0.1
26	5/2/2007 13:03	0.1		0.1
27	5/2/2007 13:18	0.1		0.1
28	5/2/2007 13:33	0.1		0.1
29	5/2/2007 13:48	0.1		0.1
30	5/2/2007 14:03	0.1		0.1
31	5/2/2007 14:18	0.1		0.1
32	5/2/2007 14:33	0.1		0.1
33	5/2/2007 14:48	0.1		0.1
34	5/2/2007 15:03	0.1		0.1
35	5/2/2007 15:18	0.1		0.1
36	5/2/2007 15:33	0.1		0.1
37	5/2/2007 15:48	0.1		0.1
38	5/2/2007 16:03	0.1		0.1
39	5/2/2007 16:18	0.1		0.1
40	5/2/2007 16:33	0.1		0.1
41	5/2/2007 16:48	0		0
42	5/2/2007 17:03	0		0
43	5/2/2007 17:18	0		0
44	5/2/2007 17:33	0		0
45	5/2/2007 17:48	0		0
46	5/2/2007 18:03	0		0
47	5/2/2007 18:18	0		0
48	5/2/2007 18:33	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	5/2/2007
Start Time:	6:34:48
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0630) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/2/2007	6:49:48	0.025	0.003	3
5/2/2007	7:04:48	0.032	0.01	10
5/2/2007	7:19:48	0.037	0.015	15
5/2/2007	7:34:48	0.046	0.024	24
5/2/2007	7:49:48	0.05	0.028	28
5/2/2007	8:04:48	0.052	0.03	30
5/2/2007	8:19:48	0.051	0.029	29
5/2/2007	8:34:48	0.052	0.03	30
5/2/2007	8:49:48	0.05	0.028	28
5/2/2007	9:04:48	0.025	0.003	3
5/2/2007	9:19:48	0.023	0.001	1
5/2/2007	9:34:48	0.017	-0.005	-5
5/2/2007	9:49:48	0.016	-0.006	-6
5/2/2007	10:04:48	0.016	-0.006	-6
5/2/2007	10:19:48	0.016	-0.006	-6
5/2/2007	10:34:48	0.011	-0.011	-11
5/2/2007	10:49:48	0.011	-0.011	-11
5/2/2007	11:04:48	0.009	-0.013	-13
5/2/2007	11:19:48	0.011	-0.011	-11
5/2/2007	11:34:48	0.013	-0.009	-9
5/2/2007	11:49:48	0.013	-0.009	-9
5/2/2007	12:04:48	0.011	-0.011	-11
5/2/2007	12:19:48	0.008	-0.014	-14
5/2/2007	12:34:48	0.008	-0.014	-14
5/2/2007	12:49:48	0.007	-0.015	-15
5/2/2007	13:04:48	0.009	-0.013	-13
5/2/2007	13:19:48	0.01	-0.012	-12
5/2/2007	13:34:48	0.011	-0.011	-11
5/2/2007	13:49:48	0.009	-0.013	-13
5/2/2007	14:04:48	0.01	-0.012	-12
5/2/2007	14:19:48	0.01	-0.012	-12
5/2/2007	14:34:48	0.009	-0.013	-13
5/2/2007	14:49:48	0.009	-0.013	-13
5/2/2007	15:04:48	0.009	-0.013	-13
5/2/2007	15:19:48	0.009	-0.013	-13
5/2/2007	15:34:48	0.009	-0.013	-13
5/2/2007	15:49:48	0.009	-0.013	-13
5/2/2007	16:04:48	0.009	-0.013	-13
5/2/2007	16:19:48	0.006	-0.016	-16
5/2/2007	16:34:48	0.006	-0.016	-16
5/2/2007	16:49:48	0.006	-0.016	-16
5/2/2007	17:04:48	0.006	-0.016	-16
5/2/2007	17:19:48	0.007	-0.015	-15
5/2/2007	17:34:48	0.006	-0.016	-16
5/2/2007	17:49:48	0.007	-0.015	-15
5/2/2007	18:04:48	0.006	-0.016	-16
5/2/2007	18:19:48	0.007	-0.015	-15
5/2/2007	18:34:48	0.006	-0.016	-16
5/2/2007	18:49:48	0.006	-0.016	-16

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/02/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/2/2007 6:42	0		0
2	5/2/2007 6:57	0.1		0.1
3	5/2/2007 7:12	0.1		0.1
4	5/2/2007 7:27	0.2		0.2
5	5/2/2007 7:42	0.2		0.2
6	5/2/2007 7:57	0.2		0.2
7	5/2/2007 8:12	0.2		0.2
8	5/2/2007 8:27	0.3		0.3
9	5/2/2007 8:42	0.3		0.3
10	5/2/2007 8:57	0.3		0.3
11	5/2/2007 9:12	0.3		0.3
12	5/2/2007 9:27	0.3		0.3
13	5/2/2007 9:42	0.3		0.3
14	5/2/2007 9:57	0.3		0.3
15	5/2/2007 10:12	0.3		0.3
16	5/2/2007 10:27	0.3		0.3
17	5/2/2007 10:42	0.3		0.3
18	5/2/2007 10:57	0.4		0.4
19	5/2/2007 11:12	0.4		0.4
20	5/2/2007 11:27	0.4		0.4
21	5/2/2007 11:42	0.4		0.4
22	5/2/2007 11:57	0.4		0.4
23	5/2/2007 12:12	0.4		0.4
24	5/2/2007 12:27	0.4		0.4
25	5/2/2007 12:42	0.4		0.4
26	5/2/2007 12:57	0.4		0.4
27	5/2/2007 13:12	0.4		0.4
28	5/2/2007 13:27	0.4		0.4
29	5/2/2007 13:42	0.4		0.4
30	5/2/2007 13:57	0.4		0.4
31	5/2/2007 14:12	0.4		0.4
32	5/2/2007 14:27	0.4		0.4
33	5/2/2007 14:42	0.4		0.4
34	5/2/2007 14:57	0.4		0.4
35	5/2/2007 15:12	0.4		0.4
36	5/2/2007 15:27	0.4		0.4
37	5/2/2007 15:42	0.4		0.4
38	5/2/2007 15:57	0.4		0.4
39	5/2/2007 16:12	0.4		0.4
40	5/2/2007 16:27	0.4		0.4
41	5/2/2007 16:42	0.4		0.4
42	5/2/2007 16:57	0.4		0.4
43	5/2/2007 17:12	0.4		0.4
44	5/2/2007 17:27	0.4		0.4
45	5/2/2007 17:42	0.4		0.4
46	5/2/2007 17:57	0.4		0.4
47	5/2/2007 18:12	0.4		0.4
48	5/2/2007 18:27	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	5/2/2007
Start Time:	6:29:17
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0626) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/2/2007	6:44:17	0.036	0.007	7
5/2/2007	6:59:17	0.04	0.011	11
5/2/2007	7:14:17	0.04	0.011	11
5/2/2007	7:29:17	0.052	0.023	23
5/2/2007	7:44:17	0.063	0.034	34
5/2/2007	7:59:17	0.069	0.04	40
5/2/2007	8:14:17	0.069	0.04	40
5/2/2007	8:29:17	0.07	0.041	41
5/2/2007	8:44:17	0.069	0.04	40
5/2/2007	8:59:17	0.042	0.013	13
5/2/2007	9:14:17	0.038	0.009	9
5/2/2007	9:29:17	0.03	0.001	1
5/2/2007	9:44:17	0.026	-0.003	-3
5/2/2007	9:59:17	0.025	-0.004	-4
5/2/2007	10:14:17	0.024	-0.005	-5
5/2/2007	10:29:17	0.022	-0.007	-7
5/2/2007	10:44:17	0.019	-0.01	-10
5/2/2007	10:59:17	0.017	-0.012	-12
5/2/2007	11:14:17	0.019	-0.01	-10
5/2/2007	11:29:17	0.019	-0.01	-10
5/2/2007	11:44:17	0.02	-0.009	-9
5/2/2007	11:59:17	0.018	-0.011	-11
5/2/2007	12:14:17	0.017	-0.012	-12
5/2/2007	12:29:17	0.014	-0.015	-15
5/2/2007	12:44:17	0.012	-0.017	-17
5/2/2007	12:59:17	0.013	-0.016	-16
5/2/2007	13:14:17	0.016	-0.013	-13
5/2/2007	13:29:17	0.017	-0.012	-12
5/2/2007	13:44:17	0.017	-0.012	-12
5/2/2007	13:59:17	0.015	-0.014	-14
5/2/2007	14:14:17	0.017	-0.012	-12
5/2/2007	14:29:17	0.019	-0.01	-10
5/2/2007	14:44:17	0.015	-0.014	-14
5/2/2007	14:59:17	0.013	-0.016	-16
5/2/2007	15:14:17	0.014	-0.015	-15
5/2/2007	15:29:17	0.012	-0.017	-17
5/2/2007	15:44:17	0.014	-0.015	-15
5/2/2007	15:59:17	0.012	-0.017	-17
5/2/2007	16:14:17	0.012	-0.017	-17
5/2/2007	16:29:17	0.011	-0.018	-18
5/2/2007	16:44:17	0.009	-0.02	-20
5/2/2007	16:59:17	0.01	-0.019	-19
5/2/2007	17:14:17	0.009	-0.02	-20
5/2/2007	17:29:17	0.01	-0.019	-19
5/2/2007	17:44:17	0.012	-0.017	-17
5/2/2007	17:59:17	0.01	-0.019	-19
5/2/2007	18:14:17	0.011	-0.018	-18
5/2/2007	18:29:17	0.01	-0.019	-19
5/2/2007	18:44:17	0.01	-0.019	-19

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/02/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	10	10	10

Background Reading (0623) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/2/2007 6:39	0		0
2	5/2/2007 6:54	0		0
3	5/2/2007 7:09	0		0
4	5/2/2007 7:24	0		0
5	5/2/2007 7:39	0		0
6	5/2/2007 7:54	0		0
7	5/2/2007 8:09	0		0
8	5/2/2007 8:24	0		0
9	5/2/2007 8:39	0		0
10	5/2/2007 8:54	0		0
11	5/2/2007 9:09	0		0
12	5/2/2007 9:24	0		0
13	5/2/2007 9:39	0		0
14	5/2/2007 9:54	0		0
15	5/2/2007 10:09	0		0
16	5/2/2007 10:24	0		0
17	5/2/2007 10:39	0		0
18	5/2/2007 10:54	0		0
19	5/2/2007 11:09	0		0
20	5/2/2007 11:24	0		0
21	5/2/2007 11:39	0		0
22	5/2/2007 11:54	0		0
23	5/2/2007 12:09	0		0
24	5/2/2007 12:24	0		0
25	5/2/2007 12:39	0		0
26	5/2/2007 12:54	0		0
27	5/2/2007 13:09	0		0
28	5/2/2007 13:24	0		0
29	5/2/2007 13:39	0		0
30	5/2/2007 13:54	0		0
31	5/2/2007 14:09	0		0
32	5/2/2007 14:24	0		0
33	5/2/2007 14:39	0		0
34	5/2/2007 14:54	0		0
35	5/2/2007 15:09	0		0
36	5/2/2007 15:24	0		0
37	5/2/2007 15:39	0		0
38	5/2/2007 15:54	0		0
39	5/2/2007 16:09	0		0
40	5/2/2007 16:24	0		0
41	5/2/2007 16:39	0		0
42	5/2/2007 16:54	0		0
43	5/2/2007 17:09	0		0
44	5/2/2007 17:24	0		0
45	5/2/2007 17:39	0		0
46	5/2/2007 17:54	0		0
47	5/2/2007 18:09	0		0
48	5/2/2007 18:24	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/2/2007
Start Time:	6:25:34
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0600) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/2/2007	6:40:34	0.037	0.015	15
5/2/2007	6:55:34	0.037	0.015	15
5/2/2007	7:10:34	0.034	0.012	12
5/2/2007	7:25:34	0.048	0.026	26
5/2/2007	7:40:34	0.051	0.029	29
5/2/2007	7:55:34	0.057	0.035	35
5/2/2007	8:10:34	0.058	0.036	36
5/2/2007	8:25:34	0.058	0.036	36
5/2/2007	8:40:34	0.06	0.038	38
5/2/2007	8:55:34	0.037	0.015	15
5/2/2007	9:10:34	0.025	0.003	3
5/2/2007	9:25:34	0.027	0.005	5
5/2/2007	9:40:34	0.018	-0.004	-4
5/2/2007	9:55:34	0.026	0.004	4
5/2/2007	10:10:34	0.018	-0.004	-4
5/2/2007	10:25:34	0.024	0.002	2
5/2/2007	10:40:34	0.019	-0.003	-3
5/2/2007	10:55:34	0.011	-0.011	-11
5/2/2007	11:10:34	0.013	-0.009	-9
5/2/2007	11:25:34	0.014	-0.008	-8
5/2/2007	11:40:34	0.017	-0.005	-5
5/2/2007	11:55:34	0.013	-0.009	-9
5/2/2007	12:10:34	0.017	-0.005	-5
5/2/2007	12:25:34	0.009	-0.013	-13
5/2/2007	12:40:34	0.009	-0.013	-13
5/2/2007	12:55:34	0.009	-0.013	-13
5/2/2007	13:10:34	0.009	-0.013	-13
5/2/2007	13:25:34	0.013	-0.009	-9
5/2/2007	13:40:34	0.009	-0.013	-13
5/2/2007	13:55:34	0.012	-0.01	-10
5/2/2007	14:10:34	0.011	-0.011	-11
5/2/2007	14:25:34	0.013	-0.009	-9
5/2/2007	14:40:34	0.01	-0.012	-12
5/2/2007	14:55:34	0.008	-0.014	-14
5/2/2007	15:10:34	0.009	-0.013	-13
5/2/2007	15:25:34	0.007	-0.015	-15
5/2/2007	15:40:34	0.013	-0.009	-9
5/2/2007	15:55:34	0.008	-0.014	-14
5/2/2007	16:10:34	0.006	-0.016	-16
5/2/2007	16:25:34	0.018	-0.004	-4
5/2/2007	16:40:34	0.007	-0.015	-15
5/2/2007	16:55:34	0.007	-0.015	-15
5/2/2007	17:10:34	0.006	-0.016	-16
5/2/2007	17:25:34	0.006	-0.016	-16
5/2/2007	17:40:34	0.009	-0.013	-13
5/2/2007	17:55:34	0.005	-0.017	-17
5/2/2007	18:10:34	0.007	-0.015	-15
5/2/2007	18:25:34	0.008	-0.014	-14
5/2/2007	18:40:34	0.01	-0.012	-12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/03/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0601) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/3/2007 6:18	0		-0.1
2	5/3/2007 6:33	0		-0.1
3	5/3/2007 6:48	0		-0.1
4	5/3/2007 7:03	0		-0.1
5	5/3/2007 7:18	0		-0.1
6	5/3/2007 7:33	0		-0.1
7	5/3/2007 7:48	0		-0.1
8	5/3/2007 8:03	0		-0.1
9	5/3/2007 8:18	0		-0.1
10	5/3/2007 8:33	0		-0.1
11	5/3/2007 8:48	0		-0.1
12	5/3/2007 9:03	0.1		0
13	5/3/2007 9:18	0.1		0
14	5/3/2007 9:33	0.1		0
15	5/3/2007 9:48	0.1		0
16	5/3/2007 10:03	0.1		0
17	5/3/2007 10:18	0.1		0
18	5/3/2007 10:33	0.1		0
19	5/3/2007 10:48	0.1		0
20	5/3/2007 11:03	0.1		0
21	5/3/2007 11:18	0.1		0
22	5/3/2007 11:33	0.1		0
23	5/3/2007 11:48	0.1		0
24	5/3/2007 12:03	0.1		0
25	5/3/2007 12:18	0		-0.1
26	5/3/2007 12:33	0		-0.1
27	5/3/2007 12:48	0.1		0
28	5/3/2007 13:03	0.1		0
29	5/3/2007 13:18	0.1		0
30	5/3/2007 13:33	0.1		0
31	5/3/2007 13:48	0.1		0
32	5/3/2007 14:03	0.1		0
33	5/3/2007 14:18	0.1		0
34	5/3/2007 14:33	0.1		0
35	5/3/2007 14:48	0.1		0
36	5/3/2007 15:03	0.1		0
37	5/3/2007 15:18	0.1		0
38	5/3/2007 15:33	0.1		0
39	5/3/2007 15:48	0.1		0
40	5/3/2007 16:03	0.1		0
41	5/3/2007 16:18	0.1		0
42	5/3/2007 16:33	0.1		0
43	5/3/2007 16:48	0.1		0
44	5/3/2007 17:03	0.1		0
45	5/3/2007 17:18	0		-0.1
46	5/3/2007 17:33	0		-0.1
47	5/3/2007 17:48	0		-0.1
48	5/3/2007 18:03	0		-0.1
49	5/3/2007 18:18	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/3/2007
Start Time:	6:02:12
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0601) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/3/2007	6:17:12	0.016	0.004	4
5/3/2007	6:32:12	0.019	0.007	7
5/3/2007	6:47:12	0.017	0.005	5
5/3/2007	7:02:12	0.024	0.012	12
5/3/2007	7:17:12	0.02	0.008	8
5/3/2007	7:32:12	0.024	0.012	12
5/3/2007	7:47:12	0.021	0.009	9
5/3/2007	8:02:12	0.019	0.007	7
5/3/2007	8:17:12	0.018	0.006	6
5/3/2007	8:32:12	0.017	0.005	5
5/3/2007	8:47:12	0.014	0.002	2
5/3/2007	9:02:12	0.014	0.002	2
5/3/2007	9:17:12	0.011	-0.001	-1
5/3/2007	9:32:12	0.01	-0.002	-2
5/3/2007	9:47:12	0.012	0	0
5/3/2007	10:02:12	0.01	-0.002	-2
5/3/2007	10:17:12	0.011	-0.001	-1
5/3/2007	10:32:12	0.01	-0.002	-2
5/3/2007	10:47:12	0.011	-0.001	-1
5/3/2007	11:02:12	0.009	-0.003	-3
5/3/2007	11:17:12	0.01	-0.002	-2
5/3/2007	11:32:12	0.038	0.026	26
5/3/2007	11:47:12	0.01	-0.002	-2
5/3/2007	12:02:12	0.009	-0.003	-3
5/3/2007	12:17:12	0.01	-0.002	-2
5/3/2007	12:32:12	0.01	-0.002	-2
5/3/2007	12:47:12	0.012	0	0
5/3/2007	13:02:12	0.014	0.002	2
5/3/2007	13:17:12	0.009	-0.003	-3
5/3/2007	13:32:12	0.015	0.003	3
5/3/2007	13:47:12	0.01	-0.002	-2
5/3/2007	14:02:12	0.011	-0.001	-1
5/3/2007	14:17:12	0.013	0.001	1
5/3/2007	14:32:12	0.011	-0.001	-1
5/3/2007	14:47:12	0.013	0.001	1
5/3/2007	15:02:12	0.012	0	0
5/3/2007	15:17:12	0.011	-0.001	-1
5/3/2007	15:32:12	0.013	0.001	1
5/3/2007	15:47:12	0.011	-0.001	-1
5/3/2007	16:02:12	0.01	-0.002	-2
5/3/2007	16:17:12	0.01	-0.002	-2
5/3/2007	16:32:12	0.01	-0.002	-2
5/3/2007	16:47:12	0.012	0	0
5/3/2007	17:02:12	0.011	-0.001	-1
5/3/2007	17:17:12	0.013	0.001	1
5/3/2007	17:32:12	0.014	0.002	2
5/3/2007	17:47:12	0.013	0.001	1
5/3/2007	18:02:12	0.013	0.001	1
5/3/2007	18:17:12	0.012	0	0
5/3/2007	18:32:12	0.013	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/03/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0559) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/3/2007 6:17	0		0
2	5/3/2007 6:32	0		0
3	5/3/2007 6:47	0		0
4	5/3/2007 7:02	0		0
5	5/3/2007 7:17	0.1		0.1
6	5/3/2007 7:32	0.1		0.1
7	5/3/2007 7:47	0.1		0.1
8	5/3/2007 8:02	0.1		0.1
9	5/3/2007 8:17	0.1		0.1
10	5/3/2007 8:32	0.2		0.2
11	5/3/2007 8:47	0.2		0.2
12	5/3/2007 9:02	0.2		0.2
13	5/3/2007 9:17	0.2		0.2
14	5/3/2007 9:32	0.2		0.2
15	5/3/2007 9:47	0.2		0.2
16	5/3/2007 10:02	0.2		0.2
17	5/3/2007 10:17	0.2		0.2
18	5/3/2007 10:32	0.2		0.2
19	5/3/2007 10:47	0.2		0.2
20	5/3/2007 11:02	0.2		0.2
21	5/3/2007 11:17	0.3		0.3
22	5/3/2007 11:32	0.2		0.2
23	5/3/2007 11:47	0.2		0.2
24	5/3/2007 12:02	0.3		0.3
25	5/3/2007 12:17	0.3		0.3
26	5/3/2007 12:32	0.3		0.3
27	5/3/2007 12:47	0.3		0.3
28	5/3/2007 13:02	0.3		0.3
29	5/3/2007 13:17	0.3		0.3
30	5/3/2007 13:32	0.3		0.3
31	5/3/2007 13:47	0.3		0.3
32	5/3/2007 14:02	0.3		0.3
33	5/3/2007 14:17	0.3		0.3
34	5/3/2007 14:32	0.3		0.3
35	5/3/2007 14:47	0.3		0.3
36	5/3/2007 15:02	0.3		0.3
37	5/3/2007 15:17	0.3		0.3
38	5/3/2007 15:32	0.3		0.3
39	5/3/2007 15:47	0.4		0.4
40	5/3/2007 16:02	0.4		0.4
41	5/3/2007 16:17	0.4		0.4
42	5/3/2007 16:32	0.4		0.4
43	5/3/2007 16:47	0.4		0.4
44	5/3/2007 17:02	0.4		0.4
45	5/3/2007 17:17	0.3		0.3
46	5/3/2007 17:32	0.3		0.3
47	5/3/2007 17:47	0.3		0.3
48	5/3/2007 18:02	0.3		0.3
49	5/3/2007 18:17	0.3		0.3
50	5/3/2007 18:32	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	5/3/2007
Start Time:	6:03:13
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (0559) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/3/2007	6:18:13	0.01	0.005	5
5/3/2007	6:33:13	0.011	0.006	6
5/3/2007	6:48:13	0.01	0.005	5
5/3/2007	7:03:13	0.013	0.008	8
5/3/2007	7:18:13	0.013	0.008	8
5/3/2007	7:33:13	0.013	0.008	8
5/3/2007	7:48:13	0.014	0.009	9
5/3/2007	8:03:13	0.011	0.006	6
5/3/2007	8:18:13	0.011	0.006	6
5/3/2007	8:33:13	0.008	0.003	3
5/3/2007	8:48:13	0.008	0.003	3
5/3/2007	9:03:13	0.007	0.002	2
5/3/2007	9:18:13	0.007	0.002	2
5/3/2007	9:33:13	0.006	0.001	1
5/3/2007	9:48:13	0.007	0.002	2
5/3/2007	10:03:13	0.006	0.001	1
5/3/2007	10:18:13	0.005	0	0
5/3/2007	10:33:13	0.006	0.001	1
5/3/2007	10:48:13	0.007	0.002	2
5/3/2007	11:03:13	0.006	0.001	1
5/3/2007	11:18:13	0.009	0.004	4
5/3/2007	11:33:13	0.01	0.005	5
5/3/2007	11:48:13	0.007	0.002	2
5/3/2007	12:03:13	0.006	0.001	1
5/3/2007	12:18:13	0.006	0.001	1
5/3/2007	12:33:13	0.006	0.001	1
5/3/2007	12:48:13	0.007	0.002	2
5/3/2007	13:03:13	0.007	0.002	2
5/3/2007	13:18:13	0.006	0.001	1
5/3/2007	13:33:13	0.006	0.001	1
5/3/2007	13:48:13	0.006	0.001	1
5/3/2007	14:03:13	0.008	0.003	3
5/3/2007	14:18:13	0.009	0.004	4
5/3/2007	14:33:13	0.007	0.002	2
5/3/2007	14:48:13	0.008	0.003	3
5/3/2007	15:03:13	0.007	0.002	2
5/3/2007	15:18:13	0.007	0.002	2
5/3/2007	15:33:13	0.006	0.001	1
5/3/2007	15:48:13	0.007	0.002	2
5/3/2007	16:03:13	0.006	0.001	1
5/3/2007	16:18:13	0.007	0.002	2
5/3/2007	16:33:13	0.007	0.002	2
5/3/2007	16:48:13	0.007	0.002	2
5/3/2007	17:03:13	0.007	0.002	2
5/3/2007	17:18:13	0.008	0.003	3
5/3/2007	17:33:13	0.01	0.005	5
5/3/2007	17:48:13	0.01	0.005	5
5/3/2007	18:03:13	0.009	0.004	4
5/3/2007	18:18:13	0.009	0.004	4
5/3/2007	18:33:13	0.01	0.005	5
5/3/2007	18:48:13	0.01	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/03/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/3/2007 6:36	0		0
2	5/3/2007 6:51	0		0
3	5/3/2007 7:06	0		0
4	5/3/2007 7:21	0.1		0.1
5	5/3/2007 7:36	0.2		0.2
6	5/3/2007 7:51	0.2		0.2
7	5/3/2007 8:06	0.2		0.2
8	5/3/2007 8:21	0.3		0.3
9	5/3/2007 8:36	0.3		0.3
10	5/3/2007 8:51	0.3		0.3
11	5/3/2007 9:06	0.3		0.3
12	5/3/2007 9:21	0.3		0.3
13	5/3/2007 9:36	0.4		0.4
14	5/3/2007 9:51	0.4		0.4
15	5/3/2007 10:06	0.4		0.4
16	5/3/2007 10:21	0.4		0.4
17	5/3/2007 10:36	0.4		0.4
18	5/3/2007 10:51	0.4		0.4
19	5/3/2007 11:06	0.5		0.5
20	5/3/2007 11:21	0.5		0.5
21	5/3/2007 11:36	0.4		0.4
22	5/3/2007 11:51	0.4		0.4
23	5/3/2007 12:06	0.4		0.4
24	5/3/2007 12:21	0.4		0.4
25	5/3/2007 12:36	0.5		0.5
26	5/3/2007 12:51	0.5		0.5
27	5/3/2007 13:06	0.5		0.5
28	5/3/2007 13:21	0.5		0.5
29	5/3/2007 13:36	0.5		0.5
30	5/3/2007 13:51	0.5		0.5
31	5/3/2007 14:06	0.5		0.5
32	5/3/2007 14:21	0.5		0.5
33	5/3/2007 14:36	0.5		0.5
34	5/3/2007 14:51	0.5		0.5
35	5/3/2007 15:06	0.5		0.5
36	5/3/2007 15:21	0.6		0.6
37	5/3/2007 15:36	0.6		0.6
38	5/3/2007 15:51	0.6		0.6
39	5/3/2007 16:06	0.6		0.6
40	5/3/2007 16:21	0.6		0.6
41	5/3/2007 16:36	0.6		0.6
42	5/3/2007 16:51	0.6		0.6
43	5/3/2007 17:06	0.6		0.6
44	5/3/2007 17:21	0.5		0.5
45	5/3/2007 17:36	0.5		0.5
46	5/3/2007 17:51	0.5		0.5
47	5/3/2007 18:06	0.5		0.5
48	5/3/2007 18:21	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	5/3/2007
Start Time:	6:22:17
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0620) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/3/2007	6:37:17	0.015	0.003	3
5/3/2007	6:52:17	0.015	0.003	3
5/3/2007	7:07:17	0.02	0.008	8
5/3/2007	7:22:17	0.016	0.004	4
5/3/2007	7:37:17	0.018	0.006	6
5/3/2007	7:52:17	0.015	0.003	3
5/3/2007	8:07:17	0.016	0.004	4
5/3/2007	8:22:17	0.012	0	0
5/3/2007	8:37:17	0.012	0	0
5/3/2007	8:52:17	0.013	0.001	1
5/3/2007	9:07:17	0.009	-0.003	-3
5/3/2007	9:22:17	0.009	-0.003	-3
5/3/2007	9:37:17	0.014	0.002	2
5/3/2007	9:52:17	0.007	-0.005	-5
5/3/2007	10:07:17	0.008	-0.004	-4
5/3/2007	10:22:17	0.007	-0.005	-5
5/3/2007	10:37:17	0.007	-0.005	-5
5/3/2007	10:52:17	0.006	-0.006	-6
5/3/2007	11:07:17	0.006	-0.006	-6
5/3/2007	11:22:17	0.019	0.007	7
5/3/2007	11:37:17	0.011	-0.001	-1
5/3/2007	11:52:17	0.01	-0.002	-2
5/3/2007	12:07:17	0.009	-0.003	-3
5/3/2007	12:22:17	0.009	-0.003	-3
5/3/2007	12:37:17	0.009	-0.003	-3
5/3/2007	12:52:17	0.008	-0.004	-4
5/3/2007	13:07:17	0.013	0.001	1
5/3/2007	13:22:17	0.011	-0.001	-1
5/3/2007	13:37:17	0.01	-0.002	-2
5/3/2007	13:52:17	0.01	-0.002	-2
5/3/2007	14:07:17	0.009	-0.003	-3
5/3/2007	14:22:17	0.019	0.007	7
5/3/2007	14:37:17	0.012	0	0
5/3/2007	14:52:17	0.013	0.001	1
5/3/2007	15:07:17	0.01	-0.002	-2
5/3/2007	15:22:17	0.008	-0.004	-4
5/3/2007	15:37:17	0.01	-0.002	-2
5/3/2007	15:52:17	0.01	-0.002	-2
5/3/2007	16:07:17	0.009	-0.003	-3
5/3/2007	16:22:17	0.009	-0.003	-3
5/3/2007	16:37:17	0.008	-0.004	-4
5/3/2007	16:52:17	0.01	-0.002	-2
5/3/2007	17:07:17	0.009	-0.003	-3
5/3/2007	17:22:17	0.012	0	0
5/3/2007	17:37:17	0.012	0	0
5/3/2007	17:52:17	0.012	0	0
5/3/2007	18:07:17	0.012	0	0
5/3/2007	18:22:17	0.012	0	0
5/3/2007	18:37:17	0.012	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/03/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	10	10	10

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/3/2007 6:32	0.1		0.1
2	5/3/2007 6:47	0.1		0.1
3	5/3/2007 7:02	0.1		0.1
4	5/3/2007 7:17	0.2		0.2
5	5/3/2007 7:32	0.2		0.2
6	5/3/2007 7:47	0.3		0.3
7	5/3/2007 8:02	0.3		0.3
8	5/3/2007 8:17	0.4		0.4
9	5/3/2007 8:32	0.4		0.4
10	5/3/2007 8:47	0.4		0.4
11	5/3/2007 9:02	0.5		0.5
12	5/3/2007 9:17	0.5		0.5
13	5/3/2007 9:32	0.5		0.5
14	5/3/2007 9:47	0.5		0.5
15	5/3/2007 10:02	0.5		0.5
16	5/3/2007 10:17	0.6		0.6
17	5/3/2007 10:32	0.6		0.6
18	5/3/2007 10:47	0.7		0.7
19	5/3/2007 11:02	0.8		0.8
20	5/3/2007 11:17	0.8		0.8
21	5/3/2007 11:32	0.9		0.9
22	5/3/2007 11:47	0.9		0.9
23	5/3/2007 12:02	0.9		0.9
24	5/3/2007 12:17	1		1
25	5/3/2007 12:32	1		1
26	5/3/2007 12:47	1		1
27	5/3/2007 13:02	1		1
28	5/3/2007 13:17	1		1
29	5/3/2007 13:32	1		1
30	5/3/2007 13:47	1		1
31	5/3/2007 14:02	1		1
32	5/3/2007 14:17	1.1		1.1
33	5/3/2007 14:32	1.1		1.1
34	5/3/2007 14:47	1.1		1.1
35	5/3/2007 15:02	1.1		1.1
36	5/3/2007 15:17	1.1		1.1
37	5/3/2007 15:32	1.2		1.2
38	5/3/2007 15:47	1.2		1.2
39	5/3/2007 16:02	1.3		1.3
40	5/3/2007 16:17	1.3		1.3
41	5/3/2007 16:32	1.4		1.4
42	5/3/2007 16:47	1.5		1.5
43	5/3/2007 17:02	1.6		1.6
44	5/3/2007 17:17	1.5		1.5
45	5/3/2007 17:32	1.2		1.2
46	5/3/2007 17:47	1.1		1.1
47	5/3/2007 18:02	1		1
48	5/3/2007 18:17	0.9		0.9

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	5/3/2007
Start Time:	6:18:13
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0615) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/3/2007	6:33:13	0.019	-0.012	-12
5/3/2007	6:48:13	0.013	-0.018	-18
5/3/2007	7:03:13	0.019	-0.012	-12
5/3/2007	7:18:13	0.014	-0.017	-17
5/3/2007	7:33:13	0.021	-0.01	-10
5/3/2007	7:48:13	0.012	-0.019	-19
5/3/2007	8:03:13	0.015	-0.016	-16
5/3/2007	8:18:13	0.012	-0.019	-19
5/3/2007	8:33:13	0.015	-0.016	-16
5/3/2007	8:48:13	0.007	-0.024	-24
5/3/2007	9:03:13	0.011	-0.02	-20
5/3/2007	9:18:13	0.01	-0.021	-21
5/3/2007	9:33:13	0.008	-0.023	-23
5/3/2007	9:48:13	0.006	-0.025	-25
5/3/2007	10:03:13	0.01	-0.021	-21
5/3/2007	10:18:13	0.006	-0.025	-25
5/3/2007	10:33:13	0.01	-0.021	-21
5/3/2007	10:48:13	0.006	-0.025	-25
5/3/2007	11:03:13	0.007	-0.024	-24
5/3/2007	11:18:13	0.006	-0.025	-25
5/3/2007	11:33:13	0.007	-0.024	-24
5/3/2007	11:48:13	0.006	-0.025	-25
5/3/2007	12:03:13	0.005	-0.026	-26
5/3/2007	12:18:13	0.006	-0.025	-25
5/3/2007	12:33:13	0.006	-0.025	-25
5/3/2007	12:48:13	0.006	-0.025	-25
5/3/2007	13:03:13	0.009	-0.022	-22
5/3/2007	13:18:13	0.005	-0.026	-26
5/3/2007	13:33:13	0.007	-0.024	-24
5/3/2007	13:48:13	0.005	-0.026	-26
5/3/2007	14:03:13	0.007	-0.024	-24
5/3/2007	14:18:13	0.012	-0.019	-19
5/3/2007	14:33:13	0.008	-0.023	-23
5/3/2007	14:48:13	0.009	-0.022	-22
5/3/2007	15:03:13	0.009	-0.022	-22
5/3/2007	15:18:13	0.006	-0.025	-25
5/3/2007	15:33:13	0.006	-0.025	-25
5/3/2007	15:48:13	0.005	-0.026	-26
5/3/2007	16:03:13	0.005	-0.026	-26
5/3/2007	16:18:13	0.006	-0.025	-25
5/3/2007	16:33:13	0.005	-0.026	-26
5/3/2007	16:48:13	0.008	-0.023	-23
5/3/2007	17:03:13	0.007	-0.024	-24
5/3/2007	17:18:13	0.008	-0.023	-23
5/3/2007	17:33:13	0.011	-0.02	-20
5/3/2007	17:48:13	0.008	-0.023	-23
5/3/2007	18:03:13	0.008	-0.023	-23
5/3/2007	18:18:13	0.008	-0.023	-23
5/3/2007	18:33:13	0.008	-0.023	-23

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/04/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/4/2007 6:22	0		-0.1
2	5/4/2007 6:37	0.1		0
3	5/4/2007 6:52	0.1		0
4	5/4/2007 7:07	0.1		0
5	5/4/2007 7:22	0.1		0
6	5/4/2007 7:37	0.1		0
7	5/4/2007 7:52	0.2		0.1
8	5/4/2007 8:07	0.1		0
9	5/4/2007 8:22	0.1		0
10	5/4/2007 8:37	0.2		0.1
11	5/4/2007 8:52	0.2		0.1
12	5/4/2007 9:07	0.2		0.1
13	5/4/2007 9:22	0.2		0.1
14	5/4/2007 9:37	0.2		0.1
15	5/4/2007 9:52	0.2		0.1
16	5/4/2007 10:07	0.2		0.1
17	5/4/2007 10:22	0.2		0.1
18	5/4/2007 10:37	0.3		0.2
19	5/4/2007 10:52	0.2		0.1
20	5/4/2007 11:07	0.3		0.2
21	5/4/2007 11:22	0.2		0.1
22	5/4/2007 11:37	0.2		0.1
23	5/4/2007 11:52	0.2		0.1
24	5/4/2007 12:07	0.2		0.1
25	5/4/2007 12:22	0.2		0.1
26	5/4/2007 12:37	0.2		0.1
27	5/4/2007 12:52	0.2		0.1
28	5/4/2007 13:07	0.2		0.1
29	5/4/2007 13:22	0.2		0.1
30	5/4/2007 13:37	0.2		0.1
31	5/4/2007 13:52	0.2		0.1
32	5/4/2007 14:07	0.2		0.1
33	5/4/2007 14:22	0.2		0.1
34	5/4/2007 14:37	0.2		0.1
35	5/4/2007 14:52	0.2		0.1
36	5/4/2007 15:07	0.2		0.1
37	5/4/2007 15:22	0.2		0.1
38	5/4/2007 15:37	0.2		0.1
39	5/4/2007 15:52	0.2		0.1
40	5/4/2007 16:07	0.3		0.2
41	5/4/2007 16:22	0.3		0.2
42	5/4/2007 16:37	0.2		0.1
43	5/4/2007 16:52	0.2		0.1
44	5/4/2007 17:07	0.2		0.1
45	5/4/2007 17:22	0.2		0.1
46	5/4/2007 17:37	0.2		0.1
47	5/4/2007 17:52	0.2		0.1
48	5/4/2007 18:07	0.2		0.1
49	5/4/2007 18:22	0.2		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/4/2007
Start Time:	6:08:19
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0607) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/4/2007	6:23:19	0.034	0.017	17
5/4/2007	6:38:19	0.024	0.007	7
5/4/2007	6:53:19	0.018	0.001	1
5/4/2007	7:08:19	0.02	0.003	3
5/4/2007	7:23:19	0.018	0.001	1
5/4/2007	7:38:19	0.02	0.003	3
5/4/2007	7:53:19	0.021	0.004	4
5/4/2007	8:08:19	0.034	0.017	17
5/4/2007	8:23:19	0.027	0.01	10
5/4/2007	8:38:19	0.021	0.004	4
5/4/2007	8:53:19	0.014	-0.003	-3
5/4/2007	9:08:19	0.016	-0.001	-1
5/4/2007	9:23:19	0.012	-0.005	-5
5/4/2007	9:38:19	0.015	-0.002	-2
5/4/2007	9:53:19	0.013	-0.004	-4
5/4/2007	10:08:19	0.013	-0.004	-4
5/4/2007	10:23:19	0.014	-0.003	-3
5/4/2007	10:38:19	0.01	-0.007	-7
5/4/2007	10:53:19	0.015	-0.002	-2
5/4/2007	11:08:19	0.012	-0.005	-5
5/4/2007	11:23:19	0.012	-0.005	-5
5/4/2007	11:38:19	0.012	-0.005	-5
5/4/2007	11:53:19	0.011	-0.006	-6
5/4/2007	12:08:19	0.011	-0.006	-6
5/4/2007	12:23:19	0.011	-0.006	-6
5/4/2007	12:38:19	0.012	-0.005	-5
5/4/2007	12:53:19	0.011	-0.006	-6
5/4/2007	13:08:19	0.012	-0.005	-5
5/4/2007	13:23:19	0.016	-0.001	-1
5/4/2007	13:38:19	0.021	0.004	4
5/4/2007	13:53:19	0.014	-0.003	-3
5/4/2007	14:08:19	0.013	-0.004	-4
5/4/2007	14:23:19	0.032	0.015	15
5/4/2007	14:38:19	0.018	0.001	1
5/4/2007	14:53:19	0.026	0.009	9
5/4/2007	15:08:19	0.024	0.007	7
5/4/2007	15:23:19	0.02	0.003	3
5/4/2007	15:38:19	0.013	-0.004	-4
5/4/2007	15:53:19	0.014	-0.003	-3
5/4/2007	16:08:19	0.016	-0.001	-1
5/4/2007	16:23:19	0.009	-0.008	-8
5/4/2007	16:38:19	0.011	-0.006	-6
5/4/2007	16:53:19	0.01	-0.007	-7
5/4/2007	17:08:19	0.011	-0.006	-6
5/4/2007	17:23:19	0.011	-0.006	-6
5/4/2007	17:38:19	0.013	-0.004	-4
5/4/2007	17:53:19	0.01	-0.007	-7
5/4/2007	18:08:19	0.012	-0.005	-5
5/4/2007	18:23:19	0.011	-0.006	-6
5/4/2007	18:38:19	0.015	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/04/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/4/2007 6:29	0		0
2	5/4/2007 6:44	0		0
3	5/4/2007 6:59	0		0
4	5/4/2007 7:14	0.1		0.1
5	5/4/2007 7:29	0.1		0.1
6	5/4/2007 7:44	0.1		0.1
7	5/4/2007 7:59	0.2		0.2
8	5/4/2007 8:14	0.2		0.2
9	5/4/2007 8:29	0.2		0.2
10	5/4/2007 8:44	0.2		0.2
11	5/4/2007 8:59	0.2		0.2
12	5/4/2007 9:14	0.3		0.3
13	5/4/2007 9:29	0.3		0.3
14	5/4/2007 9:44	0.3		0.3
15	5/4/2007 9:59	0.3		0.3
16	5/4/2007 10:14	0.3		0.3
17	5/4/2007 10:29	0.3		0.3
18	5/4/2007 10:44	0.3		0.3
19	5/4/2007 10:59	0.3		0.3
20	5/4/2007 11:14	0.3		0.3
21	5/4/2007 11:29	0.3		0.3
22	5/4/2007 11:44	0.3		0.3
23	5/4/2007 11:59	0.3		0.3
24	5/4/2007 12:14	0.3		0.3
25	5/4/2007 12:29	0.3		0.3
26	5/4/2007 12:44	0.4		0.4
27	5/4/2007 12:59	0.3		0.3
28	5/4/2007 13:14	0.3		0.3
29	5/4/2007 13:29	0.4		0.4
30	5/4/2007 13:44	0.4		0.4
31	5/4/2007 13:59	0.4		0.4
32	5/4/2007 14:14	0.4		0.4
33	5/4/2007 14:29	0.4		0.4
34	5/4/2007 14:44	0.4		0.4
35	5/4/2007 14:59	0.4		0.4
36	5/4/2007 15:14	0.4		0.4
37	5/4/2007 15:29	0.4		0.4
38	5/4/2007 15:44	0.4		0.4
39	5/4/2007 15:59	0.4		0.4
40	5/4/2007 16:14	0.5		0.5
41	5/4/2007 16:29	0.5		0.5
42	5/4/2007 16:44	0.5		0.5
43	5/4/2007 16:59	0.5		0.5
44	5/4/2007 17:14	0.5		0.5
45	5/4/2007 17:29	0.5		0.5
46	5/4/2007 17:44	0.5		0.5
47	5/4/2007 17:59	0.5		0.5
48	5/4/2007 18:14	0.5		0.5
49	5/4/2007 18:29	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	5/4/2007
Start Time:	6:13:35
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0612) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/4/2007	6:28:35	0.01	0	0
5/4/2007	6:43:35	0.011	0.001	1
5/4/2007	6:58:35	0.01	0	0
5/4/2007	7:13:35	0.01	0	0
5/4/2007	7:28:35	0.012	0.002	2
5/4/2007	7:43:35	0.01	0	0
5/4/2007	7:58:35	0.009	-0.001	-1
5/4/2007	8:13:35	0.009	-0.001	-1
5/4/2007	8:28:35	0.009	-0.001	-1
5/4/2007	8:43:35	0.009	-0.001	-1
5/4/2007	8:58:35	0.009	-0.001	-1
5/4/2007	9:13:35	0.007	-0.003	-3
5/4/2007	9:28:35	0.007	-0.003	-3
5/4/2007	9:43:35	0.008	-0.002	-2
5/4/2007	9:58:35	0.012	0.002	2
5/4/2007	10:13:35	0.006	-0.004	-4
5/4/2007	10:28:35	0.006	-0.004	-4
5/4/2007	10:43:35	0.007	-0.003	-3
5/4/2007	10:58:35	0.008	-0.002	-2
5/4/2007	11:13:35	0.008	-0.002	-2
5/4/2007	11:28:35	0.008	-0.002	-2
5/4/2007	11:43:35	0.008	-0.002	-2
5/4/2007	11:58:35	0.007	-0.003	-3
5/4/2007	12:13:35	0.006	-0.004	-4
5/4/2007	12:28:35	0.008	-0.002	-2
5/4/2007	12:43:35	0.007	-0.003	-3
5/4/2007	12:58:35	0.006	-0.004	-4
5/4/2007	13:13:35	0.008	-0.002	-2
5/4/2007	13:28:35	0.007	-0.003	-3
5/4/2007	13:43:35	0.008	-0.002	-2
5/4/2007	13:58:35	0.008	-0.002	-2
5/4/2007	14:13:35	0.007	-0.003	-3
5/4/2007	14:28:35	0.008	-0.002	-2
5/4/2007	14:43:35	0.007	-0.003	-3
5/4/2007	14:58:35	0.008	-0.002	-2
5/4/2007	15:13:35	0.009	-0.001	-1
5/4/2007	15:28:35	0.011	0.001	1
5/4/2007	15:43:35	0.008	-0.002	-2
5/4/2007	15:58:35	0.01	0	0
5/4/2007	16:13:35	0.008	-0.002	-2
5/4/2007	16:28:35	0.006	-0.004	-4
5/4/2007	16:43:35	0.008	-0.002	-2
5/4/2007	16:58:35	0.006	-0.004	-4
5/4/2007	17:13:35	0.007	-0.003	-3
5/4/2007	17:28:35	0.006	-0.004	-4
5/4/2007	17:43:35	0.008	-0.002	-2
5/4/2007	17:58:35	0.008	-0.002	-2
5/4/2007	18:13:35	0.007	-0.003	-3
5/4/2007	18:28:35	0.008	-0.002	-2
5/4/2007	18:43:35	0.008	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/04/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/4/2007 6:48	0		0
2	5/4/2007 7:03	0		0
3	5/4/2007 7:18	0.1		0.1
4	5/4/2007 7:33	0.1		0.1
5	5/4/2007 7:48	0.1		0.1
6	5/4/2007 8:03	0.1		0.1
7	5/4/2007 8:18	0.2		0.2
8	5/4/2007 8:33	0.2		0.2
9	5/4/2007 8:48	0.2		0.2
10	5/4/2007 9:03	0.3		0.3
11	5/4/2007 9:18	0.3		0.3
12	5/4/2007 9:33	0.3		0.3
13	5/4/2007 9:48	0.3		0.3
14	5/4/2007 10:03	0.3		0.3
15	5/4/2007 10:18	0.3		0.3
16	5/4/2007 10:33	0.3		0.3
17	5/4/2007 10:48	0.3		0.3
18	5/4/2007 11:03	0.3		0.3
19	5/4/2007 11:18	0.3		0.3
20	5/4/2007 11:33	0.3		0.3
21	5/4/2007 11:48	0.3		0.3
22	5/4/2007 12:03	0.4		0.4
23	5/4/2007 12:18	0.4		0.4
24	5/4/2007 12:33	0.4		0.4
25	5/4/2007 12:48	0.4		0.4
26	5/4/2007 13:03	0.4		0.4
27	5/4/2007 13:18	0.4		0.4
28	5/4/2007 13:33	0.4		0.4
29	5/4/2007 13:48	0.4		0.4
30	5/4/2007 14:03	0.4		0.4
31	5/4/2007 14:18	0.4		0.4
32	5/4/2007 14:33	0.4		0.4
33	5/4/2007 14:48	0.4		0.4
34	5/4/2007 15:03	0.4		0.4
35	5/4/2007 15:18	0.4		0.4
36	5/4/2007 15:33	0.4		0.4
37	5/4/2007 15:48	0.4		0.4
38	5/4/2007 16:03	0.4		0.4
39	5/4/2007 16:18	0.4		0.4
40	5/4/2007 16:33	0.4		0.4
41	5/4/2007 16:48	0.4		0.4
42	5/4/2007 17:03	0.4		0.4
43	5/4/2007 17:18	0.4		0.4
44	5/4/2007 17:33	0.4		0.4
45	5/4/2007 17:48	0.3		0.3
46	5/4/2007 18:03	0.3		0.3
47	5/4/2007 18:18	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	5/4/2007
Start Time:	6:33:20
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0630) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/4/2007	6:48:20	0.014	0.002	2
5/4/2007	7:03:20	0.014	0.002	2
5/4/2007	7:18:20	0.013	0.001	1
5/4/2007	7:33:20	0.013	0.001	1
5/4/2007	7:48:20	0.015	0.003	3
5/4/2007	8:03:20	0.012	0	0
5/4/2007	8:18:20	0.014	0.002	2
5/4/2007	8:33:20	0.012	0	0
5/4/2007	8:48:20	0.014	0.002	2
5/4/2007	9:03:20	0.012	0	0
5/4/2007	9:18:20	0.011	-0.001	-1
5/4/2007	9:33:20	0.014	0.002	2
5/4/2007	9:48:20	0.012	0	0
5/4/2007	10:03:20	0.01	-0.002	-2
5/4/2007	10:18:20	0.012	0	0
5/4/2007	10:33:20	0.009	-0.003	-3
5/4/2007	10:48:20	0.013	0.001	1
5/4/2007	11:03:20	0.008	-0.004	-4
5/4/2007	11:18:20	0.015	0.003	3
5/4/2007	11:33:20	0.011	-0.001	-1
5/4/2007	11:48:20	0.009	-0.003	-3
5/4/2007	12:03:20	0.009	-0.003	-3
5/4/2007	12:18:20	0.008	-0.004	-4
5/4/2007	12:33:20	0.01	-0.002	-2
5/4/2007	12:48:20	0.007	-0.005	-5
5/4/2007	13:03:20	0.008	-0.004	-4
5/4/2007	13:18:20	0.017	0.005	5
5/4/2007	13:33:20	0.016	0.004	4
5/4/2007	13:48:20	0.018	0.006	6
5/4/2007	14:03:20	0.024	0.012	12
5/4/2007	14:18:20	0.028	0.016	16
5/4/2007	14:33:20	0.016	0.004	4
5/4/2007	14:48:20	0.011	-0.001	-1
5/4/2007	15:03:20	0.011	-0.001	-1
5/4/2007	15:18:20	0.016	0.004	4
5/4/2007	15:33:20	0.015	0.003	3
5/4/2007	15:48:20	0.012	0	0
5/4/2007	16:03:20	0.01	-0.002	-2
5/4/2007	16:18:20	0.013	0.001	1
5/4/2007	16:33:20	0.012	0	0
5/4/2007	16:48:20	0.015	0.003	3
5/4/2007	17:03:20	0.009	-0.003	-3
5/4/2007	17:18:20	0.019	0.007	7
5/4/2007	17:33:20	0.011	-0.001	-1
5/4/2007	17:48:20	0.013	0.001	1
5/4/2007	18:03:20	0.029	0.017	17
5/4/2007	18:18:20	0.013	0.001	1
5/4/2007	18:33:20	0.025	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/04/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	10	10	10

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/4/2007 6:44	0.1		0.1
2	5/4/2007 6:59	0.2		0.2
3	5/4/2007 7:14	0.3		0.3
4	5/4/2007 7:29	0.4		0.4
5	5/4/2007 7:44	0.4		0.4
6	5/4/2007 7:59	0.5		0.5
7	5/4/2007 8:14	0.6		0.6
8	5/4/2007 8:29	0.6		0.6
9	5/4/2007 8:44	0.7		0.7
10	5/4/2007 8:59	0.7		0.7
11	5/4/2007 9:14	0.7		0.7
12	5/4/2007 9:29	0.7		0.7
13	5/4/2007 9:44	0.8		0.8
14	5/4/2007 9:59	0.8		0.8
15	5/4/2007 10:14	0.8		0.8
16	5/4/2007 10:29	0.8		0.8
17	5/4/2007 10:44	0.9		0.9
1	5/4/2007 11:15	0		0
2	5/4/2007 11:30	0		0
3	5/4/2007 11:45	0.1		0.1
4	5/4/2007 12:00	0.1		0.1
5	5/4/2007 12:15	0.1		0.1
6	5/4/2007 12:30	0.2		0.2
7	5/4/2007 12:45	0.2		0.2
8	5/4/2007 13:00	0.2		0.2
9	5/4/2007 13:15	0.2		0.2
10	5/4/2007 13:30	0.2		0.2
11	5/4/2007 13:45	0.2		0.2
12	5/4/2007 14:00	0.2		0.2
13	5/4/2007 14:15	0.3		0.3
14	5/4/2007 14:30	0.3		0.3
15	5/4/2007 14:45	0.4		0.4
16	5/4/2007 15:00	0.4		0.4
17	5/4/2007 15:15	0.4		0.4
18	5/4/2007 15:30	0.3		0.3
19	5/4/2007 15:45	0.3		0.3
20	5/4/2007 16:00	0.4		0.4
21	5/4/2007 16:15	0.5		0.5
22	5/4/2007 16:30	0.6		0.6
23	5/4/2007 16:45	0.8		0.8
24	5/4/2007 17:00	0.9		0.9
25	5/4/2007 17:15	0.9		0.9
26	5/4/2007 17:30	0.6		0.6
27	5/4/2007 17:45	0.5		0.5
28	5/4/2007 18:00	0.4		0.4
29	5/4/2007 18:15	0.4		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	5/4/2007
Start Time:	6:30:39
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0627) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/4/2007	6:45:39	0.012	0	0
5/4/2007	7:00:39	0.013	0.001	1
5/4/2007	7:15:39	0.011	-0.001	-1
5/4/2007	7:30:39	0.019	0.007	7
5/4/2007	7:45:39	0.01	-0.002	-2
5/4/2007	8:00:39	0.024	0.012	12
5/4/2007	8:15:39	0.012	0	0
5/4/2007	8:30:39	0.024	0.012	12
5/4/2007	8:45:39	0.011	-0.001	-1
5/4/2007	9:00:39	0.016	0.004	4
5/4/2007	9:15:39	0.01	-0.002	-2
5/4/2007	9:30:39	0.012	0	0
5/4/2007	9:45:39	0.016	0.004	4
5/4/2007	10:00:39	0.007	-0.005	-5
5/4/2007	10:15:39	0.009	-0.003	-3
5/4/2007	10:30:39	0.009	-0.003	-3
5/4/2007	10:45:39	0.01	-0.002	-2
5/4/2007	11:00:39	0.006	-0.006	-6
5/4/2007	11:15:39	0.011	-0.001	-1
5/4/2007	11:30:39	0.011	-0.001	-1
5/4/2007	11:45:39	0.018	0.006	6
5/4/2007	12:00:39	0.005	-0.007	-7
5/4/2007	12:15:39	0.006	-0.006	-6
5/4/2007	12:30:39	0.009	-0.003	-3
5/4/2007	12:45:39	0.005	-0.007	-7
5/4/2007	13:00:39	0.007	-0.005	-5
5/4/2007	13:15:39	0.008	-0.004	-4
5/4/2007	13:30:39	0.009	-0.003	-3
5/4/2007	13:45:39	0.008	-0.004	-4
5/4/2007	14:00:39	0.011	-0.001	-1
5/4/2007	14:15:39	0.008	-0.004	-4
5/4/2007	14:30:39	0.008	-0.004	-4
5/4/2007	14:45:39	0.008	-0.004	-4
5/4/2007	15:00:39	0.01	-0.002	-2
5/4/2007	15:15:39	0.018	0.006	6
5/4/2007	15:30:39	0.01	-0.002	-2
5/4/2007	15:45:39	0.007	-0.005	-5
5/4/2007	16:00:39	0.006	-0.006	-6
5/4/2007	16:15:39	0.013	0.001	1
5/4/2007	16:30:39	0.006	-0.006	-6
5/4/2007	16:45:39	0.009	-0.003	-3
5/4/2007	17:00:39	0.007	-0.005	-5
5/4/2007	17:15:39	0.009	-0.003	-3
5/4/2007	17:30:39	0.007	-0.005	-5
5/4/2007	17:45:39	0.009	-0.003	-3
5/4/2007	18:00:39	0.01	-0.002	-2
5/4/2007	18:15:39	0.007	-0.005	-5
5/4/2007	18:30:39	0.01	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/05/2007 07:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0840) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/5/2007 8:57	0		0
2	5/5/2007 9:12	0		0
3	5/5/2007 9:27	0		0
4	5/5/2007 9:42	0		0
5	5/5/2007 9:57	0		0
6	5/5/2007 10:12	0.1		0.1
7	5/5/2007 10:27	0.1		0.1
8	5/5/2007 10:42	0.1		0.1
9	5/5/2007 10:57	0		0
10	5/5/2007 11:12	0		0
11	5/5/2007 11:27	0		0
12	5/5/2007 11:42	0		0
13	5/5/2007 11:57	0		0
14	5/5/2007 12:12	0		0
15	5/5/2007 12:27	0		0
16	5/5/2007 12:42	0		0

Station 1 Mini Rae placed in Station 4: Measurements below at Station 1 continue using handheld 580B OVM

	5/5/2007 13:00	0.0	0
	5/5/2007 14:00	0.0	0
	5/5/2007 15:00	0.0	0
	5/5/2007 16:00	0.0	0
	5/5/2007 17:00	0.0	0
	5/5/2007 17:10	0.0	0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/5/2007
Start Time:	8:41:17
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0840) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/5/2007	8:56:17	0.019	0.006	6
5/5/2007	9:11:17	0.016	0.003	3
5/5/2007	9:26:17	0.011	-0.002	-2
5/5/2007	9:41:17	0.01	-0.003	-3
5/5/2007	9:56:17	0.011	-0.002	-2
5/5/2007	10:11:17	0.009	-0.004	-4
5/5/2007	10:26:17	0.028	0.015	15
5/5/2007	10:41:17	0.01	-0.003	-3
5/5/2007	10:56:17	0.01	-0.003	-3
5/5/2007	11:11:17	0.011	-0.002	-2
5/5/2007	11:26:17	0.015	0.002	2
5/5/2007	11:41:17	0.012	-0.001	-1
5/5/2007	11:56:17	0.012	-0.001	-1
5/5/2007	12:11:17	0.011	-0.002	-2
5/5/2007	12:26:17	0.011	-0.002	-2
5/5/2007	12:41:17	0.012	-0.001	-1
5/5/2007	12:56:17	0.011	-0.002	-2
5/5/2007	13:11:17	0.012	-0.001	-1
5/5/2007	13:26:17	0.012	-0.001	-1
5/5/2007	13:41:17	0.012	-0.001	-1
5/5/2007	13:56:17	0.014	0.001	1
5/5/2007	14:11:17	0.016	0.003	3
5/5/2007	14:26:17	0.016	0.003	3
5/5/2007	14:41:17	0.016	0.003	3
5/5/2007	14:56:17	0.015	0.002	2
5/5/2007	15:11:17	0.015	0.002	2
5/5/2007	15:26:17	0.016	0.003	3
5/5/2007	15:41:17	0.016	0.003	3
5/5/2007	15:56:17	0.016	0.003	3
5/5/2007	16:11:17	0.016	0.003	3
5/5/2007	16:26:17	0.017	0.004	4
5/5/2007	16:41:17	0.017	0.004	4
5/5/2007	16:56:17	0.017	0.004	4
5/5/2007	17:11:17	0.019	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/05/2007 07:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0840) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/5/2007 8:53	0		0
2	5/5/2007 9:08	0		0
3	5/5/2007 9:23	0		0
4	5/5/2007 9:38	0		0
5	5/5/2007 9:53	0.1		0.1
6	5/5/2007 10:08	0.1		0.1
7	5/5/2007 10:23	0.1		0.1
8	5/5/2007 10:38	0.1		0.1
9	5/5/2007 10:53	0.2		0.2
10	5/5/2007 11:08	0.2		0.2
11	5/5/2007 11:23	0.2		0.2
12	5/5/2007 11:38	0.2		0.2
13	5/5/2007 11:53	0.2		0.2
14	5/5/2007 12:08	0.2		0.2
15	5/5/2007 12:23	0.2		0.2
16	5/5/2007 12:38	0.2		0.2
17	5/5/2007 12:53	0.2		0.2
18	5/5/2007 13:08	0.2		0.2
19	5/5/2007 13:23	0.2		0.2
20	5/5/2007 13:38	0.2		0.2
21	5/5/2007 13:53	0.2		0.2
22	5/5/2007 14:08	0.2		0.2
23	5/5/2007 14:23	0.2		0.2
24	5/5/2007 14:38	0.2		0.2
25	5/5/2007 14:53	0.2		0.2
26	5/5/2007 15:08	0.2		0.2
27	5/5/2007 15:23	0.2		0.2
28	5/5/2007 15:38	0.2		0.2
29	5/5/2007 15:53	0.2		0.2
30	5/5/2007 16:08	0.2		0.2
31	5/5/2007 16:23	0.2		0.2
32	5/5/2007 16:38	0.2		0.2
33	5/5/2007 16:53	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	5/5/2007
Start Time:	8:43:03
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0840) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/5/2007	8:58:03	0.008	0.001	1
5/5/2007	9:13:03	0.008	0.001	1
5/5/2007	9:28:03	0.008	0.001	1
5/5/2007	9:43:03	0.006	-0.001	-1
5/5/2007	9:58:03	0.007	0	0
5/5/2007	10:13:03	0.006	-0.001	-1
5/5/2007	10:28:03	0.007	0	0
5/5/2007	10:43:03	0.007	0	0
5/5/2007	10:58:03	0.007	0	0
5/5/2007	11:13:03	0.007	0	0
5/5/2007	11:28:03	0.009	0.002	2
5/5/2007	11:43:03	0.009	0.002	2
5/5/2007	11:58:03	0.008	0.001	1
5/5/2007	12:13:03	0.007	0	0
5/5/2007	12:28:03	0.007	0	0
5/5/2007	12:43:03	0.008	0.001	1
5/5/2007	12:58:03	0.007	0	0
5/5/2007	13:13:03	0.008	0.001	1
5/5/2007	13:28:03	0.007	0	0
5/5/2007	13:43:03	0.008	0.001	1
5/5/2007	13:58:03	0.009	0.002	2
5/5/2007	14:13:03	0.011	0.004	4
5/5/2007	14:28:03	0.011	0.004	4
5/5/2007	14:43:03	0.011	0.004	4
5/5/2007	14:58:03	0.011	0.004	4
5/5/2007	15:13:03	0.012	0.005	5
5/5/2007	15:28:03	0.011	0.004	4
5/5/2007	15:43:03	0.011	0.004	4
5/5/2007	15:58:03	0.011	0.004	4
5/5/2007	16:13:03	0.012	0.005	5
5/5/2007	16:28:03	0.012	0.005	5
5/5/2007	16:43:03	0.013	0.006	6
5/5/2007	16:58:03	0.011	0.004	4
5/5/2007	17:13:03	0.012	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/05/2007 07:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0829) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	5/5/2007 8:43	0		0	
1	5/5/2007 9:31	0.9		0.9	
2	5/5/2007 9:46	4.2		4.2	*Station 3 Mini Rae reading abnormally high due to equipment problems
1	5/5/2007 10:33	0.4		0.4	*Spare Mini Rae in place at Station 3; original Mini Rae taken out of service
2	5/5/2007 10:48	0.4		0.4	
3	5/5/2007 11:03	0.3		0.3	
4	5/5/2007 11:18	0.3		0.3	
5	5/5/2007 11:33	0.4		0.4	
6	5/5/2007 11:48	0.5		0.5	
7	5/5/2007 12:03	0.5		0.5	
8	5/5/2007 12:18	0.5		0.5	
9	5/5/2007 12:33	0.5		0.5	
10	5/5/2007 12:48	0.5		0.5	
11	5/5/2007 13:03	0.6		0.6	
12	5/5/2007 13:18	0.6		0.6	
13	5/5/2007 13:33	0.6		0.6	
14	5/5/2007 13:48	0.7		0.7	
15	5/5/2007 14:03	0.6		0.6	
16	5/5/2007 14:18	0.6		0.6	
17	5/5/2007 14:33	0.6		0.6	
18	5/5/2007 14:48	0.6		0.6	
19	5/5/2007 15:03	0.7		0.7	
20	5/5/2007 15:18	0.6		0.6	
21	5/5/2007 15:33	0.7		0.7	
22	5/5/2007 15:48	0.7		0.7	
23	5/5/2007 16:03	0.7		0.7	
24	5/5/2007 16:18	0.7		0.7	
25	5/5/2007 16:33	0.7		0.7	
26	5/5/2007 16:48	0.7		0.7	
27	5/5/2007 17:03	0.7		0.7	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	5/5/2007
Start Time:	8:30:39
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0829) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/5/2007	8:45:39	0.009	0.001	1
5/5/2007	9:00:39	0.009	0.001	1
5/5/2007	9:15:39	0.01	0.002	2
5/5/2007	9:30:39	0.008	0	0
5/5/2007	9:45:39	0.007	-0.001	-1
5/5/2007	10:00:39	0.007	-0.001	-1
5/5/2007	10:15:39	0.007	-0.001	-1
5/5/2007	10:30:39	0.008	0	0
5/5/2007	10:45:39	0.008	0	0
5/5/2007	11:00:39	0.008	0	0
5/5/2007	11:15:39	0.01	0.002	2
5/5/2007	11:30:39	0.014	0.006	6
5/5/2007	11:45:39	0.012	0.004	4
5/5/2007	12:00:39	0.01	0.002	2
5/5/2007	12:15:39	0.01	0.002	2
5/5/2007	12:30:39	0.009	0.001	1
5/5/2007	12:45:39	0.01	0.002	2
5/5/2007	13:00:39	0.011	0.003	3
5/5/2007	13:15:39	0.01	0.002	2
5/5/2007	13:30:39	0.01	0.002	2
5/5/2007	13:45:39	0.012	0.004	4
5/5/2007	14:00:39	0.013	0.005	5
5/5/2007	14:15:39	0.015	0.007	7
5/5/2007	14:30:39	0.016	0.008	8
5/5/2007	14:45:39	0.014	0.006	6
5/5/2007	15:00:39	0.014	0.006	6
5/5/2007	15:15:39	0.014	0.006	6
5/5/2007	15:30:39	0.014	0.006	6
5/5/2007	15:45:39	0.015	0.007	7
5/5/2007	16:00:39	0.014	0.006	6
5/5/2007	16:15:39	0.015	0.007	7
5/5/2007	16:30:39	0.017	0.009	9
5/5/2007	16:45:39	0.016	0.008	8
5/5/2007	17:00:39	0.015	0.007	7
5/5/2007	17:15:39	0.016	0.008	8

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010061
User ID: 00000001 Site ID: 00000107
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/05/2007 07:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	10	10	10

Background Reading (0820) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	5/5/2007 8:35	13	L	13	*Station 4 Mini Rae reading abnormally high due to equipment problems
1	5/5/2007 9:13	6.7	L	6.7	*Station 4 Mini Rae reading abnormally high due to equipment problems
2	5/5/2007 9:28	5.8	L	5.8	*Station 4 Mini Rae reading abnormally high due to equipment problems
3	5/5/2007 9:43	7.2	L	7.2	*Station 4 Mini Rae reading abnormally high due to equipment problems
4	5/5/2007 9:58	8.9	L	8.9	*Station 4 Mini Rae reading abnormally high due to equipment problems
5	5/5/2007 10:13	10.8	L	10.8	*Station 4 Mini Rae reading abnormally high due to equipment problems
6	5/5/2007 10:28	13.1	L	13.1	*Station 4 Mini Rae reading abnormally high due to equipment problems
1	5/5/2007 11:12	4		4	*Station 4 Mini Rae reading abnormally high due to equipment problems
2	5/5/2007 11:27	5.7	L	5.7	*Station 4 Mini Rae reading abnormally high due to equipment problems
3	5/5/2007 11:42	5.5	L	5.5	*Station 4 Mini Rae reading abnormally high due to equipment problems
4	5/5/2007 11:57	6	L	6	*Station 4 Mini Rae reading abnormally high due to equipment problems
5	5/5/2007 12:12	7.5	L	7.5	*Station 4 Mini Rae reading abnormally high due to equipment problems
6	5/5/2007 12:27	8.4	L	8.4	*Station 4 Mini Rae reading abnormally high due to equipment problems
7	5/5/2007 12:42	5.7	L	5.7	*Station 4 Mini Rae reading abnormally high due to equipment problems
8	5/5/2007 12:57	8.8	L	8.8	*Station 4 Mini Rae reading abnormally high due to equipment problems
9	5/5/2007 13:12	10.6	L	10.6	*Station 4 Mini Rae reading abnormally high due to equipment problems
10	5/5/2007 13:27	10.8	L	10.8	*Station 4 Mini Rae reading abnormally high due to equipment problems
1	5/5/2007 14:10	0		0	*Station 1 Mini Rae in place at Station 4; original Mini Rae taken out of service
2	5/5/2007 14:25	0		0	
3	5/5/2007 14:40	0		0	
4	5/5/2007 14:55	0		0	
5	5/5/2007 15:10	0		0	
6	5/5/2007 15:25	0		0	
7	5/5/2007 15:40	0		0	
8	5/5/2007 15:55	0		0	
9	5/5/2007 16:10	0.1		0.1	
10	5/5/2007 16:25	0		0	
11	5/5/2007 16:40	0		0	
12	5/5/2007 16:55	0.1		0.1	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	5/5/2007
Start Time:	8:22:23
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0820) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/5/2007	8:37:23	0.007	-0.002	-2
5/5/2007	8:52:23	0.009	0	0
5/5/2007	9:07:23	0.01	0.001	1
5/5/2007	9:22:23	0.022	0.013	13
5/5/2007	9:37:23	0.006	-0.003	-3
5/5/2007	9:52:23	0.008	-0.001	-1
5/5/2007	10:07:23	0.007	-0.002	-2
5/5/2007	10:22:23	0.011	0.002	2
5/5/2007	10:37:23	0.008	-0.001	-1
5/5/2007	10:52:23	0.008	-0.001	-1
5/5/2007	11:07:23	0.006	-0.003	-3
5/5/2007	11:22:23	0.007	-0.002	-2
5/5/2007	11:37:23	0.006	-0.003	-3
5/5/2007	11:52:23	0.008	-0.001	-1
5/5/2007	12:07:23	0.007	-0.002	-2
5/5/2007	12:22:23	0.009	0	0
5/5/2007	12:37:23	0.008	-0.001	-1
5/5/2007	12:52:23	0.01	0.001	1
5/5/2007	13:07:23	0.012	0.003	3
5/5/2007	13:22:23	0.007	-0.002	-2
5/5/2007	13:37:23	0.01	0.001	1
5/5/2007	13:52:23	0.012	0.003	3
5/5/2007	14:07:23	0.016	0.007	7
5/5/2007	14:22:23	0.017	0.008	8
5/5/2007	14:37:23	0.014	0.005	5
5/5/2007	14:52:23	0.011	0.002	2
5/5/2007	15:07:23	0.011	0.002	2
5/5/2007	15:22:23	0.013	0.004	4
5/5/2007	15:37:23	0.016	0.007	7
5/5/2007	15:52:23	0.012	0.003	3
5/5/2007	16:07:23	0.016	0.007	7
5/5/2007	16:22:23	0.016	0.007	7
5/5/2007	16:37:23	0.013	0.004	4
5/5/2007	16:52:23	0.012	0.003	3
5/5/2007	17:07:23	0.012	0.003	3
5/5/2007	17:22:23	0.019	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/07/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0602) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/7/2007 6:25	0		0
2	5/7/2007 6:40	0		0
3	5/7/2007 6:55	0		0
4	5/7/2007 7:10	0		0
5	5/7/2007 7:25	0		0
6	5/7/2007 7:40	0		0
7	5/7/2007 7:55	0		0
8	5/7/2007 8:10	0		0
9	5/7/2007 8:25	0		0
10	5/7/2007 8:40	0		0
11	5/7/2007 8:55	0		0
12	5/7/2007 9:10	0		0
13	5/7/2007 9:25	0		0
14	5/7/2007 9:40	0		0
15	5/7/2007 9:55	0		0
16	5/7/2007 10:10	0		0
17	5/7/2007 10:25	0		0
18	5/7/2007 10:40	0		0
19	5/7/2007 10:55	0		0
20	5/7/2007 11:10	0		0
21	5/7/2007 11:25	0		0
22	5/7/2007 11:40	0		0
23	5/7/2007 11:55	0		0
24	5/7/2007 12:10	0		0
25	5/7/2007 12:25	0		0
26	5/7/2007 12:40	0		0
27	5/7/2007 12:55	0		0
28	5/7/2007 13:10	0		0
29	5/7/2007 13:25	0		0
30	5/7/2007 13:40	0		0
31	5/7/2007 13:55	0		0
32	5/7/2007 14:10	0		0
33	5/7/2007 14:25	0		0
34	5/7/2007 14:40	0		0
35	5/7/2007 14:55	0		0
36	5/7/2007 15:10	0		0
37	5/7/2007 15:25	0		0
38	5/7/2007 15:40	0		0
39	5/7/2007 15:55	0		0
40	5/7/2007 16:10	0		0
41	5/7/2007 16:25	0		0
42	5/7/2007 16:40	0		0
43	5/7/2007 16:55	0		0
44	5/7/2007 17:10	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/7/2007
Start Time:	6:04:24
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0602) = 0.019 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/7/2007	6:19:24	0.018	-0.001	-1
5/7/2007	6:34:24	0.033	0.014	14
5/7/2007	6:49:24	0.028	0.009	9
5/7/2007	7:04:24	0.034	0.015	15
5/7/2007	7:19:24	0.031	0.012	12
5/7/2007	7:34:24	0.036	0.017	17
5/7/2007	7:49:24	0.078	0.059	59
5/7/2007	8:04:24	0.033	0.014	14
5/7/2007	8:19:24	0.021	0.002	2
5/7/2007	8:34:24	0.023	0.004	4
5/7/2007	8:49:24	0.03	0.011	11
5/7/2007	9:04:24	0.028	0.009	9
5/7/2007	9:19:24	0.023	0.004	4
5/7/2007	9:34:24	0.014	-0.005	-5
5/7/2007	9:49:24	0.011	-0.008	-8
5/7/2007	10:04:24	0.018	-0.001	-1
5/7/2007	10:19:24	0.01	-0.009	-9
5/7/2007	10:34:24	0.013	-0.006	-6
5/7/2007	10:49:24	0.018	-0.001	-1
5/7/2007	11:04:24	0.027	0.008	8
5/7/2007	11:19:24	0.009	-0.01	-10
5/7/2007	11:34:24	0.01	-0.009	-9
5/7/2007	11:49:24	0.007	-0.012	-12
5/7/2007	12:04:24	0.008	-0.011	-11
5/7/2007	12:19:24	0.009	-0.01	-10
5/7/2007	12:34:24	0.012	-0.007	-7
5/7/2007	12:49:24	0.009	-0.01	-10
5/7/2007	13:04:24	0.014	-0.005	-5
5/7/2007	13:19:24	0.012	-0.007	-7
5/7/2007	13:34:24	0.014	-0.005	-5
5/7/2007	13:49:24	0.01	-0.009	-9
5/7/2007	14:04:24	0.017	-0.002	-2
5/7/2007	14:19:24	0.017	-0.002	-2
5/7/2007	14:34:24	0.013	-0.006	-6
5/7/2007	14:49:24	0.011	-0.008	-8
5/7/2007	15:04:24	0.014	-0.005	-5
5/7/2007	15:19:24	0.012	-0.007	-7
5/7/2007	15:34:24	0.012	-0.007	-7
5/7/2007	15:49:24	0.011	-0.008	-8
5/7/2007	16:04:24	0.011	-0.008	-8
5/7/2007	16:19:24	0.011	-0.008	-8
5/7/2007	16:34:24	0.01	-0.009	-9
5/7/2007	16:49:24	0.01	-0.009	-9
5/7/2007	17:04:24	0.01	-0.009	-9
5/7/2007	17:19:24	0.009	-0.01	-10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/07/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/7/2007 6:36	0		0
2	5/7/2007 6:51	0		0
3	5/7/2007 7:06	0		0
4	5/7/2007 7:21	0		0
5	5/7/2007 7:36	0		0
6	5/7/2007 7:51	0		0
7	5/7/2007 8:06	0		0
8	5/7/2007 8:21	0		0
9	5/7/2007 8:36	0		0
10	5/7/2007 8:51	0		0
11	5/7/2007 9:06	0		0
12	5/7/2007 9:21	0		0
13	5/7/2007 9:36	0		0
14	5/7/2007 9:51	0		0
15	5/7/2007 10:06	0		0
16	5/7/2007 10:21	0		0
17	5/7/2007 10:36	0		0
18	5/7/2007 10:51	0		0
19	5/7/2007 11:06	0		0
20	5/7/2007 11:21	0		0
21	5/7/2007 11:36	0		0
22	5/7/2007 11:51	0		0
23	5/7/2007 12:06	0		0
24	5/7/2007 12:21	0		0
25	5/7/2007 12:36	0		0
26	5/7/2007 12:51	0		0
27	5/7/2007 13:06	0		0
28	5/7/2007 13:21	0		0
29	5/7/2007 13:36	0		0
30	5/7/2007 13:51	0		0
31	5/7/2007 14:06	0		0
32	5/7/2007 14:21	0		0
33	5/7/2007 14:36	0		0
34	5/7/2007 14:51	0		0
35	5/7/2007 15:06	0		0
36	5/7/2007 15:21	0		0
37	5/7/2007 15:36	0		0
38	5/7/2007 15:51	0		0
39	5/7/2007 16:06	0		0
40	5/7/2007 16:21	0		0
41	5/7/2007 16:36	0		0
42	5/7/2007 16:51	0		0
43	5/7/2007 17:06	0		0
44	5/7/2007 17:21	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	5/7/2007
Start Time:	6:22:27
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0620) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/7/2007	6:37:27	0.014	-0.003	-3
5/7/2007	6:52:27	0.013	-0.004	-4
5/7/2007	7:07:27	0.015	-0.002	-2
5/7/2007	7:22:27	0.017	0	0
5/7/2007	7:37:27	0.015	-0.002	-2
5/7/2007	7:52:27	0.013	-0.004	-4
5/7/2007	8:07:27	0.012	-0.005	-5
5/7/2007	8:22:27	0.011	-0.006	-6
5/7/2007	8:37:27	0.011	-0.006	-6
5/7/2007	8:52:27	0.012	-0.005	-5
5/7/2007	9:07:27	0.012	-0.005	-5
5/7/2007	9:22:27	0.01	-0.007	-7
5/7/2007	9:37:27	0.01	-0.007	-7
5/7/2007	9:52:27	0.007	-0.01	-10
5/7/2007	10:07:27	0.009	-0.008	-8
5/7/2007	10:22:27	0.008	-0.009	-9
5/7/2007	10:37:27	0.007	-0.01	-10
5/7/2007	10:52:27	0.006	-0.011	-11
5/7/2007	11:07:27	0.007	-0.01	-10
5/7/2007	11:22:27	0.006	-0.011	-11
5/7/2007	11:37:27	0.006	-0.011	-11
5/7/2007	11:52:27	0.006	-0.011	-11
5/7/2007	12:07:27	0.007	-0.01	-10
5/7/2007	12:22:27	0.005	-0.012	-12
5/7/2007	12:37:27	0.007	-0.01	-10
5/7/2007	12:52:27	0.015	-0.002	-2
5/7/2007	13:07:27	0.006	-0.011	-11
5/7/2007	13:22:27	0.009	-0.008	-8
5/7/2007	13:37:27	0.01	-0.007	-7
5/7/2007	13:52:27	0.012	-0.005	-5
5/7/2007	14:07:27	0.007	-0.01	-10
5/7/2007	14:22:27	0.011	-0.006	-6
5/7/2007	14:37:27	0.013	-0.004	-4
5/7/2007	14:52:27	0.013	-0.004	-4
5/7/2007	15:07:27	0.011	-0.006	-6
5/7/2007	15:22:27	0.008	-0.009	-9
5/7/2007	15:37:27	0.008	-0.009	-9
5/7/2007	15:52:27	0.008	-0.009	-9
5/7/2007	16:07:27	0.008	-0.009	-9
5/7/2007	16:22:27	0.01	-0.007	-7
5/7/2007	16:37:27	0.008	-0.009	-9
5/7/2007	16:52:27	0.008	-0.009	-9
5/7/2007	17:07:27	0.008	-0.009	-9
5/7/2007	17:22:27	0.007	-0.01	-10
5/7/2007	17:37:27	0.008	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/07/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/7/2007 6:45	0		0
2	5/7/2007 7:00	0		0
3	5/7/2007 7:15	0		0
4	5/7/2007 7:30	0		0
5	5/7/2007 7:45	0		0
6	5/7/2007 8:00	0		0
7	5/7/2007 8:15	0		0
8	5/7/2007 8:30	0		0
9	5/7/2007 8:45	0		0
10	5/7/2007 9:00	0		0
11	5/7/2007 9:15	0		0
12	5/7/2007 9:30	0		0
13	5/7/2007 9:45	0		0
14	5/7/2007 10:00	0		0
15	5/7/2007 10:15	0		0
16	5/7/2007 10:30	0		0
17	5/7/2007 10:45	0		0
18	5/7/2007 11:00	0		0
19	5/7/2007 11:15	0		0
20	5/7/2007 11:30	0		0
21	5/7/2007 11:45	0		0
1	5/7/2007 12:50	0		0
2	5/7/2007 13:05	0		0
3	5/7/2007 13:20	0		0
4	5/7/2007 13:35	0		0
5	5/7/2007 13:50	0		0
6	5/7/2007 14:05	0		0
7	5/7/2007 14:20	0		0
8	5/7/2007 14:35	0		0
9	5/7/2007 14:50	0		0
10	5/7/2007 15:05	0		0
11	5/7/2007 15:20	0		0
12	5/7/2007 15:35	0		0
13	5/7/2007 15:50	0		0
14	5/7/2007 16:05	0		0
15	5/7/2007 16:20	0		0
16	5/7/2007 16:35	0		0
17	5/7/2007 16:50	0		0
18	5/7/2007 17:05	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	5/7/2007
Start Time:	6:34:53
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0634) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/7/2007	6:49:53	0.017	0	0
5/7/2007	7:04:53	0.02	0.003	3
5/7/2007	7:19:53	0.022	0.005	5
5/7/2007	7:34:53	0.028	0.011	11
5/7/2007	7:49:53	0.023	0.006	6
5/7/2007	8:04:53	0.026	0.009	9
5/7/2007	8:19:53	0.013	-0.004	-4
5/7/2007	8:34:53	0.017	0	0
5/7/2007	8:49:53	0.013	-0.004	-4
5/7/2007	9:04:53	0.012	-0.005	-5
5/7/2007	9:19:53	0.012	-0.005	-5
5/7/2007	9:34:53	0.01	-0.007	-7
5/7/2007	9:49:53	0.008	-0.009	-9
5/7/2007	10:04:53	0.015	-0.002	-2
5/7/2007	10:19:53	0.011	-0.006	-6
5/7/2007	10:34:53	0.008	-0.009	-9
5/7/2007	10:49:53	0.006	-0.011	-11
5/7/2007	11:04:53	0.006	-0.011	-11
5/7/2007	11:19:53	0.007	-0.01	-10
5/7/2007	11:34:53	0.006	-0.011	-11
5/7/2007	11:49:53	0.009	-0.008	-8
5/7/2007	12:04:53	0.009	-0.008	-8
5/7/2007	12:19:53	0.006	-0.011	-11
5/7/2007	12:34:53	0.006	-0.011	-11
5/7/2007	12:49:53	0.005	-0.012	-12
5/7/2007	13:04:53	0.006	-0.011	-11
5/7/2007	13:19:53	0.009	-0.008	-8
5/7/2007	13:34:53	0.009	-0.008	-8
5/7/2007	13:49:53	0.011	-0.006	-6
5/7/2007	14:04:53	0.012	-0.005	-5
5/7/2007	14:19:53	0.011	-0.006	-6
5/7/2007	14:34:53	0.01	-0.007	-7
5/7/2007	14:49:53	0.011	-0.006	-6
5/7/2007	15:04:53	0.013	-0.004	-4
5/7/2007	15:19:53	0.013	-0.004	-4
5/7/2007	15:34:53	0.01	-0.007	-7
5/7/2007	15:49:53	0.01	-0.007	-7
5/7/2007	16:04:53	0.01	-0.007	-7
5/7/2007	16:19:53	0.01	-0.007	-7
5/7/2007	16:34:53	0.009	-0.008	-8
5/7/2007	16:49:53	0.009	-0.008	-8
5/7/2007	17:04:53	0.009	-0.008	-8
5/7/2007	17:19:53	0.008	-0.009	-9
			-0.017	-17
			-0.017	-17
			-0.017	-17
			-0.017	-17
			-0.017	-17
			-0.017	-17
			-0.017	-17

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/07/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0639) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/7/2007 6:56	0		0
2	5/7/2007 7:11	0		0
3	5/7/2007 7:26	0		0
4	5/7/2007 7:41	0		0
5	5/7/2007 7:56	0		0
6	5/7/2007 8:11	0		0
7	5/7/2007 8:26	0.1		0.1
8	5/7/2007 8:41	0		0
9	5/7/2007 8:56	0		0
10	5/7/2007 9:11	0		0
11	5/7/2007 9:26	0		0
12	5/7/2007 9:41	0		0
13	5/7/2007 9:56	0		0
14	5/7/2007 10:11	0		0
15	5/7/2007 10:26	0		0
16	5/7/2007 10:41	0		0
17	5/7/2007 10:56	0		0
18	5/7/2007 11:11	0		0
19	5/7/2007 11:26	0		0
20	5/7/2007 11:41	0		0
21	5/7/2007 11:56	0		0
22	5/7/2007 12:11	0		0
23	5/7/2007 12:26	0		0
24	5/7/2007 12:41	0		0
25	5/7/2007 12:56	0		0
26	5/7/2007 13:11	0		0
27	5/7/2007 13:26	0		0
28	5/7/2007 13:41	0		0
29	5/7/2007 13:56	0		0
30	5/7/2007 14:11	0		0
31	5/7/2007 14:26	0		0
32	5/7/2007 14:41	0		0
33	5/7/2007 14:56	0		0
34	5/7/2007 15:11	0		0
35	5/7/2007 15:26	0		0
36	5/7/2007 15:41	0		0
37	5/7/2007 15:56	0		0
38	5/7/2007 16:11	0		0
39	5/7/2007 16:26	0		0
40	5/7/2007 16:41	0		0
41	5/7/2007 16:56	0		0
42	5/7/2007 17:11	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/7/2007
Start Time:	6:40:54
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0639) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/7/2007	6:55:54	0.017	0	0
5/7/2007	7:10:54	0.017	0	0
5/7/2007	7:25:54	0.016	-0.001	-1
5/7/2007	7:40:54	0.021	0.004	4
5/7/2007	7:55:54	0.011	-0.006	-6
5/7/2007	8:10:54	0.036	0.019	19
5/7/2007	8:25:54	0.025	0.008	8
5/7/2007	8:40:54	0.025	0.008	8
5/7/2007	8:55:54	0.014	-0.003	-3
5/7/2007	9:10:54	0.03	0.013	13
5/7/2007	9:25:54	0.02	0.003	3
5/7/2007	9:40:54	0.007	-0.01	-10
5/7/2007	9:55:54	0.008	-0.009	-9
5/7/2007	10:10:54	0.026	0.009	9
5/7/2007	10:25:54	0.047	0.03	30
5/7/2007	10:40:54	0.009	-0.008	-8
5/7/2007	10:55:54	0.005	-0.012	-12
5/7/2007	11:10:54	0.008	-0.009	-9
5/7/2007	11:25:54	0.015	-0.002	-2
5/7/2007	11:40:54	0.012	-0.005	-5
5/7/2007	11:55:54	0.012	-0.005	-5
5/7/2007	12:10:54	0.004	-0.013	-13
5/7/2007	12:25:54	0.008	-0.009	-9
5/7/2007	12:40:54	0.002	-0.015	-15
5/7/2007	12:55:54	0.003	-0.014	-14
5/7/2007	13:10:54	0.02	0.003	3
5/7/2007	13:25:54	0.028	0.011	11
5/7/2007	13:40:54	0.009	-0.008	-8
5/7/2007	13:55:54	0.009	-0.008	-8
5/7/2007	14:10:54	0.017	0	0
5/7/2007	14:25:54	0.015	-0.002	-2
5/7/2007	14:40:54	0.009	-0.008	-8
5/7/2007	14:55:54	0.008	-0.009	-9
5/7/2007	15:10:54	0.009	-0.008	-8
5/7/2007	15:25:54	0.008	-0.009	-9
5/7/2007	15:40:54	0.015	-0.002	-2
5/7/2007	15:55:54	0.007	-0.01	-10
5/7/2007	16:10:54	0.01	-0.007	-7
5/7/2007	16:25:54	0.012	-0.005	-5
5/7/2007	16:40:54	0.005	-0.012	-12
5/7/2007	16:55:54	0.006	-0.011	-11
5/7/2007	17:10:54	0.005	-0.012	-12
5/7/2007	17:25:54	0.008	-0.009	-9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/08/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/8/2007 6:29	0		-0.1
2	5/8/2007 6:44	0		-0.1
3	5/8/2007 6:59	0		-0.1
4	5/8/2007 7:14	0.1		0
5	5/8/2007 7:29	0.1		0
6	5/8/2007 7:44	0.1		0
7	5/8/2007 7:59	0.1		0
8	5/8/2007 8:14	0		-0.1
9	5/8/2007 8:29	0		-0.1
10	5/8/2007 8:44	0		-0.1
11	5/8/2007 8:59	0		-0.1
12	5/8/2007 9:14	0		-0.1
13	5/8/2007 9:29	0		-0.1
14	5/8/2007 9:44	0		-0.1
15	5/8/2007 9:59	0		-0.1
16	5/8/2007 10:14	0		-0.1
17	5/8/2007 10:29	0		-0.1
18	5/8/2007 10:44	0		-0.1
19	5/8/2007 10:59	0		-0.1
20	5/8/2007 11:14	0		-0.1
21	5/8/2007 11:29	0		-0.1
22	5/8/2007 11:44	0		-0.1
23	5/8/2007 11:59	0		-0.1
24	5/8/2007 12:14	0		-0.1
25	5/8/2007 12:29	0		-0.1
26	5/8/2007 12:44	0		-0.1
27	5/8/2007 12:59	0		-0.1
28	5/8/2007 13:14	0		-0.1
29	5/8/2007 13:29	0		-0.1
30	5/8/2007 13:44	0		-0.1
31	5/8/2007 13:59	0		-0.1
32	5/8/2007 14:14	0		-0.1
33	5/8/2007 14:29	0		-0.1
34	5/8/2007 14:44	0		-0.1
35	5/8/2007 14:59	0		-0.1
36	5/8/2007 15:14	0		-0.1
37	5/8/2007 15:29	0		-0.1
38	5/8/2007 15:44	0		-0.1
39	5/8/2007 15:59	0		-0.1
40	5/8/2007 16:14	0		-0.1
41	5/8/2007 16:29	0		-0.1
42	5/8/2007 16:44	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/8/2007
Start Time:	6:14:54
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0625) = 0.006 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/8/2007	6:29:54	0.01	0.004	4
5/8/2007	6:44:54	0.04	0.034	34
5/8/2007	6:59:54	0.01	0.004	4
5/8/2007	7:14:54	0.011	0.005	5
5/8/2007	7:29:54	0.013	0.007	7
5/8/2007	7:44:54	0.015	0.009	9
5/8/2007	7:59:54	0.016	0.01	10
5/8/2007	8:14:54	0.015	0.009	9
5/8/2007	8:29:54	0.015	0.009	9
5/8/2007	8:44:54	0.014	0.008	8
5/8/2007	8:59:54	0.019	0.013	13
5/8/2007	9:14:54	0.019	0.013	13
5/8/2007	9:29:54	0.031	0.025	25
5/8/2007	9:44:54	0.045	0.039	39
5/8/2007	9:59:54	0.03	0.024	24
5/8/2007	10:14:54	0.038	0.032	32
5/8/2007	10:29:54	0.032	0.026	26
5/8/2007	10:44:54	0.034	0.028	28
5/8/2007	10:59:54	0.036	0.03	30
5/8/2007	11:14:54	0.026	0.02	20
5/8/2007	11:29:54	0.014	0.008	8
5/8/2007	11:44:54	0.023	0.017	17
5/8/2007	11:59:54	0.025	0.019	19
5/8/2007	12:14:54	0.027	0.021	21
5/8/2007	12:29:54	0.012	0.006	6
5/8/2007	12:44:54	0.012	0.006	6
5/8/2007	12:59:54	0.011	0.005	5
5/8/2007	13:14:54	0.01	0.004	4
5/8/2007	13:29:54	0.012	0.006	6
5/8/2007	13:44:54	0.013	0.007	7
5/8/2007	13:59:54	0.014	0.008	8
5/8/2007	14:14:54	0.012	0.006	6
5/8/2007	14:29:54	0.015	0.009	9
5/8/2007	14:44:54	0.013	0.007	7
5/8/2007	14:59:54	0.015	0.009	9
5/8/2007	15:14:54	0.014	0.008	8
5/8/2007	15:29:54	0.013	0.007	7
5/8/2007	15:44:54	0.013	0.007	7
5/8/2007	15:59:54	0.014	0.008	8
5/8/2007	16:14:54	0.014	0.008	8
5/8/2007	16:29:54	0.014	0.008	8
5/8/2007	16:44:54	0.013	0.007	7
5/8/2007	16:59:54	0.011	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/08/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/8/2007 6:29	0		-0.1
2	5/8/2007 6:44	0.1		0
3	5/8/2007 6:59	0.1		0
4	5/8/2007 7:14	0.2		0.1
5	5/8/2007 7:29	0.2		0.1
6	5/8/2007 7:44	0.2		0.1
7	5/8/2007 7:59	0.2		0.1
8	5/8/2007 8:14	0.3		0.2
9	5/8/2007 8:29	0.3		0.2
10	5/8/2007 8:44	0.3		0.2
11	5/8/2007 8:59	0.3		0.2
12	5/8/2007 9:14	0.3		0.2
13	5/8/2007 9:29	0.4		0.3
14	5/8/2007 9:44	0.4		0.3
15	5/8/2007 9:59	0.4		0.3
16	5/8/2007 10:14	0.3		0.2
17	5/8/2007 10:29	0.3		0.2
18	5/8/2007 10:44	0.3		0.2
19	5/8/2007 10:59	0.3		0.2
20	5/8/2007 11:14	0.3		0.2
21	5/8/2007 11:29	0.3		0.2
22	5/8/2007 11:44	0.3		0.2
23	5/8/2007 11:59	0.3		0.2
24	5/8/2007 12:14	0.3		0.2
25	5/8/2007 12:29	0.3		0.2
26	5/8/2007 12:44	0.3		0.2
27	5/8/2007 12:59	0.3		0.2
28	5/8/2007 13:14	0.3		0.2
29	5/8/2007 13:29	0.3		0.2
30	5/8/2007 13:44	0.3		0.2
31	5/8/2007 13:59	0.3		0.2
32	5/8/2007 14:14	0.3		0.2
33	5/8/2007 14:29	0.3		0.2
34	5/8/2007 14:44	0.3		0.2
35	5/8/2007 14:59	0.3		0.2
36	5/8/2007 15:14	0.3		0.2
37	5/8/2007 15:29	0.3		0.2
38	5/8/2007 15:44	0.3		0.2
39	5/8/2007 15:59	0.3		0.2
40	5/8/2007 16:14	0.3		0.2
41	5/8/2007 16:29	0.3		0.2
42	5/8/2007 16:44	0.3		0.2
43	5/8/2007 16:59	0.3		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	5/8/2007
Start Time:	6:14:56
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0625) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/8/2007	6:29:56	0.007	0.001	1
5/8/2007	6:44:56	0.015	0.009	9
5/8/2007	6:59:56	0.008	0.002	2
5/8/2007	7:14:56	0.01	0.004	4
5/8/2007	7:29:56	0.01	0.004	4
5/8/2007	7:44:56	0.01	0.004	4
5/8/2007	7:59:56	0.011	0.005	5
5/8/2007	8:14:56	0.009	0.003	3
5/8/2007	8:29:56	0.01	0.004	4
5/8/2007	8:44:56	0.01	0.004	4
5/8/2007	8:59:56	0.015	0.009	9
5/8/2007	9:14:56	0.013	0.007	7
5/8/2007	9:29:56	0.015	0.009	9
5/8/2007	9:44:56	0.019	0.013	13
5/8/2007	9:59:56	0.019	0.013	13
5/8/2007	10:14:56	0.02	0.014	14
5/8/2007	10:29:56	0.021	0.015	15
5/8/2007	10:44:56	0.024	0.018	18
5/8/2007	10:59:56	0.025	0.019	19
5/8/2007	11:14:56	0.02	0.014	14
5/8/2007	11:29:56	0.01	0.004	4
5/8/2007	11:44:56	0.016	0.01	10
5/8/2007	11:59:56	0.018	0.012	12
5/8/2007	12:14:56	0.015	0.009	9
5/8/2007	12:29:56	0.01	0.004	4
5/8/2007	12:44:56	0.008	0.002	2
5/8/2007	12:59:56	0.009	0.003	3
5/8/2007	13:14:56	0.009	0.003	3
5/8/2007	13:29:56	0.009	0.003	3
5/8/2007	13:44:56	0.01	0.004	4
5/8/2007	13:59:56	0.01	0.004	4
5/8/2007	14:14:56	0.01	0.004	4
5/8/2007	14:29:56	0.01	0.004	4
5/8/2007	14:44:56	0.01	0.004	4
5/8/2007	14:59:56	0.011	0.005	5
5/8/2007	15:14:56	0.011	0.005	5
5/8/2007	15:29:56	0.011	0.005	5
5/8/2007	15:44:56	0.011	0.005	5
5/8/2007	15:59:56	0.012	0.006	6
5/8/2007	16:14:56	0.012	0.006	6
5/8/2007	16:29:56	0.012	0.006	6
5/8/2007	16:44:56	0.01	0.004	4
5/8/2007	16:59:56	0.009	0.003	3
5/8/2007	17:14:56	0.009	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/08/2007 05:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/8/2007 6:39	0.2		0.2
2	5/8/2007 6:54	0.4		0.4
3	5/8/2007 7:09	0.5		0.5
4	5/8/2007 7:24	0.6		0.6
5	5/8/2007 7:39	0.6		0.6
6	5/8/2007 7:54	0.7		0.7
7	5/8/2007 8:09	0.7		0.7
8	5/8/2007 8:24	0.8		0.8
9	5/8/2007 8:39	0.8		0.8
10	5/8/2007 8:54	0.8		0.8
11	5/8/2007 9:09	0.8		0.8
12	5/8/2007 9:24	0.9		0.9
13	5/8/2007 9:39	0.8		0.8
14	5/8/2007 9:54	0.8		0.8
15	5/8/2007 10:09	0.8		0.8
16	5/8/2007 10:24	0.9		0.9
17	5/8/2007 10:39	0.8		0.8
18	5/8/2007 10:54	0.8		0.8
19	5/8/2007 11:09	0.8		0.8
20	5/8/2007 11:24	0.8		0.8
21	5/8/2007 11:39	0.8		0.8
22	5/8/2007 11:54	0.9		0.9
23	5/8/2007 12:09	0.8		0.8
24	5/8/2007 12:24	0.8		0.8
25	5/8/2007 12:39	0.8		0.8
26	5/8/2007 12:54	0.8		0.8
27	5/8/2007 13:09	0.8		0.8
28	5/8/2007 13:24	0.9		0.9
29	5/8/2007 13:39	0.9		0.9
30	5/8/2007 13:54	0.9		0.9
31	5/8/2007 14:09	0.9		0.9
32	5/8/2007 14:24	0.9		0.9
33	5/8/2007 14:39	0.9		0.9
34	5/8/2007 14:54	0.9		0.9
35	5/8/2007 15:09	0.9		0.9
36	5/8/2007 15:24	0.9		0.9
37	5/8/2007 15:39	0.9		0.9
38	5/8/2007 15:54	0.9		0.9
39	5/8/2007 16:09	0.9		0.9
40	5/8/2007 16:24	0.9		0.9
41	5/8/2007 16:39	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	5/8/2007
Start Time:	6:27:22
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0635) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/8/2007	6:42:22	0.015	0.003	3
5/8/2007	6:57:22	0.01	-0.002	-2
5/8/2007	7:12:22	0.012	0	0
5/8/2007	7:27:22	0.014	0.002	2
5/8/2007	7:42:22	0.012	0	0
5/8/2007	7:57:22	0.012	0	0
5/8/2007	8:12:22	0.016	0.004	4
5/8/2007	8:27:22	0.018	0.006	6
5/8/2007	8:42:22	0.011	-0.001	-1
5/8/2007	8:57:22	0.019	0.007	7
5/8/2007	9:12:22	0.019	0.007	7
5/8/2007	9:27:22	0.021	0.009	9
5/8/2007	9:42:22	0.023	0.011	11
5/8/2007	9:57:22	0.029	0.017	17
5/8/2007	10:12:22	0.026	0.014	14
5/8/2007	10:27:22	0.033	0.021	21
5/8/2007	10:42:22	0.041	0.029	29
5/8/2007	10:57:22	0.034	0.022	22
5/8/2007	11:12:22	0.032	0.02	20
5/8/2007	11:27:22	0.016	0.004	4
5/8/2007	11:42:22	0.02	0.008	8
5/8/2007	11:57:22	0.026	0.014	14
5/8/2007	12:12:22	0.023	0.011	11
5/8/2007	12:27:22	0.014	0.002	2
5/8/2007	12:42:22	0.012	0	0
5/8/2007	12:57:22	0.012	0	0
5/8/2007	13:12:22	0.013	0.001	1
5/8/2007	13:27:22	0.012	0	0
5/8/2007	13:42:22	0.014	0.002	2
5/8/2007	13:57:22	0.015	0.003	3
5/8/2007	14:12:22	0.013	0.001	1
5/8/2007	14:27:22	0.015	0.003	3
5/8/2007	14:42:22	0.014	0.002	2
5/8/2007	14:57:22	0.013	0.001	1
5/8/2007	15:12:22	0.015	0.003	3
5/8/2007	15:27:22	0.014	0.002	2
5/8/2007	15:42:22	0.013	0.001	1
5/8/2007	15:57:22	0.015	0.003	3
5/8/2007	16:12:22	0.017	0.005	5
5/8/2007	16:27:22	0.016	0.004	4
5/8/2007	16:42:22	0.014	0.002	2
5/8/2007	16:57:22	0.012	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/08/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/8/2007 6:38	0.1		0.1
2	5/8/2007 6:53	0		0
3	5/8/2007 7:08	0		0
4	5/8/2007 7:23	0		0
5	5/8/2007 7:38	0		0
6	5/8/2007 7:53	0		0
7	5/8/2007 8:08	0		0
8	5/8/2007 8:23	0		0
9	5/8/2007 8:38	0		0
10	5/8/2007 8:53	0		0
11	5/8/2007 9:08	0		0
12	5/8/2007 9:23	0		0
13	5/8/2007 9:38	0.1		0.1
14	5/8/2007 9:53	0.1		0.1
15	5/8/2007 10:08	0		0
16	5/8/2007 10:23	0.1		0.1
17	5/8/2007 10:38	0.1		0.1
18	5/8/2007 10:53	0.1		0.1
19	5/8/2007 11:08	0		0
20	5/8/2007 11:23	0.1		0.1
21	5/8/2007 11:38	0.1		0.1
22	5/8/2007 11:53	0		0
23	5/8/2007 12:08	0.1		0.1
24	5/8/2007 12:23	0		0
25	5/8/2007 12:38	0		0
26	5/8/2007 12:53	0		0
27	5/8/2007 13:08	0		0
28	5/8/2007 13:23	0		0
29	5/8/2007 13:38	0		0
30	5/8/2007 13:53	0		0
31	5/8/2007 14:08	0		0
32	5/8/2007 14:23	0		0
33	5/8/2007 14:38	0		0
34	5/8/2007 14:53	0		0
35	5/8/2007 15:08	0		0
36	5/8/2007 15:23	0		0
37	5/8/2007 15:38	0		0
38	5/8/2007 15:53	0		0
39	5/8/2007 16:08	0		0
40	5/8/2007 16:23	0		0
41	5/8/2007 16:38	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	5/8/2007
Start Time:	6:22:53
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0614) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/8/2007	6:37:53	0.013	0.005	5
5/8/2007	6:52:53	0.019	0.011	11
5/8/2007	7:07:53	0.009	0.001	1
5/8/2007	7:22:53	0.014	0.006	6
5/8/2007	7:37:53	0.032	0.024	24
5/8/2007	7:52:53	0.022	0.014	14
5/8/2007	8:07:53	0.009	0.001	1
5/8/2007	8:22:53	0.015	0.007	7
5/8/2007	8:37:53	0.01	0.002	2
5/8/2007	8:52:53	0.034	0.026	26
5/8/2007	9:07:53	0.046	0.038	38
5/8/2007	9:22:53	0.017	0.009	9
5/8/2007	9:37:53	0.019	0.011	11
5/8/2007	9:52:53	0.119	0.111	111
5/8/2007	10:07:53	0.029	0.021	21
5/8/2007	10:22:53	0.032	0.024	24
5/8/2007	10:37:53	0.033	0.025	25
5/8/2007	10:52:53	0.041	0.033	33
5/8/2007	11:07:53	0.031	0.023	23
5/8/2007	11:22:53	0.023	0.015	15
5/8/2007	11:37:53	0.025	0.017	17
5/8/2007	11:52:53	0.027	0.019	19
5/8/2007	12:07:53	0.029	0.021	21
5/8/2007	12:22:53	0.027	0.019	19
5/8/2007	12:37:53	0.008	0	0
5/8/2007	12:52:53	0.008	0	0
5/8/2007	13:07:53	0.012	0.004	4
5/8/2007	13:22:53	0.014	0.006	6
5/8/2007	13:37:53	0.019	0.011	11
5/8/2007	13:52:53	0.026	0.018	18
5/8/2007	14:07:53	0.028	0.02	20
5/8/2007	14:22:53	0.031	0.023	23
5/8/2007	14:37:53	0.029	0.021	21
5/8/2007	14:52:53	0.03	0.022	22
5/8/2007	15:07:53	0.023	0.015	15
5/8/2007	15:22:53	0.019	0.011	11
5/8/2007	15:37:53	0.012	0.004	4
5/8/2007	15:52:53	0.012	0.004	4
5/8/2007	16:07:53	0.015	0.007	7
5/8/2007	16:22:53	0.013	0.005	5
5/8/2007	16:37:53	0.012	0.004	4
5/8/2007	16:52:53	0.009	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/08/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0606) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/9/2007 6:22	0		0
2	5/9/2007 6:37	0		0
3	5/9/2007 6:52	0		0
4	5/9/2007 7:07	0		0
5	5/9/2007 7:22	0		0
6	5/9/2007 7:37	0		0
7	5/9/2007 7:52	0		0
8	5/9/2007 8:07	0		0
9	5/9/2007 8:22	0		0
10	5/9/2007 8:37	0		0
11	5/9/2007 8:52	0		0
12	5/9/2007 9:07	0		0
13	5/9/2007 9:22	0		0
14	5/9/2007 9:37	0		0
15	5/9/2007 9:52	0		0
16	5/9/2007 10:07	0		0
17	5/9/2007 10:22	0		0
18	5/9/2007 10:37	0		0
19	5/9/2007 10:52	0		0
20	5/9/2007 11:07	0		0
21	5/9/2007 11:22	0		0
22	5/9/2007 11:37	0		0
23	5/9/2007 11:52	0		0
24	5/9/2007 12:07	0		0
25	5/9/2007 12:22	0		0
26	5/9/2007 12:37	0		0
27	5/9/2007 12:52	0		0
28	5/9/2007 13:07	0		0
29	5/9/2007 13:22	0		0
30	5/9/2007 13:37	0		0
31	5/9/2007 13:52	0		0
32	5/9/2007 14:07	0		0
33	5/9/2007 14:22	0		0
34	5/9/2007 14:37	0		0
35	5/9/2007 14:52	0		0
36	5/9/2007 15:07	0		0
37	5/9/2007 15:22	0		0
38	5/9/2007 15:37	0		0
39	5/9/2007 15:52	0		0
40	5/9/2007 16:07	0		0
41	5/9/2007 16:22	0		0
42	5/9/2007 16:37	0		0
43	5/9/2007 16:52	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/9/2007
Start Time:	6:09:11
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0606) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/9/2007	6:24:11	0.03	-0.003	-3
5/9/2007	6:39:11	0.031	-0.002	-2
5/9/2007	6:54:11	0.038	0.005	5
5/9/2007	7:09:11	0.037	0.004	4
5/9/2007	7:24:11	0.036	0.003	3
5/9/2007	7:39:11	0.04	0.007	7
5/9/2007	7:54:11	0.043	0.01	10
5/9/2007	8:09:11	0.041	0.008	8
5/9/2007	8:24:11	0.042	0.009	9
5/9/2007	8:39:11	0.047	0.014	14
5/9/2007	8:54:11	0.044	0.011	11
5/9/2007	9:09:11	0.043	0.01	10
5/9/2007	9:24:11	0.036	0.003	3
5/9/2007	9:39:11	0.038	0.005	5
5/9/2007	9:54:11	0.034	0.001	1
5/9/2007	10:09:11	0.047	0.014	14
5/9/2007	10:24:11	0.033	0	0
5/9/2007	10:39:11	0.024	-0.009	-9
5/9/2007	10:54:11	0.023	-0.01	-10
5/9/2007	11:09:11	0.025	-0.008	-8
5/9/2007	11:24:11	0.027	-0.006	-6
5/9/2007	11:39:11	0.028	-0.005	-5
5/9/2007	11:54:11	0.028	-0.005	-5
5/9/2007	12:09:11	0.03	-0.003	-3
5/9/2007	12:24:11	0.024	-0.009	-9
5/9/2007	12:39:11	0.019	-0.014	-14
5/9/2007	12:54:11	0.034	0.001	1
5/9/2007	13:09:11	0.021	-0.012	-12
5/9/2007	13:24:11	0.018	-0.015	-15
5/9/2007	13:39:11	0.019	-0.014	-14
5/9/2007	13:54:11	0.019	-0.014	-14
5/9/2007	14:09:11	0.017	-0.016	-16
5/9/2007	14:24:11	0.023	-0.01	-10
5/9/2007	14:39:11	0.019	-0.014	-14
5/9/2007	14:54:11	0.016	-0.017	-17
5/9/2007	15:09:11	0.018	-0.015	-15
5/9/2007	15:24:11	0.018	-0.015	-15
5/9/2007	15:39:11	0.017	-0.016	-16
5/9/2007	15:54:11	0.014	-0.019	-19
5/9/2007	16:09:11	0.011	-0.022	-22
5/9/2007	16:24:11	0.01	-0.023	-23
5/9/2007	16:39:11	0.011	-0.022	-22
5/9/2007	16:54:11	0.01	-0.023	-23
5/9/2007	17:09:11	0.01	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/09/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/9/2007 6:18	0		0
2	5/9/2007 6:33	0		0
3	5/9/2007 6:48	0.1		0.1
4	5/9/2007 7:03	0.1		0.1
5	5/9/2007 7:18	0.1		0.1
6	5/9/2007 7:33	0.1		0.1
7	5/9/2007 7:48	0.1		0.1
8	5/9/2007 8:03	0.1		0.1
9	5/9/2007 8:18	0.1		0.1
10	5/9/2007 8:33	0.1		0.1
11	5/9/2007 8:48	0.1		0.1
12	5/9/2007 9:03	0.1		0.1
13	5/9/2007 9:18	0.1		0.1
14	5/9/2007 9:33	0.1		0.1
15	5/9/2007 9:48	0.1		0.1
16	5/9/2007 10:03	0.1		0.1
17	5/9/2007 10:18	0.1		0.1
18	5/9/2007 10:33	0.1		0.1
19	5/9/2007 10:48	0.1		0.1
20	5/9/2007 11:03	0.1		0.1
21	5/9/2007 11:18	0.1		0.1
22	5/9/2007 11:33	0.1		0.1
23	5/9/2007 11:48	0.1		0.1
24	5/9/2007 12:03	0.1		0.1
25	5/9/2007 12:18	0.1		0.1
26	5/9/2007 12:33	0.1		0.1
27	5/9/2007 12:48	0.1		0.1
28	5/9/2007 13:03	0.1		0.1
29	5/9/2007 13:18	0.1		0.1
30	5/9/2007 13:33	0.1		0.1
31	5/9/2007 13:48	0.1		0.1
32	5/9/2007 14:03	0.1		0.1
33	5/9/2007 14:18	0.1		0.1
34	5/9/2007 14:33	0.1		0.1
35	5/9/2007 14:48	0.1		0.1
36	5/9/2007 15:03	0.1		0.1
37	5/9/2007 15:18	0.1		0.1
38	5/9/2007 15:33	0		0
39	5/9/2007 15:48	0		0
40	5/9/2007 16:03	0		0
41	5/9/2007 16:18	0		0
42	5/9/2007 16:33	0		0
43	5/9/2007 16:48	0		0
44	5/9/2007 17:03	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	5/9/2007
Start Time:	6:04:32
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0603) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/9/2007	6:19:32	0.019	0.001	1
5/9/2007	6:34:32	0.017	-0.001	-1
5/9/2007	6:49:32	0.021	0.003	3
5/9/2007	7:04:32	0.021	0.003	3
5/9/2007	7:19:32	0.027	0.009	9
5/9/2007	7:34:32	0.024	0.006	6
5/9/2007	7:49:32	0.027	0.009	9
5/9/2007	8:04:32	0.026	0.008	8
5/9/2007	8:19:32	0.028	0.01	10
5/9/2007	8:34:32	0.027	0.009	9
5/9/2007	8:49:32	0.029	0.011	11
5/9/2007	9:04:32	0.03	0.012	12
5/9/2007	9:19:32	0.026	0.008	8
5/9/2007	9:34:32	0.025	0.007	7
5/9/2007	9:49:32	0.024	0.006	6
5/9/2007	10:04:32	0.023	0.005	5
5/9/2007	10:19:32	0.022	0.004	4
5/9/2007	10:34:32	0.021	0.003	3
5/9/2007	10:49:32	0.016	-0.002	-2
5/9/2007	11:04:32	0.017	-0.001	-1
5/9/2007	11:19:32	0.02	0.002	2
5/9/2007	11:34:32	0.019	0.001	1
5/9/2007	11:49:32	0.021	0.003	3
5/9/2007	12:04:32	0.02	0.002	2
5/9/2007	12:19:32	0.02	0.002	2
5/9/2007	12:34:32	0.017	-0.001	-1
5/9/2007	12:49:32	0.015	-0.003	-3
5/9/2007	13:04:32	0.014	-0.004	-4
5/9/2007	13:19:32	0.016	-0.002	-2
5/9/2007	13:34:32	0.014	-0.004	-4
5/9/2007	13:49:32	0.014	-0.004	-4
5/9/2007	14:04:32	0.014	-0.004	-4
5/9/2007	14:19:32	0.018	0	0
5/9/2007	14:34:32	0.017	-0.001	-1
5/9/2007	14:49:32	0.015	-0.003	-3
5/9/2007	15:04:32	0.015	-0.003	-3
5/9/2007	15:19:32	0.014	-0.004	-4
5/9/2007	15:34:32	0.013	-0.005	-5
5/9/2007	15:49:32	0.014	-0.004	-4
5/9/2007	16:04:32	0.011	-0.007	-7
5/9/2007	16:19:32	0.011	-0.007	-7
5/9/2007	16:34:32	0.011	-0.007	-7
5/9/2007	16:49:32	0.01	-0.008	-8
5/9/2007	17:04:32	0.01	-0.008	-8
5/9/2007	17:19:32	0.009	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/09/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/9/2007 6:29	0		0
2	5/9/2007 6:44	0		0
3	5/9/2007 6:59	0		0
4	5/9/2007 7:14	0		0
5	5/9/2007 7:29	0		0
6	5/9/2007 7:44	0		0
7	5/9/2007 7:59	0		0
8	5/9/2007 8:14	0		0
9	5/9/2007 8:29	0		0
10	5/9/2007 8:44	0		0
11	5/9/2007 8:59	0		0
12	5/9/2007 9:14	0		0
13	5/9/2007 9:29	0		0
14	5/9/2007 9:44	0		0
15	5/9/2007 9:59	0		0
16	5/9/2007 10:14	0		0
17	5/9/2007 10:29	0		0
18	5/9/2007 10:44	0		0
19	5/9/2007 10:59	0		0
20	5/9/2007 11:14	0		0
21	5/9/2007 11:29	0		0
22	5/9/2007 11:44	0		0
23	5/9/2007 11:59	0		0
24	5/9/2007 12:14	0		0
25	5/9/2007 12:29	0		0
26	5/9/2007 12:44	0		0
27	5/9/2007 12:59	0		0
28	5/9/2007 13:14	0		0
29	5/9/2007 13:29	0		0
30	5/9/2007 13:44	0		0
31	5/9/2007 13:59	0		0
32	5/9/2007 14:14	0		0
33	5/9/2007 14:29	0		0
34	5/9/2007 14:44	0		0
35	5/9/2007 14:59	0		0
36	5/9/2007 15:14	0		0
37	5/9/2007 15:29	0		0
38	5/9/2007 15:44	0		0
39	5/9/2007 15:59	0		0
40	5/9/2007 16:14	0		0
41	5/9/2007 16:29	0		0
42	5/9/2007 16:44	0		0
43	5/9/2007 16:59	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	5/9/2007
Start Time:	6:17:57
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0614) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/9/2007	6:32:57	0.025	0.002	2
5/9/2007	6:47:57	0.031	0.008	8
5/9/2007	7:02:57	0.033	0.01	10
5/9/2007	7:17:57	0.036	0.013	13
5/9/2007	7:32:57	0.038	0.015	15
5/9/2007	7:47:57	0.041	0.018	18
5/9/2007	8:02:57	0.044	0.021	21
5/9/2007	8:17:57	0.041	0.018	18
5/9/2007	8:32:57	0.042	0.019	19
5/9/2007	8:47:57	0.045	0.022	22
5/9/2007	9:02:57	0.046	0.023	23
5/9/2007	9:17:57	0.043	0.02	20
5/9/2007	9:32:57	0.037	0.014	14
5/9/2007	9:47:57	0.042	0.019	19
5/9/2007	10:02:57	0.037	0.014	14
5/9/2007	10:17:57	0.036	0.013	13
5/9/2007	10:32:57	0.033	0.01	10
5/9/2007	10:47:57	0.025	0.002	2
5/9/2007	11:02:57	0.028	0.005	5
5/9/2007	11:17:57	0.029	0.006	6
5/9/2007	11:32:57	0.028	0.005	5
5/9/2007	11:47:57	0.031	0.008	8
5/9/2007	12:02:57	0.029	0.006	6
5/9/2007	12:17:57	0.028	0.005	5
5/9/2007	12:32:57	0.025	0.002	2
5/9/2007	12:47:57	0.022	-0.001	-1
5/9/2007	13:02:57	0.021	-0.002	-2
5/9/2007	13:17:57	0.021	-0.002	-2
5/9/2007	13:32:57	0.019	-0.004	-4
5/9/2007	13:47:57	0.021	-0.002	-2
5/9/2007	14:02:57	0.022	-0.001	-1
5/9/2007	14:17:57	0.024	0.001	1
5/9/2007	14:32:57	0.028	0.005	5
5/9/2007	14:47:57	0.024	0.001	1
5/9/2007	15:02:57	0.023	0	0
5/9/2007	15:17:57	0.024	0.001	1
5/9/2007	15:32:57	0.02	-0.003	-3
5/9/2007	15:47:57	0.02	-0.003	-3
5/9/2007	16:02:57	0.014	-0.009	-9
5/9/2007	16:17:57	0.014	-0.009	-9
5/9/2007	16:32:57	0.015	-0.008	-8
5/9/2007	16:47:57	0.013	-0.01	-10
5/9/2007	17:02:57	0.013	-0.01	-10
5/9/2007	17:17:57	0.012	-0.011	-11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/09/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0611) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/9/2007 6:28	0.2		0.2
2	5/9/2007 6:43	0.6		0.6
3	5/9/2007 6:58	0.8		0.8
4	5/9/2007 7:13	1		1
1	5/9/2007 7:44	0		0
2	5/9/2007 7:59	0		0
3	5/9/2007 8:14	0		0
4	5/9/2007 8:29	0		0
5	5/9/2007 8:44	0		0
6	5/9/2007 8:59	0		0
7	5/9/2007 9:14	0		0
8	5/9/2007 9:29	0		0
9	5/9/2007 9:44	0		0
10	5/9/2007 9:59	0		0
11	5/9/2007 10:14	0		0
12	5/9/2007 10:29	0		0
13	5/9/2007 10:44	0		0
14	5/9/2007 10:59	0		0
15	5/9/2007 11:14	0		0
16	5/9/2007 11:29	0		0
17	5/9/2007 11:44	0		0
18	5/9/2007 11:59	0		0
19	5/9/2007 12:14	0		0
20	5/9/2007 12:29	0		0
21	5/9/2007 12:44	0		0
22	5/9/2007 12:59	0		0
23	5/9/2007 13:14	0		0
24	5/9/2007 13:29	0		0
25	5/9/2007 13:44	0		0
26	5/9/2007 13:59	0		0
27	5/9/2007 14:14	0		0
28	5/9/2007 14:29	0		0
29	5/9/2007 14:44	0		0
30	5/9/2007 14:59	0		0
31	5/9/2007 15:14	0		0
32	5/9/2007 15:29	0		0
33	5/9/2007 15:44	0		0
34	5/9/2007 15:59	0		0
35	5/9/2007 16:14	0		0
36	5/9/2007 16:29	0		0
37	5/9/2007 16:44	0		0
38	5/9/2007 16:59	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	5/9/2007
Start Time:	6:13:22
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0611) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/9/2007	6:28:22	0.021	0	0
5/9/2007	6:43:22	0.022	0.001	1
5/9/2007	6:58:22	0.024	0.003	3
5/9/2007	7:13:22	0.026	0.005	5
5/9/2007	7:28:22	0.034	0.013	13
5/9/2007	7:43:22	0.035	0.014	14
5/9/2007	7:58:22	0.037	0.016	16
5/9/2007	8:13:22	0.03	0.009	9
5/9/2007	8:28:22	0.04	0.019	19
5/9/2007	8:43:22	0.037	0.016	16
5/9/2007	8:58:22	0.077	0.056	56
5/9/2007	9:13:22	0.038	0.017	17
5/9/2007	9:28:22	0.033	0.012	12
5/9/2007	9:43:22	0.027	0.006	6
5/9/2007	9:58:22	0.038	0.017	17
5/9/2007	10:13:22	0.041	0.02	20
5/9/2007	10:28:22	0.036	0.015	15
5/9/2007	10:43:22	0.029	0.008	8
5/9/2007	10:58:22	0.029	0.008	8
5/9/2007	11:13:22	0.03	0.009	9
5/9/2007	11:28:22	0.025	0.004	4
5/9/2007	11:43:22	0.025	0.004	4
5/9/2007	11:58:22	0.023	0.002	2
5/9/2007	12:13:22	0.022	0.001	1
5/9/2007	12:28:22	0.018	-0.003	-3
5/9/2007	12:43:22	0.014	-0.007	-7
5/9/2007	12:58:22	0.023	0.002	2
5/9/2007	13:13:22	0.02	-0.001	-1
5/9/2007	13:28:22	0.024	0.003	3
5/9/2007	13:43:22	0.015	-0.006	-6
5/9/2007	13:58:22	0.018	-0.003	-3
5/9/2007	14:13:22	0.026	0.005	5
5/9/2007	14:28:22	0.057	0.036	36
5/9/2007	14:43:22	0.035	0.014	14
5/9/2007	14:58:22	0.027	0.006	6
5/9/2007	15:13:22	0.029	0.008	8
5/9/2007	15:28:22	0.039	0.018	18
5/9/2007	15:43:22	0.026	0.005	5
5/9/2007	15:58:22	0.025	0.004	4
5/9/2007	16:13:22	0.068	0.047	47
5/9/2007	16:28:22	0.016	-0.005	-5
5/9/2007	16:43:22	0.012	-0.009	-9
5/9/2007	16:58:22	0.009	-0.012	-12
5/9/2007	17:13:22	0.008	-0.013	-13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/10/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/10/2007 6:38	0.1		0.1
2	5/10/2007 6:53	0.2		0.2
3	5/10/2007 7:08	0.3		0.3
4	5/10/2007 7:23	0.4		0.4
5	5/10/2007 7:38	0.4		0.4
6	5/10/2007 7:53	0.5		0.5
7	5/10/2007 8:08	0.5		0.5
8	5/10/2007 8:23	0.5		0.5
9	5/10/2007 8:38	0.5		0.5
10	5/10/2007 8:53	0.5		0.5
11	5/10/2007 9:08	0.6		0.6
12	5/10/2007 9:23	0.6		0.6
13	5/10/2007 9:38	0.6		0.6
14	5/10/2007 9:53	0.6		0.6
15	5/10/2007 10:08	0.6		0.6
16	5/10/2007 10:23	0.6		0.6
17	5/10/2007 10:38	0.6		0.6
18	5/10/2007 10:53	0.6		0.6
19	5/10/2007 11:08	0.5		0.5
20	5/10/2007 11:23	0.5		0.5
21	5/10/2007 11:38	0.5		0.5
22	5/10/2007 11:53	0.5		0.5
23	5/10/2007 12:08	0.4		0.4
24	5/10/2007 12:23	0.4		0.4
25	5/10/2007 12:38	0.4		0.4
26	5/10/2007 12:53	0.4		0.4
27	5/10/2007 13:08	0.4		0.4
28	5/10/2007 13:23	0.4		0.4
29	5/10/2007 13:38	0.4		0.4
30	5/10/2007 13:53	0.4		0.4
31	5/10/2007 14:08	0.4		0.4
32	5/10/2007 14:23	0.4		0.4
33	5/10/2007 14:38	0.4		0.4
34	5/10/2007 14:53	0.4		0.4
35	5/10/2007 15:08	0.3		0.3
36	5/10/2007 15:23	0.3		0.3
37	5/10/2007 15:38	0.3		0.3
38	5/10/2007 15:53	0.3		0.3
39	5/10/2007 16:08	0.2		0.2
40	5/10/2007 16:23	0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/10/2007
Start Time:	6:08:15
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0625) = 0.084 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/10/2007	6:23:15	0.085	0.001	1
5/10/2007	6:38:15	0.081	-0.003	-3
5/10/2007	6:53:15	0.076	-0.008	-8
5/10/2007	7:08:15	0.078	-0.006	-6
5/10/2007	7:23:15	0.058	-0.026	-26
5/10/2007	7:38:15	0.061	-0.023	-23
5/10/2007	7:53:15	0.066	-0.018	-18
5/10/2007	8:08:15	0.075	-0.009	-9
5/10/2007	8:23:15	0.087	0.003	3
5/10/2007	8:38:15	0.072	-0.012	-12
5/10/2007	8:53:15	0.068	-0.016	-16
5/10/2007	9:08:15	0.07	-0.014	-14
5/10/2007	9:23:15	0.078	-0.006	-6
5/10/2007	9:38:15	0.065	-0.019	-19
5/10/2007	9:53:15	0.064	-0.02	-20
5/10/2007	10:08:15	0.071	-0.013	-13
5/10/2007	10:23:15	0.068	-0.016	-16
5/10/2007	10:38:15	0.062	-0.022	-22
5/10/2007	10:53:15	0.038	-0.046	-46
5/10/2007	11:08:15	0.028	-0.056	-56
5/10/2007	11:23:15	0.023	-0.061	-61
5/10/2007	11:38:15	0.023	-0.061	-61
5/10/2007	11:53:15	0.026	-0.058	-58
5/10/2007	12:08:15	0.042	-0.042	-42
5/10/2007	12:23:15	0.051	-0.033	-33
5/10/2007	12:38:15	0.054	-0.03	-30
5/10/2007	12:53:15	0.051	-0.033	-33
5/10/2007	13:08:15	0.051	-0.033	-33
5/10/2007	13:23:15	0.056	-0.028	-28
5/10/2007	13:38:15	0.057	-0.027	-27
5/10/2007	13:53:15	0.051	-0.033	-33
5/10/2007	14:08:15	0.056	-0.028	-28
5/10/2007	14:23:15	0.057	-0.027	-27
5/10/2007	14:38:15	0.046	-0.038	-38
5/10/2007	14:53:15	0.039	-0.045	-45
5/10/2007	15:08:15	0.048	-0.036	-36
5/10/2007	15:23:15	0.042	-0.042	-42
5/10/2007	15:38:15	0.037	-0.047	-47
5/10/2007	15:53:15	0.031	-0.053	-53
5/10/2007	16:08:15	0.022	-0.062	-62
5/10/2007	16:23:15	0.023	-0.061	-61
5/10/2007	16:38:15	0.021	-0.063	-63

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/10/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/10/2007 6:44	0		0
2	5/10/2007 6:59	0		0
3	5/10/2007 7:14	0		0
4	5/10/2007 7:29	0		0
5	5/10/2007 7:44	0		0
6	5/10/2007 7:59	0		0
7	5/10/2007 8:14	0		0
8	5/10/2007 8:29	0		0
9	5/10/2007 8:44	0		0
10	5/10/2007 8:59	0		0
11	5/10/2007 9:14	0		0
12	5/10/2007 9:29	0		0
13	5/10/2007 9:44	0		0
14	5/10/2007 9:59	0		0
15	5/10/2007 10:14	0		0
16	5/10/2007 10:29	0		0
17	5/10/2007 10:44	0		0
18	5/10/2007 10:59	0		0
19	5/10/2007 11:14	0		0
20	5/10/2007 11:29	0		0
21	5/10/2007 11:44	0		0
22	5/10/2007 11:59	0		0
23	5/10/2007 12:14	0		0
24	5/10/2007 12:29	0		0
25	5/10/2007 12:44	0		0
26	5/10/2007 12:59	0		0
27	5/10/2007 13:14	0		0
28	5/10/2007 13:29	0		0
29	5/10/2007 13:44	0		0
30	5/10/2007 13:59	0		0
31	5/10/2007 14:14	0		0
32	5/10/2007 14:29	0		0
33	5/10/2007 14:44	0		0
34	5/10/2007 14:59	0		0
35	5/10/2007 15:14	0		0
36	5/10/2007 15:29	0		0
37	5/10/2007 15:44	0		0
38	5/10/2007 15:59	0		0
39	5/10/2007 16:14	0		0
40	5/10/2007 16:29	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	5/10/2007
Start Time:	6:30:55
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0627) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/10/2007	6:45:55	0.046	0.004	4
5/10/2007	7:00:55	0.033	-0.009	-9
5/10/2007	7:15:55	0.03	-0.012	-12
5/10/2007	7:30:55	0.031	-0.011	-11
5/10/2007	7:45:55	0.037	-0.005	-5
5/10/2007	8:00:55	0.038	-0.004	-4
5/10/2007	8:15:55	0.038	-0.004	-4
5/10/2007	8:30:55	0.04	-0.002	-2
5/10/2007	8:45:55	0.037	-0.005	-5
5/10/2007	9:00:55	0.038	-0.004	-4
5/10/2007	9:15:55	0.04	-0.002	-2
5/10/2007	9:30:55	0.036	-0.006	-6
5/10/2007	9:45:55	0.037	-0.005	-5
5/10/2007	10:00:55	0.036	-0.006	-6
5/10/2007	10:15:55	0.039	-0.003	-3
5/10/2007	10:30:55	0.036	-0.006	-6
5/10/2007	10:45:55	0.034	-0.008	-8
5/10/2007	11:00:55	0.032	-0.01	-10
5/10/2007	11:15:55	0.033	-0.009	-9
5/10/2007	11:30:55	0.035	-0.007	-7
5/10/2007	11:45:55	0.037	-0.005	-5
5/10/2007	12:00:55	0.036	-0.006	-6
5/10/2007	12:15:55	0.037	-0.005	-5
5/10/2007	12:30:55	0.039	-0.003	-3
5/10/2007	12:45:55	0.037	-0.005	-5
5/10/2007	13:00:55	0.035	-0.007	-7
5/10/2007	13:15:55	0.035	-0.007	-7
5/10/2007	13:30:55	0.035	-0.007	-7
5/10/2007	13:45:55	0.039	-0.003	-3
5/10/2007	14:00:55	0.035	-0.007	-7
5/10/2007	14:15:55	0.039	-0.003	-3
5/10/2007	14:30:55	0.037	-0.005	-5
5/10/2007	14:45:55	0.03	-0.012	-12
5/10/2007	15:00:55	0.03	-0.012	-12
5/10/2007	15:15:55	0.032	-0.01	-10
5/10/2007	15:30:55	0.03	-0.012	-12
5/10/2007	15:45:55	0.027	-0.015	-15
5/10/2007	16:00:55	0.021	-0.021	-21
5/10/2007	16:15:55	0.02	-0.022	-22
5/10/2007	16:30:55	0.019	-0.023	-23
5/10/2007	16:45:55	0.018	-0.024	-24

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/10/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0646) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/10/2007 7:01	0		0
2	5/10/2007 7:16	0.1		0.1
3	5/10/2007 7:31	0.2		0.2
4	5/10/2007 7:46	0.2		0.2
5	5/10/2007 8:01	0.3		0.3
6	5/10/2007 8:16	0.3		0.3
7	5/10/2007 8:31	0.4		0.4
8	5/10/2007 8:46	0.4		0.4
9	5/10/2007 9:01	0.4		0.4
10	5/10/2007 9:16	0.4		0.4
11	5/10/2007 9:31	0.5		0.5
12	5/10/2007 9:46	0.5		0.5
13	5/10/2007 10:01	0.5		0.5
14	5/10/2007 10:16	0.5		0.5
15	5/10/2007 10:31	0.5		0.5
16	5/10/2007 10:46	0.5		0.5
17	5/10/2007 11:01	0.6		0.6
18	5/10/2007 11:16	0.6		0.6
19	5/10/2007 11:31	0.6		0.6
20	5/10/2007 11:46	0.7		0.7
21	5/10/2007 12:01	0.7		0.7
22	5/10/2007 12:16	0.7		0.7
23	5/10/2007 12:31	0.7		0.7
24	5/10/2007 12:46	0.7		0.7
25	5/10/2007 13:01	0.7		0.7
26	5/10/2007 13:16	0.7		0.7
27	5/10/2007 13:31	0.7		0.7
28	5/10/2007 13:46	0.7		0.7
29	5/10/2007 14:01	0.7		0.7
30	5/10/2007 14:16	0.7		0.7
31	5/10/2007 14:31	0.7		0.7
32	5/10/2007 14:46	0.7		0.7
33	5/10/2007 15:01	0.7		0.7
34	5/10/2007 15:16	0.7		0.7
35	5/10/2007 15:31	0.7		0.7
36	5/10/2007 15:46	0.7		0.7
37	5/10/2007 16:01	0.7		0.7
38	5/10/2007 16:16	0.7		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	5/10/2007
Start Time:	6:49:48
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0646) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/10/2007	7:04:48	0.056	0.002	2
5/10/2007	7:19:48	0.057	0.003	3
5/10/2007	7:34:48	0.06	0.006	6
5/10/2007	7:49:48	0.061	0.007	7
5/10/2007	8:04:48	0.062	0.008	8
5/10/2007	8:19:48	0.068	0.014	14
5/10/2007	8:34:48	0.068	0.014	14
5/10/2007	8:49:48	0.067	0.013	13
5/10/2007	9:04:48	0.073	0.019	19
5/10/2007	9:19:48	0.067	0.013	13
5/10/2007	9:34:48	0.063	0.009	9
5/10/2007	9:49:48	0.061	0.007	7
5/10/2007	10:04:48	0.061	0.007	7
5/10/2007	10:19:48	0.062	0.008	8
5/10/2007	10:34:48	0.062	0.008	8
5/10/2007	10:49:48	0.056	0.002	2
5/10/2007	11:04:48	0.056	0.002	2
5/10/2007	11:19:48	0.056	0.002	2
5/10/2007	11:34:48	0.062	0.008	8
5/10/2007	11:49:48	0.056	0.002	2
5/10/2007	12:04:48	0.054	0	0
5/10/2007	12:19:48	0.056	0.002	2
5/10/2007	12:34:48	0.058	0.004	4
5/10/2007	12:49:48	0.053	-0.001	-1
5/10/2007	13:04:48	0.052	-0.002	-2
5/10/2007	13:19:48	0.05	-0.004	-4
5/10/2007	13:34:48	0.052	-0.002	-2
5/10/2007	13:49:48	0.051	-0.003	-3
5/10/2007	14:04:48	0.053	-0.001	-1
5/10/2007	14:19:48	0.057	0.003	3
5/10/2007	14:34:48	0.053	-0.001	-1
5/10/2007	14:49:48	0.04	-0.014	-14
5/10/2007	15:04:48	0.041	-0.013	-13
5/10/2007	15:19:48	0.044	-0.01	-10
5/10/2007	15:34:48	0.04	-0.014	-14
5/10/2007	15:49:48	0.036	-0.018	-18
5/10/2007	16:04:48	0.027	-0.027	-27
5/10/2007	16:19:48	0.026	-0.028	-28
5/10/2007	16:34:48	0.026	-0.028	-28

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/09/2007 18:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/10/2007 7:01	0		0
2	5/10/2007 7:16	0		0
3	5/10/2007 7:31	0		0
4	5/10/2007 7:46	0		0
5	5/10/2007 8:01	0		0
6	5/10/2007 8:16	0		0
7	5/10/2007 8:31	0		0
8	5/10/2007 8:46	0		0
9	5/10/2007 9:01	0		0
10	5/10/2007 9:16	0		0
11	5/10/2007 9:31	0		0
12	5/10/2007 9:46	0		0
13	5/10/2007 10:01	0		0
14	5/10/2007 10:16	0		0
15	5/10/2007 10:31	0		0
16	5/10/2007 10:46	0		0
17	5/10/2007 11:01	0		0
18	5/10/2007 11:16	0		0
19	5/10/2007 11:31	0		0
20	5/10/2007 11:46	0		0
21	5/10/2007 12:01	0		0
22	5/10/2007 12:16	0		0
23	5/10/2007 12:31	0		0
24	5/10/2007 12:46	0		0
25	5/10/2007 13:01	0		0
26	5/10/2007 13:16	0		0
27	5/10/2007 13:31	0		0
28	5/10/2007 13:46	0		0
29	5/10/2007 14:01	0		0
30	5/10/2007 14:16	0		0
31	5/10/2007 14:31	0		0
32	5/10/2007 14:46	0		0
33	5/10/2007 15:01	0		0
34	5/10/2007 15:16	0		0
35	5/10/2007 15:31	0		0
36	5/10/2007 15:46	0		0
37	5/10/2007 16:01	0		0
38	5/10/2007 16:16	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	5/10/2007
Start Time:	6:46:32
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0640) = 0.069 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/10/2007	7:01:32	0.06	-0.009	-9
5/10/2007	7:16:32	0.067	-0.002	-2
5/10/2007	7:31:32	0.104	0.035	35
5/10/2007	7:46:32	0.093	0.024	24
5/10/2007	8:01:32	0.12	0.051	51
5/10/2007	8:16:32	0.062	-0.007	-7
5/10/2007	8:31:32	0.058	-0.011	-11
5/10/2007	8:46:32	0.055	-0.014	-14
5/10/2007	9:01:32	0.054	-0.015	-15
5/10/2007	9:16:32	0.057	-0.012	-12
5/10/2007	9:31:32	0.077	0.008	8
5/10/2007	9:46:32	0.049	-0.02	-20
5/10/2007	10:01:32	0.068	-0.001	-1
5/10/2007	10:16:32	0.095	0.026	26
5/10/2007	10:31:32	0.073	0.004	4
5/10/2007	10:46:32	0.048	-0.021	-21
5/10/2007	11:01:32	0.047	-0.022	-22
5/10/2007	11:16:32	0.052	-0.017	-17
5/10/2007	11:31:32	0.069	0	0
5/10/2007	11:46:32	0.053	-0.016	-16
5/10/2007	12:01:32	0.054	-0.015	-15
5/10/2007	12:16:32	0.093	0.024	24
5/10/2007	12:31:32	0.096	0.027	27
5/10/2007	12:46:32	0.13	0.061	61
5/10/2007	13:01:32	0.057	-0.012	-12
5/10/2007	13:16:32	0.052	-0.017	-17
5/10/2007	13:31:32	0.044	-0.025	-25
5/10/2007	13:46:32	0.055	-0.014	-14
5/10/2007	14:01:32	0.072	0.003	3
5/10/2007	14:16:32	0.056	-0.013	-13
5/10/2007	14:31:32	0.072	0.003	3
5/10/2007	14:46:32	0.059	-0.01	-10
5/10/2007	15:01:32	0.06	-0.009	-9
5/10/2007	15:16:32	0.059	-0.01	-10
5/10/2007	15:31:32	0.045	-0.024	-24
5/10/2007	15:46:32	0.05	-0.019	-19
5/10/2007	16:01:32	0.032	-0.037	-37
5/10/2007	16:16:32	0.021	-0.048	-48
5/10/2007	16:31:32	0.019	-0.05	-50

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/11/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/11/2007 6:07	0		-0.1
2	5/11/2007 6:22	0		-0.1
3	5/11/2007 6:37	0.1		0
4	5/11/2007 6:52	0.1		0
5	5/11/2007 7:07	0.2		0.1
6	5/11/2007 7:22	0.2		0.1
7	5/11/2007 7:37	0.2		0.1
8	5/11/2007 7:52	0.2		0.1
9	5/11/2007 8:07	0.2		0.1
10	5/11/2007 8:22	0.2		0.1
11	5/11/2007 8:37	0.3		0.2
12	5/11/2007 8:52	0.3		0.2
13	5/11/2007 9:07	0.3		0.2
14	5/11/2007 9:22	0.3		0.2
15	5/11/2007 9:37	0.3		0.2
16	5/11/2007 9:52	0.3		0.2
17	5/11/2007 10:07	0.3		0.2
18	5/11/2007 10:22	0.3		0.2
19	5/11/2007 10:37	0.3		0.2
20	5/11/2007 10:52	0.2		0.1
21	5/11/2007 11:07	0.2		0.1
22	5/11/2007 11:22	0.2		0.1
23	5/11/2007 11:37	0.2		0.1
24	5/11/2007 11:52	0.2		0.1
25	5/11/2007 12:07	0.2		0.1
26	5/11/2007 12:22	0.1		0
27	5/11/2007 12:37	0.1		0
28	5/11/2007 12:52	0		-0.1
29	5/11/2007 13:07	0		-0.1
30	5/11/2007 13:22	0		-0.1
31	5/11/2007 13:37	0		-0.1
32	5/11/2007 13:52	0		-0.1
33	5/11/2007 14:07	0		-0.1
34	5/11/2007 14:22	0		-0.1
35	5/11/2007 14:37	0		-0.1
36	5/11/2007 14:52	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/11/2007
Start Time:	5:55:53
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0555) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/11/2007	6:10:53	0.024	-0.027	-27
5/11/2007	6:25:53	0.028	-0.023	-23
5/11/2007	6:40:53	0.034	-0.017	-17
5/11/2007	6:55:53	0.046	-0.005	-5
5/11/2007	7:10:53	0.056	0.005	5
5/11/2007	7:25:53	0.065	0.014	14
5/11/2007	7:40:53	0.071	0.02	20
5/11/2007	7:55:53	0.065	0.014	14
5/11/2007	8:10:53	0.059	0.008	8
5/11/2007	8:25:53	0.062	0.011	11
5/11/2007	8:40:53	0.065	0.014	14
5/11/2007	8:55:53	0.062	0.011	11
5/11/2007	9:10:53	0.067	0.016	16
5/11/2007	9:25:53	0.066	0.015	15
5/11/2007	9:40:53	0.064	0.013	13
5/11/2007	9:55:53	0.063	0.012	12
5/11/2007	10:10:53	0.062	0.011	11
5/11/2007	10:25:53	0.065	0.014	14
5/11/2007	10:40:53	0.068	0.017	17
5/11/2007	10:55:53	0.104	0.053	53
5/11/2007	11:10:53	0.092	0.041	41
5/11/2007	11:25:53	0.081	0.03	30
5/11/2007	11:40:53	0.081	0.03	30
5/11/2007	11:55:53	0.085	0.034	34
5/11/2007	12:10:53	0.089	0.038	38
5/11/2007	12:25:53	0.091	0.04	40
5/11/2007	12:40:53	0.096	0.045	45
5/11/2007	12:55:53	0.105	0.054	54
5/11/2007	13:10:53	0.112	0.061	61
5/11/2007	13:25:53	0.108	0.057	57
5/11/2007	13:40:53	0.11	0.059	59
5/11/2007	13:55:53	0.103	0.052	52
5/11/2007	14:10:53	0.099	0.048	48
5/11/2007	14:25:53	0.101	0.05	50
5/11/2007	14:40:53	0.091	0.04	40
5/11/2007	14:55:53	0.1	0.049	49
5/11/2007	15:10:53	0.102	0.051	51

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/11/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0616) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/11/2007 6:18	0		0
2	5/11/2007 6:33	0		0
3	5/11/2007 6:48	0		0
4	5/11/2007 7:03	0		0
5	5/11/2007 7:18	0		0
6	5/11/2007 7:33	0		0
7	5/11/2007 7:48	0.1		0.1
8	5/11/2007 8:03	0.1		0.1
9	5/11/2007 8:18	0.1		0.1
10	5/11/2007 8:33	0.1		0.1
11	5/11/2007 8:48	0.1		0.1
12	5/11/2007 9:03	0.1		0.1
13	5/11/2007 9:18	0.1		0.1
14	5/11/2007 9:33	0.1		0.1
15	5/11/2007 9:48	0.1		0.1
16	5/11/2007 10:03	0.1		0.1
17	5/11/2007 10:18	0.1		0.1
18	5/11/2007 10:33	0.1		0.1
19	5/11/2007 10:48	0.1		0.1
20	5/11/2007 11:03	0.1		0.1
21	5/11/2007 11:18	0.1		0.1
22	5/11/2007 11:33	0.1		0.1
23	5/11/2007 11:48	0		0
24	5/11/2007 12:03	0		0
25	5/11/2007 12:18	0		0
26	5/11/2007 12:33	0.1		0.1
27	5/11/2007 12:48	0.1		0.1
28	5/11/2007 13:03	0.1		0.1
29	5/11/2007 13:18	0.1		0.1
30	5/11/2007 13:33	0.1		0.1
31	5/11/2007 13:48	0.1		0.1
32	5/11/2007 14:03	0.1		0.1
33	5/11/2007 14:18	0.1		0.1
34	5/11/2007 14:33	0.1		0.1
35	5/11/2007 14:48	0.1		0.1
36	5/11/2007 15:03	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	5/11/2007
Start Time:	6:06:21
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0616) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/11/2007	6:21:21	0.018	0.005	5
5/11/2007	6:36:21	0.016	0.003	3
5/11/2007	6:51:21	0.017	0.004	4
5/11/2007	7:06:21	0.018	0.005	5
5/11/2007	7:21:21	0.016	0.003	3
5/11/2007	7:36:21	0.017	0.004	4
5/11/2007	7:51:21	0.017	0.004	4
5/11/2007	8:06:21	0.015	0.002	2
5/11/2007	8:21:21	0.016	0.003	3
5/11/2007	8:36:21	0.019	0.006	6
5/11/2007	8:51:21	0.021	0.008	8
5/11/2007	9:06:21	0.022	0.009	9
5/11/2007	9:21:21	0.025	0.012	12
5/11/2007	9:36:21	0.026	0.013	13
5/11/2007	9:51:21	0.029	0.016	16
5/11/2007	10:06:21	0.029	0.016	16
5/11/2007	10:21:21	0.031	0.018	18
5/11/2007	10:36:21	0.031	0.018	18
5/11/2007	10:51:21	0.033	0.02	20
5/11/2007	11:06:21	0.04	0.027	27
5/11/2007	11:21:21	0.039	0.026	26
5/11/2007	11:36:21	0.03	0.017	17
5/11/2007	11:51:21	0.034	0.021	21
5/11/2007	12:06:21	0.037	0.024	24
5/11/2007	12:21:21	0.041	0.028	28
5/11/2007	12:36:21	0.044	0.031	31
5/11/2007	12:51:21	0.048	0.035	35
5/11/2007	13:06:21	0.052	0.039	39
5/11/2007	13:21:21	0.053	0.04	40
5/11/2007	13:36:21	0.053	0.04	40
5/11/2007	13:51:21	0.051	0.038	38
5/11/2007	14:06:21	0.046	0.033	33
5/11/2007	14:21:21	0.052	0.039	39
5/11/2007	14:36:21	0.048	0.035	35
5/11/2007	14:51:21	0.05	0.037	37
5/11/2007	15:06:21	0.052	0.039	39
5/11/2007	15:21:21	0.058	0.045	45

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/11/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/11/2007 6:36	0.3		0.3
2	5/11/2007 6:51	0.4		0.4
3	5/11/2007 7:06	0.5		0.5
4	5/11/2007 7:21	0.6		0.6
5	5/11/2007 7:36	0.6		0.6
6	5/11/2007 7:51	0.6		0.6
7	5/11/2007 8:06	0.7		0.7
8	5/11/2007 8:21	0.7		0.7
9	5/11/2007 8:36	0.7		0.7
10	5/11/2007 8:51	0.8		0.8
11	5/11/2007 9:06	0.8		0.8
12	5/11/2007 9:21	0.8		0.8
13	5/11/2007 9:36	0.8		0.8
14	5/11/2007 9:51	0.8		0.8
15	5/11/2007 10:06	0.8		0.8
16	5/11/2007 10:21	0.9		0.9
17	5/11/2007 10:36	0.9		0.9
18	5/11/2007 10:51	0.8		0.8
19	5/11/2007 11:06	0.8		0.8
20	5/11/2007 11:21	0.8		0.8
21	5/11/2007 11:36	0.8		0.8
22	5/11/2007 11:51	0.8		0.8
23	5/11/2007 12:06	0.8		0.8
24	5/11/2007 12:21	0.9		0.9
25	5/11/2007 12:36	0.9		0.9
26	5/11/2007 12:51	0.9		0.9
27	5/11/2007 13:06	1		1
28	5/11/2007 13:21	1		1
29	5/11/2007 13:36	1		1
30	5/11/2007 13:51	1		1
31	5/11/2007 14:06	1		1
32	5/11/2007 14:21	1		1
33	5/11/2007 14:36	0.9		0.9
1	5/11/2007 15:07	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	5/11/2007
Start Time:	6:26:00
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0624) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/11/2007	6:41:00	0.029	0.005	5
5/11/2007	6:56:00	0.035	0.011	11
5/11/2007	7:11:00	0.039	0.015	15
5/11/2007	7:26:00	0.038	0.014	14
5/11/2007	7:41:00	0.041	0.017	17
5/11/2007	7:56:00	0.043	0.019	19
5/11/2007	8:11:00	0.041	0.017	17
5/11/2007	8:26:00	0.043	0.019	19
5/11/2007	8:41:00	0.05	0.026	26
5/11/2007	8:56:00	0.053	0.029	29
5/11/2007	9:11:00	0.058	0.034	34
5/11/2007	9:26:00	0.058	0.034	34
5/11/2007	9:41:00	0.06	0.036	36
5/11/2007	9:56:00	0.064	0.04	40
5/11/2007	10:11:00	0.065	0.041	41
5/11/2007	10:26:00	0.069	0.045	45
5/11/2007	10:41:00	0.07	0.046	46
5/11/2007	10:56:00	0.076	0.052	52
5/11/2007	11:11:00	0.083	0.059	59
5/11/2007	11:26:00	0.07	0.046	46
5/11/2007	11:41:00	0.063	0.039	39
5/11/2007	11:56:00	0.073	0.049	49
5/11/2007	12:11:00	0.075	0.051	51
5/11/2007	12:26:00	0.078	0.054	54
5/11/2007	12:41:00	0.079	0.055	55
5/11/2007	12:56:00	0.084	0.06	60
5/11/2007	13:11:00	0.089	0.065	65
5/11/2007	13:26:00	0.086	0.062	62
5/11/2007	13:41:00	0.086	0.062	62
5/11/2007	13:56:00	0.079	0.055	55
5/11/2007	14:11:00	0.075	0.051	51
5/11/2007	14:26:00	0.079	0.055	55
5/11/2007	14:41:00	0.067	0.043	43
5/11/2007	14:56:00	0.075	0.051	51
5/11/2007	15:11:00	0.078	0.054	54
5/11/2007	15:26:00	0.084	0.06	60

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/11/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/11/2007 6:37	0		0
2	5/11/2007 6:52	0		0
3	5/11/2007 7:07	0		0
4	5/11/2007 7:22	0		0
5	5/11/2007 7:37	0		0
6	5/11/2007 7:52	0		0
7	5/11/2007 8:07	0		0
8	5/11/2007 8:22	0		0
9	5/11/2007 8:37	0		0
10	5/11/2007 8:52	0		0
11	5/11/2007 9:07	0		0
12	5/11/2007 9:22	0		0
13	5/11/2007 9:37	0		0
14	5/11/2007 9:52	0		0
15	5/11/2007 10:07	0		0
16	5/11/2007 10:22	0		0
17	5/11/2007 10:37	0		0
18	5/11/2007 10:52	0		0
19	5/11/2007 11:07	0		0
20	5/11/2007 11:22	0		0
21	5/11/2007 11:37	0		0
22	5/11/2007 11:52	0		0
23	5/11/2007 12:07	0		0
24	5/11/2007 12:22	0		0
25	5/11/2007 12:37	0		0
26	5/11/2007 12:52	0		0
27	5/11/2007 13:07	0		0
28	5/11/2007 13:22	0		0
29	5/11/2007 13:37	0		0
30	5/11/2007 13:52	0		0
31	5/11/2007 14:07	0		0
32	5/11/2007 14:22	0.1		0.1
33	5/11/2007 14:37	0		0
34	5/11/2007 14:52	0		0
35	5/11/2007 15:07	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	5/11/2007
Start Time:	6:22:20
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0619) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/11/2007	6:37:20	0.026	-0.007	-7
5/11/2007	6:52:20	0.028	-0.005	-5
5/11/2007	7:07:20	0.033	0	0
5/11/2007	7:22:20	0.033	0	0
5/11/2007	7:37:20	0.033	0	0
5/11/2007	7:52:20	0.036	0.003	3
5/11/2007	8:07:20	0.033	0	0
5/11/2007	8:22:20	0.034	0.001	1
5/11/2007	8:37:20	0.04	0.007	7
5/11/2007	8:52:20	0.039	0.006	6
5/11/2007	9:07:20	0.044	0.011	11
5/11/2007	9:22:20	0.044	0.011	11
5/11/2007	9:37:20	0.044	0.011	11
5/11/2007	9:52:20	0.049	0.016	16
5/11/2007	10:07:20	0.05	0.017	17
5/11/2007	10:22:20	0.053	0.02	20
5/11/2007	10:37:20	0.053	0.02	20
5/11/2007	10:52:20	0.058	0.025	25
5/11/2007	11:07:20	0.063	0.03	30
5/11/2007	11:22:20	0.053	0.02	20
5/11/2007	11:37:20	0.049	0.016	16
5/11/2007	11:52:20	0.053	0.02	20
5/11/2007	12:07:20	0.058	0.025	25
5/11/2007	12:22:20	0.058	0.025	25
5/11/2007	12:37:20	0.061	0.028	28
5/11/2007	12:52:20	0.063	0.03	30
5/11/2007	13:07:20	0.065	0.032	32
5/11/2007	13:22:20	0.069	0.036	36
5/11/2007	13:37:20	0.07	0.037	37
5/11/2007	13:52:20	0.068	0.035	35
5/11/2007	14:07:20	0.09	0.057	57
5/11/2007	14:22:20	0.104	0.071	71
5/11/2007	14:37:20	0.074	0.041	41
5/11/2007	14:52:20	0.059	0.026	26
5/11/2007	15:07:20	0.068	0.035	35
5/11/2007	15:22:20	0.069	0.036	36

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/12/2007 07:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0755) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/12/2007 8:09	0		-0.1
2	5/12/2007 8:24	0.1		0
3	5/12/2007 8:39	0.1		0
4	5/12/2007 8:54	0.1		0
5	5/12/2007 9:09	0.1		0
6	5/12/2007 9:24	0.2		0.1
7	5/12/2007 9:39	0.2		0.1
8	5/12/2007 9:54	0.2		0.1
9	5/12/2007 10:09	0.2		0.1
10	5/12/2007 10:24	0.2		0.1
11	5/12/2007 10:39	0.2		0.1
12	5/12/2007 10:54	0.2		0.1
13	5/12/2007 11:09	0.2		0.1
14	5/12/2007 11:24	0.2		0.1
15	5/12/2007 11:39	0.2		0.1
16	5/12/2007 11:54	0.2		0.1
17	5/12/2007 12:09	0.2		0.1
18	5/12/2007 12:24	0.1		0
19	5/12/2007 12:39	0.2		0.1
20	5/12/2007 12:54	0.2		0.1
21	5/12/2007 13:09	0.2		0.1
22	5/12/2007 13:24	0.2		0.1
23	5/12/2007 13:39	0.1		0
24	5/12/2007 13:54	0.2		0.1
25	5/12/2007 14:09	0.2		0.1
26	5/12/2007 14:24	0.2		0.1
27	5/12/2007 14:39	0.2		0.1
28	5/12/2007 14:54	0.2		0.1
29	5/12/2007 15:09	0.2		0.1
30	5/12/2007 15:24	0.2		0.1
31	5/12/2007 15:39	0.2		0.1
32	5/12/2007 15:54	0.2		0.1
33	5/12/2007 16:09	0.3		0.2
34	5/12/2007 16:24	0.3		0.2
35	5/12/2007 16:39	0.2		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/12/2007
Start Time:	7:57:19
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0755) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/12/2007	8:12:19	0.034	-0.001	-1
5/12/2007	8:27:19	0.029	-0.006	-6
5/12/2007	8:42:19	0.026	-0.009	-9
5/12/2007	8:57:19	0.024	-0.011	-11
5/12/2007	9:12:19	0.025	-0.01	-10
5/12/2007	9:27:19	0.021	-0.014	-14
5/12/2007	9:42:19	0.022	-0.013	-13
5/12/2007	9:57:19	0.021	-0.014	-14
5/12/2007	10:12:19	0.02	-0.015	-15
5/12/2007	10:27:19	0.02	-0.015	-15
5/12/2007	10:42:19	0.021	-0.014	-14
5/12/2007	10:57:19	0.021	-0.014	-14
5/12/2007	11:12:19	0.02	-0.015	-15
5/12/2007	11:27:19	0.021	-0.014	-14
5/12/2007	11:42:19	0.02	-0.015	-15
5/12/2007	11:57:19	0.02	-0.015	-15
5/12/2007	12:12:19	0.019	-0.016	-16
5/12/2007	12:27:19	0.02	-0.015	-15
5/12/2007	12:42:19	0.024	-0.011	-11
5/12/2007	12:57:19	0.023	-0.012	-12
5/12/2007	13:12:19	0.024	-0.011	-11
5/12/2007	13:27:19	0.026	-0.009	-9
5/12/2007	13:42:19	0.031	-0.004	-4
5/12/2007	13:57:19	0.037	0.002	2
5/12/2007	14:12:19	0.032	-0.003	-3
5/12/2007	14:27:19	0.029	-0.006	-6
5/12/2007	14:42:19	0.028	-0.007	-7
5/12/2007	14:57:19	0.028	-0.007	-7
5/12/2007	15:12:19	0.024	-0.011	-11
5/12/2007	15:27:19	0.026	-0.009	-9
5/12/2007	15:42:19	0.029	-0.006	-6
5/12/2007	15:57:19	0.083	0.048	48
5/12/2007	16:12:19	0.03	-0.005	-5
5/12/2007	16:27:19	0.031	-0.004	-4
5/12/2007	16:42:19	0.022	-0.013	-13
5/12/2007	16:57:19	0.019	-0.016	-16

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/12/2007 07:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0800) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/12/2007 8:23	0		0
2	5/12/2007 8:38	0		0
3	5/12/2007 8:53	0		0
4	5/12/2007 9:08	0		0
5	5/12/2007 9:23	0		0
6	5/12/2007 9:38	0.1		0.1
7	5/12/2007 9:53	0.1		0.1
8	5/12/2007 10:08	0.1		0.1
9	5/12/2007 10:23	0.1		0.1
10	5/12/2007 10:38	0.1		0.1
11	5/12/2007 10:53	0.1		0.1
12	5/12/2007 11:08	0.2		0.2
13	5/12/2007 11:23	0.2		0.2
14	5/12/2007 11:38	0.2		0.2
15	5/12/2007 11:53	0.2		0.2
16	5/12/2007 12:08	0.2		0.2
17	5/12/2007 12:23	0.2		0.2
18	5/12/2007 12:38	0.2		0.2
19	5/12/2007 12:53	0.2		0.2
20	5/12/2007 13:08	0.2		0.2
21	5/12/2007 13:23	0.2		0.2
22	5/12/2007 13:38	0.2		0.2
23	5/12/2007 13:53	0.2		0.2
24	5/12/2007 14:08	0.2		0.2
25	5/12/2007 14:23	0.2		0.2
26	5/12/2007 14:38	0.2		0.2
27	5/12/2007 14:53	0.2		0.2
28	5/12/2007 15:08	0.2		0.2
29	5/12/2007 15:23	0.2		0.2
30	5/12/2007 15:38	0.2		0.2
31	5/12/2007 15:53	0.2		0.2
32	5/12/2007 16:08	0.2		0.2
33	5/12/2007 16:23	0.2		0.2
34	5/12/2007 16:38	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	5/12/2007
Start Time:	8:06:47
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0800) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/12/2007	8:21:47	0.017	0.001	1
5/12/2007	8:36:47	0.016	0	0
5/12/2007	8:51:47	0.014	-0.002	-2
5/12/2007	9:06:47	0.013	-0.003	-3
5/12/2007	9:21:47	0.013	-0.003	-3
5/12/2007	9:36:47	0.013	-0.003	-3
5/12/2007	9:51:47	0.013	-0.003	-3
5/12/2007	10:06:47	0.014	-0.002	-2
5/12/2007	10:21:47	0.013	-0.003	-3
5/12/2007	10:36:47	0.013	-0.003	-3
5/12/2007	10:51:47	0.014	-0.002	-2
5/12/2007	11:06:47	0.013	-0.003	-3
5/12/2007	11:21:47	0.014	-0.002	-2
5/12/2007	11:36:47	0.014	-0.002	-2
5/12/2007	11:51:47	0.014	-0.002	-2
5/12/2007	12:06:47	0.015	-0.001	-1
5/12/2007	12:21:47	0.015	-0.001	-1
5/12/2007	12:36:47	0.017	0.001	1
5/12/2007	12:51:47	0.017	0.001	1
5/12/2007	13:06:47	0.018	0.002	2
5/12/2007	13:21:47	0.019	0.003	3
5/12/2007	13:36:47	0.02	0.004	4
5/12/2007	13:51:47	0.025	0.009	9
5/12/2007	14:06:47	0.024	0.008	8
5/12/2007	14:21:47	0.022	0.006	6
5/12/2007	14:36:47	0.022	0.006	6
5/12/2007	14:51:47	0.022	0.006	6
5/12/2007	15:06:47	0.02	0.004	4
5/12/2007	15:21:47	0.018	0.002	2
5/12/2007	15:36:47	0.02	0.004	4
5/12/2007	15:51:47	0.157	0.141	141
5/12/2007	16:06:47	0.035	0.019	19
5/12/2007	16:21:47	0.026	0.01	10
5/12/2007	16:36:47	0.019	0.003	3
5/12/2007	16:51:47	0.016	0	0
5/12/2007	17:06:47	0.015	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/12/2007 07:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0830) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/12/2007 8:47	0.4		0.3
2	5/12/2007 9:02	0.5		0.4
3	5/12/2007 9:17	0.6		0.5
4	5/12/2007 9:32	0.6		0.5
5	5/12/2007 9:47	0.7		0.6
6	5/12/2007 10:02	0.7		0.6
7	5/12/2007 10:17	0.7		0.6
8	5/12/2007 10:32	0.7		0.6
9	5/12/2007 10:47	0.7		0.6
10	5/12/2007 11:02	0.7		0.6
11	5/12/2007 11:17	0.7		0.6
12	5/12/2007 11:32	0.7		0.6
13	5/12/2007 11:47	0.7		0.6
14	5/12/2007 12:02	0.7		0.6
15	5/12/2007 12:17	0.7		0.6
16	5/12/2007 12:32	0.7		0.6
17	5/12/2007 12:47	0.7		0.6
18	5/12/2007 13:02	0.7		0.6
19	5/12/2007 13:17	0.7		0.6
20	5/12/2007 13:32	0.6		0.5
21	5/12/2007 13:47	0.6		0.5
22	5/12/2007 14:02	0.6		0.5
23	5/12/2007 14:17	0.6		0.5
24	5/12/2007 14:32	0.5		0.4
25	5/12/2007 14:47	0.5		0.4
26	5/12/2007 15:02	0.5		0.4
27	5/12/2007 15:17	0.6		0.5
28	5/12/2007 15:32	0.6		0.5
29	5/12/2007 15:47	0.6		0.5
30	5/12/2007 16:02	0.6		0.5
31	5/12/2007 16:17	0.6		0.5
32	5/12/2007 16:32	0.6		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	6
Test Abbreviation:	
Start Date:	5/12/2007
Start Time:	8:35:44
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0830) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/12/2007	8:50:44	0.025	0.002	2
5/12/2007	9:05:44	0.022	-0.001	-1
5/12/2007	9:20:44	0.021	-0.002	-2
5/12/2007	9:35:44	0.019	-0.004	-4
5/12/2007	9:50:44	0.018	-0.005	-5
5/12/2007	10:05:44	0.018	-0.005	-5
5/12/2007	10:20:44	0.019	-0.004	-4
5/12/2007	10:35:44	0.018	-0.005	-5
5/12/2007	10:50:44	0.018	-0.005	-5
5/12/2007	11:05:44	0.018	-0.005	-5
5/12/2007	11:20:44	0.018	-0.005	-5
5/12/2007	11:35:44	0.019	-0.004	-4
5/12/2007	11:50:44	0.017	-0.006	-6
5/12/2007	12:05:44	0.023	0	0
5/12/2007	12:20:44	0.019	-0.004	-4
5/12/2007	12:35:44	0.022	-0.001	-1
5/12/2007	12:50:44	0.022	-0.001	-1
5/12/2007	13:05:44	0.023	0	0
5/12/2007	13:20:44	0.024	0.001	1
5/12/2007	13:35:44	0.026	0.003	3
5/12/2007	13:50:44	0.033	0.01	10
5/12/2007	14:05:44	0.035	0.012	12
5/12/2007	14:20:44	0.03	0.007	7
5/12/2007	14:35:44	0.031	0.008	8
5/12/2007	14:50:44	0.03	0.007	7
5/12/2007	15:05:44	0.028	0.005	5
5/12/2007	15:20:44	0.025	0.002	2
5/12/2007	15:35:44	0.027	0.004	4
5/12/2007	15:50:44	0.058	0.035	35
5/12/2007	16:05:44	0.043	0.02	20
5/12/2007	16:20:44	0.031	0.008	8
5/12/2007	16:35:44	0.024	0.001	1
5/12/2007	16:50:44	0.019	-0.004	-4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/12/2007 07:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0520) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/12/2007 8:38	0		0
2	5/12/2007 8:53	0		0
3	5/12/2007 9:08	0		0
4	5/12/2007 9:23	0		0
5	5/12/2007 9:38	0		0
6	5/12/2007 9:53	0		0
7	5/12/2007 10:08	0		0
8	5/12/2007 10:23	0		0
9	5/12/2007 10:38	0		0
10	5/12/2007 10:53	0		0
11	5/12/2007 11:08	0		0
12	5/12/2007 11:23	0		0
13	5/12/2007 11:38	0		0
14	5/12/2007 11:53	0		0
15	5/12/2007 12:08	0		0
16	5/12/2007 12:23	0		0
17	5/12/2007 12:38	0		0
18	5/12/2007 12:53	0		0
19	5/12/2007 13:08	0		0
20	5/12/2007 13:23	0		0
21	5/12/2007 13:38	0		0
22	5/12/2007 13:53	0		0
23	5/12/2007 14:08	0		0
24	5/12/2007 14:23	0		0
25	5/12/2007 14:38	0		0
26	5/12/2007 14:53	0		0
27	5/12/2007 15:08	0		0
28	5/12/2007 15:23	0		0
29	5/12/2007 15:38	0		0
30	5/12/2007 15:53	0		0
31	5/12/2007 16:08	0		0
32	5/12/2007 16:23	0		0
33	5/12/2007 16:38	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	5/12/2007
Start Time:	8:22:39
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0820) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/12/2007	8:37:39	0.023	0.003	3
5/12/2007	8:52:39	0.017	-0.003	-3
5/12/2007	9:07:39	0.017	-0.003	-3
5/12/2007	9:22:39	0.019	-0.001	-1
5/12/2007	9:37:39	0.015	-0.005	-5
5/12/2007	9:52:39	0.016	-0.004	-4
5/12/2007	10:07:39	0.018	-0.002	-2
5/12/2007	10:22:39	0.017	-0.003	-3
5/12/2007	10:37:39	0.014	-0.006	-6
5/12/2007	10:52:39	0.016	-0.004	-4
5/12/2007	11:07:39	0.014	-0.006	-6
5/12/2007	11:22:39	0.014	-0.006	-6
5/12/2007	11:37:39	0.016	-0.004	-4
5/12/2007	11:52:39	0.013	-0.007	-7
5/12/2007	12:07:39	0.015	-0.005	-5
5/12/2007	12:22:39	0.015	-0.005	-5
5/12/2007	12:37:39	0.017	-0.003	-3
5/12/2007	12:52:39	0.02	0	0
5/12/2007	13:07:39	0.018	-0.002	-2
5/12/2007	13:22:39	0.019	-0.001	-1
5/12/2007	13:37:39	0.019	-0.001	-1
5/12/2007	13:52:39	0.024	0.004	4
5/12/2007	14:07:39	0.025	0.005	5
5/12/2007	14:22:39	0.024	0.004	4
5/12/2007	14:37:39	0.022	0.002	2
5/12/2007	14:52:39	0.021	0.001	1
5/12/2007	15:07:39	0.021	0.001	1
5/12/2007	15:22:39	0.019	-0.001	-1
5/12/2007	15:37:39	0.02	0	0
5/12/2007	15:52:39	0.033	0.013	13
5/12/2007	16:07:39	0.024	0.004	4
5/12/2007	16:22:39	0.022	0.002	2
5/12/2007	16:37:39	0.018	-0.002	-2
5/12/2007	16:52:39	0.017	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/14/2007 05:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0554) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/14/2007 6:10	0		-0.2
2	5/14/2007 6:25	0		-0.2
3	5/14/2007 6:40	0.1		-0.1
4	5/14/2007 6:55	0.1		-0.1
5	5/14/2007 7:10	0.2		0
6	5/14/2007 7:25	0.2		0
7	5/14/2007 7:40	0.2		0
8	5/14/2007 7:55	0.2		0
9	5/14/2007 8:10	0.2		0
10	5/14/2007 8:25	0.2		0
11	5/14/2007 8:40	0.2		0
12	5/14/2007 8:55	0.2		0
13	5/14/2007 9:10	0.2		0
14	5/14/2007 9:25	0.1		-0.1
15	5/14/2007 9:40	0.2		0
16	5/14/2007 9:55	0.2		0
17	5/14/2007 10:10	0.2		0
18	5/14/2007 10:25	0.1		-0.1
19	5/14/2007 10:40	0.1		-0.1
20	5/14/2007 10:55	0.1		-0.1
21	5/14/2007 11:10	0.1		-0.1
22	5/14/2007 11:25	0.2		0
23	5/14/2007 11:40	0.2		0
24	5/14/2007 11:55	0.2		0
25	5/14/2007 12:10	0.2		0
26	5/14/2007 12:25	0.2		0
27	5/14/2007 12:40	0.2		0
28	5/14/2007 12:55	0.2		0
29	5/14/2007 13:10	0.2		0
30	5/14/2007 13:25	0.2		0
31	5/14/2007 13:40	0.2		0
32	5/14/2007 13:55	0.2		0
33	5/14/2007 14:10	0.2		0
34	5/14/2007 14:25	0.2		0
35	5/14/2007 14:40	0.2		0
36	5/14/2007 14:55	0.2		0
37	5/14/2007 15:10	0.2		0
38	5/14/2007 15:25	0.2		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/14/2007
Start Time:	5:57:17
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0554) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/14/2007	6:12:17	0.017	0.002	2
5/14/2007	6:27:17	0.018	0.003	3
5/14/2007	6:42:17	0.019	0.004	4
5/14/2007	6:57:17	0.019	0.004	4
5/14/2007	7:12:17	0.019	0.004	4
5/14/2007	7:27:17	0.022	0.007	7
5/14/2007	7:42:17	0.02	0.005	5
5/14/2007	7:57:17	0.018	0.003	3
5/14/2007	8:12:17	0.021	0.006	6
5/14/2007	8:27:17	0.019	0.004	4
5/14/2007	8:42:17	0.018	0.003	3
5/14/2007	8:57:17	0.015	0	0
5/14/2007	9:12:17	0.014	-0.001	-1
5/14/2007	9:27:17	0.02	0.005	5
5/14/2007	9:42:17	0.02	0.005	5
5/14/2007	9:57:17	0.025	0.01	10
5/14/2007	10:12:17	0.033	0.018	18
5/14/2007	10:27:17	0.034	0.019	19
5/14/2007	10:42:17	0.03	0.015	15
5/14/2007	10:57:17	0.025	0.01	10
5/14/2007	11:12:17	0.022	0.007	7
5/14/2007	11:27:17	0.015	0	0
5/14/2007	11:42:17	0.012	-0.003	-3
5/14/2007	11:57:17	0.011	-0.004	-4
5/14/2007	12:12:17	0.01	-0.005	-5
5/14/2007	12:27:17	0.011	-0.004	-4
5/14/2007	12:42:17	0.011	-0.004	-4
5/14/2007	12:57:17	0.013	-0.002	-2
5/14/2007	13:12:17	0.014	-0.001	-1
5/14/2007	13:27:17	0.014	-0.001	-1
5/14/2007	13:42:17	0.016	0.001	1
5/14/2007	13:57:17	0.014	-0.001	-1
5/14/2007	14:12:17	0.016	0.001	1
5/14/2007	14:27:17	0.015	0	0
5/14/2007	14:42:17	0.017	0.002	2
5/14/2007	14:57:17	0.015	0	0
5/14/2007	15:12:17	0.014	-0.001	-1
5/14/2007	15:27:17	0.014	-0.001	-1
5/14/2007	15:42:17	0.016	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/14/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0611) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/14/2007 6:29	0		0
2	5/14/2007 6:44	0		0
3	5/14/2007 6:59	0		0
4	5/14/2007 7:14	0		0
5	5/14/2007 7:29	0		0
6	5/14/2007 7:44	0.1		0.1
7	5/14/2007 7:59	0		0
8	5/14/2007 8:14	0		0
9	5/14/2007 8:29	0.1		0.1
10	5/14/2007 8:44	0.1		0.1
11	5/14/2007 8:59	0.1		0.1
12	5/14/2007 9:14	0.1		0.1
13	5/14/2007 9:29	0.1		0.1
14	5/14/2007 9:44	0.1		0.1
15	5/14/2007 9:59	0.1		0.1
16	5/14/2007 10:14	0.1		0.1
17	5/14/2007 10:29	0.1		0.1
18	5/14/2007 10:44	0.1		0.1
19	5/14/2007 10:59	0.1		0.1
20	5/14/2007 11:14	0.1		0.1
21	5/14/2007 11:29	0.1		0.1
22	5/14/2007 11:44	0.1		0.1
23	5/14/2007 11:59	0.2		0.2
24	5/14/2007 12:14	0.2		0.2
25	5/14/2007 12:29	0.2		0.2
26	5/14/2007 12:44	0.2		0.2
27	5/14/2007 12:59	0.2		0.2
28	5/14/2007 13:14	0.2		0.2
29	5/14/2007 13:29	0.2		0.2
30	5/14/2007 13:44	0.2		0.2
31	5/14/2007 13:59	0.2		0.2
32	5/14/2007 14:14	0.2		0.2
33	5/14/2007 14:29	0.2		0.2
34	5/14/2007 14:44	0.2		0.2
35	5/14/2007 14:59	0.2		0.2
36	5/14/2007 15:14	0.2		0.2
37	5/14/2007 15:29	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	5/14/2007
Start Time:	6:17:00
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0611) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/14/2007	6:32:00	0.014	0	0
5/14/2007	6:47:00	0.012	-0.002	-2
5/14/2007	7:02:00	0.017	0.003	3
5/14/2007	7:17:00	0.011	-0.003	-3
5/14/2007	7:32:00	0.012	-0.002	-2
5/14/2007	7:47:00	0.013	-0.001	-1
5/14/2007	8:02:00	0.015	0.001	1
5/14/2007	8:17:00	0.015	0.001	1
5/14/2007	8:32:00	0.012	-0.002	-2
5/14/2007	8:47:00	0.011	-0.003	-3
5/14/2007	9:02:00	0.01	-0.004	-4
5/14/2007	9:17:00	0.01	-0.004	-4
5/14/2007	9:32:00	0.012	-0.002	-2
5/14/2007	9:47:00	0.016	0.002	2
5/14/2007	10:02:00	0.016	0.002	2
5/14/2007	10:17:00	0.021	0.007	7
5/14/2007	10:32:00	0.021	0.007	7
5/14/2007	10:47:00	0.021	0.007	7
5/14/2007	11:02:00	0.017	0.003	3
5/14/2007	11:17:00	0.015	0.001	1
5/14/2007	11:32:00	0.01	-0.004	-4
5/14/2007	11:47:00	0.009	-0.005	-5
5/14/2007	12:02:00	0.008	-0.006	-6
5/14/2007	12:17:00	0.008	-0.006	-6
5/14/2007	12:32:00	0.007	-0.007	-7
5/14/2007	12:47:00	0.008	-0.006	-6
5/14/2007	13:02:00	0.009	-0.005	-5
5/14/2007	13:17:00	0.008	-0.006	-6
5/14/2007	13:32:00	0.009	-0.005	-5
5/14/2007	13:47:00	0.01	-0.004	-4
5/14/2007	14:02:00	0.01	-0.004	-4
5/14/2007	14:17:00	0.011	-0.003	-3
5/14/2007	14:32:00	0.014	0	0
5/14/2007	14:47:00	0.01	-0.004	-4
5/14/2007	15:02:00	0.011	-0.003	-3
5/14/2007	15:17:00	0.01	-0.004	-4
5/14/2007	15:32:00	0.01	-0.004	-4
5/14/2007	15:47:00	0.013	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/14/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0631) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/14/2007 6:47	0.1		0.1
2	5/14/2007 7:02	0.3		0.3
3	5/14/2007 7:17	0.5		0.5
4	5/14/2007 7:32	0.6		0.6
5	5/14/2007 7:47	0.7		0.7
6	5/14/2007 8:02	0.8		0.8
7	5/14/2007 8:17	0.9		0.9
8	5/14/2007 8:32	0.9		0.9
9	5/14/2007 8:47	0.9		0.9
1	5/14/2007 9:18	0		0
2	5/14/2007 9:33	0		0
3	5/14/2007 9:48	0		0
4	5/14/2007 10:03	0		0
5	5/14/2007 10:18	0		0
6	5/14/2007 10:33	0		0
7	5/14/2007 10:48	0		0
8	5/14/2007 11:03	0		0
9	5/14/2007 11:18	0		0
10	5/14/2007 11:33	0		0
11	5/14/2007 11:48	0		0
12	5/14/2007 12:03	0		0
13	5/14/2007 12:18	0		0
14	5/14/2007 12:33	0		0
15	5/14/2007 12:48	0		0
16	5/14/2007 13:03	0		0
17	5/14/2007 13:18	0		0
18	5/14/2007 13:33	0		0
19	5/14/2007 13:48	0		0
20	5/14/2007 14:03	0		0
21	5/14/2007 14:18	0		0
22	5/14/2007 14:33	0		0
23	5/14/2007 14:48	0		0
24	5/14/2007 15:03	0		0
25	5/14/2007 15:18	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	5/14/2007
Start Time:	6:35:50
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0631) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/14/2007	6:50:50	0.017	-0.001	-1
5/14/2007	7:05:50	0.021	0.003	3
5/14/2007	7:20:50	0.013	-0.005	-5
5/14/2007	7:35:50	0.016	-0.002	-2
5/14/2007	7:50:50	0.017	-0.001	-1
5/14/2007	8:05:50	0.02	0.002	2
5/14/2007	8:20:50	0.019	0.001	1
5/14/2007	8:35:50	0.015	-0.003	-3
5/14/2007	8:50:50	0.013	-0.005	-5
5/14/2007	9:05:50	0.009	-0.009	-9
5/14/2007	9:20:50	0.017	-0.001	-1
5/14/2007	9:35:50	0.018	0	0
5/14/2007	9:50:50	0.022	0.004	4
5/14/2007	10:05:50	0.026	0.008	8
5/14/2007	10:20:50	0.029	0.011	11
5/14/2007	10:35:50	0.031	0.013	13
5/14/2007	10:50:50	0.027	0.009	9
5/14/2007	11:05:50	0.025	0.007	7
5/14/2007	11:20:50	0.019	0.001	1
5/14/2007	11:35:50	0.014	-0.004	-4
5/14/2007	11:50:50	0.014	-0.004	-4
5/14/2007	12:05:50	0.015	-0.003	-3
5/14/2007	12:20:50	0.015	-0.003	-3
5/14/2007	12:35:50	0.014	-0.004	-4
5/14/2007	12:50:50	0.014	-0.004	-4
5/14/2007	13:05:50	0.013	-0.005	-5
5/14/2007	13:20:50	0.016	-0.002	-2
5/14/2007	13:35:50	0.017	-0.001	-1
5/14/2007	13:50:50	0.019	0.001	1
5/14/2007	14:05:50	0.015	-0.003	-3
5/14/2007	14:20:50	0.018	0	0
5/14/2007	14:35:50	0.016	-0.002	-2
5/14/2007	14:50:50	0.015	-0.003	-3
5/14/2007	15:05:50	0.015	-0.003	-3
5/14/2007	15:20:50	0.015	-0.003	-3
5/14/2007	15:35:50	0.017	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/14/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/14/2007 6:47	0		0
2	5/14/2007 7:02	0		0
3	5/14/2007 7:17	0		0
4	5/14/2007 7:32	0		0
5	5/14/2007 7:47	0		0
6	5/14/2007 8:02	0		0
7	5/14/2007 8:17	0		0
8	5/14/2007 8:32	0		0
9	5/14/2007 8:47	0		0
10	5/14/2007 9:02	0		0
11	5/14/2007 9:17	0		0
12	5/14/2007 9:32	0		0
13	5/14/2007 9:47	0		0
14	5/14/2007 10:02	0		0
15	5/14/2007 10:17	0		0
16	5/14/2007 10:32	0		0
17	5/14/2007 10:47	0		0
18	5/14/2007 11:02	0		0
19	5/14/2007 11:17	0.1		0.1
20	5/14/2007 11:32	0.1		0.1
21	5/14/2007 11:47	0.1		0.1
22	5/14/2007 12:02	0.1		0.1
23	5/14/2007 12:17	0.1		0.1
24	5/14/2007 12:32	0.1		0.1
25	5/14/2007 12:47	0.1		0.1
26	5/14/2007 13:02	0.1		0.1
27	5/14/2007 13:17	0.1		0.1
28	5/14/2007 13:32	0.1		0.1
29	5/14/2007 13:47	0.1		0.1
30	5/14/2007 14:02	0.1		0.1
31	5/14/2007 14:17	0.2		0.2
32	5/14/2007 14:32	0.2		0.2
33	5/14/2007 14:47	0.2		0.2
34	5/14/2007 15:02	0.1		0.1
35	5/14/2007 15:17	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/14/2007
Start Time:	6:32:25
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0628) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/14/2007	6:47:25	0.014	0.001	1
5/14/2007	7:02:25	0.015	0.002	2
5/14/2007	7:17:25	0.02	0.007	7
5/14/2007	7:32:25	0.018	0.005	5
5/14/2007	7:47:25	0.015	0.002	2
5/14/2007	8:02:25	0.015	0.002	2
5/14/2007	8:17:25	0.017	0.004	4
5/14/2007	8:32:25	0.015	0.002	2
5/14/2007	8:47:25	0.017	0.004	4
5/14/2007	9:02:25	0.011	-0.002	-2
5/14/2007	9:17:25	0.013	0	0
5/14/2007	9:32:25	0.014	0.001	1
5/14/2007	9:47:25	0.016	0.003	3
5/14/2007	10:02:25	0.019	0.006	6
5/14/2007	10:17:25	0.023	0.01	10
5/14/2007	10:32:25	0.027	0.014	14
5/14/2007	10:47:25	0.023	0.01	10
5/14/2007	11:02:25	0.021	0.008	8
5/14/2007	11:17:25	0.017	0.004	4
5/14/2007	11:32:25	0.012	-0.001	-1
5/14/2007	11:47:25	0.01	-0.003	-3
5/14/2007	12:02:25	0.014	0.001	1
5/14/2007	12:17:25	0.013	0	0
5/14/2007	12:32:25	0.01	-0.003	-3
5/14/2007	12:47:25	0.009	-0.004	-4
5/14/2007	13:02:25	0.009	-0.004	-4
5/14/2007	13:17:25	0.013	0	0
5/14/2007	13:32:25	0.012	-0.001	-1
5/14/2007	13:47:25	0.021	0.008	8
5/14/2007	14:02:25	0.015	0.002	2
5/14/2007	14:17:25	0.012	-0.001	-1
5/14/2007	14:32:25	0.011	-0.002	-2
5/14/2007	14:47:25	0.016	0.003	3
5/14/2007	15:02:25	0.02	0.007	7
5/14/2007	15:17:25	0.033	0.02	20
5/14/2007	15:32:25	0.028	0.015	15

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/15/2007 05:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/15/2007 6:09	0		-0.1
2	5/15/2007 6:24	0		-0.1
3	5/15/2007 6:39	0.1		0
4	5/15/2007 6:54	0.1		0
5	5/15/2007 7:09	0.2		0.1
6	5/15/2007 7:24	0.2		0.1
7	5/15/2007 7:39	0.2		0.1
8	5/15/2007 7:54	0.2		0.1
9	5/15/2007 8:09	0.2		0.1
10	5/15/2007 8:24	0.2		0.1
11	5/15/2007 8:39	0.2		0.1
12	5/15/2007 8:54	0.2		0.1
13	5/15/2007 9:09	0.2		0.1
14	5/15/2007 9:24	0.2		0.1
15	5/15/2007 9:39	0.2		0.1
16	5/15/2007 9:54	0.2		0.1
17	5/15/2007 10:09	0.2		0.1
18	5/15/2007 10:24	0.2		0.1
19	5/15/2007 10:39	0.2		0.1
20	5/15/2007 10:54	0.2		0.1
21	5/15/2007 11:09	0.2		0.1
22	5/15/2007 11:24	0.2		0.1
23	5/15/2007 11:39	0.2		0.1
24	5/15/2007 11:54	0.2		0.1
25	5/15/2007 12:09	0.1		0
26	5/15/2007 12:24	0.1		0
27	5/15/2007 12:39	0.1		0
28	5/15/2007 12:54	0.1		0
29	5/15/2007 13:09	0.1		0
30	5/15/2007 13:24	0.1		0
31	5/15/2007 13:39	0.1		0
32	5/15/2007 13:54	0.1		0
33	5/15/2007 14:09	0.1		0
34	5/15/2007 14:24	0.1		0
35	5/15/2007 14:39	0		-0.1
36	5/15/2007 14:54	0		-0.1
37	5/15/2007 15:09	0		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/15/2007
Start Time:	5:57:32
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0555) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/15/2007	6:12:32	0.013	-0.001	-1
5/15/2007	6:27:32	0.015	0.001	1
5/15/2007	6:42:32	0.015	0.001	1
5/15/2007	6:57:32	0.015	0.001	1
5/15/2007	7:12:32	0.016	0.002	2
5/15/2007	7:27:32	0.017	0.003	3
5/15/2007	7:42:32	0.018	0.004	4
5/15/2007	7:57:32	0.018	0.004	4
5/15/2007	8:12:32	0.02	0.006	6
5/15/2007	8:27:32	0.02	0.006	6
5/15/2007	8:42:32	0.021	0.007	7
5/15/2007	8:57:32	0.021	0.007	7
5/15/2007	9:12:32	0.023	0.009	9
5/15/2007	9:27:32	0.022	0.008	8
5/15/2007	9:42:32	0.022	0.008	8
5/15/2007	9:57:32	0.024	0.01	10
5/15/2007	10:12:32	0.021	0.007	7
5/15/2007	10:27:32	0.036	0.022	22
5/15/2007	10:42:32	0.021	0.007	7
5/15/2007	10:57:32	0.023	0.009	9
5/15/2007	11:12:32	0.023	0.009	9
5/15/2007	11:27:32	0.025	0.011	11
5/15/2007	11:42:32	0.03	0.016	16
5/15/2007	11:57:32	0.038	0.024	24
5/15/2007	12:12:32	0.031	0.017	17
5/15/2007	12:27:32	0.053	0.039	39
5/15/2007	12:42:32	0.033	0.019	19
5/15/2007	12:57:32	0.034	0.02	20
5/15/2007	13:12:32	0.035	0.021	21
5/15/2007	13:27:32	0.035	0.021	21
5/15/2007	13:42:32	0.038	0.024	24
5/15/2007	13:57:32	0.039	0.025	25
5/15/2007	14:12:32	0.038	0.024	24
5/15/2007	14:27:32	0.04	0.026	26
5/15/2007	14:42:32	0.039	0.025	25
5/15/2007	14:57:32	0.039	0.025	25
5/15/2007	15:12:32	0.041	0.027	27
5/15/2007	15:27:32	0.039	0.025	25

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/15/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/15/2007 6:27	0		0
2	5/15/2007 6:42	0		0
3	5/15/2007 6:57	0		0
4	5/15/2007 7:12	0.1		0.1
5	5/15/2007 7:27	0.1		0.1
6	5/15/2007 7:42	0.1		0.1
7	5/15/2007 7:57	0.1		0.1
8	5/15/2007 8:12	0.1		0.1
9	5/15/2007 8:27	0.2		0.2
10	5/15/2007 8:42	0.2		0.2
11	5/15/2007 8:57	0.2		0.2
12	5/15/2007 9:12	0.2		0.2
13	5/15/2007 9:27	0.2		0.2
14	5/15/2007 9:42	0.2		0.2
15	5/15/2007 9:57	0.2		0.2
16	5/15/2007 10:12	0.2		0.2
17	5/15/2007 10:27	0.2		0.2
18	5/15/2007 10:42	0.2		0.2
19	5/15/2007 10:57	0.2		0.2
20	5/15/2007 11:12	0.2		0.2
21	5/15/2007 11:27	0.2		0.2
22	5/15/2007 11:42	0.2		0.2
23	5/15/2007 11:57	0.3		0.3
24	5/15/2007 12:12	0.3		0.3
25	5/15/2007 12:27	0.3		0.3
26	5/15/2007 12:42	0.3		0.3
27	5/15/2007 12:57	0.3		0.3
28	5/15/2007 13:12	0.3		0.3
29	5/15/2007 13:27	0.3		0.3
30	5/15/2007 13:42	0.3		0.3
31	5/15/2007 13:57	0.3		0.3
32	5/15/2007 14:12	0.3		0.3
33	5/15/2007 14:27	0.3		0.3
34	5/15/2007 14:42	0.3		0.3
35	5/15/2007 14:57	0.3		0.3
36	5/15/2007 15:12	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	5/15/2007
Start Time:	6:14:47
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0610) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/15/2007	6:29:47	0.01	0.001	1
5/15/2007	6:44:47	0.01	0.001	1
5/15/2007	6:59:47	0.011	0.002	2
5/15/2007	7:14:47	0.013	0.004	4
5/15/2007	7:29:47	0.013	0.004	4
5/15/2007	7:44:47	0.013	0.004	4
5/15/2007	7:59:47	0.014	0.005	5
5/15/2007	8:14:47	0.014	0.005	5
5/15/2007	8:29:47	0.016	0.007	7
5/15/2007	8:44:47	0.015	0.006	6
5/15/2007	8:59:47	0.015	0.006	6
5/15/2007	9:14:47	0.016	0.007	7
5/15/2007	9:29:47	0.015	0.006	6
5/15/2007	9:44:47	0.017	0.008	8
5/15/2007	9:59:47	0.016	0.007	7
5/15/2007	10:14:47	0.015	0.006	6
5/15/2007	10:29:47	0.016	0.007	7
5/15/2007	10:44:47	0.016	0.007	7
5/15/2007	10:59:47	0.017	0.008	8
5/15/2007	11:14:47	0.018	0.009	9
5/15/2007	11:29:47	0.02	0.011	11
5/15/2007	11:44:47	0.023	0.014	14
5/15/2007	11:59:47	0.025	0.016	16
5/15/2007	12:14:47	0.023	0.014	14
5/15/2007	12:29:47	0.024	0.015	15
5/15/2007	12:44:47	0.024	0.015	15
5/15/2007	12:59:47	0.025	0.016	16
5/15/2007	13:14:47	0.027	0.018	18
5/15/2007	13:29:47	0.028	0.019	19
5/15/2007	13:44:47	0.03	0.021	21
5/15/2007	13:59:47	0.027	0.018	18
5/15/2007	14:14:47	0.029	0.02	20
5/15/2007	14:29:47	0.029	0.02	20
5/15/2007	14:44:47	0.03	0.021	21
5/15/2007	14:59:47	0.028	0.019	19
5/15/2007	15:14:47	0.029	0.02	20
5/15/2007	15:29:47	0.029	0.02	20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013008
User ID: 00000001 Site ID: 00000011
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/15/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/15/2007 6:42	0.1		0.1
2	5/15/2007 6:57	0.3		0.3
3	5/15/2007 7:12	0.4		0.4
4	5/15/2007 7:27	0.4		0.4
5	5/15/2007 7:42	0.4		0.4
6	5/15/2007 7:57	0.5		0.5
7	5/15/2007 8:12	0.5		0.5
1	5/15/2007 8:42	0		0
2	5/15/2007 8:57	0		0
3	5/15/2007 9:12	0		0
4	5/15/2007 9:27	0		0
5	5/15/2007 9:42	0.1		0.1
6	5/15/2007 9:57	0		0
7	5/15/2007 10:12	0		0
8	5/15/2007 10:27	0		0
9	5/15/2007 10:42	0		0
10	5/15/2007 10:57	0.1		0.1
11	5/15/2007 11:12	0.1		0.1
12	5/15/2007 11:27	0.1		0.1
13	5/15/2007 11:42	0.1		0.1
14	5/15/2007 11:57	0.1		0.1
15	5/15/2007 12:12	0.1		0.1
16	5/15/2007 12:27	0.1		0.1
17	5/15/2007 12:42	0.1		0.1
18	5/15/2007 12:57	0.1		0.1
19	5/15/2007 13:12	0.1		0.1
20	5/15/2007 13:27	0.1		0.1
21	5/15/2007 13:42	0.1		0.1
22	5/15/2007 13:57	0.1		0.1
23	5/15/2007 14:12	0.1		0.1
24	5/15/2007 14:27	0.1		0.1
25	5/15/2007 14:42	0.1		0.1
26	5/15/2007 14:57	0.1		0.1
27	5/15/2007 15:12	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	5/15/2007
Start Time:	6:31:13
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0626) = 0.014 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/15/2007	6:46:13	0.017	0.003	3
5/15/2007	7:01:13	0.017	0.003	3
5/15/2007	7:16:13	0.019	0.005	5
5/15/2007	7:31:13	0.019	0.005	5
5/15/2007	7:46:13	0.02	0.006	6
5/15/2007	8:01:13	0.022	0.008	8
5/15/2007	8:16:13	0.022	0.008	8
5/15/2007	8:31:13	0.028	0.014	14
5/15/2007	8:46:13	0.025	0.011	11
5/15/2007	9:01:13	0.028	0.014	14
5/15/2007	9:16:13	0.022	0.008	8
5/15/2007	9:31:13	0.024	0.01	10
5/15/2007	9:46:13	0.025	0.011	11
5/15/2007	10:01:13	0.032	0.018	18
5/15/2007	10:16:13	0.023	0.009	9
5/15/2007	10:31:13	0.027	0.013	13
5/15/2007	10:46:13	0.025	0.011	11
5/15/2007	11:01:13	0.026	0.012	12
5/15/2007	11:16:13	0.027	0.013	13
5/15/2007	11:31:13	0.031	0.017	17
5/15/2007	11:46:13	0.037	0.023	23
5/15/2007	12:01:13	0.037	0.023	23
5/15/2007	12:16:13	0.037	0.023	23
5/15/2007	12:31:13	0.034	0.02	20
5/15/2007	12:46:13	0.038	0.024	24
5/15/2007	13:01:13	0.039	0.025	25
5/15/2007	13:16:13	0.042	0.028	28
5/15/2007	13:31:13	0.041	0.027	27
5/15/2007	13:46:13	0.04	0.026	26
5/15/2007	14:01:13	0.043	0.029	29
5/15/2007	14:16:13	0.043	0.029	29
5/15/2007	14:31:13	0.045	0.031	31
5/15/2007	14:46:13	0.044	0.03	30
5/15/2007	15:01:13	0.042	0.028	28
5/15/2007	15:16:13	0.044	0.03	30
5/15/2007	15:31:13	0.041	0.027	27

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/15/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/15/2007 6:49	0		0
2	5/15/2007 7:04	0		0
3	5/15/2007 7:19	0		0
4	5/15/2007 7:34	0		0
5	5/15/2007 7:49	0		0
6	5/15/2007 8:04	0		0
7	5/15/2007 8:19	0		0
8	5/15/2007 8:34	0		0
9	5/15/2007 8:49	0		0
10	5/15/2007 9:04	0		0
11	5/15/2007 9:19	0		0
12	5/15/2007 9:34	0		0
13	5/15/2007 9:49	0		0
14	5/15/2007 10:04	0		0
15	5/15/2007 10:19	0		0
16	5/15/2007 10:34	0		0
17	5/15/2007 10:49	0		0
18	5/15/2007 11:04	0		0
19	5/15/2007 11:19	0		0
20	5/15/2007 11:34	0		0
21	5/15/2007 11:49	0		0
22	5/15/2007 12:04	0		0
23	5/15/2007 12:19	0		0
24	5/15/2007 12:34	0		0
25	5/15/2007 12:49	0		0
26	5/15/2007 13:04	0		0
27	5/15/2007 13:19	0		0
28	5/15/2007 13:34	0		0
29	5/15/2007 13:49	0		0
30	5/15/2007 14:04	0		0
31	5/15/2007 14:19	0		0
32	5/15/2007 14:34	0		0
33	5/15/2007 14:49	0		0
34	5/15/2007 15:04	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	5/15/2007
Start Time:	6:34:18
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/15/2007	6:49:18	0.013	0.003	3
5/15/2007	7:04:18	0.013	0.003	3
5/15/2007	7:19:18	0.019	0.009	9
5/15/2007	7:34:18	0.021	0.011	11
5/15/2007	7:49:18	0.022	0.012	12
5/15/2007	8:04:18	0.023	0.013	13
5/15/2007	8:19:18	0.024	0.014	14
5/15/2007	8:34:18	0.041	0.031	31
5/15/2007	8:49:18	0.023	0.013	13
5/15/2007	9:04:18	0.03	0.02	20
5/15/2007	9:19:18	0.028	0.018	18
5/15/2007	9:34:18	0.019	0.009	9
5/15/2007	9:49:18	0.024	0.014	14
5/15/2007	10:04:18	0.035	0.025	25
5/15/2007	10:19:18	0.03	0.02	20
5/15/2007	10:34:18	0.029	0.019	19
5/15/2007	10:49:18	0.032	0.022	22
5/15/2007	11:04:18	0.032	0.022	22
5/15/2007	11:19:18	0.04	0.03	30
5/15/2007	11:34:18	0.049	0.039	39
5/15/2007	11:49:18	0.034	0.024	24
5/15/2007	12:04:18	0.033	0.023	23
5/15/2007	12:19:18	0.035	0.025	25
5/15/2007	12:34:18	0.03	0.02	20
5/15/2007	12:49:18	0.026	0.016	16
5/15/2007	13:04:18	0.036	0.026	26
5/15/2007	13:19:18	0.049	0.039	39
5/15/2007	13:34:18	0.037	0.027	27
5/15/2007	13:49:18	0.036	0.026	26
5/15/2007	14:04:18	0.04	0.03	30
5/15/2007	14:19:18	0.048	0.038	38
5/15/2007	14:34:18	0.053	0.043	43
5/15/2007	14:49:18	0.048	0.038	38
5/15/2007	15:04:18	0.042	0.032	32
5/15/2007	15:19:18	0.042	0.032	32

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/16/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/16/2007 6:17	0		0
2	5/16/2007 6:32	0		0
3	5/16/2007 6:47	0.1		0.1
4	5/16/2007 7:02	0.1		0.1
5	5/16/2007 7:17	0.1		0.1
6	5/16/2007 7:32	0.2		0.2
7	5/16/2007 7:47	0.2		0.2
8	5/16/2007 8:02	0.2		0.2
9	5/16/2007 8:17	0.2		0.2
10	5/16/2007 8:32	0.2		0.2
11	5/16/2007 8:47	0.2		0.2
12	5/16/2007 9:02	0.2		0.2
13	5/16/2007 9:17	0.2		0.2
14	5/16/2007 9:32	0.2		0.2
15	5/16/2007 9:47	0.2		0.2
16	5/16/2007 10:02	0.2		0.2
17	5/16/2007 10:17	0.2		0.2
18	5/16/2007 10:32	0.2		0.2
19	5/16/2007 10:47	0.2		0.2
20	5/16/2007 11:02	0.1		0.1
21	5/16/2007 11:17	0.1		0.1
22	5/16/2007 11:32	0.2		0.2
23	5/16/2007 11:47	0.1		0.1
24	5/16/2007 12:02	0.1		0.1
25	5/16/2007 12:17	0.1		0.1
26	5/16/2007 12:32	0.1		0.1
27	5/16/2007 12:47	0.1		0.1
28	5/16/2007 13:02	0.1		0.1
29	5/16/2007 13:17	0.1		0.1
30	5/16/2007 13:32	0.1		0.1
31	5/16/2007 13:47	0.1		0.1
32	5/16/2007 14:02	0.1		0.1
33	5/16/2007 14:17	0.1		0.1
34	5/16/2007 14:32	0.1		0.1
35	5/16/2007 14:47	0.1		0.1
36	5/16/2007 15:02	0.1		0.1
37	5/16/2007 15:17	0.1		0.1
38	5/16/2007 15:32	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/16/2007
Start Time:	6:07:01
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0604) = 0.078 mg/m^3

Calibration Sensor: Aerosol
Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/16/2007	6:22:01	0.073	-0.005	-5
5/16/2007	6:37:01	0.07	-0.008	-8
5/16/2007	6:52:01	0.069	-0.009	-9
5/16/2007	7:07:01	0.068	-0.01	-10
5/16/2007	7:22:01	0.069	-0.009	-9
5/16/2007	7:37:01	0.07	-0.008	-8
5/16/2007	7:52:01	0.068	-0.01	-10
5/16/2007	8:07:01	0.069	-0.009	-9
5/16/2007	8:22:01	0.068	-0.01	-10
5/16/2007	8:37:01	0.067	-0.011	-11
5/16/2007	8:52:01	0.068	-0.01	-10
5/16/2007	9:07:01	0.069	-0.009	-9
5/16/2007	9:22:01	0.069	-0.009	-9
5/16/2007	9:37:01	0.071	-0.007	-7
5/16/2007	9:52:01	0.07	-0.008	-8
5/16/2007	10:07:01	0.074	-0.004	-4
5/16/2007	10:22:01	0.076	-0.002	-2
5/16/2007	10:37:01	0.076	-0.002	-2
5/16/2007	10:52:01	0.076	-0.002	-2
5/16/2007	11:07:01	0.078	0	0
5/16/2007	11:22:01	0.079	0.001	1
5/16/2007	11:37:01	0.082	0.004	4
5/16/2007	11:52:01	0.082	0.004	4
5/16/2007	12:07:01	0.081	0.003	3
5/16/2007	12:22:01	0.083	0.005	5
5/16/2007	12:37:01	0.081	0.003	3
5/16/2007	12:52:01	0.076	-0.002	-2
5/16/2007	13:07:01	0.076	-0.002	-2
5/16/2007	13:22:01	0.073	-0.005	-5
5/16/2007	13:37:01	0.071	-0.007	-7
5/16/2007	13:52:01	0.072	-0.006	-6
5/16/2007	14:07:01	0.071	-0.007	-7
5/16/2007	14:22:01	0.073	-0.005	-5
5/16/2007	14:37:01	0.071	-0.007	-7
5/16/2007	14:52:01	0.067	-0.011	-11
5/16/2007	15:07:01	0.068	-0.01	-10
5/16/2007	15:22:01	0.075	-0.003	-3
5/16/2007	15:37:01	0.078	0	0
5/16/2007	15:52:01	0.079	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/16/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/16/2007 6:50	0.1		0
2	5/16/2007 7:05	0.2		0.1
3	5/16/2007 7:20	0.2		0.1
4	5/16/2007 7:35	0.2		0.1
5	5/16/2007 7:50	0.2		0.1
6	5/16/2007 8:05	0.3		0.2
7	5/16/2007 8:20	0.3		0.2
8	5/16/2007 8:35	0.3		0.2
9	5/16/2007 8:50	0.3		0.2
10	5/16/2007 9:05	0.3		0.2
11	5/16/2007 9:20	0.3		0.2
12	5/16/2007 9:35	0.3		0.2
13	5/16/2007 9:50	0.3		0.2
14	5/16/2007 10:05	0.3		0.2
15	5/16/2007 10:20	0.3		0.2
16	5/16/2007 10:35	0.3		0.2
17	5/16/2007 10:50	0.3		0.2
18	5/16/2007 11:05	0.3		0.2
19	5/16/2007 11:20	0.3		0.2
20	5/16/2007 11:35	0.3		0.2
21	5/16/2007 11:50	0.3		0.2
22	5/16/2007 12:05	0.3		0.2
23	5/16/2007 12:20	0.3		0.2
24	5/16/2007 12:35	0.3		0.2
25	5/16/2007 12:50	0.3		0.2
26	5/16/2007 13:05	0.3		0.2
27	5/16/2007 13:20	0.3		0.2
28	5/16/2007 13:35	0.3		0.2
29	5/16/2007 13:50	0.3		0.2
30	5/16/2007 14:05	0.3		0.2
31	5/16/2007 14:20	0.3		0.2
32	5/16/2007 14:35	0.3		0.2
33	5/16/2007 14:50	0.3		0.2
34	5/16/2007 15:05	0.3		0.2
35	5/16/2007 15:20	0.3		0.2
36	5/16/2007 15:35	0.3		0.2
37	5/16/2007 15:50	0.3		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	5/16/2007
Start Time:	6:37:38
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0634) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/16/2007	6:52:38	0.041	0.001	1
5/16/2007	7:07:38	0.042	0.002	2
5/16/2007	7:22:38	0.043	0.003	3
5/16/2007	7:37:38	0.044	0.004	4
5/16/2007	7:52:38	0.043	0.003	3
5/16/2007	8:07:38	0.045	0.005	5
5/16/2007	8:22:38	0.044	0.004	4
5/16/2007	8:37:38	0.043	0.003	3
5/16/2007	8:52:38	0.044	0.004	4
5/16/2007	9:07:38	0.045	0.005	5
5/16/2007	9:22:38	0.045	0.005	5
5/16/2007	9:37:38	0.047	0.007	7
5/16/2007	9:52:38	0.046	0.006	6
5/16/2007	10:07:38	0.048	0.008	8
5/16/2007	10:22:38	0.05	0.01	10
5/16/2007	10:37:38	0.05	0.01	10
5/16/2007	10:52:38	0.051	0.011	11
5/16/2007	11:07:38	0.051	0.011	11
5/16/2007	11:22:38	0.052	0.012	12
5/16/2007	11:37:38	0.055	0.015	15
5/16/2007	11:52:38	0.054	0.014	14
5/16/2007	12:07:38	0.055	0.015	15
5/16/2007	12:22:38	0.055	0.015	15
5/16/2007	12:37:38	0.054	0.014	14
5/16/2007	12:52:38	0.051	0.011	11
5/16/2007	13:07:38	0.05	0.01	10
5/16/2007	13:22:38	0.048	0.008	8
5/16/2007	13:37:38	0.048	0.008	8
5/16/2007	13:52:38	0.048	0.008	8
5/16/2007	14:07:38	0.048	0.008	8
5/16/2007	14:22:38	0.049	0.009	9
5/16/2007	14:37:38	0.049	0.009	9
5/16/2007	14:52:38	0.049	0.009	9
5/16/2007	15:07:38	0.047	0.007	7
5/16/2007	15:22:38	0.05	0.01	10
5/16/2007	15:37:38	0.052	0.012	12
5/16/2007	15:52:38	0.054	0.014	14
5/16/2007	16:07:38	0.027	-0.013	-13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/16/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/16/2007 6:41	0		0
2	5/16/2007 6:56	0		0
3	5/16/2007 7:11	0		0
4	5/16/2007 7:26	0		0
5	5/16/2007 7:41	0		0
6	5/16/2007 7:56	0		0
7	5/16/2007 8:11	0		0
8	5/16/2007 8:26	0		0
9	5/16/2007 8:41	0		0
10	5/16/2007 8:56	0		0
11	5/16/2007 9:11	0		0
12	5/16/2007 9:26	0.1		0.1
13	5/16/2007 9:41	0.1		0.1
14	5/16/2007 9:56	0.1		0.1
15	5/16/2007 10:11	0.1		0.1
16	5/16/2007 10:26	0.1		0.1
17	5/16/2007 10:41	0.1		0.1
18	5/16/2007 10:56	0.1		0.1
19	5/16/2007 11:11	0.1		0.1
20	5/16/2007 11:26	0.1		0.1
21	5/16/2007 11:41	0.1		0.1
22	5/16/2007 11:56	0.1		0.1
23	5/16/2007 12:11	0.1		0.1
24	5/16/2007 12:26	0.2		0.2
25	5/16/2007 12:41	0.2		0.2
26	5/16/2007 12:56	0.2		0.2
27	5/16/2007 13:11	0.2		0.2
28	5/16/2007 13:26	0.2		0.2
29	5/16/2007 13:41	0.2		0.2
30	5/16/2007 13:56	0.2		0.2
31	5/16/2007 14:11	0.2		0.2
32	5/16/2007 14:26	0.2		0.2
33	5/16/2007 14:41	0.2		0.2
34	5/16/2007 14:56	0.2		0.2
35	5/16/2007 15:11	0.2		0.2
36	5/16/2007 15:26	0.2		0.2
37	5/16/2007 15:41	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	5/16/2007
Start Time:	6:27:52
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0625) = 0.070 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/16/2007	6:42:52	0.075	0.005	5
5/16/2007	6:57:52	0.066	-0.004	-4
5/16/2007	7:12:52	0.068	-0.002	-2
5/16/2007	7:27:52	0.086	0.016	16
5/16/2007	7:42:52	0.068	-0.002	-2
5/16/2007	7:57:52	0.066	-0.004	-4
5/16/2007	8:12:52	0.071	0.001	1
5/16/2007	8:27:52	0.069	-0.001	-1
5/16/2007	8:42:52	0.068	-0.002	-2
5/16/2007	8:57:52	0.068	-0.002	-2
5/16/2007	9:12:52	0.072	0.002	2
5/16/2007	9:27:52	0.071	0.001	1
5/16/2007	9:42:52	0.074	0.004	4
5/16/2007	9:57:52	0.073	0.003	3
5/16/2007	10:12:52	0.077	0.007	7
5/16/2007	10:27:52	0.079	0.009	9
5/16/2007	10:42:52	0.081	0.011	11
5/16/2007	10:57:52	0.084	0.014	14
5/16/2007	11:12:52	0.084	0.014	14
5/16/2007	11:27:52	0.085	0.015	15
5/16/2007	11:42:52	0.088	0.018	18
5/16/2007	11:57:52	0.086	0.016	16
5/16/2007	12:12:52	0.087	0.017	17
5/16/2007	12:27:52	0.082	0.012	12
5/16/2007	12:42:52	0.078	0.008	8
5/16/2007	12:57:52	0.074	0.004	4
5/16/2007	13:12:52	0.076	0.006	6
5/16/2007	13:27:52	0.071	0.001	1
5/16/2007	13:42:52	0.071	0.001	1
5/16/2007	13:57:52	0.078	0.008	8
5/16/2007	14:12:52	0.074	0.004	4
5/16/2007	14:27:52	0.075	0.005	5
5/16/2007	14:42:52	0.074	0.004	4
5/16/2007	14:57:52	0.071	0.001	1
5/16/2007	15:12:52	0.073	0.003	3
5/16/2007	15:27:52	0.078	0.008	8
5/16/2007	15:42:52	0.08	0.01	10
5/16/2007	15:57:52	0.073	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/16/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0618) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/16/2007 6:35	0		0
2	5/16/2007 6:50	0		0
3	5/16/2007 7:05	0		0
4	5/16/2007 7:20	0		0
5	5/16/2007 7:35	0		0
6	5/16/2007 7:50	0		0
7	5/16/2007 8:05	0		0
8	5/16/2007 8:20	0		0
9	5/16/2007 8:35	0		0
10	5/16/2007 8:50	0		0
11	5/16/2007 9:05	0		0
12	5/16/2007 9:20	0		0
13	5/16/2007 9:35	0		0
14	5/16/2007 9:50	0		0
15	5/16/2007 10:05	0		0
16	5/16/2007 10:20	0		0
17	5/16/2007 10:35	0		0
18	5/16/2007 10:50	0		0
19	5/16/2007 11:05	0		0
20	5/16/2007 11:20	0.1		0.1
21	5/16/2007 11:35	0.1		0.1
22	5/16/2007 11:50	0.2		0.2
23	5/16/2007 12:05	0.2		0.2
24	5/16/2007 12:20	0.2		0.2
25	5/16/2007 12:35	0.3		0.3
26	5/16/2007 12:50	0.2		0.2
27	5/16/2007 13:05	0		0
28	5/16/2007 13:20	0		0
29	5/16/2007 13:35	0		0
30	5/16/2007 13:50	0		0
31	5/16/2007 14:05	0		0
32	5/16/2007 14:20	0		0
33	5/16/2007 14:35	0		0
34	5/16/2007 14:50	0		0
35	5/16/2007 15:05	0		0
36	5/16/2007 15:20	0		0
37	5/16/2007 15:35	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	5/16/2007
Start Time:	6:20:42
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0618) = 0.050 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/22/2005	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/16/2007	6:35:42	0.048	-0.002	-2
5/16/2007	6:50:42	0.046	-0.004	-4
5/16/2007	7:05:42	0.046	-0.004	-4
5/16/2007	7:20:42	0.055	0.005	5
5/16/2007	7:35:42	0.049	-0.001	-1
5/16/2007	7:50:42	0.049	-0.001	-1
5/16/2007	8:05:42	0.059	0.009	9
5/16/2007	8:20:42	0.047	-0.003	-3
5/16/2007	8:35:42	0.048	-0.002	-2
5/16/2007	8:50:42	0.047	-0.003	-3
5/16/2007	9:05:42	0.05	0	0
5/16/2007	9:20:42	0.047	-0.003	-3
5/16/2007	9:35:42	0.046	-0.004	-4
5/16/2007	9:50:42	0.052	0.002	2
5/16/2007	10:05:42	0.057	0.007	7
5/16/2007	10:20:42	0.06	0.01	10
5/16/2007	10:35:42	0.057	0.007	7
5/16/2007	10:50:42	0.056	0.006	6
5/16/2007	11:05:42	0.057	0.007	7
5/16/2007	11:20:42	0.056	0.006	6
5/16/2007	11:35:42	0.056	0.006	6
5/16/2007	11:50:42	0.059	0.009	9
5/16/2007	12:05:42	0.061	0.011	11
5/16/2007	12:20:42	0.057	0.007	7
5/16/2007	12:35:42	0.054	0.004	4
5/16/2007	12:50:42	0.048	-0.002	-2
5/16/2007	13:05:42	0.054	0.004	4
5/16/2007	13:20:42	0.055	0.005	5
5/16/2007	13:35:42	0.049	-0.001	-1
5/16/2007	13:50:42	0.051	0.001	1
5/16/2007	14:05:42	0.054	0.004	4
5/16/2007	14:20:42	0.051	0.001	1
5/16/2007	14:35:42	0.049	-0.001	-1
5/16/2007	14:50:42	0.045	-0.005	-5
5/16/2007	15:05:42	0.044	-0.006	-6
5/16/2007	15:20:42	0.049	-0.001	-1
5/16/2007	15:35:42	0.049	-0.001	-1
5/16/2007	15:50:42	0.057	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/17/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/17/2007 6:27	0		0
2	5/17/2007 6:42	0.1		0.1
3	5/17/2007 6:57	0.1		0.1
4	5/17/2007 7:12	0.2		0.2
5	5/17/2007 7:27	0.2		0.2
6	5/17/2007 7:42	0.2		0.2
7	5/17/2007 7:57	0.2		0.2
8	5/17/2007 8:12	0.3		0.3
9	5/17/2007 8:27	0.3		0.3
10	5/17/2007 8:42	0.3		0.3
11	5/17/2007 8:57	0.3		0.3
12	5/17/2007 9:12	0.3		0.3
13	5/17/2007 9:27	0.3		0.3
14	5/17/2007 9:42	0.3		0.3
15	5/17/2007 9:57	0.3		0.3
16	5/17/2007 10:12	0.3		0.3
17	5/17/2007 10:27	0.3		0.3
18	5/17/2007 10:42	0.3		0.3
19	5/17/2007 10:57	0.2		0.2
20	5/17/2007 11:12	0.2		0.2
21	5/17/2007 11:27	0.2		0.2
22	5/17/2007 11:42	0.3		0.3
23	5/17/2007 11:57	0.2		0.2
24	5/17/2007 12:12	0.2		0.2
25	5/17/2007 12:27	0.2		0.2
26	5/17/2007 12:42	0.2		0.2
27	5/17/2007 12:57	0.2		0.2
28	5/17/2007 13:12	0.2		0.2
29	5/17/2007 13:27	0.2		0.2
30	5/17/2007 13:42	0.2		0.2
31	5/17/2007 13:57	0.2		0.2
32	5/17/2007 14:12	0.2		0.2
33	5/17/2007 14:27	0.2		0.2
34	5/17/2007 14:42	0.3		0.3
35	5/17/2007 14:57	0.3		0.3
36	5/17/2007 15:12	0.3		0.3
37	5/17/2007 15:27	0.3		0.3
38	5/17/2007 15:42	0.3		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/17/2007
Start Time:	6:16:12
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0614) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/17/2007	6:31:12	0.023	0.004	4
5/17/2007	6:46:12	0.02	0.001	1
5/17/2007	7:01:12	0.024	0.005	5
5/17/2007	7:16:12	0.021	0.002	2
5/17/2007	7:31:12	0.026	0.007	7
5/17/2007	7:46:12	0.022	0.003	3
5/17/2007	8:01:12	0.021	0.002	2
5/17/2007	8:16:12	0.019	0	0
5/17/2007	8:31:12	0.016	-0.003	-3
5/17/2007	8:46:12	0.016	-0.003	-3
5/17/2007	9:01:12	0.013	-0.006	-6
5/17/2007	9:16:12	0.013	-0.006	-6
5/17/2007	9:31:12	0.012	-0.007	-7
5/17/2007	9:46:12	0.01	-0.009	-9
5/17/2007	10:01:12	0.011	-0.008	-8
5/17/2007	10:16:12	0.01	-0.009	-9
5/17/2007	10:31:12	0.009	-0.01	-10
5/17/2007	10:46:12	0.011	-0.008	-8
5/17/2007	11:01:12	0.014	-0.005	-5
5/17/2007	11:16:12	0.01	-0.009	-9
5/17/2007	11:31:12	0.01	-0.009	-9
5/17/2007	11:46:12	0.01	-0.009	-9
5/17/2007	12:01:12	0.012	-0.007	-7
5/17/2007	12:16:12	0.017	-0.002	-2
5/17/2007	12:31:12	0.011	-0.008	-8
5/17/2007	12:46:12	0.011	-0.008	-8
5/17/2007	13:01:12	0.015	-0.004	-4
5/17/2007	13:16:12	0.017	-0.002	-2
5/17/2007	13:31:12	0.018	-0.001	-1
5/17/2007	13:46:12	0.017	-0.002	-2
5/17/2007	14:01:12	0.017	-0.002	-2
5/17/2007	14:16:12	0.024	0.005	5
5/17/2007	14:31:12	0.032	0.013	13
5/17/2007	14:46:12	0.037	0.018	18
5/17/2007	15:01:12	0.031	0.012	12
5/17/2007	15:16:12	0.03	0.011	11
5/17/2007	15:31:12	0.03	0.011	11
5/17/2007	15:46:12	0.031	0.012	12
5/17/2007	16:01:12	0.029	0.01	10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/17/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/17/2007 6:28	0		0
2	5/17/2007 6:43	0		0
3	5/17/2007 6:58	0		0
4	5/17/2007 7:13	0		0
5	5/17/2007 7:28	0		0
6	5/17/2007 7:43	0		0
7	5/17/2007 7:58	0		0
8	5/17/2007 8:13	0		0
9	5/17/2007 8:28	0		0
10	5/17/2007 8:43	0		0
11	5/17/2007 8:58	0		0
12	5/17/2007 9:13	0.1		0.1
13	5/17/2007 9:28	0.1		0.1
14	5/17/2007 9:43	0.1		0.1
15	5/17/2007 9:58	0.1		0.1
16	5/17/2007 10:13	0.1		0.1
17	5/17/2007 10:28	0.1		0.1
18	5/17/2007 10:43	0.1		0.1
19	5/17/2007 10:58	0.1		0.1
20	5/17/2007 11:13	0.1		0.1
21	5/17/2007 11:28	0.1		0.1
22	5/17/2007 11:43	0.1		0.1
23	5/17/2007 11:58	0.1		0.1
24	5/17/2007 12:13	0.1		0.1
25	5/17/2007 12:28	0.1		0.1
26	5/17/2007 12:43	0.1		0.1
27	5/17/2007 12:58	0.1		0.1
28	5/17/2007 13:13	0.1		0.1
29	5/17/2007 13:28	0.1		0.1
30	5/17/2007 13:43	0.1		0.1
31	5/17/2007 13:58	0.1		0.1
32	5/17/2007 14:13	0.1		0.1
33	5/17/2007 14:28	0.1		0.1
34	5/17/2007 14:43	0.1		0.1
35	5/17/2007 14:58	0.1		0.1
36	5/17/2007 15:13	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	5/17/2007
Start Time:	6:16:09
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0610) = 0.013mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/17/2007	6:31:09	0.012	-0.001	-1
5/17/2007	6:46:09	0.012	-0.001	-1
5/17/2007	7:01:09	0.013	0	0
5/17/2007	7:16:09	0.012	-0.001	-1
5/17/2007	7:31:09	0.014	0.001	1
5/17/2007	7:46:09	0.012	-0.001	-1
5/17/2007	8:01:09	0.012	-0.001	-1
5/17/2007	8:16:09	0.013	0	0
5/17/2007	8:31:09	0.011	-0.002	-2
5/17/2007	8:46:09	0.01	-0.003	-3
5/17/2007	9:01:09	0.009	-0.004	-4
5/17/2007	9:16:09	0.01	-0.003	-3
5/17/2007	9:31:09	0.008	-0.005	-5
5/17/2007	9:46:09	0.007	-0.006	-6
5/17/2007	10:01:09	0.009	-0.004	-4
5/17/2007	10:16:09	0.007	-0.006	-6
5/17/2007	10:31:09	0.007	-0.006	-6
5/17/2007	10:46:09	0.008	-0.005	-5
5/17/2007	11:01:09	0.008	-0.005	-5
5/17/2007	11:16:09	0.009	-0.004	-4
5/17/2007	11:31:09	0.008	-0.005	-5
5/17/2007	11:46:09	0.008	-0.005	-5
5/17/2007	12:01:09	0.012	-0.001	-1
5/17/2007	12:16:09	0.01	-0.003	-3
5/17/2007	12:31:09	0.009	-0.004	-4
5/17/2007	12:46:09	0.009	-0.004	-4
5/17/2007	13:01:09	0.012	-0.001	-1
5/17/2007	13:16:09	0.014	0.001	1
5/17/2007	13:31:09	0.014	0.001	1
5/17/2007	13:46:09	0.014	0.001	1
5/17/2007	14:01:09	0.013	0	0
5/17/2007	14:16:09	0.017	0.004	4
5/17/2007	14:31:09	0.023	0.01	10
5/17/2007	14:46:09	0.022	0.009	9
5/17/2007	15:01:09	0.022	0.009	9
5/17/2007	15:16:09	0.021	0.008	8
5/17/2007	15:31:09	0.021	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/17/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/17/2007 6:47	0		0
2	5/17/2007 7:02	0		0
3	5/17/2007 7:17	0		0
4	5/17/2007 7:32	0		0
5	5/17/2007 7:47	0		0
6	5/17/2007 8:02	0		0
7	5/17/2007 8:17	0		0
8	5/17/2007 8:32	0		0
9	5/17/2007 8:47	0.1		0.1
10	5/17/2007 9:02	0.1		0.1
11	5/17/2007 9:17	0.1		0.1
12	5/17/2007 9:32	0.1		0.1
13	5/17/2007 9:47	0.1		0.1
14	5/17/2007 10:02	0.1		0.1
15	5/17/2007 10:17	0.1		0.1
16	5/17/2007 10:32	0.1		0.1
17	5/17/2007 10:47	0.1		0.1
18	5/17/2007 11:02	0.1		0.1
19	5/17/2007 11:17	0.1		0.1
20	5/17/2007 11:32	0.1		0.1
21	5/17/2007 11:47	0.1		0.1
22	5/17/2007 12:02	0.1		0.1
23	5/17/2007 12:17	0.1		0.1
24	5/17/2007 12:32	0.2		0.2
25	5/17/2007 12:47	0.2		0.2
26	5/17/2007 13:02	0.1		0.1
27	5/17/2007 13:17	0.2		0.2
28	5/17/2007 13:32	0.2		0.2
29	5/17/2007 13:47	0.2		0.2
30	5/17/2007 14:02	0.1		0.1
31	5/17/2007 14:17	0.1		0.1
32	5/17/2007 14:32	0.1		0.1
33	5/17/2007 14:47	0.1		0.1
34	5/17/2007 15:02	0.1		0.1
35	5/17/2007 15:17	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	5/17/2007
Start Time:	6:34:37
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0626) = 0.015 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/17/2007	6:49:37	0.017	0.002	2
5/17/2007	7:04:37	0.019	0.004	4
5/17/2007	7:19:37	0.017	0.002	2
5/17/2007	7:34:37	0.019	0.004	4
5/17/2007	7:49:37	0.015	0	0
5/17/2007	8:04:37	0.017	0.002	2
5/17/2007	8:19:37	0.016	0.001	1
5/17/2007	8:34:37	0.014	-0.001	-1
5/17/2007	8:49:37	0.013	-0.002	-2
5/17/2007	9:04:37	0.011	-0.004	-4
5/17/2007	9:19:37	0.01	-0.005	-5
5/17/2007	9:34:37	0.01	-0.005	-5
5/17/2007	9:49:37	0.009	-0.006	-6
5/17/2007	10:04:37	0.01	-0.005	-5
5/17/2007	10:19:37	0.009	-0.006	-6
5/17/2007	10:34:37	0.008	-0.007	-7
5/17/2007	10:49:37	0.01	-0.005	-5
5/17/2007	11:04:37	0.01	-0.005	-5
5/17/2007	11:19:37	0.017	0.002	2
5/17/2007	11:34:37	0.008	-0.007	-7
5/17/2007	11:49:37	0.01	-0.005	-5
5/17/2007	12:04:37	0.011	-0.004	-4
5/17/2007	12:19:37	0.011	-0.004	-4
5/17/2007	12:34:37	0.01	-0.005	-5
5/17/2007	12:49:37	0.01	-0.005	-5
5/17/2007	13:04:37	0.015	0	0
5/17/2007	13:19:37	0.016	0.001	1
5/17/2007	13:34:37	0.015	0	0
5/17/2007	13:49:37	0.016	0.001	1
5/17/2007	14:04:37	0.017	0.002	2
5/17/2007	14:19:37	0.024	0.009	9
5/17/2007	14:34:37	0.03	0.015	15
5/17/2007	14:49:37	0.029	0.014	14
5/17/2007	15:04:37	0.028	0.013	13
5/17/2007	15:19:37	0.027	0.012	12
5/17/2007	15:34:37	0.028	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/17/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/17/2007 6:45	0		0
2	5/17/2007 7:00	0		0
3	5/17/2007 7:15	0		0
4	5/17/2007 7:30	0		0
5	5/17/2007 7:45	0		0
6	5/17/2007 8:00	0		0
7	5/17/2007 8:15	0		0
8	5/17/2007 8:30	0		0
9	5/17/2007 8:45	0		0
10	5/17/2007 9:00	0		0
11	5/17/2007 9:15	0		0
12	5/17/2007 9:30	0		0
13	5/17/2007 9:45	0		0
14	5/17/2007 10:00	0		0
15	5/17/2007 10:15	0		0
16	5/17/2007 10:30	0		0
17	5/17/2007 10:45	0		0
18	5/17/2007 11:00	0		0
19	5/17/2007 11:15	0		0
20	5/17/2007 11:30	0		0
21	5/17/2007 11:45	0		0
22	5/17/2007 12:00	0		0
23	5/17/2007 12:15	0		0
24	5/17/2007 12:30	0		0
25	5/17/2007 12:45	0		0
26	5/17/2007 13:00	0		0
27	5/17/2007 13:15	0		0
28	5/17/2007 13:30	0		0
29	5/17/2007 13:45	0		0
30	5/17/2007 14:00	0		0
31	5/17/2007 14:15	0		0
32	5/17/2007 14:30	0.5		0.5
33	5/17/2007 14:45	0.2		0.2
34	5/17/2007 15:00	0		0
35	5/17/2007 15:15	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	5/17/2007
Start Time:	6:31:36
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0620) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/17/2007	6:46:36	0.016	-0.001	-1
5/17/2007	7:01:36	0.018	0.001	1
5/17/2007	7:16:36	0.019	0.002	2
5/17/2007	7:31:36	0.024	0.007	7
5/17/2007	7:46:36	0.029	0.012	12
5/17/2007	8:01:36	0.02	0.003	3
5/17/2007	8:16:36	0.027	0.01	10
5/17/2007	8:31:36	0.018	0.001	1
5/17/2007	8:46:36	0.018	0.001	1
5/17/2007	9:01:36	0.013	-0.004	-4
5/17/2007	9:16:36	0.014	-0.003	-3
5/17/2007	9:31:36	0.009	-0.008	-8
5/17/2007	9:46:36	0.008	-0.009	-9
5/17/2007	10:01:36	0.013	-0.004	-4
5/17/2007	10:16:36	0.013	-0.004	-4
5/17/2007	10:31:36	0.012	-0.005	-5
5/17/2007	10:46:36	0.012	-0.005	-5
5/17/2007	11:01:36	0.014	-0.003	-3
5/17/2007	11:16:36	0.014	-0.003	-3
5/17/2007	11:31:36	0.01	-0.007	-7
5/17/2007	11:46:36	0.007	-0.01	-10
5/17/2007	12:01:36	0.02	0.003	3
5/17/2007	12:16:36	0.01	-0.007	-7
5/17/2007	12:31:36	0.008	-0.009	-9
5/17/2007	12:46:36	0.012	-0.005	-5
5/17/2007	13:01:36	0.01	-0.007	-7
5/17/2007	13:16:36	0.02	0.003	3
5/17/2007	13:31:36	0.053	0.036	36
5/17/2007	13:46:36	0.015	-0.002	-2
5/17/2007	14:01:36	0.026	0.009	9
5/17/2007	14:16:36	0.03	0.013	13
5/17/2007	14:31:36	0.033	0.016	16
5/17/2007	14:46:36	0.035	0.018	18
5/17/2007	15:01:36	0.034	0.017	17
5/17/2007	15:16:36	0.029	0.012	12
5/17/2007	15:31:36	0.028	0.011	11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/18/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/18/2007 6:33	0.1		0
2	5/18/2007 6:48	0.3		0.2
3	5/18/2007 7:03	0.4		0.3
4	5/18/2007 7:18	0.5		0.4
5	5/18/2007 7:33	0.5		0.4
6	5/18/2007 7:48	0.6		0.5
7	5/18/2007 8:03	0.6		0.5
8	5/18/2007 8:18	0.6		0.5
9	5/18/2007 8:33	0.7		0.6
10	5/18/2007 8:48	0.7		0.6
11	5/18/2007 9:03	0.7		0.6
12	5/18/2007 9:18	0.7		0.6
13	5/18/2007 9:33	0.8		0.7
14	5/18/2007 9:48	0.7		0.6
15	5/18/2007 10:03	0.2		0.1
1	5/18/2007 10:34	0.1		0
2	5/18/2007 10:49	0.2		0.1
3	5/18/2007 11:04	0.3		0.2
4	5/18/2007 11:19	0.4		0.3
5	5/18/2007 11:34	0.4		0.3
6	5/18/2007 11:49	0.4		0.3
7	5/18/2007 12:04	0.4		0.3
8	5/18/2007 12:19	0.5		0.4
9	5/18/2007 12:34	0.5		0.4
10	5/18/2007 12:49	0.5		0.4
11	5/18/2007 13:04	0.5		0.4
12	5/18/2007 13:19	0.5		0.4
13	5/18/2007 13:34	0.5		0.4
14	5/18/2007 13:49	0.5		0.4
15	5/18/2007 14:04	0.6		0.5
16	5/18/2007 14:19	0.6		0.5
17	5/18/2007 14:34	0.6		0.5
18	5/18/2007 14:49	0.6		0.5
19	5/18/2007 15:04	0.6		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/18/2007
Start Time:	6:22:03
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0620) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/18/2007	6:37:03	0.007	0.001	1
5/18/2007	6:52:03	0.011	0.005	5
5/18/2007	7:07:03	0.012	0.006	6
5/18/2007	7:22:03	0.023	0.017	17
5/18/2007	7:37:03	0.02	0.014	14
5/18/2007	7:52:03	0.015	0.009	9
5/18/2007	8:07:03	0.016	0.01	10
5/18/2007	8:22:03	0.017	0.011	11
5/18/2007	8:37:03	0.02	0.014	14
5/18/2007	8:52:03	0.019	0.013	13
5/18/2007	9:07:03	0.02	0.014	14
5/18/2007	9:22:03	0.011	0.005	5
5/18/2007	9:37:03	0.011	0.005	5
5/18/2007	9:52:03	0.012	0.006	6
5/18/2007	10:07:03	0.013	0.007	7
5/18/2007	10:22:03	0.011	0.005	5
5/18/2007	10:37:03	0.01	0.004	4
5/18/2007	10:52:03	0.012	0.006	6
5/18/2007	11:07:03	0.013	0.007	7
5/18/2007	11:22:03	0.012	0.006	6
5/18/2007	11:37:03	0.012	0.006	6
5/18/2007	11:52:03	0.013	0.007	7
5/18/2007	12:07:03	0.014	0.008	8
5/18/2007	12:22:03	0.014	0.008	8
5/18/2007	12:37:03	0.013	0.007	7
5/18/2007	12:52:03	0.013	0.007	7
5/18/2007	13:07:03	0.013	0.007	7
5/18/2007	13:22:03	0.013	0.007	7
5/18/2007	13:37:03	0.013	0.007	7
5/18/2007	13:52:03	0.015	0.009	9
5/18/2007	14:07:03	0.014	0.008	8
5/18/2007	14:22:03	0.014	0.008	8
5/18/2007	14:37:03	0.013	0.007	7
5/18/2007	14:52:03	0.015	0.009	9
5/18/2007	15:07:03	0.014	0.008	8
5/18/2007	15:22:03	0.013	0.007	7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/18/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/18/2007 6:35	0		0
2	5/18/2007 6:50	0		0
3	5/18/2007 7:05	0		0
4	5/18/2007 7:20	0		0
5	5/18/2007 7:35	0		0
6	5/18/2007 7:50	0.1		0.1
7	5/18/2007 8:05	0.1		0.1
8	5/18/2007 8:20	0.1		0.1
9	5/18/2007 8:35	0.1		0.1
10	5/18/2007 8:50	0.1		0.1
11	5/18/2007 9:05	0.1		0.1
12	5/18/2007 9:20	0.1		0.1
13	5/18/2007 9:35	0.2		0.2
14	5/18/2007 9:50	0.2		0.2
15	5/18/2007 10:05	0.2		0.2
16	5/18/2007 10:20	0.2		0.2
17	5/18/2007 10:35	0.2		0.2
18	5/18/2007 10:50	0.2		0.2
19	5/18/2007 11:05	0.2		0.2
20	5/18/2007 11:20	0.2		0.2
21	5/18/2007 11:35	0.2		0.2
22	5/18/2007 11:50	0.2		0.2
23	5/18/2007 12:05	0.2		0.2
24	5/18/2007 12:20	0.2		0.2
25	5/18/2007 12:35	0.3		0.3
26	5/18/2007 12:50	0.2		0.2
27	5/18/2007 13:05	0.2		0.2
28	5/18/2007 13:20	0.3		0.3
29	5/18/2007 13:35	0.2		0.2
30	5/18/2007 13:50	0.2		0.2
31	5/18/2007 14:05	0.3		0.3
32	5/18/2007 14:20	0.3		0.3
33	5/18/2007 14:35	0.3		0.3
34	5/18/2007 14:50	0.3		0.3
35	5/18/2007 15:05	0.2		0.2
36	5/18/2007 15:20	0.2		0.2
37	5/18/2007 15:35	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	5/18/2007
Start Time:	6:16:39
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0613) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/18/2007	6:31:39	0.005	0.001	1
5/18/2007	6:46:39	0.007	0.003	3
5/18/2007	7:01:39	0.008	0.004	4
5/18/2007	7:16:39	0.009	0.005	5
5/18/2007	7:31:39	0.012	0.008	8
5/18/2007	7:46:39	0.013	0.009	9
5/18/2007	8:01:39	0.009	0.005	5
5/18/2007	8:16:39	0.013	0.009	9
5/18/2007	8:31:39	0.014	0.01	10
5/18/2007	8:46:39	0.012	0.008	8
5/18/2007	9:01:39	0.014	0.01	10
5/18/2007	9:16:39	0.01	0.006	6
5/18/2007	9:31:39	0.007	0.003	3
5/18/2007	9:46:39	0.008	0.004	4
5/18/2007	10:01:39	0.01	0.006	6
5/18/2007	10:16:39	0.008	0.004	4
5/18/2007	10:31:39	0.007	0.003	3
5/18/2007	10:46:39	0.007	0.003	3
5/18/2007	11:01:39	0.008	0.004	4
5/18/2007	11:16:39	0.007	0.003	3
5/18/2007	11:31:39	0.009	0.005	5
5/18/2007	11:46:39	0.007	0.003	3
5/18/2007	12:01:39	0.008	0.004	4
5/18/2007	12:16:39	0.008	0.004	4
5/18/2007	12:31:39	0.009	0.005	5
5/18/2007	12:46:39	0.008	0.004	4
5/18/2007	13:01:39	0.009	0.005	5
5/18/2007	13:16:39	0.009	0.005	5
5/18/2007	13:31:39	0.009	0.005	5
5/18/2007	13:46:39	0.009	0.005	5
5/18/2007	14:01:39	0.01	0.006	6
5/18/2007	14:16:39	0.009	0.005	5
5/18/2007	14:31:39	0.009	0.005	5
5/18/2007	14:46:39	0.009	0.005	5
5/18/2007	15:01:39	0.011	0.007	7
5/18/2007	15:16:39	0.009	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/18/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0631) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/18/2007 6:50	0		0
2	5/18/2007 7:05	0		0
3	5/18/2007 7:20	0		0
4	5/18/2007 7:35	0		0
5	5/18/2007 7:50	0		0
6	5/18/2007 8:05	0		0
7	5/18/2007 8:20	0		0
8	5/18/2007 8:35	0		0
9	5/18/2007 8:50	0		0
10	5/18/2007 9:05	0		0
11	5/18/2007 9:20	0		0
12	5/18/2007 9:35	0.1		0.1
13	5/18/2007 9:50	0.1		0.1
14	5/18/2007 10:05	0.1		0.1
15	5/18/2007 10:20	0.1		0.1
16	5/18/2007 10:35	0.1		0.1
17	5/18/2007 10:50	0.1		0.1
18	5/18/2007 11:05	0.1		0.1
19	5/18/2007 11:20	0.1		0.1
20	5/18/2007 11:35	0.1		0.1
21	5/18/2007 11:50	0.1		0.1
22	5/18/2007 12:05	0.1		0.1
23	5/18/2007 12:20	0.1		0.1
24	5/18/2007 12:35	0.1		0.1
25	5/18/2007 12:50	0.1		0.1
26	5/18/2007 13:05	0.1		0.1
27	5/18/2007 13:20	0.1		0.1
28	5/18/2007 13:35	0.1		0.1
29	5/18/2007 13:50	0.1		0.1
30	5/18/2007 14:05	0.1		0.1
31	5/18/2007 14:20	0.1		0.1
32	5/18/2007 14:35	0.1		0.1
33	5/18/2007 14:50	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	5/18/2007
Start Time:	6:37:36
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0631) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/18/2007	6:52:36	0.008	0.001	1
5/18/2007	7:07:36	0.009	0.002	2
5/18/2007	7:22:36	0.014	0.007	7
5/18/2007	7:37:36	0.015	0.008	8
5/18/2007	7:52:36	0.011	0.004	4
5/18/2007	8:07:36	0.012	0.005	5
5/18/2007	8:22:36	0.013	0.006	6
5/18/2007	8:37:36	0.016	0.009	9
5/18/2007	8:52:36	0.015	0.008	8
5/18/2007	9:07:36	0.014	0.007	7
5/18/2007	9:22:36	0.009	0.002	2
5/18/2007	9:37:36	0.009	0.002	2
5/18/2007	9:52:36	0.01	0.003	3
5/18/2007	10:07:36	0.009	0.002	2
5/18/2007	10:22:36	0.008	0.001	1
5/18/2007	10:37:36	0.008	0.001	1
5/18/2007	10:52:36	0.01	0.003	3
5/18/2007	11:07:36	0.01	0.003	3
5/18/2007	11:22:36	0.009	0.002	2
5/18/2007	11:37:36	0.01	0.003	3
5/18/2007	11:52:36	0.011	0.004	4
5/18/2007	12:07:36	0.011	0.004	4
5/18/2007	12:22:36	0.012	0.005	5
5/18/2007	12:37:36	0.011	0.004	4
5/18/2007	12:52:36	0.011	0.004	4
5/18/2007	13:07:36	0.013	0.006	6
5/18/2007	13:22:36	0.013	0.006	6
5/18/2007	13:37:36	0.011	0.004	4
5/18/2007	13:52:36	0.013	0.006	6
5/18/2007	14:07:36	0.013	0.006	6
5/18/2007	14:22:36	0.015	0.008	8
5/18/2007	14:37:36	0.012	0.005	5
5/18/2007	14:52:36	0.013	0.006	6
5/18/2007	15:07:36	0.013	0.006	6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/18/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/18/2007 6:49	0		0
2	5/18/2007 7:04	0		0
3	5/18/2007 7:19	0		0
4	5/18/2007 7:34	0		0
5	5/18/2007 7:49	0		0
1	5/18/2007 8:20	0		0
2	5/18/2007 8:35	0		0
3	5/18/2007 8:50	0.1		0.1
4	5/18/2007 9:05	0.1		0.1
5	5/18/2007 9:20	0		0
6	5/18/2007 9:35	0		0
7	5/18/2007 9:50	0		0
8	5/18/2007 10:05	0		0
9	5/18/2007 10:20	0.8		0.8
10	5/18/2007 10:35	0		0
11	5/18/2007 10:50	0		0
12	5/18/2007 11:05	0		0
13	5/18/2007 11:20	0		0
14	5/18/2007 11:35	0		0
15	5/18/2007 11:50	0		0
16	5/18/2007 12:05	0		0
17	5/18/2007 12:20	0		0
18	5/18/2007 12:35	0		0
19	5/18/2007 12:50	0		0
20	5/18/2007 13:05	0		0
21	5/18/2007 13:20	0		0
22	5/18/2007 13:35	0		0
23	5/18/2007 13:50	0		0
24	5/18/2007 14:05	0		0
25	5/18/2007 14:20	0		0
26	5/18/2007 14:35	0		0
27	5/18/2007 14:50	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	5/18/2007
Start Time:	6:33:00
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0628) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/18/2007	6:48:00	0.008	-0.006	-6
5/18/2007	7:03:00	0.008	-0.006	-6
5/18/2007	7:18:00	0.013	-0.001	-1
5/18/2007	7:33:00	0.018	0.004	4
5/18/2007	7:48:00	0.017	0.003	3
5/18/2007	8:03:00	0.014	0	0
5/18/2007	8:18:00	0.055	0.041	41
5/18/2007	8:33:00	0.016	0.002	2
5/18/2007	8:48:00	0.017	0.003	3
5/18/2007	9:03:00	0.02	0.006	6
5/18/2007	9:18:00	0.016	0.002	2
5/18/2007	9:33:00	0.009	-0.005	-5
5/18/2007	9:48:00	0.012	-0.002	-2
5/18/2007	10:03:00	0.015	0.001	1
5/18/2007	10:18:00	0.015	0.001	1
5/18/2007	10:33:00	0.012	-0.002	-2
5/18/2007	10:48:00	0.011	-0.003	-3
5/18/2007	11:03:00	0.013	-0.001	-1
5/18/2007	11:18:00	0.011	-0.003	-3
5/18/2007	11:33:00	0.011	-0.003	-3
5/18/2007	11:48:00	0.013	-0.001	-1
5/18/2007	12:03:00	0.013	-0.001	-1
5/18/2007	12:18:00	0.014	0	0
5/18/2007	12:33:00	0.014	0	0
5/18/2007	12:48:00	0.012	-0.002	-2
5/18/2007	13:03:00	0.012	-0.002	-2
5/18/2007	13:18:00	0.017	0.003	3
5/18/2007	13:33:00	0.012	-0.002	-2
5/18/2007	13:48:00	0.012	-0.002	-2
5/18/2007	14:03:00	0.013	-0.001	-1
5/18/2007	14:18:00	0.013	-0.001	-1
5/18/2007	14:33:00	0.013	-0.001	-1
5/18/2007	14:48:00	0.015	0.001	1
5/18/2007	15:03:00	0.015	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/21/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/21/2007 6:08	0.1		0
2	5/21/2007 6:23	0.2		0.1
3	5/21/2007 6:38	0.3		0.2
4	5/21/2007 6:53	0.4		0.3
5	5/21/2007 7:08	0.5		0.4
6	5/21/2007 7:23	0.5		0.4
7	5/21/2007 7:38	0.5		0.4
8	5/21/2007 7:53	0.6		0.5
9	5/21/2007 8:08	0.6		0.5
10	5/21/2007 8:23	0.6		0.5
11	5/21/2007 8:38	0.6		0.5
12	5/21/2007 8:53	0.6		0.5
13	5/21/2007 9:08	0.7		0.6
14	5/21/2007 9:23	0.7		0.6
15	5/21/2007 9:38	0.7		0.6
16	5/21/2007 9:53	0.7		0.6
17	5/21/2007 10:08	0.7		0.6
18	5/21/2007 10:23	0.7		0.6
19	5/21/2007 10:38	0.7		0.6
20	5/21/2007 10:53	0.7		0.6
21	5/21/2007 11:08	0.7		0.6
22	5/21/2007 11:23	0.7		0.6
23	5/21/2007 11:38	0.7		0.6
24	5/21/2007 11:53	0.7		0.6
25	5/21/2007 12:08	0.7		0.6
26	5/21/2007 12:23	0.7		0.6
27	5/21/2007 12:38	0.7		0.6
28	5/21/2007 12:53	0.7		0.6
29	5/21/2007 13:08	0.7		0.6
30	5/21/2007 13:23	0.6		0.5
31	5/21/2007 13:38	0.6		0.5
32	5/21/2007 13:53	0.6		0.5
33	5/21/2007 14:08	0.7		0.6
34	5/21/2007 14:23	0.7		0.6
35	5/21/2007 14:38	0.7		0.6
36	5/21/2007 14:53	0.7		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/21/2007
Start Time:	5:57:01
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0552) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3,
5/21/2007	6:12:01	0.014	0.004	4
5/21/2007	6:27:01	0.013	0.003	3
5/21/2007	6:42:01	0.012	0.002	2
5/21/2007	6:57:01	0.015	0.005	5
5/21/2007	7:12:01	0.012	0.002	2
5/21/2007	7:27:01	0.012	0.002	2
5/21/2007	7:42:01	0.01	0	0
5/21/2007	7:57:01	0.013	0.003	3
5/21/2007	8:12:01	0.01	0	0
5/21/2007	8:27:01	0.011	0.001	1
5/21/2007	8:42:01	0.01	0	0
5/21/2007	8:57:01	0.009	-0.001	-1
5/21/2007	9:12:01	0.011	0.001	1
5/21/2007	9:27:01	0.009	-0.001	-1
5/21/2007	9:42:01	0.009	-0.001	-1
5/21/2007	9:57:01	0.009	-0.001	-1
5/21/2007	10:12:01	0.012	0.002	2
5/21/2007	10:27:01	0.011	0.001	1
5/21/2007	10:42:01	0.008	-0.002	-2
5/21/2007	10:57:01	0.007	-0.003	-3
5/21/2007	11:12:01	0.009	-0.001	-1
5/21/2007	11:27:01	0.009	-0.001	-1
5/21/2007	11:42:01	0.008	-0.002	-2
5/21/2007	11:57:01	0.009	-0.001	-1
5/21/2007	12:12:01	0.008	-0.002	-2
5/21/2007	12:27:01	0.011	0.001	1
5/21/2007	12:42:01	0.008	-0.002	-2
5/21/2007	12:57:01	0.01	0	0
5/21/2007	13:12:01	0.01	0	0
5/21/2007	13:27:01	0.011	0.001	1
5/21/2007	13:42:01	0.008	-0.002	-2
5/21/2007	13:57:01	0.008	-0.002	-2
5/21/2007	14:12:01	0.008	-0.002	-2
5/21/2007	14:27:01	0.009	-0.001	-1
5/21/2007	14:42:01	0.009	-0.001	-1
5/21/2007	14:57:01	0.008	-0.002	-2
5/21/2007	15:12:01	0.009	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/21/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/21/2007 6:20	0		0
2	5/21/2007 6:35	0		0
3	5/21/2007 6:50	0		0
4	5/21/2007 7:05	0		0
5	5/21/2007 7:20	0		0
6	5/21/2007 7:35	0		0
7	5/21/2007 7:50	0		0
8	5/21/2007 8:05	0.1		0.1
9	5/21/2007 8:20	0.1		0.1
10	5/21/2007 8:35	0.1		0.1
11	5/21/2007 8:50	0.1		0.1
12	5/21/2007 9:05	0.1		0.1
13	5/21/2007 9:20	0.1		0.1
14	5/21/2007 9:35	0.1		0.1
15	5/21/2007 9:50	0.1		0.1
16	5/21/2007 10:05	0.1		0.1
17	5/21/2007 10:20	0.1		0.1
18	5/21/2007 10:35	0.1		0.1
19	5/21/2007 10:50	0.2		0.2
20	5/21/2007 11:05	0.2		0.2
21	5/21/2007 11:20	0.2		0.2
22	5/21/2007 11:35	0.2		0.2
23	5/21/2007 11:50	0.2		0.2
24	5/21/2007 12:05	0.2		0.2
25	5/21/2007 12:20	0.2		0.2
26	5/21/2007 12:35	0.2		0.2
27	5/21/2007 12:50	0.2		0.2
28	5/21/2007 13:05	0.2		0.2
29	5/21/2007 13:20	0.2		0.2
30	5/21/2007 13:35	0.2		0.2
31	5/21/2007 13:50	0.2		0.2
32	5/21/2007 14:05	0.2		0.2
33	5/21/2007 14:20	0.2		0.2
34	5/21/2007 14:35	0.2		0.2
35	5/21/2007 14:50	0.2		0.2
36	5/21/2007 15:05	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	5/21/2007
Start Time:	6:08:36
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0603) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/21/2007	6:23:36	0.008	-0.008	-8
5/21/2007	6:38:36	0.007	-0.009	-9
5/21/2007	6:53:36	0.01	-0.006	-6
5/21/2007	7:08:36	0.007	-0.009	-9
5/21/2007	7:23:36	0.008	-0.008	-8
5/21/2007	7:38:36	0.007	-0.009	-9
5/21/2007	7:53:36	0.007	-0.009	-9
5/21/2007	8:08:36	0.006	-0.01	-10
5/21/2007	8:23:36	0.006	-0.01	-10
5/21/2007	8:38:36	0.005	-0.011	-11
5/21/2007	8:53:36	0.005	-0.011	-11
5/21/2007	9:08:36	0.006	-0.01	-10
5/21/2007	9:23:36	0.006	-0.01	-10
5/21/2007	9:38:36	0.005	-0.011	-11
5/21/2007	9:53:36	0.005	-0.011	-11
5/21/2007	10:08:36	0.006	-0.01	-10
5/21/2007	10:23:36	0.005	-0.011	-11
5/21/2007	10:38:36	0.005	-0.011	-11
5/21/2007	10:53:36	0.004	-0.012	-12
5/21/2007	11:08:36	0.005	-0.011	-11
5/21/2007	11:23:36	0.006	-0.01	-10
5/21/2007	11:38:36	0.005	-0.011	-11
5/21/2007	11:53:36	0.006	-0.01	-10
5/21/2007	12:08:36	0.006	-0.01	-10
5/21/2007	12:23:36	0.008	-0.008	-8
5/21/2007	12:38:36	0.006	-0.01	-10
5/21/2007	12:53:36	0.006	-0.01	-10
5/21/2007	13:08:36	0.007	-0.009	-9
5/21/2007	13:23:36	0.006	-0.01	-10
5/21/2007	13:38:36	0.006	-0.01	-10
5/21/2007	13:53:36	0.005	-0.011	-11
5/21/2007	14:08:36	0.006	-0.01	-10
5/21/2007	14:23:36	0.007	-0.009	-9
5/21/2007	14:38:36	0.007	-0.009	-9
5/21/2007	14:53:36	0.006	-0.01	-10
5/21/2007	15:08:36	0.006	-0.01	-10
5/21/2007	15:23:36	0.007	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/21/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0623) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/21/2007 6:40	0		0
2	5/21/2007 6:55	0		0
3	5/21/2007 7:10	0		0
4	5/21/2007 7:25	0		0
5	5/21/2007 7:40	0		0
6	5/21/2007 7:55	0		0
7	5/21/2007 8:10	0		0
8	5/21/2007 8:25	0		0
9	5/21/2007 8:40	0		0
10	5/21/2007 8:55	0		0
11	5/21/2007 9:10	0		0
12	5/21/2007 9:25	0		0
13	5/21/2007 9:40	0		0
14	5/21/2007 9:55	0		0
15	5/21/2007 10:10	0		0
16	5/21/2007 10:25	0.1		0.1
17	5/21/2007 10:40	0.1		0.1
18	5/21/2007 10:55	0.1		0.1
19	5/21/2007 11:10	0.1		0.1
20	5/21/2007 11:25	0.1		0.1
21	5/21/2007 11:40	0.1		0.1
22	5/21/2007 11:55	0.1		0.1
23	5/21/2007 12:10	0.1		0.1
24	5/21/2007 12:25	0.1		0.1
25	5/21/2007 12:40	0.1		0.1
26	5/21/2007 12:55	0.1		0.1
27	5/21/2007 13:10	0.1		0.1
28	5/21/2007 13:25	0.2		0.2
29	5/21/2007 13:40	0.2		0.2
30	5/21/2007 13:55	0.2		0.2
31	5/21/2007 14:10	0.2		0.2
32	5/21/2007 14:25	0.2		0.2
33	5/21/2007 14:40	0.2		0.2
34	5/21/2007 14:55	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	5/21/2007
Start Time:	6:27:48
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0623) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/21/2007	6:42:48	0.01	0.003	3
5/21/2007	6:57:48	0.009	0.002	2
5/21/2007	7:12:48	0.011	0.004	4
5/21/2007	7:27:48	0.01	0.003	3
5/21/2007	7:42:48	0.009	0.002	2
5/21/2007	7:57:48	0.009	0.002	2
5/21/2007	8:12:48	0.009	0.002	2
5/21/2007	8:27:48	0.008	0.001	1
5/21/2007	8:42:48	0.008	0.001	1
5/21/2007	8:57:48	0.006	-0.001	-1
5/21/2007	9:12:48	0.007	0	0
5/21/2007	9:27:48	0.008	0.001	1
5/21/2007	9:42:48	0.006	-0.001	-1
5/21/2007	9:57:48	0.006	-0.001	-1
5/21/2007	10:12:48	0.006	-0.001	-1
5/21/2007	10:27:48	0.007	0	0
5/21/2007	10:42:48	0.007	0	0
5/21/2007	10:57:48	0.006	-0.001	-1
5/21/2007	11:12:48	0.007	0	0
5/21/2007	11:27:48	0.006	-0.001	-1
5/21/2007	11:42:48	0.007	0	0
5/21/2007	11:57:48	0.007	0	0
5/21/2007	12:12:48	0.007	0	0
5/21/2007	12:27:48	0.01	0.003	3
5/21/2007	12:42:48	0.008	0.001	1
5/21/2007	12:57:48	0.007	0	0
5/21/2007	13:12:48	0.009	0.002	2
5/21/2007	13:27:48	0.008	0.001	1
5/21/2007	13:42:48	0.009	0.002	2
5/21/2007	13:57:48	0.008	0.001	1
5/21/2007	14:12:48	0.007	0	0
5/21/2007	14:27:48	0.007	0	0
5/21/2007	14:42:48	0.01	0.003	3
5/21/2007	14:57:48	0.01	0.003	3
5/21/2007	15:12:48	0.009	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/21/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/21/2007 6:40	0		0
2	5/21/2007 6:55	0		0
3	5/21/2007 7:10	0		0
4	5/21/2007 7:25	0		0
5	5/21/2007 7:40	0		0
6	5/21/2007 7:55	0.1		0.1
7	5/21/2007 8:10	0.1		0.1
8	5/21/2007 8:25	0.1		0.1
9	5/21/2007 8:40	0.1		0.1
10	5/21/2007 8:55	0.1		0.1
11	5/21/2007 9:10	0.1		0.1
12	5/21/2007 9:25	0.1		0.1
13	5/21/2007 9:40	0.1		0.1
14	5/21/2007 9:55	0.1		0.1
15	5/21/2007 10:10	0.1		0.1
16	5/21/2007 10:25	0.1		0.1
17	5/21/2007 10:40	0.1		0.1
18	5/21/2007 10:55	0.1		0.1
19	5/21/2007 11:10	0.1		0.1
20	5/21/2007 11:25	0.1		0.1
21	5/21/2007 11:40	0.1		0.1
22	5/21/2007 11:55	0.2		0.2
23	5/21/2007 12:10	0.1		0.1
24	5/21/2007 12:25	0.2		0.2
25	5/21/2007 12:40	0.2		0.2
26	5/21/2007 12:55	0.1		0.1
27	5/21/2007 13:10	0.1		0.1
28	5/21/2007 13:25	0.1		0.1
29	5/21/2007 13:40	0.1		0.1
30	5/21/2007 13:55	0.2		0.2
31	5/21/2007 14:10	0.2		0.2
32	5/21/2007 14:25	0.2		0.2
33	5/21/2007 14:40	0.1		0.1
34	5/21/2007 14:55	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/21/2007
Start Time:	6:24:51
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0620) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/21/2007	6:39:51	0.012	0	0
5/21/2007	6:54:51	0.011	-0.001	-1
5/21/2007	7:09:51	0.008	-0.004	-4
5/21/2007	7:24:51	0.011	-0.001	-1
5/21/2007	7:39:51	0.017	0.005	5
5/21/2007	7:54:51	0.016	0.004	4
5/21/2007	8:09:51	0.013	0.001	1
5/21/2007	8:24:51	0.009	-0.003	-3
5/21/2007	8:39:51	0.009	-0.003	-3
5/21/2007	8:54:51	0.008	-0.004	-4
5/21/2007	9:09:51	0.011	-0.001	-1
5/21/2007	9:24:51	0.006	-0.006	-6
5/21/2007	9:39:51	0.006	-0.006	-6
5/21/2007	9:54:51	0.006	-0.006	-6
5/21/2007	10:09:51	0.008	-0.004	-4
5/21/2007	10:24:51	0.012	0	0
5/21/2007	10:39:51	0.006	-0.006	-6
5/21/2007	10:54:51	0.005	-0.007	-7
5/21/2007	11:09:51	0.006	-0.006	-6
5/21/2007	11:24:51	0.006	-0.006	-6
5/21/2007	11:39:51	0.007	-0.005	-5
5/21/2007	11:54:51	0.008	-0.004	-4
5/21/2007	12:09:51	0.005	-0.007	-7
5/21/2007	12:24:51	0.025	0.013	13
5/21/2007	12:39:51	0.004	-0.008	-8
5/21/2007	12:54:51	0.005	-0.007	-7
5/21/2007	13:09:51	0.014	0.002	2
5/21/2007	13:24:51	0.006	-0.006	-6
5/21/2007	13:39:51	0.007	-0.005	-5
5/21/2007	13:54:51	0.006	-0.006	-6
5/21/2007	14:09:51	0.007	-0.005	-5
5/21/2007	14:24:51	0.006	-0.006	-6
5/21/2007	14:39:51	0.006	-0.006	-6
5/21/2007	14:54:51	0.01	-0.002	-2
5/21/2007	15:09:51	0.006	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/22/2007 05:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0542) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/22/2007 5:57	0.1		-0.1
2	5/22/2007 6:12	0.1		-0.1
3	5/22/2007 6:27	0.2		0
4	5/22/2007 6:42	0.2		0
5	5/22/2007 6:57	0.3		0.1
6	5/22/2007 7:12	0.3		0.1
7	5/22/2007 7:27	0.3		0.1
8	5/22/2007 7:42	0.3		0.1
9	5/22/2007 7:57	0.3		0.1
10	5/22/2007 8:12	0.3		0.1
11	5/22/2007 8:27	0.3		0.1
12	5/22/2007 8:42	0.3		0.1
13	5/22/2007 8:57	0.3		0.1
14	5/22/2007 9:12	0.3		0.1
15	5/22/2007 9:27	0.3		0.1
16	5/22/2007 9:42	0.3		0.1
17	5/22/2007 9:57	0.3		0.1
18	5/22/2007 10:12	0.3		0.1
19	5/22/2007 10:27	0.3		0.1
20	5/22/2007 10:42	0.3		0.1
21	5/22/2007 10:57	0.3		0.1
22	5/22/2007 11:12	0.3		0.1
23	5/22/2007 11:27	0.2		0
24	5/22/2007 11:42	0.2		0
25	5/22/2007 11:57	0.2		0
26	5/22/2007 12:12	0.2		0
27	5/22/2007 12:27	0.2		0
28	5/22/2007 12:42	0.2		0
29	5/22/2007 12:57	0.2		0
30	5/22/2007 13:12	0.2		0
31	5/22/2007 13:27	0.2		0
32	5/22/2007 13:42	0.2		0
33	5/22/2007 13:57	0.2		0
34	5/22/2007 14:12	0.2		0
35	5/22/2007 14:27	0.2		0
36	5/22/2007 14:42	0.2		0
37	5/22/2007 14:57	0.2		0
38	5/22/2007 15:12	0.2		0
39	5/22/2007 15:27	0.2		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/22/2007
Start Time:	5:45:58
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0542) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/22/2007	6:00:58	0.012	0.001	1
5/22/2007	6:15:58	0.013	0.002	2
5/22/2007	6:30:58	0.017	0.006	6
5/22/2007	6:45:58	0.018	0.007	7
5/22/2007	7:00:58	0.015	0.004	4
5/22/2007	7:15:58	0.015	0.004	4
5/22/2007	7:30:58	0.015	0.004	4
5/22/2007	7:45:58	0.017	0.006	6
5/22/2007	8:00:58	0.024	0.013	13
5/22/2007	8:15:58	0.02	0.009	9
5/22/2007	8:30:58	0.017	0.006	6
5/22/2007	8:45:58	0.019	0.008	8
5/22/2007	9:00:58	0.019	0.008	8
5/22/2007	9:15:58	0.019	0.008	8
5/22/2007	9:30:58	0.017	0.006	6
5/22/2007	9:45:58	0.02	0.009	9
5/22/2007	10:00:58	0.019	0.008	8
5/22/2007	10:15:58	0.016	0.005	5
5/22/2007	10:30:58	0.016	0.005	5
5/22/2007	10:45:58	0.018	0.007	7
5/22/2007	11:00:58	0.015	0.004	4
5/22/2007	11:15:58	0.014	0.003	3
5/22/2007	11:30:58	0.015	0.004	4
5/22/2007	11:45:58	0.017	0.006	6
5/22/2007	12:00:58	0.017	0.006	6
5/22/2007	12:15:58	0.018	0.007	7
5/22/2007	12:30:58	0.018	0.007	7
5/22/2007	12:45:58	0.018	0.007	7
5/22/2007	13:00:58	0.024	0.013	13
5/22/2007	13:15:58	0.019	0.008	8
5/22/2007	13:30:58	0.02	0.009	9
5/22/2007	13:45:58	0.019	0.008	8
5/22/2007	14:00:58	0.019	0.008	8
5/22/2007	14:15:58	0.02	0.009	9
5/22/2007	14:30:58	0.019	0.008	8
5/22/2007	14:45:58	0.019	0.008	8
5/22/2007	15:00:58	0.021	0.01	10
5/22/2007	15:15:58	0.02	0.009	9
5/22/2007	15:30:58	0.019	0.008	8
5/22/2007	15:45:58	0.02	0.009	9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/22/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/22/2007 6:40	0		0
2	5/22/2007 6:55	0		0
3	5/22/2007 7:10	0		0
4	5/22/2007 7:25	0		0
5	5/22/2007 7:40	0		0
6	5/22/2007 7:55	0		0
7	5/22/2007 8:10	0.1		0.1
8	5/22/2007 8:25	0.1		0.1
9	5/22/2007 8:40	0.1		0.1
10	5/22/2007 8:55	0.1		0.1
11	5/22/2007 9:10	0.1		0.1
12	5/22/2007 9:25	0.1		0.1
13	5/22/2007 9:40	0.1		0.1
14	5/22/2007 9:55	0.1		0.1
15	5/22/2007 10:10	0.1		0.1
16	5/22/2007 10:25	0.1		0.1
17	5/22/2007 10:40	0.1		0.1
18	5/22/2007 10:55	0.1		0.1
19	5/22/2007 11:10	0.1		0.1
20	5/22/2007 11:25	0.1		0.1
21	5/22/2007 11:40	0.2		0.2
22	5/22/2007 11:55	0.2		0.2
23	5/22/2007 12:10	0.2		0.2
24	5/22/2007 12:25	0.2		0.2
25	5/22/2007 12:40	0.2		0.2
26	5/22/2007 12:55	0.2		0.2
27	5/22/2007 13:10	0.2		0.2
28	5/22/2007 13:25	0.2		0.2
29	5/22/2007 13:40	0.2		0.2
30	5/22/2007 13:55	0.2		0.2
31	5/22/2007 14:10	0.2		0.2
32	5/22/2007 14:25	0.2		0.2
33	5/22/2007 14:40	0.2		0.2
34	5/22/2007 14:55	0.2		0.2
35	5/22/2007 15:10	0.2		0.2
36	5/22/2007 15:25	0.2		0.2
37	5/22/2007 15:40	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	5/22/2007
Start Time:	6:27:15
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0600) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/22/2007	6:42:15	0.012	0.004	4
5/22/2007	6:57:15	0.011	0.003	3
5/22/2007	7:12:15	0.011	0.003	3
5/22/2007	7:27:15	0.01	0.002	2
5/22/2007	7:42:15	0.01	0.002	2
5/22/2007	7:57:15	0.011	0.003	3
5/22/2007	8:12:15	0.013	0.005	5
5/22/2007	8:27:15	0.011	0.003	3
5/22/2007	8:42:15	0.013	0.005	5
5/22/2007	8:57:15	0.013	0.005	5
5/22/2007	9:12:15	0.012	0.004	4
5/22/2007	9:27:15	0.011	0.003	3
5/22/2007	9:42:15	0.013	0.005	5
5/22/2007	9:57:15	0.014	0.006	6
5/22/2007	10:12:15	0.012	0.004	4
5/22/2007	10:27:15	0.011	0.003	3
5/22/2007	10:42:15	0.011	0.003	3
5/22/2007	10:57:15	0.012	0.004	4
5/22/2007	11:12:15	0.01	0.002	2
5/22/2007	11:27:15	0.011	0.003	3
5/22/2007	11:42:15	0.012	0.004	4
5/22/2007	11:57:15	0.012	0.004	4
5/22/2007	12:12:15	0.012	0.004	4
5/22/2007	12:27:15	0.012	0.004	4
5/22/2007	12:42:15	0.013	0.005	5
5/22/2007	12:57:15	0.013	0.005	5
5/22/2007	13:12:15	0.013	0.005	5
5/22/2007	13:27:15	0.014	0.006	6
5/22/2007	13:42:15	0.014	0.006	6
5/22/2007	13:57:15	0.014	0.006	6
5/22/2007	14:12:15	0.013	0.005	5
5/22/2007	14:27:15	0.013	0.005	5
5/22/2007	14:42:15	0.016	0.008	8
5/22/2007	14:57:15	0.013	0.005	5
5/22/2007	15:12:15	0.014	0.006	6
5/22/2007	15:27:15	0.014	0.006	6
5/22/2007	15:42:15	0.015	0.007	7
5/22/2007	15:57:15	0.014	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/22/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/22/2007 6:35	0		0
2	5/22/2007 6:50	0		0
3	5/22/2007 7:05	0		0
4	5/22/2007 7:20	0		0
5	5/22/2007 7:35	0		0
6	5/22/2007 7:50	0		0
7	5/22/2007 8:05	0		0
8	5/22/2007 8:20	0		0
9	5/22/2007 8:35	0		0
10	5/22/2007 8:50	0		0
11	5/22/2007 9:05	0.1		0.1
12	5/22/2007 9:20	0.1		0.1
13	5/22/2007 9:35	0.1		0.1
14	5/22/2007 9:50	0.1		0.1
15	5/22/2007 10:05	0.1		0.1
16	5/22/2007 10:20	0.1		0.1
17	5/22/2007 10:35	0.1		0.1
18	5/22/2007 10:50	0.1		0.1
19	5/22/2007 11:05	0.1		0.1
20	5/22/2007 11:20	0.1		0.1
21	5/22/2007 11:35	0.2		0.2
22	5/22/2007 11:50	0.2		0.2
23	5/22/2007 12:05	0.2		0.2
24	5/22/2007 12:20	0.2		0.2
25	5/22/2007 12:35	0.2		0.2
26	5/22/2007 12:50	0.2		0.2
27	5/22/2007 13:05	0.2		0.2
28	5/22/2007 13:20	0.2		0.2
29	5/22/2007 13:35	0.2		0.2
30	5/22/2007 13:50	0.2		0.2
31	5/22/2007 14:05	0.2		0.2
32	5/22/2007 14:20	0.2		0.2
33	5/22/2007 14:35	0.2		0.2
34	5/22/2007 14:50	0.2		0.2
35	5/22/2007 15:05	0.2		0.2
36	5/22/2007 15:20	0.2		0.2
37	5/22/2007 15:35	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	5/22/2007
Start Time:	6:22:24
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0615) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/22/2007	6:37:24	0.017	0.005	5
5/22/2007	6:52:24	0.015	0.003	3
5/22/2007	7:07:24	0.012	0	0
5/22/2007	7:22:24	0.011	-0.001	-1
5/22/2007	7:37:24	0.012	0	0
5/22/2007	7:52:24	0.013	0.001	1
5/22/2007	8:07:24	0.014	0.002	2
5/22/2007	8:22:24	0.014	0.002	2
5/22/2007	8:37:24	0.024	0.012	12
5/22/2007	8:52:24	0.022	0.01	10
5/22/2007	9:07:24	0.017	0.005	5
5/22/2007	9:22:24	0.022	0.01	10
5/22/2007	9:37:24	0.021	0.009	9
5/22/2007	9:52:24	0.023	0.011	11
5/22/2007	10:07:24	0.018	0.006	6
5/22/2007	10:22:24	0.015	0.003	3
5/22/2007	10:37:24	0.015	0.003	3
5/22/2007	10:52:24	0.017	0.005	5
5/22/2007	11:07:24	0.016	0.004	4
5/22/2007	11:22:24	0.017	0.005	5
5/22/2007	11:37:24	0.017	0.005	5
5/22/2007	11:52:24	0.016	0.004	4
5/22/2007	12:07:24	0.017	0.005	5
5/22/2007	12:22:24	0.018	0.006	6
5/22/2007	12:37:24	0.017	0.005	5
5/22/2007	12:52:24	0.017	0.005	5
5/22/2007	13:07:24	0.018	0.006	6
5/22/2007	13:22:24	0.02	0.008	8
5/22/2007	13:37:24	0.018	0.006	6
5/22/2007	13:52:24	0.021	0.009	9
5/22/2007	14:07:24	0.019	0.007	7
5/22/2007	14:22:24	0.019	0.007	7
5/22/2007	14:37:24	0.018	0.006	6
5/22/2007	14:52:24	0.044	0.032	32
5/22/2007	15:07:24	0.029	0.017	17
5/22/2007	15:22:24	0.021	0.009	9
5/22/2007	15:37:24	0.027	0.015	15
5/22/2007	15:52:24	0.019	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/22/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/22/2007 6:49	0		0
2	5/22/2007 7:04	0		0
3	5/22/2007 7:19	0		0
4	5/22/2007 7:34	0		0
5	5/22/2007 7:49	0		0
6	5/22/2007 8:04	0		0
7	5/22/2007 8:19	0		0
8	5/22/2007 8:34	0		0
9	5/22/2007 8:49	0		0
10	5/22/2007 9:04	0		0
11	5/22/2007 9:19	0		0
12	5/22/2007 9:34	0		0
13	5/22/2007 9:49	0.3		0.3
14	5/22/2007 10:04	0.2		0.2
15	5/22/2007 10:19	0.2		0.2
16	5/22/2007 10:34	0.2		0.2
17	5/22/2007 10:49	0.2		0.2
18	5/22/2007 11:04	0.2		0.2
19	5/22/2007 11:19	0.2		0.2
20	5/22/2007 11:34	0.2		0.2
21	5/22/2007 11:49	0.3		0.3
22	5/22/2007 12:04	0.2		0.2
23	5/22/2007 12:19	0.2		0.2
24	5/22/2007 12:34	0.2		0.2
25	5/22/2007 12:49	0.2		0.2
26	5/22/2007 13:04	0.2		0.2
27	5/22/2007 13:19	0.2		0.2
28	5/22/2007 13:34	0.2		0.2
29	5/22/2007 13:49	0.2		0.2
30	5/22/2007 14:04	0.2		0.2
31	5/22/2007 14:19	0.2		0.2
32	5/22/2007 14:34	0.2		0.2
33	5/22/2007 14:49	0.2		0.2
34	5/22/2007 15:04	0.2		0.2
35	5/22/2007 15:19	0.2		0.2
36	5/22/2007 15:34	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	5/22/2007
Start Time:	6:34:03
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0630) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/22/2007	6:49:03	0.013	0.005	5
5/22/2007	7:04:03	0.01	0.002	2
5/22/2007	7:19:03	0.013	0.005	5
5/22/2007	7:34:03	0.011	0.003	3
5/22/2007	7:49:03	0.011	0.003	3
5/22/2007	8:04:03	0.013	0.005	5
5/22/2007	8:19:03	0.014	0.006	6
5/22/2007	8:34:03	0.014	0.006	6
5/22/2007	8:49:03	0.016	0.008	8
5/22/2007	9:04:03	0.015	0.007	7
5/22/2007	9:19:03	0.016	0.008	8
5/22/2007	9:34:03	0.013	0.005	5
5/22/2007	9:49:03	0.019	0.011	11
5/22/2007	10:04:03	0.102	0.094	94
5/22/2007	10:19:03	0.014	0.006	6
5/22/2007	10:34:03	0.015	0.007	7
5/22/2007	10:49:03	0.025	0.017	17
5/22/2007	11:04:03	0.017	0.009	9
5/22/2007	11:19:03	0.019	0.011	11
5/22/2007	11:34:03	0.035	0.027	27
5/22/2007	11:49:03	0.023	0.015	15
5/22/2007	12:04:03	0.018	0.01	10
5/22/2007	12:19:03	0.025	0.017	17
5/22/2007	12:34:03	0.02	0.012	12
5/22/2007	12:49:03	0.012	0.004	4
5/22/2007	13:04:03	0.018	0.01	10
5/22/2007	13:19:03	0.026	0.018	18
5/22/2007	13:34:03	0.016	0.008	8
5/22/2007	13:49:03	0.02	0.012	12
5/22/2007	14:04:03	0.022	0.014	14
5/22/2007	14:19:03	0.028	0.02	20
5/22/2007	14:34:03	0.015	0.007	7
5/22/2007	14:49:03	0.016	0.008	8
5/22/2007	15:04:03	0.016	0.008	8
5/22/2007	15:19:03	0.014	0.006	6
5/22/2007	15:34:03	0.015	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/23/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/23/2007 6:07	0		0
2	5/23/2007 6:22	0		0
3	5/23/2007 6:37	0		0
4	5/23/2007 6:52	0		0
5	5/23/2007 7:07	0		0
6	5/23/2007 7:22	0		0
7	5/23/2007 7:37	0		0
8	5/23/2007 7:52	0		0
9	5/23/2007 8:07	0		0
10	5/23/2007 8:22	0		0
11	5/23/2007 8:37	0		0
12	5/23/2007 8:52	0		0
13	5/23/2007 9:07	0		0
14	5/23/2007 9:22	0		0
15	5/23/2007 9:37	0		0
16	5/23/2007 9:52	0		0
17	5/23/2007 10:07	0		0
18	5/23/2007 10:22	0		0
19	5/23/2007 10:37	0		0
20	5/23/2007 10:52	0		0
21	5/23/2007 11:07	0		0
22	5/23/2007 11:22	0		0
23	5/23/2007 11:37	0		0
24	5/23/2007 11:52	0		0
25	5/23/2007 12:07	0		0
26	5/23/2007 12:22	0		0
27	5/23/2007 12:37	0		0
28	5/23/2007 12:52	0		0
29	5/23/2007 13:07	0		0
30	5/23/2007 13:22	0		0
31	5/23/2007 13:37	0		0
32	5/23/2007 13:52	0		0
33	5/23/2007 14:07	0		0
34	5/23/2007 14:22	0		0
35	5/23/2007 14:37	0		0
36	5/23/2007 14:52	0		0
37	5/23/2007 15:07	0		0
38	5/23/2007 15:22	0		0
39	5/23/2007 15:37	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/23/2007
Start Time:	5:56:09
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0552) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/23/2007	6:11:09	0.021	0	0
5/23/2007	6:26:09	0.022	0.001	1
5/23/2007	6:41:09	0.019	-0.002	-2
5/23/2007	6:56:09	0.021	0	0
5/23/2007	7:11:09	0.021	0	0
5/23/2007	7:26:09	0.023	0.002	2
5/23/2007	7:41:09	0.025	0.004	4
5/23/2007	7:56:09	0.026	0.005	5
5/23/2007	8:11:09	0.028	0.007	7
5/23/2007	8:26:09	0.029	0.008	8
5/23/2007	8:41:09	0.031	0.01	10
5/23/2007	8:56:09	0.032	0.011	11
5/23/2007	9:11:09	0.032	0.011	11
5/23/2007	9:26:09	0.029	0.008	8
5/23/2007	9:41:09	0.025	0.004	4
5/23/2007	9:56:09	0.025	0.004	4
5/23/2007	10:11:09	0.024	0.003	3
5/23/2007	10:26:09	0.023	0.002	2
5/23/2007	10:41:09	0.024	0.003	3
5/23/2007	10:56:09	0.023	0.002	2
5/23/2007	11:11:09	0.023	0.002	2
5/23/2007	11:26:09	0.021	0	0
5/23/2007	11:41:09	0.019	-0.002	-2
5/23/2007	11:56:09	0.019	-0.002	-2
5/23/2007	12:11:09	0.018	-0.003	-3
5/23/2007	12:26:09	0.02	-0.001	-1
5/23/2007	12:41:09	0.02	-0.001	-1
5/23/2007	12:56:09	0.02	-0.001	-1
5/23/2007	13:11:09	0.02	-0.001	-1
5/23/2007	13:26:09	0.019	-0.002	-2
5/23/2007	13:41:09	0.019	-0.002	-2
5/23/2007	13:56:09	0.017	-0.004	-4
5/23/2007	14:11:09	0.017	-0.004	-4
5/23/2007	14:26:09	0.017	-0.004	-4
5/23/2007	14:41:09	0.021	0	0
5/23/2007	14:56:09	0.018	-0.003	-3
5/23/2007	15:11:09	0.016	-0.005	-5
5/23/2007	15:26:09	0.017	-0.004	-4
5/23/2007	15:41:09	0.016	-0.005	-5
5/23/2007	15:56:09	0.017	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/23/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0609) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/23/2007 6:27	0		0
2	5/23/2007 6:42	0		0
3	5/23/2007 6:57	0		0
4	5/23/2007 7:12	0		0
5	5/23/2007 7:27	0		0
6	5/23/2007 7:42	0.1		0.1
7	5/23/2007 7:57	0.1		0.1
8	5/23/2007 8:12	0.1		0.1
9	5/23/2007 8:27	0.1		0.1
10	5/23/2007 8:42	0.1		0.1
11	5/23/2007 8:57	0.1		0.1
12	5/23/2007 9:12	0.1		0.1
13	5/23/2007 9:27	0.1		0.1
14	5/23/2007 9:42	0.1		0.1
15	5/23/2007 9:57	0.1		0.1
16	5/23/2007 10:12	0.1		0.1
17	5/23/2007 10:27	0.1		0.1
18	5/23/2007 10:42	0.1		0.1
19	5/23/2007 10:57	0.1		0.1
20	5/23/2007 11:12	0.1		0.1
21	5/23/2007 11:27	0.1		0.1
22	5/23/2007 11:42	0.1		0.1
23	5/23/2007 11:57	0.1		0.1
24	5/23/2007 12:12	0.1		0.1
25	5/23/2007 12:27	0.1		0.1
26	5/23/2007 12:42	0.2		0.2
27	5/23/2007 12:57	0.2		0.2
28	5/23/2007 13:12	0.2		0.2
29	5/23/2007 13:27	0.2		0.2
30	5/23/2007 13:42	0.2		0.2
31	5/23/2007 13:57	0.2		0.2
32	5/23/2007 14:12	0.2		0.2
33	5/23/2007 14:27	0.2		0.2
34	5/23/2007 14:42	0.2		0.2
35	5/23/2007 14:57	0.2		0.2
36	5/23/2007 15:12	0.2		0.2
37	5/23/2007 15:27	0.2		0.2
38	5/23/2007 15:42	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	5/23/2007
Start Time:	6:14:27
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0609) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/23/2007	6:29:27	0.012	-0.001	-1
5/23/2007	6:44:27	0.012	-0.001	-1
5/23/2007	6:59:27	0.012	-0.001	-1
5/23/2007	7:14:27	0.012	-0.001	-1
5/23/2007	7:29:27	0.014	0.001	1
5/23/2007	7:44:27	0.015	0.002	2
5/23/2007	7:59:27	0.016	0.003	3
5/23/2007	8:14:27	0.017	0.004	4
5/23/2007	8:29:27	0.018	0.005	5
5/23/2007	8:44:27	0.02	0.007	7
5/23/2007	8:59:27	0.021	0.008	8
5/23/2007	9:14:27	0.021	0.008	8
5/23/2007	9:29:27	0.018	0.005	5
5/23/2007	9:44:27	0.017	0.004	4
5/23/2007	9:59:27	0.017	0.004	4
5/23/2007	10:14:27	0.016	0.003	3
5/23/2007	10:29:27	0.016	0.003	3
5/23/2007	10:44:27	0.016	0.003	3
5/23/2007	10:59:27	0.016	0.003	3
5/23/2007	11:14:27	0.015	0.002	2
5/23/2007	11:29:27	0.014	0.001	1
5/23/2007	11:44:27	0.013	0	0
5/23/2007	11:59:27	0.012	-0.001	-1
5/23/2007	12:14:27	0.012	-0.001	-1
5/23/2007	12:29:27	0.013	0	0
5/23/2007	12:44:27	0.014	0.001	1
5/23/2007	12:59:27	0.014	0.001	1
5/23/2007	13:14:27	0.014	0.001	1
5/23/2007	13:29:27	0.013	0	0
5/23/2007	13:44:27	0.013	0	0
5/23/2007	13:59:27	0.012	-0.001	-1
5/23/2007	14:14:27	0.014	0.001	1
5/23/2007	14:29:27	0.012	-0.001	-1
5/23/2007	14:44:27	0.014	0.001	1
5/23/2007	14:59:27	0.011	-0.002	-2
5/23/2007	15:14:27	0.012	-0.001	-1
5/23/2007	15:29:27	0.013	0	0
5/23/2007	15:44:27	0.012	-0.001	-1
5/23/2007	15:59:27	0.012	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/23/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/23/2007 6:44	0		0
2	5/23/2007 6:59	0		0
3	5/23/2007 7:14	0		0
4	5/23/2007 7:29	0		0
5	5/23/2007 7:44	0		0
6	5/23/2007 7:59	0		0
7	5/23/2007 8:14	0		0
8	5/23/2007 8:29	0		0
9	5/23/2007 8:44	0		0
10	5/23/2007 8:59	0		0
11	5/23/2007 9:14	0		0
12	5/23/2007 9:29	0		0
13	5/23/2007 9:44	0		0
14	5/23/2007 9:59	0		0
15	5/23/2007 10:14	0		0
16	5/23/2007 10:29	0.1		0.1
17	5/23/2007 10:44	0.1		0.1
18	5/23/2007 10:59	0.1		0.1
19	5/23/2007 11:14	0.1		0.1
20	5/23/2007 11:29	0.1		0.1
21	5/23/2007 11:44	0.1		0.1
22	5/23/2007 11:59	0.1		0.1
23	5/23/2007 12:14	0.1		0.1
24	5/23/2007 12:29	0.1		0.1
25	5/23/2007 12:44	0.1		0.1
26	5/23/2007 12:59	0.1		0.1
27	5/23/2007 13:14	0.1		0.1
28	5/23/2007 13:29	0.1		0.1
29	5/23/2007 13:44	0.1		0.1
30	5/23/2007 13:59	0.1		0.1
31	5/23/2007 14:14	0.1		0.1
32	5/23/2007 14:29	0.1		0.1
33	5/23/2007 14:44	0.1		0.1
34	5/23/2007 14:59	0.1		0.1
35	5/23/2007 15:14	0.1		0.1
36	5/23/2007 15:29	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	5/23/2007
Start Time:	6:31:27
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0628) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/23/2007	6:46:27	0.018	0	0
5/23/2007	7:01:27	0.016	-0.002	-2
5/23/2007	7:16:27	0.018	0	0
5/23/2007	7:31:27	0.021	0.003	3
5/23/2007	7:46:27	0.023	0.005	5
5/23/2007	8:01:27	0.025	0.007	7
5/23/2007	8:16:27	0.025	0.007	7
5/23/2007	8:31:27	0.028	0.01	10
5/23/2007	8:46:27	0.029	0.011	11
5/23/2007	9:01:27	0.03	0.012	12
5/23/2007	9:16:27	0.03	0.012	12
5/23/2007	9:31:27	0.026	0.008	8
5/23/2007	9:46:27	0.025	0.007	7
5/23/2007	10:01:27	0.025	0.007	7
5/23/2007	10:16:27	0.022	0.004	4
5/23/2007	10:31:27	0.023	0.005	5
5/23/2007	10:46:27	0.023	0.005	5
5/23/2007	11:01:27	0.023	0.005	5
5/23/2007	11:16:27	0.022	0.004	4
5/23/2007	11:31:27	0.02	0.002	2
5/23/2007	11:46:27	0.02	0.002	2
5/23/2007	12:01:27	0.017	-0.001	-1
5/23/2007	12:16:27	0.019	0.001	1
5/23/2007	12:31:27	0.02	0.002	2
5/23/2007	12:46:27	0.02	0.002	2
5/23/2007	13:01:27	0.021	0.003	3
5/23/2007	13:16:27	0.02	0.002	2
5/23/2007	13:31:27	0.018	0	0
5/23/2007	13:46:27	0.019	0.001	1
5/23/2007	14:01:27	0.017	-0.001	-1
5/23/2007	14:16:27	0.02	0.002	2
5/23/2007	14:31:27	0.017	-0.001	-1
5/23/2007	14:46:27	0.019	0.001	1
5/23/2007	15:01:27	0.016	-0.002	-2
5/23/2007	15:16:27	0.016	-0.002	-2
5/23/2007	15:31:27	0.016	-0.002	-2
5/23/2007	15:46:27	0.017	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/23/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0622) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/23/2007 6:42	0		0
2	5/23/2007 6:57	0		0
3	5/23/2007 7:12	0		0
4	5/23/2007 7:27	0		0
5	5/23/2007 7:42	0		0
6	5/23/2007 7:57	0		0
7	5/23/2007 8:12	0		0
8	5/23/2007 8:27	0		0
9	5/23/2007 8:42	0		0
10	5/23/2007 8:57	0		0
11	5/23/2007 9:12	0		0
12	5/23/2007 9:27	0		0
13	5/23/2007 9:42	0		0
14	5/23/2007 9:57	0		0
15	5/23/2007 10:12	0		0
16	5/23/2007 10:27	0		0
17	5/23/2007 10:42	0		0
18	5/23/2007 10:57	0		0
19	5/23/2007 11:12	0		0
20	5/23/2007 11:27	0		0
21	5/23/2007 11:42	0		0
22	5/23/2007 11:57	0		0
23	5/23/2007 12:12	0		0
24	5/23/2007 12:27	0		0
25	5/23/2007 12:42	0		0
26	5/23/2007 12:57	0		0
27	5/23/2007 13:12	1		1
28	5/23/2007 13:27	0.3		0.3
29	5/23/2007 13:42	0.1		0.1
30	5/23/2007 13:57	0		0
31	5/23/2007 14:12	0.7		0.7
1	5/23/2007 14:43	0		0
2	5/23/2007 14:58	0		0
3	5/23/2007 15:13	0		0
4	5/23/2007 15:28	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	5/23/2007
Start Time:	6:28:04
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0622) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/23/2007	6:43:04	0.022	0.007	7
5/23/2007	6:58:04	0.016	0.001	1
5/23/2007	7:13:04	0.017	0.002	2
5/23/2007	7:28:04	0.021	0.006	6
5/23/2007	7:43:04	0.036	0.021	21
5/23/2007	7:58:04	0.027	0.012	12
5/23/2007	8:13:04	0.025	0.01	10
5/23/2007	8:28:04	0.026	0.011	11
5/23/2007	8:43:04	0.024	0.009	9
5/23/2007	8:58:04	0.024	0.009	9
5/23/2007	9:13:04	0.024	0.009	9
5/23/2007	9:28:04	0.021	0.006	6
5/23/2007	9:43:04	0.02	0.005	5
5/23/2007	9:58:04	0.019	0.004	4
5/23/2007	10:13:04	0.018	0.003	3
5/23/2007	10:28:04	0.016	0.001	1
5/23/2007	10:43:04	0.017	0.002	2
5/23/2007	10:58:04	0.018	0.003	3
5/23/2007	11:13:04	0.017	0.002	2
5/23/2007	11:28:04	0.018	0.003	3
5/23/2007	11:43:04	0.016	0.001	1
5/23/2007	11:58:04	0.014	-0.001	-1
5/23/2007	12:13:04	0.019	0.004	4
5/23/2007	12:28:04	0.015	0	0
5/23/2007	12:43:04	0.015	0	0
5/23/2007	12:58:04	0.017	0.002	2
5/23/2007	13:13:04	0.019	0.004	4
5/23/2007	13:28:04	0.016	0.001	1
5/23/2007	13:43:04	0.015	0	0
5/23/2007	13:58:04	0.02	0.005	5
5/23/2007	14:13:04	0.017	0.002	2
5/23/2007	14:28:04	0.021	0.006	6
5/23/2007	14:43:04	0.017	0.002	2
5/23/2007	14:58:04	0.019	0.004	4
5/23/2007	15:13:04	0.021	0.006	6
5/23/2007	15:28:04	0.017	0.002	2
5/23/2007	15:43:04	0.014	-0.001	-1

STATION 1 (SOUTHERN PERIMETER)

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

VOC action level = 5 ppm above background

User ID: 00000001 Site ID: 00000003

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 05/24/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/24/2007 6:07	0.1		-0.1
2	5/24/2007 6:22	0.2		0
3	5/24/2007 6:37	0.2		0
4	5/24/2007 6:52	0.3		0.1
5	5/24/2007 7:07	0.3		0.1
6	5/24/2007 7:22	0.3		0.1
7	5/24/2007 7:37	0.3		0.1
8	5/24/2007 7:52	0.3		0.1
9	5/24/2007 8:07	0.3		0.1
10	5/24/2007 8:22	0.3		0.1
11	5/24/2007 8:37	0.3		0.1
12	5/24/2007 8:52	0.3		0.1
13	5/24/2007 9:07	0.3		0.1
14	5/24/2007 9:22	0.3		0.1
15	5/24/2007 9:37	0.3		0.1
16	5/24/2007 9:52	0.3		0.1
17	5/24/2007 10:07	0.3		0.1
18	5/24/2007 10:22	0.3		0.1
19	5/24/2007 10:37	0.3		0.1
20	5/24/2007 10:52	0.2		0
21	5/24/2007 11:07	0.2		0
22	5/24/2007 11:22	0.2		0
23	5/24/2007 11:37	0.2		0
24	5/24/2007 11:52	0.2		0
25	5/24/2007 12:07	0.2		0
26	5/24/2007 12:22	0.1		-0.1
27	5/24/2007 12:37	0.1		-0.1
28	5/24/2007 12:52	0.1		-0.1
29	5/24/2007 13:07	0.1		-0.1
30	5/24/2007 13:22	0.1		-0.1
31	5/24/2007 13:37	0.1		-0.1
32	5/24/2007 13:52	0.1		-0.1
33	5/24/2007 14:07	0.1		-0.1
34	5/24/2007 14:22	0.1		-0.1
35	5/24/2007 14:37	0.1		-0.1
36	5/24/2007 14:52	0.1		-0.1
37	5/24/2007 15:07	0.1		-0.1
38	5/24/2007 15:22	0		-0.2
39	5/24/2007 15:37	0		-0.2
40	5/24/2007 15:52	0		-0.2
41	5/24/2007 16:07	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/24/2007
Start Time:	5:56:01
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	

Background Reading (0552) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/24/2007	6:11:01	0.02	0.001	1
5/24/2007	6:26:01	0.021	0.002	2
5/24/2007	6:41:01	0.021	0.002	2
5/24/2007	6:56:01	0.024	0.005	5
5/24/2007	7:11:01	0.031	0.012	12
5/24/2007	7:26:01	0.027	0.008	8
5/24/2007	7:41:01	0.031	0.012	12
5/24/2007	7:56:01	0.038	0.019	19
5/24/2007	8:11:01	0.028	0.009	9
5/24/2007	8:26:01	0.029	0.01	10
5/24/2007	8:41:01	0.028	0.009	9
5/24/2007	8:56:01	0.036	0.017	17
5/24/2007	9:11:01	0.029	0.01	10
5/24/2007	9:26:01	0.03	0.011	11
5/24/2007	9:41:01	0.031	0.012	12
5/24/2007	9:56:01	0.028	0.009	9
5/24/2007	10:11:01	0.028	0.009	9
5/24/2007	10:26:01	0.027	0.008	8
5/24/2007	10:41:01	0.029	0.01	10
5/24/2007	10:56:01	0.029	0.01	10
5/24/2007	11:11:01	0.029	0.01	10
5/24/2007	11:26:01	0.028	0.009	9
5/24/2007	11:41:01	0.03	0.011	11
5/24/2007	11:56:01	0.029	0.01	10
5/24/2007	12:11:01	0.033	0.014	14
5/24/2007	12:26:01	0.032	0.013	13
5/24/2007	12:41:01	0.031	0.012	12
5/24/2007	12:56:01	0.033	0.014	14
5/24/2007	13:11:01	0.035	0.016	16
5/24/2007	13:26:01	0.046	0.027	27
5/24/2007	13:41:01	0.047	0.028	28
5/24/2007	13:56:01	0.039	0.02	20
5/24/2007	14:11:01	0.041	0.022	22
5/24/2007	14:26:01	0.039	0.02	20
5/24/2007	14:41:01	0.04	0.021	21
5/24/2007	14:56:01	0.041	0.022	22
5/24/2007	15:11:01	0.044	0.025	25
5/24/2007	15:26:01	0.047	0.028	28
5/24/2007	15:41:01	0.044	0.025	25
5/24/2007	15:56:01	0.042	0.023	23
5/24/2007	16:11:01	0.042	0.023	23
5/24/2007	16:26:01	0.04	0.021	21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/24/2007 6:17	0		0
2	5/24/2007 6:32	0.1		0.1
3	5/24/2007 6:47	0.1		0.1
4	5/24/2007 7:02	0.1		0.1
5	5/24/2007 7:17	0.1		0.1
6	5/24/2007 7:32	0.2		0.2
7	5/24/2007 7:47	0.2		0.2
8	5/24/2007 8:02	0.2		0.2
9	5/24/2007 8:17	0.2		0.2
10	5/24/2007 8:32	0.2		0.2
11	5/24/2007 8:47	0.2		0.2
12	5/24/2007 9:02	0.2		0.2
13	5/24/2007 9:17	0.2		0.2
14	5/24/2007 9:32	0.2		0.2
15	5/24/2007 9:47	0.2		0.2
16	5/24/2007 10:02	0.2		0.2
17	5/24/2007 10:17	0.2		0.2
18	5/24/2007 10:32	0.2		0.2
19	5/24/2007 10:47	0.2		0.2
20	5/24/2007 11:02	0.2		0.2
21	5/24/2007 11:17	0.2		0.2
22	5/24/2007 11:32	0.2		0.2
23	5/24/2007 11:47	0.3		0.3
24	5/24/2007 12:02	0.3		0.3
25	5/24/2007 12:17	0.3		0.3
26	5/24/2007 12:32	0.3		0.3
27	5/24/2007 12:47	0.3		0.3
28	5/24/2007 13:02	0.3		0.3
29	5/24/2007 13:17	0.3		0.3
30	5/24/2007 13:32	0.3		0.3
31	5/24/2007 13:47	0.3		0.3
32	5/24/2007 14:02	0.3		0.3
33	5/24/2007 14:17	0.3		0.3
34	5/24/2007 14:32	0.3		0.3
35	5/24/2007 14:47	0.3		0.3
36	5/24/2007 15:02	0.3		0.3
37	5/24/2007 15:17	0.3		0.3
38	5/24/2007 15:32	0.3		0.3
39	5/24/2007 15:47	0.3		0.3
40	5/24/2007 16:02	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	5/24/2007
Start Time:	6:05:01
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0600) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/24/2007	6:20:01	0.014	0.003	3
5/24/2007	6:35:01	0.014	0.003	3
5/24/2007	6:50:01	0.014	0.003	3
5/24/2007	7:05:01	0.018	0.007	7
5/24/2007	7:20:01	0.018	0.007	7
5/24/2007	7:35:01	0.017	0.006	6
5/24/2007	7:50:01	0.017	0.006	6
5/24/2007	8:05:01	0.019	0.008	8
5/24/2007	8:20:01	0.018	0.007	7
5/24/2007	8:35:01	0.019	0.008	8
5/24/2007	8:50:01	0.019	0.008	8
5/24/2007	9:05:01	0.02	0.009	9
5/24/2007	9:20:01	0.019	0.008	8
5/24/2007	9:35:01	0.019	0.008	8
5/24/2007	9:50:01	0.019	0.008	8
5/24/2007	10:05:01	0.017	0.006	6
5/24/2007	10:20:01	0.018	0.007	7
5/24/2007	10:35:01	0.018	0.007	7
5/24/2007	10:50:01	0.019	0.008	8
5/24/2007	11:05:01	0.02	0.009	9
5/24/2007	11:20:01	0.02	0.009	9
5/24/2007	11:35:01	0.021	0.01	10
5/24/2007	11:50:01	0.02	0.009	9
5/24/2007	12:05:01	0.021	0.01	10
5/24/2007	12:20:01	0.022	0.011	11
5/24/2007	12:35:01	0.021	0.01	10
5/24/2007	12:50:01	0.022	0.011	11
5/24/2007	13:05:01	0.023	0.012	12
5/24/2007	13:20:01	0.025	0.014	14
5/24/2007	13:35:01	0.026	0.015	15
5/24/2007	13:50:01	0.03	0.019	19
5/24/2007	14:05:01	0.029	0.018	18
5/24/2007	14:20:01	0.028	0.017	17
5/24/2007	14:35:01	0.028	0.017	17
5/24/2007	14:50:01	0.028	0.017	17
5/24/2007	15:05:01	0.029	0.018	18
5/24/2007	15:20:01	0.031	0.02	20
5/24/2007	15:35:01	0.032	0.021	21
5/24/2007	15:50:01	0.031	0.02	20
5/24/2007	16:05:01	0.03	0.019	19
5/24/2007	16:20:01	0.029	0.018	18

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/24/2007 6:37	0		0
2	5/24/2007 6:52	0		0
3	5/24/2007 7:07	0		0
4	5/24/2007 7:22	0		0
5	5/24/2007 7:37	0		0
6	5/24/2007 7:52	0		0
7	5/24/2007 8:07	0		0
8	5/24/2007 8:22	0		0
9	5/24/2007 8:37	0		0
10	5/24/2007 8:52	0		0
11	5/24/2007 9:07	0		0
12	5/24/2007 9:22	0.1		0.1
13	5/24/2007 9:37	0.1		0.1
14	5/24/2007 9:52	0.1		0.1
15	5/24/2007 10:07	0.1		0.1
16	5/24/2007 10:22	0.1		0.1
17	5/24/2007 10:37	0.1		0.1
18	5/24/2007 10:52	0.1		0.1
19	5/24/2007 11:07	0.1		0.1
20	5/24/2007 11:22	0.1		0.1
21	5/24/2007 11:37	0.1		0.1
22	5/24/2007 11:52	0.1		0.1
23	5/24/2007 12:07	0.1		0.1
24	5/24/2007 12:22	0.1		0.1
25	5/24/2007 12:37	0.1		0.1
26	5/24/2007 12:52	0.1		0.1
27	5/24/2007 13:07	0.1		0.1
28	5/24/2007 13:22	0.2		0.2
29	5/24/2007 13:37	0.2		0.2
30	5/24/2007 13:52	0.2		0.2
31	5/24/2007 14:07	0.2		0.2
32	5/24/2007 14:22	0.2		0.2
33	5/24/2007 14:37	0.2		0.2
34	5/24/2007 14:52	0.2		0.2
35	5/24/2007 15:07	0.2		0.2
36	5/24/2007 15:22	0.2		0.2
37	5/24/2007 15:37	0.2		0.2
38	5/24/2007 15:52	0.2		0.2
39	5/24/2007 16:07	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	5/24/2007
Start Time:	6:24:18
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0620) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/24/2007	6:39:18	0.021	0.002	2
5/24/2007	6:54:18	0.024	0.005	5
5/24/2007	7:09:18	0.031	0.012	12
5/24/2007	7:24:18	0.027	0.008	8
5/24/2007	7:39:18	0.027	0.008	8
5/24/2007	7:54:18	0.028	0.009	9
5/24/2007	8:09:18	0.031	0.012	12
5/24/2007	8:24:18	0.028	0.009	9
5/24/2007	8:39:18	0.029	0.01	10
5/24/2007	8:54:18	0.032	0.013	13
5/24/2007	9:09:18	0.034	0.015	15
5/24/2007	9:24:18	0.031	0.012	12
5/24/2007	9:39:18	0.028	0.009	9
5/24/2007	9:54:18	0.028	0.009	9
5/24/2007	10:09:18	0.028	0.009	9
5/24/2007	10:24:18	0.026	0.007	7
5/24/2007	10:39:18	0.028	0.009	9
5/24/2007	10:54:18	0.031	0.012	12
5/24/2007	11:09:18	0.029	0.01	10
5/24/2007	11:24:18	0.03	0.011	11
5/24/2007	11:39:18	0.031	0.012	12
5/24/2007	11:54:18	0.032	0.013	13
5/24/2007	12:09:18	0.034	0.015	15
5/24/2007	12:24:18	0.035	0.016	16
5/24/2007	12:39:18	0.033	0.014	14
5/24/2007	12:54:18	0.039	0.02	20
5/24/2007	13:09:18	0.034	0.015	15
5/24/2007	13:24:18	0.036	0.017	17
5/24/2007	13:39:18	0.043	0.024	24
5/24/2007	13:54:18	0.041	0.022	22
5/24/2007	14:09:18	0.04	0.021	21
5/24/2007	14:24:18	0.039	0.02	20
5/24/2007	14:39:18	0.041	0.022	22
5/24/2007	14:54:18	0.042	0.023	23
5/24/2007	15:09:18	0.044	0.025	25
5/24/2007	15:24:18	0.043	0.024	24
5/24/2007	15:39:18	0.045	0.026	26
5/24/2007	15:54:18	0.048	0.029	29
5/24/2007	16:09:18	0.043	0.024	24
5/24/2007	16:24:18	0.043	0.024	24

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/24/2007 6:36	0		0
2	5/24/2007 6:51	0		0
3	5/24/2007 7:06	0		0
4	5/24/2007 7:21	0		0
5	5/24/2007 7:36	0		0
6	5/24/2007 7:51	0		0
7	5/24/2007 8:06	0		0
8	5/24/2007 8:21	0		0
9	5/24/2007 8:36	0		0
10	5/24/2007 8:51	0		0
11	5/24/2007 9:06	0		0
12	5/24/2007 9:21	0		0
13	5/24/2007 9:36	0		0
14	5/24/2007 9:51	0		0
15	5/24/2007 10:06	0		0
16	5/24/2007 10:21	0		0
17	5/24/2007 10:36	0		0
18	5/24/2007 10:51	0		0
19	5/24/2007 11:06	0		0
20	5/24/2007 11:21	0		0
21	5/24/2007 11:36	0		0
22	5/24/2007 11:51	0		0
23	5/24/2007 12:06	0		0
24	5/24/2007 12:21	0		0
25	5/24/2007 12:36	0		0
26	5/24/2007 12:51	0		0
27	5/24/2007 13:06	0		0
28	5/24/2007 13:21	0		0
29	5/24/2007 13:36	0		0
30	5/24/2007 13:51	0		0
31	5/24/2007 14:06	0		0
32	5/24/2007 14:21	0		0
33	5/24/2007 14:36	0		0
34	5/24/2007 14:51	0		0
35	5/24/2007 15:06	0		0
36	5/24/2007 15:21	0		0
37	5/24/2007 15:36	0		0
38	5/24/2007 15:51	0		0
39	5/24/2007 16:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	5/24/2007
Start Time:	6:21:23
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0615) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/24/2007	6:36:23	0.017	-0.001	-1
5/24/2007	6:51:23	0.018	0	0
5/24/2007	7:06:23	0.024	0.006	6
5/24/2007	7:21:23	0.021	0.003	3
5/24/2007	7:36:23	0.022	0.004	4
5/24/2007	7:51:23	0.022	0.004	4
5/24/2007	8:06:23	0.023	0.005	5
5/24/2007	8:21:23	0.022	0.004	4
5/24/2007	8:36:23	0.023	0.005	5
5/24/2007	8:51:23	0.028	0.01	10
5/24/2007	9:06:23	0.03	0.012	12
5/24/2007	9:21:23	0.022	0.004	4
5/24/2007	9:36:23	0.022	0.004	4
5/24/2007	9:51:23	0.021	0.003	3
5/24/2007	10:06:23	0.02	0.002	2
5/24/2007	10:21:23	0.019	0.001	1
5/24/2007	10:36:23	0.019	0.001	1
5/24/2007	10:51:23	0.023	0.005	5
5/24/2007	11:06:23	0.02	0.002	2
5/24/2007	11:21:23	0.021	0.003	3
5/24/2007	11:36:23	0.023	0.005	5
5/24/2007	11:51:23	0.022	0.004	4
5/24/2007	12:06:23	0.023	0.005	5
5/24/2007	12:21:23	0.025	0.007	7
5/24/2007	12:36:23	0.023	0.005	5
5/24/2007	12:51:23	0.024	0.006	6
5/24/2007	13:06:23	0.024	0.006	6
5/24/2007	13:21:23	0.027	0.009	9
5/24/2007	13:36:23	0.03	0.012	12
5/24/2007	13:51:23	0.032	0.014	14
5/24/2007	14:06:23	0.028	0.01	10
5/24/2007	14:21:23	0.03	0.012	12
5/24/2007	14:36:23	0.03	0.012	12
5/24/2007	14:51:23	0.033	0.015	15
5/24/2007	15:06:23	0.032	0.014	14
5/24/2007	15:21:23	0.033	0.015	15
5/24/2007	15:36:23	0.033	0.015	15
5/24/2007	15:51:23	0.033	0.015	15
5/24/2007	16:06:23	0.032	0.014	14
5/24/2007	16:21:23	0.031	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/25/2007 06:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/25/2007 6:51	0.1		-0.1
2	5/25/2007 7:06	0.1		-0.1
3	5/25/2007 7:21	0.1		-0.1
4	5/25/2007 7:36	0.2		0
5	5/25/2007 7:51	0.2		0
6	5/25/2007 8:06	0.2		0
7	5/25/2007 8:21	0.2		0
8	5/25/2007 8:36	0.2		0
9	5/25/2007 8:51	0.2		0
10	5/25/2007 9:06	0.2		0
11	5/25/2007 9:21	0.2		0
12	5/25/2007 9:36	0.2		0
13	5/25/2007 9:51	0.2		0
14	5/25/2007 10:06	0.1		-0.1
15	5/25/2007 10:21	0.1		-0.1
16	5/25/2007 10:36	0.1		-0.1
17	5/25/2007 10:51	0.1		-0.1
18	5/25/2007 11:06	0.1		-0.1
19	5/25/2007 11:21	0.1		-0.1
20	5/25/2007 11:36	0		-0.2
21	5/25/2007 11:51	0		-0.2
22	5/25/2007 12:06	0		-0.2
23	5/25/2007 12:21	0		-0.2
24	5/25/2007 12:36	0		-0.2
25	5/25/2007 12:51	0		-0.2
26	5/25/2007 13:06	0		-0.2
27	5/25/2007 13:21	0		-0.2
28	5/25/2007 13:36	0		-0.2
29	5/25/2007 13:51	0		-0.2
30	5/25/2007 14:06	0		-0.2
31	5/25/2007 14:21	0		-0.2
32	5/25/2007 14:36	0		-0.2
33	5/25/2007 14:51	0		-0.2
34	5/25/2007 15:06	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/25/2007
Start Time:	6:41:36
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.074 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/25/2007	6:56:36	0.077	0.003	3
5/25/2007	7:11:36	0.075	0.001	1
5/25/2007	7:26:36	0.074	0	0
5/25/2007	7:41:36	0.078	0.004	4
5/25/2007	7:56:36	0.075	0.001	1
5/25/2007	8:11:36	0.075	0.001	1
5/25/2007	8:26:36	0.073	-0.001	-1
5/25/2007	8:41:36	0.071	-0.003	-3
5/25/2007	8:56:36	0.071	-0.003	-3
5/25/2007	9:11:36	0.068	-0.006	-6
5/25/2007	9:26:36	0.072	-0.002	-2
5/25/2007	9:41:36	0.066	-0.008	-8
5/25/2007	9:56:36	0.065	-0.009	-9
5/25/2007	10:11:36	0.06	-0.014	-14
5/25/2007	10:26:36	0.061	-0.013	-13
5/25/2007	10:41:36	0.058	-0.016	-16
5/25/2007	10:56:36	0.061	-0.013	-13
5/25/2007	11:11:36	0.061	-0.013	-13
5/25/2007	11:26:36	0.062	-0.012	-12
5/25/2007	11:41:36	0.058	-0.016	-16
5/25/2007	11:56:36	0.058	-0.016	-16
5/25/2007	12:11:36	0.061	-0.013	-13
5/25/2007	12:26:36	0.067	-0.007	-7
5/25/2007	12:41:36	0.061	-0.013	-13
5/25/2007	12:56:36	0.06	-0.014	-14
5/25/2007	13:11:36	0.056	-0.018	-18
5/25/2007	13:26:36	0.055	-0.019	-19
5/25/2007	13:41:36	0.051	-0.023	-23
5/25/2007	13:56:36	0.054	-0.02	-20
5/25/2007	14:11:36	0.052	-0.022	-22
5/25/2007	14:26:36	0.052	-0.022	-22
5/25/2007	14:41:36	0.048	-0.026	-26
5/25/2007	14:56:36	0.044	-0.03	-30
5/25/2007	15:11:36	0.047	-0.027	-27
5/25/2007	15:26:36	0.04	-0.034	-34

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/25/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/25/2007 6:45	0		-0.1
2	5/25/2007 7:00	0.1		0
3	5/25/2007 7:15	0.1		0
4	5/25/2007 7:30	0.1		0
5	5/25/2007 7:45	0.1		0
6	5/25/2007 8:00	0.2		0.1
7	5/25/2007 8:15	0.2		0.1
8	5/25/2007 8:30	0.2		0.1
9	5/25/2007 8:45	0.2		0.1
10	5/25/2007 9:00	0.2		0.1
11	5/25/2007 9:15	0.2		0.1
12	5/25/2007 9:30	0.2		0.1
13	5/25/2007 9:45	0.2		0.1
14	5/25/2007 10:00	0.2		0.1
15	5/25/2007 10:15	0.3		0.2
16	5/25/2007 10:30	0.3		0.2
17	5/25/2007 10:45	0.3		0.2
18	5/25/2007 11:00	0.3		0.2
19	5/25/2007 11:15	0.3		0.2
20	5/25/2007 11:30	0.3		0.2
21	5/25/2007 11:45	0.3		0.2
22	5/25/2007 12:00	0.3		0.2
23	5/25/2007 12:15	0.3		0.2
24	5/25/2007 12:30	0.3		0.2
25	5/25/2007 12:45	0.3		0.2
26	5/25/2007 13:00	0.3		0.2
27	5/25/2007 13:15	0.3		0.2
28	5/25/2007 13:30	0.3		0.2
29	5/25/2007 13:45	0.4		0.3
30	5/25/2007 14:00	0.4		0.3
31	5/25/2007 14:15	0.4		0.3
32	5/25/2007 14:30	0.4		0.3
33	5/25/2007 14:45	0.4		0.3
34	5/25/2007 15:00	0.4		0.3
35	5/25/2007 15:15	0.4		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	5/25/2007
Start Time:	6:39:36
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0635) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/25/2007	6:54:36	0.043	0.003	3
5/25/2007	7:09:36	0.044	0.004	4
5/25/2007	7:24:36	0.045	0.005	5
5/25/2007	7:39:36	0.046	0.006	6
5/25/2007	7:54:36	0.047	0.007	7
5/25/2007	8:09:36	0.046	0.006	6
5/25/2007	8:24:36	0.047	0.007	7
5/25/2007	8:39:36	0.046	0.006	6
5/25/2007	8:54:36	0.049	0.009	9
5/25/2007	9:09:36	0.047	0.007	7
5/25/2007	9:24:36	0.049	0.009	9
5/25/2007	9:39:36	0.046	0.006	6
5/25/2007	9:54:36	0.044	0.004	4
5/25/2007	10:09:36	0.041	0.001	1
5/25/2007	10:24:36	0.043	0.003	3
5/25/2007	10:39:36	0.04	0	0
5/25/2007	10:54:36	0.041	0.001	1
5/25/2007	11:09:36	0.041	0.001	1
5/25/2007	11:24:36	0.041	0.001	1
5/25/2007	11:39:36	0.04	0	0
5/25/2007	11:54:36	0.042	0.002	2
5/25/2007	12:09:36	0.042	0.002	2
5/25/2007	12:24:36	0.044	0.004	4
5/25/2007	12:39:36	0.042	0.002	2
5/25/2007	12:54:36	0.042	0.002	2
5/25/2007	13:09:36	0.04	0	0
5/25/2007	13:24:36	0.037	-0.003	-3
5/25/2007	13:39:36	0.036	-0.004	-4
5/25/2007	13:54:36	0.038	-0.002	-2
5/25/2007	14:09:36	0.044	0.004	4
5/25/2007	14:24:36	0.036	-0.004	-4
5/25/2007	14:39:36	0.034	-0.006	-6
5/25/2007	14:54:36	0.032	-0.008	-8
5/25/2007	15:09:36	0.03	-0.01	-10
5/25/2007	15:24:36	0.028	-0.012	-12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/25/2007 06:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/25/2007 7:17	0		0
2	5/25/2007 7:32	0		0
3	5/25/2007 7:47	0		0
4	5/25/2007 8:02	0		0
5	5/25/2007 8:17	0		0
6	5/25/2007 8:32	0		0
7	5/25/2007 8:47	0.1		0.1
8	5/25/2007 9:02	0.1		0.1
9	5/25/2007 9:17	0.1		0.1
10	5/25/2007 9:32	0.1		0.1
11	5/25/2007 9:47	0.1		0.1
12	5/25/2007 10:02	0.1		0.1
13	5/25/2007 10:17	0.1		0.1
14	5/25/2007 10:32	0.1		0.1
15	5/25/2007 10:47	0.1		0.1
16	5/25/2007 11:02	0.1		0.1
17	5/25/2007 11:17	0.1		0.1
18	5/25/2007 11:32	0.1		0.1
19	5/25/2007 11:47	0.1		0.1
20	5/25/2007 12:02	0.1		0.1
21	5/25/2007 12:17	0.1		0.1
22	5/25/2007 12:32	0.2		0.2
23	5/25/2007 12:47	0.2		0.2
24	5/25/2007 13:02	0.2		0.2
25	5/25/2007 13:17	0.2		0.2
26	5/25/2007 13:32	0.2		0.2
27	5/25/2007 13:47	0.2		0.2
28	5/25/2007 14:02	0.2		0.2
29	5/25/2007 14:17	0.2		0.2
30	5/25/2007 14:32	0.2		0.2
31	5/25/2007 14:47	0.2		0.2
32	5/25/2007 15:02	0.2		0.2
33	5/25/2007 15:17	0.2		0.2
34	5/25/2007 15:32	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	5/25/2007
Start Time:	7:04:18
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0700) = 0.067 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/25/2007	7:19:18	0.067	0	0
5/25/2007	7:34:18	0.073	0.006	6
5/25/2007	7:49:18	0.069	0.002	2
5/25/2007	8:04:18	0.07	0.003	3
5/25/2007	8:19:18	0.071	0.004	4
5/25/2007	8:34:18	0.067	0	0
5/25/2007	8:49:18	0.07	0.003	3
5/25/2007	9:04:18	0.069	0.002	2
5/25/2007	9:19:18	0.069	0.002	2
5/25/2007	9:34:18	0.067	0	0
5/25/2007	9:49:18	0.063	-0.004	-4
5/25/2007	10:04:18	0.063	-0.004	-4
5/25/2007	10:19:18	0.059	-0.008	-8
5/25/2007	10:34:18	0.058	-0.009	-9
5/25/2007	10:49:18	0.057	-0.01	-10
5/25/2007	11:04:18	0.061	-0.006	-6
5/25/2007	11:19:18	0.058	-0.009	-9
5/25/2007	11:34:18	0.058	-0.009	-9
5/25/2007	11:49:18	0.059	-0.008	-8
5/25/2007	12:04:18	0.061	-0.006	-6
5/25/2007	12:19:18	0.062	-0.005	-5
5/25/2007	12:34:18	0.062	-0.005	-5
5/25/2007	12:49:18	0.06	-0.007	-7
5/25/2007	13:04:18	0.062	-0.005	-5
5/25/2007	13:19:18	0.054	-0.013	-13
5/25/2007	13:34:18	0.052	-0.015	-15
5/25/2007	13:49:18	0.055	-0.012	-12
5/25/2007	14:04:18	0.056	-0.011	-11
5/25/2007	14:19:18	0.052	-0.015	-15
5/25/2007	14:34:18	0.051	-0.016	-16
5/25/2007	14:49:18	0.049	-0.018	-18
5/25/2007	15:04:18	0.045	-0.022	-22
5/25/2007	15:19:18	0.045	-0.022	-22
5/25/2007	15:34:18	0.044	-0.023	-23
5/25/2007	15:49:18	0.044	-0.023	-23

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/25/2007 06:13

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/25/2007 7:10	0.1		0.1
2	5/25/2007 7:25	0.2		0.2
3	5/25/2007 7:40	0.3		0.3
4	5/25/2007 7:55	0.3		0.3
5	5/25/2007 8:10	0.3		0.3
6	5/25/2007 8:25	0.3		0.3
7	5/25/2007 8:40	0.4		0.4
8	5/25/2007 8:55	0.5		0.5
9	5/25/2007 9:10	0.5		0.5
10	5/25/2007 9:25	0.4		0.4
11	5/25/2007 9:40	0.5		0.5
12	5/25/2007 9:55	0.5		0.5
13	5/25/2007 10:10	0.6		0.6
14	5/25/2007 10:25	0.6		0.6
15	5/25/2007 10:40	0.6		0.6
16	5/25/2007 10:55	0.6		0.6
17	5/25/2007 11:10	0.6		0.6
18	5/25/2007 11:25	0.6		0.6
19	5/25/2007 11:40	0.6		0.6
20	5/25/2007 11:55	0.6		0.6
21	5/25/2007 12:10	0.6		0.6
22	5/25/2007 12:25	0.6		0.6
23	5/25/2007 12:40	0.9		0.9
24	5/25/2007 12:55	0.8		0.8
25	5/25/2007 13:10	1		1
26	5/25/2007 13:25	0.9		0.9
27	5/25/2007 13:40	0.9		0.9
28	5/25/2007 13:55	0.8		0.8
29	5/25/2007 14:10	0.8		0.8
30	5/25/2007 14:25	0.8		0.8
31	5/25/2007 14:40	0.8		0.8
32	5/25/2007 14:55	0.9		0.9
33	5/25/2007 15:10	0.8		0.8
34	5/25/2007 15:25	0.9		0.9
35	5/25/2007 15:40	0.8		0.8

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	5/25/2007
Start Time:	6:54:28
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0651) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/25/2007	7:09:28	0.056	0.002	2
5/25/2007	7:24:28	0.055	0.001	1
5/25/2007	7:39:28	0.058	0.004	4
5/25/2007	7:54:28	0.058	0.004	4
5/25/2007	8:09:28	0.056	0.002	2
5/25/2007	8:24:28	0.057	0.003	3
5/25/2007	8:39:28	0.056	0.002	2
5/25/2007	8:54:28	0.055	0.001	1
5/25/2007	9:09:28	0.053	-0.001	-1
5/25/2007	9:24:28	0.057	0.003	3
5/25/2007	9:39:28	0.053	-0.001	-1
5/25/2007	9:54:28	0.048	-0.006	-6
5/25/2007	10:09:28	0.057	0.003	3
5/25/2007	10:24:28	0.044	-0.01	-10
5/25/2007	10:39:28	0.044	-0.01	-10
5/25/2007	10:54:28	0.045	-0.009	-9
5/25/2007	11:09:28	0.043	-0.011	-11
5/25/2007	11:24:28	0.043	-0.011	-11
5/25/2007	11:39:28	0.045	-0.009	-9
5/25/2007	11:54:28	0.043	-0.011	-11
5/25/2007	12:09:28	0.044	-0.01	-10
5/25/2007	12:24:28	0.045	-0.009	-9
5/25/2007	12:39:28	0.042	-0.012	-12
5/25/2007	12:54:28	0.043	-0.011	-11
5/25/2007	13:09:28	0.041	-0.013	-13
5/25/2007	13:24:28	0.041	-0.013	-13
5/25/2007	13:39:28	0.036	-0.018	-18
5/25/2007	13:54:28	0.039	-0.015	-15
5/25/2007	14:09:28	0.036	-0.018	-18
5/25/2007	14:24:28	0.037	-0.017	-17
5/25/2007	14:39:28	0.035	-0.019	-19
5/25/2007	14:54:28	0.031	-0.023	-23
5/25/2007	15:09:28	0.03	-0.024	-24
5/25/2007	15:24:28	0.031	-0.023	-23
5/25/2007	15:39:28	0.031	-0.023	-23
5/25/2007	15:54:28	0.032	-0.022	-22

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/29/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/29/2007 6:10	0		-0.1
2	5/29/2007 6:25	0		-0.1
3	5/29/2007 6:40	0		-0.1
4	5/29/2007 6:55	0		-0.1
5	5/29/2007 7:10	0.1		0
6	5/29/2007 7:25	0.1		0
7	5/29/2007 7:40	0.1		0
8	5/29/2007 7:55	0.1		0
9	5/29/2007 8:10	0.1		0
10	5/29/2007 8:25	0.1		0
11	5/29/2007 8:40	0.1		0
12	5/29/2007 8:55	0.1		0
13	5/29/2007 9:10	0.1		0
14	5/29/2007 9:25	0.1		0
15	5/29/2007 9:40	0.1		0
16	5/29/2007 9:55	0.1		0
17	5/29/2007 10:10	0.1		0
18	5/29/2007 10:25	0.1		0
19	5/29/2007 10:40	0.1		0
20	5/29/2007 10:55	0.1		0
21	5/29/2007 11:10	0.1		0
22	5/29/2007 11:25	0.1		0
23	5/29/2007 11:40	0.1		0
24	5/29/2007 11:55	0.1		0
25	5/29/2007 12:10	0.1		0
26	5/29/2007 12:25	0.1		0
27	5/29/2007 12:40	0.1		0
28	5/29/2007 12:55	0.1		0
29	5/29/2007 13:10	0.1		0
30	5/29/2007 13:25	0.1		0
31	5/29/2007 13:40	0.1		0
32	5/29/2007 13:55	0.1		0
33	5/29/2007 14:10	0.1		0
34	5/29/2007 14:25	0.1		0
35	5/29/2007 14:40	0		-0.1
36	5/29/2007 14:55	0		-0.1
37	5/29/2007 15:10	0		-0.1
38	5/29/2007 15:25	0.1		0
39	5/29/2007 15:40	0.1		0
40	5/29/2007 15:55	0.1		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/29/2007
Start Time:	5:59:12
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0555) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/29/2007	6:14:12	0.017	0.001	1
5/29/2007	6:29:12	0.016	0	0
5/29/2007	6:44:12	0.027	0.011	11
5/29/2007	6:59:12	0.024	0.008	8
5/29/2007	7:14:12	0.013	-0.003	-3
5/29/2007	7:29:12	0.014	-0.002	-2
5/29/2007	7:44:12	0.011	-0.005	-5
5/29/2007	7:59:12	0.012	-0.004	-4
5/29/2007	8:14:12	0.014	-0.002	-2
5/29/2007	8:29:12	0.013	-0.003	-3
5/29/2007	8:44:12	0.014	-0.002	-2
5/29/2007	8:59:12	0.012	-0.004	-4
5/29/2007	9:14:12	0.015	-0.001	-1
5/29/2007	9:29:12	0.01	-0.006	-6
5/29/2007	9:44:12	0.01	-0.006	-6
5/29/2007	9:59:12	0.033	0.017	17
5/29/2007	10:14:12	0.024	0.008	8
5/29/2007	10:29:12	0.009	-0.007	-7
5/29/2007	10:44:12	0.01	-0.006	-6
5/29/2007	10:59:12	0.011	-0.005	-5
5/29/2007	11:14:12	0.01	-0.006	-6
5/29/2007	11:29:12	0.01	-0.006	-6
5/29/2007	11:44:12	0.011	-0.005	-5
5/29/2007	11:59:12	0.011	-0.005	-5
5/29/2007	12:14:12	0.014	-0.002	-2
5/29/2007	12:29:12	0.012	-0.004	-4
5/29/2007	12:44:12	0.011	-0.005	-5
5/29/2007	12:59:12	0.013	-0.003	-3
5/29/2007	13:14:12	0.012	-0.004	-4
5/29/2007	13:29:12	0.013	-0.003	-3
5/29/2007	13:44:12	0.012	-0.004	-4
5/29/2007	13:59:12	0.014	-0.002	-2
5/29/2007	14:14:12	0.013	-0.003	-3
5/29/2007	14:29:12	0.016	0	0
5/29/2007	14:44:12	0.013	-0.003	-3
5/29/2007	14:59:12	0.014	-0.002	-2
5/29/2007	15:14:12	0.012	-0.004	-4
5/29/2007	15:29:12	0.012	-0.004	-4
5/29/2007	15:44:12	0.012	-0.004	-4
5/29/2007	15:59:12	0.012	-0.004	-4
5/29/2007	16:14:12	0.011	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/29/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/29/2007 6:29	0		0
2	5/29/2007 6:44	0		0
3	5/29/2007 6:59	0		0
4	5/29/2007 7:14	0		0
5	5/29/2007 7:29	0		0
6	5/29/2007 7:44	0		0
7	5/29/2007 7:59	0		0
8	5/29/2007 8:14	0		0
9	5/29/2007 8:29	0		0
10	5/29/2007 8:44	0		0
11	5/29/2007 8:59	0		0
12	5/29/2007 9:14	0		0
13	5/29/2007 9:29	0		0
14	5/29/2007 9:44	0		0
15	5/29/2007 9:59	0		0
16	5/29/2007 10:14	0.1		0.1
17	5/29/2007 10:29	0.1		0.1
18	5/29/2007 10:44	0.1		0.1
19	5/29/2007 10:59	0.1		0.1
20	5/29/2007 11:14	0.1		0.1
21	5/29/2007 11:29	0.1		0.1
22	5/29/2007 11:44	0.1		0.1
23	5/29/2007 11:59	0.1		0.1
24	5/29/2007 12:14	0.2		0.2
25	5/29/2007 12:29	0.2		0.2
26	5/29/2007 12:44	0.2		0.2
27	5/29/2007 12:59	0.1		0.1
28	5/29/2007 13:14	0.2		0.2
29	5/29/2007 13:29	0.2		0.2
30	5/29/2007 13:44	0.2		0.2
31	5/29/2007 13:59	0.2		0.2
32	5/29/2007 14:14	0.3		0.3
33	5/29/2007 14:29	0.3		0.3
34	5/29/2007 14:44	0.3		0.3
35	5/29/2007 14:59	0.2		0.2
36	5/29/2007 15:14	0.2		0.2
37	5/29/2007 15:29	0.3		0.3
38	5/29/2007 15:44	0.3		0.3
39	5/29/2007 15:59	0.3		0.3
40	5/29/2007 16:14	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	5/29/2007
Start Time:	6:16:29
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0613) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/29/2007	6:31:29	0.009	-0.001	-1
5/29/2007	6:46:29	0.011	0.001	1
5/29/2007	7:01:29	0.011	0.001	1
5/29/2007	7:16:29	0.01	0	0
5/29/2007	7:31:29	0.011	0.001	1
5/29/2007	7:46:29	0.011	0.001	1
5/29/2007	8:01:29	0.013	0.003	3
5/29/2007	8:16:29	0.015	0.005	5
5/29/2007	8:31:29	0.014	0.004	4
5/29/2007	8:46:29	0.014	0.004	4
5/29/2007	9:01:29	0.013	0.003	3
5/29/2007	9:16:29	0.012	0.002	2
5/29/2007	9:31:29	0.014	0.004	4
5/29/2007	9:46:29	0.012	0.002	2
5/29/2007	10:01:29	0.012	0.002	2
5/29/2007	10:16:29	0.012	0.002	2
5/29/2007	10:31:29	0.012	0.002	2
5/29/2007	10:46:29	0.013	0.003	3
5/29/2007	11:01:29	0.012	0.002	2
5/29/2007	11:16:29	0.013	0.003	3
5/29/2007	11:31:29	0.013	0.003	3
5/29/2007	11:46:29	0.014	0.004	4
5/29/2007	12:01:29	0.014	0.004	4
5/29/2007	12:16:29	0.013	0.003	3
5/29/2007	12:31:29	0.013	0.003	3
5/29/2007	12:46:29	0.013	0.003	3
5/29/2007	13:01:29	0.014	0.004	4
5/29/2007	13:16:29	0.015	0.005	5
5/29/2007	13:31:29	0.015	0.005	5
5/29/2007	13:46:29	0.015	0.005	5
5/29/2007	14:01:29	0.015	0.005	5
5/29/2007	14:16:29	0.015	0.005	5
5/29/2007	14:31:29	0.017	0.007	7
5/29/2007	14:46:29	0.015	0.005	5
5/29/2007	15:01:29	0.016	0.006	6
5/29/2007	15:16:29	0.016	0.006	6
5/29/2007	15:31:29	0.015	0.005	5
5/29/2007	15:46:29	0.015	0.005	5
5/29/2007	16:01:29	0.015	0.005	5
5/29/2007	16:16:29	0.015	0.005	5
5/29/2007	16:31:29	0.015	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/29/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/29/2007 6:50	0		0
2	5/29/2007 7:05	0		0
3	5/29/2007 7:20	0.1		0.1
4	5/29/2007 7:35	0.1		0.1
5	5/29/2007 7:50	0.1		0.1
6	5/29/2007 8:05	0.1		0.1
7	5/29/2007 8:20	0.1		0.1
8	5/29/2007 8:35	0.1		0.1
9	5/29/2007 8:50	0.1		0.1
10	5/29/2007 9:05	0.1		0.1
11	5/29/2007 9:20	0.2		0.2
12	5/29/2007 9:35	0.2		0.2
13	5/29/2007 9:50	0.2		0.2
14	5/29/2007 10:05	0.2		0.2
15	5/29/2007 10:20	0.2		0.2
16	5/29/2007 10:35	0.2		0.2
17	5/29/2007 10:50	0.2		0.2
18	5/29/2007 11:05	0.2		0.2
19	5/29/2007 11:20	0.2		0.2
20	5/29/2007 11:35	0.2		0.2
21	5/29/2007 11:50	0.2		0.2
22	5/29/2007 12:05	0.2		0.2
23	5/29/2007 12:20	0.3		0.3
24	5/29/2007 12:35	0.3		0.3
25	5/29/2007 12:50	0.3		0.3
26	5/29/2007 13:05	0.3		0.3
27	5/29/2007 13:20	0.3		0.3
28	5/29/2007 13:35	0.3		0.3
29	5/29/2007 13:50	0.3		0.3
30	5/29/2007 14:05	0.3		0.3
31	5/29/2007 14:20	0.3		0.3
32	5/29/2007 14:35	0.3		0.3
33	5/29/2007 14:50	0.3		0.3
34	5/29/2007 15:05	0.3		0.3
35	5/29/2007 15:20	0.3		0.3
36	5/29/2007 15:35	0.3		0.3
37	5/29/2007 15:50	0.3		0.3
38	5/29/2007 16:05	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	5/29/2007
Start Time:	6:51:53
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0636) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/29/2007	7:06:53	0.012	-0.003	-3
5/29/2007	7:21:53	0.012	-0.003	-3
5/29/2007	7:36:53	0.01	-0.005	-5
5/29/2007	7:51:53	0.01	-0.005	-5
5/29/2007	8:06:53	0.012	-0.003	-3
5/29/2007	8:21:53	0.013	-0.002	-2
5/29/2007	8:36:53	0.012	-0.003	-3
5/29/2007	8:51:53	0.011	-0.004	-4
5/29/2007	9:06:53	0.01	-0.005	-5
5/29/2007	9:21:53	0.01	-0.005	-5
5/29/2007	9:36:53	0.01	-0.005	-5
5/29/2007	9:51:53	0.01	-0.005	-5
5/29/2007	10:06:53	0.012	-0.003	-3
5/29/2007	10:21:53	0.01	-0.005	-5
5/29/2007	10:36:53	0.008	-0.007	-7
5/29/2007	10:51:53	0.009	-0.006	-6
5/29/2007	11:06:53	0.009	-0.006	-6
5/29/2007	11:21:53	0.01	-0.005	-5
5/29/2007	11:36:53	0.012	-0.003	-3
5/29/2007	11:51:53	0.012	-0.003	-3
5/29/2007	12:06:53	0.011	-0.004	-4
5/29/2007	12:21:53	0.011	-0.004	-4
5/29/2007	12:36:53	0.01	-0.005	-5
5/29/2007	12:51:53	0.01	-0.005	-5
5/29/2007	13:06:53	0.016	0.001	1
5/29/2007	13:21:53	0.012	-0.003	-3
5/29/2007	13:36:53	0.012	-0.003	-3
5/29/2007	13:51:53	0.012	-0.003	-3
5/29/2007	14:06:53	0.013	-0.002	-2
5/29/2007	14:21:53	0.013	-0.002	-2
5/29/2007	14:36:53	0.013	-0.002	-2
5/29/2007	14:51:53	0.013	-0.002	-2
5/29/2007	15:06:53	0.015	0	0
5/29/2007	15:21:53	0.014	-0.001	-1
5/29/2007	15:36:53	0.012	-0.003	-3
5/29/2007	15:51:53	0.013	-0.002	-2
5/29/2007	16:06:53	0.014	-0.001	-1
5/29/2007	16:21:53	0.013	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/29/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/29/2007 6:48	0		0
2	5/29/2007 7:03	0		0
3	5/29/2007 7:18	0		0
4	5/29/2007 7:33	0		0
5	5/29/2007 7:48	0		0
6	5/29/2007 8:03	0		0
7	5/29/2007 8:18	0		0
8	5/29/2007 8:33	0		0
9	5/29/2007 8:48	0		0
10	5/29/2007 9:03	0		0
11	5/29/2007 9:18	0		0
12	5/29/2007 9:33	0		0
13	5/29/2007 9:48	0		0
14	5/29/2007 10:03	0		0
15	5/29/2007 10:18	0		0
16	5/29/2007 10:33	0		0
17	5/29/2007 10:48	0		0
18	5/29/2007 11:03	0		0
19	5/29/2007 11:18	0		0
20	5/29/2007 11:33	0		0
21	5/29/2007 11:48	0		0
22	5/29/2007 12:03	0		0
23	5/29/2007 12:18	0		0
24	5/29/2007 12:33	0		0
25	5/29/2007 12:48	0		0
26	5/29/2007 13:03	0		0
27	5/29/2007 13:18	0		0
28	5/29/2007 13:33	0		0
29	5/29/2007 13:48	0		0
30	5/29/2007 14:03	0		0
31	5/29/2007 14:18	0		0
32	5/29/2007 14:33	0		0
33	5/29/2007 14:48	0		0
34	5/29/2007 15:03	0		0
35	5/29/2007 15:18	0		0
36	5/29/2007 15:33	0		0
37	5/29/2007 15:48	0		0
38	5/29/2007 16:03	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/29/2007
Start Time:	6:32:37
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (0627) = 0.019 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/29/2007	6:47:37	0.012	-0.007	-7
5/29/2007	7:02:37	0.015	-0.004	-4
5/29/2007	7:17:37	0.008	-0.011	-11
5/29/2007	7:32:37	0.01	-0.009	-9
5/29/2007	7:47:37	0.009	-0.01	-10
5/29/2007	8:02:37	0.01	-0.009	-9
5/29/2007	8:17:37	0.01	-0.009	-9
5/29/2007	8:32:37	0.009	-0.01	-10
5/29/2007	8:47:37	0.01	-0.009	-9
5/29/2007	9:02:37	0.009	-0.01	-10
5/29/2007	9:17:37	0.009	-0.01	-10
5/29/2007	9:32:37	0.008	-0.011	-11
5/29/2007	9:47:37	0.008	-0.011	-11
5/29/2007	10:02:37	0.012	-0.007	-7
5/29/2007	10:17:37	0.009	-0.01	-10
5/29/2007	10:32:37	0.007	-0.012	-12
5/29/2007	10:47:37	0.009	-0.01	-10
5/29/2007	11:02:37	0.008	-0.011	-11
5/29/2007	11:17:37	0.008	-0.011	-11
5/29/2007	11:32:37	0.008	-0.011	-11
5/29/2007	11:47:37	0.007	-0.012	-12
5/29/2007	12:02:37	0.007	-0.012	-12
5/29/2007	12:17:37	0.008	-0.011	-11
5/29/2007	12:32:37	0.007	-0.012	-12
5/29/2007	12:47:37	0.007	-0.012	-12
5/29/2007	13:02:37	0.009	-0.01	-10
5/29/2007	13:17:37	0.008	-0.011	-11
5/29/2007	13:32:37	0.009	-0.01	-10
5/29/2007	13:47:37	0.01	-0.009	-9
5/29/2007	14:02:37	0.008	-0.011	-11
5/29/2007	14:17:37	0.012	-0.007	-7
5/29/2007	14:32:37	0.008	-0.011	-11
5/29/2007	14:47:37	0.009	-0.01	-10
5/29/2007	15:02:37	0.01	-0.009	-9
5/29/2007	15:17:37	0.009	-0.01	-10
5/29/2007	15:32:37	0.008	-0.011	-11
5/29/2007	15:47:37	0.007	-0.012	-12
5/29/2007	16:02:37	0.008	-0.011	-11
5/29/2007	16:17:37	0.008	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/30/2007 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0541) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/30/2007 5:57	0		-0.2
2	5/30/2007 6:12	0		-0.2
3	5/30/2007 6:27	0		-0.2
4	5/30/2007 6:42	0		-0.2
5	5/30/2007 6:57	0		-0.2
6	5/30/2007 7:12	0		-0.2
7	5/30/2007 7:27	0		-0.2
8	5/30/2007 7:42	0		-0.2
9	5/30/2007 7:57	0		-0.2
10	5/30/2007 8:12	0		-0.2
11	5/30/2007 8:27	0		-0.2
12	5/30/2007 8:42	0		-0.2
13	5/30/2007 8:57	0		-0.2
14	5/30/2007 9:12	0		-0.2
15	5/30/2007 9:27	0		-0.2
16	5/30/2007 9:42	0		-0.2
17	5/30/2007 9:57	0		-0.2
18	5/30/2007 10:12	0		-0.2
19	5/30/2007 10:27	0		-0.2
20	5/30/2007 10:42	0		-0.2
21	5/30/2007 10:57	0		-0.2
22	5/30/2007 11:12	0		-0.2
23	5/30/2007 11:27	0		-0.2
24	5/30/2007 11:42	0		-0.2
25	5/30/2007 11:57	0		-0.2
26	5/30/2007 12:12	0		-0.2
27	5/30/2007 12:27	0		-0.2
28	5/30/2007 12:42	0		-0.2
29	5/30/2007 12:57	0		-0.2
30	5/30/2007 13:12	0		-0.2
31	5/30/2007 13:27	0		-0.2
32	5/30/2007 13:42	0		-0.2
33	5/30/2007 13:57	0		-0.2
34	5/30/2007 14:12	0		-0.2
35	5/30/2007 14:27	0		-0.2
36	5/30/2007 14:42	0		-0.2
37	5/30/2007 14:57	0		-0.2
38	5/30/2007 15:12	0		-0.2
39	5/30/2007 15:27	0		-0.2
40	5/30/2007 15:42	0		-0.2
41	5/30/2007 15:57	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/30/2007
Start Time:	5:46:34
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0541) = 0.049 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/30/2007	6:01:34	0.049	0	0
5/30/2007	6:16:34	0.047	-0.002	-2
5/30/2007	6:31:34	0.053	0.004	4
5/30/2007	6:46:34	0.048	-0.001	-1
5/30/2007	7:01:34	0.044	-0.005	-5
5/30/2007	7:16:34	0.099	0.05	50
5/30/2007	7:31:34	0.047	-0.002	-2
5/30/2007	7:46:34	0.031	-0.018	-18
5/30/2007	8:01:34	0.03	-0.019	-19
5/30/2007	8:16:34	0.033	-0.016	-16
5/30/2007	8:31:34	0.039	-0.01	-10
5/30/2007	8:46:34	0.024	-0.025	-25
5/30/2007	9:01:34	0.025	-0.024	-24
5/30/2007	9:16:34	0.021	-0.028	-28
5/30/2007	9:31:34	0.023	-0.026	-26
5/30/2007	9:46:34	0.023	-0.026	-26
5/30/2007	10:01:34	0.029	-0.02	-20
5/30/2007	10:16:34	0.026	-0.023	-23
5/30/2007	10:31:34	0.022	-0.027	-27
5/30/2007	10:46:34	0.023	-0.026	-26
5/30/2007	11:01:34	0.024	-0.025	-25
5/30/2007	11:16:34	0.027	-0.022	-22
5/30/2007	11:31:34	0.029	-0.02	-20
5/30/2007	11:46:34	0.027	-0.022	-22
5/30/2007	12:01:34	0.021	-0.028	-28
5/30/2007	12:16:34	0.021	-0.028	-28
5/30/2007	12:31:34	0.019	-0.03	-30
5/30/2007	12:46:34	0.02	-0.029	-29
5/30/2007	13:01:34	0.021	-0.028	-28
5/30/2007	13:16:34	0.045	-0.004	-4
5/30/2007	13:31:34	0.023	-0.026	-26
5/30/2007	13:46:34	0.025	-0.024	-24
5/30/2007	14:01:34	0.023	-0.026	-26
5/30/2007	14:16:34	0.023	-0.026	-26
5/30/2007	14:31:34	0.021	-0.028	-28
5/30/2007	14:46:34	0.023	-0.026	-26
5/30/2007	15:01:34	0.023	-0.026	-26
5/30/2007	15:16:34	0.023	-0.026	-26
5/30/2007	15:31:34	0.025	-0.024	-24
5/30/2007	15:46:34	0.028	-0.021	-21
5/30/2007	16:01:34	0.03	-0.019	-19
5/30/2007	16:16:34	0.03	-0.019	-19

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/30/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/30/2007 6:31	0		0
2	5/30/2007 6:46	0		0
3	5/30/2007 7:01	0.1		0.1
4	5/30/2007 7:16	0.1		0.1
5	5/30/2007 7:31	0.1		0.1
6	5/30/2007 7:46	0.1		0.1
7	5/30/2007 8:01	0.1		0.1
8	5/30/2007 8:16	0.2		0.2
9	5/30/2007 8:31	0.2		0.2
10	5/30/2007 8:46	0.2		0.2
11	5/30/2007 9:01	0.2		0.2
12	5/30/2007 9:16	0.2		0.2
13	5/30/2007 9:31	0.2		0.2
14	5/30/2007 9:46	0.2		0.2
15	5/30/2007 10:01	0.2		0.2
16	5/30/2007 10:16	0.2		0.2
17	5/30/2007 10:31	0.3		0.3
18	5/30/2007 10:46	0.3		0.3
19	5/30/2007 11:01	0.3		0.3
20	5/30/2007 11:16	0.3		0.3
21	5/30/2007 11:31	0.3		0.3
22	5/30/2007 11:46	0.3		0.3
23	5/30/2007 12:01	0.3		0.3
24	5/30/2007 12:16	0.3		0.3
25	5/30/2007 12:31	0.3		0.3
26	5/30/2007 12:46	0.3		0.3
27	5/30/2007 13:01	0.3		0.3
28	5/30/2007 13:16	0.3		0.3
29	5/30/2007 13:31	0.3		0.3
30	5/30/2007 13:46	0.3		0.3
31	5/30/2007 14:01	0.3		0.3
32	5/30/2007 14:16	0.3		0.3
33	5/30/2007 14:31	0.4		0.4
34	5/30/2007 14:46	0.4		0.4
35	5/30/2007 15:01	0.4		0.4
36	5/30/2007 15:16	0.4		0.4
37	5/30/2007 15:31	0.4		0.4
38	5/30/2007 15:46	0.4		0.4
39	5/30/2007 16:01	0.3		0.3
40	5/30/2007 16:16	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	5/30/2007
Start Time:	6:18:07
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0610) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/30/2007	6:33:07	0.024	0.001	1
5/30/2007	6:48:07	0.023	0	0
5/30/2007	7:03:07	0.023	0	0
5/30/2007	7:18:07	0.029	0.006	6
5/30/2007	7:33:07	0.031	0.008	8
5/30/2007	7:48:07	0.025	0.002	2
5/30/2007	8:03:07	0.02	-0.003	-3
5/30/2007	8:18:07	0.022	-0.001	-1
5/30/2007	8:33:07	0.024	0.001	1
5/30/2007	8:48:07	0.021	-0.002	-2
5/30/2007	9:03:07	0.018	-0.005	-5
5/30/2007	9:18:07	0.015	-0.008	-8
5/30/2007	9:33:07	0.015	-0.008	-8
5/30/2007	9:48:07	0.015	-0.008	-8
5/30/2007	10:03:07	0.019	-0.004	-4
5/30/2007	10:18:07	0.018	-0.005	-5
5/30/2007	10:33:07	0.017	-0.006	-6
5/30/2007	10:48:07	0.017	-0.006	-6
5/30/2007	11:03:07	0.018	-0.005	-5
5/30/2007	11:18:07	0.02	-0.003	-3
5/30/2007	11:33:07	0.02	-0.003	-3
5/30/2007	11:48:07	0.02	-0.003	-3
5/30/2007	12:03:07	0.016	-0.007	-7
5/30/2007	12:18:07	0.018	-0.005	-5
5/30/2007	12:33:07	0.015	-0.008	-8
5/30/2007	12:48:07	0.015	-0.008	-8
5/30/2007	13:03:07	0.016	-0.007	-7
5/30/2007	13:18:07	0.017	-0.006	-6
5/30/2007	13:33:07	0.016	-0.007	-7
5/30/2007	13:48:07	0.016	-0.007	-7
5/30/2007	14:03:07	0.018	-0.005	-5
5/30/2007	14:18:07	0.017	-0.006	-6
5/30/2007	14:33:07	0.017	-0.006	-6
5/30/2007	14:48:07	0.02	-0.003	-3
5/30/2007	15:03:07	0.019	-0.004	-4
5/30/2007	15:18:07	0.017	-0.006	-6
5/30/2007	15:33:07	0.019	-0.004	-4
5/30/2007	15:48:07	0.022	-0.001	-1
5/30/2007	16:03:07	0.022	-0.001	-1
5/30/2007	16:18:07	0.023	0	0
5/30/2007	16:33:07	0.023	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/30/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/30/2007 6:45	0		0
2	5/30/2007 7:00	0		0
3	5/30/2007 7:15	0		0
4	5/30/2007 7:30	0		0
5	5/30/2007 7:45	0		0
6	5/30/2007 8:00	0		0
7	5/30/2007 8:15	0		0
8	5/30/2007 8:30	0		0
9	5/30/2007 8:45	0.1		0.1
10	5/30/2007 9:00	0.1		0.1
11	5/30/2007 9:15	0.1		0.1
12	5/30/2007 9:30	0.1		0.1
13	5/30/2007 9:45	0.1		0.1
14	5/30/2007 10:00	0.1		0.1
15	5/30/2007 10:15	0.1		0.1
16	5/30/2007 10:30	0.1		0.1
17	5/30/2007 10:45	0.1		0.1
18	5/30/2007 11:00	0.1		0.1
19	5/30/2007 11:15	0.2		0.2
20	5/30/2007 11:30	0.1		0.1
21	5/30/2007 11:45	0.1		0.1
22	5/30/2007 12:00	0.2		0.2
23	5/30/2007 12:15	0.2		0.2
24	5/30/2007 12:30	0.2		0.2
25	5/30/2007 12:45	0.2		0.2
26	5/30/2007 13:00	0.2		0.2
27	5/30/2007 13:15	0.2		0.2
28	5/30/2007 13:30	0.2		0.2
29	5/30/2007 13:45	0.2		0.2
30	5/30/2007 14:00	0.2		0.2
31	5/30/2007 14:15	0.2		0.2
32	5/30/2007 14:30	0.2		0.2
33	5/30/2007 14:45	0.2		0.2
34	5/30/2007 15:00	0.2		0.2
35	5/30/2007 15:15	0.2		0.2
36	5/30/2007 15:30	0.2		0.2
37	5/30/2007 15:45	0.2		0.2
38	5/30/2007 16:00	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	5/30/2007
Start Time:	6:20:18
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0626) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/30/2007	6:35:18	0.037	-0.005	-5
5/30/2007	6:50:18	0.037	-0.005	-5
5/30/2007	7:05:18	0.034	-0.008	-8
5/30/2007	7:20:18	0.048	0.006	6
5/30/2007	7:35:18	0.051	0.009	9
5/30/2007	7:50:18	0.057	0.015	15
5/30/2007	8:05:18	0.051	0.009	9
5/30/2007	8:20:18	0.058	0.016	16
5/30/2007	8:35:18	0.06	0.018	18
5/30/2007	8:50:18	0.034	-0.008	-8
5/30/2007	9:05:18	0.025	-0.017	-17
5/30/2007	9:20:18	0.027	-0.015	-15
5/30/2007	9:35:18	0.017	-0.025	-25
5/30/2007	9:50:18	0.026	-0.016	-16
5/30/2007	10:05:18	0.011	-0.031	-31
5/30/2007	10:20:18	0.021	-0.021	-21
5/30/2007	10:35:18	0.019	-0.023	-23
5/30/2007	10:50:18	0.01	-0.032	-32
5/30/2007	11:05:18	0.013	-0.029	-29
5/30/2007	11:20:18	0.013	-0.029	-29
5/30/2007	11:35:18	0.019	-0.023	-23
5/30/2007	11:50:18	0.012	-0.03	-30
5/30/2007	12:05:18	0.017	-0.025	-25
5/30/2007	12:20:18	0.009	-0.033	-33
5/30/2007	12:35:18	0.009	-0.033	-33
5/30/2007	12:50:18	0.009	-0.033	-33
5/30/2007	13:05:18	0.009	-0.033	-33
5/30/2007	13:20:34	0.013	-0.029	-29
5/30/2007	13:35:34	0.009	-0.033	-33
5/30/2007	13:50:34	0.012	-0.03	-30
5/30/2007	14:05:34	0.011	-0.031	-31
5/30/2007	14:20:34	0.013	-0.029	-29
5/30/2007	14:35:34	0.01	-0.032	-32
5/30/2007	14:50:34	0.008	-0.034	-34
5/30/2007	15:05:34	0.009	-0.033	-33
5/30/2007	15:20:34	0.007	-0.035	-35
5/30/2007	15:35:34	0.013	-0.029	-29
5/30/2007	15:50:34	0.008	-0.034	-34
5/30/2007	16:05:34	0.006	-0.036	-36
5/30/2007	16:20:34	0.018	-0.024	-24
5/30/2007	16:35:34	0.007	-0.035	-35

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/30/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/30/2007 6:54	0		0
2	5/30/2007 7:09	0		0
3	5/30/2007 7:24	0		0
4	5/30/2007 7:39	0		0
5	5/30/2007 7:54	0		0
6	5/30/2007 8:09	0		0
7	5/30/2007 8:24	0		0
8	5/30/2007 8:39	0		0
9	5/30/2007 8:54	0		0
10	5/30/2007 9:09	0		0
11	5/30/2007 9:24	0		0
12	5/30/2007 9:39	0		0
13	5/30/2007 9:54	0		0
14	5/30/2007 10:09	0		0
15	5/30/2007 10:24	0.1		0.1
16	5/30/2007 10:39	0.1		0.1
17	5/30/2007 10:54	0.1		0.1
18	5/30/2007 11:09	0.1		0.1
19	5/30/2007 11:24	0.1		0.1
20	5/30/2007 11:39	0.1		0.1
21	5/30/2007 11:54	0.1		0.1
22	5/30/2007 12:09	0.1		0.1
23	5/30/2007 12:24	0.1		0.1
24	5/30/2007 12:39	0.1		0.1
25	5/30/2007 12:54	0.1		0.1
26	5/30/2007 13:09	0.1		0.1
27	5/30/2007 13:24	0.1		0.1
28	5/30/2007 13:39	0		0
29	5/30/2007 13:54	0.1		0.1
30	5/30/2007 14:09	0.1		0.1
31	5/30/2007 14:24	0.1		0.1
32	5/30/2007 14:39	0.1		0.1
33	5/30/2007 14:54	0.1		0.1
34	5/30/2007 15:09	0.1		0.1
35	5/30/2007 15:24	0.1		0.1
36	5/30/2007 15:39	0.1		0.1
37	5/30/2007 15:54	0		0
38	5/30/2007 16:09	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	5/30/2007
Start Time:	6:41:45
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0636) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/30/2007	6:56:45	0.029	-0.001	-1
5/30/2007	7:11:45	0.03	0	0
5/30/2007	7:26:45	0.032	0.002	2
5/30/2007	7:41:45	0.029	-0.001	-1
5/30/2007	7:56:45	0.027	-0.003	-3
5/30/2007	8:11:45	0.029	-0.001	-1
5/30/2007	8:26:45	0.044	0.014	14
5/30/2007	8:41:45	0.022	-0.008	-8
5/30/2007	8:56:45	0.024	-0.006	-6
5/30/2007	9:11:45	0.015	-0.015	-15
5/30/2007	9:26:45	0.017	-0.013	-13
5/30/2007	9:41:45	0.013	-0.017	-17
5/30/2007	9:56:45	0.017	-0.013	-13
5/30/2007	10:11:45	0.019	-0.011	-11
5/30/2007	10:26:45	0.016	-0.014	-14
5/30/2007	10:41:45	0.014	-0.016	-16
5/30/2007	10:56:45	0.018	-0.012	-12
5/30/2007	11:11:45	0.019	-0.011	-11
5/30/2007	11:26:45	0.018	-0.012	-12
5/30/2007	11:41:45	0.016	-0.014	-14
5/30/2007	11:56:45	0.015	-0.015	-15
5/30/2007	12:11:45	0.013	-0.017	-17
5/30/2007	12:26:45	0.01	-0.02	-20
5/30/2007	12:41:45	0.01	-0.02	-20
5/30/2007	12:56:45	0.012	-0.018	-18
5/30/2007	13:11:45	0.013	-0.017	-17
5/30/2007	13:26:45	0.016	-0.014	-14
5/30/2007	13:41:45	0.039	0.009	9
5/30/2007	13:56:45	0.021	-0.009	-9
5/30/2007	14:11:45	0.015	-0.015	-15
5/30/2007	14:26:45	0.014	-0.016	-16
5/30/2007	14:41:45	0.013	-0.017	-17
5/30/2007	14:56:45	0.017	-0.013	-13
5/30/2007	15:11:45	0.014	-0.016	-16
5/30/2007	15:26:45	0.016	-0.014	-14
5/30/2007	15:41:45	0.02	-0.01	-10
5/30/2007	15:56:45	0.019	-0.011	-11
5/30/2007	16:11:45	0.019	-0.011	-11
5/30/2007	16:26:45	0.022	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 05/31/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/31/2007 6:05	0.1		-0.1
2	5/31/2007 6:20	0.1		-0.1
3	5/31/2007 6:35	0.1		-0.1
4	5/31/2007 6:50	0.1		-0.1
5	5/31/2007 7:05	0.1		-0.1
6	5/31/2007 7:20	0.1		-0.1
7	5/31/2007 7:35	0.1		-0.1
8	5/31/2007 7:50	0.1		-0.1
9	5/31/2007 8:05	0.1		-0.1
10	5/31/2007 8:20	0.1		-0.1
11	5/31/2007 8:35	0.1		-0.1
12	5/31/2007 8:50	0		-0.2
13	5/31/2007 9:05	0		-0.2
14	5/31/2007 9:20	0		-0.2
15	5/31/2007 9:35	0		-0.2
16	5/31/2007 9:50	0		-0.2
17	5/31/2007 10:05	0		-0.2
18	5/31/2007 10:20	0		-0.2
19	5/31/2007 10:35	0		-0.2
20	5/31/2007 10:50	0		-0.2
21	5/31/2007 11:05	0		-0.2
22	5/31/2007 11:20	0		-0.2
23	5/31/2007 11:35	0		-0.2
24	5/31/2007 11:50	0		-0.2
25	5/31/2007 12:05	0		-0.2
26	5/31/2007 12:20	0		-0.2
27	5/31/2007 12:35	0		-0.2
28	5/31/2007 12:50	0		-0.2
29	5/31/2007 13:05	0		-0.2
30	5/31/2007 13:20	0		-0.2
31	5/31/2007 13:35	0		-0.2
32	5/31/2007 13:50	0		-0.2
33	5/31/2007 14:05	0		-0.2
34	5/31/2007 14:20	0		-0.2
35	5/31/2007 14:35	0		-0.2
36	5/31/2007 14:50	0		-0.2
37	5/31/2007 15:05	0		-0.2
38	5/31/2007 15:20	0		-0.2
39	5/31/2007 15:35	0		-0.2
40	5/31/2007 15:50	0		-0.2
41	5/31/2007 16:05	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	5/31/2007
Start Time:	5:54:45
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0550) = 0.069 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/31/2007	6:09:45	0.064	-0.005	-5
5/31/2007	6:24:45	0.113	0.044	44
5/31/2007	6:39:45	0.061	-0.008	-8
5/31/2007	6:54:45	0.062	-0.007	-7
5/31/2007	7:09:45	0.063	-0.006	-6
5/31/2007	7:24:45	0.065	-0.004	-4
5/31/2007	7:39:45	0.068	-0.001	-1
5/31/2007	7:54:45	0.065	-0.004	-4
5/31/2007	8:09:45	0.053	-0.016	-16
5/31/2007	8:24:45	0.05	-0.019	-19
5/31/2007	8:39:45	0.047	-0.022	-22
5/31/2007	8:54:45	0.045	-0.024	-24
5/31/2007	9:09:45	0.042	-0.027	-27
5/31/2007	9:24:45	0.038	-0.031	-31
5/31/2007	9:39:45	0.043	-0.026	-26
5/31/2007	9:54:45	0.039	-0.03	-30
5/31/2007	10:09:45	0.039	-0.03	-30
5/31/2007	10:24:45	0.038	-0.031	-31
5/31/2007	10:39:45	0.035	-0.034	-34
5/31/2007	10:54:45	0.037	-0.032	-32
5/31/2007	11:09:45	0.033	-0.036	-36
5/31/2007	11:24:45	0.033	-0.036	-36
5/31/2007	11:39:45	0.035	-0.034	-34
5/31/2007	11:54:45	0.029	-0.04	-40
5/31/2007	12:09:45	0.03	-0.039	-39
5/31/2007	12:24:45	0.029	-0.04	-40
5/31/2007	12:39:45	0.033	-0.036	-36
5/31/2007	12:54:45	0.031	-0.038	-38
5/31/2007	13:09:45	0.062	-0.007	-7
5/31/2007	13:24:45	0.029	-0.04	-40
5/31/2007	13:39:45	0.031	-0.038	-38
5/31/2007	13:54:45	0.035	-0.034	-34
5/31/2007	14:09:45	0.033	-0.036	-36
5/31/2007	14:24:45	0.035	-0.034	-34
5/31/2007	14:39:45	0.035	-0.034	-34
5/31/2007	14:54:45	0.038	-0.031	-31
5/31/2007	15:09:45	0.046	-0.023	-23
5/31/2007	15:24:45	0.056	-0.013	-13
5/31/2007	15:39:45	0.054	-0.015	-15
5/31/2007	15:54:45	0.052	-0.017	-17
5/31/2007	16:09:45	0.052	-0.017	-17
5/31/2007	16:24:45	0.048	-0.021	-21

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/31/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/31/2007 6:28	0		0
2	5/31/2007 6:43	0		0
3	5/31/2007 6:58	0		0
4	5/31/2007 7:13	0.1		0.1
5	5/31/2007 7:28	0.2		0.2
6	5/31/2007 7:43	0.3		0.3
7	5/31/2007 7:58	0.3		0.3
8	5/31/2007 8:13	0.4		0.4
9	5/31/2007 8:28	0.4		0.4
10	5/31/2007 8:43	0.4		0.4
11	5/31/2007 8:58	0.4		0.4
12	5/31/2007 9:13	0.5		0.5
13	5/31/2007 9:28	0.5		0.5
14	5/31/2007 9:43	0.6		0.6
15	5/31/2007 9:58	0.6		0.6
16	5/31/2007 10:13	0.7		0.7
17	5/31/2007 10:28	0.7		0.7
18	5/31/2007 10:43	0.7		0.7
1	5/31/2007 11:13	0		0
2	5/31/2007 11:28	0		0
3	5/31/2007 11:43	0.1		0.1
4	5/31/2007 11:58	0.1		0.1
5	5/31/2007 12:13	0.1		0.1
6	5/31/2007 12:28	0.1		0.1
7	5/31/2007 12:43	0.1		0.1
8	5/31/2007 12:58	0.1		0.1
9	5/31/2007 13:13	0.1		0.1
10	5/31/2007 13:28	0.1		0.1
11	5/31/2007 13:43	0.1		0.1
12	5/31/2007 13:58	0.1		0.1
13	5/31/2007 14:13	0.1		0.1
14	5/31/2007 14:28	0.1		0.1
15	5/31/2007 14:43	0		0
16	5/31/2007 14:58	0		0
17	5/31/2007 15:13	0		0
18	5/31/2007 15:28	0		0
19	5/31/2007 15:43	0		0
20	5/31/2007 15:58	0		0
21	5/31/2007 16:13	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	5/31/2007
Start Time:	6:21:16
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0615) = 0.034 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/31/2007	6:36:16	0.035	0.001	1
5/31/2007	6:51:16	0.036	0.002	2
5/31/2007	7:06:16	0.037	0.003	3
5/31/2007	7:21:16	0.039	0.005	5
5/31/2007	7:36:16	0.042	0.008	8
5/31/2007	7:51:16	0.043	0.009	9
5/31/2007	8:06:16	0.037	0.003	3
5/31/2007	8:21:16	0.034	0	0
5/31/2007	8:36:16	0.031	-0.003	-3
5/31/2007	8:51:16	0.031	-0.003	-3
5/31/2007	9:06:16	0.03	-0.004	-4
5/31/2007	9:21:16	0.026	-0.008	-8
5/31/2007	9:36:16	0.029	-0.005	-5
5/31/2007	9:51:16	0.026	-0.008	-8
5/31/2007	10:06:16	0.029	-0.005	-5
5/31/2007	10:21:16	0.028	-0.006	-6
5/31/2007	10:36:16	0.026	-0.008	-8
5/31/2007	10:51:16	0.028	-0.006	-6
5/31/2007	11:06:16	0.025	-0.009	-9
5/31/2007	11:21:16	0.023	-0.011	-11
5/31/2007	11:36:16	0.024	-0.01	-10
5/31/2007	11:51:16	0.024	-0.01	-10
5/31/2007	12:06:16	0.022	-0.012	-12
5/31/2007	12:21:16	0.022	-0.012	-12
5/31/2007	12:36:16	0.024	-0.01	-10
5/31/2007	12:51:16	0.023	-0.011	-11
5/31/2007	13:06:16	0.022	-0.012	-12
5/31/2007	13:21:16	0.021	-0.013	-13
5/31/2007	13:36:16	0.022	-0.012	-12
5/31/2007	13:51:16	0.026	-0.008	-8
5/31/2007	14:06:16	0.029	-0.005	-5
5/31/2007	14:21:16	0.028	-0.006	-6
5/31/2007	14:36:16	0.026	-0.008	-8
5/31/2007	14:51:16	0.031	-0.003	-3
5/31/2007	15:06:16	0.031	-0.003	-3
5/31/2007	15:21:16	0.038	0.004	4
5/31/2007	15:36:16	0.039	0.005	5
5/31/2007	15:51:16	0.039	0.005	5
5/31/2007	16:06:16	0.038	0.004	4
5/31/2007	16:21:16	0.036	0.002	2
5/31/2007	16:36:16	0.033	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/31/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/31/2007 6:51	0		0
2	5/31/2007 7:06	0		0
3	5/31/2007 7:21	0		0
4	5/31/2007 7:36	0		0
5	5/31/2007 7:51	0		0
6	5/31/2007 8:06	0		0
7	5/31/2007 8:21	0		0
8	5/31/2007 8:36	0		0
9	5/31/2007 8:51	0		0
10	5/31/2007 9:06	0.1		0.1
11	5/31/2007 9:21	0.1		0.1
12	5/31/2007 9:36	0.1		0.1
13	5/31/2007 9:51	0.1		0.1
14	5/31/2007 10:06	0.1		0.1
15	5/31/2007 10:21	0.1		0.1
16	5/31/2007 10:36	0.1		0.1
17	5/31/2007 10:51	0.1		0.1
18	5/31/2007 11:06	0.2		0.2
19	5/31/2007 11:21	0.2		0.2
20	5/31/2007 11:36	0.2		0.2
21	5/31/2007 11:51	0.2		0.2
22	5/31/2007 12:06	0.2		0.2
23	5/31/2007 12:21	0.2		0.2
24	5/31/2007 12:36	0.2		0.2
25	5/31/2007 12:51	0.2		0.2
26	5/31/2007 13:06	0.2		0.2
27	5/31/2007 13:21	0.2		0.2
28	5/31/2007 13:36	0.2		0.2
29	5/31/2007 13:51	0.2		0.2
30	5/31/2007 14:06	0.2		0.2
31	5/31/2007 14:21	0.2		0.2
32	5/31/2007 14:36	0.2		0.2
33	5/31/2007 14:51	0.2		0.2
34	5/31/2007 15:06	0.2		0.2
35	5/31/2007 15:21	0.2		0.2
36	5/31/2007 15:36	0.1		0.1
37	5/31/2007 15:51	0.1		0.1
38	5/31/2007 16:06	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	5/31/2007
Start Time:	6:26:00
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0633) = 0.064 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
5/31/2007	6:41:00	0.029	-0.035	-35
5/31/2007	6:56:00	0.035	-0.029	-29
5/31/2007	7:11:00	0.039	-0.025	-25
5/31/2007	7:26:00	0.038	-0.026	-26
5/31/2007	7:41:00	0.041	-0.023	-23
5/31/2007	7:56:00	0.043	-0.021	-21
5/31/2007	8:11:00	0.041	-0.023	-23
5/31/2007	8:26:00	0.043	-0.021	-21
5/31/2007	8:41:00	0.05	-0.014	-14
5/31/2007	8:56:00	0.053	-0.011	-11
5/31/2007	9:11:00	0.058	-0.006	-6
5/31/2007	9:26:00	0.058	-0.006	-6
5/31/2007	9:41:00	0.06	-0.004	-4
5/31/2007	9:56:00	0.064	0	0
5/31/2007	10:11:00	0.065	0.001	1
5/31/2007	10:26:00	0.069	0.005	5
5/31/2007	10:41:00	0.07	0.006	6
5/31/2007	10:56:00	0.076	0.012	12
5/31/2007	11:11:00	0.083	0.019	19
5/31/2007	11:26:00	0.07	0.006	6
5/31/2007	11:41:00	0.063	-0.001	-1
5/31/2007	11:56:00	0.073	0.009	9
5/31/2007	12:11:00	0.075	0.011	11
5/31/2007	12:26:00	0.078	0.014	14
5/31/2007	12:41:00	0.079	0.015	15
5/31/2007	12:56:00	0.084	0.02	20
5/31/2007	13:11:00	0.089	0.025	25
5/31/2007	13:26:00	0.086	0.022	22
5/31/2007	13:41:00	0.086	0.022	22
5/31/2007	13:56:00	0.079	0.015	15
5/31/2007	14:11:00	0.075	0.011	11
5/31/2007	14:26:00	0.079	0.015	15
5/31/2007	14:41:00	0.067	0.003	3
5/31/2007	14:56:00	0.075	0.011	11
5/31/2007	15:11:00	0.078	0.014	14
5/31/2007	15:26:00	0.084	0.02	20
5/31/2007	15:41:00	0.078	0.014	14
5/31/2007	15:56:00	0.071	0.007	7
5/31/2007	16:11:00	0.065	0.001	1
5/31/2007	16:26:00	0.061	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/31/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	5/31/2007 6:49	0		0
2	5/31/2007 7:04	0		0
3	5/31/2007 7:19	0		0
4	5/31/2007 7:34	0		0
5	5/31/2007 7:49	0		0
6	5/31/2007 8:04	0		0
7	5/31/2007 8:19	0		0
8	5/31/2007 8:34	0		0
9	5/31/2007 8:49	0		0
10	5/31/2007 9:04	0		0
11	5/31/2007 9:19	0		0
12	5/31/2007 9:34	0		0
13	5/31/2007 9:49	0		0
14	5/31/2007 10:04	0		0
15	5/31/2007 10:19	0.1		0.1
16	5/31/2007 10:34	0		0
17	5/31/2007 10:49	0.1		0.1
18	5/31/2007 11:04	0.3		0.3
19	5/31/2007 11:19	0.2		0.2
20	5/31/2007 11:34	0.1		0.1
21	5/31/2007 11:49	0.2		0.2
22	5/31/2007 12:04	0.1		0.1
23	5/31/2007 12:19	0.2		0.2
24	5/31/2007 12:34	0.1		0.1
25	5/31/2007 12:49	0.1		0.1
26	5/31/2007 13:04	0.1		0.1
27	5/31/2007 13:19	0.1		0.1
28	5/31/2007 13:34	0.1		0.1
29	5/31/2007 13:49	0		0
30	5/31/2007 14:04	0		0
31	5/31/2007 14:19	0		0
32	5/31/2007 14:34	0		0
33	5/31/2007 14:49	0		0
34	5/31/2007 15:04	0		0
35	5/31/2007 15:19	0		0
36	5/31/2007 15:34	0		0
37	5/31/2007 15:49	0		0
38	5/31/2007 16:04	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	5/31/2007
Start Time:	6:34:51
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (0636) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
5/31/2007	6:49:51	0.049	0.019	19
5/31/2007	7:04:51	0.055	0.025	25
5/31/2007	7:19:51	0.055	0.025	25
5/31/2007	7:34:51	0.064	0.034	34
5/31/2007	7:49:51	0.056	0.026	26
5/31/2007	8:04:51	0.052	0.022	22
5/31/2007	8:19:51	0.044	0.014	14
5/31/2007	8:34:51	0.043	0.013	13
5/31/2007	8:49:51	0.036	0.006	6
5/31/2007	9:04:51	0.034	0.004	4
5/31/2007	9:19:51	0.032	0.002	2
5/31/2007	9:34:51	0.028	-0.002	-2
5/31/2007	9:49:51	0.027	-0.003	-3
5/31/2007	10:04:51	0.052	0.022	22
5/31/2007	10:19:51	0.031	0.001	1
5/31/2007	10:34:51	0.028	-0.002	-2
5/31/2007	10:49:51	0.026	-0.004	-4
5/31/2007	11:04:51	0.031	0.001	1
5/31/2007	11:19:51	0.025	-0.005	-5
5/31/2007	11:34:51	0.025	-0.005	-5
5/31/2007	11:49:51	0.034	0.004	4
5/31/2007	12:04:51	0.031	0.001	1
5/31/2007	12:19:51	0.02	-0.01	-10
5/31/2007	12:34:51	0.027	-0.003	-3
5/31/2007	12:49:51	0.025	-0.005	-5
5/31/2007	13:04:51	0.02	-0.01	-10
5/31/2007	13:19:51	0.025	-0.005	-5
5/31/2007	13:34:51	0.022	-0.008	-8
5/31/2007	13:49:51	0.026	-0.004	-4
5/31/2007	14:04:51	0.025	-0.005	-5
5/31/2007	14:19:51	0.027	-0.003	-3
5/31/2007	14:34:51	0.027	-0.003	-3
5/31/2007	14:49:51	0.036	0.006	6
5/31/2007	15:04:51	0.033	0.003	3
5/31/2007	15:19:51	0.043	0.013	13
5/31/2007	15:34:51	0.042	0.012	12
5/31/2007	15:49:51	0.043	0.013	13
5/31/2007	16:04:51	0.04	0.01	10
5/31/2007	16:19:51	0.037	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/01/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/1/2007 6:20	0		0
2	6/1/2007 6:35	0		0
3	6/1/2007 6:50	0		0
4	6/1/2007 7:05	0.1		0.1
5	6/1/2007 7:20	0.1		0.1
6	6/1/2007 7:35	0.1		0.1
7	6/1/2007 7:50	0.1		0.1
8	6/1/2007 8:05	0.1		0.1
9	6/1/2007 8:20	0.1		0.1
10	6/1/2007 8:35	0.1		0.1
11	6/1/2007 8:50	0.1		0.1
12	6/1/2007 9:05	0		0
13	6/1/2007 9:20	0		0
14	6/1/2007 9:35	0		0
15	6/1/2007 9:50	0		0
16	6/1/2007 10:05	0		0
17	6/1/2007 10:20	0		0
18	6/1/2007 10:35	0		0
19	6/1/2007 10:50	0		0
20	6/1/2007 11:05	0		0
21	6/1/2007 11:20	0		0
22	6/1/2007 11:35	0		0
23	6/1/2007 11:50	0		0
24	6/1/2007 12:05	0		0
25	6/1/2007 12:20	0		0
26	6/1/2007 12:35	0		0
27	6/1/2007 12:50	0		0
28	6/1/2007 13:05	0		0
29	6/1/2007 13:20	0		0
30	6/1/2007 13:35	0		0
31	6/1/2007 13:50	0		0
32	6/1/2007 14:05	0		0
33	6/1/2007 14:20	0		0
34	6/1/2007 14:35	0		0
35	6/1/2007 14:50	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/1/2007
Start Time:	6:12:38
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0607) = 0.142 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/1/2007	6:27:38	0.131	-0.011	-11
6/1/2007	6:42:38	0.112	-0.03	-30
6/1/2007	6:57:38	0.111	-0.031	-31
6/1/2007	7:12:38	0.114	-0.028	-28
6/1/2007	7:27:38	0.11	-0.032	-32
6/1/2007	7:42:38	0.11	-0.032	-32
6/1/2007	7:57:38	0.107	-0.035	-35
6/1/2007	8:12:38	0.111	-0.031	-31
6/1/2007	8:27:38	0.114	-0.028	-28
6/1/2007	8:42:38	0.113	-0.029	-29
6/1/2007	8:57:38	0.101	-0.041	-41
6/1/2007	9:12:38	0.085	-0.057	-57
6/1/2007	9:27:38	0.068	-0.074	-74
6/1/2007	9:42:38	0.071	-0.071	-71
6/1/2007	9:57:38	0.084	-0.058	-58
6/1/2007	10:12:38	0.076	-0.066	-66
6/1/2007	10:27:38	0.079	-0.063	-63
6/1/2007	10:42:38	0.076	-0.066	-66
6/1/2007	10:57:38	0.073	-0.069	-69
6/1/2007	11:12:38	0.073	-0.069	-69
6/1/2007	11:27:38	0.069	-0.073	-73
6/1/2007	11:42:38	0.071	-0.071	-71
6/1/2007	11:57:38	0.072	-0.07	-70
6/1/2007	12:12:38	0.104	-0.038	-38
6/1/2007	12:27:38	0.076	-0.066	-66
6/1/2007	12:42:38	0.075	-0.067	-67
6/1/2007	12:57:38	0.074	-0.068	-68
6/1/2007	13:12:38	0.073	-0.069	-69
6/1/2007	13:27:38	0.073	-0.069	-69
6/1/2007	13:42:38	0.075	-0.067	-67
6/1/2007	13:57:38	0.074	-0.068	-68
6/1/2007	14:12:38	0.085	-0.057	-57
6/1/2007	14:27:38	0.085	-0.057	-57
6/1/2007	14:42:38	0.086	-0.056	-56
6/1/2007	14:57:38	0.093	-0.049	-49
6/1/2007	15:12:38	0.095	-0.047	-47

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/01/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/1/2007 6:31	0		0
2	6/1/2007 6:46	0		0
3	6/1/2007 7:01	0		0
4	6/1/2007 7:16	0		0
5	6/1/2007 7:31	0		0
6	6/1/2007 7:46	0		0
7	6/1/2007 8:01	0		0
8	6/1/2007 8:16	0		0
9	6/1/2007 8:31	0		0
10	6/1/2007 8:46	0		0
11	6/1/2007 9:01	0		0
12	6/1/2007 9:16	0		0
13	6/1/2007 9:31	0		0
14	6/1/2007 9:46	0		0
15	6/1/2007 10:01	0		0
16	6/1/2007 10:16	0		0
17	6/1/2007 10:31	0		0
18	6/1/2007 10:46	0		0
19	6/1/2007 11:01	0		0
20	6/1/2007 11:16	0		0
21	6/1/2007 11:31	0		0
22	6/1/2007 11:46	0		0
23	6/1/2007 12:01	0		0
24	6/1/2007 12:16	0		0
25	6/1/2007 12:31	0		0
26	6/1/2007 12:46	0		0
27	6/1/2007 13:01	0		0
28	6/1/2007 13:16	0		0
29	6/1/2007 13:31	0		0
30	6/1/2007 13:46	0		0
31	6/1/2007 14:01	0		0
32	6/1/2007 14:16	0		0
33	6/1/2007 14:31	0		0
34	6/1/2007 14:46	0		0
35	6/1/2007 15:01	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	6/1/2007
Start Time:	6:20:15
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.074 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/1/2007	6:35:15	0.069	-0.005	-5
6/1/2007	6:50:15	0.061	-0.013	-13
6/1/2007	7:05:15	0.062	-0.012	-12
6/1/2007	7:20:15	0.063	-0.011	-11
6/1/2007	7:35:15	0.062	-0.012	-12
6/1/2007	7:50:15	0.062	-0.012	-12
6/1/2007	8:05:15	0.061	-0.013	-13
6/1/2007	8:20:15	0.068	-0.006	-6
6/1/2007	8:35:15	0.07	-0.004	-4
6/1/2007	8:50:15	0.073	-0.001	-1
6/1/2007	9:05:15	0.059	-0.015	-15
6/1/2007	9:20:15	0.051	-0.023	-23
6/1/2007	9:35:15	0.044	-0.03	-30
6/1/2007	9:50:15	0.048	-0.026	-26
6/1/2007	10:05:15	0.051	-0.023	-23
6/1/2007	10:20:15	0.052	-0.022	-22
6/1/2007	10:35:15	0.052	-0.022	-22
6/1/2007	10:50:15	0.051	-0.023	-23
6/1/2007	11:05:15	0.05	-0.024	-24
6/1/2007	11:20:15	0.049	-0.025	-25
6/1/2007	11:35:15	0.05	-0.024	-24
6/1/2007	11:50:15	0.05	-0.024	-24
6/1/2007	12:05:15	0.05	-0.024	-24
6/1/2007	12:20:15	0.056	-0.018	-18
6/1/2007	12:35:15	0.052	-0.022	-22
6/1/2007	12:50:15	0.052	-0.022	-22
6/1/2007	13:05:15	0.052	-0.022	-22
6/1/2007	13:20:15	0.054	-0.02	-20
6/1/2007	13:35:15	0.053	-0.021	-21
6/1/2007	13:50:15	0.052	-0.022	-22
6/1/2007	14:05:15	0.053	-0.021	-21
6/1/2007	14:20:15	0.056	-0.018	-18
6/1/2007	14:35:15	0.06	-0.014	-14
6/1/2007	14:50:15	0.062	-0.012	-12
6/1/2007	15:05:15	0.066	-0.008	-8
6/1/2007	15:20:15	0.065	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/01/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/1/2007 6:51	0		0
2	6/1/2007 7:06	0		0
3	6/1/2007 7:21	0		0
4	6/1/2007 7:36	0		0
5	6/1/2007 7:51	0		0
6	6/1/2007 8:06	0		0
7	6/1/2007 8:21	0		0
8	6/1/2007 8:36	0		0
9	6/1/2007 8:51	0		0
10	6/1/2007 9:06	0		0
11	6/1/2007 9:21	0		0
12	6/1/2007 9:36	0		0
13	6/1/2007 9:51	0		0
14	6/1/2007 10:06	0		0
15	6/1/2007 10:21	0		0
16	6/1/2007 10:36	0		0
17	6/1/2007 10:51	0		0
18	6/1/2007 11:06	0		0
19	6/1/2007 11:21	0		0
20	6/1/2007 11:36	0		0
21	6/1/2007 11:51	0		0
22	6/1/2007 12:06	0		0
23	6/1/2007 12:21	0		0
24	6/1/2007 12:36	0		0
25	6/1/2007 12:51	0		0
26	6/1/2007 13:06	0		0
27	6/1/2007 13:21	0.1		0.1
28	6/1/2007 13:36	0		0
29	6/1/2007 13:51	0.1		0.1
30	6/1/2007 14:06	0.1		0.1
31	6/1/2007 14:21	0.1		0.1
32	6/1/2007 14:36	0.1		0.1
33	6/1/2007 14:51	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	6/1/2007
Start Time:	6:39:25
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0632) = 0.098 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/1/2007	6:54:25	0.094	-0.004	-4
6/1/2007	7:09:25	0.103	0.005	5
6/1/2007	7:24:25	0.093	-0.005	-5
6/1/2007	7:39:25	0.091	-0.007	-7
6/1/2007	7:54:25	0.096	-0.002	-2
6/1/2007	8:09:25	0.1	0.002	2
6/1/2007	8:24:25	0.106	0.008	8
6/1/2007	8:39:25	0.108	0.01	10
6/1/2007	8:54:25	0.104	0.006	6
6/1/2007	9:09:25	0.088	-0.01	-10
6/1/2007	9:24:25	0.073	-0.025	-25
6/1/2007	9:39:25	0.068	-0.03	-30
6/1/2007	9:54:25	0.072	-0.026	-26
6/1/2007	10:09:25	0.074	-0.024	-24
6/1/2007	10:24:25	0.078	-0.02	-20
6/1/2007	10:39:25	0.075	-0.023	-23
6/1/2007	10:54:25	0.074	-0.024	-24
6/1/2007	11:09:25	0.07	-0.028	-28
6/1/2007	11:24:25	0.071	-0.027	-27
6/1/2007	11:39:25	0.073	-0.025	-25
6/1/2007	11:54:25	0.071	-0.027	-27
6/1/2007	12:09:25	0.077	-0.021	-21
6/1/2007	12:24:25	0.074	-0.024	-24
6/1/2007	12:39:25	0.074	-0.024	-24
6/1/2007	12:54:25	0.073	-0.025	-25
6/1/2007	13:09:25	0.074	-0.024	-24
6/1/2007	13:24:25	0.073	-0.025	-25
6/1/2007	13:39:25	0.074	-0.024	-24
6/1/2007	13:54:25	0.075	-0.023	-23
6/1/2007	14:09:25	0.073	-0.025	-25
6/1/2007	14:24:25	0.092	-0.006	-6
6/1/2007	14:39:25	0.084	-0.014	-14
6/1/2007	14:54:25	0.089	-0.009	-9
6/1/2007	15:09:25	0.093	-0.005	-5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/01/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/1/2007 6:51	0		0
2	6/1/2007 7:06	0		0
3	6/1/2007 7:21	0		0
4	6/1/2007 7:36	0		0
5	6/1/2007 7:51	0		0
6	6/1/2007 8:06	0		0
7	6/1/2007 8:21	0		0
8	6/1/2007 8:36	0		0
9	6/1/2007 8:51	0		0
10	6/1/2007 9:06	0		0
11	6/1/2007 9:21	0		0
12	6/1/2007 9:36	0		0
13	6/1/2007 9:51	0		0
14	6/1/2007 10:06	0		0
15	6/1/2007 10:21	0		0
16	6/1/2007 10:36	0		0
17	6/1/2007 10:51	0		0
18	6/1/2007 11:06	0		0
19	6/1/2007 11:21	0		0
20	6/1/2007 11:36	0		0
21	6/1/2007 11:51	0		0
22	6/1/2007 12:06	0		0
23	6/1/2007 12:21	0		0
24	6/1/2007 12:36	0		0
25	6/1/2007 12:51	0		0
26	6/1/2007 13:06	0		0
27	6/1/2007 13:21	0		0
28	6/1/2007 13:36	0		0
29	6/1/2007 13:51	0		0
30	6/1/2007 14:06	0		0
31	6/1/2007 14:21	0		0
32	6/1/2007 14:36	0		0
33	6/1/2007 14:51	0		0
34	6/1/2007 15:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	6/1/2007
Start Time:	6:35:58
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.092 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/1/2007	6:50:58	0.091	-0.001	-1
6/1/2007	7:05:58	0.089	-0.003	-3
6/1/2007	7:20:58	0.084	-0.008	-8
6/1/2007	7:35:58	0.079	-0.013	-13
6/1/2007	7:50:58	0.077	-0.015	-15
6/1/2007	8:05:58	0.079	-0.013	-13
6/1/2007	8:20:58	0.084	-0.008	-8
6/1/2007	8:35:58	0.088	-0.004	-4
6/1/2007	8:50:58	0.087	-0.005	-5
6/1/2007	9:05:58	0.072	-0.02	-20
6/1/2007	9:20:58	0.06	-0.032	-32
6/1/2007	9:35:58	0.054	-0.038	-38
6/1/2007	9:50:58	0.057	-0.035	-35
6/1/2007	10:05:58	0.058	-0.034	-34
6/1/2007	10:20:58	0.069	-0.023	-23
6/1/2007	10:35:58	0.06	-0.032	-32
6/1/2007	10:50:58	0.06	-0.032	-32
6/1/2007	11:05:58	0.054	-0.038	-38
6/1/2007	11:20:58	0.054	-0.038	-38
6/1/2007	11:35:58	0.053	-0.039	-39
6/1/2007	11:50:58	0.056	-0.036	-36
6/1/2007	12:05:58	0.092	0	0
6/1/2007	12:20:58	0.056	-0.036	-36
6/1/2007	12:35:58	0.056	-0.036	-36
6/1/2007	12:50:58	0.055	-0.037	-37
6/1/2007	13:05:58	0.055	-0.037	-37
6/1/2007	13:20:58	0.053	-0.039	-39
6/1/2007	13:35:58	0.053	-0.039	-39
6/1/2007	13:50:58	0.055	-0.037	-37
6/1/2007	14:05:58	0.055	-0.037	-37
6/1/2007	14:20:58	0.06	-0.032	-32
6/1/2007	14:35:58	0.061	-0.031	-31
6/1/2007	14:50:58	0.064	-0.028	-28
6/1/2007	15:05:58	0.068	-0.024	-24
6/1/2007	15:20:58	0.067	-0.025	-25

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/04/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0549) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/4/2007 6:04	0		0
2	6/4/2007 6:19	0		0
3	6/4/2007 6:34	0		0
4	6/4/2007 6:49	0		0
5	6/4/2007 7:04	0		0
6	6/4/2007 7:19	0		0
7	6/4/2007 7:34	0		0
8	6/4/2007 7:49	0		0
9	6/4/2007 8:04	0		0
10	6/4/2007 8:19	0		0
11	6/4/2007 8:34	0		0
12	6/4/2007 8:49	0		0
13	6/4/2007 9:04	0		0
14	6/4/2007 9:19	0		0
15	6/4/2007 9:34	0		0
16	6/4/2007 9:49	0.1		0.1
17	6/4/2007 10:04	0.1		0.1
18	6/4/2007 10:19	0.1		0.1
19	6/4/2007 10:34	0.1		0.1
20	6/4/2007 10:49	0.1		0.1
21	6/4/2007 11:04	0.1		0.1
22	6/4/2007 11:19	0.1		0.1
23	6/4/2007 11:34	0.1		0.1
24	6/4/2007 11:49	0		0
25	6/4/2007 12:04	0		0
26	6/4/2007 12:19	0		0
27	6/4/2007 12:34	0		0
28	6/4/2007 12:49	0		0
29	6/4/2007 13:04	0		0
30	6/4/2007 13:19	0		0
31	6/4/2007 13:34	0		0
32	6/4/2007 13:49	0		0
33	6/4/2007 14:04	0		0
34	6/4/2007 14:19	0		0
35	6/4/2007 14:34	0		0
36	6/4/2007 14:49	0		0
37	6/4/2007 15:04	0		0
38	6/4/2007 15:19	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0:00:00
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/4/2007
Start Time:	5:54:35
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	

Background Reading (0549) = 0.020 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/4/2007	6:09:35	0.012	-0.008	-8
6/4/2007	6:24:35	0.01	-0.01	-10
6/4/2007	6:39:35	0.008	-0.012	-12
6/4/2007	6:54:35	0.009	-0.011	-11
6/4/2007	7:09:35	0.01	-0.01	-10
6/4/2007	7:24:35	0.011	-0.009	-9
6/4/2007	7:55:28	0.008	-0.012	-12
6/4/2007	8:10:28	0.007	-0.013	-13
6/4/2007	8:25:28	0.005	-0.015	-15
6/4/2007	8:40:28	0	-0.02	-20
6/4/2007	8:55:28	0.006	-0.014	-14
6/4/2007	9:10:28	0.008	-0.012	-12
6/4/2007	9:25:28	0.01	-0.01	-10
6/4/2007	9:40:28	0.011	-0.009	-9
6/4/2007	9:55:28	0.011	-0.009	-9
6/4/2007	10:10:28	0.011	-0.009	-9
6/4/2007	10:25:28	0.011	-0.009	-9
6/4/2007	10:40:28	0.01	-0.01	-10
6/4/2007	11:08:54	0.048	0.028	28
6/4/2007	11:23:54	0.075	0.055	55
6/4/2007	11:38:54	0.061	0.041	41
6/4/2007	11:53:54	0.007	-0.013	-13
6/4/2007	12:08:54	0.001	-0.019	-19
6/4/2007	12:23:54	0	-0.02	-20
6/4/2007	12:38:54	0.001	-0.019	-19
6/4/2007	12:53:54	0	-0.02	-20
6/4/2007	13:08:54	0	-0.02	-20
6/4/2007	13:23:54	0	-0.02	-20
6/4/2007	13:38:54	0	-0.02	-20
6/4/2007	13:53:54	0	-0.02	-20
6/4/2007	14:08:54	0	-0.02	-20
6/4/2007	14:23:54	0	-0.02	-20
6/4/2007	14:38:54	0	-0.02	-20
6/4/2007	14:53:54	0	-0.02	-20
6/4/2007	15:08:54	0	-0.02	-20
6/4/2007	15:23:54	0	-0.02	-20
6/4/2007	15:38:54	0	-0.02	-20

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/04/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/4/2007 6:36	0		0
2	6/4/2007 6:51	0		0
3	6/4/2007 7:06	0		0
4	6/4/2007 7:21	0		0
5	6/4/2007 7:36	0		0
6	6/4/2007 7:51	0		0
7	6/4/2007 8:06	0		0
8	6/4/2007 8:21	0		0
9	6/4/2007 8:36	0		0
10	6/4/2007 8:51	0		0
11	6/4/2007 9:06	0		0
12	6/4/2007 9:21	0		0
13	6/4/2007 9:36	0		0
14	6/4/2007 9:51	0		0
15	6/4/2007 10:06	0		0
16	6/4/2007 10:21	0		0
17	6/4/2007 10:36	0		0
18	6/4/2007 10:51	0		0
19	6/4/2007 11:06	0		0
20	6/4/2007 11:21	0		0
21	6/4/2007 11:36	0		0
22	6/4/2007 11:51	0		0
23	6/4/2007 12:06	0		0
24	6/4/2007 12:21	0		0
25	6/4/2007 12:36	0		0
26	6/4/2007 12:51	0		0
27	6/4/2007 13:06	0		0
28	6/4/2007 13:21	0		0
29	6/4/2007 13:36	0		0
30	6/4/2007 13:51	0		0
31	6/4/2007 14:06	0		0
32	6/4/2007 14:21	0		0
33	6/4/2007 14:36	0		0
34	6/4/2007 14:51	0		0
35	6/4/2007 15:06	0		0
36	6/4/2007 15:21	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/4/2007
Start Time:	6:25:53
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0619) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/4/2007	6:40:53	0.006	0.002	2
6/4/2007	6:55:53	0.004	0	0
6/4/2007	7:10:53	0.004	0	0
6/4/2007	7:25:53	0.003	-0.001	-1
6/4/2007	7:40:53	0.003	-0.001	-1
6/4/2007	7:55:53	0.002	-0.002	-2
6/4/2007	8:10:53	0.005	0.001	1
6/4/2007	8:25:53	0.003	-0.001	-1
6/4/2007	8:40:53	0.002	-0.002	-2
6/4/2007	8:55:53	0.002	-0.002	-2
6/4/2007	9:10:53	0.003	-0.001	-1
6/4/2007	9:25:53	0.004	0	0
6/4/2007	9:40:53	0.002	-0.002	-2
6/4/2007	9:55:53	0.003	-0.001	-1
6/4/2007	10:10:53	0.004	0	0
6/4/2007	10:25:53	0.003	-0.001	-1
6/4/2007	10:40:53	0.004	0	0
6/4/2007	10:55:53	0.004	0	0
6/4/2007	11:10:53	0.003	-0.001	-1
6/4/2007	11:25:53	0.003	-0.001	-1
6/4/2007	11:40:53	0.004	0	0
6/4/2007	11:55:53	0.004	0	0
6/4/2007	12:10:53	0.004	0	0
6/4/2007	12:25:53	0.003	-0.001	-1
6/4/2007	12:40:53	0.003	-0.001	-1
6/4/2007	12:55:53	0.003	-0.001	-1
6/4/2007	13:10:53	0.003	-0.001	-1
6/4/2007	13:25:53	0.003	-0.001	-1
6/4/2007	13:40:53	0.003	-0.001	-1
6/4/2007	13:55:53	0.006	0.002	2
6/4/2007	14:10:53	0.002	-0.002	-2
6/4/2007	14:25:53	0.003	-0.001	-1
6/4/2007	14:40:53	0.001	-0.003	-3
6/4/2007	14:55:53	0.002	-0.002	-2
6/4/2007	15:10:53	0.002	-0.002	-2
6/4/2007	15:25:53	0.002	-0.002	-2
6/4/2007	15:40:53	0.003	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 010549
User ID: 00000001 Site ID: 00000131
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/04/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/4/2007 6:55	0		0
2	6/4/2007 7:10	0		0
3	6/4/2007 7:25	0		0
4	6/4/2007 7:40	0		0
5	6/4/2007 7:55	0		0
6	6/4/2007 8:10	0.1		0.1
7	6/4/2007 8:25	0.1		0.1
8	6/4/2007 8:40	0.2		0.2
9	6/4/2007 8:55	0.2		0.2
10	6/4/2007 9:10	0.2		0.2
11	6/4/2007 9:25	0.2		0.2
12	6/4/2007 9:40	0.2		0.2
13	6/4/2007 9:55	0.2		0.2
14	6/4/2007 10:10	0.2		0.2
15	6/4/2007 10:25	0.2		0.2
16	6/4/2007 10:40	0.2		0.2
17	6/4/2007 10:55	0.2		0.2
18	6/4/2007 11:10	0.2		0.2
19	6/4/2007 11:25	0.2		0.2
20	6/4/2007 11:40	0.2		0.2
21	6/4/2007 11:55	0.2		0.2
22	6/4/2007 12:10	0.2		0.2
23	6/4/2007 12:25	0.2		0.2
24	6/4/2007 12:40	0.3		0.3
25	6/4/2007 12:55	0.3		0.3
26	6/4/2007 13:10	0.4		0.4
27	6/4/2007 13:25	0.5		0.5
28	6/4/2007 13:40	0.5		0.5
29	6/4/2007 13:55	0.6		0.6
30	6/4/2007 14:10	0.6		0.6
31	6/4/2007 14:25	0.6		0.6
32	6/4/2007 14:40	0.5		0.5
33	6/4/2007 14:55	0.6		0.6
34	6/4/2007 15:10	0.6		0.6
35	6/4/2007 15:25	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	6/4/2007
Start Time:	6:45:49
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0640) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/4/2007	7:00:49	0.008	0.005	5
6/4/2007	7:15:49	0.008	0.005	5
6/4/2007	7:30:49	0.007	0.004	4
6/4/2007	7:45:49	0.009	0.006	6
6/4/2007	8:00:49	0.006	0.003	3
6/4/2007	8:15:49	0.008	0.005	5
6/4/2007	8:30:49	0.007	0.004	4
6/4/2007	8:45:49	0.007	0.004	4
6/4/2007	9:00:49	0.008	0.005	5
6/4/2007	9:15:49	0.011	0.008	8
6/4/2007	9:30:49	0.01	0.007	7
6/4/2007	9:45:49	0.009	0.006	6
6/4/2007	10:00:49	0.01	0.007	7
6/4/2007	10:15:49	0.01	0.007	7
6/4/2007	10:30:49	0.011	0.008	8
6/4/2007	10:45:49	0.012	0.009	9
6/4/2007	11:00:49	0.012	0.009	9
6/4/2007	11:15:49	0.015	0.012	12
6/4/2007	11:30:49	0.009	0.006	6
6/4/2007	11:45:49	0.015	0.012	12
6/4/2007	12:00:49	0.011	0.008	8
6/4/2007	12:15:49	0.01	0.007	7
6/4/2007	12:30:49	0.009	0.006	6
6/4/2007	12:45:49	0.011	0.008	8
6/4/2007	13:00:49	0.01	0.007	7
6/4/2007	13:15:49	0.01	0.007	7
6/4/2007	13:30:49	0.014	0.011	11
6/4/2007	13:45:49	0.009	0.006	6
6/4/2007	14:00:49	0.012	0.009	9
6/4/2007	14:15:49	0.009	0.006	6
6/4/2007	14:30:49	0.008	0.005	5
6/4/2007	14:45:49	0.006	0.003	3
6/4/2007	15:00:49	0.007	0.004	4
6/4/2007	15:15:49	0.007	0.004	4
6/4/2007	15:30:49	0.007	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/04/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/4/2007 7:01	0		0
2	6/4/2007 7:16	0		0
3	6/4/2007 7:31	0		0
4	6/4/2007 7:46	0		0
5	6/4/2007 8:01	0		0
6	6/4/2007 8:16	0		0
7	6/4/2007 8:31	0		0
8	6/4/2007 8:46	0		0
9	6/4/2007 9:01	0		0
10	6/4/2007 9:16	0		0
11	6/4/2007 9:31	0		0
12	6/4/2007 9:46	0		0
13	6/4/2007 10:01	0		0
14	6/4/2007 10:16	0		0
15	6/4/2007 10:31	0		0
16	6/4/2007 10:46	0		0
17	6/4/2007 11:01	0		0
18	6/4/2007 11:16	0		0
19	6/4/2007 11:31	0		0
20	6/4/2007 11:46	0		0
21	6/4/2007 12:01	0		0
22	6/4/2007 12:16	0		0
23	6/4/2007 12:31	0		0
24	6/4/2007 12:46	0		0
25	6/4/2007 13:01	0		0
26	6/4/2007 13:16	0		0
27	6/4/2007 13:31	0		0
28	6/4/2007 13:46	0		0
29	6/4/2007 14:01	0		0
30	6/4/2007 14:16	0		0
31	6/4/2007 14:31	0		0
32	6/4/2007 14:46	0		0
33	6/4/2007 15:01	0		0
34	6/4/2007 15:16	0		0
35	6/4/2007 15:31	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	6/4/2007
Start Time:	6:42:49
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0635) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/4/2007	6:57:49	0.006	0.001	1
6/4/2007	7:12:49	0.011	0.006	6
6/4/2007	7:27:49	0.01	0.005	5
6/4/2007	7:42:49	0.008	0.003	3
6/4/2007	7:57:49	0.008	0.003	3
6/4/2007	8:12:49	0.008	0.003	3
6/4/2007	8:27:49	0.007	0.002	2
6/4/2007	8:42:49	0.006	0.001	1
6/4/2007	8:57:49	0.006	0.001	1
6/4/2007	9:12:49	0.01	0.005	5
6/4/2007	9:27:49	0.009	0.004	4
6/4/2007	9:42:49	0.008	0.003	3
6/4/2007	9:57:49	0.009	0.004	4
6/4/2007	10:12:49	0.008	0.003	3
6/4/2007	10:27:49	0.009	0.004	4
6/4/2007	10:42:49	0.01	0.005	5
6/4/2007	10:57:49	0.009	0.004	4
6/4/2007	11:12:49	0.012	0.007	7
6/4/2007	11:27:49	0.009	0.004	4
6/4/2007	11:42:49	0.01	0.005	5
6/4/2007	11:57:49	0.01	0.005	5
6/4/2007	12:12:49	0.008	0.003	3
6/4/2007	12:27:49	0.007	0.002	2
6/4/2007	12:42:49	0.011	0.006	6
6/4/2007	12:57:49	0.01	0.005	5
6/4/2007	13:12:49	0.006	0.001	1
6/4/2007	13:27:49	0.007	0.002	2
6/4/2007	13:42:49	0.009	0.004	4
6/4/2007	13:57:49	0.006	0.001	1
6/4/2007	14:12:49	0.009	0.004	4
6/4/2007	14:27:49	0.007	0.002	2
6/4/2007	14:42:49	0.004	-0.001	-1
6/4/2007	14:57:49	0.013	0.008	8
6/4/2007	15:12:49	0.01	0.005	5
6/4/2007	15:27:49	0.005	0	0
6/4/2007	15:42:49	0.007	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/05/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0559) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/5/2007 6:15	0		0
2	6/5/2007 6:30	0		0
3	6/5/2007 6:45	0		0
4	6/5/2007 7:00	0		0
5	6/5/2007 7:15	0		0
6	6/5/2007 7:30	0		0
7	6/5/2007 7:45	0		0
8	6/5/2007 8:00	0		0
9	6/5/2007 8:15	0		0
10	6/5/2007 8:30	0		0
11	6/5/2007 8:45	0		0
12	6/5/2007 9:00	0		0
13	6/5/2007 9:15	0		0
14	6/5/2007 9:30	0		0
15	6/5/2007 9:45	0		0
16	6/5/2007 10:00	0		0
17	6/5/2007 10:15	0		0
18	6/5/2007 10:30	0		0
19	6/5/2007 10:45	0		0
20	6/5/2007 11:00	0		0
21	6/5/2007 11:15	0.1		0.1
22	6/5/2007 11:30	0.1		0.1
23	6/5/2007 11:45	0.1		0.1
24	6/5/2007 12:00	0.1		0.1
25	6/5/2007 12:15	0.1		0.1
26	6/5/2007 12:30	0.1		0.1
27	6/5/2007 12:45	0.1		0.1
28	6/5/2007 13:00	0.1		0.1
29	6/5/2007 13:15	0.1		0.1
30	6/5/2007 13:30	0.1		0.1
31	6/5/2007 13:45	0.1		0.1
32	6/5/2007 14:00	0.1		0.1
33	6/5/2007 14:15	0.1		0.1
34	6/5/2007 14:30	0.1		0.1
35	6/5/2007 14:45	0		0
36	6/5/2007 15:00	0		0
37	6/5/2007 15:15	0		0
38	6/5/2007 15:30	0		0
39	6/5/2007 15:45	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		0:00:00
Test ID:		0:00:00
Test Abbreviation:		
Start Date:		6/5/2007
Start Time:		6:04:42
Duration (dd:hh:mm:ss):	00:01:30:00	
Time constant (seconds):		10
Log Interval (mm:ss):		15:00
Number of points:		6
Notes:		Background Reading (0559) = 0.193 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	2/23/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
6/5/2007	6:19:42	0.042	-0.151	-151	
6/5/2007	6:34:42	0.001	-0.192	-192	
6/5/2007	6:49:42	0	-0.193	-193	
6/5/2007	7:04:42	0	-0.193	-193	
6/5/2007	7:19:42	0.005	-0.188	-188	
6/5/2007	7:34:42	0	-0.193	-193	
6/5/2007	8:05:41	0.134	-0.059	-59	*Original STA 1 Dusttrak replaced with spare due to inaccurate (low) readings
6/5/2007	8:20:41	0.096	-0.097	-97	
6/5/2007	8:35:41	0.087	-0.106	-106	
6/5/2007	8:50:41	0.083	-0.11	-110	
6/5/2007	9:05:41	0.081	-0.112	-112	
6/5/2007	9:20:41	0.079	-0.114	-114	
6/5/2007	9:35:41	0.077	-0.116	-116	
6/5/2007	9:50:41	0.075	-0.118	-118	
6/5/2007	10:05:41	0.066	-0.127	-127	
6/5/2007	10:20:41	0.058	-0.135	-135	
6/5/2007	10:35:41	0.048	-0.145	-145	
6/5/2007	10:50:41	0.045	-0.148	-148	
6/5/2007	11:05:41	0.039	-0.154	-154	
6/5/2007	11:20:41	0.039	-0.154	-154	
6/5/2007	11:35:41	0.033	-0.16	-160	
6/5/2007	11:50:41	0.028	-0.165	-165	
6/5/2007	12:05:41	0.026	-0.167	-167	
6/5/2007	12:20:41	0.024	-0.169	-169	
6/5/2007	12:35:41	0.025	-0.168	-168	
6/5/2007	12:50:41	0.023	-0.17	-170	
6/5/2007	13:05:41	0.026	-0.167	-167	
6/5/2007	13:20:41	0.027	-0.166	-166	
6/5/2007	13:35:41	0.027	-0.166	-166	
6/5/2007	13:50:41	0.026	-0.167	-167	
6/5/2007	14:05:41	0.028	-0.165	-165	
6/5/2007	14:20:41	0.031	-0.162	-162	
6/5/2007	14:35:41	0.027	-0.166	-166	
6/5/2007	14:50:41	0.024	-0.169	-169	
6/5/2007	15:05:41	0.025	-0.168	-168	
6/5/2007	15:20:41	0.027	-0.166	-166	
6/5/2007	15:35:41	0.028	-0.165	-165	
6/5/2007	15:50:41	0.028	-0.165	-165	
6/5/2007	16:05:41	0.027	-0.166	-166	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/05/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/5/2007 6:24	1		1
2	6/5/2007 6:39	1		1
3	6/5/2007 6:54	0.9		0.9
4	6/5/2007 7:09	0.5		0.5
5	6/5/2007 7:24	0.4		0.4
6	6/5/2007 7:39	0		0
7	6/5/2007 7:54	0		0
8	6/5/2007 8:09	0		0
9	6/5/2007 8:24	0		0
10	6/5/2007 8:39	0		0
11	6/5/2007 8:54	0		0
12	6/5/2007 9:09	0		0
13	6/5/2007 9:24	0		0
14	6/5/2007 9:39	0		0
15	6/5/2007 9:54	0		0
16	6/5/2007 10:09	0		0
17	6/5/2007 10:24	0		0
18	6/5/2007 10:39	0		0
19	6/5/2007 10:54	0		0
20	6/5/2007 11:09	0		0
21	6/5/2007 11:24	0		0
22	6/5/2007 11:39	0		0
23	6/5/2007 11:54	0		0
24	6/5/2007 12:09	0		0
25	6/5/2007 12:24	0		0
26	6/5/2007 12:39	0		0
27	6/5/2007 12:54	0		0
28	6/5/2007 13:09	0		0
29	6/5/2007 13:24	0		0
30	6/5/2007 13:39	0		0
31	6/5/2007 13:54	0		0
32	6/5/2007 14:09	0		0
33	6/5/2007 14:24	0		0
34	6/5/2007 14:39	0		0
35	6/5/2007 14:54	0		0
36	6/5/2007 15:09	0		0
37	6/5/2007 15:24	0		0
38	6/5/2007 15:39	0		0
39	6/5/2007 15:54	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	6/5/2007
Start Time:	6:13:47
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0612) = 0.118 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/5/2007	6:28:47	0.098	-0.02	-20
6/5/2007	6:43:47	0.07	-0.048	-48
6/5/2007	6:58:47	0.062	-0.056	-56
6/5/2007	7:13:47	0.063	-0.055	-55
6/5/2007	7:28:47	0.063	-0.055	-55
6/5/2007	7:43:47	0.062	-0.056	-56
6/5/2007	7:58:47	0.063	-0.055	-55
6/5/2007	8:13:47	0.063	-0.055	-55
6/5/2007	8:28:47	0.058	-0.06	-60
6/5/2007	8:43:47	0.057	-0.061	-61
6/5/2007	8:58:47	0.057	-0.061	-61
6/5/2007	9:13:47	0.056	-0.062	-62
6/5/2007	9:28:47	0.055	-0.063	-63
6/5/2007	9:43:47	0.053	-0.065	-65
6/5/2007	9:58:47	0.052	-0.066	-66
6/5/2007	10:13:47	0.048	-0.07	-70
6/5/2007	10:28:47	0.043	-0.075	-75
6/5/2007	10:43:47	0.037	-0.081	-81
6/5/2007	10:58:47	0.037	-0.081	-81
6/5/2007	11:13:47	0.034	-0.084	-84
6/5/2007	11:28:47	0.035	-0.083	-83
6/5/2007	11:43:47	0.031	-0.087	-87
6/5/2007	11:58:47	0.029	-0.089	-89
6/5/2007	12:13:47	0.028	-0.09	-90
6/5/2007	12:28:47	0.027	-0.091	-91
6/5/2007	12:43:47	0.029	-0.089	-89
6/5/2007	12:58:47	0.029	-0.089	-89
6/5/2007	13:13:47	0.03	-0.088	-88
6/5/2007	13:28:47	0.031	-0.087	-87
6/5/2007	13:43:47	0.031	-0.087	-87
6/5/2007	13:58:47	0.03	-0.088	-88
6/5/2007	14:13:47	0.034	-0.084	-84
6/5/2007	14:28:47	0.034	-0.084	-84
6/5/2007	14:43:47	0.031	-0.087	-87
6/5/2007	14:58:47	0.031	-0.087	-87
6/5/2007	15:13:47	0.03	-0.088	-88
6/5/2007	15:28:47	0.033	-0.085	-85
6/5/2007	15:43:47	0.032	-0.086	-86
6/5/2007	15:58:47	0.033	-0.085	-85
6/5/2007	16:13:47	0.032	-0.086	-86

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 0 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/05/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/5/2007 6:41	0		0
2	6/5/2007 6:56	0		0
3	6/5/2007 7:11	0		0
4	6/5/2007 7:26	0		0
5	6/5/2007 7:41	0		0
6	6/5/2007 7:56	0		0
7	6/5/2007 8:11	0		0
8	6/5/2007 8:26	0		0
9	6/5/2007 8:41	0		0
10	6/5/2007 8:56	0		0
11	6/5/2007 9:11	0		0
12	6/5/2007 9:26	0.1		0.1
13	6/5/2007 9:41	0.1		0.1
14	6/5/2007 9:56	0.1		0.1
15	6/5/2007 10:11	0.1		0.1
16	6/5/2007 10:26	0.1		0.1
17	6/5/2007 10:41	0.1		0.1
18	6/5/2007 10:56	0.1		0.1
19	6/5/2007 11:11	0.1		0.1
20	6/5/2007 11:26	0.1		0.1
21	6/5/2007 11:41	0.1		0.1
22	6/5/2007 11:56	0.1		0.1
23	6/5/2007 12:11	0.1		0.1
24	6/5/2007 12:26	0.2		0.2
25	6/5/2007 12:41	0.2		0.2
26	6/5/2007 12:56	0.2		0.2
27	6/5/2007 13:11	0.2		0.2
28	6/5/2007 13:26	0.2		0.2
29	6/5/2007 13:41	0.2		0.2
30	6/5/2007 13:56	0.2		0.2
31	6/5/2007 14:11	0.2		0.2
32	6/5/2007 14:26	0.2		0.2
33	6/5/2007 14:41	0.2		0.2
34	6/5/2007 14:56	0.2		0.2
35	6/5/2007 15:11	0.2		0.2
36	6/5/2007 15:26	0.2		0.2
37	6/5/2007 15:41	0.2		0.2
38	6/5/2007 15:56	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	6/5/2007
Start Time:	6:55:08
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (0650) = 0.133 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/5/2007	7:10:08	0.135	0.002	2
6/5/2007	7:25:08	0.134	0.001	1
6/5/2007	7:40:08	0.133	0	0
6/5/2007	9:59:08	0.097	-0.036	-36
6/5/2007	10:14:08	0.086	-0.047	-47
6/5/2007	10:29:08	0.075	-0.058	-58
6/5/2007	10:44:08	0.062	-0.071	-71
6/5/2007	10:59:08	0.058	-0.075	-75
6/5/2007	11:14:08	0.05	-0.083	-83
6/5/2007	11:29:08	0.051	-0.082	-82
6/5/2007	11:44:08	0.041	-0.092	-92
6/5/2007	11:59:08	0.038	-0.095	-95
6/5/2007	12:14:08	0.034	-0.099	-99
6/5/2007	12:29:08	0.033	-0.1	-100
6/5/2007	12:44:08	0.035	-0.098	-98
6/5/2007	12:59:08	0.033	-0.1	-100
6/5/2007	13:14:08	0.035	-0.098	-98
6/5/2007	13:29:08	0.037	-0.096	-96
6/5/2007	13:44:08	0.038	-0.095	-95
6/5/2007	13:59:08	0.036	-0.097	-97
6/5/2007	14:14:08	0.04	-0.093	-93
6/5/2007	14:29:08	0.04	-0.093	-93
6/5/2007	14:44:08	0.036	-0.097	-97
6/5/2007	14:59:08	0.036	-0.097	-97
6/5/2007	15:14:08	0.035	-0.098	-98
6/5/2007	15:29:08	0.039	-0.094	-94
6/5/2007	15:44:08	0.038	-0.095	-95
6/5/2007	15:59:08	0.04	-0.093	-93
6/5/2007	16:14:08	0.038	-0.095	-95

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/05/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/5/2007 6:46	0		0
2	6/5/2007 7:01	0		0
3	6/5/2007 7:16	0		0
4	6/5/2007 7:31	0		0
5	6/5/2007 7:46	0		0
6	6/5/2007 8:01	0		0
7	6/5/2007 8:16	0		0
8	6/5/2007 8:31	0		0
9	6/5/2007 8:46	0		0
10	6/5/2007 9:01	0		0
11	6/5/2007 9:16	0		0
12	6/5/2007 9:31	0		0
13	6/5/2007 9:46	0		0
14	6/5/2007 10:01	0		0
15	6/5/2007 10:16	0		0
16	6/5/2007 10:31	0		0
17	6/5/2007 10:46	0		0
18	6/5/2007 11:01	0		0
19	6/5/2007 11:16	0		0
20	6/5/2007 11:31	0		0
21	6/5/2007 11:46	0		0
22	6/5/2007 12:01	0		0
23	6/5/2007 12:16	0		0
24	6/5/2007 12:31	0		0
25	6/5/2007 12:46	0		0
26	6/5/2007 13:01	0		0
27	6/5/2007 13:16	0		0
28	6/5/2007 13:31	0		0
29	6/5/2007 13:46	0		0
30	6/5/2007 14:01	0		0
31	6/5/2007 14:16	0		0
32	6/5/2007 14:31	0		0
33	6/5/2007 14:46	0		0
34	6/5/2007 15:01	0		0
35	6/5/2007 15:16	0		0
36	6/5/2007 15:31	0		0
37	6/5/2007 15:46	0		0
38	6/5/2007 16:01	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	6/5/2007
Start Time:	6:30:21
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0624) = 0.140 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/5/2007	6:45:21	0.122	-0.018	-18
6/5/2007	7:00:21	0.116	-0.024	-24
6/5/2007	7:15:21	0.118	-0.022	-22
6/5/2007	7:30:21	0.115	-0.025	-25
6/5/2007	7:45:21	0.106	-0.034	-34
6/5/2007	8:00:21	0.107	-0.033	-33
6/5/2007	8:15:21	0.1	-0.04	-40
6/5/2007	8:30:21	0.09	-0.05	-50
6/5/2007	8:45:21	0.086	-0.054	-54
6/5/2007	9:00:21	0.085	-0.055	-55
6/5/2007	9:15:21	0.08	-0.06	-60
6/5/2007	9:30:21	0.08	-0.06	-60
6/5/2007	9:45:21	0.078	-0.062	-62
6/5/2007	10:00:21	0.074	-0.066	-66
6/5/2007	10:15:21	0.066	-0.074	-74
6/5/2007	10:30:21	0.055	-0.085	-85
6/5/2007	10:45:21	0.047	-0.093	-93
6/5/2007	11:00:21	0.044	-0.096	-96
6/5/2007	11:15:21	0.039	-0.101	-101
6/5/2007	11:30:21	0.04	-0.1	-100
6/5/2007	11:45:21	0.032	-0.108	-108
6/5/2007	12:00:21	0.029	-0.111	-111
6/5/2007	12:15:21	0.028	-0.112	-112
6/5/2007	12:30:21	0.025	-0.115	-115
6/5/2007	12:45:21	0.025	-0.115	-115
6/5/2007	13:00:21	0.025	-0.115	-115
6/5/2007	13:15:21	0.027	-0.113	-113
6/5/2007	13:30:21	0.034	-0.106	-106
6/5/2007	13:45:21	0.028	-0.112	-112
6/5/2007	14:00:21	0.028	-0.112	-112
6/5/2007	14:15:21	0.033	-0.107	-107
6/5/2007	14:30:21	0.03	-0.11	-110
6/5/2007	14:45:21	0.027	-0.113	-113
6/5/2007	15:00:21	0.027	-0.113	-113
6/5/2007	15:15:21	0.034	-0.106	-106
6/5/2007	15:30:21	0.031	-0.109	-109
6/5/2007	15:45:21	0.028	-0.112	-112
6/5/2007	16:00:21	0.028	-0.112	-112
6/5/2007	16:15:21	0.027	-0.113	-113

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/06/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0546) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/6/2007 6:00	0		-0.1
2	6/6/2007 6:15	0.1		0
3	6/6/2007 6:30	0.1		0
4	6/6/2007 6:45	0.1		0
5	6/6/2007 7:00	0.1		0
6	6/6/2007 7:15	0.2		0.1
7	6/6/2007 7:30	0.2		0.1
8	6/6/2007 7:45	0.2		0.1
9	6/6/2007 8:00	0.2		0.1
10	6/6/2007 8:15	0.2		0.1
11	6/6/2007 8:30	0.2		0.1
12	6/6/2007 8:45	0.2		0.1
13	6/6/2007 9:00	0.2		0.1
14	6/6/2007 9:15	0.2		0.1
15	6/6/2007 9:30	0.2		0.1
16	6/6/2007 9:45	0.2		0.1
17	6/6/2007 10:00	0.2		0.1
18	6/6/2007 10:15	0.2		0.1
19	6/6/2007 10:30	0.2		0.1
20	6/6/2007 10:45	0.2		0.1
21	6/6/2007 11:00	0.2		0.1
22	6/6/2007 11:15	0.2		0.1
23	6/6/2007 11:30	0.1		0
24	6/6/2007 11:45	0.1		0
25	6/6/2007 12:00	0.1		0
26	6/6/2007 12:15	0.1		0
27	6/6/2007 12:30	0.1		0
28	6/6/2007 12:45	0.1		0
29	6/6/2007 13:00	0.1		0
30	6/6/2007 13:15	0.1		0
31	6/6/2007 13:30	0.1		0
32	6/6/2007 13:45	0.1		0
33	6/6/2007 14:00	0.1		0
34	6/6/2007 14:15	0.1		0
35	6/6/2007 14:30	0.1		0
36	6/6/2007 14:45	0.1		0
37	6/6/2007 15:00	0.1		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/6/2007
Start Time:	5:46:14
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0546) = 0.011 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/6/2007	6:01:14	0.012	0.001	1
6/6/2007	6:16:14	0.011	0	0
6/6/2007	6:31:14	0.011	0	0
6/6/2007	6:46:14	0.012	0.001	1
6/6/2007	7:01:14	0.011	0	0
6/6/2007	7:16:14	0.011	0	0
6/6/2007	7:31:14	0.01	-0.001	-1
6/6/2007	7:46:14	0.009	-0.002	-2
6/6/2007	8:01:14	0.011	0	0
6/6/2007	8:16:14	0.009	-0.002	-2
6/6/2007	8:31:14	0.01	-0.001	-1
6/6/2007	8:46:14	0.008	-0.003	-3
6/6/2007	9:01:14	0.009	-0.002	-2
6/6/2007	9:16:14	0.012	0.001	1
6/6/2007	9:31:14	0.008	-0.003	-3
6/6/2007	9:46:14	0.008	-0.003	-3
6/6/2007	10:01:14	0.014	0.003	3
6/6/2007	10:16:14	0.008	-0.003	-3
6/6/2007	10:31:14	0.009	-0.002	-2
6/6/2007	10:46:14	0.009	-0.002	-2
6/6/2007	11:01:14	0.009	-0.002	-2
6/6/2007	11:16:14	0.009	-0.002	-2
6/6/2007	11:31:14	0.01	-0.001	-1
6/6/2007	11:46:14	0.012	0.001	1
6/6/2007	12:01:14	0.011	0	0
6/6/2007	12:16:14	0.009	-0.002	-2
6/6/2007	12:31:14	0.008	-0.003	-3
6/6/2007	12:46:14	0.009	-0.002	-2
6/6/2007	13:01:14	0.009	-0.002	-2
6/6/2007	13:16:14	0.008	-0.003	-3
6/6/2007	13:31:14	0.026	0.015	15
6/6/2007	13:46:14	0.011	0	0
6/6/2007	14:01:14	0.008	-0.003	-3
6/6/2007	14:16:14	0.008	-0.003	-3
6/6/2007	14:31:14	0.008	-0.003	-3
6/6/2007	14:46:14	0.007	-0.004	-4
6/6/2007	15:01:14	0.008	-0.003	-3
6/6/2007	15:16:14	0.009	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/06/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/6/2007 6:26	0		0
2	6/6/2007 6:41	0.1		0.1
3	6/6/2007 6:56	0.1		0.1
4	6/6/2007 7:11	0.1		0.1
5	6/6/2007 7:26	0.2		0.2
6	6/6/2007 7:41	0.2		0.2
7	6/6/2007 7:56	0.1		0.1
8	6/6/2007 8:11	0.2		0.2
9	6/6/2007 8:26	0.2		0.2
10	6/6/2007 8:41	0.2		0.2
11	6/6/2007 8:56	0.2		0.2
12	6/6/2007 9:11	0.2		0.2
13	6/6/2007 9:26	0.2		0.2
14	6/6/2007 9:41	0.2		0.2
15	6/6/2007 9:56	0.2		0.2
16	6/6/2007 10:11	0.2		0.2
17	6/6/2007 10:26	0.2		0.2
18	6/6/2007 10:41	0.2		0.2
19	6/6/2007 10:56	0.1		0.1
20	6/6/2007 11:11	0.1		0.1
21	6/6/2007 11:26	0.2		0.2
22	6/6/2007 11:41	0.2		0.2
23	6/6/2007 11:56	0.2		0.2
24	6/6/2007 12:11	0.2		0.2
25	6/6/2007 12:26	0.2		0.2
26	6/6/2007 12:41	0.2		0.2
27	6/6/2007 12:56	0.2		0.2
28	6/6/2007 13:11	0.2		0.2
29	6/6/2007 13:26	0.2		0.2
30	6/6/2007 13:41	0.2		0.2
31	6/6/2007 13:56	0.2		0.2
32	6/6/2007 14:11	0.2		0.2
33	6/6/2007 14:26	0.2		0.2
34	6/6/2007 14:41	0.2		0.2
35	6/6/2007 14:56	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	6/6/2007
Start Time:	6:12:23
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0612) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/6/2007	6:27:23	0.009	0.001	1
6/6/2007	6:42:23	0.01	0.002	2
6/6/2007	6:57:23	0.01	0.002	2
6/6/2007	7:12:23	0.01	0.002	2
6/6/2007	7:27:23	0.009	0.001	1
6/6/2007	7:42:23	0.01	0.002	2
6/6/2007	7:57:23	0.01	0.002	2
6/6/2007	8:12:23	0.011	0.003	3
6/6/2007	8:27:23	0.009	0.001	1
6/6/2007	8:42:23	0.01	0.002	2
6/6/2007	8:57:23	0.008	0	0
6/6/2007	9:12:23	0.009	0.001	1
6/6/2007	9:27:23	0.009	0.001	1
6/6/2007	9:42:23	0.01	0.002	2
6/6/2007	9:57:23	0.009	0.001	1
6/6/2007	10:12:23	0.01	0.002	2
6/6/2007	10:27:23	0.01	0.002	2
6/6/2007	10:42:23	0.011	0.003	3
6/6/2007	10:57:23	0.012	0.004	4
6/6/2007	11:12:23	0.011	0.003	3
6/6/2007	11:27:23	0.011	0.003	3
6/6/2007	11:42:23	0.01	0.002	2
6/6/2007	11:57:23	0.012	0.004	4
6/6/2007	12:12:23	0.011	0.003	3
6/6/2007	12:27:23	0.011	0.003	3
6/6/2007	12:42:23	0.01	0.002	2
6/6/2007	12:57:23	0.01	0.002	2
6/6/2007	13:12:23	0.011	0.003	3
6/6/2007	13:27:23	0.011	0.003	3
6/6/2007	13:42:23	0.011	0.003	3
6/6/2007	13:57:23	0.011	0.003	3
6/6/2007	14:12:23	0.01	0.002	2
6/6/2007	14:27:23	0.01	0.002	2
6/6/2007	14:42:23	0.01	0.002	2
6/6/2007	14:57:23	0.011	0.003	3
6/6/2007	15:12:23	0.011	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/06/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/6/2007 6:47	0.1		-0.1
2	6/6/2007 7:02	0.2		0
3	6/6/2007 7:17	0.2		0
4	6/6/2007 7:32	0.2		0
5	6/6/2007 7:47	0.2		0
6	6/6/2007 8:02	0.2		0
7	6/6/2007 8:17	0.2		0
8	6/6/2007 8:32	0.2		0
9	6/6/2007 8:47	0.3		0.1
10	6/6/2007 9:02	0.3		0.1
11	6/6/2007 9:17	0.3		0.1
12	6/6/2007 9:32	0.3		0.1
13	6/6/2007 9:47	0.4		0.2
14	6/6/2007 10:02	0.4		0.2
15	6/6/2007 10:17	0.4		0.2
16	6/6/2007 10:32	0.4		0.2
17	6/6/2007 10:47	0.4		0.2
18	6/6/2007 11:02	0.4		0.2
19	6/6/2007 11:17	0.4		0.2
20	6/6/2007 11:32	0.4		0.2
21	6/6/2007 11:47	0.4		0.2
22	6/6/2007 12:02	0.5		0.3
23	6/6/2007 12:17	0.5		0.3
24	6/6/2007 12:32	0.5		0.3
25	6/6/2007 12:47	0.5		0.3
26	6/6/2007 13:02	0.5		0.3
27	6/6/2007 13:17	0.5		0.3
28	6/6/2007 13:32	0.5		0.3
29	6/6/2007 13:47	0.6		0.4
30	6/6/2007 14:02	0.6		0.4
31	6/6/2007 14:17	0.6		0.4
32	6/6/2007 14:32	0.6		0.4
33	6/6/2007 14:47	0.6		0.4
34	6/6/2007 15:02	0.6		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	6/6/2007
Start Time:	6:33:24
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0635) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	10/19/2006	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/6/2007	6:48:24	0.011	-0.006	-6
6/6/2007	7:03:24	0.011	-0.006	-6
6/6/2007	7:18:24	0.011	-0.006	-6
6/6/2007	7:33:24	0.011	-0.006	-6
6/6/2007	7:48:24	0.013	-0.004	-4
6/6/2007	8:03:24	0.01	-0.007	-7
6/6/2007	8:18:24	0.011	-0.006	-6
6/6/2007	8:33:24	0.011	-0.006	-6
6/6/2007	8:48:24	0.01	-0.007	-7
6/6/2007	9:03:24	0.009	-0.008	-8
6/6/2007	9:18:24	0.01	-0.007	-7
6/6/2007	9:33:24	0.009	-0.008	-8
6/6/2007	9:48:24	0.009	-0.008	-8
6/6/2007	10:03:24	0.012	-0.005	-5
6/6/2007	10:18:24	0.01	-0.007	-7
6/6/2007	10:33:24	0.011	-0.006	-6
6/6/2007	10:48:24	0.012	-0.005	-5
6/6/2007	11:03:24	0.018	0.001	1
6/6/2007	11:18:24	0.012	-0.005	-5
6/6/2007	11:33:24	0.009	-0.008	-8
6/6/2007	11:48:24	0.01	-0.007	-7
6/6/2007	12:03:24	0.012	-0.005	-5
6/6/2007	12:18:24	0.011	-0.006	-6
6/6/2007	12:33:24	0.01	-0.007	-7
6/6/2007	12:48:24	0.011	-0.006	-6
6/6/2007	13:03:24	0.01	-0.007	-7
6/6/2007	13:18:24	0.011	-0.006	-6
6/6/2007	13:33:24	0.012	-0.005	-5
6/6/2007	13:48:24	0.01	-0.007	-7
6/6/2007	14:03:24	0.011	-0.006	-6
6/6/2007	14:18:24	0.012	-0.005	-5
6/6/2007	14:33:24	0.009	-0.008	-8
6/6/2007	14:48:24	0.015	-0.002	-2
6/6/2007	15:03:24	0.011	-0.006	-6
6/6/2007	15:18:24	0.011	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/06/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/6/2007 6:43	0		0
2	6/6/2007 6:58	0		0
3	6/6/2007 7:13	0		0
4	6/6/2007 7:28	0		0
5	6/6/2007 7:43	0		0
6	6/6/2007 7:58	0		0
7	6/6/2007 8:13	0		0
8	6/6/2007 8:28	0		0
9	6/6/2007 8:43	0		0
10	6/6/2007 8:58	0		0
11	6/6/2007 9:13	0		0
12	6/6/2007 9:28	0		0
13	6/6/2007 9:43	0		0
14	6/6/2007 9:58	0		0
15	6/6/2007 10:13	0		0
16	6/6/2007 10:28	0		0
17	6/6/2007 10:43	0		0
18	6/6/2007 10:58	0		0
19	6/6/2007 11:13	0		0
20	6/6/2007 11:28	0		0
21	6/6/2007 11:43	0		0
22	6/6/2007 11:58	0		0
23	6/6/2007 12:13	0		0
24	6/6/2007 12:28	0		0
25	6/6/2007 12:43	0		0
26	6/6/2007 12:58	0		0
27	6/6/2007 13:13	0		0
28	6/6/2007 13:28	0		0
29	6/6/2007 13:43	0		0
30	6/6/2007 13:58	0		0
31	6/6/2007 14:13	0		0
32	6/6/2007 14:28	0		0
33	6/6/2007 14:43	0		0
34	6/6/2007 14:58	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	6/6/2007
Start Time:	6:30:30
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0628) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/6/2007	6:45:30	0.015	-0.003	-3
6/6/2007	7:00:30	0.013	-0.005	-5
6/6/2007	7:15:30	0.026	0.008	8
6/6/2007	7:30:30	0.013	-0.005	-5
6/6/2007	7:45:30	0.024	0.006	6
6/6/2007	8:00:30	0.015	-0.003	-3
6/6/2007	8:15:30	0.015	-0.003	-3
6/6/2007	8:30:30	0.02	0.002	2
6/6/2007	8:45:30	0.01	-0.008	-8
6/6/2007	9:00:30	0.01	-0.008	-8
6/6/2007	9:15:30	0.013	-0.005	-5
6/6/2007	9:30:30	0.013	-0.005	-5
6/6/2007	9:45:30	0.01	-0.008	-8
6/6/2007	10:00:30	0.017	-0.001	-1
6/6/2007	10:15:30	0.014	-0.004	-4
6/6/2007	10:30:30	0.014	-0.004	-4
6/6/2007	10:45:30	0.013	-0.005	-5
6/6/2007	11:00:30	0.012	-0.006	-6
6/6/2007	11:15:30	0.013	-0.005	-5
6/6/2007	11:30:30	0.01	-0.008	-8
6/6/2007	11:45:30	0.01	-0.008	-8
6/6/2007	12:00:30	0.015	-0.003	-3
6/6/2007	12:15:30	0.012	-0.006	-6
6/6/2007	12:30:30	0.013	-0.005	-5
6/6/2007	12:45:30	0.009	-0.009	-9
6/6/2007	13:00:30	0.008	-0.01	-10
6/6/2007	13:15:30	0.01	-0.008	-8
6/6/2007	13:30:30	0.013	-0.005	-5
6/6/2007	13:45:30	0.017	-0.001	-1
6/6/2007	14:00:30	0.011	-0.007	-7
6/6/2007	14:15:30	0.011	-0.007	-7
6/6/2007	14:30:30	0.011	-0.007	-7
6/6/2007	14:45:30	0.011	-0.007	-7
6/6/2007	15:00:30	0.012	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/07/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/7/2007 6:04	0		0
2	6/7/2007 6:19	0.1		0.1
3	6/7/2007 6:34	0.1		0.1
4	6/7/2007 6:49	0.1		0.1
5	6/7/2007 7:04	0.1		0.1
6	6/7/2007 7:19	0.2		0.2
7	6/7/2007 7:34	0.2		0.2
8	6/7/2007 7:49	0.2		0.2
9	6/7/2007 8:04	0.2		0.2
10	6/7/2007 8:19	0.1		0.1
11	6/7/2007 8:34	0.2		0.2
12	6/7/2007 8:49	0.1		0.1
13	6/7/2007 9:04	0.1		0.1
14	6/7/2007 9:19	0.2		0.2
15	6/7/2007 9:34	0.1		0.1
16	6/7/2007 9:49	0.1		0.1
17	6/7/2007 10:04	0.1		0.1
18	6/7/2007 10:19	0.1		0.1
19	6/7/2007 10:34	0.1		0.1
20	6/7/2007 10:49	0.1		0.1
21	6/7/2007 11:04	0.1		0.1
22	6/7/2007 11:19	0.1		0.1
23	6/7/2007 11:34	0.1		0.1
24	6/7/2007 11:49	0.1		0.1
25	6/7/2007 12:04	0.1		0.1
26	6/7/2007 12:19	0.1		0.1
27	6/7/2007 12:34	0.1		0.1
28	6/7/2007 12:49	0.1		0.1
29	6/7/2007 13:04	0.1		0.1
30	6/7/2007 13:19	0.1		0.1
31	6/7/2007 13:34	0.1		0.1
32	6/7/2007 13:49	0.1		0.1
33	6/7/2007 14:04	0.1		0.1
34	6/7/2007 14:19	0.1		0.1
35	6/7/2007 14:34	0.1		0.1
36	6/7/2007 14:49	0.1		0.1
37	6/7/2007 15:04	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/7/2007
Start Time:	5:51:05
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0550) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/7/2007	6:06:05	0.013	0.002	2
6/7/2007	6:21:05	0.016	0.005	5
6/7/2007	6:36:05	0.016	0.005	5
6/7/2007	6:51:05	0.015	0.004	4
6/7/2007	7:06:05	0.017	0.006	6
6/7/2007	7:21:05	0.017	0.006	6
6/7/2007	7:36:05	0.016	0.005	5
6/7/2007	7:51:05	0.017	0.006	6
6/7/2007	8:06:05	0.019	0.008	8
6/7/2007	8:21:05	0.019	0.008	8
6/7/2007	8:36:05	0.018	0.007	7
6/7/2007	8:51:05	0.018	0.007	7
6/7/2007	9:06:05	0.016	0.005	5
6/7/2007	9:21:05	0.015	0.004	4
6/7/2007	9:36:05	0.016	0.005	5
6/7/2007	9:51:05	0.015	0.004	4
6/7/2007	10:06:05	0.016	0.005	5
6/7/2007	10:21:05	0.017	0.006	6
6/7/2007	10:36:05	0.018	0.007	7
6/7/2007	10:51:05	0.018	0.007	7
6/7/2007	11:06:05	0.021	0.01	10
6/7/2007	11:21:05	0.022	0.011	11
6/7/2007	11:36:05	0.02	0.009	9
6/7/2007	11:51:05	0.02	0.009	9
6/7/2007	12:06:05	0.022	0.011	11
6/7/2007	12:21:05	0.023	0.012	12
6/7/2007	12:36:05	0.024	0.013	13
6/7/2007	12:51:05	0.025	0.014	14
6/7/2007	13:06:05	0.027	0.016	16
6/7/2007	13:21:05	0.028	0.017	17
6/7/2007	13:36:05	0.029	0.018	18
6/7/2007	13:51:05	0.028	0.017	17
6/7/2007	14:06:05	0.027	0.016	16
6/7/2007	14:21:05	0.026	0.015	15
6/7/2007	14:36:05	0.025	0.014	14
6/7/2007	14:51:05	0.026	0.015	15
6/7/2007	15:06:05	0.024	0.013	13
6/7/2007	15:21:05	0.024	0.013	13

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/07/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/7/2007 6:21	0		0
2	6/7/2007 6:36	0		0
3	6/7/2007 6:51	0		0
4	6/7/2007 7:06	0		0
5	6/7/2007 7:21	0		0
6	6/7/2007 7:36	0		0
7	6/7/2007 7:51	0		0
8	6/7/2007 8:06	0		0
9	6/7/2007 8:21	0		0
10	6/7/2007 8:36	0		0
11	6/7/2007 8:51	0		0
12	6/7/2007 9:06	0		0
13	6/7/2007 9:21	0		0
14	6/7/2007 9:36	0		0
15	6/7/2007 9:51	0		0
16	6/7/2007 10:06	0		0
17	6/7/2007 10:21	0		0
18	6/7/2007 10:36	0		0
19	6/7/2007 10:51	0		0
20	6/7/2007 11:06	0		0
21	6/7/2007 11:21	0		0
22	6/7/2007 11:36	0		0
23	6/7/2007 11:51	0		0
24	6/7/2007 12:06	0		0
25	6/7/2007 12:21	0		0
26	6/7/2007 12:36	0		0
27	6/7/2007 12:51	0		0
28	6/7/2007 13:06	0		0
29	6/7/2007 13:21	0		0
30	6/7/2007 13:36	0		0
31	6/7/2007 13:51	0		0
32	6/7/2007 14:06	0		0
33	6/7/2007 14:21	0		0
34	6/7/2007 14:36	0		0
35	6/7/2007 14:51	0		0
36	6/7/2007 15:06	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	6/7/2007
Start Time:	6:08:55
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0607) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/7/2007	6:23:55	0.013	0.003	3
6/7/2007	6:38:55	0.014	0.004	4
6/7/2007	6:53:55	0.013	0.003	3
6/7/2007	7:08:55	0.015	0.005	5
6/7/2007	7:23:55	0.015	0.005	5
6/7/2007	7:38:55	0.015	0.005	5
6/7/2007	7:53:55	0.016	0.006	6
6/7/2007	8:08:55	0.017	0.007	7
6/7/2007	8:23:55	0.017	0.007	7
6/7/2007	8:38:55	0.017	0.007	7
6/7/2007	8:53:55	0.015	0.005	5
6/7/2007	9:08:55	0.015	0.005	5
6/7/2007	9:23:55	0.014	0.004	4
6/7/2007	9:38:55	0.014	0.004	4
6/7/2007	9:53:55	0.014	0.004	4
6/7/2007	10:08:55	0.015	0.005	5
6/7/2007	10:23:55	0.016	0.006	6
6/7/2007	10:38:55	0.016	0.006	6
6/7/2007	10:53:55	0.016	0.006	6
6/7/2007	11:08:55	0.019	0.009	9
6/7/2007	11:23:55	0.021	0.011	11
6/7/2007	11:38:55	0.019	0.009	9
6/7/2007	11:53:55	0.02	0.01	10
6/7/2007	12:08:55	0.02	0.01	10
6/7/2007	12:23:55	0.022	0.012	12
6/7/2007	12:38:55	0.023	0.013	13
6/7/2007	12:53:55	0.024	0.014	14
6/7/2007	13:08:55	0.026	0.016	16
6/7/2007	13:23:55	0.026	0.016	16
6/7/2007	13:38:55	0.027	0.017	17
6/7/2007	13:53:55	0.027	0.017	17
6/7/2007	14:08:55	0.025	0.015	15
6/7/2007	14:23:55	0.026	0.016	16
6/7/2007	14:38:55	0.024	0.014	14
6/7/2007	14:53:55	0.026	0.016	16
6/7/2007	15:08:55	0.025	0.015	15
6/7/2007	15:23:55	0.024	0.014	14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/07/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/7/2007 6:38	0		0
2	6/7/2007 6:53	0		0
3	6/7/2007 7:08	0		0
4	6/7/2007 7:23	0		0
5	6/7/2007 7:38	0		0
6	6/7/2007 7:53	0.1		0.1
7	6/7/2007 8:08	0.1		0.1
8	6/7/2007 8:23	0.1		0.1
9	6/7/2007 8:38	0.1		0.1
10	6/7/2007 8:53	0.1		0.1
11	6/7/2007 9:08	0.1		0.1
12	6/7/2007 9:23	0.1		0.1
13	6/7/2007 9:38	0.1		0.1
14	6/7/2007 9:53	0.1		0.1
15	6/7/2007 10:08	0.2		0.2
16	6/7/2007 10:23	0.2		0.2
17	6/7/2007 10:38	0.2		0.2
18	6/7/2007 10:53	0.2		0.2
19	6/7/2007 11:08	0.2		0.2
20	6/7/2007 11:23	0.2		0.2
21	6/7/2007 11:38	0.2		0.2
22	6/7/2007 11:53	0.2		0.2
23	6/7/2007 12:08	0.2		0.2
24	6/7/2007 12:23	0.3		0.3
25	6/7/2007 12:38	0.3		0.3
26	6/7/2007 12:53	0.3		0.3
27	6/7/2007 13:08	0.3		0.3
28	6/7/2007 13:23	0.3		0.3
29	6/7/2007 13:38	0.3		0.3
30	6/7/2007 13:53	0.3		0.3
31	6/7/2007 14:08	0.3		0.3
32	6/7/2007 14:23	0.3		0.3
33	6/7/2007 14:38	0.2		0.2
34	6/7/2007 14:53	0.2		0.2
35	6/7/2007 15:08	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	6/7/2007
Start Time:	6:25:51
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0624) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/7/2007	6:40:51	0.016	0.006	6
6/7/2007	6:55:51	0.017	0.007	7
6/7/2007	7:10:51	0.019	0.009	9
6/7/2007	7:25:51	0.021	0.011	11
6/7/2007	7:40:51	0.02	0.01	10
6/7/2007	7:55:51	0.022	0.012	12
6/7/2007	8:10:51	0.023	0.013	13
6/7/2007	8:25:51	0.023	0.013	13
6/7/2007	8:40:51	0.022	0.012	12
6/7/2007	8:55:51	0.02	0.01	10
6/7/2007	9:10:51	0.019	0.009	9
6/7/2007	9:25:51	0.02	0.01	10
6/7/2007	9:40:51	0.018	0.008	8
6/7/2007	9:55:51	0.017	0.007	7
6/7/2007	10:10:51	0.02	0.01	10
6/7/2007	10:25:51	0.021	0.011	11
6/7/2007	10:40:51	0.019	0.009	9
6/7/2007	10:55:51	0.022	0.012	12
6/7/2007	11:10:51	0.026	0.016	16
6/7/2007	11:25:51	0.03	0.02	20
6/7/2007	11:40:51	0.028	0.018	18
6/7/2007	11:55:51	0.028	0.018	18
6/7/2007	12:10:51	0.029	0.019	19
6/7/2007	12:25:51	0.03	0.02	20
6/7/2007	12:40:51	0.031	0.021	21
6/7/2007	12:55:51	0.032	0.022	22
6/7/2007	13:10:51	0.035	0.025	25
6/7/2007	13:25:51	0.037	0.027	27
6/7/2007	13:40:51	0.037	0.027	27
6/7/2007	13:55:51	0.036	0.026	26
6/7/2007	14:10:51	0.036	0.026	26
6/7/2007	14:25:51	0.035	0.025	25
6/7/2007	14:40:51	0.036	0.026	26
6/7/2007	14:55:51	0.035	0.025	25
6/7/2007	15:10:51	0.032	0.022	22
6/7/2007	15:25:51	0.032	0.022	22

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/07/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/7/2007 6:34	0		0
2	6/7/2007 6:49	0		0
3	6/7/2007 7:04	0		0
4	6/7/2007 7:19	0		0
5	6/7/2007 7:34	0		0
6	6/7/2007 7:49	0		0
7	6/7/2007 8:04	0		0
8	6/7/2007 8:19	0		0
9	6/7/2007 8:34	0		0
10	6/7/2007 8:49	0		0
11	6/7/2007 9:04	0		0
12	6/7/2007 9:19	0		0
13	6/7/2007 9:34	0		0
14	6/7/2007 9:49	0		0
15	6/7/2007 10:04	0		0
16	6/7/2007 10:19	0		0
17	6/7/2007 10:34	0		0
18	6/7/2007 10:49	0		0
19	6/7/2007 11:04	0		0
20	6/7/2007 11:19	0		0
21	6/7/2007 11:34	0		0
22	6/7/2007 11:49	0		0
23	6/7/2007 12:04	0		0
24	6/7/2007 12:19	0		0
25	6/7/2007 12:34	0		0
26	6/7/2007 12:49	0		0
27	6/7/2007 13:04	0		0
28	6/7/2007 13:19	0		0
29	6/7/2007 13:34	0		0
30	6/7/2007 13:49	0		0
31	6/7/2007 14:04	0		0
32	6/7/2007 14:19	0		0
33	6/7/2007 14:34	0		0
34	6/7/2007 14:49	0		0
35	6/7/2007 15:04	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	6/7/2007
Start Time:	6:20:24
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0620) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/7/2007	6:35:24	0.027	0.006	6
6/7/2007	6:50:24	0.018	-0.003	-3
6/7/2007	7:05:24	0.026	0.005	5
6/7/2007	7:20:24	0.019	-0.002	-2
6/7/2007	7:35:24	0.021	0	0
6/7/2007	7:50:24	0.02	-0.001	-1
6/7/2007	8:05:24	0.02	-0.001	-1
6/7/2007	8:20:24	0.021	0	0
6/7/2007	8:35:24	0.024	0.003	3
6/7/2007	8:50:24	0.019	-0.002	-2
6/7/2007	9:05:24	0.022	0.001	1
6/7/2007	9:20:24	0.016	-0.005	-5
6/7/2007	9:35:24	0.016	-0.005	-5
6/7/2007	9:50:24	0.036	0.015	15
6/7/2007	10:05:24	0.03	0.009	9
6/7/2007	10:20:24	0.021	0	0
6/7/2007	10:35:24	0.023	0.002	2
6/7/2007	10:50:24	0.028	0.007	7
6/7/2007	11:05:24	0.033	0.012	12
6/7/2007	11:20:24	0.034	0.013	13
6/7/2007	11:35:24	0.034	0.013	13
6/7/2007	11:50:24	0.033	0.012	12
6/7/2007	12:05:24	0.055	0.034	34
6/7/2007	12:20:24	0.027	0.006	6
6/7/2007	12:35:24	0.023	0.002	2
6/7/2007	12:50:24	0.025	0.004	4
6/7/2007	13:05:24	0.029	0.008	8
6/7/2007	13:20:24	0.069	0.048	48
6/7/2007	13:35:24	0.055	0.034	34
6/7/2007	13:50:24	0.096	0.075	75
6/7/2007	14:05:24	0.032	0.011	11
6/7/2007	14:20:24	0.035	0.014	14
6/7/2007	14:35:24	0.032	0.011	11
6/7/2007	14:50:24	0.03	0.009	9
6/7/2007	15:05:24	0.026	0.005	5
6/7/2007	15:20:24	0.025	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**
Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/08/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0ppm

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Avg-background(ppm)
1	6/8/2007 6:12		0	0
2	6/8/2007 6:27		0	0
3	6/8/2007 6:42		0	0
4	6/8/2007 6:57		0.1	0.1
5	6/8/2007 7:12		0.1	0.1
6	6/8/2007 7:27		0.1	0.1
7	6/8/2007 7:42		0.1	0.1
8	6/8/2007 7:57		0.1	0.1
9	6/8/2007 8:12		0.1	0.1
10	6/8/2007 8:27		0.1	0.1
11	6/8/2007 8:42		0.1	0.1
12	6/8/2007 8:57		0	0
13	6/8/2007 9:12		0	0
14	6/8/2007 9:27		0	0
15	6/8/2007 9:42		0	0
16	6/8/2007 9:57		0	0
17	6/8/2007 10:12		0	0
18	6/8/2007 10:27		0	0
19	6/8/2007 10:42		0	0
20	6/8/2007 10:57		0	0
21	6/8/2007 11:12		0	0
22	6/8/2007 11:27		0	0
23	6/8/2007 11:42		0	0
24	6/8/2007 11:57		0	0
25	6/8/2007 12:12		0	0
26	6/8/2007 12:27		0	0
27	6/8/2007 12:42		0	0
28	6/8/2007 12:57		0	0
29	6/8/2007 13:12		0	0
30	6/8/2007 13:27		0	0
31	6/8/2007 13:42		0	0
32	6/8/2007 13:57		0	0
33	6/8/2007 14:12		0	0
34	6/8/2007 14:27		0	0
35	6/8/2007 14:42		0	0
36	6/8/2007 14:57		0	0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/8/2007
Start Time:	5:59:05
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	Background Reading (0600) = 0.146 mg/m3

Statistics		
	Channel:	Aerosol
	Units:	mg/m^3
	Average:	0.073
	Minimum:	0.056
	Time of Minimum:	12:46:16
	Date of Minimum:	6/8/2007
	Maximum:	0.116
	Time of Maximum:	6:31:16
	Date of Maximum:	6/8/2007

Calibration		
	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/8/2007	6:31:16	0.116	-0.03	-30
6/8/2007	6:46:16	0.097	-0.049	-49
6/8/2007	7:01:16	0.085	-0.061	-61
6/8/2007	7:16:16	0.08	-0.066	-66
6/8/2007	7:31:16	0.075	-0.071	-71
6/8/2007	7:46:16	0.075	-0.071	-71
6/8/2007	8:01:16	0.076	-0.07	-70
6/8/2007	8:16:16	0.081	-0.065	-65
6/8/2007	8:31:16	0.085	-0.061	-61
6/8/2007	8:46:16	0.084	-0.062	-62
6/8/2007	9:01:16	0.086	-0.06	-60
6/8/2007	9:16:16	0.085	-0.061	-61
6/8/2007	9:31:16	0.082	-0.064	-64
6/8/2007	9:46:16	0.083	-0.063	-63
6/8/2007	10:01:16	0.085	-0.061	-61
6/8/2007	10:16:16	0.082	-0.064	-64
6/8/2007	10:31:16	0.081	-0.065	-65
6/8/2007	10:46:16	0.079	-0.067	-67
6/8/2007	11:01:16	0.076	-0.07	-70
6/8/2007	11:16:16	0.074	-0.072	-72
6/8/2007	11:31:16	0.068	-0.078	-78
6/8/2007	11:46:16	0.061	-0.085	-85
6/8/2007	12:01:16	0.06	-0.086	-86
6/8/2007	12:16:16	0.058	-0.088	-88
6/8/2007	12:31:16	0.058	-0.088	-88
6/8/2007	12:46:16	0.056	-0.09	-90
6/8/2007	13:01:16	0.058	-0.088	-88
6/8/2007	13:16:16	0.061	-0.085	-85
6/8/2007	13:31:16	0.062	-0.084	-84
6/8/2007	13:46:16	0.063	-0.083	-83
6/8/2007	14:01:16	0.065	-0.081	-81
6/8/2007	14:16:16	0.064	-0.082	-82
6/8/2007	14:31:16	0.064	-0.082	-82
6/8/2007	14:46:16	0.061	-0.085	-85
6/8/2007	15:01:16	0.06	-0.086	-86
6/8/2007	15:16:16	0.059	-0.087	-87

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/08/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/8/2007 6:20			0.1		0.1
2	6/8/2007 6:35			0		0
3	6/8/2007 6:50			0		0
4	6/8/2007 7:05			0		0
5	6/8/2007 7:20			0		0
6	6/8/2007 7:35			0		0
7	6/8/2007 7:50			0		0
8	6/8/2007 8:05			0		0
9	6/8/2007 8:20			0		0
10	6/8/2007 8:35			0.1		0.1
11	6/8/2007 8:50			0.1		0.1
12	6/8/2007 9:05			0.1		0.1
13	6/8/2007 9:20			0.1		0.1
14	6/8/2007 9:35			0.1		0.1
15	6/8/2007 9:50			0.1		0.1
16	6/8/2007 10:05			0.1		0.1
17	6/8/2007 10:20			0.1		0.1
18	6/8/2007 10:35			0.1		0.1
19	6/8/2007 10:50			0.1		0.1
20	6/8/2007 11:05			0.1		0.1
21	6/8/2007 11:20			0.1		0.1
22	6/8/2007 11:35			0.1		0.1
23	6/8/2007 11:50			0.1		0.1
24	6/8/2007 12:05			0.1		0.1
25	6/8/2007 12:20			0.1		0.1
26	6/8/2007 12:35			0.1		0.1
27	6/8/2007 12:50			0.1		0.1
28	6/8/2007 13:05			0.1		0.1
29	6/8/2007 13:20			0.1		0.1
30	6/8/2007 13:35			0.1		0.1
31	6/8/2007 13:50			0.1		0.1
32	6/8/2007 14:05			0.1		0.1
33	6/8/2007 14:20			0.1		0.1
34	6/8/2007 14:35			0.1		0.1
35	6/8/2007 14:50			0.1		0.1
36	6/8/2007 15:05			0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/8/2007
Start Time:	6:08:29
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0607) = 0.095 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/8/2007	6:23:29	0.086	-0.009	-9
6/8/2007	6:38:29	0.067	-0.028	-28
6/8/2007	6:53:29	0.061	-0.034	-34
6/8/2007	7:08:29	0.06	-0.035	-35
6/8/2007	7:23:29	0.061	-0.034	-34
6/8/2007	7:38:29	0.06	-0.035	-35
6/8/2007	7:53:29	0.064	-0.031	-31
6/8/2007	8:08:29	0.067	-0.028	-28
6/8/2007	8:23:29	0.07	-0.025	-25
6/8/2007	8:38:29	0.072	-0.023	-23
6/8/2007	8:53:29	0.075	-0.02	-20
6/8/2007	9:08:29	0.074	-0.021	-21
6/8/2007	9:23:29	0.071	-0.024	-24
6/8/2007	9:38:29	0.071	-0.024	-24
6/8/2007	9:53:29	0.075	-0.02	-20
6/8/2007	10:08:29	0.071	-0.024	-24
6/8/2007	10:23:29	0.069	-0.026	-26
6/8/2007	10:38:29	0.068	-0.027	-27
6/8/2007	10:53:29	0.068	-0.027	-27
6/8/2007	11:08:29	0.066	-0.029	-29
6/8/2007	11:23:29	0.065	-0.03	-30
6/8/2007	11:38:29	0.059	-0.036	-36
6/8/2007	11:53:29	0.054	-0.041	-41
6/8/2007	12:08:29	0.054	-0.041	-41
6/8/2007	12:23:29	0.053	-0.042	-42
6/8/2007	12:38:29	0.052	-0.043	-43
6/8/2007	12:53:29	0.052	-0.043	-43
6/8/2007	13:08:29	0.054	-0.041	-41
6/8/2007	13:23:29	0.055	-0.04	-40
6/8/2007	13:38:29	0.057	-0.038	-38
6/8/2007	13:53:29	0.057	-0.038	-38
6/8/2007	14:08:29	0.06	-0.035	-35
6/8/2007	14:23:29	0.06	-0.035	-35
6/8/2007	14:38:29	0.058	-0.037	-37
6/8/2007	14:53:29	0.056	-0.039	-39
6/8/2007	15:08:29	0.057	-0.038	-38
6/8/2007	15:23:29	0.058	-0.037	-37

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/08/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/8/2007 6:39			0		0
2	6/8/2007 6:54			0		0
3	6/8/2007 7:09			0		0
4	6/8/2007 7:24			0.1		0.1
5	6/8/2007 7:39			0		0
6	6/8/2007 7:54			0		0
7	6/8/2007 8:09			0		0
8	6/8/2007 8:24			0		0
9	6/8/2007 8:39			0		0
10	6/8/2007 8:54			0		0
11	6/8/2007 9:09			0		0
12	6/8/2007 9:24			0		0
13	6/8/2007 9:39			0		0
14	6/8/2007 9:54			0		0
15	6/8/2007 10:09			0.1		0.1
16	6/8/2007 10:24			0.1		0.1
17	6/8/2007 10:39			0.1		0.1
18	6/8/2007 10:54			0.1		0.1
19	6/8/2007 11:09			0.1		0.1
20	6/8/2007 11:24			0.1		0.1
21	6/8/2007 11:39			0.1		0.1
22	6/8/2007 11:54			0.1		0.1
23	6/8/2007 12:09			0.1		0.1
24	6/8/2007 12:24			0.1		0.1
25	6/8/2007 12:39			0.1		0.1
26	6/8/2007 12:54			0.1		0.1
27	6/8/2007 13:09			0.1		0.1
28	6/8/2007 13:24			0.1		0.1
29	6/8/2007 13:39			0.1		0.1
30	6/8/2007 13:54			0.1		0.1
31	6/8/2007 14:09			0.1		0.1
32	6/8/2007 14:24			0.1		0.1
33	6/8/2007 14:39			0		0
34	6/8/2007 14:54			0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	6/8/2007
Start Time:	6:26:07
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0624) = 0.112 mg/m3

Calibration	Sensor: Aerosol
	Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/8/2007	6:41:07	0.112	0	0
6/8/2007	6:56:07	0.102	-0.01	-10
6/8/2007	7:11:07	0.102	-0.01	-10
6/8/2007	7:26:07	0.101	-0.011	-11
6/8/2007	7:41:07	0.102	-0.01	-10
6/8/2007	7:56:07	0.11	-0.002	-2
6/8/2007	8:11:07	0.114	0.002	2
6/8/2007	8:26:07	0.118	0.006	6
6/8/2007	8:41:07	0.123	0.011	11
6/8/2007	8:56:07	0.123	0.011	11
6/8/2007	9:11:07	0.12	0.008	8
6/8/2007	9:26:07	0.114	0.002	2
6/8/2007	9:41:07	0.112	0	0
6/8/2007	9:56:07	0.118	0.006	6
6/8/2007	10:11:07	0.113	0.001	1
6/8/2007	10:26:07	0.109	-0.003	-3
6/8/2007	10:41:07	0.106	-0.006	-6
6/8/2007	10:56:07	0.103	-0.009	-9
6/8/2007	11:11:07	0.101	-0.011	-11
6/8/2007	11:26:07	0.097	-0.015	-15
6/8/2007	11:41:07	0.085	-0.027	-27
6/8/2007	11:56:07	0.08	-0.032	-32
6/8/2007	12:11:07	0.081	-0.031	-31
6/8/2007	12:26:07	0.079	-0.033	-33
6/8/2007	12:41:07	0.075	-0.037	-37
6/8/2007	12:56:07	0.075	-0.037	-37
6/8/2007	13:11:07	0.078	-0.034	-34
6/8/2007	13:26:07	0.081	-0.031	-31
6/8/2007	13:41:07	0.083	-0.029	-29
6/8/2007	13:56:07	0.083	-0.029	-29
6/8/2007	14:11:07	0.085	-0.027	-27
6/8/2007	14:26:07	0.085	-0.027	-27
6/8/2007	14:41:07	0.081	-0.031	-31
6/8/2007	14:56:07	0.08	-0.032	-32
6/8/2007	15:11:07	0.081	-0.031	-31

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/08/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/8/2007 6:36			0		0
2	6/8/2007 6:51			0		0
3	6/8/2007 7:06			0		0
4	6/8/2007 7:21			0		0
5	6/8/2007 7:36			0		0
6	6/8/2007 7:51			0		0
7	6/8/2007 8:06			0		0
8	6/8/2007 8:21			0		0
9	6/8/2007 8:36			0		0
10	6/8/2007 8:51			0		0
11	6/8/2007 9:06			0		0
12	6/8/2007 9:21			0		0
13	6/8/2007 9:36			0		0
14	6/8/2007 9:51			0		0
15	6/8/2007 10:06			0		0
16	6/8/2007 10:21			0		0
17	6/8/2007 10:36			0		0
18	6/8/2007 10:51			0		0
19	6/8/2007 11:06			0		0
20	6/8/2007 11:21			0		0
21	6/8/2007 11:36			0		0
22	6/8/2007 11:51			0		0
23	6/8/2007 12:06			0		0
24	6/8/2007 12:21			0		0
25	6/8/2007 12:36			0		0
26	6/8/2007 12:51			0		0
27	6/8/2007 13:06			0		0
28	6/8/2007 13:21			0		0
29	6/8/2007 13:36			0		0
30	6/8/2007 13:51			0		0
31	6/8/2007 14:06			0		0
32	6/8/2007 14:21			0		0
33	6/8/2007 14:36			0		0
34	6/8/2007 14:51			0		0
35	6/8/2007 15:06			0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	6/8/2007
Start Time:	6:22:31
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0619) = 0.098 mg/m3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/8/2007	6:37:31	0.11	0.012	12
6/8/2007	6:52:31	0.1	0.002	2
6/8/2007	7:07:31	0.086	-0.012	-12
6/8/2007	7:22:31	0.089	-0.009	-9
6/8/2007	7:37:31	0.081	-0.017	-17
6/8/2007	7:52:31	0.097	-0.001	-1
6/8/2007	8:07:31	0.087	-0.011	-11
6/8/2007	8:22:31	0.093	-0.005	-5
6/8/2007	8:37:31	0.088	-0.01	-10
6/8/2007	8:52:31	0.088	-0.01	-10
6/8/2007	9:07:31	0.087	-0.011	-11
6/8/2007	9:22:31	0.084	-0.014	-14
6/8/2007	9:37:31	0.081	-0.017	-17
6/8/2007	9:52:31	0.086	-0.012	-12
6/8/2007	10:07:31	0.089	-0.009	-9
6/8/2007	10:22:31	0.08	-0.018	-18
6/8/2007	10:37:31	0.08	-0.018	-18
6/8/2007	10:52:31	0.076	-0.022	-22
6/8/2007	11:07:31	0.077	-0.021	-21
6/8/2007	11:22:31	0.072	-0.026	-26
6/8/2007	11:37:31	0.065	-0.033	-33
6/8/2007	11:52:31	0.06	-0.038	-38
6/8/2007	12:07:31	0.062	-0.036	-36
6/8/2007	12:22:31	0.057	-0.041	-41
6/8/2007	12:37:31	0.053	-0.045	-45
6/8/2007	12:52:31	0.053	-0.045	-45
6/8/2007	13:07:31	0.057	-0.041	-41
6/8/2007	13:22:31	0.058	-0.04	-40
6/8/2007	13:37:31	0.067	-0.031	-31
6/8/2007	13:52:31	0.06	-0.038	-38
6/8/2007	14:07:31	0.065	-0.033	-33
6/8/2007	14:22:31	0.061	-0.037	-37
6/8/2007	14:37:31	0.064	-0.034	-34
6/8/2007	14:52:31	0.068	-0.03	-30
6/8/2007	15:07:31	0.064	-0.034	-34
6/8/2007	15:22:31	0.063	-0.035	-35

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/11/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/11/2007 6:20	0		0
2	6/11/2007 6:35	0		0
3	6/11/2007 6:50	0		0
4	6/11/2007 7:05	0		0
5	6/11/2007 7:20	0		0
6	6/11/2007 7:35	0.1		0.1
7	6/11/2007 7:50	0.1		0.1
8	6/11/2007 8:05	0.1		0.1
9	6/11/2007 8:20	0.1		0.1
10	6/11/2007 8:35	0.1		0.1
11	6/11/2007 8:50	0.1		0.1
12	6/11/2007 9:05	0.1		0.1
13	6/11/2007 9:20	0.1		0.1
14	6/11/2007 9:35	0.1		0.1
15	6/11/2007 9:50	0		0
16	6/11/2007 10:05	0		0
17	6/11/2007 10:20	0		0
18	6/11/2007 10:35	0		0
19	6/11/2007 10:50	0		0
20	6/11/2007 11:05	0		0
21	6/11/2007 11:20	0		0
22	6/11/2007 11:35	0		0
23	6/11/2007 11:50	0		0
24	6/11/2007 12:05	0		0
25	6/11/2007 12:20	0		0
26	6/11/2007 12:35	0		0
27	6/11/2007 12:50	0		0
28	6/11/2007 13:05	0		0
29	6/11/2007 13:20	0		0
30	6/11/2007 13:35	0		0
31	6/11/2007 13:50	0		0
32	6/11/2007 14:05	0		0
33	6/11/2007 14:20	0		0
34	6/11/2007 14:35	0		0
35	6/11/2007 14:50	0		0
36	6/11/2007 15:05	0		0
37	6/11/2007 15:20	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/11/2007
Start Time:	6:08:39
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0608) = 0.036 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/11/2007	6:23:39	0.029	-0.007	-7
6/11/2007	6:38:39	0.026	-0.01	-10
6/11/2007	6:53:39	0.025	-0.011	-11
6/11/2007	7:08:39	0.022	-0.014	-14
6/11/2007	7:23:39	0.019	-0.017	-17
6/11/2007	7:38:39	0.019	-0.017	-17
6/11/2007	7:53:39	0.021	-0.015	-15
6/11/2007	8:08:39	0.02	-0.016	-16
6/11/2007	8:23:39	0.022	-0.014	-14
6/11/2007	8:38:39	0.019	-0.017	-17
6/11/2007	8:53:39	0.016	-0.02	-20
6/11/2007	9:08:39	0.017	-0.019	-19
6/11/2007	9:23:39	0.016	-0.02	-20
6/11/2007	9:38:39	0.014	-0.022	-22
6/11/2007	9:53:39	0.013	-0.023	-23
6/11/2007	10:08:39	0.015	-0.021	-21
6/11/2007	10:23:39	0.013	-0.023	-23
6/11/2007	10:38:39	0.016	-0.02	-20
6/11/2007	10:53:39	0.016	-0.02	-20
6/11/2007	11:08:39	0.018	-0.018	-18
6/11/2007	11:23:39	0.016	-0.02	-20
6/11/2007	11:38:39	0.016	-0.02	-20
6/11/2007	11:53:39	0.014	-0.022	-22
6/11/2007	12:08:39	0.012	-0.024	-24
6/11/2007	12:23:39	0.013	-0.023	-23
6/11/2007	12:38:39	0.01	-0.026	-26
6/11/2007	12:53:39	0.009	-0.027	-27
6/11/2007	13:08:39	0.012	-0.024	-24
6/11/2007	13:23:39	0.011	-0.025	-25
6/11/2007	13:38:39	0.01	-0.026	-26
6/11/2007	13:53:39	0.011	-0.025	-25
6/11/2007	14:08:39	0.011	-0.025	-25
6/11/2007	14:23:39	0.01	-0.026	-26
6/11/2007	14:38:39	0.009	-0.027	-27
6/11/2007	14:53:39	0.01	-0.026	-26
6/11/2007	15:08:39	0.01	-0.026	-26
6/11/2007	15:23:39	0.01	-0.026	-26
6/11/2007	15:38:39	0.01	-0.026	-26

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/11/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/11/2007 6:28	0		0
2	6/11/2007 6:43	0		0
3	6/11/2007 6:58	0		0
4	6/11/2007 7:13	0		0
5	6/11/2007 7:28	0		0
6	6/11/2007 7:43	0		0
7	6/11/2007 7:58	0		0
8	6/11/2007 8:13	0		0
9	6/11/2007 8:28	0		0
10	6/11/2007 8:43	0		0
11	6/11/2007 8:58	0		0
12	6/11/2007 9:13	0		0
13	6/11/2007 9:28	0		0
14	6/11/2007 9:43	0		0
15	6/11/2007 9:58	0		0
16	6/11/2007 10:13	0		0
17	6/11/2007 10:28	0		0
18	6/11/2007 10:43	0		0
19	6/11/2007 10:58	0		0
20	6/11/2007 11:13	0		0
21	6/11/2007 11:28	0		0
22	6/11/2007 11:43	0		0
23	6/11/2007 11:58	0		0
24	6/11/2007 12:13	0		0
25	6/11/2007 12:28	0		0
26	6/11/2007 12:43	0		0
27	6/11/2007 12:58	0		0
28	6/11/2007 13:13	0		0
29	6/11/2007 13:28	0		0
30	6/11/2007 13:43	0		0
31	6/11/2007 13:58	0		0
32	6/11/2007 14:13	0		0
33	6/11/2007 14:28	0		0
34	6/11/2007 14:43	0		0
35	6/11/2007 14:58	0		0
36	6/11/2007 15:13	0		0
37	6/11/2007 15:28	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/11/2007
Start Time:	6:16:04
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0615) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/11/2007	6:31:04	0.02	-0.002	-2
6/11/2007	6:46:04	0.017	-0.005	-5
6/11/2007	7:01:04	0.016	-0.006	-6
6/11/2007	7:16:04	0.017	-0.005	-5
6/11/2007	7:31:04	0.015	-0.007	-7
6/11/2007	7:46:04	0.014	-0.008	-8
6/11/2007	8:01:04	0.016	-0.006	-6
6/11/2007	8:16:04	0.017	-0.005	-5
6/11/2007	8:31:04	0.017	-0.005	-5
6/11/2007	8:46:04	0.017	-0.005	-5
6/11/2007	9:01:04	0.016	-0.006	-6
6/11/2007	9:16:04	0.016	-0.006	-6
6/11/2007	9:31:04	0.016	-0.006	-6
6/11/2007	9:46:04	0.015	-0.007	-7
6/11/2007	10:01:04	0.017	-0.005	-5
6/11/2007	10:16:04	0.017	-0.005	-5
6/11/2007	10:31:04	0.017	-0.005	-5
6/11/2007	10:46:04	0.02	-0.002	-2
6/11/2007	11:01:04	0.021	-0.001	-1
6/11/2007	11:16:04	0.021	-0.001	-1
6/11/2007	11:31:04	0.02	-0.002	-2
6/11/2007	11:46:04	0.022	0	0
6/11/2007	12:01:04	0.019	-0.003	-3
6/11/2007	12:16:04	0.017	-0.005	-5
6/11/2007	12:31:04	0.017	-0.005	-5
6/11/2007	12:46:04	0.016	-0.006	-6
6/11/2007	13:01:04	0.016	-0.006	-6
6/11/2007	13:16:04	0.017	-0.005	-5
6/11/2007	13:31:04	0.017	-0.005	-5
6/11/2007	13:46:04	0.017	-0.005	-5
6/11/2007	14:01:04	0.019	-0.003	-3
6/11/2007	14:16:04	0.017	-0.005	-5
6/11/2007	14:31:04	0.016	-0.006	-6
6/11/2007	14:46:04	0.018	-0.004	-4
6/11/2007	15:01:04	0.016	-0.006	-6
6/11/2007	15:16:04	0.017	-0.005	-5
6/11/2007	15:31:04	0.017	-0.005	-5
6/11/2007	15:46:04	0.021	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/11/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/11/2007 6:50	0		0
2	6/11/2007 7:05	0		0
3	6/11/2007 7:20	0		0
4	6/11/2007 7:35	0		0
5	6/11/2007 7:50	0		0
6	6/11/2007 8:05	0.1		0.1
7	6/11/2007 8:20	0.1		0.1
8	6/11/2007 8:35	0.2		0.2
9	6/11/2007 8:50	0.1		0.1
10	6/11/2007 9:05	0.1		0.1
11	6/11/2007 9:20	0.1		0.1
12	6/11/2007 9:35	0.1		0.1
13	6/11/2007 9:50	0.1		0.1
14	6/11/2007 10:05	0.2		0.2
15	6/11/2007 10:20	0.2		0.2
16	6/11/2007 10:35	0.2		0.2
17	6/11/2007 10:50	0.2		0.2
18	6/11/2007 11:05	0.2		0.2
19	6/11/2007 11:20	0.2		0.2
20	6/11/2007 11:35	0.2		0.2
21	6/11/2007 11:50	0.3		0.3
22	6/11/2007 12:05	0.3		0.3
23	6/11/2007 12:20	0.3		0.3
24	6/11/2007 12:35	0.3		0.3
25	6/11/2007 12:50	0.3		0.3
26	6/11/2007 13:05	0.3		0.3
27	6/11/2007 13:20	0.3		0.3
28	6/11/2007 13:35	0.3		0.3
29	6/11/2007 13:50	0.3		0.3
30	6/11/2007 14:05	0.3		0.3
31	6/11/2007 14:20	0.3		0.3
32	6/11/2007 14:35	0.3		0.3
33	6/11/2007 14:50	0.3		0.3
34	6/11/2007 15:05	0.3		0.3
35	6/11/2007 15:20	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	6/11/2007
Start Time:	6:37:22
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0635) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/11/2007	6:52:22	0.028	-0.003	-3
6/11/2007	7:07:22	0.029	-0.002	-2
6/11/2007	7:22:22	0.025	-0.006	-6
6/11/2007	7:37:22	0.03	-0.001	-1
6/11/2007	7:52:22	0.031	0	0
6/11/2007	8:07:22	0.052	0.021	21
6/11/2007	8:22:22	0.03	-0.001	-1
6/11/2007	8:37:22	0.026	-0.005	-5
6/11/2007	8:52:22	0.025	-0.006	-6
6/11/2007	9:07:22	0.025	-0.006	-6
6/11/2007	9:22:22	0.024	-0.007	-7
6/11/2007	9:37:22	0.025	-0.006	-6
6/11/2007	9:52:22	0.023	-0.008	-8
6/11/2007	10:07:22	0.026	-0.005	-5
6/11/2007	10:22:22	0.023	-0.008	-8
6/11/2007	10:37:22	0.023	-0.008	-8
6/11/2007	10:52:22	0.023	-0.008	-8
6/11/2007	11:07:22	0.025	-0.006	-6
6/11/2007	11:22:22	0.025	-0.006	-6
6/11/2007	11:37:22	0.025	-0.006	-6
6/11/2007	11:52:22	0.032	0.001	1
6/11/2007	12:07:22	0.02	-0.011	-11
6/11/2007	12:22:22	0.019	-0.012	-12
6/11/2007	12:37:22	0.017	-0.014	-14
6/11/2007	12:52:22	0.016	-0.015	-15
6/11/2007	13:07:22	0.018	-0.013	-13
6/11/2007	13:22:22	0.018	-0.013	-13
6/11/2007	13:37:22	0.016	-0.015	-15
6/11/2007	13:52:22	0.016	-0.015	-15
6/11/2007	14:07:22	0.017	-0.014	-14
6/11/2007	14:22:22	0.017	-0.014	-14
6/11/2007	14:37:22	0.017	-0.014	-14
6/11/2007	14:52:22	0.016	-0.015	-15
6/11/2007	15:07:22	0.015	-0.016	-16
6/11/2007	15:22:22	0.018	-0.013	-13
6/11/2007	15:37:22	0.02	-0.011	-11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/11/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/11/2007 6:48	0		0
2	6/11/2007 7:03	0		0
3	6/11/2007 7:18	0		0
4	6/11/2007 7:33	0		0
5	6/11/2007 7:48	0		0
6	6/11/2007 8:03	0		0
7	6/11/2007 8:18	0		0
8	6/11/2007 8:33	0		0
9	6/11/2007 8:48	0		0
10	6/11/2007 9:03	0		0
11	6/11/2007 9:18	0		0
12	6/11/2007 9:33	0		0
13	6/11/2007 9:48	0		0
14	6/11/2007 10:03	0		0
15	6/11/2007 10:18	0		0
16	6/11/2007 10:33	0		0
17	6/11/2007 10:48	0		0
18	6/11/2007 11:03	0		0
19	6/11/2007 11:18	0		0
20	6/11/2007 11:33	0		0
21	6/11/2007 11:48	0		0
22	6/11/2007 12:03	0		0
23	6/11/2007 12:18	0		0
24	6/11/2007 12:33	0		0
25	6/11/2007 12:48	0		0
26	6/11/2007 13:03	0		0
27	6/11/2007 13:18	0		0
28	6/11/2007 13:33	0		0
29	6/11/2007 13:48	0		0
30	6/11/2007 14:03	0		0
31	6/11/2007 14:18	0		0
32	6/11/2007 14:33	0		0
33	6/11/2007 14:48	0		0
34	6/11/2007 15:03	0		0
35	6/11/2007 15:18	0		0
36	6/11/2007 15:33	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	6/11/2007
Start Time:	6:34:37
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (0632) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/11/2007	6:49:37	0.031	0.002	2
6/11/2007	7:04:37	0.028	-0.001	-1
6/11/2007	7:19:37	0.022	-0.007	-7
6/11/2007	8:15:18	0.025	-0.004	-4
6/11/2007	8:30:18	0.024	-0.005	-5
6/11/2007	8:45:18	0.024	-0.005	-5
6/11/2007	9:00:18	0.022	-0.007	-7
6/11/2007	9:15:18	0.021	-0.008	-8
6/11/2007	9:30:18	0.023	-0.006	-6
6/11/2007	9:45:18	0.019	-0.01	-10
6/11/2007	10:00:18	0.019	-0.01	-10
6/11/2007	10:15:18	0.017	-0.012	-12
6/11/2007	10:30:18	0.018	-0.011	-11
6/11/2007	10:45:18	0.018	-0.011	-11
6/11/2007	11:00:18	0.018	-0.011	-11
6/11/2007	11:15:18	0.019	-0.01	-10
6/11/2007	11:30:18	0.02	-0.009	-9
6/11/2007	11:45:18	0.018	-0.011	-11
6/11/2007	12:00:18	0.014	-0.015	-15
6/11/2007	12:15:18	0.013	-0.016	-16
6/11/2007	12:30:18	0.014	-0.015	-15
6/11/2007	12:45:18	0.011	-0.018	-18
6/11/2007	13:00:18	0.012	-0.017	-17
6/11/2007	13:15:18	0.014	-0.015	-15
6/11/2007	13:30:18	0.012	-0.017	-17
6/11/2007	13:45:18	0.012	-0.017	-17
6/11/2007	14:00:18	0.011	-0.018	-18
6/11/2007	14:15:18	0.012	-0.017	-17
6/11/2007	14:30:18	0.011	-0.018	-18
6/11/2007	14:45:18	0.015	-0.014	-14
6/11/2007	15:00:18	0.012	-0.017	-17
6/11/2007	15:15:18	0.012	-0.017	-17
6/11/2007	15:30:18	0.01	-0.019	-19
6/11/2007	15:45:18	0.011	-0.018	-18

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/12/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/12/2007 6:29	0		0
2	6/12/2007 6:44	0		0
3	6/12/2007 6:59	0.1		0.1
4	6/12/2007 7:14	0.1		0.1
5	6/12/2007 7:29	0.1		0.1
6	6/12/2007 7:44	0.1		0.1
7	6/12/2007 7:59	0.1		0.1
8	6/12/2007 8:14	0.1		0.1
9	6/12/2007 8:29	0.2		0.2
10	6/12/2007 8:44	0.2		0.2
11	6/12/2007 8:59	0.2		0.2
12	6/12/2007 9:14	0.1		0.1
13	6/12/2007 9:29	0.2		0.2
14	6/12/2007 9:44	0.1		0.1
15	6/12/2007 9:59	0.2		0.2
16	6/12/2007 10:14	0.1		0.1
17	6/12/2007 10:29	0.1		0.1
18	6/12/2007 10:44	0.1		0.1
19	6/12/2007 10:59	0.1		0.1
20	6/12/2007 11:14	0.1		0.1
21	6/12/2007 11:29	0.1		0.1
22	6/12/2007 11:44	0.1		0.1
23	6/12/2007 11:59	0.1		0.1
24	6/12/2007 12:14	0.1		0.1
25	6/12/2007 12:29	0.1		0.1
26	6/12/2007 12:44	0.1		0.1
27	6/12/2007 12:59	0.1		0.1
28	6/12/2007 13:14	0.1		0.1
29	6/12/2007 13:29	0.1		0.1
30	6/12/2007 13:44	0.1		0.1
31	6/12/2007 13:59	0.1		0.1
32	6/12/2007 14:14	0.1		0.1
33	6/12/2007 14:29	0.1		0.1
34	6/12/2007 14:44	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/12/2007
Start Time:	6:17:16
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0615) = 0.034 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/12/2007	6:32:16	0.03	-0.004	-4
6/12/2007	6:47:16	0.02	-0.014	-14
6/12/2007	7:02:16	0.015	-0.019	-19
6/12/2007	7:17:16	0.016	-0.018	-18
6/12/2007	7:32:16	0.016	-0.018	-18
6/12/2007	7:47:16	0.016	-0.018	-18
6/12/2007	8:02:16	0.015	-0.019	-19
6/12/2007	8:17:16	0.015	-0.019	-19
6/12/2007	8:32:16	0.015	-0.019	-19
6/12/2007	8:47:16	0.016	-0.018	-18
6/12/2007	9:02:16	0.016	-0.018	-18
6/12/2007	9:17:16	0.017	-0.017	-17
6/12/2007	9:32:16	0.016	-0.018	-18
6/12/2007	9:47:16	0.018	-0.016	-16
6/12/2007	10:02:16	0.018	-0.016	-16
6/12/2007	10:17:16	0.023	-0.011	-11
6/12/2007	10:32:16	0.017	-0.017	-17
6/12/2007	10:47:16	0.018	-0.016	-16
6/12/2007	11:02:16	0.019	-0.015	-15
6/12/2007	11:17:16	0.019	-0.015	-15
6/12/2007	11:32:16	0.019	-0.015	-15
6/12/2007	11:47:16	0.02	-0.014	-14
6/12/2007	12:02:16	0.02	-0.014	-14
6/12/2007	12:17:16	0.027	-0.007	-7
6/12/2007	12:32:16	0.018	-0.016	-16
6/12/2007	12:47:16	0.02	-0.014	-14
6/12/2007	13:02:16	0.019	-0.015	-15
6/12/2007	13:17:16	0.02	-0.014	-14
6/12/2007	13:32:16	0.019	-0.015	-15
6/12/2007	13:47:16	0.021	-0.013	-13
6/12/2007	14:02:16	0.018	-0.016	-16
6/12/2007	14:17:16	0.015	-0.019	-19
6/12/2007	14:32:16	0.016	-0.018	-18
6/12/2007	14:47:16	0.016	-0.018	-18
6/12/2007	15:02:16	0.017	-0.017	-17

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/12/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/12/2007 6:29	0		0
2	6/12/2007 6:44	0		0
3	6/12/2007 6:59	0		0
4	6/12/2007 7:14	0.1		0.1
5	6/12/2007 7:29	0.1		0.1
6	6/12/2007 7:44	0.1		0.1
7	6/12/2007 7:59	0.1		0.1
8	6/12/2007 8:14	0.1		0.1
9	6/12/2007 8:29	0.1		0.1
10	6/12/2007 8:44	0.1		0.1
11	6/12/2007 8:59	0.2		0.2
12	6/12/2007 9:14	0.2		0.2
13	6/12/2007 9:29	0.2		0.2
14	6/12/2007 9:44	0.2		0.2
15	6/12/2007 9:59	0.2		0.2
16	6/12/2007 10:14	0.2		0.2
17	6/12/2007 10:29	0.2		0.2
18	6/12/2007 10:44	0.2		0.2
19	6/12/2007 10:59	0.2		0.2
20	6/12/2007 11:14	0.2		0.2
21	6/12/2007 11:29	0.2		0.2
22	6/12/2007 11:44	0.2		0.2
23	6/12/2007 11:59	0.2		0.2
24	6/12/2007 12:14	0.2		0.2
25	6/12/2007 12:29	0.2		0.2
26	6/12/2007 12:44	0.2		0.2
27	6/12/2007 12:59	0.2		0.2
28	6/12/2007 13:14	0.2		0.2
29	6/12/2007 13:29	0.2		0.2
30	6/12/2007 13:44	0.2		0.2
31	6/12/2007 13:59	0.2		0.2
32	6/12/2007 14:14	0.2		0.2
33	6/12/2007 14:29	0.2		0.2
34	6/12/2007 14:44	0.2		0.2
35	6/12/2007 14:59	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	6/12/2007
Start Time:	6:17:59
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/12/2007	6:32:59	0.016	-0.006	-6
6/12/2007	6:47:59	0.011	-0.011	-11
6/12/2007	7:02:59	0.01	-0.012	-12
6/12/2007	7:17:59	0.012	-0.01	-10
6/12/2007	7:32:59	0.012	-0.01	-10
6/12/2007	7:47:59	0.012	-0.01	-10
6/12/2007	8:02:59	0.013	-0.009	-9
6/12/2007	8:17:59	0.012	-0.01	-10
6/12/2007	8:32:59	0.012	-0.01	-10
6/12/2007	8:47:59	0.013	-0.009	-9
6/12/2007	9:02:59	0.014	-0.008	-8
6/12/2007	9:17:59	0.014	-0.008	-8
6/12/2007	9:32:59	0.015	-0.007	-7
6/12/2007	9:47:59	0.017	-0.005	-5
6/12/2007	10:02:59	0.016	-0.006	-6
6/12/2007	10:17:59	0.017	-0.005	-5
6/12/2007	10:32:59	0.017	-0.005	-5
6/12/2007	10:47:59	0.018	-0.004	-4
6/12/2007	11:02:59	0.019	-0.003	-3
6/12/2007	11:17:59	0.022	0	0
6/12/2007	11:32:59	0.023	0.001	1
6/12/2007	11:47:59	0.022	0	0
6/12/2007	12:02:59	0.022	0	0
6/12/2007	12:17:59	0.023	0.001	1
6/12/2007	12:32:59	0.021	-0.001	-1
6/12/2007	12:47:59	0.023	0.001	1
6/12/2007	13:02:59	0.023	0.001	1
6/12/2007	13:17:59	0.024	0.002	2
6/12/2007	13:32:59	0.024	0.002	2
6/12/2007	13:47:59	0.025	0.003	3
6/12/2007	14:02:59	0.022	0	0
6/12/2007	14:17:59	0.019	-0.003	-3
6/12/2007	14:32:59	0.019	-0.003	-3
6/12/2007	14:47:59	0.021	-0.001	-1
6/12/2007	15:02:59	0.022	0	0
6/12/2007	15:17:59	0.025	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/12/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/12/2007 6:48	0		0
2	6/12/2007 7:03	0		0
3	6/12/2007 7:18	0.1		0.1
4	6/12/2007 7:33	0.1		0.1
5	6/12/2007 7:48	0.1		0.1
6	6/12/2007 8:03	0.1		0.1
7	6/12/2007 8:18	0.1		0.1
8	6/12/2007 8:33	0.1		0.1
9	6/12/2007 8:48	0.1		0.1
10	6/12/2007 9:03	0.1		0.1
11	6/12/2007 9:18	0.2		0.2
12	6/12/2007 9:33	0.2		0.2
13	6/12/2007 9:48	0.2		0.2
14	6/12/2007 10:03	0.2		0.2
15	6/12/2007 10:18	0.2		0.2
16	6/12/2007 10:33	0.2		0.2
17	6/12/2007 10:48	0.2		0.2
18	6/12/2007 11:03	0.2		0.2
19	6/12/2007 11:18	0.3		0.3
20	6/12/2007 11:33	0.3		0.3
21	6/12/2007 11:48	0.3		0.3
22	6/12/2007 12:03	0.3		0.3
23	6/12/2007 12:18	0.3		0.3
24	6/12/2007 12:33	0.3		0.3
25	6/12/2007 12:48	0.3		0.3
26	6/12/2007 13:03	0.3		0.3
27	6/12/2007 13:18	0.3		0.3
28	6/12/2007 13:33	0.3		0.3
29	6/12/2007 13:48	0.3		0.3
30	6/12/2007 14:03	0.3		0.3
31	6/12/2007 14:18	0.3		0.3
32	6/12/2007 14:33	0.3		0.3
33	6/12/2007 14:48	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	2
Test Abbreviation:	
Start Date:	6/12/2007
Start Time:	6:35:19
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0633) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	10/19/2006

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/12/2007	6:50:19	0.024	0.003	3
6/12/2007	7:05:19	0.022	0.001	1
6/12/2007	7:20:19	0.024	0.003	3
6/12/2007	7:35:19	0.027	0.006	6
6/12/2007	7:50:19	0.021	0	0
6/12/2007	8:05:19	0.021	0	0
6/12/2007	8:20:19	0.021	0	0
6/12/2007	8:35:19	0.021	0	0
6/12/2007	8:50:19	0.022	0.001	1
6/12/2007	9:05:19	0.022	0.001	1
6/12/2007	9:20:19	0.022	0.001	1
6/12/2007	9:35:19	0.022	0.001	1
6/12/2007	9:50:19	0.024	0.003	3
6/12/2007	10:05:19	0.024	0.003	3
6/12/2007	10:20:19	0.025	0.004	4
6/12/2007	10:35:19	0.025	0.004	4
6/12/2007	10:50:19	0.024	0.003	3
6/12/2007	11:05:19	0.025	0.004	4
6/12/2007	11:20:19	0.027	0.006	6
6/12/2007	11:35:19	0.027	0.006	6
6/12/2007	11:50:19	0.028	0.007	7
6/12/2007	12:05:19	0.027	0.006	6
6/12/2007	12:20:19	0.028	0.007	7
6/12/2007	12:35:19	0.026	0.005	5
6/12/2007	12:50:19	0.028	0.007	7
6/12/2007	13:05:19	0.03	0.009	9
6/12/2007	13:20:19	0.028	0.007	7
6/12/2007	13:35:19	0.028	0.007	7
6/12/2007	13:50:19	0.03	0.009	9
6/12/2007	14:05:19	0.029	0.008	8
6/12/2007	14:20:19	0.027	0.006	6
6/12/2007	14:35:19	0.023	0.002	2
6/12/2007	14:50:19	0.024	0.003	3
6/12/2007	15:05:19	0.026	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/12/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/12/2007 6:46	0		0
2	6/12/2007 7:01	0		0
3	6/12/2007 7:16	0		0
4	6/12/2007 7:31	0		0
5	6/12/2007 7:46	0		0
6	6/12/2007 8:01	0		0
7	6/12/2007 8:16	0		0
8	6/12/2007 8:31	0		0
9	6/12/2007 8:46	0		0
10	6/12/2007 9:01	0		0
11	6/12/2007 9:16	0		0
12	6/12/2007 9:31	0		0
13	6/12/2007 9:46	0		0
14	6/12/2007 10:01	0		0
15	6/12/2007 10:16	0		0
16	6/12/2007 10:31	0		0
17	6/12/2007 10:46	0		0
18	6/12/2007 11:01	0		0
19	6/12/2007 11:16	0		0
20	6/12/2007 11:31	0		0
21	6/12/2007 11:46	0		0
22	6/12/2007 12:01	0		0
23	6/12/2007 12:16	0		0
24	6/12/2007 12:31	0		0
25	6/12/2007 12:46	0		0
26	6/12/2007 13:01	0		0
27	6/12/2007 13:16	0		0
28	6/12/2007 13:31	0		0
29	6/12/2007 13:46	0		0
30	6/12/2007 14:01	0		0
31	6/12/2007 14:16	0		0
32	6/12/2007 14:31	0		0
33	6/12/2007 14:46	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	6/12/2007
Start Time:	6:32:42
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0630) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/12/2007	6:47:42	0.023	0.003	3
6/12/2007	7:02:42	0.019	-0.001	-1
6/12/2007	7:17:42	0.017	-0.003	-3
6/12/2007	7:32:42	0.023	0.003	3
6/12/2007	7:47:42	0.018	-0.002	-2
6/12/2007	8:02:42	0.018	-0.002	-2
6/12/2007	8:17:42	0.021	0.001	1
6/12/2007	8:32:42	0.018	-0.002	-2
6/12/2007	8:47:42	0.018	-0.002	-2
6/12/2007	9:02:42	0.018	-0.002	-2
6/12/2007	9:17:42	0.019	-0.001	-1
6/12/2007	9:32:42	0.016	-0.004	-4
6/12/2007	9:47:42	0.02	0	0
6/12/2007	10:02:42	0.019	-0.001	-1
6/12/2007	10:17:42	0.02	0	0
6/12/2007	10:32:42	0.02	0	0
6/12/2007	10:47:42	0.025	0.005	5
6/12/2007	11:02:42	0.02	0	0
6/12/2007	11:17:42	0.022	0.002	2
6/12/2007	11:32:42	0.02	0	0
6/12/2007	11:47:42	0.021	0.001	1
6/12/2007	12:02:42	0.02	0	0
6/12/2007	12:17:42	0.024	0.004	4
6/12/2007	12:32:42	0.019	-0.001	-1
6/12/2007	12:47:42	0.021	0.001	1
6/12/2007	13:02:42	0.021	0.001	1
6/12/2007	13:17:42	0.022	0.002	2
6/12/2007	13:32:42	0.021	0.001	1
6/12/2007	13:47:42	0.021	0.001	1
6/12/2007	14:02:42	0.021	0.001	1
6/12/2007	14:17:42	0.015	-0.005	-5
6/12/2007	14:32:42	0.017	-0.003	-3
6/12/2007	14:47:42	0.019	-0.001	-1
6/12/2007	15:02:42	0.019	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/12/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:20am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/13/2007 6:31	0		0
2	6/13/2007 6:46	0		0
3	6/13/2007 7:01	0		0
4	6/13/2007 7:16	0		0
5	6/13/2007 7:31	0		0
6	6/13/2007 7:46	0		0
7	6/13/2007 8:01	0		0
8	6/13/2007 8:16	0		0
9	6/13/2007 8:31	0		0
10	6/13/2007 8:46	0		0
11	6/13/2007 9:01	0		0
12	6/13/2007 9:16	0		0
13	6/13/2007 9:31	0		0
14	6/13/2007 9:46	0		0
15	6/13/2007 10:01	0		0
16	6/13/2007 10:16	0		0
17	6/13/2007 10:31	0		0
18	6/13/2007 10:46	0		0
19	6/13/2007 11:01	0		0
20	6/13/2007 11:16	0		0
21	6/13/2007 11:31	0		0
22	6/13/2007 11:46	0		0
23	6/13/2007 12:01	0		0
24	6/13/2007 12:16	0		0
25	6/13/2007 12:31	0		0
26	6/13/2007 12:46	0		0
27	6/13/2007 13:01	0		0
28	6/13/2007 13:16	0		0
29	6/13/2007 13:31	0		0
30	6/13/2007 13:46	0		0
31	6/13/2007 14:01	0		0
32	6/13/2007 14:16	0		0
33	6/13/2007 14:31	0		0
34	6/13/2007 14:46	0		0
35	6/13/2007 15:01	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/13/2007
Start Time:	6:24:31
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background = 0.042mg/m3 @ 6:20am

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/13/2007	6:39:31	0.04	-0.002	-2
6/13/2007	6:54:31	0.021	-0.021	-21
6/13/2007	7:09:31	0.019	-0.023	-23
6/13/2007	7:24:31	0.019	-0.023	-23
6/13/2007	7:39:31	0.033	-0.009	-9
6/13/2007	7:54:31	0.016	-0.026	-26
6/13/2007	8:09:31	0.015	-0.027	-27
6/13/2007	8:24:31	0.016	-0.026	-26
6/13/2007	8:39:31	0.016	-0.026	-26
6/13/2007	8:54:31	0.017	-0.025	-25
6/13/2007	9:09:31	0.02	-0.022	-22
6/13/2007	9:24:31	0.018	-0.024	-24
6/13/2007	9:39:31	0.018	-0.024	-24
6/13/2007	9:54:31	0.017	-0.025	-25
6/13/2007	10:09:31	0.014	-0.028	-28
6/13/2007	10:24:31	0.013	-0.029	-29
6/13/2007	10:39:31	0.016	-0.026	-26
6/13/2007	10:54:31	0.015	-0.027	-27
6/13/2007	11:09:31	0.017	-0.025	-25
6/13/2007	11:24:31	0.016	-0.026	-26
6/13/2007	11:39:31	0.02	-0.022	-22
6/13/2007	11:54:31	0.018	-0.024	-24
6/13/2007	12:09:31	0.015	-0.027	-27
6/13/2007	12:24:31	0.015	-0.027	-27
6/13/2007	12:39:31	0.016	-0.026	-26
6/13/2007	12:54:31	0.017	-0.025	-25
6/13/2007	13:09:31	0.017	-0.025	-25
6/13/2007	13:24:31	0.018	-0.024	-24
6/13/2007	13:39:31	0.021	-0.021	-21
6/13/2007	13:54:31	0.018	-0.024	-24
6/13/2007	14:09:31	0.017	-0.025	-25
6/13/2007	14:24:31	0.014	-0.028	-28
6/13/2007	14:39:31	0.014	-0.028	-28
6/13/2007	14:54:31	0.014	-0.028	-28
6/13/2007	15:09:31	0.013	-0.029	-29
6/13/2007	15:24:31	0.016	-0.026	-26

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/13/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:30am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/13/2007 6:46	0		0
2	6/13/2007 7:01	0		0
3	6/13/2007 7:16	0		0
4	6/13/2007 7:31	0		0
5	6/13/2007 7:46	0		0
6	6/13/2007 8:01	0		0
7	6/13/2007 8:16	0		0
8	6/13/2007 8:31	0		0
9	6/13/2007 8:46	0		0
10	6/13/2007 9:01	0		0
11	6/13/2007 9:16	0		0
12	6/13/2007 9:31	0		0
13	6/13/2007 9:46	0		0
14	6/13/2007 10:01	0		0
15	6/13/2007 10:16	0		0
16	6/13/2007 10:31	0		0
17	6/13/2007 10:46	0		0
18	6/13/2007 11:01	0		0
19	6/13/2007 11:16	0		0
20	6/13/2007 11:31	0		0
21	6/13/2007 11:46	0		0
22	6/13/2007 12:01	0		0
23	6/13/2007 12:16	0		0
24	6/13/2007 12:31	0		0
25	6/13/2007 12:46	0		0
26	6/13/2007 13:01	0		0
27	6/13/2007 13:16	0		0
28	6/13/2007 13:31	0		0
29	6/13/2007 13:46	0		0
30	6/13/2007 14:01	0		0
31	6/13/2007 14:16	0		0
32	6/13/2007 14:31	0		0
33	6/13/2007 14:46	0		0
34	6/13/2007 15:01	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	6/13/2007
Start Time:	6:31:45
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background = 0.030 mg/m3 @ 6:30am

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/13/2007	6:46:45	0.023	-0.007	-7
6/13/2007	7:01:45	0.013	-0.017	-17
6/13/2007	7:16:45	0.013	-0.017	-17
6/13/2007	7:31:45	0.012	-0.018	-18
6/13/2007	7:46:45	0.012	-0.018	-18
6/13/2007	8:01:45	0.011	-0.019	-19
6/13/2007	8:16:45	0.012	-0.018	-18
6/13/2007	8:31:45	0.014	-0.016	-16
6/13/2007	8:46:45	0.016	-0.014	-14
6/13/2007	9:01:45	0.016	-0.014	-14
6/13/2007	9:16:45	0.018	-0.012	-12
6/13/2007	9:31:45	0.016	-0.014	-14
6/13/2007	9:46:45	0.017	-0.013	-13
6/13/2007	10:01:45	0.015	-0.015	-15
6/13/2007	10:16:45	0.012	-0.018	-18
6/13/2007	10:31:45	0.014	-0.016	-16
6/13/2007	10:46:45	0.017	-0.013	-13
6/13/2007	11:01:45	0.016	-0.014	-14
6/13/2007	11:16:45	0.016	-0.014	-14
6/13/2007	11:31:45	0.015	-0.015	-15
6/13/2007	11:46:45	0.016	-0.014	-14
6/13/2007	12:01:45	0.017	-0.013	-13
6/13/2007	12:16:45	0.015	-0.015	-15
6/13/2007	12:31:45	0.015	-0.015	-15
6/13/2007	12:46:45	0.017	-0.013	-13
6/13/2007	13:01:45	0.017	-0.013	-13
6/13/2007	13:16:45	0.017	-0.013	-13
6/13/2007	13:31:45	0.017	-0.013	-13
6/13/2007	13:46:45	0.018	-0.012	-12
6/13/2007	14:01:45	0.018	-0.012	-12
6/13/2007	14:16:45	0.016	-0.014	-14
6/13/2007	14:31:45	0.016	-0.014	-14
6/13/2007	14:46:45	0.015	-0.015	-15
6/13/2007	15:01:45	0.015	-0.015	-15
6/13/2007	15:16:45	0.016	-0.014	-14
6/13/2007	15:31:45	0.016	-0.014	-14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/12/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:50am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/13/2007 7:06	0		0
2	6/13/2007 7:21	0		0
3	6/13/2007 7:36	0		0
4	6/13/2007 7:51	0		0
5	6/13/2007 8:06	0		0
6	6/13/2007 8:21	0		0
7	6/13/2007 8:36	0		0
8	6/13/2007 8:51	0		0
9	6/13/2007 9:06	0		0
10	6/13/2007 9:21	0		0
11	6/13/2007 9:36	0		0
12	6/13/2007 9:51	0		0
13	6/13/2007 10:06	0		0
14	6/13/2007 10:21	0		0
15	6/13/2007 10:36	0		0
16	6/13/2007 10:51	0		0
17	6/13/2007 11:06	0		0
18	6/13/2007 11:21	0		0
19	6/13/2007 11:36	0		0
20	6/13/2007 11:51	0		0
21	6/13/2007 12:06	0		0
22	6/13/2007 12:21	0		0
23	6/13/2007 12:36	0		0
24	6/13/2007 12:51	0		0
25	6/13/2007 13:06	0		0
26	6/13/2007 13:21	0		0
27	6/13/2007 13:36	0		0
28	6/13/2007 13:51	0		0
29	6/13/2007 14:06	0		0
30	6/13/2007 14:21	0		0
31	6/13/2007 14:36	0		0
32	6/13/2007 14:51	0		0
33	6/13/2007 15:06	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	6/13/2007
Start Time:	6:52:52
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background = 0.027 mg/m3 @ 6:50 am

Calibration	Sensor: Aerosol
	Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/13/2007	7:07:52	0.026	-0.001	-1
6/13/2007	7:22:52	0.025	-0.002	-2
6/13/2007	7:37:52	0.022	-0.005	-5
6/13/2007	7:52:52	0.021	-0.006	-6
6/13/2007	8:07:52	0.019	-0.008	-8
6/13/2007	8:22:52	0.02	-0.007	-7
6/13/2007	8:37:52	0.021	-0.006	-6
6/13/2007	8:52:52	0.023	-0.004	-4
6/13/2007	9:07:52	0.025	-0.002	-2
6/13/2007	9:22:52	0.024	-0.003	-3
6/13/2007	9:37:52	0.023	-0.004	-4
6/13/2007	9:52:52	0.022	-0.005	-5
6/13/2007	10:07:52	0.018	-0.009	-9
6/13/2007	10:22:52	0.016	-0.011	-11
6/13/2007	10:37:52	0.019	-0.008	-8
6/13/2007	10:52:52	0.02	-0.007	-7
6/13/2007	11:07:52	0.019	-0.008	-8
6/13/2007	11:22:52	0.019	-0.008	-8
6/13/2007	11:37:52	0.018	-0.009	-9
6/13/2007	11:52:52	0.02	-0.007	-7
6/13/2007	12:07:52	0.022	-0.005	-5
6/13/2007	12:22:52	0.02	-0.007	-7
6/13/2007	12:37:52	0.021	-0.006	-6
6/13/2007	12:52:52	0.023	-0.004	-4
6/13/2007	13:07:52	0.022	-0.005	-5
6/13/2007	13:22:52	0.021	-0.006	-6
6/13/2007	13:37:52	0.022	-0.005	-5
6/13/2007	13:52:52	0.023	-0.004	-4
6/13/2007	14:07:52	0.023	-0.004	-4
6/13/2007	14:22:52	0.019	-0.008	-8
6/13/2007	14:37:52	0.018	-0.009	-9
6/13/2007	14:52:52	0.018	-0.009	-9
6/13/2007	15:07:52	0.018	-0.009	-9
6/13/2007	15:22:52	0.018	-0.009	-9

STATION 4 (CONCOURSE VILLAGE WEST) VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/11/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:47am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/11/2007 6:48	0		0
2	6/11/2007 7:03	0		0
3	6/11/2007 7:18	0		0
4	6/11/2007 7:33	0		0
5	6/11/2007 7:48	0		0
6	6/11/2007 8:03	0		0
7	6/11/2007 8:18	0		0
8	6/11/2007 8:33	0		0
9	6/11/2007 8:48	0		0
10	6/11/2007 9:03	0		0
11	6/11/2007 9:18	0		0
12	6/11/2007 9:33	0		0
13	6/11/2007 9:48	0		0
14	6/11/2007 10:03	0		0
15	6/11/2007 10:18	0		0
16	6/11/2007 10:33	0		0
17	6/11/2007 10:48	0		0
18	6/11/2007 11:03	0		0
19	6/11/2007 11:18	0		0
20	6/11/2007 11:33	0		0
21	6/11/2007 11:48	0		0
22	6/11/2007 12:03	0		0
23	6/11/2007 12:18	0		0
24	6/11/2007 12:33	0		0
25	6/11/2007 12:48	0		0
26	6/11/2007 13:03	0		0
27	6/11/2007 13:18	0		0
28	6/11/2007 13:33	0		0
29	6/11/2007 13:48	0		0
30	6/11/2007 14:03	0		0
31	6/11/2007 14:18	0		0
32	6/11/2007 14:33	0		0
33	6/11/2007 14:48	0		0
34	6/11/2007 15:03	0		0
35	6/11/2007 15:18	0		0
36	6/11/2007 15:33	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	6/13/2007
Start Time:	6:50:33
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background = 0.020 mg/m3 @ 6:47 am

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/13/2007	7:05:33	0.024	0.004	4
6/13/2007	7:20:33	0.023	0.003	3
6/13/2007	7:35:33	0.021	0.001	1
6/13/2007	7:50:33	0.02	0	0
6/13/2007	8:05:33	0.018	-0.002	-2
6/13/2007	8:20:33	0.018	-0.002	-2
6/13/2007	8:35:33	0.019	-0.001	-1
6/13/2007	8:50:33	0.022	0.002	2
6/13/2007	9:05:33	0.023	0.003	3
6/13/2007	9:20:33	0.023	0.003	3
6/13/2007	9:35:33	0.022	0.002	2
6/13/2007	9:50:33	0.02	0	0
6/13/2007	10:05:33	0.018	-0.002	-2
6/13/2007	10:20:33	0.016	-0.004	-4
6/13/2007	10:35:33	0.018	-0.002	-2
6/13/2007	10:50:33	0.02	0	0
6/13/2007	11:05:33	0.017	-0.003	-3
6/13/2007	11:20:33	0.019	-0.001	-1
6/13/2007	11:35:33	0.019	-0.001	-1
6/13/2007	11:50:33	0.02	0	0
6/13/2007	12:05:33	0.018	-0.002	-2
6/13/2007	12:20:33	0.02	0	0
6/13/2007	12:35:33	0.018	-0.002	-2
6/13/2007	12:50:33	0.021	0.001	1
6/13/2007	13:05:33	0.02	0	0
6/13/2007	13:20:33	0.019	-0.001	-1
6/13/2007	13:35:33	0.019	-0.001	-1
6/13/2007	13:50:33	0.019	-0.001	-1
6/13/2007	14:05:33	0.021	0.001	1
6/13/2007	14:20:33	0.017	-0.003	-3
6/13/2007	14:35:33	0.018	-0.002	-2
6/13/2007	14:50:33	0.014	-0.006	-6
6/13/2007	15:05:33	0.014	-0.006	-6
6/13/2007	15:20:33	0.015	-0.005	-5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/14/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

background 0.2ppm 6:10am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/14/2007 6:26	0.2		0
2	6/14/2007 6:41	0.3		0.1
3	6/14/2007 6:56	0.4		0.2
4	6/14/2007 7:11	0.4		0.2
5	6/14/2007 7:26	0.4		0.2
6	6/14/2007 7:41	0.5		0.3
7	6/14/2007 7:56	0.5		0.3
8	6/14/2007 8:11	0.5		0.3
9	6/14/2007 8:26	0.5		0.3
10	6/14/2007 8:41	0.5		0.3
11	6/14/2007 8:56	0.5		0.3
12	6/14/2007 9:11	0.5		0.3
13	6/14/2007 9:26	0.5		0.3
14	6/14/2007 9:41	0.5		0.3
15	6/14/2007 9:56	0.5		0.3
16	6/14/2007 10:11	0.5		0.3
17	6/14/2007 10:26	0.5		0.3
18	6/14/2007 10:41	0.5		0.3
19	6/14/2007 10:56	0.5		0.3
20	6/14/2007 11:11	0.5		0.3
21	6/14/2007 11:26	0.5		0.3
22	6/14/2007 11:41	0.5		0.3
23	6/14/2007 11:56	0.5		0.3
24	6/14/2007 12:11	0.5		0.3
25	6/14/2007 12:26	0.5		0.3
26	6/14/2007 12:41	0.5		0.3
27	6/14/2007 12:56	0.5		0.3
28	6/14/2007 13:11	0.5		0.3
29	6/14/2007 13:26	0.6		0.4
30	6/14/2007 13:41	0.6		0.4
31	6/14/2007 13:56	0.5		0.3
32	6/14/2007 14:11	0.5		0.3
33	6/14/2007 14:26	0.5		0.3
34	6/14/2007 14:41	0.5		0.3
35	6/14/2007 14:56	0.5		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/14/2007
Start Time:	6:14:44
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

background= 0.010mg/m3 at 6:10 am

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/14/2007	6:29:44	0.012	0.002	2
6/14/2007	6:44:44	0.011	0.001	1
6/14/2007	6:59:44	0.017	0.007	7
6/14/2007	7:14:44	0.019	0.009	9
6/14/2007	7:29:44	0.019	0.009	9
6/14/2007	7:44:44	0.008	-0.002	-2
6/14/2007	7:59:44	0.019	0.009	9
6/14/2007	8:14:44	0.014	0.004	4
6/14/2007	8:29:44	0.024	0.014	14
6/14/2007	8:44:44	0.023	0.013	13
6/14/2007	8:59:44	0.011	0.001	1
6/14/2007	9:14:44	0.008	-0.002	-2
6/14/2007	9:29:44	0.007	-0.003	-3
6/14/2007	9:44:44	0.007	-0.003	-3
6/14/2007	9:59:44	0.013	0.003	3
6/14/2007	10:14:44	0.018	0.008	8
6/14/2007	10:29:44	0.009	-0.001	-1
6/14/2007	10:44:44	0.012	0.002	2
6/14/2007	10:59:44	0.012	0.002	2
6/14/2007	11:14:44	0.009	-0.001	-1
6/14/2007	11:29:44	0.007	-0.003	-3
6/14/2007	11:44:44	0.008	-0.002	-2
6/14/2007	11:59:44	0.012	0.002	2
6/14/2007	12:14:44	0.011	0.001	1
6/14/2007	12:29:44	0.017	0.007	7
6/14/2007	12:44:44	0.011	0.001	1
6/14/2007	12:59:44	0.007	-0.003	-3
6/14/2007	13:14:44	0.012	0.002	2
6/14/2007	13:29:44	0.012	0.002	2
6/14/2007	13:44:44	0.013	0.003	3
6/14/2007	13:59:44	0.012	0.002	2
6/14/2007	14:14:44	0.012	0.002	2
6/14/2007	14:29:44	0.013	0.003	3
6/14/2007	14:44:44	0.012	0.002	2
6/14/2007	14:59:44	0.017	0.007	7
6/14/2007	15:14:44	0.015	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/14/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

background 0.0ppm 6:30am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/14/2007 6:28	0.1		0.1
2	6/14/2007 6:43	0.1		0.1
3	6/14/2007 6:58	0.1		0.1
4	6/14/2007 7:13	0.1		0.1
5	6/14/2007 7:28	0.1		0.1
6	6/14/2007 7:43	0.2		0.2
7	6/14/2007 7:58	0.2		0.2
8	6/14/2007 8:13	0.2		0.2
9	6/14/2007 8:28	0.2		0.2
10	6/14/2007 8:43	0.2		0.2
11	6/14/2007 8:58	0.2		0.2
12	6/14/2007 9:13	0.2		0.2
13	6/14/2007 9:28	0.2		0.2
14	6/14/2007 9:43	0.2		0.2
15	6/14/2007 9:58	0.2		0.2
16	6/14/2007 10:13	0.2		0.2
17	6/14/2007 10:28	0.2		0.2
18	6/14/2007 10:43	0.2		0.2
19	6/14/2007 10:58	0.2		0.2
20	6/14/2007 11:13	0.2		0.2
21	6/14/2007 11:28	0.2		0.2
22	6/14/2007 11:43	0.2		0.2
23	6/14/2007 11:58	0.2		0.2
24	6/14/2007 12:13	0.2		0.2
25	6/14/2007 12:28	0.1		0.1
26	6/14/2007 12:43	0.1		0.1
27	6/14/2007 12:58	0.1		0.1
28	6/14/2007 13:13	0.2		0.2
29	6/14/2007 13:28	0.2		0.2
30	6/14/2007 13:43	0.2		0.2
31	6/14/2007 13:58	0.2		0.2
32	6/14/2007 14:13	0.2		0.2
33	6/14/2007 14:28	0.2		0.2
34	6/14/2007 14:43	0.2		0.2
35	6/14/2007 14:58	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	6/14/2007
Start Time:	6:16:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

background = 0.014 mg/m3 at 6:30am

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/14/2007	6:31:12	0.008	-0.006	-6
6/14/2007	6:46:12	0.009	-0.005	-5
6/14/2007	7:01:12	0.008	-0.006	-6
6/14/2007	7:16:12	0.009	-0.005	-5
6/14/2007	7:31:12	0.009	-0.005	-5
6/14/2007	7:46:12	0.009	-0.005	-5
6/14/2007	8:01:12	0.009	-0.005	-5
6/14/2007	8:16:12	0.01	-0.004	-4
6/14/2007	8:31:12	0.013	-0.001	-1
6/14/2007	8:46:12	0.01	-0.004	-4
6/14/2007	9:01:12	0.011	-0.003	-3
6/14/2007	9:16:12	0.009	-0.005	-5
6/14/2007	9:31:12	0.008	-0.006	-6
6/14/2007	9:46:12	0.007	-0.007	-7
6/14/2007	10:01:12	0.008	-0.006	-6
6/14/2007	10:16:12	0.008	-0.006	-6
6/14/2007	10:31:12	0.008	-0.006	-6
6/14/2007	10:46:12	0.008	-0.006	-6
6/14/2007	11:01:12	0.008	-0.006	-6
6/14/2007	11:16:12	0.008	-0.006	-6
6/14/2007	11:31:12	0.008	-0.006	-6
6/14/2007	11:46:12	0.008	-0.006	-6
6/14/2007	12:01:12	0.008	-0.006	-6
6/14/2007	12:16:12	0.009	-0.005	-5
6/14/2007	12:31:12	0.009	-0.005	-5
6/14/2007	12:46:12	0.008	-0.006	-6
6/14/2007	13:01:12	0.009	-0.005	-5
6/14/2007	13:16:12	0.01	-0.004	-4
6/14/2007	13:31:12	0.01	-0.004	-4
6/14/2007	13:46:12	0.01	-0.004	-4
6/14/2007	14:01:12	0.012	-0.002	-2
6/14/2007	14:16:12	0.012	-0.002	-2
6/14/2007	14:31:12	0.013	-0.001	-1
6/14/2007	14:46:12	0.013	-0.001	-1
6/14/2007	15:01:12	0.014	0	0
6/14/2007	15:16:12	0.014	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/14/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

background 0.0ppm 6:33am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/14/2007 6:48	0		0
2	6/14/2007 7:03	0		0
3	6/14/2007 7:18	0		0
4	6/14/2007 7:33	0		0
5	6/14/2007 7:48	0		0
6	6/14/2007 8:03	0.1		0.1
7	6/14/2007 8:18	0		0
8	6/14/2007 8:33	0		0
9	6/14/2007 8:48	0		0
10	6/14/2007 9:03	0		0
11	6/14/2007 9:18	0		0
12	6/14/2007 9:33	0.1		0.1
13	6/14/2007 9:48	0		0
14	6/14/2007 10:03	0.1		0.1
15	6/14/2007 10:18	0.1		0.1
16	6/14/2007 10:33	0.1		0.1
17	6/14/2007 10:48	0.1		0.1
18	6/14/2007 11:03	0.1		0.1
19	6/14/2007 11:18	0.1		0.1
20	6/14/2007 11:33	0.1		0.1
21	6/14/2007 11:48	0.1		0.1
22	6/14/2007 12:03	0.1		0.1
23	6/14/2007 12:18	0.1		0.1
24	6/14/2007 12:33	0.1		0.1
25	6/14/2007 12:48	0.1		0.1
26	6/14/2007 13:03	0.1		0.1
27	6/14/2007 13:18	0.1		0.1
28	6/14/2007 13:33	0.1		0.1
29	6/14/2007 13:48	0.1		0.1
30	6/14/2007 14:03	0.1		0.1
31	6/14/2007 14:18	0.1		0.1
32	6/14/2007 14:33	0.1		0.1
33	6/14/2007 14:48	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	4
Test Abbreviation:	
Start Date:	6/14/2007
Start Time:	6:34:41
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

background = 0.009 mg/m3 at 6:33 am

Calibration	Sensor: Aerosol
	Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/14/2007	6:49:41	0.01	0.001	1
6/14/2007	7:04:41	0.01	0.001	1
6/14/2007	7:19:41	0.012	0.003	3
6/14/2007	7:34:41	0.012	0.003	3
6/14/2007	7:49:41	0.013	0.004	4
6/14/2007	8:04:41	0.012	0.003	3
6/14/2007	8:19:41	0.013	0.004	4
6/14/2007	8:34:41	0.012	0.003	3
6/14/2007	8:49:41	0.01	0.001	1
6/14/2007	9:04:41	0.009	0	0
6/14/2007	9:19:41	0.009	0	0
6/14/2007	9:34:41	0.007	-0.002	-2
6/14/2007	9:49:41	0.007	-0.002	-2
6/14/2007	10:04:41	0.008	-0.001	-1
6/14/2007	10:19:41	0.009	0	0
6/14/2007	10:34:41	0.008	-0.001	-1
6/14/2007	10:49:41	0.008	-0.001	-1
6/14/2007	11:04:41	0.008	-0.001	-1
6/14/2007	11:19:41	0.008	-0.001	-1
6/14/2007	11:34:41	0.009	0	0
6/14/2007	11:49:41	0.008	-0.001	-1
6/14/2007	12:04:41	0.008	-0.001	-1
6/14/2007	12:19:41	0.007	-0.002	-2
6/14/2007	12:34:41	0.007	-0.002	-2
6/14/2007	12:49:41	0.009	0	0
6/14/2007	13:04:41	0.009	0	0
6/14/2007	13:19:41	0.01	0.001	1
6/14/2007	13:34:41	0.01	0.001	1
6/14/2007	13:49:41	0.011	0.002	2
6/14/2007	14:04:41	0.012	0.003	3
6/14/2007	14:19:41	0.014	0.005	5
6/14/2007	14:34:41	0.016	0.007	7
6/14/2007	14:49:41	0.016	0.007	7
6/14/2007	15:04:41	0.016	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/14/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

background 0.0ppm 6:15am

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/14/2007 6:45	0		0
2	6/14/2007 7:00	0		0
3	6/14/2007 7:15	0		0
4	6/14/2007 7:30	0		0
5	6/14/2007 7:45	0		0
6	6/14/2007 8:00	0		0
7	6/14/2007 8:15	0		0
8	6/14/2007 8:30	0		0
9	6/14/2007 8:45	0		0
10	6/14/2007 9:00	0		0
11	6/14/2007 9:15	0		0
12	6/14/2007 9:30	0		0
13	6/14/2007 9:45	0		0
14	6/14/2007 10:00	0		0
15	6/14/2007 10:15	0		0
16	6/14/2007 10:30	0		0
17	6/14/2007 10:45	0		0
18	6/14/2007 11:00	0		0
19	6/14/2007 11:15	0		0
20	6/14/2007 11:30	0		0
21	6/14/2007 11:45	0		0
22	6/14/2007 12:00	0		0
23	6/14/2007 12:15	0		0
24	6/14/2007 12:30	0		0
25	6/14/2007 12:45	0		0
26	6/14/2007 13:00	0		0
27	6/14/2007 13:15	0		0
28	6/14/2007 13:30	0		0
29	6/14/2007 13:45	0		0
30	6/14/2007 14:00	0		0
31	6/14/2007 14:15	0		0
32	6/14/2007 14:30	0		0
33	6/14/2007 14:45	0		0
34	6/14/2007 15:00	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	6/14/2007
Start Time:	6:31:20
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

background = 0.007 at 6:15am

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/14/2007	6:46:20	0.01	0.003	3
6/14/2007	7:01:20	0.011	0.004	4
6/14/2007	7:16:20	0.012	0.005	5
6/14/2007	7:31:20	0.011	0.004	4
6/14/2007	7:46:20	0.015	0.008	8
6/14/2007	8:01:20	0.013	0.006	6
6/14/2007	8:16:20	0.011	0.004	4
6/14/2007	8:31:20	0.011	0.004	4
6/14/2007	8:46:20	0.011	0.004	4
6/14/2007	9:01:20	0.014	0.007	7
6/14/2007	9:16:20	0.009	0.002	2
6/14/2007	9:31:20	0.012	0.005	5
6/14/2007	9:46:20	0.008	0.001	1
6/14/2007	10:01:20	0.011	0.004	4
6/14/2007	10:16:20	0.008	0.001	1
6/14/2007	10:31:20	0.012	0.005	5
6/14/2007	10:46:20	0.008	0.001	1
6/14/2007	11:01:20	0.012	0.005	5
6/14/2007	11:16:20	0.01	0.003	3
6/14/2007	11:31:20	0.01	0.003	3
6/14/2007	11:46:20	0.011	0.004	4
6/14/2007	12:01:20	0.013	0.006	6
6/14/2007	12:16:20	0.01	0.003	3
6/14/2007	12:31:20	0.008	0.001	1
6/14/2007	12:46:20	0.009	0.002	2
6/14/2007	13:01:20	0.012	0.005	5
6/14/2007	13:16:20	0.01	0.003	3
6/14/2007	13:31:20	0.009	0.002	2
6/14/2007	13:46:20	0.01	0.003	3
6/14/2007	14:01:20	0.011	0.004	4
6/14/2007	14:16:20	0.013	0.006	6
6/14/2007	14:31:20	0.014	0.007	7
6/14/2007	14:46:20	0.014	0.007	7
6/14/2007	15:01:20	0.013	0.006	6
6/14/2007	15:16:20	0.013	0.006	6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/15/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:25AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/15/2007 6:36	0		0
2	6/15/2007 6:51	0		0
3	6/15/2007 7:06	0		0
4	6/15/2007 7:21	0		0
5	6/15/2007 7:36	0		0
6	6/15/2007 7:51	0		0
7	6/15/2007 8:06	0		0
8	6/15/2007 8:21	0		0
9	6/15/2007 8:36	0		0
10	6/15/2007 8:51	0		0
11	6/15/2007 9:06	0		0
12	6/15/2007 9:21	0		0
13	6/15/2007 9:36	0		0
14	6/15/2007 9:51	0		0
15	6/15/2007 10:06	0		0
16	6/15/2007 10:21	0		0
17	6/15/2007 10:36	0		0
18	6/15/2007 10:51	0.1		0.1
19	6/15/2007 11:06	0.1		0.1
20	6/15/2007 11:21	0.1		0.1
21	6/15/2007 11:36	0		0
22	6/15/2007 11:51	0		0
23	6/15/2007 12:06	0		0
24	6/15/2007 12:21	0		0
25	6/15/2007 12:36	0		0
26	6/15/2007 12:51	0		0
27	6/15/2007 13:06	0		0
28	6/15/2007 13:21	0		0
29	6/15/2007 13:36	0		0
30	6/15/2007 13:51	0		0
31	6/15/2007 14:06	0		0
32	6/15/2007 14:21	0.1		0.1
33	6/15/2007 14:36	0		0
34	6/15/2007 14:51	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/15/2007
Start Time:	6:25:23
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background = 0.020 mg/m3 @ 6:25am

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/15/2007	6:40:23	0.019	-0.001	-1
6/15/2007	6:55:23	0.042	0.022	22
6/15/2007	7:10:23	0.037	0.017	17
6/15/2007	7:25:23	0.022	0.002	2
6/15/2007	7:40:23	0.021	0.001	1
6/15/2007	7:55:23	0.031	0.011	11
6/15/2007	8:10:23	0.023	0.003	3
6/15/2007	8:25:23	0.022	0.002	2
6/15/2007	8:40:23	0.029	0.009	9
6/15/2007	8:55:23	0.025	0.005	5
6/15/2007	9:10:23	0.024	0.004	4
6/15/2007	9:25:23	0.021	0.001	1
6/15/2007	9:40:23	0.021	0.001	1
6/15/2007	9:55:23	0.022	0.002	2
6/15/2007	10:10:23	0.023	0.003	3
6/15/2007	10:25:23	0.025	0.005	5
6/15/2007	10:40:23	0.021	0.001	1
6/15/2007	10:55:23	0.021	0.001	1
6/15/2007	11:10:23	0.038	0.018	18
6/15/2007	11:25:23	0.021	0.001	1
6/15/2007	11:40:23	0.024	0.004	4
6/15/2007	11:55:23	0.022	0.002	2
6/15/2007	12:10:23	0.021	0.001	1
6/15/2007	12:25:23	0.022	0.002	2
6/15/2007	12:40:23	0.021	0.001	1
6/15/2007	12:55:23	0.022	0.002	2
6/15/2007	13:10:23	0.024	0.004	4
6/15/2007	13:25:23	0.024	0.004	4
6/15/2007	13:40:23	0.026	0.006	6
6/15/2007	13:55:23	0.029	0.009	9
6/15/2007	14:10:23	0.028	0.008	8
6/15/2007	14:25:23	0.025	0.005	5
6/15/2007	14:40:23	0.022	0.002	2
6/15/2007	14:55:23	0.022	0.002	2
6/15/2007	15:10:23	0.021	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/15/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:19AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/15/2007 6:32	0		0
2	6/15/2007 6:47	0		0
3	6/15/2007 7:02	0		0
4	6/15/2007 7:17	0.1		0.1
5	6/15/2007 7:32	0.1		0.1
6	6/15/2007 7:47	0.1		0.1
7	6/15/2007 8:02	0.1		0.1
8	6/15/2007 8:17	0.1		0.1
9	6/15/2007 8:32	0.1		0.1
10	6/15/2007 8:47	0.1		0.1
11	6/15/2007 9:02	0.1		0.1
12	6/15/2007 9:17	0.1		0.1
13	6/15/2007 9:32	0.1		0.1
14	6/15/2007 9:47	0.1		0.1
15	6/15/2007 10:02	0.1		0.1
16	6/15/2007 10:17	0.1		0.1
17	6/15/2007 10:32	0.1		0.1
18	6/15/2007 10:47	0.1		0.1
19	6/15/2007 11:02	0.1		0.1
20	6/15/2007 11:17	0.1		0.1
21	6/15/2007 11:32	0.1		0.1
22	6/15/2007 11:47	0.2		0.2
23	6/15/2007 12:02	0.1		0.1
24	6/15/2007 12:17	0.1		0.1
25	6/15/2007 12:32	0.1		0.1
26	6/15/2007 12:47	0.1		0.1
27	6/15/2007 13:02	0.1		0.1
28	6/15/2007 13:17	0.2		0.2
29	6/15/2007 13:32	0.1		0.1
30	6/15/2007 13:47	0.2		0.2
31	6/15/2007 14:02	0.2		0.2
32	6/15/2007 14:17	0.2		0.2
33	6/15/2007 14:32	0.2		0.2
34	6/15/2007 14:47	0.2		0.2
35	6/15/2007 15:02	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	6/15/2007
Start Time:	6:20:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background = 0.019 mg/m3 at 6:19am

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/15/2007	6:35:12	0.018	-0.001	-1
6/15/2007	6:50:12	0.018	-0.001	-1
6/15/2007	7:05:12	0.017	-0.002	-2
6/15/2007	7:20:12	0.019	0	0
6/15/2007	7:35:12	0.017	-0.002	-2
6/15/2007	7:50:12	0.016	-0.003	-3
6/15/2007	8:05:12	0.029	0.01	10
6/15/2007	8:20:12	0.025	0.006	6
6/15/2007	8:35:12	0.044	0.025	25
6/15/2007	8:50:12	0.045	0.026	26
6/15/2007	9:05:12	0.03	0.011	11
6/15/2007	9:20:12	0.026	0.007	7
6/15/2007	9:35:12	0.023	0.004	4
6/15/2007	9:50:12	0.021	0.002	2
6/15/2007	10:05:12	0.02	0.001	1
6/15/2007	10:20:12	0.021	0.002	2
6/15/2007	10:35:12	0.021	0.002	2
6/15/2007	10:50:12	0.02	0.001	1
6/15/2007	11:05:12	0.02	0.001	1
6/15/2007	11:20:12	0.02	0.001	1
6/15/2007	11:35:12	0.021	0.002	2
6/15/2007	11:50:12	0.023	0.004	4
6/15/2007	12:05:12	0.022	0.003	3
6/15/2007	12:20:12	0.021	0.002	2
6/15/2007	12:35:12	0.022	0.003	3
6/15/2007	12:50:12	0.022	0.003	3
6/15/2007	13:05:12	0.023	0.004	4
6/15/2007	13:20:12	0.023	0.004	4
6/15/2007	13:35:12	0.025	0.006	6
6/15/2007	13:50:12	0.026	0.007	7
6/15/2007	14:05:12	0.027	0.008	8
6/15/2007	14:20:12	0.026	0.007	7
6/15/2007	14:35:12	0.025	0.006	6
6/15/2007	14:50:12	0.02	0.001	1
6/15/2007	15:05:12	0.021	0.002	2
6/15/2007	15:20:12	0.022	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/15/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.1ppm @ 6:39AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/15/2007 6:54	0.1		0
2	6/15/2007 7:09	0.2		0.1
3	6/15/2007 7:24	0.2		0.1
4	6/15/2007 7:39	0.2		0.1
5	6/15/2007 7:54	0.2		0.1
6	6/15/2007 8:09	0.2		0.1
7	6/15/2007 8:24	0.2		0.1
8	6/15/2007 8:39	0.2		0.1
9	6/15/2007 8:54	0.2		0.1
10	6/15/2007 9:09	0.2		0.1
11	6/15/2007 9:24	0.2		0.1
12	6/15/2007 9:39	0.3		0.2
13	6/15/2007 9:54	0.3		0.2
14	6/15/2007 10:09	0.3		0.2
15	6/15/2007 10:24	0.3		0.2
16	6/15/2007 10:39	0.3		0.2
17	6/15/2007 10:54	0.3		0.2
18	6/15/2007 11:09	0.3		0.2
19	6/15/2007 11:24	0.3		0.2
20	6/15/2007 11:39	0.3		0.2
21	6/15/2007 11:54	0.3		0.2
22	6/15/2007 12:09	0.3		0.2
23	6/15/2007 12:24	0.3		0.2
24	6/15/2007 12:39	0.3		0.2
25	6/15/2007 12:54	0.3		0.2
26	6/15/2007 13:09	0.3		0.2
27	6/15/2007 13:24	0.3		0.2
28	6/15/2007 13:39	0.3		0.2
29	6/15/2007 13:54	0.3		0.2
30	6/15/2007 14:09	0.3		0.2
31	6/15/2007 14:24	0.3		0.2
32	6/15/2007 14:39	0.3		0.2
33	6/15/2007 14:54	0.3		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	5
Test Abbreviation:	
Start Date:	6/15/2007
Start Time:	6:40:09
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background = 0.021 mg/m3 at 6:39 am

Calibration Sensor: Aerosol
Cal. date 10/19/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/15/2007	6:55:09	0.023	0.002	2
6/15/2007	7:10:09	0.025	0.004	4
6/15/2007	7:25:09	0.027	0.006	6
6/15/2007	7:40:09	0.024	0.003	3
6/15/2007	7:55:09	0.024	0.003	3
6/15/2007	8:10:09	0.031	0.01	10
6/15/2007	8:25:09	0.036	0.015	15
6/15/2007	8:40:09	0.045	0.024	24
6/15/2007	8:55:09	0.035	0.014	14
6/15/2007	9:10:09	0.03	0.009	9
6/15/2007	9:25:09	0.03	0.009	9
6/15/2007	9:40:09	0.03	0.009	9
6/15/2007	9:55:09	0.028	0.007	7
6/15/2007	10:10:09	0.031	0.01	10
6/15/2007	10:25:09	0.029	0.008	8
6/15/2007	10:40:09	0.029	0.008	8
6/15/2007	10:55:09	0.029	0.008	8
6/15/2007	11:10:09	0.028	0.007	7
6/15/2007	11:25:09	0.029	0.008	8
6/15/2007	11:40:09	0.031	0.01	10
6/15/2007	11:55:09	0.033	0.012	12
6/15/2007	12:10:09	0.031	0.01	10
6/15/2007	12:25:09	0.03	0.009	9
6/15/2007	12:40:09	0.031	0.01	10
6/15/2007	12:55:09	0.032	0.011	11
6/15/2007	13:10:09	0.038	0.017	17
6/15/2007	13:25:09	0.034	0.013	13
6/15/2007	13:40:09	0.039	0.018	18
6/15/2007	13:55:09	0.052	0.031	31
6/15/2007	14:10:09	0.038	0.017	17
6/15/2007	14:25:09	0.034	0.013	13
6/15/2007	14:40:09	0.033	0.012	12
6/15/2007	14:55:09	0.03	0.009	9
6/15/2007	15:10:09	0.032	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/15/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm @ 6:34AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/15/2007 6:50	0		0
2	6/15/2007 7:05	0		0
3	6/15/2007 7:20	0		0
4	6/15/2007 7:35	0		0
5	6/15/2007 7:50	0		0
6	6/15/2007 8:05	0		0
7	6/15/2007 8:20	0		0
8	6/15/2007 8:35	0		0
9	6/15/2007 8:50	0		0
10	6/15/2007 9:05	0		0
11	6/15/2007 9:20	0		0
12	6/15/2007 9:35	0		0
13	6/15/2007 9:50	0		0
14	6/15/2007 10:05	0		0
15	6/15/2007 10:20	0		0
16	6/15/2007 10:35	0		0
17	6/15/2007 10:50	0		0
18	6/15/2007 11:05	0		0
19	6/15/2007 11:20	0		0
20	6/15/2007 11:35	0		0
21	6/15/2007 11:50	0		0
22	6/15/2007 12:05	0		0
23	6/15/2007 12:20	0		0
24	6/15/2007 12:35	0		0
25	6/15/2007 12:50	0		0
26	6/15/2007 13:05	0		0
27	6/15/2007 13:20	0		0
28	6/15/2007 13:35	0		0
29	6/15/2007 13:50	0		0
30	6/15/2007 14:05	0		0
31	6/15/2007 14:20	0		0
32	6/15/2007 14:35	0		0
33	6/15/2007 14:50	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	6/15/2007
Start Time:	6:36:47
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background = 0.021 mg/m3 @ 6:34am

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/15/2007	6:51:47	0.026	0.005	5
6/15/2007	7:06:47	0.025	0.004	4
6/15/2007	7:21:47	0.028	0.007	7
6/15/2007	7:36:47	0.022	0.001	1
6/15/2007	7:51:47	0.02	-0.001	-1
6/15/2007	8:06:47	0.028	0.007	7
6/15/2007	8:21:47	0.026	0.005	5
6/15/2007	8:36:47	0.028	0.007	7
6/15/2007	8:51:47	0.027	0.006	6
6/15/2007	9:06:47	0.024	0.003	3
6/15/2007	9:21:47	0.024	0.003	3
6/15/2007	9:36:47	0.022	0.001	1
6/15/2007	9:51:47	0.023	0.002	2
6/15/2007	10:06:47	0.023	0.002	2
6/15/2007	10:21:47	0.024	0.003	3
6/15/2007	10:36:47	0.024	0.003	3
6/15/2007	10:51:47	0.022	0.001	1
6/15/2007	11:06:47	0.024	0.003	3
6/15/2007	11:21:47	0.024	0.003	3
6/15/2007	11:36:47	0.024	0.003	3
6/15/2007	11:51:47	0.026	0.005	5
6/15/2007	12:06:47	0.026	0.005	5
6/15/2007	12:21:47	0.027	0.006	6
6/15/2007	12:36:47	0.023	0.002	2
6/15/2007	12:51:47	0.025	0.004	4
6/15/2007	13:06:47	0.032	0.011	11
6/15/2007	13:21:47	0.028	0.007	7
6/15/2007	13:36:47	0.029	0.008	8
6/15/2007	13:51:47	0.03	0.009	9
6/15/2007	14:06:47	0.032	0.011	11
6/15/2007	14:21:47	0.029	0.008	8
6/15/2007	14:36:47	0.028	0.007	7
6/15/2007	14:51:47	0.022	0.001	1
6/15/2007	15:06:47	0.026	0.005	5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/18/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/18/2007 6:03	0		0
2	6/18/2007 6:18	0		0
3	6/18/2007 6:33	0		0
4	6/18/2007 6:48	0.1		0.1
5	6/18/2007 7:03	0.1		0.1
6	6/18/2007 7:18	0.1		0.1
7	6/18/2007 7:33	0.1		0.1
8	6/18/2007 7:48	0.1		0.1
9	6/18/2007 8:03	0.1		0.1
10	6/18/2007 8:18	0.1		0.1
11	6/18/2007 8:33	0.1		0.1
12	6/18/2007 8:48	0		0
13	6/18/2007 9:03	0		0
14	6/18/2007 9:18	0		0
15	6/18/2007 9:33	0		0
16	6/18/2007 9:48	0		0
17	6/18/2007 10:03	0		0
18	6/18/2007 10:18	0		0
19	6/18/2007 10:33	0		0
20	6/18/2007 10:48	0		0
21	6/18/2007 11:03	0		0
22	6/18/2007 11:18	0		0
23	6/18/2007 11:33	0		0
24	6/18/2007 11:48	0		0
25	6/18/2007 12:03	0		0
26	6/18/2007 12:18	0		0
27	6/18/2007 12:33	0		0
28	6/18/2007 12:48	0		0
29	6/18/2007 13:03	0		0
30	6/18/2007 13:18	0		0
31	6/18/2007 13:33	0		0
32	6/18/2007 13:48	0		0
33	6/18/2007 14:03	0		0
34	6/18/2007 14:18	0		0
35	6/18/2007 14:33	0		0
36	6/18/2007 14:48	0		0
37	6/18/2007 15:03	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/18/2007
Start Time:	5:52:49
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0552) = 0.072 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/18/2007	6:07:49	0.076	0.004	4
6/18/2007	6:22:49	0.057	-0.015	-15
6/18/2007	6:37:49	0.05	-0.022	-22
6/18/2007	6:52:49	0.051	-0.021	-21
6/18/2007	7:07:49	0.042	-0.03	-30
6/18/2007	7:22:49	0.041	-0.031	-31
6/18/2007	7:37:49	0.042	-0.03	-30
6/18/2007	7:52:49	0.036	-0.036	-36
6/18/2007	8:07:49	0.034	-0.038	-38
6/18/2007	8:22:49	0.034	-0.038	-38
6/18/2007	8:37:49	0.033	-0.039	-39
6/18/2007	8:52:49	0.034	-0.038	-38
6/18/2007	9:07:49	0.026	-0.046	-46
6/18/2007	9:22:49	0.029	-0.043	-43
6/18/2007	9:37:49	0.053	-0.019	-19
6/18/2007	9:52:49	0.027	-0.045	-45
6/18/2007	10:07:49	0.028	-0.044	-44
6/18/2007	10:22:49	0.031	-0.041	-41
6/18/2007	10:37:49	0.028	-0.044	-44
6/18/2007	10:52:49	0.023	-0.049	-49
6/18/2007	11:07:49	0.024	-0.048	-48
6/18/2007	11:22:49	0.024	-0.048	-48
6/18/2007	11:37:49	0.025	-0.047	-47
6/18/2007	11:52:49	0.029	-0.043	-43
6/18/2007	12:07:49	0.027	-0.045	-45
6/18/2007	12:22:49	0.028	-0.044	-44
6/18/2007	12:37:49	0.025	-0.047	-47
6/18/2007	12:52:49	0.021	-0.051	-51
6/18/2007	13:07:49	0.025	-0.047	-47
6/18/2007	13:22:49	0.023	-0.049	-49
6/18/2007	13:37:49	0.025	-0.047	-47
6/18/2007	13:52:49	0.029	-0.043	-43
6/18/2007	14:07:49	0.028	-0.044	-44
6/18/2007	14:22:49	0.028	-0.044	-44
6/18/2007	14:37:49	0.028	-0.044	-44
6/18/2007	14:52:49	0.024	-0.048	-48
6/18/2007	15:07:49	0.027	-0.045	-45
6/18/2007	15:22:49	0.023	-0.049	-49

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/18/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/18/2007 6:26	0		0
2	6/18/2007 6:41	0		0
3	6/18/2007 6:56	0		0
4	6/18/2007 7:11	0		0
5	6/18/2007 7:26	0		0
6	6/18/2007 7:41	0.1		0.1
7	6/18/2007 7:56	0.2		0.2
8	6/18/2007 8:11	0.2		0.2
9	6/18/2007 8:26	0.3		0.3
10	6/18/2007 8:41	0.3		0.3
11	6/18/2007 8:56	0.4		0.4
12	6/18/2007 9:11	0.4		0.4
13	6/18/2007 9:26	0.4		0.4
14	6/18/2007 9:41	0.4		0.4
15	6/18/2007 9:56	0.5		0.5
16	6/18/2007 10:11	0.5		0.5
17	6/18/2007 10:26	0.5		0.5
18	6/18/2007 10:41	0.5		0.5
19	6/18/2007 10:56	0.5		0.5
20	6/18/2007 11:11	0.5		0.5
21	6/18/2007 11:26	0.5		0.5
22	6/18/2007 11:41	0.5		0.5
23	6/18/2007 11:56	0.5		0.5
24	6/18/2007 12:11	0.4		0.4
25	6/18/2007 12:26	0.4		0.4
26	6/18/2007 12:41	0.5		0.5
27	6/18/2007 12:56	0.5		0.5
28	6/18/2007 13:11	0.5		0.5
29	6/18/2007 13:26	0.5		0.5
30	6/18/2007 13:41	0.5		0.5
31	6/18/2007 13:56	0.5		0.5
32	6/18/2007 14:11	0.5		0.5
33	6/18/2007 14:26	0.4		0.4
34	6/18/2007 14:41	0.4		0.4
35	6/18/2007 14:56	0.4		0.4
36	6/18/2007 15:11	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	6/18/2007
Start Time:	6:15:03
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0613) = 0.052 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/18/2007	6:30:03	0.044	-0.008	-8
6/18/2007	6:45:03	0.035	-0.017	-17
6/18/2007	7:00:03	0.034	-0.018	-18
6/18/2007	7:15:03	0.034	-0.018	-18
6/18/2007	7:30:03	0.035	-0.017	-17
6/18/2007	7:45:03	0.036	-0.016	-16
6/18/2007	8:00:03	0.032	-0.02	-20
6/18/2007	8:15:03	0.033	-0.019	-19
6/18/2007	8:30:03	0.033	-0.019	-19
6/18/2007	8:45:03	0.031	-0.021	-21
6/18/2007	9:00:03	0.029	-0.023	-23
6/18/2007	9:15:03	0.028	-0.024	-24
6/18/2007	9:30:03	0.03	-0.022	-22
6/18/2007	9:45:03	0.031	-0.021	-21
6/18/2007	10:00:03	0.034	-0.018	-18
6/18/2007	10:15:03	0.035	-0.017	-17
6/18/2007	10:30:03	0.036	-0.016	-16
6/18/2007	10:45:03	0.031	-0.021	-21
6/18/2007	11:00:03	0.031	-0.021	-21
6/18/2007	11:15:03	0.031	-0.021	-21
6/18/2007	11:30:03	0.032	-0.02	-20
6/18/2007	11:45:03	0.032	-0.02	-20
6/18/2007	12:00:03	0.035	-0.017	-17
6/18/2007	12:15:03	0.035	-0.017	-17
6/18/2007	12:30:03	0.034	-0.018	-18
6/18/2007	12:45:03	0.028	-0.024	-24
6/18/2007	13:00:03	0.03	-0.022	-22
6/18/2007	13:15:03	0.031	-0.021	-21
6/18/2007	13:30:03	0.034	-0.018	-18
6/18/2007	13:45:03	0.037	-0.015	-15
6/18/2007	14:00:03	0.039	-0.013	-13
6/18/2007	14:15:03	0.038	-0.014	-14
6/18/2007	14:30:03	0.037	-0.015	-15
6/18/2007	14:45:03	0.035	-0.017	-17
6/18/2007	15:00:03	0.035	-0.017	-17
6/18/2007	15:15:03	0.033	-0.019	-19
6/18/2007	15:30:03	0.032	-0.02	-20

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/18/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/18/2007 6:46	0		0
2	6/18/2007 7:01	0.5		0.5
3	6/18/2007 7:16	0.4		0.4
4	6/18/2007 7:31	0.8		0.8
5	6/18/2007 7:46	0.4		0.4
6	6/18/2007 8:01	0.2		0.2
7	6/18/2007 8:16	0.2		0.2
8	6/18/2007 8:31	0.2		0.2
9	6/18/2007 8:46	0.2		0.2
10	6/18/2007 9:01	0.2		0.2
11	6/18/2007 9:16	0.2		0.2
12	6/18/2007 9:31	0.1		0.1
13	6/18/2007 9:46	0.3		0.3
14	6/18/2007 10:01	0.2		0.2
15	6/18/2007 10:16	0.2		0.2
16	6/18/2007 10:31	0.2		0.2
17	6/18/2007 10:46	0.2		0.2
18	6/18/2007 11:01	0.2		0.2
19	6/18/2007 11:16	0.2		0.2
20	6/18/2007 11:31	0.2		0.2
21	6/18/2007 11:46	0.2		0.2
22	6/18/2007 12:01	0.2		0.2
23	6/18/2007 12:16	0.2		0.2
24	6/18/2007 12:31	0.2		0.2
25	6/18/2007 12:46	0.2		0.2
26	6/18/2007 13:01	0.2		0.2
27	6/18/2007 13:16	0.2		0.2
28	6/18/2007 13:31	0.2		0.2
29	6/18/2007 13:46	0.2		0.2
30	6/18/2007 14:01	0.2		0.2
31	6/18/2007 14:16	0.2		0.2
32	6/18/2007 14:31	0.2		0.2
33	6/18/2007 14:46	0.2		0.2
34	6/18/2007 15:01	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	3
Test Abbreviation:	
Start Date:	6/18/2007
Start Time:	6:17:59
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0633) = 0.081 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/18/2007	6:32:59	0.08	-0.001	-1
6/18/2007	6:47:59	0.041	-0.04	-40
6/18/2007	7:02:59	0.038	-0.043	-43
6/18/2007	7:17:59	0.045	-0.036	-36
6/18/2007	7:32:59	0.04	-0.041	-41
6/18/2007	7:47:59	0.032	-0.049	-49
6/18/2007	8:02:59	0.03	-0.051	-51
6/18/2007	8:17:59	0.028	-0.053	-53
6/18/2007	8:32:59	0.031	-0.05	-50
6/18/2007	8:47:59	0.024	-0.057	-57
6/18/2007	9:02:59	0.026	-0.055	-55
6/18/2007	9:17:59	0.028	-0.053	-53
6/18/2007	9:32:59	0.037	-0.044	-44
6/18/2007	9:47:59	0.04	-0.041	-41
6/18/2007	10:02:59	0.039	-0.042	-42
6/18/2007	10:17:59	0.032	-0.049	-49
6/18/2007	10:32:59	0.027	-0.054	-54
6/18/2007	10:47:59	0.029	-0.052	-52
6/18/2007	11:02:59	0.021	-0.06	-60
6/18/2007	11:17:59	0.022	-0.059	-59
6/18/2007	11:32:59	0.023	-0.058	-58
6/18/2007	11:47:59	0.022	-0.059	-59
6/18/2007	12:02:59	0.022	-0.059	-59
6/18/2007	12:17:59	0.023	-0.058	-58
6/18/2007	12:32:59	0.021	-0.06	-60
6/18/2007	12:47:59	0.023	-0.058	-58
6/18/2007	13:02:59	0.023	-0.058	-58
6/18/2007	13:17:59	0.024	-0.057	-57
6/18/2007	13:32:59	0.024	-0.057	-57
6/18/2007	13:47:59	0.025	-0.056	-56
6/18/2007	14:02:59	0.022	-0.059	-59
6/18/2007	14:17:59	0.019	-0.062	-62
6/18/2007	14:32:59	0.019	-0.062	-62
6/18/2007	14:47:59	0.021	-0.06	-60
6/18/2007	15:02:59	0.022	-0.059	-59
6/18/2007	15:17:59	0.025	-0.056	-56

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/18/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/18/2007 6:37	0		0
2	6/18/2007 6:52	0		0
3	6/18/2007 7:07	0		0
4	6/18/2007 7:22	0		0
5	6/18/2007 7:37	0		0
6	6/18/2007 7:52	0		0
7	6/18/2007 8:07	0		0
8	6/18/2007 8:22	0.1		0.1
9	6/18/2007 8:37	0		0
10	6/18/2007 8:52	0		0
11	6/18/2007 9:07	0		0
12	6/18/2007 9:22	0		0
13	6/18/2007 9:37	0		0
14	6/18/2007 9:52	0		0
15	6/18/2007 10:07	0		0
16	6/18/2007 10:22	0		0
17	6/18/2007 10:37	0		0
18	6/18/2007 10:52	0		0
19	6/18/2007 11:07	0		0
20	6/18/2007 11:22	0		0
21	6/18/2007 11:37	0		0
22	6/18/2007 11:52	0		0
23	6/18/2007 12:07	0		0
24	6/18/2007 12:22	0		0
25	6/18/2007 12:37	0		0
26	6/18/2007 12:52	0		0
27	6/18/2007 13:07	0		0
28	6/18/2007 13:22	0		0
29	6/18/2007 13:37	0		0
30	6/18/2007 13:52	0		0
31	6/18/2007 14:07	0		0
32	6/18/2007 14:22	0		0
33	6/18/2007 14:37	0		0
34	6/18/2007 14:52	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	6/18/2007
Start Time:	6:25:07
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0624) = 0.063 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/18/2007	6:40:07	0.058	-0.005	-5
6/18/2007	6:55:07	0.054	-0.009	-9
6/18/2007	7:10:07	0.05	-0.013	-13
6/18/2007	7:25:07	0.048	-0.015	-15
6/18/2007	7:40:07	0.047	-0.016	-16
6/18/2007	7:55:07	0.04	-0.023	-23
6/18/2007	8:10:07	0.036	-0.027	-27
6/18/2007	8:25:07	0.037	-0.026	-26
6/18/2007	8:40:07	0.034	-0.029	-29
6/18/2007	8:55:07	0.027	-0.036	-36
6/18/2007	9:10:07	0.027	-0.036	-36
6/18/2007	9:25:07	0.03	-0.033	-33
6/18/2007	9:40:07	0.031	-0.032	-32
6/18/2007	9:55:07	0.028	-0.035	-35
6/18/2007	10:10:07	0.035	-0.028	-28
6/18/2007	10:25:07	0.039	-0.024	-24
6/18/2007	10:40:07	0.029	-0.034	-34
6/18/2007	10:55:07	0.026	-0.037	-37
6/18/2007	11:10:07	0.051	-0.012	-12
6/18/2007	11:25:07	0.036	-0.027	-27
6/18/2007	11:40:07	0.029	-0.034	-34
6/18/2007	11:55:07	0.03	-0.033	-33
6/18/2007	12:10:07	0.031	-0.032	-32
6/18/2007	12:25:07	0.027	-0.036	-36
6/18/2007	12:40:07	0.02	-0.043	-43
6/18/2007	12:55:07	0.031	-0.032	-32
6/18/2007	13:10:07	0.028	-0.035	-35
6/18/2007	13:25:07	0.034	-0.029	-29
6/18/2007	13:40:07	0.048	-0.015	-15
6/18/2007	13:55:07	0.051	-0.012	-12
6/18/2007	14:10:07	0.038	-0.025	-25
6/18/2007	14:25:07	0.043	-0.02	-20
6/18/2007	14:40:07	0.041	-0.022	-22
6/18/2007	14:55:07	0.037	-0.026	-26
6/18/2007	15:10:07	0.04	-0.023	-23

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/19/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/19/2007 6:08	0		0
2	6/19/2007 6:23	0.1		0.1
3	6/19/2007 6:38	0.1		0.1
4	6/19/2007 6:53	0.2		0.2
5	6/19/2007 7:08	0.2		0.2
6	6/19/2007 7:23	0.2		0.2
7	6/19/2007 7:38	0.2		0.2
8	6/19/2007 7:53	0.1		0.1
9	6/19/2007 8:08	0.1		0.1
10	6/19/2007 8:23	0.1		0.1
11	6/19/2007 8:38	0.1		0.1
12	6/19/2007 8:53	0.1		0.1
13	6/19/2007 9:08	0.1		0.1
14	6/19/2007 9:23	0.1		0.1
15	6/19/2007 9:38	0.1		0.1
16	6/19/2007 9:53	0.1		0.1
17	6/19/2007 10:08	0.1		0.1
18	6/19/2007 10:23	0.1		0.1
19	6/19/2007 10:38	0.1		0.1
20	6/19/2007 10:53	0		0
21	6/19/2007 11:08	0		0
22	6/19/2007 11:23	0		0
23	6/19/2007 11:38	0		0
24	6/19/2007 11:53	0		0
25	6/19/2007 12:08	0		0
26	6/19/2007 12:23	0		0
27	6/19/2007 12:38	0		0
28	6/19/2007 12:53	0		0
29	6/19/2007 13:08	0		0
30	6/19/2007 13:23	0		0
31	6/19/2007 13:38	0		0
32	6/19/2007 13:53	0		0
33	6/19/2007 14:08	0		0
34	6/19/2007 14:23	0		0
35	6/19/2007 14:38	0		0
36	6/19/2007 14:53	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/19/2007
Start Time:	5:56:58
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0555) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/19/2007	6:11:58	0.028	0	0
6/19/2007	6:26:58	0.025	-0.003	-3
6/19/2007	6:41:58	0.024	-0.004	-4
6/19/2007	6:56:58	0.026	-0.002	-2
6/19/2007	7:11:58	0.025	-0.003	-3
6/19/2007	7:26:58	0.025	-0.003	-3
6/19/2007	7:41:58	0.025	-0.003	-3
6/19/2007	7:56:58	0.024	-0.004	-4
6/19/2007	8:11:58	0.019	-0.009	-9
6/19/2007	8:26:58	0.018	-0.01	-10
6/19/2007	8:41:58	0.019	-0.009	-9
6/19/2007	8:56:58	0.02	-0.008	-8
6/19/2007	9:11:58	0.021	-0.007	-7
6/19/2007	9:26:58	0.022	-0.006	-6
6/19/2007	9:41:58	0.022	-0.006	-6
6/19/2007	9:56:58	0.022	-0.006	-6
6/19/2007	10:11:58	0.021	-0.007	-7
6/19/2007	10:26:58	0.021	-0.007	-7
6/19/2007	10:41:58	0.023	-0.005	-5
6/19/2007	10:56:58	0.026	-0.002	-2
6/19/2007	11:11:58	0.026	-0.002	-2
6/19/2007	11:26:58	0.033	0.005	5
6/19/2007	11:41:58	0.024	-0.004	-4
6/19/2007	11:56:58	0.025	-0.003	-3
6/19/2007	12:11:58	0.024	-0.004	-4
6/19/2007	12:26:58	0.023	-0.005	-5
6/19/2007	12:41:58	0.022	-0.006	-6
6/19/2007	12:56:58	0.02	-0.008	-8
6/19/2007	13:11:58	0.022	-0.006	-6
6/19/2007	13:26:58	0.021	-0.007	-7
6/19/2007	13:41:58	0.021	-0.007	-7
6/19/2007	13:56:58	0.025	-0.003	-3
6/19/2007	14:11:58	0.022	-0.006	-6
6/19/2007	14:26:58	0.02	-0.008	-8
6/19/2007	14:41:58	0.02	-0.008	-8
6/19/2007	14:56:58	0.02	-0.008	-8
6/19/2007	15:11:58	0.02	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/19/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0616) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/19/2007 6:30	0.1		0.1
2	6/19/2007 6:45	0.1		0.1
3	6/19/2007 7:00	0.1		0.1
4	6/19/2007 7:15	0.2		0.2
5	6/19/2007 7:30	0.2		0.2
6	6/19/2007 7:45	0.2		0.2
7	6/19/2007 8:00	0.2		0.2
8	6/19/2007 8:15	0.2		0.2
9	6/19/2007 8:30	0.2		0.2
10	6/19/2007 8:45	0.2		0.2
11	6/19/2007 9:00	0.2		0.2
12	6/19/2007 9:15	0.3		0.3
13	6/19/2007 9:30	0.3		0.3
14	6/19/2007 9:45	0.3		0.3
15	6/19/2007 10:00	0.3		0.3
16	6/19/2007 10:15	0.3		0.3
17	6/19/2007 10:30	0.3		0.3
18	6/19/2007 10:45	0.3		0.3
19	6/19/2007 11:00	0.3		0.3
20	6/19/2007 11:15	0.3		0.3
21	6/19/2007 11:30	0.3		0.3
22	6/19/2007 11:45	0.3		0.3
23	6/19/2007 12:00	0.3		0.3
24	6/19/2007 12:15	0.3		0.3
25	6/19/2007 12:30	0.3		0.3
26	6/19/2007 12:45	0.3		0.3
27	6/19/2007 13:00	0.3		0.3
28	6/19/2007 13:15	0.3		0.3
29	6/19/2007 13:30	0.3		0.3
30	6/19/2007 13:45	0.2		0.2
31	6/19/2007 14:00	0.3		0.3
32	6/19/2007 14:15	0.3		0.3
33	6/19/2007 14:30	0.3		0.3
34	6/19/2007 14:45	0.3		0.3
35	6/19/2007 15:00	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/19/2007
Start Time:	6:19:46
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0616) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/19/2007	6:34:46	0.019	0.001	1
6/19/2007	6:49:46	0.02	0.002	2
6/19/2007	7:04:46	0.02	0.002	2
6/19/2007	7:19:46	0.022	0.004	4
6/19/2007	7:34:46	0.022	0.004	4
6/19/2007	7:49:46	0.023	0.005	5
6/19/2007	8:04:46	0.022	0.004	4
6/19/2007	8:19:46	0.021	0.003	3
6/19/2007	8:34:46	0.022	0.004	4
6/19/2007	8:49:46	0.021	0.003	3
6/19/2007	9:04:46	0.022	0.004	4
6/19/2007	9:19:46	0.023	0.005	5
6/19/2007	9:34:46	0.024	0.006	6
6/19/2007	9:49:46	0.024	0.006	6
6/19/2007	10:04:46	0.023	0.005	5
6/19/2007	10:19:46	0.022	0.004	4
6/19/2007	10:34:46	0.024	0.006	6
6/19/2007	10:49:46	0.027	0.009	9
6/19/2007	11:04:46	0.029	0.011	11
6/19/2007	11:19:46	0.03	0.012	12
6/19/2007	11:34:46	0.029	0.011	11
6/19/2007	11:49:46	0.029	0.011	11
6/19/2007	12:04:46	0.029	0.011	11
6/19/2007	12:19:46	0.027	0.009	9
6/19/2007	12:34:46	0.026	0.008	8
6/19/2007	12:49:46	0.024	0.006	6
6/19/2007	13:04:46	0.025	0.007	7
6/19/2007	13:19:46	0.025	0.007	7
6/19/2007	13:34:46	0.025	0.007	7
6/19/2007	13:49:46	0.026	0.008	8
6/19/2007	14:04:46	0.024	0.006	6
6/19/2007	14:19:46	0.025	0.007	7
6/19/2007	14:34:46	0.025	0.007	7
6/19/2007	14:49:46	0.025	0.007	7
6/19/2007	15:04:46	0.024	0.006	6
6/19/2007	15:19:46	0.026	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/19/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/19/2007 6:48	0		0
2	6/19/2007 7:03	0.1		0.1
3	6/19/2007 7:18	0.1		0.1
4	6/19/2007 7:33	0.1		0.1
5	6/19/2007 7:48	0.1		0.1
6	6/19/2007 8:03	0.1		0.1
7	6/19/2007 8:18	0.1		0.1
8	6/19/2007 8:33	0.1		0.1
9	6/19/2007 8:48	0.1		0.1
10	6/19/2007 9:03	0.1		0.1
11	6/19/2007 9:18	0.1		0.1
12	6/19/2007 9:33	0.1		0.1
13	6/19/2007 9:48	0.2		0.2
14	6/19/2007 10:03	0.2		0.2
15	6/19/2007 10:18	0.2		0.2
16	6/19/2007 10:33	0.2		0.2
17	6/19/2007 10:48	0.2		0.2
18	6/19/2007 11:03	0.2		0.2
19	6/19/2007 11:18	0.2		0.2
20	6/19/2007 11:33	0.2		0.2
21	6/19/2007 11:48	0.2		0.2
22	6/19/2007 12:03	0.2		0.2
23	6/19/2007 12:18	0.2		0.2
24	6/19/2007 12:33	0.2		0.2
25	6/19/2007 12:48	0.2		0.2
26	6/19/2007 13:03	0.2		0.2
27	6/19/2007 13:18	0.2		0.2
28	6/19/2007 13:33	0.2		0.2
29	6/19/2007 13:48	0.2		0.2
30	6/19/2007 14:03	0.2		0.2
31	6/19/2007 14:18	0.2		0.2
32	6/19/2007 14:33	0.2		0.2
33	6/19/2007 14:48	0.2		0.2
34	6/19/2007 15:03	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201782
Test ID:	1
Test Abbreviation:	
Start Date:	6/19/2007
Start Time:	6:25:53
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0634) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/19/2007	6:40:53	0.013	-0.002	-2
6/19/2007	6:55:53	0.016	0.001	1
6/19/2007	7:10:53	0.016	0.001	1
6/19/2007	7:25:53	0.015	0	0
6/19/2007	7:40:53	0.017	0.002	2
6/19/2007	7:55:53	0.017	0.002	2
6/19/2007	8:10:53	0.016	0.001	1
6/19/2007	8:25:53	0.017	0.002	2
6/19/2007	8:40:53	0.019	0.004	4
6/19/2007	8:55:53	0.019	0.004	4
6/19/2007	9:10:53	0.018	0.003	3
6/19/2007	9:25:53	0.018	0.003	3
6/19/2007	9:40:53	0.016	0.001	1
6/19/2007	9:55:53	0.015	0	0
6/19/2007	10:10:53	0.016	0.001	1
6/19/2007	10:25:53	0.015	0	0
6/19/2007	10:40:53	0.016	0.001	1
6/19/2007	10:55:53	0.017	0.002	2
6/19/2007	11:10:53	0.018	0.003	3
6/19/2007	11:25:53	0.018	0.003	3
6/19/2007	11:40:53	0.021	0.006	6
6/19/2007	11:55:53	0.022	0.007	7
6/19/2007	12:10:53	0.02	0.005	5
6/19/2007	12:25:53	0.02	0.005	5
6/19/2007	12:40:53	0.022	0.007	7
6/19/2007	12:55:53	0.023	0.008	8
6/19/2007	13:10:53	0.024	0.009	9
6/19/2007	13:25:53	0.025	0.01	10
6/19/2007	13:40:53	0.027	0.012	12
6/19/2007	13:55:53	0.028	0.013	13
6/19/2007	14:10:53	0.029	0.014	14
6/19/2007	14:25:53	0.028	0.013	13
6/19/2007	14:40:53	0.027	0.012	12
6/19/2007	14:55:53	0.026	0.011	11
6/19/2007	15:10:53	0.025	0.01	10
6/19/2007	15:25:53	0.026	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/19/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/19/2007 6:41	0.1		-0.1
2	6/19/2007 6:56	0.1		-0.1
3	6/19/2007 7:11	0.1		-0.1
4	6/19/2007 7:26	0.1		-0.1
5	6/19/2007 7:41	0.1		-0.1
6	6/19/2007 7:56	0		-0.2
7	6/19/2007 8:11	0		-0.2
8	6/19/2007 8:26	0.1		-0.1
9	6/19/2007 8:41	0		-0.2
10	6/19/2007 8:56	0.1		-0.1
11	6/19/2007 9:11	0.1		-0.1
12	6/19/2007 9:26	0.1		-0.1
13	6/19/2007 9:41	0.1		-0.1
14	6/19/2007 9:56	0.1		-0.1
15	6/19/2007 10:11	0.1		-0.1
16	6/19/2007 10:26	0.1		-0.1
17	6/19/2007 10:41	0.1		-0.1
18	6/19/2007 10:56	0.1		-0.1
19	6/19/2007 11:11	0.1		-0.1
20	6/19/2007 11:26	0.1		-0.1
21	6/19/2007 11:41	0.1		-0.1
22	6/19/2007 11:56	0.1		-0.1
23	6/19/2007 12:11	0		-0.2
24	6/19/2007 12:26	0		-0.2
25	6/19/2007 12:41	0		-0.2
26	6/19/2007 12:56	0		-0.2
27	6/19/2007 13:11	0		-0.2
28	6/19/2007 13:26	0		-0.2
29	6/19/2007 13:41	0		-0.2
30	6/19/2007 13:56	0		-0.2
31	6/19/2007 14:11	0		-0.2
32	6/19/2007 14:26	0		-0.2
33	6/19/2007 14:41	0		-0.2
34	6/19/2007 14:56	0		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	6/19/2007
Start Time:	6:30:42
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0638) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/19/2007	6:45:42	0.047	0.02	20
6/19/2007	7:00:42	0.038	0.011	11
6/19/2007	7:15:42	0.049	0.022	22
6/19/2007	7:30:42	0.037	0.01	10
6/19/2007	7:45:42	0.038	0.011	11
6/19/2007	8:00:42	0.043	0.016	16
6/19/2007	8:15:42	0.038	0.011	11
6/19/2007	8:30:42	0.04	0.013	13
6/19/2007	8:45:42	0.053	0.026	26
6/19/2007	9:00:42	0.034	0.007	7
6/19/2007	9:15:42	0.034	0.007	7
6/19/2007	9:30:42	0.025	-0.002	-2
6/19/2007	9:45:42	0.025	-0.002	-2
6/19/2007	10:00:42	0.041	0.014	14
6/19/2007	10:15:42	0.028	0.001	1
6/19/2007	10:30:42	0.035	0.008	8
6/19/2007	10:45:42	0.038	0.011	11
6/19/2007	11:00:42	0.037	0.01	10
6/19/2007	11:15:42	0.036	0.009	9
6/19/2007	11:30:42	0.036	0.009	9
6/19/2007	11:45:42	0.029	0.002	2
6/19/2007	12:00:42	0.026	-0.001	-1
6/19/2007	12:15:42	0.024	-0.003	-3
6/19/2007	12:30:42	0.024	-0.003	-3
6/19/2007	12:45:42	0.021	-0.006	-6
6/19/2007	13:00:42	0.02	-0.007	-7
6/19/2007	13:15:42	0.023	-0.004	-4
6/19/2007	13:30:42	0.023	-0.004	-4
6/19/2007	13:45:42	0.023	-0.004	-4
6/19/2007	14:00:42	0.027	0	0
6/19/2007	14:15:42	0.024	-0.003	-3
6/19/2007	14:30:42	0.023	-0.004	-4
6/19/2007	14:45:42	0.023	-0.004	-4
6/19/2007	15:00:42	0.021	-0.006	-6
6/19/2007	15:15:42	0.023	-0.004	-4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/20/2007 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/20/2007 7:04	0		0
2	6/20/2007 7:19	0		0
3	6/20/2007 7:34	0		0
4	6/20/2007 7:49	0		0
5	6/20/2007 8:04	0		0
6	6/20/2007 8:19	0		0
7	6/20/2007 8:34	0		0
8	6/20/2007 8:49	0		0
9	6/20/2007 9:04	0		0
10	6/20/2007 9:19	0		0
11	6/20/2007 9:34	0.1		0.1
12	6/20/2007 9:49	0.1		0.1
13	6/20/2007 10:04	0.1		0.1
14	6/20/2007 10:19	0.1		0.1
15	6/20/2007 10:34	0.2		0.2
16	6/20/2007 10:49	0.2		0.2
17	6/20/2007 11:04	0.2		0.2
18	6/20/2007 11:19	0.2		0.2
19	6/20/2007 11:34	0.2		0.2
20	6/20/2007 11:49	0.2		0.2
21	6/20/2007 12:04	0.2		0.2
22	6/20/2007 12:19	0.2		0.2
23	6/20/2007 12:34	0.2		0.2
24	6/20/2007 12:49	0.2		0.2
25	6/20/2007 13:04	0.1		0.1
26	6/20/2007 13:19	0.1		0.1
27	6/20/2007 13:34	0.1		0.1
28	6/20/2007 13:49	0.1		0.1
29	6/20/2007 14:04	0.1		0.1
30	6/20/2007 14:19	0.1		0.1
31	6/20/2007 14:34	0.1		0.1
32	6/20/2007 14:49	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/20/2007
Start Time:	6:55:50
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0655) = 0.316 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/20/2007	7:10:50	0.319	0.003	3
6/20/2007	7:25:50	0.245	-0.071	-71
6/20/2007	7:40:50	0.115	-0.201	-201
6/20/2007	7:55:50	0.072	-0.244	-244
6/20/2007	8:10:50	0.066	-0.25	-250
6/20/2007	8:25:50	0.066	-0.25	-250
6/20/2007	8:40:50	0.053	-0.263	-263
6/20/2007	8:55:50	0.043	-0.273	-273
6/20/2007	9:10:50	0.036	-0.28	-280
6/20/2007	9:25:50	0.031	-0.285	-285
6/20/2007	9:40:50	0.03	-0.286	-286
6/20/2007	9:55:50	0.025	-0.291	-291
6/20/2007	10:10:50	0.026	-0.29	-290
6/20/2007	10:25:50	0.024	-0.292	-292
6/20/2007	10:40:50	0.024	-0.292	-292
6/20/2007	10:55:50	0.024	-0.292	-292
6/20/2007	11:10:50	0.022	-0.294	-294
6/20/2007	11:25:50	0.023	-0.293	-293
6/20/2007	11:40:50	0.024	-0.292	-292
6/20/2007	11:55:50	0.023	-0.293	-293
6/20/2007	12:10:50	0.022	-0.294	-294
6/20/2007	12:25:50	0.017	-0.299	-299
6/20/2007	12:40:50	0.015	-0.301	-301
6/20/2007	12:55:50	0.014	-0.302	-302
6/20/2007	13:10:50	0.013	-0.303	-303
6/20/2007	13:25:50	0.011	-0.305	-305
6/20/2007	13:40:50	0.011	-0.305	-305
6/20/2007	13:55:50	0.011	-0.305	-305
6/20/2007	14:10:50	0.013	-0.303	-303
6/20/2007	14:25:50	0.013	-0.303	-303
6/20/2007	14:40:50	0.012	-0.304	-304
6/20/2007	14:55:50	0.013	-0.303	-303
6/20/2007	15:10:50	0.01	-0.306	-306

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/20/2007 06:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0653) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/20/2007 7:07	0.3		0.3
2	6/20/2007 7:22	0.3		0.3
3	6/20/2007 7:37	0.3		0.3
4	6/20/2007 7:52	0.3		0.3
5	6/20/2007 8:07	0.3		0.3
6	6/20/2007 8:22	0.3		0.3
7	6/20/2007 8:37	0.3		0.3
8	6/20/2007 8:52	0.2		0.2
9	6/20/2007 9:07	0.2		0.2
10	6/20/2007 9:22	0.2		0.2
11	6/20/2007 9:37	0.2		0.2
12	6/20/2007 9:52	0.2		0.2
13	6/20/2007 10:07	0.2		0.2
14	6/20/2007 10:22	0.2		0.2
15	6/20/2007 10:37	0.2		0.2
16	6/20/2007 10:52	0.2		0.2
17	6/20/2007 11:07	0.2		0.2
18	6/20/2007 11:22	0.2		0.2
19	6/20/2007 11:37	0.2		0.2
20	6/20/2007 11:52	0.2		0.2
21	6/20/2007 12:07	0.1		0.1
22	6/20/2007 12:22	0.1		0.1
23	6/20/2007 12:37	0.1		0.1
24	6/20/2007 12:52	0.1		0.1
25	6/20/2007 13:07	0.1		0.1
26	6/20/2007 13:22	0.1		0.1
27	6/20/2007 13:37	0.1		0.1
28	6/20/2007 13:52	0.1		0.1
29	6/20/2007 14:07	0.1		0.1
30	6/20/2007 14:22	0.2		0.2
31	6/20/2007 14:37	0.1		0.1
32	6/20/2007 14:52	0.1		0.1
33	6/20/2007 15:07	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	6/20/2007
Start Time:	6:57:50
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0653) = 0.165 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/20/2007	7:12:50	0.138	-0.027	-27
6/20/2007	7:27:50	0.065	-0.1	-100
6/20/2007	7:42:50	0.048	-0.117	-117
6/20/2007	7:57:50	0.045	-0.12	-120
6/20/2007	8:12:50	0.042	-0.123	-123
6/20/2007	8:27:50	0.04	-0.125	-125
6/20/2007	8:42:50	0.036	-0.129	-129
6/20/2007	8:57:50	0.03	-0.135	-135
6/20/2007	9:12:50	0.024	-0.141	-141
6/20/2007	9:27:50	0.021	-0.144	-144
6/20/2007	9:42:50	0.02	-0.145	-145
6/20/2007	9:57:50	0.019	-0.146	-146
6/20/2007	10:12:50	0.02	-0.145	-145
6/20/2007	10:27:50	0.019	-0.146	-146
6/20/2007	10:42:50	0.019	-0.146	-146
6/20/2007	10:57:50	0.019	-0.146	-146
6/20/2007	11:12:50	0.02	-0.145	-145
6/20/2007	11:27:50	0.02	-0.145	-145
6/20/2007	11:42:50	0.02	-0.145	-145
6/20/2007	11:57:50	0.019	-0.146	-146
6/20/2007	12:12:50	0.017	-0.148	-148
6/20/2007	12:27:50	0.018	-0.147	-147
6/20/2007	12:42:50	0.016	-0.149	-149
6/20/2007	12:57:50	0.016	-0.149	-149
6/20/2007	13:12:50	0.015	-0.15	-150
6/20/2007	13:27:50	0.018	-0.147	-147
6/20/2007	13:42:50	0.015	-0.15	-150
6/20/2007	13:57:50	0.017	-0.148	-148
6/20/2007	14:12:50	0.016	-0.149	-149
6/20/2007	14:27:50	0.017	-0.148	-148
6/20/2007	14:42:50	0.018	-0.147	-147
6/20/2007	14:57:50	0.019	-0.146	-146
6/20/2007	15:12:50	0.016	-0.149	-149

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/20/2007 06:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/20/2007 7:31	0		0
2	6/20/2007 7:46	0		0
3	6/20/2007 8:01	0		0
4	6/20/2007 8:16	0		0
5	6/20/2007 8:31	0		0
6	6/20/2007 8:46	0		0
7	6/20/2007 9:01	0		0
8	6/20/2007 9:16	0		0
9	6/20/2007 9:31	0		0
10	6/20/2007 9:46	0		0
11	6/20/2007 10:01	0		0
12	6/20/2007 10:16	0		0
13	6/20/2007 10:31	0		0
14	6/20/2007 10:46	0.1		0.1
15	6/20/2007 11:01	0.1		0.1
16	6/20/2007 11:16	0.1		0.1
17	6/20/2007 11:31	0.1		0.1
18	6/20/2007 11:46	0.1		0.1
19	6/20/2007 12:01	0.1		0.1
20	6/20/2007 12:16	0.1		0.1
21	6/20/2007 12:31	0.1		0.1
22	6/20/2007 12:46	0.1		0.1
23	6/20/2007 13:01	0.1		0.1
24	6/20/2007 13:16	0.1		0.1
25	6/20/2007 13:31	0.1		0.1
26	6/20/2007 13:46	0.1		0.1
27	6/20/2007 14:01	0.2		0.2
28	6/20/2007 14:16	0.2		0.2
29	6/20/2007 14:31	0.2		0.2
30	6/20/2007 14:46	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	6/20/2007
Start Time:	7:07:51
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0715) = 0.179 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/14/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/20/2007	7:22:51	0.181	0.002	2
6/20/2007	7:37:51	0.065	-0.114	-114
6/20/2007	7:52:51	0.055	-0.124	-124
6/20/2007	8:07:51	0.046	-0.133	-133
6/20/2007	8:22:51	0.045	-0.134	-134
6/20/2007	8:37:51	0.047	-0.132	-132
6/20/2007	8:52:51	0.044	-0.135	-135
6/20/2007	9:07:51	0.045	-0.134	-134
6/20/2007	9:22:51	0.04	-0.139	-139
6/20/2007	9:37:51	0.039	-0.14	-140
6/20/2007	9:52:51	0.032	-0.147	-147
6/20/2007	10:07:51	0.036	-0.143	-143
6/20/2007	10:22:51	0.038	-0.141	-141
6/20/2007	10:37:51	0.037	-0.142	-142
6/20/2007	10:52:51	0.041	-0.138	-138
6/20/2007	11:07:51	0.033	-0.146	-146
6/20/2007	11:22:51	0.035	-0.144	-144
6/20/2007	11:37:51	0.037	-0.142	-142
6/20/2007	11:52:51	0.042	-0.137	-137
6/20/2007	12:07:51	0.045	-0.134	-134
6/20/2007	12:22:51	0.031	-0.148	-148
6/20/2007	12:37:51	0.023	-0.156	-156
6/20/2007	12:52:51	0.022	-0.157	-157
6/20/2007	13:07:51	0.039	-0.14	-140
6/20/2007	13:22:51	0.016	-0.163	-163
6/20/2007	13:37:51	0.015	-0.164	-164
6/20/2007	13:52:51	0.016	-0.163	-163
6/20/2007	14:07:51	0.014	-0.165	-165
6/20/2007	14:22:51	0.014	-0.165	-165
6/20/2007	14:37:51	0.015	-0.164	-164
6/20/2007	14:52:51	0.016	-0.163	-163
6/20/2007	15:07:51	0.015	-0.164	-164

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/20/2007 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0708) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/20/2007 7:22	0		0
2	6/20/2007 7:37	0		0
3	6/20/2007 7:52	0		0
4	6/20/2007 8:07	0		0
5	6/20/2007 8:22	0		0
6	6/20/2007 8:37	0		0
7	6/20/2007 8:52	0		0
8	6/20/2007 9:07	0		0
9	6/20/2007 9:22	0		0
10	6/20/2007 9:37	0		0
11	6/20/2007 9:52	0		0
12	6/20/2007 10:07	0		0
13	6/20/2007 10:22	0		0
14	6/20/2007 10:37	0		0
15	6/20/2007 10:52	0		0
16	6/20/2007 11:07	0		0
17	6/20/2007 11:22	0		0
18	6/20/2007 11:37	0		0
19	6/20/2007 11:52	0		0
20	6/20/2007 12:07	0		0
21	6/20/2007 12:22	0		0
22	6/20/2007 12:37	0		0
23	6/20/2007 12:52	0		0
24	6/20/2007 13:07	0		0
25	6/20/2007 13:22	0.1		0.1
26	6/20/2007 13:37	0.1		0.1
27	6/20/2007 13:52	0.1		0.1
28	6/20/2007 14:07	0.1		0.1
29	6/20/2007 14:22	0.1		0.1
30	6/20/2007 14:37	0.1		0.1
31	6/20/2007 14:52	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	6/20/2007
Start Time:	7:10:54
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0708) = 0.171 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/20/2007	7:25:54	0.152	-0.019	-19
6/20/2007	7:40:54	0.094	-0.077	-77
6/20/2007	7:55:54	0.081	-0.09	-90
6/20/2007	8:10:54	0.075	-0.096	-96
6/20/2007	8:25:54	0.07	-0.101	-101
6/20/2007	8:40:54	0.064	-0.107	-107
6/20/2007	8:55:54	0.051	-0.12	-120
6/20/2007	9:10:54	0.043	-0.128	-128
6/20/2007	9:25:54	0.036	-0.135	-135
6/20/2007	9:40:54	0.031	-0.14	-140
6/20/2007	9:55:54	0.029	-0.142	-142
6/20/2007	10:10:54	0.031	-0.14	-140
6/20/2007	10:25:54	0.027	-0.144	-144
6/20/2007	10:40:54	0.028	-0.143	-143
6/20/2007	10:55:54	0.027	-0.144	-144
6/20/2007	11:10:54	0.026	-0.145	-145
6/20/2007	11:25:54	0.029	-0.142	-142
6/20/2007	11:40:54	0.027	-0.144	-144
6/20/2007	11:55:54	0.028	-0.143	-143
6/20/2007	12:10:54	0.025	-0.146	-146
6/20/2007	12:25:54	0.02	-0.151	-151
6/20/2007	12:40:54	0.019	-0.152	-152
6/20/2007	12:55:54	0.017	-0.154	-154
6/20/2007	13:10:54	0.014	-0.157	-157
6/20/2007	13:25:54	0.014	-0.157	-157
6/20/2007	13:40:54	0.014	-0.157	-157
6/20/2007	13:55:54	0.015	-0.156	-156
6/20/2007	14:10:54	0.013	-0.158	-158
6/20/2007	14:25:54	0.014	-0.157	-157
6/20/2007	14:40:54	0.015	-0.156	-156
6/20/2007	14:55:54	0.016	-0.155	-155
6/20/2007	15:10:54	0.013	-0.158	-158

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/21/2007 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/21/2007 6:53	0		0
2	6/21/2007 7:08	0		0
3	6/21/2007 7:23	0		0
4	6/21/2007 7:38	0.1		0.1
5	6/21/2007 7:53	0.1		0.1
6	6/21/2007 8:08	0.1		0.1
7	6/21/2007 8:23	0.1		0.1
8	6/21/2007 8:38	0.1		0.1
9	6/21/2007 8:53	0.1		0.1
10	6/21/2007 9:08	0.1		0.1
11	6/21/2007 9:23	0.1		0.1
12	6/21/2007 9:38	0.1		0.1
13	6/21/2007 9:53	0.1		0.1
14	6/21/2007 10:08	0		0
15	6/21/2007 10:23	0		0
16	6/21/2007 10:38	0		0
17	6/21/2007 10:53	0		0
18	6/21/2007 11:08	0		0
19	6/21/2007 11:23	0		0
20	6/21/2007 11:38	0		0
21	6/21/2007 11:53	0		0
22	6/21/2007 12:08	0		0
23	6/21/2007 12:23	0		0
24	6/21/2007 12:38	0		0
25	6/21/2007 12:53	0		0
26	6/21/2007 13:08	0		0
27	6/21/2007 13:23	0		0
28	6/21/2007 13:38	0		0
29	6/21/2007 13:53	0		0
30	6/21/2007 14:08	0		0
31	6/21/2007 14:23	0		0
32	6/21/2007 14:38	0		0
33	6/21/2007 14:53	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/21/2007
Start Time:	6:42:19
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0640) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/21/2007	6:57:19	0.009	0.001	1
6/21/2007	7:12:19	0.012	0.004	4
6/21/2007	7:27:19	0.014	0.006	6
6/21/2007	7:42:19	0.01	0.002	2
6/21/2007	7:57:19	0.01	0.002	2
6/21/2007	8:12:19	0.01	0.002	2
6/21/2007	8:27:19	0.008	0	0
6/21/2007	8:42:19	0.007	-0.001	-1
6/21/2007	8:57:19	0.007	-0.001	-1
6/21/2007	9:12:19	0.007	-0.001	-1
6/21/2007	9:27:19	0.008	0	0
6/21/2007	9:42:19	0.007	-0.001	-1
6/21/2007	9:57:19	0.008	0	0
6/21/2007	10:12:19	0.008	0	0
6/21/2007	10:27:19	0.008	0	0
6/21/2007	10:42:19	0.008	0	0
6/21/2007	10:57:19	0.008	0	0
6/21/2007	11:12:19	0.009	0.001	1
6/21/2007	11:27:19	0.009	0.001	1
6/21/2007	11:42:19	0.008	0	0
6/21/2007	11:57:19	0.008	0	0
6/21/2007	12:12:19	0.01	0.002	2
6/21/2007	12:27:19	0.008	0	0
6/21/2007	12:42:19	0.008	0	0
6/21/2007	12:57:19	0.009	0.001	1
6/21/2007	13:12:19	0.011	0.003	3
6/21/2007	13:27:19	0.011	0.003	3
6/21/2007	13:42:19	0.011	0.003	3
6/21/2007	13:57:19	0.012	0.004	4
6/21/2007	14:12:19	0.011	0.003	3
6/21/2007	14:27:19	0.014	0.006	6
6/21/2007	14:42:19	0.015	0.007	7
6/21/2007	14:57:19	0.015	0.007	7
6/21/2007	15:12:19	0.015	0.007	7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/21/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/21/2007 6:56	0		0
2	6/21/2007 7:11	0.1		0.1
3	6/21/2007 7:26	0.1		0.1
4	6/21/2007 7:41	0.1		0.1
5	6/21/2007 7:56	0.1		0.1
6	6/21/2007 8:11	0.1		0.1
7	6/21/2007 8:26	0.1		0.1
8	6/21/2007 8:41	0.1		0.1
9	6/21/2007 8:56	0.1		0.1
10	6/21/2007 9:11	0.1		0.1
11	6/21/2007 9:26	0.1		0.1
12	6/21/2007 9:41	0.1		0.1
13	6/21/2007 9:56	0.1		0.1
14	6/21/2007 10:11	0.1		0.1
15	6/21/2007 10:26	0.1		0.1
16	6/21/2007 10:41	0.1		0.1
17	6/21/2007 10:56	0.1		0.1
18	6/21/2007 11:11	0.1		0.1
19	6/21/2007 11:26	0.1		0.1
20	6/21/2007 11:41	0.1		0.1
21	6/21/2007 11:56	0.1		0.1
22	6/21/2007 12:11	0.1		0.1
23	6/21/2007 12:26	0.2		0.2
24	6/21/2007 12:41	0.2		0.2
25	6/21/2007 12:56	0.2		0.2
26	6/21/2007 13:11	0.2		0.2
27	6/21/2007 13:26	0.2		0.2
28	6/21/2007 13:41	0.2		0.2
29	6/21/2007 13:56	0.2		0.2
30	6/21/2007 14:11	0.2		0.2
31	6/21/2007 14:26	0.2		0.2
32	6/21/2007 14:41	0.2		0.2
33	6/21/2007 14:56	0.2		0.2
34	6/21/2007 15:11	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	6/21/2007
Start Time:	6:45:23
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0643) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/21/2007	7:00:23	0.008	-0.001	-1
6/21/2007	7:15:23	0.01	0.001	1
6/21/2007	7:30:23	0.011	0.002	2
6/21/2007	7:45:23	0.011	0.002	2
6/21/2007	8:00:23	0.011	0.002	2
6/21/2007	8:15:23	0.01	0.001	1
6/21/2007	8:30:23	0.009	0	0
6/21/2007	8:45:23	0.01	0.001	1
6/21/2007	9:00:23	0.01	0.001	1
6/21/2007	9:15:23	0.01	0.001	1
6/21/2007	9:30:23	0.011	0.002	2
6/21/2007	9:45:23	0.01	0.001	1
6/21/2007	10:00:23	0.01	0.001	1
6/21/2007	10:15:23	0.011	0.002	2
6/21/2007	10:30:23	0.011	0.002	2
6/21/2007	10:45:23	0.011	0.002	2
6/21/2007	11:00:23	0.011	0.002	2
6/21/2007	11:15:23	0.012	0.003	3
6/21/2007	11:30:23	0.012	0.003	3
6/21/2007	11:45:23	0.013	0.004	4
6/21/2007	12:00:23	0.011	0.002	2
6/21/2007	12:15:23	0.012	0.003	3
6/21/2007	12:30:23	0.012	0.003	3
6/21/2007	12:45:23	0.013	0.004	4
6/21/2007	13:00:23	0.013	0.004	4
6/21/2007	13:15:23	0.014	0.005	5
6/21/2007	13:30:23	0.014	0.005	5
6/21/2007	13:45:23	0.015	0.006	6
6/21/2007	14:00:23	0.016	0.007	7
6/21/2007	14:15:23	0.016	0.007	7
6/21/2007	14:30:23	0.018	0.009	9
6/21/2007	14:45:23	0.017	0.008	8
6/21/2007	15:00:23	0.018	0.009	9
6/21/2007	15:15:23	0.018	0.009	9
6/21/2007	15:30:23	0.018	0.009	9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/21/2007 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0659) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/21/2007 7:14	0.1		0
2	6/21/2007 7:29	0.1		0
3	6/21/2007 7:44	0.1		0
4	6/21/2007 7:59	0.2		0.1
5	6/21/2007 8:14	0.2		0.1
6	6/21/2007 8:29	0.2		0.1
7	6/21/2007 8:44	0.2		0.1
8	6/21/2007 8:59	0.2		0.1
9	6/21/2007 9:14	0.2		0.1
10	6/21/2007 9:29	0.2		0.1
11	6/21/2007 9:44	0.2		0.1
12	6/21/2007 9:59	0.2		0.1
13	6/21/2007 10:14	0.2		0.1
14	6/21/2007 10:29	0.2		0.1
15	6/21/2007 10:44	0.2		0.1
16	6/21/2007 10:59	0.2		0.1
17	6/21/2007 11:14	0.3		0.2
18	6/21/2007 11:29	0.3		0.2
19	6/21/2007 11:44	0.3		0.2
20	6/21/2007 11:59	0.3		0.2
21	6/21/2007 12:14	0.3		0.2
22	6/21/2007 12:29	0.3		0.2
23	6/21/2007 12:44	0.3		0.2
24	6/21/2007 12:59	0.3		0.2
25	6/21/2007 13:14	0.3		0.2
26	6/21/2007 13:29	0.3		0.2
27	6/21/2007 13:44	0.3		0.2
28	6/21/2007 13:59	0.3		0.2
29	6/21/2007 14:14	0.3		0.2
30	6/21/2007 14:29	0.3		0.2
31	6/21/2007 14:44	0.3		0.2
32	6/21/2007 14:59	0.3		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	6/21/2007
Start Time:	6:58:47
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0659) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/14/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/21/2007	7:13:47	0.015	0.001	1
6/21/2007	7:28:47	0.02	0.006	6
6/21/2007	7:43:47	0.016	0.002	2
6/21/2007	7:58:47	0.015	0.001	1
6/21/2007	8:13:47	0.019	0.005	5
6/21/2007	8:28:47	0.013	-0.001	-1
6/21/2007	8:43:47	0.012	-0.002	-2
6/21/2007	8:58:47	0.019	0.005	5
6/21/2007	9:13:47	0.014	0	0
6/21/2007	9:28:47	0.014	0	0
6/21/2007	9:43:47	0.013	-0.001	-1
6/21/2007	9:58:47	0.013	-0.001	-1
6/21/2007	10:13:47	0.014	0	0
6/21/2007	10:28:47	0.013	-0.001	-1
6/21/2007	10:43:47	0.014	0	0
6/21/2007	10:58:47	0.017	0.003	3
6/21/2007	11:13:47	0.012	-0.002	-2
6/21/2007	11:28:47	0.013	-0.001	-1
6/21/2007	11:43:47	0.014	0	0
6/21/2007	11:58:47	0.013	-0.001	-1
6/21/2007	12:13:47	0.015	0.001	1
6/21/2007	12:28:47	0.014	0	0
6/21/2007	12:43:47	0.017	0.003	3
6/21/2007	12:58:47	0.016	0.002	2
6/21/2007	13:13:47	0.017	0.003	3
6/21/2007	13:28:47	0.019	0.005	5
6/21/2007	13:43:47	0.018	0.004	4
6/21/2007	13:58:47	0.021	0.007	7
6/21/2007	14:13:47	0.023	0.009	9
6/21/2007	14:28:47	0.024	0.01	10
6/21/2007	14:43:47	0.022	0.008	8
6/21/2007	14:58:47	0.057	0.043	43
6/21/2007	15:13:47	0.029	0.015	15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/21/2007 06:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/21/2007 7:08	0.1		-0.1
2	6/21/2007 7:23	0.1		-0.1
3	6/21/2007 7:38	0.1		-0.1
4	6/21/2007 7:53	0.1		-0.1
5	6/21/2007 8:08	0.1		-0.1
6	6/21/2007 8:23	0.1		-0.1
7	6/21/2007 8:38	0.1		-0.1
8	6/21/2007 8:53	0.1		-0.1
9	6/21/2007 9:08	0.1		-0.1
10	6/21/2007 9:23	0.1		-0.1
11	6/21/2007 9:38	0.1		-0.1
12	6/21/2007 9:53	0.1		-0.1
13	6/21/2007 10:08	0.1		-0.1
14	6/21/2007 10:23	0.1		-0.1
15	6/21/2007 10:38	0.1		-0.1
16	6/21/2007 10:53	0.1		-0.1
17	6/21/2007 11:08	0.1		-0.1
18	6/21/2007 11:23	0.1		-0.1
19	6/21/2007 11:38	0.1		-0.1
20	6/21/2007 11:53	0.1		-0.1
21	6/21/2007 12:08	0.1		-0.1
22	6/21/2007 12:23	0.1		-0.1
23	6/21/2007 12:38	0.1		-0.1
24	6/21/2007 12:53	0.1		-0.1
25	6/21/2007 13:08	0.1		-0.1
26	6/21/2007 13:23	0.1		-0.1
27	6/21/2007 13:38	0.1		-0.1
28	6/21/2007 13:53	0.1		-0.1
29	6/21/2007 14:08	0.1		-0.1
30	6/21/2007 14:23	0.1		-0.1
31	6/21/2007 14:38	0.1		-0.1
32	6/21/2007 14:53	0.1		-0.1
33	6/21/2007 15:08	0.1		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	6/21/2007
Start Time:	6:54:46
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0655) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/21/2007	7:09:46	0.013	0.004	4
6/21/2007	7:24:46	0.014	0.005	5
6/21/2007	7:39:46	0.013	0.004	4
6/21/2007	7:54:46	0.013	0.004	4
6/21/2007	8:09:46	0.023	0.014	14
6/21/2007	8:24:46	0.018	0.009	9
6/21/2007	8:39:46	0.015	0.006	6
6/21/2007	8:54:46	0.017	0.008	8
6/21/2007	9:09:46	0.014	0.005	5
6/21/2007	9:24:46	0.012	0.003	3
6/21/2007	9:39:46	0.01	0.001	1
6/21/2007	9:54:46	0.012	0.003	3
6/21/2007	10:09:46	0.014	0.005	5
6/21/2007	10:24:46	0.012	0.003	3
6/21/2007	10:39:46	0.013	0.004	4
6/21/2007	10:54:46	0.012	0.003	3
6/21/2007	11:09:46	0.011	0.002	2
6/21/2007	11:24:46	0.012	0.003	3
6/21/2007	11:39:46	0.013	0.004	4
6/21/2007	11:54:46	0.008	-0.001	-1
6/21/2007	12:09:46	0.009	0	0
6/21/2007	12:24:46	0.009	0	0
6/21/2007	12:39:46	0.01	0.001	1
6/21/2007	12:54:46	0.012	0.003	3
6/21/2007	13:09:46	0.012	0.003	3
6/21/2007	13:24:46	0.013	0.004	4
6/21/2007	13:39:46	0.012	0.003	3
6/21/2007	13:54:46	0.012	0.003	3
6/21/2007	14:09:46	0.015	0.006	6
6/21/2007	14:24:46	0.017	0.008	8
6/21/2007	14:39:46	0.016	0.007	7
6/21/2007	14:54:46	0.022	0.013	13
6/21/2007	15:09:46	0.017	0.008	8
6/21/2007	15:24:46	0.016	0.007	7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/22/2007 6:31	0		0
2	6/22/2007 6:46	0.1		0.1
3	6/22/2007 7:01	0.1		0.1
4	6/22/2007 7:16	0.1		0.1
5	6/22/2007 7:31	0.1		0.1
6	6/22/2007 7:46	0.1		0.1
7	6/22/2007 8:01	0.1		0.1
8	6/22/2007 8:16	0.1		0.1
9	6/22/2007 8:31	0.1		0.1
10	6/22/2007 8:46	0.1		0.1
11	6/22/2007 9:01	0.1		0.1
12	6/22/2007 9:16	0.1		0.1
13	6/22/2007 9:31	0.1		0.1
14	6/22/2007 9:46	0.1		0.1
15	6/22/2007 10:01	0.1		0.1
16	6/22/2007 10:16	0.1		0.1
17	6/22/2007 10:31	0.1		0.1
18	6/22/2007 10:46	0.1		0.1
19	6/22/2007 11:01	0.1		0.1
20	6/22/2007 11:16	0.1		0.1
21	6/22/2007 11:31	0.1		0.1
22	6/22/2007 11:46	0.1		0.1
23	6/22/2007 12:01	0.1		0.1
24	6/22/2007 12:16	0.1		0.1
25	6/22/2007 12:31	0.1		0.1
26	6/22/2007 12:46	0.1		0.1
27	6/22/2007 13:01	0.1		0.1
28	6/22/2007 13:16	0.1		0.1
29	6/22/2007 13:31	0.1		0.1
30	6/22/2007 13:46	0.1		0.1
31	6/22/2007 14:01	0.1		0.1
32	6/22/2007 14:16	0.1		0.1
33	6/22/2007 14:31	0.1		0.1
34	6/22/2007 14:46	0.1		0.1
35	6/22/2007 15:01	0.1		0.1
36	6/22/2007 15:16	0.1		0.1
37	6/22/2007 15:31	0.1		0.1
38	6/22/2007 15:46	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	##########
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/22/2007
Start Time:	6:19:35
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0615) = 0.021

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/22/2007	6:34:35	0.021	0	0
6/22/2007	6:49:35	0.02	-0.001	-1
6/22/2007	7:04:35	0.02	-0.001	-1
6/22/2007	7:19:35	0.018	-0.003	-3
6/22/2007	7:34:35	0.032	0.011	11
6/22/2007	7:49:35	0.02	-0.001	-1
6/22/2007	8:04:35	0.016	-0.005	-5
6/22/2007	8:19:35	0.016	-0.005	-5
6/22/2007	8:34:35	0.013	-0.008	-8
6/22/2007	8:49:35	0.016	-0.005	-5
6/22/2007	9:04:35	0.012	-0.009	-9
6/22/2007	9:19:35	0.011	-0.01	-10
6/22/2007	9:34:35	0.009	-0.012	-12
6/22/2007	9:49:35	0.009	-0.012	-12
6/22/2007	10:04:35	0.011	-0.01	-10
6/22/2007	10:19:35	0.01	-0.011	-11
6/22/2007	10:34:35	0.014	-0.007	-7
6/22/2007	10:49:35	0.014	-0.007	-7
6/22/2007	11:04:35	0.01	-0.011	-11
6/22/2007	11:19:35	0.023	0.002	2
6/22/2007	11:34:35	0.011	-0.01	-10
6/22/2007	11:49:35	0.008	-0.013	-13
6/22/2007	12:04:35	0.01	-0.011	-11
6/22/2007	12:19:35	0.009	-0.012	-12
6/22/2007	12:34:35	0.008	-0.013	-13
6/22/2007	12:49:35	0.008	-0.013	-13
6/22/2007	13:04:35	0.008	-0.013	-13
6/22/2007	13:19:35	0.008	-0.013	-13
6/22/2007	13:34:35	0.007	-0.014	-14
6/22/2007	13:49:35	0.007	-0.014	-14
6/22/2007	14:04:35	0.007	-0.014	-14
6/22/2007	14:19:35	0.006	-0.015	-15
6/22/2007	14:34:35	0.006	-0.015	-15
6/22/2007	14:49:35	0.006	-0.015	-15
6/22/2007	15:04:35	0.006	-0.015	-15
6/22/2007	15:19:35	0.007	-0.014	-14
6/22/2007	15:34:35	0.006	-0.015	-15
6/22/2007	15:49:35	0.006	-0.015	-15

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0609) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/22/2007 6:21	0.3		0.3
2	6/22/2007 6:36	0.5		0.5
3	6/22/2007 6:51	0.6		0.6
4	6/22/2007 7:06	0.7		0.7
5	6/22/2007 7:21	0.7		0.7
6	6/22/2007 7:36	0.7		0.7
7	6/22/2007 7:51	0.8		0.8
8	6/22/2007 8:06	0.8		0.8
9	6/22/2007 8:21	0.8		0.8
10	6/22/2007 8:36	0.8		0.8
11	6/22/2007 8:51	0.8		0.8
12	6/22/2007 9:06	0.8		0.8
13	6/22/2007 9:21	0.8		0.8
14	6/22/2007 9:36	0.8		0.8
15	6/22/2007 9:51	0.8		0.8
16	6/22/2007 10:06	0.8		0.8
17	6/22/2007 10:21	0.8		0.8
18	6/22/2007 10:36	0.8		0.8
19	6/22/2007 10:51	0.7		0.7
20	6/22/2007 11:06	0.7		0.7
21	6/22/2007 11:21	0.7		0.7
22	6/22/2007 11:36	0.7		0.7
23	6/22/2007 11:51	0.7		0.7
24	6/22/2007 12:06	0.7		0.7
25	6/22/2007 12:21	0.7		0.7
26	6/22/2007 12:36	0.7		0.7
27	6/22/2007 12:51	0.7		0.7
28	6/22/2007 13:06	0.7		0.7
29	6/22/2007 13:21	0.7		0.7
30	6/22/2007 13:36	0.8		0.8
31	6/22/2007 13:51	0.8		0.8
32	6/22/2007 14:06	0.8		0.8
33	6/22/2007 14:21	0.8		0.8
34	6/22/2007 14:36	0.8		0.8
35	6/22/2007 14:51	0.7		0.7
36	6/22/2007 15:06	0.8		0.8
37	6/22/2007 15:21	0.8		0.8
38	6/22/2007 15:36	0.8		0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	6/22/2007
Start Time:	6:10:28
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0609) = 0.018

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/22/2007	6:25:28	0.019	0.001	1
6/22/2007	6:40:28	0.018	0	0
6/22/2007	6:55:28	0.018	0	0
6/22/2007	7:10:28	0.018	0	0
6/22/2007	7:25:28	0.016	-0.002	-2
6/22/2007	7:40:28	0.016	-0.002	-2
6/22/2007	7:55:28	0.015	-0.003	-3
6/22/2007	8:10:28	0.015	-0.003	-3
6/22/2007	8:25:28	0.014	-0.004	-4
6/22/2007	8:40:28	0.013	-0.005	-5
6/22/2007	8:55:28	0.011	-0.007	-7
6/22/2007	9:10:28	0.011	-0.007	-7
6/22/2007	9:25:28	0.009	-0.009	-9
6/22/2007	9:40:28	0.011	-0.007	-7
6/22/2007	9:55:28	0.01	-0.008	-8
6/22/2007	10:10:28	0.01	-0.008	-8
6/22/2007	10:25:28	0.01	-0.008	-8
6/22/2007	10:40:28	0.011	-0.007	-7
6/22/2007	10:55:28	0.012	-0.006	-6
6/22/2007	11:10:28	0.011	-0.007	-7
6/22/2007	11:25:28	0.012	-0.006	-6
6/22/2007	11:40:28	0.011	-0.007	-7
6/22/2007	11:55:28	0.011	-0.007	-7
6/22/2007	12:10:28	0.012	-0.006	-6
6/22/2007	12:25:28	0.011	-0.007	-7
6/22/2007	12:40:28	0.01	-0.008	-8
6/22/2007	12:55:28	0.011	-0.007	-7
6/22/2007	13:10:28	0.011	-0.007	-7
6/22/2007	13:25:28	0.011	-0.007	-7
6/22/2007	13:40:28	0.01	-0.008	-8
6/22/2007	13:55:28	0.01	-0.008	-8
6/22/2007	14:10:28	0.01	-0.008	-8
6/22/2007	14:25:28	0.01	-0.008	-8
6/22/2007	14:40:28	0.009	-0.009	-9
6/22/2007	14:55:28	0.01	-0.008	-8
6/22/2007	15:10:28	0.009	-0.009	-9
6/22/2007	15:25:28	0.01	-0.008	-8
6/22/2007	15:40:28	0.009	-0.009	-9
6/22/2007	15:55:28	0.009	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/22/2007 6:39	0		0
2	6/22/2007 6:54	0		0
3	6/22/2007 7:09	0		0
4	6/22/2007 7:24	0		0
5	6/22/2007 7:39	0		0
6	6/22/2007 7:54	0		0
7	6/22/2007 8:09	0		0
8	6/22/2007 8:24	0		0
9	6/22/2007 8:39	0		0
10	6/22/2007 8:54	0		0
11	6/22/2007 9:09	0		0
12	6/22/2007 9:24	0		0
13	6/22/2007 9:39	0		0
14	6/22/2007 9:54	0		0
15	6/22/2007 10:09	0		0
16	6/22/2007 10:24	0		0
17	6/22/2007 10:39	0		0
18	6/22/2007 10:54	0.1		0.1
19	6/22/2007 11:09	0.1		0.1
20	6/22/2007 11:24	0.1		0.1
21	6/22/2007 11:39	0.1		0.1
22	6/22/2007 11:54	0.1		0.1
23	6/22/2007 12:09	0.1		0.1
24	6/22/2007 12:24	0.1		0.1
25	6/22/2007 12:39	0.1		0.1
26	6/22/2007 12:54	0.1		0.1
27	6/22/2007 13:09	0.1		0.1
28	6/22/2007 13:24	0.1		0.1
29	6/22/2007 13:39	0.1		0.1
30	6/22/2007 13:54	0.1		0.1
31	6/22/2007 14:09	0.1		0.1
32	6/22/2007 14:24	0.1		0.1
33	6/22/2007 14:39	0.1		0.1
34	6/22/2007 14:54	0.1		0.1
35	6/22/2007 15:09	0.1		0.1
36	6/22/2007 15:24	0.2		0.2
37	6/22/2007 15:39	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	2
Test Abbreviation:	
Start Date:	6/22/2007
Start Time:	6:26:25
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0626) = 0.035

Calibration	Sensor:	Aerosol
	Cal. date	5/14/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/22/2007	6:41:25	0.034	-0.001	-1
6/22/2007	6:56:25	0.032	-0.003	-3
6/22/2007	7:11:25	0.034	-0.001	-1
6/22/2007	7:26:25	0.028	-0.007	-7
6/22/2007	7:41:25	0.031	-0.004	-4
6/22/2007	7:56:25	0.027	-0.008	-8
6/22/2007	8:11:25	0.025	-0.01	-10
6/22/2007	8:26:25	0.024	-0.011	-11
6/22/2007	8:41:25	0.021	-0.014	-14
6/22/2007	8:56:25	0.019	-0.016	-16
6/22/2007	9:11:25	0.019	-0.016	-16
6/22/2007	9:26:25	0.015	-0.02	-20
6/22/2007	9:41:25	0.015	-0.02	-20
6/22/2007	9:56:25	0.015	-0.02	-20
6/22/2007	10:11:25	0.014	-0.021	-21
6/22/2007	10:26:25	0.014	-0.021	-21
6/22/2007	10:41:25	0.015	-0.02	-20
6/22/2007	10:56:25	0.015	-0.02	-20
6/22/2007	11:11:25	0.014	-0.021	-21
6/22/2007	11:26:25	0.015	-0.02	-20
6/22/2007	11:41:25	0.013	-0.022	-22
6/22/2007	11:56:25	0.013	-0.022	-22
6/22/2007	12:11:25	0.014	-0.021	-21
6/22/2007	12:26:25	0.013	-0.022	-22
6/22/2007	12:41:25	0.012	-0.023	-23
6/22/2007	12:56:25	0.013	-0.022	-22
6/22/2007	13:11:25	0.011	-0.024	-24
6/22/2007	13:26:25	0.011	-0.024	-24
6/22/2007	13:41:25	0.011	-0.024	-24
6/22/2007	13:56:25	0.01	-0.025	-25
6/22/2007	14:11:25	0.011	-0.024	-24
6/22/2007	14:26:25	0.009	-0.026	-26
6/22/2007	14:41:25	0.011	-0.024	-24
6/22/2007	14:56:25	0.009	-0.026	-26
6/22/2007	15:11:25	0.013	-0.022	-22
6/22/2007	15:26:25	0.012	-0.023	-23
6/22/2007	15:41:25	0.008	-0.027	-27
6/22/2007	15:56:25	0.008	-0.027	-27

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/22/2007 6:34	0		0
2	6/22/2007 6:49	0		0
3	6/22/2007 7:04	0		0
4	6/22/2007 7:19	0		0
5	6/22/2007 7:34	0		0
6	6/22/2007 7:49	0		0
7	6/22/2007 8:04	0		0
8	6/22/2007 8:19	0		0
9	6/22/2007 8:34	0		0
10	6/22/2007 8:49	0		0
11	6/22/2007 9:04	0		0
12	6/22/2007 9:19	0		0
13	6/22/2007 9:34	0		0
14	6/22/2007 9:49	0		0
15	6/22/2007 10:04	0		0
16	6/22/2007 10:19	0		0
17	6/22/2007 10:34	0		0
18	6/22/2007 10:49	0		0
19	6/22/2007 11:04	0		0
20	6/22/2007 11:19	0		0
21	6/22/2007 11:34	0		0
22	6/22/2007 11:49	0		0
23	6/22/2007 12:04	0		0
24	6/22/2007 12:19	0		0
25	6/22/2007 12:34	0		0
26	6/22/2007 12:49	0		0
27	6/22/2007 13:04	0		0
28	6/22/2007 13:19	0		0
29	6/22/2007 13:34	0		0
30	6/22/2007 13:49	0		0
31	6/22/2007 14:04	0		0
32	6/22/2007 14:19	0		0
33	6/22/2007 14:34	0		0
34	6/22/2007 14:49	0		0
35	6/22/2007 15:04	0		0
36	6/22/2007 15:19	0		0
37	6/22/2007 15:34	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	6/22/2007
Start Time:	6:19:55
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0620) = 0.032

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/22/2007	6:34:55	0.026	-0.006	-6
6/22/2007	6:49:55	0.024	-0.008	-8
6/22/2007	7:04:55	0.025	-0.007	-7
6/22/2007	7:19:55	0.024	-0.008	-8
6/22/2007	7:34:55	0.034	0.002	2
6/22/2007	7:49:55	0.023	-0.009	-9
6/22/2007	8:04:55	0.02	-0.012	-12
6/22/2007	8:19:55	0.017	-0.015	-15
6/22/2007	8:34:55	0.017	-0.015	-15
6/22/2007	8:49:55	0.015	-0.017	-17
6/22/2007	9:04:55	0.013	-0.019	-19
6/22/2007	9:19:55	0.011	-0.021	-21
6/22/2007	9:34:55	0.01	-0.022	-22
6/22/2007	9:49:55	0.011	-0.021	-21
6/22/2007	10:04:55	0.011	-0.021	-21
6/22/2007	10:19:55	0.01	-0.022	-22
6/22/2007	10:34:55	0.011	-0.021	-21
6/22/2007	10:49:55	0.011	-0.021	-21
6/22/2007	11:04:55	0.01	-0.022	-22
6/22/2007	11:19:55	0.01	-0.022	-22
6/22/2007	11:34:55	0.009	-0.023	-23
6/22/2007	11:49:55	0.01	-0.022	-22
6/22/2007	12:04:55	0.011	-0.021	-21
6/22/2007	12:19:55	0.01	-0.022	-22
6/22/2007	12:34:55	0.009	-0.023	-23
6/22/2007	12:49:55	0.009	-0.023	-23
6/22/2007	13:04:55	0.008	-0.024	-24
6/22/2007	13:19:55	0.009	-0.023	-23
6/22/2007	13:34:55	0.008	-0.024	-24
6/22/2007	13:49:55	0.007	-0.025	-25
6/22/2007	14:04:55	0.007	-0.025	-25
6/22/2007	14:19:55	0.007	-0.025	-25
6/22/2007	14:34:55	0.006	-0.026	-26
6/22/2007	14:49:55	0.007	-0.025	-25
6/22/2007	15:04:55	0.007	-0.025	-25
6/22/2007	15:19:55	0.008	-0.024	-24
6/22/2007	15:34:55	0.008	-0.024	-24
6/22/2007	15:49:55	0.007	-0.025	-25

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/25/2007 6:10	0.1		-0.1
2	6/25/2007 6:25	0.1		-0.1
3	6/25/2007 6:40	0.2		0
4	6/25/2007 6:55	0.2		0
5	6/25/2007 7:10	0.2		0
6	6/25/2007 7:25	0.2		0
7	6/25/2007 7:40	0.2		0
8	6/25/2007 7:55	0.2		0
9	6/25/2007 8:10	0.2		0
10	6/25/2007 8:25	0.2		0
11	6/25/2007 8:40	0.2		0
12	6/25/2007 8:55	0.2		0
13	6/25/2007 9:10	0.2		0
14	6/25/2007 9:25	0.1		-0.1
15	6/25/2007 9:40	0.1		-0.1
16	6/25/2007 9:55	0.1		-0.1
17	6/25/2007 10:10	0.1		-0.1
18	6/25/2007 10:25	0.1		-0.1
19	6/25/2007 10:40	0.1		-0.1
20	6/25/2007 10:55	0.1		-0.1
21	6/25/2007 11:10	0.1		-0.1
22	6/25/2007 11:25	0.1		-0.1
23	6/25/2007 11:40	0.1		-0.1
24	6/25/2007 11:55	0.1		-0.1
25	6/25/2007 12:10	0.1		-0.1
26	6/25/2007 12:25	0.1		-0.1
27	6/25/2007 12:40	0		-0.2
28	6/25/2007 12:55	0		-0.2
29	6/25/2007 13:10	0		-0.2
30	6/25/2007 13:25	0		-0.2
31	6/25/2007 13:40	0		-0.2
32	6/25/2007 13:55	0		-0.2
33	6/25/2007 14:10	0		-0.2
34	6/25/2007 14:25	0		-0.2
35	6/25/2007 14:40	0		-0.2
36	6/25/2007 14:55	0		-0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/25/2007
Start Time:	5:58:30
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0556) = 0.029

Calibration Sensor: Aerosol
Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/25/2007	6:13:30	0.032	0.003	3
6/25/2007	6:28:30	0.036	0.007	7
6/25/2007	6:43:30	0.028	-0.001	-1
6/25/2007	6:58:30	0.029	0	0
6/25/2007	7:13:30	0.033	0.004	4
6/25/2007	7:28:30	0.038	0.009	9
6/25/2007	7:43:30	0.037	0.008	8
6/25/2007	7:58:30	0.039	0.01	10
6/25/2007	8:13:30	0.039	0.01	10
6/25/2007	8:28:30	0.038	0.009	9
6/25/2007	8:43:30	0.045	0.016	16
6/25/2007	8:58:30	0.04	0.011	11
6/25/2007	9:13:30	0.04	0.011	11
6/25/2007	9:28:30	0.04	0.011	11
6/25/2007	9:43:30	0.039	0.01	10
6/25/2007	9:58:30	0.037	0.008	8
6/25/2007	10:13:30	0.037	0.008	8
6/25/2007	10:28:30	0.038	0.009	9
6/25/2007	10:43:30	0.037	0.008	8
6/25/2007	10:58:30	0.036	0.007	7
6/25/2007	11:13:30	0.034	0.005	5
6/25/2007	11:28:30	0.035	0.006	6
6/25/2007	11:43:30	0.036	0.007	7
6/25/2007	11:58:30	0.034	0.005	5
6/25/2007	12:13:30	0.033	0.004	4
6/25/2007	12:28:30	0.032	0.003	3
6/25/2007	12:43:30	0.03	0.001	1
6/25/2007	12:58:30	0.031	0.002	2
6/25/2007	13:13:30	0.03	0.001	1
6/25/2007	13:28:30	0.027	-0.002	-2
6/25/2007	13:43:30	0.029	0	0
6/25/2007	13:58:30	0.032	0.003	3
6/25/2007	14:13:30	0.032	0.003	3
6/25/2007	14:28:30	0.035	0.006	6
6/25/2007	14:43:30	0.037	0.008	8
6/25/2007	14:58:30	0.038	0.009	9
6/25/2007	15:13:30	0.037	0.008	8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/25/2007 6:10	0.1		0.1
2	6/25/2007 6:25	0.1		0.1
3	6/25/2007 6:40	0.2		0.2
4	6/25/2007 6:55	0.2		0.2
5	6/25/2007 7:10	0.2		0.2
6	6/25/2007 7:25	0.2		0.2
7	6/25/2007 7:40	0.2		0.2
8	6/25/2007 7:55	0.2		0.2
9	6/25/2007 8:10	0.2		0.2
10	6/25/2007 8:25	0.2		0.2
11	6/25/2007 8:40	0.2		0.2
12	6/25/2007 8:55	0.2		0.2
13	6/25/2007 9:10	0.2		0.2
14	6/25/2007 9:25	0.1		0.1
15	6/25/2007 9:40	0.1		0.1
16	6/25/2007 9:55	0.1		0.1
17	6/25/2007 10:10	0.1		0.1
18	6/25/2007 10:25	0.1		0.1
19	6/25/2007 10:40	0.1		0.1
20	6/25/2007 10:55	0.1		0.1
21	6/25/2007 11:10	0.1		0.1
22	6/25/2007 11:25	0.1		0.1
23	6/25/2007 11:40	0.1		0.1
24	6/25/2007 11:55	0.1		0.1
25	6/25/2007 12:10	0.1		0.1
26	6/25/2007 12:25	0.1		0.1
27	6/25/2007 12:40	0		0
28	6/25/2007 12:55	0		0
29	6/25/2007 13:10	0		0
30	6/25/2007 13:25	0		0
31	6/25/2007 13:40	0		0
32	6/25/2007 13:55	0		0
33	6/25/2007 14:10	0		0
34	6/25/2007 14:25	0		0
35	6/25/2007 14:40	0		0
36	6/25/2007 14:55	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/25/2007
Start Time:	6:18:36
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.027

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/25/2007	6:33:36	0.027	0	0
6/25/2007	6:48:36	0.026	-0.001	-1
6/25/2007	7:03:36	0.029	0.002	2
6/25/2007	7:18:36	0.035	0.008	8
6/25/2007	7:33:36	0.038	0.011	11
6/25/2007	7:48:36	0.037	0.01	10
6/25/2007	8:03:36	0.04	0.013	13
6/25/2007	8:18:36	0.04	0.013	13
6/25/2007	8:33:36	0.041	0.014	14
6/25/2007	8:48:36	0.043	0.016	16
6/25/2007	9:03:36	0.043	0.016	16
6/25/2007	9:18:36	0.044	0.017	17
6/25/2007	9:33:36	0.043	0.016	16
6/25/2007	9:48:36	0.043	0.016	16
6/25/2007	10:03:36	0.04	0.013	13
6/25/2007	10:18:36	0.041	0.014	14
6/25/2007	10:33:36	0.043	0.016	16
6/25/2007	10:48:36	0.042	0.015	15
6/25/2007	11:03:36	0.04	0.013	13
6/25/2007	11:18:36	0.041	0.014	14
6/25/2007	11:33:36	0.041	0.014	14
6/25/2007	11:48:36	0.041	0.014	14
6/25/2007	12:03:36	0.038	0.011	11
6/25/2007	12:18:36	0.038	0.011	11
6/25/2007	12:33:36	0.036	0.009	9
6/25/2007	12:48:36	0.035	0.008	8
6/25/2007	13:03:36	0.036	0.009	9
6/25/2007	13:18:36	0.034	0.007	7
6/25/2007	13:33:36	0.033	0.006	6
6/25/2007	13:48:36	0.036	0.009	9
6/25/2007	14:03:36	0.038	0.011	11
6/25/2007	14:18:36	0.039	0.012	12
6/25/2007	14:33:36	0.041	0.014	14
6/25/2007	14:48:36	0.043	0.016	16
6/25/2007	15:03:36	0.044	0.017	17
6/25/2007	15:18:36	0.044	0.017	17

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0654) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/25/2007 6:51	0		0
2	6/25/2007 7:06	0		0
3	6/25/2007 7:21	0		0
4	6/25/2007 7:36	0		0
5	6/25/2007 7:51	0		0
6	6/25/2007 8:06	0		0
7	6/25/2007 8:21	0		0
8	6/25/2007 8:36	0		0
9	6/25/2007 8:51	0		0
10	6/25/2007 9:06	0		0
11	6/25/2007 9:21	0		0
12	6/25/2007 9:36	0		0
13	6/25/2007 9:51	0		0
14	6/25/2007 10:06	0		0
15	6/25/2007 10:21	0		0
16	6/25/2007 10:36	0		0
17	6/25/2007 10:51	0		0
18	6/25/2007 11:06	0		0
19	6/25/2007 11:21	0		0
20	6/25/2007 11:36	0		0
21	6/25/2007 11:51	0		0
22	6/25/2007 12:06	0		0
23	6/25/2007 12:21	0		0
24	6/25/2007 12:36	0		0
25	6/25/2007 12:51	0		0
26	6/25/2007 13:06	0		0
27	6/25/2007 13:21	0		0
28	6/25/2007 13:36	0		0
29	6/25/2007 13:51	0		0
30	6/25/2007 14:06	0		0
31	6/25/2007 14:21	0		0
32	6/25/2007 14:36	0		0
33	6/25/2007 14:51	0		0
34	6/25/2007 15:06	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	6/25/2007
Start Time:	6:54:28
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0654) = 0.057

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/25/2007	7:09:28	0.059	0.002	2
6/25/2007	7:24:28	0.065	0.008	8
6/25/2007	7:39:28	0.071	0.014	14
6/25/2007	7:54:28	0.066	0.009	9
6/25/2007	8:09:28	0.068	0.011	11
6/25/2007	8:24:28	0.068	0.011	11
6/25/2007	8:39:28	0.072	0.015	15
6/25/2007	8:54:28	0.069	0.012	12
6/25/2007	9:09:28	0.07	0.013	13
6/25/2007	9:24:28	0.071	0.014	14
6/25/2007	9:39:28	0.068	0.011	11
6/25/2007	9:54:28	0.064	0.007	7
6/25/2007	10:09:28	0.065	0.008	8
6/25/2007	10:24:28	0.064	0.007	7
6/25/2007	10:39:28	0.065	0.008	8
6/25/2007	10:54:28	0.064	0.007	7
6/25/2007	11:09:28	0.062	0.005	5
6/25/2007	11:24:28	0.064	0.007	7
6/25/2007	11:39:28	0.064	0.007	7
6/25/2007	11:54:28	0.06	0.003	3
6/25/2007	12:09:28	0.056	-0.001	-1
6/25/2007	12:24:28	0.056	-0.001	-1
6/25/2007	12:39:28	0.051	-0.006	-6
6/25/2007	12:54:28	0.051	-0.006	-6
6/25/2007	13:09:28	0.052	-0.005	-5
6/25/2007	13:24:28	0.046	-0.011	-11
6/25/2007	13:39:28	0.048	-0.009	-9
6/25/2007	13:54:28	0.051	-0.006	-6
6/25/2007	14:09:28	0.054	-0.003	-3
6/25/2007	14:24:28	0.06	0.003	3
6/25/2007	14:39:28	0.062	0.005	5
6/25/2007	14:54:28	0.063	0.006	6
6/25/2007	15:09:28	0.062	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/22/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/25/2007 6:48	0		0
2	6/25/2007 7:03	0		0
3	6/25/2007 7:18	0		0
4	6/25/2007 7:33	0		0
5	6/25/2007 7:48	0		0
6	6/25/2007 8:03	0		0
7	6/25/2007 8:18	0		0
8	6/25/2007 8:33	0		0
9	6/25/2007 8:48	0		0
10	6/25/2007 9:03	0		0
11	6/25/2007 9:18	0		0
12	6/25/2007 9:33	0		0
13	6/25/2007 9:48	0		0
14	6/25/2007 10:03	0		0
15	6/25/2007 10:18	0		0
16	6/25/2007 10:33	0		0
17	6/25/2007 10:48	0		0
18	6/25/2007 11:03	0		0
19	6/25/2007 11:18	0		0
20	6/25/2007 11:33	0		0
21	6/25/2007 11:48	0		0
22	6/25/2007 12:03	0		0
23	6/25/2007 12:18	0		0
24	6/25/2007 12:33	0		0
25	6/25/2007 12:48	0		0
26	6/25/2007 13:03	0		0
27	6/25/2007 13:18	0		0
28	6/25/2007 13:33	0		0
29	6/25/2007 13:48	0		0
30	6/25/2007 14:03	0		0
31	6/25/2007 14:18	0		0
32	6/25/2007 14:33	0		0
33	6/25/2007 14:48	0		0
34	6/25/2007 15:03	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	6/25/2007
Start Time:	6:34:38
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.038

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/25/2007	6:49:38	0.039	0.001	1
6/25/2007	7:04:38	0.04	0.002	2
6/25/2007	7:19:38	0.045	0.007	7
6/25/2007	7:34:38	0.049	0.011	11
6/25/2007	7:49:38	0.045	0.007	7
6/25/2007	8:04:38	0.046	0.008	8
6/25/2007	8:19:38	0.045	0.007	7
6/25/2007	8:34:38	0.045	0.007	7
6/25/2007	8:49:38	0.047	0.009	9
6/25/2007	9:04:38	0.045	0.007	7
6/25/2007	9:19:38	0.048	0.01	10
6/25/2007	9:34:38	0.048	0.01	10
6/25/2007	9:49:38	0.044	0.006	6
6/25/2007	10:04:38	0.041	0.003	3
6/25/2007	10:19:38	0.042	0.004	4
6/25/2007	10:34:38	0.041	0.003	3
6/25/2007	10:49:38	0.04	0.002	2
6/25/2007	11:04:38	0.038	0	0
6/25/2007	11:19:38	0.038	0	0
6/25/2007	11:34:38	0.038	0	0
6/25/2007	11:49:38	0.039	0.001	1
6/25/2007	12:04:38	0.035	-0.003	-3
6/25/2007	12:19:38	0.035	-0.003	-3
6/25/2007	12:34:38	0.033	-0.005	-5
6/25/2007	12:49:38	0.032	-0.006	-6
6/25/2007	13:04:38	0.034	-0.004	-4
6/25/2007	13:19:38	0.031	-0.007	-7
6/25/2007	13:34:38	0.031	-0.007	-7
6/25/2007	13:49:38	0.033	-0.005	-5
6/25/2007	14:04:38	0.036	-0.002	-2
6/25/2007	14:19:38	0.036	-0.002	-2
6/25/2007	14:34:38	0.04	0.002	2
6/25/2007	14:49:38	0.043	0.005	5
6/25/2007	15:04:38	0.042	0.004	4
6/25/2007	15:19:38	0.042	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/26/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/26/2007 6:24	0		0
2	6/26/2007 6:39	0		0
3	6/26/2007 6:54	0		0
4	6/26/2007 7:09	0		0
5	6/26/2007 7:24	0		0
6	6/26/2007 7:39	0		0
7	6/26/2007 7:54	0		0
8	6/26/2007 8:09	0		0
9	6/26/2007 8:24	0		0
10	6/26/2007 8:39	0		0
11	6/26/2007 8:54	0		0
12	6/26/2007 9:09	0		0
13	6/26/2007 9:24	0		0
14	6/26/2007 9:39	0		0
15	6/26/2007 9:54	0		0
16	6/26/2007 10:09	0		0
17	6/26/2007 10:24	0		0
18	6/26/2007 10:39	0		0
19	6/26/2007 10:54	0		0
20	6/26/2007 11:09	0		0
21	6/26/2007 11:24	0		0
22	6/26/2007 11:39	0		0
23	6/26/2007 11:54	0		0
24	6/26/2007 12:09	0		0
25	6/26/2007 12:24	0		0
26	6/26/2007 12:39	0		0
27	6/26/2007 12:54	0		0
28	6/26/2007 13:09	0		0
29	6/26/2007 13:24	0		0
30	6/26/2007 13:39	0		0
31	6/26/2007 13:54	0		0
32	6/26/2007 14:09	0		0
33	6/26/2007 14:24	0		0
34	6/26/2007 14:39	0		0
35	6/26/2007 14:54	0		0
36	6/26/2007 15:09	0		0
37	6/26/2007 15:24	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/26/2007
Start Time:	6:14:21
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0610) = 0.400 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/26/2007	6:29:21	0.498	0.098	98
6/26/2007	6:44:21	0.454	0.054	54
6/26/2007	6:59:21	0.247	-0.153	-153
6/26/2007	7:14:21	0.124	-0.276	-276
6/26/2007	7:29:21	0.11	-0.29	-290
6/26/2007	7:44:21	0.104	-0.296	-296
6/26/2007	7:59:21	0.1	-0.3	-300
6/26/2007	8:14:21	0.097	-0.303	-303
6/26/2007	8:29:21	0.1	-0.3	-300
6/26/2007	8:44:21	0.095	-0.305	-305
6/26/2007	8:59:21	0.092	-0.308	-308
6/26/2007	9:14:21	0.093	-0.307	-307
6/26/2007	9:29:21	0.09	-0.31	-310
6/26/2007	9:44:21	0.087	-0.313	-313
6/26/2007	9:59:21	0.085	-0.315	-315
6/26/2007	10:14:21	0.085	-0.315	-315
6/26/2007	10:29:21	0.082	-0.318	-318
6/26/2007	10:44:21	0.078	-0.322	-322
6/26/2007	10:59:21	0.081	-0.319	-319
6/26/2007	11:14:21	0.074	-0.326	-326
6/26/2007	11:29:21	0.068	-0.332	-332
6/26/2007	11:44:21	0.064	-0.336	-336
6/26/2007	11:59:21	0.059	-0.341	-341
6/26/2007	12:14:21	0.061	-0.339	-339
6/26/2007	12:29:21	0.061	-0.339	-339
6/26/2007	12:44:21	0.065	-0.335	-335
6/26/2007	12:59:21	0.067	-0.333	-333
6/26/2007	13:14:21	0.069	-0.331	-331
6/26/2007	13:29:21	0.065	-0.335	-335
6/26/2007	13:44:21	0.065	-0.335	-335
6/26/2007	13:59:21	0.064	-0.336	-336
6/26/2007	14:14:21	0.062	-0.338	-338
6/26/2007	14:29:21	0.064	-0.336	-336
6/26/2007	14:44:21	0.062	-0.338	-338
6/26/2007	14:59:21	0.064	-0.336	-336
6/26/2007	15:14:21	0.066	-0.334	-334
6/26/2007	15:29:21	0.067	-0.333	-333

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/26/2007 6:12	0		0
2	6/26/2007 6:27	0		0
3	6/26/2007 6:42	0.1		0.1
4	6/26/2007 6:57	0		0
5	6/26/2007 7:12	0		0
6	6/26/2007 7:27	0		0
7	6/26/2007 7:42	0		0
8	6/26/2007 7:57	0		0
9	6/26/2007 8:12	0		0
10	6/26/2007 8:27	0		0
11	6/26/2007 8:42	0		0
12	6/26/2007 8:57	0		0
13	6/26/2007 9:12	0		0
14	6/26/2007 9:27	0		0
15	6/26/2007 9:42	0		0
16	6/26/2007 9:57	0		0
17	6/26/2007 10:12	0		0
18	6/26/2007 10:27	0		0
19	6/26/2007 10:42	0		0
20	6/26/2007 10:57	0		0
21	6/26/2007 11:12	0		0
22	6/26/2007 11:27	0		0
23	6/26/2007 11:42	0		0
24	6/26/2007 11:57	0		0
25	6/26/2007 12:12	0		0
26	6/26/2007 12:27	0		0
27	6/26/2007 12:42	0		0
28	6/26/2007 12:57	0		0
29	6/26/2007 13:12	0		0
30	6/26/2007 13:27	0		0
31	6/26/2007 13:42	0		0
32	6/26/2007 13:57	0		0
33	6/26/2007 14:12	0		0
34	6/26/2007 14:27	0		0
35	6/26/2007 14:42	0		0
36	6/26/2007 14:57	0		0
37	6/26/2007 15:12	0		0
38	6/26/2007 15:27	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	6/26/2007
Start Time:	6:06:09
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0603) = 0.303 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/26/2007	6:21:09	0.31	0.007	7
6/26/2007	6:36:09	0.206	-0.097	-97
6/26/2007	6:51:09	0.109	-0.194	-194
6/26/2007	7:06:09	0.09	-0.213	-213
6/26/2007	7:21:09	0.084	-0.219	-219
6/26/2007	7:36:09	0.082	-0.221	-221
6/26/2007	7:51:09	0.083	-0.22	-220
6/26/2007	8:06:09	0.083	-0.22	-220
6/26/2007	8:21:09	0.081	-0.222	-222
6/26/2007	8:36:09	0.081	-0.222	-222
6/26/2007	8:51:09	0.083	-0.22	-220
6/26/2007	9:06:09	0.084	-0.219	-219
6/26/2007	9:21:09	0.083	-0.22	-220
6/26/2007	9:36:09	0.081	-0.222	-222
6/26/2007	9:51:09	0.082	-0.221	-221
6/26/2007	10:06:09	0.082	-0.221	-221
6/26/2007	10:21:09	0.08	-0.223	-223
6/26/2007	10:36:09	0.08	-0.223	-223
6/26/2007	10:51:09	0.078	-0.225	-225
6/26/2007	11:06:09	0.079	-0.224	-224
6/26/2007	11:21:09	0.075	-0.228	-228
6/26/2007	11:36:09	0.069	-0.234	-234
6/26/2007	11:51:09	0.069	-0.234	-234
6/26/2007	12:06:09	0.069	-0.234	-234
6/26/2007	12:21:09	0.069	-0.234	-234
6/26/2007	12:36:09	0.071	-0.232	-232
6/26/2007	12:51:09	0.075	-0.228	-228
6/26/2007	13:06:09	0.077	-0.226	-226
6/26/2007	13:21:09	0.078	-0.225	-225
6/26/2007	13:36:09	0.073	-0.23	-230
6/26/2007	13:51:09	0.073	-0.23	-230
6/26/2007	14:06:09	0.072	-0.231	-231
6/26/2007	14:21:09	0.071	-0.232	-232
6/26/2007	14:36:09	0.071	-0.232	-232
6/26/2007	14:51:09	0.073	-0.23	-230
6/26/2007	15:06:09	0.075	-0.228	-228
6/26/2007	15:21:09	0.077	-0.226	-226
6/26/2007	15:36:09	0.077	-0.226	-226

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 19 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/26/2007 6:39	0		0
2	6/26/2007 6:54	0		0
3	6/26/2007 7:09	0		0
4	6/26/2007 7:24	0		0
5	6/26/2007 7:39	0		0
6	6/26/2007 7:54	0		0
7	6/26/2007 8:09	0		0
8	6/26/2007 8:24	0		0
9	6/26/2007 8:39	0		0
10	6/26/2007 8:54	0.1		0.1
11	6/26/2007 9:09	0		0
12	6/26/2007 9:24	0		0
13	6/26/2007 9:39	0.2		0.2
14	6/26/2007 9:54	0.3		0.3
15	6/26/2007 10:09	0.4		0.4
16	6/26/2007 10:24	0.6		0.6
17	6/26/2007 10:39	0.7		0.7
18	6/26/2007 10:54	0.9		0.9
19	6/26/2007 11:09	1.2		1.2
1	6/26/2007 11:40	1.2		1.2
2	6/26/2007 11:55	1		1
3	6/26/2007 12:10	1.1		1.1
4	6/26/2007 12:25	1.2		1.2
5	6/26/2007 12:40	1.2		1.2
6	6/26/2007 12:55	1.3		1.3
7	6/26/2007 13:10	1.3		1.3
8	6/26/2007 13:25	1.3		1.3
9	6/26/2007 13:40	1.5		1.5
10	6/26/2007 13:55	1.5		1.5
11	6/26/2007 14:10	1.7		1.7
12	6/26/2007 14:25	1.6		1.6
13	6/26/2007 14:40	1.7		1.7
14	6/26/2007 14:55	1.5		1.5
15	6/26/2007 15:10	1.6		1.6

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	6/26/2007
Start Time:	6:23:48
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0624) = 0.498 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/26/2007	6:38:48	0.471	-0.027	-27
6/26/2007	6:53:48	0.299	-0.199	-199
6/26/2007	7:08:48	0.253	-0.245	-245
6/26/2007	7:23:48	0.233	-0.265	-265
6/26/2007	7:38:48	0.218	-0.28	-280
6/26/2007	7:53:48	0.202	-0.296	-296
6/26/2007	8:08:48	0.188	-0.31	-310
6/26/2007	8:23:48	0.192	-0.306	-306
6/26/2007	8:38:48	0.173	-0.325	-325
6/26/2007	8:53:48	0.174	-0.324	-324
6/26/2007	9:08:48	0.175	-0.323	-323
6/26/2007	9:23:48	0.165	-0.333	-333
6/26/2007	9:38:48	0.161	-0.337	-337
6/26/2007	9:53:48	0.159	-0.339	-339
6/26/2007	10:08:48	0.158	-0.34	-340
6/26/2007	10:23:48	0.153	-0.345	-345
6/26/2007	10:38:48	0.152	-0.346	-346
6/26/2007	10:53:48	0.145	-0.353	-353
6/26/2007	11:08:48	0.141	-0.357	-357
6/26/2007	11:23:48	0.141	-0.357	-357
6/26/2007	11:38:48	0.133	-0.365	-365
6/26/2007	11:53:48	0.111	-0.387	-387
6/26/2007	12:08:48	0.109	-0.389	-389
6/26/2007	12:23:48	0.106	-0.392	-392
6/26/2007	12:38:48	0.112	-0.386	-386
6/26/2007	12:53:48	0.116	-0.382	-382
6/26/2007	13:08:48	0.119	-0.379	-379
6/26/2007	13:23:48	0.12	-0.378	-378
6/26/2007	13:38:48	0.113	-0.385	-385
6/26/2007	13:53:48	0.11	-0.388	-388
6/26/2007	14:08:48	0.11	-0.388	-388
6/26/2007	14:23:48	0.104	-0.394	-394
6/26/2007	14:38:48	0.107	-0.391	-391
6/26/2007	14:53:48	0.112	-0.386	-386
6/26/2007	15:08:48	0.114	-0.384	-384
6/26/2007	15:23:48	0.116	-0.382	-382

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/26/2007 6:35	0		0
2	6/26/2007 6:50	0		0
3	6/26/2007 7:05	0		0
4	6/26/2007 7:20	0		0
5	6/26/2007 7:35	0		0
6	6/26/2007 7:50	0		0
7	6/26/2007 8:05	0		0
8	6/26/2007 8:20	0		0
9	6/26/2007 8:35	0		0
10	6/26/2007 8:50	0		0
11	6/26/2007 9:05	0		0
12	6/26/2007 9:20	0		0
13	6/26/2007 9:35	0		0
14	6/26/2007 9:50	0		0
15	6/26/2007 10:05	0		0
16	6/26/2007 10:20	0		0
17	6/26/2007 10:35	0		0
18	6/26/2007 10:50	0		0
19	6/26/2007 11:05	0		0
20	6/26/2007 11:20	0		0
21	6/26/2007 11:35	0		0
22	6/26/2007 11:50	0		0
23	6/26/2007 12:05	0		0
24	6/26/2007 12:20	0		0
25	6/26/2007 12:35	0		0
26	6/26/2007 12:50	0		0
27	6/26/2007 13:05	0		0
28	6/26/2007 13:20	0		0
29	6/26/2007 13:35	0		0
30	6/26/2007 13:50	0		0
31	6/26/2007 14:05	0		0
32	6/26/2007 14:20	0		0
33	6/26/2007 14:35	0		0
34	6/26/2007 14:50	0		0
35	6/26/2007 15:05	0		0
36	6/26/2007 15:20	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	6/26/2007
Start Time:	6:22:12
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0620) = 0.300 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/26/2007	6:37:12	0.346	0.046	46
6/26/2007	6:52:12	0.21	-0.09	-90
6/26/2007	7:07:12	0.162	-0.138	-138
6/26/2007	7:22:12	0.141	-0.159	-159
6/26/2007	7:37:12	0.133	-0.167	-167
6/26/2007	7:52:12	0.12	-0.18	-180
6/26/2007	8:07:12	0.118	-0.182	-182
6/26/2007	8:22:12	0.115	-0.185	-185
6/26/2007	8:37:12	0.109	-0.191	-191
6/26/2007	8:52:12	0.104	-0.196	-196
6/26/2007	9:07:12	0.105	-0.195	-195
6/26/2007	9:22:12	0.101	-0.199	-199
6/26/2007	9:37:12	0.1	-0.2	-200
6/26/2007	9:52:12	0.099	-0.201	-201
6/26/2007	10:07:12	0.096	-0.204	-204
6/26/2007	10:22:12	0.097	-0.203	-203
6/26/2007	10:37:12	0.093	-0.207	-207
6/26/2007	10:52:12	0.092	-0.208	-208
6/26/2007	11:07:12	0.089	-0.211	-211
6/26/2007	11:22:12	0.083	-0.217	-217
6/26/2007	11:37:12	0.075	-0.225	-225
6/26/2007	11:52:12	0.071	-0.229	-229
6/26/2007	12:07:12	0.069	-0.231	-231
6/26/2007	12:22:12	0.068	-0.232	-232
6/26/2007	12:37:12	0.072	-0.228	-228
6/26/2007	12:52:12	0.075	-0.225	-225
6/26/2007	13:07:12	0.077	-0.223	-223
6/26/2007	13:22:12	0.077	-0.223	-223
6/26/2007	13:37:12	0.072	-0.228	-228
6/26/2007	13:52:12	0.072	-0.228	-228
6/26/2007	14:07:12	0.071	-0.229	-229
6/26/2007	14:22:12	0.069	-0.231	-231
6/26/2007	14:37:12	0.069	-0.231	-231
6/26/2007	14:52:12	0.07	-0.23	-230
6/26/2007	15:07:12	0.074	-0.226	-226
6/26/2007	15:22:12	0.075	-0.225	-225
6/26/2007	15:37:12	0.075	-0.225	-225

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/27/2007 6:08	0		0
2	6/27/2007 6:23	0		0
3	6/27/2007 6:38	0		0
4	6/27/2007 6:53	0		0
5	6/27/2007 7:08	0		0
6	6/27/2007 7:23	0		0
7	6/27/2007 7:38	0		0
8	6/27/2007 7:53	0		0
9	6/27/2007 8:08	0		0
10	6/27/2007 8:23	0		0
11	6/27/2007 8:38	0		0
12	6/27/2007 8:53	0		0
13	6/27/2007 9:08	0		0
14	6/27/2007 9:23	0		0
15	6/27/2007 9:38	0		0
16	6/27/2007 9:53	0		0
17	6/27/2007 10:08	0		0
18	6/27/2007 10:23	0		0
19	6/27/2007 10:38	0		0
20	6/27/2007 10:53	0		0
21	6/27/2007 11:08	0		0
22	6/27/2007 11:23	0		0
23	6/27/2007 11:38	0		0
24	6/27/2007 11:53	0		0
25	6/27/2007 12:08	0		0
26	6/27/2007 12:23	0		0
27	6/27/2007 12:38	0		0
28	6/27/2007 12:53	0		0
29	6/27/2007 13:08	0		0
30	6/27/2007 13:23	0		0
31	6/27/2007 13:38	0		0
32	6/27/2007 13:53	0		0
33	6/27/2007 14:08	0		0
34	6/27/2007 14:23	0		0
35	6/27/2007 14:38	0		0
36	6/27/2007 14:53	0		0
37	6/27/2007 15:08	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/27/2007
Start Time:	5:58:20
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0556) = 0.298 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/27/2007	6:13:20	0.228	-0.07	-70
6/27/2007	6:28:20	0.135	-0.163	-163
6/27/2007	6:43:20	0.118	-0.18	-180
6/27/2007	6:58:20	0.107	-0.191	-191
6/27/2007	7:13:20	0.107	-0.191	-191
6/27/2007	7:28:20	0.107	-0.191	-191
6/27/2007	7:43:20	0.106	-0.192	-192
6/27/2007	7:58:20	0.099	-0.199	-199
6/27/2007	8:13:20	0.095	-0.203	-203
6/27/2007	8:28:20	0.094	-0.204	-204
6/27/2007	8:43:20	0.096	-0.202	-202
6/27/2007	8:58:20	0.096	-0.202	-202
6/27/2007	9:13:20	0.093	-0.205	-205
6/27/2007	9:28:20	0.092	-0.206	-206
6/27/2007	9:43:20	0.091	-0.207	-207
6/27/2007	9:58:20	0.088	-0.21	-210
6/27/2007	10:13:20	0.083	-0.215	-215
6/27/2007	10:28:20	0.081	-0.217	-217
6/27/2007	10:43:20	0.079	-0.219	-219
6/27/2007	10:58:20	0.08	-0.218	-218
6/27/2007	11:13:20	0.073	-0.225	-225
6/27/2007	11:28:20	0.07	-0.228	-228
6/27/2007	11:43:20	0.07	-0.228	-228
6/27/2007	11:58:20	0.067	-0.231	-231
6/27/2007	12:13:20	0.06	-0.238	-238
6/27/2007	12:28:20	0.057	-0.241	-241
6/27/2007	12:43:20	0.061	-0.237	-237
6/27/2007	12:58:20	0.062	-0.236	-236
6/27/2007	13:13:20	0.059	-0.239	-239
6/27/2007	13:28:20	0.06	-0.238	-238
6/27/2007	13:43:20	0.059	-0.239	-239
6/27/2007	13:58:20	0.061	-0.237	-237
6/27/2007	14:13:20	0.062	-0.236	-236
6/27/2007	14:28:20	0.063	-0.235	-235
6/27/2007	14:43:20	0.062	-0.236	-236
6/27/2007	14:58:20	0.061	-0.237	-237
6/27/2007	15:13:20	0.062	-0.236	-236
6/27/2007	15:28:20	0.061	-0.237	-237

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/27/2007 6:31	0		0
2	6/27/2007 6:46	0		0
3	6/27/2007 7:01	0		0
4	6/27/2007 7:16	0		0
5	6/27/2007 7:31	0		0
6	6/27/2007 7:46	0		0
7	6/27/2007 8:01	0		0
8	6/27/2007 8:16	0		0
9	6/27/2007 8:31	0		0
10	6/27/2007 8:46	0		0
11	6/27/2007 9:01	0		0
12	6/27/2007 9:16	0		0
13	6/27/2007 9:31	0		0
14	6/27/2007 9:46	0		0
15	6/27/2007 10:01	0		0
16	6/27/2007 10:16	0		0
17	6/27/2007 10:31	0		0
18	6/27/2007 10:46	0		0
19	6/27/2007 11:01	0		0
20	6/27/2007 11:16	0		0
21	6/27/2007 11:31	0		0
22	6/27/2007 11:46	0		0
23	6/27/2007 12:01	0		0
24	6/27/2007 12:16	0		0
25	6/27/2007 12:31	0		0
26	6/27/2007 12:46	0		0
27	6/27/2007 13:01	0		0
28	6/27/2007 13:16	0		0
29	6/27/2007 13:31	0		0
30	6/27/2007 13:46	0		0
31	6/27/2007 14:01	0		0
32	6/27/2007 14:16	0		0
33	6/27/2007 14:31	0		0
34	6/27/2007 14:46	0		0
35	6/27/2007 15:01	0		0
36	6/27/2007 15:16	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	6/27/2007
Start Time:	6:20:28
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0615) = 0.183 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/27/2007	6:35:28	0.138	-0.045	-45
6/27/2007	6:50:28	0.095	-0.088	-88
6/27/2007	7:05:28	0.087	-0.096	-96
6/27/2007	7:20:28	0.085	-0.098	-98
6/27/2007	7:35:28	0.085	-0.098	-98
6/27/2007	7:50:28	0.083	-0.1	-100
6/27/2007	8:05:28	0.083	-0.1	-100
6/27/2007	8:20:28	0.084	-0.099	-99
6/27/2007	8:35:28	0.086	-0.097	-97
6/27/2007	8:50:28	0.089	-0.094	-94
6/27/2007	9:05:28	0.089	-0.094	-94
6/27/2007	9:20:28	0.089	-0.094	-94
6/27/2007	9:35:28	0.091	-0.092	-92
6/27/2007	9:50:28	0.088	-0.095	-95
6/27/2007	10:05:28	0.089	-0.094	-94
6/27/2007	10:20:28	0.083	-0.1	-100
6/27/2007	10:35:28	0.08	-0.103	-103
6/27/2007	10:50:28	0.079	-0.104	-104
6/27/2007	11:05:28	0.078	-0.105	-105
6/27/2007	11:20:28	0.076	-0.107	-107
6/27/2007	11:35:28	0.076	-0.107	-107
6/27/2007	11:50:28	0.073	-0.11	-110
6/27/2007	12:05:28	0.071	-0.112	-112
6/27/2007	12:20:28	0.065	-0.118	-118
6/27/2007	12:35:28	0.067	-0.116	-116
6/27/2007	12:50:28	0.066	-0.117	-117
6/27/2007	13:05:28	0.066	-0.117	-117
6/27/2007	13:20:28	0.066	-0.117	-117
6/27/2007	13:35:28	0.067	-0.116	-116
6/27/2007	13:50:28	0.068	-0.115	-115
6/27/2007	14:05:28	0.066	-0.117	-117
6/27/2007	14:20:28	0.067	-0.116	-116
6/27/2007	14:35:28	0.069	-0.114	-114
6/27/2007	14:50:28	0.071	-0.112	-112
6/27/2007	15:05:28	0.068	-0.115	-115
6/27/2007	15:20:28	0.079	-0.104	-104
6/27/2007	15:35:28	0.068	-0.115	-115

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/27/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0648) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/27/2007 7:04	0		0
2	6/27/2007 7:19	0		0
3	6/27/2007 7:34	0		0
4	6/27/2007 7:49	0		0
5	6/27/2007 8:04	0		0
6	6/27/2007 8:19	0		0
7	6/27/2007 8:34	0		0
8	6/27/2007 8:49	0		0
9	6/27/2007 9:04	0		0
10	6/27/2007 9:19	0		0
11	6/27/2007 9:34	0		0
12	6/27/2007 9:49	0		0
13	6/27/2007 10:04	0		0
14	6/27/2007 10:19	0		0
15	6/27/2007 10:34	0		0
16	6/27/2007 10:49	0		0
17	6/27/2007 11:04	0		0
18	6/27/2007 11:19	0		0
19	6/27/2007 11:34	0		0
20	6/27/2007 11:49	0		0
21	6/27/2007 12:04	0		0
22	6/27/2007 12:19	0		0
23	6/27/2007 12:34	0		0
24	6/27/2007 12:49	0		0
25	6/27/2007 13:04	0		0
26	6/27/2007 13:19	0		0
27	6/27/2007 13:34	0		0
28	6/27/2007 13:49	0		0
29	6/27/2007 14:04	0		0
30	6/27/2007 14:19	0		0
31	6/27/2007 14:34	0		0
32	6/27/2007 14:49	0		0
33	6/27/2007 15:04	0		0
34	6/27/2007 15:19	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	6/27/2007
Start Time:	6:49:21
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0648) = 0.223 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/8/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/27/2007	7:04:21	0.211	-0.012	-12
6/27/2007	7:19:21	0.197	-0.026	-26
6/27/2007	7:34:21	0.191	-0.032	-32
6/27/2007	7:49:21	0.177	-0.046	-46
6/27/2007	8:04:21	0.174	-0.049	-49
6/27/2007	8:19:21	0.176	-0.047	-47
6/27/2007	8:34:21	0.179	-0.044	-44
6/27/2007	8:49:21	0.176	-0.047	-47
6/27/2007	9:04:21	0.176	-0.047	-47
6/27/2007	9:19:21	0.167	-0.056	-56
6/27/2007	9:34:21	0.167	-0.056	-56
6/27/2007	9:49:21	0.16	-0.063	-63
6/27/2007	10:04:21	0.16	-0.063	-63
6/27/2007	10:19:21	0.147	-0.076	-76
6/27/2007	10:34:21	0.138	-0.085	-85
6/27/2007	10:49:21	0.137	-0.086	-86
6/27/2007	11:04:21	0.131	-0.092	-92
6/27/2007	11:19:21	0.125	-0.098	-98
6/27/2007	11:34:21	0.127	-0.096	-96
6/27/2007	11:49:21	0.117	-0.106	-106
6/27/2007	12:04:21	0.115	-0.108	-108
6/27/2007	12:19:21	0.102	-0.121	-121
6/27/2007	12:34:21	0.103	-0.12	-120
6/27/2007	12:49:21	0.106	-0.117	-117
6/27/2007	13:04:21	0.105	-0.118	-118
6/27/2007	13:19:21	0.104	-0.119	-119
6/27/2007	13:34:21	0.104	-0.119	-119
6/27/2007	13:49:21	0.103	-0.12	-120
6/27/2007	14:04:21	0.103	-0.12	-120
6/27/2007	14:19:21	0.107	-0.116	-116
6/27/2007	14:34:21	0.109	-0.114	-114
6/27/2007	14:49:21	0.111	-0.112	-112
6/27/2007	15:04:21	0.107	-0.116	-116
6/27/2007	15:19:21	0.116	-0.107	-107
6/27/2007	15:34:21	0.109	-0.114	-114

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/27/2007 7:01	0		0
2	6/27/2007 7:16	0		0
3	6/27/2007 7:31	0		0
4	6/27/2007 7:46	0		0
5	6/27/2007 8:01	0		0
6	6/27/2007 8:16	0		0
7	6/27/2007 8:31	0		0
8	6/27/2007 8:46	0		0
9	6/27/2007 9:01	0		0
10	6/27/2007 9:16	0		0
11	6/27/2007 9:31	0		0
12	6/27/2007 9:46	0		0
13	6/27/2007 10:01	0		0
14	6/27/2007 10:16	0		0
15	6/27/2007 10:31	0		0
16	6/27/2007 10:46	0		0
17	6/27/2007 11:01	0		0
18	6/27/2007 11:16	0		0
19	6/27/2007 11:31	0		0
20	6/27/2007 11:46	0		0
21	6/27/2007 12:01	0		0
22	6/27/2007 12:16	0		0
23	6/27/2007 12:31	0		0
24	6/27/2007 12:46	0		0
25	6/27/2007 13:01	0		0
26	6/27/2007 13:16	0		0
27	6/27/2007 13:31	0		0
28	6/27/2007 13:46	0		0
29	6/27/2007 14:01	0		0
30	6/27/2007 14:16	0		0
31	6/27/2007 14:31	0		0
32	6/27/2007 14:46	0		0
33	6/27/2007 15:01	0		0
34	6/27/2007 15:16	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	6/27/2007
Start Time:	6:48:08
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0642) = 0.141 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/27/2007	7:03:08	0.143	0.002	2
6/27/2007	7:18:08	0.137	-0.004	-4
6/27/2007	7:33:08	0.132	-0.009	-9
6/27/2007	7:48:08	0.125	-0.016	-16
6/27/2007	8:03:08	0.119	-0.022	-22
6/27/2007	8:18:08	0.116	-0.025	-25
6/27/2007	8:33:08	0.117	-0.024	-24
6/27/2007	8:48:08	0.116	-0.025	-25
6/27/2007	9:03:08	0.111	-0.03	-30
6/27/2007	9:18:08	0.109	-0.032	-32
6/27/2007	9:33:08	0.108	-0.033	-33
6/27/2007	9:48:08	0.107	-0.034	-34
6/27/2007	10:03:08	0.116	-0.025	-25
6/27/2007	10:18:08	0.096	-0.045	-45
6/27/2007	10:33:08	0.091	-0.05	-50
6/27/2007	10:48:08	0.089	-0.052	-52
6/27/2007	11:03:08	0.089	-0.052	-52
6/27/2007	11:18:08	0.082	-0.059	-59
6/27/2007	11:33:08	0.083	-0.058	-58
6/27/2007	11:48:08	0.08	-0.061	-61
6/27/2007	12:03:08	0.077	-0.064	-64
6/27/2007	12:18:08	0.067	-0.074	-74
6/27/2007	12:33:08	0.067	-0.074	-74
6/27/2007	12:48:08	0.07	-0.071	-71
6/27/2007	13:03:08	0.069	-0.072	-72
6/27/2007	13:18:08	0.067	-0.074	-74
6/27/2007	13:33:08	0.067	-0.074	-74
6/27/2007	13:48:08	0.067	-0.074	-74
6/27/2007	14:03:08	0.067	-0.074	-74
6/27/2007	14:18:08	0.066	-0.075	-75
6/27/2007	14:33:08	0.075	-0.066	-66
6/27/2007	14:48:08	0.07	-0.071	-71
6/27/2007	15:03:08	0.068	-0.073	-73
6/27/2007	15:18:08	0.071	-0.07	-70
6/27/2007	15:33:08	0.07	-0.071	-71

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0701) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/28/2007 7:11	0		0
2	6/28/2007 7:26	0		0
3	6/28/2007 7:41	0		0
4	6/28/2007 7:56	0		0
5	6/28/2007 8:11	0		0
6	6/28/2007 8:26	0		0
7	6/28/2007 8:41	0		0
8	6/28/2007 8:56	0		0
9	6/28/2007 9:11	0		0
10	6/28/2007 9:26	0		0
11	6/28/2007 9:41	0		0
12	6/28/2007 9:56	0		0
13	6/28/2007 10:11	0		0
14	6/28/2007 10:26	0		0
15	6/28/2007 10:41	0		0
16	6/28/2007 10:56	0		0
17	6/28/2007 11:11	0		0
18	6/28/2007 11:26	0		0
19	6/28/2007 11:41	0		0
20	6/28/2007 11:56	0		0
21	6/28/2007 12:11	0		0
22	6/28/2007 12:26	0		0
23	6/28/2007 12:41	0		0
24	6/28/2007 12:56	0		0
25	6/28/2007 13:11	0		0
26	6/28/2007 13:26	0		0
27	6/28/2007 13:41	0		0
28	6/28/2007 13:56	0		0
29	6/28/2007 14:11	0		0
30	6/28/2007 14:26	0		0
31	6/28/2007 14:41	0		0
32	6/28/2007 14:56	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/28/2007
Start Time:	7:06:59
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0701) = 0.109 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/28/2007	7:21:59	0.11	0.001	1
6/28/2007	7:36:59	0.095	-0.014	-14
6/28/2007	7:51:59	0.078	-0.031	-31
6/28/2007	8:06:59	0.062	-0.047	-47
6/28/2007	8:21:59	0.057	-0.052	-52
6/28/2007	8:36:59	0.054	-0.055	-55
6/28/2007	8:51:59	0.053	-0.056	-56
6/28/2007	9:06:59	0.052	-0.057	-57
6/28/2007	9:21:59	0.052	-0.057	-57
6/28/2007	9:36:59	0.051	-0.058	-58
6/28/2007	9:51:59	0.049	-0.06	-60
6/28/2007	10:06:59	0.052	-0.057	-57
6/28/2007	10:21:59	0.049	-0.06	-60
6/28/2007	10:36:59	0.049	-0.06	-60
6/28/2007	10:51:59	0.049	-0.06	-60
6/28/2007	11:06:59	0.051	-0.058	-58
6/28/2007	11:21:59	0.047	-0.062	-62
6/28/2007	11:36:59	0.045	-0.064	-64
6/28/2007	11:51:59	0.044	-0.065	-65
6/28/2007	12:06:59	0.045	-0.064	-64
6/28/2007	12:21:59	0.045	-0.064	-64
6/28/2007	12:36:59	0.046	-0.063	-63
6/28/2007	12:51:59	0.05	-0.059	-59
6/28/2007	13:06:59	0.057	-0.052	-52
6/28/2007	13:21:59	0.05	-0.059	-59
6/28/2007	13:36:59	0.05	-0.059	-59
6/28/2007	13:51:59	0.053	-0.056	-56
6/28/2007	14:06:59	0.057	-0.052	-52
6/28/2007	14:21:59	0.057	-0.052	-52
6/28/2007	14:36:59	0.054	-0.055	-55
6/28/2007	14:51:59	0.05	-0.059	-59
6/28/2007	15:06:59	0.048	-0.061	-61

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/28/2007 7:31	0.2		0.2
2	6/28/2007 7:46	0.1		0.1
3	6/28/2007 8:01	0.4		0.4
4	6/28/2007 8:16	0.3		0.3
5	6/28/2007 8:31	0.2		0.2
6	6/28/2007 8:46	0.1		0.1
7	6/28/2007 9:01	0.2		0.2
8	6/28/2007 9:16	0.2		0.2
9	6/28/2007 9:31	0.1		0.1
10	6/28/2007 9:46	0		0
11	6/28/2007 10:01	0		0
12	6/28/2007 10:16	0		0
13	6/28/2007 10:31	0		0
14	6/28/2007 10:46	0		0
15	6/28/2007 11:01	0		0
16	6/28/2007 11:16	0		0
17	6/28/2007 11:31	0		0
18	6/28/2007 11:46	0		0
19	6/28/2007 12:01	0		0
20	6/28/2007 12:16	0		0
21	6/28/2007 12:31	0		0
22	6/28/2007 12:46	0		0
23	6/28/2007 13:01	0		0
24	6/28/2007 13:16	0		0
25	6/28/2007 13:31	0		0
26	6/28/2007 13:46	0		0
27	6/28/2007 14:01	0		0
28	6/28/2007 14:16	0		0
29	6/28/2007 14:31	0		0
30	6/28/2007 14:46	0		0
31	6/28/2007 15:01	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	6/28/2007
Start Time:	7:20:36
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0715) = 0.101 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/28/2007	7:35:36	0.135	0.034	34
6/28/2007	7:50:36	0.108	0.007	7
6/28/2007	8:05:36	0.063	-0.038	-38
6/28/2007	8:20:36	0.051	-0.05	-50
6/28/2007	8:35:36	0.048	-0.053	-53
6/28/2007	8:50:36	0.047	-0.054	-54
6/28/2007	9:05:36	0.046	-0.055	-55
6/28/2007	9:20:36	0.044	-0.057	-57
6/28/2007	9:35:36	0.044	-0.057	-57
6/28/2007	9:50:36	0.044	-0.057	-57
6/28/2007	10:05:36	0.045	-0.056	-56
6/28/2007	10:20:36	0.045	-0.056	-56
6/28/2007	10:35:36	0.044	-0.057	-57
6/28/2007	10:50:36	0.045	-0.056	-56
6/28/2007	11:05:36	0.048	-0.053	-53
6/28/2007	11:20:36	0.046	-0.055	-55
6/28/2007	11:35:36	0.052	-0.049	-49
6/28/2007	11:50:36	0.046	-0.055	-55
6/28/2007	12:05:36	0.044	-0.057	-57
6/28/2007	12:20:36	0.047	-0.054	-54
6/28/2007	12:35:36	0.05	-0.051	-51
6/28/2007	12:50:36	0.054	-0.047	-47
6/28/2007	13:05:36	0.057	-0.044	-44
6/28/2007	13:20:36	0.055	-0.046	-46
6/28/2007	13:35:36	0.056	-0.045	-45
6/28/2007	13:50:36	0.059	-0.042	-42
6/28/2007	14:05:36	0.064	-0.037	-37
6/28/2007	14:20:36	0.065	-0.036	-36
6/28/2007	14:35:36	0.062	-0.039	-39
6/28/2007	14:50:36	0.057	-0.044	-44
6/28/2007	15:05:36	0.056	-0.045	-45
6/28/2007	15:20:36	0.054	-0.047	-47

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/27/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0745) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/28/2007 7:57	0		0
2	6/28/2007 8:12	0		0
3	6/28/2007 8:27	0		0
4	6/28/2007 8:42	0		0
5	6/28/2007 8:57	0		0
6	6/28/2007 9:12	0		0
7	6/28/2007 9:27	0		0
8	6/28/2007 9:42	0		0
9	6/28/2007 9:57	0		0
10	6/28/2007 10:12	0		0
11	6/28/2007 10:27	0		0
12	6/28/2007 10:42	0		0
13	6/28/2007 10:57	0		0
14	6/28/2007 11:12	0		0
15	6/28/2007 11:27	0		0
16	6/28/2007 11:42	0		0
17	6/28/2007 11:57	0		0
18	6/28/2007 12:12	0		0
19	6/28/2007 12:27	0		0
20	6/28/2007 12:42	0		0
21	6/28/2007 12:57	0		0
22	6/28/2007 13:12	0		0
23	6/28/2007 13:27	0		0
24	6/28/2007 13:42	0		0
25	6/28/2007 13:57	0		0
26	6/28/2007 14:12	0		0
27	6/28/2007 14:27	0		0
28	6/28/2007 14:42	0		0
29	6/28/2007 14:57	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	4
Test Abbreviation:	
Start Date:	6/28/2007
Start Time:	7:41:52
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0745) = 0.161 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/28/2007	7:56:52	0.142	-0.019	-19
6/28/2007	8:11:52	0.12	-0.041	-41
6/28/2007	8:26:52	0.114	-0.047	-47
6/28/2007	8:41:52	0.109	-0.052	-52
6/28/2007	8:56:52	0.107	-0.054	-54
6/28/2007	9:11:52	0.1	-0.061	-61
6/28/2007	9:26:52	0.096	-0.065	-65
6/28/2007	9:41:52	0.096	-0.065	-65
6/28/2007	9:56:52	0.093	-0.068	-68
6/28/2007	10:11:52	0.094	-0.067	-67
6/28/2007	10:26:52	0.092	-0.069	-69
6/28/2007	10:41:52	0.092	-0.069	-69
6/28/2007	10:56:52	0.094	-0.067	-67
6/28/2007	11:11:52	0.088	-0.073	-73
6/28/2007	11:26:52	0.112	-0.049	-49
6/28/2007	11:41:52	0.082	-0.079	-79
6/28/2007	11:56:52	0.078	-0.083	-83
6/28/2007	12:11:52	0.078	-0.083	-83
6/28/2007	12:26:52	0.081	-0.08	-80
6/28/2007	12:41:52	0.086	-0.075	-75
6/28/2007	12:56:52	0.092	-0.069	-69
6/28/2007	13:11:52	0.092	-0.069	-69
6/28/2007	13:26:52	0.09	-0.071	-71
6/28/2007	13:41:52	0.093	-0.068	-68
6/28/2007	13:56:52	0.098	-0.063	-63
6/28/2007	14:11:52	0.104	-0.057	-57
6/28/2007	14:26:52	0.101	-0.06	-60
6/28/2007	14:41:52	0.096	-0.065	-65
6/28/2007	14:56:52	0.09	-0.071	-71
6/28/2007	15:11:52	0.086	-0.075	-75

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0740) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/28/2007 7:53	0		0
2	6/28/2007 8:08	0		0
3	6/28/2007 8:23	0		0
4	6/28/2007 8:38	0		0
5	6/28/2007 8:53	0		0
6	6/28/2007 9:08	0		0
7	6/28/2007 9:23	0		0
8	6/28/2007 9:38	0		0
9	6/28/2007 9:53	0		0
10	6/28/2007 10:08	0		0
11	6/28/2007 10:23	0		0
12	6/28/2007 10:38	0		0
13	6/28/2007 10:53	0		0
14	6/28/2007 11:08	0		0
15	6/28/2007 11:23	0		0
16	6/28/2007 11:38	0		0
17	6/28/2007 11:53	0		0
18	6/28/2007 12:08	0		0
19	6/28/2007 12:23	0		0
20	6/28/2007 12:38	0		0
21	6/28/2007 12:53	0		0
22	6/28/2007 13:08	0		0
23	6/28/2007 13:23	0		0
24	6/28/2007 13:38	0		0
25	6/28/2007 13:53	0		0
26	6/28/2007 14:08	0		0
27	6/28/2007 14:23	0		0
28	6/28/2007 14:38	0		0
29	6/28/2007 14:53	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	6/28/2007
Start Time:	7:46:49
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0740) = 0.153 mg/m^3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/28/2007	8:01:49	0.124	-0.029	-29
6/28/2007	8:16:49	0.087	-0.066	-66
6/28/2007	8:31:49	0.078	-0.075	-75
6/28/2007	8:46:49	0.073	-0.08	-80
6/28/2007	9:01:49	0.073	-0.08	-80
6/28/2007	9:16:49	0.065	-0.088	-88
6/28/2007	9:31:49	0.067	-0.086	-86
6/28/2007	9:46:49	0.064	-0.089	-89
6/28/2007	10:01:49	0.065	-0.088	-88
6/28/2007	10:16:49	0.062	-0.091	-91
6/28/2007	10:31:49	0.061	-0.092	-92
6/28/2007	10:46:49	0.06	-0.093	-93
6/28/2007	11:01:49	0.062	-0.091	-91
6/28/2007	11:16:49	0.057	-0.096	-96
6/28/2007	11:31:49	0.057	-0.096	-96
6/28/2007	11:46:49	0.052	-0.101	-101
6/28/2007	12:01:49	0.048	-0.105	-105
6/28/2007	12:16:49	0.051	-0.102	-102
6/28/2007	12:31:49	0.054	-0.099	-99
6/28/2007	12:46:49	0.059	-0.094	-94
6/28/2007	13:01:49	0.066	-0.087	-87
6/28/2007	13:16:49	0.073	-0.08	-80
6/28/2007	13:31:49	0.07	-0.083	-83
6/28/2007	13:46:49	0.085	-0.068	-68
6/28/2007	14:01:49	0.069	-0.084	-84
6/28/2007	14:16:49	0.07	-0.083	-83
6/28/2007	14:31:49	0.068	-0.085	-85
6/28/2007	14:46:49	0.061	-0.092	-92
6/28/2007	15:01:49	0.059	-0.094	-94
6/28/2007	15:16:49	0.058	-0.095	-95

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/29/2007 6:12	0		0
2	6/29/2007 6:27	0		0
3	6/29/2007 6:42	0		0
4	6/29/2007 6:57	0		0
5	6/29/2007 7:12	0		0
6	6/29/2007 7:27	0		0
7	6/29/2007 7:42	0		0
8	6/29/2007 7:57	0		0
9	6/29/2007 8:12	0		0
10	6/29/2007 8:27	0		0
11	6/29/2007 8:42	0		0
12	6/29/2007 8:57	0		0
13	6/29/2007 9:12	0		0
14	6/29/2007 9:27	0		0
15	6/29/2007 9:42	0		0
16	6/29/2007 9:57	0		0
17	6/29/2007 10:12	0		0
18	6/29/2007 10:27	0		0
19	6/29/2007 10:42	0		0
20	6/29/2007 10:57	0		0
21	6/29/2007 11:12	0		0
22	6/29/2007 11:27	0		0
23	6/29/2007 11:42	0		0
24	6/29/2007 11:57	0		0
25	6/29/2007 12:12	0		0
26	6/29/2007 12:27	0		0
27	6/29/2007 12:42	0		0
28	6/29/2007 12:57	0		0
29	6/29/2007 13:12	0.1		0.1
30	6/29/2007 13:27	0		0
31	6/29/2007 13:42	0		0
32	6/29/2007 13:57	0		0
33	6/29/2007 14:12	0		0
34	6/29/2007 14:27	0		0
35	6/29/2007 14:42	0		0
36	6/29/2007 14:57	0		0
37	6/29/2007 15:12	0		0
38	6/29/2007 15:27	0		0
39	6/29/2007 15:42	0		0
40	6/29/2007 15:57	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/29/2007
Start Time:	6:00:55
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0600) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/29/2007	6:15:55	0.025	-0.005	-5
6/29/2007	6:30:55	0.019	-0.011	-11
6/29/2007	6:45:55	0.016	-0.014	-14
6/29/2007	7:00:55	0.015	-0.015	-15
6/29/2007	7:15:55	0.013	-0.017	-17
6/29/2007	7:30:55	0.012	-0.018	-18
6/29/2007	7:45:55	0.011	-0.019	-19
6/29/2007	8:00:55	0.011	-0.019	-19
6/29/2007	8:15:55	0.01	-0.02	-20
6/29/2007	8:30:55	0.011	-0.019	-19
6/29/2007	8:45:55	0.01	-0.02	-20
6/29/2007	9:00:55	0.01	-0.02	-20
6/29/2007	9:15:55	0.01	-0.02	-20
6/29/2007	9:30:55	0.009	-0.021	-21
6/29/2007	9:45:55	0.01	-0.02	-20
6/29/2007	10:00:55	0.01	-0.02	-20
6/29/2007	10:15:55	0.01	-0.02	-20
6/29/2007	10:30:55	0.01	-0.02	-20
6/29/2007	10:45:55	0.01	-0.02	-20
6/29/2007	11:00:55	0.009	-0.021	-21
6/29/2007	11:15:55	0.009	-0.021	-21
6/29/2007	11:30:55	0.009	-0.021	-21
6/29/2007	11:45:55	0.009	-0.021	-21
6/29/2007	12:00:55	0.008	-0.022	-22
6/29/2007	12:15:55	0.008	-0.022	-22
6/29/2007	12:30:55	0.008	-0.022	-22
6/29/2007	12:45:55	0.008	-0.022	-22
6/29/2007	13:00:55	0.008	-0.022	-22
6/29/2007	13:15:55	0.007	-0.023	-23
6/29/2007	13:30:55	0.007	-0.023	-23
6/29/2007	13:45:55	0.007	-0.023	-23
6/29/2007	14:00:55	0.008	-0.022	-22
6/29/2007	14:15:55	0.008	-0.022	-22
6/29/2007	14:30:55	0.008	-0.022	-22
6/29/2007	14:45:55	0.009	-0.021	-21
6/29/2007	15:00:55	0.009	-0.021	-21
6/29/2007	15:15:55	0.009	-0.021	-21
6/29/2007	15:30:55	0.01	-0.02	-20
6/29/2007	15:45:55	0.01	-0.02	-20
6/29/2007	16:00:55	0.01	-0.02	-20
6/29/2007	16:15:55	0.011	-0.019	-19

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/29/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0623) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/29/2007 6:38	0.1		0.1
2	6/29/2007 6:53	0.1		0.1
3	6/29/2007 7:08	0		0
4	6/29/2007 7:23	0		0
5	6/29/2007 7:38	0		0
6	6/29/2007 7:53	0		0
7	6/29/2007 8:08	0		0
8	6/29/2007 8:23	0		0
9	6/29/2007 8:38	0		0
10	6/29/2007 8:53	0		0
11	6/29/2007 9:08	0		0
12	6/29/2007 9:23	0		0
13	6/29/2007 9:38	0		0
14	6/29/2007 9:53	0		0
15	6/29/2007 10:08	0		0
16	6/29/2007 10:23	0		0
17	6/29/2007 10:38	0		0
18	6/29/2007 10:53	0		0
19	6/29/2007 11:08	0		0
20	6/29/2007 11:23	0		0
21	6/29/2007 11:38	0		0
22	6/29/2007 11:53	0		0
23	6/29/2007 12:08	0		0
24	6/29/2007 12:23	0		0
25	6/29/2007 12:38	0		0
26	6/29/2007 12:53	0		0
27	6/29/2007 13:08	0		0
28	6/29/2007 13:23	0		0
29	6/29/2007 13:38	0		0
30	6/29/2007 13:53	0		0
31	6/29/2007 14:08	0		0
32	6/29/2007 14:23	0		0
33	6/29/2007 14:38	0		0
34	6/29/2007 14:53	0		0
35	6/29/2007 15:08	0		0
36	6/29/2007 15:23	0		0
37	6/29/2007 15:38	0		0
38	6/29/2007 15:53	0		0
39	6/29/2007 16:08	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	6/29/2007
Start Time:	6:26:37
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0701) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/29/2007	6:41:37	0.019	-0.01	-10
6/29/2007	6:56:37	0.012	-0.017	-17
6/29/2007	7:11:37	0.01	-0.019	-19
6/29/2007	7:26:37	0.009	-0.02	-20
6/29/2007	7:41:37	0.009	-0.02	-20
6/29/2007	7:56:37	0.009	-0.02	-20
6/29/2007	8:11:37	0.01	-0.019	-19
6/29/2007	8:26:37	0.01	-0.019	-19
6/29/2007	8:41:37	0.011	-0.018	-18
6/29/2007	8:56:37	0.012	-0.017	-17
6/29/2007	9:11:37	0.012	-0.017	-17
6/29/2007	9:26:37	0.012	-0.017	-17
6/29/2007	9:41:37	0.011	-0.018	-18
6/29/2007	9:56:37	0.012	-0.017	-17
6/29/2007	10:11:37	0.012	-0.017	-17
6/29/2007	10:26:37	0.011	-0.018	-18
6/29/2007	10:41:37	0.013	-0.016	-16
6/29/2007	10:56:37	0.011	-0.018	-18
6/29/2007	11:11:37	0.012	-0.017	-17
6/29/2007	11:26:37	0.011	-0.018	-18
6/29/2007	11:41:37	0.012	-0.017	-17
6/29/2007	11:56:37	0.012	-0.017	-17
6/29/2007	12:11:37	0.011	-0.018	-18
6/29/2007	12:26:37	0.012	-0.017	-17
6/29/2007	12:41:37	0.01	-0.019	-19
6/29/2007	12:56:37	0.015	-0.014	-14
6/29/2007	13:11:37	0.011	-0.018	-18
6/29/2007	13:26:37	0.01	-0.019	-19
6/29/2007	13:41:37	0.01	-0.019	-19
6/29/2007	13:56:37	0.012	-0.017	-17
6/29/2007	14:11:37	0.014	-0.015	-15
6/29/2007	14:26:37	0.017	-0.012	-12
6/29/2007	14:41:37	0.014	-0.015	-15
6/29/2007	14:56:37	0.013	-0.016	-16
6/29/2007	15:11:37	0.013	-0.016	-16
6/29/2007	15:26:37	0.013	-0.016	-16
6/29/2007	15:41:37	0.015	-0.014	-14
6/29/2007	15:56:37	0.014	-0.015	-15
6/29/2007	16:11:37	0.014	-0.015	-15
6/29/2007	16:26:37	0.015	-0.014	-14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/27/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/29/2007 6:49	0		0
2	6/29/2007 7:04	0.1		0.1
3	6/29/2007 7:19	0.1		0.1
4	6/29/2007 7:34	0.1		0.1
5	6/29/2007 7:49	0.1		0.1
6	6/29/2007 8:04	0.1		0.1
7	6/29/2007 8:19	0.2		0.2
8	6/29/2007 8:34	0.2		0.2
9	6/29/2007 8:49	0.2		0.2
10	6/29/2007 9:04	0.2		0.2
11	6/29/2007 9:19	0.2		0.2
12	6/29/2007 9:34	0.2		0.2
13	6/29/2007 9:49	0.2		0.2
14	6/29/2007 10:04	0.2		0.2
15	6/29/2007 10:19	0.2		0.2
16	6/29/2007 10:34	0.2		0.2
17	6/29/2007 10:49	0.2		0.2
18	6/29/2007 11:04	0.3		0.3
19	6/29/2007 11:19	0.3		0.3
20	6/29/2007 11:34	0.3		0.3
21	6/29/2007 11:49	0.3		0.3
22	6/29/2007 12:04	0.3		0.3
23	6/29/2007 12:19	0.3		0.3
24	6/29/2007 12:34	0.3		0.3
25	6/29/2007 12:49	0.3		0.3
26	6/29/2007 13:04	0.3		0.3
27	6/29/2007 13:19	0.3		0.3
28	6/29/2007 13:34	0.3		0.3
29	6/29/2007 13:49	0.3		0.3
30	6/29/2007 14:04	0.3		0.3
31	6/29/2007 14:19	0.3		0.3
32	6/29/2007 14:34	0.3		0.3
33	6/29/2007 14:49	0.3		0.3
34	6/29/2007 15:04	0.3		0.3
35	6/29/2007 15:19	0.3		0.3
36	6/29/2007 15:34	0.3		0.3
37	6/29/2007 15:49	0.3		0.3
38	6/29/2007 16:04	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	5
Test Abbreviation:	
Start Date:	6/29/2007
Start Time:	6:34:34
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0633) = 0.039 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/29/2007	6:49:34	0.04	0.001	1
6/29/2007	7:04:34	0.031	-0.008	-8
6/29/2007	7:19:34	0.024	-0.015	-15
6/29/2007	7:34:34	0.023	-0.016	-16
6/29/2007	7:49:34	0.02	-0.019	-19
6/29/2007	8:04:34	0.025	-0.014	-14
6/29/2007	8:19:34	0.017	-0.022	-22
6/29/2007	8:34:34	0.018	-0.021	-21
6/29/2007	8:49:34	0.017	-0.022	-22
6/29/2007	9:04:34	0.017	-0.022	-22
6/29/2007	9:19:34	0.017	-0.022	-22
6/29/2007	9:34:34	0.017	-0.022	-22
6/29/2007	9:49:34	0.017	-0.022	-22
6/29/2007	10:04:34	0.023	-0.016	-16
6/29/2007	10:19:34	0.019	-0.02	-20
6/29/2007	10:34:34	0.025	-0.014	-14
6/29/2007	10:49:34	0.017	-0.022	-22
6/29/2007	11:04:34	0.017	-0.022	-22
6/29/2007	11:19:34	0.015	-0.024	-24
6/29/2007	11:34:34	0.015	-0.024	-24
6/29/2007	11:49:34	0.015	-0.024	-24
6/29/2007	12:04:34	0.014	-0.025	-25
6/29/2007	12:19:34	0.014	-0.025	-25
6/29/2007	12:34:34	0.014	-0.025	-25
6/29/2007	12:49:34	0.015	-0.024	-24
6/29/2007	13:04:34	0.014	-0.025	-25
6/29/2007	13:19:34	0.013	-0.026	-26
6/29/2007	13:34:34	0.013	-0.026	-26
6/29/2007	13:49:34	0.014	-0.025	-25
6/29/2007	14:04:34	0.014	-0.025	-25
6/29/2007	14:19:34	0.016	-0.023	-23
6/29/2007	14:34:34	0.017	-0.022	-22
6/29/2007	14:49:34	0.016	-0.023	-23
6/29/2007	15:04:34	0.017	-0.022	-22
6/29/2007	15:19:34	0.016	-0.023	-23
6/29/2007	15:34:34	0.046	0.007	7
6/29/2007	15:49:34	0.025	-0.014	-14
6/29/2007	16:04:34	0.022	-0.017	-17
6/29/2007	16:19:34	0.026	-0.013	-13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/26/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/29/2007 6:46	0		0
2	6/29/2007 7:01	0		0
3	6/29/2007 7:16	0		0
4	6/29/2007 7:31	0		0
5	6/29/2007 7:46	0		0
6	6/29/2007 8:01	0		0
7	6/29/2007 8:16	0		0
8	6/29/2007 8:31	0		0
9	6/29/2007 8:46	0		0
10	6/29/2007 9:01	0		0
11	6/29/2007 9:16	0		0
12	6/29/2007 9:31	0		0
13	6/29/2007 9:46	0		0
14	6/29/2007 10:01	0		0
15	6/29/2007 10:16	0		0
16	6/29/2007 10:31	0		0
17	6/29/2007 10:46	0		0
18	6/29/2007 11:01	0		0
19	6/29/2007 11:16	0		0
20	6/29/2007 11:31	0		0
21	6/29/2007 11:46	0		0
22	6/29/2007 12:01	0		0
23	6/29/2007 12:16	0		0
24	6/29/2007 12:31	0		0
25	6/29/2007 12:46	0		0
26	6/29/2007 13:01	0		0
27	6/29/2007 13:16	0		0
28	6/29/2007 13:31	0		0
29	6/29/2007 13:46	0		0
30	6/29/2007 14:01	0		0
31	6/29/2007 14:16	0		0
32	6/29/2007 14:31	0		0
33	6/29/2007 14:46	0		0
34	6/29/2007 15:01	0		0
35	6/29/2007 15:16	0		0
36	6/29/2007 15:31	0		0
37	6/29/2007 15:46	0		0
38	6/29/2007 16:01	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	6/29/2007
Start Time:	6:32:48
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0630) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/29/2007	6:47:48	0.026	-0.002	-2
6/29/2007	7:02:48	0.02	-0.008	-8
6/29/2007	7:17:48	0.016	-0.012	-12
6/29/2007	7:32:48	0.015	-0.013	-13
6/29/2007	7:47:48	0.017	-0.011	-11
6/29/2007	8:02:48	0.015	-0.013	-13
6/29/2007	8:17:48	0.014	-0.014	-14
6/29/2007	8:32:48	0.017	-0.011	-11
6/29/2007	8:47:48	0.012	-0.016	-16
6/29/2007	9:02:48	0.015	-0.013	-13
6/29/2007	9:17:48	0.014	-0.014	-14
6/29/2007	9:32:48	0.014	-0.014	-14
6/29/2007	9:47:48	0.014	-0.014	-14
6/29/2007	10:02:48	0.014	-0.014	-14
6/29/2007	10:17:48	0.016	-0.012	-12
6/29/2007	10:32:48	0.014	-0.014	-14
6/29/2007	10:47:48	0.012	-0.016	-16
6/29/2007	11:02:48	0.012	-0.016	-16
6/29/2007	11:17:48	0.012	-0.016	-16
6/29/2007	11:32:48	0.012	-0.016	-16
6/29/2007	11:47:48	0.011	-0.017	-17
6/29/2007	12:02:48	0.011	-0.017	-17
6/29/2007	12:17:48	0.01	-0.018	-18
6/29/2007	12:32:48	0.01	-0.018	-18
6/29/2007	12:47:48	0.012	-0.016	-16
6/29/2007	13:02:48	0.01	-0.018	-18
6/29/2007	13:17:48	0.01	-0.018	-18
6/29/2007	13:32:48	0.011	-0.017	-17
6/29/2007	13:47:48	0.011	-0.017	-17
6/29/2007	14:02:48	0.011	-0.017	-17
6/29/2007	14:17:48	0.011	-0.017	-17
6/29/2007	14:32:48	0.01	-0.018	-18
6/29/2007	14:47:48	0.011	-0.017	-17
6/29/2007	15:02:48	0.01	-0.018	-18
6/29/2007	15:17:48	0.011	-0.017	-17
6/29/2007	15:32:48	0.011	-0.017	-17
6/29/2007	15:47:48	0.012	-0.016	-16
6/29/2007	16:02:48	0.012	-0.016	-16
6/29/2007	16:17:48	0.014	-0.014	-14

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/30/2007 07:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0821) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/30/2007 8:35	0		0
2	6/30/2007 8:50	0		0
3	6/30/2007 9:05	0		0
4	6/30/2007 9:20	0.2		0.2
5	6/30/2007 9:35	0		0
6	6/30/2007 9:50	0		0
7	6/30/2007 10:05	0		0
8	6/30/2007 10:20	0		0
9	6/30/2007 10:35	0		0
10	6/30/2007 10:50	0		0
11	6/30/2007 11:05	0		0
12	6/30/2007 11:20	0		0
13	6/30/2007 11:35	0		0
14	6/30/2007 11:50	0		0
15	6/30/2007 12:05	0		0
16	6/30/2007 12:20	0		0
17	6/30/2007 12:35	0		0
18	6/30/2007 12:50	0		0
19	6/30/2007 13:05	0		0
20	6/30/2007 13:20	0		0
21	6/30/2007 13:35	0		0
22	6/30/2007 13:50	0		0
23	6/30/2007 14:05	0		0
24	6/30/2007 14:20	0		0
25	6/30/2007 14:35	0		0
26	6/30/2007 14:50	0		0
27	6/30/2007 15:05	0		0
28	6/30/2007 15:20	0		0
29	6/30/2007 15:35	0		0
30	6/30/2007 15:50	0		0
31	6/30/2007 16:05	0		0
32	6/30/2007 16:20	0		0
33	6/30/2007 16:35	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	################
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	6/30/2007
Start Time:	8:24:15
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0821) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
6/30/2007	8:39:15	0.007	0	0
6/30/2007	8:54:15	0.007	0	0
6/30/2007	9:09:15	0.007	0	0
6/30/2007	9:24:15	0.008	0.001	1
6/30/2007	9:39:15	0.013	0.006	6
6/30/2007	9:54:15	0.007	0	0
6/30/2007	10:09:15	0.008	0.001	1
6/30/2007	10:24:15	0.008	0.001	1
6/30/2007	10:39:15	0.009	0.002	2
6/30/2007	10:54:15	0.008	0.001	1
6/30/2007	11:09:15	0.008	0.001	1
6/30/2007	11:24:15	0.008	0.001	1
6/30/2007	11:39:15	0.008	0.001	1
6/30/2007	11:54:15	0.008	0.001	1
6/30/2007	12:09:15	0.008	0.001	1
6/30/2007	12:24:15	0.01	0.003	3
6/30/2007	12:39:15	0.009	0.002	2
6/30/2007	12:54:15	0.012	0.005	5
6/30/2007	13:09:15	0.009	0.002	2
6/30/2007	13:24:15	0.008	0.001	1
6/30/2007	13:39:15	0.008	0.001	1
6/30/2007	13:54:15	0.008	0.001	1
6/30/2007	14:09:15	0.007	0	0
6/30/2007	14:24:15	0.008	0.001	1
6/30/2007	14:39:15	0.007	0	0
6/30/2007	14:54:15	0.008	0.001	1
6/30/2007	15:09:15	0.009	0.002	2
6/30/2007	15:24:15	0.008	0.001	1
6/30/2007	15:39:15	0.008	0.001	1
6/30/2007	15:54:15	0.008	0.001	1
6/30/2007	16:09:15	0.008	0.001	1
6/30/2007	16:24:15	0.01	0.003	3
6/30/2007	16:39:15	0.008	0.001	1
6/30/2007	16:54:15	0.008	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422

User ID: 00000001 Site ID: 00000004

Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 06/30/2007 07:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0850) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/30/2007 9:01	0		0
2	6/30/2007 9:16	0		0
3	6/30/2007 9:31	0		0
4	6/30/2007 9:46	0		0
5	6/30/2007 10:01	0.1		0.1
6	6/30/2007 10:16	0.1		0.1
7	6/30/2007 10:31	0.1		0.1
8	6/30/2007 10:46	0.1		0.1
9	6/30/2007 11:01	0.1		0.1
10	6/30/2007 11:16	0.1		0.1
11	6/30/2007 11:31	0.1		0.1
12	6/30/2007 11:46	0.1		0.1
13	6/30/2007 12:01	0.2		0.2
14	6/30/2007 12:16	0.2		0.2
15	6/30/2007 12:31	0.2		0.2
16	6/30/2007 12:46	0.2		0.2
17	6/30/2007 13:01	0.2		0.2
18	6/30/2007 13:16	0.2		0.2
19	6/30/2007 13:31	0.2		0.2
20	6/30/2007 13:46	0.2		0.2
21	6/30/2007 14:01	0.2		0.2
22	6/30/2007 14:16	0.2		0.2
23	6/30/2007 14:31	0.2		0.2
24	6/30/2007 14:46	0.3		0.3
25	6/30/2007 15:01	0.3		0.3
26	6/30/2007 15:16	0.3		0.3
27	6/30/2007 15:31	0.3		0.3
28	6/30/2007 15:46	0.2		0.2
29	6/30/2007 16:01	0.3		0.3
30	6/30/2007 16:16	0.3		0.3
31	6/30/2007 16:31	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	6/30/2007
Start Time:	8:52:29
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0850) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/30/2007	9:07:29	0.009	0.001	1
6/30/2007	9:22:29	0.009	0.001	1
6/30/2007	9:37:29	0.01	0.002	2
6/30/2007	9:52:29	0.009	0.001	1
6/30/2007	10:07:29	0.01	0.002	2
6/30/2007	10:22:29	0.011	0.003	3
6/30/2007	10:37:29	0.012	0.004	4
6/30/2007	10:52:29	0.011	0.003	3
6/30/2007	11:07:29	0.012	0.004	4
6/30/2007	11:22:29	0.011	0.003	3
6/30/2007	11:37:29	0.014	0.006	6
6/30/2007	11:52:29	0.012	0.004	4
6/30/2007	12:07:29	0.011	0.003	3
6/30/2007	12:22:29	0.013	0.005	5
6/30/2007	12:37:29	0.012	0.004	4
6/30/2007	12:52:29	0.011	0.003	3
6/30/2007	13:07:29	0.011	0.003	3
6/30/2007	13:22:29	0.011	0.003	3
6/30/2007	13:37:29	0.013	0.005	5
6/30/2007	13:52:29	0.011	0.003	3
6/30/2007	14:07:29	0.011	0.003	3
6/30/2007	14:22:29	0.023	0.015	15
6/30/2007	14:37:29	0.011	0.003	3
6/30/2007	14:52:29	0.011	0.003	3
6/30/2007	15:07:29	0.013	0.005	5
6/30/2007	15:22:29	0.012	0.004	4
6/30/2007	15:37:29	0.012	0.004	4
6/30/2007	15:52:29	0.013	0.005	5
6/30/2007	16:07:29	0.013	0.005	5
6/30/2007	16:22:29	0.013	0.005	5
6/30/2007	16:37:29	0.013	0.005	5
6/30/2007	16:52:29	0.013	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/30/2007 08:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	10	10	10

Background Reading (0910) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/30/2007 9:29	0		0
2	6/30/2007 9:44	0		0
3	6/30/2007 9:59	0		0
4	6/30/2007 10:14	0		0
5	6/30/2007 10:29	0		0
6	6/30/2007 10:44	0		0
7	6/30/2007 10:59	0		0
8	6/30/2007 11:14	0		0
9	6/30/2007 11:29	0		0
10	6/30/2007 11:44	0		0
11	6/30/2007 11:59	0		0
12	6/30/2007 12:14	0		0
13	6/30/2007 12:29	0		0
14	6/30/2007 12:44	0		0
15	6/30/2007 12:59	0.3		0.3
16	6/30/2007 13:14	0.3		0.3
17	6/30/2007 13:29	0.3		0.3
18	6/30/2007 13:44	0.6		0.6
19	6/30/2007 13:59	0.6		0.6
20	6/30/2007 14:14	0.6		0.6
21	6/30/2007 14:29	0.5		0.5
22	6/30/2007 14:44	0.3		0.3
23	6/30/2007 14:59	0.6		0.6
24	6/30/2007 15:14	0.7		0.7
25	6/30/2007 15:29	0.5		0.5
26	6/30/2007 15:44	0.5		0.5
27	6/30/2007 15:59	0.7		0.7
28	6/30/2007 16:14	0.8		0.8
29	6/30/2007 16:29	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	6
Test Abbreviation:	
Start Date:	6/30/2007
Start Time:	9:14:13
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0910) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/30/2007	9:29:13	0.014	0.002	2
6/30/2007	9:44:13	0.013	0.001	1
6/30/2007	9:59:13	0.013	0.001	1
6/30/2007	10:14:13	0.017	0.005	5
6/30/2007	10:29:13	0.014	0.002	2
6/30/2007	10:44:13	0.018	0.006	6
6/30/2007	10:59:13	0.016	0.004	4
6/30/2007	11:14:13	0.014	0.002	2
6/30/2007	11:29:13	0.015	0.003	3
6/30/2007	11:44:13	0.014	0.002	2
6/30/2007	11:59:13	0.014	0.002	2
6/30/2007	12:14:13	0.017	0.005	5
6/30/2007	12:29:13	0.02	0.008	8
6/30/2007	12:44:13	0.017	0.005	5
6/30/2007	12:59:13	0.014	0.002	2
6/30/2007	13:14:13	0.015	0.003	3
6/30/2007	13:29:13	0.015	0.003	3
6/30/2007	13:44:13	0.014	0.002	2
6/30/2007	13:59:13	0.013	0.001	1
6/30/2007	14:14:13	0.012	0	0
6/30/2007	14:29:13	0.013	0.001	1
6/30/2007	14:44:13	0.013	0.001	1
6/30/2007	14:59:13	0.013	0.001	1
6/30/2007	15:14:13	0.015	0.003	3
6/30/2007	15:29:13	0.017	0.005	5
6/30/2007	15:44:13	0.017	0.005	5
6/30/2007	15:59:13	0.016	0.004	4
6/30/2007	16:14:13	0.015	0.003	3
6/30/2007	16:29:13	0.016	0.004	4
6/30/2007	16:44:13	0.017	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 06/30/2007 08:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0903) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	6/30/2007 9:23	0		0
2	6/30/2007 9:38	0		0
3	6/30/2007 9:53	0		0
4	6/30/2007 10:08	0		0
5	6/30/2007 10:23	0		0
6	6/30/2007 10:38	0		0
7	6/30/2007 10:53	0		0
8	6/30/2007 11:08	0		0
9	6/30/2007 11:23	0		0
10	6/30/2007 11:38	0		0
11	6/30/2007 11:53	0		0
12	6/30/2007 12:08	0		0
13	6/30/2007 12:23	0		0
14	6/30/2007 12:38	0		0
15	6/30/2007 12:53	0		0
16	6/30/2007 13:08	0		0
17	6/30/2007 13:23	0		0
18	6/30/2007 13:38	0		0
19	6/30/2007 13:53	0		0
20	6/30/2007 14:08	0		0
21	6/30/2007 14:23	0		0
22	6/30/2007 14:38	0		0
23	6/30/2007 14:53	0		0
24	6/30/2007 15:08	0		0
25	6/30/2007 15:23	0		0
26	6/30/2007 15:38	0		0
27	6/30/2007 15:53	0		0
28	6/30/2007 16:08	0		0
29	6/30/2007 16:23	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	6/30/2007
Start Time:	9:09:53
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0903) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
6/30/2007	9:24:53	0.011	0.002	2
6/30/2007	9:39:53	0.01	0.001	1
6/30/2007	9:54:53	0.01	0.001	1
6/30/2007	10:09:53	0.01	0.001	1
6/30/2007	10:24:53	0.01	0.001	1
6/30/2007	10:39:53	0.01	0.001	1
6/30/2007	10:54:53	0.01	0.001	1
6/30/2007	11:09:53	0.01	0.001	1
6/30/2007	11:24:53	0.011	0.002	2
6/30/2007	11:39:53	0.012	0.003	3
6/30/2007	11:54:53	0.01	0.001	1
6/30/2007	12:09:53	0.009	0	0
6/30/2007	12:24:53	0.012	0.003	3
6/30/2007	12:39:53	0.011	0.002	2
6/30/2007	12:54:53	0.009	0	0
6/30/2007	13:09:53	0.011	0.002	2
6/30/2007	13:24:53	0.008	-0.001	-1
6/30/2007	13:39:53	0.01	0.001	1
6/30/2007	13:54:53	0.009	0	0
6/30/2007	14:09:53	0.008	-0.001	-1
6/30/2007	14:24:53	0.012	0.003	3
6/30/2007	14:39:53	0.008	-0.001	-1
6/30/2007	14:54:53	0.008	-0.001	-1
6/30/2007	15:09:53	0.011	0.002	2
6/30/2007	15:24:53	0.011	0.002	2
6/30/2007	15:39:53	0.011	0.002	2
6/30/2007	15:54:53	0.009	0	0
6/30/2007	16:09:53	0.01	0.001	1
6/30/2007	16:24:53	0.011	0.002	2
6/30/2007	16:39:53	0.01	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/02/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/2/2007 6:07	0		0
2	7/2/2007 6:22	0		0
3	7/2/2007 6:37	0.1		0.1
4	7/2/2007 6:52	0.1		0.1
5	7/2/2007 7:07	0		0
6	7/2/2007 7:22	0		0
7	7/2/2007 7:37	0		0
8	7/2/2007 7:52	0		0
9	7/2/2007 8:07	0		0
10	7/2/2007 8:22	0		0
11	7/2/2007 8:37	0		0
12	7/2/2007 8:52	0		0
13	7/2/2007 9:07	0		0
14	7/2/2007 9:22	0		0
15	7/2/2007 9:37	0		0
16	7/2/2007 9:52	0		0
17	7/2/2007 10:07	0		0
18	7/2/2007 10:22	0		0
19	7/2/2007 10:37	0		0
20	7/2/2007 10:52	0		0
21	7/2/2007 11:07	0		0
22	7/2/2007 11:22	0		0
23	7/2/2007 11:37	0		0
24	7/2/2007 11:52	0		0
25	7/2/2007 12:07	0		0
26	7/2/2007 12:22	0		0
27	7/2/2007 12:37	0		0
28	7/2/2007 12:52	0		0
29	7/2/2007 13:07	0		0
30	7/2/2007 13:22	0		0
31	7/2/2007 13:37	0		0
32	7/2/2007 13:52	0		0
33	7/2/2007 14:07	0		0
34	7/2/2007 14:22	0		0
35	7/2/2007 14:37	0		0
36	7/2/2007 14:52	0		0
37	7/2/2007 15:07	0		0
38	7/2/2007 15:22	0		0
39	7/2/2007 15:37	0		0
40	7/2/2007 15:52	0		0
41	7/2/2007 16:07	0		0
42	7/2/2007 16:22	0		0
43	7/2/2007 16:37	0		0
44	7/2/2007 16:52	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/2/2007
Start Time:	5:57:06
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0556) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/2/2007	6:12:06	0.003	-0.001	-1
7/2/2007	6:27:06	0.006	0.002	2
7/2/2007	6:42:06	0.003	-0.001	-1
7/2/2007	6:57:06	0.006	0.002	2
7/2/2007	7:12:06	0.005	0.001	1
7/2/2007	7:27:06	0.008	0.004	4
7/2/2007	7:42:06	0.005	0.001	1
7/2/2007	7:57:06	0.007	0.003	3
7/2/2007	8:12:06	0.005	0.001	1
7/2/2007	8:27:06	0.005	0.001	1
7/2/2007	8:42:06	0.004	0	0
7/2/2007	8:57:06	0.004	0	0
7/2/2007	9:12:06	0.004	0	0
7/2/2007	9:27:06	0.003	-0.001	-1
7/2/2007	9:42:06	0.004	0	0
7/2/2007	9:57:06	0.004	0	0
7/2/2007	10:12:06	0.004	0	0
7/2/2007	10:27:06	0.003	-0.001	-1
7/2/2007	10:42:06	0.004	0	0
7/2/2007	10:57:06	0.004	0	0
7/2/2007	11:12:06	0.004	0	0
7/2/2007	11:27:06	0.004	0	0
7/2/2007	11:42:06	0.005	0.001	1
7/2/2007	11:57:06	0.003	-0.001	-1
7/2/2007	12:12:06	0.003	-0.001	-1
7/2/2007	12:27:06	0.003	-0.001	-1
7/2/2007	12:42:06	0.003	-0.001	-1
7/2/2007	12:57:06	0.003	-0.001	-1
7/2/2007	13:12:06	0.004	0	0
7/2/2007	13:27:06	0.005	0.001	1
7/2/2007	13:42:06	0.004	0	0
7/2/2007	13:57:06	0.005	0.001	1
7/2/2007	14:12:06	0.006	0.002	2
7/2/2007	14:27:06	0.004	0	0
7/2/2007	14:42:06	0.004	0	0
7/2/2007	14:57:06	0.003	-0.001	-1
7/2/2007	15:12:06	0.003	-0.001	-1
7/2/2007	15:27:06	0.004	0	0
7/2/2007	15:42:06	0.004	0	0
7/2/2007	15:57:06	0.003	-0.001	-1
7/2/2007	16:12:06	0.003	-0.001	-1
7/2/2007	16:27:06	0.004	0	0
7/2/2007	16:42:06	0.004	0	0
7/2/2007	16:57:06	0.003	-0.001	-1
7/2/2007	17:12:06	0.003	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/02/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0606) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/2/2007 6:06	0		0
2	7/2/2007 6:21	0		0
3	7/2/2007 6:36	0		0
4	7/2/2007 6:51	0		0
5	7/2/2007 7:06	0		0
6	7/2/2007 7:21	0		0
7	7/2/2007 7:36	0		0
8	7/2/2007 7:51	0		0
9	7/2/2007 8:06	0		0
10	7/2/2007 8:21	0		0
11	7/2/2007 8:36	0		0
12	7/2/2007 8:51	0		0
13	7/2/2007 9:06	0		0
14	7/2/2007 9:21	0		0
15	7/2/2007 9:36	0		0
16	7/2/2007 9:51	0		0
17	7/2/2007 10:06	0		0
18	7/2/2007 10:21	0		0
19	7/2/2007 10:36	0		0
20	7/2/2007 10:51	0		0
21	7/2/2007 11:06	0		0
22	7/2/2007 11:21	0.1		0.1
23	7/2/2007 11:36	0		0
24	7/2/2007 11:51	0		0
25	7/2/2007 12:06	0		0
26	7/2/2007 12:21	0		0
27	7/2/2007 12:36	0		0
28	7/2/2007 12:51	0		0
29	7/2/2007 13:06	0		0
30	7/2/2007 13:21	0		0
31	7/2/2007 13:36	0		0
32	7/2/2007 13:51	0		0
33	7/2/2007 14:06	0		0
34	7/2/2007 14:21	0		0
35	7/2/2007 14:36	0		0
36	7/2/2007 14:51	0		0
37	7/2/2007 15:06	0		0
38	7/2/2007 15:21	0		0
39	7/2/2007 15:36	0		0
40	7/2/2007 15:51	0		0
41	7/2/2007 16:06	0		0
42	7/2/2007 16:21	0		0
43	7/2/2007 16:36	0		0
44	7/2/2007 16:51	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/2/2007
Start Time:	5:55:52
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0606) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/2/2007	6:10:52	0.003	-0.001	-1
7/2/2007	6:25:52	0.005	0.001	1
7/2/2007	6:40:52	0.004	0	0
7/2/2007	6:55:52	0.005	0.001	1
7/2/2007	7:10:52	0.006	0.002	2
7/2/2007	7:25:52	0.005	0.001	1
7/2/2007	7:40:52	0.007	0.003	3
7/2/2007	7:55:52	0.006	0.002	2
7/2/2007	8:10:52	0.007	0.003	3
7/2/2007	8:25:52	0.007	0.003	3
7/2/2007	8:40:52	0.004	0	0
7/2/2007	8:55:52	0.005	0.001	1
7/2/2007	9:10:52	0.005	0.001	1
7/2/2007	9:25:52	0.004	0	0
7/2/2007	9:40:52	0.004	0	0
7/2/2007	9:55:52	0.005	0.001	1
7/2/2007	10:10:52	0.005	0.001	1
7/2/2007	10:25:52	0.004	0	0
7/2/2007	10:40:52	0.006	0.002	2
7/2/2007	10:55:52	0.006	0.002	2
7/2/2007	11:10:52	0.006	0.002	2
7/2/2007	11:25:52	0.006	0.002	2
7/2/2007	11:40:52	0.006	0.002	2
7/2/2007	11:55:52	0.005	0.001	1
7/2/2007	12:10:52	0.005	0.001	1
7/2/2007	12:25:52	0.005	0.001	1
7/2/2007	12:40:52	0.006	0.002	2
7/2/2007	12:55:52	0.007	0.003	3
7/2/2007	13:10:52	0.007	0.003	3
7/2/2007	13:25:52	0.007	0.003	3
7/2/2007	13:40:52	0.007	0.003	3
7/2/2007	13:55:52	0.006	0.002	2
7/2/2007	14:10:52	0.007	0.003	3
7/2/2007	14:25:52	0.007	0.003	3
7/2/2007	14:40:52	0.007	0.003	3
7/2/2007	14:55:52	0.006	0.002	2
7/2/2007	15:10:52	0.006	0.002	2
7/2/2007	15:25:52	0.006	0.002	2
7/2/2007	15:40:52	0.007	0.003	3
7/2/2007	15:55:52	0.006	0.002	2
7/2/2007	16:10:52	0.007	0.003	3
7/2/2007	16:25:52	0.007	0.003	3
7/2/2007	16:40:52	0.006	0.002	2
7/2/2007	16:55:52	0.007	0.003	3
7/2/2007	17:10:52	0.007	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/02/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/2/2007 6:26	0		0
2	7/2/2007 6:41	0		0
3	7/2/2007 6:56	0		0
4	7/2/2007 7:11	0		0
5	7/2/2007 7:26	0.1		0.1
6	7/2/2007 7:41	0.1		0.1
7	7/2/2007 7:56	0.1		0.1
8	7/2/2007 8:11	0.1		0.1
9	7/2/2007 8:26	0.1		0.1
10	7/2/2007 8:41	0.1		0.1
11	7/2/2007 8:56	0.1		0.1
12	7/2/2007 9:11	0.1		0.1
13	7/2/2007 9:26	0.1		0.1
14	7/2/2007 9:41	0.1		0.1
15	7/2/2007 9:56	0.2		0.2
16	7/2/2007 10:11	0.2		0.2
17	7/2/2007 10:26	0.2		0.2
18	7/2/2007 10:41	0.2		0.2
19	7/2/2007 10:56	0.2		0.2
20	7/2/2007 11:11	0.3		0.3
21	7/2/2007 11:26	0.3		0.3
22	7/2/2007 11:41	0.3		0.3
23	7/2/2007 11:56	0.3		0.3
24	7/2/2007 12:11	0.3		0.3
25	7/2/2007 12:26	0.3		0.3
26	7/2/2007 12:41	0.3		0.3
27	7/2/2007 12:56	0.3		0.3
28	7/2/2007 13:11	0.3		0.3
29	7/2/2007 13:26	0.3		0.3
30	7/2/2007 13:41	0.3		0.3
31	7/2/2007 13:56	0.3		0.3
32	7/2/2007 14:11	0.3		0.3
33	7/2/2007 14:26	0.3		0.3
34	7/2/2007 14:41	0.3		0.3
35	7/2/2007 14:56	0.3		0.3
36	7/2/2007 15:11	0.3		0.3
37	7/2/2007 15:26	0.3		0.3
38	7/2/2007 15:41	0.3		0.3
39	7/2/2007 15:56	0.3		0.3
40	7/2/2007 16:11	0.3		0.3
41	7/2/2007 16:26	0.3		0.3
42	7/2/2007 16:41	0.3		0.3
43	7/2/2007 16:56	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/2/2007
Start Time:	6:12:30
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0610) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/2/2007	6:27:30	0.007	0.002	2
7/2/2007	6:42:30	0.006	0.001	1
7/2/2007	6:57:30	0.012	0.007	7
7/2/2007	7:12:30	0.008	0.003	3
7/2/2007	7:27:30	0.009	0.004	4
7/2/2007	7:42:30	0.007	0.002	2
7/2/2007	7:57:30	0.016	0.011	11
7/2/2007	8:12:30	0.012	0.007	7
7/2/2007	8:27:30	0.016	0.011	11
7/2/2007	8:42:30	0.007	0.002	2
7/2/2007	8:57:30	0.006	0.001	1
7/2/2007	9:12:30	0.006	0.001	1
7/2/2007	9:27:30	0.005	0	0
7/2/2007	9:42:30	0.005	0	0
7/2/2007	9:57:30	0.006	0.001	1
7/2/2007	10:12:30	0.007	0.002	2
7/2/2007	10:27:30	0.005	0	0
7/2/2007	10:42:30	0.006	0.001	1
7/2/2007	10:57:30	0.007	0.002	2
7/2/2007	11:12:30	0.007	0.002	2
7/2/2007	11:27:30	0.007	0.002	2
7/2/2007	11:42:30	0.007	0.002	2
7/2/2007	11:57:30	0.007	0.002	2
7/2/2007	12:12:30	0.007	0.002	2
7/2/2007	12:27:30	0.006	0.001	1
7/2/2007	12:42:30	0.006	0.001	1
7/2/2007	12:57:30	0.009	0.004	4
7/2/2007	13:12:30	0.007	0.002	2
7/2/2007	13:27:30	0.011	0.006	6
7/2/2007	13:42:30	0.007	0.002	2
7/2/2007	13:57:30	0.007	0.002	2
7/2/2007	14:12:30	0.008	0.003	3
7/2/2007	14:27:30	0.007	0.002	2
7/2/2007	14:42:30	0.007	0.002	2
7/2/2007	14:57:30	0.007	0.002	2
7/2/2007	15:12:30	0.007	0.002	2
7/2/2007	15:27:30	0.009	0.004	4
7/2/2007	15:42:30	0.009	0.004	4
7/2/2007	15:57:30	0.008	0.003	3
7/2/2007	16:12:30	0.007	0.002	2
7/2/2007	16:27:30	0.006	0.001	1
7/2/2007	16:42:30	0.008	0.003	3
7/2/2007	16:57:30	0.006	0.001	1
7/2/2007	17:12:30	0.006	0.001	1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/02/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/2/2007 6:24	0		0
2	7/2/2007 6:39	0		0
3	7/2/2007 6:54	0		0
4	7/2/2007 7:09	0		0
5	7/2/2007 7:24	0		0
6	7/2/2007 7:39	0		0
7	7/2/2007 7:54	0		0
8	7/2/2007 8:09	0		0
9	7/2/2007 8:24	0		0
10	7/2/2007 8:39	0		0
11	7/2/2007 8:54	0		0
12	7/2/2007 9:09	0		0
13	7/2/2007 9:24	0		0
14	7/2/2007 9:39	0		0
15	7/2/2007 9:54	0		0
16	7/2/2007 10:09	0		0
17	7/2/2007 10:24	0		0
18	7/2/2007 10:39	0		0
19	7/2/2007 10:54	0		0
20	7/2/2007 11:09	0		0
21	7/2/2007 11:24	0		0
22	7/2/2007 11:39	0		0
23	7/2/2007 11:54	0		0
24	7/2/2007 12:09	0		0
25	7/2/2007 12:24	0		0
26	7/2/2007 12:39	0		0
27	7/2/2007 12:54	0		0
28	7/2/2007 13:09	0		0
29	7/2/2007 13:24	0		0
30	7/2/2007 13:39	0		0
31	7/2/2007 13:54	0		0
32	7/2/2007 14:09	0		0
33	7/2/2007 14:24	0.2		0.2
34	7/2/2007 14:39	0		0
35	7/2/2007 14:54	0		0
36	7/2/2007 15:09	0		0
37	7/2/2007 15:24	0		0
38	7/2/2007 15:39	0		0
39	7/2/2007 15:54	0		0
40	7/2/2007 16:09	0		0
41	7/2/2007 16:24	0		0
42	7/2/2007 16:39	0		0
43	7/2/2007 16:54	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/2/2007
Start Time:	6:10:13
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0555) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/2/2007	6:25:13	0.006	0.003	3
7/2/2007	6:40:13	0.005	0.002	2
7/2/2007	6:55:13	0.009	0.006	6
7/2/2007	7:10:13	0.007	0.004	4
7/2/2007	7:25:13	0.016	0.013	13
7/2/2007	7:40:13	0.008	0.005	5
7/2/2007	7:55:13	0.011	0.008	8
7/2/2007	8:10:13	0.008	0.005	5
7/2/2007	8:25:13	0.01	0.007	7
7/2/2007	8:40:13	0.005	0.002	2
7/2/2007	8:55:13	0.005	0.002	2
7/2/2007	9:10:13	0.007	0.004	4
7/2/2007	9:25:13	0.004	0.001	1
7/2/2007	9:40:13	0.004	0.001	1
7/2/2007	9:55:13	0.005	0.002	2
7/2/2007	10:10:13	0.006	0.003	3
7/2/2007	10:25:13	0.007	0.004	4
7/2/2007	10:40:13	0.007	0.004	4
7/2/2007	10:55:13	0.005	0.002	2
7/2/2007	11:10:13	0.005	0.002	2
7/2/2007	11:25:13	0.006	0.003	3
7/2/2007	11:40:13	0.004	0.001	1
7/2/2007	11:55:13	0.004	0.001	1
7/2/2007	12:10:13	0.005	0.002	2
7/2/2007	12:25:13	0.005	0.002	2
7/2/2007	12:40:13	0.004	0.001	1
7/2/2007	12:55:13	0.005	0.002	2
7/2/2007	13:10:13	0.005	0.002	2
7/2/2007	13:25:13	0.005	0.002	2
7/2/2007	13:40:13	0.007	0.004	4
7/2/2007	13:55:13	0.005	0.002	2
7/2/2007	14:10:13	0.006	0.003	3
7/2/2007	14:25:13	0.007	0.004	4
7/2/2007	14:40:13	0.005	0.002	2
7/2/2007	14:55:13	0.004	0.001	1
7/2/2007	15:10:13	0.004	0.001	1
7/2/2007	15:25:13	0.004	0.001	1
7/2/2007	15:40:13	0.005	0.002	2
7/2/2007	15:55:13	0.004	0.001	1
7/2/2007	16:10:13	0.003	0	0
7/2/2007	16:25:13	0.005	0.002	2
7/2/2007	16:40:13	0.004	0.001	1
7/2/2007	16:55:13	0.004	0.001	1
7/2/2007	17:10:13	0.004	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/03/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0554) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/3/2007 6:08	0		0
2	7/3/2007 6:23	0		0
3	7/3/2007 6:38	0		0
4	7/3/2007 6:53	0		0
5	7/3/2007 7:08	0		0
6	7/3/2007 7:23	0		0
7	7/3/2007 7:38	0		0
8	7/3/2007 7:53	0		0
9	7/3/2007 8:08	0		0
10	7/3/2007 8:23	0		0
11	7/3/2007 8:38	0		0
12	7/3/2007 8:53	0		0
13	7/3/2007 9:08	0		0
14	7/3/2007 9:23	0		0
15	7/3/2007 9:38	0		0
16	7/3/2007 9:53	0		0
17	7/3/2007 10:08	0		0
18	7/3/2007 10:23	0		0
19	7/3/2007 10:38	0		0
20	7/3/2007 10:53	0		0
21	7/3/2007 11:08	0		0
22	7/3/2007 11:23	0		0
23	7/3/2007 11:38	0		0
24	7/3/2007 11:53	0		0
25	7/3/2007 12:08	0		0
26	7/3/2007 12:23	0		0
27	7/3/2007 12:38	0		0
28	7/3/2007 12:53	0		0
29	7/3/2007 13:08	0		0
30	7/3/2007 13:23	0		0
31	7/3/2007 13:38	0		0
32	7/3/2007 13:53	0		0
33	7/3/2007 14:08	0		0
34	7/3/2007 14:23	0		0
35	7/3/2007 14:38	0		0
36	7/3/2007 14:53	0		0
37	7/3/2007 15:08	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/3/2007
Start Time:	5:57:54
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0554) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/3/2007	6:12:54	0.011	0.005	5
7/3/2007	6:27:54	0.009	0.003	3
7/3/2007	6:42:54	0.009	0.003	3
7/3/2007	6:57:54	0.009	0.003	3
7/3/2007	7:12:54	0.008	0.002	2
7/3/2007	7:27:54	0.016	0.01	10
7/3/2007	7:42:54	0.009	0.003	3
7/3/2007	7:57:54	0.01	0.004	4
7/3/2007	8:12:54	0.009	0.003	3
7/3/2007	8:27:54	0.009	0.003	3
7/3/2007	8:42:54	0.008	0.002	2
7/3/2007	8:57:54	0.008	0.002	2
7/3/2007	9:12:54	0.008	0.002	2
7/3/2007	9:27:54	0.01	0.004	4
7/3/2007	9:42:54	0.01	0.004	4
7/3/2007	9:57:54	0.017	0.011	11
7/3/2007	10:12:54	0.009	0.003	3
7/3/2007	10:27:54	0.008	0.002	2
7/3/2007	10:42:54	0.018	0.012	12
7/3/2007	10:57:54	0.008	0.002	2
7/3/2007	11:12:54	0.009	0.003	3
7/3/2007	11:27:54	0.011	0.005	5
7/3/2007	11:42:54	0.009	0.003	3
7/3/2007	11:57:54	0.009	0.003	3
7/3/2007	12:12:54	0.009	0.003	3
7/3/2007	12:27:54	0.01	0.004	4
7/3/2007	12:42:54	0.009	0.003	3
7/3/2007	12:57:54	0.009	0.003	3
7/3/2007	13:12:54	0.009	0.003	3
7/3/2007	13:27:54	0.009	0.003	3
7/3/2007	13:42:54	0.009	0.003	3
7/3/2007	13:57:54	0.009	0.003	3
7/3/2007	14:12:54	0.012	0.006	6
7/3/2007	14:27:54	0.009	0.003	3
7/3/2007	14:42:54	0.009	0.003	3
7/3/2007	14:57:54	0.009	0.003	3
7/3/2007	15:12:54	0.009	0.003	3
7/3/2007	15:27:54	0.009	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/03/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/3/2007 6:05	0		0
2	7/3/2007 6:20	0		0
3	7/3/2007 6:35	0		0
4	7/3/2007 6:50	0		0
5	7/3/2007 7:05	0		0
6	7/3/2007 7:20	0		0
7	7/3/2007 7:35	0		0
8	7/3/2007 7:50	0		0
9	7/3/2007 8:05	0		0
10	7/3/2007 8:20	0		0
11	7/3/2007 8:35	0		0
12	7/3/2007 8:50	0		0
13	7/3/2007 9:05	0		0
14	7/3/2007 9:20	0		0
15	7/3/2007 9:35	0		0
16	7/3/2007 9:50	0		0
17	7/3/2007 10:05	0		0
18	7/3/2007 10:20	0		0
19	7/3/2007 10:35	0		0
20	7/3/2007 10:50	0		0
21	7/3/2007 11:05	0		0
22	7/3/2007 11:20	0		0
23	7/3/2007 11:35	0		0
24	7/3/2007 11:50	0		0
25	7/3/2007 12:05	0		0
26	7/3/2007 12:20	0		0
27	7/3/2007 12:35	0		0
28	7/3/2007 12:50	0		0
29	7/3/2007 13:05	0		0
30	7/3/2007 13:20	0		0
31	7/3/2007 13:35	0		0
32	7/3/2007 13:50	0		0
33	7/3/2007 14:05	0		0
34	7/3/2007 14:20	0		0
35	7/3/2007 14:35	0		0
36	7/3/2007 14:50	0		0
37	7/3/2007 15:05	0		0
38	7/3/2007 15:20	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/3/2007
Start Time:	5:55:06
Duration (dd:hh:mm:ss):	00:04:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (0555) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/3/2007	6:10:06	0.009	0.004	4
7/3/2007	6:25:06	0.008	0.003	3
7/3/2007	6:40:06	0.007	0.002	2
7/3/2007	6:55:06	0.009	0.004	4
7/3/2007	7:10:06	0.009	0.004	4
7/3/2007	7:25:06	0.011	0.006	6
7/3/2007	7:40:06	0.006	0.001	1
7/3/2007	7:55:06	0.008	0.003	3
7/3/2007	8:10:06	0.008	0.003	3
7/3/2007	8:25:06	0.01	0.005	5
7/3/2007	8:40:06	0.006	0.001	1
7/3/2007	8:55:06	0.009	0.004	4
7/3/2007	9:10:06	0.009	0.004	4
7/3/2007	9:25:06	0.008	0.003	3
7/3/2007	9:40:06	0.009	0.004	4
7/3/2007	9:55:06	0.01	0.005	5
7/3/2007	10:10:06	0.01	0.005	5
7/3/2007	11:06:09	0.01	0.005	5
7/3/2007	11:21:09	0.011	0.006	6
7/3/2007	11:36:09	0.012	0.007	7
7/3/2007	11:51:09	0.011	0.006	6
7/3/2007	12:06:09	0.011	0.006	6
7/3/2007	12:21:09	0.012	0.007	7
7/3/2007	12:36:09	0.012	0.007	7
7/3/2007	12:51:09	0.012	0.007	7
7/3/2007	13:06:09	0.012	0.007	7
7/3/2007	13:21:09	0.012	0.007	7
7/3/2007	13:36:09	0.012	0.007	7
7/3/2007	13:51:09	0.012	0.007	7
7/3/2007	14:06:09	0.012	0.007	7
7/3/2007	14:21:09	0.012	0.007	7
7/3/2007	14:36:09	0.013	0.008	8
7/3/2007	14:51:09	0.011	0.006	6
7/3/2007	15:06:09	0.012	0.007	7
7/3/2007	15:21:09	0.012	0.007	7
7/3/2007	15:36:09	0.012	0.007	7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/03/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/3/2007 6:26	0		0
2	7/3/2007 6:41	0		0
3	7/3/2007 6:56	0		0
4	7/3/2007 7:11	0		0
5	7/3/2007 7:26	0		0
6	7/3/2007 7:41	0		0
7	7/3/2007 7:56	0		0
8	7/3/2007 8:11	0		0
9	7/3/2007 8:26	0.1		0.1
10	7/3/2007 8:41	0		0
11	7/3/2007 8:56	0		0
12	7/3/2007 9:11	0		0
13	7/3/2007 9:26	0		0
14	7/3/2007 9:41	0		0
15	7/3/2007 9:56	0		0
16	7/3/2007 10:11	0		0
17	7/3/2007 10:26	0		0
18	7/3/2007 10:41	0.1		0.1
19	7/3/2007 10:56	0.2		0.2
20	7/3/2007 11:11	0.2		0.2
21	7/3/2007 11:26	0.1		0.1
22	7/3/2007 11:41	0.1		0.1
23	7/3/2007 11:56	0.1		0.1
24	7/3/2007 12:11	0.1		0.1
25	7/3/2007 12:26	0.1		0.1
26	7/3/2007 12:41	0.1		0.1
27	7/3/2007 12:56	0.1		0.1
28	7/3/2007 13:11	0.1		0.1
29	7/3/2007 13:26	0.1		0.1
30	7/3/2007 13:41	0.1		0.1
31	7/3/2007 13:56	0.1		0.1
32	7/3/2007 14:11	0.1		0.1
33	7/3/2007 14:26	0.1		0.1
34	7/3/2007 14:41	0.1		0.1
35	7/3/2007 14:56	0.1		0.1
36	7/3/2007 15:11	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/3/2007
Start Time:	6:10:39
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0610) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/3/2007	6:25:39	0.015	0.01	10
7/3/2007	6:40:39	0.016	0.011	11
7/3/2007	6:55:39	0.019	0.014	14
7/3/2007	7:10:39	0.014	0.009	9
7/3/2007	7:25:39	0.026	0.021	21
7/3/2007	7:40:39	0.024	0.019	19
7/3/2007	7:55:39	0.018	0.013	13
7/3/2007	8:10:39	0.017	0.012	12
7/3/2007	8:25:39	0.015	0.01	10
7/3/2007	8:40:39	0.018	0.013	13
7/3/2007	8:55:39	0.017	0.012	12
7/3/2007	9:10:39	0.022	0.017	17
7/3/2007	9:25:39	0.032	0.027	27
7/3/2007	9:40:39	0.017	0.012	12
7/3/2007	9:55:39	0.019	0.014	14
7/3/2007	10:10:39	0.018	0.013	13
7/3/2007	10:25:39	0.019	0.014	14
7/3/2007	10:40:39	0.018	0.013	13
7/3/2007	10:55:39	0.017	0.012	12
7/3/2007	11:10:39	0.02	0.015	15
7/3/2007	11:25:39	0.021	0.016	16
7/3/2007	11:40:39	0.016	0.011	11
7/3/2007	11:55:39	0.016	0.011	11
7/3/2007	12:10:39	0.016	0.011	11
7/3/2007	12:25:39	0.017	0.012	12
7/3/2007	12:40:39	0.016	0.011	11
7/3/2007	12:55:39	0.017	0.012	12
7/3/2007	13:10:39	0.017	0.012	12
7/3/2007	13:25:39	0.016	0.011	11
7/3/2007	13:40:39	0.02	0.015	15
7/3/2007	13:55:39	0.016	0.011	11
7/3/2007	14:10:39	0.018	0.013	13
7/3/2007	14:25:39	0.017	0.012	12
7/3/2007	14:40:39	0.017	0.012	12
7/3/2007	14:55:39	0.016	0.011	11
7/3/2007	15:10:39	0.016	0.011	11
7/3/2007	15:25:39	0.018	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/03/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/3/2007 6:22	0		0
2	7/3/2007 6:37	0		0
3	7/3/2007 6:52	0		0
4	7/3/2007 7:07	0		0
5	7/3/2007 7:22	0		0
6	7/3/2007 7:37	0		0
7	7/3/2007 7:52	0		0
8	7/3/2007 8:07	0		0
9	7/3/2007 8:22	0		0
10	7/3/2007 8:37	0		0
11	7/3/2007 8:52	0		0
12	7/3/2007 9:07	0		0
13	7/3/2007 9:22	0		0
14	7/3/2007 9:37	0		0
15	7/3/2007 9:52	0		0
16	7/3/2007 10:07	0		0
17	7/3/2007 10:22	0		0
18	7/3/2007 10:37	0		0
19	7/3/2007 10:52	0		0
20	7/3/2007 11:07	0		0
21	7/3/2007 11:22	0		0
22	7/3/2007 11:37	0		0
23	7/3/2007 11:52	0		0
24	7/3/2007 12:07	0		0
25	7/3/2007 12:22	0		0
26	7/3/2007 12:37	0		0
27	7/3/2007 12:52	0		0
28	7/3/2007 13:07	0		0
29	7/3/2007 13:22	0		0
30	7/3/2007 13:37	0		0
31	7/3/2007 13:52	0		0
32	7/3/2007 14:07	0		0
33	7/3/2007 14:22	0		0
34	7/3/2007 14:37	0		0
35	7/3/2007 14:52	0		0
36	7/3/2007 15:07	0		0
37	7/3/2007 15:22	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	7/3/2007
Start Time:	6:08:26
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0605) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/3/2007	6:23:26	0.013	-0.001	-1
7/3/2007	6:38:26	0.012	-0.002	-2
7/3/2007	6:53:26	0.012	-0.002	-2
7/3/2007	7:08:26	0.012	-0.002	-2
7/3/2007	7:23:26	0.018	0.004	4
7/3/2007	7:38:26	0.013	-0.001	-1
7/3/2007	7:53:26	0.014	0	0
7/3/2007	8:08:26	0.014	0	0
7/3/2007	8:23:26	0.012	-0.002	-2
7/3/2007	8:38:26	0.011	-0.003	-3
7/3/2007	8:53:26	0.011	-0.003	-3
7/3/2007	9:08:26	0.011	-0.003	-3
7/3/2007	9:23:26	0.012	-0.002	-2
7/3/2007	9:38:26	0.011	-0.003	-3
7/3/2007	9:53:26	0.011	-0.003	-3
7/3/2007	10:08:26	0.03	0.016	16
7/3/2007	10:23:26	0.011	-0.003	-3
7/3/2007	10:38:26	0.014	0	0
7/3/2007	10:53:26	0.011	-0.003	-3
7/3/2007	11:08:26	0.011	-0.003	-3
7/3/2007	11:23:26	0.011	-0.003	-3
7/3/2007	11:38:26	0.012	-0.002	-2
7/3/2007	11:53:26	0.011	-0.003	-3
7/3/2007	12:08:26	0.01	-0.004	-4
7/3/2007	12:23:26	0.011	-0.003	-3
7/3/2007	12:38:26	0.011	-0.003	-3
7/3/2007	12:53:26	0.009	-0.005	-5
7/3/2007	13:08:26	0.009	-0.005	-5
7/3/2007	13:23:26	0.009	-0.005	-5
7/3/2007	13:38:26	0.01	-0.004	-4
7/3/2007	13:53:26	0.011	-0.003	-3
7/3/2007	14:08:26	0.021	0.007	7
7/3/2007	14:23:26	0.015	0.001	1
7/3/2007	14:38:26	0.01	-0.004	-4
7/3/2007	14:53:26	0.01	-0.004	-4
7/3/2007	15:08:26	0.011	-0.003	-3
7/3/2007	15:23:26	0.009	-0.005	-5

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/05/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/5/2007 6:20	0		0
2	7/5/2007 6:35	0		0
3	7/5/2007 6:50	0		0
4	7/5/2007 7:05	0		0
5	7/5/2007 7:20	0		0
6	7/5/2007 7:35	0		0
7	7/5/2007 7:50	0		0
8	7/5/2007 8:05	0		0
9	7/5/2007 8:20	0		0
10	7/5/2007 8:35	0		0
11	7/5/2007 8:50	0		0
12	7/5/2007 9:05	0		0
13	7/5/2007 9:20	0		0
14	7/5/2007 9:35	0		0
15	7/5/2007 9:50	0		0
16	7/5/2007 10:05	0		0
17	7/5/2007 10:20	0		0
18	7/5/2007 10:35	0		0
19	7/5/2007 10:50	0		0
20	7/5/2007 11:05	0		0
21	7/5/2007 11:20	0		0
22	7/5/2007 11:35	0		0
23	7/5/2007 11:50	0		0
24	7/5/2007 12:05	0		0
25	7/5/2007 12:20	0		0
26	7/5/2007 12:35	0		0
27	7/5/2007 12:50	0		0
28	7/5/2007 13:05	0		0
29	7/5/2007 13:20	0		0
30	7/5/2007 13:35	0		0
31	7/5/2007 13:50	0		0
32	7/5/2007 14:05	0		0
33	7/5/2007 14:20	0		0
34	7/5/2007 14:35	0		0
35	7/5/2007 14:50	0		0
36	7/5/2007 15:05	0		0
37	7/5/2007 15:20	0		0
38	7/5/2007 15:35	0		0
39	7/5/2007 15:50	0		0
40	7/5/2007 16:05	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/5/2007
Start Time:	6:10:48
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0610) = 0.125 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/5/2007	6:25:48	0.157	0.032	32
7/5/2007	6:40:48	0.121	-0.004	-4
7/5/2007	6:55:48	0.06	-0.065	-65
7/5/2007	7:10:48	0.053	-0.072	-72
7/5/2007	7:25:48	0.049	-0.076	-76
7/5/2007	7:40:48	0.048	-0.077	-77
7/5/2007	7:55:48	0.049	-0.076	-76
7/5/2007	8:10:48	0.049	-0.076	-76
7/5/2007	8:25:48	0.05	-0.075	-75
7/5/2007	8:40:48	0.052	-0.073	-73
7/5/2007	8:55:48	0.052	-0.073	-73
7/5/2007	9:10:48	0.054	-0.071	-71
7/5/2007	9:25:48	0.055	-0.07	-70
7/5/2007	9:40:48	0.054	-0.071	-71
7/5/2007	9:55:48	0.052	-0.073	-73
7/5/2007	10:10:48	0.052	-0.073	-73
7/5/2007	10:25:48	0.052	-0.073	-73
7/5/2007	10:40:48	0.054	-0.071	-71
7/5/2007	10:55:48	0.053	-0.072	-72
7/5/2007	11:10:48	0.055	-0.07	-70
7/5/2007	11:25:48	0.056	-0.069	-69
7/5/2007	11:40:48	0.056	-0.069	-69
7/5/2007	11:55:48	0.054	-0.071	-71
7/5/2007	12:10:48	0.055	-0.07	-70
7/5/2007	12:25:48	0.055	-0.07	-70
7/5/2007	12:40:48	0.055	-0.07	-70
7/5/2007	12:55:48	0.058	-0.067	-67
7/5/2007	13:10:48	0.058	-0.067	-67
7/5/2007	13:25:48	0.059	-0.066	-66
7/5/2007	13:40:48	0.058	-0.067	-67
7/5/2007	13:55:48	0.06	-0.065	-65
7/5/2007	14:10:48	0.059	-0.066	-66
7/5/2007	14:25:48	0.06	-0.065	-65
7/5/2007	14:40:48	0.061	-0.064	-64
7/5/2007	14:55:48	0.06	-0.065	-65
7/5/2007	15:10:48	0.059	-0.066	-66
7/5/2007	15:25:48	0.057	-0.068	-68
7/5/2007	15:40:48	0.055	-0.07	-70
7/5/2007	15:55:48	0.053	-0.072	-72
7/5/2007	16:10:48	0.051	-0.074	-74

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/05/2007 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.7 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/5/2007 7:12	2		1.3
2	7/5/2007 7:27	1		0.3
3	7/5/2007 7:42	0.6		-0.1
4	7/5/2007 7:57	0.4		-0.3
5	7/5/2007 8:12	0.4		-0.3
6	7/5/2007 8:27	0.4		-0.3
7	7/5/2007 8:42	0.4		-0.3
8	7/5/2007 8:57	0.3		-0.4
9	7/5/2007 9:12	0.3		-0.4
10	7/5/2007 9:27	0.3		-0.4
11	7/5/2007 9:42	0.3		-0.4
12	7/5/2007 9:57	0.3		-0.4
13	7/5/2007 10:12	0.3		-0.4
14	7/5/2007 10:27	0.3		-0.4
15	7/5/2007 10:42	0.3		-0.4
16	7/5/2007 10:57	0.3		-0.4
17	7/5/2007 11:12	0.3		-0.4
18	7/5/2007 11:27	0.3		-0.4
19	7/5/2007 11:42	0.3		-0.4
20	7/5/2007 11:57	0.3		-0.4
21	7/5/2007 12:12	0.3		-0.4
22	7/5/2007 12:27	0.3		-0.4
23	7/5/2007 12:42	0.3		-0.4
24	7/5/2007 12:57	0.3		-0.4
25	7/5/2007 13:12	0.3		-0.4
26	7/5/2007 13:27	0.3		-0.4
27	7/5/2007 13:42	0.3		-0.4
28	7/5/2007 13:57	0.3		-0.4
29	7/5/2007 14:12	0.3		-0.4
30	7/5/2007 14:27	0.3		-0.4
31	7/5/2007 14:42	0.3		-0.4
32	7/5/2007 14:57	0.3		-0.4
33	7/5/2007 15:12	0.3		-0.4
34	7/5/2007 15:27	0.3		-0.4
35	7/5/2007 15:42	0.3		-0.4
36	7/5/2007 15:57	0.3		-0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/5/2007
Start Time:	6:04:51
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0603) = 0.126 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/5/2007	6:19:51	0.132	0.006	6
7/5/2007	6:34:51	0.117	-0.009	-9
7/5/2007	6:49:51	0.058	-0.068	-68
7/5/2007	7:04:51	0.042	-0.084	-84
7/5/2007	7:19:51	0.037	-0.089	-89
7/5/2007	7:34:51	0.036	-0.09	-90
7/5/2007	7:49:51	0.038	-0.088	-88
7/5/2007	8:04:51	0.04	-0.086	-86
7/5/2007	8:19:51	0.042	-0.084	-84
7/5/2007	8:34:51	0.043	-0.083	-83
7/5/2007	8:49:51	0.045	-0.081	-81
7/5/2007	9:04:51	0.047	-0.079	-79
7/5/2007	9:19:51	0.05	-0.076	-76
7/5/2007	9:34:51	0.05	-0.076	-76
7/5/2007	9:49:51	0.048	-0.078	-78
7/5/2007	10:04:51	0.047	-0.079	-79
7/5/2007	10:19:51	0.046	-0.08	-80
7/5/2007	10:34:51	0.048	-0.078	-78
7/5/2007	10:49:51	0.048	-0.078	-78
7/5/2007	11:04:51	0.05	-0.076	-76
7/5/2007	11:19:51	0.051	-0.075	-75
7/5/2007	11:34:51	0.051	-0.075	-75
7/5/2007	11:49:51	0.052	-0.074	-74
7/5/2007	12:04:51	0.054	-0.072	-72
7/5/2007	12:19:51	0.054	-0.072	-72
7/5/2007	12:34:51	0.055	-0.071	-71
7/5/2007	12:49:51	0.057	-0.069	-69
7/5/2007	13:04:51	0.059	-0.067	-67
7/5/2007	13:19:51	0.06	-0.066	-66
7/5/2007	13:34:51	0.06	-0.066	-66
7/5/2007	13:49:51	0.061	-0.065	-65
7/5/2007	14:04:51	0.061	-0.065	-65
7/5/2007	14:19:51	0.062	-0.064	-64
7/5/2007	14:34:51	0.063	-0.063	-63
7/5/2007	14:49:51	0.063	-0.063	-63
7/5/2007	15:04:51	0.063	-0.063	-63
7/5/2007	15:19:51	0.062	-0.064	-64
7/5/2007	15:34:51	0.06	-0.066	-66
7/5/2007	15:49:51	0.059	-0.067	-67
7/5/2007	16:04:51	0.056	-0.07	-70
7/5/2007	16:19:51	0.055	-0.071	-71

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/05/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/5/2007 7:34	0.1		0.1
2	7/5/2007 7:49	0.2		0.2
3	7/5/2007 8:04	0.4		0.4
4	7/5/2007 8:19	0.6		0.6
5	7/5/2007 8:34	0.6		0.6
6	7/5/2007 8:49	0.7		0.7
7	7/5/2007 9:04	0.8		0.8
8	7/5/2007 9:19	0.8		0.8
9	7/5/2007 9:34	1.2		1.2
10	7/5/2007 9:49	1.3		1.3
11	7/5/2007 10:04	1.3		1.3
12	7/5/2007 10:19	1.4		1.4
13	7/5/2007 10:34	1.4		1.4
14	7/5/2007 10:49	1.4		1.4
15	7/5/2007 11:04	1.5		1.5
16	7/5/2007 11:19	1.6		1.6
17	7/5/2007 11:34	1.7		1.7
18	7/5/2007 11:49	1.8		1.8
19	7/5/2007 12:04	1.8		1.8
20	7/5/2007 12:19	1.7		1.7
21	7/5/2007 12:34	1.6		1.6
22	7/5/2007 12:49	1.7		1.7
23	7/5/2007 13:04	1.7		1.7
24	7/5/2007 13:19	1.7		1.7
25	7/5/2007 13:34	1.7		1.7
26	7/5/2007 13:49	1.7		1.7
27	7/5/2007 14:04	1.7		1.7
28	7/5/2007 14:19	1.8		1.8
29	7/5/2007 14:34	1.8		1.8
30	7/5/2007 14:49	1.7		1.7
31	7/5/2007 15:04	1.7		1.7
32	7/5/2007 15:19	1.7		1.7
33	7/5/2007 15:34	1.7		1.7
34	7/5/2007 15:49	1.7		1.7
35	7/5/2007 16:04	1.7		1.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	7/5/2007
Start Time:	7:19:01
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0720) = 0.130 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/8/2007	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/5/2007	7:34:01	0.12	-0.01	-10
7/5/2007	7:49:01	0.107	-0.023	-23
7/5/2007	8:04:01	0.104	-0.026	-26
7/5/2007	8:19:01	0.103	-0.027	-27
7/5/2007	8:34:01	0.107	-0.023	-23
7/5/2007	8:49:01	0.107	-0.023	-23
7/5/2007	9:04:01	0.108	-0.022	-22
7/5/2007	9:19:01	0.113	-0.017	-17
7/5/2007	9:34:01	0.112	-0.018	-18
7/5/2007	9:49:01	0.105	-0.025	-25
7/5/2007	10:04:01	0.102	-0.028	-28
7/5/2007	10:19:01	0.102	-0.028	-28
7/5/2007	10:34:01	0.102	-0.028	-28
7/5/2007	10:49:01	0.104	-0.026	-26
7/5/2007	11:04:01	0.105	-0.025	-25
7/5/2007	11:19:01	0.108	-0.022	-22
7/5/2007	11:34:01	0.109	-0.021	-21
7/5/2007	11:49:01	0.123	-0.007	-7
7/5/2007	12:04:01	0.108	-0.022	-22
7/5/2007	12:19:01	0.108	-0.022	-22
7/5/2007	12:34:01	0.108	-0.022	-22
7/5/2007	12:49:01	0.108	-0.022	-22
7/5/2007	13:04:01	0.112	-0.018	-18
7/5/2007	13:19:01	0.113	-0.017	-17
7/5/2007	13:34:01	0.114	-0.016	-16
7/5/2007	13:49:01	0.114	-0.016	-16
7/5/2007	14:04:01	0.115	-0.015	-15
7/5/2007	14:19:01	0.114	-0.016	-16
7/5/2007	14:34:01	0.118	-0.012	-12
7/5/2007	14:49:01	0.115	-0.015	-15
7/5/2007	15:04:01	0.114	-0.016	-16
7/5/2007	15:19:01	0.109	-0.021	-21
7/5/2007	15:34:01	0.107	-0.023	-23
7/5/2007	15:49:01	0.102	-0.028	-28
7/5/2007	16:04:01	0.099	-0.031	-31
7/5/2007	16:19:01	0.096	-0.034	-34

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/05/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/5/2007 6:38	0		0
2	7/5/2007 6:53	0		0
3	7/5/2007 7:08	0		0
4	7/5/2007 7:23	0		0
5	7/5/2007 7:38	0		0
6	7/5/2007 7:53	0		0
7	7/5/2007 8:08	0		0
8	7/5/2007 8:23	0		0
9	7/5/2007 8:38	0		0
10	7/5/2007 8:53	0		0
11	7/5/2007 9:08	0		0
12	7/5/2007 9:23	0		0
13	7/5/2007 9:38	0		0
14	7/5/2007 9:53	0		0
15	7/5/2007 10:08	0		0
16	7/5/2007 10:23	0		0
17	7/5/2007 10:38	0		0
18	7/5/2007 10:53	0		0
19	7/5/2007 11:08	0		0
20	7/5/2007 11:23	0		0
21	7/5/2007 11:38	0		0
22	7/5/2007 11:53	0		0
23	7/5/2007 12:08	0		0
24	7/5/2007 12:23	0		0
25	7/5/2007 12:38	0		0
26	7/5/2007 12:53	0		0
27	7/5/2007 13:08	0		0
28	7/5/2007 13:23	0		0
29	7/5/2007 13:38	0		0
30	7/5/2007 13:53	0		0
31	7/5/2007 14:08	0		0
32	7/5/2007 14:23	0		0
33	7/5/2007 14:38	0		0
34	7/5/2007 14:53	0		0
35	7/5/2007 15:08	0		0
36	7/5/2007 15:23	0		0
37	7/5/2007 15:38	0		0
38	7/5/2007 15:53	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	7/5/2007
Start Time:	6:24:44
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0625) = 0.215 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/5/2007	6:39:44	0.216	0.001	1
7/5/2007	6:54:44	0.285	0.07	70
7/5/2007	7:09:44	0.248	0.033	33
7/5/2007	7:24:44	0.115	-0.1	-100
7/5/2007	7:39:44	0.079	-0.136	-136
7/5/2007	7:54:44	0.072	-0.143	-143
7/5/2007	8:09:44	0.069	-0.146	-146
7/5/2007	8:24:44	0.073	-0.142	-142
7/5/2007	8:39:44	0.073	-0.142	-142
7/5/2007	8:54:44	0.071	-0.144	-144
7/5/2007	9:09:44	0.073	-0.142	-142
7/5/2007	9:24:44	0.075	-0.14	-140
7/5/2007	9:39:44	0.072	-0.143	-143
7/5/2007	9:54:44	0.068	-0.147	-147
7/5/2007	10:09:44	0.066	-0.149	-149
7/5/2007	10:24:44	0.065	-0.15	-150
7/5/2007	10:39:44	0.067	-0.148	-148
7/5/2007	10:54:44	0.067	-0.148	-148
7/5/2007	11:09:44	0.069	-0.146	-146
7/5/2007	11:24:44	0.071	-0.144	-144
7/5/2007	11:39:44	0.071	-0.144	-144
7/5/2007	11:54:44	0.07	-0.145	-145
7/5/2007	12:09:44	0.071	-0.144	-144
7/5/2007	12:24:44	0.071	-0.144	-144
7/5/2007	12:39:44	0.071	-0.144	-144
7/5/2007	12:54:44	0.074	-0.141	-141
7/5/2007	13:09:44	0.074	-0.141	-141
7/5/2007	13:24:44	0.075	-0.14	-140
7/5/2007	13:39:44	0.074	-0.141	-141
7/5/2007	13:54:44	0.074	-0.141	-141
7/5/2007	14:09:44	0.073	-0.142	-142
7/5/2007	14:24:44	0.074	-0.141	-141
7/5/2007	14:39:44	0.075	-0.14	-140
7/5/2007	14:54:44	0.074	-0.141	-141
7/5/2007	15:09:44	0.074	-0.141	-141
7/5/2007	15:24:44	0.07	-0.145	-145
7/5/2007	15:39:44	0.069	-0.146	-146
7/5/2007	15:54:44	0.066	-0.149	-149
7/5/2007	16:09:44	0.063	-0.152	-152

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/06/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/6/2007 6:15	0		0
2	7/6/2007 6:30	0		0
3	7/6/2007 6:45	0		0
4	7/6/2007 7:00	0		0
5	7/6/2007 7:15	0		0
6	7/6/2007 7:30	0		0
7	7/6/2007 7:45	0		0
8	7/6/2007 8:00	0		0
9	7/6/2007 8:15	0		0
10	7/6/2007 8:30	0		0
11	7/6/2007 8:45	0		0
12	7/6/2007 9:00	0		0
13	7/6/2007 9:15	0		0
14	7/6/2007 9:30	0		0
15	7/6/2007 9:45	0		0
16	7/6/2007 10:00	0		0
17	7/6/2007 10:15	0		0
18	7/6/2007 10:30	0		0
19	7/6/2007 10:45	0		0
20	7/6/2007 11:00	0		0
21	7/6/2007 11:15	0		0
22	7/6/2007 11:30	0		0
23	7/6/2007 11:45	0		0
24	7/6/2007 12:00	0		0
25	7/6/2007 12:15	0		0
26	7/6/2007 12:30	0		0
27	7/6/2007 12:45	0		0
28	7/6/2007 13:00	0		0
29	7/6/2007 13:15	0		0
30	7/6/2007 13:30	0		0
31	7/6/2007 13:45	0		0
32	7/6/2007 14:00	0		0
33	7/6/2007 14:15	0		0
34	7/6/2007 14:30	0		0
35	7/6/2007 14:45	0		0
36	7/6/2007 15:00	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/6/2007
Start Time:	6:05:33
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.083 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/6/2007	6:20:33	0.141	0.058	58
7/6/2007	6:35:33	0.114	0.031	31
7/6/2007	6:50:33	0.046	-0.037	-37
7/6/2007	7:05:33	0.033	-0.05	-50
7/6/2007	7:20:33	0.03	-0.053	-53
7/6/2007	7:35:33	0.026	-0.057	-57
7/6/2007	7:50:33	0.025	-0.058	-58
7/6/2007	8:05:33	0.022	-0.061	-61
7/6/2007	8:20:33	0.019	-0.064	-64
7/6/2007	8:35:33	0.017	-0.066	-66
7/6/2007	8:50:33	0.018	-0.065	-65
7/6/2007	9:05:33	0.017	-0.066	-66
7/6/2007	9:20:33	0.02	-0.063	-63
7/6/2007	9:35:33	0.016	-0.067	-67
7/6/2007	9:50:33	0.015	-0.068	-68
7/6/2007	10:05:33	0.016	-0.067	-67
7/6/2007	10:20:33	0.015	-0.068	-68
7/6/2007	10:35:33	0.014	-0.069	-69
7/6/2007	10:50:33	0.013	-0.07	-70
7/6/2007	11:05:33	0.014	-0.069	-69
7/6/2007	11:20:33	0.014	-0.069	-69
7/6/2007	11:35:33	0.015	-0.068	-68
7/6/2007	11:50:33	0.016	-0.067	-67
7/6/2007	12:05:33	0.015	-0.068	-68
7/6/2007	12:20:33	0.022	-0.061	-61
7/6/2007	12:35:33	0.039	-0.044	-44
7/6/2007	12:50:33	0.027	-0.056	-56
7/6/2007	13:05:33	0.018	-0.065	-65
7/6/2007	13:20:33	0.016	-0.067	-67
7/6/2007	13:35:33	0.017	-0.066	-66
7/6/2007	13:50:33	0.015	-0.068	-68
7/6/2007	14:05:33	0.016	-0.067	-67
7/6/2007	14:20:33	0.017	-0.066	-66
7/6/2007	14:35:33	0.017	-0.066	-66
7/6/2007	14:50:33	0.017	-0.066	-66
7/6/2007	15:05:33	0.017	-0.066	-66

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/06/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/6/2007 6:17	0.6		0.6
2	7/6/2007 6:32	0.2		0.2
3	7/6/2007 6:47	0.1		0.1
4	7/6/2007 7:02	0		0
5	7/6/2007 7:17	0		0
6	7/6/2007 7:32	0		0
7	7/6/2007 7:47	0		0
8	7/6/2007 8:02	0		0
9	7/6/2007 8:17	0		0
10	7/6/2007 8:32	0		0
11	7/6/2007 8:47	0		0
12	7/6/2007 9:02	0		0
13	7/6/2007 9:17	0		0
14	7/6/2007 9:32	0		0
15	7/6/2007 9:47	0		0
16	7/6/2007 10:02	0		0
17	7/6/2007 10:17	0		0
18	7/6/2007 10:32	0		0
19	7/6/2007 10:47	0		0
20	7/6/2007 11:02	0		0
21	7/6/2007 11:17	0		0
22	7/6/2007 11:32	0		0
23	7/6/2007 11:47	0		0
24	7/6/2007 12:02	0		0
25	7/6/2007 12:17	0		0
26	7/6/2007 12:32	0		0
27	7/6/2007 12:47	0		0
28	7/6/2007 13:02	0		0
29	7/6/2007 13:17	0		0
30	7/6/2007 13:32	0		0
31	7/6/2007 13:47	0		0
32	7/6/2007 14:02	0		0
33	7/6/2007 14:17	0		0
34	7/6/2007 14:32	0		0
35	7/6/2007 14:47	0.1		0.1
36	7/6/2007 15:02	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/6/2007
Start Time:	6:06:51
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0603) = 0.102 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/6/2007	6:21:51	0.098	-0.004	-4
7/6/2007	6:36:51	0.06	-0.042	-42
7/6/2007	6:51:51	0.03	-0.072	-72
7/6/2007	7:06:51	0.029	-0.073	-73
7/6/2007	7:21:51	0.023	-0.079	-79
7/6/2007	7:36:51	0.019	-0.083	-83
7/6/2007	7:51:51	0.018	-0.084	-84
7/6/2007	8:06:51	0.016	-0.086	-86
7/6/2007	8:21:51	0.015	-0.087	-87
7/6/2007	8:36:51	0.016	-0.086	-86
7/6/2007	8:51:51	0.015	-0.087	-87
7/6/2007	9:06:51	0.015	-0.087	-87
7/6/2007	9:21:51	0.016	-0.086	-86
7/6/2007	9:36:51	0.015	-0.087	-87
7/6/2007	9:51:51	0.014	-0.088	-88
7/6/2007	10:06:51	0.015	-0.087	-87
7/6/2007	10:21:51	0.017	-0.085	-85
7/6/2007	10:36:51	0.014	-0.088	-88
7/6/2007	10:51:51	0.014	-0.088	-88
7/6/2007	11:06:51	0.016	-0.086	-86
7/6/2007	11:21:51	0.016	-0.086	-86
7/6/2007	11:36:51	0.017	-0.085	-85
7/6/2007	11:51:51	0.018	-0.084	-84
7/6/2007	12:06:51	0.019	-0.083	-83
7/6/2007	12:21:51	0.025	-0.077	-77
7/6/2007	12:36:51	0.019	-0.083	-83
7/6/2007	12:51:51	0.02	-0.082	-82
7/6/2007	13:06:51	0.024	-0.078	-78
7/6/2007	13:21:51	0.022	-0.08	-80
7/6/2007	13:36:51	0.021	-0.081	-81
7/6/2007	13:51:51	0.021	-0.081	-81
7/6/2007	14:06:51	0.021	-0.081	-81
7/6/2007	14:21:51	0.02	-0.082	-82
7/6/2007	14:36:51	0.021	-0.081	-81
7/6/2007	14:51:51	0.022	-0.08	-80
7/6/2007	15:06:51	0.022	-0.08	-80
7/6/2007	15:21:51	0.023	-0.079	-79

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/06/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0706) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/6/2007 7:22	0		0
2	7/6/2007 7:37	0		0
3	7/6/2007 7:52	0		0
4	7/6/2007 8:07	0.1		0.1
5	7/6/2007 8:22	0.1		0.1
6	7/6/2007 8:37	0.2		0.2
7	7/6/2007 8:52	0.2		0.2
8	7/6/2007 9:07	0.2		0.2
9	7/6/2007 9:22	0.2		0.2
10	7/6/2007 9:37	0.3		0.3
11	7/6/2007 9:52	0.3		0.3
12	7/6/2007 10:07	0.3		0.3
13	7/6/2007 10:22	0.4		0.4
14	7/6/2007 10:37	0.4		0.4
15	7/6/2007 10:52	0.5		0.5
16	7/6/2007 11:07	0.5		0.5
17	7/6/2007 11:22	0.6		0.6
18	7/6/2007 11:37	0.7		0.7
19	7/6/2007 11:52	0.7		0.7
20	7/6/2007 12:07	0.8		0.8
21	7/6/2007 12:22	0.8		0.8
22	7/6/2007 12:37	0.8		0.8
23	7/6/2007 12:52	0.8		0.8
24	7/6/2007 13:07	0.8		0.8
25	7/6/2007 13:22	0.8		0.8
26	7/6/2007 13:37	0.8		0.8
27	7/6/2007 13:52	0.9		0.9
28	7/6/2007 14:07	0.9		0.9
29	7/6/2007 14:22	0.9		0.9
30	7/6/2007 14:37	0.8		0.8
31	7/6/2007 14:52	0.9		0.9

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	4
Test Abbreviation:	
Start Date:	7/6/2007
Start Time:	7:06:47
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0630) = 0.069 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/6/2007	7:21:47	0.061	-0.008	-8
7/6/2007	7:36:47	0.051	-0.018	-18
7/6/2007	7:51:47	0.043	-0.026	-26
7/6/2007	8:06:47	0.039	-0.03	-30
7/6/2007	8:21:47	0.037	-0.032	-32
7/6/2007	8:36:47	0.04	-0.029	-29
7/6/2007	8:51:47	0.034	-0.035	-35
7/6/2007	9:06:47	0.034	-0.035	-35
7/6/2007	9:21:47	0.043	-0.026	-26
7/6/2007	9:36:47	0.033	-0.036	-36
7/6/2007	9:51:47	0.031	-0.038	-38
7/6/2007	10:06:47	0.031	-0.038	-38
7/6/2007	10:21:47	0.031	-0.038	-38
7/6/2007	10:36:47	0.027	-0.042	-42
7/6/2007	10:51:47	0.026	-0.043	-43
7/6/2007	11:06:47	0.025	-0.044	-44
7/6/2007	11:21:47	0.026	-0.043	-43
7/6/2007	11:36:47	0.027	-0.042	-42
7/6/2007	11:51:47	0.028	-0.041	-41
7/6/2007	12:06:47	0.028	-0.041	-41
7/6/2007	12:21:47	0.035	-0.034	-34
7/6/2007	12:36:47	0.032	-0.037	-37
7/6/2007	12:51:47	0.031	-0.038	-38
7/6/2007	13:06:47	0.033	-0.036	-36
7/6/2007	13:21:47	0.035	-0.034	-34
7/6/2007	13:36:47	0.034	-0.035	-35
7/6/2007	13:51:47	0.031	-0.038	-38
7/6/2007	14:06:47	0.03	-0.039	-39
7/6/2007	14:21:47	0.03	-0.039	-39
7/6/2007	14:36:47	0.031	-0.038	-38
7/6/2007	14:51:47	0.032	-0.037	-37
7/6/2007	15:06:47	0.033	-0.036	-36

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/06/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	7/6/2007 6:53	0		0	
2	7/6/2007 7:08	0		0	
3	7/6/2007 7:23	0		0	
4	7/6/2007 7:38	0		0	
5	7/6/2007 7:53	0		0	
6	7/6/2007 8:08	0		0	
7	7/6/2007 8:23	0		0	
1	7/6/2007 10:09	0		0	*Spare PID in place at STA 4
2	7/6/2007 10:24	0		0	
3	7/6/2007 10:39	0		0	
4	7/6/2007 10:54	0		0	
5	7/6/2007 11:09	0		0	
6	7/6/2007 11:24	0.1		0.1	
7	7/6/2007 11:39	0.1		0.1	
8	7/6/2007 11:54	0.2		0.2	
9	7/6/2007 12:09	0.2		0.2	
10	7/6/2007 12:24	0.2		0.2	
11	7/6/2007 12:39	0.3		0.3	
12	7/6/2007 12:54	0.3		0.3	
13	7/6/2007 13:09	0.3		0.3	
14	7/6/2007 13:24	0.4		0.4	
15	7/6/2007 13:39	0.4		0.4	
16	7/6/2007 13:54	0.4		0.4	
17	7/6/2007 14:09	0.4		0.4	
18	7/6/2007 14:24	0.5		0.5	
19	7/6/2007 14:39	0.5		0.5	
20	7/6/2007 14:54	0.5		0.5	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	7/6/2007
Start Time:	6:17:04
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0626) = 0.163 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/6/2007	6:32:04	0.271	0.108	108
7/6/2007	6:47:04	0.159	-0.004	-4
7/6/2007	7:02:04	0.086	-0.077	-77
7/6/2007	7:17:04	0.049	-0.114	-114
7/6/2007	7:32:04	0.043	-0.12	-120
7/6/2007	7:47:04	0.037	-0.126	-126
7/6/2007	8:02:04	0.033	-0.13	-130
7/6/2007	8:17:04	0.029	-0.134	-134
7/6/2007	8:32:04	0.026	-0.137	-137
7/6/2007	8:47:04	0.024	-0.139	-139
7/6/2007	9:02:04	0.024	-0.139	-139
7/6/2007	9:17:04	0.031	-0.132	-132
7/6/2007	9:32:04	0.021	-0.142	-142
7/6/2007	9:47:04	0.022	-0.141	-141
7/6/2007	10:02:04	0.021	-0.142	-142
7/6/2007	10:17:04	0.02	-0.143	-143
7/6/2007	10:32:04	0.019	-0.144	-144
7/6/2007	10:47:04	0.018	-0.145	-145
7/6/2007	11:02:04	0.017	-0.146	-146
7/6/2007	11:17:04	0.018	-0.145	-145
7/6/2007	11:32:04	0.019	-0.144	-144
7/6/2007	11:47:04	0.019	-0.144	-144
7/6/2007	12:02:04	0.019	-0.144	-144
7/6/2007	12:17:04	0.028	-0.135	-135
7/6/2007	12:32:04	0.124	-0.039	-39
7/6/2007	12:47:04	0.081	-0.082	-82
7/6/2007	13:02:04	0.023	-0.14	-140
7/6/2007	13:17:04	0.021	-0.142	-142
7/6/2007	13:32:04	0.03	-0.133	-133
7/6/2007	13:47:04	0.02	-0.143	-143
7/6/2007	14:02:04	0.02	-0.143	-143
7/6/2007	14:17:04	0.022	-0.141	-141
7/6/2007	14:32:04	0.021	-0.142	-142
7/6/2007	14:47:04	0.02	-0.143	-143
7/6/2007	15:02:04	0.021	-0.142	-142

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/09/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/9/2007 6:14	0		0
2	7/9/2007 6:29	0		0
3	7/9/2007 6:44	0		0
4	7/9/2007 6:59	0		0
5	7/9/2007 7:14	0		0
6	7/9/2007 7:29	0		0
7	7/9/2007 7:44	0		0
8	7/9/2007 7:59	0		0
9	7/9/2007 8:14	0		0
10	7/9/2007 8:29	0		0
11	7/9/2007 8:44	0		0
12	7/9/2007 8:59	0		0
13	7/9/2007 9:14	0		0
14	7/9/2007 9:29	0		0
15	7/9/2007 9:44	0		0
16	7/9/2007 9:59	0		0
17	7/9/2007 10:14	0		0
18	7/9/2007 10:29	0		0
19	7/9/2007 10:44	0		0
20	7/9/2007 10:59	0		0
21	7/9/2007 11:14	0		0
22	7/9/2007 11:29	0		0
23	7/9/2007 11:44	0		0
24	7/9/2007 11:59	0		0
25	7/9/2007 12:14	0		0
26	7/9/2007 12:29	0		0
27	7/9/2007 12:44	0		0
28	7/9/2007 12:59	0		0
29	7/9/2007 13:14	0		0
30	7/9/2007 13:29	0		0
31	7/9/2007 13:44	0		0
32	7/9/2007 13:59	0		0
33	7/9/2007 14:14	0		0
34	7/9/2007 14:29	0		0
35	7/9/2007 14:44	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/9/2007
Start Time:	6:06:23
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.173 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/9/2007	6:21:23	0.179	0.006	6
7/9/2007	6:36:23	0.107	-0.066	-66
7/9/2007	6:51:23	0.075	-0.098	-98
7/9/2007	7:06:23	0.06	-0.113	-113
7/9/2007	7:21:23	0.054	-0.119	-119
7/9/2007	7:36:23	0.052	-0.121	-121
7/9/2007	7:51:23	0.051	-0.122	-122
7/9/2007	8:06:23	0.05	-0.123	-123
7/9/2007	8:21:23	0.049	-0.124	-124
7/9/2007	8:36:23	0.046	-0.127	-127
7/9/2007	8:51:23	0.046	-0.127	-127
7/9/2007	9:06:23	0.045	-0.128	-128
7/9/2007	9:21:23	0.045	-0.128	-128
7/9/2007	9:36:23	0.046	-0.127	-127
7/9/2007	9:51:23	0.046	-0.127	-127
7/9/2007	10:06:23	0.046	-0.127	-127
7/9/2007	10:21:23	0.047	-0.126	-126
7/9/2007	10:36:23	0.049	-0.124	-124
7/9/2007	10:51:23	0.053	-0.12	-120
7/9/2007	11:06:23	0.051	-0.122	-122
7/9/2007	11:21:23	0.05	-0.123	-123
7/9/2007	11:36:23	0.052	-0.121	-121
7/9/2007	11:51:23	0.053	-0.12	-120
7/9/2007	12:06:23	0.055	-0.118	-118
7/9/2007	12:21:23	0.06	-0.113	-113
7/9/2007	12:36:23	0.058	-0.115	-115
7/9/2007	12:51:23	0.063	-0.11	-110
7/9/2007	13:06:23	0.058	-0.115	-115
7/9/2007	13:21:23	0.052	-0.121	-121
7/9/2007	13:36:23	0.05	-0.123	-123
7/9/2007	13:51:23	0.05	-0.123	-123
7/9/2007	14:06:23	0.05	-0.123	-123
7/9/2007	14:21:23	0.044	-0.129	-129
7/9/2007	14:36:23	0.046	-0.127	-127
7/9/2007	14:51:23	0.047	-0.126	-126
7/9/2007	15:06:23	0.048	-0.125	-125

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/09/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/9/2007 6:12	0.2		0.2
2	7/9/2007 6:27	0.2		0.2
3	7/9/2007 6:42	0.2		0.2
4	7/9/2007 6:57	0.3		0.3
5	7/9/2007 7:12	0.3		0.3
6	7/9/2007 7:27	0.3		0.3
7	7/9/2007 7:42	0.3		0.3
8	7/9/2007 7:57	0.3		0.3
9	7/9/2007 8:12	0.4		0.4
10	7/9/2007 8:27	0.4		0.4
11	7/9/2007 8:42	0.4		0.4
12	7/9/2007 8:57	0.4		0.4
13	7/9/2007 9:12	0.4		0.4
14	7/9/2007 9:27	0.4		0.4
15	7/9/2007 9:42	0.4		0.4
16	7/9/2007 9:57	0.4		0.4
17	7/9/2007 10:12	0.4		0.4
18	7/9/2007 10:27	0.4		0.4
19	7/9/2007 10:42	0.4		0.4
20	7/9/2007 10:57	0.4		0.4
21	7/9/2007 11:12	0.5		0.5
22	7/9/2007 11:27	0.5		0.5
23	7/9/2007 11:42	0.5		0.5
24	7/9/2007 11:57	0.5		0.5
25	7/9/2007 12:12	0.5		0.5
26	7/9/2007 12:27	0.5		0.5
27	7/9/2007 12:42	0.5		0.5
28	7/9/2007 12:57	0.5		0.5
29	7/9/2007 13:12	0.5		0.5
30	7/9/2007 13:27	0.5		0.5
31	7/9/2007 13:42	0.5		0.5
32	7/9/2007 13:57	0.5		0.5
33	7/9/2007 14:12	0.5		0.5
34	7/9/2007 14:27	0.5		0.5
35	7/9/2007 14:42	0.5		0.5
36	7/9/2007 14:57	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	7/9/2007
Start Time:	6:07:39
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.132 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/9/2007	6:22:39	0.057	-0.075	-75
7/9/2007	6:37:39	0.071	-0.061	-61
7/9/2007	6:52:39	0.056	-0.076	-76
7/9/2007	7:07:39	0.047	-0.085	-85
7/9/2007	7:22:39	0.045	-0.087	-87
7/9/2007	7:37:39	0.044	-0.088	-88
7/9/2007	7:52:39	0.047	-0.085	-85
7/9/2007	8:07:39	0.046	-0.086	-86
7/9/2007	8:22:39	0.048	-0.084	-84
7/9/2007	8:37:39	0.046	-0.086	-86
7/9/2007	8:52:39	0.047	-0.085	-85
7/9/2007	9:07:39	0.046	-0.086	-86
7/9/2007	9:22:39	0.048	-0.084	-84
7/9/2007	9:37:39	0.05	-0.082	-82
7/9/2007	9:52:39	0.049	-0.083	-83
7/9/2007	10:07:39	0.05	-0.082	-82
7/9/2007	10:22:39	0.052	-0.08	-80
7/9/2007	10:37:39	0.061	-0.071	-71
7/9/2007	10:52:39	0.048	-0.084	-84
7/9/2007	11:07:39	0.049	-0.083	-83
7/9/2007	11:22:39	0.049	-0.083	-83
7/9/2007	11:37:39	0.047	-0.085	-85
7/9/2007	11:52:39	0.053	-0.079	-79
7/9/2007	12:07:39	0.056	-0.076	-76
7/9/2007	12:22:39	0.061	-0.071	-71
7/9/2007	12:37:39	0.049	-0.083	-83
7/9/2007	12:52:39	0.05	-0.082	-82
7/9/2007	13:07:39	0.051	-0.081	-81
7/9/2007	13:22:39	0.054	-0.078	-78
7/9/2007	13:37:39	0.048	-0.084	-84
7/9/2007	13:52:39	0.052	-0.08	-80
7/9/2007	14:07:39	0.05	-0.082	-82
7/9/2007	14:22:39	0.047	-0.085	-85
7/9/2007	14:37:39	0.047	-0.085	-85
7/9/2007	14:52:39	0.048	-0.084	-84
7/9/2007	15:07:39	0.048	-0.084	-84

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/09/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/9/2007 7:01	0		0
2	7/9/2007 7:16	0		0
3	7/9/2007 7:31	0		0
4	7/9/2007 7:46	0		0
5	7/9/2007 8:01	0		0
6	7/9/2007 8:16	0		0
7	7/9/2007 8:31	0		0
8	7/9/2007 8:46	0		0
9	7/9/2007 9:01	0		0
10	7/9/2007 9:16	0		0
11	7/9/2007 9:31	0		0
12	7/9/2007 9:46	0		0
13	7/9/2007 10:01	0		0
14	7/9/2007 10:16	0		0
15	7/9/2007 10:31	0		0
16	7/9/2007 10:46	0		0
17	7/9/2007 11:01	0		0
18	7/9/2007 11:16	0		0
19	7/9/2007 11:31	0		0
20	7/9/2007 11:46	0		0
21	7/9/2007 12:01	0		0
22	7/9/2007 12:16	0		0
23	7/9/2007 12:31	0		0
24	7/9/2007 12:46	0		0
25	7/9/2007 13:01	0		0
26	7/9/2007 13:16	0		0
27	7/9/2007 13:31	0		0
28	7/9/2007 13:46	0		0
29	7/9/2007 14:01	0		0
30	7/9/2007 14:16	0		0
31	7/9/2007 14:31	0		0
32	7/9/2007 14:46	0		0

STATION 3 (P.S. 156) — Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/9/2007
Start Time:	6:46:47
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0645) = 0.125 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/9/2007	7:01:47	0.123	-0.002	-2
7/9/2007	7:16:47	0.1	-0.025	-25
7/9/2007	7:31:47	0.094	-0.031	-31
7/9/2007	7:46:47	0.094	-0.031	-31
7/9/2007	8:01:47	0.096	-0.029	-29
7/9/2007	8:16:47	0.092	-0.033	-33
7/9/2007	8:31:47	0.089	-0.036	-36
7/9/2007	8:46:47	0.089	-0.036	-36
7/9/2007	9:01:47	0.095	-0.03	-30
7/9/2007	9:16:47	0.094	-0.031	-31
7/9/2007	9:31:47	0.092	-0.033	-33
7/9/2007	9:46:47	0.09	-0.035	-35
7/9/2007	10:01:47	0.088	-0.037	-37
7/9/2007	10:16:47	0.092	-0.033	-33
7/9/2007	10:31:47	0.096	-0.029	-29
7/9/2007	10:46:47	0.106	-0.019	-19
7/9/2007	11:01:47	0.104	-0.021	-21
7/9/2007	11:16:47	0.112	-0.013	-13
7/9/2007	11:31:47	0.099	-0.026	-26
7/9/2007	11:46:47	0.112	-0.013	-13
7/9/2007	12:01:47	0.107	-0.018	-18
7/9/2007	12:16:47	0.118	-0.007	-7
7/9/2007	12:31:47	0.121	-0.004	-4
7/9/2007	12:46:47	0.119	-0.006	-6
7/9/2007	13:01:47	0.127	0.002	2
7/9/2007	13:16:47	0.129	0.004	4
7/9/2007	13:31:47	0.113	-0.012	-12
7/9/2007	13:46:47	0.096	-0.029	-29
7/9/2007	14:01:47	0.101	-0.024	-24
7/9/2007	14:16:47	0.088	-0.037	-37
7/9/2007	14:31:47	0.095	-0.03	-30
7/9/2007	14:46:47	0.09	-0.035	-35
7/9/2007	15:01:47	0.097	-0.028	-28

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/09/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/9/2007 6:55	0		0
2	7/9/2007 7:10	0		0
3	7/9/2007 7:25	0		0
4	7/9/2007 7:40	0		0
5	7/9/2007 7:55	0		0
6	7/9/2007 8:10	0		0
7	7/9/2007 8:25	0		0
8	7/9/2007 8:40	0		0
9	7/9/2007 8:55	0		0
10	7/9/2007 9:10	0		0
11	7/9/2007 9:25	0		0
12	7/9/2007 9:40	0		0
13	7/9/2007 9:55	0		0
14	7/9/2007 10:10	0		0
15	7/9/2007 10:25	0		0
16	7/9/2007 10:40	0		0
17	7/9/2007 10:55	0		0
18	7/9/2007 11:10	0		0
19	7/9/2007 11:25	0		0
20	7/9/2007 11:40	0		0
21	7/9/2007 11:55	0		0
22	7/9/2007 12:10	0		0
23	7/9/2007 12:25	0		0
24	7/9/2007 12:40	0		0
25	7/9/2007 12:55	0		0
26	7/9/2007 13:10	0		0
27	7/9/2007 13:25	0		0
28	7/9/2007 13:40	0		0
29	7/9/2007 13:55	0		0
30	7/9/2007 14:10	0		0
31	7/9/2007 14:25	0		0
32	7/9/2007 14:40	0		0
33	7/9/2007 14:55	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/9/2007
Start Time:	6:43:24
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0638) = 0.100 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/9/2007	6:58:24	0.098	-0.002	-2
7/9/2007	7:13:24	0.079	-0.021	-21
7/9/2007	7:28:24	0.068	-0.032	-32
7/9/2007	7:43:24	0.069	-0.031	-31
7/9/2007	7:58:24	0.068	-0.032	-32
7/9/2007	8:13:24	0.068	-0.032	-32
7/9/2007	8:28:24	0.063	-0.037	-37
7/9/2007	8:43:24	0.063	-0.037	-37
7/9/2007	8:58:24	0.059	-0.041	-41
7/9/2007	9:13:24	0.059	-0.041	-41
7/9/2007	9:28:24	0.061	-0.039	-39
7/9/2007	9:43:24	0.06	-0.04	-40
7/9/2007	9:58:24	0.061	-0.039	-39
7/9/2007	10:13:24	0.061	-0.039	-39
7/9/2007	10:28:24	0.062	-0.038	-38
7/9/2007	10:43:24	0.066	-0.034	-34
7/9/2007	10:58:24	0.067	-0.033	-33
7/9/2007	11:13:24	0.064	-0.036	-36
7/9/2007	11:28:24	0.064	-0.036	-36
7/9/2007	11:43:24	0.068	-0.032	-32
7/9/2007	11:58:24	0.068	-0.032	-32
7/9/2007	12:13:24	0.072	-0.028	-28
7/9/2007	12:28:24	0.074	-0.026	-26
7/9/2007	12:43:24	0.075	-0.025	-25
7/9/2007	12:58:24	0.077	-0.023	-23
7/9/2007	13:13:24	0.069	-0.031	-31
7/9/2007	13:28:24	0.066	-0.034	-34
7/9/2007	13:43:24	0.06	-0.04	-40
7/9/2007	13:58:24	0.064	-0.036	-36
7/9/2007	14:13:24	0.058	-0.042	-42
7/9/2007	14:28:24	0.059	-0.041	-41
7/9/2007	14:43:24	0.059	-0.041	-41
7/9/2007	14:58:24	0.06	-0.04	-40
7/9/2007	15:13:24	0.067	-0.033	-33

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/10/2007 05:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0547) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/10/2007 6:02	0		0
2	7/10/2007 6:17	0		0
3	7/10/2007 6:32	0		0
4	7/10/2007 6:47	0		0
5	7/10/2007 7:02	0		0
6	7/10/2007 7:17	0		0
7	7/10/2007 7:32	0		0
8	7/10/2007 7:47	0		0
9	7/10/2007 8:02	0		0
10	7/10/2007 8:17	0		0
11	7/10/2007 8:32	0		0
12	7/10/2007 8:47	0		0
13	7/10/2007 9:02	0		0
14	7/10/2007 9:17	0		0
15	7/10/2007 9:32	0		0
16	7/10/2007 9:47	0		0
17	7/10/2007 10:02	0		0
18	7/10/2007 10:17	0		0
19	7/10/2007 10:32	0		0
20	7/10/2007 10:47	0		0
21	7/10/2007 11:02	0		0
22	7/10/2007 11:17	0		0
23	7/10/2007 11:32	0		0
24	7/10/2007 11:47	0		0
25	7/10/2007 12:02	0		0
26	7/10/2007 12:17	0		0
27	7/10/2007 12:32	0		0
28	7/10/2007 12:47	0		0
29	7/10/2007 13:02	0		0
30	7/10/2007 13:17	0		0
31	7/10/2007 13:32	0		0
32	7/10/2007 13:47	0		0
33	7/10/2007 14:02	0		0
34	7/10/2007 14:17	0		0
35	7/10/2007 14:32	0		0
36	7/10/2007 14:47	0		0
37	7/10/2007 15:02	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/10/2007
Start Time:	5:52:20
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0547) = 0.209 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/10/2007	6:07:20	0.265	0.056	56
7/10/2007	6:22:20	0.174	-0.035	-35
7/10/2007	6:37:20	0.123	-0.086	-86
7/10/2007	6:52:20	0.111	-0.098	-98
7/10/2007	7:07:20	0.105	-0.104	-104
7/10/2007	7:22:20	0.1	-0.109	-109
7/10/2007	7:37:20	0.095	-0.114	-114
7/10/2007	7:52:20	0.096	-0.113	-113
7/10/2007	8:07:20	0.099	-0.11	-110
7/10/2007	8:22:20	0.095	-0.114	-114
7/10/2007	8:37:20	0.095	-0.114	-114
7/10/2007	8:52:20	0.095	-0.114	-114
7/10/2007	9:07:20	0.094	-0.115	-115
7/10/2007	9:22:20	0.094	-0.115	-115
7/10/2007	9:37:20	0.093	-0.116	-116
7/10/2007	9:52:20	0.092	-0.117	-117
7/10/2007	10:07:20	0.091	-0.118	-118
7/10/2007	10:22:20	0.088	-0.121	-121
7/10/2007	10:37:20	0.083	-0.126	-126
7/10/2007	10:52:20	0.081	-0.128	-128
7/10/2007	11:07:20	0.084	-0.125	-125
7/10/2007	11:22:20	0.084	-0.125	-125
7/10/2007	11:37:20	0.084	-0.125	-125
7/10/2007	11:52:20	0.085	-0.124	-124
7/10/2007	12:07:20	0.085	-0.124	-124
7/10/2007	12:22:20	0.083	-0.126	-126
7/10/2007	12:37:20	0.082	-0.127	-127
7/10/2007	12:52:20	0.081	-0.128	-128
7/10/2007	13:07:20	0.075	-0.134	-134
7/10/2007	13:22:20	0.076	-0.133	-133
7/10/2007	13:37:20	0.072	-0.137	-137
7/10/2007	13:52:20	0.066	-0.143	-143
7/10/2007	14:07:20	0.063	-0.146	-146
7/10/2007	14:22:20	0.061	-0.148	-148
7/10/2007	14:37:20	0.059	-0.15	-150
7/10/2007	14:52:20	0.058	-0.151	-151
7/10/2007	15:07:20	0.062	-0.147	-147
7/10/2007	15:22:20	0.063	-0.146	-146

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/10/2007 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0540) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/10/2007 5:52	0.1		0.1
2	7/10/2007 6:07	0.1		0.1
3	7/10/2007 6:22	0		0
4	7/10/2007 6:37	0		0
5	7/10/2007 6:52	0		0
6	7/10/2007 7:07	0		0
7	7/10/2007 7:22	0		0
8	7/10/2007 7:37	0		0
9	7/10/2007 7:52	0		0
10	7/10/2007 8:07	0		0
11	7/10/2007 8:22	0		0
12	7/10/2007 8:37	0		0
13	7/10/2007 8:52	0		0
14	7/10/2007 9:07	0		0
15	7/10/2007 9:22	0		0
16	7/10/2007 9:37	0		0
17	7/10/2007 9:52	0.1		0.1
18	7/10/2007 10:07	0.1		0.1
19	7/10/2007 10:22	0.1		0.1
20	7/10/2007 10:37	0.1		0.1
21	7/10/2007 10:52	0.1		0.1
22	7/10/2007 11:07	0.2		0.2
23	7/10/2007 11:22	0.2		0.2
24	7/10/2007 11:37	0.2		0.2
25	7/10/2007 11:52	0.2		0.2
26	7/10/2007 12:07	0.1		0.1
27	7/10/2007 12:22	0.1		0.1
28	7/10/2007 12:37	0.2		0.2
29	7/10/2007 12:52	0.1		0.1
30	7/10/2007 13:07	0.1		0.1
31	7/10/2007 13:22	0.1		0.1
32	7/10/2007 13:37	0.1		0.1
33	7/10/2007 13:52	0.1		0.1
34	7/10/2007 14:07	0.1		0.1
35	7/10/2007 14:22	0.1		0.1
36	7/10/2007 14:37	0.1		0.1
37	7/10/2007 14:52	0.1		0.1
38	7/10/2007 15:07	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/10/2007
Start Time:	5:42:42
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0540) = 0.195 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/10/2007	5:57:42	0.178	-0.017	-17
7/10/2007	6:12:42	0.114	-0.081	-81
7/10/2007	6:27:42	0.094	-0.101	-101
7/10/2007	6:42:42	0.092	-0.103	-103
7/10/2007	6:57:42	0.091	-0.104	-104
7/10/2007	7:12:42	0.089	-0.106	-106
7/10/2007	7:27:42	0.089	-0.106	-106
7/10/2007	7:42:42	0.088	-0.107	-107
7/10/2007	7:57:42	0.09	-0.105	-105
7/10/2007	8:12:42	0.092	-0.103	-103
7/10/2007	8:27:42	0.095	-0.1	-100
7/10/2007	8:42:42	0.094	-0.101	-101
7/10/2007	8:57:42	0.097	-0.098	-98
7/10/2007	9:12:42	0.101	-0.094	-94
7/10/2007	9:27:42	0.102	-0.093	-93
7/10/2007	9:42:42	0.099	-0.096	-96
7/10/2007	9:57:42	0.099	-0.096	-96
7/10/2007	10:12:42	0.102	-0.093	-93
7/10/2007	10:27:42	0.098	-0.097	-97
7/10/2007	10:42:42	0.096	-0.099	-99
7/10/2007	10:57:42	0.094	-0.101	-101
7/10/2007	11:12:42	0.096	-0.099	-99
7/10/2007	11:27:42	0.096	-0.099	-99
7/10/2007	11:42:42	0.095	-0.1	-100
7/10/2007	11:57:42	0.096	-0.099	-99
7/10/2007	12:12:42	0.096	-0.099	-99
7/10/2007	12:27:42	0.096	-0.099	-99
7/10/2007	12:42:42	0.093	-0.102	-102
7/10/2007	12:57:42	0.092	-0.103	-103
7/10/2007	13:12:42	0.087	-0.108	-108
7/10/2007	13:27:42	0.086	-0.109	-109
7/10/2007	13:42:42	0.084	-0.111	-111
7/10/2007	13:57:42	0.079	-0.116	-116
7/10/2007	14:12:42	0.075	-0.12	-120
7/10/2007	14:27:42	0.073	-0.122	-122
7/10/2007	14:42:42	0.071	-0.124	-124
7/10/2007	14:57:42	0.072	-0.123	-123
7/10/2007	15:12:42	0.076	-0.119	-119
7/10/2007	15:27:42	0.077	-0.118	-118

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/10/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/10/2007 6:19	0		0
2	7/10/2007 6:34	0		0
3	7/10/2007 6:49	0		0
4	7/10/2007 7:04	0.1		0.1
5	7/10/2007 7:19	0.1		0.1
6	7/10/2007 7:34	0.1		0.1
7	7/10/2007 7:49	0.1		0.1
8	7/10/2007 8:04	0.1		0.1
9	7/10/2007 8:19	0.1		0.1
10	7/10/2007 8:34	0.1		0.1
11	7/10/2007 8:49	0.1		0.1
12	7/10/2007 9:04	0.1		0.1
13	7/10/2007 9:19	0.1		0.1
14	7/10/2007 9:34	0.1		0.1
15	7/10/2007 9:49	0.2		0.2
16	7/10/2007 10:04	0.2		0.2
17	7/10/2007 10:19	0.2		0.2
18	7/10/2007 10:34	0.2		0.2
19	7/10/2007 10:49	0.2		0.2
20	7/10/2007 11:04	0.2		0.2
21	7/10/2007 11:19	0.2		0.2
22	7/10/2007 11:34	0.2		0.2
23	7/10/2007 11:49	0.2		0.2
24	7/10/2007 12:04	0.2		0.2
25	7/10/2007 12:19	0.2		0.2
26	7/10/2007 12:34	0.2		0.2
27	7/10/2007 12:49	0.2		0.2
28	7/10/2007 13:04	0.2		0.2
29	7/10/2007 13:19	0.2		0.2
30	7/10/2007 13:34	0.2		0.2
31	7/10/2007 13:49	0.1		0.1
32	7/10/2007 14:04	0.1		0.1
33	7/10/2007 14:19	0.2		0.2
34	7/10/2007 14:34	0.2		0.2
35	7/10/2007 14:49	0.2		0.2
36	7/10/2007 15:04	0.1		0.1
37	7/10/2007 15:19	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/10/2007
Start Time:	6:03:40
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0600) = 0.305 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/10/2007	6:18:40	0.272	-0.033	-33
7/10/2007	6:33:40	0.237	-0.068	-68
7/10/2007	6:48:40	0.222	-0.083	-83
7/10/2007	7:03:40	0.207	-0.098	-98
7/10/2007	7:18:40	0.199	-0.106	-106
7/10/2007	7:33:40	0.194	-0.111	-111
7/10/2007	7:48:40	0.191	-0.114	-114
7/10/2007	8:03:40	0.194	-0.111	-111
7/10/2007	8:18:40	0.199	-0.106	-106
7/10/2007	8:33:40	0.206	-0.099	-99
7/10/2007	8:48:40	0.223	-0.082	-82
7/10/2007	9:03:40	0.203	-0.102	-102
7/10/2007	9:18:40	0.206	-0.099	-99
7/10/2007	9:33:40	0.199	-0.106	-106
7/10/2007	9:48:40	0.202	-0.103	-103
7/10/2007	10:03:40	0.198	-0.107	-107
7/10/2007	10:18:40	0.19	-0.115	-115
7/10/2007	10:33:40	0.218	-0.087	-87
7/10/2007	10:48:40	0.191	-0.114	-114
7/10/2007	11:03:40	0.176	-0.129	-129
7/10/2007	11:18:40	0.18	-0.125	-125
7/10/2007	11:33:40	0.182	-0.123	-123
7/10/2007	11:48:40	0.181	-0.124	-124
7/10/2007	12:03:40	0.181	-0.124	-124
7/10/2007	12:18:40	0.182	-0.123	-123
7/10/2007	12:33:40	0.184	-0.121	-121
7/10/2007	12:48:40	0.179	-0.126	-126
7/10/2007	13:03:40	0.164	-0.141	-141
7/10/2007	13:18:40	0.158	-0.147	-147
7/10/2007	13:33:40	0.162	-0.143	-143
7/10/2007	13:48:40	0.141	-0.164	-164
7/10/2007	14:03:40	0.127	-0.178	-178
7/10/2007	14:18:40	0.135	-0.17	-170
7/10/2007	14:33:40	0.134	-0.171	-171
7/10/2007	14:48:40	0.13	-0.175	-175
7/10/2007	15:03:40	0.138	-0.167	-167
7/10/2007	15:18:40	0.132	-0.173	-173

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/10/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0558) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/10/2007 6:16	0		0
2	7/10/2007 6:31	0		0
3	7/10/2007 6:46	0		0
4	7/10/2007 7:01	0		0
5	7/10/2007 7:16	0		0
6	7/10/2007 7:31	0		0
7	7/10/2007 7:46	0		0
8	7/10/2007 8:01	0		0
9	7/10/2007 8:16	0		0
10	7/10/2007 8:31	0		0
11	7/10/2007 8:46	0		0
12	7/10/2007 9:01	0		0
13	7/10/2007 9:16	0		0
14	7/10/2007 9:31	0		0
15	7/10/2007 9:46	0		0
16	7/10/2007 10:01	0		0
17	7/10/2007 10:16	0		0
18	7/10/2007 10:31	0		0
19	7/10/2007 10:46	0		0
20	7/10/2007 11:01	0		0
21	7/10/2007 11:16	0		0
22	7/10/2007 11:31	0		0
23	7/10/2007 11:46	0		0
24	7/10/2007 12:01	0		0
25	7/10/2007 12:16	0		0
26	7/10/2007 12:31	0		0
27	7/10/2007 12:46	0		0
28	7/10/2007 13:01	0		0
29	7/10/2007 13:16	0		0
30	7/10/2007 13:31	0		0
31	7/10/2007 13:46	0		0
32	7/10/2007 14:01	0		0
33	7/10/2007 14:16	0		0
34	7/10/2007 14:31	0		0
35	7/10/2007 14:46	0		0
36	7/10/2007 15:01	0		0
37	7/10/2007 15:16	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	7/10/2007
Start Time:	6:01:57
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0558) = 0.198 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/10/2007	6:16:57	0.175	-0.023	-23
7/10/2007	6:31:57	0.158	-0.04	-40
7/10/2007	6:46:57	0.149	-0.049	-49
7/10/2007	7:01:57	0.142	-0.056	-56
7/10/2007	7:16:57	0.135	-0.063	-63
7/10/2007	7:31:57	0.13	-0.068	-68
7/10/2007	7:46:57	0.128	-0.07	-70
7/10/2007	8:01:57	0.124	-0.074	-74
7/10/2007	8:16:57	0.125	-0.073	-73
7/10/2007	8:31:57	0.125	-0.073	-73
7/10/2007	8:46:57	0.124	-0.074	-74
7/10/2007	9:01:57	0.123	-0.075	-75
7/10/2007	9:16:57	0.124	-0.074	-74
7/10/2007	9:31:57	0.121	-0.077	-77
7/10/2007	9:46:57	0.125	-0.073	-73
7/10/2007	10:01:57	0.119	-0.079	-79
7/10/2007	10:16:57	0.117	-0.081	-81
7/10/2007	10:31:57	0.111	-0.087	-87
7/10/2007	10:46:57	0.108	-0.09	-90
7/10/2007	11:01:57	0.108	-0.09	-90
7/10/2007	11:16:57	0.109	-0.089	-89
7/10/2007	11:31:57	0.109	-0.089	-89
7/10/2007	11:46:57	0.108	-0.09	-90
7/10/2007	12:01:57	0.108	-0.09	-90
7/10/2007	12:16:57	0.107	-0.091	-91
7/10/2007	12:31:57	0.106	-0.092	-92
7/10/2007	12:46:57	0.104	-0.094	-94
7/10/2007	13:01:57	0.103	-0.095	-95
7/10/2007	13:16:57	0.095	-0.103	-103
7/10/2007	13:31:57	0.095	-0.103	-103
7/10/2007	13:46:57	0.089	-0.109	-109
7/10/2007	14:01:57	0.083	-0.115	-115
7/10/2007	14:16:57	0.082	-0.116	-116
7/10/2007	14:31:57	0.078	-0.12	-120
7/10/2007	14:46:57	0.076	-0.122	-122
7/10/2007	15:01:57	0.079	-0.119	-119
7/10/2007	15:16:57	0.082	-0.116	-116
7/10/2007	15:31:57	0.084	-0.114	-114

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/11/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0601) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/11/2007 6:16	0		0
2	7/11/2007 6:31	0		0
3	7/11/2007 6:46	0		0
4	7/11/2007 7:01	0		0
5	7/11/2007 7:16	0		0
6	7/11/2007 7:31	0		0
7	7/11/2007 7:46	0		0
8	7/11/2007 8:01	0		0
9	7/11/2007 8:16	0		0
10	7/11/2007 8:31	0		0
11	7/11/2007 8:46	0		0
12	7/11/2007 9:01	0		0
13	7/11/2007 9:16	0		0
14	7/11/2007 9:31	0		0
15	7/11/2007 9:46	0		0
16	7/11/2007 10:01	0		0
17	7/11/2007 10:16	0		0
18	7/11/2007 10:31	0		0
19	7/11/2007 10:46	0		0
20	7/11/2007 11:01	0		0
21	7/11/2007 11:16	0		0
22	7/11/2007 11:31	0		0
23	7/11/2007 11:46	0		0
24	7/11/2007 12:01	0		0
25	7/11/2007 12:16	0		0
26	7/11/2007 12:31	0		0
27	7/11/2007 12:46	0		0
28	7/11/2007 13:01	0		0
29	7/11/2007 13:16	0		0
30	7/11/2007 13:31	0		0
31	7/11/2007 13:46	0		0
32	7/11/2007 14:01	0		0
33	7/11/2007 14:16	0		0
34	7/11/2007 14:31	0		0
35	7/11/2007 14:46	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/11/2007
Start Time:	6:06:17
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0601) = 0.072 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	#######

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/11/2007	6:21:17	0.09	0.018	18
7/11/2007	6:36:17	0.086	0.014	14
7/11/2007	6:51:17	0.057	-0.015	-15
7/11/2007	7:06:17	0.037	-0.035	-35
7/11/2007	7:21:17	0.089	0.017	17
7/11/2007	7:36:17	0.053	-0.019	-19
7/11/2007	7:51:17	0.025	-0.047	-47
7/11/2007	8:06:17	0.038	-0.034	-34
7/11/2007	8:21:17	0.072	0	0
7/11/2007	8:36:17	0.032	-0.04	-40
7/11/2007	8:51:17	0.03	-0.042	-42
7/11/2007	9:06:17	0.046	-0.026	-26
7/11/2007	9:21:17	0.025	-0.047	-47
7/11/2007	9:36:17	0.023	-0.049	-49
7/11/2007	9:51:17	0.02	-0.052	-52
7/11/2007	10:06:17	0.022	-0.05	-50
7/11/2007	10:21:17	0.031	-0.041	-41
7/11/2007	10:36:17	0.023	-0.049	-49
7/11/2007	10:51:17	0.017	-0.055	-55
7/11/2007	11:06:17	0.016	-0.056	-56
7/11/2007	11:21:17	0.016	-0.056	-56
7/11/2007	11:36:17	0.016	-0.056	-56
7/11/2007	11:51:17	0.016	-0.056	-56
7/11/2007	12:06:17	0.017	-0.055	-55
7/11/2007	12:21:17	0.018	-0.054	-54
7/11/2007	12:36:17	0.018	-0.054	-54
7/11/2007	12:51:17	0.018	-0.054	-54
7/11/2007	13:06:17	0.018	-0.054	-54
7/11/2007	13:21:17	0.018	-0.054	-54
7/11/2007	13:36:17	0.017	-0.055	-55
7/11/2007	13:51:17	0.017	-0.055	-55
7/11/2007	14:06:17	0.017	-0.055	-55
7/11/2007	14:21:17	0.015	-0.057	-57
7/11/2007	14:36:17	0.016	-0.056	-56
7/11/2007	14:51:17	0.016	-0.056	-56
7/11/2007	15:06:17	0.017	-0.055	-55

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005422
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/11/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/11/2007 5:58	1.4		1.4
2	7/11/2007 6:13	1.3		1.3
3	7/11/2007 6:28	0.7		0.7
4	7/11/2007 6:43	0.5		0.5
5	7/11/2007 6:58	0.4		0.4
6	7/11/2007 7:13	0.3		0.3
7	7/11/2007 7:28	0.3		0.3
8	7/11/2007 7:43	0.3		0.3
9	7/11/2007 7:58	0.3		0.3
10	7/11/2007 8:13	0.3		0.3
11	7/11/2007 8:28	0.3		0.3
12	7/11/2007 8:43	0.3		0.3
13	7/11/2007 8:58	0.2		0.2
14	7/11/2007 9:13	0.2		0.2
15	7/11/2007 9:28	0.2		0.2
16	7/11/2007 9:43	0.2		0.2
17	7/11/2007 9:58	0.2		0.2
18	7/11/2007 10:13	0.2		0.2
19	7/11/2007 10:28	0.2		0.2
20	7/11/2007 10:43	0.2		0.2
21	7/11/2007 10:58	0.2		0.2
22	7/11/2007 11:13	0.2		0.2
23	7/11/2007 11:28	0.2		0.2
24	7/11/2007 11:43	0.2		0.2
25	7/11/2007 11:58	0.2		0.2
26	7/11/2007 12:13	0.2		0.2
27	7/11/2007 12:28	0.2		0.2
28	7/11/2007 12:43	0.2		0.2
29	7/11/2007 12:58	0.2		0.2
30	7/11/2007 13:13	0.2		0.2
31	7/11/2007 13:28	0.2		0.2
32	7/11/2007 13:43	0.2		0.2
33	7/11/2007 13:58	0.2		0.2
34	7/11/2007 14:13	0.3		0.3
35	7/11/2007 14:28	0.3		0.3
36	7/11/2007 14:43	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/11/2007
Start Time:	5:49:30
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0610) = 0.053 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	########

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/11/2007	6:04:30	0.07	0.017	17
7/11/2007	6:19:30	0.049	-0.004	-4
7/11/2007	6:34:30	0.023	-0.03	-30
7/11/2007	6:49:30	0.02	-0.033	-33
7/11/2007	7:04:30	0.021	-0.032	-32
7/11/2007	7:19:30	0.017	-0.036	-36
7/11/2007	7:34:30	0.019	-0.034	-34
7/11/2007	7:49:30	0.017	-0.036	-36
7/11/2007	8:04:30	0.017	-0.036	-36
7/11/2007	8:19:30	0.019	-0.034	-34
7/11/2007	8:34:30	0.02	-0.033	-33
7/11/2007	8:49:30	0.02	-0.033	-33
7/11/2007	9:04:30	0.02	-0.033	-33
7/11/2007	9:19:30	0.021	-0.032	-32
7/11/2007	9:34:30	0.02	-0.033	-33
7/11/2007	9:49:30	0.019	-0.034	-34
7/11/2007	10:04:30	0.018	-0.035	-35
7/11/2007	10:19:30	0.017	-0.036	-36
7/11/2007	10:34:30	0.016	-0.037	-37
7/11/2007	10:49:30	0.016	-0.037	-37
7/11/2007	11:04:30	0.017	-0.036	-36
7/11/2007	11:19:30	0.017	-0.036	-36
7/11/2007	11:34:30	0.018	-0.035	-35
7/11/2007	11:49:30	0.018	-0.035	-35
7/11/2007	12:04:30	0.019	-0.034	-34
7/11/2007	12:19:30	0.02	-0.033	-33
7/11/2007	12:34:30	0.02	-0.033	-33
7/11/2007	12:49:30	0.021	-0.032	-32
7/11/2007	13:04:30	0.021	-0.032	-32
7/11/2007	13:19:30	0.021	-0.032	-32
7/11/2007	13:34:30	0.023	-0.03	-30
7/11/2007	13:49:30	0.024	-0.029	-29
7/11/2007	14:04:30	0.022	-0.031	-31
7/11/2007	14:19:30	0.021	-0.032	-32
7/11/2007	14:34:30	0.021	-0.032	-32
7/11/2007	14:49:30	0.022	-0.031	-31
7/11/2007	15:04:30	0.022	-0.031	-31

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/11/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/11/2007 6:10	0		0
2	7/11/2007 6:25	0		0
3	7/11/2007 6:40	0		0
4	7/11/2007 6:55	0		0
5	7/11/2007 7:10	0		0
6	7/11/2007 7:25	0		0
7	7/11/2007 7:40	0		0
8	7/11/2007 7:55	0		0
9	7/11/2007 8:10	0		0
10	7/11/2007 8:25	0		0
11	7/11/2007 8:40	0		0
12	7/11/2007 8:55	0		0
13	7/11/2007 9:10	0		0
14	7/11/2007 9:25	0		0
15	7/11/2007 9:40	0		0
16	7/11/2007 9:55	0		0
17	7/11/2007 10:10	0		0
18	7/11/2007 10:25	0		0
19	7/11/2007 10:40	0.1		0.1
20	7/11/2007 10:55	0.1		0.1
21	7/11/2007 11:10	0.1		0.1
22	7/11/2007 11:25	0.1		0.1
23	7/11/2007 11:40	0.1		0.1
24	7/11/2007 11:55	0.1		0.1
25	7/11/2007 12:10	0.1		0.1
26	7/11/2007 12:25	0.1		0.1
27	7/11/2007 12:40	0.1		0.1
28	7/11/2007 12:55	0.1		0.1
29	7/11/2007 13:10	0.1		0.1
30	7/11/2007 13:25	0.1		0.1
31	7/11/2007 13:40	0.1		0.1
32	7/11/2007 13:55	0.1		0.1
33	7/11/2007 14:10	0.1		0.1
34	7/11/2007 14:25	0.1		0.1
35	7/11/2007 14:40	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	7/11/2007
Start Time:	5:54:33
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0555) = 0.116 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/11/2007	6:09:33	0.158	0.042	42
7/11/2007	6:24:33	0.114	-0.002	-2
7/11/2007	6:39:33	0.066	-0.05	-50
7/11/2007	6:54:33	0.061	-0.055	-55
7/11/2007	7:09:33	0.055	-0.061	-61
7/11/2007	7:24:33	0.053	-0.063	-63
7/11/2007	7:39:33	0.054	-0.062	-62
7/11/2007	7:54:33	0.047	-0.069	-69
7/11/2007	8:09:33	0.058	-0.058	-58
7/11/2007	8:24:33	0.057	-0.059	-59
7/11/2007	8:39:33	0.055	-0.061	-61
7/11/2007	8:54:33	0.053	-0.063	-63
7/11/2007	9:09:33	0.055	-0.061	-61
7/11/2007	9:24:33	0.05	-0.066	-66
7/11/2007	9:39:33	0.049	-0.067	-67
7/11/2007	9:54:33	0.049	-0.067	-67
7/11/2007	10:09:33	0.041	-0.075	-75
7/11/2007	10:24:33	0.039	-0.077	-77
7/11/2007	10:39:33	0.04	-0.076	-76
7/11/2007	10:54:33	0.051	-0.065	-65
7/11/2007	11:09:33	0.039	-0.077	-77
7/11/2007	11:24:33	0.037	-0.079	-79
7/11/2007	11:39:33	0.04	-0.076	-76
7/11/2007	11:54:33	0.044	-0.072	-72
7/11/2007	12:09:33	0.049	-0.067	-67
7/11/2007	12:24:33	0.046	-0.07	-70
7/11/2007	12:39:33	0.049	-0.067	-67
7/11/2007	12:54:33	0.047	-0.069	-69
7/11/2007	13:09:33	0.047	-0.069	-69
7/11/2007	13:24:33	0.072	-0.044	-44
7/11/2007	13:39:33	0.062	-0.054	-54
7/11/2007	13:54:33	0.047	-0.069	-69
7/11/2007	14:09:33	0.05	-0.066	-66
7/11/2007	14:24:33	0.038	-0.078	-78
7/11/2007	14:39:33	0.045	-0.071	-71
7/11/2007	14:54:33	0.045	-0.071	-71

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/11/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/11/2007 6:07	0.8		0.8
2	7/11/2007 6:22	0		0
3	7/11/2007 6:37	0		0
4	7/11/2007 6:52	0		0
5	7/11/2007 7:07	0		0
6	7/11/2007 7:22	0		0
7	7/11/2007 7:37	0		0
8	7/11/2007 7:52	0		0
9	7/11/2007 8:07	0		0
10	7/11/2007 8:22	0		0
11	7/11/2007 8:37	0		0
12	7/11/2007 8:52	0		0
13	7/11/2007 9:07	0		0
14	7/11/2007 9:22	0		0
15	7/11/2007 9:37	0		0
16	7/11/2007 9:52	0		0
17	7/11/2007 10:07	0		0
18	7/11/2007 10:22	0		0
19	7/11/2007 10:37	0		0
20	7/11/2007 10:52	0		0
21	7/11/2007 11:07	0		0
22	7/11/2007 11:22	0		0
23	7/11/2007 11:37	0		0
24	7/11/2007 11:52	0		0
25	7/11/2007 12:07	0		0
26	7/11/2007 12:22	0		0
27	7/11/2007 12:37	0		0
28	7/11/2007 12:52	0		0
29	7/11/2007 13:07	0		0
30	7/11/2007 13:22	0		0
31	7/11/2007 13:37	0		0
32	7/11/2007 13:52	0		0
33	7/11/2007 14:07	0		0
34	7/11/2007 14:22	0		0
35	7/11/2007 14:37	0		0
36	7/11/2007 14:52	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	7/11/2007
Start Time:	5:52:39
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0550) = 0.077 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	#######

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/11/2007	6:07:39	0.097	0.02	20
7/11/2007	6:22:39	0.083	0.006	6
7/11/2007	6:37:39	0.049	-0.028	-28
7/11/2007	6:52:39	0.045	-0.032	-32
7/11/2007	7:07:39	0.04	-0.037	-37
7/11/2007	7:22:39	0.063	-0.014	-14
7/11/2007	7:37:39	0.047	-0.03	-30
7/11/2007	7:52:39	0.037	-0.04	-40
7/11/2007	8:07:39	0.039	-0.038	-38
7/11/2007	8:22:39	0.042	-0.035	-35
7/11/2007	8:37:39	0.053	-0.024	-24
7/11/2007	8:52:39	0.044	-0.033	-33
7/11/2007	9:07:39	0.047	-0.03	-30
7/11/2007	9:22:39	0.035	-0.042	-42
7/11/2007	9:37:39	0.042	-0.035	-35
7/11/2007	9:52:39	0.032	-0.045	-45
7/11/2007	10:07:39	0.03	-0.047	-47
7/11/2007	10:22:39	0.026	-0.051	-51
7/11/2007	10:37:39	0.024	-0.053	-53
7/11/2007	10:52:39	0.035	-0.042	-42
7/11/2007	11:07:39	0.038	-0.039	-39
7/11/2007	11:22:39	0.03	-0.047	-47
7/11/2007	11:37:39	0.04	-0.037	-37
7/11/2007	11:52:39	0.041	-0.036	-36
7/11/2007	12:07:39	0.03	-0.047	-47
7/11/2007	12:22:39	0.028	-0.049	-49
7/11/2007	12:37:39	0.023	-0.054	-54
7/11/2007	12:52:39	0.027	-0.05	-50
7/11/2007	13:07:39	0.024	-0.053	-53
7/11/2007	13:22:39	0.032	-0.045	-45
7/11/2007	13:37:39	0.039	-0.038	-38
7/11/2007	13:52:39	0.03	-0.047	-47
7/11/2007	14:07:39	0.029	-0.048	-48
7/11/2007	14:22:39	0.022	-0.055	-55
7/11/2007	14:37:39	0.028	-0.049	-49
7/11/2007	14:52:39	0.026	-0.051	-51
7/11/2007	15:07:39	0.029	-0.048	-48

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/12/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/12/2007 6:20	0		0
2	7/12/2007 6:35	0		0
3	7/12/2007 6:50	0		0
4	7/12/2007 7:05	0		0
5	7/12/2007 7:20	0		0
6	7/12/2007 7:35	0		0
7	7/12/2007 7:50	0		0
8	7/12/2007 8:05	0		0
9	7/12/2007 8:20	0		0
10	7/12/2007 8:35	0		0
11	7/12/2007 8:50	0		0
12	7/12/2007 9:05	0		0
13	7/12/2007 9:20	0		0
14	7/12/2007 9:35	0		0
15	7/12/2007 9:50	0		0
16	7/12/2007 10:05	0		0
17	7/12/2007 10:20	0		0
18	7/12/2007 10:35	0		0
19	7/12/2007 10:50	0		0
20	7/12/2007 11:05	0		0
21	7/12/2007 11:20	0		0
22	7/12/2007 11:35	0		0
23	7/12/2007 11:50	0		0
24	7/12/2007 12:05	0		0
25	7/12/2007 12:20	0		0
26	7/12/2007 12:35	0		0
27	7/12/2007 12:50	0		0
28	7/12/2007 13:05	0		0
29	7/12/2007 13:20	0		0
30	7/12/2007 13:35	0		0
31	7/12/2007 13:50	0.8		0.8
32	7/12/2007 14:05	0		0
33	7/12/2007 14:20	0		0
34	7/12/2007 14:35	0		0
35	7/12/2007 14:50	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/12/2007
Start Time:	6:10:38
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0605) = 0.000 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/12/2007	6:25:38	0.001	0.001	1	
7/12/2007	6:40:38	0.001	0.001	1	
7/12/2007	6:55:38	0	0	0	
7/12/2007	7:10:38	0.004	0.004	4	
7/12/2007	7:25:38	0.001	0.001	1	
7/12/2007	7:40:38	0.002	0.002	2	
7/12/2007	7:55:38	0.005	0.005	5	
7/12/2007	8:10:38	0.005	0.005	5	
7/12/2007	8:25:38	0.006	0.006	6	
7/12/2007	8:40:38	0.004	0.004	4	
7/12/2007	8:55:38	0.004	0.004	4	
7/12/2007	9:10:38	0.004	0.004	4	
7/12/2007	9:25:38	0.003	0.003	3	
7/12/2007	9:40:38	0.006	0.006	6	
7/12/2007	9:55:38	0.004	0.004	4	
7/12/2007	10:10:38	0.003	0.003	3	
7/12/2007	10:25:38	0.003	0.003	3	
7/12/2007	10:40:38	0.004	0.004	4	
7/12/2007	10:55:38	0.012	0.012	12	
7/12/2007	11:10:38	0.003	0.003	3	
7/12/2007	11:25:38	0.004	0.004	4	
7/12/2007	11:40:38	0.004	0.004	4	
7/12/2007	11:55:38	0.002	0.002	2	
7/12/2007	12:10:38	0.003	0.003	3	
7/12/2007	12:25:38	0.004	0.004	4	
7/12/2007	12:40:38	0.001	0.001	1	
7/12/2007	12:55:38	0.009	0.009	9	
7/12/2007	13:10:38	0.006	0.006	6	
7/12/2007	13:25:38	0.017	0.017	17	
7/12/2007	13:40:38	0.004	0.004	4	
7/12/2007	13:55:38	0.002	0.002	2	
7/12/2007	14:10:38	0.178	0.178	178	*Shaw testing of AKRF equipment at STA 1
7/12/2007	14:25:38	0.007	0.007	7	
7/12/2007	14:40:38	0.007	0.007	7	
7/12/2007	14:55:38	0.009	0.009	9	
7/12/2007	15:21:44	0.016	0.016	16	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/12/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)
1	7/12/2007 6:53	0	0
2	7/12/2007 7:08	0.1	0.1
3	7/12/2007 7:23	0.1	0.1
4	7/12/2007 7:38	0.2	0.2
5	7/12/2007 7:53	0.2	0.2
6	7/12/2007 8:08	0.2	0.2
7	7/12/2007 8:23	0.2	0.2
8	7/12/2007 8:38	0.2	0.2
9	7/12/2007 8:53	0.3	0.3
10	7/12/2007 9:08	0.3	0.3
11	7/12/2007 9:23	0.2	0.2
12	7/12/2007 9:38	0.1	0.1
13	7/12/2007 9:53	0	0
14	7/12/2007 10:08	0	0
15	7/12/2007 10:23	0	0
16	7/12/2007 10:38	0.1	0.1
17	7/12/2007 10:53	0.1	0.1
18	7/12/2007 11:08	0.1	0.1
19	7/12/2007 11:23	0.1	0.1
20	7/12/2007 11:38	0.2	0.2
21	7/12/2007 11:53	0.2	0.2
22	7/12/2007 12:08	0.3	0.3
23	7/12/2007 12:23	0.3	0.3
24	7/12/2007 12:38	0.3	0.3
25	7/12/2007 12:53	0.3	0.3
26	7/12/2007 13:08	0.3	0.3
27	7/12/2007 13:23	0.3	0.3
28	7/12/2007 13:38	0.3	0.3
29	7/12/2007 13:53	0.5	0.5
30	7/12/2007 14:08	0.4	0.4
31	7/12/2007 14:23	0.4	0.4
32	7/12/2007 14:38	0.4	0.4
33	7/12/2007 14:53	0.4	0.4
34	7/12/2007 15:08	0.4	0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	7/12/2007
Start Time:	6:41:32
Duration (dd:hh:mm:ss):	00:01:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	8
Notes:	Background Reading (0630) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/12/2007	6:56:32	0.006	0.001	1	
7/12/2007	7:11:32	0.005	0	0	
7/12/2007	7:26:32	0.007	0.002	2	
7/12/2007	7:41:32	0.006	0.001	1	
7/12/2007	7:56:32	0.007	0.002	2	
7/12/2007	8:11:32	0.005	0	0	
7/12/2007	8:26:32	0.007	0.002	2	
7/12/2007	8:41:32	0.006	0.001	1	
7/12/2007	9:52:58	0.007	0.002	2	
7/12/2007	10:07:58	0.008	0.003	3	
7/12/2007	10:22:58	0.011	0.006	6	
7/12/2007	10:37:58	0.009	0.004	4	
7/12/2007	10:52:58	0.008	0.003	3	
7/12/2007	11:07:58	0.01	0.005	5	
7/12/2007	11:22:58	0.011	0.006	6	
7/12/2007	11:37:58	0.012	0.007	7	
7/12/2007	11:52:58	0.011	0.006	6	
7/12/2007	12:07:58	0.01	0.005	5	
7/12/2007	12:22:58	0.01	0.005	5	
7/12/2007	12:37:58	0.01	0.005	5	
7/12/2007	12:52:58	0.01	0.005	5	
7/12/2007	13:07:58	0.013	0.008	8	
7/12/2007	13:22:58	0.013	0.008	8	
7/12/2007	13:37:58	0.014	0.009	9	
7/12/2007	13:52:58	0.013	0.008	8	
7/12/2007	14:07:58	0.013	0.008	8	
7/12/2007	14:22:58	0.356	0.351	351	*Shaw testing of AKRF equipment at STA 2
7/12/2007	14:37:58	0.011	0.006	6	
7/12/2007	14:52:58	0.011	0.006	6	
7/12/2007	15:07:58	0.012	0.007	7	
7/12/2007	15:22:58	0.012	0.007	7	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/12/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/12/2007 6:44	0		0
2	7/12/2007 6:59	0		0
3	7/12/2007 7:14	0		0
4	7/12/2007 7:29	0		0
5	7/12/2007 7:44	0		0
6	7/12/2007 7:59	0.1		0.1
7	7/12/2007 8:14	0.1		0.1
8	7/12/2007 8:29	0.2		0.2
9	7/12/2007 8:44	0.4		0.4
10	7/12/2007 8:59	0.2		0.2
11	7/12/2007 9:14	0.2		0.2
12	7/12/2007 9:29	0.1		0.1
13	7/12/2007 9:44	0.2		0.2
14	7/12/2007 9:59	0.3		0.3
15	7/12/2007 10:14	0.3		0.3
16	7/12/2007 10:29	0.2		0.2
17	7/12/2007 10:44	0.2		0.2
18	7/12/2007 10:59	0.2		0.2
19	7/12/2007 11:14	0.3		0.3
20	7/12/2007 11:29	0.4		0.4
21	7/12/2007 11:44	0.4		0.4
22	7/12/2007 11:59	0.5		0.5
23	7/12/2007 12:14	0.4		0.4
24	7/12/2007 12:29	0.3		0.3
25	7/12/2007 12:44	0.3		0.3
26	7/12/2007 12:59	0.4		0.4
27	7/12/2007 13:14	0.4		0.4
28	7/12/2007 13:29	0.4		0.4
29	7/12/2007 13:44	0.4		0.4
30	7/12/2007 13:59	0.6		0.6
31	7/12/2007 14:14	0.5		0.5
32	7/12/2007 14:29	0.3		0.3
33	7/12/2007 14:44	0.4		0.4
34	7/12/2007 14:59	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	4
Test Abbreviation:	
Start Date:	7/12/2007
Start Time:	6:28:13
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0620) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/12/2007	6:43:13	0.008	0	0	
7/12/2007	6:58:13	0.008	0	0	
7/12/2007	7:13:13	0.007	-0.001	-1	
7/12/2007	7:28:13	0.01	0.002	2	
7/12/2007	7:43:13	0.009	0.001	1	
7/12/2007	7:58:13	0.016	0.008	8	
7/12/2007	8:13:13	0.02	0.012	12	
7/12/2007	8:28:13	0.018	0.01	10	
7/12/2007	8:43:13	0.024	0.016	16	
7/12/2007	8:58:13	0.015	0.007	7	
7/12/2007	9:13:13	0.021	0.013	13	
7/12/2007	9:28:13	0.017	0.009	9	
7/12/2007	9:43:13	0.01	0.002	2	
7/12/2007	9:58:13	0.02	0.012	12	
7/12/2007	10:13:13	0.014	0.006	6	
7/12/2007	10:28:13	0.017	0.009	9	
7/12/2007	10:43:13	0.017	0.009	9	
7/12/2007	10:58:13	0.026	0.018	18	
7/12/2007	11:13:13	0.019	0.011	11	
7/12/2007	11:28:13	0.042	0.034	34	
7/12/2007	11:43:13	0.044	0.036	36	
7/12/2007	11:58:13	0.033	0.025	25	
7/12/2007	12:13:13	0.019	0.011	11	
7/12/2007	12:28:13	0.023	0.015	15	
7/12/2007	12:43:13	0.02	0.012	12	
7/12/2007	12:58:13	0.021	0.013	13	
7/12/2007	13:13:13	0.024	0.016	16	
7/12/2007	13:28:13	0.046	0.038	38	
7/12/2007	13:43:13	0.048	0.04	40	
7/12/2007	13:58:13	0.023	0.015	15	
7/12/2007	14:13:13	0.025	0.017	17	
7/12/2007	14:28:13	0.277	0.269	269	*Shaw testing of AKRF equipment at STA 3
7/12/2007	14:43:13	0.013	0.005	5	
7/12/2007	14:58:13	0.01	0.002	2	
7/12/2007	15:13:13	0.013	0.005	5	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/12/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/12/2007 6:35	1		1
2	7/12/2007 6:50	0.8		0.8
3	7/12/2007 7:05	1.3		1.3
4	7/12/2007 7:20	1.2		1.2
5	7/12/2007 7:35	1.2		1.2
1	7/12/2007 8:06	0.1		0.1
2	7/12/2007 8:21	0		0
3	7/12/2007 8:36	0		0
4	7/12/2007 8:51	0		0
5	7/12/2007 9:06	0		0
6	7/12/2007 9:21	0		0
7	7/12/2007 9:36	0		0
8	7/12/2007 9:51	0		0
9	7/12/2007 10:06	0		0
10	7/12/2007 10:21	0		0
11	7/12/2007 10:36	0		0
12	7/12/2007 10:51	0		0
13	7/12/2007 11:06	0		0
14	7/12/2007 11:21	0		0
15	7/12/2007 11:36	0		0
16	7/12/2007 11:51	0		0
17	7/12/2007 12:06	0		0
18	7/12/2007 12:21	0		0
19	7/12/2007 12:36	0		0
20	7/12/2007 12:51	0		0
21	7/12/2007 13:06	0		0
22	7/12/2007 13:21	0		0
23	7/12/2007 13:36	0		0
24	7/12/2007 13:51	0		0
25	7/12/2007 14:06	0.1		0.1
26	7/12/2007 14:21	0		0
27	7/12/2007 14:36	0		0
28	7/12/2007 14:51	0		0
29	7/12/2007 15:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	7/12/2007
Start Time:	6:20:27
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/12/2007	6:35:27	0.007	0	0	
7/12/2007	6:50:27	0.006	-0.001	-1	
7/12/2007	7:05:27	0.006	-0.001	-1	
7/12/2007	7:20:27	0.009	0.002	2	
7/12/2007	7:35:27	0.006	-0.001	-1	
7/12/2007	7:50:27	0.008	0.001	1	
7/12/2007	8:05:27	0.007	0	0	
7/12/2007	8:20:27	0.011	0.004	4	
7/12/2007	8:35:27	0.009	0.002	2	
7/12/2007	8:50:27	0.008	0.001	1	
7/12/2007	9:05:27	0.009	0.002	2	
7/12/2007	9:20:27	0.012	0.005	5	
7/12/2007	9:35:27	0.007	0	0	
7/12/2007	9:50:27	0.011	0.004	4	
7/12/2007	10:05:27	0.013	0.006	6	
7/12/2007	10:20:27	0.007	0	0	
7/12/2007	10:35:27	0.007	0	0	
7/12/2007	10:50:27	0.007	0	0	
7/12/2007	11:05:27	0.009	0.002	2	
7/12/2007	11:20:27	0.012	0.005	5	
7/12/2007	11:35:27	0.014	0.007	7	
7/12/2007	11:50:27	0.037	0.03	30	
7/12/2007	12:05:27	0.006	-0.001	-1	
7/12/2007	12:20:27	0.006	-0.001	-1	
7/12/2007	12:35:27	0.006	-0.001	-1	
7/12/2007	12:50:27	0.005	-0.002	-2	
7/12/2007	13:05:27	0.01	0.003	3	
7/12/2007	13:20:27	0.012	0.005	5	
7/12/2007	13:35:27	0.01	0.003	3	
7/12/2007	13:50:27	0.01	0.003	3	
7/12/2007	14:05:27	0.007	0	0	
7/12/2007	14:20:27	0.207	0.2	200	*Shaw testing of AKRF equipment at STA 4
7/12/2007	14:35:27	0.007	0	0	
7/12/2007	14:50:27	0.005	-0.002	-2	
7/12/2007	15:05:27	0.007	0	0	
7/12/2007	15:20:27	0.008	0.001	1	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/13/2007 05:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/13/2007 6:09	0		0
2	7/13/2007 6:24	0		0
3	7/13/2007 6:39	0		0
4	7/13/2007 6:54	0		0
5	7/13/2007 7:09	0		0
6	7/13/2007 7:24	0		0
7	7/13/2007 7:39	0		0
8	7/13/2007 7:54	0		0
9	7/13/2007 8:09	0		0
10	7/13/2007 8:24	0		0
11	7/13/2007 8:39	0		0
12	7/13/2007 8:54	0		0
13	7/13/2007 9:09	0		0
14	7/13/2007 9:24	0		0
15	7/13/2007 9:39	0		0
16	7/13/2007 9:54	0		0
17	7/13/2007 10:09	0		0
18	7/13/2007 10:24	0		0
19	7/13/2007 10:39	0		0
20	7/13/2007 10:54	0		0
21	7/13/2007 11:09	0		0
22	7/13/2007 11:24	0		0
23	7/13/2007 11:39	0		0
24	7/13/2007 11:54	0		0
25	7/13/2007 12:09	0		0
26	7/13/2007 12:24	0		0
27	7/13/2007 12:39	0		0
28	7/13/2007 12:54	0		0
29	7/13/2007 13:09	0		0
30	7/13/2007 13:24	0		0
31	7/13/2007 13:39	0		0
32	7/13/2007 13:54	0		0
33	7/13/2007 14:09	0		0
34	7/13/2007 14:24	0		0
35	7/13/2007 14:39	0		0
36	7/13/2007 14:54	0		0
37	7/13/2007 15:09	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/13/2007
Start Time:	6:00:04
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0555) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/13/2007	6:15:04	0.013	0	0
7/13/2007	6:30:04	0.019	0.006	6
7/13/2007	6:45:04	0.013	0	0
7/13/2007	7:00:04	0.013	0	0
7/13/2007	7:15:04	0.014	0.001	1
7/13/2007	7:30:04	0.017	0.004	4
7/13/2007	7:45:04	0.017	0.004	4
7/13/2007	8:00:04	0.017	0.004	4
7/13/2007	8:15:04	0.015	0.002	2
7/13/2007	8:30:04	0.015	0.002	2
7/13/2007	8:45:04	0.015	0.002	2
7/13/2007	9:00:04	0.014	0.001	1
7/13/2007	9:15:04	0.014	0.001	1
7/13/2007	9:30:04	0.014	0.001	1
7/13/2007	9:45:04	0.013	0	0
7/13/2007	10:00:04	0.012	-0.001	-1
7/13/2007	10:15:04	0.012	-0.001	-1
7/13/2007	10:30:04	0.011	-0.002	-2
7/13/2007	10:45:04	0.013	0	0
7/13/2007	11:00:04	0.012	-0.001	-1
7/13/2007	11:15:04	0.013	0	0
7/13/2007	11:30:04	0.014	0.001	1
7/13/2007	11:45:04	0.015	0.002	2
7/13/2007	12:00:04	0.013	0	0
7/13/2007	12:15:04	0.013	0	0
7/13/2007	12:30:04	0.012	-0.001	-1
7/13/2007	12:45:04	0.011	-0.002	-2
7/13/2007	13:00:04	0.011	-0.002	-2
7/13/2007	13:15:04	0.013	0	0
7/13/2007	13:30:04	0.014	0.001	1
7/13/2007	13:45:04	0.015	0.002	2
7/13/2007	14:00:04	0.02	0.007	7
7/13/2007	14:15:04	0.013	0	0
7/13/2007	14:30:04	0.013	0	0
7/13/2007	14:45:04	0.013	0	0
7/13/2007	15:00:04	0.014	0.001	1
7/13/2007	15:15:04	0.014	0.001	1
7/13/2007	15:30:04	0.012	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175

User ID: 00000001 Site ID: 00000335

Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/13/2007 05:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/13/2007 6:13	0		0
2	7/13/2007 6:28	0		0
3	7/13/2007 6:43	0		0
4	7/13/2007 6:58	0		0
5	7/13/2007 7:13	0.1		0.1
6	7/13/2007 7:28	0.1		0.1
7	7/13/2007 7:43	0.1		0.1
8	7/13/2007 7:58	0.1		0.1
9	7/13/2007 8:13	0.1		0.1
10	7/13/2007 8:28	0.1		0.1
11	7/13/2007 8:43	0.1		0.1
12	7/13/2007 8:58	0.1		0.1
13	7/13/2007 9:13	0.1		0.1
14	7/13/2007 9:28	0.2		0.2
15	7/13/2007 9:43	0.2		0.2
16	7/13/2007 9:58	0.2		0.2
17	7/13/2007 10:13	0.2		0.2
18	7/13/2007 10:28	0.2		0.2
19	7/13/2007 10:43	0.2		0.2
20	7/13/2007 10:58	0.2		0.2
21	7/13/2007 11:13	0.2		0.2
22	7/13/2007 11:28	0.2		0.2
23	7/13/2007 11:43	0.2		0.2
24	7/13/2007 11:58	0.2		0.2
25	7/13/2007 12:13	0.2		0.2
26	7/13/2007 12:28	0.2		0.2
27	7/13/2007 12:43	0.2		0.2
28	7/13/2007 12:58	0.2		0.2
29	7/13/2007 13:13	0.2		0.2
30	7/13/2007 13:28	0.2		0.2
31	7/13/2007 13:43	0.2		0.2
32	7/13/2007 13:58	0.2		0.2
33	7/13/2007 14:13	0.2		0.2
34	7/13/2007 14:28	0.2		0.2
35	7/13/2007 14:43	0.2		0.2
36	7/13/2007 14:58	0.2		0.2
37	7/13/2007 15:13	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/13/2007
Start Time:	6:02:44
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0600) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/13/2007	6:17:44	0.014	0	0
7/13/2007	6:32:44	0.016	0.002	2
7/13/2007	6:47:44	0.016	0.002	2
7/13/2007	7:02:44	0.017	0.003	3
7/13/2007	7:17:44	0.017	0.003	3
7/13/2007	7:32:44	0.019	0.005	5
7/13/2007	7:47:44	0.019	0.005	5
7/13/2007	8:02:44	0.02	0.006	6
7/13/2007	8:17:44	0.02	0.006	6
7/13/2007	8:32:44	0.021	0.007	7
7/13/2007	8:47:44	0.02	0.006	6
7/13/2007	9:02:44	0.02	0.006	6
7/13/2007	9:17:44	0.019	0.005	5
7/13/2007	9:32:44	0.02	0.006	6
7/13/2007	9:47:44	0.019	0.005	5
7/13/2007	10:02:44	0.018	0.004	4
7/13/2007	10:17:44	0.018	0.004	4
7/13/2007	10:32:44	0.019	0.005	5
7/13/2007	10:47:44	0.019	0.005	5
7/13/2007	11:02:44	0.02	0.006	6
7/13/2007	11:17:44	0.02	0.006	6
7/13/2007	11:32:44	0.02	0.006	6
7/13/2007	11:47:44	0.021	0.007	7
7/13/2007	12:02:44	0.021	0.007	7
7/13/2007	12:17:44	0.02	0.006	6
7/13/2007	12:32:44	0.019	0.005	5
7/13/2007	12:47:44	0.018	0.004	4
7/13/2007	13:02:44	0.019	0.005	5
7/13/2007	13:17:44	0.02	0.006	6
7/13/2007	13:32:44	0.021	0.007	7
7/13/2007	13:47:44	0.023	0.009	9
7/13/2007	14:02:44	0.02	0.006	6
7/13/2007	14:17:44	0.021	0.007	7
7/13/2007	14:32:44	0.021	0.007	7
7/13/2007	14:47:44	0.025	0.011	11
7/13/2007	15:02:44	0.022	0.008	8
7/13/2007	15:17:44	0.022	0.008	8
7/13/2007	15:32:44	0.019	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/13/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/13/2007 6:36	0		0
2	7/13/2007 6:51	0		0
3	7/13/2007 7:06	0		0.1
4	7/13/2007 7:21	0		0.1
5	7/13/2007 7:36	0		0.1
6	7/13/2007 7:51	0		0.1
7	7/13/2007 8:06	0		0.1
8	7/13/2007 8:21	0		0.1
9	7/13/2007 8:36	0		0.2
10	7/13/2007 8:51	0		0.2
11	7/13/2007 9:06	0		0.2
12	7/13/2007 9:21	0		0.1
13	7/13/2007 9:36	0		0.2
14	7/13/2007 9:51	0		0.1
15	7/13/2007 10:06	0		0.2
16	7/13/2007 10:21	0		0.1
17	7/13/2007 10:36	0		0.1
18	7/13/2007 10:51	0		0.1
19	7/13/2007 11:06	0		0.1
20	7/13/2007 11:21	0		0.1
21	7/13/2007 11:36	0		0.1
22	7/13/2007 11:51	0		0.1
23	7/13/2007 12:06	0		0.1
24	7/13/2007 12:21	0		0.1
25	7/13/2007 12:36	0.1		0.1
26	7/13/2007 12:51	0		0.1
27	7/13/2007 13:06	0		0.1
28	7/13/2007 13:21	0		0.1
29	7/13/2007 13:36	0		0.1
30	7/13/2007 13:51	0.1		0.1
31	7/13/2007 14:06	0		0.1
32	7/13/2007 14:21	0		0.1
33	7/13/2007 14:36	0.1		0.1
34	7/13/2007 14:51	0		0.1
35	7/13/2007 15:06	0		0.1
36	7/13/2007 15:21	0		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	5
Test Abbreviation:	
Start Date:	7/13/2007
Start Time:	6:21:35
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0619) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/8/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/13/2007	6:36:35	0.031	0.004	4
7/13/2007	6:51:35	0.03	0.003	3
7/13/2007	7:06:35	0.034	0.007	7
7/13/2007	7:21:35	0.031	0.004	4
7/13/2007	7:36:35	0.035	0.008	8
7/13/2007	7:51:35	0.041	0.014	14
7/13/2007	8:06:35	0.048	0.021	21
7/13/2007	8:21:35	0.036	0.009	9
7/13/2007	8:36:35	0.039	0.012	12
7/13/2007	8:51:35	0.052	0.025	25
7/13/2007	9:06:35	0.048	0.021	21
7/13/2007	9:21:35	0.04	0.013	13
7/13/2007	9:36:35	0.033	0.006	6
7/13/2007	9:51:35	0.031	0.004	4
7/13/2007	10:06:35	0.043	0.016	16
7/13/2007	10:21:35	0.054	0.027	27
7/13/2007	10:36:35	0.035	0.008	8
7/13/2007	10:51:35	0.034	0.007	7
7/13/2007	11:06:35	0.043	0.016	16
7/13/2007	11:21:35	0.043	0.016	16
7/13/2007	11:36:35	0.041	0.014	14
7/13/2007	11:51:35	0.041	0.014	14
7/13/2007	12:06:35	0.058	0.031	31
7/13/2007	12:21:35	0.036	0.009	9
7/13/2007	12:36:35	0.037	0.01	10
7/13/2007	12:51:35	0.031	0.004	4
7/13/2007	13:06:35	0.031	0.004	4
7/13/2007	13:21:35	0.043	0.016	16
7/13/2007	13:36:35	0.033	0.006	6
7/13/2007	13:51:35	0.037	0.01	10
7/13/2007	14:06:35	0.039	0.012	12
7/13/2007	14:21:35	0.04	0.013	13
7/13/2007	14:36:35	0.038	0.011	11
7/13/2007	14:51:35	0.031	0.004	4
7/13/2007	15:06:35	0.034	0.007	7
7/13/2007	15:21:35	0.029	0.002	2
7/13/2007	15:36:35	0.029	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/13/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/13/2007 6:28	0		-0.1
2	7/13/2007 6:43	0		-0.1
3	7/13/2007 6:58	0		-0.1
4	7/13/2007 7:13	0		-0.1
5	7/13/2007 7:28	0		-0.1
6	7/13/2007 7:43	0		-0.1
7	7/13/2007 7:58	0		-0.1
8	7/13/2007 8:13	0		-0.1
9	7/13/2007 8:28	0		-0.1
10	7/13/2007 8:43	0		-0.1
11	7/13/2007 8:58	0		-0.1
12	7/13/2007 9:13	0		-0.1
13	7/13/2007 9:28	0		-0.1
14	7/13/2007 9:43	0		-0.1
15	7/13/2007 9:58	0		-0.1
16	7/13/2007 10:13	0		-0.1
17	7/13/2007 10:28	0		-0.1
18	7/13/2007 10:43	0		-0.1
19	7/13/2007 10:58	0		-0.1
20	7/13/2007 11:13	0		-0.1
21	7/13/2007 11:28	0		-0.1
22	7/13/2007 11:43	0		-0.1
23	7/13/2007 11:58	0		-0.1
24	7/13/2007 12:13	0		-0.1
25	7/13/2007 12:28	0		-0.1
26	7/13/2007 12:43	0		-0.1
27	7/13/2007 12:58	0		-0.1
28	7/13/2007 13:13	0		-0.1
29	7/13/2007 13:28	0		-0.1
30	7/13/2007 13:43	0		-0.1
31	7/13/2007 13:58	0		-0.1
32	7/13/2007 14:13	0		-0.1
33	7/13/2007 14:28	0		-0.1
34	7/13/2007 14:43	0		-0.1
35	7/13/2007 14:58	0		-0.1
36	7/13/2007 15:13	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	7/13/2007
Start Time:	6:15:03
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0612) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/13/2007	6:30:03	0.022	-0.001	-1
7/13/2007	6:45:03	0.021	-0.002	-2
7/13/2007	7:00:03	0.022	-0.001	-1
7/13/2007	7:15:03	0.022	-0.001	-1
7/13/2007	7:30:03	0.024	0.001	1
7/13/2007	7:45:03	0.022	-0.001	-1
7/13/2007	8:00:03	0.022	-0.001	-1
7/13/2007	8:15:03	0.022	-0.001	-1
7/13/2007	8:30:03	0.021	-0.002	-2
7/13/2007	8:45:03	0.021	-0.002	-2
7/13/2007	9:00:03	0.02	-0.003	-3
7/13/2007	9:15:03	0.021	-0.002	-2
7/13/2007	9:30:03	0.02	-0.003	-3
7/13/2007	9:45:03	0.018	-0.005	-5
7/13/2007	10:00:03	0.017	-0.006	-6
7/13/2007	10:15:03	0.018	-0.005	-5
7/13/2007	10:30:03	0.015	-0.008	-8
7/13/2007	10:45:03	0.016	-0.007	-7
7/13/2007	11:00:03	0.017	-0.006	-6
7/13/2007	11:15:03	0.019	-0.004	-4
7/13/2007	11:30:03	0.018	-0.005	-5
7/13/2007	11:45:03	0.019	-0.004	-4
7/13/2007	12:00:03	0.017	-0.006	-6
7/13/2007	12:15:03	0.016	-0.007	-7
7/13/2007	12:30:03	0.016	-0.007	-7
7/13/2007	12:45:03	0.015	-0.008	-8
7/13/2007	13:00:03	0.016	-0.007	-7
7/13/2007	13:15:03	0.017	-0.006	-6
7/13/2007	13:30:03	0.02	-0.003	-3
7/13/2007	13:45:03	0.021	-0.002	-2
7/13/2007	14:00:03	0.02	-0.003	-3
7/13/2007	14:15:03	0.018	-0.005	-5
7/13/2007	14:30:03	0.019	-0.004	-4
7/13/2007	14:45:03	0.02	-0.003	-3
7/13/2007	15:00:03	0.019	-0.004	-4
7/13/2007	15:15:03	0.02	-0.003	-3
7/13/2007	15:30:03	0.016	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/14/2007 07:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0750) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/14/2007 8:09	0		0
2	7/14/2007 8:24	0		0
3	7/14/2007 8:39	0		0
4	7/14/2007 8:54	0		0
5	7/14/2007 9:09	0		0
6	7/14/2007 9:24	0		0
7	7/14/2007 9:39	0		0
8	7/14/2007 9:54	0		0
9	7/14/2007 10:09	0		0
10	7/14/2007 10:24	0		0
11	7/14/2007 10:39	0		0
12	7/14/2007 10:54	0		0
13	7/14/2007 11:09	0		0
14	7/14/2007 11:24	0		0
15	7/14/2007 11:39	0		0
16	7/14/2007 11:54	0		0
17	7/14/2007 12:09	0		0
18	7/14/2007 12:24	0		0
19	7/14/2007 12:39	0		0
20	7/14/2007 12:54	0		0
21	7/14/2007 13:09	0		0
22	7/14/2007 13:24	0		0
23	7/14/2007 13:39	0		0
24	7/14/2007 13:54	0		0
25	7/14/2007 14:09	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/14/2007
Start Time:	7:59:52
Duration (dd:hh:mm:ss):	00:06:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	26
Notes:	

Background Reading (0750) = 0.017 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/14/2007	8:14:52	0.019	0.002	2
7/14/2007	8:29:52	0.015	-0.002	-2
7/14/2007	8:44:52	0.014	-0.003	-3
7/14/2007	8:59:52	0.013	-0.004	-4
7/14/2007	9:14:52	0.031	0.014	14
7/14/2007	9:29:52	0.014	-0.003	-3
7/14/2007	9:44:52	0.015	-0.002	-2
7/14/2007	9:59:52	0.013	-0.004	-4
7/14/2007	10:14:52	0.014	-0.003	-3
7/14/2007	10:29:52	0.014	-0.003	-3
7/14/2007	10:44:52	0.012	-0.005	-5
7/14/2007	10:59:52	0.011	-0.006	-6
7/14/2007	11:14:52	0.01	-0.007	-7
7/14/2007	11:29:52	0.01	-0.007	-7
7/14/2007	11:44:52	0.011	-0.006	-6
7/14/2007	11:59:52	0.011	-0.006	-6
7/14/2007	12:14:52	0.012	-0.005	-5
7/14/2007	12:29:52	0.013	-0.004	-4
7/14/2007	12:44:52	0.013	-0.004	-4
7/14/2007	12:59:52	0.014	-0.003	-3
7/14/2007	13:14:52	0.012	-0.005	-5
7/14/2007	13:29:52	0.014	-0.003	-3
7/14/2007	13:44:52	0.012	-0.005	-5
7/14/2007	13:59:52	0.013	-0.004	-4
7/14/2007	14:14:52	0.014	-0.003	-3
7/14/2007	14:29:52	0.016	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/14/2007 07:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0818) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/14/2007 8:34	0		0
2	7/14/2007 8:49	0.1		0.1
3	7/14/2007 9:04	0.1		0.1
4	7/14/2007 9:19	0.2		0.2
5	7/14/2007 9:34	0.2		0.2
6	7/14/2007 9:49	0.2		0.2
7	7/14/2007 10:04	0.2		0.2
8	7/14/2007 10:19	0.3		0.3
9	7/14/2007 10:34	0.3		0.3
10	7/14/2007 10:49	0.3		0.3
11	7/14/2007 11:04	0.3		0.3
12	7/14/2007 11:19	0.3		0.3
13	7/14/2007 11:34	0.3		0.3
14	7/14/2007 11:49	0.3		0.3
15	7/14/2007 12:04	0.3		0.3
16	7/14/2007 12:19	0.3		0.3
17	7/14/2007 12:34	0.3		0.3
18	7/14/2007 12:49	0.3		0.3
19	7/14/2007 13:04	0.4		0.4
20	7/14/2007 13:19	0.3		0.3
21	7/14/2007 13:34	0.3		0.3
22	7/14/2007 13:49	0.3		0.3
23	7/14/2007 14:04	0.3		0.3
24	7/14/2007 14:19	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/14/2007
Start Time:	8:23:49
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	Background Reading (0818) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/14/2007	8:38:49	0.015	0.001	1
7/14/2007	8:53:49	0.017	0.003	3
7/14/2007	9:08:49	0.018	0.004	4
7/14/2007	9:23:49	0.019	0.005	5
7/14/2007	9:38:49	0.02	0.006	6
7/14/2007	9:53:49	0.02	0.006	6
7/14/2007	10:08:49	0.019	0.005	5
7/14/2007	10:23:49	0.02	0.006	6
7/14/2007	10:38:49	0.019	0.005	5
7/14/2007	10:53:49	0.015	0.001	1
7/14/2007	11:08:49	0.016	0.002	2
7/14/2007	11:23:49	0.015	0.001	1
7/14/2007	11:38:49	0.018	0.004	4
7/14/2007	11:53:49	0.017	0.003	3
7/14/2007	12:08:49	0.018	0.004	4
7/14/2007	12:23:49	0.019	0.005	5
7/14/2007	12:38:49	0.021	0.007	7
7/14/2007	12:53:49	0.022	0.008	8
7/14/2007	13:08:49	0.019	0.005	5
7/14/2007	13:23:49	0.021	0.007	7
7/14/2007	13:38:49	0.02	0.006	6
7/14/2007	13:53:49	0.021	0.007	7
7/14/2007	14:08:49	0.021	0.007	7
7/14/2007	14:23:49	0.022	0.008	8
7/14/2007	14:38:49	0.022	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/14/2007 07:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0812) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/14/2007 8:31	0		0
2	7/14/2007 8:46	0		0
3	7/14/2007 9:01	0		0
4	7/14/2007 9:16	0		0
5	7/14/2007 9:31	0		0
6	7/14/2007 9:46	0		0
7	7/14/2007 10:01	0		0
8	7/14/2007 10:16	0		0
9	7/14/2007 10:31	0		0
10	7/14/2007 10:46	0		0
11	7/14/2007 11:01	0		0
12	7/14/2007 11:16	0		0
13	7/14/2007 11:31	0.1		0.1
14	7/14/2007 11:46	0.1		0.1
15	7/14/2007 12:01	0.1		0.1
16	7/14/2007 12:16	0.1		0.1
17	7/14/2007 12:31	0.1		0.1
18	7/14/2007 12:46	0.1		0.1
19	7/14/2007 13:01	0.1		0.1
20	7/14/2007 13:16	0.1		0.1
21	7/14/2007 13:31	0.1		0.1
22	7/14/2007 13:46	0.1		0.1
23	7/14/2007 14:01	0.1		0.1
24	7/14/2007 14:16	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	6
Test Abbreviation:	
Start Date:	7/14/2007
Start Time:	8:14:51
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	Background Reading (0812) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	Aerosol(-background) ug/m^3
7/14/2007	8:29:51	0.047	0.003	3
7/14/2007	8:44:51	0.036	-0.008	-8
7/14/2007	8:59:51	0.049	0.005	5
7/14/2007	9:14:51	0.035	-0.009	-9
7/14/2007	9:29:51	0.036	-0.008	-8
7/14/2007	9:44:51	0.063	0.019	19
7/14/2007	9:59:51	0.05	0.006	6
7/14/2007	10:14:51	0.033	-0.011	-11
7/14/2007	10:29:51	0.078	0.034	34
7/14/2007	10:44:51	0.044	0	0
7/14/2007	10:59:51	0.034	-0.01	-10
7/14/2007	11:14:51	0.045	0.001	1
7/14/2007	11:29:51	0.049	0.005	5
7/14/2007	11:44:51	0.074	0.03	30
7/14/2007	11:59:51	0.047	0.003	3
7/14/2007	12:14:51	0.041	-0.003	-3
7/14/2007	12:29:51	0.041	-0.003	-3
7/14/2007	12:44:51	0.037	-0.007	-7
7/14/2007	12:59:51	0.032	-0.012	-12
7/14/2007	13:14:51	0.044	0	0
7/14/2007	13:29:51	0.073	0.029	29
7/14/2007	13:44:51	0.034	-0.01	-10
7/14/2007	13:59:51	0.043	-0.001	-1
7/14/2007	14:14:51	0.044	0	0
7/14/2007	14:29:51	0.048	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/14/2007 07:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0806) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/14/2007 8:25	0		0
2	7/14/2007 8:40	0		0
3	7/14/2007 8:55	0		0
4	7/14/2007 9:10	0		0
5	7/14/2007 9:25	0		0
6	7/14/2007 9:40	0		0
7	7/14/2007 9:55	0		0
8	7/14/2007 10:10	0		0
9	7/14/2007 10:25	0		0
10	7/14/2007 10:40	0		0
11	7/14/2007 10:55	0		0
12	7/14/2007 11:10	0		0
13	7/14/2007 11:25	0		0
14	7/14/2007 11:40	0		0
15	7/14/2007 11:55	0		0
16	7/14/2007 12:10	0		0
17	7/14/2007 12:25	0		0
18	7/14/2007 12:40	0		0
19	7/14/2007 12:55	0		0
20	7/14/2007 13:10	0		0
21	7/14/2007 13:25	0		0
22	7/14/2007 13:40	0		0
23	7/14/2007 13:55	0		0
24	7/14/2007 14:10	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	7/14/2007
Start Time:	8:10:44
Duration (dd:hh:mm:ss):	00:06:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	25
Notes:	Background Reading (0806) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/14/2007	8:25:44	0.023	0	0
7/14/2007	8:40:44	0.02	-0.003	-3
7/14/2007	8:55:44	0.02	-0.003	-3
7/14/2007	9:10:44	0.02	-0.003	-3
7/14/2007	9:25:44	0.02	-0.003	-3
7/14/2007	9:40:44	0.022	-0.001	-1
7/14/2007	9:55:44	0.02	-0.003	-3
7/14/2007	10:10:44	0.02	-0.003	-3
7/14/2007	10:25:44	0.019	-0.004	-4
7/14/2007	10:40:44	0.018	-0.005	-5
7/14/2007	10:55:44	0.014	-0.009	-9
7/14/2007	11:10:44	0.014	-0.009	-9
7/14/2007	11:25:44	0.014	-0.009	-9
7/14/2007	11:40:44	0.015	-0.008	-8
7/14/2007	11:55:44	0.015	-0.008	-8
7/14/2007	12:10:44	0.016	-0.007	-7
7/14/2007	12:25:44	0.017	-0.006	-6
7/14/2007	12:40:44	0.018	-0.005	-5
7/14/2007	12:55:44	0.017	-0.006	-6
7/14/2007	13:10:44	0.017	-0.006	-6
7/14/2007	13:25:44	0.017	-0.006	-6
7/14/2007	13:40:44	0.017	-0.006	-6
7/14/2007	13:55:44	0.018	-0.005	-5
7/14/2007	14:10:44	0.02	-0.003	-3
7/14/2007	14:25:44	0.022	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/16/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/16/2007 6:14	0		0
2	7/16/2007 6:29	0		0
3	7/16/2007 6:44	0		0
4	7/16/2007 6:59	0		0
5	7/16/2007 7:14	0		0
6	7/16/2007 7:29	0		0
7	7/16/2007 7:44	0		0
8	7/16/2007 7:59	0		0
9	7/16/2007 8:14	0		0
10	7/16/2007 8:29	0		0
11	7/16/2007 8:44	0		0
12	7/16/2007 8:59	0		0
13	7/16/2007 9:14	0		0
14	7/16/2007 9:29	0		0
15	7/16/2007 9:44	0		0
16	7/16/2007 9:59	0		0
17	7/16/2007 10:14	0		0
18	7/16/2007 10:29	0		0
19	7/16/2007 10:44	0		0
20	7/16/2007 10:59	0		0
21	7/16/2007 11:14	0		0
22	7/16/2007 11:29	0		0
23	7/16/2007 11:44	0		0
24	7/16/2007 11:59	0		0
25	7/16/2007 12:14	0		0
26	7/16/2007 12:29	0		0
27	7/16/2007 12:44	0		0
28	7/16/2007 12:59	0		0
29	7/16/2007 13:14	0		0
30	7/16/2007 13:29	0		0
31	7/16/2007 13:44	0		0
32	7/16/2007 13:59	0		0
33	7/16/2007 14:14	0		0
34	7/16/2007 14:29	0		0
35	7/16/2007 14:44	0		0
36	7/16/2007 14:59	0		0
37	7/16/2007 15:14	0		0
38	7/16/2007 15:29	0		0
39	7/16/2007 15:44	0		0
40	7/16/2007 15:59	0		0
41	7/16/2007 16:14	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/16/2007
Start Time:	6:05:00
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0600) = 0.015 mg/m^3

Calibration Sensor: Aerosol
Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/16/2007	6:20:00	0.015	0	0
7/16/2007	6:35:00	0.011	-0.004	-4
7/16/2007	6:50:00	0.011	-0.004	-4
7/16/2007	7:05:00	0.01	-0.005	-5
7/16/2007	7:20:00	0.012	-0.003	-3
7/16/2007	7:35:00	0.009	-0.006	-6
7/16/2007	7:50:00	0.009	-0.006	-6
7/16/2007	8:05:00	0.015	0	0
7/16/2007	8:20:00	0.008	-0.007	-7
7/16/2007	8:35:00	0.007	-0.008	-8
7/16/2007	8:50:00	0.007	-0.008	-8
7/16/2007	9:05:00	0.008	-0.007	-7
7/16/2007	9:20:00	0.009	-0.006	-6
7/16/2007	9:35:00	0.007	-0.008	-8
7/16/2007	9:50:00	0.006	-0.009	-9
7/16/2007	10:05:00	0.009	-0.006	-6
7/16/2007	10:20:00	0.013	-0.002	-2
7/16/2007	10:35:00	0.009	-0.006	-6
7/16/2007	10:50:00	0.009	-0.006	-6
7/16/2007	11:05:00	0.008	-0.007	-7
7/16/2007	11:20:00	0.008	-0.007	-7
7/16/2007	11:35:00	0.013	-0.002	-2
7/16/2007	11:50:00	0.01	-0.005	-5
7/16/2007	12:05:00	0.012	-0.003	-3
7/16/2007	12:20:00	0.007	-0.008	-8
7/16/2007	12:35:00	0.009	-0.006	-6
7/16/2007	12:50:00	0.009	-0.006	-6
7/16/2007	13:05:00	0.034	0.019	19
7/16/2007	13:20:00	0.043	0.028	28
7/16/2007	13:35:00	0.012	-0.003	-3
7/16/2007	13:50:00	0.008	-0.007	-7
7/16/2007	14:05:00	0.01	-0.005	-5
7/16/2007	14:20:00	0.014	-0.001	-1
7/16/2007	14:35:00	0.012	-0.003	-3
7/16/2007	14:50:00	0.009	-0.006	-6
7/16/2007	15:05:00	0.009	-0.006	-6
7/16/2007	15:20:00	0.01	-0.005	-5
7/16/2007	15:35:00	0.009	-0.006	-6
7/16/2007	15:50:00	0.008	-0.007	-7
7/16/2007	16:05:00	0.009	-0.006	-6
7/16/2007	16:20:00	0.01	-0.005	-5
7/16/2007	16:35:00	0.008	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/16/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0547) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/16/2007 6:02	0		0
2	7/16/2007 6:17	0		0
3	7/16/2007 6:32	0		0
4	7/16/2007 6:47	0		0
5	7/16/2007 7:02	0		0
6	7/16/2007 7:17	0		0
7	7/16/2007 7:32	0		0
8	7/16/2007 7:47	0		0
9	7/16/2007 8:02	0		0
10	7/16/2007 8:17	0.1		0.1
11	7/16/2007 8:32	0.1		0.1
12	7/16/2007 8:47	0.1		0.1
13	7/16/2007 9:02	0.1		0.1
14	7/16/2007 9:17	0.2		0.2
15	7/16/2007 9:32	0.2		0.2
16	7/16/2007 9:47	0.2		0.2
17	7/16/2007 10:02	0.2		0.2
18	7/16/2007 10:17	0.3		0.3
19	7/16/2007 10:32	0.3		0.3
20	7/16/2007 10:47	0.3		0.3
21	7/16/2007 11:02	0.3		0.3
22	7/16/2007 11:17	0.3		0.3
23	7/16/2007 11:32	0.3		0.3
24	7/16/2007 11:47	0.3		0.3
25	7/16/2007 12:02	0.4		0.4
26	7/16/2007 12:17	0.4		0.4
27	7/16/2007 12:32	0.4		0.4
28	7/16/2007 12:47	0.4		0.4
29	7/16/2007 13:02	0.4		0.4
30	7/16/2007 13:17	0.5		0.5
31	7/16/2007 13:32	0.5		0.5
32	7/16/2007 13:47	0.5		0.5
33	7/16/2007 14:02	0.5		0.5
34	7/16/2007 14:17	0.5		0.5
35	7/16/2007 14:32	0.5		0.5
36	7/16/2007 14:47	0.5		0.5
37	7/16/2007 15:02	0.4		0.4
38	7/16/2007 15:17	0.5		0.5
39	7/16/2007 15:32	0.5		0.5
40	7/16/2007 15:47	0.5		0.5
41	7/16/2007 16:02	0.5		0.5
42	7/16/2007 16:17	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/16/2007
Start Time:	5:52:21
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0547) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/16/2007	6:07:21	0.017	-0.002	-2
7/16/2007	6:22:21	0.015	-0.004	-4
7/16/2007	6:37:21	0.013	-0.006	-6
7/16/2007	6:52:21	0.013	-0.006	-6
7/16/2007	7:07:21	0.012	-0.007	-7
7/16/2007	7:22:21	0.014	-0.005	-5
7/16/2007	7:37:21	0.014	-0.005	-5
7/16/2007	7:52:21	0.014	-0.005	-5
7/16/2007	8:07:21	0.015	-0.004	-4
7/16/2007	8:22:21	0.015	-0.004	-4
7/16/2007	8:37:21	0.014	-0.005	-5
7/16/2007	8:52:21	0.014	-0.005	-5
7/16/2007	9:07:21	0.012	-0.007	-7
7/16/2007	9:22:21	0.012	-0.007	-7
7/16/2007	9:37:21	0.012	-0.007	-7
7/16/2007	9:52:21	0.013	-0.006	-6
7/16/2007	10:07:21	0.014	-0.005	-5
7/16/2007	10:22:21	0.013	-0.006	-6
7/16/2007	10:37:21	0.013	-0.006	-6
7/16/2007	10:52:21	0.019	0	0
7/16/2007	11:07:21	0.013	-0.006	-6
7/16/2007	11:22:21	0.017	-0.002	-2
7/16/2007	11:37:21	0.013	-0.006	-6
7/16/2007	11:52:21	0.013	-0.006	-6
7/16/2007	12:07:21	0.013	-0.006	-6
7/16/2007	12:22:21	0.011	-0.008	-8
7/16/2007	12:37:21	0.017	-0.002	-2
7/16/2007	12:52:21	0.016	-0.003	-3
7/16/2007	13:07:21	0.017	-0.002	-2
7/16/2007	13:22:21	0.016	-0.003	-3
7/16/2007	13:37:21	0.015	-0.004	-4
7/16/2007	13:52:21	0.015	-0.004	-4
7/16/2007	14:07:21	0.014	-0.005	-5
7/16/2007	14:22:21	0.017	-0.002	-2
7/16/2007	14:37:21	0.016	-0.003	-3
7/16/2007	14:52:21	0.017	-0.002	-2
7/16/2007	15:07:21	0.015	-0.004	-4
7/16/2007	15:22:21	0.016	-0.003	-3
7/16/2007	15:37:21	0.017	-0.002	-2
7/16/2007	15:52:21	0.017	-0.002	-2
7/16/2007	16:07:21	0.017	-0.002	-2
7/16/2007	16:22:21	0.042	0.023	23
7/16/2007	16:37:21	0.017	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031

User ID: 00000001 Site ID: 00000001

Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/16/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/16/2007 6:23	0.1		0.1
2	7/16/2007 6:38	0.1		0.1
3	7/16/2007 6:53	0.1		0.1
4	7/16/2007 7:08	0.1		0.1
5	7/16/2007 7:23	0.2		0.2
6	7/16/2007 7:38	0.2		0.2
7	7/16/2007 7:53	0.2		0.2
8	7/16/2007 8:08	0.2		0.2
9	7/16/2007 8:23	0.2		0.2
10	7/16/2007 8:38	0.3		0.3
11	7/16/2007 8:53	0.3		0.3
12	7/16/2007 9:08	0.4		0.4
13	7/16/2007 9:23	0.3		0.3
14	7/16/2007 9:38	0.3		0.3
15	7/16/2007 9:53	0.4		0.4
16	7/16/2007 10:08	0.4		0.4
17	7/16/2007 10:23	0.5		0.5
18	7/16/2007 10:38	0.6		0.6
19	7/16/2007 10:53	0.8		0.8
20	7/16/2007 11:08	0.5		0.5
21	7/16/2007 11:23	0.5		0.5
22	7/16/2007 11:38	0.6		0.6
23	7/16/2007 11:53	0.6		0.6
24	7/16/2007 12:08	0.4		0.4
25	7/16/2007 12:23	0.4		0.4
26	7/16/2007 12:38	0.4		0.4
27	7/16/2007 12:53	0.5		0.5
28	7/16/2007 13:08	0.5		0.5
29	7/16/2007 13:23	0.7		0.7
30	7/16/2007 13:38	0.4		0.4
31	7/16/2007 13:53	0.4		0.4
32	7/16/2007 14:08	0.4		0.4
33	7/16/2007 14:23	0.4		0.4
34	7/16/2007 14:38	0.5		0.5
35	7/16/2007 14:53	0.4		0.4
36	7/16/2007 15:08	0.4		0.4
37	7/16/2007 15:23	0.5		0.5
38	7/16/2007 15:38	0.8		0.8
39	7/16/2007 15:53	0.5		0.5
40	7/16/2007 16:08	0.5		0.5
41	7/16/2007 16:23	0.5		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/16/2007
Start Time:	6:08:38
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0605) = 0.027 mg/m^3

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/16/2007	6:23:38	0.026	-0.001	-1	
7/16/2007	6:38:38	0.02	-0.007	-7	
7/16/2007	6:53:38	0.024	-0.003	-3	
7/16/2007	7:08:38	0.017	-0.01	-10	
7/16/2007	7:23:38	0.017	-0.01	-10	
7/16/2007	7:38:38	0.024	-0.003	-3	
7/16/2007	7:53:38	0.02	-0.007	-7	
7/16/2007	8:08:38	0.033	0.006	6	
7/16/2007	8:23:38	0.025	-0.002	-2	
7/16/2007	8:38:38	0.024	-0.003	-3	
7/16/2007	8:53:38	0.033	0.006	6	
7/16/2007	9:08:38	0.023	-0.004	-4	
7/16/2007	9:23:38	0.028	0.001	1	
7/16/2007	9:38:38	0.022	-0.005	-5	
7/16/2007	9:53:38	0.02	-0.007	-7	
7/16/2007	10:08:38	0.039	0.012	12	
7/16/2007	10:23:38	0.069	0.042	42	
7/16/2007	10:38:38	0.093	0.066	66	
7/16/2007	10:53:38	0.06	0.033	33	
7/16/2007	11:08:38	0.036	0.009	9	
7/16/2007	11:23:38	0.08	0.053	53	
7/16/2007	11:38:38	0.063	0.036	36	
7/16/2007	11:53:38	0.031	0.004	4	
7/16/2007	12:08:38	0.024	-0.003	-3	
7/16/2007	12:23:38	0.021	-0.006	-6	
7/16/2007	12:38:38	0.016	-0.011	-11	
7/16/2007	12:53:38	0.026	-0.001	-1	
7/16/2007	13:08:38	0.056	0.029	29	
7/16/2007	13:23:38	0.022	-0.005	-5	
7/16/2007	13:38:38	0.021	-0.006	-6	
7/16/2007	13:53:38	0.046	0.019	19	
7/16/2007	14:08:38	0.038	0.011	11	
7/16/2007	14:23:38	0.031	0.004	4	
7/16/2007	14:38:38	0.026	-0.001	-1	
7/16/2007	14:53:38	0.034	0.007	7	
7/16/2007	15:08:38	0.046	0.019	19	
7/16/2007	15:23:38	0.051	0.024	24	
7/16/2007	15:38:38	0.06	0.033	33	
7/16/2007	15:53:38	0.036	0.009	9	
7/16/2007	16:08:38	0.553	0.526	526	*overfill of Hayward/Baker grout plant silo
7/16/2007	16:23:38	0.032	0.005	5	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/16/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/16/2007 6:25	0		0
2	7/16/2007 6:40	0		0
3	7/16/2007 6:55	0		0
4	7/16/2007 7:10	0		0
5	7/16/2007 7:25	0		0
6	7/16/2007 7:40	0		0
7	7/16/2007 7:55	0		0
8	7/16/2007 8:10	0		0
9	7/16/2007 8:25	0		0
10	7/16/2007 8:40	0		0
11	7/16/2007 8:55	0		0
12	7/16/2007 9:10	0		0
13	7/16/2007 9:25	0		0
14	7/16/2007 9:40	0		0
15	7/16/2007 9:55	0		0
16	7/16/2007 10:10	0		0
17	7/16/2007 10:25	0		0
18	7/16/2007 10:40	0		0
19	7/16/2007 10:55	0		0
20	7/16/2007 11:10	0		0
21	7/16/2007 11:25	0		0
22	7/16/2007 11:40	0		0
23	7/16/2007 11:55	0		0
24	7/16/2007 12:10	0		0
25	7/16/2007 12:25	0		0
26	7/16/2007 12:40	0		0
27	7/16/2007 12:55	0		0
28	7/16/2007 13:10	0		0
29	7/16/2007 13:25	0		0
30	7/16/2007 13:40	0		0
31	7/16/2007 13:55	0		0
32	7/16/2007 14:10	0		0
33	7/16/2007 14:25	0		0
34	7/16/2007 14:40	0		0
35	7/16/2007 14:55	0		0
36	7/16/2007 15:10	0		0
37	7/16/2007 15:25	0		0
38	7/16/2007 15:40	0		0
39	7/16/2007 15:55	0		0
40	7/16/2007 16:10	0		0
41	7/16/2007 16:25	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/16/2007
Start Time:	6:12:32
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0608) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/16/2007	6:27:32	0.021	0	0
7/16/2007	6:42:32	0.02	-0.001	-1
7/16/2007	6:57:32	0.019	-0.002	-2
7/16/2007	7:12:32	0.015	-0.006	-6
7/16/2007	7:27:32	0.013	-0.008	-8
7/16/2007	7:42:32	0.016	-0.005	-5
7/16/2007	7:57:32	0.014	-0.007	-7
7/16/2007	8:12:32	0.012	-0.009	-9
7/16/2007	8:27:32	0.014	-0.007	-7
7/16/2007	8:42:32	0.01	-0.011	-11
7/16/2007	8:57:32	0.013	-0.008	-8
7/16/2007	9:12:32	0.009	-0.012	-12
7/16/2007	9:27:32	0.009	-0.012	-12
7/16/2007	9:42:32	0.01	-0.011	-11
7/16/2007	9:57:32	0.01	-0.011	-11
7/16/2007	10:12:32	0.012	-0.009	-9
7/16/2007	10:27:32	0.01	-0.011	-11
7/16/2007	10:42:32	0.01	-0.011	-11
7/16/2007	10:57:32	0.013	-0.008	-8
7/16/2007	11:12:32	0.009	-0.012	-12
7/16/2007	11:27:32	0.009	-0.012	-12
7/16/2007	11:42:32	0.009	-0.012	-12
7/16/2007	11:57:32	0.012	-0.009	-9
7/16/2007	12:12:32	0.008	-0.013	-13
7/16/2007	12:27:32	0.008	-0.013	-13
7/16/2007	12:42:32	0.014	-0.007	-7
7/16/2007	12:57:32	0.01	-0.011	-11
7/16/2007	13:12:32	0.048	0.027	27
7/16/2007	13:27:32	0.014	-0.007	-7
7/16/2007	13:42:32	0.03	0.009	9
7/16/2007	13:57:32	0.031	0.01	10
7/16/2007	14:12:32	0.018	-0.003	-3
7/16/2007	14:27:32	0.018	-0.003	-3
7/16/2007	14:42:32	0.017	-0.004	-4
7/16/2007	14:57:32	0.021	0	0
7/16/2007	15:12:32	0.028	0.007	7
7/16/2007	15:27:32	0.02	-0.001	-1
7/16/2007	15:42:32	0.014	-0.007	-7
7/16/2007	15:57:32	0.012	-0.009	-9
7/16/2007	16:12:32	0.072	0.051	51
7/16/2007	16:27:32	0.014	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/17/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/17/2007 6:10	0		0
2	7/17/2007 6:25	0		0
3	7/17/2007 6:40	0		0
4	7/17/2007 6:55	0		0
5	7/17/2007 7:10	0		0
6	7/17/2007 7:25	0		0
7	7/17/2007 7:40	0		0
8	7/17/2007 7:55	0		0
9	7/17/2007 8:10	0		0
10	7/17/2007 8:25	0		0
11	7/17/2007 8:40	0		0
12	7/17/2007 8:55	0		0
13	7/17/2007 9:10	0		0
14	7/17/2007 9:25	0		0
15	7/17/2007 9:40	0		0
16	7/17/2007 9:55	0		0
17	7/17/2007 10:10	0		0
18	7/17/2007 10:25	0		0
19	7/17/2007 10:40	0		0
20	7/17/2007 10:55	0		0
21	7/17/2007 11:10	0		0
22	7/17/2007 11:25	0		0
23	7/17/2007 11:40	0		0
24	7/17/2007 11:55	0		0
25	7/17/2007 12:10	0		0
26	7/17/2007 12:25	0		0
27	7/17/2007 12:40	0		0
28	7/17/2007 12:55	0		0
29	7/17/2007 13:10	0		0
30	7/17/2007 13:25	0		0
31	7/17/2007 13:40	0		0
32	7/17/2007 13:55	0		0
33	7/17/2007 14:10	0		0
34	7/17/2007 14:25	0		0
35	7/17/2007 14:40	0		0
36	7/17/2007 14:55	0		0
37	7/17/2007 15:10	0		0
38	7/17/2007 15:25	0		0
39	7/17/2007 15:40	0		0
40	7/17/2007 15:55	0		0
41	7/17/2007 16:10	0		0
42	7/17/2007 16:25	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/17/2007
Start Time:	5:56:46
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0556) = 0.039 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/17/2007	6:11:46	0.035	-0.004	-4
7/17/2007	6:26:46	0.028	-0.011	-11
7/17/2007	6:41:46	0.035	-0.004	-4
7/17/2007	6:56:46	0.03	-0.009	-9
7/17/2007	7:11:46	0.031	-0.008	-8
7/17/2007	7:26:46	0.039	0	0
7/17/2007	7:41:46	0.032	-0.007	-7
7/17/2007	7:56:46	0.029	-0.01	-10
7/17/2007	8:11:46	0.031	-0.008	-8
7/17/2007	8:26:46	0.033	-0.006	-6
7/17/2007	8:41:46	0.031	-0.008	-8
7/17/2007	8:56:46	0.032	-0.007	-7
7/17/2007	9:11:46	0.03	-0.009	-9
7/17/2007	9:26:46	0.04	0.001	1
7/17/2007	9:41:46	0.042	0.003	3
7/17/2007	9:56:46	0.026	-0.013	-13
7/17/2007	10:11:46	0.026	-0.013	-13
7/17/2007	10:26:46	0.027	-0.012	-12
7/17/2007	10:41:46	0.032	-0.007	-7
7/17/2007	10:56:46	0.034	-0.005	-5
7/17/2007	11:11:46	0.023	-0.016	-16
7/17/2007	11:26:46	0.031	-0.008	-8
7/17/2007	11:41:46	0.025	-0.014	-14
7/17/2007	11:56:46	0.025	-0.014	-14
7/17/2007	12:11:46	0.027	-0.012	-12
7/17/2007	12:26:46	0.027	-0.012	-12
7/17/2007	12:41:46	0.028	-0.011	-11
7/17/2007	12:56:46	0.03	-0.009	-9
7/17/2007	13:11:46	0.027	-0.012	-12
7/17/2007	13:26:46	0.027	-0.012	-12
7/17/2007	13:41:46	0.031	-0.008	-8
7/17/2007	13:56:46	0.028	-0.011	-11
7/17/2007	14:11:46	0.033	-0.006	-6
7/17/2007	14:26:46	0.031	-0.008	-8
7/17/2007	14:41:46	0.03	-0.009	-9
7/17/2007	14:56:46	0.03	-0.009	-9
7/17/2007	15:11:46	0.03	-0.009	-9
7/17/2007	15:26:46	0.035	-0.004	-4
7/17/2007	15:41:46	0.032	-0.007	-7
7/17/2007	15:56:46	0.031	-0.008	-8
7/17/2007	16:11:46	0.032	-0.007	-7
7/17/2007	16:26:46	0.034	-0.005	-5
7/17/2007	16:41:46	0.033	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/17/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/17/2007 6:06	0		0
2	7/17/2007 6:21	0.1		0.1
3	7/17/2007 6:36	0.3		0.3
4	7/17/2007 6:51	0.3		0.3
5	7/17/2007 7:06	0.4		0.4
6	7/17/2007 7:21	0.4		0.4
7	7/17/2007 7:36	0.4		0.4
8	7/17/2007 7:51	0.5		0.5
9	7/17/2007 8:06	0.5		0.5
10	7/17/2007 8:21	0.5		0.5
11	7/17/2007 8:36	0.5		0.5
1	7/17/2007 9:07	0.1		0.1
2	7/17/2007 9:22	0.1		0.1
3	7/17/2007 9:37	0.1		0.1
4	7/17/2007 9:52	0.1		0.1
5	7/17/2007 10:07	0.1		0.1
6	7/17/2007 10:22	0.2		0.2
7	7/17/2007 10:37	0.2		0.2
8	7/17/2007 10:52	0.2		0.2
9	7/17/2007 11:07	0.2		0.2
10	7/17/2007 11:22	0.2		0.2
11	7/17/2007 11:37	0.3		0.3
12	7/17/2007 11:52	0.3		0.3
13	7/17/2007 12:07	0.3		0.3
14	7/17/2007 12:22	0.3		0.3
15	7/17/2007 12:37	0.3		0.3
16	7/17/2007 12:52	0.3		0.3
17	7/17/2007 13:07	0.3		0.3
18	7/17/2007 13:22	0.3		0.3
19	7/17/2007 13:37	0.4		0.4
20	7/17/2007 13:52	0.4		0.4
21	7/17/2007 14:07	0.4		0.4
22	7/17/2007 14:22	0.3		0.3
23	7/17/2007 14:37	0.3		0.3
24	7/17/2007 14:52	0.3		0.3
25	7/17/2007 15:07	0.3		0.3
26	7/17/2007 15:22	0.3		0.3
27	7/17/2007 15:37	0.3		0.3
28	7/17/2007 15:52	0.3		0.3
29	7/17/2007 16:07	0.3		0.3
30	7/17/2007 16:22	0.3		0.3
31	7/17/2007 16:37	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/17/2007
Start Time:	5:51:56
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0550) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/17/2007	6:06:56	0.037	-0.006	-6
7/17/2007	6:21:56	0.028	-0.015	-15
7/17/2007	6:36:56	0.029	-0.014	-14
7/17/2007	6:51:56	0.03	-0.013	-13
7/17/2007	7:06:56	0.034	-0.009	-9
7/17/2007	7:21:56	0.037	-0.006	-6
7/17/2007	7:36:56	0.039	-0.004	-4
7/17/2007	7:51:56	0.035	-0.008	-8
7/17/2007	8:06:56	0.037	-0.006	-6
7/17/2007	8:21:56	0.038	-0.005	-5
7/17/2007	8:36:56	0.038	-0.005	-5
7/17/2007	8:51:56	0.04	-0.003	-3
7/17/2007	9:06:56	0.038	-0.005	-5
7/17/2007	9:21:56	0.049	0.006	6
7/17/2007	9:36:56	0.056	0.013	13
7/17/2007	9:51:56	0.038	-0.005	-5
7/17/2007	10:06:56	0.041	-0.002	-2
7/17/2007	10:21:56	0.036	-0.007	-7
7/17/2007	10:36:56	0.037	-0.006	-6
7/17/2007	10:51:56	0.035	-0.008	-8
7/17/2007	11:06:56	0.035	-0.008	-8
7/17/2007	11:21:56	0.034	-0.009	-9
7/17/2007	11:36:56	0.035	-0.008	-8
7/17/2007	11:51:56	0.037	-0.006	-6
7/17/2007	12:06:56	0.038	-0.005	-5
7/17/2007	12:21:56	0.039	-0.004	-4
7/17/2007	12:36:56	0.04	-0.003	-3
7/17/2007	12:51:56	0.04	-0.003	-3
7/17/2007	13:06:56	0.04	-0.003	-3
7/17/2007	13:21:56	0.041	-0.002	-2
7/17/2007	13:36:56	0.04	-0.003	-3
7/17/2007	13:51:56	0.042	-0.001	-1
7/17/2007	14:06:56	0.044	0.001	1
7/17/2007	14:21:56	0.049	0.006	6
7/17/2007	14:36:56	0.045	0.002	2
7/17/2007	14:51:56	0.045	0.002	2
7/17/2007	15:06:56	0.044	0.001	1
7/17/2007	15:21:56	0.046	0.003	3
7/17/2007	15:36:56	0.044	0.001	1
7/17/2007	15:51:56	0.046	0.003	3
7/17/2007	16:06:56	0.042	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/17/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/17/2007 6:29	0		0
2	7/17/2007 6:44	0		0
3	7/17/2007 6:59	0.1		0.1
4	7/17/2007 7:14	0.1		0.1
5	7/17/2007 7:29	0		0
6	7/17/2007 7:44	0		0
7	7/17/2007 7:59	0		0
8	7/17/2007 8:14	0		0
9	7/17/2007 8:29	0		0
10	7/17/2007 8:44	0		0
11	7/17/2007 8:59	0		0
12	7/17/2007 9:14	0		0
13	7/17/2007 9:29	0		0
14	7/17/2007 9:44	0.2		0.2
15	7/17/2007 9:59	0.2		0.2
16	7/17/2007 10:14	0.1		0.1
17	7/17/2007 10:29	0		0
18	7/17/2007 10:44	0		0
19	7/17/2007 10:59	0		0
20	7/17/2007 11:14	0		0
21	7/17/2007 11:29	0		0
22	7/17/2007 11:44	0		0
23	7/17/2007 11:59	0		0
24	7/17/2007 12:14	0		0
25	7/17/2007 12:29	0		0
26	7/17/2007 12:44	0		0
27	7/17/2007 12:59	0		0
28	7/17/2007 13:14	0		0
29	7/17/2007 13:29	0		0
30	7/17/2007 13:44	0.2		0.2
31	7/17/2007 13:59	0		0
32	7/17/2007 14:14	0.6		0.6
33	7/17/2007 14:29	0.2		0.2
34	7/17/2007 14:44	0		0
35	7/17/2007 14:59	0		0
36	7/17/2007 15:14	0		0
37	7/17/2007 15:29	0		0
38	7/17/2007 15:44	0		0
39	7/17/2007 15:59	0		0
40	7/17/2007 16:14	0		0
41	7/17/2007 16:29	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/17/2007
Start Time:	6:14:22
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0610) = 0.066 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/17/2007	6:29:22	0.062	-0.004	-4
7/17/2007	6:44:22	0.058	-0.008	-8
7/17/2007	6:59:22	0.06	-0.006	-6
7/17/2007	7:14:22	0.076	0.01	10
7/17/2007	7:29:22	0.101	0.035	35
7/17/2007	7:44:22	0.076	0.01	10
7/17/2007	7:59:22	0.084	0.018	18
7/17/2007	8:14:22	0.102	0.036	36
7/17/2007	8:29:22	0.081	0.015	15
7/17/2007	8:44:22	0.078	0.012	12
7/17/2007	8:59:22	0.074	0.008	8
7/17/2007	9:14:22	0.078	0.012	12
7/17/2007	9:29:22	0.127	0.061	61
7/17/2007	9:44:22	0.082	0.016	16
7/17/2007	9:59:22	0.073	0.007	7
7/17/2007	10:14:22	0.06	-0.006	-6
7/17/2007	10:29:22	0.067	0.001	1
7/17/2007	10:44:22	0.071	0.005	5
7/17/2007	10:59:22	0.064	-0.002	-2
7/17/2007	11:14:22	0.056	-0.01	-10
7/17/2007	11:29:22	0.063	-0.003	-3
7/17/2007	11:44:22	0.065	-0.001	-1
7/17/2007	11:59:22	0.063	-0.003	-3
7/17/2007	12:14:22	0.065	-0.001	-1
7/17/2007	12:29:22	0.069	0.003	3
7/17/2007	12:44:22	0.069	0.003	3
7/17/2007	12:59:22	0.082	0.016	16
7/17/2007	13:14:22	0.078	0.012	12
7/17/2007	13:29:22	0.078	0.012	12
7/17/2007	13:44:22	0.068	0.002	2
7/17/2007	13:59:22	0.08	0.014	14
7/17/2007	14:14:22	0.074	0.008	8
7/17/2007	14:29:22	0.096	0.03	30
7/17/2007	14:44:22	0.086	0.02	20
7/17/2007	14:59:22	0.073	0.007	7
7/17/2007	15:14:22	0.083	0.017	17
7/17/2007	15:29:22	0.088	0.022	22
7/17/2007	15:44:22	0.084	0.018	18
7/17/2007	15:59:22	0.083	0.017	17
7/17/2007	16:14:22	0.077	0.011	11
7/17/2007	16:29:22	0.087	0.021	21
7/17/2007	16:44:22	0.086	0.02	20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/17/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/17/2007 6:26	0		0
2	7/17/2007 6:41	0		0
3	7/17/2007 6:56	0		0
4	7/17/2007 7:11	0		0
5	7/17/2007 7:26	0		0
6	7/17/2007 7:41	0		0
7	7/17/2007 7:56	0		0
8	7/17/2007 8:11	0		0
9	7/17/2007 8:26	0		0
10	7/17/2007 8:41	0		0
11	7/17/2007 8:56	0		0
12	7/17/2007 9:11	0		0
13	7/17/2007 9:26	0		0
14	7/17/2007 9:41	0		0
15	7/17/2007 9:56	0		0
16	7/17/2007 10:11	0		0
17	7/17/2007 10:26	0		0
18	7/17/2007 10:41	0		0
19	7/17/2007 10:56	0		0
20	7/17/2007 11:11	0		0
21	7/17/2007 11:26	0		0
22	7/17/2007 11:41	0		0
23	7/17/2007 11:56	0		0
24	7/17/2007 12:11	0		0
25	7/17/2007 12:26	0		0
26	7/17/2007 12:41	0		0
27	7/17/2007 12:56	0		0
28	7/17/2007 13:11	0		0
29	7/17/2007 13:26	0		0
30	7/17/2007 13:41	0		0
31	7/17/2007 13:56	0		0
32	7/17/2007 14:11	0		0
33	7/17/2007 14:26	0		0
34	7/17/2007 14:41	0		0
35	7/17/2007 14:56	0		0
36	7/17/2007 15:11	0		0
37	7/17/2007 15:26	0		0
38	7/17/2007 15:41	0		0
39	7/17/2007 15:56	0		0
40	7/17/2007 16:11	0		0
41	7/17/2007 16:26	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/17/2007
Start Time:	6:01:45
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0607) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/17/2007	6:16:45	0.055	0.001	1
7/17/2007	6:31:45	0.056	0.002	2
7/17/2007	6:46:45	0.057	0.003	3
7/17/2007	7:01:45	0.051	-0.003	-3
7/17/2007	7:16:45	0.049	-0.005	-5
7/17/2007	7:31:45	0.05	-0.004	-4
7/17/2007	7:46:45	0.059	0.005	5
7/17/2007	8:01:45	0.053	-0.001	-1
7/17/2007	8:16:45	0.053	-0.001	-1
7/17/2007	8:31:45	0.051	-0.003	-3
7/17/2007	8:46:45	0.05	-0.004	-4
7/17/2007	9:01:45	0.052	-0.002	-2
7/17/2007	9:16:45	0.065	0.011	11
7/17/2007	9:31:45	0.111	0.057	57
7/17/2007	9:46:45	0.07	0.016	16
7/17/2007	10:01:45	0.039	-0.015	-15
7/17/2007	10:16:45	0.04	-0.014	-14
7/17/2007	10:31:45	0.052	-0.002	-2
7/17/2007	10:46:45	0.039	-0.015	-15
7/17/2007	11:01:45	0.036	-0.018	-18
7/17/2007	11:16:45	0.034	-0.02	-20
7/17/2007	11:31:45	0.038	-0.016	-16
7/17/2007	11:46:45	0.039	-0.015	-15
7/17/2007	12:01:45	0.043	-0.011	-11
7/17/2007	12:16:45	0.041	-0.013	-13
7/17/2007	12:31:45	0.041	-0.013	-13
7/17/2007	12:46:45	0.042	-0.012	-12
7/17/2007	13:01:45	0.047	-0.007	-7
7/17/2007	13:16:45	0.052	-0.002	-2
7/17/2007	13:31:45	0.045	-0.009	-9
7/17/2007	13:46:45	0.043	-0.011	-11
7/17/2007	14:01:45	0.048	-0.006	-6
7/17/2007	14:16:45	0.046	-0.008	-8
7/17/2007	14:31:45	0.047	-0.007	-7
7/17/2007	14:46:45	0.049	-0.005	-5
7/17/2007	15:01:45	0.049	-0.005	-5
7/17/2007	15:16:45	0.049	-0.005	-5
7/17/2007	15:31:45	0.053	-0.001	-1
7/17/2007	15:46:45	0.051	-0.003	-3
7/17/2007	16:01:45	0.05	-0.004	-4
7/17/2007	16:16:45	0.052	-0.002	-2
7/17/2007	16:31:45	0.056	0.002	2
7/17/2007	16:46:45	0.055	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/17/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0553) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	7/17/2007 6:10	0		0	
2	7/17/2007 6:25	0		0	
3	7/17/2007 6:40	0		0	*AKRF test of equipment at STA 1
4	7/17/2007 6:55	0		0	
5	7/17/2007 7:10	0		0	
6	7/17/2007 7:25	0		0	
7	7/17/2007 7:40	0		0	
8	7/17/2007 7:55	0		0	
9	7/17/2007 8:10	0		0	
10	7/17/2007 8:25	0		0	
11	7/17/2007 8:40	0		0	
12	7/17/2007 8:55	0		0	
13	7/17/2007 9:10	0		0	
14	7/17/2007 9:25	0		0	
15	7/17/2007 9:40	0		0	
16	7/17/2007 9:55	0		0	
17	7/17/2007 10:10	0		0	
18	7/17/2007 10:25	0		0	
19	7/17/2007 10:40	0		0	
20	7/17/2007 10:55	0		0	
21	7/17/2007 11:10	0		0	
22	7/17/2007 11:25	0		0	
23	7/17/2007 11:40	0		0	*Mini Rae (Serial #110-011740) switched out to STA 3
1	7/18/2007 12:27	0		0	*Mini Rae (Serial #110-005968) placed in STA 1 for remainder of the day)
2	7/18/2007 12:42	0		0	
3	7/18/2007 12:57	0		0	
4	7/18/2007 13:12	0		0	
5	7/18/2007 13:27	0		0	
6	7/18/2007 13:42	0		0	
7	7/18/2007 13:57	0		0	
8	7/18/2007 14:12	0		0	
9	7/18/2007 14:27	0		0	
10	7/18/2007 14:42	0		0	
11	7/18/2007 14:57	0		0	
12	7/18/2007 15:12	0		0	
13	7/18/2007 15:27	0		0	
14	7/18/2007 15:42	0		0	
15	7/18/2007 15:57	0		0	
16	7/18/2007 16:12	0		0	
17	7/18/2007 16:27	0		0	
18	7/18/2007 16:42	0		0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/18/2007
Start Time:	5:54:01
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0553) = 0.196 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/18/2007	6:09:01	0.258	0.062	62
7/18/2007	6:24:01	0.149	-0.047	-47
7/18/2007	6:39:01	0.1	-0.096	-96
7/18/2007	6:54:01	0.099	-0.097	-97
7/18/2007	7:09:01	0.101	-0.095	-95
7/18/2007	7:24:01	0.027	-0.169	-169
7/18/2007	7:39:01	0.023	-0.173	-173
7/18/2007	7:54:01	0.025	-0.171	-171
7/18/2007	8:09:01	0.027	-0.169	-169
7/18/2007	8:24:01	0.032	-0.164	-164
7/18/2007	8:39:01	0.038	-0.158	-158
7/18/2007	8:54:01	0.036	-0.16	-160
7/18/2007	9:09:01	0.042	-0.154	-154
7/18/2007	9:24:01	0.043	-0.153	-153
7/18/2007	9:39:01	0.044	-0.152	-152
7/18/2007	9:54:01	0.041	-0.155	-155
7/18/2007	10:09:01	0.036	-0.16	-160
7/18/2007	10:24:01	0.027	-0.169	-169
7/18/2007	10:39:01	0.022	-0.174	-174
7/18/2007	10:54:01	0.02	-0.176	-176
7/18/2007	11:09:01	0.012	-0.184	-184
7/18/2007	11:24:01	0.014	-0.182	-182
7/18/2007	11:39:01	0.013	-0.183	-183
7/18/2007	11:54:01	0.019	-0.177	-177
7/18/2007	12:09:01	0.024	-0.172	-172
7/18/2007	12:24:01	0.023	-0.173	-173
7/18/2007	12:39:01	0.016	-0.18	-180
7/18/2007	12:54:01	0.023	-0.173	-173
7/18/2007	13:09:01	0.026	-0.17	-170
7/18/2007	13:24:01	0.016	-0.18	-180
7/18/2007	13:39:01	0.021	-0.175	-175
7/18/2007	13:54:01	0.02	-0.176	-176
7/18/2007	14:09:01	0.021	-0.175	-175
7/18/2007	14:24:01	0.025	-0.171	-171
7/18/2007	14:39:01	0.025	-0.171	-171
7/18/2007	14:54:01	0.027	-0.169	-169
7/18/2007	15:09:01	0.026	-0.17	-170
7/18/2007	15:24:01	0.026	-0.17	-170
7/18/2007	15:39:01	0.025	-0.171	-171
7/18/2007	15:54:01	0.027	-0.169	-169
7/18/2007	16:09:01	0.027	-0.169	-169
7/18/2007	16:24:01	0.028	-0.168	-168
7/18/2007	16:39:01	0.029	-0.167	-167
7/18/2007	16:54:01	0.035	-0.161	-161
7/18/2007	17:09:01	0.032	-0.164	-164

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/18/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0547) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/18/2007 6:03	0		0
2	7/18/2007 6:18	0		0
3	7/18/2007 6:33	0		0
4	7/18/2007 6:48	0		0
5	7/18/2007 7:03	0		0
6	7/18/2007 7:18	0		0
7	7/18/2007 7:33	0		0
8	7/18/2007 7:48	0		0
9	7/18/2007 8:03	0		0
10	7/18/2007 8:18	0		0
11	7/18/2007 8:33	0		0
12	7/18/2007 8:48	0		0
13	7/18/2007 9:03	0		0
14	7/18/2007 9:18	0		0
15	7/18/2007 9:33	0		0
16	7/18/2007 9:48	0.1		0.1
17	7/18/2007 10:03	0.1		0.1
18	7/18/2007 10:18	0		0
19	7/18/2007 10:33	0		0
20	7/18/2007 10:48	0		0
21	7/18/2007 11:03	0		0
22	7/18/2007 11:18	0.1		0.1
23	7/18/2007 11:33	0		0
24	7/18/2007 11:48	0.1		0.1
25	7/18/2007 12:03	0		0
26	7/18/2007 12:18	0.1		0.1
27	7/18/2007 12:33	0.1		0.1
28	7/18/2007 12:48	0.1		0.1
29	7/18/2007 13:03	0.1		0.1
30	7/18/2007 13:18	0.1		0.1
31	7/18/2007 13:33	0.1		0.1
32	7/18/2007 13:48	0.1		0.1
33	7/18/2007 14:03	0.1		0.1
34	7/18/2007 14:18	0.1		0.1
35	7/18/2007 14:33	0.1		0.1
36	7/18/2007 14:48	0.1		0.1
37	7/18/2007 15:03	0.1		0.1
38	7/18/2007 15:18	0.1		0.1
39	7/18/2007 15:33	0.1		0.1
40	7/18/2007 15:48	0.1		0.1
41	7/18/2007 16:03	0.2		0.2
42	7/18/2007 16:18	0.2		0.2
43	7/18/2007 16:33	0.2		0.2
44	7/18/2007 16:48	0.2		0.2
45	7/18/2007 17:03	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	7/18/2007
Start Time:	5:49:07
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0547) = 0.241 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/18/2007	6:04:07	0.282	0.041	41
7/18/2007	6:19:07	0.16	-0.081	-81
7/18/2007	6:34:07	0.109	-0.132	-132
7/18/2007	6:49:07	0.099	-0.142	-142
7/18/2007	7:04:07	0.111	-0.13	-130
7/18/2007	7:19:07	0.038	-0.203	-203
7/18/2007	7:34:07	0.024	-0.217	-217
7/18/2007	7:49:07	0.025	-0.216	-216
7/18/2007	8:04:07	0.026	-0.215	-215
7/18/2007	8:19:07	0.031	-0.21	-210
7/18/2007	8:34:07	0.042	-0.199	-199
7/18/2007	8:49:07	0.039	-0.202	-202
7/18/2007	9:04:07	0.042	-0.199	-199
7/18/2007	9:19:07	0.045	-0.196	-196
7/18/2007	9:34:07	0.045	-0.196	-196
7/18/2007	9:49:07	0.045	-0.196	-196
7/18/2007	10:04:07	0.039	-0.202	-202
7/18/2007	10:19:07	0.032	-0.209	-209
7/18/2007	10:34:07	0.023	-0.218	-218
7/18/2007	10:49:07	0.026	-0.215	-215
7/18/2007	11:04:07	0.014	-0.227	-227
7/18/2007	11:19:07	0.016	-0.225	-225
7/18/2007	11:34:07	0.02	-0.221	-221
7/18/2007	11:49:07	0.019	-0.222	-222
7/18/2007	12:04:07	0.021	-0.22	-220
7/18/2007	12:19:07	0.014	-0.227	-227
7/18/2007	12:34:07	0.016	-0.225	-225
7/18/2007	12:49:07	0.015	-0.226	-226
7/18/2007	13:04:07	0.017	-0.224	-224
7/18/2007	13:19:07	0.024	-0.217	-217
7/18/2007	13:34:07	0.021	-0.22	-220
7/18/2007	13:49:07	0.025	-0.216	-216
7/18/2007	14:04:07	0.025	-0.216	-216
7/18/2007	14:19:07	0.026	-0.215	-215
7/18/2007	14:34:07	0.028	-0.213	-213
7/18/2007	14:49:07	0.029	-0.212	-212
7/18/2007	15:04:07	0.029	-0.212	-212
7/18/2007	15:19:07	0.03	-0.211	-211
7/18/2007	15:34:07	0.03	-0.211	-211
7/18/2007	15:49:07	0.032	-0.209	-209
7/18/2007	16:04:07	0.035	-0.206	-206
7/18/2007	16:19:07	0.035	-0.206	-206
7/18/2007	16:34:07	0.036	-0.205	-205
7/18/2007	16:49:07	0.041	-0.2	-200
7/18/2007	17:04:07	0.043	-0.198	-198
7/18/2007	17:19:07	0.043	-0.198	-198

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008031
User ID: 00000001 Site ID: 00000001
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/18/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	7/18/2007 6:31	0		0	
2	7/18/2007 6:46	0		0	
3	7/18/2007 7:01	0.1		0.1	
4	7/18/2007 7:16	0.1		0.1	
5	7/18/2007 7:31	0.3		0.3	
6	7/18/2007 7:46	0.4		0.4	
7	7/18/2007 8:01	0		0	
8	7/18/2007 8:16	0.1		0.1	
9	7/18/2007 8:31	0		0	
10	7/18/2007 8:46	0.1		0.1	
11	7/18/2007 9:01	0.1		0.1	*Mini Rae (Serial # 008031) switched out of STA 3 due to moisture infiltration□
1	7/18/2007 11:19	4.1		4.1	*Mini Rae (Serial #110-005968) reading abnormally high due to equipment problems
2	7/18/2007 11:34	3.8		3.8	*Mini Rae (Serial #110-005968) reading abnormally high due to equipment problems
3	7/18/2007 11:49	4.5		4.5	*Mini Rae (Serial #110-005968) reading abnormally high due to equipment problems
1	7/18/2007 12:37	0		0	*Mini Rae (Serial #110-011740) from STA 1 switched into STA 3 for remainder of day
2	7/18/2007 12:52	0		0	
3	7/18/2007 13:07	0		0	
4	7/18/2007 13:22	0		0	
5	7/18/2007 13:37	0		0	
6	7/18/2007 13:52	0		0	
7	7/18/2007 14:07	0		0	
8	7/18/2007 14:22	0		0	
9	7/18/2007 14:37	0		0	
10	7/18/2007 14:52	0		0	
11	7/18/2007 15:07	0		0	
12	7/18/2007 15:22	0		0	
13	7/18/2007 15:37	0		0	
14	7/18/2007 15:52	0		0	
15	7/18/2007 16:07	0		0	
16	7/18/2007 16:22	0		0	
17	7/18/2007 16:37	0		0	
18	7/18/2007 16:52	0		0	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	7/18/2007
Start Time:	6:16:04
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0612) = 0.315 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/18/2007	6:31:04	0.314	-0.001	-1
7/18/2007	6:46:04	0.264	-0.051	-51
7/18/2007	7:01:04	0.261	-0.054	-54
7/18/2007	7:16:04	0.195	-0.12	-120
7/18/2007	7:31:04	0.075	-0.24	-240
7/18/2007	7:46:04	0.072	-0.243	-243
7/18/2007	8:01:04	0.072	-0.243	-243
7/18/2007	8:16:04	0.069	-0.246	-246
7/18/2007	8:31:04	0.097	-0.218	-218
7/18/2007	8:46:04	0.096	-0.219	-219
7/18/2007	9:01:04	0.092	-0.223	-223
7/18/2007	9:16:04	0.107	-0.208	-208
7/18/2007	9:31:04	0.11	-0.205	-205
7/18/2007	9:46:04	0.099	-0.216	-216
7/18/2007	10:01:04	0.092	-0.223	-223
7/18/2007	10:16:04	0.076	-0.239	-239
7/18/2007	10:31:04	0.065	-0.25	-250
7/18/2007	10:46:04	0.063	-0.252	-252
7/18/2007	11:01:04	0.05	-0.265	-265
7/18/2007	11:16:04	0.038	-0.277	-277
7/18/2007	11:31:04	0.039	-0.276	-276
7/18/2007	11:46:04	0.05	-0.265	-265
7/18/2007	12:01:04	0.043	-0.272	-272
7/18/2007	12:16:04	0.044	-0.271	-271
7/18/2007	12:31:04	0.036	-0.279	-279
7/18/2007	12:46:04	0.034	-0.281	-281
7/18/2007	13:01:04	0.04	-0.275	-275
7/18/2007	13:16:04	0.05	-0.265	-265
7/18/2007	13:31:04	0.051	-0.264	-264
7/18/2007	13:46:04	0.058	-0.257	-257
7/18/2007	14:01:04	0.062	-0.253	-253
7/18/2007	14:16:04	0.072	-0.243	-243
7/18/2007	14:31:04	0.07	-0.245	-245
7/18/2007	14:46:04	0.083	-0.232	-232
7/18/2007	15:01:04	0.072	-0.243	-243
7/18/2007	15:16:04	0.088	-0.227	-227
7/18/2007	15:31:04	0.115	-0.2	-200
7/18/2007	15:46:04	0.081	-0.234	-234
7/18/2007	16:01:04	0.091	-0.224	-224
7/18/2007	16:16:04	0.088	-0.227	-227
7/18/2007	16:31:04	0.084	-0.231	-231
7/18/2007	16:46:04	0.094	-0.221	-221
7/18/2007	17:01:04	0.109	-0.206	-206
7/18/2007	17:16:04	0.098	-0.217	-217

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/18/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0606) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/18/2007 6:28	0		0
2	7/18/2007 6:43	0		0
3	7/18/2007 6:58	0		0
4	7/18/2007 7:13	0		0
5	7/18/2007 7:28	0		0
6	7/18/2007 7:43	0		0
7	7/18/2007 7:58	0		0
8	7/18/2007 8:13	0		0
9	7/18/2007 8:28	0		0
10	7/18/2007 8:43	0		0
11	7/18/2007 8:58	0		0
12	7/18/2007 9:13	0		0
13	7/18/2007 9:28	0		0
14	7/18/2007 9:43	0		0
15	7/18/2007 9:58	0		0
16	7/18/2007 10:13	0		0
17	7/18/2007 10:28	0		0
18	7/18/2007 10:43	0		0
19	7/18/2007 10:58	0		0
20	7/18/2007 11:13	0		0
21	7/18/2007 11:28	0		0
22	7/18/2007 11:43	0		0
23	7/18/2007 11:58	0		0
24	7/18/2007 12:13	0		0
25	7/18/2007 12:28	0		0
26	7/18/2007 12:43	0		0
27	7/18/2007 12:58	0		0
28	7/18/2007 13:13	0		0
29	7/18/2007 13:28	0		0
30	7/18/2007 13:43	0		0
31	7/18/2007 13:58	0		0
32	7/18/2007 14:13	0		0
33	7/18/2007 14:28	0		0
34	7/18/2007 14:43	0		0
35	7/18/2007 14:58	0		0
36	7/18/2007 15:13	0		0
37	7/18/2007 15:28	0		0
38	7/18/2007 15:43	0		0
39	7/18/2007 15:58	0		0
40	7/18/2007 16:13	0		0
41	7/18/2007 16:28	0		0
42	7/18/2007 16:43	0		0
43	7/18/2007 16:58	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	7/18/2007
Start Time:	6:14:00
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0606) = 0.195 mg/m^3

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/18/2007	6:29:00	0.199	0.004	4
7/18/2007	6:44:00	0.17	-0.025	-25
7/18/2007	6:59:00	0.184	-0.011	-11
7/18/2007	7:14:00	0.165	-0.03	-30
7/18/2007	7:29:00	0.044	-0.151	-151
7/18/2007	7:44:00	0.038	-0.157	-157
7/18/2007	7:59:00	0.042	-0.153	-153
7/18/2007	8:14:00	0.045	-0.15	-150
7/18/2007	8:29:00	0.055	-0.14	-140
7/18/2007	8:44:00	0.061	-0.134	-134
7/18/2007	8:59:00	0.062	-0.133	-133
7/18/2007	9:14:00	0.07	-0.125	-125
7/18/2007	9:29:00	0.072	-0.123	-123
7/18/2007	9:44:00	0.072	-0.123	-123
7/18/2007	9:59:00	0.067	-0.128	-128
7/18/2007	10:14:00	0.06	-0.135	-135
7/18/2007	10:29:00	0.041	-0.154	-154
7/18/2007	10:44:00	0.039	-0.156	-156
7/18/2007	10:59:00	0.033	-0.162	-162
7/18/2007	11:14:00	0.021	-0.174	-174
7/18/2007	11:29:00	0.024	-0.171	-171
7/18/2007	11:44:00	0.026	-0.169	-169
7/18/2007	11:59:00	0.026	-0.169	-169
7/18/2007	12:14:00	0.026	-0.169	-169
7/18/2007	12:29:00	0.023	-0.172	-172
7/18/2007	12:44:00	0.02	-0.175	-175
7/18/2007	12:59:00	0.024	-0.171	-171
7/18/2007	13:14:00	0.029	-0.166	-166
7/18/2007	13:29:00	0.032	-0.163	-163
7/18/2007	13:44:00	0.036	-0.159	-159
7/18/2007	13:59:00	0.041	-0.154	-154
7/18/2007	14:14:00	0.043	-0.152	-152
7/18/2007	14:29:00	0.046	-0.149	-149
7/18/2007	14:44:00	0.046	-0.149	-149
7/18/2007	14:59:00	0.047	-0.148	-148
7/18/2007	15:14:00	0.057	-0.138	-138
7/18/2007	15:29:00	0.051	-0.144	-144
7/18/2007	15:44:00	0.05	-0.145	-145
7/18/2007	15:59:00	0.06	-0.135	-135
7/18/2007	16:14:00	0.054	-0.141	-141
7/18/2007	16:29:00	0.052	-0.143	-143
7/18/2007	16:44:00	0.058	-0.137	-137
7/18/2007	16:59:00	0.062	-0.133	-133
7/18/2007	17:14:00	0.056	-0.139	-139

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/19/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/19/2007 6:08	0		0
2	7/19/2007 6:23	0		0
3	7/19/2007 6:38	0.1		0.1
4	7/19/2007 6:53	0.1		0.1
5	7/19/2007 7:08	0.2		0.2
6	7/19/2007 7:23	0.2		0.2
7	7/19/2007 7:38	0		0
8	7/19/2007 7:53	0		0
9	7/19/2007 8:08	0		0
10	7/19/2007 8:23	0		0
11	7/19/2007 8:38	0		0
12	7/19/2007 8:53	0		0
13	7/19/2007 9:08	0		0
14	7/19/2007 9:23	0		0
15	7/19/2007 9:38	0		0
16	7/19/2007 9:53	0		0
17	7/19/2007 10:08	0		0
18	7/19/2007 10:23	0		0
19	7/19/2007 10:38	0		0
20	7/19/2007 10:53	0		0
21	7/19/2007 11:08	0		0
22	7/19/2007 11:23	0		0
23	7/19/2007 11:38	0		0
24	7/19/2007 11:53	0		0
25	7/19/2007 12:08	0		0
26	7/19/2007 12:23	0		0
27	7/19/2007 12:38	0		0
28	7/19/2007 12:53	0		0
29	7/19/2007 13:08	0		0
30	7/19/2007 13:23	0		0
31	7/19/2007 13:38	0		0
32	7/19/2007 13:53	0		0
33	7/19/2007 14:08	0		0
34	7/19/2007 14:23	0		0
35	7/19/2007 14:38	0		0
36	7/19/2007 14:53	0		0
37	7/19/2007 15:08	0		0
38	7/19/2007 15:23	0		0
39	7/19/2007 15:38	0		0
40	7/19/2007 15:53	0		0
41	7/19/2007 16:08	0		0
42	7/19/2007 16:23	0		0
43	7/19/2007 16:38	0		0
44	7/19/2007 16:53	0		0
45	7/19/2007 17:08	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/19/2007
Start Time:	5:54:35
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0600) = 0.082 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/19/2007	6:09:35	0.1	0.018	18
7/19/2007	6:24:35	0.083	0.001	1
7/19/2007	6:39:35	0.075	-0.007	-7
7/19/2007	6:54:35	0.067	-0.015	-15
7/19/2007	7:09:35	0.063	-0.019	-19
7/19/2007	7:24:35	0.061	-0.021	-21
7/19/2007	7:39:35	0.061	-0.021	-21
7/19/2007	7:54:35	0.063	-0.019	-19
7/19/2007	8:09:35	0.064	-0.018	-18
7/19/2007	8:24:35	0.063	-0.019	-19
7/19/2007	8:39:35	0.057	-0.025	-25
7/19/2007	8:54:35	0.055	-0.027	-27
7/19/2007	9:09:35	0.05	-0.032	-32
7/19/2007	9:24:35	0.049	-0.033	-33
7/19/2007	9:39:35	0.05	-0.032	-32
7/19/2007	9:54:35	0.05	-0.032	-32
7/19/2007	10:09:35	0.048	-0.034	-34
7/19/2007	10:24:35	0.047	-0.035	-35
7/19/2007	10:39:35	0.043	-0.039	-39
7/19/2007	10:54:35	0.045	-0.037	-37
7/19/2007	11:09:35	0.044	-0.038	-38
7/19/2007	11:24:35	0.044	-0.038	-38
7/19/2007	11:39:35	0.043	-0.039	-39
7/19/2007	11:54:35	0.041	-0.041	-41
7/19/2007	12:09:35	0.04	-0.042	-42
7/19/2007	12:24:35	0.04	-0.042	-42
7/19/2007	12:39:35	0.042	-0.04	-40
7/19/2007	12:54:35	0.04	-0.042	-42
7/19/2007	13:09:35	0.039	-0.043	-43
7/19/2007	13:24:35	0.038	-0.044	-44
7/19/2007	13:39:35	0.036	-0.046	-46
7/19/2007	13:54:35	0.034	-0.048	-48
7/19/2007	14:09:35	0.036	-0.046	-46
7/19/2007	14:24:35	0.037	-0.045	-45
7/19/2007	14:39:35	0.039	-0.043	-43
7/19/2007	14:54:35	0.04	-0.042	-42
7/19/2007	15:09:35	0.043	-0.039	-39
7/19/2007	15:24:35	0.044	-0.038	-38
7/19/2007	15:39:35	0.043	-0.039	-39
7/19/2007	15:54:35	0.041	-0.041	-41
7/19/2007	16:09:35	0.041	-0.041	-41
7/19/2007	16:24:35	0.034	-0.048	-48
7/19/2007	16:39:35	0.037	-0.045	-45
7/19/2007	16:54:35	0.036	-0.046	-46
7/19/2007	17:09:35	0.029	-0.053	-53

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/19/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0553) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/19/2007 6:09	0		0
2	7/19/2007 6:24	0		0
3	7/19/2007 6:39	0		0
4	7/19/2007 6:54	0		0
5	7/19/2007 7:09	0		0
6	7/19/2007 7:24	0		0
7	7/19/2007 7:39	0		0
8	7/19/2007 7:54	0		0
9	7/19/2007 8:09	0		0
10	7/19/2007 8:24	0		0
11	7/19/2007 8:39	0		0
12	7/19/2007 8:54	0		0
13	7/19/2007 9:09	0		0
14	7/19/2007 9:24	0		0
15	7/19/2007 9:39	0		0
16	7/19/2007 9:54	0		0
17	7/19/2007 10:09	0		0
18	7/19/2007 10:24	0		0
19	7/19/2007 10:39	0		0
20	7/19/2007 10:54	0.1		0.1
21	7/19/2007 11:09	0.1		0.1
22	7/19/2007 11:24	0		0
23	7/19/2007 11:39	0.1		0.1
24	7/19/2007 11:54	0.1		0.1
25	7/19/2007 12:09	0.1		0.1
26	7/19/2007 12:24	0.1		0.1
27	7/19/2007 12:39	0.1		0.1
28	7/19/2007 12:54	0		0
29	7/19/2007 13:09	0		0
30	7/19/2007 13:24	0		0
31	7/19/2007 13:39	0		0
32	7/19/2007 13:54	0		0
33	7/19/2007 14:09	0		0
34	7/19/2007 14:24	0		0
35	7/19/2007 14:39	0		0
36	7/19/2007 14:54	0		0
37	7/19/2007 15:09	0		0
38	7/19/2007 15:24	0		0
39	7/19/2007 15:39	0.1		0.1
40	7/19/2007 15:54	0.1		0.1
41	7/19/2007 16:09	0.1		0.1
42	7/19/2007 16:24	0.1		0.1
43	7/19/2007 16:39	0.1		0.1
44	7/19/2007 16:54	0.1		0.1
45	7/19/2007 17:09	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/19/2007
Start Time:	5:54:46
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0553) = 0.098 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/19/2007	6:09:46	0.086	-0.012	-12
7/19/2007	6:24:46	0.075	-0.023	-23
7/19/2007	6:39:46	0.071	-0.027	-27
7/19/2007	6:54:46	0.067	-0.031	-31
7/19/2007	7:09:46	0.065	-0.033	-33
7/19/2007	7:24:46	0.064	-0.034	-34
7/19/2007	7:39:46	0.065	-0.033	-33
7/19/2007	7:54:46	0.07	-0.028	-28
7/19/2007	8:09:46	0.072	-0.026	-26
7/19/2007	8:24:46	0.074	-0.024	-24
7/19/2007	8:39:46	0.068	-0.03	-30
7/19/2007	8:54:46	0.064	-0.034	-34
7/19/2007	9:09:46	0.062	-0.036	-36
7/19/2007	9:24:46	0.061	-0.037	-37
7/19/2007	9:39:46	0.062	-0.036	-36
7/19/2007	9:54:46	0.062	-0.036	-36
7/19/2007	10:09:46	0.06	-0.038	-38
7/19/2007	10:24:46	0.059	-0.039	-39
7/19/2007	10:39:46	0.055	-0.043	-43
7/19/2007	10:54:46	0.058	-0.04	-40
7/19/2007	11:09:46	0.056	-0.042	-42
7/19/2007	11:24:46	0.059	-0.039	-39
7/19/2007	11:39:46	0.058	-0.04	-40
7/19/2007	11:54:46	0.056	-0.042	-42
7/19/2007	12:09:46	0.056	-0.042	-42
7/19/2007	12:24:46	0.055	-0.043	-43
7/19/2007	12:39:46	0.058	-0.04	-40
7/19/2007	12:54:46	0.057	-0.041	-41
7/19/2007	13:09:46	0.056	-0.042	-42
7/19/2007	13:24:46	0.054	-0.044	-44
7/19/2007	13:39:46	0.05	-0.048	-48
7/19/2007	13:54:46	0.049	-0.049	-49
7/19/2007	14:09:46	0.052	-0.046	-46
7/19/2007	14:24:46	0.052	-0.046	-46
7/19/2007	14:39:46	0.055	-0.043	-43
7/19/2007	14:54:46	0.057	-0.041	-41
7/19/2007	15:09:46	0.06	-0.038	-38
7/19/2007	15:24:46	0.062	-0.036	-36
7/19/2007	15:39:46	0.059	-0.039	-39
7/19/2007	15:54:46	0.058	-0.04	-40
7/19/2007	16:09:46	0.059	-0.039	-39
7/19/2007	16:24:46	0.05	-0.048	-48
7/19/2007	16:39:46	0.054	-0.044	-44
7/19/2007	16:54:46	0.054	-0.044	-44
7/19/2007	17:09:46	0.044	-0.054	-54
7/19/2007	17:24:46	0.042	-0.056	-56

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/18/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0602) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/19/2007 6:16	0		0
2	7/19/2007 6:31	0.2		0.2
3	7/19/2007 6:46	0.4		0.4
4	7/19/2007 7:01	2		2
1	7/19/2007 7:32	0		0
2	7/19/2007 7:47	0		0
3	7/19/2007 8:02	0		0
4	7/19/2007 8:17	0		0
5	7/19/2007 8:32	0		0
6	7/19/2007 8:47	0		0
7	7/19/2007 9:02	0		0
8	7/19/2007 9:17	0		0
9	7/19/2007 9:32	0		0
10	7/19/2007 9:47	0		0
11	7/19/2007 10:02	0		0
12	7/19/2007 10:17	0		0
13	7/19/2007 10:32	0		0
14	7/19/2007 10:47	0		0
15	7/19/2007 11:02	0		0
16	7/19/2007 11:17	0		0
17	7/19/2007 11:32	0		0
18	7/19/2007 11:47	0		0
19	7/19/2007 12:02	0		0
20	7/19/2007 12:17	0		0
21	7/19/2007 12:32	0		0
22	7/19/2007 12:47	0		0
23	7/19/2007 13:02	0		0
24	7/19/2007 13:17	0		0
25	7/19/2007 13:32	0		0
26	7/19/2007 13:47	0		0
27	7/19/2007 14:02	0		0
28	7/19/2007 14:17	0		0
29	7/19/2007 14:32	0		0
30	7/19/2007 14:47	0		0
31	7/19/2007 15:02	0		0
32	7/19/2007 15:17	0		0
33	7/19/2007 15:32	0		0
34	7/19/2007 15:47	0		0
35	7/19/2007 16:02	0		0
36	7/19/2007 16:17	0		0
37	7/19/2007 16:32	0		0
38	7/19/2007 16:47	0		0
39	7/19/2007 17:02	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/19/2007
Start Time:	6:05:58
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0602) = 0.224 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/19/2007	6:20:58	0.178	-0.046	-46
7/19/2007	6:35:58	0.179	-0.045	-45
7/19/2007	6:50:58	0.239	0.015	15
7/19/2007	7:05:58	0.196	-0.028	-28
7/19/2007	7:20:58	0.242	0.018	18
7/19/2007	7:35:58	0.249	0.025	25
7/19/2007	7:50:58	0.162	-0.062	-62
7/19/2007	8:05:58	0.177	-0.047	-47
7/19/2007	8:20:58	0.178	-0.046	-46
7/19/2007	8:35:58	0.165	-0.059	-59
7/19/2007	8:50:58	0.15	-0.074	-74
7/19/2007	9:05:58	0.146	-0.078	-78
7/19/2007	9:20:58	0.14	-0.084	-84
7/19/2007	9:35:58	0.133	-0.091	-91
7/19/2007	9:50:58	0.142	-0.082	-82
7/19/2007	10:05:58	0.133	-0.091	-91
7/19/2007	10:20:58	0.134	-0.09	-90
7/19/2007	10:35:58	0.123	-0.101	-101
7/19/2007	10:50:58	0.119	-0.105	-105
7/19/2007	11:05:58	0.123	-0.101	-101
7/19/2007	11:20:58	0.12	-0.104	-104
7/19/2007	11:35:58	0.121	-0.103	-103
7/19/2007	11:50:58	0.113	-0.111	-111
7/19/2007	12:05:58	0.115	-0.109	-109
7/19/2007	12:20:58	0.111	-0.113	-113
7/19/2007	12:35:58	0.109	-0.115	-115
7/19/2007	12:50:58	0.109	-0.115	-115
7/19/2007	13:05:58	0.107	-0.117	-117
7/19/2007	13:20:58	0.1	-0.124	-124
7/19/2007	13:35:58	0.095	-0.129	-129
7/19/2007	13:50:58	0.092	-0.132	-132
7/19/2007	14:05:58	0.094	-0.13	-130
7/19/2007	14:20:58	0.096	-0.128	-128
7/19/2007	14:35:58	0.104	-0.12	-120
7/19/2007	14:50:58	0.107	-0.117	-117
7/19/2007	15:05:58	0.114	-0.11	-110
7/19/2007	15:20:58	0.123	-0.101	-101
7/19/2007	15:35:58	0.118	-0.106	-106
7/19/2007	15:50:58	0.132	-0.092	-92
7/19/2007	16:05:58	0.111	-0.113	-113
7/19/2007	16:20:58	0.106	-0.118	-118
7/19/2007	16:35:58	0.099	-0.125	-125
7/19/2007	16:50:58	0.109	-0.115	-115
7/19/2007	17:05:58	0.087	-0.137	-137
7/19/2007	17:20:58	0.08	-0.144	-144

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/19/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0559) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/19/2007 6:17	0		0
2	7/19/2007 6:32	0		0
3	7/19/2007 6:47	0		0
4	7/19/2007 7:02	0		0
5	7/19/2007 7:17	0		0
6	7/19/2007 7:32	0		0
7	7/19/2007 7:47	0		0
8	7/19/2007 8:02	0		0
9	7/19/2007 8:17	0		0
10	7/19/2007 8:32	0		0
11	7/19/2007 8:47	0		0
12	7/19/2007 9:02	0		0
13	7/19/2007 9:17	0		0
14	7/19/2007 9:32	0		0
15	7/19/2007 9:47	0		0
16	7/19/2007 10:02	0		0
17	7/19/2007 10:17	0		0
18	7/19/2007 10:32	0		0
19	7/19/2007 10:47	0		0
20	7/19/2007 11:02	0		0
21	7/19/2007 11:17	0		0
22	7/19/2007 11:32	0		0
23	7/19/2007 11:47	0		0
24	7/19/2007 12:02	0		0
25	7/19/2007 12:17	0		0
26	7/19/2007 12:32	0		0
27	7/19/2007 12:47	0		0
28	7/19/2007 13:02	0		0
29	7/19/2007 13:17	0		0
30	7/19/2007 13:32	0		0
31	7/19/2007 13:47	0		0
32	7/19/2007 14:02	0		0
33	7/19/2007 14:17	0		0
34	7/19/2007 14:32	0		0
35	7/19/2007 14:47	0		0
36	7/19/2007 15:02	0		0
37	7/19/2007 15:17	0		0
38	7/19/2007 15:32	0		0
39	7/19/2007 15:47	0		0
40	7/19/2007 16:02	0		0
41	7/19/2007 16:17	0		0
42	7/19/2007 16:32	0		0
43	7/19/2007 16:47	0		0
44	7/19/2007 17:02	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	7/19/2007
Start Time:	6:03:01
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0559) = 0.121 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/19/2007	6:18:01	0.123	0.002	2
7/19/2007	6:33:01	0.13	0.009	9
7/19/2007	6:48:01	0.119	-0.002	-2
7/19/2007	7:03:01	0.113	-0.008	-8
7/19/2007	7:18:01	0.109	-0.012	-12
7/19/2007	7:33:01	0.108	-0.013	-13
7/19/2007	7:48:01	0.108	-0.013	-13
7/19/2007	8:03:01	0.111	-0.01	-10
7/19/2007	8:18:01	0.114	-0.007	-7
7/19/2007	8:33:01	0.108	-0.013	-13
7/19/2007	8:48:01	0.098	-0.023	-23
7/19/2007	9:03:01	0.095	-0.026	-26
7/19/2007	9:18:01	0.088	-0.033	-33
7/19/2007	9:33:01	0.086	-0.035	-35
7/19/2007	9:48:01	0.087	-0.034	-34
7/19/2007	10:03:01	0.087	-0.034	-34
7/19/2007	10:18:01	0.087	-0.034	-34
7/19/2007	10:33:01	0.083	-0.038	-38
7/19/2007	10:48:01	0.077	-0.044	-44
7/19/2007	11:03:01	0.083	-0.038	-38
7/19/2007	11:18:01	0.077	-0.044	-44
7/19/2007	11:33:01	0.079	-0.042	-42
7/19/2007	11:48:01	0.077	-0.044	-44
7/19/2007	12:03:01	0.071	-0.05	-50
7/19/2007	12:18:01	0.069	-0.052	-52
7/19/2007	12:33:01	0.07	-0.051	-51
7/19/2007	12:48:01	0.072	-0.049	-49
7/19/2007	13:03:01	0.073	-0.048	-48
7/19/2007	13:18:01	0.069	-0.052	-52
7/19/2007	13:33:01	0.066	-0.055	-55
7/19/2007	13:48:01	0.062	-0.059	-59
7/19/2007	14:03:01	0.062	-0.059	-59
7/19/2007	14:18:01	0.063	-0.058	-58
7/19/2007	14:33:01	0.066	-0.055	-55
7/19/2007	14:48:01	0.066	-0.055	-55
7/19/2007	15:03:01	0.069	-0.052	-52
7/19/2007	15:18:01	0.073	-0.048	-48
7/19/2007	15:33:01	0.075	-0.046	-46
7/19/2007	15:48:01	0.073	-0.048	-48
7/19/2007	16:03:01	0.072	-0.049	-49
7/19/2007	16:18:01	0.072	-0.049	-49
7/19/2007	16:33:01	0.061	-0.06	-60
7/19/2007	16:48:01	0.068	-0.053	-53
7/19/2007	17:03:01	0.061	-0.06	-60
7/19/2007	17:18:01	0.052	-0.069	-69

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968

User ID: 00000001 Site ID: 00000169

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/20/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0 ppm at 6:10 AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	7/20/2007 6:30	0		0	
2	7/20/2007 6:45	0		0	
3	7/20/2007 7:00	0		0	
4	7/20/2007 7:15	0		0	
5	7/20/2007 7:30	0		0	
6	7/20/2007 7:45	0		0	
7	7/20/2007 8:00	0		0	
8	7/20/2007 8:15	0		0	
9	7/20/2007 8:30	0		0	
10	7/20/2007 8:45	0		0	
11	7/20/2007 9:00	0		0	
12	7/20/2007 9:15	0		0	
13	7/20/2007 9:30	0		0	
14	7/20/2007 9:45	0		0	
15	7/20/2007 10:00	0		0	
16	7/20/2007 10:15	0		0	
17	7/20/2007 10:30	0		0	
18	7/20/2007 10:45	0		0	
19	7/20/2007 11:00	0		0	
20	7/20/2007 11:15	0		0	
21	7/20/2007 11:30	0		0	
22	7/20/2007 11:45	0		0	
23	7/20/2007 12:00	0		0	
24	7/20/2007 12:15	0		0	
25	7/20/2007 12:30	0		0	
26	7/20/2007 12:45	0		0	
27	7/20/2007 13:00	0		0	
28	7/20/2007 13:15	1.1		1.1	*Elevated reading due to equipment testing conducted by Shaw.
29	7/20/2007 13:30	0		0	
30	7/20/2007 13:45	0		0	
31	7/20/2007 14:00	0		0	
32	7/20/2007 14:15	0		0	
33	7/20/2007 14:30	0		0	
34	7/20/2007 14:45	0		0	
35	7/20/2007 15:00	0		0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/20/2007
Start Time:	6:16:00
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background = 0.035 mg/m3 at 6:10AM

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/20/2007	6:31:00	0.032	-0.003	-3
7/20/2007	6:46:00	0.026	-0.009	-9
7/20/2007	7:01:00	0.024	-0.011	-11
7/20/2007	7:16:00	0.022	-0.013	-13
7/20/2007	7:31:00	0.021	-0.014	-14
7/20/2007	7:46:00	0.019	-0.016	-16
7/20/2007	8:01:00	0.018	-0.017	-17
7/20/2007	8:16:00	0.018	-0.017	-17
7/20/2007	8:31:00	0.019	-0.016	-16
7/20/2007	8:46:00	0.016	-0.019	-19
7/20/2007	9:01:00	0.014	-0.021	-21
7/20/2007	9:16:00	0.014	-0.021	-21
7/20/2007	9:31:00	0.014	-0.021	-21
7/20/2007	9:46:00	0.013	-0.022	-22
7/20/2007	10:01:00	0.013	-0.022	-22
7/20/2007	10:16:00	0.012	-0.023	-23
7/20/2007	10:31:00	0.013	-0.022	-22
7/20/2007	10:46:00	0.013	-0.022	-22
7/20/2007	11:01:00	0.013	-0.022	-22
7/20/2007	11:16:00	0.015	-0.02	-20
7/20/2007	11:31:00	0.012	-0.023	-23
7/20/2007	11:46:00	0.013	-0.022	-22
7/20/2007	12:01:00	0.013	-0.022	-22
7/20/2007	12:16:00	0.012	-0.023	-23
7/20/2007	12:31:00	0.011	-0.024	-24
7/20/2007	12:46:00	0.01	-0.025	-25
7/20/2007	13:01:00	0.013	-0.022	-22
7/20/2007	13:16:00	0.013	-0.022	-22
7/20/2007	13:31:00	0.011	-0.024	-24
7/20/2007	13:46:00	0.012	-0.023	-23
7/20/2007	14:01:00	0.01	-0.025	-25
7/20/2007	14:16:00	0.01	-0.025	-25
7/20/2007	14:31:00	0.017	-0.018	-18
7/20/2007	14:46:00	0.018	-0.017	-17
7/20/2007	15:01:00	0.008	-0.027	-27
7/20/2007	15:16:00	0.007	-0.028	-28

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175

User ID: 00000001 Site ID: 00000335

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/20/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0 ppm at 6:18AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/20/2007 6:32	0		0
2	7/20/2007 6:47	0		0
3	7/20/2007 7:02	0		0
4	7/20/2007 7:17	0		0
5	7/20/2007 7:32	0		0
6	7/20/2007 7:47	0		0
7	7/20/2007 8:02	0		0
8	7/20/2007 8:17	0		0
9	7/20/2007 8:32	0		0
10	7/20/2007 8:47	0		0
11	7/20/2007 9:02	0		0
12	7/20/2007 9:17	0		0
13	7/20/2007 9:32	0		0
14	7/20/2007 9:47	0		0
15	7/20/2007 10:02	0		0
16	7/20/2007 10:17	0		0
17	7/20/2007 10:32	0		0
18	7/20/2007 10:47	0		0
19	7/20/2007 11:02	0		0
20	7/20/2007 11:17	0		0
21	7/20/2007 11:32	0		0
22	7/20/2007 11:47	0		0
23	7/20/2007 12:02	0		0
24	7/20/2007 12:17	0		0
25	7/20/2007 12:32	0		0
26	7/20/2007 12:47	0		0
27	7/20/2007 13:02	0		0
28	7/20/2007 13:17	0		0
29	7/20/2007 13:32	0		0
30	7/20/2007 13:47	0.1		0.1
31	7/20/2007 14:02	0		0
32	7/20/2007 14:17	0		0
33	7/20/2007 14:32	0		0
34	7/20/2007 14:47	0		0
35	7/20/2007 15:02	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/20/2007
Start Time:	6:16:59
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background = 0.038 mg/m3 at 6:18AM

Calibration Sensor: Aerosol
Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/20/2007	6:31:59	0.034	-0.004	-4	
7/20/2007	6:46:59	0.028	-0.01	-10	
7/20/2007	7:01:59	0.026	-0.012	-12	
7/20/2007	7:16:59	0.026	-0.012	-12	
7/20/2007	7:31:59	0.026	-0.012	-12	
7/20/2007	7:46:59	0.025	-0.013	-13	
7/20/2007	8:01:59	0.024	-0.014	-14	
7/20/2007	8:16:59	0.024	-0.014	-14	
7/20/2007	8:31:59	0.039	0.001	1	
7/20/2007	8:46:59	0.021	-0.017	-17	
7/20/2007	9:01:59	0.019	-0.019	-19	
7/20/2007	9:16:59	0.02	-0.018	-18	
7/20/2007	9:31:59	0.023	-0.015	-15	
7/20/2007	9:46:59	0.023	-0.015	-15	
7/20/2007	10:01:59	0.023	-0.015	-15	
7/20/2007	10:16:59	0.022	-0.016	-16	
7/20/2007	10:31:59	0.022	-0.016	-16	
7/20/2007	10:46:59	0.021	-0.017	-17	
7/20/2007	11:01:59	0.023	-0.015	-15	
7/20/2007	11:16:59	0.025	-0.013	-13	
7/20/2007	11:31:59	0.04	0.002	2	
7/20/2007	11:46:59	0.026	-0.012	-12	
7/20/2007	12:01:59	0.022	-0.016	-16	
7/20/2007	12:16:59	0.023	-0.015	-15	
7/20/2007	12:31:59	0.024	-0.014	-14	
7/20/2007	12:46:59	0.026	-0.012	-12	
7/20/2007	13:01:59	0.02	-0.018	-18	
7/20/2007	13:16:59	0.019	-0.019	-19	
7/20/2007	13:31:59	0.017	-0.021	-21	
7/20/2007	13:46:59	0.017	-0.021	-21	
7/20/2007	14:01:59	0.289	0.251	251	*Elevated reading due to equipment testing conducted by Shaw.
7/20/2007	14:16:59	0.017	-0.021	-21	
7/20/2007	14:31:59	0.016	-0.022	-22	
7/20/2007	14:46:59	0.018	-0.02	-20	
7/20/2007	15:01:59	0.016	-0.022	-22	
7/20/2007	15:16:59	0.015	-0.023	-23	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740

User ID: 00000001 Site ID: 00000003

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/20/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.2 ppm at 6:37AM

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/20/2007 6:49	0.2		0
2	7/20/2007 7:04	0.2		0
3	7/20/2007 7:19	0.3		0.1
4	7/20/2007 7:34	0.2		0
5	7/20/2007 7:49	0.2		0
6	7/20/2007 8:04	0.1		-0.1
7	7/20/2007 8:19	0.1		-0.1
8	7/20/2007 8:34	0.1		-0.1
9	7/20/2007 8:49	0.1		-0.1
10	7/20/2007 9:04	0.1		-0.1
11	7/20/2007 9:19	0.1		-0.1
12	7/20/2007 9:34	0.1		-0.1
13	7/20/2007 9:49	0.1		-0.1
14	7/20/2007 10:04	0.1		-0.1
15	7/20/2007 10:19	0.1		-0.1
16	7/20/2007 10:34	0.1		-0.1
17	7/20/2007 10:49	0.1		-0.1
18	7/20/2007 11:04	0.1		-0.1
19	7/20/2007 11:19	0.1		-0.1
20	7/20/2007 11:34	0		-0.2
21	7/20/2007 11:49	0		-0.2
22	7/20/2007 12:04	0.1		-0.1
23	7/20/2007 12:19	0		-0.2
24	7/20/2007 12:34	0		-0.2
25	7/20/2007 12:49	0		-0.2
26	7/20/2007 13:04	0		-0.2
27	7/20/2007 13:19	0		-0.2
28	7/20/2007 13:34	0.2		0
29	7/20/2007 13:49	0.1		-0.1
30	7/20/2007 14:04	0.1		-0.1
31	7/20/2007 14:19	0.1		-0.1
32	7/20/2007 14:34	0.1		-0.1
33	7/20/2007 14:49	0.1		-0.1
34	7/20/2007 15:04	0.1		-0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/20/2007
Start Time:	6:37:37
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background = 0.073 mg/m3 at 6:37AM

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/20/2007	6:52:37	0.072	-0.001	-1	
7/20/2007	7:07:37	0.07	-0.003	-3	
7/20/2007	7:22:37	0.081	0.008	8	
7/20/2007	7:37:37	0.073	0	0	
7/20/2007	7:52:37	0.071	-0.002	-2	
7/20/2007	8:07:37	0.056	-0.017	-17	
7/20/2007	8:22:37	0.051	-0.022	-22	
7/20/2007	8:37:37	0.047	-0.026	-26	
7/20/2007	8:52:37	0.056	-0.017	-17	
7/20/2007	9:07:37	0.047	-0.026	-26	
7/20/2007	9:22:37	0.036	-0.037	-37	
7/20/2007	9:37:37	0.038	-0.035	-35	
7/20/2007	9:52:37	0.057	-0.016	-16	
7/20/2007	10:07:37	0.044	-0.029	-29	
7/20/2007	10:22:37	0.038	-0.035	-35	
7/20/2007	10:37:37	0.035	-0.038	-38	
7/20/2007	10:52:37	0.039	-0.034	-34	
7/20/2007	11:07:37	0.041	-0.032	-32	
7/20/2007	11:22:37	0.038	-0.035	-35	
7/20/2007	11:37:37	0.057	-0.016	-16	
7/20/2007	11:52:37	0.057	-0.016	-16	
7/20/2007	12:07:37	0.031	-0.042	-42	
7/20/2007	12:22:37	0.032	-0.041	-41	
7/20/2007	12:37:37	0.027	-0.046	-46	
7/20/2007	12:52:37	0.036	-0.037	-37	
7/20/2007	13:07:37	0.029	-0.044	-44	
7/20/2007	13:22:37	0.026	-0.047	-47	
7/20/2007	13:37:37	0.024	-0.049	-49	
7/20/2007	13:52:37	0.275	0.202	202	*Elevated reading due to equipment testing conducted by Shaw.
7/20/2007	14:07:37	0.018	-0.055	-55	
7/20/2007	14:22:37	0.019	-0.054	-54	
7/20/2007	14:37:37	0.018	-0.055	-55	
7/20/2007	14:52:37	0.02	-0.053	-53	
7/20/2007	15:07:37	0.016	-0.057	-57	
7/20/2007	15:22:37	0.014	-0.059	-59	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/20/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background = 0.0ppm at 6:30AM

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)
1	7/20/2007 6:48	0	0
2	7/20/2007 7:03	0	0
3	7/20/2007 7:18	0	0
4	7/20/2007 7:33	0	0
5	7/20/2007 7:48	0	0
6	7/20/2007 8:03	0	0
7	7/20/2007 8:18	0	0
8	7/20/2007 8:33	0	0
9	7/20/2007 8:48	0	0
10	7/20/2007 9:03	0	0
11	7/20/2007 9:18	0	0
12	7/20/2007 9:33	0	0
13	7/20/2007 9:48	0	0
14	7/20/2007 10:03	0	0
15	7/20/2007 10:18	0	0
16	7/20/2007 10:33	0	0
17	7/20/2007 10:48	0	0
18	7/20/2007 11:03	0	0
19	7/20/2007 11:18	0	0
20	7/20/2007 11:33	0	0
21	7/20/2007 11:48	0	0
22	7/20/2007 12:03	0	0
23	7/20/2007 12:18	0	0
24	7/20/2007 12:33	0	0
25	7/20/2007 12:48	0	0
26	7/20/2007 13:03	0	0
27	7/20/2007 13:18	0	0
28	7/20/2007 13:33	0	0
29	7/20/2007 13:48	0	0
30	7/20/2007 14:03	0	0
31	7/20/2007 14:18	0	0
32	7/20/2007 14:33	0	0
33	7/20/2007 14:48	0	0
34	7/20/2007 15:03	0	0

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	7/20/2007
Start Time:	6:33:54
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background = 0.057 mg/m3 at 6:30AM

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/20/2007	6:48:54	0.054	-0.003	-3	
7/20/2007	7:03:54	0.047	-0.01	-10	
7/20/2007	7:18:54	0.043	-0.014	-14	
7/20/2007	7:33:54	0.043	-0.014	-14	
7/20/2007	7:48:54	0.042	-0.015	-15	
7/20/2007	8:03:54	0.037	-0.02	-20	
7/20/2007	8:18:54	0.038	-0.019	-19	
7/20/2007	8:33:54	0.037	-0.02	-20	
7/20/2007	8:48:54	0.032	-0.025	-25	
7/20/2007	9:03:54	0.026	-0.031	-31	
7/20/2007	9:18:54	0.025	-0.032	-32	
7/20/2007	9:33:54	0.029	-0.028	-28	
7/20/2007	9:48:54	0.023	-0.034	-34	
7/20/2007	10:03:54	0.024	-0.033	-33	
7/20/2007	10:18:54	0.022	-0.035	-35	
7/20/2007	10:33:54	0.027	-0.03	-30	
7/20/2007	10:48:54	0.028	-0.029	-29	
7/20/2007	11:03:54	0.027	-0.03	-30	
7/20/2007	11:18:54	0.026	-0.031	-31	
7/20/2007	11:33:54	0.026	-0.031	-31	
7/20/2007	11:48:54	0.025	-0.032	-32	
7/20/2007	12:03:54	0.025	-0.032	-32	
7/20/2007	12:18:54	0.024	-0.033	-33	
7/20/2007	12:33:54	0.023	-0.034	-34	
7/20/2007	12:48:54	0.022	-0.035	-35	
7/20/2007	13:03:54	0.026	-0.031	-31	
7/20/2007	13:18:54	0.023	-0.034	-34	
7/20/2007	13:33:54	0.017	-0.04	-40	
7/20/2007	13:48:54	0.36	0.303	303	*Elevated reading due to equipment testing conducted by Shaw.
7/20/2007	14:03:54	0.021	-0.036	-36	
7/20/2007	14:18:54	0.017	-0.04	-40	
7/20/2007	14:33:54	0.018	-0.039	-39	
7/20/2007	14:48:54	0.017	-0.04	-40	
7/20/2007	15:03:54	0.016	-0.041	-41	
7/20/2007	15:18:54	0.012	-0.045	-45	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/23/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/23/2007 6:11	0		0
2	7/23/2007 6:26	0		0
3	7/23/2007 6:41	0		0
4	7/23/2007 6:56	0		0
5	7/23/2007 7:11	0		0
6	7/23/2007 7:26	0		0
7	7/23/2007 7:41	0		0
8	7/23/2007 7:56	0		0
9	7/23/2007 8:11	0		0
10	7/23/2007 8:26	0		0
11	7/23/2007 8:41	0		0
12	7/23/2007 8:56	0		0
13	7/23/2007 9:11	0		0
14	7/23/2007 9:26	0		0
15	7/23/2007 9:41	0		0
16	7/23/2007 9:56	0.1		0.1
17	7/23/2007 10:11	0.1		0.1
18	7/23/2007 10:26	0.1		0.1
19	7/23/2007 10:41	0.2		0.2
20	7/23/2007 10:56	0.2		0.2
21	7/23/2007 11:11	0.2		0.2
22	7/23/2007 11:26	0.3		0.3
23	7/23/2007 11:41	0.3		0.3
24	7/23/2007 11:56	0.4		0.4
25	7/23/2007 12:11	0.5		0.5
26	7/23/2007 12:26	0.7		0.7
27	7/23/2007 12:41	0.9		0.9
28	7/23/2007 12:56	1.2		1.2
29	7/23/2007 13:11	1.4		1.4
30	7/23/2007 13:26	1.6		1.6
31	7/23/2007 13:41	2.1		2.1
32	7/23/2007 13:56	2.8		2.8
33	7/23/2007 14:11	3.2		3.2
34	7/23/2007 14:26	3.7		3.7
35	7/23/2007 14:41	4.4		4.4
1	7/23/2007 15:12	0		0
2	7/23/2007 15:27	0.1		0.1
3	7/23/2007 15:42	0.5		0.5
4	7/23/2007 15:57	0.3		0.3
5	7/23/2007 16:12	0.8		0.8
6	7/23/2007 16:27	0.1		0.1
7	7/23/2007 16:42	0		0
8	7/23/2007 16:57	0		0
9	7/23/2007 17:12	0		0
10	7/23/2007 17:27	0		0
11	7/23/2007 17:42	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/23/2007
Start Time:	5:57:21
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0555) = 0.009 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/23/2007	6:12:21	0.006	-0.003	-3
7/23/2007	6:27:21	0.006	-0.003	-3
7/23/2007	6:42:21	0.007	-0.002	-2
7/23/2007	6:57:21	0.007	-0.002	-2
7/23/2007	7:12:21	0.008	-0.001	-1
7/23/2007	7:27:21	0.009	0	0
7/23/2007	7:42:21	0.011	0.002	2
7/23/2007	7:57:21	0.012	0.003	3
7/23/2007	8:12:21	0.012	0.003	3
7/23/2007	8:27:21	0.013	0.004	4
7/23/2007	8:42:21	0.012	0.003	3
7/23/2007	8:57:21	0.013	0.004	4
7/23/2007	9:12:21	0.014	0.005	5
7/23/2007	9:27:21	0.015	0.006	6
7/23/2007	9:42:21	0.014	0.005	5
7/23/2007	9:57:21	0.016	0.007	7
7/23/2007	10:12:21	0.015	0.006	6
7/23/2007	10:27:21	0.014	0.005	5
7/23/2007	10:42:21	0.013	0.004	4
7/23/2007	10:57:21	0.012	0.003	3
7/23/2007	11:12:21	0.01	0.001	1
7/23/2007	11:27:21	0.011	0.002	2
7/23/2007	11:42:21	0.009	0	0
7/23/2007	11:57:21	0.011	0.002	2
7/23/2007	12:12:21	0.017	0.008	8
7/23/2007	12:27:21	0.009	0	0
7/23/2007	12:42:21	0.006	-0.003	-3
7/23/2007	12:57:21	0.007	-0.002	-2
7/23/2007	13:12:21	0.006	-0.003	-3
7/23/2007	13:27:21	0.007	-0.002	-2
7/23/2007	13:42:21	0.014	0.005	5
7/23/2007	13:57:21	0.008	-0.001	-1
7/23/2007	14:12:21	0.009	0	0
7/23/2007	14:27:21	0.011	0.002	2
7/23/2007	14:42:21	0.01	0.001	1
7/23/2007	14:57:21	0.009	0	0
7/23/2007	15:12:21	0.009	0	0
7/23/2007	15:27:21	0.012	0.003	3
7/23/2007	15:42:21	0.013	0.004	4
7/23/2007	15:57:21	0.011	0.002	2
7/23/2007	16:12:21	0.014	0.005	5
7/23/2007	16:27:21	0.012	0.003	3
7/23/2007	16:42:21	0.01	0.001	1
7/23/2007	16:57:21	0.011	0.002	2
7/23/2007	17:12:21	0.01	0.001	1
7/23/2007	17:27:21	0.01	0.001	1
7/23/2007	17:42:21	0.012	0.003	3
7/23/2007	17:57:21	0.014	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/23/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0558) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/23/2007 6:14	0		0
2	7/23/2007 6:29	0		0
3	7/23/2007 6:44	0		0
4	7/23/2007 6:59	0		0
5	7/23/2007 7:14	0		0
6	7/23/2007 7:29	0		0
7	7/23/2007 7:44	0		0
8	7/23/2007 7:59	0.1		0.1
9	7/23/2007 8:14	0.1		0.1
10	7/23/2007 8:29	0.1		0.1
11	7/23/2007 8:44	0.1		0.1
12	7/23/2007 8:59	0.1		0.1
13	7/23/2007 9:14	0.1		0.1
14	7/23/2007 9:29	0.1		0.1
15	7/23/2007 9:44	0.1		0.1
16	7/23/2007 9:59	0.1		0.1
17	7/23/2007 10:14	0.1		0.1
18	7/23/2007 10:29	0.1		0.1
19	7/23/2007 10:44	0.1		0.1
20	7/23/2007 10:59	0.1		0.1
21	7/23/2007 11:14	0.2		0.2
22	7/23/2007 11:29	0.2		0.2
23	7/23/2007 11:44	0.2		0.2
24	7/23/2007 11:59	0.2		0.2
25	7/23/2007 12:14	0.2		0.2
26	7/23/2007 12:29	0.2		0.2
27	7/23/2007 12:44	0.1		0.1
28	7/23/2007 12:59	0.1		0.1
29	7/23/2007 13:14	0.2		0.2
30	7/23/2007 13:29	0.1		0.1
31	7/23/2007 13:44	0.1		0.1
32	7/23/2007 13:59	0.1		0.1
33	7/23/2007 14:14	0.1		0.1
34	7/23/2007 14:29	0.1		0.1
35	7/23/2007 14:44	0.1		0.1
36	7/23/2007 14:59	0.1		0.1
37	7/23/2007 15:14	0.1		0.1
38	7/23/2007 15:29	0.1		0.1
39	7/23/2007 15:44	0.1		0.1
40	7/23/2007 15:59	0.1		0.1
41	7/23/2007 16:14	0.1		0.1
42	7/23/2007 16:29	0.1		0.1
43	7/23/2007 16:44	0.1		0.1
44	7/23/2007 16:59	0.1		0.1
45	7/23/2007 17:14	0.1		0.1
46	7/23/2007 17:29	0.1		0.1
47	7/23/2007 17:44	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/23/2007
Start Time:	6:00:01
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0558) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/23/2007	6:15:01	0.008	0.002	2
7/23/2007	6:30:01	0.01	0.004	4
7/23/2007	6:45:01	0.01	0.004	4
7/23/2007	7:00:01	0.012	0.006	6
7/23/2007	7:15:01	0.013	0.007	7
7/23/2007	7:30:01	0.014	0.008	8
7/23/2007	7:45:01	0.06	0.054	54
7/23/2007	8:00:01	0.016	0.01	10
7/23/2007	8:15:01	0.016	0.01	10
7/23/2007	8:30:01	0.016	0.01	10
7/23/2007	8:45:01	0.016	0.01	10
7/23/2007	9:00:01	0.015	0.009	9
7/23/2007	9:15:01	0.016	0.01	10
7/23/2007	9:30:01	0.018	0.012	12
7/23/2007	9:45:01	0.019	0.013	13
7/23/2007	10:00:01	0.017	0.011	11
7/23/2007	10:15:01	0.016	0.01	10
7/23/2007	10:30:01	0.019	0.013	13
7/23/2007	10:45:01	0.013	0.007	7
7/23/2007	11:00:01	0.013	0.007	7
7/23/2007	11:15:01	0.01	0.004	4
7/23/2007	11:30:01	0.011	0.005	5
7/23/2007	11:45:01	0.01	0.004	4
7/23/2007	12:00:01	0.011	0.005	5
7/23/2007	12:15:01	0.01	0.004	4
7/23/2007	12:30:01	0.008	0.002	2
7/23/2007	12:45:01	0.007	0.001	1
7/23/2007	13:00:01	0.007	0.001	1
7/23/2007	13:15:01	0.006	0	0
7/23/2007	13:30:01	0.008	0.002	2
7/23/2007	13:45:01	0.006	0	0
7/23/2007	14:00:01	0.007	0.001	1
7/23/2007	14:15:01	0.009	0.003	3
7/23/2007	14:30:01	0.011	0.005	5
7/23/2007	14:45:01	0.009	0.003	3
7/23/2007	15:00:01	0.008	0.002	2
7/23/2007	15:15:01	0.008	0.002	2
7/23/2007	15:30:01	0.011	0.005	5
7/23/2007	15:45:01	0.01	0.004	4
7/23/2007	16:00:01	0.009	0.003	3
7/23/2007	16:15:01	0.011	0.005	5
7/23/2007	16:30:01	0.008	0.002	2
7/23/2007	16:45:01	0.006	0	0
7/23/2007	17:00:01	0.007	0.001	1
7/23/2007	17:15:01	0.007	0.001	1
7/23/2007	17:30:01	0.007	0.001	1
7/23/2007	17:45:01	0.01	0.004	4
7/23/2007	18:00:01	0.012	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/23/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/23/2007 6:29	0		0
2	7/23/2007 6:44	0		0
3	7/23/2007 6:59	0		0
4	7/23/2007 7:14	0		0
5	7/23/2007 7:29	0.2		0.2
6	7/23/2007 7:44	0.2		0.2
7	7/23/2007 7:59	0.3		0.3
8	7/23/2007 8:14	0.2		0.2
9	7/23/2007 8:29	0.2		0.2
10	7/23/2007 8:44	0.3		0.3
11	7/23/2007 8:59	0.2		0.2
12	7/23/2007 9:14	0.2		0.2
13	7/23/2007 9:29	0.2		0.2
14	7/23/2007 9:44	0.2		0.2
15	7/23/2007 9:59	0.2		0.2
16	7/23/2007 10:14	0.2		0.2
17	7/23/2007 10:29	0.2		0.2
18	7/23/2007 10:44	0.2		0.2
19	7/23/2007 10:59	0.2		0.2
20	7/23/2007 11:14	0.2		0.2
21	7/23/2007 11:29	0.2		0.2
22	7/23/2007 11:44	0.2		0.2
23	7/23/2007 11:59	0.2		0.2
24	7/23/2007 12:14	0.2		0.2
25	7/23/2007 12:29	0.2		0.2
26	7/23/2007 12:44	0.2		0.2
27	7/23/2007 12:59	0.2		0.2
28	7/23/2007 13:14	0.1		0.1
29	7/23/2007 13:29	0.2		0.2
30	7/23/2007 13:44	0.1		0.1
31	7/23/2007 13:59	0.1		0.1
32	7/23/2007 14:14	0.1		0.1
33	7/23/2007 14:29	0.1		0.1
34	7/23/2007 14:44	0.1		0.1
35	7/23/2007 14:59	0.1		0.1
36	7/23/2007 15:14	0		0
37	7/23/2007 15:29	0		0
38	7/23/2007 15:44	0		0
39	7/23/2007 15:59	0		0
40	7/23/2007 16:14	0		0
41	7/23/2007 16:29	0		0
42	7/23/2007 16:44	0		0
43	7/23/2007 16:59	0		0
44	7/23/2007 17:14	0		0
45	7/23/2007 17:29	0		0
46	7/23/2007 17:44	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/23/2007
Start Time:	7:42:11
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0610) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. dale	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/23/2007	7:57:11	0.045	0.035	35
7/23/2007	8:12:11	0.069	0.059	59
7/23/2007	8:27:11	0.052	0.042	42
7/23/2007	8:42:11	0.033	0.023	23
7/23/2007	8:57:11	0.031	0.021	21
7/23/2007	9:12:11	0.034	0.024	24
7/23/2007	9:27:11	0.035	0.025	25
7/23/2007	9:42:11	0.034	0.024	24
7/23/2007	9:57:11	0.05	0.04	40
7/23/2007	10:12:11	0.038	0.028	28
7/23/2007	10:27:11	0.036	0.026	26
7/23/2007	10:42:11	0.037	0.027	27
7/23/2007	10:57:11	0.034	0.024	24
7/23/2007	11:12:11	0.028	0.018	18
7/23/2007	11:27:11	0.037	0.027	27
7/23/2007	11:42:11	0.026	0.016	16
7/23/2007	11:57:11	0.038	0.028	28
7/23/2007	12:12:11	0.033	0.023	23
7/23/2007	12:27:11	0.048	0.038	38
7/23/2007	12:42:11	0.019	0.009	9
7/23/2007	12:57:11	0.02	0.01	10
7/23/2007	13:12:11	0.023	0.013	13
7/23/2007	13:27:11	0.02	0.01	10
7/23/2007	13:42:11	0.04	0.03	30
7/23/2007	13:57:11	0.023	0.013	13
7/23/2007	14:12:11	0.028	0.018	18
7/23/2007	14:27:11	0.03	0.02	20
7/23/2007	14:42:11	0.029	0.019	19
7/23/2007	14:57:11	0.029	0.019	19
7/23/2007	15:12:11	0.031	0.021	21
7/23/2007	15:27:11	0.03	0.02	20
7/23/2007	15:42:11	0.037	0.027	27
7/23/2007	15:57:11	0.031	0.021	21
7/23/2007	16:12:11	0.041	0.031	31
7/23/2007	16:27:11	0.034	0.024	24
7/23/2007	16:42:11	0.028	0.018	18
7/23/2007	16:57:11	0.03	0.02	20
7/23/2007	17:12:11	0.029	0.019	19
7/23/2007	17:27:11	0.026	0.016	16
7/23/2007	17:42:11	0.028	0.018	18
7/23/2007	17:57:11	0.036	0.026	26

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/23/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/23/2007 6:30	0		0
2	7/23/2007 6:45	0		0
3	7/23/2007 7:00	0		0
4	7/23/2007 7:15	0		0
5	7/23/2007 7:30	0		0
6	7/23/2007 7:45	0		0
7	7/23/2007 8:00	0		0
8	7/23/2007 8:15	0		0
9	7/23/2007 8:30	0		0
10	7/23/2007 8:45	0		0
11	7/23/2007 9:00	0		0
12	7/23/2007 9:15	0		0
13	7/23/2007 9:30	0		0
14	7/23/2007 9:45	0		0
15	7/23/2007 10:00	0		0
16	7/23/2007 10:15	0		0
17	7/23/2007 10:30	0		0
18	7/23/2007 10:45	0		0
19	7/23/2007 11:00	0		0
20	7/23/2007 11:15	0		0
21	7/23/2007 11:30	0		0
22	7/23/2007 11:45	0		0
23	7/23/2007 12:00	0		0
24	7/23/2007 12:15	0		0
25	7/23/2007 12:30	0		0
26	7/23/2007 12:45	0		0
27	7/23/2007 13:00	0		0
28	7/23/2007 13:15	0		0
29	7/23/2007 13:30	0		0
30	7/23/2007 13:45	0		0
31	7/23/2007 14:00	0		0
32	7/23/2007 14:15	0		0
33	7/23/2007 14:30	0		0
34	7/23/2007 14:45	0		0
35	7/23/2007 15:00	0		0
36	7/23/2007 15:15	0		0
37	7/23/2007 15:30	0		0
38	7/23/2007 15:45	0		0
39	7/23/2007 16:00	0		0
40	7/23/2007 16:15	0		0
41	7/23/2007 16:30	0		0
42	7/23/2007 16:45	0		0
43	7/23/2007 17:00	0		0
44	7/23/2007 17:15	0		0
45	7/23/2007 17:30	0		0
46	7/23/2007 17:45	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/23/2007
Start Time:	6:16:32
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0615) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/23/2007	6:31:32	0.013	-0.002	-2
7/23/2007	6:46:32	0.014	-0.001	-1
7/23/2007	7:01:32	0.014	-0.001	-1
7/23/2007	7:16:32	0.019	0.004	4
7/23/2007	7:31:32	0.017	0.002	2
7/23/2007	7:46:32	0.018	0.003	3
7/23/2007	8:01:32	0.02	0.005	5
7/23/2007	8:16:32	0.021	0.006	6
7/23/2007	8:31:32	0.02	0.005	5
7/23/2007	8:46:32	0.02	0.005	5
7/23/2007	9:01:32	0.02	0.005	5
7/23/2007	9:16:32	0.022	0.007	7
7/23/2007	9:31:32	0.021	0.006	6
7/23/2007	9:46:32	0.023	0.008	8
7/23/2007	10:01:32	0.026	0.011	11
7/23/2007	10:16:32	0.023	0.008	8
7/23/2007	10:31:32	0.023	0.008	8
7/23/2007	10:46:32	0.022	0.007	7
7/23/2007	11:01:32	0.019	0.004	4
7/23/2007	11:16:32	0.026	0.011	11
7/23/2007	11:31:32	0.019	0.004	4
7/23/2007	11:46:32	0.016	0.001	1
7/23/2007	12:01:32	0.027	0.012	12
7/23/2007	12:16:32	0.026	0.011	11
7/23/2007	12:31:32	0.022	0.007	7
7/23/2007	12:46:32	0.014	-0.001	-1
7/23/2007	13:01:32	0.015	0	0
7/23/2007	13:16:32	0.014	-0.001	-1
7/23/2007	13:31:32	0.017	0.002	2
7/23/2007	13:46:32	0.025	0.01	10
7/23/2007	14:01:32	0.017	0.002	2
7/23/2007	14:16:32	0.018	0.003	3
7/23/2007	14:31:32	0.021	0.006	6
7/23/2007	14:46:32	0.02	0.005	5
7/23/2007	15:01:32	0.018	0.003	3
7/23/2007	15:16:32	0.02	0.005	5
7/23/2007	15:31:32	0.024	0.009	9
7/23/2007	15:46:32	0.023	0.008	8
7/23/2007	16:01:32	0.021	0.006	6
7/23/2007	16:16:32	0.027	0.012	12
7/23/2007	16:31:32	0.021	0.006	6
7/23/2007	16:46:32	0.019	0.004	4
7/23/2007	17:01:32	0.019	0.004	4
7/23/2007	17:16:32	0.02	0.005	5
7/23/2007	17:31:32	0.019	0.004	4
7/23/2007	17:46:32	0.022	0.007	7
7/23/2007	18:01:32	0.024	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/24/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/24/2007 6:35	0		0
2	7/24/2007 6:50	0		0
3	7/24/2007 7:05	0		0
4	7/24/2007 7:20	0		0
5	7/24/2007 7:35	0.1		0.1
6	7/24/2007 7:50	0.1		0.1
7	7/24/2007 8:05	0.1		0.1
8	7/24/2007 8:20	0		0
9	7/24/2007 8:35	0		0
10	7/24/2007 8:50	0		0
11	7/24/2007 9:05	0		0
12	7/24/2007 9:20	0		0
13	7/24/2007 9:35	0		0
14	7/24/2007 9:50	0		0
15	7/24/2007 10:05	0		0
16	7/24/2007 10:20	0.1		0.1
17	7/24/2007 10:35	0.1		0.1
18	7/24/2007 10:50	0.1		0.1
19	7/24/2007 11:05	0.1		0.1
20	7/24/2007 11:20	0.1		0.1
21	7/24/2007 11:35	0.1		0.1
22	7/24/2007 11:50	0.1		0.1
23	7/24/2007 12:05	0.1		0.1
24	7/24/2007 12:20	0.1		0.1
25	7/24/2007 12:35	0.1		0.1
26	7/24/2007 12:50	0.1		0.1
27	7/24/2007 13:05	0.1		0.1
28	7/24/2007 13:20	0.1		0.1
29	7/24/2007 13:35	0.1		0.1
30	7/24/2007 13:50	0.1		0.1
31	7/24/2007 14:05	0.1		0.1
32	7/24/2007 14:20	0.1		0.1
33	7/24/2007 14:35	0.1		0.1
34	7/24/2007 14:50	0		0
35	7/24/2007 15:05	0		0
36	7/24/2007 15:20	0		0
37	7/24/2007 15:35	0		0
38	7/24/2007 15:50	0		0
39	7/24/2007 16:05	0		0
40	7/24/2007 16:20	0		0
41	7/24/2007 16:35	0		0
42	7/24/2007 16:50	0		0
43	7/24/2007 17:05	0		0
44	7/24/2007 17:20	0		0
45	7/24/2007 17:35	0		0
46	7/24/2007 17:50	0		0
47	7/24/2007 18:05	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/24/2007
Start Time:	6:20:39
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0615) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/24/2007	6:35:39	0.011	0.002	2
7/24/2007	6:50:39	0.011	0.002	2
7/24/2007	7:05:39	0.01	0.001	1
7/24/2007	7:20:39	0.01	0.001	1
7/24/2007	7:35:39	0.008	-0.001	-1
7/24/2007	7:50:39	0.01	0.001	1
7/24/2007	8:05:39	0.009	0	0
7/24/2007	8:20:39	0.008	-0.001	-1
7/24/2007	8:35:39	0.008	-0.001	-1
7/24/2007	8:50:39	0.008	-0.001	-1
7/24/2007	9:05:39	0.008	-0.001	-1
7/24/2007	9:20:39	0.009	0	0
7/24/2007	9:35:39	0.009	0	0
7/24/2007	9:50:39	0.011	0.002	2
7/24/2007	10:05:39	0.011	0.002	2
7/24/2007	10:20:39	0.009	0	0
7/24/2007	10:35:39	0.008	-0.001	-1
7/24/2007	10:50:39	0.008	-0.001	-1
7/24/2007	11:05:39	0.009	0	0
7/24/2007	11:20:39	0.008	-0.001	-1
7/24/2007	11:35:39	0.008	-0.001	-1
7/24/2007	11:50:39	0.008	-0.001	-1
7/24/2007	12:05:39	0.008	-0.001	-1
7/24/2007	12:20:39	0.008	-0.001	-1
7/24/2007	12:35:39	0.008	-0.001	-1
7/24/2007	12:50:39	0.008	-0.001	-1
7/24/2007	13:05:39	0.01	0.001	1
7/24/2007	13:20:39	0.01	0.001	1
7/24/2007	13:35:39	0.01	0.001	1
7/24/2007	13:50:39	0.011	0.002	2
7/24/2007	14:05:39	0.011	0.002	2
7/24/2007	14:20:39	0.011	0.002	2
7/24/2007	14:35:39	0.012	0.003	3
7/24/2007	14:50:39	0.012	0.003	3
7/24/2007	15:05:39	0.015	0.006	6
7/24/2007	15:20:39	0.017	0.008	8
7/24/2007	15:35:39	0.012	0.003	3
7/24/2007	15:50:39	0.012	0.003	3
7/24/2007	16:05:39	0.013	0.004	4
7/24/2007	16:20:39	0.012	0.003	3
7/24/2007	16:35:39	0.012	0.003	3
7/24/2007	16:50:39	0.011	0.002	2
7/24/2007	17:05:39	0.011	0.002	2
7/24/2007	17:20:39	0.011	0.002	2
7/24/2007	17:35:39	0.01	0.001	1
7/24/2007	17:50:39	0.011	0.002	2
7/24/2007	18:05:39	0.01	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 47 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/24/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0617) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/24/2007 6:33	0		0
2	7/24/2007 6:48	0		0
3	7/24/2007 7:03	0		0
4	7/24/2007 7:18	0		0
5	7/24/2007 7:33	0		0
6	7/24/2007 7:48	0.1		0.1
7	7/24/2007 8:03	0.1		0.1
8	7/24/2007 8:18	0.1		0.1
9	7/24/2007 8:33	0.1		0.1
10	7/24/2007 8:48	0.1		0.1
11	7/24/2007 9:03	0.1		0.1
12	7/24/2007 9:18	0.1		0.1
13	7/24/2007 9:33	0.1		0.1
14	7/24/2007 9:48	0.2		0.2
15	7/24/2007 10:03	0.1		0.1
16	7/24/2007 10:18	0.2		0.2
17	7/24/2007 10:33	0.2		0.2
18	7/24/2007 10:48	0.2		0.2
19	7/24/2007 11:03	0.2		0.2
20	7/24/2007 11:18	0.2		0.2
21	7/24/2007 11:33	0.2		0.2
22	7/24/2007 11:48	0.2		0.2
23	7/24/2007 12:03	0.2		0.2
24	7/24/2007 12:18	0.2		0.2
25	7/24/2007 12:33	0.2		0.2
26	7/24/2007 12:48	0.2		0.2
27	7/24/2007 13:03	0.2		0.2
28	7/24/2007 13:18	0.2		0.2
29	7/24/2007 13:33	0.2		0.2
30	7/24/2007 13:48	0.2		0.2
31	7/24/2007 14:03	0.2		0.2
32	7/24/2007 14:18	0.2		0.2
33	7/24/2007 14:33	0.2		0.2
34	7/24/2007 14:48	0.2		0.2
35	7/24/2007 15:03	0.2		0.2
36	7/24/2007 15:18	0.2		0.2
37	7/24/2007 15:33	0.2		0.2
38	7/24/2007 15:48	0.2		0.2
39	7/24/2007 16:03	0.2		0.2
40	7/24/2007 16:18	0.2		0.2
41	7/24/2007 16:33	0.2		0.2
42	7/24/2007 16:48	0.2		0.2
43	7/24/2007 17:03	0.2		0.2
44	7/24/2007 17:18	0.2		0.2
45	7/24/2007 17:33	0.2		0.2
46	7/24/2007 17:48	0.2		0.2
47	7/24/2007 18:03	0.2		0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	7/24/2007
Start Time:	6:17:38
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0617) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/24/2007	6:32:38	0.013	0.002	2
7/24/2007	6:47:38	0.013	0.002	2
7/24/2007	7:02:38	0.012	0.001	1
7/24/2007	7:17:38	0.013	0.002	2
7/24/2007	7:32:38	0.012	0.001	1
7/24/2007	7:47:38	0.014	0.003	3
7/24/2007	8:02:38	0.013	0.002	2
7/24/2007	8:17:38	0.013	0.002	2
7/24/2007	8:32:38	0.011	0	0
7/24/2007	8:47:38	0.012	0.001	1
7/24/2007	9:02:38	0.013	0.002	2
7/24/2007	9:17:38	0.016	0.005	5
7/24/2007	9:32:38	0.014	0.003	3
7/24/2007	9:47:38	0.017	0.006	6
7/24/2007	10:02:38	0.019	0.008	8
7/24/2007	10:17:38	0.015	0.004	4
7/24/2007	10:32:38	0.015	0.004	4
7/24/2007	10:47:38	0.013	0.002	2
7/24/2007	11:02:38	0.015	0.004	4
7/24/2007	11:17:38	0.015	0.004	4
7/24/2007	11:32:38	0.015	0.004	4
7/24/2007	11:47:38	0.016	0.005	5
7/24/2007	12:02:38	0.014	0.003	3
7/24/2007	12:17:38	0.018	0.007	7
7/24/2007	12:32:38	0.017	0.006	6
7/24/2007	12:47:38	0.018	0.007	7
7/24/2007	13:02:38	0.019	0.008	8
7/24/2007	13:17:38	0.019	0.008	8
7/24/2007	13:32:38	0.02	0.009	9
7/24/2007	13:47:38	0.021	0.01	10
7/24/2007	14:02:38	0.022	0.011	11
7/24/2007	14:17:38	0.025	0.014	14
7/24/2007	14:32:38	0.025	0.014	14
7/24/2007	14:47:38	0.024	0.013	13
7/24/2007	15:02:38	0.024	0.013	13
7/24/2007	15:17:38	0.029	0.018	18
7/24/2007	15:32:38	0.026	0.015	15
7/24/2007	15:47:38	0.026	0.015	15
7/24/2007	16:02:38	0.026	0.015	15
7/24/2007	16:17:38	0.025	0.014	14
7/24/2007	16:32:38	0.024	0.013	13
7/24/2007	16:47:38	0.025	0.014	14
7/24/2007	17:02:38	0.025	0.014	14
7/24/2007	17:17:38	0.024	0.013	13
7/24/2007	17:32:38	0.023	0.012	12
7/24/2007	17:47:38	0.023	0.012	12
7/24/2007	18:02:38	0.023	0.012	12
7/24/2007	18:17:38	0.024	0.013	13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/24/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0634) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/24/2007 6:47	0.2		0
2	7/24/2007 7:02	0.2		0
3	7/24/2007 7:17	0.2		0
4	7/24/2007 7:32	0.3		0.1
5	7/24/2007 7:47	0.3		0.1
6	7/24/2007 8:02	0.3		0.1
7	7/24/2007 8:17	0.3		0.1
8	7/24/2007 8:32	0.4		0.2
9	7/24/2007 8:47	0.4		0.2
10	7/24/2007 9:02	0.4		0.2
11	7/24/2007 9:17	0.4		0.2
12	7/24/2007 9:32	0.4		0.2
13	7/24/2007 9:47	0.4		0.2
14	7/24/2007 10:02	0.4		0.2
15	7/24/2007 10:17	0.4		0.2
16	7/24/2007 10:32	0.4		0.2
17	7/24/2007 10:47	0.5		0.3
18	7/24/2007 11:02	0.4		0.2
19	7/24/2007 11:17	0.4		0.2
20	7/24/2007 11:32	0.4		0.2
21	7/24/2007 11:47	0.3		0.1
22	7/24/2007 12:02	0.3		0.1
23	7/24/2007 12:17	0.3		0.1
24	7/24/2007 12:32	0.3		0.1
25	7/24/2007 12:47	0.3		0.1
26	7/24/2007 13:02	0.3		0.1
27	7/24/2007 13:17	0.3		0.1
28	7/24/2007 13:32	0.4		0.2
29	7/24/2007 13:47	0.3		0.1
30	7/24/2007 14:02	0.3		0.1
31	7/24/2007 14:17	0.2		0
32	7/24/2007 14:32	0.2		0
33	7/24/2007 14:47	0.2		0
34	7/24/2007 15:02	0.2		0
35	7/24/2007 15:17	0.2		0
36	7/24/2007 15:32	0.2		0
37	7/24/2007 15:47	0.2		0
38	7/24/2007 16:02	0.2		0
39	7/24/2007 16:17	0.2		0
40	7/24/2007 16:32	0.2		0
41	7/24/2007 16:47	0.2		0
42	7/24/2007 17:02	0.2		0
43	7/24/2007 17:17	0.2		0
44	7/24/2007 17:32	0.2		0
45	7/24/2007 17:47	0.2		0
46	7/24/2007 18:02	0.2		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/24/2007
Start Time:	6:36:14
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0634) = 0.027 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/24/2007	6:51:14	0.031	0.004	4
7/24/2007	7:06:14	0.025	-0.002	-2
7/24/2007	7:21:14	0.026	-0.001	-1
7/24/2007	7:36:14	0.028	0.001	1
7/24/2007	7:51:14	0.031	0.004	4
7/24/2007	8:06:14	0.039	0.012	12
7/24/2007	8:21:14	0.031	0.004	4
7/24/2007	8:36:14	0.036	0.009	9
7/24/2007	8:51:14	0.039	0.012	12
7/24/2007	9:06:14	0.036	0.009	9
7/24/2007	9:21:14	0.035	0.008	8
7/24/2007	9:36:14	0.034	0.007	7
7/24/2007	9:51:14	0.032	0.005	5
7/24/2007	10:06:14	0.035	0.008	8
7/24/2007	10:21:14	0.035	0.008	8
7/24/2007	10:36:14	0.032	0.005	5
7/24/2007	10:51:14	0.039	0.012	12
7/24/2007	11:06:14	0.066	0.039	39
7/24/2007	11:21:14	0.034	0.007	7
7/24/2007	11:36:14	0.032	0.005	5
7/24/2007	11:51:14	0.041	0.014	14
7/24/2007	12:06:14	0.032	0.005	5
7/24/2007	12:21:14	0.036	0.009	9
7/24/2007	12:36:14	0.036	0.009	9
7/24/2007	12:51:14	0.037	0.01	10
7/24/2007	13:06:14	0.048	0.021	21
7/24/2007	13:21:14	0.046	0.019	19
7/24/2007	13:36:14	0.051	0.024	24
7/24/2007	13:51:14	0.048	0.021	21
7/24/2007	14:06:14	0.036	0.009	9
7/24/2007	14:21:14	0.041	0.014	14
7/24/2007	14:36:14	0.046	0.019	19
7/24/2007	14:51:14	0.057	0.03	30
7/24/2007	15:06:14	0.05	0.023	23
7/24/2007	15:21:14	0.057	0.03	30
7/24/2007	15:36:14	0.085	0.058	58
7/24/2007	15:51:14	0.044	0.017	17
7/24/2007	16:06:14	0.049	0.022	22
7/24/2007	16:21:14	0.044	0.017	17
7/24/2007	16:36:14	0.043	0.016	16
7/24/2007	16:51:14	0.045	0.018	18
7/24/2007	17:06:14	0.04	0.013	13
7/24/2007	17:21:14	0.036	0.009	9
7/24/2007	17:36:14	0.035	0.008	8
7/24/2007	17:51:14	0.034	0.007	7
7/24/2007	18:06:14	0.031	0.004	4
7/24/2007	18:21:14	0.032	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/24/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/24/2007 6:46	0.1		-0.1
2	7/24/2007 7:01	0.1		-0.1
3	7/24/2007 7:16	0.2		0
4	7/24/2007 7:31	0.2		0
5	7/24/2007 7:46	0.2		0
6	7/24/2007 8:01	0.3		0.1
7	7/24/2007 8:16	0.3		0.1
8	7/24/2007 8:31	0.3		0.1
9	7/24/2007 8:46	0.3		0.1
10	7/24/2007 9:01	0.3		0.1
11	7/24/2007 9:16	0.3		0.1
12	7/24/2007 9:31	0.3		0.1
13	7/24/2007 9:46	0.3		0.1
14	7/24/2007 10:01	0.3		0.1
15	7/24/2007 10:16	0.3		0.1
16	7/24/2007 10:31	0.3		0.1
17	7/24/2007 10:46	0.3		0.1
18	7/24/2007 11:01	0.3		0.1
19	7/24/2007 11:16	0.3		0.1
20	7/24/2007 11:31	0.3		0.1
21	7/24/2007 11:46	0.3		0.1
22	7/24/2007 12:01	0.3		0.1
23	7/24/2007 12:16	0.3		0.1
24	7/24/2007 12:31	0.3		0.1
25	7/24/2007 12:46	0.3		0.1
26	7/24/2007 13:01	0.3		0.1
27	7/24/2007 13:16	0.2		0
28	7/24/2007 13:31	0.3		0.1
29	7/24/2007 13:46	0.3		0.1
30	7/24/2007 14:01	0.3		0.1
31	7/24/2007 14:16	0.3		0.1
32	7/24/2007 14:31	0.3		0.1
33	7/24/2007 14:46	0.3		0.1
34	7/24/2007 15:01	0.3		0.1
35	7/24/2007 15:16	0.3		0.1
36	7/24/2007 15:31	0.3		0.1
37	7/24/2007 15:46	0.3		0.1
38	7/24/2007 16:01	0.3		0.1
39	7/24/2007 16:16	0.3		0.1
40	7/24/2007 16:31	0.3		0.1
41	7/24/2007 16:46	0.3		0.1
42	7/24/2007 17:01	0.3		0.1
43	7/24/2007 17:16	0.3		0.1
44	7/24/2007 17:31	0.2		0
45	7/24/2007 17:46	0.2		0
46	7/24/2007 18:01	0.2		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	7/24/2007
Start Time:	6:32:40
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0628) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/24/2007	6:47:40	0.019	0.001	1
7/24/2007	7:02:40	0.02	0.002	2
7/24/2007	7:17:40	0.024	0.006	6
7/24/2007	7:32:40	0.024	0.006	6
7/24/2007	7:47:40	0.023	0.005	5
7/24/2007	8:02:40	0.029	0.011	11
7/24/2007	8:17:40	0.022	0.004	4
7/24/2007	8:32:40	0.025	0.007	7
7/24/2007	8:47:40	0.016	-0.002	-2
7/24/2007	9:02:40	0.018	0	0
7/24/2007	9:17:40	0.021	0.003	3
7/24/2007	9:32:40	0.017	-0.001	-1
7/24/2007	9:47:40	0.022	0.004	4
7/24/2007	10:02:40	0.02	0.002	2
7/24/2007	10:17:40	0.017	-0.001	-1
7/24/2007	10:32:40	0.023	0.005	5
7/24/2007	10:47:40	0.022	0.004	4
7/24/2007	11:02:40	0.018	0	0
7/24/2007	11:17:40	0.021	0.003	3
7/24/2007	11:32:40	0.026	0.008	8
7/24/2007	11:47:40	0.041	0.023	23
7/24/2007	12:02:40	0.02	0.002	2
7/24/2007	12:17:40	0.017	-0.001	-1
7/24/2007	12:32:40	0.017	-0.001	-1
7/24/2007	12:47:40	0.017	-0.001	-1
7/24/2007	13:02:40	0.036	0.018	18
7/24/2007	13:17:40	0.042	0.024	24
7/24/2007	13:32:40	0.043	0.025	25
7/24/2007	13:47:40	0.029	0.011	11
7/24/2007	14:02:40	0.024	0.006	6
7/24/2007	14:17:40	0.024	0.006	6
7/24/2007	14:32:40	0.025	0.007	7
7/24/2007	14:47:40	0.026	0.008	8
7/24/2007	15:02:40	0.025	0.007	7
7/24/2007	15:17:40	0.022	0.004	4
7/24/2007	15:32:40	0.02	0.002	2
7/24/2007	15:47:40	0.02	0.002	2
7/24/2007	16:02:40	0.02	0.002	2
7/24/2007	16:17:40	0.02	0.002	2
7/24/2007	16:32:40	0.018	0	0
7/24/2007	16:47:40	0.018	0	0
7/24/2007	17:02:40	0.018	0	0
7/24/2007	17:17:40	0.017	-0.001	-1
7/24/2007	17:32:40	0.017	-0.001	-1
7/24/2007	17:47:40	0.017	-0.001	-1
7/24/2007	18:02:40	0.016	-0.002	-2
7/24/2007	18:17:40	0.016	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/25/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (05:59) = 0.0ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/25/2007 6:12	0		0
2	7/25/2007 6:27	0		0
3	7/25/2007 6:42	0.2		0.2
4	7/25/2007 6:57	0.3		0.3
5	7/25/2007 7:12	0.3		0.3
6	7/25/2007 7:27	0.4		0.4
7	7/25/2007 7:42	0.4		0.4
8	7/25/2007 7:57	0.3		0.3
9	7/25/2007 8:12	0.1		0.1
10	7/25/2007 8:27	0.1		0.1
11	7/25/2007 8:42	0.1		0.1
12	7/25/2007 8:57	0.2		0.2
13	7/25/2007 9:12	0.2		0.2
14	7/25/2007 9:27	0.2		0.2
15	7/25/2007 9:42	0.3		0.3
16	7/25/2007 9:57	0.5		0.5
17	7/25/2007 10:12	0.3		0.3
18	7/25/2007 10:27	0.3		0.3
19	7/25/2007 10:42	0.4		0.4
20	7/25/2007 10:57	0.4		0.4
21	7/25/2007 11:12	0.3		0.3
22	7/25/2007 11:27	0.4		0.4
23	7/25/2007 11:42	0.4		0.4
24	7/25/2007 11:57	0.3		0.3
25	7/25/2007 12:12	0.3		0.3
26	7/25/2007 12:27	0.4		0.4
27	7/25/2007 12:42	0.4		0.4
28	7/25/2007 12:57	0.3		0.3
29	7/25/2007 13:12	0.3		0.3
30	7/25/2007 13:27	0.3		0.3
31	7/25/2007 13:42	0.3		0.3
32	7/25/2007 13:57	0.3		0.3
33	7/25/2007 14:12	0.3		0.3
34	7/25/2007 14:27	0.3		0.3
35	7/25/2007 14:42	0.2		0.2
36	7/25/2007 14:57	0.2		0.2
37	7/25/2007 15:12	0.2		0.2
38	7/25/2007 15:27	0.3		0.3
39	7/25/2007 15:42	0.2		0.2
40	7/25/2007 15:57	0.1		0.1
41	7/25/2007 16:12	0.1		0.1
42	7/25/2007 16:27	0.2		0.2
43	7/25/2007 16:42	0.2		0.2
44	7/25/2007 16:57	0.2		0.2
45	7/25/2007 17:12	0.1		0.1
46	7/25/2007 17:27	0		0
47	7/25/2007 17:42	0		0
48	7/25/2007 17:57	0		0
49	7/25/2007 18:12	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/25/2007
Start Time:	5:58:54
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (05:59) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/25/2007	6:13:54	0.038	0.007	7
7/25/2007	6:28:54	0.044	0.013	13
7/25/2007	6:43:54	0.057	0.026	26
7/25/2007	6:58:54	0.048	0.017	17
7/25/2007	7:13:54	0.039	0.008	8
7/25/2007	7:28:54	0.036	0.005	5
7/25/2007	7:43:54	0.034	0.003	3
7/25/2007	7:58:54	0.029	-0.002	-2
7/25/2007	8:13:54	0.025	-0.006	-6
7/25/2007	8:28:54	0.018	-0.013	-13
7/25/2007	8:43:54	0.016	-0.015	-15
7/25/2007	8:58:54	0.015	-0.016	-16
7/25/2007	9:13:54	0.013	-0.018	-18
7/25/2007	9:28:54	0.011	-0.02	-20
7/25/2007	9:43:54	0.012	-0.019	-19
7/25/2007	9:58:54	0.012	-0.019	-19
7/25/2007	10:13:54	0.016	-0.015	-15
7/25/2007	10:28:54	0.012	-0.019	-19
7/25/2007	10:43:54	0.008	-0.023	-23
7/25/2007	10:58:54	0.008	-0.023	-23
7/25/2007	11:13:54	0.008	-0.023	-23
7/25/2007	11:28:54	0.008	-0.023	-23
7/25/2007	11:43:54	0.006	-0.025	-25
7/25/2007	11:58:54	0.006	-0.025	-25
7/25/2007	12:13:54	0.006	-0.025	-25
7/25/2007	12:28:54	0.005	-0.026	-26
7/25/2007	12:43:54	0.006	-0.025	-25
7/25/2007	12:58:54	0.005	-0.026	-26
7/25/2007	13:13:54	0.005	-0.026	-26
7/25/2007	13:28:54	0.005	-0.026	-26
7/25/2007	13:43:54	0.005	-0.026	-26
7/25/2007	13:58:54	0.006	-0.025	-25
7/25/2007	14:13:54	0.005	-0.026	-26
7/25/2007	14:28:54	0.007	-0.024	-24
7/25/2007	14:43:54	0.006	-0.025	-25
7/25/2007	14:58:54	0.005	-0.026	-26
7/25/2007	15:13:54	0.006	-0.025	-25
7/25/2007	15:28:54	0.005	-0.026	-26
7/25/2007	15:43:54	0.005	-0.026	-26
7/25/2007	15:58:54	0.006	-0.025	-25
7/25/2007	16:13:54	0.005	-0.026	-26
7/25/2007	16:28:54	0.004	-0.027	-27
7/25/2007	16:43:54	0.004	-0.027	-27
7/25/2007	16:58:54	0.004	-0.027	-27
7/25/2007	17:13:54	0.004	-0.027	-27
7/25/2007	17:28:54	0.004	-0.027	-27
7/25/2007	17:43:54	0.004	-0.027	-27
7/25/2007	17:58:54	0.004	-0.027	-27
7/25/2007	18:13:54	0.004	-0.027	-27
7/25/2007	18:28:54	0.004	-0.027	-27

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/25/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (05:57) = 0.0ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/25/2007 6:13	0		0
2	7/25/2007 6:28	0		0
3	7/25/2007 6:43	0		0
4	7/25/2007 6:58	0		0
5	7/25/2007 7:13	0		0
6	7/25/2007 7:28	0		0
7	7/25/2007 7:43	0		0
8	7/25/2007 7:58	0		0
9	7/25/2007 8:13	0		0
10	7/25/2007 8:28	0		0
11	7/25/2007 8:43	0		0
12	7/25/2007 8:58	0		0
13	7/25/2007 9:13	0		0
14	7/25/2007 9:28	0		0
15	7/25/2007 9:43	0		0
16	7/25/2007 9:58	0		0
17	7/25/2007 10:13	0		0
18	7/25/2007 10:28	0		0
19	7/25/2007 10:43	0		0
20	7/25/2007 10:58	0		0
21	7/25/2007 11:13	0		0
22	7/25/2007 11:28	0		0
23	7/25/2007 11:43	0		0
24	7/25/2007 11:58	0		0
25	7/25/2007 12:13	0		0
26	7/25/2007 12:28	0		0
27	7/25/2007 12:43	0		0
28	7/25/2007 12:58	0		0
29	7/25/2007 13:13	0		0
30	7/25/2007 13:28	0		0
31	7/25/2007 13:43	0		0
32	7/25/2007 13:58	0		0
33	7/25/2007 14:13	0		0
34	7/25/2007 14:28	0		0
35	7/25/2007 14:43	0		0
36	7/25/2007 14:58	0		0
37	7/25/2007 15:13	0		0
38	7/25/2007 15:28	0		0
39	7/25/2007 15:43	0		0
40	7/25/2007 15:58	0		0
41	7/25/2007 16:13	0		0
42	7/25/2007 16:28	0		0
43	7/25/2007 16:43	0		0
44	7/25/2007 16:58	0		0
45	7/25/2007 17:13	0		0
46	7/25/2007 17:28	0		0
47	7/25/2007 17:43	0		0
48	7/25/2007 17:58	0		0
49	7/25/2007 18:13	0		0
50	7/25/2007 18:28	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	7/25/2007
Start Time:	5:59:09
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	Background Reading (05:57) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/25/2007	6:14:09	0.051	0.007	7
7/25/2007	6:29:09	0.045	0.001	1
7/25/2007	6:44:09	0.044	0	0
7/25/2007	6:59:09	0.044	0	0
7/25/2007	7:14:09	0.044	0	0
7/25/2007	7:29:09	0.043	-0.001	-1
7/25/2007	7:44:09	0.041	-0.003	-3
7/25/2007	7:59:09	0.037	-0.007	-7
7/25/2007	8:14:09	0.034	-0.01	-10
7/25/2007	8:29:09	0.024	-0.02	-20
7/25/2007	8:44:09	0.022	-0.022	-22
7/25/2007	8:59:09	0.022	-0.022	-22
7/25/2007	9:14:09	0.022	-0.022	-22
7/25/2007	9:29:09	0.018	-0.026	-26
7/25/2007	9:44:09	0.019	-0.025	-25
7/25/2007	9:59:09	0.024	-0.02	-20
7/25/2007	10:14:09	0.02	-0.024	-24
7/25/2007	10:29:09	0.019	-0.025	-25
7/25/2007	10:44:09	0.015	-0.029	-29
7/25/2007	10:59:09	0.015	-0.029	-29
7/25/2007	11:14:09	0.016	-0.028	-28
7/25/2007	11:29:09	0.016	-0.028	-28
7/25/2007	11:44:09	0.013	-0.031	-31
7/25/2007	11:59:09	0.012	-0.032	-32
7/25/2007	12:14:09	0.013	-0.031	-31
7/25/2007	12:29:09	0.012	-0.032	-32
7/25/2007	12:44:09	0.013	-0.031	-31
7/25/2007	12:59:09	0.014	-0.03	-30
7/25/2007	13:14:09	0.014	-0.03	-30
7/25/2007	13:29:09	0.013	-0.031	-31
7/25/2007	13:44:09	0.013	-0.031	-31
7/25/2007	13:59:09	0.013	-0.031	-31
7/25/2007	14:14:09	0.014	-0.03	-30
7/25/2007	14:29:09	0.014	-0.03	-30
7/25/2007	14:44:09	0.014	-0.03	-30
7/25/2007	14:59:09	0.013	-0.031	-31
7/25/2007	15:14:09	0.013	-0.031	-31
7/25/2007	15:29:09	0.014	-0.03	-30
7/25/2007	15:44:09	0.013	-0.031	-31
7/25/2007	15:59:09	0.013	-0.031	-31
7/25/2007	16:14:09	0.013	-0.031	-31
7/25/2007	16:29:09	0.012	-0.032	-32
7/25/2007	16:44:09	0.012	-0.032	-32
7/25/2007	16:59:09	0.012	-0.032	-32
7/25/2007	17:14:09	0.012	-0.032	-32
7/25/2007	17:29:09	0.012	-0.032	-32
7/25/2007	17:44:09	0.012	-0.032	-32
7/25/2007	17:59:09	0.012	-0.032	-32
7/25/2007	18:14:09	0.012	-0.032	-32
7/25/2007	18:29:09	0.012	-0.032	-32
7/25/2007	18:44:09	0.013	-0.031	-31

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/25/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:15) = 0.0ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/25/2007 6:27	0		0
2	7/25/2007 6:42	0		0
3	7/25/2007 6:57	0		0
4	7/25/2007 7:12	0		0
5	7/25/2007 7:27	0		0
6	7/25/2007 7:42	0		0
7	7/25/2007 7:57	0		0
8	7/25/2007 8:12	0		0
9	7/25/2007 8:27	0		0
10	7/25/2007 8:42	0		0
11	7/25/2007 8:57	0		0
12	7/25/2007 9:12	0		0
13	7/25/2007 9:27	0		0
14	7/25/2007 9:42	0		0
15	7/25/2007 9:57	0		0
16	7/25/2007 10:12	0		0
17	7/25/2007 10:27	0		0
18	7/25/2007 10:42	0		0
19	7/25/2007 10:57	0		0
20	7/25/2007 11:12	0		0
21	7/25/2007 11:27	0		0
22	7/25/2007 11:42	0		0
23	7/25/2007 11:57	0		0
24	7/25/2007 12:12	0		0
25	7/25/2007 12:27	0		0
26	7/25/2007 12:42	0		0
27	7/25/2007 12:57	0		0
28	7/25/2007 13:12	0		0
29	7/25/2007 13:27	0		0
30	7/25/2007 13:42	0		0
31	7/25/2007 13:57	0		0
32	7/25/2007 14:12	0		0
33	7/25/2007 14:27	0		0
34	7/25/2007 14:42	0		0
35	7/25/2007 14:57	0		0
36	7/25/2007 15:12	0		0
37	7/25/2007 15:27	0		0
38	7/25/2007 15:42	0		0
39	7/25/2007 15:57	0		0
40	7/25/2007 16:12	0		0
41	7/25/2007 16:27	0		0
42	7/25/2007 16:42	0		0
43	7/25/2007 16:57	0		0
44	7/25/2007 17:12	0		0
45	7/25/2007 17:27	0		0
46	7/25/2007 17:42	0		0
47	7/25/2007 17:57	0		0
48	7/25/2007 18:12	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	7/25/2007
Start Time:	6:16:04
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (06:15) = 0.061 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/25/2007	6:31:04	0.087	0.026	26
7/25/2007	6:46:04	0.094	0.033	33
7/25/2007	7:01:04	0.093	0.032	32
7/25/2007	7:16:04	0.105	0.044	44
7/25/2007	7:31:04	0.113	0.052	52
7/25/2007	7:46:04	0.093	0.032	32
7/25/2007	8:01:04	0.094	0.033	33
7/25/2007	8:16:04	0.075	0.014	14
7/25/2007	8:31:04	0.064	0.003	3
7/25/2007	8:46:04	0.076	0.015	15
7/25/2007	9:01:04	0.071	0.01	10
7/25/2007	9:16:04	0.036	-0.025	-25
7/25/2007	9:31:04	0.038	-0.023	-23
7/25/2007	9:46:04	0.041	-0.02	-20
7/25/2007	10:01:04	0.039	-0.022	-22
7/25/2007	10:16:04	0.015	-0.046	-46
7/25/2007	10:31:04	0.011	-0.05	-50
7/25/2007	10:46:04	0.01	-0.051	-51
7/25/2007	11:01:04	0.018	-0.043	-43
7/25/2007	11:16:04	0.012	-0.049	-49
7/25/2007	11:31:04	0.008	-0.053	-53
7/25/2007	11:46:04	0.008	-0.053	-53
7/25/2007	12:01:04	0.019	-0.042	-42
7/25/2007	12:16:04	0.01	-0.051	-51
7/25/2007	12:31:04	0.007	-0.054	-54
7/25/2007	12:46:04	0.007	-0.054	-54
7/25/2007	13:01:04	0.007	-0.054	-54
7/25/2007	13:16:04	0.007	-0.054	-54
7/25/2007	13:31:04	0.007	-0.054	-54
7/25/2007	13:46:04	0.046	-0.015	-15
7/25/2007	14:01:04	0.016	-0.045	-45
7/25/2007	14:16:04	0.022	-0.039	-39
7/25/2007	14:31:04	0.018	-0.043	-43
7/25/2007	14:46:04	0.019	-0.042	-42
7/25/2007	15:01:04	0.017	-0.044	-44
7/25/2007	15:16:04	0.015	-0.046	-46
7/25/2007	15:31:04	0.012	-0.049	-49
7/25/2007	15:46:04	0.007	-0.054	-54
7/25/2007	16:01:04	0.007	-0.054	-54
7/25/2007	16:16:04	0.007	-0.054	-54
7/25/2007	16:31:04	0.007	-0.054	-54
7/25/2007	16:46:04	0.008	-0.053	-53
7/25/2007	17:01:04	0.008	-0.053	-53
7/25/2007	17:16:04	0.007	-0.054	-54
7/25/2007	17:31:04	0.008	-0.053	-53
7/25/2007	17:46:04	0.007	-0.054	-54
7/25/2007	18:01:04	0.007	-0.054	-54
7/25/2007	18:16:04	0.007	-0.054	-54
7/25/2007	18:31:04	0.006	-0.055	-55

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/24/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (06:10) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/25/2007 6:34	0		0
2	7/25/2007 6:49	0		0
3	7/25/2007 7:04	0		0
4	7/25/2007 7:19	0		0
5	7/25/2007 7:34	0		0
6	7/25/2007 7:49	0		0
7	7/25/2007 8:04	0.1		0.1
8	7/25/2007 8:19	0.3		0.3
9	7/25/2007 8:34	0.4		0.4
10	7/25/2007 8:49	0.1		0.1
11	7/25/2007 9:04	0.1		0.1
12	7/25/2007 9:19	0		0
13	7/25/2007 9:34	0		0
14	7/25/2007 9:49	0		0
15	7/25/2007 10:04	0		0
16	7/25/2007 10:19	0		0
17	7/25/2007 10:34	0		0
18	7/25/2007 10:49	0.2		0.2
19	7/25/2007 11:04	0		0
20	7/25/2007 11:19	0		0
21	7/25/2007 11:34	0		0
22	7/25/2007 11:49	0		0
23	7/25/2007 12:04	0		0
24	7/25/2007 12:19	0		0
25	7/25/2007 12:34	0		0
26	7/25/2007 12:49	0		0
27	7/25/2007 13:04	0		0
28	7/25/2007 13:19	0		0
29	7/25/2007 13:34	0		0
30	7/25/2007 13:49	0		0
31	7/25/2007 14:04	0		0
32	7/25/2007 14:19	0		0
33	7/25/2007 14:34	0		0
34	7/25/2007 14:49	0		0
35	7/25/2007 15:04	0		0
36	7/25/2007 15:19	0		0
37	7/25/2007 15:34	0		0
38	7/25/2007 15:49	0		0
39	7/25/2007 16:04	0		0
40	7/25/2007 16:19	0		0
41	7/25/2007 16:34	0		0
42	7/25/2007 16:49	0		0
43	7/25/2007 17:04	0		0
44	7/25/2007 17:19	0		0
45	7/25/2007 17:34	0		0
46	7/25/2007 17:49	0		0
47	7/25/2007 18:04	0		0
48	7/25/2007 18:19	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	7/25/2007
Start Time:	6:20:25
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (06:10) = 0.090 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/25/2007	6:35:25	0.071	-0.019	-19
7/25/2007	6:50:25	0.08	-0.01	-10
7/25/2007	7:05:25	0.076	-0.014	-14
7/25/2007	7:20:25	0.076	-0.014	-14
7/25/2007	7:35:25	0.076	-0.014	-14
7/25/2007	7:50:25	0.077	-0.013	-13
7/25/2007	8:05:25	0.07	-0.02	-20
7/25/2007	8:20:25	0.067	-0.023	-23
7/25/2007	8:35:25	0.049	-0.041	-41
7/25/2007	8:50:25	0.043	-0.047	-47
7/25/2007	9:05:25	0.039	-0.051	-51
7/25/2007	9:20:25	0.046	-0.044	-44
7/25/2007	9:35:25	0.026	-0.064	-64
7/25/2007	9:50:25	0.03	-0.06	-60
7/25/2007	10:05:25	0.03	-0.06	-60
7/25/2007	10:20:25	0.03	-0.06	-60
7/25/2007	10:35:25	0.029	-0.061	-61
7/25/2007	10:50:25	0.022	-0.068	-68
7/25/2007	11:05:25	0.029	-0.061	-61
7/25/2007	11:20:25	0.022	-0.068	-68
7/25/2007	11:35:25	0.024	-0.066	-66
7/25/2007	11:50:25	0.017	-0.073	-73
7/25/2007	12:05:25	0.016	-0.074	-74
7/25/2007	12:20:25	0.017	-0.073	-73
7/25/2007	12:35:25	0.013	-0.077	-77
7/25/2007	12:50:25	0.014	-0.076	-76
7/25/2007	13:05:25	0.014	-0.076	-76
7/25/2007	13:20:25	0.014	-0.076	-76
7/25/2007	13:35:25	0.019	-0.071	-71
7/25/2007	13:50:25	0.023	-0.067	-67
7/25/2007	14:05:25	0.019	-0.071	-71
7/25/2007	14:20:25	0.019	-0.071	-71
7/25/2007	14:35:25	0.011	-0.079	-79
7/25/2007	14:50:25	0.01	-0.08	-80
7/25/2007	15:05:25	0.01	-0.08	-80
7/25/2007	15:20:25	0.011	-0.079	-79
7/25/2007	15:35:25	0.013	-0.077	-77
7/25/2007	15:50:25	0.011	-0.079	-79
7/25/2007	16:05:25	0.014	-0.076	-76
7/25/2007	16:20:25	0.01	-0.08	-80
7/25/2007	16:35:25	0.01	-0.08	-80
7/25/2007	16:50:25	0.013	-0.077	-77
7/25/2007	17:05:25	0.01	-0.08	-80
7/25/2007	17:20:25	0.009	-0.081	-81
7/25/2007	17:35:25	0.009	-0.081	-81
7/25/2007	17:50:25	0.008	-0.082	-82
7/25/2007	18:05:25	0.008	-0.082	-82
7/25/2007	18:20:25	0.008	-0.082	-82
7/25/2007	18:35:25	0.009	-0.081	-81

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/26/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/26/2007 6:08	0		0
2	7/26/2007 6:23	0.1		0.1
3	7/26/2007 6:38	0.4		0.4
4	7/26/2007 6:53	0.6		0.6
5	7/26/2007 7:08	0.7		0.7
6	7/26/2007 7:23	0.8		0.8
7	7/26/2007 7:38	0.7		0.7
8	7/26/2007 7:53	0.7		0.7
9	7/26/2007 8:08	0.7		0.7
10	7/26/2007 8:23	0.7		0.7
11	7/26/2007 8:38	0.8		0.8
12	7/26/2007 8:53	0.9		0.9
13	7/26/2007 9:08	0.9		0.9
14	7/26/2007 9:23	1		1
15	7/26/2007 9:38	1		1
16	7/26/2007 9:53	1.1		1.1
17	7/26/2007 10:08	1.2		1.2
18	7/26/2007 10:23	1.4		1.4
19	7/26/2007 10:38	1.7		1.7
20	7/26/2007 10:53	1.6		1.6
21	7/26/2007 11:08	1.4		1.4
22	7/26/2007 11:23	1.2		1.2
23	7/26/2007 11:38	1.4		1.4
24	7/26/2007 11:53	1.6		1.6
25	7/26/2007 12:08	1.6		1.6
26	7/26/2007 12:23	1.5		1.5
27	7/26/2007 12:38	1.5		1.5
28	7/26/2007 12:53	1.4		1.4
29	7/26/2007 13:08	1.3		1.3
30	7/26/2007 13:23	1.3		1.3
31	7/26/2007 13:38	1.1		1.1
32	7/26/2007 13:53	1.2		1.2
33	7/26/2007 14:08	1.1		1.1
34	7/26/2007 14:23	1.2		1.2
35	7/26/2007 14:38	1.1		1.1
36	7/26/2007 14:53	1.2		1.2
37	7/26/2007 15:08	1.3		1.3
38	7/26/2007 15:23	1.4		1.4
39	7/26/2007 15:38	1.4		1.4
40	7/26/2007 15:53	1.3		1.3
41	7/26/2007 16:08	1.4		1.4
42	7/26/2007 16:23	1.2		1.2
43	7/26/2007 16:38	1.2		1.2
44	7/26/2007 16:53	1.1		1.1
45	7/26/2007 17:08	1.1		1.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/26/2007
Start Time:	5:55:56
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0555) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
7/26/2007	6:10:56	0.044	-0.007	-7
7/26/2007	6:25:56	0.028	-0.023	-23
7/26/2007	6:40:56	0.019	-0.032	-32
7/26/2007	6:55:56	0.017	-0.034	-34
7/26/2007	7:10:56	0.016	-0.035	-35
7/26/2007	7:25:56	0.03	-0.021	-21
7/26/2007	7:40:56	0.02	-0.031	-31
7/26/2007	7:55:56	0.015	-0.036	-36
7/26/2007	8:10:56	0.016	-0.035	-35
7/26/2007	8:25:56	0.015	-0.036	-36
7/26/2007	8:40:56	0.018	-0.033	-33
7/26/2007	8:55:56	0.019	-0.032	-32
7/26/2007	9:10:56	0.018	-0.033	-33
7/26/2007	9:25:56	0.018	-0.033	-33
7/26/2007	9:40:56	0.018	-0.033	-33
7/26/2007	9:55:56	0.017	-0.034	-34
7/26/2007	10:10:56	0.015	-0.036	-36
7/26/2007	10:25:56	0.014	-0.037	-37
7/26/2007	10:40:56	0.014	-0.037	-37
7/26/2007	10:55:56	0.014	-0.037	-37
7/26/2007	11:10:56	0.016	-0.035	-35
7/26/2007	11:25:56	0.015	-0.036	-36
7/26/2007	11:40:56	0.016	-0.035	-35
7/26/2007	11:55:56	0.016	-0.035	-35
7/26/2007	12:10:56	0.014	-0.037	-37
7/26/2007	12:25:56	0.012	-0.039	-39
7/26/2007	12:40:56	0.01	-0.041	-41
7/26/2007	12:55:56	0.016	-0.035	-35
7/26/2007	13:10:56	0.011	-0.04	-40
7/26/2007	13:25:56	0.01	-0.041	-41
7/26/2007	13:40:56	0.011	-0.04	-40
7/26/2007	13:55:56	0.011	-0.04	-40
7/26/2007	14:10:56	0.019	-0.032	-32
7/26/2007	14:25:56	0.012	-0.039	-39
7/26/2007	14:40:56	0.021	-0.03	-30
7/26/2007	14:55:56	0.011	-0.04	-40
7/26/2007	15:10:56	0.009	-0.042	-42
7/26/2007	15:25:56	0.008	-0.043	-43
7/26/2007	15:40:56	0.008	-0.043	-43
7/26/2007	15:55:56	0.008	-0.043	-43
7/26/2007	16:10:56	0.008	-0.043	-43
7/26/2007	16:25:56	0.007	-0.044	-44
7/26/2007	16:40:56	0.006	-0.045	-45
7/26/2007	16:55:56	0.006	-0.045	-45
7/26/2007	17:10:56	0.005	-0.046	-46
7/26/2007	17:25:56	0.005	-0.046	-46

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 45 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/26/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0559) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/26/2007 6:18	0		0
2	7/26/2007 6:33	0		0
3	7/26/2007 6:48	0		0
4	7/26/2007 7:03	0.1		0.1
5	7/26/2007 7:18	0.1		0.1
6	7/26/2007 7:33	0.1		0.1
7	7/26/2007 7:48	0.1		0.1
8	7/26/2007 8:03	0.1		0.1
9	7/26/2007 8:18	0.1		0.1
10	7/26/2007 8:33	0.1		0.1
11	7/26/2007 8:48	0.1		0.1
12	7/26/2007 9:03	0.1		0.1
13	7/26/2007 9:18	0.2		0.2
14	7/26/2007 9:33	0.2		0.2
15	7/26/2007 9:48	0.2		0.2
16	7/26/2007 10:03	0.2		0.2
17	7/26/2007 10:18	0.2		0.2
18	7/26/2007 10:33	0.2		0.2
19	7/26/2007 10:48	0.2		0.2
20	7/26/2007 11:03	0.2		0.2
21	7/26/2007 11:18	0.2		0.2
22	7/26/2007 11:33	0.2		0.2
23	7/26/2007 11:48	0.2		0.2
24	7/26/2007 12:03	0.2		0.2
25	7/26/2007 12:18	0.2		0.2
26	7/26/2007 12:33	0.2		0.2
27	7/26/2007 12:48	0.2		0.2
28	7/26/2007 13:03	0.2		0.2
29	7/26/2007 13:18	0.2		0.2
30	7/26/2007 13:33	0.2		0.2
31	7/26/2007 13:48	0.2		0.2
32	7/26/2007 14:03	0.2		0.2
33	7/26/2007 14:18	0.2		0.2
34	7/26/2007 14:33	0.2		0.2
35	7/26/2007 14:48	0.2		0.2
36	7/26/2007 15:03	0.2		0.2
37	7/26/2007 15:18	0.2		0.2
38	7/26/2007 15:33	0.2		0.2
39	7/26/2007 15:48	0.2		0.2
40	7/26/2007 16:03	0.2		0.2
41	7/26/2007 16:18	0.2		0.2
42	7/26/2007 16:33	0.2		0.2
43	7/26/2007 16:48	0.2		0.2
44	7/26/2007 17:03	0.2		0.2
45	7/26/2007 17:18	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	7/26/2007
Start Time:	6:00:12
Duration (dd:hh:mm:ss):	00:11:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	46
Notes:	Background Reading (0559) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/26/2007	6:15:12	0.038	-0.006	-6
7/26/2007	6:30:12	0.023	-0.021	-21
7/26/2007	6:45:12	0.022	-0.022	-22
7/26/2007	7:00:12	0.02	-0.024	-24
7/26/2007	7:15:12	0.022	-0.022	-22
7/26/2007	7:30:12	0.025	-0.019	-19
7/26/2007	7:45:12	0.027	-0.017	-17
7/26/2007	8:00:12	0.021	-0.023	-23
7/26/2007	8:15:12	0.02	-0.024	-24
7/26/2007	8:30:12	0.021	-0.023	-23
7/26/2007	8:45:12	0.029	-0.015	-15
7/26/2007	9:00:12	0.03	-0.014	-14
7/26/2007	9:15:12	0.027	-0.017	-17
7/26/2007	9:30:12	0.027	-0.017	-17
7/26/2007	9:45:12	0.027	-0.017	-17
7/26/2007	10:00:12	0.028	-0.016	-16
7/26/2007	10:15:12	0.025	-0.019	-19
7/26/2007	10:30:12	0.024	-0.02	-20
7/26/2007	10:45:12	0.025	-0.019	-19
7/26/2007	11:00:12	0.027	-0.017	-17
7/26/2007	11:15:12	0.029	-0.015	-15
7/26/2007	11:30:12	0.028	-0.016	-16
7/26/2007	11:45:12	0.03	-0.014	-14
7/26/2007	12:00:12	0.03	-0.014	-14
7/26/2007	12:15:12	0.027	-0.017	-17
7/26/2007	12:30:12	0.023	-0.021	-21
7/26/2007	12:45:12	0.021	-0.023	-23
7/26/2007	13:00:12	0.021	-0.023	-23
7/26/2007	13:15:12	0.022	-0.022	-22
7/26/2007	13:30:12	0.023	-0.021	-21
7/26/2007	13:45:12	0.023	-0.021	-21
7/26/2007	14:00:12	0.024	-0.02	-20
7/26/2007	14:15:12	0.026	-0.018	-18
7/26/2007	14:30:12	0.024	-0.02	-20
7/26/2007	14:45:12	0.023	-0.021	-21
7/26/2007	15:00:12	0.021	-0.023	-23
7/26/2007	15:15:12	0.02	-0.024	-24
7/26/2007	15:30:12	0.019	-0.025	-25
7/26/2007	15:45:12	0.02	-0.024	-24
7/26/2007	16:00:12	0.019	-0.025	-25
7/26/2007	16:15:12	0.019	-0.025	-25
7/26/2007	16:30:12	0.017	-0.027	-27
7/26/2007	16:45:12	0.016	-0.028	-28
7/26/2007	17:00:12	0.016	-0.028	-28
7/26/2007	17:15:12	0.014	-0.03	-30
7/26/2007	17:30:12	0.014	-0.03	-30

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/26/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/26/2007 6:32	0		0
2	7/26/2007 6:47	0		0
3	7/26/2007 7:02	0		0
4	7/26/2007 7:17	0		0
5	7/26/2007 7:32	0		0
6	7/26/2007 7:47	0		0
7	7/26/2007 8:02	0		0
8	7/26/2007 8:17	0		0
9	7/26/2007 8:32	0		0
10	7/26/2007 8:47	0		0
11	7/26/2007 9:02	0		0
12	7/26/2007 9:17	0		0
13	7/26/2007 9:32	0		0
14	7/26/2007 9:47	0		0
15	7/26/2007 10:02	0		0
16	7/26/2007 10:17	0		0
17	7/26/2007 10:32	0		0
18	7/26/2007 10:47	0		0
19	7/26/2007 11:02	0		0
20	7/26/2007 11:17	0		0
21	7/26/2007 11:32	0		0
22	7/26/2007 11:47	0		0
23	7/26/2007 12:02	0		0
24	7/26/2007 12:17	0		0
25	7/26/2007 12:32	0		0
26	7/26/2007 12:47	0		0
27	7/26/2007 13:02	0		0
28	7/26/2007 13:17	0		0
29	7/26/2007 13:32	0		0
30	7/26/2007 13:47	0		0
31	7/26/2007 14:02	0		0
32	7/26/2007 14:17	0		0
33	7/26/2007 14:32	0		0
34	7/26/2007 14:47	0		0
35	7/26/2007 15:02	0		0
36	7/26/2007 15:17	0		0
37	7/26/2007 15:32	0		0
38	7/26/2007 15:47	0		0
39	7/26/2007 16:02	0		0
40	7/26/2007 16:17	0		0
41	7/26/2007 16:32	0		0
42	7/26/2007 16:47	0		0
43	7/26/2007 17:02	0		0
44	7/26/2007 17:17	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/26/2007	6:17 AM	0.061	0	0
7/26/2007	7:05 AM	0.053	-0.008	-8
7/26/2007	8:05 AM	0.08	0.019	19
7/26/2007	9:05 AM	0.077	0.016	16
7/26/2007	10:05 AM	0.061	0	0
7/26/2007	11:05 AM	0.055	-0.006	-6
7/26/2007	1:05 PM	0.053	-0.008	-8
7/26/2007	2:05 PM	0.05	-0.011	-11
7/26/2007	3:05 PM	0.027	-0.034	-34
7/26/2007	4:05 PM	0.039	-0.022	-22
7/26/2007	5:05 PM	0.03	-0.031	-31
7/26/2007	5:42 PM	0.033	-0.028	-28

Background Reading (0626) = 0.061 mg/m^3

*Note: Station 3 15-min TWA data corrupted -- Instantaneous measurements observed at STA 3 provided above

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/26/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/26/2007 6:34	0		0
2	7/26/2007 6:49	0		0
3	7/26/2007 7:04	0		0
4	7/26/2007 7:19	0		0
5	7/26/2007 7:34	0		0
6	7/26/2007 7:49	0		0
7	7/26/2007 8:04	0		0
8	7/26/2007 8:19	0		0
9	7/26/2007 8:34	0		0
10	7/26/2007 8:49	0		0
11	7/26/2007 9:04	0		0
12	7/26/2007 9:19	0		0
13	7/26/2007 9:34	0		0
14	7/26/2007 9:49	0		0
15	7/26/2007 10:04	0		0
16	7/26/2007 10:19	0		0
17	7/26/2007 10:34	0		0
18	7/26/2007 10:49	0		0
19	7/26/2007 11:04	0		0
20	7/26/2007 11:19	0		0
21	7/26/2007 11:34	0		0
22	7/26/2007 11:49	0		0
23	7/26/2007 12:04	0		0
24	7/26/2007 12:19	0		0
25	7/26/2007 12:34	0		0
26	7/26/2007 12:49	0		0
27	7/26/2007 13:04	0		0
28	7/26/2007 13:19	0		0
29	7/26/2007 13:34	0		0
30	7/26/2007 13:49	0		0
31	7/26/2007 14:04	0		0
32	7/26/2007 14:19	0		0
33	7/26/2007 14:34	0		0
34	7/26/2007 14:49	0		0
35	7/26/2007 15:04	0		0
36	7/26/2007 15:19	0		0
37	7/26/2007 15:34	0		0
38	7/26/2007 15:49	0		0
39	7/26/2007 16:04	0		0
40	7/26/2007 16:19	0		0
41	7/26/2007 16:34	0		0
42	7/26/2007 16:49	0		0
43	7/26/2007 17:04	0		0
44	7/26/2007 17:19	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3(150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	4
Test Abbreviation:	
Start Date:	7/26/2007
Start Time:	6:19:42
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0615) = 0.035 mg/m^3

Statistics

Channel:	Aerosol
Units:	mg/m^3
Average:	0.03
Minimum:	0.009
Time of Minimum:	17:34:42
Date of Minimum:	7/26/2007
Maximum:	0.109
Time of Maximum:	8:04:42
Date of Maximum:	7/26/2007

Calibration

Sensor:	Aerosol
Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/26/2007	6:34:42	0.035	0	0
7/26/2007	6:49:42	0.034	-0.001	-1
7/26/2007	7:04:42	0.036	0.001	1
7/26/2007	7:19:42	0.042	0.007	7
7/26/2007	7:34:42	0.042	0.007	7
7/26/2007	7:49:42	0.041	0.006	6
7/26/2007	8:04:42	0.109	0.074	74
7/26/2007	8:19:42	0.053	0.018	18
7/26/2007	8:34:42	0.058	0.023	23
7/26/2007	8:49:42	0.043	0.008	8
7/26/2007	9:04:42	0.045	0.01	10
7/26/2007	9:19:42	0.036	0.001	1
7/26/2007	9:34:42	0.036	0.001	1
7/26/2007	9:49:42	0.038	0.003	3
7/26/2007	10:04:42	0.037	0.002	2
7/26/2007	10:19:42	0.036	0.001	1
7/26/2007	10:34:42	0.029	-0.006	-6
7/26/2007	10:49:42	0.028	-0.007	-7
7/26/2007	11:04:42	0.029	-0.006	-6
7/26/2007	11:19:42	0.033	-0.002	-2
7/26/2007	11:34:42	0.029	-0.006	-6
7/26/2007	11:49:42	0.03	-0.005	-5
7/26/2007	12:04:42	0.031	-0.004	-4
7/26/2007	12:19:42	0.027	-0.008	-8
7/26/2007	12:34:42	0.021	-0.014	-14
7/26/2007	12:49:42	0.021	-0.014	-14
7/26/2007	13:04:42	0.02	-0.015	-15
7/26/2007	13:19:42	0.022	-0.013	-13
7/26/2007	13:34:42	0.022	-0.013	-13
7/26/2007	13:49:42	0.023	-0.012	-12
7/26/2007	14:04:42	0.024	-0.011	-11
7/26/2007	14:19:42	0.026	-0.009	-9
7/26/2007	14:34:42	0.023	-0.012	-12
7/26/2007	14:49:42	0.024	-0.011	-11
7/26/2007	15:04:42	0.02	-0.015	-15
7/26/2007	15:19:42	0.017	-0.018	-18
7/26/2007	15:34:42	0.016	-0.019	-19
7/26/2007	15:49:42	0.017	-0.018	-18
7/26/2007	16:04:42	0.015	-0.02	-20
7/26/2007	16:19:42	0.015	-0.02	-20
7/26/2007	16:34:42	0.013	-0.022	-22
7/26/2007	16:49:42	0.011	-0.024	-24
7/26/2007	17:04:42	0.01	-0.025	-25
7/26/2007	17:19:42	0.01	-0.025	-25
7/26/2007	17:34:42	0.009	-0.026	-26

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968

User ID: 00000001 Site ID: 00000169

Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/27/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/27/2007 6:16	0.1		0.1
2	7/27/2007 6:31	0		0
3	7/27/2007 6:46	0		0
4	7/27/2007 7:01	0		0
5	7/27/2007 7:16	0		0
6	7/27/2007 7:31	0		0
7	7/27/2007 7:46	0		0
8	7/27/2007 8:01	0		0
9	7/27/2007 8:16	0		0
10	7/27/2007 8:31	0		0
11	7/27/2007 8:46	0		0
12	7/27/2007 9:01	0		0
13	7/27/2007 9:16	0		0
14	7/27/2007 9:31	0		0
15	7/27/2007 9:46	0		0
16	7/27/2007 10:01	0		0
17	7/27/2007 10:16	0		0
18	7/27/2007 10:31	0		0
19	7/27/2007 10:46	0		0
20	7/27/2007 11:01	0		0
21	7/27/2007 11:16	0		0
22	7/27/2007 11:31	0		0
23	7/27/2007 11:46	0		0
24	7/27/2007 12:01	0		0
25	7/27/2007 12:16	0		0
26	7/27/2007 12:31	0		0
27	7/27/2007 12:46	0		0
28	7/27/2007 13:01	0		0
29	7/27/2007 13:16	0		0
30	7/27/2007 13:31	0		0
31	7/27/2007 13:46	0		0
32	7/27/2007 14:01	0		0
33	7/27/2007 14:16	0		0
34	7/27/2007 14:31	0		0
35	7/27/2007 14:46	0		0
36	7/27/2007 15:01	0		0
37	7/27/2007 15:16	0		0
38	7/27/2007 15:31	0		0
39	7/27/2007 15:46	0		0
40	7/27/2007 16:01	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/27/2007
Start Time:	6:02:19
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0607) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/27/2007	6:17:19	0.04	0.002	2
7/27/2007	6:32:19	0.041	0.003	3
7/27/2007	6:47:19	0.028	-0.01	-10
7/27/2007	7:02:19	0.024	-0.014	-14
7/27/2007	7:17:19	0.023	-0.015	-15
7/27/2007	7:32:19	0.048	0.01	10
7/27/2007	7:47:19	0.024	-0.014	-14
7/27/2007	8:02:19	0.024	-0.014	-14
7/27/2007	8:17:19	0.025	-0.013	-13
7/27/2007	8:32:19	0.023	-0.015	-15
7/27/2007	8:47:19	0.022	-0.016	-16
7/27/2007	9:02:19	0.02	-0.018	-18
7/27/2007	9:17:19	0.02	-0.018	-18
7/27/2007	9:32:19	0.02	-0.018	-18
7/27/2007	9:47:19	0.02	-0.018	-18
7/27/2007	10:02:19	0.018	-0.02	-20
7/27/2007	10:17:19	0.018	-0.02	-20
7/27/2007	10:32:19	0.018	-0.02	-20
7/27/2007	10:47:19	0.018	-0.02	-20
7/27/2007	11:02:19	0.017	-0.021	-21
7/27/2007	11:17:19	0.017	-0.021	-21
7/27/2007	11:32:19	0.018	-0.02	-20
7/27/2007	11:47:19	0.019	-0.019	-19
7/27/2007	12:02:19	0.018	-0.02	-20
7/27/2007	12:17:19	0.018	-0.02	-20
7/27/2007	12:32:19	0.017	-0.021	-21
7/27/2007	12:47:19	0.019	-0.019	-19
7/27/2007	13:02:19	0.019	-0.019	-19
7/27/2007	13:17:19	0.017	-0.021	-21
7/27/2007	13:32:19	0.016	-0.022	-22
7/27/2007	13:47:19	0.016	-0.022	-22
7/27/2007	14:02:19	0.016	-0.022	-22
7/27/2007	14:17:19	0.015	-0.023	-23
7/27/2007	14:32:19	0.015	-0.023	-23
7/27/2007	14:47:19	0.013	-0.025	-25
7/27/2007	15:02:19	0.013	-0.025	-25
7/27/2007	15:17:19	0.011	-0.027	-27
7/27/2007	15:32:19	0.009	-0.029	-29
7/27/2007	15:47:19	0.007	-0.031	-31
7/27/2007	16:02:19	0.007	-0.031	-31
7/27/2007	16:17:19	0.005	-0.033	-33

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/27/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/27/2007 6:08	0		0
2	7/27/2007 6:23	0		0
3	7/27/2007 6:38	0		0
4	7/27/2007 6:53	0		0
5	7/27/2007 7:08	0		0
6	7/27/2007 7:23	0.1		0.1
7	7/27/2007 7:38	0.2		0.2
8	7/27/2007 7:53	0.2		0.2
9	7/27/2007 8:08	0.2		0.2
10	7/27/2007 8:23	0.3		0.3
11	7/27/2007 8:38	0.3		0.3
12	7/27/2007 8:53	0.3		0.3
13	7/27/2007 9:08	0.3		0.3
14	7/27/2007 9:23	0.3		0.3
15	7/27/2007 9:38	0.3		0.3
16	7/27/2007 9:53	0.3		0.3
17	7/27/2007 10:08	0.4		0.4
18	7/27/2007 10:23	0.4		0.4
19	7/27/2007 10:38	0.4		0.4
20	7/27/2007 10:53	0.4		0.4
21	7/27/2007 11:08	0.4		0.4
22	7/27/2007 11:23	0.4		0.4
23	7/27/2007 11:38	0.5		0.5
24	7/27/2007 11:53	0.5		0.5
25	7/27/2007 12:08	0.5		0.5
26	7/27/2007 12:23	0.5		0.5
27	7/27/2007 12:38	0.5		0.5
28	7/27/2007 12:53	0.5		0.5
29	7/27/2007 13:08	0.5		0.5
30	7/27/2007 13:23	0.5		0.5
31	7/27/2007 13:38	0.5		0.5
32	7/27/2007 13:53	0.5		0.5
33	7/27/2007 14:08	0.5		0.5
34	7/27/2007 14:23	0.5		0.5
35	7/27/2007 14:38	0.5		0.5
36	7/27/2007 14:53	0.5		0.5
37	7/27/2007 15:08	0.5		0.5
38	7/27/2007 15:23	0.5		0.5
39	7/27/2007 15:38	0.5		0.5
40	7/27/2007 15:53	0.5		0.5
41	7/27/2007 16:08	0.5		0.5
42	7/27/2007 16:23	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	5
Test Abbreviation:	
Start Date:	7/27/2007
Start Time:	5:53:38
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0550) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/27/2007	6:08:38	0.046	0.008	8
7/27/2007	6:23:38	0.038	0	0
7/27/2007	6:38:38	0.028	-0.01	-10
7/27/2007	6:53:38	0.028	-0.01	-10
7/27/2007	7:08:38	0.027	-0.011	-11
7/27/2007	7:23:38	0.027	-0.011	-11
7/27/2007	7:38:38	0.029	-0.009	-9
7/27/2007	7:53:38	0.029	-0.009	-9
7/27/2007	8:08:38	0.03	-0.008	-8
7/27/2007	8:23:38	0.032	-0.006	-6
7/27/2007	8:38:38	0.038	0	0
7/27/2007	8:53:38	0.031	-0.007	-7
7/27/2007	9:08:38	0.032	-0.006	-6
7/27/2007	9:23:38	0.034	-0.004	-4
7/27/2007	9:38:38	0.034	-0.004	-4
7/27/2007	9:53:38	0.033	-0.005	-5
7/27/2007	10:08:38	0.029	-0.009	-9
7/27/2007	10:23:38	0.034	-0.004	-4
7/27/2007	10:38:38	0.032	-0.006	-6
7/27/2007	10:53:38	0.031	-0.007	-7
7/27/2007	11:08:38	0.032	-0.006	-6
7/27/2007	11:23:38	0.032	-0.006	-6
7/27/2007	11:38:38	0.034	-0.004	-4
7/27/2007	11:53:38	0.035	-0.003	-3
7/27/2007	12:08:38	0.038	0	0
7/27/2007	12:23:38	0.035	-0.003	-3
7/27/2007	12:38:38	0.035	-0.003	-3
7/27/2007	12:53:38	0.037	-0.001	-1
7/27/2007	13:08:38	0.036	-0.002	-2
7/27/2007	13:23:38	0.034	-0.004	-4
7/27/2007	13:38:38	0.032	-0.006	-6
7/27/2007	13:53:38	0.033	-0.005	-5
7/27/2007	14:08:38	0.031	-0.007	-7
7/27/2007	14:23:38	0.031	-0.007	-7
7/27/2007	14:38:38	0.03	-0.008	-8
7/27/2007	14:53:38	0.028	-0.01	-10
7/27/2007	15:08:38	0.026	-0.012	-12
7/27/2007	15:23:38	0.023	-0.015	-15
7/27/2007	15:38:38	0.018	-0.02	-20
7/27/2007	15:53:38	0.017	-0.021	-21
7/27/2007	16:08:38	0.014	-0.024	-24
7/27/2007	16:23:38	0.012	-0.026	-26
7/27/2007	16:38:38	0.011	-0.027	-27

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/27/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/27/2007 6:22	0		0
2	7/27/2007 6:37	0		0
3	7/27/2007 6:52	0		0
4	7/27/2007 7:07	0		0
5	7/27/2007 7:22	0		0
6	7/27/2007 7:37	0		0
7	7/27/2007 7:52	0		0
8	7/27/2007 8:07	0		0
9	7/27/2007 8:22	0		0
10	7/27/2007 8:37	0		0
11	7/27/2007 8:52	0		0
12	7/27/2007 9:07	0		0
13	7/27/2007 9:22	0		0
14	7/27/2007 9:37	0		0
15	7/27/2007 9:52	0		0
16	7/27/2007 10:07	0		0
17	7/27/2007 10:22	0		0
18	7/27/2007 10:37	0		0
19	7/27/2007 10:52	0		0
20	7/27/2007 11:07	0		0
21	7/27/2007 11:22	0		0
22	7/27/2007 11:37	0		0
23	7/27/2007 11:52	0		0
24	7/27/2007 12:07	0		0
25	7/27/2007 12:22	0		0
26	7/27/2007 12:37	0		0
27	7/27/2007 12:52	0		0
28	7/27/2007 13:07	0		0
29	7/27/2007 13:22	0		0
30	7/27/2007 13:37	0		0
31	7/27/2007 13:52	0		0
32	7/27/2007 14:07	0		0
33	7/27/2007 14:22	0		0
34	7/27/2007 14:37	0		0
35	7/27/2007 14:52	0		0
36	7/27/2007 15:07	0		0
37	7/27/2007 15:22	0		0
38	7/27/2007 15:37	0		0
39	7/27/2007 15:52	0		0
40	7/27/2007 16:07	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	7/27/2007
Start Time:	6:12:48
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0608) = 0.086 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/27/2007	6:27:48	0.095	0.009	9
7/27/2007	6:42:48	0.08	-0.006	-6
7/27/2007	6:57:48	0.073	-0.013	-13
7/27/2007	7:12:48	0.069	-0.017	-17
7/27/2007	7:27:48	0.07	-0.016	-16
7/27/2007	7:42:48	0.072	-0.014	-14
7/27/2007	7:57:48	0.074	-0.012	-12
7/27/2007	8:12:48	0.079	-0.007	-7
7/27/2007	8:27:48	0.082	-0.004	-4
7/27/2007	8:42:48	0.084	-0.002	-2
7/27/2007	8:57:48	0.087	0.001	1
7/27/2007	9:12:48	0.093	0.007	7
7/27/2007	9:27:48	0.083	-0.003	-3
7/27/2007	9:42:48	0.076	-0.01	-10
7/27/2007	9:57:48	0.081	-0.005	-5
7/27/2007	10:12:48	0.085	-0.001	-1
7/27/2007	10:27:48	0.069	-0.017	-17
7/27/2007	10:42:48	0.085	-0.001	-1
7/27/2007	10:57:48	0.1	0.014	14
7/27/2007	11:12:48	0.079	-0.007	-7
7/27/2007	11:27:48	0.091	0.005	5
7/27/2007	11:42:48	0.064	-0.022	-22
7/27/2007	11:57:48	0.075	-0.011	-11
7/27/2007	12:12:48	0.075	-0.011	-11
7/27/2007	12:27:48	0.064	-0.022	-22
7/27/2007	12:42:48	0.066	-0.02	-20
7/27/2007	12:57:48	0.07	-0.016	-16
7/27/2007	13:12:48	0.07	-0.016	-16
7/27/2007	13:27:48	0.065	-0.021	-21
7/27/2007	13:42:48	0.057	-0.029	-29
7/27/2007	13:57:48	0.058	-0.028	-28
7/27/2007	14:12:48	0.053	-0.033	-33
7/27/2007	14:27:48	0.051	-0.035	-35
7/27/2007	14:42:48	0.05	-0.036	-36
7/27/2007	14:57:48	0.046	-0.04	-40
7/27/2007	15:12:48	0.04	-0.046	-46
7/27/2007	15:27:48	0.034	-0.052	-52
7/27/2007	15:42:48	0.025	-0.061	-61
7/27/2007	15:57:48	0.024	-0.062	-62
7/27/2007	16:12:48	0.017	-0.069	-69
7/27/2007	16:27:48	0.015	-0.071	-71

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/27/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0602) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/27/2007 6:24	0		0
2	7/27/2007 6:39	0		0
3	7/27/2007 6:54	0		0
4	7/27/2007 7:09	0		0
5	7/27/2007 7:24	0		0
6	7/27/2007 7:39	0		0
7	7/27/2007 7:54	0		0
8	7/27/2007 8:09	0		0
9	7/27/2007 8:24	0		0
10	7/27/2007 8:39	0		0
11	7/27/2007 8:54	0		0
12	7/27/2007 9:09	0		0
13	7/27/2007 9:24	0		0
14	7/27/2007 9:39	0		0
15	7/27/2007 9:54	0		0
16	7/27/2007 10:09	0		0
17	7/27/2007 10:24	0		0
18	7/27/2007 10:39	0		0
19	7/27/2007 10:54	0		0
20	7/27/2007 11:09	0		0
21	7/27/2007 11:24	0		0
22	7/27/2007 11:39	0		0
23	7/27/2007 11:54	0		0
24	7/27/2007 12:09	0		0
25	7/27/2007 12:24	0		0
26	7/27/2007 12:39	0		0
27	7/27/2007 12:54	0		0
28	7/27/2007 13:09	0		0
29	7/27/2007 13:24	0		0
30	7/27/2007 13:39	0		0
31	7/27/2007 13:54	0		0
32	7/27/2007 14:09	0		0
33	7/27/2007 14:24	0		0
34	7/27/2007 14:39	0		0
35	7/27/2007 14:54	0		0
36	7/27/2007 15:09	0		0
37	7/27/2007 15:24	0		0
38	7/27/2007 15:39	0		0
39	7/27/2007 15:54	0		0
40	7/27/2007 16:09	0		0
41	7/27/2007 16:24	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	5
Test Abbreviation:	
Start Date:	7/27/2007
Start Time:	6:09:22
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0602) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/27/2007	6:24:22	0.05	-0.001	-1
7/27/2007	6:39:22	0.049	-0.002	-2
7/27/2007	6:54:22	0.048	-0.003	-3
7/27/2007	7:09:22	0.048	-0.003	-3
7/27/2007	7:24:22	0.047	-0.004	-4
7/27/2007	7:39:22	0.052	0.001	1
7/27/2007	7:54:22	0.048	-0.003	-3
7/27/2007	8:09:22	0.047	-0.004	-4
7/27/2007	8:24:22	0.049	-0.002	-2
7/27/2007	8:39:22	0.048	-0.003	-3
7/27/2007	8:54:22	0.046	-0.005	-5
7/27/2007	9:09:22	0.044	-0.007	-7
7/27/2007	9:24:22	0.046	-0.005	-5
7/27/2007	9:39:22	0.048	-0.003	-3
7/27/2007	9:54:22	0.045	-0.006	-6
7/27/2007	10:09:22	0.039	-0.012	-12
7/27/2007	10:24:22	0.041	-0.01	-10
7/27/2007	10:39:22	0.039	-0.012	-12
7/27/2007	10:54:22	0.038	-0.013	-13
7/27/2007	11:09:22	0.037	-0.014	-14
7/27/2007	11:24:22	0.038	-0.013	-13
7/27/2007	11:39:22	0.039	-0.012	-12
7/27/2007	11:54:22	0.038	-0.013	-13
7/27/2007	12:09:22	0.038	-0.013	-13
7/27/2007	12:24:22	0.038	-0.013	-13
7/27/2007	12:39:22	0.036	-0.015	-15
7/27/2007	12:54:22	0.037	-0.014	-14
7/27/2007	13:09:22	0.04	-0.011	-11
7/27/2007	13:24:22	0.034	-0.017	-17
7/27/2007	13:39:22	0.031	-0.02	-20
7/27/2007	13:54:22	0.032	-0.019	-19
7/27/2007	14:09:22	0.031	-0.02	-20
7/27/2007	14:24:22	0.03	-0.021	-21
7/27/2007	14:39:22	0.03	-0.021	-21
7/27/2007	14:54:22	0.027	-0.024	-24
7/27/2007	15:09:22	0.024	-0.027	-27
7/27/2007	15:24:22	0.021	-0.03	-30
7/27/2007	15:39:22	0.015	-0.036	-36
7/27/2007	15:54:22	0.014	-0.037	-37
7/27/2007	16:09:22	0.011	-0.04	-40
7/27/2007	16:24:22	0.008	-0.043	-43
7/27/2007	16:39:22	0.006	-0.045	-45

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005968
User ID: 00000001 Site ID: 00000169
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/28/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/28/2007 7:27	0		0
2	7/28/2007 7:42	0		0
3	7/28/2007 7:57	0		0
4	7/28/2007 8:12	0		0
5	7/28/2007 8:27	0		0
6	7/28/2007 8:42	0		0
7	7/28/2007 8:57	0		0
8	7/28/2007 9:12	0		0
9	7/28/2007 9:27	0		0
10	7/28/2007 9:42	0		0
11	7/28/2007 9:57	0		0
12	7/28/2007 10:12	0		0
13	7/28/2007 10:27	0		0
14	7/28/2007 10:42	0		0
15	7/28/2007 10:57	0		0
16	7/28/2007 11:12	0		0
17	7/28/2007 11:27	0		0
18	7/28/2007 11:42	0		0
19	7/28/2007 11:57	0		0
20	7/28/2007 12:12	0		0
21	7/28/2007 12:27	0		0
22	7/28/2007 12:42	0		0
23	7/28/2007 12:57	0		0
24	7/28/2007 13:12	0		0
25	7/28/2007 13:27	0		0
26	7/28/2007 13:42	0		0
27	7/28/2007 13:57	0		0
28	7/28/2007 14:12	0		0
29	7/28/2007 14:27	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/28/2007
Start Time:	7:11:15
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0710) = 0.032 mg/m^3

Calibration Sensor: Aerosol
Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/28/2007	7:26:15	0.043	0.011	11	
7/28/2007	7:41:15	0.041	0.009	9	
7/28/2007	7:56:15	0.032	0	0	
7/28/2007	8:11:15	0.021	-0.011	-11	
7/28/2007	8:26:15	0.016	-0.016	-16	
7/28/2007	8:41:15	0.017	-0.015	-15	
7/28/2007	8:56:15	0.017	-0.015	-15	
7/28/2007	9:11:15	0.017	-0.015	-15	
7/28/2007	9:26:15	0.017	-0.015	-15	
7/28/2007	9:41:15	0.016	-0.016	-16	
7/28/2007	9:56:15	0.016	-0.016	-16	
7/28/2007	10:11:15	0.016	-0.016	-16	
7/28/2007	10:26:15	0.016	-0.016	-16	
7/28/2007	10:41:15	0.017	-0.015	-15	
7/28/2007	10:56:15	0.018	-0.014	-14	
7/28/2007	11:11:15	0.019	-0.013	-13	
7/28/2007	11:26:15	0.018	-0.014	-14	
7/28/2007	11:41:15	0.019	-0.013	-13	
7/28/2007	11:56:15	0.073	0.041	41	*Shaw testing of AKRF equipment at STA 1
7/28/2007	12:11:15	0.018	-0.014	-14	
7/28/2007	12:26:15	0.017	-0.015	-15	
7/28/2007	12:41:15	0.017	-0.015	-15	
7/28/2007	12:56:15	0.017	-0.015	-15	
7/28/2007	13:11:15	0.018	-0.014	-14	
7/28/2007	13:26:15	0.016	-0.016	-16	
7/28/2007	13:41:15	0.017	-0.015	-15	
7/28/2007	13:56:15	0.018	-0.014	-14	
7/28/2007	14:11:15	0.017	-0.015	-15	
7/28/2007	14:26:15	0.017	-0.015	-15	
7/28/2007	14:41:15	0.018	-0.014	-14	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/28/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/28/2007 7:35	0		0
2	7/28/2007 7:50	0		0
3	7/28/2007 8:05	0		0
4	7/28/2007 8:20	0		0
5	7/28/2007 8:35	0		0
6	7/28/2007 8:50	0		0
7	7/28/2007 9:05	0		0
8	7/28/2007 9:20	0.1		0.1
9	7/28/2007 9:35	0.1		0.1
10	7/28/2007 9:50	0.1		0.1
11	7/28/2007 10:05	0.1		0.1
12	7/28/2007 10:20	0.1		0.1
13	7/28/2007 10:35	0.1		0.1
14	7/28/2007 10:50	0.1		0.1
15	7/28/2007 11:05	0.1		0.1
16	7/28/2007 11:20	0.1		0.1
17	7/28/2007 11:35	0.1		0.1
18	7/28/2007 11:50	0.2		0.2
19	7/28/2007 12:05	0.1		0.1
20	7/28/2007 12:20	0.1		0.1
21	7/28/2007 12:35	0.1		0.1
22	7/28/2007 12:50	0.1		0.1
23	7/28/2007 13:05	0.1		0.1
24	7/28/2007 13:20	0.1		0.1
25	7/28/2007 13:35	0.2		0.2
26	7/28/2007 13:50	0.2		0.2
27	7/28/2007 14:05	0.2		0.2
28	7/28/2007 14:20	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	6
Test Abbreviation:	
Start Date:	7/28/2007
Start Time:	6:35:18
Duration (dd:hh:mm:ss):	00:03:30:00
Time constant (seconds):	30
Log Interval (mm:ss):	15:00
Number of points:	14
Notes:	Background Reading (0633) = 0.047 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/28/2007	6:50:18	0.05	0.003	3
7/28/2007	7:05:18	0.042	-0.005	-5
7/28/2007	7:20:18	0.028	-0.019	-19
7/28/2007	7:35:18	0.018	-0.029	-29
7/28/2007	7:50:18	0.019	-0.028	-28
7/28/2007	8:05:18	0.019	-0.028	-28
7/28/2007	8:20:18	0.021	-0.026	-26
7/28/2007	8:35:18	0.021	-0.026	-26
7/28/2007	8:50:18	0.024	-0.023	-23
7/28/2007	9:05:18	0.026	-0.021	-21
7/28/2007	9:20:18	0.027	-0.02	-20
7/28/2007	9:35:18	0.027	-0.02	-20
7/28/2007	9:50:18	0.026	-0.021	-21
7/28/2007	10:05:18	0.028	-0.019	-19
7/28/2007	10:58:28	0.035	-0.012	-12
7/28/2007	11:13:28	0.035	-0.012	-12
7/28/2007	11:28:28	0.036	-0.011	-11
7/28/2007	11:43:28	0.036	-0.011	-11
7/28/2007	11:58:28	0.075	0.028	28
7/28/2007	12:13:28	0.038	-0.009	-9
7/28/2007	12:28:28	0.039	-0.008	-8
7/28/2007	12:43:28	0.039	-0.008	-8
7/28/2007	12:58:28	0.04	-0.007	-7
7/28/2007	13:13:28	0.039	-0.008	-8
7/28/2007	13:28:28	0.037	-0.01	-10
7/28/2007	13:43:28	0.04	-0.007	-7
7/28/2007	13:58:28	0.041	-0.006	-6
7/28/2007	14:13:28	0.041	-0.006	-6
7/28/2007	14:28:28	0.041	-0.006	-6
7/28/2007	14:43:28	0.044	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/28/2007 06:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/28/2007 7:04	0		0
2	7/28/2007 7:19	0		0
3	7/28/2007 7:34	0		0
4	7/28/2007 7:49	0		0
5	7/28/2007 8:04	0		0
6	7/28/2007 8:19	0		0
7	7/28/2007 8:34	0		0
8	7/28/2007 8:49	0		0
9	7/28/2007 9:04	0		0
10	7/28/2007 9:19	0		0
11	7/28/2007 9:34	0		0
12	7/28/2007 9:49	0		0
13	7/28/2007 10:04	0		0
14	7/28/2007 10:19	0		0
15	7/28/2007 10:34	0		0
16	7/28/2007 10:49	0		0
17	7/28/2007 11:04	0		0
18	7/28/2007 11:19	0		0
19	7/28/2007 11:34	0		0
20	7/28/2007 11:49	0		0
21	7/28/2007 12:04	0		0
22	7/28/2007 12:19	0		0
23	7/28/2007 12:34	0		0
24	7/28/2007 12:49	0		0
25	7/28/2007 13:04	0		0
26	7/28/2007 13:19	0		0
27	7/28/2007 13:34	0		0
28	7/28/2007 13:49	0		0
29	7/28/2007 14:04	0		0
30	7/28/2007 14:19	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	3
Test Abbreviation:	
Start Date:	7/28/2007
Start Time:	7:03:05
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0700) = 0.119 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/28/2007	7:18:05	0.122	0.003	3	
7/28/2007	7:33:05	0.13	0.011	11	
7/28/2007	7:48:05	0.081	-0.038	-38	
7/28/2007	8:03:05	0.054	-0.065	-65	
7/28/2007	8:18:05	0.06	-0.059	-59	
7/28/2007	8:33:05	0.052	-0.067	-67	
7/28/2007	8:48:05	0.055	-0.064	-64	
7/28/2007	9:03:05	0.06	-0.059	-59	
7/28/2007	9:18:05	0.064	-0.055	-55	
7/28/2007	9:33:05	0.06	-0.059	-59	
7/28/2007	9:48:05	0.058	-0.061	-61	
7/28/2007	10:03:05	0.064	-0.055	-55	
7/28/2007	10:18:05	0.063	-0.056	-56	
7/28/2007	10:33:05	0.063	-0.056	-56	
7/28/2007	10:48:05	0.067	-0.052	-52	
7/28/2007	11:03:05	0.071	-0.048	-48	
7/28/2007	11:18:05	0.095	-0.024	-24	
7/28/2007	11:33:05	0.069	-0.05	-50	
7/28/2007	11:48:05	0.069	-0.05	-50	
7/28/2007	12:03:05	0.071	-0.048	-48	
7/28/2007	12:18:05	0.276	0.157	157	*Shaw testing of AKRF equipment ats STA 3
7/28/2007	12:33:05	0.072	-0.047	-47	
7/28/2007	12:48:05	0.067	-0.052	-52	
7/28/2007	13:03:05	0.069	-0.05	-50	
7/28/2007	13:18:05	0.065	-0.054	-54	
7/28/2007	13:33:05	0.062	-0.057	-57	
7/28/2007	13:48:05	0.066	-0.053	-53	
7/28/2007	14:03:05	0.067	-0.052	-52	
7/28/2007	14:18:05	0.067	-0.052	-52	
7/28/2007	14:33:05	0.068	-0.051	-51	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/28/2007 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/28/2007 7:10	0		0
2	7/28/2007 7:25	0		0
3	7/28/2007 7:40	0		0
4	7/28/2007 7:55	0		0
5	7/28/2007 8:10	0		0
6	7/28/2007 8:25	0		0
7	7/28/2007 8:40	0		0
8	7/28/2007 8:55	0		0
9	7/28/2007 9:10	0		0
10	7/28/2007 9:25	0		0
11	7/28/2007 9:40	0		0
12	7/28/2007 9:55	0		0
13	7/28/2007 10:10	0		0
14	7/28/2007 10:25	0		0
15	7/28/2007 10:40	0		0
16	7/28/2007 10:55	0		0
17	7/28/2007 11:10	0		0
18	7/28/2007 11:25	0		0
19	7/28/2007 11:40	0		0
20	7/28/2007 11:55	0		0
21	7/28/2007 12:10	0		0
22	7/28/2007 12:25	0		0
23	7/28/2007 12:40	0		0
24	7/28/2007 12:55	0		0
25	7/28/2007 13:10	0		0
26	7/28/2007 13:25	0		0
27	7/28/2007 13:40	0		0
28	7/28/2007 13:55	0		0
29	7/28/2007 14:10	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	6
Test Abbreviation:	
Start Date:	7/28/2007
Start Time:	6:52:30
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0655) = 0.072 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
7/28/2007	7:07:30	0.092	0.02	20	
7/28/2007	7:22:30	0.118	0.046	46	
7/28/2007	7:37:30	0.084	0.012	12	
7/28/2007	7:52:30	0.043	-0.029	-29	
7/28/2007	8:07:30	0.038	-0.034	-34	
7/28/2007	8:22:30	0.038	-0.034	-34	
7/28/2007	8:37:30	0.038	-0.034	-34	
7/28/2007	8:52:30	0.041	-0.031	-31	
7/28/2007	9:07:30	0.042	-0.03	-30	
7/28/2007	9:22:30	0.042	-0.03	-30	
7/28/2007	9:37:30	0.04	-0.032	-32	
7/28/2007	9:52:30	0.039	-0.033	-33	
7/28/2007	10:07:30	0.04	-0.032	-32	
7/28/2007	10:22:30	0.039	-0.033	-33	
7/28/2007	10:37:30	0.04	-0.032	-32	
7/28/2007	10:52:30	0.042	-0.03	-30	
7/28/2007	11:07:30	0.044	-0.028	-28	
7/28/2007	11:22:30	0.047	-0.025	-25	
7/28/2007	11:37:30	0.043	-0.029	-29	
7/28/2007	11:52:30	0.047	-0.025	-25	
7/28/2007	12:07:30	0.044	-0.028	-28	
7/28/2007	12:22:30	0.104	0.032	32	*Shaw testing of AKRF equipment at STA 4
7/28/2007	12:37:30	0.042	-0.03	-30	
7/28/2007	12:52:30	0.042	-0.03	-30	
7/28/2007	13:07:30	0.041	-0.031	-31	
7/28/2007	13:22:30	0.04	-0.032	-32	
7/28/2007	13:37:30	0.04	-0.032	-32	
7/28/2007	13:52:30	0.041	-0.031	-31	
7/28/2007	14:07:30	0.043	-0.029	-29	
7/28/2007	14:22:30	0.042	-0.03	-30	
7/28/2007	14:37:30	0.043	-0.029	-29	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/27/2007 02:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0450) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/30/2007 5:09	0		0
2	7/30/2007 5:24	0		0
3	7/30/2007 5:39	0		0
4	7/30/2007 5:54	0		0
5	7/30/2007 6:09	0		0
6	7/30/2007 6:24	0		0
7	7/30/2007 6:39	0		0
8	7/30/2007 6:54	0		0
9	7/30/2007 7:09	0		0
10	7/30/2007 7:24	0		0
11	7/30/2007 7:39	0		0
12	7/30/2007 7:54	0		0
13	7/30/2007 8:09	0		0
14	7/30/2007 8:24	0		0
15	7/30/2007 8:39	0		0
16	7/30/2007 8:54	0		0
17	7/30/2007 9:09	0		0
18	7/30/2007 9:24	0		0
19	7/30/2007 9:39	0		0
20	7/30/2007 9:54	0		0
21	7/30/2007 10:09	0		0
22	7/30/2007 10:24	0		0
23	7/30/2007 10:39	0		0
24	7/30/2007 10:54	0		0
25	7/30/2007 11:09	0		0
26	7/30/2007 11:24	0		0
27	7/30/2007 11:39	0		0
28	7/30/2007 11:54	0		0
29	7/30/2007 12:09	0		0
30	7/30/2007 12:24	0		0
31	7/30/2007 12:39	0		0
32	7/30/2007 12:54	0		0
33	7/30/2007 13:09	0		0
34	7/30/2007 13:24	0		0
35	7/30/2007 13:39	0		0
36	7/30/2007 13:54	0		0
37	7/30/2007 14:09	0		0
38	7/30/2007 14:24	0		0
39	7/30/2007 14:39	0		0
40	7/30/2007 14:54	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/30/2007
Start Time:	4:52:17
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0450) = 0.240 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/30/2007	5:07:17	0.265	0.025	25
7/30/2007	5:22:17	0.312	0.072	72
7/30/2007	5:37:17	0.261	0.021	21
7/30/2007	5:52:17	0.232	-0.008	-8
7/30/2007	6:07:17	0.24	0	0
7/30/2007	6:22:17	0.153	-0.087	-87
7/30/2007	6:37:17	0.104	-0.136	-136
7/30/2007	6:52:17	0.087	-0.153	-153
7/30/2007	7:07:17	0.08	-0.16	-160
7/30/2007	7:22:17	0.067	-0.173	-173
7/30/2007	7:37:17	0.054	-0.186	-186
7/30/2007	7:52:17	0.048	-0.192	-192
7/30/2007	8:07:17	0.039	-0.201	-201
7/30/2007	8:22:17	0.033	-0.207	-207
7/30/2007	8:37:17	0.034	-0.206	-206
7/30/2007	8:52:17	0.039	-0.201	-201
7/30/2007	9:07:17	0.034	-0.206	-206
7/30/2007	9:22:17	0.038	-0.202	-202
7/30/2007	9:37:17	0.033	-0.207	-207
7/30/2007	9:52:17	0.03	-0.21	-210
7/30/2007	10:07:17	0.029	-0.211	-211
7/30/2007	10:22:17	0.027	-0.213	-213
7/30/2007	10:37:17	0.028	-0.212	-212
7/30/2007	10:52:17	0.028	-0.212	-212
7/30/2007	11:07:17	0.025	-0.215	-215
7/30/2007	11:22:17	0.025	-0.215	-215
7/30/2007	11:37:17	0.026	-0.214	-214
7/30/2007	11:52:17	0.03	-0.21	-210
7/30/2007	12:07:17	0.027	-0.213	-213
7/30/2007	12:22:17	0.025	-0.215	-215
7/30/2007	12:37:17	0.02	-0.22	-220
7/30/2007	12:52:17	0.019	-0.221	-221
7/30/2007	13:07:17	0.02	-0.22	-220
7/30/2007	13:22:17	0.024	-0.216	-216
7/30/2007	13:37:17	0.024	-0.216	-216
7/30/2007	13:52:17	0.021	-0.219	-219
7/30/2007	14:07:17	0.021	-0.219	-219
7/30/2007	14:22:17	0.021	-0.219	-219
7/30/2007	14:37:17	0.021	-0.219	-219
7/30/2007	14:52:17	0.021	-0.219	-219
7/30/2007	15:07:17	0.02	-0.22	-220

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/30/2007 04:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/30/2007 6:03	0		0
2	7/30/2007 6:18	0		0
3	7/30/2007 6:33	0		0
4	7/30/2007 6:48	0		0
5	7/30/2007 7:03	0.1		0.1
6	7/30/2007 7:18	0.1		0.1
7	7/30/2007 7:33	0.1		0.1
8	7/30/2007 7:48	0.1		0.1
9	7/30/2007 8:03	0.1		0.1
10	7/30/2007 8:18	0.1		0.1
11	7/30/2007 8:33	0.1		0.1
12	7/30/2007 8:48	0.1		0.1
13	7/30/2007 9:03	0.1		0.1
14	7/30/2007 9:18	0.1		0.1
15	7/30/2007 9:33	0.2		0.2
16	7/30/2007 9:48	0.2		0.2
17	7/30/2007 10:03	0.2		0.2
18	7/30/2007 10:18	0.2		0.2
19	7/30/2007 10:33	0.2		0.2
20	7/30/2007 10:48	0.2		0.2
21	7/30/2007 11:03	0.2		0.2
22	7/30/2007 11:18	0.2		0.2
23	7/30/2007 11:33	0.2		0.2
24	7/30/2007 11:48	0.2		0.2
25	7/30/2007 12:03	0.2		0.2
26	7/30/2007 12:18	0.2		0.2
27	7/30/2007 12:33	0.2		0.2
28	7/30/2007 12:48	0.2		0.2
29	7/30/2007 13:03	0.2		0.2
30	7/30/2007 13:18	0.2		0.2
31	7/30/2007 13:33	0.2		0.2
32	7/30/2007 13:48	0.2		0.2
33	7/30/2007 14:03	0.2		0.2
34	7/30/2007 14:18	0.2		0.2
35	7/30/2007 14:33	0.2		0.2
36	7/30/2007 14:48	0.2		0.2
37	7/30/2007 15:03	0.2		0.2
38	7/30/2007 15:18	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	8
Test Abbreviation:	
Start Date:	7/30/2007
Start Time:	5:48:40
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	

Background Reading (0545) = 0.212 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/30/2007	6:03:40	0.192	-0.02	-20
7/30/2007	6:18:40	0.116	-0.096	-96
7/30/2007	6:33:40	0.093	-0.119	-119
7/30/2007	6:48:40	0.087	-0.125	-125
7/30/2007	7:03:40	0.086	-0.126	-126
7/30/2007	7:18:40	0.086	-0.126	-126
7/30/2007	7:33:40	0.075	-0.137	-137
7/30/2007	7:48:40	0.07	-0.142	-142
7/30/2007	8:03:40	0.07	-0.142	-142
7/30/2007	8:18:40	0.056	-0.156	-156
7/30/2007	8:33:40	0.057	-0.155	-155
7/30/2007	8:48:40	0.063	-0.149	-149
7/30/2007	9:03:40	0.063	-0.149	-149
7/30/2007	9:18:40	0.065	-0.147	-147
7/30/2007	9:33:40	0.063	-0.149	-149
7/30/2007	9:48:40	0.059	-0.153	-153
7/30/2007	10:03:40	0.058	-0.154	-154
7/30/2007	10:18:40	0.053	-0.159	-159
7/30/2007	10:33:40	0.052	-0.16	-160
7/30/2007	10:48:40	0.059	-0.153	-153
7/30/2007	11:03:40	0.052	-0.16	-160
7/30/2007	11:18:40	0.05	-0.162	-162
7/30/2007	11:33:40	0.051	-0.161	-161
7/30/2007	11:48:40	0.062	-0.15	-150
7/30/2007	12:03:40	0.06	-0.152	-152
7/30/2007	12:18:40	0.057	-0.155	-155
7/30/2007	12:33:40	0.047	-0.165	-165
7/30/2007	12:48:40	0.044	-0.168	-168
7/30/2007	13:03:40	0.049	-0.163	-163
7/30/2007	13:18:40	0.057	-0.155	-155
7/30/2007	13:33:40	0.055	-0.157	-157
7/30/2007	13:48:40	0.055	-0.157	-157
7/30/2007	14:03:40	0.054	-0.158	-158
7/30/2007	14:18:40	0.054	-0.158	-158
7/30/2007	14:33:40	0.053	-0.159	-159
7/30/2007	14:48:40	0.051	-0.161	-161
7/30/2007	15:03:40	0.053	-0.159	-159
7/30/2007	15:18:40	0.052	-0.16	-160
7/30/2007	15:33:40	0.05	-0.162	-162

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/30/2007 04:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0526) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/30/2007 5:44	0		0
2	7/30/2007 5:59	0		0
3	7/30/2007 6:14	0		0
4	7/30/2007 6:29	0		0
5	7/30/2007 6:44	0		0
6	7/30/2007 6:59	0		0
7	7/30/2007 7:14	0		0
8	7/30/2007 7:29	0		0
9	7/30/2007 7:44	0		0
10	7/30/2007 7:59	0		0
11	7/30/2007 8:14	0		0
12	7/30/2007 8:29	0		0
13	7/30/2007 8:44	0		0
14	7/30/2007 8:59	0		0
15	7/30/2007 9:14	0		0
16	7/30/2007 9:29	0		0
17	7/30/2007 9:44	0		0
18	7/30/2007 9:59	0		0
19	7/30/2007 10:14	0		0
20	7/30/2007 10:29	0		0
21	7/30/2007 10:44	0		0
22	7/30/2007 10:59	0		0
23	7/30/2007 11:14	0		0
24	7/30/2007 11:29	0		0
25	7/30/2007 11:44	0		0
26	7/30/2007 11:59	0		0
27	7/30/2007 12:14	0		0
28	7/30/2007 12:29	0		0
29	7/30/2007 12:44	0		0
30	7/30/2007 12:59	0		0
31	7/30/2007 13:14	0		0
32	7/30/2007 13:29	0		0
33	7/30/2007 13:44	0		0
34	7/30/2007 13:59	0		0
35	7/30/2007 14:14	0		0
36	7/30/2007 14:29	0		0
37	7/30/2007 14:44	0		0
38	7/30/2007 14:59	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	4
Test Abbreviation:	
Start Date:	7/30/2007
Start Time:	6:33:28
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0526) = 0.214 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/30/2007	6:48:28	0.214	0	0
7/30/2007	7:03:28	0.215	0.001	1
7/30/2007	7:18:28	0.226	0.012	12
7/30/2007	7:33:28	0.198	-0.016	-16
7/30/2007	7:48:28	0.175	-0.039	-39
7/30/2007	8:03:28	0.168	-0.046	-46
7/30/2007	8:18:28	0.137	-0.077	-77
7/30/2007	8:33:28	0.131	-0.083	-83
7/30/2007	8:48:28	0.14	-0.074	-74
7/30/2007	9:03:28	0.136	-0.078	-78
7/30/2007	9:18:28	0.149	-0.065	-65
7/30/2007	9:33:28	0.134	-0.08	-80
7/30/2007	9:48:28	0.125	-0.089	-89
7/30/2007	10:03:28	0.126	-0.088	-88
7/30/2007	10:18:28	0.119	-0.095	-95
7/30/2007	10:33:28	0.111	-0.103	-103
7/30/2007	10:48:28	0.126	-0.088	-88
7/30/2007	11:03:28	0.109	-0.105	-105
7/30/2007	11:18:28	0.099	-0.115	-115
7/30/2007	11:33:28	0.101	-0.113	-113
7/30/2007	11:48:28	0.114	-0.1	-100
7/30/2007	12:03:28	0.112	-0.102	-102
7/30/2007	12:18:28	0.101	-0.113	-113
7/30/2007	12:33:28	0.088	-0.126	-126
7/30/2007	12:48:28	0.075	-0.139	-139
7/30/2007	13:03:28	0.075	-0.139	-139
7/30/2007	13:18:28	0.085	-0.129	-129
7/30/2007	13:33:28	0.092	-0.122	-122
7/30/2007	13:48:28	0.089	-0.125	-125
7/30/2007	14:03:28	0.087	-0.127	-127
7/30/2007	14:18:28	0.085	-0.129	-129
7/30/2007	14:33:28	0.084	-0.13	-130
7/30/2007	14:48:28	0.085	-0.129	-129
7/30/2007	15:03:28	0.164	-0.05	-50
7/30/2007	15:18:28	0.094	-0.12	-120

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/30/2007 04:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0512) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/30/2007 5:33	0		0
2	7/30/2007 5:48	0		0
3	7/30/2007 6:03	0		0
4	7/30/2007 6:18	0		0
5	7/30/2007 6:33	0		0
6	7/30/2007 6:48	0		0
7	7/30/2007 7:03	0		0
8	7/30/2007 7:18	0		0
9	7/30/2007 7:33	0		0
10	7/30/2007 7:48	0		0
11	7/30/2007 8:03	0		0
12	7/30/2007 8:18	0		0
13	7/30/2007 8:33	0		0
14	7/30/2007 8:48	0		0
15	7/30/2007 9:03	0		0
16	7/30/2007 9:18	0		0
17	7/30/2007 9:33	0		0
18	7/30/2007 9:48	0		0
19	7/30/2007 10:03	0		0
20	7/30/2007 10:18	0		0
21	7/30/2007 10:33	0		0
22	7/30/2007 10:48	0		0
23	7/30/2007 11:03	0		0
24	7/30/2007 11:18	0		0
25	7/30/2007 11:33	0		0
26	7/30/2007 11:48	0		0
27	7/30/2007 12:03	0		0
28	7/30/2007 12:18	0		0
29	7/30/2007 12:33	0		0
30	7/30/2007 12:48	0		0
31	7/30/2007 13:03	0		0
32	7/30/2007 13:18	0		0
33	7/30/2007 13:33	0		0
34	7/30/2007 13:48	0		0
35	7/30/2007 14:03	0		0
36	7/30/2007 14:18	0		0
37	7/30/2007 14:33	0		0
38	7/30/2007 14:48	0		0
39	7/30/2007 15:03	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	7
Test Abbreviation:	
Start Date:	7/30/2007
Start Time:	5:18:34
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0512) = 0.339 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/30/2007	5:33:34	0.247	-0.092	-92
7/30/2007	5:48:34	0.021	-0.318	-318
7/30/2007	6:03:34	0.003	-0.336	-336
7/30/2007	6:18:34	0.001	-0.338	-338
7/30/2007	6:33:34	0.085	-0.254	-254
7/30/2007	6:48:34	0.148	-0.191	-191
7/30/2007	7:03:34	0.149	-0.19	-190
7/30/2007	7:18:34	0.155	-0.184	-184
7/30/2007	7:33:34	0.146	-0.193	-193
7/30/2007	7:48:34	0.13	-0.209	-209
7/30/2007	8:03:34	0.119	-0.22	-220
7/30/2007	8:18:34	0.11	-0.229	-229
7/30/2007	8:33:34	0.089	-0.25	-250
7/30/2007	8:48:34	0.097	-0.242	-242
7/30/2007	9:03:34	0.092	-0.247	-247
7/30/2007	9:18:34	0.098	-0.241	-241
7/30/2007	9:33:34	0.095	-0.244	-244
7/30/2007	9:48:34	0.087	-0.252	-252
7/30/2007	10:03:34	0.08	-0.259	-259
7/30/2007	10:18:34	0.081	-0.258	-258
7/30/2007	10:33:34	0.075	-0.264	-264
7/30/2007	10:48:34	0.079	-0.26	-260
7/30/2007	11:03:34	0.068	-0.271	-271
7/30/2007	11:18:34	0.066	-0.273	-273
7/30/2007	11:33:34	0.065	-0.274	-274
7/30/2007	11:48:34	0.074	-0.265	-265
7/30/2007	12:03:34	0.079	-0.26	-260
7/30/2007	12:18:34	0.068	-0.271	-271
7/30/2007	12:33:34	0.06	-0.279	-279
7/30/2007	12:48:34	0.049	-0.29	-290
7/30/2007	13:03:34	0.049	-0.29	-290
7/30/2007	13:18:34	0.06	-0.279	-279
7/30/2007	13:33:34	0.061	-0.278	-278
7/30/2007	13:48:34	0.058	-0.281	-281
7/30/2007	14:03:34	0.057	-0.282	-282
7/30/2007	14:18:34	0.056	-0.283	-283
7/30/2007	14:33:34	0.053	-0.286	-286
7/30/2007	14:48:34	0.053	-0.286	-286
7/30/2007	15:03:34	0.057	-0.282	-282
7/30/2007	15:18:34	0.057	-0.282	-282

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/31/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0549) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/31/2007 6:01	0		0
2	7/31/2007 6:16	0		0
3	7/31/2007 6:31	0		0
4	7/31/2007 6:46	0		0
1	7/31/2007 7:18	0		0
2	7/31/2007 7:33	0		0
3	7/31/2007 7:48	0		0
4	7/31/2007 8:03	0		0
5	7/31/2007 8:18	0		0
6	7/31/2007 8:33	0		0
7	7/31/2007 8:48	0		0
8	7/31/2007 9:03	0		0
9	7/31/2007 9:18	0		0
10	7/31/2007 9:33	0		0
11	7/31/2007 9:48	0		0
12	7/31/2007 10:03	0		0
13	7/31/2007 10:18	0		0
14	7/31/2007 10:33	0		0
15	7/31/2007 10:48	0		0
16	7/31/2007 11:03	0		0
17	7/31/2007 11:18	0		0
18	7/31/2007 11:33	0		0
19	7/31/2007 11:48	0		0
20	7/31/2007 12:03	0		0
21	7/31/2007 12:18	0		0
22	7/31/2007 12:33	0		0
23	7/31/2007 12:48	0		0
24	7/31/2007 13:03	0		0
25	7/31/2007 13:18	0		0
26	7/31/2007 13:33	0		0
27	7/31/2007 13:48	0		0
28	7/31/2007 14:03	0		0
29	7/31/2007 14:18	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	7/31/2007
Start Time:	5:49:24
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0549) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/31/2007	6:04:24	0.011	-0.001	-1
7/31/2007	6:19:24	0.009	-0.003	-3
7/31/2007	6:34:24	0.008	-0.004	-4
7/31/2007	6:49:24	0.01	-0.002	-2
7/31/2007	7:04:24	0.009	-0.003	-3
7/31/2007	7:19:24	0.009	-0.003	-3
7/31/2007	7:34:24	0.009	-0.003	-3
7/31/2007	7:49:24	0.008	-0.004	-4
7/31/2007	8:04:24	0.011	-0.001	-1
7/31/2007	8:19:24	0.008	-0.004	-4
7/31/2007	8:34:24	0.008	-0.004	-4
7/31/2007	8:49:24	0.007	-0.005	-5
7/31/2007	9:04:24	0.007	-0.005	-5
7/31/2007	9:19:24	0.007	-0.005	-5
7/31/2007	9:34:24	0.009	-0.003	-3
7/31/2007	9:49:24	0.008	-0.004	-4
7/31/2007	10:04:24	0.008	-0.004	-4
7/31/2007	10:19:24	0.007	-0.005	-5
7/31/2007	10:34:24	0.011	-0.001	-1
7/31/2007	10:49:24	0.01	-0.002	-2
7/31/2007	11:04:24	0.009	-0.003	-3
7/31/2007	11:19:24	0.009	-0.003	-3
7/31/2007	11:34:24	0.01	-0.002	-2
7/31/2007	11:49:24	0.011	-0.001	-1
7/31/2007	12:04:24	0.011	-0.001	-1
7/31/2007	12:19:24	0.012	0	0
7/31/2007	12:34:24	0.01	-0.002	-2
7/31/2007	12:49:24	0.013	0.001	1
7/31/2007	13:04:24	0.014	0.002	2
7/31/2007	13:19:24	0.01	-0.002	-2
7/31/2007	13:34:24	0.011	-0.001	-1
7/31/2007	13:49:24	0.011	-0.001	-1
7/31/2007	14:04:24	0.01	-0.002	-2
7/31/2007	14:19:24	0.013	0.001	1
7/31/2007	14:34:24	0.01	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175

User ID: 00000001 Site ID: 00000335

Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 07/31/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/31/2007 6:05	0		0
2	7/31/2007 6:20	0		0
3	7/31/2007 6:35	0.1		0.1
4	7/31/2007 6:50	0.1		0.1
5	7/31/2007 7:05	0.1		0.1
6	7/31/2007 7:20	0.1		0.1
7	7/31/2007 7:35	0.1		0.1
8	7/31/2007 7:50	0.1		0.1
9	7/31/2007 8:05	0.2		0.2
10	7/31/2007 8:20	0.2		0.2
11	7/31/2007 8:35	0.2		0.2
12	7/31/2007 8:50	0.2		0.2
13	7/31/2007 9:05	0.2		0.2
14	7/31/2007 9:20	0.2		0.2
15	7/31/2007 9:35	0.2		0.2
16	7/31/2007 9:50	0.2		0.2
17	7/31/2007 10:05	0.2		0.2
18	7/31/2007 10:20	0.2		0.2
19	7/31/2007 10:35	0.2		0.2
20	7/31/2007 10:50	0.2		0.2
21	7/31/2007 11:05	0.2		0.2
22	7/31/2007 11:20	0.2		0.2
23	7/31/2007 11:35	0.2		0.2
24	7/31/2007 11:50	0.2		0.2
25	7/31/2007 12:05	0.2		0.2
26	7/31/2007 12:20	0.2		0.2
27	7/31/2007 12:35	0.2		0.2
28	7/31/2007 12:50	0.2		0.2
29	7/31/2007 13:05	0.2		0.2
30	7/31/2007 13:20	0.2		0.2
31	7/31/2007 13:35	0.2		0.2
32	7/31/2007 13:50	0.2		0.2
33	7/31/2007 14:05	0.2		0.2
34	7/31/2007 14:20	0.2		0.2
35	7/31/2007 14:35	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	7/31/2007
Start Time:	5:51:00
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0545) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/31/2007	6:06:00	0.02	-0.006	-6
7/31/2007	6:21:00	0.014	-0.012	-12
7/31/2007	6:36:00	0.016	-0.01	-10
7/31/2007	6:51:00	0.016	-0.01	-10
7/31/2007	7:06:00	0.018	-0.008	-8
7/31/2007	7:21:00	0.016	-0.01	-10
7/31/2007	7:36:00	0.017	-0.009	-9
7/31/2007	7:51:00	0.016	-0.01	-10
7/31/2007	8:06:00	0.021	-0.005	-5
7/31/2007	8:21:00	0.018	-0.008	-8
7/31/2007	8:36:00	0.018	-0.008	-8
7/31/2007	8:51:00	0.017	-0.009	-9
7/31/2007	9:06:00	0.018	-0.008	-8
7/31/2007	9:21:00	0.019	-0.007	-7
7/31/2007	9:36:00	0.019	-0.007	-7
7/31/2007	9:51:00	0.019	-0.007	-7
7/31/2007	10:06:00	0.025	-0.001	-1
7/31/2007	10:21:00	0.02	-0.006	-6
7/31/2007	10:36:00	0.021	-0.005	-5
7/31/2007	10:51:00	0.022	-0.004	-4
7/31/2007	11:06:00	0.027	0.001	1
7/31/2007	11:21:00	0.025	-0.001	-1
7/31/2007	11:36:00	0.021	-0.005	-5
7/31/2007	11:51:00	0.018	-0.008	-8
7/31/2007	12:06:00	0.016	-0.01	-10
7/31/2007	12:21:00	0.024	-0.002	-2
7/31/2007	12:36:00	0.025	-0.001	-1
7/31/2007	12:51:00	0.021	-0.005	-5
7/31/2007	13:06:00	0.02	-0.006	-6
7/31/2007	13:21:00	0.019	-0.007	-7
7/31/2007	13:36:00	0.019	-0.007	-7
7/31/2007	13:51:00	0.021	-0.005	-5
7/31/2007	14:06:00	0.022	-0.004	-4
7/31/2007	14:21:00	0.024	-0.002	-2
7/31/2007	14:36:00	0.027	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/31/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/31/2007 6:19	0		0
2	7/31/2007 6:34	0		0
3	7/31/2007 6:49	0		0
4	7/31/2007 7:04	0		0
5	7/31/2007 7:19	0.1		0.1
6	7/31/2007 7:34	0		0
7	7/31/2007 7:49	0		0
8	7/31/2007 8:04	0		0
9	7/31/2007 8:19	0.1		0.1
10	7/31/2007 8:34	0.1		0.1
11	7/31/2007 8:49	0		0
12	7/31/2007 9:04	0		0
13	7/31/2007 9:19	0		0
14	7/31/2007 9:34	0.1		0.1
15	7/31/2007 9:49	0		0
16	7/31/2007 10:04	0		0
17	7/31/2007 10:19	0.1		0.1
18	7/31/2007 10:34	0		0
19	7/31/2007 10:49	0		0
20	7/31/2007 11:04	0		0
21	7/31/2007 11:19	0		0
22	7/31/2007 11:34	0		0
23	7/31/2007 11:49	0		0
24	7/31/2007 12:04	0		0
25	7/31/2007 12:19	0		0
26	7/31/2007 12:34	0		0
27	7/31/2007 12:49	0		0
28	7/31/2007 13:04	0		0
29	7/31/2007 13:19	0		0
30	7/31/2007 13:34	0		0
31	7/31/2007 13:49	0		0
32	7/31/2007 14:04	0		0
33	7/31/2007 14:19	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	7/31/2007
Start Time:	6:09:32
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0608) = 0.034 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/31/2007	6:24:32	0.037	0.003	3
7/31/2007	6:39:32	0.035	0.001	1
7/31/2007	6:54:32	0.041	0.007	7
7/31/2007	7:09:32	0.04	0.006	6
7/31/2007	7:24:32	0.032	-0.002	-2
7/31/2007	7:39:32	0.044	0.01	10
7/31/2007	7:54:32	0.03	-0.004	-4
7/31/2007	8:09:32	0.043	0.009	9
7/31/2007	8:24:32	0.032	-0.002	-2
7/31/2007	8:39:32	0.027	-0.007	-7
7/31/2007	8:54:32	0.037	0.003	3
7/31/2007	9:09:32	0.027	-0.007	-7
7/31/2007	9:24:32	0.026	-0.008	-8
7/31/2007	9:39:32	0.031	-0.003	-3
7/31/2007	9:54:32	0.03	-0.004	-4
7/31/2007	10:09:32	0.033	-0.001	-1
7/31/2007	10:24:32	0.027	-0.007	-7
7/31/2007	10:39:32	0.033	-0.001	-1
7/31/2007	10:54:32	0.029	-0.005	-5
7/31/2007	11:09:32	0.03	-0.004	-4
7/31/2007	11:24:32	0.032	-0.002	-2
7/31/2007	11:39:32	0.035	0.001	1
7/31/2007	11:54:32	0.033	-0.001	-1
7/31/2007	12:09:32	0.043	0.009	9
7/31/2007	12:24:32	0.036	0.002	2
7/31/2007	12:39:32	0.037	0.003	3
7/31/2007	12:54:32	0.041	0.007	7
7/31/2007	13:09:32	0.038	0.004	4
7/31/2007	13:24:32	0.038	0.004	4
7/31/2007	13:39:32	0.036	0.002	2
7/31/2007	13:54:32	0.046	0.012	12
7/31/2007	14:09:32	0.034	0	0
7/31/2007	14:24:32	0.04	0.006	6
7/31/2007	14:39:32	0.036	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 07/31/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	7/31/2007 6:28	0		0
2	7/31/2007 6:43	0		0
3	7/31/2007 6:58	0		0
4	7/31/2007 7:13	0		0
5	7/31/2007 7:28	0		0
6	7/31/2007 7:43	0.1		0.1
7	7/31/2007 7:58	0.1		0.1
8	7/31/2007 8:13	0.1		0.1
9	7/31/2007 8:28	0.2		0.2
10	7/31/2007 8:43	0.2		0.2
11	7/31/2007 8:58	0.3		0.3
12	7/31/2007 9:13	0.3		0.3
13	7/31/2007 9:28	0.3		0.3
14	7/31/2007 9:43	0.3		0.3
15	7/31/2007 9:58	0.4		0.4
16	7/31/2007 10:13	0.4		0.4
17	7/31/2007 10:28	0.4		0.4
18	7/31/2007 10:43	0.5		0.5
19	7/31/2007 10:58	0.4		0.4
20	7/31/2007 11:13	0.4		0.4
21	7/31/2007 11:28	0.4		0.4
22	7/31/2007 11:43	0.5		0.5
23	7/31/2007 11:58	0.4		0.4
24	7/31/2007 12:13	0.4		0.4
25	7/31/2007 12:28	0.4		0.4
26	7/31/2007 12:43	0.4		0.4
27	7/31/2007 12:58	0.4		0.4
28	7/31/2007 13:13	0.4		0.4
29	7/31/2007 13:28	0.7		0.7
30	7/31/2007 13:43	0.8		0.8
31	7/31/2007 13:58	0.8		0.8
32	7/31/2007 14:13	0.6		0.6
33	7/31/2007 14:28	0.6		0.6

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	7/31/2007
Start Time:	6:13:54
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0604) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
7/31/2007	6:28:54	0.025	-0.011	-11
7/31/2007	6:43:54	0.027	-0.009	-9
7/31/2007	6:58:54	0.025	-0.011	-11
7/31/2007	7:13:54	0.025	-0.011	-11
7/31/2007	7:28:54	0.029	-0.007	-7
7/31/2007	7:43:54	0.027	-0.009	-9
7/31/2007	7:58:54	0.042	0.006	6
7/31/2007	8:13:54	0.027	-0.009	-9
7/31/2007	8:28:54	0.031	-0.005	-5
7/31/2007	8:43:54	0.028	-0.008	-8
7/31/2007	8:58:54	0.034	-0.002	-2
7/31/2007	9:13:54	0.032	-0.004	-4
7/31/2007	9:28:54	0.026	-0.01	-10
7/31/2007	9:43:54	0.029	-0.007	-7
7/31/2007	9:58:54	0.038	0.002	2
7/31/2007	10:13:54	0.039	0.003	3
7/31/2007	10:28:54	0.034	-0.002	-2
7/31/2007	10:43:54	0.038	0.002	2
7/31/2007	10:58:54	0.045	0.009	9
7/31/2007	11:13:54	0.029	-0.007	-7
7/31/2007	11:28:54	0.028	-0.008	-8
7/31/2007	11:43:54	0.029	-0.007	-7
7/31/2007	11:58:54	0.028	-0.008	-8
7/31/2007	12:13:54	0.029	-0.007	-7
7/31/2007	12:28:54	0.031	-0.005	-5
7/31/2007	12:43:54	0.027	-0.009	-9
7/31/2007	12:58:54	0.03	-0.006	-6
7/31/2007	13:13:54	0.026	-0.01	-10
7/31/2007	13:28:54	0.049	0.013	13
7/31/2007	13:43:54	0.077	0.041	41
7/31/2007	13:58:54	0.078	0.042	42
7/31/2007	14:13:54	0.056	0.02	20
7/31/2007	14:28:54	0.038	0.002	2
7/31/2007	14:43:54	0.032	-0.004	-4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0547) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/1/2007 6:02	0		0
2	8/1/2007 6:17	0		0
3	8/1/2007 6:32	0		0
4	8/1/2007 6:47	0		0
5	8/1/2007 7:02	0		0
6	8/1/2007 7:17	0		0
7	8/1/2007 7:32	0		0
8	8/1/2007 7:47	0		0
9	8/1/2007 8:02	0		0
10	8/1/2007 8:17	0		0
11	8/1/2007 8:32	0		0
12	8/1/2007 8:47	0		0
13	8/1/2007 9:02	0		0
14	8/1/2007 9:17	0		0
15	8/1/2007 9:32	0		0
16	8/1/2007 9:47	0		0
17	8/1/2007 10:02	0		0
18	8/1/2007 10:17	0		0
19	8/1/2007 10:32	0		0
20	8/1/2007 10:47	0		0
21	8/1/2007 11:02	0		0
22	8/1/2007 11:17	0		0
23	8/1/2007 11:32	0		0
24	8/1/2007 11:47	0		0
25	8/1/2007 12:02	0		0
26	8/1/2007 12:17	0		0
27	8/1/2007 12:32	0		0
28	8/1/2007 12:47	0		0
29	8/1/2007 13:02	0		0
30	8/1/2007 13:17	0		0
31	8/1/2007 13:32	0		0
32	8/1/2007 13:47	0		0
33	8/1/2007 14:02	0		0
34	8/1/2007 14:17	0		0
35	8/1/2007 14:32	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/1/2007
Start Time:	5:49:42
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0547) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/1/2007	6:04:42	0.019	0.006	6
8/1/2007	6:19:42	0.014	0.001	1
8/1/2007	6:34:42	0.012	-0.001	-1
8/1/2007	6:49:42	0.013	0	0
8/1/2007	7:04:42	0.013	0	0
8/1/2007	7:19:42	0.011	-0.002	-2
8/1/2007	7:34:42	0.012	-0.001	-1
8/1/2007	7:49:42	0.012	-0.001	-1
8/1/2007	8:04:42	0.013	0	0
8/1/2007	8:19:42	0.012	-0.001	-1
8/1/2007	8:34:42	0.012	-0.001	-1
8/1/2007	8:49:42	0.012	-0.001	-1
8/1/2007	9:04:42	0.013	0	0
8/1/2007	9:19:42	0.012	-0.001	-1
8/1/2007	9:34:42	0.012	-0.001	-1
8/1/2007	9:49:42	0.013	0	0
8/1/2007	10:04:42	0.012	-0.001	-1
8/1/2007	10:19:42	0.012	-0.001	-1
8/1/2007	10:34:42	0.013	0	0
8/1/2007	10:49:42	0.013	0	0
8/1/2007	11:04:42	0.014	0.001	1
8/1/2007	11:19:42	0.013	0	0
8/1/2007	11:34:42	0.014	0.001	1
8/1/2007	11:49:42	0.014	0.001	1
8/1/2007	12:04:42	0.014	0.001	1
8/1/2007	12:19:42	0.013	0	0
8/1/2007	12:34:42	0.014	0.001	1
8/1/2007	12:49:42	0.012	-0.001	-1
8/1/2007	13:04:42	0.012	-0.001	-1
8/1/2007	13:19:42	0.011	-0.002	-2
8/1/2007	13:34:42	0.011	-0.002	-2
8/1/2007	13:49:42	0.011	-0.002	-2
8/1/2007	14:04:42	0.012	-0.001	-1
8/1/2007	14:19:42	0.01	-0.003	-3
8/1/2007	14:34:42	0.01	-0.003	-3
8/1/2007	14:49:42	0.01	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/1/2007 6:03	0.1		0.1
2	8/1/2007 6:18	0.1		0.1
3	8/1/2007 6:33	0.2		0.2
4	8/1/2007 6:48	0.2		0.2
5	8/1/2007 7:03	0.2		0.2
6	8/1/2007 7:18	0.2		0.2
7	8/1/2007 7:33	0.3		0.3
8	8/1/2007 7:48	0.3		0.3
9	8/1/2007 8:03	0.3		0.3
10	8/1/2007 8:18	0.3		0.3
11	8/1/2007 8:33	0.3		0.3
12	8/1/2007 8:48	0.3		0.3
13	8/1/2007 9:03	0.3		0.3
14	8/1/2007 9:18	0.3		0.3
15	8/1/2007 9:33	0.3		0.3
16	8/1/2007 9:48	0.3		0.3
17	8/1/2007 10:03	0.4		0.4
18	8/1/2007 10:18	0.4		0.4
19	8/1/2007 10:33	0.4		0.4
20	8/1/2007 10:48	0.4		0.4
21	8/1/2007 11:03	0.4		0.4
22	8/1/2007 11:18	0.4		0.4
23	8/1/2007 11:33	0.4		0.4
24	8/1/2007 11:48	0.4		0.4
25	8/1/2007 12:03	0.4		0.4
26	8/1/2007 12:18	0.4		0.4
27	8/1/2007 12:33	0.4		0.4
28	8/1/2007 12:48	0.4		0.4
29	8/1/2007 13:03	0.4		0.4
30	8/1/2007 13:18	0.4		0.4
31	8/1/2007 13:33	0.4		0.4
32	8/1/2007 13:48	0.4		0.4
33	8/1/2007 14:03	0.4		0.4
34	8/1/2007 14:18	0.5		0.5
35	8/1/2007 14:33	0.5		0.5
36	8/1/2007 14:48	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	8/1/2007
Start Time:	5:48:55
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0545) = 0.031 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/1/2007	6:03:55	0.03	-0.001	-1
8/1/2007	6:18:55	0.034	0.003	3
8/1/2007	6:33:55	0.023	-0.008	-8
8/1/2007	6:48:55	0.033	0.002	2
8/1/2007	7:03:55	0.024	-0.007	-7
8/1/2007	7:18:55	0.025	-0.006	-6
8/1/2007	7:33:55	0.025	-0.006	-6
8/1/2007	7:48:55	0.026	-0.005	-5
8/1/2007	8:03:55	0.026	-0.005	-5
8/1/2007	8:18:55	0.026	-0.005	-5
8/1/2007	8:33:55	0.027	-0.004	-4
8/1/2007	8:48:55	0.026	-0.005	-5
8/1/2007	9:03:55	0.026	-0.005	-5
8/1/2007	9:18:55	0.026	-0.005	-5
8/1/2007	9:33:55	0.027	-0.004	-4
8/1/2007	9:48:55	0.027	-0.004	-4
8/1/2007	10:03:55	0.027	-0.004	-4
8/1/2007	10:18:55	0.028	-0.003	-3
8/1/2007	10:33:55	0.028	-0.003	-3
8/1/2007	10:48:55	0.027	-0.004	-4
8/1/2007	11:03:55	0.03	-0.001	-1
8/1/2007	11:18:55	0.029	-0.002	-2
8/1/2007	11:33:55	0.028	-0.003	-3
8/1/2007	11:48:55	0.03	-0.001	-1
8/1/2007	12:03:55	0.032	0.001	1
8/1/2007	12:18:55	0.033	0.002	2
8/1/2007	12:33:55	0.039	0.008	8
8/1/2007	12:48:55	0.03	-0.001	-1
8/1/2007	13:03:55	0.033	0.002	2
8/1/2007	13:18:55	0.029	-0.002	-2
8/1/2007	13:33:55	0.027	-0.004	-4
8/1/2007	13:48:55	0.03	-0.001	-1
8/1/2007	14:03:55	0.028	-0.003	-3
8/1/2007	14:18:55	0.025	-0.006	-6
8/1/2007	14:33:55	0.025	-0.006	-6
8/1/2007	14:48:55	0.024	-0.007	-7
8/1/2007	15:03:55	0.025	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/1/2007 6:15	0		0
2	8/1/2007 6:30	0		0
3	8/1/2007 6:45	0		0
4	8/1/2007 7:00	0		0
5	8/1/2007 7:15	0		0
6	8/1/2007 7:30	0		0
7	8/1/2007 7:45	0		0
8	8/1/2007 8:00	0		0
9	8/1/2007 8:15	0		0
10	8/1/2007 8:30	0		0
11	8/1/2007 8:45	0		0
12	8/1/2007 9:00	0		0
13	8/1/2007 9:15	0		0
14	8/1/2007 9:30	0		0
15	8/1/2007 9:45	0		0
16	8/1/2007 10:00	0		0
17	8/1/2007 10:15	0		0
18	8/1/2007 10:30	0		0
19	8/1/2007 10:45	0		0
20	8/1/2007 11:00	0		0
21	8/1/2007 11:15	0		0
22	8/1/2007 11:30	0		0
23	8/1/2007 11:45	0		0
24	8/1/2007 12:00	0		0
25	8/1/2007 12:15	0		0
26	8/1/2007 12:30	0		0
27	8/1/2007 12:45	0		0
28	8/1/2007 13:00	0		0
29	8/1/2007 13:15	0		0
30	8/1/2007 13:30	0		0
31	8/1/2007 13:45	0		0
32	8/1/2007 14:00	0		0
33	8/1/2007 14:15	0		0
34	8/1/2007 14:30	0		0
35	8/1/2007 14:45	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	8/1/2007
Start Time:	6:08:55
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0603) = 0.043 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/1/2007	6:23:55	0.058	0.015	15
8/1/2007	6:38:55	0.068	0.025	25
8/1/2007	6:53:55	0.064	0.021	21
8/1/2007	7:08:55	0.056	0.013	13
8/1/2007	7:23:55	0.051	0.008	8
8/1/2007	7:38:55	0.058	0.015	15
8/1/2007	7:53:55	0.058	0.015	15
8/1/2007	8:08:55	0.06	0.017	17
8/1/2007	8:23:55	0.053	0.01	10
8/1/2007	8:38:55	0.053	0.01	10
8/1/2007	8:53:55	0.048	0.005	5
8/1/2007	9:08:55	0.069	0.026	26
8/1/2007	9:23:55	0.046	0.003	3
8/1/2007	9:38:55	0.056	0.013	13
8/1/2007	9:53:55	0.047	0.004	4
8/1/2007	10:08:55	0.054	0.011	11
8/1/2007	10:23:55	0.049	0.006	6
8/1/2007	10:38:55	0.052	0.009	9
8/1/2007	10:53:55	0.056	0.013	13
8/1/2007	11:08:55	0.052	0.009	9
8/1/2007	11:23:55	0.052	0.009	9
8/1/2007	11:38:55	0.051	0.008	8
8/1/2007	11:53:55	0.056	0.013	13
8/1/2007	12:08:55	0.059	0.016	16
8/1/2007	12:23:55	0.057	0.014	14
8/1/2007	12:38:55	0.052	0.009	9
8/1/2007	12:53:55	0.05	0.007	7
8/1/2007	13:08:55	0.055	0.012	12
8/1/2007	13:23:55	0.043	0	0
8/1/2007	13:38:55	0.044	0.001	1
8/1/2007	13:53:55	0.057	0.014	14
8/1/2007	14:08:55	0.047	0.004	4
8/1/2007	14:23:55	0.044	0.001	1
8/1/2007	14:38:55	0.037	-0.006	-6
8/1/2007	14:53:55	0.037	-0.006	-6

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/01/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.1 ppm

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)
1	8/1/2007 6:24	0	-0.1
2	8/1/2007 6:39	0	-0.1
3	8/1/2007 6:54	0	-0.1
4	8/1/2007 7:09	0	-0.1
5	8/1/2007 7:24	0	-0.1
6	8/1/2007 7:39	0	-0.1
7	8/1/2007 7:54	0.4	0.3
8	8/1/2007 8:09	0.1	0
9	8/1/2007 8:24	0.1	0
10	8/1/2007 8:39	0.1	0
11	8/1/2007 8:54	0.1	0
12	8/1/2007 9:09	0	-0.1
13	8/1/2007 9:24	0	-0.1
14	8/1/2007 9:39	0	-0.1
15	8/1/2007 9:54	0	-0.1
16	8/1/2007 10:09	0	-0.1
17	8/1/2007 10:24	0	-0.1
18	8/1/2007 10:39	0	-0.1
19	8/1/2007 10:54	0	-0.1
20	8/1/2007 11:09	0	-0.1
21	8/1/2007 11:24	0	-0.1
22	8/1/2007 11:39	0	-0.1
23	8/1/2007 11:54	0	-0.1
24	8/1/2007 12:09	0	-0.1
25	8/1/2007 12:24	0	-0.1
26	8/1/2007 12:39	0	-0.1
27	8/1/2007 12:54	0	-0.1
28	8/1/2007 13:09	0	-0.1
29	8/1/2007 13:24	0	-0.1
30	8/1/2007 13:39	0	-0.1
31	8/1/2007 13:54	0.2	0.1
32	8/1/2007 14:09	0.2	0.1
33	8/1/2007 14:24	0	-0.1
34	8/1/2007 14:39	0	-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/1/2007
Start Time:	6:05:45
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0600) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/1/2007	6:20:45	0.045	0.002	2
8/1/2007	6:35:45	0.039	-0.004	-4
8/1/2007	6:50:45	0.039	-0.004	-4
8/1/2007	7:05:45	0.037	-0.006	-6
8/1/2007	7:20:45	0.037	-0.006	-6
8/1/2007	7:35:45	0.039	-0.004	-4
8/1/2007	7:50:45	0.037	-0.006	-6
8/1/2007	8:05:45	0.039	-0.004	-4
8/1/2007	8:20:45	0.035	-0.008	-8
8/1/2007	8:35:45	0.038	-0.005	-5
8/1/2007	8:50:45	0.035	-0.008	-8
8/1/2007	9:05:45	0.041	-0.002	-2
8/1/2007	9:20:45	0.032	-0.011	-11
8/1/2007	9:35:45	0.034	-0.009	-9
8/1/2007	9:50:45	0.04	-0.003	-3
8/1/2007	10:05:45	0.035	-0.008	-8
8/1/2007	10:20:45	0.035	-0.008	-8
8/1/2007	10:35:45	0.038	-0.005	-5
8/1/2007	10:50:45	0.03	-0.013	-13
8/1/2007	11:05:45	0.038	-0.005	-5
8/1/2007	11:20:45	0.035	-0.008	-8
8/1/2007	11:35:45	0.036	-0.007	-7
8/1/2007	11:50:45	0.033	-0.01	-10
8/1/2007	12:05:45	0.035	-0.008	-8
8/1/2007	12:20:45	0.033	-0.01	-10
8/1/2007	12:35:45	0.038	-0.005	-5
8/1/2007	12:50:45	0.031	-0.012	-12
8/1/2007	13:05:45	0.031	-0.012	-12
8/1/2007	13:20:45	0.027	-0.016	-16
8/1/2007	13:35:45	0.028	-0.015	-15
8/1/2007	13:50:45	0.029	-0.014	-14
8/1/2007	14:05:45	0.028	-0.015	-15
8/1/2007	14:20:45	0.028	-0.015	-15
8/1/2007	14:35:45	0.025	-0.018	-18
8/1/2007	14:50:45	0.027	-0.016	-16

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2007 04:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0510) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/2/2007 5:25	0		0
2	8/2/2007 5:40	0		0
3	8/2/2007 5:55	0		0
4	8/2/2007 6:10	0		0
5	8/2/2007 6:25	0		0
6	8/2/2007 6:40	0		0
7	8/2/2007 6:55	0		0
8	8/2/2007 7:10	0		0
9	8/2/2007 7:25	0		0
10	8/2/2007 7:40	0		0
11	8/2/2007 7:55	0		0
12	8/2/2007 8:10	0		0
13	8/2/2007 8:25	0		0
14	8/2/2007 8:40	0		0
15	8/2/2007 8:55	0		0
16	8/2/2007 9:10	0		0
17	8/2/2007 9:25	0		0
18	8/2/2007 9:40	0		0
19	8/2/2007 9:55	0		0
20	8/2/2007 10:10	0		0
21	8/2/2007 10:25	0		0
22	8/2/2007 10:40	0		0
23	8/2/2007 10:55	0		0
24	8/2/2007 11:10	0		0
25	8/2/2007 11:25	0		0
26	8/2/2007 11:40	0		0
27	8/2/2007 11:55	0		0
28	8/2/2007 12:10	0		0
29	8/2/2007 12:25	0		0
30	8/2/2007 12:40	0		0
31	8/2/2007 12:55	0		0
32	8/2/2007 13:10	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/2/2007
Start Time:	5:13:00
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0510) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/2/2007	5:28:00	0.022	0.001	1
8/2/2007	5:43:00	0.023	0.002	2
8/2/2007	5:58:00	0.03	0.009	9
8/2/2007	6:13:00	0.018	-0.003	-3
8/2/2007	6:28:00	0.022	0.001	1
8/2/2007	6:43:00	0.02	-0.001	-1
8/2/2007	6:58:00	0.018	-0.003	-3
8/2/2007	7:13:00	0.016	-0.005	-5
8/2/2007	7:28:00	0.017	-0.004	-4
8/2/2007	7:43:00	0.015	-0.006	-6
8/2/2007	7:58:00	0.018	-0.003	-3
8/2/2007	8:13:00	0.017	-0.004	-4
8/2/2007	8:28:00	0.014	-0.007	-7
8/2/2007	8:43:00	0.016	-0.005	-5
8/2/2007	8:58:00	0.016	-0.005	-5
8/2/2007	9:13:00	0.017	-0.004	-4
8/2/2007	9:28:00	0.017	-0.004	-4
8/2/2007	9:43:00	0.015	-0.006	-6
8/2/2007	9:58:00	0.018	-0.003	-3
8/2/2007	10:13:00	0.013	-0.008	-8
8/2/2007	10:28:00	0.013	-0.008	-8
8/2/2007	10:43:00	0.011	-0.01	-10
8/2/2007	10:58:00	0.011	-0.01	-10
8/2/2007	11:13:00	0.01	-0.011	-11
8/2/2007	11:28:00	0.01	-0.011	-11
8/2/2007	11:43:00	0.011	-0.01	-10
8/2/2007	11:58:00	0.013	-0.008	-8
8/2/2007	12:13:00	0.011	-0.01	-10
8/2/2007	12:28:00	0.012	-0.009	-9
8/2/2007	12:43:00	0.027	0.006	6
8/2/2007	12:58:00	0.02	-0.001	-1
8/2/2007	13:13:00	0.013	-0.008	-8
8/2/2007	13:28:00	0.013	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2007 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0510) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/2/2007 5:28	0.1		0.1
2	8/2/2007 5:43	0.1		0.1
3	8/2/2007 5:58	0.2		0.2
4	8/2/2007 6:13	0.2		0.2
5	8/2/2007 6:28	0.2		0.2
6	8/2/2007 6:43	0.2		0.2
7	8/2/2007 6:58	0.3		0.3
8	8/2/2007 7:13	0.3		0.3
9	8/2/2007 7:28	0.3		0.3
10	8/2/2007 7:43	0.3		0.3
11	8/2/2007 7:58	0.3		0.3
12	8/2/2007 8:13	0.3		0.3
13	8/2/2007 8:28	0.3		0.3
14	8/2/2007 8:43	0.3		0.3
15	8/2/2007 8:58	0.3		0.3
16	8/2/2007 9:13	0.3		0.3
17	8/2/2007 9:28	0.3		0.3
18	8/2/2007 9:43	0.3		0.3
19	8/2/2007 9:58	0.4		0.4
20	8/2/2007 10:13	0.4		0.4
21	8/2/2007 10:28	0.4		0.4
22	8/2/2007 10:43	0.4		0.4
23	8/2/2007 10:58	0.4		0.4
24	8/2/2007 11:13	0.4		0.4
25	8/2/2007 11:28	0.4		0.4
26	8/2/2007 11:43	0.4		0.4
27	8/2/2007 11:58	0.4		0.4
28	8/2/2007 12:13	0.4		0.4
29	8/2/2007 12:28	0.4		0.4
30	8/2/2007 12:43	0.4		0.4
31	8/2/2007 12:58	0.4		0.4
32	8/2/2007 13:13	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/2/2007
Start Time:	5:14:48
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0510) = 0.046 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/2/2007	5:29:48	0.045	-0.001	-1
8/2/2007	5:44:48	0.039	-0.007	-7
8/2/2007	5:59:48	0.039	-0.007	-7
8/2/2007	6:14:48	0.037	-0.009	-9
8/2/2007	6:29:48	0.043	-0.003	-3
8/2/2007	6:44:48	0.041	-0.005	-5
8/2/2007	6:59:48	0.039	-0.007	-7
8/2/2007	7:14:48	0.033	-0.013	-13
8/2/2007	7:29:48	0.035	-0.011	-11
8/2/2007	7:44:48	0.035	-0.011	-11
8/2/2007	7:59:48	0.041	-0.005	-5
8/2/2007	8:14:48	0.034	-0.012	-12
8/2/2007	8:29:48	0.036	-0.01	-10
8/2/2007	8:44:48	0.04	-0.006	-6
8/2/2007	8:59:48	0.04	-0.006	-6
8/2/2007	9:14:48	0.042	-0.004	-4
8/2/2007	9:29:48	0.043	-0.003	-3
8/2/2007	9:44:48	0.037	-0.009	-9
8/2/2007	9:59:48	0.033	-0.013	-13
8/2/2007	10:14:48	0.031	-0.015	-15
8/2/2007	10:29:48	0.03	-0.016	-16
8/2/2007	10:44:48	0.027	-0.019	-19
8/2/2007	10:59:48	0.027	-0.019	-19
8/2/2007	11:14:48	0.027	-0.019	-19
8/2/2007	11:29:48	0.029	-0.017	-17
8/2/2007	11:44:48	0.03	-0.016	-16
8/2/2007	11:59:48	0.03	-0.016	-16
8/2/2007	12:14:48	0.032	-0.014	-14
8/2/2007	12:29:48	0.033	-0.013	-13
8/2/2007	12:44:48	0.034	-0.012	-12
8/2/2007	12:59:48	0.036	-0.01	-10
8/2/2007	13:14:48	0.035	-0.011	-11
8/2/2007	13:29:48	0.039	-0.007	-7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2007 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0529) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/2/2007 5:43	0		0
2	8/2/2007 5:58	0		0
3	8/2/2007 6:13	0		0
4	8/2/2007 6:28	0		0
5	8/2/2007 6:43	0		0
6	8/2/2007 6:58	0		0
7	8/2/2007 7:13	0		0
8	8/2/2007 7:28	0		0
9	8/2/2007 7:43	0		0
10	8/2/2007 7:58	0		0
11	8/2/2007 8:13	0		0
12	8/2/2007 8:28	0		0
13	8/2/2007 8:43	0		0
14	8/2/2007 8:58	0		0
15	8/2/2007 9:13	0		0
16	8/2/2007 9:28	0		0
17	8/2/2007 9:43	0		0
18	8/2/2007 9:58	0		0
19	8/2/2007 10:13	0		0
20	8/2/2007 10:28	0		0
21	8/2/2007 10:43	0		0
22	8/2/2007 10:58	0		0
23	8/2/2007 11:13	0		0
24	8/2/2007 11:28	0		0
25	8/2/2007 11:43	0		0
26	8/2/2007 11:58	0		0
27	8/2/2007 12:13	0		0
28	8/2/2007 12:28	0		0
29	8/2/2007 12:43	0		0
30	8/2/2007 12:58	0		0
31	8/2/2007 13:13	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	1
Test Abbreviation:	
Start Date:	8/2/2007
Start Time:	5:34:29
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0529) = 0.084 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/2/2007	5:49:29	0.081	-0.003	-3
8/2/2007	6:04:29	0.077	-0.007	-7
8/2/2007	6:19:29	0.083	-0.001	-1
8/2/2007	6:34:29	0.084	0	0
8/2/2007	6:49:29	0.08	-0.004	-4
8/2/2007	7:04:29	0.075	-0.009	-9
8/2/2007	7:19:29	0.063	-0.021	-21
8/2/2007	7:34:29	0.066	-0.018	-18
8/2/2007	7:49:29	0.068	-0.016	-16
8/2/2007	8:04:29	0.074	-0.01	-10
8/2/2007	8:19:29	0.063	-0.021	-21
8/2/2007	8:34:29	0.064	-0.02	-20
8/2/2007	8:49:29	0.072	-0.012	-12
8/2/2007	9:04:29	0.069	-0.015	-15
8/2/2007	9:19:29	0.083	-0.001	-1
8/2/2007	9:34:29	0.079	-0.005	-5
8/2/2007	9:49:29	0.062	-0.022	-22
8/2/2007	10:04:29	0.059	-0.025	-25
8/2/2007	10:19:29	0.057	-0.027	-27
8/2/2007	10:34:29	0.049	-0.035	-35
8/2/2007	10:49:29	0.043	-0.041	-41
8/2/2007	11:04:29	0.043	-0.041	-41
8/2/2007	11:19:29	0.044	-0.04	-40
8/2/2007	11:34:29	0.046	-0.038	-38
8/2/2007	11:49:29	0.045	-0.039	-39
8/2/2007	12:04:29	0.046	-0.038	-38
8/2/2007	12:19:29	0.049	-0.035	-35
8/2/2007	12:34:29	0.05	-0.034	-34
8/2/2007	12:49:29	0.053	-0.031	-31
8/2/2007	13:04:29	0.052	-0.032	-32
8/2/2007	13:19:29	0.053	-0.031	-31
8/2/2007	13:34:29	0.066	-0.018	-18

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/02/2007 05:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0525) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/2/2007 5:46	0		0
2	8/2/2007 6:01	0		0
3	8/2/2007 6:16	0		0
4	8/2/2007 6:31	0		0
5	8/2/2007 6:46	0		0
6	8/2/2007 7:01	0.7		0.7
7	8/2/2007 7:16	0.5		0.5
8	8/2/2007 7:31	0.1		0.1
9	8/2/2007 7:46	0		0
10	8/2/2007 8:01	0		0
11	8/2/2007 8:16	0		0
12	8/2/2007 8:31	0		0
13	8/2/2007 8:46	0		0
14	8/2/2007 9:01	0		0
15	8/2/2007 9:16	0		0
16	8/2/2007 9:31	0		0
17	8/2/2007 9:46	0		0
18	8/2/2007 10:01	0		0
19	8/2/2007 10:16	0		0
20	8/2/2007 10:31	0		0
21	8/2/2007 10:46	0		0
22	8/2/2007 11:01	0		0
23	8/2/2007 11:16	0		0
24	8/2/2007 11:31	0		0
25	8/2/2007 11:46	0		0
26	8/2/2007 12:01	0		0
27	8/2/2007 12:16	0		0
28	8/2/2007 12:31	0		0
29	8/2/2007 12:46	0		0
30	8/2/2007 13:01	0		0
31	8/2/2007 13:16	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/2/2007
Start Time:	5:32:09
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0525) = 0.065 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/2/2007	5:47:09	0.062	-0.003	-3
8/2/2007	6:02:09	0.064	-0.001	-1
8/2/2007	6:17:09	0.055	-0.01	-10
8/2/2007	6:32:09	0.058	-0.007	-7
8/2/2007	6:47:09	0.066	0.001	1
8/2/2007	7:02:09	0.055	-0.01	-10
8/2/2007	7:17:09	0.132	0.067	67
8/2/2007	7:32:09	0.057	-0.008	-8
8/2/2007	7:47:09	0.052	-0.013	-13
8/2/2007	8:02:09	0.058	-0.007	-7
8/2/2007	8:17:09	0.049	-0.016	-16
8/2/2007	8:32:09	0.043	-0.022	-22
8/2/2007	8:47:09	0.046	-0.019	-19
8/2/2007	9:02:09	0.047	-0.018	-18
8/2/2007	9:17:09	0.046	-0.019	-19
8/2/2007	9:32:09	0.048	-0.017	-17
8/2/2007	9:47:09	0.041	-0.024	-24
8/2/2007	10:02:09	0.044	-0.021	-21
8/2/2007	10:17:09	0.038	-0.027	-27
8/2/2007	10:32:09	0.035	-0.03	-30
8/2/2007	10:47:09	0.029	-0.036	-36
8/2/2007	11:02:09	0.029	-0.036	-36
8/2/2007	11:17:09	0.028	-0.037	-37
8/2/2007	11:32:09	0.027	-0.038	-38
8/2/2007	11:47:09	0.047	-0.018	-18
8/2/2007	12:02:09	0.034	-0.031	-31
8/2/2007	12:17:09	0.04	-0.025	-25
8/2/2007	12:32:09	0.032	-0.033	-33
8/2/2007	12:47:09	0.036	-0.029	-29
8/2/2007	13:02:09	0.04	-0.025	-25
8/2/2007	13:17:09	0.035	-0.03	-30
8/2/2007	13:32:09	0.037	-0.028	-28

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077

User ID: 00000001 Site ID: 00000009

Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/03/2007 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0511) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/3/2007 5:26	0		0
2	8/3/2007 5:41	0		0
3	8/3/2007 5:56	0		0
4	8/3/2007 6:11	0		0
5	8/3/2007 6:26	0		0
6	8/3/2007 6:41	0		0
7	8/3/2007 6:56	0		0
8	8/3/2007 7:11	0		0
9	8/3/2007 7:26	0		0
10	8/3/2007 7:41	0		0
11	8/3/2007 7:56	0		0
12	8/3/2007 8:11	0		0
13	8/3/2007 8:26	0		0
14	8/3/2007 8:41	0		0
15	8/3/2007 8:56	0		0
16	8/3/2007 9:11	0		0
17	8/3/2007 9:26	0		0
18	8/3/2007 9:41	0		0
19	8/3/2007 9:56	0		0
20	8/3/2007 10:11	0		0
21	8/3/2007 10:26	0		0
22	8/3/2007 10:41	0		0
23	8/3/2007 10:56	0		0
24	8/3/2007 11:11	0		0
25	8/3/2007 11:26	0		0
26	8/3/2007 11:41	0		0
27	8/3/2007 11:56	0		0
28	8/3/2007 12:11	0		0
29	8/3/2007 12:26	0		0
30	8/3/2007 12:41	0		0
31	8/3/2007 12:56	0		0
32	8/3/2007 13:11	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/3/2007
Start Time:	5:13:54
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0511) = 0.015 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/3/2007	5:28:54	0.019	0.004	4
8/3/2007	5:43:54	0.02	0.005	5
8/3/2007	5:58:54	0.016	0.001	1
8/3/2007	6:13:54	0.016	0.001	1
8/3/2007	6:28:54	0.016	0.001	1
8/3/2007	6:43:54	0.016	0.001	1
8/3/2007	6:58:54	0.018	0.003	3
8/3/2007	7:13:54	0.017	0.002	2
8/3/2007	7:28:54	0.019	0.004	4
8/3/2007	7:43:54	0.017	0.002	2
8/3/2007	7:58:54	0.016	0.001	1
8/3/2007	8:13:54	0.015	0	0
8/3/2007	8:28:54	0.016	0.001	1
8/3/2007	8:43:54	0.017	0.002	2
8/3/2007	8:58:54	0.016	0.001	1
8/3/2007	9:13:54	0.016	0.001	1
8/3/2007	9:28:54	0.016	0.001	1
8/3/2007	9:43:54	0.021	0.006	6
8/3/2007	9:58:54	0.018	0.003	3
8/3/2007	10:13:54	0.017	0.002	2
8/3/2007	10:28:54	0.02	0.005	5
8/3/2007	10:43:54	0.02	0.005	5
8/3/2007	10:58:54	0.02	0.005	5
8/3/2007	11:13:54	0.021	0.006	6
8/3/2007	11:28:54	0.019	0.004	4
8/3/2007	11:43:54	0.022	0.007	7
8/3/2007	11:58:54	0.021	0.006	6
8/3/2007	12:13:54	0.024	0.009	9
8/3/2007	12:28:54	0.02	0.005	5
8/3/2007	12:43:54	0.02	0.005	5
8/3/2007	12:58:54	0.019	0.004	4
8/3/2007	13:13:54	0.019	0.004	4
8/3/2007	13:28:54	0.019	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2007 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0512) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/3/2007 5:29	0		0
2	8/3/2007 5:44	0.1		0.1
3	8/3/2007 5:59	0.1		0.1
4	8/3/2007 6:14	0.2		0.2
5	8/3/2007 6:29	0.2		0.2
6	8/3/2007 6:44	0.2		0.2
7	8/3/2007 6:59	0.3		0.3
8	8/3/2007 7:14	0.3		0.3
9	8/3/2007 7:29	0.3		0.3
10	8/3/2007 7:44	0.3		0.3
11	8/3/2007 7:59	0.3		0.3
12	8/3/2007 8:14	0.3		0.3
13	8/3/2007 8:29	0.3		0.3
14	8/3/2007 8:44	0.3		0.3
15	8/3/2007 8:59	0.3		0.3
16	8/3/2007 9:14	0.3		0.3
17	8/3/2007 9:29	0.3		0.3
18	8/3/2007 9:44	0.4		0.4
19	8/3/2007 9:59	0.4		0.4
20	8/3/2007 10:14	0.4		0.4
21	8/3/2007 10:29	0.4		0.4
22	8/3/2007 10:44	0.4		0.4
23	8/3/2007 10:59	0.4		0.4
24	8/3/2007 11:14	0.4		0.4
25	8/3/2007 11:29	0.4		0.4
26	8/3/2007 11:44	0.4		0.4
27	8/3/2007 11:59	0.4		0.4
28	8/3/2007 12:14	0.4		0.4
29	8/3/2007 12:29	0.4		0.4
30	8/3/2007 12:44	0.4		0.4
31	8/3/2007 12:59	0.4		0.4
32	8/3/2007 13:14	0.4		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/3/2007
Start Time:	5:15:36
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	1
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0512) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/3/2007	5:30:36	0.033	0.001	1
8/3/2007	5:45:36	0.035	0.003	3
8/3/2007	6:00:36	0.033	0.001	1
8/3/2007	6:15:36	0.036	0.004	4
8/3/2007	6:30:36	0.036	0.004	4
8/3/2007	6:45:36	0.037	0.005	5
8/3/2007	7:00:36	0.038	0.006	6
8/3/2007	7:15:36	0.038	0.006	6
8/3/2007	7:30:36	0.038	0.006	6
8/3/2007	7:45:36	0.038	0.006	6
8/3/2007	8:00:36	0.037	0.005	5
8/3/2007	8:15:36	0.038	0.006	6
8/3/2007	8:30:36	0.037	0.005	5
8/3/2007	8:45:36	0.038	0.006	6
8/3/2007	9:00:36	0.037	0.005	5
8/3/2007	9:15:36	0.039	0.007	7
8/3/2007	9:30:36	0.04	0.008	8
8/3/2007	9:45:36	0.041	0.009	9
8/3/2007	10:00:36	0.042	0.01	10
8/3/2007	10:15:36	0.044	0.012	12
8/3/2007	10:30:36	0.044	0.012	12
8/3/2007	10:45:36	0.046	0.014	14
8/3/2007	11:00:36	0.047	0.015	15
8/3/2007	11:15:36	0.047	0.015	15
8/3/2007	11:30:36	0.048	0.016	16
8/3/2007	11:45:36	0.05	0.018	18
8/3/2007	12:00:36	0.051	0.019	19
8/3/2007	12:15:36	0.051	0.019	19
8/3/2007	12:30:36	0.051	0.019	19
8/3/2007	12:45:36	0.052	0.02	20
8/3/2007	13:00:36	0.053	0.021	21
8/3/2007	13:15:36	0.054	0.022	22
8/3/2007	13:30:36	0.054	0.022	22

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2007 04:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0535) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/3/2007 5:47	0		0
2	8/3/2007 6:02	0		0
3	8/3/2007 6:17	0		0
4	8/3/2007 6:32	0		0
5	8/3/2007 6:47	0		0
6	8/3/2007 7:02	0		0
7	8/3/2007 7:17	0		0
8	8/3/2007 7:32	0		0
9	8/3/2007 7:47	0		0
10	8/3/2007 8:02	0		0
11	8/3/2007 8:17	0		0
12	8/3/2007 8:32	0		0
13	8/3/2007 8:47	0		0
14	8/3/2007 9:02	0		0
15	8/3/2007 9:17	0		0
16	8/3/2007 9:32	0		0
17	8/3/2007 9:47	0		0
18	8/3/2007 10:02	0		0
19	8/3/2007 10:17	0		0
20	8/3/2007 10:32	0		0
21	8/3/2007 10:47	0		0
22	8/3/2007 11:02	0		0
23	8/3/2007 11:17	0		0
24	8/3/2007 11:32	0		0
25	8/3/2007 11:47	0		0
26	8/3/2007 12:02	0		0
27	8/3/2007 12:17	0		0
28	8/3/2007 12:32	0		0
29	8/3/2007 12:47	0		0
30	8/3/2007 13:02	0		0
31	8/3/2007 13:17	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200853
Test ID:	2
Test Abbreviation:	
Start Date:	8/3/2007
Start Time:	5:41:39
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0535) = 0.067 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/8/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/3/2007	5:56:39	0.07	0.003	3
8/3/2007	6:11:39	0.073	0.006	6
8/3/2007	6:26:39	0.084	0.017	17
8/3/2007	6:41:39	0.08	0.013	13
8/3/2007	6:56:39	0.076	0.009	9
8/3/2007	7:11:39	0.069	0.002	2
8/3/2007	7:26:39	0.083	0.016	16
8/3/2007	7:41:39	0.071	0.004	4
8/3/2007	7:56:39	0.065	-0.002	-2
8/3/2007	8:11:39	0.065	-0.002	-2
8/3/2007	8:26:39	0.063	-0.004	-4
8/3/2007	8:41:39	0.064	-0.003	-3
8/3/2007	8:56:39	0.061	-0.006	-6
8/3/2007	9:11:39	0.065	-0.002	-2
8/3/2007	9:26:39	0.066	-0.001	-1
8/3/2007	9:41:39	0.068	0.001	1
8/3/2007	9:56:39	0.069	0.002	2
8/3/2007	10:11:39	0.077	0.01	10
8/3/2007	10:26:39	0.078	0.011	11
8/3/2007	10:41:39	0.082	0.015	15
8/3/2007	10:56:39	0.087	0.02	20
8/3/2007	11:11:39	0.086	0.019	19
8/3/2007	11:26:39	0.083	0.016	16
8/3/2007	11:41:39	0.082	0.015	15
8/3/2007	11:56:39	0.088	0.021	21
8/3/2007	12:11:39	0.085	0.018	18
8/3/2007	12:26:39	0.088	0.021	21
8/3/2007	12:41:39	0.083	0.016	16
8/3/2007	12:56:39	0.084	0.017	17
8/3/2007	13:11:39	0.085	0.018	18
8/3/2007	13:26:39	0.086	0.019	19
8/3/2007	13:41:39	0.089	0.022	22

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/03/2007 05:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0530) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/3/2007 5:51	0		0
2	8/3/2007 6:06	0		0
3	8/3/2007 6:21	0		0
4	8/3/2007 6:36	0		0
5	8/3/2007 6:51	0		0
6	8/3/2007 7:06	0		0
7	8/3/2007 7:21	0		0
8	8/3/2007 7:36	0		0
9	8/3/2007 7:51	0		0
10	8/3/2007 8:06	0		0
11	8/3/2007 8:21	0		0
12	8/3/2007 8:36	0		0
13	8/3/2007 8:51	0		0
14	8/3/2007 9:06	0		0
15	8/3/2007 9:21	0		0
16	8/3/2007 9:36	0		0
17	8/3/2007 9:51	0		0
18	8/3/2007 10:06	0		0
19	8/3/2007 10:21	0		0
20	8/3/2007 10:36	0		0
21	8/3/2007 10:51	0		0
22	8/3/2007 11:06	0		0
23	8/3/2007 11:21	0		0
24	8/3/2007 11:36	0		0
25	8/3/2007 11:51	0		0
26	8/3/2007 12:06	0		0
27	8/3/2007 12:21	0		0
28	8/3/2007 12:36	0		0
29	8/3/2007 12:51	0		0
30	8/3/2007 13:06	0		0
31	8/3/2007 13:21	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/3/2007
Start Time:	5:36:39
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0530) = 0.052 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/3/2007	5:51:39	0.052	0	0
8/3/2007	6:06:39	0.049	-0.003	-3
8/3/2007	6:21:39	0.047	-0.005	-5
8/3/2007	6:36:39	0.048	-0.004	-4
8/3/2007	6:51:39	0.048	-0.004	-4
8/3/2007	7:06:39	0.05	-0.002	-2
8/3/2007	7:21:39	0.05	-0.002	-2
8/3/2007	7:36:39	0.049	-0.003	-3
8/3/2007	7:51:39	0.046	-0.006	-6
8/3/2007	8:06:39	0.044	-0.008	-8
8/3/2007	8:21:39	0.045	-0.007	-7
8/3/2007	8:36:39	0.043	-0.009	-9
8/3/2007	8:51:39	0.042	-0.01	-10
8/3/2007	9:06:39	0.046	-0.006	-6
8/3/2007	9:21:39	0.045	-0.007	-7
8/3/2007	9:36:39	0.044	-0.008	-8
8/3/2007	9:51:39	0.049	-0.003	-3
8/3/2007	10:06:39	0.045	-0.007	-7
8/3/2007	10:21:39	0.045	-0.007	-7
8/3/2007	10:36:39	0.049	-0.003	-3
8/3/2007	10:51:39	0.051	-0.001	-1
8/3/2007	11:06:39	0.047	-0.005	-5
8/3/2007	11:21:39	0.05	-0.002	-2
8/3/2007	11:36:39	0.049	-0.003	-3
8/3/2007	11:51:39	0.056	0.004	4
8/3/2007	12:06:39	0.053	0.001	1
8/3/2007	12:21:39	0.054	0.002	2
8/3/2007	12:36:39	0.055	0.003	3
8/3/2007	12:51:39	0.053	0.001	1
8/3/2007	13:06:39	0.053	0.001	1
8/3/2007	13:21:39	0.055	0.003	3
8/3/2007	13:36:39	0.055	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077

User ID: 00000001 Site ID: 00000009

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/06/2007 04:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0513) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/6/2007 5:29	0		0
2	8/6/2007 5:44	0		0
3	8/6/2007 5:59	0		0
4	8/6/2007 6:14	0		0
5	8/6/2007 6:29	0		0
6	8/6/2007 6:44	0		0
7	8/6/2007 6:59	0		0
8	8/6/2007 7:14	0		0
9	8/6/2007 7:29	0		0
10	8/6/2007 7:44	0		0
11	8/6/2007 7:59	0		0
12	8/6/2007 8:14	0		0
13	8/6/2007 8:29	0		0
14	8/6/2007 8:44	0		0
15	8/6/2007 8:59	0		0
16	8/6/2007 9:14	0		0
17	8/6/2007 9:29	0		0
18	8/6/2007 9:44	0		0
19	8/6/2007 9:59	0		0
20	8/6/2007 10:14	0		0
21	8/6/2007 10:29	0		0
22	8/6/2007 10:44	0		0
23	8/6/2007 10:59	0		0
24	8/6/2007 11:14	0		0
25	8/6/2007 11:29	0		0
26	8/6/2007 11:44	0		0
27	8/6/2007 11:59	0		0
28	8/6/2007 12:14	0		0
29	8/6/2007 12:29	0		0
30	8/6/2007 12:44	0		0
31	8/6/2007 12:59	0		0
32	8/6/2007 13:14	0		0
33	8/6/2007 13:29	0		0
34	8/6/2007 13:44	0		0
35	8/6/2007 13:59	0		0
36	8/6/2007 14:14	0		0
37	8/6/2007 14:29	0		0
38	8/6/2007 14:44	0		0
39	8/6/2007 14:59	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/6/2007
Start Time:	5:17:14
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0513) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/6/2007	5:32:14	0.022	0.008	8
8/6/2007	5:47:14	0.015	0.001	1
8/6/2007	6:02:14	0.009	-0.005	-5
8/6/2007	6:17:14	0.008	-0.006	-6
8/6/2007	6:32:14	0.007	-0.007	-7
8/6/2007	6:47:14	0.007	-0.007	-7
8/6/2007	7:02:14	0.007	-0.007	-7
8/6/2007	7:17:14	0.007	-0.007	-7
8/6/2007	7:32:14	0.008	-0.006	-6
8/6/2007	7:47:14	0.009	-0.005	-5
8/6/2007	8:02:14	0.012	-0.002	-2
8/6/2007	8:17:14	0.015	0.001	1
8/6/2007	8:32:14	0.014	0	0
8/6/2007	8:47:14	0.013	-0.001	-1
8/6/2007	9:02:14	0.015	0.001	1
8/6/2007	9:17:14	0.017	0.003	3
8/6/2007	9:32:14	0.018	0.004	4
8/6/2007	9:47:14	0.02	0.006	6
8/6/2007	10:02:14	0.021	0.007	7
8/6/2007	10:17:14	0.023	0.009	9
8/6/2007	10:32:14	0.022	0.008	8
8/6/2007	10:47:14	0.021	0.007	7
8/6/2007	11:02:14	0.021	0.007	7
8/6/2007	11:17:14	0.022	0.008	8
8/6/2007	11:32:14	0.024	0.01	10
8/6/2007	11:47:14	0.025	0.011	11
8/6/2007	12:02:14	0.027	0.013	13
8/6/2007	12:17:14	0.026	0.012	12
8/6/2007	12:32:14	0.026	0.012	12
8/6/2007	12:47:14	0.027	0.013	13
8/6/2007	13:02:14	0.028	0.014	14
8/6/2007	13:17:14	0.027	0.013	13
8/6/2007	13:32:14	0.029	0.015	15
8/6/2007	13:47:14	0.028	0.014	14
8/6/2007	14:02:14	0.029	0.015	15
8/6/2007	14:17:14	0.027	0.013	13
8/6/2007	14:32:14	0.026	0.012	12
8/6/2007	14:47:14	0.025	0.011	11
8/6/2007	15:02:14	0.025	0.011	11
8/6/2007	15:17:14	0.023	0.009	9

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/06/2007 04:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0621) = 0.0 ppm

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)
1	8/6/2007 5:55	0	0
2	8/6/2007 6:10	0.1	0.1
3	8/6/2007 6:25	0.2	0.2
4	8/6/2007 6:40	0.2	0.2
5	8/6/2007 6:55	0.3	0.3
6	8/6/2007 7:10	0.3	0.3
7	8/6/2007 7:25	0.2	0.2
8	8/6/2007 7:40	0.2	0.2
9	8/6/2007 7:55	0.2	0.2
10	8/6/2007 8:10	0.2	0.2
11	8/6/2007 8:25	0.2	0.2
12	8/6/2007 8:40	0.3	0.3
13	8/6/2007 8:55	0.2	0.2
14	8/6/2007 9:10	0.2	0.2
15	8/6/2007 9:25	0.3	0.3
16	8/6/2007 9:40	0.3	0.3
17	8/6/2007 9:55	0.3	0.3
18	8/6/2007 10:10	0.3	0.3
19	8/6/2007 10:25	0.3	0.3
20	8/6/2007 10:40	0.3	0.3
21	8/6/2007 10:55	0.3	0.3
22	8/6/2007 11:10	0.3	0.3
23	8/6/2007 11:25	0.3	0.3
24	8/6/2007 11:40	0.3	0.3
25	8/6/2007 11:55	0.3	0.3
26	8/6/2007 12:10	0.3	0.3
27	8/6/2007 12:25	0.3	0.3
28	8/6/2007 12:40	0.3	0.3
29	8/6/2007 12:55	0.3	0.3
30	8/6/2007 13:10	0.3	0.3
31	8/6/2007 13:25	0.3	0.3
32	8/6/2007 13:40	0.3	0.3
33	8/6/2007 13:55	0.3	0.3
34	8/6/2007 14:10	0.3	0.3
35	8/6/2007 14:25	0.3	0.3
36	8/6/2007 14:40	0.3	0.3
37	8/6/2007 14:55	0.3	0.3
38	8/6/2007 15:10	0.3	0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/6/2007
Start Time:	6:08:36
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0621) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/6/2007	6:23:36	0.02	-0.013	-13
8/6/2007	6:38:36	0.021	-0.012	-12
8/6/2007	6:53:36	0.02	-0.013	-13
8/6/2007	7:08:36	0.023	-0.01	-10
8/6/2007	7:23:36	0.02	-0.013	-13
8/6/2007	7:38:36	0.019	-0.014	-14
8/6/2007	7:53:36	0.024	-0.009	-9
8/6/2007	8:08:36	0.027	-0.006	-6
8/6/2007	8:23:36	0.028	-0.005	-5
8/6/2007	8:38:36	0.03	-0.003	-3
8/6/2007	8:53:36	0.033	0	0
8/6/2007	9:08:36	0.041	0.008	8
8/6/2007	9:23:36	0.041	0.008	8
8/6/2007	9:38:36	0.047	0.014	14
8/6/2007	9:53:36	0.05	0.017	17
8/6/2007	10:08:36	0.056	0.023	23
8/6/2007	10:23:36	0.064	0.031	31
8/6/2007	10:38:36	0.05	0.017	17
8/6/2007	10:53:36	0.053	0.02	20
8/6/2007	11:08:36	0.055	0.022	22
8/6/2007	11:23:36	0.06	0.027	27
8/6/2007	11:38:36	0.061	0.028	28
8/6/2007	11:53:36	0.065	0.032	32
8/6/2007	12:08:36	0.065	0.032	32
8/6/2007	12:23:36	0.064	0.031	31
8/6/2007	12:38:36	0.067	0.034	34
8/6/2007	12:53:36	0.07	0.037	37
8/6/2007	13:08:36	0.069	0.036	36
8/6/2007	13:23:36	0.072	0.039	39
8/6/2007	13:38:36	0.074	0.041	41
8/6/2007	13:53:36	0.072	0.039	39
8/6/2007	14:08:36	0.071	0.038	38
8/6/2007	14:23:36	0.068	0.035	35
8/6/2007	14:38:36	0.066	0.033	33
8/6/2007	14:53:36	0.072	0.039	39
8/6/2007	15:08:36	0.067	0.034	34
8/6/2007	15:23:36	0.065	0.032	32

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/06/2007 05:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/6/2007 5:58	0		0
2	8/6/2007 6:13	0		0
3	8/6/2007 6:28	0		0
4	8/6/2007 6:43	0		0
5	8/6/2007 6:58	0		0
6	8/6/2007 7:13	0		0
7	8/6/2007 7:28	0		0
8	8/6/2007 7:43	0		0
9	8/6/2007 7:58	0		0
10	8/6/2007 8:13	0		0
11	8/6/2007 8:28	0		0
12	8/6/2007 8:43	0		0
13	8/6/2007 8:58	0		0
14	8/6/2007 9:13	0		0
15	8/6/2007 9:28	0		0
16	8/6/2007 9:43	0		0
17	8/6/2007 9:58	0		0
18	8/6/2007 10:13	0		0
19	8/6/2007 10:28	0		0
20	8/6/2007 10:43	0		0
21	8/6/2007 10:58	0		0
22	8/6/2007 11:13	0		0
23	8/6/2007 11:28	0		0
24	8/6/2007 11:43	0		0
25	8/6/2007 11:58	0		0
26	8/6/2007 12:13	0		0
27	8/6/2007 12:28	0		0
28	8/6/2007 12:43	0		0
29	8/6/2007 12:58	0		0
30	8/6/2007 13:13	0		0
31	8/6/2007 13:28	0		0
32	8/6/2007 13:43	0		0
33	8/6/2007 13:58	0		0
34	8/6/2007 14:13	0		0
35	8/6/2007 14:28	0		0
36	8/6/2007 14:43	0		0
37	8/6/2007 14:58	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/6/2007
Start Time:	4:52:17
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0550) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/6/2007	5:52:17	0.024	0.017	17
8/6/2007	6:07:17	0.029	0.022	22
8/6/2007	6:22:17	0.035	0.028	28
8/6/2007	6:37:17	0.028	0.021	21
8/6/2007	6:52:17	0.034	0.027	27
8/6/2007	7:07:17	0.041	0.034	34
8/6/2007	7:22:17	0.032	0.025	25
8/6/2007	7:37:17	0.03	0.023	23
8/6/2007	7:52:17	0.036	0.029	29
8/6/2007	8:07:17	0.043	0.036	36
8/6/2007	8:22:17	0.046	0.039	39
8/6/2007	8:37:17	0.038	0.031	31
8/6/2007	8:52:17	0.039	0.032	32
8/6/2007	9:07:17	0.034	0.027	27
8/6/2007	9:22:17	0.038	0.031	31
8/6/2007	9:37:17	0.033	0.026	26
8/6/2007	9:52:17	0.03	0.023	23
8/6/2007	10:07:17	0.029	0.022	22
8/6/2007	10:22:17	0.027	0.02	20
8/6/2007	10:37:17	0.028	0.021	21
8/6/2007	10:52:17	0.028	0.021	21
8/6/2007	11:07:17	0.025	0.018	18
8/6/2007	11:22:17	0.025	0.018	18
8/6/2007	11:37:17	0.026	0.019	19
8/6/2007	11:52:17	0.03	0.023	23
8/6/2007	12:07:17	0.027	0.02	20
8/6/2007	12:22:17	0.025	0.018	18
8/6/2007	12:37:17	0.02	0.013	13
8/6/2007	12:52:17	0.019	0.012	12
8/6/2007	13:07:17	0.02	0.013	13
8/6/2007	13:22:17	0.024	0.017	17
8/6/2007	13:37:17	0.024	0.017	17
8/6/2007	13:52:17	0.021	0.014	14
8/6/2007	14:07:17	0.021	0.014	14
8/6/2007	14:22:17	0.021	0.014	14
8/6/2007	14:37:17	0.021	0.014	14
8/6/2007	14:52:17	0.021	0.014	14
8/6/2007	15:07:17	0.02	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/06/2007 05:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/6/2007 6:27	0		0
2	8/6/2007 6:42	0		0
3	8/6/2007 6:57	0		0
4	8/6/2007 7:12	0		0
5	8/6/2007 7:27	0		0
1	8/6/2007 7:57	0.7		0.7
2	8/6/2007 8:12	0		0
3	8/6/2007 8:27	0		0
4	8/6/2007 8:42	0		0
5	8/6/2007 8:57	0		0
6	8/6/2007 9:12	0		0
7	8/6/2007 9:27	0		0
8	8/6/2007 9:42	0		0
9	8/6/2007 9:57	0		0
10	8/6/2007 10:12	0		0
11	8/6/2007 10:27	0		0
12	8/6/2007 10:42	0		0
13	8/6/2007 10:57	0		0
14	8/6/2007 11:12	0		0
15	8/6/2007 11:27	0		0
16	8/6/2007 11:42	0		0
17	8/6/2007 11:57	0		0
18	8/6/2007 12:12	0		0
19	8/6/2007 12:27	0		0
20	8/6/2007 12:42	0		0
21	8/6/2007 12:57	0		0
22	8/6/2007 13:12	0		0
23	8/6/2007 13:27	0		0
24	8/6/2007 13:42	0		0
25	8/6/2007 13:57	0		0
26	8/6/2007 14:12	0		0
27	8/6/2007 14:27	0		0
28	8/6/2007 14:42	0		0
29	8/6/2007 14:57	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/6/2007
Start Time:	6:12:18
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0555) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/6/2007	6:27:18	0.025	-0.003	-3
8/6/2007	6:42:18	0.022	-0.006	-6
8/6/2007	6:57:18	0.021	-0.007	-7
8/6/2007	7:12:18	0.021	-0.007	-7
8/6/2007	7:27:18	0.022	-0.006	-6
8/6/2007	7:42:18	0.025	-0.003	-3
8/6/2007	7:57:18	0.04	0.012	12
8/6/2007	8:12:18	0.043	0.015	15
8/6/2007	8:27:18	0.045	0.017	17
8/6/2007	8:42:18	0.051	0.023	23
8/6/2007	8:57:18	0.05	0.022	22
8/6/2007	9:12:18	0.063	0.035	35
8/6/2007	9:27:18	0.064	0.036	36
8/6/2007	9:42:18	0.072	0.044	44
8/6/2007	9:57:18	0.077	0.049	49
8/6/2007	10:12:18	0.08	0.052	52
8/6/2007	10:27:18	0.084	0.056	56
8/6/2007	10:42:18	0.077	0.049	49
8/6/2007	10:57:18	0.081	0.053	53
8/6/2007	11:12:18	0.081	0.053	53
8/6/2007	11:27:18	0.086	0.058	58
8/6/2007	11:42:18	0.094	0.066	66
8/6/2007	11:57:18	0.093	0.065	65
8/6/2007	12:12:18	0.096	0.068	68
8/6/2007	12:27:18	0.096	0.068	68
8/6/2007	12:42:18	0.091	0.063	63
8/6/2007	12:57:18	0.096	0.068	68
8/6/2007	13:12:18	0.095	0.067	67
8/6/2007	13:27:18	0.105	0.077	77
8/6/2007	13:42:18	0.099	0.071	71
8/6/2007	13:57:18	0.098	0.07	70
8/6/2007	14:12:18	0.095	0.067	67
8/6/2007	14:27:18	0.091	0.063	63
8/6/2007	14:42:18	0.089	0.061	61
8/6/2007	14:57:18	0.091	0.063	63
8/6/2007	15:12:18	0.085	0.057	57

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0611) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/7/2007 6:27	0		0
2	8/7/2007 6:42	0		0
3	8/7/2007 6:57	0		0
4	8/7/2007 7:12	0.5		0.5
5	8/7/2007 7:27	0		0
6	8/7/2007 7:42	0		0
7	8/7/2007 7:57	0		0
8	8/7/2007 8:12	0		0
9	8/7/2007 8:27	0		0
10	8/7/2007 8:42	0		0
11	8/7/2007 8:57	0		0
12	8/7/2007 9:12	0		0
13	8/7/2007 9:27	0		0
14	8/7/2007 9:42	0		0
15	8/7/2007 9:57	0		0
16	8/7/2007 10:12	0		0
17	8/7/2007 10:27	0		0
18	8/7/2007 10:42	0		0
19	8/7/2007 10:57	0		0
20	8/7/2007 11:12	0		0
21	8/7/2007 11:27	0		0
22	8/7/2007 11:42	0		0
23	8/7/2007 11:57	0		0
24	8/7/2007 12:12	0		0
25	8/7/2007 12:27	0		0
26	8/7/2007 12:42	0		0
27	8/7/2007 12:57	0		0
28	8/7/2007 13:12	0		0
29	8/7/2007 13:27	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/7/2007
Start Time:	6:11:38
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0.065) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/7/2007	6:26:38	0.092	0.078	78	
8/7/2007	6:41:38	0.045	0.031	31	
8/7/2007	6:56:38	0.037	0.023	23	
8/7/2007	7:11:38	0.031	0.017	17	
8/7/2007	7:26:38	0.153	0.139	139	*Shaw testing of AKRF equipment at STA 1
8/7/2007	7:41:38	0.027	0.013	13	
8/7/2007	7:56:38	0.025	0.011	11	
8/7/2007	8:11:38	0.023	0.009	9	
8/7/2007	8:26:38	0.022	0.008	8	
8/7/2007	8:41:38	0.025	0.011	11	
8/7/2007	8:56:38	0.023	0.009	9	
8/7/2007	9:11:38	0.019	0.005	5	
8/7/2007	9:26:38	0.018	0.004	4	
8/7/2007	9:41:38	0.017	0.003	3	
8/7/2007	9:56:38	0.018	0.004	4	
8/7/2007	10:11:38	0.018	0.004	4	
8/7/2007	10:26:38	0.017	0.003	3	
8/7/2007	10:41:38	0.014	0	0	
8/7/2007	10:56:38	0.013	-0.001	-1	
8/7/2007	11:11:38	0.012	-0.002	-2	
8/7/2007	11:26:38	0.013	-0.001	-1	
8/7/2007	11:41:38	0.011	-0.003	-3	
8/7/2007	11:56:38	0.01	-0.004	-4	
8/7/2007	12:11:38	0.01	-0.004	-4	
8/7/2007	12:26:38	0.012	-0.002	-2	
8/7/2007	12:41:38	0.012	-0.002	-2	
8/7/2007	12:56:38	0.013	-0.001	-1	
8/7/2007	13:11:38	0.016	0.002	2	
8/7/2007	13:26:38	0.013	-0.001	-1	
8/7/2007	13:41:38	0.013	-0.001	-1	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/7/2007 6:28	0.1		0.1
2	8/7/2007 6:43	0.2		0.2
3	8/7/2007 6:58	0.2		0.2
4	8/7/2007 7:13	0.3		0.3
5	8/7/2007 7:28	0.3		0.3
1	8/7/2007 7:59	0		0
2	8/7/2007 8:14	0		0
3	8/7/2007 8:29	0		0
4	8/7/2007 8:44	0		0
5	8/7/2007 8:59	0		0
6	8/7/2007 9:14	0		0
7	8/7/2007 9:29	0		0
8	8/7/2007 9:44	0		0
9	8/7/2007 9:59	0		0
10	8/7/2007 10:14	0		0
11	8/7/2007 10:29	0.1		0.1
12	8/7/2007 10:44	0.1		0.1
13	8/7/2007 10:59	0.1		0.1
14	8/7/2007 11:14	0.1		0.1
15	8/7/2007 11:29	0.1		0.1
16	8/7/2007 11:44	0.1		0.1
17	8/7/2007 11:59	0.1		0.1
18	8/7/2007 12:14	0.1		0.1
19	8/7/2007 12:29	0.1		0.1
20	8/7/2007 12:44	0.1		0.1
21	8/7/2007 12:59	0.1		0.1
22	8/7/2007 13:14	0.1		0.1
23	8/7/2007 13:29	0.1		0.1
24	8/7/2007 13:44	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/7/2007
Start Time:	6:13:12
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0610) = 0.155 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/7/2007	6:28:12	0.123	-0.032	-32
8/7/2007	6:43:12	0.071	-0.084	-84
8/7/2007	6:58:12	0.058	-0.097	-97
8/7/2007	7:13:12	0.052	-0.103	-103
8/7/2007	7:28:12	0.054	-0.101	-101
8/7/2007	7:43:12	0.056	-0.099	-99
8/7/2007	7:58:12	0.104	-0.051	-51
8/7/2007	8:13:12	0.051	-0.104	-104
8/7/2007	8:28:12	0.051	-0.104	-104
8/7/2007	8:43:12	0.057	-0.098	-98
8/7/2007	8:58:12	0.053	-0.102	-102
8/7/2007	9:13:12	0.046	-0.109	-109
8/7/2007	9:28:12	0.045	-0.11	-110
8/7/2007	9:43:12	0.044	-0.111	-111
8/7/2007	9:58:12	0.047	-0.108	-108
8/7/2007	10:13:12	0.047	-0.108	-108
8/7/2007	10:28:12	0.042	-0.113	-113
8/7/2007	10:43:12	0.037	-0.118	-118
8/7/2007	10:58:12	0.033	-0.122	-122
8/7/2007	11:13:12	0.035	-0.12	-120
8/7/2007	11:28:12	0.031	-0.124	-124
8/7/2007	11:43:12	0.032	-0.123	-123
8/7/2007	11:58:12	0.036	-0.119	-119
8/7/2007	12:13:12	0.035	-0.12	-120
8/7/2007	12:28:12	0.039	-0.116	-116
8/7/2007	12:43:12	0.04	-0.115	-115
8/7/2007	12:58:12	0.041	-0.114	-114
8/7/2007	13:13:12	0.041	-0.114	-114
8/7/2007	13:28:12	0.043	-0.112	-112
8/7/2007	13:43:12	0.04	-0.115	-115
8/7/2007	13:58:12	0.044	-0.111	-111

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0642) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/7/2007 6:56	0		0
2	8/7/2007 7:11	0		0
3	8/7/2007 7:26	0.1		0.1
4	8/7/2007 7:41	0		0
5	8/7/2007 7:56	0		0
6	8/7/2007 8:11	0		0
7	8/7/2007 8:26	0		0
8	8/7/2007 8:41	0		0
9	8/7/2007 8:56	0		0
10	8/7/2007 9:11	0		0
11	8/7/2007 9:26	0		0
12	8/7/2007 9:41	0		0
13	8/7/2007 9:56	0		0
14	8/7/2007 10:11	0		0
15	8/7/2007 10:26	0		0
16	8/7/2007 10:41	0		0
17	8/7/2007 10:56	0		0
18	8/7/2007 11:11	0		0
19	8/7/2007 11:26	0		0
20	8/7/2007 11:41	0		0
21	8/7/2007 11:56	0		0
22	8/7/2007 12:11	0		0
23	8/7/2007 12:26	0		0
24	8/7/2007 12:41	0		0
25	8/7/2007 12:56	0		0
26	8/7/2007 13:11	0		0
27	8/7/2007 13:26	0		0
28	8/7/2007 13:41	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/7/2007
Start Time:	6:43:43
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0642) = 0.160 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	9/19/2017

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/7/2007	6:58:43	0.137	-0.023	-23	
8/7/2007	7:13:43	0.119	-0.041	-41	
8/7/2007	7:28:43	0.126	-0.034	-34	
8/7/2007	7:43:43	0.341	0.181	181	*Shaw testing of AKRF equipment at STA 3
8/7/2007	7:58:43	0.123	-0.037	-37	
8/7/2007	8:13:43	0.116	-0.044	-44	
8/7/2007	8:28:43	0.113	-0.047	-47	
8/7/2007	8:43:43	0.122	-0.038	-38	
8/7/2007	8:58:43	0.115	-0.045	-45	
8/7/2007	9:13:43	0.102	-0.058	-58	
8/7/2007	9:28:43	0.104	-0.056	-56	
8/7/2007	9:43:43	0.09	-0.07	-70	
8/7/2007	9:58:43	0.094	-0.066	-66	
8/7/2007	10:13:43	0.088	-0.072	-72	
8/7/2007	10:28:43	0.084	-0.076	-76	
8/7/2007	10:43:43	0.068	-0.092	-92	
8/7/2007	10:58:43	0.062	-0.098	-98	
8/7/2007	11:13:43	0.06	-0.1	-100	
8/7/2007	11:28:43	0.05	-0.11	-110	
8/7/2007	11:43:43	0.069	-0.091	-91	
8/7/2007	11:58:43	0.061	-0.099	-99	
8/7/2007	12:13:43	0.062	-0.098	-98	
8/7/2007	12:28:43	0.067	-0.093	-93	
8/7/2007	12:43:43	0.064	-0.096	-96	
8/7/2007	12:58:43	0.068	-0.092	-92	
8/7/2007	13:13:43	0.064	-0.096	-96	
8/7/2007	13:28:43	0.068	-0.092	-92	
8/7/2007	13:43:43	0.074	-0.086	-86	
8/7/2007	13:58:43	0.072	-0.088	-88	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/07/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0638) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/7/2007 7:00	0		0
2	8/7/2007 7:15	0		0
3	8/7/2007 7:30	0.2		0.2
4	8/7/2007 7:45	0		0
5	8/7/2007 8:00	0		0
6	8/7/2007 8:15	0		0
7	8/7/2007 8:30	0		0
8	8/7/2007 8:45	0		0
9	8/7/2007 9:00	0		0
10	8/7/2007 9:15	0		0
11	8/7/2007 9:30	0		0
12	8/7/2007 9:45	0		0
13	8/7/2007 10:00	0		0
14	8/7/2007 10:15	0		0
15	8/7/2007 10:30	0		0
16	8/7/2007 10:45	0		0
17	8/7/2007 11:00	0		0
18	8/7/2007 11:15	0		0
19	8/7/2007 11:30	0		0
20	8/7/2007 11:45	0		0
21	8/7/2007 12:00	0		0
22	8/7/2007 12:15	0		0
23	8/7/2007 12:30	0		0
24	8/7/2007 12:45	0		0
25	8/7/2007 13:00	0		0
26	8/7/2007 13:15	0		0
27	8/7/2007 13:30	0		0
28	8/7/2007 13:45	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/7/2007
Start Time:	6:39:18
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0638) = 0.117 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/7/2007	6:54:18	0.109	-0.008	-8	
8/7/2007	7:09:18	0.093	-0.024	-24	
8/7/2007	7:24:18	0.093	-0.024	-24	
8/7/2007	7:39:18	0.506	0.389	389	*Shaw testing of AKRF equipment at STA 4
8/7/2007	7:54:18	0.095	-0.022	-22	
8/7/2007	8:09:18	0.091	-0.026	-26	
8/7/2007	8:24:18	0.077	-0.04	-40	
8/7/2007	8:39:18	0.082	-0.035	-35	
8/7/2007	8:54:18	0.081	-0.036	-36	
8/7/2007	9:09:18	0.068	-0.049	-49	
8/7/2007	9:24:18	0.062	-0.055	-55	
8/7/2007	9:39:18	0.061	-0.056	-56	
8/7/2007	9:54:18	0.062	-0.055	-55	
8/7/2007	10:09:18	0.064	-0.053	-53	
8/7/2007	10:24:18	0.063	-0.054	-54	
8/7/2007	10:39:18	0.044	-0.073	-73	
8/7/2007	10:54:18	0.043	-0.074	-74	
8/7/2007	11:09:18	0.042	-0.075	-75	
8/7/2007	11:24:18	0.032	-0.085	-85	
8/7/2007	11:39:18	0.033	-0.084	-84	
8/7/2007	11:54:18	0.036	-0.081	-81	
8/7/2007	12:09:18	0.037	-0.08	-80	
8/7/2007	12:24:18	0.041	-0.076	-76	
8/7/2007	12:39:18	0.041	-0.076	-76	
8/7/2007	12:54:18	0.044	-0.073	-73	
8/7/2007	13:09:18	0.046	-0.071	-71	
8/7/2007	13:24:18	0.05	-0.067	-67	
8/7/2007	13:39:18	0.055	-0.062	-62	
8/7/2007	13:54:18	0.053	-0.064	-64	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/08/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/8/2007 6:19	0		0
2	8/8/2007 6:34	0		0
3	8/8/2007 6:49	0		0
4	8/8/2007 7:04	0		0
5	8/8/2007 7:19	0		0
6	8/8/2007 7:34	0		0
7	8/8/2007 7:49	0		0
8	8/8/2007 8:04	0		0
9	8/8/2007 8:19	0		0
10	8/8/2007 8:34	0		0
11	8/8/2007 8:49	0		0
12	8/8/2007 9:04	0		0
13	8/8/2007 9:19	0		0
14	8/8/2007 9:34	0		0
15	8/8/2007 9:49	0		0
16	8/8/2007 10:04	0		0
17	8/8/2007 10:19	0		0
18	8/8/2007 10:34	0		0
19	8/8/2007 10:49	0		0
20	8/8/2007 11:04	0		0
21	8/8/2007 11:19	0		0
22	8/8/2007 11:34	0		0
23	8/8/2007 11:49	0		0
24	8/8/2007 12:04	0		0
25	8/8/2007 12:19	0		0
26	8/8/2007 12:34	0		0
27	8/8/2007 12:49	0		0
28	8/8/2007 13:04	0		0
29	8/8/2007 13:19	0		0
30	8/8/2007 13:34	0		0
31	8/8/2007 13:49	0		0
32	8/8/2007 14:04	0		0
33	8/8/2007 14:19	0		0
34	8/8/2007 14:34	0		0
35	8/8/2007 14:49	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/8/2007
Start Time:	6:04:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0614) = 0.024 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/8/2007	6:19:12	0.046	0.022	22
8/8/2007	6:34:12	0.026	0.002	2
8/8/2007	6:49:12	0.024	0	0
8/8/2007	7:04:12	0.024	0	0
8/8/2007	7:19:12	0.023	-0.001	-1
8/8/2007	7:34:12	0.025	0.001	1
8/8/2007	7:49:12	0.016	-0.008	-8
8/8/2007	8:04:12	0.004	-0.02	-20
8/8/2007	8:19:12	0.005	-0.019	-19
8/8/2007	8:34:12	0.002	-0.022	-22
8/8/2007	8:49:12	0.041	0.017	17
8/8/2007	9:04:12	0.014	-0.01	-10
8/8/2007	9:19:12	0	-0.024	-24
8/8/2007	9:34:12	0.009	-0.015	-15
8/8/2007	9:49:12	0.009	-0.015	-15
8/8/2007	10:04:12	0.009	-0.015	-15
8/8/2007	10:19:12	0.007	-0.017	-17
8/8/2007	10:34:12	0.009	-0.015	-15
8/8/2007	10:49:12	0.009	-0.015	-15
8/8/2007	11:04:12	0.006	-0.018	-18
8/8/2007	11:19:12	0.001	-0.023	-23
8/8/2007	11:34:12	0.01	-0.014	-14
8/8/2007	11:49:12	0.016	-0.008	-8
8/8/2007	12:04:12	0.015	-0.009	-9
8/8/2007	12:19:12	0.017	-0.007	-7
8/8/2007	12:34:12	0.015	-0.009	-9
8/8/2007	12:49:12	0.014	-0.01	-10
8/8/2007	13:04:12	0.015	-0.009	-9
8/8/2007	13:19:12	0.015	-0.009	-9
8/8/2007	13:34:12	0.015	-0.009	-9
8/8/2007	13:49:12	0.015	-0.009	-9
8/8/2007	14:04:12	0.015	-0.009	-9
8/8/2007	14:19:12	0.015	-0.009	-9
8/8/2007	14:34:12	0.016	-0.008	-8
8/8/2007	14:49:12	0.016	-0.008	-8
8/8/2007	15:04:12	0.014	-0.01	-10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175

User ID: 00000001 Site ID: 00000335

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/08/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/8/2007 6:58	0.4		0.4
2	8/8/2007 7:13	0.2		0.2
3	8/8/2007 7:28	0.2		0.2
4	8/8/2007 7:43	0		0
5	8/8/2007 7:58	0		0
6	8/8/2007 8:13	0		0
7	8/8/2007 8:28	0		0
8	8/8/2007 8:43	0		0
9	8/8/2007 8:58	0		0
10	8/8/2007 9:13	0		0
11	8/8/2007 9:28	0		0
12	8/8/2007 9:43	0		0
13	8/8/2007 9:58	0		0
14	8/8/2007 10:13	0		0
15	8/8/2007 10:28	0		0
16	8/8/2007 10:43	0		0
17	8/8/2007 10:58	0		0
18	8/8/2007 11:13	0		0
19	8/8/2007 11:28	0		0
20	8/8/2007 11:43	0		0
21	8/8/2007 11:58	0		0
22	8/8/2007 12:13	0		0
23	8/8/2007 12:28	0.1		0.1
24	8/8/2007 12:43	0.1		0.1
25	8/8/2007 12:58	0.1		0.1
26	8/8/2007 13:13	0.1		0.1
27	8/8/2007 13:28	0.1		0.1
28	8/8/2007 13:43	0.1		0.1
29	8/8/2007 13:58	0.1		0.1
30	8/8/2007 14:13	0.1		0.1
31	8/8/2007 14:28	0.1		0.1
32	8/8/2007 14:43	0.1		0.1
33	8/8/2007 14:58	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/8/2007
Start Time:	6:41:46
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0641) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/8/2007	6:56:46	0.054	0.022	22
8/8/2007	7:11:46	0.058	0.026	26
8/8/2007	7:26:46	0.067	0.035	35
8/8/2007	7:41:46	0.055	0.023	23
8/8/2007	7:56:46	0.051	0.019	19
8/8/2007	8:11:46	0.051	0.019	19
8/8/2007	8:26:46	0.054	0.022	22
8/8/2007	8:41:46	0.063	0.031	31
8/8/2007	8:56:46	0.069	0.037	37
8/8/2007	9:11:46	0.073	0.041	41
8/8/2007	9:26:46	0.073	0.041	41
8/8/2007	9:41:46	0.059	0.027	27
8/8/2007	9:56:46	0.051	0.019	19
8/8/2007	10:11:46	0.046	0.014	14
8/8/2007	10:26:46	0.042	0.01	10
8/8/2007	10:41:46	0.042	0.01	10
8/8/2007	10:56:46	0.042	0.01	10
8/8/2007	11:11:46	0.041	0.009	9
8/8/2007	11:26:46	0.041	0.009	9
8/8/2007	11:41:46	0.039	0.007	7
8/8/2007	11:56:46	0.04	0.008	8
8/8/2007	12:11:46	0.04	0.008	8
8/8/2007	12:26:46	0.041	0.009	9
8/8/2007	12:41:46	0.04	0.008	8
8/8/2007	12:56:46	0.042	0.01	10
8/8/2007	13:11:46	0.046	0.014	14
8/8/2007	13:26:46	0.046	0.014	14
8/8/2007	13:41:46	0.049	0.017	17
8/8/2007	13:56:46	0.046	0.014	14
8/8/2007	14:11:46	0.047	0.015	15
8/8/2007	14:26:46	0.049	0.017	17
8/8/2007	14:41:46	0.049	0.017	17
8/8/2007	14:56:46	0.049	0.017	17
8/8/2007	15:11:46	0.045	0.013	13

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/08/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/8/2007 6:54	0.3		0.3
2	8/8/2007 7:09	0.1		0.1
3	8/8/2007 7:24	0		0
4	8/8/2007 7:39	0		0
5	8/8/2007 7:54	0		0
6	8/8/2007 8:09	0		0
7	8/8/2007 8:24	0		0
8	8/8/2007 8:39	0		0
9	8/8/2007 8:54	0		0
10	8/8/2007 9:09	0		0
11	8/8/2007 9:24	0		0
12	8/8/2007 9:39	0		0
13	8/8/2007 9:54	0		0
14	8/8/2007 10:09	0		0
15	8/8/2007 10:24	0		0
16	8/8/2007 10:39	0		0
17	8/8/2007 10:54	0		0
18	8/8/2007 11:09	0		0
19	8/8/2007 11:24	0		0
20	8/8/2007 11:39	0		0
21	8/8/2007 11:54	0		0
22	8/8/2007 12:09	0		0
23	8/8/2007 12:24	0		0
24	8/8/2007 12:39	0		0
25	8/8/2007 12:54	0		0
26	8/8/2007 13:09	0		0
27	8/8/2007 13:24	0		0
28	8/8/2007 13:39	0		0
29	8/8/2007 13:54	0		0
30	8/8/2007 14:09	0		0
31	8/8/2007 14:24	0		0
32	8/8/2007 14:39	0		0
33	8/8/2007 14:54	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/8/2007
Start Time:	6:42:11
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0640) = 0.160 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/8/2007	6:57:11	0.158	-0.002	-2
8/8/2007	7:12:11	0.142	-0.018	-18
8/8/2007	7:27:11	0.145	-0.015	-15
8/8/2007	7:42:11	0.139	-0.021	-21
8/8/2007	7:57:11	0.103	-0.057	-57
8/8/2007	8:12:11	0.088	-0.072	-72
8/8/2007	8:27:11	0.106	-0.054	-54
8/8/2007	8:42:11	0.122	-0.038	-38
8/8/2007	8:57:11	0.143	-0.017	-17
8/8/2007	9:12:11	0.163	0.003	3
8/8/2007	9:27:11	0.155	-0.005	-5
8/8/2007	9:42:11	0.129	-0.031	-31
8/8/2007	9:57:11	0.107	-0.053	-53
8/8/2007	10:12:11	0.091	-0.069	-69
8/8/2007	10:27:11	0.084	-0.076	-76
8/8/2007	10:42:11	0.081	-0.079	-79
8/8/2007	10:57:11	0.08	-0.08	-80
8/8/2007	11:12:11	0.08	-0.08	-80
8/8/2007	11:27:11	0.079	-0.081	-81
8/8/2007	11:42:11	0.074	-0.086	-86
8/8/2007	11:57:11	0.096	-0.064	-64
8/8/2007	12:12:11	0.094	-0.066	-66
8/8/2007	12:27:11	0.084	-0.076	-76
8/8/2007	12:42:11	0.076	-0.084	-84
8/8/2007	12:57:11	0.083	-0.077	-77
8/8/2007	13:12:11	0.102	-0.058	-58
8/8/2007	13:27:11	0.096	-0.064	-64
8/8/2007	13:42:11	0.089	-0.071	-71
8/8/2007	13:57:11	0.085	-0.075	-75
8/8/2007	14:12:11	0.084	-0.076	-76
8/8/2007	14:27:11	0.085	-0.075	-75
8/8/2007	14:42:11	0.083	-0.077	-77
8/8/2007	14:57:11	0.084	-0.076	-76
8/8/2007	15:12:11	0.077	-0.083	-83

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/08/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/8/2007 7:01	0.5		0.5
1	8/8/2007 7:32	0		0
2	8/8/2007 7:47	0		0
3	8/8/2007 8:02	0		0
4	8/8/2007 8:17	0		0
5	8/8/2007 8:32	0		0
6	8/8/2007 8:47	0		0
7	8/8/2007 9:02	0		0
8	8/8/2007 9:17	0		0
9	8/8/2007 9:32	0		0
10	8/8/2007 9:47	0		0
11	8/8/2007 10:02	0		0
12	8/8/2007 10:17	0		0
13	8/8/2007 10:32	0		0
14	8/8/2007 10:47	0		0
15	8/8/2007 11:02	0		0
16	8/8/2007 11:17	0		0
17	8/8/2007 11:32	0		0
18	8/8/2007 11:47	0		0
19	8/8/2007 12:02	0		0
20	8/8/2007 12:17	0		0
21	8/8/2007 12:32	0		0
22	8/8/2007 12:47	0		0
23	8/8/2007 13:02	0		0
24	8/8/2007 13:17	0		0
25	8/8/2007 13:32	0		0
26	8/8/2007 13:47	0		0
27	8/8/2007 14:02	0		0
28	8/8/2007 14:17	0		0
29	8/8/2007 14:32	0		0
30	8/8/2007 14:47	0		0
31	8/8/2007 15:02	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/8/2007
Start Time:	6:41:37
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0645) = 0.125 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/8/2007	6:56:37	0.127	0.002	2
8/8/2007	7:11:37	0.122	-0.003	-3
8/8/2007	7:26:37	0.118	-0.007	-7
8/8/2007	7:41:37	0.121	-0.004	-4
8/8/2007	7:56:37	0.101	-0.024	-24
8/8/2007	8:11:37	0.08	-0.045	-45
8/8/2007	8:26:37	0.091	-0.034	-34
8/8/2007	8:41:37	0.144	0.019	19
8/8/2007	8:56:37	0.132	0.007	7
8/8/2007	9:11:37	0.149	0.024	24
8/8/2007	9:26:37	0.154	0.029	29
8/8/2007	9:41:37	0.113	-0.012	-12
8/8/2007	9:56:37	0.137	0.012	12
8/8/2007	10:11:37	0.085	-0.04	-40
8/8/2007	10:26:37	0.075	-0.05	-50
8/8/2007	10:41:37	0.071	-0.054	-54
8/8/2007	10:56:37	0.067	-0.058	-58
8/8/2007	11:11:37	0.063	-0.062	-62
8/8/2007	11:26:37	0.066	-0.059	-59
8/8/2007	11:41:37	0.054	-0.071	-71
8/8/2007	11:56:37	0.055	-0.07	-70
8/8/2007	12:11:37	0.053	-0.072	-72
8/8/2007	12:26:37	0.053	-0.072	-72
8/8/2007	12:41:37	0.05	-0.075	-75
8/8/2007	12:56:37	0.053	-0.072	-72
8/8/2007	13:11:37	0.057	-0.068	-68
8/8/2007	13:26:37	0.057	-0.068	-68
8/8/2007	13:41:37	0.067	-0.058	-58
8/8/2007	13:56:37	0.055	-0.07	-70
8/8/2007	14:11:37	0.056	-0.069	-69
8/8/2007	14:26:37	0.057	-0.068	-68
8/8/2007	14:41:37	0.058	-0.067	-67
8/8/2007	14:56:37	0.055	-0.07	-70
8/8/2007	15:11:37	0.051	-0.074	-74

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0514) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/9/2007 5:29	0		0
2	8/9/2007 5:44	0		0
3	8/9/2007 5:59	0		0
4	8/9/2007 6:14	0		0
5	8/9/2007 6:29	0		0
6	8/9/2007 6:44	0		0
7	8/9/2007 6:59	0		0
8	8/9/2007 7:14	0		0
9	8/9/2007 7:29	0		0
10	8/9/2007 7:44	0		0
11	8/9/2007 7:59	0		0
12	8/9/2007 8:14	0		0
13	8/9/2007 8:29	0		0
14	8/9/2007 8:44	0		0
15	8/9/2007 8:59	0		0
16	8/9/2007 9:14	0		0
17	8/9/2007 9:29	0		0
18	8/9/2007 9:44	0		0
19	8/9/2007 9:59	0		0
20	8/9/2007 10:14	0		0
21	8/9/2007 10:29	0		0
22	8/9/2007 10:44	0		0
23	8/9/2007 10:59	0		0
24	8/9/2007 11:14	0		0
25	8/9/2007 11:29	0		0
26	8/9/2007 11:44	0		0
27	8/9/2007 11:59	0		0
28	8/9/2007 12:14	0		0
29	8/9/2007 12:29	0		0
30	8/9/2007 12:44	0		0
31	8/9/2007 12:59	0		0
32	8/9/2007 13:14	0		0
33	8/9/2007 13:29	0		0
34	8/9/2007 13:44	0		0
35	8/9/2007 13:59	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/9/2007
Start Time:	5:14:21
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0514) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/9/2007	5:29:21	0.008	-0.001	-1
8/9/2007	5:44:21	0.009	0	0
8/9/2007	5:59:21	0.009	0	0
8/9/2007	6:14:21	0.011	0.002	2
8/9/2007	6:29:21	0.01	0.001	1
8/9/2007	6:44:21	0.012	0.003	3
8/9/2007	6:59:21	0.009	0	0
8/9/2007	7:14:21	0.01	0.001	1
8/9/2007	7:29:21	0.009	0	0
8/9/2007	7:44:21	0.008	-0.001	-1
8/9/2007	7:59:21	0.007	-0.002	-2
8/9/2007	8:14:21	0.009	0	0
8/9/2007	8:29:21	0.006	-0.003	-3
8/9/2007	8:44:21	0.006	-0.003	-3
8/9/2007	8:59:21	0.005	-0.004	-4
8/9/2007	9:14:21	0.005	-0.004	-4
8/9/2007	9:29:21	0.005	-0.004	-4
8/9/2007	9:44:21	0.005	-0.004	-4
8/9/2007	9:59:21	0.006	-0.003	-3
8/9/2007	10:14:21	0.006	-0.003	-3
8/9/2007	10:29:21	0.006	-0.003	-3
8/9/2007	10:44:21	0.005	-0.004	-4
8/9/2007	10:59:21	0.005	-0.004	-4
8/9/2007	11:14:21	0.004	-0.005	-5
8/9/2007	11:29:21	0.005	-0.004	-4
8/9/2007	11:44:21	0.007	-0.002	-2
8/9/2007	11:59:21	0.007	-0.002	-2
8/9/2007	12:14:21	0.005	-0.004	-4
8/9/2007	12:29:21	0.005	-0.004	-4
8/9/2007	12:44:21	0.006	-0.003	-3
8/9/2007	12:59:21	0.009	0	0
8/9/2007	13:14:21	0.005	-0.004	-4
8/9/2007	13:29:21	0.007	-0.002	-2
8/9/2007	13:44:21	0.004	-0.005	-5
8/9/2007	13:59:21	0.003	-0.006	-6
8/9/2007	14:14:21	0.004	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 05:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0512) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/9/2007 5:30	0		0
2	8/9/2007 5:45	0		0
3	8/9/2007 6:00	0.1		0.1
4	8/9/2007 6:15	0.2		0.2
1	8/9/2007 6:46	0		0
2	8/9/2007 7:01	0		0
3	8/9/2007 7:16	0.1		0.1
4	8/9/2007 7:31	0.1		0.1
5	8/9/2007 7:46	0.1		0.1
6	8/9/2007 8:01	0.2		0.2
7	8/9/2007 8:16	0.2		0.2
8	8/9/2007 8:31	0.2		0.2
9	8/9/2007 8:46	0.3		0.3
10	8/9/2007 9:01	0.3		0.3
11	8/9/2007 9:16	0.4		0.4
12	8/9/2007 9:31	0.4		0.4
13	8/9/2007 9:46	0.4		0.4
14	8/9/2007 10:01	0.4		0.4
15	8/9/2007 10:16	0.4		0.4
16	8/9/2007 10:31	0.5		0.5
17	8/9/2007 10:46	0.5		0.5
18	8/9/2007 11:01	0.5		0.5
19	8/9/2007 11:16	0.5		0.5
20	8/9/2007 11:31	0.5		0.5
21	8/9/2007 11:46	0.5		0.5
22	8/9/2007 12:01	0.5		0.5
23	8/9/2007 12:16	0.5		0.5
24	8/9/2007 12:31	0.5		0.5
25	8/9/2007 12:46	0.5		0.5
26	8/9/2007 13:01	0.6		0.6
27	8/9/2007 13:16	0.6		0.6
28	8/9/2007 13:31	0.6		0.6
29	8/9/2007 13:46	0.6		0.6
30	8/9/2007 14:01	0.6		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/9/2007
Start Time:	5:14:32
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0512) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/9/2007	5:29:32	0.02	0.001	1
8/9/2007	5:44:32	0.021	0.002	2
8/9/2007	5:59:32	0.023	0.004	4
8/9/2007	6:14:32	0.024	0.005	5
8/9/2007	6:29:32	0.024	0.005	5
8/9/2007	6:44:32	0.025	0.006	6
8/9/2007	6:59:32	0.025	0.006	6
8/9/2007	7:14:32	0.025	0.006	6
8/9/2007	7:29:32	0.025	0.006	6
8/9/2007	7:44:32	0.025	0.006	6
8/9/2007	7:59:32	0.021	0.002	2
8/9/2007	8:14:32	0.02	0.001	1
8/9/2007	8:29:32	0.02	0.001	1
8/9/2007	8:44:32	0.019	0	0
8/9/2007	8:59:32	0.017	-0.002	-2
8/9/2007	9:14:32	0.018	-0.001	-1
8/9/2007	9:29:32	0.017	-0.002	-2
8/9/2007	9:44:32	0.016	-0.003	-3
8/9/2007	9:59:32	0.016	-0.003	-3
8/9/2007	10:14:32	0.015	-0.004	-4
8/9/2007	10:29:32	0.015	-0.004	-4
8/9/2007	10:44:32	0.015	-0.004	-4
8/9/2007	10:59:32	0.015	-0.004	-4
8/9/2007	11:14:32	0.015	-0.004	-4
8/9/2007	11:29:32	0.018	-0.001	-1
8/9/2007	11:44:32	0.017	-0.002	-2
8/9/2007	11:59:32	0.018	-0.001	-1
8/9/2007	12:14:32	0.017	-0.002	-2
8/9/2007	12:29:32	0.017	-0.002	-2
8/9/2007	12:44:32	0.018	-0.001	-1
8/9/2007	12:59:32	0.017	-0.002	-2
8/9/2007	13:14:32	0.018	-0.001	-1
8/9/2007	13:29:32	0.018	-0.001	-1
8/9/2007	13:44:32	0.016	-0.003	-3
8/9/2007	13:59:32	0.016	-0.003	-3
8/9/2007	14:14:32	0.016	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 04:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0524) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/9/2007 6:39	0		0
2	8/9/2007 6:54	0		0
3	8/9/2007 7:09	0		0
4	8/9/2007 7:24	0		0
5	8/9/2007 7:39	0		0
6	8/9/2007 7:54	0		0
7	8/9/2007 8:09	0		0
8	8/9/2007 8:24	0		0
9	8/9/2007 8:39	0		0
10	8/9/2007 8:54	0		0
11	8/9/2007 9:09	0		0
12	8/9/2007 9:24	0		0
13	8/9/2007 9:39	0		0
14	8/9/2007 9:54	0		0
15	8/9/2007 10:09	0		0
16	8/9/2007 10:24	0		0
17	8/9/2007 10:39	0		0
18	8/9/2007 10:54	0		0
19	8/9/2007 11:09	0		0
20	8/9/2007 11:24	0		0
21	8/9/2007 11:39	0		0
22	8/9/2007 11:54	0		0
23	8/9/2007 12:09	0		0
24	8/9/2007 12:24	0		0
25	8/9/2007 12:39	0		0
26	8/9/2007 12:54	0		0
27	8/9/2007 13:09	0		0
28	8/9/2007 13:24	0		0
29	8/9/2007 13:39	0		0
30	8/9/2007 13:54	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/9/2007
Start Time:	5:25:01
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0524) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/9/2007	5:40:01	0.043	0.001	1
8/9/2007	5:55:01	0.046	0.004	4
8/9/2007	6:10:01	0.073	0.031	31
8/9/2007	6:25:01	0.068	0.026	26
8/9/2007	6:40:01	0.066	0.024	24
8/9/2007	6:55:01	0.048	0.006	6
8/9/2007	7:10:01	0.046	0.004	4
8/9/2007	7:25:01	0.045	0.003	3
8/9/2007	7:40:01	0.044	0.002	2
8/9/2007	7:55:01	0.034	-0.008	-8
8/9/2007	8:10:01	0.03	-0.012	-12
8/9/2007	8:25:01	0.028	-0.014	-14
8/9/2007	8:40:01	0.029	-0.013	-13
8/9/2007	8:55:01	0.028	-0.014	-14
8/9/2007	9:10:01	0.025	-0.017	-17
8/9/2007	9:25:01	0.023	-0.019	-19
8/9/2007	9:40:01	0.022	-0.02	-20
8/9/2007	9:55:01	0.022	-0.02	-20
8/9/2007	10:10:01	0.021	-0.021	-21
8/9/2007	10:25:01	0.019	-0.023	-23
8/9/2007	10:40:01	0.021	-0.021	-21
8/9/2007	10:55:01	0.019	-0.023	-23
8/9/2007	11:10:01	0.02	-0.022	-22
8/9/2007	11:25:01	0.021	-0.021	-21
8/9/2007	11:40:01	0.021	-0.021	-21
8/9/2007	11:55:01	0.025	-0.017	-17
8/9/2007	12:10:01	0.025	-0.017	-17
8/9/2007	12:25:01	0.023	-0.019	-19
8/9/2007	12:40:01	0.025	-0.017	-17
8/9/2007	12:55:01	0.024	-0.018	-18
8/9/2007	13:10:01	0.027	-0.015	-15
8/9/2007	13:25:01	0.024	-0.018	-18
8/9/2007	13:40:01	0.025	-0.017	-17
8/9/2007	13:55:01	0.024	-0.018	-18
8/9/2007	14:10:01	0.029	-0.013	-13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 05:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0520) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/9/2007 5:42	0		0
2	8/9/2007 5:57	0		0
3	8/9/2007 6:12	0		0
4	8/9/2007 6:27	0		0
5	8/9/2007 6:42	0		0
6	8/9/2007 6:57	0		0
7	8/9/2007 7:12	0		0
8	8/9/2007 7:27	0		0
9	8/9/2007 7:42	0		0
10	8/9/2007 7:57	0		0
11	8/9/2007 8:12	0		0
12	8/9/2007 8:27	0		0
13	8/9/2007 8:42	0		0
14	8/9/2007 8:57	0		0
15	8/9/2007 9:12	0		0
16	8/9/2007 9:27	0		0
17	8/9/2007 9:42	0		0
18	8/9/2007 9:57	0		0
19	8/9/2007 10:12	0		0
20	8/9/2007 10:27	0		0
21	8/9/2007 10:42	0		0
22	8/9/2007 10:57	0		0
23	8/9/2007 11:12	0		0
24	8/9/2007 11:27	0		0
25	8/9/2007 11:42	0		0
26	8/9/2007 11:57	0		0
27	8/9/2007 12:12	0		0
28	8/9/2007 12:27	0		0
29	8/9/2007 12:42	0		0
30	8/9/2007 12:57	0		0
31	8/9/2007 13:12	0		0
32	8/9/2007 13:27	0		0
33	8/9/2007 13:42	0		0
34	8/9/2007 13:57	0		0
35	8/9/2007 14:12	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/9/2007
Start Time:	5:21:01
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0520) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/9/2007	5:36:01	0.03	0.002	2
8/9/2007	5:51:01	0.031	0.003	3
8/9/2007	6:06:01	0.031	0.003	3
8/9/2007	6:21:01	0.034	0.006	6
8/9/2007	6:36:01	0.046	0.018	18
8/9/2007	6:51:01	0.035	0.007	7
8/9/2007	7:06:01	0.033	0.005	5
8/9/2007	7:21:01	0.032	0.004	4
8/9/2007	7:36:01	0.032	0.004	4
8/9/2007	7:51:01	0.027	-0.001	-1
8/9/2007	8:06:01	0.021	-0.007	-7
8/9/2007	8:21:01	0.02	-0.008	-8
8/9/2007	8:36:01	0.019	-0.009	-9
8/9/2007	8:51:01	0.021	-0.007	-7
8/9/2007	9:06:01	0.019	-0.009	-9
8/9/2007	9:21:01	0.019	-0.009	-9
8/9/2007	9:36:01	0.014	-0.014	-14
8/9/2007	9:51:01	0.016	-0.012	-12
8/9/2007	10:06:01	0.015	-0.013	-13
8/9/2007	10:21:01	0.012	-0.016	-16
8/9/2007	10:36:01	0.013	-0.015	-15
8/9/2007	10:51:01	0.012	-0.016	-16
8/9/2007	11:06:01	0.011	-0.017	-17
8/9/2007	11:21:01	0.011	-0.017	-17
8/9/2007	11:36:01	0.012	-0.016	-16
8/9/2007	11:51:01	0.015	-0.013	-13
8/9/2007	12:06:01	0.014	-0.014	-14
8/9/2007	12:21:01	0.016	-0.012	-12
8/9/2007	12:36:01	0.017	-0.011	-11
8/9/2007	12:51:01	0.018	-0.01	-10
8/9/2007	13:06:01	0.023	-0.005	-5
8/9/2007	13:21:01	0.018	-0.01	-10
8/9/2007	13:36:01	0.015	-0.013	-13
8/9/2007	13:51:01	0.018	-0.01	-10
8/9/2007	14:06:01	0.022	-0.006	-6
8/9/2007	14:21:01	0.017	-0.011	-11

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/10/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/10/2007 6:11	0		0
2	8/10/2007 6:26	0		0
3	8/10/2007 6:41	0		0
4	8/10/2007 6:56	0		0
5	8/10/2007 7:11	0		0
6	8/10/2007 7:26	0.1		0.1
7	8/10/2007 7:41	0		0
8	8/10/2007 7:56	0		0
9	8/10/2007 8:11	0		0
10	8/10/2007 8:26	0		0
11	8/10/2007 8:41	0		0
12	8/10/2007 8:56	0		0
13	8/10/2007 9:11	0		0
14	8/10/2007 9:26	0		0
15	8/10/2007 9:41	0		0
16	8/10/2007 9:56	0		0
17	8/10/2007 10:11	0		0
18	8/10/2007 10:26	0		0
19	8/10/2007 10:41	0		0
20	8/10/2007 10:56	0		0
21	8/10/2007 11:11	0		0
22	8/10/2007 11:26	0		0
23	8/10/2007 11:41	0		0
24	8/10/2007 11:56	0		0
25	8/10/2007 12:11	0		0
26	8/10/2007 12:26	0		0
27	8/10/2007 12:41	0		0
28	8/10/2007 12:56	0		0
29	8/10/2007 13:11	0		0
30	8/10/2007 13:26	0		0
31	8/10/2007 13:41	0		0
32	8/10/2007 13:56	0		0
33	8/10/2007 14:11	0		0
34	8/10/2007 14:26	0		0
35	8/10/2007 14:41	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/10/2007
Start Time:	5:55:51
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0556) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/10/2007	6:10:51	0.008	0.002	2
8/10/2007	6:25:51	0.009	0.003	3
8/10/2007	6:40:51	0.006	0	0
8/10/2007	6:55:51	0.004	-0.002	-2
8/10/2007	7:10:51	0.003	-0.003	-3
8/10/2007	7:25:51	0	-0.006	-6
8/10/2007	7:40:51	0.005	-0.001	-1
8/10/2007	7:55:51	0.008	0.002	2
8/10/2007	8:10:51	0.009	0.003	3
8/10/2007	8:25:51	0.001	-0.005	-5
8/10/2007	8:40:51	0.005	-0.001	-1
8/10/2007	8:55:51	0.005	-0.001	-1
8/10/2007	9:10:51	0.007	0.001	1
8/10/2007	9:25:51	0.009	0.003	3
8/10/2007	9:40:51	0.009	0.003	3
8/10/2007	9:55:51	0.009	0.003	3
8/10/2007	10:10:51	0.009	0.003	3
8/10/2007	10:25:51	0.009	0.003	3
8/10/2007	10:40:51	0.009	0.003	3
8/10/2007	10:55:51	0.008	0.002	2
8/10/2007	11:10:51	0.008	0.002	2
8/10/2007	11:25:51	0.002	-0.004	-4
8/10/2007	11:40:51	0	-0.006	-6
8/10/2007	11:55:51	0	-0.006	-6
8/10/2007	12:10:51	0.001	-0.005	-5
8/10/2007	12:25:51	0.001	-0.005	-5
8/10/2007	12:40:51	0.003	-0.003	-3
8/10/2007	12:55:51	0.003	-0.003	-3
8/10/2007	13:10:51	0.003	-0.003	-3
8/10/2007	13:25:51	0.003	-0.003	-3
8/10/2007	13:40:51	0.005	-0.001	-1
8/10/2007	13:55:51	0.004	-0.002	-2
8/10/2007	14:10:51	0.006	0	0
8/10/2007	14:25:51	0.004	-0.002	-2
8/10/2007	14:40:51	0.003	-0.003	-3
8/10/2007	14:55:51	0.003	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 05:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/10/2007 6:08	0		0
2	8/10/2007 6:23	0		0
3	8/10/2007 6:38	0		0
4	8/10/2007 6:53	0		0
5	8/10/2007 7:08	0		0
6	8/10/2007 7:23	0		0
7	8/10/2007 7:38	0		0
8	8/10/2007 7:53	0		0
9	8/10/2007 8:08	0		0
10	8/10/2007 8:23	0		0
11	8/10/2007 8:38	0		0
12	8/10/2007 8:53	0		0
13	8/10/2007 9:08	0		0
14	8/10/2007 9:23	0		0
15	8/10/2007 9:38	0		0
16	8/10/2007 9:53	0		0
17	8/10/2007 10:08	0		0
18	8/10/2007 10:23	0		0
19	8/10/2007 10:38	0		0
20	8/10/2007 10:53	0		0
21	8/10/2007 11:08	0		0
22	8/10/2007 11:23	0		0
23	8/10/2007 11:38	0		0
24	8/10/2007 11:53	0		0
25	8/10/2007 12:08	0		0
26	8/10/2007 12:23	0		0
27	8/10/2007 12:38	0		0
28	8/10/2007 12:53	0		0
29	8/10/2007 13:08	0		0
30	8/10/2007 13:23	0		0
31	8/10/2007 13:38	0		0
32	8/10/2007 13:53	0		0
33	8/10/2007 14:08	0		0
34	8/10/2007 14:23	0		0
35	8/10/2007 14:38	0		0
36	8/10/2007 14:53	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	8/10/2007
Start Time:	5:51:46
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0550) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/10/2007	6:06:46	0.007	-0.001	-1
8/10/2007	6:21:46	0.002	-0.006	-6
8/10/2007	6:36:46	0.002	-0.006	-6
8/10/2007	6:51:46	0.001	-0.007	-7
8/10/2007	7:06:46	0.002	-0.006	-6
8/10/2007	7:21:46	0.001	-0.007	-7
8/10/2007	7:36:46	0.003	-0.005	-5
8/10/2007	7:51:46	0.002	-0.006	-6
8/10/2007	8:06:46	0.002	-0.006	-6
8/10/2007	8:21:46	0.002	-0.006	-6
8/10/2007	8:36:46	0.003	-0.005	-5
8/10/2007	8:51:46	0.002	-0.006	-6
8/10/2007	9:06:46	0.002	-0.006	-6
8/10/2007	9:21:46	0.002	-0.006	-6
8/10/2007	9:36:46	0.002	-0.006	-6
8/10/2007	9:51:46	0.002	-0.006	-6
8/10/2007	10:06:46	0.003	-0.005	-5
8/10/2007	10:21:46	0.002	-0.006	-6
8/10/2007	10:36:46	0.001	-0.007	-7
8/10/2007	10:51:46	0.002	-0.006	-6
8/10/2007	11:06:46	0.002	-0.006	-6
8/10/2007	11:21:46	0.002	-0.006	-6
8/10/2007	11:36:46	0.003	-0.005	-5
8/10/2007	11:51:46	0.004	-0.004	-4
8/10/2007	12:06:46	0.003	-0.005	-5
8/10/2007	12:21:46	0.003	-0.005	-5
8/10/2007	12:36:46	0.002	-0.006	-6
8/10/2007	12:51:46	0.002	-0.006	-6
8/10/2007	13:06:46	0.002	-0.006	-6
8/10/2007	13:21:46	0.003	-0.005	-5
8/10/2007	13:36:46	0.004	-0.004	-4
8/10/2007	13:51:46	0.004	-0.004	-4
8/10/2007	14:06:46	0.015	0.007	7
8/10/2007	14:21:46	0.006	-0.002	-2
8/10/2007	14:36:46	0.005	-0.003	-3
8/10/2007	14:51:46	0.006	-0.002	-2
8/10/2007	15:06:46	0.005	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 04:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/10/2007 6:13	0		0
2	8/10/2007 6:28	0		0
3	8/10/2007 6:43	0		0
4	8/10/2007 6:58	0		0
5	8/10/2007 7:13	0		0
6	8/10/2007 7:28	0		0
7	8/10/2007 7:43	0		0
8	8/10/2007 7:58	0		0
9	8/10/2007 8:13	0		0
10	8/10/2007 8:28	0		0
11	8/10/2007 8:43	0		0
12	8/10/2007 8:58	0		0
13	8/10/2007 9:13	0		0
14	8/10/2007 9:28	0		0
15	8/10/2007 9:43	0		0
16	8/10/2007 9:58	0		0
17	8/10/2007 10:13	0		0
18	8/10/2007 10:28	0		0
19	8/10/2007 10:43	0		0
20	8/10/2007 10:58	0		0
21	8/10/2007 11:13	0		0
22	8/10/2007 11:28	0		0
23	8/10/2007 11:43	0		0
24	8/10/2007 11:58	0		0
25	8/10/2007 12:13	0		0
26	8/10/2007 12:28	0		0
27	8/10/2007 12:43	0		0
28	8/10/2007 12:58	0		0
29	8/10/2007 13:13	0		0
30	8/10/2007 13:28	0		0
31	8/10/2007 13:43	0		0
32	8/10/2007 13:58	0		0
33	8/10/2007 14:13	0		0
34	8/10/2007 14:28	0		0
35	8/10/2007 14:43	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	3
Test Abbreviation:	
Start Date:	8/10/2007
Start Time:	6:00:42
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/10/2007	6:15:42	0.011	-0.012	-12
8/10/2007	6:30:42	0.006	-0.017	-17
8/10/2007	6:45:42	0.006	-0.017	-17
8/10/2007	7:00:42	0.006	-0.017	-17
8/10/2007	7:15:42	0.007	-0.016	-16
8/10/2007	7:30:42	0.007	-0.016	-16
8/10/2007	7:45:42	0.01	-0.013	-13
8/10/2007	8:00:42	0.008	-0.015	-15
8/10/2007	8:15:42	0.007	-0.016	-16
8/10/2007	8:30:42	0.007	-0.016	-16
8/10/2007	8:45:42	0.007	-0.016	-16
8/10/2007	9:00:42	0.006	-0.017	-17
8/10/2007	9:15:42	0.007	-0.016	-16
8/10/2007	9:30:42	0.006	-0.017	-17
8/10/2007	9:45:42	0.006	-0.017	-17
8/10/2007	10:00:42	0.006	-0.017	-17
8/10/2007	10:15:42	0.008	-0.015	-15
8/10/2007	10:30:42	0.005	-0.018	-18
8/10/2007	10:45:42	0.007	-0.016	-16
8/10/2007	11:00:42	0.007	-0.016	-16
8/10/2007	11:15:42	0.007	-0.016	-16
8/10/2007	11:30:42	0.006	-0.017	-17
8/10/2007	11:45:42	0.007	-0.016	-16
8/10/2007	12:00:42	0.008	-0.015	-15
8/10/2007	12:15:42	0.007	-0.016	-16
8/10/2007	12:30:42	0.005	-0.018	-18
8/10/2007	12:45:42	0.005	-0.018	-18
8/10/2007	13:00:42	0.005	-0.018	-18
8/10/2007	13:15:42	0.005	-0.018	-18
8/10/2007	13:30:42	0.006	-0.017	-17
8/10/2007	13:45:42	0.007	-0.016	-16
8/10/2007	14:00:42	0.007	-0.016	-16
8/10/2007	14:15:42	0.007	-0.016	-16
8/10/2007	14:30:42	0.007	-0.016	-16
8/10/2007	14:45:42	0.01	-0.013	-13
8/10/2007	15:00:42	0.008	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/09/2007 05:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/10/2007 6:19	0.3		0.3
2	8/10/2007 6:34	0		0
1	8/10/2007 7:04	0		0
2	8/10/2007 7:19	0		0
3	8/10/2007 7:34	0		0
4	8/10/2007 7:49	0		0
5	8/10/2007 8:04	0		0
6	8/10/2007 8:19	0		0
7	8/10/2007 8:34	0		0
8	8/10/2007 8:49	0		0
9	8/10/2007 9:04	0		0
10	8/10/2007 9:19	0		0
11	8/10/2007 9:34	0		0
12	8/10/2007 9:49	0		0
13	8/10/2007 10:04	0		0
14	8/10/2007 10:19	0		0
15	8/10/2007 10:34	0		0
16	8/10/2007 10:49	0		0
17	8/10/2007 11:04	0		0
18	8/10/2007 11:19	0		0
19	8/10/2007 11:34	0		0
20	8/10/2007 11:49	0		0
21	8/10/2007 12:04	0		0
22	8/10/2007 12:19	0		0
23	8/10/2007 12:34	0		0
24	8/10/2007 12:49	0		0
25	8/10/2007 13:04	0		0
26	8/10/2007 13:19	0		0
27	8/10/2007 13:34	0		0
28	8/10/2007 13:49	0		0
29	8/10/2007 14:04	0		0
30	8/10/2007 14:19	0		0
31	8/10/2007 14:34	0		0
32	8/10/2007 14:49	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	3
Test Abbreviation:	
Start Date:	8/10/2007
Start Time:	5:57:30
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0555) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/10/2007	6:12:30	0.007	-0.005	-5
8/10/2007	6:27:30	0.004	-0.008	-8
8/10/2007	6:42:30	0.005	-0.007	-7
8/10/2007	6:57:30	0.006	-0.006	-6
8/10/2007	7:12:30	0.005	-0.007	-7
8/10/2007	7:27:30	0.005	-0.007	-7
8/10/2007	7:42:30	0.008	-0.004	-4
8/10/2007	7:57:30	0.005	-0.007	-7
8/10/2007	8:12:30	0.005	-0.007	-7
8/10/2007	8:27:30	0.005	-0.007	-7
8/10/2007	8:42:30	0.007	-0.005	-5
8/10/2007	8:57:30	0.004	-0.008	-8
8/10/2007	9:12:30	0.005	-0.007	-7
8/10/2007	9:27:30	0.005	-0.007	-7
8/10/2007	9:42:30	0.005	-0.007	-7
8/10/2007	9:57:30	0.005	-0.007	-7
8/10/2007	10:12:30	0.007	-0.005	-5
8/10/2007	10:27:30	0.004	-0.008	-8
8/10/2007	10:42:30	0.004	-0.008	-8
8/10/2007	10:57:30	0.005	-0.007	-7
8/10/2007	11:12:30	0.005	-0.007	-7
8/10/2007	11:27:30	0.004	-0.008	-8
8/10/2007	11:42:30	0.005	-0.007	-7
8/10/2007	11:57:30	0.009	-0.003	-3
8/10/2007	12:12:30	0.006	-0.006	-6
8/10/2007	12:27:30	0.004	-0.008	-8
8/10/2007	12:42:30	0.003	-0.009	-9
8/10/2007	12:57:30	0.004	-0.008	-8
8/10/2007	13:12:30	0.003	-0.009	-9
8/10/2007	13:27:30	0.004	-0.008	-8
8/10/2007	13:42:30	0.006	-0.006	-6
8/10/2007	13:57:30	0.005	-0.007	-7
8/10/2007	14:12:30	0.005	-0.007	-7
8/10/2007	14:27:30	0.005	-0.007	-7
8/10/2007	14:42:30	0.008	-0.004	-4
8/10/2007	14:57:30	0.005	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/13/2007 03:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0410) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/13/2007 4:25	0		0
2	8/13/2007 4:40	0		0
3	8/13/2007 4:55	0		0
4	8/13/2007 5:10	0		0
5	8/13/2007 5:25	0		0
6	8/13/2007 5:40	0		0
7	8/13/2007 5:55	0		0
8	8/13/2007 6:10	0		0
9	8/13/2007 6:25	0		0
10	8/13/2007 6:40	0		0
11	8/13/2007 6:55	0		0
12	8/13/2007 7:10	0		0
13	8/13/2007 7:25	0		0
14	8/13/2007 7:40	0		0
15	8/13/2007 7:55	0		0
16	8/13/2007 8:10	0		0
17	8/13/2007 8:25	0		0
18	8/13/2007 8:40	0		0
19	8/13/2007 8:55	0		0
20	8/13/2007 9:10	0		0
21	8/13/2007 9:25	0		0
22	8/13/2007 9:40	0		0
23	8/13/2007 9:55	0		0
24	8/13/2007 10:10	0		0
25	8/13/2007 10:25	0		0
26	8/13/2007 10:40	0		0
27	8/13/2007 10:55	0		0
28	8/13/2007 11:10	0		0
29	8/13/2007 11:25	0		0
30	8/13/2007 11:40	0		0
31	8/13/2007 11:55	0		0
32	8/13/2007 12:10	0		0
33	8/13/2007 12:25	0		0
34	8/13/2007 12:40	0		0
35	8/13/2007 12:55	0		0
36	8/13/2007 13:10	0		0
37	8/13/2007 13:25	0		0
38	8/13/2007 13:40	0.1		0.1
39	8/13/2007 13:55	0		0
40	8/13/2007 14:10	0		0
41	8/13/2007 14:25	0		0
42	8/13/2007 14:40	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/13/2007
Start Time:	4:11:04
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0410) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/13/2007	4:26:04	0.008	0	0
8/13/2007	4:41:04	0.008	0	0
8/13/2007	4:56:04	0.008	0	0
8/13/2007	5:11:04	0.008	0	0
8/13/2007	5:26:04	0.008	0	0
8/13/2007	5:41:04	0.009	0.001	1
8/13/2007	5:56:04	0.009	0.001	1
8/13/2007	6:11:04	0.011	0.003	3
8/13/2007	6:26:04	0.011	0.003	3
8/13/2007	6:41:04	0.011	0.003	3
8/13/2007	6:56:04	0.012	0.004	4
8/13/2007	7:11:04	0.014	0.006	6
8/13/2007	7:26:04	0.012	0.004	4
8/13/2007	7:41:04	0.011	0.003	3
8/13/2007	7:56:04	0.013	0.005	5
8/13/2007	8:11:04	0.011	0.003	3
8/13/2007	8:26:04	0.01	0.002	2
8/13/2007	8:41:04	0.014	0.006	6
8/13/2007	8:56:04	0.011	0.003	3
8/13/2007	9:11:04	0.012	0.004	4
8/13/2007	9:26:04	0.011	0.003	3
8/13/2007	9:41:04	0.01	0.002	2
8/13/2007	9:56:04	0.011	0.003	3
8/13/2007	10:11:04	0.013	0.005	5
8/13/2007	10:26:04	0.016	0.008	8
8/13/2007	10:41:04	0.019	0.011	11
8/13/2007	10:56:04	0.01	0.002	2
8/13/2007	11:11:04	0.011	0.003	3
8/13/2007	11:26:04	0.011	0.003	3
8/13/2007	11:41:04	0.012	0.004	4
8/13/2007	11:56:04	0.01	0.002	2
8/13/2007	12:11:04	0.009	0.001	1
8/13/2007	12:26:04	0.008	0	0
8/13/2007	12:41:04	0.01	0.002	2
8/13/2007	12:56:04	0.013	0.005	5
8/13/2007	13:11:04	0.01	0.002	2
8/13/2007	13:26:04	0.012	0.004	4
8/13/2007	13:41:04	0.011	0.003	3
8/13/2007	13:56:04	0.014	0.006	6
8/13/2007	14:11:04	0.014	0.006	6
8/13/2007	14:26:04	0.012	0.004	4
8/13/2007	14:41:04	0.012	0.004	4
8/13/2007	14:56:04	0.013	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/13/2007 03:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0413) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/13/2007 4:31	0		0
2	8/13/2007 4:46	0		0
3	8/13/2007 5:01	0		0
4	8/13/2007 5:16	0		0
5	8/13/2007 5:31	0		0
6	8/13/2007 5:46	0		0
7	8/13/2007 6:01	0.1		0.1
8	8/13/2007 6:16	0.1		0.1
9	8/13/2007 6:31	0.1		0.1
10	8/13/2007 6:46	0.1		0.1
11	8/13/2007 7:01	0.2		0.2
12	8/13/2007 7:16	0.2		0.2
13	8/13/2007 7:31	0.2		0.2
14	8/13/2007 7:46	0.2		0.2
15	8/13/2007 8:01	0.2		0.2
16	8/13/2007 8:16	0.2		0.2
17	8/13/2007 8:31	0.2		0.2
18	8/13/2007 8:46	0.3		0.3
19	8/13/2007 9:01	0.3		0.3
20	8/13/2007 9:16	0.3		0.3
21	8/13/2007 9:31	0.3		0.3
22	8/13/2007 9:46	0.3		0.3
23	8/13/2007 10:01	0.3		0.3
24	8/13/2007 10:16	0.3		0.3
25	8/13/2007 10:31	0.3		0.3
26	8/13/2007 10:46	0.3		0.3
27	8/13/2007 11:01	0.3		0.3
28	8/13/2007 11:16	0.3		0.3
29	8/13/2007 11:31	0.3		0.3
30	8/13/2007 11:46	0.3		0.3
31	8/13/2007 12:01	0.3		0.3
32	8/13/2007 12:16	0.3		0.3
33	8/13/2007 12:31	0.3		0.3
34	8/13/2007 12:46	0.3		0.3
35	8/13/2007 13:01	0.3		0.3
36	8/13/2007 13:16	0.3		0.3
37	8/13/2007 13:31	0.3		0.3
38	8/13/2007 13:46	0.4		0.4
39	8/13/2007 14:01	0.4		0.4
40	8/13/2007 14:16	0.4		0.4
41	8/13/2007 14:31	0.4		0.4
42	8/13/2007 14:46	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/13/2007
Start Time:	4:15:16
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0413) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/13/2007	4:30:16	0.022	-0.004	-4
8/13/2007	4:45:16	0.022	-0.004	-4
8/13/2007	5:00:16	0.022	-0.004	-4
8/13/2007	5:15:16	0.021	-0.005	-5
8/13/2007	5:30:16	0.024	-0.002	-2
8/13/2007	5:45:16	0.023	-0.003	-3
8/13/2007	6:00:16	0.024	-0.002	-2
8/13/2007	6:15:16	0.025	-0.001	-1
8/13/2007	6:30:16	0.026	0	0
8/13/2007	6:45:16	0.026	0	0
8/13/2007	7:00:16	0.028	0.002	2
8/13/2007	7:15:16	0.024	-0.002	-2
8/13/2007	7:30:16	0.028	0.002	2
8/13/2007	7:45:16	0.026	0	0
8/13/2007	8:00:16	0.026	0	0
8/13/2007	8:15:16	0.025	-0.001	-1
8/13/2007	8:30:16	0.028	0.002	2
8/13/2007	8:45:16	0.025	-0.001	-1
8/13/2007	9:00:16	0.027	0.001	1
8/13/2007	9:15:16	0.03	0.004	4
8/13/2007	9:30:16	0.026	0	0
8/13/2007	9:45:16	0.027	0.001	1
8/13/2007	10:00:16	0.026	0	0
8/13/2007	10:15:16	0.028	0.002	2
8/13/2007	10:30:16	0.031	0.005	5
8/13/2007	10:45:16	0.028	0.002	2
8/13/2007	11:00:16	0.027	0.001	1
8/13/2007	11:15:16	0.027	0.001	1
8/13/2007	11:30:16	0.029	0.003	3
8/13/2007	11:45:16	0.028	0.002	2
8/13/2007	12:00:16	0.026	0	0
8/13/2007	12:15:16	0.025	-0.001	-1
8/13/2007	12:30:16	0.024	-0.002	-2
8/13/2007	12:45:16	0.023	-0.003	-3
8/13/2007	13:00:16	0.028	0.002	2
8/13/2007	13:15:16	0.029	0.003	3
8/13/2007	13:30:16	0.029	0.003	3
8/13/2007	13:45:16	0.028	0.002	2
8/13/2007	14:00:16	0.028	0.002	2
8/13/2007	14:15:16	0.027	0.001	1
8/13/2007	14:30:16	0.027	0.001	1
8/13/2007	14:45:16	0.03	0.004	4
8/13/2007	15:00:16	0.028	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/13/2007 03:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0438) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/13/2007 4:52	0		0
2	8/13/2007 5:07	0		0
3	8/13/2007 5:22	0		0
4	8/13/2007 5:37	0		0
5	8/13/2007 5:52	0		0
6	8/13/2007 6:07	0		0
7	8/13/2007 6:22	0		0
8	8/13/2007 6:37	0		0
9	8/13/2007 6:52	0		0
10	8/13/2007 7:07	0		0
11	8/13/2007 7:22	0		0
12	8/13/2007 7:37	0		0
13	8/13/2007 7:52	0.1		0.1
14	8/13/2007 8:07	0.1		0.1
15	8/13/2007 8:22	0.1		0.1
16	8/13/2007 8:37	0.1		0.1
17	8/13/2007 8:52	0.1		0.1
18	8/13/2007 9:07	0.1		0.1
19	8/13/2007 9:22	0.1		0.1
20	8/13/2007 9:37	0.2		0.2
21	8/13/2007 9:52	0.2		0.2
22	8/13/2007 10:07	0.2		0.2
23	8/13/2007 10:22	0.2		0.2
24	8/13/2007 10:37	0.2		0.2
25	8/13/2007 10:52	0.2		0.2
26	8/13/2007 11:07	0.2		0.2
27	8/13/2007 11:22	0.2		0.2
28	8/13/2007 11:37	0.2		0.2
29	8/13/2007 11:52	0.2		0.2
30	8/13/2007 12:07	0.2		0.2
31	8/13/2007 12:22	0.2		0.2
32	8/13/2007 12:37	0.2		0.2
33	8/13/2007 12:52	0.2		0.2
34	8/13/2007 13:07	0.2		0.2
35	8/13/2007 13:22	0.2		0.2
36	8/13/2007 13:37	0.2		0.2
37	8/13/2007 13:52	0.2		0.2
38	8/13/2007 14:07	0.2		0.2
39	8/13/2007 14:22	0.2		0.2
40	8/13/2007 14:37	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/13/2007
Start Time:	4:39:44
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0438) = 0.038 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/13/2007	4:54:44	0.042	0.004	4
8/13/2007	5:09:44	0.042	0.004	4
8/13/2007	5:24:44	0.04	0.002	2
8/13/2007	5:39:44	0.044	0.006	6
8/13/2007	5:54:44	0.042	0.004	4
8/13/2007	6:09:44	0.054	0.016	16
8/13/2007	6:24:44	0.048	0.01	10
8/13/2007	6:39:44	0.047	0.009	9
8/13/2007	6:54:44	0.061	0.023	23
8/13/2007	7:09:44	0.045	0.007	7
8/13/2007	7:24:44	0.05	0.012	12
8/13/2007	7:39:44	0.047	0.009	9
8/13/2007	7:54:44	0.048	0.01	10
8/13/2007	8:09:44	0.046	0.008	8
8/13/2007	8:24:44	0.047	0.009	9
8/13/2007	8:39:44	0.047	0.009	9
8/13/2007	8:54:44	0.047	0.009	9
8/13/2007	9:09:44	0.054	0.016	16
8/13/2007	9:24:44	0.05	0.012	12
8/13/2007	9:39:44	0.051	0.013	13
8/13/2007	9:54:44	0.051	0.013	13
8/13/2007	10:09:44	0.052	0.014	14
8/13/2007	10:24:44	0.053	0.015	15
8/13/2007	10:39:44	0.049	0.011	11
8/13/2007	10:54:44	0.05	0.012	12
8/13/2007	11:09:44	0.051	0.013	13
8/13/2007	11:24:44	0.048	0.01	10
8/13/2007	11:39:44	0.063	0.025	25
8/13/2007	11:54:44	0.045	0.007	7
8/13/2007	12:09:44	0.056	0.018	18
8/13/2007	12:24:44	0.045	0.007	7
8/13/2007	12:39:44	0.045	0.007	7
8/13/2007	12:54:44	0.042	0.004	4
8/13/2007	13:09:44	0.046	0.008	8
8/13/2007	13:24:44	0.046	0.008	8
8/13/2007	13:39:44	0.051	0.013	13
8/13/2007	13:54:44	0.046	0.008	8
8/13/2007	14:09:44	0.053	0.015	15
8/13/2007	14:24:44	0.045	0.007	7
8/13/2007	14:39:44	0.05	0.012	12
8/13/2007	14:54:44	0.045	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/13/2007 04:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0434) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/13/2007 4:56	0		0
2	8/13/2007 5:11	0		0
3	8/13/2007 5:26	0		0
4	8/13/2007 5:41	0		0
5	8/13/2007 5:56	0		0
6	8/13/2007 6:11	0		0
7	8/13/2007 6:26	0		0
8	8/13/2007 6:41	0		0
9	8/13/2007 6:56	0		0
10	8/13/2007 7:11	0		0
11	8/13/2007 7:26	0		0
12	8/13/2007 7:41	0		0
13	8/13/2007 7:56	0		0
14	8/13/2007 8:11	0		0
15	8/13/2007 8:26	0		0
16	8/13/2007 8:41	0		0
17	8/13/2007 8:56	0		0
18	8/13/2007 9:11	0		0
19	8/13/2007 9:26	0		0
20	8/13/2007 9:41	0		0
21	8/13/2007 9:56	0		0
22	8/13/2007 10:11	0		0
23	8/13/2007 10:26	0		0
24	8/13/2007 10:41	0		0
25	8/13/2007 10:56	0		0
26	8/13/2007 11:11	0		0
27	8/13/2007 11:26	0		0
28	8/13/2007 11:41	0		0
29	8/13/2007 11:56	0		0
30	8/13/2007 12:11	0		0
31	8/13/2007 12:26	0		0
32	8/13/2007 12:41	0		0
33	8/13/2007 12:56	0		0
34	8/13/2007 13:11	0		0
35	8/13/2007 13:26	0		0
36	8/13/2007 13:41	0		0
37	8/13/2007 13:56	0		0
38	8/13/2007 14:11	0		0
39	8/13/2007 14:26	0		0
40	8/13/2007 14:41	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/13/2007
Start Time:	4:35:44
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0434) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/13/2007	4:50:44	0.029	0.003	3
8/13/2007	5:05:44	0.028	0.002	2
8/13/2007	5:20:44	0.029	0.003	3
8/13/2007	5:35:44	0.03	0.004	4
8/13/2007	5:50:44	0.031	0.005	5
8/13/2007	6:05:44	0.034	0.008	8
8/13/2007	6:20:44	0.041	0.015	15
8/13/2007	6:35:44	0.033	0.007	7
8/13/2007	6:50:44	0.033	0.007	7
8/13/2007	7:05:44	0.039	0.013	13
8/13/2007	7:20:44	0.039	0.013	13
8/13/2007	7:35:44	0.042	0.016	16
8/13/2007	7:50:44	0.043	0.017	17
8/13/2007	8:05:44	0.043	0.017	17
8/13/2007	8:20:44	0.035	0.009	9
8/13/2007	8:35:44	0.039	0.013	13
8/13/2007	8:50:44	0.033	0.007	7
8/13/2007	9:05:44	0.032	0.006	6
8/13/2007	9:20:44	0.033	0.007	7
8/13/2007	9:35:44	0.032	0.006	6
8/13/2007	9:50:44	0.033	0.007	7
8/13/2007	10:05:44	0.034	0.008	8
8/13/2007	10:20:44	0.035	0.009	9
8/13/2007	10:35:44	0.033	0.007	7
8/13/2007	10:50:44	0.033	0.007	7
8/13/2007	11:05:44	0.034	0.008	8
8/13/2007	11:20:44	0.034	0.008	8
8/13/2007	11:35:44	0.033	0.007	7
8/13/2007	11:50:44	0.036	0.01	10
8/13/2007	12:05:44	0.031	0.005	5
8/13/2007	12:20:44	0.029	0.003	3
8/13/2007	12:35:44	0.031	0.005	5
8/13/2007	12:50:44	0.029	0.003	3
8/13/2007	13:05:44	0.029	0.003	3
8/13/2007	13:20:44	0.035	0.009	9
8/13/2007	13:35:44	0.033	0.007	7
8/13/2007	13:50:44	0.031	0.005	5
8/13/2007	14:05:44	0.039	0.013	13
8/13/2007	14:20:44	0.038	0.012	12
8/13/2007	14:35:44	0.036	0.01	10
8/13/2007	14:50:44	0.035	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2007 04:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0509) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/14/2007 5:25	0		0	
2	8/14/2007 5:40	0		0	
3	8/14/2007 5:55	0		0	
4	8/14/2007 6:10	0		0	
5	8/14/2007 6:25	0		0	
6	8/14/2007 6:40	0		0	
7	8/14/2007 6:55	0		0	
8	8/14/2007 7:10	0		0	
9	8/14/2007 7:25	0		0	
10	8/14/2007 7:40	0		0	
11	8/14/2007 7:55	0		0	
12	8/14/2007 8:10	0		0	
13	8/14/2007 8:25	0		0	
14	8/14/2007 8:40	0		0	
15	8/14/2007 8:55	0.2		0.2	*Shaw testing of AKRF equipment at STA1
16	8/14/2007 9:10	0		0	
17	8/14/2007 9:25	0		0	
18	8/14/2007 9:40	0		0	
19	8/14/2007 9:55	0		0	
20	8/14/2007 10:10	0		0	
21	8/14/2007 10:25	0		0	
22	8/14/2007 10:40	0		0	
23	8/14/2007 10:55	0		0	
24	8/14/2007 11:10	0		0	
25	8/14/2007 11:25	0		0	
26	8/14/2007 11:40	0		0	
27	8/14/2007 11:55	0		0	
28	8/14/2007 12:10	0		0	
29	8/14/2007 12:25	0		0	
30	8/14/2007 12:40	0		0	
31	8/14/2007 12:55	0		0	
32	8/14/2007 13:10	0		0	
33	8/14/2007 13:25	0		0	
34	8/14/2007 13:40	0		0	
35	8/14/2007 13:55	0		0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/14/2007
Start Time:	5:10:47
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0509) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/14/2007	5:25:47	0.003	0	0	
8/14/2007	5:40:47	0.003	0	0	
8/14/2007	5:55:47	0.006	0.003	3	
8/14/2007	6:10:47	0.003	0	0	
8/14/2007	6:25:47	0.006	0.003	3	
8/14/2007	6:40:47	0.006	0.003	3	
8/14/2007	6:55:47	0.004	0.001	1	
8/14/2007	7:10:47	0.005	0.002	2	
8/14/2007	7:25:47	0.006	0.003	3	
8/14/2007	7:40:47	0.007	0.004	4	
8/14/2007	7:55:47	0.005	0.002	2	
8/14/2007	8:10:47	0.007	0.004	4	
8/14/2007	8:25:47	0.013	0.01	10	
8/14/2007	8:40:47	0.009	0.006	6	
8/14/2007	8:55:47	0.009	0.006	6	
8/14/2007	9:10:47	0.145	0.142	142	*Shaw testing of AKRF equipment at STA 1
8/14/2007	9:25:47	0.006	0.003	3	
8/14/2007	9:40:47	0.009	0.006	6	
8/14/2007	9:55:47	0.009	0.006	6	
8/14/2007	10:10:47	0.01	0.007	7	
8/14/2007	10:25:47	0.01	0.007	7	
8/14/2007	10:40:47	0.007	0.004	4	
8/14/2007	10:55:47	0.009	0.006	6	
8/14/2007	11:10:47	0.007	0.004	4	
8/14/2007	11:25:47	0.007	0.004	4	
8/14/2007	11:40:47	0.007	0.004	4	
8/14/2007	11:55:47	0.014	0.011	11	
8/14/2007	12:10:47	0.003	0	0	
8/14/2007	12:25:47	0.003	0	0	
8/14/2007	12:40:47	0.005	0.002	2	
8/14/2007	12:55:47	0.007	0.004	4	
8/14/2007	13:10:47	0.018	0.015	15	
8/14/2007	13:25:47	0.016	0.013	13	
8/14/2007	13:40:47	0.014	0.011	11	
8/14/2007	13:55:47	0.013	0.01	10	
8/14/2007	14:10:47	0.015	0.012	12	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2007 04:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0510) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/14/2007 5:29	0		0	
2	8/14/2007 5:44	0		0	
3	8/14/2007 5:59	0		0	
4	8/14/2007 6:14	0		0	
5	8/14/2007 6:29	0.1		0.1	
6	8/14/2007 6:44	0.1		0.1	
7	8/14/2007 6:59	0.1		0.1	
8	8/14/2007 7:14	0.1		0.1	
9	8/14/2007 7:29	0.2		0.2	
10	8/14/2007 7:44	0.2		0.2	
11	8/14/2007 7:59	0.2		0.2	
12	8/14/2007 8:14	0.2		0.2	
13	8/14/2007 8:29	0.2		0.2	
14	8/14/2007 8:44	0.2		0.2	
15	8/14/2007 8:59	0.2		0.2	
16	8/14/2007 9:14	0.2		0.2	
17	8/14/2007 9:29	0.2		0.2	
18	8/14/2007 9:44	0.4		0.4	*Shaw testing of AKRF equipment at STA 2
19	8/14/2007 9:59	0.3		0.3	
20	8/14/2007 10:14	0.3		0.3	
21	8/14/2007 10:29	0.3		0.3	
22	8/14/2007 10:44	0.3		0.3	
23	8/14/2007 10:59	0.3		0.3	
24	8/14/2007 11:14	0.3		0.3	
25	8/14/2007 11:29	0.3		0.3	
26	8/14/2007 11:44	0.3		0.3	
27	8/14/2007 11:59	0.3		0.3	
28	8/14/2007 12:14	0.3		0.3	
29	8/14/2007 12:29	0.3		0.3	
30	8/14/2007 12:44	0.3		0.3	
31	8/14/2007 12:59	0.3		0.3	
32	8/14/2007 13:14	0.3		0.3	
33	8/14/2007 13:29	0.3		0.3	
34	8/14/2007 13:44	0.3		0.3	
35	8/14/2007 13:59	0.3		0.3	
36	8/14/2007 14:14	0.3		0.3	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/14/2007
Start Time:	5:12:32
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0510) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/14/2007	5:27:32	0.01	0.004	4	
8/14/2007	5:42:32	0.009	0.003	3	
8/14/2007	5:57:32	0.012	0.006	6	
8/14/2007	6:12:32	0.012	0.006	6	
8/14/2007	6:27:32	0.011	0.005	5	
8/14/2007	6:42:32	0.011	0.005	5	
8/14/2007	6:57:32	0.015	0.009	9	
8/14/2007	7:12:32	0.015	0.009	9	
8/14/2007	7:27:32	0.017	0.011	11	
8/14/2007	7:42:32	0.011	0.005	5	
8/14/2007	7:57:32	0.01	0.004	4	
8/14/2007	8:12:32	0.011	0.005	5	
8/14/2007	8:27:32	0.012	0.006	6	
8/14/2007	8:42:32	0.011	0.005	5	
8/14/2007	8:57:32	0.013	0.007	7	
8/14/2007	9:12:32	0.011	0.005	5	
8/14/2007	9:27:32	0.013	0.007	7	
8/14/2007	9:42:32	0.011	0.005	5	
8/14/2007	9:57:32	0.064	0.058	58	*Shaw testing of AKRF equipment at STA 2
8/14/2007	10:12:32	0.01	0.004	4	
8/14/2007	10:27:32	0.01	0.004	4	
8/14/2007	10:42:32	0.01	0.004	4	
8/14/2007	10:57:32	0.011	0.005	5	
8/14/2007	11:12:32	0.011	0.005	5	
8/14/2007	11:27:32	0.01	0.004	4	
8/14/2007	11:42:32	0.011	0.005	5	
8/14/2007	11:57:32	0.011	0.005	5	
8/14/2007	12:12:32	0.011	0.005	5	
8/14/2007	12:27:32	0.01	0.004	4	
8/14/2007	12:42:32	0.008	0.002	2	
8/14/2007	12:57:32	0.009	0.003	3	
8/14/2007	13:12:32	0.01	0.004	4	
8/14/2007	13:27:32	0.011	0.005	5	
8/14/2007	13:42:32	0.011	0.005	5	
8/14/2007	13:57:32	0.01	0.004	4	
8/14/2007	14:12:32	0.011	0.005	5	
8/14/2007	14:27:32	0.01	0.004	4	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2007 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0523) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/14/2007 5:38	0		0	
2	8/14/2007 5:53	0		0	
3	8/14/2007 6:08	0		0	
4	8/14/2007 6:23	0		0	
5	8/14/2007 6:38	0		0	
6	8/14/2007 6:53	0		0	
7	8/14/2007 7:08	0		0	
8	8/14/2007 7:23	0		0	
9	8/14/2007 7:38	0		0	
10	8/14/2007 7:53	0.1		0.1	
11	8/14/2007 8:08	0.1		0.1	
12	8/14/2007 8:23	0.1		0.1	
13	8/14/2007 8:38	0.1		0.1	
14	8/14/2007 8:53	0.1		0.1	
15	8/14/2007 9:08	0.2		0.2	
16	8/14/2007 9:23	0.2		0.2	
17	8/14/2007 9:38	0.4		0.4	*Shaw testing of AKRF equipment at STA 3
18	8/14/2007 9:53	0.2		0.2	
19	8/14/2007 10:08	0.1		0.1	
20	8/14/2007 10:23	0.1		0.1	
21	8/14/2007 10:38	0.1		0.1	
22	8/14/2007 10:53	0.1		0.1	
23	8/14/2007 11:08	0.1		0.1	
24	8/14/2007 11:23	0.1		0.1	
25	8/14/2007 11:38	0.1		0.1	
26	8/14/2007 11:53	0.1		0.1	
27	8/14/2007 12:08	0.1		0.1	
28	8/14/2007 12:23	0.1		0.1	
29	8/14/2007 12:38	0.1		0.1	
30	8/14/2007 12:53	0.1		0.1	
31	8/14/2007 13:08	0.1		0.1	
32	8/14/2007 13:23	0.1		0.1	
33	8/14/2007 13:38	0.1		0.1	
34	8/14/2007 13:53	0.1		0.1	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/14/2007
Start Time:	5:25:26
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0523) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/14/2007	5:40:26	0.026	0.016	16	
8/14/2007	5:55:26	0.06	0.05	50	
8/14/2007	6:10:26	0.042	0.032	32	
8/14/2007	6:25:26	0.023	0.013	13	
8/14/2007	6:40:26	0.039	0.029	29	
8/14/2007	6:55:26	0.066	0.056	56	
8/14/2007	7:10:26	0.031	0.021	21	
8/14/2007	7:25:26	0.025	0.015	15	
8/14/2007	7:40:26	0.02	0.01	10	
8/14/2007	7:55:26	0.018	0.008	8	
8/14/2007	8:10:26	0.019	0.009	9	
8/14/2007	8:25:26	0.02	0.01	10	
8/14/2007	8:40:26	0.017	0.007	7	
8/14/2007	8:55:26	0.018	0.008	8	
8/14/2007	9:10:26	0.017	0.007	7	
8/14/2007	9:25:26	0.018	0.008	8	
8/14/2007	9:40:26	0.017	0.007	7	
8/14/2007	9:55:26	0.3	0.29	290	*Shaw testing of AKRF equipment at STA 3
8/14/2007	10:10:26	0.016	0.006	6	
8/14/2007	10:25:26	0.016	0.006	6	
8/14/2007	10:40:26	0.014	0.004	4	
8/14/2007	10:55:26	0.017	0.007	7	
8/14/2007	11:10:26	0.015	0.005	5	
8/14/2007	11:25:26	0.015	0.005	5	
8/14/2007	11:40:26	0.014	0.004	4	
8/14/2007	11:55:26	0.013	0.003	3	
8/14/2007	12:10:26	0.013	0.003	3	
8/14/2007	12:25:26	0.012	0.002	2	
8/14/2007	12:40:26	0.011	0.001	1	
8/14/2007	12:55:26	0.012	0.002	2	
8/14/2007	13:10:26	0.013	0.003	3	
8/14/2007	13:25:26	0.015	0.005	5	
8/14/2007	13:40:26	0.015	0.005	5	
8/14/2007	13:55:26	0.013	0.003	3	
8/14/2007	14:10:26	0.013	0.003	3	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/14/2007 05:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0520) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/14/2007 5:42	0		0	
2	8/14/2007 5:57	0		0	
3	8/14/2007 6:12	0		0	
4	8/14/2007 6:27	0		0	
5	8/14/2007 6:42	0		0	
6	8/14/2007 6:57	0		0	
7	8/14/2007 7:12	0		0	
8	8/14/2007 7:27	0		0	
9	8/14/2007 7:42	0		0	
10	8/14/2007 7:57	0		0	
11	8/14/2007 8:12	0		0	
12	8/14/2007 8:27	0		0	
13	8/14/2007 8:42	0		0	
14	8/14/2007 8:57	0		0	
15	8/14/2007 9:12	0		0	
16	8/14/2007 9:27	0		0	
17	8/14/2007 9:42	0.6		0.6	*Shaw testing of AKRF equipment at STA 1
18	8/14/2007 9:57	0		0	
19	8/14/2007 10:12	0		0	
20	8/14/2007 10:27	0		0	
21	8/14/2007 10:42	0		0	
22	8/14/2007 10:57	0		0	
23	8/14/2007 11:12	0		0	
24	8/14/2007 11:27	0		0	
25	8/14/2007 11:42	0		0	
26	8/14/2007 11:57	0		0	
27	8/14/2007 12:12	0		0	
28	8/14/2007 12:27	0		0	
29	8/14/2007 12:42	0		0	
30	8/14/2007 12:57	0		0	
31	8/14/2007 13:12	0		0	
32	8/14/2007 13:27	0		0	
33	8/14/2007 13:42	0		0	
34	8/14/2007 13:57	0		0	
35	8/14/2007 14:12	0		0	

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/14/2007
Start Time:	5:21:41
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0520) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/14/2007	5:36:41	0.011	0.002	2	
8/14/2007	5:51:41	0.01	0.001	1	
8/14/2007	6:06:41	0.011	0.002	2	
8/14/2007	6:21:41	0.01	0.001	1	
8/14/2007	6:36:41	0.011	0.002	2	
8/14/2007	6:51:41	0.012	0.003	3	
8/14/2007	7:06:41	0.012	0.003	3	
8/14/2007	7:21:41	0.014	0.005	5	
8/14/2007	7:36:41	0.021	0.012	12	
8/14/2007	7:51:41	0.021	0.012	12	
8/14/2007	8:06:41	0.029	0.02	20	
8/14/2007	8:21:41	0.021	0.012	12	
8/14/2007	8:36:41	0.018	0.009	9	
8/14/2007	8:51:41	0.017	0.008	8	
8/14/2007	9:06:41	0.011	0.002	2	
8/14/2007	9:21:41	0.013	0.004	4	
8/14/2007	9:36:41	0.016	0.007	7	
8/14/2007	9:51:41	0.119	0.11	110	*Shaw testing of AKRF equipment at STA 4
8/14/2007	10:06:41	0.014	0.005	5	
8/14/2007	10:21:41	0.018	0.009	9	
8/14/2007	10:36:41	0.014	0.005	5	
8/14/2007	10:51:41	0.014	0.005	5	
8/14/2007	11:06:41	0.013	0.004	4	
8/14/2007	11:21:41	0.017	0.008	8	
8/14/2007	11:36:41	0.039	0.03	30	
8/14/2007	11:51:41	0.029	0.02	20	
8/14/2007	12:06:41	0.012	0.003	3	
8/14/2007	12:21:41	0.017	0.008	8	
8/14/2007	12:36:41	0.02	0.011	11	
8/14/2007	12:51:41	0.019	0.01	10	
8/14/2007	13:06:41	0.023	0.014	14	
8/14/2007	13:21:41	0.012	0.003	3	
8/14/2007	13:36:41	0.011	0.002	2	
8/14/2007	13:51:41	0.009	0	0	
8/14/2007	14:06:41	0.01	0.001	1	
8/14/2007	14:21:41	0.009	0	0	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/15/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/15/2007 7:10	0		0
2	8/15/2007 7:25	0		0
3	8/15/2007 7:40	0		0
4	8/15/2007 7:55	0		0
5	8/15/2007 8:10	0		0
6	8/15/2007 8:25	0		0
7	8/15/2007 8:40	0		0
8	8/15/2007 8:55	0		0
9	8/15/2007 9:10	0		0
10	8/15/2007 9:25	0		0
11	8/15/2007 9:40	0		0
12	8/15/2007 9:55	0		0
13	8/15/2007 10:10	0		0
14	8/15/2007 10:25	0		0
15	8/15/2007 10:40	0		0
16	8/15/2007 10:55	0		0
17	8/15/2007 11:10	0		0
18	8/15/2007 11:25	0		0
19	8/15/2007 11:40	0		0
20	8/15/2007 11:55	0		0
21	8/15/2007 12:10	0		0
22	8/15/2007 12:25	0		0
23	8/15/2007 12:40	0		0
24	8/15/2007 12:55	0		0
25	8/15/2007 13:10	0		0
26	8/15/2007 13:25	0		0
27	8/15/2007 13:40	0		0
28	8/15/2007 13:55	0		0
29	8/15/2007 14:10	0		0
30	8/15/2007 14:25	0		0
31	8/15/2007 14:40	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/15/2007
Start Time:	6:52:11
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0650) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2007	7:07:11	0.009	0.001	1
8/15/2007	7:22:11	0.014	0.006	6
8/15/2007	7:37:11	0.014	0.006	6
8/15/2007	7:52:11	0.015	0.007	7
8/15/2007	8:07:11	0.012	0.004	4
8/15/2007	8:22:11	0.009	0.001	1
8/15/2007	8:37:11	0.014	0.006	6
8/15/2007	8:52:11	0.019	0.011	11
8/15/2007	9:07:11	0.016	0.008	8
8/15/2007	9:22:11	0.01	0.002	2
8/15/2007	9:37:11	0.01	0.002	2
8/15/2007	9:52:11	0.017	0.009	9
8/15/2007	10:07:11	0.024	0.016	16
8/15/2007	10:22:11	0.009	0.001	1
8/15/2007	10:37:11	0.011	0.003	3
8/15/2007	10:52:11	0.01	0.002	2
8/15/2007	11:07:11	0.011	0.003	3
8/15/2007	11:22:11	0.012	0.004	4
8/15/2007	11:37:11	0.011	0.003	3
8/15/2007	11:52:11	0.011	0.003	3
8/15/2007	12:07:11	0.01	0.002	2
8/15/2007	12:22:11	0.009	0.001	1
8/15/2007	12:37:11	0.011	0.003	3
8/15/2007	12:52:11	0.015	0.007	7
8/15/2007	13:07:11	0.019	0.011	11
8/15/2007	13:22:11	0.017	0.009	9
8/15/2007	13:37:11	0.017	0.009	9
8/15/2007	13:52:11	0.042	0.034	34
8/15/2007	14:07:11	0.025	0.017	17
8/15/2007	14:22:11	0.013	0.005	5
8/15/2007	14:37:11	0.012	0.004	4
8/15/2007	14:52:11	0.013	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/15/2007 06:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/15/2007 7:51	0		0
2	8/15/2007 8:06	0		0
3	8/15/2007 8:21	0.1		0.1
4	8/15/2007 8:36	0.1		0.1
5	8/15/2007 8:51	0.1		0.1
6	8/15/2007 9:06	0.1		0.1
7	8/15/2007 9:21	0.2		0.2
8	8/15/2007 9:36	0.2		0.2
9	8/15/2007 9:51	0.2		0.2
10	8/15/2007 10:06	0.2		0.2
11	8/15/2007 10:21	0.2		0.2
12	8/15/2007 10:36	0.2		0.2
13	8/15/2007 10:51	0.2		0.2
14	8/15/2007 11:06	0.2		0.2
15	8/15/2007 11:21	0.2		0.2
16	8/15/2007 11:36	0.3		0.3
17	8/15/2007 11:51	0.3		0.3
18	8/15/2007 12:06	0.3		0.3
19	8/15/2007 12:21	0.3		0.3
20	8/15/2007 12:36	0.3		0.3
21	8/15/2007 12:51	0.3		0.3
22	8/15/2007 13:06	0.3		0.3
23	8/15/2007 13:21	0.3		0.3
24	8/15/2007 13:36	0.3		0.3
25	8/15/2007 13:51	0.3		0.3
26	8/15/2007 14:06	0.3		0.3
27	8/15/2007 14:21	0.3		0.3
28	8/15/2007 14:36	0.3		0.3
29	8/15/2007 14:51	0.3		0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/15/2007
Start Time:	7:33:30
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0720) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2007	7:48:30	0.02	-0.004	-4
8/15/2007	8:03:30	0.019	-0.005	-5
8/15/2007	8:18:30	0.017	-0.007	-7
8/15/2007	8:33:30	0.019	-0.005	-5
8/15/2007	8:48:30	0.02	-0.004	-4
8/15/2007	9:03:30	0.02	-0.004	-4
8/15/2007	9:18:30	0.019	-0.005	-5
8/15/2007	9:33:30	0.02	-0.004	-4
8/15/2007	9:48:30	0.021	-0.003	-3
8/15/2007	10:03:30	0.02	-0.004	-4
8/15/2007	10:18:30	0.02	-0.004	-4
8/15/2007	10:33:30	0.02	-0.004	-4
8/15/2007	10:48:30	0.02	-0.004	-4
8/15/2007	11:03:30	0.02	-0.004	-4
8/15/2007	11:18:30	0.021	-0.003	-3
8/15/2007	11:33:30	0.022	-0.002	-2
8/15/2007	11:48:30	0.023	-0.001	-1
8/15/2007	12:03:30	0.022	-0.002	-2
8/15/2007	12:18:30	0.022	-0.002	-2
8/15/2007	12:33:30	0.023	-0.001	-1
8/15/2007	12:48:30	0.027	0.003	3
8/15/2007	13:03:30	0.026	0.002	2
8/15/2007	13:18:30	0.027	0.003	3
8/15/2007	13:33:30	0.023	-0.001	-1
8/15/2007	13:48:30	0.025	0.001	1
8/15/2007	14:03:30	0.025	0.001	1
8/15/2007	14:18:30	0.026	0.002	2
8/15/2007	14:33:30	0.027	0.003	3
8/15/2007	14:48:30	0.029	0.005	5
8/15/2007	15:03:30	0.029	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/15/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/15/2007 7:32	0		0
2	8/15/2007 7:47	0		0
3	8/15/2007 8:02	0		0
4	8/15/2007 8:17	0		0
5	8/15/2007 8:32	0		0
6	8/15/2007 8:47	0		0
7	8/15/2007 9:02	0		0
8	8/15/2007 9:17	0		0
9	8/15/2007 9:32	0		0
10	8/15/2007 9:47	0		0
11	8/15/2007 10:02	0		0
12	8/15/2007 10:17	0		0
13	8/15/2007 10:32	0		0
14	8/15/2007 10:47	0		0
15	8/15/2007 11:02	0		0
16	8/15/2007 11:17	0		0
17	8/15/2007 11:32	0		0
18	8/15/2007 11:47	0		0
19	8/15/2007 12:02	0		0
20	8/15/2007 12:17	0		0
21	8/15/2007 12:32	0		0
22	8/15/2007 12:47	0		0
23	8/15/2007 13:02	0		0
24	8/15/2007 13:17	0		0
25	8/15/2007 13:32	0		0
26	8/15/2007 13:47	0		0
27	8/15/2007 14:02	0		0
28	8/15/2007 14:17	0		0
29	8/15/2007 14:32	0		0
30	8/15/2007 14:47	0		0

0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/15/2007
Start Time:	7:20:21
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0705) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2007	7:35:21	0.036	0	0
8/15/2007	7:50:21	0.036	0	0
8/15/2007	8:05:21	0.043	0.007	7
8/15/2007	8:20:21	0.044	0.008	8
8/15/2007	8:35:21	0.035	-0.001	-1
8/15/2007	8:50:21	0.032	-0.004	-4
8/15/2007	9:05:21	0.034	-0.002	-2
8/15/2007	9:20:21	0.037	0.001	1
8/15/2007	9:35:21	0.034	-0.002	-2
8/15/2007	9:50:21	0.036	0	0
8/15/2007	10:05:21	0.038	0.002	2
8/15/2007	10:20:21	0.041	0.005	5
8/15/2007	10:35:21	0.044	0.008	8
8/15/2007	10:50:21	0.041	0.005	5
8/15/2007	11:05:21	0.042	0.006	6
8/15/2007	11:20:21	0.037	0.001	1
8/15/2007	11:35:21	0.041	0.005	5
8/15/2007	11:50:21	0.041	0.005	5
8/15/2007	12:05:21	0.04	0.004	4
8/15/2007	12:20:21	0.038	0.002	2
8/15/2007	12:35:21	0.041	0.005	5
8/15/2007	12:50:21	0.045	0.009	9
8/15/2007	13:05:21	0.049	0.013	13
8/15/2007	13:20:21	0.048	0.012	12
8/15/2007	13:35:21	0.049	0.013	13
8/15/2007	13:50:21	0.043	0.007	7
8/15/2007	14:05:21	0.051	0.015	15
8/15/2007	14:20:21	0.044	0.008	8
8/15/2007	14:35:21	0.051	0.015	15
8/15/2007	14:50:21	0.05	0.014	14
8/15/2007	15:05:21	0.049	0.013	13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/15/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/15/2007 7:34	0		0
2	8/15/2007 7:49	0		0
3	8/15/2007 8:04	0		0
4	8/15/2007 8:19	0		0
5	8/15/2007 8:34	0		0
6	8/15/2007 8:49	0		0
7	8/15/2007 9:04	0		0
8	8/15/2007 9:19	0		0
9	8/15/2007 9:34	0		0
10	8/15/2007 9:49	0		0
11	8/15/2007 10:04	0		0
12	8/15/2007 10:19	0		0
13	8/15/2007 10:34	0		0
14	8/15/2007 10:49	0		0
15	8/15/2007 11:04	0		0
16	8/15/2007 11:19	0		0
17	8/15/2007 11:34	0		0
18	8/15/2007 11:49	0		0
19	8/15/2007 12:04	0		0
20	8/15/2007 12:19	0		0
21	8/15/2007 12:34	0		0
22	8/15/2007 12:49	0		0
23	8/15/2007 13:04	0		0
24	8/15/2007 13:19	0		0
25	8/15/2007 13:34	0		0
26	8/15/2007 13:49	0		0
27	8/15/2007 14:04	0		0
28	8/15/2007 14:19	0		0
29	8/15/2007 14:34	0		0
30	8/15/2007 14:49	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/15/2007
Start Time:	7:13:14
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0700) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/15/2007	7:28:14	0.025	0.001	1
8/15/2007	7:43:14	0.027	0.003	3
8/15/2007	7:58:14	0.03	0.006	6
8/15/2007	8:13:14	0.027	0.003	3
8/15/2007	8:28:14	0.023	-0.001	-1
8/15/2007	8:43:14	0.029	0.005	5
8/15/2007	8:58:14	0.024	0	0
8/15/2007	9:13:14	0.025	0.001	1
8/15/2007	9:28:14	0.028	0.004	4
8/15/2007	9:43:14	0.028	0.004	4
8/15/2007	9:58:14	0.026	0.002	2
8/15/2007	10:13:14	0.031	0.007	7
8/15/2007	10:28:14	0.029	0.005	5
8/15/2007	10:43:14	0.032	0.008	8
8/15/2007	10:58:14	0.027	0.003	3
8/15/2007	11:13:14	0.025	0.001	1
8/15/2007	11:28:14	0.022	-0.002	-2
8/15/2007	11:43:14	0.048	0.024	24
8/15/2007	11:58:14	0.039	0.015	15
8/15/2007	12:13:14	0.025	0.001	1
8/15/2007	12:28:14	0.025	0.001	1
8/15/2007	12:43:14	0.04	0.016	16
8/15/2007	12:58:14	0.032	0.008	8
8/15/2007	13:13:14	0.034	0.01	10
8/15/2007	13:28:14	0.048	0.024	24
8/15/2007	13:43:14	0.035	0.011	11
8/15/2007	13:58:14	0.03	0.006	6
8/15/2007	14:13:14	0.033	0.009	9
8/15/2007	14:28:14	0.029	0.005	5
8/15/2007	14:43:14	0.031	0.007	7
8/15/2007	14:58:14	0.034	0.01	10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/16/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/16/2007 6:16	0		0
2	8/16/2007 6:31	0		0
3	8/16/2007 6:46	0		0
4	8/16/2007 7:01	0		0
5	8/16/2007 7:16	0		0
6	8/16/2007 7:31	0		0
7	8/16/2007 7:46	0		0
8	8/16/2007 8:01	0		0
9	8/16/2007 8:16	0		0
10	8/16/2007 8:31	0		0
11	8/16/2007 8:46	0		0
12	8/16/2007 9:01	0		0
13	8/16/2007 9:16	0		0
14	8/16/2007 9:31	0		0
15	8/16/2007 9:46	0		0
16	8/16/2007 10:01	0		0
17	8/16/2007 10:16	0		0
18	8/16/2007 10:31	0		0
19	8/16/2007 10:46	0		0
20	8/16/2007 11:01	0		0
21	8/16/2007 11:16	0		0
22	8/16/2007 11:31	0		0
23	8/16/2007 11:46	0		0
24	8/16/2007 12:01	0		0
25	8/16/2007 12:16	0		0
26	8/16/2007 12:31	0		0
27	8/16/2007 12:46	0		0
28	8/16/2007 13:01	0		0
29	8/16/2007 13:16	0		0
30	8/16/2007 13:31	0		0
31	8/16/2007 13:46	0		0
32	8/16/2007 14:01	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/16/2007
Start Time:	6:02:09
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0600) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2007	6:17:09	0.018	0.007	7
8/16/2007	6:32:09	0.016	0.005	5
8/16/2007	6:47:09	0.015	0.004	4
8/16/2007	7:02:09	0.022	0.011	11
8/16/2007	7:17:09	0.024	0.013	13
8/16/2007	7:32:09	0.024	0.013	13
8/16/2007	7:47:09	0.021	0.01	10
8/16/2007	8:02:09	0.02	0.009	9
8/16/2007	8:17:09	0.02	0.009	9
8/16/2007	8:32:09	0.022	0.011	11
8/16/2007	8:47:09	0.02	0.009	9
8/16/2007	9:02:09	0.02	0.009	9
8/16/2007	9:17:09	0.021	0.01	10
8/16/2007	9:32:09	0.022	0.011	11
8/16/2007	9:47:09	0.024	0.013	13
8/16/2007	10:02:09	0.026	0.015	15
8/16/2007	10:17:09	0.028	0.017	17
8/16/2007	10:32:09	0.027	0.016	16
8/16/2007	10:47:09	0.025	0.014	14
8/16/2007	11:02:09	0.025	0.014	14
8/16/2007	11:17:09	0.024	0.013	13
8/16/2007	11:32:09	0.025	0.014	14
8/16/2007	11:47:09	0.026	0.015	15
8/16/2007	12:02:09	0.026	0.015	15
8/16/2007	12:17:09	0.026	0.015	15
8/16/2007	12:32:09	0.023	0.012	12
8/16/2007	12:47:09	0.022	0.011	11
8/16/2007	13:02:09	0.023	0.012	12
8/16/2007	13:17:09	0.024	0.013	13
8/16/2007	13:32:09	0.026	0.015	15
8/16/2007	13:47:09	0.027	0.016	16
8/16/2007	14:02:09	0.03	0.019	19
8/16/2007	14:17:09	0.036	0.025	25

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/16/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/16/2007 6:32	0		0
2	8/16/2007 6:47	0		0
3	8/16/2007 7:02	0		0
4	8/16/2007 7:17	0.1		0.1
5	8/16/2007 7:32	0.1		0.1
6	8/16/2007 7:47	0.1		0.1
7	8/16/2007 8:02	0.2		0.2
8	8/16/2007 8:17	0.2		0.2
9	8/16/2007 8:32	0.2		0.2
10	8/16/2007 8:47	0.2		0.2
11	8/16/2007 9:02	0.3		0.3
12	8/16/2007 9:17	0.3		0.3
13	8/16/2007 9:32	0.3		0.3
14	8/16/2007 9:47	0.3		0.3
15	8/16/2007 10:02	0.3		0.3
16	8/16/2007 10:17	0.3		0.3
17	8/16/2007 10:32	0.3		0.3
18	8/16/2007 10:47	0.3		0.3
19	8/16/2007 11:02	0.3		0.3
20	8/16/2007 11:17	0.3		0.3
21	8/16/2007 11:32	0.3		0.3
22	8/16/2007 11:47	0.3		0.3
23	8/16/2007 12:02	0.3		0.3
24	8/16/2007 12:17	0.3		0.3
25	8/16/2007 12:32	0.3		0.3
26	8/16/2007 12:47	0.3		0.3
27	8/16/2007 13:02	0.3		0.3
28	8/16/2007 13:17	0.3		0.3
29	8/16/2007 13:32	0.3		0.3
30	8/16/2007 13:47	0.3		0.3
31	8/16/2007 14:02	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/16/2007
Start Time:	6:15:34
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0613) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2007	6:30:34	0.032	0.009	9
8/16/2007	6:45:34	0.031	0.008	8
8/16/2007	7:00:34	0.033	0.01	10
8/16/2007	7:15:34	0.038	0.015	15
8/16/2007	7:30:34	0.042	0.019	19
8/16/2007	7:45:34	0.043	0.02	20
8/16/2007	8:00:34	0.039	0.016	16
8/16/2007	8:15:34	0.043	0.02	20
8/16/2007	8:30:34	0.042	0.019	19
8/16/2007	8:45:34	0.038	0.015	15
8/16/2007	9:00:34	0.042	0.019	19
8/16/2007	9:15:34	0.046	0.023	23
8/16/2007	9:30:34	0.047	0.024	24
8/16/2007	9:45:34	0.051	0.028	28
8/16/2007	10:00:34	0.053	0.03	30
8/16/2007	10:15:34	0.057	0.034	34
8/16/2007	10:30:34	0.055	0.032	32
8/16/2007	10:45:34	0.053	0.03	30
8/16/2007	11:00:34	0.053	0.03	30
8/16/2007	11:15:34	0.052	0.029	29
8/16/2007	11:30:34	0.055	0.032	32
8/16/2007	11:45:34	0.054	0.031	31
8/16/2007	12:00:34	0.054	0.031	31
8/16/2007	12:15:34	0.056	0.033	33
8/16/2007	12:30:34	0.049	0.026	26
8/16/2007	12:45:34	0.048	0.025	25
8/16/2007	13:00:34	0.046	0.023	23
8/16/2007	13:15:34	0.047	0.024	24
8/16/2007	13:30:34	0.057	0.034	34
8/16/2007	13:45:34	0.055	0.032	32
8/16/2007	14:00:34	0.055	0.032	32
8/16/2007	14:15:34	0.059	0.036	36

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/16/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/16/2007 6:42	0		0
2	8/16/2007 6:57	0		0
3	8/16/2007 7:12	0		0
4	8/16/2007 7:27	0		0
5	8/16/2007 7:42	0		0
6	8/16/2007 7:57	0		0
7	8/16/2007 8:12	0		0
8	8/16/2007 8:27	0		0
9	8/16/2007 8:42	0		0
10	8/16/2007 8:57	0		0
11	8/16/2007 9:12	0		0
12	8/16/2007 9:27	0		0
13	8/16/2007 9:42	0		0
14	8/16/2007 9:57	0		0
15	8/16/2007 10:12	0		0
16	8/16/2007 10:27	0		0
17	8/16/2007 10:42	0		0
18	8/16/2007 10:57	0		0
19	8/16/2007 11:12	0		0
20	8/16/2007 11:27	0		0
21	8/16/2007 11:42	0		0
22	8/16/2007 11:57	0		0
23	8/16/2007 12:12	0		0
24	8/16/2007 12:27	0		0
25	8/16/2007 12:42	0		0
26	8/16/2007 12:57	0		0
27	8/16/2007 13:12	0		0
28	8/16/2007 13:27	0		0
29	8/16/2007 13:42	0		0
30	8/16/2007 13:57	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/16/2007
Start Time:	6:30:40
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0630) = 0.050 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2007	6:45:40	0.053	0.003	3
8/16/2007	7:00:40	0.059	0.009	9
8/16/2007	7:15:40	0.071	0.021	21
8/16/2007	7:30:40	0.077	0.027	27
8/16/2007	7:45:40	0.078	0.028	28
8/16/2007	8:00:40	0.072	0.022	22
8/16/2007	8:15:40	0.086	0.036	36
8/16/2007	8:30:40	0.076	0.026	26
8/16/2007	8:45:40	0.069	0.019	19
8/16/2007	9:00:40	0.076	0.026	26
8/16/2007	9:15:40	0.083	0.033	33
8/16/2007	9:30:40	0.086	0.036	36
8/16/2007	9:45:40	0.092	0.042	42
8/16/2007	10:00:40	0.103	0.053	53
8/16/2007	10:15:40	0.121	0.071	71
8/16/2007	10:30:40	0.113	0.063	63
8/16/2007	10:45:40	0.103	0.053	53
8/16/2007	11:00:40	0.101	0.051	51
8/16/2007	11:15:40	0.102	0.052	52
8/16/2007	11:30:40	0.103	0.053	53
8/16/2007	11:45:40	0.101	0.051	51
8/16/2007	12:00:40	0.101	0.051	51
8/16/2007	12:15:40	0.105	0.055	55
8/16/2007	12:30:40	0.09	0.04	40
8/16/2007	12:45:40	0.086	0.036	36
8/16/2007	13:00:40	0.091	0.041	41
8/16/2007	13:15:40	0.094	0.044	44
8/16/2007	13:30:40	0.106	0.056	56
8/16/2007	13:45:40	0.106	0.056	56
8/16/2007	14:00:40	0.113	0.063	63
8/16/2007	14:15:40	0.131	0.081	81

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/16/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/16/2007 6:47	0		0
2	8/16/2007 7:02	0		0
3	8/16/2007 7:17	0		0
4	8/16/2007 7:32	0.1		0.1
5	8/16/2007 7:47	0		0
6	8/16/2007 8:02	0		0
7	8/16/2007 8:17	0		0
8	8/16/2007 8:32	0		0
9	8/16/2007 8:47	0.1		0.1
10	8/16/2007 9:02	0.1		0.1
11	8/16/2007 9:17	0.1		0.1
12	8/16/2007 9:32	0.1		0.1
13	8/16/2007 9:47	0.1		0.1
14	8/16/2007 10:02	0.1		0.1
15	8/16/2007 10:17	0.1		0.1
16	8/16/2007 10:32	0.1		0.1
17	8/16/2007 10:47	0.1		0.1
18	8/16/2007 11:02	0.1		0.1
19	8/16/2007 11:17	0.1		0.1
20	8/16/2007 11:32	0.1		0.1
21	8/16/2007 11:47	0.1		0.1
22	8/16/2007 12:02	0.1		0.1
23	8/16/2007 12:17	0.1		0.1
24	8/16/2007 12:32	0.1		0.1
25	8/16/2007 12:47	0.1		0.1
26	8/16/2007 13:02	0.1		0.1
27	8/16/2007 13:17	0		0
28	8/16/2007 13:32	0		0
29	8/16/2007 13:47	0.1		0.1
30	8/16/2007 14:02	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/16/2007
Start Time:	6:27:54
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0625) = 0.032 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/16/2007	6:42:54	0.039	0.007	7
8/16/2007	6:57:54	0.043	0.011	11
8/16/2007	7:12:54	0.052	0.02	20
8/16/2007	7:27:54	0.057	0.025	25
8/16/2007	7:42:54	0.062	0.03	30
8/16/2007	7:57:54	0.057	0.025	25
8/16/2007	8:12:54	0.064	0.032	32
8/16/2007	8:27:54	0.056	0.024	24
8/16/2007	8:42:54	0.048	0.016	16
8/16/2007	8:57:54	0.056	0.024	24
8/16/2007	9:12:54	0.059	0.027	27
8/16/2007	9:27:54	0.062	0.03	30
8/16/2007	9:42:54	0.065	0.033	33
8/16/2007	9:57:54	0.072	0.04	40
8/16/2007	10:12:54	0.077	0.045	45
8/16/2007	10:27:54	0.081	0.049	49
8/16/2007	10:42:54	0.082	0.05	50
8/16/2007	10:57:54	0.077	0.045	45
8/16/2007	11:12:54	0.076	0.044	44
8/16/2007	11:27:54	0.074	0.042	42
8/16/2007	11:42:54	0.076	0.044	44
8/16/2007	11:57:54	0.076	0.044	44
8/16/2007	12:12:54	0.077	0.045	45
8/16/2007	12:27:54	0.069	0.037	37
8/16/2007	12:42:54	0.064	0.032	32
8/16/2007	12:57:54	0.068	0.036	36
8/16/2007	13:12:54	0.068	0.036	36
8/16/2007	13:27:54	0.071	0.039	39
8/16/2007	13:42:54	0.073	0.041	41
8/16/2007	13:57:54	0.081	0.049	49
8/16/2007	14:12:54	0.087	0.055	55

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/17/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/17/2007 6:21	0		0
2	8/17/2007 6:36	0		0
3	8/17/2007 6:51	0		0
4	8/17/2007 7:06	0		0
5	8/17/2007 7:21	0		0
6	8/17/2007 7:36	0		0
7	8/17/2007 7:51	0		0
8	8/17/2007 8:06	0		0
9	8/17/2007 8:21	0		0
10	8/17/2007 8:36	0		0
11	8/17/2007 8:51	0		0
12	8/17/2007 9:06	0		0
13	8/17/2007 9:21	0		0
14	8/17/2007 9:36	0		0
15	8/17/2007 9:51	0		0
16	8/17/2007 10:06	0		0
17	8/17/2007 10:21	0		0
18	8/17/2007 10:36	0		0
19	8/17/2007 10:51	0		0
20	8/17/2007 11:06	0		0
21	8/17/2007 11:21	0		0
22	8/17/2007 11:36	0		0
23	8/17/2007 11:51	0		0
24	8/17/2007 12:06	0		0
25	8/17/2007 12:21	0		0
26	8/17/2007 12:36	0		0
27	8/17/2007 12:51	0		0
28	8/17/2007 13:06	0		0
29	8/17/2007 13:21	0		0
30	8/17/2007 13:36	0		0
31	8/17/2007 13:51	0		0
32	8/17/2007 14:06	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/17/2007
Start Time:	6:06:53
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0605) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2007	6:21:53	0.018	-0.015	-15
8/17/2007	6:36:53	0.012	-0.021	-21
8/17/2007	6:51:53	0.012	-0.021	-21
8/17/2007	7:06:53	0.012	-0.021	-21
8/17/2007	7:21:53	0.013	-0.02	-20
8/17/2007	7:36:53	0.009	-0.024	-24
8/17/2007	7:51:53	0.01	-0.023	-23
8/17/2007	8:06:53	0.007	-0.026	-26
8/17/2007	8:21:53	0.009	-0.024	-24
8/17/2007	8:36:53	0.007	-0.026	-26
8/17/2007	8:51:53	0.007	-0.026	-26
8/17/2007	9:06:53	0.006	-0.027	-27
8/17/2007	9:21:53	0.006	-0.027	-27
8/17/2007	9:36:53	0.006	-0.027	-27
8/17/2007	9:51:53	0.009	-0.024	-24
8/17/2007	10:06:53	0.006	-0.027	-27
8/17/2007	10:21:53	0.005	-0.028	-28
8/17/2007	10:36:53	0.005	-0.028	-28
8/17/2007	10:51:53	0.008	-0.025	-25
8/17/2007	11:06:53	0.005	-0.028	-28
8/17/2007	11:21:53	0.006	-0.027	-27
8/17/2007	11:36:53	0.005	-0.028	-28
8/17/2007	11:51:53	0.005	-0.028	-28
8/17/2007	12:06:53	0.005	-0.028	-28
8/17/2007	12:21:53	0.006	-0.027	-27
8/17/2007	12:36:53	0.006	-0.027	-27
8/17/2007	12:51:53	0.006	-0.027	-27
8/17/2007	13:06:53	0.006	-0.027	-27
8/17/2007	13:21:53	0.007	-0.026	-26
8/17/2007	13:36:53	0.007	-0.026	-26
8/17/2007	13:51:53	0.009	-0.024	-24
8/17/2007	14:06:53	0.008	-0.025	-25
8/17/2007	14:21:53	0.01	-0.023	-23

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/17/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/17/2007 6:33	0		0
2	8/17/2007 6:48	0.1		0.1
3	8/17/2007 7:03	0.1		0.1
4	8/17/2007 7:18	0.2		0.2
5	8/17/2007 7:33	0.2		0.2
6	8/17/2007 7:48	0.2		0.2
7	8/17/2007 8:03	0.3		0.3
8	8/17/2007 8:18	0.3		0.3
9	8/17/2007 8:33	0.3		0.3
10	8/17/2007 8:48	0.3		0.3
11	8/17/2007 9:03	0.3		0.3
12	8/17/2007 9:18	0.3		0.3
13	8/17/2007 9:33	0.4		0.4
14	8/17/2007 9:48	0.4		0.4
15	8/17/2007 10:03	0.4		0.4
16	8/17/2007 10:18	0.4		0.4
17	8/17/2007 10:33	0.4		0.4
18	8/17/2007 10:48	0.4		0.4
19	8/17/2007 11:03	0.4		0.4
20	8/17/2007 11:18	0.4		0.4
21	8/17/2007 11:33	0.5		0.5
22	8/17/2007 11:48	0.4		0.4
23	8/17/2007 12:03	0.5		0.5
24	8/17/2007 12:18	0.4		0.4
25	8/17/2007 12:33	0.5		0.5
26	8/17/2007 12:48	0.4		0.4
27	8/17/2007 13:03	0.5		0.5
28	8/17/2007 13:18	0.4		0.4
29	8/17/2007 13:33	0.5		0.5
30	8/17/2007 13:48	0.5		0.5
31	8/17/2007 14:03	0.5		0.5
32	8/17/2007 14:18	0.5		0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/17/2007
Start Time:	6:16:28
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0614) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2007	6:31:28	0.024	0.006	6
8/17/2007	6:46:28	0.02	0.002	2
8/17/2007	7:01:28	0.03	0.012	12
8/17/2007	7:16:28	0.021	0.003	3
8/17/2007	7:31:28	0.022	0.004	4
8/17/2007	7:46:28	0.024	0.006	6
8/17/2007	8:01:28	0.016	-0.002	-2
8/17/2007	8:16:28	0.025	0.007	7
8/17/2007	8:31:28	0.016	-0.002	-2
8/17/2007	8:46:28	0.016	-0.002	-2
8/17/2007	9:01:28	0.016	-0.002	-2
8/17/2007	9:16:28	0.015	-0.003	-3
8/17/2007	9:31:28	0.016	-0.002	-2
8/17/2007	9:46:28	0.015	-0.003	-3
8/17/2007	10:01:28	0.016	-0.002	-2
8/17/2007	10:16:28	0.015	-0.003	-3
8/17/2007	10:31:28	0.013	-0.005	-5
8/17/2007	10:46:28	0.013	-0.005	-5
8/17/2007	11:01:28	0.017	-0.001	-1
8/17/2007	11:16:28	0.012	-0.006	-6
8/17/2007	11:31:28	0.014	-0.004	-4
8/17/2007	11:46:28	0.015	-0.003	-3
8/17/2007	12:01:28	0.016	-0.002	-2
8/17/2007	12:16:28	0.018	0	0
8/17/2007	12:31:28	0.017	-0.001	-1
8/17/2007	12:46:28	0.018	0	0
8/17/2007	13:01:28	0.018	0	0
8/17/2007	13:16:28	0.021	0.003	3
8/17/2007	13:31:28	0.021	0.003	3
8/17/2007	13:46:28	0.021	0.003	3
8/17/2007	14:01:28	0.021	0.003	3
8/17/2007	14:16:28	0.021	0.003	3
8/17/2007	14:31:28	0.023	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/17/2007 05:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/17/2007 6:37	0.1		0.1
2	8/17/2007 6:52	0.1		0.1
3	8/17/2007 7:07	0.1		0.1
4	8/17/2007 7:22	0.1		0.1
5	8/17/2007 7:37	0.1		0.1
6	8/17/2007 7:52	0.1		0.1
7	8/17/2007 8:07	0.1		0.1
8	8/17/2007 8:22	0.1		0.1
9	8/17/2007 8:37	0.2		0.2
10	8/17/2007 8:52	0.2		0.2
11	8/17/2007 9:07	0.2		0.2
12	8/17/2007 9:22	0.2		0.2
13	8/17/2007 9:37	0.2		0.2
14	8/17/2007 9:52	0.2		0.2
15	8/17/2007 10:07	0.2		0.2
16	8/17/2007 10:22	0.2		0.2
17	8/17/2007 10:37	0.2		0.2
18	8/17/2007 10:52	0.2		0.2
19	8/17/2007 11:07	0.2		0.2
20	8/17/2007 11:22	0.2		0.2
21	8/17/2007 11:37	0.2		0.2
22	8/17/2007 11:52	0.3		0.3
23	8/17/2007 12:07	0.3		0.3
24	8/17/2007 12:22	0.2		0.2
25	8/17/2007 12:37	0.2		0.2
26	8/17/2007 12:52	0.2		0.2
27	8/17/2007 13:07	0.2		0.2
28	8/17/2007 13:22	0.2		0.2
29	8/17/2007 13:37	0.2		0.2
30	8/17/2007 13:52	0.2		0.2
31	8/17/2007 14:07	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/17/2007
Start Time:	6:25:22
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	

Background Reading (0624) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2007	6:40:22	0.039	-0.012	-12
8/17/2007	6:55:22	0.046	-0.005	-5
8/17/2007	7:10:22	0.036	-0.015	-15
8/17/2007	7:25:22	0.033	-0.018	-18
8/17/2007	7:40:22	0.035	-0.016	-16
8/17/2007	7:55:22	0.025	-0.026	-26
8/17/2007	8:10:22	0.03	-0.021	-21
8/17/2007	8:25:22	0.027	-0.024	-24
8/17/2007	8:40:22	0.024	-0.027	-27
8/17/2007	8:55:22	0.024	-0.027	-27
8/17/2007	9:10:22	0.023	-0.028	-28
8/17/2007	9:25:22	0.024	-0.027	-27
8/17/2007	9:40:22	0.022	-0.029	-29
8/17/2007	9:55:22	0.02	-0.031	-31
8/17/2007	10:10:22	0.02	-0.031	-31
8/17/2007	10:25:22	0.018	-0.033	-33
8/17/2007	10:40:22	0.015	-0.036	-36
8/17/2007	10:55:22	0.016	-0.035	-35
8/17/2007	11:10:22	0.015	-0.036	-36
8/17/2007	11:25:22	0.016	-0.035	-35
8/17/2007	11:40:22	0.018	-0.033	-33
8/17/2007	11:55:22	0.019	-0.032	-32
8/17/2007	12:10:22	0.024	-0.027	-27
8/17/2007	12:25:22	0.032	-0.019	-19
8/17/2007	12:40:22	0.027	-0.024	-24
8/17/2007	12:55:22	0.028	-0.023	-23
8/17/2007	13:10:22	0.033	-0.018	-18
8/17/2007	13:25:22	0.031	-0.02	-20
8/17/2007	13:40:22	0.032	-0.019	-19
8/17/2007	13:55:22	0.042	-0.009	-9
8/17/2007	14:10:22	0.033	-0.018	-18
8/17/2007	14:25:22	0.036	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/17/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/17/2007 6:42	0.1		0.1
2	8/17/2007 6:57	0.1		0.1
3	8/17/2007 7:12	0.2		0.2
4	8/17/2007 7:27	0.2		0.2
5	8/17/2007 7:42	0.2		0.2
6	8/17/2007 7:57	0.2		0.2
7	8/17/2007 8:12	0.2		0.2
8	8/17/2007 8:27	0.2		0.2
9	8/17/2007 8:42	0.3		0.3
10	8/17/2007 8:57	0.2		0.2
11	8/17/2007 9:12	0.2		0.2
12	8/17/2007 9:27	0.3		0.3
13	8/17/2007 9:42	0.3		0.3
14	8/17/2007 9:57	0.3		0.3
15	8/17/2007 10:12	0.2		0.2
16	8/17/2007 10:27	0.2		0.2
17	8/17/2007 10:42	0.2		0.2
18	8/17/2007 10:57	0.2		0.2
19	8/17/2007 11:12	0.3		0.3
20	8/17/2007 11:27	0.3		0.3
21	8/17/2007 11:42	0.3		0.3
22	8/17/2007 11:57	0.3		0.3
23	8/17/2007 12:12	0.2		0.2
24	8/17/2007 12:27	0.2		0.2
25	8/17/2007 12:42	0.2		0.2
26	8/17/2007 12:57	0.2		0.2
27	8/17/2007 13:12	0.2		0.2
28	8/17/2007 13:27	0.2		0.2
29	8/17/2007 13:42	0.2		0.2
30	8/17/2007 13:57	0.3		0.3
31	8/17/2007 14:12	0.3		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/17/2007
Start Time:	6:22:07
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0620) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/17/2007	6:37:07	0.033	-0.007	-7
8/17/2007	6:52:07	0.028	-0.012	-12
8/17/2007	7:07:07	0.034	-0.006	-6
8/17/2007	7:22:07	0.032	-0.008	-8
8/17/2007	7:37:07	0.027	-0.013	-13
8/17/2007	7:52:07	0.023	-0.017	-17
8/17/2007	8:07:07	0.02	-0.02	-20
8/17/2007	8:22:07	0.024	-0.016	-16
8/17/2007	8:37:07	0.028	-0.012	-12
8/17/2007	8:52:07	0.034	-0.006	-6
8/17/2007	9:07:07	0.008	-0.032	-32
8/17/2007	9:22:07	0.009	-0.031	-31
8/17/2007	9:37:07	0.007	-0.033	-33
8/17/2007	9:52:07	0.006	-0.034	-34
8/17/2007	10:07:07	0.009	-0.031	-31
8/17/2007	10:22:07	0.005	-0.035	-35
8/17/2007	10:37:07	0.005	-0.035	-35
8/17/2007	10:52:07	0.004	-0.036	-36
8/17/2007	11:07:07	0.006	-0.034	-34
8/17/2007	11:22:07	0.006	-0.034	-34
8/17/2007	11:37:07	0.007	-0.033	-33
8/17/2007	11:52:07	0.007	-0.033	-33
8/17/2007	12:07:07	0.007	-0.033	-33
8/17/2007	12:22:07	0.007	-0.033	-33
8/17/2007	12:37:07	0.009	-0.031	-31
8/17/2007	12:52:07	0.008	-0.032	-32
8/17/2007	13:07:07	0.006	-0.034	-34
8/17/2007	13:22:07	0.008	-0.032	-32
8/17/2007	13:37:07	0.007	-0.033	-33
8/17/2007	13:52:07	0.006	-0.034	-34
8/17/2007	14:07:07	0.006	-0.034	-34
8/17/2007	14:22:07	0.014	-0.026	-26

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/18/2007 08:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0850) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/18/2007 9:13	0		0
1	8/18/2007 9:59	0		0
2	8/18/2007 10:14	0		0
3	8/18/2007 10:29	0		0
4	8/18/2007 10:44	0		0
5	8/18/2007 10:59	0		0
6	8/18/2007 11:14	0		0
7	8/18/2007 11:29	0		0
8	8/18/2007 11:44	0		0
9	8/18/2007 11:59	0		0
10	8/18/2007 12:14	0		0
11	8/18/2007 12:29	0		0
12	8/18/2007 12:44	0		0
13	8/18/2007 12:59	0		0
14	8/18/2007 13:14	0		0
15	8/18/2007 13:29	0		0
16	8/18/2007 13:44	0		0
17	8/18/2007 13:59	0		0
18	8/18/2007 14:14	0		0
19	8/18/2007 14:29	0		0
20	8/18/2007 14:44	0		0
21	8/18/2007 14:59	0		0
22	8/18/2007 15:14	0		0
23	8/18/2007 15:29	0		0
24	8/18/2007 15:44	0		0
25	8/18/2007 15:59	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/18/2007
Start Time:	8:57:29
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (0850) = 0.002 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/18/2007	9:12:29	0.001	-0.001	-1
8/18/2007	9:27:29	0.001	-0.001	-1
8/18/2007	9:42:29	0.002	0	0
8/18/2007	9:57:29	0.002	0	0
8/18/2007	10:12:29	0.001	-0.001	-1
8/18/2007	10:27:29	0.001	-0.001	-1
8/18/2007	10:42:29	0.002	0	0
8/18/2007	10:57:29	0.001	-0.001	-1
8/18/2007	11:12:29	0.001	-0.001	-1
8/18/2007	11:27:29	0.001	-0.001	-1
8/18/2007	11:42:29	0.002	0	0
8/18/2007	11:57:29	0.002	0	0
8/18/2007	12:12:29	0.001	-0.001	-1
8/18/2007	12:27:29	0.002	0	0
8/18/2007	12:42:29	0.002	0	0
8/18/2007	12:57:29	0.002	0	0
8/18/2007	13:12:29	0.002	0	0
8/18/2007	13:27:29	0.002	0	0
8/18/2007	13:42:29	0.002	0	0
8/18/2007	13:57:29	0.002	0	0
8/18/2007	14:12:29	0.001	-0.001	-1
8/18/2007	14:27:29	0.002	0	0
8/18/2007	14:42:29	0.002	0	0
8/18/2007	14:57:29	0.002	0	0
8/18/2007	15:12:29	0.002	0	0
8/18/2007	15:27:29	0.002	0	0
8/18/2007	15:42:29	0.002	0	0
8/18/2007	15:57:29	0.002	0	0
8/18/2007	16:12:29	0.001	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/18/2007 08:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0850) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/18/2007 9:14	0		0
2	8/18/2007 9:29	0.1		0.1
3	8/18/2007 9:44	0.2		0.2
4	8/18/2007 9:59	0.2		0.2
5	8/18/2007 10:14	0.3		0.3
6	8/18/2007 10:29	0.3		0.3
7	8/18/2007 10:44	0.4		0.4
8	8/18/2007 10:59	0.4		0.4
9	8/18/2007 11:14	0.4		0.4
10	8/18/2007 11:29	0.4		0.4
11	8/18/2007 11:44	0.4		0.4
12	8/18/2007 11:59	0.4		0.4
13	8/18/2007 12:14	0.4		0.4
14	8/18/2007 12:29	0.4		0.4
15	8/18/2007 12:44	0.4		0.4
16	8/18/2007 12:59	0.4		0.4
17	8/18/2007 13:14	0.4		0.4
18	8/18/2007 13:29	0.4		0.4
19	8/18/2007 13:44	0.4		0.4
20	8/18/2007 13:59	0.4		0.4
21	8/18/2007 14:14	0.4		0.4
22	8/18/2007 14:29	0.4		0.4
23	8/18/2007 14:44	0.4		0.4
24	8/18/2007 14:59	0.4		0.4
25	8/18/2007 15:14	0.4		0.4
26	8/18/2007 15:29	0.4		0.4
27	8/18/2007 15:44	0.4		0.4
28	8/18/2007 15:59	0.4		0.4
29	8/18/2007 16:14	0.4		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/18/2007
Start Time:	8:58:40
Duration (dd:hh:mm:ss):	00:04:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	Background Reading (0850) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/18/2007	9:13:40	0.003	-0.004	-4
8/18/2007	9:28:40	0.003	-0.004	-4
8/18/2007	9:43:40	0.004	-0.003	-3
8/18/2007	9:58:40	0.004	-0.003	-3
8/18/2007	10:13:40	0.004	-0.003	-3
8/18/2007	10:28:40	0.004	-0.003	-3
8/18/2007	10:43:40	0.004	-0.003	-3
8/18/2007	10:58:40	0.005	-0.002	-2
8/18/2007	11:13:40	0.004	-0.003	-3
8/18/2007	11:28:40	0.006	-0.001	-1
8/18/2007	11:43:40	0.006	-0.001	-1
8/18/2007	11:58:40	0.005	-0.002	-2
8/18/2007	12:13:40	0.006	-0.001	-1
8/18/2007	12:28:40	0.006	-0.001	-1
8/18/2007	12:43:40	0.005	-0.002	-2
8/18/2007	12:58:40	0.006	-0.001	-1
8/18/2007	13:13:40	0.006	-0.001	-1
8/18/2007	14:15:57	0.006	-0.001	-1
8/18/2007	14:30:57	0.007	0	0
8/18/2007	14:45:57	0.007	0	0
8/18/2007	15:00:57	0.007	0	0
8/18/2007	15:15:57	0.007	0	0
8/18/2007	15:30:57	0.007	0	0
8/18/2007	15:45:57	0.006	-0.001	-1
8/18/2007	16:00:57	0.007	0	0
8/18/2007	16:15:57	0.007	0	0
8/18/2007	16:30:57	0.007	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/18/2007 08:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0849) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/18/2007 9:28	0		0
2	8/18/2007 9:43	0		0
3	8/18/2007 9:58	0		0
4	8/18/2007 10:13	0		0
5	8/18/2007 10:28	0		0
6	8/18/2007 10:43	0		0
7	8/18/2007 10:58	0		0
8	8/18/2007 11:13	0		0
9	8/18/2007 11:28	0		0
10	8/18/2007 11:43	0		0
11	8/18/2007 11:58	0		0
12	8/18/2007 12:13	0		0
13	8/18/2007 12:28	0		0
14	8/18/2007 12:43	0		0
15	8/18/2007 12:58	0		0
16	8/18/2007 13:13	0		0
17	8/18/2007 13:28	0		0
18	8/18/2007 13:43	0		0
19	8/18/2007 13:58	0		0
20	8/18/2007 14:13	0		0
21	8/18/2007 14:28	0		0
22	8/18/2007 14:43	0		0
23	8/18/2007 14:58	0		0
24	8/18/2007 15:13	0		0
25	8/18/2007 15:28	0		0
26	8/18/2007 15:43	0		0
27	8/18/2007 15:58	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/18/2007
Start Time:	9:17:22
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (0849) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/18/2007	9:32:22	0.006	0.001	1
8/18/2007	9:47:22	0.009	0.004	4
8/18/2007	10:02:22	0.007	0.002	2
8/18/2007	10:17:22	0.006	0.001	1
8/18/2007	10:32:22	0.006	0.001	1
8/18/2007	10:47:22	0.006	0.001	1
8/18/2007	11:02:22	0.006	0.001	1
8/18/2007	11:17:22	0.006	0.001	1
8/18/2007	11:32:22	0.008	0.003	3
8/18/2007	11:47:22	0.008	0.003	3
8/18/2007	12:02:22	0.009	0.004	4
8/18/2007	12:17:22	0.008	0.003	3
8/18/2007	12:32:22	0.007	0.002	2
8/18/2007	12:47:22	0.007	0.002	2
8/18/2007	13:02:22	0.007	0.002	2
8/18/2007	13:17:22	0.008	0.003	3
8/18/2007	13:32:22	0.008	0.003	3
8/18/2007	13:47:22	0.009	0.004	4
8/18/2007	14:02:22	0.008	0.003	3
8/18/2007	14:17:22	0.008	0.003	3
8/18/2007	14:32:22	0.009	0.004	4
8/18/2007	14:47:22	0.01	0.005	5
8/18/2007	15:02:22	0.01	0.005	5
8/18/2007	15:17:22	0.011	0.006	6
8/18/2007	15:32:22	0.012	0.007	7
8/18/2007	15:47:22	0.009	0.004	4
8/18/2007	16:02:22	0.01	0.005	5
8/18/2007	16:17:22	0.016	0.011	11

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/18/2007 08:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0905) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/18/2007 9:33	0		0
2	8/18/2007 9:48	0		0
3	8/18/2007 10:03	0		0
4	8/18/2007 10:18	0		0
5	8/18/2007 10:33	0		0
6	8/18/2007 10:48	0		0
7	8/18/2007 11:03	0		0
8	8/18/2007 11:18	0		0
9	8/18/2007 11:33	0		0
10	8/18/2007 11:48	0		0
11	8/18/2007 12:03	0		0
12	8/18/2007 12:18	0		0
13	8/18/2007 12:33	0		0
14	8/18/2007 12:48	0		0
15	8/18/2007 13:03	0		0
16	8/18/2007 13:18	0		0
17	8/18/2007 13:33	0		0
18	8/18/2007 13:48	0		0
19	8/18/2007 14:03	0		0
20	8/18/2007 14:18	0		0
21	8/18/2007 14:33	0		0
22	8/18/2007 14:48	0		0
23	8/18/2007 15:03	0		0
24	8/18/2007 15:18	0		0
25	8/18/2007 15:33	0		0
26	8/18/2007 15:48	0		0
27	8/18/2007 16:03	0		0
28	8/18/2007 16:18	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/18/2007
Start Time:	9:10:37
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0905) = 0.002 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/18/2007	9:25:37	0.005	0.003	3
8/18/2007	9:40:37	0.006	0.004	4
8/18/2007	9:55:37	0.012	0.01	10
8/18/2007	10:10:37	0.007	0.005	5
8/18/2007	10:25:37	0.006	0.004	4
8/18/2007	10:40:37	0.009	0.007	7
8/18/2007	10:55:37	0.007	0.005	5
8/18/2007	11:10:37	0.004	0.002	2
8/18/2007	11:25:37	0.005	0.003	3
8/18/2007	11:40:37	0.006	0.004	4
8/18/2007	11:55:37	0.008	0.006	6
8/18/2007	12:10:37	0.005	0.003	3
8/18/2007	12:25:37	0.004	0.002	2
8/18/2007	12:40:37	0.004	0.002	2
8/18/2007	12:55:37	0.006	0.004	4
8/18/2007	13:10:37	0.005	0.003	3
8/18/2007	13:25:37	0.009	0.007	7
8/18/2007	13:40:37	0.01	0.008	8
8/18/2007	13:55:37	0.006	0.004	4
8/18/2007	14:10:37	0.006	0.004	4
8/18/2007	14:25:37	0.005	0.003	3
8/18/2007	14:40:37	0.007	0.005	5
8/18/2007	14:55:37	0.006	0.004	4
8/18/2007	15:10:37	0.005	0.003	3
8/18/2007	15:25:37	0.006	0.004	4
8/18/2007	15:40:37	0.005	0.003	3
8/18/2007	15:55:37	0.004	0.002	2
8/18/2007	16:10:37	0.005	0.003	3
8/18/2007	16:25:37	0.005	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/20/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0607) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/20/2007 6:24	0		0
2	8/20/2007 6:39	0		0
3	8/20/2007 6:54	0		0
4	8/20/2007 7:09	0		0
5	8/20/2007 7:24	0		0
6	8/20/2007 7:39	0		0
7	8/20/2007 7:54	0		0
8	8/20/2007 8:09	0		0
9	8/20/2007 8:24	0		0
10	8/20/2007 8:39	0		0
11	8/20/2007 8:54	0		0
12	8/20/2007 9:09	0		0
13	8/20/2007 9:24	0		0
14	8/20/2007 9:39	0		0
15	8/20/2007 9:54	0.1		0.1
16	8/20/2007 10:09	0.1		0.1
17	8/20/2007 10:24	0.1		0.1
18	8/20/2007 10:39	0.1		0.1
19	8/20/2007 10:54	0.1		0.1
20	8/20/2007 11:09	0.1		0.1
21	8/20/2007 11:24	0.1		0.1
22	8/20/2007 11:39	0		0
23	8/20/2007 11:54	0		0
24	8/20/2007 12:09	0		0
25	8/20/2007 12:24	0		0
26	8/20/2007 12:39	0		0
27	8/20/2007 12:54	0		0
28	8/20/2007 13:09	0		0
29	8/20/2007 13:24	0		0
30	8/20/2007 13:39	0		0
31	8/20/2007 13:54	0		0
32	8/20/2007 14:09	0.1		0.1
33	8/20/2007 14:24	0.1		0.1
34	8/20/2007 14:39	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/20/2007
Start Time:	6:09:50
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0607) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/20/2007	6:24:50	0.005	-0.001	-1
8/20/2007	6:39:50	0.005	-0.001	-1
8/20/2007	6:54:50	0.005	-0.001	-1
8/20/2007	7:09:50	0.006	0	0
8/20/2007	7:24:50	0.009	0.003	3
8/20/2007	7:39:50	0.012	0.006	6
8/20/2007	7:54:50	0.013	0.007	7
8/20/2007	8:09:50	0.013	0.007	7
8/20/2007	8:24:50	0.012	0.006	6
8/20/2007	8:39:50	0.012	0.006	6
8/20/2007	8:54:50	0.012	0.006	6
8/20/2007	9:09:50	0.012	0.006	6
8/20/2007	9:24:50	0.012	0.006	6
8/20/2007	9:39:50	0.012	0.006	6
8/20/2007	9:54:50	0.011	0.005	5
8/20/2007	10:09:50	0.012	0.006	6
8/20/2007	10:24:50	0.011	0.005	5
8/20/2007	10:39:50	0.01	0.004	4
8/20/2007	10:54:50	0.009	0.003	3
8/20/2007	11:09:50	0.008	0.002	2
8/20/2007	11:24:50	0.008	0.002	2
8/20/2007	11:39:50	0.008	0.002	2
8/20/2007	11:54:50	0.006	0	0
8/20/2007	12:09:50	0.005	-0.001	-1
8/20/2007	12:24:50	0.005	-0.001	-1
8/20/2007	12:39:50	0.005	-0.001	-1
8/20/2007	12:54:50	0.005	-0.001	-1
8/20/2007	13:09:50	0.005	-0.001	-1
8/20/2007	13:24:50	0.005	-0.001	-1
8/20/2007	13:39:50	0.004	-0.002	-2
8/20/2007	13:54:50	0.004	-0.002	-2
8/20/2007	14:09:50	0.004	-0.002	-2
8/20/2007	14:24:50	0.004	-0.002	-2
8/20/2007	14:39:50	0.005	-0.001	-1
8/20/2007	14:54:50	0.005	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/20/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0624) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/20/2007 6:44	0		0
2	8/20/2007 6:59	0.1		0.1
3	8/20/2007 7:14	0.1		0.1
4	8/20/2007 7:29	0.2		0.2
5	8/20/2007 7:44	0.2		0.2
6	8/20/2007 7:59	0.3		0.3
7	8/20/2007 8:14	0.3		0.3
8	8/20/2007 8:29	0.3		0.3
9	8/20/2007 8:44	0.3		0.3
10	8/20/2007 8:59	0.3		0.3
11	8/20/2007 9:14	0.3		0.3
12	8/20/2007 9:29	0.4		0.4
13	8/20/2007 9:44	0.4		0.4
14	8/20/2007 9:59	0.4		0.4
15	8/20/2007 10:14	0.4		0.4
16	8/20/2007 10:29	0.4		0.4
17	8/20/2007 10:44	0.4		0.4
18	8/20/2007 10:59	0.4		0.4
19	8/20/2007 11:14	0.4		0.4
20	8/20/2007 11:29	0.4		0.4
21	8/20/2007 11:44	0.4		0.4
22	8/20/2007 11:59	0.4		0.4
23	8/20/2007 12:14	0.4		0.4
24	8/20/2007 12:29	0.5		0.5
25	8/20/2007 12:44	0.5		0.5
26	8/20/2007 12:59	0.5		0.5
27	8/20/2007 13:14	0.4		0.4
28	8/20/2007 13:29	0.5		0.5
29	8/20/2007 13:44	0.5		0.5
30	8/20/2007 13:59	0.5		0.5
31	8/20/2007 14:14	0.5		0.5
32	8/20/2007 14:29	0.5		0.5
33	8/20/2007 14:44	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/20/2007
Start Time:	6:26:56
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0624) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/20/2007	6:41:56	0.009	0.002	2
8/20/2007	6:56:56	0.009	0.002	2
8/20/2007	7:11:56	0.011	0.004	4
8/20/2007	7:26:56	0.015	0.008	8
8/20/2007	7:41:56	0.021	0.014	14
8/20/2007	7:56:56	0.021	0.014	14
8/20/2007	8:11:56	0.022	0.015	15
8/20/2007	8:26:56	0.021	0.014	14
8/20/2007	8:41:56	0.021	0.014	14
8/20/2007	8:56:56	0.024	0.017	17
8/20/2007	9:11:56	0.022	0.015	15
8/20/2007	9:26:56	0.022	0.015	15
8/20/2007	9:41:56	0.023	0.016	16
8/20/2007	9:56:56	0.021	0.014	14
8/20/2007	10:11:56	0.024	0.017	17
8/20/2007	10:26:56	0.02	0.013	13
8/20/2007	10:41:56	0.019	0.012	12
8/20/2007	10:56:56	0.016	0.009	9
8/20/2007	11:11:56	0.016	0.009	9
8/20/2007	11:26:56	0.015	0.008	8
8/20/2007	11:41:56	0.017	0.01	10
8/20/2007	11:56:56	0.014	0.007	7
8/20/2007	12:11:56	0.012	0.005	5
8/20/2007	12:26:56	0.012	0.005	5
8/20/2007	12:41:56	0.012	0.005	5
8/20/2007	12:56:56	0.012	0.005	5
8/20/2007	13:11:56	0.012	0.005	5
8/20/2007	13:26:56	0.013	0.006	6
8/20/2007	13:41:56	0.011	0.004	4
8/20/2007	13:56:56	0.01	0.003	3
8/20/2007	14:11:56	0.011	0.004	4
8/20/2007	14:26:56	0.012	0.005	5
8/20/2007	14:41:56	0.012	0.005	5
8/20/2007	14:56:56	0.013	0.006	6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/20/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/20/2007 6:54	0		0
2	8/20/2007 7:09	0.1		0.1
3	8/20/2007 7:24	0.1		0.1
4	8/20/2007 7:39	0.1		0.1
5	8/20/2007 7:54	0.2		0.2
6	8/20/2007 8:09	0.2		0.2
7	8/20/2007 8:24	0.2		0.2
8	8/20/2007 8:39	0.2		0.2
9	8/20/2007 8:54	0.2		0.2
10	8/20/2007 9:09	0.2		0.2
11	8/20/2007 9:24	0.3		0.3
12	8/20/2007 9:39	0.3		0.3
13	8/20/2007 9:54	0.3		0.3
14	8/20/2007 10:09	0.3		0.3
15	8/20/2007 10:24	0.3		0.3
16	8/20/2007 10:39	0.3		0.3
17	8/20/2007 10:54	0.3		0.3
18	8/20/2007 11:09	0.3		0.3
19	8/20/2007 11:24	0.3		0.3
20	8/20/2007 11:39	0.3		0.3
21	8/20/2007 11:54	0.3		0.3
22	8/20/2007 12:09	0.3		0.3
23	8/20/2007 12:24	0.3		0.3
24	8/20/2007 12:39	0.3		0.3
25	8/20/2007 12:54	0.3		0.3
26	8/20/2007 13:09	0.3		0.3
27	8/20/2007 13:24	0.3		0.3
28	8/20/2007 13:39	0.3		0.3
29	8/20/2007 13:54	0.3		0.3
30	8/20/2007 14:09	0.3		0.3
31	8/20/2007 14:24	0.3		0.3
32	8/20/2007 14:39	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/20/2007
Start Time:	6:44:11
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0641) = 0.020 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/20/2007	6:59:11	0.016	-0.004	-4
8/20/2007	7:14:11	0.02	0	0
8/20/2007	7:29:11	0.028	0.008	8
8/20/2007	7:44:11	0.038	0.018	18
8/20/2007	7:59:11	0.04	0.02	20
8/20/2007	8:14:11	0.039	0.019	19
8/20/2007	8:29:11	0.04	0.02	20
8/20/2007	8:44:11	0.038	0.018	18
8/20/2007	8:59:11	0.04	0.02	20
8/20/2007	9:14:11	0.038	0.018	18
8/20/2007	9:29:11	0.039	0.019	19
8/20/2007	9:44:11	0.036	0.016	16
8/20/2007	9:59:11	0.037	0.017	17
8/20/2007	10:14:11	0.042	0.022	22
8/20/2007	10:29:11	0.034	0.014	14
8/20/2007	10:44:11	0.029	0.009	9
8/20/2007	10:59:11	0.029	0.009	9
8/20/2007	11:14:11	0.028	0.008	8
8/20/2007	11:29:11	0.025	0.005	5
8/20/2007	11:44:11	0.028	0.008	8
8/20/2007	11:59:11	0.021	0.001	1
8/20/2007	12:14:11	0.02	0	0
8/20/2007	12:29:11	0.021	0.001	1
8/20/2007	12:44:11	0.019	-0.001	-1
8/20/2007	12:59:11	0.019	-0.001	-1
8/20/2007	13:14:11	0.02	0	0
8/20/2007	13:29:11	0.021	0.001	1
8/20/2007	13:44:11	0.014	-0.006	-6
8/20/2007	13:59:11	0.014	-0.006	-6
8/20/2007	14:14:11	0.015	-0.005	-5
8/20/2007	14:29:11	0.016	-0.004	-4
8/20/2007	14:44:11	0.016	-0.004	-4
8/20/2007	14:59:11	0.017	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/20/2007 06:06

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/20/2007 6:58	0		0
2	8/20/2007 7:13	0		0
3	8/20/2007 7:28	0		0
4	8/20/2007 7:43	0		0
5	8/20/2007 7:58	0		0
6	8/20/2007 8:13	0		0
7	8/20/2007 8:28	0		0
8	8/20/2007 8:43	0		0
9	8/20/2007 8:58	0		0
10	8/20/2007 9:13	0		0
11	8/20/2007 9:28	0		0
12	8/20/2007 9:43	0		0
13	8/20/2007 9:58	0.1		0.1
14	8/20/2007 10:13	0		0
15	8/20/2007 10:28	0		0
16	8/20/2007 10:43	0		0
17	8/20/2007 10:58	0.1		0.1
18	8/20/2007 11:13	0.1		0.1
19	8/20/2007 11:28	0.1		0.1
20	8/20/2007 11:43	0.1		0.1
21	8/20/2007 11:58	0.1		0.1
22	8/20/2007 12:13	0.1		0.1
23	8/20/2007 12:28	0.1		0.1
24	8/20/2007 12:43	0.1		0.1
25	8/20/2007 12:58	0.1		0.1
26	8/20/2007 13:13	0.1		0.1
27	8/20/2007 13:28	0.1		0.1
28	8/20/2007 13:43	0		0
29	8/20/2007 13:58	0.1		0.1
30	8/20/2007 14:13	0		0
31	8/20/2007 14:28	0		0
32	8/20/2007 14:43	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/20/2007
Start Time:	6:38:14
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0636) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/20/2007	6:53:14	0.012	0.001	1
8/20/2007	7:08:14	0.012	0.001	1
8/20/2007	7:23:14	0.018	0.007	7
8/20/2007	7:38:14	0.027	0.016	16
8/20/2007	7:53:14	0.029	0.018	18
8/20/2007	8:08:14	0.031	0.02	20
8/20/2007	8:23:14	0.029	0.018	18
8/20/2007	8:38:14	0.028	0.017	17
8/20/2007	8:53:14	0.028	0.017	17
8/20/2007	9:08:14	0.026	0.015	15
8/20/2007	9:23:14	0.028	0.017	17
8/20/2007	9:38:14	0.026	0.015	15
8/20/2007	9:53:14	0.026	0.015	15
8/20/2007	10:08:14	0.028	0.017	17
8/20/2007	10:23:14	0.027	0.016	16
8/20/2007	10:38:14	0.021	0.01	10
8/20/2007	10:53:14	0.019	0.008	8
8/20/2007	11:08:14	0.018	0.007	7
8/20/2007	11:23:14	0.017	0.006	6
8/20/2007	11:38:14	0.018	0.007	7
8/20/2007	11:53:14	0.015	0.004	4
8/20/2007	12:08:14	0.013	0.002	2
8/20/2007	12:23:14	0.013	0.002	2
8/20/2007	12:38:14	0.013	0.002	2
8/20/2007	12:53:14	0.012	0.001	1
8/20/2007	13:08:14	0.013	0.002	2
8/20/2007	13:23:14	0.012	0.001	1
8/20/2007	13:38:14	0.01	-0.001	-1
8/20/2007	13:53:14	0.008	-0.003	-3
8/20/2007	14:08:14	0.009	-0.002	-2
8/20/2007	14:23:14	0.009	-0.002	-2
8/20/2007	14:38:14	0.01	-0.001	-1
8/20/2007	14:53:14	0.01	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2007 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0500) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/21/2007 5:18	0		-0.1
2	8/21/2007 5:33	0		-0.1
3	8/21/2007 5:48	0.1		0
4	8/21/2007 6:03	0.1		0
5	8/21/2007 6:18	0.1		0
6	8/21/2007 6:33	0.1		0
7	8/21/2007 6:48	0.1		0
8	8/21/2007 7:03	0.1		0
9	8/21/2007 7:18	0.1		0
10	8/21/2007 7:33	0.1		0
11	8/21/2007 7:48	0.1		0
12	8/21/2007 8:03	0.1		0
13	8/21/2007 8:18	0.1		0
14	8/21/2007 8:33	0.1		0
15	8/21/2007 8:48	0.1		0
16	8/21/2007 9:03	0.1		0
17	8/21/2007 9:18	0.1		0
18	8/21/2007 9:33	0.1		0
19	8/21/2007 9:48	0.1		0
20	8/21/2007 10:03	0.1		0
21	8/21/2007 10:18	0.1		0
22	8/21/2007 10:33	0.1		0
23	8/21/2007 10:48	0.1		0
24	8/21/2007 11:03	0.2		0.1
25	8/21/2007 11:18	0.1		0
26	8/21/2007 11:33	0.1		0
27	8/21/2007 11:48	0.2		0.1
28	8/21/2007 12:03	0.2		0.1
29	8/21/2007 12:18	0.2		0.1
30	8/21/2007 12:33	0.2		0.1
31	8/21/2007 12:48	0.1		0
32	8/21/2007 13:03	0.1		0
33	8/21/2007 13:18	0.2		0.1
34	8/21/2007 13:33	0.1		0
35	8/21/2007 13:48	0.1		0
36	8/21/2007 14:03	0.1		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/21/2007
Start Time:	5:02:42
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0500) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/21/2007	5:17:42	0.006	-0.001	-1
8/21/2007	5:32:42	0.007	0	0
8/21/2007	5:47:42	0.006	-0.001	-1
8/21/2007	6:02:42	0.006	-0.001	-1
8/21/2007	6:17:42	0.006	-0.001	-1
8/21/2007	6:32:42	0.006	-0.001	-1
8/21/2007	6:47:42	0.005	-0.002	-2
8/21/2007	7:02:42	0.005	-0.002	-2
8/21/2007	7:17:42	0.005	-0.002	-2
8/21/2007	7:32:42	0.005	-0.002	-2
8/21/2007	7:47:42	0.005	-0.002	-2
8/21/2007	8:02:42	0.005	-0.002	-2
8/21/2007	8:17:42	0.005	-0.002	-2
8/21/2007	8:32:42	0.006	-0.001	-1
8/21/2007	8:47:42	0.005	-0.002	-2
8/21/2007	9:02:42	0.004	-0.003	-3
8/21/2007	9:17:42	0.005	-0.002	-2
8/21/2007	9:32:42	0.005	-0.002	-2
8/21/2007	9:47:42	0.004	-0.003	-3
8/21/2007	10:02:42	0.004	-0.003	-3
8/21/2007	10:17:42	0.005	-0.002	-2
8/21/2007	10:32:42	0.005	-0.002	-2
8/21/2007	10:47:42	0.005	-0.002	-2
8/21/2007	11:02:42	0.005	-0.002	-2
8/21/2007	11:17:42	0.006	-0.001	-1
8/21/2007	11:32:42	0.006	-0.001	-1
8/21/2007	11:47:42	0.005	-0.002	-2
8/21/2007	12:02:42	0.005	-0.002	-2
8/21/2007	12:17:42	0.006	-0.001	-1
8/21/2007	12:32:42	0.005	-0.002	-2
8/21/2007	12:47:42	0.004	-0.003	-3
8/21/2007	13:02:42	0.004	-0.003	-3
8/21/2007	13:17:42	0.004	-0.003	-3
8/21/2007	13:32:42	0.004	-0.003	-3
8/21/2007	13:47:42	0.004	-0.003	-3
8/21/2007	14:02:42	0.004	-0.003	-3
8/21/2007	14:17:42	0.004	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2007 04:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0515) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/21/2007 5:34	0.2		0.1
2	8/21/2007 5:49	0.2		0.1
3	8/21/2007 6:04	0.3		0.2
4	8/21/2007 6:19	0.3		0.2
5	8/21/2007 6:34	0.4		0.3
6	8/21/2007 6:49	0.4		0.3
7	8/21/2007 7:04	0.4		0.3
8	8/21/2007 7:19	0.4		0.3
9	8/21/2007 7:34	0.5		0.4
10	8/21/2007 7:49	0.5		0.4
11	8/21/2007 8:04	0.5		0.4
12	8/21/2007 8:19	0.5		0.4
13	8/21/2007 8:34	0.5		0.4
14	8/21/2007 8:49	0.5		0.4
15	8/21/2007 9:04	0.5		0.4
16	8/21/2007 9:19	0.5		0.4
17	8/21/2007 9:34	0.5		0.4
18	8/21/2007 9:49	0.5		0.4
19	8/21/2007 10:04	0.6		0.5
20	8/21/2007 10:19	0.6		0.5
21	8/21/2007 10:34	0.6		0.5
22	8/21/2007 10:49	0.6		0.5
23	8/21/2007 11:04	0.6		0.5
24	8/21/2007 11:19	0.6		0.5
25	8/21/2007 11:34	0.6		0.5
26	8/21/2007 11:49	0.6		0.5
27	8/21/2007 12:04	0.6		0.5
28	8/21/2007 12:19	0.6		0.5
29	8/21/2007 12:34	0.6		0.5
30	8/21/2007 12:49	0.6		0.5
31	8/21/2007 13:04	0.6		0.5
32	8/21/2007 13:19	0.6		0.5
33	8/21/2007 13:34	0.6		0.5
34	8/21/2007 13:49	0.6		0.5
35	8/21/2007 14:04	0.6		0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/21/2007
Start Time:	5:18:27
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0515) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2007	5:33:27	0.007	-0.006	-6
8/21/2007	5:48:27	0.007	-0.006	-6
8/21/2007	6:03:27	0.007	-0.006	-6
8/21/2007	6:18:27	0.007	-0.006	-6
8/21/2007	6:33:27	0.007	-0.006	-6
8/21/2007	6:48:27	0.007	-0.006	-6
8/21/2007	7:03:27	0.007	-0.006	-6
8/21/2007	7:18:27	0.007	-0.006	-6
8/21/2007	7:33:27	0.006	-0.007	-7
8/21/2007	7:48:27	0.006	-0.007	-7
8/21/2007	8:03:27	0.006	-0.007	-7
8/21/2007	8:18:27	0.007	-0.006	-6
8/21/2007	8:33:27	0.006	-0.007	-7
8/21/2007	8:48:27	0.005	-0.008	-8
8/21/2007	9:03:27	0.006	-0.007	-7
8/21/2007	9:18:27	0.005	-0.008	-8
8/21/2007	9:33:27	0.005	-0.008	-8
8/21/2007	9:48:27	0.005	-0.008	-8
8/21/2007	10:03:27	0.005	-0.008	-8
8/21/2007	10:18:27	0.005	-0.008	-8
8/21/2007	10:33:27	0.005	-0.008	-8
8/21/2007	10:48:27	0.006	-0.007	-7
8/21/2007	11:03:27	0.006	-0.007	-7
8/21/2007	11:18:27	0.005	-0.008	-8
8/21/2007	11:33:27	0.006	-0.007	-7
8/21/2007	11:48:27	0.005	-0.008	-8
8/21/2007	12:03:27	0.005	-0.008	-8
8/21/2007	12:18:27	0.005	-0.008	-8
8/21/2007	12:33:27	0.005	-0.008	-8
8/21/2007	12:48:27	0.005	-0.008	-8
8/21/2007	13:03:27	0.004	-0.009	-9
8/21/2007	13:18:27	0.004	-0.009	-9
8/21/2007	13:33:27	0.004	-0.009	-9
8/21/2007	13:48:27	0.004	-0.009	-9
8/21/2007	14:03:27	0.004	-0.009	-9
8/21/2007	14:18:27	0.004	-0.009	-9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2007 04:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/21/2007 6:16	0		0
2	8/21/2007 6:31	0		0
3	8/21/2007 6:46	0		0
4	8/21/2007 7:01	0		0
5	8/21/2007 7:16	0.1		0.1
6	8/21/2007 7:31	0.1		0.1
7	8/21/2007 7:46	0.1		0.1
8	8/21/2007 8:01	0.1		0.1
9	8/21/2007 8:16	0.2		0.2
10	8/21/2007 8:31	0.2		0.2
11	8/21/2007 8:46	0.2		0.2
12	8/21/2007 9:01	0.2		0.2
13	8/21/2007 9:16	0.2		0.2
14	8/21/2007 9:31	0.2		0.2
15	8/21/2007 9:46	0.2		0.2
16	8/21/2007 10:01	0.2		0.2
17	8/21/2007 10:16	0.2		0.2
18	8/21/2007 10:31	0.2		0.2
19	8/21/2007 10:46	0.2		0.2
20	8/21/2007 11:01	0.3		0.3
21	8/21/2007 11:16	0.3		0.3
22	8/21/2007 11:31	0.3		0.3
23	8/21/2007 11:46	0.3		0.3
24	8/21/2007 12:01	0.3		0.3
25	8/21/2007 12:16	0.3		0.3
26	8/21/2007 12:31	0.3		0.3
27	8/21/2007 12:46	0.3		0.3
28	8/21/2007 13:01	0.3		0.3
29	8/21/2007 13:16	0.3		0.3
30	8/21/2007 13:31	0.3		0.3
31	8/21/2007 13:46	0.3		0.3
32	8/21/2007 14:01	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/21/2007
Start Time:	6:05:50
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0603) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2007	6:20:50	0.008	-0.009	-9
8/21/2007	6:35:50	0.007	-0.01	-10
8/21/2007	6:50:50	0.008	-0.009	-9
8/21/2007	7:05:50	0.009	-0.008	-8
8/21/2007	7:20:50	0.009	-0.008	-8
8/21/2007	7:35:50	0.008	-0.009	-9
8/21/2007	7:50:50	0.008	-0.009	-9
8/21/2007	8:05:50	0.007	-0.01	-10
8/21/2007	8:20:50	0.008	-0.009	-9
8/21/2007	8:35:50	0.008	-0.009	-9
8/21/2007	8:50:50	0.008	-0.009	-9
8/21/2007	9:05:50	0.008	-0.009	-9
8/21/2007	9:20:50	0.007	-0.01	-10
8/21/2007	9:35:50	0.005	-0.012	-12
8/21/2007	9:50:50	0.005	-0.012	-12
8/21/2007	10:05:50	0.005	-0.012	-12
8/21/2007	10:20:50	0.005	-0.012	-12
8/21/2007	10:35:50	0.005	-0.012	-12
8/21/2007	10:50:50	0.005	-0.012	-12
8/21/2007	11:05:50	0.005	-0.012	-12
8/21/2007	11:20:50	0.005	-0.012	-12
8/21/2007	11:35:50	0.006	-0.011	-11
8/21/2007	11:50:50	0.005	-0.012	-12
8/21/2007	12:05:50	0.005	-0.012	-12
8/21/2007	12:20:50	0.005	-0.012	-12
8/21/2007	12:35:50	0.005	-0.012	-12
8/21/2007	12:50:50	0.005	-0.012	-12
8/21/2007	13:05:50	0.005	-0.012	-12
8/21/2007	13:20:50	0.004	-0.013	-13
8/21/2007	13:35:50	0.005	-0.012	-12
8/21/2007	13:50:50	0.005	-0.012	-12
8/21/2007	14:05:50	0.006	-0.011	-11
8/21/2007	14:20:50	0.005	-0.012	-12

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/21/2007 05:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0535) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/21/2007 5:58	0		0
2	8/21/2007 6:13	0		0
3	8/21/2007 6:28	0.1		0.1
4	8/21/2007 6:43	0.1		0.1
5	8/21/2007 6:58	0.1		0.1
6	8/21/2007 7:13	0.1		0.1
7	8/21/2007 7:28	0.2		0.2
8	8/21/2007 7:43	0.2		0.2
9	8/21/2007 7:58	0.2		0.2
10	8/21/2007 8:13	0.2		0.2
11	8/21/2007 8:28	0.2		0.2
12	8/21/2007 8:43	0.2		0.2
13	8/21/2007 8:58	0.3		0.3
14	8/21/2007 9:13	0.3		0.3
15	8/21/2007 9:28	0.3		0.3
16	8/21/2007 9:43	0.3		0.3
17	8/21/2007 9:58	0.3		0.3
18	8/21/2007 10:13	0.3		0.3
19	8/21/2007 10:28	0.3		0.3
20	8/21/2007 10:43	0.3		0.3
21	8/21/2007 10:58	0.4		0.4
22	8/21/2007 11:13	0.4		0.4
23	8/21/2007 11:28	0.4		0.4
24	8/21/2007 11:43	0.4		0.4
25	8/21/2007 11:58	0.4		0.4
26	8/21/2007 12:13	0.4		0.4
27	8/21/2007 12:28	0.4		0.4
28	8/21/2007 12:43	0.4		0.4
29	8/21/2007 12:58	0.4		0.4
30	8/21/2007 13:13	0.4		0.4
31	8/21/2007 13:28	0.4		0.4
32	8/21/2007 13:43	0.4		0.4
33	8/21/2007 13:58	0.4		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/21/2007
Start Time:	5:37:10
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0535) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/21/2007	5:52:10	0.006	-0.006	-6
8/21/2007	6:07:10	0.004	-0.008	-8
8/21/2007	6:22:10	0.005	-0.007	-7
8/21/2007	6:37:10	0.004	-0.008	-8
8/21/2007	6:52:10	0.005	-0.007	-7
8/21/2007	7:07:10	0.005	-0.007	-7
8/21/2007	7:22:10	0.003	-0.009	-9
8/21/2007	7:37:10	0.003	-0.009	-9
8/21/2007	7:52:10	0.003	-0.009	-9
8/21/2007	8:07:10	0.003	-0.009	-9
8/21/2007	8:22:10	0.003	-0.009	-9
8/21/2007	8:37:10	0.004	-0.008	-8
8/21/2007	8:52:10	0.004	-0.008	-8
8/21/2007	9:07:10	0.004	-0.008	-8
8/21/2007	9:22:10	0.003	-0.009	-9
8/21/2007	9:37:10	0.003	-0.009	-9
8/21/2007	9:52:10	0.003	-0.009	-9
8/21/2007	10:07:10	0.003	-0.009	-9
8/21/2007	10:22:10	0.003	-0.009	-9
8/21/2007	10:37:10	0.003	-0.009	-9
8/21/2007	10:52:10	0.005	-0.007	-7
8/21/2007	11:07:10	0.005	-0.007	-7
8/21/2007	11:22:10	0.006	-0.006	-6
8/21/2007	11:37:10	0.005	-0.007	-7
8/21/2007	11:52:10	0.004	-0.008	-8
8/21/2007	12:07:10	0.005	-0.007	-7
8/21/2007	12:22:10	0.005	-0.007	-7
8/21/2007	12:37:10	0.005	-0.007	-7
8/21/2007	12:52:10	0.005	-0.007	-7
8/21/2007	13:07:10	0.005	-0.007	-7
8/21/2007	13:22:10	0.004	-0.008	-8
8/21/2007	13:37:10	0.004	-0.008	-8
8/21/2007	13:52:10	0.005	-0.007	-7
8/21/2007	14:07:10	0.005	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/22/2007 05:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/22/2007 6:23	0.1		0.1
2	8/22/2007 6:38	0.1		0.1
3	8/22/2007 6:53	0.1		0.1
4	8/22/2007 7:08	0.2		0.2
5	8/22/2007 7:23	0.2		0.2
6	8/22/2007 7:38	0.2		0.2
7	8/22/2007 7:53	0.2		0.2
8	8/22/2007 8:08	0.2		0.2
9	8/22/2007 8:23	0.2		0.2
10	8/22/2007 8:38	0.2		0.2
11	8/22/2007 8:53	0.2		0.2
12	8/22/2007 9:08	0.2		0.2
13	8/22/2007 9:23	0.2		0.2
14	8/22/2007 9:38	0.2		0.2
15	8/22/2007 9:53	0.2		0.2
16	8/22/2007 10:08	0.2		0.2
17	8/22/2007 10:23	0.2		0.2
18	8/22/2007 10:38	0.2		0.2
19	8/22/2007 10:53	0.2		0.2
20	8/22/2007 11:08	0.2		0.2
21	8/22/2007 11:23	0.2		0.2
22	8/22/2007 11:38	0.2		0.2
23	8/22/2007 11:53	0.2		0.2
24	8/22/2007 12:08	0.2		0.2
25	8/22/2007 12:23	0.2		0.2
26	8/22/2007 12:38	0.2		0.2
27	8/22/2007 12:53	0.2		0.2
28	8/22/2007 13:08	0.2		0.2
29	8/22/2007 13:23	0.2		0.2
30	8/22/2007 13:38	0.2		0.2
31	8/22/2007 13:53	0.2		0.2
32	8/22/2007 14:08	0.1		0.1
33	8/22/2007 14:23	0.2		0.2
34	8/22/2007 14:38	0.2		0.2
35	8/22/2007 14:53	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/22/2007
Start Time:	6:08:49
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0550) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2007	6:23:49	0.005	0.001	1
8/22/2007	6:38:49	0.006	0.002	2
8/22/2007	6:53:49	0.006	0.002	2
8/22/2007	7:08:49	0.006	0.002	2
8/22/2007	7:23:49	0.007	0.003	3
8/22/2007	7:38:49	0.008	0.004	4
8/22/2007	7:53:49	0.006	0.002	2
8/22/2007	8:08:49	0.005	0.001	1
8/22/2007	8:23:49	0.005	0.001	1
8/22/2007	8:38:49	0.008	0.004	4
8/22/2007	8:53:49	0.01	0.006	6
8/22/2007	9:08:49	0.01	0.006	6
8/22/2007	9:23:49	0.008	0.004	4
8/22/2007	9:38:49	0.006	0.002	2
8/22/2007	9:53:49	0.006	0.002	2
8/22/2007	10:08:49	0.006	0.002	2
8/22/2007	10:23:49	0.006	0.002	2
8/22/2007	10:38:49	0.009	0.005	5
8/22/2007	10:53:49	0.007	0.003	3
8/22/2007	11:08:49	0.006	0.002	2
8/22/2007	11:23:49	0.006	0.002	2
8/22/2007	11:38:49	0.006	0.002	2
8/22/2007	11:53:49	0.004	0	0
8/22/2007	12:08:49	0.004	0	0
8/22/2007	12:23:49	0.004	0	0
8/22/2007	12:38:49	0.003	-0.001	-1
8/22/2007	12:53:49	0.003	-0.001	-1
8/22/2007	13:08:49	0.004	0	0
8/22/2007	13:23:49	0.004	0	0
8/22/2007	13:38:49	0.005	0.001	1
8/22/2007	13:53:49	0.007	0.003	3
8/22/2007	14:08:49	0.004	0	0
8/22/2007	14:23:49	0.005	0.001	1
8/22/2007	14:38:49	0.009	0.005	5
8/22/2007	14:53:49	0.007	0.003	3
8/22/2007	15:08:49	0.007	0.003	3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/22/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/22/2007 6:34	0.1		0.1
2	8/22/2007 6:49	0.2		0.2
3	8/22/2007 7:04	0.2		0.2
4	8/22/2007 7:19	0.3		0.3
5	8/22/2007 7:34	0.3		0.3
6	8/22/2007 7:49	0.3		0.3
7	8/22/2007 8:04	0.4		0.4
8	8/22/2007 8:19	0.4		0.4
9	8/22/2007 8:34	0.4		0.4
10	8/22/2007 8:49	0.4		0.4
11	8/22/2007 9:04	0.4		0.4
12	8/22/2007 9:19	0.4		0.4
13	8/22/2007 9:34	0.5		0.5
14	8/22/2007 9:49	0.5		0.5
15	8/22/2007 10:04	0.5		0.5
16	8/22/2007 10:19	0.5		0.5
17	8/22/2007 10:34	0.5		0.5
18	8/22/2007 10:49	0.5		0.5
19	8/22/2007 11:04	0.5		0.5
20	8/22/2007 11:19	0.5		0.5
21	8/22/2007 11:34	0.5		0.5
22	8/22/2007 11:49	0.5		0.5
23	8/22/2007 12:04	0.5		0.5
24	8/22/2007 12:19	0.5		0.5
25	8/22/2007 12:34	0.5		0.5
26	8/22/2007 12:49	0.5		0.5
27	8/22/2007 13:04	0.5		0.5
28	8/22/2007 13:19	0.5		0.5
29	8/22/2007 13:34	0.5		0.5
30	8/22/2007 13:49	0.5		0.5
31	8/22/2007 14:04	0.5		0.5
32	8/22/2007 14:19	0.5		0.5
33	8/22/2007 14:34	0.5		0.5
34	8/22/2007 14:49	0.5		0.5
35	8/22/2007 15:04	0.5		0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/22/2007
Start Time:	6:18:32
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0615) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2007	6:33:32	0.007	0.001	1
8/22/2007	6:48:32	0.008	0.002	2
8/22/2007	7:03:32	0.008	0.002	2
8/22/2007	7:18:32	0.008	0.002	2
8/22/2007	7:33:32	0.014	0.008	8
8/22/2007	7:48:32	0.012	0.006	6
8/22/2007	8:03:32	0.009	0.003	3
8/22/2007	8:18:32	0.008	0.002	2
8/22/2007	8:33:32	0.01	0.004	4
8/22/2007	8:48:32	0.016	0.01	10
8/22/2007	9:03:32	0.019	0.013	13
8/22/2007	9:18:32	0.019	0.013	13
8/22/2007	9:33:32	0.013	0.007	7
8/22/2007	9:48:32	0.013	0.007	7
8/22/2007	10:03:32	0.013	0.007	7
8/22/2007	10:18:32	0.013	0.007	7
8/22/2007	10:33:32	0.024	0.018	18
8/22/2007	10:48:32	0.021	0.015	15
8/22/2007	11:03:32	0.015	0.009	9
8/22/2007	11:18:32	0.012	0.006	6
8/22/2007	11:33:32	0.012	0.006	6
8/22/2007	11:48:32	0.01	0.004	4
8/22/2007	12:03:32	0.01	0.004	4
8/22/2007	12:18:32	0.008	0.002	2
8/22/2007	12:33:32	0.007	0.001	1
8/22/2007	12:48:32	0.006	0	0
8/22/2007	13:03:32	0.009	0.003	3
8/22/2007	13:18:32	0.009	0.003	3
8/22/2007	13:33:32	0.012	0.006	6
8/22/2007	13:48:32	0.016	0.01	10
8/22/2007	14:03:32	0.013	0.007	7
8/22/2007	14:18:32	0.012	0.006	6
8/22/2007	14:33:32	0.015	0.009	9
8/22/2007	14:48:32	0.017	0.011	11
8/22/2007	15:03:32	0.014	0.008	8
8/22/2007	15:18:32	0.016	0.01	10

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/22/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/22/2007 6:49	0		0
2	8/22/2007 7:04	0		0
3	8/22/2007 7:19	0		0
4	8/22/2007 7:34	0		0
5	8/22/2007 7:49	0.1		0.1
6	8/22/2007 8:04	0.1		0.1
7	8/22/2007 8:19	0.1		0.1
8	8/22/2007 8:34	0.1		0.1
9	8/22/2007 8:49	0.1		0.1
10	8/22/2007 9:04	0.1		0.1
11	8/22/2007 9:19	0.1		0.1
12	8/22/2007 9:34	0.1		0.1
13	8/22/2007 9:49	0.2		0.2
14	8/22/2007 10:04	0.2		0.2
15	8/22/2007 10:19	0.2		0.2
16	8/22/2007 10:34	0.2		0.2
17	8/22/2007 10:49	0.2		0.2
18	8/22/2007 11:04	0.2		0.2
19	8/22/2007 11:19	0.2		0.2
20	8/22/2007 11:34	0.2		0.2
21	8/22/2007 11:49	0.2		0.2
22	8/22/2007 12:04	0.3		0.3
23	8/22/2007 12:19	0.3		0.3
24	8/22/2007 12:34	0.3		0.3
25	8/22/2007 12:49	0.3		0.3
26	8/22/2007 13:04	0.3		0.3
27	8/22/2007 13:19	0.3		0.3
28	8/22/2007 13:34	0.3		0.3
29	8/22/2007 13:49	0.3		0.3
30	8/22/2007 14:04	0.4		0.4
31	8/22/2007 14:19	0.4		0.4
32	8/22/2007 14:34	0.4		0.4
33	8/22/2007 14:49	0.4		0.4
34	8/22/2007 15:04	0.4		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/22/2007
Start Time:	6:37:20
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0635) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/22/2007	6:52:20	0.025	0.01	10
8/22/2007	7:07:20	0.027	0.012	12
8/22/2007	7:22:20	0.019	0.004	4
8/22/2007	7:37:20	0.022	0.007	7
8/22/2007	7:52:20	0.021	0.006	6
8/22/2007	8:07:20	0.016	0.001	1
8/22/2007	8:22:20	0.015	0	0
8/22/2007	8:37:20	0.028	0.013	13
8/22/2007	8:52:20	0.03	0.015	15
8/22/2007	9:07:20	0.028	0.013	13
8/22/2007	9:22:20	0.028	0.013	13
8/22/2007	9:37:20	0.023	0.008	8
8/22/2007	9:52:20	0.02	0.005	5
8/22/2007	10:07:20	0.027	0.012	12
8/22/2007	10:22:20	0.02	0.005	5
8/22/2007	10:37:20	0.029	0.014	14
8/22/2007	10:52:20	0.028	0.013	13
8/22/2007	11:07:20	0.023	0.008	8
8/22/2007	11:22:20	0.023	0.008	8
8/22/2007	11:37:20	0.023	0.008	8
8/22/2007	11:52:20	0.017	0.002	2
8/22/2007	12:07:20	0.015	0	0
8/22/2007	12:22:20	0.013	-0.002	-2
8/22/2007	12:37:20	0.016	0.001	1
8/22/2007	12:52:20	0.011	-0.004	-4
8/22/2007	13:07:20	0.017	0.002	2
8/22/2007	13:22:20	0.018	0.003	3
8/22/2007	13:37:20	0.028	0.013	13
8/22/2007	13:52:20	0.029	0.014	14
8/22/2007	14:07:20	0.023	0.008	8
8/22/2007	14:22:20	0.019	0.004	4
8/22/2007	14:37:20	0.036	0.021	21
8/22/2007	14:52:20	0.034	0.019	19
8/22/2007	15:07:20	0.025	0.01	10
8/22/2007	15:22:20	0.027	0.012	12

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/22/2007 06:05

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/22/2007 6:54	0		0
2	8/22/2007 7:09	0		0
3	8/22/2007 7:24	0		0
4	8/22/2007 7:39	0		0
5	8/22/2007 7:54	0		0
6	8/22/2007 8:09	0.1		0.1
7	8/22/2007 8:24	0.1		0.1
8	8/22/2007 8:39	0.1		0.1
9	8/22/2007 8:54	0.1		0.1
10	8/22/2007 9:09	0.1		0.1
11	8/22/2007 9:24	0.1		0.1
12	8/22/2007 9:39	0.1		0.1
13	8/22/2007 9:54	0.2		0.2
14	8/22/2007 10:09	0.2		0.2
15	8/22/2007 10:24	0.2		0.2
16	8/22/2007 10:39	0.2		0.2
17	8/22/2007 10:54	0.1		0.1
18	8/22/2007 11:09	0.1		0.1
19	8/22/2007 11:24	0.1		0.1
20	8/22/2007 11:39	0.2		0.2
21	8/22/2007 11:54	0.2		0.2
22	8/22/2007 12:09	0.2		0.2
23	8/22/2007 12:24	0.2		0.2
24	8/22/2007 12:39	0.1		0.1
25	8/22/2007 12:54	0.2		0.2
26	8/22/2007 13:09	0.2		0.2
27	8/22/2007 13:24	0.1		0.1
28	8/22/2007 13:39	0.2		0.2
29	8/22/2007 13:54	0.1		0.1
30	8/22/2007 14:09	0.2		0.2
31	8/22/2007 14:24	0.1		0.1
32	8/22/2007 14:39	0.2		0.2
33	8/22/2007 14:54	0.1		0.1
34	8/22/2007 15:09	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/22/2007
Start Time:	6:32:27
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0630) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/22/2007	6:47:27	0.012	0	0
8/22/2007	7:02:27	0.012	0	0
8/22/2007	7:17:27	0.012	0	0
8/22/2007	7:32:27	0.014	0.002	2
8/22/2007	7:47:27	0.024	0.012	12
8/22/2007	8:02:27	0.016	0.004	4
8/22/2007	8:17:27	0.011	-0.001	-1
8/22/2007	8:32:27	0.013	0.001	1
8/22/2007	8:47:27	0.021	0.009	9
8/22/2007	9:02:27	0.021	0.009	9
8/22/2007	9:17:27	0.018	0.006	6
8/22/2007	9:32:27	0.018	0.006	6
8/22/2007	9:47:27	0.015	0.003	3
8/22/2007	10:02:27	0.014	0.002	2
8/22/2007	10:17:27	0.015	0.003	3
8/22/2007	10:32:27	0.017	0.005	5
8/22/2007	10:47:27	0.02	0.008	8
8/22/2007	11:02:27	0.015	0.003	3
8/22/2007	11:17:27	0.014	0.002	2
8/22/2007	11:32:27	0.015	0.003	3
8/22/2007	11:47:27	0.014	0.002	2
8/22/2007	12:02:27	0.013	0.001	1
8/22/2007	12:17:27	0.01	-0.002	-2
8/22/2007	12:32:27	0.008	-0.004	-4
8/22/2007	12:47:27	0.007	-0.005	-5
8/22/2007	13:02:27	0.009	-0.003	-3
8/22/2007	13:17:27	0.011	-0.001	-1
8/22/2007	13:32:27	0.013	0.001	1
8/22/2007	13:47:27	0.015	0.003	3
8/22/2007	14:02:27	0.015	0.003	3
8/22/2007	14:17:27	0.014	0.002	2
8/22/2007	14:32:27	0.018	0.006	6
8/22/2007	14:47:27	0.02	0.008	8
8/22/2007	15:02:27	0.017	0.005	5
8/22/2007	15:17:27	0.016	0.004	4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/23/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0559) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/23/2007 6:17	0		0
2	8/23/2007 6:32	0		0
3	8/23/2007 6:47	0.1		0.1
4	8/23/2007 7:02	0.1		0.1
5	8/23/2007 7:17	0.1		0.1
6	8/23/2007 7:32	0.1		0.1
7	8/23/2007 7:47	0.1		0.1
8	8/23/2007 8:02	0.1		0.1
9	8/23/2007 8:17	0.1		0.1
10	8/23/2007 8:32	0.1		0.1
11	8/23/2007 8:47	0.1		0.1
12	8/23/2007 9:02	0.1		0.1
13	8/23/2007 9:17	0.1		0.1
14	8/23/2007 9:32	0.1		0.1
15	8/23/2007 9:47	0.1		0.1
16	8/23/2007 10:02	0.1		0.1
17	8/23/2007 10:17	0.1		0.1
18	8/23/2007 10:32	0.1		0.1
19	8/23/2007 10:47	0.1		0.1
20	8/23/2007 11:02	0		0
21	8/23/2007 11:17	0		0
22	8/23/2007 11:32	0		0
23	8/23/2007 11:47	0		0
24	8/23/2007 12:02	0		0
25	8/23/2007 12:17	0		0
26	8/23/2007 12:32	0		0
27	8/23/2007 12:47	0		0
28	8/23/2007 13:02	0		0
29	8/23/2007 13:17	0		0
30	8/23/2007 13:32	0		0
31	8/23/2007 13:47	0		0
32	8/23/2007 14:02	0		0
33	8/23/2007 14:17	0		0
34	8/23/2007 14:32	0		0
35	8/23/2007 14:47	0		0
36	8/23/2007 15:02	0		0
37	8/23/2007 15:17	0		0
38	8/23/2007 15:32	0		0
39	8/23/2007 15:47	0		0
40	8/23/2007 16:02	0		0
41	8/23/2007 16:17	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/23/2007
Start Time:	6:02:19
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0559) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2007	6:17:19	0.007	-0.005	-5
8/23/2007	6:32:19	0.005	-0.007	-7
8/23/2007	6:47:19	0.006	-0.006	-6
8/23/2007	7:02:19	0.006	-0.006	-6
8/23/2007	7:17:19	0.007	-0.005	-5
8/23/2007	7:32:19	0.008	-0.004	-4
8/23/2007	7:47:19	0.007	-0.005	-5
8/23/2007	8:02:19	0.008	-0.004	-4
8/23/2007	8:17:19	0.011	-0.001	-1
8/23/2007	8:32:19	0.013	0.001	1
8/23/2007	8:47:19	0.012	0	0
8/23/2007	9:02:19	0.014	0.002	2
8/23/2007	9:17:19	0.018	0.006	6
8/23/2007	9:32:19	0.016	0.004	4
8/23/2007	9:47:19	0.015	0.003	3
8/23/2007	10:02:19	0.012	0	0
8/23/2007	10:17:19	0.011	-0.001	-1
8/23/2007	10:32:19	0.008	-0.004	-4
8/23/2007	10:47:19	0.007	-0.005	-5
8/23/2007	11:02:19	0.007	-0.005	-5
8/23/2007	11:17:19	0.007	-0.005	-5
8/23/2007	11:32:19	0.006	-0.006	-6
8/23/2007	11:47:19	0.006	-0.006	-6
8/23/2007	12:02:19	0.006	-0.006	-6
8/23/2007	12:17:19	0.006	-0.006	-6
8/23/2007	12:32:19	0.007	-0.005	-5
8/23/2007	12:47:19	0.007	-0.005	-5
8/23/2007	13:02:19	0.007	-0.005	-5
8/23/2007	13:17:19	0.008	-0.004	-4
8/23/2007	13:32:19	0.007	-0.005	-5
8/23/2007	13:47:19	0.007	-0.005	-5
8/23/2007	14:02:19	0.008	-0.004	-4
8/23/2007	14:17:19	0.008	-0.004	-4
8/23/2007	14:32:19	0.01	-0.002	-2
8/23/2007	14:47:19	0.011	-0.001	-1
8/23/2007	15:02:19	0.01	-0.002	-2
8/23/2007	15:17:19	0.011	-0.001	-1
8/23/2007	15:32:19	0.011	-0.001	-1
8/23/2007	15:47:19	0.011	-0.001	-1
8/23/2007	16:02:19	0.012	0	0
8/23/2007	16:17:19	0.011	-0.001	-1
8/23/2007	16:32:19	0.011	-0.001	-1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/23/2007
Start Time:	6:16:19
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0612) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2007	6:31:19	0.008	0	0
8/23/2007	6:46:19	0.008	0	0
8/23/2007	7:01:19	0.009	0.001	1
8/23/2007	7:16:19	0.01	0.002	2
8/23/2007	7:31:19	0.011	0.003	3
8/23/2007	7:46:19	0.013	0.005	5
8/23/2007	8:01:19	0.013	0.005	5
8/23/2007	8:16:19	0.016	0.008	8
8/23/2007	8:31:19	0.02	0.012	12
8/23/2007	8:46:19	0.022	0.014	14
8/23/2007	9:01:19	0.025	0.017	17
8/23/2007	9:16:19	0.03	0.022	22
8/23/2007	9:31:19	0.029	0.021	21
8/23/2007	9:46:19	0.026	0.018	18
8/23/2007	10:01:19	0.024	0.016	16
8/23/2007	10:16:19	0.021	0.013	13
8/23/2007	10:31:19	0.015	0.007	7
8/23/2007	10:46:19	0.013	0.005	5
8/23/2007	11:01:19	0.014	0.006	6
8/23/2007	11:16:19	0.016	0.008	8
8/23/2007	11:31:19	0.015	0.007	7
8/23/2007	11:46:19	0.015	0.007	7
8/23/2007	12:01:19	0.014	0.006	6
8/23/2007	12:16:19	0.014	0.006	6
8/23/2007	12:31:19	0.014	0.006	6
8/23/2007	12:46:19	0.015	0.007	7
8/23/2007	13:01:19	0.015	0.007	7
8/23/2007	13:16:19	0.016	0.008	8
8/23/2007	13:31:19	0.019	0.011	11
8/23/2007	13:46:19	0.017	0.009	9
8/23/2007	14:01:19	0.02	0.012	12
8/23/2007	14:16:19	0.022	0.014	14
8/23/2007	14:31:19	0.025	0.017	17
8/23/2007	14:46:19	0.027	0.019	19
8/23/2007	15:01:19	0.028	0.02	20
8/23/2007	15:16:19	0.028	0.02	20
8/23/2007	15:31:19	0.029	0.021	21
8/23/2007	15:46:19	0.029	0.021	21
8/23/2007	16:01:19	0.031	0.023	23
8/23/2007	16:16:19	0.031	0.023	23
8/23/2007	16:31:19	0.029	0.021	21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/23/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/23/2007 6:47	0		0
2	8/23/2007 7:02	0		0
3	8/23/2007 7:17	0		0
4	8/23/2007 7:32	0		0
5	8/23/2007 7:47	0		0
6	8/23/2007 8:02	0		0
7	8/23/2007 8:17	0.1		0.1
8	8/23/2007 8:32	0.1		0.1
9	8/23/2007 8:47	0.1		0.1
10	8/23/2007 9:02	0.1		0.1
11	8/23/2007 9:17	0.1		0.1
12	8/23/2007 9:32	0.1		0.1
13	8/23/2007 9:47	0.1		0.1
14	8/23/2007 10:02	0.1		0.1
15	8/23/2007 10:17	0.1		0.1
16	8/23/2007 10:32	0.2		0.2
17	8/23/2007 10:47	0.2		0.2
18	8/23/2007 11:02	0.2		0.2
19	8/23/2007 11:17	0.2		0.2
20	8/23/2007 11:32	0.2		0.2
21	8/23/2007 11:47	0.2		0.2
22	8/23/2007 12:02	0.2		0.2
23	8/23/2007 12:17	0.2		0.2
24	8/23/2007 12:32	0.2		0.2
25	8/23/2007 12:47	0.2		0.2
26	8/23/2007 13:02	0.2		0.2
27	8/23/2007 13:17	0.2		0.2
28	8/23/2007 13:32	0.2		0.2
29	8/23/2007 13:47	0.2		0.2
30	8/23/2007 14:02	0.2		0.2
31	8/23/2007 14:17	0.2		0.2
32	8/23/2007 14:32	0.2		0.2
33	8/23/2007 14:47	0.2		0.2
34	8/23/2007 15:02	0.2		0.2
35	8/23/2007 15:17	0.2		0.2
36	8/23/2007 15:32	0.2		0.2
37	8/23/2007 15:47	0.2		0.2
38	8/23/2007 16:02	0.2		0.2
39	8/23/2007 16:17	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/23/2007
Start Time:	6:35:47
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0632) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/23/2007	6:50:47	0.022	0.004	4
8/23/2007	7:05:47	0.021	0.003	3
8/23/2007	7:20:47	0.022	0.004	4
8/23/2007	7:35:47	0.025	0.007	7
8/23/2007	7:50:47	0.025	0.007	7
8/23/2007	8:05:47	0.031	0.013	13
8/23/2007	8:20:47	0.043	0.025	25
8/23/2007	8:35:47	0.043	0.025	25
8/23/2007	8:50:47	0.051	0.033	33
8/23/2007	9:05:47	0.054	0.036	36
8/23/2007	9:20:47	0.057	0.039	39
8/23/2007	9:35:47	0.054	0.036	36
8/23/2007	9:50:47	0.053	0.035	35
8/23/2007	10:05:47	0.048	0.03	30
8/23/2007	10:20:47	0.041	0.023	23
8/23/2007	10:35:47	0.035	0.017	17
8/23/2007	10:50:47	0.029	0.011	11
8/23/2007	11:05:47	0.035	0.017	17
8/23/2007	11:20:47	0.03	0.012	12
8/23/2007	11:35:47	0.03	0.012	12
8/23/2007	11:50:47	0.026	0.008	8
8/23/2007	12:05:47	0.03	0.012	12
8/23/2007	12:20:47	0.024	0.006	6
8/23/2007	12:35:47	0.025	0.007	7
8/23/2007	12:50:47	0.027	0.009	9
8/23/2007	13:05:47	0.027	0.009	9
8/23/2007	13:20:47	0.035	0.017	17
8/23/2007	13:35:47	0.032	0.014	14
8/23/2007	13:50:47	0.032	0.014	14
8/23/2007	14:05:47	0.038	0.02	20
8/23/2007	14:20:47	0.039	0.021	21
8/23/2007	14:35:47	0.045	0.027	27
8/23/2007	14:50:47	0.048	0.03	30
8/23/2007	15:05:47	0.049	0.031	31
8/23/2007	15:20:47	0.049	0.031	31
8/23/2007	15:35:47	0.049	0.031	31
8/23/2007	15:50:47	0.053	0.035	35
8/23/2007	16:05:47	0.057	0.039	39
8/23/2007	16:20:47	0.054	0.036	36
8/23/2007	16:35:47	0.05	0.032	32

STATION 4 (CONCOURSE VILLAGE WEST)

VOC action level = 5 ppm above background

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010

User ID: 00000001 Site ID: 00000215

Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/23/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0627) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/23/2007 6:52	0		0
2	8/23/2007 7:07	0		0
3	8/23/2007 7:22	0		0
4	8/23/2007 7:37	0		0
5	8/23/2007 7:52	0		0
6	8/23/2007 8:07	0.1		0.1
7	8/23/2007 8:22	0.1		0.1
8	8/23/2007 8:37	0.1		0.1
9	8/23/2007 8:52	0.1		0.1
10	8/23/2007 9:07	0.1		0.1
11	8/23/2007 9:22	0.1		0.1
12	8/23/2007 9:37	0.1		0.1
13	8/23/2007 9:52	0.1		0.1
14	8/23/2007 10:07	0.1		0.1
15	8/23/2007 10:22	0.1		0.1
16	8/23/2007 10:37	0.1		0.1
17	8/23/2007 10:52	0.1		0.1
18	8/23/2007 11:07	0.1		0.1
19	8/23/2007 11:22	0.1		0.1
20	8/23/2007 11:37	0.1		0.1
21	8/23/2007 11:52	0.1		0.1
22	8/23/2007 12:07	0.1		0.1
23	8/23/2007 12:22	0.1		0.1
24	8/23/2007 12:37	0.1		0.1
25	8/23/2007 12:52	0.1		0.1
26	8/23/2007 13:07	0.1		0.1
27	8/23/2007 13:22	0.1		0.1
28	8/23/2007 13:37	0.1		0.1
29	8/23/2007 13:52	0.1		0.1
30	8/23/2007 14:07	0.1		0.1
31	8/23/2007 14:22	0.1		0.1
32	8/23/2007 14:37	0.1		0.1
33	8/23/2007 14:52	0		0
34	8/23/2007 15:07	0		0
35	8/23/2007 15:22	0		0
36	8/23/2007 15:37	0		0
37	8/23/2007 15:52	0		0
38	8/23/2007 16:07	0		0
39	8/23/2007 16:22	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/23/2007
Start Time:	6:31:17
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0627) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/23/2007	6:46:17	0.014	0.002	2
8/23/2007	7:01:17	0.015	0.003	3
8/23/2007	7:16:17	0.015	0.003	3
8/23/2007	7:31:17	0.018	0.006	6
8/23/2007	7:46:17	0.018	0.006	6
8/23/2007	8:01:17	0.02	0.008	8
8/23/2007	8:16:17	0.027	0.015	15
8/23/2007	8:31:17	0.031	0.019	19
8/23/2007	8:46:17	0.036	0.024	24
8/23/2007	9:01:17	0.036	0.024	24
8/23/2007	9:16:17	0.036	0.024	24
8/23/2007	9:31:17	0.038	0.026	26
8/23/2007	9:46:17	0.036	0.024	24
8/23/2007	10:01:17	0.032	0.02	20
8/23/2007	10:16:17	0.029	0.017	17
8/23/2007	10:31:17	0.021	0.009	9
8/23/2007	10:46:17	0.018	0.006	6
8/23/2007	11:01:17	0.02	0.008	8
8/23/2007	11:16:17	0.019	0.007	7
8/23/2007	11:31:17	0.018	0.006	6
8/23/2007	11:46:17	0.018	0.006	6
8/23/2007	12:01:17	0.018	0.006	6
8/23/2007	12:16:17	0.017	0.005	5
8/23/2007	12:31:17	0.017	0.005	5
8/23/2007	12:46:17	0.018	0.006	6
8/23/2007	13:01:17	0.019	0.007	7
8/23/2007	13:16:17	0.022	0.01	10
8/23/2007	13:31:17	0.02	0.008	8
8/23/2007	13:46:17	0.02	0.008	8
8/23/2007	14:01:17	0.023	0.011	11
8/23/2007	14:16:17	0.027	0.015	15
8/23/2007	14:31:17	0.03	0.018	18
8/23/2007	14:46:17	0.031	0.019	19
8/23/2007	15:01:17	0.033	0.021	21
8/23/2007	15:16:17	0.033	0.021	21
8/23/2007	15:31:17	0.033	0.021	21
8/23/2007	15:46:17	0.033	0.021	21
8/23/2007	16:01:17	0.037	0.025	25
8/23/2007	16:16:17	0.034	0.022	22
8/23/2007	16:31:17	0.034	0.022	22

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/24/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/24/2007 6:21	0		0	
2	8/24/2007 6:36	0		0	
3	8/24/2007 6:51	0		0	
4	8/24/2007 7:06	0		0	
5	8/24/2007 7:21	0		0	
6	8/24/2007 7:36	0		0	
7	8/24/2007 7:51	0		0	
1	8/24/2007 8:23	0		0	
2	8/24/2007 8:38	0		0	
3	8/24/2007 8:53	0		0	
4	8/24/2007 9:08	0		0	
5	8/24/2007 9:23	0		0	
6	8/24/2007 9:38	0		0	
7	8/24/2007 9:53	0		0	
8	8/24/2007 10:08	0		0	
9	8/24/2007 10:23	0		0	
10	8/24/2007 10:38	0		0	
11	8/24/2007 10:53	0		0	
12	8/24/2007 11:08	0		0	
13	8/24/2007 11:23	0		0	
14	8/24/2007 11:38	0		0	
15	8/24/2007 11:53	0		0	
16	8/24/2007 12:08	0		0	
17	8/24/2007 12:23	0		0	
18	8/24/2007 12:38	0		0	
19	8/24/2007 12:53	0		0	
20	8/24/2007 13:08	0		0	*Shaw testing of AKRF equipment at STA 1
21	8/24/2007 13:23	0		0	
22	8/24/2007 13:38	0		0	
23	8/24/2007 13:53	0		0	
24	8/24/2007 14:08	0		0	
25	8/24/2007 14:23	0		0	
26	8/24/2007 14:38	0		0	
27	8/24/2007 14:53	0		0	
28	8/24/2007 15:08	0		0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/24/2007
Start Time:	6:06:24
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0604) = 0.037 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/24/2007	6:21:24	0.073	0.036	36	
8/24/2007	6:36:24	0.086	0.049	49	
8/24/2007	6:51:24	0.066	0.029	29	
8/24/2007	7:06:24	0.035	-0.002	-2	
8/24/2007	7:21:24	0.029	-0.008	-8	
8/24/2007	7:36:24	0.024	-0.013	-13	
8/24/2007	7:51:24	0.023	-0.014	-14	
8/24/2007	8:06:24	0.022	-0.015	-15	
8/24/2007	8:21:24	0.023	-0.014	-14	
8/24/2007	8:36:24	0.024	-0.013	-13	
8/24/2007	8:51:24	0.022	-0.015	-15	
8/24/2007	9:06:24	0.016	-0.021	-21	
8/24/2007	9:21:24	0.017	-0.02	-20	
8/24/2007	9:36:24	0.019	-0.018	-18	
8/24/2007	9:51:24	0.022	-0.015	-15	
8/24/2007	10:06:24	0.02	-0.017	-17	
8/24/2007	10:21:24	0.017	-0.02	-20	
8/24/2007	10:36:24	0.018	-0.019	-19	
8/24/2007	10:51:24	0.018	-0.019	-19	
8/24/2007	11:06:24	0.019	-0.018	-18	
8/24/2007	11:21:24	0.017	-0.02	-20	
8/24/2007	11:36:24	0.017	-0.02	-20	
8/24/2007	11:51:24	0.016	-0.021	-21	
8/24/2007	12:06:24	0.015	-0.022	-22	
8/24/2007	12:21:24	0.015	-0.022	-22	
8/24/2007	12:36:24	0.015	-0.022	-22	
8/24/2007	12:51:24	0.016	-0.021	-21	
8/24/2007	13:06:24	0.016	-0.021	-21	
8/24/2007	13:21:24	0.055	0.018	18	*Shaw testing of AKRF equipment at STA 1
8/24/2007	13:36:24	0.021	-0.016	-16	
8/24/2007	13:51:24	0.018	-0.019	-19	
8/24/2007	14:06:24	0.017	-0.02	-20	
8/24/2007	14:21:24	0.018	-0.019	-19	
8/24/2007	14:36:24	0.019	-0.018	-18	
8/24/2007	14:51:24	0.02	-0.017	-17	
8/24/2007	15:06:24	0.023	-0.014	-14	
8/24/2007	15:21:24	0.023	-0.014	-14	
8/24/2007	15:36:24	0.021	-0.016	-16	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/24/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm) Alarm	Avg-background(ppm)	
1	8/24/2007 6:35	0	0	
2	8/24/2007 6:50	0	0	
3	8/24/2007 7:05	0	0	
4	8/24/2007 7:20	0	0	
5	8/24/2007 7:35	0.1	0.1	
6	8/24/2007 7:50	0.1	0.1	
7	8/24/2007 8:05	0.2	0.2	
8	8/24/2007 8:20	0.2	0.2	
9	8/24/2007 8:35	0.2	0.2	
10	8/24/2007 8:50	0.2	0.2	
11	8/24/2007 9:05	0.2	0.2	
12	8/24/2007 9:20	0.2	0.2	
13	8/24/2007 9:35	0.2	0.2	
14	8/24/2007 9:50	0.2	0.2	
15	8/24/2007 10:05	0.2	0.2	
16	8/24/2007 10:20	0.2	0.2	
17	8/24/2007 10:35	0.2	0.2	
18	8/24/2007 10:50	0.2	0.2	
19	8/24/2007 11:05	0.2	0.2	
20	8/24/2007 11:20	0.2	0.2	
21	8/24/2007 11:35	0.2	0.2	
22	8/24/2007 11:50	0.2	0.2	
23	8/24/2007 12:05	0.2	0.2	
24	8/24/2007 12:20	0.2	0.2	
25	8/24/2007 12:35	0.2	0.2	
26	8/24/2007 12:50	0.2	0.2	
27	8/24/2007 13:05	0.2	0.2	
28	8/24/2007 13:20	0.2	0.2	
29	8/24/2007 13:35	0.2	0.2	
30	8/24/2007 13:50	0.2	0.2	*Shaw testing of AKRF equipment at STA 2
31	8/24/2007 14:05	0.2	0.2	
32	8/24/2007 14:20	0.2	0.2	
33	8/24/2007 14:35	0.1	0.1	
34	8/24/2007 14:50	0.2	0.2	
35	8/24/2007 15:05	0.2	0.2	
36	8/24/2007 15:20	0.2	0.2	

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/24/2007
Start Time:	6:19:15
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0615) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)		
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3	
8/24/2007	6:34:15	0.047	-0.007	-7	
8/24/2007	6:49:15	0.036	-0.018	-18	
8/24/2007	7:04:15	0.032	-0.022	-22	
8/24/2007	7:19:15	0.03	-0.024	-24	
8/24/2007	7:34:15	0.029	-0.025	-25	
8/24/2007	7:49:15	0.028	-0.026	-26	
8/24/2007	8:04:15	0.028	-0.026	-26	
8/24/2007	8:19:15	0.029	-0.025	-25	
8/24/2007	8:34:15	0.03	-0.024	-24	
8/24/2007	8:49:15	0.031	-0.023	-23	
8/24/2007	9:04:15	0.021	-0.033	-33	
8/24/2007	9:19:15	0.022	-0.032	-32	
8/24/2007	9:34:15	0.026	-0.028	-28	
8/24/2007	9:49:15	0.032	-0.022	-22	
8/24/2007	10:04:15	0.034	-0.02	-20	
8/24/2007	10:19:15	0.026	-0.028	-28	
8/24/2007	10:34:15	0.027	-0.027	-27	
8/24/2007	10:49:15	0.027	-0.027	-27	
8/24/2007	11:04:15	0.03	-0.024	-24	
8/24/2007	11:19:15	0.029	-0.025	-25	
8/24/2007	11:34:15	0.03	-0.024	-24	
8/24/2007	11:49:15	0.03	-0.024	-24	
8/24/2007	12:04:15	0.03	-0.024	-24	
8/24/2007	12:19:15	0.031	-0.023	-23	
8/24/2007	12:34:15	0.031	-0.023	-23	
8/24/2007	12:49:15	0.033	-0.021	-21	
8/24/2007	13:04:15	0.032	-0.022	-22	
8/24/2007	13:19:15	0.033	-0.021	-21	
8/24/2007	13:34:15	0.035	-0.019	-19	
8/24/2007	13:49:15	0.197	0.143	143	*Shaw testing of AKRF equipment at STA 2
8/24/2007	14:04:15	0.038	-0.016	-16	
8/24/2007	14:19:15	0.037	-0.017	-17	
8/24/2007	14:34:15	0.039	-0.015	-15	
8/24/2007	14:49:15	0.04	-0.014	-14	
8/24/2007	15:04:15	0.046	-0.008	-8	
8/24/2007	15:19:15	0.049	-0.005	-5	
8/24/2007	15:34:15	0.044	-0.01	-10	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/24/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0643) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	8/24/2007 6:57	0		0	
2	8/24/2007 7:12	0		0	
3	8/24/2007 7:27	0		0	
4	8/24/2007 7:42	0		0	
5	8/24/2007 7:57	0		0	
6	8/24/2007 8:12	0		0	
7	8/24/2007 8:27	0		0	
8	8/24/2007 8:42	0		0	
9	8/24/2007 8:57	0		0	
10	8/24/2007 9:12	0		0	
11	8/24/2007 9:27	0		0	
12	8/24/2007 9:42	0.1		0.1	
13	8/24/2007 9:57	0		0	
14	8/24/2007 10:12	0		0	
15	8/24/2007 10:27	0		0	
16	8/24/2007 10:42	0.1		0.1	
17	8/24/2007 10:57	0		0	
18	8/24/2007 11:12	0		0	
19	8/24/2007 11:27	0		0	
20	8/24/2007 11:42	0		0	
21	8/24/2007 11:57	0		0	
22	8/24/2007 12:12	0		0	
23	8/24/2007 12:27	0		0	
24	8/24/2007 12:42	0		0	
25	8/24/2007 12:57	0		0	
26	8/24/2007 13:12	0		0	
27	8/24/2007 13:27	0		0	*Shaw testing of AKRF equipment at STA 3
28	8/24/2007 13:42	0		0	
29	8/24/2007 13:57	0		0	
30	8/24/2007 14:12	0		0	
31	8/24/2007 14:27	0		0	
32	8/24/2007 14:42	0		0	
33	8/24/2007 14:57	0		0	
34	8/24/2007 15:12	0		0	

Calib

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/24/2007
Start Time:	6:48:59
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0643) = 0.086 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/24/2007	7:03:59	0.086	0	0	
8/24/2007	7:18:59	0.079	-0.007	-7	
8/24/2007	7:33:59	0.075	-0.011	-11	
8/24/2007	7:48:59	0.071	-0.015	-15	
8/24/2007	8:03:59	0.071	-0.015	-15	
8/24/2007	8:18:59	0.07	-0.016	-16	
8/24/2007	8:33:59	0.075	-0.011	-11	
8/24/2007	8:48:59	0.075	-0.011	-11	
8/24/2007	9:03:59	0.061	-0.025	-25	
8/24/2007	9:18:59	0.056	-0.03	-30	
8/24/2007	9:33:59	0.06	-0.026	-26	
8/24/2007	9:48:59	0.074	-0.012	-12	
8/24/2007	10:03:59	0.069	-0.017	-17	
8/24/2007	10:18:59	0.061	-0.025	-25	
8/24/2007	10:33:59	0.065	-0.021	-21	
8/24/2007	10:48:59	0.063	-0.023	-23	
8/24/2007	11:03:59	0.081	-0.005	-5	
8/24/2007	11:18:59	0.061	-0.025	-25	
8/24/2007	11:33:59	0.063	-0.023	-23	
8/24/2007	11:48:59	0.062	-0.024	-24	
8/24/2007	12:03:59	0.065	-0.021	-21	
8/24/2007	12:18:59	0.064	-0.022	-22	
8/24/2007	12:33:59	0.06	-0.026	-26	
8/24/2007	12:48:59	0.081	-0.005	-5	
8/24/2007	13:03:59	0.065	-0.021	-21	
8/24/2007	13:18:59	0.069	-0.017	-17	
8/24/2007	13:33:59	0.07	-0.016	-16	
8/24/2007	13:48:59	0.207	0.121	121	*Shaw testing of AKRF equipment at STA 3
8/24/2007	14:03:59	0.066	-0.02	-20	
8/24/2007	14:18:59	0.078	-0.008	-8	
8/24/2007	14:33:59	0.072	-0.014	-14	
8/24/2007	14:48:59	0.077	-0.009	-9	
8/24/2007	15:03:59	0.097	0.011	11	
8/24/2007	15:18:59	0.089	0.003	3	
8/24/2007	15:33:59	0.082	-0.004	-4	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/24/2007
Start Time:	6:31:40
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0630) = 0.056 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
8/24/2007	6:46:40	0.056	0	0	
8/24/2007	7:01:40	0.053	-0.003	-3	
8/24/2007	7:16:40	0.05	-0.006	-6	
8/24/2007	7:31:40	0.05	-0.006	-6	
8/24/2007	7:46:40	0.048	-0.008	-8	
8/24/2007	8:01:40	0.05	-0.006	-6	
8/24/2007	8:16:40	0.047	-0.009	-9	
8/24/2007	8:31:40	0.051	-0.005	-5	
8/24/2007	8:46:40	0.05	-0.006	-6	
8/24/2007	9:01:40	0.035	-0.021	-21	
8/24/2007	9:16:40	0.035	-0.021	-21	
8/24/2007	9:31:40	0.04	-0.016	-16	
8/24/2007	9:46:40	0.047	-0.009	-9	
8/24/2007	10:01:40	0.046	-0.01	-10	
8/24/2007	10:16:40	0.039	-0.017	-17	
8/24/2007	10:31:40	0.039	-0.017	-17	
8/24/2007	10:46:40	0.038	-0.018	-18	
8/24/2007	11:01:40	0.042	-0.014	-14	
8/24/2007	11:16:40	0.039	-0.017	-17	
8/24/2007	11:31:40	0.039	-0.017	-17	
8/24/2007	11:46:40	0.039	-0.017	-17	
8/24/2007	12:01:40	0.038	-0.018	-18	
8/24/2007	12:16:40	0.039	-0.017	-17	
8/24/2007	12:31:40	0.039	-0.017	-17	
8/24/2007	12:46:40	0.04	-0.016	-16	
8/24/2007	13:01:40	0.039	-0.017	-17	
8/24/2007	13:16:40	0.04	-0.016	-16	
8/24/2007	13:31:40	0.043	-0.013	-13	
8/24/2007	13:46:40	0.094	0.038	38	*Shaw testing of AKRF equipment at STA 4
8/24/2007	14:01:40	0.05	-0.006	-6	
8/24/2007	14:16:40	0.05	-0.006	-6	
8/24/2007	14:31:40	0.046	-0.01	-10	
8/24/2007	14:46:40	0.048	-0.008	-8	
8/24/2007	15:01:40	0.054	-0.002	-2	
8/24/2007	15:16:40	0.059	0.003	3	
8/24/2007	15:31:40	0.053	-0.003	-3	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/25/2007 09:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0918) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/25/2007 9:36	0.1		0.1
2	8/25/2007 9:51	0.1		0.1
3	8/25/2007 10:06	0		0
4	8/25/2007 10:21	0		0
5	8/25/2007 10:36	0		0
6	8/25/2007 10:51	0		0
7	8/25/2007 11:06	0		0
8	8/25/2007 11:21	0		0
9	8/25/2007 11:36	0		0
10	8/25/2007 11:51	0.1		0.1
11	8/25/2007 12:06	0.2		0.2
12	8/25/2007 12:21	0.2		0.2
13	8/25/2007 12:36	0.2		0.2
14	8/25/2007 12:51	0.3		0.3
15	8/25/2007 13:06	0.3		0.3
16	8/25/2007 13:21	0.3		0.3
17	8/25/2007 13:36	0.3		0.3
18	8/25/2007 13:51	0.3		0.3
19	8/25/2007 14:06	0.4		0.4
20	8/25/2007 14:21	0.4		0.4
21	8/25/2007 14:36	0.4		0.4
22	8/25/2007 14:51	0.3		0.3
23	8/25/2007 15:06	0.3		0.3
24	8/25/2007 15:21	0.3		0.3
25	8/25/2007 15:36	0.3		0.3
26	8/25/2007 15:51	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/25/2007
Start Time:	9:04:28
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0918) = 0.138 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2007	9:19:28	0.123	-0.015	-15
8/25/2007	9:34:28	0.145	0.007	7
8/25/2007	9:49:28	0.097	-0.041	-41
8/25/2007	10:04:28	0.056	-0.082	-82
8/25/2007	10:19:28	0.043	-0.095	-95
8/25/2007	10:34:28	0.038	-0.1	-100
8/25/2007	10:49:28	0.037	-0.101	-101
8/25/2007	11:04:28	0.035	-0.103	-103
8/25/2007	11:19:28	0.034	-0.104	-104
8/25/2007	11:34:28	0.033	-0.105	-105
8/25/2007	11:49:28	0.032	-0.106	-106
8/25/2007	12:04:28	0.03	-0.108	-108
8/25/2007	12:19:28	0.029	-0.109	-109
8/25/2007	12:34:28	0.028	-0.11	-110
8/25/2007	12:49:28	0.028	-0.11	-110
8/25/2007	13:04:28	0.026	-0.112	-112
8/25/2007	13:19:28	0.025	-0.113	-113
8/25/2007	13:34:28	0.024	-0.114	-114
8/25/2007	13:49:28	0.025	-0.113	-113
8/25/2007	14:04:28	0.026	-0.112	-112
8/25/2007	14:19:28	0.026	-0.112	-112
8/25/2007	14:34:28	0.027	-0.111	-111
8/25/2007	14:49:28	0.028	-0.11	-110
8/25/2007	15:04:28	0.03	-0.108	-108
8/25/2007	15:19:28	0.029	-0.109	-109
8/25/2007	15:34:28	0.029	-0.109	-109
8/25/2007	15:49:28	0.029	-0.109	-109
8/25/2007	16:04:28	0.029	-0.109	-109
8/25/2007	16:19:28	0.028	-0.11	-110

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/25/2007 09:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0916) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/25/2007 9:33	0.1		0.1
2	8/25/2007 9:48	0.1		0.1
3	8/25/2007 10:03	0.1		0.1
4	8/25/2007 10:18	0.1		0.1
5	8/25/2007 10:33	0.1		0.1
6	8/25/2007 10:48	0		0
7	8/25/2007 11:03	0		0
8	8/25/2007 11:18	0		0
9	8/25/2007 11:33	0		0
10	8/25/2007 11:48	0		0
11	8/25/2007 12:03	0.1		0.1
12	8/25/2007 12:18	0.1		0.1
13	8/25/2007 12:33	0.2		0.2
14	8/25/2007 12:48	0.2		0.2
15	8/25/2007 13:03	0.2		0.2
16	8/25/2007 13:18	0.4		0.4
17	8/25/2007 13:33	0.4		0.4
18	8/25/2007 13:48	0.4		0.4
19	8/25/2007 14:03	0.4		0.4
20	8/25/2007 14:18	0.4		0.4
21	8/25/2007 14:33	0.4		0.4
22	8/25/2007 14:48	0.4		0.4
23	8/25/2007 15:03	0.4		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m ^{3} (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/25/2007
Start Time:	9:16:11
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	24
Notes:	Background Reading (0916) = 0.140 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2007	9:31:11	0.138	-0.002	-2
8/25/2007	9:46:11	0.13	-0.01	-10
8/25/2007	10:01:11	0.129	-0.011	-11
8/25/2007	10:16:11	0.128	-0.012	-12
8/25/2007	10:31:11	0.124	-0.016	-16
8/25/2007	10:46:11	0.124	-0.016	-16
8/25/2007	11:01:11	0.122	-0.018	-18
8/25/2007	11:16:11	0.083	-0.057	-57
8/25/2007	11:31:11	0.051	-0.089	-89
8/25/2007	11:46:11	0.047	-0.093	-93
8/25/2007	12:01:11	0.044	-0.096	-96
8/25/2007	12:16:11	0.042	-0.098	-98
8/25/2007	12:31:11	0.043	-0.097	-97
8/25/2007	12:46:11	0.042	-0.098	-98
8/25/2007	13:01:11	0.045	-0.095	-95
8/25/2007	13:16:11	0.045	-0.095	-95
8/25/2007	13:31:11	0.044	-0.096	-96
8/25/2007	13:46:11	0.045	-0.095	-95
8/25/2007	14:01:11	0.047	-0.093	-93
8/25/2007	14:16:11	0.051	-0.089	-89
8/25/2007	14:31:11	0.054	-0.086	-86
8/25/2007	14:46:11	0.057	-0.083	-83
8/25/2007	15:01:11	0.059	-0.081	-81
8/25/2007	15:16:11	0.06	-0.08	-80

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/25/2007 09:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0925) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/25/2007 10:41	0		0
2	8/25/2007 10:56	0		0
3	8/25/2007 11:11	0		0
4	8/25/2007 11:26	0		0
5	8/25/2007 11:41	0		0
6	8/25/2007 11:56	0		0
7	8/25/2007 12:11	0		0
8	8/25/2007 12:26	0		0
9	8/25/2007 12:41	0		0
10	8/25/2007 12:56	0		0
11	8/25/2007 13:11	0		0
12	8/25/2007 13:26	0		0
13	8/25/2007 13:41	0		0
14	8/25/2007 13:56	0		0
15	8/25/2007 14:11	0		0
16	8/25/2007 14:26	0		0
17	8/25/2007 14:41	0		0
18	8/25/2007 14:56	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/25/2007
Start Time:	9:26:29
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0925) = 0.324 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/25/2007	9:41:29	0.4	0.076	76
8/25/2007	10:11:29	0.204	-0.12	-120
8/25/2007	10:26:29	0.171	-0.153	-153
8/25/2007	10:41:29	0.117	-0.207	-207
8/25/2007	10:56:29	0.069	-0.255	-255
8/25/2007	11:11:29	0.134	-0.19	-190
8/25/2007	11:26:29	0.137	-0.187	-187
8/25/2007	11:41:29	0.116	-0.208	-208
8/25/2007	11:56:29	0.112	-0.212	-212
8/25/2007	12:11:29	0.112	-0.212	-212
8/25/2007	12:26:29	0.106	-0.218	-218
8/25/2007	12:41:29	0.097	-0.227	-227
8/25/2007	12:56:29	0.108	-0.216	-216
8/25/2007	13:11:29	0.106	-0.218	-218
8/25/2007	13:26:29	0.097	-0.227	-227
8/25/2007	13:41:29	0.097	-0.227	-227
8/25/2007	13:56:29	0.106	-0.218	-218
8/25/2007	14:11:29	0.11	-0.214	-214
8/25/2007	14:26:29	0.109	-0.215	-215
8/25/2007	14:41:29	0.111	-0.213	-213
8/25/2007	14:56:29	0.133	-0.191	-191
8/25/2007	15:11:29	0.114	-0.21	-210
8/25/2007	15:26:29	0.118	-0.206	-206

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 14 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/25/2007 9:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (10:12) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/25/2007 10:11	0		0
2	8/25/2007 10:26	0		0
3	8/25/2007 10:41	0		0
4	8/25/2007 10:56	0		0
5	8/25/2007 11:11	0		0
6	8/25/2007 11:26	0		0
7	8/25/2007 11:41	0		0
8	8/25/2007 11:56	0		0
9	8/25/2007 12:11	0		0
10	8/25/2007 12:26	0		0
11	8/25/2007 12:41	0		0
12	8/25/2007 12:56	0		0
13	8/25/2007 13:11	0		0
14	8/25/2007 13:26	0		0
15	8/25/2007 13:41	0		0
16	8/25/2007 13:56	0		0
17	8/25/2007 14:11	0		0
18	8/25/2007 14:26	0		0
19	8/25/2007 14:41	0		0
20	8/25/2007 14:56	0		0
21	8/25/2007 15:11	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	2
Test Abbreviation:	
Start Date:	8/25/2007
Start Time:	10:25:29
Duration (dd:hh:mm:ss):	00:05:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (10:12) = 0.158 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
8/25/2007	9:55:24	0.141	-0.017	-17
8/25/2007	10:10:24	0.126	-0.032	-32
8/25/2007	10:25:24	0.095	-0.063	-63
8/25/2007	10:40:24	0.059	-0.099	-99
8/25/2007	10:55:24	0.045	-0.113	-113
8/25/2007	11:10:24	0.035	-0.123	-123
8/25/2007	11:25:24	0.031	-0.127	-127
8/25/2007	11:40:24	0.039	-0.119	-119
8/25/2007	11:55:24	0.037	-0.121	-121
8/25/2007	12:10:24	0.032	-0.126	-126
8/25/2007	12:25:24	0.031	-0.127	-127
8/25/2007	12:40:24	0.03	-0.128	-128
8/25/2007	12:55:24	0.024	-0.134	-134
8/25/2007	13:10:24	0.025	-0.133	-133
8/25/2007	13:25:24	0.024	-0.134	-134
8/25/2007	13:40:24	0.023	-0.135	-135
8/25/2007	13:55:24	0.027	-0.131	-131
8/25/2007	14:10:24	0.029	-0.129	-129
8/25/2007	14:25:24	0.028	-0.13	-130
8/25/2007	14:40:24	0.022	-0.136	-136
8/25/2007	14:55:24	0.024	-0.134	-134
8/25/2007	15:10:24	0.026	-0.132	-132
8/25/2007	15:25:24	0.028	-0.13	-130

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 900077
User ID: 00000001 Site ID: 00000009
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/27/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/27/2007 6:26	0		0
2	8/27/2007 6:41	0		0
3	8/27/2007 6:56	0		0
4	8/27/2007 7:11	0		0
5	8/27/2007 7:26	0		0
6	8/27/2007 7:41	0		0
7	8/27/2007 7:56	0		0
1	8/27/2007 8:41	0		0
2	8/27/2007 8:56	0		0
3	8/27/2007 9:11	0		0
4	8/27/2007 9:26	0		0
5	8/27/2007 9:41	0		0
6	8/27/2007 9:56	0		0
7	8/27/2007 10:11	0		0
8	8/27/2007 10:26	0		0
9	8/27/2007 10:41	0		0
10	8/27/2007 10:56	0		0
11	8/27/2007 11:11	0		0
12	8/27/2007 11:26	0		0
13	8/27/2007 11:41	0		0
14	8/27/2007 11:56	0		0
15	8/27/2007 12:11	0		0
16	8/27/2007 12:26	0		0
17	8/27/2007 12:41	0		0
18	8/27/2007 12:56	0		0
19	8/27/2007 13:11	0		0
20	8/27/2007 13:26	0		0
21	8/27/2007 13:41	0		0
22	8/27/2007 13:56	0		0
23	8/27/2007 14:11	0		0
24	8/27/2007 14:26	0		0
25	8/27/2007 14:41	0		0
26	8/27/2007 14:56	0		0
27	8/27/2007 15:11	0		0
28	8/27/2007 15:26	0		0
29	8/27/2007 15:41	0		0
30	8/27/2007 15:56	0		0
31	8/27/2007 16:11	0		0
32	8/27/2007 16:26	0		0
33	8/27/2007 16:41	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/27/2007
Start Time:	6:11:57
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0608) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/27/2007	6:26:57	0.014	0.006	6
8/27/2007	6:41:57	0.007	-0.001	-1
8/27/2007	6:56:57	0.005	-0.003	-3
8/27/2007	7:11:57	0.006	-0.002	-2
8/27/2007	7:26:57	0.005	-0.003	-3
8/27/2007	7:41:57	0.006	-0.002	-2
8/27/2007	7:56:57	0.006	-0.002	-2
8/27/2007	8:11:57	0.006	-0.002	-2
8/27/2007	8:26:57	0.005	-0.003	-3
8/27/2007	8:41:57	0.007	-0.001	-1
8/27/2007	8:56:57	0.006	-0.002	-2
8/27/2007	9:11:57	0.006	-0.002	-2
8/27/2007	9:26:57	0.005	-0.003	-3
8/27/2007	9:41:57	0.005	-0.003	-3
8/27/2007	9:56:57	0.006	-0.002	-2
8/27/2007	10:11:57	0.005	-0.003	-3
8/27/2007	10:26:57	0.005	-0.003	-3
8/27/2007	10:41:57	0.005	-0.003	-3
8/27/2007	10:56:57	0.005	-0.003	-3
8/27/2007	11:11:57	0.005	-0.003	-3
8/27/2007	11:26:57	0.005	-0.003	-3
8/27/2007	11:41:57	0.005	-0.003	-3
8/27/2007	11:56:57	0.005	-0.003	-3
8/27/2007	12:11:57	0.004	-0.004	-4
8/27/2007	12:26:57	0.004	-0.004	-4
8/27/2007	12:41:57	0.004	-0.004	-4
8/27/2007	12:56:57	0.004	-0.004	-4
8/27/2007	13:11:57	0.005	-0.003	-3
8/27/2007	13:26:57	0.007	-0.001	-1
8/27/2007	13:41:57	0.006	-0.002	-2
8/27/2007	13:56:57	0.005	-0.003	-3
8/27/2007	14:11:57	0.005	-0.003	-3
8/27/2007	14:26:57	0.009	0.001	1
8/27/2007	14:41:57	0.005	-0.003	-3
8/27/2007	14:56:57	0.006	-0.002	-2
8/27/2007	15:11:57	0.006	-0.002	-2
8/27/2007	15:26:57	0.005	-0.003	-3
8/27/2007	15:41:57	0.005	-0.003	-3
8/27/2007	15:56:57	0.006	-0.002	-2
8/27/2007	16:11:57	0.005	-0.003	-3
8/27/2007	16:26:57	0.006	-0.002	-2
8/27/2007	16:41:57	0.005	-0.003	-3
8/27/2007	16:56:57	0.006	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/27/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/27/2007 6:36	0		0
2	8/27/2007 6:51	0		0
3	8/27/2007 7:06	0		0
4	8/27/2007 7:21	0		0
5	8/27/2007 7:36	0		0
6	8/27/2007 7:51	0		0
7	8/27/2007 8:06	0		0
8	8/27/2007 8:21	0		0
9	8/27/2007 8:36	0		0
10	8/27/2007 8:51	0		0
11	8/27/2007 9:06	0		0
12	8/27/2007 9:21	0		0
13	8/27/2007 9:36	0		0
14	8/27/2007 9:51	0		0
15	8/27/2007 10:06	0.1		0.1
16	8/27/2007 10:21	0.1		0.1
17	8/27/2007 10:36	0.3		0.3
18	8/27/2007 10:51	0.3		0.3
19	8/27/2007 11:06	0.3		0.3
20	8/27/2007 11:21	0.3		0.3
21	8/27/2007 11:36	0.3		0.3
22	8/27/2007 11:51	0.3		0.3
23	8/27/2007 12:06	0.3		0.3
24	8/27/2007 12:21	0.3		0.3
25	8/27/2007 12:36	0.2		0.2
26	8/27/2007 12:51	0.2		0.2
27	8/27/2007 13:06	0.2		0.2
28	8/27/2007 13:21	0.3		0.3
29	8/27/2007 13:36	0.3		0.3
30	8/27/2007 13:51	0.3		0.3
31	8/27/2007 14:06	0.3		0.3
32	8/27/2007 14:21	0.3		0.3
33	8/27/2007 14:36	0.3		0.3
34	8/27/2007 14:51	0.2		0.2
35	8/27/2007 15:06	0.3		0.3
36	8/27/2007 15:21	0.3		0.3
37	8/27/2007 15:36	0.3		0.3
38	8/27/2007 15:51	0.2		0.2
39	8/27/2007 16:06	0.2		0.2
40	8/27/2007 16:21	0.2		0.2
41	8/27/2007 16:36	0.2		0.2
42	8/27/2007 16:51	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/27/2007
Start Time:	6:20:34
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0615) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/27/2007	6:35:34	0.009	-0.004	-4
8/27/2007	6:50:34	0.007	-0.006	-6
8/27/2007	7:05:34	0.007	-0.006	-6
8/27/2007	7:20:34	0.007	-0.006	-6
8/27/2007	7:35:34	0.009	-0.004	-4
8/27/2007	7:50:34	0.011	-0.002	-2
8/27/2007	8:05:34	0.009	-0.004	-4
8/27/2007	8:20:34	0.011	-0.002	-2
8/27/2007	8:35:34	0.012	-0.001	-1
8/27/2007	8:50:34	0.014	0.001	1
8/27/2007	9:05:34	0.013	0	0
8/27/2007	9:20:34	0.013	0	0
8/27/2007	9:35:34	0.012	-0.001	-1
8/27/2007	9:50:34	0.012	-0.001	-1
8/27/2007	10:05:34	0.013	0	0
8/27/2007	10:20:34	0.013	0	0
8/27/2007	10:35:34	0.016	0.003	3
8/27/2007	10:50:34	0.015	0.002	2
8/27/2007	11:05:34	0.015	0.002	2
8/27/2007	11:20:34	0.017	0.004	4
8/27/2007	11:35:34	0.017	0.004	4
8/27/2007	11:50:34	0.017	0.004	4
8/27/2007	12:05:34	0.016	0.003	3
8/27/2007	12:20:34	0.016	0.003	3
8/27/2007	12:35:34	0.016	0.003	3
8/27/2007	12:50:34	0.016	0.003	3
8/27/2007	13:05:34	0.018	0.005	5
8/27/2007	13:20:34	0.02	0.007	7
8/27/2007	13:35:34	0.019	0.006	6
8/27/2007	13:50:34	0.018	0.005	5
8/27/2007	14:05:34	0.019	0.006	6
8/27/2007	14:20:34	0.017	0.004	4
8/27/2007	14:35:34	0.017	0.004	4
8/27/2007	14:50:34	0.019	0.006	6
8/27/2007	15:05:34	0.021	0.008	8
8/27/2007	15:20:34	0.02	0.007	7
8/27/2007	15:35:34	0.021	0.008	8
8/27/2007	15:50:34	0.02	0.007	7
8/27/2007	16:05:34	0.02	0.007	7
8/27/2007	16:20:34	0.021	0.008	8
8/27/2007	16:35:34	0.021	0.008	8
8/27/2007	16:50:34	0.019	0.006	6
8/27/2007	17:05:34	0.02	0.007	7

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/27/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/27/2007 6:58	0		0
2	8/27/2007 7:13	0		0
3	8/27/2007 7:28	0		0
4	8/27/2007 7:43	0		0
5	8/27/2007 7:58	0		0
6	8/27/2007 8:13	0		0
7	8/27/2007 8:28	0		0
8	8/27/2007 8:43	0		0
9	8/27/2007 8:58	0		0
10	8/27/2007 9:13	0		0
11	8/27/2007 9:28	0		0
12	8/27/2007 9:43	0		0
13	8/27/2007 9:58	0		0
14	8/27/2007 10:13	0		0
15	8/27/2007 10:28	0		0
16	8/27/2007 10:43	0		0
17	8/27/2007 10:58	0		0
18	8/27/2007 11:13	0		0
19	8/27/2007 11:28	0		0
20	8/27/2007 11:43	0		0
21	8/27/2007 11:58	0		0
22	8/27/2007 12:13	0		0
23	8/27/2007 12:28	0		0
24	8/27/2007 12:43	0		0
25	8/27/2007 12:58	0		0
26	8/27/2007 13:13	0		0
27	8/27/2007 13:28	0		0
28	8/27/2007 13:43	0		0
29	8/27/2007 13:58	0		0
30	8/27/2007 14:13	0		0
31	8/27/2007 14:28	0		0
32	8/27/2007 14:43	0		0
33	8/27/2007 14:58	0		0
34	8/27/2007 15:13	0		0
35	8/27/2007 15:28	0		0
36	8/27/2007 15:43	0		0
37	8/27/2007 15:58	0		0
38	8/27/2007 16:13	0		0
39	8/27/2007 16:28	0		0
40	8/27/2007 16:43	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	3
Test Abbreviation:	
Start Date:	8/27/2007
Start Time:	6:57:48
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0645) = 0.028 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/27/2007	7:12:48	0.024	-0.004	-4
8/27/2007	7:27:48	0.022	-0.006	-6
8/27/2007	7:42:48	0.025	-0.003	-3
8/27/2007	7:57:48	0.028	0	0
8/27/2007	8:12:48	0.022	-0.006	-6
8/27/2007	8:27:48	0.02	-0.008	-8
8/27/2007	8:42:48	0.026	-0.002	-2
8/27/2007	8:57:48	0.024	-0.004	-4
8/27/2007	9:12:48	0.021	-0.007	-7
8/27/2007	9:27:48	0.021	-0.007	-7
8/27/2007	9:42:48	0.019	-0.009	-9
8/27/2007	9:57:48	0.025	-0.003	-3
8/27/2007	10:12:48	0.02	-0.008	-8
8/27/2007	10:27:48	0.021	-0.007	-7
8/27/2007	10:42:48	0.022	-0.006	-6
8/27/2007	10:57:48	0.022	-0.006	-6
8/27/2007	11:12:48	0.022	-0.006	-6
8/27/2007	11:27:48	0.022	-0.006	-6
8/27/2007	11:42:48	0.024	-0.004	-4
8/27/2007	11:57:48	0.022	-0.006	-6
8/27/2007	12:12:48	0.022	-0.006	-6
8/27/2007	12:27:48	0.02	-0.008	-8
8/27/2007	12:42:48	0.019	-0.009	-9
8/27/2007	12:57:48	0.022	-0.006	-6
8/27/2007	13:12:48	0.025	-0.003	-3
8/27/2007	13:27:48	0.024	-0.004	-4
8/27/2007	13:42:48	0.023	-0.005	-5
8/27/2007	13:57:48	0.026	-0.002	-2
8/27/2007	14:12:48	0.022	-0.006	-6
8/27/2007	14:27:48	0.026	-0.002	-2
8/27/2007	14:42:48	0.025	-0.003	-3
8/27/2007	14:57:48	0.03	0.002	2
8/27/2007	15:12:48	0.028	0	0
8/27/2007	15:27:48	0.03	0.002	2
8/27/2007	15:42:48	0.03	0.002	2
8/27/2007	15:57:48	0.027	-0.001	-1
8/27/2007	16:12:48	0.026	-0.002	-2
8/27/2007	16:27:48	0.027	-0.001	-1
8/27/2007	16:42:48	0.029	0.001	1
8/27/2007	16:57:48	0.027	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/27/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0640) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/27/2007 7:21	0		0
2	8/27/2007 7:36	0		0
3	8/27/2007 7:51	0		0
4	8/27/2007 8:06	0		0
5	8/27/2007 8:21	0		0
6	8/27/2007 8:36	0		0
7	8/27/2007 8:51	0		0
8	8/27/2007 9:06	0		0
9	8/27/2007 9:21	0		0
10	8/27/2007 9:36	0		0
11	8/27/2007 9:51	0		0
12	8/27/2007 10:06	0		0
13	8/27/2007 10:21	0		0
14	8/27/2007 10:36	0		0
15	8/27/2007 10:51	0		0
16	8/27/2007 11:06	0		0
17	8/27/2007 11:21	0		0
18	8/27/2007 11:36	0.1		0.1
19	8/27/2007 11:51	0.1		0.1
20	8/27/2007 12:06	0.1		0.1
21	8/27/2007 12:21	0.1		0.1
22	8/27/2007 12:36	0.1		0.1
23	8/27/2007 12:51	0		0
24	8/27/2007 13:06	0		0
25	8/27/2007 13:21	0.1		0.1
26	8/27/2007 13:36	0		0
27	8/27/2007 13:51	0		0
28	8/27/2007 14:06	0		0
29	8/27/2007 14:21	0		0
30	8/27/2007 14:36	0		0
31	8/27/2007 14:51	0.1		0.1
32	8/27/2007 15:06	0		0
33	8/27/2007 15:21	0		0
34	8/27/2007 15:36	0		0
35	8/27/2007 15:51	0.1		0.1
36	8/27/2007 16:06	0		0
37	8/27/2007 16:21	0		0
38	8/27/2007 16:36	0		0
39	8/27/2007 16:51	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	0
Test ID:	1
Test Abbreviation:	
Start Date:	8/27/2007
Start Time:	6:44:41
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0640) = 0.020 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/27/2007	6:59:41	0.021	0.001	1
8/27/2007	7:14:41	0.026	0.006	6
8/27/2007	7:29:41	0.022	0.002	2
8/27/2007	7:44:41	0.017	-0.003	-3
8/27/2007	7:59:41	0.019	-0.001	-1
8/27/2007	8:14:41	0.015	-0.005	-5
8/27/2007	8:29:41	0.014	-0.006	-6
8/27/2007	8:44:41	0.019	-0.001	-1
8/27/2007	8:59:41	0.013	-0.007	-7
8/27/2007	9:14:41	0.013	-0.007	-7
8/27/2007	9:29:41	0.012	-0.008	-8
8/27/2007	9:44:41	0.01	-0.01	-10
8/27/2007	9:59:41	0.012	-0.008	-8
8/27/2007	10:14:41	0.01	-0.01	-10
8/27/2007	10:29:41	0.012	-0.008	-8
8/27/2007	10:44:41	0.012	-0.008	-8
8/27/2007	10:59:41	0.012	-0.008	-8
8/27/2007	11:14:41	0.012	-0.008	-8
8/27/2007	11:29:41	0.011	-0.009	-9
8/27/2007	11:44:41	0.013	-0.007	-7
8/27/2007	11:59:41	0.011	-0.009	-9
8/27/2007	12:14:41	0.01	-0.01	-10
8/27/2007	12:29:41	0.01	-0.01	-10
8/27/2007	12:44:41	0.01	-0.01	-10
8/27/2007	12:59:41	0.011	-0.009	-9
8/27/2007	13:14:41	0.013	-0.007	-7
8/27/2007	13:29:41	0.014	-0.006	-6
8/27/2007	13:44:41	0.012	-0.008	-8
8/27/2007	13:59:41	0.012	-0.008	-8
8/27/2007	14:14:41	0.01	-0.01	-10
8/27/2007	14:29:41	0.016	-0.004	-4
8/27/2007	14:44:41	0.013	-0.007	-7
8/27/2007	14:59:41	0.016	-0.004	-4
8/27/2007	15:14:41	0.051	0.031	31
8/27/2007	15:29:41	0.016	-0.004	-4
8/27/2007	15:44:41	0.016	-0.004	-4
8/27/2007	15:59:41	0.017	-0.003	-3
8/27/2007	16:14:41	0.015	-0.005	-5
8/27/2007	16:29:41	0.015	-0.005	-5
8/27/2007	16:44:41	0.014	-0.006	-6
8/27/2007	16:59:41	0.014	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/28/2007 05:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/28/2007 6:20	0		0
2	8/28/2007 6:35	0		0
3	8/28/2007 6:50	0		0
4	8/28/2007 7:05	0		0
5	8/28/2007 7:20	0		0
6	8/28/2007 7:35	0		0
7	8/28/2007 7:50	0		0
8	8/28/2007 8:05	0.1		0.1
9	8/28/2007 8:20	0.1		0.1
10	8/28/2007 8:35	0.2		0.2
11	8/28/2007 8:50	0.2		0.2
12	8/28/2007 9:05	0.2		0.2
13	8/28/2007 9:20	0.2		0.2
14	8/28/2007 9:35	0.2		0.2
15	8/28/2007 9:50	0.2		0.2
16	8/28/2007 10:05	0.2		0.2
17	8/28/2007 10:20	0.2		0.2
18	8/28/2007 10:35	0.2		0.2
19	8/28/2007 10:50	0.2		0.2
20	8/28/2007 11:05	0.2		0.2
21	8/28/2007 11:20	0.1		0.1
22	8/28/2007 11:35	0.1		0.1
23	8/28/2007 11:50	0.1		0.1
24	8/28/2007 12:05	0.1		0.1
25	8/28/2007 12:20	0.2		0.2
26	8/28/2007 12:35	0.3		0.3
27	8/28/2007 12:50	0.3		0.3
28	8/28/2007 13:05	0.4		0.4
29	8/28/2007 13:20	0.4		0.4
30	8/28/2007 13:35	0.3		0.3
31	8/28/2007 13:50	0.3		0.3
32	8/28/2007 14:05	0.3		0.3
33	8/28/2007 14:20	0.3		0.3
34	8/28/2007 14:35	0.2		0.2
35	8/28/2007 14:50	0.2		0.2
36	8/28/2007 15:05	0.2		0.2
37	8/28/2007 15:20	0.2		0.2
38	8/28/2007 15:35	0.2		0.2
39	8/28/2007 15:50	0.2		0.2
40	8/28/2007 16:05	0.2		0.2
41	8/28/2007 16:20	0.2		0.2
42	8/28/2007 16:35	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m ^{3} (150 ug/m ^{3}) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/28/2007
Start Time:	6:07:21
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0604) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2007	6:22:21	0.01	-0.001	-1
8/28/2007	6:37:21	0.01	-0.001	-1
8/28/2007	6:52:21	0.009	-0.002	-2
8/28/2007	7:07:21	0.009	-0.002	-2
8/28/2007	7:22:21	0.009	-0.002	-2
8/28/2007	7:37:21	0.008	-0.003	-3
8/28/2007	7:52:21	0.007	-0.004	-4
8/28/2007	8:07:21	0.01	-0.001	-1
8/28/2007	8:22:21	0.007	-0.004	-4
8/28/2007	8:37:21	0.006	-0.005	-5
8/28/2007	8:52:21	0.005	-0.006	-6
8/28/2007	9:07:21	0.005	-0.006	-6
8/28/2007	9:22:21	0.005	-0.006	-6
8/28/2007	9:37:21	0.005	-0.006	-6
8/28/2007	9:52:21	0.006	-0.005	-5
8/28/2007	10:07:21	0.006	-0.005	-5
8/28/2007	10:22:21	0.008	-0.003	-3
8/28/2007	10:37:21	0.009	-0.002	-2
8/28/2007	10:52:21	0.008	-0.003	-3
8/28/2007	11:07:21	0.008	-0.003	-3
8/28/2007	11:22:21	0.009	-0.002	-2
8/28/2007	11:37:21	0.009	-0.002	-2
8/28/2007	11:52:21	0.01	-0.001	-1
8/28/2007	12:07:21	0.01	-0.001	-1
8/28/2007	12:22:21	0.009	-0.002	-2
8/28/2007	12:37:21	0.009	-0.002	-2
8/28/2007	12:52:21	0.009	-0.002	-2
8/28/2007	13:07:21	0.009	-0.002	-2
8/28/2007	13:22:21	0.008	-0.003	-3
8/28/2007	13:37:21	0.008	-0.003	-3
8/28/2007	13:52:21	0.01	-0.001	-1
8/28/2007	14:07:21	0.013	0.002	2
8/28/2007	14:22:21	0.013	0.002	2
8/28/2007	14:37:21	0.014	0.003	3
8/28/2007	14:52:21	0.011	0	0
8/28/2007	15:07:21	0.011	0	0
8/28/2007	15:22:21	0.011	0	0
8/28/2007	15:37:21	0.009	-0.002	-2
8/28/2007	15:52:21	0.008	-0.003	-3
8/28/2007	16:07:21	0.008	-0.003	-3
8/28/2007	16:22:21	0.009	-0.002	-2
8/28/2007	16:37:21	0.009	-0.002	-2
8/28/2007	16:52:21	0.008	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/28/2007 05:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0617) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/28/2007 6:37	0.2		0.2
2	8/28/2007 6:52	0.3		0.3
3	8/28/2007 7:07	0.4		0.4
4	8/28/2007 7:22	0.4		0.4
5	8/28/2007 7:37	0.5		0.5
6	8/28/2007 7:52	0.5		0.5
7	8/28/2007 8:07	0.5		0.5
8	8/28/2007 8:22	0.6		0.6
9	8/28/2007 8:37	0.6		0.6
10	8/28/2007 8:52	0.6		0.6
11	8/28/2007 9:07	0.6		0.6
12	8/28/2007 9:22	0.6		0.6
13	8/28/2007 9:37	0.6		0.6
14	8/28/2007 9:52	0.7		0.7
15	8/28/2007 10:07	0.7		0.7
16	8/28/2007 10:22	0.7		0.7
17	8/28/2007 10:37	0.7		0.7
18	8/28/2007 10:52	0.7		0.7
1	8/28/2007 11:23	0		0
2	8/28/2007 11:38	0		0
3	8/28/2007 11:53	0		0
4	8/28/2007 12:08	0		0
5	8/28/2007 12:23	0		0
6	8/28/2007 12:38	0.1		0.1
7	8/28/2007 12:53	0.1		0.1
8	8/28/2007 13:08	0		0
9	8/28/2007 13:23	0.1		0.1
10	8/28/2007 13:38	0.1		0.1
11	8/28/2007 13:53	0		0
12	8/28/2007 14:08	0		0
13	8/28/2007 14:23	0		0
14	8/28/2007 14:38	0		0
15	8/28/2007 14:53	0		0
16	8/28/2007 15:08	0		0
17	8/28/2007 15:23	0		0
18	8/28/2007 15:38	0		0
19	8/28/2007 15:53	0		0
20	8/28/2007 16:08	0		0
21	8/28/2007 16:23	0		0
22	8/28/2007 16:38	0		0

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/28/2007
Start Time:	6:19:57
Duration (dd:hh:mm:ss):	00:03:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	17
Notes:	

Background Reading (0617) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2007	6:34:57	0.013	0.001	1
8/28/2007	6:49:57	0.014	0.002	2
8/28/2007	7:04:57	0.014	0.002	2
8/28/2007	7:19:57	0.016	0.004	4
8/28/2007	7:34:57	0.015	0.003	3
8/28/2007	7:49:57	0.012	0	0
8/28/2007	8:04:57	0.013	0.001	1
8/28/2007	8:19:57	0.015	0.003	3
8/28/2007	8:34:57	0.013	0.001	1
8/28/2007	8:49:57	0.014	0.002	2
8/28/2007	9:04:57	0.013	0.001	1
8/28/2007	9:19:57	0.013	0.001	1
8/28/2007	9:34:57	0.012	0	0
8/28/2007	9:49:57	0.013	0.001	1
8/28/2007	10:04:57	0.012	0	0
8/28/2007	10:19:57	0.016	0.004	4
8/28/2007	10:34:57	0.018	0.006	6
8/28/2007	11:26:29	0.025	0.013	13
8/28/2007	11:41:29	0.025	0.013	13
8/28/2007	11:56:29	0.027	0.015	15
8/28/2007	12:11:29	0.024	0.012	12
8/28/2007	12:26:29	0.024	0.012	12
8/28/2007	12:41:29	0.024	0.012	12
8/28/2007	12:56:29	0.024	0.012	12
8/28/2007	13:11:29	0.024	0.012	12
8/28/2007	13:26:29	0.024	0.012	12
8/28/2007	13:41:29	0.023	0.011	11
8/28/2007	13:56:29	0.028	0.016	16
8/28/2007	14:11:29	0.03	0.018	18
8/28/2007	14:26:29	0.031	0.019	19
8/28/2007	14:41:29	0.029	0.017	17
8/28/2007	14:56:29	0.026	0.014	14
8/28/2007	15:11:29	0.026	0.014	14
8/28/2007	15:26:29	0.024	0.012	12
8/28/2007	15:41:29	0.022	0.01	10
8/28/2007	15:56:29	0.021	0.009	9
8/28/2007	16:11:29	0.022	0.01	10
8/28/2007	16:26:29	0.023	0.011	11
8/28/2007	16:41:29	0.022	0.01	10
8/28/2007	16:56:29	0.021	0.009	9

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/28/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/28/2007 6:48	0.2		0.1
2	8/28/2007 7:03	0.3		0.2
3	8/28/2007 7:18	0.3		0.2
4	8/28/2007 7:33	0.3		0.2
5	8/28/2007 7:48	0.1		0
6	8/28/2007 8:03	0		-0.1
7	8/28/2007 8:18	0		-0.1
8	8/28/2007 8:33	0		-0.1
9	8/28/2007 8:48	0		-0.1
10	8/28/2007 9:03	0		-0.1
11	8/28/2007 9:18	0		-0.1
12	8/28/2007 9:33	0.1		0
13	8/28/2007 9:48	0		-0.1
14	8/28/2007 10:03	0.1		0
15	8/28/2007 10:18	0.1		0
16	8/28/2007 10:33	0		-0.1
17	8/28/2007 10:48	0		-0.1
18	8/28/2007 11:03	0		-0.1
19	8/28/2007 11:18	0		-0.1
20	8/28/2007 11:33	0		-0.1
21	8/28/2007 11:48	0		-0.1
22	8/28/2007 12:03	0.1		0
23	8/28/2007 12:18	0		-0.1
24	8/28/2007 12:33	0		-0.1
25	8/28/2007 12:48	0		-0.1
26	8/28/2007 13:03	0		-0.1
27	8/28/2007 13:18	0		-0.1
28	8/28/2007 13:33	0		-0.1
29	8/28/2007 13:48	0		-0.1
30	8/28/2007 14:03	0		-0.1
31	8/28/2007 14:18	0		-0.1
32	8/28/2007 14:33	0		-0.1
33	8/28/2007 14:48	0		-0.1
34	8/28/2007 15:03	0		-0.1
35	8/28/2007 15:18	0		-0.1
36	8/28/2007 15:33	0		-0.1
37	8/28/2007 15:48	0		-0.1
38	8/28/2007 16:03	0		-0.1
39	8/28/2007 16:18	0		-0.1
40	8/28/2007 16:33	0		-0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	4
Test Abbreviation:	
Start Date:	8/28/2007
Start Time:	6:38:00
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	

Background Reading (0636) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2007	6:53:00	0.029	0.003	3
8/28/2007	8:09:16	0.028	0.002	2
8/28/2007	8:24:16	0.024	-0.002	-2
8/28/2007	8:39:16	0.022	-0.004	-4
8/28/2007	8:54:16	0.024	-0.002	-2
8/28/2007	9:09:16	0.022	-0.004	-4
8/28/2007	9:24:16	0.02	-0.006	-6
8/28/2007	9:39:16	0.02	-0.006	-6
8/28/2007	9:54:16	0.021	-0.005	-5
8/28/2007	10:09:16	0.026	0	0
8/28/2007	10:24:16	0.03	0.004	4
8/28/2007	10:39:16	0.03	0.004	4
8/28/2007	10:54:16	0.032	0.006	6
8/28/2007	11:09:16	0.032	0.006	6
8/28/2007	11:24:16	0.034	0.008	8
8/28/2007	11:39:16	0.034	0.008	8
8/28/2007	11:54:16	0.037	0.011	11
8/28/2007	12:09:16	0.037	0.011	11
8/28/2007	12:24:16	0.038	0.012	12
8/28/2007	12:39:16	0.036	0.01	10
8/28/2007	12:54:16	0.036	0.01	10
8/28/2007	13:09:16	0.035	0.009	9
8/28/2007	13:24:16	0.038	0.012	12
8/28/2007	13:39:16	0.034	0.008	8
8/28/2007	13:54:16	0.043	0.017	17
8/28/2007	14:09:16	0.051	0.025	25
8/28/2007	14:24:16	0.054	0.028	28
8/28/2007	14:39:16	0.047	0.021	21
8/28/2007	14:54:16	0.041	0.015	15
8/28/2007	15:09:16	0.043	0.017	17
8/28/2007	15:24:16	0.039	0.013	13
8/28/2007	15:39:16	0.038	0.012	12
8/28/2007	15:54:16	0.033	0.007	7
8/28/2007	16:09:16	0.036	0.01	10
8/28/2007	16:24:16	0.038	0.012	12
8/28/2007	16:39:16	0.035	0.009	9
8/28/2007	16:54:16	0.031	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/28/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/28/2007 6:55	0		0
2	8/28/2007 7:10	0		0
3	8/28/2007 7:25	0		0
4	8/28/2007 7:40	0		0
5	8/28/2007 7:55	0		0
6	8/28/2007 8:10	0		0
7	8/28/2007 8:25	0		0
8	8/28/2007 8:40	0		0
9	8/28/2007 8:55	0		0
10	8/28/2007 9:10	0		0
11	8/28/2007 9:25	0		0
12	8/28/2007 9:40	0		0
13	8/28/2007 9:55	0		0
14	8/28/2007 10:10	0		0
15	8/28/2007 10:25	0		0
16	8/28/2007 10:40	0		0
17	8/28/2007 10:55	0		0
18	8/28/2007 11:10	0		0
19	8/28/2007 11:25	0		0
20	8/28/2007 11:40	0		0
21	8/28/2007 11:55	0		0
22	8/28/2007 12:10	0		0
23	8/28/2007 12:25	0		0
24	8/28/2007 12:40	0		0
25	8/28/2007 12:55	0		0
26	8/28/2007 13:10	0		0
27	8/28/2007 13:25	0		0
28	8/28/2007 13:40	0		0
29	8/28/2007 13:55	0		0
30	8/28/2007 14:10	0		0
31	8/28/2007 14:25	0		0
32	8/28/2007 14:40	0		0
33	8/28/2007 14:55	0		0
34	8/28/2007 15:10	0		0
35	8/28/2007 15:25	0		0
36	8/28/2007 15:40	0		0
37	8/28/2007 15:55	0		0
38	8/28/2007 16:10	0		0
39	8/28/2007 16:25	0		0
40	8/28/2007 16:40	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	8/28/2007
Start Time:	6:32:51
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0630) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/28/2007	6:47:51	0.027	0.001	1
8/28/2007	7:02:51	0.027	0.001	1
8/28/2007	7:17:51	0.026	0	0
8/28/2007	7:32:51	0.025	-0.001	-1
8/28/2007	7:47:51	0.021	-0.005	-5
8/28/2007	8:02:51	0.02	-0.006	-6
8/28/2007	8:17:51	0.022	-0.004	-4
8/28/2007	8:32:51	0.016	-0.01	-10
8/28/2007	8:47:51	0.017	-0.009	-9
8/28/2007	9:02:51	0.017	-0.009	-9
8/28/2007	9:17:51	0.016	-0.01	-10
8/28/2007	9:32:51	0.018	-0.008	-8
8/28/2007	9:47:51	0.021	-0.005	-5
8/28/2007	10:02:51	0.018	-0.008	-8
8/28/2007	10:17:51	0.022	-0.004	-4
8/28/2007	10:32:51	0.023	-0.003	-3
8/28/2007	10:47:51	0.024	-0.002	-2
8/28/2007	11:02:51	0.025	-0.001	-1
8/28/2007	11:17:51	0.026	0	0
8/28/2007	11:32:51	0.029	0.003	3
8/28/2007	11:47:51	0.029	0.003	3
8/28/2007	12:02:51	0.031	0.005	5
8/28/2007	12:17:51	0.032	0.006	6
8/28/2007	12:32:51	0.029	0.003	3
8/28/2007	12:47:51	0.029	0.003	3
8/28/2007	13:02:51	0.028	0.002	2
8/28/2007	13:17:51	0.03	0.004	4
8/28/2007	13:32:51	0.025	-0.001	-1
8/28/2007	13:47:51	0.031	0.005	5
8/28/2007	14:02:51	0.038	0.012	12
8/28/2007	14:17:51	0.039	0.013	13
8/28/2007	14:32:51	0.037	0.011	11
8/28/2007	14:47:51	0.037	0.011	11
8/28/2007	15:02:51	0.036	0.01	10
8/28/2007	15:17:51	0.029	0.003	3
8/28/2007	15:32:51	0.025	-0.001	-1
8/28/2007	15:47:51	0.024	-0.002	-2
8/28/2007	16:02:51	0.024	-0.002	-2
8/28/2007	16:17:51	0.024	-0.002	-2
8/28/2007	16:32:51	0.026	0	0
8/28/2007	16:47:51	0.025	-0.001	-1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 46 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/29/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/29/2007 6:17	0		0
2	8/29/2007 6:32	0.1		0.1
3	8/29/2007 6:47	0		0
4	8/29/2007 7:02	0		0
5	8/29/2007 7:17	0		0
6	8/29/2007 7:32	0		0
7	8/29/2007 7:47	0.1		0.1
8	8/29/2007 8:02	0.1		0.1
9	8/29/2007 8:17	0.1		0.1
10	8/29/2007 8:32	0.1		0.1
11	8/29/2007 8:47	0.1		0.1
12	8/29/2007 9:02	0.1		0.1
13	8/29/2007 9:17	0.1		0.1
14	8/29/2007 9:32	0		0
15	8/29/2007 9:47	0.1		0.1
16	8/29/2007 10:02	0		0
17	8/29/2007 10:17	0		0
18	8/29/2007 10:32	0		0
19	8/29/2007 10:47	0		0
20	8/29/2007 11:02	0		0
21	8/29/2007 11:17	0		0
22	8/29/2007 11:32	0		0
23	8/29/2007 11:47	0		0
24	8/29/2007 12:02	0		0
25	8/29/2007 12:17	0		0
26	8/29/2007 12:32	0		0
27	8/29/2007 12:47	0.1		0.1
28	8/29/2007 13:02	0.1		0.1
29	8/29/2007 13:17	0.1		0.1
30	8/29/2007 13:32	0.2		0.2
31	8/29/2007 13:47	0		0
32	8/29/2007 14:02	0		0
33	8/29/2007 14:17	0		0
34	8/29/2007 14:32	0		0
35	8/29/2007 14:47	0		0
36	8/29/2007 15:02	0		0
37	8/29/2007 15:17	0		0
38	8/29/2007 15:32	0		0
39	8/29/2007 15:47	0		0
40	8/29/2007 16:02	0		0
41	8/29/2007 16:17	0		0
42	8/29/2007 16:32	0		0
43	8/29/2007 16:47	0		0
44	8/29/2007 17:02	0		0
45	8/29/2007 17:17	0		0
46	8/29/2007 17:32	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/29/2007
Start Time:	6:03:26
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	

Background Reading (0600) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2007	6:18:26	0.011	-0.001	-1
8/29/2007	6:33:26	0.012	0	0
8/29/2007	6:48:26	0.01	-0.002	-2
8/29/2007	7:03:26	0.018	0.006	6
8/29/2007	7:18:26	0.017	0.005	5
8/29/2007	7:33:26	0.009	-0.003	-3
8/29/2007	7:48:26	0.01	-0.002	-2
8/29/2007	8:03:26	0.012	0	0
8/29/2007	8:18:26	0.011	-0.001	-1
8/29/2007	8:33:26	0.012	0	0
8/29/2007	8:48:26	0.011	-0.001	-1
8/29/2007	9:03:26	0.011	-0.001	-1
8/29/2007	9:18:26	0.011	-0.001	-1
8/29/2007	9:33:26	0.009	-0.003	-3
8/29/2007	9:48:26	0.012	0	0
8/29/2007	10:03:26	0.009	-0.003	-3
8/29/2007	10:18:26	0.01	-0.002	-2
8/29/2007	10:33:26	0.01	-0.002	-2
8/29/2007	10:48:26	0.011	-0.001	-1
8/29/2007	11:03:26	0.011	-0.001	-1
8/29/2007	11:18:26	0.013	0.001	1
8/29/2007	11:33:26	0.013	0.001	1
8/29/2007	11:48:26	0.012	0	0
8/29/2007	12:03:26	0.014	0.002	2
8/29/2007	12:18:26	0.012	0	0
8/29/2007	12:33:26	0.013	0.001	1
8/29/2007	12:48:26	0.015	0.003	3
8/29/2007	13:03:26	0.014	0.002	2
8/29/2007	13:18:26	0.015	0.003	3
8/29/2007	13:33:26	0.016	0.004	4
8/29/2007	13:48:26	0.015	0.003	3
8/29/2007	14:03:26	0.011	-0.001	-1
8/29/2007	14:18:26	0.01	-0.002	-2
8/29/2007	14:33:26	0.011	-0.001	-1
8/29/2007	14:48:26	0.011	-0.001	-1
8/29/2007	15:03:26	0.011	-0.001	-1
8/29/2007	15:18:26	0.01	-0.002	-2
8/29/2007	15:33:26	0.009	-0.003	-3
8/29/2007	15:48:26	0.009	-0.003	-3
8/29/2007	16:03:26	0.01	-0.002	-2
8/29/2007	16:18:26	0.011	-0.001	-1
8/29/2007	16:33:26	0.009	-0.003	-3
8/29/2007	16:48:26	0.009	-0.003	-3
8/29/2007	17:03:26	0.008	-0.004	-4
8/29/2007	17:18:26	0.008	-0.004	-4
8/29/2007	17:33:26	0.008	-0.004	-4
8/29/2007	17:48:26	0.007	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/29/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/29/2007 6:36	0		0
2	8/29/2007 6:51	0		0
3	8/29/2007 7:06	0.1		0.1
4	8/29/2007 7:21	0.1		0.1
5	8/29/2007 7:36	0.1		0.1
6	8/29/2007 7:51	0.1		0.1
7	8/29/2007 8:06	0.2		0.2
8	8/29/2007 8:21	0.2		0.2
9	8/29/2007 8:36	0.2		0.2
10	8/29/2007 8:51	0.2		0.2
11	8/29/2007 9:06	0.2		0.2
12	8/29/2007 9:21	0.3		0.3
13	8/29/2007 9:36	0.3		0.3
14	8/29/2007 9:51	0.3		0.3
15	8/29/2007 10:06	0.3		0.3
16	8/29/2007 10:21	0.4		0.4
17	8/29/2007 10:36	0.4		0.4
18	8/29/2007 10:51	0.3		0.3
19	8/29/2007 11:06	0.4		0.4
20	8/29/2007 11:21	0.4		0.4
21	8/29/2007 11:36	0.4		0.4
22	8/29/2007 11:51	0.4		0.4
23	8/29/2007 12:06	0.4		0.4
24	8/29/2007 12:21	0.4		0.4
25	8/29/2007 12:36	0.4		0.4
26	8/29/2007 12:51	0.4		0.4
27	8/29/2007 13:06	0.4		0.4
28	8/29/2007 13:21	0.4		0.4
29	8/29/2007 13:36	0.4		0.4
30	8/29/2007 13:51	0.4		0.4
31	8/29/2007 14:06	0.4		0.4
32	8/29/2007 14:21	0.4		0.4
33	8/29/2007 14:36	0.4		0.4
34	8/29/2007 14:51	0.4		0.4
35	8/29/2007 15:06	0.4		0.4
36	8/29/2007 15:21	0.4		0.4
37	8/29/2007 15:36	0.4		0.4
38	8/29/2007 15:51	0.4		0.4
39	8/29/2007 16:06	0.4		0.4
40	8/29/2007 16:21	0.4		0.4
1	8/29/2007 16:52	0		0
2	8/29/2007 17:07	0		0
3	8/29/2007 17:22	0		0
4	8/29/2007 17:37	0		0
5	8/29/2007 17:52	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2007
Start Time:	6:19:38
Duration (dd:hh:mm:ss):	00:11:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	47
Notes:	Background Reading (0615) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2007	6:34:38	0.012	-0.001	-1
8/29/2007	6:49:38	0.014	0.001	1
8/29/2007	7:04:38	0.018	0.005	5
8/29/2007	7:19:38	0.021	0.008	8
8/29/2007	7:34:38	0.016	0.003	3
8/29/2007	7:49:38	0.016	0.003	3
8/29/2007	8:04:38	0.019	0.006	6
8/29/2007	8:19:38	0.018	0.005	5
8/29/2007	8:34:38	0.02	0.007	7
8/29/2007	8:49:38	0.018	0.005	5
8/29/2007	9:04:38	0.021	0.008	8
8/29/2007	9:19:38	0.019	0.006	6
8/29/2007	9:34:38	0.017	0.004	4
8/29/2007	9:49:38	0.017	0.004	4
8/29/2007	10:04:38	0.017	0.004	4
8/29/2007	10:19:38	0.02	0.007	7
8/29/2007	10:34:38	0.02	0.007	7
8/29/2007	10:49:38	0.022	0.009	9
8/29/2007	11:04:38	0.022	0.009	9
8/29/2007	11:19:38	0.024	0.011	11
8/29/2007	11:34:38	0.024	0.011	11
8/29/2007	11:49:38	0.026	0.013	13
8/29/2007	12:04:38	0.027	0.014	14
8/29/2007	12:19:38	0.027	0.014	14
8/29/2007	12:34:38	0.028	0.015	15
8/29/2007	12:49:38	0.031	0.018	18
8/29/2007	13:04:38	0.031	0.018	18
8/29/2007	13:19:38	0.032	0.019	19
8/29/2007	13:34:38	0.034	0.021	21
8/29/2007	13:49:38	0.031	0.018	18
8/29/2007	14:04:38	0.025	0.012	12
8/29/2007	14:19:38	0.023	0.01	10
8/29/2007	14:34:38	0.025	0.012	12
8/29/2007	14:49:38	0.025	0.012	12
8/29/2007	15:04:38	0.025	0.012	12
8/29/2007	15:19:38	0.025	0.012	12
8/29/2007	15:34:38	0.022	0.009	9
8/29/2007	15:49:38	0.021	0.008	8
8/29/2007	16:04:38	0.023	0.01	10
8/29/2007	16:19:38	0.023	0.01	10
8/29/2007	16:34:38	0.022	0.009	9
8/29/2007	16:49:38	0.021	0.008	8
8/29/2007	17:04:38	0.021	0.008	8
8/29/2007	17:19:38	0.019	0.006	6
8/29/2007	17:34:38	0.019	0.006	6
8/29/2007	17:49:38	0.018	0.005	5
8/29/2007	18:04:38	0.018	0.005	5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 44 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/29/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/29/2007 6:47	0		0
2	8/29/2007 7:02	0		0
3	8/29/2007 7:17	0		0
4	8/29/2007 7:32	0		0
5	8/29/2007 7:47	0		0
6	8/29/2007 8:02	0		0
7	8/29/2007 8:17	0.1		0.1
8	8/29/2007 8:32	0		0
9	8/29/2007 8:47	0		0
10	8/29/2007 9:02	0		0
11	8/29/2007 9:17	0		0
12	8/29/2007 9:32	0		0
13	8/29/2007 9:47	0		0
14	8/29/2007 10:02	0		0
15	8/29/2007 10:17	0		0
16	8/29/2007 10:32	0		0
17	8/29/2007 10:47	0		0
18	8/29/2007 11:02	0		0
19	8/29/2007 11:17	0		0
20	8/29/2007 11:32	0		0
21	8/29/2007 11:47	0		0
22	8/29/2007 12:02	0		0
23	8/29/2007 12:17	0		0
24	8/29/2007 12:32	0		0
25	8/29/2007 12:47	0		0
26	8/29/2007 13:02	0		0
27	8/29/2007 13:17	0		0
28	8/29/2007 13:32	0		0
29	8/29/2007 13:47	0		0
30	8/29/2007 14:02	0		0
31	8/29/2007 14:17	0		0
32	8/29/2007 14:32	0		0
33	8/29/2007 14:47	0		0
34	8/29/2007 15:02	0		0
35	8/29/2007 15:17	0		0
36	8/29/2007 15:32	0		0
37	8/29/2007 15:47	0		0
38	8/29/2007 16:02	0		0
39	8/29/2007 16:17	0		0
40	8/29/2007 16:32	0		0
41	8/29/2007 16:47	0		0
42	8/29/2007 17:02	0		0
43	8/29/2007 17:17	0		0
44	8/29/2007 17:32	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2007
Start Time:	6:37:39
Duration (dd:hh:mm:ss):	00:11:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	45
Notes:	Background Reading (0635) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2007	6:52:39	0.028	-0.002	-2
8/29/2007	7:07:39	0.033	0.003	3
8/29/2007	7:22:39	0.032	0.002	2
8/29/2007	7:37:39	0.044	0.014	14
8/29/2007	7:52:39	0.036	0.006	6
8/29/2007	8:07:39	0.049	0.019	19
8/29/2007	8:22:39	0.042	0.012	12
8/29/2007	8:37:39	0.04	0.01	10
8/29/2007	8:52:39	0.041	0.011	11
8/29/2007	9:07:39	0.042	0.012	12
8/29/2007	9:22:39	0.035	0.005	5
8/29/2007	9:37:39	0.029	-0.001	-1
8/29/2007	9:52:39	0.03	0	0
8/29/2007	10:07:39	0.03	0	0
8/29/2007	10:22:39	0.036	0.006	6
8/29/2007	10:37:39	0.037	0.007	7
8/29/2007	10:52:39	0.037	0.007	7
8/29/2007	11:07:39	0.04	0.01	10
8/29/2007	11:22:39	0.042	0.012	12
8/29/2007	11:37:39	0.046	0.016	16
8/29/2007	11:52:39	0.046	0.016	16
8/29/2007	12:07:39	0.053	0.023	23
8/29/2007	12:22:39	0.056	0.026	26
8/29/2007	12:37:39	0.051	0.021	21
8/29/2007	12:52:39	0.058	0.028	28
8/29/2007	13:07:39	0.052	0.022	22
8/29/2007	13:22:39	0.061	0.031	31
8/29/2007	13:37:39	0.06	0.03	30
8/29/2007	13:52:39	0.057	0.027	27
8/29/2007	14:07:39	0.041	0.011	11
8/29/2007	14:22:39	0.04	0.01	10
8/29/2007	14:37:39	0.047	0.017	17
8/29/2007	14:52:39	0.045	0.015	15
8/29/2007	15:07:39	0.044	0.014	14
8/29/2007	15:22:39	0.044	0.014	14
8/29/2007	15:37:39	0.039	0.009	9
8/29/2007	15:52:39	0.039	0.009	9
8/29/2007	16:07:39	0.042	0.012	12
8/29/2007	16:22:39	0.043	0.013	13
8/29/2007	16:37:39	0.042	0.012	12
8/29/2007	16:52:39	0.039	0.009	9
8/29/2007	17:07:39	0.037	0.007	7
8/29/2007	17:22:39	0.033	0.003	3
8/29/2007	17:37:39	0.033	0.003	3
8/29/2007	17:52:39	0.034	0.004	4

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/29/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/29/2007 6:54	0		0
2	8/29/2007 7:09	0		0
3	8/29/2007 7:24	0		0
4	8/29/2007 7:39	0		0
5	8/29/2007 7:54	0		0
6	8/29/2007 8:09	0		0
7	8/29/2007 8:24	0		0
8	8/29/2007 8:39	0		0
9	8/29/2007 8:54	0		0
10	8/29/2007 9:09	0		0
11	8/29/2007 9:24	0		0
12	8/29/2007 9:39	0		0
13	8/29/2007 9:54	0		0
14	8/29/2007 10:09	0		0
15	8/29/2007 10:24	0		0
16	8/29/2007 10:39	0		0
17	8/29/2007 10:54	0		0
18	8/29/2007 11:09	0		0
19	8/29/2007 11:24	0		0
20	8/29/2007 11:39	0		0
21	8/29/2007 11:54	0		0
22	8/29/2007 12:09	0		0
23	8/29/2007 12:24	0		0
24	8/29/2007 12:39	0		0
25	8/29/2007 12:54	0		0
26	8/29/2007 13:09	0		0
27	8/29/2007 13:24	0		0
28	8/29/2007 13:39	0		0
29	8/29/2007 13:54	0		0
30	8/29/2007 14:09	0		0
31	8/29/2007 14:24	0		0
32	8/29/2007 14:39	0		0
33	8/29/2007 14:54	0		0
34	8/29/2007 15:09	0		0
35	8/29/2007 15:24	0		0
36	8/29/2007 15:39	0		0
37	8/29/2007 15:54	0		0
38	8/29/2007 16:09	0		0
39	8/29/2007 16:24	0		0
40	8/29/2007 16:39	0		0
41	8/29/2007 16:54	0		0
42	8/29/2007 17:09	0		0
43	8/29/2007 17:24	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	8/29/2007
Start Time:	6:30:30
Duration (dd:hh:mm:ss):	00:01:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	4
Notes:	

Background Reading (0630) = 0.030 mg/m^3

Calibration Sensor: Aerosol
Cal. date 7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/29/2007	6:45:30	0.023	-0.007	-7
8/29/2007	7:00:30	0.028	-0.002	-2
8/29/2007	7:15:30	0.033	0.003	3
8/29/2007	7:30:30	0.027	-0.003	-3
8/29/2007	8:44:34	0.03	0	0
8/29/2007	8:59:34	0.031	0.001	1
8/29/2007	9:14:34	0.028	-0.002	-2
8/29/2007	9:29:34	0.025	-0.005	-5
8/29/2007	9:44:34	0.022	-0.008	-8
8/29/2007	9:59:34	0.024	-0.006	-6
8/29/2007	10:14:34	0.029	-0.001	-1
8/29/2007	10:29:34	0.029	-0.001	-1
8/29/2007	10:44:34	0.03	0	0
8/29/2007	10:59:34	0.029	-0.001	-1
8/29/2007	11:14:34	0.033	0.003	3
8/29/2007	11:29:34	0.034	0.004	4
8/29/2007	11:44:34	0.033	0.003	3
8/29/2007	11:59:34	0.042	0.012	12
8/29/2007	12:14:34	0.036	0.006	6
8/29/2007	12:29:34	0.037	0.007	7
8/29/2007	12:44:34	0.044	0.014	14
8/29/2007	12:59:34	0.043	0.013	13
8/29/2007	13:14:34	0.044	0.014	14
8/29/2007	13:29:34	0.048	0.018	18
8/29/2007	13:44:34	0.046	0.016	16
8/29/2007	13:59:34	0.036	0.006	6
8/29/2007	14:14:34	0.033	0.003	3
8/29/2007	14:29:34	0.037	0.007	7
8/29/2007	14:44:34	0.033	0.003	3
8/29/2007	14:59:34	0.034	0.004	4
8/29/2007	15:14:34	0.032	0.002	2
8/29/2007	15:29:34	0.028	-0.002	-2
8/29/2007	15:44:34	0.026	-0.004	-4
8/29/2007	15:59:34	0.03	0	0
8/29/2007	16:14:34	0.028	-0.002	-2
8/29/2007	16:29:34	0.027	-0.003	-3
8/29/2007	16:44:34	0.026	-0.004	-4
8/29/2007	16:59:34	0.025	-0.005	-5
8/29/2007	17:14:34	0.025	-0.005	-5
8/29/2007	17:29:34	0.023	-0.007	-7
8/29/2007	17:44:34	0.022	-0.008	-8
8/29/2007	17:59:34	0.027	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 50 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/30/2007 05:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/30/2007 6:25	0		0
2	8/30/2007 6:40	0		0
3	8/30/2007 6:55	0.1		0.1
4	8/30/2007 7:10	0.2		0.2
5	8/30/2007 7:25	0.3		0.3
6	8/30/2007 7:40	0.4		0.4
7	8/30/2007 7:55	0.4		0.4
8	8/30/2007 8:10	0.5		0.5
9	8/30/2007 8:25	0.5		0.5
10	8/30/2007 8:40	0.5		0.5
11	8/30/2007 8:55	0.5		0.5
12	8/30/2007 9:10	0.4		0.4
13	8/30/2007 9:25	0.5		0.5
14	8/30/2007 9:40	0.5		0.5
15	8/30/2007 9:55	0.6		0.6
16	8/30/2007 10:10	0.5		0.5
17	8/30/2007 10:25	0.4		0.4
18	8/30/2007 10:40	0.5		0.5
19	8/30/2007 10:55	0.4		0.4
20	8/30/2007 11:10	0.3		0.3
21	8/30/2007 11:25	0.2		0.2
22	8/30/2007 11:40	0.1		0.1
23	8/30/2007 11:55	0.3		0.3
24	8/30/2007 12:10	0.3		0.3
25	8/30/2007 12:25	0.3		0.3
26	8/30/2007 12:40	0.3		0.3
27	8/30/2007 12:55	0.3		0.3
28	8/30/2007 13:10	0.4		0.4
29	8/30/2007 13:25	0.4		0.4
30	8/30/2007 13:40	0.3		0.3
31	8/30/2007 13:55	0		0
32	8/30/2007 14:10	0.1		0.1
33	8/30/2007 14:25	0.2		0.2
34	8/30/2007 14:40	0		0
35	8/30/2007 14:55	0		0
36	8/30/2007 15:10	0.1		0.1
37	8/30/2007 15:25	0.1		0.1
38	8/30/2007 15:40	0.1		0.1
39	8/30/2007 15:55	0.1		0.1
40	8/30/2007 16:10	0.1		0.1
41	8/30/2007 16:25	0.1		0.1
42	8/30/2007 16:40	0.1		0.1
43	8/30/2007 16:55	0.1		0.1
44	8/30/2007 17:10	0.1		0.1
45	8/30/2007 17:25	0		0
46	8/30/2007 17:40	0		0
47	8/30/2007 17:55	0		0
48	8/30/2007 18:10	0		0
49	8/30/2007 18:25	0		0
50	8/30/2007 18:40	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/30/2007
Start Time:	6:11:34
Duration (dd:hh:mm:ss):	00:12:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	51
Notes:	

Background Reading (0600) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2007	6:26:34	0.012	0	0
8/30/2007	6:41:34	0.012	0	0
8/30/2007	6:56:34	0.015	0.003	3
8/30/2007	7:11:34	0.013	0.001	1
8/30/2007	7:26:34	0.012	0	0
8/30/2007	7:41:34	0.013	0.001	1
8/30/2007	7:56:34	0.013	0.001	1
8/30/2007	8:11:34	0.013	0.001	1
8/30/2007	8:26:34	0.014	0.002	2
8/30/2007	8:41:34	0.016	0.004	4
8/30/2007	8:56:34	0.017	0.005	5
8/30/2007	9:11:34	0.019	0.007	7
8/30/2007	9:26:34	0.02	0.008	8
8/30/2007	9:41:34	0.021	0.009	9
8/30/2007	9:56:34	0.022	0.01	10
8/30/2007	10:11:34	0.04	0.028	28
8/30/2007	10:26:34	0.024	0.012	12
8/30/2007	10:41:34	0.025	0.013	13
8/30/2007	10:56:34	0.024	0.012	12
8/30/2007	11:11:34	0.024	0.012	12
8/30/2007	11:26:34	0.025	0.013	13
8/30/2007	11:41:34	0.026	0.014	14
8/30/2007	11:56:34	0.025	0.013	13
8/30/2007	12:11:34	0.026	0.014	14
8/30/2007	12:26:34	0.026	0.014	14
8/30/2007	12:41:34	0.026	0.014	14
8/30/2007	12:56:34	0.024	0.012	12
8/30/2007	13:11:34	0.026	0.014	14
8/30/2007	13:26:34	0.024	0.012	12
8/30/2007	13:41:34	0.025	0.013	13
8/30/2007	13:56:34	0.028	0.016	16
8/30/2007	14:11:34	0.032	0.02	20
8/30/2007	14:26:34	0.028	0.016	16
8/30/2007	14:41:34	0.025	0.013	13
8/30/2007	14:56:34	0.024	0.012	12
8/30/2007	15:11:34	0.025	0.013	13
8/30/2007	15:26:34	0.026	0.014	14
8/30/2007	15:41:34	0.025	0.013	13
8/30/2007	15:56:34	0.024	0.012	12
8/30/2007	16:11:34	0.024	0.012	12
8/30/2007	16:26:34	0.023	0.011	11
8/30/2007	16:41:34	0.023	0.011	11
8/30/2007	16:56:34	0.021	0.009	9
8/30/2007	17:11:34	0.021	0.009	9
8/30/2007	17:26:34	0.022	0.01	10
8/30/2007	17:41:34	0.021	0.009	9
8/30/2007	17:56:34	0.021	0.009	9
8/30/2007	18:11:34	0.02	0.008	8
8/30/2007	18:26:34	0.02	0.008	8
8/30/2007	18:41:34	0.018	0.006	6
8/30/2007	18:56:34	0.018	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 14 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/30/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/30/2007 6:31	0.1		0.1
2	8/30/2007 6:46	0.3		0.3
3	8/30/2007 7:01	0.4		0.4
4	8/30/2007 7:16	0.5		0.5
5	8/30/2007 7:31	0.5		0.5
6	8/30/2007 7:46	0.6		0.6
7	8/30/2007 8:01	0.6		0.6
8	8/30/2007 8:16	0.6		0.6
9	8/30/2007 8:31	0.7		0.7
10	8/30/2007 8:46	0.7		0.7
11	8/30/2007 9:01	0.8		0.8
12	8/30/2007 9:16	0.8		0.8
13	8/30/2007 9:31	0.8		0.8
14	8/30/2007 9:46	0.8		0.8
1	8/30/2007 10:17	0		0
2	8/30/2007 10:32	0		0
3	8/30/2007 10:47	0		0
4	8/30/2007 11:02	0		0
5	8/30/2007 11:17	0		0
6	8/30/2007 11:32	0		0
7	8/30/2007 11:47	0		0
8	8/30/2007 12:02	0		0
9	8/30/2007 12:17	0		0
10	8/30/2007 12:32	0		0
11	8/30/2007 12:47	0		0
12	8/30/2007 13:02	0		0
13	8/30/2007 13:17	0		0
14	8/30/2007 13:32	0.1		0.1
15	8/30/2007 13:47	0.1		0.1
16	8/30/2007 14:02	0.1		0.1
17	8/30/2007 14:17	0.1		0.1
18	8/30/2007 14:32	0		0
19	8/30/2007 14:47	0		0
20	8/30/2007 15:02	0		0
21	8/30/2007 15:17	0		0
22	8/30/2007 15:32	0.1		0.1
23	8/30/2007 15:47	0.1		0.1
24	8/30/2007 16:02	0		0
25	8/30/2007 16:17	0		0
26	8/30/2007 16:32	0		0
27	8/30/2007 16:47	0		0
28	8/30/2007 17:02	0		0
29	8/30/2007 17:17	0		0
30	8/30/2007 17:32	0		0
31	8/30/2007 17:47	0		0
32	8/30/2007 18:02	0		0
33	8/30/2007 18:17	0		0
34	8/30/2007 18:32	0		0
35	8/30/2007 18:47	0		0
36	8/30/2007 19:02	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	8/30/2007
Start Time:	6:14:56
Duration (dd:hh:mm:ss):	00:13:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	52
Notes:	Background Reading (0610) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2007	6:29:56	0.017	0.002	2
8/30/2007	6:44:56	0.018	0.003	3
8/30/2007	6:59:56	0.02	0.005	5
8/30/2007	7:14:56	0.019	0.004	4
8/30/2007	7:29:56	0.02	0.005	5
8/30/2007	7:44:56	0.022	0.007	7
8/30/2007	7:59:56	0.02	0.005	5
8/30/2007	8:14:56	0.021	0.006	6
8/30/2007	8:29:56	0.025	0.01	10
8/30/2007	8:44:56	0.027	0.012	12
8/30/2007	8:59:56	0.031	0.016	16
8/30/2007	9:14:56	0.032	0.017	17
8/30/2007	9:29:56	0.032	0.017	17
8/30/2007	9:44:56	0.034	0.019	19
8/30/2007	9:59:56	0.036	0.021	21
8/30/2007	10:14:56	0.038	0.023	23
8/30/2007	10:29:56	0.04	0.025	25
8/30/2007	10:44:56	0.04	0.025	25
8/30/2007	10:59:56	0.041	0.026	26
8/30/2007	11:14:56	0.042	0.027	27
8/30/2007	11:29:56	0.042	0.027	27
8/30/2007	11:44:56	0.044	0.029	29
8/30/2007	11:59:56	0.043	0.028	28
8/30/2007	12:14:56	0.046	0.031	31
8/30/2007	12:29:56	0.045	0.03	30
8/30/2007	12:44:56	0.043	0.028	28
8/30/2007	12:59:56	0.041	0.026	26
8/30/2007	13:14:56	0.049	0.034	34
8/30/2007	13:29:56	0.043	0.028	28
8/30/2007	13:44:56	0.048	0.033	33
8/30/2007	13:59:56	0.054	0.039	39
8/30/2007	14:14:56	0.055	0.04	40
8/30/2007	14:29:56	0.049	0.034	34
8/30/2007	14:44:56	0.046	0.031	31
8/30/2007	14:59:56	0.044	0.029	29
8/30/2007	15:14:56	0.045	0.03	30
8/30/2007	15:29:56	0.046	0.031	31
8/30/2007	15:44:56	0.046	0.031	31
8/30/2007	15:59:56	0.046	0.031	31
8/30/2007	16:14:56	0.045	0.03	30
8/30/2007	16:29:56	0.045	0.03	30
8/30/2007	16:44:56	0.045	0.03	30
8/30/2007	16:59:56	0.042	0.027	27
8/30/2007	17:14:56	0.042	0.027	27
8/30/2007	17:29:56	0.044	0.029	29
8/30/2007	17:44:56	0.042	0.027	27
8/30/2007	17:59:56	0.039	0.024	24
8/30/2007	18:14:56	0.038	0.023	23
8/30/2007	18:29:56	0.039	0.024	24
8/30/2007	18:44:56	0.036	0.021	21
8/30/2007	18:59:56	0.036	0.021	21
8/30/2007	19:14:56	0.039	0.024	24

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/30/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/30/2007 6:41	0		0
2	8/30/2007 6:56	0		0
3	8/30/2007 7:11	0		0
4	8/30/2007 7:26	0		0
5	8/30/2007 7:41	0		0
6	8/30/2007 7:56	0		0
7	8/30/2007 8:11	0		0
8	8/30/2007 8:26	0		0
9	8/30/2007 8:41	0		0
10	8/30/2007 8:56	0		0
11	8/30/2007 9:11	0		0
12	8/30/2007 9:26	0		0
13	8/30/2007 9:41	0		0
14	8/30/2007 9:56	0		0
15	8/30/2007 10:11	0		0
16	8/30/2007 10:26	0		0
17	8/30/2007 10:41	0		0
18	8/30/2007 10:56	0		0
19	8/30/2007 11:11	0		0
20	8/30/2007 11:26	0		0
21	8/30/2007 11:41	0		0
22	8/30/2007 11:56	0		0
23	8/30/2007 12:11	0		0
24	8/30/2007 12:26	0		0
25	8/30/2007 12:41	0		0
26	8/30/2007 12:56	0		0
27	8/30/2007 13:11	0		0
28	8/30/2007 13:26	0		0
29	8/30/2007 13:41	0		0
30	8/30/2007 13:56	0		0
31	8/30/2007 14:11	0		0
32	8/30/2007 14:26	0		0
33	8/30/2007 14:41	0		0
34	8/30/2007 14:56	0		0
35	8/30/2007 15:11	0		0
36	8/30/2007 15:26	0		0
37	8/30/2007 15:41	0		0
38	8/30/2007 15:56	0		0
39	8/30/2007 16:11	0		0
40	8/30/2007 16:26	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	8/30/2007
Start Time:	6:33:28
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0630) = 0.038 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2007	6:48:28	0.04	0.002	2
8/30/2007	7:03:28	0.037	-0.001	-1
8/30/2007	7:18:28	0.038	0	0
8/30/2007	7:33:28	0.043	0.005	5
8/30/2007	7:48:28	0.042	0.004	4
8/30/2007	8:03:28	0.043	0.005	5
8/30/2007	8:18:28	0.049	0.011	11
8/30/2007	8:33:28	0.051	0.013	13
8/30/2007	8:48:28	0.052	0.014	14
8/30/2007	9:03:28	0.067	0.029	29
8/30/2007	9:18:28	0.061	0.023	23
8/30/2007	9:33:28	0.063	0.025	25
8/30/2007	9:48:28	0.066	0.028	28
8/30/2007	10:03:28	0.071	0.033	33
8/30/2007	10:18:28	0.075	0.037	37
8/30/2007	10:33:28	0.084	0.046	46
8/30/2007	10:48:28	0.078	0.04	40
8/30/2007	11:03:28	0.08	0.042	42
8/30/2007	11:18:28	0.078	0.04	40
8/30/2007	11:33:28	0.08	0.042	42
8/30/2007	11:48:28	0.086	0.048	48
8/30/2007	12:03:28	0.09	0.052	52
8/30/2007	12:18:28	0.09	0.052	52
8/30/2007	12:33:28	0.084	0.046	46
8/30/2007	12:48:28	0.085	0.047	47
8/30/2007	13:03:28	0.089	0.051	51
8/30/2007	13:18:28	0.086	0.048	48
8/30/2007	13:33:28	0.084	0.046	46
8/30/2007	13:48:28	0.099	0.061	61
8/30/2007	14:03:28	0.109	0.071	71
8/30/2007	14:18:28	0.103	0.065	65
8/30/2007	14:33:28	0.092	0.054	54
8/30/2007	14:48:28	0.087	0.049	49
8/30/2007	15:03:28	0.082	0.044	44
8/30/2007	15:18:28	0.084	0.046	46
8/30/2007	15:33:28	0.085	0.047	47
8/30/2007	15:48:28	0.083	0.045	45
8/30/2007	16:03:28	0.085	0.047	47
8/30/2007	16:18:28	0.085	0.047	47
8/30/2007	16:33:28	0.086	0.048	48
8/30/2007	16:48:28	0.085	0.047	47
8/30/2007	17:03:28	0.087	0.049	49
8/30/2007	17:18:28	0.081	0.043	43
8/30/2007	17:33:28	0.087	0.049	49
8/30/2007	17:48:28	0.075	0.037	37
8/30/2007	18:03:28	0.074	0.036	36
8/30/2007	18:18:28	0.087	0.049	49
8/30/2007	18:33:28	0.081	0.043	43
8/30/2007	18:48:28	0.07	0.032	32
8/30/2007	19:03:28	0.07	0.032	32

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/30/2007 05:59

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/30/2007 6:50	0		0
2	8/30/2007 7:05	0		0
3	8/30/2007 7:20	0		0
4	8/30/2007 7:35	0		0
5	8/30/2007 7:50	0		0
6	8/30/2007 8:05	0		0
7	8/30/2007 8:20	0		0
8	8/30/2007 8:35	0		0
9	8/30/2007 8:50	0		0
10	8/30/2007 9:05	0		0
11	8/30/2007 9:20	0		0
12	8/30/2007 9:35	0		0
13	8/30/2007 9:50	0		0
14	8/30/2007 10:05	0		0
15	8/30/2007 10:20	0		0
16	8/30/2007 10:35	0		0
17	8/30/2007 10:50	0		0
18	8/30/2007 11:05	0		0
19	8/30/2007 11:20	0		0
20	8/30/2007 11:35	0		0
21	8/30/2007 11:50	0		0
22	8/30/2007 12:05	0		0
23	8/30/2007 12:20	0		0
24	8/30/2007 12:35	0		0
25	8/30/2007 12:50	0		0
26	8/30/2007 13:05	0		0
27	8/30/2007 13:20	0		0
28	8/30/2007 13:35	0		0
29	8/30/2007 13:50	0		0
30	8/30/2007 14:05	0		0
31	8/30/2007 14:20	0		0
32	8/30/2007 14:35	0		0
33	8/30/2007 14:50	0		0
34	8/30/2007 15:05	0		0
35	8/30/2007 15:20	0		0
36	8/30/2007 15:35	0		0
37	8/30/2007 15:50	0		0
38	8/30/2007 16:05	0		0
39	8/30/2007 16:20	0		0
40	8/30/2007 16:35	0		0
41	8/30/2007 16:50	0		0
42	8/30/2007 17:05	0		0
43	8/30/2007 17:20	0		0
1	8/30/2007 17:50	0		0
2	8/30/2007 18:05	0		0
3	8/30/2007 18:20	0		0
4	8/30/2007 18:35	0		0
5	8/30/2007 18:50	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	3
Test Abbreviation:	
Start Date:	8/30/2007
Start Time:	6:27:19
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	Background Reading (0625) = 0.030 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/30/2007	6:42:19	0.032	0.002	2
8/30/2007	6:57:19	0.036	0.006	6
8/30/2007	7:12:19	0.035	0.005	5
8/30/2007	7:27:19	0.036	0.006	6
8/30/2007	7:42:19	0.04	0.01	10
8/30/2007	7:57:19	0.035	0.005	5
8/30/2007	8:12:19	0.039	0.009	9
8/30/2007	8:27:19	0.039	0.009	9
8/30/2007	8:42:19	0.042	0.012	12
8/30/2007	8:57:19	0.045	0.015	15
8/30/2007	9:12:19	0.048	0.018	18
8/30/2007	9:27:19	0.052	0.022	22
8/30/2007	9:42:19	0.053	0.023	23
8/30/2007	9:57:19	0.06	0.03	30
8/30/2007	10:12:19	0.059	0.029	29
8/30/2007	10:27:19	0.063	0.033	33
8/30/2007	10:42:19	0.063	0.033	33
8/30/2007	10:57:19	0.061	0.031	31
8/30/2007	11:12:19	0.062	0.032	32
8/30/2007	11:27:19	0.064	0.034	34
8/30/2007	11:42:19	0.068	0.038	38
8/30/2007	11:57:19	0.07	0.04	40
8/30/2007	12:12:19	0.077	0.047	47
8/30/2007	12:27:19	0.072	0.042	42
8/30/2007	12:42:19	0.073	0.043	43
8/30/2007	12:57:19	0.071	0.041	41
8/30/2007	13:12:19	0.074	0.044	44
8/30/2007	13:27:19	0.067	0.037	37
8/30/2007	13:42:19	0.075	0.045	45
8/30/2007	13:57:19	0.089	0.059	59
8/30/2007	14:12:19	0.091	0.061	61
8/30/2007	14:27:19	0.079	0.049	49
8/30/2007	14:42:19	0.069	0.039	39
8/30/2007	14:57:19	0.067	0.037	37
8/30/2007	15:12:19	0.07	0.04	40
8/30/2007	15:27:19	0.07	0.04	40
8/30/2007	15:42:19	0.07	0.04	40
8/30/2007	15:57:19	0.069	0.039	39
8/30/2007	16:12:19	0.07	0.04	40
8/30/2007	16:27:19	0.067	0.037	37
8/30/2007	16:42:19	0.069	0.039	39
8/30/2007	16:57:19	0.063	0.033	33
8/30/2007	17:12:19	0.065	0.035	35
8/30/2007	17:27:19	0.072	0.042	42
8/30/2007	17:42:19	0.072	0.042	42
8/30/2007	17:57:19	0.063	0.033	33
8/30/2007	18:12:19	0.058	0.028	28
8/30/2007	18:27:19	0.061	0.031	31
8/30/2007	18:42:19	0.054	0.024	24
8/30/2007	18:57:19	0.057	0.027	27

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/31/2007 05:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/31/2007 6:12	0		0
2	8/31/2007 6:27	0		0
3	8/31/2007 6:42	0		0
4	8/31/2007 6:57	0		0
5	8/31/2007 7:12	0		0
6	8/31/2007 7:27	0		0
7	8/31/2007 7:42	0		0
8	8/31/2007 7:57	0		0
9	8/31/2007 8:12	0		0
10	8/31/2007 8:27	0		0
11	8/31/2007 8:42	0		0
12	8/31/2007 8:57	0		0
13	8/31/2007 9:12	0		0
14	8/31/2007 9:27	0		0
15	8/31/2007 9:42	0		0
16	8/31/2007 9:57	0		0
17	8/31/2007 10:12	0		0
18	8/31/2007 10:27	0		0
19	8/31/2007 10:42	0		0
20	8/31/2007 10:57	0		0
21	8/31/2007 11:12	0		0
22	8/31/2007 11:27	0		0
23	8/31/2007 11:42	0		0
24	8/31/2007 11:57	0		0
25	8/31/2007 12:12	0		0
26	8/31/2007 12:27	0		0
27	8/31/2007 12:42	0		0
28	8/31/2007 12:57	0		0
29	8/31/2007 13:12	0		0
30	8/31/2007 13:27	0		0
31	8/31/2007 13:42	0		0
32	8/31/2007 13:57	0		0
33	8/31/2007 14:12	0		0
34	8/31/2007 14:27	0		0
35	8/31/2007 14:42	0		0
36	8/31/2007 14:57	0		0
37	8/31/2007 15:12	0		0
38	8/31/2007 15:27	0		0
39	8/31/2007 15:42	0		0
40	8/31/2007 15:57	0		0
41	8/31/2007 16:12	0		0
42	8/31/2007 16:27	0		0
43	8/31/2007 16:42	0		0
44	8/31/2007 16:57	0		0
45	8/31/2007 17:12	0		0
46	8/31/2007 17:27	0		0
47	8/31/2007 17:42	0		0
48	8/31/2007 17:57	0		0
49	8/31/2007 18:12	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	8/31/2007
Start Time:	6:06:17
Duration (dd:hh:mm:ss):	00:12:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	50
Notes:	

Background Reading (0600) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2007	6:21:17	0.034	-0.001	-1
8/31/2007	6:36:17	0.03	-0.005	-5
8/31/2007	6:51:17	0.027	-0.008	-8
8/31/2007	7:06:17	0.027	-0.008	-8
8/31/2007	7:21:17	0.027	-0.008	-8
8/31/2007	7:36:17	0.027	-0.008	-8
8/31/2007	7:51:17	0.027	-0.008	-8
8/31/2007	8:06:17	0.027	-0.008	-8
8/31/2007	8:21:17	0.028	-0.007	-7
8/31/2007	8:36:17	0.028	-0.007	-7
8/31/2007	8:51:17	0.027	-0.008	-8
8/31/2007	9:06:17	0.026	-0.009	-9
8/31/2007	9:21:17	0.024	-0.011	-11
8/31/2007	9:36:17	0.02	-0.015	-15
8/31/2007	9:51:17	0.018	-0.017	-17
8/31/2007	10:06:17	0.018	-0.017	-17
8/31/2007	10:21:17	0.019	-0.016	-16
8/31/2007	10:36:17	0.02	-0.015	-15
8/31/2007	10:51:17	0.016	-0.019	-19
8/31/2007	11:06:17	0.014	-0.021	-21
8/31/2007	11:21:17	0.014	-0.021	-21
8/31/2007	11:36:17	0.014	-0.021	-21
8/31/2007	11:51:17	0.015	-0.02	-20
8/31/2007	12:06:17	0.013	-0.022	-22
8/31/2007	12:21:17	0.014	-0.021	-21
8/31/2007	12:36:17	0.016	-0.019	-19
8/31/2007	12:51:17	0.016	-0.019	-19
8/31/2007	13:06:17	0.016	-0.019	-19
8/31/2007	13:21:17	0.015	-0.02	-20
8/31/2007	13:36:17	0.014	-0.021	-21
8/31/2007	13:51:17	0.017	-0.018	-18
8/31/2007	14:06:17	0.017	-0.018	-18
8/31/2007	14:21:17	0.018	-0.017	-17
8/31/2007	14:36:17	0.017	-0.018	-18
8/31/2007	14:51:17	0.019	-0.016	-16
8/31/2007	15:06:17	0.019	-0.016	-16
8/31/2007	15:21:17	0.018	-0.017	-17
8/31/2007	15:36:17	0.017	-0.018	-18
8/31/2007	15:51:17	0.017	-0.018	-18
8/31/2007	16:06:17	0.014	-0.021	-21
8/31/2007	16:21:17	0.012	-0.023	-23
8/31/2007	16:36:17	0.01	-0.025	-25
8/31/2007	16:51:17	0.01	-0.025	-25
8/31/2007	17:06:17	0.009	-0.026	-26
8/31/2007	17:21:17	0.009	-0.026	-26
8/31/2007	17:36:17	0.01	-0.025	-25
8/31/2007	17:51:17	0.01	-0.025	-25
8/31/2007	18:06:17	0.009	-0.026	-26
8/31/2007	18:21:17	0.008	-0.027	-27
8/31/2007	18:36:17	0.008	-0.027	-27

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/31/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/31/2007 6:14	0		0
2	8/31/2007 6:29	0		0
3	8/31/2007 6:44	0		0
4	8/31/2007 6:59	0		0
5	8/31/2007 7:14	0.1		0.1
6	8/31/2007 7:29	0.1		0.1
7	8/31/2007 7:44	0.1		0.1
8	8/31/2007 7:59	0.1		0.1
9	8/31/2007 8:14	0.1		0.1
10	8/31/2007 8:29	0.2		0.2
11	8/31/2007 8:44	0.2		0.2
12	8/31/2007 8:59	0.2		0.2
13	8/31/2007 9:14	0.2		0.2
14	8/31/2007 9:29	0.2		0.2
15	8/31/2007 9:44	0.2		0.2
16	8/31/2007 9:59	0.2		0.2
17	8/31/2007 10:14	0.3		0.3
18	8/31/2007 10:29	0.3		0.3
19	8/31/2007 10:44	0.4		0.4
20	8/31/2007 10:59	0.3		0.3
21	8/31/2007 11:14	0.3		0.3
22	8/31/2007 11:29	0.3		0.3
23	8/31/2007 11:44	0.3		0.3
24	8/31/2007 11:59	0.3		0.3
25	8/31/2007 12:14	0.3		0.3
26	8/31/2007 12:29	0.3		0.3
27	8/31/2007 12:44	0.3		0.3
28	8/31/2007 12:59	0.3		0.3
29	8/31/2007 13:14	0.3		0.3
30	8/31/2007 13:29	0.3		0.3
31	8/31/2007 13:44	0.3		0.3
32	8/31/2007 13:59	0.3		0.3
33	8/31/2007 14:14	0.3		0.3
34	8/31/2007 14:29	0.3		0.3
35	8/31/2007 14:44	0.3		0.3
36	8/31/2007 14:59	0.3		0.3
37	8/31/2007 15:14	0.3		0.3
38	8/31/2007 15:29	0.3		0.3
39	8/31/2007 15:44	0.3		0.3
40	8/31/2007 15:59	0.3		0.3
41	8/31/2007 16:14	0.3		0.3
42	8/31/2007 16:29	0.3		0.3
43	8/31/2007 16:44	0.3		0.3
44	8/31/2007 16:59	0.3		0.3
45	8/31/2007 17:14	0.3		0.3
46	8/31/2007 17:29	0.3		0.3
47	8/31/2007 17:44	0.3		0.3
48	8/31/2007 17:59	0.3		0.3
49	8/31/2007 18:14	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m³ (150 ug/m³) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	8/31/2007
Start Time:	6:17:51
Duration (dd:hh:mm:ss):	00:12:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	49
Notes:	Background Reading (0605) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2007	6:32:51	0.047	-0.007	-7
8/31/2007	6:47:51	0.042	-0.012	-12
8/31/2007	7:02:51	0.039	-0.015	-15
8/31/2007	7:17:51	0.04	-0.014	-14
8/31/2007	7:32:51	0.041	-0.013	-13
8/31/2007	7:47:51	0.042	-0.012	-12
8/31/2007	8:02:51	0.04	-0.014	-14
8/31/2007	8:17:51	0.043	-0.011	-11
8/31/2007	8:32:51	0.042	-0.012	-12
8/31/2007	8:47:51	0.041	-0.013	-13
8/31/2007	9:02:51	0.04	-0.014	-14
8/31/2007	9:17:51	0.039	-0.015	-15
8/31/2007	9:32:51	0.036	-0.018	-18
8/31/2007	9:47:51	0.029	-0.025	-25
8/31/2007	10:02:51	0.029	-0.025	-25
8/31/2007	10:17:51	0.042	-0.012	-12
8/31/2007	10:32:51	0.028	-0.026	-26
8/31/2007	10:47:51	0.029	-0.025	-25
8/31/2007	11:02:51	0.026	-0.028	-28
8/31/2007	11:17:51	0.023	-0.031	-31
8/31/2007	11:32:51	0.023	-0.031	-31
8/31/2007	11:47:51	0.024	-0.03	-30
8/31/2007	12:02:51	0.023	-0.031	-31
8/31/2007	12:17:51	0.024	-0.03	-30
8/31/2007	12:32:51	0.027	-0.027	-27
8/31/2007	12:47:51	0.028	-0.026	-26
8/31/2007	13:02:51	0.027	-0.027	-27
8/31/2007	13:17:51	0.026	-0.028	-28
8/31/2007	13:32:51	0.026	-0.028	-28
8/31/2007	13:47:51	0.029	-0.025	-25
8/31/2007	14:02:51	0.031	-0.023	-23
8/31/2007	14:17:51	0.037	-0.017	-17
8/31/2007	14:32:51	0.031	-0.023	-23
8/31/2007	14:47:51	0.032	-0.022	-22
8/31/2007	15:02:51	0.032	-0.022	-22
8/31/2007	15:17:51	0.032	-0.022	-22
8/31/2007	15:32:51	0.032	-0.022	-22
8/31/2007	15:47:51	0.03	-0.024	-24
8/31/2007	16:02:51	0.027	-0.027	-27
8/31/2007	16:17:51	0.023	-0.031	-31
8/31/2007	16:32:51	0.02	-0.034	-34
8/31/2007	16:47:51	0.022	-0.032	-32
8/31/2007	17:02:51	0.024	-0.03	-30
8/31/2007	17:17:51	0.025	-0.029	-29
8/31/2007	17:32:51	0.021	-0.033	-33
8/31/2007	17:47:51	0.021	-0.033	-33
8/31/2007	18:02:51	0.018	-0.036	-36
8/31/2007	18:17:51	0.02	-0.034	-34
8/31/2007	18:32:51	0.018	-0.036	-36

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 49 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/31/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/31/2007 6:08	0.3		0.1
2	8/31/2007 6:23	0.2		0
3	8/31/2007 6:38	0.2		0
4	8/31/2007 6:53	0.2		0
5	8/31/2007 7:08	0.2		0
6	8/31/2007 7:23	0.2		0
7	8/31/2007 7:38	0.2		0
8	8/31/2007 7:53	0.2		0
9	8/31/2007 8:08	0.2		0
10	8/31/2007 8:23	0.2		0
11	8/31/2007 8:38	0.2		0
12	8/31/2007 8:53	0.2		0
13	8/31/2007 9:08	0.2		0
14	8/31/2007 9:23	0.2		0
15	8/31/2007 9:38	0.2		0
16	8/31/2007 9:53	0.2		0
17	8/31/2007 10:08	0.2		0
18	8/31/2007 10:23	0.2		0
19	8/31/2007 10:38	0.2		0
20	8/31/2007 10:53	0.1		-0.1
21	8/31/2007 11:08	0.1		-0.1
22	8/31/2007 11:23	0.1		-0.1
23	8/31/2007 11:38	0.1		-0.1
24	8/31/2007 11:53	0.1		-0.1
25	8/31/2007 12:08	0.1		-0.1
26	8/31/2007 12:23	0.1		-0.1
27	8/31/2007 12:38	0.1		-0.1
28	8/31/2007 12:53	0.1		-0.1
29	8/31/2007 13:08	0.1		-0.1
30	8/31/2007 13:23	0.1		-0.1
31	8/31/2007 13:38	0.1		-0.1
32	8/31/2007 13:53	0.1		-0.1
33	8/31/2007 14:08	0.1		-0.1
34	8/31/2007 14:23	0.1		-0.1
35	8/31/2007 14:38	0.1		-0.1
36	8/31/2007 14:53	0.1		-0.1
37	8/31/2007 15:08	0.1		-0.1
38	8/31/2007 15:23	0.1		-0.1
39	8/31/2007 15:38	0.1		-0.1
40	8/31/2007 15:53	0.1		-0.1
41	8/31/2007 16:08	0.1		-0.1
42	8/31/2007 16:23	0.1		-0.1
43	8/31/2007 16:38	0.1		-0.1
44	8/31/2007 16:53	0.1		-0.1
45	8/31/2007 17:08	0.1		-0.1
46	8/31/2007 17:23	0.1		-0.1
47	8/31/2007 17:38	0.1		-0.1
48	8/31/2007 17:53	0.1		-0.1
49	8/31/2007 18:08	0.1		-0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	3
Test Abbreviation:	
Start Date:	8/31/2007
Start Time:	6:23:41
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	

Background Reading (0615) = 0.084 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2007	6:38:41	0.084	0	0
8/31/2007	6:53:41	0.079	-0.005	-5
8/31/2007	7:08:41	0.075	-0.009	-9
8/31/2007	7:23:41	0.077	-0.007	-7
8/31/2007	7:38:41	0.078	-0.006	-6
8/31/2007	7:53:41	0.077	-0.007	-7
8/31/2007	8:08:41	0.079	-0.005	-5
8/31/2007	8:23:41	0.084	0	0
8/31/2007	8:38:41	0.081	-0.003	-3
8/31/2007	8:53:41	0.079	-0.005	-5
8/31/2007	9:08:41	0.079	-0.005	-5
8/31/2007	9:23:41	0.076	-0.008	-8
8/31/2007	9:38:41	0.062	-0.022	-22
8/31/2007	9:53:41	0.058	-0.026	-26
8/31/2007	10:08:41	0.056	-0.028	-28
8/31/2007	10:23:41	0.067	-0.017	-17
8/31/2007	10:38:41	0.058	-0.026	-26
8/31/2007	10:53:41	0.048	-0.036	-36
8/31/2007	11:08:41	0.046	-0.038	-38
8/31/2007	11:23:41	0.046	-0.038	-38
8/31/2007	11:38:41	0.045	-0.039	-39
8/31/2007	11:53:41	0.047	-0.037	-37
8/31/2007	12:08:41	0.042	-0.042	-42
8/31/2007	12:23:41	0.045	-0.039	-39
8/31/2007	12:38:41	0.05	-0.034	-34
8/31/2007	12:53:41	0.049	-0.035	-35
8/31/2007	13:08:41	0.048	-0.036	-36
8/31/2007	13:23:41	0.047	-0.037	-37
8/31/2007	13:38:41	0.048	-0.036	-36
8/31/2007	13:53:41	0.054	-0.03	-30
8/31/2007	14:08:41	0.054	-0.03	-30
8/31/2007	14:23:41	0.056	-0.028	-28
8/31/2007	14:38:41	0.056	-0.028	-28
8/31/2007	14:53:41	0.058	-0.026	-26
8/31/2007	15:08:41	0.057	-0.027	-27
8/31/2007	15:23:41	0.056	-0.028	-28
8/31/2007	15:38:41	0.054	-0.03	-30
8/31/2007	15:53:41	0.052	-0.032	-32
8/31/2007	16:08:41	0.044	-0.04	-40
8/31/2007	16:23:41	0.038	-0.046	-46
8/31/2007	16:38:41	0.035	-0.049	-49
8/31/2007	16:53:41	0.033	-0.051	-51
8/31/2007	17:08:41	0.031	-0.053	-53
8/31/2007	17:23:41	0.034	-0.05	-50
8/31/2007	17:38:41	0.034	-0.05	-50
8/31/2007	17:53:41	0.031	-0.053	-53
8/31/2007	18:08:41	0.028	-0.056	-56
8/31/2007	18:23:41	0.027	-0.057	-57

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 48 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 08/31/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	8/31/2007 6:21	0.1		0.1
2	8/31/2007 6:36	0.1		0.1
3	8/31/2007 6:51	0		0
4	8/31/2007 7:06	0		0
5	8/31/2007 7:21	0		0
6	8/31/2007 7:36	0		0
7	8/31/2007 7:51	0		0
8	8/31/2007 8:06	0		0
9	8/31/2007 8:21	0		0
10	8/31/2007 8:36	0		0
11	8/31/2007 8:51	0		0
12	8/31/2007 9:06	0		0
13	8/31/2007 9:21	0		0
14	8/31/2007 9:36	0		0
15	8/31/2007 9:51	0		0
16	8/31/2007 10:06	0		0
17	8/31/2007 10:21	0		0
18	8/31/2007 10:36	0		0
19	8/31/2007 10:51	0		0
20	8/31/2007 11:06	0		0
21	8/31/2007 11:21	0		0
22	8/31/2007 11:36	0		0
23	8/31/2007 11:51	0		0
24	8/31/2007 12:06	0		0
25	8/31/2007 12:21	0		0
26	8/31/2007 12:36	0.1		0.1
27	8/31/2007 12:51	0.1		0.1
28	8/31/2007 13:06	0		0
29	8/31/2007 13:21	0.1		0.1
30	8/31/2007 13:36	0.1		0.1
31	8/31/2007 13:51	0		0
32	8/31/2007 14:06	0.1		0.1
33	8/31/2007 14:21	0		0
34	8/31/2007 14:36	0		0
35	8/31/2007 14:51	0		0
36	8/31/2007 15:06	0.1		0.1
37	8/31/2007 15:21	0.1		0.1
38	8/31/2007 15:36	0.1		0.1
39	8/31/2007 15:51	0.1		0.1
40	8/31/2007 16:06	0.1		0.1
41	8/31/2007 16:21	0		0
42	8/31/2007 16:36	0		0
43	8/31/2007 16:51	0		0
44	8/31/2007 17:06	0		0
45	8/31/2007 17:21	0		0
46	8/31/2007 17:36	0		0
47	8/31/2007 17:51	0		0
48	8/31/2007 18:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	4
Test Abbreviation:	
Start Date:	8/31/2007
Start Time:	6:27:38
Duration (dd:hh:mm:ss):	00:12:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	48
Notes:	Background Reading (0615) = 0.084 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
8/31/2007	6:42:38	0.077	-0.007	-7
8/31/2007	6:57:38	0.067	-0.017	-17
8/31/2007	7:12:38	0.067	-0.017	-17
8/31/2007	7:27:38	0.068	-0.016	-16
8/31/2007	7:42:38	0.067	-0.017	-17
8/31/2007	7:57:38	0.073	-0.011	-11
8/31/2007	8:12:38	0.073	-0.011	-11
8/31/2007	8:27:38	0.077	-0.007	-7
8/31/2007	8:42:38	0.071	-0.013	-13
8/31/2007	8:57:38	0.073	-0.011	-11
8/31/2007	9:12:38	0.07	-0.014	-14
8/31/2007	9:27:38	0.065	-0.019	-19
8/31/2007	9:42:38	0.053	-0.031	-31
8/31/2007	9:57:38	0.051	-0.033	-33
8/31/2007	10:12:38	0.051	-0.033	-33
8/31/2007	10:27:38	0.055	-0.029	-29
8/31/2007	10:42:38	0.046	-0.038	-38
8/31/2007	10:57:38	0.04	-0.044	-44
8/31/2007	11:12:38	0.038	-0.046	-46
8/31/2007	11:27:38	0.039	-0.045	-45
8/31/2007	11:42:38	0.041	-0.043	-43
8/31/2007	11:57:38	0.041	-0.043	-43
8/31/2007	12:12:38	0.037	-0.047	-47
8/31/2007	12:27:38	0.044	-0.04	-40
8/31/2007	12:42:38	0.045	-0.039	-39
8/31/2007	12:57:38	0.043	-0.041	-41
8/31/2007	13:12:38	0.043	-0.041	-41
8/31/2007	13:27:38	0.041	-0.043	-43
8/31/2007	13:42:38	0.043	-0.041	-41
8/31/2007	13:57:38	0.051	-0.033	-33
8/31/2007	14:12:38	0.047	-0.037	-37
8/31/2007	14:27:38	0.049	-0.035	-35
8/31/2007	14:42:38	0.048	-0.036	-36
8/31/2007	14:57:38	0.051	-0.033	-33
8/31/2007	15:12:38	0.048	-0.036	-36
8/31/2007	15:27:38	0.047	-0.037	-37
8/31/2007	15:42:38	0.048	-0.036	-36
8/31/2007	15:57:38	0.04	-0.044	-44
8/31/2007	16:12:38	0.034	-0.05	-50
8/31/2007	16:27:38	0.03	-0.054	-54
8/31/2007	16:42:38	0.026	-0.058	-58
8/31/2007	16:57:38	0.026	-0.058	-58
8/31/2007	17:12:38	0.026	-0.058	-58
8/31/2007	17:27:38	0.027	-0.057	-57
8/31/2007	17:42:38	0.027	-0.057	-57
8/31/2007	17:57:38	0.025	-0.059	-59
8/31/2007	18:12:38	0.022	-0.062	-62
8/31/2007	18:27:38	0.022	-0.062	-62

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/04/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/4/2007 6:03	0		0
2	9/4/2007 6:18	0		0
3	9/4/2007 6:33	0		0
4	9/4/2007 6:48	0.1		0.1
5	9/4/2007 7:03	0.2		0.2
6	9/4/2007 7:18	0.2		0.2
7	9/4/2007 7:33	0.3		0.3
8	9/4/2007 7:48	0.3		0.3
9	9/4/2007 8:03	0.3		0.3
10	9/4/2007 8:18	0.3		0.3
11	9/4/2007 8:33	0.4		0.4
12	9/4/2007 8:48	0.4		0.4
13	9/4/2007 9:03	0.4		0.4
14	9/4/2007 9:18	0.3		0.3
15	9/4/2007 9:33	0.3		0.3
16	9/4/2007 9:48	0.3		0.3
17	9/4/2007 10:03	0.3		0.3
18	9/4/2007 10:18	0.3		0.3
19	9/4/2007 10:33	0.3		0.3
20	9/4/2007 10:48	0.3		0.3
21	9/4/2007 11:03	0.2		0.2
22	9/4/2007 11:18	0.2		0.2
23	9/4/2007 11:33	0.1		0.1
24	9/4/2007 11:48	0.1		0.1
25	9/4/2007 12:03	0.1		0.1
26	9/4/2007 12:18	0.4		0.4
27	9/4/2007 12:33	0.2		0.2
28	9/4/2007 12:48	0.2		0.2
29	9/4/2007 13:03	0.1		0.1
30	9/4/2007 13:18	0		0
31	9/4/2007 13:33	0		0
32	9/4/2007 13:48	0		0
33	9/4/2007 14:03	0		0
34	9/4/2007 14:18	0		0
35	9/4/2007 14:33	0		0
36	9/4/2007 14:48	0.1		0.1
37	9/4/2007 15:03	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/4/2007
Start Time:	5:50:52
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0550) = 0.029 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/4/2007	6:05:52	0.027	-0.002	-2
9/4/2007	6:20:52	0.023	-0.006	-6
9/4/2007	6:35:52	0.028	-0.001	-1
9/4/2007	6:50:52	0.023	-0.006	-6
9/4/2007	7:05:52	0.021	-0.008	-8
9/4/2007	7:20:52	0.02	-0.009	-9
9/4/2007	7:35:52	0.023	-0.006	-6
9/4/2007	7:50:52	0.022	-0.007	-7
9/4/2007	8:05:52	0.02	-0.009	-9
9/4/2007	8:20:52	0.015	-0.014	-14
9/4/2007	8:35:52	0.012	-0.017	-17
9/4/2007	8:50:52	0.012	-0.017	-17
9/4/2007	9:05:52	0.012	-0.017	-17
9/4/2007	9:20:52	0.013	-0.016	-16
9/4/2007	9:35:52	0.011	-0.018	-18
9/4/2007	9:50:52	0.012	-0.017	-17
9/4/2007	10:05:52	0.012	-0.017	-17
9/4/2007	10:20:52	0.011	-0.018	-18
9/4/2007	10:35:52	0.011	-0.018	-18
9/4/2007	10:50:52	0.013	-0.016	-16
9/4/2007	11:05:52	0.01	-0.019	-19
9/4/2007	11:20:52	0.01	-0.019	-19
9/4/2007	11:35:52	0.008	-0.021	-21
9/4/2007	11:50:52	0.007	-0.022	-22
9/4/2007	12:05:52	0.006	-0.023	-23
9/4/2007	12:20:52	0.012	-0.017	-17
9/4/2007	12:35:52	0.01	-0.019	-19
9/4/2007	12:50:52	0.006	-0.023	-23
9/4/2007	13:05:52	0.009	-0.02	-20
9/4/2007	13:20:52	0.009	-0.02	-20
9/4/2007	13:35:52	0.008	-0.021	-21
9/4/2007	13:50:52	0.005	-0.024	-24
9/4/2007	14:05:52	0.004	-0.025	-25
9/4/2007	14:20:52	0.004	-0.025	-25
9/4/2007	14:35:52	0.004	-0.025	-25
9/4/2007	14:50:52	0.004	-0.025	-25
9/4/2007	15:05:52	0.003	-0.026	-26
9/4/2007	15:20:52	0.004	-0.025	-25

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/04/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/4/2007 6:31	0.3		0.1
2	9/4/2007 6:46	0.3		0.1
3	9/4/2007 7:01	0.4		0.2
4	9/4/2007 7:16	0.4		0.2
5	9/4/2007 7:31	0.5		0.3
6	9/4/2007 7:46	0.5		0.3
7	9/4/2007 8:01	0.5		0.3
8	9/4/2007 8:16	0.5		0.3
9	9/4/2007 8:31	0.5		0.3
10	9/4/2007 8:46	0.5		0.3
11	9/4/2007 9:01	0.6		0.4
12	9/4/2007 9:16	0.6		0.4
13	9/4/2007 9:31	0.6		0.4
14	9/4/2007 9:46	0.6		0.4
15	9/4/2007 10:01	0.7		0.5
16	9/4/2007 10:16	0.7		0.5
17	9/4/2007 10:31	0.7		0.5
18	9/4/2007 10:46	0.7		0.5
19	9/4/2007 11:01	0.7		0.5
20	9/4/2007 11:16	0.7		0.5
21	9/4/2007 11:31	0.7		0.5
22	9/4/2007 11:46	0.7		0.5
23	9/4/2007 12:01	0.7		0.5
24	9/4/2007 12:16	0.8		0.6
25	9/4/2007 12:31	0.8		0.6
26	9/4/2007 12:46	0.8		0.6
27	9/4/2007 13:01	0.8		0.6
28	9/4/2007 13:16	0.8		0.6
29	9/4/2007 13:31	0.8		0.6
30	9/4/2007 13:46	0.8		0.6
31	9/4/2007 14:01	0.8		0.6
32	9/4/2007 14:16	0.8		0.6
33	9/4/2007 14:31	0.8		0.6
34	9/4/2007 14:46	0.8		0.6
35	9/4/2007 15:01	0.8		0.6
36	9/4/2007 15:16	0.8		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/4/2007
Start Time:	6:16:11
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0614) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/4/2007	6:31:11	0.038	0.003	3
9/4/2007	6:46:11	0.037	0.002	2
9/4/2007	7:01:11	0.036	0.001	1
9/4/2007	7:16:11	0.033	-0.002	-2
9/4/2007	7:31:11	0.035	0	0
9/4/2007	7:46:11	0.033	-0.002	-2
9/4/2007	8:01:11	0.032	-0.003	-3
9/4/2007	8:16:11	0.025	-0.01	-10
9/4/2007	8:31:11	0.022	-0.013	-13
9/4/2007	8:46:11	0.024	-0.011	-11
9/4/2007	9:01:11	0.022	-0.013	-13
9/4/2007	9:16:11	0.021	-0.014	-14
9/4/2007	9:31:11	0.02	-0.015	-15
9/4/2007	9:46:11	0.018	-0.017	-17
9/4/2007	10:01:11	0.019	-0.016	-16
9/4/2007	10:16:11	0.019	-0.016	-16
9/4/2007	10:31:11	0.019	-0.016	-16
9/4/2007	10:46:11	0.02	-0.015	-15
9/4/2007	11:01:11	0.019	-0.016	-16
9/4/2007	11:16:11	0.017	-0.018	-18
9/4/2007	11:31:11	0.017	-0.018	-18
9/4/2007	11:46:11	0.016	-0.019	-19
9/4/2007	12:01:11	0.015	-0.02	-20
9/4/2007	12:16:11	0.011	-0.024	-24
9/4/2007	12:31:11	0.011	-0.024	-24
9/4/2007	12:46:11	0.012	-0.023	-23
9/4/2007	13:01:11	0.011	-0.024	-24
9/4/2007	13:16:11	0.012	-0.023	-23
9/4/2007	13:31:11	0.011	-0.024	-24
9/4/2007	13:46:11	0.012	-0.023	-23
9/4/2007	14:01:11	0.012	-0.023	-23
9/4/2007	14:16:11	0.011	-0.024	-24
9/4/2007	14:31:11	0.011	-0.024	-24
9/4/2007	14:46:11	0.012	-0.023	-23
9/4/2007	15:01:11	0.011	-0.024	-24
9/4/2007	15:16:11	0.013	-0.022	-22
9/4/2007	15:31:11	0.012	-0.023	-23

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/04/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/4/2007 6:44	0		-0.1
2	9/4/2007 6:59	0		-0.1
3	9/4/2007 7:14	0		-0.1
4	9/4/2007 7:29	0.1		0
5	9/4/2007 7:44	0		-0.1
6	9/4/2007 7:59	0.1		0
7	9/4/2007 8:14	0.1		0
8	9/4/2007 8:29	0.1		0
9	9/4/2007 8:44	0.1		0
10	9/4/2007 8:59	0.1		0
11	9/4/2007 9:14	0.1		0
12	9/4/2007 9:29	0.1		0
13	9/4/2007 9:44	0.1		0
14	9/4/2007 9:59	0.1		0
15	9/4/2007 10:14	0.1		0
16	9/4/2007 10:29	0.1		0
17	9/4/2007 10:44	0.1		0
18	9/4/2007 10:59	0.1		0
19	9/4/2007 11:14	0		-0.1
20	9/4/2007 11:29	0		-0.1
21	9/4/2007 11:44	0		-0.1
22	9/4/2007 11:59	0		-0.1
23	9/4/2007 12:14	0		-0.1
24	9/4/2007 12:29	0.1		0
25	9/4/2007 12:44	0.1		0
26	9/4/2007 12:59	0		-0.1
27	9/4/2007 13:14	0		-0.1
28	9/4/2007 13:29	0		-0.1
29	9/4/2007 13:44	0		-0.1
30	9/4/2007 13:59	0		-0.1
31	9/4/2007 14:14	0		-0.1
32	9/4/2007 14:29	0		-0.1
33	9/4/2007 14:44	0		-0.1
34	9/4/2007 14:59	0		-0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/4/2007
Start Time:	6:36:03
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0600) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/4/2007	6:51:03	0.077	0.042	42
9/4/2007	7:06:03	0.069	0.034	34
9/4/2007	7:21:03	0.063	0.028	28
9/4/2007	7:36:03	0.067	0.032	32
9/4/2007	7:51:03	0.084	0.049	49
9/4/2007	8:06:03	0.059	0.024	24
9/4/2007	8:21:03	0.048	0.013	13
9/4/2007	8:36:03	0.043	0.008	8
9/4/2007	8:51:03	0.049	0.014	14
9/4/2007	9:06:03	0.039	0.004	4
9/4/2007	9:21:03	0.037	0.002	2
9/4/2007	9:36:03	0.035	0	0
9/4/2007	9:51:03	0.041	0.006	6
9/4/2007	10:06:03	0.034	-0.001	-1
9/4/2007	10:21:03	0.039	0.004	4
9/4/2007	10:36:03	0.038	0.003	3
9/4/2007	10:51:03	0.052	0.017	17
9/4/2007	11:06:03	0.048	0.013	13
9/4/2007	11:21:03	0.048	0.013	13
9/4/2007	11:36:03	0.034	-0.001	-1
9/4/2007	11:51:03	0.031	-0.004	-4
9/4/2007	12:06:03	0.032	-0.003	-3
9/4/2007	12:21:03	0.021	-0.014	-14
9/4/2007	12:36:03	0.018	-0.017	-17
9/4/2007	12:51:03	0.018	-0.017	-17
9/4/2007	13:06:03	0.025	-0.01	-10
9/4/2007	13:21:03	0.031	-0.004	-4
9/4/2007	13:36:03	0.022	-0.013	-13
9/4/2007	13:51:03	0.025	-0.01	-10
9/4/2007	14:06:03	0.026	-0.009	-9
9/4/2007	14:21:03	0.045	0.01	10
9/4/2007	14:36:03	0.026	-0.009	-9
9/4/2007	14:51:03	0.021	-0.014	-14
9/4/2007	15:06:03	0.026	-0.009	-9
9/4/2007	15:21:03	0.037	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/04/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0626) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/4/2007 6:48	0		0
2	9/4/2007 7:03	0		0
3	9/4/2007 7:18	0		0
4	9/4/2007 7:33	0		0
5	9/4/2007 7:48	0.1		0.1
6	9/4/2007 8:03	0.7		0.7
7	9/4/2007 8:18	0.6		0.6
8	9/4/2007 8:33	0.9		0.9
9	9/4/2007 8:48	1.1		1.1
1	9/4/2007 9:22	0.2		0.2
2	9/4/2007 9:37	0.2		0.2
3	9/4/2007 9:52	0.6		0.6
1	9/4/2007 10:34	0.2		0.2
2	9/4/2007 10:49	0.1		0.1
3	9/4/2007 11:04	0		0
4	9/4/2007 11:19	0.1		0.1
5	9/4/2007 11:34	0		0
6	9/4/2007 11:49	0		0
7	9/4/2007 12:04	0		0
8	9/4/2007 12:19	0		0
9	9/4/2007 12:34	0		0
10	9/4/2007 12:49	0		0
11	9/4/2007 13:04	0		0
12	9/4/2007 13:19	0		0
13	9/4/2007 13:34	0		0
14	9/4/2007 13:49	0		0
15	9/4/2007 14:04	0		0
16	9/4/2007 14:19	0		0
17	9/4/2007 14:34	0		0
18	9/4/2007 14:49	0		0
19	9/4/2007 15:04	0		0
20	9/4/2007 15:19	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/4/2007
Start Time:	6:26:32
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0626) = 0.070 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/4/2007	6:41:32	0.07	0	0
9/4/2007	6:56:32	0.089	0.019	19
9/4/2007	7:11:32	0.058	-0.012	-12
9/4/2007	7:26:32	0.09	0.02	20
9/4/2007	7:41:32	0.075	0.005	5
9/4/2007	7:56:32	0.071	0.001	1
9/4/2007	8:11:32	0.076	0.006	6
9/4/2007	8:26:32	0.039	-0.031	-31
9/4/2007	8:41:32	0.058	-0.012	-12
9/4/2007	8:56:32	0.05	-0.02	-20
9/4/2007	9:11:32	0.032	-0.038	-38
9/4/2007	9:26:32	0.032	-0.038	-38
9/4/2007	9:41:32	0.032	-0.038	-38
9/4/2007	9:56:32	0.031	-0.039	-39
9/4/2007	10:11:32	0.041	-0.029	-29
9/4/2007	10:26:32	0.035	-0.035	-35
9/4/2007	10:41:32	0.031	-0.039	-39
9/4/2007	10:56:32	0.028	-0.042	-42
9/4/2007	11:11:32	0.025	-0.045	-45
9/4/2007	11:26:32	0.025	-0.045	-45
9/4/2007	11:41:32	0.021	-0.049	-49
9/4/2007	11:56:32	0.021	-0.049	-49
9/4/2007	12:11:32	0.015	-0.055	-55
9/4/2007	12:26:32	0.014	-0.056	-56
9/4/2007	12:41:32	0.015	-0.055	-55
9/4/2007	12:56:32	0.014	-0.056	-56
9/4/2007	13:11:32	0.02	-0.05	-50
9/4/2007	13:26:32	0.018	-0.052	-52
9/4/2007	13:41:32	0.015	-0.055	-55
9/4/2007	13:56:32	0.016	-0.054	-54
9/4/2007	14:11:32	0.015	-0.055	-55
9/4/2007	14:26:32	0.018	-0.052	-52
9/4/2007	14:41:32	0.012	-0.058	-58
9/4/2007	14:56:32	0.015	-0.055	-55
9/4/2007	15:11:32	0.014	-0.056	-56
9/4/2007	15:26:32	0.015	-0.055	-55

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/05/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/5/2007 7:07	0		0
2	9/5/2007 7:22	0		0
3	9/5/2007 7:37	0.1		0.1
4	9/5/2007 7:52	0.1		0.1
5	9/5/2007 8:07	0.2		0.2
6	9/5/2007 8:22	0.2		0.2
7	9/5/2007 8:37	0.2		0.2
8	9/5/2007 8:52	0.2		0.2
9	9/5/2007 9:07	0.2		0.2
10	9/5/2007 9:22	0.2		0.2
11	9/5/2007 9:37	0.2		0.2
12	9/5/2007 9:52	0.2		0.2
13	9/5/2007 10:07	0.2		0.2
14	9/5/2007 10:22	0.2		0.2
15	9/5/2007 10:37	0.2		0.2
16	9/5/2007 10:52	0.2		0.2
17	9/5/2007 11:07	0.2		0.2
18	9/5/2007 11:22	0.1		0.1
19	9/5/2007 11:37	0.2		0.2
20	9/5/2007 11:52	0.1		0.1
21	9/5/2007 12:07	0.2		0.2
22	9/5/2007 12:22	0.2		0.2
23	9/5/2007 12:37	0.1		0.1
24	9/5/2007 12:52	0.1		0.1
25	9/5/2007 13:07	0.1		0.1
26	9/5/2007 13:22	0.1		0.1
27	9/5/2007 13:37	0.2		0.2
28	9/5/2007 13:52	0.1		0.1
29	9/5/2007 14:07	0.1		0.1
30	9/5/2007 14:22	0		0
31	9/5/2007 14:37	0		0
32	9/5/2007 14:52	0.1		0.1
33	9/5/2007 15:07	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/5/2007
Start Time:	6:54:49
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0650) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2007	7:09:49	0.016	0.012	12
9/5/2007	7:24:49	0.006	0.002	2
9/5/2007	7:39:49	0.004	0	0
9/5/2007	7:54:49	0.005	0.001	1
9/5/2007	8:09:49	0.004	0	0
9/5/2007	8:24:49	0.004	0	0
9/5/2007	8:39:49	0.004	0	0
9/5/2007	8:54:49	0.004	0	0
9/5/2007	9:09:49	0.005	0.001	1
9/5/2007	9:24:49	0.005	0.001	1
9/5/2007	9:39:49	0.004	0	0
9/5/2007	9:54:49	0.005	0.001	1
9/5/2007	10:09:49	0.004	0	0
9/5/2007	10:24:49	0.004	0	0
9/5/2007	10:39:49	0.004	0	0
9/5/2007	10:54:49	0.003	-0.001	-1
9/5/2007	11:09:49	0.004	0	0
9/5/2007	11:24:49	0.004	0	0
9/5/2007	11:39:49	0.004	0	0
9/5/2007	11:54:49	0.003	-0.001	-1
9/5/2007	12:09:49	0.003	-0.001	-1
9/5/2007	12:24:49	0.004	0	0
9/5/2007	12:39:49	0.003	-0.001	-1
9/5/2007	12:54:49	0.003	-0.001	-1
9/5/2007	13:09:49	0.003	-0.001	-1
9/5/2007	13:24:49	0.003	-0.001	-1
9/5/2007	13:39:49	0.003	-0.001	-1
9/5/2007	13:54:49	0.003	-0.001	-1
9/5/2007	14:09:49	0.003	-0.001	-1
9/5/2007	14:24:49	0.003	-0.001	-1
9/5/2007	14:39:49	0.003	-0.001	-1
9/5/2007	14:54:49	0.003	-0.001	-1
9/5/2007	15:09:49	0.003	-0.001	-1
9/5/2007	15:24:49	0.003	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/05/2007 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0657) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/5/2007 7:16	0		0
2	9/5/2007 7:31	0		0
3	9/5/2007 7:46	0		0
4	9/5/2007 8:01	0		0
5	9/5/2007 8:16	0.1		0.1
6	9/5/2007 8:31	0.1		0.1
7	9/5/2007 8:46	0.2		0.2
8	9/5/2007 9:01	0.2		0.2
9	9/5/2007 9:16	0.3		0.3
10	9/5/2007 9:31	0.3		0.3
11	9/5/2007 9:46	0.3		0.3
12	9/5/2007 10:01	0.4		0.4
13	9/5/2007 10:16	0.5		0.5
14	9/5/2007 10:31	0.5		0.5
15	9/5/2007 10:46	0.6		0.6
16	9/5/2007 11:01	0.6		0.6
17	9/5/2007 11:16	0.6		0.6
18	9/5/2007 11:31	0.6		0.6
19	9/5/2007 11:46	0.6		0.6
20	9/5/2007 12:01	0.7		0.7
21	9/5/2007 12:16	0.7		0.7
22	9/5/2007 12:31	0.7		0.7
23	9/5/2007 12:46	0.6		0.6
24	9/5/2007 13:01	0.7		0.7
25	9/5/2007 13:16	0.7		0.7
26	9/5/2007 13:31	0.7		0.7
27	9/5/2007 13:46	0.7		0.7
28	9/5/2007 14:01	0.6		0.6
29	9/5/2007 14:16	0.7		0.7
30	9/5/2007 14:31	0.7		0.7
31	9/5/2007 14:46	0.7		0.7
32	9/5/2007 15:01	0.7		0.7
33	9/5/2007 15:16	0.7		0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/5/2007
Start Time:	7:01:43
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0657) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2007	7:16:43	0.013	0.006	6
9/5/2007	7:31:43	0.009	0.002	2
9/5/2007	7:46:43	0.008	0.001	1
9/5/2007	8:01:43	0.008	0.001	1
9/5/2007	8:16:43	0.009	0.002	2
9/5/2007	8:31:43	0.008	0.001	1
9/5/2007	8:46:43	0.008	0.001	1
9/5/2007	9:01:43	0.011	0.004	4
9/5/2007	9:16:43	0.012	0.005	5
9/5/2007	9:31:43	0.012	0.005	5
9/5/2007	9:46:43	0.015	0.008	8
9/5/2007	10:01:43	0.013	0.006	6
9/5/2007	10:16:43	0.011	0.004	4
9/5/2007	10:31:43	0.012	0.005	5
9/5/2007	10:46:43	0.009	0.002	2
9/5/2007	11:01:43	0.011	0.004	4
9/5/2007	11:16:43	0.01	0.003	3
9/5/2007	11:31:43	0.013	0.006	6
9/5/2007	11:46:43	0.013	0.006	6
9/5/2007	12:01:43	0.01	0.003	3
9/5/2007	12:16:43	0.01	0.003	3
9/5/2007	12:31:43	0.009	0.002	2
9/5/2007	12:46:43	0.011	0.004	4
9/5/2007	13:01:43	0.009	0.002	2
9/5/2007	13:16:43	0.009	0.002	2
9/5/2007	13:31:43	0.011	0.004	4
9/5/2007	13:46:43	0.01	0.003	3
9/5/2007	14:01:43	0.011	0.004	4
9/5/2007	14:16:43	0.01	0.003	3
9/5/2007	14:31:43	0.011	0.004	4
9/5/2007	14:46:43	0.011	0.004	4
9/5/2007	15:01:43	0.012	0.005	5
9/5/2007	15:16:43	0.009	0.002	2
9/5/2007	15:31:43	0.009	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/05/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0719) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/5/2007 7:26	0.8		0.8
2	9/5/2007 7:41	0.1		0.1
3	9/5/2007 7:56	0		0
4	9/5/2007 8:11	0.1		0.1
5	9/5/2007 8:26	0		0
6	9/5/2007 8:41	0		0
7	9/5/2007 8:56	0		0
8	9/5/2007 9:11	0		0
9	9/5/2007 9:26	0		0
10	9/5/2007 9:41	0		0
11	9/5/2007 9:56	0		0
12	9/5/2007 10:11	0		0
13	9/5/2007 10:26	0		0
14	9/5/2007 10:41	0		0
15	9/5/2007 10:56	0		0
16	9/5/2007 11:11	0		0
17	9/5/2007 11:26	0.1		0.1
18	9/5/2007 11:41	0		0
19	9/5/2007 11:56	0		0
20	9/5/2007 12:11	0		0
21	9/5/2007 12:26	0		0
22	9/5/2007 12:41	0		0
23	9/5/2007 12:56	0		0
24	9/5/2007 13:11	0		0
25	9/5/2007 13:26	0		0
26	9/5/2007 13:41	0		0
27	9/5/2007 13:56	0		0
28	9/5/2007 14:11	0		0
29	9/5/2007 14:26	0		0
30	9/5/2007 14:41	0		0
31	9/5/2007 14:56	0		0
32	9/5/2007 15:11	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/5/2007
Start Time:	7:19:36
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0719) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2007	7:34:36	0.031	0.016	16
9/5/2007	7:49:36	0.022	0.007	7
9/5/2007	8:04:36	0.023	0.008	8
9/5/2007	8:19:36	0.021	0.006	6
9/5/2007	8:34:36	0.032	0.017	17
9/5/2007	8:49:36	0.03	0.015	15
9/5/2007	9:04:36	0.033	0.018	18
9/5/2007	9:19:36	0.027	0.012	12
9/5/2007	9:34:36	0.014	-0.001	-1
9/5/2007	9:49:36	0.022	0.007	7
9/5/2007	10:04:36	0.026	0.011	11
9/5/2007	10:19:36	0.032	0.017	17
9/5/2007	10:34:36	0.023	0.008	8
9/5/2007	10:49:36	0.018	0.003	3
9/5/2007	11:04:36	0.028	0.013	13
9/5/2007	11:19:36	0.028	0.013	13
9/5/2007	11:34:36	0.017	0.002	2
9/5/2007	11:49:36	0.042	0.027	27
9/5/2007	12:04:36	0.037	0.022	22
9/5/2007	12:19:36	0.018	0.003	3
9/5/2007	12:34:36	0.014	-0.001	-1
9/5/2007	12:49:36	0.02	0.005	5
9/5/2007	13:04:36	0.042	0.027	27
9/5/2007	13:19:36	0.035	0.02	20
9/5/2007	13:34:36	0.023	0.008	8
9/5/2007	13:49:36	0.016	0.001	1
9/5/2007	14:04:36	0.02	0.005	5
9/5/2007	14:19:36	0.02	0.005	5
9/5/2007	14:34:36	0.021	0.006	6
9/5/2007	14:49:36	0.023	0.008	8
9/5/2007	15:04:36	0.027	0.012	12
9/5/2007	15:19:36	0.031	0.016	16
9/5/2007	15:34:36	0.017	0.002	2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/05/2007 06:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/5/2007 7:33	0		0
2	9/5/2007 7:48	0		0
3	9/5/2007 8:03	0		0
4	9/5/2007 8:18	0		0
5	9/5/2007 8:33	0		0
6	9/5/2007 8:48	0		0
7	9/5/2007 9:03	0		0
8	9/5/2007 9:18	0		0
9	9/5/2007 9:33	0		0
10	9/5/2007 9:48	0		0
11	9/5/2007 10:03	0		0
12	9/5/2007 10:18	0		0
13	9/5/2007 10:33	0		0
14	9/5/2007 10:48	0		0
15	9/5/2007 11:03	0		0
16	9/5/2007 11:18	0		0
17	9/5/2007 11:33	0		0
18	9/5/2007 11:48	0		0
19	9/5/2007 12:03	0		0
20	9/5/2007 12:18	0		0
21	9/5/2007 12:33	0		0
22	9/5/2007 12:48	0		0
23	9/5/2007 13:03	0		0
24	9/5/2007 13:18	0		0
25	9/5/2007 13:33	0		0
26	9/5/2007 13:48	0		0
27	9/5/2007 14:03	0		0
28	9/5/2007 14:18	0		0
29	9/5/2007 14:33	0		0
30	9/5/2007 14:48	0		0
31	9/5/2007 15:03	0		0
32	9/5/2007 15:18	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	9/5/2007
Start Time:	7:10:30
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0710) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/5/2007	7:25:30	0.031	0.015	15
9/5/2007	7:40:30	0.015	-0.001	-1
9/5/2007	7:55:30	0.016	0	0
9/5/2007	8:10:30	0.019	0.003	3
9/5/2007	8:25:30	0.012	-0.004	-4
9/5/2007	8:40:30	0.031	0.015	15
9/5/2007	8:55:30	0.013	-0.003	-3
9/5/2007	9:10:30	0.015	-0.001	-1
9/5/2007	9:25:30	0.013	-0.003	-3
9/5/2007	9:40:30	0.012	-0.004	-4
9/5/2007	9:55:30	0.014	-0.002	-2
9/5/2007	10:10:30	0.012	-0.004	-4
9/5/2007	10:25:30	0.012	-0.004	-4
9/5/2007	10:40:30	0.01	-0.006	-6
9/5/2007	10:55:30	0.012	-0.004	-4
9/5/2007	11:10:30	0.012	-0.004	-4
9/5/2007	11:25:30	0.011	-0.005	-5
9/5/2007	11:40:30	0.012	-0.004	-4
9/5/2007	11:55:30	0.015	-0.001	-1
9/5/2007	12:10:30	0.012	-0.004	-4
9/5/2007	12:25:30	0.026	0.01	10
9/5/2007	12:40:30	0.012	-0.004	-4
9/5/2007	12:55:30	0.011	-0.005	-5
9/5/2007	13:10:30	0.011	-0.005	-5
9/5/2007	13:25:30	0.011	-0.005	-5
9/5/2007	13:40:30	0.011	-0.005	-5
9/5/2007	13:55:30	0.013	-0.003	-3
9/5/2007	14:10:30	0.012	-0.004	-4
9/5/2007	14:25:30	0.012	-0.004	-4
9/5/2007	14:40:30	0.013	-0.003	-3
9/5/2007	14:55:30	0.016	0	0
9/5/2007	15:10:30	0.012	-0.004	-4
9/5/2007	15:25:30	0.01	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/06/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/6/2007 7:12	0		0
2	9/6/2007 7:27	0.1		0.1
3	9/6/2007 7:42	0.3		0.3
4	9/6/2007 7:57	0.4		0.4
5	9/6/2007 8:12	0.4		0.4
6	9/6/2007 8:27	0.5		0.5
7	9/6/2007 8:42	0.5		0.5
8	9/6/2007 8:57	0.5		0.5
9	9/6/2007 9:12	0.5		0.5
10	9/6/2007 9:27	0.5		0.5
11	9/6/2007 9:42	0.5		0.5
12	9/6/2007 9:57	0.5		0.5
13	9/6/2007 10:12	0.5		0.5
14	9/6/2007 10:27	0.4		0.4
15	9/6/2007 10:42	0.4		0.4
16	9/6/2007 10:57	0.4		0.4
17	9/6/2007 11:12	0.3		0.3
18	9/6/2007 11:27	0.3		0.3
19	9/6/2007 11:42	0.3		0.3
20	9/6/2007 11:57	0.2		0.2
21	9/6/2007 12:12	0.2		0.2
22	9/6/2007 12:27	0.2		0.2
23	9/6/2007 12:42	0.1		0.1
24	9/6/2007 12:57	0.2		0.2
25	9/6/2007 13:12	0.1		0.1
26	9/6/2007 13:27	0.1		0.1
27	9/6/2007 13:42	0.1		0.1
28	9/6/2007 13:57	0		0
29	9/6/2007 14:12	0		0
30	9/6/2007 14:27	0.1		0.1
31	9/6/2007 14:42	0.1		0.1
32	9/6/2007 14:57	0.1		0.1
33	9/6/2007 15:12	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/6/2007
Start Time:	6:59:55
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0650) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2007	7:14:55	0.01	0	0
9/6/2007	7:29:55	0.008	-0.002	-2
9/6/2007	7:44:55	0.008	-0.002	-2
9/6/2007	7:59:55	0.007	-0.003	-3
9/6/2007	8:14:55	0.007	-0.003	-3
9/6/2007	8:29:55	0.005	-0.005	-5
9/6/2007	8:44:55	0.005	-0.005	-5
9/6/2007	8:59:55	0.006	-0.004	-4
9/6/2007	9:14:55	0.005	-0.005	-5
9/6/2007	9:29:55	0.004	-0.006	-6
9/6/2007	9:44:55	0.004	-0.006	-6
9/6/2007	9:59:55	0.004	-0.006	-6
9/6/2007	10:14:55	0.013	0.003	3
9/6/2007	10:29:55	0.007	-0.003	-3
9/6/2007	10:44:55	0.004	-0.006	-6
9/6/2007	10:59:55	0.004	-0.006	-6
9/6/2007	11:14:55	0.004	-0.006	-6
9/6/2007	11:29:55	0.005	-0.005	-5
9/6/2007	11:44:55	0.004	-0.006	-6
9/6/2007	11:59:55	0.005	-0.005	-5
9/6/2007	12:14:55	0.003	-0.007	-7
9/6/2007	12:29:55	0.003	-0.007	-7
9/6/2007	12:44:55	0.003	-0.007	-7
9/6/2007	12:59:55	0.004	-0.006	-6
9/6/2007	13:14:55	0.004	-0.006	-6
9/6/2007	13:29:55	0.006	-0.004	-4
9/6/2007	13:44:55	0.004	-0.006	-6
9/6/2007	13:59:55	0.004	-0.006	-6
9/6/2007	14:14:55	0.004	-0.006	-6
9/6/2007	14:29:55	0.004	-0.006	-6
9/6/2007	14:44:55	0.005	-0.005	-5
9/6/2007	14:59:55	0.004	-0.006	-6
9/6/2007	15:14:55	0.005	-0.005	-5
9/6/2007	15:29:55	0.005	-0.005	-5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/06/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/6/2007 7:38	0		0
2	9/6/2007 7:53	0		0
3	9/6/2007 8:08	0.1		0.1
4	9/6/2007 8:23	0.1		0.1
5	9/6/2007 8:38	0.2		0.2
6	9/6/2007 8:53	0.2		0.2
7	9/6/2007 9:08	0.2		0.2
8	9/6/2007 9:23	0.3		0.3
9	9/6/2007 9:38	0.3		0.3
10	9/6/2007 9:53	0.3		0.3
11	9/6/2007 10:08	0.4		0.4
12	9/6/2007 10:23	0.4		0.4
13	9/6/2007 10:38	0.4		0.4
14	9/6/2007 10:53	0.4		0.4
15	9/6/2007 11:08	0.4		0.4
16	9/6/2007 11:23	0.4		0.4
17	9/6/2007 11:38	0.4		0.4
18	9/6/2007 11:53	0.4		0.4
19	9/6/2007 12:08	0.4		0.4
20	9/6/2007 12:23	0.4		0.4
21	9/6/2007 12:38	0.4		0.4
22	9/6/2007 12:53	0.4		0.4
23	9/6/2007 13:08	0.4		0.4
24	9/6/2007 13:23	0.4		0.4
25	9/6/2007 13:38	0.4		0.4
26	9/6/2007 13:53	0.4		0.4
27	9/6/2007 14:08	0.5		0.5
28	9/6/2007 14:23	0.4		0.4
29	9/6/2007 14:38	0.4		0.4
30	9/6/2007 14:53	0.4		0.4
31	9/6/2007 15:08	0.4		0.4
32	9/6/2007 15:23	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/6/2007
Start Time:	7:22:54
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0710) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2007	7:37:54	0.016	0.005	5
9/6/2007	7:52:54	0.014	0.003	3
9/6/2007	8:07:54	0.013	0.002	2
9/6/2007	8:22:54	0.013	0.002	2
9/6/2007	8:37:54	0.01	-0.001	-1
9/6/2007	8:52:54	0.01	-0.001	-1
9/6/2007	9:07:54	0.01	-0.001	-1
9/6/2007	9:22:54	0.011	0	0
9/6/2007	9:37:54	0.009	-0.002	-2
9/6/2007	9:52:54	0.009	-0.002	-2
9/6/2007	10:07:54	0.01	-0.001	-1
9/6/2007	10:22:54	0.01	-0.001	-1
9/6/2007	10:37:54	0.009	-0.002	-2
9/6/2007	10:52:54	0.01	-0.001	-1
9/6/2007	11:07:54	0.011	0	0
9/6/2007	11:22:54	0.011	0	0
9/6/2007	11:37:54	0.011	0	0
9/6/2007	11:52:54	0.011	0	0
9/6/2007	12:07:54	0.01	-0.001	-1
9/6/2007	12:22:54	0.01	-0.001	-1
9/6/2007	12:37:54	0.01	-0.001	-1
9/6/2007	12:52:54	0.011	0	0
9/6/2007	13:07:54	0.01	-0.001	-1
9/6/2007	13:22:54	0.011	0	0
9/6/2007	13:37:54	0.012	0.001	1
9/6/2007	13:52:54	0.012	0.001	1
9/6/2007	14:07:54	0.011	0	0
9/6/2007	14:22:54	0.011	0	0
9/6/2007	14:37:54	0.012	0.001	1
9/6/2007	14:52:54	0.011	0	0
9/6/2007	15:07:54	0.013	0.002	2
9/6/2007	15:22:54	0.013	0.002	2
9/6/2007	15:37:54	0.013	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/06/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/6/2007 7:21	0.1		0.1
2	9/6/2007 7:36	0.1		0.1
3	9/6/2007 7:51	0		0
4	9/6/2007 8:06	0		0
5	9/6/2007 8:21	0		0
6	9/6/2007 8:36	0		0
7	9/6/2007 8:51	0		0
8	9/6/2007 9:06	0		0
9	9/6/2007 9:21	0		0
10	9/6/2007 9:36	0		0
11	9/6/2007 9:51	0		0
12	9/6/2007 10:06	0		0
13	9/6/2007 10:21	0		0
14	9/6/2007 10:36	0		0
15	9/6/2007 10:51	0		0
16	9/6/2007 11:06	0		0
17	9/6/2007 11:21	0		0
18	9/6/2007 11:36	0		0
19	9/6/2007 11:51	0		0
20	9/6/2007 12:06	0		0
21	9/6/2007 12:21	0		0
22	9/6/2007 12:36	0		0
23	9/6/2007 12:51	0		0
24	9/6/2007 13:06	0		0
25	9/6/2007 13:21	0		0
26	9/6/2007 13:36	0		0
27	9/6/2007 13:51	0		0
28	9/6/2007 14:06	0		0
29	9/6/2007 14:21	0		0
30	9/6/2007 14:36	0		0
31	9/6/2007 14:51	0		0
32	9/6/2007 15:06	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/6/2007
Start Time:	7:12:14
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0700) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2007	7:27:14	0.028	0.007	7
9/6/2007	7:42:14	0.031	0.01	10
9/6/2007	7:57:14	0.034	0.013	13
9/6/2007	8:12:14	0.037	0.016	16
9/6/2007	8:27:14	0.026	0.005	5
9/6/2007	8:42:14	0.02	-0.001	-1
9/6/2007	8:57:14	0.021	0	0
9/6/2007	9:12:14	0.02	-0.001	-1
9/6/2007	9:27:14	0.018	-0.003	-3
9/6/2007	9:42:14	0.016	-0.005	-5
9/6/2007	9:57:14	0.02	-0.001	-1
9/6/2007	10:12:14	0.02	-0.001	-1
9/6/2007	10:27:14	0.024	0.003	3
9/6/2007	10:42:14	0.024	0.003	3
9/6/2007	10:57:14	0.022	0.001	1
9/6/2007	11:12:14	0.02	-0.001	-1
9/6/2007	11:27:14	0.021	0	0
9/6/2007	11:42:14	0.021	0	0
9/6/2007	11:57:14	0.024	0.003	3
9/6/2007	12:12:14	0.024	0.003	3
9/6/2007	12:27:14	0.018	-0.003	-3
9/6/2007	12:42:14	0.018	-0.003	-3
9/6/2007	12:57:14	0.022	0.001	1
9/6/2007	13:12:14	0.025	0.004	4
9/6/2007	13:27:14	0.028	0.007	7
9/6/2007	13:42:14	0.021	0	0
9/6/2007	13:57:14	0.022	0.001	1
9/6/2007	14:12:14	0.023	0.002	2
9/6/2007	14:27:14	0.022	0.001	1
9/6/2007	14:42:14	0.022	0.001	1
9/6/2007	14:57:14	0.022	0.001	1
9/6/2007	15:12:14	0.027	0.006	6
9/6/2007	15:27:14	0.024	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/06/2007 06:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/6/2007 7:26	0		0
2	9/6/2007 7:41	0		0
3	9/6/2007 7:56	0		0
4	9/6/2007 8:11	0		0
5	9/6/2007 8:26	0		0
6	9/6/2007 8:41	0		0
7	9/6/2007 8:56	0		0
8	9/6/2007 9:11	0		0
9	9/6/2007 9:26	0		0
10	9/6/2007 9:41	0		0
11	9/6/2007 9:56	0		0
12	9/6/2007 10:11	0		0
13	9/6/2007 10:26	0		0
14	9/6/2007 10:41	0		0
15	9/6/2007 10:56	0		0
16	9/6/2007 11:11	0		0
17	9/6/2007 11:26	0		0
18	9/6/2007 11:41	0		0
19	9/6/2007 11:56	0		0
20	9/6/2007 12:11	0		0
21	9/6/2007 12:26	0		0
22	9/6/2007 12:41	0		0
23	9/6/2007 12:56	0		0
24	9/6/2007 13:11	0		0
25	9/6/2007 13:26	0		0
26	9/6/2007 13:41	0		0
27	9/6/2007 13:56	0		0
28	9/6/2007 14:11	0		0
29	9/6/2007 14:26	0		0
30	9/6/2007 14:41	0		0
31	9/6/2007 14:56	0		0
32	9/6/2007 15:11	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/6/2007
Start Time:	7:27:36
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0655) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/6/2007	7:42:36	0.024	0	0
9/6/2007	7:57:36	0.022	-0.002	-2
9/6/2007	8:12:36	0.022	-0.002	-2
9/6/2007	8:27:36	0.016	-0.008	-8
9/6/2007	8:42:36	0.017	-0.007	-7
9/6/2007	8:57:36	0.017	-0.007	-7
9/6/2007	9:12:36	0.016	-0.008	-8
9/6/2007	9:27:36	0.015	-0.009	-9
9/6/2007	9:42:36	0.013	-0.011	-11
9/6/2007	9:57:36	0.015	-0.009	-9
9/6/2007	10:12:36	0.015	-0.009	-9
9/6/2007	10:27:36	0.014	-0.01	-10
9/6/2007	10:42:36	0.013	-0.011	-11
9/6/2007	10:57:36	0.016	-0.008	-8
9/6/2007	11:12:36	0.015	-0.009	-9
9/6/2007	11:27:36	0.016	-0.008	-8
9/6/2007	11:42:36	0.016	-0.008	-8
9/6/2007	11:57:36	0.016	-0.008	-8
9/6/2007	12:12:36	0.012	-0.012	-12
9/6/2007	12:27:36	0.014	-0.01	-10
9/6/2007	12:42:36	0.016	-0.008	-8
9/6/2007	12:57:36	0.016	-0.008	-8
9/6/2007	13:12:36	0.013	-0.011	-11
9/6/2007	13:27:36	0.017	-0.007	-7
9/6/2007	13:42:36	0.014	-0.01	-10
9/6/2007	13:57:36	0.014	-0.01	-10
9/6/2007	14:12:36	0.017	-0.007	-7
9/6/2007	14:27:36	0.015	-0.009	-9
9/6/2007	14:42:36	0.015	-0.009	-9
9/6/2007	14:57:36	0.02	-0.004	-4
9/6/2007	15:12:36	0.022	-0.002	-2
9/6/2007	15:27:36	0.018	-0.006	-6

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/07/2007 06:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	9/7/2007 7:07	0		0	
2	9/7/2007 7:22	0		0	
3	9/7/2007 7:37	0.1		0.1	
4	9/7/2007 7:52	0.2		0.2	
5	9/7/2007 8:07	0.3		0.3	
6	9/7/2007 8:22	0.3		0.3	
7	9/7/2007 8:37	0.3		0.3	
8	9/7/2007 8:52	0.4		0.4	
9	9/7/2007 9:07	0.4		0.4	
10	9/7/2007 9:22	0.4		0.4	
11	9/7/2007 9:37	0.6		0.6	*Shaw testing of AKRF equipment at STA 1
12	9/7/2007 9:52	0.4		0.4	
13	9/7/2007 10:07	0.4		0.4	
14	9/7/2007 10:22	0.4		0.4	
15	9/7/2007 10:37	0.3		0.3	
16	9/7/2007 10:52	0.3		0.3	
17	9/7/2007 11:07	0.3		0.3	
18	9/7/2007 11:22	0.3		0.3	
19	9/7/2007 11:37	0.2		0.2	
20	9/7/2007 11:52	0.2		0.2	
21	9/7/2007 12:07	0.2		0.2	
22	9/7/2007 12:22	0.1		0.1	
23	9/7/2007 12:37	0.1		0.1	
24	9/7/2007 12:52	0.1		0.1	
25	9/7/2007 13:07	0.2		0.2	
26	9/7/2007 13:22	0.2		0.2	
27	9/7/2007 13:37	0.1		0.1	
28	9/7/2007 13:52	0.1		0.1	
29	9/7/2007 14:07	0.1		0.1	
30	9/7/2007 14:22	0		0	
31	9/7/2007 14:37	0		0	
32	9/7/2007 14:52	0		0	
33	9/7/2007 15:07	0		0	
34	9/7/2007 15:22	0		0	
35	9/7/2007 15:37	0		0	
36	9/7/2007 15:52	0		0	
37	9/7/2007 16:07	0		0	
38	9/7/2007 16:22	0		0	
39	9/7/2007 16:37	0		0	
40	9/7/2007 16:52	0		0	
41	9/7/2007 17:07	0		0	
42	9/7/2007 17:22	0		0	
43	9/7/2007 17:37	0		0	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/7/2007
Start Time:	6:54:33
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0650) = 0.044 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/7/2007	7:09:33	0.04	-0.004	-4	
9/7/2007	7:24:33	0.037	-0.007	-7	
9/7/2007	7:39:33	0.025	-0.019	-19	
9/7/2007	7:54:33	0.022	-0.022	-22	
9/7/2007	8:09:33	0.027	-0.017	-17	
9/7/2007	8:24:33	0.022	-0.022	-22	
9/7/2007	8:39:33	0.02	-0.024	-24	
9/7/2007	8:54:33	0.019	-0.025	-25	
9/7/2007	9:09:33	0.02	-0.024	-24	
9/7/2007	9:24:33	0.02	-0.024	-24	
9/7/2007	9:39:33	0.021	-0.023	-23	
9/7/2007	9:54:33	0.198	0.154	154	*Shaw testing of AKRF equipment at STA 1
9/7/2007	10:09:33	0.02	-0.024	-24	
9/7/2007	10:24:33	0.017	-0.027	-27	
9/7/2007	10:39:33	0.017	-0.027	-27	
9/7/2007	10:54:33	0.02	-0.024	-24	
9/7/2007	11:09:33	0.015	-0.029	-29	
9/7/2007	11:24:33	0.019	-0.025	-25	
9/7/2007	11:39:33	0.018	-0.026	-26	
9/7/2007	11:54:33	0.015	-0.029	-29	
9/7/2007	12:09:33	0.018	-0.026	-26	
9/7/2007	12:24:33	0.018	-0.026	-26	
9/7/2007	12:39:33	0.015	-0.029	-29	
9/7/2007	12:54:33	0.015	-0.029	-29	
9/7/2007	13:09:33	0.016	-0.028	-28	
9/7/2007	13:24:33	0.016	-0.028	-28	
9/7/2007	13:39:33	0.018	-0.026	-26	
9/7/2007	13:54:33	0.018	-0.026	-26	
9/7/2007	14:09:33	0.017	-0.027	-27	
9/7/2007	14:24:33	0.019	-0.025	-25	
9/7/2007	14:39:33	0.019	-0.025	-25	
9/7/2007	14:54:33	0.018	-0.026	-26	
9/7/2007	15:09:33	0.012	-0.032	-32	
9/7/2007	15:24:33	0.012	-0.032	-32	
9/7/2007	15:39:33	0.012	-0.032	-32	
9/7/2007	15:54:33	0.011	-0.033	-33	
9/7/2007	16:09:33	0.012	-0.032	-32	
9/7/2007	16:24:33	0.013	-0.031	-31	
9/7/2007	16:39:33	0.012	-0.032	-32	
9/7/2007	16:54:33	0.01	-0.034	-34	
9/7/2007	17:09:33	0.012	-0.032	-32	
9/7/2007	17:24:33	0.014	-0.03	-30	
9/7/2007	17:39:33	0.01	-0.034	-34	
9/7/2007	17:54:33	0.009	-0.035	-35	

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/07/2007 06:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	9/7/2007 7:35	0.1		0.1	
2	9/7/2007 7:50	0.2		0.2	
3	9/7/2007 8:05	0.2		0.2	
4	9/7/2007 8:20	0.3		0.3	
5	9/7/2007 8:35	0.3		0.3	
6	9/7/2007 8:50	0.4		0.4	
7	9/7/2007 9:05	0.4		0.4	
8	9/7/2007 9:20	0.4		0.4	
9	9/7/2007 9:35	0.4		0.4	
10	9/7/2007 9:50	0.4		0.4	
11	9/7/2007 10:05	0.6		0.6	*Shaw testing of AKRF equipment at STA 2
12	9/7/2007 10:20	0.5		0.5	
13	9/7/2007 10:35	0.5		0.5	
14	9/7/2007 10:50	0.5		0.5	
15	9/7/2007 11:05	0.5		0.5	
16	9/7/2007 11:20	0.5		0.5	
17	9/7/2007 11:35	0.5		0.5	
18	9/7/2007 11:50	0.5		0.5	
19	9/7/2007 12:05	0.5		0.5	
20	9/7/2007 12:20	0.5		0.5	
21	9/7/2007 12:35	0.5		0.5	
22	9/7/2007 12:50	0.5		0.5	
23	9/7/2007 13:05	0.6		0.6	
24	9/7/2007 13:20	0.6		0.6	
25	9/7/2007 13:35	0.6		0.6	
26	9/7/2007 13:50	0.6		0.6	
27	9/7/2007 14:05	0.6		0.6	
28	9/7/2007 14:20	0.6		0.6	
29	9/7/2007 14:35	0.5		0.5	
30	9/7/2007 14:50	0.5		0.5	
31	9/7/2007 15:05	0.5		0.5	
32	9/7/2007 15:20	0.5		0.5	
33	9/7/2007 15:35	0.5		0.5	
34	9/7/2007 15:50	0.5		0.5	
35	9/7/2007 16:05	0.5		0.5	
36	9/7/2007 16:20	0.5		0.5	
37	9/7/2007 16:35	0.5		0.5	
38	9/7/2007 16:50	0.5		0.5	
39	9/7/2007 17:05	0.5		0.5	
40	9/7/2007 17:20	0.5		0.5	
41	9/7/2007 17:35	0.5		0.5	
42	9/7/2007 17:50	0.5		0.5	

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/7/2007
Start Time:	7:18:02
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0705) = 0.045 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/7/2007	7:33:02	0.039	-0.006	-6	
9/7/2007	7:48:02	0.033	-0.012	-12	
9/7/2007	8:03:02	0.031	-0.014	-14	
9/7/2007	8:18:02	0.032	-0.013	-13	
9/7/2007	8:33:02	0.031	-0.014	-14	
9/7/2007	8:48:02	0.029	-0.016	-16	
9/7/2007	9:03:02	0.032	-0.013	-13	
9/7/2007	9:18:02	0.032	-0.013	-13	
9/7/2007	9:33:02	0.033	-0.012	-12	
9/7/2007	9:48:02	0.032	-0.013	-13	
9/7/2007	10:03:02	0.029	-0.016	-16	
9/7/2007	10:18:02	0.226	0.181	181	*Shaw testing of AKRF equipment at STA 2
9/7/2007	10:33:02	0.027	-0.018	-18	
9/7/2007	10:48:02	0.026	-0.019	-19	
9/7/2007	11:03:02	0.026	-0.019	-19	
9/7/2007	11:18:02	0.025	-0.02	-20	
9/7/2007	11:33:02	0.026	-0.019	-19	
9/7/2007	11:48:02	0.026	-0.019	-19	
9/7/2007	12:03:02	0.027	-0.018	-18	
9/7/2007	12:18:02	0.027	-0.018	-18	
9/7/2007	12:33:02	0.028	-0.017	-17	
9/7/2007	12:48:02	0.029	-0.016	-16	
9/7/2007	13:03:02	0.029	-0.016	-16	
9/7/2007	13:18:02	0.032	-0.013	-13	
9/7/2007	13:33:02	0.031	-0.014	-14	
9/7/2007	13:48:02	0.032	-0.013	-13	
9/7/2007	14:03:02	0.034	-0.011	-11	
9/7/2007	14:18:02	0.033	-0.012	-12	
9/7/2007	14:33:02	0.031	-0.014	-14	
9/7/2007	14:48:02	0.026	-0.019	-19	
9/7/2007	15:03:02	0.026	-0.019	-19	
9/7/2007	15:18:02	0.025	-0.02	-20	
9/7/2007	15:33:02	0.024	-0.021	-21	
9/7/2007	15:48:02	0.025	-0.02	-20	
9/7/2007	16:03:02	0.025	-0.02	-20	
9/7/2007	16:18:02	0.026	-0.019	-19	
9/7/2007	16:33:02	0.025	-0.02	-20	
9/7/2007	16:48:02	0.024	-0.021	-21	
9/7/2007	17:03:02	0.023	-0.022	-22	
9/7/2007	17:18:02	0.023	-0.022	-22	
9/7/2007	17:33:02	0.023	-0.022	-22	
9/7/2007	17:48:02	0.022	-0.023	-23	
9/7/2007	18:03:02	0.019	-0.026	-26	

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/07/2007 06:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	9/7/2007 7:16	0		0	
2	9/7/2007 7:31	0		0	
3	9/7/2007 7:46	0		0	
4	9/7/2007 8:01	0		0	
5	9/7/2007 8:16	0		0	
6	9/7/2007 8:31	0		0	
7	9/7/2007 8:46	0		0	
8	9/7/2007 9:01	0		0	
9	9/7/2007 9:16	0		0	
10	9/7/2007 9:31	0		0	
11	9/7/2007 9:46	0		0	*Shaw testing of AKRF equipment at STA 3
12	9/7/2007 10:01	0		0	
13	9/7/2007 10:16	0		0	
14	9/7/2007 10:31	0		0	
15	9/7/2007 10:46	0		0	
16	9/7/2007 11:01	0		0	
17	9/7/2007 11:16	0		0	
18	9/7/2007 11:31	0		0	
19	9/7/2007 11:46	0		0	
20	9/7/2007 12:01	0		0	
21	9/7/2007 12:16	0		0	
22	9/7/2007 12:31	0		0	
23	9/7/2007 12:46	0		0	
24	9/7/2007 13:01	0		0	
25	9/7/2007 13:16	0		0	
26	9/7/2007 13:31	0		0	
27	9/7/2007 13:46	0		0	
28	9/7/2007 14:01	0		0	
29	9/7/2007 14:16	0		0	
30	9/7/2007 14:31	0		0	
31	9/7/2007 14:46	0		0	
32	9/7/2007 15:01	0		0	
33	9/7/2007 15:16	0		0	
34	9/7/2007 15:31	0		0	
35	9/7/2007 15:46	0		0	
36	9/7/2007 16:01	0		0	
37	9/7/2007 16:16	0		0	
38	9/7/2007 16:31	0		0	
39	9/7/2007 16:46	0		0	
40	9/7/2007 17:01	0		0	
41	9/7/2007 17:16	0		0	
42	9/7/2007 17:31	0		0	

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/7/2007
Start Time:	7:08:39
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0650) = 0.105 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/7/2007	7:23:39	0.094	-0.011	-11	
9/7/2007	7:38:39	0.076	-0.029	-29	
9/7/2007	7:53:39	0.065	-0.04	-40	
9/7/2007	8:08:39	0.065	-0.04	-40	
9/7/2007	8:23:39	0.065	-0.04	-40	
9/7/2007	8:38:39	0.067	-0.038	-38	
9/7/2007	8:53:39	0.061	-0.044	-44	
9/7/2007	9:08:39	0.069	-0.036	-36	
9/7/2007	9:23:39	0.068	-0.037	-37	
9/7/2007	9:38:39	0.065	-0.04	-40	
9/7/2007	9:53:39	0.063	-0.042	-42	
9/7/2007	10:08:39	0.116	0.011	11	*Shaw testing of AKRF equipment at STA 3
9/7/2007	10:23:39	0.058	-0.047	-47	
9/7/2007	10:38:39	0.059	-0.046	-46	
9/7/2007	10:53:39	0.058	-0.047	-47	
9/7/2007	11:08:39	0.065	-0.04	-40	
9/7/2007	11:23:39	0.049	-0.056	-56	
9/7/2007	11:38:39	0.048	-0.057	-57	
9/7/2007	11:53:39	0.055	-0.05	-50	
9/7/2007	12:08:39	0.052	-0.053	-53	
9/7/2007	12:23:39	0.049	-0.056	-56	
9/7/2007	12:38:39	0.05	-0.055	-55	
9/7/2007	12:53:39	0.052	-0.053	-53	
9/7/2007	13:08:39	0.055	-0.05	-50	
9/7/2007	13:23:39	0.059	-0.046	-46	
9/7/2007	13:38:39	0.065	-0.04	-40	
9/7/2007	13:53:39	0.083	-0.022	-22	
9/7/2007	14:08:39	0.066	-0.039	-39	
9/7/2007	14:23:39	0.075	-0.03	-30	
9/7/2007	14:38:39	0.054	-0.051	-51	
9/7/2007	14:53:39	0.05	-0.055	-55	
9/7/2007	15:08:39	0.047	-0.058	-58	
9/7/2007	15:23:39	0.048	-0.057	-57	
9/7/2007	15:38:39	0.047	-0.058	-58	
9/7/2007	15:53:39	0.047	-0.058	-58	
9/7/2007	16:08:39	0.048	-0.057	-57	
9/7/2007	16:23:39	0.048	-0.057	-57	
9/7/2007	16:38:39	0.046	-0.059	-59	
9/7/2007	16:53:39	0.042	-0.063	-63	
9/7/2007	17:08:39	0.042	-0.063	-63	
9/7/2007	17:23:39	0.042	-0.063	-63	
9/7/2007	17:38:39	0.042	-0.063	-63	
9/7/2007	17:53:39	0.037	-0.068	-68	

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/07/2007 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	9/7/2007 7:23	0		0	
2	9/7/2007 7:38	0		0	
3	9/7/2007 7:53	0		0	
4	9/7/2007 8:08	0		0	
5	9/7/2007 8:23	0		0	
6	9/7/2007 8:38	0		0	
7	9/7/2007 8:53	0		0	
8	9/7/2007 9:08	0		0	
9	9/7/2007 9:23	0		0	
10	9/7/2007 9:38	0		0	
11	9/7/2007 9:53	0		0	*Shaw testing of AKRF equipment at STA 4
12	9/7/2007 10:08	0		0	
13	9/7/2007 10:23	0.1		0.1	
14	9/7/2007 10:38	0.2		0.2	
15	9/7/2007 10:53	0.2		0.2	
16	9/7/2007 11:08	0.2		0.2	
17	9/7/2007 11:23	0.2		0.2	
18	9/7/2007 11:38	0.2		0.2	
19	9/7/2007 11:53	0.3		0.3	
20	9/7/2007 12:08	0.3		0.3	
21	9/7/2007 12:23	0.3		0.3	
22	9/7/2007 12:38	0.3		0.3	
23	9/7/2007 12:53	0.4		0.4	
24	9/7/2007 13:08	0.4		0.4	
25	9/7/2007 13:23	0.4		0.4	
26	9/7/2007 13:38	0.3		0.3	
27	9/7/2007 13:53	0.3		0.3	
28	9/7/2007 14:08	0.3		0.3	
29	9/7/2007 14:23	0.3		0.3	
30	9/7/2007 14:38	0.3		0.3	
31	9/7/2007 14:53	0.3		0.3	
32	9/7/2007 15:08	0.3		0.3	
33	9/7/2007 15:23	0.2		0.2	
34	9/7/2007 15:38	0.1		0.1	
35	9/7/2007 15:53	0.2		0.2	
36	9/7/2007 16:08	0.2		0.2	
37	9/7/2007 16:23	0.2		0.2	
38	9/7/2007 16:38	0.2		0.2	
39	9/7/2007 16:53	0.2		0.2	
40	9/7/2007 17:08	0.2		0.2	
41	9/7/2007 17:23	0.2		0.2	
42	9/7/2007 17:38	0.2		0.2	

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/7/2007
Start Time:	7:00:47
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	

Background Reading (0650) = 0.129 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3	
9/7/2007	7:15:47	0.098	-0.031	-31	
9/7/2007	7:30:47	0.075	-0.054	-54	
9/7/2007	7:45:47	0.063	-0.066	-66	
9/7/2007	8:00:47	0.063	-0.066	-66	
9/7/2007	8:15:47	0.063	-0.066	-66	
9/7/2007	8:30:47	0.071	-0.058	-58	
9/7/2007	8:45:47	0.072	-0.057	-57	
9/7/2007	9:00:47	0.06	-0.069	-69	
9/7/2007	9:15:47	0.055	-0.074	-74	
9/7/2007	9:30:47	0.056	-0.073	-73	
9/7/2007	9:45:47	0.057	-0.072	-72	
9/7/2007	10:00:47	0.153	0.024	24	*Shaw testing of AKRF equipment at STA 4
9/7/2007	10:15:47	0.061	-0.068	-68	
9/7/2007	10:30:47	0.045	-0.084	-84	
9/7/2007	10:45:47	0.048	-0.081	-81	
9/7/2007	11:00:47	0.053	-0.076	-76	
9/7/2007	11:15:47	0.038	-0.091	-91	
9/7/2007	11:30:47	0.04	-0.089	-89	
9/7/2007	11:45:47	0.044	-0.085	-85	
9/7/2007	12:00:47	0.049	-0.08	-80	
9/7/2007	12:15:47	0.044	-0.085	-85	
9/7/2007	12:30:47	0.041	-0.088	-88	
9/7/2007	12:45:47	0.04	-0.089	-89	
9/7/2007	13:00:47	0.044	-0.085	-85	
9/7/2007	13:15:47	0.047	-0.082	-82	
9/7/2007	13:30:47	0.048	-0.081	-81	
9/7/2007	13:45:47	0.05	-0.079	-79	
9/7/2007	14:00:47	0.053	-0.076	-76	
9/7/2007	14:15:47	0.075	-0.054	-54	
9/7/2007	14:30:47	0.063	-0.066	-66	
9/7/2007	14:45:47	0.051	-0.078	-78	
9/7/2007	15:00:47	0.041	-0.088	-88	
9/7/2007	15:15:47	0.039	-0.09	-90	
9/7/2007	15:30:47	0.039	-0.09	-90	
9/7/2007	15:45:47	0.035	-0.094	-94	
9/7/2007	16:00:47	0.036	-0.093	-93	
9/7/2007	16:15:47	0.039	-0.09	-90	
9/7/2007	16:30:47	0.039	-0.09	-90	
9/7/2007	16:45:47	0.035	-0.094	-94	
9/7/2007	17:00:47	0.035	-0.094	-94	
9/7/2007	17:15:47	0.032	-0.097	-97	
9/7/2007	17:30:47	0.033	-0.096	-96	
9/7/2007	17:45:47	0.03	-0.099	-99	

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/10/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/10/2007 7:12	0		0
2	9/10/2007 7:27	0		0
3	9/10/2007 7:42	0		0
4	9/10/2007 7:57	0		0
5	9/10/2007 8:12	0		0
6	9/10/2007 8:27	0		0
7	9/10/2007 8:42	0		0
8	9/10/2007 8:57	0		0
9	9/10/2007 9:12	0		0
10	9/10/2007 9:27	0		0
11	9/10/2007 9:42	0		0
12	9/10/2007 9:57	0		0
13	9/10/2007 10:12	0		0
14	9/10/2007 10:27	0		0
15	9/10/2007 10:42	0		0
16	9/10/2007 10:57	0		0
17	9/10/2007 11:12	0		0
18	9/10/2007 11:27	0		0
19	9/10/2007 11:42	0		0
20	9/10/2007 11:57	0		0
21	9/10/2007 12:12	0		0
22	9/10/2007 12:27	0		0
23	9/10/2007 12:42	0		0
24	9/10/2007 12:57	0		0
25	9/10/2007 13:12	0		0
26	9/10/2007 13:27	0		0
27	9/10/2007 13:42	0		0
28	9/10/2007 13:57	0		0
29	9/10/2007 14:12	0		0
30	9/10/2007 14:27	0		0
31	9/10/2007 14:42	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/10/2007
Start Time:	7:00:48
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0655) = 0.035 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
9/10/2007	7:15:48	0.043	0.008	8
9/10/2007	7:30:48	0.034	-0.001	-1
9/10/2007	7:45:48	0.026	-0.009	-9
9/10/2007	8:00:48	0.025	-0.01	-10
9/10/2007	8:15:48	0.022	-0.013	-13
9/10/2007	8:30:48	0.021	-0.014	-14
9/10/2007	8:45:48	0.02	-0.015	-15
9/10/2007	9:00:48	0.02	-0.015	-15
9/10/2007	9:15:48	0.017	-0.018	-18
9/10/2007	9:30:48	0.017	-0.018	-18
9/10/2007	9:45:48	0.019	-0.016	-16
9/10/2007	10:00:48	0.018	-0.017	-17
9/10/2007	10:15:48	0.018	-0.017	-17
9/10/2007	10:30:48	0.02	-0.015	-15
9/10/2007	10:45:48	0.017	-0.018	-18
9/10/2007	11:00:48	0.017	-0.018	-18
9/10/2007	11:15:48	0.015	-0.02	-20
9/10/2007	11:30:48	0.019	-0.016	-16
9/10/2007	11:45:48	0.02	-0.015	-15
9/10/2007	12:00:48	0.023	-0.012	-12
9/10/2007	12:15:48	0.02	-0.015	-15
9/10/2007	12:30:48	0.018	-0.017	-17
9/10/2007	12:45:48	0.019	-0.016	-16
9/10/2007	13:00:48	0.024	-0.011	-11
9/10/2007	13:15:48	0.02	-0.015	-15
9/10/2007	13:30:48	0.021	-0.014	-14
9/10/2007	13:45:48	0.024	-0.011	-11
9/10/2007	14:00:48	0.022	-0.013	-13
9/10/2007	14:15:48	0.021	-0.014	-14
9/10/2007	14:30:48	0.022	-0.013	-13
9/10/2007	14:45:48	0.021	-0.014	-14
9/10/2007	15:00:48	0.022	-0.013	-13

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/10/2007 06:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0703) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/10/2007 8:08	0.1		0
2	9/10/2007 8:23	0.2		0.1
3	9/10/2007 8:38	0.2		0.1
4	9/10/2007 8:53	0.2		0.1
5	9/10/2007 9:08	0.3		0.2
6	9/10/2007 9:23	0.3		0.2
7	9/10/2007 9:38	0.4		0.3
8	9/10/2007 9:53	0.4		0.3
9	9/10/2007 10:08	0.4		0.3
10	9/10/2007 10:23	0.4		0.3
11	9/10/2007 10:38	0.5		0.4
12	9/10/2007 10:53	0.5		0.4
13	9/10/2007 11:08	0.5		0.4
14	9/10/2007 11:23	0.5		0.4
15	9/10/2007 11:38	0.6		0.5
16	9/10/2007 11:53	0.7		0.6
17	9/10/2007 12:08	0.6		0.5
18	9/10/2007 12:23	0.7		0.6
19	9/10/2007 12:38	0.7		0.6
20	9/10/2007 12:53	0.7		0.6
21	9/10/2007 13:08	0.7		0.6
22	9/10/2007 13:23	0.7		0.6
23	9/10/2007 13:38	0.7		0.6
24	9/10/2007 13:53	0.7		0.6
25	9/10/2007 14:08	0.7		0.6
26	9/10/2007 14:23	0.7		0.6
27	9/10/2007 14:38	0.7		0.6
28	9/10/2007 14:53	0.7		0.6
29	9/10/2007 15:08	0.8		0.7

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/10/2007
Start Time:	7:06:54
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0703) = 0.065 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/10/2007	7:21:54	0.06	-0.005	-5
9/10/2007	7:36:54	0.037	-0.028	-28
9/10/2007	7:51:54	0.03	-0.035	-35
9/10/2007	8:06:54	0.029	-0.036	-36
9/10/2007	8:21:54	0.025	-0.04	-40
9/10/2007	8:36:54	0.024	-0.041	-41
9/10/2007	8:51:54	0.023	-0.042	-42
9/10/2007	9:06:54	0.024	-0.041	-41
9/10/2007	9:21:54	0.02	-0.045	-45
9/10/2007	9:36:54	0.022	-0.043	-43
9/10/2007	9:51:54	0.023	-0.042	-42
9/10/2007	10:06:54	0.024	-0.041	-41
9/10/2007	10:21:54	0.023	-0.042	-42
9/10/2007	10:36:54	0.022	-0.043	-43
9/10/2007	10:51:54	0.022	-0.043	-43
9/10/2007	11:06:54	0.021	-0.044	-44
9/10/2007	11:21:54	0.023	-0.042	-42
9/10/2007	11:36:54	0.027	-0.038	-38
9/10/2007	11:51:54	0.029	-0.036	-36
9/10/2007	12:06:54	0.03	-0.035	-35
9/10/2007	12:21:54	0.029	-0.036	-36
9/10/2007	12:36:54	0.028	-0.037	-37
9/10/2007	12:51:54	0.029	-0.036	-36
9/10/2007	13:06:54	0.032	-0.033	-33
9/10/2007	13:21:54	0.033	-0.032	-32
9/10/2007	13:36:54	0.035	-0.03	-30
9/10/2007	13:51:54	0.036	-0.029	-29
9/10/2007	14:06:54	0.035	-0.03	-30
9/10/2007	14:21:54	0.034	-0.031	-31
9/10/2007	14:36:54	0.035	-0.03	-30
9/10/2007	14:51:54	0.036	-0.029	-29
9/10/2007	15:06:54	0.035	-0.03	-30
9/10/2007	15:21:54	0.033	-0.032	-32

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/10/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0716) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/10/2007 7:26	0		0
2	9/10/2007 7:41	0		0
3	9/10/2007 7:56	0		0
4	9/10/2007 8:11	0		0
5	9/10/2007 8:26	0		0
6	9/10/2007 8:41	0		0
7	9/10/2007 8:56	0		0
8	9/10/2007 9:11	0		0
9	9/10/2007 9:26	0		0
10	9/10/2007 9:41	0		0
11	9/10/2007 9:56	0		0
12	9/10/2007 10:11	0		0
13	9/10/2007 10:26	0		0
14	9/10/2007 10:41	0		0
15	9/10/2007 10:56	0		0
16	9/10/2007 11:11	0		0
17	9/10/2007 11:26	0		0
18	9/10/2007 11:41	0		0
19	9/10/2007 11:56	0		0
20	9/10/2007 12:11	0		0
21	9/10/2007 12:26	0		0
22	9/10/2007 12:41	0		0
23	9/10/2007 12:56	0		0
24	9/10/2007 13:11	0		0
25	9/10/2007 13:26	0		0
26	9/10/2007 13:41	0		0
27	9/10/2007 13:56	0		0
28	9/10/2007 14:11	0		0
29	9/10/2007 14:26	0		0
30	9/10/2007 14:41	0		0
31	9/10/2007 14:56	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/10/2007
Start Time:	7:19:26
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0716) = 0.118 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/10/2007	7:34:26	0.104	-0.014	-14
9/10/2007	7:49:26	0.071	-0.047	-47
9/10/2007	8:04:26	0.066	-0.052	-52
9/10/2007	8:19:26	0.061	-0.057	-57
9/10/2007	8:34:26	0.057	-0.061	-61
9/10/2007	8:49:26	0.052	-0.066	-66
9/10/2007	9:04:26	0.052	-0.066	-66
9/10/2007	9:19:26	0.047	-0.071	-71
9/10/2007	9:34:26	0.049	-0.069	-69
9/10/2007	9:49:26	0.052	-0.066	-66
9/10/2007	10:04:26	0.053	-0.065	-65
9/10/2007	10:19:26	0.052	-0.066	-66
9/10/2007	10:34:26	0.049	-0.069	-69
9/10/2007	10:49:26	0.047	-0.071	-71
9/10/2007	11:04:26	0.047	-0.071	-71
9/10/2007	11:19:26	0.05	-0.068	-68
9/10/2007	11:34:26	0.055	-0.063	-63
9/10/2007	11:49:26	0.06	-0.058	-58
9/10/2007	12:04:26	0.064	-0.054	-54
9/10/2007	12:19:26	0.062	-0.056	-56
9/10/2007	12:34:26	0.059	-0.059	-59
9/10/2007	12:49:26	0.062	-0.056	-56
9/10/2007	13:04:26	0.063	-0.055	-55
9/10/2007	13:19:26	0.067	-0.051	-51
9/10/2007	13:34:26	0.065	-0.053	-53
9/10/2007	13:49:26	0.074	-0.044	-44
9/10/2007	14:04:26	0.067	-0.051	-51
9/10/2007	14:19:26	0.068	-0.05	-50
9/10/2007	14:34:26	0.07	-0.048	-48
9/10/2007	14:49:26	0.068	-0.05	-50
9/10/2007	15:04:26	0.068	-0.05	-50
9/10/2007	15:19:26	0.065	-0.053	-53

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/10/2007 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0724) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/10/2007 7:45	0		0
2	9/10/2007 8:00	0		0
3	9/10/2007 8:15	0		0
4	9/10/2007 8:30	0		0
5	9/10/2007 8:45	0		0
6	9/10/2007 9:00	0		0
7	9/10/2007 9:15	0		0
8	9/10/2007 9:30	0		0
9	9/10/2007 9:45	0		0
10	9/10/2007 10:00	0		0
11	9/10/2007 10:15	0		0
12	9/10/2007 10:30	0		0
13	9/10/2007 10:45	0		0
14	9/10/2007 11:00	0		0
15	9/10/2007 11:15	0		0
16	9/10/2007 11:30	0		0
17	9/10/2007 11:45	0		0
18	9/10/2007 12:00	0		0
19	9/10/2007 12:15	0		0
20	9/10/2007 12:30	0		0
21	9/10/2007 12:45	0		0
22	9/10/2007 13:00	0		0
23	9/10/2007 13:15	0		0
24	9/10/2007 13:30	0		0
25	9/10/2007 13:45	0		0
26	9/10/2007 14:00	0		0
27	9/10/2007 14:15	0		0
28	9/10/2007 14:30	0		0
29	9/10/2007 14:45	0		0
30	9/10/2007 15:00	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	9/10/2007
Start Time:	7:21:58
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0724) = 0.0141 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/10/2007	7:36:58	0.116	-0.025	-25
9/10/2007	7:51:58	0.073	-0.068	-68
9/10/2007	8:06:58	0.067	-0.074	-74
9/10/2007	8:21:58	0.055	-0.086	-86
9/10/2007	8:36:58	0.053	-0.088	-88
9/10/2007	8:51:58	0.051	-0.09	-90
9/10/2007	9:06:58	0.046	-0.095	-95
9/10/2007	9:21:58	0.045	-0.096	-96
9/10/2007	9:36:58	0.047	-0.094	-94
9/10/2007	9:51:58	0.049	-0.092	-92
9/10/2007	10:06:58	0.049	-0.092	-92
9/10/2007	10:21:58	0.047	-0.094	-94
9/10/2007	10:36:58	0.044	-0.097	-97
9/10/2007	10:51:58	0.045	-0.096	-96
9/10/2007	11:06:58	0.042	-0.099	-99
9/10/2007	11:21:58	0.047	-0.094	-94
9/10/2007	11:36:58	0.051	-0.09	-90
9/10/2007	11:51:58	0.055	-0.086	-86
9/10/2007	12:06:58	0.058	-0.083	-83
9/10/2007	12:21:58	0.054	-0.087	-87
9/10/2007	12:36:58	0.053	-0.088	-88
9/10/2007	12:51:58	0.055	-0.086	-86
9/10/2007	13:06:58	0.056	-0.085	-85
9/10/2007	13:21:58	0.059	-0.082	-82
9/10/2007	13:36:58	0.058	-0.083	-83
9/10/2007	13:51:58	0.063	-0.078	-78
9/10/2007	14:06:58	0.059	-0.082	-82
9/10/2007	14:21:58	0.062	-0.079	-79
9/10/2007	14:36:58	0.06	-0.081	-81
9/10/2007	14:51:58	0.063	-0.078	-78
9/10/2007	15:06:58	0.065	-0.076	-76

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0657) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/11/2007 7:13	0		0
2	9/11/2007 7:28	0		0
3	9/11/2007 7:43	0		0
4	9/11/2007 7:58	0		0
5	9/11/2007 8:13	0		0
6	9/11/2007 8:28	0		0
7	9/11/2007 8:43	0		0
8	9/11/2007 8:58	0		0
9	9/11/2007 9:13	0		0
10	9/11/2007 9:28	0		0
11	9/11/2007 9:43	0		0
12	9/11/2007 9:58	0		0
13	9/11/2007 10:13	0		0
14	9/11/2007 10:28	0		0
15	9/11/2007 10:43	0		0
16	9/11/2007 10:58	0		0
17	9/11/2007 11:13	0		0
18	9/11/2007 11:28	0		0
19	9/11/2007 11:43	0		0
20	9/11/2007 11:58	0		0
21	9/11/2007 12:13	0		0
22	9/11/2007 12:28	0		0
23	9/11/2007 12:43	0		0
24	9/11/2007 12:58	0		0
25	9/11/2007 13:13	0		0
26	9/11/2007 13:28	0		0
27	9/11/2007 13:43	0		0
28	9/11/2007 13:58	0		0
29	9/11/2007 14:13	0.1		0.1
30	9/11/2007 14:28	0.1		0.1
31	9/11/2007 14:43	0.1		0.1
32	9/11/2007 14:58	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/11/2007
Start Time:	7:01:30
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0657) = 0.037

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2007	7:16:30	0.042	0.005	5
9/11/2007	7:31:30	0.028	-0.009	-9
9/11/2007	7:46:30	0.018	-0.019	-19
9/11/2007	8:01:30	0.027	-0.01	-10
9/11/2007	8:16:30	0.029	-0.008	-8
9/11/2007	8:31:30	0.026	-0.011	-11
9/11/2007	8:46:30	0.025	-0.012	-12
9/11/2007	9:01:30	0.026	-0.011	-11
9/11/2007	9:16:30	0.024	-0.013	-13
9/11/2007	9:31:30	0.02	-0.017	-17
9/11/2007	9:46:30	0.018	-0.019	-19
9/11/2007	10:01:30	0.014	-0.023	-23
9/11/2007	10:16:30	0.013	-0.024	-24
9/11/2007	10:31:30	0.011	-0.026	-26
9/11/2007	10:46:30	0.009	-0.028	-28
9/11/2007	11:01:30	0.005	-0.032	-32
9/11/2007	11:16:30	0.005	-0.032	-32
9/11/2007	11:31:30	0.006	-0.031	-31
9/11/2007	11:46:30	0.004	-0.033	-33
9/11/2007	12:01:30	0.004	-0.033	-33
9/11/2007	12:16:30	0.004	-0.033	-33
9/11/2007	12:31:30	0.007	-0.03	-30
9/11/2007	12:46:30	0.013	-0.024	-24
9/11/2007	13:01:30	0.019	-0.018	-18
9/11/2007	13:16:30	0.009	-0.028	-28
9/11/2007	13:31:30	0.005	-0.032	-32
9/11/2007	13:46:30	0.011	-0.026	-26
9/11/2007	14:01:30	0.011	-0.026	-26
9/11/2007	14:16:30	0.011	-0.026	-26
9/11/2007	14:31:30	0.011	-0.026	-26
9/11/2007	14:46:30	0.007	-0.03	-30
9/11/2007	15:01:30	0.007	-0.03	-30
9/11/2007	15:16:30	0.006	-0.031	-31

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2007 06:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/11/2007 7:23	0		0
2	9/11/2007 7:38	0		0
3	9/11/2007 7:53	0		0
4	9/11/2007 8:08	0		0
5	9/11/2007 8:23	0		0
6	9/11/2007 8:38	0		0
7	9/11/2007 8:53	0		0
8	9/11/2007 9:08	0		0
9	9/11/2007 9:23	0		0
10	9/11/2007 9:38	0		0
11	9/11/2007 9:53	0		0
12	9/11/2007 10:08	0		0
13	9/11/2007 10:23	0		0
14	9/11/2007 10:38	0		0
15	9/11/2007 10:53	0		0
16	9/11/2007 11:08	0		0
17	9/11/2007 11:23	0.1		0.1
18	9/11/2007 11:38	0.1		0.1
19	9/11/2007 11:53	0.1		0.1
20	9/11/2007 12:08	0.1		0.1
21	9/11/2007 12:23	0.1		0.1
22	9/11/2007 12:38	0.1		0.1
23	9/11/2007 12:53	0.1		0.1
24	9/11/2007 13:08	0.1		0.1
25	9/11/2007 13:23	0.1		0.1
26	9/11/2007 13:38	0.1		0.1
27	9/11/2007 13:53	0.1		0.1
28	9/11/2007 14:08	0.1		0.1
29	9/11/2007 14:23	0.2		0.2
30	9/11/2007 14:38	0.2		0.2
31	9/11/2007 14:53	0.2		0.2
32	9/11/2007 15:08	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/11/2007
Start Time:	7:08:01
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0700) = 0.060

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2007	7:23:01	0.036	-0.024	-24
9/11/2007	7:38:01	0.017	-0.043	-43
9/11/2007	7:53:01	0.016	-0.044	-44
9/11/2007	8:08:01	0.021	-0.039	-39
9/11/2007	8:23:01	0.021	-0.039	-39
9/11/2007	8:38:01	0.02	-0.04	-40
9/11/2007	8:53:01	0.022	-0.038	-38
9/11/2007	9:08:01	0.022	-0.038	-38
9/11/2007	9:23:01	0.025	-0.035	-35
9/11/2007	9:38:01	0.025	-0.035	-35
9/11/2007	9:53:01	0.024	-0.036	-36
9/11/2007	10:08:01	0.026	-0.034	-34
9/11/2007	10:23:01	0.026	-0.034	-34
9/11/2007	10:38:01	0.029	-0.031	-31
9/11/2007	10:53:01	0.029	-0.031	-31
9/11/2007	11:08:01	0.028	-0.032	-32
9/11/2007	11:23:01	0.027	-0.033	-33
9/11/2007	11:38:01	0.027	-0.033	-33
9/11/2007	11:53:01	0.027	-0.033	-33
9/11/2007	12:08:01	0.027	-0.033	-33
9/11/2007	12:23:01	0.026	-0.034	-34
9/11/2007	12:38:01	0.029	-0.031	-31
9/11/2007	12:53:01	0.031	-0.029	-29
9/11/2007	13:08:01	0.032	-0.028	-28
9/11/2007	13:23:01	0.019	-0.041	-41
9/11/2007	13:38:01	0.011	-0.049	-49
9/11/2007	13:53:01	0.006	-0.054	-54
9/11/2007	14:08:01	0.005	-0.055	-55
9/11/2007	14:23:01	0.005	-0.055	-55
9/11/2007	14:38:01	0.007	-0.053	-53
9/11/2007	14:53:01	0.007	-0.053	-53
9/11/2007	15:08:01	0.008	-0.052	-52
9/11/2007	15:23:01	0.01	-0.05	-50

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2007 06:21

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0725) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/11/2007 7:36	0		0
2	9/11/2007 7:51	0		0
3	9/11/2007 8:06	0		0
4	9/11/2007 8:21	0		0
5	9/11/2007 8:36	0		0
6	9/11/2007 8:51	0		0
7	9/11/2007 9:06	0		0
8	9/11/2007 9:21	0		0
9	9/11/2007 9:36	0		0
10	9/11/2007 9:51	0		0
11	9/11/2007 10:06	0		0
12	9/11/2007 10:21	0		0
13	9/11/2007 10:36	0		0
14	9/11/2007 10:51	0		0
15	9/11/2007 11:06	0		0
16	9/11/2007 11:21	0		0
17	9/11/2007 11:36	0		0
18	9/11/2007 11:51	0		0
19	9/11/2007 12:06	0		0
20	9/11/2007 12:21	0		0
21	9/11/2007 12:36	0		0
22	9/11/2007 12:51	0		0
23	9/11/2007 13:06	0		0
24	9/11/2007 13:21	0		0
25	9/11/2007 13:36	0		0
26	9/11/2007 13:51	0		0
27	9/11/2007 14:06	0		0
28	9/11/2007 14:21	0		0
29	9/11/2007 14:36	0		0
30	9/11/2007 14:51	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/11/2007
Start Time:	7:29:33
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0725) = 0.123

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2007	7:44:33	0.097	-0.026	-26
9/11/2007	7:59:33	0.086	-0.037	-37
9/11/2007	8:14:33	0.067	-0.056	-56
9/11/2007	8:29:33	0.064	-0.059	-59
9/11/2007	8:44:33	0.061	-0.062	-62
9/11/2007	8:59:33	0.063	-0.06	-60
9/11/2007	9:14:33	0.065	-0.058	-58
9/11/2007	9:29:33	0.065	-0.058	-58
9/11/2007	9:44:33	0.065	-0.058	-58
9/11/2007	9:59:33	0.064	-0.059	-59
9/11/2007	10:14:33	0.067	-0.056	-56
9/11/2007	10:29:33	0.067	-0.056	-56
9/11/2007	10:44:33	0.072	-0.051	-51
9/11/2007	10:59:33	0.069	-0.054	-54
9/11/2007	11:14:33	0.067	-0.056	-56
9/11/2007	11:29:33	0.063	-0.06	-60
9/11/2007	11:44:33	0.063	-0.06	-60
9/11/2007	11:59:33	0.065	-0.058	-58
9/11/2007	12:14:33	0.064	-0.059	-59
9/11/2007	12:29:33	0.062	-0.061	-61
9/11/2007	12:44:33	0.068	-0.055	-55
9/11/2007	12:59:33	0.064	-0.059	-59
9/11/2007	13:14:33	0.063	-0.06	-60
9/11/2007	13:29:33	0.04	-0.083	-83
9/11/2007	13:44:33	0.021	-0.102	-102
9/11/2007	13:59:33	0.016	-0.107	-107
9/11/2007	14:14:33	0.015	-0.108	-108
9/11/2007	14:29:33	0.017	-0.106	-106
9/11/2007	14:44:33	0.02	-0.103	-103
9/11/2007	14:59:33	0.019	-0.104	-104
9/11/2007	15:14:33	0.023	-0.1	-100

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/11/2007 06:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/11/2007 7:45	0		0
2	9/11/2007 8:00	0		0
3	9/11/2007 8:15	0		0
4	9/11/2007 8:30	0		0
5	9/11/2007 8:45	0		0
6	9/11/2007 9:00	0		0
7	9/11/2007 9:15	0		0
8	9/11/2007 9:30	0		0
9	9/11/2007 9:45	0		0
10	9/11/2007 10:00	0		0
11	9/11/2007 10:15	0		0
12	9/11/2007 10:30	0		0
13	9/11/2007 10:45	0		0
14	9/11/2007 11:00	0		0
15	9/11/2007 11:15	0		0
16	9/11/2007 11:30	0		0
17	9/11/2007 11:45	0		0
18	9/11/2007 12:00	0		0
19	9/11/2007 12:15	0		0
20	9/11/2007 12:30	0		0
21	9/11/2007 12:45	0		0
22	9/11/2007 13:00	0		0
23	9/11/2007 13:15	0		0
24	9/11/2007 13:30	0		0
25	9/11/2007 13:45	0		0
26	9/11/2007 14:00	0		0
27	9/11/2007 14:15	0		0
28	9/11/2007 14:30	0		0
29	9/11/2007 14:45	0		0
30	9/11/2007 15:00	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/11/2007
Start Time:	7:22:41
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	BackGround Reading (0720) = 0.103

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/11/2007	7:37:41	0.044	-0.059	-59
9/11/2007	7:52:41	0.016	-0.087	-87
9/11/2007	9:26:23	0.037	-0.066	-66
9/11/2007	9:41:23	0.031	-0.072	-72
9/11/2007	9:56:23	0.026	-0.077	-77
9/11/2007	10:11:23	0.025	-0.078	-78
9/11/2007	10:26:23	0.033	-0.07	-70
9/11/2007	10:41:23	0.034	-0.069	-69
9/11/2007	10:56:23	0.032	-0.071	-71
9/11/2007	11:11:23	0.027	-0.076	-76
9/11/2007	11:26:23	0.028	-0.075	-75
9/11/2007	12:49:54	0.042	-0.061	-61
9/11/2007	13:04:54	0.024	-0.079	-79
9/11/2007	13:19:54	0.02	-0.083	-83
9/11/2007	13:34:54	0.014	-0.089	-89
9/11/2007	13:49:54	0.005	-0.098	-98
9/11/2007	14:04:54	0.005	-0.098	-98
9/11/2007	14:19:54	0.006	-0.097	-97
9/11/2007	14:34:54	0.005	-0.098	-98
9/11/2007	14:49:54	0.006	-0.097	-97
9/11/2007	15:04:54	0.006	-0.097	-97

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/12/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/12/2007 6:12	0		0
2	9/12/2007 6:27	0		0
3	9/12/2007 6:42	0		0
4	9/12/2007 6:57	0		0
5	9/12/2007 7:12	0.1		0.1
6	9/12/2007 7:27	0.2		0.2
7	9/12/2007 7:42	0.3		0.3
8	9/12/2007 7:57	0.3		0.3
9	9/12/2007 8:12	0.3		0.3
10	9/12/2007 8:27	0.3		0.3
11	9/12/2007 8:42	0.4		0.4
12	9/12/2007 8:57	0.4		0.4
13	9/12/2007 9:12	0.4		0.4
14	9/12/2007 9:27	0.4		0.4
15	9/12/2007 9:42	0.4		0.4
16	9/12/2007 9:57	0.4		0.4
17	9/12/2007 10:12	0.4		0.4
18	9/12/2007 10:27	0.3		0.3
19	9/12/2007 10:42	0.4		0.4
20	9/12/2007 10:57	0.3		0.3
21	9/12/2007 11:12	0.3		0.3
22	9/12/2007 11:27	0.3		0.3
23	9/12/2007 11:42	0.3		0.3
24	9/12/2007 11:57	0.2		0.2
25	9/12/2007 12:12	0.2		0.2
26	9/12/2007 12:27	0.2		0.2
27	9/12/2007 12:42	0.1		0.1
28	9/12/2007 12:57	0.1		0.1
29	9/12/2007 13:12	0.1		0.1
30	9/12/2007 13:27	0.1		0.1
31	9/12/2007 13:42	0.1		0.1
32	9/12/2007 13:57	0		0
33	9/12/2007 14:12	0.1		0.1
34	9/12/2007 14:27	0.1		0.1
35	9/12/2007 14:42	0.1		0.1
36	9/12/2007 14:57	0		0
37	9/12/2007 15:12	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/12/2007
Start Time:	6:01:23
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0555) = 0.004

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2007	6:16:23	0.005	0.001	1
9/12/2007	6:31:23	0.006	0.002	2
9/12/2007	6:46:23	0.006	0.002	2
9/12/2007	7:01:23	0.005	0.001	1
9/12/2007	7:16:23	0.007	0.003	3
9/12/2007	7:31:23	0.006	0.002	2
9/12/2007	7:46:23	0.006	0.002	2
9/12/2007	8:01:23	0.005	0.001	1
9/12/2007	8:16:23	0.004	0	0
9/12/2007	8:31:23	0.004	0	0
9/12/2007	8:46:23	0.003	-0.001	-1
9/12/2007	9:01:23	0.003	-0.001	-1
9/12/2007	9:16:23	0.003	-0.001	-1
9/12/2007	9:31:23	0.003	-0.001	-1
9/12/2007	9:46:23	0.003	-0.001	-1
9/12/2007	10:01:23	0.003	-0.001	-1
9/12/2007	10:16:23	0.002	-0.002	-2
9/12/2007	10:31:23	0.003	-0.001	-1
9/12/2007	10:46:23	0.002	-0.002	-2
9/12/2007	11:01:23	0.007	0.003	3
9/12/2007	11:16:23	0.002	-0.002	-2
9/12/2007	11:31:23	0.002	-0.002	-2
9/12/2007	11:46:23	0.002	-0.002	-2
9/12/2007	12:01:23	0.002	-0.002	-2
9/12/2007	12:16:23	0.004	0	0
9/12/2007	12:31:23	0.002	-0.002	-2
9/12/2007	12:46:23	0.002	-0.002	-2
9/12/2007	13:01:23	0.002	-0.002	-2
9/12/2007	13:16:23	0.002	-0.002	-2
9/12/2007	13:31:23	0.001	-0.003	-3
9/12/2007	13:46:23	0.002	-0.002	-2
9/12/2007	14:01:23	0.002	-0.002	-2
9/12/2007	14:16:23	0.003	-0.001	-1
9/12/2007	14:31:23	0.002	-0.002	-2
9/12/2007	14:46:23	0.002	-0.002	-2
9/12/2007	15:01:23	0.003	-0.001	-1
9/12/2007	15:16:23	0.002	-0.002	-2
9/12/2007	15:31:23	0.002	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/12/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/12/2007 6:42	0		0
2	9/12/2007 6:57	0		0
3	9/12/2007 7:12	0.1		0.1
4	9/12/2007 7:27	0.2		0.2
5	9/12/2007 7:42	0.3		0.3
6	9/12/2007 7:57	0.4		0.4
7	9/12/2007 8:12	0.4		0.4
8	9/12/2007 8:27	0.5		0.5
9	9/12/2007 8:42	0.5		0.5
10	9/12/2007 8:57	0.6		0.6
11	9/12/2007 9:12	0.7		0.7
12	9/12/2007 9:27	0.7		0.7
13	9/12/2007 9:42	0.8		0.8
14	9/12/2007 9:57	0.8		0.8
15	9/12/2007 10:12	0.8		0.8
16	9/12/2007 10:27	0.8		0.8
17	9/12/2007 10:42	0.9		0.9
18	9/12/2007 10:57	0.9		0.9
1	9/12/2007 11:28	0.2		0.2
2	9/12/2007 11:43	0.3		0.3
3	9/12/2007 11:58	0.3		0.3
4	9/12/2007 12:13	0.3		0.3
5	9/12/2007 12:28	0.3		0.3
6	9/12/2007 12:43	0.4		0.4
7	9/12/2007 12:58	0.4		0.4
8	9/12/2007 13:13	0.4		0.4
9	9/12/2007 13:28	0.4		0.4
10	9/12/2007 13:43	0.4		0.4
11	9/12/2007 13:58	0.4		0.4
12	9/12/2007 14:13	0.4		0.4
13	9/12/2007 14:28	0.4		0.4
14	9/12/2007 14:43	0.4		0.4
15	9/12/2007 14:58	0.4		0.4
16	9/12/2007 15:13	0.4		0.4
17	9/12/2007 15:28	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/12/2007
Start Time:	6:25:28
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0605) = 0.009

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2007	6:40:28	0.011	0.002	2
9/12/2007	6:55:28	0.01	0.001	1
9/12/2007	7:10:28	0.01	0.001	1
9/12/2007	7:25:28	0.012	0.003	3
9/12/2007	7:40:28	0.011	0.002	2
9/12/2007	7:55:28	0.011	0.002	2
9/12/2007	8:10:28	0.009	0	0
9/12/2007	8:25:28	0.009	0	0
9/12/2007	8:40:28	0.009	0	0
9/12/2007	8:55:28	0.008	-0.001	-1
9/12/2007	9:10:28	0.008	-0.001	-1
9/12/2007	9:25:28	0.008	-0.001	-1
9/12/2007	9:40:28	0.008	-0.001	-1
9/12/2007	9:55:28	0.008	-0.001	-1
9/12/2007	10:10:28	0.008	-0.001	-1
9/12/2007	10:25:28	0.008	-0.001	-1
9/12/2007	10:40:28	0.007	-0.002	-2
9/12/2007	10:55:28	0.008	-0.001	-1
9/12/2007	11:10:28	0.008	-0.001	-1
9/12/2007	11:25:28	0.007	-0.002	-2
9/12/2007	11:40:28	0.007	-0.002	-2
9/12/2007	11:55:28	0.008	-0.001	-1
9/12/2007	12:10:28	0.008	-0.001	-1
9/12/2007	12:25:28	0.007	-0.002	-2
9/12/2007	12:40:28	0.007	-0.002	-2
9/12/2007	12:55:28	0.006	-0.003	-3
9/12/2007	13:10:28	0.007	-0.002	-2
9/12/2007	13:25:28	0.008	-0.001	-1
9/12/2007	13:40:28	0.008	-0.001	-1
9/12/2007	13:55:28	0.008	-0.001	-1
9/12/2007	14:10:28	0.007	-0.002	-2
9/12/2007	14:25:28	0.007	-0.002	-2
9/12/2007	14:40:28	0.008	-0.001	-1
9/12/2007	14:55:28	0.007	-0.002	-2
9/12/2007	15:10:28	0.008	-0.001	-1
9/12/2007	15:25:28	0.007	-0.002	-2
9/12/2007	15:40:28	0.008	-0.001	-1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/12/2007 05:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.2

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/12/2007 6:22	0.1		0.1
2	9/12/2007 6:37	0.1		0.1
3	9/12/2007 6:52	0.1		0.1
4	9/12/2007 7:07	0.2		0.2
5	9/12/2007 7:22	0.2		0.2
6	9/12/2007 7:37	0.2		0.2
7	9/12/2007 7:52	0.2		0.2
8	9/12/2007 8:07	0.2		0.2
9	9/12/2007 8:22	0.2		0.2
10	9/12/2007 8:37	0.2		0.2
11	9/12/2007 8:52	0.2		0.2
12	9/12/2007 9:07	0.2		0.2
13	9/12/2007 9:22	0.2		0.2
14	9/12/2007 9:37	0.2		0.2
15	9/12/2007 9:52	0.2		0.2
16	9/12/2007 10:07	0.2		0.2
17	9/12/2007 10:22	0.2		0.2
18	9/12/2007 10:37	0.2		0.2
19	9/12/2007 10:52	0.2		0.2
20	9/12/2007 11:07	0.2		0.2
21	9/12/2007 11:22	0.1		0.1
22	9/12/2007 11:37	0.2		0.2
23	9/12/2007 11:52	0.2		0.2
24	9/12/2007 12:07	0.1		0.1
25	9/12/2007 12:22	0.1		0.1
26	9/12/2007 12:37	0.2		0.2
27	9/12/2007 12:52	0.2		0.2
28	9/12/2007 13:07	0.1		0.1
29	9/12/2007 13:22	0.1		0.1
30	9/12/2007 13:37	0.1		0.1
31	9/12/2007 13:52	0.1		0.1
32	9/12/2007 14:07	0.1		0.1
33	9/12/2007 14:22	0.2		0.2
34	9/12/2007 14:37	0.2		0.2
35	9/12/2007 14:52	0.1		0.1
36	9/12/2007 15:07	0.1		0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/12/2007
Start Time:	6:15:32
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0600) = 0.026

Calibration	Sensor: Aerosol
	Cal. date 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2007	6:30:32	0.028	0.002	2
9/12/2007	6:45:32	0.028	0.002	2
9/12/2007	7:00:32	0.027	0.001	1
9/12/2007	7:15:32	0.022	-0.004	-4
9/12/2007	7:30:32	0.022	-0.004	-4
9/12/2007	7:45:32	0.02	-0.006	-6
9/12/2007	8:00:32	0.018	-0.008	-8
9/12/2007	8:15:32	0.016	-0.01	-10
9/12/2007	8:30:32	0.015	-0.011	-11
9/12/2007	8:45:32	0.015	-0.011	-11
9/12/2007	9:00:32	0.013	-0.013	-13
9/12/2007	9:15:32	0.014	-0.012	-12
9/12/2007	9:30:32	0.012	-0.014	-14
9/12/2007	9:45:32	0.014	-0.012	-12
9/12/2007	10:00:32	0.011	-0.015	-15
9/12/2007	10:15:32	0.011	-0.015	-15
9/12/2007	10:30:32	0.012	-0.014	-14
9/12/2007	10:45:32	0.011	-0.015	-15
9/12/2007	11:00:32	0.011	-0.015	-15
9/12/2007	11:15:32	0.011	-0.015	-15
9/12/2007	11:30:32	0.013	-0.013	-13
9/12/2007	11:45:32	0.011	-0.015	-15
9/12/2007	12:00:32	0.01	-0.016	-16
9/12/2007	12:15:32	0.011	-0.015	-15
9/12/2007	12:30:32	0.01	-0.016	-16
9/12/2007	12:45:32	0.011	-0.015	-15
9/12/2007	13:00:32	0.009	-0.017	-17
9/12/2007	13:15:32	0.01	-0.016	-16
9/12/2007	13:30:32	0.013	-0.013	-13
9/12/2007	13:45:32	0.019	-0.007	-7
9/12/2007	14:00:32	0.012	-0.014	-14
9/12/2007	14:15:32	0.01	-0.016	-16
9/12/2007	14:30:32	0.01	-0.016	-16
9/12/2007	14:45:32	0.012	-0.014	-14
9/12/2007	15:00:32	0.011	-0.015	-15
9/12/2007	15:15:32	0.012	-0.014	-14
9/12/2007	15:30:32	0.011	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/12/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.3

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/12/2007 6:29	0.2		0.2
2	9/12/2007 6:44	0.2		0.2
3	9/12/2007 6:59	0.2		0.2
4	9/12/2007 7:14	0.2		0.2
5	9/12/2007 7:29	0.2		0.2
6	9/12/2007 7:44	0.3		0.3
7	9/12/2007 7:59	0.3		0.3
8	9/12/2007 8:14	0.3		0.3
9	9/12/2007 8:29	0.3		0.3
10	9/12/2007 8:44	0.3		0.3
11	9/12/2007 8:59	0.3		0.3
12	9/12/2007 9:14	0.3		0.3
13	9/12/2007 9:29	0.3		0.3
14	9/12/2007 9:44	0.3		0.3
15	9/12/2007 9:59	0.3		0.3
16	9/12/2007 10:14	0.3		0.3
17	9/12/2007 10:29	0.3		0.3
18	9/12/2007 10:44	0.3		0.3
19	9/12/2007 10:59	0.3		0.3
20	9/12/2007 11:14	0.2		0.2
21	9/12/2007 11:29	0.3		0.3
22	9/12/2007 11:44	0.3		0.3
23	9/12/2007 11:59	0.3		0.3
24	9/12/2007 12:14	0.3		0.3
25	9/12/2007 12:29	0.3		0.3
26	9/12/2007 12:44	0.3		0.3
27	9/12/2007 12:59	0.2		0.2
28	9/12/2007 13:14	0.2		0.2
29	9/12/2007 13:29	0.2		0.2
30	9/12/2007 13:44	0.2		0.2
31	9/12/2007 13:59	0.2		0.2
32	9/12/2007 14:14	0.2		0.2
33	9/12/2007 14:29	0.2		0.2
34	9/12/2007 14:44	0.2		0.2
35	9/12/2007 14:59	0.2		0.2
36	9/12/2007 15:14	0.2		0.2
37	9/12/2007 15:29	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	4
Test Abbreviation:	
Start Date:	9/12/2007
Start Time:	6:05:24
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0555) = 0.014

Calibration — Sensor: Aerosol; Cal. date: 7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/12/2007	6:20:24	0.019	0.005	5
9/12/2007	6:35:24	0.018	0.004	4
9/12/2007	6:50:24	0.017	0.003	3
9/12/2007	7:05:24	0.016	0.002	2
9/12/2007	7:20:24	0.018	0.004	4
9/12/2007	7:35:24	0.016	0.002	2
9/12/2007	7:50:24	0.016	0.002	2
9/12/2007	8:05:24	0.013	-0.001	-1
9/12/2007	8:20:24	0.011	-0.003	-3
9/12/2007	8:35:24	0.012	-0.002	-2
9/12/2007	8:50:24	0.01	-0.004	-4
9/12/2007	9:05:24	0.01	-0.004	-4
9/12/2007	9:20:24	0.01	-0.004	-4
9/12/2007	9:35:24	0.009	-0.005	-5
9/12/2007	9:50:24	0.009	-0.005	-5
9/12/2007	10:05:24	0.008	-0.006	-6
9/12/2007	10:20:24	0.009	-0.005	-5
9/12/2007	10:35:24	0.01	-0.004	-4
9/12/2007	10:50:24	0.009	-0.005	-5
9/12/2007	11:05:24	0.008	-0.006	-6
9/12/2007	11:20:24	0.009	-0.005	-5
9/12/2007	11:35:24	0.009	-0.005	-5
9/12/2007	11:50:24	0.011	-0.003	-3
9/12/2007	12:05:24	0.008	-0.006	-6
9/12/2007	12:20:24	0.015	0.001	1
9/12/2007	12:35:24	0.009	-0.005	-5
9/12/2007	12:50:24	0.01	-0.004	-4
9/12/2007	13:05:24	0.01	-0.004	-4
9/12/2007	13:20:24	0.007	-0.007	-7
9/12/2007	13:35:24	0.008	-0.006	-6
9/12/2007	13:50:24	0.009	-0.005	-5
9/12/2007	14:05:24	0.007	-0.007	-7
9/12/2007	14:20:24	0.008	-0.006	-6
9/12/2007	14:35:24	0.007	-0.007	-7
9/12/2007	14:50:24	0.008	-0.006	-6
9/12/2007	15:05:24	0.008	-0.006	-6
9/12/2007	15:20:24	0.01	-0.004	-4
9/12/2007	15:35:24	0.007	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/13/2007 05:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/13/2007 6:06	0		0
2	9/13/2007 6:21	0		0
3	9/13/2007 6:36	0		0
4	9/13/2007 6:51	0		0
5	9/13/2007 7:06	0		0
6	9/13/2007 7:21	0		0
7	9/13/2007 7:36	0		0
8	9/13/2007 7:51	0		0
9	9/13/2007 8:06	0		0
10	9/13/2007 8:21	0		0
11	9/13/2007 8:36	0		0
12	9/13/2007 8:51	0		0
13	9/13/2007 9:06	0		0
14	9/13/2007 9:21	0		0
15	9/13/2007 9:36	0		0
16	9/13/2007 9:51	0		0
17	9/13/2007 10:06	0		0
18	9/13/2007 10:21	0		0
19	9/13/2007 10:36	0		0
20	9/13/2007 10:51	0		0
21	9/13/2007 11:06	0		0
22	9/13/2007 11:21	0		0
23	9/13/2007 11:36	0		0
24	9/13/2007 11:51	0		0
25	9/13/2007 12:06	0		0
26	9/13/2007 12:21	0		0
27	9/13/2007 12:36	0		0
28	9/13/2007 12:51	0		0
29	9/13/2007 13:06	0		0
30	9/13/2007 13:21	0		0
31	9/13/2007 13:36	0		0
32	9/13/2007 13:51	0		0
33	9/13/2007 14:06	0		0
34	9/13/2007 14:21	0		0
35	9/13/2007 14:36	0		0
36	9/13/2007 14:51	0		0
37	9/13/2007 15:06	0		0
38	9/13/2007 15:21	0		0
39	9/13/2007 15:36	0		0
40	9/13/2007 15:51	0		0
41	9/13/2007 16:06	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/13/2007
Start Time:	5:56:03
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0545) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2007	6:11:03	0.005	0.001	1
9/13/2007	6:26:03	0.006	0.002	2
9/13/2007	6:41:03	0.006	0.002	2
9/13/2007	6:56:03	0.007	0.003	3
9/13/2007	7:11:03	0.008	0.004	4
9/13/2007	7:26:03	0.011	0.007	7
9/13/2007	7:41:03	0.013	0.009	9
9/13/2007	7:56:03	0.011	0.007	7
9/13/2007	8:11:03	0.011	0.007	7
9/13/2007	8:26:03	0.008	0.004	4
9/13/2007	8:41:03	0.006	0.002	2
9/13/2007	8:56:03	0.006	0.002	2
9/13/2007	9:11:03	0.006	0.002	2
9/13/2007	9:26:03	0.005	0.001	1
9/13/2007	9:41:03	0.006	0.002	2
9/13/2007	9:56:03	0.005	0.001	1
9/13/2007	10:11:03	0.007	0.003	3
9/13/2007	10:26:03	0.005	0.001	1
9/13/2007	10:41:03	0.004	0	0
9/13/2007	10:56:03	0.007	0.003	3
9/13/2007	11:11:03	0.004	0	0
9/13/2007	11:26:03	0.008	0.004	4
9/13/2007	11:41:03	0.003	-0.001	-1
9/13/2007	11:56:03	0.007	0.003	3
9/13/2007	12:11:03	0.003	-0.001	-1
9/13/2007	12:26:03	0.003	-0.001	-1
9/13/2007	12:41:03	0.006	0.002	2
9/13/2007	12:56:03	0.006	0.002	2
9/13/2007	13:11:03	0.012	0.008	8
9/13/2007	13:26:03	0.004	0	0
9/13/2007	13:41:03	0.006	0.002	2
9/13/2007	13:56:03	0.009	0.005	5
9/13/2007	14:11:03	0.01	0.006	6
9/13/2007	14:26:03	0.009	0.005	5
9/13/2007	14:41:03	0.006	0.002	2
9/13/2007	14:56:03	0.046	0.042	42
9/13/2007	15:11:03	0.003	-0.001	-1
9/13/2007	15:26:03	0.003	-0.001	-1
9/13/2007	15:41:03	0.007	0.003	3
9/13/2007	15:56:03	0.006	0.002	2
9/13/2007	16:11:03	0.012	0.008	8
9/13/2007	16:26:03	0.006	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/13/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/13/2007 6:42	0		0
2	9/13/2007 6:57	0		0
3	9/13/2007 7:12	0		0
4	9/13/2007 7:27	0		0
5	9/13/2007 7:42	0.1		0.1
6	9/13/2007 7:57	0.1		0.1
7	9/13/2007 8:12	0.1		0.1
8	9/13/2007 8:27	0.1		0.1
9	9/13/2007 8:42	0.1		0.1
10	9/13/2007 8:57	0.2		0.2
11	9/13/2007 9:12	0.3		0.3
12	9/13/2007 9:27	0.3		0.3
13	9/13/2007 9:42	0.4		0.4
14	9/13/2007 9:57	0.4		0.4
15	9/13/2007 10:12	0.4		0.4
16	9/13/2007 10:27	0.5		0.5
17	9/13/2007 10:42	0.5		0.5
18	9/13/2007 10:57	0.6		0.6
19	9/13/2007 11:12	0.6		0.6
20	9/13/2007 11:27	0.6		0.6
21	9/13/2007 11:42	0.7		0.7
22	9/13/2007 11:57	0.7		0.7
23	9/13/2007 12:12	0.8		0.8
24	9/13/2007 12:27	0.8		0.8
25	9/13/2007 12:42	0.7		0.7
26	9/13/2007 12:57	0.7		0.7
27	9/13/2007 13:12	0.6		0.6
28	9/13/2007 13:27	0.6		0.6
29	9/13/2007 13:42	0.6		0.6
30	9/13/2007 13:57	0.6		0.6
31	9/13/2007 14:12	0.6		0.6
32	9/13/2007 14:27	0.7		0.7
33	9/13/2007 14:42	0.7		0.7
34	9/13/2007 14:57	0.7		0.7
35	9/13/2007 15:12	0.7		0.7
36	9/13/2007 15:27	0.8		0.8
37	9/13/2007 15:42	0.8		0.8
38	9/13/2007 15:57	0.7		0.7
39	9/13/2007 16:12	0.7		0.7
40	9/13/2007 16:27	0.7		0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/13/2007
Start Time:	6:25:01
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0615) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2007	6:40:01	0.011	0.003	3
9/13/2007	6:55:01	0.013	0.005	5
9/13/2007	7:10:01	0.014	0.006	6
9/13/2007	7:25:01	0.021	0.013	13
9/13/2007	7:40:01	0.02	0.012	12
9/13/2007	7:55:01	0.023	0.015	15
9/13/2007	8:10:01	0.018	0.01	10
9/13/2007	8:25:01	0.018	0.01	10
9/13/2007	8:40:01	0.011	0.003	3
9/13/2007	8:55:01	0.012	0.004	4
9/13/2007	9:10:01	0.014	0.006	6
9/13/2007	9:25:01	0.011	0.003	3
9/13/2007	9:40:01	0.012	0.004	4
9/13/2007	9:55:01	0.011	0.003	3
9/13/2007	10:10:01	0.012	0.004	4
9/13/2007	10:25:01	0.01	0.002	2
9/13/2007	10:40:01	0.009	0.001	1
9/13/2007	10:55:01	0.008	0	0
9/13/2007	11:10:01	0.011	0.003	3
9/13/2007	11:25:01	0.009	0.001	1
9/13/2007	11:40:01	0.007	-0.001	-1
9/13/2007	11:55:01	0.011	0.003	3
9/13/2007	12:10:01	0.011	0.003	3
9/13/2007	12:25:01	0.016	0.008	8
9/13/2007	12:40:01	0.01	0.002	2
9/13/2007	12:55:01	0.009	0.001	1
9/13/2007	13:10:01	0.01	0.002	2
9/13/2007	13:25:01	0.012	0.004	4
9/13/2007	13:40:01	0.011	0.003	3
9/13/2007	13:55:01	0.01	0.002	2
9/13/2007	14:10:01	0.012	0.004	4
9/13/2007	14:25:01	0.012	0.004	4
9/13/2007	14:40:01	0.012	0.004	4
9/13/2007	14:55:01	0.01	0.002	2
9/13/2007	15:10:01	0.008	0	0
9/13/2007	15:25:01	0.008	0	0
9/13/2007	15:40:01	0.008	0	0
9/13/2007	15:55:01	0.01	0.002	2
9/13/2007	16:10:01	0.008	0	0
9/13/2007	16:25:01	0.008	0	0
9/13/2007	16:40:01	0.009	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/13/2007 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/13/2007 6:22	0		0
2	9/13/2007 6:37	0.1		0.1
3	9/13/2007 6:52	0.1		0.1
4	9/13/2007 7:07	0.1		0.1
5	9/13/2007 7:22	0.1		0.1
6	9/13/2007 7:37	0.2		0.2
7	9/13/2007 7:52	0.1		0.1
8	9/13/2007 8:07	0.1		0.1
9	9/13/2007 8:22	0.1		0.1
10	9/13/2007 8:37	0.1		0.1
11	9/13/2007 8:52	0		0
12	9/13/2007 9:07	0		0
13	9/13/2007 9:22	0		0
14	9/13/2007 9:37	0		0
15	9/13/2007 9:52	0		0
16	9/13/2007 10:07	0		0
17	9/13/2007 10:22	0.2		0.2
18	9/13/2007 10:37	0		0
19	9/13/2007 10:52	0		0
20	9/13/2007 11:07	0		0
21	9/13/2007 11:22	0		0
22	9/13/2007 11:37	0		0
23	9/13/2007 11:52	0.1		0.1
24	9/13/2007 12:07	0.1		0.1
25	9/13/2007 12:22	0		0
26	9/13/2007 12:37	0		0
27	9/13/2007 12:52	0		0
28	9/13/2007 13:07	0		0
29	9/13/2007 13:22	0		0
30	9/13/2007 13:37	0		0
31	9/13/2007 13:52	0		0
32	9/13/2007 14:07	0		0
33	9/13/2007 14:22	0		0
34	9/13/2007 14:37	0		0
35	9/13/2007 14:52	0		0
36	9/13/2007 15:07	0		0
37	9/13/2007 15:22	0		0
38	9/13/2007 15:37	0		0
39	9/13/2007 15:52	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/13/2007
Start Time:	6:15:04
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0605) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2007	6:30:04	0.02	0.002	2
9/13/2007	6:45:04	0.021	0.003	3
9/13/2007	7:00:04	0.023	0.005	5
9/13/2007	7:15:04	0.024	0.006	6
9/13/2007	7:30:04	0.022	0.004	4
9/13/2007	7:45:04	0.032	0.014	14
9/13/2007	8:00:04	0.042	0.024	24
9/13/2007	8:15:04	0.034	0.016	16
9/13/2007	8:30:04	0.025	0.007	7
9/13/2007	8:45:04	0.026	0.008	8
9/13/2007	9:00:04	0.035	0.017	17
9/13/2007	9:15:04	0.018	0	0
9/13/2007	9:30:04	0.019	0.001	1
9/13/2007	9:45:04	0.023	0.005	5
9/13/2007	10:00:04	0.046	0.028	28
9/13/2007	10:15:04	0.016	-0.002	-2
9/13/2007	10:30:04	0.015	-0.003	-3
9/13/2007	10:45:04	0.062	0.044	44
9/13/2007	11:00:04	0.039	0.021	21
9/13/2007	11:15:04	0.021	0.003	3
9/13/2007	11:30:04	0.024	0.006	6
9/13/2007	11:45:04	0.013	-0.005	-5
9/13/2007	12:00:04	0.015	-0.003	-3
9/13/2007	12:15:04	0.069	0.051	51
9/13/2007	12:30:04	0.048	0.03	30
9/13/2007	12:45:04	0.047	0.029	29
9/13/2007	13:00:04	0.06	0.042	42
9/13/2007	13:15:04	0.038	0.02	20
9/13/2007	13:30:04	0.045	0.027	27
9/13/2007	13:45:04	0.026	0.008	8
9/13/2007	14:00:04	0.034	0.016	16
9/13/2007	14:15:04	0.03	0.012	12
9/13/2007	14:30:04	0.027	0.009	9
9/13/2007	14:45:04	0.021	0.003	3
9/13/2007	15:00:04	0.025	0.007	7
9/13/2007	15:15:04	0.019	0.001	1
9/13/2007	15:30:04	0.02	0.002	2
9/13/2007	15:45:04	0.026	0.008	8
9/13/2007	16:00:04	0.023	0.005	5
9/13/2007	16:15:04	0.019	0.001	1
9/13/2007	16:30:04	0.021	0.003	3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/13/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/13/2007 6:29	0		-0.1
2	9/13/2007 6:44	0.1		0
3	9/13/2007 6:59	0		-0.1
4	9/13/2007 7:14	0		-0.1
5	9/13/2007 7:29	0.1		0
6	9/13/2007 7:44	0.1		0
7	9/13/2007 7:59	0.1		0
8	9/13/2007 8:14	0.1		0
9	9/13/2007 8:29	0.1		0
10	9/13/2007 8:44	0.1		0
11	9/13/2007 8:59	0		-0.1
12	9/13/2007 9:14	0		-0.1
13	9/13/2007 9:29	0		-0.1
14	9/13/2007 9:44	0		-0.1
15	9/13/2007 9:59	0		-0.1
16	9/13/2007 10:14	0		-0.1
17	9/13/2007 10:29	0		-0.1
18	9/13/2007 10:44	0		-0.1
19	9/13/2007 10:59	0		-0.1
20	9/13/2007 11:14	0		-0.1
21	9/13/2007 11:29	0		-0.1
22	9/13/2007 11:44	0		-0.1
23	9/13/2007 11:59	0		-0.1
24	9/13/2007 12:14	0		-0.1
25	9/13/2007 12:29	0		-0.1
26	9/13/2007 12:44	0		-0.1
27	9/13/2007 12:59	0		-0.1
28	9/13/2007 13:14	0		-0.1
29	9/13/2007 13:29	0		-0.1
30	9/13/2007 13:44	0		-0.1
31	9/13/2007 13:59	0		-0.1
32	9/13/2007 14:14	0		-0.1
33	9/13/2007 14:29	0		-0.1
34	9/13/2007 14:44	0		-0.1
35	9/13/2007 14:59	0		-0.1
36	9/13/2007 15:14	0		-0.1
37	9/13/2007 15:29	0		-0.1
38	9/13/2007 15:44	0		-0.1
39	9/13/2007 15:59	0		-0.1
40	9/13/2007 16:14	0		-0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/13/2007
Start Time:	6:05:42
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0600) = 0.013 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/13/2007	6:20:42	0.017	0.004	4
9/13/2007	6:35:42	0.018	0.005	5
9/13/2007	6:50:42	0.02	0.007	7
9/13/2007	7:05:42	0.023	0.01	10
9/13/2007	7:20:42	0.019	0.006	6
9/13/2007	7:35:42	0.023	0.01	10
9/13/2007	7:50:42	0.028	0.015	15
9/13/2007	8:05:42	0.027	0.014	14
9/13/2007	8:20:42	0.023	0.01	10
9/13/2007	8:35:42	0.018	0.005	5
9/13/2007	8:50:42	0.018	0.005	5
9/13/2007	9:05:42	0.013	0	0
9/13/2007	9:20:42	0.013	0	0
9/13/2007	9:35:42	0.014	0.001	1
9/13/2007	9:50:42	0.015	0.002	2
9/13/2007	10:05:42	0.01	-0.003	-3
9/13/2007	10:20:42	0.009	-0.004	-4
9/13/2007	10:35:42	0.011	-0.002	-2
9/13/2007	10:50:42	0.011	-0.002	-2
9/13/2007	11:05:42	0.012	-0.001	-1
9/13/2007	11:20:42	0.009	-0.004	-4
9/13/2007	11:35:42	0.009	-0.004	-4
9/13/2007	11:50:42	0.009	-0.004	-4
9/13/2007	12:05:42	0.008	-0.005	-5
9/13/2007	12:20:42	0.012	-0.001	-1
9/13/2007	12:35:42	0.011	-0.002	-2
9/13/2007	12:50:42	0.013	0	0
9/13/2007	13:05:42	0.016	0.003	3
9/13/2007	13:20:42	0.012	-0.001	-1
9/13/2007	13:35:42	0.014	0.001	1
9/13/2007	13:50:42	0.016	0.003	3
9/13/2007	14:05:42	0.016	0.003	3
9/13/2007	14:20:42	0.017	0.004	4
9/13/2007	14:35:42	0.014	0.001	1
9/13/2007	14:50:42	0.011	-0.002	-2
9/13/2007	15:05:42	0.011	-0.002	-2
9/13/2007	15:20:42	0.01	-0.003	-3
9/13/2007	15:35:42	0.011	-0.002	-2
9/13/2007	15:50:42	0.016	0.003	3
9/13/2007	16:05:42	0.012	-0.001	-1
9/13/2007	16:20:42	0.01	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/14/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0558) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/14/2007 6:15	0		0
2	9/14/2007 6:30	0		0
3	9/14/2007 6:45	0.1		0.1
4	9/14/2007 7:00	0.2		0.2
5	9/14/2007 7:15	0.3		0.3
6	9/14/2007 7:30	0.3		0.3
7	9/14/2007 7:45	0.4		0.4
8	9/14/2007 8:00	0.4		0.4
9	9/14/2007 8:15	0.4		0.4
10	9/14/2007 8:30	0.5		0.5
11	9/14/2007 8:45	0.4		0.4
12	9/14/2007 9:00	0.4		0.4
13	9/14/2007 9:15	0.4		0.4
14	9/14/2007 9:30	0.4		0.4
15	9/14/2007 9:45	0.3		0.3
16	9/14/2007 10:00	0.3		0.3
17	9/14/2007 10:15	0.3		0.3
18	9/14/2007 10:30	0.2		0.2
19	9/14/2007 10:45	0.2		0.2
20	9/14/2007 11:00	0.2		0.2
21	9/14/2007 11:15	0.1		0.1
22	9/14/2007 11:30	0.3		0.3
23	9/14/2007 11:45	0.2		0.2
24	9/14/2007 12:00	0.1		0.1
25	9/14/2007 12:15	0.1		0.1
26	9/14/2007 12:30	0.1		0.1
27	9/14/2007 12:45	0.1		0.1
28	9/14/2007 13:00	0.1		0.1
29	9/14/2007 13:15	0		0
30	9/14/2007 13:30	0		0
31	9/14/2007 13:45	0		0
32	9/14/2007 14:00	0.1		0.1
33	9/14/2007 14:15	0		0
34	9/14/2007 14:30	0		0
35	9/14/2007 14:45	0		0
36	9/14/2007 15:00	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/14/2007
Start Time:	6:03:59
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0558) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/14/2007	6:18:59	0.006	0	0
9/14/2007	6:33:59	0.005	-0.001	-1
9/14/2007	6:48:59	0.006	0	0
9/14/2007	7:03:59	0.007	0.001	1
9/14/2007	7:18:59	0.006	0	0
9/14/2007	7:33:59	0.006	0	0
9/14/2007	7:48:59	0.007	0.001	1
9/14/2007	8:03:59	0.006	0	0
9/14/2007	8:18:59	0.007	0.001	1
9/14/2007	8:33:59	0.008	0.002	2
9/14/2007	8:48:59	0.007	0.001	1
9/14/2007	9:03:59	0.006	0	0
9/14/2007	9:18:59	0.003	-0.003	-3
9/14/2007	9:33:59	0.003	-0.003	-3
9/14/2007	9:48:59	0.004	-0.002	-2
9/14/2007	10:03:59	0.007	0.001	1
9/14/2007	10:18:59	0.009	0.003	3
9/14/2007	10:33:59	0.012	0.006	6
9/14/2007	10:48:59	0.02	0.014	14
9/14/2007	11:03:59	0.007	0.001	1
9/14/2007	11:18:59	0.008	0.002	2
9/14/2007	11:33:59	0.007	0.001	1
9/14/2007	11:48:59	0.024	0.018	18
9/14/2007	12:03:59	0.008	0.002	2
9/14/2007	12:18:59	0.007	0.001	1
9/14/2007	12:33:59	0.004	-0.002	-2
9/14/2007	12:48:59	0.008	0.002	2
9/14/2007	13:03:59	0.005	-0.001	-1
9/14/2007	13:18:59	0.006	0	0
9/14/2007	13:33:59	0.004	-0.002	-2
9/14/2007	13:48:59	0.006	0	0
9/14/2007	14:03:59	0.007	0.001	1
9/14/2007	14:18:59	0.005	-0.001	-1
9/14/2007	14:33:59	0.006	0	0
9/14/2007	14:48:59	0.004	-0.002	-2
9/14/2007	15:03:59	0.004	-0.002	-2
9/14/2007	15:18:59	0.004	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/14/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/14/2007 6:41	0.2		0
2	9/14/2007 6:56	0.3		0.1
3	9/14/2007 7:11	0.3		0.1
4	9/14/2007 7:26	0.3		0.1
5	9/14/2007 7:41	0.4		0.2
6	9/14/2007 7:56	0.4		0.2
7	9/14/2007 8:11	0.4		0.2
8	9/14/2007 8:26	0.4		0.2
9	9/14/2007 8:41	0.5		0.3
10	9/14/2007 8:56	0.5		0.3
11	9/14/2007 9:11	0.5		0.3
12	9/14/2007 9:26	0.6		0.4
13	9/14/2007 9:41	0.6		0.4
14	9/14/2007 9:56	0.6		0.4
15	9/14/2007 10:11	0.6		0.4
16	9/14/2007 10:26	0.6		0.4
17	9/14/2007 10:41	0.6		0.4
18	9/14/2007 10:56	0.7		0.5
19	9/14/2007 11:11	0.7		0.5
20	9/14/2007 11:26	0.7		0.5
21	9/14/2007 11:41	0.7		0.5
22	9/14/2007 11:56	0.7		0.5
23	9/14/2007 12:11	0.7		0.5
24	9/14/2007 12:26	0.7		0.5
25	9/14/2007 12:41	0.7		0.5
26	9/14/2007 12:56	0.7		0.5
27	9/14/2007 13:11	0.7		0.5
28	9/14/2007 13:26	0.7		0.5
29	9/14/2007 13:41	0.7		0.5
30	9/14/2007 13:56	0.7		0.5
31	9/14/2007 14:11	0.7		0.5
32	9/14/2007 14:26	0.7		0.5
33	9/14/2007 14:41	0.7		0.5
34	9/14/2007 14:56	0.6		0.4
35	9/14/2007 15:11	0.6		0.4
36	9/14/2007 15:26	0.6		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/14/2007
Start Time:	6:32:20
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/14/2007	6:47:20	0.009	0.002	2
9/14/2007	7:02:20	0.01	0.003	3
9/14/2007	7:17:20	0.01	0.003	3
9/14/2007	7:32:20	0.011	0.004	4
9/14/2007	7:47:20	0.012	0.005	5
9/14/2007	8:02:20	0.012	0.005	5
9/14/2007	8:17:20	0.013	0.006	6
9/14/2007	8:32:20	0.014	0.007	7
9/14/2007	8:47:20	0.014	0.007	7
9/14/2007	9:02:20	0.009	0.002	2
9/14/2007	9:17:20	0.007	0	0
9/14/2007	9:32:20	0.007	0	0
9/14/2007	9:47:20	0.007	0	0
9/14/2007	10:02:20	0.006	-0.001	-1
9/14/2007	10:17:20	0.006	-0.001	-1
9/14/2007	10:32:20	0.009	0.002	2
9/14/2007	10:47:20	0.009	0.002	2
9/14/2007	11:02:20	0.008	0.001	1
9/14/2007	11:17:20	0.008	0.001	1
9/14/2007	11:32:20	0.009	0.002	2
9/14/2007	11:47:20	0.01	0.003	3
9/14/2007	12:02:20	0.011	0.004	4
9/14/2007	12:17:20	0.011	0.004	4
9/14/2007	12:32:20	0.01	0.003	3
9/14/2007	12:47:20	0.01	0.003	3
9/14/2007	13:02:20	0.01	0.003	3
9/14/2007	13:17:20	0.01	0.003	3
9/14/2007	13:32:20	0.009	0.002	2
9/14/2007	13:47:20	0.011	0.004	4
9/14/2007	14:02:20	0.01	0.003	3
9/14/2007	14:17:20	0.011	0.004	4
9/14/2007	14:32:20	0.012	0.005	5
9/14/2007	14:47:20	0.011	0.004	4
9/14/2007	15:02:20	0.01	0.003	3
9/14/2007	15:17:20	0.011	0.004	4
9/14/2007	15:32:20	0.01	0.003	3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/14/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/14/2007 6:22	0.1		-0.1
2	9/14/2007 6:37	0.2		0
3	9/14/2007 6:52	0.1		-0.1
4	9/14/2007 7:07	0.2		0
5	9/14/2007 7:22	0.2		0
6	9/14/2007 7:37	0.2		0
7	9/14/2007 7:52	0.2		0
8	9/14/2007 8:07	0.2		0
9	9/14/2007 8:22	0.2		0
10	9/14/2007 8:37	0.2		0
11	9/14/2007 8:52	0.2		0
12	9/14/2007 9:07	0.2		0
13	9/14/2007 9:22	0.1		-0.1
14	9/14/2007 9:37	0.1		-0.1
15	9/14/2007 9:52	0.1		-0.1
16	9/14/2007 10:07	0.1		-0.1
17	9/14/2007 10:22	0.1		-0.1
18	9/14/2007 10:37	0.1		-0.1
19	9/14/2007 10:52	0.1		-0.1
20	9/14/2007 11:07	0.1		-0.1
21	9/14/2007 11:22	0.1		-0.1
22	9/14/2007 11:37	0.1		-0.1
23	9/14/2007 11:52	0.1		-0.1
24	9/14/2007 12:07	0.1		-0.1
25	9/14/2007 12:22	0.1		-0.1
26	9/14/2007 12:37	0.1		-0.1
27	9/14/2007 12:52	0.1		-0.1
28	9/14/2007 13:07	0.1		-0.1
29	9/14/2007 13:22	0.1		-0.1
30	9/14/2007 13:37	0.1		-0.1
31	9/14/2007 13:52	0.1		-0.1
32	9/14/2007 14:07	0.1		-0.1
33	9/14/2007 14:22	0.1		-0.1
34	9/14/2007 14:37	0.1		-0.1
35	9/14/2007 14:52	0.1		-0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/14/2007
Start Time:	6:14:53
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0605) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/14/2007	6:29:53	0.016	-0.006	-6
9/14/2007	6:44:53	0.018	-0.004	-4
9/14/2007	6:59:53	0.038	0.016	16
9/14/2007	7:14:53	0.026	0.004	4
9/14/2007	7:29:53	0.031	0.009	9
9/14/2007	7:44:53	0.034	0.012	12
9/14/2007	7:59:53	0.026	0.004	4
9/14/2007	8:14:53	0.034	0.012	12
9/14/2007	8:29:53	0.036	0.014	14
9/14/2007	8:44:53	0.027	0.005	5
9/14/2007	8:59:53	0.021	-0.001	-1
9/14/2007	9:14:53	0.017	-0.005	-5
9/14/2007	9:29:53	0.013	-0.009	-9
9/14/2007	9:44:53	0.012	-0.01	-10
9/14/2007	9:59:53	0.012	-0.01	-10
9/14/2007	10:14:53	0.016	-0.006	-6
9/14/2007	10:29:53	0.015	-0.007	-7
9/14/2007	10:44:53	0.021	-0.001	-1
9/14/2007	10:59:53	0.016	-0.006	-6
9/14/2007	11:14:53	0.02	-0.002	-2
9/14/2007	11:29:53	0.017	-0.005	-5
9/14/2007	11:44:53	0.021	-0.001	-1
9/14/2007	11:59:53	0.023	0.001	1
9/14/2007	12:14:53	0.025	0.003	3
9/14/2007	12:29:53	0.019	-0.003	-3
9/14/2007	12:44:53	0.018	-0.004	-4
9/14/2007	12:59:53	0.017	-0.005	-5
9/14/2007	13:14:53	0.018	-0.004	-4
9/14/2007	13:29:53	0.021	-0.001	-1
9/14/2007	13:44:53	0.019	-0.003	-3
9/14/2007	13:59:53	0.021	-0.001	-1
9/14/2007	14:14:53	0.02	-0.002	-2
9/14/2007	14:29:53	0.024	0.002	2
9/14/2007	14:44:53	0.021	-0.001	-1
9/14/2007	14:59:53	0.018	-0.004	-4
9/14/2007	15:14:53	0.019	-0.003	-3

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/14/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/14/2007 6:28	0		-0.1
2	9/14/2007 6:43	0		-0.1
3	9/14/2007 6:58	0.1		0
4	9/14/2007 7:13	0.1		0
5	9/14/2007 7:28	0.1		0
6	9/14/2007 7:43	0.1		0
7	9/14/2007 7:58	0.1		0
8	9/14/2007 8:13	0.1		0
9	9/14/2007 8:28	0.1		0
10	9/14/2007 8:43	0.1		0
11	9/14/2007 8:58	0.2		0.1
12	9/14/2007 9:13	0.2		0.1
13	9/14/2007 9:28	0.2		0.1
14	9/14/2007 9:43	0.1		0
15	9/14/2007 9:58	0.2		0.1
16	9/14/2007 10:13	0.2		0.1
17	9/14/2007 10:28	0.2		0.1
18	9/14/2007 10:43	0.1		0
19	9/14/2007 10:58	0.1		0
20	9/14/2007 11:13	0.1		0
21	9/14/2007 11:28	0.1		0
22	9/14/2007 11:43	0.1		0
23	9/14/2007 11:58	0.1		0
24	9/14/2007 12:13	0.1		0
25	9/14/2007 12:28	0.1		0
26	9/14/2007 12:43	0.1		0
27	9/14/2007 12:58	0.1		0
28	9/14/2007 13:13	0.1		0
29	9/14/2007 13:28	0.1		0
30	9/14/2007 13:43	0.1		0
31	9/14/2007 13:58	0.1		0
32	9/14/2007 14:13	0.1		0
33	9/14/2007 14:28	0.1		0
34	9/14/2007 14:43	0.1		0
35	9/14/2007 14:58	0.1		0
36	9/14/2007 15:13	0.1		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	9/14/2007
Start Time:	6:08:31
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0600) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/14/2007	6:23:31	0.015	-0.002	-2
9/14/2007	6:38:31	0.016	-0.001	-1
9/14/2007	6:53:31	0.019	0.002	2
9/14/2007	7:08:31	0.017	0	0
9/14/2007	7:23:31	0.018	0.001	1
9/14/2007	7:38:31	0.018	0.001	1
9/14/2007	7:53:31	0.021	0.004	4
9/14/2007	8:08:31	0.019	0.002	2
9/14/2007	8:23:31	0.02	0.003	3
9/14/2007	8:38:31	0.02	0.003	3
9/14/2007	8:53:31	0.013	-0.004	-4
9/14/2007	9:08:31	0.014	-0.003	-3
9/14/2007	9:23:31	0.012	-0.005	-5
9/14/2007	9:38:31	0.01	-0.007	-7
9/14/2007	9:53:31	0.011	-0.006	-6
9/14/2007	10:08:31	0.011	-0.006	-6
9/14/2007	10:23:31	0.011	-0.006	-6
9/14/2007	10:38:31	0.016	-0.001	-1
9/14/2007	10:53:31	0.016	-0.001	-1
9/14/2007	11:08:31	0.016	-0.001	-1
9/14/2007	11:23:31	0.017	0	0
9/14/2007	11:38:31	0.026	0.009	9
9/14/2007	11:53:31	0.02	0.003	3
9/14/2007	12:08:31	0.021	0.004	4
9/14/2007	12:23:31	0.016	-0.001	-1
9/14/2007	12:38:31	0.014	-0.003	-3
9/14/2007	12:53:31	0.017	0	0
9/14/2007	13:08:31	0.018	0.001	1
9/14/2007	13:23:31	0.017	0	0
9/14/2007	13:38:31	0.018	0.001	1
9/14/2007	13:53:31	0.016	-0.001	-1
9/14/2007	14:08:31	0.018	0.001	1
9/14/2007	14:23:31	0.017	0	0
9/14/2007	14:38:31	0.018	0.001	1
9/14/2007	14:53:31	0.016	-0.001	-1
9/14/2007	15:08:31	0.017	0	0
9/14/2007	15:23:31	0.015	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/17/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/17/2007 6:20	0.2		0.2
2	9/17/2007 6:35	0.5		0.5
3	9/17/2007 6:50	0.7		0.7
4	9/17/2007 7:05	0.9		0.9
5	9/17/2007 7:20	1		1
6	9/17/2007 7:35	1.1		1.1
7	9/17/2007 7:50	1.3		1.3
8	9/17/2007 8:05	1.3		1.3
9	9/17/2007 8:20	1.3		1.3
10	9/17/2007 8:35	1.3		1.3
11	9/17/2007 8:50	1.3		1.3
1	9/17/2007 9:21	0		0
2	9/17/2007 9:36	0		0
3	9/17/2007 9:51	0		0
4	9/17/2007 10:06	0		0
5	9/17/2007 10:21	0		0
6	9/17/2007 10:36	0		0
7	9/17/2007 10:51	0		0
8	9/17/2007 11:06	0		0
9	9/17/2007 11:21	0		0
10	9/17/2007 11:36	0		0
11	9/17/2007 11:51	0		0
12	9/17/2007 12:06	0		0
13	9/17/2007 12:21	0		0
14	9/17/2007 12:36	0		0
15	9/17/2007 12:51	0		0
16	9/17/2007 13:06	0		0
17	9/17/2007 13:21	0		0
18	9/17/2007 13:36	0		0
19	9/17/2007 13:51	0		0
20	9/17/2007 14:06	0		0
21	9/17/2007 14:21	0		0
22	9/17/2007 14:36	0		0
23	9/17/2007 14:51	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/17/2007
Start Time:	6:08:12
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/17/2007	6:23:12	0.004	0	0
9/17/2007	6:38:12	0.005	0.001	1
9/17/2007	6:53:12	0.004	0	0
9/17/2007	7:08:12	0.004	0	0
9/17/2007	7:23:12	0.005	0.001	1
9/17/2007	7:38:12	0.005	0.001	1
9/17/2007	7:53:12	0.005	0.001	1
9/17/2007	8:08:12	0.007	0.003	3
9/17/2007	8:23:12	0.005	0.001	1
9/17/2007	8:38:12	0.007	0.003	3
9/17/2007	8:53:12	0.006	0.002	2
9/17/2007	9:08:12	0.007	0.003	3
9/17/2007	9:23:12	0.007	0.003	3
9/17/2007	9:38:12	0.005	0.001	1
9/17/2007	9:53:12	0.005	0.001	1
9/17/2007	10:08:12	0.008	0.004	4
9/17/2007	10:23:12	0.005	0.001	1
9/17/2007	10:38:12	0.005	0.001	1
9/17/2007	10:53:12	0.003	-0.001	-1
9/17/2007	11:08:12	0.007	0.003	3
9/17/2007	11:23:12	0.003	-0.001	-1
9/17/2007	11:38:12	0.004	0	0
9/17/2007	11:53:12	0.003	-0.001	-1
9/17/2007	12:08:12	0.003	-0.001	-1
9/17/2007	12:23:12	0.003	-0.001	-1
9/17/2007	12:38:12	0.002	-0.002	-2
9/17/2007	12:53:12	0.002	-0.002	-2
9/17/2007	13:08:12	0.002	-0.002	-2
9/17/2007	13:23:12	0.002	-0.002	-2
9/17/2007	13:38:12	0.002	-0.002	-2
9/17/2007	13:53:12	0.009	0.005	5
9/17/2007	14:08:12	0.005	0.001	1
9/17/2007	14:23:12	0.003	-0.001	-1
9/17/2007	14:38:12	0.003	-0.001	-1
9/17/2007	14:53:12	0.003	-0.001	-1
9/17/2007	15:08:12	0.004	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/17/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0625) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/17/2007 7:01	0.2		-0.2
2	9/17/2007 7:16	0.3		-0.1
3	9/17/2007 7:31	0.4		0
4	9/17/2007 7:46	0.5		0.1
5	9/17/2007 8:01	0.5		0.1
6	9/17/2007 8:16	0.6		0.2
7	9/17/2007 8:31	0.6		0.2
8	9/17/2007 8:46	0.6		0.2
9	9/17/2007 9:01	0.7		0.3
10	9/17/2007 9:16	0.7		0.3
11	9/17/2007 9:31	0.7		0.3
12	9/17/2007 9:46	0.8		0.4
13	9/17/2007 10:01	0.7		0.3
14	9/17/2007 10:16	0.8		0.4
15	9/17/2007 10:31	0.7		0.3
16	9/17/2007 10:46	0.8		0.4
1	9/17/2007 11:16	0.7		0.3
2	9/17/2007 11:31	0.7		0.3
3	9/17/2007 11:46	0.8		0.4
4	9/17/2007 12:01	0.8		0.4
5	9/17/2007 12:16	0.8		0.4
6	9/17/2007 12:31	0.8		0.4
7	9/17/2007 12:46	0.8		0.4
8	9/17/2007 13:01	0.8		0.4
9	9/17/2007 13:16	0.8		0.4
10	9/17/2007 13:31	0.8		0.4
11	9/17/2007 13:46	0.8		0.4
12	9/17/2007 14:01	0.8		0.4
13	9/17/2007 14:16	0.8		0.4
14	9/17/2007 14:31	0.8		0.4
15	9/17/2007 14:46	0.8		0.4
16	9/17/2007 15:01	0.8		0.4
17	9/17/2007 15:16	0.8		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	9/17/2007
Start Time:	6:44:28
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0625) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/17/2007	6:59:28	0.008	0	0
9/17/2007	7:14:28	0.011	0.003	3
9/17/2007	7:29:28	0.01	0.002	2
9/17/2007	7:44:28	0.009	0.001	1
9/17/2007	7:59:28	0.009	0.001	1
9/17/2007	8:14:28	0.01	0.002	2
9/17/2007	8:29:28	0.011	0.003	3
9/17/2007	8:44:28	0.012	0.004	4
9/17/2007	8:59:28	0.01	0.002	2
9/17/2007	9:14:28	0.013	0.005	5
9/17/2007	9:29:28	0.012	0.004	4
9/17/2007	9:44:28	0.008	0	0
9/17/2007	9:59:28	0.012	0.004	4
9/17/2007	10:14:28	0.012	0.004	4
9/17/2007	10:29:28	0.008	0	0
9/17/2007	10:44:28	0.012	0.004	4
9/17/2007	10:59:28	0.01	0.002	2
9/17/2007	11:14:28	0.011	0.003	3
9/17/2007	11:29:28	0.011	0.003	3
9/17/2007	11:44:28	0.009	0.001	1
9/17/2007	11:59:28	0.009	0.001	1
9/17/2007	12:14:28	0.009	0.001	1
9/17/2007	12:29:28	0.007	-0.001	-1
9/17/2007	12:44:28	0.005	-0.003	-3
9/17/2007	12:59:28	0.006	-0.002	-2
9/17/2007	13:14:28	0.012	0.004	4
9/17/2007	13:29:28	0.008	0	0
9/17/2007	13:44:28	0.007	-0.001	-1
9/17/2007	13:59:28	0.008	0	0
9/17/2007	14:14:28	0.009	0.001	1
9/17/2007	14:29:28	0.007	-0.001	-1
9/17/2007	14:44:28	0.01	0.002	2
9/17/2007	14:59:28	0.007	-0.001	-1
9/17/2007	15:14:28	0.009	0.001	1
9/17/2007	15:29:28	0.009	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/17/2007 05:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/17/2007 6:42	0.1		-0.1
2	9/17/2007 6:57	0.1		-0.1
3	9/17/2007 7:12	0.2		0
4	9/17/2007 7:27	0.2		0
5	9/17/2007 7:42	0.3		0.1
6	9/17/2007 7:57	0.3		0.1
7	9/17/2007 8:12	0.3		0.1
8	9/17/2007 8:27	0.3		0.1
9	9/17/2007 8:42	0.3		0.1
10	9/17/2007 8:57	0.3		0.1
11	9/17/2007 9:12	0.3		0.1
12	9/17/2007 9:27	0.4		0.2
13	9/17/2007 9:42	0.4		0.2
14	9/17/2007 9:57	0.3		0.1
15	9/17/2007 10:12	0.3		0.1
16	9/17/2007 10:27	0.3		0.1
17	9/17/2007 10:42	0.3		0.1
18	9/17/2007 10:57	0.3		0.1
19	9/17/2007 11:12	0.3		0.1
20	9/17/2007 11:27	0.3		0.1
21	9/17/2007 11:42	0.3		0.1
22	9/17/2007 11:57	0.3		0.1
23	9/17/2007 12:12	0.3		0.1
24	9/17/2007 12:27	0.3		0.1
25	9/17/2007 12:42	0.3		0.1
26	9/17/2007 12:57	0.3		0.1
27	9/17/2007 13:12	0.3		0.1
28	9/17/2007 13:27	0.3		0.1
29	9/17/2007 13:42	0.3		0.1
30	9/17/2007 13:57	0.2		0
31	9/17/2007 14:12	0.2		0
32	9/17/2007 14:27	0.2		0
33	9/17/2007 14:42	0.2		0
34	9/17/2007 14:57	0.2		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	3
Test Abbreviation:	
Start Date:	9/17/2007
Start Time:	6:34:05
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0615) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/17/2007	6:49:05	0.013	0.001	1
9/17/2007	7:04:05	0.013	0.001	1
9/17/2007	7:19:05	0.019	0.007	7
9/17/2007	7:34:05	0.016	0.004	4
9/17/2007	7:49:05	0.017	0.005	5
9/17/2007	8:04:05	0.021	0.009	9
9/17/2007	8:19:05	0.017	0.005	5
9/17/2007	8:34:05	0.021	0.009	9
9/17/2007	8:49:05	0.019	0.007	7
9/17/2007	9:04:05	0.023	0.011	11
9/17/2007	9:19:05	0.024	0.012	12
9/17/2007	9:34:05	0.016	0.004	4
9/17/2007	9:49:05	0.021	0.009	9
9/17/2007	10:04:05	0.04	0.028	28
9/17/2007	10:19:05	0.027	0.015	15
9/17/2007	10:34:05	0.022	0.01	10
9/17/2007	10:49:05	0.029	0.017	17
9/17/2007	11:04:05	0.015	0.003	3
9/17/2007	11:19:05	0.014	0.002	2
9/17/2007	11:34:05	0.039	0.027	27
9/17/2007	11:49:05	0.028	0.016	16
9/17/2007	12:04:05	0.016	0.004	4
9/17/2007	12:19:05	0.008	-0.004	-4
9/17/2007	12:34:05	0.009	-0.003	-3
9/17/2007	12:49:05	0.01	-0.002	-2
9/17/2007	13:04:05	0.014	0.002	2
9/17/2007	13:19:05	0.016	0.004	4
9/17/2007	13:34:05	0.015	0.003	3
9/17/2007	13:49:05	0.015	0.003	3
9/17/2007	14:04:05	0.03	0.018	18
9/17/2007	14:19:05	0.015	0.003	3
9/17/2007	14:34:05	0.013	0.001	1
9/17/2007	14:49:05	0.018	0.006	6
9/17/2007	15:04:05	0.023	0.011	11
9/17/2007	15:19:05	0.012	0	0

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/17/2007 06:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0635) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/17/2007 6:51	0		-0.2
2	9/17/2007 7:06	0		-0.2
3	9/17/2007 7:21	0		-0.2
4	9/17/2007 7:36	0.1		-0.1
5	9/17/2007 7:51	0.2		0
6	9/17/2007 8:06	0.2		0
7	9/17/2007 8:21	0.4		0.2
8	9/17/2007 8:36	0.3		0.1
9	9/17/2007 8:51	0.3		0.1
10	9/17/2007 9:06	0.4		0.2
11	9/17/2007 9:21	0.5		0.3
12	9/17/2007 9:36	0.5		0.3
13	9/17/2007 9:51	0.6		0.4
14	9/17/2007 10:06	0.6		0.4
15	9/17/2007 10:21	0.5		0.3
16	9/17/2007 10:36	0.5		0.3
17	9/17/2007 10:51	0.4		0.2
18	9/17/2007 11:06	0.4		0.2
19	9/17/2007 11:21	0.5		0.3
20	9/17/2007 11:36	0.5		0.3
21	9/17/2007 11:51	0.4		0.2
22	9/17/2007 12:06	0.4		0.2
23	9/17/2007 12:21	0.4		0.2
24	9/17/2007 12:36	0.4		0.2
25	9/17/2007 12:51	0.3		0.1
26	9/17/2007 13:06	0.4		0.2
27	9/17/2007 13:21	0.4		0.2
28	9/17/2007 13:36	0.3		0.1
29	9/17/2007 13:51	0.3		0.1
30	9/17/2007 14:06	0.3		0.1
31	9/17/2007 14:21	0.3		0.1
32	9/17/2007 14:36	0.3		0.1
33	9/17/2007 14:51	0.4		0.2
34	9/17/2007 15:06	0.3		0.1
35	9/17/2007 15:21	0.4		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	3
Test Abbreviation:	
Start Date:	9/17/2007
Start Time:	6:27:58
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0635) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/17/2007	6:42:58	0.011	-0.003	-3
9/17/2007	6:57:58	0.012	-0.002	-2
9/17/2007	7:12:58	0.019	0.005	5
9/17/2007	7:27:58	0.015	0.001	1
9/17/2007	7:42:58	0.015	0.001	1
9/17/2007	7:57:58	0.019	0.005	5
9/17/2007	8:12:58	0.016	0.002	2
9/17/2007	8:27:58	0.017	0.003	3
9/17/2007	8:42:58	0.016	0.002	2
9/17/2007	8:57:58	0.017	0.003	3
9/17/2007	9:12:58	0.015	0.001	1
9/17/2007	9:27:58	0.014	0	0
9/17/2007	9:42:58	0.011	-0.003	-3
9/17/2007	9:57:58	0.014	0	0
9/17/2007	10:12:58	0.014	0	0
9/17/2007	10:27:58	0.011	-0.003	-3
9/17/2007	10:42:58	0.012	-0.002	-2
9/17/2007	10:57:58	0.012	-0.002	-2
9/17/2007	11:12:58	0.008	-0.006	-6
9/17/2007	11:27:58	0.011	-0.003	-3
9/17/2007	11:42:58	0.012	-0.002	-2
9/17/2007	11:57:58	0.009	-0.005	-5
9/17/2007	12:12:58	0.005	-0.009	-9
9/17/2007	12:27:58	0.005	-0.009	-9
9/17/2007	12:42:58	0.005	-0.009	-9
9/17/2007	12:57:58	0.009	-0.005	-5
9/17/2007	13:12:58	0.008	-0.006	-6
9/17/2007	13:27:58	0.013	-0.001	-1
9/17/2007	13:42:58	0.01	-0.004	-4
9/17/2007	13:57:58	0.01	-0.004	-4
9/17/2007	14:12:58	0.012	-0.002	-2
9/17/2007	14:27:58	0.008	-0.006	-6
9/17/2007	14:42:58	0.009	-0.005	-5
9/17/2007	14:57:58	0.02	0.006	6
9/17/2007	15:12:58	0.008	-0.006	-6
9/17/2007	15:27:58	0.012	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:04	0.2		0.2
2	9/18/2007 6:19	0.4		0.4
3	9/18/2007 6:34	0.6		0.6
4	9/18/2007 6:49	0.7		0.7
5	9/18/2007 7:04	0.8		0.8
6	9/18/2007 7:19	0.9		0.9
7	9/18/2007 7:34	0.9		0.9
8	9/18/2007 7:49	1		1
9	9/18/2007 8:04	1		1
10	9/18/2007 8:19	1.1		1.1
11	9/18/2007 8:34	1.1		1.1
1	9/18/2007 9:05	0		0
2	9/18/2007 9:20	0		0
3	9/18/2007 9:35	0		0
4	9/18/2007 9:50	0		0
5	9/18/2007 10:05	0		0
6	9/18/2007 10:20	0		0
7	9/18/2007 10:35	0		0
8	9/18/2007 10:50	0		0
9	9/18/2007 11:05	0		0
10	9/18/2007 11:20	0		0
11	9/18/2007 11:35	0		0
12	9/18/2007 11:50	0		0
13	9/18/2007 12:05	0		0
14	9/18/2007 12:20	0		0
15	9/18/2007 12:35	0		0
16	9/18/2007 12:50	0		0
17	9/18/2007 13:05	0		0
18	9/18/2007 13:20	0		0
19	9/18/2007 13:35	0		0
20	9/18/2007 13:50	0		0
21	9/18/2007 14:05	0		0
22	9/18/2007 14:20	0		0
23	9/18/2007 14:35	0		0
24	9/18/2007 14:50	0		0
25	9/18/2007 15:05	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	5:58:04
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0550) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:13:04	0.004	0	0
9/18/2007	6:28:04	0.004	0	0
9/18/2007	6:43:04	0.007	0.003	3
9/18/2007	6:58:04	0.005	0.001	1
9/18/2007	7:13:04	0.005	0.001	1
9/18/2007	7:28:04	0.005	0.001	1
9/18/2007	7:43:04	0.006	0.002	2
9/18/2007	7:58:04	0.006	0.002	2
9/18/2007	8:13:04	0.006	0.002	2
9/18/2007	8:28:04	0.007	0.003	3
9/18/2007	8:43:04	0.007	0.003	3
9/18/2007	8:58:04	0.007	0.003	3
9/18/2007	9:13:04	0.007	0.003	3
9/18/2007	9:28:04	0.007	0.003	3
9/18/2007	9:43:04	0.006	0.002	2
9/18/2007	9:58:04	0.007	0.003	3
9/18/2007	10:13:04	0.006	0.002	2
9/18/2007	10:28:04	0.004	0	0
9/18/2007	10:43:04	0.006	0.002	2
9/18/2007	10:58:04	0.005	0.001	1
9/18/2007	11:13:04	0.008	0.004	4
9/18/2007	11:28:04	0.005	0.001	1
9/18/2007	11:43:04	0.005	0.001	1
9/18/2007	11:58:04	0.004	0	0
9/18/2007	12:13:04	0.004	0	0
9/18/2007	12:28:04	0.004	0	0
9/18/2007	12:43:04	0.004	0	0
9/18/2007	12:58:04	0.003	-0.001	-1
9/18/2007	13:13:04	0.007	0.003	3
9/18/2007	13:28:04	0.007	0.003	3
9/18/2007	13:43:04	0.004	0	0
9/18/2007	13:58:04	0.004	0	0
9/18/2007	14:13:04	0.005	0.001	1
9/18/2007	14:28:04	0.003	-0.001	-1
9/18/2007	14:43:04	0.004	0	0
9/18/2007	14:58:04	0.01	0.006	6
9/18/2007	15:13:04	0.004	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:16	0.3		0.1
2	9/18/2007 6:31	0.3		0.1
3	9/18/2007 6:46	0.4		0.2
4	9/18/2007 7:01	0.5		0.3
5	9/18/2007 7:16	0.5		0.3
6	9/18/2007 7:31	0.6		0.4
7	9/18/2007 7:46	0.6		0.4
8	9/18/2007 8:01	0.6		0.4
9	9/18/2007 8:16	0.6		0.4
10	9/18/2007 8:31	0.7		0.5
1	9/18/2007 9:01	0		-0.2
2	9/18/2007 9:16	0		-0.2
3	9/18/2007 9:31	0		-0.2
4	9/18/2007 9:46	0		-0.2
5	9/18/2007 10:01	0		-0.2
6	9/18/2007 10:16	0.1		-0.1
7	9/18/2007 10:31	0.1		-0.1
8	9/18/2007 10:46	0.1		-0.1
9	9/18/2007 11:01	0.1		-0.1
10	9/18/2007 11:16	0.1		-0.1
11	9/18/2007 11:31	0		-0.2
12	9/18/2007 11:46	0		-0.2
13	9/18/2007 12:01	0		-0.2
14	9/18/2007 12:16	0		-0.2
15	9/18/2007 12:31	0		-0.2
16	9/18/2007 12:46	0		-0.2
17	9/18/2007 13:01	0		-0.2
18	9/18/2007 13:16	0		-0.2
19	9/18/2007 13:31	0		-0.2
20	9/18/2007 13:46	0		-0.2
21	9/18/2007 14:01	0		-0.2
22	9/18/2007 14:16	0.1		-0.1
23	9/18/2007 14:31	0		-0.2
24	9/18/2007 14:46	0		-0.2
25	9/18/2007 15:01	0		-0.2
26	9/18/2007 15:16	0		-0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:00:14
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0552) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:15:14	0.006	-0.006	-6
9/18/2007	6:30:14	0.006	-0.006	-6
9/18/2007	6:45:14	0.006	-0.006	-6
9/18/2007	7:00:14	0.006	-0.006	-6
9/18/2007	7:15:14	0.007	-0.005	-5
9/18/2007	7:30:14	0.008	-0.004	-4
9/18/2007	7:45:14	0.008	-0.004	-4
9/18/2007	8:00:14	0.009	-0.003	-3
9/18/2007	8:15:14	0.011	-0.001	-1
9/18/2007	8:30:14	0.009	-0.003	-3
9/18/2007	8:45:14	0.008	-0.004	-4
9/18/2007	9:00:14	0.011	-0.001	-1
9/18/2007	9:15:14	0.012	0	0
9/18/2007	9:30:14	0.011	-0.001	-1
9/18/2007	9:45:14	0.012	0	0
9/18/2007	10:00:14	0.013	0.001	1
9/18/2007	10:15:14	0.009	-0.003	-3
9/18/2007	10:30:14	0.008	-0.004	-4
9/18/2007	10:45:14	0.008	-0.004	-4
9/18/2007	11:00:14	0.01	-0.002	-2
9/18/2007	11:15:14	0.009	-0.003	-3
9/18/2007	11:30:14	0.009	-0.003	-3
9/18/2007	11:45:14	0.01	-0.002	-2
9/18/2007	12:00:14	0.01	-0.002	-2
9/18/2007	12:15:14	0.009	-0.003	-3
9/18/2007	12:30:14	0.007	-0.005	-5
9/18/2007	12:45:14	0.008	-0.004	-4
9/18/2007	13:00:14	0.009	-0.003	-3
9/18/2007	13:15:14	0.011	-0.001	-1
9/18/2007	13:30:14	0.01	-0.002	-2
9/18/2007	13:45:14	0.009	-0.003	-3
9/18/2007	14:00:14	0.011	-0.001	-1
9/18/2007	14:15:14	0.009	-0.003	-3
9/18/2007	14:30:14	0.008	-0.004	-4
9/18/2007	14:45:14	0.011	-0.001	-1
9/18/2007	15:00:14	0.009	-0.003	-3
9/18/2007	15:15:14	0.009	-0.003	-3
9/18/2007	15:30:14	0.009	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:33	0		0
2	9/18/2007 6:48	0		0
3	9/18/2007 7:03	0		0
4	9/18/2007 7:18	0.1		0.1
5	9/18/2007 7:33	0.1		0.1
6	9/18/2007 7:48	0.1		0.1
7	9/18/2007 8:03	0.2		0.2
8	9/18/2007 8:18	0.2		0.2
9	9/18/2007 8:33	0.2		0.2
10	9/18/2007 8:48	0.2		0.2
11	9/18/2007 9:03	0.2		0.2
12	9/18/2007 9:18	0.2		0.2
13	9/18/2007 9:33	0.1		0.1
14	9/18/2007 9:48	0.1		0.1
15	9/18/2007 10:03	0.1		0.1
16	9/18/2007 10:18	0.1		0.1
17	9/18/2007 10:33	0.1		0.1
18	9/18/2007 10:48	0.1		0.1
19	9/18/2007 11:03	0.1		0.1
20	9/18/2007 11:18	0.2		0.2
21	9/18/2007 11:33	0.2		0.2
22	9/18/2007 11:48	0.2		0.2
23	9/18/2007 12:03	0.2		0.2
24	9/18/2007 12:18	0.2		0.2
25	9/18/2007 12:33	0.2		0.2
26	9/18/2007 12:48	0.1		0.1
27	9/18/2007 13:03	0.1		0.1
28	9/18/2007 13:18	0.1		0.1
29	9/18/2007 13:33	0.1		0.1
30	9/18/2007 13:48	0.2		0.2
31	9/18/2007 14:03	0.1		0.1
32	9/18/2007 14:18	0.1		0.1
33	9/18/2007 14:33	0.1		0.1
34	9/18/2007 14:48	0.1		0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:26:11
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0620) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:41:11	0.015	0.006	6
9/18/2007	6:56:11	0.016	0.007	7
9/18/2007	7:11:11	0.016	0.007	7
9/18/2007	7:26:11	0.017	0.008	8
9/18/2007	7:41:11	0.019	0.01	10
9/18/2007	7:56:11	0.022	0.013	13
9/18/2007	8:11:11	0.023	0.014	14
9/18/2007	8:26:11	0.021	0.012	12
9/18/2007	8:41:11	0.019	0.01	10
9/18/2007	8:56:11	0.022	0.013	13
9/18/2007	9:11:11	0.026	0.017	17
9/18/2007	9:26:11	0.021	0.012	12
9/18/2007	9:41:11	0.02	0.011	11
9/18/2007	9:56:11	0.025	0.016	16
9/18/2007	10:11:11	0.027	0.018	18
9/18/2007	10:26:11	0.019	0.01	10
9/18/2007	10:41:11	0.016	0.007	7
9/18/2007	10:56:11	0.022	0.013	13
9/18/2007	11:11:11	0.025	0.016	16
9/18/2007	11:26:11	0.025	0.016	16
9/18/2007	11:41:11	0.031	0.022	22
9/18/2007	11:56:11	0.024	0.015	15
9/18/2007	12:11:11	0.018	0.009	9
9/18/2007	12:26:11	0.016	0.007	7
9/18/2007	12:41:11	0.017	0.008	8
9/18/2007	12:56:11	0.018	0.009	9
9/18/2007	13:11:11	0.022	0.013	13
9/18/2007	13:26:11	0.019	0.01	10
9/18/2007	13:41:11	0.023	0.014	14
9/18/2007	13:56:11	0.026	0.017	17
9/18/2007	14:11:11	0.03	0.021	21
9/18/2007	14:26:11	0.023	0.014	14
9/18/2007	14:41:11	0.023	0.014	14
9/18/2007	14:56:11	0.019	0.01	10
9/18/2007	15:11:11	0.019	0.01	10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:39	0.1		0.1
2	9/18/2007 6:54	0		0
3	9/18/2007 7:09	0		0
4	9/18/2007 7:24	0.1		0.1
5	9/18/2007 7:39	0.1		0.1
6	9/18/2007 7:54	0.1		0.1
7	9/18/2007 8:09	0.1		0.1
8	9/18/2007 8:24	0.1		0.1
9	9/18/2007 8:39	0.1		0.1
10	9/18/2007 8:54	0.1		0.1
11	9/18/2007 9:09	0.1		0.1
12	9/18/2007 9:24	0.1		0.1
13	9/18/2007 9:39	0.1		0.1
14	9/18/2007 9:54	0.1		0.1
15	9/18/2007 10:09	0.1		0.1
16	9/18/2007 10:24	0.1		0.1
17	9/18/2007 10:39	0.1		0.1
18	9/18/2007 10:54	0.1		0.1
19	9/18/2007 11:09	0.1		0.1
20	9/18/2007 11:24	0.1		0.1
21	9/18/2007 11:39	0.1		0.1
22	9/18/2007 11:54	0.1		0.1
23	9/18/2007 12:09	0.1		0.1
24	9/18/2007 12:24	0.1		0.1
25	9/18/2007 12:39	0.1		0.1
26	9/18/2007 12:54	0.1		0.1
27	9/18/2007 13:09	0.1		0.1
28	9/18/2007 13:24	0.1		0.1
29	9/18/2007 13:39	0.1		0.1
30	9/18/2007 13:54	0.1		0.1
31	9/18/2007 14:09	0.1		0.1
32	9/18/2007 14:24	0.1		0.1
33	9/18/2007 14:39	0.1		0.1
34	9/18/2007 14:54	0.1		0.1
35	9/18/2007 15:09	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:15:25
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0613) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:30:25	0.012	0.007	7
9/18/2007	6:45:25	0.013	0.008	8
9/18/2007	7:00:25	0.014	0.009	9
9/18/2007	7:15:25	0.013	0.008	8
9/18/2007	7:30:25	0.015	0.01	10
9/18/2007	7:45:25	0.016	0.011	11
9/18/2007	8:00:25	0.017	0.012	12
9/18/2007	8:15:25	0.017	0.012	12
9/18/2007	8:30:25	0.017	0.012	12
9/18/2007	8:45:25	0.016	0.011	11
9/18/2007	9:00:25	0.021	0.016	16
9/18/2007	9:15:25	0.018	0.013	13
9/18/2007	9:30:25	0.016	0.011	11
9/18/2007	9:45:25	0.018	0.013	13
9/18/2007	10:00:25	0.019	0.014	14
9/18/2007	10:15:25	0.014	0.009	9
9/18/2007	10:30:25	0.013	0.008	8
9/18/2007	10:45:25	0.013	0.008	8
9/18/2007	11:00:25	0.015	0.01	10
9/18/2007	11:15:25	0.015	0.01	10
9/18/2007	11:30:25	0.014	0.009	9
9/18/2007	11:45:25	0.016	0.011	11
9/18/2007	12:00:25	0.015	0.01	10
9/18/2007	12:15:25	0.014	0.009	9
9/18/2007	12:30:25	0.011	0.006	6
9/18/2007	12:45:25	0.013	0.008	8
9/18/2007	13:00:25	0.012	0.007	7
9/18/2007	13:15:25	0.014	0.009	9
9/18/2007	13:30:25	0.015	0.01	10
9/18/2007	13:45:25	0.014	0.009	9
9/18/2007	14:00:25	0.014	0.009	9
9/18/2007	14:15:25	0.013	0.008	8
9/18/2007	14:30:25	0.013	0.008	8
9/18/2007	14:45:25	0.013	0.008	8
9/18/2007	15:00:25	0.013	0.008	8
9/18/2007	15:15:25	0.014	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:04	0.2		0.2
2	9/18/2007 6:19	0.4		0.4
3	9/18/2007 6:34	0.6		0.6
4	9/18/2007 6:49	0.7		0.7
5	9/18/2007 7:04	0.8		0.8
6	9/18/2007 7:19	0.9		0.9
7	9/18/2007 7:34	0.9		0.9
8	9/18/2007 7:49	1		1
9	9/18/2007 8:04	1		1
10	9/18/2007 8:19	1.1		1.1
11	9/18/2007 8:34	1.1		1.1
1	9/18/2007 9:05	0		0
2	9/18/2007 9:20	0		0
3	9/18/2007 9:35	0		0
4	9/18/2007 9:50	0		0
5	9/18/2007 10:05	0		0
6	9/18/2007 10:20	0		0
7	9/18/2007 10:35	0		0
8	9/18/2007 10:50	0		0
9	9/18/2007 11:05	0		0
10	9/18/2007 11:20	0		0
11	9/18/2007 11:35	0		0
12	9/18/2007 11:50	0		0
13	9/18/2007 12:05	0		0
14	9/18/2007 12:20	0		0
15	9/18/2007 12:35	0		0
16	9/18/2007 12:50	0		0
17	9/18/2007 13:05	0		0
18	9/18/2007 13:20	0		0
19	9/18/2007 13:35	0		0
20	9/18/2007 13:50	0		0
21	9/18/2007 14:05	0		0
22	9/18/2007 14:20	0		0
23	9/18/2007 14:35	0		0
24	9/18/2007 14:50	0		0
25	9/18/2007 15:05	0		0

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:04	0.2		0.2
2	9/18/2007 6:19	0.4		0.4
3	9/18/2007 6:34	0.6		0.6
4	9/18/2007 6:49	0.7		0.7
5	9/18/2007 7:04	0.8		0.8
6	9/18/2007 7:19	0.9		0.9
7	9/18/2007 7:34	0.9		0.9
8	9/18/2007 7:49	1		1
9	9/18/2007 8:04	1		1
10	9/18/2007 8:19	1.1		1.1
11	9/18/2007 8:34	1.1		1.1
1	9/18/2007 9:05	0		0
2	9/18/2007 9:20	0		0
3	9/18/2007 9:35	0		0
4	9/18/2007 9:50	0		0
5	9/18/2007 10:05	0		0
6	9/18/2007 10:20	0		0
7	9/18/2007 10:35	0		0
8	9/18/2007 10:50	0		0
9	9/18/2007 11:05	0		0
10	9/18/2007 11:20	0		0
11	9/18/2007 11:35	0		0
12	9/18/2007 11:50	0		0
13	9/18/2007 12:05	0		0
14	9/18/2007 12:20	0		0
15	9/18/2007 12:35	0		0
16	9/18/2007 12:50	0		0
17	9/18/2007 13:05	0		0
18	9/18/2007 13:20	0		0
19	9/18/2007 13:35	0		0
20	9/18/2007 13:50	0		0
21	9/18/2007 14:05	0		0
22	9/18/2007 14:20	0		0
23	9/18/2007 14:35	0		0
24	9/18/2007 14:50	0		0
25	9/18/2007 15:05	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	5:58:04
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0550) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:13:04	0.004	0	0
9/18/2007	6:28:04	0.004	0	0
9/18/2007	6:43:04	0.007	0.003	3
9/18/2007	6:58:04	0.005	0.001	1
9/18/2007	7:13:04	0.005	0.001	1
9/18/2007	7:28:04	0.005	0.001	1
9/18/2007	7:43:04	0.006	0.002	2
9/18/2007	7:58:04	0.006	0.002	2
9/18/2007	8:13:04	0.006	0.002	2
9/18/2007	8:28:04	0.007	0.003	3
9/18/2007	8:43:04	0.007	0.003	3
9/18/2007	8:58:04	0.007	0.003	3
9/18/2007	9:13:04	0.007	0.003	3
9/18/2007	9:28:04	0.007	0.003	3
9/18/2007	9:43:04	0.006	0.002	2
9/18/2007	9:58:04	0.007	0.003	3
9/18/2007	10:13:04	0.006	0.002	2
9/18/2007	10:28:04	0.004	0	0
9/18/2007	10:43:04	0.006	0.002	2
9/18/2007	10:58:04	0.005	0.001	1
9/18/2007	11:13:04	0.008	0.004	4
9/18/2007	11:28:04	0.005	0.001	1
9/18/2007	11:43:04	0.005	0.001	1
9/18/2007	11:58:04	0.004	0	0
9/18/2007	12:13:04	0.004	0	0
9/18/2007	12:28:04	0.004	0	0
9/18/2007	12:43:04	0.004	0	0
9/18/2007	12:58:04	0.003	-0.001	-1
9/18/2007	13:13:04	0.007	0.003	3
9/18/2007	13:28:04	0.007	0.003	3
9/18/2007	13:43:04	0.004	0	0
9/18/2007	13:58:04	0.004	0	0
9/18/2007	14:13:04	0.005	0.001	1
9/18/2007	14:28:04	0.003	-0.001	-1
9/18/2007	14:43:04	0.004	0	0
9/18/2007	14:58:04	0.01	0.006	6
9/18/2007	15:13:04	0.004	0	0

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 10 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0552) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:16	0.3		0.1
2	9/18/2007 6:31	0.3		0.1
3	9/18/2007 6:46	0.4		0.2
4	9/18/2007 7:01	0.5		0.3
5	9/18/2007 7:16	0.5		0.3
6	9/18/2007 7:31	0.6		0.4
7	9/18/2007 7:46	0.6		0.4
8	9/18/2007 8:01	0.6		0.4
9	9/18/2007 8:16	0.6		0.4
10	9/18/2007 8:31	0.7		0.5
1	9/18/2007 9:01	0		-0.2
2	9/18/2007 9:16	0		-0.2
3	9/18/2007 9:31	0		-0.2
4	9/18/2007 9:46	0		-0.2
5	9/18/2007 10:01	0		-0.2
6	9/18/2007 10:16	0.1		-0.1
7	9/18/2007 10:31	0.1		-0.1
8	9/18/2007 10:46	0.1		-0.1
9	9/18/2007 11:01	0.1		-0.1
10	9/18/2007 11:16	0.1		-0.1
11	9/18/2007 11:31	0		-0.2
12	9/18/2007 11:46	0		-0.2
13	9/18/2007 12:01	0		-0.2
14	9/18/2007 12:16	0		-0.2
15	9/18/2007 12:31	0		-0.2
16	9/18/2007 12:46	0		-0.2
17	9/18/2007 13:01	0		-0.2
18	9/18/2007 13:16	0		-0.2
19	9/18/2007 13:31	0		-0.2
20	9/18/2007 13:46	0		-0.2
21	9/18/2007 14:01	0		-0.2
22	9/18/2007 14:16	0.1		-0.1
23	9/18/2007 14:31	0		-0.2
24	9/18/2007 14:46	0		-0.2
25	9/18/2007 15:01	0		-0.2
26	9/18/2007 15:16	0		-0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:00:14
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0552) = 0.012 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:15:14	0.006	-0.006	-6
9/18/2007	6:30:14	0.006	-0.006	-6
9/18/2007	6:45:14	0.006	-0.006	-6
9/18/2007	7:00:14	0.006	-0.006	-6
9/18/2007	7:15:14	0.007	-0.005	-5
9/18/2007	7:30:14	0.008	-0.004	-4
9/18/2007	7:45:14	0.008	-0.004	-4
9/18/2007	8:00:14	0.009	-0.003	-3
9/18/2007	8:15:14	0.011	-0.001	-1
9/18/2007	8:30:14	0.009	-0.003	-3
9/18/2007	8:45:14	0.008	-0.004	-4
9/18/2007	9:00:14	0.011	-0.001	-1
9/18/2007	9:15:14	0.012	0	0
9/18/2007	9:30:14	0.011	-0.001	-1
9/18/2007	9:45:14	0.012	0	0
9/18/2007	10:00:14	0.013	0.001	1
9/18/2007	10:15:14	0.009	-0.003	-3
9/18/2007	10:30:14	0.008	-0.004	-4
9/18/2007	10:45:14	0.008	-0.004	-4
9/18/2007	11:00:14	0.01	-0.002	-2
9/18/2007	11:15:14	0.009	-0.003	-3
9/18/2007	11:30:14	0.009	-0.003	-3
9/18/2007	11:45:14	0.01	-0.002	-2
9/18/2007	12:00:14	0.01	-0.002	-2
9/18/2007	12:15:14	0.009	-0.003	-3
9/18/2007	12:30:14	0.007	-0.005	-5
9/18/2007	12:45:14	0.008	-0.004	-4
9/18/2007	13:00:14	0.009	-0.003	-3
9/18/2007	13:15:14	0.011	-0.001	-1
9/18/2007	13:30:14	0.01	-0.002	-2
9/18/2007	13:45:14	0.009	-0.003	-3
9/18/2007	14:00:14	0.011	-0.001	-1
9/18/2007	14:15:14	0.009	-0.003	-3
9/18/2007	14:30:14	0.008	-0.004	-4
9/18/2007	14:45:14	0.011	-0.001	-1
9/18/2007	15:00:14	0.009	-0.003	-3
9/18/2007	15:15:14	0.009	-0.003	-3
9/18/2007	15:30:14	0.009	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:39

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:33	0		0
2	9/18/2007 6:48	0		0
3	9/18/2007 7:03	0		0
4	9/18/2007 7:18	0.1		0.1
5	9/18/2007 7:33	0.1		0.1
6	9/18/2007 7:48	0.1		0.1
7	9/18/2007 8:03	0.2		0.2
8	9/18/2007 8:18	0.2		0.2
9	9/18/2007 8:33	0.2		0.2
10	9/18/2007 8:48	0.2		0.2
11	9/18/2007 9:03	0.2		0.2
12	9/18/2007 9:18	0.2		0.2
13	9/18/2007 9:33	0.1		0.1
14	9/18/2007 9:48	0.1		0.1
15	9/18/2007 10:03	0.1		0.1
16	9/18/2007 10:18	0.1		0.1
17	9/18/2007 10:33	0.1		0.1
18	9/18/2007 10:48	0.1		0.1
19	9/18/2007 11:03	0.1		0.1
20	9/18/2007 11:18	0.2		0.2
21	9/18/2007 11:33	0.2		0.2
22	9/18/2007 11:48	0.2		0.2
23	9/18/2007 12:03	0.2		0.2
24	9/18/2007 12:18	0.2		0.2
25	9/18/2007 12:33	0.2		0.2
26	9/18/2007 12:48	0.1		0.1
27	9/18/2007 13:03	0.1		0.1
28	9/18/2007 13:18	0.1		0.1
29	9/18/2007 13:33	0.1		0.1
30	9/18/2007 13:48	0.2		0.2
31	9/18/2007 14:03	0.1		0.1
32	9/18/2007 14:18	0.1		0.1
33	9/18/2007 14:33	0.1		0.1
34	9/18/2007 14:48	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:26:11
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0620) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:41:11	0.015	0.006	6
9/18/2007	6:56:11	0.016	0.007	7
9/18/2007	7:11:11	0.016	0.007	7
9/18/2007	7:26:11	0.017	0.008	8
9/18/2007	7:41:11	0.019	0.01	10
9/18/2007	7:56:11	0.022	0.013	13
9/18/2007	8:11:11	0.023	0.014	14
9/18/2007	8:26:11	0.021	0.012	12
9/18/2007	8:41:11	0.019	0.01	10
9/18/2007	8:56:11	0.022	0.013	13
9/18/2007	9:11:11	0.026	0.017	17
9/18/2007	9:26:11	0.021	0.012	12
9/18/2007	9:41:11	0.02	0.011	11
9/18/2007	9:56:11	0.025	0.016	16
9/18/2007	10:11:11	0.027	0.018	18
9/18/2007	10:26:11	0.019	0.01	10
9/18/2007	10:41:11	0.016	0.007	7
9/18/2007	10:56:11	0.022	0.013	13
9/18/2007	11:11:11	0.025	0.016	16
9/18/2007	11:26:11	0.025	0.016	16
9/18/2007	11:41:11	0.031	0.022	22
9/18/2007	11:56:11	0.024	0.015	15
9/18/2007	12:11:11	0.018	0.009	9
9/18/2007	12:26:11	0.016	0.007	7
9/18/2007	12:41:11	0.017	0.008	8
9/18/2007	12:56:11	0.018	0.009	9
9/18/2007	13:11:11	0.022	0.013	13
9/18/2007	13:26:11	0.019	0.01	10
9/18/2007	13:41:11	0.023	0.014	14
9/18/2007	13:56:11	0.026	0.017	17
9/18/2007	14:11:11	0.03	0.021	21
9/18/2007	14:26:11	0.023	0.014	14
9/18/2007	14:41:11	0.023	0.014	14
9/18/2007	14:56:11	0.019	0.01	10
9/18/2007	15:11:11	0.019	0.01	10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/18/2007 05:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/18/2007 6:39	0.1		0.1
2	9/18/2007 6:54	0		0
3	9/18/2007 7:09	0		0
4	9/18/2007 7:24	0.1		0.1
5	9/18/2007 7:39	0.1		0.1
6	9/18/2007 7:54	0.1		0.1
7	9/18/2007 8:09	0.1		0.1
8	9/18/2007 8:24	0.1		0.1
9	9/18/2007 8:39	0.1		0.1
10	9/18/2007 8:54	0.1		0.1
11	9/18/2007 9:09	0.1		0.1
12	9/18/2007 9:24	0.1		0.1
13	9/18/2007 9:39	0.1		0.1
14	9/18/2007 9:54	0.1		0.1
15	9/18/2007 10:09	0.1		0.1
16	9/18/2007 10:24	0.1		0.1
17	9/18/2007 10:39	0.1		0.1
18	9/18/2007 10:54	0.1		0.1
19	9/18/2007 11:09	0.1		0.1
20	9/18/2007 11:24	0.1		0.1
21	9/18/2007 11:39	0.1		0.1
22	9/18/2007 11:54	0.1		0.1
23	9/18/2007 12:09	0.1		0.1
24	9/18/2007 12:24	0.1		0.1
25	9/18/2007 12:39	0.1		0.1
26	9/18/2007 12:54	0.1		0.1
27	9/18/2007 13:09	0.1		0.1
28	9/18/2007 13:24	0.1		0.1
29	9/18/2007 13:39	0.1		0.1
30	9/18/2007 13:54	0.1		0.1
31	9/18/2007 14:09	0.1		0.1
32	9/18/2007 14:24	0.1		0.1
33	9/18/2007 14:39	0.1		0.1
34	9/18/2007 14:54	0.1		0.1
35	9/18/2007 15:09	0.1		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	4
Test Abbreviation:	
Start Date:	9/18/2007
Start Time:	6:15:25
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0613) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/18/2007	6:30:25	0.012	0.007	7
9/18/2007	6:45:25	0.013	0.008	8
9/18/2007	7:00:25	0.014	0.009	9
9/18/2007	7:15:25	0.013	0.008	8
9/18/2007	7:30:25	0.015	0.01	10
9/18/2007	7:45:25	0.016	0.011	11
9/18/2007	8:00:25	0.017	0.012	12
9/18/2007	8:15:25	0.017	0.012	12
9/18/2007	8:30:25	0.017	0.012	12
9/18/2007	8:45:25	0.016	0.011	11
9/18/2007	9:00:25	0.021	0.016	16
9/18/2007	9:15:25	0.018	0.013	13
9/18/2007	9:30:25	0.016	0.011	11
9/18/2007	9:45:25	0.018	0.013	13
9/18/2007	10:00:25	0.019	0.014	14
9/18/2007	10:15:25	0.014	0.009	9
9/18/2007	10:30:25	0.013	0.008	8
9/18/2007	10:45:25	0.013	0.008	8
9/18/2007	11:00:25	0.015	0.01	10
9/18/2007	11:15:25	0.015	0.01	10
9/18/2007	11:30:25	0.014	0.009	9
9/18/2007	11:45:25	0.016	0.011	11
9/18/2007	12:00:25	0.015	0.01	10
9/18/2007	12:15:25	0.014	0.009	9
9/18/2007	12:30:25	0.011	0.006	6
9/18/2007	12:45:25	0.013	0.008	8
9/18/2007	13:00:25	0.012	0.007	7
9/18/2007	13:15:25	0.014	0.009	9
9/18/2007	13:30:25	0.015	0.01	10
9/18/2007	13:45:25	0.014	0.009	9
9/18/2007	14:00:25	0.014	0.009	9
9/18/2007	14:15:25	0.013	0.008	8
9/18/2007	14:30:25	0.013	0.008	8
9/18/2007	14:45:25	0.013	0.008	8
9/18/2007	15:00:25	0.013	0.008	8
9/18/2007	15:15:25	0.014	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/19/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/19/2007 6:15	0		0
2	9/19/2007 6:30	0		0
3	9/19/2007 6:45	0		0
4	9/19/2007 7:00	0		0
5	9/19/2007 7:15	0		0
6	9/19/2007 7:30	0		0
7	9/19/2007 7:45	0		0
8	9/19/2007 8:00	0		0
9	9/19/2007 8:15	0		0
10	9/19/2007 8:30	0		0
11	9/19/2007 8:45	0		0
12	9/19/2007 9:00	0		0
13	9/19/2007 9:15	0		0
14	9/19/2007 9:30	0		0
15	9/19/2007 9:45	0		0
16	9/19/2007 10:00	0		0
17	9/19/2007 10:15	0		0
18	9/19/2007 10:30	0		0
19	9/19/2007 10:45	0		0
20	9/19/2007 11:00	0		0
21	9/19/2007 11:15	0		0
22	9/19/2007 11:30	0		0
23	9/19/2007 11:45	0		0
24	9/19/2007 12:00	0		0
25	9/19/2007 12:15	0		0
26	9/19/2007 12:30	0		0
27	9/19/2007 12:45	0		0
28	9/19/2007 13:00	0		0
29	9/19/2007 13:15	0		0
30	9/19/2007 13:30	0		0
31	9/19/2007 13:45	0		0
32	9/19/2007 14:00	0		0
33	9/19/2007 14:15	0		0
34	9/19/2007 14:30	0		0
35	9/19/2007 14:45	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/19/2007
Start Time:	6:04:45
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0600) = 0.011 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2007	6:19:45	0.012	0.001	1
9/19/2007	6:34:45	0.013	0.002	2
9/19/2007	6:49:45	0.014	0.003	3
9/19/2007	7:04:45	0.013	0.002	2
9/19/2007	7:19:45	0.011	0	0
9/19/2007	7:34:45	0.01	-0.001	-1
9/19/2007	7:49:45	0.01	-0.001	-1
9/19/2007	8:04:45	0.007	-0.004	-4
9/19/2007	8:19:45	0.009	-0.002	-2
9/19/2007	8:34:45	0.01	-0.001	-1
9/19/2007	8:49:45	0.009	-0.002	-2
9/19/2007	9:04:45	0.009	-0.002	-2
9/19/2007	9:19:45	0.006	-0.005	-5
9/19/2007	9:34:45	0.005	-0.006	-6
9/19/2007	9:49:45	0.01	-0.001	-1
9/19/2007	10:04:45	0.006	-0.005	-5
9/19/2007	10:19:45	0.006	-0.005	-5
9/19/2007	10:34:45	0.007	-0.004	-4
9/19/2007	10:49:45	0.009	-0.002	-2
9/19/2007	11:04:45	0.01	-0.001	-1
9/19/2007	11:19:45	0.013	0.002	2
9/19/2007	11:34:45	0.014	0.003	3
9/19/2007	11:49:45	0.011	0	0
9/19/2007	12:04:45	0.009	-0.002	-2
9/19/2007	12:19:45	0.011	0	0
9/19/2007	12:34:45	0.009	-0.002	-2
9/19/2007	12:49:45	0.011	0	0
9/19/2007	13:04:45	0.008	-0.003	-3
9/19/2007	13:19:45	0.012	0.001	1
9/19/2007	13:34:45	0.006	-0.005	-5
9/19/2007	13:49:45	0.012	0.001	1
9/19/2007	14:04:45	0.011	0	0
9/19/2007	14:19:45	0.011	0	0
9/19/2007	14:34:45	0.009	-0.002	-2
9/19/2007	14:49:45	0.01	-0.001	-1
9/19/2007	15:04:45	0.009	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/19/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/19/2007 6:18	0		0
2	9/19/2007 6:33	0		0
3	9/19/2007 6:48	0		0
4	9/19/2007 7:03	0		0
5	9/19/2007 7:18	0.1		0.1
6	9/19/2007 7:33	0.1		0.1
7	9/19/2007 7:48	0.1		0.1
8	9/19/2007 8:03	0.1		0.1
9	9/19/2007 8:18	0.1		0.1
1	9/19/2007 8:49	0		0
2	9/19/2007 9:04	0		0
3	9/19/2007 9:19	0		0
4	9/19/2007 9:34	0		0
5	9/19/2007 9:49	0		0
6	9/19/2007 10:04	0		0
7	9/19/2007 10:19	0		0
8	9/19/2007 10:34	0		0
9	9/19/2007 10:49	0		0
10	9/19/2007 11:04	0		0
11	9/19/2007 11:19	0		0
12	9/19/2007 11:34	0		0
13	9/19/2007 11:49	0		0
14	9/19/2007 12:04	0		0
15	9/19/2007 12:19	0		0
16	9/19/2007 12:34	0		0
17	9/19/2007 12:49	0		0
18	9/19/2007 13:04	0		0
19	9/19/2007 13:19	0		0
20	9/19/2007 13:34	0		0
21	9/19/2007 13:49	0		0
22	9/19/2007 14:04	0		0
23	9/19/2007 14:19	0		0
24	9/19/2007 14:34	0		0
25	9/19/2007 14:49	0		0
26	9/19/2007 15:04	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/19/2007
Start Time:	6:03:28
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0556) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date	Time	Aerosol	Aerosol(-background)	
MM/dd/yyyy	hh:mm:ss	mg/m^3	mg/m^3	ug/m^3
9/19/2007	6:18:28	0.013	-0.009	-9
9/19/2007	6:33:28	0.012	-0.01	-10
9/19/2007	6:48:28	0.013	-0.009	-9
9/19/2007	7:03:28	0.016	-0.006	-6
9/19/2007	7:18:28	0.014	-0.008	-8
9/19/2007	7:33:28	0.01	-0.012	-12
9/19/2007	7:48:28	0.011	-0.011	-11
9/19/2007	8:03:28	0.009	-0.013	-13
9/19/2007	8:18:28	0.009	-0.013	-13
9/19/2007	8:33:28	0.01	-0.012	-12
9/19/2007	8:48:28	0.013	-0.009	-9
9/19/2007	9:03:28	0.021	-0.001	-1
9/19/2007	9:18:28	0.017	-0.005	-5
9/19/2007	9:33:28	0.012	-0.01	-10
9/19/2007	9:48:28	0.01	-0.012	-12
9/19/2007	10:03:28	0.01	-0.012	-12
9/19/2007	10:18:28	0.014	-0.008	-8
9/19/2007	10:33:28	0.013	-0.009	-9
9/19/2007	10:48:28	0.015	-0.007	-7
9/19/2007	11:03:28	0.021	-0.001	-1
9/19/2007	11:18:28	0.02	-0.002	-2
9/19/2007	11:33:28	0.016	-0.006	-6
9/19/2007	11:48:28	0.016	-0.006	-6
9/19/2007	12:03:28	0.018	-0.004	-4
9/19/2007	12:18:28	0.018	-0.004	-4
9/19/2007	12:33:28	0.017	-0.005	-5
9/19/2007	12:48:28	0.016	-0.006	-6
9/19/2007	13:03:28	0.015	-0.007	-7
9/19/2007	13:18:28	0.015	-0.007	-7
9/19/2007	13:33:28	0.016	-0.006	-6
9/19/2007	13:48:28	0.021	-0.001	-1
9/19/2007	14:03:28	0.017	-0.005	-5
9/19/2007	14:18:28	0.021	-0.001	-1
9/19/2007	14:33:28	0.019	-0.003	-3
9/19/2007	14:48:28	0.019	-0.003	-3
9/19/2007	15:03:28	0.019	-0.003	-3
9/19/2007	15:18:28	0.018	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/19/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/19/2007 6:31	0.2		0.2
2	9/19/2007 6:46	0.3		0.3
3	9/19/2007 7:01	0.1		0.1
4	9/19/2007 7:16	0		0
5	9/19/2007 7:31	0		0
6	9/19/2007 7:46	0		0
7	9/19/2007 8:01	0		0
8	9/19/2007 8:16	0		0
9	9/19/2007 8:31	0		0
10	9/19/2007 8:46	0		0
11	9/19/2007 9:01	0		0
12	9/19/2007 9:16	0		0
13	9/19/2007 9:31	0		0
14	9/19/2007 9:46	0		0
15	9/19/2007 10:01	0		0
16	9/19/2007 10:16	0		0
17	9/19/2007 10:31	0		0
18	9/19/2007 10:46	0		0
19	9/19/2007 11:01	0		0
20	9/19/2007 11:16	0		0
21	9/19/2007 11:31	0		0
22	9/19/2007 11:46	0		0
23	9/19/2007 12:01	0		0
24	9/19/2007 12:16	0		0
25	9/19/2007 12:31	0		0
26	9/19/2007 12:46	0		0
27	9/19/2007 13:01	0		0
28	9/19/2007 13:16	0		0
29	9/19/2007 13:31	0		0
30	9/19/2007 13:46	0		0
31	9/19/2007 14:01	0		0
32	9/19/2007 14:16	0		0
33	9/19/2007 14:31	0		0
34	9/19/2007 14:46	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/19/2007
Start Time:	6:25:51
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0620) = 0.009 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2007	6:40:51	0.039	0.03	30
9/19/2007	6:55:51	0.051	0.042	42
9/19/2007	7:10:51	0.047	0.038	38
9/19/2007	7:25:51	0.036	0.027	27
9/19/2007	7:40:51	0.031	0.022	22
9/19/2007	7:55:51	0.026	0.017	17
9/19/2007	8:10:51	0.023	0.014	14
9/19/2007	8:25:51	0.025	0.016	16
9/19/2007	8:40:51	0.026	0.017	17
9/19/2007	8:55:51	0.029	0.02	20
9/19/2007	9:10:51	0.023	0.014	14
9/19/2007	9:25:51	0.019	0.01	10
9/19/2007	9:40:51	0.023	0.014	14
9/19/2007	9:55:51	0.024	0.015	15
9/19/2007	10:10:51	0.024	0.015	15
9/19/2007	10:25:51	0.021	0.012	12
9/19/2007	10:40:51	0.029	0.02	20
9/19/2007	10:55:51	0.032	0.023	23
9/19/2007	11:10:51	0.031	0.022	22
9/19/2007	11:25:51	0.029	0.02	20
9/19/2007	11:40:51	0.029	0.02	20
9/19/2007	11:55:51	0.029	0.02	20
9/19/2007	12:10:51	0.035	0.026	26
9/19/2007	12:25:51	0.032	0.023	23
9/19/2007	12:40:51	0.029	0.02	20
9/19/2007	12:55:51	0.027	0.018	18
9/19/2007	13:10:51	0.028	0.019	19
9/19/2007	13:25:51	0.028	0.019	19
9/19/2007	13:40:51	0.03	0.021	21
9/19/2007	13:55:51	0.034	0.025	25
9/19/2007	14:10:51	0.031	0.022	22
9/19/2007	14:25:51	0.034	0.025	25
9/19/2007	14:40:51	0.033	0.024	24
9/19/2007	14:55:51	0.038	0.029	29
9/19/2007	15:10:51	0.035	0.026	26

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/19/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0614) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/19/2007 6:40	0		0
2	9/19/2007 6:55	0		0
3	9/19/2007 7:10	0		0
4	9/19/2007 7:25	0		0
5	9/19/2007 7:40	0		0
6	9/19/2007 7:55	0		0
7	9/19/2007 8:10	0		0
8	9/19/2007 8:25	0		0
9	9/19/2007 8:40	0		0
10	9/19/2007 8:55	0		0
11	9/19/2007 9:10	0		0
12	9/19/2007 9:25	0		0
13	9/19/2007 9:40	0		0
14	9/19/2007 9:55	0		0
15	9/19/2007 10:10	0		0
16	9/19/2007 10:25	0		0
17	9/19/2007 10:40	0		0
18	9/19/2007 10:55	0		0
19	9/19/2007 11:10	0		0
20	9/19/2007 11:25	0		0
21	9/19/2007 11:40	0		0
22	9/19/2007 11:55	0		0
23	9/19/2007 12:10	0		0
24	9/19/2007 12:25	0		0
25	9/19/2007 12:40	0		0
26	9/19/2007 12:55	0		0
27	9/19/2007 13:10	0		0
28	9/19/2007 13:25	0		0
29	9/19/2007 13:40	0		0
30	9/19/2007 13:55	0		0
31	9/19/2007 14:10	0		0
32	9/19/2007 14:25	0		0
33	9/19/2007 14:40	0		0
34	9/19/2007 14:55	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/19/2007
Start Time:	6:17:36
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0614) = 0.031 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/19/2007	6:32:36	0.032	0.001	1
9/19/2007	6:47:36	0.036	0.005	5
9/19/2007	7:02:36	0.033	0.002	2
9/19/2007	7:17:36	0.027	-0.004	-4
9/19/2007	7:32:36	0.023	-0.008	-8
9/19/2007	7:47:36	0.021	-0.01	-10
9/19/2007	8:02:36	0.018	-0.013	-13
9/19/2007	8:17:36	0.02	-0.011	-11
9/19/2007	8:32:36	0.02	-0.011	-11
9/19/2007	8:47:36	0.02	-0.011	-11
9/19/2007	9:02:36	0.021	-0.01	-10
9/19/2007	9:17:36	0.014	-0.017	-17
9/19/2007	9:32:36	0.015	-0.016	-16
9/19/2007	9:47:36	0.014	-0.017	-17
9/19/2007	10:02:36	0.017	-0.014	-14
9/19/2007	10:17:36	0.016	-0.015	-15
9/19/2007	10:32:36	0.021	-0.01	-10
9/19/2007	10:47:36	0.026	-0.005	-5
9/19/2007	11:02:36	0.024	-0.007	-7
9/19/2007	11:17:36	0.027	-0.004	-4
9/19/2007	11:32:36	0.029	-0.002	-2
9/19/2007	11:47:36	0.03	-0.001	-1
9/19/2007	12:02:36	0.042	0.011	11
9/19/2007	12:17:36	0.029	-0.002	-2
9/19/2007	12:32:36	0.027	-0.004	-4
9/19/2007	12:47:36	0.024	-0.007	-7
9/19/2007	13:02:36	0.034	0.003	3
9/19/2007	13:17:36	0.025	-0.006	-6
9/19/2007	13:32:36	0.026	-0.005	-5
9/19/2007	13:47:36	0.084	0.053	53
9/19/2007	14:02:36	0.026	-0.005	-5
9/19/2007	14:17:36	0.028	-0.003	-3
9/19/2007	14:32:36	0.039	0.008	8
9/19/2007	14:47:36	0.036	0.005	5
9/19/2007	15:02:36	0.029	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/20/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/20/2007 6:06	0		0
2	9/20/2007 6:21	0.1		0.1
3	9/20/2007 6:36	0.1		0.1
4	9/20/2007 6:51	0.1		0.1
5	9/20/2007 7:06	0.2		0.2
6	9/20/2007 7:21	0.2		0.2
7	9/20/2007 7:36	0.2		0.2
8	9/20/2007 7:51	0.3		0.3
9	9/20/2007 8:06	0.3		0.3
10	9/20/2007 8:21	0.3		0.3
11	9/20/2007 8:36	0.3		0.3
12	9/20/2007 8:51	0.4		0.4
13	9/20/2007 9:06	0.4		0.4
14	9/20/2007 9:21	0.4		0.4
15	9/20/2007 9:36	0.4		0.4
16	9/20/2007 9:51	0.4		0.4
17	9/20/2007 10:06	0.3		0.3
18	9/20/2007 10:21	0.3		0.3
19	9/20/2007 10:36	0.3		0.3
20	9/20/2007 10:51	0.3		0.3
21	9/20/2007 11:06	0.3		0.3
22	9/20/2007 11:21	0.3		0.3
23	9/20/2007 11:36	0.3		0.3
24	9/20/2007 11:51	0.2		0.2
25	9/20/2007 12:06	0.2		0.2
26	9/20/2007 12:21	0.2		0.2
27	9/20/2007 12:36	0.2		0.2
28	9/20/2007 12:51	0.2		0.2
29	9/20/2007 13:06	0.2		0.2
30	9/20/2007 13:21	0.2		0.2
31	9/20/2007 13:36	0.2		0.2
32	9/20/2007 13:51	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/20/2007
Start Time:	5:55:32
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0550) = 0.010 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2007	6:10:32	0.01	0	0
9/20/2007	6:25:32	0.011	0.001	1
9/20/2007	6:40:32	0.012	0.002	2
9/20/2007	6:55:32	0.01	0	0
9/20/2007	7:10:32	0.011	0.001	1
9/20/2007	7:25:32	0.013	0.003	3
9/20/2007	7:40:32	0.013	0.003	3
9/20/2007	7:55:32	0.014	0.004	4
9/20/2007	8:10:32	0.012	0.002	2
9/20/2007	8:25:32	0.012	0.002	2
9/20/2007	8:40:32	0.016	0.006	6
9/20/2007	8:55:32	0.016	0.006	6
9/20/2007	9:10:32	0.017	0.007	7
9/20/2007	9:25:32	0.018	0.008	8
9/20/2007	9:40:32	0.027	0.017	17
9/20/2007	9:55:32	0.02	0.01	10
9/20/2007	10:10:32	0.023	0.013	13
9/20/2007	10:25:32	0.02	0.01	10
9/20/2007	10:40:32	0.021	0.011	11
9/20/2007	10:55:32	0.02	0.01	10
9/20/2007	11:10:32	0.017	0.007	7
9/20/2007	11:25:32	0.015	0.005	5
9/20/2007	11:40:32	0.015	0.005	5
9/20/2007	11:55:32	0.012	0.002	2
9/20/2007	12:10:32	0.014	0.004	4
9/20/2007	12:25:32	0.012	0.002	2
9/20/2007	12:40:32	0.012	0.002	2
9/20/2007	12:55:32	0.011	0.001	1
9/20/2007	13:10:32	0.011	0.001	1
9/20/2007	13:25:32	0.011	0.001	1
9/20/2007	13:40:32	0.009	-0.001	-1
9/20/2007	13:55:32	0.011	0.001	1
9/20/2007	14:10:32	0.016	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/20/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0603) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/20/2007 6:26	0.1		0
2	9/20/2007 6:41	0.1		0
3	9/20/2007 6:56	0.2		0.1
4	9/20/2007 7:11	0.2		0.1
5	9/20/2007 7:26	0.2		0.1
6	9/20/2007 7:41	0.2		0.1
7	9/20/2007 7:56	0.2		0.1
1	9/20/2007 8:26	0		-0.1
2	9/20/2007 8:41	0		-0.1
3	9/20/2007 8:56	0		-0.1
4	9/20/2007 9:11	0		-0.1
5	9/20/2007 9:26	0		-0.1
6	9/20/2007 9:41	0		-0.1
7	9/20/2007 9:56	0		-0.1
8	9/20/2007 10:11	0		-0.1
9	9/20/2007 10:26	0		-0.1
10	9/20/2007 10:41	0		-0.1
11	9/20/2007 10:56	0		-0.1
12	9/20/2007 11:11	0		-0.1
13	9/20/2007 11:26	0		-0.1
14	9/20/2007 11:41	0		-0.1
15	9/20/2007 11:56	0		-0.1
16	9/20/2007 12:11	0		-0.1
17	9/20/2007 12:26	0		-0.1
18	9/20/2007 12:41	0		-0.1
19	9/20/2007 12:56	0		-0.1
20	9/20/2007 13:11	0		-0.1
21	9/20/2007 13:26	0		-0.1
22	9/20/2007 13:41	0		-0.1
23	9/20/2007 13:56	0.1		0
24	9/20/2007 14:11	0.1		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/20/2007
Start Time:	6:10:35
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0603) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2007	6:25:35	0.008	-0.008	-8
9/20/2007	6:40:35	0.008	-0.008	-8
9/20/2007	6:55:35	0.008	-0.008	-8
9/20/2007	7:10:35	0.01	-0.006	-6
9/20/2007	7:25:35	0.01	-0.006	-6
9/20/2007	7:40:35	0.01	-0.006	-6
9/20/2007	7:55:35	0.012	-0.004	-4
9/20/2007	8:10:35	0.014	-0.002	-2
9/20/2007	8:25:35	0.022	0.006	6
9/20/2007	8:40:35	0.025	0.009	9
9/20/2007	8:55:35	0.026	0.01	10
9/20/2007	9:10:35	0.029	0.013	13
9/20/2007	9:25:35	0.031	0.015	15
9/20/2007	9:40:35	0.034	0.018	18
9/20/2007	9:55:35	0.035	0.019	19
9/20/2007	10:10:35	0.034	0.018	18
9/20/2007	10:25:35	0.034	0.018	18
9/20/2007	10:40:35	0.034	0.018	18
9/20/2007	10:55:35	0.034	0.018	18
9/20/2007	11:10:35	0.029	0.013	13
9/20/2007	11:25:35	0.026	0.01	10
9/20/2007	11:40:35	0.026	0.01	10
9/20/2007	11:55:35	0.023	0.007	7
9/20/2007	12:10:35	0.022	0.006	6
9/20/2007	12:25:35	0.021	0.005	5
9/20/2007	12:40:35	0.02	0.004	4
9/20/2007	12:55:35	0.02	0.004	4
9/20/2007	13:10:35	0.02	0.004	4
9/20/2007	13:25:35	0.019	0.003	3
9/20/2007	13:40:35	0.019	0.003	3
9/20/2007	13:55:35	0.019	0.003	3
9/20/2007	14:10:35	0.02	0.004	4
9/20/2007	14:25:35	0.02	0.004	4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/20/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/20/2007 6:34	0		0
2	9/20/2007 6:49	0		0
3	9/20/2007 7:04	0		0
4	9/20/2007 7:19	0		0
5	9/20/2007 7:34	0		0
6	9/20/2007 7:49	0		0
7	9/20/2007 8:04	0		0
8	9/20/2007 8:19	0		0
9	9/20/2007 8:34	0		0
10	9/20/2007 8:49	0		0
11	9/20/2007 9:04	0		0
12	9/20/2007 9:19	0		0
13	9/20/2007 9:34	0		0
14	9/20/2007 9:49	0		0
15	9/20/2007 10:04	0		0
16	9/20/2007 10:19	0		0
17	9/20/2007 10:34	0		0
18	9/20/2007 10:49	0		0
19	9/20/2007 11:04	0		0
20	9/20/2007 11:19	0		0
21	9/20/2007 11:34	0		0
22	9/20/2007 11:49	0		0
23	9/20/2007 12:04	0.1		0.1
24	9/20/2007 12:19	0		0
25	9/20/2007 12:34	0		0
26	9/20/2007 12:49	0		0
27	9/20/2007 13:04	0		0
28	9/20/2007 13:19	0		0
29	9/20/2007 13:34	0		0
30	9/20/2007 13:49	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/20/2007
Start Time:	6:26:51
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0620) = 0.026 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2007	6:41:51	0.03	0.004	4
9/20/2007	6:56:51	0.032	0.006	6
9/20/2007	7:11:51	0.032	0.006	6
9/20/2007	7:26:51	0.039	0.013	13
9/20/2007	7:41:51	0.045	0.019	19
9/20/2007	7:56:51	0.048	0.022	22
9/20/2007	8:11:51	0.043	0.017	17
9/20/2007	8:26:51	0.048	0.022	22
9/20/2007	8:41:51	0.055	0.029	29
9/20/2007	8:56:51	0.054	0.028	28
9/20/2007	9:11:51	0.059	0.033	33
9/20/2007	9:26:51	0.065	0.039	39
9/20/2007	9:41:51	0.066	0.04	40
9/20/2007	9:56:51	0.066	0.04	40
9/20/2007	10:11:51	0.068	0.042	42
9/20/2007	10:26:51	0.068	0.042	42
9/20/2007	10:41:51	0.068	0.042	42
9/20/2007	10:56:51	0.067	0.041	41
9/20/2007	11:11:51	0.059	0.033	33
9/20/2007	11:26:51	0.051	0.025	25
9/20/2007	11:41:51	0.053	0.027	27
9/20/2007	11:56:51	0.049	0.023	23
9/20/2007	12:11:51	0.043	0.017	17
9/20/2007	12:26:51	0.059	0.033	33
9/20/2007	12:41:51	0.022	-0.004	-4
9/20/2007	12:56:51	0.021	-0.005	-5
9/20/2007	13:11:51	0.02	-0.006	-6
9/20/2007	13:26:51	0.023	-0.003	-3
9/20/2007	13:41:51	0.025	-0.001	-1
9/20/2007	13:56:51	0.025	-0.001	-1
9/20/2007	14:11:51	0.024	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/20/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/20/2007 6:44	0		0
2	9/20/2007 6:59	0		0
3	9/20/2007 7:14	0		0
4	9/20/2007 7:29	0		0
5	9/20/2007 7:44	0		0
6	9/20/2007 7:59	0		0
7	9/20/2007 8:14	0		0
8	9/20/2007 8:29	0		0
9	9/20/2007 8:44	0		0
10	9/20/2007 8:59	0		0
11	9/20/2007 9:14	0		0
12	9/20/2007 9:29	0		0
13	9/20/2007 9:44	0		0
14	9/20/2007 9:59	0		0
15	9/20/2007 10:14	0		0
16	9/20/2007 10:29	0		0
17	9/20/2007 10:44	0		0
18	9/20/2007 10:59	0		0
19	9/20/2007 11:14	0		0
20	9/20/2007 11:29	0		0
21	9/20/2007 11:44	0		0
22	9/20/2007 11:59	0		0
23	9/20/2007 12:14	0		0
24	9/20/2007 12:29	0		0
25	9/20/2007 12:44	0		0
26	9/20/2007 12:59	0		0
27	9/20/2007 13:14	0		0
28	9/20/2007 13:29	0		0
29	9/20/2007 13:44	0		0
30	9/20/2007 13:59	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	9/20/2007
Start Time:	6:20:51
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (0615) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/20/2007	6:35:51	0.003	0	0
9/20/2007	6:50:51	0.003	0	0
9/20/2007	7:05:51	0.003	0	0
9/20/2007	7:20:51	0.002	-0.001	-1
9/20/2007	7:35:51	0.003	0	0
9/20/2007	7:50:51	0.003	0	0
9/20/2007	8:11:41	0.003	0	0
9/20/2007	8:26:41	0.003	0	0
9/20/2007	8:41:41	0.003	0	0
9/20/2007	8:56:41	0.003	0	0
9/20/2007	9:11:41	0.004	0.001	1
9/20/2007	9:26:41	0.006	0.003	3
9/20/2007	9:41:41	0.004	0.001	1
9/20/2007	9:56:41	0.004	0.001	1
9/20/2007	10:11:41	0.004	0.001	1
9/20/2007	10:26:41	0.005	0.002	2
9/20/2007	10:41:41	0.004	0.001	1
9/20/2007	10:56:41	0.004	0.001	1
9/20/2007	11:11:41	0.004	0.001	1
9/20/2007	11:26:41	0.003	0	0
9/20/2007	11:41:41	0.003	0	0
9/20/2007	11:56:41	0.003	0	0
9/20/2007	12:11:41	0.003	0	0
9/20/2007	12:26:41	0.003	0	0
9/20/2007	12:41:41	0.003	0	0
9/20/2007	12:56:41	0.003	0	0
9/20/2007	13:11:41	0.003	0	0
9/20/2007	13:26:41	0.004	0.001	1
9/20/2007	13:41:41	0.004	0.001	1
9/20/2007	13:56:41	0.004	0.001	1
9/20/2007	14:11:41	0.004	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/21/2007 05:19

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0544) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/21/2007 6:00	0		-0.2
2	9/21/2007 6:15	0		-0.2
3	9/21/2007 6:30	0		-0.2
4	9/21/2007 6:45	0		-0.2
5	9/21/2007 7:00	0.1		-0.1
6	9/21/2007 7:15	0.1		-0.1
7	9/21/2007 7:30	0.1		-0.1
8	9/21/2007 7:45	0.1		-0.1
9	9/21/2007 8:00	0.1		-0.1
10	9/21/2007 8:15	0.1		-0.1
11	9/21/2007 8:30	0.2		0
12	9/21/2007 8:45	0.2		0
13	9/21/2007 9:00	0.2		0
14	9/21/2007 9:15	0.2		0
15	9/21/2007 9:30	0.2		0
16	9/21/2007 9:45	0.2		0
17	9/21/2007 10:00	0.2		0
18	9/21/2007 10:15	0.2		0
19	9/21/2007 10:30	0.2		0
20	9/21/2007 10:45	0.2		0
21	9/21/2007 11:00	0.2		0
22	9/21/2007 11:15	0.1		-0.1
23	9/21/2007 11:30	0.1		-0.1
24	9/21/2007 11:45	0.1		-0.1
25	9/21/2007 12:00	0.1		-0.1
26	9/21/2007 12:15	0.1		-0.1
27	9/21/2007 12:30	0.1		-0.1
28	9/21/2007 12:45	0.1		-0.1
29	9/21/2007 13:00	0.1		-0.1
30	9/21/2007 13:15	0.1		-0.1
31	9/21/2007 13:30	0.1		-0.1
32	9/21/2007 13:45	0.1		-0.1
33	9/21/2007 14:00	0.1		-0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/21/2007
Start Time:	5:49:46
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0544) = 0.034 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2007	6:04:46	0.039	0.005	5
9/21/2007	6:19:46	0.042	0.008	8
9/21/2007	6:34:46	0.039	0.005	5
9/21/2007	6:49:46	0.04	0.006	6
9/21/2007	7:04:46	0.043	0.009	9
9/21/2007	7:19:46	0.046	0.012	12
9/21/2007	7:34:46	0.046	0.012	12
9/21/2007	7:49:46	0.048	0.014	14
9/21/2007	8:04:46	0.043	0.009	9
9/21/2007	8:19:46	0.039	0.005	5
9/21/2007	8:34:46	0.04	0.006	6
9/21/2007	8:49:46	0.039	0.005	5
9/21/2007	9:04:46	0.04	0.006	6
9/21/2007	9:19:46	0.042	0.008	8
9/21/2007	9:34:46	0.063	0.029	29
9/21/2007	9:49:46	0.036	0.002	2
9/21/2007	10:04:46	0.031	-0.003	-3
9/21/2007	10:19:46	0.029	-0.005	-5
9/21/2007	10:34:46	0.032	-0.002	-2
9/21/2007	10:49:46	0.033	-0.001	-1
9/21/2007	11:04:46	0.035	0.001	1
9/21/2007	11:19:46	0.036	0.002	2
9/21/2007	11:34:46	0.037	0.003	3
9/21/2007	11:49:46	0.034	0	0
9/21/2007	12:04:46	0.033	-0.001	-1
9/21/2007	12:19:46	0.034	0	0
9/21/2007	12:34:46	0.034	0	0
9/21/2007	12:49:46	0.038	0.004	4
9/21/2007	13:04:46	0.031	-0.003	-3
9/21/2007	13:19:46	0.027	-0.007	-7
9/21/2007	13:34:46	0.031	-0.003	-3
9/21/2007	13:49:46	0.023	-0.011	-11
9/21/2007	14:04:46	0.021	-0.013	-13
9/21/2007	14:19:46	0.023	-0.011	-11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/21/2007 05:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0530) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/21/2007 5:53	0		0
2	9/21/2007 6:08	0		0
3	9/21/2007 6:23	0		0
4	9/21/2007 6:38	0		0
5	9/21/2007 6:53	0		0
6	9/21/2007 7:08	0		0
7	9/21/2007 7:23	0		0
8	9/21/2007 7:38	0		0
9	9/21/2007 7:53	0.1		0.1
10	9/21/2007 8:08	0.1		0.1
11	9/21/2007 8:23	0.1		0.1
12	9/21/2007 8:38	0.1		0.1
13	9/21/2007 8:53	0.1		0.1
14	9/21/2007 9:08	0.1		0.1
15	9/21/2007 9:23	0.2		0.2
16	9/21/2007 9:38	0.2		0.2
17	9/21/2007 9:53	0.2		0.2
18	9/21/2007 10:08	0.2		0.2
19	9/21/2007 10:23	0.2		0.2
20	9/21/2007 10:38	0.2		0.2
21	9/21/2007 10:53	0.2		0.2
22	9/21/2007 11:08	0.2		0.2
23	9/21/2007 11:23	0.2		0.2
24	9/21/2007 11:38	0.2		0.2
25	9/21/2007 11:53	0.2		0.2
26	9/21/2007 12:08	0.2		0.2
27	9/21/2007 12:23	0.2		0.2
28	9/21/2007 12:38	0.3		0.3
29	9/21/2007 12:53	0.2		0.2
30	9/21/2007 13:08	0.3		0.3
31	9/21/2007 13:23	0.3		0.3
32	9/21/2007 13:38	0.3		0.3
33	9/21/2007 13:53	0.3		0.3
34	9/21/2007 14:08	0.3		0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	9/21/2007
Start Time:	5:37:41
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0530) = 0.048 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2007	5:52:41	0.051	0.003	3
9/21/2007	6:07:41	0.053	0.005	5
9/21/2007	6:22:41	0.052	0.004	4
9/21/2007	6:37:41	0.05	0.002	2
9/21/2007	6:52:41	0.052	0.004	4
9/21/2007	7:07:41	0.057	0.009	9
9/21/2007	7:22:41	0.057	0.009	9
9/21/2007	7:37:41	0.061	0.013	13
9/21/2007	7:52:41	0.063	0.015	15
9/21/2007	8:07:41	0.065	0.017	17
9/21/2007	8:22:41	0.06	0.012	12
9/21/2007	8:37:41	0.058	0.01	10
9/21/2007	8:52:41	0.057	0.009	9
9/21/2007	9:07:41	0.061	0.013	13
9/21/2007	9:22:41	0.058	0.01	10
9/21/2007	9:37:41	0.058	0.01	10
9/21/2007	9:52:41	0.056	0.008	8
9/21/2007	10:07:41	0.05	0.002	2
9/21/2007	10:22:41	0.049	0.001	1
9/21/2007	10:37:41	0.052	0.004	4
9/21/2007	10:52:41	0.055	0.007	7
9/21/2007	11:07:41	0.057	0.009	9
9/21/2007	11:22:41	0.059	0.011	11
9/21/2007	11:37:41	0.061	0.013	13
9/21/2007	11:52:41	0.061	0.013	13
9/21/2007	12:07:41	0.061	0.013	13
9/21/2007	12:22:41	0.06	0.012	12
9/21/2007	12:37:41	0.058	0.01	10
9/21/2007	12:52:41	0.055	0.007	7
9/21/2007	13:07:41	0.056	0.008	8
9/21/2007	13:22:41	0.051	0.003	3
9/21/2007	13:37:41	0.047	-0.001	-1
9/21/2007	13:52:41	0.043	-0.005	-5
9/21/2007	14:07:41	0.041	-0.007	-7
9/21/2007	14:22:41	0.042	-0.006	-6

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/20/2007 05:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/21/2007 6:00	0		0
2	9/21/2007 6:15	0		0
3	9/21/2007 6:30	0		0
4	9/21/2007 6:45	0		0
5	9/21/2007 7:00	0.1		0.1
6	9/21/2007 7:15	0.5		0.5
7	9/21/2007 7:30	0.2		0.2
8	9/21/2007 7:45	0		0
9	9/21/2007 8:00	0		0
10	9/21/2007 8:15	0		0
11	9/21/2007 8:30	0		0
12	9/21/2007 8:45	0		0
13	9/21/2007 9:00	0		0
14	9/21/2007 9:15	0		0
15	9/21/2007 9:30	0		0
16	9/21/2007 9:45	0		0
17	9/21/2007 10:00	0		0
18	9/21/2007 10:15	0		0
19	9/21/2007 10:30	0		0
20	9/21/2007 10:45	0		0
21	9/21/2007 11:00	0		0
22	9/21/2007 11:15	0		0
23	9/21/2007 11:30	0		0
24	9/21/2007 11:45	0		0
25	9/21/2007 12:00	0		0
26	9/21/2007 12:15	0		0
27	9/21/2007 12:30	0		0
28	9/21/2007 12:45	0		0
29	9/21/2007 13:00	0		0
30	9/21/2007 13:15	0		0
31	9/21/2007 13:30	0		0
32	9/21/2007 13:45	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	3
Test Abbreviation:	
Start Date:	9/21/2007
Start Time:	5:55:48
Duration (dd:hh:mm:ss):	00:02:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	10
Notes:	

Background Reading (0550) = 0.107 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2007	6:10:48	0.109	0.002	2
9/21/2007	6:25:48	0.106	-0.001	-1
9/21/2007	6:40:48	0.102	-0.005	-5
9/21/2007	6:55:48	0.109	0.002	2
9/21/2007	7:10:48	0.115	0.008	8
9/21/2007	7:25:48	0.119	0.012	12
9/21/2007	7:40:48	0.131	0.024	24
9/21/2007	7:55:48	0.135	0.028	28
9/21/2007	8:10:48	0.116	0.009	9
9/21/2007	8:25:48	0.112	0.005	5
9/21/2007	8:43:53	0.107	0	0
9/21/2007	8:58:53	0.111	0.004	4
9/21/2007	9:13:53	0.121	0.014	14
9/21/2007	9:28:53	0.102	-0.005	-5
9/21/2007	9:43:53	0.11	0.003	3
9/21/2007	9:58:53	0.106	-0.001	-1
9/21/2007	10:13:53	0.093	-0.014	-14
9/21/2007	10:28:53	0.097	-0.01	-10
9/21/2007	10:43:53	0.102	-0.005	-5
9/21/2007	10:58:53	0.109	0.002	2
9/21/2007	11:13:53	0.114	0.007	7
9/21/2007	11:28:53	0.116	0.009	9
9/21/2007	11:43:53	0.116	0.009	9
9/21/2007	11:58:53	0.109	0.002	2
9/21/2007	12:13:53	0.121	0.014	14
9/21/2007	12:28:53	0.112	0.005	5
9/21/2007	12:43:53	0.113	0.006	6
9/21/2007	12:58:53	0.11	0.003	3
9/21/2007	13:13:53	0.104	-0.003	-3
9/21/2007	13:28:53	0.096	-0.011	-11
9/21/2007	13:43:53	0.086	-0.021	-21
9/21/2007	13:58:53	0.081	-0.026	-26
9/21/2007	14:13:53	0.079	-0.028	-28

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/21/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/21/2007 6:12	0		0
2	9/21/2007 6:27	0		0
3	9/21/2007 6:42	0		0
4	9/21/2007 6:57	0		0
5	9/21/2007 7:12	0		0
6	9/21/2007 7:27	0		0
7	9/21/2007 7:42	0		0
8	9/21/2007 7:57	0		0
9	9/21/2007 8:12	0		0
10	9/21/2007 8:27	0		0
11	9/21/2007 8:42	0		0
12	9/21/2007 8:57	0		0
13	9/21/2007 9:12	0		0
14	9/21/2007 9:27	0		0
15	9/21/2007 9:42	0		0
16	9/21/2007 9:57	0		0
17	9/21/2007 10:12	0		0
18	9/21/2007 10:27	0		0
19	9/21/2007 10:42	0		0
20	9/21/2007 10:57	0		0
21	9/21/2007 11:12	0		0
22	9/21/2007 11:27	0		0
23	9/21/2007 11:42	0		0
24	9/21/2007 11:57	0		0
25	9/21/2007 12:12	0		0
26	9/21/2007 12:27	0		0
27	9/21/2007 12:42	0		0
28	9/21/2007 12:57	0		0
29	9/21/2007 13:12	0		0
30	9/21/2007 13:27	0		0
31	9/21/2007 13:42	0		0
32	9/21/2007 13:57	0		0
33	9/21/2007 14:12	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	4
Test Abbreviation:	
Start Date:	9/21/2007
Start Time:	5:48:11
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0545) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/21/2007	6:03:11	0.007	0.001	1
9/21/2007	6:18:11	0.008	0.002	2
9/21/2007	6:33:11	0.008	0.002	2
9/21/2007	6:48:11	0.007	0.001	1
9/21/2007	7:03:11	0.008	0.002	2
9/21/2007	7:18:11	0.008	0.002	2
9/21/2007	7:33:11	0.009	0.003	3
9/21/2007	7:48:11	0.011	0.005	5
9/21/2007	8:03:11	0.009	0.003	3
9/21/2007	8:18:11	0.008	0.002	2
9/21/2007	8:33:11	0.008	0.002	2
9/21/2007	8:48:11	0.008	0.002	2
9/21/2007	9:03:11	0.008	0.002	2
9/21/2007	9:18:11	0.008	0.002	2
9/21/2007	9:33:11	0.007	0.001	1
9/21/2007	9:48:11	0.007	0.001	1
9/21/2007	10:03:11	0.007	0.001	1
9/21/2007	10:18:11	0.007	0.001	1
9/21/2007	10:33:11	0.007	0.001	1
9/21/2007	10:48:11	0.007	0.001	1
9/21/2007	11:03:11	0.008	0.002	2
9/21/2007	11:18:11	0.008	0.002	2
9/21/2007	11:33:11	0.008	0.002	2
9/21/2007	11:48:11	0.008	0.002	2
9/21/2007	12:03:11	0.008	0.002	2
9/21/2007	12:18:11	0.008	0.002	2
9/21/2007	12:33:11	0.008	0.002	2
9/21/2007	12:48:11	0.008	0.002	2
9/21/2007	13:03:11	0.008	0.002	2
9/21/2007	13:18:11	0.007	0.001	1
9/21/2007	13:33:11	0.007	0.001	1
9/21/2007	13:48:11	0.007	0.001	1
9/21/2007	14:03:11	0.007	0.001	1
9/21/2007	14:18:11	0.007	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/24/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/24/2007 6:08	0		0
2	9/24/2007 6:23	0.1		0.1
3	9/24/2007 6:38	0.3		0.3
4	9/24/2007 6:53	0.4		0.4
5	9/24/2007 7:08	0.5		0.5
6	9/24/2007 7:23	0.7		0.7
7	9/24/2007 7:38	0.7		0.7
8	9/24/2007 7:53	0.7		0.7
9	9/24/2007 8:08	0.7		0.7
10	9/24/2007 8:23	0.6		0.6
11	9/24/2007 8:38	0.6		0.6
12	9/24/2007 8:53	0.7		0.7
13	9/24/2007 9:08	0.6		0.6
14	9/24/2007 9:23	0.7		0.7
15	9/24/2007 9:38	0.6		0.6
16	9/24/2007 9:53	0.6		0.6
17	9/24/2007 10:08	0.6		0.6
18	9/24/2007 10:23	0.6		0.6
19	9/24/2007 10:38	0.6		0.6
20	9/24/2007 10:53	0.5		0.5
21	9/24/2007 11:08	0.5		0.5
22	9/24/2007 11:23	0.5		0.5
23	9/24/2007 11:38	0.5		0.5
24	9/24/2007 11:53	0.4		0.4
25	9/24/2007 12:08	0.4		0.4
26	9/24/2007 12:23	0.4		0.4
27	9/24/2007 12:38	0.5		0.5
28	9/24/2007 12:53	0.5		0.5
29	9/24/2007 13:08	0.6		0.6
30	9/24/2007 13:23	0.6		0.6
31	9/24/2007 13:38	0.5		0.5
32	9/24/2007 13:53	0.5		0.5
33	9/24/2007 14:08	0.4		0.4
34	9/24/2007 14:23	0.3		0.3
35	9/24/2007 14:38	0.3		0.3
36	9/24/2007 14:53	0.3		0.3

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/24/2007
Start Time:	5:57:45
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0550) = 0.004 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/24/2007	6:12:45	0.004	0	0
9/24/2007	6:27:45	0.004	0	0
9/24/2007	6:42:45	0.004	0	0
9/24/2007	6:57:45	0.006	0.002	2
9/24/2007	7:12:45	0.008	0.004	4
9/24/2007	7:27:45	0.006	0.002	2
9/24/2007	7:42:45	0.005	0.001	1
9/24/2007	7:57:45	0.008	0.004	4
9/24/2007	8:12:45	0.008	0.004	4
9/24/2007	8:27:45	0.007	0.003	3
9/24/2007	8:42:45	0.006	0.002	2
9/24/2007	8:57:45	0.006	0.002	2
9/24/2007	9:12:45	0.005	0.001	1
9/24/2007	9:27:45	0.005	0.001	1
9/24/2007	9:42:45	0.01	0.006	6
9/24/2007	9:57:45	0.007	0.003	3
9/24/2007	10:12:45	0.004	0	0
9/24/2007	10:27:45	0.005	0.001	1
9/24/2007	10:42:45	0.005	0.001	1
9/24/2007	10:57:45	0.004	0	0
9/24/2007	11:12:45	0.004	0	0
9/24/2007	11:27:45	0.004	0	0
9/24/2007	11:42:45	0.007	0.003	3
9/24/2007	11:57:45	0.007	0.003	3
9/24/2007	12:12:45	0.004	0	0
9/24/2007	12:27:45	0.004	0	0
9/24/2007	12:42:45	0.002	-0.002	-2
9/24/2007	12:57:45	0.002	-0.002	-2
9/24/2007	13:12:45	0.002	-0.002	-2
9/24/2007	13:27:45	0.002	-0.002	-2
9/24/2007	13:42:45	0.003	-0.001	-1
9/24/2007	13:57:45	0.004	0	0
9/24/2007	14:12:45	0.007	0.003	3
9/24/2007	14:27:45	0.006	0.002	2
9/24/2007	14:42:45	0.007	0.003	3
9/24/2007	14:57:45	0.007	0.003	3
9/24/2007	15:12:45	0.006	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/24/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0556) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/24/2007 6:18	0.3		0.3
2	9/24/2007 6:33	0.3		0.3
3	9/24/2007 6:48	0.4		0.4
4	9/24/2007 7:03	0.4		0.4
5	9/24/2007 7:18	0.4		0.4
6	9/24/2007 7:33	0.4		0.4
7	9/24/2007 7:48	0.4		0.4
1	9/24/2007 8:19	0		0
2	9/24/2007 8:34	0		0
3	9/24/2007 8:49	0		0
4	9/24/2007 9:04	0		0
5	9/24/2007 9:19	0		0
6	9/24/2007 9:34	0.1		0.1
7	9/24/2007 9:49	0.1		0.1
8	9/24/2007 10:04	0.1		0.1
9	9/24/2007 10:19	0.1		0.1
10	9/24/2007 10:34	0.1		0.1
11	9/24/2007 10:49	0.1		0.1
12	9/24/2007 11:04	0.1		0.1
13	9/24/2007 11:19	0.1		0.1
14	9/24/2007 11:34	0.2		0.2
15	9/24/2007 11:49	0.2		0.2
16	9/24/2007 12:04	0.2		0.2
17	9/24/2007 12:19	0.2		0.2
18	9/24/2007 12:34	0.3		0.3
19	9/24/2007 12:49	0.3		0.3
20	9/24/2007 13:04	0.3		0.3
21	9/24/2007 13:19	0.5		0.5
22	9/24/2007 13:34	0.5		0.5
23	9/24/2007 13:49	0.5		0.5
24	9/24/2007 14:04	0.4		0.4
25	9/24/2007 14:19	0.4		0.4
26	9/24/2007 14:34	0.4		0.4
27	9/24/2007 14:49	0.4		0.4
28	9/24/2007 15:04	0.4		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/24/2007
Start Time:	6:03:49
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0556) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/24/2007	6:18:49	0.008	-0.011	-11
9/24/2007	6:33:49	0.007	-0.012	-12
9/24/2007	6:48:49	0.007	-0.012	-12
9/24/2007	7:03:49	0.009	-0.01	-10
9/24/2007	7:18:49	0.009	-0.01	-10
9/24/2007	7:33:49	0.01	-0.009	-9
9/24/2007	7:48:49	0.013	-0.006	-6
9/24/2007	8:03:49	0.014	-0.005	-5
9/24/2007	8:18:49	0.013	-0.006	-6
9/24/2007	8:33:49	0.014	-0.005	-5
9/24/2007	8:48:49	0.012	-0.007	-7
9/24/2007	9:03:49	0.012	-0.007	-7
9/24/2007	9:18:49	0.009	-0.01	-10
9/24/2007	9:33:49	0.009	-0.01	-10
9/24/2007	9:48:49	0.009	-0.01	-10
9/24/2007	10:03:49	0.009	-0.01	-10
9/24/2007	10:18:49	0.009	-0.01	-10
9/24/2007	10:33:49	0.01	-0.009	-9
9/24/2007	10:48:49	0.01	-0.009	-9
9/24/2007	11:03:49	0.01	-0.009	-9
9/24/2007	11:18:49	0.01	-0.009	-9
9/24/2007	11:33:49	0.01	-0.009	-9
9/24/2007	11:48:49	0.011	-0.008	-8
9/24/2007	12:03:49	0.009	-0.01	-10
9/24/2007	12:18:49	0.009	-0.01	-10
9/24/2007	12:33:49	0.009	-0.01	-10
9/24/2007	12:48:49	0.008	-0.011	-11
9/24/2007	13:03:49	0.008	-0.011	-11
9/24/2007	13:18:49	0.008	-0.011	-11
9/24/2007	13:33:49	0.01	-0.009	-9
9/24/2007	13:48:49	0.012	-0.007	-7
9/24/2007	14:03:49	0.011	-0.008	-8
9/24/2007	14:18:49	0.014	-0.005	-5
9/24/2007	14:33:49	0.016	-0.003	-3
9/24/2007	14:48:49	0.015	-0.004	-4
9/24/2007	15:03:49	0.017	-0.002	-2
9/24/2007	15:18:49	0.015	-0.004	-4

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/24/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0630) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/24/2007 6:43	0		0
2	9/24/2007 6:58	0		0
3	9/24/2007 7:13	0		0
4	9/24/2007 7:28	0		0
5	9/24/2007 7:43	0		0
6	9/24/2007 7:58	0		0
7	9/24/2007 8:13	0		0
8	9/24/2007 8:28	0		0
9	9/24/2007 8:43	0		0
10	9/24/2007 8:58	0		0
11	9/24/2007 9:13	0		0
12	9/24/2007 9:28	0		0
13	9/24/2007 9:43	0		0
14	9/24/2007 9:58	0		0
15	9/24/2007 10:13	0		0
16	9/24/2007 10:28	0		0
17	9/24/2007 10:43	0		0
18	9/24/2007 10:58	0		0
19	9/24/2007 11:13	0		0
20	9/24/2007 11:28	0		0
21	9/24/2007 11:43	0		0
22	9/24/2007 11:58	0		0
23	9/24/2007 12:13	0		0
24	9/24/2007 12:28	0		0
25	9/24/2007 12:43	0		0
26	9/24/2007 12:58	0		0
27	9/24/2007 13:13	0		0
28	9/24/2007 13:28	0		0
29	9/24/2007 13:43	0		0
30	9/24/2007 13:58	0		0
31	9/24/2007 14:13	0		0
32	9/24/2007 14:28	0		0
33	9/24/2007 14:43	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/24/2007
Start Time:	6:37:34
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0630) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/24/2007	6:52:34	0.014	-0.004	-4
9/24/2007	7:07:34	0.015	-0.003	-3
9/24/2007	7:22:34	0.015	-0.003	-3
9/24/2007	7:37:34	0.017	-0.001	-1
9/24/2007	7:52:34	0.021	0.003	3
9/24/2007	8:07:34	0.025	0.007	7
9/24/2007	8:22:34	0.023	0.005	5
9/24/2007	8:37:34	0.023	0.005	5
9/24/2007	8:52:34	0.025	0.007	7
9/24/2007	9:07:34	0.021	0.003	3
9/24/2007	9:22:34	0.016	-0.002	-2
9/24/2007	9:37:34	0.016	-0.002	-2
9/24/2007	9:52:34	0.014	-0.004	-4
9/24/2007	10:07:34	0.016	-0.002	-2
9/24/2007	10:22:34	0.016	-0.002	-2
9/24/2007	10:37:34	0.018	0	0
9/24/2007	10:52:34	0.018	0	0
9/24/2007	11:07:34	0.019	0.001	1
9/24/2007	11:22:34	0.02	0.002	2
9/24/2007	11:37:34	0.019	0.001	1
9/24/2007	11:52:34	0.019	0.001	1
9/24/2007	12:07:34	0.016	-0.002	-2
9/24/2007	12:22:34	0.015	-0.003	-3
9/24/2007	12:37:34	0.012	-0.006	-6
9/24/2007	12:52:34	0.011	-0.007	-7
9/24/2007	13:07:34	0.013	-0.005	-5
9/24/2007	13:22:34	0.013	-0.005	-5
9/24/2007	13:37:34	0.017	-0.001	-1
9/24/2007	13:52:34	0.018	0	0
9/24/2007	14:07:34	0.02	0.002	2
9/24/2007	14:22:34	0.027	0.009	9
9/24/2007	14:37:34	0.027	0.009	9
9/24/2007	14:52:34	0.026	0.008	8
9/24/2007	15:07:34	0.028	0.01	10

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/24/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0628) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/24/2007 6:55	0		0
2	9/24/2007 7:10	0		0
3	9/24/2007 7:25	0		0
4	9/24/2007 7:40	0		0
5	9/24/2007 7:55	0		0
6	9/24/2007 8:10	0		0
7	9/24/2007 8:25	0		0
8	9/24/2007 8:40	0		0
9	9/24/2007 8:55	0		0
10	9/24/2007 9:10	0		0
11	9/24/2007 9:25	0		0
12	9/24/2007 9:40	0		0
13	9/24/2007 9:55	0		0
14	9/24/2007 10:10	0		0
15	9/24/2007 10:25	0		0
16	9/24/2007 10:40	0		0
17	9/24/2007 10:55	0		0
18	9/24/2007 11:10	0		0
19	9/24/2007 11:25	0		0
20	9/24/2007 11:40	0		0
21	9/24/2007 11:55	0		0
22	9/24/2007 12:10	0		0
23	9/24/2007 12:25	0		0
24	9/24/2007 12:40	0		0
25	9/24/2007 12:55	0		0
26	9/24/2007 13:10	0		0
27	9/24/2007 13:25	0		0
28	9/24/2007 13:40	0		0
29	9/24/2007 13:55	0		0
30	9/24/2007 14:10	0		0
31	9/24/2007 14:25	0		0
32	9/24/2007 14:40	0		0
33	9/24/2007 14:55	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/24/2007
Start Time:	6:32:08
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0628) = 0.001 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/24/2007	6:47:08	0.002	0.001	1
9/24/2007	7:02:08	0.002	0.001	1
9/24/2007	7:17:08	0.002	0.001	1
9/24/2007	7:32:08	0.002	0.001	1
9/24/2007	7:47:08	0.002	0.001	1
9/24/2007	8:02:08	0.003	0.002	2
9/24/2007	8:17:08	0.002	0.001	1
9/24/2007	8:32:08	0.002	0.001	1
9/24/2007	8:47:08	0.002	0.001	1
9/24/2007	9:02:08	0.002	0.001	1
9/24/2007	9:17:08	0.002	0.001	1
9/24/2007	9:32:08	0.002	0.001	1
9/24/2007	9:47:08	0.002	0.001	1
9/24/2007	10:02:08	0.002	0.001	1
9/24/2007	10:17:08	0.002	0.001	1
9/24/2007	10:32:08	0.002	0.001	1
9/24/2007	10:47:08	0.002	0.001	1
9/24/2007	11:02:08	0.002	0.001	1
9/24/2007	11:17:08	0.002	0.001	1
9/24/2007	11:32:08	0.002	0.001	1
9/24/2007	11:47:08	0.002	0.001	1
9/24/2007	12:02:08	0.002	0.001	1
9/24/2007	12:17:08	0.002	0.001	1
9/24/2007	12:32:08	0.002	0.001	1
9/24/2007	12:47:08	0.002	0.001	1
9/24/2007	13:02:08	0.002	0.001	1
9/24/2007	13:17:08	0.002	0.001	1
9/24/2007	13:32:08	0.002	0.001	1
9/24/2007	13:47:08	0.002	0.001	1
9/24/2007	14:02:08	0.002	0.001	1
9/24/2007	14:17:08	0.003	0.002	2
9/24/2007	14:32:08	0.003	0.002	2
9/24/2007	14:47:08	0.003	0.002	2
9/24/2007	15:02:08	0.003	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/25/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/25/2007 6:07	0.2		0.2
2	9/25/2007 6:22	0.4		0.4
3	9/25/2007 6:37	0.6		0.6
4	9/25/2007 6:52	0.7		0.7
5	9/25/2007 7:07	0.7		0.7
6	9/25/2007 7:22	0.7		0.7
7	9/25/2007 7:37	0.8		0.8
8	9/25/2007 7:52	0.8		0.8
9	9/25/2007 8:07	0.9		0.9
10	9/25/2007 8:22	0.9		0.9
11	9/25/2007 8:37	1		1
12	9/25/2007 8:52	1		1
13	9/25/2007 9:07	1		1
14	9/25/2007 9:22	1.1		1.1
15	9/25/2007 9:37	1		1
1	9/25/2007 10:08	0		0
2	9/25/2007 10:23	0		0
3	9/25/2007 10:38	0		0
4	9/25/2007 10:53	0		0
5	9/25/2007 11:08	0		0
6	9/25/2007 11:23	0		0
7	9/25/2007 11:38	0		0
8	9/25/2007 11:53	0		0
9	9/25/2007 12:08	0		0
10	9/25/2007 12:23	0		0
11	9/25/2007 12:38	0		0
12	9/25/2007 12:53	0		0
13	9/25/2007 13:08	0		0
14	9/25/2007 13:23	0		0
15	9/25/2007 13:38	0		0
16	9/25/2007 13:53	0		0
17	9/25/2007 14:08	0		0
18	9/25/2007 14:23	0		0
19	9/25/2007 14:38	0		0
20	9/25/2007 14:53	0		0
21	9/25/2007 15:08	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/25/2007
Start Time:	5:56:35
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0550) = 0.008 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2007	6:11:35	0.009	0.001	1
9/25/2007	6:26:35	0.009	0.001	1
9/25/2007	6:41:35	0.009	0.001	1
9/25/2007	6:56:35	0.009	0.001	1
9/25/2007	7:11:35	0.012	0.004	4
9/25/2007	7:26:35	0.012	0.004	4
9/25/2007	7:41:35	0.012	0.004	4
9/25/2007	7:56:35	0.013	0.005	5
9/25/2007	8:11:35	0.011	0.003	3
9/25/2007	8:26:35	0.011	0.003	3
9/25/2007	8:41:35	0.012	0.004	4
9/25/2007	8:56:35	0.012	0.004	4
9/25/2007	9:11:35	0.013	0.005	5
9/25/2007	9:26:35	0.012	0.004	4
9/25/2007	9:41:35	0.03	0.022	22
9/25/2007	9:56:35	0.012	0.004	4
9/25/2007	10:11:35	0.012	0.004	4
9/25/2007	10:26:35	0.01	0.002	2
9/25/2007	10:41:35	0.01	0.002	2
9/25/2007	10:56:35	0.01	0.002	2
9/25/2007	11:11:35	0.009	0.001	1
9/25/2007	11:26:35	0.011	0.003	3
9/25/2007	11:41:35	0.012	0.004	4
9/25/2007	11:56:35	0.01	0.002	2
9/25/2007	12:11:35	0.011	0.003	3
9/25/2007	12:26:35	0.01	0.002	2
9/25/2007	12:41:35	0.016	0.008	8
9/25/2007	12:56:35	0.015	0.007	7
9/25/2007	13:11:35	0.015	0.007	7
9/25/2007	13:26:35	0.015	0.007	7
9/25/2007	13:41:35	0.009	0.001	1
9/25/2007	13:56:35	0.011	0.003	3
9/25/2007	14:11:35	0.012	0.004	4
9/25/2007	14:26:35	0.011	0.003	3
9/25/2007	14:41:35	0.012	0.004	4
9/25/2007	14:56:35	0.012	0.004	4
9/25/2007	15:11:35	0.012	0.004	4
9/25/2007	15:26:35	0.014	0.006	6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 8 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/25/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/25/2007 6:16	0		0
2	9/25/2007 6:31	0.2		0.2
3	9/25/2007 6:46	0.3		0.3
4	9/25/2007 7:01	0.4		0.4
5	9/25/2007 7:16	0.5		0.5
6	9/25/2007 7:31	0.6		0.6
7	9/25/2007 7:46	0.6		0.6
8	9/25/2007 8:01	0.7		0.7
1	9/25/2007 8:31	0		0
2	9/25/2007 8:46	0		0
3	9/25/2007 9:01	0.1		0.1
4	9/25/2007 9:16	0.1		0.1
5	9/25/2007 9:31	0.1		0.1
6	9/25/2007 9:46	0.2		0.2
7	9/25/2007 10:01	0.2		0.2
8	9/25/2007 10:16	0.3		0.3
9	9/25/2007 10:31	0.3		0.3
10	9/25/2007 10:46	0.3		0.3
11	9/25/2007 11:01	0.3		0.3
1	9/25/2007 11:32	0		0
2	9/25/2007 11:47	0		0
3	9/25/2007 12:02	0		0
4	9/25/2007 12:17	0.1		0.1
5	9/25/2007 12:32	0.1		0.1
6	9/25/2007 12:47	0.1		0.1
7	9/25/2007 13:02	0.1		0.1
8	9/25/2007 13:17	0.1		0.1
9	9/25/2007 13:32	0.1		0.1
10	9/25/2007 13:47	0.1		0.1
11	9/25/2007 14:02	0.1		0.1
12	9/25/2007 14:17	0.1		0.1
13	9/25/2007 14:32	0.1		0.1
14	9/25/2007 14:47	0.1		0.1
15	9/25/2007 15:02	0.1		0.1
16	9/25/2007 15:17	0.1		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/25/2007
Start Time:	6:01:47
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	

Background Reading (0555) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2007	6:16:47	0.013	0.001	1
9/25/2007	6:31:47	0.012	0	0
9/25/2007	6:46:47	0.013	0.001	1
9/25/2007	7:01:47	0.013	0.001	1
9/25/2007	7:16:47	0.016	0.004	4
9/25/2007	7:31:47	0.017	0.005	5
9/25/2007	7:46:47	0.018	0.006	6
9/25/2007	8:01:47	0.018	0.006	6
9/25/2007	8:16:47	0.016	0.004	4
9/25/2007	8:31:47	0.017	0.005	5
9/25/2007	8:46:47	0.019	0.007	7
9/25/2007	9:01:47	0.018	0.006	6
9/25/2007	9:16:47	0.019	0.007	7
9/25/2007	9:31:47	0.016	0.004	4
9/25/2007	9:46:47	0.018	0.006	6
9/25/2007	10:01:47	0.019	0.007	7
9/25/2007	10:16:47	0.018	0.006	6
9/25/2007	10:31:47	0.017	0.005	5
9/25/2007	10:46:47	0.018	0.006	6
9/25/2007	11:01:47	0.017	0.005	5
9/25/2007	11:16:47	0.017	0.005	5
9/25/2007	11:31:47	0.018	0.006	6
9/25/2007	11:46:47	0.019	0.007	7
9/25/2007	12:01:47	0.018	0.006	6
9/25/2007	12:16:47	0.018	0.006	6
9/25/2007	12:31:47	0.018	0.006	6
9/25/2007	12:46:47	0.022	0.01	10
9/25/2007	13:01:47	0.019	0.007	7
9/25/2007	13:16:47	0.02	0.008	8
9/25/2007	13:31:47	0.02	0.008	8
9/25/2007	13:46:47	0.021	0.009	9
9/25/2007	14:01:47	0.021	0.009	9
9/25/2007	14:16:47	0.021	0.009	9
9/25/2007	14:31:47	0.022	0.01	10
9/25/2007	14:46:47	0.023	0.011	11
9/25/2007	15:01:47	0.024	0.012	12
9/25/2007	15:16:47	0.025	0.013	13
9/25/2007	15:31:47	0.026	0.014	14

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011740
User ID: 00000001 Site ID: 00000003
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/25/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0608) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/25/2007 6:21	0		0
2	9/25/2007 6:36	0		0
3	9/25/2007 6:51	0		0
4	9/25/2007 7:06	0		0
5	9/25/2007 7:21	0		0
6	9/25/2007 7:36	0		0
7	9/25/2007 7:51	0		0
8	9/25/2007 8:06	0		0
9	9/25/2007 8:21	0		0
10	9/25/2007 8:36	0		0
11	9/25/2007 8:51	0		0
12	9/25/2007 9:06	0		0
13	9/25/2007 9:21	0		0
14	9/25/2007 9:36	0		0
15	9/25/2007 9:51	0		0
16	9/25/2007 10:06	0		0
17	9/25/2007 10:21	0		0
18	9/25/2007 10:36	0		0
19	9/25/2007 10:51	0		0
20	9/25/2007 11:06	0		0
21	9/25/2007 11:21	0		0
22	9/25/2007 11:36	0		0
23	9/25/2007 11:51	0		0
24	9/25/2007 12:06	0		0
25	9/25/2007 12:21	0		0
26	9/25/2007 12:36	0		0
27	9/25/2007 12:51	0		0
28	9/25/2007 13:06	0		0
29	9/25/2007 13:21	0		0
30	9/25/2007 13:36	0		0
31	9/25/2007 13:51	0		0
32	9/25/2007 14:06	0		0
33	9/25/2007 14:21	0		0
34	9/25/2007 14:36	0		0
35	9/25/2007 14:51	0		0
36	9/25/2007 15:06	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/25/2007
Start Time:	6:15:12
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0608) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2007	6:30:12	0.013	-0.009	-9
9/25/2007	6:45:12	0.009	-0.013	-13
9/25/2007	7:00:12	0.009	-0.013	-13
9/25/2007	7:15:12	0.011	-0.011	-11
9/25/2007	7:30:12	0.028	0.006	6
9/25/2007	7:45:12	0.035	0.013	13
9/25/2007	8:00:12	0.035	0.013	13
9/25/2007	8:15:12	0.036	0.014	14
9/25/2007	8:30:12	0.033	0.011	11
9/25/2007	8:45:12	0.038	0.016	16
9/25/2007	9:00:12	0.037	0.015	15
9/25/2007	9:15:12	0.04	0.018	18
9/25/2007	9:30:12	0.033	0.011	11
9/25/2007	9:45:12	0.037	0.015	15
9/25/2007	10:00:12	0.04	0.018	18
9/25/2007	10:15:12	0.037	0.015	15
9/25/2007	10:30:12	0.036	0.014	14
9/25/2007	10:45:12	0.037	0.015	15
9/25/2007	11:00:12	0.036	0.014	14
9/25/2007	11:15:12	0.034	0.012	12
9/25/2007	11:30:12	0.033	0.011	11
9/25/2007	11:45:12	0.041	0.019	19
9/25/2007	12:00:12	0.042	0.02	20
9/25/2007	12:15:12	0.042	0.02	20
9/25/2007	12:30:12	0.036	0.014	14
9/25/2007	12:45:12	0.039	0.017	17
9/25/2007	13:00:12	0.042	0.02	20
9/25/2007	13:15:12	0.041	0.019	19
9/25/2007	13:30:12	0.039	0.017	17
9/25/2007	13:45:12	0.039	0.017	17
9/25/2007	14:00:12	0.041	0.019	19
9/25/2007	14:15:12	0.041	0.019	19
9/25/2007	14:30:12	0.044	0.022	22
9/25/2007	14:45:12	0.04	0.018	18
9/25/2007	15:00:12	0.047	0.025	25
9/25/2007	15:15:12	0.045	0.023	23
9/25/2007	15:30:12	0.05	0.028	28

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/25/2007 05:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/25/2007 6:32	0		0
2	9/25/2007 6:47	0		0
3	9/25/2007 7:02	0		0
4	9/25/2007 7:17	0		0
5	9/25/2007 7:32	0		0
6	9/25/2007 7:47	0		0
7	9/25/2007 8:02	0		0
8	9/25/2007 8:17	0		0
9	9/25/2007 8:32	0		0
10	9/25/2007 8:47	0		0
11	9/25/2007 9:02	0		0
12	9/25/2007 9:17	0		0
13	9/25/2007 9:32	0		0
14	9/25/2007 9:47	0		0
15	9/25/2007 10:02	0		0
16	9/25/2007 10:17	0		0
17	9/25/2007 10:32	0		0
18	9/25/2007 10:47	0		0
19	9/25/2007 11:02	0		0
20	9/25/2007 11:17	0		0
21	9/25/2007 11:32	0		0
22	9/25/2007 11:47	0		0
23	9/25/2007 12:02	0		0
24	9/25/2007 12:17	0		0
25	9/25/2007 12:32	0		0
26	9/25/2007 12:47	0		0
27	9/25/2007 13:02	0		0
28	9/25/2007 13:17	0		0
29	9/25/2007 13:32	0		0
30	9/25/2007 13:47	0		0
31	9/25/2007 14:02	0		0
32	9/25/2007 14:17	0		0
33	9/25/2007 14:32	0		0
34	9/25/2007 14:47	0		0
35	9/25/2007 15:02	0		0
36	9/25/2007 15:17	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	9/25/2007
Start Time:	6:07:50
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	

Background Reading (0604) = 0.002 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/25/2007	6:22:50	0.003	0.001	1
9/25/2007	7:32:18	0.004	0.002	2
9/25/2007	7:47:18	0.004	0.002	2
9/25/2007	8:02:18	0.004	0.002	2
9/25/2007	8:17:18	0.004	0.002	2
9/25/2007	8:32:18	0.003	0.001	1
9/25/2007	8:47:18	0.004	0.002	2
9/25/2007	9:02:18	0.004	0.002	2
9/25/2007	9:17:18	0.003	0.001	1
9/25/2007	9:32:18	0.003	0.001	1
9/25/2007	9:47:18	0.004	0.002	2
9/25/2007	10:02:18	0.004	0.002	2
9/25/2007	10:17:18	0.004	0.002	2
9/25/2007	10:32:18	0.004	0.002	2
9/25/2007	10:47:18	0.004	0.002	2
9/25/2007	11:02:18	0.003	0.001	1
9/25/2007	11:17:18	0.004	0.002	2
9/25/2007	11:32:18	0.004	0.002	2
9/25/2007	11:47:18	0.004	0.002	2
9/25/2007	12:02:18	0.004	0.002	2
9/25/2007	12:17:18	0.003	0.001	1
9/25/2007	12:32:18	0.004	0.002	2
9/25/2007	12:47:18	0.004	0.002	2
9/25/2007	13:02:18	0.004	0.002	2
9/25/2007	13:17:18	0.004	0.002	2
9/25/2007	13:32:18	0.004	0.002	2
9/25/2007	13:47:18	0.003	0.001	1
9/25/2007	14:02:18	0.003	0.001	1
9/25/2007	14:17:18	0.004	0.002	2
9/25/2007	14:32:18	0.004	0.002	2
9/25/2007	14:47:18	0.004	0.002	2
9/25/2007	15:02:18	0.004	0.002	2
9/25/2007	15:17:18	0.004	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/26/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/26/2007 6:17	0.4		0.4
2	9/26/2007 6:32	0.6		0.6
3	9/26/2007 6:47	0.8		0.8
4	9/26/2007 7:02	0.8		0.8
5	9/26/2007 7:17	0.9		0.9
1	9/26/2007 7:47	0		0
2	9/26/2007 8:02	0		0
3	9/26/2007 8:17	0		0
4	9/26/2007 8:32	0		0
5	9/26/2007 8:47	0		0
6	9/26/2007 9:02	0.1		0.1
7	9/26/2007 9:17	0.1		0.1
8	9/26/2007 9:32	0.1		0.1
9	9/26/2007 9:47	0.1		0.1
10	9/26/2007 10:02	0.1		0.1
11	9/26/2007 10:17	0.1		0.1
12	9/26/2007 10:32	0.1		0.1
13	9/26/2007 10:47	0.1		0.1
14	9/26/2007 11:02	0.1		0.1
15	9/26/2007 11:17	0.1		0.1
16	9/26/2007 11:32	0.1		0.1
17	9/26/2007 11:47	0		0
18	9/26/2007 12:02	0		0
19	9/26/2007 12:17	0		0
20	9/26/2007 12:32	0		0
21	9/26/2007 12:47	0		0
22	9/26/2007 13:02	0		0
23	9/26/2007 13:17	0		0
24	9/26/2007 13:32	0		0
25	9/26/2007 13:47	0		0
26	9/26/2007 14:02	0		0
27	9/26/2007 14:17	0		0
28	9/26/2007 14:32	0		0
29	9/26/2007 14:47	0		0
30	9/26/2007 15:02	0		0

STATION 1 (SOUTHERN PERIMETER)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/26/2007
Start Time:	6:06:12
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0600) = 0.022 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2007	6:21:12	0.021	-0.001	-1
9/26/2007	6:36:12	0.019	-0.003	-3
9/26/2007	6:51:12	0.021	-0.001	-1
9/26/2007	7:06:12	0.025	0.003	3
9/26/2007	7:21:12	0.021	-0.001	-1
9/26/2007	7:36:12	0.021	-0.001	-1
9/26/2007	7:51:12	0.02	-0.002	-2
9/26/2007	8:06:12	0.019	-0.003	-3
9/26/2007	8:21:12	0.02	-0.002	-2
9/26/2007	8:36:12	0.021	-0.001	-1
9/26/2007	8:51:12	0.021	-0.001	-1
9/26/2007	9:06:12	0.022	0	0
9/26/2007	9:21:12	0.022	0	0
9/26/2007	9:36:12	0.019	-0.003	-3
9/26/2007	9:51:12	0.019	-0.003	-3
9/26/2007	10:06:12	0.019	-0.003	-3
9/26/2007	10:21:12	0.022	0	0
9/26/2007	10:36:12	0.02	-0.002	-2
9/26/2007	10:51:12	0.023	0.001	1
9/26/2007	11:06:12	0.023	0.001	1
9/26/2007	11:21:12	0.03	0.008	8
9/26/2007	11:36:12	0.026	0.004	4
9/26/2007	11:51:12	0.022	0	0
9/26/2007	12:06:12	0.022	0	0
9/26/2007	12:21:12	0.022	0	0
9/26/2007	12:36:12	0.029	0.007	7
9/26/2007	12:51:12	0.021	-0.001	-1
9/26/2007	13:06:12	0.025	0.003	3
9/26/2007	13:21:12	0.021	-0.001	-1
9/26/2007	13:36:12	0.02	-0.002	-2
9/26/2007	13:51:12	0.021	-0.001	-1
9/26/2007	14:06:12	0.019	-0.003	-3
9/26/2007	14:21:12	0.019	-0.003	-3
9/26/2007	14:36:12	0.019	-0.003	-3
9/26/2007	14:51:12	0.02	-0.002	-2
9/26/2007	15:06:12	0.02	-0.002	-2
9/26/2007	15:21:12	0.02	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/26/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/26/2007 6:20	0		0
2	9/26/2007 6:35	0		0
3	9/26/2007 6:50	0		0
4	9/26/2007 7:05	0		0
5	9/26/2007 7:20	0		0
6	9/26/2007 7:35	0.1		0.1
7	9/26/2007 7:50	0.1		0.1
8	9/26/2007 8:05	0.1		0.1
9	9/26/2007 8:20	0.1		0.1
10	9/26/2007 8:35	0.1		0.1
11	9/26/2007 8:50	0.1		0.1
12	9/26/2007 9:05	0.1		0.1
13	9/26/2007 9:20	0.1		0.1
14	9/26/2007 9:35	0.1		0.1
15	9/26/2007 9:50	0.2		0.2
16	9/26/2007 10:05	0.2		0.2
17	9/26/2007 10:20	0.2		0.2
18	9/26/2007 10:35	0.2		0.2
19	9/26/2007 10:50	0.3		0.3
20	9/26/2007 11:05	0.3		0.3
21	9/26/2007 11:20	0.4		0.4
22	9/26/2007 11:35	0.5		0.5
23	9/26/2007 11:50	0.5		0.5
24	9/26/2007 12:05	0.5		0.5
25	9/26/2007 12:20	0.5		0.5
26	9/26/2007 12:35	0.5		0.5
27	9/26/2007 12:50	0.5		0.5
28	9/26/2007 13:05	0.5		0.5
29	9/26/2007 13:20	0.5		0.5
30	9/26/2007 13:35	0.5		0.5
31	9/26/2007 13:50	0.4		0.4
32	9/26/2007 14:05	0.5		0.5
33	9/26/2007 14:20	0.5		0.5
34	9/26/2007 14:35	0.5		0.5
35	9/26/2007 14:50	0.5		0.5
36	9/26/2007 15:05	0.5		0.5

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	9/26/2007
Start Time:	6:04:21
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0555) = 0.026 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2007	6:19:21	0.025	-0.001	-1
9/26/2007	6:34:21	0.024	-0.002	-2
9/26/2007	6:49:21	0.023	-0.003	-3
9/26/2007	7:04:21	0.024	-0.002	-2
9/26/2007	7:19:21	0.024	-0.002	-2
9/26/2007	7:34:21	0.025	-0.001	-1
9/26/2007	7:49:21	0.025	-0.001	-1
9/26/2007	8:04:21	0.025	-0.001	-1
9/26/2007	8:19:21	0.026	0	0
9/26/2007	8:34:21	0.028	0.002	2
9/26/2007	8:49:21	0.029	0.003	3
9/26/2007	9:04:21	0.031	0.005	5
9/26/2007	9:19:21	0.031	0.005	5
9/26/2007	9:34:21	0.031	0.005	5
9/26/2007	9:49:21	0.03	0.004	4
9/26/2007	10:04:21	0.031	0.005	5
9/26/2007	10:19:21	0.032	0.006	6
9/26/2007	10:34:21	0.033	0.007	7
9/26/2007	10:49:21	0.036	0.01	10
9/26/2007	11:04:21	0.036	0.01	10
9/26/2007	11:19:21	0.037	0.011	11
9/26/2007	11:34:21	0.037	0.011	11
9/26/2007	11:49:21	0.038	0.012	12
9/26/2007	12:04:21	0.039	0.013	13
9/26/2007	12:19:21	0.037	0.011	11
9/26/2007	12:34:21	0.037	0.011	11
9/26/2007	12:49:21	0.039	0.013	13
9/26/2007	13:04:21	0.04	0.014	14
9/26/2007	13:19:21	0.041	0.015	15
9/26/2007	13:34:21	0.04	0.014	14
9/26/2007	13:49:21	0.037	0.011	11
9/26/2007	14:04:21	0.036	0.01	10
9/26/2007	14:19:21	0.037	0.011	11
9/26/2007	14:34:21	0.038	0.012	12
9/26/2007	14:49:21	0.039	0.013	13
9/26/2007	15:04:21	0.041	0.015	15
9/26/2007	15:19:21	0.042	0.016	16

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/26/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0620) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/26/2007 6:34	0		0
2	9/26/2007 6:49	0		0
3	9/26/2007 7:04	0		0
4	9/26/2007 7:19	0		0
5	9/26/2007 7:34	0		0
6	9/26/2007 7:49	0		0
7	9/26/2007 8:04	0		0
8	9/26/2007 8:19	0		0
9	9/26/2007 8:34	0		0
10	9/26/2007 8:49	0		0
11	9/26/2007 9:04	0		0
12	9/26/2007 9:19	0		0
13	9/26/2007 9:34	0		0
14	9/26/2007 9:49	0		0
15	9/26/2007 10:04	0		0
16	9/26/2007 10:19	0		0
17	9/26/2007 10:34	0		0
18	9/26/2007 10:49	0		0
19	9/26/2007 11:04	0		0
20	9/26/2007 11:19	0		0
21	9/26/2007 11:34	0		0
22	9/26/2007 11:49	0		0
23	9/26/2007 12:04	0		0
24	9/26/2007 12:19	0		0
25	9/26/2007 12:34	0.1		0.1
26	9/26/2007 12:49	0.1		0.1
27	9/26/2007 13:04	0.1		0.1
28	9/26/2007 13:19	0.1		0.1
29	9/26/2007 13:34	0.1		0.1
30	9/26/2007 13:49	0.1		0.1
31	9/26/2007 14:04	0.1		0.1
32	9/26/2007 14:19	0.1		0.1
33	9/26/2007 14:34	0.1		0.1
34	9/26/2007 14:49	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/26/2007
Start Time:	6:27:04
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0620) = 0.054 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2007	6:42:04	0.056	0.002	2
9/26/2007	6:57:04	0.063	0.009	9
9/26/2007	7:12:04	0.057	0.003	3
9/26/2007	7:27:04	0.058	0.004	4
9/26/2007	7:42:04	0.056	0.002	2
9/26/2007	7:57:04	0.065	0.011	11
9/26/2007	8:12:04	0.069	0.015	15
9/26/2007	8:27:04	0.067	0.013	13
9/26/2007	8:42:04	0.064	0.01	10
9/26/2007	8:57:04	0.068	0.014	14
9/26/2007	9:12:04	0.071	0.017	17
9/26/2007	9:27:04	0.066	0.012	12
9/26/2007	9:42:04	0.069	0.015	15
9/26/2007	9:57:04	0.073	0.019	19
9/26/2007	10:12:04	0.069	0.015	15
9/26/2007	10:27:04	0.07	0.016	16
9/26/2007	10:42:04	0.078	0.024	24
9/26/2007	10:57:04	0.082	0.028	28
9/26/2007	11:12:04	0.081	0.027	27
9/26/2007	11:27:04	0.082	0.028	28
9/26/2007	11:42:04	0.082	0.028	28
9/26/2007	11:57:04	0.092	0.038	38
9/26/2007	12:12:04	0.083	0.029	29
9/26/2007	12:27:04	0.076	0.022	22
9/26/2007	12:42:04	0.076	0.022	22
9/26/2007	12:57:04	0.085	0.031	31
9/26/2007	13:12:04	0.095	0.041	41
9/26/2007	13:27:04	0.084	0.03	30
9/26/2007	13:42:04	0.082	0.028	28
9/26/2007	13:57:04	0.078	0.024	24
9/26/2007	14:12:04	0.076	0.022	22
9/26/2007	14:27:04	0.079	0.025	25
9/26/2007	14:42:04	0.084	0.03	30
9/26/2007	14:57:04	0.089	0.035	35
9/26/2007	15:12:04	0.088	0.034	34

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/26/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/26/2007 6:41	0		0
2	9/26/2007 6:56	0.1		0.1
3	9/26/2007 7:11	0.1		0.1
4	9/26/2007 7:26	0.1		0.1
5	9/26/2007 7:41	0.1		0.1
6	9/26/2007 7:56	0.2		0.2
7	9/26/2007 8:11	0.2		0.2
8	9/26/2007 8:26	0.2		0.2
9	9/26/2007 8:41	0.2		0.2
10	9/26/2007 8:56	0.2		0.2
11	9/26/2007 9:11	0.2		0.2
12	9/26/2007 9:26	0.2		0.2
13	9/26/2007 9:41	0.1		0.1
14	9/26/2007 9:56	0.1		0.1
15	9/26/2007 10:11	0.1		0.1
16	9/26/2007 10:26	0.1		0.1
17	9/26/2007 10:41	0.1		0.1
18	9/26/2007 10:56	0.1		0.1
19	9/26/2007 11:11	0.1		0.1
20	9/26/2007 11:26	0		0
21	9/26/2007 11:41	0		0
22	9/26/2007 11:56	0		0
23	9/26/2007 12:11	0		0
24	9/26/2007 12:26	0		0
25	9/26/2007 12:41	0		0
26	9/26/2007 12:56	0		0
27	9/26/2007 13:11	0		0
28	9/26/2007 13:26	0		0
29	9/26/2007 13:41	0		0
30	9/26/2007 13:56	0		0
31	9/26/2007 14:11	0		0
32	9/26/2007 14:26	0		0
33	9/26/2007 14:41	0		0
34	9/26/2007 14:56	0		0
35	9/26/2007 15:11	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/26/2007
Start Time:	6:16:58
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	7
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0615) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2007	6:31:58	0.008	0	0
9/26/2007	6:46:58	0.007	-0.001	-1
9/26/2007	7:01:58	0.006	-0.002	-2
9/26/2007	7:16:58	0.006	-0.002	-2
9/26/2007	7:31:58	0.006	-0.002	-2
9/26/2007	7:46:58	0.006	-0.002	-2
9/26/2007	8:01:58	0.006	-0.002	-2
9/26/2007	8:16:58	0.006	-0.002	-2
9/26/2007	8:31:58	0.006	-0.002	-2
9/26/2007	8:46:58	0.006	-0.002	-2
9/26/2007	9:01:58	0.006	-0.002	-2
9/26/2007	9:16:58	0.006	-0.002	-2
9/26/2007	9:31:58	0.006	-0.002	-2
9/26/2007	9:46:58	0.005	-0.003	-3
9/26/2007	10:01:58	0.005	-0.003	-3
9/26/2007	10:16:58	0.006	-0.002	-2
9/26/2007	10:31:58	0.006	-0.002	-2
9/26/2007	10:46:58	0.006	-0.002	-2
9/26/2007	11:01:58	0.006	-0.002	-2
9/26/2007	11:16:58	0.007	-0.001	-1
9/26/2007	11:31:58	0.007	-0.001	-1
9/26/2007	11:46:58	0.007	-0.001	-1
9/26/2007	12:01:58	0.006	-0.002	-2
9/26/2007	12:16:58	0.006	-0.002	-2
9/26/2007	12:31:58	0.006	-0.002	-2
9/26/2007	12:46:58	0.006	-0.002	-2
9/26/2007	13:01:58	0.007	-0.001	-1
9/26/2007	13:16:58	0.007	-0.001	-1
9/26/2007	13:31:58	0.006	-0.002	-2
9/26/2007	13:46:58	0.006	-0.002	-2
9/26/2007	14:01:58	0.006	-0.002	-2
9/26/2007	14:16:58	0.006	-0.002	-2
9/26/2007	14:31:58	0.006	-0.002	-2
9/26/2007	14:46:58	0.006	-0.002	-2
9/26/2007	15:01:58	0.006	-0.002	-2
9/26/2007	15:16:58	0.006	-0.002	-2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0544) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/27/2007 6:01	0		0
2	9/27/2007 6:16	0		0
3	9/27/2007 6:31	0		0
4	9/27/2007 6:46	0		0
5	9/27/2007 7:01	0.1		0.1
6	9/27/2007 7:16	0.1		0.1
7	9/27/2007 7:31	0.1		0.1
8	9/27/2007 7:46	0.1		0.1
9	9/27/2007 8:01	0.2		0.2
10	9/27/2007 8:16	0.2		0.2
11	9/27/2007 8:31	0.2		0.2
12	9/27/2007 8:46	0.2		0.2
13	9/27/2007 9:01	0.2		0.2
14	9/27/2007 9:16	0.3		0.3
15	9/27/2007 9:31	0.3		0.3
16	9/27/2007 9:46	0.3		0.3
17	9/27/2007 10:01	0.3		0.3
18	9/27/2007 10:16	0.3		0.3
19	9/27/2007 10:31	0.3		0.3
20	9/27/2007 10:46	0.3		0.3
21	9/27/2007 11:01	0.3		0.3
22	9/27/2007 11:16	0.2		0.2
23	9/27/2007 11:31	0.2		0.2
24	9/27/2007 11:46	0.2		0.2
25	9/27/2007 12:01	0.2		0.2
26	9/27/2007 12:16	0.1		0.1
27	9/27/2007 12:31	0.1		0.1
28	9/27/2007 12:46	0.1		0.1
29	9/27/2007 13:01	0.1		0.1
30	9/27/2007 13:16	0		0
31	9/27/2007 13:31	0		0
32	9/27/2007 13:46	0		0
33	9/27/2007 14:01	0		0
34	9/27/2007 14:16	0		0
35	9/27/2007 14:31	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/27/2007
Start Time:	5:50:20
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0544) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2007	6:05:20	0.032	0.01	10
9/27/2007	6:20:20	0.029	0.007	7
9/27/2007	6:35:20	0.027	0.005	5
9/27/2007	6:50:20	0.026	0.004	4
9/27/2007	7:05:20	0.031	0.009	9
9/27/2007	7:20:20	0.026	0.004	4
9/27/2007	7:35:20	0.026	0.004	4
9/27/2007	7:50:20	0.026	0.004	4
9/27/2007	8:05:20	0.025	0.003	3
9/27/2007	8:20:20	0.026	0.004	4
9/27/2007	8:35:20	0.026	0.004	4
9/27/2007	8:50:20	0.026	0.004	4
9/27/2007	9:05:20	0.025	0.003	3
9/27/2007	9:20:20	0.026	0.004	4
9/27/2007	9:35:20	0.034	0.012	12
9/27/2007	9:50:20	0.027	0.005	5
9/27/2007	10:05:20	0.026	0.004	4
9/27/2007	10:20:20	0.026	0.004	4
9/27/2007	10:35:20	0.027	0.005	5
9/27/2007	10:50:20	0.025	0.003	3
9/27/2007	11:05:20	0.026	0.004	4
9/27/2007	11:20:20	0.026	0.004	4
9/27/2007	11:35:20	0.025	0.003	3
9/27/2007	11:50:20	0.022	0	0
9/27/2007	12:05:20	0.022	0	0
9/27/2007	12:20:20	0.023	0.001	1
9/27/2007	12:35:20	0.021	-0.001	-1
9/27/2007	12:50:20	0.021	-0.001	-1
9/27/2007	13:05:20	0.021	-0.001	-1
9/27/2007	13:20:20	0.02	-0.002	-2
9/27/2007	13:35:20	0.019	-0.003	-3
9/27/2007	13:50:20	0.021	-0.001	-1
9/27/2007	14:05:20	0.018	-0.004	-4
9/27/2007	14:20:20	0.017	-0.005	-5
9/27/2007	14:35:20	0.017	-0.005	-5
9/27/2007	14:50:20	0.018	-0.004	-4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0507) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/27/2007 6:19	0		0
2	9/27/2007 6:34	0.2		0.2
3	9/27/2007 6:49	0.3		0.3
4	9/27/2007 7:04	0.3		0.3
5	9/27/2007 7:19	0.4		0.4
1	9/27/2007 7:50	0		0
2	9/27/2007 8:05	0		0
3	9/27/2007 8:20	0		0
4	9/27/2007 8:35	0		0
5	9/27/2007 8:50	0.1		0.1
6	9/27/2007 9:05	0.1		0.1
7	9/27/2007 9:20	0.1		0.1
8	9/27/2007 9:35	0.1		0.1
9	9/27/2007 9:50	0.2		0.2
10	9/27/2007 10:05	0.2		0.2
11	9/27/2007 10:20	0.2		0.2
12	9/27/2007 10:35	0.2		0.2
13	9/27/2007 10:50	0.2		0.2
14	9/27/2007 11:05	0.2		0.2
15	9/27/2007 11:20	0.2		0.2
16	9/27/2007 11:35	0.2		0.2
17	9/27/2007 11:50	0.2		0.2
18	9/27/2007 12:05	0.2		0.2
19	9/27/2007 12:20	0.2		0.2
20	9/27/2007 12:35	0.2		0.2
21	9/27/2007 12:50	0.2		0.2
22	9/27/2007 13:05	0.2		0.2
23	9/27/2007 13:20	0.3		0.3
24	9/27/2007 13:35	0.3		0.3
25	9/27/2007 13:50	0.3		0.3
26	9/27/2007 14:05	0.3		0.3
27	9/27/2007 14:20	0.3		0.3
28	9/27/2007 14:35	0.2		0.2
29	9/27/2007 14:50	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/27/2007
Start Time:	6:04:56
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0507) = 0.045 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2007	6:19:56	0.042	-0.003	-3
9/27/2007	6:34:56	0.037	-0.008	-8
9/27/2007	6:49:56	0.034	-0.011	-11
9/27/2007	7:04:56	0.034	-0.011	-11
9/27/2007	7:19:56	0.032	-0.013	-13
9/27/2007	7:34:56	0.033	-0.012	-12
9/27/2007	7:49:56	0.035	-0.01	-10
9/27/2007	8:04:56	0.034	-0.011	-11
9/27/2007	8:19:56	0.035	-0.01	-10
9/27/2007	8:34:56	0.035	-0.01	-10
9/27/2007	8:49:56	0.036	-0.009	-9
9/27/2007	9:04:56	0.036	-0.009	-9
9/27/2007	9:19:56	0.036	-0.009	-9
9/27/2007	9:34:56	0.037	-0.008	-8
9/27/2007	9:49:56	0.038	-0.007	-7
9/27/2007	10:04:56	0.04	-0.005	-5
9/27/2007	10:19:56	0.04	-0.005	-5
9/27/2007	10:34:56	0.041	-0.004	-4
9/27/2007	10:49:56	0.041	-0.004	-4
9/27/2007	11:04:56	0.04	-0.005	-5
9/27/2007	11:19:56	0.04	-0.005	-5
9/27/2007	11:34:56	0.041	-0.004	-4
9/27/2007	11:49:56	0.036	-0.009	-9
9/27/2007	12:04:56	0.038	-0.007	-7
9/27/2007	12:19:56	0.039	-0.006	-6
9/27/2007	12:34:56	0.035	-0.01	-10
9/27/2007	12:49:56	0.035	-0.01	-10
9/27/2007	13:04:56	0.036	-0.009	-9
9/27/2007	13:19:56	0.036	-0.009	-9
9/27/2007	13:34:56	0.035	-0.01	-10
9/27/2007	13:49:56	0.035	-0.01	-10
9/27/2007	14:04:56	0.034	-0.011	-11
9/27/2007	14:19:56	0.032	-0.013	-13
9/27/2007	14:34:56	0.032	-0.013	-13
9/27/2007	14:49:56	0.035	-0.01	-10
9/27/2007	15:04:56	0.033	-0.012	-12

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2007 05:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/27/2007 6:27	0		0
2	9/27/2007 6:42	0		0
3	9/27/2007 6:57	0		0
4	9/27/2007 7:12	0		0
5	9/27/2007 7:27	0		0
6	9/27/2007 7:42	0		0
7	9/27/2007 7:57	0		0
8	9/27/2007 8:12	0		0
9	9/27/2007 8:27	0		0
10	9/27/2007 8:42	0		0
11	9/27/2007 8:57	0		0
12	9/27/2007 9:12	0		0
13	9/27/2007 9:27	0		0
14	9/27/2007 9:42	0		0
15	9/27/2007 9:57	0		0
16	9/27/2007 10:12	0		0
17	9/27/2007 10:27	0		0
18	9/27/2007 10:42	0		0
19	9/27/2007 10:57	0		0
20	9/27/2007 11:12	0		0
21	9/27/2007 11:27	0		0
22	9/27/2007 11:42	0		0
23	9/27/2007 11:57	0		0
24	9/27/2007 12:12	0		0
25	9/27/2007 12:27	0		0
26	9/27/2007 12:42	0		0
27	9/27/2007 12:57	0		0
28	9/27/2007 13:12	0		0
29	9/27/2007 13:27	0		0
30	9/27/2007 13:42	0		0
31	9/27/2007 13:57	0		0
32	9/27/2007 14:12	0		0
33	9/27/2007 14:27	0		0

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/27/2007
Start Time:	6:19:10
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0612) = 0.087 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2007	6:34:10	0.081	-0.006	-6
9/27/2007	6:49:10	0.075	-0.012	-12
9/27/2007	7:04:10	0.072	-0.015	-15
9/27/2007	7:19:10	0.076	-0.011	-11
9/27/2007	7:34:10	0.078	-0.009	-9
9/27/2007	7:49:10	0.08	-0.007	-7
9/27/2007	8:04:10	0.078	-0.009	-9
9/27/2007	8:19:10	0.077	-0.01	-10
9/27/2007	8:34:10	0.08	-0.007	-7
9/27/2007	8:49:10	0.079	-0.008	-8
9/27/2007	9:04:10	0.077	-0.01	-10
9/27/2007	9:19:10	0.077	-0.01	-10
9/27/2007	9:34:10	0.079	-0.008	-8
9/27/2007	9:49:10	0.081	-0.006	-6
9/27/2007	10:04:10	0.092	0.005	5
9/27/2007	10:19:10	0.084	-0.003	-3
9/27/2007	10:34:10	0.087	0	0
9/27/2007	10:49:10	0.085	-0.002	-2
9/27/2007	11:04:10	0.093	0.006	6
9/27/2007	11:19:10	0.093	0.006	6
9/27/2007	11:34:10	0.081	-0.006	-6
9/27/2007	11:49:10	0.076	-0.011	-11
9/27/2007	12:04:10	0.078	-0.009	-9
9/27/2007	12:19:10	0.08	-0.007	-7
9/27/2007	12:34:10	0.071	-0.016	-16
9/27/2007	12:49:10	0.071	-0.016	-16
9/27/2007	13:04:10	0.073	-0.014	-14
9/27/2007	13:19:10	0.072	-0.015	-15
9/27/2007	13:34:10	0.07	-0.017	-17
9/27/2007	13:49:10	0.069	-0.018	-18
9/27/2007	14:04:10	0.07	-0.017	-17
9/27/2007	14:19:10	0.068	-0.019	-19
9/27/2007	14:34:10	0.071	-0.016	-16
9/27/2007	14:49:10	0.072	-0.015	-15

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/27/2007 05:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0604) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/27/2007 6:35	0		0
2	9/27/2007 6:50	0		0
3	9/27/2007 7:05	0		0
4	9/27/2007 7:20	0		0
5	9/27/2007 7:35	0		0
6	9/27/2007 7:50	0		0
7	9/27/2007 8:05	0		0
8	9/27/2007 8:20	0		0
9	9/27/2007 8:35	0		0
10	9/27/2007 8:50	0		0
11	9/27/2007 9:05	0		0
12	9/27/2007 9:20	0		0
13	9/27/2007 9:35	0		0
14	9/27/2007 9:50	0		0
15	9/27/2007 10:05	0		0
16	9/27/2007 10:20	0		0
17	9/27/2007 10:35	0		0
18	9/27/2007 10:50	0		0
19	9/27/2007 11:05	0		0
20	9/27/2007 11:20	0		0
21	9/27/2007 11:35	0		0
22	9/27/2007 11:50	0		0
23	9/27/2007 12:05	0		0
24	9/27/2007 12:20	0		0
25	9/27/2007 12:35	0		0
26	9/27/2007 12:50	0		0
27	9/27/2007 13:05	0		0
28	9/27/2007 13:20	0		0
29	9/27/2007 13:35	0		0
30	9/27/2007 13:50	0		0
31	9/27/2007 14:05	0		0
32	9/27/2007 14:20	0		0
33	9/27/2007 14:35	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	9/27/2007
Start Time:	6:04:56
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0604) = 0.041 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/27/2007	6:19:56	0.042	0.001	1
9/27/2007	6:34:56	0.036	-0.005	-5
9/27/2007	6:49:56	0.034	-0.007	-7
9/27/2007	7:04:56	0.034	-0.007	-7
9/27/2007	7:19:56	0.032	-0.009	-9
9/27/2007	7:34:56	0.033	-0.008	-8
9/27/2007	7:49:56	0.034	-0.007	-7
9/27/2007	8:04:56	0.034	-0.007	-7
9/27/2007	8:19:56	0.035	-0.006	-6
9/27/2007	8:34:56	0.035	-0.006	-6
9/27/2007	8:49:56	0.036	-0.005	-5
9/27/2007	9:04:56	0.036	-0.005	-5
9/27/2007	9:19:56	0.036	-0.005	-5
9/27/2007	9:34:56	0.037	-0.004	-4
9/27/2007	9:49:56	0.041	0	0
9/27/2007	10:04:56	0.04	-0.001	-1
9/27/2007	10:19:56	0.04	-0.001	-1
9/27/2007	10:34:56	0.041	0	0
9/27/2007	10:49:56	0.041	0	0
9/27/2007	11:04:56	0.04	-0.001	-1
9/27/2007	11:19:56	0.04	-0.001	-1
9/27/2007	11:34:56	0.041	0	0
9/27/2007	11:49:56	0.036	-0.005	-5
9/27/2007	12:04:56	0.038	-0.003	-3
9/27/2007	12:19:56	0.039	-0.002	-2
9/27/2007	12:34:56	0.035	-0.006	-6
9/27/2007	12:49:56	0.035	-0.006	-6
9/27/2007	13:04:56	0.032	-0.009	-9
9/27/2007	13:19:56	0.036	-0.005	-5
9/27/2007	13:34:56	0.035	-0.006	-6
9/27/2007	13:49:56	0.035	-0.006	-6
9/27/2007	14:04:56	0.036	-0.005	-5
9/27/2007	14:19:56	0.032	-0.009	-9
9/27/2007	14:34:56	0.032	-0.009	-9
9/27/2007	14:49:56	0.037	-0.004	-4
9/27/2007	15:04:56	0.033	-0.008	-8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/28/2007 6:03	0		0
2	9/28/2007 6:18	0		0
3	9/28/2007 6:33	0.2		0.2
4	9/28/2007 6:48	0.2		0.2
5	9/28/2007 7:03	0.3		0.3
6	9/28/2007 7:18	0.3		0.3
7	9/28/2007 7:33	0.3		0.3
8	9/28/2007 7:48	0.4		0.4
9	9/28/2007 8:03	0.4		0.4
10	9/28/2007 8:18	0.4		0.4
11	9/28/2007 8:33	0.4		0.4
12	9/28/2007 8:48	0.4		0.4
13	9/28/2007 9:03	0.5		0.5
14	9/28/2007 9:18	0.5		0.5
15	9/28/2007 9:33	0.6		0.6
16	9/28/2007 9:48	0.5		0.5
17	9/28/2007 10:03	0.5		0.5
18	9/28/2007 10:18	0.5		0.5
19	9/28/2007 10:33	0.5		0.5
20	9/28/2007 10:48	0.4		0.4
21	9/28/2007 11:03	0.4		0.4
22	9/28/2007 11:18	0.4		0.4
23	9/28/2007 11:33	0.4		0.4
24	9/28/2007 11:48	0.4		0.4
25	9/28/2007 12:03	0.3		0.3
26	9/28/2007 12:18	0.3		0.3
27	9/28/2007 12:33	0.3		0.3
28	9/28/2007 12:48	0.3		0.3
29	9/28/2007 13:03	0.2		0.2
30	9/28/2007 13:18	0.2		0.2
31	9/28/2007 13:33	0.2		0.2
32	9/28/2007 13:48	0.2		0.2
33	9/28/2007 14:03	0.2		0.2
34	9/28/2007 14:18	0.2		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201808
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	9/28/2007
Start Time:	5:51:44
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0550) = 0.016 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2007	6:06:44	0.016	0	0
9/28/2007	6:21:44	0.013	-0.003	-3
9/28/2007	6:36:44	0.011	-0.005	-5
9/28/2007	6:51:44	0.01	-0.006	-6
9/28/2007	7:06:44	0.013	-0.003	-3
9/28/2007	7:21:44	0.012	-0.004	-4
9/28/2007	7:36:44	0.014	-0.002	-2
9/28/2007	7:51:44	0.011	-0.005	-5
9/28/2007	8:06:44	0.011	-0.005	-5
9/28/2007	8:21:44	0.011	-0.005	-5
9/28/2007	8:36:44	0.009	-0.007	-7
9/28/2007	8:51:44	0.008	-0.008	-8
9/28/2007	9:06:44	0.007	-0.009	-9
9/28/2007	9:21:44	0.007	-0.009	-9
9/28/2007	9:36:44	0.017	0.001	1
9/28/2007	9:51:44	0.006	-0.01	-10
9/28/2007	10:06:44	0.005	-0.011	-11
9/28/2007	10:21:44	0.005	-0.011	-11
9/28/2007	10:36:44	0.005	-0.011	-11
9/28/2007	10:51:44	0.007	-0.009	-9
9/28/2007	11:06:44	0.006	-0.01	-10
9/28/2007	11:21:44	0.007	-0.009	-9
9/28/2007	11:36:44	0.007	-0.009	-9
9/28/2007	11:51:44	0.009	-0.007	-7
9/28/2007	12:06:44	0.008	-0.008	-8
9/28/2007	12:21:44	0.008	-0.008	-8
9/28/2007	12:36:44	0.012	-0.004	-4
9/28/2007	12:51:44	0.009	-0.007	-7
9/28/2007	13:06:44	0.021	0.005	5
9/28/2007	13:21:44	0.009	-0.007	-7
9/28/2007	13:36:44	0.008	-0.008	-8
9/28/2007	13:51:44	0.008	-0.008	-8
9/28/2007	14:06:44	0.016	0	0
9/28/2007	14:21:44	0.01	-0.006	-6
9/28/2007	14:36:44	0.008	-0.008	-8

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0543) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/28/2007 6:06	0		-0.1
2	9/28/2007 6:21	0.1		0
3	9/28/2007 6:36	0.2		0.1
4	9/28/2007 6:51	0.3		0.2
5	9/28/2007 7:06	0.3		0.2
6	9/28/2007 7:21	0.4		0.3
7	9/28/2007 7:36	0.4		0.3
8	9/28/2007 7:51	0.5		0.4
9	9/28/2007 8:06	0.5		0.4
10	9/28/2007 8:21	0.5		0.4
11	9/28/2007 8:36	0.5		0.4
12	9/28/2007 8:51	0.6		0.5
13	9/28/2007 9:06	0.6		0.5
14	9/28/2007 9:21	0.6		0.5
15	9/28/2007 9:36	0.6		0.5
16	9/28/2007 9:51	0.7		0.6
17	9/28/2007 10:06	0.7		0.6
18	9/28/2007 10:21	0.7		0.6
19	9/28/2007 10:36	0.8		0.7
20	9/28/2007 10:51	0.8		0.7
21	9/28/2007 11:06	0.8		0.7
22	9/28/2007 11:21	0.8		0.7
23	9/28/2007 11:36	0.8		0.7
24	9/28/2007 11:51	0.9		0.8
25	9/28/2007 12:06	0.8		0.7
26	9/28/2007 12:21	0.8		0.7
27	9/28/2007 12:36	0.8		0.7
28	9/28/2007 12:51	0.8		0.7
29	9/28/2007 13:06	0.9		0.8
30	9/28/2007 13:21	0.9		0.8
31	9/28/2007 13:36	0.9		0.8
32	9/28/2007 13:51	0.9		0.8
33	9/28/2007 14:06	0.9		0.8
34	9/28/2007 14:21	0.9		0.8

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	3
Test Abbreviation:	
Start Date:	9/28/2007
Start Time:	5:51:17
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0543) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	6/23/2005	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2007	6:06:17	0.02	-0.004	-4
9/28/2007	6:21:17	0.017	-0.007	-7
9/28/2007	6:36:17	0.016	-0.008	-8
9/28/2007	6:51:17	0.016	-0.008	-8
9/28/2007	7:06:17	0.015	-0.009	-9
9/28/2007	7:21:17	0.014	-0.01	-10
9/28/2007	7:36:17	0.015	-0.009	-9
9/28/2007	7:51:17	0.014	-0.01	-10
9/28/2007	8:06:17	0.014	-0.01	-10
9/28/2007	8:21:17	0.015	-0.009	-9
9/28/2007	8:36:17	0.012	-0.012	-12
9/28/2007	8:51:17	0.011	-0.013	-13
9/28/2007	9:06:17	0.011	-0.013	-13
9/28/2007	9:21:17	0.01	-0.014	-14
9/28/2007	9:36:17	0.009	-0.015	-15
9/28/2007	9:51:17	0.009	-0.015	-15
9/28/2007	10:06:17	0.007	-0.017	-17
9/28/2007	10:21:17	0.009	-0.015	-15
9/28/2007	10:36:17	0.009	-0.015	-15
9/28/2007	10:51:17	0.01	-0.014	-14
9/28/2007	11:06:17	0.01	-0.014	-14
9/28/2007	11:21:17	0.01	-0.014	-14
9/28/2007	11:36:17	0.012	-0.012	-12
9/28/2007	11:51:17	0.014	-0.01	-10
9/28/2007	12:06:17	0.012	-0.012	-12
9/28/2007	12:21:17	0.013	-0.011	-11
9/28/2007	12:36:17	0.012	-0.012	-12
9/28/2007	12:51:17	0.013	-0.011	-11
9/28/2007	13:06:17	0.017	-0.007	-7
9/28/2007	13:21:17	0.016	-0.008	-8
9/28/2007	13:36:17	0.016	-0.008	-8
9/28/2007	13:51:17	0.018	-0.006	-6
9/28/2007	14:06:17	0.019	-0.005	-5
9/28/2007	14:21:17	0.014	-0.01	-10
9/28/2007	14:36:17	0.013	-0.011	-11

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2007 05:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0553) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/28/2007 6:06	0		0
2	9/28/2007 6:21	0		0
3	9/28/2007 6:36	0		0
4	9/28/2007 6:51	0		0
5	9/28/2007 7:06	0		0
6	9/28/2007 7:21	0		0
7	9/28/2007 7:36	0		0
8	9/28/2007 7:51	0		0
9	9/28/2007 8:06	0		0
10	9/28/2007 8:21	0		0
11	9/28/2007 8:36	0		0
12	9/28/2007 8:51	0		0
13	9/28/2007 9:06	0		0
14	9/28/2007 9:21	0		0
15	9/28/2007 9:36	0		0
16	9/28/2007 9:51	0		0
17	9/28/2007 10:06	0		0
18	9/28/2007 10:21	0		0
19	9/28/2007 10:36	0		0
20	9/28/2007 10:51	0		0
21	9/28/2007 11:06	0		0
22	9/28/2007 11:21	0		0
23	9/28/2007 11:36	0		0
24	9/28/2007 11:51	0		0
25	9/28/2007 12:06	0		0
26	9/28/2007 12:21	0		0
27	9/28/2007 12:36	0		0
28	9/28/2007 12:51	0.1		0.1
29	9/28/2007 13:06	0.1		0.1
30	9/28/2007 13:21	0.1		0.1
31	9/28/2007 13:36	0.1		0.1
32	9/28/2007 13:51	0.2		0.2
33	9/28/2007 14:06	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	9/28/2007
Start Time:	5:58:17
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0553) = 0.043 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2007	6:13:17	0.039	-0.004	-4
9/28/2007	6:28:17	0.04	-0.003	-3
9/28/2007	6:43:17	0.033	-0.01	-10
9/28/2007	6:58:17	0.03	-0.013	-13
9/28/2007	7:13:17	0.03	-0.013	-13
9/28/2007	7:28:17	0.032	-0.011	-11
9/28/2007	7:43:17	0.029	-0.014	-14
9/28/2007	7:58:17	0.029	-0.014	-14
9/28/2007	8:13:17	0.031	-0.012	-12
9/28/2007	8:28:17	0.028	-0.015	-15
9/28/2007	8:43:17	0.023	-0.02	-20
9/28/2007	8:58:17	0.021	-0.022	-22
9/28/2007	9:13:17	0.02	-0.023	-23
9/28/2007	9:28:17	0.019	-0.024	-24
9/28/2007	9:43:17	0.019	-0.024	-24
9/28/2007	9:58:17	0.017	-0.026	-26
9/28/2007	10:13:17	0.015	-0.028	-28
9/28/2007	10:28:17	0.02	-0.023	-23
9/28/2007	10:43:17	0.019	-0.024	-24
9/28/2007	10:58:17	0.035	-0.008	-8
9/28/2007	11:13:17	0.035	-0.008	-8
9/28/2007	11:28:17	0.029	-0.014	-14
9/28/2007	11:43:17	0.026	-0.017	-17
9/28/2007	11:58:17	0.028	-0.015	-15
9/28/2007	12:13:17	0.023	-0.02	-20
9/28/2007	12:28:17	0.021	-0.022	-22
9/28/2007	12:43:17	0.022	-0.021	-21
9/28/2007	12:58:17	0.028	-0.015	-15
9/28/2007	13:13:17	0.027	-0.016	-16
9/28/2007	13:28:17	0.028	-0.015	-15
9/28/2007	13:43:17	0.027	-0.016	-16
9/28/2007	13:58:17	0.026	-0.017	-17
9/28/2007	14:13:17	0.025	-0.018	-18
9/28/2007	14:28:17	0.023	-0.02	-20

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 09/28/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0547) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	9/28/2007 6:15	0		-0.2
2	9/28/2007 6:30	0		-0.2
3	9/28/2007 6:45	0		-0.2
4	9/28/2007 7:00	0		-0.2
5	9/28/2007 7:15	0		-0.2
6	9/28/2007 7:30	0		-0.2
7	9/28/2007 7:45	0		-0.2
8	9/28/2007 8:00	0		-0.2
9	9/28/2007 8:15	0		-0.2
10	9/28/2007 8:30	0		-0.2
11	9/28/2007 8:45	0		-0.2
12	9/28/2007 9:00	0.1		-0.1
13	9/28/2007 9:15	0.1		-0.1
14	9/28/2007 9:30	0.1		-0.1
15	9/28/2007 9:45	0.1		-0.1
16	9/28/2007 10:00	0.1		-0.1
17	9/28/2007 10:15	0.1		-0.1
18	9/28/2007 10:30	0.1		-0.1
19	9/28/2007 10:45	0.1		-0.1
20	9/28/2007 11:00	0.1		-0.1
21	9/28/2007 11:15	0.1		-0.1
22	9/28/2007 11:30	0		-0.2
23	9/28/2007 11:45	0		-0.2
24	9/28/2007 12:00	0		-0.2
25	9/28/2007 12:15	0		-0.2
26	9/28/2007 12:30	0		-0.2
27	9/28/2007 12:45	0		-0.2
28	9/28/2007 13:00	0		-0.2
29	9/28/2007 13:15	0		-0.2
30	9/28/2007 13:30	0		-0.2
31	9/28/2007 13:45	0		-0.2
32	9/28/2007 14:00	0		-0.2
33	9/28/2007 14:15	0		-0.2
34	9/28/2007 14:30	0		-0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	9/28/2007
Start Time:	5:51:48
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0547) = 0.010 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/28/2007	6:06:48	0.012	0.002	2
9/28/2007	6:21:48	0.005	-0.005	-5
9/28/2007	6:36:48	0.005	-0.005	-5
9/28/2007	6:51:48	0.004	-0.006	-6
9/28/2007	7:06:48	0.005	-0.005	-5
9/28/2007	7:21:48	0.006	-0.004	-4
9/28/2007	7:36:48	0.008	-0.002	-2
9/28/2007	7:51:48	0.006	-0.004	-4
9/28/2007	8:06:48	0.005	-0.005	-5
9/28/2007	8:21:48	0.005	-0.005	-5
9/28/2007	8:36:48	0.004	-0.006	-6
9/28/2007	8:51:48	0.004	-0.006	-6
9/28/2007	9:06:48	0.004	-0.006	-6
9/28/2007	9:21:48	0.003	-0.007	-7
9/28/2007	9:36:48	0.002	-0.008	-8
9/28/2007	9:51:48	0.003	-0.007	-7
9/28/2007	10:06:48	0.003	-0.007	-7
9/28/2007	10:21:48	0.004	-0.006	-6
9/28/2007	10:36:48	0.004	-0.006	-6
9/28/2007	10:51:48	0.003	-0.007	-7
9/28/2007	11:06:48	0.003	-0.007	-7
9/28/2007	11:21:48	0.003	-0.007	-7
9/28/2007	11:36:48	0.004	-0.006	-6
9/28/2007	11:51:48	0.004	-0.006	-6
9/28/2007	12:06:48	0.003	-0.007	-7
9/28/2007	12:21:48	0.003	-0.007	-7
9/28/2007	12:36:48	0.003	-0.007	-7
9/28/2007	12:51:48	0.004	-0.006	-6
9/28/2007	13:06:48	0.004	-0.006	-6
9/28/2007	13:21:48	0.004	-0.006	-6
9/28/2007	13:36:48	0.004	-0.006	-6
9/28/2007	13:51:48	0.003	-0.007	-7
9/28/2007	14:06:48	0.004	-0.006	-6
9/28/2007	14:21:48	0.004	-0.006	-6
9/28/2007	14:36:48	0.003	-0.007	-7

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/01/2007 05:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/1/2007 6:03	0.1		0.1
2	10/1/2007 6:18	0.3		0.3
3	10/1/2007 6:33	0.4		0.4
4	10/1/2007 6:48	0.4		0.4
5	10/1/2007 7:03	0.5		0.5
6	10/1/2007 7:18	0.5		0.5
7	10/1/2007 7:33	0.6		0.6
8	10/1/2007 7:48	0.7		0.7
9	10/1/2007 8:03	0.7		0.7
10	10/1/2007 8:18	0.7		0.7
11	10/1/2007 8:33	0.7		0.7
12	10/1/2007 8:48	0.8		0.8
13	10/1/2007 9:03	0.8		0.8
14	10/1/2007 9:18	0.8		0.8
15	10/1/2007 9:33	0.8		0.8
16	10/1/2007 9:48	0.8		0.8
17	10/1/2007 10:03	0.8		0.8
18	10/1/2007 10:18	0.8		0.8
19	10/1/2007 10:33	0.7		0.7
20	10/1/2007 10:48	0.7		0.7
21	10/1/2007 11:03	0.7		0.7
22	10/1/2007 11:18	0.6		0.6
23	10/1/2007 11:33	0.6		0.6
24	10/1/2007 11:48	0.6		0.6
25	10/1/2007 12:03	0.6		0.6
26	10/1/2007 12:18	0.6		0.6
27	10/1/2007 12:33	0.6		0.6
28	10/1/2007 12:48	0.6		0.6
29	10/1/2007 13:03	0.6		0.6
30	10/1/2007 13:18	0.6		0.6
31	10/1/2007 13:33	0.6		0.6
32	10/1/2007 13:48	0.6		0.6
33	10/1/2007 14:03	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak	
Serial Number:		
Test ID:	0:00:00	
Test Abbreviation:		
Start Date:	10/1/2007	
Start Time:	5:53:11	
Duration (dd:hh:mm:ss):	00:08:30:00	
Time constant (seconds):	10	
Log Interval (mm:ss):	15:00	
Number of points:	34	
Notes:		Background Reading (0550) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/1/2007	6:08:11	0.007	0	0
10/1/2007	6:23:11	0.008	0.001	1
10/1/2007	6:38:11	0.009	0.002	2
10/1/2007	6:53:11	0.007	0	0
10/1/2007	7:08:11	0.008	0.001	1
10/1/2007	7:23:11	0.021	0.014	14
10/1/2007	7:38:11	0.018	0.011	11
10/1/2007	7:53:11	0.008	0.001	1
10/1/2007	8:08:11	0.013	0.006	6
10/1/2007	8:23:11	0.007	0	0
10/1/2007	8:38:11	0.006	-0.001	-1
10/1/2007	8:53:11	0.006	-0.001	-1
10/1/2007	9:08:11	0.006	-0.001	-1
10/1/2007	9:23:11	0.006	-0.001	-1
10/1/2007	9:38:11	0.008	0.001	1
10/1/2007	9:53:11	0.005	-0.002	-2
10/1/2007	10:08:11	0.006	-0.001	-1
10/1/2007	10:23:11	0.006	-0.001	-1
10/1/2007	10:38:11	0.004	-0.003	-3
10/1/2007	10:53:11	0.004	-0.003	-3
10/1/2007	11:08:11	0.005	-0.002	-2
10/1/2007	11:23:11	0.005	-0.002	-2
10/1/2007	11:38:11	0.007	0	0
10/1/2007	11:53:11	0.005	-0.002	-2
10/1/2007	12:08:11	0.009	0.002	2
10/1/2007	12:23:11	0.006	-0.001	-1
10/1/2007	12:38:11	0.008	0.001	1
10/1/2007	12:53:11	0.006	-0.001	-1
10/1/2007	13:08:11	0.005	-0.002	-2
10/1/2007	13:23:11	0.005	-0.002	-2
10/1/2007	13:38:11	0.005	-0.002	-2
10/1/2007	13:53:11	0.005	-0.002	-2
10/1/2007	14:08:11	0.006	-0.001	-1
10/1/2007	14:23:11	0.005	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/01/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0610) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/1/2007 6:36	0		0
2	10/1/2007 6:51	0		0
3	10/1/2007 7:06	0.1		0.1
4	10/1/2007 7:21	0.1		0.1
5	10/1/2007 7:36	0.1		0.1
6	10/1/2007 7:51	0.1		0.1
7	10/1/2007 8:06	0.2		0.2
8	10/1/2007 8:21	0.2		0.2
9	10/1/2007 8:36	0.2		0.2
10	10/1/2007 8:51	0.2		0.2
11	10/1/2007 9:06	0.2		0.2
12	10/1/2007 9:21	0.2		0.2
13	10/1/2007 9:36	0.2		0.2
14	10/1/2007 9:51	0.2		0.2
15	10/1/2007 10:06	0.2		0.2
16	10/1/2007 10:21	0.2		0.2
17	10/1/2007 10:36	0.2		0.2
18	10/1/2007 10:51	0.2		0.2
19	10/1/2007 11:06	0.2		0.2
20	10/1/2007 11:21	0.2		0.2
21	10/1/2007 11:36	0.2		0.2
22	10/1/2007 11:51	0.2		0.2
23	10/1/2007 12:06	0.2		0.2
24	10/1/2007 12:21	0.2		0.2
25	10/1/2007 12:36	0.3		0.3
26	10/1/2007 12:51	0.3		0.3
27	10/1/2007 13:06	0.3		0.3
28	10/1/2007 13:21	0.3		0.3
29	10/1/2007 13:36	0.3		0.3
30	10/1/2007 13:51	0.3		0.3
31	10/1/2007 14:06	0.3		0.3
32	10/1/2007 14:21	0.3		0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/1/2007
Start Time:	6:19:01
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0610) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/1/2007	6:34:01	0.013	0.001	1
10/1/2007	6:49:01	0.012	0	0
10/1/2007	7:04:01	0.011	-0.001	-1
10/1/2007	7:19:01	0.012	0	0
10/1/2007	7:34:01	0.011	-0.001	-1
10/1/2007	7:49:01	0.01	-0.002	-2
10/1/2007	8:04:01	0.011	-0.001	-1
10/1/2007	8:19:01	0.01	-0.002	-2
10/1/2007	8:34:01	0.011	-0.001	-1
10/1/2007	8:49:01	0.009	-0.003	-3
10/1/2007	9:04:01	0.009	-0.003	-3
10/1/2007	9:19:01	0.009	-0.003	-3
10/1/2007	9:34:01	0.01	-0.002	-2
10/1/2007	9:49:01	0.01	-0.002	-2
10/1/2007	10:04:01	0.01	-0.002	-2
10/1/2007	10:19:01	0.009	-0.003	-3
10/1/2007	10:34:01	0.008	-0.004	-4
10/1/2007	10:49:01	0.008	-0.004	-4
10/1/2007	11:04:01	0.008	-0.004	-4
10/1/2007	11:19:01	0.008	-0.004	-4
10/1/2007	11:34:01	0.009	-0.003	-3
10/1/2007	11:49:01	0.008	-0.004	-4
10/1/2007	12:04:01	0.01	-0.002	-2
10/1/2007	12:19:01	0.009	-0.003	-3
10/1/2007	12:34:01	0.008	-0.004	-4
10/1/2007	12:49:01	0.009	-0.003	-3
10/1/2007	13:04:01	0.008	-0.004	-4
10/1/2007	13:19:01	0.008	-0.004	-4
10/1/2007	13:34:01	0.008	-0.004	-4
10/1/2007	13:49:01	0.009	-0.003	-3
10/1/2007	14:04:01	0.008	-0.004	-4
10/1/2007	14:19:01	0.008	-0.004	-4
10/1/2007	14:34:01	0.009	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/01/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/1/2007 6:22	0		0
2	10/1/2007 6:37	0		0
3	10/1/2007 6:52	0		0
4	10/1/2007 7:07	0		0
5	10/1/2007 7:22	0		0
6	10/1/2007 7:37	0		0
7	10/1/2007 7:52	0		0
8	10/1/2007 8:07	0		0
9	10/1/2007 8:22	0		0
10	10/1/2007 8:37	0		0
11	10/1/2007 8:52	0		0
12	10/1/2007 9:07	0		0
13	10/1/2007 9:22	0		0
14	10/1/2007 9:37	0		0
15	10/1/2007 9:52	0		0
16	10/1/2007 10:07	0		0
17	10/1/2007 10:22	0		0
18	10/1/2007 10:37	0		0
19	10/1/2007 10:52	0		0
20	10/1/2007 11:07	0		0
21	10/1/2007 11:22	0		0
22	10/1/2007 11:37	0		0
23	10/1/2007 11:52	0		0
24	10/1/2007 12:07	0		0
25	10/1/2007 12:22	0		0
26	10/1/2007 12:37	0		0
27	10/1/2007 12:52	0		0
28	10/1/2007 13:07	0		0
29	10/1/2007 13:22	0		0
30	10/1/2007 13:37	0		0
31	10/1/2007 13:52	0		0
32	10/1/2007 14:07	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File	
Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	10/1/2007
Start Time:	7:46:49
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (0605) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/1/2007	8:01:49	0.02	-0.002	-2
10/1/2007	8:16:49	0.024	0.002	2
10/1/2007	8:31:49	0.021	-0.001	-1
10/1/2007	8:46:49	0.022	0	0
10/1/2007	9:01:49	0.017	-0.005	-5
10/1/2007	9:16:49	0.017	-0.005	-5
10/1/2007	9:31:49	0.016	-0.006	-6
10/1/2007	9:46:49	0.018	-0.004	-4
10/1/2007	10:01:49	0.018	-0.004	-4
10/1/2007	10:16:49	0.017	-0.005	-5
10/1/2007	10:31:49	0.015	-0.007	-7
10/1/2007	10:46:49	0.016	-0.006	-6
10/1/2007	11:01:49	0.016	-0.006	-6
10/1/2007	11:16:49	0.015	-0.007	-7
10/1/2007	11:31:49	0.016	-0.006	-6
10/1/2007	11:46:49	0.015	-0.007	-7
10/1/2007	12:01:49	0.018	-0.004	-4
10/1/2007	12:16:49	0.017	-0.005	-5
10/1/2007	12:31:49	0.016	-0.006	-6
10/1/2007	12:46:49	0.015	-0.007	-7
10/1/2007	13:01:49	0.016	-0.006	-6
10/1/2007	13:16:49	0.016	-0.006	-6
10/1/2007	13:31:49	0.018	-0.004	-4
10/1/2007	13:46:49	0.016	-0.006	-6
10/1/2007	14:01:49	0.015	-0.007	-7
10/1/2007	14:16:49	0.014	-0.008	-8
10/1/2007	14:31:49	0.015	-0.007	-7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/01/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/1/2007 6:28	0		0
2	10/1/2007 6:43	0		0
3	10/1/2007 6:58	0.1		0.1
4	10/1/2007 7:13	0.1		0.1
5	10/1/2007 7:28	0.2		0.2
6	10/1/2007 7:43	0.3		0.3
7	10/1/2007 7:58	0.4		0.4
8	10/1/2007 8:13	0.4		0.4
9	10/1/2007 8:28	0.4		0.4
10	10/1/2007 8:43	0.5		0.5
11	10/1/2007 8:58	0.5		0.5
12	10/1/2007 9:13	0.4		0.4
13	10/1/2007 9:28	0.5		0.5
14	10/1/2007 9:43	0.5		0.5
15	10/1/2007 9:58	0.5		0.5
16	10/1/2007 10:13	0.5		0.5
17	10/1/2007 10:28	0.4		0.4
18	10/1/2007 10:43	0.5		0.5
19	10/1/2007 10:58	0.4		0.4
20	10/1/2007 11:13	0.3		0.3
21	10/1/2007 11:28	0.3		0.3
22	10/1/2007 11:43	0.3		0.3
23	10/1/2007 11:58	0.3		0.3
24	10/1/2007 12:13	0.3		0.3
25	10/1/2007 12:28	0.3		0.3
26	10/1/2007 12:43	0.3		0.3
27	10/1/2007 12:58	0.4		0.4
28	10/1/2007 13:13	0.3		0.3
29	10/1/2007 13:28	0.3		0.3
30	10/1/2007 13:43	0.3		0.3
31	10/1/2007 13:58	0.3		0.3
32	10/1/2007 14:13	0.4		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/1/2007
Start Time:	6:04:26
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0600) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/1/2007	6:19:26	0.01	0.002	2
10/1/2007	6:34:26	0.01	0.002	2
10/1/2007	6:49:26	0.008	0	0
10/1/2007	7:04:26	0.009	0.001	1
10/1/2007	7:19:26	0.011	0.003	3
10/1/2007	7:34:26	0.011	0.003	3
10/1/2007	7:49:26	0.02	0.012	12
10/1/2007	8:04:26	0.013	0.005	5
10/1/2007	8:19:26	0.009	0.001	1
10/1/2007	8:34:26	0.009	0.001	1
10/1/2007	8:49:26	0.018	0.01	10
10/1/2007	9:04:26	0.01	0.002	2
10/1/2007	9:19:26	0.008	0	0
10/1/2007	9:34:26	0.006	-0.002	-2
10/1/2007	9:49:26	0.012	0.004	4
10/1/2007	10:04:26	0.009	0.001	1
10/1/2007	10:19:26	0.01	0.002	2
10/1/2007	10:34:26	0.007	-0.001	-1
10/1/2007	10:49:26	0.011	0.003	3
10/1/2007	11:04:26	0.013	0.005	5
10/1/2007	11:19:26	0.013	0.005	5
10/1/2007	11:34:26	0.017	0.009	9
10/1/2007	11:49:26	0.009	0.001	1
10/1/2007	12:04:26	0.011	0.003	3
10/1/2007	12:19:26	0.013	0.005	5
10/1/2007	12:34:26	0.01	0.002	2
10/1/2007	12:49:26	0.011	0.003	3
10/1/2007	13:04:26	0.014	0.006	6
10/1/2007	13:19:26	0.01	0.002	2
10/1/2007	13:34:26	0.007	-0.001	-1
10/1/2007	13:49:26	0.009	0.001	1
10/1/2007	14:04:26	0.01	0.002	2
10/1/2007	14:19:26	0.011	0.003	3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/02/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/2/2007 7:02	0.3		0.3
2	10/2/2007 7:17	0.4		0.4
3	10/2/2007 7:32	0.5		0.5
4	10/2/2007 7:47	0.5		0.5
5	10/2/2007 8:02	0.6		0.6
6	10/2/2007 8:17	0.6		0.6
7	10/2/2007 8:32	0.6		0.6
8	10/2/2007 8:47	0.6		0.6
9	10/2/2007 9:02	0.6		0.6
10	10/2/2007 9:17	0.7		0.7
11	10/2/2007 9:32	0.7		0.7
12	10/2/2007 9:47	0.7		0.7
13	10/2/2007 10:02	0.7		0.7
14	10/2/2007 10:17	0.7		0.7
15	10/2/2007 10:32	0.7		0.7
16	10/2/2007 10:47	0.7		0.7
17	10/2/2007 11:02	0.8		0.8
18	10/2/2007 11:17	0.7		0.7
19	10/2/2007 11:32	0.7		0.7
20	10/2/2007 11:47	0.6		0.6
21	10/2/2007 12:02	0.6		0.6
22	10/2/2007 12:17	0.6		0.6
23	10/2/2007 12:32	0.6		0.6
24	10/2/2007 12:47	0.6		0.6
25	10/2/2007 13:02	0.6		0.6
26	10/2/2007 13:17	0.5		0.5
27	10/2/2007 13:32	0.5		0.5
28	10/2/2007 13:47	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/2/2007
Start Time:	6:51:52
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	Background Reading (0650) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2007	7:06:52	0.009	0.002	2
10/2/2007	7:21:52	0.01	0.003	3
10/2/2007	7:36:52	0.008	0.001	1
10/2/2007	7:51:52	0.007	0	0
10/2/2007	8:06:52	0.008	0.001	1
10/2/2007	8:21:52	0.008	0.001	1
10/2/2007	8:36:52	0.009	0.002	2
10/2/2007	8:51:52	0.012	0.005	5
10/2/2007	9:06:52	0.011	0.004	4
10/2/2007	9:21:52	0.008	0.001	1
10/2/2007	9:36:52	0.022	0.015	15
10/2/2007	9:51:52	0.009	0.002	2
10/2/2007	10:06:52	0.008	0.001	1
10/2/2007	10:21:52	0.006	-0.001	-1
10/2/2007	10:36:52	0.006	-0.001	-1
10/2/2007	10:51:52	0.011	0.004	4
10/2/2007	11:06:52	0.009	0.002	2
10/2/2007	11:21:52	0.005	-0.002	-2
10/2/2007	11:36:52	0.008	0.001	1
10/2/2007	11:51:52	0.006	-0.001	-1
10/2/2007	12:06:52	0.006	-0.001	-1
10/2/2007	12:21:52	0.007	0	0
10/2/2007	12:36:52	0.009	0.002	2
10/2/2007	12:51:52	0.007	0	0
10/2/2007	13:06:52	0.006	-0.001	-1
10/2/2007	13:21:52	0.004	-0.003	-3
10/2/2007	13:36:52	0.006	-0.001	-1
10/2/2007	13:51:52	0.006	-0.001	-1
10/2/2007	14:06:52	0.005	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/02/2007 06:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0659) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/2/2007 7:23	0		0
2	10/2/2007 7:38	0		0
3	10/2/2007 7:53	0.1		0.1
4	10/2/2007 8:08	0.1		0.1
5	10/2/2007 8:23	0.2		0.2
6	10/2/2007 8:38	0.2		0.2
7	10/2/2007 8:53	0.2		0.2
8	10/2/2007 9:08	0.2		0.2
9	10/2/2007 9:23	0.2		0.2
10	10/2/2007 9:38	0.2		0.2
11	10/2/2007 9:53	0.2		0.2
12	10/2/2007 10:08	0.2		0.2
13	10/2/2007 10:23	0.3		0.3
14	10/2/2007 10:38	0.3		0.3
15	10/2/2007 10:53	0.3		0.3
16	10/2/2007 11:08	0.3		0.3
17	10/2/2007 11:23	0.3		0.3
18	10/2/2007 11:38	0.3		0.3
19	10/2/2007 11:53	0.3		0.3
20	10/2/2007 12:08	0.3		0.3
21	10/2/2007 12:23	0.4		0.4
22	10/2/2007 12:38	0.4		0.4
23	10/2/2007 12:53	0.4		0.4
24	10/2/2007 13:08	0.5		0.5
25	10/2/2007 13:23	0.5		0.5
26	10/2/2007 13:38	0.5		0.5
27	10/2/2007 13:53	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	10/2/2007
Start Time:	7:07:43
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (0659) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2007	7:22:43	0.01	0.001	1
10/2/2007	7:37:43	0.01	0.001	1
10/2/2007	7:52:43	0.011	0.002	2
10/2/2007	8:07:43	0.013	0.004	4
10/2/2007	8:22:43	0.013	0.004	4
10/2/2007	8:37:43	0.016	0.007	7
10/2/2007	8:52:43	0.041	0.032	32
10/2/2007	9:07:43	0.018	0.009	9
10/2/2007	9:22:43	0.016	0.007	7
10/2/2007	9:37:43	0.014	0.005	5
10/2/2007	9:52:43	0.015	0.006	6
10/2/2007	10:07:43	0.018	0.009	9
10/2/2007	10:22:43	0.012	0.003	3
10/2/2007	10:37:43	0.01	0.001	1
10/2/2007	10:52:43	0.012	0.003	3
10/2/2007	11:07:43	0.012	0.003	3
10/2/2007	11:22:43	0.009	0	0
10/2/2007	11:37:43	0.009	0	0
10/2/2007	11:52:43	0.009	0	0
10/2/2007	12:07:43	0.009	0	0
10/2/2007	12:22:43	0.008	-0.001	-1
10/2/2007	12:37:43	0.008	-0.001	-1
10/2/2007	12:52:43	0.008	-0.001	-1
10/2/2007	13:07:43	0.008	-0.001	-1
10/2/2007	13:22:43	0.008	-0.001	-1
10/2/2007	13:37:43	0.009	0	0
10/2/2007	13:52:43	0.01	0.001	1
10/2/2007	14:07:43	0.01	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/02/2007 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0716) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/2/2007 7:37	0		0
2	10/2/2007 7:52	0		0
3	10/2/2007 8:07	0		0
4	10/2/2007 8:22	0		0
5	10/2/2007 8:37	0		0
6	10/2/2007 8:52	0		0
7	10/2/2007 9:07	0		0
8	10/2/2007 9:22	0.1		0.1
9	10/2/2007 9:37	0.1		0.1
10	10/2/2007 9:52	0.2		0.2
11	10/2/2007 10:07	0.1		0.1
12	10/2/2007 10:22	0.1		0.1
13	10/2/2007 10:37	0.2		0.2
14	10/2/2007 10:52	0.2		0.2
15	10/2/2007 11:07	0.2		0.2
16	10/2/2007 11:22	0.3		0.3
17	10/2/2007 11:37	0.4		0.4
18	10/2/2007 11:52	0.4		0.4
19	10/2/2007 12:07	0.4		0.4
20	10/2/2007 12:22	0.5		0.5
21	10/2/2007 12:37	0.6		0.6
22	10/2/2007 12:52	0.7		0.7
23	10/2/2007 13:07	0.7		0.7
24	10/2/2007 13:22	0.8		0.8
25	10/2/2007 13:37	1		1
26	10/2/2007 13:52	0.8		0.8

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	2
Test Abbreviation:	
Start Date:	9/26/2007
Start Time:	7:15:12
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	28
Notes:	Background Reading (0716) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
9/26/2007	7:30:12	0.028	0.012	12
9/26/2007	7:45:12	0.035	0.019	19
9/26/2007	8:00:12	0.035	0.019	19
9/26/2007	8:15:12	0.036	0.02	20
9/26/2007	8:30:12	0.033	0.017	17
9/26/2007	8:45:12	0.038	0.022	22
9/26/2007	9:00:12	0.037	0.021	21
9/26/2007	9:15:12	0.04	0.024	24
9/26/2007	9:30:12	0.033	0.017	17
9/26/2007	9:45:12	0.037	0.021	21
9/26/2007	10:00:12	0.04	0.024	24
9/26/2007	10:15:12	0.037	0.021	21
9/26/2007	10:30:12	0.036	0.02	20
9/26/2007	10:45:12	0.037	0.021	21
9/26/2007	11:00:12	0.036	0.02	20
9/26/2007	11:15:12	0.034	0.018	18
9/26/2007	11:30:12	0.033	0.017	17
9/26/2007	11:45:12	0.041	0.025	25
9/26/2007	12:00:12	0.042	0.026	26
9/26/2007	12:15:12	0.042	0.026	26
9/26/2007	12:30:12	0.036	0.02	20
9/26/2007	12:45:12	0.039	0.023	23
9/26/2007	13:00:12	0.042	0.026	26
9/26/2007	13:15:12	0.041	0.025	25
9/26/2007	13:30:12	0.039	0.023	23
9/26/2007	13:45:12	0.039	0.023	23
9/26/2007	14:00:12	0.041	0.025	25
9/26/2007	14:15:12	0.041	0.025	25

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/02/2007 06:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0716) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/2/2007 7:45	0		0
2	10/2/2007 8:00	0		0
3	10/2/2007 8:15	0		0
4	10/2/2007 8:30	0.1		0.1
5	10/2/2007 8:45	0		0
6	10/2/2007 9:00	0.1		0.1
7	10/2/2007 9:15	0.1		0.1
8	10/2/2007 9:30	0.2		0.2
9	10/2/2007 9:45	0.1		0.1
10	10/2/2007 10:00	0.2		0.2
11	10/2/2007 10:15	0.3		0.3
12	10/2/2007 10:30	0.3		0.3
13	10/2/2007 10:45	0.3		0.3
14	10/2/2007 11:00	0.3		0.3
15	10/2/2007 11:15	0.3		0.3
16	10/2/2007 11:30	0.2		0.2
17	10/2/2007 11:45	0.3		0.3
18	10/2/2007 12:00	0.2		0.2
19	10/2/2007 12:15	0.2		0.2
20	10/2/2007 12:30	0.2		0.2
21	10/2/2007 12:45	0.2		0.2
22	10/2/2007 13:00	0.3		0.3
23	10/2/2007 13:15	0.3		0.3
24	10/2/2007 13:30	0.1		0.1
25	10/2/2007 13:45	0.2		0.2
26	10/2/2007 14:00	0.2		0.2

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	10/2/2007
Start Time:	7:21:29
Duration (dd:hh:mm:ss):	00:06:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	27
Notes:	Background Reading (0716) = 0.009 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/2/2007	7:36:29	0.009	0	0
10/2/2007	7:51:29	0.008	-0.001	-1
10/2/2007	8:06:29	0.007	-0.002	-2
10/2/2007	8:21:29	0.009	0	0
10/2/2007	8:36:29	0.011	0.002	2
10/2/2007	8:51:29	0.009	0	0
10/2/2007	9:06:29	0.009	0	0
10/2/2007	9:21:29	0.012	0.003	3
10/2/2007	9:36:29	0.007	-0.002	-2
10/2/2007	9:51:29	0.009	0	0
10/2/2007	10:06:29	0.013	0.004	4
10/2/2007	10:21:29	0.019	0.01	10
10/2/2007	10:36:29	0.03	0.021	21
10/2/2007	10:51:29	0.018	0.009	9
10/2/2007	11:06:29	0.018	0.009	9
10/2/2007	11:21:29	0.026	0.017	17
10/2/2007	11:36:29	0.012	0.003	3
10/2/2007	11:51:29	0.016	0.007	7
10/2/2007	12:06:29	0.007	-0.002	-2
10/2/2007	12:21:29	0.007	-0.002	-2
10/2/2007	12:36:29	0.005	-0.004	-4
10/2/2007	12:51:29	0.008	-0.001	-1
10/2/2007	13:06:29	0.008	-0.001	-1
10/2/2007	13:21:29	0.013	0.004	4
10/2/2007	13:36:29	0.014	0.005	5
10/2/2007	13:51:29	0.029	0.02	20
10/2/2007	14:06:29	0.018	0.009	9

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/03/2007 05:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0540) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/3/2007 5:57	0		0
2	10/3/2007 6:12	0		0
3	10/3/2007 6:27	0		0
4	10/3/2007 6:42	0		0
5	10/3/2007 6:57	0		0
6	10/3/2007 7:12	0		0
7	10/3/2007 7:27	0		0
8	10/3/2007 7:42	0		0
9	10/3/2007 7:57	0		0
10	10/3/2007 8:12	0		0
11	10/3/2007 8:27	0		0
12	10/3/2007 8:42	0		0
13	10/3/2007 8:57	0		0
14	10/3/2007 9:12	0		0
15	10/3/2007 9:27	0.1		0.1
16	10/3/2007 9:42	0.1		0.1
17	10/3/2007 9:57	0.2		0.2
18	10/3/2007 10:12	0.2		0.2
19	10/3/2007 10:27	0.2		0.2
20	10/3/2007 10:42	0.2		0.2
21	10/3/2007 10:57	0.2		0.2
22	10/3/2007 11:12	0.2		0.2
23	10/3/2007 11:27	0.2		0.2
24	10/3/2007 11:42	0.1		0.1
25	10/3/2007 11:57	0.1		0.1
26	10/3/2007 12:12	0.2		0.2
27	10/3/2007 12:27	0.2		0.2
28	10/3/2007 12:42	0.2		0.2
29	10/3/2007 12:57	0.1		0.1
30	10/3/2007 13:12	0.2		0.2
31	10/3/2007 13:27	0.1		0.1
32	10/3/2007 13:42	0.1		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/3/2007
Start Time:	5:46:54
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0540) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2007	6:01:54	0.024	0.008	8
10/3/2007	6:16:54	0.02	0.004	4
10/3/2007	6:31:54	0.017	0.001	1
10/3/2007	6:46:54	0.015	-0.001	-1
10/3/2007	7:01:54	0.015	-0.001	-1
10/3/2007	7:16:54	0.018	0.002	2
10/3/2007	7:31:54	0.015	-0.001	-1
10/3/2007	7:46:54	0.015	-0.001	-1
10/3/2007	8:01:54	0.017	0.001	1
10/3/2007	8:16:54	0.021	0.005	5
10/3/2007	8:31:54	0.019	0.003	3
10/3/2007	8:46:54	0.018	0.002	2
10/3/2007	9:01:54	0.019	0.003	3
10/3/2007	9:16:54	0.024	0.008	8
10/3/2007	9:31:54	0.018	0.002	2
10/3/2007	9:46:54	0.019	0.003	3
10/3/2007	10:01:54	0.014	-0.002	-2
10/3/2007	10:16:54	0.014	-0.002	-2
10/3/2007	10:31:54	0.014	-0.002	-2
10/3/2007	10:46:54	0.024	0.008	8
10/3/2007	11:01:54	0.016	0	0
10/3/2007	11:16:54	0.019	0.003	3
10/3/2007	11:31:54	0.04	0.024	24
10/3/2007	11:46:54	0.018	0.002	2
10/3/2007	12:01:54	0.017	0.001	1
10/3/2007	12:16:54	0.02	0.004	4
10/3/2007	12:31:54	0.021	0.005	5
10/3/2007	12:46:54	0.035	0.019	19
10/3/2007	13:01:54	0.02	0.004	4
10/3/2007	13:16:54	0.02	0.004	4
10/3/2007	13:31:54	0.024	0.008	8
10/3/2007	13:46:54	0.02	0.004	4
10/3/2007	14:01:54	0.018	0.002	2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/03/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/3/2007 6:23	0		0
2	10/3/2007 6:38	0		0
3	10/3/2007 6:53	0		0
4	10/3/2007 7:08	0.1		0.1
5	10/3/2007 7:23	0.3		0.3
6	10/3/2007 7:38	0.3		0.3
7	10/3/2007 7:53	0.4		0.4
8	10/3/2007 8:08	0.5		0.5
9	10/3/2007 8:23	0.5		0.5
10	10/3/2007 8:38	0.6		0.6
11	10/3/2007 8:53	0.6		0.6
12	10/3/2007 9:08	0.6		0.6
13	10/3/2007 9:23	0.6		0.6
14	10/3/2007 9:38	0.6		0.6
15	10/3/2007 9:53	0.6		0.6
16	10/3/2007 10:08	0.6		0.6
17	10/3/2007 10:23	0.7		0.7
18	10/3/2007 10:38	0.7		0.7
19	10/3/2007 10:53	0.7		0.7
20	10/3/2007 11:08	0.7		0.7
21	10/3/2007 11:23	0.7		0.7
1	10/3/2007 11:53	0		0
2	10/3/2007 12:08	0		0
3	10/3/2007 12:23	0		0
4	10/3/2007 12:38	0		0
5	10/3/2007 12:53	0		0
6	10/3/2007 13:08	0		0
7	10/3/2007 13:23	0		0
8	10/3/2007 13:38	0		0
9	10/3/2007 13:53	0		0

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/3/2007
Start Time:	6:09:13
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0600) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2007	6:24:13	0.019	-0.004	-4
10/3/2007	6:39:13	0.015	-0.008	-8
10/3/2007	6:54:13	0.013	-0.01	-10
10/3/2007	7:09:13	0.013	-0.01	-10
10/3/2007	7:24:13	0.011	-0.012	-12
10/3/2007	7:39:13	0.013	-0.01	-10
10/3/2007	7:54:13	0.014	-0.009	-9
10/3/2007	8:09:13	0.016	-0.007	-7
10/3/2007	8:24:13	0.017	-0.006	-6
10/3/2007	8:39:13	0.017	-0.006	-6
10/3/2007	8:54:13	0.02	-0.003	-3
10/3/2007	9:09:13	0.024	0.001	1
10/3/2007	9:24:13	0.017	-0.006	-6
10/3/2007	9:39:13	0.019	-0.004	-4
10/3/2007	9:54:13	0.014	-0.009	-9
10/3/2007	10:09:13	0.011	-0.012	-12
10/3/2007	10:24:13	0.012	-0.011	-11
10/3/2007	10:39:13	0.014	-0.009	-9
10/3/2007	10:54:13	0.018	-0.005	-5
10/3/2007	11:09:13	0.019	-0.004	-4
10/3/2007	11:24:13	0.021	-0.002	-2
10/3/2007	11:39:13	0.021	-0.002	-2
10/3/2007	11:54:13	0.019	-0.004	-4
10/3/2007	12:09:13	0.02	-0.003	-3
10/3/2007	12:24:13	0.017	-0.006	-6
10/3/2007	12:39:13	0.02	-0.003	-3
10/3/2007	12:54:13	0.018	-0.005	-5
10/3/2007	13:09:13	0.022	-0.001	-1
10/3/2007	13:24:13	0.025	0.002	2
10/3/2007	13:39:13	0.021	-0.002	-2
10/3/2007	13:54:13	0.02	-0.003	-3
10/3/2007	14:09:13	0.02	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/03/2007 05:30

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/3/2007 6:30	0		0
2	10/3/2007 6:45	0		0
3	10/3/2007 7:00	0		0
4	10/3/2007 7:15	0		0
5	10/3/2007 7:30	0		0
6	10/3/2007 7:45	0		0
7	10/3/2007 8:00	0		0
8	10/3/2007 8:15	0		0
9	10/3/2007 8:30	0		0
10	10/3/2007 8:45	0		0
11	10/3/2007 9:00	0		0
12	10/3/2007 9:15	0		0
13	10/3/2007 9:30	0		0
14	10/3/2007 9:45	0		0
15	10/3/2007 10:00	0		0
16	10/3/2007 10:15	0		0
17	10/3/2007 10:30	0		0
18	10/3/2007 10:45	0		0
19	10/3/2007 11:00	0		0
20	10/3/2007 11:15	0		0
21	10/3/2007 11:30	0		0
22	10/3/2007 11:45	0		0
23	10/3/2007 12:00	0		0
24	10/3/2007 12:15	0		0
25	10/3/2007 12:30	0		0
26	10/3/2007 12:45	0		0
27	10/3/2007 13:00	0		0
28	10/3/2007 13:15	0		0
29	10/3/2007 13:30	0		0
30	10/3/2007 13:45	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202243
Test ID:	1
Test Abbreviation:	
Start Date:	10/3/2007
Start Time:	6:25:07
Duration (dd:hh:mm:ss):	00:00:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	1
Notes:	Background Reading (0619) = 0.037 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2007	6:40:07	0.038	0.001	1
10/3/2007	7:22:47	0.039	0.002	2
10/3/2007	7:37:47	0.055	0.018	18
10/3/2007	7:52:47	0.043	0.006	6
10/3/2007	8:07:47	0.063	0.026	26
10/3/2007	8:22:47	0.057	0.02	20
10/3/2007	8:37:47	0.048	0.011	11
10/3/2007	8:52:47	0.056	0.019	19
10/3/2007	9:07:47	0.056	0.019	19
10/3/2007	9:22:47	0.051	0.014	14
10/3/2007	9:37:47	0.057	0.02	20
10/3/2007	9:52:47	0.046	0.009	9
10/3/2007	10:07:47	0.042	0.005	5
10/3/2007	10:22:47	0.042	0.005	5
10/3/2007	10:37:47	0.053	0.016	16
10/3/2007	10:52:47	0.056	0.019	19
10/3/2007	11:07:47	0.057	0.02	20
10/3/2007	11:22:47	0.064	0.027	27
10/3/2007	11:37:47	0.061	0.024	24
10/3/2007	11:52:47	0.056	0.019	19
10/3/2007	12:07:47	0.053	0.016	16
10/3/2007	12:22:47	0.055	0.018	18
10/3/2007	12:37:47	0.061	0.024	24
10/3/2007	12:52:47	0.059	0.022	22
10/3/2007	13:07:47	0.069	0.032	32
10/3/2007	13:22:47	0.07	0.033	33
10/3/2007	13:37:47	0.064	0.027	27
10/3/2007	13:52:47	0.092	0.055	55

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/03/2007 05:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/3/2007 6:45	0.2		0.2
2	10/3/2007 7:00	0		0
3	10/3/2007 7:15	0		0
4	10/3/2007 7:30	0		0
5	10/3/2007 7:45	0		0
6	10/3/2007 8:00	0		0
7	10/3/2007 8:15	0		0
8	10/3/2007 8:30	0		0
9	10/3/2007 8:45	0		0
10	10/3/2007 9:00	0		0
11	10/3/2007 9:15	0		0
12	10/3/2007 9:30	0		0
13	10/3/2007 9:45	0		0
14	10/3/2007 10:00	0		0
15	10/3/2007 10:15	0		0
16	10/3/2007 10:30	0		0
17	10/3/2007 10:45	0		0
18	10/3/2007 11:00	0		0
19	10/3/2007 11:15	0		0
20	10/3/2007 11:30	0		0
21	10/3/2007 11:45	0		0
22	10/3/2007 12:00	0		0
23	10/3/2007 12:15	0		0
24	10/3/2007 12:30	0		0
25	10/3/2007 12:45	0		0
26	10/3/2007 13:00	0		0
27	10/3/2007 13:15	0		0
28	10/3/2007 13:30	0		0
29	10/3/2007 13:45	0		0
30	10/3/2007 14:00	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/3/2007
Start Time:	6:17:09
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0613) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/3/2007	6:32:09	0.016	0	0
10/3/2007	6:47:09	0.016	0	0
10/3/2007	7:02:09	0.015	-0.001	-1
10/3/2007	7:17:09	0.021	0.005	5
10/3/2007	7:32:09	0.02	0.004	4
10/3/2007	7:47:09	0.024	0.008	8
10/3/2007	8:02:09	0.018	0.002	2
10/3/2007	8:17:09	0.032	0.016	16
10/3/2007	8:32:09	0.011	-0.005	-5
10/3/2007	8:47:09	0.01	-0.006	-6
10/3/2007	9:02:09	0.008	-0.008	-8
10/3/2007	9:17:09	0.008	-0.008	-8
10/3/2007	9:32:09	0.009	-0.007	-7
10/3/2007	9:47:09	0.019	0.003	3
10/3/2007	10:02:09	0.01	-0.006	-6
10/3/2007	10:17:09	0.011	-0.005	-5
10/3/2007	10:32:09	0.009	-0.007	-7
10/3/2007	10:47:09	0.012	-0.004	-4
10/3/2007	11:02:09	0.013	-0.003	-3
10/3/2007	11:17:09	0.015	-0.001	-1
10/3/2007	11:32:09	0.021	0.005	5
10/3/2007	11:47:09	0.016	0	0
10/3/2007	12:02:09	0.015	-0.001	-1
10/3/2007	12:17:09	0.012	-0.004	-4
10/3/2007	12:32:09	0.012	-0.004	-4
10/3/2007	12:47:09	0.011	-0.005	-5
10/3/2007	13:02:09	0.011	-0.005	-5
10/3/2007	13:17:09	0.012	-0.004	-4
10/3/2007	13:32:09	0.027	0.011	11
10/3/2007	13:47:09	0.014	-0.002	-2
10/3/2007	14:02:09	0.012	-0.004	-4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/04/2007 05:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0545) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/4/2007 6:01	0		0
2	10/4/2007 6:16	0		0
3	10/4/2007 6:31	0		0
4	10/4/2007 6:46	0		0
5	10/4/2007 7:01	0		0
6	10/4/2007 7:16	0		0
7	10/4/2007 7:31	0		0
8	10/4/2007 7:46	0.1		0.1
9	10/4/2007 8:01	0.1		0.1
10	10/4/2007 8:16	0.1		0.1
11	10/4/2007 8:31	0.1		0.1
12	10/4/2007 8:46	0.1		0.1
13	10/4/2007 9:01	0.2		0.2
14	10/4/2007 9:16	0.2		0.2
15	10/4/2007 9:31	0.2		0.2
16	10/4/2007 9:46	0.2		0.2
17	10/4/2007 10:01	0.2		0.2
18	10/4/2007 10:16	0.2		0.2
19	10/4/2007 10:31	0.2		0.2
20	10/4/2007 10:46	0.2		0.2
21	10/4/2007 11:01	0.2		0.2
22	10/4/2007 11:16	0.2		0.2
23	10/4/2007 11:31	0.2		0.2
24	10/4/2007 11:46	0.2		0.2
25	10/4/2007 12:01	0.2		0.2
26	10/4/2007 12:16	0.2		0.2
27	10/4/2007 12:31	0.2		0.2
28	10/4/2007 12:46	0.1		0.1
29	10/4/2007 13:01	0.1		0.1
30	10/4/2007 13:16	0.1		0.1
31	10/4/2007 13:31	0.1		0.1
32	10/4/2007 13:46	0		0
33	10/4/2007 14:01	0		0
34	10/4/2007 14:16	0		0
35	10/4/2007 14:31	0		0
36	10/4/2007 14:46	0		0
37	10/4/2007 15:01	0		0
38	10/4/2007 15:16	0		0
39	10/4/2007 15:31	0		0
40	10/4/2007 15:46	0		0
41	10/4/2007 16:01	0		0
42	10/4/2007 16:16	0		0
43	10/4/2007 16:31	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/4/2007
Start Time:	5:50:13
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0545) = 0.051 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2007	6:05:13	0.053	0.002	2
10/4/2007	6:20:13	0.041	-0.01	-10
10/4/2007	6:35:13	0.031	-0.02	-20
10/4/2007	6:50:13	0.03	-0.021	-21
10/4/2007	7:05:13	0.033	-0.018	-18
10/4/2007	7:20:13	0.035	-0.016	-16
10/4/2007	7:35:13	0.031	-0.02	-20
10/4/2007	7:50:13	0.032	-0.019	-19
10/4/2007	8:05:13	0.032	-0.019	-19
10/4/2007	8:20:13	0.03	-0.021	-21
10/4/2007	8:35:13	0.03	-0.021	-21
10/4/2007	8:50:13	0.031	-0.02	-20
10/4/2007	9:05:13	0.028	-0.023	-23
10/4/2007	9:20:13	0.027	-0.024	-24
10/4/2007	9:35:13	0.035	-0.016	-16
10/4/2007	9:50:13	0.042	-0.009	-9
10/4/2007	10:05:13	0.044	-0.007	-7
10/4/2007	10:20:13	0.027	-0.024	-24
10/4/2007	10:35:13	0.025	-0.026	-26
10/4/2007	10:50:13	0.031	-0.02	-20
10/4/2007	11:05:13	0.022	-0.029	-29
10/4/2007	11:20:13	0.029	-0.022	-22
10/4/2007	11:35:13	0.026	-0.025	-25
10/4/2007	11:50:13	0.026	-0.025	-25
10/4/2007	12:05:13	0.028	-0.023	-23
10/4/2007	12:20:13	0.022	-0.029	-29
10/4/2007	12:35:13	0.021	-0.03	-30
10/4/2007	12:50:13	0.035	-0.016	-16
10/4/2007	13:05:13	0.02	-0.031	-31
10/4/2007	13:20:13	0.018	-0.033	-33
10/4/2007	13:35:13	0.028	-0.023	-23
10/4/2007	13:50:13	0.035	-0.016	-16
10/4/2007	14:05:13	0.015	-0.036	-36
10/4/2007	14:20:13	0.021	-0.03	-30
10/4/2007	14:35:13	0.013	-0.038	-38
10/4/2007	14:50:13	0.015	-0.036	-36
10/4/2007	15:05:13	0.028	-0.023	-23
10/4/2007	15:20:13	0.019	-0.032	-32
10/4/2007	15:35:13	0.023	-0.028	-28
10/4/2007	15:50:13	0.018	-0.033	-33
10/4/2007	16:05:13	0.025	-0.026	-26
10/4/2007	16:20:13	0.016	-0.035	-35
10/4/2007	16:35:13	0.016	-0.035	-35
10/4/2007	16:50:13	0.02	-0.031	-31

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 4 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/04/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0543) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/4/2007 6:07	0		0
2	10/4/2007 6:22	0.1		0.1
3	10/4/2007 6:37	0.2		0.2
4	10/4/2007 6:52	0.3		0.3
1	10/4/2007 7:22	0		0
2	10/4/2007 7:37	0		0
3	10/4/2007 7:52	0		0
4	10/4/2007 8:07	0		0
5	10/4/2007 8:22	0.1		0.1
6	10/4/2007 8:37	0.1		0.1
7	10/4/2007 8:52	0.1		0.1
8	10/4/2007 9:07	0.1		0.1
9	10/4/2007 9:22	0.1		0.1
10	10/4/2007 9:37	0.1		0.1
11	10/4/2007 9:52	0.1		0.1
12	10/4/2007 10:07	0.1		0.1
13	10/4/2007 10:22	0.2		0.2
14	10/4/2007 10:37	0.2		0.2
15	10/4/2007 10:52	0.2		0.2
16	10/4/2007 11:07	0.2		0.2
17	10/4/2007 11:22	0.2		0.2
18	10/4/2007 11:37	0.2		0.2
19	10/4/2007 11:52	0.2		0.2
20	10/4/2007 12:07	0.2		0.2
21	10/4/2007 12:22	0.3		0.3
22	10/4/2007 12:37	0.3		0.3
23	10/4/2007 12:52	0.3		0.3
24	10/4/2007 13:07	0.3		0.3
25	10/4/2007 13:22	0.3		0.3
26	10/4/2007 13:37	0.3		0.3
27	10/4/2007 13:52	0.3		0.3
28	10/4/2007 14:07	0.3		0.3
29	10/4/2007 14:22	0.4		0.4
30	10/4/2007 14:37	0.4		0.4
31	10/4/2007 14:52	0.4		0.4
32	10/4/2007 15:07	0.4		0.4
33	10/4/2007 15:22	0.4		0.4
34	10/4/2007 15:37	0.4		0.4
35	10/4/2007 15:52	0.4		0.4
36	10/4/2007 16:07	0.4		0.4
37	10/4/2007 16:22	0.4		0.4
38	10/4/2007 16:37	0.4		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/4/2007
Start Time:	5:52:36
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0543) = 0.057 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2007	6:07:36	0.057	0	0
10/4/2007	6:22:36	0.038	-0.019	-19
10/4/2007	6:37:36	0.033	-0.024	-24
10/4/2007	6:52:36	0.031	-0.026	-26
10/4/2007	7:07:36	0.031	-0.026	-26
10/4/2007	7:22:36	0.033	-0.024	-24
10/4/2007	7:37:36	0.034	-0.023	-23
10/4/2007	7:52:36	0.034	-0.023	-23
10/4/2007	8:07:36	0.034	-0.023	-23
10/4/2007	8:22:36	0.032	-0.025	-25
10/4/2007	8:37:36	0.034	-0.023	-23
10/4/2007	8:52:36	0.033	-0.024	-24
10/4/2007	9:07:36	0.031	-0.026	-26
10/4/2007	9:22:36	0.032	-0.025	-25
10/4/2007	9:37:36	0.034	-0.023	-23
10/4/2007	9:52:36	0.036	-0.021	-21
10/4/2007	10:07:36	0.033	-0.024	-24
10/4/2007	10:22:36	0.031	-0.026	-26
10/4/2007	10:37:36	0.03	-0.027	-27
10/4/2007	10:52:36	0.03	-0.027	-27
10/4/2007	11:07:36	0.03	-0.027	-27
10/4/2007	11:22:36	0.031	-0.026	-26
10/4/2007	11:37:36	0.031	-0.026	-26
10/4/2007	11:52:36	0.032	-0.025	-25
10/4/2007	12:07:36	0.029	-0.028	-28
10/4/2007	12:22:36	0.027	-0.03	-30
10/4/2007	12:37:36	0.028	-0.029	-29
10/4/2007	12:52:36	0.027	-0.03	-30
10/4/2007	13:07:36	0.025	-0.032	-32
10/4/2007	13:22:36	0.026	-0.031	-31
10/4/2007	13:37:36	0.024	-0.033	-33
10/4/2007	13:52:36	0.023	-0.034	-34
10/4/2007	14:07:36	0.024	-0.033	-33
10/4/2007	14:22:36	0.024	-0.033	-33
10/4/2007	14:37:36	0.024	-0.033	-33
10/4/2007	14:52:36	0.022	-0.035	-35
10/4/2007	15:07:36	0.024	-0.033	-33
10/4/2007	15:22:36	0.025	-0.032	-32
10/4/2007	15:37:36	0.025	-0.032	-32
10/4/2007	15:52:36	0.025	-0.032	-32
10/4/2007	16:07:36	0.026	-0.031	-31
10/4/2007	16:22:36	0.028	-0.029	-29
10/4/2007	16:37:36	0.029	-0.028	-28
10/4/2007	16:52:36	0.034	-0.023	-23

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/04/2007 05:35

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/4/2007 6:15	0		0
2	10/4/2007 6:30	0		0
3	10/4/2007 6:45	0		0
4	10/4/2007 7:00	0		0
5	10/4/2007 7:15	0		0
6	10/4/2007 7:30	0		0
7	10/4/2007 7:45	0		0
8	10/4/2007 8:00	0		0
9	10/4/2007 8:15	0		0
10	10/4/2007 8:30	0		0
11	10/4/2007 8:45	0		0
12	10/4/2007 9:00	0		0
13	10/4/2007 9:15	0		0
14	10/4/2007 9:30	0		0
15	10/4/2007 9:45	0		0
16	10/4/2007 10:00	0		0
17	10/4/2007 10:15	0		0
18	10/4/2007 10:30	0		0
19	10/4/2007 10:45	0		0
20	10/4/2007 11:00	0		0
21	10/4/2007 11:15	0		0
22	10/4/2007 11:30	0.1		0.1
23	10/4/2007 11:45	0.1		0.1
24	10/4/2007 12:00	0.1		0.1
25	10/4/2007 12:15	0.1		0.1
26	10/4/2007 12:30	0.1		0.1
27	10/4/2007 12:45	0.2		0.2
28	10/4/2007 13:00	0.2		0.2
29	10/4/2007 13:15	0.2		0.2
30	10/4/2007 13:30	0.2		0.2
31	10/4/2007 13:45	0.2		0.2
32	10/4/2007 14:00	0.2		0.2
33	10/4/2007 14:15	0.2		0.2
34	10/4/2007 14:30	0.3		0.3
35	10/4/2007 14:45	0.3		0.3
36	10/4/2007 15:00	0.3		0.3
37	10/4/2007 15:15	0.3		0.3
38	10/4/2007 15:30	0.3		0.3
39	10/4/2007 15:45	0.3		0.3
40	10/4/2007 16:00	0.3		0.3
41	10/4/2007 16:15	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200861
Test ID:	1
Test Abbreviation:	
Start Date:	10/4/2007
Start Time:	6:01:48
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0600) = 0.100 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	3/26/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2007	6:16:48	0.086	-0.014	-14
10/4/2007	6:31:48	0.077	-0.023	-23
10/4/2007	6:46:48	0.074	-0.026	-26
10/4/2007	7:01:48	0.076	-0.024	-24
10/4/2007	7:16:48	0.079	-0.021	-21
10/4/2007	7:31:48	0.067	-0.033	-33
10/4/2007	7:46:48	0.068	-0.032	-32
10/4/2007	8:01:48	0.065	-0.035	-35
10/4/2007	8:16:48	0.067	-0.033	-33
10/4/2007	8:31:48	0.064	-0.036	-36
10/4/2007	8:46:48	0.068	-0.032	-32
10/4/2007	9:01:48	0.065	-0.035	-35
10/4/2007	9:16:48	0.066	-0.034	-34
10/4/2007	9:31:48	0.062	-0.038	-38
10/4/2007	9:46:48	0.062	-0.038	-38
10/4/2007	10:01:48	0.052	-0.048	-48
10/4/2007	10:16:48	0.051	-0.049	-49
10/4/2007	10:31:48	0.055	-0.045	-45
10/4/2007	10:46:48	0.051	-0.049	-49
10/4/2007	11:01:48	0.051	-0.049	-49
10/4/2007	11:16:48	0.048	-0.052	-52
10/4/2007	11:31:48	0.044	-0.056	-56
10/4/2007	11:46:48	0.045	-0.055	-55
10/4/2007	12:01:48	0.043	-0.057	-57
10/4/2007	12:16:48	0.035	-0.065	-65
10/4/2007	12:31:48	0.04	-0.06	-60
10/4/2007	12:46:48	0.043	-0.057	-57
10/4/2007	13:01:48	0.04	-0.06	-60
10/4/2007	13:16:48	0.04	-0.06	-60
10/4/2007	13:31:48	0.039	-0.061	-61
10/4/2007	13:46:48	0.042	-0.058	-58
10/4/2007	14:01:48	0.036	-0.064	-64
10/4/2007	14:16:48	0.038	-0.062	-62
10/4/2007	14:31:48	0.03	-0.07	-70
10/4/2007	14:46:48	0.035	-0.065	-65
10/4/2007	15:01:48	0.04	-0.06	-60
10/4/2007	15:16:48	0.037	-0.063	-63
10/4/2007	15:31:48	0.034	-0.066	-66
10/4/2007	15:46:48	0.033	-0.067	-67
10/4/2007	16:01:48	0.034	-0.066	-66
10/4/2007	16:16:48	0.036	-0.064	-64
10/4/2007	16:31:48	0.04	-0.06	-60

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/04/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0553) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/4/2007 6:21	0		0
2	10/4/2007 6:36	0		0
3	10/4/2007 6:51	0		0
4	10/4/2007 7:06	0		0
5	10/4/2007 7:21	0		0
6	10/4/2007 7:36	0		0
7	10/4/2007 7:51	0		0
8	10/4/2007 8:06	0		0
9	10/4/2007 8:21	0		0
10	10/4/2007 8:36	0		0
11	10/4/2007 8:51	0		0
12	10/4/2007 9:06	0		0
13	10/4/2007 9:21	0		0
14	10/4/2007 9:36	0		0
15	10/4/2007 9:51	0		0
16	10/4/2007 10:06	0		0
17	10/4/2007 10:21	0		0
18	10/4/2007 10:36	0		0
19	10/4/2007 10:51	0		0
20	10/4/2007 11:06	0		0
21	10/4/2007 11:21	0		0
22	10/4/2007 11:36	0		0
23	10/4/2007 11:51	1.8		1.8
24	10/4/2007 12:06	0		0
25	10/4/2007 12:21	0		0
26	10/4/2007 12:36	1		1
27	10/4/2007 12:51	0		0
28	10/4/2007 13:06	0		0
29	10/4/2007 13:21	0		0
30	10/4/2007 13:36	0		0
31	10/4/2007 13:51	0		0
32	10/4/2007 14:06	0		0
33	10/4/2007 14:21	0		0
34	10/4/2007 14:36	0		0
35	10/4/2007 14:51	0		0
36	10/4/2007 15:06	0		0
37	10/4/2007 15:21	0		0
38	10/4/2007 15:36	0		0
39	10/4/2007 15:51	0		0
40	10/4/2007 16:06	0		0
41	10/4/2007 16:21	0		0
42	10/4/2007 16:36	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/4/2007
Start Time:	5:58:59
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0553) = 0.061 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/4/2007	6:13:59	0.049	-0.012	-12
10/4/2007	6:28:59	0.037	-0.024	-24
10/4/2007	6:43:59	0.034	-0.027	-27
10/4/2007	6:58:59	0.055	-0.006	-6
10/4/2007	7:13:59	0.061	0	0
10/4/2007	7:28:59	0.052	-0.009	-9
10/4/2007	7:43:59	0.048	-0.013	-13
10/4/2007	7:58:59	0.046	-0.015	-15
10/4/2007	8:13:59	0.048	-0.013	-13
10/4/2007	8:28:59	0.025	-0.036	-36
10/4/2007	8:43:59	0.022	-0.039	-39
10/4/2007	8:58:59	0.02	-0.041	-41
10/4/2007	9:13:59	0.038	-0.023	-23
10/4/2007	9:28:59	0.026	-0.035	-35
10/4/2007	9:43:59	0.025	-0.036	-36
10/4/2007	9:58:59	0.032	-0.029	-29
10/4/2007	10:13:59	0.036	-0.025	-25
10/4/2007	10:28:59	0.025	-0.036	-36
10/4/2007	10:43:59	0.027	-0.034	-34
10/4/2007	10:58:59	0.026	-0.035	-35
10/4/2007	11:13:59	0.026	-0.035	-35
10/4/2007	11:28:59	0.033	-0.028	-28
10/4/2007	11:43:59	0.023	-0.038	-38
10/4/2007	11:58:59	0.018	-0.043	-43
10/4/2007	12:13:59	0.018	-0.043	-43
10/4/2007	12:28:59	0.021	-0.04	-40
10/4/2007	12:43:59	0.018	-0.043	-43
10/4/2007	12:58:59	0.02	-0.041	-41
10/4/2007	13:13:59	0.017	-0.044	-44
10/4/2007	13:28:59	0.015	-0.046	-46
10/4/2007	13:43:59	0.015	-0.046	-46
10/4/2007	13:58:59	0.017	-0.044	-44
10/4/2007	14:13:59	0.02	-0.041	-41
10/4/2007	14:28:59	0.016	-0.045	-45
10/4/2007	14:43:59	0.014	-0.047	-47
10/4/2007	14:58:59	0.014	-0.047	-47
10/4/2007	15:13:59	0.014	-0.047	-47
10/4/2007	15:28:59	0.014	-0.047	-47
10/4/2007	15:43:59	0.026	-0.035	-35
10/4/2007	15:58:59	0.031	-0.03	-30
10/4/2007	16:13:59	0.031	-0.03	-30
10/4/2007	16:28:59	0.032	-0.029	-29
10/4/2007	16:43:59	0.041	-0.02	-20

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/05/2007 05:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/5/2007 6:17	0		0
2	10/5/2007 6:32	0		0
3	10/5/2007 6:47	0		0
4	10/5/2007 7:02	0		0
5	10/5/2007 7:17	0.1		0.1
6	10/5/2007 7:32	0.2		0.2
7	10/5/2007 7:47	0.2		0.2
8	10/5/2007 8:02	0.3		0.3
9	10/5/2007 8:17	0.3		0.3
10	10/5/2007 8:32	0.3		0.3
11	10/5/2007 8:47	0.4		0.4
12	10/5/2007 9:02	0.4		0.4
13	10/5/2007 9:17	0.4		0.4
14	10/5/2007 9:32	0.5		0.5
15	10/5/2007 9:47	0.6		0.6
16	10/5/2007 10:17	0		0
17	10/5/2007 10:32	0		0
18	10/5/2007 10:47	0		0
19	10/5/2007 11:02	0		0
20	10/5/2007 11:17	0		0
21	10/5/2007 11:32	0		0
22	10/5/2007 11:47	0		0
23	10/5/2007 12:02	0.1		0.1
24	10/5/2007 12:17	0.1		0.1
25	10/5/2007 12:32	0.1		0.1
26	10/5/2007 12:47	0.1		0.1
27	10/5/2007 13:02	0.1		0.1
28	10/5/2007 13:17	0		0
29	10/5/2007 13:32	0		0
30	10/5/2007 13:47	0		0
31	10/5/2007 14:02	0		0
32	10/5/2007 14:17	0		0
33	10/5/2007 14:32	0		0
34	10/5/2007 14:47	0		0
35	10/5/2007 15:02	0		0
36	10/5/2007 15:17	0		0

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/5/2007
Start Time:	6:05:23
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0550) = 0.180 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2007	6:20:23	0.189	0.009	9
10/5/2007	6:35:23	0.235	0.055	55
10/5/2007	6:50:23	0.244	0.064	64
10/5/2007	7:05:23	0.205	0.025	25
10/5/2007	7:20:23	0.122	-0.058	-58
10/5/2007	7:35:23	0.104	-0.076	-76
10/5/2007	7:50:23	0.103	-0.077	-77
10/5/2007	8:05:23	0.088	-0.092	-92
10/5/2007	8:20:23	0.075	-0.105	-105
10/5/2007	8:35:23	0.066	-0.114	-114
10/5/2007	8:50:23	0.063	-0.117	-117
10/5/2007	9:05:23	0.061	-0.119	-119
10/5/2007	9:20:23	0.062	-0.118	-118
10/5/2007	9:35:23	0.061	-0.119	-119
10/5/2007	9:50:23	0.063	-0.117	-117
10/5/2007	10:05:23	0.057	-0.123	-123
10/5/2007	10:20:23	0.06	-0.12	-120
10/5/2007	10:35:23	0.055	-0.125	-125
10/5/2007	10:50:23	0.056	-0.124	-124
10/5/2007	11:05:23	0.062	-0.118	-118
10/5/2007	11:20:23	0.059	-0.121	-121
10/5/2007	11:35:23	0.054	-0.126	-126
10/5/2007	11:50:23	0.05	-0.13	-130
10/5/2007	12:05:23	0.065	-0.115	-115
10/5/2007	12:20:23	0.043	-0.137	-137
10/5/2007	12:35:23	0.037	-0.143	-143
10/5/2007	12:50:23	0.038	-0.142	-142
10/5/2007	13:05:23	0.042	-0.138	-138
10/5/2007	13:20:23	0.051	-0.129	-129
10/5/2007	13:35:23	0.047	-0.133	-133
10/5/2007	13:50:23	0.039	-0.141	-141
10/5/2007	14:05:23	0.037	-0.143	-143
10/5/2007	14:20:23	0.036	-0.144	-144
10/5/2007	14:35:23	0.037	-0.143	-143
10/5/2007	14:50:23	0.036	-0.144	-144
10/5/2007	15:05:23	0.037	-0.143	-143
10/5/2007	15:20:23	0.038	-0.142	-142
10/5/2007	15:35:23	0.039	-0.141	-141

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/05/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0600) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/5/2007 6:23	0		0
2	10/5/2007 6:38	0		0
3	10/5/2007 6:53	0		0
4	10/5/2007 7:08	0		0
5	10/5/2007 7:23	0.1		0.1
6	10/5/2007 7:38	0.1		0.1
7	10/5/2007 7:53	0.2		0.2
8	10/5/2007 8:08	0.2		0.2
9	10/5/2007 8:23	0.3		0.3
10	10/5/2007 8:38	0.3		0.3
11	10/5/2007 8:53	0.3		0.3
12	10/5/2007 9:08	0.3		0.3
13	10/5/2007 9:23	0.4		0.4
14	10/5/2007 9:38	0.4		0.4
15	10/5/2007 9:53	0.4		0.4
16	10/5/2007 10:08	0.4		0.4
17	10/5/2007 10:23	0.4		0.4
18	10/5/2007 10:38	0.4		0.4
19	10/5/2007 10:53	0.4		0.4
20	10/5/2007 11:08	0.5		0.5
21	10/5/2007 11:23	0.5		0.5
22	10/5/2007 11:38	0.5		0.5
23	10/5/2007 11:53	0.5		0.5
24	10/5/2007 12:08	0.5		0.5
25	10/5/2007 12:23	0.6		0.6
26	10/5/2007 12:38	0.6		0.6
27	10/5/2007 12:53	0.6		0.6
28	10/5/2007 13:08	0.6		0.6
29	10/5/2007 13:23	0.6		0.6
30	10/5/2007 13:38	0.6		0.6
31	10/5/2007 13:53	0.6		0.6
32	10/5/2007 14:08	0.7		0.7
33	10/5/2007 14:23	0.7		0.7
34	10/5/2007 14:38	0.6		0.6
35	10/5/2007 14:53	0.6		0.6
36	10/5/2007 15:08	0.6		0.6
37	10/5/2007 15:23	0.6		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/5/2007
Start Time:	6:08:44
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0633) = 0.120 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2007	6:23:44	0.154	0.034	34
10/5/2007	6:38:44	0.166	0.046	46
10/5/2007	6:53:44	0.108	-0.012	-12
10/5/2007	7:08:44	0.067	-0.053	-53
10/5/2007	7:23:44	0.064	-0.056	-56
10/5/2007	7:38:44	0.067	-0.053	-53
10/5/2007	7:53:44	0.065	-0.055	-55
10/5/2007	8:08:44	0.065	-0.055	-55
10/5/2007	8:23:44	0.061	-0.059	-59
10/5/2007	8:38:44	0.059	-0.061	-61
10/5/2007	8:53:44	0.059	-0.061	-61
10/5/2007	9:08:44	0.059	-0.061	-61
10/5/2007	9:23:44	0.06	-0.06	-60
10/5/2007	9:38:44	0.062	-0.058	-58
10/5/2007	9:53:44	0.062	-0.058	-58
10/5/2007	10:08:44	0.063	-0.057	-57
10/5/2007	10:23:44	0.063	-0.057	-57
10/5/2007	10:38:44	0.06	-0.06	-60
10/5/2007	10:53:44	0.062	-0.058	-58
10/5/2007	11:08:44	0.063	-0.057	-57
10/5/2007	11:23:44	0.066	-0.054	-54
10/5/2007	11:38:44	0.065	-0.055	-55
10/5/2007	11:53:44	0.063	-0.057	-57
10/5/2007	12:08:44	0.059	-0.061	-61
10/5/2007	12:23:44	0.055	-0.065	-65
10/5/2007	12:38:44	0.051	-0.069	-69
10/5/2007	12:53:44	0.057	-0.063	-63
10/5/2007	13:08:44	0.056	-0.064	-64
10/5/2007	13:23:44	0.067	-0.053	-53
10/5/2007	13:38:44	0.066	-0.054	-54
10/5/2007	13:53:44	0.058	-0.062	-62
10/5/2007	14:08:44	0.057	-0.063	-63
10/5/2007	14:23:44	0.055	-0.065	-65
10/5/2007	14:38:44	0.059	-0.061	-61
10/5/2007	14:53:44	0.054	-0.066	-66
10/5/2007	15:08:44	0.054	-0.066	-66
10/5/2007	15:23:44	0.052	-0.068	-68
10/5/2007	15:38:44	0.05	-0.07	-70

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/05/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0619) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/5/2007 6:35	0		0
2	10/5/2007 6:50	0		0
3	10/5/2007 7:05	0		0
4	10/5/2007 7:20	0		0
5	10/5/2007 7:35	0		0
6	10/5/2007 7:50	0		0
7	10/5/2007 8:05	0		0
8	10/5/2007 8:20	0		0
9	10/5/2007 8:35	0		0
10	10/5/2007 8:50	0		0
11	10/5/2007 9:05	0		0
12	10/5/2007 9:20	0		0
13	10/5/2007 9:35	0		0
14	10/5/2007 9:50	0		0
15	10/5/2007 10:05	0		0
16	10/5/2007 10:20	0		0
17	10/5/2007 10:35	0		0
18	10/5/2007 10:50	0		0
19	10/5/2007 11:05	0		0
20	10/5/2007 11:20	0		0
21	10/5/2007 11:35	0.1		0.1
22	10/5/2007 11:50	0.2		0.2
23	10/5/2007 12:05	0.2		0.2
24	10/5/2007 12:20	0.3		0.3
25	10/5/2007 12:35	0.4		0.4
26	10/5/2007 12:50	0.5		0.5
27	10/5/2007 13:05	0.5		0.5
28	10/5/2007 13:20	0.6		0.6
29	10/5/2007 13:35	0.5		0.5
30	10/5/2007 13:50	0.5		0.5
31	10/5/2007 14:05	0.5		0.5
32	10/5/2007 14:20	0.5		0.5
33	10/5/2007 14:35	0.5		0.5
34	10/5/2007 14:50	0.5		0.5
35	10/5/2007 15:05	0.5		0.5
36	10/5/2007 15:20	0.7		0.7

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200861
Test ID:	1
Test Abbreviation:	
Start Date:	10/5/2007
Start Time:	6:21:34
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0633) = 0.170 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	3/26/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2007	6:36:34	0.184	0.014	14
10/5/2007	6:51:34	0.078	-0.092	-92
10/5/2007	7:06:34	0.075	-0.095	-95
10/5/2007	7:21:34	0.073	-0.097	-97
10/5/2007	7:36:34	0.077	-0.093	-93
10/5/2007	7:51:34	0.077	-0.093	-93
10/5/2007	8:06:34	0.071	-0.099	-99
10/5/2007	8:21:34	0.074	-0.096	-96
10/5/2007	8:36:34	0.074	-0.096	-96
10/5/2007	8:51:34	0.067	-0.103	-103
10/5/2007	9:06:34	0.064	-0.106	-106
10/5/2007	9:21:34	0.068	-0.102	-102
10/5/2007	9:36:34	0.082	-0.088	-88
10/5/2007	9:51:34	0.087	-0.083	-83
10/5/2007	10:06:34	0.091	-0.079	-79
10/5/2007	10:21:34	0.076	-0.094	-94
10/5/2007	10:36:34	0.072	-0.098	-98
10/5/2007	10:51:34	0.071	-0.099	-99
10/5/2007	11:06:34	0.078	-0.092	-92
10/5/2007	11:21:34	0.066	-0.104	-104
10/5/2007	11:36:34	0.072	-0.098	-98
10/5/2007	11:51:34	0.069	-0.101	-101
10/5/2007	12:06:34	0.069	-0.101	-101
10/5/2007	12:21:34	0.067	-0.103	-103
10/5/2007	12:36:34	0.062	-0.108	-108
10/5/2007	12:51:34	0.056	-0.114	-114
10/5/2007	13:06:34	0.073	-0.097	-97
10/5/2007	13:21:34	0.087	-0.083	-83
10/5/2007	13:36:34	0.079	-0.091	-91
10/5/2007	13:51:34	0.076	-0.094	-94
10/5/2007	14:06:34	0.08	-0.09	-90
10/5/2007	14:21:34	0.078	-0.092	-92
10/5/2007	14:36:34	0.078	-0.092	-92
10/5/2007	14:51:34	0.075	-0.095	-95
10/5/2007	15:06:34	0.072	-0.098	-98
10/5/2007	15:21:34	0.064	-0.106	-106
10/5/2007	15:36:34	0.073	-0.097	-97

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/05/2007 05:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/5/2007 6:40	0		0
2	10/5/2007 6:55	0		0
3	10/5/2007 7:10	0		0
4	10/5/2007 7:25	0		0
5	10/5/2007 7:40	0		0
6	10/5/2007 7:55	0		0
7	10/5/2007 8:10	0		0
8	10/5/2007 8:25	0		0
9	10/5/2007 8:40	0		0
10	10/5/2007 8:55	0		0
11	10/5/2007 9:10	0		0
12	10/5/2007 9:25	0		0
13	10/5/2007 9:40	0		0
14	10/5/2007 9:55	0		0
15	10/5/2007 10:10	0		0
16	10/5/2007 10:25	0		0
17	10/5/2007 10:40	0		0
18	10/5/2007 10:55	0		0
19	10/5/2007 11:10	0		0
20	10/5/2007 11:25	0		0
21	10/5/2007 11:40	0		0
22	10/5/2007 11:55	0		0
23	10/5/2007 12:10	0		0
24	10/5/2007 12:25	0		0
25	10/5/2007 12:40	0		0
26	10/5/2007 12:55	0		0
27	10/5/2007 13:10	0		0
28	10/5/2007 13:25	0		0
29	10/5/2007 13:40	0		0
30	10/5/2007 13:55	0		0
31	10/5/2007 14:10	0		0
32	10/5/2007 14:25	0		0
33	10/5/2007 14:40	0		0
34	10/5/2007 14:55	0		0
35	10/5/2007 15:10	0		0
36	10/5/2007 15:25	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/5/2007
Start Time:	6:20:03
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0633) = 0.110 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2007	6:35:03	0.104	-0.006	-6
10/5/2007	6:50:03	0.021	-0.089	-89
10/5/2007	7:05:03	0.018	-0.092	-92
10/5/2007	7:20:03	0.018	-0.092	-92
10/5/2007	7:35:03	0.038	-0.072	-72
10/5/2007	7:50:03	0.024	-0.086	-86
10/5/2007	8:05:03	0.03	-0.08	-80
10/5/2007	8:20:03	0.036	-0.074	-74
10/5/2007	8:35:03	0.03	-0.08	-80
10/5/2007	8:50:03	0.026	-0.084	-84
10/5/2007	9:05:03	0.032	-0.078	-78
10/5/2007	9:20:03	0.037	-0.073	-73
10/5/2007	9:35:03	0.037	-0.073	-73
10/5/2007	9:50:03	0.052	-0.058	-58
10/5/2007	10:05:03	0.045	-0.065	-65
10/5/2007	10:20:03	0.045	-0.065	-65
10/5/2007	10:35:03	0.039	-0.071	-71
10/5/2007	10:50:03	0.039	-0.071	-71
10/5/2007	11:05:03	0.041	-0.069	-69
10/5/2007	11:20:03	0.052	-0.058	-58
10/5/2007	11:35:03	0.04	-0.07	-70
10/5/2007	11:50:03	0.033	-0.077	-77
10/5/2007	12:05:03	0.03	-0.08	-80
10/5/2007	12:20:03	0.024	-0.086	-86
10/5/2007	12:35:03	0.025	-0.085	-85
10/5/2007	12:50:03	0.025	-0.085	-85
10/5/2007	13:05:03	0.035	-0.075	-75
10/5/2007	13:20:03	0.029	-0.081	-81
10/5/2007	13:35:03	0.031	-0.079	-79
10/5/2007	13:50:03	0.031	-0.079	-79
10/5/2007	14:05:03	0.032	-0.078	-78
10/5/2007	14:20:03	0.026	-0.084	-84
10/5/2007	14:35:03	0.028	-0.082	-82
10/5/2007	14:50:03	0.028	-0.082	-82
10/5/2007	15:05:03	0.025	-0.085	-85
10/5/2007	15:20:03	0.02	-0.09	-90
10/5/2007	15:35:03	0.021	-0.089	-89

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 5 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/06/2007 08:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0810) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)	
1	10/6/2007 8:46	1.1		1.1	*High readings due to calibration drift
2	10/6/2007 9:01	6.7	L	6.7	*High readings due to calibration drift
3	10/6/2007 9:16	9.1	L	9.1	*High readings due to calibration drift
4	10/6/2007 9:31	12.2	L	12.2	*High readings due to calibration drift
5	10/6/2007 9:46	20.5	L	20.5	*High readings due to calibration drift
1	10/6/2007 10:40	0		0	*STA 1 Mini Rae recalibrated
2	10/6/2007 10:55	0		0	
3	10/6/2007 11:10	0		0	
4	10/6/2007 11:25	0.1		0.1	
5	10/6/2007 11:40	0.1		0.1	
6	10/6/2007 11:55	0.2		0.2	
7	10/6/2007 12:10	0.2		0.2	
8	10/6/2007 12:25	0.2		0.2	
9	10/6/2007 12:40	0.2		0.2	
10	10/6/2007 12:55	0.2		0.2	
11	10/6/2007 13:10	0.2		0.2	
12	10/6/2007 13:25	0.2		0.2	
13	10/6/2007 13:40	0.2		0.2	
14	10/6/2007 13:55	0.1		0.1	
15	10/6/2007 14:10	0.1		0.1	
16	10/6/2007 14:25	0.2		0.2	
17	10/6/2007 14:40	0.2		0.2	
18	10/6/2007 14:55	0.2		0.2	
19	10/6/2007 15:10	0.2		0.2	
20	10/6/2007 15:25	0.2		0.2	
21	10/6/2007 15:40	0.1		0.1	
22	10/6/2007 15:55	0.1		0.1	
23	10/6/2007 16:10	0.1		0.1	

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/6/2007
Start Time:	8:47:38
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0810) = 0.075 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2007	9:02:38	0.078	0.003	3
10/6/2007	9:17:38	0.069	-0.006	-6
10/6/2007	9:32:38	0.06	-0.015	-15
10/6/2007	9:47:38	0.057	-0.018	-18
10/6/2007	10:02:38	0.055	-0.02	-20
10/6/2007	10:17:38	0.056	-0.019	-19
10/6/2007	10:32:38	0.054	-0.021	-21
10/6/2007	10:47:38	0.052	-0.023	-23
10/6/2007	11:02:38	0.048	-0.027	-27
10/6/2007	11:17:38	0.044	-0.031	-31
10/6/2007	11:32:38	0.043	-0.032	-32
10/6/2007	11:47:38	0.041	-0.034	-34
10/6/2007	12:02:38	0.039	-0.036	-36
10/6/2007	12:17:38	0.033	-0.042	-42
10/6/2007	12:32:38	0.031	-0.044	-44
10/6/2007	12:47:38	0.028	-0.047	-47
10/6/2007	13:02:38	0.026	-0.049	-49
10/6/2007	13:17:38	0.025	-0.05	-50
10/6/2007	13:32:38	0.021	-0.054	-54
10/6/2007	13:47:38	0.02	-0.055	-55
10/6/2007	14:02:38	0.025	-0.05	-50
10/6/2007	14:17:38	0.02	-0.055	-55
10/6/2007	14:32:38	0.019	-0.056	-56
10/6/2007	14:47:38	0.019	-0.056	-56
10/6/2007	15:02:38	0.018	-0.057	-57
10/6/2007	15:17:38	0.016	-0.059	-59
10/6/2007	15:32:38	0.015	-0.06	-60
10/6/2007	15:47:38	0.018	-0.057	-57
10/6/2007	16:02:38	0.014	-0.061	-61
10/6/2007	16:17:38	0.014	-0.061	-61
10/6/2007	16:32:38	0.014	-0.061	-61

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/06/2007 08:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0818) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/6/2007 8:17	0.1		0.1
2	10/6/2007 8:32	0.2		0.2
3	10/6/2007 8:47	0.4		0.4
4	10/6/2007 9:02	0.5		0.5
5	10/6/2007 9:17	0.6		0.6
6	10/6/2007 9:32	0.7		0.7
7	10/6/2007 9:47	0.7		0.7
8	10/6/2007 10:02	0.8		0.8
9	10/6/2007 10:17	0.8		0.8
10	10/6/2007 10:32	0.9		0.9
11	10/6/2007 10:47	1		1
12	10/6/2007 11:02	1		1
13	10/6/2007 11:17	1		1
14	10/6/2007 11:32	1		1
15	10/6/2007 11:47	1		1
16	10/6/2007 12:02	0.9		0.9
17	10/6/2007 12:17	0.8		0.8
18	10/6/2007 12:32	0.7		0.7
19	10/6/2007 12:47	0.8		0.8
20	10/6/2007 13:02	0.8		0.8
21	10/6/2007 13:17	0.7		0.7
22	10/6/2007 13:32	0.8		0.8
23	10/6/2007 13:47	0.9		0.9
24	10/6/2007 14:02	0.9		0.9
25	10/6/2007 14:17	0.9		0.9
26	10/6/2007 14:32	0.9		0.9
27	10/6/2007 14:47	0.9		0.9
28	10/6/2007 15:02	0.9		0.9
29	10/6/2007 15:17	0.9		0.9
30	10/6/2007 15:32	0.9		0.9
31	10/6/2007 15:47	0.9		0.9

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	10/6/2007
Start Time:	8:37:59
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0818) = 0.075 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2007	8:52:59	0.07	-0.005	-5
10/6/2007	9:07:59	0.066	-0.009	-9
10/6/2007	9:22:59	0.065	-0.01	-10
10/6/2007	9:37:59	0.063	-0.012	-12
10/6/2007	9:52:59	0.061	-0.014	-14
10/6/2007	10:07:59	0.062	-0.013	-13
10/6/2007	10:22:59	0.06	-0.015	-15
10/6/2007	10:37:59	0.061	-0.014	-14
10/6/2007	10:52:59	0.062	-0.013	-13
10/6/2007	11:07:59	0.055	-0.02	-20
10/6/2007	11:22:59	0.052	-0.023	-23
10/6/2007	11:37:59	0.052	-0.023	-23
10/6/2007	11:52:59	0.05	-0.025	-25
10/6/2007	12:07:59	0.047	-0.028	-28
10/6/2007	12:22:59	0.042	-0.033	-33
10/6/2007	12:37:59	0.042	-0.033	-33
10/6/2007	12:52:59	0.042	-0.033	-33
10/6/2007	13:07:59	0.042	-0.033	-33
10/6/2007	13:22:59	0.039	-0.036	-36
10/6/2007	13:37:59	0.04	-0.035	-35
10/6/2007	13:52:59	0.038	-0.037	-37
10/6/2007	14:07:59	0.037	-0.038	-38
10/6/2007	14:22:59	0.037	-0.038	-38
10/6/2007	14:37:59	0.037	-0.038	-38
10/6/2007	14:52:59	0.035	-0.04	-40
10/6/2007	15:07:59	0.035	-0.04	-40
10/6/2007	15:22:59	0.032	-0.043	-43
10/6/2007	15:37:59	0.031	-0.044	-44
10/6/2007	15:52:59	0.029	-0.046	-46
10/6/2007	16:07:59	0.029	-0.046	-46
10/6/2007	16:22:59	0.029	-0.046	-46

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014418
User ID: 00000001 Site ID: 00000007
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/06/2007 08:22

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0810) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/6/2007 8:35	0		-0.1
2	10/6/2007 8:50	0		-0.1
3	10/6/2007 9:05	0.1		0
4	10/6/2007 9:20	0.1		0
5	10/6/2007 9:35	0.1		0
6	10/6/2007 9:50	0.2		0.1
7	10/6/2007 10:05	0.2		0.1
8	10/6/2007 10:20	0.3		0.2
9	10/6/2007 10:35	0.4		0.3
10	10/6/2007 10:50	0.3		0.2
11	10/6/2007 11:05	0.3		0.2
12	10/6/2007 11:20	0.5		0.4
13	10/6/2007 11:35	0.4		0.3
14	10/6/2007 11:50	0.4		0.3
15	10/6/2007 12:05	0.4		0.3
16	10/6/2007 12:20	0.4		0.3
17	10/6/2007 12:35	0.4		0.3
18	10/6/2007 12:50	0.5		0.4
19	10/6/2007 13:05	0.5		0.4
20	10/6/2007 13:20	0.5		0.4
21	10/6/2007 13:35	0.5		0.4
22	10/6/2007 13:50	0.5		0.4
23	10/6/2007 14:05	0.6		0.5
24	10/6/2007 14:20	0.6		0.5
25	10/6/2007 14:35	0.6		0.5
26	10/6/2007 14:50	0.6		0.5
27	10/6/2007 15:05	0.6		0.5
28	10/6/2007 15:20	0.6		0.5
29	10/6/2007 15:35	0.6		0.5
30	10/6/2007 15:50	0.6		0.5
31	10/6/2007 16:05	0.6		0.5

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200861
Test ID:	2
Test Abbreviation:	
Start Date:	10/6/2007
Start Time:	8:11:42
Duration (dd:hh:mm:ss):	00:01:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	6
Notes:	Background Reading (0815) = -0.194 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	3/26/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/6/2007	8:26:42	-0.205	-0.399	-399
10/6/2007	8:41:42	-0.324	-0.518	-518
10/6/2007	8:56:42	-0.335	-0.529	-529
10/6/2007	9:11:42	-0.341	-0.535	-535
10/6/2007	9:26:42	-0.351	-0.545	-545
10/6/2007	9:41:42	-0.353	-0.547	-547
10/6/2007	10:05:18	0.008	-0.186	-186
10/6/2007	10:20:18	0.002	-0.192	-192
10/6/2007	10:35:18	0.003	-0.191	-191
10/6/2007	10:50:18	0.005	-0.189	-189
10/6/2007	11:05:18	-0.006	-0.2	-200
10/6/2007	11:20:18	-0.012	-0.206	-206
10/6/2007	11:35:18	-0.015	-0.209	-209
10/6/2007	11:50:18	-0.019	-0.213	-213
10/6/2007	12:05:18	-0.033	-0.227	-227
10/6/2007	12:20:18	-0.043	-0.237	-237
10/6/2007	12:35:18	-0.043	-0.237	-237
10/6/2007	12:50:18	-0.048	-0.242	-242
10/6/2007	13:05:18	-0.049	-0.243	-243
10/6/2007	13:20:18	-0.051	-0.245	-245
10/6/2007	13:35:18	-0.053	-0.247	-247
10/6/2007	13:50:18	-0.058	-0.252	-252
10/6/2007	14:05:18	-0.064	-0.258	-258
10/6/2007	14:20:18	-0.064	-0.258	-258
10/6/2007	14:35:18	-0.065	-0.259	-259
10/6/2007	14:50:18	-0.066	-0.26	-260
10/6/2007	15:05:18	-0.07	-0.264	-264
10/6/2007	15:20:18	-0.076	-0.27	-270
10/6/2007	15:35:18	-0.078	-0.272	-272
10/6/2007	15:50:18	-0.079	-0.273	-273
10/6/2007	16:05:18	-0.082	-0.276	-276

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 1 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/05/2007 05:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0900) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/6/2007 8:29	0		0
1	10/6/2007 9:14	0		0
2	10/6/2007 9:29	0		0
3	10/6/2007 9:44	0		0
4	10/6/2007 9:59	0		0
5	10/6/2007 10:14	0		0
6	10/6/2007 10:29	0		0
7	10/6/2007 10:44	0		0
8	10/6/2007 10:59	0.1		0.1
9	10/6/2007 11:14	0.3		0.3
10	10/6/2007 11:29	0.4		0.4
11	10/6/2007 11:44	0.3		0.3
12	10/6/2007 11:59	0.3		0.3
13	10/6/2007 12:14	0.4		0.4
14	10/6/2007 12:29	0.5		0.5
15	10/6/2007 12:44	0.5		0.5
16	10/6/2007 12:59	0.5		0.5
17	10/6/2007 13:14	0.5		0.5
18	10/6/2007 13:29	0.5		0.5
19	10/6/2007 13:44	0.6		0.6
20	10/6/2007 13:59	0.6		0.6
21	10/6/2007 14:14	0.7		0.7
22	10/6/2007 14:29	0.6		0.6
23	10/6/2007 14:44	0.7		0.7
24	10/6/2007 14:59	0.7		0.7
25	10/6/2007 15:14	0.8		0.8
26	10/6/2007 15:29	0.8		0.8
27	10/6/2007 15:44	0.7		0.7

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/5/2007
Start Time:	6:20:03
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0818) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/5/2007	6:35:03	0.104	0.071	71
10/5/2007	6:50:03	0.021	-0.012	-12
10/5/2007	7:05:03	0.018	-0.015	-15
10/5/2007	7:20:03	0.018	-0.015	-15
10/5/2007	7:35:03	0.038	0.005	5
10/5/2007	7:50:03	0.024	-0.009	-9
10/5/2007	8:05:03	0.03	-0.003	-3
10/5/2007	8:20:03	0.036	0.003	3
10/5/2007	8:35:03	0.03	-0.003	-3
10/5/2007	8:50:03	0.026	-0.007	-7
10/5/2007	9:05:03	0.032	-0.001	-1
10/5/2007	9:20:03	0.037	0.004	4
10/5/2007	9:35:03	0.037	0.004	4
10/5/2007	9:50:03	0.052	0.019	19
10/5/2007	10:05:03	0.045	0.012	12
10/5/2007	10:20:03	0.045	0.012	12
10/5/2007	10:35:03	0.039	0.006	6
10/5/2007	10:50:03	0.039	0.006	6
10/5/2007	11:05:03	0.041	0.008	8
10/5/2007	11:20:03	0.052	0.019	19
10/5/2007	11:35:03	0.04	0.007	7
10/5/2007	11:50:03	0.033	0	0
10/5/2007	12:05:03	0.03	-0.003	-3
10/5/2007	12:20:03	0.024	-0.009	-9
10/5/2007	12:35:03	0.025	-0.008	-8
10/5/2007	12:50:03	0.025	-0.008	-8
10/5/2007	13:05:03	0.035	0.002	2
10/5/2007	13:20:03	0.029	-0.004	-4
10/5/2007	13:35:03	0.031	-0.002	-2
10/5/2007	13:50:03	0.031	-0.002	-2
10/5/2007	14:05:03	0.032	-0.001	-1
10/5/2007	14:20:03	0.026	-0.007	-7
10/5/2007	14:35:03	0.028	-0.005	-5
10/5/2007	14:50:03	0.028	-0.005	-5
10/5/2007	15:05:03	0.025	-0.008	-8
10/5/2007	15:20:03	0.02	-0.013	-13
10/5/2007	15:35:03	0.021	-0.012	-12

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/09/2007 06:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0612) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/9/2007 6:30	0		0
2	10/9/2007 6:45	0.1		0.1
3	10/9/2007 7:00	0.2		0.2
4	10/9/2007 7:15	0.2		0.2
5	10/9/2007 7:30	0.2		0.2
6	10/9/2007 7:45	0.2		0.2
7	10/9/2007 8:00	0.2		0.2
8	10/9/2007 8:15	0.2		0.2
9	10/9/2007 8:30	0.2		0.2
10	10/9/2007 8:45	0.2		0.2
11	10/9/2007 9:00	0.2		0.2
12	10/9/2007 9:15	0.2		0.2
13	10/9/2007 9:30	0.2		0.2
14	10/9/2007 9:45	0.2		0.2
15	10/9/2007 10:00	0.2		0.2
16	10/9/2007 10:15	0.3		0.3
17	10/9/2007 10:30	0.3		0.3
18	10/9/2007 10:45	0.3		0.3
19	10/9/2007 11:00	0.3		0.3
20	10/9/2007 11:15	0.3		0.3
21	10/9/2007 11:30	0.3		0.3
22	10/9/2007 11:45	0.3		0.3
23	10/9/2007 12:00	0.3		0.3
24	10/9/2007 12:15	0.4		0.4
25	10/9/2007 12:30	0.4		0.4
26	10/9/2007 12:45	0.4		0.4
27	10/9/2007 13:00	0.4		0.4
28	10/9/2007 13:15	0.4		0.4
29	10/9/2007 13:30	0.4		0.4
30	10/9/2007 13:45	0.4		0.4
31	10/9/2007 14:00	0.4		0.4
32	10/9/2007 14:15	0.4		0.4
33	10/9/2007 14:30	0.4		0.4
34	10/9/2007 14:45	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/9/2007
Start Time:	6:21:03
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0612) = 0.047 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2007	6:36:03	0.044	-0.003	-3
10/9/2007	6:51:03	0.038	-0.009	-9
10/9/2007	7:06:03	0.04	-0.007	-7
10/9/2007	7:21:03	0.042	-0.005	-5
10/9/2007	7:36:03	0.04	-0.007	-7
10/9/2007	7:51:03	0.041	-0.006	-6
10/9/2007	8:06:03	0.037	-0.01	-10
10/9/2007	8:21:03	0.04	-0.007	-7
10/9/2007	8:36:03	0.045	-0.002	-2
10/9/2007	8:51:03	0.041	-0.006	-6
10/9/2007	9:06:03	0.047	0	0
10/9/2007	9:21:03	0.034	-0.013	-13
10/9/2007	9:36:03	0.022	-0.025	-25
10/9/2007	9:51:03	0.023	-0.024	-24
10/9/2007	10:06:03	0.016	-0.031	-31
10/9/2007	10:21:03	0.03	-0.017	-17
10/9/2007	10:36:03	0.017	-0.03	-30
10/9/2007	10:51:03	0.017	-0.03	-30
10/9/2007	11:06:03	0.013	-0.034	-34
10/9/2007	11:21:03	0.012	-0.035	-35
10/9/2007	11:36:03	0.016	-0.031	-31
10/9/2007	11:51:03	0.015	-0.032	-32
10/9/2007	12:06:03	0.02	-0.027	-27
10/9/2007	12:21:03	0.011	-0.036	-36
10/9/2007	12:36:03	0.014	-0.033	-33
10/9/2007	12:51:03	0.015	-0.032	-32
10/9/2007	13:06:03	0.017	-0.03	-30
10/9/2007	13:21:03	0.016	-0.031	-31
10/9/2007	13:36:03	0.01	-0.037	-37
10/9/2007	13:51:03	0.009	-0.038	-38
10/9/2007	14:06:03	0.011	-0.036	-36
10/9/2007	14:21:03	0.012	-0.035	-35
10/9/2007	14:36:03	0.042	-0.005	-5
10/9/2007	14:51:03	0.015	-0.032	-32
10/9/2007	15:06:03	0.011	-0.036	-36

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/09/2007 06:10

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0613) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/9/2007 6:36	0		0
2	10/9/2007 6:51	0		0
3	10/9/2007 7:06	0		0
4	10/9/2007 7:21	0		0
5	10/9/2007 7:36	0		0
6	10/9/2007 7:51	0		0
7	10/9/2007 8:06	0.1		0.1
8	10/9/2007 8:21	0.1		0.1
9	10/9/2007 8:36	0.1		0.1
10	10/9/2007 8:51	0.1		0.1
11	10/9/2007 9:06	0.1		0.1
12	10/9/2007 9:21	0.1		0.1
13	10/9/2007 9:36	0.1		0.1
14	10/9/2007 9:51	0.1		0.1
15	10/9/2007 10:06	0.1		0.1
16	10/9/2007 10:21	0.1		0.1
17	10/9/2007 10:36	0.1		0.1
18	10/9/2007 10:51	0.1		0.1
19	10/9/2007 11:06	0.1		0.1
20	10/9/2007 11:21	0.1		0.1
21	10/9/2007 11:36	0.1		0.1
22	10/9/2007 11:51	0.1		0.1
23	10/9/2007 12:06	0.1		0.1
24	10/9/2007 12:21	0.1		0.1
25	10/9/2007 12:36	0.1		0.1
26	10/9/2007 12:51	0.1		0.1
27	10/9/2007 13:06	0.2		0.2
28	10/9/2007 13:21	0.2		0.2
29	10/9/2007 13:36	0.2		0.2
30	10/9/2007 13:51	0.2		0.2
31	10/9/2007 14:06	0.2		0.2
32	10/9/2007 14:21	0.2		0.2
33	10/9/2007 14:36	0.2		0.2
34	10/9/2007 14:51	0.2		0.2
35	10/9/2007 15:06	0.2		0.2

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/9/2007
Start Time:	6:22:00
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0613) = 0.056 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2007	6:37:00	0.049	-0.007	-7
10/9/2007	6:52:00	0.041	-0.015	-15
10/9/2007	7:07:00	0.04	-0.016	-16
10/9/2007	7:22:00	0.041	-0.015	-15
10/9/2007	7:37:00	0.041	-0.015	-15
10/9/2007	7:52:00	0.04	-0.016	-16
10/9/2007	8:07:00	0.041	-0.015	-15
10/9/2007	8:22:00	0.039	-0.017	-17
10/9/2007	8:37:00	0.039	-0.017	-17
10/9/2007	8:52:00	0.041	-0.015	-15
10/9/2007	9:07:00	0.042	-0.014	-14
10/9/2007	9:22:00	0.034	-0.022	-22
10/9/2007	9:37:00	0.018	-0.038	-38
10/9/2007	9:52:00	0.015	-0.041	-41
10/9/2007	10:07:00	0.015	-0.041	-41
10/9/2007	10:22:00	0.013	-0.043	-43
10/9/2007	10:37:00	0.012	-0.044	-44
10/9/2007	10:52:00	0.012	-0.044	-44
10/9/2007	11:07:00	0.014	-0.042	-42
10/9/2007	11:22:00	0.014	-0.042	-42
10/9/2007	11:37:00	0.016	-0.04	-40
10/9/2007	11:52:00	0.015	-0.041	-41
10/9/2007	12:07:00	0.012	-0.044	-44
10/9/2007	12:22:00	0.013	-0.043	-43
10/9/2007	12:37:00	0.012	-0.044	-44
10/9/2007	12:52:00	0.012	-0.044	-44
10/9/2007	13:07:00	0.013	-0.043	-43
10/9/2007	13:22:00	0.014	-0.042	-42
10/9/2007	13:37:00	0.013	-0.043	-43
10/9/2007	13:52:00	0.014	-0.042	-42
10/9/2007	14:07:00	0.013	-0.043	-43
10/9/2007	14:22:00	0.014	-0.042	-42
10/9/2007	14:37:00	0.013	-0.043	-43
10/9/2007	14:52:00	0.012	-0.044	-44
10/9/2007	15:07:00	0.012	-0.044	-44

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/09/2007 06:04

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0633) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/9/2007 6:45	0		0
2	10/9/2007 7:00	0		0
3	10/9/2007 7:15	0		0
4	10/9/2007 7:30	0		0
5	10/9/2007 7:45	0		0
6	10/9/2007 8:00	0		0
7	10/9/2007 8:15	0		0
8	10/9/2007 8:30	0		0
9	10/9/2007 8:45	0		0
10	10/9/2007 9:00	0		0
11	10/9/2007 9:15	0		0
12	10/9/2007 9:30	0		0
13	10/9/2007 9:45	0		0
14	10/9/2007 10:00	0		0
15	10/9/2007 10:15	0		0
16	10/9/2007 10:30	0		0
17	10/9/2007 10:45	0		0
18	10/9/2007 11:00	0		0
19	10/9/2007 11:15	0		0
20	10/9/2007 11:30	0		0
21	10/9/2007 11:45	0		0
22	10/9/2007 12:00	0.1		0.1
23	10/9/2007 12:15	0.1		0.1
24	10/9/2007 12:30	0.1		0.1
25	10/9/2007 12:45	0.1		0.1
26	10/9/2007 13:00	0.1		0.1
27	10/9/2007 13:15	0.1		0.1
28	10/9/2007 13:30	0.1		0.1
29	10/9/2007 13:45	0.1		0.1
30	10/9/2007 14:00	0.1		0.1
31	10/9/2007 14:15	0.1		0.1
32	10/9/2007 14:30	0.1		0.1
33	10/9/2007 14:45	0.1		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/9/2007
Start Time:	6:34:37
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0633) = 0.096 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2007	6:49:37	0.095	-0.001	-1
10/9/2007	7:04:37	0.088	-0.008	-8
10/9/2007	7:19:37	0.088	-0.008	-8
10/9/2007	7:34:37	0.086	-0.01	-10
10/9/2007	7:49:37	0.083	-0.013	-13
10/9/2007	8:04:37	0.092	-0.004	-4
10/9/2007	8:19:37	0.087	-0.009	-9
10/9/2007	8:34:37	0.086	-0.01	-10
10/9/2007	8:49:37	0.084	-0.012	-12
10/9/2007	9:04:37	0.074	-0.022	-22
10/9/2007	9:19:37	0.051	-0.045	-45
10/9/2007	9:34:37	0.025	-0.071	-71
10/9/2007	9:49:37	0.024	-0.072	-72
10/9/2007	10:04:37	0.026	-0.07	-70
10/9/2007	10:19:37	0.02	-0.076	-76
10/9/2007	10:34:37	0.02	-0.076	-76
10/9/2007	10:49:37	0.02	-0.076	-76
10/9/2007	11:04:37	0.021	-0.075	-75
10/9/2007	11:19:37	0.018	-0.078	-78
10/9/2007	11:34:37	0.018	-0.078	-78
10/9/2007	11:49:37	0.017	-0.079	-79
10/9/2007	12:04:37	0.016	-0.08	-80
10/9/2007	12:19:37	0.017	-0.079	-79
10/9/2007	12:34:37	0.016	-0.08	-80
10/9/2007	12:49:37	0.017	-0.079	-79
10/9/2007	13:04:37	0.017	-0.079	-79
10/9/2007	13:19:37	0.017	-0.079	-79
10/9/2007	13:34:37	0.017	-0.079	-79
10/9/2007	13:49:37	0.017	-0.079	-79
10/9/2007	14:04:37	0.019	-0.077	-77
10/9/2007	14:19:37	0.02	-0.076	-76
10/9/2007	14:34:37	0.017	-0.079	-79
10/9/2007	14:49:37	0.019	-0.077	-77
10/9/2007	15:04:37	0.017	-0.079	-79

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/09/2007 06:17

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0623) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/9/2007 6:51	0		0
2	10/9/2007 7:06	0		0
3	10/9/2007 7:21	0		0
4	10/9/2007 7:36	0		0
5	10/9/2007 7:51	0		0
6	10/9/2007 8:06	0		0
7	10/9/2007 8:21	0		0
8	10/9/2007 8:36	0		0
9	10/9/2007 8:51	0		0
10	10/9/2007 9:06	0		0
11	10/9/2007 9:21	0		0
12	10/9/2007 9:36	0		0
13	10/9/2007 9:51	0		0
14	10/9/2007 10:06	0		0
15	10/9/2007 10:21	0		0
16	10/9/2007 10:36	0		0
17	10/9/2007 10:51	0		0
18	10/9/2007 11:06	0		0
19	10/9/2007 11:21	0		0
20	10/9/2007 11:36	0		0
21	10/9/2007 11:51	0		0
22	10/9/2007 12:06	0		0
23	10/9/2007 12:21	0		0
24	10/9/2007 12:36	0		0
25	10/9/2007 12:51	0		0
26	10/9/2007 13:06	0		0
27	10/9/2007 13:21	0		0
28	10/9/2007 13:36	0		0
29	10/9/2007 13:51	0		0
30	10/9/2007 14:06	0		0
31	10/9/2007 14:21	0		0
32	10/9/2007 14:36	0		0
33	10/9/2007 14:51	0		0
34	10/9/2007 15:06	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/9/2007
Start Time:	6:35:43
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0623) = 0.072 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/9/2007	6:51:43	0.062	-0.01	-10
10/9/2007	7:06:43	0.056	-0.016	-16
10/9/2007	7:21:43	0.056	-0.016	-16
10/9/2007	7:36:43	0.055	-0.017	-17
10/9/2007	7:51:43	0.055	-0.017	-17
10/9/2007	8:06:43	0.053	-0.019	-19
10/9/2007	8:21:43	0.052	-0.02	-20
10/9/2007	8:36:43	0.049	-0.023	-23
10/9/2007	8:51:43	0.046	-0.026	-26
10/9/2007	9:06:43	0.043	-0.029	-29
10/9/2007	9:21:43	0.03	-0.042	-42
10/9/2007	9:36:43	0.014	-0.058	-58
10/9/2007	9:51:43	0.014	-0.058	-58
10/9/2007	10:06:43	0.012	-0.06	-60
10/9/2007	10:21:43	0.01	-0.062	-62
10/9/2007	10:36:43	0.011	-0.061	-61
10/9/2007	10:51:43	0.011	-0.061	-61
10/9/2007	11:06:43	0.012	-0.06	-60
10/9/2007	11:21:43	0.01	-0.062	-62
10/9/2007	11:36:43	0.009	-0.063	-63
10/9/2007	11:51:43	0.009	-0.063	-63
10/9/2007	12:06:43	0.008	-0.064	-64
10/9/2007	12:21:43	0.009	-0.063	-63
10/9/2007	12:36:43	0.008	-0.064	-64
10/9/2007	12:51:43	0.009	-0.063	-63
10/9/2007	13:06:43	0.009	-0.063	-63
10/9/2007	13:21:43	0.01	-0.062	-62
10/9/2007	13:36:43	0.013	-0.059	-59
10/9/2007	13:51:43	0.013	-0.059	-59
10/9/2007	14:06:43	0.011	-0.061	-61
10/9/2007	14:21:43	0.02	-0.052	-52
10/9/2007	14:36:43	0.011	-0.061	-61
10/9/2007	14:51:43	0.02	-0.052	-52
10/9/2007	15:06:43	0.015	-0.057	-57

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/10/2007 06:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/10/2007 7:16	0.1		0
2	10/10/2007 7:31	0.2		0.1
3	10/10/2007 7:46	0.2		0.1
4	10/10/2007 8:01	0.3		0.2
5	10/10/2007 8:16	0.3		0.2
6	10/10/2007 8:31	0.3		0.2
7	10/10/2007 8:46	0.3		0.2
8	10/10/2007 9:01	0.2		0.1
9	10/10/2007 9:16	0.3		0.2
10	10/10/2007 9:31	0.3		0.2
11	10/10/2007 9:46	0.3		0.2
12	10/10/2007 10:01	0.3		0.2
13	10/10/2007 10:16	0.3		0.2
14	10/10/2007 10:31	0.3		0.2
15	10/10/2007 10:46	0.3		0.2
16	10/10/2007 11:01	0.3		0.2
17	10/10/2007 11:16	0.3		0.2
18	10/10/2007 11:31	0.4		0.3
19	10/10/2007 11:46	0.4		0.3
20	10/10/2007 12:01	0.3		0.2
21	10/10/2007 12:16	0.3		0.2
22	10/10/2007 12:31	0.4		0.3
23	10/10/2007 12:46	0.4		0.3
24	10/10/2007 13:01	0.4		0.3
25	10/10/2007 13:16	0.5		0.4
26	10/10/2007 13:31	0.5		0.4
27	10/10/2007 13:46	0.5		0.4
28	10/10/2007 14:01	0.5		0.4
29	10/10/2007 14:16	0.5		0.4
30	10/10/2007 14:31	0.6		0.5
31	10/10/2007 14:46	0.5		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/10/2007
Start Time:	7:06:05
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0656) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/10/2007	7:21:05	0.008	-0.008	-8
10/10/2007	7:36:05	0.008	-0.008	-8
10/10/2007	7:51:05	0.008	-0.008	-8
10/10/2007	8:06:05	0.009	-0.007	-7
10/10/2007	8:21:05	0.009	-0.007	-7
10/10/2007	8:36:05	0.013	-0.003	-3
10/10/2007	8:51:05	0.012	-0.004	-4
10/10/2007	9:06:05	0.01	-0.006	-6
10/10/2007	9:21:05	0.015	-0.001	-1
10/10/2007	9:36:05	0.075	0.059	59
10/10/2007	9:51:05	0.015	-0.001	-1
10/10/2007	10:06:05	0.022	0.006	6
10/10/2007	10:21:05	0.015	-0.001	-1
10/10/2007	10:36:05	0.03	0.014	14
10/10/2007	10:51:05	0.019	0.003	3
10/10/2007	11:06:05	0.022	0.006	6
10/10/2007	11:21:05	0.011	-0.005	-5
10/10/2007	11:36:05	0.012	-0.004	-4
10/10/2007	11:51:05	0.018	0.002	2
10/10/2007	12:06:05	0.019	0.003	3
10/10/2007	12:21:05	0.02	0.004	4
10/10/2007	12:36:05	0.02	0.004	4
10/10/2007	12:51:05	0.018	0.002	2
10/10/2007	13:06:05	0.011	-0.005	-5
10/10/2007	13:21:05	0.014	-0.002	-2
10/10/2007	13:36:05	0.01	-0.006	-6
10/10/2007	13:51:05	0.009	-0.007	-7
10/10/2007	14:06:05	0.008	-0.008	-8
10/10/2007	14:21:05	0.009	-0.007	-7
10/10/2007	14:36:05	0.01	-0.006	-6
10/10/2007	14:51:05	0.01	-0.006	-6

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/10/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/10/2007 7:24	0		0
2	10/10/2007 7:39	0		0
3	10/10/2007 7:54	0		0
4	10/10/2007 8:09	0.1		0.1
5	10/10/2007 8:24	0.1		0.1
6	10/10/2007 8:39	0.1		0.1
7	10/10/2007 8:54	0.2		0.2
8	10/10/2007 9:09	0.2		0.2
9	10/10/2007 9:24	0.2		0.2
10	10/10/2007 9:39	0.2		0.2
11	10/10/2007 9:54	0.2		0.2
12	10/10/2007 10:09	0.3		0.3
13	10/10/2007 10:24	0.3		0.3
14	10/10/2007 10:39	0.3		0.3
15	10/10/2007 10:54	0.3		0.3
16	10/10/2007 11:09	0.3		0.3
17	10/10/2007 11:24	0.3		0.3
18	10/10/2007 11:39	0.3		0.3
19	10/10/2007 11:54	0.3		0.3
20	10/10/2007 12:09	0.3		0.3
21	10/10/2007 12:24	0.3		0.3
22	10/10/2007 12:39	0.3		0.3
23	10/10/2007 12:54	0.3		0.3
24	10/10/2007 13:09	0.3		0.3
25	10/10/2007 13:24	0.3		0.3
26	10/10/2007 13:39	0.4		0.4
27	10/10/2007 13:54	0.4		0.4
28	10/10/2007 14:09	0.4		0.4
29	10/10/2007 14:24	0.4		0.4
30	10/10/2007 14:39	0.3		0.3
31	10/10/2007 14:54	0.3		0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	2
Test Abbreviation:	
Start Date:	10/10/2007
Start Time:	7:09:54
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0700) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/10/2007	7:24:54	0.006	0.001	1
10/10/2007	7:39:54	0.006	0.001	1
10/10/2007	7:54:54	0.007	0.002	2
10/10/2007	8:09:54	0.006	0.001	1
10/10/2007	8:24:54	0.003	-0.002	-2
10/10/2007	8:39:54	0	-0.005	-5
10/10/2007	8:54:54	0	-0.005	-5
10/10/2007	9:09:54	0.003	-0.002	-2
10/10/2007	9:24:54	0.004	-0.001	-1
10/10/2007	9:39:54	0	-0.005	-5
10/10/2007	9:54:54	0.002	-0.003	-3
10/10/2007	10:09:54	-0.002	-0.007	-7
10/10/2007	10:24:54	0.001	-0.004	-4
10/10/2007	10:39:54	0.002	-0.003	-3
10/10/2007	10:54:54	0	-0.005	-5
10/10/2007	11:09:54	-0.001	-0.006	-6
10/10/2007	11:24:54	0	-0.005	-5
10/10/2007	11:39:54	0.001	-0.004	-4
10/10/2007	11:54:54	0	-0.005	-5
10/10/2007	12:09:54	0	-0.005	-5
10/10/2007	12:24:54	-0.002	-0.007	-7
10/10/2007	12:39:54	-0.006	-0.011	-11
10/10/2007	12:54:54	0	-0.005	-5
10/10/2007	13:09:54	0	-0.005	-5
10/10/2007	13:24:54	-0.003	-0.008	-8
10/10/2007	13:39:54	-0.004	-0.009	-9
10/10/2007	13:54:54	-0.003	-0.008	-8
10/10/2007	14:09:54	0.002	-0.003	-3
10/10/2007	14:24:54	0.001	-0.004	-4
10/10/2007	14:39:54	0	-0.005	-5
10/10/2007	14:54:54	-0.001	-0.006	-6
10/10/2007	15:09:54	-0.003	-0.008	-8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/10/2007 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0714) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/10/2007 7:31	0		0
2	10/10/2007 7:46	0.1		0.1
3	10/10/2007 8:01	0.1		0.1
4	10/10/2007 8:16	0.1		0.1
5	10/10/2007 8:31	0.1		0.1
6	10/10/2007 8:46	0.1		0.1
7	10/10/2007 9:01	0.2		0.2
8	10/10/2007 9:16	0.1		0.1
9	10/10/2007 9:31	0.2		0.2
10	10/10/2007 9:46	0.2		0.2
11	10/10/2007 10:01	0.2		0.2
12	10/10/2007 10:16	0.2		0.2
13	10/10/2007 10:31	0.2		0.2
14	10/10/2007 10:46	0.2		0.2
15	10/10/2007 11:01	0.2		0.2
16	10/10/2007 11:16	0.2		0.2
17	10/10/2007 11:31	0.2		0.2
18	10/10/2007 11:46	0.2		0.2
19	10/10/2007 12:01	0.2		0.2
20	10/10/2007 12:16	0.2		0.2
21	10/10/2007 12:31	0.2		0.2
22	10/10/2007 12:46	0.2		0.2
23	10/10/2007 13:01	0.2		0.2
24	10/10/2007 13:16	0.2		0.2
25	10/10/2007 13:31	0.2		0.2
26	10/10/2007 13:46	0.2		0.2
27	10/10/2007 14:01	0.2		0.2
28	10/10/2007 14:16	0.2		0.2
29	10/10/2007 14:31	0.2		0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	2
Test Abbreviation:	
Start Date:	10/10/2007
Start Time:	7:15:21
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0714) = 0.008 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/10/2007	7:30:21	0.006	-0.002	-2
10/10/2007	7:45:21	0.005	-0.003	-3
10/10/2007	8:00:21	0.006	-0.002	-2
10/10/2007	8:15:21	0.006	-0.002	-2
10/10/2007	8:30:21	0.006	-0.002	-2
10/10/2007	8:45:21	0.007	-0.001	-1
10/10/2007	9:00:21	0.007	-0.001	-1
10/10/2007	9:15:21	0.008	0	0
10/10/2007	9:30:21	0.007	-0.001	-1
10/10/2007	9:45:21	0.008	0	0
10/10/2007	10:00:21	0.008	0	0
10/10/2007	10:15:21	0.01	0.002	2
10/10/2007	10:30:21	0.009	0.001	1
10/10/2007	10:45:21	0.008	0	0
10/10/2007	11:00:21	0.007	-0.001	-1
10/10/2007	11:15:21	0.009	0.001	1
10/10/2007	11:30:21	0.008	0	0
10/10/2007	11:45:21	0.009	0.001	1
10/10/2007	12:00:21	0.009	0.001	1
10/10/2007	12:15:21	0.01	0.002	2
10/10/2007	12:30:21	0.008	0	0
10/10/2007	12:45:21	0.009	0.001	1
10/10/2007	13:00:21	0.008	0	0
10/10/2007	13:15:21	0.009	0.001	1
10/10/2007	13:30:21	0.009	0.001	1
10/10/2007	13:45:21	0.009	0.001	1
10/10/2007	14:00:21	0.01	0.002	2
10/10/2007	14:15:21	0.014	0.006	6
10/10/2007	14:30:21	0.013	0.005	5
10/10/2007	14:45:21	0.013	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/10/2007 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/10/2007 7:40	0		0
2	10/10/2007 7:55	0		0
3	10/10/2007 8:10	0		0
4	10/10/2007 8:25	0.1		0.1
5	10/10/2007 8:40	0.1		0.1
6	10/10/2007 8:55	0.1		0.1
7	10/10/2007 9:10	0.2		0.2
8	10/10/2007 9:25	0.2		0.2
9	10/10/2007 9:40	0.2		0.2
10	10/10/2007 9:55	0.3		0.3
11	10/10/2007 10:10	0.3		0.3
12	10/10/2007 10:25	0.3		0.3
13	10/10/2007 10:40	0.3		0.3
14	10/10/2007 10:55	0.4		0.4
15	10/10/2007 11:10	0.4		0.4
16	10/10/2007 11:25	0.4		0.4
17	10/10/2007 11:40	0.4		0.4
18	10/10/2007 11:55	0.4		0.4
19	10/10/2007 12:10	0.4		0.4
20	10/10/2007 12:25	0.5		0.5
21	10/10/2007 12:40	0.5		0.5
22	10/10/2007 12:55	0.5		0.5
23	10/10/2007 13:10	0.5		0.5
24	10/10/2007 13:25	0.6		0.6
25	10/10/2007 13:40	0.6		0.6
26	10/10/2007 13:55	0.5		0.5
27	10/10/2007 14:10	0.5		0.5
28	10/10/2007 14:25	0.5		0.5
29	10/10/2007 14:40	0.5		0.5

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	10/10/2007
Start Time:	7:16:00
Duration (dd:hh:mm:ss):	00:07:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	

Background Reading (0710) = 0.011 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/10/2007	7:31:00	0.007	-0.004	-4
10/10/2007	7:46:00	0.006	-0.005	-5
10/10/2007	8:01:00	0.006	-0.005	-5
10/10/2007	8:16:00	0.006	-0.005	-5
10/10/2007	8:31:00	0.005	-0.006	-6
10/10/2007	8:46:00	0.007	-0.004	-4
10/10/2007	9:01:00	0.009	-0.002	-2
10/10/2007	9:16:00	0.01	-0.001	-1
10/10/2007	9:31:00	0.008	-0.003	-3
10/10/2007	9:46:00	0.007	-0.004	-4
10/10/2007	10:01:00	0.008	-0.003	-3
10/10/2007	10:16:00	0.007	-0.004	-4
10/10/2007	10:31:00	0.007	-0.004	-4
10/10/2007	10:46:00	0.007	-0.004	-4
10/10/2007	11:01:00	0.006	-0.005	-5
10/10/2007	11:16:00	0.006	-0.005	-5
10/10/2007	11:31:00	0.007	-0.004	-4
10/10/2007	11:46:00	0.009	-0.002	-2
10/10/2007	12:01:00	0.007	-0.004	-4
10/10/2007	12:16:00	0.008	-0.003	-3
10/10/2007	12:31:00	0.008	-0.003	-3
10/10/2007	12:46:00	0.007	-0.004	-4
10/10/2007	13:01:00	0.006	-0.005	-5
10/10/2007	13:16:00	0.009	-0.002	-2
10/10/2007	13:31:00	0.007	-0.004	-4
10/10/2007	13:46:00	0.008	-0.003	-3
10/10/2007	14:01:00	0.01	-0.001	-1
10/10/2007	14:16:00	0.01	-0.001	-1
10/10/2007	14:31:00	0.01	-0.001	-1
10/10/2007	14:46:00	0.012	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/11/2007 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/11/2007 7:18	0.3		0.3
2	10/11/2007 7:33	0.4		0.4
3	10/11/2007 7:48	0.5		0.5
4	10/11/2007 8:03	0.6		0.6
5	10/11/2007 8:18	0.6		0.6
6	10/11/2007 8:33	0.7		0.7
7	10/11/2007 8:48	0.7		0.7
8	10/11/2007 9:03	0.6		0.6
9	10/11/2007 9:18	0.6		0.6
10	10/11/2007 9:33	0.6		0.6
11	10/11/2007 9:48	0.7		0.7
12	10/11/2007 10:03	0.7		0.7
13	10/11/2007 10:18	0.7		0.7
14	10/11/2007 10:33	0.7		0.7
15	10/11/2007 10:48	0.7		0.7
16	10/11/2007 11:03	0.7		0.7
17	10/11/2007 11:18	0.7		0.7
18	10/11/2007 11:33	0.6		0.6
19	10/11/2007 11:48	0.6		0.6
20	10/11/2007 12:03	0.6		0.6
21	10/11/2007 12:18	0.6		0.6
22	10/11/2007 12:33	0.6		0.6
23	10/11/2007 12:48	0.6		0.6
24	10/11/2007 13:03	0.6		0.6
25	10/11/2007 13:18	0.6		0.6
26	10/11/2007 13:33	0.6		0.6
27	10/11/2007 13:48	0.5		0.5
28	10/11/2007 14:03	0.5		0.5
29	10/11/2007 14:18	0.5		0.5
30	10/11/2007 14:33	0.5		0.5
31	10/11/2007 14:48	0.6		0.6
32	10/11/2007 15:03	0.6		0.6
33	10/11/2007 15:18	0.6		0.6
34	10/11/2007 15:33	0.6		0.6

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/11/2007
Start Time:	7:08:01
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0700) = 0.025 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2007	7:23:01	0.026	0.001	1
10/11/2007	7:38:01	0.029	0.004	4
10/11/2007	7:53:01	0.067	0.042	42
10/11/2007	8:08:01	0.065	0.04	40
10/11/2007	8:23:01	0.042	0.017	17
10/11/2007	8:38:01	0.029	0.004	4
10/11/2007	8:53:01	0.023	-0.002	-2
10/11/2007	9:08:01	0.021	-0.004	-4
10/11/2007	9:23:01	0.019	-0.006	-6
10/11/2007	9:38:01	0.021	-0.004	-4
10/11/2007	9:53:01	0.018	-0.007	-7
10/11/2007	10:08:01	0.019	-0.006	-6
10/11/2007	10:23:01	0.015	-0.01	-10
10/11/2007	10:38:01	0.014	-0.011	-11
10/11/2007	10:53:01	0.013	-0.012	-12
10/11/2007	11:08:01	0.012	-0.013	-13
10/11/2007	11:23:01	0.013	-0.012	-12
10/11/2007	11:38:01	0.014	-0.011	-11
10/11/2007	11:53:01	0.012	-0.013	-13
10/11/2007	12:08:01	0.012	-0.013	-13
10/11/2007	12:23:01	0.012	-0.013	-13
10/11/2007	12:38:01	0.022	-0.003	-3
10/11/2007	12:53:01	0.016	-0.009	-9
10/11/2007	13:08:01	0.014	-0.011	-11
10/11/2007	13:23:01	0.012	-0.013	-13
10/11/2007	13:38:01	0.014	-0.011	-11
10/11/2007	13:53:01	0.011	-0.014	-14
10/11/2007	14:08:01	0.011	-0.014	-14
10/11/2007	14:23:01	0.012	-0.013	-13
10/11/2007	14:38:01	0.012	-0.013	-13
10/11/2007	14:53:01	0.013	-0.012	-12
10/11/2007	15:08:01	0.013	-0.012	-12
10/11/2007	15:23:01	0.013	-0.012	-12
10/11/2007	15:38:01	0.009	-0.016	-16
10/11/2007	15:53:01	0.01	-0.015	-15

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/11/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0703) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/11/2007 7:25	0		0
2	10/11/2007 7:40	0.1		0.1
3	10/11/2007 7:55	0.1		0.1
4	10/11/2007 8:10	0.2		0.2
5	10/11/2007 8:25	0.2		0.2
6	10/11/2007 8:40	0.3		0.3
7	10/11/2007 8:55	0.3		0.3
8	10/11/2007 9:10	0.3		0.3
9	10/11/2007 9:25	0.3		0.3
10	10/11/2007 9:40	0.4		0.4
11	10/11/2007 9:55	0.4		0.4
12	10/11/2007 10:10	0.4		0.4
13	10/11/2007 10:25	0.4		0.4
14	10/11/2007 10:40	0.4		0.4
15	10/11/2007 10:55	0.4		0.4
16	10/11/2007 11:10	0.4		0.4
17	10/11/2007 11:25	0.4		0.4
18	10/11/2007 11:40	0.4		0.4
19	10/11/2007 11:55	0.4		0.4
20	10/11/2007 12:10	0.4		0.4
21	10/11/2007 12:25	0.4		0.4
22	10/11/2007 12:40	0.4		0.4
23	10/11/2007 12:55	0.4		0.4
24	10/11/2007 13:10	0.3		0.3
25	10/11/2007 13:25	0.3		0.3
26	10/11/2007 13:40	0.3		0.3
27	10/11/2007 13:55	0.3		0.3
28	10/11/2007 14:10	0.3		0.3
29	10/11/2007 14:25	0.3		0.3
30	10/11/2007 14:40	0.3		0.3
31	10/11/2007 14:55	0.3		0.3
32	10/11/2007 15:10	0.3		0.3
33	10/11/2007 15:25	0.3		0.3
34	10/11/2007 15:40	0.3		0.3

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/11/2007
Start Time:	7:04:48
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0703) = 0.041 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2007	7:19:48	0.032	-0.009	-9
10/11/2007	7:34:48	0.031	-0.01	-10
10/11/2007	7:49:48	0.116	0.075	75
10/11/2007	8:04:48	0.079	0.038	38
10/11/2007	8:19:48	0.062	0.021	21
10/11/2007	8:34:48	0.041	0	0
10/11/2007	8:49:48	0.038	-0.003	-3
10/11/2007	9:04:48	0.036	-0.005	-5
10/11/2007	9:19:48	0.03	-0.011	-11
10/11/2007	9:34:48	0.024	-0.017	-17
10/11/2007	9:49:48	0.021	-0.02	-20
10/11/2007	10:04:48	0.021	-0.02	-20
10/11/2007	10:19:48	0.019	-0.022	-22
10/11/2007	10:34:48	0.019	-0.022	-22
10/11/2007	10:49:48	0.017	-0.024	-24
10/11/2007	11:04:48	0.022	-0.019	-19
10/11/2007	11:19:48	0.026	-0.015	-15
10/11/2007	11:34:48	0.025	-0.016	-16
10/11/2007	11:49:48	0.031	-0.01	-10
10/11/2007	12:04:48	0.025	-0.016	-16
10/11/2007	12:19:48	0.021	-0.02	-20
10/11/2007	12:34:48	0.021	-0.02	-20
10/11/2007	12:49:48	0.021	-0.02	-20
10/11/2007	13:04:48	0.028	-0.013	-13
10/11/2007	13:19:48	0.022	-0.019	-19
10/11/2007	13:34:48	0.021	-0.02	-20
10/11/2007	13:49:48	0.019	-0.022	-22
10/11/2007	14:04:48	0.018	-0.023	-23
10/11/2007	14:19:48	0.026	-0.015	-15
10/11/2007	14:34:48	0.022	-0.019	-19
10/11/2007	14:49:48	0.014	-0.027	-27
10/11/2007	15:04:48	0.011	-0.03	-30
10/11/2007	15:19:48	0.008	-0.033	-33
10/11/2007	15:34:48	0.003	-0.038	-38
10/11/2007	15:49:48	0.001	-0.04	-40

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/11/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/11/2007 7:36	0.1		0.1
2	10/11/2007 7:51	0.1		0.1
3	10/11/2007 8:06	0.2		0.2
4	10/11/2007 8:21	0.2		0.2
5	10/11/2007 8:36	0.2		0.2
6	10/11/2007 8:51	0.2		0.2
7	10/11/2007 9:06	0.2		0.2
8	10/11/2007 9:21	0.2		0.2
9	10/11/2007 9:36	0.3		0.3
10	10/11/2007 9:51	0.3		0.3
11	10/11/2007 10:06	0.3		0.3
12	10/11/2007 10:21	0.3		0.3
13	10/11/2007 10:36	0.3		0.3
14	10/11/2007 10:51	0.3		0.3
15	10/11/2007 11:06	0.3		0.3
16	10/11/2007 11:21	0.3		0.3
17	10/11/2007 11:36	0.3		0.3
18	10/11/2007 11:51	0.3		0.3
19	10/11/2007 12:06	0.3		0.3
20	10/11/2007 12:21	0.3		0.3
21	10/11/2007 12:36	0.3		0.3
22	10/11/2007 12:51	0.3		0.3
23	10/11/2007 13:06	0.3		0.3
24	10/11/2007 13:21	0.3		0.3
25	10/11/2007 13:36	0.3		0.3
26	10/11/2007 13:51	0.3		0.3
27	10/11/2007 14:06	0.3		0.3
28	10/11/2007 14:21	0.3		0.3
29	10/11/2007 14:36	0.3		0.3
30	10/11/2007 14:51	0.3		0.3
31	10/11/2007 15:06	0.3		0.3
32	10/11/2007 15:21	0.3		0.3

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/11/2007
Start Time:	7:20:18
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0715) = 0.041 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2007	7:35:18	0.027	-0.014	-14
10/11/2007	7:50:18	0.073	0.032	32
10/11/2007	8:05:18	0.051	0.01	10
10/11/2007	8:20:18	0.044	0.003	3
10/11/2007	8:35:18	0.032	-0.009	-9
10/11/2007	8:50:18	0.025	-0.016	-16
10/11/2007	9:05:18	0.028	-0.013	-13
10/11/2007	9:20:18	0.03	-0.011	-11
10/11/2007	9:35:18	0.025	-0.016	-16
10/11/2007	9:50:18	0.027	-0.014	-14
10/11/2007	10:05:18	0.026	-0.015	-15
10/11/2007	10:20:18	0.024	-0.017	-17
10/11/2007	10:35:18	0.023	-0.018	-18
10/11/2007	10:50:18	0.023	-0.018	-18
10/11/2007	11:05:18	0.021	-0.02	-20
10/11/2007	11:20:18	0.023	-0.018	-18
10/11/2007	11:35:18	0.022	-0.019	-19
10/11/2007	11:50:18	0.023	-0.018	-18
10/11/2007	12:05:18	0.021	-0.02	-20
10/11/2007	12:20:18	0.022	-0.019	-19
10/11/2007	12:35:18	0.022	-0.019	-19
10/11/2007	12:50:18	0.022	-0.019	-19
10/11/2007	13:05:18	0.025	-0.016	-16
10/11/2007	13:20:18	0.021	-0.02	-20
10/11/2007	13:35:18	0.02	-0.021	-21
10/11/2007	13:50:18	0.02	-0.021	-21
10/11/2007	14:05:18	0.022	-0.019	-19
10/11/2007	14:20:18	0.022	-0.019	-19
10/11/2007	14:35:18	0.022	-0.019	-19
10/11/2007	14:50:18	0.021	-0.02	-20
10/11/2007	15:05:18	0.02	-0.021	-21
10/11/2007	15:20:18	0.019	-0.022	-22
10/11/2007	15:35:18	0.017	-0.024	-24

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/11/2007 07:01

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0718) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/11/2007 7:44	0		0
2	10/11/2007 7:59	0		0
3	10/11/2007 8:14	0		0
4	10/11/2007 8:29	0		0
5	10/11/2007 8:44	0		0
6	10/11/2007 8:59	0.1		0.1
7	10/11/2007 9:14	0.1		0.1
8	10/11/2007 9:29	0.1		0.1
9	10/11/2007 9:44	0.1		0.1
10	10/11/2007 9:59	0.1		0.1
11	10/11/2007 10:14	0.1		0.1
12	10/11/2007 10:29	0.2		0.2
13	10/11/2007 10:44	0.2		0.2
14	10/11/2007 10:59	0.2		0.2
15	10/11/2007 11:14	0.2		0.2
16	10/11/2007 11:29	0.2		0.2
17	10/11/2007 11:44	0.2		0.2
18	10/11/2007 11:59	0.2		0.2
19	10/11/2007 12:14	0.2		0.2
20	10/11/2007 12:29	0.2		0.2
21	10/11/2007 12:44	0.2		0.2
22	10/11/2007 12:59	0.2		0.2
23	10/11/2007 13:14	0.2		0.2
24	10/11/2007 13:29	0.3		0.3
25	10/11/2007 13:44	0.3		0.3
26	10/11/2007 13:59	0.2		0.2
27	10/11/2007 14:14	0.2		0.2
28	10/11/2007 14:29	0.2		0.2
29	10/11/2007 14:44	0.3		0.3
30	10/11/2007 14:59	0.2		0.2
31	10/11/2007 15:14	0.2		0.2
32	10/11/2007 15:29	0.2		0.2
33	10/11/2007 15:44	0.3		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/11/2007
Start Time:	7:20:04
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0718) = 0.045 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/11/2007	7:35:04	0.024	-0.021	-21
10/11/2007	7:50:04	0.044	-0.001	-1
10/11/2007	8:05:04	0.056	0.011	11
10/11/2007	8:20:04	0.044	-0.001	-1
10/11/2007	8:35:04	0.028	-0.017	-17
10/11/2007	8:50:04	0.021	-0.024	-24
10/11/2007	9:05:04	0.025	-0.02	-20
10/11/2007	9:20:04	0.024	-0.021	-21
10/11/2007	9:35:04	0.022	-0.023	-23
10/11/2007	9:50:04	0.02	-0.025	-25
10/11/2007	10:05:04	0.021	-0.024	-24
10/11/2007	10:20:04	0.017	-0.028	-28
10/11/2007	10:35:04	0.014	-0.031	-31
10/11/2007	10:50:04	0.015	-0.03	-30
10/11/2007	11:05:04	0.016	-0.029	-29
10/11/2007	11:20:04	0.016	-0.029	-29
10/11/2007	11:35:04	0.013	-0.032	-32
10/11/2007	11:50:04	0.013	-0.032	-32
10/11/2007	12:05:04	0.014	-0.031	-31
10/11/2007	12:20:04	0.016	-0.029	-29
10/11/2007	12:35:04	0.015	-0.03	-30
10/11/2007	12:50:04	0.014	-0.031	-31
10/11/2007	13:05:04	0.02	-0.025	-25
10/11/2007	13:20:04	0.016	-0.029	-29
10/11/2007	13:35:04	0.015	-0.03	-30
10/11/2007	13:50:04	0.015	-0.03	-30
10/11/2007	14:05:04	0.013	-0.032	-32
10/11/2007	14:20:04	0.017	-0.028	-28
10/11/2007	14:35:04	0.015	-0.03	-30
10/11/2007	14:50:04	0.013	-0.032	-32
10/11/2007	15:05:04	0.014	-0.031	-31
10/11/2007	15:20:04	0.015	-0.03	-30
10/11/2007	15:35:04	0.014	-0.031	-31
10/11/2007	15:50:04	0.011	-0.034	-34

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/12/2007 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0649) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/12/2007 7:09	0.2		0
2	10/12/2007 7:24	0.3		0.1
3	10/12/2007 7:39	0.3		0.1
4	10/12/2007 7:54	0.4		0.2
5	10/12/2007 8:09	0.4		0.2
6	10/12/2007 8:24	0.5		0.3
7	10/12/2007 8:39	0.5		0.3
8	10/12/2007 8:54	0.5		0.3
9	10/12/2007 9:09	0.6		0.4
10	10/12/2007 9:24	0.6		0.4
11	10/12/2007 9:39	0.6		0.4
12	10/12/2007 9:54	0.6		0.4
13	10/12/2007 10:09	0.6		0.4
14	10/12/2007 10:24	0.7		0.5
15	10/12/2007 10:39	0.7		0.5
16	10/12/2007 10:54	0.6		0.4
17	10/12/2007 11:09	0.6		0.4
18	10/12/2007 11:24	0.6		0.4
19	10/12/2007 11:39	0.6		0.4
20	10/12/2007 11:54	0.6		0.4
21	10/12/2007 12:09	0.6		0.4
22	10/12/2007 12:24	0.6		0.4
23	10/12/2007 12:39	0.6		0.4
24	10/12/2007 12:54	0.6		0.4
25	10/12/2007 13:09	0.3		0.1
26	10/12/2007 13:24	0.4		0.2
27	10/12/2007 13:39	0.5		0.3
28	10/12/2007 13:54	0.5		0.3
29	10/12/2007 14:09	0.6		0.4
30	10/12/2007 14:24	0.6		0.4
31	10/12/2007 14:39	0.6		0.4
32	10/12/2007 14:54	0.5		0.3
33	10/12/2007 15:09	0.5		0.3
34	10/12/2007 15:24	0.5		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/12/2007
Start Time:	6:58:07
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0649) = 0.003 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2007	7:13:07	0.006	0.003	3
10/12/2007	7:28:07	0.004	0.001	1
10/12/2007	7:43:07	0.004	0.001	1
10/12/2007	7:58:07	0.009	0.006	6
10/12/2007	8:13:07	0.005	0.002	2
10/12/2007	8:28:07	0.004	0.001	1
10/12/2007	8:43:07	0.004	0.001	1
10/12/2007	8:58:07	0.004	0.001	1
10/12/2007	9:13:07	0.005	0.002	2
10/12/2007	9:28:07	0.004	0.001	1
10/12/2007	9:43:07	0.004	0.001	1
10/12/2007	9:58:07	0.005	0.002	2
10/12/2007	10:13:07	0.005	0.002	2
10/12/2007	10:28:07	0.005	0.002	2
10/12/2007	10:43:07	0.005	0.002	2
10/12/2007	10:58:07	0.009	0.006	6
10/12/2007	11:13:07	0.006	0.003	3
10/12/2007	11:28:07	0.005	0.002	2
10/12/2007	11:43:07	0.003	0	0
10/12/2007	11:58:07	0.003	0	0
10/12/2007	12:13:07	0.003	0	0
10/12/2007	12:28:07	0.002	-0.001	-1
10/12/2007	12:43:07	0.003	0	0
10/12/2007	12:58:07	0.004	0.001	1
10/12/2007	13:13:07	0.002	-0.001	-1
10/12/2007	13:28:07	0.003	0	0
10/12/2007	13:43:07	0.003	0	0
10/12/2007	13:58:07	0.003	0	0
10/12/2007	14:13:07	0.003	0	0
10/12/2007	14:28:07	0.003	0	0
10/12/2007	14:43:07	0.004	0.001	1
10/12/2007	14:58:07	0.003	0	0
10/12/2007	15:13:07	0.003	0	0
10/12/2007	15:28:07	0.004	0.001	1
10/12/2007	15:43:07	0.004	0.001	1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/12/2007 06:47

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/12/2007 7:15	0		0
2	10/12/2007 7:30	0		0
3	10/12/2007 7:45	0.1		0.1
4	10/12/2007 8:00	0.1		0.1
5	10/12/2007 8:15	0.1		0.1
6	10/12/2007 8:30	0.2		0.2
7	10/12/2007 8:45	0.2		0.2
8	10/12/2007 9:00	0.2		0.2
9	10/12/2007 9:15	0.2		0.2
10	10/12/2007 9:30	0.3		0.3
11	10/12/2007 9:45	0.3		0.3
12	10/12/2007 10:00	0.3		0.3
13	10/12/2007 10:15	0.3		0.3
14	10/12/2007 10:30	0.3		0.3
15	10/12/2007 10:45	0.3		0.3
16	10/12/2007 11:00	0.3		0.3
17	10/12/2007 11:15	0.3		0.3
18	10/12/2007 11:30	0.3		0.3
19	10/12/2007 11:45	0.3		0.3
20	10/12/2007 12:00	0.3		0.3
21	10/12/2007 12:15	0.3		0.3
22	10/12/2007 12:30	0.3		0.3
23	10/12/2007 12:45	0.3		0.3
24	10/12/2007 13:00	0.3		0.3
25	10/12/2007 13:15	0.3		0.3
26	10/12/2007 13:30	0.3		0.3
27	10/12/2007 13:45	0.3		0.3
28	10/12/2007 14:00	0.3		0.3
29	10/12/2007 14:15	0.3		0.3
30	10/12/2007 14:30	0.3		0.3
31	10/12/2007 14:45	0.3		0.3
32	10/12/2007 15:00	0.3		0.3
33	10/12/2007 15:15	0.3		0.3
34	10/12/2007 15:30	0.3		0.3
35	10/12/2007 15:45	0.3		0.3

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	2
Test Abbreviation:	
Start Date:	10/12/2007
Start Time:	6:52:38
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0650) = 0.005 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2007	7:07:38	0.005	0	0
10/12/2007	7:22:38	0.006	0.001	1
10/12/2007	7:37:38	0.005	0	0
10/12/2007	7:52:38	0.006	0.001	1
10/12/2007	8:07:38	0.005	0	0
10/12/2007	8:22:38	0.004	-0.001	-1
10/12/2007	8:37:38	0.004	-0.001	-1
10/12/2007	8:52:38	0.004	-0.001	-1
10/12/2007	9:07:38	0.005	0	0
10/12/2007	9:22:38	0.005	0	0
10/12/2007	9:37:38	0.005	0	0
10/12/2007	9:52:38	0.006	0.001	1
10/12/2007	10:07:38	0.005	0	0
10/12/2007	10:22:38	0.006	0.001	1
10/12/2007	10:37:38	0.006	0.001	1
10/12/2007	10:52:38	0.006	0.001	1
10/12/2007	11:07:38	0.006	0.001	1
10/12/2007	11:22:38	0.005	0	0
10/12/2007	11:37:38	0.007	0.002	2
10/12/2007	11:52:38	0.005	0	0
10/12/2007	12:07:38	0.005	0	0
10/12/2007	12:22:38	0.004	-0.001	-1
10/12/2007	12:37:38	0.005	0	0
10/12/2007	12:52:38	0.005	0	0
10/12/2007	13:07:38	0.005	0	0
10/12/2007	13:22:38	0.006	0.001	1
10/12/2007	13:37:38	0.005	0	0
10/12/2007	13:52:38	0.005	0	0
10/12/2007	14:07:38	0.006	0.001	1
10/12/2007	14:22:38	0.005	0	0
10/12/2007	14:37:38	0.005	0	0
10/12/2007	14:52:38	0.005	0	0
10/12/2007	15:07:38	0.004	-0.001	-1
10/12/2007	15:22:38	0.004	-0.001	-1
10/12/2007	15:37:38	0.005	0	0
10/12/2007	15:52:38	0.006	0.001	1

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/12/2007 06:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0713) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/12/2007 7:29	0		0
2	10/12/2007 7:44	0.1		0.1
3	10/12/2007 7:59	0.1		0.1
4	10/12/2007 8:14	0.1		0.1
5	10/12/2007 8:29	0.2		0.2
6	10/12/2007 8:44	0.2		0.2
7	10/12/2007 8:59	0.2		0.2
8	10/12/2007 9:14	0.2		0.2
9	10/12/2007 9:29	0.2		0.2
10	10/12/2007 9:44	0.2		0.2
11	10/12/2007 9:59	0.2		0.2
12	10/12/2007 10:14	0.2		0.2
13	10/12/2007 10:29	0.2		0.2
14	10/12/2007 10:44	0.3		0.3
15	10/12/2007 10:59	0.3		0.3
16	10/12/2007 11:14	0.3		0.3
17	10/12/2007 11:29	0.3		0.3
18	10/12/2007 11:44	0.3		0.3
19	10/12/2007 11:59	0.3		0.3
20	10/12/2007 12:14	0.3		0.3
21	10/12/2007 12:29	0.3		0.3
22	10/12/2007 12:44	0.3		0.3
23	10/12/2007 12:59	0.3		0.3
24	10/12/2007 13:14	0.3		0.3
25	10/12/2007 13:29	0.3		0.3
26	10/12/2007 13:44	0.3		0.3
27	10/12/2007 13:59	0.3		0.3
28	10/12/2007 14:14	0.3		0.3
29	10/12/2007 14:29	0.3		0.3
30	10/12/2007 14:44	0.3		0.3
31	10/12/2007 14:59	0.3		0.3
32	10/12/2007 15:14	0.3		0.3
33	10/12/2007 15:29	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	2
Test Abbreviation:	
Start Date:	10/12/2007
Start Time:	7:13:46
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0713) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2007	7:28:46	0.004	-0.003	-3
10/12/2007	7:43:46	0.004	-0.003	-3
10/12/2007	7:58:46	0.004	-0.003	-3
10/12/2007	8:13:46	0.004	-0.003	-3
10/12/2007	8:28:46	0.004	-0.003	-3
10/12/2007	8:43:46	0.004	-0.003	-3
10/12/2007	8:58:46	0.003	-0.004	-4
10/12/2007	9:13:46	0.004	-0.003	-3
10/12/2007	9:28:46	0.004	-0.003	-3
10/12/2007	9:43:46	0.004	-0.003	-3
10/12/2007	9:58:46	0.004	-0.003	-3
10/12/2007	10:13:46	0.004	-0.003	-3
10/12/2007	10:28:46	0.004	-0.003	-3
10/12/2007	10:43:46	0.004	-0.003	-3
10/12/2007	10:58:46	0.004	-0.003	-3
10/12/2007	11:13:46	0.004	-0.003	-3
10/12/2007	11:28:46	0.005	-0.002	-2
10/12/2007	11:43:46	0.005	-0.002	-2
10/12/2007	11:58:46	0.005	-0.002	-2
10/12/2007	12:13:46	0.004	-0.003	-3
10/12/2007	12:28:46	0.003	-0.004	-4
10/12/2007	12:43:46	0.004	-0.003	-3
10/12/2007	12:58:46	0.004	-0.003	-3
10/12/2007	13:13:46	0.005	-0.002	-2
10/12/2007	13:28:46	0.005	-0.002	-2
10/12/2007	13:43:46	0.005	-0.002	-2
10/12/2007	13:58:46	0.006	-0.001	-1
10/12/2007	14:13:46	0.005	-0.002	-2
10/12/2007	14:28:46	0.005	-0.002	-2
10/12/2007	14:43:46	0.006	-0.001	-1
10/12/2007	14:58:46	0.005	-0.002	-2
10/12/2007	15:13:46	0.006	-0.001	-1
10/12/2007	15:28:46	0.005	-0.002	-2
10/12/2007	15:43:46	0.006	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/12/2007 06:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0703) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/12/2007 7:38	0		0
2	10/12/2007 7:53	0		0
3	10/12/2007 8:08	0.1		0.1
4	10/12/2007 8:23	0.1		0.1
5	10/12/2007 8:38	0.2		0.2
6	10/12/2007 8:53	0.2		0.2
7	10/12/2007 9:08	0.3		0.3
8	10/12/2007 9:23	0.3		0.3
9	10/12/2007 9:38	0.4		0.4
10	10/12/2007 9:53	0.4		0.4
11	10/12/2007 10:08	0.5		0.5
12	10/12/2007 10:23	0.4		0.4
13	10/12/2007 10:38	0.4		0.4
14	10/12/2007 10:53	0.4		0.4
15	10/12/2007 11:08	0.4		0.4
16	10/12/2007 11:23	0.3		0.3
17	10/12/2007 11:38	0.3		0.3
18	10/12/2007 11:53	0.3		0.3
19	10/12/2007 12:08	0.3		0.3
20	10/12/2007 12:23	0.3		0.3
21	10/12/2007 12:38	0.3		0.3
22	10/12/2007 12:53	0.4		0.4
23	10/12/2007 13:08	0.4		0.4
24	10/12/2007 13:23	0.3		0.3
25	10/12/2007 13:38	0.3		0.3
26	10/12/2007 13:53	0.4		0.4
27	10/12/2007 14:08	0.4		0.4
28	10/12/2007 14:23	0.4		0.4
29	10/12/2007 14:38	0.4		0.4
30	10/12/2007 14:53	0.3		0.3
31	10/12/2007 15:08	0.4		0.4
32	10/12/2007 15:23	0.4		0.4
33	10/12/2007 15:38	0.4		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	10/12/2007
Start Time:	7:12:59
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0703) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/12/2007	7:27:59	0.004	-0.009	-9
10/12/2007	7:42:59	0.003	-0.01	-10
10/12/2007	7:57:59	0.003	-0.01	-10
10/12/2007	8:12:59	0.003	-0.01	-10
10/12/2007	8:27:59	0.003	-0.01	-10
10/12/2007	8:42:59	0.003	-0.01	-10
10/12/2007	8:57:59	0.002	-0.011	-11
10/12/2007	9:12:59	0.003	-0.01	-10
10/12/2007	9:27:59	0.003	-0.01	-10
10/12/2007	9:42:59	0.003	-0.01	-10
10/12/2007	9:57:59	0.003	-0.01	-10
10/12/2007	10:12:59	0.004	-0.009	-9
10/12/2007	10:27:59	0.004	-0.009	-9
10/12/2007	10:42:59	0.004	-0.009	-9
10/12/2007	10:57:59	0.004	-0.009	-9
10/12/2007	11:12:59	0.003	-0.01	-10
10/12/2007	11:27:59	0.003	-0.01	-10
10/12/2007	11:42:59	0.003	-0.01	-10
10/12/2007	11:57:59	0.005	-0.008	-8
10/12/2007	12:12:59	0.003	-0.01	-10
10/12/2007	12:27:59	0.003	-0.01	-10
10/12/2007	12:42:59	0.003	-0.01	-10
10/12/2007	12:57:59	0.003	-0.01	-10
10/12/2007	13:12:59	0.003	-0.01	-10
10/12/2007	13:27:59	0.004	-0.009	-9
10/12/2007	13:42:59	0.004	-0.009	-9
10/12/2007	13:57:59	0.003	-0.01	-10
10/12/2007	14:12:59	0.003	-0.01	-10
10/12/2007	14:27:59	0.003	-0.01	-10
10/12/2007	14:42:59	0.004	-0.009	-9
10/12/2007	14:57:59	0.004	-0.009	-9
10/12/2007	15:12:59	0.004	-0.009	-9
10/12/2007	15:27:59	0.003	-0.01	-10
10/12/2007	15:42:59	0.003	-0.01	-10

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 22 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/13/2007 07:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0750) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/13/2007 7:51	0.3		0.3
2	10/13/2007 8:06	0.4		0.4
3	10/13/2007 8:21	0.4		0.4
4	10/13/2007 8:36	0.5		0.5
5	10/13/2007 8:51	0.5		0.5
6	10/13/2007 9:06	0.6		0.6
7	10/13/2007 9:21	0.6		0.6
8	10/13/2007 9:36	0.6		0.6
9	10/13/2007 9:51	0.6		0.6
10	10/13/2007 10:06	0.6		0.6
11	10/13/2007 10:21	0.7		0.7
12	10/13/2007 10:36	0.7		0.7
13	10/13/2007 10:51	0.6		0.6
14	10/13/2007 11:06	0.6		0.6
15	10/13/2007 11:21	0.7		0.7
16	10/13/2007 11:36	0.7		0.7
17	10/13/2007 11:51	0.7		0.7
18	10/13/2007 12:06	0.6		0.6
19	10/13/2007 12:21	0.6		0.6
20	10/13/2007 12:36	0.6		0.6
21	10/13/2007 12:51	0.7		0.7
22	10/13/2007 13:06	0.8		0.8

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/13/2007
Start Time:	7:39:10
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0740) = 0.007 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	4/27/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2007	7:54:10	0.007	0	0
10/13/2007	8:09:10	0.008	0.001	1
10/13/2007	8:24:10	0.008	0.001	1
10/13/2007	8:39:10	0.009	0.002	2
10/13/2007	8:54:10	0.008	0.001	1
10/13/2007	9:09:10	0.011	0.004	4
10/13/2007	9:24:10	0.008	0.001	1
10/13/2007	9:39:10	0.008	0.001	1
10/13/2007	9:54:10	0.008	0.001	1
10/13/2007	10:09:10	0.007	0	0
10/13/2007	10:24:10	0.007	0	0
10/13/2007	10:39:10	0.007	0	0
10/13/2007	10:54:10	0.006	-0.001	-1
10/13/2007	11:09:10	0.006	-0.001	-1
10/13/2007	11:24:10	0.005	-0.002	-2
10/13/2007	11:39:10	0.005	-0.002	-2
10/13/2007	11:54:10	0.005	-0.002	-2
10/13/2007	12:09:10	0.006	-0.001	-1
10/13/2007	12:24:10	0.006	-0.001	-1
10/13/2007	12:39:10	0.006	-0.001	-1
10/13/2007	12:54:10	0.005	-0.002	-2
10/13/2007	13:09:10	0.005	-0.002	-2
10/13/2007	13:24:10	0.004	-0.003	-3

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/13/2007 07:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0800) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/13/2007 8:39	0.3		0
2	10/13/2007 8:54	0.4		0.1
3	10/13/2007 9:09	0.4		0.1
4	10/13/2007 9:24	0.5		0.2
5	10/13/2007 9:39	0.5		0.2
6	10/13/2007 9:54	0.6		0.3
7	10/13/2007 10:09	0.6		0.3
8	10/13/2007 10:24	0.6		0.3
9	10/13/2007 10:39	0.6		0.3
1	10/13/2007 11:09	0		-0.3
2	10/13/2007 11:24	0		-0.3
3	10/13/2007 11:39	0		-0.3
4	10/13/2007 11:54	0.1		-0.2
5	10/13/2007 12:09	0.1		-0.2
6	10/13/2007 12:24	0.1		-0.2
7	10/13/2007 12:39	0.1		-0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/13/2007
Start Time:	8:15:06
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (0800) = 0.016 mg/m^3

Calibration	
Sensor:	Aerosol
Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2007	8:30:06	0.019	0.003	3
10/13/2007	8:45:06	0.019	0.003	3
10/13/2007	9:00:06	0.019	0.003	3
10/13/2007	9:15:06	0.02	0.004	4
10/13/2007	9:30:06	0.022	0.006	6
10/13/2007	9:45:06	0.022	0.006	6
10/13/2007	10:00:06	0.018	0.002	2
10/13/2007	10:15:06	0.017	0.001	1
10/13/2007	10:30:06	0.016	0	0
10/13/2007	10:45:06	0.015	-0.001	-1
10/13/2007	11:00:06	0.014	-0.002	-2
10/13/2007	11:15:06	0.014	-0.002	-2
10/13/2007	11:30:06	0.012	-0.004	-4
10/13/2007	11:45:06	0.014	-0.002	-2
10/13/2007	12:00:06	0.014	-0.002	-2
10/13/2007	12:15:06	0.014	-0.002	-2
10/13/2007	12:30:06	0.014	-0.002	-2
10/13/2007	12:45:06	0.013	-0.003	-3

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/13/2007 07:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0755) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/13/2007 8:20	0.1		0
2	10/13/2007 8:35	0.1		0
3	10/13/2007 8:50	0.2		0.1
4	10/13/2007 9:05	0.2		0.1
5	10/13/2007 9:20	0.2		0.1
6	10/13/2007 9:35	0.2		0.1
7	10/13/2007 9:50	0.3		0.2
8	10/13/2007 10:05	0.3		0.2
9	10/13/2007 10:20	0.3		0.2
10	10/13/2007 10:35	0.4		0.3
11	10/13/2007 10:50	0.4		0.3
12	10/13/2007 11:05	0.4		0.3
13	10/13/2007 11:20	0.4		0.3
14	10/13/2007 11:35	0.5		0.4
15	10/13/2007 11:50	0.5		0.4
16	10/13/2007 12:05	0.5		0.4
17	10/13/2007 12:20	0.5		0.4

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/13/2007
Start Time:	8:03:58
Duration (dd:hh:mm:ss):	00:04:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	18
Notes:	Background Reading (0755) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2007	8:18:58	0.019	-0.002	-2
10/13/2007	8:33:58	0.019	-0.002	-2
10/13/2007	8:48:58	0.023	0.002	2
10/13/2007	9:03:58	0.019	-0.002	-2
10/13/2007	9:18:58	0.02	-0.001	-1
10/13/2007	9:33:58	0.026	0.005	5
10/13/2007	9:48:58	0.021	0	0
10/13/2007	10:03:58	0.019	-0.002	-2
10/13/2007	10:18:58	0.018	-0.003	-3
10/13/2007	10:33:58	0.018	-0.003	-3
10/13/2007	10:48:58	0.014	-0.007	-7
10/13/2007	11:03:58	0.017	-0.004	-4
10/13/2007	11:18:58	0.015	-0.006	-6
10/13/2007	11:33:58	0.015	-0.006	-6
10/13/2007	11:48:58	0.025	0.004	4
10/13/2007	12:03:58	0.022	0.001	1
10/13/2007	12:18:58	0.019	-0.002	-2
10/13/2007	12:33:58	0.014	-0.007	-7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/13/2007 07:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0750) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/13/2007 8:25	0		0
2	10/13/2007 8:40	0		0
3	10/13/2007 8:55	0.1		0.1
4	10/13/2007 9:10	0.1		0.1
5	10/13/2007 9:25	0.1		0.1
6	10/13/2007 9:40	0.1		0.1
7	10/13/2007 9:55	0.1		0.1
8	10/13/2007 10:10	0.1		0.1
9	10/13/2007 10:25	0.1		0.1
10	10/13/2007 10:40	0.2		0.2
11	10/13/2007 10:55	0.1		0.1
12	10/13/2007 11:10	0.1		0.1
13	10/13/2007 11:25	0.1		0.1
14	10/13/2007 11:40	0.1		0.1
15	10/13/2007 11:55	0.1		0.1
16	10/13/2007 12:10	0.1		0.1
17	10/13/2007 12:25	0.1		0.1
18	10/13/2007 12:40	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/13/2007
Start Time:	8:00:01
Duration (dd:hh:mm:ss):	00:04:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	19
Notes:	Background Reading (0750) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/13/2007	8:15:01	0.017	0.002	2
10/13/2007	8:30:01	0.017	0.002	2
10/13/2007	8:45:01	0.016	0.001	1
10/13/2007	9:00:01	0.015	0	0
10/13/2007	9:15:01	0.015	0	0
10/13/2007	9:30:01	0.015	0	0
10/13/2007	9:45:01	0.016	0.001	1
10/13/2007	10:00:01	0.014	-0.001	-1
10/13/2007	10:15:01	0.013	-0.002	-2
10/13/2007	10:30:01	0.013	-0.002	-2
10/13/2007	10:45:01	0.013	-0.002	-2
10/13/2007	11:00:01	0.013	-0.002	-2
10/13/2007	11:15:01	0.011	-0.004	-4
10/13/2007	11:30:01	0.009	-0.006	-6
10/13/2007	11:45:01	0.01	-0.005	-5
10/13/2007	12:00:01	0.013	-0.002	-2
10/13/2007	12:15:01	0.012	-0.003	-3
10/13/2007	12:30:01	0.011	-0.004	-4
10/13/2007	12:45:01	0.011	-0.004	-4

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/15/2007 05:34

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/15/2007 6:08	0.2		0.1
2	10/15/2007 6:23	0.3		0.2
3	10/15/2007 6:38	0.3		0.2
4	10/15/2007 6:53	0.4		0.3
5	10/15/2007 7:08	0.4		0.3
6	10/15/2007 7:23	0.4		0.3
7	10/15/2007 7:38	0.4		0.3
8	10/15/2007 7:53	0.5		0.4
9	10/15/2007 8:08	0.5		0.4
10	10/15/2007 8:23	0.5		0.4
11	10/15/2007 8:38	0.5		0.4
12	10/15/2007 8:53	0.5		0.4
13	10/15/2007 9:08	0.5		0.4
14	10/15/2007 9:23	0.6		0.5
15	10/15/2007 9:38	0.6		0.5
16	10/15/2007 9:53	0.6		0.5
17	10/15/2007 10:08	0.8		0.7
18	10/15/2007 10:23	0.6		0.5
19	10/15/2007 10:38	0.6		0.5
20	10/15/2007 10:53	0.6		0.5
21	10/15/2007 11:08	0.6		0.5
22	10/15/2007 11:23	0.6		0.5
23	10/15/2007 11:38	0.6		0.5
24	10/15/2007 11:53	0.7		0.6
25	10/15/2007 12:08	0.7		0.6
26	10/15/2007 12:23	0.7		0.6
27	10/15/2007 12:38	0.7		0.6
28	10/15/2007 12:53	0.6		0.5
29	10/15/2007 13:08	0.6		0.5
30	10/15/2007 13:23	0.6		0.5
31	10/15/2007 13:38	0.5		0.4
32	10/15/2007 13:53	0.5		0.4
33	10/15/2007 14:08	0.5		0.4
34	10/15/2007 14:23	0.5		0.4
35	10/15/2007 14:38	0.5		0.4
36	10/15/2007 14:53	0.5		0.4
37	10/15/2007 15:08	0.5		0.4
38	10/15/2007 15:23	0.4		0.3
39	10/15/2007 15:38	0.4		0.3
40	10/15/2007 15:53	0.4		0.3
41	10/15/2007 16:08	0.4		0.3
42	10/15/2007 16:23	0.4		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/15/2007
Start Time:	5:57:59
Duration (dd:hh:mm:ss):	00:05:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	20
Notes:	Background Reading (0550) = 0.005 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/15/2007	6:12:59	0.006	0.001	1
10/15/2007	6:27:59	0.007	0.002	2
10/15/2007	6:42:59	0.006	0.001	1
10/15/2007	6:57:59	0.005	0	0
10/15/2007	7:12:59	0.014	0.009	9
10/15/2007	7:27:59	0.043	0.038	38
10/15/2007	7:42:59	0.012	0.007	7
10/15/2007	7:57:59	0.055	0.05	50
10/15/2007	8:12:59	0.01	0.005	5
10/15/2007	8:27:59	0.01	0.005	5
10/15/2007	8:42:59	0.01	0.005	5
10/15/2007	8:57:59	0.01	0.005	5
10/15/2007	9:12:59	0.012	0.007	7
10/15/2007	9:27:59	0.015	0.01	10
10/15/2007	9:42:59	0.015	0.01	10
10/15/2007	9:57:59	0.014	0.009	9
10/15/2007	10:12:59	0.013	0.008	8
10/15/2007	10:27:59	0.014	0.009	9
10/15/2007	10:42:59	0.011	0.006	6
10/15/2007	10:57:59	0.016	0.011	11
10/15/2007	11:15:22	0.01	0.005	5
10/15/2007	11:30:22	0.011	0.006	6
10/15/2007	11:45:22	0.01	0.005	5
10/15/2007	12:00:22	0.011	0.006	6
10/15/2007	12:15:22	0.009	0.004	4
10/15/2007	12:30:22	0.019	0.014	14
10/15/2007	12:45:22	0.01	0.005	5
10/15/2007	13:00:22	0.008	0.003	3
10/15/2007	13:15:22	0.008	0.003	3
10/15/2007	13:30:22	0.008	0.003	3
10/15/2007	13:45:22	0.008	0.003	3
10/15/2007	14:00:22	0.006	0.001	1
10/15/2007	14:15:22	0.01	0.005	5
10/15/2007	14:30:22	0.006	0.001	1
10/15/2007	14:45:22	0.006	0.001	1
10/15/2007	15:00:22	0.007	0.002	2
10/15/2007	15:15:22	0.005	0	0
10/15/2007	15:30:22	0.009	0.004	4
10/15/2007	15:45:22	0.007	0.002	2
10/15/2007	16:00:22	0.006	0.001	1
10/15/2007	16:15:22	0.008	0.003	3
10/15/2007	16:30:22	0.005	0	0
10/15/2007	16:45:22	0.004	-0.001	-1

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/15/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0615) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/15/2007 6:39	0		0
2	10/15/2007 6:54	0		0
3	10/15/2007 7:09	0.1		0.1
4	10/15/2007 7:24	0.1		0.1
5	10/15/2007 7:39	0.2		0.2
6	10/15/2007 7:54	0.2		0.2
7	10/15/2007 8:09	0.3		0.3
8	10/15/2007 8:24	0.3		0.3
9	10/15/2007 8:39	0.3		0.3
10	10/15/2007 8:54	0.4		0.4
11	10/15/2007 9:09	0.4		0.4
12	10/15/2007 9:24	0.4		0.4
13	10/15/2007 9:39	0.4		0.4
14	10/15/2007 9:54	0.4		0.4
15	10/15/2007 10:09	0.4		0.4
16	10/15/2007 10:24	0.5		0.5
17	10/15/2007 10:39	0.5		0.5
18	10/15/2007 10:54	0.5		0.5
19	10/15/2007 11:09	0.5		0.5
20	10/15/2007 11:24	0.5		0.5
21	10/15/2007 11:39	0.5		0.5
22	10/15/2007 11:54	0.5		0.5
23	10/15/2007 12:09	0.6		0.6
24	10/15/2007 12:24	0.6		0.6
25	10/15/2007 12:39	0.5		0.5
26	10/15/2007 12:54	0.5		0.5
27	10/15/2007 13:09	0.5		0.5
28	10/15/2007 13:24	0.5		0.5
29	10/15/2007 13:39	0.5		0.5
30	10/15/2007 13:54	0.5		0.5
31	10/15/2007 14:09	0.5		0.5
32	10/15/2007 14:24	0.5		0.5
33	10/15/2007 14:39	0.5		0.5
34	10/15/2007 14:54	0.6		0.6
35	10/15/2007 15:09	0.6		0.6
36	10/15/2007 15:24	0.6		0.6
37	10/15/2007 15:39	0.6		0.6
38	10/15/2007 15:54	0.6		0.6
39	10/15/2007 16:09	0.6		0.6
40	10/15/2007 16:24	0.6		0.6
41	10/15/2007 16:39	0.6		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/15/2007
Start Time:	6:17:40
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0615) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/15/2007	6:32:40	0.015	0	0
10/15/2007	6:47:40	0.017	0.002	2
10/15/2007	7:02:40	0.015	0	0
10/15/2007	7:17:40	0.022	0.007	7
10/15/2007	7:32:40	0.023	0.008	8
10/15/2007	7:47:40	0.021	0.006	6
10/15/2007	8:02:40	0.023	0.008	8
10/15/2007	8:17:40	0.019	0.004	4
10/15/2007	8:32:40	0.022	0.007	7
10/15/2007	8:47:40	0.023	0.008	8
10/15/2007	9:02:40	0.024	0.009	9
10/15/2007	9:17:40	0.028	0.013	13
10/15/2007	9:32:40	0.027	0.012	12
10/15/2007	9:47:40	0.031	0.016	16
10/15/2007	10:02:40	0.039	0.024	24
10/15/2007	10:17:40	0.028	0.013	13
10/15/2007	10:32:40	0.027	0.012	12
10/15/2007	10:47:40	0.026	0.011	11
10/15/2007	11:02:40	0.026	0.011	11
10/15/2007	11:17:40	0.022	0.007	7
10/15/2007	11:32:40	0.025	0.01	10
10/15/2007	11:47:40	0.026	0.011	11
10/15/2007	12:02:40	0.02	0.005	5
10/15/2007	12:17:40	0.016	0.001	1
10/15/2007	12:32:40	0.014	-0.001	-1
10/15/2007	12:47:40	0.014	-0.001	-1
10/15/2007	13:02:40	0.015	0	0
10/15/2007	13:17:40	0.015	0	0
10/15/2007	13:32:40	0.015	0	0
10/15/2007	13:47:40	0.015	0	0
10/15/2007	14:02:40	0.019	0.004	4
10/15/2007	14:17:40	0.019	0.004	4
10/15/2007	14:32:40	0.02	0.005	5
10/15/2007	14:47:40	0.017	0.002	2
10/15/2007	15:02:40	0.014	-0.001	-1
10/15/2007	15:17:40	0.014	-0.001	-1
10/15/2007	15:32:40	0.017	0.002	2
10/15/2007	15:47:40	0.015	0	0
10/15/2007	16:02:40	0.013	-0.002	-2
10/15/2007	16:17:40	0.017	0.002	2
10/15/2007	16:32:40	0.015	0	0

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/15/2007 05:36

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0636) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/15/2007 6:52	0		0
2	10/15/2007 7:07	0		0
3	10/15/2007 7:22	0		0
4	10/15/2007 7:37	0.1		0.1
5	10/15/2007 7:52	0.1		0.1
6	10/15/2007 8:07	0.1		0.1
7	10/15/2007 8:22	0.1		0.1
8	10/15/2007 8:37	0.1		0.1
9	10/15/2007 8:52	0.2		0.2
10	10/15/2007 9:07	0.2		0.2
11	10/15/2007 9:22	0.2		0.2
12	10/15/2007 9:37	0.2		0.2
13	10/15/2007 9:52	0.2		0.2
14	10/15/2007 10:07	0.2		0.2
15	10/15/2007 10:22	0.2		0.2
16	10/15/2007 10:37	0.2		0.2
17	10/15/2007 10:52	0.2		0.2
18	10/15/2007 11:07	0.2		0.2
19	10/15/2007 11:22	0.2		0.2
20	10/15/2007 11:37	0.2		0.2
21	10/15/2007 11:52	0.3		0.3
22	10/15/2007 12:07	0.3		0.3
23	10/15/2007 12:22	0.3		0.3
24	10/15/2007 12:37	0.3		0.3
25	10/15/2007 12:52	0.3		0.3
26	10/15/2007 13:07	0.3		0.3
27	10/15/2007 13:22	0.3		0.3
28	10/15/2007 13:37	0.2		0.2
29	10/15/2007 13:52	0.2		0.2
30	10/15/2007 14:07	0.2		0.2
31	10/15/2007 14:22	0.2		0.2
32	10/15/2007 14:37	0.2		0.2
33	10/15/2007 14:52	0.3		0.3
34	10/15/2007 15:07	0.3		0.3
35	10/15/2007 15:22	0.3		0.3
36	10/15/2007 15:37	0.3		0.3
37	10/15/2007 15:52	0.3		0.3
38	10/15/2007 16:07	0.3		0.3
39	10/15/2007 16:22	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/15/2007
Start Time:	6:35:39
Duration (dd:hh:mm:ss):	00:00:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	3
Notes:	Background Reading (0636) = 0.033 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/15/2007	6:50:39	0.012	-0.021	-21
10/15/2007	7:05:39	0.012	-0.021	-21
10/15/2007	7:20:39	0.022	-0.011	-11
10/15/2007	8:26:21	0.02	-0.013	-13
10/15/2007	8:41:21	0.021	-0.012	-12
10/15/2007	8:56:21	0.019	-0.014	-14
10/15/2007	9:11:21	0.024	-0.009	-9
10/15/2007	9:26:21	0.024	-0.009	-9
10/15/2007	9:41:21	0.024	-0.009	-9
10/15/2007	9:56:21	0.026	-0.007	-7
10/15/2007	10:11:21	0.024	-0.009	-9
10/15/2007	10:26:21	0.023	-0.01	-10
10/15/2007	10:41:21	0.023	-0.01	-10
10/15/2007	10:56:21	0.021	-0.012	-12
10/15/2007	11:11:21	0.022	-0.011	-11
10/15/2007	11:26:21	0.02	-0.013	-13
10/15/2007	11:41:21	0.021	-0.012	-12
10/15/2007	11:56:21	0.021	-0.012	-12
10/15/2007	12:11:21	0.017	-0.016	-16
10/15/2007	12:26:21	0.014	-0.019	-19
10/15/2007	12:41:21	0.014	-0.019	-19
10/15/2007	12:56:21	0.016	-0.017	-17
10/15/2007	13:11:21	0.017	-0.016	-16
10/15/2007	13:26:21	0.018	-0.015	-15
10/15/2007	13:41:21	0.017	-0.016	-16
10/15/2007	13:56:21	0.016	-0.017	-17
10/15/2007	14:11:21	0.023	-0.01	-10
10/15/2007	14:26:21	0.021	-0.012	-12
10/15/2007	14:41:21	0.017	-0.016	-16
10/15/2007	14:56:21	0.017	-0.016	-16
10/15/2007	15:11:21	0.019	-0.014	-14
10/15/2007	15:26:21	0.018	-0.015	-15
10/15/2007	15:41:21	0.017	-0.016	-16
10/15/2007	15:56:21	0.017	-0.016	-16
10/15/2007	16:11:21	0.017	-0.016	-16
10/15/2007	16:26:21	0.015	-0.018	-18
10/15/2007	16:41:21	0.015	-0.018	-18

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/15/2007 05:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/15/2007 7:06	0		0
2	10/15/2007 7:21	0		0
3	10/15/2007 7:36	0.1		0.1
4	10/15/2007 7:51	0.1		0.1
5	10/15/2007 8:06	0.2		0.2
6	10/15/2007 8:21	0.2		0.2
7	10/15/2007 8:36	0.3		0.3
8	10/15/2007 8:51	0.3		0.3
9	10/15/2007 9:06	0.3		0.3
10	10/15/2007 9:21	0.3		0.3
11	10/15/2007 9:36	0.3		0.3
12	10/15/2007 9:51	0.4		0.4
13	10/15/2007 10:06	0.4		0.4
14	10/15/2007 10:21	0.4		0.4
15	10/15/2007 10:36	0.4		0.4
16	10/15/2007 10:51	0.4		0.4
17	10/15/2007 11:06	0.4		0.4
18	10/15/2007 11:21	0.4		0.4
19	10/15/2007 11:36	0.4		0.4
20	10/15/2007 11:51	0.4		0.4
21	10/15/2007 12:06	0.5		0.5
22	10/15/2007 12:21	0.5		0.5
23	10/15/2007 12:36	0.5		0.5
24	10/15/2007 12:51	0.5		0.5
25	10/15/2007 13:06	0.5		0.5
26	10/15/2007 13:21	0.4		0.4
27	10/15/2007 13:36	0.4		0.4
28	10/15/2007 13:51	0.4		0.4
29	10/15/2007 14:06	0.5		0.5
30	10/15/2007 14:21	0.5		0.5
31	10/15/2007 14:36	0.4		0.4
32	10/15/2007 14:51	0.4		0.4
33	10/15/2007 15:06	0.4		0.4
34	10/15/2007 15:21	0.5		0.5
35	10/15/2007 15:36	0.4		0.4
36	10/15/2007 15:51	0.4		0.4
37	10/15/2007 16:06	0.4		0.4
38	10/15/2007 16:21	0.4		0.4
39	10/15/2007 16:36	0.4		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	1
Test Abbreviation:	
Start Date:	10/15/2007
Start Time:	6:43:04
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0632) = 0.013 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/15/2007	6:56:04	0.039	0.026	26
10/15/2007	7:13:04	0.026	0.013	13
10/15/2007	7:28:04	0.021	0.008	8
10/15/2007	7:43:04	0.021	0.008	8
10/15/2007	7:58:04	0.02	0.007	7
10/15/2007	8:13:04	0.019	0.006	6
10/15/2007	8:28:04	0.017	0.004	4
10/15/2007	8:43:04	0.018	0.005	5
10/15/2007	8:58:04	0.019	0.006	6
10/15/2007	9:13:04	0.023	0.01	10
10/15/2007	9:28:04	0.026	0.013	13
10/15/2007	9:43:04	0.025	0.012	12
10/15/2007	9:58:04	0.028	0.015	15
10/15/2007	10:13:04	0.027	0.014	14
10/15/2007	10:28:04	0.023	0.01	10
10/15/2007	10:43:04	0.023	0.01	10
10/15/2007	10:58:04	0.021	0.008	8
10/15/2007	11:13:04	0.021	0.008	8
10/15/2007	11:28:04	0.019	0.006	6
10/15/2007	11:43:04	0.021	0.008	8
10/15/2007	11:58:04	0.022	0.009	9
10/15/2007	12:13:04	0.023	0.01	10
10/15/2007	12:28:04	0.013	0	0
10/15/2007	12:43:04	0.013	0	0
10/15/2007	12:58:04	0.014	0.001	1
10/15/2007	13:13:04	0.016	0.003	3
10/15/2007	13:28:04	0.014	0.001	1
10/15/2007	13:43:04	0.015	0.002	2
10/15/2007	13:58:04	0.017	0.004	4
10/15/2007	14:13:04	0.028	0.015	15
10/15/2007	14:28:04	0.046	0.033	33
10/15/2007	14:43:04	0.022	0.009	9
10/15/2007	14:58:04	0.019	0.006	6
10/15/2007	15:13:04	0.016	0.003	3
10/15/2007	15:28:04	0.022	0.009	9
10/15/2007	15:43:04	0.022	0.009	9
10/15/2007	15:58:04	0.023	0.01	10
10/15/2007	16:13:04	0.018	0.005	5
10/15/2007	16:28:04	0.016	0.003	3
10/15/2007	16:43:04	0.014	0.001	1

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/16/2007 05:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0550) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/16/2007 6:08	0.3		0.1
2	10/16/2007 6:23	0.3		0.1
3	10/16/2007 6:38	0.4		0.2
4	10/16/2007 6:53	0.4		0.2
5	10/16/2007 7:08	0.5		0.3
6	10/16/2007 7:23	0.5		0.3
7	10/16/2007 7:38	0.5		0.3
8	10/16/2007 7:53	0.5		0.3
9	10/16/2007 8:08	0.5		0.3
10	10/16/2007 8:23	0.6		0.4
11	10/16/2007 8:38	0.6		0.4
12	10/16/2007 8:53	0.6		0.4
13	10/16/2007 9:08	0.6		0.4
14	10/16/2007 9:23	0.6		0.4
15	10/16/2007 9:38	0.6		0.4
16	10/16/2007 9:53	0.6		0.4
17	10/16/2007 10:08	0.6		0.4
18	10/16/2007 10:23	0.6		0.4
19	10/16/2007 10:38	0.5		0.3
20	10/16/2007 10:53	0.5		0.3
21	10/16/2007 11:08	0.5		0.3
22	10/16/2007 11:23	0.5		0.3
23	10/16/2007 11:38	0.5		0.3
24	10/16/2007 11:53	0.5		0.3
25	10/16/2007 12:08	0.5		0.3
26	10/16/2007 12:23	0.5		0.3
27	10/16/2007 12:38	0.5		0.3
28	10/16/2007 12:53	0.4		0.2
29	10/16/2007 13:08	0.4		0.2
30	10/16/2007 13:23	0.4		0.2
31	10/16/2007 13:38	0.4		0.2
32	10/16/2007 13:53	0.4		0.2
33	10/16/2007 14:08	0.4		0.2
34	10/16/2007 14:23	0.4		0.2
35	10/16/2007 14:38	0.4		0.2
36	10/16/2007 14:53	0.4		0.2
37	10/16/2007 15:08	0.3		0.1
38	10/16/2007 15:23	0.3		0.1
39	10/16/2007 15:38	0.3		0.1
40	10/16/2007 15:53	0.3		0.1

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/16/2007
Start Time:	5:58:13
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	Background Reading (0550) = 0.007 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2007	6:13:13	0.009	0.002	2
10/16/2007	6:28:13	0.009	0.002	2
10/16/2007	6:43:13	0.011	0.004	4
10/16/2007	6:58:13	0.01	0.003	3
10/16/2007	7:13:13	0.013	0.006	6
10/16/2007	7:28:13	0.015	0.008	8
10/16/2007	7:43:13	0.013	0.006	6
10/16/2007	7:58:13	0.011	0.004	4
10/16/2007	8:13:13	0.013	0.006	6
10/16/2007	8:28:13	0.011	0.004	4
10/16/2007	8:43:13	0.011	0.004	4
10/16/2007	8:58:13	0.01	0.003	3
10/16/2007	9:13:13	0.009	0.002	2
10/16/2007	9:28:13	0.011	0.004	4
10/16/2007	9:43:13	0.02	0.013	13
10/16/2007	9:58:13	0.009	0.002	2
10/16/2007	10:13:13	0.009	0.002	2
10/16/2007	10:28:13	0.008	0.001	1
10/16/2007	10:43:13	0.009	0.002	2
10/16/2007	10:58:13	0.006	-0.001	-1
10/16/2007	11:13:13	0.007	0	0
10/16/2007	11:28:13	0.006	-0.001	-1
10/16/2007	11:43:13	0.007	0	0
10/16/2007	11:58:13	0.007	0	0
10/16/2007	12:13:13	0.006	-0.001	-1
10/16/2007	12:28:13	0.009	0.002	2
10/16/2007	12:43:13	0.01	0.003	3
10/16/2007	12:58:13	0.007	0	0
10/16/2007	13:13:13	0.008	0.001	1
10/16/2007	13:28:13	0.005	-0.002	-2
10/16/2007	13:43:13	0.005	-0.002	-2
10/16/2007	13:58:13	0.005	-0.002	-2
10/16/2007	14:13:13	0.007	0	0
10/16/2007	14:28:13	0.006	-0.001	-1
10/16/2007	14:43:13	0.008	0.001	1
10/16/2007	14:58:13	0.008	0.001	1
10/16/2007	15:13:13	0.008	0.001	1
10/16/2007	15:28:13	0.008	0.001	1
10/16/2007	15:43:13	0.006	-0.001	-1
10/16/2007	15:58:13	0.006	-0.001	-1
10/16/2007	16:13:13	0.005	-0.002	-2

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/16/2007 05:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0555) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/16/2007 6:19	0		0
2	10/16/2007 6:34	0.1		0.1
3	10/16/2007 6:49	0.1		0.1
4	10/16/2007 7:04	0.1		0.1
5	10/16/2007 7:19	0.2		0.2
6	10/16/2007 7:34	0.2		0.2
7	10/16/2007 7:49	0.2		0.2
8	10/16/2007 8:04	0.2		0.2
9	10/16/2007 8:19	0.3		0.3
10	10/16/2007 8:34	0.3		0.3
11	10/16/2007 8:49	0.3		0.3
12	10/16/2007 9:04	0.3		0.3
13	10/16/2007 9:19	0.3		0.3
14	10/16/2007 9:34	0.3		0.3
15	10/16/2007 9:49	0.3		0.3
16	10/16/2007 10:04	0.3		0.3
17	10/16/2007 10:19	0.3		0.3
18	10/16/2007 10:34	0.4		0.4
19	10/16/2007 10:49	0.4		0.4
20	10/16/2007 11:04	0.4		0.4
21	10/16/2007 11:19	0.4		0.4
22	10/16/2007 11:34	0.4		0.4
23	10/16/2007 11:49	0.3		0.3
24	10/16/2007 12:04	0.3		0.3
25	10/16/2007 12:19	0.4		0.4
26	10/16/2007 12:34	0.4		0.4
27	10/16/2007 12:49	0.4		0.4
28	10/16/2007 13:04	0.4		0.4
29	10/16/2007 13:19	0.4		0.4
30	10/16/2007 13:34	0.4		0.4
31	10/16/2007 13:49	0.4		0.4
32	10/16/2007 14:04	0.4		0.4
33	10/16/2007 14:19	0.4		0.4
34	10/16/2007 14:34	0.4		0.4
35	10/16/2007 14:49	0.5		0.5
36	10/16/2007 15:04	0.5		0.5
37	10/16/2007 15:19	0.5		0.5
38	10/16/2007 15:34	0.5		0.5
39	10/16/2007 15:49	0.5		0.5
40	10/16/2007 16:04	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	2
Test Abbreviation:	
Start Date:	10/16/2007
Start Time:	5:56:58
Duration (dd:hh:mm:ss):	00:10:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	41
Notes:	

Background Reading (0555) = 0.019 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2007	6:11:58	0.024	0.005	5
10/16/2007	6:26:58	0.02	0.001	1
10/16/2007	6:41:58	0.021	0.002	2
10/16/2007	6:56:58	0.023	0.004	4
10/16/2007	7:11:58	0.024	0.005	5
10/16/2007	7:26:58	0.029	0.01	10
10/16/2007	7:41:58	0.028	0.009	9
10/16/2007	7:56:58	0.026	0.007	7
10/16/2007	8:11:58	0.027	0.008	8
10/16/2007	8:26:58	0.025	0.006	6
10/16/2007	8:41:58	0.031	0.012	12
10/16/2007	8:56:58	0.024	0.005	5
10/16/2007	9:11:58	0.025	0.006	6
10/16/2007	9:26:58	0.022	0.003	3
10/16/2007	9:41:58	0.021	0.002	2
10/16/2007	9:56:58	0.023	0.004	4
10/16/2007	10:11:58	0.024	0.005	5
10/16/2007	10:26:58	0.02	0.001	1
10/16/2007	10:41:58	0.02	0.001	1
10/16/2007	10:56:58	0.017	-0.002	-2
10/16/2007	11:11:58	0.02	0.001	1
10/16/2007	11:26:58	0.017	-0.002	-2
10/16/2007	11:41:58	0.018	-0.001	-1
10/16/2007	11:56:58	0.015	-0.004	-4
10/16/2007	12:11:58	0.013	-0.006	-6
10/16/2007	12:26:58	0.015	-0.004	-4
10/16/2007	12:41:58	0.013	-0.006	-6
10/16/2007	12:56:58	0.014	-0.005	-5
10/16/2007	13:11:58	0.013	-0.006	-6
10/16/2007	13:26:58	0.012	-0.007	-7
10/16/2007	13:41:58	0.013	-0.006	-6
10/16/2007	13:56:58	0.014	-0.005	-5
10/16/2007	14:11:58	0.014	-0.005	-5
10/16/2007	14:26:58	0.017	-0.002	-2
10/16/2007	14:41:58	0.019	0	0
10/16/2007	14:56:58	0.018	-0.001	-1
10/16/2007	15:11:58	0.019	0	0
10/16/2007	15:26:58	0.02	0.001	1
10/16/2007	15:41:58	0.018	-0.001	-1
10/16/2007	15:56:58	0.018	-0.001	-1
10/16/2007	16:11:58	0.014	-0.005	-5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/16/2007 05:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0609) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/16/2007 6:27	0		0
2	10/16/2007 6:42	0		0
3	10/16/2007 6:57	0		0
4	10/16/2007 7:12	0		0
5	10/16/2007 7:27	0		0
6	10/16/2007 7:42	0		0
7	10/16/2007 7:57	0.1		0.1
8	10/16/2007 8:12	0		0
9	10/16/2007 8:27	0.1		0.1
10	10/16/2007 8:42	0.1		0.1
11	10/16/2007 8:57	0.1		0.1
12	10/16/2007 9:12	0.1		0.1
13	10/16/2007 9:27	0.1		0.1
14	10/16/2007 9:42	0.1		0.1
15	10/16/2007 9:57	0.1		0.1
16	10/16/2007 10:12	0.1		0.1
17	10/16/2007 10:27	0.1		0.1
18	10/16/2007 10:42	0.1		0.1
19	10/16/2007 10:57	0.1		0.1
20	10/16/2007 11:12	0.1		0.1
21	10/16/2007 11:27	0.2		0.2
22	10/16/2007 11:42	0.2		0.2
23	10/16/2007 11:57	0.2		0.2
24	10/16/2007 12:12	0.2		0.2
25	10/16/2007 12:27	0.2		0.2
26	10/16/2007 12:42	0.2		0.2
27	10/16/2007 12:57	0.2		0.2
28	10/16/2007 13:12	0.2		0.2
29	10/16/2007 13:27	0.2		0.2
30	10/16/2007 13:42	0.2		0.2
31	10/16/2007 13:57	0.2		0.2
32	10/16/2007 14:12	0.3		0.3
33	10/16/2007 14:27	0.3		0.3
34	10/16/2007 14:42	0.3		0.3
35	10/16/2007 14:57	0.3		0.3
36	10/16/2007 15:12	0.3		0.3
37	10/16/2007 15:27	0.3		0.3
38	10/16/2007 15:42	0.3		0.3
39	10/16/2007 15:57	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	3
Test Abbreviation:	
Start Date:	10/16/2007
Start Time:	6:11:47
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0609) = 0.021 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2007	6:26:47	0.021	0	0
10/16/2007	6:41:47	0.021	0	0
10/16/2007	6:56:47	0.023	0.002	2
10/16/2007	7:11:47	0.024	0.003	3
10/16/2007	7:26:47	0.026	0.005	5
10/16/2007	7:41:47	0.026	0.005	5
10/16/2007	7:56:47	0.026	0.005	5
10/16/2007	8:11:47	0.025	0.004	4
10/16/2007	8:26:47	0.027	0.006	6
10/16/2007	8:41:47	0.029	0.008	8
10/16/2007	8:56:47	0.025	0.004	4
10/16/2007	9:11:47	0.025	0.004	4
10/16/2007	9:26:47	0.022	0.001	1
10/16/2007	9:41:47	0.021	0	0
10/16/2007	9:56:47	0.023	0.002	2
10/16/2007	10:11:47	0.024	0.003	3
10/16/2007	10:26:47	0.021	0	0
10/16/2007	10:41:47	0.018	-0.003	-3
10/16/2007	10:56:47	0.017	-0.004	-4
10/16/2007	11:11:47	0.017	-0.004	-4
10/16/2007	11:26:47	0.017	-0.004	-4
10/16/2007	11:41:47	0.019	-0.002	-2
10/16/2007	11:56:47	0.017	-0.004	-4
10/16/2007	12:11:47	0.014	-0.007	-7
10/16/2007	12:26:47	0.017	-0.004	-4
10/16/2007	12:41:47	0.015	-0.006	-6
10/16/2007	12:56:47	0.019	-0.002	-2
10/16/2007	13:11:47	0.017	-0.004	-4
10/16/2007	13:26:47	0.02	-0.001	-1
10/16/2007	13:41:47	0.016	-0.005	-5
10/16/2007	13:56:47	0.025	0.004	4
10/16/2007	14:11:47	0.027	0.006	6
10/16/2007	14:26:47	0.029	0.008	8
10/16/2007	14:41:47	0.023	0.002	2
10/16/2007	14:56:47	0.023	0.002	2
10/16/2007	15:11:47	0.025	0.004	4
10/16/2007	15:26:47	0.025	0.004	4
10/16/2007	15:41:47	0.022	0.001	1
10/16/2007	15:56:47	0.021	0	0
10/16/2007	16:11:47	0.019	-0.002	-2

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/16/2007 05:54

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0605) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/16/2007 6:35	0		0
2	10/16/2007 6:50	0		0
3	10/16/2007 7:05	0		0
4	10/16/2007 7:20	0		0
5	10/16/2007 7:35	0		0
6	10/16/2007 7:50	0		0
7	10/16/2007 8:05	0		0
8	10/16/2007 8:20	0		0
9	10/16/2007 8:35	0.1		0.1
10	10/16/2007 8:50	0.1		0.1
11	10/16/2007 9:05	0.1		0.1
12	10/16/2007 9:20	0.1		0.1
13	10/16/2007 9:35	0.1		0.1
14	10/16/2007 9:50	0.1		0.1
15	10/16/2007 10:05	0.1		0.1
16	10/16/2007 10:20	0.1		0.1
17	10/16/2007 10:35	0.1		0.1
18	10/16/2007 10:50	0.1		0.1
19	10/16/2007 11:05	0		0
20	10/16/2007 11:20	0		0
21	10/16/2007 11:35	0		0
22	10/16/2007 11:50	0		0
23	10/16/2007 12:05	0		0
24	10/16/2007 12:20	0		0
25	10/16/2007 12:35	0		0
26	10/16/2007 12:50	0		0
27	10/16/2007 13:05	0		0
28	10/16/2007 13:20	0		0
29	10/16/2007 13:35	0		0
30	10/16/2007 13:50	0		0
31	10/16/2007 14:05	0		0
32	10/16/2007 14:20	0		0
33	10/16/2007 14:35	0		0
34	10/16/2007 14:50	0		0
35	10/16/2007 15:05	0		0
36	10/16/2007 15:20	0		0
37	10/16/2007 15:35	0		0
38	10/16/2007 15:50	0		0
39	10/16/2007 16:05	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85201501
Test ID:	2
Test Abbreviation:	
Start Date:	10/16/2007
Start Time:	6:09:56
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	

Background Reading (0605) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	7/30/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/16/2007	6:24:56	0.016	0.001	1
10/16/2007	6:39:56	0.018	0.003	3
10/16/2007	6:54:56	0.016	0.001	1
10/16/2007	7:09:56	0.018	0.003	3
10/16/2007	7:24:56	0.02	0.005	5
10/16/2007	7:39:56	0.02	0.005	5
10/16/2007	7:54:56	0.023	0.008	8
10/16/2007	8:09:56	0.02	0.005	5
10/16/2007	8:24:56	0.021	0.006	6
10/16/2007	8:39:56	0.022	0.007	7
10/16/2007	8:54:56	0.021	0.006	6
10/16/2007	9:09:56	0.019	0.004	4
10/16/2007	9:24:56	0.017	0.002	2
10/16/2007	9:39:56	0.016	0.001	1
10/16/2007	9:54:56	0.016	0.001	1
10/16/2007	10:09:56	0.016	0.001	1
10/16/2007	10:24:56	0.021	0.006	6
10/16/2007	10:39:56	0.015	0	0
10/16/2007	10:54:56	0.017	0.002	2
10/16/2007	11:09:56	0.013	-0.002	-2
10/16/2007	11:24:56	0.012	-0.003	-3
10/16/2007	11:39:56	0.014	-0.001	-1
10/16/2007	11:54:56	0.013	-0.002	-2
10/16/2007	12:09:56	0.01	-0.005	-5
10/16/2007	12:24:56	0.011	-0.004	-4
10/16/2007	12:39:56	0.01	-0.005	-5
10/16/2007	12:54:56	0.012	-0.003	-3
10/16/2007	13:09:56	0.013	-0.002	-2
10/16/2007	13:24:56	0.012	-0.003	-3
10/16/2007	13:39:56	0.011	-0.004	-4
10/16/2007	13:54:56	0.013	-0.002	-2
10/16/2007	14:09:56	0.015	0	0
10/16/2007	14:24:56	0.015	0	0
10/16/2007	14:39:56	0.017	0.002	2
10/16/2007	14:54:56	0.016	0.001	1
10/16/2007	15:09:56	0.016	0.001	1
10/16/2007	15:24:56	0.014	-0.001	-1
10/16/2007	15:39:56	0.013	-0.002	-2
10/16/2007	15:54:56	0.014	-0.001	-1
10/16/2007	16:09:56	0.012	-0.003	-3

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/17/2007 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0649) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/17/2007 7:09	0.4		0.2
2	10/17/2007 7:24	0.5		0.3
3	10/17/2007 7:39	0.5		0.3
4	10/17/2007 7:54	0.6		0.4
5	10/17/2007 8:09	0.6		0.4
6	10/17/2007 8:24	0.6		0.4
7	10/17/2007 8:39	0.6		0.4
8	10/17/2007 8:54	0.7		0.5
9	10/17/2007 9:09	0.8		0.6
10	10/17/2007 9:24	0.8		0.6
11	10/17/2007 9:39	0.8		0.6
12	10/17/2007 9:54	0.8		0.6
13	10/17/2007 10:09	0.8		0.6
14	10/17/2007 10:24	0.8		0.6
15	10/17/2007 10:39	0.8		0.6
16	10/17/2007 10:54	0.8		0.6
17	10/17/2007 11:09	0.8		0.6
18	10/17/2007 11:24	0.8		0.6
19	10/17/2007 11:39	0.7		0.5
20	10/17/2007 11:54	0.7		0.5
21	10/17/2007 12:09	0.7		0.5
22	10/17/2007 12:24	0.7		0.5
23	10/17/2007 12:39	0.6		0.4
24	10/17/2007 12:54	0.6		0.4
25	10/17/2007 13:09	0.6		0.4
26	10/17/2007 13:24	0.6		0.4
27	10/17/2007 13:39	0.6		0.4
28	10/17/2007 13:54	0.6		0.4
29	10/17/2007 14:09	0.6		0.4
30	10/17/2007 14:24	0.6		0.4
31	10/17/2007 14:39	0.6		0.4
32	10/17/2007 14:54	0.6		0.4
33	10/17/2007 15:09	0.7		0.5
34	10/17/2007 15:24	0.6		0.4
35	10/17/2007 15:39	0.6		0.4
36	10/17/2007 15:54	0.6		0.4
37	10/17/2007 16:09	0.6		0.4
38	10/17/2007 16:24	0.6		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/17/2007
Start Time:	6:59:26
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0649) = 0.017 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2007	7:14:26	0.02	0.003	3
10/17/2007	7:29:26	0.018	0.001	1
10/17/2007	7:44:26	0.018	0.001	1
10/17/2007	7:59:26	0.02	0.003	3
10/17/2007	8:14:26	0.021	0.004	4
10/17/2007	8:29:26	0.024	0.007	7
10/17/2007	8:44:26	0.026	0.009	9
10/17/2007	8:59:26	0.026	0.009	9
10/17/2007	9:14:26	0.024	0.007	7
10/17/2007	9:29:26	0.032	0.015	15
10/17/2007	9:44:26	0.039	0.022	22
10/17/2007	9:59:26	0.034	0.017	17
10/17/2007	10:14:26	0.031	0.014	14
10/17/2007	10:29:26	0.034	0.017	17
10/17/2007	10:44:26	0.031	0.014	14
10/17/2007	10:59:26	0.031	0.014	14
10/17/2007	11:14:26	0.031	0.014	14
10/17/2007	11:29:26	0.032	0.015	15
10/17/2007	11:44:26	0.035	0.018	18
10/17/2007	11:59:26	0.039	0.022	22
10/17/2007	12:14:26	0.041	0.024	24
10/17/2007	12:29:26	0.04	0.023	23
10/17/2007	12:44:26	0.043	0.026	26
10/17/2007	12:59:26	0.04	0.023	23
10/17/2007	13:14:26	0.038	0.021	21
10/17/2007	13:29:26	0.056	0.039	39
10/17/2007	13:44:26	0.036	0.019	19
10/17/2007	13:59:26	0.034	0.017	17
10/17/2007	14:14:26	0.032	0.015	15
10/17/2007	14:29:26	0.037	0.02	20
10/17/2007	14:44:26	0.035	0.018	18
10/17/2007	14:59:26	0.035	0.018	18
10/17/2007	15:14:26	0.034	0.017	17
10/17/2007	15:29:26	0.031	0.014	14
10/17/2007	15:44:26	0.03	0.013	13
10/17/2007	15:59:26	0.028	0.011	11
10/17/2007	16:14:26	0.028	0.011	11
10/17/2007	16:29:26	0.027	0.01	10

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/17/2007 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/17/2007 7:26	0		0
2	10/17/2007 7:41	0		0
3	10/17/2007 7:56	0.1		0.1
4	10/17/2007 8:11	0.1		0.1
5	10/17/2007 8:26	0.2		0.2
6	10/17/2007 8:41	0.2		0.2
7	10/17/2007 8:56	0.2		0.2
8	10/17/2007 9:11	0.2		0.2
9	10/17/2007 9:26	0.2		0.2
10	10/17/2007 9:41	0.2		0.2
11	10/17/2007 9:56	0.2		0.2
12	10/17/2007 10:11	0.2		0.2
13	10/17/2007 10:26	0.2		0.2
14	10/17/2007 10:41	0.2		0.2
15	10/17/2007 10:56	0.2		0.2
16	10/17/2007 11:11	0.3		0.3
17	10/17/2007 11:26	0.3		0.3
18	10/17/2007 11:41	0.3		0.3
19	10/17/2007 11:56	0.3		0.3
20	10/17/2007 12:11	0.3		0.3
21	10/17/2007 12:26	0.3		0.3
22	10/17/2007 12:41	0.3		0.3
23	10/17/2007 12:56	0.3		0.3
24	10/17/2007 13:11	0.3		0.3
25	10/17/2007 13:26	0.3		0.3
26	10/17/2007 13:41	0.3		0.3
27	10/17/2007 13:56	0.3		0.3
28	10/17/2007 14:11	0.3		0.3
29	10/17/2007 14:26	0.3		0.3
30	10/17/2007 14:41	0.4		0.4
31	10/17/2007 14:56	0.4		0.4
32	10/17/2007 15:11	0.3		0.3
33	10/17/2007 15:26	0.3		0.3
34	10/17/2007 15:41	0.3		0.3
35	10/17/2007 15:56	0.2		0.2
36	10/17/2007 16:11	0.2		0.2
37	10/17/2007 16:26	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/17/2007
Start Time:	7:03:32
Duration (dd:hh:mm:ss):	00:09:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	38
Notes:	Background Reading (0700) = 0.036 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2007	7:18:32	0.04	0.004	4
10/17/2007	7:33:32	0.041	0.005	5
10/17/2007	7:48:32	0.045	0.009	9
10/17/2007	8:03:32	0.052	0.016	16
10/17/2007	8:18:32	0.057	0.021	21
10/17/2007	8:33:32	0.064	0.028	28
10/17/2007	8:48:32	0.065	0.029	29
10/17/2007	9:03:32	0.064	0.028	28
10/17/2007	9:18:32	0.067	0.031	31
10/17/2007	9:33:32	0.079	0.043	43
10/17/2007	9:48:32	0.088	0.052	52
10/17/2007	10:03:32	0.084	0.048	48
10/17/2007	10:18:32	0.087	0.051	51
10/17/2007	10:33:32	0.088	0.052	52
10/17/2007	10:48:32	0.077	0.041	41
10/17/2007	11:03:32	0.083	0.047	47
10/17/2007	11:18:32	0.093	0.057	57
10/17/2007	11:33:32	0.095	0.059	59
10/17/2007	11:48:32	0.104	0.068	68
10/17/2007	12:03:32	0.114	0.078	78
10/17/2007	12:18:32	0.112	0.076	76
10/17/2007	12:33:32	0.111	0.075	75
10/17/2007	12:48:32	0.113	0.077	77
10/17/2007	13:03:32	0.11	0.074	74
10/17/2007	13:18:32	0.108	0.072	72
10/17/2007	13:33:32	0.106	0.07	70
10/17/2007	13:48:32	0.102	0.066	66
10/17/2007	14:03:32	0.101	0.065	65
10/17/2007	14:18:32	0.105	0.069	69
10/17/2007	14:33:32	0.108	0.072	72
10/17/2007	14:48:32	0.107	0.071	71
10/17/2007	15:03:32	0.106	0.07	70
10/17/2007	15:18:32	0.094	0.058	58
10/17/2007	15:33:32	0.091	0.055	55
10/17/2007	15:48:32	0.094	0.058	58
10/17/2007	16:03:32	0.087	0.051	51
10/17/2007	16:18:32	0.085	0.049	49
10/17/2007	16:33:32	0.087	0.051	51

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/17/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0719) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/17/2007 7:36	0		0
2	10/17/2007 7:51	0		0
3	10/17/2007 8:06	0		0
4	10/17/2007 8:21	0		0
5	10/17/2007 8:36	0		0
6	10/17/2007 8:51	0		0
7	10/17/2007 9:06	0		0
8	10/17/2007 9:21	0		0
9	10/17/2007 9:36	0		0
10	10/17/2007 9:51	0		0
11	10/17/2007 10:06	0		0
12	10/17/2007 10:21	0		0
13	10/17/2007 10:36	0		0
14	10/17/2007 10:51	0		0
15	10/17/2007 11:06	0		0
16	10/17/2007 11:21	0		0
17	10/17/2007 11:36	0		0
18	10/17/2007 11:51	0		0
19	10/17/2007 12:06	0		0
20	10/17/2007 12:21	0		0
21	10/17/2007 12:36	0		0
22	10/17/2007 12:51	0		0
23	10/17/2007 13:06	0		0
24	10/17/2007 13:21	0		0
25	10/17/2007 13:36	0		0
26	10/17/2007 13:51	0		0
27	10/17/2007 14:06	0		0
28	10/17/2007 14:21	0.1		0.1
29	10/17/2007 14:36	0.1		0.1
30	10/17/2007 14:51	0		0
31	10/17/2007 15:06	0.1		0.1
32	10/17/2007 15:21	0		0
33	10/17/2007 15:36	0.1		0.1
34	10/17/2007 15:51	0.1		0.1
35	10/17/2007 16:06	0.1		0.1
36	10/17/2007 16:21	0		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/17/2007
Start Time:	7:20:33
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	Background Reading (0719) = 0.040 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2007	7:35:33	0.043	0.003	3
10/17/2007	7:50:33	0.045	0.005	5
10/17/2007	8:05:33	0.052	0.012	12
10/17/2007	8:20:33	0.06	0.02	20
10/17/2007	8:35:33	0.063	0.023	23
10/17/2007	8:50:33	0.07	0.03	30
10/17/2007	9:05:33	0.075	0.035	35
10/17/2007	9:20:33	0.076	0.036	36
10/17/2007	9:35:33	0.083	0.043	43
10/17/2007	9:50:33	0.091	0.051	51
10/17/2007	10:05:33	0.092	0.052	52
10/17/2007	10:20:33	0.091	0.051	51
10/17/2007	10:35:33	0.085	0.045	45
10/17/2007	10:50:33	0.076	0.036	36
10/17/2007	11:05:33	0.087	0.047	47
10/17/2007	11:20:33	0.093	0.053	53
10/17/2007	11:35:33	0.101	0.061	61
10/17/2007	11:50:33	0.109	0.069	69
10/17/2007	12:05:33	0.116	0.076	76
10/17/2007	12:20:33	0.115	0.075	75
10/17/2007	12:35:33	0.125	0.085	85
10/17/2007	12:50:33	0.118	0.078	78
10/17/2007	13:05:33	0.111	0.071	71
10/17/2007	13:20:33	0.115	0.075	75
10/17/2007	13:35:33	0.117	0.077	77
10/17/2007	13:50:33	0.109	0.069	69
10/17/2007	14:05:33	0.115	0.075	75
10/17/2007	14:20:33	0.122	0.082	82
10/17/2007	14:35:33	0.128	0.088	88
10/17/2007	14:50:33	0.128	0.088	88
10/17/2007	15:05:33	0.11	0.07	70
10/17/2007	15:20:33	0.109	0.069	69
10/17/2007	15:35:33	0.105	0.065	65
10/17/2007	15:50:33	0.103	0.063	63
10/17/2007	16:05:33	0.102	0.062	62
10/17/2007	16:20:33	0.129	0.089	89
10/17/2007	16:35:33	0.092	0.052	52

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/17/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/17/2007 7:44	0		0
2	10/17/2007 7:59	0		0
3	10/17/2007 8:14	0		0
4	10/17/2007 8:29	0		0
5	10/17/2007 8:44	0		0
6	10/17/2007 8:59	0		0
7	10/17/2007 9:14	0		0
8	10/17/2007 9:29	0		0
9	10/17/2007 9:44	0		0
10	10/17/2007 9:59	0		0
11	10/17/2007 10:14	0.1		0.1
12	10/17/2007 10:29	0.1		0.1
13	10/17/2007 10:44	0.1		0.1
14	10/17/2007 10:59	0.1		0.1
15	10/17/2007 11:14	0.1		0.1
16	10/17/2007 11:29	0.1		0.1
17	10/17/2007 11:44	0.1		0.1
18	10/17/2007 11:59	0.1		0.1
19	10/17/2007 12:14	0		0
20	10/17/2007 12:29	0		0
21	10/17/2007 12:44	0		0
22	10/17/2007 12:59	0		0
23	10/17/2007 13:14	0		0
24	10/17/2007 13:29	0		0
25	10/17/2007 13:44	0		0
26	10/17/2007 13:59	0		0
27	10/17/2007 14:14	0		0
28	10/17/2007 14:29	0		0
29	10/17/2007 14:44	0		0
30	10/17/2007 14:59	0		0
31	10/17/2007 15:14	0		0
32	10/17/2007 15:29	0		0
33	10/17/2007 15:44	0		0
34	10/17/2007 15:59	0		0
35	10/17/2007 16:14	0		0
36	10/17/2007 16:29	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/17/2007
Start Time:	7:23:11
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0715) = 0.032 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/17/2007	7:38:11	0.049	0.017	17
10/17/2007	7:53:11	0.044	0.012	12
10/17/2007	8:08:11	0.052	0.02	20
10/17/2007	8:23:11	0.064	0.032	32
10/17/2007	8:38:11	0.061	0.029	29
10/17/2007	8:53:11	0.07	0.038	38
10/17/2007	9:08:11	0.079	0.047	47
10/17/2007	9:23:11	0.088	0.056	56
10/17/2007	9:38:11	0.068	0.036	36
10/17/2007	9:53:11	0.09	0.058	58
10/17/2007	10:08:11	0.092	0.06	60
10/17/2007	10:23:11	0.091	0.059	59
10/17/2007	10:38:11	0.085	0.053	53
10/17/2007	10:53:11	0.076	0.044	44
10/17/2007	11:08:11	0.087	0.055	55
10/17/2007	11:23:11	0.091	0.059	59
10/17/2007	11:38:11	0.088	0.056	56
10/17/2007	11:53:11	0.097	0.065	65
10/17/2007	12:08:11	0.102	0.07	70
10/17/2007	12:23:11	0.103	0.071	71
10/17/2007	12:38:11	0.1	0.068	68
10/17/2007	12:53:11	0.098	0.066	66
10/17/2007	13:08:11	0.096	0.064	64
10/17/2007	13:23:11	0.097	0.065	65
10/17/2007	13:38:11	0.096	0.064	64
10/17/2007	13:53:11	0.092	0.06	60
10/17/2007	14:08:11	0.095	0.063	63
10/17/2007	14:23:11	0.096	0.064	64
10/17/2007	14:38:11	0.098	0.066	66
10/17/2007	14:53:11	0.098	0.066	66
10/17/2007	15:08:11	0.091	0.059	59
10/17/2007	15:23:11	0.087	0.055	55
10/17/2007	15:38:11	0.083	0.051	51
10/17/2007	15:53:11	0.081	0.049	49
10/17/2007	16:08:11	0.086	0.054	54
10/17/2007	16:23:11	0.079	0.047	47

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/18/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0647) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/18/2007 7:07	0.3		0.1
2	10/18/2007 7:22	0.3		0.1
3	10/18/2007 7:37	0.3		0.1
4	10/18/2007 7:52	0.4		0.2
5	10/18/2007 8:07	0.4		0.2
6	10/18/2007 8:22	0.4		0.2
7	10/18/2007 8:37	0.4		0.2
8	10/18/2007 8:52	0.5		0.3
9	10/18/2007 9:07	0.5		0.3
10	10/18/2007 9:22	0.5		0.3
11	10/18/2007 9:37	0.5		0.3
12	10/18/2007 9:52	0.5		0.3
13	10/18/2007 10:07	0.5		0.3
14	10/18/2007 10:22	0.5		0.3
15	10/18/2007 10:37	0.5		0.3
16	10/18/2007 10:52	0.5		0.3
17	10/18/2007 11:07	0.5		0.3
18	10/18/2007 11:22	0.5		0.3
19	10/18/2007 11:37	0.5		0.3
20	10/18/2007 11:52	0.5		0.3
21	10/18/2007 12:07	0.5		0.3
22	10/18/2007 12:22	0.5		0.3
23	10/18/2007 12:37	0.5		0.3
24	10/18/2007 12:52	0.5		0.3
25	10/18/2007 13:07	0.5		0.3
26	10/18/2007 13:22	0.5		0.3
27	10/18/2007 13:37	0.4		0.2
28	10/18/2007 13:52	0.4		0.2
29	10/18/2007 14:07	0.4		0.2
30	10/18/2007 14:22	0.4		0.2
31	10/18/2007 14:37	0.4		0.2
32	10/18/2007 14:52	0.4		0.2
33	10/18/2007 15:07	0.4		0.2

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/18/2007
Start Time:	6:57:03
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0647) = 0.065 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	4/27/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2007	7:12:03	0.081	0.016	16
10/18/2007	7:27:03	0.067	0.002	2
10/18/2007	7:42:03	0.064	-0.001	-1
10/18/2007	7:57:03	0.064	-0.001	-1
10/18/2007	8:12:03	0.067	0.002	2
10/18/2007	8:27:03	0.064	-0.001	-1
10/18/2007	8:42:03	0.073	0.008	8
10/18/2007	8:57:03	0.067	0.002	2
10/18/2007	9:12:03	0.065	0	0
10/18/2007	9:27:03	0.085	0.02	20
10/18/2007	9:42:03	0.062	-0.003	-3
10/18/2007	9:57:03	0.052	-0.013	-13
10/18/2007	10:12:03	0.045	-0.02	-20
10/18/2007	10:27:03	0.038	-0.027	-27
10/18/2007	10:42:03	0.033	-0.032	-32
10/18/2007	10:57:03	0.032	-0.033	-33
10/18/2007	11:12:03	0.033	-0.032	-32
10/18/2007	11:27:03	0.036	-0.029	-29
10/18/2007	11:42:03	0.029	-0.036	-36
10/18/2007	11:57:03	0.029	-0.036	-36
10/18/2007	12:12:03	0.027	-0.038	-38
10/18/2007	12:27:03	0.025	-0.04	-40
10/18/2007	12:42:03	0.027	-0.038	-38
10/18/2007	12:57:03	0.024	-0.041	-41
10/18/2007	13:12:03	0.024	-0.041	-41
10/18/2007	13:27:03	0.025	-0.04	-40
10/18/2007	13:42:03	0.025	-0.04	-40
10/18/2007	13:57:03	0.022	-0.043	-43
10/18/2007	14:12:03	0.022	-0.043	-43
10/18/2007	14:27:03	0.022	-0.043	-43
10/18/2007	14:42:03	0.021	-0.044	-44
10/18/2007	14:57:03	0.021	-0.044	-44
10/18/2007	15:12:03	0.019	-0.046	-46
10/18/2007	15:27:03	0.019	-0.046	-46

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/18/2007 06:37

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/18/2007 7:25	0		0
2	10/18/2007 7:40	0		0
3	10/18/2007 7:55	0		0
4	10/18/2007 8:10	0		0
5	10/18/2007 8:25	0.1		0.1
6	10/18/2007 8:40	0.1		0.1
7	10/18/2007 8:55	0.1		0.1
8	10/18/2007 9:10	0.2		0.2
9	10/18/2007 9:25	0.2		0.2
10	10/18/2007 9:40	0.2		0.2
11	10/18/2007 9:55	0.1		0.1
12	10/18/2007 10:10	0.2		0.2
13	10/18/2007 10:25	0.2		0.2
14	10/18/2007 10:40	0.2		0.2
15	10/18/2007 10:55	0.2		0.2
16	10/18/2007 11:10	0.2		0.2
17	10/18/2007 11:25	0.2		0.2
18	10/18/2007 11:40	0.2		0.2
19	10/18/2007 11:55	0.2		0.2
20	10/18/2007 12:10	0.2		0.2
21	10/18/2007 12:25	0.2		0.2
22	10/18/2007 12:40	0.2		0.2
23	10/18/2007 12:55	0.2		0.2
24	10/18/2007 13:10	0.2		0.2
25	10/18/2007 13:25	0.2		0.2
26	10/18/2007 13:40	0.2		0.2
27	10/18/2007 13:55	0.2		0.2
28	10/18/2007 14:10	0.2		0.2
29	10/18/2007 14:25	0.2		0.2
30	10/18/2007 14:40	0.2		0.2
31	10/18/2007 14:55	0.2		0.2
32	10/18/2007 15:10	0.2		0.2
33	10/18/2007 15:25	0.2		0.2

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/18/2007
Start Time:	7:03:02
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	Background Reading (0700) = 0.153 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2007	7:18:02	0.148	-0.005	-5
10/18/2007	7:33:02	0.144	-0.009	-9
10/18/2007	7:48:02	0.146	-0.007	-7
10/18/2007	8:03:02	0.152	-0.001	-1
10/18/2007	8:18:02	0.152	-0.001	-1
10/18/2007	8:33:02	0.152	-0.001	-1
10/18/2007	8:48:02	0.154	0.001	1
10/18/2007	9:03:02	0.158	0.005	5
10/18/2007	9:18:02	0.161	0.008	8
10/18/2007	9:33:02	0.152	-0.001	-1
10/18/2007	9:48:02	0.141	-0.012	-12
10/18/2007	10:03:02	0.115	-0.038	-38
10/18/2007	10:18:02	0.102	-0.051	-51
10/18/2007	10:33:02	0.095	-0.058	-58
10/18/2007	10:48:02	0.095	-0.058	-58
10/18/2007	11:03:02	0.098	-0.055	-55
10/18/2007	11:18:02	0.095	-0.058	-58
10/18/2007	11:33:02	0.089	-0.064	-64
10/18/2007	11:48:02	0.077	-0.076	-76
10/18/2007	12:03:02	0.076	-0.077	-77
10/18/2007	12:18:02	0.071	-0.082	-82
10/18/2007	12:33:02	0.069	-0.084	-84
10/18/2007	12:48:02	0.069	-0.084	-84
10/18/2007	13:03:02	0.068	-0.085	-85
10/18/2007	13:18:02	0.071	-0.082	-82
10/18/2007	13:33:02	0.069	-0.084	-84
10/18/2007	13:48:02	0.065	-0.088	-88
10/18/2007	14:03:02	0.062	-0.091	-91
10/18/2007	14:18:02	0.061	-0.092	-92
10/18/2007	14:33:02	0.062	-0.091	-91
10/18/2007	14:48:02	0.061	-0.092	-92
10/18/2007	15:03:02	0.056	-0.097	-97
10/18/2007	15:18:02	0.055	-0.098	-98
10/18/2007	15:33:02	0.051	-0.102	-102

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/18/2007 06:32

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0719) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/18/2007 7:32	0		0
2	10/18/2007 7:47	0		0
3	10/18/2007 8:02	0		0
4	10/18/2007 8:17	0		0
5	10/18/2007 8:32	0		0
6	10/18/2007 8:47	0		0
7	10/18/2007 9:02	0		0
8	10/18/2007 9:17	0		0
9	10/18/2007 9:32	0		0
10	10/18/2007 9:47	0		0
11	10/18/2007 10:02	0		0
12	10/18/2007 10:17	0		0
13	10/18/2007 10:32	0		0
14	10/18/2007 10:47	0		0
15	10/18/2007 11:02	0		0
16	10/18/2007 11:17	0		0
17	10/18/2007 11:32	0.1		0.1
18	10/18/2007 11:47	0.1		0.1
19	10/18/2007 12:02	0.1		0.1
20	10/18/2007 12:17	0.1		0.1
21	10/18/2007 12:32	0.1		0.1
22	10/18/2007 12:47	0.1		0.1
23	10/18/2007 13:02	0.1		0.1
24	10/18/2007 13:17	0.1		0.1
25	10/18/2007 13:32	0.1		0.1
26	10/18/2007 13:47	0.1		0.1
27	10/18/2007 14:02	0.1		0.1
28	10/18/2007 14:17	0.1		0.1
29	10/18/2007 14:32	0.1		0.1
30	10/18/2007 14:47	0.1		0.1
31	10/18/2007 15:02	0.2		0.2
32	10/18/2007 15:17	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/18/2007
Start Time:	7:18:02
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0719) = 0.132 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2007	7:33:02	0.147	0.015	15
10/18/2007	7:48:02	0.156	0.024	24
10/18/2007	8:03:02	0.162	0.03	30
10/18/2007	8:18:02	0.151	0.019	19
10/18/2007	8:33:02	0.16	0.028	28
10/18/2007	8:48:02	0.164	0.032	32
10/18/2007	9:03:02	0.16	0.028	28
10/18/2007	9:18:02	0.169	0.037	37
10/18/2007	9:33:02	0.157	0.025	25
10/18/2007	9:48:02	0.141	0.009	9
10/18/2007	10:03:02	0.123	-0.009	-9
10/18/2007	10:18:02	0.106	-0.026	-26
10/18/2007	10:33:02	0.098	-0.034	-34
10/18/2007	10:48:02	0.097	-0.035	-35
10/18/2007	11:03:02	0.099	-0.033	-33
10/18/2007	11:18:02	0.099	-0.033	-33
10/18/2007	11:33:02	0.093	-0.039	-39
10/18/2007	11:48:02	0.087	-0.045	-45
10/18/2007	12:03:02	0.081	-0.051	-51
10/18/2007	12:18:02	0.071	-0.061	-61
10/18/2007	12:33:02	0.071	-0.061	-61
10/18/2007	12:48:02	0.071	-0.061	-61
10/18/2007	13:03:02	0.072	-0.06	-60
10/18/2007	13:18:02	0.073	-0.059	-59
10/18/2007	13:33:02	0.073	-0.059	-59
10/18/2007	13:48:02	0.067	-0.065	-65
10/18/2007	14:03:02	0.069	-0.063	-63
10/18/2007	14:18:02	0.068	-0.064	-64
10/18/2007	14:33:02	0.067	-0.065	-65
10/18/2007	14:48:02	0.066	-0.066	-66
10/18/2007	15:03:02	0.063	-0.069	-69
10/18/2007	15:18:02	0.065	-0.067	-67
10/18/2007	15:33:02	0.066	-0.066	-66

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/18/2007 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/18/2007 7:41	0		0
2	10/18/2007 7:56	0		0
3	10/18/2007 8:11	0		0
4	10/18/2007 8:26	0		0
5	10/18/2007 8:41	0		0
6	10/18/2007 8:56	0.1		0.1
7	10/18/2007 9:11	0.1		0.1
8	10/18/2007 9:26	0.1		0.1
9	10/18/2007 9:41	0.1		0.1
10	10/18/2007 9:56	0		0
11	10/18/2007 10:11	0		0
12	10/18/2007 10:26	0		0
13	10/18/2007 10:41	0		0
14	10/18/2007 10:56	0		0
15	10/18/2007 11:11	0		0
16	10/18/2007 11:26	0		0
17	10/18/2007 11:41	0		0
18	10/18/2007 11:56	0		0
19	10/18/2007 12:11	0		0
20	10/18/2007 12:26	0		0
21	10/18/2007 12:41	0		0
22	10/18/2007 12:56	0		0
23	10/18/2007 13:11	0		0
24	10/18/2007 13:26	0		0
25	10/18/2007 13:41	0		0
26	10/18/2007 13:56	0		0
27	10/18/2007 14:11	0		0
28	10/18/2007 14:26	0		0
29	10/18/2007 14:41	0		0
30	10/18/2007 14:56	0		0
31	10/18/2007 15:11	0		0
32	10/18/2007 15:26	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/18/2007
Start Time:	7:12:16
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	Background Reading (0710) = 0.134 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/18/2007	7:27:16	0.139	0.005	5
10/18/2007	7:42:16	0.158	0.024	24
10/18/2007	7:57:16	0.164	0.03	30
10/18/2007	8:12:16	0.157	0.023	23
10/18/2007	8:27:16	0.154	0.02	20
10/18/2007	8:42:16	0.151	0.017	17
10/18/2007	8:57:16	0.152	0.018	18
10/18/2007	9:12:16	0.16	0.026	26
10/18/2007	9:27:16	0.146	0.012	12
10/18/2007	9:42:16	0.121	-0.013	-13
10/18/2007	9:57:16	0.105	-0.029	-29
10/18/2007	10:12:16	0.09	-0.044	-44
10/18/2007	10:27:16	0.079	-0.055	-55
10/18/2007	10:42:16	0.077	-0.057	-57
10/18/2007	10:57:16	0.076	-0.058	-58
10/18/2007	11:12:16	0.077	-0.057	-57
10/18/2007	11:27:16	0.075	-0.059	-59
10/18/2007	11:42:16	0.065	-0.069	-69
10/18/2007	11:57:16	0.066	-0.068	-68
10/18/2007	12:12:16	0.059	-0.075	-75
10/18/2007	12:27:16	0.059	-0.075	-75
10/18/2007	12:42:16	0.059	-0.075	-75
10/18/2007	12:57:16	0.059	-0.075	-75
10/18/2007	13:12:16	0.059	-0.075	-75
10/18/2007	13:27:16	0.06	-0.074	-74
10/18/2007	13:42:16	0.058	-0.076	-76
10/18/2007	13:57:16	0.056	-0.078	-78
10/18/2007	14:12:16	0.055	-0.079	-79
10/18/2007	14:27:16	0.056	-0.078	-78
10/18/2007	14:42:16	0.055	-0.079	-79
10/18/2007	14:57:16	0.052	-0.082	-82
10/18/2007	15:12:16	0.048	-0.086	-86
10/18/2007	15:27:16	0.047	-0.087	-87

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/19/2007 06:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/19/2007 7:10	0		0
2	10/19/2007 7:25	0		0
3	10/19/2007 7:40	0.1		0.1
4	10/19/2007 7:55	0.3		0.3
5	10/19/2007 8:10	0.3		0.3
6	10/19/2007 8:25	0.4		0.4
7	10/19/2007 8:40	0.5		0.5
8	10/19/2007 8:55	0.5		0.5
9	10/19/2007 9:10	0.5		0.5
10	10/19/2007 9:25	0.5		0.5
11	10/19/2007 9:40	0.5		0.5
12	10/19/2007 9:55	0.5		0.5
13	10/19/2007 10:10	0.5		0.5
14	10/19/2007 10:25	0.5		0.5
15	10/19/2007 10:40	0.5		0.5
16	10/19/2007 10:55	0.5		0.5
17	10/19/2007 11:10	0.6		0.6
18	10/19/2007 11:25	0.6		0.6
19	10/19/2007 11:40	0.6		0.6
20	10/19/2007 11:55	0.6		0.6
21	10/19/2007 12:10	0.6		0.6
22	10/19/2007 12:25	0.6		0.6
23	10/19/2007 12:40	0.6		0.6
24	10/19/2007 12:55	0.6		0.6
25	10/19/2007 13:10	0.6		0.6
26	10/19/2007 13:25	0.6		0.6
27	10/19/2007 13:40	0.6		0.6
28	10/19/2007 13:55	0.6		0.6
29	10/19/2007 14:10	0.6		0.6
30	10/19/2007 14:25	0.7		0.7
31	10/19/2007 14:40	0.6		0.6
32	10/19/2007 14:55	0.6		0.6
33	10/19/2007 15:10	0.6		0.6
34	10/19/2007 15:25	0.7		0.7

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/19/2007
Start Time:	6:51:24
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	

Background Reading (0650) = 0.064 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2007	7:06:24	0.104	0.04	40
10/19/2007	7:21:24	0.122	0.058	58
10/19/2007	7:36:24	0.125	0.061	61
10/19/2007	7:51:24	0.1	0.036	36
10/19/2007	8:06:24	0.084	0.02	20
10/19/2007	8:21:24	0.057	-0.007	-7
10/19/2007	8:36:24	0.032	-0.032	-32
10/19/2007	8:51:24	0.029	-0.035	-35
10/19/2007	9:06:24	0.027	-0.037	-37
10/19/2007	9:21:24	0.04	-0.024	-24
10/19/2007	9:36:24	0.025	-0.039	-39
10/19/2007	9:51:24	0.022	-0.042	-42
10/19/2007	10:06:24	0.02	-0.044	-44
10/19/2007	10:21:24	0.019	-0.045	-45
10/19/2007	10:36:24	0.018	-0.046	-46
10/19/2007	10:51:24	0.017	-0.047	-47
10/19/2007	11:06:24	0.014	-0.05	-50
10/19/2007	11:21:24	0.013	-0.051	-51
10/19/2007	11:36:24	0.012	-0.052	-52
10/19/2007	11:51:24	0.013	-0.051	-51
10/19/2007	12:06:24	0.013	-0.051	-51
10/19/2007	12:21:24	0.015	-0.049	-49
10/19/2007	12:36:24	0.013	-0.051	-51
10/19/2007	12:51:24	0.01	-0.054	-54
10/19/2007	13:06:24	0.008	-0.056	-56
10/19/2007	13:21:24	0.01	-0.054	-54
10/19/2007	13:36:24	0.01	-0.054	-54
10/19/2007	13:51:24	0.007	-0.057	-57
10/19/2007	14:06:24	0.006	-0.058	-58
10/19/2007	14:21:24	0.005	-0.059	-59
10/19/2007	14:36:24	0.006	-0.058	-58
10/19/2007	14:51:24	0.006	-0.058	-58
10/19/2007	15:06:24	0.006	-0.058	-58
10/19/2007	15:21:24	0.005	-0.059	-59
10/19/2007	15:36:24	0.004	-0.06	-60

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175

User ID: 00000001 Site ID: 00000335

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/19/2007 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/19/2007 7:35	0		0
2	10/19/2007 7:50	0		0
3	10/19/2007 8:05	0.1		0.1
4	10/19/2007 8:20	0.1		0.1
5	10/19/2007 8:35	0.2		0.2
6	10/19/2007 8:50	0.3		0.3
7	10/19/2007 9:05	0.3		0.3
8	10/19/2007 9:20	0.3		0.3
9	10/19/2007 9:35	0.4		0.4
10	10/19/2007 9:50	0.4		0.4
11	10/19/2007 10:05	0.4		0.4
12	10/19/2007 10:20	0.4		0.4
13	10/19/2007 10:35	0.4		0.4
14	10/19/2007 10:50	0.5		0.5
15	10/19/2007 11:05	0.5		0.5
16	10/19/2007 11:20	0.5		0.5
17	10/19/2007 11:35	0.5		0.5
18	10/19/2007 11:50	0.5		0.5
19	10/19/2007 12:05	0.5		0.5
20	10/19/2007 12:20	0.5		0.5
21	10/19/2007 12:35	0.5		0.5
22	10/19/2007 12:50	0.5		0.5
23	10/19/2007 13:05	0.5		0.5
24	10/19/2007 13:20	0.5		0.5
25	10/19/2007 13:35	0.5		0.5
26	10/19/2007 13:50	0.5		0.5
27	10/19/2007 14:05	0.5		0.5
28	10/19/2007 14:20	0.6		0.6
29	10/19/2007 14:35	0.6		0.6
30	10/19/2007 14:50	0.6		0.6
31	10/19/2007 15:05	0.6		0.6
32	10/19/2007 15:20	0.6		0.6
33	10/19/2007 15:35	0.6		0.6

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	2
Test Abbreviation:	
Start Date:	10/19/2007
Start Time:	7:14:31
Duration (dd:hh:mm:ss):	00:03:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	12
Notes:	Background Reading (0710) = 0.133 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2007	7:29:31	0.119	-0.014	-14
10/19/2007	7:44:31	0.077	-0.056	-56
10/19/2007	7:59:31	0.037	-0.096	-96
10/19/2007	8:14:31	0.005	-0.128	-128
10/19/2007	8:29:31	0.011	-0.122	-122
10/19/2007	8:44:31	0.03	-0.103	-103
10/19/2007	8:59:31	0.034	-0.099	-99
10/19/2007	9:14:31	0.034	-0.099	-99
10/19/2007	9:29:31	0.034	-0.099	-99
10/19/2007	9:44:31	0.035	-0.098	-98
10/19/2007	9:59:31	0.034	-0.099	-99
10/19/2007	10:14:31	0.034	-0.099	-99
10/19/2007	11:12:26	0.012	-0.121	-121
10/19/2007	11:27:26	0.034	-0.099	-99
10/19/2007	11:42:26	0.011	-0.122	-122
10/19/2007	11:57:26	0.011	-0.122	-122
10/19/2007	12:12:26	0.013	-0.12	-120
10/19/2007	12:27:26	0.016	-0.117	-117
10/19/2007	12:42:26	0.018	-0.115	-115
10/19/2007	12:57:26	0.017	-0.116	-116
10/19/2007	13:12:26	0.038	-0.095	-95
10/19/2007	13:27:26	0.013	-0.12	-120
10/19/2007	13:42:26	0.002	-0.131	-131
10/19/2007	13:57:26	0	-0.133	-133
10/19/2007	14:12:26	0	-0.133	-133
10/19/2007	14:27:26	0	-0.133	-133
10/19/2007	14:42:26	0	-0.133	-133
10/19/2007	14:57:26	0	-0.133	-133
10/19/2007	15:12:26	0	-0.133	-133
10/19/2007	15:27:26	-0.001	-0.134	-134
10/19/2007	15:42:26	-0.001	-0.134	-134

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/19/2007 06:45

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0730) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/19/2007 7:42	0		0
2	10/19/2007 7:57	0		0
3	10/19/2007 8:12	0		0
4	10/19/2007 8:27	0.1		0.1
5	10/19/2007 8:42	0.2		0.2
6	10/19/2007 8:57	0.2		0.2
7	10/19/2007 9:12	0.2		0.2
8	10/19/2007 9:27	0.2		0.2
9	10/19/2007 9:42	0.2		0.2
10	10/19/2007 9:57	0.2		0.2
11	10/19/2007 10:12	0.2		0.2
12	10/19/2007 10:27	0.2		0.2
13	10/19/2007 10:42	0.2		0.2
14	10/19/2007 10:57	0.2		0.2
15	10/19/2007 11:12	0.2		0.2
16	10/19/2007 11:27	0.2		0.2
17	10/19/2007 11:42	0.3		0.3
18	10/19/2007 11:57	0.3		0.3
19	10/19/2007 12:12	0.3		0.3
20	10/19/2007 12:27	0.3		0.3
21	10/19/2007 12:42	0.3		0.3
22	10/19/2007 12:57	0.3		0.3
23	10/19/2007 13:12	0.3		0.3
24	10/19/2007 13:27	0.3		0.3
25	10/19/2007 13:42	0.3		0.3
26	10/19/2007 13:57	0.3		0.3
27	10/19/2007 14:12	0.3		0.3
28	10/19/2007 14:27	0.3		0.3
29	10/19/2007 14:42	0.3		0.3
30	10/19/2007 14:57	0.3		0.3
31	10/19/2007 15:12	0.3		0.3

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	2
Test Abbreviation:	
Start Date:	10/19/2007
Start Time:	7:34:46
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0730) = 0.133 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2007	7:49:46	0.074	-0.059	-59
10/19/2007	8:04:46	0.039	-0.094	-94
10/19/2007	8:19:46	0.04	-0.093	-93
10/19/2007	8:34:46	0.045	-0.088	-88
10/19/2007	8:49:46	0.033	-0.1	-100
10/19/2007	9:04:46	0.038	-0.095	-95
10/19/2007	9:19:46	0.04	-0.093	-93
10/19/2007	9:34:46	0.042	-0.091	-91
10/19/2007	9:49:46	0.041	-0.092	-92
10/19/2007	10:04:46	0.04	-0.093	-93
10/19/2007	10:19:46	0.04	-0.093	-93
10/19/2007	10:34:46	0.036	-0.097	-97
10/19/2007	10:49:46	0.038	-0.095	-95
10/19/2007	11:04:46	0.036	-0.097	-97
10/19/2007	11:19:46	0.032	-0.101	-101
10/19/2007	11:34:46	0.027	-0.106	-106
10/19/2007	11:49:46	0.026	-0.107	-107
10/19/2007	12:04:46	0.028	-0.105	-105
10/19/2007	12:19:46	0.03	-0.103	-103
10/19/2007	12:34:46	0.028	-0.105	-105
10/19/2007	12:49:46	0.023	-0.11	-110
10/19/2007	13:04:46	0.019	-0.114	-114
10/19/2007	13:19:46	0.022	-0.111	-111
10/19/2007	13:34:46	0.02	-0.113	-113
10/19/2007	13:49:46	0.015	-0.118	-118
10/19/2007	14:04:46	0.014	-0.119	-119
10/19/2007	14:19:46	0.012	-0.121	-121
10/19/2007	14:34:46	0.012	-0.121	-121
10/19/2007	14:49:46	0.012	-0.121	-121
10/19/2007	15:04:46	0.011	-0.122	-122
10/19/2007	15:19:46	0.01	-0.123	-123
10/19/2007	15:34:46	0.009	-0.124	-124

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/19/2007 06:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0735) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/19/2007 7:58	0		0
2	10/19/2007 8:13	0		0
3	10/19/2007 8:28	0		0
4	10/19/2007 8:43	0		0
5	10/19/2007 8:58	0		0
6	10/19/2007 9:13	0		0
7	10/19/2007 9:28	0		0
8	10/19/2007 9:43	0		0
9	10/19/2007 9:58	0		0
10	10/19/2007 10:13	0		0
11	10/19/2007 10:28	0		0
12	10/19/2007 10:43	0		0
13	10/19/2007 10:58	0		0
14	10/19/2007 11:13	0		0
15	10/19/2007 11:28	0		0
16	10/19/2007 11:43	0		0
17	10/19/2007 11:58	0		0
18	10/19/2007 12:13	0		0
19	10/19/2007 12:28	0		0
20	10/19/2007 12:43	0		0
21	10/19/2007 12:58	0		0
22	10/19/2007 13:13	0		0
23	10/19/2007 13:28	0		0
24	10/19/2007 13:43	0		0
25	10/19/2007 13:58	0		0
26	10/19/2007 14:13	0		0
27	10/19/2007 14:28	0		0
28	10/19/2007 14:43	0		0
29	10/19/2007 14:58	0		0
30	10/19/2007 15:13	0		0
31	10/19/2007 15:28	0		0

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	2
Test Abbreviation:	
Start Date:	10/19/2007
Start Time:	7:26:06
Duration (dd:hh:mm:ss):	00:00:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	2
Notes:	

Background Reading (0735) = 0.160 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/19/2007	7:41:06	0.13	-0.03	-30
10/19/2007	7:56:06	0.033	-0.127	-127
10/19/2007	8:45:21	0.033	-0.127	-127
10/19/2007	9:00:21	0.023	-0.137	-137
10/19/2007	9:15:21	0.02	-0.14	-140
10/19/2007	9:30:21	0.021	-0.139	-139
10/19/2007	9:45:21	0.021	-0.139	-139
10/19/2007	10:00:21	0.021	-0.139	-139
10/19/2007	10:15:21	0.019	-0.141	-141
10/19/2007	10:30:21	0.018	-0.142	-142
10/19/2007	10:45:21	0.016	-0.144	-144
10/19/2007	11:00:21	0.017	-0.143	-143
10/19/2007	11:15:21	0.019	-0.141	-141
10/19/2007	11:30:21	0.014	-0.146	-146
10/19/2007	11:45:21	0.012	-0.148	-148
10/19/2007	12:00:21	0.014	-0.146	-146
10/19/2007	12:15:21	0.013	-0.147	-147
10/19/2007	12:30:21	0.015	-0.145	-145
10/19/2007	12:45:21	0.011	-0.149	-149
10/19/2007	13:00:21	0.01	-0.15	-150
10/19/2007	13:15:21	0.01	-0.15	-150
10/19/2007	13:30:21	0.014	-0.146	-146
10/19/2007	13:45:21	0.009	-0.151	-151
10/19/2007	14:00:21	0.007	-0.153	-153
10/19/2007	14:15:21	0.007	-0.153	-153
10/19/2007	14:30:21	0.012	-0.148	-148
10/19/2007	14:45:21	0.006	-0.154	-154
10/19/2007	15:00:21	0.006	-0.154	-154
10/19/2007	15:15:21	0.005	-0.155	-155
10/19/2007	15:30:21	0.004	-0.156	-156

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 43 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/22/2007 06:41

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0653) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/22/2007 7:13	0.1		0
2	10/22/2007 7:28	0.2		0.1
3	10/22/2007 7:43	0.2		0.1
4	10/22/2007 7:58	0.3		0.2
5	10/22/2007 8:13	0.3		0.2
6	10/22/2007 8:28	0.4		0.3
7	10/22/2007 8:43	0.4		0.3
8	10/22/2007 8:58	0.4		0.3
9	10/22/2007 9:13	0.4		0.3
10	10/22/2007 9:28	0.4		0.3
11	10/22/2007 9:43	0.5		0.4
12	10/22/2007 9:58	0.5		0.4
13	10/22/2007 10:13	0.5		0.4
14	10/22/2007 10:28	0.5		0.4
15	10/22/2007 10:43	0.5		0.4
16	10/22/2007 10:58	0.5		0.4
17	10/22/2007 11:13	0.5		0.4
18	10/22/2007 11:28	0.5		0.4
19	10/22/2007 11:43	0.5		0.4
20	10/22/2007 11:58	0.5		0.4
21	10/22/2007 12:13	0.4		0.3
22	10/22/2007 12:28	0.4		0.3
23	10/22/2007 12:43	0.4		0.3
24	10/22/2007 12:58	0.4		0.3
25	10/22/2007 13:13	0.4		0.3
26	10/22/2007 13:28	0.4		0.3
27	10/22/2007 13:43	0.4		0.3
28	10/22/2007 13:58	0.4		0.3
29	10/22/2007 14:13	0.4		0.3
30	10/22/2007 14:28	0.4		0.3
31	10/22/2007 14:43	0.4		0.3
32	10/22/2007 14:58	0.4		0.3
33	10/22/2007 15:13	0.4		0.3
34	10/22/2007 15:28	0.3		0.2
35	10/22/2007 15:43	0.3		0.2
36	10/22/2007 15:58	0.3		0.2
37	10/22/2007 16:13	0.3		0.2
38	10/22/2007 16:28	0.4		0.3
39	10/22/2007 16:43	0.3		0.2
40	10/22/2007 16:58	0.3		0.2
41	10/22/2007 17:13	0.3		0.2
42	10/22/2007 17:28	0.4		0.3
43	10/22/2007 17:43	0.4		0.3

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/22/2007
Start Time:	6:54:44
Duration (dd:hh:mm:ss):	00:11:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	44
Notes:	Background Reading (0653) = 0.028 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/22/2007	7:09:44	0.026	-0.002	-2
10/22/2007	7:24:44	0.025	-0.003	-3
10/22/2007	7:39:44	0.026	-0.002	-2
10/22/2007	7:54:44	0.028	0	0
10/22/2007	8:09:44	0.029	0.001	1
10/22/2007	8:24:44	0.03	0.002	2
10/22/2007	8:39:44	0.03	0.002	2
10/22/2007	8:54:44	0.029	0.001	1
10/22/2007	9:09:44	0.031	0.003	3
10/22/2007	9:24:44	0.046	0.018	18
10/22/2007	9:39:44	0.026	-0.002	-2
10/22/2007	9:54:44	0.026	-0.002	-2
10/22/2007	10:09:44	0.022	-0.006	-6
10/22/2007	10:24:44	0.019	-0.009	-9
10/22/2007	10:39:44	0.018	-0.01	-10
10/22/2007	10:54:44	0.018	-0.01	-10
10/22/2007	11:09:44	0.02	-0.008	-8
10/22/2007	11:24:44	0.019	-0.009	-9
10/22/2007	11:39:44	0.019	-0.009	-9
10/22/2007	11:54:44	0.02	-0.008	-8
10/22/2007	12:09:44	0.017	-0.011	-11
10/22/2007	12:24:44	0.017	-0.011	-11
10/22/2007	12:39:44	0.02	-0.008	-8
10/22/2007	12:54:44	0.015	-0.013	-13
10/22/2007	13:09:44	0.014	-0.014	-14
10/22/2007	13:24:44	0.017	-0.011	-11
10/22/2007	13:39:44	0.012	-0.016	-16
10/22/2007	13:54:44	0.012	-0.016	-16
10/22/2007	14:09:44	0.013	-0.015	-15
10/22/2007	14:24:44	0.012	-0.016	-16
10/22/2007	14:39:44	0.011	-0.017	-17
10/22/2007	14:54:44	0.011	-0.017	-17
10/22/2007	15:09:44	0.011	-0.017	-17
10/22/2007	15:24:44	0.012	-0.016	-16
10/22/2007	15:39:44	0.013	-0.015	-15
10/22/2007	15:54:44	0.016	-0.012	-12
10/22/2007	16:09:44	0.015	-0.013	-13
10/22/2007	16:24:44	0.012	-0.016	-16
10/22/2007	16:39:44	0.012	-0.016	-16
10/22/2007	16:54:44	0.012	-0.016	-16
10/22/2007	17:09:44	0.012	-0.016	-16
10/22/2007	17:24:44	0.012	-0.016	-16
10/22/2007	17:39:44	0.011	-0.017	-17
10/22/2007	17:54:44	0.011	-0.017	-17

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/22/2007 06:48

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/22/2007 7:39	0.2		-0.1
2	10/22/2007 7:54	0.3		0
3	10/22/2007 8:09	0.3		0
4	10/22/2007 8:24	0.4		0.1
5	10/22/2007 8:39	0.4		0.1
6	10/22/2007 8:54	0.4		0.1
7	10/22/2007 9:09	0.4		0.1
8	10/22/2007 9:24	0.5		0.2
9	10/22/2007 9:39	0.5		0.2
10	10/22/2007 9:54	0.5		0.2
11	10/22/2007 10:09	0.5		0.2
12	10/22/2007 10:24	0.6		0.3
13	10/22/2007 10:39	0.6		0.3
14	10/22/2007 10:54	0.6		0.3
15	10/22/2007 11:09	0.6		0.3
16	10/22/2007 11:24	0.6		0.3
17	10/22/2007 11:39	0.6		0.3
18	10/22/2007 11:54	0.7		0.4
19	10/22/2007 12:09	0.7		0.4
20	10/22/2007 12:24	0.7		0.4
21	10/22/2007 12:39	0.7		0.4
22	10/22/2007 12:54	0.7		0.4
23	10/22/2007 13:09	0.8		0.5
24	10/22/2007 13:24	0.8		0.5
25	10/22/2007 13:39	0.8		0.5
26	10/22/2007 13:54	0.8		0.5
27	10/22/2007 14:09	0.8		0.5
28	10/22/2007 14:24	0.8		0.5
29	10/22/2007 14:39	0.9		0.6
30	10/22/2007 14:54	1		0.7
31	10/22/2007 15:09	1.1		0.8
32	10/22/2007 15:24	1.1		0.8
33	10/22/2007 15:39	1.1		0.8
34	10/22/2007 15:54	1.1		0.8
35	10/22/2007 16:09	1.1		0.8
36	10/22/2007 16:24	1.1		0.8
37	10/22/2007 16:39	1.1		0.8
38	10/22/2007 16:54	1.1		0.8
39	10/22/2007 17:09	1.1		0.8
40	10/22/2007 17:24	1		0.7
41	10/22/2007 17:39	1		0.7
42	10/22/2007 17:54	0.9		0.6

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200858
Test ID:	1
Test Abbreviation:	
Start Date:	10/22/2007
Start Time:	7:16:10
Duration (dd:hh:mm:ss):	00:10:45:00
Time constant (seconds):	5
Log Interval (mm:ss):	15:00
Number of points:	43
Notes:	Background Reading (0715) = 0.023 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	6/23/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/22/2007	7:31:10	0.029	0.006	6
10/22/2007	7:46:10	0.029	0.006	6
10/22/2007	8:01:10	0.031	0.008	8
10/22/2007	8:16:10	0.036	0.013	13
10/22/2007	8:31:10	0.035	0.012	12
10/22/2007	8:46:10	0.033	0.01	10
10/22/2007	9:01:10	0.031	0.008	8
10/22/2007	9:16:10	0.032	0.009	9
10/22/2007	9:31:10	0.029	0.006	6
10/22/2007	9:46:10	0.028	0.005	5
10/22/2007	10:01:10	0.027	0.004	4
10/22/2007	10:16:10	0.026	0.003	3
10/22/2007	10:31:10	0.023	0	0
10/22/2007	10:46:10	0.021	-0.002	-2
10/22/2007	11:01:10	0.023	0	0
10/22/2007	11:16:10	0.023	0	0
10/22/2007	11:31:10	0.023	0	0
10/22/2007	11:46:10	0.022	-0.001	-1
10/22/2007	12:01:10	0.023	0	0
10/22/2007	12:16:10	0.021	-0.002	-2
10/22/2007	12:31:10	0.021	-0.002	-2
10/22/2007	12:46:10	0.02	-0.003	-3
10/22/2007	13:01:10	0.024	0.001	1
10/22/2007	13:16:10	0.02	-0.003	-3
10/22/2007	13:31:10	0.019	-0.004	-4
10/22/2007	13:46:10	0.019	-0.004	-4
10/22/2007	14:01:10	0.019	-0.004	-4
10/22/2007	14:16:10	0.019	-0.004	-4
10/22/2007	14:31:10	0.02	-0.003	-3
10/22/2007	14:46:10	0.018	-0.005	-5
10/22/2007	15:01:10	0.017	-0.006	-6
10/22/2007	15:16:10	0.019	-0.004	-4
10/22/2007	15:31:10	0.019	-0.004	-4
10/22/2007	15:46:10	0.021	-0.002	-2
10/22/2007	16:01:10	0.022	-0.001	-1
10/22/2007	16:16:10	0.022	-0.001	-1
10/22/2007	16:31:10	0.019	-0.004	-4
10/22/2007	16:46:10	0.019	-0.004	-4
10/22/2007	17:01:10	0.02	-0.003	-3
10/22/2007	17:16:10	0.019	-0.004	-4
10/22/2007	17:31:10	0.018	-0.005	-5
10/22/2007	17:46:10	0.019	-0.004	-4
10/22/2007	18:01:10	0.018	-0.005	-5

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 41 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/22/2007 06:42

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/22/2007 7:50	0		0
2	10/22/2007 8:05	0		0
3	10/22/2007 8:20	0		0
4	10/22/2007 8:35	0.1		0.1
5	10/22/2007 8:50	0.1		0.1
6	10/22/2007 9:05	0.2		0.2
7	10/22/2007 9:20	0.2		0.2
8	10/22/2007 9:35	0.2		0.2
9	10/22/2007 9:50	0.2		0.2
10	10/22/2007 10:05	0.2		0.2
11	10/22/2007 10:20	0.2		0.2
12	10/22/2007 10:35	0.3		0.3
13	10/22/2007 10:50	0.3		0.3
14	10/22/2007 11:05	0.3		0.3
15	10/22/2007 11:20	0.3		0.3
16	10/22/2007 11:35	0.3		0.3
17	10/22/2007 11:50	0.3		0.3
18	10/22/2007 12:05	0.3		0.3
19	10/22/2007 12:20	0.3		0.3
20	10/22/2007 12:35	0.3		0.3
21	10/22/2007 12:50	0.3		0.3
22	10/22/2007 13:05	0.3		0.3
23	10/22/2007 13:20	0.3		0.3
24	10/22/2007 13:35	0.3		0.3
25	10/22/2007 13:50	0.3		0.3
26	10/22/2007 14:05	0.3		0.3
27	10/22/2007 14:20	0.3		0.3
28	10/22/2007 14:35	0.3		0.3
29	10/22/2007 14:50	0.3		0.3
30	10/22/2007 15:05	0.3		0.3
31	10/22/2007 15:20	0.3		0.3
32	10/22/2007 15:35	0.3		0.3
33	10/22/2007 15:50	0.3		0.3
34	10/22/2007 16:05	0.3		0.3
35	10/22/2007 16:20	0.2		0.2
36	10/22/2007 16:35	0.2		0.2
37	10/22/2007 16:50	0.2		0.2
38	10/22/2007 17:05	0.2		0.2
39	10/22/2007 17:20	0.2		0.2
40	10/22/2007 17:35	0.2		0.2
41	10/22/2007 17:50	0.2		0.2

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/22/2007
Start Time:	7:34:09
Duration (dd:hh:mm:ss):	00:10:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	42
Notes:	Background Reading (0720) = 0.061 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/22/2007	7:49:09	0.038	-0.023	-23
10/22/2007	8:04:09	0.035	-0.026	-26
10/22/2007	8:19:09	0.037	-0.024	-24
10/22/2007	8:34:09	0.036	-0.025	-25
10/22/2007	8:49:09	0.034	-0.027	-27
10/22/2007	9:04:09	0.034	-0.027	-27
10/22/2007	9:19:09	0.038	-0.023	-23
10/22/2007	9:34:09	0.031	-0.03	-30
10/22/2007	9:49:09	0.028	-0.033	-33
10/22/2007	10:04:09	0.032	-0.029	-29
10/22/2007	10:19:09	0.032	-0.029	-29
10/22/2007	10:34:09	0.028	-0.033	-33
10/22/2007	10:49:09	0.026	-0.035	-35
10/22/2007	11:04:09	0.029	-0.032	-32
10/22/2007	11:19:09	0.033	-0.028	-28
10/22/2007	11:34:09	0.028	-0.033	-33
10/22/2007	11:49:09	0.03	-0.031	-31
10/22/2007	12:04:09	0.029	-0.032	-32
10/22/2007	12:19:09	0.027	-0.034	-34
10/22/2007	12:34:09	0.026	-0.035	-35
10/22/2007	12:49:09	0.025	-0.036	-36
10/22/2007	13:04:09	0.026	-0.035	-35
10/22/2007	13:19:09	0.026	-0.035	-35
10/22/2007	13:34:09	0.025	-0.036	-36
10/22/2007	13:49:09	0.026	-0.035	-35
10/22/2007	14:04:09	0.025	-0.036	-36
10/22/2007	14:19:09	0.025	-0.036	-36
10/22/2007	14:34:09	0.024	-0.037	-37
10/22/2007	14:49:09	0.023	-0.038	-38
10/22/2007	15:04:09	0.022	-0.039	-39
10/22/2007	15:19:09	0.026	-0.035	-35
10/22/2007	15:34:09	0.027	-0.034	-34
10/22/2007	15:49:09	0.031	-0.03	-30
10/22/2007	16:04:09	0.034	-0.027	-27
10/22/2007	16:19:09	0.039	-0.022	-22
10/22/2007	16:34:09	0.029	-0.032	-32
10/22/2007	16:49:09	0.031	-0.03	-30
10/22/2007	17:04:09	0.033	-0.028	-28
10/22/2007	17:19:09	0.033	-0.028	-28
10/22/2007	17:34:09	0.03	-0.031	-31
10/22/2007	17:49:09	0.03	-0.031	-31
10/22/2007	18:04:09	0.025	-0.036	-36

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/22/2007 06:55

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0728) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/22/2007 7:55	0.3		0.1
2	10/22/2007 8:10	0.3		0.1
3	10/22/2007 8:25	0.3		0.1
4	10/22/2007 8:40	0.4		0.2
5	10/22/2007 8:55	0.5		0.3
6	10/22/2007 9:10	0.5		0.3
7	10/22/2007 9:25	0.5		0.3
8	10/22/2007 9:40	0.5		0.3
9	10/22/2007 9:55	0.5		0.3
10	10/22/2007 10:10	0.5		0.3
11	10/22/2007 10:25	0.5		0.3
12	10/22/2007 10:40	0.5		0.3
13	10/22/2007 10:55	0.5		0.3
14	10/22/2007 11:10	0.5		0.3
15	10/22/2007 11:25	0.5		0.3
16	10/22/2007 11:40	0.5		0.3
17	10/22/2007 11:55	0.5		0.3
18	10/22/2007 12:10	0.4		0.2
19	10/22/2007 12:25	0.4		0.2
20	10/22/2007 12:40	0.4		0.2
21	10/22/2007 12:55	0.4		0.2
22	10/22/2007 13:10	0.4		0.2
23	10/22/2007 13:25	0.4		0.2
24	10/22/2007 13:40	0.4		0.2
25	10/22/2007 13:55	0.4		0.2
26	10/22/2007 14:10	0.4		0.2
27	10/22/2007 14:25	0.4		0.2
28	10/22/2007 14:40	0.4		0.2
29	10/22/2007 14:55	0.4		0.2
30	10/22/2007 15:10	0.4		0.2
31	10/22/2007 15:25	0.4		0.2
32	10/22/2007 15:40	0.5		0.3
33	10/22/2007 15:55	0.5		0.3
34	10/22/2007 16:10	0.5		0.3
35	10/22/2007 16:25	0.5		0.3
36	10/22/2007 16:40	0.5		0.3
37	10/22/2007 16:55	0.5		0.3
38	10/22/2007 17:10	0.5		0.3
39	10/22/2007 17:25	0.5		0.3
40	10/22/2007 17:40	0.5		0.3

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/22/2007
Start Time:	7:27:28
Duration (dd:hh:mm:ss):	00:10:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	40
Notes:	Background Reading (0728) = 0.051 mg/m^3

Calibration

Sensor:	Aerosol
Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/22/2007	7:42:28	0.055	-0.009	-9
10/22/2007	7:57:28	0.062	-0.002	-2
10/22/2007	8:12:28	0.063	-0.001	-1
10/22/2007	8:27:28	0.064	0	0
10/22/2007	8:42:28	0.062	-0.002	-2
10/22/2007	8:57:28	0.059	-0.005	-5
10/22/2007	9:12:28	0.053	-0.011	-11
10/22/2007	9:27:28	0.051	-0.013	-13
10/22/2007	9:42:28	0.044	-0.02	-20
10/22/2007	9:57:28	0.046	-0.018	-18
10/22/2007	10:12:28	0.044	-0.02	-20
10/22/2007	10:27:28	0.038	-0.026	-26
10/22/2007	10:42:28	0.034	-0.03	-30
10/22/2007	10:57:28	0.035	-0.029	-29
10/22/2007	11:12:28	0.039	-0.025	-25
10/22/2007	11:27:28	0.035	-0.029	-29
10/22/2007	11:42:28	0.037	-0.027	-27
10/22/2007	11:57:28	0.036	-0.028	-28
10/22/2007	12:12:28	0.034	-0.03	-30
10/22/2007	12:27:28	0.032	-0.032	-32
10/22/2007	12:42:28	0.031	-0.033	-33
10/22/2007	12:57:28	0.031	-0.033	-33
10/22/2007	13:12:28	0.034	-0.03	-30
10/22/2007	13:27:28	0.03	-0.034	-34
10/22/2007	13:42:28	0.029	-0.035	-35
10/22/2007	13:57:28	0.029	-0.035	-35
10/22/2007	14:12:28	0.03	-0.034	-34
10/22/2007	14:27:28	0.028	-0.036	-36
10/22/2007	14:42:28	0.026	-0.038	-38
10/22/2007	14:57:28	0.025	-0.039	-39
10/22/2007	15:12:28	0.029	-0.035	-35
10/22/2007	15:27:28	0.029	-0.035	-35
10/22/2007	15:42:28	0.031	-0.033	-33
10/22/2007	15:57:28	0.035	-0.029	-29
10/22/2007	16:12:28	0.035	-0.029	-29
10/22/2007	16:27:28	0.028	-0.036	-36
10/22/2007	16:42:28	0.027	-0.037	-37
10/22/2007	16:57:28	0.03	-0.034	-34
10/22/2007	17:12:28	0.03	-0.034	-34
10/22/2007	17:27:28	0.028	-0.036	-36
10/22/2007	17:54:08	0.027	-0.037	-37

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136

User ID: 00000001 Site ID: 00000004

Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 10/23/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0651) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/23/2007 7:11	0.4		0.4
2	10/23/2007 7:26	0.5		0.5
3	10/23/2007 7:41	0.5		0.5
4	10/23/2007 7:56	0.6		0.6
5	10/23/2007 8:11	0.6		0.6
6	10/23/2007 8:26	0.6		0.6
7	10/23/2007 8:41	0.7		0.7
8	10/23/2007 8:56	0.7		0.7
9	10/23/2007 9:11	0.7		0.7
10	10/23/2007 9:26	0.6		0.6
11	10/23/2007 9:41	0.6		0.6
12	10/23/2007 9:56	0.6		0.6
13	10/23/2007 10:11	0.6		0.6
14	10/23/2007 10:26	0.6		0.6
15	10/23/2007 10:41	0.6		0.6
16	10/23/2007 10:56	0.6		0.6
17	10/23/2007 11:11	0.6		0.6
18	10/23/2007 11:26	0.6		0.6
19	10/23/2007 11:41	0.6		0.6
20	10/23/2007 11:56	0.5		0.5
21	10/23/2007 12:11	0.5		0.5
22	10/23/2007 12:26	0.5		0.5
23	10/23/2007 12:41	0.5		0.5
24	10/23/2007 12:56	0.5		0.5
25	10/23/2007 13:11	0.5		0.5
26	10/23/2007 13:26	0.6		0.6
27	10/23/2007 13:41	0.6		0.6
28	10/23/2007 13:56	0.6		0.6
29	10/23/2007 14:11	0.6		0.6
30	10/23/2007 14:26	0.5		0.5
31	10/23/2007 14:41	0.5		0.5
32	10/23/2007 14:56	0.5		0.5
33	10/23/2007 15:11	0.5		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/23/2007
Start Time:	6:53:26
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0651) = 0.022 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2007	7:08:26	0.028	0.006	6
10/23/2007	7:23:26	0.021	-0.001	-1
10/23/2007	7:38:26	0.02	-0.002	-2
10/23/2007	7:53:26	0.021	-0.001	-1
10/23/2007	8:08:26	0.02	-0.002	-2
10/23/2007	8:23:26	0.02	-0.002	-2
10/23/2007	8:38:26	0.019	-0.003	-3
10/23/2007	8:53:26	0.02	-0.002	-2
10/23/2007	9:08:26	0.018	-0.004	-4
10/23/2007	9:23:26	0.018	-0.004	-4
10/23/2007	9:38:26	0.021	-0.001	-1
10/23/2007	9:53:26	0.016	-0.006	-6
10/23/2007	10:08:26	0.014	-0.008	-8
10/23/2007	10:23:26	0.015	-0.007	-7
10/23/2007	10:38:26	0.014	-0.008	-8
10/23/2007	10:53:26	0.013	-0.009	-9
10/23/2007	11:08:26	0.012	-0.01	-10
10/23/2007	11:23:26	0.013	-0.009	-9
10/23/2007	11:38:26	0.012	-0.01	-10
10/23/2007	11:53:26	0.013	-0.009	-9
10/23/2007	12:08:26	0.012	-0.01	-10
10/23/2007	12:23:26	0.015	-0.007	-7
10/23/2007	12:38:26	0.013	-0.009	-9
10/23/2007	12:53:26	0.012	-0.01	-10
10/23/2007	13:08:26	0.012	-0.01	-10
10/23/2007	13:23:26	0.011	-0.011	-11
10/23/2007	13:38:26	0.015	-0.007	-7
10/23/2007	13:53:26	0.02	-0.002	-2
10/23/2007	14:08:26	0.014	-0.008	-8
10/23/2007	14:23:26	0.013	-0.009	-9
10/23/2007	14:38:26	0.011	-0.011	-11
10/23/2007	14:53:26	0.011	-0.011	-11
10/23/2007	15:08:26	0.012	-0.01	-10
10/23/2007	15:23:26	0.011	-0.011	-11

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/23/2007 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/23/2007 7:11	0.2		0.1
2	10/23/2007 7:26	0.3		0.2
3	10/23/2007 7:41	0.3		0.2
4	10/23/2007 7:56	0.3		0.2
5	10/23/2007 8:11	0.4		0.3
6	10/23/2007 8:26	0.4		0.3
7	10/23/2007 8:41	0.4		0.3
8	10/23/2007 8:56	0.4		0.3
9	10/23/2007 9:11	0.4		0.3
10	10/23/2007 9:26	0.5		0.4
11	10/23/2007 9:41	0.5		0.4
12	10/23/2007 9:56	0.5		0.4
13	10/23/2007 10:11	0.5		0.4
14	10/23/2007 10:26	0.5		0.4
15	10/23/2007 10:41	0.6		0.5
16	10/23/2007 10:56	0.6		0.5
17	10/23/2007 11:11	0.6		0.5
18	10/23/2007 11:26	0.6		0.5
19	10/23/2007 11:41	0.6		0.5
20	10/23/2007 11:56	0.8		0.7
21	10/23/2007 12:11	0.8		0.7
22	10/23/2007 12:26	0.8		0.7
23	10/23/2007 12:41	0.8		0.7
24	10/23/2007 12:56	0.8		0.7
25	10/23/2007 13:11	0.8		0.7
26	10/23/2007 13:26	0.8		0.7
27	10/23/2007 13:41	0.8		0.7
28	10/23/2007 13:56	0.8		0.7
29	10/23/2007 14:11	0.8		0.7
30	10/23/2007 14:26	0.8		0.7
31	10/23/2007 14:41	0.8		0.7
32	10/23/2007 14:56	0.8		0.7
33	10/23/2007 15:11	0.8		0.7
34	10/23/2007 15:26	0.8		0.7

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/23/2007
Start Time:	6:51:41
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0705) = 0.048 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2007	7:06:41	0.05	0.002	2
10/23/2007	7:21:41	0.042	-0.006	-6
10/23/2007	7:36:41	0.035	-0.013	-13
10/23/2007	7:51:41	0.032	-0.016	-16
10/23/2007	8:06:41	0.031	-0.017	-17
10/23/2007	8:21:41	0.03	-0.018	-18
10/23/2007	8:36:41	0.03	-0.018	-18
10/23/2007	8:51:41	0.035	-0.013	-13
10/23/2007	9:06:41	0.031	-0.017	-17
10/23/2007	9:21:41	0.028	-0.02	-20
10/23/2007	9:36:41	0.026	-0.022	-22
10/23/2007	9:51:41	0.026	-0.022	-22
10/23/2007	10:06:41	0.025	-0.023	-23
10/23/2007	10:21:41	0.024	-0.024	-24
10/23/2007	10:36:41	0.025	-0.023	-23
10/23/2007	10:51:41	0.028	-0.02	-20
10/23/2007	11:06:41	0.032	-0.016	-16
10/23/2007	11:21:41	0.033	-0.015	-15
10/23/2007	11:36:41	0.032	-0.016	-16
10/23/2007	11:51:41	0.032	-0.016	-16
10/23/2007	12:06:41	0.033	-0.015	-15
10/23/2007	12:21:41	0.032	-0.016	-16
10/23/2007	12:36:41	0.033	-0.015	-15
10/23/2007	12:51:41	0.033	-0.015	-15
10/23/2007	13:06:41	0.03	-0.018	-18
10/23/2007	13:21:41	0.033	-0.015	-15
10/23/2007	13:36:41	0.033	-0.015	-15
10/23/2007	13:51:41	0.038	-0.01	-10
10/23/2007	14:06:41	0.032	-0.016	-16
10/23/2007	14:21:41	0.031	-0.017	-17
10/23/2007	14:36:41	0.029	-0.019	-19
10/23/2007	14:51:41	0.029	-0.019	-19
10/23/2007	15:06:41	0.03	-0.018	-18
10/23/2007	15:21:41	0.03	-0.018	-18
10/23/2007	15:36:41	0.027	-0.021	-21

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/23/2007 06:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0710) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/23/2007 7:28	0		-0.1
2	10/23/2007 7:43	0		-0.1
3	10/23/2007 7:58	0		-0.1
4	10/23/2007 8:13	0		-0.1
5	10/23/2007 8:28	0		-0.1
6	10/23/2007 8:43	0		-0.1
7	10/23/2007 8:58	0.1		0
8	10/23/2007 9:13	0.1		0
9	10/23/2007 9:28	0.1		0
10	10/23/2007 9:43	0.1		0
11	10/23/2007 9:58	0.1		0
12	10/23/2007 10:13	0.1		0
13	10/23/2007 10:28	0.2		0.1
14	10/23/2007 10:43	0.2		0.1
15	10/23/2007 10:58	0.2		0.1
16	10/23/2007 11:13	0.2		0.1
17	10/23/2007 11:28	0.2		0.1
18	10/23/2007 11:43	0.2		0.1
19	10/23/2007 11:58	0.2		0.1
20	10/23/2007 12:13	0.2		0.1
21	10/23/2007 12:28	0.2		0.1
22	10/23/2007 12:43	0.2		0.1
23	10/23/2007 12:58	0.2		0.1
24	10/23/2007 13:13	0.3		0.2
25	10/23/2007 13:28	0.3		0.2
26	10/23/2007 13:43	0.3		0.2
27	10/23/2007 13:58	0.3		0.2
28	10/23/2007 14:13	0.3		0.2
29	10/23/2007 14:28	0.3		0.2
30	10/23/2007 14:43	0.3		0.2
31	10/23/2007 14:58	0.3		0.2
32	10/23/2007 15:13	0.3		0.2

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	2
Test Abbreviation:	
Start Date:	10/23/2007
Start Time:	7:14:24
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0710) = 0.043 mg/m^3

Calibration	Sensor: Aerosol
	Cal. date 5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2007	7:29:24	0.06	0.017	17
10/23/2007	7:44:24	0.054	0.011	11
10/23/2007	7:59:24	0.05	0.007	7
10/23/2007	8:14:24	0.05	0.007	7
10/23/2007	8:29:24	0.049	0.006	6
10/23/2007	8:44:24	0.05	0.007	7
10/23/2007	8:59:24	0.05	0.007	7
10/23/2007	9:14:24	0.047	0.004	4
10/23/2007	9:29:24	0.044	0.001	1
10/23/2007	9:44:24	0.044	0.001	1
10/23/2007	9:59:24	0.046	0.003	3
10/23/2007	10:14:24	0.042	-0.001	-1
10/23/2007	10:29:24	0.046	0.003	3
10/23/2007	10:44:24	0.045	0.002	2
10/23/2007	10:59:24	0.044	0.001	1
10/23/2007	11:14:24	0.038	-0.005	-5
10/23/2007	11:29:24	0.037	-0.006	-6
10/23/2007	11:44:24	0.038	-0.005	-5
10/23/2007	11:59:24	0.036	-0.007	-7
10/23/2007	12:14:24	0.035	-0.008	-8
10/23/2007	12:29:24	0.033	-0.01	-10
10/23/2007	12:44:24	0.041	-0.002	-2
10/23/2007	12:59:24	0.04	-0.003	-3
10/23/2007	13:14:24	0.055	0.012	12
10/23/2007	13:29:24	0.05	0.007	7
10/23/2007	13:44:24	0.046	0.003	3
10/23/2007	13:59:24	0.04	-0.003	-3
10/23/2007	14:14:24	0.045	0.002	2
10/23/2007	14:29:24	0.038	-0.005	-5
10/23/2007	14:44:24	0.045	0.002	2
10/23/2007	14:59:24	0.038	-0.005	-5
10/23/2007	15:14:24	0.038	-0.005	-5
10/23/2007	15:29:24	0.038	-0.005	-5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/23/2007 06:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0720) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/23/2007 7:34	0.9		0.7
2	10/23/2007 7:49	0.8		0.6
3	10/23/2007 8:04	0.8		0.6
4	10/23/2007 8:19	0.9		0.7
5	10/23/2007 8:34	0.7		0.5
6	10/23/2007 8:49	0.5		0.3
7	10/23/2007 9:04	0.4		0.2
8	10/23/2007 9:19	0.4		0.2
9	10/23/2007 9:34	0.3		0.1
10	10/23/2007 9:49	0.3		0.1
11	10/23/2007 10:04	0.3		0.1
12	10/23/2007 10:19	0.3		0.1
13	10/23/2007 10:34	0.2		0
14	10/23/2007 10:49	0.2		0
15	10/23/2007 11:04	0.2		0
16	10/23/2007 11:19	0.2		0
17	10/23/2007 11:34	0.2		0
18	10/23/2007 11:49	0.2		0
19	10/23/2007 12:04	0.2		0
20	10/23/2007 12:19	0.2		0
21	10/23/2007 12:34	0.2		0
22	10/23/2007 12:49	0.2		0
23	10/23/2007 13:04	0.2		0
24	10/23/2007 13:19	0.2		0
25	10/23/2007 13:34	0.2		0
26	10/23/2007 13:49	0.2		0
27	10/23/2007 14:04	0.2		0
28	10/23/2007 14:19	0.2		0
29	10/23/2007 14:34	0.3		0.1
30	10/23/2007 14:49	0.3		0.1
31	10/23/2007 15:04	0.3		0.1
32	10/23/2007 15:19	0.3		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	3
Test Abbreviation:	
Start Date:	10/23/2007
Start Time:	7:06:00
Duration (dd:hh:mm:ss):	00:08:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0720) = 0.042 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/23/2007	7:21:00	0.049	0.007	7
10/23/2007	7:36:00	0.046	0.004	4
10/23/2007	7:51:00	0.044	0.002	2
10/23/2007	8:06:00	0.042	0	0
10/23/2007	8:21:00	0.041	-0.001	-1
10/23/2007	8:36:00	0.04	-0.002	-2
10/23/2007	8:51:00	0.04	-0.002	-2
10/23/2007	9:06:00	0.04	-0.002	-2
10/23/2007	9:21:00	0.038	-0.004	-4
10/23/2007	9:36:00	0.035	-0.007	-7
10/23/2007	9:51:00	0.046	0.004	4
10/23/2007	10:06:00	0.033	-0.009	-9
10/23/2007	10:21:00	0.031	-0.011	-11
10/23/2007	10:36:00	0.033	-0.009	-9
10/23/2007	10:51:00	0.031	-0.011	-11
10/23/2007	11:06:00	0.028	-0.014	-14
10/23/2007	11:21:00	0.027	-0.015	-15
10/23/2007	11:36:00	0.027	-0.015	-15
10/23/2007	11:51:00	0.028	-0.014	-14
10/23/2007	12:06:00	0.025	-0.017	-17
10/23/2007	12:21:00	0.025	-0.017	-17
10/23/2007	12:36:00	0.024	-0.018	-18
10/23/2007	12:51:00	0.027	-0.015	-15
10/23/2007	13:06:00	0.027	-0.015	-15
10/23/2007	13:21:00	0.032	-0.01	-10
10/23/2007	13:36:00	0.026	-0.016	-16
10/23/2007	13:51:00	0.026	-0.016	-16
10/23/2007	14:06:00	0.027	-0.015	-15
10/23/2007	14:21:00	0.03	-0.012	-12
10/23/2007	14:36:00	0.03	-0.012	-12
10/23/2007	14:51:00	0.032	-0.01	-10
10/23/2007	15:06:00	0.025	-0.017	-17
10/23/2007	15:21:00	0.025	-0.017	-17

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/24/2007 06:25

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/24/2007 7:06	0.3		0.3
2	10/24/2007 7:21	0.4		0.4
3	10/24/2007 7:36	0.5		0.5
4	10/24/2007 7:51	0.6		0.6
5	10/24/2007 8:06	0.7		0.7
6	10/24/2007 8:21	0.7		0.7
7	10/24/2007 8:36	0.7		0.7
8	10/24/2007 8:51	0.8		0.8
9	10/24/2007 9:06	0.8		0.8
10	10/24/2007 9:21	0.8		0.8
11	10/24/2007 9:36	0.7		0.7
12	10/24/2007 9:51	0.8		0.8
13	10/24/2007 10:06	0.8		0.8
14	10/24/2007 10:21	0.7		0.7
15	10/24/2007 10:36	0.7		0.7
16	10/24/2007 10:51	0.8		0.8
17	10/24/2007 11:06	0.8		0.8
18	10/24/2007 11:21	0.8		0.8
19	10/24/2007 11:36	0.9		0.9
20	10/24/2007 11:51	0.9		0.9
21	10/24/2007 12:06	0.9		0.9
22	10/24/2007 12:21	0.9		0.9
23	10/24/2007 12:36	0.9		0.9
24	10/24/2007 12:51	0.8		0.8
25	10/24/2007 13:06	0.7		0.7
26	10/24/2007 13:21	0.7		0.7
27	10/24/2007 13:36	0.6		0.6
28	10/24/2007 13:51	0.6		0.6
29	10/24/2007 14:06	0.6		0.6
30	10/24/2007 14:21	0.6		0.6
31	10/24/2007 14:36	0.6		0.6
32	10/24/2007 14:51	0.5		0.5
33	10/24/2007 15:06	0.5		0.5
34	10/24/2007 15:21	0.5		0.5
35	10/24/2007 15:36	0.4		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/24/2007
Start Time:	6:47:32
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0645) = 0.012 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2007	7:02:32	0.015	0.003	3
10/24/2007	7:17:32	0.006	-0.006	-6
10/24/2007	7:32:32	0.005	-0.007	-7
10/24/2007	7:47:32	0.007	-0.005	-5
10/24/2007	8:02:32	0.005	-0.007	-7
10/24/2007	8:17:32	0.007	-0.005	-5
10/24/2007	8:32:32	0.009	-0.003	-3
10/24/2007	8:47:32	0.008	-0.004	-4
10/24/2007	9:02:32	0.009	-0.003	-3
10/24/2007	9:17:32	0.01	-0.002	-2
10/24/2007	9:32:32	0.008	-0.004	-4
10/24/2007	9:47:32	0.009	-0.003	-3
10/24/2007	10:02:32	0.022	0.01	10
10/24/2007	10:17:32	0.01	-0.002	-2
10/24/2007	10:32:32	0.009	-0.003	-3
10/24/2007	10:47:32	0.009	-0.003	-3
10/24/2007	11:02:32	0.007	-0.005	-5
10/24/2007	11:17:32	0.008	-0.004	-4
10/24/2007	11:32:32	0.007	-0.005	-5
10/24/2007	11:47:32	0.007	-0.005	-5
10/24/2007	12:02:32	0.009	-0.003	-3
10/24/2007	12:17:32	0.017	0.005	5
10/24/2007	12:32:32	0.023	0.011	11
10/24/2007	12:47:32	0.011	-0.001	-1
10/24/2007	13:02:32	0.007	-0.005	-5
10/24/2007	13:17:32	0.006	-0.006	-6
10/24/2007	13:32:32	0.004	-0.008	-8
10/24/2007	13:47:32	0.004	-0.008	-8
10/24/2007	14:02:32	0.006	-0.006	-6
10/24/2007	14:17:32	0.005	-0.007	-7
10/24/2007	14:32:32	0.004	-0.008	-8
10/24/2007	14:47:32	0.005	-0.007	-7
10/24/2007	15:02:32	0.003	-0.009	-9
10/24/2007	15:17:32	0.005	-0.007	-7
10/24/2007	15:32:32	0.01	-0.002	-2
10/24/2007	15:47:32	0.005	-0.007	-7

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/24/2007 06:28

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0632) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/24/2007 6:54	0		0
2	10/24/2007 7:09	0.1		0.1
3	10/24/2007 7:24	0.2		0.2
4	10/24/2007 7:39	0.2		0.2
5	10/24/2007 7:54	0.2		0.2
6	10/24/2007 8:09	0.2		0.2
7	10/24/2007 8:24	0.3		0.3
8	10/24/2007 8:39	0.3		0.3
9	10/24/2007 8:54	0.3		0.3
10	10/24/2007 9:09	0.3		0.3
11	10/24/2007 9:24	0.3		0.3
12	10/24/2007 9:39	0.3		0.3
13	10/24/2007 9:54	0.3		0.3
14	10/24/2007 10:09	0.3		0.3
15	10/24/2007 10:24	0.3		0.3
16	10/24/2007 10:39	0.4		0.4
17	10/24/2007 10:54	0.4		0.4
18	10/24/2007 11:09	0.4		0.4
19	10/24/2007 11:24	0.4		0.4
20	10/24/2007 11:39	0.4		0.4
21	10/24/2007 11:54	0.4		0.4
22	10/24/2007 12:09	0.4		0.4
23	10/24/2007 12:24	0.4		0.4
24	10/24/2007 12:39	0.4		0.4
25	10/24/2007 12:54	0.4		0.4
26	10/24/2007 13:09	0.4		0.4
27	10/24/2007 13:24	0.4		0.4
28	10/24/2007 13:39	0.4		0.4
29	10/24/2007 13:54	0.4		0.4
30	10/24/2007 14:09	0.4		0.4
31	10/24/2007 14:24	0.4		0.4
32	10/24/2007 14:39	0.4		0.4
33	10/24/2007 14:54	0.4		0.4
34	10/24/2007 15:09	0.4		0.4
35	10/24/2007 15:24	0.4		0.4
36	10/24/2007 15:39	0.4		0.4
37	10/24/2007 15:54	0.5		0.5
38	10/24/2007 16:09	0.5		0.5

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/24/2007
Start Time:	6:35:14
Duration (dd:hh:mm:ss):	00:09:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	39
Notes:	Background Reading (0632) = 0.015 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2007	6:50:14	0.009	-0.006	-6
10/24/2007	7:05:14	0.009	-0.006	-6
10/24/2007	7:20:14	0.008	-0.007	-7
10/24/2007	7:35:14	0.01	-0.005	-5
10/24/2007	7:50:14	0.01	-0.005	-5
10/24/2007	8:05:14	0.014	-0.001	-1
10/24/2007	8:20:14	0.016	0.001	1
10/24/2007	8:35:14	0.016	0.001	1
10/24/2007	8:50:14	0.013	-0.002	-2
10/24/2007	9:05:14	0.019	0.004	4
10/24/2007	9:20:14	0.039	0.024	24
10/24/2007	9:35:14	0.019	0.004	4
10/24/2007	9:50:14	0.014	-0.001	-1
10/24/2007	10:05:14	0.018	0.003	3
10/24/2007	10:20:14	0.019	0.004	4
10/24/2007	10:35:14	0.02	0.005	5
10/24/2007	10:50:14	0.019	0.004	4
10/24/2007	11:05:14	0.016	0.001	1
10/24/2007	11:20:14	0.019	0.004	4
10/24/2007	11:35:14	0.015	0	0
10/24/2007	11:50:14	0.014	-0.001	-1
10/24/2007	12:05:14	0.017	0.002	2
10/24/2007	12:20:14	0.016	0.001	1
10/24/2007	12:35:14	0.012	-0.003	-3
10/24/2007	12:50:14	0.014	-0.001	-1
10/24/2007	13:05:14	0.016	0.001	1
10/24/2007	13:20:14	0.012	-0.003	-3
10/24/2007	13:35:14	0.011	-0.004	-4
10/24/2007	13:50:14	0.009	-0.006	-6
10/24/2007	14:05:14	0.011	-0.004	-4
10/24/2007	14:20:14	0.011	-0.004	-4
10/24/2007	14:35:14	0.007	-0.008	-8
10/24/2007	14:50:14	0.008	-0.007	-7
10/24/2007	15:05:14	0.007	-0.008	-8
10/24/2007	15:20:14	0.009	-0.006	-6
10/24/2007	15:35:14	0.008	-0.007	-7
10/24/2007	15:50:14	0.01	-0.005	-5
10/24/2007	16:05:14	0.011	-0.004	-4
10/24/2007	16:20:14	0.017	0.002	2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/24/2007 06:14

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0653) = 0.0 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/24/2007 7:06	0		0
2	10/24/2007 7:21	0		0
3	10/24/2007 7:36	0		0
4	10/24/2007 7:51	0		0
5	10/24/2007 8:06	0		0
6	10/24/2007 8:21	0		0
7	10/24/2007 8:36	0		0
8	10/24/2007 8:51	0		0
9	10/24/2007 9:06	0		0
10	10/24/2007 9:21	0		0
11	10/24/2007 9:36	0		0
12	10/24/2007 9:51	0		0
13	10/24/2007 10:06	0		0
14	10/24/2007 10:21	0		0
15	10/24/2007 10:36	0.1		0.1
16	10/24/2007 10:51	0		0
17	10/24/2007 11:06	0.1		0.1
18	10/24/2007 11:21	0.1		0.1
19	10/24/2007 11:36	0.1		0.1
20	10/24/2007 11:51	0.1		0.1
21	10/24/2007 12:06	0.1		0.1
22	10/24/2007 12:21	0.1		0.1
23	10/24/2007 12:36	0.1		0.1
24	10/24/2007 12:51	0.1		0.1
25	10/24/2007 13:06	0.1		0.1
26	10/24/2007 13:21	0.1		0.1
27	10/24/2007 13:36	0.1		0.1
28	10/24/2007 13:51	0.1		0.1
29	10/24/2007 14:06	0.1		0.1
30	10/24/2007 14:21	0.1		0.1
31	10/24/2007 14:36	0.1		0.1
32	10/24/2007 14:51	0.1		0.1
33	10/24/2007 15:06	0.1		0.1
34	10/24/2007 15:21	0.1		0.1
35	10/24/2007 15:36	0.1		0.1
36	10/24/2007 15:51	0.1		0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/24/2007
Start Time:	6:55:51
Duration (dd:hh:mm:ss):	00:09:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	37
Notes:	

Background Reading (0653) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol	
	Cal. date	5/29/2007	

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2007	7:10:51	0.011	-0.003	-3
10/24/2007	7:25:51	0.01	-0.004	-4
10/24/2007	7:40:51	0.013	-0.001	-1
10/24/2007	7:55:51	0.015	0.001	1
10/24/2007	8:10:51	0.017	0.003	3
10/24/2007	8:25:51	0.02	0.006	6
10/24/2007	8:40:51	0.018	0.004	4
10/24/2007	8:55:51	0.014	0	0
10/24/2007	9:10:51	0.023	0.009	9
10/24/2007	9:25:51	0.036	0.022	22
10/24/2007	9:40:51	0.018	0.004	4
10/24/2007	9:55:51	0.022	0.008	8
10/24/2007	10:10:51	0.023	0.009	9
10/24/2007	10:25:51	0.028	0.014	14
10/24/2007	10:40:51	0.03	0.016	16
10/24/2007	10:55:51	0.029	0.015	15
10/24/2007	11:10:51	0.018	0.004	4
10/24/2007	11:25:51	0.018	0.004	4
10/24/2007	11:40:51	0.021	0.007	7
10/24/2007	11:55:51	0.022	0.008	8
10/24/2007	12:10:51	0.019	0.005	5
10/24/2007	12:25:51	0.016	0.002	2
10/24/2007	12:40:51	0.013	-0.001	-1
10/24/2007	12:55:51	0.021	0.007	7
10/24/2007	13:10:51	0.018	0.004	4
10/24/2007	13:25:51	0.016	0.002	2
10/24/2007	13:40:51	0.015	0.001	1
10/24/2007	13:55:51	0.013	-0.001	-1
10/24/2007	14:10:51	0.018	0.004	4
10/24/2007	14:25:51	0.016	0.002	2
10/24/2007	14:40:51	0.013	-0.001	-1
10/24/2007	14:55:51	0.014	0	0
10/24/2007	15:10:51	0.01	-0.004	-4
10/24/2007	15:25:51	0.011	-0.003	-3
10/24/2007	15:40:51	0.015	0.001	1
10/24/2007	15:55:51	0.018	0.004	4
10/24/2007	16:10:51	0.013	-0.001	-1

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/24/2007 06:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0656) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/24/2007 7:27	0.1		-0.2
2	10/24/2007 7:42	0.2		-0.1
3	10/24/2007 7:57	0.2		-0.1
4	10/24/2007 8:12	0.2		-0.1
5	10/24/2007 8:27	0.2		-0.1
6	10/24/2007 8:42	0.2		-0.1
7	10/24/2007 8:57	0.3		0
8	10/24/2007 9:12	0.3		0
9	10/24/2007 9:27	0.3		0
10	10/24/2007 9:42	0.3		0
11	10/24/2007 9:57	0.3		0
12	10/24/2007 10:12	0.3		0
13	10/24/2007 10:27	0.3		0
14	10/24/2007 10:42	0.3		0
15	10/24/2007 10:57	0.3		0
16	10/24/2007 11:12	0.3		0
17	10/24/2007 11:27	0.3		0
18	10/24/2007 11:42	0.3		0
19	10/24/2007 11:57	0.3		0
20	10/24/2007 12:12	0.3		0
21	10/24/2007 12:27	0.3		0
22	10/24/2007 12:42	0.3		0
23	10/24/2007 12:57	0.3		0
24	10/24/2007 13:12	0.4		0.1
25	10/24/2007 13:27	0.4		0.1
26	10/24/2007 13:42	0.4		0.1
27	10/24/2007 13:57	0.4		0.1
28	10/24/2007 14:12	0.4		0.1
29	10/24/2007 14:27	0.3		0
30	10/24/2007 14:42	0.3		0
31	10/24/2007 14:57	0.3		0
32	10/24/2007 15:12	0.4		0.1
33	10/24/2007 15:27	0.4		0.1
34	10/24/2007 15:42	0.4		0.1
35	10/24/2007 15:57	0.4		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/24/2007
Start Time:	6:57:54
Duration (dd:hh:mm:ss):	00:05:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	23
Notes:	Background Reading (0656) = 0.010 mg/m^3

Calibration — Sensor: Aerosol; Cal. date: 8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/24/2007	7:12:54	0.008	-0.002	-2
10/24/2007	7:27:54	0.009	-0.001	-1
10/24/2007	7:42:54	0.011	0.001	1
10/24/2007	7:57:54	0.013	0.003	3
10/24/2007	8:12:54	0.015	0.005	5
10/24/2007	8:27:54	0.017	0.007	7
10/24/2007	8:42:54	0.013	0.003	3
10/24/2007	8:57:54	0.013	0.003	3
10/24/2007	9:12:54	0.021	0.011	11
10/24/2007	9:27:54	0.02	0.01	10
10/24/2007	9:42:54	0.012	0.002	2
10/24/2007	9:57:54	0.018	0.008	8
10/24/2007	10:12:54	0.02	0.01	10
10/24/2007	10:27:54	0.021	0.011	11
10/24/2007	10:42:54	0.019	0.009	9
10/24/2007	10:57:54	0.017	0.007	7
10/24/2007	11:12:54	0.017	0.007	7
10/24/2007	11:27:54	0.016	0.006	6
10/24/2007	11:42:54	0.015	0.005	5
10/24/2007	11:57:54	0.018	0.008	8
10/24/2007	12:12:54	0.015	0.005	5
10/24/2007	12:27:54	0.012	0.002	2
10/24/2007	12:42:54	0.01	0	0
10/24/2007	13:30:24	0.021	0.011	11
10/24/2007	13:45:24	0.026	0.016	16
10/24/2007	14:00:24	0.028	0.018	18
10/24/2007	14:15:24	0.028	0.018	18
10/24/2007	14:30:24	0.018	0.008	8
10/24/2007	14:45:24	0.015	0.005	5
10/24/2007	15:00:24	0.011	0.001	1
10/24/2007	15:15:24	0.013	0.003	3
10/24/2007	15:30:24	0.026	0.016	16
10/24/2007	15:45:24	0.023	0.013	13
10/24/2007	16:00:24	0.018	0.008	8

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/25/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0650) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/25/2007 7:10	0.2		0
2	10/25/2007 7:25	0.3		0.1
3	10/25/2007 7:40	0.4		0.2
4	10/25/2007 7:55	0.5		0.3
5	10/25/2007 8:10	0.5		0.3
6	10/25/2007 8:25	0.5		0.3
7	10/25/2007 8:40	0.5		0.3
8	10/25/2007 8:55	0.5		0.3
9	10/25/2007 9:10	0.6		0.4
10	10/25/2007 9:25	0.6		0.4
11	10/25/2007 9:40	0.6		0.4
12	10/25/2007 9:55	0.6		0.4
13	10/25/2007 10:10	0.6		0.4
14	10/25/2007 10:25	0.6		0.4
15	10/25/2007 10:40	0.6		0.4
16	10/25/2007 10:55	0.6		0.4
17	10/25/2007 11:10	0.7		0.5
18	10/25/2007 11:25	0.7		0.5
19	10/25/2007 11:40	0.7		0.5
20	10/25/2007 11:55	0.7		0.5
21	10/25/2007 12:10	0.7		0.5
22	10/25/2007 12:25	0.7		0.5
23	10/25/2007 12:40	0.7		0.5
24	10/25/2007 12:55	0.7		0.5
25	10/25/2007 13:10	0.7		0.5
26	10/25/2007 13:25	0.7		0.5
27	10/25/2007 13:40	0.7		0.5
28	10/25/2007 13:55	0.7		0.5
29	10/25/2007 14:10	0.7		0.5
30	10/25/2007 14:25	0.7		0.5
31	10/25/2007 14:40	0.8		0.6
32	10/25/2007 14:55	0.8		0.6
33	10/25/2007 15:10	0.7		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/25/2007
Start Time:	6:51:53
Duration (dd:hh:mm:ss):	00:08:30:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	34
Notes:	

Background Reading (0650) = 0.004 mg/m^3

Calibration Sensor: Aerosol
Cal. date 4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2007	7:06:53	0.01	0.006	6
10/25/2007	7:21:53	0.007	0.003	3
10/25/2007	7:36:53	0.007	0.003	3
10/25/2007	7:51:53	0.006	0.002	2
10/25/2007	8:06:53	0.006	0.002	2
10/25/2007	8:21:53	0.006	0.002	2
10/25/2007	8:36:53	0.007	0.003	3
10/25/2007	8:51:53	0.007	0.003	3
10/25/2007	9:06:53	0.007	0.003	3
10/25/2007	9:21:53	0.007	0.003	3
10/25/2007	9:36:53	0.008	0.004	4
10/25/2007	9:51:53	0.015	0.011	11
10/25/2007	10:06:53	0.008	0.004	4
10/25/2007	10:21:53	0.007	0.003	3
10/25/2007	10:36:53	0.008	0.004	4
10/25/2007	10:51:53	0.007	0.003	3
10/25/2007	11:06:53	0.007	0.003	3
10/25/2007	11:21:53	0.01	0.006	6
10/25/2007	11:36:53	0.008	0.004	4
10/25/2007	11:51:53	0.007	0.003	3
10/25/2007	12:06:53	0.01	0.006	6
10/25/2007	12:21:53	0.012	0.008	8
10/25/2007	12:36:53	0.012	0.008	8
10/25/2007	12:51:53	0.007	0.003	3
10/25/2007	13:06:53	0.007	0.003	3
10/25/2007	13:21:53	0.007	0.003	3
10/25/2007	13:36:53	0.007	0.003	3
10/25/2007	13:51:53	0.008	0.004	4
10/25/2007	14:06:53	0.008	0.004	4
10/25/2007	14:21:53	0.008	0.004	4
10/25/2007	14:36:53	0.009	0.005	5
10/25/2007	14:51:53	0.008	0.004	4
10/25/2007	15:06:53	0.007	0.003	3
10/25/2007	15:21:53	0.009	0.005	5

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/25/2007 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0712) = 0.5 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/25/2007 7:52	0.8		0.3
2	10/25/2007 8:07	0.5		0
3	10/25/2007 8:22	0.3		-0.2
4	10/25/2007 8:37	0.4		-0.1
5	10/25/2007 8:52	0.4		-0.1
6	10/25/2007 9:07	0.5		0
7	10/25/2007 9:22	0.5		0
8	10/25/2007 9:37	0.5		0
9	10/25/2007 9:52	0.5		0
10	10/25/2007 10:07	0.5		0
11	10/25/2007 10:22	0.5		0
12	10/25/2007 10:37	0.5		0
13	10/25/2007 10:52	0.5		0
14	10/25/2007 11:07	0.6		0.1
15	10/25/2007 11:22	0.6		0.1
16	10/25/2007 11:37	0.6		0.1
17	10/25/2007 11:52	0.6		0.1
18	10/25/2007 12:07	0.6		0.1
19	10/25/2007 12:22	0.6		0.1
20	10/25/2007 12:37	0.6		0.1
21	10/25/2007 12:52	0.6		0.1
22	10/25/2007 13:07	0.6		0.1
23	10/25/2007 13:22	0.6		0.1
24	10/25/2007 13:37	0.6		0.1
25	10/25/2007 13:52	0.6		0.1
26	10/25/2007 14:07	0.6		0.1
27	10/25/2007 14:22	0.6		0.1
28	10/25/2007 14:37	0.6		0.1
29	10/25/2007 14:52	0.6		0.1
30	10/25/2007 15:07	0.6		0.1
31	10/25/2007 15:22	0.6		0.1

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/25/2007
Start Time:	7:31:40
Duration (dd:hh:mm:ss):	00:07:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0712) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2007	7:46:40	0.012	0.008	8
10/25/2007	8:01:40	0.012	0.008	8
10/25/2007	8:16:40	0.012	0.008	8
10/25/2007	8:31:40	0.012	0.008	8
10/25/2007	8:46:40	0.012	0.008	8
10/25/2007	9:01:40	0.012	0.008	8
10/25/2007	9:16:40	0.012	0.008	8
10/25/2007	9:31:40	0.011	0.007	7
10/25/2007	9:46:40	0.013	0.009	9
10/25/2007	10:01:40	0.013	0.009	9
10/25/2007	10:16:40	0.012	0.008	8
10/25/2007	10:31:40	0.013	0.009	9
10/25/2007	10:46:40	0.013	0.009	9
10/25/2007	11:01:40	0.013	0.009	9
10/25/2007	11:16:40	0.025	0.021	21
10/25/2007	11:31:40	0.015	0.011	11
10/25/2007	11:46:40	0.014	0.01	10
10/25/2007	12:01:40	0.014	0.01	10
10/25/2007	12:16:40	0.014	0.01	10
10/25/2007	12:31:40	0.015	0.011	11
10/25/2007	12:46:40	0.015	0.011	11
10/25/2007	13:01:40	0.014	0.01	10
10/25/2007	13:16:40	0.014	0.01	10
10/25/2007	13:31:40	0.014	0.01	10
10/25/2007	13:46:40	0.015	0.011	11
10/25/2007	14:01:40	0.015	0.011	11
10/25/2007	14:16:40	0.016	0.012	12
10/25/2007	14:31:40	0.016	0.012	12
10/25/2007	14:46:40	0.017	0.013	13
10/25/2007	15:01:40	0.015	0.011	11
10/25/2007	15:16:40	0.013	0.009	9
10/25/2007	15:31:40	0.012	0.008	8

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/25/2007 06:44

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0745) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/25/2007 7:45	0.5		0.3
2	10/25/2007 8:00	0.3		0.1
3	10/25/2007 8:15	0.1		-0.1
4	10/25/2007 8:30	0.1		-0.1
5	10/25/2007 8:45	0.1		-0.1
6	10/25/2007 9:00	0.1		-0.1
7	10/25/2007 9:15	0.2		0
8	10/25/2007 9:30	0.2		0
9	10/25/2007 9:45	0.2		0
10	10/25/2007 10:00	0.2		0
11	10/25/2007 10:15	0.2		0
12	10/25/2007 10:30	0.2		0
13	10/25/2007 10:45	0.2		0
14	10/25/2007 11:00	0.2		0
15	10/25/2007 11:15	0.2		0
16	10/25/2007 11:30	0.2		0
17	10/25/2007 11:45	0.2		0
18	10/25/2007 12:00	0.2		0
19	10/25/2007 12:15	0.2		0
20	10/25/2007 12:30	0.2		0
21	10/25/2007 12:45	0.2		0
22	10/25/2007 13:00	0.2		0
23	10/25/2007 13:15	0.2		0
24	10/25/2007 13:30	0.2		0
25	10/25/2007 13:45	0.2		0
26	10/25/2007 14:00	0.2		0
27	10/25/2007 14:15	0.2		0
28	10/25/2007 14:30	0.2		0
29	10/25/2007 14:45	0.2		0
30	10/25/2007 15:00	0.2		0
31	10/25/2007 15:15	0.2		0

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/25/2007
Start Time:	7:22:22
Duration (dd:hh:mm:ss):	00:06:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	30
Notes:	Background Reading (0745) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2007	7:37:22	0.008	0.002	2
10/25/2007	7:52:22	0.008	0.002	2
10/25/2007	8:07:22	0.008	0.002	2
10/25/2007	8:22:22	0.008	0.002	2
10/25/2007	8:37:22	0.008	0.002	2
10/25/2007	8:52:22	0.008	0.002	2
10/25/2007	9:07:22	0.008	0.002	2
10/25/2007	9:22:22	0.008	0.002	2
10/25/2007	9:37:22	0.009	0.003	3
10/25/2007	9:52:22	0.009	0.003	3
10/25/2007	10:07:22	0.013	0.007	7
10/25/2007	10:22:22	0.009	0.003	3
10/25/2007	10:37:22	0.009	0.003	3
10/25/2007	10:52:22	0.01	0.004	4
10/25/2007	11:07:22	0.009	0.003	3
10/25/2007	11:22:22	0.014	0.008	8
10/25/2007	11:37:22	0.014	0.008	8
10/25/2007	11:52:22	0.012	0.006	6
10/25/2007	12:07:22	0.01	0.004	4
10/25/2007	12:22:22	0.01	0.004	4
10/25/2007	12:37:22	0.01	0.004	4
10/25/2007	12:52:22	0.011	0.005	5
10/25/2007	13:07:22	0.011	0.005	5
10/25/2007	13:22:22	0.011	0.005	5
10/25/2007	13:37:22	0.011	0.005	5
10/25/2007	13:52:22	0.011	0.005	5
10/25/2007	14:07:22	0.012	0.006	6
10/25/2007	14:22:22	0.013	0.007	7
10/25/2007	14:37:22	0.013	0.007	7
10/25/2007	14:52:22	0.013	0.007	7

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/25/2007 06:58

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0758) = 0.4 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/25/2007 7:57	0.8		0.4
2	10/25/2007 8:12	0.5		0.1
3	10/25/2007 8:27	0.4		0
4	10/25/2007 8:42	0.4		0
5	10/25/2007 8:57	0.5		0.1
6	10/25/2007 9:12	0.5		0.1
7	10/25/2007 9:27	0.5		0.1
8	10/25/2007 9:42	0.6		0.2
9	10/25/2007 9:57	0.6		0.2
10	10/25/2007 10:12	0.6		0.2
11	10/25/2007 10:27	0.6		0.2
12	10/25/2007 10:42	0.6		0.2
13	10/25/2007 10:57	0.6		0.2
14	10/25/2007 11:12	0.7		0.3
15	10/25/2007 11:27	0.7		0.3
16	10/25/2007 11:42	0.7		0.3
17	10/25/2007 11:57	0.7		0.3
18	10/25/2007 12:12	0.7		0.3
19	10/25/2007 12:27	0.7		0.3
20	10/25/2007 12:42	0.7		0.3
21	10/25/2007 12:57	0.8		0.4
22	10/25/2007 13:12	0.7		0.3
23	10/25/2007 13:27	0.7		0.3
24	10/25/2007 13:42	0.7		0.3
25	10/25/2007 13:57	0.8		0.4
26	10/25/2007 14:12	0.8		0.4
27	10/25/2007 14:27	0.8		0.4
28	10/25/2007 14:42	0.8		0.4
29	10/25/2007 14:57	0.8		0.4
30	10/25/2007 15:12	0.8		0.4
31	10/25/2007 15:27	0.8		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/25/2007
Start Time:	7:17:34
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	33
Notes:	

Background Reading (0758) = 0.004 mg/m^3

Calibration Sensor: Aerosol
Cal. date 8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/25/2007	7:32:34	0.005	0.001	1
10/25/2007	7:47:34	0.005	0.001	1
10/25/2007	8:02:34	0.006	0.002	2
10/25/2007	8:17:34	0.005	0.001	1
10/25/2007	8:32:34	0.006	0.002	2
10/25/2007	8:47:34	0.003	-0.001	-1
10/25/2007	9:02:34	0.004	0	0
10/25/2007	9:17:34	0.003	-0.001	-1
10/25/2007	9:32:34	0.003	-0.001	-1
10/25/2007	9:47:34	0.003	-0.001	-1
10/25/2007	10:02:34	0.007	0.003	3
10/25/2007	10:17:34	0.004	0	0
10/25/2007	10:32:34	0.003	-0.001	-1
10/25/2007	10:47:34	0.004	0	0
10/25/2007	11:02:34	0.003	-0.001	-1
10/25/2007	11:17:34	0.003	-0.001	-1
10/25/2007	11:32:34	0.003	-0.001	-1
10/25/2007	11:47:34	0.008	0.004	4
10/25/2007	12:02:34	0.004	0	0
10/25/2007	12:17:34	0.003	-0.001	-1
10/25/2007	12:32:34	0.003	-0.001	-1
10/25/2007	12:47:34	0.004	0	0
10/25/2007	13:02:34	0.004	0	0
10/25/2007	13:17:34	0.005	0.001	1
10/25/2007	13:32:34	0.006	0.002	2
10/25/2007	13:47:34	0.004	0	0
10/25/2007	14:02:34	0.005	0.001	1
10/25/2007	14:17:34	0.006	0.002	2
10/25/2007	14:32:34	0.006	0.002	2
10/25/2007	14:47:34	0.006	0.002	2
10/25/2007	15:02:34	0.006	0.002	2
10/25/2007	15:17:34	0.007	0.003	3
10/25/2007	15:32:34	0.006	0.002	2

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/26/2007 06:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0641) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/26/2007 7:01	0.3		0.2
2	10/26/2007 7:16	0.3		0.2
3	10/26/2007 7:31	0.4		0.3
4	10/26/2007 7:46	0.5		0.4
5	10/26/2007 8:01	0.5		0.4
6	10/26/2007 8:16	0.5		0.4
7	10/26/2007 8:31	0.6		0.5
8	10/26/2007 8:46	0.6		0.5
9	10/26/2007 9:01	0.6		0.5
10	10/26/2007 9:16	0.6		0.5
11	10/26/2007 9:31	0.6		0.5
12	10/26/2007 9:46	0.7		0.6
13	10/26/2007 10:01	0.6		0.5
14	10/26/2007 10:16	0.6		0.5
15	10/26/2007 10:31	0.6		0.5
16	10/26/2007 10:46	0.6		0.5
17	10/26/2007 11:01	0.7		0.6
18	10/26/2007 11:16	0.7		0.6
19	10/26/2007 11:31	0.7		0.6
20	10/26/2007 11:46	0.7		0.6
21	10/26/2007 12:01	0.7		0.6
22	10/26/2007 12:16	0.7		0.6
23	10/26/2007 12:31	0.7		0.6
24	10/26/2007 12:46	0.6		0.5
25	10/26/2007 13:01	0.6		0.5
26	10/26/2007 13:16	0.6		0.5
27	10/26/2007 13:31	0.6		0.5
28	10/26/2007 13:46	0.6		0.5
29	10/26/2007 14:01	0.6		0.5
30	10/26/2007 14:16	0.6		0.5
31	10/26/2007 14:31	0.6		0.5
32	10/26/2007 14:46	0.6		0.5
33	10/26/2007 15:01	0.6		0.5
34	10/26/2007 15:16	0.6		0.5
35	10/26/2007 15:31	0.6		0.5

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/26/2007
Start Time:	6:42:48
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	Background Reading (0641) = 0.006 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/26/2007	6:57:48	0.025	0.019	19
10/26/2007	7:12:48	0.025	0.019	19
10/26/2007	7:27:48	0.008	0.002	2
10/26/2007	7:42:48	0.008	0.002	2
10/26/2007	7:57:48	0.008	0.002	2
10/26/2007	8:12:48	0.009	0.003	3
10/26/2007	8:27:48	0.009	0.003	3
10/26/2007	8:42:48	0.008	0.002	2
10/26/2007	8:57:48	0.009	0.003	3
10/26/2007	9:12:48	0.009	0.003	3
10/26/2007	9:27:48	0.009	0.003	3
10/26/2007	9:42:48	0.016	0.01	10
10/26/2007	9:57:48	0.039	0.033	33
10/26/2007	10:12:48	0.009	0.003	3
10/26/2007	10:27:48	0.009	0.003	3
10/26/2007	10:42:48	0.009	0.003	3
10/26/2007	10:57:48	0.01	0.004	4
10/26/2007	11:12:48	0.013	0.007	7
10/26/2007	11:27:48	0.01	0.004	4
10/26/2007	11:42:48	0.012	0.006	6
10/26/2007	11:57:48	0.01	0.004	4
10/26/2007	12:12:48	0.01	0.004	4
10/26/2007	12:27:48	0.01	0.004	4
10/26/2007	12:42:48	0.009	0.003	3
10/26/2007	12:57:48	0.011	0.005	5
10/26/2007	13:12:48	0.01	0.004	4
10/26/2007	13:27:48	0.012	0.006	6
10/26/2007	13:42:48	0.009	0.003	3
10/26/2007	13:57:48	0.009	0.003	3
10/26/2007	14:12:48	0.01	0.004	4
10/26/2007	14:27:48	0.01	0.004	4
10/26/2007	14:42:48	0.01	0.004	4
10/26/2007	14:57:48	0.01	0.004	4
10/26/2007	15:12:48	0.011	0.005	5
10/26/2007	15:27:48	0.01	0.004	4
10/26/2007	15:42:48	0.01	0.004	4

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/26/2007 06:31

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/26/2007 7:25	0.2		0
2	10/26/2007 7:40	0.2		0
3	10/26/2007 7:55	0.3		0.1
4	10/26/2007 8:10	0.3		0.1
5	10/26/2007 8:25	0.4		0.2
6	10/26/2007 8:40	0.4		0.2
7	10/26/2007 8:55	0.5		0.3
8	10/26/2007 9:10	0.5		0.3
9	10/26/2007 9:25	0.5		0.3
10	10/26/2007 9:40	0.5		0.3
11	10/26/2007 9:55	0.5		0.3
12	10/26/2007 10:10	0.5		0.3
13	10/26/2007 10:25	0.6		0.4
14	10/26/2007 10:40	0.6		0.4
15	10/26/2007 10:55	0.6		0.4
16	10/26/2007 11:10	0.6		0.4
17	10/26/2007 11:25	0.6		0.4
18	10/26/2007 11:40	0.6		0.4
19	10/26/2007 11:55	0.6		0.4
20	10/26/2007 12:10	0.6		0.4
21	10/26/2007 12:25	0.6		0.4
22	10/26/2007 12:40	0.6		0.4
23	10/26/2007 12:55	0.6		0.4
24	10/26/2007 13:10	0.6		0.4
25	10/26/2007 13:25	0.6		0.4
26	10/26/2007 13:40	0.6		0.4
27	10/26/2007 13:55	0.6		0.4
28	10/26/2007 14:10	0.6		0.4
29	10/26/2007 14:25	0.6		0.4
30	10/26/2007 14:40	0.6		0.4
31	10/26/2007 14:55	0.6		0.4
32	10/26/2007 15:10	0.6		0.4
33	10/26/2007 15:25	0.6		0.4
34	10/26/2007 15:40	0.6		0.4

STATION 2 (I.S. 151) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/26/2007
Start Time:	7:02:48
Duration (dd:hh:mm:ss):	00:08:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	35
Notes:	Background Reading (0705) = 0.004 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/26/2007	7:17:48	0.016	0.012	12
10/26/2007	7:32:48	0.02	0.016	16
10/26/2007	7:47:48	0.02	0.016	16
10/26/2007	8:02:48	0.021	0.017	17
10/26/2007	8:17:48	0.024	0.02	20
10/26/2007	8:32:48	0.023	0.019	19
10/26/2007	8:47:48	0.023	0.019	19
10/26/2007	9:02:48	0.021	0.017	17
10/26/2007	9:17:48	0.021	0.017	17
10/26/2007	9:32:48	0.022	0.018	18
10/26/2007	9:47:48	0.023	0.019	19
10/26/2007	10:02:48	0.021	0.017	17
10/26/2007	10:17:48	0.019	0.015	15
10/26/2007	10:32:48	0.021	0.017	17
10/26/2007	10:47:48	0.022	0.018	18
10/26/2007	11:02:48	0.022	0.018	18
10/26/2007	11:17:48	0.022	0.018	18
10/26/2007	11:32:48	0.022	0.018	18
10/26/2007	11:47:48	0.022	0.018	18
10/26/2007	12:02:48	0.023	0.019	19
10/26/2007	12:17:48	0.021	0.017	17
10/26/2007	12:32:48	0.022	0.018	18
10/26/2007	12:47:48	0.022	0.018	18
10/26/2007	13:02:48	0.023	0.019	19
10/26/2007	13:17:48	0.024	0.02	20
10/26/2007	13:32:48	0.023	0.019	19
10/26/2007	13:47:48	0.022	0.018	18
10/26/2007	14:02:48	0.023	0.019	19
10/26/2007	14:17:48	0.022	0.018	18
10/26/2007	14:32:48	0.022	0.018	18
10/26/2007	14:47:48	0.022	0.018	18
10/26/2007	15:02:48	0.024	0.02	20
10/26/2007	15:17:48	0.023	0.019	19
10/26/2007	15:32:48	0.023	0.019	19
10/26/2007	15:47:48	0.023	0.019	19

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/26/2007 06:26

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0655) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/26/2007 7:07	0.1		0
2	10/26/2007 7:22	0.1		0
3	10/26/2007 7:37	0.2		0.1
4	10/26/2007 7:52	0.2		0.1
5	10/26/2007 8:07	0.2		0.1
6	10/26/2007 8:22	0.2		0.1
7	10/26/2007 8:37	0.2		0.1
8	10/26/2007 8:52	0.2		0.1
9	10/26/2007 9:07	0.2		0.1
10	10/26/2007 9:22	0.2		0.1
11	10/26/2007 9:37	0.2		0.1
12	10/26/2007 9:52	0.2		0.1
13	10/26/2007 10:07	0.2		0.1
14	10/26/2007 10:22	0.2		0.1
15	10/26/2007 10:37	0.2		0.1
16	10/26/2007 10:52	0.2		0.1
17	10/26/2007 11:07	0.2		0.1
18	10/26/2007 11:22	0.2		0.1
19	10/26/2007 11:37	0.2		0.1
20	10/26/2007 11:52	0.2		0.1
21	10/26/2007 12:07	0.2		0.1
22	10/26/2007 12:22	0.2		0.1
23	10/26/2007 12:37	0.2		0.1
24	10/26/2007 12:52	0.2		0.1
25	10/26/2007 13:07	0.2		0.1
26	10/26/2007 13:22	0.2		0.1
27	10/26/2007 13:37	0.2		0.1
28	10/26/2007 13:52	0.2		0.1
29	10/26/2007 14:07	0.2		0.1
30	10/26/2007 14:22	0.2		0.1
31	10/26/2007 14:37	0.2		0.1
32	10/26/2007 14:52	0.2		0.1
33	10/26/2007 15:07	0.2		0.1
34	10/26/2007 15:22	0.2		0.1
35	10/26/2007 15:37	0.2		0.1

STATION 3 (P.S. 156)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/26/2007
Start Time:	6:52:09
Duration (dd:hh:mm:ss):	00:09:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	36
Notes:	

Background Reading (0655) = 0.024 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/26/2007	7:07:09	0.016	-0.008	-8
10/26/2007	7:22:09	0.008	-0.016	-16
10/26/2007	7:37:09	0.008	-0.016	-16
10/26/2007	7:52:09	0.009	-0.015	-15
10/26/2007	8:07:09	0.01	-0.014	-14
10/26/2007	8:22:09	0.012	-0.012	-12
10/26/2007	8:37:09	0.009	-0.015	-15
10/26/2007	8:52:09	0.009	-0.015	-15
10/26/2007	9:07:09	0.009	-0.015	-15
10/26/2007	9:22:09	0.01	-0.014	-14
10/26/2007	9:37:09	0.011	-0.013	-13
10/26/2007	9:52:09	0.011	-0.013	-13
10/26/2007	10:07:09	0.012	-0.012	-12
10/26/2007	10:22:09	0.012	-0.012	-12
10/26/2007	10:37:09	0.011	-0.013	-13
10/26/2007	10:52:09	0.012	-0.012	-12
10/26/2007	11:07:09	0.013	-0.011	-11
10/26/2007	11:22:09	0.014	-0.01	-10
10/26/2007	11:37:09	0.014	-0.01	-10
10/26/2007	11:52:09	0.015	-0.009	-9
10/26/2007	12:07:09	0.016	-0.008	-8
10/26/2007	12:22:09	0.013	-0.011	-11
10/26/2007	12:37:09	0.013	-0.011	-11
10/26/2007	12:52:09	0.013	-0.011	-11
10/26/2007	13:07:09	0.013	-0.011	-11
10/26/2007	13:22:09	0.012	-0.012	-12
10/26/2007	13:37:09	0.013	-0.011	-11
10/26/2007	13:52:09	0.012	-0.012	-12
10/26/2007	14:07:09	0.012	-0.012	-12
10/26/2007	14:22:09	0.013	-0.011	-11
10/26/2007	14:37:09	0.012	-0.012	-12
10/26/2007	14:52:09	0.012	-0.012	-12
10/26/2007	15:07:09	0.012	-0.012	-12
10/26/2007	15:22:09	0.012	-0.012	-12
10/26/2007	15:37:09	0.012	-0.012	-12
10/26/2007	15:52:09	0.011	-0.013	-13

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/26/2007 06:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0645) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/26/2007 7:13	0.3		0
2	10/26/2007 7:28	0.3		0
3	10/26/2007 7:43	0.4		0.1
4	10/26/2007 7:58	0.4		0.1
5	10/26/2007 8:13	0.5		0.2
6	10/26/2007 8:28	0.5		0.2
7	10/26/2007 8:43	0.5		0.2
8	10/26/2007 8:58	0.6		0.3
9	10/26/2007 9:13	0.6		0.3
10	10/26/2007 9:28	0.6		0.3
11	10/26/2007 9:43	0.6		0.3
12	10/26/2007 9:58	0.6		0.3
13	10/26/2007 10:13	0.6		0.3
14	10/26/2007 10:28	0.6		0.3
15	10/26/2007 10:43	0.7		0.4
16	10/26/2007 10:58	0.7		0.4
17	10/26/2007 11:13	0.7		0.4
18	10/26/2007 11:28	0.7		0.4
19	10/26/2007 11:43	0.7		0.4
20	10/26/2007 11:58	0.7		0.4
21	10/26/2007 12:13	0.7		0.4
22	10/26/2007 12:28	0.7		0.4
23	10/26/2007 12:43	0.7		0.4
24	10/26/2007 12:58	0.7		0.4
25	10/26/2007 13:13	0.7		0.4
26	10/26/2007 13:28	0.7		0.4
27	10/26/2007 13:43	0.7		0.4
28	10/26/2007 13:58	0.7		0.4
29	10/26/2007 14:13	0.7		0.4
30	10/26/2007 14:28	0.9		0.6
31	10/26/2007 14:43	0.7		0.4
32	10/26/2007 14:58	0.8		0.5
33	10/26/2007 15:13	0.7		0.4
34	10/26/2007 15:28	0.7		0.4
35	10/26/2007 15:43	0.7		0.4

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	2
Test Abbreviation:	
Start Date:	10/26/2007
Start Time:	6:46:43
Duration (dd:hh:mm:ss):	00:07:15:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	29
Notes:	

Background Reading (0645) = 0.016 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/26/2007	7:01:43	0.025	0.009	9
10/26/2007	7:16:43	0.016	0	0
10/26/2007	7:31:43	0.016	0	0
10/26/2007	7:46:43	0.017	0.001	1
10/26/2007	8:01:43	0.02	0.004	4
10/26/2007	8:16:43	0.024	0.008	8
10/26/2007	8:31:43	0.022	0.006	6
10/26/2007	8:46:43	0.02	0.004	4
10/26/2007	9:01:43	0.019	0.003	3
10/26/2007	9:16:43	0.022	0.006	6
10/26/2007	9:31:43	0.02	0.004	4
10/26/2007	9:46:43	0.019	0.003	3
10/26/2007	10:01:43	0.022	0.006	6
10/26/2007	10:16:43	0.021	0.005	5
10/26/2007	10:31:43	0.021	0.005	5
10/26/2007	10:46:43	0.037	0.021	21
10/26/2007	11:01:43	0.029	0.013	13
10/26/2007	11:16:43	0.027	0.011	11
10/26/2007	11:31:43	0.028	0.012	12
10/26/2007	11:46:43	0.026	0.01	10
10/26/2007	12:01:43	0.022	0.006	6
10/26/2007	12:16:43	0.019	0.003	3
10/26/2007	12:31:43	0.02	0.004	4
10/26/2007	12:46:43	0.021	0.005	5
10/26/2007	13:01:43	0.025	0.009	9
10/26/2007	13:16:43	0.022	0.006	6
10/26/2007	13:31:43	0.024	0.008	8
10/26/2007	13:46:43	0.022	0.006	6
10/26/2007	14:01:43	0.029	0.013	13

STATION 1 (SOUTHERN PERIMETER) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 014136
User ID: 00000001 Site ID: 00000004
Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/29/2007 06:43

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0704) = 0.1 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/29/2007 7:25	0.1		0
2	10/29/2007 7:40	0.1		0
3	10/29/2007 7:55	0.2		0.1
4	10/29/2007 8:10	0.2		0.1
5	10/29/2007 8:25	0.2		0.1
6	10/29/2007 8:40	0.3		0.2
7	10/29/2007 8:55	0.3		0.2
8	10/29/2007 9:10	0.3		0.2
9	10/29/2007 9:25	0.3		0.2
10	10/29/2007 9:40	0.4		0.3
11	10/29/2007 9:55	0.4		0.3
12	10/29/2007 10:10	0.4		0.3
13	10/29/2007 10:25	0.4		0.3
14	10/29/2007 10:40	0.4		0.3
15	10/29/2007 10:55	0.4		0.3
16	10/29/2007 11:10	0.4		0.3
17	10/29/2007 11:25	0.5		0.4
18	10/29/2007 11:40	0.4		0.3
19	10/29/2007 11:55	0.5		0.4
20	10/29/2007 12:10	0.5		0.4
21	10/29/2007 12:25	0.5		0.4
22	10/29/2007 12:40	0.5		0.4
23	10/29/2007 12:55	0.5		0.4
24	10/29/2007 13:10	0.5		0.4
25	10/29/2007 13:25	0.5		0.4
26	10/29/2007 13:40	0.6		0.5
27	10/29/2007 13:55	0.6		0.5
28	10/29/2007 14:10	0.5		0.4
29	10/29/2007 14:25	0.5		0.4
30	10/29/2007 14:40	0.5		0.4
31	10/29/2007 14:55	0.5		0.4
32	10/29/2007 15:10	0.5		0.4

STATION 1 (SOUTHERN PERIMETER) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	
Test ID:	0:00:00
Test Abbreviation:	
Start Date:	10/29/2007
Start Time:	7:06:45
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0704) = 0.021 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	4/27/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/29/2007	7:21:45	0.01	-0.011	-11
10/29/2007	7:36:45	0.007	-0.014	-14
10/29/2007	7:51:45	0.01	-0.011	-11
10/29/2007	8:06:45	0.007	-0.014	-14
10/29/2007	8:21:45	0.01	-0.011	-11
10/29/2007	8:36:45	0.011	-0.01	-10
10/29/2007	8:51:45	0.008	-0.013	-13
10/29/2007	9:06:45	0.007	-0.014	-14
10/29/2007	9:21:45	0.006	-0.015	-15
10/29/2007	9:36:45	0.009	-0.012	-12
10/29/2007	9:51:45	0.041	0.02	20
10/29/2007	10:06:45	0.011	-0.01	-10
10/29/2007	10:21:45	0.006	-0.015	-15
10/29/2007	10:36:45	0.005	-0.016	-16
10/29/2007	10:51:45	0.005	-0.016	-16
10/29/2007	11:06:45	0.007	-0.014	-14
10/29/2007	11:21:45	0.005	-0.016	-16
10/29/2007	11:36:45	0.005	-0.016	-16
10/29/2007	11:51:45	0.004	-0.017	-17
10/29/2007	12:06:45	0.004	-0.017	-17
10/29/2007	12:21:45	0.006	-0.015	-15
10/29/2007	12:36:45	0.01	-0.011	-11
10/29/2007	12:51:45	0.004	-0.017	-17
10/29/2007	13:06:45	0.004	-0.017	-17
10/29/2007	13:21:45	0.003	-0.018	-18
10/29/2007	13:36:45	0.003	-0.018	-18
10/29/2007	13:51:45	0.004	-0.017	-17
10/29/2007	14:06:45	0.003	-0.018	-18
10/29/2007	14:21:45	0.003	-0.018	-18
10/29/2007	14:36:45	0.005	-0.016	-16
10/29/2007	14:51:45	0.003	-0.018	-18
10/29/2007	15:06:45	0.003	-0.018	-18

STATION 2 (I.S. 151) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012175
User ID: 00000001 Site ID: 00000335
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/29/2007 06:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0715) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/29/2007 7:50	0.1		-0.2
2	10/29/2007 8:05	0.1		-0.2
3	10/29/2007 8:20	0.2		-0.1
4	10/29/2007 8:35	0.2		-0.1
5	10/29/2007 8:50	0.2		-0.1
6	10/29/2007 9:05	0.3		0
7	10/29/2007 9:20	0.3		0
8	10/29/2007 9:35	0.3		0
9	10/29/2007 9:50	0.3		0
10	10/29/2007 10:05	0.3		0
11	10/29/2007 10:20	0.4		0.1
12	10/29/2007 10:35	0.4		0.1
13	10/29/2007 10:50	0.4		0.1
14	10/29/2007 11:05	0.4		0.1
15	10/29/2007 11:20	0.4		0.1
16	10/29/2007 11:35	0.5		0.2
17	10/29/2007 11:50	0.5		0.2
18	10/29/2007 12:05	0.5		0.2
19	10/29/2007 12:20	0.5		0.2
20	10/29/2007 12:35	0.5		0.2
21	10/29/2007 12:50	0.6		0.3
22	10/29/2007 13:05	0.6		0.3
23	10/29/2007 13:20	0.6		0.3
24	10/29/2007 13:35	0.6		0.3
25	10/29/2007 13:50	0.6		0.3
26	10/29/2007 14:05	0.6		0.3
27	10/29/2007 14:20	0.7		0.4
28	10/29/2007 14:35	0.7		0.4
29	10/29/2007 14:50	0.7		0.4
30	10/29/2007 15:05	0.7		0.4

STATION 2 (I.S. 151)

Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	22720
Test ID:	1
Test Abbreviation:	
Start Date:	10/29/2007
Start Time:	7:28:44
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	

Background Reading (0715) = 0.014 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/2/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/29/2007	7:43:44	0.018	0.004	4
10/29/2007	7:58:44	0.018	0.004	4
10/29/2007	8:13:44	0.016	0.002	2
10/29/2007	8:28:44	0.015	0.001	1
10/29/2007	8:43:44	0.014	0	0
10/29/2007	8:58:44	0.015	0.001	1
10/29/2007	9:13:44	0.015	0.001	1
10/29/2007	9:28:44	0.014	0	0
10/29/2007	9:43:44	0.013	-0.001	-1
10/29/2007	9:58:44	0.014	0	0
10/29/2007	10:13:44	0.011	-0.003	-3
10/29/2007	10:28:44	0.012	-0.002	-2
10/29/2007	10:43:44	0.012	-0.002	-2
10/29/2007	10:58:44	0.013	-0.001	-1
10/29/2007	11:13:44	0.011	-0.003	-3
10/29/2007	11:28:44	0.014	0	0
10/29/2007	11:43:44	0.018	0.004	4
10/29/2007	11:58:44	0.009	-0.005	-5
10/29/2007	12:13:44	0.008	-0.006	-6
10/29/2007	12:28:44	0.008	-0.006	-6
10/29/2007	12:43:44	0.009	-0.005	-5
10/29/2007	12:58:44	0.009	-0.005	-5
10/29/2007	13:13:44	0.009	-0.005	-5
10/29/2007	13:28:44	0.009	-0.005	-5
10/29/2007	13:43:44	0.01	-0.004	-4
10/29/2007	13:58:44	0.012	-0.002	-2
10/29/2007	14:13:44	0.012	-0.002	-2
10/29/2007	14:28:44	0.016	0.002	2
10/29/2007	14:43:44	0.014	0	0
10/29/2007	14:58:44	0.01	-0.004	-4
10/29/2007	15:13:44	0.012	-0.002	-2

STATION 3 (P.S. 156) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 005943
User ID: 00000001 Site ID: 453 W17
Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/29/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0705) = 0.3 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/29/2007 7:35	0		-0.3
2	10/29/2007 7:50	0		-0.3
3	10/29/2007 8:05	0.1		-0.2
4	10/29/2007 8:20	0.1		-0.2
5	10/29/2007 8:35	0.1		-0.2
6	10/29/2007 8:50	0.2		-0.1
7	10/29/2007 9:05	0.2		-0.1
8	10/29/2007 9:20	0.2		-0.1
9	10/29/2007 9:35	0.2		-0.1
10	10/29/2007 9:50	0.2		-0.1
11	10/29/2007 10:05	0.2		-0.1
12	10/29/2007 10:20	0.2		-0.1
13	10/29/2007 10:35	0.2		-0.1
14	10/29/2007 10:50	0.2		-0.1
15	10/29/2007 11:05	0.3		0
16	10/29/2007 11:20	0.3		0
17	10/29/2007 11:35	0.3		0
18	10/29/2007 11:50	0.3		0
19	10/29/2007 12:05	0.3		0
20	10/29/2007 12:20	0.3		0
21	10/29/2007 12:35	0.3		0
22	10/29/2007 12:50	0.3		0
23	10/29/2007 13:05	0.3		0
24	10/29/2007 13:20	0.3		0
25	10/29/2007 13:35	0.4		0.1
26	10/29/2007 13:50	0.4		0.1
27	10/29/2007 14:05	0.4		0.1
28	10/29/2007 14:20	0.4		0.1
29	10/29/2007 14:35	0.4		0.1
30	10/29/2007 14:50	0.4		0.1

STATION 3 (P.S. 156) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85202240
Test ID:	1
Test Abbreviation:	
Start Date:	10/29/2007
Start Time:	7:19:39
Duration (dd:hh:mm:ss):	00:07:45:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	31
Notes:	Background Reading (0705) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	5/29/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/29/2007	7:34:39	0.019	0.001	1
10/29/2007	7:49:39	0.044	0.026	26
10/29/2007	8:04:39	0.018	0	0
10/29/2007	8:19:39	0.018	0	0
10/29/2007	8:34:39	0.014	-0.004	-4
10/29/2007	8:49:39	0.014	-0.004	-4
10/29/2007	9:04:39	0.015	-0.003	-3
10/29/2007	9:19:39	0.014	-0.004	-4
10/29/2007	9:34:39	0.013	-0.005	-5
10/29/2007	9:49:39	0.013	-0.005	-5
10/29/2007	10:04:39	0.013	-0.005	-5
10/29/2007	10:19:39	0.011	-0.007	-7
10/29/2007	10:34:39	0.011	-0.007	-7
10/29/2007	10:49:39	0.012	-0.006	-6
10/29/2007	11:04:39	0.011	-0.007	-7
10/29/2007	11:19:39	0.011	-0.007	-7
10/29/2007	11:34:39	0.011	-0.007	-7
10/29/2007	11:49:39	0.012	-0.006	-6
10/29/2007	12:04:39	0.009	-0.009	-9
10/29/2007	12:19:39	0.007	-0.011	-11
10/29/2007	12:34:39	0.008	-0.01	-10
10/29/2007	12:49:39	0.008	-0.01	-10
10/29/2007	13:04:39	0.009	-0.009	-9
10/29/2007	13:19:39	0.011	-0.007	-7
10/29/2007	13:34:39	0.012	-0.006	-6
10/29/2007	13:49:39	0.011	-0.007	-7
10/29/2007	14:04:39	0.01	-0.008	-8
10/29/2007	14:19:39	0.015	-0.003	-3
10/29/2007	14:34:39	0.015	-0.003	-3
10/29/2007	14:49:39	0.013	-0.005	-5
10/29/2007	15:04:39	0.023	0.005	5

STATION 4 (CONCOURSE VILLAGE WEST) **VOC action level = 5 ppm above background**

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 008010
User ID: 00000001 Site ID: 00000215
Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/29/2007 06:57

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	5	5	5

Background Reading (0700) = 0.2 ppm

Line#	Date Time	Avg(ppm)	Alarm	Avg-background(ppm)
1	10/29/2007 7:41	0.1		-0.1
2	10/29/2007 7:56	0.2		0
3	10/29/2007 8:11	0.2		0
4	10/29/2007 8:26	0.3		0.1
5	10/29/2007 8:41	0.3		0.1
6	10/29/2007 8:56	0.3		0.1
7	10/29/2007 9:11	0.4		0.2
8	10/29/2007 9:26	0.4		0.2
9	10/29/2007 9:41	0.4		0.2
10	10/29/2007 9:56	0.4		0.2
11	10/29/2007 10:11	0.4		0.2
12	10/29/2007 10:26	0.4		0.2
13	10/29/2007 10:41	0.4		0.2
14	10/29/2007 10:56	0.4		0.2
15	10/29/2007 11:11	0.4		0.2
16	10/29/2007 11:26	0.4		0.2
17	10/29/2007 11:41	0.4		0.2
18	10/29/2007 11:56	0.4		0.2
19	10/29/2007 12:11	0.4		0.2
20	10/29/2007 12:26	0.4		0.2
21	10/29/2007 12:41	0.4		0.2
22	10/29/2007 12:56	0.3		0.1
23	10/29/2007 13:11	0.3		0.1
24	10/29/2007 13:26	0.3		0.1
25	10/29/2007 13:41	0.3		0.1
26	10/29/2007 13:56	0.3		0.1
27	10/29/2007 14:11	0.3		0.1
28	10/29/2007 14:26	0.3		0.1
29	10/29/2007 14:41	0.3		0.1
30	10/29/2007 14:56	0.3		0.1
31	10/29/2007 15:11	0.3		0.1

STATION 4 (CONCOURSE VILLAGE WEST) **Particulate action level = 0.150 mg/m^3 (150 ug/m^3) above background**

TrakPro Version 3.41 ASCII Data File

Model:	Dust Trak
Serial Number:	85200833
Test ID:	1
Test Abbreviation:	
Start Date:	10/29/2007
Start Time:	7:13:27
Duration (dd:hh:mm:ss):	00:08:00:00
Time constant (seconds):	10
Log Interval (mm:ss):	15:00
Number of points:	32
Notes:	Background Reading (0700) = 0.018 mg/m^3

Calibration	Sensor:	Aerosol
	Cal. date	8/3/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3	Aerosol(-background) mg/m^3	ug/m^3
10/29/2007	7:28:27	0.016	-0.002	-2
10/29/2007	7:43:27	0.017	-0.001	-1
10/29/2007	7:58:27	0.02	0.002	2
10/29/2007	8:13:27	0.021	0.003	3
10/29/2007	8:28:27	0.021	0.003	3
10/29/2007	8:43:27	0.015	-0.003	-3
10/29/2007	8:58:27	0.017	-0.001	-1
10/29/2007	9:13:27	0.025	0.007	7
10/29/2007	9:28:27	0.027	0.009	9
10/29/2007	9:43:27	0.04	0.022	22
10/29/2007	9:58:27	0.024	0.006	6
10/29/2007	10:13:27	0.019	0.001	1
10/29/2007	10:28:27	0.015	-0.003	-3
10/29/2007	10:43:27	0.017	-0.001	-1
10/29/2007	10:58:27	0.019	0.001	1
10/29/2007	11:13:27	0.014	-0.004	-4
10/29/2007	11:28:27	0.014	-0.004	-4
10/29/2007	11:43:27	0.017	-0.001	-1
10/29/2007	11:58:27	0.013	-0.005	-5
10/29/2007	12:13:27	0.011	-0.007	-7
10/29/2007	12:28:27	0.008	-0.01	-10
10/29/2007	12:43:27	0.007	-0.011	-11
10/29/2007	12:58:27	0.01	-0.008	-8
10/29/2007	13:13:27	0.01	-0.008	-8
10/29/2007	13:28:27	0.01	-0.008	-8
10/29/2007	13:43:27	0.01	-0.008	-8
10/29/2007	13:58:27	0.015	-0.003	-3
10/29/2007	14:13:27	0.012	-0.006	-6
10/29/2007	14:28:27	0.013	-0.005	-5
10/29/2007	14:43:27	0.015	-0.003	-3
10/29/2007	14:58:27	0.012	-0.006	-6
10/29/2007	15:13:27	0.017	-0.001	-1