NON-HAZARDOUS INDUSTRIAL WASTE

CHARACTERIZATION DATA

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 9, 2007

John Civetta & Sons, Inc.
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on January 30, 2007. Long Island Analytical Laboratories analyzed the samples on February 8, 2007 for the following:

CLIENT ID	ANALYSIS
WC-29 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-29 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-29 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-29 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-29 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-29 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-28 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-28 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-28 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-28 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-28 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-28 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-30 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-30 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-30 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-30 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-30 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-30 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX

110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

CLIENT ID	ANALYSIS
WC-31 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-31 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-31 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-31 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-31 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-31 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-34 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-34 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-34 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-34 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-34 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-34 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-33 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-33 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-33 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-33 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-33 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-33 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX

Samples received at 7°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	0.64	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/2/07	2.75	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/1/07	76.3	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	5.55	
MERCURY, Hg•	0.020 mg/kg	1/31/07	0.058	
LEAD, Pb	1.65 mg/kg	2/1/07	88.6	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/1/07	18.6	
NICKEL, Ni	1.65 mg/kg	2/1/07	4.90	
ZINC, Zn	1.65 mg/kg	2/1/07	58.1	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date extracted: 2/1/0/7	Matrix: Soil
Date analyzed: 2/1/0/7	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	8.75 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129307
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	200 mg/kg	
TOX[2]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] * Performed by SW-846 Method 6010B

[2] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129308
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129308
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	10	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	44	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	89	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	55	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	15	
o-XYLENE	1330-20-7	5 ug/kg	5	
CARBON DISULFIDE	751-15-0	5 ug/kg	18	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129308
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	263	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	133	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	358	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129308
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	155	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	106	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	157	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	2,018	
ANTHRACENE	120-12-7	40 ug/kg	477	
CARBAZOLE	86-74-8	40 ug/kg	180	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,194	
PYRENE	129-00-0	40 ug/kg	2,865	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	151	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,010	
CHRYSENE	218-01-9	40 ug/kg	1,757	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	602	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,614	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	609	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,320	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,081	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	256	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,089	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129308
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	140 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	102	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<60	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	291	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<60	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	98	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	1,095	
ANTHRACENE	120-12-7	40 ug/kg	286	
CARBAZOLE	86-74-8	40 ug/kg	148	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	C
FLUORANTHENE	206-44-0	40 ug/kg	1,708	
PYRENE	129-00-0	40 ug/kg	1,388	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	533	
CHRYSENE	218-01-9	40 ug/kg	975	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	522	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,270	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	617	
BENZO-a-PYRENE	50-32-8	40 ug/kg	950	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	981	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	184	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	896	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129309
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	78,138	
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	68,905	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	948	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	2,251	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	1,326	
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	3,007	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	12,928	
ANTHRACENE	120-12-7	40 ug/kg	3,526	
CARBAZOLE	86-74-8	40 ug/kg	<600	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	13,727	
PYRENE	129-00-0	40 ug/kg	13,254	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	3,637	
CHRYSENE	218-01-9	40 ug/kg	7,205	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	800	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	6,184	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,580	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,131	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,985	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	629	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,478	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	7,031 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129310
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129311
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<1,000	D
CHLOROMETHANE	74-87-3	5 ug/kg	<1,000	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<1,000	D
BROMOMETHANE	74-83-9	5 ug/kg	<1,000	D
CHLOROETHANE	75-00-3	5 ug/kg	<1,000	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<1,000	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<1,000	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<1,000	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<1,000	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<1,000	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<1,000	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<1,000	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<1,000	D
CHLOROFORM	67-66-3	5 ug/kg	<1,000	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<1,000	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<1,000	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<1,000	D
BENZENE	71-43-2	5 ug/kg	2,378	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<1,000	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<1,000	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<1,000	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<1,000	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<1,000	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<1,000	D
TOLUENE	108-88-3	5 ug/kg	1,431	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<1,000	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<1,000	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<1,000	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<1,000	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<1,000	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<1,000	D
CHLOROBENZENE	108-90-7	5 ug/kg	<1,000	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<1,000	D
ETHYLBENZENE	100-41-4	5 ug/kg	40,797	
STYRENE	100-42-5	5 ug/kg	<1,000	D
BROMOFORM	75-25-2	5 ug/kg	<1,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129311
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	20,980	
BROMOBENZENE	108-86-1	5 ug/kg	<1,000	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<1,000	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<1,000	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	41,253	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<1,000	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<1,000	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	12,455	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<1,000	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	24,592	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	5,659	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<1,000	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	1,521	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<1,000	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<1,000	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	19,533	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<1,000	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<1,000	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<1,000	D
NAPHTHALENE	91-20-3	5 ug/kg	38,595	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<1,000	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<1,000	D
ACETONE	67-64-1	50 ug/kg	<10,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<2,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<1,000	D
p & m-XYLENES	1330-20-7	10 ug/kg	5,516	
o-XYLENE	1330-20-7	5 ug/kg	<1,000	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<1,000	D
MTBE	1634-04-4	5 ug/kg	<1,000	D
VINYL ACETATE	108-05-4	5 ug/kg	<1,000	D
2-HEXANONE	591-78-6	5 ug/kg	<1,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129311
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	42	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129311
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129311
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	550 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129312
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	23	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129312
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	13		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	21		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	7		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	20		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	28		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129312
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	173	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	92	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	753	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129312
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	140	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	113	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	174	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	2,745	
ANTHRACENE	120-12-7	40 ug/kg	553	
CARBAZOLE	86-74-8	40 ug/kg	324	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	5,137	
PYRENE	129-00-0	40 ug/kg	4,216	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	87	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,489	
CHRYSENE	218-01-9	40 ug/kg	2,956	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	713	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,973	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,311	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,009	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,035	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	493	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,955	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-29 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129312
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	1.90	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	0.06	
ZINC, Zn	0.05 mg/L	N/A	2/2/07	2.51	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/1/07	93.5	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	5.32	
MERCURY, Hg•	0.020 mg/kg	1/31/07	0.026	
LEAD, Pb	1.65 mg/kg	2/1/07	376	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/1/07	11.4	
NICKEL, Ni	1.65 mg/kg	2/1/07	4.91	
ZINC, Zn	1.65 mg/kg	2/1/07	116	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	8.47 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129313
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	1,953 mg/kg	
TOX[2]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129314
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129314
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	12		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	7		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	6		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129314
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	<60	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<60	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	162	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129314
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<60	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	<60	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	309	
ANTHRACENE	120-12-7	40 ug/kg	141	
CARBAZOLE	86-74-8	40 ug/kg	<60	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	551	
PYRENE	129-00-0	40 ug/kg	500	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	199	
CHRYSENE	218-01-9	40 ug/kg	450	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	544	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	235	
BENZO-a-PYRENE	50-32-8	40 ug/kg	367	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	342	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	85	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	331	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129314
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	433 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	6	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<20,000	C
PHENOL	108-95-2	40 ug/kg	<20,000	C
ANILINE	62-53-3	40 ug/kg	<20,000	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<20,000	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<20,000	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<20,000	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<20,000	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<20,000	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<20,000	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<20,000	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<20,000	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<20,000	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<20,000	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<20,000	C
NITROBENZENE	98-95-3	40 ug/kg	<20,000	C
ISOPHORONE	78-59-1	40 ug/kg	<20,000	C
2-NITROPHENOL	88-75-5	40 ug/kg	<20,000	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<20,000	C
BENZOIC ACID	65-80-8	40 ug/kg	<20,000	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<20,000	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<20,000	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<20,000	C
NAPHTHALENE	91-20-3	40 ug/kg	<20,000	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<20,000	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<20,000	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<20,000	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<20,000	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<20,000	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<20,000	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<20,000	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<20,000	C
2-NITROANILINE	88-74-4	40 ug/kg	<20,000	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<20,000	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<20,000	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<20,000	C
3-NITROANILINE	99-09-2	40 ug/kg	<20,000	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<20,000	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<20,000	C
DIBENZOFURAN	132-64-9	40 ug/kg	<20,000	C
4-NITROPHENOL	100-02-7	40 ug/kg	<20,000	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<20,000	C
FLUORENE	86-73-7	40 ug/kg	<20,000	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<20,000	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<20,000	C
4-NITROANILINE	100-01-6	40 ug/kg	<20,000	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<20,000	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<20,000	C
AZOBENZENE	103-33-3	40 ug/kg	<20,000	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<20,000	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<20,000	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<20,000	C
PHENANTHRENE	85-01-8	40 ug/kg	<20,000	C
ANTHRACENE	120-12-7	40 ug/kg	<20,000	C
CARBAZOLE	86-74-8	40 ug/kg	<20,000	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<20,000	C
FLUORANTHENE	206-44-0	40 ug/kg	<20,000	C
PYRENE	129-00-0	40 ug/kg	<20,000	C
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<20,000	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<20,000	C
CHRYSENE	218-01-9	40 ug/kg	<20,000	C
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<20,000	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,580,026	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<20,000	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<20,000	C
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<20,000	C
BENZO-a-PYRENE	50-32-8	40 ug/kg	<20,000	C
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<20,000	C
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<20,000	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<20,000	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	1/31/07	262 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS' ANALYTICAL SOLUTIONS' TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129315
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	18		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	28		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	7		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	785	
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<600	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	793	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<600	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	<600	C
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	<600	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	4,635	
ANTHRACENE	120-12-7	40 ug/kg	885	
CARBAZOLE	86-74-8	40 ug/kg	<600	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	8,285	
PYRENE	129-00-0	40 ug/kg	6,789	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,275	
CHRYSENE	218-01-9	40 ug/kg	3,730	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	2,150	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,820	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,072	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,641	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,070	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<600	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,005	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS! TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	140 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129316
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129317
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129317
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129317
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	201	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	42	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	56	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129317
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	42	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	92	
ANTHRACENE	120-12-7	40 ug/kg	44	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	139	
PYRENE	129-00-0	40 ug/kg	264	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	97	
CHRYSENE	218-01-9	40 ug/kg	173	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	167	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	60	
BENZO-a-PYRENE	50-32-8	40 ug/kg	178	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	118	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	41	
BENZO-g,h,I-PERYLENE	191-24-2	40 ug/kg	195	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129317
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	166 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129318
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129318
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129318
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129318
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	60	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-28 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129318
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/7/07	7.83	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	2.80	
BARIUM, Ba	3.33 mg/kg	2/1/07	84.7	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	6.98	
MERCURY, Hg•	0.020 mg/kg	1/31/07	0.058	
LEAD, Pb	1.65 mg/kg	2/1/07	69.5	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	70.0	
NICKEL, Ni	1.65 mg/kg	2/1/07	6.83	
ZINC, Zn	1.65 mg/kg	2/1/07	75.0	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	8.74 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129319
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	655 mg/kg	
TOX[2]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129320
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	7		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129320
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	9	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	35	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	29	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	77	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	28	
o-XYLENE	1330-20-7	5 ug/kg	10	
CARBON DISULFIDE	751-15-0	5 ug/kg	20	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129320
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	156	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	86	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	574	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129320
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	80	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	88	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	147	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	2,363	
ANTHRACENE	120-12-7	40 ug/kg	553	
CARBAZOLE	86-74-8	40 ug/kg	243	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	4,016	
PYRENE	129-00-0	40 ug/kg	3,304	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	192	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,182	
CHRYSENE	218-01-9	40 ug/kg	2,201	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,253	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,488	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,005	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,714	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,458	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	315	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,473	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129320
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	147 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	140	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	93	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	494	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	96	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	66	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	132	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	1,538	
ANTHRACENE	120-12-7	40 ug/kg	435	
CARBAZOLE	86-74-8	40 ug/kg	193	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,778	
PYRENE	129-00-0	40 ug/kg	2,484	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	167	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	911	
CHRYSENE	218-01-9	40 ug/kg	1,668	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,148	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,884	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	810	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,475	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,318	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	292	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,252	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	133 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129321
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	8	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	9	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	12	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	656	
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<600	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	901	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<600	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	<600	C
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	647	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	10,906	
ANTHRACENE	120-12-7	40 ug/kg	1,967	
CARBAZOLE	86-74-8	40 ug/kg	617	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	12,197	
PYRENE	129-00-0	40 ug/kg	10,250	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	8,974	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,855	
CHRYSENE	218-01-9	40 ug/kg	6,417	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	40,332	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	4,289	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,431	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,687	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,689	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<600	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,418	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	103 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129322
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129323
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	E
CHLOROMETHANE	74-87-3	5 ug/kg	<25	E
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	E
BROMOMETHANE	74-83-9	5 ug/kg	<25	E
CHLOROETHANE	75-00-3	5 ug/kg	<25	E
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	E
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	E
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	E
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	E
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	E
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	E
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	E
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	E
CHLOROFORM	67-66-3	5 ug/kg	<25	E
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	E
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	E
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	E
BENZENE	71-43-2	5 ug/kg	<25	E
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	E
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	E
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	E
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	E
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	E
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	E
TOLUENE	108-88-3	5 ug/kg	<25	E
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	E
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	E
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	E
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	E
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	E
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	E
CHLOROBENZENE	108-90-7	5 ug/kg	<25	E
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	E
ETHYLBENZENE	100-41-4	5 ug/kg	<25	E
STYRENE	100-42-5	5 ug/kg	<25	E
BROMOFORM	75-25-2	5 ug/kg	<25	E

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129323
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	E
BROMOBENZENE	108-86-1	5 ug/kg	<25	E
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	E
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	E
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25	E
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	E
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	E
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	E
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	E
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25	E
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	E
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	E
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	E
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	E
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	E
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	E
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	E
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	E
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	E
NAPHTHALENE	91-20-3	5 ug/kg	<25	E
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	E
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	E
ACETONE	67-64-1	50 ug/kg	<250	E
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	E
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	E
p & m-XYLENES	1330-20-7	10 ug/kg	<50	E
o-XYLENE	1330-20-7	5 ug/kg	<25	E
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	E
MTBE	1634-04-4	5 ug/kg	<25	E
VINYL ACETATE	108-05-4	5 ug/kg	<25	E
2-HEXANONE	591-78-6	5 ug/kg	<25	E

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129323
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	536	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	135	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	136	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129323
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	127	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	62	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	136	
ANTHRACENE	120-12-7	40 ug/kg	143	
CARBAZOLE	86-74-8	40 ug/kg	<60	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	239	
PYRENE	129-00-0	40 ug/kg	366	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	183	
CHRYSENE	218-01-9	40 ug/kg	375	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	377	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	221	
BENZO-a-PYRENE	50-32-8	40 ug/kg	285	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	303	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	80	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	237	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129323
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129324
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	7	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129324
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129324
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129324
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-30 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129324
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive · Holbrook, New York 11741

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	0.08	
MERCURY, Hg•	0.02 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	0.06	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	0.05	
ZINC, Zn	0.05 mg/L	N/A	2/2/07	0.63	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/1/07	17.6	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	5.34	
MERCURY, Hg•	0.020 mg/kg	1/31/07	<0.020	
LEAD, Pb	1.65 mg/kg	2/1/07	3.50	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/1/07	5.54	
NICKEL, Ni	1.65 mg/kg	2/1/07	5.73	
ZINC, Zn	1.65 mg/kg	2/1/07	16.2	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	9.01 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129325
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	80.0 mg/kg	
TOX[2]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129326
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	7	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	28	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129326
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	7	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	14	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	40	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	156	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	114	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	217	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	22	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	111	
o-XYLENE	1330-20-7	5 ug/kg	44	
CARBON DISULFIDE	751-15-0	5 ug/kg	52	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129326
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	610	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	424	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	273	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129326
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	267	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	122	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	263	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	2,711	
ANTHRACENE	120-12-7	40 ug/kg	546	
CARBAZOLE	86-74-8	40 ug/kg	117	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,050	
PYRENE	129-00-0	40 ug/kg	2,913	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	84	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	886	
CHRYSENE	218-01-9	40 ug/kg	1,669	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	721	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,431	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	589	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,024	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	896	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	194	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	961	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129326
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	128 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	9	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	54	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<800	C
PHENOL	108-95-2	40 ug/kg	<800	C
ANILINE	62-53-3	40 ug/kg	<800	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<800	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<800	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<800	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<800	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<800	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<800	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<800	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<800	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<800	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<800	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<800	C
NITROBENZENE	98-95-3	40 ug/kg	<800	C
ISOPHORONE	78-59-1	40 ug/kg	<800	C
2-NITROPHENOL	88-75-5	40 ug/kg	<800	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<800	C
BENZOIC ACID	65-80-8	40 ug/kg	<800	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<800	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<800	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<800	C
NAPHTHALENE	91-20-3	40 ug/kg	<800	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<800	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<800	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<800	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<800	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<800	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<800	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<800	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<800	C
2-NITROANILINE	88-74-4	40 ug/kg	<800	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<800	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	3,372	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<800	C
3-NITROANILINE	99-09-2	40 ug/kg	<800	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<800	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<800	C
DIBENZOFURAN	132-64-9	40 ug/kg	829	
4-NITROPHENOL	100-02-7	40 ug/kg	<800	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<800	C
FLUORENE	86-73-7	40 ug/kg	1,379	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<800	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<800	C
4-NITROANILINE	100-01-6	40 ug/kg	<800	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<800	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<800	C
AZOBENZENE	103-33-3	40 ug/kg	<800	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<800	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<800	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<800	C
PHENANTHRENE	85-01-8	40 ug/kg	17,083	
ANTHRACENE	120-12-7	40 ug/kg	3,820	
CARBAZOLE	86-74-8	40 ug/kg	1,141	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<800	C
FLUORANTHENE	206-44-0	40 ug/kg	21,256	
PYRENE	129-00-0	40 ug/kg	16,610	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	5,570	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	5,994	
CHRYSENE	218-01-9	40 ug/kg	14,567	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<800	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	24,566	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<800	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	13,532	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	5,167	
BENZO-a-PYRENE	50-32-8	40 ug/kg	8,398	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	6,301	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,552	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	5,490	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	121 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129327
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	9	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<200	C
PHENOL	108-95-2	40 ug/kg	<200	C
ANILINE	62-53-3	40 ug/kg	<200	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<200	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<200	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<200	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<200	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200	C
NITROBENZENE	98-95-3	40 ug/kg	<200	C
ISOPHORONE	78-59-1	40 ug/kg	<200	C
2-NITROPHENOL	88-75-5	40 ug/kg	<200	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<200	C
BENZOIC ACID	65-80-8	40 ug/kg	<200	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<200	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<200	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<200	C
NAPHTHALENE	91-20-3	40 ug/kg	<200	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<200	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<200	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<200	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<200	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<200	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<200	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<200	C
2-NITROANILINE	88-74-4	40 ug/kg	<200	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	674	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<200	C
3-NITROANILINE	99-09-2	40 ug/kg	<200	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<200	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<200	C
DIBENZOFURAN	132-64-9	40 ug/kg	<200	C
4-NITROPHENOL	100-02-7	40 ug/kg	<200	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<200	C
FLUORENE	86-73-7	40 ug/kg	317	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<200	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<200	C
4-NITROANILINE	100-01-6	40 ug/kg	<200	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<200	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<200	C
AZOBENZENE	103-33-3	40 ug/kg	<200	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<200	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<200	C
PHENANTHRENE	85-01-8	40 ug/kg	5,341	
ANTHRACENE	120-12-7	40 ug/kg	1,816	
CARBAZOLE	86-74-8	40 ug/kg	<200	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	7,090	
PYRENE	129-00-0	40 ug/kg	5,449	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<200	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,954	
CHRYSENE	218-01-9	40 ug/kg	3,631	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	4,824	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<200	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,183	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,477	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,133	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,309	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	254	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,067	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	203 mg/kg	
TOX[1]*	10 mg/kg	2/5/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129328
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"PERFORMING ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129329
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129329
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	71	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129329
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	98	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	173	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129329
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	631	
ANTHRACENE	120-12-7	40 ug/kg	145	
CARBAZOLE	86-74-8	40 ug/kg	64	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,232	
PYRENE	129-00-0	40 ug/kg	1,057	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	443	
CHRYSENE	218-01-9	40 ug/kg	701	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	522	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	665	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	285	
BENZO-a-PYRENE	50-32-8	40 ug/kg	426	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	530	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	78	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	425	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129329
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	110 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129330
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129330
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129330
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129330
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-31 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129330
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/2/07	0.07	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	4.07	
BARIUM, Ba	3.33 mg/kg	2/1/07	59.0	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	6.93	
MERCURY, Hg•	0.020 mg/kg	1/31/07	0.067	
LEAD, Pb	1.65 mg/kg	2/1/07	111	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	103	
NICKEL, Ni	1.65 mg/kg	2/1/07	7.41	
ZINC, Zn	1.65 mg/kg	2/1/07	64.7	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	11.43 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129331
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	474 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-24 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129332
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	110	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	30	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-24 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129332
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	10	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	17	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	67	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	30	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	387	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	11	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	7	
p & m-XYLENES	1330-20-7	10 ug/kg	116	
o-XYLENE	1330-20-7	5 ug/kg	36	
CARBON DISULFIDE	751-15-0	5 ug/kg	24	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-24 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129332
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	405	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	244	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	360	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-24 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129332
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	177	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	133	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	240	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	2,553	
ANTHRACENE	120-12-7	40 ug/kg	553	
CARBAZOLE	86-74-8	40 ug/kg	171	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,822	
PYRENE	129-00-0	40 ug/kg	3,317	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	144	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,134	
CHRYSENE	218-01-9	40 ug/kg	2,155	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	2,507	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,903	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	883	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,420	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,218	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	240	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,152	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-2400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-24 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129332
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	108 mg/kg	
TOX[1]*	10 mg/kg		<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	103	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	6	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	64	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	15	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	19	
o-XYLENE	1330-20-7	5 ug/kg	5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	<400	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	843	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<400	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	<400	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	3,607	
ANTHRACENE	120-12-7	40 ug/kg	925	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	5,461	
PYRENE	129-00-0	40 ug/kg	4,903	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,875	
CHRYSENE	218-01-9	40 ug/kg	3,729	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	2,102	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	4,415	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,699	
BENZO-a-PYRENE	50-32-8	40 ug/kg	3,033	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,027	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	735	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,093	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	130 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129333
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-2400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	6	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	64	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	394		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	37		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	13		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	174	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	122	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	216	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date extracted:	Matrix: Soil
Date analyzed:	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	43	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	440	
ANTHRACENE	120-12-7	40 ug/kg	158	
CARBAZOLE	86-74-8	40 ug/kg	67	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	895	
PYRENE	129-00-0	40 ug/kg	793	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	215	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	343	
CHRYSENE	218-01-9	40 ug/kg	570	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	765	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	382	
BENZO-a-PYRENE	50-32-8	40 ug/kg	500	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	517	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	163	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	509	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129334
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129335
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	6	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129335
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129335
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	298	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	204	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	119	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129335
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	108	
ANTHRACENE	120-12-7	40 ug/kg	77	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	227	
PYRENE	129-00-0	40 ug/kg	206	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	134	
CHRYSENE	218-01-9	40 ug/kg	281	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	381	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	152	
BENZO-a-PYRENE	50-32-8	40 ug/kg	227	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	187	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	52	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	160	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129335
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129336
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	C
CHLOROMETHANE	74-87-3	5 ug/kg	<25	C
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	C
BROMOMETHANE	74-83-9	5 ug/kg	<25	C
CHLOROETHANE	75-00-3	5 ug/kg	<25	C
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	C
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	C
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	C
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	C
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	C
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	C
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	C
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	C
CHLOROFORM	67-66-3	5 ug/kg	<25	C
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	C
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	C
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	C
BENZENE	71-43-2	5 ug/kg	<25	C
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	C
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	C
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	C
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	C
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	C
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	C
TOLUENE	108-88-3	5 ug/kg	<25	C
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	C
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	C
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	C
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	C
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	C
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	C
CHLOROBENZENE	108-90-7	5 ug/kg	<25	C
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	C
ETHYLBENZENE	100-41-4	5 ug/kg	<25	C
STYRENE	100-42-5	5 ug/kg	<25	C
BROMOFORM	75-25-2	5 ug/kg	<25	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [8-10'])]
Date received: 1/30/07	Laboratory ID: 1129336
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	C
BROMOBENZENE	108-86-1	5 ug/kg	<25	C
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	C
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	C
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25	C
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	C
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	C
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	C
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	C
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25	C
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	C
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	C
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	C
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	C
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	C
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	C
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	C
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	C
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	C
NAPHTHALENE	91-20-3	5 ug/kg	<25	C
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	C
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	C
ACETONE	67-64-1	50 ug/kg	<250	C
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	C
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	C
p & m-XYLENES	1330-20-7	10 ug/kg	<50	C
o-XYLENE	1330-20-7	5 ug/kg	<25	C
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	C
MTBE	1634-04-4	5 ug/kg	<25	C
VINYL ACETATE	108-05-4	5 ug/kg	<25	C
2-HEXANONE	591-78-6	5 ug/kg	<25	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129336
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129336
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-34 Grab [8-10'])
Date received: 1/30/07	Laboratory ID: 1129336
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/2/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/2/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/2/07	0.40	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/2/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/2/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/2/07	0.05	
ZINC, Zn	0.05 mg/L	N/A	2/2/07	2.16	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/1/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/1/07	2.08	
BARIUM, Ba	3.33 mg/kg	2/1/07	173	
CADMIUM, Cd	1.00 mg/kg	2/1/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/1/07	6.23	
MERCURY, Hg•	0.020 mg/kg	1/31/07	0.055	
LEAD, Pb	1.65 mg/kg	2/1/07	55.8	
SELENIUM, Se	1.65 mg/kg	2/1/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/1/07	16.1	
NICKEL, Ni	1.65 mg/kg	2/1/07	6.66	
ZINC, Zn	1.65 mg/kg	2/1/07	126	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	1/31/07	8.57 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010

[2]*Method: EPA SW846, 9040

[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Comp [0-15'])
Date received: 1/30/07	Laboratory ID: 1129337
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/1/07	702 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129338
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129338
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	6	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129338
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	125	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	48	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	475	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129338
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	81	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	69	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	91	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,390	
ANTHRACENE	120-12-7	40 ug/kg	351	
CARBAZOLE	86-74-8	40 ug/kg	178	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,908	
PYRENE	129-00-0	40 ug/kg	2,554	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	270	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	992	
CHRYSENE	218-01-9	40 ug/kg	2,062	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,118	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,542	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	864	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,764	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,485	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	316	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,379	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [0-2'])
Date received: 1/30/07	Laboratory ID: 1129338
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	188 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	<400	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	997	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<400	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	<400	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	4,076	
ANTHRACENE	120-12-7	40 ug/kg	1,223	
CARBAZOLE	86-74-8	40 ug/kg	409	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	7,104	
PYRENE	129-00-0	40 ug/kg	5,756	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,281	
CHRYSENE	218-01-9	40 ug/kg	4,842	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	3,478	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	5,202	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	3,296	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,054	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,839	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	515	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,383	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	124 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [2-4'])
Date received: 1/30/07	Laboratory ID: 1129339
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	406	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	160	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	1,194	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	1,097	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	1,533	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	1,893	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	2,095	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	303	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	148	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	1,412	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	733	
o-XYLENE	1330-20-7	5 ug/kg	92	
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	12,959	C
NAPHTHALENE	91-20-3	40 ug/kg	<400	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	12,743	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<400	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	436	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	548	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	2,171	
ANTHRACENE	120-12-7	40 ug/kg	822	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,232	
PYRENE	129-00-0	40 ug/kg	1,946	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	611	
CHRYSENE	218-01-9	40 ug/kg	1,181	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,079	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	622	
BENZO-a-PYRENE	50-32-8	40 ug/kg	751	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	911	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<400	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	862	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	3,451 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [4-6'])
Date received: 1/30/07	Laboratory ID: 1129340
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	40 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129341
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	14	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	7	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	39	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129341
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	34	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	57	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	41	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	36	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	10	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	23	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	21	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129341
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	171	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	134	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	67	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129341
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	263	
ANTHRACENE	120-12-7	40 ug/kg	91	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	420	
PYRENE	129-00-0	40 ug/kg	380	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	130	
CHRYSENE	218-01-9	40 ug/kg	235	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	332	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	207	
BENZO-a-PYRENE	50-32-8	40 ug/kg	211	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	182	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	162	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [6-8'])
Date received: 1/30/07	Laboratory ID: 1129341
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129342
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	C
CHLOROMETHANE	74-87-3	5 ug/kg	<25	C
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	C
BROMOMETHANE	74-83-9	5 ug/kg	<25	C
CHLOROETHANE	75-00-3	5 ug/kg	<25	C
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	C
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	C
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	C
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	C
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	C
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	C
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	C
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	C
CHLOROFORM	67-66-3	5 ug/kg	<25	C
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	C
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	C
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	C
BENZENE	71-43-2	5 ug/kg	<25	C
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	C
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	C
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	C
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	C
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	C
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	C
TOLUENE	108-88-3	5 ug/kg	<25	C
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	C
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	C
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	C
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	C
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	C
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	C
CHLOROBENZENE	108-90-7	5 ug/kg	<25	C
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	C
ETHYLBENZENE	100-41-4	5 ug/kg	<25	C
STYRENE	100-42-5	5 ug/kg	<25	C
BROMOFORM	75-25-2	5 ug/kg	<25	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129342
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	C
BROMOBENZENE	108-86-1	5 ug/kg	<25	C
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	C
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	C
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25	C
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	C
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	C
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	C
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	C
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25	C
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	C
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	C
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	C
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	C
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	C
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	C
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	C
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	C
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	C
NAPHTHALENE	91-20-3	5 ug/kg	<25	C
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	C
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	C
ACETONE	67-64-1	50 ug/kg	<250	C
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	C
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	C
p & m-XYLENES	1330-20-7	10 ug/kg	<50	C
o-XYLENE	1330-20-7	5 ug/kg	<25	C
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	C
MTBE	1634-04-4	5 ug/kg	<25	C
VINYL ACETATE	108-05-4	5 ug/kg	<25	C
2-HEXANONE	591-78-6	5 ug/kg	<25	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY!"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129342
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129342
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-33 Grab [12-14'])
Date received: 1/30/07	Laboratory ID: 1129342
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/1/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 9, 2007

John Civetta & Sons, Inc.
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on January 31, 2007. Long Island Analytical Laboratories analyzed the samples on February 8, 2007 for the following:

CLIENT ID	ANALYSIS
WC-38 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-38 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-38 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-38 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-38 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-38 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-32 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-32 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-32 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-32 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-32 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-32 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-36 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-36 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-36 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-36 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-36 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-36 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX

110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

CLIENT ID	ANALYSIS
WC-37 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-37 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-37 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-37 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-37 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-37 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-39 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-39 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-39 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-39 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-39 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-39 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-35 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-35 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-35 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-35 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-35 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-35 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX

Samples received at 7°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	1.52	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	2.37	
BARIUM, Ba	3.33 mg/kg	2/6/07	55.3	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	6.18	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.044	
LEAD, Pb	1.65 mg/kg	2/6/07	64.6	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	23.6	
NICKEL, Ni	1.65 mg/kg	2/6/07	6.26	
ZINC, Zn	1.65 mg/kg	2/6/07	288	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	10.12 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129371
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	550 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129372
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	47	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	147	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	451	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129372
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	100	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	207	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	344	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	1,288	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	284	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	328	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	60	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	1,692	
o-XYLENE	1330-20-7	5 ug/kg	501	
CARBON DISULFIDE	751-15-0	5 ug/kg	229	
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129372
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	V
PHENOL	108-95-2	40 ug/kg	<40	V
ANILINE	62-53-3	40 ug/kg	<40	V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	V
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	V
NITROBENZENE	98-95-3	40 ug/kg	<40	V
ISOPHORONE	78-59-1	40 ug/kg	<40	V
2-NITROPHENOL	88-75-5	40 ug/kg	<40	V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	V
BENZOIC ACID	65-80-8	40 ug/kg	<40	V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	V
NAPHTHALENE	91-20-3	40 ug/kg	474	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	588	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	V
2-NITROANILINE	88-74-4	40 ug/kg	<40	V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	V
ACENAPHTHYLENE	208-96-8	40 ug/kg	535	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	V
3-NITROANILINE	99-09-2	40 ug/kg	<40	V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129372
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	277	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	V
DIBENZOFURAN	132-64-9	40 ug/kg	238	V
4-NITROPHENOL	100-02-7	40 ug/kg	<40	V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	V
FLUORENE	86-73-7	40 ug/kg	531	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	V
4-NITROANILINE	100-01-6	40 ug/kg	<40	V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	V
AZOBENZENE	103-33-3	40 ug/kg	<40	V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	V
PHENANTHRENE	85-01-8	40 ug/kg	4,119	V
ANTHRACENE	120-12-7	40 ug/kg	903	V
CARBAZOLE	86-74-8	40 ug/kg	223	V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	4,540	V
PYRENE	129-00-0	40 ug/kg	3,895	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	178	V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,305	V
CHRYSENE	218-01-9	40 ug/kg	2,289	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	523	V
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,179	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	822	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,677	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,196	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	258	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,099	V

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS: TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129372
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	358 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	10	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	7	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	60	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	<400	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	2,123	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<400	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	<400	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	7,014	
ANTHRACENE	120-12-7	40 ug/kg	1,834	
CARBAZOLE	86-74-8	40 ug/kg	427	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	19,571	
PYRENE	129-00-0	40 ug/kg	16,119	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,029	
CHRYSENE	218-01-9	40 ug/kg	9,765	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	745	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	9,562	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	3,855	
BENZO-a-PYRENE	50-32-8	40 ug/kg	6,660	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	6,966	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,366	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	5,465	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	195 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129373
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date extracted: 2/1/0/7	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	87	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	44	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	509	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	66	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	82	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	97	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,973	
ANTHRACENE	120-12-7	40 ug/kg	512	
CARBAZOLE	86-74-8	40 ug/kg	257	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	854	
FLUORANTHENE	206-44-0	40 ug/kg	3,281	
PYRENE	129-00-0	40 ug/kg	2,701	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	70	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,107	
CHRYSENE	218-01-9	40 ug/kg	2,039	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	839	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,394	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	938	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,333	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,365	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	297	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,203	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	163 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129374
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129375
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	22	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129375
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129375
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	<400	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<400	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129375
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<400	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	<400	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	964	
ANTHRACENE	120-12-7	40 ug/kg	<400	C
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,916	
PYRENE	129-00-0	40 ug/kg	1,716	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	987	
CHRYSENE	218-01-9	40 ug/kg	1,321	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	4,769	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	2,952	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,486	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	499	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,196	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,189	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<400	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,045	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129375
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	104 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129376
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129376
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	53	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129376
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129376
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	3,323	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	51	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-38 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129376
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	6.68	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	1.49	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/5/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/5/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/5/07	28.9	
CADMIUM, Cd	1.00 mg/kg	2/5/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/5/07	6.00	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.111	
LEAD, Pb	1.65 mg/kg	2/6/07	324	
SELENIUM, Se	1.65 mg/kg	2/5/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/5/07	23.3	
NICKEL, Ni	1.65 mg/kg	2/5/07	6.20	
ZINC, Zn	1.65 mg/kg	2/5/07	48.4	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	10.32 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129377
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	402 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129378
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	9		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	32		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129378
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	8	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	18	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	31	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	113	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	29	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	131	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	25	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	129	
o-XYLENE	1330-20-7	5 ug/kg	39	
CARBON DISULFIDE	751-15-0	5 ug/kg	40	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129378
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	V
PHENOL	108-95-2	40 ug/kg	<40	V
ANILINE	62-53-3	40 ug/kg	<40	V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	V
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	V
NITROBENZENE	98-95-3	40 ug/kg	<40	V
ISOPHORONE	78-59-1	40 ug/kg	<40	V
2-NITROPHENOL	88-75-5	40 ug/kg	<40	V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	V
BENZOIC ACID	65-80-8	40 ug/kg	<40	V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	V
NAPHTHALENE	91-20-3	40 ug/kg	566	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	376	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	V
2-NITROANILINE	88-74-4	40 ug/kg	<40	V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	V
ACENAPHTHYLENE	208-96-8	40 ug/kg	326	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	V
3-NITROANILINE	99-09-2	40 ug/kg	<40	V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129378
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	255	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	V
DIBENZOFURAN	132-64-9	40 ug/kg	119	V
4-NITROPHENOL	100-02-7	40 ug/kg	<40	V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	V
FLUORENE	86-73-7	40 ug/kg	216	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	V
4-NITROANILINE	100-01-6	40 ug/kg	<40	V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	V
AZOBENZENE	103-33-3	40 ug/kg	<40	V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	V
PHENANTHRENE	85-01-8	40 ug/kg	2,706	V
ANTHRACENE	120-12-7	40 ug/kg	797	V
CARBAZOLE	86-74-8	40 ug/kg	155	V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	3,935	V
PYRENE	129-00-0	40 ug/kg	3,677	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	391	V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,186	V
CHRYSENE	218-01-9	40 ug/kg	2,237	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	5,187	V
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,618	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	872	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,399	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,110	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	221	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,051	V

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129378
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	179 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date extracted: 2/2/0/7	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<100	D
CHLOROMETHANE	74-87-3	5 ug/kg	<100	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<100	D
BROMOMETHANE	74-83-9	5 ug/kg	<100	D
CHLOROETHANE	75-00-3	5 ug/kg	<100	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<100	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<100	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<100	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<100	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<100	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<100	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<100	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<100	D
CHLOROFORM	67-66-3	5 ug/kg	<100	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<100	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<100	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<100	D
BENZENE	71-43-2	5 ug/kg	<100	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<100	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<100	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<100	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<100	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<100	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<100	D
TOLUENE	108-88-3	5 ug/kg	<100	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<100	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<100	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<100	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<100	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<100	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<100	D
CHLOROBENZENE	108-90-7	5 ug/kg	<100	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<100	D
ETHYLBENZENE	100-41-4	5 ug/kg	1,831	
STYRENE	100-42-5	5 ug/kg	<100	D
BROMOFORM	75-25-2	5 ug/kg	<100	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	306	
BROMOBENZENE	108-86-1	5 ug/kg	<100	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<100	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<100	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	601	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<100	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<100	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	1,308	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<100	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	4,693	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<100	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<100	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<100	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<100	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<100	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<100	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<100	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<100	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<100	D
NAPHTHALENE	91-20-3	5 ug/kg	338	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<100	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<100	D
ACETONE	67-64-1	50 ug/kg	<1,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<200	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<100	D
p & m-XYLENES	1330-20-7	10 ug/kg	8,528	
o-XYLENE	1330-20-7	5 ug/kg	1,038	
CARBON DISULFIDE	751-15-0	5 ug/kg	<100	D
MTBE	1634-04-4	5 ug/kg	<100	D
VINYL ACETATE	108-05-4	5 ug/kg	<100	D
2-HEXANONE	591-78-6	5 ug/kg	<100	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<1,600	C
PHENOL	108-95-2	40 ug/kg	<1,600	C
ANILINE	62-53-3	40 ug/kg	<1,600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<1,600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<1,600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<1,600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<1,600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<1,600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<1,600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<1,600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<1,600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<1,600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<1,600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<1,600	C
NITROBENZENE	98-95-3	40 ug/kg	<1,600	C
ISOPHORONE	78-59-1	40 ug/kg	<1,600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<1,600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<1,600	C
BENZOIC ACID	65-80-8	40 ug/kg	<1,600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<1,600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<1,600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<1,600	C
NAPHTHALENE	91-20-3	40 ug/kg	<1,600	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<1,600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<1,600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<1,600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<1,600	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<1,600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<1,600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<1,600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<1,600	C
2-NITROANILINE	88-74-4	40 ug/kg	<1,600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<1,600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	2,416	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<1,600	C
3-NITROANILINE	99-09-2	40 ug/kg	<1,600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<1,600	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<1,600	C
DIBENZOFURAN	132-64-9	40 ug/kg	<1,600	C
4-NITROPHENOL	100-02-7	40 ug/kg	<1,600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<1,600	C
FLUORENE	86-73-7	40 ug/kg	<1,600	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<1,600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<1,600	C
4-NITROANILINE	100-01-6	40 ug/kg	<1,600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<1,600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<1,600	C
AZOBENZENE	103-33-3	40 ug/kg	<1,600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<1,600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<1,600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<1,600	C
PHENANTHRENE	85-01-8	40 ug/kg	23,808	
ANTHRACENE	120-12-7	40 ug/kg	4,134	
CARBAZOLE	86-74-8	40 ug/kg	1,963	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<1,600	C
FLUORANTHENE	206-44-0	40 ug/kg	34,267	
PYRENE	129-00-0	40 ug/kg	25,079	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<1,600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	13,504	
CHRYSENE	218-01-9	40 ug/kg	16,817	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<1,600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<1,600	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<1,600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	15,116	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	8,650	
BENZO-a-PYRENE	50-32-8	40 ug/kg	12,319	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	11,127	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	2,798	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	9,470	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	210 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129379
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	26	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	20	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	89	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	23	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	46	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	81	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	296	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	35	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	62	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	12	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	407	
o-XYLENE	1330-20-7	5 ug/kg	65	
CARBON DISULFIDE	751-15-0	5 ug/kg	23	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	8,491	
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	4,825	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<600	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	802	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	716	
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	1,135	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	3,805	
ANTHRACENE	120-12-7	40 ug/kg	993	
CARBAZOLE	86-74-8	40 ug/kg	<600	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	5,836	
PYRENE	129-00-0	40 ug/kg	5,127	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,494	
CHRYSENE	218-01-9	40 ug/kg	3,554	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<600	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,909	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,729	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,932	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	3,005	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	872	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,880	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	4,024 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129380
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	8.3 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129381
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	26	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	26	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	128	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129381
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	47	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	59	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	27	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	174	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	<25	D
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	409	
o-XYLENE	1330-20-7	5 ug/kg	53	
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129381
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	2,068	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	1,172	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	176	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129381
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	148	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	166	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	744	
ANTHRACENE	120-12-7	40 ug/kg	194	
CARBAZOLE	86-74-8	40 ug/kg	67	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	691	
PYRENE	129-00-0	40 ug/kg	915	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	290	
CHRYSENE	218-01-9	40 ug/kg	762	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	743	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	312	
BENZO-a-PYRENE	50-32-8	40 ug/kg	671	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	392	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	126	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	640	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129381
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	545 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129382
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129382
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129382
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129382
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-32 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129382
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	135 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	0.46	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	1.52	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/5/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/5/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/5/07	73.6	
CADMIUM, Cd	1.00 mg/kg	2/5/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/5/07	6.38	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.064	
LEAD, Pb	1.65 mg/kg	2/5/07	82.9	
SELENIUM, Se	1.65 mg/kg	2/5/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/5/07	18.1	
NICKEL, Ni	1.65 mg/kg	2/5/07	6.22	
ZINC, Zn	1.65 mg/kg	2/5/07	86.7	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	9.51 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129383
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	320 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129384
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	52	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	24	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129384
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	8	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	13	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	49	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	229	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	25	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	124	
o-XYLENE	1330-20-7	5 ug/kg	43	
CARBON DISULFIDE	751-15-0	5 ug/kg	13	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129384
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	110	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	63	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	1,028	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129384
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	144	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	106	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	173	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	2,533	
ANTHRACENE	120-12-7	40 ug/kg	870	
CARBAZOLE	86-74-8	40 ug/kg	176	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	6,138	
PYRENE	129-00-0	40 ug/kg	6,316	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	213	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,171	
CHRYSENE	218-01-9	40 ug/kg	3,586	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	696	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,383	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,457	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,748	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,231	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	521	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,125	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129384
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	196 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	49	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	163	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	44	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	58	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	613	
ANTHRACENE	120-12-7	40 ug/kg	188	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,212	
PYRENE	129-00-0	40 ug/kg	1,249	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	432	
CHRYSENE	218-01-9	40 ug/kg	821	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	868	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	372	
BENZO-a-PYRENE	50-32-8	40 ug/kg	625	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	532	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	146	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	483	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	121 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129385
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	7	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	9	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	22	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	9	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	58	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	11	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	36	
o-XYLENE	1330-20-7	5 ug/kg	10	
CARBON DISULFIDE	751-15-0	5 ug/kg	28	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	94	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	45	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	507	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	63	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	58	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	116	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	2,215	
ANTHRACENE	120-12-7	40 ug/kg	516	
CARBAZOLE	86-74-8	40 ug/kg	151	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	5,209	
PYRENE	129-00-0	40 ug/kg	4,536	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	94	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,469	
CHRYSENE	218-01-9	40 ug/kg	2,326	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,276	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,312	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	723	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,547	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,382	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	304	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,214	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	127 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129386
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129387
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	14	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	9	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129387
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	15	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	35	
o-XYLENE	1330-20-7	5 ug/kg	11	
CARBON DISULFIDE	751-15-0	5 ug/kg	11	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129387
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	74	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	41	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	339	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129387
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	61	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	104	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,393	
ANTHRACENE	120-12-7	40 ug/kg	366	
CARBAZOLE	86-74-8	40 ug/kg	91	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,548	
PYRENE	129-00-0	40 ug/kg	2,627	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,002	
CHRYSENE	218-01-9	40 ug/kg	1,497	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,626	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	766	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,117	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	809	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	153	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	755	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129387
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	211 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129388
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129388
Date extracted: 1/31/07	Matrix: Soil
Date analyzed: 1/31/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129388
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	<600	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<600	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	713	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129388
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<600	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	<600	C
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	726	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	8,416	
ANTHRACENE	120-12-7	40 ug/kg	1,756	
CARBAZOLE	86-74-8	40 ug/kg	<600	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	9,226	
PYRENE	129-00-0	40 ug/kg	9,561	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	4,590	
CHRYSENE	218-01-9	40 ug/kg	6,272	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	797	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	5,101	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,101	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,482	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	3,324	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	780	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	3,079	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-36 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129388
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	112 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	0.30	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	0.49	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 200.7

•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/5/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/5/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/5/07	52.6	
CADMIUM, Cd	1.00 mg/kg	2/5/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/5/07	5.78	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.023	
LEAD, Pb	1.65 mg/kg	2/5/07	33.9	
SELENIUM, Se	1.65 mg/kg	2/5/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/5/07	31.4	
NICKEL, Ni	1.65 mg/kg	2/5/07	5.09	
ZINC, Zn	1.65 mg/kg	2/5/07	41.7	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	9.36 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129389
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	411 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129390
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	10	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129390
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	175	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129390
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	104	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	67	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	686	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129390
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	102	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	88	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	154	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	1,934	
ANTHRACENE	120-12-7	40 ug/kg	665	
CARBAZOLE	86-74-8	40 ug/kg	170	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,168	
PYRENE	129-00-0	40 ug/kg	3,305	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,303	
CHRYSENE	218-01-9	40 ug/kg	2,288	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,965	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,100	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,025	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,706	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	418	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,679	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129390
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	<25	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	373	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	93	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	D
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	44	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	D
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	46	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	<25	D
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	898	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	358	
o-XYLENE	1330-20-7	5 ug/kg	108	
CARBON DISULFIDE	751-15-0	5 ug/kg	59	
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C
PHENOL	108-95-2	40 ug/kg	<60	C
ANILINE	62-53-3	40 ug/kg	<60	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C
NITROBENZENE	98-95-3	40 ug/kg	<60	C
ISOPHORONE	78-59-1	40 ug/kg	<60	C
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C
BENZOIC ACID	65-80-8	40 ug/kg	<60	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C
NAPHTHALENE	91-20-3	40 ug/kg	129	
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	79	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C
2-NITROANILINE	88-74-4	40 ug/kg	<60	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	412	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C
3-NITROANILINE	99-09-2	40 ug/kg	<60	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	68	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C
DIBENZOFURAN	132-64-9	40 ug/kg	67	
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C
FLUORENE	86-73-7	40 ug/kg	120	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C
4-NITROANILINE	100-01-6	40 ug/kg	<60	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C
AZOBENZENE	103-33-3	40 ug/kg	<60	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C
PHENANTHRENE	85-01-8	40 ug/kg	1,834	
ANTHRACENE	120-12-7	40 ug/kg	351	
CARBAZOLE	86-74-8	40 ug/kg	196	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,014	
PYRENE	129-00-0	40 ug/kg	2,762	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,101	
CHRYSENE	218-01-9	40 ug/kg	1,749	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	165	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,882	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	717	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,227	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,331	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	309	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,057	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	378 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129391
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	E
CHLOROMETHANE	74-87-3	5 ug/kg	<25	E
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	E
BROMOMETHANE	74-83-9	5 ug/kg	<25	E
CHLOROETHANE	75-00-3	5 ug/kg	<25	E
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	E
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	E
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	E
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	E
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	E
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	E
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	E
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	E
CHLOROFORM	67-66-3	5 ug/kg	<25	E
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	E
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	E
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	E
BENZENE	71-43-2	5 ug/kg	90	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	E
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	E
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	E
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	E
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	E
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	E
TOLUENE	108-88-3	5 ug/kg	55	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	E
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	E
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	E
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	E
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	E
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	E
CHLOROBENZENE	108-90-7	5 ug/kg	<25	E
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	E
ETHYLBENZENE	100-41-4	5 ug/kg	<25	E
STYRENE	100-42-5	5 ug/kg	<25	E
BROMOFORM	75-25-2	5 ug/kg	<25	E

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	158	
BROMOBENZENE	108-86-1	5 ug/kg	<25	E
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	E
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	E
n-PROPYLBENZENE	103-65-1	5 ug/kg	192	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	E
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	E
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	E
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	E
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25	E
sec-BUTYLBENZENE	135-98-8	5 ug/kg	38	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	E
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	E
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	E
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	E
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	E
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	E
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	E
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	E
NAPHTHALENE	91-20-3	5 ug/kg	<25	E
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	E
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	E
ACETONE	67-64-1	50 ug/kg	<250	E
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	E
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	E
p & m-XYLENES	1330-20-7	10 ug/kg	74	
o-XYLENE	1330-20-7	5 ug/kg	<25	E
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	E
MTBE	1634-04-4	5 ug/kg	<25	E
VINYL ACETATE	108-05-4	5 ug/kg	<25	E
2-HEXANONE	591-78-6	5 ug/kg	<25	E

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	47,920	
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	53,182	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<600	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	880	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	631	
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	1,074	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	3,259	
ANTHRACENE	120-12-7	40 ug/kg	727	
CARBAZOLE	86-74-8	40 ug/kg	<600	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	2,369	
PYRENE	129-00-0	40 ug/kg	2,235	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	807	
CHRYSENE	218-01-9	40 ug/kg	1,473	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<600	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,345	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	734	
BENZO-a-PYRENE	50-32-8	40 ug/kg	706	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	887	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<600	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	789	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	6,153 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129392
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	23 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129393
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129393
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129393
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	50	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129393
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	54	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129393
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/2/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129394
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<50	D
CHLOROMETHANE	74-87-3	5 ug/kg	<50	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<50	D
BROMOMETHANE	74-83-9	5 ug/kg	<50	D
CHLOROETHANE	75-00-3	5 ug/kg	<50	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<50	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<50	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<50	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<50	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<50	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<50	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<50	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<50	D
CHLOROFORM	67-66-3	5 ug/kg	<50	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<50	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<50	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<50	D
BENZENE	71-43-2	5 ug/kg	<50	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<50	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<50	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<50	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<50	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<50	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<50	D
TOLUENE	108-88-3	5 ug/kg	157	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<50	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<50	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<50	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<50	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<50	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<50	D
CHLOROBENZENE	108-90-7	5 ug/kg	<50	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<50	D
ETHYLBENZENE	100-41-4	5 ug/kg	81	
STYRENE	100-42-5	5 ug/kg	<50	D
BROMOFORM	75-25-2	5 ug/kg	<50	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129394
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	383	
BROMOBENZENE	108-86-1	5 ug/kg	<50	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<50	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<50	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	724	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<50	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<50	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<50	D
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<50	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	68	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	156	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<50	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<50	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<50	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<50	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	238	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<50	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<50	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<50	D
NAPHTHALENE	91-20-3	5 ug/kg	576	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<50	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<50	D
ACETONE	67-64-1	50 ug/kg	<500	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<100	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<50	D
p & m-XYLENES	1330-20-7	10 ug/kg	183	
o-XYLENE	1330-20-7	5 ug/kg	<50	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<50	D
MTBE	1634-04-4	5 ug/kg	<50	D
VINYL ACETATE	108-05-4	5 ug/kg	<50	D
2-HEXANONE	591-78-6	5 ug/kg	<50	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129394
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	1,309	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	1,447	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	52	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129394
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	61	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	72	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	257	
ANTHRACENE	120-12-7	40 ug/kg	75	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	303	
PYRENE	129-00-0	40 ug/kg	272	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	113	
CHRYSENE	218-01-9	40 ug/kg	188	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	158	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	80	
BENZO-a-PYRENE	50-32-8	40 ug/kg	108	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	118	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	79	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-37 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129394
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	233 mg/kg	
TOX[1]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	0.35	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 200.7

•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/5/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/5/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/5/07	75.9	
CADMIUM, Cd	1.00 mg/kg	2/5/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/5/07	9.10	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.065	
LEAD, Pb	1.65 mg/kg	2/5/07	33.2	
SELENIUM, Se	1.65 mg/kg	2/5/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/5/07	18.3	
NICKEL, Ni	1.65 mg/kg	2/5/07	7.64	
ZINC, Zn	1.65 mg/kg	2/5/07	57.6	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	11.66 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129395
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	169 mg/kg	
TOX[2]*	10 mg/kg	2/7/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] * Performed by SW-846 Method 6010

[2] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129396
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	7		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	52		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	90		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129396
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	18	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	35	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	99	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	420	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	6	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	323	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	145	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	51	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	385	
o-XYLENE	1330-20-7	5 ug/kg	145	
CARBON DISULFIDE	751-15-0	5 ug/kg	36	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129396
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C, V
PHENOL	108-95-2	40 ug/kg	<60	C, V
ANILINE	62-53-3	40 ug/kg	<60	C, V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C, V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C, V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C, V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C, V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C, V
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C, V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C, V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C, V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C, V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C, V
NITROBENZENE	98-95-3	40 ug/kg	<60	C, V
ISOPHORONE	78-59-1	40 ug/kg	<60	C, V
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C, V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C, V
BENZOIC ACID	65-80-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C, V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C, V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C, V
NAPHTHALENE	91-20-3	40 ug/kg	1,800	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C, V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C, V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C, V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	1,270	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C, V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C, V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C, V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C, V
2-NITROANILINE	88-74-4	40 ug/kg	<60	C, V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C, V
ACENAPHTHYLENE	208-96-8	40 ug/kg	279	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C, V
3-NITROANILINE	99-09-2	40 ug/kg	<60	C, V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129396
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/0/7	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	506	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C, V
DIBENZOFURAN	132-64-9	40 ug/kg	70	V
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C, V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C, V
FLUORENE	86-73-7	40 ug/kg	382	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C, V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C, V
4-NITROANILINE	100-01-6	40 ug/kg	<60	C, V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C, V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C, V
AZOBENZENE	103-33-3	40 ug/kg	<60	C, V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C, V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C, V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C, V
PHENANTHRENE	85-01-8	40 ug/kg	2,828	V
ANTHRACENE	120-12-7	40 ug/kg	604	V
CARBAZOLE	86-74-8	40 ug/kg	95	V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	1,945	V
PYRENE	129-00-0	40 ug/kg	2,508	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C, V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	859	V
CHRYSENE	218-01-9	40 ug/kg	1,061	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C, V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	799	V
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C, V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	874	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	362	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	810	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	591	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	123	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	550	V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129396
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	133 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	6	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	112	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	132	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	25	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	47	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	135	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	584	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	7	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	355	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	162	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	15	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	594	
o-XYLENE	1330-20-7	5 ug/kg	216	
CARBON DISULFIDE	751-15-0	5 ug/kg	38	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C, V
PHENOL	108-95-2	40 ug/kg	<60	C, V
ANILINE	62-53-3	40 ug/kg	<60	C, V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C, V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C, V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C, V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C, V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C, V
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C, V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C, V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C, V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C, V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C, V
NITROBENZENE	98-95-3	40 ug/kg	<60	C, V
ISOPHORONE	78-59-1	40 ug/kg	<60	C, V
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C, V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C, V
BENZOIC ACID	65-80-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C, V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C, V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C, V
NAPHTHALENE	91-20-3	40 ug/kg	4,489	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C, V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C, V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C, V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	2,425	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C, V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C, V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C, V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C, V
2-NITROANILINE	88-74-4	40 ug/kg	<60	C, V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C, V
ACENAPHTHYLENE	208-96-8	40 ug/kg	380	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C, V
3-NITROANILINE	99-09-2	40 ug/kg	<60	C, V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	726	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C, V
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C, V
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C, V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C, V
FLUORENE	86-73-7	40 ug/kg	544	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C, V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C, V
4-NITROANILINE	100-01-6	40 ug/kg	<60	C, V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C, V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C, V
AZOBENZENE	103-33-3	40 ug/kg	<60	C, V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C, V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C, V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C, V
PHENANTHRENE	85-01-8	40 ug/kg	4,265	V
ANTHRACENE	120-12-7	40 ug/kg	851	V
CARBAZOLE	86-74-8	40 ug/kg	<60	C, V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	1,869	V
PYRENE	129-00-0	40 ug/kg	3,047	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	78	V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	882	V
CHRYSENE	218-01-9	40 ug/kg	1,124	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C, V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	V
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C, V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	874	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	301	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,044	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	683	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	143	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	742	V

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	162 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129397
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07/	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	6		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	8		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	10	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	29	
o-XYLENE	1330-20-7	5 ug/kg	9	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<80	C
PHENOL	108-95-2	40 ug/kg	<80	C
ANILINE	62-53-3	40 ug/kg	<80	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<80	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<80	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<80	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<80	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80	C
NITROBENZENE	98-95-3	40 ug/kg	<80	C
ISOPHORONE	78-59-1	40 ug/kg	<80	C
2-NITROPHENOL	88-75-5	40 ug/kg	<80	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<80	C
BENZOIC ACID	65-80-8	40 ug/kg	<80	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<80	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80	C
NAPHTHALENE	91-20-3	40 ug/kg	257	
4-CHLOROANILINE	106-47-8	40 ug/kg	<80	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<80	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	134	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<80	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<80	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80	C
2-NITROANILINE	88-74-4	40 ug/kg	<80	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	661	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80	C
3-NITROANILINE	99-09-2	40 ug/kg	<80	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<80	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<80	C
DIBENZOFURAN	132-64-9	40 ug/kg	101	
4-NITROPHENOL	100-02-7	40 ug/kg	<80	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80	C
FLUORENE	86-73-7	40 ug/kg	<80	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80	C
4-NITROANILINE	100-01-6	40 ug/kg	<80	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<80	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<80	C
AZOBENZENE	103-33-3	40 ug/kg	<80	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<80	C
PHENANTHRENE	85-01-8	40 ug/kg	581	
ANTHRACENE	120-12-7	40 ug/kg	360	
CARBAZOLE	86-74-8	40 ug/kg	234	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,880	
PYRENE	129-00-0	40 ug/kg	1,603	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,055	
CHRYSENE	218-01-9	40 ug/kg	1,495	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,989	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	793	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,254	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,229	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	308	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	952	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	127 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129398
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129399
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129399
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129399
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	109	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	79	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129399
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	42	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	130	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	77	
PYRENE	129-00-0	40 ug/kg	66	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	66	
CHRYSENE	218-01-9	40 ug/kg	122	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	135	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	51	
BENZO-a-PYRENE	50-32-8	40 ug/kg	79	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	47	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	46	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129399
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	103 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129400
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129400
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129400
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129400
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-39 Grab [8-10'])
Date received: 1/31/07	Laboratory ID: 1129400
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/5/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/5/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/2/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/5/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/5/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/5/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/5/07	0.23	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/5/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/5/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/5/07	49.5	
CADMIUM, Cd	1.00 mg/kg	2/5/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/5/07	5.36	
MERCURY, Hg•	0.020 mg/kg	2/1/07	0.022	
LEAD, Pb	1.65 mg/kg	2/5/07	18.8	
SELENIUM, Se	1.65 mg/kg	2/5/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/5/07	11.6	
NICKEL, Ni	1.65 mg/kg	2/5/07	4.73	
ZINC, Zn	1.65 mg/kg	2/5/07	26.6	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/1/07	>140° F	
pH[2]*	N/A	2/1/07	10.70 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Comp [0-15'])
Date received: 1/31/07	Laboratory ID: 1129401
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	154 mg/kg	
TOX[2]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129402
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	9		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	30		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129402
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	8	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	17	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	54	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	208	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	207	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	76	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	121	
o-XYLENE	1330-20-7	5 ug/kg	46	
CARBON DISULFIDE	751-15-0	5 ug/kg	40	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129402
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<60	C, V
PHENOL	108-95-2	40 ug/kg	<60	C, V
ANILINE	62-53-3	40 ug/kg	<60	C, V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<60	C, V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<60	C, V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<60	C, V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<60	C, V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<60	C, V
2-METHYLPHENOL	95-48-7	40 ug/kg	<60	C, V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<60	C, V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<60	C, V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<60	C, V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<60	C, V
NITROBENZENE	98-95-3	40 ug/kg	<60	C, V
ISOPHORONE	78-59-1	40 ug/kg	<60	C, V
2-NITROPHENOL	88-75-5	40 ug/kg	<60	C, V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<60	C, V
BENZOIC ACID	65-80-8	40 ug/kg	<60	C, V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<60	C, V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<60	C, V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<60	C, V
NAPHTHALENE	91-20-3	40 ug/kg	1,222	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<60	C, V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<60	C, V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<60	C, V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	912	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<60	C, V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<60	C, V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<60	C, V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<60	C, V
2-NITROANILINE	88-74-4	40 ug/kg	<60	C, V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<60	C, V
ACENAPHTHYLENE	208-96-8	40 ug/kg	189	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<60	C, V
3-NITROANILINE	99-09-2	40 ug/kg	<60	C, V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129402
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	363	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<60	C, V
DIBENZOFURAN	132-64-9	40 ug/kg	<60	C, V
4-NITROPHENOL	100-02-7	40 ug/kg	<60	C, V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<60	C, V
FLUORENE	86-73-7	40 ug/kg	285	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<60	C, V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<60	C, V
4-NITROANILINE	100-01-6	40 ug/kg	<60	C, V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<60	C, V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<60	C, V
AZOBENZENE	103-33-3	40 ug/kg	<60	C, V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<60	C, V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<60	C, V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<60	C, V
PHENANTHRENE	85-01-8	40 ug/kg	1,977	V
ANTHRACENE	120-12-7	40 ug/kg	436	V
CARBAZOLE	86-74-8	40 ug/kg	77	V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	1,197	V
PYRENE	129-00-0	40 ug/kg	1,650	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<60	C, V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	611	V
CHRYSENE	218-01-9	40 ug/kg	797	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<60	C, V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	632	V
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<60	C, V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	723	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	286	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	689	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	526	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	113	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	474	V

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [0-2'])
Date received: 1/31/07	Laboratory ID: 1129402
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	64	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<80	C
PHENOL	108-95-2	40 ug/kg	<80	C
ANILINE	62-53-3	40 ug/kg	<80	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<80	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<80	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<80	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<80	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<80	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<80	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<80	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<80	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<80	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	98	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<80	C
NITROBENZENE	98-95-3	40 ug/kg	<80	C
ISOPHORONE	78-59-1	40 ug/kg	<80	C
2-NITROPHENOL	88-75-5	40 ug/kg	<80	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<80	C
BENZOIC ACID	65-80-8	40 ug/kg	<80	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<80	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<80	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<80	C
NAPHTHALENE	91-20-3	40 ug/kg	267	
4-CHLOROANILINE	106-47-8	40 ug/kg	<80	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<80	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<80	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	89	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<80	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<80	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<80	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<80	C
2-NITROANILINE	88-74-4	40 ug/kg	<80	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<80	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	968	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<80	C
3-NITROANILINE	99-09-2	40 ug/kg	<80	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	88	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<80	C
DIBENZOFURAN	132-64-9	40 ug/kg	136	
4-NITROPHENOL	100-02-7	40 ug/kg	<80	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<80	C
FLUORENE	86-73-7	40 ug/kg	229	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<80	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<80	C
4-NITROANILINE	100-01-6	40 ug/kg	<80	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<80	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<80	C
AZOBENZENE	103-33-3	40 ug/kg	<80	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<80	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<80	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<80	C
PHENANTHRENE	85-01-8	40 ug/kg	3,639	
ANTHRACENE	120-12-7	40 ug/kg	596	
CARBAZOLE	86-74-8	40 ug/kg	445	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	7,371	
PYRENE	129-00-0	40 ug/kg	6,047	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<80	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,295	
CHRYSENE	218-01-9	40 ug/kg	3,461	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<80	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	784	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<80	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,919	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,782	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,806	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,704	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	556	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,219	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	130 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [2-4'])
Date received: 1/31/07	Laboratory ID: 1129403
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	51		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<600	C
PHENOL	108-95-2	40 ug/kg	<600	C
ANILINE	62-53-3	40 ug/kg	<600	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<600	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<600	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<600	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<600	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<600	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<600	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<600	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<600	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<600	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<600	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<600	C
NITROBENZENE	98-95-3	40 ug/kg	<600	C
ISOPHORONE	78-59-1	40 ug/kg	<600	C
2-NITROPHENOL	88-75-5	40 ug/kg	<600	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<600	C
BENZOIC ACID	65-80-8	40 ug/kg	<600	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<600	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<600	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<600	C
NAPHTHALENE	91-20-3	40 ug/kg	<600	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<600	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<600	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<600	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<600	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<600	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<600	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<600	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<600	C
2-NITROANILINE	88-74-4	40 ug/kg	<600	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<600	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	1,062	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<600	C
3-NITROANILINE	99-09-2	40 ug/kg	<600	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<600	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<600	C
DIBENZOFURAN	132-64-9	40 ug/kg	<600	C
4-NITROPHENOL	100-02-7	40 ug/kg	<600	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<600	C
FLUORENE	86-73-7	40 ug/kg	<600	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<600	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<600	C
4-NITROANILINE	100-01-6	40 ug/kg	<600	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<600	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<600	C
AZOBENZENE	103-33-3	40 ug/kg	<600	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<600	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<600	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<600	C
PHENANTHRENE	85-01-8	40 ug/kg	7,285	
ANTHRACENE	120-12-7	40 ug/kg	1,064	
CARBAZOLE	86-74-8	40 ug/kg	947	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<600	C
FLUORANTHENE	206-44-0	40 ug/kg	10,887	
PYRENE	129-00-0	40 ug/kg	8,793	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<600	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	4,428	
CHRYSENE	218-01-9	40 ug/kg	6,468	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<600	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	29,355	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<600	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	6,171	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,264	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,613	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	4,290	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,276	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	3,892	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	101 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [4-6'])
Date received: 1/31/07	Laboratory ID: 1129404
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129405
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129405
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS! TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129405
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	160	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	134	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129405
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	112	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	91	
PYRENE	129-00-0	40 ug/kg	82	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	46	
CHRYSENE	218-01-9	40 ug/kg	88	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	61	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	46	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	64	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	46	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [6-8'])
Date received: 1/31/07	Laboratory ID: 1129405
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129406
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129406
Date extracted: 2/1/07	Matrix: Soil
Date analyzed: 2/1/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129406
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129406
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-35 Grab [12-14'])
Date received: 1/31/07	Laboratory ID: 1129406
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/5/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 13, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on February 1, 2007. Long Island Analytical Laboratories analyzed the samples on February 12, 2007 for the following:

CLIENT ID	ANALYSIS
WC-11 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-11 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-11 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-11 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-11 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-11 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-6 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-6 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-6 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-6 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-6 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-6 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-2 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-2 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-2 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-2 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-2 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-2 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

CLIENT ID	ANALYSIS
WC-3 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-3 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-3 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-3 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-3 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-3 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-7 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-7 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-7 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-7 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-7 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-7 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

Samples received at 7°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129494
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	12		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	39		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	78		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129494
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	14		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	23		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	68		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	252		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	167		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	110		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	43		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	286		
o-XYLENE	1330-20-7	5 ug/kg	102		
CARBON DISULFIDE	751-15-0	5 ug/kg	13		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129494
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	277	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	766	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	195	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	506	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129494
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	60	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	101	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	655	
ANTHRACENE	120-12-7	40 ug/kg	246	
CARBAZOLE	86-74-8	40 ug/kg	140	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,291	
PYRENE	129-00-0	40 ug/kg	916	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	655	
CHRYSENE	218-01-9	40 ug/kg	1,149	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,600	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,670	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	907	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,280	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	889	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	212	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	914	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129494
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	49	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	208	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	112	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/0/7	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	20	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	37	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	109	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	374	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	18	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	76	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	594	
o-XYLENE	1330-20-7	5 ug/kg	235	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	31,328	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	24,446	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	544	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	706	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	729	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	3,680	
ANTHRACENE	120-12-7	40 ug/kg	721	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,202	
PYRENE	129-00-0	40 ug/kg	3,504	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,296	
CHRYSENE	218-01-9	40 ug/kg	1,788	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,766	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	637	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,648	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,010	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	645	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,243	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	2,598 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129495
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	9.5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<1,000	D
CHLOROMETHANE	74-87-3	5 ug/kg	<1,000	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<1,000	D
BROMOMETHANE	74-83-9	5 ug/kg	<1,000	D
CHLOROETHANE	75-00-3	5 ug/kg	<1,000	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<1,000	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<1,000	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<1,000	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<1,000	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<1,000	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<1,000	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<1,000	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<1,000	D
CHLOROFORM	67-66-3	5 ug/kg	<1,000	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<1,000	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<1,000	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<1,000	D
BENZENE	71-43-2	5 ug/kg	<1,000	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<1,000	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<1,000	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<1,000	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<1,000	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<1,000	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<1,000	D
TOLUENE	108-88-3	5 ug/kg	<1,000	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<1,000	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<1,000	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<1,000	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<1,000	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<1,000	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<1,000	D
CHLOROBENZENE	108-90-7	5 ug/kg	<1,000	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<1,000	D
ETHYLBENZENE	100-41-4	5 ug/kg	13,776	
STYRENE	100-42-5	5 ug/kg	<1,000	D
BROMOFORM	75-25-2	5 ug/kg	<1,000	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	3,915	
BROMOBENZENE	108-86-1	5 ug/kg	<1,000	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<1,000	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<1,000	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	6,601	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<1,000	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<1,000	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	12,328	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<1,000	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	52,078	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	1,006	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<1,000	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	1,224	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<1,000	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<1,000	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<1,000	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<1,000	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<1,000	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<1,000	D
NAPHTHALENE	91-20-3	5 ug/kg	25,137	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<1,000	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<1,000	D
ACETONE	67-64-1	50 ug/kg	<10,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<2,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<1,000	D
p & m-XYLENES	1330-20-7	10 ug/kg	15,211	
o-XYLENE	1330-20-7	5 ug/kg	<1,000	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<1,000	D
MTBE	1634-04-4	5 ug/kg	<1,000	D
VINYL ACETATE	108-05-4	5 ug/kg	<1,000	D
2-HEXANONE	591-78-6	5 ug/kg	<1,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	3,072	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	1,429	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	751	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	720	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	571	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	2,159	
ANTHRACENE	120-12-7	40 ug/kg	643	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,002	
PYRENE	129-00-0	40 ug/kg	7,468	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,891	
CHRYSENE	218-01-9	40 ug/kg	2,679	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,071	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,051	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,801	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,775	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	755	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	3,091	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	651 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129496
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	31 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129497
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5,000	D
CHLOROMETHANE	74-87-3	5 ug/kg	<5,000	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<5,000	D
BROMOMETHANE	74-83-9	5 ug/kg	<5,000	D
CHLOROETHANE	75-00-3	5 ug/kg	<5,000	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5,000	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5,000	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5,000	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5,000	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5,000	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5,000	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5,000	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5,000	D
CHLOROFORM	67-66-3	5 ug/kg	<5,000	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5,000	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5,000	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5,000	D
BENZENE	71-43-2	5 ug/kg	<5,000	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5,000	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<5,000	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5,000	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<5,000	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5,000	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5,000	D
TOLUENE	108-88-3	5 ug/kg	<5,000	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5,000	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5,000	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5,000	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5,000	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5,000	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5,000	D
CHLOROBENZENE	108-90-7	5 ug/kg	<5,000	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5,000	D
ETHYLBENZENE	100-41-4	5 ug/kg	29,509	
STYRENE	100-42-5	5 ug/kg	<5,000	D
BROMOFORM	75-25-2	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129497
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	17,369	
BROMOBENZENE	108-86-1	5 ug/kg	<5,000	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5,000	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5,000	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	31,549	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5,000	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5,000	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	42,859	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5,000	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	140,984	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5,000	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5,000	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5,000	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5,000	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5,000	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5,000	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5,000	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5,000	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5,000	D
NAPHTHALENE	91-20-3	5 ug/kg	48,177	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5,000	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5,000	D
ACETONE	67-64-1	50 ug/kg	<50,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<1,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5,000	D
p & m-XYLENES	1330-20-7	10 ug/kg	49,138	
o-XYLENE	1330-20-7	5 ug/kg	<5,000	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<5,000	D
MTBE	1634-04-4	5 ug/kg	<5,000	D
VINYL ACETATE	108-05-4	5 ug/kg	<5,000	D
2-HEXANONE	591-78-6	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129497
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40,000	C
PHENOL	108-95-2	40 ug/kg	<40,000	C
ANILINE	62-53-3	40 ug/kg	<40,000	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40,000	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40,000	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40,000	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40,000	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40,000	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40,000	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<40,000	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40,000	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40,000	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40,000	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40,000	C
NITROBENZENE	98-95-3	40 ug/kg	<40,000	C
ISOPHORONE	78-59-1	40 ug/kg	<40,000	C
2-NITROPHENOL	88-75-5	40 ug/kg	<40,000	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40,000	C
BENZOIC ACID	65-80-8	40 ug/kg	<40,000	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40,000	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40,000	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40,000	C
NAPHTHALENE	91-20-3	40 ug/kg	94,364	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40,000	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40,000	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40,000	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	54,949	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<40,000	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40,000	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40,000	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40,000	C
2-NITROANILINE	88-74-4	40 ug/kg	<40,000	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40,000	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40,000	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40,000	C
3-NITROANILINE	99-09-2	40 ug/kg	<40,000	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129497
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40,000	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40,000	C
DIBENZOFURAN	132-64-9	40 ug/kg	<40,000	C
4-NITROPHENOL	100-02-7	40 ug/kg	<40,000	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40,000	C
FLUORENE	86-73-7	40 ug/kg	<40,000	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40,000	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40,000	C
4-NITROANILINE	100-01-6	40 ug/kg	<40,000	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40,000	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40,000	C
AZOBENZENE	103-33-3	40 ug/kg	<40,000	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40,000	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40,000	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40,000	C
PHENANTHRENE	85-01-8	40 ug/kg	764,594	
ANTHRACENE	120-12-7	40 ug/kg	174,600	
CARBAZOLE	86-74-8	40 ug/kg	<40,000	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<40,000	C
FLUORANTHENE	206-44-0	40 ug/kg	281,754	
PYRENE	129-00-0	40 ug/kg	527,543	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40,000	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	153,508	
CHRYSENE	218-01-9	40 ug/kg	169,682	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40,000	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<40,000	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40,000	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	119,795	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	57,070	
BENZO-a-PYRENE	50-32-8	40 ug/kg	16,594	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	86,030	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40,000	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	115,599	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129497
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	2,789 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129498
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129498
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	8	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	30	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	35	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129498
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	49	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	44	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129498
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	264	
ANTHRACENE	120-12-7	40 ug/kg	75	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	148	
PYRENE	129-00-0	40 ug/kg	252	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	97	
CHRYSENE	218-01-9	40 ug/kg	115	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	122	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	118	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	69	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	90	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129498
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	25 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/12/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/12/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/12/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/12/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	65.0	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/5/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/12/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/12/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/12/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/12/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/12/07	0.83	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	3.51	
BARIUM, Ba	3.33 mg/kg	2/6/07	81.5	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	4.30	
MERCURY, Hg•	0.020 mg/kg	2/2/07	0.053	
LEAD, Pb	1.65 mg/kg	2/12/07	10,513	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	25.1	
NICKEL, Ni	1.65 mg/kg	2/6/07	4.07	
ZINC, Zn	1.65 mg/kg	2/6/07	185	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/2/07	>140° F	
pH[2]*	N/A	2/2/07	10.00 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129499
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	1,678 mg/kg	
TOX[2]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] * Performed by SW-846 Method 6010

[2] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129500
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	24		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	60		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	138		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129500
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	21	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	42	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	126	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	486	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	112	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	24	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	718	
o-XYLENE	1330-20-7	5 ug/kg	226	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129500
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	1,234	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	1,820	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	802	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	8,631	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129500
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	823	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	842	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	3,570	
ANTHRACENE	120-12-7	40 ug/kg	4,886	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	4,131	
PYRENE	129-00-0	40 ug/kg	20,569	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,688	
CHRYSENE	218-01-9	40 ug/kg	11,111	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	20,547	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	4,529	
BENZO-a-PYRENE	50-32-8	40 ug/kg	35,102	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	24,625	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	3,571	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	38,192	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129500
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	692 mg/kg	
TOX[1]*	10 mg/kg	2/8/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<500	D
CHLOROMETHANE	74-87-3	5 ug/kg	<500	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<500	D
BROMOMETHANE	74-83-9	5 ug/kg	<500	D
CHLOROETHANE	75-00-3	5 ug/kg	<500	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<500	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<500	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<500	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<500	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<500	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<500	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<500	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<500	D
CHLOROFORM	67-66-3	5 ug/kg	<500	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<500	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<500	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<500	D
BENZENE	71-43-2	5 ug/kg	<500	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<500	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<500	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<500	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<500	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<500	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<500	D
TOLUENE	108-88-3	5 ug/kg	2,495	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<500	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<500	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<500	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<500	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<500	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<500	D
CHLOROBENZENE	108-90-7	5 ug/kg	<500	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<500	D
ETHYLBENZENE	100-41-4	5 ug/kg	5,849	
STYRENE	100-42-5	5 ug/kg	<500	D
BROMOFORM	75-25-2	5 ug/kg	<500	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	1,392	
BROMOBENZENE	108-86-1	5 ug/kg	<500	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<500	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<500	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	3,336	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<500	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<500	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	13,506	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<500	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	43,324	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<500	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<500	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<500	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<500	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<500	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<500	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<500	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<500	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<500	D
NAPHTHALENE	91-20-3	5 ug/kg	8,719	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<500	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<500	D
ACETONE	67-64-1	50 ug/kg	<5,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<1,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<500	D
p & m-XYLENES	1330-20-7	10 ug/kg	35,471	
o-XYLENE	1330-20-7	5 ug/kg	13,044	
CARBON DISULFIDE	751-15-0	5 ug/kg	<500	D
MTBE	1634-04-4	5 ug/kg	<500	D
VINYL ACETATE	108-05-4	5 ug/kg	<500	D
2-HEXANONE	591-78-6	5 ug/kg	<500	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	14,097	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	10,496	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	1,551	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	1,596	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	1,222	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	6,726	
ANTHRACENE	120-12-7	40 ug/kg	1,741	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,888	
PYRENE	129-00-0	40 ug/kg	8,826	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,397	
CHRYSENE	218-01-9	40 ug/kg	3,417	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,613	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,012	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,586	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	4,816	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	832	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	7,328	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	978 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129501
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	55 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5,000	D
CHLOROMETHANE	74-87-3	5 ug/kg	<5,000	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<5,000	D
BROMOMETHANE	74-83-9	5 ug/kg	<5,000	D
CHLOROETHANE	75-00-3	5 ug/kg	<5,000	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5,000	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5,000	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5,000	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5,000	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5,000	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5,000	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5,000	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5,000	D
CHLOROFORM	67-66-3	5 ug/kg	<5,000	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5,000	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5,000	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5,000	D
BENZENE	71-43-2	5 ug/kg	14,526	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5,000	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<5,000	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5,000	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<5,000	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5,000	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5,000	D
TOLUENE	108-88-3	5 ug/kg	15,026	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5,000	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5,000	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5,000	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5,000	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5,000	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5,000	D
CHLOROBENZENE	108-90-7	5 ug/kg	<5,000	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5,000	D
ETHYLBENZENE	100-41-4	5 ug/kg	135,709	
STYRENE	100-42-5	5 ug/kg	<5,000	D
BROMOFORM	75-25-2	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	25,154	
BROMOBENZENE	108-86-1	5 ug/kg	<5,000	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5,000	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5,000	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	47,244	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5,000	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5,000	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	107,548	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5,000	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	377,287	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	5,405	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5,000	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	5,574	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5,000	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5,000	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5,000	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5,000	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5,000	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5,000	D
NAPHTHALENE	91-20-3	5 ug/kg	90,311	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5,000	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5,000	D
ACETONE	67-64-1	50 ug/kg	<50,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<1,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5,000	D
p & m-XYLENES	1330-20-7	10 ug/kg	615,089	
o-XYLENE	1330-20-7	5 ug/kg	118,939	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5,000	D
MTBE	1634-04-4	5 ug/kg	<5,000	D
VINYL ACETATE	108-05-4	5 ug/kg	<5,000	D
2-HEXANONE	591-78-6	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<2,000	C
PHENOL	108-95-2	40 ug/kg	<2,000	C
ANILINE	62-53-3	40 ug/kg	<2,000	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<2,000	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<2,000	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<2,000	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<2,000	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<2,000	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<2,000	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<2,000	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<2,000	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<2,000	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<2,000	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<2,000	C
NITROBENZENE	98-95-3	40 ug/kg	<2,000	C
ISOPHORONE	78-59-1	40 ug/kg	<2,000	C
2-NITROPHENOL	88-75-5	40 ug/kg	<2,000	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<2,000	C
BENZOIC ACID	65-80-8	40 ug/kg	<2,000	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<2,000	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<2,000	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<2,000	C
NAPHTHALENE	91-20-3	40 ug/kg	58,540	
4-CHLOROANILINE	106-47-8	40 ug/kg	<2,000	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<2,000	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<2,000	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	37,545	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<2,000	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<2,000	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<2,000	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<2,000	C
2-NITROANILINE	88-74-4	40 ug/kg	<2,000	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<2,000	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	4,412	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<2,000	C
3-NITROANILINE	99-09-2	40 ug/kg	<2,000	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	4,785	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<2,000	C
DIBENZOFURAN	132-64-9	40 ug/kg	<2,000	C
4-NITROPHENOL	100-02-7	40 ug/kg	<2,000	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<2,000	C
FLUORENE	86-73-7	40 ug/kg	4,911	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<2,000	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<2,000	C
4-NITROANILINE	100-01-6	40 ug/kg	<2,000	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<2,000	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<2,000	C
AZOBENZENE	103-33-3	40 ug/kg	<2,000	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<2,000	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<2,000	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<2,000	C
PHENANTHRENE	85-01-8	40 ug/kg	22,938	
ANTHRACENE	120-12-7	40 ug/kg	5,465	
CARBAZOLE	86-74-8	40 ug/kg	<2,000	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<2,000	C
FLUORANTHENE	206-44-0	40 ug/kg	9,719	
PYRENE	129-00-0	40 ug/kg	18,967	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<2,000	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	5,451	
CHRYSENE	218-01-9	40 ug/kg	8,381	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<2,000	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<2,000	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<2,000	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	7,190	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	4,279	
BENZO-a-PYRENE	50-32-8	40 ug/kg	11,970	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	9,213	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	2,172	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	12,999	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	6,236 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129502
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	430 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129503
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<500	D
CHLOROMETHANE	74-87-3	5 ug/kg	<500	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<500	D
BROMOMETHANE	74-83-9	5 ug/kg	<500	D
CHLOROETHANE	75-00-3	5 ug/kg	<500	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<500	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<500	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<500	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<500	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<500	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<500	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<500	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<500	D
CHLOROFORM	67-66-3	5 ug/kg	<500	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<500	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<500	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<500	D
BENZENE	71-43-2	5 ug/kg	<500	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<500	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<500	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<500	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<500	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<500	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<500	D
TOLUENE	108-88-3	5 ug/kg	<500	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<500	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<500	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<500	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<500	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<500	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<500	D
CHLOROBENZENE	108-90-7	5 ug/kg	<500	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<500	D
ETHYLBENZENE	100-41-4	5 ug/kg	3,046	
STYRENE	100-42-5	5 ug/kg	<500	D
BROMOFORM	75-25-2	5 ug/kg	<500	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129503
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	673	
BROMOBENZENE	108-86-1	5 ug/kg	<500	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<500	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<500	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	1,045	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<500	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<500	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	2,366	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<500	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	8,963	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<500	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<500	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	2,138	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<500	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<500	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<500	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<500	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<500	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<500	D
NAPHTHALENE	91-20-3	5 ug/kg	23,433	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<500	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<500	D
ACETONE	67-64-1	50 ug/kg	<5,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<1,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<500	D
p & m-XYLENES	1330-20-7	10 ug/kg	4,850	
o-XYLENE	1330-20-7	5 ug/kg	1,151	
CARBON DISULFIDE	751-15-0	5 ug/kg	<500	D
MTBE	1634-04-4	5 ug/kg	<500	D
VINYL ACETATE	108-05-4	5 ug/kg	<500	D
2-HEXANONE	591-78-6	5 ug/kg	<500	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129503
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	188	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	140	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	118	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129503
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	152	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	163	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	731	
ANTHRACENE	120-12-7	40 ug/kg	211	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	228	
PYRENE	129-00-0	40 ug/kg	393	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	169	
CHRYSENE	218-01-9	40 ug/kg	192	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	196	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	101	
BENZO-a-PYRENE	50-32-8	40 ug/kg	237	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	144	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	121	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129503
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129504
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129504
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	10		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	<5		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	17		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129504
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	41	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129504
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129504
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	44 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	65.3	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/5/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	1.14	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/6/07	22.2	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	5.77	
MERCURY, Hg•	0.020 mg/kg	2/2/07	0.059	
LEAD, Pb	1.65 mg/kg	2/6/07	1,779	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	33.2	
NICKEL, Ni	1.65 mg/kg	2/6/07	4.83	
ZINC, Zn	1.65 mg/kg	2/6/07	81.7	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/2/07	>140° F	
pH[2]*	N/A	2/2/07	9.78 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-6 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129505
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	752 mg/kg	
TOX[2]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129506
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	9	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	11	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	58	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129506
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: 2/2/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	13	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	22	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	84	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	296	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	227	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	259	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	16	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	206	
o-XYLENE	1330-20-7	5 ug/kg	105	
CARBON DISULFIDE	751-15-0	5 ug/kg	6	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129506
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	4,424	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	2,406	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	864	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129506
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	1,197	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	1,118	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	6,994	
ANTHRACENE	120-12-7	40 ug/kg	1,472	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	513	
FLUORANTHENE	206-44-0	40 ug/kg	4,268	
PYRENE	129-00-0	40 ug/kg	6,229	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	2,479	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,051	
CHRYSENE	218-01-9	40 ug/kg	3,079	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	1,247	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,091	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,076	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,803	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,266	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	758	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,920	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129506
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	284 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<250	D
CHLOROMETHANE	74-87-3	5 ug/kg	<250	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<250	D
BROMOMETHANE	74-83-9	5 ug/kg	<250	D
CHLOROETHANE	75-00-3	5 ug/kg	<250	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<250	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<250	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<250	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<250	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<250	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<250	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<250	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<250	D
CHLOROFORM	67-66-3	5 ug/kg	<250	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<250	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<250	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<250	D
BENZENE	71-43-2	5 ug/kg	<250	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<250	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<250	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<250	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<250	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<250	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<250	D
TOLUENE	108-88-3	5 ug/kg	407	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<250	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<250	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<250	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<250	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<250	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<250	D
CHLOROBENZENE	108-90-7	5 ug/kg	<250	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<250	D
ETHYLBENZENE	100-41-4	5 ug/kg	2,819	
STYRENE	100-42-5	5 ug/kg	<250	D
BROMOFORM	75-25-2	5 ug/kg	<250	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	810	
BROMOBENZENE	108-86-1	5 ug/kg	<250	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<250	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<250	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	1,656	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<250	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<250	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	4,614	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<250	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	19,210	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	299	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<250	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	430	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<250	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<250	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<250	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<250	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<250	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<250	D
NAPHTHALENE	91-20-3	5 ug/kg	15,022	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<250	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<250	D
ACETONE	67-64-1	50 ug/kg	<2,500	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<500	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<250	D
p & m-XYLENES	1330-20-7	10 ug/kg	8,352	
o-XYLENE	1330-20-7	5 ug/kg	3,506	
CARBON DISULFIDE	751-15-0	5 ug/kg	<250	D
MTBE	1634-04-4	5 ug/kg	<250	D
VINYL ACETATE	108-05-4	5 ug/kg	<250	D
2-HEXANONE	591-78-6	5 ug/kg	<250	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<2,000	C
PHENOL	108-95-2	40 ug/kg	<2,000	C
ANILINE	62-53-3	40 ug/kg	<2,000	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<2,000	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<2,000	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<2,000	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<2,000	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<2,000	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<2,000	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<2,000	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<2,000	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<2,000	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<2,000	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<2,000	C
NITROBENZENE	98-95-3	40 ug/kg	<2,000	C
ISOPHORONE	78-59-1	40 ug/kg	<2,000	C
2-NITROPHENOL	88-75-5	40 ug/kg	<2,000	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<2,000	C
BENZOIC ACID	65-80-8	40 ug/kg	<2,000	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<2,000	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<2,000	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<2,000	C
NAPHTHALENE	91-20-3	40 ug/kg	15,180	
4-CHLOROANILINE	106-47-8	40 ug/kg	<2,000	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<2,000	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<2,000	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	9,875	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<2,000	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<2,000	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<2,000	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<2,000	C
2-NITROANILINE	88-74-4	40 ug/kg	<2,000	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<2,000	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	3,383	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<2,000	C
3-NITROANILINE	99-09-2	40 ug/kg	<2,000	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	5,074	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<2,000	C
DIBENZOFURAN	132-64-9	40 ug/kg	<2,000	C
4-NITROPHENOL	100-02-7	40 ug/kg	<2,000	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<2,000	C
FLUORENE	86-73-7	40 ug/kg	4,434	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<2,000	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<2,000	C
4-NITROANILINE	100-01-6	40 ug/kg	<2,000	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<2,000	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<2,000	C
AZOBENZENE	103-33-3	40 ug/kg	<2,000	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<2,000	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<2,000	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<2,000	C
PHENANTHRENE	85-01-8	40 ug/kg	24,760	
ANTHRACENE	120-12-7	40 ug/kg	6,222	
CARBAZOLE	86-74-8	40 ug/kg	<2,000	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<2,000	C
FLUORANTHENE	206-44-0	40 ug/kg	12,771	
PYRENE	129-00-0	40 ug/kg	22,231	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<2,000	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,816	
CHRYSENE	218-01-9	40 ug/kg	10,119	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<2,000	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<2,000	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<2,000	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	9,764	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	2,941	
BENZO-a-PYRENE	50-32-8	40 ug/kg	9,809	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	8,595	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<2,000	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	11,245	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	416 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129507
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	9.2 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	115	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	41	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	430	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	40	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	69	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	188	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	702	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	164	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	2,176	
o-XYLENE	1330-20-7	5 ug/kg	885	
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	60	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	63	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	46	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	155	
ANTHRACENE	120-12-7	40 ug/kg	75	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	51	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	48	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	52	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	48	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129508
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129509
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129509
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	7	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129509
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	44	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129509
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129509
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129510
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	<25	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	<25	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	41	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129510
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	D
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	50	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	39	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	475	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	206	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	<50	D
o-XYLENE	1330-20-7	5 ug/kg	<25	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129510
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	244	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	60	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129510
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Grab [12-14'])
Date received: 2/1/07	Laboratory ID: 1129510
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	72 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.11	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/5/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	2.21	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	1.93	
BARIUM, Ba	3.33 mg/kg	2/6/07	39.2	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	7.70	
MERCURY, Hg•	0.020 mg/kg	2/2/07	0.284	
LEAD, Pb	1.65 mg/kg	2/6/07	126	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	33.3	
NICKEL, Ni	1.65 mg/kg	2/6/07	6.89	
ZINC, Zn	1.65 mg/kg	2/6/07	212	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/2/07	>140° F	
pH[2]*	N/A	2/2/07	9.81 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-2 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129511
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	256 mg/kg	
TOX[2]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129512
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129512
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129512
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	1,179	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<400	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	<400	C
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129512
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	641	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	784	
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	1,462	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	6,612	
ANTHRACENE	120-12-7	40 ug/kg	3,196	
CARBAZOLE	86-74-8	40 ug/kg	620	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	16,210	
PYRENE	129-00-0	40 ug/kg	11,620	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	6,337	
CHRYSENE	218-01-9	40 ug/kg	9,991	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	977	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	12,968	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	4,592	
BENZO-a-PYRENE	50-32-8	40 ug/kg	8,459	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	4,447	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	1,233	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	4,455	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129512
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	564 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	1,110	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	494	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	739	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	125	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	113	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	249	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	717	
ANTHRACENE	120-12-7	40 ug/kg	649	
CARBAZOLE	86-74-8	40 ug/kg	65	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,038	
PYRENE	129-00-0	40 ug/kg	1,832	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	823	
CHRYSENE	218-01-9	40 ug/kg	856	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	765	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	377	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,115	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,509	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	300	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,901	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS! TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	940 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129513
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	9	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	43	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	154	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	129	
PYRENE	129-00-0	40 ug/kg	156	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	76	
CHRYSENE	218-01-9	40 ug/kg	96	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	81	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	62	
BENZO-a-PYRENE	50-32-8	40 ug/kg	63	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	53	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	65	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/9/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129514
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129515
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129515
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129515
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	74	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129515
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	45	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129515
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129516
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129516
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129516
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129516
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129516
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.61	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/5/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	0.06	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.81	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/6/07	13.8	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	6.08	
MERCURY, Hg•	0.020 mg/kg	2/2/07	0.023	
LEAD, Pb	1.65 mg/kg	2/6/07	38.7	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	16.3	
NICKEL, Ni	1.65 mg/kg	2/6/07	5.46	
ZINC, Zn	1.65 mg/kg	2/6/07	23.6	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/2/07	>140° F	
pH[2]*	N/A	2/2/07	8.33 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-3 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129517
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	183 mg/kg	
TOX[2]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129518
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	199	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	19	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	38	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129518
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	13	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	53	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	9	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	255	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	33	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	68	
o-XYLENE	1330-20-7	5 ug/kg	26	
CARBON DISULFIDE	751-15-0	5 ug/kg	9	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129518
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	647	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	378	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	428	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129518
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	80	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	102	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	636	
ANTHRACENE	120-12-7	40 ug/kg	288	
CARBAZOLE	86-74-8	40 ug/kg	63	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	762	
PYRENE	129-00-0	40 ug/kg	942	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	382	
CHRYSENE	218-01-9	40 ug/kg	510	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	615	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	169	
BENZO-a-PYRENE	50-32-8	40 ug/kg	528	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	595	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	129	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,611	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [0-2'])
Date received: 2/1/07	Laboratory ID: 1129518
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS! TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5,000	D
CHLOROMETHANE	74-87-3	5 ug/kg	<5,000	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<5,000	D
BROMOMETHANE	74-83-9	5 ug/kg	<5,000	D
CHLOROETHANE	75-00-3	5 ug/kg	<5,000	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5,000	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5,000	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5,000	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5,000	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5,000	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5,000	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5,000	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5,000	D
CHLOROFORM	67-66-3	5 ug/kg	<5,000	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5,000	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5,000	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5,000	D
BENZENE	71-43-2	5 ug/kg	<5,000	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5,000	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<5,000	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5,000	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<5,000	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5,000	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5,000	D
TOLUENE	108-88-3	5 ug/kg	<5,000	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5,000	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5,000	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5,000	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5,000	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5,000	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5,000	D
CHLOROBENZENE	108-90-7	5 ug/kg	<5,000	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5,000	D
ETHYLBENZENE	100-41-4	5 ug/kg	43,202	
STYRENE	100-42-5	5 ug/kg	<5,000	D
BROMOFORM	75-25-2	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	21,306	
BROMOBENZENE	108-86-1	5 ug/kg	<5,000	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5,000	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5,000	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	41,045	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5,000	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5,000	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	91,941	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5,000	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	413,838	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	7,018	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5,000	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	11,357	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5,000	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5,000	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5,000	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5,000	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5,000	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5,000	D
NAPHTHALENE	91-20-3	5 ug/kg	63,761	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5,000	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5,000	D
ACETONE	67-64-1	50 ug/kg	<50,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<1,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5,000	D
p & m-XYLENES	1330-20-7	10 ug/kg	46,621	
o-XYLENE	1330-20-7	5 ug/kg	5,730	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5,000	D
MTBE	1634-04-4	5 ug/kg	<5,000	D
VINYL ACETATE	108-05-4	5 ug/kg	<5,000	D
2-HEXANONE	591-78-6	5 ug/kg	<5,000	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	32,841	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	19,685	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	972	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	3,150	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	565	
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	3,464	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	12,826	
ANTHRACENE	120-12-7	40 ug/kg	4,016	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	10,305	
PYRENE	129-00-0	40 ug/kg	10,358	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	3,466	
CHRYSENE	218-01-9	40 ug/kg	5,409	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	6,035	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,686	
BENZO-a-PYRENE	50-32-8	40 ug/kg	5,151	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,518	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	705	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	3,551	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	6,529 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [2-4'])
Date received: 2/1/07	Laboratory ID: 1129519
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	81 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129520
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	283	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	43	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	242	
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129520
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	304	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	329	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	240	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	1,298	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	42	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	39	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	358	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	356	
o-XYLENE	1330-20-7	5 ug/kg	77	
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129520
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	1,596	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	495	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	236	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129520
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	339	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	75	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	264	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	753	
ANTHRACENE	120-12-7	40 ug/kg	302	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	810	
PYRENE	129-00-0	40 ug/kg	1,383	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	419	
CHRYSENE	218-01-9	40 ug/kg	611	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	654	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	218	
BENZO-a-PYRENE	50-32-8	40 ug/kg	735	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	587	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	134	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	756	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [4-6'])
Date received: 2/1/07	Laboratory ID: 1129520
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	20 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129521
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129521
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	61	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129521
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	356	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	115	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129521
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	46	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	98	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	46	
PYRENE	129-00-0	40 ug/kg	78	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	68	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	77	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	47	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [6-8'])
Date received: 2/1/07	Laboratory ID: 1129521
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129522
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129522
Date extracted: 2/3/07	Matrix: Soil
Date analyzed: 2/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	28	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129522
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129522
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Grab [8-10'])
Date received: 2/1/07	Laboratory ID: 1129522
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/8/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	6.3 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/2/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	5.77	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/5/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	5.09	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/6/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/6/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/6/07	23.9	
CADMIUM, Cd	1.00 mg/kg	2/6/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/6/07	8.38	
MERCURY, Hg•	0.020 mg/kg	2/2/07	0.354	
LEAD, Pb	1.65 mg/kg	2/6/07	589	
SELENIUM, Se	1.65 mg/kg	2/6/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/6/07	24.8	
NICKEL, Ni	1.65 mg/kg	2/6/07	8.52	
ZINC, Zn	1.65 mg/kg	2/6/07	143	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/2/07	>140° F	
pH[2]*	N/A	2/2/07	9.08 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-7 Comp [0-15'])
Date received: 2/1/07	Laboratory ID: 1129523
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/6/07	635 mg/kg	
TOX[2]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 13, 2007

John Civetta & Sons, Inc
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on February 2, 2007. Long Island Analytical Laboratories analyzed the samples on February 12, 2007 for the following:

CLIENT ID	ANALYSIS
WC-1 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-1 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-1 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-1 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-1 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-1 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-8 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-8 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-8 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-8 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-8 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-8 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-9 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-9 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-9 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-9 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-9 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-9 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

Samples received at 7°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129622
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	24	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	44	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	104	
STYRENE	100-42-5	5 ug/kg	26	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129622
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	21	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	31	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	76	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	252	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	57	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	114	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	30	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	417	
o-XYLENE	1330-20-7	5 ug/kg	188	
CARBON DISULFIDE	751-15-0	5 ug/kg	7	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129622
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	482	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	257	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	559	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129622
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	79	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	122	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	868	
ANTHRACENE	120-12-7	40 ug/kg	453	
CARBAZOLE	86-74-8	40 ug/kg	91	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,233	
PYRENE	129-00-0	40 ug/kg	1,712	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	765	
CHRYSENE	218-01-9	40 ug/kg	1,077	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,414	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	561	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,328	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,285	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	302	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,629	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129622
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	162 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<2,500	D
CHLOROMETHANE	74-87-3	5 ug/kg	<2,500	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<2,500	D
BROMOMETHANE	74-83-9	5 ug/kg	<2,500	D
CHLOROETHANE	75-00-3	5 ug/kg	<2,500	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<2,500	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<2,500	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<2,500	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<2,500	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<2,500	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<2,500	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<2,500	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<2,500	D
CHLOROFORM	67-66-3	5 ug/kg	<2,500	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<2,500	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<2,500	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<2,500	D
BENZENE	71-43-2	5 ug/kg	<2,500	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<2,500	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<2,500	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<2,500	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<2,500	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<2,500	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<2,500	D
TOLUENE	108-88-3	5 ug/kg	<2,500	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<2,500	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<2,500	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<2,500	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<2,500	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<2,500	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<2,500	D
CHLOROBENZENE	108-90-7	5 ug/kg	<2,500	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<2,500	D
ETHYLBENZENE	100-41-4	5 ug/kg	37,610	
STYRENE	100-42-5	5 ug/kg	<2,500	D
BROMOFORM	75-25-2	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	7,192	
BROMOBENZENE	108-86-1	5 ug/kg	<2,500	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<2,500	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<2,500	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	17,634	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<2,500	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<2,500	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	30,321	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<2,500	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	95,084	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<2,500	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<2,500	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<2,500	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<2,500	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<2,500	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<2,500	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<2,500	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<2,500	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<2,500	D
NAPHTHALENE	91-20-3	5 ug/kg	21,683	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<2,500	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<2,500	D
ACETONE	67-64-1	50 ug/kg	<25,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<5,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<2,500	D
p & m-XYLENES	1330-20-7	10 ug/kg	162,151	
o-XYLENE	1330-20-7	5 ug/kg	32,634	
CARBON DISULFIDE	751-15-0	5 ug/kg	<2,500	D
MTBE	1634-04-4	5 ug/kg	<2,500	D
VINYL ACETATE	108-05-4	5 ug/kg	<2,500	D
2-HEXANONE	591-78-6	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	516	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	176	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	115	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	138	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	98	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	488	
ANTHRACENE	120-12-7	40 ug/kg	182	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	350	
PYRENE	129-00-0	40 ug/kg	605	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	193	
CHRYSENE	218-01-9	40 ug/kg	281	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	294	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	117	
BENZO-a-PYRENE	50-32-8	40 ug/kg	343	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	249	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	54	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	352	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	1,450 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129623
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	78 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<2,500	D
CHLOROMETHANE	74-87-3	5 ug/kg	<2,500	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<2,500	D
BROMOMETHANE	74-83-9	5 ug/kg	<2,500	D
CHLOROETHANE	75-00-3	5 ug/kg	<2,500	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<2,500	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<2,500	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<2,500	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<2,500	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<2,500	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<2,500	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<2,500	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<2,500	D
CHLOROFORM	67-66-3	5 ug/kg	<2,500	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<2,500	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<2,500	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<2,500	D
BENZENE	71-43-2	5 ug/kg	8,528	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<2,500	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<2,500	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<2,500	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<2,500	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<2,500	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<2,500	D
TOLUENE	108-88-3	5 ug/kg	2,920	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<2,500	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<2,500	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<2,500	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<2,500	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<2,500	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<2,500	D
CHLOROBENZENE	108-90-7	5 ug/kg	<2,500	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<2,500	D
ETHYLBENZENE	100-41-4	5 ug/kg	40,753	
STYRENE	100-42-5	5 ug/kg	<2,500	D
BROMOFORM	75-25-2	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	6,668	
BROMOBENZENE	108-86-1	5 ug/kg	<2,500	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<2,500	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<2,500	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	11,049	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<2,500	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<2,500	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	17,660	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<2,500	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	49,510	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<2,500	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<2,500	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	2,575	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<2,500	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<2,500	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<2,500	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<2,500	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<2,500	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<2,500	D
NAPHTHALENE	91-20-3	5 ug/kg	31,814	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<2,500	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<2,500	D
ACETONE	67-64-1	50 ug/kg	<25,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<5,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<2,500	D
p & m-XYLENES	1330-20-7	10 ug/kg	85,856	
o-XYLENE	1330-20-7	5 ug/kg	15,549	
CARBON DISULFIDE	751-15-0	5 ug/kg	<2,500	D
MTBE	1634-04-4	5 ug/kg	<2,500	D
VINYL ACETATE	108-05-4	5 ug/kg	<2,500	D
2-HEXANONE	591-78-6	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	19,404	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	8,768	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	1,022	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	7,377	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	4,290	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	19,008	
ANTHRACENE	120-12-7	40 ug/kg	3,900	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,264	
PYRENE	129-00-0	40 ug/kg	3,859	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,377	
CHRYSENE	218-01-9	40 ug/kg	2,076	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,460	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	725	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,648	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	540	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<400	C
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	770	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	1,273 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-11 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129624
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	36 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY!"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129625
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	<25	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	<25	D
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	<25	D
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129625
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25	D
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25	D
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	42	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	158	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	645	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	<50	D
o-XYLENE	1330-20-7	5 ug/kg	<25	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129625
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	87	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129625
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	204	
ANTHRACENE	120-12-7	40 ug/kg	57	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	63	
PYRENE	129-00-0	40 ug/kg	137	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	48	
CHRYSENE	218-01-9	40 ug/kg	45	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	50	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	46	
BENZO-a-PYRENE	50-32-8	40 ug/kg	64	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129625
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [8-10'])
Date received: 2/2/07	Laboratory ID: 1129626
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [8-10'])
Date received: 2/2/07	Laboratory ID: 1129626
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	17	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [8-10'])
Date received: 2/2/07	Laboratory ID: 1129626
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [8-10'])
Date received: 2/2/07	Laboratory ID: 1129626
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Grab [8-10'])
Date received: 2/2/07	Laboratory ID: 1129626
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/8/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.24	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/7/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/7/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/7/07	16.2	
CADMIUM, Cd	1.00 mg/kg	2/7/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/7/07	6.19	
MERCURY, Hg•	0.020 mg/kg	2/5/07	<0.020	
LEAD, Pb	1.65 mg/kg	2/7/07	11.7	
SELENIUM, Se	1.65 mg/kg	2/7/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/7/07	5.82	
NICKEL, Ni	1.65 mg/kg	2/7/07	5.58	
ZINC, Zn	1.65 mg/kg	2/7/07	33.1	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	11.55 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-1 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129627
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	192 mg/kg	
TOX[2]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010
[2]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129628
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	13		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	7		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129628
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129628
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	46	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	760	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	251	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	266	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129628
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	46	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	71	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	79	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	365	
ANTHRACENE	120-12-7	40 ug/kg	247	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	384	
PYRENE	129-00-0	40 ug/kg	508	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	297	
CHRYSENE	218-01-9	40 ug/kg	482	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	525	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	160	
BENZO-a-PYRENE	50-32-8	40 ug/kg	464	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	533	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	108	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	681	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129628
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	12	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	7	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	5,206	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	467	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	199	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	425	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	310	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	462	
ANTHRACENE	120-12-7	40 ug/kg	287	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,585	
PYRENE	129-00-0	40 ug/kg	4,248	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	731	
CHRYSENE	218-01-9	40 ug/kg	1,291	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,149	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	352	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,439	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,137	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	216	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,602	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129629
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	6.4 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	60	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	51	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	12	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	83	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129630
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129631
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129631
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129631
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129631
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129631
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129632
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	19	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129632
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	8	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	94	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	58	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	29	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129632
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	214	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129632
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129632
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	3.89	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/8/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	0.11	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	1.15	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	8.80 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-8 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129633
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	173 mg/kg	
TOX[2]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129634
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	7		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129634
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	8	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	110	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	21	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	8	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129634
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<200	C
PHENOL	108-95-2	40 ug/kg	<200	C
ANILINE	62-53-3	40 ug/kg	<200	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<200	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<200	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<200	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<200	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200	C
NITROBENZENE	98-95-3	40 ug/kg	<200	C
ISOPHORONE	78-59-1	40 ug/kg	<200	C
2-NITROPHENOL	88-75-5	40 ug/kg	<200	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<200	C
BENZOIC ACID	65-80-8	40 ug/kg	<200	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<200	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<200	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<200	C
NAPHTHALENE	91-20-3	40 ug/kg	404	
4-CHLOROANILINE	106-47-8	40 ug/kg	<200	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<200	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<200	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<200	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<200	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<200	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<200	C
2-NITROANILINE	88-74-4	40 ug/kg	<200	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	1,165	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<200	C
3-NITROANILINE	99-09-2	40 ug/kg	<200	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129634
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<200	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<200	C
DIBENZOFURAN	132-64-9	40 ug/kg	242	
4-NITROPHENOL	100-02-7	40 ug/kg	<200	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	219	
FLUORENE	86-73-7	40 ug/kg	<200	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<200	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<200	C
4-NITROANILINE	100-01-6	40 ug/kg	<200	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<200	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<200	C
AZOBENZENE	103-33-3	40 ug/kg	<200	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<200	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<200	C
PHENANTHRENE	85-01-8	40 ug/kg	1,098	
ANTHRACENE	120-12-7	40 ug/kg	899	
CARBAZOLE	86-74-8	40 ug/kg	317	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,167	
PYRENE	129-00-0	40 ug/kg	4,171	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<200	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,226	
CHRYSENE	218-01-9	40 ug/kg	2,783	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<200	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,108	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,048	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,142	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,051	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	503	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,752	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [0-2'])
Date received: 2/2/07	Laboratory ID: 1129634
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	1,682 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/5/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	248	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	80	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	236	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	42	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	93	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	94	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	406	
ANTHRACENE	120-12-7	40 ug/kg	216	
CARBAZOLE	86-74-8	40 ug/kg	96	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	977	
PYRENE	129-00-0	40 ug/kg	1,029	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	479	
CHRYSENE	218-01-9	40 ug/kg	500	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	579	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	268	
BENZO-a-PYRENE	50-32-8	40 ug/kg	408	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	404	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	98	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	297	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	113 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [2-4'])
Date received: 2/2/07	Laboratory ID: 1129635
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [4-6'])
Date received: 2/2/07	Laboratory ID: 1129636
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129637
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	6	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129637
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	19	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129637
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129637
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [6-8'])
Date received: 2/2/07	Laboratory ID: 1129637
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129638
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129638
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129638
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129638
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Grab [12-14'])
Date received: 2/2/07	Laboratory ID: 1129638
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/5/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8260/624

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8270/625

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 8151/615

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 8081/608

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/8/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.26	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/7/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/7/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/7/07	15.1	
CADMIUM, Cd	1.00 mg/kg	2/7/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/7/07	5.89	
MERCURY, Hg•	0.020 mg/kg	2/5/07	0.034	
LEAD, Pb	1.65 mg/kg	2/7/07	25.9	
SELENIUM, Se	1.65 mg/kg	2/7/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/7/07	15.5	
NICKEL, Ni	1.65 mg/kg	2/7/07	6.04	
ZINC, Zn	1.65 mg/kg	2/7/07	24.7	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	8.71 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/6/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-9 Comp [0-15'])
Date received: 2/2/07	Laboratory ID: 1129639
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	205 mg/kg	
TOX[2]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 14, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on February 5, 2007. Long Island Analytical Laboratories analyzed the samples on February 13, 2007 for the following:

CLIENT ID	ANALYSIS
WC-4 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-4 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-4 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-4 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-4 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-4 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-5 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-5 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-5 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-5 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-5 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-10 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-10 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-10 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-10 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-10 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

CLIENT ID	ANALYSIS
WC-15 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-15 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-15 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-15 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-15 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-14 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-14 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-14 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-14 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-14 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-14 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals
WC-13 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-13 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-13 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-13 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-13 Grab [8-10']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-13 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

Samples received at 6°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129677
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	7	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129677
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	17	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	34	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	360	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	72	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	13	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	19	
o-XYLENE	1330-20-7	5 ug/kg	5	
CARBON DISULFIDE	751-15-0	5 ug/kg	7	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129677
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	166	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	287	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	81	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	269	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	147	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	947	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129677
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	96	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	201	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	240	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,368	
ANTHRACENE	120-12-7	40 ug/kg	713	
CARBAZOLE	86-74-8	40 ug/kg	201	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	5,304	
PYRENE	129-00-0	40 ug/kg	4,922	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,281	
CHRYSENE	218-01-9	40 ug/kg	2,315	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,659	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	826	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,625	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,676	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	436	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,238	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129677
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	102 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	9	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	237	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	104	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	217	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	154	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	203	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	197	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	726	
ANTHRACENE	120-12-7	40 ug/kg	300	
CARBAZOLE	86-74-8	40 ug/kg	83	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	1,514	
PYRENE	129-00-0	40 ug/kg	1,689	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	415	
CHRYSENE	218-01-9	40 ug/kg	646	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	603	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	212	
BENZO-a-PYRENE	50-32-8	40 ug/kg	386	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	357	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	105	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	280	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129678
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	6	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129679
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOXICOLOGIC ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129680
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129680
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129680
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129680
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129680
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/12/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129681
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129681
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129681
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	49	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129681
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/8/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	1.48	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/8/07	11.2	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	3.96	
MERCURY, Hg•	0.020 mg/kg	2/9/07	0.025	
LEAD, Pb	1.65 mg/kg	2/8/07	5.61	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	4.73	
NICKEL, Ni	1.65 mg/kg	2/8/07	4.37	
ZINC, Zn	1.65 mg/kg	2/8/07	50.8	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129681
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	10.12 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-4 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129682
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	303 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] * Performed by SW-846 Method 6010

[2] *Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	24		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	16	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	11	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	63	
PYRENE	129-00-0	40 ug/kg	68	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	51	
CHRYSENE	218-01-9	40 ug/kg	76	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	155	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	59	
BENZO-a-PYRENE	50-32-8	40 ug/kg	116	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	84	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	83	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 129683
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS! TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	16	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129684
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129685
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129685
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	6	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129685
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129685
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129685
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129686
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129686
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129686
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129686
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129686
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.61	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/9/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	1.25	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/8/07	35.8	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	6.11	
MERCURY, Hg•	0.020 mg/kg	2/9/07	0.031	
LEAD, Pb	1.65 mg/kg	2/8/07	76.4	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	12.6	
NICKEL, Ni	1.65 mg/kg	2/8/07	5.66	
ZINC, Zn	1.65 mg/kg	2/8/07	82.3	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	8.47 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-5 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129687
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	196 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	6	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	142	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	112	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	215	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	94	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	59	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	478	
ANTHRACENE	120-12-7	40 ug/kg	197	
CARBAZOLE	86-74-8	40 ug/kg	109	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	934	
PYRENE	129-00-0	40 ug/kg	885	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	496	
CHRYSENE	218-01-9	40 ug/kg	786	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,049	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	458	
BENZO-a-PYRENE	50-32-8	40 ug/kg	680	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	693	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	226	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	651	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129688
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	41	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	121	
PYRENE	129-00-0	40 ug/kg	120	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	66	
CHRYSENE	218-01-9	40 ug/kg	103	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	92	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	59	
BENZO-a-PYRENE	50-32-8	40 ug/kg	102	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	94	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	68	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129689
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129690
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129690
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129690
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	56	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	57	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129690
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	51	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129690
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129691
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	8	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129691
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	19	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	16	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	7	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	101	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	21	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129691
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129691
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129691
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.11	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/9/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.25	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 200.7

•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/8/07	20.3	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	5.03	
MERCURY, Hg•	0.020 mg/kg	2/9/07	<0.020	
LEAD, Pb	1.65 mg/kg	2/8/07	14.9	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	5.44	
NICKEL, Ni	1.65 mg/kg	2/8/07	3.97	
ZINC, Zn	1.65 mg/kg	2/8/07	20.6	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	7.93units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-10 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129692
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	375 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	V
PHENOL	108-95-2	40 ug/kg	<40	V
ANILINE	62-53-3	40 ug/kg	<40	V
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	V
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	V
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	V
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	V
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	V
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	V
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	V
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	V
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	V
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	V
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	V
NITROBENZENE	98-95-3	40 ug/kg	<40	V
ISOPHORONE	78-59-1	40 ug/kg	<40	V
2-NITROPHENOL	88-75-5	40 ug/kg	<40	V
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	V
BENZOIC ACID	65-80-8	40 ug/kg	<40	V
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	V
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	V
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	V
NAPHTHALENE	91-20-3	40 ug/kg	<40	V
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	V
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	V
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	V
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	V
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	V
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	V
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	V
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	V
2-NITROANILINE	88-74-4	40 ug/kg	<40	V
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	V
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	V
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	V
3-NITROANILINE	99-09-2	40 ug/kg	<40	V

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	V
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	V
DIBENZOFURAN	132-64-9	40 ug/kg	<40	V
4-NITROPHENOL	100-02-7	40 ug/kg	<40	V
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	V
FLUORENE	86-73-7	40 ug/kg	<40	V
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	V
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	V
4-NITROANILINE	100-01-6	40 ug/kg	<40	V
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	V
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	V
AZOBENZENE	103-33-3	40 ug/kg	<40	V
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	V
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	V
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	V
PHENANTHRENE	85-01-8	40 ug/kg	<40	V
ANTHRACENE	120-12-7	40 ug/kg	<40	V
CARBAZOLE	86-74-8	40 ug/kg	<40	V
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	V
FLUORANTHENE	206-44-0	40 ug/kg	<40	V
PYRENE	129-00-0	40 ug/kg	<40	V
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	V
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	V
CHRYSENE	218-01-9	40 ug/kg	<40	V
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	V
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	V
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	V
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	65	V
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	V
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	V
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	V
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	V
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	V

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129693
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25	D
CHLOROMETHANE	74-87-3	5 ug/kg	<25	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<25	D
BROMOMETHANE	74-83-9	5 ug/kg	<25	D
CHLOROETHANE	75-00-3	5 ug/kg	<25	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25	D
CHLOROFORM	67-66-3	5 ug/kg	<25	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25	D
BENZENE	71-43-2	5 ug/kg	372	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<25	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<25	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25	D
TOLUENE	108-88-3	5 ug/kg	28	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25	D
CHLOROBENZENE	108-90-7	5 ug/kg	<25	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25	D
ETHYLBENZENE	100-41-4	5 ug/kg	<25	D
STYRENE	100-42-5	5 ug/kg	<25	D
BROMOFORM	75-25-2	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	102	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	49	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25	D
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25	D
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	<25	D
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	73	
o-XYLENE	1330-20-7	5 ug/kg	<25	D
CARBON DISULFIDE	751-15-0	5 ug/kg	<25	D
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
"TOMORROWS ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129694
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129695
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129695
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129695
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129695
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129695
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [8-10])
Date received: 2/5/07	Laboratory ID: 1129696
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [8-10])
Date received: 2/5/07	Laboratory ID: 1129696
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	59	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [8-10])
Date received: 2/5/07	Laboratory ID: 1129696
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	43	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [8-10])
Date received: 2/5/07	Laboratory ID: 1129696
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.13	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/9/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.23	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/8/07	25.7	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	7.27	
MERCURY, Hg•	0.020 mg/kg	2/9/07	0.067	
LEAD, Pb	1.65 mg/kg	2/8/07	26.9	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	8.36	
NICKEL, Ni	1.65 mg/kg	2/8/07	4.23	
ZINC, Zn	1.65 mg/kg	2/8/07	25.6	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Grab [8-10])
Date received: 2/5/07	Laboratory ID: 1129696
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	6	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	6	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	7.74 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
"TOMORROWS ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-15 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129697
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	461 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129698
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	17	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129698
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	75	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	14	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129698
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	131	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	63	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	726	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129698
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	48	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	74	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	95	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,477	
ANTHRACENE	120-12-7	40 ug/kg	441	
CARBAZOLE	86-74-8	40 ug/kg	179	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	4,842	
PYRENE	129-00-0	40 ug/kg	3,435	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,925	
CHRYSENE	218-01-9	40 ug/kg	2,322	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,925	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,073	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,171	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,830	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	451	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,559	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129698
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	213 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129699
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	17		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	10	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	72	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	47	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	41	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129700
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129701
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129701
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129701
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129701
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129701
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129702
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129702
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	8		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	9		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	24		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	95		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	17		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	129		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129702
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	92	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129702
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Grab [12-14'])
Date received: 2/5/07	Laboratory ID: 1129702
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
110 Colin Drive • Holbrook, New York 11741
"TOMORROWS ANALYTICAL SOLUTIONS TODAY" Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	0.13	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/9/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	0.32	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/8/07	12.7	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	5.77	
MERCURY, Hg•	0.020 mg/kg	2/9/07	0.030	
LEAD, Pb	1.65 mg/kg	2/8/07	11.4	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/8/07	11.8	
NICKEL, Ni	1.65 mg/kg	2/8/07	4.86	
ZINC, Zn	1.65 mg/kg	2/8/07	18.7	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	8.19 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-14 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129703
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	269 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129704
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	9	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	9	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129704
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	8	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	26	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	55	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	33	
o-XYLENE	1330-20-7	5 ug/kg	16	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129704
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	114	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	59	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	155	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129704
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	59	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	331	
ANTHRACENE	120-12-7	40 ug/kg	156	
CARBAZOLE	86-74-8	40 ug/kg	45	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	876	
PYRENE	129-00-0	40 ug/kg	901	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	426	
CHRYSENE	218-01-9	40 ug/kg	575	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	789	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	217	
BENZO-a-PYRENE	50-32-8	40 ug/kg	584	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	488	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	133	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	430	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [0-2'])
Date received: 2/5/07	Laboratory ID: 1129704
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	7	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	52	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	233	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	384	
4-CHLOROANILINE	106-47-8	40 ug/kg	65	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	195	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	398	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	83	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	151	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	160	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,100	
ANTHRACENE	120-12-7	40 ug/kg	475	
CARBAZOLE	86-74-8	40 ug/kg	165	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,595	
PYRENE	129-00-0	40 ug/kg	2,460	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,304	
CHRYSENE	218-01-9	40 ug/kg	1,413	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,010	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	886	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,339	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,136	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	323	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	982	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	641 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [2-4'])
Date received: 2/5/07	Laboratory ID: 1129705
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	13	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	142	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	46	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [4-6'])
Date received: 2/5/07	Laboratory ID: 1129706
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129707
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129707
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129707
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	604	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	53	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129707
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	65	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	45	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	79	
ANTHRACENE	120-12-7	40 ug/kg	42	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	89	
PYRENE	129-00-0	40 ug/kg	178	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	158	
CHRYSENE	218-01-9	40 ug/kg	253	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	292	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	155	
BENZO-a-PYRENE	50-32-8	40 ug/kg	371	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	193	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	47	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	272	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [6-8'])
Date received: 2/5/07	Laboratory ID: 1129707
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129708
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129708
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/6/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129708
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129708
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Grab [8-10'])
Date received: 2/5/07	Laboratory ID: 1129708
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/9/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/6/07	Matrix: Soil
Date analyzed: 2/7/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/9/07	Matrix: Soil
Date analyzed: 2/12/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/9/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/9/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/9/07	2.82	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/9/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/9/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/9/07	0.11	
NICKEL, Ni	0.05 mg/L	N/A	2/9/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/9/07	1.99	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/8/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/8/07	2.50	
BARIUM, Ba	3.33 mg/kg	2/8/07	56.4	
CADMIUM, Cd	1.00 mg/kg	2/8/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/8/07	8.42	
MERCURY, Hg•	0.020 mg/kg	2/9/07	0.383	
LEAD, Pb	1.65 mg/kg	2/8/07	167	
SELENIUM, Se	1.65 mg/kg	2/8/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/9/07	84.1	
NICKEL, Ni	1.65 mg/kg	2/8/07	7.47	
ZINC, Zn	1.65 mg/kg	2/8/07	86.5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/6/07	>140° F	
pH[2]*	N/A	2/5/07	8.74 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-13 Comp [0-15'])
Date received: 2/5/07	Laboratory ID: 1129709
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/8/07	264 mg/kg	
TOX[2]*	10 mg/kg	2/13/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

February 16, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on February 6, 2007. Long Island Analytical Laboratories analyzed the samples on February 16, 2007 for the following:

CLIENT ID	ANALYSIS
DL-46 [6-10]	TCLP Lead Analysis
DL-46-5N [3-5]	TCLP Lead Analysis
DL-46 5S [3-5]	TCLP Lead Analysis
DL-46 5E [3-5]	TCLP Lead Analysis
DL-46 5W [3-5]	TCLP Lead Analysis
WC-12 Grab [0-2']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-12 Grab [2-4']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-12 Grab [4-6']	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles, TOX
WC-12 Grab [6-8']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-12 Grab [12-14']	EPA 8260, EPA 8270, TPH 8015, TOX
WC-12 Comp [0-15']	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX, Total (11) Metals

Samples received at 5°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-850[illegible] • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West
Date received: 2/6/07	Laboratory ID: 1129746-1129750
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1129746	DL-46 [6-10]	0.05 mg/L	<0.05	
1129747	DL-46-5N [3-5]	0.05 mg/L	<0.05	
1129748	DL-46 5S [3-5]	0.05 mg/L	0.39	
1129749	DL-46 5E [3-5]	0.05 mg/L	0.48	
1129750	DL-46 5W [3-5]	0.05 mg/L	<0.05	

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp, EPA 200.7
Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [0-2'])
Date received: 2/6/07	Laboratory ID: 1129751
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<50	D
CHLOROMETHANE	74-87-3	5 ug/kg	<50	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<50	D
BROMOMETHANE	74-83-9	5 ug/kg	<50	D
CHLOROETHANE	75-00-3	5 ug/kg	<50	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<50	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<50	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<50	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<50	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<50	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<50	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<50	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<50	D
CHLOROFORM	67-66-3	5 ug/kg	<50	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<50	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<50	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<50	D
BENZENE	71-43-2	5 ug/kg	916	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<50	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<50	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<50	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<50	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<50	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<50	D
TOLUENE	108-88-3	5 ug/kg	329	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<50	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<50	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<50	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<50	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<50	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<50	D
CHLOROBENZENE	108-90-7	5 ug/kg	<50	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<50	D
ETHYLBENZENE	100-41-4	5 ug/kg	1,877	
STYRENE	100-42-5	5 ug/kg	<50	D
BROMOFORM	75-25-2	5 ug/kg	<50	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [0-2'])
Date received: 2/6/07	Laboratory ID: 1129751
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	1,034	
BROMOBENZENE	108-86-1	5 ug/kg	<50	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<50	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<50	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	1,352	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<50	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<50	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	654	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<50	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	6,100	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	219	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<50	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	142	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<50	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<50	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<50	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<50	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<50	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<50	D
NAPHTHALENE	91-20-3	5 ug/kg	1,167	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<50	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<50	D
ACETONE	67-64-1	50 ug/kg	<500	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<100	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<50	D
p & m-XYLENES	1330-20-7	10 ug/kg	1,197	
o-XYLENE	1330-20-7	5 ug/kg	292	
CARBON DISULFIDE	751-15-0	5 ug/kg	<50	D
MTBE	1634-04-4	5 ug/kg	<50	D
VINYL ACETATE	108-05-4	5 ug/kg	<50	D
2-HEXANONE	591-78-6	5 ug/kg	<50	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [0-2'])
Date received: 2/6/07	Laboratory ID: 1129751
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	1,232	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	283	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	323	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [0-2'])
Date received: 2/6/07	Laboratory ID: 1129751
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	166	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	93	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	245	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	1,011	
ANTHRACENE	120-12-7	40 ug/kg	318	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	2,897	
PYRENE	129-00-0	40 ug/kg	5,334	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,374	
CHRYSENE	218-01-9	40 ug/kg	2,014	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	1,772	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	603	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,534	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,566	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	342	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,772	

MDL = Minimum Detection Limit

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [0-2'])
Date received: 2/6/07	Laboratory ID: 1129751
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [2-4'])
Date received: 2/6/07	Laboratory ID: 1129752
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [2-4'])
Date received: 2/6/07	Laboratory ID: 1129752
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	47	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	44	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [2-4'])
Date received: 2/6/07	Laboratory ID: 1129752
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [2-4'])
Date received: 2/6/07	Laboratory ID: 1129752
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [4-6'])
Date received: 2/6/07	Laboratory ID: 1129753
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [4-6'])
Date received: 2/6/07	Laboratory ID: 1129753
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [4-6'])
Date received: 2/6/07	Laboratory ID: 1129753
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [4-6'])
Date received: 2/6/07	Laboratory ID: 1129753
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [4-6'])
Date received: 2/6/07	Laboratory ID: 1129753
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [6-8'])
Date received: 2/6/07	Laboratory ID: 1129754
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [6-8'])
Date received: 2/6/07	Laboratory ID: 1129754
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [6-8'])
Date received: 2/6/07	Laboratory ID: 1129754
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [6-8'])
Date received: 2/6/07	Laboratory ID: 1129754
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive · Holbrook, New York 11741
Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [6-8'])
Date received: 2/6/07	Laboratory ID: 1129754
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [12-14'])
Date received: 2/6/07	Laboratory ID: 1129755
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	13	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [12-14'])
Date received: 2/6/07	Laboratory ID: 1129755
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [12-14'])
Date received: 2/6/07	Laboratory ID: 1129755
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	52	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [12-14'])
Date received: 2/6/07	Laboratory ID: 1129755
Date extracted: 2/13/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Grab [12-14'])
Date received: 2/6/07	Laboratory ID: 1129755
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	2/10/07	<100 mg/kg	
TOX[1]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date extracted: 2/12/07	Matrix: Soil
Date analyzed: 2/13/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L	
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L	
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L	
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L	
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L	
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L	
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/9/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date extracted: 2/7/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	2/8/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	2/8/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	2/8/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	2/8/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	2/8/07	7.23	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	2/8/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	2/8/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	2/8/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	2/8/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	2/8/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	2/8/07	0.33	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, EPA 200.7

•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

110 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date analyzed: See Below	Matrix: Soil

METALS ANALYSIS

Parameter	MDL	Date Analyzed	Results mg/kg	FLAG
SILVER, Ag	1.65 mg/kg	2/12/07	<1.65	
ARSENIC, As	1.65 mg/kg	2/12/07	<1.65	
BARIUM, Ba	3.33 mg/kg	2/12/07	13.5	
CADMIUM, Cd	1.00 mg/kg	2/12/07	<1.00	
CHROMIUM, Cr	1.65 mg/kg	2/12/07	6.86	
MERCURY, Hg•	0.020 mg/kg	2/9/07	<0.020	
LEAD, Pb	1.65 mg/kg	2/12/07	143	
SELENIUM, Se	1.65 mg/kg	2/12/07	<1.65	
COPPER, Cu	1.65 mg/kg	2/12/07	7.71	
NICKEL, Ni	1.65 mg/kg	2/12/07	5.37	
ZINC, Zn	1.65 mg/kg	2/12/07	25.3	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Performed by EPA Method 6010B
•Method: EPA 7471A

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date extracted: 2/8/07	Matrix: Soil
Date analyzed: 2/8/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	2/8/07	>140° F	
pH[2]*	N/A	2/6/07	7.25 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	2/13/07	cn: <5.0 mg/kg s: <2.0 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-12 Comp [0-15'])
Date received: 2/6/07	Laboratory ID: 1129756
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
Sulfur[1]*	1.65 mg/kg	2/16/07	207 mg/kg	
TOX[2]*	10 mg/kg	2/15/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

April 20, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on April 13, 2007. Long Island Analytical Laboratories analyzed the samples on April 20, 2007 for the following:

CLIENT ID	ANALYSIS
WC-19-Grab {0-2}	EPA 8260, EPA 8270, TPH 8015
WC-19-Grab {2-4}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-19-Grab {4-6}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-19-Grab {6-8}	EPA 8260, EPA 8270, TPH 8015
WC-19-Grab {8-10}	EPA 8260, EPA 8270, TPH 8015
WC-19-Grab {10-12}	EPA 8260, EPA 8270, TPH 8015
WC-19-Comp {0-15}	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX
WC-23-Grab {0-2}	EPA 8260, EPA 8270, TPH 8015
WC-23-Grab {2-4}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-23-Grab {4-6}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-23-Grab {6-8}	EPA 8260, EPA 8270, TPH 8015
WC-23-Grab {8-10}	EPA 8260, EPA 8270, TPH 8015
WC-23-Grab {12-14}	EPA 8260, EPA 8270, TPH 8015
WC-23-Comp {0-15}	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX

WC-16-Grab {0-2}	EPA 8260, EPA 8270, TPH 8015
WC-16-Grab {2-4}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-16-Grab {4-6}	EPA 8260, EPA 8270, TPH 8015, TCLP Volatiles
WC-16-Grab {6-8}	EPA 8260, EPA 8270, TPH 8015
WC-16-Grab {8-10}	EPA 8260, EPA 8270, TPH 8015
WC-16-Grab {10-12}	EPA 8260, EPA 8270, TPH 8015
WC-16-Comp {0-15}	Full TCLP Protocol with (11) Metals, pH, Reactivity, Flashpoint, PCB Scan, Total Sulfur, TOX
WC-16-55 {5-7}	TCLP Lead Analysis
WC-16-5N {5-7}	TCLP Lead Analysis
WC-16-5E {5-7}	TCLP Lead Analysis
DL-45-5W {5-7}	TCLP Lead Analysis

Samples received at 4°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {0-2})
Date received: 4/13/07	Laboratory ID: 1133626
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	59	
BROMOBENZENE	108-86-1	5 ug/kg	<25	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	119	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	352	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	675	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25	D
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25	D
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25	D
NAPHTHALENE	91-20-3	5 ug/kg	189	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25	D
ACETONE	67-64-1	50 ug/kg	<250	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25	D
p & m-XYLENES	1330-20-7	10 ug/kg	490	
o-XYLENE	1330-20-7	5 ug/kg	182	
CARBON DISULFIDE	751-15-0	5 ug/kg	25	
MTBE	1634-04-4	5 ug/kg	<25	D
VINYL ACETATE	108-05-4	5 ug/kg	<25	D
2-HEXANONE	591-78-6	5 ug/kg	<25	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {0-2})
Date received: 4/13/07	Laboratory ID: 1133626
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	1,084	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	673	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	661	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {0-2})
Date received: 4/13/07	Laboratory ID: 1133626
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<400	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	<400	C
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	<400	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	1,924	
ANTHRACENE	120-12-7	40 ug/kg	488	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,156	
PYRENE	129-00-0	40 ug/kg	2,691	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	568	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	1,510	
CHRYSENE	218-01-9	40 ug/kg	1,842	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	7,114	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,046	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	864	
BENZO-a-PYRENE	50-32-8	40 ug/kg	1,803	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,081	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	479	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	1,503	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {0-2})
Date received: 4/13/07	Laboratory ID: 1133626
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	491 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date extracted: 4/17/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	140 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<2,500	D
CHLOROMETHANE	74-87-3	5 ug/kg	<2,500	D
VINYL CHLORIDE	75-01-4	5 ug/kg	<2,500	D
BROMOMETHANE	74-83-9	5 ug/kg	<2,500	D
CHLOROETHANE	75-00-3	5 ug/kg	<2,500	D
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<2,500	D
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<2,500	D
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<2,500	D
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<2,500	D
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<2,500	D
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<2,500	D
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<2,500	D
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<2,500	D
CHLOROFORM	67-66-3	5 ug/kg	<2,500	D
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<2,500	D
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<2,500	D
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<2,500	D
BENZENE	71-43-2	5 ug/kg	<2,500	D
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<2,500	D
TRICHLOROETHENE	79-01-6	5 ug/kg	<2,500	D
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<2,500	D
DIBROMOMETHANE	74-95-3	5 ug/kg	<2,500	D
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<2,500	D
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<2,500	D
TOLUENE	108-88-3	5 ug/kg	17,476	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<2,500	D
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<2,500	D
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<2,500	D
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<2,500	D
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<2,500	D
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<2,500	D
CHLOROBENZENE	108-90-7	5 ug/kg	<2,500	D
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<2,500	D
ETHYLBENZENE	100-41-4	5 ug/kg	82,232	
STYRENE	100-42-5	5 ug/kg	<2,500	D
BROMOFORM	75-25-2	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	23,401	
BROMOBENZENE	108-86-1	5 ug/kg	<2,500	D
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<2,500	D
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<2,500	D
n-PROPYLBENZENE	103-65-1	5 ug/kg	50,120	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<2,500	D
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<2,500	D
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	65,057	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<2,500	D
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	360,000	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	6,302	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<2,500	D
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	9,236	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<2,500	D
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<2,500	D
n-BUTYLBENZENE	104-51-8	5 ug/kg	<2,500	D
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<2,500	D
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<2,500	D
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<2,500	D
NAPHTHALENE	91-20-3	5 ug/kg	67,627	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<2,500	D
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<2,500	D
ACETONE	67-64-1	50 ug/kg	<25,000	D
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<5,000	D
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<2,500	D
p & m-XYLENES	1330-20-7	10 ug/kg	203,147	
o-XYLENE	1330-20-7	5 ug/kg	36,486	
CARBON DISULFIDE	751-15-0	5 ug/kg	<2,500	D
MTBE	1634-04-4	5 ug/kg	<2,500	D
VINYL ACETATE	108-05-4	5 ug/kg	<2,500	D
2-HEXANONE	591-78-6	5 ug/kg	<2,500	D

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<400	C
PHENOL	108-95-2	40 ug/kg	<400	C
ANILINE	62-53-3	40 ug/kg	<400	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<400	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<400	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<400	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<400	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<400	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<400	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<400	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<400	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<400	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<400	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<400	C
NITROBENZENE	98-95-3	40 ug/kg	<400	C
ISOPHORONE	78-59-1	40 ug/kg	<400	C
2-NITROPHENOL	88-75-5	40 ug/kg	<400	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<400	C
BENZOIC ACID	65-80-8	40 ug/kg	<400	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<400	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<400	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<400	C
NAPHTHALENE	91-20-3	40 ug/kg	53,135	
4-CHLOROANILINE	106-47-8	40 ug/kg	<400	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<400	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<400	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	32,158	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<400	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<400	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<400	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<400	C
2-NITROANILINE	88-74-4	40 ug/kg	<400	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<400	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	733	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<400	C
3-NITROANILINE	99-09-2	40 ug/kg	<400	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	3447	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<400	C
DIBENZOFURAN	132-64-9	40 ug/kg	663	
4-NITROPHENOL	100-02-7	40 ug/kg	<400	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<400	C
FLUORENE	86-73-7	40 ug/kg	1,392	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<400	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<400	C
4-NITROANILINE	100-01-6	40 ug/kg	<400	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<400	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<400	C
AZOBENZENE	103-33-3	40 ug/kg	<400	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<400	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<400	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<400	C
PHENANTHRENE	85-01-8	40 ug/kg	7,380	
ANTHRACENE	120-12-7	40 ug/kg	1,524	
CARBAZOLE	86-74-8	40 ug/kg	<400	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	4,126	
PYRENE	129-00-0	40 ug/kg	4,959	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<400	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	225	
CHRYSENE	218-01-9	40 ug/kg	1,968	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<400	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<400	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,902	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,093	
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,897	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,242	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	496	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,503	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {2-4})
Date received: 4/13/07	Laboratory ID: 1133627
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	7,016 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date extracted: 4/17/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	7		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	9		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	16		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<800	C
PHENOL	108-95-2	40 ug/kg	<800	C
ANILINE	62-53-3	40 ug/kg	<800	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<800	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<800	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<800	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<800	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<800	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<800	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<800	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<800	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<800	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<800	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<800	C
NITROBENZENE	98-95-3	40 ug/kg	<800	C
ISOPHORONE	78-59-1	40 ug/kg	<800	C
2-NITROPHENOL	88-75-5	40 ug/kg	<800	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<800	C
BENZOIC ACID	65-80-8	40 ug/kg	<800	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<800	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<800	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<800	C
NAPHTHALENE	91-20-3	40 ug/kg	<800	C
4-CHLOROANILINE	106-47-8	40 ug/kg	<800	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<800	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<800	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<800	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<800	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<800	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<800	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<800	C
2-NITROANILINE	88-74-4	40 ug/kg	<800	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<800	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	3,829	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<800	C
3-NITROANILINE	99-09-2	40 ug/kg	<800	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	1,382	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<800	C
DIBENZOFURAN	132-64-9	40 ug/kg	<800	C
4-NITROPHENOL	100-02-7	40 ug/kg	<800	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<800	C
FLUORENE	86-73-7	40 ug/kg	<800	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<800	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<800	C
4-NITROANILINE	100-01-6	40 ug/kg	<800	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<800	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<800	C
AZOBENZENE	103-33-3	40 ug/kg	<800	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<800	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<800	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<800	C
PHENANTHRENE	85-01-8	40 ug/kg	17,392	
ANTHRACENE	120-12-7	40 ug/kg	10,008	
CARBAZOLE	86-74-8	40 ug/kg	<800	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<800	C
FLUORANTHENE	206-44-0	40 ug/kg	27,186	
PYRENE	129-00-0	40 ug/kg	56,841	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<800	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	18,021	
CHRYSENE	218-01-9	40 ug/kg	15,024	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<800	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<800	C
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<800	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	17,816	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	4,241	
BENZO-a-PYRENE	50-32-8	40 ug/kg	22,110	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	11,127	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	2,106	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	12,779	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {4-6})
Date received: 4/13/07	Laboratory ID: 1133628
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	1,170 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] *Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {6-8})
Date received: 4/13/07	Laboratory ID: 1133629
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	<5		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {6-8})
Date received: 4/13/07	Laboratory ID: 1133629
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5	
BROMOBENZENE	108-86-1	5 ug/kg	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5	
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5	
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5	
NAPHTHALENE	91-20-3	5 ug/kg	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5	
ACETONE	67-64-1	50 ug/kg	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5	
p & m-XYLENES	1330-20-7	10 ug/kg	<10	
o-XYLENE	1330-20-7	5 ug/kg	<5	
CARBON DISULFIDE	751-15-0	5 ug/kg	<5	
MTBE	1634-04-4	5 ug/kg	<5	
VINYL ACETATE	108-05-4	5 ug/kg	<5	
2-HEXANONE	591-78-6	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {6-8})
Date received: 4/13/07	Laboratory ID: 1133629
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit

Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {6-8})
Date received: 4/13/07	Laboratory ID: 1133629
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	43	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {6-8})
Date received: 4/13/07	Laboratory ID: 1133629
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	<100 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {8-10})
Date received: 4/13/07	Laboratory ID: 1133630
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5	
CHLOROMETHANE	74-87-3	5 ug/kg	<5	
VINYL CHLORIDE	75-01-4	5 ug/kg	<5	
BROMOMETHANE	74-83-9	5 ug/kg	<5	
CHLOROETHANE	75-00-3	5 ug/kg	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5	
CHLOROFORM	67-66-3	5 ug/kg	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5	
BENZENE	71-43-2	5 ug/kg	<5	
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5	
TRICHLOROETHENE	79-01-6	5 ug/kg	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5	
DIBROMOMETHANE	74-95-3	5 ug/kg	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5	
TOLUENE	108-88-3	5 ug/kg	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5	
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5	
CHLOROBENZENE	108-90-7	5 ug/kg	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5	
ETHYLBENZENE	100-41-4	5 ug/kg	<5	
STYRENE	100-42-5	5 ug/kg	<5	
BROMOFORM	75-25-2	5 ug/kg	<5	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {8-10})
Date received: 4/13/07	Laboratory ID: 1133630
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	9		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	51		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	<10		
o-XYLENE	1330-20-7	5 ug/kg	<5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab (8-10))
Date received: 4/13/07	Laboratory ID: 1133630
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40	
PHENOL	108-95-2	40 ug/kg	<40	
ANILINE	62-53-3	40 ug/kg	<40	
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40	
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40	
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40	
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40	
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40	
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40	
2-METHYLPHENOL	95-48-7	40 ug/kg	<40	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40	
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40	
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40	
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40	
NITROBENZENE	98-95-3	40 ug/kg	<40	
ISOPHORONE	78-59-1	40 ug/kg	<40	
2-NITROPHENOL	88-75-5	40 ug/kg	<40	
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40	
BENZOIC ACID	65-80-8	40 ug/kg	<40	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40	
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40	
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40	
NAPHTHALENE	91-20-3	40 ug/kg	<40	
4-CHLOROANILINE	106-47-8	40 ug/kg	<40	
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40	
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40	
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40	
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66	
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40	
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40	
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40	
2-NITROANILINE	88-74-4	40 ug/kg	<40	
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40	
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40	
3-NITROANILINE	99-09-2	40 ug/kg	<40	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {8-10})
Date received: 4/13/07	Laboratory ID: 1133630
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<40	
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40	
DIBENZOFURAN	132-64-9	40 ug/kg	<40	
4-NITROPHENOL	100-02-7	40 ug/kg	<40	
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40	
FLUORENE	86-73-7	40 ug/kg	<40	
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40	
4-NITROANILINE	100-01-6	40 ug/kg	<40	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40	
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40	
AZOBENZENE	103-33-3	40 ug/kg	<40	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40	
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40	
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40	
PHENANTHRENE	85-01-8	40 ug/kg	<40	
ANTHRACENE	120-12-7	40 ug/kg	<40	
CARBAZOLE	86-74-8	40 ug/kg	<40	
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	<40	
PYRENE	129-00-0	40 ug/kg	<40	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40	
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40	
CHRYSENE	218-01-9	40 ug/kg	<40	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40	
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40	
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {8-10})
Date received: 4/13/07	Laboratory ID: 1133630
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	<100 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {10-12})
Date received: 4/13/07	Laboratory ID: 1133631
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5		
CHLOROMETHANE	74-87-3	5 ug/kg	<5		
VINYL CHLORIDE	75-01-4	5 ug/kg	<5		
BROMOMETHANE	74-83-9	5 ug/kg	<5		
CHLOROETHANE	75-00-3	5 ug/kg	<5		
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5		
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5		
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5		
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5		
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5		
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5		
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5		
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5		
CHLOROFORM	67-66-3	5 ug/kg	<5		
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5		
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5		
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5		
BENZENE	71-43-2	5 ug/kg	<5		
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5		
TRICHLOROETHENE	79-01-6	5 ug/kg	<5		
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5		
DIBROMOMETHANE	74-95-3	5 ug/kg	<5		
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5		
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<5		
TOLUENE	108-88-3	5 ug/kg	<5		
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<5		
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5		
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<5		
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5		
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<5		
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5		
CHLOROBENZENE	108-90-7	5 ug/kg	<5		
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5		
ETHYLBENZENE	100-41-4	5 ug/kg	12		
STYRENE	100-42-5	5 ug/kg	<5		
BROMOFORM	75-25-2	5 ug/kg	<5		

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {10-12})
Date received: 4/13/07	Laboratory ID: 1133631
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS	ug/kg	Flag
ISOPROPYLBENZENE	98-82-8	5 ug/kg	33		
BROMOBENZENE	108-86-1	5 ug/kg	<5		
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5		
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5		
n-PROPYLBENZENE	103-65-1	5 ug/kg	65		
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5		
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5		
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	25		
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5		
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	113		
sec-BUTYLBENZENE	135-98-8	5 ug/kg	8		
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5		
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	11		
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5		
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5		
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5		
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5		
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5		
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5		
NAPHTHALENE	91-20-3	5 ug/kg	65		
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5		
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<5		
ACETONE	67-64-1	50 ug/kg	<50		
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<10		
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<5		
p & m-XYLENES	1330-20-7	10 ug/kg	40		
o-XYLENE	1330-20-7	5 ug/kg	5		
CARBON DISULFIDE	751-15-0	5 ug/kg	<5		
MTBE	1634-04-4	5 ug/kg	<5		
VINYL ACETATE	108-05-4	5 ug/kg	<5		
2-HEXANONE	591-78-6	5 ug/kg	<5		

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {10-12})
Date received: 4/13/07	Laboratory ID: 1133631
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<200	C
PHENOL	108-95-2	40 ug/kg	<200	C
ANILINE	62-53-3	40 ug/kg	<200	C
2-CHLOROPHENOL	95-57-8	40 ug/kg	<200	C
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200	C
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200	C
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200	C
BENZYL ALCOHOL	100-51-6	40 ug/kg	<200	C
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200	C
2-METHYLPHENOL	95-48-7	40 ug/kg	<200	C
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200	C
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200	C
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<200	C
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200	C
NITROBENZENE	98-95-3	40 ug/kg	<200	C
ISOPHORONE	78-59-1	40 ug/kg	<200	C
2-NITROPHENOL	88-75-5	40 ug/kg	<200	C
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<200	C
BENZOIC ACID	65-80-8	40 ug/kg	<200	C
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<200	C
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<200	C
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<200	C
NAPHTHALENE	91-20-3	40 ug/kg	216	
4-CHLOROANILINE	106-47-8	40 ug/kg	<200	C
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200	C
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<200	C
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<200	C
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<200	C
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<200	C
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<200	C
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<200	C
2-NITROANILINE	88-74-4	40 ug/kg	<200	C
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200	C
ACENAPHTHYLENE	208-96-8	40 ug/kg	818	
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<200	C
3-NITROANILINE	99-09-2	40 ug/kg	<200	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {10-12})
Date received: 4/13/07	Laboratory ID: 1133631
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg	Flag
ACENAPHTHENE	83-32-9	40 ug/kg	<200	C
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<200	C
DIBENZOFURAN	132-64-9	40 ug/kg	<200	C
4-NITROPHENOL	100-02-7	40 ug/kg	<200	C
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<200	C
FLUORENE	86-73-7	40 ug/kg	<200	C
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<200	C
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<200	C
4-NITROANILINE	100-01-6	40 ug/kg	<200	C
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<200	C
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<200	C
AZOBENZENE	103-33-3	40 ug/kg	<200	C
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<200	C
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200	C
PENTACHLORPHENOL	87-86-5	40 ug/kg	<200	C
PHENANTHRENE	85-01-8	40 ug/kg	1,622	
ANTHRACENE	120-12-7	40 ug/kg	734	
CARBAZOLE	86-74-8	40 ug/kg	<200	C
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500	
FLUORANTHENE	206-44-0	40 ug/kg	3,569	
PYRENE	129-00-0	40 ug/kg	7,485	
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<200	C
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	3,688	
CHRYSENE	218-01-9	40 ug/kg	3,264	
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200	C
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500	
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<200	C
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	3,719	
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	1,152	
BENZO-a-PYRENE	50-32-8	40 ug/kg	4,858	
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	2,427	
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	497	
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	2,679	

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Grab {10-12})
Date received: 4/13/07	Laboratory ID: 1133631
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	FLAG
TPH 8015	100 mg/kg	4/19/07	117 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/17/07	Matrix: Soil
Date analyzed: 4/18/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results	Flag
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L	
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L	
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L	
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L	
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L	
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L	
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L	
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L	
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L	
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L	
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results	Flag
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<10.0 ug/L	C
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<10.0 ug/L	C
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<10.0 ug/L	C
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<10.0 ug/L	C
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<10.0 ug/L	C
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<10.0 ug/L	C
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<10.0 ug/L	C
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<10.0 ug/L	C
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<10.0 ug/L	C
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<10.0 ug/L	C
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<10.0 ug/L	C

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L	
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: 4/19/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS	Flag
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L	
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L	
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L	
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L	
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L	
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/18/07	Matrix: Soil
Date analyzed: See Below	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	DATE ANALYZED	RESULTS mg/L	FLAG
SILVER, Ag	0.05 mg/L	5.00 PPM	4/19/07	<0.05	
BARIUM, Ba	1.00 mg/L	100.00 PPM	4/19/07	<1.00	
CADMIUM, Cd	0.05 mg/L	1.00 PPM	4/19/07	<0.05	
SELENIUM, Se	0.05 mg/L	1.00 PPM	4/19/07	<0.05	
LEAD, Pb	0.05 mg/L	5.00 PPM	4/19/07	0.06	
MERCURY, Hg•	0.020 mg/L	0.20 PPM	4/19/07	<0.020	
ARSENIC, As	0.05 mg/L	5.00 PPM	4/19/07	<0.05	
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	4/19/07	<0.05	
COPPER, Cu	0.05 mg/L	N/A	4/19/07	<0.05	
NICKEL, Ni	0.05 mg/L	N/A	4/19/07	<0.05	
ZINC, Zn	0.05 mg/L	N/A	4/19/07	0.15	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
•Method: EPA 245.2

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date extracted: 4/17/07	Matrix: Soil
Date analyzed: 4/17/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg	Flag
AROCHLOR-1016	12674-11-2	200 ug/kg	<200	
AROCHLOR-1221	1104-28-2	200 ug/kg	<200	
AROCHLOR-1232	11141-16-5	200 ug/kg	<200	
AROCHLOR-1242	53469-21-9	200 ug/kg	<200	
AROCHLOR-1248	12672-29-6	200 ug/kg	<200	
AROCHLOR-1254	11097-69-1	200 ug/kg	<200	
AROCHLOR-1260	11096-82-5	200 ug/kg	<200	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC-16/SB-45 Comp {0-15})
Date received: 4/13/07	Laboratory ID: 1133632
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS	Flag
Flash Point[1]*	N/A	4/16/07	>140° F	
pH[2]*	N/A	4/16/07	9.80 units	B
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	4/17/07	cn: <5.0 mg/kg s: <2.0 mg/kg	
Sulfur[4]*	1.65 mg/kg	4/18/07	153 mg/kg	
TOX[5]*	10 mg/kg	4/17/07	<10 mg/kg	

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2
[4]* Performed by SW-846 Method 6010
[5]*Method: EPA 9020

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West
Date received: 4/13/07	Laboratory ID: See Below
Date extracted: 4/16/07	Matrix: Soil
Date analyzed: 4/17/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1133633	WC-16-55 {5-7}	0.05 mg/L	4.92	
1133635	WC-16-5N {5-7}	0.05 mg/L	0.38	
1133636	WC-16-5E {5-7}	0.05 mg/L	0.84	
1133637	DL-45-5W {5-7}	0.05 mg/L	<0.05	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

JET GROUT SPOIL

CHARACTERIZATION DATA

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0264
AIHA# 164456
NJDOH# NY012
PADOH# 68-2949

September 15, 2006

AKRF
Becky Kinal
34 South Broadway, Suite 314
White Plains, NY 10601

Re: 612 Concourse Vlg West, Bronx, NY

Dear Ms. Kinal:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 12, 2006 Long Island Analytical Laboratories analyzed the samples on September 14, 2006 for the following:

CLIENT ID	ANALYSIS
JG-Comp 1	NJ Soil Cleanup Protocol, pH, Flash Point, Reactivity, PLM
JG-Comp 2	NJ Soil Cleanup Protocol, pH, Flash Point, Reactivity, PLM

Samples received at 6°C.

If you have any questions or require further information, please call at your convenience. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date extracted: 9/12/06	Matrix: Bulk Material
Date analyzed: 9/12/06	ELAP #: 11693

VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
ACETONE	62-64-1	50 ug/kg	<50
ACRYLONITRILE	107-13-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPENE	542-75-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	5
4-METHYL-2-PENTANONE	108-10-1	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	29
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	20
o-XYLENE	1330-20-7	5 ug/kg	10

MDL = Minimum Detection Limit.
EPA METHOD 8260

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

SEMI-VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	216
ANTHRACENE	120-12-7	40 ug/kg	315
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	398
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	426
BENZO-a-PYRENE	50-32-8	40 ug/kg	461
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<200
BENZLY ALCOHOL	100-51-6	40 ug/kg	<200
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<200
4-CHLOROANILINE	106-47-8	40 ug/kg	<200
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<200
2-CHLOROPHENOL	95-57-8	40 ug/kg	<200
CHRYSENE	218-01-9	40 ug/kg	479
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<200
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<200
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<200
2,4-DINITROTOLUENE	25321-14-6	40 ug/kg	<200
2,6-DINITROTOLUENE	25321-14-6	40 ug/kg	<200

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

SEMI-VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<200
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<200
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<200
FLUORANTHENE	206-44-0	40 ug/kg	605
FLUORENE	86-73-7	40 ug/kg	<200
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<200
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	249
ISOPHORONE	78-59-1	40 ug/kg	<200
2-METHYLPHENOL	95-48-7	40 ug/kg	<200
4-METHYLPHENOL	106-44-5	40 ug/kg	<200
NAPHTHALENE	91-20-3	40 ug/kg	281
NITROBENZENE	98-95-3	40 ug/kg	<200
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<200
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200
PENTACHLORPHENOL	87-86-5	40 ug/kg	<200
PHENOL	108-95-1	40 ug/kg	<200
PYRENE	129-00-0	40 ug/kg	1,008
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<200
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<200

MDL = Minimum Detection Limit. Calculated on a wet weight basis
EPA METHOD 8270
MDL's raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

PESTICIDES ANALYSIS

COMPOUND	CAS No.	MDL	RESULTS ug/kg
Aldrin	309-00-2	5 ug/kg	<5
4,4'- DDD	72-54-8	5 ug/kg	<5
4,4'-DDE	72-55-9	5 ug/kg	<5
4,4'-DDT	50-29-3	5 ug/kg	<5
Dieldrin	60-57-1	5 ug/kg	<5
Endosulfan I	959-98-8	5 ug/kg	<5
Endosulfan II	33212-65-9	5 ug/kg	<5
Endrin	72-20-8	5 ug/kg	<5
Heptachlor	76-44-8	5 ug/kg	<5
γ - BHC (Lindane)	58-89-9	5 ug/kg	<5
4,4'-Methoxychlor	72-43-5	5 ug/kg	<5
Arochlor 1016	12674-11-2	70 ug/kg	<200
Arochlor 1221	1104-28-2	70 ug/kg	<200
Arochlor 1232	11141-16-5	70 ug/kg	<200
Arochlor 1242	53469-21-9	70 ug/kg	<200
Arochlor 1248	12672-29-6	70 ug/kg	<200
Arochlor 1254	11097-69-1	70 ug/kg	<200
Arochlor 1260	11096-82-5	70 ug/kg	<200
Toxaphene	8001-35-2	70 ug/kg	<200

MDL = Minimum Detection Limit.
EPA METHOD 8080

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
TOMORROWS ANALYTICAL SOLUTIONS TODAY™
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date extracted: 9/13/06	Matrix: Bulk Material
Date analyzed: 9/13, 9/14/06	ELAP #: 11693

METALS ANALYSIS

PARAMETER	MDL	RESULTS mg/kg
ANTIMONY, Sb	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	116
BERYLLIUM, Be	1.65 mg/kg	<1.65
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM-HEXAVALENT (VI)	1.00 mg/kg	<1.00
CHROMIUM-TRIVALENT (III)	1.65 mg/kg	11.5
COPPER, Cu	1.65 mg/kg	9.02
CYANIDE, Cn	0.10 mg/kg	0.59
LEAD, Pb	1.65 mg/kg	50.2
MERCURY, Hg	0.020 mg/kg	<0.020
NICKEL, Ni	1.65 mg/kg	4.78
SELENIUM, Se	1.65 mg/kg	<1.65
SILVER, Ag	1.65 mg/kg	<1.65
THALIUM, Tl	1.65 mg/kg	<1.65
VANADIUM, V	1.65 mg/kg	11.2
ZINC, Zn	1.65 mg/kg	130

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
TOMORROWS ANALYTICAL SOLUTIONS TODAY®
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@liallno.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 1)
Date received: 9/12/06	Laboratory ID: 1119695
Date analyzed: See Below	Matrix: Bulk Material

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Flash Point[1]*	N/A	9/13/06	>140° F
pH[2]*	N/A	9/12/06	11.32 units
Reactivity As:[3]**	cn: 5.0 mg/kg s: 2.0 mg/kg	9/14/06	cn: <5.0 mg/kg s: <2.0 mg/kg

MDL = Minimum Detection Limit. ** Calculated on a wet weight basis

[1] *Method: EPA SW846, 1010
[2] *Method: EPA SW846, 9040
[3] *Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119696
Date extracted: 9/12/06	Matrix: Bulk Material
Date analyzed: 9/12/06	ELAP #: 11693

VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
ACETONE	62-64-1	50 ug/kg	78
ACRYLONITRILE	107-13-1	50 ug/kg	<50
BENZENE	71-43-2	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	13
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPENE	542-75-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
4-METHYL-2-PENTANONE	108-10-1	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	67
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	1330-20-7	5 ug/kg	7

MDL = Minimum Detection Limit.
EPA METHOD 8260

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119696
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

SEMI-VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	993
ANTHRACENE	120-12-7	40 ug/kg	1,680
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	2,766
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	2,562
BENZO-a-PYRENE	50-32-8	40 ug/kg	2,703
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	985
BENZLY ALCOHOL	100-51-6	40 ug/kg	<200
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<200
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<200
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	523
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<200
4-CHLOROANILINE	106-47-8	40 ug/kg	<200
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<200
2-CHLOROPHENOL	95-57-8	40 ug/kg	<200
CHRYSENE	218-01-9	40 ug/kg	2,929
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	343
DI-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<200
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<200
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<200
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<200
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<200
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<200
2,4-DINITROTOLUENE	25321-14-6	40 ug/kg	<200
2,6-DINITROTOLUENE	25321-14-6	40 ug/kg	<200

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119696
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

SEMI-VOLATILE ANALYSIS

Parameter	CAS No.	MDL	Results ug/kg
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<200
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<200
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<200
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<200
FLUORANTHENE	206-44-0	40 ug/kg	4,208
FLUORENE	86-73-7	40 ug/kg	841
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<200
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<200
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<200
HEXACHLOROETHANE	67-72-1	40 ug/kg	<200
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	1,435
ISOPHORONE	78-59-1	40 ug/kg	<200
2-METHYLPHENOL	95-48-7	40 ug/kg	<200
4-METHYLPHENOL	106-44-5	40 ug/kg	<200
NAPHTHALENE	91-20-3	40 ug/kg	1,039
NITROBENZENE	98-95-3	40 ug/kg	<200
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<200
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<200
PENTACHLORPHENOL	87-86-5	40 ug/kg	<200
PHENOL	108-95-1	40 ug/kg	<200
PYRENE	129-00-0	40 ug/kg	6,190
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<200
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<200

MDL = Minimum Detection Limit.
EPA METHOD 8270
MDL's raised due to matrix interference.

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119696
Date extracted: 9/14/06	Matrix: Bulk Material
Date analyzed: 9/14/06	ELAP #: 11693

PESTICIDES ANALYSIS

COMPOUND	CAS No.	MDL	RESULTS ug/kg
Aldrin	309-00-2	5 ug/kg	<5
4,4'- DDD	72-54-8	5 ug/kg	23.0
4,4'-DDE	72-55-9	5 ug/kg	<5
4,4'-DDT	50-29-3	5 ug/kg	37.9
Dieldrin	60-57-1	5 ug/kg	12.6
Endosulfan I	959-98-8	5 ug/kg	<5
Endosulfan II	33212-65-9	5 ug/kg	<5
Endrin	72-20-8	5 ug/kg	<5
Heptachlor	76-44-8	5 ug/kg	<5
γ - BHC (Lindane)	58-89-9	5 ug/kg	<5
4,4'-Methoxychlor	72-43-5	5 ug/kg	<5
Arochlor 1016	12674-11-2	70 ug/kg	<200
Arochlor 1221	1104-28-2	70 ug/kg	<200
Arochlor 1232	11141-16-5	70 ug/kg	<200
Arochlor 1242	53469-21-9	70 ug/kg	<200
Arochlor 1248	12672-29-6	70 ug/kg	<200
Arochlor 1254	11097-69-1	70 ug/kg	304
Arochlor 1260	11096-82-5	70 ug/kg	<200
Toxaphene	8001-35-2	70 ug/kg	<200

MDL = Minimum Detection Limit.
EPA METHOD 8080

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
TOMORROW'S ANALYTICAL SOLUTIONS TODAY®
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119606
Date extracted: 9/13/06	Matrix: Bulk Material
Date analyzed: 9/13, 9/14/06	ELAP #: 11693

METALS ANALYSIS

PARAMETER	MDL	RESULTS mg/kg
ANTIMONY, Sb	1.65 mg/kg	1.88
ARSENIC, As	1.65 mg/kg	2.39
BARIUM, Ba	3.33 mg/kg	278
BERYLLIUM, Be	1.65 mg/kg	<1.65
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM HEXAVALENT (VI)	1.00 mg/kg	<1.00
CHROMIUM-TRIVALENT (III)	1.65 mg/kg	9.42
COPPER, Cu	1.65 mg/kg	22.5
CYANIDE, Cn	0.10 mg/kg	0.88
LEAD, Pb	1.65 mg/kg	433
MERCURY, Hg	0.020 mg/kg	<0.020
NICKEL, Ni	1.65 mg/kg	6.52
SELENIUM, Se	1.65 mg/kg	<1.65
SILVER, Ag	1.65 mg/kg	<1.65
THALIUM, Tl	1.65 mg/kg	<1.65
VANADIUM, V	1.65 mg/kg	11.5
ZINC, Zn	1.65 mg/kg	297

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Performed by SW-846 Method 6010

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-8400 • Fax (631) 472-8505 • Email: LIAL@liallinc.com

Client: AKRF	Client ID: 672 Concourse Vlg West (JG-Comp 2)
Date received: 9/12/06	Laboratory ID: 1119696
Date analyzed: See Below	Matrix: Bulk Material

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Flash Point[1]*	N/A	9/13/06	>140° F
pH[2]*	N/A	9/12/06	11.45 units
Reactivity As:[3]*	cn: 5.0 mg/kg s: 2.0 mg/kg	9/14/06	cn: <5.0 mg/kg s: <2.0 mg/kg

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]*Method: EPA SW846, 1010
[2]*Method: EPA SW846, 9040
[3]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi

Michael Veraldi Laboratory Director

CLIENT: AKRF 34 South Broadway, Suite 314 White Plains, NY 10601	DATE SAMPLED: 9/11/06 DATE RECEIVED. 9/12/06 DATE ANALYZED: 9/14/06 DATE REPORTED: 9/14/06
LOCATION: 672 Concourse Vlg West	CONTRACTOR: 11693

PLM ANALYSIS REPORT

LAB ID	CLIENT ID	PERCENTAGE OF ASBESTOS	OTHER MATERIAL
1119696b	JG-Comp 1	NAD	Concrete, Clay
1119696	JG-Comp 2	NAD	Cellulose, Concrete, Brick, Tar, Clay

NAD = No Asbestos Detected.

BULK ANALYSIS PER 40 CFR, SUBPART F. APPENDIX A
METHOD: ELAP 198.1/198.4

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-8400 • Fax (631) 472-8505 • Email: LIAL@liallnc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

January 4, 2007

AKRF
Becky Kinal
34 South Broadway, Suite 314
White Plains, NY 10601

Re: [illegible] Mott Haven, Ex [19795]

Dear Ms. Kinal:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 29, 2006. Long Island Analytical Laboratories analyzed the samples on January 4, 2007 for the following:

CLIENT ID	ANALYSIS
JG-Grab 11	EPA 8260, TCLP Volatiles
JG-Grab 12	EPA 8260, TCLP Volatiles
JG-Grab 3	EPA 8260, TCLP Volatiles
JG-Grab 4	EPA 8260, TCLP Volatiles
JG-Grab 5	EPA 8260, TCLP Volatiles
JG-Grab 6	EPA 8260, TCLP Volatiles
JG-Grab 7	EPA 8260, TCLP Volatiles
JG-Grab 8	EPA 8260, TCLP Volatiles
JG-Grab 9	EPA 8260, TCLP Volatiles
JG-Grab 10	EPA 8260, TCLP Volatiles

Samples received at 8°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 11)
Date received: 12/29/06	Laboratory ID: 1127490
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 11)
Date received: 12/29/06	Laboratory ID: 1127490
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	26
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	82
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis
MDL's raised due to matrix interference.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@liallnc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 11)
Date received: 12/29/06	Laboratory ID: 1127490
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 12)
Date received: 12/29/06	Laboratory ID: 1127491
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 12)
Date received: 12/29/06	Laboratory ID: 1127491
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/06	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	42
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	81
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis
MDL's raised due to matrix interference.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 12)
Date received: 12/29/06	Laboratory ID: 1127491
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-9400 • Fax (631) 472-8505 • Email: LIAL@liallno.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 3)
Date received: 12/29/06	Laboratory ID: 1127492
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 3)
Date received: 12/29/06	Laboratory ID: 1127492
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	<25
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

MDL's raised due to matrix interference.

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 3)
Date received: 12/29/06	Laboratory ID: 1127492
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SM846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 4)
Date received: 12/29/06	Laboratory ID: 1127493
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 4)
Date received: 12/29/06	Laboratory ID: 1127493
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	<25
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit.
MDL's raised due to matrix interference.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@liallnc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 4)
Date received: 12/29/06	Laboratory ID: 1127493
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 5)
Date received: 12/29/06	Laboratory ID: 1127494
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/06	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 5)
Date received: 12/29/06	Laboratory ID: 1127494
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/06	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	<25
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit.
MDL's raised due to matrix interference.

Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 5)
Date received: 12/29/06	Laboratory ID: 1127494
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@liallnc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 6)
Date received: 12/29/06	Laboratory ID: 1127495
Date extracted: 1/3/06	Matrix: Soil
Date analyzed: 1/3/06	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	29
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 6)
Date received: 12/29/06	Laboratory ID: 1127495
Date extracted: 1/3/06	Matrix: Soil
Date analyzed: 1/3/06	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	<25
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis
MDL's raised due to matrix interference.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 6)
Date received: 12/29/06	Laboratory ID: 1127495
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 7)
Date received: 12/29/06	Laboratory ID: 1127496
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	<25
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 7)
Date received: 12/29/06	Laboratory ID: 1127496
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	<25
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<25
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<25
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	<25
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	<50
o-XYLENE	1330-20-7	5 ug/kg	<25
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

MDL's raised due to matrix interference.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 7)
Date received: 12/29/06	Laboratory ID: 1127496
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	Cas No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-04-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SM846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 8)
Date received: 12/29/06	Laboratory ID: 1127497
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<25
CHLOROMETHANE	74-87-3	5 ug/kg	<25
VINYL CHLORIDE	75-01-4	5 ug/kg	<25
BROMOMETHANE	74-83-9	5 ug/kg	<25
CHLOROETHANE	75-00-3	5 ug/kg	<25
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<25
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<25
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<25
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<25
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<25
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<25
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<25
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<25
CHLOROFORM	67-66-3	5 ug/kg	<25
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<25
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<25
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<25
BENZENE	71-43-2	5 ug/kg	<25
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<25
TRICHLOROETHENE	79-01-6	5 ug/kg	<25
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<25
DIBROMOMETHANE	74-95-3	5 ug/kg	<25
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<25
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/kg	<25
TOLUENE	108-88-3	5 ug/kg	<25
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/kg	<25
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<25
TETRACHLOROETHYLENE	127-18-4	5 ug/kg	<25
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<25
DIBROMOCHLOROMETHANE	124-48-1	5 ug/kg	<25
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<25
CHLOROBENZENE	108-90-7	5 ug/kg	<25
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<25
ETHYLBENZENE	100-41-4	5 ug/kg	29
STYRENE	100-42-5	5 ug/kg	<25
BROMOFORM	75-25-2	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG-Grab 8)
Date received: 12/29/06	Laboratory ID: 1127497
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8260

PARAMETER	CAS No.	MDL	RESULTS ug/kg
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<25
BROMOBENZENE	108-86-1	5 ug/kg	<25
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<25
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<25
n-PROPYLBENZENE	103-65-1	5 ug/kg	28
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<25
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<25
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	73
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<25
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	310
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<25
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<25
P-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<25
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<25
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<25
n-BUTYLBENZENE	104-51-8	5 ug/kg	<25
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<25
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<25
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<25
NAPHTHALENE	91-20-3	5 ug/kg	271
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<25
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/kg	<25
ACETONE	67-64-1	50 ug/kg	<250
METHYL ETHYL KETONE	78-93-3	10 ug/kg	<50
METHYL ISOBUTYL KETONE	108-10-1	5 ug/kg	<25
p & m-XYLENES	1330-20-7	10 ug/kg	160
o-XYLENE	1330-20-7	5 ug/kg	62
CARBON DISULFIDE	751-15-0	5 ug/kg	<25
MTBE	1634-04-4	5 ug/kg	<25
VINYL ACETATE	108-05-4	5 ug/kg	<25
2-HEXANONE	591-78-6	5 ug/kg	<25

MDL = Minimum Detection Limit. Calculated on a wet weight basis
MDL's raised due to matrix interference.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

January 11, 2007

AKRF
Becky Kinal
34 South Broadway, Suite 314
White Plains, NY 10601

Re: Mott Haven, Bx [10795]

Dear Ms. Kinal:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 29, 2006. Long Island Analytical Laboratories analyzed the samples on January 11, 2007 for the following:

CLIENT ID	ANALYSIS
JG Comp 4	Full TCLP Protocol, TOX, Total Sulfur
JG Comp 5	Full TCLP Protocol, TOX, Total Sulfur
JG Comp 6	Full TCLP Protocol, TOX, Total Sulfur, EPA 8270, Flashpoint, pH, Reactivity, PCB Scan
JG Comp 7	Full TCLP Protocol, TOX, Total Sulfur, EPA 8270, Flashpoint, pH, Reactivity, PCB Scan

Samples received at 8°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/06	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	0.05 mg/L	5.00 PPM	<0.05
BARIUM, Ba	1.00 mg/L	100.00 PPM	<1.00
CADMIUM, Cd	0.05 mg/L	1.00 PPM	<0.05
SELENIUM, Se	0.05 mg/L	1.00 PPM	<0.05
LEAD, Pb	0.05 mg/L	5.00 PPM	<0.05
MERCURY, Hg	0.020 mg/L	0.20 PPM	<0.020
ARSENIC, As	0.05 mg/L	5.00 PPM	<0.05
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	<0.05

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, 7000 series analysis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 4)
Date received: 12/29/06	Laboratory ID: 1127486
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Sulfur[1]*	1.65 mg/kg	1/11/07	4,321 mg/kg
TOX[2]*	10 mg/kg	1/2/06	<10 mg/kg

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1] * Performed by SW-846 Method 6010

[2] *Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/06	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	0.05 mg/L	5.00 PPM	<0.05
BARIUM, Ba	1.00 mg/L	100.00 PPM	<1.00
CADMIUM, Cd	0.05 mg/L	1.00 PPM	<0.05
SELENIUM, Se	0.05 mg/L	1.00 PPM	<0.05
LEAD, Pb	0.05 mg/L	5.00 PPM	<0.05
MERCURY, Hg	0.020 mg/L	0.20 PPM	<0.020
ARSENIC, As	0.05 mg/L	5.00 PPM	<0.05
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	<0.05

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, 7000 series analysis

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 5)
Date received: 12/29/06	Laboratory ID: 1127487
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Sulfur[1]*	1.65 mg/kg	1/11/07	2,870 mg/kg
TOX[2]*	10 mg/kg	1/2/07	<10 mg/kg

MDL = Minimum Detection Limit. Calculated on a wet weight basis

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/06	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	0.05 mg/L	5.00 PPM	<0.05
BARIUM, Ba	1.00 mg/L	100.00 PPM	<1.00
CADMIUM, Cd	0.05 mg/L	1.00 PPM	<0.05
SELENIUM, Se	0.05 mg/L	1.00 PPM	<0.05
LEAD, Pb	0.05 mg/L	5.00 PPM	<0.05
MERCURY, Hg	0.020 mg/L	0.20 PPM	<0.020
ARSENIC, As	0.05 mg/L	5.00 PPM	<0.05
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	<0.05

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, 7000 series analysis

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	53
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	44
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	217
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	154
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	136
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	127
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	103
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	1,072
ANTHRACENE	120-12-7	40 ug/kg	243
CARBAZOLE	86-74-8	40 ug/kg	68
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,165
PYRENE	129-00-0	40 ug/kg	1,214
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	237
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	500
CHRYSENE	218-01-9	40 ug/kg	654
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	764
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	203
BENZO-a-PYRENE	50-32-8	40 ug/kg	609
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	411
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	71
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	393

MDL = Minimum Detection Limit.
V: QC affected by matrix

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date extracted: 1/5/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	200 ug/kg	<200
AROCHLOR-1221	1104-28-2	200 ug/kg	<200
AROCHLOR-1232	11141-16-5	200 ug/kg	<200
AROCHLOR-1242	53469-21-9	200 ug/kg	<200
AROCHLOR-1248	12672-29-6	200 ug/kg	<200
AROCHLOR-1254	11097-69-1	200 ug/kg	<200
AROCHLOR-1260	11096-82-5	200 ug/kg	<200

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 6)
Date received: 12/29/06	Laboratory ID: 1127488
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Sulfur[1]*	1.65 mg/kg	1/11/07	2,227 mg/kg
TOX[2]*	10 mg/kg	1/2/07	<10 mg/kg
Flash Point[3]*	N/A	1/2/07	>140° F
pH[4]*	N/A	1/2/07	11.74 units
Reactivity As:[5]*	cn: 5.0 mg/kg s: 2.0 mg/kg	1/8/07	cn: <5.0 mg/kg s: <2.0 mg/kg

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Note: Holding time of 1 hour for pH analysis has been exceeded.

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

[3]*Method: EPA SW846, 1010

[4]*Method: EPA 9045C

[5]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/2/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

TCLP VOLATILE ANALYSIS

Parameter	Regulatory Limit	CAS No.	MDL	Results
BENZENE	0.50 mg/L	71-43-2	5 ug/L	<5 ug/L
2-BUTANONE (MEK)	200 mg/L	78-93-3	10 ug/L	<10 ug/L
CARBON TETRACHLORIDE	0.50 mg/L	56-23-5	5 ug/L	<5 ug/L
CHLOROBENZENE	100.0 mg/L	108-90-7	5 ug/L	<5 ug/L
CHLOROFORM	6.0 mg/L	67-66-3	5 ug/L	<5 ug/L
1,2-DICHLOROETHANE	0.50 mg/L	107-06-2	5 ug/L	<5 ug/L
1,4-DICHLOROBENZENE	7.5 mg/L	106-46-7	5 ug/L	<5 ug/L
1,1-DICHLOROETHYLENE	0.70 mg/L	75-35-4	5 ug/L	<5 ug/L
TETRACHLOROETHYLENE	0.7 mg/L	127-18-4	5 ug/L	<5 ug/L
TRICHLOROETHYLENE	0.5 mg/L	79-01-6	5 ug/L	<5 ug/L
VINYL CHLORIDE	0.20 mg/L	75-01-4	5 ug/L	<5 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP SEMI-VOLATILE ANALYSIS

Parameter	Cas No.	MDL	Regulatory Limit	Results
PYRIDINE	100-86-1	5 ug/L	5.0 mg/L	<5.0 ug/L
2 –METHYLPHENOL	95-48-7	5 ug/L	200.0 mg/L	<5.0 ug/L
HEXACHLOROETHANE	67-72-1	5 ug/L	3.0 mg/L	<5.0 ug/L
3+4-METHYLPHENOL	15831-10-4	5 ug/L	200.0 mg/L	<5.0 ug/L
NITROBENZENE	98-95-3	5 ug/L	2.0 mg/L	<5.0 ug/L
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	0.5 mg/L	<5.0 ug/L
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	2.0 mg/L	<5.0 ug/L
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	400.0 mg/L	<5.0 ug/L
2,4-DINITROTOLUENE	121-14-2	5 ug/L	0.13 mg/L	<5.0 ug/L
HEXACHLOROBENZENE	118-74-1	5 ug/L	0.13 mg/L	<5.0 ug/L
PENTCHLOROPHENOL	87-86-5	5 ug/L	100.0 mg/L	<5.0 ug/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP HERBICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
2,4,D	1.0 mg/L	10 mg/L	<1.0 mg/L
SILVEX(2,4,5-TP)	0.01 mg/L	1 mg/L	<0.01 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/4/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

TCLP PESTICIDES

PARAMETER	MDL	REGULATORY LIMIT	RESULTS
ENDRIN	0.01 mg/L	0.2 mg/L	<0.01 mg/L
LINDANE	0.04 mg/L	0.4 mg/L	<0.04 mg/L
METHOXYCHLOR	1.0 mg/L	10 mg/L	<1.0 mg/L
TOXAPHENE	0.05 mg/L	0.5 mg/L	<0.05 mg/L
CHLORDANE	0.003 mg/L	0.03 mg/L	<0.003 mg/L
HEPTACHLOR	0.001 mg/L	0.008 mg/L	<0.001 mg/L

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp.

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/4/07	ELAP #: 11693

TCLP METALS ANALYSIS

PARAMETER	MDL	REGULATORY LIMIT	RESULTS mg/L
SILVER, Ag	0.05 mg/L	5.00 PPM	<0.05
BARIUM, Ba	1.00 mg/L	100.00 PPM	<1.00
CADMIUM, Cd	0.05 mg/L	1.00 PPM	<0.05
SELENIUM, Se	0.05 mg/L	1.00 PPM	<0.05
LEAD, Pb	0.05 mg/L	5.00 PPM	<0.05
MERCURY, Hg	0.020 mg/L	0.20 PPM	<0.020
ARSENIC, As	0.05 mg/L	5.00 PPM	<0.05
CHROMIUM, Cr	0.05 mg/L	5.00 PPM	<0.05

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Method: SW846, 1311 extraction tclp, 7000 series analysis

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	288
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	264
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	174
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/3/07	Matrix: Soil
Date analyzed: 1/3/07	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	161
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	59
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	134
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	1,194
ANTHRACENE	120-12-7	40 ug/kg	271
CARBAZOLE	86-74-8	40 ug/kg	79
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	1,166
PYRENE	129-00-0	40 ug/kg	1,274
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	125
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	530
CHRYSENE	218-01-9	40 ug/kg	645
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	825
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	251
BENZO-a-PYRENE	50-32-8	40 ug/kg	677
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	475
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	94
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	435

MDL = Minimum Detection Limit.
V: QC affected by matrix

Calculated on a wet weight basis

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date extracted: 1/5/07	Matrix: Soil
Date analyzed: 1/5/07	ELAP #: 11693

EPA METHOD 8082 AROCHLORS

PARAMETER	CAS No.	MDL	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	200 ug/kg	<200
AROCHLOR-1221	1104-28-2	200 ug/kg	<200
AROCHLOR-1232	11141-16-5	200 ug/kg	<200
AROCHLOR-1242	53469-21-9	200 ug/kg	<200
AROCHLOR-1248	12672-29-6	200 ug/kg	<200
AROCHLOR-1254	11097-69-1	200 ug/kg	<200
AROCHLOR-1260	11096-82-5	200 ug/kg	<200

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Michael Veraldi-Laboratory Director

Client: AKRF	Client ID: Mott Haven, Bx [10795] (JG Comp 7)
Date received: 12/29/06	Laboratory ID: 1127489
Date analyzed: See Below	Matrix: Soil

ANALYTICAL RESULTS

PARAMETER	MDL	DATE ANALYZED	RESULTS
Sulfur[1]*	1.65 mg/kg	1/11/07	2,696 mg/kg
TOX[2]*	10 mg/kg	1/2/07	<10 mg/kg
Flash Point[3]*	N/A	1/2/07	>140° F
pH[4]*	N/A	1/2/07	11.79 units
Reactivity As:[5]*	cn: 5.0 mg/kg s: 2.0 mg/kg	1/8/07	cn: <5.0 mg/kg s: <2.0 mg/kg

MDL = Minimum Detection Limit. Calculated on a wet weight basis

Note: Holding time of 1 hour for pH analysis has been exceeded.

[1]* Performed by SW-846 Method 6010

[2]*Method: EPA 9020

[3]*Method: EPA SW846, 1010

[4]*Method: EPA 9045C

[5]*Method: EPA SW846 Chapter 7 Sect. 7.3.3.2
EPA SW846, Chapter 7 Sect 7.3.4.2

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

HAZARDOUS INDUSTRIAL WASTE

CHARACTERIZATION DATA

2 of 2 pages

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West
Date received: 3/16/07	Laboratory ID: 1131657-1131671
Date extracted: 3/18/07	Matrix: Soil
Date analyzed: 3/19/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1131657	WC-6 (0-5')	0.05 mg/L	0.49	
1131658	WC-6 (5'-10')	0.05 mg/L	0.66	
1131659	WC-6 (10'-15')	0.05 mg/L	0.34	
1131660	WC-11 (0-5')	0.05 mg/L	3.92	
1131661	WC-11 (5'-10')	0.05 mg/L	164	
1131662	WC-11 (10'-15')	0.05 mg/L	<0.05	
1131663	WC-7 (0-5')	0.05 mg/L	16.9	
1131664	WC-7 (5'-10')	0.05 mg/L	0.85	
1131665	WC-7 (10'-15')	0.05 mg/L	<0.05	
1131666	WC-12 (0-5')	0.05 mg/L	<0.05	
1131667	WC-12 (5'-10')	0.05 mg/L	0.08	
1131668	WC-12 (10'-15')	0.05 mg/L	1.21	
1131669	WC-32 (0-5')	0.05 mg/L	<0.05	
1131670	WC-32 (5'-10')	0.05 mg/L	0.89	
1131671	WC-32 (10'-15')	0.05 mg/L	<0.05	

Calculated on a wet weight basis

MDL = Minimum Detection Limit.
Method: SW846, 1311 extraction tclp/EPA/2007

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

2 of 2 pages

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West
Date received: 2/1/07*	Laboratory ID: See Below
Date extracted: 3/20/07	Matrix: Soil
Date analyzed: 3/21/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1129496	WC-11 Grab [4-6']	0.05 mg/L	205	
1129497	WC-11 Grab [6-8']	0.05 mg/L	263	
1129498	WC-11 Grab [8-10']	0.05 mg/L	0.27	
1129500	WC-6 Grab [0-2']	0.05 mg/L	0.70	
1129501	WC-6 Grab [2-4']	0.05 mg/L	0.06	
1129502	WC-6 Grab [4-6']	0.05 mg/L	189	
1129503	WC-6 Grab [6-8']	0.05 mg/L	0.18	
1129504	WC-6 Grab [12-14']	0.05 mg/L	0.14	
1139518	WC-7 Grab [0-2']	0.05 mg/L	0.05	
1129519	WC-7 Grab [2-4']	0.05 mg/L	110	
1129520	WC-7 Grab [4-6']	0.05 mg/L	14.1	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7
*Samples resubmitted on March 20th 2007.

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

April 3, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: Mott Haven/Bronx

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on March 23, 2007. Long Island Analytical Laboratories analyzed the samples on March 27, 2007 for the following:

CLIENT ID	ANALYSIS
WC-7-5N {0-5}	TCLP Lead Analysis
WC-7-5S {0-5}	TCLP Lead Analysis
WC-7-5E {0-5}	TCLP Lead Analysis
WC-7-5W {0-5}	TCLP Lead Analysis
WC-11-5S {5-10}	TCLP Lead Analysis
WC-11-5E {5-10}	TCLP Lead Analysis
WC-11-5W {5-10}	TCLP Lead Analysis
WC-6-5E {0-5}	TCLP Lead Analysis
WC-6-5N {0-5}	TCLP Lead Analysis
WC-6-5S {0-5}	TCLP Lead Analysis
WC-12-3S {0-5}	TCLP Lead Analysis
WC-12-3E {0-5}	TCLP Lead Analysis
WC-12-5N {0-5}	TCLP Lead Analysis
WC-12-3W {0-5}	TCLP Lead Analysis

Samples received at 4°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons	Client ID: Mott Haven/Bronx
Date received: 3/23/07	Laboratory ID: See Below
Date extracted: 3/26/07	Matrix: Soil
Date analyzed: 3/27/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1131932	WC-7-5N {0-5}	0.05 mg/L	<0.05	
1131933	WC-7-5S {0-5}	0.05 mg/L	128	
1131934	WC-7-5E {0-5}	0.05 mg/L	19.2	
1131935	WC-7-5W {0-5}	0.05 mg/L	27.8	
1131938	WC-11-5S {5-10}	0.05 mg/L	0.12	
1131940	WC-11-5E {5-10}	0.05 mg/L	0.16	
1131942	WC-11-5W {5-10}	0.05 mg/L	1.39	
1131943	WC-6-5E {0-5}	0.05 mg/L	<0.05	
1131945	WC-6-5N {0-5}	0.05 mg/L	16.7	
1131947	WC-6-5S {0-5}	0.05 mg/L	4.66	
1131951	WC-12-3S {0-5}	0.05 mg/L	103	
1131953	WC-12-3E {0-5}	0.05 mg/L	59.9	
1131955	WC-12-5N {0-5}	0.05 mg/L	30.9	
1131957	WC-12-3W {0-5}	0.05 mg/L	0.86	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

April 5, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx

Dear Mr. Civetta, Jr.:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on April 2, 2007. Long Island Analytical Laboratories analyzed the samples on April 4, 2007 for the following:

CLIENT ID	ANALYSIS
WC-32-5W {0-5}	TCLP Lead Analysis
WC-32-5E {0-5}	TCLP Lead Analysis
WC-32-5N {0-5}	TCLP Lead Analysis
WC-32-5S {0-5}	TCLP Lead Analysis

Samples received at 4°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West
Date received: 4/2/07	Laboratory ID: 1132557-1132560
Date extracted: 4/3/07	Matrix: Soil
Date analyzed: 4/4/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1132557	WC-32-5W {0-5}	0.05 mg/L	<0.05	
1132558	WC-32-5E {0-5}	0.05 mg/L	<0.05	
1132559	WC-32-5N {0-5}	0.05 mg/L	<0.05	
1132560	WC-32-5S {0-5}	0.05 mg/L	<0.05	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

April 12, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: 672 Concourse Village West, Bronx, NY

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on April 10, 2007. Long Island Analytical Laboratories analyzed the samples on April 12, 2007 for the following:

CLIENT ID	ANALYSIS
WC-7 10S {0-5}	TCLP Lead Analysis
WC-7 12E {0-5}	TCLP Lead Analysis
WC-7 10W {0-5}	TCLP Lead Analysis

Samples received at 4°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: John Civetta & Sons, Inc.	Client ID: 672 Concourse Village West (WC- Grab [0-2'])
Date received: 4/10/07	Laboratory ID: 1133228-11332230
Date extracted: 4/11/07	Matrix: Soil
Date analyzed: 4/12/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1133228	WC-7 10S {0-5}	0.05 mg/L	10.8	
1133229	WC-7 12E {0-5}	0.05 mg/L	11.6	
1133230	WC-7 10W {0-5}	0.05 mg/L	106	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693
USEPA# NY01273
CTDOH# PH-0284
AIHA# 164456
NJDOH# NY012
PADOH# 68-2943

April 23, 2007

John Civetta & Sons, Inc
John Civetta, Jr.
1123 Bronx River Avenue
Bronx, NY 10472

Re: Mott Haven/Bronx

Dear Mr. Civetta:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on April 18, 2007. Long Island Analytical Laboratories analyzed the samples on April 20, 2007 for the following:

CLIENT ID	ANALYSIS
WC-12-9N	TCLP Lead Analysis
WC-12-6S	TCLP Lead Analysis
WC-7-15S	TCLP Lead Analysis
WC-6-7N	TCLP Lead Analysis
WC-7-15E	TCLP Lead Analysis
WC-7-15W	TCLP Lead Analysis
WC-12-6E	TCLP Lead Analysis

Samples received at 4°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

Client: John Civetta & Sons	Client ID: Mott Haven/Bronx
Date received: 4/18/07	Laboratory ID: 1133820-1133826
Date extracted: 4/19/07	Matrix: Soil
Date analyzed: 4/20/07	ELAP #: 11693

TCLP LEAD ANALYSIS

Lab ID #	Client ID	MDL	Results mg/L	Flag
1133820	WC-12-9N	0.05 mg/L	<0.05	
1133821	WC-12-6S	0.05 mg/L	<0.05	
1133822	WC-7-15S	0.05 mg/L	3.34	
1133823	WC-6-7N	0.05 mg/L	<0.05	
1133824	WC-7-15E	0.05 mg/L	<0.05	
1133825	WC-7-15W	0.05 mg/L	<0.05	
1133826	WC-12-6E	0.05 mg/L	<0.05	

MDL = Minimum Detection Limit. Calculated on a wet weight basis
Method: SW846, 1311 extraction tclp, EPA 200.7

Michael Veraldi

Michael Veraldi-Laboratory Director

LONG ISLAND ANALYTICAL LABORATORIES INC.
"TOMORROWS ANALYTICAL SOLUTIONS TODAY"
110 Colin Drive • Holbrook, New York 11741
Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com