

CT #: PH-0671

MA #: NJ386

NJ #: 14622

NY #: 11408

PA #: 68-463

Report Of Analysis

veritech laboratories

To: Roux Associates

209 Shafter Street

Islandia

NY 11749-5074

Attention: Mike Roux
Project: Southern Blvd.

Date Collected: 6/12/2008

Date Submitted: 6/13/2008

Date Reported: 6/18/2008

Lab#	TestGroup	Analyte	DF	Units	MDL/PQL/RL	DRAFT RESULT
AC38082-001		SampleID: SB-101/0-2.5				
AC38082-001		SB-101/0-2.5				
		% Solids SM2540G				
		% Solids	1	Percent		90
		Mercury (Soil/Waste) 7471A				
		Mercury	167	mg/Kg	0.093	0.70
		Organochlorine Pesticides 8081				
		Aldrin	1	mg/Kg	0.0056	ND
		Alpha-BHC	1	mg/Kg	0.0056	ND
		beta-BHC	1	mg/Kg	0.0056	ND
		Chlordane	1	mg/Kg	0.011	0.05d
		delta-BHC	1	mg/Kg	0.0056	ND
		Dieldrin	1	mg/Kg	0.0056	ND
		Endosulfan I	1	mg/Kg	0.0056	ND
		Endosulfan II	1	mg/Kg	0.0056	ND
		Endosulfan Sulfate	1	mg/Kg	0.0056	ND
		Endrin	1	mg/Kg	0.0056	ND
		Endrin Aldehyde	1	mg/Kg	0.0056	ND
		Endrin Ketone	1	mg/Kg	0.0056	ND
		Gamma-BHC	1	mg/Kg	0.0056	ND
		Heptachlor	1	mg/Kg	0.0056	ND
		Heptachlor Epoxide	1	mg/Kg	0.0056	ND
		Methoxychlor	1	mg/Kg	0.0056	ND
		p,p'-DDD	1	mg/Kg	0.0028	0.014
		p,p'-DDE	1	mg/Kg	0.0028	0.0080
		p,p'-DDT	1	mg/Kg	0.0028	0.020
		Toxaphene	1	mg/Kg	0.028	ND
		PCB 8082				
		Aroclor-1016	1	mg/Kg	0.028	ND
		Aroclor-1221	1	mg/Kg	0.028	ND
		Aroclor-1232	1	mg/Kg	0.028	ND
		Aroclor-1242	1	mg/Kg	0.028	ND
		Aroclor-1248	1	mg/Kg	0.028	ND
		Aroclor-1254	1	mg/Kg	0.028	ND
		Aroclor-1260	1	mg/Kg	0.028	ND
		Aroclor-1262	1	mg/Kg	0.028	ND
		Aroclor-1268	1	mg/Kg	0.028	ND

ND = Not Detected

Lab#:	AC38082-001	SampleID:	SB-101/0-2.5			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Semivolatile Organics (no search) 8270						
	1,2,4-Trichlorobenzene	1	mg/Kg	0.074	ND	
	1,2-Diphenylhydrazine	1	mg/Kg	0.074	ND	
	2,4,5-Trichlorophenol	1	mg/Kg	0.074	ND	
	2,4,6-Trichlorophenol	1	mg/Kg	0.074	ND	
	2,4-Dichlorophenol	1	mg/Kg	0.074	ND	
	2,4-Dimethylphenol	1	mg/Kg	0.074	ND	
	2,4-Dinitrophenol	1	mg/Kg	0.37	ND	
	2,4-Dinitrotoluene	1	mg/Kg	0.074	ND	
	2,6-Dinitrotoluene	1	mg/Kg	0.074	ND	
	2-Chloronaphthalene	1	mg/Kg	0.074	ND	
	2-Chlorophenol	1	mg/Kg	0.074	ND	
	2-Methylnaphthalene	1	mg/Kg	0.074	ND	
	2-Methylphenol	1	mg/Kg	0.074	ND	
	2-Nitroaniline	1	mg/Kg	0.074	ND	
	2-Nitrophenol	1	mg/Kg	0.074	ND	
	3&4-Methylphenol	1	mg/Kg	0.074	ND	
	3,3'-Dichlorobenzidine	1	mg/Kg	0.074	ND	
	3-Nitroaniline	1	mg/Kg	0.074	ND	
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.37	ND	
	4-Bromophenyl-phenylether	1	mg/Kg	0.074	ND	
	4-Chloro-3-methylphenol	1	mg/Kg	0.074	ND	
	4-Chloroaniline	1	mg/Kg	0.074	ND	
	4-Chlorophenyl-phenylether	1	mg/Kg	0.074	ND	
	4-Nitroaniline	1	mg/Kg	0.074	ND	
	4-Nitrophenol	1	mg/Kg	0.074	ND	
	Acenaphthene	1	mg/Kg	0.074	ND	
	Acenaphthylene	1	mg/Kg	0.074	0.089	
	Aniline	1	mg/Kg	0.074	ND	
	Anthracene	1	mg/Kg	0.074	0.12	
	Benzidine	1	mg/Kg	0.074	ND	
	Benzo[a]anthracene	1	mg/Kg	0.074	0.74	
	Benzo[a]pyrene	1	mg/Kg	0.074	0.71	
	Benzo[b]fluoranthene	1	mg/Kg	0.074	0.91	
	Benzo[g,h,i]perylene	1	mg/Kg	0.074	0.42	
	Benzo[k]fluoranthene	1	mg/Kg	0.074	0.28	
	Benzoic acid	1	mg/Kg	0.37	ND	
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.074	ND	
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.074	ND	
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.074	ND	
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.074	0.11	
	Butylbenzylphthalate	1	mg/Kg	0.074	ND	
	Carbazole	1	mg/Kg	0.074	ND	
	Chrysene	1	mg/Kg	0.074	0.73	
	Dibenzo[a,h]anthracene	1	mg/Kg	0.074	0.12	
	Dibenzofuran	1	mg/Kg	0.074	ND	
	Diethylphthalate	1	mg/Kg	0.074	ND	
	Dimethylphthalate	1	mg/Kg	0.074	ND	
	Di-n-butylphthalate	1	mg/Kg	0.074	ND	
	Di-n-octylphthalate	1	mg/Kg	0.074	ND	
	Fluoranthene	1	mg/Kg	0.074	1.1	
	Fluorene	1	mg/Kg	0.074	ND	
	Hexachlorobenzene	1	mg/Kg	0.074	ND	
	Hexachlorobutadiene	1	mg/Kg	0.074	ND	
	Hexachlorocyclopentadiene	1	mg/Kg	0.37	ND	
	Hexachloroethane	1	mg/Kg	0.074	ND	

ND = Not Detected

Lab#:	AC38082-001	SampleID:	SB-101/0-2.5	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.074	0.34
	Isophorone	1	mg/Kg	0.074	ND
	Naphthalene	1	mg/Kg	0.074	ND
	Nitrobenzene	1	mg/Kg	0.074	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.074	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.074	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.074	ND
	Pentachlorophenol	1	mg/Kg	0.37	ND
	Phenanthrene	1	mg/Kg	0.074	0.69
	Phenol	1	mg/Kg	0.074	ND
	Pyrene	1	mg/Kg	0.074	1.4
TAL Metals 6010					
	Aluminum	100	mg/Kg	220	9700
	Antimony	100	mg/Kg	2.2	36
	Arsenic	100	mg/Kg	2.2	6.1
	Barium	100	mg/Kg	11	270
	Beryllium	100	mg/Kg	0.67	ND
	Cadmium	100	mg/Kg	0.67	ND
	Calcium	100	mg/Kg	1100	71000
	Chromium	100	mg/Kg	5.6	21
	Cobalt	100	mg/Kg	2.8	6.3
	Copper	100	mg/Kg	5.6	280
	Iron	100	mg/Kg	220	16000
	Lead	100	mg/Kg	5.6	580
	Magnesium	100	mg/Kg	560	5700
	Manganese	100	mg/Kg	11	230
	Nickel	100	mg/Kg	5.6	17
	Potassium	100	mg/Kg	560	1300
	Selenium	100	mg/Kg	2.0	ND
	Silver	100	mg/Kg	1.7	ND
	Sodium	100	mg/Kg	280	ND
	Thallium	100	mg/Kg	1.3	ND
	Vanadium	100	mg/Kg	11	33
	Zinc	100	mg/Kg	11	280

ND = Not Detected

Lab#:	AC38082-001	SampleID:	SB-101/0-2.5	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	1	mg/Kg	0.0056	ND
	1,1,2,2-Tetrachloroethane	1	mg/Kg	0.0056	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	1	mg/Kg	0.0056	ND
	1,1,2-Trichloroethane	1	mg/Kg	0.0056	ND
	1,1-Dichloroethane	1	mg/Kg	0.0056	ND
	1,1-Dichloroethene	1	mg/Kg	0.0056	ND
	1,2,3-Trichloropropane	1	mg/Kg	0.0056	ND
	1,2,4-Trimethylbenzene	1	mg/Kg	0.0011	ND
	1,2-Dichlorobenzene	1	mg/Kg	0.0056	ND
	1,2-Dichloroethane	1	mg/Kg	0.0056	ND
	1,2-Dichloropropane	1	mg/Kg	0.0056	ND
	1,3,5-Trimethylbenzene	1	mg/Kg	0.0011	ND
	1,3-Dichlorobenzene	1	mg/Kg	0.0056	ND
	1,3-Dichloropropane	1	mg/Kg	0.0056	ND
	1,4-Dichlorobenzene	1	mg/Kg	0.0056	ND
	1,4-Dioxane	1	mg/Kg	0.28	ND
	2-Butanone	1	mg/Kg	0.0056	ND
	2-Chloroethylvinylether	1	mg/Kg	0.0056	ND
	2-Hexanone	1	mg/Kg	0.0056	ND
	4-Isopropyltoluene	1	mg/Kg	0.0011	ND
	4-Methyl-2-Pentanone	1	mg/Kg	0.0056	ND
	Acetone	1	mg/Kg	0.028	0.030
	Acrolein	1	mg/Kg	0.028	ND
	Acrylonitrile	1	mg/Kg	0.0056	ND
	Benzene	1	mg/Kg	0.0011	ND
	Bromodichloromethane	1	mg/Kg	0.0056	ND
	Bromoform	1	mg/Kg	0.0056	ND
	Bromomethane	1	mg/Kg	0.0056	ND
	Carbon disulfide	1	mg/Kg	0.0056	ND
	Carbon tetrachloride	1	mg/Kg	0.0056	ND
	Chlorobenzene	1	mg/Kg	0.0056	ND
	Chloroethane	1	mg/Kg	0.0056	ND
	Chloroform	1	mg/Kg	0.0056	ND
	Chloromethane	1	mg/Kg	0.0056	ND
	cis-1,2-Dichloroethene	1	mg/Kg	0.0056	ND
	cis-1,3-Dichloropropene	1	mg/Kg	0.0056	ND
	Dibromochloromethane	1	mg/Kg	0.0056	ND
	Dichlorodifluoromethane	1	mg/Kg	0.0056	ND
	Ethylbenzene	1	mg/Kg	0.0011	ND
	Isopropylbenzene	1	mg/Kg	0.0011	ND
	m&p-Xylenes	1	mg/Kg	0.0022	ND
	Methylene chloride	1	mg/Kg	0.0056	ND
	Methyl-t-butyl ether	1	mg/Kg	0.0011	ND
	n-Butylbenzene	1	mg/Kg	0.0011	ND
	n-Propylbenzene	1	mg/Kg	0.0011	ND
	o-Xylene	1	mg/Kg	0.0011	ND
	sec-Butylbenzene	1	mg/Kg	0.0011	ND
	Styrene	1	mg/Kg	0.0056	ND
	t-Butyl Alcohol	1	mg/Kg	0.028	ND
	t-Butylbenzene	1	mg/Kg	0.0011	ND
	Tetrachloroethene	1	mg/Kg	0.0056	ND
	Toluene	1	mg/Kg	0.0011	0.0014
	trans-1,2-Dichloroethene	1	mg/Kg	0.0056	ND
	trans-1,3-dichloropropene	1	mg/Kg	0.0056	ND
	Trichloroethene	1	mg/Kg	0.0056	ND

ND = Not Detected

Lab#:	AC38082-001	SampleID:	SB-101/0-2.5	DRAFT		
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	mg/Kg	0.0056	ND
		Vinyl chloride	1	mg/Kg	0.0056	ND

ND = Not Detected

Lab#:	AC38082-002	SampleID:	SB-101/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-002	SB-101/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		87
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.096	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0057	ND
	Alpha-BHC	1	mg/Kg	0.0057	ND
	beta-BHC	1	mg/Kg	0.0057	ND
	Chlordane	1	mg/Kg	0.011	ND
	delta-BHC	1	mg/Kg	0.0057	ND
	Dieldrin	1	mg/Kg	0.0057	ND
	Endosulfan I	1	mg/Kg	0.0057	ND
	Endosulfan II	1	mg/Kg	0.0057	ND
	Endosulfan Sulfate	1	mg/Kg	0.0057	ND
	Endrin	1	mg/Kg	0.0057	ND
	Endrin Aldehyde	1	mg/Kg	0.0057	ND
	Endrin Ketone	1	mg/Kg	0.0057	ND
	Gamma-BHC	1	mg/Kg	0.0057	ND
	Heptachlor	1	mg/Kg	0.0057	ND
	Heptachlor Epoxide	1	mg/Kg	0.0057	ND
	Methoxychlor	1	mg/Kg	0.0057	ND
	p,p'-DDD	1	mg/Kg	0.0029	ND
	p,p'-DDE	1	mg/Kg	0.0029	ND
	p,p'-DDT	1	mg/Kg	0.0029	ND
	Toxaphene	1	mg/Kg	0.029	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.029	ND
	Aroclor-1221	1	mg/Kg	0.029	ND
	Aroclor-1232	1	mg/Kg	0.029	ND
	Aroclor-1242	1	mg/Kg	0.029	ND
	Aroclor-1248	1	mg/Kg	0.029	ND
	Aroclor-1254	1	mg/Kg	0.029	ND
	Aroclor-1260	1	mg/Kg	0.029	ND
	Aroclor-1262	1	mg/Kg	0.029	ND
	Aroclor-1268	1	mg/Kg	0.029	ND

ND = Not Detected

Lab#:	AC38082-002	SampleID:	SB-101/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.077	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.077	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.077	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.077	ND
	2,4-Dichlorophenol	1	mg/Kg	0.077	ND
	2,4-Dimethylphenol	1	mg/Kg	0.077	ND
	2,4-Dinitrophenol	1	mg/Kg	0.38	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.077	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.077	ND
	2-Chloronaphthalene	1	mg/Kg	0.077	ND
	2-Chlorophenol	1	mg/Kg	0.077	ND
	2-Methylnaphthalene	1	mg/Kg	0.077	ND
	2-Methylphenol	1	mg/Kg	0.077	ND
	2-Nitroaniline	1	mg/Kg	0.077	ND
	2-Nitrophenol	1	mg/Kg	0.077	ND
	3&4-Methylphenol	1	mg/Kg	0.077	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.077	ND
	3-Nitroaniline	1	mg/Kg	0.077	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.38	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.077	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.077	ND
	4-Chloroaniline	1	mg/Kg	0.077	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.077	ND
	4-Nitroaniline	1	mg/Kg	0.077	ND
	4-Nitrophenol	1	mg/Kg	0.077	ND
	Acenaphthene	1	mg/Kg	0.077	ND
	Acenaphthylene	1	mg/Kg	0.077	ND
	Aniline	1	mg/Kg	0.077	ND
	Anthracene	1	mg/Kg	0.077	ND
	Benzidine	1	mg/Kg	0.077	ND
	Benzo[a]anthracene	1	mg/Kg	0.077	ND
	Benzo[a]pyrene	1	mg/Kg	0.077	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.077	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.077	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.077	ND
	Benzoic acid	1	mg/Kg	0.077	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.077	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.077	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.077	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.077	ND
	Butylbenzylphthalate	1	mg/Kg	0.077	ND
	Carbazole	1	mg/Kg	0.077	ND
	Chrysene	1	mg/Kg	0.077	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.077	ND
	Dibenzofuran	1	mg/Kg	0.077	ND
	Diethylphthalate	1	mg/Kg	0.077	ND
	Dimethylphthalate	1	mg/Kg	0.077	ND
	Di-n-butylphthalate	1	mg/Kg	0.077	ND
	Di-n-octylphthalate	1	mg/Kg	0.077	ND
	Fluoranthene	1	mg/Kg	0.077	ND
	Fluorene	1	mg/Kg	0.077	ND
	Hexachlorobenzene	1	mg/Kg	0.077	ND
	Hexachlorobutadiene	1	mg/Kg	0.077	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.38	ND
	Hexachloroethane	1	mg/Kg	0.077	ND

ND = Not Detected

Lab#:	AC38082-002	SampleID:	SB-101/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.077	ND
	Isophorone	1	mg/Kg	0.077	ND
	Naphthalene	1	mg/Kg	0.077	ND
	Nitrobenzene	1	mg/Kg	0.077	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.077	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.077	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.077	ND
	Pentachlorophenol	1	mg/Kg	0.38	ND
	Phenanthrene	1	mg/Kg	0.077	ND
	Phenol	1	mg/Kg	0.077	ND
	Pyrene	1	mg/Kg	0.077	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	230	6900
	Antimony	100	mg/Kg	2.3	ND
	Arsenic	100	mg/Kg	2.3	ND
	Barium	100	mg/Kg	11	65
	Beryllium	100	mg/Kg	0.69	ND
	Cadmium	100	mg/Kg	0.69	ND
	Calcium	100	mg/Kg	1100	2000
	Chromium	100	mg/Kg	5.7	20
	Cobalt	100	mg/Kg	2.9	8.6
	Copper	100	mg/Kg	5.7	27
	Iron	100	mg/Kg	230	14000
	Lead	100	mg/Kg	5.7	ND
	Magnesium	100	mg/Kg	570	3200
	Manganese	100	mg/Kg	11	130
	Nickel	100	mg/Kg	5.7	24
	Potassium	100	mg/Kg	570	2500
	Selenium	100	mg/Kg	2.1	ND
	Silver	100	mg/Kg	1.7	ND
	Sodium	100	mg/Kg	290	ND
	Thallium	100	mg/Kg	1.4	ND
	Vanadium	100	mg/Kg	11	26
	Zinc	100	mg/Kg	11	40

ND = Not Detected

Lab#:	AC38082-002	SampleID:	SB-101/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	1	mg/Kg	0.0057	ND
	1,1,2,2-Tetrachloroethane	1	mg/Kg	0.0057	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	1	mg/Kg	0.0057	ND
	1,1,2-Trichloroethane	1	mg/Kg	0.0057	ND
	1,1-Dichloroethane	1	mg/Kg	0.0057	ND
	1,1-Dichloroethene	1	mg/Kg	0.0057	ND
	1,2,3-Trichloropropane	1	mg/Kg	0.0057	ND
	1,2,4-Trimethylbenzene	1	mg/Kg	0.0011	0.0032
	1,2-Dichlorobenzene	1	mg/Kg	0.0057	ND
	1,2-Dichloroethane	1	mg/Kg	0.0057	ND
	1,2-Dichloropropane	1	mg/Kg	0.0057	ND
	1,3,5-Trimethylbenzene	1	mg/Kg	0.0011	ND
	1,3-Dichlorobenzene	1	mg/Kg	0.0057	ND
	1,3-Dichloropropane	1	mg/Kg	0.0057	ND
	1,4-Dichlorobenzene	1	mg/Kg	0.0057	ND
	1,4-Dioxane	1	mg/Kg	0.29	ND
	2-Butanone	1	mg/Kg	0.0057	ND
	2-Chloroethylvinylether	1	mg/Kg	0.0057	ND
	2-Hexanone	1	mg/Kg	0.0057	ND
	4-Isopropyltoluene	1	mg/Kg	0.0011	ND
	4-Methyl-2-Pentanone	1	mg/Kg	0.0057	ND
	Acetone	1	mg/Kg	0.029	0.057
	Acrolein	1	mg/Kg	0.029	ND
	Acrylonitrile	1	mg/Kg	0.0057	ND
	Benzene	1	mg/Kg	0.0011	0.0049
	Bromodichloromethane	1	mg/Kg	0.0057	ND
	Bromoform	1	mg/Kg	0.0057	ND
	Bromomethane	1	mg/Kg	0.0057	ND
	Carbon disulfide	1	mg/Kg	0.0057	ND
	Carbon tetrachloride	1	mg/Kg	0.0057	ND
	Chlorobenzene	1	mg/Kg	0.0057	ND
	Chloroethane	1	mg/Kg	0.0057	ND
	Chloroform	1	mg/Kg	0.0057	ND
	Chloromethane	1	mg/Kg	0.0057	ND
	cis-1,2-Dichloroethene	1	mg/Kg	0.0057	ND
	cis-1,3-Dichloropropene	1	mg/Kg	0.0057	ND
	Dibromochloromethane	1	mg/Kg	0.0057	ND
	Dichlorodifluoromethane	1	mg/Kg	0.0057	ND
	Ethylbenzene	1	mg/Kg	0.0011	0.0026
	Isopropylbenzene	1	mg/Kg	0.0011	ND
	m&p-Xylenes	1	mg/Kg	0.0023	0.0043
	Methylene chloride	1	mg/Kg	0.0057	ND
	Methyl-t-butyl ether	1	mg/Kg	0.0011	0.22
	n-Butylbenzene	1	mg/Kg	0.0011	ND
	n-Propylbenzene	1	mg/Kg	0.0011	ND
	o-Xylene	1	mg/Kg	0.0011	ND
	sec-Butylbenzene	1	mg/Kg	0.0011	ND
	Styrene	1	mg/Kg	0.0057	ND
	t-Butyl Alcohol	1	mg/Kg	0.029	0.40
	t-Butylbenzene	1	mg/Kg	0.0011	ND
	Tetrachloroethene	1	mg/Kg	0.0057	ND
	Toluene	1	mg/Kg	0.0011	0.0020
	trans-1,2-Dichloroethene	1	mg/Kg	0.0057	ND
	trans-1,3-dichloropropene	1	mg/Kg	0.0057	ND
	Trichloroethene	1	mg/Kg	0.0057	ND

ND = Not Detected

Lab#:	AC38082-002	SampleID:	SB-101/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	mg/Kg	0.0057	ND
		Vinyl chloride	1	mg/Kg	0.0057	ND

Lab#:	AC38082-003	SampleID:	SB-102/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-003	SB-102/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		91
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.092	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0055	ND
	Alpha-BHC	1	mg/Kg	0.0055	ND
	beta-BHC	1	mg/Kg	0.0055	ND
	Chlordane	1	mg/Kg	0.011	ND
	delta-BHC	1	mg/Kg	0.0055	ND
	Dieldrin	1	mg/Kg	0.0055	ND
	Endosulfan I	1	mg/Kg	0.0055	ND
	Endosulfan II	1	mg/Kg	0.0055	ND
	Endosulfan Sulfate	1	mg/Kg	0.0055	ND
	Endrin	1	mg/Kg	0.0055	ND
	Endrin Aldehyde	1	mg/Kg	0.0055	ND
	Endrin Ketone	1	mg/Kg	0.0055	ND
	Gamma-BHC	1	mg/Kg	0.0055	ND
	Heptachlor	1	mg/Kg	0.0055	ND
	Heptachlor Epoxide	1	mg/Kg	0.0055	ND
	Methoxychlor	1	mg/Kg	0.0055	ND
	p,p'-DDD	1	mg/Kg	0.0027	ND
	p,p'-DDE	1	mg/Kg	0.0027	ND
	p,p'-DDT	1	mg/Kg	0.0027	ND
	Toxaphene	1	mg/Kg	0.027	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.027	ND
	Aroclor-1221	1	mg/Kg	0.027	ND
	Aroclor-1232	1	mg/Kg	0.027	ND
	Aroclor-1242	1	mg/Kg	0.027	ND
	Aroclor-1248	1	mg/Kg	0.027	ND
	Aroclor-1254	1	mg/Kg	0.027	ND
	Aroclor-1260	1	mg/Kg	0.027	ND
	Aroclor-1262	1	mg/Kg	0.027	ND
	Aroclor-1268	1	mg/Kg	0.027	ND

ND = Not Detected

Lab#:	AC38082-003	SampleID:	SB-102/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.073	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.073	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.073	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.073	ND
	2,4-Dichlorophenol	1	mg/Kg	0.073	ND
	2,4-Dimethylphenol	1	mg/Kg	0.073	ND
	2,4-Dinitrophenol	1	mg/Kg	0.37	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.073	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.073	ND
	2-Chloronaphthalene	1	mg/Kg	0.073	ND
	2-Chlorophenol	1	mg/Kg	0.073	ND
	2-Methylnaphthalene	1	mg/Kg	0.073	2.6
	2-Methylphenol	1	mg/Kg	0.073	ND
	2-Nitroaniline	1	mg/Kg	0.073	ND
	2-Nitrophenol	1	mg/Kg	0.073	ND
	3&4-Methylphenol	1	mg/Kg	0.073	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.073	ND
	3-Nitroaniline	1	mg/Kg	0.073	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.37	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.073	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.073	ND
	4-Chloroaniline	1	mg/Kg	0.073	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.073	ND
	4-Nitroaniline	1	mg/Kg	0.073	ND
	4-Nitrophenol	1	mg/Kg	0.073	ND
	Acenaphthene	1	mg/Kg	0.073	ND
	Acenaphthylene	1	mg/Kg	0.073	ND
	Aniline	1	mg/Kg	0.073	ND
	Anthracene	1	mg/Kg	0.073	ND
	Benzidine	1	mg/Kg	0.073	ND
	Benzo[a]anthracene	1	mg/Kg	0.073	ND
	Benzo[a]pyrene	1	mg/Kg	0.073	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.073	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.073	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.073	ND
	Benzoic acid	1	mg/Kg	0.073	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.073	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.073	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.073	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.073	ND
	Butylbenzylphthalate	1	mg/Kg	0.073	ND
	Carbazole	1	mg/Kg	0.073	ND
	Chrysene	1	mg/Kg	0.073	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.073	ND
	Dibenzofuran	1	mg/Kg	0.073	ND
	Diethylphthalate	1	mg/Kg	0.073	ND
	Dimethylphthalate	1	mg/Kg	0.073	ND
	Di-n-butylphthalate	1	mg/Kg	0.073	ND
	Di-n-octylphthalate	1	mg/Kg	0.073	ND
	Fluoranthene	1	mg/Kg	0.073	ND
	Fluorene	1	mg/Kg	0.073	ND
	Hexachlorobenzene	1	mg/Kg	0.073	ND
	Hexachlorobutadiene	1	mg/Kg	0.073	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.37	ND
	Hexachloroethane	1	mg/Kg	0.073	ND

ND = Not Detected

Lab#:	AC38082-003	SampleID:	SB-102/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.073	ND
	Isophorone	1	mg/Kg	0.073	ND
	Naphthalene	1	mg/Kg	0.073	1.8
	Nitrobenzene	1	mg/Kg	0.073	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.073	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.073	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.073	ND
	Pentachlorophenol	1	mg/Kg	0.37	ND
	Phenanthrene	1	mg/Kg	0.073	ND
	Phenol	1	mg/Kg	0.073	ND
	Pyrene	1	mg/Kg	0.073	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	220	9800
	Antimony	100	mg/Kg	2.2	ND
	Arsenic	100	mg/Kg	2.2	ND
	Barium	100	mg/Kg	11	95
	Beryllium	100	mg/Kg	0.66	ND
	Cadmium	100	mg/Kg	0.66	ND
	Calcium	100	mg/Kg	1100	4700
	Chromium	100	mg/Kg	5.5	26
	Cobalt	100	mg/Kg	2.7	12
	Copper	100	mg/Kg	5.5	32
	Iron	100	mg/Kg	220	20000
	Lead	100	mg/Kg	5.5	7.4
	Magnesium	100	mg/Kg	550	5700
	Manganese	100	mg/Kg	11	290
	Nickel	100	mg/Kg	5.5	21
	Potassium	100	mg/Kg	550	3500
	Selenium	100	mg/Kg	2.0	ND
	Silver	100	mg/Kg	1.6	ND
	Sodium	100	mg/Kg	270	ND
	Thallium	100	mg/Kg	1.3	ND
	Vanadium	100	mg/Kg	11	35
	Zinc	100	mg/Kg	11	46

ND = Not Detected

Lab#:	AC38082-003	SampleID:	SB-102/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	5	mg/Kg	0.027	ND
	1,1,2,2-Tetrachloroethane	5	mg/Kg	0.027	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	5	mg/Kg	0.027	ND
	1,1,2-Trichloroethane	5	mg/Kg	0.027	ND
	1,1-Dichloroethane	5	mg/Kg	0.027	ND
	1,1-Dichloroethene	5	mg/Kg	0.027	ND
	1,2,3-Trichloropropane	5	mg/Kg	0.027	ND
	1,2,4-Trimethylbenzene	5	mg/Kg	0.0055	1.1
	1,2-Dichlorobenzene	5	mg/Kg	0.027	ND
	1,2-Dichloroethane	5	mg/Kg	0.027	ND
	1,2-Dichloropropane	5	mg/Kg	0.027	ND
	1,3,5-Trimethylbenzene	5	mg/Kg	0.0055	0.47
	1,3-Dichlorobenzene	5	mg/Kg	0.027	ND
	1,3-Dichloropropane	5	mg/Kg	0.027	ND
	1,4-Dichlorobenzene	5	mg/Kg	0.027	ND
	1,4-Dioxane	5	mg/Kg	1.4	ND
	2-Butanone	5	mg/Kg	0.027	ND
	2-Chloroethylvinylether	5	mg/Kg	0.027	ND
	2-Hexanone	5	mg/Kg	0.027	ND
	4-Isopropyltoluene	5	mg/Kg	0.0055	0.066
	4-Methyl-2-Pentanone	5	mg/Kg	0.027	ND
	Acetone	5	mg/Kg	0.14	0.17
	Acrolein	5	mg/Kg	0.14	ND
	Acrylonitrile	5	mg/Kg	0.027	ND
	Benzene	5	mg/Kg	0.0055	ND
	Bromodichloromethane	5	mg/Kg	0.027	ND
	Bromoform	5	mg/Kg	0.027	ND
	Bromomethane	5	mg/Kg	0.027	ND
	Carbon disulfide	5	mg/Kg	0.027	ND
	Carbon tetrachloride	5	mg/Kg	0.027	ND
	Chlorobenzene	5	mg/Kg	0.027	ND
	Chloroethane	5	mg/Kg	0.027	ND
	Chloroform	5	mg/Kg	0.027	ND
	Chloromethane	5	mg/Kg	0.027	ND
	cis-1,2-Dichloroethene	5	mg/Kg	0.027	ND
	cis-1,3-Dichloropropene	5	mg/Kg	0.027	ND
	Dibromochloromethane	5	mg/Kg	0.027	ND
	Dichlorodifluoromethane	5	mg/Kg	0.027	ND
	Ethylbenzene	5	mg/Kg	0.0055	0.28
	Isopropylbenzene	5	mg/Kg	0.0055	0.081
	m&p-Xylenes	5	mg/Kg	0.011	0.46
	Methylene chloride	5	mg/Kg	0.027	ND
	Methyl-t-butyl ether	5	mg/Kg	0.0055	ND
	n-Butylbenzene	5	mg/Kg	0.0055	0.15
	n-Propylbenzene	5	mg/Kg	0.0055	0.17
	o-Xylene	5	mg/Kg	0.0055	0.28
	sec-Butylbenzene	5	mg/Kg	0.0055	0.030
	Styrene	5	mg/Kg	0.027	ND
	t-Butyl Alcohol	5	mg/Kg	0.14	ND
	t-Butylbenzene	5	mg/Kg	0.0055	ND
	Tetrachloroethene	5	mg/Kg	0.027	ND
	Toluene	5	mg/Kg	0.0055	0.0059
	trans-1,2-Dichloroethene	5	mg/Kg	0.027	ND
	trans-1,3-dichloropropene	5	mg/Kg	0.027	ND
	Trichloroethene	5	mg/Kg	0.027	ND

ND = Not Detected

Lab#:	AC38082-003	SampleID:	SB-102/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	5	mg/Kg	0.027	ND
		Vinyl chloride	5	mg/Kg	0.027	ND

Lab#:	AC38082-004	SampleID:	SB-103/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-004	SB-103/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		78
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.11	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0064	ND
	Alpha-BHC	1	mg/Kg	0.0064	ND
	beta-BHC	1	mg/Kg	0.0064	ND
	Chlordane	1	mg/Kg	0.013	ND
	delta-BHC	1	mg/Kg	0.0064	ND
	Dieldrin	1	mg/Kg	0.0064	ND
	Endosulfan I	1	mg/Kg	0.0064	ND
	Endosulfan II	1	mg/Kg	0.0064	ND
	Endosulfan Sulfate	1	mg/Kg	0.0064	ND
	Endrin	1	mg/Kg	0.0064	ND
	Endrin Aldehyde	1	mg/Kg	0.0064	ND
	Endrin Ketone	1	mg/Kg	0.0064	ND
	Gamma-BHC	1	mg/Kg	0.0064	ND
	Heptachlor	1	mg/Kg	0.0064	ND
	Heptachlor Epoxide	1	mg/Kg	0.0064	ND
	Methoxychlor	1	mg/Kg	0.0064	ND
	p,p'-DDD	1	mg/Kg	0.0032	ND
	p,p'-DDE	1	mg/Kg	0.0032	ND
	p,p'-DDT	1	mg/Kg	0.0032	ND
	Toxaphene	1	mg/Kg	0.032	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.032	ND
	Aroclor-1221	1	mg/Kg	0.032	ND
	Aroclor-1232	1	mg/Kg	0.032	ND
	Aroclor-1242	1	mg/Kg	0.032	ND
	Aroclor-1248	1	mg/Kg	0.032	ND
	Aroclor-1254	1	mg/Kg	0.032	ND
	Aroclor-1260	1	mg/Kg	0.032	ND
	Aroclor-1262	1	mg/Kg	0.032	ND
	Aroclor-1268	1	mg/Kg	0.032	ND

ND = Not Detected

Lab#:	AC38082-004	SampleID:	SB-103/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.085	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.085	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.085	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.085	ND
	2,4-Dichlorophenol	1	mg/Kg	0.085	ND
	2,4-Dimethylphenol	1	mg/Kg	0.085	ND
	2,4-Dinitrophenol	1	mg/Kg	0.43	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.085	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.085	ND
	2-Chloronaphthalene	1	mg/Kg	0.085	ND
	2-Chlorophenol	1	mg/Kg	0.085	ND
	2-Methylnaphthalene	1	mg/Kg	0.085	ND
	2-Methylphenol	1	mg/Kg	0.085	ND
	2-Nitroaniline	1	mg/Kg	0.085	ND
	2-Nitrophenol	1	mg/Kg	0.085	ND
	3&4-Methylphenol	1	mg/Kg	0.085	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.085	ND
	3-Nitroaniline	1	mg/Kg	0.085	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.43	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.085	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.085	ND
	4-Chloroaniline	1	mg/Kg	0.085	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.085	ND
	4-Nitroaniline	1	mg/Kg	0.085	ND
	4-Nitrophenol	1	mg/Kg	0.085	ND
	Acenaphthene	1	mg/Kg	0.085	ND
	Acenaphthylene	1	mg/Kg	0.085	ND
	Aniline	1	mg/Kg	0.085	ND
	Anthracene	1	mg/Kg	0.085	ND
	Benzidine	1	mg/Kg	0.085	ND
	Benzo[a]anthracene	1	mg/Kg	0.085	ND
	Benzo[a]pyrene	1	mg/Kg	0.085	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.085	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.085	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.085	ND
	Benzoic acid	1	mg/Kg	0.085	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.085	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.085	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.085	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.085	ND
	Butylbenzylphthalate	1	mg/Kg	0.085	ND
	Carbazole	1	mg/Kg	0.085	ND
	Chrysene	1	mg/Kg	0.085	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.085	ND
	Dibenzofuran	1	mg/Kg	0.085	ND
	Diethylphthalate	1	mg/Kg	0.085	ND
	Dimethylphthalate	1	mg/Kg	0.085	ND
	Di-n-butylphthalate	1	mg/Kg	0.085	ND
	Di-n-octylphthalate	1	mg/Kg	0.085	ND
	Fluoranthene	1	mg/Kg	0.085	ND
	Fluorene	1	mg/Kg	0.085	ND
	Hexachlorobenzene	1	mg/Kg	0.085	ND
	Hexachlorobutadiene	1	mg/Kg	0.085	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.43	ND
	Hexachloroethane	1	mg/Kg	0.085	ND

ND = Not Detected

Lab#:	AC38082-004	SampleID:	SB-103/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.085	ND
	Isophorone	1	mg/Kg	0.085	ND
	Naphthalene	1	mg/Kg	0.085	ND
	Nitrobenzene	1	mg/Kg	0.085	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.085	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.085	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.085	ND
	Pentachlorophenol	1	mg/Kg	0.43	ND
	Phenanthrene	1	mg/Kg	0.085	ND
	Phenol	1	mg/Kg	0.085	ND
	Pyrene	1	mg/Kg	0.085	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	260	10000
	Antimony	100	mg/Kg	2.6	ND
	Arsenic	100	mg/Kg	2.6	2.9
	Barium	100	mg/Kg	13	90
	Beryllium	100	mg/Kg	0.77	ND
	Cadmium	100	mg/Kg	0.77	ND
	Calcium	100	mg/Kg	1300	2500
	Chromium	100	mg/Kg	6.4	29
	Cobalt	100	mg/Kg	3.2	11
	Copper	100	mg/Kg	6.4	49
	Iron	100	mg/Kg	260	24000
	Lead	100	mg/Kg	6.4	ND
	Magnesium	100	mg/Kg	640	5700
	Manganese	100	mg/Kg	13	240
	Nickel	100	mg/Kg	6.4	32
	Potassium	100	mg/Kg	640	3600
	Selenium	100	mg/Kg	2.3	ND
	Silver	100	mg/Kg	1.9	ND
	Sodium	100	mg/Kg	320	ND
	Thallium	100	mg/Kg	1.5	ND
	Vanadium	100	mg/Kg	13	69
	Zinc	100	mg/Kg	13	55

ND = Not Detected

Lab#:	AC38082-004	SampleID:	SB-103/12.5-15			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	1	mg/Kg	0.0064	ND	
	1,1,2,2-Tetrachloroethane	1	mg/Kg	0.0064	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	1	mg/Kg	0.0064	ND	
	1,1,2-Trichloroethane	1	mg/Kg	0.0064	ND	
	1,1-Dichloroethane	1	mg/Kg	0.0064	ND	
	1,1-Dichloroethene	1	mg/Kg	0.0064	ND	
	1,2,3-Trichloropropane	1	mg/Kg	0.0064	ND	
	1,2,4-Trimethylbenzene	1	mg/Kg	0.0013	ND	
	1,2-Dichlorobenzene	1	mg/Kg	0.0064	ND	
	1,2-Dichloroethane	1	mg/Kg	0.0064	ND	
	1,2-Dichloropropane	1	mg/Kg	0.0064	ND	
	1,3,5-Trimethylbenzene	1	mg/Kg	0.0013	ND	
	1,3-Dichlorobenzene	1	mg/Kg	0.0064	ND	
	1,3-Dichloropropane	1	mg/Kg	0.0064	ND	
	1,4-Dichlorobenzene	1	mg/Kg	0.0064	ND	
	1,4-Dioxane	1	mg/Kg	0.32	ND	
	2-Butanone	1	mg/Kg	0.0064	ND	
	2-Chloroethylvinylether	1	mg/Kg	0.0064	ND	
	2-Hexanone	1	mg/Kg	0.0064	ND	
	4-Isopropyltoluene	1	mg/Kg	0.0013	0.0033	
	4-Methyl-2-Pentanone	1	mg/Kg	0.0064	ND	
	Acetone	1	mg/Kg	0.032	0.078	
	Acrolein	1	mg/Kg	0.032	ND	
	Acrylonitrile	1	mg/Kg	0.0064	ND	
	Benzene	1	mg/Kg	0.0013	ND	
	Bromodichloromethane	1	mg/Kg	0.0064	ND	
	Bromoform	1	mg/Kg	0.0064	ND	
	Bromomethane	1	mg/Kg	0.0064	ND	
	Carbon disulfide	1	mg/Kg	0.0064	ND	
	Carbon tetrachloride	1	mg/Kg	0.0064	ND	
	Chlorobenzene	1	mg/Kg	0.0064	ND	
	Chloroethane	1	mg/Kg	0.0064	ND	
	Chloroform	1	mg/Kg	0.0064	ND	
	Chloromethane	1	mg/Kg	0.0064	ND	
	cis-1,2-Dichloroethene	1	mg/Kg	0.0064	ND	
	cis-1,3-Dichloropropene	1	mg/Kg	0.0064	ND	
	Dibromochloromethane	1	mg/Kg	0.0064	ND	
	Dichlorodifluoromethane	1	mg/Kg	0.0064	ND	
	Ethylbenzene	1	mg/Kg	0.0013	0.0031	
	Isopropylbenzene	1	mg/Kg	0.0013	0.029	
	m&p-Xylenes	1	mg/Kg	0.0026	0.0051	
	Methylene chloride	1	mg/Kg	0.0064	ND	
	Methyl-t-butyl ether	1	mg/Kg	0.0013	ND	
	n-Butylbenzene	1	mg/Kg	0.0013	0.017	
	n-Propylbenzene	1	mg/Kg	0.0013	0.058	
	o-Xylene	1	mg/Kg	0.0013	0.0014	
	sec-Butylbenzene	1	mg/Kg	0.0013	0.0094	
	Styrene	1	mg/Kg	0.0064	ND	
	t-Butyl Alcohol	1	mg/Kg	0.032	ND	
	t-Butylbenzene	1	mg/Kg	0.0013	ND	
	Tetrachloroethene	1	mg/Kg	0.0064	ND	
	Toluene	1	mg/Kg	0.0013	0.0020	
	trans-1,2-Dichloroethene	1	mg/Kg	0.0064	ND	
	trans-1,3-dichloropropene	1	mg/Kg	0.0064	ND	
	Trichloroethene	1	mg/Kg	0.0064	ND	

ND = Not Detected

Lab#:	AC38082-004	SampleID:	SB-103/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	mg/Kg	0.0064	ND
		Vinyl chloride	1	mg/Kg	0.0064	ND

Lab#:	AC38082-005	SampleID:	SB-104/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-005	SB-104/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		85
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.098	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0059	ND
	Alpha-BHC	1	mg/Kg	0.0059	ND
	beta-BHC	1	mg/Kg	0.0059	ND
	Chlordane	1	mg/Kg	0.012	ND
	delta-BHC	1	mg/Kg	0.0059	ND
	Dieldrin	1	mg/Kg	0.0059	ND
	Endosulfan I	1	mg/Kg	0.0059	ND
	Endosulfan II	1	mg/Kg	0.0059	ND
	Endosulfan Sulfate	1	mg/Kg	0.0059	ND
	Endrin	1	mg/Kg	0.0059	ND
	Endrin Aldehyde	1	mg/Kg	0.0059	ND
	Endrin Ketone	1	mg/Kg	0.0059	ND
	Gamma-BHC	1	mg/Kg	0.0059	ND
	Heptachlor	1	mg/Kg	0.0059	ND
	Heptachlor Epoxide	1	mg/Kg	0.0059	ND
	Methoxychlor	1	mg/Kg	0.0059	ND
	p,p'-DDD	1	mg/Kg	0.0029	ND
	p,p'-DDE	1	mg/Kg	0.0029	ND
	p,p'-DDT	1	mg/Kg	0.0029	ND
	Toxaphene	1	mg/Kg	0.029	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.029	ND
	Aroclor-1221	1	mg/Kg	0.029	ND
	Aroclor-1232	1	mg/Kg	0.029	ND
	Aroclor-1242	1	mg/Kg	0.029	ND
	Aroclor-1248	1	mg/Kg	0.029	ND
	Aroclor-1254	1	mg/Kg	0.029	ND
	Aroclor-1260	1	mg/Kg	0.029	ND
	Aroclor-1262	1	mg/Kg	0.029	ND
	Aroclor-1268	1	mg/Kg	0.029	ND

ND = Not Detected

Lab#:	AC38082-005	SampleID:	SB-104/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.078	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.078	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.078	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.078	ND
	2,4-Dichlorophenol	1	mg/Kg	0.078	ND
	2,4-Dimethylphenol	1	mg/Kg	0.078	ND
	2,4-Dinitrophenol	1	mg/Kg	0.39	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.078	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.078	ND
	2-Chloronaphthalene	1	mg/Kg	0.078	ND
	2-Chlorophenol	1	mg/Kg	0.078	ND
	2-Methylnaphthalene	1	mg/Kg	0.078	4.9
	2-Methylphenol	1	mg/Kg	0.078	ND
	2-Nitroaniline	1	mg/Kg	0.078	ND
	2-Nitrophenol	1	mg/Kg	0.078	ND
	3&4-Methylphenol	1	mg/Kg	0.078	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.078	ND
	3-Nitroaniline	1	mg/Kg	0.078	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.39	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.078	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.078	ND
	4-Chloroaniline	1	mg/Kg	0.078	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.078	ND
	4-Nitroaniline	1	mg/Kg	0.078	ND
	4-Nitrophenol	1	mg/Kg	0.078	ND
	Acenaphthene	1	mg/Kg	0.078	ND
	Acenaphthylene	1	mg/Kg	0.078	ND
	Aniline	1	mg/Kg	0.078	ND
	Anthracene	1	mg/Kg	0.078	ND
	Benzidine	1	mg/Kg	0.078	ND
	Benzo[a]anthracene	1	mg/Kg	0.078	ND
	Benzo[a]pyrene	1	mg/Kg	0.078	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.078	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.078	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.078	ND
	Benzoic acid	1	mg/Kg	0.078	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.078	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.078	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.078	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.078	ND
	Butylbenzylphthalate	1	mg/Kg	0.078	ND
	Carbazole	1	mg/Kg	0.078	ND
	Chrysene	1	mg/Kg	0.078	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.078	ND
	Dibenzofuran	1	mg/Kg	0.078	ND
	Diethylphthalate	1	mg/Kg	0.078	ND
	Dimethylphthalate	1	mg/Kg	0.078	ND
	Di-n-butylphthalate	1	mg/Kg	0.078	ND
	Di-n-octylphthalate	1	mg/Kg	0.078	ND
	Fluoranthene	1	mg/Kg	0.078	ND
	Fluorene	1	mg/Kg	0.078	ND
	Hexachlorobenzene	1	mg/Kg	0.078	ND
	Hexachlorobutadiene	1	mg/Kg	0.078	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.39	ND
	Hexachloroethane	1	mg/Kg	0.078	ND

ND = Not Detected

Lab#:	AC38082-005	SampleID:	SB-104/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.078	ND
	Isophorone	1	mg/Kg	0.078	ND
	Naphthalene	1	mg/Kg	0.078	2.8
	Nitrobenzene	1	mg/Kg	0.078	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.078	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.078	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.078	ND
	Pentachlorophenol	1	mg/Kg	0.39	ND
	Phenanthrene	1	mg/Kg	0.078	ND
	Phenol	1	mg/Kg	0.078	ND
	Pyrene	1	mg/Kg	0.078	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	240	11000
	Antimony	100	mg/Kg	2.4	ND
	Arsenic	100	mg/Kg	2.4	ND
	Barium	100	mg/Kg	12	59
	Beryllium	100	mg/Kg	0.71	ND
	Cadmium	100	mg/Kg	0.71	ND
	Calcium	100	mg/Kg	1200	1700
	Chromium	100	mg/Kg	5.9	50
	Cobalt	100	mg/Kg	2.9	15
	Copper	100	mg/Kg	5.9	39
	Iron	100	mg/Kg	240	20000
	Lead	100	mg/Kg	5.9	10
	Magnesium	100	mg/Kg	590	8100
	Manganese	100	mg/Kg	12	300
	Nickel	100	mg/Kg	5.9	72
	Potassium	100	mg/Kg	590	1700
	Selenium	100	mg/Kg	2.1	ND
	Silver	100	mg/Kg	1.8	ND
	Sodium	100	mg/Kg	290	ND
	Thallium	100	mg/Kg	1.4	ND
	Vanadium	100	mg/Kg	12	43
	Zinc	100	mg/Kg	12	73

ND = Not Detected

Lab#:	AC38082-005	SampleID:	SB-104/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	100	mg/Kg	0.12	ND
	1,1,2,2-Tetrachloroethane	100	mg/Kg	0.12	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	100	mg/Kg	0.12	ND
	1,1,2-Trichloroethane	100	mg/Kg	0.12	ND
	1,1-Dichloroethane	100	mg/Kg	0.12	ND
	1,1-Dichloroethene	100	mg/Kg	0.12	ND
	1,2,3-Trichloropropane	100	mg/Kg	0.12	ND
	1,2,4-Trimethylbenzene	100	mg/Kg	0.12	ND
	1,2-Dichlorobenzene	100	mg/Kg	0.12	ND
	1,2-Dichloroethane	100	mg/Kg	0.059	ND
	1,2-Dichloropropane	100	mg/Kg	0.12	ND
	1,3,5-Trimethylbenzene	100	mg/Kg	0.12	ND
	1,3-Dichlorobenzene	100	mg/Kg	0.12	ND
	1,3-Dichloropropane	100	mg/Kg	0.12	ND
	1,4-Dichlorobenzene	100	mg/Kg	0.12	ND
	1,4-Dioxane	100	mg/Kg	5.9	ND
	2-Butanone	100	mg/Kg	0.12	ND
	2-Chloroethylvinylether	100	mg/Kg	0.12	ND
	2-Hexanone	100	mg/Kg	0.12	ND
	4-Isopropyltoluene	100	mg/Kg	0.12	0.71
	4-Methyl-2-Pentanone	100	mg/Kg	0.12	ND
	Acetone	100	mg/Kg	0.59	ND
	Acrolein	100	mg/Kg	0.59	ND
	Acrylonitrile	100	mg/Kg	0.12	ND
	Benzene	100	mg/Kg	0.059	ND
	Bromodichloromethane	100	mg/Kg	0.12	ND
	Bromoform	100	mg/Kg	0.12	ND
	Bromomethane	100	mg/Kg	0.12	ND
	Carbon disulfide	100	mg/Kg	0.12	ND
	Carbon tetrachloride	100	mg/Kg	0.12	ND
	Chlorobenzene	100	mg/Kg	0.12	ND
	Chloroethane	100	mg/Kg	0.12	ND
	Chloroform	100	mg/Kg	0.12	ND
	Chloromethane	100	mg/Kg	0.12	ND
	cis-1,2-Dichloroethene	100	mg/Kg	0.12	ND
	cis-1,3-Dichloropropene	100	mg/Kg	0.12	ND
	Dibromochloromethane	100	mg/Kg	0.12	ND
	Dichlorodifluoromethane	100	mg/Kg	0.12	ND
	Ethylbenzene	100	mg/Kg	0.12	0.92
	Isopropylbenzene	100	mg/Kg	0.12	0.97
	m&p-Xylenes	100	mg/Kg	0.24	ND
	Methylene chloride	100	mg/Kg	0.12	ND
	Methyl-t-butyl ether	100	mg/Kg	0.12	ND
	n-Butylbenzene	100	mg/Kg	0.12	2.0
	n-Propylbenzene	100	mg/Kg	0.12	2.8
	o-Xylene	100	mg/Kg	0.12	ND
	sec-Butylbenzene	100	mg/Kg	0.12	0.72
	Styrene	100	mg/Kg	0.12	ND
	t-Butyl Alcohol	100	mg/Kg	0.59	ND
	t-Butylbenzene	100	mg/Kg	0.12	ND
	Tetrachloroethene	100	mg/Kg	0.12	ND
	Toluene	100	mg/Kg	0.12	ND
	trans-1,2-Dichloroethene	100	mg/Kg	0.12	ND
	trans-1,3-dichloropropene	100	mg/Kg	0.12	ND
	Trichloroethene	100	mg/Kg	0.12	ND

ND = Not Detected

Lab#:	AC38082-005	SampleID:	SB-104/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	100	mg/Kg	0.12	ND
		Vinyl chloride	100	mg/Kg	0.12	ND

Lab#:	AC38082-006	SampleID:	SB-105/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-006	SB-105/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		84
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.099	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0060	ND
	Alpha-BHC	1	mg/Kg	0.0060	ND
	beta-BHC	1	mg/Kg	0.0060	ND
	Chlordane	1	mg/Kg	0.012	ND
	delta-BHC	1	mg/Kg	0.0060	ND
	Dieldrin	1	mg/Kg	0.0060	ND
	Endosulfan I	1	mg/Kg	0.0060	ND
	Endosulfan II	1	mg/Kg	0.0060	ND
	Endosulfan Sulfate	1	mg/Kg	0.0060	ND
	Endrin	1	mg/Kg	0.0060	ND
	Endrin Aldehyde	1	mg/Kg	0.0060	ND
	Endrin Ketone	1	mg/Kg	0.0060	ND
	Gamma-BHC	1	mg/Kg	0.0060	ND
	Heptachlor	1	mg/Kg	0.0060	ND
	Heptachlor Epoxide	1	mg/Kg	0.0060	ND
	Methoxychlor	1	mg/Kg	0.0060	ND
	p,p'-DDD	1	mg/Kg	0.0030	ND
	p,p'-DDE	1	mg/Kg	0.0030	ND
	p,p'-DDT	1	mg/Kg	0.0030	ND
	Toxaphene	1	mg/Kg	0.030	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.030	ND
	Aroclor-1221	1	mg/Kg	0.030	ND
	Aroclor-1232	1	mg/Kg	0.030	ND
	Aroclor-1242	1	mg/Kg	0.030	ND
	Aroclor-1248	1	mg/Kg	0.030	ND
	Aroclor-1254	1	mg/Kg	0.030	ND
	Aroclor-1260	1	mg/Kg	0.030	ND
	Aroclor-1262	1	mg/Kg	0.030	ND
	Aroclor-1268	1	mg/Kg	0.030	ND

ND = Not Detected

Lab#:	AC38082-006	SampleID:	SB-105/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.079	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.079	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.079	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.079	ND
	2,4-Dichlorophenol	1	mg/Kg	0.079	ND
	2,4-Dimethylphenol	1	mg/Kg	0.079	ND
	2,4-Dinitrophenol	1	mg/Kg	0.40	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.079	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.079	ND
	2-Chloronaphthalene	1	mg/Kg	0.079	ND
	2-Chlorophenol	1	mg/Kg	0.079	ND
	2-Methylnaphthalene	1	mg/Kg	0.079	ND
	2-Methylphenol	1	mg/Kg	0.079	ND
	2-Nitroaniline	1	mg/Kg	0.079	ND
	2-Nitrophenol	1	mg/Kg	0.079	ND
	3&4-Methylphenol	1	mg/Kg	0.079	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.079	ND
	3-Nitroaniline	1	mg/Kg	0.079	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.40	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.079	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.079	ND
	4-Chloroaniline	1	mg/Kg	0.079	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.079	ND
	4-Nitroaniline	1	mg/Kg	0.079	ND
	4-Nitrophenol	1	mg/Kg	0.079	ND
	Acenaphthene	1	mg/Kg	0.079	ND
	Acenaphthylene	1	mg/Kg	0.079	ND
	Aniline	1	mg/Kg	0.079	ND
	Anthracene	1	mg/Kg	0.079	ND
	Benzidine	1	mg/Kg	0.079	ND
	Benzo[a]anthracene	1	mg/Kg	0.079	ND
	Benzo[a]pyrene	1	mg/Kg	0.079	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.079	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.079	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.079	ND
	Benzoic acid	1	mg/Kg	0.079	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.079	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.079	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.079	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.079	ND
	Butylbenzylphthalate	1	mg/Kg	0.079	ND
	Carbazole	1	mg/Kg	0.079	ND
	Chrysene	1	mg/Kg	0.079	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.079	ND
	Dibenzofuran	1	mg/Kg	0.079	ND
	Diethylphthalate	1	mg/Kg	0.079	ND
	Dimethylphthalate	1	mg/Kg	0.079	ND
	Di-n-butylphthalate	1	mg/Kg	0.079	ND
	Di-n-octylphthalate	1	mg/Kg	0.079	ND
	Fluoranthene	1	mg/Kg	0.079	ND
	Fluorene	1	mg/Kg	0.079	ND
	Hexachlorobenzene	1	mg/Kg	0.079	ND
	Hexachlorobutadiene	1	mg/Kg	0.079	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.40	ND
	Hexachloroethane	1	mg/Kg	0.079	ND

ND = Not Detected

Lab#:	AC38082-006	SampleID:	SB-105/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.079	ND
	Isophorone	1	mg/Kg	0.079	ND
	Naphthalene	1	mg/Kg	0.079	ND
	Nitrobenzene	1	mg/Kg	0.079	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.079	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.079	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.079	ND
	Pentachlorophenol	1	mg/Kg	0.40	ND
	Phenanthrene	1	mg/Kg	0.079	ND
	Phenol	1	mg/Kg	0.079	ND
	Pyrene	1	mg/Kg	0.079	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	240	4100
	Antimony	100	mg/Kg	2.4	ND
	Arsenic	100	mg/Kg	2.4	ND
	Barium	100	mg/Kg	12	31
	Beryllium	100	mg/Kg	0.71	ND
	Cadmium	100	mg/Kg	0.71	ND
	Calcium	100	mg/Kg	1200	ND
	Chromium	100	mg/Kg	6.0	12
	Cobalt	100	mg/Kg	3.0	3.9
	Copper	100	mg/Kg	6.0	8.6
	Iron	100	mg/Kg	240	8000
	Lead	100	mg/Kg	6.0	ND
	Magnesium	100	mg/Kg	600	2100
	Manganese	100	mg/Kg	12	100
	Nickel	100	mg/Kg	6.0	8.2
	Potassium	100	mg/Kg	600	1700
	Selenium	100	mg/Kg	2.1	ND
	Silver	100	mg/Kg	1.8	ND
	Sodium	100	mg/Kg	300	ND
	Thallium	100	mg/Kg	1.4	ND
	Vanadium	100	mg/Kg	12	16
	Zinc	100	mg/Kg	12	20

ND = Not Detected

Lab#:	AC38082-006	SampleID:	SB-105/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	1	mg/Kg	0.0060	ND
	1,1,2,2-Tetrachloroethane	1	mg/Kg	0.0060	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	1	mg/Kg	0.0060	ND
	1,1,2-Trichloroethane	1	mg/Kg	0.0060	ND
	1,1-Dichloroethane	1	mg/Kg	0.0060	ND
	1,1-Dichloroethene	1	mg/Kg	0.0060	ND
	1,2,3-Trichloropropane	1	mg/Kg	0.0060	ND
	1,2,4-Trimethylbenzene	1	mg/Kg	0.0012	ND
	1,2-Dichlorobenzene	1	mg/Kg	0.0060	ND
	1,2-Dichloroethane	1	mg/Kg	0.0060	ND
	1,2-Dichloropropane	1	mg/Kg	0.0060	ND
	1,3,5-Trimethylbenzene	1	mg/Kg	0.0012	ND
	1,3-Dichlorobenzene	1	mg/Kg	0.0060	ND
	1,3-Dichloropropane	1	mg/Kg	0.0060	ND
	1,4-Dichlorobenzene	1	mg/Kg	0.0060	ND
	1,4-Dioxane	1	mg/Kg	0.30	ND
	2-Butanone	1	mg/Kg	0.0060	ND
	2-Chloroethylvinylether	1	mg/Kg	0.0060	ND
	2-Hexanone	1	mg/Kg	0.0060	ND
	4-Isopropyltoluene	1	mg/Kg	0.0012	ND
	4-Methyl-2-Pentanone	1	mg/Kg	0.0060	ND
	Acetone	1	mg/Kg	0.030	ND
	Acrolein	1	mg/Kg	0.030	ND
	Acrylonitrile	1	mg/Kg	0.0060	ND
	Benzene	1	mg/Kg	0.0012	ND
	Bromodichloromethane	1	mg/Kg	0.0060	ND
	Bromoform	1	mg/Kg	0.0060	ND
	Bromomethane	1	mg/Kg	0.0060	ND
	Carbon disulfide	1	mg/Kg	0.0060	ND
	Carbon tetrachloride	1	mg/Kg	0.0060	ND
	Chlorobenzene	1	mg/Kg	0.0060	ND
	Chloroethane	1	mg/Kg	0.0060	ND
	Chloroform	1	mg/Kg	0.0060	ND
	Chloromethane	1	mg/Kg	0.0060	ND
	cis-1,2-Dichloroethene	1	mg/Kg	0.0060	ND
	cis-1,3-Dichloropropene	1	mg/Kg	0.0060	ND
	Dibromochloromethane	1	mg/Kg	0.0060	ND
	Dichlorodifluoromethane	1	mg/Kg	0.0060	ND
	Ethylbenzene	1	mg/Kg	0.0012	ND
	Isopropylbenzene	1	mg/Kg	0.0012	ND
	m&p-Xylenes	1	mg/Kg	0.0024	ND
	Methylene chloride	1	mg/Kg	0.0060	ND
	Methyl-t-butyl ether	1	mg/Kg	0.0012	ND
	n-Butylbenzene	1	mg/Kg	0.0012	ND
	n-Propylbenzene	1	mg/Kg	0.0012	ND
	o-Xylene	1	mg/Kg	0.0012	ND
	sec-Butylbenzene	1	mg/Kg	0.0012	ND
	Styrene	1	mg/Kg	0.0060	ND
	t-Butyl Alcohol	1	mg/Kg	0.030	ND
	t-Butylbenzene	1	mg/Kg	0.0012	ND
	Tetrachloroethene	1	mg/Kg	0.0060	ND
	Toluene	1	mg/Kg	0.0012	ND
	trans-1,2-Dichloroethene	1	mg/Kg	0.0060	ND
	trans-1,3-dichloropropene	1	mg/Kg	0.0060	ND
	Trichloroethene	1	mg/Kg	0.0060	ND

ND = Not Detected

Lab#:	AC38082-006	SampleID:	SB-105/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	mg/Kg	0.0060	ND
		Vinyl chloride	1	mg/Kg	0.0060	ND

Lab#:	AC38082-007	SampleID:	SB-106/7.5-10		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-007	SB-106/7.5-10				
	% Solids SM2540G				
	% Solids	1	Percent		89
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.094	0.18
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0056	ND
	Alpha-BHC	1	mg/Kg	0.0056	ND
	beta-BHC	1	mg/Kg	0.0056	ND
	Chlordane	1	mg/Kg	0.011	ND
	delta-BHC	1	mg/Kg	0.0056	ND
	Dieldrin	1	mg/Kg	0.0056	ND
	Endosulfan I	1	mg/Kg	0.0056	ND
	Endosulfan II	1	mg/Kg	0.0056	ND
	Endosulfan Sulfate	1	mg/Kg	0.0056	ND
	Endrin	1	mg/Kg	0.0056	ND
	Endrin Aldehyde	1	mg/Kg	0.0056	ND
	Endrin Ketone	1	mg/Kg	0.0056	ND
	Gamma-BHC	1	mg/Kg	0.0056	ND
	Heptachlor	1	mg/Kg	0.0056	ND
	Heptachlor Epoxide	1	mg/Kg	0.0056	ND
	Methoxychlor	1	mg/Kg	0.0056	ND
	p,p'-DDD	1	mg/Kg	0.0028	ND
	p,p'-DDE	1	mg/Kg	0.0028	ND
	p,p'-DDT	1	mg/Kg	0.0028	ND
	Toxaphene	1	mg/Kg	0.028	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.028	ND
	Aroclor-1221	1	mg/Kg	0.028	ND
	Aroclor-1232	1	mg/Kg	0.028	ND
	Aroclor-1242	1	mg/Kg	0.028	ND
	Aroclor-1248	1	mg/Kg	0.028	ND
	Aroclor-1254	1	mg/Kg	0.028	ND
	Aroclor-1260	1	mg/Kg	0.028	ND
	Aroclor-1262	1	mg/Kg	0.028	ND
	Aroclor-1268	1	mg/Kg	0.028	ND

ND = Not Detected

Lab#:	AC38082-007	SampleID:	SB-106/7.5-10	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	10	mg/Kg	0.75	ND
	1,2-Diphenylhydrazine	10	mg/Kg	0.75	ND
	2,4,5-Trichlorophenol	10	mg/Kg	0.75	ND
	2,4,6-Trichlorophenol	10	mg/Kg	0.75	ND
	2,4-Dichlorophenol	10	mg/Kg	0.75	ND
	2,4-Dimethylphenol	10	mg/Kg	0.75	ND
	2,4-Dinitrophenol	10	mg/Kg	3.7	ND
	2,4-Dinitrotoluene	10	mg/Kg	0.75	ND
	2,6-Dinitrotoluene	10	mg/Kg	0.75	ND
	2-Chloronaphthalene	10	mg/Kg	0.75	ND
	2-Chlorophenol	10	mg/Kg	0.75	ND
	2-Methylnaphthalene	10	mg/Kg	0.75	19
	2-Methylphenol	10	mg/Kg	0.75	ND
	2-Nitroaniline	10	mg/Kg	0.75	ND
	2-Nitrophenol	10	mg/Kg	0.75	ND
	3&4-Methylphenol	10	mg/Kg	0.75	ND
	3,3'-Dichlorobenzidine	10	mg/Kg	0.75	ND
	3-Nitroaniline	10	mg/Kg	0.75	ND
	4,6-Dinitro-2-methylphenol	10	mg/Kg	3.7	ND
	4-Bromophenyl-phenylether	10	mg/Kg	0.75	ND
	4-Chloro-3-methylphenol	10	mg/Kg	0.75	ND
	4-Chloroaniline	10	mg/Kg	0.75	ND
	4-Chlorophenyl-phenylether	10	mg/Kg	0.75	ND
	4-Nitroaniline	10	mg/Kg	0.75	ND
	4-Nitrophenol	10	mg/Kg	0.75	ND
	Acenaphthene	10	mg/Kg	0.75	ND
	Acenaphthylene	10	mg/Kg	0.75	ND
	Aniline	10	mg/Kg	0.75	ND
	Anthracene	10	mg/Kg	0.75	ND
	Benzidine	10	mg/Kg	0.75	ND
	Benzo[a]anthracene	10	mg/Kg	0.75	ND
	Benzo[a]pyrene	10	mg/Kg	0.75	ND
	Benzo[b]fluoranthene	10	mg/Kg	0.75	ND
	Benzo[g,h,i]perylene	10	mg/Kg	0.75	ND
	Benzo[k]fluoranthene	10	mg/Kg	0.75	ND
	Benzoic acid	10	mg/Kg	3.7	ND
	Bis(2-Chloroethoxy)methane	10	mg/Kg	0.75	ND
	Bis(2-Chloroethyl)ether	10	mg/Kg	0.75	ND
	Bis(2-Chloroisopropyl)ether	10	mg/Kg	0.75	ND
	Bis(2-Ethylhexyl)phthalate	10	mg/Kg	0.75	3.2
	Butylbenzylphthalate	10	mg/Kg	0.75	ND
	Carbazole	10	mg/Kg	0.75	ND
	Chrysene	10	mg/Kg	0.75	ND
	Dibenzo[a,h]anthracene	10	mg/Kg	0.75	ND
	Dibenzofuran	10	mg/Kg	0.75	ND
	Diethylphthalate	10	mg/Kg	0.75	ND
	Dimethylphthalate	10	mg/Kg	0.75	ND
	Di-n-butylphthalate	10	mg/Kg	0.75	ND
	Di-n-octylphthalate	10	mg/Kg	0.75	ND
	Fluoranthene	10	mg/Kg	0.75	1.6
	Fluorene	10	mg/Kg	0.75	ND
	Hexachlorobenzene	10	mg/Kg	0.75	ND
	Hexachlorobutadiene	10	mg/Kg	0.75	ND
	Hexachlorocyclopentadiene	10	mg/Kg	3.7	ND
	Hexachloroethane	10	mg/Kg	0.75	ND

ND = Not Detected

Lab#:	AC38082-007	SampleID:	SB-106/7.5-10	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	10	mg/Kg	0.75	ND
	Isophorone	10	mg/Kg	0.75	ND
	Naphthalene	10	mg/Kg	0.75	25
	Nitrobenzene	10	mg/Kg	0.75	ND
	N-Nitrosodimethylamine	10	mg/Kg	0.75	ND
	N-Nitroso-di-n-propylamine	10	mg/Kg	0.75	ND
	N-Nitrosodiphenylamine	10	mg/Kg	0.75	ND
	Pentachlorophenol	10	mg/Kg	3.7	ND
	Phenanthrene	10	mg/Kg	0.75	1.9
	Phenol	10	mg/Kg	0.75	ND
	Pyrene	10	mg/Kg	0.75	1.7
TAL Metals 6010					
	Aluminum	100	mg/Kg	220	8500
	Antimony	100	mg/Kg	2.2	15
	Arsenic	100	mg/Kg	2.2	4.5
	Barium	100	mg/Kg	11	150
	Beryllium	100	mg/Kg	0.67	ND
	Cadmium	100	mg/Kg	0.67	ND
	Calcium	100	mg/Kg	1100	2300
	Chromium	100	mg/Kg	5.6	21
	Cobalt	100	mg/Kg	2.8	6.9
	Copper	100	mg/Kg	5.6	270
	Iron	100	mg/Kg	220	20000
	Lead	100	mg/Kg	5.6	490
	Magnesium	100	mg/Kg	560	2100
	Manganese	100	mg/Kg	11	210
	Nickel	100	mg/Kg	5.6	22
	Potassium	100	mg/Kg	560	1100
	Selenium	100	mg/Kg	2.0	ND
	Silver	100	mg/Kg	1.7	ND
	Sodium	100	mg/Kg	280	ND
	Thallium	100	mg/Kg	1.3	ND
	Vanadium	100	mg/Kg	11	26
	Zinc	100	mg/Kg	11	270

ND = Not Detected

Lab#:	AC38082-007	SampleID:	SB-106/7.5-10			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	2000	mg/Kg	2.2	ND	
	1,1,2,2-Tetrachloroethane	2000	mg/Kg	2.2	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	2000	mg/Kg	2.2	ND	
	1,1,2-Trichloroethane	2000	mg/Kg	2.2	ND	
	1,1-Dichloroethane	2000	mg/Kg	2.2	ND	
	1,1-Dichloroethene	2000	mg/Kg	2.2	ND	
	1,2,3-Trichloropropane	2000	mg/Kg	2.2	ND	
	1,2,4-Trimethylbenzene	2000	mg/Kg	2.2	310	
	1,2-Dichlorobenzene	2000	mg/Kg	2.2	ND	
	1,2-Dichloroethane	2000	mg/Kg	1.1	ND	
	1,2-Dichloropropane	2000	mg/Kg	2.2	ND	
	1,3,5-Trimethylbenzene	2000	mg/Kg	2.2	110	
	1,3-Dichlorobenzene	2000	mg/Kg	2.2	ND	
	1,3-Dichloropropane	2000	mg/Kg	2.2	ND	
	1,4-Dichlorobenzene	2000	mg/Kg	2.2	ND	
	1,4-Dioxane	2000	mg/Kg	110	ND	
	2-Butanone	2000	mg/Kg	2.2	ND	
	2-Chloroethylvinylether	2000	mg/Kg	2.2	ND	
	2-Hexanone	2000	mg/Kg	2.2	ND	
	4-Isopropyltoluene	2000	mg/Kg	2.2	5.8	
	4-Methyl-2-Pentanone	2000	mg/Kg	2.2	ND	
	Acetone	2000	mg/Kg	11	ND	
	Acrolein	2000	mg/Kg	11	ND	
	Acrylonitrile	2000	mg/Kg	2.2	ND	
	Benzene	2000	mg/Kg	1.1	23	
	Bromodichloromethane	2000	mg/Kg	2.2	ND	
	Bromoform	2000	mg/Kg	2.2	ND	
	Bromomethane	2000	mg/Kg	2.2	ND	
	Carbon disulfide	2000	mg/Kg	2.2	ND	
	Carbon tetrachloride	2000	mg/Kg	2.2	ND	
	Chlorobenzene	2000	mg/Kg	2.2	ND	
	Chloroethane	2000	mg/Kg	2.2	ND	
	Chloroform	2000	mg/Kg	2.2	ND	
	Chloromethane	2000	mg/Kg	2.2	ND	
	cis-1,2-Dichloroethene	2000	mg/Kg	2.2	ND	
	cis-1,3-Dichloropropene	2000	mg/Kg	2.2	ND	
	Dibromochloromethane	2000	mg/Kg	2.2	ND	
	Dichlorodifluoromethane	2000	mg/Kg	2.2	ND	
	Ethylbenzene	2000	mg/Kg	2.2	77	
	Isopropylbenzene	2000	mg/Kg	2.2	10	
	m&p-Xylenes	2000	mg/Kg	4.5	340	
	Methylene chloride	2000	mg/Kg	2.2	ND	
	Methyl-t-butyl ether	2000	mg/Kg	2.2	ND	
	n-Butylbenzene	2000	mg/Kg	2.2	30	
	n-Propylbenzene	2000	mg/Kg	2.2	38	
	o-Xylene	2000	mg/Kg	2.2	130	
	sec-Butylbenzene	2000	mg/Kg	2.2	5.9	
	Styrene	2000	mg/Kg	2.2	ND	
	t-Butyl Alcohol	2000	mg/Kg	11	ND	
	t-Butylbenzene	2000	mg/Kg	2.2	ND	
	Tetrachloroethene	2000	mg/Kg	2.2	ND	
	Toluene	2000	mg/Kg	2.2	120	
	trans-1,2-Dichloroethene	2000	mg/Kg	2.2	ND	
	trans-1,3-dichloropropene	2000	mg/Kg	2.2	ND	
	Trichloroethene	2000	mg/Kg	2.2	ND	

ND = Not Detected

Lab#:	AC38082-007	SampleID:	SB-106/7.5-10	DRAFT		
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	2000	mg/Kg	2.2	ND
		Vinyl chloride	2000	mg/Kg	2.2	ND

Lab#:	AC38082-008	SampleID:	SB-107/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-008	SB-107/12.5-15				
	% Solids SM2540G				
	% Solids	1	Percent		78
	Mercury (Soil/Waste) 7471A				
	Mercury	167	mg/Kg	0.11	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	mg/Kg	0.0064	ND
	Alpha-BHC	1	mg/Kg	0.0064	ND
	beta-BHC	1	mg/Kg	0.0064	ND
	Chlordane	1	mg/Kg	0.013	ND
	delta-BHC	1	mg/Kg	0.0064	ND
	Dieldrin	1	mg/Kg	0.0064	ND
	Endosulfan I	1	mg/Kg	0.0064	ND
	Endosulfan II	1	mg/Kg	0.0064	ND
	Endosulfan Sulfate	1	mg/Kg	0.0064	ND
	Endrin	1	mg/Kg	0.0064	ND
	Endrin Aldehyde	1	mg/Kg	0.0064	ND
	Endrin Ketone	1	mg/Kg	0.0064	ND
	Gamma-BHC	1	mg/Kg	0.0064	ND
	Heptachlor	1	mg/Kg	0.0064	ND
	Heptachlor Epoxide	1	mg/Kg	0.0064	ND
	Methoxychlor	1	mg/Kg	0.0064	ND
	p,p'-DDD	1	mg/Kg	0.0032	ND
	p,p'-DDE	1	mg/Kg	0.0032	ND
	p,p'-DDT	1	mg/Kg	0.0032	ND
	Toxaphene	1	mg/Kg	0.032	ND
	PCB 8082				
	Aroclor-1016	1	mg/Kg	0.032	ND
	Aroclor-1221	1	mg/Kg	0.032	ND
	Aroclor-1232	1	mg/Kg	0.032	ND
	Aroclor-1242	1	mg/Kg	0.032	ND
	Aroclor-1248	1	mg/Kg	0.032	ND
	Aroclor-1254	1	mg/Kg	0.032	ND
	Aroclor-1260	1	mg/Kg	0.032	ND
	Aroclor-1262	1	mg/Kg	0.032	ND
	Aroclor-1268	1	mg/Kg	0.032	ND

ND = Not Detected

Lab#:	AC38082-008	SampleID:	SB-107/12.5-15		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	mg/Kg	0.085	ND
	1,2-Diphenylhydrazine	1	mg/Kg	0.085	ND
	2,4,5-Trichlorophenol	1	mg/Kg	0.085	ND
	2,4,6-Trichlorophenol	1	mg/Kg	0.085	ND
	2,4-Dichlorophenol	1	mg/Kg	0.085	ND
	2,4-Dimethylphenol	1	mg/Kg	0.085	ND
	2,4-Dinitrophenol	1	mg/Kg	0.43	ND
	2,4-Dinitrotoluene	1	mg/Kg	0.085	ND
	2,6-Dinitrotoluene	1	mg/Kg	0.085	ND
	2-Chloronaphthalene	1	mg/Kg	0.085	ND
	2-Chlorophenol	1	mg/Kg	0.085	ND
	2-Methylnaphthalene	1	mg/Kg	0.085	1.6
	2-Methylphenol	1	mg/Kg	0.085	ND
	2-Nitroaniline	1	mg/Kg	0.085	ND
	2-Nitrophenol	1	mg/Kg	0.085	ND
	3&4-Methylphenol	1	mg/Kg	0.085	ND
	3,3'-Dichlorobenzidine	1	mg/Kg	0.085	ND
	3-Nitroaniline	1	mg/Kg	0.085	ND
	4,6-Dinitro-2-methylphenol	1	mg/Kg	0.43	ND
	4-Bromophenyl-phenylether	1	mg/Kg	0.085	ND
	4-Chloro-3-methylphenol	1	mg/Kg	0.085	ND
	4-Chloroaniline	1	mg/Kg	0.085	ND
	4-Chlorophenyl-phenylether	1	mg/Kg	0.085	ND
	4-Nitroaniline	1	mg/Kg	0.085	ND
	4-Nitrophenol	1	mg/Kg	0.085	ND
	Acenaphthene	1	mg/Kg	0.085	ND
	Acenaphthylene	1	mg/Kg	0.085	ND
	Aniline	1	mg/Kg	0.085	ND
	Anthracene	1	mg/Kg	0.085	ND
	Benzidine	1	mg/Kg	0.085	ND
	Benzo[a]anthracene	1	mg/Kg	0.085	ND
	Benzo[a]pyrene	1	mg/Kg	0.085	ND
	Benzo[b]fluoranthene	1	mg/Kg	0.085	ND
	Benzo[g,h,i]perylene	1	mg/Kg	0.085	ND
	Benzo[k]fluoranthene	1	mg/Kg	0.085	ND
	Benzoic acid	1	mg/Kg	0.085	ND
	Bis(2-Chloroethoxy)methane	1	mg/Kg	0.085	ND
	Bis(2-Chloroethyl)ether	1	mg/Kg	0.085	ND
	Bis(2-Chloroisopropyl)ether	1	mg/Kg	0.085	ND
	Bis(2-Ethylhexyl)phthalate	1	mg/Kg	0.085	ND
	Butylbenzylphthalate	1	mg/Kg	0.085	ND
	Carbazole	1	mg/Kg	0.085	ND
	Chrysene	1	mg/Kg	0.085	ND
	Dibenzo[a,h]anthracene	1	mg/Kg	0.085	ND
	Dibenzofuran	1	mg/Kg	0.085	ND
	Diethylphthalate	1	mg/Kg	0.085	ND
	Dimethylphthalate	1	mg/Kg	0.085	ND
	Di-n-butylphthalate	1	mg/Kg	0.085	ND
	Di-n-octylphthalate	1	mg/Kg	0.085	ND
	Fluoranthene	1	mg/Kg	0.085	ND
	Fluorene	1	mg/Kg	0.085	ND
	Hexachlorobenzene	1	mg/Kg	0.085	ND
	Hexachlorobutadiene	1	mg/Kg	0.085	ND
	Hexachlorocyclopentadiene	1	mg/Kg	0.43	ND
	Hexachloroethane	1	mg/Kg	0.085	ND

ND = Not Detected

Lab#:	AC38082-008	SampleID:	SB-107/12.5-15	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	mg/Kg	0.085	ND
	Isophorone	1	mg/Kg	0.085	ND
	Naphthalene	1	mg/Kg	0.085	3.2
	Nitrobenzene	1	mg/Kg	0.085	ND
	N-Nitrosodimethylamine	1	mg/Kg	0.085	ND
	N-Nitroso-di-n-propylamine	1	mg/Kg	0.085	ND
	N-Nitrosodiphenylamine	1	mg/Kg	0.085	ND
	Pentachlorophenol	1	mg/Kg	0.43	ND
	Phenanthrene	1	mg/Kg	0.085	ND
	Phenol	1	mg/Kg	0.085	ND
	Pyrene	1	mg/Kg	0.085	ND
TAL Metals 6010					
	Aluminum	100	mg/Kg	260	20000
	Antimony	100	mg/Kg	2.6	ND
	Arsenic	100	mg/Kg	2.6	ND
	Barium	100	mg/Kg	13	240
	Beryllium	100	mg/Kg	0.77	ND
	Cadmium	100	mg/Kg	0.77	ND
	Calcium	100	mg/Kg	1300	2600
	Chromium	100	mg/Kg	6.4	61
	Cobalt	100	mg/Kg	3.2	18
	Copper	100	mg/Kg	6.4	56
	Iron	100	mg/Kg	260	37000
	Lead	100	mg/Kg	6.4	18
	Magnesium	100	mg/Kg	640	11000
	Manganese	100	mg/Kg	13	400
	Nickel	100	mg/Kg	6.4	41
	Potassium	100	mg/Kg	640	11000
	Selenium	100	mg/Kg	2.3	ND
	Silver	100	mg/Kg	1.9	ND
	Sodium	100	mg/Kg	320	ND
	Thallium	100	mg/Kg	1.5	ND
	Vanadium	100	mg/Kg	13	82
	Zinc	100	mg/Kg	13	92

ND = Not Detected

Lab#:	AC38082-008	SampleID:	SB-107/12.5-15			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	100	mg/Kg	0.13	ND	
	1,1,2,2-Tetrachloroethane	100	mg/Kg	0.13	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	100	mg/Kg	0.13	ND	
	1,1,2-Trichloroethane	100	mg/Kg	0.13	ND	
	1,1-Dichloroethane	100	mg/Kg	0.13	ND	
	1,1-Dichloroethene	100	mg/Kg	0.13	ND	
	1,2,3-Trichloropropane	100	mg/Kg	0.13	ND	
	1,2,4-Trimethylbenzene	100	mg/Kg	0.13	15	
	1,2-Dichlorobenzene	100	mg/Kg	0.13	ND	
	1,2-Dichloroethane	100	mg/Kg	0.064	ND	
	1,2-Dichloropropane	100	mg/Kg	0.13	ND	
	1,3,5-Trimethylbenzene	100	mg/Kg	0.13	4.8	
	1,3-Dichlorobenzene	100	mg/Kg	0.13	ND	
	1,3-Dichloropropane	100	mg/Kg	0.13	ND	
	1,4-Dichlorobenzene	100	mg/Kg	0.13	ND	
	1,4-Dioxane	100	mg/Kg	6.4	ND	
	2-Butanone	100	mg/Kg	0.13	ND	
	2-Chloroethylvinylether	100	mg/Kg	0.13	ND	
	2-Hexanone	100	mg/Kg	0.13	ND	
	4-Isopropyltoluene	100	mg/Kg	0.13	0.23	
	4-Methyl-2-Pentanone	100	mg/Kg	0.13	ND	
	Acetone	100	mg/Kg	0.64	ND	
	Acrolein	100	mg/Kg	0.64	ND	
	Acrylonitrile	100	mg/Kg	0.13	ND	
	Benzene	100	mg/Kg	0.064	ND	
	Bromodichloromethane	100	mg/Kg	0.13	ND	
	Bromoform	100	mg/Kg	0.13	ND	
	Bromomethane	100	mg/Kg	0.13	ND	
	Carbon disulfide	100	mg/Kg	0.13	ND	
	Carbon tetrachloride	100	mg/Kg	0.13	ND	
	Chlorobenzene	100	mg/Kg	0.13	ND	
	Chloroethane	100	mg/Kg	0.13	ND	
	Chloroform	100	mg/Kg	0.13	ND	
	Chloromethane	100	mg/Kg	0.13	ND	
	cis-1,2-Dichloroethene	100	mg/Kg	0.13	ND	
	cis-1,3-Dichloropropene	100	mg/Kg	0.13	ND	
	Dibromochloromethane	100	mg/Kg	0.13	ND	
	Dichlorodifluoromethane	100	mg/Kg	0.13	ND	
	Ethylbenzene	100	mg/Kg	0.13	3.9	
	Isopropylbenzene	100	mg/Kg	0.13	0.87	
	m&p-Xylenes	100	mg/Kg	0.26	14	
	Methylene chloride	100	mg/Kg	0.13	ND	
	Methyl-t-butyl ether	100	mg/Kg	0.13	ND	
	n-Butylbenzene	100	mg/Kg	0.13	ND	
	n-Propylbenzene	100	mg/Kg	0.13	2.9	
	o-Xylene	100	mg/Kg	0.13	6.2	
	sec-Butylbenzene	100	mg/Kg	0.13	0.59	
	Styrene	100	mg/Kg	0.13	ND	
	t-Butyl Alcohol	100	mg/Kg	0.64	ND	
	t-Butylbenzene	100	mg/Kg	0.13	ND	
	Tetrachloroethene	100	mg/Kg	0.13	ND	
	Toluene	100	mg/Kg	0.13	0.17	
	trans-1,2-Dichloroethene	100	mg/Kg	0.13	ND	
	trans-1,3-dichloropropene	100	mg/Kg	0.13	ND	
	Trichloroethene	100	mg/Kg	0.13	ND	

ND = Not Detected

Lab#:	AC38082-008	SampleID:	SB-107/12.5-15			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	100	mg/Kg	0.13	ND
		Vinyl chloride	100	mg/Kg	0.13	ND

Lab#:	AC38082-009	SampleID:	SB-101W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-009		SB-101W				
		Volatile Organics (no search) 8260				
		1,1,1-Trichloroethane	100	ug/L	100	ND
		1,1,2,2-Tetrachloroethane	100	ug/L	100	ND
		1,1,2-trichloro-1,2,2-trifluoroethane	100	ug/L	100	ND
		1,1,2-Trichloroethane	100	ug/L	100	ND
		1,1-Dichloroethane	100	ug/L	100	ND
		1,1-Dichloroethene	100	ug/L	100	ND
		1,2,3-Trichloropropane	100	ug/L	100	ND
		1,2,4-Trimethylbenzene	100	ug/L	100	130
		1,2-Dichlorobenzene	100	ug/L	100	ND
		1,2-Dichloroethane	100	ug/L	50	ND
		1,2-Dichloropropane	100	ug/L	100	ND
		1,3,5-Trimethylbenzene	100	ug/L	100	ND
		1,3-Dichlorobenzene	100	ug/L	100	ND
		1,3-Dichloropropane	100	ug/L	100	ND
		1,4-Dichlorobenzene	100	ug/L	100	ND
		1,4-Dioxane	100	ug/L	25000	ND
		2-Butanone	100	ug/L	100	ND
		2-Chloroethylvinylether	100	ug/L	100	ND
		2-Hexanone	100	ug/L	100	ND
		4-Isopropyltoluene	100	ug/L	100	ND
		4-Methyl-2-Pentanone	100	ug/L	100	ND
		Acetone	100	ug/L	500	ND
		Acrolein	100	ug/L	500	ND
		Acrylonitrile	100	ug/L	100	ND
		Benzene	100	ug/L	50	720
		Bromodichloromethane	100	ug/L	100	ND
		Bromoform	100	ug/L	100	ND
		Bromomethane	100	ug/L	100	ND
		Carbon disulfide	100	ug/L	100	ND
		Carbon tetrachloride	100	ug/L	100	ND
		Chlorobenzene	100	ug/L	100	ND
		Chloroethane	100	ug/L	100	ND
		Chloroform	100	ug/L	100	ND
		Chloromethane	100	ug/L	100	ND
		cis-1,2-Dichloroethene	100	ug/L	100	ND
		cis-1,3-Dichloropropene	100	ug/L	100	ND
		Dibromochloromethane	100	ug/L	100	ND
		Dichlorodifluoromethane	100	ug/L	100	ND
		Ethylbenzene	100	ug/L	100	770
		Isopropylbenzene	100	ug/L	100	ND
		m&p-Xylenes	100	ug/L	200	2400
		Methylene chloride	100	ug/L	100	ND
		Methyl-t-butyl ether	100	ug/L	100	7800
		n-Butylbenzene	100	ug/L	100	ND
		n-Propylbenzene	100	ug/L	100	180
		o-Xylene	100	ug/L	100	540
		sec-Butylbenzene	100	ug/L	100	ND
		Styrene	100	ug/L	100	ND
		t-Butyl Alcohol	100	ug/L	500	6100
		t-Butylbenzene	100	ug/L	100	ND
		Tetrachloroethene	100	ug/L	100	ND
		Toluene	100	ug/L	100	280
		trans-1,2-Dichloroethene	100	ug/L	100	ND
		trans-1,3-dichloropropene	100	ug/L	100	ND

ND = Not Detected

Lab#:	AC38082-009	SampleID:	SB-101W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Trichloroethene	100	ug/L	100	ND
	Trichlorofluoromethane	100	ug/L	100	ND
	Vinyl chloride	100	ug/L	100	ND

Lab#:	AC38082-010	SampleID:	SB-102W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-010	SB-102W				
	Mercury (Water) 7470A				
	Mercury	1	ug/L	0.70	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	ug/L	0.020	ND
	Alpha-BHC	1	ug/L	0.020	ND
	beta-BHC	1	ug/L	0.020	ND
	Chlordane	1	ug/L	0.20	ND
	delta-BHC	1	ug/L	0.020	ND
	Dieldrin	1	ug/L	0.020	ND
	Endosulfan I	1	ug/L	0.020	ND
	Endosulfan II	1	ug/L	0.020	ND
	Endosulfan Sulfate	1	ug/L	0.020	ND
	Endrin	1	ug/L	0.020	ND
	Endrin Aldehyde	1	ug/L	0.020	ND
	Endrin Ketone	1	ug/L	0.020	ND
	Gamma-BHC	1	ug/L	0.020	ND
	Heptachlor	1	ug/L	0.020	ND
	Heptachlor Epoxide	1	ug/L	0.020	ND
	Methoxychlor	1	ug/L	0.020	ND
	p,p'-DDD	1	ug/L	0.020	ND
	p,p'-DDE	1	ug/L	0.020	ND
	p,p'-DDT	1	ug/L	0.020	ND
	Toxaphene	1	ug/L	0.50	ND
	PCB 8082				
	Aroclor-1016	1	ug/L	0.50	ND
	Aroclor-1221	1	ug/L	0.50	ND
	Aroclor-1232	1	ug/L	0.50	ND
	Aroclor-1242	1	ug/L	0.50	ND
	Aroclor-1248	1	ug/L	0.50	ND
	Aroclor-1254	1	ug/L	0.50	ND
	Aroclor-1260	1	ug/L	0.50	ND
	Aroclor-1262	1	ug/L	0.50	ND
	Aroclor-1268	1	ug/L	0.50	ND

ND = Not Detected

Lab#:	AC38082-010	SampleID:	SB-102W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Semivolatile Organics (no search) 8270						
	1,2,4-Trichlorobenzene	10	ug/L	20	ND	
	1,2-Diphenylhydrazine	10	ug/L	20	ND	
	2,4,5-Trichlorophenol	10	ug/L	20	ND	
	2,4,6-Trichlorophenol	10	ug/L	20	ND	
	2,4-Dichlorophenol	10	ug/L	20	ND	
	2,4-Dimethylphenol	10	ug/L	20	ND	
	2,4-Dinitrophenol	10	ug/L	100	ND	
	2,4-Dinitrotoluene	10	ug/L	20	ND	
	2,6-Dinitrotoluene	10	ug/L	20	ND	
	2-Chloronaphthalene	10	ug/L	20	ND	
	2-Chlorophenol	10	ug/L	20	ND	
	2-Methylnaphthalene	10	ug/L	20	490	
	2-Methylphenol	10	ug/L	20	ND	
	2-Nitroaniline	10	ug/L	20	ND	
	2-Nitrophenol	10	ug/L	20	ND	
	3&4-Methylphenol	10	ug/L	20	ND	
	3,3'-Dichlorobenzidine	10	ug/L	20	ND	
	3-Nitroaniline	10	ug/L	20	ND	
	4,6-Dinitro-2-methylphenol	10	ug/L	100	ND	
	4-Bromophenyl-phenylether	10	ug/L	20	ND	
	4-Chloro-3-methylphenol	10	ug/L	20	ND	
	4-Chloroaniline	10	ug/L	20	ND	
	4-Chlorophenyl-phenylether	10	ug/L	20	ND	
	4-Nitroaniline	10	ug/L	20	ND	
	4-Nitrophenol	10	ug/L	20	ND	
	Acenaphthene	10	ug/L	20	ND	
	Acenaphthylene	10	ug/L	20	ND	
	Aniline	10	ug/L	20	ND	
	Anthracene	10	ug/L	20	ND	
	Benzidine	10	ug/L	20	ND	
	Benzo[a]anthracene	10	ug/L	20	ND	
	Benzo[a]pyrene	10	ug/L	20	ND	
	Benzo[b]fluoranthene	10	ug/L	20	ND	
	Benzo[g,h,i]perylene	10	ug/L	20	ND	
	Benzo[k]fluoranthene	10	ug/L	20	ND	
	Benzoic acid	10	ug/L	100	ND	
	Bis(2-Chloroethoxy)methane	10	ug/L	20	ND	
	Bis(2-Chloroethyl)ether	10	ug/L	20	ND	
	Bis(2-Chloroisopropyl)ether	10	ug/L	20	ND	
	Bis(2-Ethylhexyl)phthalate	10	ug/L	20	ND	
	Butylbenzylphthalate	10	ug/L	20	ND	
	Carbazole	10	ug/L	20	ND	
	Chrysene	10	ug/L	20	ND	
	Dibenzo[a,h]anthracene	10	ug/L	20	ND	
	Dibenzofuran	10	ug/L	20	ND	
	Diethylphthalate	10	ug/L	20	ND	
	Dimethylphthalate	10	ug/L	20	ND	
	Di-n-butylphthalate	10	ug/L	20	ND	
	Di-n-octylphthalate	10	ug/L	20	ND	
	Fluoranthene	10	ug/L	20	ND	
	Fluorene	10	ug/L	20	ND	
	Hexachlorobenzene	10	ug/L	20	ND	
	Hexachlorobutadiene	10	ug/L	20	ND	
	Hexachlorocyclopentadiene	10	ug/L	100	ND	
	Hexachloroethane	10	ug/L	20	ND	

ND = Not Detected

Lab#:	AC38082-010	SampleID:	SB-102W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	10	ug/L	20	ND
	Isophorone	10	ug/L	20	ND
	Naphthalene	10	ug/L	20	400
	Nitrobenzene	10	ug/L	20	ND
	N-Nitrosodimethylamine	10	ug/L	20	ND
	N-Nitroso-di-n-propylamine	10	ug/L	20	ND
	N-Nitrosodiphenylamine	10	ug/L	20	ND
	Pentachlorophenol	10	ug/L	100	ND
	Phenanthrene	10	ug/L	20	ND
	Phenol	10	ug/L	20	ND
	Pyrene	10	ug/L	20	ND
TAL Metals 6010					
	Aluminum	1	ug/L	180	9100
	Antimony	1	ug/L	12	ND
	Arsenic	1	ug/L	7.5	8.5
	Barium	1	ug/L	50	210
	Beryllium	1	ug/L	4.0	ND
	Cadmium	1	ug/L	3.5	ND
	Calcium	1	ug/L	2000	160000
	Chromium	1	ug/L	50	ND
	Cobalt	1	ug/L	20	ND
	Copper	1	ug/L	50	63
	Iron	1	ug/L	280	33000
	Lead	1	ug/L	4.0	56
	Magnesium	1	ug/L	2000	32000
	Manganese	1	ug/L	40	8700
	Nickel	1	ug/L	50	ND
	Potassium	1	ug/L	5000	8800
	Selenium	1	ug/L	40	ND
	Silver	1	ug/L	20	ND
	Sodium	1	ug/L	5000	89000
	Thallium	1	ug/L	10	ND
	Vanadium	1	ug/L	50	ND
	Zinc	1	ug/L	50	68

ND = Not Detected

Lab#:	AC38082-010	SampleID:	SB-102W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	50	ug/L	50	ND	
	1,1,2,2-Tetrachloroethane	50	ug/L	50	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	50	ug/L	50	ND	
	1,1,2-Trichloroethane	50	ug/L	50	ND	
	1,1-Dichloroethane	50	ug/L	50	ND	
	1,1-Dichloroethene	50	ug/L	50	ND	
	1,2,3-Trichloropropane	50	ug/L	50	ND	
	1,2,4-Trimethylbenzene	50	ug/L	50	2300	
	1,2-Dichlorobenzene	50	ug/L	50	ND	
	1,2-Dichloroethane	50	ug/L	25	ND	
	1,2-Dichloropropane	50	ug/L	50	ND	
	1,3,5-Trimethylbenzene	50	ug/L	50	1000	
	1,3-Dichlorobenzene	50	ug/L	50	ND	
	1,3-Dichloropropane	50	ug/L	50	ND	
	1,4-Dichlorobenzene	50	ug/L	50	ND	
	1,4-Dioxane	50	ug/L	2500	ND	
	2-Butanone	50	ug/L	50	ND	
	2-Chloroethylvinylether	50	ug/L	50	ND	
	2-Hexanone	50	ug/L	50	ND	
	4-Isopropyltoluene	50	ug/L	50	110	
	4-Methyl-2-Pentanone	50	ug/L	50	ND	
	Acetone	50	ug/L	250	ND	
	Acrolein	50	ug/L	250	ND	
	Acrylonitrile	50	ug/L	50	ND	
	Benzene	50	ug/L	25	66	
	Bromodichloromethane	50	ug/L	50	ND	
	Bromoform	50	ug/L	50	ND	
	Bromomethane	50	ug/L	50	ND	
	Carbon disulfide	50	ug/L	50	ND	
	Carbon tetrachloride	50	ug/L	50	ND	
	Chlorobenzene	50	ug/L	50	ND	
	Chloroethane	50	ug/L	50	ND	
	Chloroform	50	ug/L	50	ND	
	Chloromethane	50	ug/L	50	ND	
	cis-1,2-Dichloroethene	50	ug/L	50	ND	
	cis-1,3-Dichloropropene	50	ug/L	50	ND	
	Dibromochloromethane	50	ug/L	50	ND	
	Dichlorodifluoromethane	50	ug/L	50	ND	
	Ethylbenzene	50	ug/L	50	1200	
	Isopropylbenzene	50	ug/L	50	280	
	m&p-Xylenes	50	ug/L	100	2200	
	Methylene chloride	50	ug/L	50	ND	
	Methyl-t-butyl ether	50	ug/L	50	ND	
	n-Butylbenzene	50	ug/L	50	ND	
	n-Propylbenzene	50	ug/L	50	760	
	o-Xylene	50	ug/L	50	1100	
	sec-Butylbenzene	50	ug/L	50	100	
	Styrene	50	ug/L	50	ND	
	t-Butyl Alcohol	50	ug/L	250	ND	
	t-Butylbenzene	50	ug/L	50	ND	
	Tetrachloroethene	50	ug/L	50	ND	
	Toluene	50	ug/L	50	ND	
	trans-1,2-Dichloroethene	50	ug/L	50	ND	
	trans-1,3-dichloropropene	50	ug/L	50	ND	
	Trichloroethene	50	ug/L	50	ND	

ND = Not Detected

Lab#:	AC38082-010	SampleID:	SB-102W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	50	ug/L	50	ND
		Vinyl chloride	50	ug/L	50	ND

Lab#:	AC38082-011	SampleID:	SB-103W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-011	SB-103W				
	Mercury (Water) 7470A				
	Mercury	1	ug/L	0.70	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	ug/L	0.020	ND
	Alpha-BHC	1	ug/L	0.020	ND
	beta-BHC	1	ug/L	0.020	ND
	Chlordane	1	ug/L	0.20	ND
	delta-BHC	1	ug/L	0.020	ND
	Dieldrin	1	ug/L	0.020	ND
	Endosulfan I	1	ug/L	0.020	ND
	Endosulfan II	1	ug/L	0.020	ND
	Endosulfan Sulfate	1	ug/L	0.020	ND
	Endrin	1	ug/L	0.020	ND
	Endrin Aldehyde	1	ug/L	0.020	ND
	Endrin Ketone	1	ug/L	0.020	ND
	Gamma-BHC	1	ug/L	0.020	ND
	Heptachlor	1	ug/L	0.020	ND
	Heptachlor Epoxide	1	ug/L	0.020	ND
	Methoxychlor	1	ug/L	0.020	ND
	p,p'-DDD	1	ug/L	0.020	ND
	p,p'-DDE	1	ug/L	0.020	ND
	p,p'-DDT	1	ug/L	0.020	ND
	Toxaphene	1	ug/L	0.50	ND
	PCB 8082				
	Aroclor-1016	1	ug/L	0.50	ND
	Aroclor-1221	1	ug/L	0.50	ND
	Aroclor-1232	1	ug/L	0.50	ND
	Aroclor-1242	1	ug/L	0.50	ND
	Aroclor-1248	1	ug/L	0.50	ND
	Aroclor-1254	1	ug/L	0.50	ND
	Aroclor-1260	1	ug/L	0.50	ND
	Aroclor-1262	1	ug/L	0.50	ND
	Aroclor-1268	1	ug/L	0.50	ND

ND = Not Detected

Lab#:	AC38082-011	SampleID:	SB-103W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Semivolatile Organics (no search) 8270						
	1,2,4-Trichlorobenzene	1	ug/L	2.0	ND	
	1,2-Diphenylhydrazine	1	ug/L	2.0	ND	
	2,4,5-Trichlorophenol	1	ug/L	2.0	ND	
	2,4,6-Trichlorophenol	1	ug/L	2.0	ND	
	2,4-Dichlorophenol	1	ug/L	2.0	ND	
	2,4-Dimethylphenol	1	ug/L	2.0	ND	
	2,4-Dinitrophenol	1	ug/L	10	ND	
	2,4-Dinitrotoluene	1	ug/L	2.0	ND	
	2,6-Dinitrotoluene	1	ug/L	2.0	ND	
	2-Chloronaphthalene	1	ug/L	2.0	ND	
	2-Chlorophenol	1	ug/L	2.0	ND	
	2-Methylnaphthalene	1	ug/L	2.0	3.7	
	2-Methylphenol	1	ug/L	2.0	ND	
	2-Nitroaniline	1	ug/L	2.0	ND	
	2-Nitrophenol	1	ug/L	2.0	ND	
	3&4-Methylphenol	1	ug/L	2.0	ND	
	3,3'-Dichlorobenzidine	1	ug/L	2.0	ND	
	3-Nitroaniline	1	ug/L	2.0	ND	
	4,6-Dinitro-2-methylphenol	1	ug/L	10	ND	
	4-Bromophenyl-phenylether	1	ug/L	2.0	ND	
	4-Chloro-3-methylphenol	1	ug/L	2.0	ND	
	4-Chloroaniline	1	ug/L	2.0	ND	
	4-Chlorophenyl-phenylether	1	ug/L	2.0	ND	
	4-Nitroaniline	1	ug/L	2.0	ND	
	4-Nitrophenol	1	ug/L	2.0	ND	
	Acenaphthene	1	ug/L	2.0	ND	
	Acenaphthylene	1	ug/L	2.0	ND	
	Aniline	1	ug/L	2.0	ND	
	Anthracene	1	ug/L	2.0	ND	
	Benzidine	1	ug/L	2.0	ND	
	Benzo[a]anthracene	1	ug/L	2.0	ND	
	Benzo[a]pyrene	1	ug/L	2.0	ND	
	Benzo[b]fluoranthene	1	ug/L	2.0	ND	
	Benzo[g,h,i]perylene	1	ug/L	2.0	ND	
	Benzo[k]fluoranthene	1	ug/L	2.0	ND	
	Benzoic acid	1	ug/L	2.0	2.1	
	Bis(2-Chloroethoxy)methane	1	ug/L	2.0	ND	
	Bis(2-Chloroethyl)ether	1	ug/L	2.0	ND	
	Bis(2-Chloroisopropyl)ether	1	ug/L	2.0	ND	
	Bis(2-Ethylhexyl)phthalate	1	ug/L	2.0	ND	
	Butylbenzylphthalate	1	ug/L	2.0	ND	
	Carbazole	1	ug/L	2.0	ND	
	Chrysene	1	ug/L	2.0	ND	
	Dibenzo[a,h]anthracene	1	ug/L	2.0	ND	
	Dibenzofuran	1	ug/L	2.0	ND	
	Diethylphthalate	1	ug/L	2.0	ND	
	Dimethylphthalate	1	ug/L	2.0	ND	
	Di-n-butylphthalate	1	ug/L	2.0	ND	
	Di-n-octylphthalate	1	ug/L	2.0	ND	
	Fluoranthene	1	ug/L	2.0	ND	
	Fluorene	1	ug/L	2.0	ND	
	Hexachlorobenzene	1	ug/L	2.0	ND	
	Hexachlorobutadiene	1	ug/L	2.0	ND	
	Hexachlorocyclopentadiene	1	ug/L	10	ND	
	Hexachloroethane	1	ug/L	2.0	ND	

ND = Not Detected

Lab#:	AC38082-011	SampleID:	SB-103W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	ug/L	2.0	ND
	Isophorone	1	ug/L	2.0	ND
	Naphthalene	1	ug/L	2.0	15
	Nitrobenzene	1	ug/L	2.0	ND
	N-Nitrosodimethylamine	1	ug/L	2.0	ND
	N-Nitroso-di-n-propylamine	1	ug/L	2.0	ND
	N-Nitrosodiphenylamine	1	ug/L	2.0	ND
	Pentachlorophenol	1	ug/L	10	ND
	Phenanthrene	1	ug/L	2.0	ND
	Phenol	1	ug/L	2.0	ND
	Pyrene	1	ug/L	2.0	ND
TAL Metals 6010					
	Aluminum	1	ug/L	180	50000
	Antimony	1	ug/L	12	ND
	Arsenic	1	ug/L	7.5	17
	Barium	1	ug/L	50	580
	Beryllium	1	ug/L	4.0	ND
	Cadmium	1	ug/L	3.5	ND
	Calcium	1	ug/L	2000	180000
	Chromium	1	ug/L	50	140
	Cobalt	1	ug/L	20	50
	Copper	1	ug/L	50	240
	Iron	1	ug/L	280	100000
	Lead	1	ug/L	4.0	340
	Magnesium	1	ug/L	2000	42000
	Manganese	1	ug/L	40	2900
	Nickel	1	ug/L	50	160
	Potassium	1	ug/L	5000	24000
	Selenium	1	ug/L	40	ND
	Silver	1	ug/L	20	ND
	Sodium	1	ug/L	5000	55000
	Thallium	1	ug/L	10	ND
	Vanadium	1	ug/L	50	180
	Zinc	1	ug/L	50	270

ND = Not Detected

Lab#:	AC38082-011	SampleID:	SB-103W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	5	ug/L	5.0	ND	
	1,1,2,2-Tetrachloroethane	5	ug/L	5.0	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	5	ug/L	5.0	ND	
	1,1,2-Trichloroethane	5	ug/L	5.0	ND	
	1,1-Dichloroethane	5	ug/L	5.0	ND	
	1,1-Dichloroethene	5	ug/L	5.0	ND	
	1,2,3-Trichloropropane	5	ug/L	5.0	ND	
	1,2,4-Trimethylbenzene	5	ug/L	5.0	ND	
	1,2-Dichlorobenzene	5	ug/L	5.0	ND	
	1,2-Dichloroethane	5	ug/L	2.5	ND	
	1,2-Dichloropropane	5	ug/L	5.0	ND	
	1,3,5-Trimethylbenzene	5	ug/L	5.0	ND	
	1,3-Dichlorobenzene	5	ug/L	5.0	ND	
	1,3-Dichloropropane	5	ug/L	5.0	ND	
	1,4-Dichlorobenzene	5	ug/L	5.0	ND	
	1,4-Dioxane	5	ug/L	1200	ND	
	2-Butanone	5	ug/L	5.0	ND	
	2-Chloroethylvinylether	5	ug/L	5.0	ND	
	2-Hexanone	5	ug/L	5.0	ND	
	4-Isopropyltoluene	5	ug/L	5.0	ND	
	4-Methyl-2-Pentanone	5	ug/L	5.0	ND	
	Acetone	5	ug/L	25	88	
	Acrolein	5	ug/L	25	ND	
	Acrylonitrile	5	ug/L	5.0	ND	
	Benzene	5	ug/L	2.5	95	
	Bromodichloromethane	5	ug/L	5.0	ND	
	Bromoform	5	ug/L	5.0	ND	
	Bromomethane	5	ug/L	5.0	ND	
	Carbon disulfide	5	ug/L	5.0	ND	
	Carbon tetrachloride	5	ug/L	5.0	ND	
	Chlorobenzene	5	ug/L	5.0	ND	
	Chloroethane	5	ug/L	5.0	ND	
	Chloroform	5	ug/L	5.0	ND	
	Chloromethane	5	ug/L	5.0	ND	
	cis-1,2-Dichloroethene	5	ug/L	5.0	ND	
	cis-1,3-Dichloropropene	5	ug/L	5.0	ND	
	Dibromochloromethane	5	ug/L	5.0	ND	
	Dichlorodifluoromethane	5	ug/L	5.0	ND	
	Ethylbenzene	5	ug/L	5.0	140	
	Isopropylbenzene	5	ug/L	5.0	47	
	m&p-Xylenes	5	ug/L	10	100	
	Methylene chloride	5	ug/L	5.0	ND	
	Methyl-t-butyl ether	5	ug/L	5.0	ND	
	n-Butylbenzene	5	ug/L	5.0	ND	
	n-Propylbenzene	5	ug/L	5.0	81	
	o-Xylene	5	ug/L	5.0	15	
	sec-Butylbenzene	5	ug/L	5.0	6.7	
	Styrene	5	ug/L	5.0	ND	
	t-Butyl Alcohol	5	ug/L	25	210	
	t-Butylbenzene	5	ug/L	5.0	ND	
	Tetrachloroethene	5	ug/L	5.0	ND	
	Toluene	5	ug/L	5.0	41	
	trans-1,2-Dichloroethene	5	ug/L	5.0	ND	
	trans-1,3-dichloropropene	5	ug/L	5.0	ND	
	Trichloroethene	5	ug/L	5.0	ND	

ND = Not Detected

Lab#:	AC38082-011	SampleID:	SB-103W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	5	ug/L	5.0	ND
		Vinyl chloride	5	ug/L	5.0	ND

Lab#:	AC38082-012	SampleID:	SB-104W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-012	SB-104W				
	Mercury (Water) 7470A				
	Mercury	1	ug/L	0.70	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	ug/L	0.020	ND
	Alpha-BHC	1	ug/L	0.020	ND
	beta-BHC	1	ug/L	0.020	ND
	Chlordane	1	ug/L	0.20	ND
	delta-BHC	1	ug/L	0.020	ND
	Dieldrin	1	ug/L	0.020	ND
	Endosulfan I	1	ug/L	0.020	ND
	Endosulfan II	1	ug/L	0.020	ND
	Endosulfan Sulfate	1	ug/L	0.020	ND
	Endrin	1	ug/L	0.020	ND
	Endrin Aldehyde	1	ug/L	0.020	ND
	Endrin Ketone	1	ug/L	0.020	ND
	Gamma-BHC	1	ug/L	0.020	ND
	Heptachlor	1	ug/L	0.020	ND
	Heptachlor Epoxide	1	ug/L	0.020	ND
	Methoxychlor	1	ug/L	0.020	ND
	p,p'-DDD	1	ug/L	0.020	ND
	p,p'-DDE	1	ug/L	0.020	ND
	p,p'-DDT	1	ug/L	0.020	ND
	Toxaphene	1	ug/L	0.50	ND
	PCB 8082				
	Aroclor-1016	1	ug/L	0.50	ND
	Aroclor-1221	1	ug/L	0.50	ND
	Aroclor-1232	1	ug/L	0.50	ND
	Aroclor-1242	1	ug/L	0.50	ND
	Aroclor-1248	1	ug/L	0.50	ND
	Aroclor-1254	1	ug/L	0.50	ND
	Aroclor-1260	1	ug/L	0.50	ND
	Aroclor-1262	1	ug/L	0.50	ND
	Aroclor-1268	1	ug/L	0.50	ND

ND = Not Detected

Lab#:	AC38082-012	SampleID:	SB-104W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Semivolatile Organics (no search) 8270						
	1,2,4-Trichlorobenzene	10	ug/L	20	ND	
	1,2-Diphenylhydrazine	10	ug/L	20	ND	
	2,4,5-Trichlorophenol	10	ug/L	20	ND	
	2,4,6-Trichlorophenol	10	ug/L	20	ND	
	2,4-Dichlorophenol	10	ug/L	20	ND	
	2,4-Dimethylphenol	10	ug/L	20	ND	
	2,4-Dinitrophenol	10	ug/L	100	ND	
	2,4-Dinitrotoluene	10	ug/L	20	ND	
	2,6-Dinitrotoluene	10	ug/L	20	ND	
	2-Chloronaphthalene	10	ug/L	20	ND	
	2-Chlorophenol	10	ug/L	20	ND	
	2-Methylnaphthalene	10	ug/L	20	320	
	2-Methylphenol	10	ug/L	20	ND	
	2-Nitroaniline	10	ug/L	20	ND	
	2-Nitrophenol	10	ug/L	20	ND	
	3&4-Methylphenol	10	ug/L	20	ND	
	3,3'-Dichlorobenzidine	10	ug/L	20	ND	
	3-Nitroaniline	10	ug/L	20	ND	
	4,6-Dinitro-2-methylphenol	10	ug/L	100	ND	
	4-Bromophenyl-phenylether	10	ug/L	20	ND	
	4-Chloro-3-methylphenol	10	ug/L	20	ND	
	4-Chloroaniline	10	ug/L	20	ND	
	4-Chlorophenyl-phenylether	10	ug/L	20	ND	
	4-Nitroaniline	10	ug/L	20	ND	
	4-Nitrophenol	10	ug/L	20	ND	
	Acenaphthene	10	ug/L	20	ND	
	Acenaphthylene	10	ug/L	20	ND	
	Aniline	10	ug/L	20	ND	
	Anthracene	10	ug/L	20	ND	
	Benzidine	10	ug/L	20	ND	
	Benzo[a]anthracene	10	ug/L	20	ND	
	Benzo[a]pyrene	10	ug/L	20	ND	
	Benzo[b]fluoranthene	10	ug/L	20	ND	
	Benzo[g,h,i]perylene	10	ug/L	20	ND	
	Benzo[k]fluoranthene	10	ug/L	20	ND	
	Benzoic acid	10	ug/L	100	ND	
	Bis(2-Chloroethoxy)methane	10	ug/L	20	ND	
	Bis(2-Chloroethyl)ether	10	ug/L	20	ND	
	Bis(2-Chloroisopropyl)ether	10	ug/L	20	ND	
	Bis(2-Ethylhexyl)phthalate	10	ug/L	20	ND	
	Butylbenzylphthalate	10	ug/L	20	ND	
	Carbazole	10	ug/L	20	ND	
	Chrysene	10	ug/L	20	ND	
	Dibenzo[a,h]anthracene	10	ug/L	20	ND	
	Dibenzofuran	10	ug/L	20	ND	
	Diethylphthalate	10	ug/L	20	ND	
	Dimethylphthalate	10	ug/L	20	ND	
	Di-n-butylphthalate	10	ug/L	20	ND	
	Di-n-octylphthalate	10	ug/L	20	ND	
	Fluoranthene	10	ug/L	20	ND	
	Fluorene	10	ug/L	20	ND	
	Hexachlorobenzene	10	ug/L	20	ND	
	Hexachlorobutadiene	10	ug/L	20	ND	
	Hexachlorocyclopentadiene	10	ug/L	100	ND	
	Hexachloroethane	10	ug/L	20	ND	

ND = Not Detected

Lab#:	AC38082-012	SampleID:	SB-104W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	10	ug/L	20	ND
	Isophorone	10	ug/L	20	ND
	Naphthalene	10	ug/L	20	330
	Nitrobenzene	10	ug/L	20	ND
	N-Nitrosodimethylamine	10	ug/L	20	ND
	N-Nitroso-di-n-propylamine	10	ug/L	20	ND
	N-Nitrosodiphenylamine	10	ug/L	20	ND
	Pentachlorophenol	10	ug/L	100	ND
	Phenanthrene	10	ug/L	20	ND
	Phenol	10	ug/L	20	ND
	Pyrene	10	ug/L	20	ND
TAL Metals 6010					
	Aluminum	1	ug/L	180	90000
	Antimony	1	ug/L	12	ND
	Arsenic	1	ug/L	7.5	45
	Barium	1	ug/L	50	670
	Beryllium	1	ug/L	4.0	6.0
	Cadmium	1	ug/L	3.5	ND
	Calcium	1	ug/L	2000	110000
	Chromium	1	ug/L	50	350
	Cobalt	1	ug/L	20	76
	Copper	1	ug/L	50	360
	Iron	1	ug/L	280	130000
	Lead	1	ug/L	4.0	200
	Magnesium	1	ug/L	2000	49000
	Manganese	1	ug/L	40	5900
	Nickel	1	ug/L	50	310
	Potassium	1	ug/L	5000	15000
	Selenium	1	ug/L	40	ND
	Silver	1	ug/L	20	ND
	Sodium	1	ug/L	5000	110000
	Thallium	1	ug/L	10	ND
	Vanadium	1	ug/L	50	310
	Zinc	1	ug/L	50	320

ND = Not Detected

Lab#:	AC38082-012	SampleID:	SB-104W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	20	ug/L	20	ND	
	1,1,2,2-Tetrachloroethane	20	ug/L	20	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	20	ug/L	20	ND	
	1,1,2-Trichloroethane	20	ug/L	20	ND	
	1,1-Dichloroethane	20	ug/L	20	ND	
	1,1-Dichloroethene	20	ug/L	20	ND	
	1,2,3-Trichloropropane	20	ug/L	20	ND	
	1,2,4-Trimethylbenzene	20	ug/L	20	ND	
	1,2-Dichlorobenzene	20	ug/L	20	ND	
	1,2-Dichloroethane	20	ug/L	10	ND	
	1,2-Dichloropropane	20	ug/L	20	ND	
	1,3,5-Trimethylbenzene	20	ug/L	20	ND	
	1,3-Dichlorobenzene	20	ug/L	20	ND	
	1,3-Dichloropropane	20	ug/L	20	ND	
	1,4-Dichlorobenzene	20	ug/L	20	ND	
	1,4-Dioxane	20	ug/L	1000	ND	
	2-Butanone	20	ug/L	20	ND	
	2-Chloroethylvinylether	20	ug/L	20	ND	
	2-Hexanone	20	ug/L	20	ND	
	4-Isopropyltoluene	20	ug/L	20	21	
	4-Methyl-2-Pentanone	20	ug/L	20	ND	
	Acetone	20	ug/L	100	ND	
	Acrolein	20	ug/L	100	ND	
	Acrylonitrile	20	ug/L	20	ND	
	Benzene	20	ug/L	10	960	
	Bromodichloromethane	20	ug/L	20	ND	
	Bromoform	20	ug/L	20	ND	
	Bromomethane	20	ug/L	20	ND	
	Carbon disulfide	20	ug/L	20	ND	
	Carbon tetrachloride	20	ug/L	20	ND	
	Chlorobenzene	20	ug/L	20	ND	
	Chloroethane	20	ug/L	20	ND	
	Chloroform	20	ug/L	20	ND	
	Chloromethane	20	ug/L	20	ND	
	cis-1,2-Dichloroethene	20	ug/L	20	ND	
	cis-1,3-Dichloropropene	20	ug/L	20	ND	
	Dibromochloromethane	20	ug/L	20	ND	
	Dichlorodifluoromethane	20	ug/L	20	ND	
	Ethylbenzene	20	ug/L	20	1300	
	Isopropylbenzene	20	ug/L	20	150	
	m&p-Xylenes	20	ug/L	40	150	
	Methylene chloride	20	ug/L	20	ND	
	Methyl-t-butyl ether	20	ug/L	20	5000	
	n-Butylbenzene	20	ug/L	20	ND	
	n-Propylbenzene	20	ug/L	20	270	
	o-Xylene	20	ug/L	20	34	
	sec-Butylbenzene	20	ug/L	20	ND	
	Styrene	20	ug/L	20	ND	
	t-Butyl Alcohol	20	ug/L	100	11000	
	t-Butylbenzene	20	ug/L	20	ND	
	Tetrachloroethene	20	ug/L	20	ND	
	Toluene	20	ug/L	20	180	
	trans-1,2-Dichloroethene	20	ug/L	20	ND	
	trans-1,3-dichloropropene	20	ug/L	20	ND	
	Trichloroethene	20	ug/L	20	ND	

ND = Not Detected

Lab#:	AC38082-012	SampleID:	SB-104W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	20	ug/L	20	ND
		Vinyl chloride	20	ug/L	20	ND

Lab#:	AC38082-013	SampleID:	SB-105W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-013	SB-105W				
	Mercury (Water) 7470A				
	Mercury	1	ug/L	0.70	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	ug/L	0.020	ND
	Alpha-BHC	1	ug/L	0.020	ND
	beta-BHC	1	ug/L	0.020	ND
	Chlordane	1	ug/L	0.20	ND
	delta-BHC	1	ug/L	0.020	ND
	Dieldrin	1	ug/L	0.020	ND
	Endosulfan I	1	ug/L	0.020	ND
	Endosulfan II	1	ug/L	0.020	ND
	Endosulfan Sulfate	1	ug/L	0.020	ND
	Endrin	1	ug/L	0.020	ND
	Endrin Aldehyde	1	ug/L	0.020	ND
	Endrin Ketone	1	ug/L	0.020	ND
	Gamma-BHC	1	ug/L	0.020	ND
	Heptachlor	1	ug/L	0.020	ND
	Heptachlor Epoxide	1	ug/L	0.020	ND
	Methoxychlor	1	ug/L	0.020	ND
	p,p'-DDD	1	ug/L	0.020	ND
	p,p'-DDE	1	ug/L	0.020	ND
	p,p'-DDT	1	ug/L	0.020	ND
	Toxaphene	1	ug/L	0.50	ND
	PCB 8082				
	Aroclor-1016	1	ug/L	0.50	ND
	Aroclor-1221	1	ug/L	0.50	ND
	Aroclor-1232	1	ug/L	0.50	ND
	Aroclor-1242	1	ug/L	0.50	ND
	Aroclor-1248	1	ug/L	0.50	ND
	Aroclor-1254	1	ug/L	0.50	ND
	Aroclor-1260	1	ug/L	0.50	ND
	Aroclor-1262	1	ug/L	0.50	ND
	Aroclor-1268	1	ug/L	0.50	ND

ND = Not Detected

Lab#:	AC38082-013	SampleID:	SB-105W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Semivolatile Organics (no search) 8270						
	1,2,4-Trichlorobenzene	1	ug/L	2.0	ND	
	1,2-Diphenylhydrazine	1	ug/L	2.0	ND	
	2,4,5-Trichlorophenol	1	ug/L	2.0	ND	
	2,4,6-Trichlorophenol	1	ug/L	2.0	ND	
	2,4-Dichlorophenol	1	ug/L	2.0	ND	
	2,4-Dimethylphenol	1	ug/L	2.0	ND	
	2,4-Dinitrophenol	1	ug/L	10	ND	
	2,4-Dinitrotoluene	1	ug/L	2.0	ND	
	2,6-Dinitrotoluene	1	ug/L	2.0	ND	
	2-Chloronaphthalene	1	ug/L	2.0	ND	
	2-Chlorophenol	1	ug/L	2.0	ND	
	2-Methylnaphthalene	1	ug/L	2.0	ND	
	2-Methylphenol	1	ug/L	2.0	ND	
	2-Nitroaniline	1	ug/L	2.0	ND	
	2-Nitrophenol	1	ug/L	2.0	ND	
	3&4-Methylphenol	1	ug/L	2.0	ND	
	3,3'-Dichlorobenzidine	1	ug/L	2.0	ND	
	3-Nitroaniline	1	ug/L	2.0	ND	
	4,6-Dinitro-2-methylphenol	1	ug/L	10	ND	
	4-Bromophenyl-phenylether	1	ug/L	2.0	ND	
	4-Chloro-3-methylphenol	1	ug/L	2.0	ND	
	4-Chloroaniline	1	ug/L	2.0	ND	
	4-Chlorophenyl-phenylether	1	ug/L	2.0	ND	
	4-Nitroaniline	1	ug/L	2.0	ND	
	4-Nitrophenol	1	ug/L	2.0	ND	
	Acenaphthene	1	ug/L	2.0	ND	
	Acenaphthylene	1	ug/L	2.0	ND	
	Aniline	1	ug/L	2.0	ND	
	Anthracene	1	ug/L	2.0	ND	
	Benzidine	1	ug/L	2.0	ND	
	Benzo[a]anthracene	1	ug/L	2.0	ND	
	Benzo[a]pyrene	1	ug/L	2.0	ND	
	Benzo[b]fluoranthene	1	ug/L	2.0	ND	
	Benzo[g,h,i]perylene	1	ug/L	2.0	ND	
	Benzo[k]fluoranthene	1	ug/L	2.0	ND	
	Benzoic acid	1	ug/L	2.0	4.3	
	Bis(2-Chloroethoxy)methane	1	ug/L	2.0	ND	
	Bis(2-Chloroethyl)ether	1	ug/L	2.0	ND	
	Bis(2-Chloroisopropyl)ether	1	ug/L	2.0	ND	
	Bis(2-Ethylhexyl)phthalate	1	ug/L	2.0	ND	
	Butylbenzylphthalate	1	ug/L	2.0	ND	
	Carbazole	1	ug/L	2.0	ND	
	Chrysene	1	ug/L	2.0	ND	
	Dibenzo[a,h]anthracene	1	ug/L	2.0	ND	
	Dibenzofuran	1	ug/L	2.0	ND	
	Diethylphthalate	1	ug/L	2.0	ND	
	Dimethylphthalate	1	ug/L	2.0	ND	
	Di-n-butylphthalate	1	ug/L	2.0	ND	
	Di-n-octylphthalate	1	ug/L	2.0	ND	
	Fluoranthene	1	ug/L	2.0	ND	
	Fluorene	1	ug/L	2.0	ND	
	Hexachlorobenzene	1	ug/L	2.0	ND	
	Hexachlorobutadiene	1	ug/L	2.0	ND	
	Hexachlorocyclopentadiene	1	ug/L	10	ND	
	Hexachloroethane	1	ug/L	2.0	ND	

ND = Not Detected

Lab#:	AC38082-013	SampleID:	SB-105W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]pyrene	1	ug/L	2.0	ND
	Isophorone	1	ug/L	2.0	ND
	Naphthalene	1	ug/L	2.0	ND
	Nitrobenzene	1	ug/L	2.0	ND
	N-Nitrosodimethylamine	1	ug/L	2.0	ND
	N-Nitroso-di-n-propylamine	1	ug/L	2.0	ND
	N-Nitrosodiphenylamine	1	ug/L	2.0	ND
	Pentachlorophenol	1	ug/L	10	ND
	Phenanthrene	1	ug/L	2.0	ND
	Phenol	1	ug/L	2.0	ND
	Pyrene	1	ug/L	2.0	ND
TAL Metals 6010					
	Aluminum	1	ug/L	180	5600
	Antimony	1	ug/L	12	ND
	Arsenic	1	ug/L	7.5	10
	Barium	1	ug/L	50	230
	Beryllium	1	ug/L	4.0	ND
	Cadmium	1	ug/L	3.5	ND
	Calcium	1	ug/L	2000	120000
	Chromium	1	ug/L	50	ND
	Cobalt	1	ug/L	20	ND
	Copper	1	ug/L	50	ND
	Iron	1	ug/L	280	8700
	Lead	1	ug/L	4.0	37
	Magnesium	1	ug/L	2000	20000
	Manganese	1	ug/L	40	500
	Nickel	1	ug/L	50	ND
	Potassium	1	ug/L	5000	13000
	Selenium	1	ug/L	40	ND
	Silver	1	ug/L	20	ND
	Sodium	1	ug/L	5000	240000
	Thallium	1	ug/L	10	ND
	Vanadium	1	ug/L	50	ND
	Zinc	1	ug/L	50	ND

ND = Not Detected

Lab#:	AC38082-013	SampleID:	SB-105W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	1	ug/L	1.0	ND	
	1,1,2,2-Tetrachloroethane	1	ug/L	1.0	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/L	1.0	ND	
	1,1,2-Trichloroethane	1	ug/L	1.0	ND	
	1,1-Dichloroethane	1	ug/L	1.0	ND	
	1,1-Dichloroethene	1	ug/L	1.0	ND	
	1,2,3-Trichloropropane	1	ug/L	1.0	ND	
	1,2,4-Trimethylbenzene	1	ug/L	1.0	ND	
	1,2-Dichlorobenzene	1	ug/L	1.0	ND	
	1,2-Dichloroethane	1	ug/L	0.50	ND	
	1,2-Dichloropropane	1	ug/L	1.0	ND	
	1,3,5-Trimethylbenzene	1	ug/L	1.0	ND	
	1,3-Dichlorobenzene	1	ug/L	1.0	ND	
	1,3-Dichloropropane	1	ug/L	1.0	ND	
	1,4-Dichlorobenzene	1	ug/L	1.0	ND	
	1,4-Dioxane	1	ug/L	50	ND	
	2-Butanone	1	ug/L	1.0	ND	
	2-Chloroethylvinylether	1	ug/L	1.0	ND	
	2-Hexanone	1	ug/L	1.0	ND	
	4-Isopropyltoluene	1	ug/L	1.0	ND	
	4-Methyl-2-Pentanone	1	ug/L	1.0	ND	
	Acetone	1	ug/L	5.0	ND	
	Acrolein	1	ug/L	5.0	ND	
	Acrylonitrile	1	ug/L	1.0	ND	
	Benzene	1	ug/L	0.50	1.5	
	Bromodichloromethane	1	ug/L	1.0	ND	
	Bromoform	1	ug/L	1.0	ND	
	Bromomethane	1	ug/L	1.0	ND	
	Carbon disulfide	1	ug/L	1.0	ND	
	Carbon tetrachloride	1	ug/L	1.0	ND	
	Chlorobenzene	1	ug/L	1.0	ND	
	Chloroethane	1	ug/L	1.0	ND	
	Chloroform	1	ug/L	1.0	ND	
	Chloromethane	1	ug/L	1.0	ND	
	cis-1,2-Dichloroethene	1	ug/L	1.0	ND	
	cis-1,3-Dichloropropene	1	ug/L	1.0	ND	
	Dibromochloromethane	1	ug/L	1.0	ND	
	Dichlorodifluoromethane	1	ug/L	1.0	ND	
	Ethylbenzene	1	ug/L	1.0	ND	
	Isopropylbenzene	1	ug/L	1.0	ND	
	m&p-Xylenes	1	ug/L	2.0	ND	
	Methylene chloride	1	ug/L	1.0	ND	
	Methyl-t-butyl ether	1	ug/L	1.0	2.9	
	n-Butylbenzene	1	ug/L	1.0	ND	
	n-Propylbenzene	1	ug/L	1.0	ND	
	o-Xylene	1	ug/L	1.0	ND	
	sec-Butylbenzene	1	ug/L	1.0	ND	
	Styrene	1	ug/L	1.0	ND	
	t-Butyl Alcohol	1	ug/L	5.0	ND	
	t-Butylbenzene	1	ug/L	1.0	ND	
	Tetrachloroethene	1	ug/L	1.0	ND	
	Toluene	1	ug/L	1.0	ND	
	trans-1,2-Dichloroethene	1	ug/L	1.0	ND	
	trans-1,3-dichloropropene	1	ug/L	1.0	ND	
	Trichloroethene	1	ug/L	1.0	ND	

ND = Not Detected

Lab#:	AC38082-013	SampleID:	SB-105W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	ug/L	1.0	ND
		Vinyl chloride	1	ug/L	1.0	ND

Lab#:	AC38082-014	SampleID:	SB-107W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-014	SB-107W				
	Semivolatile Organics (no search) 8270				
	1,2,4-Trichlorobenzene	10	ug/L	20	ND
	1,2-Diphenylhydrazine	10	ug/L	20	ND
	2,4,5-Trichlorophenol	10	ug/L	20	ND
	2,4,6-Trichlorophenol	10	ug/L	20	ND
	2,4-Dichlorophenol	10	ug/L	20	ND
	2,4-Dimethylphenol	10	ug/L	20	ND
	2,4-Dinitrophenol	10	ug/L	100	ND
	2,4-Dinitrotoluene	10	ug/L	20	ND
	2,6-Dinitrotoluene	10	ug/L	20	ND
	2-Chloronaphthalene	10	ug/L	20	ND
	2-Chlorophenol	10	ug/L	20	ND
	2-Methylnaphthalene	10	ug/L	20	260
	2-Methylphenol	10	ug/L	20	ND
	2-Nitroaniline	10	ug/L	20	ND
	2-Nitrophenol	10	ug/L	20	ND
	3&4-Methylphenol	10	ug/L	20	ND
	3,3'-Dichlorobenzidine	10	ug/L	20	ND
	3-Nitroaniline	10	ug/L	20	ND
	4,6-Dinitro-2-methylphenol	10	ug/L	100	ND
	4-Bromophenyl-phenylether	10	ug/L	20	ND
	4-Chloro-3-methylphenol	10	ug/L	20	ND
	4-Chloroaniline	10	ug/L	20	ND
	4-Chlorophenyl-phenylether	10	ug/L	20	ND
	4-Nitroaniline	10	ug/L	20	ND
	4-Nitrophenol	10	ug/L	20	ND
	Acenaphthene	10	ug/L	20	ND
	Acenaphthylene	10	ug/L	20	ND
	Aniline	10	ug/L	20	ND
	Anthracene	10	ug/L	20	ND
	Benzidine	10	ug/L	20	ND
	Benzo[a]anthracene	10	ug/L	20	ND
	Benzo[a]pyrene	10	ug/L	20	ND
	Benzo[b]fluoranthene	10	ug/L	20	ND
	Benzo[g,h,i]perylene	10	ug/L	20	ND
	Benzo[k]fluoranthene	10	ug/L	20	ND
	Benzoic acid	10	ug/L	100	ND
	Bis(2-Chloroethoxy)methane	10	ug/L	20	ND
	Bis(2-Chloroethyl)ether	10	ug/L	20	ND
	Bis(2-Chloroisopropyl)ether	10	ug/L	20	ND
	Bis(2-Ethylhexyl)phthalate	10	ug/L	20	ND
	Butylbenzylphthalate	10	ug/L	20	ND
	Carbazole	10	ug/L	20	ND
	Chrysene	10	ug/L	20	ND
	Dibenzo[a,h]anthracene	10	ug/L	20	ND
	Dibenzofuran	10	ug/L	20	ND
	Diethylphthalate	10	ug/L	20	ND
	Dimethylphthalate	10	ug/L	20	ND
	Di-n-butylphthalate	10	ug/L	20	ND
	Di-n-octylphthalate	10	ug/L	20	ND
	Fluoranthene	10	ug/L	20	ND
	Fluorene	10	ug/L	20	ND
	Hexachlorobenzene	10	ug/L	20	ND
	Hexachlorobutadiene	10	ug/L	20	ND
	Hexachlorocyclopentadiene	10	ug/L	100	ND

ND = Not Detected

Lab#:	AC38082-014	SampleID:	SB-107W	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Hexachloroethane	10	ug/L	20	ND
	Indeno[1,2,3-cd]pyrene	10	ug/L	20	ND
	Isophorone	10	ug/L	20	ND
	Naphthalene	10	ug/L	20	650
	Nitrobenzene	10	ug/L	20	ND
	N-Nitrosodimethylamine	10	ug/L	20	ND
	N-Nitroso-di-n-propylamine	10	ug/L	20	ND
	N-Nitrosodiphenylamine	10	ug/L	20	ND
	Pentachlorophenol	10	ug/L	100	ND
	Phenanthrene	10	ug/L	20	ND
	Phenol	10	ug/L	20	ND
	Pyrene	10	ug/L	20	ND

ND = Not Detected

Lab#:	AC38082-014	SampleID:	SB-107W			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
Volatile Organics (no search) 8260						
	1,1,1-Trichloroethane	50	ug/L	50	ND	
	1,1,2,2-Tetrachloroethane	50	ug/L	50	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	50	ug/L	50	ND	
	1,1,2-Trichloroethane	50	ug/L	50	ND	
	1,1-Dichloroethane	50	ug/L	50	ND	
	1,1-Dichloroethene	50	ug/L	50	ND	
	1,2,3-Trichloropropane	50	ug/L	50	ND	
	1,2,4-Trimethylbenzene	50	ug/L	50	6900	
	1,2-Dichlorobenzene	50	ug/L	50	ND	
	1,2-Dichloroethane	50	ug/L	25	ND	
	1,2-Dichloropropane	50	ug/L	50	ND	
	1,3,5-Trimethylbenzene	50	ug/L	50	1900	
	1,3-Dichlorobenzene	50	ug/L	50	ND	
	1,3-Dichloropropane	50	ug/L	50	ND	
	1,4-Dichlorobenzene	50	ug/L	50	ND	
	1,4-Dioxane	50	ug/L	12000	ND	
	2-Butanone	50	ug/L	50	ND	
	2-Chloroethylvinylether	50	ug/L	50	ND	
	2-Hexanone	50	ug/L	50	ND	
	4-Isopropyltoluene	50	ug/L	50	ND	
	4-Methyl-2-Pentanone	50	ug/L	50	ND	
	Acetone	50	ug/L	250	880	
	Acrolein	50	ug/L	250	ND	
	Acrylonitrile	50	ug/L	50	ND	
	Benzene	50	ug/L	25	170	
	Bromodichloromethane	50	ug/L	50	ND	
	Bromoform	50	ug/L	50	ND	
	Bromomethane	50	ug/L	50	ND	
	Carbon disulfide	50	ug/L	50	ND	
	Carbon tetrachloride	50	ug/L	50	ND	
	Chlorobenzene	50	ug/L	50	ND	
	Chloroethane	50	ug/L	50	ND	
	Chloroform	50	ug/L	50	ND	
	Chloromethane	50	ug/L	50	ND	
	cis-1,2-Dichloroethene	50	ug/L	50	ND	
	cis-1,3-Dichloropropene	50	ug/L	50	ND	
	Dibromochloromethane	50	ug/L	50	ND	
	Dichlorodifluoromethane	50	ug/L	50	ND	
	Ethylbenzene	50	ug/L	50	6000	
	Isopropylbenzene	50	ug/L	50	380	
	m&p-Xylenes	50	ug/L	100	23000	
	Methylene chloride	50	ug/L	50	ND	
	Methyl-t-butyl ether	50	ug/L	50	ND	
	n-Butylbenzene	50	ug/L	50	ND	
	n-Propylbenzene	50	ug/L	50	1100	
	o-Xylene	50	ug/L	50	9200	
	sec-Butylbenzene	50	ug/L	50	130	
	Styrene	50	ug/L	50	ND	
	t-Butyl Alcohol	50	ug/L	250	ND	
	t-Butylbenzene	50	ug/L	50	ND	
	Tetrachloroethene	50	ug/L	50	ND	
	Toluene	50	ug/L	50	2100	
	trans-1,2-Dichloroethene	50	ug/L	50	ND	
	trans-1,3-dichloropropene	50	ug/L	50	ND	
	Trichloroethene	50	ug/L	50	ND	

ND = Not Detected

Lab#:	AC38082-014	SampleID:	SB-107W			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	50	ug/L	50	ND
		Vinyl chloride	50	ug/L	50	ND

Lab#:	AC38082-015	SampleID:	FB-061208	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
AC38082-015	FB-061208				
	Mercury (Water) 7470A				
	Mercury	1	ug/L	0.70	ND
	Organochlorine Pesticides 8081				
	Aldrin	1	ug/L	0.020	ND
	Alpha-BHC	1	ug/L	0.020	ND
	beta-BHC	1	ug/L	0.020	ND
	Chlordane	1	ug/L	0.20	ND
	delta-BHC	1	ug/L	0.020	ND
	Dieldrin	1	ug/L	0.020	ND
	Endosulfan I	1	ug/L	0.020	ND
	Endosulfan II	1	ug/L	0.020	ND
	Endosulfan Sulfate	1	ug/L	0.020	ND
	Endrin	1	ug/L	0.020	ND
	Endrin Aldehyde	1	ug/L	0.020	ND
	Endrin Ketone	1	ug/L	0.020	ND
	Gamma-BHC	1	ug/L	0.020	ND
	Heptachlor	1	ug/L	0.020	ND
	Heptachlor Epoxide	1	ug/L	0.020	ND
	Methoxychlor	1	ug/L	0.020	ND
	p,p'-DDD	1	ug/L	0.020	ND
	p,p'-DDE	1	ug/L	0.020	ND
	p,p'-DDT	1	ug/L	0.020	ND
	Toxaphene	1	ug/L	0.50	ND
	PCB 8082				
	Aroclor-1016	1	ug/L	0.50	ND
	Aroclor-1221	1	ug/L	0.50	ND
	Aroclor-1232	1	ug/L	0.50	ND
	Aroclor-1242	1	ug/L	0.50	ND
	Aroclor-1248	1	ug/L	0.50	ND
	Aroclor-1254	1	ug/L	0.50	ND
	Aroclor-1260	1	ug/L	0.50	ND
	Aroclor-1262	1	ug/L	0.50	ND
	Aroclor-1268	1	ug/L	0.50	ND

ND = Not Detected

Lab#:	AC38082-015	SampleID:	FB-061208	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Semivolatile Organics (no search) 8270					
	1,2,4-Trichlorobenzene	1	ug/L	2.0	ND
	1,2-Diphenylhydrazine	1	ug/L	2.0	ND
	2,4,5-Trichlorophenol	1	ug/L	2.0	ND
	2,4,6-Trichlorophenol	1	ug/L	2.0	ND
	2,4-Dichlorophenol	1	ug/L	2.0	ND
	2,4-Dimethylphenol	1	ug/L	2.0	ND
	2,4-Dinitrophenol	1	ug/L	10	ND
	2,4-Dinitrotoluene	1	ug/L	2.0	ND
	2,6-Dinitrotoluene	1	ug/L	2.0	ND
	2-Chloronaphthalene	1	ug/L	2.0	ND
	2-Chlorophenol	1	ug/L	2.0	ND
	2-Methylnaphthalene	1	ug/L	2.0	ND
	2-Methylphenol	1	ug/L	2.0	ND
	2-Nitroaniline	1	ug/L	2.0	ND
	2-Nitrophenol	1	ug/L	2.0	ND
	3&4-Methylphenol	1	ug/L	2.0	ND
	3,3'-Dichlorobenzidine	1	ug/L	2.0	ND
	3-Nitroaniline	1	ug/L	2.0	ND
	4,6-Dinitro-2-methylphenol	1	ug/L	10	ND
	4-Bromophenyl-phenylether	1	ug/L	2.0	ND
	4-Chloro-3-methylphenol	1	ug/L	2.0	ND
	4-Chloroaniline	1	ug/L	2.0	ND
	4-Chlorophenyl-phenylether	1	ug/L	2.0	ND
	4-Nitroaniline	1	ug/L	2.0	ND
	4-Nitrophenol	1	ug/L	2.0	ND
	Acenaphthene	1	ug/L	2.0	ND
	Acenaphthylene	1	ug/L	2.0	ND
	Aniline	1	ug/L	2.0	ND
	Anthracene	1	ug/L	2.0	ND
	Benzidine	1	ug/L	2.0	ND
	Benzo[a]Anthracene	1	ug/L	2.0	ND
	Benzo[a]Pyrene	1	ug/L	2.0	ND
	Benzo[b]Fluoranthene	1	ug/L	2.0	ND
	Benzo[g,h,i]Perylene	1	ug/L	2.0	ND
	Benzo[k]Fluoranthene	1	ug/L	2.0	ND
	Benzoic acid	1	ug/L	10	ND
	bis(2-Chloroethoxy)methane	1	ug/L	2.0	ND
	bis(2-Chloroethyl)ether	1	ug/L	2.0	ND
	bis(2-Chloroisopropyl)ether	1	ug/L	2.0	ND
	bis(2-Ethylhexyl)phthalate	1	ug/L	2.0	ND
	Butylbenzylphthalate	1	ug/L	2.0	ND
	Carbazole	1	ug/L	2.0	ND
	Chrysene	1	ug/L	2.0	ND
	Dibenzo[a,h]Anthracene	1	ug/L	2.0	ND
	Dibenzofuran	1	ug/L	2.0	ND
	Diethylphthalate	1	ug/L	2.0	2.0
	Dimethylphthalate	1	ug/L	2.0	ND
	Di-n-Butylphthalate	1	ug/L	2.0	ND
	Di-n-octylphthalate	1	ug/L	2.0	ND
	Fluoranthene	1	ug/L	2.0	ND
	Fluorene	1	ug/L	2.0	ND
	Hexachlorobenzene	1	ug/L	2.0	ND
	Hexachlorobutadiene	1	ug/L	2.0	ND
	Hexachlorocyclopentadiene	1	ug/L	10	ND
	Hexachloroethane	1	ug/L	2.0	ND

ND = Not Detected

Lab#:	AC38082-015	SampleID:	FB-061208	DRAFT	
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
	Indeno[1,2,3-cd]Pyrene	1	ug/L	2.0	ND
	Isophorone	1	ug/L	2.0	ND
	Naphthalene	1	ug/L	2.0	2.4
	Nitrobenzene	1	ug/L	2.0	ND
	N-Nitrosodimethylamine	1	ug/L	2.0	ND
	N-Nitroso-Di-n-propylamine	1	ug/L	2.0	ND
	N-Nitrosodiphenylamine	1	ug/L	2.0	ND
	Pentachlorophenol	1	ug/L	10	ND
	Phenanthrene	1	ug/L	2.0	ND
	Phenol	1	ug/L	2.0	ND
	Pyrene	1	ug/L	2.0	ND
TAL Metals 6010					
	Aluminum	1	ug/L	180	ND
	Antimony	1	ug/L	12	ND
	Arsenic	1	ug/L	7.5	ND
	Barium	1	ug/L	50	ND
	Beryllium	1	ug/L	4.0	ND
	Cadmium	1	ug/L	3.5	ND
	Calcium	1	ug/L	2000	ND
	Chromium	1	ug/L	50	ND
	Cobalt	1	ug/L	20	ND
	Copper	1	ug/L	50	ND
	Iron	1	ug/L	280	ND
	Lead	1	ug/L	4.0	ND
	Magnesium	1	ug/L	2000	ND
	Manganese	1	ug/L	40	ND
	Nickel	1	ug/L	50	ND
	Potassium	1	ug/L	5000	ND
	Selenium	1	ug/L	40	ND
	Silver	1	ug/L	20	ND
	Sodium	1	ug/L	5000	ND
	Thallium	1	ug/L	10	ND
	Vanadium	1	ug/L	50	ND
	Zinc	1	ug/L	50	ND

ND = Not Detected

Lab#:	AC38082-015	SampleID:	FB-061208		DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	1	ug/L	1.0	ND
	1,1,2,2-Tetrachloroethane	1	ug/L	1.0	ND
	1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/L	1.0	ND
	1,1,2-Trichloroethane	1	ug/L	1.0	ND
	1,1-Dichloroethane	1	ug/L	1.0	ND
	1,1-Dichloroethene	1	ug/L	1.0	ND
	1,2,3-Trichloropropane	1	ug/L	1.0	ND
	1,2,4-Trimethylbenzene	1	ug/L	1.0	31
	1,2-Dichlorobenzene	1	ug/L	1.0	ND
	1,2-Dichloroethane	1	ug/L	0.50	ND
	1,2-Dichloropropane	1	ug/L	1.0	ND
	1,3,5-Trimethylbenzene	1	ug/L	1.0	9.4
	1,3-Dichlorobenzene	1	ug/L	1.0	ND
	1,3-Dichloropropane	1	ug/L	1.0	ND
	1,4-Dichlorobenzene	1	ug/L	1.0	ND
	1,4-Dioxane	1	ug/L	50	ND
	2-Butanone	1	ug/L	1.0	ND
	2-Chloroethylvinylether	1	ug/L	1.0	ND
	2-Hexanone	1	ug/L	1.0	ND
	4-Isopropyltoluene	1	ug/L	1.0	ND
	4-Methyl-2-Pentanone	1	ug/L	1.0	ND
	Acetone	1	ug/L	5.0	ND
	Acrolein	1	ug/L	5.0	ND
	Acrylonitrile	1	ug/L	1.0	ND
	Benzene	1	ug/L	0.50	3.3
	Bromodichloromethane	1	ug/L	1.0	ND
	Bromoform	1	ug/L	1.0	ND
	Bromomethane	1	ug/L	1.0	ND
	Carbon disulfide	1	ug/L	1.0	ND
	Carbon tetrachloride	1	ug/L	1.0	ND
	Chlorobenzene	1	ug/L	1.0	ND
	Chloroethane	1	ug/L	1.0	ND
	Chloroform	1	ug/L	1.0	ND
	Chloromethane	1	ug/L	1.0	ND
	Cis-1,2-Dichloroethene	1	ug/L	1.0	ND
	Cis-1,3-Dichloropropene	1	ug/L	1.0	ND
	Dibromochloromethane	1	ug/L	1.0	ND
	Dichlorodifluoromethane	1	ug/L	1.0	ND
	Ethylbenzene	1	ug/L	1.0	54
	Isopropylbenzene	1	ug/L	1.0	2.1
	M&p-Xylenes	1	ug/L	2.0	96
	Methylene chloride	1	ug/L	1.0	9.5
	Methyl-t-butyl ether	1	ug/L	1.0	ND
	n-Butylbenzene	1	ug/L	1.0	2.5
	n-Propylbenzene	1	ug/L	1.0	5.7
	O-Xylene	1	ug/L	1.0	42
	sec-Butylbenzene	1	ug/L	1.0	ND
	Styrene	1	ug/L	1.0	ND
	t-Butyl Alcohol	1	ug/L	5.0	ND
	t-Butylbenzene	1	ug/L	1.0	ND
	Tetrachloroethene	1	ug/L	1.0	ND
	Toluene	1	ug/L	1.0	16
	Trans-1,2-dichloroethene	1	ug/L	1.0	ND
	Trans-1,3-dichloropropene	1	ug/L	1.0	ND
	Trichloroethene	1	ug/L	1.0	ND

ND = Not Detected

Lab#:	AC38082-015	SampleID:	FB-061208			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichlorofluoromethane	1	ug/L	1.0	ND
		Vinyl chloride	1	ug/L	1.0	ND

Lab#:	AC38082-016	SampleID:	TRIP BLANK			DRAFT
TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT	
AC38082-016	TRIP BLANK					
	Volatile Organics (no search) 8260					
	1,1,1-Trichloroethane	1	ug/L	1.0	ND	
	1,1,2,2-Tetrachloroethane	1	ug/L	1.0	ND	
	1,1,2-trichloro-1,2,2-trifluoroethane	1	ug/L	1.0	ND	
	1,1,2-Trichloroethane	1	ug/L	1.0	ND	
	1,1-Dichloroethane	1	ug/L	1.0	ND	
	1,1-Dichloroethene	1	ug/L	1.0	ND	
	1,2,3-Trichloropropane	1	ug/L	1.0	ND	
	1,2,4-Trimethylbenzene	1	ug/L	1.0	ND	
	1,2-Dichlorobenzene	1	ug/L	1.0	ND	
	1,2-Dichloroethane	1	ug/L	0.50	ND	
	1,2-Dichloropropane	1	ug/L	1.0	ND	
	1,3,5-Trimethylbenzene	1	ug/L	1.0	ND	
	1,3-Dichlorobenzene	1	ug/L	1.0	ND	
	1,3-Dichloropropane	1	ug/L	1.0	ND	
	1,4-Dichlorobenzene	1	ug/L	1.0	ND	
	1,4-Dioxane	1	ug/L	50	ND	
	2-Butanone	1	ug/L	1.0	ND	
	2-Chloroethylvinylether	1	ug/L	1.0	ND	
	2-Hexanone	1	ug/L	1.0	ND	
	4-Isopropyltoluene	1	ug/L	1.0	ND	
	4-Methyl-2-Pentanone	1	ug/L	1.0	ND	
	Acetone	1	ug/L	5.0	ND	
	Acrolein	1	ug/L	5.0	ND	
	Acrylonitrile	1	ug/L	1.0	ND	
	Benzene	1	ug/L	0.50	ND	
	Bromodichloromethane	1	ug/L	1.0	ND	
	Bromoform	1	ug/L	1.0	ND	
	Bromomethane	1	ug/L	1.0	ND	
	Carbon disulfide	1	ug/L	1.0	ND	
	Carbon tetrachloride	1	ug/L	1.0	ND	
	Chlorobenzene	1	ug/L	1.0	ND	
	Chloroethane	1	ug/L	1.0	ND	
	Chloroform	1	ug/L	1.0	ND	
	Chloromethane	1	ug/L	1.0	ND	
	cis-1,2-Dichloroethene	1	ug/L	1.0	ND	
	cis-1,3-Dichloropropene	1	ug/L	1.0	ND	
	Dibromochloromethane	1	ug/L	1.0	ND	
	Dichlorodifluoromethane	1	ug/L	1.0	ND	
	Ethylbenzene	1	ug/L	1.0	ND	
	Isopropylbenzene	1	ug/L	1.0	ND	
	m&p-Xylenes	1	ug/L	2.0	ND	
	Methylene chloride	1	ug/L	1.0	ND	
	Methyl-t-butyl ether	1	ug/L	1.0	ND	
	n-Butylbenzene	1	ug/L	1.0	ND	
	n-Propylbenzene	1	ug/L	1.0	ND	
	o-Xylene	1	ug/L	1.0	ND	
	sec-Butylbenzene	1	ug/L	1.0	ND	
	Styrene	1	ug/L	1.0	ND	
	t-Butyl Alcohol	1	ug/L	5.0	ND	
	t-Butylbenzene	1	ug/L	1.0	ND	
	Tetrachloroethene	1	ug/L	1.0	ND	
	Toluene	1	ug/L	1.0	ND	
	trans-1,2-Dichloroethene	1	ug/L	1.0	ND	
	trans-1,3-dichloropropene	1	ug/L	1.0	ND	

ND = Not Detected

Lab#:	AC38082-016	SampleID:	TRIP BLANK			DRAFT
	TestGroup	Analyte	DF	Units	MDL/PQL/RL	RESULT
		Trichloroethene	1	ug/L	1.0	ND
		Trichlorofluoromethane	1	ug/L	1.0	ND
		Vinyl chloride	1	ug/L	1.0	ND

RL Definitions: SW846 Organics reported to PQL
 SW846 Inorganics reported to PQL

 Clean Water Act Organics reported to MDL
 Clean Water Act Inorganics reported to PQL

 CLP Organics reported to CRDL
 CLP Inorganics reported to CRDL

This report is a true report of results obtained from our tests of this material. In lieu of a formal contract document, the total aggregate liability of Veritech to all parties shall not exceed Veritech's total fee for analytical services rendered.

_____	Or	_____
Jeri Rossi - Quality Assurance Director		Stanley Gilewicz - Laboratory Director

NELAC/NJ # 14622 & 07069 CT# PH-0671 MA# NJ386 NY# 11408 PA# 68-463 WV# 353 KY# 90124

3) Reporting Requirements (please circle)

Customer Information

1a) Customer: Roux Associates, Inc.Address: 209 Shaffer StreetIslip, NY 117491b) Email/Cell/Fax/Ph: (631)232 26001c) Send Invoice To: Michael Roux1d) Send Report To: Michael Roux

Project Information

2a) Project: Southern Blvd - 174.000170022b) Project Manager: Michael Roux2c) Location (City/State): Bronx, NY

2d) Quote#/PO# (if Applicable):

Expedited TAT Not always available (Please check with lab!)

7) Analysis Request

Check if Contingent==>

<==Check if Contingent

FOR LAB
USE
ONLY

Matrix Codes:

Batch#
DW-Drinking Water
GW-Ground Water
WW-Waste WaterS-Soil
SL-Sludge
O-OilA-Air
Ot-OtherSample
Type

Grab(G)

Composite(C)

Sample
Date

Time

Matrix

Date

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

Time

8)

Of Bottles
None
MeOH
Encore
NaOH
HCl
H₂SO₄
HNO₃
Other:9) Methanol
Bottle Numbers
(if applicable)
Comments

10) Relinquished By:

Accepted By

Date

Time

Comments, Notes, Special Requirements, HAZARDS

M. Roux

M. Roux

6/12/08 14:00

6/13/08 11:55

11) Sampler: M. Reissler / M. RouxDate: 6/12/08Please note NUMBERED items. If not completed your analytical work may be delayed.
A fee of \$5/sample will be assessed for storage should sample not be activated for any analysis

Cooler Temp

4.0

3.5

Veritech/Division of Hampton-Clarke

CHAIN OF CUSTODY RECORD

Project/Lab Use Only

Page 2 of 2

175 US Hwy 46 West, Fairfield, New Jersey 07004 & 1275 Bloomfield Avenue, Building 3, Unit 50A, Fairfield, New Jersey 07004
 NELAC/NU # 14622 & 07069 CT # PH-0671 MA# NJ386 NY# 11408 PA# 68-463 WV# 353 KY# 90124
 Ph: 800-426-9992 Fax: 973-439-1458

3) Reporting Requirements (please circle)

Customer Information 1a) Customer: <u>Roux Associates, Inc.</u> Address: <u>209 Snaffer Street</u> <u>Islip, NY 11749</u> 1b) Email/Cell/Fax/Ph: <u>16311 232 2600</u> 1c) Send Invoice To: <u>Michael Roux</u> 1d) Send Report To: <u>Michael Roux</u>		Project Information 2a) Project: <u>Southview Blvd - 1741.00017000</u> 2b) Project Manager: <u>Michael Roux</u> 2c) Location (City/State): <u>Brook, NY</u> 2d) Quote#/PO# (if Applicable): _____		Turnaround Time 24-Hour (100%) 48-Hour (75%) 72-Hour (50%) 4 Day (TTPH) 1-Week (25%) 10 Days (10%) Other: <u>013108</u>		Data Sum Waste Red-NJ/NY/PA CLP Full/Cat-B Cat-A Other: _____		Hazmat/Csv Equis Excel-NJCC Excel-Nytagm Excel-PAActII PDF Other: _____	
--	--	--	--	---	--	--	--	--	--

7) Analysis Request

FOR LAB USE ONLY		Check if Contingent==>		Sample Type		Composite (C)		Grab (G)		TCL VOCs		TCL SVOCs		TAL METALS		TCL PEST. / PCB		None		# Of Bottles		9) Methanol Bottle Numbers (if applicable)		Comments	
Batch#	Matrix Codes:	DW-Drinking Water	S-Soil	A-Air	GW-Ground Water	SL-Sludge	O-Other																		
AC 38082		WW-Waste Water	O-Oil																						
Lab Sample#	4) Customer Sample ID	5) Matrix	6) Sample Date	Time																					
-009	SB-101W	W	6/12/08	1800	X																				
-010	SB-102W	W	6/12/08	1030	X																				
-011	SB-103W	W	6/12/08	1100	X																				
-012	SB-104W	W	6/12/08	1400	X																				
-013	SB-105W	W	6/12/08	1430	X																				
-014	SB-107W	W	6/12/08	1510	X																				
-015	FB-06208	W	6/12/08	1530	X																				
-016	TRIP BLANK	W	6/12/08																						
			6/9/08	6/13																					

Comments, Notes, Special Requirements, HAZARDS

10) Relinquished By: _____ Accepted By: _____ Date: _____ Time: _____

11) Sampler: M. Roux Date: 6/12/08
 Please note NUMBERED items. If not completed your analytical work may be delayed.
 A fee of \$5/sample will be assessed for storage should sample not be activated for any analysis.

Cooler Temp

4.0

3.5

TestAmerica
South Burlington, VT

Sample Data Summary
Package

SDG: NY125995

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-201

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.50

Sample Matrix: AIR

Lab Sample No.: 755818

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.75	U	0.75	3.7	U	3.7
1,2-Dichlorotetrafluoroethane	76-14-2	0.30	U	0.30	2.1	U	2.1
Chloromethane	74-87-3	0.75	U	0.75	1.5	U	1.5
Vinyl Chloride	75-01-4	0.30	U	0.30	0.77	U	0.77
1,3-Butadiene	106-99-0	0.75	U	0.75	1.7	U	1.7
Bromomethane	74-83-9	0.30	U	0.30	1.2	U	1.2
Chloroethane	75-00-3	0.75	U	0.75	2.0	U	2.0
Bromoethene	593-60-2	0.30	U	0.30	1.3	U	1.3
Trichlorofluoromethane	75-69-4	3.9		0.30	22		1.7
Freon TF	76-13-1	0.30	U	0.30	2.3	U	2.3
1,1-Dichloroethene	75-35-4	0.30	U	0.30	1.2	U	1.2
Acetone	67-64-1	39		7.5	93		18
Isopropyl Alcohol	67-63-0	7.5	U	7.5	18	U	18
Carbon Disulfide	75-15-0	0.81		0.75	2.5		2.3
3-Chloropropene	107-05-1	0.75	U	0.75	2.3	U	2.3
Methylene Chloride	75-09-2	0.75	U	0.75	2.6	U	2.6
tert-Butyl Alcohol	75-65-0	7.5	U	7.5	23	U	23
Methyl tert-Butyl Ether	1634-04-4	44		0.75	160		2.7
trans-1,2-Dichloroethene	156-60-5	0.30	U	0.30	1.2	U	1.2
n-Hexane	110-54-3	8.6		0.75	30		2.6
1,1-Dichloroethane	75-34-3	0.30	U	0.30	1.2	U	1.2
1,2-Dichloroethene (total)	540-59-0	0.30	U	0.30	1.2	U	1.2
Methyl Ethyl Ketone	78-93-3	5.9		0.75	17		2.2
cis-1,2-Dichloroethene	156-59-2	0.30	U	0.30	1.2	U	1.2
Tetrahydrofuran	109-99-9	7.5	U	7.5	22	U	22
Chloroform	67-66-3	1.8		0.30	8.8		1.5
1,1,1-Trichloroethane	71-55-6	0.30	U	0.30	1.6	U	1.6
Cyclohexane	110-82-7	1.5		0.30	5.2		1.0
Carbon Tetrachloride	56-23-5	0.30	U	0.30	1.9	U	1.9
2,2,4-Trimethylpentane	540-84-1	7.2		0.30	34		1.4
Benzene	71-43-2	8.7		0.30	28		0.96
1,2-Dichloroethane	107-06-2	0.30	U	0.30	1.2	U	1.2
n-Heptane	142-82-5	2.0		0.30	8.2		1.2

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-201

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.50

Sample Matrix: AIR

Lab Sample No.: 755818

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.30	U	0.30	1.6	U	1.6
1,2-Dichloropropane	78-87-5	0.30	U	0.30	1.4	U	1.4
1,4-Dioxane	123-91-1	7.5	U	7.5	27	U	27
Bromodichloromethane	75-27-4	0.30	U	0.30	2.0	U	2.0
cis-1,3-Dichloropropene	10061-01-5	0.30	U	0.30	1.4	U	1.4
Methyl Isobutyl Ketone	108-10-1	0.75	U	0.75	3.1	U	3.1
Toluene	108-88-3	6.3		0.30	24		1.1
trans-1,3-Dichloropropene	10061-02-6	0.30	U	0.30	1.4	U	1.4
1,1,2-Trichloroethane	79-00-5	0.30	U	0.30	1.6	U	1.6
Tetrachloroethene	127-18-4	1.0		0.30	6.8		2.0
Methyl Butyl Ketone	591-78-6	0.75	U	0.75	3.1	U	3.1
Dibromochloromethane	124-48-1	0.30	U	0.30	2.6	U	2.6
1,2-Dibromoethane	106-93-4	0.30	U	0.30	2.3	U	2.3
Chlorobenzene	108-90-7	0.30	U	0.30	1.4	U	1.4
Ethylbenzene	100-41-4	1.6		0.30	6.9		1.3
Xylene (total)	1330-20-7	9.0		0.30	39		1.3
Styrene	100-42-5	0.87		0.30	3.7		1.3
Bromoform	75-25-2	0.30	U	0.30	3.1	U	3.1
1,1,2,2-Tetrachloroethane	79-34-5	0.30	U	0.30	2.1	U	2.1
4-Ethyltoluene	622-96-8	2.5		0.30	12		1.5
1,3,5-Trimethylbenzene	108-67-8	0.87		0.30	4.3		1.5
2-Chlorotoluene	95-49-8	0.30	U	0.30	1.6	U	1.6
1,2,4-Trimethylbenzene	95-63-6	3.7		0.30	18		1.5
1,3-Dichlorobenzene	541-73-1	0.30	U	0.30	1.8	U	1.8
1,4-Dichlorobenzene	106-46-7	0.30	U	0.30	1.8	U	1.8
1,2-Dichlorobenzene	95-50-1	0.30	U	0.30	1.8	U	1.8
1,2,4-Trichlorobenzene	120-82-1	0.75	U	0.75	5.6	U	5.6
Hexachlorobutadiene	87-68-3	0.30	U	0.30	3.2	U	3.2

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-202

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 755819

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL In ppbv	Results In ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.20	U	0.20	1.4	U	1.4
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Bromomethane	74-83-9	0.20	U	0.20	0.78	U	0.78
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Bromoethene	593-60-2	0.20	U	0.20	0.87	U	0.87
Trichlorofluoromethane	75-69-4	25		0.20	140		1.1
Freon TF	76-13-1	0.20	U	0.20	1.5	U	1.5
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
Acetone	67-64-1	12		5.0	29		12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Carbon Disulfide	75-15-0	1.5		0.50	4.7		1.6
3-Chloropropene	107-05-1	0.50	U	0.50	1.6	U	1.6
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
tert-Butyl Alcohol	75-65-0	5.0	U	5.0	15	U	15
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
n-Hexane	110-54-3	1.9		0.50	6.7		1.8
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
1,2-Dichloroethene (total)	540-59-0	0.20	U	0.20	0.79	U	0.79
Methyl Ethyl Ketone	78-93-3	2.4		0.50	7.1		1.5
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
Chloroform	67-66-3	0.48		0.20	2.3		0.98
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Cyclohexane	110-82-7	1.2		0.20	4.1		0.69
Carbon Tetrachloride	56-23-5	0.20	U	0.20	1.3	U	1.3
2,2,4-Trimethylpentane	540-84-1	0.98		0.20	4.6		0.93
Benzene	71-43-2	1.6		0.20	5.1		0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
n-Heptane	142-82-5	0.82		0.20	3.4		0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

SV-202

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 755819

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.20	U	0.20	1.1	U	1.1
1,2-Dichloropropane	78-87-5	0.20	U	0.20	0.92	U	0.92
1,4-Dioxane	123-91-1	5.0	U	5.0	18	U	18
Bromodichloromethane	75-27-4	0.20	U	0.20	1.3	U	1.3
cis-1,3-Dichloropropene	10061-01-5	0.20	U	0.20	0.91	U	0.91
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Toluene	108-88-3	7.0		0.20	26		0.75
trans-1,3-Dichloropropene	10061-02-6	0.20	U	0.20	0.91	U	0.91
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	1.5		0.20	10		1.4
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Dibromochloromethane	124-48-1	0.20	U	0.20	1.7	U	1.7
1,2-Dibromoethane	106-93-4	0.20	U	0.20	1.5	U	1.5
Chlorobenzene	108-90-7	0.20	U	0.20	0.92	U	0.92
Ethylbenzene	100-41-4	1.6		0.20	6.9		0.87
Xylene (total)	1330-20-7	10		0.20	43		0.87
Styrene	100-42-5	0.91		0.20	3.9		0.85
Bromoform	75-25-2	0.20	U	0.20	2.1	U	2.1
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4
4-Ethyltoluene	622-96-8	2.8		0.20	14		0.98
1,3,5-Trimethylbenzene	108-67-8	0.86		0.20	4.2		0.98
2-Chlorotoluene	95-49-8	0.20	U	0.20	1.0	U	1.0
1,2,4-Trimethylbenzene	95-63-6	4.1		0.20	20		0.98
1,3-Dichlorobenzene	541-73-1	0.20	U	0.20	1.2	U	1.2
1,4-Dichlorobenzene	106-46-7	0.20	U	0.20	1.2	U	1.2
1,2-Dichlorobenzene	95-50-1	0.20	U	0.20	1.2	U	1.2
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.20	U	0.20	2.1	U	2.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

AS-203

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 755820

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.20	U	0.20	1.4	U	1.4
Chloromethane	74-87-3	0.51		0.50	1.1		1.0
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Bromomethane	74-83-9	0.20	U	0.20	0.78	U	0.78
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Bromoethene	593-60-2	0.20	U	0.20	0.87	U	0.87
Trichlorofluoromethane	75-69-4	0.31		0.20	1.7		1.1
Freon TF	76-13-1	0.20	U	0.20	1.5	U	1.5
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
Acetone	67-64-1	5.0		5.0	12		12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
3-Chloropropene	107-05-1	0.50	U	0.50	1.6	U	1.6
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
tert-Butyl Alcohol	75-65-0	5.0	U	5.0	15	U	15
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
1,2-Dichloroethene (total)	540-59-0	0.20	U	0.20	0.79	U	0.79
Methyl Ethyl Ketone	78-93-3	0.91		0.50	2.7		1.5
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
Chloroform	67-66-3	0.20	U	0.20	0.98	U	0.98
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Cyclohexane	110-82-7	0.22		0.20	0.76		0.69
Carbon Tetrachloride	56-23-5	0.20	U	0.20	1.3	U	1.3
2,2,4-Trimethylpentane	540-84-1	0.20	U	0.20	0.93	U	0.93
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
n-Heptane	142-82-5	0.20	U	0.20	0.82	U	0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

AS-203

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: 755820

Date Analyzed: 06/16/08

Date Received: 06/13/08

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.20	U	0.20	1.1	U	1.1
1,2-Dichloropropane	78-87-5	0.20	U	0.20	0.92	U	0.92
1,4-Dioxane	123-91-1	5.0	U	5.0	18	U	18
Bromodichloromethane	75-27-4	0.20	U	0.20	1.3	U	1.3
cis-1,3-Dichloropropene	10061-01-5	0.20	U	0.20	0.91	U	0.91
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Toluene	108-88-3	1.3		0.20	4.9		0.75
trans-1,3-Dichloropropene	10061-02-6	0.20	U	0.20	0.91	U	0.91
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Dibromochloromethane	124-48-1	0.20	U	0.20	1.7	U	1.7
1,2-Dibromoethane	106-93-4	0.20	U	0.20	1.5	U	1.5
Chlorobenzene	108-90-7	0.20	U	0.20	0.92	U	0.92
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (total)	1330-20-7	0.20	U	0.20	0.87	U	0.87
Styrene	100-42-5	0.20	U	0.20	0.85	U	0.85
Bromoform	75-25-2	0.20	U	0.20	2.1	U	2.1
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4
4-Ethyltoluene	622-96-8	0.20	U	0.20	0.98	U	0.98
1,3,5-Trimethylbenzene	108-67-8	0.20	U	0.20	0.98	U	0.98
2-Chlorotoluene	95-49-8	0.20	U	0.20	1.0	U	1.0
1,2,4-Trimethylbenzene	95-63-6	0.20	U	0.20	0.98	U	0.98
1,3-Dichlorobenzene	541-73-1	0.20	U	0.20	1.2	U	1.2
1,4-Dichlorobenzene	106-46-7	0.20	U	0.20	1.2	U	1.2
1,2-Dichlorobenzene	95-50-1	0.20	U	0.20	1.2	U	1.2
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.20	U	0.20	2.1	U	2.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

GA061608LCS

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: GA061608

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	9.9		0.50	49		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	9.9		0.20	69		1.4
Chloromethane	74-87-3	9.8		0.50	20		1.0
Vinyl Chloride	75-01-4	9.5		0.20	24		0.51
1,3-Butadiene	106-99-0	11		0.50	24		1.1
Bromomethane	74-83-9	9.8		0.20	38		0.78
Chloroethane	75-00-3	10		0.50	26		1.3
Bromoethene	593-60-2	10		0.20	44		0.87
Trichlorofluoromethane	75-69-4	10		0.20	56		1.1
Freon TF	76-13-1	11		0.20	84		1.5
1,1-Dichloroethene	75-35-4	11		0.20	44		0.79
Acetone	67-64-1	13		5.0	31		12
Isopropyl Alcohol	67-63-0	11		5.0	27		12
Carbon Disulfide	75-15-0	10		0.50	31		1.6
3-Chloropropene	107-05-1	11		0.50	34		1.6
Methylene Chloride	75-09-2	10		0.50	35		1.7
tert-Butyl Alcohol	75-65-0	11		5.0	33		15
Methyl tert-Butyl Ether	1634-04-4	12		0.50	43		1.8
trans-1,2-Dichloroethene	156-60-5	9.9		0.20	39		0.79
n-Hexane	110-54-3	10		0.50	35		1.8
1,1-Dichloroethane	75-34-3	9.8		0.20	40		0.81
1,2-Dichloroethene (total)	540-59-0	20		0.20	79		0.79
Methyl Ethyl Ketone	78-93-3	12		0.50	35		1.5
cis-1,2-Dichloroethene	156-59-2	10		0.20	40		0.79
Tetrahydrofuran	109-99-9	12		5.0	35		15
Chloroform	67-66-3	9.9		0.20	48		0.98
1,1,1-Trichloroethane	71-55-6	9.9		0.20	54		1.1
Cyclohexane	110-82-7	10		0.20	34		0.69
Carbon Tetrachloride	56-23-5	10		0.20	63		1.3
2,2,4-Trimethylpentane	540-84-1	10		0.20	47		0.93
Benzene	71-43-2	9.9		0.20	32		0.64
1,2-Dichloroethane	107-06-2	9.8		0.20	40		0.81
n-Heptane	142-82-5	9.9		0.20	41		0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

GA061608LCS

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: GA061608

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	9.9		0.20	53		1.1
1,2-Dichloropropane	78-87-5	9.7		0.20	45		0.92
1,4-Dioxane	123-91-1	10		5.0	36		18
Bromodichloromethane	75-27-4	11		0.20	74		1.3
cis-1,3-Dichloropropene	10061-01-5	10		0.20	45		0.91
Methyl Isobutyl Ketone	108-10-1	11		0.50	45		2.0
Toluene	108-88-3	9.8		0.20	37		0.75
trans-1,3-Dichloropropene	10061-02-6	11		0.20	50		0.91
1,1,2-Trichloroethane	79-00-5	9.5		0.20	52		1.1
Tetrachloroethene	127-18-4	9.7		0.20	66		1.4
Methyl Butyl Ketone	591-78-6	11		0.50	45		2.0
Dibromochloromethane	124-48-1	11		0.20	94		1.7
1,2-Dibromoethane	106-93-4	10		0.20	77		1.5
Chlorobenzene	108-90-7	9.9		0.20	46		0.92
Ethylbenzene	100-41-4	10		0.20	43		0.87
Xylene (total)	1330-20-7	32		0.20	140		0.87
Styrene	100-42-5	11		0.20	47		0.85
Bromoform	75-25-2	12		0.20	120		2.1
1,1,2,2-Tetrachloroethane	79-34-5	10		0.20	69		1.4
4-Ethyltoluene	622-96-8	12		0.20	59		0.98
1,3,5-Trimethylbenzene	108-67-8	11		0.20	54		0.98
2-Chlorotoluene	95-49-8	11		0.20	57		1.0
1,2,4-Trimethylbenzene	95-63-6	12		0.20	59		0.98
1,3-Dichlorobenzene	541-73-1	11		0.20	66		1.2
1,4-Dichlorobenzene	106-46-7	11		0.20	66		1.2
1,2-Dichlorobenzene	95-50-1	11		0.20	66		1.2
1,2,4-Trichlorobenzene	120-82-1	13		0.50	96		3.7
Hexachlorobutadiene	87-68-3	13		0.20	140		2.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

GA061608LCSD

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: GA061608

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results In ppbv	Q	RL in ppbv	Results In ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	9.5		0.50	47		2.5
1,2-Dichlorotetrafluoroethane	76-14-2	9.6		0.20	67		1.4
Chloromethane	74-87-3	9.6		0.50	20		1.0
Vinyl Chloride	75-01-4	9.3		0.20	24		0.51
1,3-Butadiene	106-99-0	10		0.50	22		1.1
Bromomethane	74-83-9	9.7		0.20	38		0.78
Chloroethane	75-00-3	10		0.50	26		1.3
Bromoethene	593-60-2	10		0.20	44		0.87
Trichlorofluoromethane	75-69-4	9.6		0.20	54		1.1
Freon TF	76-13-1	11		0.20	84		1.5
1,1-Dichloroethene	75-35-4	11		0.20	44		0.79
Acetone	67-64-1	11		5.0	26		12
Isopropyl Alcohol	67-63-0	11		5.0	27		12
Carbon Disulfide	75-15-0	10		0.50	31		1.6
3-Chloropropene	107-05-1	10		0.50	31		1.6
Methylene Chloride	75-09-2	10		0.50	35		1.7
tert-Butyl Alcohol	75-65-0	10		5.0	30		15
Methyl tert-Butyl Ether	1634-04-4	11		0.50	40		1.8
trans-1,2-Dichloroethene	156-60-5	9.7		0.20	38		0.79
n-Hexane	110-54-3	10		0.50	35		1.8
1,1-Dichloroethane	75-34-3	9.5		0.20	38		0.81
1,2-Dichloroethene (total)	540-59-0	20		0.20	79		0.79
Methyl Ethyl Ketone	78-93-3	12		0.50	35		1.5
cis-1,2-Dichloroethene	156-59-2	10		0.20	40		0.79
Tetrahydrofuran	109-99-9	11		5.0	32		15
Chloroform	67-66-3	9.5		0.20	46		0.98
1,1,1-Trichloroethane	71-55-6	9.4		0.20	51		1.1
Cyclohexane	110-82-7	9.9		0.20	34		0.69
Carbon Tetrachloride	56-23-5	9.6		0.20	60		1.3
2,2,4-Trimethylpentane	540-84-1	9.7		0.20	45		0.93
Benzene	71-43-2	9.5		0.20	30		0.64
1,2-Dichloroethane	107-06-2	9.1		0.20	37		0.81
n-Heptane	142-82-5	9.5		0.20	39		0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

GA061608LCSD

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: GA061608

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	9.5		0.20	51		1.1
1,2-Dichloropropane	78-87-5	9.2		0.20	43		0.92
1,4-Dioxane	123-91-1	10		5.0	36		18
Bromodichloromethane	75-27-4	9.9		0.20	66		1.3
cis-1,3-Dichloropropene	10061-01-5	9.6		0.20	44		0.91
Methyl Isobutyl Ketone	108-10-1	11		0.50	45		2.0
Toluene	108-88-3	9.6		0.20	36		0.75
trans-1,3-Dichloropropene	10061-02-6	9.9		0.20	45		0.91
1,1,2-Trichloroethane	79-00-5	9.3		0.20	51		1.1
Tetrachloroethene	127-18-4	9.6		0.20	65		1.4
Methyl Butyl Ketone	591-78-6	11		0.50	45		2.0
Dibromochloromethane	124-48-1	11		0.20	94		1.7
1,2-Dibromoethane	106-93-4	9.9		0.20	76		1.5
Chlorobenzene	108-90-7	9.7		0.20	45		0.92
Ethylbenzene	100-41-4	9.8		0.20	43		0.87
Xylene (total)	1330-20-7	32		0.20	140		0.87
Styrene	100-42-5	11		0.20	47		0.85
Bromoform	75-25-2	11		0.20	110		2.1
1,1,2,2-Tetrachloroethane	79-34-5	10		0.20	69		1.4
4-Ethyltoluene	622-96-8	12		0.20	59		0.98
1,3,5-Trimethylbenzene	108-67-8	10		0.20	49		0.98
2-Chlorotoluene	95-49-8	11		0.20	57		1.0
1,2,4-Trimethylbenzene	95-63-6	12		0.20	59		0.98
1,3-Dichlorobenzene	541-73-1	11		0.20	66		1.2
1,4-Dichlorobenzene	106-46-7	11		0.20	66		1.2
1,2-Dichlorobenzene	95-50-1	11		0.20	66		1.2
1,2,4-Trichlorobenzene	120-82-1	15		0.50	110		3.7
Hexachlorobutadiene	87-68-3	15		0.20	160		2.1

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

MBLK061608GA

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: MBLK0616

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Dichlorodifluoromethane	75-71-8	0.50	U	0.50	2.5	U	2.5
1,2-Dichlorotetrafluoroethane	76-14-2	0.20	U	0.20	1.4	U	1.4
Chloromethane	74-87-3	0.50	U	0.50	1.0	U	1.0
Vinyl Chloride	75-01-4	0.20	U	0.20	0.51	U	0.51
1,3-Butadiene	106-99-0	0.50	U	0.50	1.1	U	1.1
Bromomethane	74-83-9	0.20	U	0.20	0.78	U	0.78
Chloroethane	75-00-3	0.50	U	0.50	1.3	U	1.3
Bromoethene	593-60-2	0.20	U	0.20	0.87	U	0.87
Trichlorofluoromethane	75-69-4	0.20	U	0.20	1.1	U	1.1
Freon TF	76-13-1	0.20	U	0.20	1.5	U	1.5
1,1-Dichloroethene	75-35-4	0.20	U	0.20	0.79	U	0.79
Acetone	67-64-1	5.0	U	5.0	12	U	12
Isopropyl Alcohol	67-63-0	5.0	U	5.0	12	U	12
Carbon Disulfide	75-15-0	0.50	U	0.50	1.6	U	1.6
3-Chloropropene	107-05-1	0.50	U	0.50	1.6	U	1.6
Methylene Chloride	75-09-2	0.50	U	0.50	1.7	U	1.7
tert-Butyl Alcohol	75-65-0	5.0	U	5.0	15	U	15
Methyl tert-Butyl Ether	1634-04-4	0.50	U	0.50	1.8	U	1.8
trans-1,2-Dichloroethene	156-60-5	0.20	U	0.20	0.79	U	0.79
n-Hexane	110-54-3	0.50	U	0.50	1.8	U	1.8
1,1-Dichloroethane	75-34-3	0.20	U	0.20	0.81	U	0.81
1,2-Dichloroethene (total)	540-59-0	0.20	U	0.20	0.79	U	0.79
Methyl Ethyl Ketone	78-93-3	0.50	U	0.50	1.5	U	1.5
cis-1,2-Dichloroethene	156-59-2	0.20	U	0.20	0.79	U	0.79
Tetrahydrofuran	109-99-9	5.0	U	5.0	15	U	15
Chloroform	67-66-3	0.20	U	0.20	0.98	U	0.98
1,1,1-Trichloroethane	71-55-6	0.20	U	0.20	1.1	U	1.1
Cyclohexane	110-82-7	0.20	U	0.20	0.69	U	0.69
Carbon Tetrachloride	56-23-5	0.20	U	0.20	1.3	U	1.3
2,2,4-Trimethylpentane	540-84-1	0.20	U	0.20	0.93	U	0.93
Benzene	71-43-2	0.20	U	0.20	0.64	U	0.64
1,2-Dichloroethane	107-06-2	0.20	U	0.20	0.81	U	0.81
n-Heptane	142-82-5	0.20	U	0.20	0.82	U	0.82

**TO-14/15
Result Summary**

CLIENT SAMPLE NO.

MBLK061608GA

Lab Name: TAL Burlington

SDG Number: NY125995

Dilution Factor: 1.00

Sample Matrix: AIR

Lab Sample No.: MBLK0616

Date Analyzed: 06/16/08

Date Received: / /

Target Compound	CAS Number	Results in ppbv	Q	RL in ppbv	Results in ug/m3	Q	RL in ug/m3
Trichloroethene	79-01-6	0.20	U	0.20	1.1	U	1.1
1,2-Dichloropropane	78-87-5	0.20	U	0.20	0.92	U	0.92
1,4-Dioxane	123-91-1	5.0	U	5.0	18	U	18
Bromodichloromethane	75-27-4	0.20	U	0.20	1.3	U	1.3
cis-1,3-Dichloropropene	10061-01-5	0.20	U	0.20	0.91	U	0.91
Methyl Isobutyl Ketone	108-10-1	0.50	U	0.50	2.0	U	2.0
Toluene	108-88-3	0.20	U	0.20	0.75	U	0.75
trans-1,3-Dichloropropene	10061-02-6	0.20	U	0.20	0.91	U	0.91
1,1,2-Trichloroethane	79-00-5	0.20	U	0.20	1.1	U	1.1
Tetrachloroethene	127-18-4	0.20	U	0.20	1.4	U	1.4
Methyl Butyl Ketone	591-78-6	0.50	U	0.50	2.0	U	2.0
Dibromochloromethane	124-48-1	0.20	U	0.20	1.7	U	1.7
1,2-Dibromoethane	106-93-4	0.20	U	0.20	1.5	U	1.5
Chlorobenzene	108-90-7	0.20	U	0.20	0.92	U	0.92
Ethylbenzene	100-41-4	0.20	U	0.20	0.87	U	0.87
Xylene (total)	1330-20-7	0.20	U	0.20	0.87	U	0.87
Styrene	100-42-5	0.20	U	0.20	0.85	U	0.85
Bromoform	75-25-2	0.20	U	0.20	2.1	U	2.1
1,1,2,2-Tetrachloroethane	79-34-5	0.20	U	0.20	1.4	U	1.4
4-Ethyltoluene	622-96-8	0.20	U	0.20	0.98	U	0.98
1,3,5-Trimethylbenzene	108-67-8	0.20	U	0.20	0.98	U	0.98
2-Chlorotoluene	95-49-8	0.20	U	0.20	1.0	U	1.0
1,2,4-Trimethylbenzene	95-63-6	0.20	U	0.20	0.98	U	0.98
1,3-Dichlorobenzene	541-73-1	0.20	U	0.20	1.2	U	1.2
1,4-Dichlorobenzene	106-46-7	0.20	U	0.20	1.2	U	1.2
1,2-Dichlorobenzene	95-50-1	0.20	U	0.20	1.2	U	1.2
1,2,4-Trichlorobenzene	120-82-1	0.50	U	0.50	3.7	U	3.7
Hexachlorobutadiene	87-68-3	0.20	U	0.20	2.1	U	2.1

TestAmerica Burlington Data Qualifier Definitions

Organic

- U: Compound analyzed but not detected at a concentration above the reporting limit.
- J: Estimated value.
- N: Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds (TICs) where the identification of a compound is based on a mass spectral library search.
- P: SW-846: The relative percent difference for detected concentrations between two GC columns is greater than 40%. Unless otherwise specified the higher of the two values is reported on the Form I.
- CLP SOW: Greater than 25% difference for detected concentrations between two GC columns. Unless otherwise specified the lower of the two values is reported on the Form I.
- C: Pesticide result whose identification has been confirmed by GC/MS.
- B: Analyte is found in the sample and the associated method blank. The flag is used for tentatively identified compounds as well as positively identified compounds.
- E: Compounds whose concentrations exceed the upper limit of the calibration range of the instrument for that specific analysis.
- D: Concentrations identified from analysis of the sample at a secondary dilution.
- A: Tentatively identified compound is a suspected aldol condensation product.
- X,Y,Z: Laboratory defined flags that may be used alone or combined, as needed. If used, the description of the flag is defined in the project narrative.

Inorganic/Metals

- E: Reported value is estimated due to the presence of interference.
- N: Matrix spike sample recovery is not within control limits.
- * Duplicate sample analysis is not within control limits.
- B: The result reported is less than the reporting limit but greater than the instrument detection limit.
- U: Analyte was analyzed for but not detected above the reporting limit.

Method Codes:

- P ICP-AES
MS ICP-MS
CV Cold Vapor AA
AS Semi-Automated Spectrophotometric

TestAmerica Burlington

30 Community Drive

Suite 11

South Burlington, VT 05403

phone 802-660-1990 fax 802-660-1919

Canister Samples Chain of Custody Record

TestAmerica Analytical Testing Corp. assumes no liability with respect to the collection and shipment of these samples.

Client Contact Information Company: ROUX ASSOCIATES INC Address: 209 SHAFER ST City/State/Zip: BURLINGTON, VT 05403 Phone: 802-232-2600 FAX: 802-232-9898 Project Name: SOUTHERN BLVD Site: —		Project Manager: MICHAEL ROUX Phone: 802-232-2600 Email: MROUX@ROUXINC.COM Site Contact: — STL Contact: BILL DULANCIK Analysis Turnaround Time Standard (Specify) Rush (Specify) fees 6/17/08		Samples Collected By: MR 1 of 1 COCs															
Sample Identification	Sample Date(s)	Time Start	Time Stop	Canister Vacuum in Field, "Hg (Start)	Canister Vacuum in Field, "Hg (Stop)	Flow Controller ID	Canister ID	TO-15	TO-14A	EPA 3C	EPA 25C	ASTM D-1946	Other (Please specify in notes section)	Sample Type	Indoor Air	Ambient Air	Soil Gas	Landfill Gas	Other (Please specify in notes section)
SV-201	6/12/08	1025	1137	-28.5	-2	3613	3337	X											
SV-202	6/12/08	1026	1138	-29	-1	3224	3219	X											
AS-203	6/12/08	1024	1200	-29	-7	3768	3352	X											
Special Instructions/QC Requirements & Comments:																			
Samples Shipped by: <i>[Signature]</i> Date/Time: 6/12/08		Samples Received by: <i>[Signature]</i> Date/Time: 6/13/08 0930																	
Samples Relinquished by: Date/Time:		Received by: Date/Time:																	
Relinquished by: Date/Time:		Received by: Date/Time:																	
Lab Use Only				Shipper Name:				Opened by:				Condition:							



Sample Data Summary – TO-15 Volatile

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

AS-203

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755820

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 755820

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) PPBV Q

75-71-8-----	Dichlorodifluoromethane	0.50	U
76-14-2-----	1,2-Dichlorotetrafluoroethane	0.20	U
74-87-3-----	Chloromethane	0.51	
75-01-4-----	Vinyl Chloride	0.20	U
106-99-0-----	1,3-Butadiene	0.50	U
74-83-9-----	Bromomethane	0.20	U
75-00-3-----	Chloroethane	0.50	U
593-60-2-----	Bromoethene	0.20	U
75-69-4-----	Trichlorofluoromethane	0.31	
76-13-1-----	Freon TF	0.20	U
75-35-4-----	1,1-Dichloroethene	0.20	U
67-64-1-----	Acetone	5.0	
67-63-0-----	Isopropyl Alcohol	5.0	U
75-15-0-----	Carbon Disulfide	0.50	U
107-05-1-----	3-Chloropropene	0.50	U
75-09-2-----	Methylene Chloride	0.50	U
75-65-0-----	tert-Butyl Alcohol	5.0	U
1634-04-4-----	Methyl tert-Butyl Ether	0.50	U
156-60-5-----	trans-1,2-Dichloroethene	0.20	U
110-54-3-----	n-Hexane	0.50	U
75-34-3-----	1,1-Dichloroethane	0.20	U
540-59-0-----	1,2-Dichloroethene (total)	0.20	U
78-93-3-----	Methyl Ethyl Ketone	0.91	
156-59-2-----	cis-1,2-Dichloroethene	0.20	U
109-99-9-----	Tetrahydrofuran	5.0	U
67-66-3-----	Chloroform	0.20	U
71-55-6-----	1,1,1-Trichloroethane	0.20	U
110-82-7-----	Cyclohexane	0.22	
56-23-5-----	Carbon Tetrachloride	0.20	U
540-84-1-----	2,2,4-Trimethylpentane	0.20	U
71-43-2-----	Benzene	0.20	U
107-06-2-----	1,2-Dichloroethane	0.20	U
142-82-5-----	n-Heptane	0.20	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

AS-203

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755820

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 755820

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) PPBV Q

79-01-6-----	Trichloroethene	0.20	U
78-87-5-----	1,2-Dichloropropane	0.20	U
123-91-1-----	1,4-Dioxane	5.0	U
75-27-4-----	Bromodichloromethane	0.20	U
10061-01-5-----	cis-1,3-Dichloropropene	0.20	U
108-10-1-----	Methyl Isobutyl Ketone	0.50	U
108-88-3-----	Toluene	1.3	
10061-02-6-----	trans-1,3-Dichloropropene	0.20	U
79-00-5-----	1,1,2-Trichloroethane	0.20	U
127-18-4-----	Tetrachloroethene	0.20	U
591-78-6-----	Methyl Butyl Ketone	0.50	U
124-48-1-----	Dibromochloromethane	0.20	U
106-93-4-----	1,2-Dibromoethane	0.20	U
108-90-7-----	Chlorobenzene	0.20	U
100-41-4-----	Ethylbenzene	0.20	U
1330-20-7-----	Xylene (total)	0.20	U
100-42-5-----	Styrene	0.20	U
75-25-2-----	Bromoform	0.20	U
79-34-5-----	1,1,2,2-Tetrachloroethane	0.20	U
622-96-8-----	4-Ethyltoluene	0.20	U
108-67-8-----	1,3,5-Trimethylbenzene	0.20	U
95-49-8-----	2-Chlorotoluene	0.20	U
95-63-6-----	1,2,4-Trimethylbenzene	0.20	U
541-73-1-----	1,3-Dichlorobenzene	0.20	U
106-46-7-----	1,4-Dichlorobenzene	0.20	U
95-50-1-----	1,2-Dichlorobenzene	0.20	U
120-82-1-----	1,2,4-Trichlorobenzene	0.50	U
87-68-3-----	Hexachlorobutadiene	0.20	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

SV-201

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755818

Sample wt/vol: 133.0 (g/mL) ML Lab File ID: 755818D

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.5

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) PPBV Q

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
75-71-8	Dichlorodifluoromethane	0.75	U
76-14-2	1,2-Dichlorotetrafluoroethane	0.30	U
74-87-3	Chloromethane	0.75	U
75-01-4	Vinyl Chloride	0.30	U
106-99-0	1,3-Butadiene	0.75	U
74-83-9	Bromomethane	0.30	U
75-00-3	Chloroethane	0.75	U
593-60-2	Bromoethene	0.30	U
75-69-4	Trichlorofluoromethane	3.9	
76-13-1	Freon TF	0.30	U
75-35-4	1,1-Dichloroethene	0.30	U
67-64-1	Acetone	39	
67-63-0	Isopropyl Alcohol	7.5	U
75-15-0	Carbon Disulfide	0.81	
107-05-1	3-Chloropropene	0.75	U
75-09-2	Methylene Chloride	0.75	U
75-65-0	tert-Butyl Alcohol	7.5	U
1634-04-4	Methyl tert-Butyl Ether	44	
156-60-5	trans-1,2-Dichloroethene	0.30	U
110-54-3	n-Hexane	8.6	
75-34-3	1,1-Dichloroethane	0.30	U
540-59-0	1,2-Dichloroethene (total)	0.30	U
78-93-3	Methyl Ethyl Ketone	5.9	
156-59-2	cis-1,2-Dichloroethene	0.30	U
109-99-9	Tetrahydrofuran	7.5	U
67-66-3	Chloroform	1.8	
71-55-6	1,1,1-Trichloroethane	0.30	U
110-82-7	Cyclohexane	1.5	
56-23-5	Carbon Tetrachloride	0.30	U
540-84-1	2,2,4-Trimethylpentane	7.2	
71-43-2	Benzene	8.7	
107-06-2	1,2-Dichloroethane	0.30	U
142-82-5	n-Heptane	2.0	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

SV-201

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755818

Sample wt/vol: 133.0 (g/mL) ML Lab File ID: 755818D

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.5

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) PPBV Q

79-01-6-----	Trichloroethene	0.30	U
78-87-5-----	1,2-Dichloropropane	0.30	U
123-91-1-----	1,4-Dioxane	7.5	U
75-27-4-----	Bromodichloromethane	0.30	U
10061-01-5-----	cis-1,3-Dichloropropene	0.30	U
108-10-1-----	Methyl Isobutyl Ketone	0.75	U
108-88-3-----	Toluene	6.3	
10061-02-6-----	trans-1,3-Dichloropropene	0.30	U
79-00-5-----	1,1,2-Trichloroethane	0.30	U
127-18-4-----	Tetrachloroethene	1.0	
591-78-6-----	Methyl Butyl Ketone	0.75	U
124-48-1-----	Dibromochloromethane	0.30	U
106-93-4-----	1,2-Dibromoethane	0.30	U
108-90-7-----	Chlorobenzene	0.30	U
100-41-4-----	Ethylbenzene	1.6	
1330-20-7-----	Xylene (total)	9.0	
100-42-5-----	Styrene	0.87	
75-25-2-----	Bromoform	0.30	U
79-34-5-----	1,1,2,2-Tetrachloroethane	0.30	U
622-96-8-----	4-Ethyltoluene	2.5	
108-67-8-----	1,3,5-Trimethylbenzene	0.87	
95-49-8-----	2-Chlorotoluene	0.30	U
95-63-6-----	1,2,4-Trimethylbenzene	3.7	
541-73-1-----	1,3-Dichlorobenzene	0.30	U
106-46-7-----	1,4-Dichlorobenzene	0.30	U
95-50-1-----	1,2-Dichlorobenzene	0.30	U
120-82-1-----	1,2,4-Trichlorobenzene	0.75	U
87-68-3-----	Hexachlorobutadiene	0.30	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

SV-202

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755819

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 755819

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
CAS NO. COMPOUND (ug/L or ug/Kg) PPBV Q

75-71-8-----	Dichlorodifluoromethane	0.50	U
76-14-2-----	1,2-Dichlorotetrafluoroethane	0.20	U
74-87-3-----	Chloromethane	0.50	U
75-01-4-----	Vinyl Chloride	0.20	U
106-99-0-----	1,3-Butadiene	0.50	U
74-83-9-----	Bromomethane	0.20	U
75-00-3-----	Chloroethane	0.50	U
593-60-2-----	Bromoethene	0.20	U
75-69-4-----	Trichlorofluoromethane	25	
76-13-1-----	Freon TF	0.20	U
75-35-4-----	1,1-Dichloroethene	0.20	U
67-64-1-----	Acetone	12	
67-63-0-----	Isopropyl Alcohol	5.0	U
75-15-0-----	Carbon Disulfide	1.5	
107-05-1-----	3-Chloropropene	0.50	U
75-09-2-----	Methylene Chloride	0.50	U
75-65-0-----	tert-Butyl Alcohol	5.0	U
1634-04-4-----	Methyl tert-Butyl Ether	0.50	U
156-60-5-----	trans-1,2-Dichloroethene	0.20	U
110-54-3-----	n-Hexane	1.9	
75-34-3-----	1,1-Dichloroethane	0.20	U
540-59-0-----	1,2-Dichloroethene (total)	0.20	U
78-93-3-----	Methyl Ethyl Ketone	2.4	
156-59-2-----	cis-1,2-Dichloroethene	0.20	U
109-99-9-----	Tetrahydrofuran	5.0	U
67-66-3-----	Chloroform	0.48	
71-55-6-----	1,1,1-Trichloroethane	0.20	U
110-82-7-----	Cyclohexane	1.2	
56-23-5-----	Carbon Tetrachloride	0.20	U
540-84-1-----	2,2,4-Trimethylpentane	0.98	
71-43-2-----	Benzene	1.6	
107-06-2-----	1,2-Dichloroethane	0.20	U
142-82-5-----	n-Heptane	0.82	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

ROUX1 SAMPLE NO.

SV-202

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: 755819

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: 755819

Level: (low/med) LOW Date Received: 06/13/08

% Moisture: not dec. Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) PPBV Q

79-01-6-----	Trichloroethene	0.20	U
78-87-5-----	1,2-Dichloropropane	0.20	U
123-91-1-----	1,4-Dioxane	5.0	U
75-27-4-----	Bromodichloromethane	0.20	U
10061-01-5-----	cis-1,3-Dichloropropene	0.20	U
108-10-1-----	Methyl Isobutyl Ketone	0.50	U
108-88-3-----	Toluene	7.0	
10061-02-6-----	trans-1,3-Dichloropropene	0.20	U
79-00-5-----	1,1,2-Trichloroethane	0.20	U
127-18-4-----	Tetrachloroethene	1.5	
591-78-6-----	Methyl Butyl Ketone	0.50	U
124-48-1-----	Dibromochloromethane	0.20	U
106-93-4-----	1,2-Dibromoethane	0.20	U
108-90-7-----	Chlorobenzene	0.20	U
100-41-4-----	Ethylbenzene	1.6	
1330-20-7-----	Xylene (total)	10	
100-42-5-----	Styrene	0.91	
75-25-2-----	Bromoform	0.20	U
79-34-5-----	1,1,2,2-Tetrachloroethane	0.20	U
622-96-8-----	4-Ethyltoluene	2.8	
108-67-8-----	1,3,5-Trimethylbenzene	0.86	
95-49-8-----	2-Chlorotoluene	0.20	U
95-63-6-----	1,2,4-Trimethylbenzene	4.1	
541-73-1-----	1,3-Dichlorobenzene	0.20	U
106-46-7-----	1,4-Dichlorobenzene	0.20	U
95-50-1-----	1,2-Dichlorobenzene	0.20	U
120-82-1-----	1,2,4-Trichlorobenzene	0.50	U
87-68-3-----	Hexachlorobutadiene	0.20	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

MBLK061608GA

Lab Name: TESTAMERICA BURLINGTON

Contract: 28000

Lab Code: STL V

Case No.: 28000

SAS No.:

SDG No.: NY125995

Matrix: (soil/water) AIR

Lab Sample ID: MBLK061608GA

Sample wt/vol: 200.0 (g/mL) ML

Lab File ID: GCLB01B

Level: (low/med) LOW

Date Received: _____

% Moisture: not dec. _____

Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
---------	----------	--	---

75-71-8-----	Dichlorodifluoromethane	0.50	U
76-14-2-----	1,2-Dichlorotetrafluoroethane	0.20	U
74-87-3-----	Chloromethane	0.50	U
75-01-4-----	Vinyl Chloride	0.20	U
106-99-0-----	1,3-Butadiene	0.50	U
74-83-9-----	Bromomethane	0.20	U
75-00-3-----	Chloroethane	0.50	U
593-60-2-----	Bromoethene	0.20	U
75-69-4-----	Trichlorofluoromethane	0.20	U
76-13-1-----	Freon TF	0.20	U
75-35-4-----	1,1-Dichloroethene	0.20	U
67-64-1-----	Acetone	5.0	U
67-63-0-----	Isopropyl Alcohol	5.0	U
75-15-0-----	Carbon Disulfide	0.50	U
107-05-1-----	3-Chloropropene	0.50	U
75-09-2-----	Methylene Chloride	0.50	U
75-65-0-----	tert-Butyl Alcohol	5.0	U
1634-04-4-----	Methyl tert-Butyl Ether	0.50	U
156-60-5-----	trans-1,2-Dichloroethene	0.20	U
110-54-3-----	n-Hexane	0.50	U
75-34-3-----	1,1-Dichloroethane	0.20	U
540-59-0-----	1,2-Dichloroethene (total)	0.20	U
78-93-3-----	Methyl Ethyl Ketone	0.50	U
156-59-2-----	cis-1,2-Dichloroethene	0.20	U
109-99-9-----	Tetrahydrofuran	5.0	U
67-66-3-----	Chloroform	0.20	U
71-55-6-----	1,1,1-Trichloroethane	0.20	U
110-82-7-----	Cyclohexane	0.20	U
56-23-5-----	Carbon Tetrachloride	0.20	U
540-84-1-----	2,2,4-Trimethylpentane	0.20	U
71-43-2-----	Benzene	0.20	U
107-06-2-----	1,2-Dichloroethane	0.20	U
142-82-5-----	n-Heptane	0.20	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

MBLK061608GA

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: MBLK061608GA

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: GCLB01B

Level: (low/med) LOW Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) PPBV Q

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
79-01-6-----	Trichloroethene	0.20	U
78-87-5-----	1,2-Dichloropropane	0.20	U
123-91-1-----	1,4-Dioxane	5.0	U
75-27-4-----	Bromodichloromethane	0.20	U
10061-01-5-----	cis-1,3-Dichloropropene	0.20	U
108-10-1-----	Methyl Isobutyl Ketone	0.50	U
108-88-3-----	Toluene	0.20	U
10061-02-6-----	trans-1,3-Dichloropropene	0.20	U
79-00-5-----	1,1,2-Trichloroethane	0.20	U
127-18-4-----	Tetrachloroethene	0.20	U
591-78-6-----	Methyl Butyl Ketone	0.50	U
124-48-1-----	Dibromochloromethane	0.20	U
106-93-4-----	1,2-Dibromoethane	0.20	U
108-90-7-----	Chlorobenzene	0.20	U
100-41-4-----	Ethylbenzene	0.20	U
1330-20-7-----	Xylene (total)	0.20	U
100-42-5-----	Styrene	0.20	U
75-25-2-----	Bromoform	0.20	U
79-34-5-----	1,1,2,2-Tetrachloroethane	0.20	U
622-96-8-----	4-Ethyltoluene	0.20	U
108-67-8-----	1,3,5-Trimethylbenzene	0.20	U
95-49-8-----	2-Chlorotoluene	0.20	U
95-63-6-----	1,2,4-Trimethylbenzene	0.20	U
541-73-1-----	1,3-Dichlorobenzene	0.20	U
106-46-7-----	1,4-Dichlorobenzene	0.20	U
95-50-1-----	1,2-Dichlorobenzene	0.20	U
120-82-1-----	1,2,4-Trichlorobenzene	0.50	U
87-68-3-----	Hexachlorobutadiene	0.20	U

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

GA061608LCS

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: GA061608LCS

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: GCL10BQ

Level: (low/med) LOW Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
---------	----------	--	---

75-71-8-----	Dichlorodifluoromethane	9.9	
76-14-2-----	1,2-Dichlorotetrafluoroethane	9.9	
74-87-3-----	Chloromethane	9.8	
75-01-4-----	Vinyl Chloride	9.5	
106-99-0-----	1,3-Butadiene	11	
74-83-9-----	Bromomethane	9.8	
75-00-3-----	Chloroethane	10	
593-60-2-----	Bromoethene	10	
75-69-4-----	Trichlorofluoromethane	10	
76-13-1-----	Freon TF	11	
75-35-4-----	1,1-Dichloroethene	11	
67-64-1-----	Acetone	13	
67-63-0-----	Isopropyl Alcohol	11	
75-15-0-----	Carbon Disulfide	10	
107-05-1-----	3-Chloropropene	11	
75-09-2-----	Methylene Chloride	10	
75-65-0-----	tert-Butyl Alcohol	11	
1634-04-4-----	Methyl tert-Butyl Ether	12	
156-60-5-----	trans-1,2-Dichloroethene	9.9	
110-54-3-----	n-Hexane	10	
75-34-3-----	1,1-Dichloroethane	9.8	
540-59-0-----	1,2-Dichloroethene (total)	20	
78-93-3-----	Methyl Ethyl Ketone	12	
156-59-2-----	cis-1,2-Dichloroethene	10	
109-99-9-----	Tetrahydrofuran	12	
67-66-3-----	Chloroform	9.9	
71-55-6-----	1,1,1-Trichloroethane	9.9	
110-82-7-----	Cyclohexane	10	
56-23-5-----	Carbon Tetrachloride	10	
540-84-1-----	2,2,4-Trimethylpentane	10	
71-43-2-----	Benzene	9.9	
107-06-2-----	1,2-Dichloroethane	9.8	
142-82-5-----	n-Heptane	9.9	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

GA061608LCS

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: GA061608LCS

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: GCL10BQ

Level: (low/med) LOW Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
---------	----------	--	---

79-01-6-----	Trichloroethene	9.9	
78-87-5-----	1,2-Dichloropropane	9.7	
123-91-1-----	1,4-Dioxane	10	
75-27-4-----	Bromodichloromethane	11	
10061-01-5-----	cis-1,3-Dichloropropene	10	
108-10-1-----	Methyl Isobutyl Ketone	11	
108-88-3-----	Toluene	9.8	
10061-02-6-----	trans-1,3-Dichloropropene	11	
79-00-5-----	1,1,2-Trichloroethane	9.5	
127-18-4-----	Tetrachloroethene	9.7	
591-78-6-----	Methyl Butyl Ketone	11	
124-48-1-----	Dibromochloromethane	11	
106-93-4-----	1,2-Dibromoethane	10	
108-90-7-----	Chlorobenzene	9.9	
100-41-4-----	Ethylbenzene	10	
1330-20-7-----	Xylene (total)	32	
100-42-5-----	Styrene	11	
75-25-2-----	Bromoform	12	
79-34-5-----	1,1,2,2-Tetrachloroethane	10	
622-96-8-----	4-Ethyltoluene	12	
108-67-8-----	1,3,5-Trimethylbenzene	11	
95-49-8-----	2-Chlorotoluene	11	
95-63-6-----	1,2,4-Trimethylbenzene	12	
541-73-1-----	1,3-Dichlorobenzene	11	
106-46-7-----	1,4-Dichlorobenzene	11	
95-50-1-----	1,2-Dichlorobenzene	11	
120-82-1-----	1,2,4-Trichlorobenzene	13	
87-68-3-----	Hexachlorobutadiene	13	

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

GA061608LCSD

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: GA061608LCSD

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: GCL10BQD

Level: (low/med) LOW Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
---------	----------	--	---

75-71-8-----	Dichlorodifluoromethane	9.5	_____
76-14-2-----	1,2-Dichlorotetrafluoroethane	9.6	_____
74-87-3-----	Chloromethane	9.6	_____
75-01-4-----	Vinyl Chloride	9.3	_____
106-99-0-----	1,3-Butadiene	10	_____
74-83-9-----	Bromomethane	9.7	_____
75-00-3-----	Chloroethane	10	_____
593-60-2-----	Bromoethene	10	_____
75-69-4-----	Trichlorofluoromethane	9.6	_____
76-13-1-----	Freon TF	11	_____
75-35-4-----	1,1-Dichloroethene	11	_____
67-64-1-----	Acetone	11	_____
67-63-0-----	Isopropyl Alcohol	11	_____
75-15-0-----	Carbon Disulfide	10	_____
107-05-1-----	3-Chloropropene	10	_____
75-09-2-----	Methylene Chloride	10	_____
75-65-0-----	tert-Butyl Alcohol	10	_____
1634-04-4-----	Methyl tert-Butyl Ether	11	_____
156-60-5-----	trans-1,2-Dichloroethene	9.7	_____
110-54-3-----	n-Hexane	10	_____
75-34-3-----	1,1-Dichloroethane	9.5	_____
540-59-0-----	1,2-Dichloroethene (total)	20	_____
78-93-3-----	Methyl Ethyl Ketone	12	_____
156-59-2-----	cis-1,2-Dichloroethene	10	_____
109-99-9-----	Tetrahydrofuran	11	_____
67-66-3-----	Chloroform	9.5	_____
71-55-6-----	1,1,1-Trichloroethane	9.4	_____
110-82-7-----	Cyclohexane	9.9	_____
56-23-5-----	Carbon Tetrachloride	9.6	_____
540-84-1-----	2,2,4-Trimethylpentane	9.7	_____
71-43-2-----	Benzene	9.5	_____
107-06-2-----	1,2-Dichloroethane	9.1	_____
142-82-5-----	n-Heptane	9.5	_____

FORM 1
VOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

GA061608LCSD

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLW Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix: (soil/water) AIR Lab Sample ID: GA061608LCSD

Sample wt/vol: 200.0 (g/mL) ML Lab File ID: GCL10BQD

Level: (low/med) LOW Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 06/16/08

GC Column: RTX-624 ID: 0.32 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) PPBV	Q
---------	----------	--	---

79-01-6-----	Trichloroethene	9.5	
78-87-5-----	1,2-Dichloropropane	9.2	
123-91-1-----	1,4-Dioxane	10	
75-27-4-----	Bromodichloromethane	9.9	
10061-01-5-----	cis-1,3-Dichloropropene	9.6	
108-10-1-----	Methyl Isobutyl Ketone	11	
108-88-3-----	Toluene	9.6	
10061-02-6-----	trans-1,3-Dichloropropene	9.9	
79-00-5-----	1,1,2-Trichloroethane	9.3	
127-18-4-----	Tetrachloroethene	9.6	
591-78-6-----	Methyl Butyl Ketone	11	
124-48-1-----	Dibromochloromethane	11	
106-93-4-----	1,2-Dibromoethane	9.9	
108-90-7-----	Chlorobenzene	9.7	
100-41-4-----	Ethylbenzene	9.8	
1330-20-7-----	Xylene (total)	32	
100-42-5-----	Styrene	11	
75-25-2-----	Bromoform	11	
79-34-5-----	1,1,2,2-Tetrachloroethane	10	
622-96-8-----	4-Ethyltoluene	12	
108-67-8-----	1,3,5-Trimethylbenzene	10	
95-49-8-----	2-Chlorotoluene	11	
95-63-6-----	1,2,4-Trimethylbenzene	12	
541-73-1-----	1,3-Dichlorobenzene	11	
106-46-7-----	1,4-Dichlorobenzene	11	
95-50-1-----	1,2-Dichlorobenzene	11	
120-82-1-----	1,2,4-Trichlorobenzene	15	
87-68-3-----	Hexachlorobutadiene	15	

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	SAMPLE CONCENTRATION (ug/L)	LCS CONCENTRATION (ppbv)	LCS % REC #	QC. LIMITS REC.
=====	=====	=====	=====	=====	=====
Xylene (m,p)	20		21	105	70-130
Xylene (o)	10		10	100	70-130
Dichlorodifluoromethane	10		9.9	99	70-130
1,2-Dichlorotetrafluoro	10		9.9	99	70-130
Chloromethane	10		9.8	98	70-130
Vinyl Chloride	10		9.5	95	70-130
1,3-Butadiene	10		11	110	70-130
Bromomethane	10		9.8	98	70-130
Chloroethane	10		10	100	70-130
Bromoethene	10		10	100	70-130
Trichlorofluoromethane	10		10	100	70-130
Freon TF	10		11	110	70-130
1,1-Dichloroethene	10		11	110	70-130
Acetone	10		13	130	70-130
Isopropyl Alcohol	10		11	110	70-130
Carbon Disulfide	10		10	100	70-130
3-Chloropropene	10		11	110	70-130
Methylene Chloride	10		10	100	70-130
tert-Butyl Alcohol	10		11	110	70-130
Methyl tert-Butyl Ether	10		12	120	70-130
trans-1,2-Dichloroethen	10		9.9	99	70-130
n-Hexane	10		10	100	70-130
1,1-Dichloroethane	10		9.8	98	70-130
1,2-Dichloroethene (tot	20		20	100	70-130
Methyl Ethyl Ketone	10		12	120	70-130
cis-1,2-Dichloroethene	10		10	100	70-130
Tetrahydrofuran	10		12	120	70-130
Chloroform	10		9.9	99	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

COMMENTS: _____

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	SAMPLE CONCENTRATION (ug/L)	LCS CONCENTRATION (ppbv)	LCS % REC #	QC. LIMITS REC.
=====	=====	=====	=====	=====	=====
1,1,1-Trichloroethane	10		9.9	99	70-130
Cyclohexane	10		10	100	70-130
Carbon Tetrachloride	10		10	100	70-130
2,2,4-Trimethylpentane	10		10	100	70-130
Benzene	10		9.9	99	70-130
1,2-Dichloroethane	10		9.8	98	70-130
n-Heptane	10		9.9	99	70-130
Trichloroethene	10		9.9	99	70-130
1,2-Dichloropropane	10		9.7	97	70-130
1,4-Dioxane	10		10	100	70-130
Bromodichloromethane	10		11	110	70-130
cis-1,3-Dichloropropene	10		10	100	70-130
Methyl Isobutyl Ketone	10		11	110	70-130
Toluene	10		9.8	98	70-130
trans-1,3-Dichloroprope	10		11	110	70-130
1,1,2-Trichloroethane	10		9.5	95	70-130
Tetrachloroethene	10		9.7	97	70-130
Methyl Butyl Ketone	10		11	110	70-130
Dibromochloromethane	10		11	110	70-130
1,2-Dibromoethane	10		10	100	70-130
Chlorobenzene	10		9.9	99	70-130
Ethylbenzene	10		10	100	70-130
Xylene (total)	30		32	107	70-130
Styrene	10		11	110	70-130
Bromoform	10		12	120	70-130
1,1,2,2-Tetrachloroetha	10		10	100	70-130
4-Ethyltoluene	10		12	120	70-130
1,3,5-Trimethylbenzene	10		11	110	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

COMMENTS:

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	SAMPLE CONCENTRATION (ug/L)	LCS CONCENTRATION (ppbv)	LCS % REC #	QC. LIMITS REC.
=====	=====	=====	=====	=====	=====
2-Chlorotoluene	10		11	110	70-130
1,2,4-Trimethylbenzene	10		12	120	70-130
1,3-Dichlorobenzene	10		11	110	70-130
1,4-Dichlorobenzene	10		11	110	70-130
1,2-Dichlorobenzene	10		11	110	70-130
1,2,4-Trichlorobenzene	10		13	130	70-130
Hexachlorobutadiene	10		13	130	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

COMMENTS:

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE*

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	LCSD CONCENTRATION (ppbv)	LCSD % REC #	% RPD #	QC LIMITS	
=====	=====	=====	=====	=====	RPD	REC.
Xylene (m,p)	20	21	105	0	25	70-130
Xylene (o)	10	10	100	0	25	70-130
Dichlorodifluoromethane	10	9.5	95	4	25	70-130
1,2-Dichlorotetrafluoro	10	9.6	96	3	25	70-130
Chloromethane	10	9.6	96	2	25	70-130
Vinyl Chloride	10	9.3	93	2	25	70-130
1,3-Butadiene	10	10	100	10	25	70-130
Bromomethane	10	9.7	97	1	25	70-130
Chloroethane	10	10	100	0	25	70-130
Bromoethene	10	10	100	0	25	70-130
Trichlorofluoromethane	10	9.6	96	4	25	70-130
Freon TF	10	11	110	0	25	70-130
1,1-Dichloroethene	10	11	110	0	25	70-130
Acetone	10	11	110	17	25	70-130
Isopropyl Alcohol	10	11	110	0	25	70-130
Carbon Disulfide	10	10	100	0	25	70-130
3-Chloropropene	10	10	100	10	25	70-130
Methylene Chloride	10	10	100	0	25	70-130
tert-Butyl Alcohol	10	10	100	10	25	70-130
Methyl tert-Butyl Ether	10	11	110	9	25	70-130
trans-1,2-Dichloroethen	10	9.7	97	2	25	70-130
n-Hexane	10	10	100	0	25	70-130
1,1-Dichloroethane	10	9.5	95	3	25	70-130
1,2-Dichloroethene (tot	20	20	100	0	25	70-130
Methyl Ethyl Ketone	10	12	120	0	25	70-130
cis-1,2-Dichloroethene	10	10	100	0	25	70-130
Tetrahydrofuran	10	11	110	9	25	70-130
Chloroform	10	9.5	95	4	25	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

COMMENTS:

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	LCSD CONCENTRATION (ppbv)	LCSD % REC #	% RPD #	QC LIMITS	
=====	=====	=====	=====	=====	RPD	REC.
1,1,1-Trichloroethane	10	9.4	94	5	25	70-130
Cyclohexane	10	9.9	99	1	25	70-130
Carbon Tetrachloride	10	9.6	96	4	25	70-130
2,2,4-Trimethylpentane	10	9.7	97	3	25	70-130
Benzene	10	9.5	95	4	25	70-130
1,2-Dichloroethane	10	9.1	91	7	25	70-130
n-Heptane	10	9.5	95	4	25	70-130
Trichloroethene	10	9.5	95	4	25	70-130
1,2-Dichloropropane	10	9.2	92	5	25	70-130
1,4-Dioxane	10	10	100	0	25	70-130
Bromodichloromethane	10	9.9	99	10	25	70-130
cis-1,3-Dichloropropene	10	9.6	96	4	25	70-130
Methyl Isobutyl Ketone	10	11	110	0	25	70-130
Toluene	10	9.6	96	2	25	70-130
trans-1,3-Dichloroprope	10	9.9	99	10	25	70-130
1,1,2-Trichloroethane	10	9.3	93	2	25	70-130
Tetrachloroethene	10	9.6	96	1	25	70-130
Methyl Butyl Ketone	10	11	110	0	25	70-130
Dibromochloromethane	10	11	110	0	25	70-130
1,2-Dibromoethane	10	9.9	99	1	25	70-130
Chlorobenzene	10	9.7	97	2	25	70-130
Ethylbenzene	10	9.8	98	2	25	70-130
Xylene (total)	30	32	107	0	25	70-130
Styrene	10	11	110	0	25	70-130
Bromoform	10	11	110	9	25	70-130
1,1,2,2-Tetrachloroetha	10	10	100	0	25	70-130
4-Ethyltoluene	10	12	120	0	25	70-130
1,3,5-Trimethylbenzene	10	10	100	10	25	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

COMMENTS:

FORM 3
AIR VOLATILE LAB CONTROL SAMPLE

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Matrix Spike - Sample No.: GA061608LCS

COMPOUND	SPIKE ADDED (ppbv)	LCSD CONCENTRATION (ppbv)	LCSD % REC #	% RPD #	QC LIMITS	
					RPD	REC.
2-Chlorotoluene	10	11	110	0	25	70-130
1,2,4-Trimethylbenzene	10	12	120	0	25	70-130
1,3-Dichlorobenzene	10	11	110	0	25	70-130
1,4-Dichlorobenzene	10	11	110	0	25	70-130
1,2-Dichlorobenzene	10	11	110	0	25	70-130
1,2,4-Trichlorobenzene	10	15	150*	14	25	70-130
Hexachlorobutadiene	10	15	150*	14	25	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 63 outside limits

Spike Recovery: 2 out of 126 outside limits

COMMENTS:

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE NO.

MBLK061608GA

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Lab File ID: GCLB01B Lab Sample ID: MBLK061608GA

Date Analyzed: 06/16/08 Time Analyzed: 1543

GC Column: RTX-624 ID: 0.32 (mm) Heated Purge: (Y/N) N

Instrument ID: G

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
	=====	=====	=====	=====
01	GA061608LCS	GA061608LCS	GCL10BQ	1403
02	GA061608LCSD	GA061608LCSD	GCL10BQD	1453
03	SV-202	755819	755819	2122
04	AS-203	755820	755820	2213
05	SV-201	755818	755818D	2303
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

COMMENTS:

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
Lab File ID: GCL03PV BFB Injection Date: 06/12/08
Instrument ID: G BFB Injection Time: 1359
GC Column: RTX-624 ID: 0.32 (mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	25.6
75	30.0 - 66.0% of mass 95	58.8
95	Base Peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.4 (0.6)1
174	50.0 - 120.0% of mass 95	75.2
175	4.0 - 9.0% of mass 174	5.3 (7.0)1
176	93.0 - 101.0% of mass 174	71.9 (95.6)1
177	5.0 - 9.0% of mass 176	4.7 (6.6)2

1-Value is % mass 174 2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	ASTD0002	ASTD0002	GCL002V	06/12/08	1548
02	ASTD0005	ASTD0005	GCL005V	06/12/08	1638
03	ASTD005	ASTD005	GCL05V	06/12/08	1729
04	ASTD015	ASTD015	GCL15V	06/12/08	2005
05	ASTD020	ASTD020	GCL20V	06/12/08	2055
06	ASTD040	ASTD040	GCL40V	06/12/08	2145
07	ASTD010	ASTD010	GCL10V2	06/12/08	2235
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

FORM 5
VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
Lab File ID: GCL05PV BFB Injection Date: 06/16/08
Instrument ID: G BFB Injection Time: 1141
GC Column: RTX-624 ID: 0.32 (mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	24.0
75	30.0 - 66.0% of mass 95	57.0
95	Base Peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.4 (0.6)1
174	50.0 - 120.0% of mass 95	74.9
175	4.0 - 9.0% of mass 174	5.1 (6.9)1
176	93.0 - 101.0% of mass 174	73.8 (98.5)1
177	5.0 - 9.0% of mass 176	4.6 (6.2)2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	ASTD010	ASTD010	GCL10BV	06/16/08	1231
02	GA061608LCS	GA061608LCS	GCL10BQ	06/16/08	1403
03	GA061608LCSD	GA061608LCSD	GCL10BQD	06/16/08	1453
04	MBLK061608GA	MBLK061608GA	GCLB01B	06/16/08	1543
05	SV-202	755819	755819	06/16/08	2122
06	AS-203	755820	755820	06/16/08	2213
07	SV-201	755818	755818D	06/16/08	2303
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

6A
VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
 Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
 Instrument ID: G Calibration Date(s): 06/12/08 06/12/08
 Heated Purge: (Y/N) N Calibration Time(s): 1548 2235
 GC Column: RTX-624 ID: 0.32 (mm)

LAB FILE ID:		RRF0.2=GCL002V		RRF0.5=GCL005V			
RRF2 =		RRF5 =GCL05V		RRF10 =GCL10V2			
COMPOUND	RRF0.2	RRF0.5	RRF2	RRF5	RRF10	RRF	% RSD
=====	=====	=====	=====	=====	=====	=====	=====
Dichlorodifluoromethane		5.563		4.685	3.424		
1,2-Dichlorotetrafluoroethan	4.621	4.771		4.143	3.447		
Chloromethane		2.107		1.586	1.298		
Vinyl Chloride	2.080	2.018		1.703	1.416		
1,3-Butadiene		1.517		1.365	1.101		
Bromomethane	1.665	1.573		1.296	1.185		
Chloroethane		1.066		0.873	0.757		
Bromoethene	1.564	1.539		1.295	1.219		
Trichlorofluoromethane	5.701	6.061		5.076	3.846		
Freon TF	3.055	3.278		2.808	2.560		
1,1-Dichloroethene	1.351	1.339		1.127	1.099		
Acetone				2.696	2.070		
Isopropyl Alcohol				1.819	1.484		
Carbon Disulfide		4.687		3.858	3.757		
3-Chloropropene		3.239		3.024	2.443		
Methylene Chloride		2.922		2.144	1.777		
tert-Butyl Alcohol				2.314	1.902		
Methyl tert-Butyl Ether		4.160		3.394	2.988		
trans-1,2-Dichloroethene	2.935	3.065		2.646	2.302		
n-Hexane		3.058		2.686	2.460		
1,1-Dichloroethane	* 3.672	3.833		3.247	2.811		
1,2-Dichloroethene (total)	2.225	2.302		1.979	1.802		
Methyl Ethyl Ketone		0.531		0.463	0.427		
cis-1,2-Dichloroethene	1.515	1.539		1.312	1.302		
Tetrahydrofuran				0.336	0.294		
Chloroform	4.155	4.424		3.686	3.107		
1,1,1-Trichloroethane	0.827	0.877		0.780	0.649		
Cyclohexane	0.369	0.421		0.373	0.379		
Carbon Tetrachloride	0.810	0.877		0.804	0.675		
2,2,4-Trimethylpentane	1.653	1.780		1.596	1.524		
Benzene	0.969	0.977		0.847	0.836		
1,2-Dichloroethane	0.680	0.705		0.614	0.465		
n-Heptane	0.816	0.889		0.788	0.684		
Trichloroethene	0.413	0.437		0.384	0.363		
1,2-Dichloropropane	0.398	0.404		0.342	0.319		
1,4-Dioxane				0.077	0.073		
Bromodichloromethane	0.780	0.840		0.777	0.656		

* Compounds with required minimum RRF and maximum %RSD values.
 All other compounds must meet a minimum RRF of 0.010.

6A

Contract: 28000

SDG No.: NY125995

Calibration Date(s): 06/12/08 06/12/08

2235

ID: 0.32 (mm)

LAB FILE ID:	RRF0.2=GCL002V	RRF0.5=GCL005V
RRF2 =	RRF5 =GCL05V	RRF10 =GCL10V2

All other compounds must meet a minimim RRF of 0.010.

6A
VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
 Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
 Instrument ID: G Calibration Date(s): 06/12/08 06/12/08
 Heated Purge: (Y/N) N Calibration Time(s): 1548 2235
 GC Column: RTX-624 ID: 0.32 (mm)

LAB FILE ID:		RRF15 =GCL15V		RRF20 =GCL20V		RRF40 =GCL40V	
COMPOUND	RRF15	RRF20	RRF40			RRF	% RSD
Dichlorodifluoromethane		3.576	3.336			4.117	23.7
1,2-Dichlorotetrafluoroethane		3.517	3.415			3.986	15.4
Chloromethane		1.314	1.213			1.504	24.3
Vinyl Chloride		1.410	1.348			1.662	19.5
1,3-Butadiene		1.105	1.053			1.228	16.5
Bromomethane		1.183	1.143			1.341	16.6
Chloroethane		0.764	0.719			0.836	16.8
Bromoethene		1.238	1.224			1.346	12.0
Trichlorofluoromethane		4.066	3.895			4.774	20.4
Freon TF		2.599	2.639			2.823	10.2
1,1-Dichloroethene		1.097	1.095			1.185	10.5
Acetone	2.375	2.030	2.038			2.242	13.0
Isopropyl Alcohol	1.633	1.479	1.436			1.570	10.1
Carbon Disulfide		3.678	3.721			3.940	10.7
3-Chloropropene		2.514	2.384			2.721	14.2
Methylene Chloride		1.768	1.684			2.059	25.0
tert-Butyl Alcohol	2.094	1.974	1.860			2.029	9.0
Methyl tert-Butyl Ether		3.054	3.611			3.441	13.8
trans-1,2-Dichloroethene		2.348	2.304			2.600	13.0
n-Hexane		2.506	2.476			2.637	9.6
1,1-Dichloroethane *		2.808	2.763			3.189	14.8*
1,2-Dichloroethene (total)		1.823	1.821			1.992	11.1
Methyl Ethyl Ketone		0.446	0.541			0.482	10.6
cis-1,2-Dichloroethene		1.299	1.338			1.384	8.1
Tetrahydrofuran	0.355	0.331	0.374			0.338	8.8
Chloroform		3.124	3.126			3.604	16.1
1,1,1-Trichloroethane		0.761	0.754			0.775	9.9
Cyclohexane		0.433	0.451			0.404	8.7
Carbon Tetrachloride		0.799	0.794			0.793	8.3
2,2,4-Trimethylpentane		1.739	1.814			1.684	6.7
Benzene		0.911	0.969			0.918	7.0
1,2-Dichloroethane		0.530	0.521			0.586	16.3
n-Heptane		0.774	0.752			0.784	8.7
Trichloroethene		0.410	0.424			0.405	6.7
1,2-Dichloropropane		0.344	0.360			0.361	9.3
1,4-Dioxane	0.079	0.080	0.083			0.078	4.9
Bromodichloromethane		0.742	0.761			0.759	7.9

* Compounds with required minimum RRF and maximum %RSD values.
 All other compounds must meet a minimum RRF of 0.010.

6A

Contract: 28000

SDG No.: NY125995

06/12/08

2235

ID: 0.32 (mm)

LAB FILE ID: RRF15 =GCL15V RRF20 =GCL20V
RRF40 =GCL40V

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.

FORM 7
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
Instrument ID: G Calibration Date: 06/16/08 Time: 1231
Lab File ID: GCL10BV Init. Calib. Date(s): 06/12/08 06/12/08
Heated Purge: (Y/N) N Init. Calib. Times: 1548 2235
GC Column: RTX-624 ID: 0.32 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
=====	=====	=====	=====	=====	=====
Dichlorodifluoromethane	4.117	4.212	0.01	2.3	30.0
1,2-Dichlorotetrafluoroethane	3.986	3.943	0.01	1.1	30.0
Chloromethane	1.504	1.444	0.01	4.0	30.0
Vinyl Chloride	1.662	1.564	0.01	5.9	30.0
1,3-Butadiene	1.228	1.223	0.01	0.4	30.0
Bromomethane	1.341	1.284	0.01	4.2	30.0
Chloroethane	0.836	0.825	0.01	1.3	30.0
Bromoethene	1.346	1.325	0.01	1.6	30.0
Trichlorofluoromethane	4.774	4.789	0.01	0.3	30.0
Freon TF	2.823	2.835	0.01	0.4	30.0
1,1-Dichloroethene	1.185	1.165	0.01	1.7	30.0
Acetone	2.242	2.821	0.01	25.8	30.0
Isopropyl Alcohol	1.570	2.023	0.01	28.8	30.0
Carbon Disulfide	3.940	3.943	0.01	0.1	30.0
3-Chloropropene	2.721	2.775	0.01	2.0	30.0
Methylene Chloride	2.059	1.891	0.01	8.2	30.0
tert-Butyl Alcohol	2.029	2.500	0.01	23.2	30.0
Methyl tert-Butyl Ether	3.441	3.880	0.01	12.8	30.0
trans-1,2-Dichloroethene	2.600	2.494	0.01	4.1	30.0
n-Hexane	2.637	2.535	0.01	3.9	30.0
1,1-Dichloroethane	3.189	3.020	0.1	5.3	30.0
1,2-Dichloroethene (total)	1.992	1.907	0.01	4.3	30.0
Methyl Ethyl Ketone	0.482	0.549	0.01	13.9	30.0
cis-1,2-Dichloroethene	1.384	1.319	0.01	4.7	30.0
Tetrahydrofuran	0.338	0.383	0.01	13.3	30.0
Chloroform	3.604	3.495	0.01	3.0	30.0
1,1,1-Trichloroethane	0.775	0.758	0.01	2.2	30.0
Cyclohexane	0.404	0.383	0.01	5.2	30.0
Carbon Tetrachloride	0.793	0.792	0.01	0.1	30.0
2,2,4-Trimethylpentane	1.684	1.591	0.01	5.5	30.0
Benzene	0.918	0.852	0.01	7.2	30.0
1,2-Dichloroethane	0.586	0.572	0.01	2.4	30.0
n-Heptane	0.784	0.744	0.01	5.1	30.0
Trichloroethene	0.405	0.392	0.01	3.2	30.0
1,2-Dichloropropane	0.361	0.342	0.01	5.3	30.0
1,4-Dioxane	0.078	0.098	0.01	25.6	30.0
Bromodichloromethane	0.759	0.764	0.01	0.6	30.0

FORM 7
VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: TESTAMERICA BURLINGTON Contract: 28000

Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995

Instrument ID: G Calibration Date: 06/16/08 Time: 1231

Lab File ID: GCL10BV Init. Calib. Date(s): 06/12/08 06/12/08

Heated Purge: (Y/N) N Init. Calib. Times: 1548 2235

GC Column: RTX-624 ID: 0.32 (mm)

COMPOUND	RRF	RRF10	MIN RRF	%D	MAX %D
=====	=====	=====	=====	=====	=====
cis-1,3-Dichloropropene_____	0.528	0.521	0.01	1.3	30.0
Methyl Isobutyl Ketone_____	0.577	0.600	0.01	4.0	30.0
Toluene_____	0.594	0.566	0.01	4.7	30.0
trans-1,3-Dichloropropene_____	0.543	0.552	0.01	1.6	30.0
1,1,2-Trichloroethane_____	0.298	0.288	0.01	3.4	30.0
Tetrachloroethene_____	0.490	0.470	0.01	4.1	30.0
Methyl Butyl Ketone_____	0.564	0.582	0.01	3.2	30.0
Dibromochloromethane_____	0.629	0.639	0.01	1.6	30.0
1,2-Dibromoethane_____	0.500	0.498	0.01	0.4	30.0
Chlorobenzene_____	0.832	0.809	0.3	2.8	30.0
Ethylbenzene_____	1.439	1.414	0.01	1.7	30.0
Xylene (total)_____	0.476	0.484	0.01	1.7	30.0
Styrene_____	0.706	0.757	0.01	7.2	30.0
Bromoform_____	0.599	0.647	0.01	8.0	30.0
1,1,2,2-Tetrachloroethane_____	0.748	0.784	0.01	4.8	30.0
4-Ethyltoluene_____	1.406	1.638	0.01	16.5	30.0
1,3,5-Trimethylbenzene_____	1.130	1.277	0.01	13.0	30.0
2-Chlorotoluene_____	1.238	1.312	0.01	6.0	30.0
1,2,4-Trimethylbenzene_____	1.024	1.232	0.01	20.3	30.0
1,3-Dichlorobenzene_____	0.657	0.724	0.01	10.2	30.0
1,4-Dichlorobenzene_____	0.646	0.701	0.01	8.5	30.0
1,2-Dichlorobenzene_____	0.610	0.687	0.01	12.6	30.0
1,2,4-Trichlorobenzene_____	0.253	0.258	0.01	2.0	30.0
Hexachlorobutadiene_____	0.264	0.328	0.01	24.2	30.0

FORM 8
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: TESTAMERICA BURLINGTON Contract: 28000
Lab Code: STLV Case No.: 28000 SAS No.: SDG No.: NY125995
Lab File ID (Standard): GCL10BV Date Analyzed: 06/16/08
Instrument ID: G Time Analyzed: 1231
GC Column: RTX-624 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 (BCM)	RT #	IS2 (DFB)	RT #	IS3 (CBZ)	RT #
	AREA #		AREA #		AREA #	
=====	=====	=====	=====	=====	=====	=====
12 HOUR STD	311180	8.84	1596842	9.58	1614517	11.83
UPPER LIMIT	435652	9.17	2235579	9.91	2260324	12.16
LOWER LIMIT	186708	8.51	958105	9.25	968710	11.50
=====	=====	=====	=====	=====	=====	=====
CLIENT						
SAMPLE NO.						
=====	=====	=====	=====	=====	=====	=====
01 GA061608LCS	329434	8.84	1685512	9.58	1728620	11.83
02 GA061608LCSD	359418	8.84	1850529	9.58	1839914	11.84
03 MBLK061608GA	319872	8.84	1851408	9.58	1597142	11.84
04 SV-202	388348	8.84	2053114	9.58	1891055	11.84
05 AS-203	373242	8.84	2015799	9.58	1881103	11.84
06 SV-201	314278	8.84	1639987	9.58	1576267	11.83
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						

IS1 (BCM) = Bromochloromethane
IS2 (DFB) = 1,4-Difluorobenzene
IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = + 40% of internal standard area
AREA LOWER LIMIT = - 40% of internal standard area
RT UPPER LIMIT = + 0.33 minutes of internal standard RT
RT LOWER LIMIT = - 0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.