

Monthly Progress Report No. 22

August 2025

401 Hunts Point

NYSDEC BCP Site No. C203162

401 Hunts Point Avenue and 1360 Drake Park South, Bronx, NY

1. Introduction

In accordance with the Brownfield Cleanup Agreement, Appendix A, Article XI., executed on July 28, 2023, for the above referenced site, Carson Voci Engineering and Geology, D.P.C. (Carson Voci) an affiliate of Terraphase Engineering, Inc., has prepared this Monthly Progress Report on behalf of 401 Hunts Point, LLC (“Participant”), to summarize the remedial activities conducted during August 2025 and list planned activities for September 2025 for the New York State (NYS) Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) Site No. C203162 identified as 401 Hunts Point at 401 Hunts Point Avenue and 1360 Drake Park South in Bronx, New York. The Site is currently owned by the Applicant, a Participant in the BCP. The approximately 1.14-acre Site consists of two irregular-shaped parcels identified as Block 2772, Lot 219 (401 Hunts Point Avenue), and Block 2772, Lot 245 (1360 Drake Park South), on the New York City Tax Map.

2. Remedial Activities Conducted during this Reporting Period

No remedial activities were conducted during this reporting period.

3. Remedial Activities Anticipated for the Next Reporting Period

No remedial activities are anticipated for the next reporting period.

4. Approved Activity Modifications (changes of work scope and/or schedule)

None this period.

5. Results of Sampling, Testing, and Other Relevant Data

The preliminary groundwater data (i.e. not yet validated) collected during the July 31, 2025 post-injection sampling event are presented in Table 1 attached to this Monthly Progress Report.

6. Deliverables Submitted During this Reporting Period

No deliverables were submitted during this reporting period.

7. Information Regarding Percentage of Completion

The IRM implementation is approximately 90% complete. The RI now requires off-site SVI investigation to complete, which is in progress.

8. Unresolved Delays Encountered or Anticipated That May Affect the Remedial Schedule

NYSDEC and NYSDOH issued comments in response to the Draft Remedial Investigation Report (RIR), noting that a Significant Threat Determination is unable to be made at this time without SVI data from the neighboring properties. The DRAFT Remedial Action Work Plan (RAWP) cannot be further reviewed and approved until a Significant Threat Determination is made. An IRMWP was submitted and approved in lieu of the RAWP.

9. Citizen Participation Plan Activities during this Report Period

None this period.

10. Citizen Participation Plan Activities Anticipated for the Next Reporting Period

None this period.

11. Remedial Schedule

The estimated remedial schedule is attached.

12. Miscellaneous Information

None this period.

File: N:\GIS\Prj\CV03_Sustainable Development Inc\003_401 Hunts Point Broom\MapDocs\20241111\Figure 10 - Interim Remedial Plan - Groundwater.mxd 11/12/2024 Created by: S.Lowe Coordinate System: NAD 1983 StatePlane New York Long Island FIPS 3104 Feet



Table X
DRAFT Groundwater Data - VOCs
401 Hunts Point – NYSDEC BCP Site No. C203162

Location Code		NY AWQ TOGS 1.1.1 Field ID SDG	10/10/2023 MW-01 L2360184	MW-01				MW-02				MW-03/MW-03R				MW-04					
Date				05/01/2025		07/31/2025		05/01/2025		07/31/2025		10/10/2023		05/01/2025		07/31/2025		10/10/2023			
Field ID				MW-01		MW-01		DUP_250731		MW-02		10/10/2023		MW-03R		MW-03		MW-04			
SDG				L2527341		L2548494		L2548494		L2548494		L2360184		L2527341		L2548494		L2360184			
8260D																					
1,2,4,5-Tetramethylbenzene	µg/L	5	120 J		24 J	<54	<54		30 J		<2	<8	<2.7	<2	<2	12	<0.54	<2	<2		
1,2-Dichloroethene (total)	µg/L	-	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,3-Dichloropropene (total)	µg/L	0.4	<50		<10	<14	<14		<25		<0.5	<2	<0.72	<0.5	<0.5	<0.5	<0.14	<0.5	<0.5		
1,4-Dichloro-2-butene(trans)	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1-Methyl-4 ethyl benzene	µg/L	-	710		110	170 J	180 J		260		<2	7.4 J	22	<2	<2	<2	<0.70	<2	<2		
Acrylonitrile	µg/L	5	<500		<100	<150	<150		<250		<5	<20	<7.5	<5	<5	<5	<1.5	<5	<5		
Ethyl ether	µg/L	-	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
p-Diethylbenzene	µg/L	-	130 J		<40	<70	<70		38 J		<2	<8	<3.5	<2	<2	1.5 J	<0.70	<2	<2		
1,1,1,2-Tetrachloroethane	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,1,1-Trichloroethane	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,1,2-Trichloroethane	µg/L	-	<50		<10	<17	<17		<25		<0.5	<2	<0.84	<0.5	<0.5	<0.5	<0.17	<0.5	<0.5		
1,1,2-Trichloroethane (total)	µg/L	1	<150		<30	<50	<50		<75		<1.5	<6	<2.5	<1.5	<1.5	<1.5	<0.50	<1.5	<1.5		
1,1-Dichloroethane	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,1-Dichloroethene	µg/L	5	<50		<10	<17	<17		<25		<0.5	<2	<0.84	<0.5	<0.5	<0.5	<0.17	<0.5	<0.5		
1,1-Dichloropropene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2,3-Trichlorobenzene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2,3-Trichloropropane	µg/L	0.04	<250		<50,000	<70,000	<70,000		<120		<2,500	<10,000	<3,500	<2.5	<2.5	<2,500	<700	<2.5	<2,500		
1,2,4-Trichlorobenzene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2,4-Trimethylbenzene	µg/L	5	1,000		130	200 J	200 J		390		<2.5	4.7 J	14	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2-Dibromo-3-chloropropane	µg/L	0.04	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2-Dibromoethane	µg/L	0.0006	<200		<40	<65	<65		<100		<2	<8	<3.2	<2	<2	<2	<0.65	<2	<2		
1,2-Dichlorobenzene	µg/L	3	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2-Dichloroethane	µg/L	0.6	<50		<10	<13	<13		<25		0.36 J	<2	<0.66	<0.5	<0.5	<0.5	<0.13	<0.5	<0.5		
1,2-Dichloroethene(cis)	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2-Dichloroethene(trans)	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,2-Dichloropropane	µg/L	1	<100		<20	<14	<14		<50		<1	<4	<0.68	<1	<1	<1	<0.14	<1	<1		
1,3,5-Trimethylbenzene	µg/L	5	240 J		<50	<70	<70		99 J		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,3-Dichlorobenzene	µg/L	3	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,3-Dichloropropane	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,3-Dichloropropene(cis)	µg/L	0.4	<50		<10	<14	<14		<25		<0.5	<2	<0.72	<0.5	<0.5	<0.5	<0.14	<0.5	<0.5		
1,3-Dichloropropene(trans)	µg/L	0.4	<50		<10	<16	<16		<25		<0.5	<2	<0.82	<0.5	<0.5	<0.5	<0.16	<0.5	<0.5		
1,4-Dichlorobenzene	µg/L	3	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
1,4-Dioxane	µg/L	0.35	<25,000		<5,000	<6,100	<6,100		<12,000		<250	<1,000	<300	<250	<250	<250	<61	<250	<250		
2,2-Dichloropropane	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
2-chlorotoluene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
2-hexanone	µg/L	50	<500		<100	<100	<100		<250		<5	<20	<5.0	<5	<5	<5	<1.0	<5	<5		
4-Chlorotoluene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
4-Methyl-2-pentanone	µg/L	-	<500		<100	<100	<100		<250		<5	<20	<5.0	<5	<5	<5	<1.0	<5	<5		
Acetone	µg/L	50	<500		380	220 J	200 J		<250		80	68	86	<5	<5	<5	5.0	<5	1.7 J		
Benzene	µg/L	1	<50		<10	<16	<16		<25		0.28 J	<2	<0.80	<0.5	<0.5	<0.5	<0.16	<0.5	<0.5		
Bromobenzene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Bromochloromethane	µg/L	5	<250		<50	<70	<70		<120		1.8 J	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Bromodichloromethane	µg/L	50	<50		<10	<19	<19		<25		0.55	<2	<0.96	<0.5	<0.5	<0.5	<0.19	<0.5	<0.5		
Bromoform	µg/L	50	<200		<40	<65	<65		<100		<2	<8	<3.2	<2	<2	<2	<0.65	<2	<2		
Bromomethane	µg/L	5	<250		<50	<70	<70		<120		12	9.1 J	10 J	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Carbon disulfide	µg/L	60	<500		<100	<100	<100		<250		2.4 J	<20	<5.0	<5	<5	<5	<1.0	<5	<5		
Carbon tetrachloride	µg/L	5	<50		<10	<13	<13		<25		<0.5	<2	<0.67	<0.5	<0.5	<0.5	<0.13	<0.5	<0.5		
Chlorobenzene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Chlorodibromomethane	µg/L	50	<50		<10	<15	<15		<25		3.8	<2	<0.74	<0.5	<0.5	<0.5	<0.15	<0.5	<0.5		
Chloroethane	µg/L	5	<250		16 J	<70	<70		<120		1.6 J	<10	6.3 J	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Chloroform	µg/L	7	<250		<50	<70	<70		<120		7.1	4 J	4.1 J	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Chloromethane	µg/L	5	<250		330	160 J	130 J		<120		110	60	100	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Dibromomethane	µg/L	5	<500		<100	<100	<100		<250		<5	<20	<5.0	<5	<5	<5	<1.0	<5	<5		
Dichlorodifluoromethane	µg/L	5	<500		<100	<100	<100		<250		<5	<20	<5.0	<5	<5	<5	<1.0	<5	<5		
Dichloromethane	µg/L	5	<250		<50	<70	<70		<120		7.5	3.9 J	8.2 J	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Ethylbenzene	µg/L	5	7,300		2,500	4,500	5,200		2,600		6.6	70	550	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Hexachlorobutadiene	µg/L	0.5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Isopropylbenzene	µg/L	5	100 J		24 J	<70	<70		46 J		<2.5	<10	6.8 J	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
Methyl Ethyl Ketone	µg/L	50	<500		<100	<190	<190		<250		6.5	<20	<9.7	<5	<5	<5	2.8 J	<5	<1.9		
Methyl Tertiary Butyl Ether	µg/L	10	<250		<50	<17	<17		<120		<2.5	<10	<0.83	<2.5	<2.5	<2.5	<0.17	<2.5	<2.5		
Naphthalene	µg/L	-	900		180	180 J	200 J		250		<2.5	<10	35	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
n-butylbenzene	µg/L	5	<250		<50	<70	<70		<120		<2.5	<10	<3.5	<2.5	<2.5	<2.5	<0.70	<2.5	<2.5		
n-propylbenzene	µg/L	5	110 J		26 J	<70	<70		40 J		<2.5</										

Table X
DRAFT Groundwater Data - SVOCs
401 Hunts Point – NYSDEC BCP Site No. C203162

Location Code			NY AWQ TOGS 1.1.1 Field ID SDG	10/10/2023 MW-01 L2360184	MW-01				10/10/2023 MW-02 L2360184	MW-02				MW-03/MW-03R				MW-04						
		05/01/2025			07/31/2025		10/10/2025			07/31/2025		10/10/2023		05/01/2025		07/31/2025		10/10/2023		05/01/2025		07/31/2025		
		MW-01 L2527341			MW-01 L2548494	DUP_250731 L2548494	MW-02 L2527341	MW-02 L2527341		DUP_250501 L2548494	MW-02 L2548494	MW-03 L2360184	DUPLICATE-10-10-23 L2360184	MW-03R L2527341	MW-03 L2548494	MW-04 L2360184	MW-04 L2527341	MW-04 L2548494						
8270E																								
1,1-Biphenyl	µg/L	5	<2	<20	<0.20	<0.20	<2	<2	<2.8	<0.20	<2	<2	<2	<2	<0.20	<2	<2	<2	<2	<2	<2	<0.20		
1,2,4,5-Tetrachlorobenzene	µg/L	5	<10	<100	<0.24	<0.24	<10	<10	<14	<0.24	<10	<10	<10	<10	<0.24	<10	<10	<10	<10	<10	<0.24			
2,4,5-Trichlorophenol	µg/L	-	<5	<50	<2.1	<2.1	<5	<5	<7.1	<2.1	<5	<5	<5	<5	<2.1	<5	<5	<5	<5	<5	<2.1			
2,4,6-Trichlorophenol	µg/L	-	<5	<50	<1.7	<2.1	<5	<5	<7.1	<2.1	<5	<5	<5	<5	<2.1	<5	<5	<5	<5	<5	<2.1			
2,4-Dichlorophenol	µg/L	5	<5	<50	<1.7	<1.7	<5	<5	<7.1	<1.7	<5	<5	<5	<5	<1.7	<5	<5	<5	<5	<5	<1.7			
2,4-Dimethylphenol	µg/L	50	160	68	61	140	19	<5	<7.1	<2.0	<5	<5	<5	<5	<2.0	<5	<5	<5	<5	<5	<2.0			
2,4-Dinitrophenol	µg/L	10	<20	<200	<5.4	<5.4	<20	<20	<28	<5.4	<20	<20	<20	<20	<5.4	<20	<20	<20	<20	<20	<5.4			
2,4-Dinitrotoluene	µg/L	5	<5	<50	<0.54	<0.54	<5	<5	<7.1	<0.54	<5	<5	<5	<5	<0.54	<5	<5	<5	<5	<5	<0.54			
2,6-dinitrotoluene	µg/L	5	<5	<50	<0.84	<0.84	<5	<5	<7.1	<0.84	<5	<5	<5	<5	<0.84	<5	<5	<5	<5	<5	<0.84			
2-chlorophenol	µg/L	-	<2	<20	<0.65	<0.65	<2	<2	<2.8	<0.65	<2	<2	<2	<2	<0.65	<2	<2	<2	<2	<2	<0.65			
2-Methylphenol	µg/L	-	<5	<50	<2.3	<2.3	2.8 J	<5	<7.1	<2.3	<5	<5	<5	<5	<2.3	<5	<5	<5	<5	<5	<2.3			
2-Nitroaniline	µg/L	5	<5	<50	<1.0	<1.0	<5	<5	<7.1	<1.0	<5	<5	<5	<5	<1.0	<5	<5	<5	<5	<5	<1.0			
2-Nitrophenol	µg/L	-	<10	<100	<2.0	<2.0	<10	<10	<14	<2.0	<10	<10	<10	<10	<2.0	<10	<10	<10	<10	<10	<2.0			
3,3-Dichlorobenzidine	µg/L	5	<5	<50	<1.8	<1.8	<5	<5	<7.1	<1.8	<5	<5	<5	<5	<1.8	<5	<5	<5	<5	<5	<1.8			
3-Methylphenol/4-Methylphenol	µg/L	-	60	<50	<1.4	<1.4	7	<5	<7.1	<1.4	<5	<5	<5	<5	<1.4	<5	<5	<5	<5	<5	<1.4			
3-Nitroaniline	µg/L	5	<5	<50	<1.2	<1.2	<5	<5	<7.1	<1.2	<5	<5	<5	<5	<1.2	<5	<5	<5	<5	<5	<1.2			
4,6-Dinitro-2-methylphenol	µg/L	-	<10	<100	<2.3	<2.3	<10	<10	<14	<2.3	<10	<10	<10	<10	<2.3	<10	<10	<10	<10	<10	<2.3			
4-bromophenyl phenyl ether	µg/L	-	<2	<20	<0.24	<0.24	<2	<2	<2.8	<0.24	<2	<2	<2	<2	<0.24	<2	<2	<2	<2	<2	<0.24			
4-Chloro-3-methylphenol	µg/L	-	<2	<20	<0.61	<0.61	<2	<2	<2.8	<0.61	<2	<2	<2	<2	<0.61	<2	<2	<2	<2	<2	<0.61			
4-Chloroaniline	µg/L	5	<5	<50	<0.47	<0.47	<5	<5	<7.1	<0.47	<5	<5	<5	<5	<0.47	<5	<5	<5	<5	<5	<0.47			
4-Chlorophenyl phenyl ether	µg/L	-	<2	<20	<0.39	<0.39	<2	<2	<2.8	<0.39	<2	<2	<2	<2	<0.39	<2	<2	<2	<2	<2	<0.39			
4-Nitroaniline	µg/L	5	<5	<50	<1.4	<1.4	<5	<5	<7.1	<1.4	<5	<5	<5	<5	<1.4	<5	<5	<5	<5	<5	<1.4			
4-Nitrophenol	µg/L	-	<10	<100	<1.4	<1.4	<10	<10	<14	<1.4	<10	<10	<10	<10	<1.4	<10	<10	<10	<10	<10	<1.4			
Acetophenone	µg/L	-	89	20,000	5,400	5,700	72	16	80	290	<5	<5	<5	<5	<0.92	<5	<5	<5	<5	<5	1.1 J			
Benzoic Acid	µg/L	-	<50	<500	<2.6	<2.6	<50	13 J	12 J	22 J	<50	<50	<50	<50	<2.6	<50	<50	<50	<50	<50	<2.6			
Benzyl alcohol	µg/L	-	<2	<20	<0.38	<0.38	<2	<2	<2.8	0.70 J	<2	<2	<2	<2	<0.38	<2	<2	<2	<2	<2	<0.38			
Bis(2-chloroethoxy) methane	µg/L	5	<5	<50	<0.84	<0.84	<5	<5	<7.1	<0.84	<5	<5	<5	<5	<0.84	<5	<5	<5	<5	<5	<0.84			
Bis(2-chloroethyl)ether	µg/L	1	<2	<20	<0.39	<0.39	<2	<2	<2.8	<0.39	<2	<2	<2	<2	<0.39	<2	<2	<2	<2	<2	<0.39			
Bis(2-chloroisopropyl) ether	µg/L	5	<2	<20	<0.40	<0.40	<2	<2	<2.8	<0.40	<2	<2	<2	<2	<0.40	<2	<2	<2	<2	<2	<0.40			
Bis(2-ethylhexyl) phthalate	µg/L	5	<3	<30	<1.4	<1.4	<3	<3	<4.3	<1.4	<3	<3	<3	<3	<1.4	<3	<3	<3	<3	<3	<1.4			
Butyl benzyl phthalate	µg/L	50	<5	<50	<2.6	<2.6	<5	<5	<7.1	<2.6	<5	<5	<5	<5	<2.6	<5	<5	<5	<5	<5	<2.6			
Carbazole	µg/L	-	<2	<20	<0.31	<0.31	<2	<2	<2.8	<0.31	<2	<2	<2	<2	<0.31	<2	<2	<2	<2	<2	<0.31			
Dibenzofuran	µg/L	-	<2	<20	<0.40	<0.40	<2	<2	<2.8	<0.40	<2	<2	<2	<2	<0.40	<2	<2	<2	<2	<2	<0.40			
Diethylphthalate	µg/L	50	<5	<50	<0.76	<0.76	<5	<5	<7.1	<0.76	<5	<5	<5	<5	<0.76	<5	<5	<5	<5	<5	<0.76			
Dimethyl phthalate	µg/L	50	<5	<50	<0.92	<0.92	<5	<5	<7.1	<0.92	<5	<5	<5	<5	<0.92	<5	<5	<5	<5	<5	<0.92			
Di-n-butyl phthalate	µg/L	50	<5	<50	<0.96	<0.96	<5	<5	<7.1	<0.96	<5	<5	<5	<5	1.4 J	<5	<5	<5	<5	<5	<0.96			
Di-n-octyl phthalate	µg/L	50	<5	<50	<2.3	<2.3	<5	<5	<7.1	<2.3	<5	<5	<5	<5	<2.3	<5	<5	<5	<5	<5	<2.3			
Hexachlorocyclopentadiene	µg/L	5	<20	<200	<1.2	<1.2	<20	<20	<28	<1.2	<20	<20	<20	<20	<1.2	<20	<20	<20	<20	<20	<1.2			
Isophorone	µg/L	50	<5	<50	<0.86	<0.86	<5	<5	<7.1	<0.86	<5	<5	<5	<5	<0.86	<5	<5	<5	<5	<5	<0.86			
Nitrobenzene	µg/L	0.4	<2	<20	<0.20	<0.20	<2	<2	<2.8	<0.20	<2	<2	<2	<2	<0.20	<2	<2	<2	<2	<2	<0.20			
N-Nitrosodi-n-propylamine	µg/L	-	<5	<50	<0.91	<0.91	<5	<5	<7.1	<0.91	<5	<5	<5	<5	<0.91	<5	<5	<5	<5	<5	<0.91			
N-Nitrosodiphenylamine	µg/L	50	<2	<20	<0.92	<0.92	<2	<2	<2.8	<0.92	<2	<2	<2	<2	<0.92	<2	<2	<2	<2	<2	<0.92			
Phenol	µg/L	-	<5	9.5 J	<0.35	<0.35	<5	<5	<7.1	<0.35	<5	<5	<5	<5	<0.35	<5	<5	<5	<5	<5	<0.35			
1,2,4-Trichlorobenzene	µg/L	5	<5	<50	<0.98	<0.98	<5	<5	<7.1	<0.98	<5	<5	<5	<5	<0.98	<5	<5	<5	<5	<5	<0.98			
1,2-Dichlorobenzene	µg/L	3	<2	<20	<0.33	<0.33	<2	<2	<2.8	<0.33	<2	<2	<2	<2	<0.33	<2	<2	<2	<2	<2	<0.33			
1,3-Dichlorobenzene	µg/L	3	<2	<20	<0.32	<0.32	<2	<2	<2.8	<0.32	<2	<2	<2	<2	<0.32	<2	<2	<2	<2	<2	<0.32			
1,4-Dichlorobenzene	µg/L	3	<2	<20	<0.39	<0.39	<2	<2	<2.8	<0.39	<2	<2	<2	<2	<0.39	<2	<2	<2	<2	<2	<0.39			
8270E-SIM																								
2-chloronaphthalene	µg/L	-	<2	<2	<0.11	<0.11	<0.2	<0.2	<0.28	<0.02	<0.2	<0.2	<0.2	<0.2	<0.02	<0.2	<0.2	<0.2	<0.2	<0.2	<0.02			
2-Methylnaphthalene	µg/L	-	3.8	0.92 J	0.93	0.92	0.71	<0.1	<0.14	0.11	0.04 J	0.09 J	<0.1	0.20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.03			
Acenaphthene	µg/L	-	<1	<1	<0.12	<0.12																		

401 Hunts Point
NYSDEC BCP Site No. C203162

Carson Voci Task