



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: A. Melican	
Start to Finish Date: 2/15/2024 - 2/15/2025		Contractor: Trinity Environemtnal		Drill Type: Hand Auger	
Borehole Depth: 4 feet		Backfill: Cuttings		Borehole Diameter: 2-inches	
Area: NM		Elevation: NM		Latitude: NM	
				Sampler Type/Method: 2" Hand Auger	
				DTW: NM feet	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:52 - S:\GINT\PROJECTS\3868.0005Y000.(SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.				
	MIXD		Dark brown, fine to medium SAND, some Cobble and fine Gravel, trace brick (FILL); moist.		2.0		
1	MIXD		Dark brown, fine to medium SAND, little Gravel, trace brick (FILL); moist.		2.0		
2	MIXD		Dark brown, fine to coarse SAND, little Cobble and Brick, trace fine gravel (FILL); moist.	G	4	5.0	
3	MIXD		Dark brown, fine to coarse SAND, little Brick (FILL); moist.			39.5	Soil sample RX-18(3-4) collected.
							Odor and staining observed.

Bottom of borehole at 4 feet



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: A. Melican	
Start to Finish Date: 2/15/2024 - 2/15/2025		Contractor: Trinity Environemtnal		Drill Type: Geoprobe	
Borehole Depth: 14 feet		Backfill: Cuttings		Sampler Type/Method: 2" Split Spoon	
Area: NM		Elevation: NM		Latitude: NM	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:52 - S:\GINT\PROJECTS\3868.0005Y000 (SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.			0.2	Soil sample RX-19(3-5) collected.
	MIXD		Dark grey, fine to medium SAND, some Silt, little Cobble, trace brick (FILL); moist.			0.2	
	MIXD		Dark brown, fine to medium SAND, some Silt, little Cobble, trace brick and concrete (FILL); moist.	G	5	0.2	
5	SP-SM		Dark brown, fine to medium SAND, some Silt, little Gravel; moist.			0.0	
	SPG		Light brown, medium to coarse SAND, some fine Gravel; moist.			0.0	
	SWG		Brown, fine to coarse SAND, some fine Gravel; moist.			0.0	
10	SP		Light brown, fine to medium SAND, trace fine gravel; moist.			0.0	
	SP-SC		Light brown, coarse SAND, little Clay, trace gravel; moist.			0.0	
						0.0	

Bottom of borehole at 14 feet



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: A. Melican	
Start to Finish Date: 2/15/2024 - 2/15/2025		Contractor: Trinity Environemtnal		Drill Type: Geoprobe	
Borehole Depth: 8 feet		Backfill: Cuttings		Sampler Type/Method: 2" Split Spoon	
Area: NM		Elevation: NM		Latitude: NM	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:52 - S:\GINT\PROJECTS\3868.0005Y000 (SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.				
	MIXD		Dark grey, fine to coarse SAND, some Silt, little Cobble, trace brick and wood (FILL); moist.		0.3		
	MIXD		Dark grey, fine to coarse SAND, some Silt, little Cobble, trace brick and wood (FILL); moist.		0.3		
	MIXD		Light brown, fine to medium SAND, some Silt, little Cobble, trace brick and wood (FILL); moist.		5		
	MIXD		Dark brown, fine to coarse SAND, little Cobble, trace brick and wood (FILL); moist.				
5	MIXD		Dark brown, medium coarse SAND, some fine to coarse Gravel, trace brick (FILL); moist.		0.4		
	MIXD						Soil sample RX-20(6-8) collected.
						0.1	Refusal hit at 8 ft.

Bottom of borehole at 8 feet



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: A. Melican	
Start to Finish Date: 2/15/2024 - 2/15/2025	Contractor: Trinity Environemtnal		Drill Type: Geoprobe		Sampler Type/Method: 2" Split Spoon
Borehole Depth: 14 feet	Backfill: Cuttings		Borehole Diameter: 2-inches		DTW: NM feet
Area: NM	Elevation: NM		Latitude: NM		Longitude: NM

ROUX STANDARD LOG - 1/14/25 11:52 - S:\GINT\PROJECTS\3868.0005Y000 (SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.				
	MIXD		Dark brown, fine to medium SAND, some Cobble, little Brick, trace silt (FILL); moist.		0.2		
	MIXD		Dark brown, fine to medium SAND, some coarse Gravel, little Cobble, trace brick (FILL); moist.	G	0.4	5	
	MIXD		Dark brown, fine to medium SAND, some Wood, Organics, and fine Gravel, little Cobble, trace brick (FILL); moist.		1.0		
	MIXD		Light brown, fine to medium SAND, some Organics and Brick, little Cobble, trace silt (FILL); moist.		1.7		
5	MIXD		Light brown, fine to coarse SAND, little Organics, trace brick and cobble (FILL); moist.		0.0		
	MIXD						
	MIXD						
10	MIXD		Dark brown, fine to medium SAND, some fine Gravel, little Brick and Organics, trace cobble (FILL); moist.		1.2		Soil sample RX-21(10-12) collected.
	MIXD						
	MIXD		Medium brown, fine to medium SAND, some fine Gravel, trace brick and organics (FILL); moist.		1.2		

Bottom of borehole at 14 feet