



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: P. Perry	
Start to Finish Date: 9/5/2024 - 9/5/2024		Contractor: Trinity Environemtnal		Drill Type: Hand Auger	
Borehole Depth: 6.5 feet		Backfill: Cuttings		Borehole Diameter: 2-inches	
Area: NM		Elevation: NM		Latitude: NM	
				Sampler Type/Method: 2" Hand Auger	
				DTW: NM feet	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:42 - S:\GINT\PROJECTS\3868.0005Y000 (EAST TOWER SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	MIXD		Brown, fine to coarse SAND, some fine to coarse Gravel (FILL); moist.				
			Dark grey, fine to coarse SAND, some Wood, Cobble, Brick, and Concrete, little Glass and Metal (FILL); moist.	G	5	4.5	Staining observed.
	MIXD					5.0	
						3.8	
5						15.6	Soil sample RX-22(5-6) collected.
						4.8	Refusal hit at 6ft.

Bottom of borehole at 6.5 feet



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: P. Perry	
Start to Finish Date: 9/6/2024 - 9/6/2024		Contractor: Trinity Environemtnal		Drill Type: Geoprobe	
Borehole Depth: 15 feet		Backfill: Cuttings		Borehole Diameter: 2-inches	
Area: NM		Elevation: NM		Latitude: NM	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:42 - S:\GINT\PROJECTS\3868.0005Y000 (EAST TOWER SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
0.0	ASPH		ASPHALT.				
0.0 - 2.1	MIXD		Grey, fine to coarse GRAVEL, some fine to coarse Sand (FILL); moist.				
2.1 - 3.3			Dark grey, fine to coarse SAND, some Brick and Wood, little Glass (FILL); moist.				Staining observed.
3.3 - 4.2	MIXD			G	4		
4.2 - 5.0							
5.0	CONC		CONCRETE.				
5.0 - 5.4	MIXD		Dark grey, fine to coarse SAND, some Wood (FILL); moist.				Staining observed.
5.4 - 6.2	SWG		Brown, fine to coarse SAND, some fine to coarse Gravel; moist.				Soil sample RX-24(7-8) collected.
6.2 - 7.8	SW		Dark grey, fine to coarse SAND; moist. Brown, medium SAND; moist.				Staining observed.
7.8 - 10.0	SP						
10.0 - 11.0			Light brown, medium SAND; moist.				
11.0 - 15.0	SP						
15.0			Grey, medium SAND; moist.				Soil sample RX-24(14-15) collected.

Bottom of borehole at 15 feet



Client: Gilbane Development Company		Site: 280 E 161st Street		Project Number: 3868.0005Y000	
Address: 280 E 161st Street		City/State: Bronx, New York		Logged By: P. Perry	
Start to Finish Date: 9/6/2024 - 9/6/2024		Contractor: Trinity Environemtnal		Drill Type: Hand Auger	
Borehole Depth: 5.5 feet		Backfill: Cuttings		Borehole Diameter: 2-inches	
Area: NM		Elevation: NM		Latitude: NM	
				Sampler Type/Method: 2" Hand Auger	
				DTW: NM feet	
				Longitude: NM	

ROUX STANDARD LOG - 1/14/25 11:42 - S:\GINT\PROJECTS\3868.0005Y000 (EAST TOWER SUPPLEMENTAL BCP ELIGIBILITY INVESTIGATION).GPJ

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.				
	MIXD		Grey, fine to coarse GRAVEL, some fine to coarse Sand (FILL); moist.			0.0	
	MIXD		Dark grey, fine to coarse SAND, some Brick, Gravel, and Wood, little Concrete and Metal (FILL); moist.			2.8	Staining observed.
	MIXD					3.4	
	MIXD					5	
	MIXD					5.6	Soil sample RX-25(3-5) collected.
						2.3	
5							

Bottom of borehole at 5.5 feet