

Daily Status Report

Prepared by: C. Zaccheo

Date: 01/26/2023

Weather: 40 deg. F, Overcast

Project: 470 Kent Avenue - Brooklyn, NY - DEC Site #s C224053 and 224053

Engineer: Matthew Carroll, P.E. Tenen Environmental, LLC	Safety Manager: Claire Zaccheo Tenen Environmental, LLC
Structural Contractor: New Line Services	Excavation Contractor: ECD NY

Work Activities Performed:

- 1) ECD excavating in northeast corner for pile cap & footing installation.
- 2) ECD installing rebar in preparation for footing installation.

Samples Collected (Since Last Report):None.

Air Monitoring (Since Last Report): CAMP graphs and tables are included below.

Problems Encountered: None.

Planned Work Activities for Next Day/Week: Continue soil excavation and disposal;

Site Layout Map




Photo 1:

ECD pouring concrete
for pile cap.



Photo 2:

ECD excavating in
northeast corner for pile
cap & footing
installation.



Daily Status Report

Prepared by: C. Zaccheo

Date: 01/26/2023

Weather: 40 deg. F, Overcast

Project: 470 Kent Avenue - Brooklyn, NY - DEC Site #s C224053 and 224053

Engineer: Matthew Carroll, P.E. Tenen Environmental, LLC	Safety Manager: Claire Zaccheo Tenen Environmental, LLC
Structural Contractor: New Line Services	Excavation Contractor: ECD NY

Work Activities Performed:

- 1) ECD excavating in northeast corner for pile cap & footing installation.
- 2) ECD laying out rebar for footing pour & installation.

Samples Collected (Since Last Report):None.

Air Monitoring (Since Last Report): CAMP graphs and tables are included below.

Problems Encountered: None.

Planned Work Activities for Next Day/Week: Continue soil excavation and disposal;

Site Layout Map




Photo 1:

ECD pouring concrete
for pile cap.




Photo 2:

ECD excavating in
northeast corner for pile
cap & footing
installation.



CAMP:
Downwind
Particulates

Dust Levels




CAMP:
Downwind VOCs

VOC Levels



CAMP:
Upwind Particulates

Dust Levels



Downwind CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 47907	1/26/2023 7:00	1/26/2023 7:10	0	0
Modem 47907	1/26/2023 7:10	1/26/2023 7:20	0	0
Modem 47907	1/26/2023 7:20	1/26/2023 7:30	0	0
Modem 47907	1/26/2023 7:30	1/26/2023 7:40	0	0
Modem 47907	1/26/2023 7:40	1/26/2023 7:50	0	0
Modem 47907	1/26/2023 7:50	1/26/2023 8:00	0	0
Modem 47907	1/26/2023 8:00	1/26/2023 8:10	0	0
Modem 47907	1/26/2023 8:10	1/26/2023 8:20	0	0
Modem 47907	1/26/2023 8:20	1/26/2023 8:30	0	0
Modem 47907	1/26/2023 8:30	1/26/2023 8:40	0	0
Modem 47907	1/26/2023 8:40	1/26/2023 8:50	0	0
Modem 47907	1/26/2023 8:50	1/26/2023 9:00	0	0
Modem 47907	1/26/2023 9:00	1/26/2023 9:10	0	0
Modem 47907	1/26/2023 9:10	1/26/2023 9:20	0	0
Modem 47907	1/26/2023 9:20	1/26/2023 9:30	0	0
Modem 47907	1/26/2023 9:30	1/26/2023 9:40	0	0
Modem 47907	1/26/2023 9:40	1/26/2023 9:50	0	0
Modem 47907	1/26/2023 9:50	1/26/2023 10:00	0	0
Modem 47907	1/26/2023 10:00	1/26/2023 10:10	0	0
Modem 47907	1/26/2023 10:10	1/26/2023 10:20	0	0
Modem 47907	1/26/2023 10:20	1/26/2023 10:30	0	0
Modem 47907	1/26/2023 10:30	1/26/2023 10:40	0	0
Modem 47907	1/26/2023 10:40	1/26/2023 10:50	0	0
Modem 47907	1/26/2023 10:50	1/26/2023 11:00	0	0
Modem 47907	1/26/2023 11:00	1/26/2023 11:10	0	0
Modem 47907	1/26/2023 11:10	1/26/2023 11:20	0	0
Modem 47907	1/26/2023 11:20	1/26/2023 11:30	0	0
Modem 47907	1/26/2023 11:30	1/26/2023 11:40	0	0
Modem 47907	1/26/2023 11:40	1/26/2023 11:50	0	0
Modem 47907	1/26/2023 11:50	1/26/2023 12:00	0	0
Modem 47907	1/26/2023 12:00	1/26/2023 12:10	0	0
Modem 47907	1/26/2023 12:10	1/26/2023 12:20	0	0
Modem 47907	1/26/2023 12:20	1/26/2023 12:30	0	0
Modem 47907	1/26/2023 12:30	1/26/2023 12:40	0	0
Modem 47907	1/26/2023 12:40	1/26/2023 12:50	0	0
Modem 47907	1/26/2023 12:50	1/26/2023 13:00	0	0
Modem 47907	1/26/2023 13:00	1/26/2023 13:10	0	0
Modem 47907	1/26/2023 13:10	1/26/2023 13:20	0	0
Modem 47907	1/26/2023 13:20	1/26/2023 13:30	0	0
Modem 47907	1/26/2023 13:30	1/26/2023 13:40	0	0
Modem 47907	1/26/2023 13:40	1/26/2023 13:50	0	0
Modem 47907	1/26/2023 13:50	1/26/2023 14:00	0	0
Modem 47907	1/26/2023 14:00	1/26/2023 14:10	0	0
Modem 47907	1/26/2023 14:10	1/26/2023 14:20	0	0
Modem 47907	1/26/2023 14:20	1/26/2023 14:30	0	0
Modem 47907	1/26/2023 14:30	1/26/2023 14:40	0	0
Modem 47907	1/26/2023 14:40	1/26/2023 14:50	0	0
Modem 47907	1/26/2023 14:50	1/26/2023 15:00	0	0
Modem 47907	1/26/2023 15:00	1/26/2023 15:10	0	0
Modem 47907	1/26/2023 15:10	1/26/2023 15:20	0	0
Modem 47907	1/26/2023 15:20	1/26/2023 15:30	0	0

Upwind CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 212221	1/26/2023 7:00	1/26/2023 7:10	0.018	0
Modem 212221	1/26/2023 7:10	1/26/2023 7:20	0.018	0.041
Modem 212221	1/26/2023 7:20	1/26/2023 7:30	0	0.091
Modem 212221	1/26/2023 7:30	1/26/2023 7:40	0	0.12
Modem 212221	1/26/2023 7:40	1/26/2023 7:50	0	0.141
Modem 212221	1/26/2023 7:50	1/26/2023 8:00	0.001	0.157
Modem 212221	1/26/2023 8:00	1/26/2023 8:10	0.001	0.169
Modem 212221	1/26/2023 8:10	1/26/2023 8:20	0.001	0.179
Modem 212221	1/26/2023 8:20	1/26/2023 8:30	0.001	0.186
Modem 212221	1/26/2023 8:30	1/26/2023 8:40	0	0.191
Modem 212221	1/26/2023 8:40	1/26/2023 8:50	0	0.195
Modem 212221	1/26/2023 8:50	1/26/2023 9:00	0	0.212
Modem 212221	1/26/2023 9:00	1/26/2023 9:10	0.001	0.234
Modem 212221	1/26/2023 9:10	1/26/2023 9:20	0.001	0.258
Modem 212221	1/26/2023 9:20	1/26/2023 9:30	0.001	0.284
Modem 212221	1/26/2023 9:30	1/26/2023 9:40	0.001	0.312
Modem 212221	1/26/2023 9:40	1/26/2023 9:50	0.002	0.339
Modem 212221	1/26/2023 9:50	1/26/2023 10:00	0.002	0.367
Modem 212221	1/26/2023 10:00	1/26/2023 10:10	0.002	0.396
Modem 212221	1/26/2023 10:10	1/26/2023 10:20	0.002	0.424
Modem 212221	1/26/2023 10:20	1/26/2023 10:30	0.002	0.453
Modem 212221	1/26/2023 10:30	1/26/2023 10:40	0.002	0.482
Modem 212221	1/26/2023 10:40	1/26/2023 10:50	0.003	0.51
Modem 212221	1/26/2023 10:50	1/26/2023 11:00	0.003	0.539
Modem 212221	1/26/2023 11:00	1/26/2023 11:10	0.003	0.568
Modem 212221	1/26/2023 11:10	1/26/2023 11:20	0.003	0.597
Modem 212221	1/26/2023 11:20	1/26/2023 11:30	0.003	0.625
Modem 212221	1/26/2023 11:30	1/26/2023 11:40	0.004	0.654
Modem 212221	1/26/2023 11:40	1/26/2023 11:50	0.004	0.683
Modem 212221	1/26/2023 11:50	1/26/2023 12:00	0.004	0.711
Modem 212221	1/26/2023 12:00	1/26/2023 12:10	0.004	0.74
Modem 212221	1/26/2023 12:10	1/26/2023 12:20	0.004	0.768
Modem 212221	1/26/2023 12:20	1/26/2023 12:30	0.004	0.797
Modem 212221	1/26/2023 12:30	1/26/2023 12:40	0.005	0.825
Modem 212221	1/26/2023 12:40	1/26/2023 12:50	0.005	0.854
Modem 212221	1/26/2023 12:50	1/26/2023 13:00	0.005	0.882
Modem 212221	1/26/2023 13:00	1/26/2023 13:10	0.005	0.911
Modem 212221	1/26/2023 13:10	1/26/2023 13:20	0.005	0.939
Modem 212221	1/26/2023 13:20	1/26/2023 13:30	0.005	0.968
Modem 212221	1/26/2023 13:30	1/26/2023 13:40	0.006	0.997
Modem 212221	1/26/2023 13:40	1/26/2023 13:50	0.006	1.025
Modem 212221	1/26/2023 13:50	1/26/2023 14:00	0.006	1.054
Modem 212221	1/26/2023 14:00	1/26/2023 14:10	0.006	1.084
Modem 212221	1/26/2023 14:10	1/26/2023 14:20	0.007	1.113
Modem 212221	1/26/2023 14:20	1/26/2023 14:30	0.007	1.142
Modem 212221	1/26/2023 14:30	1/26/2023 14:40	0.007	1.172
Modem 212221	1/26/2023 14:40	1/26/2023 14:50	0.007	1.202
Modem 212221	1/26/2023 14:50	1/26/2023 15:00	0.007	1.232
Modem 212221	1/26/2023 15:00	1/26/2023 15:10	0.007	1.262
Modem 212221	1/26/2023 15:10	1/26/2023 15:20	0.008	1.293
Modem 212221	1/26/2023 15:20	1/26/2023 15:30	0.008	1.323

Perimeter CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 50057	1/26/2023 7:00	1/26/2023 7:10	0	0
Modem 50057	1/26/2023 7:10	1/26/2023 7:20	0	0
Modem 50057	1/26/2023 7:20	1/26/2023 7:30	0.001	0
Modem 50057	1/26/2023 7:30	1/26/2023 7:40	0.001	0
Modem 50057	1/26/2023 7:40	1/26/2023 7:50	0.001	0
Modem 50057	1/26/2023 7:50	1/26/2023 8:00	0.002	0
Modem 50057	1/26/2023 8:00	1/26/2023 8:10	0.003	0
Modem 50057	1/26/2023 8:10	1/26/2023 8:20	0.003	0
Modem 50057	1/26/2023 8:20	1/26/2023 8:30	0.003	0
Modem 50057	1/26/2023 8:30	1/26/2023 8:40	0.003	0
Modem 50057	1/26/2023 8:40	1/26/2023 8:50	0	0
Modem 50057	1/26/2023 8:50	1/26/2023 9:00	0	0.002
Modem 50057	1/26/2023 9:00	1/26/2023 9:10	0	0.003
Modem 50057	1/26/2023 9:10	1/26/2023 9:20	0	0.005
Modem 50057	1/26/2023 9:20	1/26/2023 9:30	0	0.007
Modem 50057	1/26/2023 9:30	1/26/2023 9:40	0	0.009
Modem 50057	1/26/2023 9:40	1/26/2023 9:50	0	0.012
Modem 50057	1/26/2023 9:50	1/26/2023 10:00	0	0.014
Modem 50057	1/26/2023 10:00	1/26/2023 10:10	0	0.017
Modem 50057	1/26/2023 10:10	1/26/2023 10:20	0	0.02
Modem 50057	1/26/2023 10:20	1/26/2023 10:30	0	0.023
Modem 50057	1/26/2023 10:30	1/26/2023 10:40	0	0.026
Modem 50057	1/26/2023 10:40	1/26/2023 10:50	0	0.029
Modem 50057	1/26/2023 10:50	1/26/2023 11:00	0	0.033
Modem 50057	1/26/2023 11:00	1/26/2023 11:10	0	0.037
Modem 50057	1/26/2023 11:10	1/26/2023 11:20	0	0.04
Modem 50057	1/26/2023 11:20	1/26/2023 11:30	0	0.044
Modem 50057	1/26/2023 11:30	1/26/2023 11:40	0	0.048
Modem 50057	1/26/2023 11:40	1/26/2023 11:50	0	0.052
Modem 50057	1/26/2023 11:50	1/26/2023 12:00	0	0.056
Modem 50057	1/26/2023 12:00	1/26/2023 12:10	0	0.061
Modem 50057	1/26/2023 12:10	1/26/2023 12:20	0	0.065
Modem 50057	1/26/2023 12:20	1/26/2023 12:30	0	0.07
Modem 50057	1/26/2023 12:30	1/26/2023 12:40	0	0.074
Modem 50057	1/26/2023 12:40	1/26/2023 12:50	0	0.079
Modem 50057	1/26/2023 12:50	1/26/2023 13:00	0	0.083
Modem 50057	1/26/2023 13:00	1/26/2023 13:10	0	0.088
Modem 50057	1/26/2023 13:10	1/26/2023 13:20	0	0.093
Modem 50057	1/26/2023 13:20	1/26/2023 13:30	0	0.098
Modem 50057	1/26/2023 13:30	1/26/2023 13:40	0	0.103
Modem 50057	1/26/2023 13:40	1/26/2023 13:50	0	0.108
Modem 50057	1/26/2023 13:50	1/26/2023 14:00	0	0.113
Modem 50057	1/26/2023 14:00	1/26/2023 14:10	0	0.118
Modem 50057	1/26/2023 14:10	1/26/2023 14:20	0	0.123
Modem 50057	1/26/2023 14:20	1/26/2023 14:30	0	0.129
Modem 50057	1/26/2023 14:30	1/26/2023 14:40	0	0.134
Modem 50057	1/26/2023 14:40	1/26/2023 14:50	0	0.139
Modem 50057	1/26/2023 14:50	1/26/2023 15:00	0	0.145
Modem 50057	1/26/2023 15:00	1/26/2023 15:10	0	0.151
Modem 50057	1/26/2023 15:10	1/26/2023 15:20	0	0.157
Modem 50057	1/26/2023 15:20	1/26/2023 15:30	0	0.163

Perimeter CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 46495	1/26/2023 7:00	1/26/2023 7:10	0.017	0
Modem 46495	1/26/2023 7:10	1/26/2023 7:20	0.017	0
Modem 46495	1/26/2023 7:20	1/26/2023 7:30	0	0
Modem 46495	1/26/2023 7:30	1/26/2023 7:40	0	0
Modem 46495	1/26/2023 7:40	1/26/2023 7:50	0	0
Modem 46495	1/26/2023 7:50	1/26/2023 8:00	0.001	0
Modem 46495	1/26/2023 8:00	1/26/2023 8:10	0.001	0
Modem 46495	1/26/2023 8:10	1/26/2023 8:20	0.001	0
Modem 46495	1/26/2023 8:20	1/26/2023 8:30	0.001	0
Modem 46495	1/26/2023 8:30	1/26/2023 8:40	0	0
Modem 46495	1/26/2023 8:40	1/26/2023 8:50	0	0
Modem 46495	1/26/2023 8:50	1/26/2023 9:00	0	0
Modem 46495	1/26/2023 9:00	1/26/2023 9:10	0.001	0
Modem 46495	1/26/2023 9:10	1/26/2023 9:20	0.001	0
Modem 46495	1/26/2023 9:20	1/26/2023 9:30	0.001	0
Modem 46495	1/26/2023 9:30	1/26/2023 9:40	0.002	0
Modem 46495	1/26/2023 9:40	1/26/2023 9:50	0.002	0
Modem 46495	1/26/2023 9:50	1/26/2023 10:00	0.002	0
Modem 46495	1/26/2023 10:00	1/26/2023 10:10	0.002	0
Modem 46495	1/26/2023 10:10	1/26/2023 10:20	0.002	0
Modem 46495	1/26/2023 10:20	1/26/2023 10:30	0.003	0
Modem 46495	1/26/2023 10:30	1/26/2023 10:40	0.003	0
Modem 46495	1/26/2023 10:40	1/26/2023 10:50	0.003	0
Modem 46495	1/26/2023 10:50	1/26/2023 11:00	0.004	0
Modem 46495	1/26/2023 11:00	1/26/2023 11:10	0.004	0
Modem 46495	1/26/2023 11:10	1/26/2023 11:20	0.004	0
Modem 46495	1/26/2023 11:20	1/26/2023 11:30	0.004	0
Modem 46495	1/26/2023 11:30	1/26/2023 11:40	0.005	0
Modem 46495	1/26/2023 11:40	1/26/2023 11:50	0.005	0
Modem 46495	1/26/2023 11:50	1/26/2023 12:00	0.005	0
Modem 46495	1/26/2023 12:00	1/26/2023 12:10	0.006	0
Modem 46495	1/26/2023 12:10	1/26/2023 12:20	0.006	0
Modem 46495	1/26/2023 12:20	1/26/2023 12:30	0.006	0
Modem 46495	1/26/2023 12:30	1/26/2023 12:40	0.006	0
Modem 46495	1/26/2023 12:40	1/26/2023 12:50	0.006	0
Modem 46495	1/26/2023 12:50	1/26/2023 13:00	0.007	0
Modem 46495	1/26/2023 13:00	1/26/2023 13:10	0.007	0
Modem 46495	1/26/2023 13:10	1/26/2023 13:20	0.007	0
Modem 46495	1/26/2023 13:20	1/26/2023 13:30	0.007	0
Modem 46495	1/26/2023 13:30	1/26/2023 13:40	0.008	0
Modem 46495	1/26/2023 13:40	1/26/2023 13:50	0.008	0
Modem 46495	1/26/2023 13:50	1/26/2023 14:00	0.008	0
Modem 46495	1/26/2023 14:00	1/26/2023 14:10	0.008	0
Modem 46495	1/26/2023 14:10	1/26/2023 14:20	0.008	0
Modem 46495	1/26/2023 14:20	1/26/2023 14:30	0.009	0
Modem 46495	1/26/2023 14:30	1/26/2023 14:40	0.009	0
Modem 46495	1/26/2023 14:40	1/26/2023 14:50	0.009	0
Modem 46495	1/26/2023 14:50	1/26/2023 15:00	0.01	0
Modem 46495	1/26/2023 15:00	1/26/2023 15:10	0.01	0
Modem 46495	1/26/2023 15:10	1/26/2023 15:20	0.01	0
Modem 46495	1/26/2023 15:20	1/26/2023 15:30	0.01	0