

Daily Status Report

Prepared by: C. Zaccheo

Date: 01/04/2023

Weather: 50 deg. F, Overcast

Project: 470 Kent Avenue - Brooklyn, NY - DEC Site #s C224053 and 224053

Engineer: Matthew Carroll, P.E. Tenen Environmental, LLC	Safety Manager: Claire Zaccheo Tenen Environmental, LLC
Structural Contractor: New Line Services	Excavation Contractor: ECD NY

Work Activities Performed:

- 1) Disposal of 19 loads (approximately 380 CY) of C&D to the Capital facility, and;
- 2) ECD installing additional dewatering wells.

Samples Collected (Since Last Report): None.

Air Monitoring (Since Last Report): CAMP graphs and tables are included below.

Problems Encountered: None.

Planned Work Activities for Next Day/Week: Continue soil excavation and disposal; disposal of C&D.

Site Layout Map



Photo 1:

View of C&D truck loading for off-site disposal.




Photo 2:


View of truck wash.



CAMP:
Downwind
Particulates

Dust Levels


0.045 mg/m³ 0.056 mg/m³



CAMP:
Downwind VOCs


VOC Levels

0 ppm 0 ppm



CAMP:
Upwind Particulates

Dust Levels



Downwind CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 47907	1/4/2023 7:00	1/4/2023 7:10	0.059	0
Modem 47907	1/4/2023 7:10	1/4/2023 7:20	0.059	0
Modem 47907	1/4/2023 7:20	1/4/2023 7:30	0.059	0
Modem 47907	1/4/2023 7:30	1/4/2023 7:40	0.059	0
Modem 47907	1/4/2023 7:40	1/4/2023 7:50	0.059	0
Modem 47907	1/4/2023 7:50	1/4/2023 8:00	0.059	0
Modem 47907	1/4/2023 8:00	1/4/2023 8:10	0.002	0
Modem 47907	1/4/2023 8:10	1/4/2023 8:20	0.002	0
Modem 47907	1/4/2023 8:20	1/4/2023 8:30	0.004	0
Modem 47907	1/4/2023 8:30	1/4/2023 8:40	0.005	0
Modem 47907	1/4/2023 8:40	1/4/2023 8:50	0.005	0
Modem 47907	1/4/2023 8:50	1/4/2023 9:00	0.007	0
Modem 47907	1/4/2023 9:00	1/4/2023 9:10	0.009	0
Modem 47907	1/4/2023 9:10	1/4/2023 9:20	0.009	0
Modem 47907	1/4/2023 9:20	1/4/2023 9:30	0.011	0
Modem 47907	1/4/2023 9:30	1/4/2023 9:40	0.013	0
Modem 47907	1/4/2023 9:40	1/4/2023 9:50	0.013	0
Modem 47907	1/4/2023 9:50	1/4/2023 10:00	0.015	0
Modem 47907	1/4/2023 10:00	1/4/2023 10:10	0.018	0
Modem 47907	1/4/2023 10:10	1/4/2023 10:20	0.018	0
Modem 47907	1/4/2023 10:20	1/4/2023 10:30	0.02	0
Modem 47907	1/4/2023 10:30	1/4/2023 10:40	0.023	0
Modem 47907	1/4/2023 10:40	1/4/2023 10:50	0.023	0
Modem 47907	1/4/2023 10:50	1/4/2023 11:00	0.025	0
Modem 47907	1/4/2023 11:00	1/4/2023 11:10	0.028	0
Modem 47907	1/4/2023 11:10	1/4/2023 11:20	0.028	0
Modem 47907	1/4/2023 11:20	1/4/2023 11:30	0.03	0
Modem 47907	1/4/2023 11:30	1/4/2023 11:40	0.032	0
Modem 47907	1/4/2023 11:40	1/4/2023 11:50	0.032	0
Modem 47907	1/4/2023 11:50	1/4/2023 12:00	0.034	0
Modem 47907	1/4/2023 12:00	1/4/2023 12:10	0.036	0
Modem 47907	1/4/2023 12:10	1/4/2023 12:20	0.036	0
Modem 47907	1/4/2023 12:20	1/4/2023 12:30	0.038	0
Modem 47907	1/4/2023 12:30	1/4/2023 12:40	0.04	0
Modem 47907	1/4/2023 12:40	1/4/2023 12:50	0.04	0
Modem 47907	1/4/2023 12:50	1/4/2023 13:00	0.043	0
Modem 47907	1/4/2023 13:00	1/4/2023 13:10	0.044	0
Modem 47907	1/4/2023 13:10	1/4/2023 13:20	0.044	0
Modem 47907	1/4/2023 13:20	1/4/2023 13:30	0.046	0
Modem 47907	1/4/2023 13:30	1/4/2023 13:40	0.047	0
Modem 47907	1/4/2023 13:40	1/4/2023 13:50	0.047	0
Modem 47907	1/4/2023 13:50	1/4/2023 14:00	0.049	0
Modem 47907	1/4/2023 14:00	1/4/2023 14:10	0.05	0
Modem 47907	1/4/2023 14:10	1/4/2023 14:20	0.05	0
Modem 47907	1/4/2023 14:20	1/4/2023 14:30	0.051	0
Modem 47907	1/4/2023 14:30	1/4/2023 14:40	0.052	0
Modem 47907	1/4/2023 14:40	1/4/2023 14:50	0.052	0
Modem 47907	1/4/2023 14:50	1/4/2023 15:00	0.054	0
Modem 47907	1/4/2023 15:00	1/4/2023 15:10	0.055	0
Modem 47907	1/4/2023 15:10	1/4/2023 15:20	0.055	0
Modem 47907	1/4/2023 15:20	1/4/2023 15:30	0.056	0

Upwind CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 212221	1/4/2023 7:00	1/4/2023 7:10	0.047	0
Modem 212221	1/4/2023 7:10	1/4/2023 7:20	0.047	0
Modem 212221	1/4/2023 7:20	1/4/2023 7:30	0.047	0.06
Modem 212221	1/4/2023 7:30	1/4/2023 7:40	0.002	0.123
Modem 212221	1/4/2023 7:40	1/4/2023 7:50	0.002	0.178
Modem 212221	1/4/2023 7:50	1/4/2023 8:00	0.003	0.224
Modem 212221	1/4/2023 8:00	1/4/2023 8:10	0.004	0.258
Modem 212221	1/4/2023 8:10	1/4/2023 8:20	0.004	0.284
Modem 212221	1/4/2023 8:20	1/4/2023 8:30	0.006	0.304
Modem 212221	1/4/2023 8:30	1/4/2023 8:40	0.007	0.317
Modem 212221	1/4/2023 8:40	1/4/2023 8:50	0.007	0.328
Modem 212221	1/4/2023 8:50	1/4/2023 9:00	0.009	0.335
Modem 212221	1/4/2023 9:00	1/4/2023 9:10	0.01	0.34
Modem 212221	1/4/2023 9:10	1/4/2023 9:20	0.01	0.342
Modem 212221	1/4/2023 9:20	1/4/2023 9:30	0.012	0.342
Modem 212221	1/4/2023 9:30	1/4/2023 9:40	0.014	0.342
Modem 212221	1/4/2023 9:40	1/4/2023 9:50	0.014	0.363
Modem 212221	1/4/2023 9:50	1/4/2023 10:00	0.015	0.363
Modem 212221	1/4/2023 10:00	1/4/2023 10:10	0.017	0.364
Modem 212221	1/4/2023 10:10	1/4/2023 10:20	0.017	0.366
Modem 212221	1/4/2023 10:20	1/4/2023 10:30	0.019	0.367
Modem 212221	1/4/2023 10:30	1/4/2023 10:40	0.021	0.367
Modem 212221	1/4/2023 10:40	1/4/2023 10:50	0.021	0.367
Modem 212221	1/4/2023 10:50	1/4/2023 11:00	0.023	0.367
Modem 212221	1/4/2023 11:00	1/4/2023 11:10	0.025	0.367
Modem 212221	1/4/2023 11:10	1/4/2023 11:20	0.025	0.367
Modem 212221	1/4/2023 11:20	1/4/2023 11:30	0.027	0.367
Modem 212221	1/4/2023 11:30	1/4/2023 11:40	0.029	0.367
Modem 212221	1/4/2023 11:40	1/4/2023 11:50	0.029	0.367
Modem 212221	1/4/2023 11:50	1/4/2023 12:00	0.03	0.367
Modem 212221	1/4/2023 12:00	1/4/2023 12:10	0.031	0.367
Modem 212221	1/4/2023 12:10	1/4/2023 12:20	0.031	0.367
Modem 212221	1/4/2023 12:20	1/4/2023 12:30	0.033	0.367
Modem 212221	1/4/2023 12:30	1/4/2023 12:40	0.035	0.367
Modem 212221	1/4/2023 12:40	1/4/2023 12:50	0.035	0.367
Modem 212221	1/4/2023 12:50	1/4/2023 13:00	0	0.367
Modem 212221	1/4/2023 13:00	1/4/2023 13:10	0.038	0.367
Modem 212221	1/4/2023 13:10	1/4/2023 13:20	0.038	0.367
Modem 212221	1/4/2023 13:20	1/4/2023 13:30	0.039	0.367
Modem 212221	1/4/2023 13:30	1/4/2023 13:40	0.04	0.367
Modem 212221	1/4/2023 13:40	1/4/2023 13:50	0.04	0.367
Modem 212221	1/4/2023 13:50	1/4/2023 14:00	0.041	0.367
Modem 212221	1/4/2023 14:00	1/4/2023 14:10	0.042	0.367
Modem 212221	1/4/2023 14:10	1/4/2023 14:20	0.042	0.367
Modem 212221	1/4/2023 14:20	1/4/2023 14:30	0.043	0.367
Modem 212221	1/4/2023 14:30	1/4/2023 14:40	0.044	0.367
Modem 212221	1/4/2023 14:40	1/4/2023 14:50	0.044	0.367
Modem 212221	1/4/2023 14:50	1/4/2023 15:00	0.044	0.367
Modem 212221	1/4/2023 15:00	1/4/2023 15:10	0.045	0.367
Modem 212221	1/4/2023 15:10	1/4/2023 15:20	0.045	0.367
Modem 212221	1/4/2023 15:20	1/4/2023 15:30	0.046	0.367

Perimeter CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 50057	1/4/2023 7:00	1/4/2023 7:10	0.028	0
Modem 50057	1/4/2023 7:10	1/4/2023 7:20	0.028	0
Modem 50057	1/4/2023 7:20	1/4/2023 7:30	0.028	0
Modem 50057	1/4/2023 7:30	1/4/2023 7:40	0.028	0
Modem 50057	1/4/2023 7:40	1/4/2023 7:50	0.028	0
Modem 50057	1/4/2023 7:50	1/4/2023 8:00	0.028	0
Modem 50057	1/4/2023 8:00	1/4/2023 8:10	0.001	0
Modem 50057	1/4/2023 8:10	1/4/2023 8:20	0.001	0
Modem 50057	1/4/2023 8:20	1/4/2023 8:30	0.002	0
Modem 50057	1/4/2023 8:30	1/4/2023 8:40	0.002	0
Modem 50057	1/4/2023 8:40	1/4/2023 8:50	0.002	0
Modem 50057	1/4/2023 8:50	1/4/2023 9:00	0.003	0
Modem 50057	1/4/2023 9:00	1/4/2023 9:10	0.004	0
Modem 50057	1/4/2023 9:10	1/4/2023 9:20	0.004	0
Modem 50057	1/4/2023 9:20	1/4/2023 9:30	0.005	0
Modem 50057	1/4/2023 9:30	1/4/2023 9:40	0.006	0
Modem 50057	1/4/2023 9:40	1/4/2023 9:50	0.006	0
Modem 50057	1/4/2023 9:50	1/4/2023 10:00	0.006	0
Modem 50057	1/4/2023 10:00	1/4/2023 10:10	0.007	0
Modem 50057	1/4/2023 10:10	1/4/2023 10:20	0.007	0
Modem 50057	1/4/2023 10:20	1/4/2023 10:30	0.008	0
Modem 50057	1/4/2023 10:30	1/4/2023 10:40	0.009	0
Modem 50057	1/4/2023 10:40	1/4/2023 10:50	0.009	0
Modem 50057	1/4/2023 10:50	1/4/2023 11:00	0.01	0
Modem 50057	1/4/2023 11:00	1/4/2023 11:10	0.011	0
Modem 50057	1/4/2023 11:10	1/4/2023 11:20	0.011	0
Modem 50057	1/4/2023 11:20	1/4/2023 11:30	0.012	0
Modem 50057	1/4/2023 11:30	1/4/2023 11:40	0.013	0
Modem 50057	1/4/2023 11:40	1/4/2023 11:50	0.013	0
Modem 50057	1/4/2023 11:50	1/4/2023 12:00	0.014	0
Modem 50057	1/4/2023 12:00	1/4/2023 12:10	0.015	0
Modem 50057	1/4/2023 12:10	1/4/2023 12:20	0.015	0
Modem 50057	1/4/2023 12:20	1/4/2023 12:30	0.016	0
Modem 50057	1/4/2023 12:30	1/4/2023 12:40	0.017	0
Modem 50057	1/4/2023 12:40	1/4/2023 12:50	0.017	0
Modem 50057	1/4/2023 12:50	1/4/2023 13:00	0.018	0
Modem 50057	1/4/2023 13:00	1/4/2023 13:10	0.019	0
Modem 50057	1/4/2023 13:10	1/4/2023 13:20	0.019	0
Modem 50057	1/4/2023 13:20	1/4/2023 13:30	0.02	0
Modem 50057	1/4/2023 13:30	1/4/2023 13:40	0.021	0
Modem 50057	1/4/2023 13:40	1/4/2023 13:50	0.021	0
Modem 50057	1/4/2023 13:50	1/4/2023 14:00	0.022	0
Modem 50057	1/4/2023 14:00	1/4/2023 14:10	0.023	0
Modem 50057	1/4/2023 14:10	1/4/2023 14:20	0.023	0
Modem 50057	1/4/2023 14:20	1/4/2023 14:30	0.023	0
Modem 50057	1/4/2023 14:30	1/4/2023 14:40	0.025	0
Modem 50057	1/4/2023 14:40	1/4/2023 14:50	0.025	0
Modem 50057	1/4/2023 14:50	1/4/2023 15:00	0.026	0
Modem 50057	1/4/2023 15:00	1/4/2023 15:10	0.027	0
Modem 50057	1/4/2023 15:10	1/4/2023 15:20	0.027	0
Modem 50057	1/4/2023 15:20	1/4/2023 15:30	0.027	0

Perimeter CAMP
470 Kent Avenue - Brooklyn, NY
BCP Site No.: C224053

Asset Name	Start Time	End Time	DT2 TWA (mg/m ³)	MR3K TWA (ppm)
Modem 46495	1/4/2023 7:00	1/4/2023 7:10	0.048	0
Modem 46495	1/4/2023 7:10	1/4/2023 7:20	0.048	0
Modem 46495	1/4/2023 7:20	1/4/2023 7:30	0.048	0
Modem 46495	1/4/2023 7:30	1/4/2023 7:40	0.048	0
Modem 46495	1/4/2023 7:40	1/4/2023 7:50	0.048	0
Modem 46495	1/4/2023 7:50	1/4/2023 8:00	0.002	0
Modem 46495	1/4/2023 8:00	1/4/2023 8:10	0.002	0
Modem 46495	1/4/2023 8:10	1/4/2023 8:20	0.003	0
Modem 46495	1/4/2023 8:20	1/4/2023 8:30	0.004	0
Modem 46495	1/4/2023 8:30	1/4/2023 8:40	0.004	0
Modem 46495	1/4/2023 8:40	1/4/2023 8:50	0.006	0
Modem 46495	1/4/2023 8:50	1/4/2023 9:00	0.008	0
Modem 46495	1/4/2023 9:00	1/4/2023 9:10	0.008	0
Modem 46495	1/4/2023 9:10	1/4/2023 9:20	0.009	0
Modem 46495	1/4/2023 9:20	1/4/2023 9:30	0.011	0
Modem 46495	1/4/2023 9:30	1/4/2023 9:40	0.011	0
Modem 46495	1/4/2023 9:40	1/4/2023 9:50	0.013	0
Modem 46495	1/4/2023 9:50	1/4/2023 10:00	0.015	0
Modem 46495	1/4/2023 10:00	1/4/2023 10:10	0.015	0
Modem 46495	1/4/2023 10:10	1/4/2023 10:20	0.016	0
Modem 46495	1/4/2023 10:20	1/4/2023 10:30	0.018	0
Modem 46495	1/4/2023 10:30	1/4/2023 10:40	0.018	0
Modem 46495	1/4/2023 10:40	1/4/2023 10:50	0.021	0
Modem 46495	1/4/2023 10:50	1/4/2023 11:00	0.023	0
Modem 46495	1/4/2023 11:00	1/4/2023 11:10	0.023	0
Modem 46495	1/4/2023 11:10	1/4/2023 11:20	0.024	0
Modem 46495	1/4/2023 11:20	1/4/2023 11:30	0.026	0
Modem 46495	1/4/2023 11:30	1/4/2023 11:40	0.026	0
Modem 46495	1/4/2023 11:40	1/4/2023 11:50	0.028	0
Modem 46495	1/4/2023 11:50	1/4/2023 12:00	0.029	0
Modem 46495	1/4/2023 12:00	1/4/2023 12:10	0.029	0
Modem 46495	1/4/2023 12:10	1/4/2023 12:20	0.031	0
Modem 46495	1/4/2023 12:20	1/4/2023 12:30	0.033	0
Modem 46495	1/4/2023 12:30	1/4/2023 12:40	0.033	0
Modem 46495	1/4/2023 12:40	1/4/2023 12:50	0.035	0
Modem 46495	1/4/2023 12:50	1/4/2023 13:00	0.036	0
Modem 46495	1/4/2023 13:00	1/4/2023 13:10	0.036	0
Modem 46495	1/4/2023 13:10	1/4/2023 13:20	0.038	0
Modem 46495	1/4/2023 13:20	1/4/2023 13:30	0.039	0
Modem 46495	1/4/2023 13:30	1/4/2023 13:40	0.039	0
Modem 46495	1/4/2023 13:40	1/4/2023 13:50	0.04	0
Modem 46495	1/4/2023 13:50	1/4/2023 14:00	0.041	0
Modem 46495	1/4/2023 14:00	1/4/2023 14:10	0.041	0
Modem 46495	1/4/2023 14:10	1/4/2023 14:20	0.042	0
Modem 46495	1/4/2023 14:20	1/4/2023 14:30	0.043	0
Modem 46495	1/4/2023 14:30	1/4/2023 14:40	0.043	0
Modem 46495	1/4/2023 14:40	1/4/2023 14:50	0.044	0
Modem 46495	1/4/2023 14:50	1/4/2023 15:00	0.045	0
Modem 46495	1/4/2023 15:00	1/4/2023 15:10	0.045	0
Modem 46495	1/4/2023 15:10	1/4/2023 15:20	0.046	0
Modem 46495	1/4/2023 15:20	1/4/2023 15:30	0.047	0