

**APPENDIX F**

**Historical Groundwater Quality Tables**

**FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
BROOKLYN, NEW YORK**

**Summary of Ground-Water Quality, Volatile Organic Compounds**

Collected November 17, 2000

Parameter	Concentration (ug/l)		
	TW-1	TW-2	TW-3
Ethylbenzene	6,357	7,289	74,258
Chloroethane	<2,500	<2,500	<12,500
1,2-dichlorobenzene	<2,500	<2,500	<12,500
1,1,1-trichloroethane	<2,500	<2,500	<12,500
Tetrachloroethene	<2,500	<2,500	<12,500
Toluene	241,037	175,131	125,718
Isopropylbenzene	<2,500	<2,500	<12,500
Trichloroethene	<2,500	<2,500	<12,500
n-Propylbenzene	<2,500	<2,500	<12,500
1,3,5-trimethylbenzene	<2,500	<2,500	<12,500
1,2,4-trimethylbenzene	<2,500	<2,500	<12,500
Methylene Chloride	7,784	6,633	<12,500
Acetone	5,006,000	10,558,250	365,208
Xylenes (total)	37,737	43,457	452,653
1,1,-dichloroethane	<2,500	<2,500	<12,500
1,1,-dichloroethene	<2,500	<2,500	<12,500
cis-1,2-dichloroethene	<2,500	<2,500	<12,500

Data from Fenley & Nicol Environmental, Inc. Report dated December 6, 2000  
ug/l - micrograms per liter

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**BROOKLYN, NEW YORK**

**Summary of Ground-Water Quality, Volatile Organic Compounds & SVOCs**  
**Sampled June 7, 2001**

Parameter	Concentration (ug/l) <sup>1)</sup>													NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>
	CE-1	CE-2	CE-4	GP-1	GP-2	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	
Ethylbenzene	380,000	440,000	<1	<1	<1	<1	5	<1	3,400	<1	55	<1	<1	5
Chloroethane	<1	<1	<1	<1	<1	<1	<1	<1	17	<1	<1	<1	<1	5
1,2-dichlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	5	<1	<1	<1	<1	3
1,1,1-trichloroethane	<1	<1	5	<1	<1	<1	<1	<1	<1	600	<1	9	<1	5
Tetrachloroethene (PCE)	960	1,400	8	<1	<1	<1	<1	<1	6	280	29	<1	<1	5
Toluene	180,000	450,000	<1	<1	<1	6	8	<1	18,000	<1	61	16	<1	5
Isopropylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	32	<1	<1	<1	<1	5
Trichloroethene (TCE)	<1	<1	<1	<1	<1	<1	<1	<1	11	66	76	<1	<1	5
n-Propylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	12	<1	<1	<1	<1	5
1,3,5-trimethylbenzene	3,800	3,600	<1	<1	<1	<1	<1	<1	14	<1	<1	<1	<1	5
1,2,4-trimethylbenzene	530	<1	<1	<1	<1	<1	<1	<1	45	<1	<1	<1	<1	5
Methylene Chloride	14,000	17,000	<1	<1	<1	<1	<1	<1	48	<1	<1	<1	<1	5
Acetone	<1	120,000	<1	<1	<1	<1	<1	<1	14,000	<1	<1	65	<1	5
Xylenes (total)	1,200,000	1,400,000	10	7	12	11	17	<1	14,000	10	200	6	8	5
1,1,-dichloroethane	<1	<1	12	<1	<1	<1	<1	<1	33	26	7	9	<1	5
1,1,-dichloroethene	<1	<1	10	<1	<1	<1	<1	<1	<1	440	<1	<1	<1	5
cis-1,2-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	16	14	100	<1	17	5
2-Butanone (MEK)	<1	ND <sup>2)</sup>	<1	<1	<1	<1	<1	<1	610	<1	<1	<1	<1	50
4-Methyl-2-Pentanone	<1	ND	<1	<1	<1	<1	<1	<1	900	<1	<1	<1	<1	NE <sup>6)</sup>
Carbon Tetrachloride	<1	ND	<1	<1	<1	<1	<1	<1	<1	54	<1	<1	<1	5
Chloroform	<1	ND	<1	<1	<1	<1	<1	<1	<1	21	<1	<1	<1	7
1,2-dichloropropane	<1	ND	<1	<1	<1	<1	<1	<1	<1	13	<1	<1	<1	1
Vinyl Chloride	ND	ND	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	22	2
1,4-dichlorobenzene	<50	NS <sup>3)</sup>	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	3
N-Nitrosodi-N-Propyl Amine	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	50
1,2,4-trichlorobenzene	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	10	5
Acenaphthene	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	11	20
Pyrene	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	14	50
Benzene	<1	ND	<1	<1	<1	<1	<1	<1	72	<1	<1	<1	<1	0.7

1) - micrograms per liter  
2) - Not detected  
3) - Not Sampled

3) - Not Sampled  
4) - New York State Department of Environmental Conservation  
5) - Technical & Operational Guidance Series Ground Water Quality Standards

6) - Not Established





**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**BROOKLYN, NEW YORK**

**Summary of Ground-Water Quality, Target Analyte List Metals + Cyanide**  
**Sampled Between August 7 and August 25, 2003**

Metal	Concentration (ug/l)							NYSDEC GWQS or GV
	MW-5	MW-9A (21-23 ft bg)	MW-11 (15-17 ft bg)	MW-12 (13-15 ft bg)	MW-13 (24-26 ft bg)	MW-14 (13-15 ft bg)	MW-16	
	Aluminum	2,470	11,100	1,600	13,400	17,100	12,100	2,600
Antimony	4.9 (B)	7.5 (B)	3.2 (B)	1.6 (B)	2 (B)	3.3 (B)	<1.5	3
Arsenic	<1.3	4.3 (B)	4.1 (B)	5.9 (B)	5.4 (B)	2.6 (B)	9.3 (B)	25
Barium	138 (B)	323	150 (B)	254	599	334	953	1,000
Beryllium	0.55 (B)	1.4 (B)	0.43 (B)	1.4 (B)	2 (B)	1.5 (B)	<0.4	3
Cadmium	<0.4	3.4 (B)	1.3 (B)	6.6	5	2.2 (B)	2.2 (B)	5
Calcium	130,000	72,100	111,000	108,000	176,000	176,000	103,000	---
Chromium	5.4 (B)	56.1	8.1 (B)	113	58	34.7	7.5 (B)	50
Cobalt	4.2 (B)	17.7 (B)	5.2 (B)	19.8 (B)	24.6 (B)	16.6 (B)	6.2 (B)	---
Copper	6.2 (B)	49.2	6.4 (B)	47.2	52.3	44.1	7.2 (B)	200
Iron	4,380	38,600	17,200	65,900	50,700	27,400	31,800	300
Lead	3.5	30.2	9.9	30.5	29.6	34.8	7.0	25
Magnesium	18,600	27,300	16,000	22,400	19,700	49,100	7,150	35,000
Manganese	794	5,720	3,020	4,220	4,130	2,500	2,010	300
Mercury	<0.2	0.32	<0.2	0.25	0.30	0.40	<0.2	0.7
Nickel	8 (B)	44.7	8.4 (B)	85.8	50	32.1 (B)	9.2 (B)	100
Potassium	8,070	17,900 (E)	3,650 (BE)	22,500	43,900 (E)	35,500	74,900	---
Selenium	4.2 (B)	5.2	2.6 (B)	4.5 (B)	3.9 (B)	8.4	4.2 (B)	10
Silver	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	50
Sodium	240,000	321,000	26,600 (E)	942,000	<0.5	1,780,000	946,000	20,000
Thallium	9.0 (B)	13.4	23.3	3.5 (B)	29.8	<2.8	5.9 (B)	0.5
Vanadium	3.0 (B)	44.6 (B)	2.8 (B)	48.2 (B)	64.1	36.6 (B)	4.1 (B)	---
Zinc	45.9	2,290	2,030	5,680	3,680	5,950	82.6	2,000
Cyanide	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	<9.9	200

ug/l = micrograms per liter

ft bg = feet below grade

NYSDEC GWQS or GV = New York State Department of Environmental Conservation Ground-Water Quality Standards or Guidance Values

(B) = analyte is found in the associated blank as well as in the sample

(E) = compound concentration exceeds the calibration range of the GC/MS

exceeds GWQS or GV

**FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
GREENPOINT, BROOKLYN, NEW YORK**

**Summary of Ground-Water Quality, Volatile Organic Compounds  
Sampled between February 18 and February 23, 2004**

Compound	Concentration (ug/l)																							NYSDEC GWQS or GV
	GP-1	GP-2	GP-3	CE-1	CE-2	CE-3	CE-4	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9A	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	
1,1,1-trichloroethane	<1	9.2	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	1.9	8	<1	NS	<1	<1	<1	<1	<1	NS	3.7	5
1,1,2-trichloroethane	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	1
1,1-dichloroethane	<1	20	NS	<1	NS	NS	<1	<1	<1	<1	3.8	<1	13	<1	<1	NS	<1	<1	59	<1	<1	NS	11	5
1,1-dichloroethene	<1	36	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	3.3	<1	NS	<1	<1	<1	<1	<1	NS	<1	5
1,2,3-trichloropropane	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	3.5	<1	<1	<1	<1	NS	<1	0.04
1,2,4-trimethylbenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	32	<1	<1	NS	8.4	5
1,2-dichlorobenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	2.3	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	3
1,3,5-trimethylbenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	77	<1	<1	NS	38	5
2-butanone (MEK)	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	310	50
2-hexanone	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	50
4-methyl-2-pentanone	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	360	---
Acetone	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	1,300	<1	<1	NS	5,300*	50
Benzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	45	<1	<1	NS	170	1
Carbon tetrachloride	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	5
Carbon disulfide	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	83	---
Chlorobenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	5
Chloroethane	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	12	<1	<1	NS	<1	5
Chloroform	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	7
cis-1,2-dichloroethene	<1	18	NS	<1	NS	NS	<1	<1	<1	<1	11	<1	16	<1	<1	NS	8.8	<1	110	<1	1.3	NS	10	5
Ethylbenzene	<1	<1	NS	11,000*	NS	NS	<1	<1	<1	<1	15	<1	<1	<1	<1	NS	<1	20	16,000*	<1	<1	NS	5,700*	5
Isopropyl acetate	<1	<1	NS	NS	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	28	---
Isopropylbenzene	<1	<1	NS	110	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	3.4	75	<1	<1	NS	35	5
Methyl tert-butyl-ether	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	2.9	<1	5.9	<1	<1	NS	3.1	<1	<1	<1	<1	NS	7.4	10
Methylene chloride	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	37	<1	<1	NS	210	5
n-propylbenzene	<1	<1	NS	32	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	23	<1	<1	NS	9.9	5
n-butylbenzene	<1	0.6	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	5
sec-Butylbenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	4.3	<1	<1	NS	22	5
tert-Butylbenzene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	14	<1	<1	NS	<1	5
Naphthalene	<1	<1	NS	2.2	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	1.4	<1	<1	NS	<1	10
p-Ethyltoluene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	33	<1	<1	NS	<1	---
Styrene	<1	<1	NS	10	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	5
Tetrachloroethene	<1	14	NS	13	NS	NS	<1	<1	<1	<1	<1	<1	13	<1	<1	NS	<1	<1	11	<1	<1	NS	1.4	5
Toluene	<1	<1	NS	5,200*	NS	NS	<1	<1	1.8	<1	9.5	<1	<1	<1	<1	NS	<1	16	46,000*	<1	<1	NS	33,000*	5
Trans-1,2-dichloroethene	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	2.4	5
Trichloroethene	<1	6.3	NS	<1	NS	NS	<1	<1	<1	<1	21	<1	24	2.3	<1	NS	16	<1	5.2	<1	4.6	NS	<1	5
Vinyl chloride	<1	2.8	NS	<1	NS	NS	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	<1	<1	8.1	<1	<1	NS	<1	2
Xylenes	<2	<2	NS	62,000*	NS	NS	<2	<2	2.2	<2	120	<2	<2	<2	<2	NS	<2	58	80,000*	<2	<2	NS	36,100*	5
Trichlorofluoromethane	<1	<1	NS	<1	NS	NS	<1	<1	<1	<1	18	<1	<1	<1	<1	NS	<1	<1	<1	<1	<1	NS	<1	5

NYSDEC GWQS or GV = New York State Department of Environmental Conservation Ground-Water Quality Standards or Guidance Values:

All concentrations in micrograms per liter (ug/l) unless noted

\* = Dilution factor of 20

exceeds GWQS

FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
BROOKLYN, NEW YORK

Summary of Ground-Water Quality, Semivolatile Organic Compounds  
Sampled between February 18 and February 23, 2004

Compound	Concentration (ug/l)			
	MW-11	MW-12	CE-4	NYSDEC GWQS or GV
Benzyl alcohol	< 10	< 6.2	< 6.2	---
2-methylphenol	< 10	62	< 6.2	---
4-methylphenol	< 10	93	< 6.2	---
2,4-dimethylphenol	< 10	73	< 6.2	50
Naphthalene	< 10	< 6.2	< 6.2	10
2-methylnaphthalene	< 10	< 6.2	< 6.2	---
Acenaphthene	< 10	< 6.2	< 6.2	20
Diethylphthalate	< 10	< 6.2	< 6.2	50
Phenanthrene	< 10	< 6.2	< 6.2	50
Anthracene	< 10	< 6.2	< 6.2	50
Di-n-butylphthalate	< 10	< 6.2	< 6.2	---
Fluoranthene	< 10	< 6.2	< 6.2	50
Pyrene	< 10	< 6.2	< 6.2	50
Benz (a) anthracene	< 10	< 6.2	< 6.2	0.002
Chrysene	< 10	< 6.2	< 6.2	0.002
Bis (2-ethylhexyl) phthalate	< 10	< 6.2	190	5
Benzo (b) fluoranthene	< 10	< 6.2	< 6.2	0.002
Benzo (k) fluoranthene	< 10	< 6.2	< 6.2	0.002
Benzo (a) pyrene	< 10	< 6.2	< 6.2	< MDL
Indeno (1,2,3-cd) pyrene	< 10	< 6.2	< 6.2	0.002
Benzo (g,h,i) perylene	< 10	< 6.2	< 6.2	---

NYSDEC - New York State Department of Environmental Conservation  
GWQS or GV - Ground-Water Quality Standards or Guidance Values  
ug/l - micrograms per liter (ug/l)



FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
BROOKLYN, NEW YORK

Summary of Ground-Water Quality,  
Dissolved Target Analyte List (TAL) Metals  
Sampled between February 18 and February 23, 2004

Compound	Concentration (mg/l)		
	MW-4	MW-12	NYSDEC GWQS or GV
Aluminum	0.0234	0.028	---
Antimony	<0.0250	<0.0250	0.003
Arsenic	<0.0250	<0.0250	0.025
Barium	0.196	0.437	1
Beryllium	<0.0200	<0.0200	0.003
Cadmium	<0.0100	<0.0100	0.005
Calcium	97.2	160	---
Chromium	<0.0200	<0.0200	0.05
Cobalt	<0.0200	<0.0200	---
Copper	<0.0200	<0.0200	0.2
Iron	0.43	9.24	0.3
Lead	<0.0150	<0.0150	0.025
Magnesium	33	25.5	35
Manganese	5.27	5.25	0.3
Nickel	0.015	0.0256	0.1
Potassium	14	37.9	---
Selenium	<0.0250	<0.0250	0.01
Silver	<0.0200	<0.0200	0.05
Sodium	95.3	179	20
Thallium	<0.0150	<0.0150	0.0005
Vanadium	<0.0200	0.011	---
Zinc	0.014	<0.0200	2

NYSDEC - New York State Department of Environmental Conservation  
GWQS or GV - Ground-Water Quality Standards or Guidance Values  
mg/l - milligrams per liter

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**GREENPOINT, BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>

Collected December 27, 28 & 29, 2005

Well Identification	Concentration (ug/l) <sup>2)</sup>																													
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Chloroform	Chlorobenzene	Chloroethane	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloroethane	1,2-Dichlorobenzene	Isopropylbenzene	n-propylbenzene	sec-Butylbenzene	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	2.9 J	ND <sup>3)</sup>	44	1.5 J	10.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	22	1.0 J	5.3 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	3.8 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	0.9 J	5.5	15	72.6	ND	ND	ND	2.1	ND	6.5	ND	2.3	1.1 J	3.2	ND	ND	ND	1.6 J	ND	ND	ND	17	ND	2.9	1.6 J	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7	ND	ND	98	11	72	ND	ND	ND	ND	ND	ND	0.83 J	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72 J	2.9	3.7	ND	ND	ND	ND	
MW-8	ND	ND	70	11	58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.54 J	ND	ND	ND	ND	ND	ND	ND
MW-9A	21	75	160,000	8,900	51,000	ND	ND	ND	ND	ND	11	ND	3.2	ND	ND	37	10	ND	ND	35	11	6.4	8	28	ND	2.0 J	5.2	6.5	ND	
MW-10	ND	ND	170	6	31.4	ND	ND	ND	0.88 J	ND	4.4	ND	0.69 J	ND	1.0 J	ND	ND	ND	4.9	ND	ND	0.72 J	12	ND	ND	1.6 J	ND	ND	ND	
MW-11	ND	ND	17	0.76 J	4.2 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	9.6 J	36	17,000	9,300	46,500	ND	ND	ND	ND	32	6.6	ND	7.3	ND	ND	36	10	ND	ND	43	14	1.4	1.2	ND	ND	2.3	4.5 J	15	ND	
MW-14	ND	ND	2.8	1.6 J	7.6 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6 J	1.8 J	2.2	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	69,000	180	310,000	5,500	27,300	ND	810 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	80 J	ND	860	ND	ND	ND	ND
MW-23	ND	2.1	40,000	11,000	62,000	1.7	ND	ND	ND	ND	7.1	ND	9.5	ND	ND	60	19	ND	ND	23	10	17	1.9 J	21	ND	ND	ND	ND	0.71 J	ND
MW-24	ND	36	45,000	1,600	6,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	2.7 J	ND	22	2	10.1	ND	ND	0.85 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.4 J	1.4 J	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	12	3	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-2	ND	2.8	ND	ND	ND	ND	ND	7.4	ND	ND	17	130	47	ND	ND	ND	ND	ND	ND	ND	ND	92	20	220	ND	4.2	ND	13	ND	ND
EW-1	7,100	130	50,000	1,900	9,800	46	74	ND	ND	5.4	2.8	ND	5.7	ND	ND	22	17	1.1 J	ND	55	22	3	3.8	1 J	ND	6.1	200	1.9 J	ND	ND
EW-2	1,700	30	29,000	9,400	50,000	ND	48 J	ND	ND	ND	8 J	ND	58	ND	ND	48	13 J	ND	ND	30	12 J	9.2 J	6.6 J	ND	ND	ND	16 J	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	1	5	5	5	10	5	7	5	5	5	5	5	0.6	3	5	5	5	0.04	5	5	5	5	5	5	5	10	5	2	ND

1) - Methyl tert-butyl ether  
2) - Micrograms per liter  
3) - Not detected

4) - New York State Department of Environmental Conservation  
5) - Technical & Operational Guidance Series Ground Water Quality Standards  
J - Indicates an estimated value

Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
BROOKLYN, NEW YORK

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
Collected May 17, 18 and 19, 2006

Well Identification	Concentration (ug/l) <sup>2)</sup>																																					
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	1,1-Dichloroethane	cis-1,2-Dichloroethene	Carbon Tetrachloride	Chloroform	Chlorobenzene	Chloroethane	Chloromethane	trans-1,2-Dichloroethene	1,1-Dichloroethene	1,2-Dichloroethane	1,2-Dichlorobenzene	1,2-Dichloropropane	Diethyl ether	Carbon Disulfide	4-Isopropyltoluene	Isopropylbenzene	n-propylbenzene	sec-Butylbenzene	1,2,3-Trichloropropane	Trichlorofluoromethane			
MW-1	NS <sup>3)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS <sup>3)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-3	11	ND <sup>4)</sup>	ND	ND	1.0 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND <sup>4)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.3 J	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	0.89 J	1.3 J	29	46.0	ND	ND	0.98 J	31	ND	1.9 J	ND	ND	ND	ND	3.1	10	ND	ND	6.3	ND	ND	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.72 J	ND	
MW-5	ND	ND	ND	ND	0.99 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	3	3.1	ND	ND	ND	ND	ND	2.9	ND	ND	ND	ND	ND	ND	ND	0.86 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-8	ND	ND	ND	ND	0.64 J	ND	ND	0.5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-10	ND	ND	ND	ND	0.59 J	ND	ND	0.55 J	12	ND	1.2 J	ND	ND	ND	ND	0.77 J	3.4	ND	ND	0.96 J	ND	ND	ND	ND	ND	0.96 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.5	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	150	38	15,000	7,300	42,800	1.1 J	ND	4	1.1 J	ND	2.1	2.8 J	15	45	14	16	7.9	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	37	9.3	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	0.68 J	2.9	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	290	100	15,000	3,100	21,700	6.3	24	ND	ND	ND	4.8	13	1.2 J	17	6.9	1.4 J	3.3	ND	ND	1.1 J	ND	ND	ND	ND	ND	ND	ND	26	0.7 J	ND	12	4.7	ND	ND	ND	ND		
MW-20	ND	ND	1.6 J	0.72 J	4.6 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-23	200	ND	28,000	9,600	60,000	ND	ND	8.6 J	ND	15 J	ND	ND	ND	22	10 J	7.5 J	9.3 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	48	14 J	ND	ND	ND	ND	
MW-24	15	26	5,200	1,100	4,440	2.5 J	ND	ND	ND	ND	ND	0.81 J	3.4	1.2 J	ND	1.5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6	2.0 J	ND	ND	ND	ND		
MW-26	ND	ND	ND	ND	0.96 J	ND	ND	1.8 J	1.3 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	1.6 J	ND	2.0 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.94 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	250	26	255	ND	ND	ND	ND	ND	ND	ND	ND	0.73 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.9 J	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-2	ND	1.8	0.5 J	ND	1.1 J	ND	ND	77	18	200	3.5	ND	12	ND	ND	41	15	3.2	7.1	ND	ND	ND	ND	130	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-1	6,200	210	66,000	2,700	21,000	130	97	3.6	2.7	3	5.4	280	2.1	100	41	9	8.1	ND	ND	ND	4.6 J	2.0 J	ND	ND	ND	0.61 J	ND	1.5 J	ND	0.77 J	31	28	1.3 J	ND	ND	ND		
EW-2	2,800	47	45,000	9,100	62,000	1.4 J	28	9.7	5.9	4.8	4.1	20	2.3	41	15	90	19	ND	ND	ND	4.7 J	ND	0.79 J	1.7	ND	ND	ND	3.0 J	ND	ND	34	8.8	ND	ND	ND	ND		
Trip Blank	ND	ND	0.55 J	ND	0.82 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	5	1	5	5	5	10	5	5	5	5	10	5	2	5	5	5	5	5	7	5	5	5	5	5	0.6	3	1	NA <sup>7)</sup>	NA	5	5	5	5	5	0.04	5		

1) - Methyl tert-butyl ether  
2) - Micrograms per liter  
3) - Not sampled

4) - Not detected  
5) - New York State Department of Environmental Conservation  
6) - Technical & Operational Guidance Series Ground Water Quality Standards

7) - Not Available

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 26, 27, 28 & 29, 2006

Well Identification	Concentration (ug/l) <sup>2)</sup>																											
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	1	ND	3.7	40	ND	ND	ND	ND	6.8	14	ND	4.2	ND	4.4	ND	ND	ND	ND	ND	ND	ND	33	ND	2	ND	ND	
MW-5	ND	2.2	ND	ND	ND	ND	ND	2.7	9.8	ND	23	150	38	2.4	ND	ND	ND	ND	ND	ND	ND	110	24	200	3.6	ND	19	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	280	32	150000	10000	69000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	44	ND	ND	ND	42	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND	ND	5.6	ND	ND	ND	12	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.9	ND	ND	ND	ND	
MW-16	31000	110	29000	4400	27700	ND	2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	440	ND	22	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	29000	190	230000	3900	21500	81	440	ND	ND	ND	ND	ND	ND	ND	ND	27	29	400	ND	110	36	ND	ND	82	ND	460	ND	
MW-23	ND	ND	32000	9500	58000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	ND	
MW-24	ND	15	ND	590	800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-2	ND	2.1	ND	ND	ND	ND	ND	2.8	11	ND	23	150	39	ND	ND	ND	ND	ND	ND	ND	ND	110	24	210	3.8	ND	18	
EW-1	1300	230	31000	2400	13100	140	ND	ND	ND	ND	ND	ND	ND	ND	ND	34	40	ND	ND	160	59	ND	ND	ND	ND	ND	ND	
EW-2	1100	ND	36000	7300	42800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	150	3.5	17.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	5	5	NA	0.04	5	5	5	5	5	10	5	2	

1) - Methyl tert-butyl ether  
 2) - Micrograms per liter  
 3) - Not detected

3) - Not detected  
 4) - New York State Department of Environmental Conservation

5) - Technical & Operational Guidance Series Ground Water Quality Standards  
 Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY  
230 KENT AVENUE  
WILLIAMSBURG, BROOKLYN, NEW YORK

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
Collected December 16, 18, 19 & 20, 2006

Well Identification	Concentration (ug/l) <sup>2)</sup>																													
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.1	11	ND	2.7	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	2.3	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	4.5	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	NS <sup>4)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-10	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	6	ND	ND	ND	ND	ND	2.1	ND	ND		
MW-11	ND	ND	8.4	ND	9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	4,100	10,000	48,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND	ND	
MW-16	22,000	120	40,000	5,100	36,600	6.7	1,600	ND	ND	ND	8.9	ND	7.9	ND	ND	42	9.2	2.6	ND	ND	13	3.9	2.4	ND	4.3	5.1	38	2.9	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-23	ND	ND	22,000	7,800	45,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	9.8	ND	430	541	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	2.7	ND	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	4.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	ND	
GP-2	ND	1.6	ND	ND	ND	ND	ND	ND	4.2	ND	22	110	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	120	24	80	2.5	ND	18	ND	
EW-1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
EW-2	ND	ND	28,000	9,000	51,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	10	5	2		

1) - Methyl tert-butyl ether  
2) - Micrograms per liter  
3) - Not detected

3) - Not detected  
4) - Not Sampled - Due to Pumps and/or Product  
5) - New York State Department of Environmental Conservation

6) - Technical & Operational Guidance Series Ground Water Quality Standards  
Notes : Samples analyzed by EPA Method 8260

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 28, 29 & 30, 2007

Well Identification	Concentration (ug/l) <sup>2)</sup>																												
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	25	99	430	ND	ND	ND	ND	5.2	7.9	ND	2.8	ND	4.1	ND	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	4.7	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	90,000	11,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	3.2	ND	ND	ND	5.9	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	18,000	12,000	58,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	1,700	120	14,000	3,500	28,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	NS <sup>4)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-23	ND	ND	14	230	790	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	7.5	ND	110	146	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	18	65	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	95	19	41	2	ND	16	
EW-1	35,000	ND	33,000	1,400	7,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	22,000	6,500	37,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - Not Sampled  
 5) - New York State Department of Environmental Conservation  
 6) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected October 30 & 31 and November 1 & 2, 2007

Well Identification	Concentration (ug/l) <sup>2)</sup>																													
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether <sup>3)</sup>	Methylene Chloride	Vinyl Chloride	
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	ND	3.9	ND	ND	ND	ND	20	22	ND	3.9	ND	6.4	ND	ND	ND	ND	ND	ND	ND	4.3	57	ND	ND	2.5	ND	4.3	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.5	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	19000	3200	23200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.4	ND	2	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	12	ND	3.4	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	780	9000	35100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.3	2.6	ND	ND	ND	ND	ND	
MW-16	ND	ND	28000	900	4060	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	NS <sup>4)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-23	ND	ND	12000	6200	40100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	40	ND	ND	ND	21	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	16	ND	270	835	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	ND	4.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	3.7	ND	21	72	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	28	40	ND	2.2	ND	12	
EW-1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
EW-2	ND	ND	30000	12000	63000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - Not Sampled  
 5) - New York State Department of Environmental Conservation  
 6) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected February 5, 6, 7 & 8, 2008

Well Identification	Concentration (ug/l) <sup>2)</sup>																													
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.1	8.2	ND	3.1	ND	2	ND	ND	ND	ND	ND	ND	ND	2.5	37	ND	ND	ND	ND	ND	ND
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7	Not Sampled - Plywod Barrier Impeding Access (Building Demolition/Construction)																													
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	ND	540	440	1370	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.9	ND	ND	ND	ND
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	7800	10000	45000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	ND	ND	12000	590	2330	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.5	ND	ND	ND	8.3	ND	ND	2	ND	ND
MW-21	Not Sampled - Dry																													
MW-22	Not Sampled - Dry																													
MW-23	ND	ND	1700	2600	13700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	110	17	5200	160	720	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Steel Fence Impeding Access																													
GP-2	ND	ND	2.2	ND	2.1	ND	ND	ND	2.1	ND	19	53	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	24	29	ND	2.5	ND	17	
EW-1	34,000	ND	94,000	4,900	28,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	9600	4200	24600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on February 4, 2008 (Influent)



**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected May 5, 6, 7 and 8, 2008

Well Identification	Concentration (ug/l) <sup>2)</sup>																													
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	3	120	150	763	ND	ND	ND	ND	ND	2.6	ND	7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.8	ND	7.7	ND	ND	ND	ND	ND
MW-7	Not Sampled - Plywod Barrier Impeding Access (Building Demolition/Construction)																													
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	170	ND	1,700	120	620	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.7	ND	ND	ND	ND	ND	ND	ND	ND	3.9	ND	ND	8.3	ND	2.9	2.5	ND	ND	ND	ND
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	5,800	12,000	49,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	4.7	ND	ND	ND	ND	ND	ND
MW-16	ND	ND	21,000	1,800	9,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	230,000	120	340,000	6,100	43,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Present																													
MW-23	ND	ND	21,000	11,000	63,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	2,700	29	15,000	240	2,970	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	2.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Steel Fence Impeding Access																													
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	17	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	35	14	7	ND	ND	ND	7.1	
EW-1	1,600,000	110	190,000	8,400	52,000	ND	5800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1200	ND	
EW-2	ND	ND	41,000	12,000	71,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected  
 4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards  
 Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on February 4, 2008 (Influent)

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected August 11, 12, 13 and 14, 2008

Well Identification	Concentration (ug/l) <sup>2)</sup>																														
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	2.5	7.5	ND	ND	ND	ND	ND	2.3	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																														
MW-8	ND	ND	3.8	2.8	11.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	ND	260	570	840	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	ND	ND	
MW-11	ND	ND	7	3.5	16.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	380	12,000	47,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.8	3.2	ND	ND	ND	ND	ND
MW-16	ND	ND	2,300	1,400	5,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	7,400	ND	150,000	1,800	12,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	14,000	ND	180,000	29,000	155,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	12,000	12,000	70,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	24,000	800	3,750	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	2.6	ND	8.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11	6.4	8.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	7.4	4.1	ND	ND	ND	2.9	ND
EW-1	25000	ND	49000	3200	17900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	21,000	13,000	75,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	ND

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on August 20, 2008 (Influent)

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected November 17, 18, 19 and 20, 2008

Well Identification	Concentration (ug/l) <sup>2)</sup>																														
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	ND	71	ND	ND	ND	ND	ND	2.8	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	Not Sampled - (No Access due to a car parked over monitor well)																														
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																														
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	ND	330	1,000	4,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	ND	ND	ND	ND	ND
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	8,100	9,700	46,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND
MW-16	1,700	ND	16,000	3,700	21,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	ND	ND	69,000	1,000	9,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Present																														
MW-23	ND	ND	28,000	14,000	77,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	92	45,000	1,400	7,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.0	2.0	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	2.0	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	ND	ND	ND	13	ND	ND	
EW-1	24,000	ND	110,000	5,000	26,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	24,000	9,400	62,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on December 9, 2008 (Influent)

**FYN PAINT & LACQUER COMPANY**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

**Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>**  
**Collected February 10, 11, 12 and 13, 2009**

Well Identification	Concentration (ug/l) <sup>2)</sup>																														
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	ND	6.6	70	ND	ND	ND	ND	ND	2.9	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	
MW-5	Not Sampled - (No Access due to a car parked over monitor well)																														
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																														
MW-8	ND	1.3	800	58	310	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	58	11	126	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.6	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	2,600	8,700	38,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.1	ND	ND	ND	ND	ND	ND	
MW-16	ND	ND	5,100	1,000	4,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	Not Sampled - Product Present																														
MW-22	Not Sampled - Product Present																														
MW-23	ND	ND	11,000	9,300	49,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	1,100	160	94,000	2,100	9,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	3.2	ND	9.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	ND	ND	ND	ND	
EW-1	58,000	ND	130,000	3,800	19,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,200	ND	ND	
EW-2	ND	ND	39,000	12,000	60,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trip Blank (2/16/09)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trip Blank (2/18/09)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	2	

1) -Methyl tert-butyl ether  
2) Micrograms per liter  
3) Not detected

4) - New York State Department of Environmental Conservation  
5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
EW-1 was sampled as part of the system sampling event on February 5, 2009

**FYN PAINT & LACQUER COMPANY, INC.**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected May 19, 20, 21 and 22, 2009

Well Identification	Concentration (ug/l) <sup>2)</sup>																														
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - No Access to Well																														
MW-4	ND	ND	ND	ND	8.7	ND	ND	ND	ND	ND	3.6	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																														
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	3.7	3	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-11	ND	ND	9.1	2.9	13.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	13,000	15,000	59,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.2	ND	ND	ND	ND	ND	ND	ND
MW-16	ND	ND	6,800	1,800	5,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Not Sampled - DRY																														
MW-22	Not Sampled - Product Present																														
MW-23	ND	ND	5,300	4,100	19,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	1,900	250	210,000	3,800	16,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	9.2	2.2	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-1	6,200	ND	39,000	4,000	20,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	42,000	13,000	69,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (5/22/09)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on May 28, 2009

**FYN PAINT & LACQUER COMPANY, INC.**  
**230 KENT AVENUE**  
**WILLIAMSBURG, BROOKLYN, NEW YORK**

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected August 24, 25, 26 & 27, 2009

Well Identification	Concentration (ug/l) <sup>2)</sup>																														
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - No Access to Well																														
MW-4	ND	ND	ND	15	23	ND	ND	ND	ND	ND	6.4	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																														
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	24	ND	150	663	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	3,000	14,000	62,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.4	ND	ND	ND	ND	ND	ND	
MW-16	ND	ND	4,100	1,300	5,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	Not Sampled - DRY																														
MW-22	Not Sampled - Product Present																														
MW-23	ND	ND	6,300	6,200	32,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	2,500	290	220,000	3,900	18,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.8	2.7	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	12	ND	ND	3.5	ND	ND		
GP-1	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-2	Not Sampled																														
EW-1	93,000	120	260,000	3,800	18,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	34,000	13,000	74,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Method Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on August 27, 2009

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected November 16, 17, 18 & 19, 2009

Well Identification	Concentration (ug/l) <sup>2)</sup>																															
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
MW-2	ND	ND	ND	ND	ND	ND	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
MW-3	Not Sampled - No Access to Well																															
MW-4	ND	ND	ND	2.7	10	ND	ND	ND	ND	ND	6.4	ND	17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																															
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	43	29,000	1,300	6,900	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	9.9	2.3	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	39	ND	ND	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	24	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	2,400	9,600	38,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.9	ND	ND	ND	ND	ND	ND	
MW-16	2,200	ND	3,000	420	2,240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	ND	120	280,000	6,300	39,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	ND	ND	130,000	22,000	144,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-23	ND	ND	6,700	6,900	37,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	220	89,000	2,900	13,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	3.1	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	5.2	ND	32	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.4	11	ND	ND	2.6	ND	ND	20	
GP-1	ND	6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-2	Not Sampled																															
EW-1	4,400	ND	65,000	4,700	25,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	21,000	11,000	61,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	42	ND	11	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22	
Method Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 EW-1 was sampled as part of the system sampling event on November 17, 2009

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 3, 4 & 5, 2010

Well Identification	Concentration (ug/l) <sup>2)</sup>																															
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-4	ND	ND	30	4.4	27	ND	ND	ND	ND	ND	3.4	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7	Not Sampled - Plywood Barrier Impeding Access (Building Demolition/Construction)																															
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	ND	4,600	540	2,180	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	3,400	15,000	61,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	75,000	110	43,000	5,600	30,800	ND	1,700	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	3,800	120	330,000	5,700	42,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																															
MW-23	ND	ND	77	310	1,270	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	160	62,000	1,900	7,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled																															
GP-2	Not Sampled																															
EW-1	ND	ND	11,000	280	4,420	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	9,200	4,200	24,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260



FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected June 21, 22, 23 & 24, 2010

Well Identification	Concentration (ug/l) <sup>2)</sup>																																		
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran	Dichlorodifluoromethane		
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-4	ND	ND	ND	62	40	ND	ND	ND	ND	2.7	13.0	4.1	ND	ND	5	ND	4.9	ND	ND	ND	ND	ND	ND	ND	ND	16.0	ND	ND	2.8	ND	ND	ND	ND		
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-6	ND	2.6	77	32	22.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	3.2	ND	ND	ND	7.6	ND	18	ND	ND	ND	4.8	ND	ND	ND	ND	ND	ND	ND	ND	6.6	5.6	19	15	ND	ND	ND	ND	ND	29	5.8	
MW-8	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	45	51,000	3,000	16,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	2.2	1,100	1,100	2,470	ND	ND	ND	ND	ND	3.9	ND	ND	ND	ND	ND	4.7	ND	9	ND	ND	ND	ND	ND	3.2	11	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	200	9,000	37,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	280	290,000	6,900	35,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	3.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	30,000	120	290,000	4,500	25,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	250,000	140	50,000	8,500	48,000	ND	4,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	360,000	ND	260,000	5,200	52,000	ND	1,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																		
MW-23	ND	ND	6,200	8,900	49,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	20,000	1,100	5,160	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																		
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	800,000	200	270,000	3,100	16,000	ND	3,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	770	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																		
GP-2	Not Sampled - Decommissioned																																		
EW-1	230,000	ND	120,000	4,400	30,000	ND	1,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	9,600	11,000	59,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	18	ND	86	36	172	ND	ND	ND	2.3	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	5	

1) -Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 20, 21, 22 & 23, 2010

Well Identification	Concentration (ug/l) <sup>2)</sup>																																	
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran	Dichlorodifluoromethane	
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																	
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																	
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																	
MW-4	ND	ND	ND	5	3.3	ND	ND	ND	ND	3.8	13.0	9.2	ND	ND	4.7	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	4.8	ND	ND	2.9	ND	ND	ND	ND	
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																	
MW-6	ND	ND	100	7.9	41.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	ND	ND	ND	ND
MW-7	ND	ND	57	4.6	25.9	ND	ND	ND	2.7	ND	6.2	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2	7.3	8.3	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	19	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																	
MW-10	ND	ND	ND	3.8	2.3	ND	ND	ND	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.8	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	390	8,100	30,310	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	360	310,000	6,400	30,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	
MW-15	12,000	260	210,000	5,900	28,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	4,400	ND	7,800	2,000	11,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	30	19	106	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	Not Sampled - DRY																																	
MW-22	Not Sampled - Product Detected In The Well																																	
MW-23	ND	ND	5,800	10,000	52,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	1,200	ND	11,000	340	1,220	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																	
MW-26	ND	ND	110	2.3	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	2.6	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28 <sup>6)</sup>	ND	ND	16,000	ND	1,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																	
GP-2	Not Sampled - Decommissioned																																	
EW-1	11,000	ND	52,000	2,400	15,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	29,000	16,000	67,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																	
ASW-1	Not Sampled - Air Sparge Well																																	
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	5	

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) - New York State Department of Environmental Conservation  
 5) - Technical & Operational Guidance Series Ground Water Quality Standards  
 6) - MW-28 was sampled on September 30, 2010 as the Influent as part of the monthly treatment system sampling

Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected December 9, 10 & 13, 2010

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran	Dichlorodifluoromethane				
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-4	ND <sup>3)</sup>	ND	ND	2.7	5.5	ND	ND	ND	ND	2.9	10.0	7.2	ND	ND	4	ND	4.5	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.9	ND	ND	ND	ND	ND	ND	ND		
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	19	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	18	2.2	ND	ND	ND	ND	ND	ND	5.4		
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-9A	Not Sampled - Product Detected In The Well																																				
MW-10	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND	6.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.7	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-11	ND	ND	ND	ND	23.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-12	ND	ND	720	6,500	22,650	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	Not Sampled - Well covered by scaffolding																																				
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-15	Not Sampled - Product Detected In The Well																																				
MW-16	18,000	ND	33,000	5,000	30,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	11	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	51,000	110	290,000	4,400	29,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																				
MW-23	ND	ND	1,600	2,600	14,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	6,500	420	1,770	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	13,000	ND	9,900	380	1,280	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	3,400	ND	75,000	4,200	20,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	13,000	9,100	48,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
ASW-1	Not Sampled - Air Sparge Well																																				
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	5	0.7	5	5	5	10	5	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	5			

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 21, 22, 23, 24 & April 13, 2011

Well Identification	Concentration (ug/l) <sup>2)</sup>																																		
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Tetrahydrofuran	Dichlorodifluoromethane		
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	130	ND
MW-4	ND	ND	ND	150	20.3	ND	ND	ND	ND	ND	5.6	4.4	ND	ND	3.7	ND	2.4	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6	ND	ND	1,000	43	167	ND	ND	ND	ND	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.5	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	14	ND	ND	ND	ND	ND	ND	ND	16	ND	ND	ND	6.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	16	2	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-9A	ND	110	210,000	9,100	44,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	600	8	64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-11	ND	ND	45	37	202	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-12	ND	ND	3,500	9,100	36,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-13	ND	240	400,000	6,400	26,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Not Sampled - Product Detected In The Well																																		
MW-16	76,000	140	56,000	8,600	52,000	ND	1,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	5.2	18	69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	350,000	ND	350,000	4,800	37,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																		
MW-23	ND	ND	46	410	900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	22,000	480	2,050	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																		
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	9.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.9	ND	ND	3.4	ND	ND	ND	ND	ND	ND
MW-28	23,000	ND	52,000	780	3,460	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																		
GP-2	Not Sampled - Decommissioned																																		
EW-1	38,000	ND	70,000	1,800	13,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	15,000	7,100	37,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	1,500	16	121	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																		
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	5	

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260  
 MW-5 sample collected on April 13, 2011

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected June 20, 21 & 22, 2011

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Dichlorodifluoromethane			
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-4	ND <sup>3)</sup>	ND	ND	93	15	ND	ND	ND	ND	3	13	10	ND	ND	3.7	ND	4.5	ND	3.5	ND	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	2.4	ND	ND	ND		
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-6	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	ND		
MW-7	ND	ND	41	ND	2.3	ND	ND	ND	ND	ND	2.6	ND	ND	ND	26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.6	3.3	4.6	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	ND	7.4	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-9A	ND	ND	150,000	6,900	39,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.3	ND	ND	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.3	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-11	ND	ND	ND	ND	4.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-12	ND	ND	400	6,800	29,470	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	290	350,000	5,600	28,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.1	ND	ND	
MW-15	14,000	140	300,000	4,900	26,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	140,000	150	50,000	7,400	51,000	ND	2,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	17,000	ND	200,000	3,500	32,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	Not Sampled - Product Detected In The Well																																				
MW-23	ND	ND	77	460	2,090	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	11	5.8	330	7.1	26.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	ND	ND	6.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	6,700	ND	22,000	500	2,570	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	300,000	140	230,000	5,700	36,100	ND	1,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	9,500	7,300	39,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
ASW-1	Not Sampled - Air Sparge Well																																				
TB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	5			

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Notes : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 26, 27 & 28, 2011

Well Identification	Concentration (ug/l) <sup>2)</sup>																																			
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide		
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																			
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																			
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																			
MW-4	ND <sup>3)</sup>	1.4	5.7	140	10	ND	ND	ND	ND	11	14	8.1	ND	ND	8	ND	4.2	ND	5.1	ND	ND	ND	ND	ND	ND	ND	6.1	ND	ND	2.3	ND	3.2	ND	ND	2	
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																			
MW-6	ND	ND	170	ND	8.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	100	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.5	3.8	8.3	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	10	2.6	13.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	100,000	6,300	38,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	5.5	ND	2.4	ND	ND	ND	ND	ND	7.8	ND	ND	ND	3.8	ND	ND	ND	ND	ND	ND	3.8	ND	ND	ND	12	ND	ND	2.8	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	4.9	ND	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	ND	5,500	20,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-13	ND	ND	430,000	7,000	35,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	6	ND	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Not Sampled - Product Detected In The Well																																			
MW-16	210,000	140	60,000	10,000	64,000	ND	2,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	5.8	ND	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	61,000	140	290,000	5,000	43,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	10,000	ND	80,000	34,000	165,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	140	820	4,270	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	15	260	190	360	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																			
MW-26	ND	ND	6.7	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	3,600	ND	25,000	520	2,680	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																			
GP-2	Not Sampled - Decommissioned																																			
EW-1	150,000	110	200,000	8,000	50,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	780	ND	ND	ND	ND	
EW-2	ND	ND	16,000	9,000	49,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																			
ASW-1	Not Sampled - Air Sparge Well																																			
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected December 13, 14 & 15, 2011

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide			
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-3	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-4	ND <sup>3)</sup>	ND	31	16	11.8	ND	ND	ND	ND	17	11	7.8	ND	ND	3.8	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
MW-6	ND	ND	5.6	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	5.1	ND	2.7	ND	ND	ND	ND	ND	2.7	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.4	5.5	4.3	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	49	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	180,000	9,500	56,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6	ND	ND	ND	7.8	ND	ND	ND	ND	ND	ND	ND	3.4	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	64	2.6	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	130	3,200	11,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	320,000	4,600	24,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	29	ND	9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	Not Sampled - Product Detected In The Well																																				
MW-16	230,000	130	58,000	6,900	42,000	ND	3,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	37	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	59,000	ND	310,000	3,700	35,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	ND	ND	81,000	31,000	143,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	24	240	1,140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	11	130	100	520	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	34	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	84,000	120	230,000	2,600	13,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	30,000	ND	71,000	2,000	18,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	11,000	4,900	27,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																				
ASW-1	Not Sampled - Air Sparge Well																																				
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	NA	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260



FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 19, 20, 21 & 22, 2012

Well Identification	Concentration (ug/l) <sup>2)</sup>																																			
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide		
MW-1	ND <sup>3)</sup>	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - Destroyed																																			
MW-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9	3.4	ND	ND	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-6	ND	ND	53	2.5	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-7	ND	ND	ND	ND	3.3	ND	ND	ND	ND	ND	6.3	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12	10	2.1	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																			
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	2.3	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	11,000	12,000	61,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	300,000	5,400	27,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	Not Sampled - Product Detected In The Well																																			
MW-16	210,000	170	62,000	7,500	46,000	ND	3,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	81,000	130	300,000	3,700	33,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	Not Sampled - Product Detected In The Well																																			
MW-23	ND	ND	1,500	5,700	33,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	19	ND	ND	430	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.4	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																			
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	88,000	140	280,000	2,800	14,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																			
GP-2	Not Sampled - Decommissioned																																			
EW-1	110,000	100	140,000	3,800	30,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	34,000	12,000	69,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	ND	ND	4.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
ASW-1	Not Sampled - Air Sparge Well																																			
Trip Blank	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	21	ND	ND	12	ND		
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260



FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected June 13, 14 & 15, 2012

Well Identification	Concentration (ug/l) <sup>2)</sup>																																					
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide				
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																					
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																					
MW-3	Not Sampled - Destroyed																																					
MW-4	ND <sup>3)</sup>	1.2	ND	190	71	ND	ND	ND	ND	6.8	10	5.2	ND	ND	3.8	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																					
MW-6	ND	ND	48	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND		
MW-7	ND	ND	23	ND	2.1	ND	ND	ND	ND	ND	5.4	ND	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	13	9.5	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																					
MW-10	ND	ND	2.1	ND	3.1	ND	ND	ND	ND	ND	8.7	ND	ND	ND	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	510	9,100	35,970	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	280,000	7,600	37,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Not Sampled - Product Detected In The Well																																					
MW-16	100,000	ND	58,000	8,100	47,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	44,000	ND	400,000	4,600	37,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	ND	ND	81,000	14,000	104,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	62	430	2,250	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	30	ND	ND	670	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.2	ND	ND	ND	4.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																					
MW-26	ND	ND	6.3	2.2	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	61,000	ND	260,000	3,500	17,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																					
MW-30	ND	ND	45,000	14,000	72,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-31	1,600	150	250,000	9,900	52,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	870	ND	ND	ND	ND	ND		
MW-32	ND	ND	30,000	6,600	38,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																					
GP-2	Not Sampled - Decommissioned																																					
EW-1	ND	ND	4,200	250	2,790	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	25,000	11,000	59,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																					
ASW-1	Not Sampled - Air Sparge Well																																					
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA			

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 24, 25, 26 & 27, 2012

Well Identification	Concentration (ug/l) <sup>2)</sup>																																		
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide	
MW-1	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-2	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-3	Not Sampled - Destroyed																																		
MW-4	ND <sup>3)</sup>	ND	ND	ND	3.3	ND	ND	ND	ND	9.4	19	7.6	ND	1.4	3.6	ND	6.2	ND	ND	ND	ND	ND	ND	ND	ND	14	ND	ND	2.6	ND	2.1	ND	ND	ND	
MW-5	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
MW-6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.2	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																		
MW-10	ND	ND	26	ND	3.9	ND	ND	ND	ND	ND	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.7	ND	ND	3	ND	ND	ND	ND	ND	
MW-11	ND	ND	15	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	ND	6,100	20,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-13	8,700	400	360,000	5,200	25,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	16,000	150	270,000	4,200	21,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	130,000	130	48,000	6,900	38,800	ND	3,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	16	ND	500	73	327	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																		
MW-23	ND	ND	2,900	12,000	69,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	24	39	ND	1,205	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.5	ND	ND	ND	6.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																		
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	52	150	960	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	130,000	120	290,000	3,600	18,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																		
MW-30	Not Sampled - Product Detected In The Well																																		
MW-31	Not Sampled - Product Detected In The Well																																		
MW-32	ND	ND	16,000	4,600	21,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																		
GP-2	Not Sampled - Decommissioned																																		
EW-1	57,000	120	210,000	3,800	30,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	540	ND	ND	ND	ND	
EW-2	ND	ND	20,000	10,000	51,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	Not Sampled - To Be Sampled Annually Concurrent with the Con Edison MOSF Sampling as per NYSDEC																																		
ASW-1	Not Sampled - Air Sparge Well																																		
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	NA	

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected December 10, 11, 12 & 13, 2012

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide			
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - Destroyed																																				
MW-4	ND	ND	11	18	6.4	ND	ND	ND	ND	9.8	19	8.5	ND	1.5	3.6	ND	5.2	ND	ND	ND	ND	ND	ND	ND	ND	8.7	ND	ND	2.4	ND	2.3	ND	ND	ND	ND	ND	
MW-5	ND	ND	2,000	74	558	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-6	ND	ND	30	ND	5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	14	ND	2.1	ND	ND	ND	ND	ND	3	ND	ND	ND	21	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.4	5.7	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	4	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																				
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.8	ND	ND	3.6	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	ND	6,100	25,230	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-13	ND	ND	340,000	6,400	34,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	ND	ND	8.8	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	ND	ND	310,000	5,400	29,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	63,000	140	56,000	8,700	51,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	34	ND	4.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	ND	ND	22,000	490	3,770	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																				
MW-23	ND	ND	820	5,300	28,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	14	ND	ND	27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	7.1	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	22	130	750	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	96,000	120	240,000	2,500	14,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																				
MW-30	Not Sampled - Product Detected In The Well																																				
MW-31	Not Sampled - Product Detected In The Well																																				
MW-32	1,300	ND	16,000	4,400	23,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	150,000	ND	270,000	5,400	37,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	21,000	12,000	70,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																				
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 25, 26 & 27, 2013

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide			
MW-1	ND <sup>3)</sup>	ND	5.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	4.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - Destroyed																																				
MW-4	ND	1.2	32	290	20.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	ND	ND	4.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-6	ND	ND	50	2.8	16.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	60,000	3,800	26,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	8.7	ND	ND	ND	ND	ND	ND	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.4	ND	ND	2	ND	ND	ND	ND	ND	ND		
MW-11	ND	ND	2.7	7.2	23	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	970	6,200	20,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	230	270,000	8,500	40,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	ND	ND	330,000	8,000	43,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	210,000	130	94,000	14,000	61,000	ND	2,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	760	ND	ND	ND	ND	ND		
MW-20	ND	ND	3.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	ND	ND	7,000	ND	910	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	ND	ND	83,000	14,000	92,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	260	1,600	7,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	67	1.8	96	71	680	30	ND	ND	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	31	4.7	ND	ND	ND	ND	ND	6	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	ND	ND	275	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	29	7.3	ND	ND	110	16	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	1,100	ND	110,000	3,600	20,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																				
MW-30	Not Sampled - Product Detected In The Well																																				
MW-31	45,000	ND	84,000	4,200	22,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-32	ND	ND	170	230	1,490	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	19,000	200	360,000	6,900	42,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	22,000	9,300	50,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	5.9	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																				
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected June 24, 25, 26 & 27, 2013

Well Identification	Concentration (ug/l) <sup>2)</sup>																																			
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide		
MW-1	NS <sup>3)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-3	Not Sampled - Destroyed																																			
MW-4	ND <sup>4)</sup>	ND	ND	19	77.2	ND	ND	ND	ND	6.2	9	5.2	ND	ND	3.8	ND	3.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-6	ND	ND	11	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	2.1	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	6.6	26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	140,000	7,700	56,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	370	6,400	25,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	240,000	8,600	43,500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	10	41	ND	ND	ND	7.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	10,000	ND	330,000	6,600	35,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-16	95,000	ND	90,000	10,000	57,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	ND	1.2	620	28	117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	ND	ND	95,000	16,000	130,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-23	ND	ND	90	610	3,250	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	ND	ND	49	58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																			
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	ND	ND	160,000	2,900	15,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-29	Not Sampled - Product Detected In The Well																																			
MW-30	Not Sampled - Product Detected In The Well																																			
MW-31	26,000	ND	10,000	5,300	28,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-32	ND	ND	53	350	342	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																			
GP-2	Not Sampled - Decommissioned																																			
EW-1	26,000	ND	270,000	4,500	29,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	15,000	8,800	49,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
ASW-1	Not Sampled - Air Sparge Well																																			
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA	

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not sampled

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 23, 24, 25 & 26, 2013

Well Identification	Concentration (ug/l) <sup>2)</sup>																																					
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide				
MW-1	NS <sup>3)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-3	Not Sampled - Destroyed																																					
MW-4	ND <sup>4)</sup>	ND	2.2	63	204	ND	ND	ND	ND	12	7.8	2.8	ND	ND	2.1	ND	5.8	ND	ND	ND	ND	ND	ND	ND	ND	4.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-6	ND	ND	46	ND	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	14	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	14	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1	2.3	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																					
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	20	63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	18	ND	4,700	14,250	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	190	240,000	9,800	45,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	4.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	Not Sampled - Product Detected In The Well																																					
MW-16	52,000	130	110,000	13,000	70,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	3.6	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	ND	ND	120	7.5	63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	ND	ND	90,000	21,000	149,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	820	9,500	51,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	84	37	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	17	ND	6.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																					
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	96	12	81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	5,200	ND	180,000	3,300	17,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																					
MW-30	Not Sampled - Product Detected In The Well																																					
MW-31	45,000	110	140,000	6,800	34,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-32	ND	6.2	87	600	294	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	16	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	Not Sampled - Decommissioned																																					
GP-2	Not Sampled - Decommissioned																																					
EW-1	17,000	150	270,000	6,500	37,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
EW-2	ND	ND	15,000	9,900	52,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CE-4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
ASW-1	Not Sampled - Air Sparge Well																																					
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not sampled

4) Not detected above lab detection limit  
 5) New York State Department of Environmental Conservation  
 6) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected December 5, 6, 9 & 10, 2013

Well Identification	Concentration (ug/l) <sup>2)</sup>																																					
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide				
MW-1	NS <sup>3)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-3	Not Sampled - Destroyed																																					
MW-4	ND <sup>4)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	14	7.9	ND	ND	ND	2.1	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	10	ND	ND	2.6	ND	ND	ND	ND	ND	ND			
MW-5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-6	ND	ND	2,200	150	630	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-7	ND	ND	54	2.1	9.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	22	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.8	3.1	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	100	ND	5.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																					
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.4	ND	ND	2.1	ND	ND	ND	ND	ND	ND	ND		
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	16	ND	3,000	8,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	200,000	14,000	64,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	28	4.2	18.5	ND	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	Not Sampled - Product Detected In The Well																																					
MW-16	32,000	ND	99,000	13,000	66,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	ND	ND	100	9.2	78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Not Sampled - Product Detected In The Well																																					
MW-23	ND	ND	2,900	13,000	60,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	36	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																					
MW-26	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	4.4	4.8	28.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	7,100	ND	180,000	3,100	16,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																					
MW-30	Not Sampled - Product Detected In The Well																																					
MW-31	14,000	ND	98,000	5,500	27,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-32	ND	ND	280	570	740	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																					
GP-2	Not Sampled - Decommissioned																																					
EW-1	15,000	ND	270,000	6,300	37,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	13,000	11,000	55,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
ASW-1	Not Sampled - Air Sparge Well																																					
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	5	10	5	2	50	50	NA	NA		

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not sampled  
 4) Not detected above lab detection limit  
 5) New York State Department of Environmental Conservation  
 6) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260



FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected March 17, 18, 19 & 20, 2014

Well Identification	Concentration (ug/l) <sup>2)</sup>																																				
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide			
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-3	Not Sampled - Destroyed																																				
MW-4	ND	ND	ND	3.2	ND	ND	ND	ND	ND	8.7	6.2	ND	ND	ND	2.1	ND	4.8	ND	ND	ND	ND	ND	ND	ND	ND	6.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.5	3.5	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	Not Sampled - Product Detected In The Well																																				
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	ND	ND	ND	5.1	16.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	30	ND	
MW-12	ND	ND	2,000	6,000	31,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	ND	ND	190,000	7,800	36,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Not Sampled - Product Detected In The Well																																				
MW-16	34,000	ND	92,000	11,000	59,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	ND	ND	140	6.8	66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	ND	ND	88,000	14,000	112,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	ND	ND	290	4,900	26,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	15	ND	6.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																				
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.3	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	5,100	ND	170,000	2,500	13,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																				
MW-30	Not Sampled - Product Detected In The Well																																				
MW-31	13,000	ND	95,000	7,700	39,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-32	ND	18	430	2,400	10,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	41	ND	ND	ND	42	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-33	ND	ND	1,100	5,800	33,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	51	ND	ND	ND	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GP-1	Not Sampled - Decommissioned																																				
GP-2	Not Sampled - Decommissioned																																				
EW-1	8,800	ND	310,000	5,200	30,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	18,000	8,700	43,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																				
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup>	50	1	5	5	5	10	50	5	7	5	5	5	0.6	5	5	1	3	NA	5	5	NA	0.04	5	5	5	5	5	5	10	5	2	50	50	NA	NA	NA	

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected above lab detection limit

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standard

Note : Samples analyzed by EPA Method 8260



FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected June 30 and July 1 and 2, 2014

Well Identification	Concentration (ug/l) <sup>2)</sup>																																					
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide				
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-4	ND	ND	ND	5.2	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-6	Not Sampled - Due to Drawdown Level and Mud in Bottom of Well																																					
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	3.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-9A	Not Sampled - Product Detected In The Well																																					
MW-10	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	20,000	13,000	62,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	Not Sampled - Product Detected In The Well																																					
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-15	Not Sampled - Product Detected In The Well																																					
MW-16	21,000	ND	110,000	11,000	63,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-21	ND	2.8	3,500	280	1,390	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-22	Not Sampled - Product Detected In The Well																																					
MW-23	ND	ND	3,600	2,500	13,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-24	ND	1.8	10	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-25	Not Sampled - Product Detected In The Well																																					
MW-26	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.1	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	2.4	ND	ND	ND	ND	ND	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-28	ND	ND	200,000	4,700	26,200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Product Detected In The Well																																					
MW-30	Not Sampled - Product Detected In The Well																																					
MW-31	38,000	ND	230,000	11,000	59,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-32	ND	40	5,200	3,500	17,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	33	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-33	ND	ND	1,400	3,600	28,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-1	ND	ND	240,000	3,200	19,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	24,000	10,000	51,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																					
ASW-2	Not Sampled - Air Sparge Well																																					
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup></b>	<b>50</b>	<b>1</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>50</b>	<b>5</b>	<b>7</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>0.6</b>	<b>5</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>NA</b>	<b>5</b>	<b>5</b>	<b>NA</b>	<b>0.04</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>5</b>	<b>2</b>	<b>50</b>	<b>50</b>	<b>NA</b>			

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected above lab detection limit

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY, INC.  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Groundwater Quality Summary - EPA Method 8260 Modified to Include MTBE<sup>1)</sup>  
 Collected September 22, 23 & 24, 2014

Well Identification	Concentration (ug/l) <sup>2)</sup>																																						
	Acetone	Benzene	Toluene	Ethylbenzene	Xylenes (total)	Naphthalene	2-Butanone	Carbon Tetrachloride	Chloroform	Chlorobenzene	cis-1,2-Dichloroethene	trans-1, 2-Dichloroethene	1,2 Dichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloropropane	1,2-Dichlorobenzene	Diethyl Ether	Isopropylbenzene	n-propylbenzene	4-Methyl-2-Pentanone	1,2,3-Trichloropropane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Tetrachloroethene	Trichloroethene	1,1,1-Trichloroethane	Trichlorofluoromethane	Methyl tert-butyl ether	Methylene Chloride	Vinyl Chloride	Bromoform	Tetrahydrofuran	Carbon Disulfide					
MW-1	ND <sup>3)</sup>	ND	7.8	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-4	ND	ND	21	6	26.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-5	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	5.7	ND	ND	6.7	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	23	6.3	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-6	Not Sampled - Due to Drawdown Level and Mud in Bottom of Well																																						
MW-7	ND	ND	22	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	2.6	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-8	ND	ND	5.2	ND	7.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-9A	ND	ND	180,000	6,900	38,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-10	ND	ND	5.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-11	17	ND	340	1,500	8,300	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	13	2.3	ND	ND	5.4	2.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-12	ND	ND	20,000	11,000	52,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-13	Not Sampled - Product Detected In The Well																																						
MW-14	ND	ND	41	4.6	26.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-15	10,000	160	240,000	6,200	31,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	13,000	ND	89,000	8,400	47,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	Not Sampled - Dry																																						
MW-21	Not Sampled - Dry																																						
MW-22	Not Sampled - Dry																																						
MW-23	ND	ND	940	140	1,960	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	ND	ND	5.7	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-25	Not Sampled - Product Detected In The Well																																						
MW-26	ND	38	21	3	26.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-28	ND	ND	200,000	3,700	18,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-29	Not Sampled - Dry																																						
MW-30 (Low Flow)	7,700	120	51,000	11,000	56,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-30 (Direct Grab)	16,000	ND	26,000	7,100	34,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-31	44,000	ND	260,000	3,200	16,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-32	ND	ND	3,900	1,900	8,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-33	ND	ND	580	2,500	11,600	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-1	45,000	ND	310,000	4,700	23,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EW-2	ND	ND	63,000	10,000	57,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
ASW-1	Not Sampled - Air Sparge Well																																						
ASW-2	Not Sampled - Air Sparge Well																																						
Trip Blank	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>NYSDEC <sup>4)</sup> TOGS GWQS <sup>5)</sup></b>	<b>50</b>	<b>1</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>50</b>	<b>5</b>	<b>7</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>0.6</b>	<b>5</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>NA</b>	<b>5</b>	<b>5</b>	<b>NA</b>	<b>0.04</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>5</b>	<b>2</b>	<b>50</b>	<b>50</b>	<b>NA</b>			

1) Methyl tert-butyl ether  
 2) Micrograms per liter  
 3) Not detected above lab recordable limit

4) New York State Department of Environmental Conservation  
 5) Technical & Operational Guidance Series Ground Water Quality Standards

Note : Samples analyzed by EPA Method 8260

FYN PAINT & LACQUER COMPANY  
 230 KENT AVENUE  
 WILLIAMSBURG, BROOKLYN, NEW YORK

Ground-Water Quality Summary - EPA Method 8260 Modified to Include MTBE <sup>1)</sup>

Well Identification	Concentration (ug/l) <sup>2)</sup>																																											
	Acetone			Benzene			Toluene			Ethylbenzene			Xylenes (total)			Chlorobenzene			cis-1,2-Dichloroethene			1,2-Dichlorobenzene			Isopropylbenzene			Tetrachloroethene			Trichloroethene			1,1,1-Trichloroethane			Methylene Chloride			Vinyl Chloride				
	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007	December 16, 18, 19 & 20, 2006	March 28, 29 & 30, 2007	October 30 & 31 and November 1 & 2, 2007								
MW-1	ND <sup>3)</sup>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
MW-2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
MW-3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
MW-4	ND	ND	ND	ND	ND	ND	ND	25	ND	ND	99	ND	ND	430	3.9	8.1	5.2	20	11	7.9	22	5.4	4.1	6.4	ND	ND	ND	ND	4.3	31	26	57	ND	ND	ND	ND	ND	2.3	ND	4.3				
MW-5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
MW-7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.2	2.2	ND	4.5	4.7	6.5	ND	ND	ND	ND	ND	ND			
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
MW-9A	NS <sup>4)</sup>	ND	ND	NS	ND	ND	NS	90,000	19000	NS	11,000	3200	NS	100,000	23200	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND		
MW-10	ND	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.9	2.7	7.4	ND	ND	ND	ND	ND	ND	ND	ND	5.9	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
MW-11	ND	ND	ND	ND	ND	ND	8.4	ND	ND	ND	ND	9.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
MW-12	ND	ND	ND	ND	ND	ND	4.100	18,000	780	10,000	12,000	9000	48,100	58,200	35100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
MW-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	2.3	ND	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND			
MW-16	22,000	1,700	ND	120	120	ND	40,000	14,000	28000	5,100	3,500	900	36,600	28,000	4060	ND	ND	ND	8.9	ND	ND	ND	ND	ND	9.2	ND	ND	2.4	ND	ND	ND	ND	ND	4.3	ND	ND	38	ND	ND	2.9	ND	ND		
MW-20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-21	NS	NS <sup>4)</sup>	NS <sup>4)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
MW-22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-23	ND	ND	ND	ND	ND	ND	22,000	14	12000	7,800	230	6200	45,000	790	40100	ND	ND	ND	ND	ND	ND	ND	ND	8.6	40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-24	ND	ND	ND	9.8	7.5	16	ND	ND	ND	430	110	270	541	146	835	ND	ND	ND	ND	ND	ND	ND	ND	6.2	4.4	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
MW-26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
MW-27	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GP-1	ND	ND	NS	1.1	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	4.5	2.9	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	ND	ND	NS	2.1	ND	NS		
GP-2	ND	ND	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22	18	21	ND	ND	ND	ND	ND	120	95	140	24	19	28	80	41	40	ND	ND	ND	18	16	12	ND	ND		
EW-1	NS	35,000	NS	NS	ND	NS	NS	33,000	NS	NS	1,400	NS	NS	7,700	NS	NS	ND	NS	NS	ND	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
EW-2	ND	ND	ND	ND	ND	ND	28,000	22,000	30000	9,000	6,500	12000	51,000	37,800	63000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CE-4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC <sup>5)</sup> TOGS GWQS <sup>6)</sup>	5			0.7			5			5			5			5			5			3			5			5			5			5			5			2				

1) - Methyl tert-butyl ether  
 2) - Micrograms per liter  
 3) - Not detected  
 4) - Not detected  
 5) - New York State Department of Environmental Conservation  
 6) - Technical & Operational Guidance Series Ground Water Quality Standards  
 Notes : Samples analyzed by EPA Method 8260

FYN PAINT AND LACQUER CO., INC.  
 BROOKYN, NEW YORK  
 PREPARED FOR KEANE AND BEANE, P.C.

Historical VOC Concentrations in Ground-Water Data  
 Measurements in micrograms per liter

GP-1

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	NS	ND	ND	ND	ND	NS	50
Toluene	<1	<10	<1	NS	ND	ND	ND	ND	NS	5
Ethylbenzene	<1	<10	<1	NS	ND	ND	ND	ND	NS	5
Total Xylene	7	<10	<2	NS	ND	ND	ND	ND	NS	5

GP-2

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	<1	<10	<1	ND	0.5	ND	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	ND	ND	ND	ND	ND	ND	5
Total Xylene	12	<10	<2	ND	1.1	ND	ND	ND	ND	5

CE-1

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	NS	<1	ABANDONED						50
Toluene	180,000	NS	5200							5
Ethylbenzene	380000	NS	11000							5
Total Xylene	1200000	NS	62000							5

CE-2

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	120000	NS	NS	ABANDONED						50
Toluene	450000	NS	NS							5
Ethylbenzene	440000	NS	NS							5
Total Xylene	1400000	NS	NS							5

CE-4

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	NS	ND	ND	ND	ND	ND	50
Toluene	<1	<10	<1	NS	250	150	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	NS	26	3.5	ND	ND	ND	5
Total Xylene	10	<10	<2	NS	255	17.5	2.7	ND	ND	5

EW-1

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			7100	6200	1300	NS	35000	NS	50
Toluene				50000	66000	31000	NS	33000	NS	5
Ethylbenzene				1900	2700	2400	NS	1400	NS	5
Total Xylene				9800	21000	13100	NS	7700	NS	5

EW-2

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			1700	2800	1100	ND	ND	ND	50
Toluene				29000	45000	36000	28000	22000	30000	5
Ethylbenzene				9400	9100	7300	9000	6500	12000	5
Total Xylene				50000	62000	42800	51000	37800	63000	5

MW-1

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	2.9	NS	ND	ND	ND	ND	50
Toluene	6	<10	<1	44	NS	ND	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	1.5	NS	ND	ND	ND	ND	5
Total Xylene	11	<10	<2	10.3	NS	ND	ND	ND	ND	5

MW-2

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	ND	NS	ND	ND	ND	ND	50
Toluene	8	<10	1.8	22	NS	ND	ND	ND	ND	5
Ethylbenzene	5	<10	<1	1	NS	ND	ND	ND	ND	5
Total Xylene	17	<10	2.2	5.3	NS	ND	ND	ND	ND	5

MW-3

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	14	<1	3.8	11	ND	ND	ND	ND	50
Toluene	5	<10	<1	ND	ND	ND	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	ND	ND	ND	ND	ND	ND	5
Total Xylene	11	<10	<2	ND	1	ND	ND	ND	ND	5

MW-4

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	14000	9500	<1	ND	ND	ND	ND	ND	ND	50
Toluene	18000	21000	9.5	5.5	1.3	ND	ND	25	ND	5
Ethylbenzene	3400	4700	15	15	29	3.7	ND	99	ND	5
Total Xylene	14000	24000	120	72.6	46	40	ND	430	3.9	5

MW-5

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	<1	<10	<1	ND	ND	ND	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	ND	ND	ND	ND	ND	ND	5
Total Xylene	10	<10	<2	ND	0.99	ND	ND	ND	ND	5

MW-6

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	<b>DESTROYED DURING SIDEWALK REPAIR</b>						50
Toluene	61	<10	<1							5
Ethylbenzene	55	<10	<1							5
Total Xylene	200	<10	<2							5

MW-7

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	65	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	16	<10	<1	98	ND	ND	ND	ND	ND	5
Ethylbenzene	<1	<10	<1	11	ND	ND	ND	ND	ND	5
Total Xylene	6	<10	<2	72	ND	ND	ND	ND	ND	5

MW-8

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	<1	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	<1	<10	<1	70	ND	ND	ND	ND	ND	5
Ethylbenzene	<1	20	<1	11	ND	ND	ND	ND	ND	5
Total Xylene	8	140	<2	58	0.64	ND	ND	ND	ND	5

MW-9A

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	< 5000	NS	21	NS	280	NS	ND	ND	50
Toluene	NI	69000	NS	160000	NS	150000	NS	90000	19000	5
Ethylbenzene	NI	6600	NS	8900	NS	10000	NS	11000	3200	5
Total Xylene	NI	38000	NS	51000	NS	69000	NS	100000	23200	5

MW-10

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	NI	<10	<1	170	ND	ND	ND	ND	ND	5
Ethylbenzene	NI	<10	<1	6	ND	ND	ND	ND	ND	5
Total Xylene	NI	<10	<2	31.4	0.59	ND	ND	ND	ND	5



MW-11

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	<100	<1	ND	ND	ND	ND	ND	ND	50
Toluene	NI	95	16	17	ND	ND	8.4	ND	ND	5
Ethylbenzene	NI	550	20	0.76	ND	ND	ND	ND	ND	5
Total Xylene	NI	4100	58	4.2	ND	ND	9.8	ND	ND	5

MW-12

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	<2500	1300	9.6	150	ND	ND	ND	ND	50
Toluene	NI	29000	46000	17000	15000	ND	4100	18000	780	5
Ethylbenzene	NI	9700	16000	9300	7300	ND	10000	12000	9000	5
Total Xylene	NI	56000	80000	46500	42800	ND	48100	58200	35100	5

MW-13

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	<10	<1	<b>DESTROYED DURING SIDEWALK REPAIR</b>						50
Toluene	NI	<10	<1							5
Ethylbenzene	NI	<10	<1							5
Total Xylene	NI	<10	<2							5

MW-14

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	<10	<1	ND	ND	ND	ND	ND	ND	50
Toluene	NI	<10	<1	2.8	ND	ND	ND	ND	ND	5
Ethylbenzene	NI	<10	<1	1.6	ND	ND	ND	ND	ND	5
Total Xylene	NI	<10	<2	7.6	ND	ND	ND	ND	ND	5

MW-15

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	NS	NS	<1	DESTROYED DURING SIDEWALK REPAIR					50
Toluene	NI	NS	NS	61						5
Ethylbenzene	NI	NS	NS	55						5
Total Xylene	NI	NS	NS	200						5

MW-16

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NI	2200	5300	NS	290	31000	22000	1700	ND	50
Toluene	NI	3700	33000	NS	15000	29000	40000	14000	28000	5
Ethylbenzene	NI	1100	5700	NS	3100	4400	5100	3500	900	5
Total Xylene	NI	7000	36100	NS	21700	27700	36600	28000	4060	5

MW-20

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			ND	ND	ND	ND	ND	ND	50
Toluene				ND	1.6	ND	ND	ND	ND	5
Ethylbenzene				ND	0.72	ND	ND	ND	ND	5
Total Xylene				ND	4.6	ND	ND	ND	ND	5

MW-21

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			69000	NS	29000	NS	NS	NS	50
Toluene				310000	NS	230000	NS	NS	NS	5
Ethylbenzene				5500	NS	3900	NS	NS	NS	5
Total Xylene				27300	NS	21500	NS	NS	NS	5

MW-22

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			NS	NS	NS	NS	NS	NS	50
Toluene				NS	NS	NS	NS	NS	NS	5
Ethylbenzene				NS	NS	NS	NS	NS	NS	5
Total Xylene				NS	NS	NS	NS	NS	NS	5

MW-23

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			ND	200	ND	ND	ND	ND	50
Toluene				40000	28000	32000	22000	14	12000	5
Ethylbenzene				11000	9600	9500	7800	230	6200	5
Total Xylene				62000	60000	58000	48100	790	40100	5

MW-24

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			ND	15	ND	ND	ND	ND	50
Toluene				45000	5200	ND	ND	ND	ND	5
Ethylbenzene				1600	1100	590	430	110	270	5
Total Xylene				6600	4440	800	541	146	835	5

MW-25

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			DESTROYED DURING SIDEWALK REPAIR						50
Toluene										5
Ethylbenzene										5
Total Xylene										5

MW-26

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			2.7	ND	ND	ND	ND	ND	50
Toluene				22	ND	ND	ND	ND	ND	5
Ethylbenzene				2	ND	ND	ND	ND	ND	5
Total Xylene				10.1	0.96	ND	ND	ND	ND	5

MW-27

Analyte	Jun-01	Aug-03	Feb-04	Dec-05	May-06	Sep-06	Dec-06	Mar-07	October / November 2007	NYSDEC GWQS
Acetone	NOT INSTALLED			ND	ND	ND	ND	ND	ND	50
Toluene				12	1.6	ND	2.7	ND	ND	5
Ethylbenzene				3	ND	ND	ND	ND	ND	5
Total Xylene				15.4	2	ND	4	ND	ND	5