



HALEY & ALDRICH OF NEW YORK
213 West 35th Street
7th Floor
New York, NY 10123
646.518.7735

8 September 2023

File No. 0202156

Via Email: Jolene.lozewski@dec.ny.gov
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233

Attention: Jolene Lozewski

Subject: Project Status Report
Former Carter Spray Finishing Corp. - NYSDEC BCP Site C224218
65 Eckford Street
Brooklyn, New York

Dear Jolene Lozewski:

Haley & Aldrich of New York is pleased to present this Project Status Report on behalf of 65-73 Eckford Realty, LLC for the above referenced Site. Copies of this Project Status Report have also been provided to Scarlett McLaughlin and Arunesh Ghosh of the New York State Department of Health. The Project Status Report is for 1 August 2023 to 1 September 2023. If you have any questions, please contact us at 646-277-5688.

Sincerely yours,
HALEY & ALDRICH OF NEW YORK

A handwritten signature in black ink that reads 'Mari Cate Conlon'.

Mari Cate Conlon
Associate

CC:

Bob Corcoran (NYSDEC)
Scarlett McLaughlin (NYSDOH)
Arunesh Ghosh (NYSDOH)
65-73 Eckford Realty, LLC
Isaac Sofer (Prestige NY LLC)
Jon Schuyler Brooks (Abramson Brooks LLP)

Email: bob.corcoran@dec.ny.gov
Email: scarlett.mclaughlin@health.ny.gov
Email: arunesh.ghosh@health.ny.gov
Email: abe6991@gmail.com
Email: isaac@prestigeny.com
Email: jbrooks@abramsonbrooks.com

This status report summarizes activities conducted at the Former Carter Spray Finishing Corp. Site (the Site) located at 65 Eckford Street, Brooklyn, NY from 1 August 2023 to 1 September 2023. A Site plan showing the current Site conditions is included as Figure 1.

Remedial Measure Activities

Remedial activities during this reporting period included soil excavation and stockpiling in all regions of the Site to facilitate support-of-excavation (SOE) installation. Additionally, a total of 79 trucks (approx. 1580 cubic yards) were loaded with hazardous lead-impacted soil for disposal at Cycle Chem Inc and a total of 62 trucks (approx. 1240 cubic yards) were loaded with hazardous lead-impacted soil for disposal at Clean Earth of North Jersey between 1 August 2023 and 1 September 2023.

On 17 August 2023, samples were collected from both offsite sentinel wells, OW-1 and OW-2, respectively, and on 16 August 2023, influent and effluent samples were collected from the active dewatering system as per the NYSDEC approved Water Withdrawal, Treatment & Discharge Plan.

Sampling Results and Other Data

Multiple endpoints were collected during this reporting period including EP-01, EP-02, EP-03, EP-05, EP-07, EP-08, and EP-10. Influent and effluent sampling results from the active dewatering system are provided in Attachment A. Sampling results for the offsite sentinel wells are provided in Attachment B.

Estimated Percentage of Project Completion

The remedial action phase is 70% complete.

Delays Encountered

None.

Site Communication and Deliverable Submittals

Twenty-three daily reports were submitted to New York State Department of Environmental Conservation (NYSDEC) and New York State Department of Health (NYSDOH) during this reporting period.

Anticipated Activities during Next Reporting Period(s)

Continued Site preparation, tie-back installation, soil excavation and load out of offsite disposal, sampling of offsite groundwater monitoring wells, dewatering system effluent and influent sampling are anticipated during the next reporting period(s).

Anticipated Citizen Participation Activities

Current Period

None.

Anticipated Next Period

None.

Other Notable Items

None.

Figures

Figure 1 – Current Site Conditions Map

Attachments

Attachment A – Analytical Data for Influent and Effluent Dewatering Samples – August 2023

Attachment B – Analytical Data for Offsite Sentinel Wells – August 2023

FIGURES

C:\GIS\FILE_PATH_C:\Users\hwacholz\Documents\working\perses\2021_08\202156_000_0002_SITE_PLAN.mxd — USER: hwacholz — LAST SAVED: 8/2/2021 1:00:46 PM



LEGEND

 SITE BOUNDARY

NOTES

- 1. ALL LOCATIONS ARE APPROXIMATE.
- 2. AERIAL IMAGERY SOURCE: NEARMAP, 12 MARCH 2021



0 20 40
SCALE IN FEET

**HALEY
ALDRICH**

65 ECKFORD STREET
BROOKLYN, NEW YORK

CURRENT SITE CONDITIONS MAP

SEPTEMBER 2023

FIGURE 1

Former Carter Spray Finishing Corp. - BCP Site C224218

8 September 2023

Page 5

ATTACHMENT A

Analytical Data for Influent and Effluent Dewatering Samples – August 2023



ANALYTICAL REPORT

Lab Number:	L2347430
Client:	Haley & Aldrich 213 West 35th Street 7th Floor New York, NY 10123
ATTN:	Mari Cate Conlon
Phone:	(347) 271-1521
Project Name:	65 ECKFORD STREET
Project Number:	0202156
Report Date:	08/28/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2347430-01	EFFLUENT DW SAMPLE_20230816	WATER	65 ECKFORD ST, BROOKLYN, NY	08/16/23 08:30	08/16/23
L2347430-02	INFLUENT DW SAMPLE_20230816	WATER	65 ECKFORD ST, BROOKLYN, NY	08/16/23 09:00	08/16/23
L2347430-03	TB01_20230816	WATER	65 ECKFORD ST, BROOKLYN, NY	08/16/23 00:00	08/16/23

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Case Narrative (continued)

Report Submission

August 28, 2023: This final report includes the results of all requested analyses.

August 23, 2023: This is a preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Chloride

The Effluent (L2347430-01) result is greater than the Influent (L2347430-02) result. The sample containers were verified as being labeled correctly by the laboratory, and difference is within % RPD limits; therefore, no further action was taken.

CBOD, 5 day

The Effluent (L23473430-01) result is slightly higher than the Influent (L2347430-02) result; however, the results are less than five times the reporting limits. Therefore, no further action was taken.

L2347430-02: The sample was set at the correct dilution for CBOD analysis according to prep screening; however, not enough depletion occurred. Therefore, the sample result is reported as "non-detect" at an elevated detection limit. Due to the expiration of the method required holding time, re-analysis could not be performed.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Tiffani Morrissey

Title: Technical Director/Representative

Date: 08/28/23

ORGANICS

VOLATILES

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-01
 Client ID: EFFLUENT DW SAMPLE_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 08:30
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 08/17/23 14:31
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-Xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Methyl tert butyl Ether	0.19	J	ug/l	10	0.19	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	102		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	99		60-140

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-02
Client ID: INFLUENT DW SAMPLE_20230816
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 09:00
Date Received: 08/16/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 128,624.1
Analytical Date: 08/18/23 16:12
Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	1.0	0.56	1
1,1-Dichloroethane	ND		ug/l	1.5	0.40	1
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
1,2-Dichloropropane	ND		ug/l	3.5	0.46	1
Dibromochloromethane	ND		ug/l	1.0	0.27	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34	1
2-Chloroethylvinyl ether	ND		ug/l	10	0.35	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
Chlorobenzene	ND		ug/l	3.5	0.30	1
Trichlorofluoromethane	ND		ug/l	5.0	0.28	1
1,2-Dichloroethane	ND		ug/l	1.5	0.47	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Bromodichloromethane	ND		ug/l	1.0	0.28	1
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31	1
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34	1
Bromoform	ND		ug/l	1.0	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
Chloromethane	ND		ug/l	5.0	1.0	1
Bromomethane	ND		ug/l	5.0	1.2	1
Vinyl chloride	ND		ug/l	1.0	0.38	1
Chloroethane	ND		ug/l	2.0	0.37	1
1,1-Dichloroethene	ND		ug/l	1.0	0.31	1
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17	1

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-02
 Client ID: INFLUENT DW SAMPLE_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 09:00
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.33	1
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28	1
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Styrene	ND		ug/l	1.0	0.37	1
Acetone	5.6	J	ug/l	10	2.4	1
Carbon disulfide	ND		ug/l	5.0	0.28	1
2-Butanone	ND		ug/l	10	1.0	1
Vinyl acetate	ND		ug/l	10	0.41	1
4-Methyl-2-pentanone	ND		ug/l	10	0.19	1
2-Hexanone	ND		ug/l	10	0.55	1
Acrolein	ND		ug/l	8.0	1.8	1
Acrylonitrile	ND		ug/l	10	0.33	1
Dibromomethane	ND		ug/l	1.0	0.23	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	99		60-140
Fluorobenzene	92		60-140
4-Bromofluorobenzene	87		60-140

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-03
 Client ID: TB01_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 00:00
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 128,624.1
 Analytical Date: 08/17/23 09:58
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Chloroform	ND		ug/l	1.0	0.38	1
Carbon tetrachloride	ND		ug/l	1.0	0.24	1
Tetrachloroethene	ND		ug/l	1.0	0.26	1
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29	1
Benzene	ND		ug/l	1.0	0.38	1
Toluene	ND		ug/l	1.0	0.31	1
Ethylbenzene	ND		ug/l	1.0	0.28	1
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29	1
p/m-Xylene	ND		ug/l	2.0	0.30	1
o-Xylene	ND		ug/l	1.0	0.34	1
Xylenes, Total	ND		ug/l	1.0	0.30	1
Methyl tert butyl Ether	ND		ug/l	10	0.19	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	102		60-140
Fluorobenzene	88		60-140
4-Bromofluorobenzene	105		60-140

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 128,624.1
Analytical Date: 08/17/23 08:50
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03 Batch: WG1817479-4					
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
Tetrachloroethene	ND		ug/l	1.0	0.26
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-Xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Methyl tert butyl Ether	ND		ug/l	10	0.19

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	106		60-140
Fluorobenzene	89		60-140
4-Bromofluorobenzene	104		60-140

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 128,624.1
Analytical Date: 08/18/23 11:18
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02 Batch: WG1818056-4					
Methylene chloride	ND		ug/l	1.0	0.56
1,1-Dichloroethane	ND		ug/l	1.5	0.40
Chloroform	ND		ug/l	1.0	0.38
Carbon tetrachloride	ND		ug/l	1.0	0.24
1,2-Dichloropropane	ND		ug/l	3.5	0.46
Dibromochloromethane	ND		ug/l	1.0	0.27
1,1,2-Trichloroethane	ND		ug/l	1.5	0.34
2-Chloroethylvinyl ether	ND		ug/l	10	0.35
Tetrachloroethene	ND		ug/l	1.0	0.26
Chlorobenzene	ND		ug/l	3.5	0.30
Trichlorofluoromethane	ND		ug/l	5.0	0.28
1,2-Dichloroethane	ND		ug/l	1.5	0.47
1,1,1-Trichloroethane	ND		ug/l	2.0	0.29
Bromodichloromethane	ND		ug/l	1.0	0.28
trans-1,3-Dichloropropene	ND		ug/l	1.5	0.31
cis-1,3-Dichloropropene	ND		ug/l	1.5	0.34
Bromoform	ND		ug/l	1.0	0.22
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.20
Benzene	ND		ug/l	1.0	0.38
Toluene	ND		ug/l	1.0	0.31
Ethylbenzene	ND		ug/l	1.0	0.28
Chloromethane	ND		ug/l	5.0	1.0
Bromomethane	ND		ug/l	5.0	1.2
Vinyl chloride	ND		ug/l	1.0	0.38
Chloroethane	ND		ug/l	2.0	0.37
1,1-Dichloroethene	ND		ug/l	1.0	0.31
trans-1,2-Dichloroethene	ND		ug/l	1.5	0.33
cis-1,2-Dichloroethene	ND		ug/l	1.0	0.17
Trichloroethene	ND		ug/l	1.0	0.33

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 128,624.1
Analytical Date: 08/18/23 11:18
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02 Batch: WG1818056-4					
1,2-Dichlorobenzene	ND		ug/l	5.0	0.28
1,3-Dichlorobenzene	ND		ug/l	5.0	0.27
1,4-Dichlorobenzene	ND		ug/l	5.0	0.29
p/m-Xylene	ND		ug/l	2.0	0.30
o-xylene	ND		ug/l	1.0	0.34
Xylenes, Total	ND		ug/l	1.0	0.30
Styrene	ND		ug/l	1.0	0.37
Acetone	ND		ug/l	10	2.4
Carbon disulfide	ND		ug/l	5.0	0.28
2-Butanone	ND		ug/l	10	1.0
Vinyl acetate	ND		ug/l	10	0.41
4-Methyl-2-pentanone	ND		ug/l	10	0.19
2-Hexanone	ND		ug/l	10	0.55
Acrolein	ND		ug/l	8.0	1.8
Acrylonitrile	ND		ug/l	10	0.33
Dibromomethane	ND		ug/l	1.0	0.23

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Pentafluorobenzene	102		60-140
Fluorobenzene	104		60-140
4-Bromofluorobenzene	82		60-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03 Batch: WG1817479-3								
Chloroform	105		-		70-135	-		54
Carbon tetrachloride	120		-		70-130	-		41
Tetrachloroethene	115		-		70-130	-		39
1,1,1-Trichloroethane	115		-		70-130	-		36
Benzene	100		-		65-135	-		61
Toluene	100		-		70-130	-		41
Ethylbenzene	95		-		60-140	-		63
1,4-Dichlorobenzene	100		-		65-135	-		57
p/m-Xylene	98		-		60-140	-		30
o-Xylene	95		-		60-140	-		30
Methyl tert butyl Ether	85		-		60-140	-		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	111				60-140
Fluorobenzene	98				60-140
4-Bromofluorobenzene	108				60-140

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347430

Project Number: 0202156

Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1818056-3								
Methylene chloride	70		-		60-140	-		28
1,1-Dichloroethane	75		-		50-150	-		49
Chloroform	75		-		70-135	-		54
Carbon tetrachloride	85		-		70-130	-		41
1,2-Dichloropropane	80		-		35-165	-		55
Dibromochloromethane	105		-		70-135	-		50
1,1,2-Trichloroethane	90		-		70-130	-		45
2-Chloroethylvinyl ether	100		-		1-225	-		71
Tetrachloroethene	90		-		70-130	-		39
Chlorobenzene	75		-		65-135	-		53
Trichlorofluoromethane	70		-		50-150	-		84
1,2-Dichloroethane	75		-		70-130	-		49
1,1,1-Trichloroethane	75		-		70-130	-		36
Bromodichloromethane	85		-		65-135	-		56
trans-1,3-Dichloropropene	90		-		50-150	-		86
cis-1,3-Dichloropropene	90		-		25-175	-		58
Bromoform	90		-		70-130	-		42
1,1,2,2-Tetrachloroethane	90		-		60-140	-		61
Benzene	80		-		65-135	-		61
Toluene	90		-		70-130	-		41
Ethylbenzene	80		-		60-140	-		63
Chloromethane	80		-		1-205	-		60
Bromomethane	45		-		15-185	-		61

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1818056-3								
Vinyl chloride	80		-		5-195	-		66
Chloroethane	85		-		40-160	-		78
1,1-Dichloroethene	75		-		50-150	-		32
trans-1,2-Dichloroethene	75		-		70-130	-		45
cis-1,2-Dichloroethene	75		-		60-140	-		30
Trichloroethene	80		-		65-135	-		48
1,2-Dichlorobenzene	80		-		65-135	-		57
1,3-Dichlorobenzene	70		-		70-130	-		43
1,4-Dichlorobenzene	80		-		65-135	-		57
p/m-Xylene	72		-		60-140	-		30
o-xylene	75		-		60-140	-		30
Styrene	75		-		60-140	-		30
Acetone	86		-		40-160	-		30
Carbon disulfide	65		-		60-140	-		30
2-Butanone	96		-		60-140	-		30
Vinyl acetate	115		-		60-140	-		30
4-Methyl-2-pentanone	100		-		60-140	-		30
2-Hexanone	112		-		60-140	-		30
Acrolein	90		-		60-140	-		30
Acrylonitrile	85		-		60-140	-		60
Dibromomethane	85		-		70-130	-		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02 Batch: WG1818056-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Pentafluorobenzene	103				60-140
Fluorobenzene	97				60-140
4-Bromofluorobenzene	85				60-140

SEMIVOLATILES

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-01
 Client ID: EFFLUENT DW SAMPLE_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 08:30
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 129,625.1
 Analytical Date: 08/18/23 04:40
 Analyst: SZ

Extraction Method: EPA 625.1
 Extraction Date: 08/17/23 04:04

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.00	1.49	1
Naphthalene	ND		ug/l	2.00	0.896	1
Phenol	ND		ug/l	5.00	0.262	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	55		25-87
Phenol-d6	40		16-65
Nitrobenzene-d5	78		42-122
2-Fluorobiphenyl	80		46-121
2,4,6-Tribromophenol	86		45-128
4-Terphenyl-d14	81		47-138

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-02
 Client ID: INFLUENT DW SAMPLE_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 09:00
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 129,625.1
 Analytical Date: 08/18/23 05:06
 Analyst: SZ

Extraction Method: EPA 625.1
 Extraction Date: 08/17/23 04:04

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.00	1.49	1
Naphthalene	ND		ug/l	2.00	0.896	1
Phenol	0.660	J	ug/l	5.00	0.262	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	49		25-87
Phenol-d6	36		16-65
Nitrobenzene-d5	66		42-122
2-Fluorobiphenyl	70		46-121
2,4,6-Tribromophenol	72		45-128
4-Terphenyl-d14	72		47-138

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 129,625.1
Analytical Date: 08/18/23 01:36
Analyst: SZ

Extraction Method: EPA 625.1
Extraction Date: 08/17/23 04:04

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1816808-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.00	1.49
Naphthalene	ND		ug/l	2.00	0.896
Phenol	ND		ug/l	5.00	0.262

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		25-87
Phenol-d6	34		16-65
Nitrobenzene-d5	63		42-122
2-Fluorobiphenyl	70		46-121
2,4,6-Tribromophenol	61		45-128
4-Terphenyl-d14	72		47-138

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1816808-3								
1,2,4-Trichlorobenzene	58		-		57-130	-		50
Naphthalene	64		-		36-120	-		65
Phenol	39		-		17-120	-		64

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	48				25-87
Phenol-d6	36				16-65
Nitrobenzene-d5	64				42-122
2-Fluorobiphenyl	66				46-121
2,4,6-Tribromophenol	61				45-128
4-Terphenyl-d14	64				47-138

PCBS

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-01
 Client ID: EFFLUENT DW SAMPLE_20230816
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 08:30
 Date Received: 08/16/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 127,608.3
 Analytical Date: 08/18/23 16:43
 Analyst: ER

Extraction Method: EPA 608.3
 Extraction Date: 08/17/23 11:28
 Cleanup Method: EPA 3665A
 Cleanup Date: 08/17/23
 Cleanup Method: EPA 3660B
 Cleanup Date: 08/18/23

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.050	0.008	1	A
Aroclor 1221	ND		ug/l	0.050	0.011	1	A
Aroclor 1232	ND		ug/l	0.050	0.023	1	A
Aroclor 1242	ND		ug/l	0.050	0.018	1	A
Aroclor 1248	ND		ug/l	0.050	0.023	1	A
Aroclor 1254	ND		ug/l	0.050	0.008	1	A
Aroclor 1260	ND		ug/l	0.050	0.017	1	A
PCBs, Total	ND		ug/l	0.050	0.008	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	71		37-123	A
Decachlorobiphenyl	74		38-114	A
2,4,5,6-Tetrachloro-m-xylene	77		37-123	B
Decachlorobiphenyl	81		38-114	B

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-02
Client ID: INFLUENT DW SAMPLE_20230816
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 09:00
Date Received: 08/16/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 127,608.3
Analytical Date: 08/18/23 16:51
Analyst: ER

Extraction Method: EPA 608.3
Extraction Date: 08/17/23 11:28
Cleanup Method: EPA 3665A
Cleanup Date: 08/17/23
Cleanup Method: EPA 3660B
Cleanup Date: 08/18/23

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.050	0.008	1	A
Aroclor 1221	ND		ug/l	0.050	0.011	1	A
Aroclor 1232	ND		ug/l	0.050	0.023	1	A
Aroclor 1242	ND		ug/l	0.050	0.018	1	A
Aroclor 1248	ND		ug/l	0.050	0.023	1	A
Aroclor 1254	ND		ug/l	0.050	0.008	1	A
Aroclor 1260	ND		ug/l	0.050	0.017	1	A
PCBs, Total	ND		ug/l	0.050	0.008	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		37-123	A
Decachlorobiphenyl	51		38-114	A
2,4,5,6-Tetrachloro-m-xylene	72		37-123	B
Decachlorobiphenyl	57		38-114	B

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 127,608.3
Analytical Date: 08/18/23 02:45
Analyst: ER

Extraction Method: EPA 608.3
Extraction Date: 08/17/23 09:13
Cleanup Method: EPA 3665A
Cleanup Date: 08/17/23
Cleanup Method: EPA 3660B
Cleanup Date: 08/17/23

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-02 Batch: WG1817024-1						
Aroclor 1016	ND		ug/l	0.050	0.008	A
Aroclor 1221	ND		ug/l	0.050	0.011	A
Aroclor 1232	ND		ug/l	0.050	0.023	A
Aroclor 1242	ND		ug/l	0.050	0.018	A
Aroclor 1248	ND		ug/l	0.050	0.023	A
Aroclor 1254	ND		ug/l	0.050	0.008	A
Aroclor 1260	ND		ug/l	0.050	0.017	A
PCBs, Total	ND		ug/l	0.050	0.008	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		37-123	A
Decachlorobiphenyl	61		38-114	A
2,4,5,6-Tetrachloro-m-xylene	66		37-123	B
Decachlorobiphenyl	71		38-114	B

Lab Control Sample Analysis Batch Quality Control

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-02 Batch: WG1817024-2									
Aroclor 1016	71		-		50-140	-		36	A
Aroclor 1260	65		-		8-140	-		38	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	56				37-123	A
Decachlorobiphenyl	58				38-114	A
2,4,5,6-Tetrachloro-m-xylene	62				37-123	B
Decachlorobiphenyl	65				38-114	B

METALS

Project Name: 65 ECKFORD STREET**Lab Number:** L2347430**Project Number:** 0202156**Report Date:** 08/28/23**SAMPLE RESULTS**

Lab ID: L2347430-01

Date Collected: 08/16/23 08:30

Client ID: EFFLUENT DW SAMPLE_20230816

Date Received: 08/16/23

Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Cadmium, Total	ND		mg/l	0.0050	0.0010	1	08/18/23 00:38	08/25/23 07:43	EPA 3005A	19,200.7	DMB
Copper, Total	0.0060	J	mg/l	0.0100	0.0022	1	08/18/23 00:38	08/25/23 07:43	EPA 3005A	19,200.7	DMB
Lead, Total	ND		mg/l	0.0100	0.0027	1	08/18/23 00:38	08/25/23 07:43	EPA 3005A	19,200.7	DMB
Mercury, Total	ND		mg/l	0.00020	0.00009	1	08/18/23 02:05	08/19/23 16:18	EPA 245.1	3,245.1	GMG
Nickel, Total	0.0038	J	mg/l	0.0250	0.0024	1	08/18/23 00:38	08/25/23 07:43	EPA 3005A	19,200.7	DMB
Zinc, Total	0.0128		mg/l	0.0050	0.0021	1	08/18/23 00:38	08/25/23 07:43	EPA 3005A	19,200.7	DMB



Project Name: 65 ECKFORD STREET**Lab Number:** L2347430**Project Number:** 0202156**Report Date:** 08/28/23**SAMPLE RESULTS**

Lab ID: L2347430-02

Date Collected: 08/16/23 09:00

Client ID: INFLUENT DW SAMPLE_20230816

Date Received: 08/16/23

Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Cadmium, Total	ND		mg/l	0.0050	0.0010	1	08/18/23 00:38	08/25/23 07:30	EPA 3005A	19,200.7	DMB
Copper, Total	0.0432		mg/l	0.0100	0.0022	1	08/18/23 00:38	08/25/23 07:30	EPA 3005A	19,200.7	DMB
Lead, Total	0.171		mg/l	0.0100	0.0027	1	08/18/23 00:38	08/25/23 07:30	EPA 3005A	19,200.7	DMB
Mercury, Total	0.00196		mg/l	0.00020	0.00009	1	08/18/23 02:05	08/19/23 16:22	EPA 245.1	3,245.1	GMG
Nickel, Total	0.0190	J	mg/l	0.0250	0.0024	1	08/18/23 00:38	08/25/23 07:30	EPA 3005A	19,200.7	DMB
Zinc, Total	0.143		mg/l	0.0050	0.0021	1	08/18/23 00:38	08/25/23 07:30	EPA 3005A	19,200.7	DMB

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1816933-1									
Cadmium, Total	ND	mg/l	0.0050	0.0010	1	08/18/23 00:38	08/25/23 07:21	19,200.7	DMB
Copper, Total	ND	mg/l	0.0100	0.0022	1	08/18/23 00:38	08/25/23 07:21	19,200.7	DMB
Lead, Total	ND	mg/l	0.0100	0.0027	1	08/18/23 00:38	08/25/23 07:21	19,200.7	DMB
Nickel, Total	ND	mg/l	0.0250	0.0024	1	08/18/23 00:38	08/25/23 07:21	19,200.7	DMB
Zinc, Total	ND	mg/l	0.0050	0.0021	1	08/18/23 00:38	08/25/23 07:21	19,200.7	DMB

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1816936-1									
Mercury, Total	ND	mg/l	0.00020	0.00009	1	08/18/23 02:05	08/19/23 15:55	3,245.1	GMG

Prep Information

Digestion Method: EPA 245.1

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1816933-2								
Cadmium, Total	103		-		85-115	-		
Copper, Total	104		-		85-115	-		
Lead, Total	103		-		85-115	-		
Nickel, Total	103		-		85-115	-		
Zinc, Total	105		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1816936-2								
Mercury, Total	108		-		85-115	-		

Matrix Spike Analysis Batch Quality Control

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1816933-7 QC Sample: L2347430-01 Client ID: EFFLUENT DW SAMPLE_20230816												
Cadmium, Total	ND	0.053	0.0551	104		-	-		75-125	-		20
Copper, Total	0.0060J	0.25	0.272	109		-	-		75-125	-		20
Lead, Total	ND	0.53	0.547	103		-	-		75-125	-		20
Nickel, Total	0.0038J	0.5	0.523	105		-	-		75-125	-		20
Zinc, Total	0.0128	0.5	0.545	106		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1816936-3 QC Sample: L2347457-01 Client ID: MS Sample												
Mercury, Total	ND	0.005	0.00532	106		-	-		70-130	-		20

Lab Duplicate Analysis
Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1816933-8 QC Sample: L2347430-01 Client ID: EFFLUENT DW SAMPLE_20230816						
Cadmium, Total	ND	ND	mg/l	NC		20
Copper, Total	0.0060J	0.0061J	mg/l	NC		20
Lead, Total	ND	ND	mg/l	NC		20
Nickel, Total	0.0038J	0.0037J	mg/l	NC		20
Zinc, Total	0.0128	0.0129	mg/l	1		20
Total Metals - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1816936-4 QC Sample: L2347457-01 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/l	NC		20

INORGANICS & MISCELLANEOUS

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-01
Client ID: EFFLUENT DW SAMPLE_20230816
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 08:30
Date Received: 08/16/23
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	900		mg/l	10	NA	1	-	08/18/23 14:46	121,2540B	SMD
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	08/17/23 19:50	121,2540D	REM
Chloride	150		mg/l	10	8.9	10	-	08/21/23 23:08	121,4500CL-E	TLH
pH (H)	7.23		SU	-	NA	1	-	08/17/23 09:25	121,4500H+-B	OCF
Nitrogen, Nitrate/Nitrite	ND		mg/l	0.10	0.046	1	-	08/18/23 06:00	44,353.2	KAF
Total Nitrogen	5.9		mg/l	0.30	0.30	1	-	08/22/23 11:55	107,-	MRM
Nitrogen, Total Kjeldahl	5.90		mg/l	0.300	0.066	1	08/17/23 17:46	08/18/23 18:20	121,4500NH3-H	AVT
CBOD, 5 day	9.2		mg/l	2.0	NA	1	08/17/23 18:21	08/22/23 17:00	121,5210B	JRG
Non-Polar Material By EPA 1664	ND		mg/l	4.00	1.24	1	08/18/23 19:06	08/19/23 02:42	140,1664B	QJM
Flash Point	>150		deg F	70	NA	1	-	08/21/23 15:10	1,1010A	GEF
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	08/17/23 07:00	08/17/23 07:20	121,3500CR-B	OCF



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

SAMPLE RESULTS

Lab ID: L2347430-02
Client ID: INFLUENT DW SAMPLE_20230816
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/16/23 09:00
Date Received: 08/16/23
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	1200		mg/l	20	NA	2	-	08/18/23 14:46	121,2540B	SMD
Solids, Total Suspended	300		mg/l	20	NA	4	-	08/17/23 19:50	121,2540D	REM
Chloride	140		mg/l	10	8.9	10	-	08/21/23 23:11	121,4500CL-E	TLH
pH (H)	7.10		SU	-	NA	1	-	08/17/23 09:25	121,4500H+-B	OCF
Nitrogen, Nitrate/Nitrite	0.26		mg/l	0.10	0.046	1	-	08/18/23 06:02	44,353.2	KAF
Total Nitrogen	8.4		mg/l	0.30	0.30	1	-	08/22/23 11:55	107,-	MRM
Nitrogen, Total Kjeldahl	8.14		mg/l	0.300	0.066	1	08/17/23 17:46	08/18/23 18:21	121,4500NH3-H	AVT
CBOD, 5 day	ND		mg/l	4.0	NA	2	08/17/23 18:21	08/22/23 17:00	121,5210B	JRG
Non-Polar Material By EPA 1664	ND		mg/l	4.00	1.24	1	08/18/23 19:06	08/19/23 02:43	140,1664B	QJM
Flash Point	>150		deg F	70	NA	1	-	08/21/23 15:10	1,1010A	GEF
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	08/17/23 07:00	08/17/23 07:20	121,3500CR-B	OCF



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1816817-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	08/17/23 07:00	08/17/23 07:12	121,3500CR-B	OCF
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817031-1										
Nitrogen, Total Kjeldahl	ND		mg/l	0.300	0.022	1	08/17/23 17:46	08/18/23 18:13	121,4500NH3-H	AVT
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817180-1										
CBOD, 5 day	ND		mg/l	2.0	NA	1	08/17/23 18:21	08/22/23 17:00	121,5210B	JRG
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817219-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	08/17/23 19:50	121,2540D	REM
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817267-1										
Nitrogen, Nitrate/Nitrite	ND		mg/l	0.10	0.046	1	-	08/18/23 03:13	44,353.2	KAF
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817547-1										
Solids, Total	ND		mg/l	10	NA	1	-	08/18/23 14:46	121,2540B	SMD
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1817677-1										
Non-Polar Material By EPA 1664	ND		mg/l	4.00	1.24	1	08/18/23 19:06	08/19/23 02:46	140,1664B	QJM
General Chemistry - Westborough Lab for sample(s): 01-02 Batch: WG1818403-1										
Chloride	ND		mg/l	1.0	0.89	1	-	08/21/23 21:25	121,4500CL-E	TLH

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1816817-2								
Chromium, Hexavalent	94		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1816958-1								
pH	101		-		99-101	-		5
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817031-2								
Nitrogen, Total Kjeldahl	93		-		78-122	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817180-2								
CBOD, 5 day	86		-		41-119	-		49
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817219-2								
Solids, Total Suspended	108		-		80-120	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817267-2								
Nitrogen, Nitrate/Nitrite	98		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817547-2								
Solids, Total	95		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1817677-2					
Non-Polar Material By EPA 1664	82	-	64-132	-	34
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1818351-1					
Flash Point	99	-	96-104	-	
General Chemistry - Westborough Lab Associated sample(s): 01-02 Batch: WG1818403-2					
Chloride	97	-	90-110	-	

Matrix Spike Analysis Batch Quality Control

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1816817-4 QC Sample: L2347430-01 Client ID: EFFLUENT DW SAMPLE_20230816												
Chromium, Hexavalent	ND	0.1	0.103	103	-	-	-	-	85-115	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1817031-4 QC Sample: L2345662-02 Client ID: MS Sample												
Nitrogen, Total Kjeldahl	0.927	8	7.82	86	-	-	-	-	77-111	-	-	24
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1817180-4 QC Sample: L2347374-02 Client ID: MS Sample												
CBOD, 5 day	ND	100	300	302	Q	-	-	-	36-125	-	-	49
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1817267-4 QC Sample: L2347874-01 Client ID: MS Sample												
Nitrogen, Nitrate/Nitrite	0.37	4	4.3	98	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1817677-4 QC Sample: L2344660-35 Client ID: MS Sample												
Non-Polar Material By EPA 1664	ND	19	9.38	49	Q	-	-	-	64-132	-	-	34
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG1818403-4 QC Sample: L2344645-01 Client ID: MS Sample												
Chloride	24.	20	44	100	-	-	-	-	58-140	-	-	7

Lab Duplicate Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347430

Report Date: 08/28/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 SAMPLE_20230816	QC Batch ID: WG1816817-3	QC Sample: L2347430-02	Client ID: INFLUENT DW			
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1816958-2	QC Sample: L2347552-01	Client ID: DUP Sample			
pH	7.35	7.27	SU	1		5
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817031-3	QC Sample: L2345662-02	Client ID: DUP Sample			
Nitrogen, Total Kjeldahl	0.927	0.739	mg/l	23		24
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817180-3	QC Sample: L2347374-02	Client ID: DUP Sample			
CBOD, 5 day	ND	ND	mg/l	NC		49
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817219-4	QC Sample: L2347423-01	Client ID: DUP Sample			
Solids, Total Suspended	880	870	mg/l	1		32
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817267-3	QC Sample: L2347874-01	Client ID: DUP Sample			
Nitrogen, Nitrate/Nitrite	0.37	0.37	mg/l	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817547-3	QC Sample: L2347636-01	Client ID: DUP Sample			
Solids, Total	2100	2100	mg/l	0		16
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1817677-3	QC Sample: L2344660-33	Client ID: DUP Sample			
Non-Polar Material By EPA 1664	ND	ND	mg/l	NC		34
General Chemistry - Westborough Lab Associated sample(s): 01-02	QC Batch ID: WG1818403-3	QC Sample: L2344645-01	Client ID: DUP Sample			
Chloride	24.	24	mg/l	0		7

Project Name: 65 ECKFORD STREET**Lab Number:** L2347430**Project Number:** 0202156**Report Date:** 08/28/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2347430-01A	Vial Na2S2O3 preserved	A	NA		3.4	Y	Absent		624-NYDEP(7)
L2347430-01B	Vial Na2S2O3 preserved	A	NA		3.4	Y	Absent		624-NYDEP(7)
L2347430-01C	Vial Na2S2O3 preserved	A	NA		3.4	Y	Absent		624-NYDEP(7)
L2347430-01D	Plastic 250ml HNO3 preserved	A	<2	<2	3.4	Y	Absent		NI-UI(180),ZN-UI(180),HG-U(28),CD-UI(180),CU-UI(180),PB-UI(180)
L2347430-01E	Plastic 250ml H2SO4 preserved	A	<2	<2	3.4	Y	Absent		TKN-4500(28),NO3/NO2-353(28),TNITROGEN(28)
L2347430-01F	Amber 250ml unpreserved	A	7	7	3.4	Y	Absent		FLASH()
L2347430-01G	Plastic 950ml unpreserved	A	7	7	3.4	Y	Absent		TSC-2540(7),CL-4500(28),HEXCR-3500(1),CBOD5(2),PH-4500(.01)
L2347430-01H	Plastic 950ml unpreserved	A	7	7	3.4	Y	Absent		TSC-2540(7),CL-4500(28),HEXCR-3500(1),CBOD5(2),PH-4500(.01)
L2347430-01I	Plastic 950ml unpreserved	A	7	7	3.4	Y	Absent		TSS-2540(7)
L2347430-01J	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		625-NYDEP(7)
L2347430-01K	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		625-NYDEP(7)
L2347430-01L	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		NYPGB-608-2L(365)
L2347430-01M	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		NYPGB-608-2L(365)
L2347430-01N	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		NYPGB-608-2L(365)
L2347430-01O	Amber 1000ml Na2S2O3	A	7	7	3.4	Y	Absent		NYPGB-608-2L(365)
L2347430-01P	Amber 1000ml HCl preserved	A	NA		3.4	Y	Absent		NYTPH-1664(28)
L2347430-01Q	Amber 1000ml HCl preserved	A	NA		3.4	Y	Absent		NYTPH-1664(28)
L2347430-02A	Vial Na2S2O3 preserved	B	NA		2.6	Y	Absent		-
L2347430-02B	Vial Na2S2O3 preserved	B	NA		2.6	Y	Absent		624.1(3)
L2347430-02C	Vial Na2S2O3 preserved	B	NA		2.6	Y	Absent		-

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Serial_No:08282320:08
Lab Number: L2347430
Report Date: 08/28/23

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2347430-02D	Plastic 250ml HNO3 preserved	B	<2	<2	2.6	Y	Absent		NI-UI(180),ZN-UI(180),HG-U(28),CD-UI(180),CU-UI(180),PB-UI(180)
L2347430-02E	Plastic 250ml H2SO4 preserved	B	<2	<2	2.6	Y	Absent		TKN-4500(28),NO3/NO2-353(28),TNITROGEN(28)
L2347430-02F	Amber 250ml unpreserved	B	7	7	2.6	Y	Absent		FLASH()
L2347430-02G	Plastic 950ml unpreserved	B	7	7	2.6	Y	Absent		TSC-2540(7),HEXCR-3500(1),CL-4500(28),CBOD5(2),PH-4500(.01)
L2347430-02H	Plastic 950ml unpreserved	B	7	7	2.6	Y	Absent		TSC-2540(7),HEXCR-3500(1),CL-4500(28),CBOD5(2),PH-4500(.01)
L2347430-02I	Plastic 950ml unpreserved	B	7	7	2.6	Y	Absent		TSS-2540(7)
L2347430-02J	Amber 1000ml Na2S2O3	B	7	7	2.6	Y	Absent		NYPGB-608-2L(365)
L2347430-02K	Amber 1000ml Na2S2O3	B	7	7	2.6	Y	Absent		NYPGB-608-2L(365)
L2347430-02L	Amber 1000ml Na2S2O3	B	7	7	2.6	Y	Absent		NYPGB-608-2L(365)
L2347430-02M	Amber 1000ml Na2S2O3	B	7	7	2.6	Y	Absent		NYPGB-608-2L(365)
L2347430-02N	Amber 1000ml Na2S2O3	B	7	7	2.6	Y	Absent		625-NYDEP(7)
L2347430-02O	Amber 1000ml Na2S2O3	B	NA	NA	2.6	Y	Absent		ARCHIVE()
L2347430-02P	Amber 1000ml HCl preserved	B	NA		2.6	Y	Absent		NYTPH-1664(28)
L2347430-02Q	Amber 1000ml HCl preserved	B	NA		2.6	Y	Absent		NYTPH-1664(28)
L2347430-03A	Vial Na2S2O3 preserved	B	NA		2.6	Y	Absent		624-NYDEP(7)

Container Comments

L2347430-02O Received empty

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347430
Report Date: 08/28/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 107 Alpha Analytical - In-house calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.
- 127 Method 608.3: Organochlorine Pesticides and PCBs by GC/HSD, EPA 821-R-16-009, December 2016.
- 128 Method 624.1: Purgeables by GC/MS, EPA 821-R-16-008, December 2016.
- 129 Method 625.1: Base/Neutrals and Acids by GC/MS, EPA 821-R-16-007, December 2016.
- 140 Method 1664, Revision B: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-10-001, February 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



CHAIN OF CUSTODY

PAGE 1 OF 1

Westborough, MA
TEL: 508-898-8220
FAX: 508-898-9183

Hansford, MA
TEL: 508-822-4300
FAX: 508-822-1288

Project Information

Project Name: 65 Eckford

Project Location: 65 Eckford St Brooklyn NY

Project #: 0202156

Project Manager: Mari Cade Conlon

ALPHA Quote #

Client Information

Client: Heloy Aldrich - NY

Address: 213 West 35th St Floor 2,
New York, NY 10123

Phone:

Fax:

Email: MConlon@heloyaldrich.com

Date Rec'd in Lab: 8/17/23 ALPHA Job #: 2347430

Report Information - Deliverables

FAX EMAIL Same as Client Info PO #:

ADEX Add Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: NYC Sanitary and Combined Sewer Discharge Criteria: NYC-SEWER

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

Yes No Are MCP Analytical Methods Required?

Yes No Are CT RCP (Reasonable Confidence Protocols) Required?

Standard Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

These samples have been previously analyzed by Alpha
Other Project Specific Requirements/Comments/Detection Limits:
Please see attached list.
Reporting limit must be 85ppt. See attached list.

ANALYSIS

VOC 624 (See Attached List)	Total Metals (See Attached List)	Chloride, CBOD, Total Solids	Total Suspended Solids	pH, HexChrom	Non Polar Material - 1664	TKN, NO3/NO2	ABN 625 (See Attached List)	PCB 608 - Must achieve 85ppt RL	Flash Point
<input checked="" type="checkbox"/>									
<input checked="" type="checkbox"/>									
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SAMPLE HANDLING

Filtration

Done

Not Needed

Lab to do

Preservation

Lab to do

(Please specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
47430-01	Effluent PW Sample 20230816	8/16/23	8:30	Water	EN
02	Influent PW Sample 20230816	8/16/23	9:00	Water	EN
03	TBOL 20230816	8/16/23	9	TB	EN

ANSWER QUESTIONS ABOVE!

OUR PROJECT
MCP or CT RCP?

Container Type	V	P	P	P	P	A	P	A	A	A	-	-
Preservative	H	C	A	A	A	B	D	H	H	-	-	-
Relinquished By:	Eddy Ninos											
Date/Time	8/16/2023 13:23											
Received By:	Anthony Green											
Date/Time	8/16/23 13:46											
Relinquished By:	Wm DeB...											
Date/Time	8/17/23 02:45											
Received By:	...											
Date/Time	8/17/23 02:45											

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples analyzed are subject to Payment Terms.

Former Carter Spray Finishing Corp. - BCP Site C224218

8 September 2023

Page 6

ATTACHMENT B

Analytical Data for Offsite Sentinel Wells – August 2023



ANALYTICAL REPORT

Lab Number:	L2347627
Client:	Haley & Aldrich 213 West 35th Street 7th Floor New York, NY 10123
ATTN:	Mari Cate Conlon
Phone:	(347) 271-1521
Project Name:	65 ECKFORD STREET
Project Number:	0202156
Report Date:	08/23/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2347627-01	OW-1_20230817	WATER	65 ECKFORD ST, BROOKLYN, NY	08/17/23 10:35	08/17/23
L2347627-02	OW-2_20230817	WATER	65 ECKFORD ST, BROOKLYN, NY	08/17/23 09:00	08/17/23
L2347627-03	TB-01_20230817	WATER	65 ECKFORD ST, BROOKLYN, NY	08/17/23 00:00	08/17/23

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Melissa Sturgis

Title: Technical Director/Representative

Date: 08/23/23

ORGANICS

VOLATILES

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-01
Client ID: OW-1_20230817
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 10:35
Date Received: 08/17/23
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 08/21/23 02:12
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	2.2	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	4.3		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-01
 Client ID: OW-1_20230817
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 10:35
 Date Received: 08/17/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	1.8	J	ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.7	J	ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	1.7	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	1.1	J	ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-01
Client ID: OW-1_20230817
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 10:35
Date Received: 08/17/23
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	104		70-130

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-02
 Client ID: OW-2_20230817
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 09:00
 Date Received: 08/17/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 08/21/23 02:38
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.08	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET**Lab Number:** L2347627**Project Number:** 0202156**Report Date:** 08/23/23**SAMPLE RESULTS**

Lab ID: L2347627-02
 Client ID: OW-2_20230817
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 09:00
 Date Received: 08/17/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-02
Client ID: OW-2_20230817
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 09:00
Date Received: 08/17/23
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	104		70-130

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-03
 Client ID: TB-01_20230817
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 00:00
 Date Received: 08/17/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 08/18/23 13:56
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET**Lab Number:** L2347627**Project Number:** 0202156**Report Date:** 08/23/23**SAMPLE RESULTS**

Lab ID: L2347627-03
 Client ID: TB-01_20230817
 Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 00:00
 Date Received: 08/17/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

SAMPLE RESULTS

Lab ID: L2347627-03
Client ID: TB-01_20230817
Sample Location: 65 ECKFORD ST, BROOKLYN, NY

Date Collected: 08/17/23 00:00
Date Received: 08/17/23
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	102		70-130

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/18/23 08:26
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1818127-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/18/23 08:26
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1818127-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/18/23 08:26
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1818127-5					
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	61.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	101		70-130

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/20/23 18:10
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1818849-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 08/20/23 18:10
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1818849-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260D
Analytical Date: 08/20/23 18:10
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1818849-5					
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	61.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1818127-3 WG1818127-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		110		70-130	10		20
Carbon tetrachloride	91		100		63-132	9		20
1,2-Dichloropropane	98		100		70-130	2		20
Dibromochloromethane	93		98		63-130	5		20
1,1,2-Trichloroethane	96		100		70-130	4		20
Tetrachloroethene	100		110		70-130	10		20
Chlorobenzene	98		100		75-130	2		20
Trichlorofluoromethane	100		110		62-150	10		20
1,2-Dichloroethane	99		100		70-130	1		20
1,1,1-Trichloroethane	100		110		67-130	10		20
Bromodichloromethane	98		100		67-130	2		20
trans-1,3-Dichloropropene	91		96		70-130	5		20
cis-1,3-Dichloropropene	95		99		70-130	4		20
1,1-Dichloropropene	99		110		70-130	11		20
Bromoform	83		85		54-136	2		20
1,1,2,2-Tetrachloroethane	100		100		67-130	0		20
Benzene	100		110		70-130	10		20
Toluene	97		100		70-130	3		20
Ethylbenzene	98		100		70-130	2		20
Chloromethane	96		100		64-130	4		20
Bromomethane	98		100		39-139	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1818127-3 WG1818127-4								
Vinyl chloride	100		110		55-140	10		20
Chloroethane	110		120		55-138	9		20
1,1-Dichloroethene	100		110		61-145	10		20
trans-1,2-Dichloroethene	100		110		70-130	10		20
Trichloroethene	89		95		70-130	7		20
1,2-Dichlorobenzene	98		100		70-130	2		20
1,3-Dichlorobenzene	99		100		70-130	1		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	92		96		63-130	4		20
p/m-Xylene	100		105		70-130	5		20
o-Xylene	95		100		70-130	5		20
cis-1,2-Dichloroethene	100		110		70-130	10		20
Dibromomethane	100		100		70-130	0		20
1,2,3-Trichloropropane	89		92		64-130	3		20
Acrylonitrile	99		97		70-130	2		20
Styrene	95		100		70-130	5		20
Dichlorodifluoromethane	92		100		36-147	8		20
Acetone	86		89		58-148	3		20
Carbon disulfide	100		110		51-130	10		20
2-Butanone	87		92		63-138	6		20
Vinyl acetate	160	Q	160	Q	70-130	0		20
4-Methyl-2-pentanone	86		91		59-130	6		20
2-Hexanone	79		86		57-130	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1818127-3 WG1818127-4								
Bromochloromethane	110		110		70-130	0		20
2,2-Dichloropropane	110		120		63-133	9		20
1,2-Dibromoethane	94		98		70-130	4		20
1,3-Dichloropropane	96		100		70-130	4		20
1,1,1,2-Tetrachloroethane	97		100		64-130	3		20
Bromobenzene	100		100		70-130	0		20
n-Butylbenzene	94		100		53-136	6		20
sec-Butylbenzene	98		110		70-130	12		20
tert-Butylbenzene	97		100		70-130	3		20
o-Chlorotoluene	110		120		70-130	9		20
p-Chlorotoluene	98		100		70-130	2		20
1,2-Dibromo-3-chloropropane	84		87		41-144	4		20
Hexachlorobutadiene	89		96		63-130	8		20
Isopropylbenzene	97		100		70-130	3		20
p-Isopropyltoluene	99		110		70-130	11		20
Naphthalene	91		94		70-130	3		20
n-Propylbenzene	98		100		69-130	2		20
1,2,3-Trichlorobenzene	94		98		70-130	4		20
1,2,4-Trichlorobenzene	94		99		70-130	5		20
1,3,5-Trimethylbenzene	98		100		64-130	2		20
1,2,4-Trimethylbenzene	99		100		70-130	1		20
1,4-Dioxane	112		118		56-162	5		20
p-Diethylbenzene	100		110		70-130	10		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347627

Report Date: 08/23/23

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1818127-3 WG1818127-4								
p-Ethyltoluene	100		110		70-130	10		20
1,2,4,5-Tetramethylbenzene	87		92		70-130	6		20
Ethyl ether	97		100		59-134	3		20
trans-1,4-Dichloro-2-butene	96		100		70-130	4		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	105		104		70-130
Toluene-d8	99		101		70-130
4-Bromofluorobenzene	98		99		70-130
Dibromofluoromethane	103		101		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347627

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1818849-3 WG1818849-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	99		99		63-132	0		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	93		94		63-130	1		20
1,1,2-Trichloroethane	94		97		70-130	3		20
Tetrachloroethene	110		110		70-130	0		20
Chlorobenzene	99		100		75-130	1		20
Trichlorofluoromethane	120		120		62-150	0		20
1,2-Dichloroethane	97		100		70-130	3		20
1,1,1-Trichloroethane	110		110		67-130	0		20
Bromodichloromethane	98		98		67-130	0		20
trans-1,3-Dichloropropene	94		96		70-130	2		20
cis-1,3-Dichloropropene	97		96		70-130	1		20
1,1-Dichloropropene	110		110		70-130	0		20
Bromoform	85		85		54-136	0		20
1,1,1,2-Tetrachloroethane	100		100		67-130	0		20
Benzene	100		100		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	98		96		64-130	2		20
Bromomethane	100		110		39-139	10		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1818849-3 WG1818849-4								
Vinyl chloride	110		110		55-140	0		20
Chloroethane	110		110		55-138	0		20
1,1-Dichloroethene	110		110		61-145	0		20
trans-1,2-Dichloroethene	110		100		70-130	10		20
Trichloroethene	94		97		70-130	3		20
1,2-Dichlorobenzene	97		99		70-130	2		20
1,3-Dichlorobenzene	99		100		70-130	1		20
1,4-Dichlorobenzene	98		99		70-130	1		20
Methyl tert butyl ether	95		97		63-130	2		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	110		100		70-130	10		20
Dibromomethane	98		99		70-130	1		20
1,2,3-Trichloropropane	90		93		64-130	3		20
Acrylonitrile	96		96		70-130	0		20
Styrene	95		95		70-130	0		20
Dichlorodifluoromethane	100		98		36-147	2		20
Acetone	86		85		58-148	1		20
Carbon disulfide	110		110		51-130	0		20
2-Butanone	93		89		63-138	4		20
Vinyl acetate	170	Q	170	Q	70-130	0		20
4-Methyl-2-pentanone	90		93		59-130	3		20
2-Hexanone	84		85		57-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Project Number: 0202156

Lab Number: L2347627

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1818849-3 WG1818849-4								
Bromochloromethane	110		100		70-130	10		20
2,2-Dichloropropane	120		120		63-133	0		20
1,2-Dibromoethane	96		97		70-130	1		20
1,3-Dichloropropane	95		98		70-130	3		20
1,1,1,2-Tetrachloroethane	96		97		64-130	1		20
Bromobenzene	100		100		70-130	0		20
n-Butylbenzene	98		98		53-136	0		20
sec-Butylbenzene	100		100		70-130	0		20
tert-Butylbenzene	100		100		70-130	0		20
o-Chlorotoluene	98		100		70-130	2		20
p-Chlorotoluene	98		99		70-130	1		20
1,2-Dibromo-3-chloropropane	88		86		41-144	2		20
Hexachlorobutadiene	95		95		63-130	0		20
Isopropylbenzene	100		100		70-130	0		20
p-Isopropyltoluene	100		100		70-130	0		20
Naphthalene	90		93		70-130	3		20
n-Propylbenzene	100		100		69-130	0		20
1,2,3-Trichlorobenzene	94		96		70-130	2		20
1,2,4-Trichlorobenzene	95		95		70-130	0		20
1,3,5-Trimethylbenzene	100		100		64-130	0		20
1,2,4-Trimethylbenzene	100		100		70-130	0		20
1,4-Dioxane	142		140		56-162	1		20
p-Diethylbenzene	110		110		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 65 ECKFORD STREET

Lab Number: L2347627

Project Number: 0202156

Report Date: 08/23/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1818849-3 WG1818849-4								
p-Ethyltoluene	100		100		70-130	0		20
1,2,4,5-Tetramethylbenzene	89		90		70-130	1		20
Ethyl ether	100		110		59-134	10		20
trans-1,4-Dichloro-2-butene	100		100		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	104		104		70-130
Toluene-d8	98		100		70-130
4-Bromofluorobenzene	100		99		70-130
Dibromofluoromethane	101		101		70-130

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Serial_No:08232316:22
Lab Number: L2347627
Report Date: 08/23/23

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler **Custody Seal**
A Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2347627-01A	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-01B	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-01C	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-02A	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-02B	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-02C	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)
L2347627-03A	Vial HCl preserved	A	NA		5.1	Y	Absent		NYTCL-8260(14)

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 65 ECKFORD STREET
Project Number: 0202156

Lab Number: L2347627
Report Date: 08/23/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	Page 1	Date Rec'd in Lab 08/17/23	ALPHA Job # 2347627		
		of 1				
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288	Project Information		Deliverables	Billing Information	
Project Name: 65 Eckford Street Project Location: 65 Eckford Street Brooklyn, NY Project # 0202156		<input type="checkbox"/> ASP-A <input checked="" type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other		<input checked="" type="checkbox"/> Same as Client Info PO #		
Client Information		Regulatory Requirement		Disposal Site Information		
Client: Halcy Aldrich NY Address: 213 West 35th St Floor 7, New York, NY 10123 Phone: Fax: Email: MConlon@halcyaldrich.com		(Use Project name as Project #) <input type="checkbox"/> Project Manager: Mervi Cate Conlon ALPHAQuote #: Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:		
These samples have been previously analyzed by Alpha <input type="checkbox"/> Other project specific requirements/comments: Please specify Metals or TAL.		ANALYSIS		Sample Filtration		
		VOCs		<input type="checkbox"/> Done <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please Specify below)		
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Sample Specific Comments
47627-01	OW-1-20230817	8/17/23	10:30	GW	EN	
-02	OW-2-20230817	8/17/23	9:00	GW	EN	
-03	TB-01-20230817	8/17/23		TB	EN	
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)
		Container Type V Preservative B				
Relinquished By: Eddy Nunez Date/Time: 08/17/23		Received By: [Signature] Date/Time: 8/17/23 10:50				
Relinquished By: [Signature] Date/Time: 8/17/23 12:06p		Received By: [Signature] Date/Time: 8/17/23 1:56				
Relinquished By: [Signature] Date/Time: 8/17/23		Received By: [Signature] Date/Time: 8/17/23 2:20				