

25 January 2023

Mr. Richard Mustico
Project Manager, Remedial Section B
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233-7016

**Re: Grossly Contaminated Material Investigation Report
473 President Street, President Street Portfolio, and 514 Union Street
Brooklyn, New York 11215
NYSDEC BCP Site Nos. C224220, C224309, and C224318
Langan Project No. 170361303**

Dear Mr. Mustico:

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) prepared this Grossly Contaminated Material (GCM) Investigation Report on behalf of 473 President LLC (the Volunteer) to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved 6 December 2022 GCM Investigation Work Plan for 473 President Street (Brownfield Cleanup Program [BCP] Site No. C224220), President Street Portfolio (BCP Site No. C224309), and 514 Union Street (BCP Site No. C224318) (the "Sites").

SITE BACKGROUND

The Sites are located in the Gowanus neighborhood of Brooklyn, New York, and encompass Block 440, Lots 1 and 12 on the block bound by Union Street to the north, 3rd Avenue to east, President Street to the south and Nevins Street to the west. A site location map is provided as Figure 1.

The 473 President Street and President Street Portfolio sites are currently vacant with remediation and redevelopment planned for early 2023. The 514 Union Street site is occupied by Royal Palms Shuffleboard Club, comprised of shuffleboard courts, an office, bars, restrooms, storage areas, and a loading dock.

The Gowanus neighborhood is a densely populated urban area improved with infrastructure including paved roads, walkways and buildings. The infrastructure is generally underlain with fill used for construction and development since the mid 1800's. Langan's review of historical

documents revealed that the Sites and surrounding area had been developed for residential, commercial and industrial uses since at least 1886.

Historical Off-site GCM Sources

The Gowanus Canal, located about 300 feet west of the Sites, is on the National Priorities List (NPL) as a Federal Superfund site, and contains known GCM. The former Fulton Manufactured Gas Plant (MGP) site (Site No. 224051), located approximately 330 feet north of the Sites, is a source of GCM.

The NYSDEC's request for GCM delineation at the Sites references the Fulton MGP site borings FW-SB-27 and GCMW-30D2, located approximately 570 feet and 400 feet from the Sites, and former Fulton MGP site borings FW-SB-37 and FW-SB-38, located about 215 feet and 150 feet northwest of the Sites, respectively. The GEI report concludes that although polycyclic aromatic hydrocarbons (PAHs) were detected in a soil sample collected at FW-SB-38 from the 65 to 68 feet bgs, the relative magnitude of these concentrations represent delineation of the southern extent of GCM. The RIR for the Former Fulton MGP site, the objective of which is to delineate the horizontal and vertical extent of contaminants in all media at or emanating from the site, was approved by the NYSDEC and was finalized in July 2012.

FIELD INVESTIGATION

The investigation was completed in accordance with the NYSDEC-approved 6 December 2022 GCM Investigation Work Plan. The investigation was conducted between 21 and 27 December 2022 and consisted of the following field activities:

- Advancement of three soil borings to a minimum depth of 100 feet below grade surface (bgs) (one boring, SB03_CT, was advanced to 105 feet bgs due to poor recovery)
- Continuous screening of soil for evidence of GCM
- Continuous air monitoring for particulate matter less than 10 microns in diameter (PM10) and volatile organic compounds (VOC) during ground-intrusive activities (i.e., soil boring advancement)
- Management of investigation derived waste (IDW) (i.e., soil cuttings, drilling fluid/groundwater mixture)

Daily Field Reports are included in Attachment 1. Soil boring locations are shown on Figure 2.

Soil Investigation and Sampling

Eastern Environmental Solutions, Inc. advanced three soil borings (SB01_CT through SB03_CT) to a minimum depth of 100 bgs using a Geoprobe 8140 sonic drill rig. Soil boring SB03_CT was advanced an additional 5 feet to 105 feet bgs due to poor recovery from 95 to 100 feet bgs.

Recovery was also poor from the 100 to 105 feet due to the loose nature of the material at this depth.

Langan field personnel documented drilling activities, recorded physical soil characteristics, and screened soil samples. Soil samples were inspected for visual and olfactory evidence of GCM and screened for organic vapors with a photoionization detector (PID). No evidence of GCM was observed, therefore soil samples were not collected and monitoring wells were not installed. Soil boring logs are provided in Attachment 2.

Community Air Monitoring Plan (CAMP)

One perimeter air monitoring station was deployed to continuously monitor PM10 and VOCs during ground intrusive activities (i.e., soil boring advancement) in the work zone using real-time monitoring equipment. Action levels established in the NYSDEC-approved October 2020 RAWP for 473 President Street were used. No PM10 and VOC action levels were not exceeded during the monitoring periods. CAMP data is included in Attachment 3.

OBSERVATIONS AND RESULTS

Soil Observations

The site is underlain by fill generally characterized as brown and black fine-grained sand with varying amounts of coal ash, brick, slag, silt, and gravel. Fill was observed below the concrete slab to depths ranging between about 13 and 19 feet bgs. Native fine-grained sand with varying amounts of fine gravel, clay, and silty sand was observed to depths of about 75-80 feet bgs. The fine-grain sand layer is generally underlain by silt, with pockets of gravel and medium sand to the boring termination depths (100 to 105 feet bgs) or the deepest interval where recovery was observed. Bedrock was not encountered.


No visual, olfactory or PID evidence of GCM was observed. A photograph log of the investigation activities is included as Attachment 4.

CONCLUSIONS

Langan implemented the NYSDEC-approved 6 December 2022 GCM Investigation Work Plan on behalf of the Volunteer to satisfy the requirements of NYSDEC's 19 October 2022 request to investigate potential GCM at the Sites. GCM was not observed in the completed soil borings, confirming the conclusions of GEI's RIR for the Former Fulton MGP site in which the southern extent of GCM was delineated to the north of the Sites

Sincerely,

**Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.**




Michael D. Burke, PG, CHMM
Principal/Vice President

Enclosure(s): Figure 1 – Site Location Map
 Figure 2 – Soil Boring Location Plan


 Attachment 1 – Daily Field Reports
 Attachment 2 – Soil Boring Logs
 Attachment 3 – CAMP data
 Attachment 4 – Photograph Log

FIGURES



NOTES:

1. BASEMAP ADAPTED FROM UNITED STATES GEOLOGICAL SURVEY (USGS) 7.5-MINUTE SERIES TOPOGRAPHICAL MAPS, JERSEY CITY, NJ AND BROOKLYN, NY QUADRANGLES, DATED 2016.



LANGAN

Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project

**473 PRESIDENT
STREET/PRESIDENT STREET
PORTFOLIO/514 UNION STREET**

BLOCK No. 440, LOT No.'s 1 and 12
BROOKLYN NEW YORK

Figure Title

**SITE LOCATION
MAP**

Project No.
170361303

Date
11/17/2022

Drawn By
AC

Checked By
VDP

Figure No.

1

Sheet 1 of 5



LEGEND

MW-20D BCP SITES PREVIOUS MONITORING WELL LOCATION

FW-MW-04 FULTON MGP SOIL BORING/ GROUNDWATER MONITORING WELL LOCATION


SB01_CT SOIL BORING LOCATION

BCP SITE BOUNDARY

TAX LOT BOUNDARY

NOTES:
1. WORLD AERIAL IMAGERY BASEMAP IS PROVIDED THROUGH LANGAN'S ESRI AND ARCGIS SOFTWARE LICENSING AND ARCGIS ONLINE.
2. TAX PARCEL DATA PROVIDED BY THE NEW YORK CITY DEPARTMENT OF CITY PLANNING.
3. BCP SITES PREVIOUS MONITORING WELL LOCATIONS WERE SURVEYED.
4. FULTON MGP SOIL BORING/GROUNDWATER MONITORING WELL AND PROPOSED SOIL BORING LOCATIONS ARE APPROXIMATE.

WARNING: IT IS A VIOLATION OF THE NYS EDUCATION LAW ARTICLE 145 FOR ANY PERSON, UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS ITEM IN ANY WAY.



LANGAN

Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project
**473 PRESIDENT STREET/PRESIDENT
STREET PORTFOLIO/514 UNION
STREET**
BROOKLYN

KINGS

NEW YORK

Figure Title

**SOIL BORING
LOCATION PLAN**

Project No.
170361305

Date
1/3/2023

Scale
1"=100'

Drawn By
MG/PDT

Figure No.


2

Sheet 2 of 2

ATTACHMENT 1

Daily Field Reports

PROJECT No.: 170361303 PROJECT: 473 President Street, President Street Portfolio, and 514 Union Street LOCATION: Brooklyn, New York BCP SITE ID: C224220, C224309, and C224318	CLIENT: 473 President LLC	DATE: Wed, December 21, 2022 WEATHER: Clear, 29-40°F, Wind: NW 0-5 mph TIME: 06:30 – 16:45 MONITOR: Audrey Seery
EQUIPMENT: Geoprobe 8140LS RAE Systems MiniRAE 3000 TSI DustTrak II RKI Photoionization Detector (PID)	PRESENT AT SITE: Langan: Audrey Seery Eastern Environmental Solutions, Inc. (Eastern Environmental): Brian Ervin, Nick Turro, John Zinsin New York State Department of Environmental Conservation (NYSDEC): Scott Deyette GZA GeoEnvironmental, Inc. (GZA): Geder Mena	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was on-site to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved 6 December 2022 Grossly Contaminated Material Investigation Work Plan (GCMIWP). Site Activities - Eastern Environmental used a Geoprobe 8140 sonic drill rig to advance soil boring SB02_CT to about 80 feet below grade surface (bgs). - Recovered soil was screened for odor, staining, and organic vapor using a photoionization detector (PID). No evidence of impacts were observed. - Soil cuttings were containerized in a 55-gallon drum. Sampling - No samples were collected. CAMP - Langan performed continuous air monitoring at downwind (DW) perimeter of the work zone for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10). VOC and PM10 action levels were not exceeded during the monitoring period. Recorded air monitoring data is summarized on the following graph:		
Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By: Audrey Seery Langan, D.P.C.	



Anticipated Activities

- Eastern will continue advancing soil boring SB02_CT.

Cc:	J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By:	Audrey Seery Langan, D.P.C.
-----	--	-----	---------------------------------------

Site Photographs



Photo 1: Eastern Environmental advancing soil boring SB02_CT in the western part of President Street Portfolio (facing north)




Photo 2: Soil screening at soil boring SB02_CT (facing down)

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

Site Map



Legend

- Approximate BCP Site Boundaries
- CAMP Station
- Installed Groundwater Well
- In-Progress Groundwater Well
- Approximate Drum Location
- Approximate Soil Boring Location

Notes


1. Base Map adapted from Figure 3 of the GCM Investigation Report

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

PROJECT No.: 170361303 PROJECT: 473 President Street, President Street Portfolio, and 514 Union Street LOCATION: Brooklyn, New York BCP SITE ID: C224220, C224309, and C224318	CLIENT: 473 President LLC	DATE: Thur., December 22, 2022 WEATHER: Rain, 37-45°F, Wind: ENE 13-18 mph TIME: 07:00 – 16:45 MONITOR: Audrey Seery
EQUIPMENT: Geoprobe 8140LS RAE Systems MiniRAE 3000 TSI DustTrak II MiniRAE 3000 Photoionization Detector (PID)	PRESENT AT SITE: Langan: Audrey Seery Eastern Environmental Solutions, Inc. (Eastern Environmental): Nick Turro, Chris Orne New York State Department of Environmental Conservation (NYSDEC): Scott Deyette GZA GeoEnvironmental, Inc. (GZA): Geder Mena	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was on-site to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved 6 December 2022 Grossly Contaminated Material Investigation Work Plan (GCMiWP). Site Activities - Eastern Environmental used a Geoprobe 8140 sonic drill rig to advance soil borings SB02_CT and SB03_CT to about 100 and 45 feet below grade surface (bgs), respectively. - Recovered soil was screened for odor, staining, and organic vapor using a photoionization detector (PID). No evidence of impacts were observed. - Soil cuttings were containerized in 55-gallon drums. Sampling - No samples were collected. CAMP - Langan performed continuous air monitoring at downwind (DW) perimeter of the work zone for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10). VOC and PM10 action levels were not exceeded during the monitoring period. Air Monitoring was paused from 11:45 to 13:01 while the station was relocated downwind of SB03_CT, during grouting and following completion of SB02_CT advancement. No ground-intrusive activities occurred during this time. Recorded air monitoring data is summarized on the following graph:		
Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By: Audrey Seery Langan, D.P.C.	

Air Monitoring Data - December 22, 2022



Anticipated Activities

- Eastern will continue advancing soil boring SB03_CT.

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

Site Photographs



Photo 1: Eastern Environmental advancing soil boring SB03_CT in the central part of 473 President Street (facing southeast)




Photo 2: Soil screening at soil boring SB03_CT

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

Site Map



Legend

-  Approximate BCP Site Boundaries
-  CAMP Station
-  Installed Groundwater Well
-  In-Progress Groundwater Well
-  Approximate Drum Location
-  Approximate Soil Boring Location


Notes

1. Base Map adapted from Figure 3 of the GCM Investigation Report

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

PROJECT No.: 170361303 PROJECT: 473 President Street, President Street Portfolio, and 514 Union Street LOCATION: Brooklyn, New York BCP SITE ID: C224220, C224309, and C224318	CLIENT: 473 President LLC	DATE: Fri., December 23, 2022 WEATHER: Rain, 37-45°F, Wind: ENE 13-18 mph TIME: 06:45 – 14:30 MONITOR: Audrey Seery
EQUIPMENT: Geoprobe 8140LS RAE Systems MiniRAE 3000 TSI DustTrak II MiniRAE 3000 Photoionization Detector (PID)	PRESENT AT SITE: Langan: Audrey Seery Eastern Environmental Solutions, Inc. (Eastern Environmental): Nick Turro, Chris Orne GZA GeoEnvironmental, Inc. (GZA): Geder Mena	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was on-site to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved 6 December 2022 Grossly Contaminated Material Investigation Work Plan (GCMIWP). Site Activities - Eastern Environmental used a Geoprobe 8140 sonic drill rig to advance soil boring SB03_CT to about 105 feet below grade surface (bgs). No soil recovery was documented for the 95 to 100 and the 100 to 105 feet bgs intervals. - Recovered soil was screened for odor, staining, and organic vapor using a photoionization detector (PID). No evidence of impacts were observed. - Soil cuttings were containerized in 55-gallon drums. Sampling - No samples were collected. CAMP - Langan performed continuous air monitoring at downwind (DW) perimeter of the work zone for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10). VOC and PM10 action levels were not exceeded during the monitoring period. Recorded air monitoring data is summarized on the following graph:		
Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By: Audrey Seery Langan, D.P.C.	



Anticipated Activities

- Eastern will advance soil boring SB01_CT.

Cc:	J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By:	Audrey Seery
			Langan, D.P.C.

Site Photographs



Photo 1: Eastern Environmental advancing soil boring SB03_CT in the central part of 473 President Street (facing southeast)




Photo 2: Soil screening at soil boring SB03_CT (facing down)

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

Site Map



Legend

-  Approximate BCP Site Boundaries
-  CAMP Station
-  Installed Groundwater Well
-  In-Progress Groundwater Well
-  Approximate Drum Location
-  Approximate Soil Boring Location


Notes

1. Base Map adapted from Figure 3 of the GCM Investigation Report

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: Audrey Seery
Langan, D.P.C.

PROJECT No.: 170361303 PROJECT: 473 President Street, President Street Portfolio, and 514 Union Street LOCATION: Brooklyn, New York BCP SITE ID: C224220, C224309, and C224318	CLIENT: 473 President LLC	DATE: Wed., December 27, 2022 WEATHER: Cloudy, 29-35°F, Wind: NE 1-13 mph TIME: 06:45 – 18:45 MONITOR: TJ Malgieri
EQUIPMENT: Geoprobe 8140LS RAE Systems MiniRAE 3000 TSI DustTrak II MiniRAE 3000 Photoionization Detector (PID)	PRESENT AT SITE: Langan: TJ Malgieri, Yaskira Mota diaz Eastern Environmental Solutions, Inc. (Eastern Environmental): Nick Turro GZA GeoEnvironmental, Inc. (GZA): Geder Mena	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was on-site to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved 6 December 2022 Grossly Contaminated Material Investigation Work Plan (GCMIWP). Site Activities - Eastern Environmental used a Geoprobe 8140 sonic drill rig to advance soil boring SB01_CT to about 100 feet below grade surface (bgs). - Recovered soil was screened for odor, staining, and organic vapor using a photoionization detector (PID). No evidence of impacts were observed. - Soil cuttings and drilling fluid were containerized in 55-gallon drums. Sampling - Langan collected three waste characterization samples from soil and drilling fluid/groundwater drums to facilitate disposal facility approval. Samples were relinquished to Alpha Analytical, Inc., a New York State Department of Health (NYSDOH) Environmental Laboratory Accredited Program (ELAP)-certified laboratory under standard chain-of-custody protocols. CAMP - Langan performed continuous air monitoring at downwind (DW) perimeter of the work zone for volatile organic compounds (VOCs) and particulate matter smaller than 10 microns in diameter (PM10). VOC and PM10 action levels were not exceeded during the monitoring period. Recorded air monitoring data is summarized on the following graph:		
Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz	By: TJ Malgieri Langan, D.P.C.	



Anticipated Activities

- Eastern will dispose of soil and groundwater drums following receipt of the data and approval from a disposal facility.

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: TJ Malgieri
Langan, D.P.C.

Site Photographs



Photo 1: Eastern Environmental advancing soil boring SB01_CT on the Union Street sidewalk (facing north)




Photo 2: Soil screening at soil boring SB01_CT (facing down)

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: TJ Malgieri
Langan, D.P.C.

Site Map



Legend

-  Approximate BCP Site Boundaries
-  CAMP Station
-  Installed Groundwater Well
-  In-Progress Groundwater Well
-  Approximate Drum Location
-  Approximate Soil Boring Location

Notes

1. Base Map adapted from Figure 3 of the GCM Investigation Report

Cc: J. Hayes, M. Burke, P. McMahon, V. De Paula, B. Koontz

By: TJ Malgieri
Langan, D.P.C.

ATTACHMENT 2


Soil Boring Logs

Project	514 Union Street			Project No.	170361303		
Location	Brooklyn NY 11215			Elevation and Datum	About el 12 NAVD88		
Drilling Company	Eastern Environmental Solutions, Inc.			Date Started	12/27/2022	Date Finished	
Drilling Equipment	Geoprobe 8140 LS Sonic Rig			Completion Depth	100 ft	Rock Depth	
Size and Type of Bit	3-inch ID, 5-inch OD Sonic Core Barrel			Number of Samples	Disturbed 20	Undisturbed N/A	Core N/A
Casing Diameter (in)	3-inch sample barrel and 2.5-inch rods		Casing Depth (ft)	N/A		Water Level (ft.)	First 15
Casing Hammer	N/A	Weight (lbs)	N/A	Drop (in)	N/A	Completion	N/A
Sampler	5-foot Core-Barrel without trap			Drilling Foreman	Nick Turro		
Sampler Hammer	N/A	Weight (lbs)	N/A	Drop (in)	N/A	Field Engineer	TJ Malgieri

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Reco. (in)	Penetr. resist	PID (ppm)	
	+11.6	R1 (0" to 60") Tannish orange silty fine SAND, brick, coal, trace fine gravel (dry)[FILL]	0	R1	HAND AUGER	60"/60"		0.0	Hand clear first 5 feet.
			1					0.0	
			2					0.0	
			3					0.0	
			4					0.0	
	+3.5	R2a (0" to 7") Tannish orange silty fine SAND, trace fine gravel (moist)[FILL] R2b (7" to 30") Tannish orange CLAY, some fine sand (wet)[CH] (1/32" Ribbon)	5	R2	GP	30"/60"		0.0	
			6					0.0	
			7					0.0	
			8					0.0	
			9					0.0	
	+0.6	R3 (0" to 48") Tannish orange silty fine SAND, trace fine gravel (moist)[SM]	10	R3	GP	48"/60"		0.0	
			11					0.0	
			12					0.0	
			13					0.0	
			14					0.0	
		R4 (0" to 49") Tannish orange silty fine SAND, trace fine gravel (wet)[SM]	15	R4	GP	49"/60"		0.0	
			16					0.0	
			17					0.0	
			18					0.0	
			19					0.0	
			20					0.0	


\\LANGAN.COM\DATA\NYC\DATA\3170361301\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170361301_ENTERPRISE - WB - AS EDITS.GPJ ... 1/25/2023 8:25:34 AM ... Report: Log - LANGAN

Project	514 Union Street	Project No.	170361303
Location	Brooklyn NY 11215	Elevation and Datum	About el 12 NAVD88

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-8.4	R5a (0" to 11") Tannish orange silty fine SAND, trace fine gravel (wet)[SM]	20	R5	GP	58"/60"		0.0	
	-9.4	R5b (11" to 58") Tannish orange fine SAND, trace silt, trace fine gravel (wet)[SP-SM]	21					0.0	
			22					0.0	
			23					0.0	
			24					0.0	
			25	R6	GP	37"/60"		0.0	
		R6 (0" to 37") Tannish orange fine SAND, trace silt, trace fine gravel (wet)[SP-SM]	26					0.0	
			27					0.0	
			28					0.0	
			29					0.0	
			30	R7	GP	55"/60"		0.0	
	-21.1	R7a (0" to 27") Tannish orange fine SAND, trace silt, trace fine gravel (wet)[SP-SM]	31					0.0	
			32					0.0	
			33					0.0	
		R7b (27" to 55") Tannish orange fine SAND, some silt (wet)[SM]	34					0.0	
			35	R8	GP	35"/60"		0.0	
			36					0.0	
			37					0.0	
	-25.5	R8 (0" to 35") Tannish orange medium SAND, trace silt, trace fine gravel (wet)[SP-SM]	38					0.0	
			39					0.0	
			40	R9	GP	22"/60"		0.0	
			41					0.0	
			42					0.0	
			43					0.0	
		R9 (0" to 22") Tannish orange medium SAND, trace silt (wet)[SP-SM]	44					0.0	
			45						

\\LANGAN.COM\DATA\NYC\DATA3170361301\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170361301_ENTERPRISE - WB - AS EDITS.GPJ ... 1/25/2023 8:25:34 AM ... Report: Log - LANGAN

Project	514 Union Street	Project No.	170361303
Location	Brooklyn NY 11215	Elevation and Datum	About el 12 NAVD88

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-33.4	R10 (0" to 35") Tannish orange medium SAND, trace silt, trace fine gravel (wet)[SP-SM]	45	GP	35"/60"			0.0	No Recovery
			46						
			47						
			48						
			49						
			50						
			51						
			52						
			53						
			54						
		R11	55	GP	0"/60"			0.0	
			56						
			57						
			58						
			59						
			60						
			61						
			62						
			63						
			64						
R12 (0" to 18") Grayish tan medium SAND, trace silt (wet)[SP-SM]	65	GP	18"/60"			0.0			
	66								
	67								
	68								
	69								
	70								
	71								
	72								
	73								
	74								
R13 (0" to 16") Tannish gray medium SAND, trace silt, trace fine gravel (wet)[SP-SM]	75	GP	16"/60"			0.0			
	76								
	77								
	78								
	79								
	80								
	81								
	82								
	83								
	84								
R14 (0" to 28") Tannish grayish brown fine SAND, trace silt (wet)[SP-SM]	85	GP	28"/60"			0.0			
	86								
	87								
	88								
	89								
	90								
	91								
	92								
	93								
	94								

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 12 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-58.4		70						
			71						
			72						
			73					0.0	
			74	R15	GP	28"/60"		0.0	
		R15 (0" to 28") Tannish grayish brown fine SAND, some fine gravel, trace silt (wet)[SP-SM]	75					0.0	
			76					0.0	
	-65.7	R16a (0" to 8") Tannish grayish brown fine SAND, some fine gravel, trace silt (wet)[SP-SM]	77					0.0	
	-66.4	R16b (8" to 16") Dark tan SILT, some fine sand, some fine gravel (wet)[ML]	78					0.0	
	-67.0	R16c (16" to 24") Orangish tan fine SAND, some silt, some fine gravel (moist)[SM]	79	R16	GP	40"/60"		0.0	
		R16d (24" to 40") Reddish red SILT, some fine sand, some fine gravel (moist)[ML]	80					0.0	
			81					0.0	
			82					0.0	
		R17 (0" to 38") Reddish red SILT, some fine sand, some fine gravel (moist)[ML]	83					0.0	
			84	R17	GP	38"/60"		0.0	
			85					0.0	
		R18 (0" to 55") Reddish red SILT, some fine sand, some fine gravel (moist)[ML]	86					0.0	
			87					0.0	
			88					0.0	
			89	R18	GP	55"/60"		0.0	
			90					0.0	
			91					0.0	
		R19 (0" to 45") Reddish red SILT, some fine sand, some fine gravel (moist)[ML]	92					0.0	
			93					0.0	
			94	R19	GP	45"/60"		0.0	
			95					0.0	


Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 12 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-83.4	R20 (0" to 30") Reddish red SILT, some fine sand, some fine gravel (moist)[ML]	95		GP	30"/60"			
	96								
	97								
	98								
	99								
	-88.4		100	R20				0.0	End of boring at 100 feet bgs. Grout borehole to about 10 feet bgs, followed by bentonite up to 3 feet bgs, and clean soil cuttings to grade surface. Capped at sidewalk grade with concrete.
		101					0.0		
		102					0.0		
		103					0.0		
		104					0.0		
		105					0.0		
		106					0.0		
		107					0.0		
		108					0.0		
		109					0.0		
		110					0.0		
		111					0.0		
		112					0.0		
		113					0.0		
		114					0.0		
		115					0.0		
		116					0.0		
		117					0.0		
		118					0.0		
		119					0.0		
		120					0.0		

Project				Project No.			
514 Union Street				170361303			
Location				Elevation and Datum			
Brooklyn NY 11215				About el 12.5 NAVD88			
Drilling Company				Date Started		Date Finished	
Eastern Environmental Solutions, Inc.				12/21/2022		12/22/2022	
Drilling Equipment				Completion Depth		Rock Depth	
Geoprobe 8140 LS Sonic Rig				100 ft		N/A	
Size and Type of Bit				Number of Samples	Disturbed	Undisturbed	Core
3-inch ID, 5-inch OD Sonic Core Barrel				20	20	N/A	N/A
Casing Diameter (in)			Casing Depth (ft)	Water Level (ft.)	First	Completion	24 HR.
3-inch sample barrel and 2.5-inch rods			N/A	13	13	N/A	N/A
Casing Hammer		Weight (lbs)		Drop (in)		Drilling Foreman	
N/A		N/A		N/A		Nick Turro	
Sampler				Field Engineer			
5-foot Core-Barrel without trap				Audrey Seery			
Sampler Hammer		Weight (lbs)		Drop (in)			
N/A		N/A		N/A			


MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data						Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist	BLU6in	PID (ppm)	
	+12.2		0							
	+11.9	R1a (0" to 4") CONCRETE (dry)							0.0	
	+11.0	R1b (4" to 14") Olive brown fine SAND, trace silt, trace fine gravel, scrap metal (moist)[FILL]	1						0.0	
	+10.5	R1c (14" to 20") CONCRETE (dry)							0.0	
		R1d (20" to 24") Reddish brown to black fine SAND, trace silt, trace fine gravel (moist)[FILL]	2						0.0	
			3							
			4							
			5							
			6							
			7							
			8							
			9						0.0	
			10						0.0	
			11						0.0	
			12							
	-0.4	R3a (0" to 18") Dark brown to black fine SAND, trace silt, bricks, cinderblock, roofing shingles (moist)[FILL]							0.0	
		R3b (18" to 26") Light brown silty fine SAND, trace fine gravel (wet)[SM]	13						0.0	
	-1.6	R3c (26" to 34") Light brown to olive fine SAND (wet)[SP]							0.0	
			14						0.0	
			15						0.0	
			16							
			17						0.0	
			18						0.0	
			19						0.0	
			20						0.0	
	-7.3	R4a (0" to 24") Light brown to olive fine SAND, trace silt (wet)[SP]								
		R4b (24" to 30") Light brown to olive medium SAND, trace								

I:\LANGAN.COM\DATA\NYC\DATA3170361301\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170361301_ENTERPRISE - WB - AS EDITS.GPJ ... 1/25/2023 8:25:42 AM ... Report: Log - LANGAN

Project	514 Union Street	Project No.	170361303
Location	Brooklyn NY 11215	Elevation and Datum	About el 12.5 NAVD88

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data				Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)
	-7.8	fine to coarse gravel (wet)[SP-SM]	20					
			21					
			22					
	-10.1	R5a (0" to 22") Light brown to olive medium SAND, trace fine to coarse gravel (wet)[SP]	23					0.0
			24	R5	GP	32"/60"		0.0
		R5b (22" to 32") Light brown to olive medium SAND, some coarse sand, trace fine to coarse gravel (wet)[SP]	25					0.0
			26					0.0
			27					0.0
		R6a (0" to 20") Light brown to olive coarse SAND, trace fine to coarse gravel (wet)[SP]	28					0.0
		R6b (20" to 28") Light brown to olive medium SAND, trace fine to coarse gravel (wet)[SP]	29	R6	GP	28"/60"		0.0
			30					0.0
			31					0.0
			32					0.0
		R7a (0" to 17") Light brown to olive coarse SAND, trace fine to coarse gravel (wet)[SP]	33					0.0
		R7b (17" to 20") Light brown to olive medium SAND, trace silt, trace fine to coarse gravel (wet)[SP]	34	R7	GP	20"/60"		0.0
			35					0.0
			36					0.0
			37					0.0
		R8 (0" to 22") Light brown to olive coarse SAND, some fine to coarse gravel (wet)[SP]	38					0.0
			39	R8	GP	22"/60"		0.0
			40					0.0
			41					0.0
			42					0.0
		R9 (0" to 28") Brownish brown to olive coarse SAND, some fine to coarse gravel (wet)[SP]	43					0.0
			44	R9	GP	28"/60"		0.0
			45					0.0

Project	514 Union Street	Project No.	170361303
Location	Brooklyn NY 11215	Elevation and Datum	About el 12.5 NAVD88

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-32.8		45						
			46						
		R10 (0" to 32") Brownish gray to olive medium SAND, some fine to coarse gravel (wet)[SP]	47		GP	32"/60"			
			48					0.0	
			49	R10				0.0	
			50				0.0		
			51				0.0		
		R11 (0" to 24") Brownish gray to olive medium SAND, some fine to coarse gravel (wet)[SP]	52		GP	24"/60"			
			53					0.0	
			54	R11				0.0	
			55				0.0		
			56				0.0		
		R12a (0" to 29") Brownish gray to olive coarse SAND, some fine to coarse gravel (wet)[SP]	57		GP	32"/60"			
			58					0.0	
			59	R12				0.0	
			60				0.0		
			61				0.0		
		R12b (29" to 32") Dark brown to tannish olive fine SAND, trace fine to coarse gravel, shiny flecks of ground rock (wet)[SP]	62		GP	12"/60"			
			63						
			64	R13				0.0	
	65			0.0					
	66								
	-52.0	R13 (0" to 12") Dark gray to reddish brown fine to coarse GRAVEL, some fine sand (wet)[GW]	67		GP	40"/60"			
	68						0.0		
	R14a (0" to 23") Light brown to olive fine SAND (wet)[SP]	69					0.0		
		70		0.0					
				0.0					
	-54.5	R14b (23" to 28") Light brown to olive fine SAND, some fine gravel, trace boulders (wet)[SP]	68		GP	40"/60"			
	69						0.0		
	R14c (28" to 40") Reddish brown silty fine SAND, trace fine gravel (wet)[SM]	70	R14				0.0		
				0.0					
				0.0					
	-56.3								

R10 (0" to 32") Brownish gray to olive medium SAND, some fine to coarse gravel (wet)[SP]

R11 (0" to 24") Brownish gray to olive medium SAND, some fine to coarse gravel (wet)[SP]

R12a (0" to 29") Brownish gray to olive coarse SAND, some fine to coarse gravel (wet)[SP]

R12b (29" to 32") Dark brown to tannish olive fine SAND, trace fine to coarse gravel, shiny flecks of ground rock (wet)[SP]


R13 (0" to 12") Dark gray to reddish brown fine to coarse GRAVEL, some fine sand (wet)[GW]

R14a (0" to 23") Light brown to olive fine SAND (wet)[SP]

R14b (23" to 28") Light brown to olive fine SAND, some fine gravel, trace boulders (wet)[SP]

R14c (28" to 40") Reddish brown silty fine SAND, trace fine gravel (wet)[SM]

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 12.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-57.8	R15 (0" to 42") Reddish brown silty fine SAND, trace fine gravel, trace cobbles (wet)[SM]	70	R15	GP	42"/60"		0.0	End of drilling on 12/21/2022. Resume drilling on 12/22/2022.
			71					0.0	
			72					0.0	
			73					0.0	
			74					0.0	
		R16 (0" to 60") Reddish brown silty fine SAND, trace fine gravel (wet)[SM]	75	R16	GP	60"/60"		0.0	
			76					0.0	
			77					0.0	
			78					0.0	
			79					0.0	
		R17a (0" to 33") Reddish brown silty fine SAND, trace fine gravel (wet)[SM]	80	R17	GP	45"/60"		0.0	
			81					0.0	
			82					0.0	
			83					0.0	
			84					0.0	
	-71.5	R17b (33" to 45") Reddish brown fine SAND, some fine gravel, trace silt (wet)[SP-SM]	85	R18	GP	21"/60"		0.0	
			86					0.0	
			87					0.0	
			88					0.0	
			89					0.0	
	-76.1	R18b (0" to 21") Brown to olive fine SAND, some fine to coarse gravel (wet)[SP]	90	R19	GP	36"/60"		0.0	
			91					0.0	
			92					0.0	
			93					0.0	
			94					0.0	
	-79.8	R19a (0" to 23") Brown to olive fine to coarse GRAVEL, some medium sand (wet)[GW]	95					0.0	
								0.0	
	-81.1	R19b (23" to 32") Brownish gray silty fine SAND, trace fine gravel (wet)[SM]						0.0	
							0.0		
-82.3	R19c (32" to 36") Brownish gray medium SAND, trace fine						0.0		
							0.0		

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 12.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-82.8	gravel (wet)[SP]	95						
			96						
		R20a (0" to 21") Brownish gray medium SAND, some fine gravel (wet)[SP]	97					0.0	
		R20b (21" to 24") Reddish brown fine SAND (wet)[SP]	98					0.0	
		R20c (24" to 37") Brown to gray medium SAND, some fine gravel (wet)[SP]	99					0.0	
			100					0.0	
		R20d (37" to 40") Light brown to olive fine SAND, trace silt, trace fine gravel (wet)[SP]	101					0.0	
			102						
			103						
			104						
			105						
			106						
			107						
			108						
			109						
			110						
			111						
			112						
			113						
			114						
			115						
			116						
			117						
			118						
			119						
			120						


End of boring at 100 feet bgs. Grout borehole to about 10 feet bgs, followed by bentonite up to 3 feet bgs, and clean soil cuttings to grade surface.

Project				Project No.			
514 Union Street				170361303			
Location				Elevation and Datum			
Brooklyn NY 11215				About el 13.5 NAVD88			
Drilling Company				Date Started		Date Finished	
Eastern Environmental Solutions, Inc.				12/22/2022		12/23/2022	
Drilling Equipment				Completion Depth		Rock Depth	
Geoprobe 8140 LS Sonic Rig				105 ft		N/A	
Size and Type of Bit				Number of Samples	Disturbed	Undisturbed	Core
3-inch ID, 5-inch OD Sonic Core Barrel				21	21	N/A	N/A
Casing Diameter (in)			Casing Depth (ft)	Water Level (ft.)	First	Completion	24 HR.
3-inch sample barrel and 2.5-inch rods			N/A	14	N/A	N/A	N/A
Casing Hammer		Weight (lbs)		Drop (in)		Drilling Foreman	
N/A		N/A		N/A		Nick Turro	
Sampler				Field Engineer			
5-foot Core-Barrel without trap				Audrey Seery			
Sampler Hammer		Weight (lbs)		Drop (in)			
N/A		N/A		N/A			


MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist	PID (ppm)	
	+14.6	R1a (0" to 7") CONCRETE slab (dry)	0					0.0	
			1					0.0	
			2					0.0	
	+12.6	R1b (7" to 18") Tannish brown to gray fine SAND, trace silt, trace fine gravel, coal pieces, ash, concrete (moist)[FILL]	3		GP	18"/60"			
			4	R1					
			5						
			6						
			7						
			8		GP	24"/60"		0.0	
		R2 (0" to 24") Dark brown to black fine SAND, trace fine gravel, concrete, brick, coal, ash, slag, wood construction debris (moist)[FILL]	9	R2				0.0	
			10					0.0	
			11					0.0	
			12					0.0	
			13		GP	24"/60"		0.0	
		R3a (0" to 21") Dark brown to black fine SAND, trace fine gravel, concrete, brick, coal, ash, slag, wood construction debris (moist)[FILL]	14	R3				0.0	
		R3b (21" to 24") Grayish tan fine SAND, trace fine gravel (wet)[FILL]	15					0.0	
			16						
			17						
			18		GP	18"/60"		0.0	
			19	R4				0.0	
		R4a (0" to 15") Grayish brown fine SAND, some silt, trace fine gravel (wet)[FILL]	20					0.0	
	-4.7	R4b (15" to 18") Grayish tan fine SAND, trace silt, trace fine to coarse gravel (wet)[SP-SM]							

I:\LANGAN.COM\DATA\NYC\DATA3170361301\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170361301 ENTERPRISE - WB - AS EDITS.GPJ ... 1/25/2023 8:25:51 AM ... Report: Log - LANGAN

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 13.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-5.4		20						
			21						
			22						
			23						
			24	R5	GP	22"/60"		0.0	
			25					0.7	
			26					0.3	
	-11.9	R6a (0" to 25") Reddish brown silty fine SAND (wet)[SM]	27					0.0	
			28					0.0	
	-13.4	R6b (25" to 32") Reddish brown SILT, trace fine sand (wet)[ML]	29	R6	GP	42"/60"		0.0	
-14.2	R6c (32" to 41") Grayish brown to olive fine SAND, trace silt (wet)[SP-SM]	30					0.0		
-15.2	R6d (41" to 42") Grayish brown to olive SILT (wet)[ML]	31					0.0		
		32					0.0		
-17.2	R7a (0" to 19") Grayish brown to olive fine SAND, trace silt (wet)[SP-SM]	33					0.0		
	R7b (19" to 24") Grayish brown to olive fine SAND, some silt (wet)[SP-SM]	34	R7	GP	38"/60"		0.0		
-18.7	R7c (24" to 25") Grayish brown to olive SILT (wet)[ML]	35					0.0		
-18.7	R7d (25" to 38") Grayish brown to olive fine SAND, trace silt (inter-bedded with thin 1/16" silt beds, ML) trace fine gravel (wet)[SP-SM]	36					0.0		
		37					0.0		
		38					0.0		
		39	R8	GP	36"/60"		0.0		
		40					0.0		
		41					0.0		
		42					0.0		
		43					0.0		
-29.2	R9a (0" to 28") Grayish brown to olive fine SAND, trace silt (wet)[SP-SM]	44	R9	GP	36"/60"		0.0		
		45					0.0		
-30.0	R9b (28" to 33") Grayish brown to olive SILT, trace fine sand (wet)[ML]						0.0		
	R9c (33" to 36") Grayish brown to olive fine SAND, trace						0.0		

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 13.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-30.4	silt (inter-bedded with thin 1/16" silt beds, ML) (wet)[SP-SM]	45	R10	GP	48"/60"		0.0	End of drilling on 12/22/2022.
		R10a (0" to 36") Grayish brown to gray SILT, trace fine sand (inter-bedded with thin 1/16" fine sand beds, SP) (wet)[SP-SM]	46						Resume drilling on 12/23/2022.
			47						
			48						
			49						
		R10b (36" to 48") Grayish brown to gray fine SAND, trace silt (inter-bedded with thin 1/16" silt beds, ML) (wet)[SP-SM]	50	R11	GP	60"/60"		0.0	
			51						
		R11a (0" to 27") Grayish brown to olive fine SAND, trace silt (inter-bedded with thin 1/16" silt beds, ML) (wet)[SP-SM]	52						
			53						
			54						
		R11b (27" to 33") Grayish brown fine SAND (wet)[SP]	55	R12	GP	24"/60"		0.0	
		R11c (33" to 48") Grayish brown SAND, some silt (inter-bedded with thin 1/4" silt beds, ML) (wet)[SP-SM]	56						
			57						
		R11d (48" to 54") Grayish brown medium SAND, trace silt (wet)[SP-SM]	58						
		R11e (54" to 60") Grayish brown fine SAND, some silt (inter-bedded with thin 1/4" silt beds, ML) (wet)[SP-SM]	59						
			60	R13	GP	31"/60"		0.0	
		R12a (0" to 18") Grayish brown fine SAND, trace silt (inter-bedded with thin 1/16" silt beds, ML) (wet)[SP-SM]	61						
		R12b (18" to 24") Grayish brown fine SAND, trace silt, trace coarse sand (wet)[SP-SM]	62						
			63						
			64						
		R13a (0" to 28") Grayish brown fine SAND, trace fine gravel (wet)[SP]	65	R14	GP	26"/60"		0.0	
			66						
		R13b (28" to 31") Grayish brown medium SAND, trace fine gravel (wet)[SP]	67						
			68						
			69						
		-53.2	R14a (0" to 26") Grayish brown to brown fine SAND, trace silt (inter-bedded with thin 1/16" silt beds, ML) (wet)[SP-SM]	70					0.0

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 13.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-55.4		70						
			71						
			72						
	-57.9	R15a (0" to 25") Grayish brown to brown fine SAND (wet)[SP]	73	R15	GP	30"/60"			0.0
			74						0.0
		R15b (25" to 30") Grayish brown medium SAND, trace fine to coarse gravel (wet)[SP]	75						0.0
			76						0.0
			77						0.0
			78	R16	GP	30"/60"			0.0
		R16a (0" to 27") Grayish brown medium SAND, trace fine gravel (wet)[SP]	79						0.0
			80						0.0
			81						0.0
			82						0.0
	-64.9	R16b (27" to 30") Reddish brown to olive SILT (wet)[ML]	83	R17	GP	24"/60"			0.0
			84						0.0
		R17a (0" to 18") Reddish brown to olive SILT, some fine gravel, trace coarse sand (wet)[ML]	85						0.0
		R17b (18" to 24") Light brown to olive silty fine SAND, trace fine gravel, trace cobbles (wet)[SP-SM]	86						0.0
			87						0.0
			88	R18	GP	48"/60"			0.0
		R18a (0" to 18") Light brown to olive fine SAND, trace silt, trace fine gravel (wet)[SP-SM]	89						0.0
		R18b (18" to 24") Light brown to olive fine SAND (wet)[SP]	90						0.0
		R18c (24" to 32") Light brown to olive fine SAND, some fine gravel (wet)[SP]	91						0.0
		R18d (32" to 48") Light brown to grayish olive silty fine SAND, trace fine gravel (wet)[SP-SM]	92						0.0
			93	R19	GP	40"/60"			0.0
			94						0.0
		R19a (0" to 33") Light brown to grayish olive fine SAND, some silt, trace fine gravel (wet)[SP-SM]	95						0.0
			0.0						
			0.0						
-79.6	R19b (33" to 40") Light brown to grayish olive fine SAND, trace fine gravel (wet)[SP]							0.0	

Project			Project No.						
514 Union Street			170361303						
Location			Elevation and Datum						
Brooklyn NY 11215			About el 13.5 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-80.4	R20	95	R20	GP	0"/60"			No Recovery
			96						
			97						
			98						
			99						
		R21	100	R21	GP	0"/60"			No Recovery
			101						
			102						
			103						
			104						
	-90.4		105						End of boring at 105 feet bgs. Grout to about 3 feet bgs and backfill with clean soil cuttings to grade surface.
			106						
			107						
			108						
			109						
			110						
			111						
			112						
			113						
			114						
			115						
			116						
			117						
			118						
			119						
			120						

ATTACHMENT 3

CAMP Data

Date: 12/21/2022

Start: 7:47

End: 15:41

Observers: Audrey Seery

DOWNWIND -**DW**

Particulate Monitoring		
	Background	DW
Daily Average	0.030	0.028
Minimum 15min Average	NA	0.016
Maximum 15min Average	NA	0.040
Exceedance (15min >.15)	NA	0
Minimum 1min Reading	NA	0.011
Maximum 1min Reading	NA	0.063


Notes:

1. NA = Not applicable
2. All reported units are mg/m³ or milligrams per cubic meter unless specified otherwise.
3. Particulate monitoring was conducted using a DustTrak™ DRX Aerosol Monitor for particulates smaller than 10 microns in diameter (PM10).

Organic Vapor Monitoring		
	Background	DW
Daily Average	0.0	0.0
Minimum 15min Average	NA	0.0
Maximum 15min Average	NA	0.1
Exceedance (15min >5)	NA	0
Minimum 1min Reading	NA	0.0
Maximum 1min Reading	NA	0.1

Notes:

1. NA = Not applicable
2. All reported units are ppm or parts per million unless specified otherwise.
3. Organic vapor monitoring was conducted using a MiniRAE 3000 Photoionization Detector (PID) for volatile organic compounds (VOC).

Air Monitoring Data - December 21, 2022

Wednesday, December 21, 2022				
Number of Instances Where Downwind Particulates Exceeds Background Particulate + 100 =				0
Number of Comparable Data Points =				457
Start Time:				7:49
End Time:				15:40
PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	7:49	0.042		
0.030	7:50	0.029		
0.030	7:51	0.030		
0.030	7:52	0.031		
0.030	7:53	0.030		
0.030	7:54	0.030		
0.030	7:55	0.029		
0.030	7:56	0.029		
0.030	7:57	0.027		
0.030	7:58	0.027		
0.030	7:59	0.027		
0.030	8:00	0.028		
0.030	8:01	0.031		
0.030	8:02	0.031		
0.030	8:03	0.031		
0.030	8:04	0.029	0.030	-
0.030	8:05	0.028	0.029	-
0.030	8:06	0.028	0.029	-
0.030	8:07	0.030	0.029	-
0.030	8:08	0.031	0.029	-
0.030	8:09	0.030	0.029	-
0.030	8:10	0.032	0.029	-
0.030	8:11	0.032	0.029	-
0.030	8:12	0.033	0.030	-
0.030	8:13	0.035	0.030	-
0.030	8:14	0.037	0.031	-
0.030	8:15	0.036	0.031	-
0.030	8:16	0.035	0.032	-
0.030	8:17	0.035	0.032	-
0.030	8:18	0.032	0.032	-
0.030	8:19	0.033	0.032	-
0.030	8:20	0.035	0.033	-
0.030	8:21	0.033	0.033	-
0.030	8:22	0.033	0.033	-
0.030	8:23	0.033	0.033	-
0.030	8:24	0.033	0.034	-
0.030	8:25	0.030	0.034	-
0.030	8:26	0.032	0.034	-
0.030	8:27	0.033	0.034	-
0.030	8:28	0.033	0.034	-
0.030	8:29	0.034	0.034	-
0.030	8:30	0.032	0.033	-
0.030	8:31	0.033	0.033	-
0.030	8:32	0.038	0.033	-
0.030	8:33	0.044	0.033	-
0.030	8:34	0.043	0.034	-
0.030	8:35	0.040	0.035	-
0.030	8:36	0.040	0.035	-
0.030	8:37	0.037	0.035	-
0.030	8:38	0.040	0.036	-
0.030	8:39	0.040	0.036	-
0.030	8:40	0.039	0.037	-
0.030	8:41	0.037	0.037	-
0.030	8:42	0.038	0.038	-
0.030	8:43	0.037	0.038	-
0.030	8:44	0.034	0.038	-
0.030	8:45	0.033	0.038	-
0.030	8:46	0.036	0.038	-
0.030	8:47	0.032	0.038	-
0.030	8:48	0.031	0.038	-
0.030	8:49	0.031	0.037	-
0.030	8:50	0.033	0.036	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	8:51	0.032	0.036	-
0.030	8:52	0.031	0.035	-
0.030	8:53	0.033	0.035	-
0.030	8:54	0.034	0.034	-
0.030	8:55	0.035	0.034	-
0.030	8:56	0.035	0.034	-
0.030	8:57	0.033	0.034	-
0.030	8:58	0.034	0.033	-
0.030	8:59	0.037	0.033	-
0.030	9:00	0.032	0.033	-
0.030	9:01	0.032	0.033	-
0.030	9:02	0.031	0.033	-
0.030	9:03	0.031	0.033	-
0.030	9:04	0.031	0.033	-
0.030	9:05	0.035	0.033	-
0.030	9:06	0.036	0.033	-
0.030	9:07	0.039	0.033	-
0.030	9:08	0.039	0.034	-
0.030	9:09	0.037	0.034	-
0.030	9:10	0.034	0.034	-
0.030	9:11	0.032	0.034	-
0.030	9:12	0.032	0.034	-
0.030	9:13	0.033	0.034	-
0.030	9:14	0.031	0.034	-
0.030	9:15	0.031	0.034	-
0.030	9:16	0.031	0.034	-
0.030	9:17	0.031	0.034	-
0.030	9:18	0.031	0.034	-
0.030	9:19	0.032	0.034	-
0.030	9:20	0.026	0.034	-
0.030	9:21	0.027	0.033	-
0.030	9:22	0.030	0.032	-
0.030	9:23	0.030	0.032	-
0.030	9:24	0.028	0.031	-
0.030	9:25	0.028	0.031	-
0.030	9:26	0.026	0.030	-
0.030	9:27	0.028	0.030	-
0.030	9:28	0.029	0.030	-
0.030	9:29	0.028	0.029	-
0.030	9:30	0.028	0.029	-
0.030	9:31	0.029	0.029	-
0.030	9:32	0.026	0.029	-
0.030	9:33	0.027	0.028	-
0.030	9:34	0.028	0.028	-
0.030	9:35	0.027	0.028	-
0.030	9:36	0.026	0.028	-
0.030	9:37	0.026	0.028	-
0.030	9:38	0.029	0.028	-
0.030	9:39	0.031	0.028	-
0.030	9:40	0.030	0.028	-
0.030	9:41	0.028	0.028	-
0.030	9:42	0.033	0.028	-
0.030	9:43	0.027	0.028	-
0.030	9:44	0.025	0.028	-
0.030	9:45	0.025	0.028	-
0.030	9:46	0.026	0.028	-
0.030	9:47	0.024	0.028	-
0.030	9:48	0.026	0.027	-
0.030	9:49	0.027	0.027	-
0.030	9:50	0.032	0.027	-
0.030	9:51	0.024	0.028	-
0.030	9:52	0.023	0.028	-
0.030	9:53	0.021	0.027	-
0.030	9:54	0.022	0.027	-
0.030	9:55	0.022	0.026	-
0.030	9:56	0.020	0.026	-
0.030	9:57	0.022	0.025	-
0.030	9:58	0.025	0.024	-
0.030	9:59	0.021	0.024	-
0.030	10:00	0.020	0.024	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	10:01	0.020	0.024	-
0.030	10:02	0.020	0.023	-
0.030	10:03	0.020	0.023	-
0.030	10:04	0.022	0.023	-
0.030	10:05	0.022	0.022	-
0.030	10:06	0.022	0.022	-
0.030	10:07	0.021	0.021	-
0.030	10:08	0.021	0.021	-
0.030	10:09	0.021	0.021	-
0.030	10:10	0.020	0.021	-
0.030	10:11	0.018	0.021	-
0.030	10:12	0.019	0.021	-
0.030	10:13	0.018	0.021	-
0.030	10:14	0.018	0.020	-
0.030	10:15	0.018	0.020	-
0.030	10:16	0.019	0.020	-
0.030	10:17	0.021	0.020	-
0.030	10:18	0.021	0.020	-
0.030	10:19	0.022	0.020	-
0.030	10:20	0.021	0.020	-
0.030	10:21	0.022	0.020	-
0.030	10:22	0.022	0.020	-
0.030	10:23	0.022	0.020	-
0.030	10:24	0.023	0.020	-
0.030	10:25	0.025	0.020	-
0.030	10:26	0.043	0.021	-
0.030	10:27	0.053	0.022	-
0.030	10:28	0.025	0.025	-
0.030	10:29	0.023	0.025	-
0.030	10:30	0.023	0.025	-
0.030	10:31	0.022	0.026	-
0.030	10:32	0.034	0.026	-
0.030	10:33	0.024	0.027	-
0.030	10:34	0.023	0.027	-
0.030	10:35	0.023	0.027	-
0.030	10:36	0.023	0.027	-
0.030	10:37	0.023	0.027	-
0.030	10:38	0.023	0.027	-
0.030	10:39	0.023	0.027	-
0.030	10:40	0.025	0.027	-
0.030	10:41	0.024	0.027	-
0.030	10:42	0.023	0.026	-
0.030	10:43	0.023	0.024	-
0.030	10:44	0.025	0.024	-
0.030	10:45	0.026	0.024	-
0.030	10:46	0.030	0.024	-
0.030	10:47	0.023	0.025	-
0.030	10:48	0.022	0.024	-
0.030	10:49	0.022	0.024	-
0.030	10:50	0.025	0.024	-
0.030	10:51	0.025	0.024	-
0.030	10:52	0.025	0.024	-
0.030	10:53	0.030	0.024	-
0.030	10:54	0.043	0.025	-
0.030	10:55	0.030	0.026	-
0.030	10:56	0.027	0.026	-
0.030	10:57	0.032	0.027	-
0.030	10:58	0.049	0.027	-
0.030	10:59	0.021	0.029	-
0.030	11:00	0.021	0.029	-
0.030	11:01	0.024	0.028	-
0.030	11:02	0.033	0.028	-
0.030	11:03	0.031	0.029	-
0.030	11:04	0.058	0.029	-
0.030	11:05	0.052	0.032	-
0.030	11:06	0.041	0.033	-
0.030	11:07	0.046	0.034	-
0.030	11:08	0.034	0.036	-
0.030	11:09	0.026	0.036	-
0.030	11:10	0.025	0.035	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	11:11	0.025	0.035	-
0.030	11:12	0.025	0.035	-
0.030	11:13	0.025	0.034	-
0.030	11:14	0.024	0.032	-
0.030	11:15	0.030	0.033	-
0.030	11:16	0.045	0.033	-
0.030	11:17	0.049	0.035	-
0.030	11:18	0.030	0.036	-
0.030	11:19	0.023	0.036	-
0.030	11:20	0.023	0.033	-
0.030	11:21	0.022	0.031	-
0.030	11:22	0.032	0.030	-
0.030	11:23	0.023	0.029	-
0.030	11:24	0.022	0.028	-
0.030	11:25	0.022	0.028	-
0.030	11:26	0.033	0.028	-
0.030	11:27	0.034	0.029	-
0.030	11:28	0.028	0.029	-
0.030	11:29	0.026	0.029	-
0.030	11:30	0.022	0.029	-
0.030	11:31	0.024	0.029	-
0.030	11:32	0.054	0.028	-
0.030	11:33	0.035	0.028	-
0.030	11:34	0.021	0.028	-
0.030	11:35	0.022	0.028	-
0.030	11:36	0.027	0.028	-
0.030	11:37	0.031	0.028	-
0.030	11:38	0.022	0.028	-
0.030	11:39	0.022	0.028	-
0.030	11:40	0.028	0.028	-
0.030	11:41	0.026	0.029	-
0.030	11:42	0.023	0.028	-
0.030	11:43	0.022	0.027	-
0.030	11:44	0.021	0.027	-
0.030	11:45	0.021	0.027	-
0.030	11:46	0.044	0.027	-
0.030	11:47	0.030	0.028	-
0.030	11:48	0.020	0.026	-
0.030	11:49	0.020	0.025	-
0.030	11:50	0.021	0.025	-
0.030	11:51	0.028	0.025	-
0.030	11:52	0.020	0.025	-
0.030	11:53	0.020	0.025	-
0.030	11:54	0.034	0.024	-
0.030	11:55	0.022	0.025	-
0.030	11:56	0.022	0.025	-
0.030	11:57	0.023	0.025	-
0.030	11:58	0.037	0.025	-
0.030	11:59	0.018	0.026	-
0.030	12:00	0.019	0.025	-
0.030	12:01	0.019	0.025	-
0.030	12:02	0.016	0.024	-
0.030	12:03	0.018	0.023	-
0.030	12:04	0.022	0.022	-
0.030	12:05	0.021	0.023	-
0.030	12:06	0.018	0.023	-
0.030	12:07	0.019	0.022	-
0.030	12:08	0.027	0.022	-
0.030	12:09	0.040	0.022	-
0.030	12:10	0.034	0.023	-
0.030	12:11	0.016	0.024	-
0.030	12:12	0.027	0.023	-
0.030	12:13	0.023	0.023	-
0.030	12:14	0.012	0.022	-
0.030	12:15	0.015	0.022	-
0.030	12:16	0.013	0.022	-
0.030	12:17	0.020	0.021	-
0.030	12:18	0.022	0.022	-
0.030	12:19	0.019	0.022	-
0.030	12:20	0.013	0.022	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	12:21	0.020	0.021	-
0.030	12:22	0.016	0.021	-
0.030	12:23	0.018	0.021	-
0.030	12:24	0.017	0.021	-
0.030	12:25	0.011	0.019	-
0.030	12:26	0.012	0.017	-
0.030	12:27	0.017	0.017	-
0.030	12:28	0.021	0.017	-
0.030	12:29	0.014	0.016	-
0.030	12:30	0.014	0.017	-
0.030	12:31	0.015	0.016	-
0.030	12:32	0.031	0.017	-
0.030	12:33	0.028	0.017	-
0.030	12:34	0.016	0.018	-
0.030	12:35	0.020	0.018	-
0.030	12:36	0.018	0.018	-
0.030	12:37	0.017	0.018	-
0.030	12:38	0.016	0.018	-
0.030	12:39	0.016	0.018	-
0.030	12:40	0.021	0.018	-
0.030	12:41	0.016	0.018	-
0.030	12:42	0.022	0.019	-
0.030	12:43	0.023	0.019	-
0.030	12:44	0.033	0.019	-
0.030	12:45	0.016	0.020	-
0.030	12:46	0.019	0.021	-
0.030	12:47	0.023	0.021	-
0.030	12:48	0.029	0.020	-
0.030	12:49	0.038	0.020	-
0.030	12:50	0.031	0.022	-
0.030	12:51	0.038	0.023	-
0.030	12:52	0.027	0.024	-
0.030	12:53	0.027	0.025	-
0.030	12:54	0.022	0.025	-
0.030	12:55	0.020	0.026	-
0.030	12:56	0.017	0.026	-
0.030	12:57	0.021	0.026	-
0.030	12:58	0.022	0.026	-
0.030	12:59	0.020	0.026	-
0.030	13:00	0.019	0.025	-
0.030	13:01	0.023	0.025	-
0.030	13:02	0.043	0.025	-
0.030	13:03	0.031	0.026	-
0.030	13:04	0.031	0.027	-
0.030	13:05	0.026	0.026	-
0.030	13:06	0.030	0.026	-
0.030	13:07	0.037	0.025	-
0.030	13:08	0.040	0.026	-
0.030	13:09	0.049	0.027	-
0.030	13:10	0.051	0.029	-
0.030	13:11	0.047	0.031	-
0.030	13:12	0.042	0.033	-
0.030	13:13	0.024	0.034	-
0.030	13:14	0.021	0.034	-
0.030	13:15	0.028	0.034	-
0.030	13:16	0.043	0.035	-
0.030	13:17	0.030	0.036	-
0.030	13:18	0.035	0.035	-
0.030	13:19	0.027	0.036	-
0.030	13:20	0.023	0.035	-
0.030	13:21	0.024	0.035	-
0.030	13:22	0.024	0.035	-
0.030	13:23	0.032	0.034	-
0.030	13:24	0.041	0.033	-
0.030	13:25	0.035	0.033	-
0.030	13:26	0.048	0.032	-
0.030	13:27	0.054	0.032	-
0.030	13:28	0.038	0.033	-
0.030	13:29	0.049	0.034	-
0.030	13:30	0.039	0.035	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	13:31	0.021	0.036	-
0.030	13:32	0.020	0.035	-
0.030	13:33	0.021	0.034	-
0.030	13:34	0.023	0.033	-
0.030	13:35	0.028	0.033	-
0.030	13:36	0.031	0.033	-
0.030	13:37	0.019	0.034	-
0.030	13:38	0.020	0.033	-
0.030	13:39	0.021	0.032	-
0.030	13:40	0.027	0.031	-
0.030	13:41	0.022	0.031	-
0.030	13:42	0.023	0.029	-
0.030	13:43	0.023	0.027	-
0.030	13:44	0.030	0.026	-
0.030	13:45	0.044	0.025	-
0.030	13:46	0.042	0.025	-
0.030	13:47	0.046	0.026	-
0.030	13:48	0.045	0.028	-
0.030	13:49	0.042	0.030	-
0.030	13:50	0.048	0.031	-
0.030	13:51	0.042	0.032	-
0.030	13:52	0.030	0.033	-
0.030	13:53	0.021	0.034	-
0.030	13:54	0.032	0.034	-
0.030	13:55	0.020	0.034	-
0.030	13:56	0.038	0.034	-
0.030	13:57	0.062	0.035	-
0.030	13:58	0.052	0.038	-
0.030	13:59	0.020	0.040	-
0.030	14:00	0.020	0.039	-
0.030	14:01	0.023	0.037	-
0.030	14:02	0.020	0.036	-
0.030	14:03	0.022	0.034	-
0.030	14:04	0.021	0.033	-
0.030	14:05	0.024	0.031	-
0.030	14:06	0.029	0.030	-
0.030	14:07	0.026	0.029	-
0.030	14:08	0.033	0.029	-
0.030	14:09	0.024	0.029	-
0.030	14:10	0.054	0.029	-
0.030	14:11	0.063	0.031	-
0.030	14:12	0.021	0.033	-
0.030	14:13	0.033	0.030	-
0.030	14:14	0.020	0.029	-
0.030	14:15	0.021	0.029	-
0.030	14:16	0.021	0.029	-
0.030	14:17	0.020	0.029	-
0.030	14:18	0.021	0.029	-
0.030	14:19	0.030	0.029	-
0.030	14:20	0.032	0.029	-
0.030	14:21	0.036	0.030	-
0.030	14:22	0.021	0.030	-
0.030	14:23	0.020	0.030	-
0.030	14:24	0.021	0.029	-
0.030	14:25	0.021	0.029	-
0.030	14:26	0.020	0.027	-
0.030	14:27	0.020	0.024	-
0.030	14:28	0.020	0.024	-
0.030	14:29	0.020	0.023	-
0.030	14:30	0.020	0.023	-
0.030	14:31	0.020	0.023	-
0.030	14:32	0.023	0.023	-
0.030	14:33	0.024	0.023	-
0.030	14:34	0.020	0.023	-
0.030	14:35	0.028	0.023	-
0.030	14:36	0.043	0.022	-
0.030	14:37	0.028	0.023	-
0.030	14:38	0.020	0.023	-
0.030	14:39	0.029	0.023	-
0.030	14:40	0.023	0.024	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.030	14:41	0.024	0.024	-
0.030	14:42	0.019	0.024	-
0.030	14:43	0.046	0.024	-
0.030	14:44	0.029	0.026	-
0.030	14:45	0.019	0.026	-
0.030	14:46	0.019	0.026	-
0.030	14:47	0.019	0.026	-
0.030	14:48	0.019	0.026	-
0.030	14:49	0.020	0.026	-
0.030	14:50	0.022	0.026	-
0.030	14:51	0.021	0.025	-
0.030	14:52	0.031	0.024	-
0.030	14:53	0.021	0.024	-
0.030	14:54	0.019	0.024	-
0.030	14:55	0.019	0.023	-
0.030	14:56	0.019	0.023	-
0.030	14:57	0.022	0.023	-
0.030	14:58	0.025	0.023	-
0.030	14:59	0.019	0.022	-
0.030	15:00	0.020	0.021	-
0.030	15:01	0.020	0.021	-
0.030	15:02	0.023	0.021	-
0.030	15:03	0.022	0.021	-
0.030	15:04	0.023	0.022	-
0.030	15:05	0.025	0.022	-
0.030	15:06	0.059	0.022	-
0.030	15:07	0.030	0.024	-
0.030	15:08	0.024	0.024	-
0.030	15:09	0.021	0.025	-
0.030	15:10	0.021	0.025	-
0.030	15:11	0.021	0.025	-
0.030	15:12	0.044	0.025	-
0.030	15:13	0.045	0.026	-
0.030	15:14	0.039	0.028	-
0.030	15:15	0.026	0.029	-
0.030	15:16	0.027	0.030	-
0.030	15:17	0.040	0.030	-
0.030	15:18	0.034	0.031	-
0.030	15:19	0.023	0.032	-
0.030	15:20	0.044	0.032	-
0.030	15:21	0.029	0.033	-
0.030	15:22	0.024	0.031	-
0.030	15:23	0.029	0.031	-
0.030	15:24	0.028	0.031	-
0.030	15:25	0.026	0.032	-
0.030	15:26	0.025	0.032	-
0.030	15:27	0.024	0.032	-
0.030	15:28	0.024	0.031	-
0.030	15:29	0.048	0.029	-
0.030	15:30	0.052	0.030	-
0.030	15:31	0.045	0.032	-
0.030	15:32	0.032	0.033	-
0.030	15:33	0.026	0.032	-
0.030	15:34	0.025	0.032	-
0.030	15:35	0.042	0.032	-
0.030	15:36	0.030	0.032	-
0.030	15:37	0.025	0.032	-
0.030	15:38	0.025	0.032	-
0.030	15:39	0.024	0.032	-
0.030	15:40	0.029	0.032	-

Wednesday, December 21, 2022				
Number of Instances Where Downwind Organic Vapors Exceeds Background Organic Vapors + 5 =				0
Number of Comparable Data Points =				461
Start Time:				7:47
End Time:				15:41
ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	7:47	0.1		
0.0	7:48	0.0		
0.0	7:49	0.0		
0.0	7:50	0.0		
0.0	7:51	0.0		
0.0	7:52	0.0		
0.0	7:53	0.0		
0.0	7:54	0.0		
0.0	7:55	0.0		
0.0	7:56	0.0		
0.0	7:57	0.0		
0.0	7:58	0.0		
0.0	7:59	0.0		
0.0	8:00	0.0		
0.0	8:01	0.0	0.0	-
0.0	8:02	0.0	0.0	-
0.0	8:03	0.0	0.0	-
0.0	8:04	0.0	0.0	-
0.0	8:05	0.0	0.0	-
0.0	8:06	0.0	0.0	-
0.0	8:07	0.0	0.0	-
0.0	8:08	0.0	0.0	-
0.0	8:09	0.0	0.0	-
0.0	8:10	0.0	0.0	-
0.0	8:11	0.0	0.0	-
0.0	8:12	0.0	0.0	-
0.0	8:13	0.0	0.0	-
0.0	8:14	0.0	0.0	-
0.0	8:15	0.0	0.0	-
0.0	8:16	0.0	0.0	-
0.0	8:17	0.0	0.0	-
0.0	8:18	0.0	0.0	-
0.0	8:19	0.0	0.0	-
0.0	8:20	0.0	0.0	-
0.0	8:21	0.0	0.0	-
0.0	8:22	0.0	0.0	-
0.0	8:23	0.0	0.0	-
0.0	8:24	0.0	0.0	-
0.0	8:25	0.0	0.0	-
0.0	8:26	0.0	0.0	-
0.0	8:27	0.0	0.0	-
0.0	8:28	0.0	0.0	-
0.0	8:29	0.0	0.0	-
0.0	8:30	0.0	0.0	-
0.0	8:31	0.0	0.0	-
0.0	8:32	0.0	0.0	-
0.0	8:33	0.0	0.0	-
0.0	8:34	0.0	0.0	-
0.0	8:35	0.0	0.0	-
0.0	8:36	0.0	0.0	-
0.0	8:37	0.0	0.0	-
0.0	8:38	0.0	0.0	-
0.0	8:39	0.0	0.0	-
0.0	8:40	0.0	0.0	-
0.0	8:41	0.0	0.0	-
0.0	8:42	0.0	0.0	-
0.0	8:43	0.0	0.0	-
0.0	8:44	0.0	0.0	-
0.0	8:45	0.0	0.0	-
0.0	8:46	0.0	0.0	-
0.0	8:47	0.0	0.0	-
0.0	8:48	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	8:49	0.0	0.0	-
0.0	8:50	0.0	0.0	-
0.0	8:51	0.0	0.0	-
0.0	8:52	0.0	0.0	-
0.0	8:53	0.0	0.0	-
0.0	8:54	0.0	0.0	-
0.0	8:55	0.0	0.0	-
0.0	8:56	0.0	0.0	-
0.0	8:57	0.0	0.0	-
0.0	8:58	0.0	0.0	-
0.0	8:59	0.0	0.0	-
0.0	9:00	0.0	0.0	-
0.0	9:01	0.0	0.0	-
0.0	9:02	0.0	0.0	-
0.0	9:03	0.0	0.0	-
0.0	9:04	0.0	0.0	-
0.0	9:05	0.0	0.0	-
0.0	9:06	0.0	0.0	-
0.0	9:07	0.0	0.0	-
0.0	9:08	0.0	0.0	-
0.0	9:09	0.0	0.0	-
0.0	9:10	0.0	0.0	-
0.0	9:11	0.0	0.0	-
0.0	9:12	0.0	0.0	-
0.0	9:13	0.0	0.0	-
0.0	9:14	0.0	0.0	-
0.0	9:15	0.0	0.0	-
0.0	9:16	0.0	0.0	-
0.0	9:17	0.0	0.0	-
0.0	9:18	0.0	0.0	-
0.0	9:19	0.0	0.0	-
0.0	9:20	0.0	0.0	-
0.0	9:21	0.0	0.0	-
0.0	9:22	0.0	0.0	-
0.0	9:23	0.0	0.0	-
0.0	9:24	0.0	0.0	-
0.0	9:25	0.0	0.0	-
0.0	9:26	0.0	0.0	-
0.0	9:27	0.0	0.0	-
0.0	9:28	0.0	0.0	-
0.0	9:29	0.0	0.0	-
0.0	9:30	0.0	0.0	-
0.0	9:31	0.0	0.0	-
0.0	9:32	0.0	0.0	-
0.0	9:33	0.0	0.0	-
0.0	9:34	0.0	0.0	-
0.0	9:35	0.0	0.0	-
0.0	9:36	0.0	0.0	-
0.0	9:37	0.0	0.0	-
0.0	9:38	0.0	0.0	-
0.0	9:39	0.0	0.0	-
0.0	9:40	0.0	0.0	-
0.0	9:41	0.0	0.0	-
0.0	9:42	0.0	0.0	-
0.0	9:43	0.0	0.0	-
0.0	9:44	0.0	0.0	-
0.0	9:45	0.0	0.0	-
0.0	9:46	0.0	0.0	-
0.0	9:47	0.0	0.0	-
0.0	9:48	0.0	0.0	-
0.0	9:49	0.0	0.0	-
0.0	9:50	0.0	0.0	-
0.0	9:51	0.0	0.0	-
0.0	9:52	0.0	0.0	-
0.0	9:53	0.0	0.0	-
0.0	9:54	0.0	0.0	-
0.0	9:55	0.0	0.0	-
0.0	9:56	0.0	0.0	-
0.0	9:57	0.0	0.0	-
0.0	9:58	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	9:59	0.0	0.0	-
0.0	10:00	0.0	0.0	-
0.0	10:01	0.0	0.0	-
0.0	10:02	0.0	0.0	-
0.0	10:03	0.0	0.0	-
0.0	10:04	0.0	0.0	-
0.0	10:05	0.0	0.0	-
0.0	10:06	0.0	0.0	-
0.0	10:07	0.0	0.0	-
0.0	10:08	0.0	0.0	-
0.0	10:09	0.0	0.0	-
0.0	10:10	0.0	0.0	-
0.0	10:11	0.0	0.0	-
0.0	10:12	0.0	0.0	-
0.0	10:13	0.0	0.0	-
0.0	10:14	0.0	0.0	-
0.0	10:15	0.0	0.0	-
0.0	10:16	0.0	0.0	-
0.0	10:17	0.0	0.0	-
0.0	10:18	0.0	0.0	-
0.0	10:19	0.0	0.0	-
0.0	10:20	0.0	0.0	-
0.0	10:21	0.0	0.0	-
0.0	10:22	0.0	0.0	-
0.0	10:23	0.0	0.0	-
0.0	10:24	0.0	0.0	-
0.0	10:25	0.1	0.0	-
0.0	10:26	0.1	0.0	-
0.0	10:27	0.1	0.0	-
0.0	10:28	0.1	0.0	-
0.0	10:29	0.1	0.0	-
0.0	10:30	0.1	0.0	-
0.0	10:31	0.1	0.0	-
0.0	10:32	0.1	0.0	-
0.0	10:33	0.1	0.0	-
0.0	10:34	0.1	0.0	-
0.0	10:35	0.1	0.0	-
0.0	10:36	0.1	0.1	-
0.0	10:37	0.1	0.1	-
0.0	10:38	0.1	0.1	-
0.0	10:39	0.1	0.1	-
0.0	10:40	0.1	0.1	-
0.0	10:41	0.1	0.1	-
0.0	10:42	0.0	0.1	-
0.0	10:43	0.1	0.1	-
0.0	10:44	0.1	0.1	-
0.0	10:45	0.1	0.1	-
0.0	10:46	0.0	0.1	-
0.0	10:47	0.0	0.1	-
0.0	10:48	0.0	0.1	-
0.0	10:49	0.0	0.1	-
0.0	10:50	0.1	0.1	-
0.0	10:51	0.1	0.1	-
0.0	10:52	0.0	0.1	-
0.0	10:53	0.1	0.1	-
0.0	10:54	0.1	0.1	-
0.0	10:55	0.1	0.1	-
0.0	10:56	0.1	0.1	-
0.0	10:57	0.1	0.1	-
0.0	10:58	0.1	0.1	-
0.0	10:59	0.1	0.1	-
0.0	11:00	0.1	0.1	-
0.0	11:01	0.1	0.1	-
0.0	11:02	0.1	0.1	-
0.0	11:03	0.1	0.1	-
0.0	11:04	0.1	0.1	-
0.0	11:05	0.1	0.1	-
0.0	11:06	0.1	0.1	-
0.0	11:07	0.1	0.1	-
0.0	11:08	0.1	0.1	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	11:09	0.1	0.1	-
0.0	11:10	0.1	0.1	-
0.0	11:11	0.1	0.1	-
0.0	11:12	0.1	0.1	-
0.0	11:13	0.1	0.1	-
0.0	11:14	0.1	0.1	-
0.0	11:15	0.1	0.1	-
0.0	11:16	0.1	0.1	-
0.0	11:17	0.1	0.1	-
0.0	11:18	0.1	0.1	-
0.0	11:19	0.1	0.1	-
0.0	11:20	0.1	0.1	-
0.0	11:21	0.1	0.1	-
0.0	11:22	0.1	0.1	-
0.0	11:23	0.1	0.1	-
0.0	11:24	0.1	0.1	-
0.0	11:25	0.1	0.1	-
0.0	11:26	0.1	0.1	-
0.0	11:27	0.1	0.1	-
0.0	11:28	0.1	0.1	-
0.0	11:29	0.1	0.1	-
0.0	11:30	0.1	0.1	-
0.0	11:31	0.1	0.1	-
0.0	11:32	0.1	0.1	-
0.0	11:33	0.1	0.1	-
0.0	11:34	0.1	0.1	-
0.0	11:35	0.1	0.1	-
0.0	11:36	0.1	0.1	-
0.0	11:37	0.1	0.1	-
0.0	11:38	0.1	0.1	-
0.0	11:39	0.1	0.1	-
0.0	11:40	0.1	0.1	-
0.0	11:41	0.1	0.1	-
0.0	11:42	0.1	0.1	-
0.0	11:43	0.1	0.1	-
0.0	11:44	0.1	0.1	-
0.0	11:45	0.1	0.1	-
0.0	11:46	0.1	0.1	-
0.0	11:47	0.1	0.1	-
0.0	11:48	0.1	0.1	-
0.0	11:49	0.0	0.1	-
0.0	11:50	0.0	0.1	-
0.0	11:51	0.0	0.1	-
0.0	11:52	0.0	0.1	-
0.0	11:53	0.0	0.1	-
0.0	11:54	0.0	0.1	-
0.0	11:55	0.0	0.1	-
0.0	11:56	0.0	0.1	-
0.0	11:57	0.0	0.1	-
0.0	11:58	0.0	0.1	-
0.0	11:59	0.0	0.1	-
0.0	12:00	0.0	0.0	-
0.0	12:01	0.0	0.0	-
0.0	12:02	0.0	0.0	-
0.0	12:03	0.0	0.0	-
0.0	12:04	0.0	0.0	-
0.0	12:05	0.0	0.0	-
0.0	12:06	0.0	0.0	-
0.0	12:07	0.0	0.0	-
0.0	12:08	0.0	0.0	-
0.0	12:09	0.0	0.0	-
0.0	12:10	0.0	0.0	-
0.0	12:11	0.0	0.0	-
0.0	12:12	0.0	0.0	-
0.0	12:13	0.0	0.0	-
0.0	12:14	0.0	0.0	-
0.0	12:15	0.0	0.0	-
0.0	12:16	0.0	0.0	-
0.0	12:17	0.0	0.0	-
0.0	12:18	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	12:19	0.0	0.0	-
0.0	12:20	0.0	0.0	-
0.0	12:21	0.0	0.0	-
0.0	12:22	0.0	0.0	-
0.0	12:23	0.0	0.0	-
0.0	12:24	0.0	0.0	-
0.0	12:25	0.0	0.0	-
0.0	12:26	0.0	0.0	-
0.0	12:27	0.0	0.0	-
0.0	12:28	0.0	0.0	-
0.0	12:29	0.0	0.0	-
0.0	12:30	0.0	0.0	-
0.0	12:31	0.0	0.0	-
0.0	12:32	0.0	0.0	-
0.0	12:33	0.0	0.0	-
0.0	12:34	0.0	0.0	-
0.0	12:35	0.0	0.0	-
0.0	12:36	0.0	0.0	-
0.0	12:37	0.0	0.0	-
0.0	12:38	0.0	0.0	-
0.0	12:39	0.0	0.0	-
0.0	12:40	0.0	0.0	-
0.0	12:41	0.0	0.0	-
0.0	12:42	0.0	0.0	-
0.0	12:43	0.0	0.0	-
0.0	12:44	0.0	0.0	-
0.0	12:45	0.0	0.0	-
0.0	12:46	0.0	0.0	-
0.0	12:47	0.0	0.0	-
0.0	12:48	0.0	0.0	-
0.0	12:49	0.0	0.0	-
0.0	12:50	0.0	0.0	-
0.0	12:51	0.0	0.0	-
0.0	12:52	0.0	0.0	-
0.0	12:53	0.0	0.0	-
0.0	12:54	0.0	0.0	-
0.0	12:55	0.0	0.0	-
0.0	12:56	0.0	0.0	-
0.0	12:57	0.0	0.0	-
0.0	12:58	0.0	0.0	-
0.0	12:59	0.0	0.0	-
0.0	13:00	0.0	0.0	-
0.0	13:01	0.0	0.0	-
0.0	13:02	0.0	0.0	-
0.0	13:03	0.0	0.0	-
0.0	13:04	0.0	0.0	-
0.0	13:05	0.0	0.0	-
0.0	13:06	0.0	0.0	-
0.0	13:07	0.0	0.0	-
0.0	13:08	0.0	0.0	-
0.0	13:09	0.0	0.0	-
0.0	13:10	0.0	0.0	-
0.0	13:11	0.0	0.0	-
0.0	13:12	0.0	0.0	-
0.0	13:13	0.0	0.0	-
0.0	13:14	0.0	0.0	-
0.0	13:15	0.0	0.0	-
0.0	13:16	0.0	0.0	-
0.0	13:17	0.0	0.0	-
0.0	13:18	0.0	0.0	-
0.0	13:19	0.0	0.0	-
0.0	13:20	0.0	0.0	-
0.0	13:21	0.0	0.0	-
0.0	13:22	0.0	0.0	-
0.0	13:23	0.0	0.0	-
0.0	13:24	0.0	0.0	-
0.0	13:25	0.0	0.0	-
0.0	13:26	0.0	0.0	-
0.0	13:27	0.0	0.0	-
0.0	13:28	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	13:29	0.0	0.0	-
0.0	13:30	0.0	0.0	-
0.0	13:31	0.0	0.0	-
0.0	13:32	0.0	0.0	-
0.0	13:33	0.0	0.0	-
0.0	13:34	0.0	0.0	-
0.0	13:35	0.0	0.0	-
0.0	13:36	0.0	0.0	-
0.0	13:37	0.0	0.0	-
0.0	13:38	0.0	0.0	-
0.0	13:39	0.0	0.0	-
0.0	13:40	0.0	0.0	-
0.0	13:41	0.0	0.0	-
0.0	13:42	0.0	0.0	-
0.0	13:43	0.0	0.0	-
0.0	13:44	0.0	0.0	-
0.0	13:45	0.0	0.0	-
0.0	13:46	0.0	0.0	-
0.0	13:47	0.0	0.0	-
0.0	13:48	0.0	0.0	-
0.0	13:49	0.0	0.0	-
0.0	13:50	0.0	0.0	-
0.0	13:51	0.0	0.0	-
0.0	13:52	0.0	0.0	-
0.0	13:53	0.0	0.0	-
0.0	13:54	0.0	0.0	-
0.0	13:55	0.0	0.0	-
0.0	13:56	0.0	0.0	-
0.0	13:57	0.0	0.0	-
0.0	13:58	0.0	0.0	-
0.0	13:59	0.0	0.0	-
0.0	14:00	0.0	0.0	-
0.0	14:01	0.0	0.0	-
0.0	14:02	0.0	0.0	-
0.0	14:03	0.0	0.0	-
0.0	14:04	0.0	0.0	-
0.0	14:05	0.0	0.0	-
0.0	14:06	0.0	0.0	-
0.0	14:07	0.0	0.0	-
0.0	14:08	0.0	0.0	-
0.0	14:09	0.0	0.0	-
0.0	14:10	0.0	0.0	-
0.0	14:11	0.0	0.0	-
0.0	14:12	0.0	0.0	-
0.0	14:13	0.0	0.0	-
0.0	14:14	0.0	0.0	-
0.0	14:15	0.0	0.0	-
0.0	14:16	0.0	0.0	-
0.0	14:17	0.0	0.0	-
0.0	14:18	0.0	0.0	-
0.0	14:19	0.0	0.0	-
0.0	14:20	0.0	0.0	-
0.0	14:21	0.0	0.0	-
0.0	14:22	0.0	0.0	-
0.0	14:23	0.0	0.0	-
0.0	14:24	0.0	0.0	-
0.0	14:25	0.0	0.0	-
0.0	14:26	0.0	0.0	-
0.0	14:27	0.0	0.0	-
0.0	14:28	0.0	0.0	-
0.0	14:29	0.0	0.0	-
0.0	14:30	0.0	0.0	-
0.0	14:31	0.0	0.0	-
0.0	14:32	0.0	0.0	-
0.0	14:33	0.0	0.0	-
0.0	14:34	0.0	0.0	-
0.0	14:35	0.0	0.0	-
0.0	14:36	0.0	0.0	-
0.0	14:37	0.0	0.0	-
0.0	14:38	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	14:39	0.0	0.0	-
0.0	14:40	0.0	0.0	-
0.0	14:41	0.0	0.0	-
0.0	14:42	0.0	0.0	-
0.0	14:43	0.0	0.0	-
0.0	14:44	0.0	0.0	-
0.0	14:45	0.0	0.0	-
0.0	14:46	0.0	0.0	-
0.0	14:47	0.0	0.0	-
0.0	14:48	0.0	0.0	-
0.0	14:49	0.0	0.0	-
0.0	14:50	0.0	0.0	-
0.0	14:51	0.0	0.0	-
0.0	14:52	0.0	0.0	-
0.0	14:53	0.0	0.0	-
0.0	14:54	0.0	0.0	-
0.0	14:55	0.0	0.0	-
0.0	14:56	0.0	0.0	-
0.0	14:57	0.0	0.0	-
0.0	14:58	0.0	0.0	-
0.0	14:59	0.0	0.0	-
0.0	15:00	0.0	0.0	-
0.0	15:01	0.0	0.0	-
0.0	15:02	0.0	0.0	-
0.0	15:03	0.0	0.0	-
0.0	15:04	0.0	0.0	-
0.0	15:05	0.0	0.0	-
0.0	15:06	0.0	0.0	-
0.0	15:07	0.0	0.0	-
0.0	15:08	0.0	0.0	-
0.0	15:09	0.0	0.0	-
0.0	15:10	0.0	0.0	-
0.0	15:11	0.0	0.0	-
0.0	15:12	0.0	0.0	-
0.0	15:13	0.0	0.0	-
0.0	15:14	0.0	0.0	-
0.0	15:15	0.0	0.0	-
0.0	15:16	0.0	0.0	-
0.0	15:17	0.0	0.0	-
0.0	15:18	0.0	0.0	-
0.0	15:19	0.0	0.0	-
0.0	15:20	0.0	0.0	-
0.0	15:21	0.0	0.0	-
0.0	15:22	0.0	0.0	-
0.0	15:23	0.0	0.0	-
0.0	15:24	0.0	0.0	-
0.0	15:25	0.0	0.0	-
0.0	15:26	0.0	0.0	-
0.0	15:27	0.0	0.0	-
0.0	15:28	0.0	0.0	-
0.0	15:29	0.0	0.0	-
0.0	15:30	0.0	0.0	-
0.0	15:31	0.0	0.0	-
0.0	15:32	0.0	0.0	-
0.0	15:33	0.0	0.0	-
0.0	15:34	0.0	0.0	-
0.0	15:35	0.0	0.0	-
0.0	15:36	0.0	0.0	-
0.0	15:37	0.0	0.0	-
0.0	15:38	0.0	0.0	-
0.0	15:39	0.0	0.0	-
0.0	15:40	0.0	0.0	-
0.0	15:41	0.0	0.0	-

Date: 12/22/2022

Start: 7:18

End: 16:18

Observers: Audrey Seery

DOWNWIND -**DW**

Particulate Monitoring		
	Background	DW
Daily Average	0.021	0.027
Minimum 15min Average	NA	0.016
Maximum 15min Average	NA	0.066
Exceedance (15min >.15)	NA	0
Minimum 1min Reading	NA	0.007
Maximum 1min Reading	NA	0.717


Notes:

1. NA = Not applicable
2. All reported units are mg/m³ or milligrams per cubic meter unless specified otherwise.
3. Particulate monitoring was conducted using a DustTrak™ DRX Aerosol Monitor for particulates smaller than 10 microns in diameter (PM10).

Organic Vapor Monitoring		
	Background	DW
Daily Average	0.0	0.0
Minimum 15min Average	NA	0.0
Maximum 15min Average	NA	0.0
Exceedance (15min >5)	NA	0
Minimum 1min Reading	NA	0.0
Maximum 1min Reading	NA	0.0

Notes:

1. NA = Not applicable
2. All reported units are ppm or parts per million unless specified otherwise.
3. Organic vapor monitoring was conducted using a MiniRAE 3000 Photoionization Detector (PID) for volatile organic compounds (VOC).

Air Monitoring Data - December 22, 2022

Thursday, December 22, 2022				
Number of Instances Where Downwind Particulates Exceeds Background Particulate + 100 =				0
Number of Comparable Data Points =				433
Start Time:				7:49
End Time:				16:18
PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	7:49	0.021		
0.021	7:50	0.022		
0.021	7:51	0.022		
0.021	7:52	0.022		
0.021	7:53	0.022		
0.021	7:54	0.022		
0.021	7:55	0.024		
0.021	7:56	0.020		
0.021	7:57	0.020		
0.021	7:58	0.020		
0.021	7:59	0.021		
0.021	8:00	0.021		
0.021	8:01	0.020		
0.021	8:02	0.021		
0.021	8:03	0.021		
0.021	8:04	0.023	0.021	-
0.021	8:05	0.023	0.022	-
0.021	8:06	0.023	0.022	-
0.021	8:07	0.022	0.022	-
0.021	8:08	0.021	0.022	-
0.021	8:09	0.021	0.021	-
0.021	8:10	0.023	0.022	-
0.021	8:11	0.024	0.022	-
0.021	8:12	0.023	0.022	-
0.021	8:13	0.023	0.022	-
0.021	8:14	0.023	0.022	-
0.021	8:15	0.023	0.022	-
0.021	8:16	0.024	0.022	-
0.021	8:17	0.023	0.023	-
0.021	8:18	0.022	0.023	-
0.021	8:19	0.024	0.023	-
0.021	8:20	0.024	0.023	-
0.021	8:21	0.024	0.023	-
0.021	8:22	0.025	0.023	-
0.021	8:23	0.023	0.023	-
0.021	8:24	0.023	0.023	-
0.021	8:25	0.024	0.023	-
0.021	8:26	0.022	0.023	-
0.021	8:27	0.023	0.023	-
0.021	8:28	0.022	0.023	-
0.021	8:29	0.022	0.023	-
0.021	8:30	0.022	0.023	-
0.021	8:31	0.022	0.023	-
0.021	8:32	0.021	0.023	-
0.021	8:33	0.022	0.023	-
0.021	8:34	0.023	0.023	-
0.021	8:35	0.024	0.023	-
0.021	8:36	0.023	0.023	-
0.021	8:37	0.025	0.023	-
0.021	8:38	0.026	0.023	-
0.021	8:39	0.025	0.023	-
0.021	8:40	0.025	0.023	-
0.021	8:41	0.023	0.023	-
0.021	8:42	0.024	0.023	-
0.021	8:43	0.024	0.023	-
0.021	8:44	0.026	0.023	-
0.021	8:45	0.024	0.024	-
0.021	8:46	0.026	0.024	-
0.021	8:47	0.024	0.024	-
0.021	8:48	0.027	0.024	-
0.021	8:49	0.027	0.025	-
0.021	8:50	0.027	0.025	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	8:51	0.028	0.025	-
0.021	8:52	0.029	0.025	-
0.021	8:53	0.032	0.026	-
0.021	8:54	0.027	0.026	-
0.021	8:55	0.026	0.026	-
0.021	8:56	0.027	0.026	-
0.021	8:57	0.029	0.027	-
0.021	8:58	0.031	0.027	-
0.021	8:59	0.026	0.027	-
0.021	9:00	0.030	0.027	-
0.021	9:01	0.026	0.028	-
0.021	9:02	0.026	0.028	-
0.021	9:03	0.026	0.028	-
0.021	9:04	0.028	0.028	-
0.021	9:05	0.031	0.028	-
0.021	9:06	0.027	0.028	-
0.021	9:07	0.027	0.028	-
0.021	9:08	0.029	0.028	-
0.021	9:09	0.028	0.028	-
0.021	9:10	0.027	0.028	-
0.021	9:11	0.027	0.028	-
0.021	9:12	0.027	0.028	-
0.021	9:13	0.030	0.028	-
0.021	9:14	0.027	0.028	-
0.021	9:15	0.027	0.028	-
0.021	9:16	0.029	0.028	-
0.021	9:17	0.027	0.028	-
0.021	9:18	0.034	0.028	-
0.021	9:19	0.035	0.028	-
0.021	9:20	0.028	0.029	-
0.021	9:21	0.030	0.029	-
0.021	9:22	0.027	0.029	-
0.021	9:23	0.025	0.029	-
0.021	9:24	0.024	0.029	-
0.021	9:25	0.025	0.028	-
0.021	9:26	0.024	0.028	-
0.021	9:27	0.020	0.028	-
0.021	9:28	0.020	0.027	-
0.021	9:29	0.023	0.027	-
0.021	9:30	0.019	0.027	-
0.021	9:31	0.018	0.026	-
0.021	9:32	0.019	0.025	-
0.021	9:33	0.017	0.025	-
0.021	9:34	0.018	0.024	-
0.021	9:35	0.018	0.022	-
0.021	9:36	0.016	0.022	-
0.021	9:37	0.017	0.021	-
0.021	9:38	0.018	0.020	-
0.021	9:39	0.018	0.020	-
0.021	9:40	0.017	0.019	-
0.021	9:41	0.018	0.019	-
0.021	9:42	0.018	0.018	-
0.021	9:43	0.018	0.018	-
0.021	9:44	0.018	0.018	-
0.021	9:45	0.019	0.018	-
0.021	9:46	0.017	0.018	-
0.021	9:47	0.018	0.018	-
0.021	9:48	0.023	0.018	-
0.021	9:49	0.025	0.018	-
0.021	9:50	0.026	0.019	-
0.021	9:51	0.023	0.019	-
0.021	9:52	0.018	0.020	-
0.021	9:53	0.024	0.020	-
0.021	9:54	0.021	0.020	-
0.021	9:55	0.017	0.020	-
0.021	9:56	0.021	0.020	-
0.021	9:57	0.019	0.020	-
0.021	9:58	0.017	0.020	-
0.021	9:59	0.020	0.020	-
0.021	10:00	0.018	0.021	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	10:01	0.017	0.020	-
0.021	10:02	0.019	0.020	-
0.021	10:03	0.018	0.021	-
0.021	10:04	0.020	0.020	-
0.021	10:05	0.016	0.020	-
0.021	10:06	0.019	0.019	-
0.021	10:07	0.016	0.019	-
0.021	10:08	0.019	0.019	-
0.021	10:09	0.020	0.018	-
0.021	10:10	0.020	0.018	-
0.021	10:11	0.019	0.019	-
0.021	10:12	0.017	0.018	-
0.021	10:13	0.021	0.018	-
0.021	10:14	0.017	0.019	-
0.021	10:15	0.019	0.018	-
0.021	10:16	0.020	0.018	-
0.021	10:17	0.019	0.019	-
0.021	10:18	0.023	0.019	-
0.021	10:19	0.020	0.019	-
0.021	10:20	0.021	0.019	-
0.021	10:21	0.019	0.019	-
0.021	10:22	0.022	0.019	-
0.021	10:23	0.019	0.020	-
0.021	10:24	0.018	0.020	-
0.021	10:25	0.018	0.020	-
0.021	10:26	0.018	0.019	-
0.021	10:27	0.017	0.019	-
0.021	10:28	0.018	0.019	-
0.021	10:29	0.016	0.019	-
0.021	10:30	0.018	0.019	-
0.021	10:31	0.021	0.019	-
0.021	10:32	0.017	0.019	-
0.021	10:33	0.017	0.019	-
0.021	10:34	0.019	0.019	-
0.021	10:35	0.017	0.019	-
0.021	10:36	0.018	0.018	-
0.021	10:37	0.019	0.018	-
0.021	10:38	0.017	0.018	-
0.021	10:39	0.017	0.018	-
0.021	10:40	0.016	0.018	-
0.021	10:41	0.017	0.018	-
0.021	10:42	0.017	0.018	-
0.021	10:43	0.016	0.018	-
0.021	10:44	0.016	0.017	-
0.021	10:45	0.016	0.017	-
0.021	10:46	0.016	0.017	-
0.021	10:47	0.016	0.017	-
0.021	10:48	0.017	0.017	-
0.021	10:49	0.017	0.017	-
0.021	10:50	0.016	0.017	-
0.021	10:51	0.016	0.017	-
0.021	10:52	0.016	0.017	-
0.021	10:53	0.017	0.016	-
0.021	10:54	0.016	0.016	-
0.021	10:55	0.016	0.016	-
0.021	10:56	0.021	0.016	-
0.021	10:57	0.019	0.017	-
0.021	10:58	0.021	0.017	-
0.021	10:59	0.021	0.017	-
0.021	11:00	0.019	0.017	-
0.021	11:01	0.019	0.018	-
0.021	11:02	0.018	0.018	-
0.021	11:03	0.018	0.018	-
0.021	11:04	0.019	0.018	-
0.021	11:05	0.017	0.018	-
0.021	11:06	0.018	0.018	-
0.021	11:07	0.018	0.018	-
0.021	11:08	0.019	0.018	-
0.021	11:09	0.020	0.019	-
0.021	11:10	0.021	0.019	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	11:11	0.021	0.019	-
0.021	11:12	0.021	0.019	-
0.021	11:13	0.020	0.019	-
0.021	11:14	0.021	0.019	-
0.021	11:15	0.022	0.019	-
0.021	11:16	0.025	0.019	-
0.021	11:17	0.023	0.020	-
0.021	11:18	0.022	0.020	-
0.021	11:19	0.024	0.020	-
0.021	11:20	0.023	0.021	-
0.021	11:21	0.021	0.021	-
0.021	11:22	0.021	0.021	-
0.021	11:23	0.032	0.022	-
0.021	11:24	0.027	0.022	-
0.021	11:25	0.026	0.023	-
0.021	11:26	0.024	0.023	-
0.021	11:27	0.023	0.023	-
0.021	11:28	0.021	0.024	-
0.021	11:29	0.021	0.024	-
0.021	11:30	0.021	0.024	-
0.021	11:31	0.019	0.024	-
0.021	11:32	0.019	0.023	-
0.021	11:33	0.020	0.023	-
0.021	11:34	0.020	0.023	-
0.021	11:35	0.022	0.023	-
0.021	11:36	0.021	0.022	-
0.021	11:37	0.021	0.022	-
0.021	11:38	0.021	0.022	-
0.021	11:39	0.021	0.022	-
0.021	11:40	0.019	0.021	-
0.021	11:41	0.020	0.021	-
0.021	11:42	0.020	0.021	-
0.021	11:43	0.020	0.020	-
0.021	11:44	0.020	0.020	-
0.021	11:45	0.021	0.020	-
0.021	11:46		0.020	-
0.021	11:47		0.020	-
0.021	11:48		0.020	-
0.021	11:49		0.021	-
0.021	11:50		0.021	-
0.021	11:51		0.020	-
0.021	11:52		0.020	-
0.021	11:53		0.020	-
0.021	11:54		0.020	-
0.021	11:55		0.020	-
0.021	11:56		0.020	-
0.021	11:57		0.020	-
0.021	11:58		0.020	-
0.021	11:59		0.021	-
0.021	12:00		0.021	-
0.021	12:01			
0.021	12:02			
0.021	12:03			
0.021	12:04			
0.021	12:05			
0.021	12:06			
0.021	12:07			
0.021	12:08			
0.021	12:09			
0.021	12:10			
0.021	12:11			
0.021	12:12			
0.021	12:13			
0.021	12:14			
0.021	12:15			
0.021	12:16			
0.021	12:17			
0.021	12:18			
0.021	12:19			
0.021	12:20			

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	12:21			
0.021	12:22			
0.021	12:23			
0.021	12:24			
0.021	12:25			
0.021	12:26			
0.021	12:27			
0.021	12:28			
0.021	12:29			
0.021	12:30			
0.021	12:31			
0.021	12:32			
0.021	12:33			
0.021	12:34			
0.021	12:35			
0.021	12:36			
0.021	12:37			
0.021	12:38			
0.021	12:39			
0.021	12:40			
0.021	12:41			
0.021	12:42			
0.021	12:43			
0.021	12:44			
0.021	12:45			
0.021	12:46			
0.021	12:47			
0.021	12:48			
0.021	12:49			
0.021	12:50			
0.021	12:51			
0.021	12:52			
0.021	12:53			
0.021	12:54			
0.021	12:55			
0.021	12:56			
0.021	12:57			
0.021	12:58			
0.021	12:59			
0.021	13:00			
0.021	13:01			
0.021	13:02	0.029		
0.021	13:03	0.024	0.029	-
0.021	13:04	0.024	0.027	-
0.021	13:05	0.022	0.026	-
0.021	13:06	0.022	0.025	-
0.021	13:07	0.021	0.024	-
0.021	13:08	0.022	0.024	-
0.021	13:09	0.023	0.023	-
0.021	13:10	0.022	0.023	-
0.021	13:11	0.020	0.023	-
0.021	13:12	0.021	0.023	-
0.021	13:13	0.024	0.023	-
0.021	13:14	0.026	0.023	-
0.021	13:15	0.024	0.023	-
0.021	13:16	0.024	0.023	-
0.021	13:17	0.022	0.023	-
0.021	13:18	0.022	0.023	-
0.021	13:19	0.021	0.023	-
0.021	13:20	0.020	0.022	-
0.021	13:21	0.020	0.022	-
0.021	13:22	0.020	0.022	-
0.021	13:23	0.020	0.022	-
0.021	13:24	0.021	0.022	-
0.021	13:25	0.020	0.022	-
0.021	13:26	0.020	0.022	-
0.021	13:27	0.022	0.022	-
0.021	13:28	0.032	0.022	-
0.021	13:29	0.020	0.022	-
0.021	13:30	0.020	0.022	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	13:31	0.019	0.022	-
0.021	13:32	0.019	0.021	-
0.021	13:33	0.019	0.021	-
0.021	13:34	0.020	0.021	-
0.021	13:35	0.020	0.021	-
0.021	13:36	0.021	0.021	-
0.021	13:37	0.020	0.021	-
0.021	13:38	0.020	0.021	-
0.021	13:39	0.025	0.021	-
0.021	13:40	0.023	0.021	-
0.021	13:41	0.024	0.021	-
0.021	13:42	0.024	0.022	-
0.021	13:43	0.022	0.022	-
0.021	13:44	0.025	0.021	-
0.021	13:45	0.020	0.021	-
0.021	13:46	0.019	0.021	-
0.021	13:47	0.029	0.021	-
0.021	13:48	0.025	0.022	-
0.021	13:49	0.024	0.022	-
0.021	13:50	0.027	0.023	-
0.021	13:51	0.032	0.023	-
0.021	13:52	0.023	0.024	-
0.021	13:53	0.032	0.024	-
0.021	13:54	0.049	0.025	-
0.021	13:55	0.033	0.027	-
0.021	13:56	0.031	0.027	-
0.021	13:57	0.032	0.028	-
0.021	13:58	0.037	0.028	-
0.021	13:59	0.037	0.029	-
0.021	14:00	0.045	0.030	-
0.021	14:01	0.038	0.032	-
0.021	14:02	0.027	0.033	-
0.021	14:03	0.050	0.033	-
0.021	14:04	0.063	0.034	-
0.021	14:05	0.027	0.037	-
0.021	14:06	0.037	0.037	-
0.021	14:07	0.044	0.037	-
0.021	14:08	0.043	0.039	-
0.021	14:09	0.024	0.040	-
0.021	14:10	0.026	0.038	-
0.021	14:11	0.027	0.037	-
0.021	14:12	0.048	0.037	-
0.021	14:13	0.037	0.038	-
0.021	14:14	0.045	0.038	-
0.021	14:15	0.035	0.039	-
0.021	14:16	0.039	0.038	-
0.021	14:17	0.032	0.038	-
0.021	14:18	0.037	0.038	-
0.021	14:19	0.054	0.038	-
0.021	14:20	0.029	0.037	-
0.021	14:21	0.038	0.037	-
0.021	14:22	0.041	0.037	-
0.021	14:23	0.034	0.037	-
0.021	14:24	0.050	0.036	-
0.021	14:25	0.047	0.038	-
0.021	14:26	0.050	0.040	-
0.021	14:27	0.057	0.041	-
0.021	14:28	0.032	0.042	-
0.021	14:29	0.050	0.041	-
0.021	14:30	0.035	0.042	-
0.021	14:31	0.031	0.042	-
0.021	14:32	0.031	0.041	-
0.021	14:33	0.019	0.041	-
0.021	14:34	0.033	0.040	-
0.021	14:35	0.030	0.038	-
0.021	14:36	0.024	0.039	-
0.021	14:37	0.041	0.038	-
0.021	14:38	0.034	0.038	-
0.021	14:39	0.047	0.038	-
0.021	14:40	0.060	0.037	-

PARTICULATE MONITORING DATA				
Background		Downwind		Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	14:41	0.019	0.038	-
0.021	14:42	0.051	0.036	-
0.021	14:43	0.033	0.036	-
0.021	14:44	0.044	0.036	-
0.021	14:45	0.035	0.035	-
0.021	14:46	0.029	0.035	-
0.021	14:47	0.037	0.035	-
0.021	14:48	0.041	0.036	-
0.021	14:49	0.037	0.037	-
0.021	14:50	0.035	0.037	-
0.021	14:51	0.025	0.038	-
0.021	14:52	0.031	0.038	-
0.021	14:53	0.031	0.037	-
0.021	14:54	0.038	0.037	-
0.021	14:55	0.032	0.036	-
0.021	14:56	0.040	0.035	-
0.021	14:57	0.037	0.036	-
0.021	14:58	0.037	0.035	-
0.021	14:59	0.031	0.035	-
0.021	15:00	0.026	0.034	-
0.021	15:01	0.031	0.034	-
0.021	15:02	0.039	0.034	-
0.021	15:03	0.025	0.034	-
0.021	15:04	0.023	0.033	-
0.021	15:05	0.028	0.032	-
0.021	15:06	0.023	0.032	-
0.021	15:07	0.026	0.031	-
0.021	15:08	0.023	0.031	-
0.021	15:09	0.041	0.031	-
0.021	15:10	0.039	0.031	-
0.021	15:11	0.030	0.031	-
0.021	15:12	0.039	0.031	-
0.021	15:13	0.035	0.031	-
0.021	15:14	0.040	0.031	-
0.021	15:15	0.019	0.031	-
0.021	15:16	0.023	0.031	-
0.021	15:17	0.026	0.030	-
0.021	15:18	0.040	0.029	-
0.021	15:19	0.035	0.030	-
0.021	15:20	0.047	0.031	-
0.021	15:21	0.030	0.032	-
0.021	15:22	0.030	0.033	-
0.021	15:23	0.025	0.033	-
0.021	15:24	0.016	0.033	-
0.021	15:25	0.011	0.032	-
0.021	15:26	0.013	0.030	-
0.021	15:27	0.015	0.029	-
0.021	15:28	0.012	0.027	-
0.021	15:29	0.014	0.025	-
0.021	15:30	0.015	0.024	-
0.021	15:31	0.014	0.023	-
0.021	15:32	0.020	0.023	-
0.021	15:33	0.014	0.022	-
0.021	15:34	0.036	0.021	-
0.021	15:35	0.023	0.021	-
0.021	15:36	0.024	0.019	-
0.021	15:37	0.026	0.019	-
0.021	15:38	0.034	0.019	-
0.021	15:39	0.041	0.019	-
0.021	15:40	0.066	0.021	-
0.021	15:41	0.048	0.024	-
0.021	15:42	0.034	0.027	-
0.021	15:43	0.035	0.028	-
0.021	15:44	0.042	0.030	-
0.021	15:45	0.032	0.031	-
0.021	15:46	0.031	0.033	-
0.021	15:47	0.038	0.034	-
0.021	15:48	0.041	0.035	-
0.021	15:49	0.048	0.037	-
0.021	15:50	0.032	0.038	-
0.021	15:51	0.035	0.038	-
0.021	15:52	0.040	0.039	-
0.021	15:53	0.029	0.040	-
0.021	15:54	0.038	0.039	-
0.021	15:55	0.028	0.039	-
0.021	15:56	0.032	0.037	-
0.021	15:57	0.036	0.036	-
0.021	15:58	0.023	0.036	-
0.021	15:59	0.053	0.035	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.021	16:00	0.039	0.036	-
0.021	16:01	0.067	0.036	-
0.021	16:02	0.056	0.039	-
0.021	16:03	0.032	0.040	-
0.021	16:04	0.025	0.039	-
0.021	16:05	0.047	0.038	-
0.021	16:06	0.034	0.039	-
0.021	16:07	0.031	0.039	-
0.021	16:08	0.029	0.038	-
0.021	16:09	0.009	0.038	-
0.021	16:10	0.009	0.036	-
0.021	16:11	0.014	0.035	-
0.021	16:12	0.016	0.034	-
0.021	16:13	0.009	0.032	-
0.021	16:14	0.010	0.031	-
0.021	16:15	0.007	0.028	-
0.021	16:16	0.008	0.026	-
0.021	16:17	0.717	0.022	-
0.021	16:18	0.028	0.066	-

Thursday, December 22, 2022				
Number of Instances Where Downwind Organic Vapors Exceeds Background Organic Vapors + 5 =				0
Number of Comparable Data Points =				519
Start Time:				7:18
End Time:				16:18
ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	7:18	0.0		
0.0	7:19	0.0		
0.0	7:20	0.0		
0.0	7:21	0.0		
0.0	7:22	0.0		
0.0	7:23	0.0		
0.0	7:24	0.0		
0.0	7:25	0.0		
0.0	7:26	0.0		
0.0	7:27	0.0		
0.0	7:28	0.0		
0.0	7:29	0.0		
0.0	7:30	0.0		
0.0	7:31	0.0		
0.0	7:32	0.0	0.0	-
0.0	7:33	0.0	0.0	-
0.0	7:34	0.0	0.0	-
0.0	7:35	0.0	0.0	-
0.0	7:36	0.0	0.0	-
0.0	7:37	0.0	0.0	-
0.0	7:38	0.0	0.0	-
0.0	7:39	0.0	0.0	-
0.0	7:40	0.0	0.0	-
0.0	7:41	0.0	0.0	-
0.0	7:42	0.0	0.0	-
0.0	7:43	0.0	0.0	-
0.0	7:44	0.0	0.0	-
0.0	7:45	0.0	0.0	-
0.0	7:46	0.0	0.0	-
0.0	7:47	0.0	0.0	-
0.0	7:48	0.0	0.0	-
0.0	7:49	0.0	0.0	-
0.0	7:50	0.0	0.0	-
0.0	7:51	0.0	0.0	-
0.0	7:52	0.0	0.0	-
0.0	7:53	0.0	0.0	-
0.0	7:54	0.0	0.0	-
0.0	7:55	0.0	0.0	-
0.0	7:56	0.0	0.0	-
0.0	7:57	0.0	0.0	-
0.0	7:58	0.0	0.0	-
0.0	7:59	0.0	0.0	-
0.0	8:00	0.0	0.0	-
0.0	8:01	0.0	0.0	-
0.0	8:02	0.0	0.0	-
0.0	8:03	0.0	0.0	-
0.0	8:04	0.0	0.0	-
0.0	8:05	0.0	0.0	-
0.0	8:06	0.0	0.0	-
0.0	8:07	0.0	0.0	-
0.0	8:08	0.0	0.0	-
0.0	8:09	0.0	0.0	-
0.0	8:10	0.0	0.0	-
0.0	8:11	0.0	0.0	-
0.0	8:12	0.0	0.0	-
0.0	8:13	0.0	0.0	-
0.0	8:14	0.0	0.0	-
0.0	8:15	0.0	0.0	-
0.0	8:16	0.0	0.0	-
0.0	8:17	0.0	0.0	-
0.0	8:18	0.0	0.0	-
0.0	8:19	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	8:20	0.0	0.0	-
0.0	8:21	0.0	0.0	-
0.0	8:22	0.0	0.0	-
0.0	8:23	0.0	0.0	-
0.0	8:24	0.0	0.0	-
0.0	8:25	0.0	0.0	-
0.0	8:26	0.0	0.0	-
0.0	8:27	0.0	0.0	-
0.0	8:28	0.0	0.0	-
0.0	8:29	0.0	0.0	-
0.0	8:30	0.0	0.0	-
0.0	8:31	0.0	0.0	-
0.0	8:32	0.0	0.0	-
0.0	8:33	0.0	0.0	-
0.0	8:34	0.0	0.0	-
0.0	8:35	0.0	0.0	-
0.0	8:36	0.0	0.0	-
0.0	8:37	0.0	0.0	-
0.0	8:38	0.0	0.0	-
0.0	8:39	0.0	0.0	-
0.0	8:40	0.0	0.0	-
0.0	8:41	0.0	0.0	-
0.0	8:42	0.0	0.0	-
0.0	8:43	0.0	0.0	-
0.0	8:44	0.0	0.0	-
0.0	8:45	0.0	0.0	-
0.0	8:46	0.0	0.0	-
0.0	8:47	0.0	0.0	-
0.0	8:48	0.0	0.0	-
0.0	8:49	0.0	0.0	-
0.0	8:50	0.0	0.0	-
0.0	8:51	0.0	0.0	-
0.0	8:52	0.0	0.0	-
0.0	8:53	0.0	0.0	-
0.0	8:54	0.0	0.0	-
0.0	8:55	0.0	0.0	-
0.0	8:56	0.0	0.0	-
0.0	8:57	0.0	0.0	-
0.0	8:58	0.0	0.0	-
0.0	8:59	0.0	0.0	-
0.0	9:00	0.0	0.0	-
0.0	9:01	0.0	0.0	-
0.0	9:02	0.0	0.0	-
0.0	9:03	0.0	0.0	-
0.0	9:04	0.0	0.0	-
0.0	9:05	0.0	0.0	-
0.0	9:06	0.0	0.0	-
0.0	9:07	0.0	0.0	-
0.0	9:08	0.0	0.0	-
0.0	9:09	0.0	0.0	-
0.0	9:10	0.0	0.0	-
0.0	9:11	0.0	0.0	-
0.0	9:12	0.0	0.0	-
0.0	9:13	0.0	0.0	-
0.0	9:14	0.0	0.0	-
0.0	9:15	0.0	0.0	-
0.0	9:16	0.0	0.0	-
0.0	9:17	0.0	0.0	-
0.0	9:18	0.0	0.0	-
0.0	9:19	0.0	0.0	-
0.0	9:20	0.0	0.0	-
0.0	9:21	0.0	0.0	-
0.0	9:22	0.0	0.0	-
0.0	9:23	0.0	0.0	-
0.0	9:24	0.0	0.0	-
0.0	9:25	0.0	0.0	-
0.0	9:26	0.0	0.0	-
0.0	9:27	0.0	0.0	-
0.0	9:28	0.0	0.0	-
0.0	9:29	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	9:30	0.0	0.0	-
0.0	9:31	0.0	0.0	-
0.0	9:32	0.0	0.0	-
0.0	9:33	0.0	0.0	-
0.0	9:34	0.0	0.0	-
0.0	9:35	0.0	0.0	-
0.0	9:36	0.0	0.0	-
0.0	9:37	0.0	0.0	-
0.0	9:38	0.0	0.0	-
0.0	9:39	0.0	0.0	-
0.0	9:40	0.0	0.0	-
0.0	9:41	0.0	0.0	-
0.0	9:42	0.0	0.0	-
0.0	9:43	0.0	0.0	-
0.0	9:44	0.0	0.0	-
0.0	9:45	0.0	0.0	-
0.0	9:46	0.0	0.0	-
0.0	9:47	0.0	0.0	-
0.0	9:48	0.0	0.0	-
0.0	9:49	0.0	0.0	-
0.0	9:50	0.0	0.0	-
0.0	9:51	0.0	0.0	-
0.0	9:52	0.0	0.0	-
0.0	9:53	0.0	0.0	-
0.0	9:54	0.0	0.0	-
0.0	9:55	0.0	0.0	-
0.0	9:56	0.0	0.0	-
0.0	9:57	0.0	0.0	-
0.0	9:58	0.0	0.0	-
0.0	9:59	0.0	0.0	-
0.0	10:00	0.0	0.0	-
0.0	10:01	0.0	0.0	-
0.0	10:02	0.0	0.0	-
0.0	10:03	0.0	0.0	-
0.0	10:04	0.0	0.0	-
0.0	10:05	0.0	0.0	-
0.0	10:06	0.0	0.0	-
0.0	10:07	0.0	0.0	-
0.0	10:08	0.0	0.0	-
0.0	10:09	0.0	0.0	-
0.0	10:10	0.0	0.0	-
0.0	10:11	0.0	0.0	-
0.0	10:12	0.0	0.0	-
0.0	10:13	0.0	0.0	-
0.0	10:14	0.0	0.0	-
0.0	10:15	0.0	0.0	-
0.0	10:16	0.0	0.0	-
0.0	10:17	0.0	0.0	-
0.0	10:18	0.0	0.0	-
0.0	10:19	0.0	0.0	-
0.0	10:20	0.0	0.0	-
0.0	10:21	0.0	0.0	-
0.0	10:22	0.0	0.0	-
0.0	10:23	0.0	0.0	-
0.0	10:24	0.0	0.0	-
0.0	10:25	0.0	0.0	-
0.0	10:26	0.0	0.0	-
0.0	10:27	0.0	0.0	-
0.0	10:28	0.0	0.0	-
0.0	10:29	0.0	0.0	-
0.0	10:30	0.0	0.0	-
0.0	10:31	0.0	0.0	-
0.0	10:32	0.0	0.0	-
0.0	10:33	0.0	0.0	-
0.0	10:34	0.0	0.0	-
0.0	10:35	0.0	0.0	-
0.0	10:36	0.0	0.0	-
0.0	10:37	0.0	0.0	-
0.0	10:38	0.0	0.0	-
0.0	10:39	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	10:40	0.0	0.0	-
0.0	10:41	0.0	0.0	-
0.0	10:42	0.0	0.0	-
0.0	10:43	0.0	0.0	-
0.0	10:44	0.0	0.0	-
0.0	10:45	0.0	0.0	-
0.0	10:46	0.0	0.0	-
0.0	10:47	0.0	0.0	-
0.0	10:48	0.0	0.0	-
0.0	10:49	0.0	0.0	-
0.0	10:50	0.0	0.0	-
0.0	10:51	0.0	0.0	-
0.0	10:52	0.0	0.0	-
0.0	10:53	0.0	0.0	-
0.0	10:54	0.0	0.0	-
0.0	10:55	0.0	0.0	-
0.0	10:56	0.0	0.0	-
0.0	10:57	0.0	0.0	-
0.0	10:58	0.0	0.0	-
0.0	10:59	0.0	0.0	-
0.0	11:00	0.0	0.0	-
0.0	11:01	0.0	0.0	-
0.0	11:02	0.0	0.0	-
0.0	11:03	0.0	0.0	-
0.0	11:04	0.0	0.0	-
0.0	11:05	0.0	0.0	-
0.0	11:06	0.0	0.0	-
0.0	11:07	0.0	0.0	-
0.0	11:08	0.0	0.0	-
0.0	11:09	0.0	0.0	-
0.0	11:10	0.0	0.0	-
0.0	11:11	0.0	0.0	-
0.0	11:12	0.0	0.0	-
0.0	11:13	0.0	0.0	-
0.0	11:14	0.0	0.0	-
0.0	11:15	0.0	0.0	-
0.0	11:16	0.0	0.0	-
0.0	11:17	0.0	0.0	-
0.0	11:18	0.0	0.0	-
0.0	11:19	0.0	0.0	-
0.0	11:20	0.0	0.0	-
0.0	11:21	0.0	0.0	-
0.0	11:22	0.0	0.0	-
0.0	11:23	0.0	0.0	-
0.0	11:24	0.0	0.0	-
0.0	11:25	0.0	0.0	-
0.0	11:26	0.0	0.0	-
0.0	11:27	0.0	0.0	-
0.0	11:28	0.0	0.0	-
0.0	11:29	0.0	0.0	-
0.0	11:30	0.0	0.0	-
0.0	11:31	0.0	0.0	-
0.0	11:32	0.0	0.0	-
0.0	11:33	0.0	0.0	-
0.0	11:34	0.0	0.0	-
0.0	11:35	0.0	0.0	-
0.0	11:36	0.0	0.0	-
0.0	11:37	0.0	0.0	-
0.0	11:38	0.0	0.0	-
0.0	11:39	0.0	0.0	-
0.0	11:40	0.0	0.0	-
0.0	11:41	0.0	0.0	-
0.0	11:42	0.0	0.0	-
0.0	11:43	0.0	0.0	-
0.0	11:44	0.0	0.0	-
0.0	11:45	0.0	0.0	-
0.0	11:46	0.0	0.0	-
0.0	11:47	0.0	0.0	-
0.0	11:48	0.0	0.0	-
0.0	11:49	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	11:50	0.0	0.0	-
0.0	11:51	0.0	0.0	-
0.0	11:52	0.0	0.0	-
0.0	11:53	0.0	0.0	-
0.0	11:54	0.0	0.0	-
0.0	11:55	0.0	0.0	-
0.0	11:56	0.0	0.0	-
0.0	11:57	0.0	0.0	-
0.0	11:58	0.0	0.0	-
0.0	11:59	0.0	0.0	-
0.0	12:00	0.0	0.0	-
0.0	12:01	0.0	0.0	-
0.0	12:02	0.0	0.0	-
0.0	12:03	0.0	0.0	-
0.0	12:04	0.0	0.0	-
0.0	12:05	0.0	0.0	-
0.0	12:06	0.0	0.0	-
0.0	12:07	0.0	0.0	-
0.0	12:08	0.0	0.0	-
0.0	12:09	0.0	0.0	-
0.0	12:10	0.0	0.0	-
0.0	12:11	0.0	0.0	-
0.0	12:12	0.0	0.0	-
0.0	12:13	0.0	0.0	-
0.0	12:14	0.0	0.0	-
0.0	12:15	0.0	0.0	-
0.0	12:16	0.0	0.0	-
0.0	12:17	0.0	0.0	-
0.0	12:18	0.0	0.0	-
0.0	12:19	0.0	0.0	-
0.0	12:20	0.0	0.0	-
0.0	12:21	0.0	0.0	-
0.0	12:22	0.0	0.0	-
0.0	12:23	0.0	0.0	-
0.0	12:24	0.0	0.0	-
0.0	12:25	0.0	0.0	-
0.0	12:26	0.0	0.0	-
0.0	12:27	0.0	0.0	-
0.0	12:28	0.0	0.0	-
0.0	12:29	0.0	0.0	-
0.0	12:30	0.0	0.0	-
0.0	12:31	0.0	0.0	-
0.0	12:32	0.0	0.0	-
0.0	12:33	0.0	0.0	-
0.0	12:34	0.0	0.0	-
0.0	12:35	0.0	0.0	-
0.0	12:36	0.0	0.0	-
0.0	12:37	0.0	0.0	-
0.0	12:38	0.0	0.0	-
0.0	12:39	0.0	0.0	-
0.0	12:40	0.0	0.0	-
0.0	12:41	0.0	0.0	-
0.0	12:42	0.0	0.0	-
0.0	12:43	0.0	0.0	-
0.0	12:44	0.0	0.0	-
0.0	12:45	0.0	0.0	-
0.0	12:46	0.0	0.0	-
0.0	12:47	0.0	0.0	-
0.0	12:48	0.0	0.0	-
0.0	12:49	0.0	0.0	-
0.0	12:50	0.0	0.0	-
0.0	12:51	0.0	0.0	-
0.0	12:52	0.0	0.0	-
0.0	12:53	0.0	0.0	-
0.0	12:54	0.0	0.0	-
0.0	12:55			
0.0	12:56			
0.0	12:57			
0.0	12:58			
0.0	12:59			

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	13:00			
0.0	13:01			
0.0	13:02			
0.0	13:03	0.0	0.0	-
0.0	13:04	0.0	0.0	-
0.0	13:05	0.0	0.0	-
0.0	13:06	0.0	0.0	-
0.0	13:07	0.0	0.0	-
0.0	13:08	0.0	0.0	-
0.0	13:09	0.0	0.0	-
0.0	13:10	0.0	0.0	-
0.0	13:11	0.0	0.0	-
0.0	13:12	0.0	0.0	-
0.0	13:13	0.0	0.0	-
0.0	13:14	0.0	0.0	-
0.0	13:15	0.0	0.0	-
0.0	13:16	0.0	0.0	-
0.0	13:17	0.0	0.0	-
0.0	13:18	0.0	0.0	-
0.0	13:19	0.0	0.0	-
0.0	13:20	0.0	0.0	-
0.0	13:21	0.0	0.0	-
0.0	13:22	0.0	0.0	-
0.0	13:23	0.0	0.0	-
0.0	13:24	0.0	0.0	-
0.0	13:25	0.0	0.0	-
0.0	13:26	0.0	0.0	-
0.0	13:27	0.0	0.0	-
0.0	13:28	0.0	0.0	-
0.0	13:29	0.0	0.0	-
0.0	13:30	0.0	0.0	-
0.0	13:31	0.0	0.0	-
0.0	13:32	0.0	0.0	-
0.0	13:33	0.0	0.0	-
0.0	13:34	0.0	0.0	-
0.0	13:35	0.0	0.0	-
0.0	13:36	0.0	0.0	-
0.0	13:37	0.0	0.0	-
0.0	13:38	0.0	0.0	-
0.0	13:39	0.0	0.0	-
0.0	13:40	0.0	0.0	-
0.0	13:41	0.0	0.0	-
0.0	13:42	0.0	0.0	-
0.0	13:43	0.0	0.0	-
0.0	13:44	0.0	0.0	-
0.0	13:45	0.0	0.0	-
0.0	13:46	0.0	0.0	-
0.0	13:47	0.0	0.0	-
0.0	13:48	0.0	0.0	-
0.0	13:49	0.0	0.0	-
0.0	13:50	0.0	0.0	-
0.0	13:51	0.0	0.0	-
0.0	13:52	0.0	0.0	-
0.0	13:53	0.0	0.0	-
0.0	13:54	0.0	0.0	-
0.0	13:55	0.0	0.0	-
0.0	13:56	0.0	0.0	-
0.0	13:57	0.0	0.0	-
0.0	13:58	0.0	0.0	-
0.0	13:59	0.0	0.0	-
0.0	14:00	0.0	0.0	-
0.0	14:01	0.0	0.0	-
0.0	14:02	0.0	0.0	-
0.0	14:03	0.0	0.0	-
0.0	14:04	0.0	0.0	-
0.0	14:05	0.0	0.0	-
0.0	14:06	0.0	0.0	-
0.0	14:07	0.0	0.0	-
0.0	14:08	0.0	0.0	-
0.0	14:09	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	14:10	0.0	0.0	-
0.0	14:11	0.0	0.0	-
0.0	14:12	0.0	0.0	-
0.0	14:13	0.0	0.0	-
0.0	14:14	0.0	0.0	-
0.0	14:15	0.0	0.0	-
0.0	14:16	0.0	0.0	-
0.0	14:17	0.0	0.0	-
0.0	14:18	0.0	0.0	-
0.0	14:19	0.0	0.0	-
0.0	14:20	0.0	0.0	-
0.0	14:21	0.0	0.0	-
0.0	14:22	0.0	0.0	-
0.0	14:23	0.0	0.0	-
0.0	14:24	0.0	0.0	-
0.0	14:25	0.0	0.0	-
0.0	14:26	0.0	0.0	-
0.0	14:27	0.0	0.0	-
0.0	14:28	0.0	0.0	-
0.0	14:29	0.0	0.0	-
0.0	14:30	0.0	0.0	-
0.0	14:31	0.0	0.0	-
0.0	14:32	0.0	0.0	-
0.0	14:33	0.0	0.0	-
0.0	14:34	0.0	0.0	-
0.0	14:35	0.0	0.0	-
0.0	14:36	0.0	0.0	-
0.0	14:37	0.0	0.0	-
0.0	14:38	0.0	0.0	-
0.0	14:39	0.0	0.0	-
0.0	14:40	0.0	0.0	-
0.0	14:41	0.0	0.0	-
0.0	14:42	0.0	0.0	-
0.0	14:43	0.0	0.0	-
0.0	14:44	0.0	0.0	-
0.0	14:45	0.0	0.0	-
0.0	14:46	0.0	0.0	-
0.0	14:47	0.0	0.0	-
0.0	14:48	0.0	0.0	-
0.0	14:49	0.0	0.0	-
0.0	14:50	0.0	0.0	-
0.0	14:51	0.0	0.0	-
0.0	14:52	0.0	0.0	-
0.0	14:53	0.0	0.0	-
0.0	14:54	0.0	0.0	-
0.0	14:55	0.0	0.0	-
0.0	14:56	0.0	0.0	-
0.0	14:57	0.0	0.0	-
0.0	14:58	0.0	0.0	-
0.0	14:59	0.0	0.0	-
0.0	15:00	0.0	0.0	-
0.0	15:01	0.0	0.0	-
0.0	15:02	0.0	0.0	-
0.0	15:03	0.0	0.0	-
0.0	15:04	0.0	0.0	-
0.0	15:05	0.0	0.0	-
0.0	15:06	0.0	0.0	-
0.0	15:07	0.0	0.0	-
0.0	15:08	0.0	0.0	-
0.0	15:09	0.0	0.0	-
0.0	15:10	0.0	0.0	-
0.0	15:11	0.0	0.0	-
0.0	15:12	0.0	0.0	-
0.0	15:13	0.0	0.0	-
0.0	15:14	0.0	0.0	-
0.0	15:15	0.0	0.0	-
0.0	15:16	0.0	0.0	-
0.0	15:17	0.0	0.0	-
0.0	15:18	0.0	0.0	-
0.0	15:19	0.0	0.0	-
0.0	15:20	0.0	0.0	-
0.0	15:21	0.0	0.0	-
0.0	15:22	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	15:23	0.0	0.0	-
0.0	15:24	0.0	0.0	-
0.0	15:25	0.0	0.0	-
0.0	15:26	0.0	0.0	-
0.0	15:27	0.0	0.0	-
0.0	15:28	0.0	0.0	-
0.0	15:29	0.0	0.0	-
0.0	15:30	0.0	0.0	-
0.0	15:31	0.0	0.0	-
0.0	15:32	0.0	0.0	-
0.0	15:33	0.0	0.0	-
0.0	15:34	0.0	0.0	-
0.0	15:35	0.0	0.0	-
0.0	15:36	0.0	0.0	-
0.0	15:37	0.0	0.0	-
0.0	15:38	0.0	0.0	-
0.0	15:39	0.0	0.0	-
0.0	15:40	0.0	0.0	-
0.0	15:41	0.0	0.0	-
0.0	15:42	0.0	0.0	-
0.0	15:43	0.0	0.0	-
0.0	15:44	0.0	0.0	-
0.0	15:45	0.0	0.0	-
0.0	15:46	0.0	0.0	-
0.0	15:47	0.0	0.0	-
0.0	15:48	0.0	0.0	-
0.0	15:49	0.0	0.0	-
0.0	15:50	0.0	0.0	-
0.0	15:51	0.0	0.0	-
0.0	15:52	0.0	0.0	-
0.0	15:53	0.0	0.0	-
0.0	15:54	0.0	0.0	-
0.0	15:55	0.0	0.0	-
0.0	15:56	0.0	0.0	-
0.0	15:57	0.0	0.0	-
0.0	15:58	0.0	0.0	-
0.0	15:59	0.0	0.0	-
0.0	16:00	0.0	0.0	-
0.0	16:01	0.0	0.0	-
0.0	16:02	0.0	0.0	-
0.0	16:03	0.0	0.0	-
0.0	16:04	0.0	0.0	-
0.0	16:05	0.0	0.0	-
0.0	16:06	0.0	0.0	-
0.0	16:07	0.0	0.0	-
0.0	16:08	0.0	0.0	-
0.0	16:09	0.0	0.0	-
0.0	16:10	0.0	0.0	-
0.0	16:11	0.0	0.0	-
0.0	16:12	0.0	0.0	-
0.0	16:13	0.0	0.0	-
0.0	16:14	0.0	0.0	-
0.0	16:15	0.0	0.0	-
0.0	16:16	0.0	0.0	-
0.0	16:17	0.0	0.0	-
0.0	16:18	0.0	0.0	-

Date: 12/23/2022

Start: 7:04

End: 13:53

Observers: Audrey Seery

DOWNWIND -**DW**

Particulate Monitoring		
	Background	DW
Daily Average	0.014	0.007
Minimum 15min Average	NA	0.000
Maximum 15min Average	NA	0.017
Exceedance (15min >.15)	NA	0
Minimum 1min Reading	NA	0.000
Maximum 1min Reading	NA	0.059


Notes:

1. NA = Not applicable
2. All reported units are mg/m³ or milligrams per cubic meter unless specified otherwise.
3. Particulate monitoring was conducted using a DustTrak™ DRX Aerosol Monitor for particulates smaller than 10 microns in diameter (PM10).

Organic Vapor Monitoring		
	Background	DW
Daily Average	0.0	0.0
Minimum 15min Average	NA	0.0
Maximum 15min Average	NA	0.0
Exceedance (15min >5)	NA	0
Minimum 1min Reading	NA	0.0
Maximum 1min Reading	NA	0.0

Notes:

1. NA = Not applicable
2. All reported units are ppm or parts per million unless specified otherwise.
3. Organic vapor monitoring was conducted using a MiniRAE 3000 Photoionization Detector (PID) for volatile organic compounds (VOC).

Air Monitoring Data - December 23, 2022

Friday, December 23, 2022				
Number of Instances Where Downwind Particulates Exceeds Background Particulate + 100 =				0
Number of Comparable Data Points =				395
Start Time:				7:04
End Time:				13:53
PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	7:04	0.023		
0.014	7:05	0.020		
0.014	7:06	0.017		
0.014	7:07	0.014		
0.014	7:08	0.014		
0.014	7:09	0.011		
0.014	7:10	0.010		
0.014	7:11	0.009		
0.014	7:12	0.008		
0.014	7:13	0.008		
0.014	7:14	0.008		
0.014	7:15	0.008		
0.014	7:16	0.020		
0.014	7:17	0.019		
0.014	7:18	0.016		
0.014	7:19	0.013	0.014	-
0.014	7:20	0.012	0.013	-
0.014	7:21	0.011	0.012	-
0.014	7:22	0.010	0.012	-
0.014	7:23	0.009	0.012	-
0.014	7:24	0.009	0.011	-
0.014	7:25	0.009	0.011	-
0.014	7:26	0.008	0.011	-
0.014	7:27	0.007	0.011	-
0.014	7:28	0.007	0.011	-
0.014	7:29	0.006	0.011	-
0.014	7:30	0.007	0.011	-
0.014	7:31	0.006	0.011	-
0.014	7:32	0.006	0.010	-
0.014	7:33	0.006	0.009	-
0.014	7:34	0.014	0.009	-
0.014	7:35	0.015	0.009	-
0.014	7:36	0.013	0.009	-
0.014	7:37	0.011	0.009	-
0.014	7:38	0.010	0.009	-
0.014	7:39	0.009	0.009	-
0.014	7:40	0.008	0.009	-
0.014	7:41	0.008	0.009	-
0.014	7:42	0.007	0.009	-
0.014	7:43	0.007	0.009	-
0.014	7:44	0.008	0.009	-
0.014	7:45	0.006	0.009	-
0.014	7:46	0.012	0.009	-
0.014	7:47	0.010	0.009	-
0.014	7:48	0.007	0.010	-
0.014	7:49	0.012	0.010	-
0.014	7:50	0.019	0.010	-
0.014	7:51	0.010	0.010	-
0.014	7:52	0.006	0.010	-
0.014	7:53	0.008	0.009	-
0.014	7:54	0.009	0.009	-
0.014	7:55	0.006	0.009	-
0.014	7:56	0.006	0.009	-
0.014	7:57	0.007	0.009	-
0.014	7:58	0.009	0.009	-
0.014	7:59	0.006	0.009	-
0.014	8:00	0.007	0.009	-
0.014	8:01	0.009	0.009	-
0.014	8:02	0.009	0.009	-
0.014	8:03	0.011	0.009	-
0.014	8:04	0.005	0.009	-
0.014	8:05	0.007	0.008	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	8:06	0.006	0.008	-
0.014	8:07	0.005	0.007	-
0.014	8:08	0.005	0.007	-
0.014	8:09	0.005	0.007	-
0.014	8:10	0.008	0.007	-
0.014	8:11	0.005	0.007	-
0.014	8:12	0.006	0.007	-
0.014	8:13	0.006	0.007	-
0.014	8:14	0.006	0.007	-
0.014	8:15	0.005	0.007	-
0.014	8:16	0.007	0.007	-
0.014	8:17	0.006	0.006	-
0.014	8:18	0.007	0.006	-
0.014	8:19	0.007	0.006	-
0.014	8:20	0.008	0.006	-
0.014	8:21	0.007	0.006	-
0.014	8:22	0.008	0.006	-
0.014	8:23	0.011	0.006	-
0.014	8:24	0.006	0.007	-
0.014	8:25	0.007	0.007	-
0.014	8:26	0.008	0.007	-
0.014	8:27	0.007	0.007	-
0.014	8:28	0.004	0.007	-
0.014	8:29	0.007	0.007	-
0.014	8:30	0.006	0.007	-
0.014	8:31	0.008	0.007	-
0.014	8:32	0.008	0.007	-
0.014	8:33	0.009	0.007	-
0.014	8:34	0.004	0.007	-
0.014	8:35	0.008	0.007	-
0.014	8:36	0.002	0.007	-
0.014	8:37	0.002	0.007	-
0.014	8:38	0.002	0.006	-
0.014	8:39	0.002	0.006	-
0.014	8:40	0.001	0.006	-
0.014	8:41	0.002	0.005	-
0.014	8:42	0.002	0.005	-
0.014	8:43	0.001	0.004	-
0.014	8:44	0.001	0.004	-
0.014	8:45	0.001	0.004	-
0.014	8:46	0.002	0.004	-
0.014	8:47	0.003	0.003	-
0.014	8:48	0.003	0.003	-
0.014	8:49	0.002	0.002	-
0.014	8:50	0.006	0.002	-
0.014	8:51	0.003	0.002	-
0.014	8:52	0.002	0.002	-
0.014	8:53	0.002	0.002	-
0.014	8:54	0.003	0.002	-
0.014	8:55	0.003	0.002	-
0.014	8:56	0.003	0.002	-
0.014	8:57	0.006	0.002	-
0.014	8:58	0.004	0.003	-
0.014	8:59	0.007	0.003	-
0.014	9:00	0.003	0.003	-
0.014	9:01	0.004	0.003	-
0.014	9:02	0.005	0.004	-
0.014	9:03	0.004	0.004	-
0.014	9:04	0.006	0.004	-
0.014	9:05	0.005	0.004	-
0.014	9:06	0.005	0.004	-
0.014	9:07	0.005	0.004	-
0.014	9:08	0.006	0.004	-
0.014	9:09	0.005	0.005	-
0.014	9:10	0.008	0.005	-
0.014	9:11	0.008	0.005	-
0.014	9:12	0.005	0.005	-
0.014	9:13	0.004	0.005	-
0.014	9:14	0.007	0.005	-
0.014	9:15	0.008	0.005	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	9:16	0.007	0.006	-
0.014	9:17	0.006	0.006	-
0.014	9:18	0.007	0.006	-
0.014	9:19	0.005	0.006	-
0.014	9:20	0.005	0.006	-
0.014	9:21	0.008	0.006	-
0.014	9:22	0.006	0.006	-
0.014	9:23	0.006	0.006	-
0.014	9:24	0.008	0.006	-
0.014	9:25	0.007	0.007	-
0.014	9:26	0.005	0.006	-
0.014	9:27	0.007	0.006	-
0.014	9:28	0.008	0.006	-
0.014	9:29	0.007	0.007	-
0.014	9:30	0.011	0.007	-
0.014	9:31	0.019	0.007	-
0.014	9:32	0.015	0.008	-
0.014	9:33	0.010	0.008	-
0.014	9:34	0.010	0.008	-
0.014	9:35	0.009	0.009	-
0.014	9:36	0.008	0.009	-
0.014	9:37	0.007	0.009	-
0.014	9:38	0.006	0.009	-
0.014	9:39	0.003	0.009	-
0.014	9:40	0.001	0.009	-
0.014	9:41	0.000	0.008	-
0.014	9:42	0.000	0.008	-
0.014	9:43	0.001	0.008	-
0.014	9:44	0.001	0.007	-
0.014	9:45	0.000	0.007	-
0.014	9:46	0.000	0.006	-
0.014	9:47	0.000	0.005	-
0.014	9:48	0.000	0.004	-
0.014	9:49	0.000	0.003	-
0.014	9:50	0.000	0.002	-
0.014	9:51	0.001	0.002	-
0.014	9:52	0.000	0.001	-
0.014	9:53	0.000	0.001	-
0.014	9:54	0.001	0.000	-
0.014	9:55	0.000	0.000	-
0.014	9:56	0.002	0.000	-
0.014	9:57	0.000	0.000	-
0.014	9:58	0.000	0.000	-
0.014	9:59	0.000	0.000	-
0.014	10:00	0.001	0.000	-
0.014	10:01	0.000	0.000	-
0.014	10:02	0.000	0.000	-
0.014	10:03	0.000	0.000	-
0.014	10:04	0.000	0.000	-
0.014	10:05	0.000	0.000	-
0.014	10:06	0.000	0.000	-
0.014	10:07	0.000	0.000	-
0.014	10:08	0.000	0.000	-
0.014	10:09	0.000	0.000	-
0.014	10:10	0.001	0.000	-
0.014	10:11	0.003	0.000	-
0.014	10:12	0.001	0.000	-
0.014	10:13	0.001	0.000	-
0.014	10:14	0.001	0.000	-
0.014	10:15	0.001	0.001	-
0.014	10:16	0.000	0.001	-
0.014	10:17	0.000	0.001	-
0.014	10:18	0.000	0.001	-
0.014	10:19	0.001	0.001	-
0.014	10:20	0.002	0.001	-
0.014	10:21	0.004	0.001	-
0.014	10:22	0.002	0.001	-
0.014	10:23	0.001	0.001	-
0.014	10:24	0.007	0.001	-
0.014	10:25	0.002	0.002	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	10:26	0.000	0.002	-
0.014	10:27	0.001	0.002	-
0.014	10:28	0.000	0.002	-
0.014	10:29	0.000	0.001	-
0.014	10:30	0.000	0.001	-
0.014	10:31	0.001	0.001	-
0.014	10:32	0.002	0.001	-
0.014	10:33	0.003	0.002	-
0.014	10:34	0.002	0.002	-
0.014	10:35	0.001	0.002	-
0.014	10:36	0.001	0.002	-
0.014	10:37	0.003	0.002	-
0.014	10:38	0.001	0.002	-
0.014	10:39	0.001	0.002	-
0.014	10:40	0.002	0.001	-
0.014	10:41	0.002	0.001	-
0.014	10:42	0.001	0.001	-
0.014	10:43	0.002	0.001	-
0.014	10:44	0.007	0.001	-
0.014	10:45	0.002	0.002	-
0.014	10:46	0.001	0.002	-
0.014	10:47	0.000	0.002	-
0.014	10:48	0.001	0.002	-
0.014	10:49	0.002	0.002	-
0.014	10:50	0.002	0.002	-
0.014	10:51	0.001	0.002	-
0.014	10:52	0.003	0.002	-
0.014	10:53	0.002	0.002	-
0.014	10:54	0.000	0.002	-
0.014	10:55	0.001	0.002	-
0.014	10:56	0.002	0.002	-
0.014	10:57	0.002	0.002	-
0.014	10:58	0.002	0.002	-
0.014	10:59	0.003	0.002	-
0.014	11:00	0.002	0.002	-
0.014	11:01	0.004	0.002	-
0.014	11:02	0.001	0.002	-
0.014	11:03	0.000	0.002	-
0.014	11:04	0.002	0.002	-
0.014	11:05	0.001	0.002	-
0.014	11:06	0.001	0.002	-
0.014	11:07	0.002	0.002	-
0.014	11:08	0.002	0.002	-
0.014	11:09	0.001	0.002	-
0.014	11:10	0.003	0.002	-
0.014	11:11	0.003	0.002	-
0.014	11:12	0.001	0.002	-
0.014	11:13	0.001	0.002	-
0.014	11:14	0.004	0.002	-
0.014	11:15	0.011	0.002	-
0.014	11:16	0.014	0.002	-
0.014	11:17	0.016	0.003	-
0.014	11:18	0.012	0.004	-
0.014	11:19	0.009	0.005	-
0.014	11:20	0.010	0.005	-
0.014	11:21	0.006	0.006	-
0.014	11:22	0.012	0.006	-
0.014	11:23	0.008	0.007	-
0.014	11:24	0.009	0.007	-
0.014	11:25	0.007	0.008	-
0.014	11:26	0.016	0.008	-
0.014	11:27	0.021	0.009	-
0.014	11:28	0.016	0.010	-
0.014	11:29	0.019	0.011	-
0.014	11:30	0.013	0.012	-
0.014	11:31	0.014	0.013	-
0.014	11:32	0.009	0.013	-
0.014	11:33	0.009	0.012	-
0.014	11:34	0.011	0.012	-
0.014	11:35	0.012	0.012	-

PARTICULATE MONITORING DATA				
Background		Downwind		Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	11:36	0.017	0.012	-
0.014	11:37	0.015	0.013	-
0.014	11:38	0.010	0.013	-
0.014	11:39	0.010	0.013	-
0.014	11:40	0.008	0.013	-
0.014	11:41	0.009	0.013	-
0.014	11:42	0.015	0.013	-
0.014	11:43	0.012	0.012	-
0.014	11:44	0.013	0.012	-
0.014	11:45	0.011	0.012	-
0.014	11:46	0.012	0.012	-
0.014	11:47	0.023	0.012	-
0.014	11:48	0.019	0.012	-
0.014	11:49	0.029	0.013	-
0.014	11:50	0.010	0.014	-
0.014	11:51	0.018	0.014	-
0.014	11:52	0.015	0.014	-
0.014	11:53	0.021	0.014	-
0.014	11:54	0.017	0.015	-
0.014	11:55	0.017	0.015	-
0.014	11:56	0.006	0.016	-
0.014	11:57	0.010	0.016	-
0.014	11:58	0.009	0.016	-
0.014	11:59	0.023	0.015	-
0.014	12:00	0.011	0.016	-
0.014	12:01	0.008	0.016	-
0.014	12:02	0.012	0.016	-
0.014	12:03	0.013	0.015	-
0.014	12:04	0.008	0.015	-
0.014	12:05	0.008	0.013	-
0.014	12:06	0.008	0.013	-
0.014	12:07	0.018	0.012	-
0.014	12:08	0.014	0.013	-
0.014	12:09	0.007	0.012	-
0.014	12:10	0.012	0.011	-
0.014	12:11	0.010	0.011	-
0.014	12:12	0.013	0.011	-
0.014	12:13	0.018	0.012	-
0.014	12:14	0.012	0.012	-
0.014	12:15	0.005	0.011	-
0.014	12:16	0.005	0.011	-
0.014	12:17	0.008	0.011	-
0.014	12:18	0.009	0.011	-
0.014	12:19	0.009	0.010	-
0.014	12:20	0.012	0.010	-
0.014	12:21	0.006	0.011	-
0.014	12:22	0.009	0.011	-
0.014	12:23	0.007	0.010	-
0.014	12:24	0.005	0.009	-
0.014	12:25	0.006	0.009	-
0.014	12:26	0.009	0.009	-
0.014	12:27	0.009	0.009	-
0.014	12:28	0.009	0.009	-
0.014	12:29	0.013	0.008	-
0.014	12:30	0.009	0.008	-
0.014	12:31	0.012	0.008	-
0.014	12:32	0.006	0.009	-
0.014	12:33	0.009	0.009	-
0.014	12:34	0.007	0.009	-
0.014	12:35	0.007	0.009	-
0.014	12:36	0.011	0.008	-
0.014	12:37	0.007	0.009	-
0.014	12:38	0.010	0.008	-
0.014	12:39	0.005	0.009	-
0.014	12:40	0.008	0.009	-
0.014	12:41	0.006	0.009	-
0.014	12:42	0.004	0.009	-
0.014	12:43	0.006	0.008	-
0.014	12:44	0.008	0.008	-
0.014	12:45	0.010	0.008	-

PARTICULATE MONITORING DATA				
Background		Downwind		Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.014	12:46	0.015	0.008	-
0.014	12:47	0.014	0.008	-
0.014	12:48	0.007	0.008	-
0.014	12:49	0.008	0.008	-
0.014	12:50	0.004	0.008	-
0.014	12:51	0.003	0.008	-
0.014	12:52	0.005	0.008	-
0.014	12:53	0.004	0.008	-
0.014	12:54	0.005	0.007	-
0.014	12:55	0.003	0.007	-
0.014	12:56	0.012	0.007	-
0.014	12:57	0.022	0.007	-
0.014	12:58	0.041	0.008	-
0.014	12:59	0.020	0.011	-
0.014	13:00	0.005	0.012	-
0.014	13:01	0.059	0.011	-
0.014	13:02	0.053	0.014	-
0.014	13:03	0.008	0.017	-
0.014	13:04	0.003	0.017	-
0.014	13:05	0.003	0.016	-
0.014	13:06	0.002	0.016	-
0.014	13:07	0.002	0.016	-
0.014	13:08	0.002	0.016	-
0.014	13:09	0.002	0.016	-
0.014	13:10	0.002	0.016	-
0.014	13:11	0.002	0.016	-
0.014	13:12	0.002	0.015	-
0.014	13:13	0.001	0.014	-
0.014	13:14	0.002	0.011	-
0.014	13:15	0.002	0.010	-
0.014	13:16	0.002	0.010	-
0.014	13:17	0.002	0.006	-
0.014	13:18	0.003	0.002	-
0.014	13:19	0.002	0.002	-
0.014	13:20	0.002	0.002	-
0.014	13:21	0.002	0.002	-
0.014	13:22	0.002	0.002	-
0.014	13:23	0.003	0.002	-
0.014	13:24	0.003	0.002	-
0.014	13:25	0.003	0.002	-
0.014	13:26	0.003	0.002	-
0.014	13:27	0.002	0.002	-
0.014	13:28	0.002	0.002	-
0.014	13:29	0.002	0.002	-
0.014	13:30	0.001	0.002	-
0.014	13:31	0.001	0.002	-
0.014	13:32	0.001	0.002	-
0.014	13:33	0.001	0.002	-
0.014	13:34	0.001	0.002	-
0.014	13:35	0.001	0.002	-
0.014	13:36	0.001	0.002	-
0.014	13:37	0.001	0.002	-
0.014	13:38	0.001	0.002	-
0.014	13:39	0.001	0.002	-
0.014	13:40	0.001	0.001	-
0.014	13:41	0.001	0.001	-
0.014	13:42	0.001	0.001	-
0.014	13:43	0.001	0.001	-
0.014	13:44	0.001	0.001	-
0.014	13:45	0.001	0.001	-
0.014	13:46	0.001	0.001	-
0.014	13:47	0.001	0.001	-
0.014	13:48	0.001	0.001	-
0.014	13:49	0.001	0.001	-
0.014	13:50	0.001	0.001	-
0.014	13:51	0.001	0.001	-
0.014	13:52	0.001	0.001	-
0.014	13:53	0.001	0.001	-

Friday, December 23, 2022				
Number of Instances Where Downwind Organic Vapors Exceeds Background Organic Vapors + 5 =				0
Number of Comparable Data Points =				396
Start Time:				7:04
End Time:				13:53
ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	7:04	0.0		
0.0	7:05	0.0		
0.0	7:06	0.0		
0.0	7:07	0.0		
0.0	7:08	0.0		
0.0	7:09	0.0		
0.0	7:10	0.0		
0.0	7:11	0.0		
0.0	7:12	0.0		
0.0	7:13	0.0		
0.0	7:14	0.0		
0.0	7:15	0.0		
0.0	7:16	0.0		
0.0	7:17	0.0		
0.0	7:18	0.0	0.0	-
0.0	7:19	0.0	0.0	-
0.0	7:20	0.0	0.0	-
0.0	7:21	0.0	0.0	-
0.0	7:22	0.0	0.0	-
0.0	7:23	0.0	0.0	-
0.0	7:24	0.0	0.0	-
0.0	7:25	0.0	0.0	-
0.0	7:26	0.0	0.0	-
0.0	7:27	0.0	0.0	-
0.0	7:28	0.0	0.0	-
0.0	7:29	0.0	0.0	-
0.0	7:30	0.0	0.0	-
0.0	7:31	0.0	0.0	-
0.0	7:32	0.0	0.0	-
0.0	7:33	0.0	0.0	-
0.0	7:34	0.0	0.0	-
0.0	7:35	0.0	0.0	-
0.0	7:36	0.0	0.0	-
0.0	7:37	0.0	0.0	-
0.0	7:38	0.0	0.0	-
0.0	7:39	0.0	0.0	-
0.0	7:40	0.0	0.0	-
0.0	7:41	0.0	0.0	-
0.0	7:42	0.0	0.0	-
0.0	7:43	0.0	0.0	-
0.0	7:44	0.0	0.0	-
0.0	7:45	0.0	0.0	-
0.0	7:46	0.0	0.0	-
0.0	7:47	0.0	0.0	-
0.0	7:48	0.0	0.0	-
0.0	7:49	0.0	0.0	-
0.0	7:50	0.0	0.0	-
0.0	7:51	0.0	0.0	-
0.0	7:52	0.0	0.0	-
0.0	7:53	0.0	0.0	-
0.0	7:54	0.0	0.0	-
0.0	7:55	0.0	0.0	-
0.0	7:56	0.0	0.0	-
0.0	7:57	0.0	0.0	-
0.0	7:58	0.0	0.0	-
0.0	7:59	0.0	0.0	-
0.0	8:00	0.0	0.0	-
0.0	8:01	0.0	0.0	-
0.0	8:02	0.0	0.0	-
0.0	8:03	0.0	0.0	-
0.0	8:04	0.0	0.0	-
0.0	8:05	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	8:06	0.0	0.0	-
0.0	8:07	0.0	0.0	-
0.0	8:08	0.0	0.0	-
0.0	8:09	0.0	0.0	-
0.0	8:10	0.0	0.0	-
0.0	8:11	0.0	0.0	-
0.0	8:12	0.0	0.0	-
0.0	8:13	0.0	0.0	-
0.0	8:14	0.0	0.0	-
0.0	8:15	0.0	0.0	-
0.0	8:16	0.0	0.0	-
0.0	8:17	0.0	0.0	-
0.0	8:18	0.0	0.0	-
0.0	8:19	0.0	0.0	-
0.0	8:20	0.0	0.0	-
0.0	8:21	0.0	0.0	-
0.0	8:22	0.0	0.0	-
0.0	8:23	0.0	0.0	-
0.0	8:24	0.0	0.0	-
0.0	8:25	0.0	0.0	-
0.0	8:26	0.0	0.0	-
0.0	8:27	0.0	0.0	-
0.0	8:28	0.0	0.0	-
0.0	8:29	0.0	0.0	-
0.0	8:30	0.0	0.0	-
0.0	8:31	0.0	0.0	-
0.0	8:32	0.0	0.0	-
0.0	8:33	0.0	0.0	-
0.0	8:34	0.0	0.0	-
0.0	8:35	0.0	0.0	-
0.0	8:36	0.0	0.0	-
0.0	8:37	0.0	0.0	-
0.0	8:38	0.0	0.0	-
0.0	8:39	0.0	0.0	-
0.0	8:40	0.0	0.0	-
0.0	8:41	0.0	0.0	-
0.0	8:42	0.0	0.0	-
0.0	8:43	0.0	0.0	-
0.0	8:44	0.0	0.0	-
0.0	8:45	0.0	0.0	-
0.0	8:46	0.0	0.0	-
0.0	8:47	0.0	0.0	-
0.0	8:48	0.0	0.0	-
0.0	8:49	0.0	0.0	-
0.0	8:50	0.0	0.0	-
0.0	8:51	0.0	0.0	-
0.0	8:52	0.0	0.0	-
0.0	8:53	0.0	0.0	-
0.0	8:54	0.0	0.0	-
0.0	8:55	0.0	0.0	-
0.0	8:56	0.0	0.0	-
0.0	8:57	0.0	0.0	-
0.0	8:58	0.0	0.0	-
0.0	8:59	0.0	0.0	-
0.0	9:00	0.0	0.0	-
0.0	9:01	0.0	0.0	-
0.0	9:02	0.0	0.0	-
0.0	9:03	0.0	0.0	-
0.0	9:04	0.0	0.0	-
0.0	9:05	0.0	0.0	-
0.0	9:06	0.0	0.0	-
0.0	9:07	0.0	0.0	-
0.0	9:08	0.0	0.0	-
0.0	9:09	0.0	0.0	-
0.0	9:10	0.0	0.0	-
0.0	9:11	0.0	0.0	-
0.0	9:12	0.0	0.0	-
0.0	9:13	0.0	0.0	-
0.0	9:14	0.0	0.0	-
0.0	9:15	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	9:16	0.0	0.0	-
0.0	9:17	0.0	0.0	-
0.0	9:18	0.0	0.0	-
0.0	9:19	0.0	0.0	-
0.0	9:20	0.0	0.0	-
0.0	9:21	0.0	0.0	-
0.0	9:22	0.0	0.0	-
0.0	9:23	0.0	0.0	-
0.0	9:24	0.0	0.0	-
0.0	9:25	0.0	0.0	-
0.0	9:26	0.0	0.0	-
0.0	9:27	0.0	0.0	-
0.0	9:28	0.0	0.0	-
0.0	9:29	0.0	0.0	-
0.0	9:30	0.0	0.0	-
0.0	9:31	0.0	0.0	-
0.0	9:32	0.0	0.0	-
0.0	9:33	0.0	0.0	-
0.0	9:34	0.0	0.0	-
0.0	9:35	0.0	0.0	-
0.0	9:36	0.0	0.0	-
0.0	9:37	0.0	0.0	-
0.0	9:38	0.0	0.0	-
0.0	9:39	0.0	0.0	-
0.0	9:40	0.0	0.0	-
0.0	9:41	0.0	0.0	-
0.0	9:42	0.0	0.0	-
0.0	9:43	0.0	0.0	-
0.0	9:44	0.0	0.0	-
0.0	9:45	0.0	0.0	-
0.0	9:46	0.0	0.0	-
0.0	9:47	0.0	0.0	-
0.0	9:48	0.0	0.0	-
0.0	9:49	0.0	0.0	-
0.0	9:50	0.0	0.0	-
0.0	9:51	0.0	0.0	-
0.0	9:52	0.0	0.0	-
0.0	9:53	0.0	0.0	-
0.0	9:54	0.0	0.0	-
0.0	9:55	0.0	0.0	-
0.0	9:56	0.0	0.0	-
0.0	9:57	0.0	0.0	-
0.0	9:58	0.0	0.0	-
0.0	9:59	0.0	0.0	-
0.0	10:00	0.0	0.0	-
0.0	10:01	0.0	0.0	-
0.0	10:02	0.0	0.0	-
0.0	10:03	0.0	0.0	-
0.0	10:04	0.0	0.0	-
0.0	10:05	0.0	0.0	-
0.0	10:06	0.0	0.0	-
0.0	10:07	0.0	0.0	-
0.0	10:08	0.0	0.0	-
0.0	10:09	0.0	0.0	-
0.0	10:10	0.0	0.0	-
0.0	10:11	0.0	0.0	-
0.0	10:12	0.0	0.0	-
0.0	10:13	0.0	0.0	-
0.0	10:14	0.0	0.0	-
0.0	10:15	0.0	0.0	-
0.0	10:16	0.0	0.0	-
0.0	10:17	0.0	0.0	-
0.0	10:18	0.0	0.0	-
0.0	10:19	0.0	0.0	-
0.0	10:20	0.0	0.0	-
0.0	10:21	0.0	0.0	-
0.0	10:22	0.0	0.0	-
0.0	10:23	0.0	0.0	-
0.0	10:24	0.0	0.0	-
0.0	10:25	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	10:26	0.0	0.0	-
0.0	10:27	0.0	0.0	-
0.0	10:28	0.0	0.0	-
0.0	10:29	0.0	0.0	-
0.0	10:30	0.0	0.0	-
0.0	10:31	0.0	0.0	-
0.0	10:32	0.0	0.0	-
0.0	10:33	0.0	0.0	-
0.0	10:34	0.0	0.0	-
0.0	10:35	0.0	0.0	-
0.0	10:36	0.0	0.0	-
0.0	10:37	0.0	0.0	-
0.0	10:38	0.0	0.0	-
0.0	10:39	0.0	0.0	-
0.0	10:40	0.0	0.0	-
0.0	10:41	0.0	0.0	-
0.0	10:42	0.0	0.0	-
0.0	10:43	0.0	0.0	-
0.0	10:44	0.0	0.0	-
0.0	10:45	0.0	0.0	-
0.0	10:46	0.0	0.0	-
0.0	10:47	0.0	0.0	-
0.0	10:48	0.0	0.0	-
0.0	10:49	0.0	0.0	-
0.0	10:50	0.0	0.0	-
0.0	10:51	0.0	0.0	-
0.0	10:52	0.0	0.0	-
0.0	10:53	0.0	0.0	-
0.0	10:54	0.0	0.0	-
0.0	10:55	0.0	0.0	-
0.0	10:56	0.0	0.0	-
0.0	10:57	0.0	0.0	-
0.0	10:58	0.0	0.0	-
0.0	10:59	0.0	0.0	-
0.0	11:00	0.0	0.0	-
0.0	11:01	0.0	0.0	-
0.0	11:02	0.0	0.0	-
0.0	11:03	0.0	0.0	-
0.0	11:04	0.0	0.0	-
0.0	11:05	0.0	0.0	-
0.0	11:06	0.0	0.0	-
0.0	11:07	0.0	0.0	-
0.0	11:08	0.0	0.0	-
0.0	11:09	0.0	0.0	-
0.0	11:10	0.0	0.0	-
0.0	11:11	0.0	0.0	-
0.0	11:12	0.0	0.0	-
0.0	11:13	0.0	0.0	-
0.0	11:14	0.0	0.0	-
0.0	11:15	0.0	0.0	-
0.0	11:16	0.0	0.0	-
0.0	11:17	0.0	0.0	-
0.0	11:18	0.0	0.0	-
0.0	11:19	0.0	0.0	-
0.0	11:20	0.0	0.0	-
0.0	11:21	0.0	0.0	-
0.0	11:22	0.0	0.0	-
0.0	11:23	0.0	0.0	-
0.0	11:24	0.0	0.0	-
0.0	11:25	0.0	0.0	-
0.0	11:26	0.0	0.0	-
0.0	11:27	0.0	0.0	-
0.0	11:28	0.0	0.0	-
0.0	11:29	0.0	0.0	-
0.0	11:30	0.0	0.0	-
0.0	11:31	0.0	0.0	-
0.0	11:32	0.0	0.0	-
0.0	11:33	0.0	0.0	-
0.0	11:34	0.0	0.0	-
0.0	11:35	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	11:36	0.0	0.0	-
0.0	11:37	0.0	0.0	-
0.0	11:38	0.0	0.0	-
0.0	11:39	0.0	0.0	-
0.0	11:40	0.0	0.0	-
0.0	11:41	0.0	0.0	-
0.0	11:42	0.0	0.0	-
0.0	11:43	0.0	0.0	-
0.0	11:44	0.0	0.0	-
0.0	11:45	0.0	0.0	-
0.0	11:46	0.0	0.0	-
0.0	11:47	0.0	0.0	-
0.0	11:48	0.0	0.0	-
0.0	11:49	0.0	0.0	-
0.0	11:50	0.0	0.0	-
0.0	11:51	0.0	0.0	-
0.0	11:52	0.0	0.0	-
0.0	11:53	0.0	0.0	-
0.0	11:54	0.0	0.0	-
0.0	11:55	0.0	0.0	-
0.0	11:56	0.0	0.0	-
0.0	11:57	0.0	0.0	-
0.0	11:58	0.0	0.0	-
0.0	11:59	0.0	0.0	-
0.0	12:00	0.0	0.0	-
0.0	12:01	0.0	0.0	-
0.0	12:02	0.0	0.0	-
0.0	12:03	0.0	0.0	-
0.0	12:04	0.0	0.0	-
0.0	12:05	0.0	0.0	-
0.0	12:06	0.0	0.0	-
0.0	12:07	0.0	0.0	-
0.0	12:08	0.0	0.0	-
0.0	12:09	0.0	0.0	-
0.0	12:10	0.0	0.0	-
0.0	12:11	0.0	0.0	-
0.0	12:12	0.0	0.0	-
0.0	12:13	0.0	0.0	-
0.0	12:14	0.0	0.0	-
0.0	12:15	0.0	0.0	-
0.0	12:16	0.0	0.0	-
0.0	12:17	0.0	0.0	-
0.0	12:18	0.0	0.0	-
0.0	12:19	0.0	0.0	-
0.0	12:20	0.0	0.0	-
0.0	12:21	0.0	0.0	-
0.0	12:22	0.0	0.0	-
0.0	12:23	0.0	0.0	-
0.0	12:24	0.0	0.0	-
0.0	12:25	0.0	0.0	-
0.0	12:26	0.0	0.0	-
0.0	12:27	0.0	0.0	-
0.0	12:28	0.0	0.0	-
0.0	12:29	0.0	0.0	-
0.0	12:30	0.0	0.0	-
0.0	12:31	0.0	0.0	-
0.0	12:32	0.0	0.0	-
0.0	12:33	0.0	0.0	-
0.0	12:34	0.0	0.0	-
0.0	12:35	0.0	0.0	-
0.0	12:36	0.0	0.0	-
0.0	12:37	0.0	0.0	-
0.0	12:38	0.0	0.0	-
0.0	12:39	0.0	0.0	-
0.0	12:40	0.0	0.0	-
0.0	12:41	0.0	0.0	-
0.0	12:42	0.0	0.0	-
0.0	12:43	0.0	0.0	-
0.0	12:44	0.0	0.0	-
0.0	12:45	0.0	0.0	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	12:46	0.0	0.0	-
0.0	12:47	0.0	0.0	-
0.0	12:48	0.0	0.0	-
0.0	12:49	0.0	0.0	-
0.0	12:50	0.0	0.0	-
0.0	12:51	0.0	0.0	-
0.0	12:52	0.0	0.0	-
0.0	12:53	0.0	0.0	-
0.0	12:54	0.0	0.0	-
0.0	12:55	0.0	0.0	-
0.0	12:56	0.0	0.0	-
0.0	12:57	0.0	0.0	-
0.0	12:58	0.0	0.0	-
0.0	12:59	0.0	0.0	-
0.0	13:00	0.0	0.0	-
0.0	13:01	0.0	0.0	-
0.0	13:02	0.0	0.0	-
0.0	13:03	0.0	0.0	-
0.0	13:04	0.0	0.0	-
0.0	13:05	0.0	0.0	-
0.0	13:06	0.0	0.0	-
0.0	13:07	0.0	0.0	-
0.0	13:08	0.0	0.0	-
0.0	13:09	0.0	0.0	-
0.0	13:10	0.0	0.0	-
0.0	13:11	0.0	0.0	-
0.0	13:12	0.0	0.0	-
0.0	13:13	0.0	0.0	-
0.0	13:14	0.0	0.0	-
0.0	13:15	0.0	0.0	-
0.0	13:16	0.0	0.0	-
0.0	13:17	0.0	0.0	-
0.0	13:18	0.0	0.0	-
0.0	13:19	0.0	0.0	-
0.0	13:20	0.0	0.0	-
0.0	13:21	0.0	0.0	-
0.0	13:22	0.0	0.0	-
0.0	13:23	0.0	0.0	-
0.0	13:24	0.0	0.0	-
0.0	13:25	0.0	0.0	-
0.0	13:26	0.0	0.0	-
0.0	13:27	0.0	0.0	-
0.0	13:28	0.0	0.0	-
0.0	13:29	0.0	0.0	-
0.0	13:30	0.0	0.0	-
0.0	13:31	0.0	0.0	-
0.0	13:32	0.0	0.0	-
0.0	13:33	0.0	0.0	-
0.0	13:34	0.0	0.0	-
0.0	13:35	0.0	0.0	-
0.0	13:36	0.0	0.0	-
0.0	13:37	0.0	0.0	-
0.0	13:38	0.0	0.0	-
0.0	13:39	0.0	0.0	-
0.0	13:40	0.0	0.0	-
0.0	13:41	0.0	0.0	-
0.0	13:42	0.0	0.0	-
0.0	13:43	0.0	0.0	-
0.0	13:44	0.0	0.0	-
0.0	13:45	0.0	0.0	-
0.0	13:46	0.0	0.0	-
0.0	13:47	0.0	0.0	-
0.0	13:48	0.0	0.0	-
0.0	13:49	0.0	0.0	-
0.0	13:50	0.0	0.0	-
0.0	13:51	0.0	0.0	-
0.0	13:52	0.0	0.0	-
0.0	13:53	0.0	0.0	-

Date: 12/27/2022

Start: 7:23

End: 16:23

Observers: TJ Malgieri

DOWNWIND -**DW**

Particulate Monitoring		
	Background	DW
Daily Average	0.004	0.004
Minimum 15min Average	NA	0.001
Maximum 15min Average	NA	0.042
Exceedance (15min >.15)	NA	0
Minimum 1min Reading	NA	0.000
Maximum 1min Reading	NA	0.200


Notes:

1. NA = Not applicable
2. All reported units are mg/m³ or milligrams per cubic meter unless specified otherwise.
3. Particulate monitoring was conducted using a DustTrak™ DRX Aerosol Monitor for particulates smaller than 10 microns in diameter (PM10).

Organic Vapor Monitoring		
	Background	DW
Daily Average	0.0	0.2
Minimum 15min Average	NA	0.0
Maximum 15min Average	NA	0.2
Exceedance (15min >5)	NA	0
Minimum 1min Reading	NA	0.0
Maximum 1min Reading	NA	0.3

Notes:

1. NA = Not applicable
2. All reported units are ppm or parts per million unless specified otherwise.
3. Organic vapor monitoring was conducted using a MiniRAE 3000 Photoionization Detector (PID) for volatile organic compounds (VOC).

Air Monitoring Data - December 27, 2022

Friday, December 23, 2022				
Number of Instances Where Downwind Particulates Exceeds Background Particulate + 100 =				0
Number of Comparable Data Points =				526
Start Time:				7:23
End Time:				16:23
PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	7:23	0.017		
0.004	7:24	0.008		
0.004	7:25	0.006		
0.004	7:26	0.004		
0.004	7:27	0.003		
0.004	7:28	0.002		
0.004	7:29	0.002		
0.004	7:30	0.002		
0.004	7:31	0.002		
0.004	7:32	0.001		
0.004	7:33	0.002		
0.004	7:34	0.002		
0.004	7:35	0.002		
0.004	7:36	0.002		
0.004	7:37	0.002		
0.004	7:38	0.002	0.004	-
0.004	7:39	0.002	0.003	-
0.004	7:40	0.002	0.002	-
0.004	7:41	0.002	0.002	-
0.004	7:42	0.002	0.002	-
0.004	7:43	0.002	0.002	-
0.004	7:44	0.002	0.002	-
0.004	7:45	0.002	0.002	-
0.004	7:46	0.002	0.002	-
0.004	7:47	0.002	0.002	-
0.004	7:48	0.002	0.002	-
0.004	7:49	0.002	0.002	-
0.004	7:50	0.002	0.002	-
0.004	7:51	0.002	0.002	-
0.004	7:52	0.002	0.002	-
0.004	7:53	0.002	0.002	-
0.004	7:54	0.002	0.002	-
0.004	7:55	0.002	0.002	-
0.004	7:56	0.002	0.002	-
0.004	7:57	0.002	0.002	-
0.004	7:58	0.002	0.002	-
0.004	7:59	0.002	0.002	-
0.004	8:00	0.002	0.002	-
0.004	8:01	0.002	0.002	-
0.004	8:02	0.002	0.002	-
0.004	8:03	0.002	0.002	-
0.004	8:04	0.002	0.002	-
0.004	8:05	0.002	0.002	-
0.004	8:06	0.002	0.002	-
0.004	8:07	0.002	0.002	-
0.004	8:08	0.002	0.002	-
0.004	8:09	0.002	0.002	-
0.004	8:10	0.002	0.002	-
0.004	8:11	0.002	0.002	-
0.004	8:12	0.002	0.002	-
0.004	8:13	0.002	0.002	-
0.004	8:14	0.002	0.002	-
0.004	8:15	0.002	0.002	-
0.004	8:16	0.002	0.002	-
0.004	8:17	0.002	0.002	-
0.004	8:18	0.002	0.002	-
0.004	8:19	0.002	0.002	-
0.004	8:20	0.002	0.002	-
0.004	8:21	0.002	0.002	-
0.004	8:22	0.002	0.002	-
0.004	8:23	0.002	0.002	-
0.004	8:24	0.002	0.002	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	8:25	0.002	0.002	-
0.004	8:26	0.002	0.002	-
0.004	8:27	0.002	0.002	-
0.004	8:28	0.002	0.002	-
0.004	8:29	0.002	0.002	-
0.004	8:30	0.002	0.002	-
0.004	8:31	0.002	0.002	-
0.004	8:32	0.002	0.002	-
0.004	8:33	0.002	0.002	-
0.004	8:34	0.002	0.002	-
0.004	8:35	0.002	0.002	-
0.004	8:36	0.002	0.002	-
0.004	8:37	0.002	0.002	-
0.004	8:38	0.002	0.002	-
0.004	8:39	0.002	0.002	-
0.004	8:40	0.002	0.002	-
0.004	8:41	0.003	0.002	-
0.004	8:42	0.003	0.002	-
0.004	8:43	0.003	0.002	-
0.004	8:44	0.003	0.002	-
0.004	8:45	0.003	0.002	-
0.004	8:46	0.003	0.002	-
0.004	8:47	0.003	0.002	-
0.004	8:48	0.003	0.002	-
0.004	8:49	0.003	0.003	-
0.004	8:50	0.003	0.003	-
0.004	8:51	0.003	0.003	-
0.004	8:52	0.003	0.003	-
0.004	8:53	0.003	0.003	-
0.004	8:54	0.003	0.003	-
0.004	8:55	0.003	0.003	-
0.004	8:56	0.003	0.003	-
0.004	8:57	0.003	0.003	-
0.004	8:58	0.003	0.003	-
0.004	8:59	0.003	0.003	-
0.004	9:00	0.003	0.003	-
0.004	9:01	0.003	0.003	-
0.004	9:02	0.003	0.003	-
0.004	9:03	0.003	0.003	-
0.004	9:04	0.003	0.003	-
0.004	9:05	0.003	0.003	-
0.004	9:06	0.003	0.003	-
0.004	9:07	0.003	0.003	-
0.004	9:08	0.003	0.003	-
0.004	9:09	0.003	0.003	-
0.004	9:10	0.003	0.003	-
0.004	9:11	0.003	0.003	-
0.004	9:12	0.003	0.003	-
0.004	9:13	0.003	0.003	-
0.004	9:14	0.003	0.003	-
0.004	9:15	0.003	0.003	-
0.004	9:16	0.004	0.003	-
0.004	9:17	0.004	0.003	-
0.004	9:18	0.004	0.003	-
0.004	9:19	0.004	0.003	-
0.004	9:20	0.004	0.003	-
0.004	9:21	0.003	0.003	-
0.004	9:22	0.004	0.003	-
0.004	9:23	0.004	0.003	-
0.004	9:24	0.004	0.003	-
0.004	9:25	0.004	0.004	-
0.004	9:26	0.004	0.004	-
0.004	9:27	0.004	0.004	-
0.004	9:28	0.004	0.004	-
0.004	9:29	0.004	0.004	-
0.004	9:30	0.004	0.004	-
0.004	9:31	0.004	0.004	-
0.004	9:32	0.004	0.004	-
0.004	9:33	0.004	0.004	-
0.004	9:34	0.004	0.004	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	9:35	0.004	0.004	-
0.004	9:36	0.004	0.004	-
0.004	9:37	0.004	0.004	-
0.004	9:38	0.004	0.004	-
0.004	9:39	0.004	0.004	-
0.004	9:40	0.004	0.004	-
0.004	9:41	0.004	0.004	-
0.004	9:42	0.004	0.004	-
0.004	9:43	0.004	0.004	-
0.004	9:44	0.004	0.004	-
0.004	9:45	0.004	0.004	-
0.004	9:46	0.004	0.004	-
0.004	9:47	0.004	0.004	-
0.004	9:48	0.004	0.004	-
0.004	9:49	0.004	0.004	-
0.004	9:50	0.004	0.004	-
0.004	9:51	0.004	0.004	-
0.004	9:52	0.004	0.004	-
0.004	9:53	0.004	0.004	-
0.004	9:54	0.004	0.004	-
0.004	9:55	0.004	0.004	-
0.004	9:56	0.004	0.004	-
0.004	9:57	0.004	0.004	-
0.004	9:58	0.004	0.004	-
0.004	9:59	0.004	0.004	-
0.004	10:00	0.004	0.004	-
0.004	10:01	0.004	0.004	-
0.004	10:02	0.004	0.004	-
0.004	10:03	0.004	0.004	-
0.004	10:04	0.004	0.004	-
0.004	10:05	0.004	0.004	-
0.004	10:06	0.004	0.004	-
0.004	10:07	0.004	0.004	-
0.004	10:08	0.004	0.004	-
0.004	10:09	0.004	0.004	-
0.004	10:10	0.004	0.004	-
0.004	10:11	0.004	0.004	-
0.004	10:12	0.004	0.004	-
0.004	10:13	0.004	0.004	-
0.004	10:14	0.004	0.004	-
0.004	10:15	0.004	0.004	-
0.004	10:16	0.004	0.004	-
0.004	10:17	0.004	0.004	-
0.004	10:18	0.004	0.004	-
0.004	10:19	0.004	0.004	-
0.004	10:20	0.004	0.004	-
0.004	10:21	0.004	0.004	-
0.004	10:22	0.004	0.004	-
0.004	10:23	0.004	0.004	-
0.004	10:24	0.004	0.004	-
0.004	10:25	0.004	0.004	-
0.004	10:26	0.004	0.004	-
0.004	10:27	0.004	0.004	-
0.004	10:28	0.004	0.004	-
0.004	10:29	0.004	0.004	-
0.004	10:30	0.004	0.004	-
0.004	10:31	0.004	0.004	-
0.004	10:32	0.004	0.004	-
0.004	10:33	0.004	0.004	-
0.004	10:34	0.004	0.004	-
0.004	10:35	0.004	0.004	-
0.004	10:36	0.004	0.004	-
0.004	10:37	0.004	0.004	-
0.004	10:38	0.004	0.004	-
0.004	10:39	0.004	0.004	-
0.004	10:40	0.003	0.004	-
0.004	10:41	0.003	0.004	-
0.004	10:42	0.003	0.004	-
0.004	10:43	0.003	0.004	-
0.004	10:44	0.003	0.004	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	10:45	0.003	0.004	-
0.004	10:46	0.003	0.004	-
0.004	10:47	0.003	0.004	-
0.004	10:48	0.003	0.003	-
0.004	10:49	0.003	0.003	-
0.004	10:50	0.003	0.003	-
0.004	10:51	0.003	0.003	-
0.004	10:52	0.003	0.003	-
0.004	10:53	0.003	0.003	-
0.004	10:54	0.003	0.003	-
0.004	10:55	0.003	0.003	-
0.004	10:56	0.003	0.003	-
0.004	10:57	0.003	0.003	-
0.004	10:58	0.003	0.003	-
0.004	10:59	0.003	0.003	-
0.004	11:00	0.003	0.003	-
0.004	11:01	0.003	0.003	-
0.004	11:02	0.003	0.003	-
0.004	11:03	0.003	0.003	-
0.004	11:04	0.003	0.003	-
0.004	11:05	0.002	0.003	-
0.004	11:06	0.002	0.003	-
0.004	11:07	0.002	0.003	-
0.004	11:08	0.002	0.003	-
0.004	11:09	0.002	0.003	-
0.004	11:10	0.002	0.003	-
0.004	11:11	0.002	0.003	-
0.004	11:12	0.002	0.003	-
0.004	11:13	0.002	0.002	-
0.004	11:14	0.002	0.002	-
0.004	11:15	0.002	0.002	-
0.004	11:16	0.002	0.002	-
0.004	11:17	0.002	0.002	-
0.004	11:18	0.002	0.002	-
0.004	11:19	0.002	0.002	-
0.004	11:20	0.002	0.002	-
0.004	11:21	0.002	0.002	-
0.004	11:22	0.002	0.002	-
0.004	11:23	0.002	0.002	-
0.004	11:24	0.002	0.002	-
0.004	11:25	0.002	0.002	-
0.004	11:26	0.002	0.002	-
0.004	11:27	0.002	0.002	-
0.004	11:28	0.002	0.002	-
0.004	11:29	0.002	0.002	-
0.004	11:30	0.002	0.002	-
0.004	11:31	0.002	0.002	-
0.004	11:32	0.002	0.002	-
0.004	11:33	0.002	0.002	-
0.004	11:34	0.002	0.002	-
0.004	11:35	0.002	0.002	-
0.004	11:36	0.002	0.002	-
0.004	11:37	0.002	0.002	-
0.004	11:38	0.002	0.002	-
0.004	11:39	0.002	0.002	-
0.004	11:40	0.002	0.002	-
0.004	11:41	0.002	0.002	-
0.004	11:42	0.002	0.002	-
0.004	11:43	0.002	0.002	-
0.004	11:44	0.002	0.002	-
0.004	11:45	0.002	0.002	-
0.004	11:46	0.002	0.002	-
0.004	11:47	0.002	0.002	-
0.004	11:48	0.002	0.002	-
0.004	11:49	0.002	0.002	-
0.004	11:50	0.002	0.002	-
0.004	11:51	0.002	0.002	-
0.004	11:52	0.002	0.002	-
0.004	11:53	0.002	0.002	-
0.004	11:54	0.002	0.002	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	11:55	0.002	0.002	-
0.004	11:56	0.002	0.002	-
0.004	11:57	0.002	0.002	-
0.004	11:58	0.002	0.002	-
0.004	11:59	0.002	0.002	-
0.004	12:00	0.002	0.002	-
0.004	12:01	0.002	0.002	-
0.004	12:02	0.002	0.002	-
0.004	12:03	0.002	0.002	-
0.004	12:04	0.002	0.002	-
0.004	12:05	0.002	0.002	-
0.004	12:06	0.002	0.002	-
0.004	12:07	0.002	0.002	-
0.004	12:08	0.002	0.002	-
0.004	12:09	0.002	0.002	-
0.004	12:10	0.002	0.002	-
0.004	12:11	0.002	0.002	-
0.004	12:12	0.002	0.002	-
0.004	12:13	0.002	0.002	-
0.004	12:14	0.002	0.002	-
0.004	12:15	0.002	0.002	-
0.004	12:16	0.002	0.002	-
0.004	12:17	0.002	0.002	-
0.004	12:18	0.002	0.002	-
0.004	12:19	0.002	0.002	-
0.004	12:20	0.002	0.002	-
0.004	12:21	0.002	0.002	-
0.004	12:22	0.002	0.002	-
0.004	12:23	0.002	0.002	-
0.004	12:24	0.002	0.002	-
0.004	12:25	0.002	0.002	-
0.004	12:26	0.002	0.002	-
0.004	12:27	0.002	0.002	-
0.004	12:28	0.002	0.002	-
0.004	12:29	0.002	0.002	-
0.004	12:30	0.002	0.002	-
0.004	12:31	0.002	0.002	-
0.004	12:32	0.002	0.002	-
0.004	12:33	0.002	0.002	-
0.004	12:34	0.002	0.002	-
0.004	12:35	0.002	0.002	-
0.004	12:36	0.002	0.002	-
0.004	12:37	0.002	0.002	-
0.004	12:38	0.002	0.002	-
0.004	12:39	0.002	0.002	-
0.004	12:40	0.002	0.002	-
0.004	12:41	0.002	0.002	-
0.004	12:42	0.002	0.002	-
0.004	12:43	0.002	0.002	-
0.004	12:44	0.002	0.002	-
0.004	12:45	0.002	0.002	-
0.004	12:46	0.002	0.002	-
0.004	12:47	0.002	0.002	-
0.004	12:48	0.002	0.002	-
0.004	12:49	0.002	0.002	-
0.004	12:50	0.002	0.002	-
0.004	12:51	0.013	0.002	-
0.004	12:52	0.010	0.003	-
0.004	12:53	0.008	0.003	-
0.004	12:54	0.006	0.004	-
0.004	12:55	0.005	0.004	-
0.004	12:56	0.004	0.004	-
0.004	12:57	0.004	0.004	-
0.004	12:58	0.003	0.004	-
0.004	12:59	0.003	0.004	-
0.004	13:00	0.003	0.005	-
0.004	13:01	0.003	0.005	-
0.004	13:02	0.003	0.005	-
0.004	13:03	0.003	0.005	-
0.004	13:04	0.002	0.005	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	13:05	0.002	0.005	-
0.004	13:06	0.002	0.005	-
0.004	13:07	0.002	0.004	-
0.004	13:08	0.002	0.004	-
0.004	13:09	0.002	0.003	-
0.004	13:10	0.002	0.003	-
0.004	13:11	0.002	0.003	-
0.004	13:12	0.002	0.003	-
0.004	13:13	0.002	0.002	-
0.004	13:14	0.002	0.002	-
0.004	13:15	0.002	0.002	-
0.004	13:16	0.002	0.002	-
0.004	13:17	0.002	0.002	-
0.004	13:18	0.002	0.002	-
0.004	13:19	0.002	0.002	-
0.004	13:20	0.002	0.002	-
0.004	13:21	0.002	0.002	-
0.004	13:22	0.002	0.002	-
0.004	13:23	0.002	0.002	-
0.004	13:24	0.002	0.002	-
0.004	13:25	0.002	0.002	-
0.004	13:26	0.002	0.002	-
0.004	13:27	0.002	0.002	-
0.004	13:28	0.002	0.002	-
0.004	13:29	0.002	0.002	-
0.004	13:30	0.002	0.002	-
0.004	13:31	0.002	0.002	-
0.004	13:32	0.002	0.002	-
0.004	13:33	0.002	0.002	-
0.004	13:34	0.002	0.002	-
0.004	13:35	0.002	0.002	-
0.004	13:36	0.002	0.002	-
0.004	13:37	0.002	0.002	-
0.004	13:38	0.002	0.002	-
0.004	13:39	0.002	0.002	-
0.004	13:40	0.002	0.002	-
0.004	13:41	0.002	0.002	-
0.004	13:42	0.002	0.002	-
0.004	13:43	0.002	0.002	-
0.004	13:44	0.002	0.002	-
0.004	13:45	0.002	0.002	-
0.004	13:46	0.002	0.002	-
0.004	13:47	0.002	0.002	-
0.004	13:48	0.002	0.002	-
0.004	13:49	0.001	0.002	-
0.004	13:50	0.002	0.002	-
0.004	13:51	0.001	0.002	-
0.004	13:52	0.001	0.002	-
0.004	13:53	0.001	0.002	-
0.004	13:54	0.001	0.002	-
0.004	13:55	0.001	0.002	-
0.004	13:56	0.001	0.002	-
0.004	13:57	0.001	0.002	-
0.004	13:58	0.001	0.001	-
0.004	13:59	0.001	0.001	-
0.004	14:00	0.001	0.001	-
0.004	14:01	0.001	0.001	-
0.004	14:02	0.001	0.001	-
0.004	14:03	0.001	0.001	-
0.004	14:04	0.001	0.001	-
0.004	14:05	0.001	0.001	-
0.004	14:06	0.001	0.001	-
0.004	14:07	0.001	0.001	-
0.004	14:08	0.001	0.001	-
0.004	14:09	0.001	0.001	-
0.004	14:10	0.001	0.001	-
0.004	14:11	0.001	0.001	-
0.004	14:12	0.001	0.001	-
0.004	14:13	0.001	0.001	-
0.004	14:14	0.001	0.001	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	14:15	0.001	0.001	-
0.004	14:16	0.001	0.001	-
0.004	14:17	0.001	0.001	-
0.004	14:18	0.001	0.001	-
0.004	14:19	0.001	0.001	-
0.004	14:20	0.001	0.001	-
0.004	14:21	0.001	0.001	-
0.004	14:22	0.010	0.001	-
0.004	14:23	0.010	0.002	-
0.004	14:24	0.007	0.002	-
0.004	14:25	0.005	0.003	-
0.004	14:26	0.004	0.003	-
0.004	14:27	0.003	0.003	-
0.004	14:28	0.003	0.003	-
0.004	14:29	0.003	0.003	-
0.004	14:30	0.002	0.003	-
0.004	14:31	0.002	0.004	-
0.004	14:32	0.002	0.004	-
0.004	14:33	0.002	0.004	-
0.004	14:34	0.002	0.004	-
0.004	14:35	0.002	0.004	-
0.004	14:36	0.002	0.004	-
0.004	14:37	0.002	0.004	-
0.004	14:38	0.002	0.003	-
0.004	14:39	0.002	0.003	-
0.004	14:40	0.001	0.003	-
0.004	14:41	0.002	0.002	-
0.004	14:42	0.002	0.002	-
0.004	14:43	0.002	0.002	-
0.004	14:44	0.002	0.002	-
0.004	14:45	0.002	0.002	-
0.004	14:46	0.002	0.002	-
0.004	14:47	0.002	0.002	-
0.004	14:48	0.002	0.002	-
0.004	14:49	0.002	0.002	-
0.004	14:50	0.002	0.002	-
0.004	14:51	0.002	0.002	-
0.004	14:52	0.002	0.002	-
0.004	14:53	0.002	0.002	-
0.004	14:54	0.002	0.002	-
0.004	14:55	0.002	0.002	-
0.004	14:56	0.002	0.002	-
0.004	14:57	0.002	0.002	-
0.004	14:58	0.002	0.002	-
0.004	14:59	0.002	0.002	-
0.004	15:00	0.002	0.002	-
0.004	15:01	0.002	0.002	-
0.004	15:02	0.002	0.002	-
0.004	15:03	0.002	0.002	-
0.004	15:04	0.002	0.002	-
0.004	15:05	0.002	0.002	-
0.004	15:06	0.002	0.002	-
0.004	15:07	0.002	0.002	-
0.004	15:08	0.002	0.002	-
0.004	15:09	0.002	0.002	-
0.004	15:10	0.002	0.002	-
0.004	15:11	0.002	0.002	-
0.004	15:12	0.002	0.002	-
0.004	15:13	0.002	0.002	-
0.004	15:14	0.002	0.002	-
0.004	15:15	0.002	0.002	-
0.004	15:16	0.002	0.002	-
0.004	15:17	0.002	0.002	-
0.004	15:18	0.002	0.002	-
0.004	15:19	0.002	0.002	-
0.004	15:20	0.002	0.002	-
0.004	15:21	0.002	0.002	-
0.004	15:22	0.002	0.002	-
0.004	15:23	0.002	0.002	-
0.004	15:24	0.002	0.002	-
0.004	15:25	0.002	0.002	-
0.004	15:26	0.002	0.002	-
0.004	15:27	0.002	0.002	-
0.004	15:28	0.002	0.002	-
0.004	15:29	0.002	0.002	-
0.004	15:30	0.002	0.002	-
0.004	15:31	0.002	0.002	-
0.004	15:32	0.002	0.002	-
0.004	15:33	0.002	0.002	-

PARTICULATE MONITORING DATA				
Background	Downwind			Exceeds Particulate Alarm Limits
Concentration (mg/m ³)	Time	Concentration (mg/m ³)	15-Minute Average	
0.004	15:34	0.002	0.002	-
0.004	15:35	0.002	0.002	-
0.004	15:36	0.002	0.002	-
0.004	15:37	0.002	0.002	-
0.004	15:38	0.002	0.002	-
0.004	15:39	0.002	0.002	-
0.004	15:40	0.002	0.002	-
0.004	15:41	0.002	0.002	-
0.004	15:42	0.002	0.002	-
0.004	15:43	0.002	0.002	-
0.004	15:44	0.003	0.002	-
0.004	15:45	0.003	0.002	-
0.004	15:46	0.002	0.002	-
0.004	15:47	0.002	0.002	-
0.004	15:48	0.002	0.002	-
0.004	15:49	0.002	0.002	-
0.004	15:50	0.003	0.002	-
0.004	15:51	0.003	0.002	-
0.004	15:52	0.003	0.002	-
0.004	15:53	0.003	0.002	-
0.004	15:54	0.003	0.002	-
0.004	15:55	0.003	0.002	-
0.004	15:56	0.003	0.003	-
0.004	15:57	0.003	0.003	-
0.004	15:58	0.003	0.003	-
0.004	15:59	0.003	0.003	-
0.004	16:00	0.003	0.003	-
0.004	16:01	0.003	0.003	-
0.004	16:02	0.003	0.003	-
0.004	16:03	0.003	0.003	-
0.004	16:04	0.003	0.003	-
0.004	16:05	0.003	0.003	-
0.004	16:06	0.003	0.003	-
0.004	16:07	0.003	0.003	-
0.004	16:08	0.003	0.003	-
0.004	16:09	0.003	0.003	-
0.004	16:10	0.003	0.003	-
0.004	16:11	0.003	0.003	-
0.004	16:12	0.003	0.003	-
0.004	16:13	0.003	0.003	-
0.004	16:14	0.003	0.003	-
0.004	16:15	0.003	0.003	-
0.004	16:16	0.003	0.003	-
0.004	16:17	0.003	0.003	-
0.004	16:18	0.003	0.003	-
0.004	16:19	0.200	0.003	-
0.004	16:20	0.200	0.016	-
0.004	16:21	0.100	0.029	-
0.004	16:22	0.100	0.036	-
0.004	16:23	0.000	0.042	-

Friday, December 23, 2022				
Number of Instances Where Downwind Organic Vapors Exceeds Background Organic Vapors + 5 =				0
Number of Comparable Data Points =				527
Start Time:				7:23
End Time:				16:23
ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	7:23	0.0		
0.0	7:24	0.0		
0.0	7:25	0.0		
0.0	7:26	0.2		
0.0	7:27	0.2		
0.0	7:28	0.1		
0.0	7:29	0.0		
0.0	7:30	0.0		
0.0	7:31	0.0		
0.0	7:32	0.0		
0.0	7:33	0.0		
0.0	7:34	0.0		
0.0	7:35	0.0		
0.0	7:36	0.0		
0.0	7:37	0.0	0.0	-
0.0	7:38	0.0	0.0	-
0.0	7:39	0.0	0.0	-
0.0	7:40	0.0	0.0	-
0.0	7:41	0.0	0.0	-
0.0	7:42	0.0	0.0	-
0.0	7:43	0.0	0.0	-
0.0	7:44	0.0	0.0	-
0.0	7:45	0.0	0.0	-
0.0	7:46	0.0	0.0	-
0.0	7:47	0.0	0.0	-
0.0	7:48	0.0	0.0	-
0.0	7:49	0.0	0.0	-
0.0	7:50	0.0	0.0	-
0.0	7:51	0.0	0.0	-
0.0	7:52	0.0	0.0	-
0.0	7:53	0.0	0.0	-
0.0	7:54	0.0	0.0	-
0.0	7:55	0.0	0.0	-
0.0	7:56	0.0	0.0	-
0.0	7:57	0.0	0.0	-
0.0	7:58	0.0	0.0	-
0.0	7:59	0.0	0.0	-
0.0	8:00	0.0	0.0	-
0.0	8:01	0.1	0.0	-
0.0	8:02	0.0	0.0	-
0.0	8:03	0.0	0.0	-
0.0	8:04	0.1	0.0	-
0.0	8:05	0.1	0.0	-
0.0	8:06	0.1	0.0	-
0.0	8:07	0.1	0.0	-
0.0	8:08	0.1	0.0	-
0.0	8:09	0.1	0.0	-
0.0	8:10	0.1	0.1	-
0.0	8:11	0.1	0.1	-
0.0	8:12	0.1	0.1	-
0.0	8:13	0.1	0.1	-
0.0	8:14	0.1	0.1	-
0.0	8:15	0.1	0.1	-
0.0	8:16	0.1	0.1	-
0.0	8:17	0.1	0.1	-
0.0	8:18	0.1	0.1	-
0.0	8:19	0.1	0.1	-
0.0	8:20	0.1	0.1	-
0.0	8:21	0.1	0.1	-
0.0	8:22	0.1	0.1	-
0.0	8:23	0.1	0.1	-
0.0	8:24	0.1	0.1	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	8:25	0.1	0.1	-
0.0	8:26	0.1	0.1	-
0.0	8:27	0.1	0.1	-
0.0	8:28	0.1	0.1	-
0.0	8:29	0.1	0.1	-
0.0	8:30	0.1	0.1	-
0.0	8:31	0.1	0.1	-
0.0	8:32	0.1	0.1	-
0.0	8:33	0.1	0.1	-
0.0	8:34	0.1	0.1	-
0.0	8:35	0.1	0.1	-
0.0	8:36	0.1	0.1	-
0.0	8:37	0.1	0.1	-
0.0	8:38	0.1	0.1	-
0.0	8:39	0.1	0.1	-
0.0	8:40	0.1	0.1	-
0.0	8:41	0.1	0.1	-
0.0	8:42	0.1	0.1	-
0.0	8:43	0.1	0.1	-
0.0	8:44	0.1	0.1	-
0.0	8:45	0.1	0.1	-
0.0	8:46	0.1	0.1	-
0.0	8:47	0.1	0.1	-
0.0	8:48	0.1	0.1	-
0.0	8:49	0.1	0.1	-
0.0	8:50	0.1	0.1	-
0.0	8:51	0.1	0.1	-
0.0	8:52	0.1	0.1	-
0.0	8:53	0.1	0.1	-
0.0	8:54	0.1	0.1	-
0.0	8:55	0.1	0.1	-
0.0	8:56	0.1	0.1	-
0.0	8:57	0.1	0.1	-
0.0	8:58	0.1	0.1	-
0.0	8:59	0.1	0.1	-
0.0	9:00	0.1	0.1	-
0.0	9:01	0.1	0.1	-
0.0	9:02	0.1	0.1	-
0.0	9:03	0.1	0.1	-
0.0	9:04	0.1	0.1	-
0.0	9:05	0.1	0.1	-
0.0	9:06	0.2	0.1	-
0.0	9:07	0.1	0.1	-
0.0	9:08	0.1	0.1	-
0.0	9:09	0.2	0.1	-
0.0	9:10	0.2	0.1	-
0.0	9:11	0.2	0.1	-
0.0	9:12	0.2	0.1	-
0.0	9:13	0.2	0.1	-
0.0	9:14	0.2	0.1	-
0.0	9:15	0.2	0.1	-
0.0	9:16	0.2	0.1	-
0.0	9:17	0.2	0.1	-
0.0	9:18	0.2	0.1	-
0.0	9:19	0.2	0.2	-
0.0	9:20	0.2	0.2	-
0.0	9:21	0.2	0.2	-
0.0	9:22	0.2	0.2	-
0.0	9:23	0.2	0.2	-
0.0	9:24	0.2	0.2	-
0.0	9:25	0.2	0.2	-
0.0	9:26	0.2	0.2	-
0.0	9:27	0.2	0.2	-
0.0	9:28	0.2	0.2	-
0.0	9:29	0.2	0.2	-
0.0	9:30	0.2	0.2	-
0.0	9:31	0.2	0.2	-
0.0	9:32	0.2	0.2	-
0.0	9:33	0.2	0.2	-
0.0	9:34	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	9:35	0.2	0.2	-
0.0	9:36	0.2	0.2	-
0.0	9:37	0.2	0.2	-
0.0	9:38	0.2	0.2	-
0.0	9:39	0.2	0.2	-
0.0	9:40	0.2	0.2	-
0.0	9:41	0.2	0.2	-
0.0	9:42	0.2	0.2	-
0.0	9:43	0.2	0.2	-
0.0	9:44	0.2	0.2	-
0.0	9:45	0.2	0.2	-
0.0	9:46	0.2	0.2	-
0.0	9:47	0.2	0.2	-
0.0	9:48	0.2	0.2	-
0.0	9:49	0.2	0.2	-
0.0	9:50	0.2	0.2	-
0.0	9:51	0.2	0.2	-
0.0	9:52	0.2	0.2	-
0.0	9:53	0.2	0.2	-
0.0	9:54	0.2	0.2	-
0.0	9:55	0.2	0.2	-
0.0	9:56	0.2	0.2	-
0.0	9:57	0.2	0.2	-
0.0	9:58	0.2	0.2	-
0.0	9:59	0.2	0.2	-
0.0	10:00	0.2	0.2	-
0.0	10:01	0.2	0.2	-
0.0	10:02	0.2	0.2	-
0.0	10:03	0.2	0.2	-
0.0	10:04	0.2	0.2	-
0.0	10:05	0.2	0.2	-
0.0	10:06	0.2	0.2	-
0.0	10:07	0.2	0.2	-
0.0	10:08	0.2	0.2	-
0.0	10:09	0.2	0.2	-
0.0	10:10	0.2	0.2	-
0.0	10:11	0.2	0.2	-
0.0	10:12	0.2	0.2	-
0.0	10:13	0.2	0.2	-
0.0	10:14	0.2	0.2	-
0.0	10:15	0.2	0.2	-
0.0	10:16	0.2	0.2	-
0.0	10:17	0.2	0.2	-
0.0	10:18	0.2	0.2	-
0.0	10:19	0.2	0.2	-
0.0	10:20	0.2	0.2	-
0.0	10:21	0.2	0.2	-
0.0	10:22	0.2	0.2	-
0.0	10:23	0.2	0.2	-
0.0	10:24	0.2	0.2	-
0.0	10:25	0.2	0.2	-
0.0	10:26	0.2	0.2	-
0.0	10:27	0.2	0.2	-
0.0	10:28	0.2	0.2	-
0.0	10:29	0.2	0.2	-
0.0	10:30	0.2	0.2	-
0.0	10:31	0.2	0.2	-
0.0	10:32	0.2	0.2	-
0.0	10:33	0.2	0.2	-
0.0	10:34	0.2	0.2	-
0.0	10:35	0.2	0.2	-
0.0	10:36	0.2	0.2	-
0.0	10:37	0.2	0.2	-
0.0	10:38	0.2	0.2	-
0.0	10:39	0.2	0.2	-
0.0	10:40	0.2	0.2	-
0.0	10:41	0.2	0.2	-
0.0	10:42	0.2	0.2	-
0.0	10:43	0.2	0.2	-
0.0	10:44	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	10:45	0.2	0.2	-
0.0	10:46	0.2	0.2	-
0.0	10:47	0.2	0.2	-
0.0	10:48	0.2	0.2	-
0.0	10:49	0.2	0.2	-
0.0	10:50	0.2	0.2	-
0.0	10:51	0.2	0.2	-
0.0	10:52	0.2	0.2	-
0.0	10:53	0.2	0.2	-
0.0	10:54	0.2	0.2	-
0.0	10:55	0.2	0.2	-
0.0	10:56	0.2	0.2	-
0.0	10:57	0.2	0.2	-
0.0	10:58	0.2	0.2	-
0.0	10:59	0.2	0.2	-
0.0	11:00	0.2	0.2	-
0.0	11:01	0.2	0.2	-
0.0	11:02	0.2	0.2	-
0.0	11:03	0.2	0.2	-
0.0	11:04	0.2	0.2	-
0.0	11:05	0.2	0.2	-
0.0	11:06	0.2	0.2	-
0.0	11:07	0.2	0.2	-
0.0	11:08	0.2	0.2	-
0.0	11:09	0.2	0.2	-
0.0	11:10	0.2	0.2	-
0.0	11:11	0.2	0.2	-
0.0	11:12	0.2	0.2	-
0.0	11:13	0.2	0.2	-
0.0	11:14	0.2	0.2	-
0.0	11:15	0.2	0.2	-
0.0	11:16	0.2	0.2	-
0.0	11:17	0.2	0.2	-
0.0	11:18	0.2	0.2	-
0.0	11:19	0.2	0.2	-
0.0	11:20	0.2	0.2	-
0.0	11:21	0.2	0.2	-
0.0	11:22	0.2	0.2	-
0.0	11:23	0.2	0.2	-
0.0	11:24	0.2	0.2	-
0.0	11:25	0.2	0.2	-
0.0	11:26	0.2	0.2	-
0.0	11:27	0.2	0.2	-
0.0	11:28	0.2	0.2	-
0.0	11:29	0.2	0.2	-
0.0	11:30	0.2	0.2	-
0.0	11:31	0.2	0.2	-
0.0	11:32	0.2	0.2	-
0.0	11:33	0.2	0.2	-
0.0	11:34	0.2	0.2	-
0.0	11:35	0.2	0.2	-
0.0	11:36	0.2	0.2	-
0.0	11:37	0.2	0.2	-
0.0	11:38	0.2	0.2	-
0.0	11:39	0.2	0.2	-
0.0	11:40	0.2	0.2	-
0.0	11:41	0.2	0.2	-
0.0	11:42	0.2	0.2	-
0.0	11:43	0.2	0.2	-
0.0	11:44	0.2	0.2	-
0.0	11:45	0.2	0.2	-
0.0	11:46	0.2	0.2	-
0.0	11:47	0.2	0.2	-
0.0	11:48	0.2	0.2	-
0.0	11:49	0.2	0.2	-
0.0	11:50	0.2	0.2	-
0.0	11:51	0.2	0.2	-
0.0	11:52	0.2	0.2	-
0.0	11:53	0.2	0.2	-
0.0	11:54	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	11:55	0.2	0.2	-
0.0	11:56	0.2	0.2	-
0.0	11:57	0.2	0.2	-
0.0	11:58	0.2	0.2	-
0.0	11:59	0.2	0.2	-
0.0	12:00	0.2	0.2	-
0.0	12:01	0.2	0.2	-
0.0	12:02	0.2	0.2	-
0.0	12:03	0.2	0.2	-
0.0	12:04	0.2	0.2	-
0.0	12:05	0.2	0.2	-
0.0	12:06	0.2	0.2	-
0.0	12:07	0.2	0.2	-
0.0	12:08	0.2	0.2	-
0.0	12:09	0.2	0.2	-
0.0	12:10	0.2	0.2	-
0.0	12:11	0.2	0.2	-
0.0	12:12	0.2	0.2	-
0.0	12:13	0.2	0.2	-
0.0	12:14	0.2	0.2	-
0.0	12:15	0.2	0.2	-
0.0	12:16	0.2	0.2	-
0.0	12:17	0.2	0.2	-
0.0	12:18	0.2	0.2	-
0.0	12:19	0.2	0.2	-
0.0	12:20	0.2	0.2	-
0.0	12:21	0.2	0.2	-
0.0	12:22	0.2	0.2	-
0.0	12:23	0.2	0.2	-
0.0	12:24	0.2	0.2	-
0.0	12:25	0.2	0.2	-
0.0	12:26	0.2	0.2	-
0.0	12:27	0.2	0.2	-
0.0	12:28	0.2	0.2	-
0.0	12:29	0.2	0.2	-
0.0	12:30	0.2	0.2	-
0.0	12:31	0.2	0.2	-
0.0	12:32	0.2	0.2	-
0.0	12:33	0.2	0.2	-
0.0	12:34	0.2	0.2	-
0.0	12:35	0.2	0.2	-
0.0	12:36	0.2	0.2	-
0.0	12:37	0.2	0.2	-
0.0	12:38	0.2	0.2	-
0.0	12:39	0.2	0.2	-
0.0	12:40	0.2	0.2	-
0.0	12:41	0.2	0.2	-
0.0	12:42	0.2	0.2	-
0.0	12:43	0.2	0.2	-
0.0	12:44	0.2	0.2	-
0.0	12:45	0.2	0.2	-
0.0	12:46	0.2	0.2	-
0.0	12:47	0.2	0.2	-
0.0	12:48	0.2	0.2	-
0.0	12:49	0.2	0.2	-
0.0	12:50	0.2	0.2	-
0.0	12:51	0.2	0.2	-
0.0	12:52	0.2	0.2	-
0.0	12:53	0.2	0.2	-
0.0	12:54	0.2	0.2	-
0.0	12:55	0.2	0.2	-
0.0	12:56	0.2	0.2	-
0.0	12:57	0.2	0.2	-
0.0	12:58	0.2	0.2	-
0.0	12:59	0.2	0.2	-
0.0	13:00	0.2	0.2	-
0.0	13:01	0.2	0.2	-
0.0	13:02	0.2	0.2	-
0.0	13:03	0.2	0.2	-
0.0	13:04	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	13:05	0.2	0.2	-
0.0	13:06	0.2	0.2	-
0.0	13:07	0.2	0.2	-
0.0	13:08	0.2	0.2	-
0.0	13:09	0.2	0.2	-
0.0	13:10	0.2	0.2	-
0.0	13:11	0.2	0.2	-
0.0	13:12	0.2	0.2	-
0.0	13:13	0.2	0.2	-
0.0	13:14	0.2	0.2	-
0.0	13:15	0.2	0.2	-
0.0	13:16	0.2	0.2	-
0.0	13:17	0.2	0.2	-
0.0	13:18	0.2	0.2	-
0.0	13:19	0.2	0.2	-
0.0	13:20	0.2	0.2	-
0.0	13:21	0.2	0.2	-
0.0	13:22	0.2	0.2	-
0.0	13:23	0.2	0.2	-
0.0	13:24	0.2	0.2	-
0.0	13:25	0.2	0.2	-
0.0	13:26	0.2	0.2	-
0.0	13:27	0.2	0.2	-
0.0	13:28	0.2	0.2	-
0.0	13:29	0.2	0.2	-
0.0	13:30	0.2	0.2	-
0.0	13:31	0.2	0.2	-
0.0	13:32	0.2	0.2	-
0.0	13:33	0.2	0.2	-
0.0	13:34	0.2	0.2	-
0.0	13:35	0.2	0.2	-
0.0	13:36	0.2	0.2	-
0.0	13:37	0.2	0.2	-
0.0	13:38	0.2	0.2	-
0.0	13:39	0.2	0.2	-
0.0	13:40	0.2	0.2	-
0.0	13:41	0.2	0.2	-
0.0	13:42	0.2	0.2	-
0.0	13:43	0.2	0.2	-
0.0	13:44	0.2	0.2	-
0.0	13:45	0.2	0.2	-
0.0	13:46	0.2	0.2	-
0.0	13:47	0.2	0.2	-
0.0	13:48	0.2	0.2	-
0.0	13:49	0.2	0.2	-
0.0	13:50	0.2	0.2	-
0.0	13:51	0.2	0.2	-
0.0	13:52	0.2	0.2	-
0.0	13:53	0.2	0.2	-
0.0	13:54	0.2	0.2	-
0.0	13:55	0.2	0.2	-
0.0	13:56	0.2	0.2	-
0.0	13:57	0.2	0.2	-
0.0	13:58	0.2	0.2	-
0.0	13:59	0.2	0.2	-
0.0	14:00	0.2	0.2	-
0.0	14:01	0.2	0.2	-
0.0	14:02	0.2	0.2	-
0.0	14:03	0.2	0.2	-
0.0	14:04	0.2	0.2	-
0.0	14:05	0.2	0.2	-
0.0	14:06	0.2	0.2	-
0.0	14:07	0.2	0.2	-
0.0	14:08	0.2	0.2	-
0.0	14:09	0.2	0.2	-
0.0	14:10	0.2	0.2	-
0.0	14:11	0.2	0.2	-
0.0	14:12	0.2	0.2	-
0.0	14:13	0.2	0.2	-
0.0	14:14	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	14:15	0.2	0.2	-
0.0	14:16	0.2	0.2	-
0.0	14:17	0.2	0.2	-
0.0	14:18	0.2	0.2	-
0.0	14:19	0.2	0.2	-
0.0	14:20	0.2	0.2	-
0.0	14:21	0.2	0.2	-
0.0	14:22	0.2	0.2	-
0.0	14:23	0.2	0.2	-
0.0	14:24	0.2	0.2	-
0.0	14:25	0.2	0.2	-
0.0	14:26	0.2	0.2	-
0.0	14:27	0.2	0.2	-
0.0	14:28	0.3	0.2	-
0.0	14:29	0.2	0.2	-
0.0	14:30	0.2	0.2	-
0.0	14:31	0.2	0.2	-
0.0	14:32	0.2	0.2	-
0.0	14:33	0.2	0.2	-
0.0	14:34	0.2	0.2	-
0.0	14:35	0.2	0.2	-
0.0	14:36	0.2	0.2	-
0.0	14:37	0.2	0.2	-
0.0	14:38	0.2	0.2	-
0.0	14:39	0.2	0.2	-
0.0	14:40	0.2	0.2	-
0.0	14:41	0.2	0.2	-
0.0	14:42	0.2	0.2	-
0.0	14:43	0.2	0.2	-
0.0	14:44	0.2	0.2	-
0.0	14:45	0.2	0.2	-
0.0	14:46	0.2	0.2	-
0.0	14:47	0.2	0.2	-
0.0	14:48	0.2	0.2	-
0.0	14:49	0.2	0.2	-
0.0	14:50	0.2	0.2	-
0.0	14:51	0.2	0.2	-
0.0	14:52	0.2	0.2	-
0.0	14:53	0.2	0.2	-
0.0	14:54	0.2	0.2	-
0.0	14:55	0.2	0.2	-
0.0	14:56	0.2	0.2	-
0.0	14:57	0.2	0.2	-
0.0	14:58	0.2	0.2	-
0.0	14:59	0.2	0.2	-
0.0	15:00	0.2	0.2	-
0.0	15:01	0.2	0.2	-
0.0	15:02	0.2	0.2	-
0.0	15:03	0.2	0.2	-
0.0	15:04	0.2	0.2	-
0.0	15:05	0.2	0.2	-
0.0	15:06	0.2	0.2	-
0.0	15:07	0.2	0.2	-
0.0	15:08	0.2	0.2	-
0.0	15:09	0.2	0.2	-
0.0	15:10	0.2	0.2	-
0.0	15:11	0.2	0.2	-
0.0	15:12	0.2	0.2	-
0.0	15:13	0.2	0.2	-
0.0	15:14	0.2	0.2	-
0.0	15:15	0.2	0.2	-
0.0	15:16	0.2	0.2	-
0.0	15:17	0.2	0.2	-
0.0	15:18	0.2	0.2	-
0.0	15:19	0.2	0.2	-
0.0	15:20	0.2	0.2	-
0.0	15:21	0.2	0.2	-
0.0	15:22	0.2	0.2	-
0.0	15:23	0.2	0.2	-
0.0	15:24	0.2	0.2	-
0.0	15:25	0.2	0.2	-
0.0	15:26	0.2	0.2	-
0.0	15:27	0.2	0.2	-

ORGANIC VAPOR MONITORING DATA				
Background	Downwind			Exceeds Organic Vapors Alarm Limits
VOC (ppm)	Time	VOC (ppm)	15-Minute Average	
0.0	15:28	0.2	0.2	-
0.0	15:29	0.2	0.2	-
0.0	15:30	0.2	0.2	-
0.0	15:31	0.2	0.2	-
0.0	15:32	0.2	0.2	-
0.0	15:33	0.2	0.2	-
0.0	15:34	0.2	0.2	-
0.0	15:35	0.2	0.2	-
0.0	15:36	0.2	0.2	-
0.0	15:37	0.2	0.2	-
0.0	15:38	0.2	0.2	-
0.0	15:39	0.2	0.2	-
0.0	15:40	0.2	0.2	-
0.0	15:41	0.2	0.2	-
0.0	15:42	0.2	0.2	-
0.0	15:43	0.2	0.2	-
0.0	15:44	0.2	0.2	-
0.0	15:45	0.2	0.2	-
0.0	15:46	0.2	0.2	-
0.0	15:47	0.2	0.2	-
0.0	15:48	0.2	0.2	-
0.0	15:49	0.2	0.2	-
0.0	15:50	0.2	0.2	-
0.0	15:51	0.2	0.2	-
0.0	15:52	0.2	0.2	-
0.0	15:53	0.2	0.2	-
0.0	15:54	0.2	0.2	-
0.0	15:55	0.2	0.2	-
0.0	15:56	0.2	0.2	-
0.0	15:57	0.2	0.2	-
0.0	15:58	0.2	0.2	-
0.0	15:59	0.2	0.2	-
0.0	16:00	0.2	0.2	-
0.0	16:01	0.2	0.2	-
0.0	16:02	0.2	0.2	-
0.0	16:03	0.2	0.2	-
0.0	16:04	0.2	0.2	-
0.0	16:05	0.2	0.2	-
0.0	16:06	0.2	0.2	-
0.0	16:07	0.2	0.2	-
0.0	16:08	0.2	0.2	-
0.0	16:09	0.2	0.2	-
0.0	16:10	0.2	0.2	-
0.0	16:11	0.2	0.2	-
0.0	16:12	0.2	0.2	-
0.0	16:13	0.2	0.2	-
0.0	16:14	0.2	0.2	-
0.0	16:15	0.2	0.2	-
0.0	16:16	0.2	0.2	-
0.0	16:17	0.2	0.2	-
0.0	16:18	0.2	0.2	-
0.0	16:19	0.2	0.2	-
0.0	16:20	0.2	0.2	-
0.0	16:21	0.1	0.2	-
0.0	16:22	0.1	0.2	-
0.0	16:23	0.0	0.2	-

ATTACHMENT 4

Photograph Log



Photo 1: Soil Boring SB02_CT marked out near MW-03 on the E-Waste Parcel site (facing northeast)
12/21/2022



Photo 2: Eastern Environmental Solutions Inc. (Eastern) preparing to advance SB02_CT on the E-Waste Parcel site
(facing north) 12/21/2022



Photo 3: Soil sample from SB02_CT
12/21/2022




Photo 4: Soil screening with a photoionization detector (PID)
12/21/2022



Photo 5: Soil characterization
12/21/2022



Photo 6: Drums of investigation-derived waste (IDW) staged near boring SB02_CT (facing north)
12/21/2022



Photo 7: Perimeter air monitoring station set up downwind of SB03_CT on the 473 President Street site (facing east) 12/22/2022



Photo 8: Eastern advancing soil boring SB03_CT near MW-20D on the 473 President Street site (facing east) 12/22/2022



Photo 9: Soil characterization at SB03_CT (facing north)
12/23/2022




Photo 10: Eastern continuing advancement of SB03_CT (facing northeast)
12/23/2022



Photo 11: Eastern advancing sidewalk boring SB01_CT near MW-12S in the Union Street sidewalk (facing north)
12/27/2022



Photo 12: Soil analysis and characterization at SB01_CT (facing northwest)
12/27/2022



Photo 13: Sidewalk boring location SB01_CT repaired before demobilization
12/27/2022