

PROJECT No.: 170364005	CLIENT: President Union LLC 505 Flushing Avenue, #1D Brooklyn, New York 11205	DATE: Thu., March 11, 2021
PROJECT: President Street Properties		WEATHER: Clear, 50's – 60's °F, Wind: SW @ 5 – 10 mph
LOCATION: Brooklyn, New York		TIME: 6:45 am – 8:30 am
BCP SITE ID: C224221		MONITOR: Dominick Prudente

EQUIPMENT: Hitachi 225US Excavator Komatsu PC228 Excavator CP AR90G Vibratory Roller Wacker Neuson WP1550 Plate Tamper Case 721E Front-End Loader	PRESENT AT SITE: Langan (Waterfront): Dominick Prudente, Erik Muller Maspeth Masonry (Contractor): Contractors
---	---

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan was present to document the following activities in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved April 10, 2020 Interim Remedial Measure Work Plan (IRM WP) and the United States Environmental Protection Agency (USEPA)-approved President Street Properties Bulkhead Replacement Design Drawings revised February 14, 2020, prepared by Langan:

Site Activities

- A-Construction did not mobilize to the site today – work was suspended until March 16, 2021.
- No site work was performed today.

Impacts Observed

- No impacts were observed.

Sampling

- No samples were collected today.

Material Tracking

- No material was imported to the site.
- No material was exported from the site.

Summary of Exported Material – Soil

Material/ Facility	Non-Hazardous Soil/Fill		TOTAL	
	Clean Earth of Carteret			
	Carteret, NJ			
-	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	169	3,380	169	3,380

*Note: 1 truck load estimated as 20 cubic yards (CY).

Cc: N. Kung, E. Snead, R. Manderbach - File	By: Dominick Prudente
	Langan D.P.C.

Summary of Exported Material – Containerized Groundwater

Material/ Facility	Non-Hazardous Groundwater		TOTAL	
	Clear Flo Technologies, Inc.			
	Lindenhurst, NY			
-	Trucks	Gallons	Trucks	Gallons
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	5	16,000	5	16,000

Summary of Imported Material

Material/ Facility	Recycled Engineered Fill		¾-inch Virgin Quarry Stone		ASTM #57 ¾-inch Stone		TOTAL	
	Allocco Recycling – Brooklyn		Tilcon – Clinton Point		Eastern Concrete Materials Inc. - Hamburg Quarry			
	Brooklyn, NY		New Hamburg, NY		Hamburg, NJ			
-	Trucks	CY	Trucks	CY	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0	0	0	0	0
Totals (trucks, cy)	68	2,380	13	210	79	1,580	160	4,170

CAMP Activities

- No construction or ground-intrusive activities were performed today; therefore the CAMP was not implemented.

Anticipated Activities

- A-Construction will continue to backfill imported recycled engineered fill and ASTM #57 ¾-inch crushed stone as part of the cover system.
- A-Construction will remove part of a sheet pile that overhangs the grout plug at the south end of the bulkhead.

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Dominick Prudente

Langan D.P.C.

Photographs:



Photo 1: View of site (facing south).




Photo 2: View of site (facing northeast).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Dominick Prudente

Langan D.P.C.

Figure 1 - Site Map:




Cc: N. Kung, E. Snead, R. Manderbach - File	By: Dominick Prudente Langan D.P.C.
---	---

Figure 2 - Bulkhead Construction Plan:

Notes:

1. Drawing background from February 14, 2020 Bulkhead Design "Bulkhead Plan and Elevation" by Langan.
2. Items highlighted in the following Bulkhead Construction Plan are associated with bulkhead construction progress only. See Figure 1 - Site Plan for the BCP site boundary, general work areas, CAMP monitoring locations, and approximate stockpile locations.



Legend:

- Tie Rod Previously Installed
- Wale Previously Installed
- Excavation Previously Performed
- Excavation Performed Today
- Previously Installed Sheet Piles

Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Dominick Prudente Langan D.P.C.
---	-----	---

PROJECT No.: 170364005 PROJECT: President Street Properties LOCATION: Brooklyn, New York BCP SITE ID: C224221	CLIENT: President Union LLC 505 Flushing Avenue, #1D Brooklyn, New York 11205	DATE: Tue., March 16, 2021 WEATHER: Cloudy, 30's °F, Wind: SW @ 5 – 10 mph TIME: 11:00 am – 3:00 pm MONITOR: Dominick Prudente
EQUIPMENT: Hitachi 225US Excavator Komatsu PC228 Excavator CP AR90G Vibratory Roller Wacker Neuson WP1550 Plate Tamper Sakai PC800 Plate Tamper Case 721E Front-End Loader	PRESENT AT SITE: Langan (Waterfront): Dominick Prudente A-Construction (Excavation Contractor): Contractor Maspeth Masonry (Contractor): Contractor	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was present to document the following activities in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved April 10, 2020 Interim Remedial Measure Work Plan (IRM WP) and the United States Environmental Protection Agency (USEPA)-approved President Street Properties Bulkhead Replacement Design Drawings revised February 14, 2020, prepared by Langan: Site Activities <ul style="list-style-type: none"> • A-Construction used a Case 721E front-end loader to backfill four 8-inch lifts of recycled engineered fill in a roughly 20-foot-long by 4-foot-wide area along the closure wall in the northern part of the site (Lot 3). Note Langan was not present on site during placement of the first three lifts of recycled engineered fill (work performed prior to contractor notifying Langan of work activities). • Maspeth Masonry used hand tools (i.e. shovels) to grade recycled engineered fill and/or ASTM #57 ¾-inch stone in Lot 3. • A-Construction used a Case 721E front-end loader to backfill the following lifts of previously imported ASTM #57 ¾-inch crushed stone: <ul style="list-style-type: none"> ○ A 6-inch lift in a roughly 20-foot-long by 4-foot-wide area along the closure wall in the northern part of the site (Lot 3). ○ A 3-inch lift in a roughly 4-foot-long by 4-foot-wide area in the northern part of the site (Lot 3). • A-Construction used a Sakai PC800 plate tamper to compact the following areas: <ul style="list-style-type: none"> ○ Four 8-inch lifts of recycled engineered fill in a roughly 20-foot-long by 4-foot-wide area along the closure wall in the northern part of the site (Lot 3). ○ A roughly 7-foot-long by 3-foot-wide area of previously placed recycled engineered fill along the southern part of the sloped area (2V:1H) in the northern part of the site (Lot 3). Impacts Observed <ul style="list-style-type: none"> • No impacts were observed. Sampling <ul style="list-style-type: none"> • No samples were collected today. Material Tracking <ul style="list-style-type: none"> • No material was imported to the site. • No material was exported from the site. 		
Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Dominick Prudente Langan D.P.C.

Summary of Exported Material – Soil

Material/ Facility	Non-Hazardous Soil/Fill		TOTAL	
	Clean Earth of Carteret			
	Carteret, NJ			
-	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	169	3,380	169	3,380

*Note: 1 truck load estimated as 20 cubic yards (CY).

Summary of Exported Material – Containerized Groundwater

Material/ Facility	Non-Hazardous Groundwater		TOTAL	
	Clear Flo Technologies, Inc.			
	Lindenhurst, NY			
-	Trucks	Gallons	Trucks	Gallons
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	5	16,000	5	16,000

Summary of Imported Material

Material/ Facility	Recycled Engineered Fill		¾-inch Virgin Quarry Stone		ASTM #57 ¾-inch Stone		TOTAL	
	Allocco Recycling – Brooklyn		Tilcon – Clinton Point		Eastern Concrete Materials Inc. - Hamburg Quarry			
	Brooklyn, NY		New Hamburg, NY		Hamburg, NJ			
-	Trucks	CY	Trucks	CY	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0	0	0	0	0
Totals (trucks, cy)	68	2,380	13	210	79	1,580	160	4,170

CAMP Activities

- Langan performed community air monitoring at the perimeter of the site at two locations (one downwind and one upwind) during backfilling activities. Implementation of the Community Air Monitoring Plan (CAMP) included air monitoring for particulate matter for particulates less than 10 µm in diameter (PM10) and volatile organic compounds (VOC). No VOCs or particulates exceeded the action levels established in the site-specific CAMP.
- No fugitive dust or odors associated with backfill activities were observed migrating from the site.

Anticipated Activities

- A-Construction will cut a sheet pile that overhangs over the grout plug in the southern part of the site (adjacent to the Carroll Street Bridge abutment) and remove an I-beam adjacent to the grout plug (Lot 11).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Dominick Prudente

Langan D.P.C.

Photographs:



Photo 1: View of compacted final 8-inch lift of recycled engineered fill along the closure wall in the northern part of Lot 3 (facing northwest).



Photo 2: View of 6-inch lift of ASTM #57 ¾-inch crushed stone placed over previously compacted recycled engineered fill (facing north).

Cc: N. Kung, E. Snead, R. Manderbach - File


By: Dominick Prudente

Langan D.P.C.



Photo 3: View of Sakai PC800 plate tamper used for compaction activities.

Figure 1 - Site Map:




Cc: N. Kung, E. Snead, R. Manderbach - File	By: Dominick Prudente Langan D.P.C.
---	---

Figure 2 - Bulkhead Construction Plan:

Notes:

1. Drawing background from February 14, 2020 Bulkhead Design "Bulkhead Plan and Elevation" by Langan.
2. Items highlighted in the following Bulkhead Construction Plan are associated with bulkhead construction progress only. See Figure 1 - Site Plan for the BCP site boundary, general work areas, CAMP monitoring locations, and approximate stockpile locations.



Legend:

- Tie Rod Previously Installed
- Wale Previously Installed
- Excavation Previously Performed
- Excavation Performed Today
- Previously Installed Sheet Piles

Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Dominick Prudente
		Langan D.P.C.



DAILY AIR MONITORING REPORT

President Street Properties Brooklyn, New York

03/16/21

Project number: 170364001

Page 1 of 1

Rev. No. 0

Submitted By: Dominick Prudente

Dust Action Level



150 $\mu\text{g}/\text{m}^3$

TVOC Action Level

5 ppm

Weather Data Range for Work Day		Wind Direction	N	Relative Humidity (%)	26.0 - 41.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	33.0 - 35.0	Wind Speed (MPH)	0.0 - 4.6	Barometer (inHg)	30.30 - 30.30			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	26.6	99.2	12:36	0.1	0.2	12:10
Downwind	7.5	9.6	12:10	0.0	0.0	12:10




Air Monitoring Notes:

Sampling Notes:

Weather Notes:





Tuesday, March 16, 2021

Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 = 0
Number of Comparable Data Points = 125
Start Time: 11:55
End Time: 14:14

PARTICULATE DATA

Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:55	17.0	-	11:55	48.7	-	-
11:56	11.5	-	11:56	12.3	-	-
11:57	11.3	-	11:57	9.0	-	-
11:58	30.3	-	11:58	10.0	-	-
11:59	17.0	-	11:59	10.3	-	-
12:00	49.5	-	12:00	10.3	-	-
12:01	69.0	-	12:01	11.0	-	-
12:02	19.3	-	12:02	10.3	-	-
12:03	15.8	-	12:03	9.0	-	-
12:04	14.8	-	12:04	9.0	-	-
12:05	10.3	-	12:05	8.5	-	-
12:06	9.3	-	12:06	8.3	-	-
12:07	137.0	-	12:07	9.0	-	-
12:08	43.3	-	12:08	9.0	-	-
12:09	12.8	-	12:09	8.5	-	-
12:10	16.3	31.1	12:10	9.0	9.6	-
12:11	26.3	32.1	12:11	9.0	9.3	-
12:12	24.0	33.0	12:12	8.8	9.3	-
12:13	17.8	32.1	12:13	7.8	9.2	-
12:14	12.8	31.9	12:14	8.0	9.0	-
12:15	12.0	29.4	12:15	8.8	8.9	-
12:16	15.8	25.8	12:16	8.8	8.8	-
12:17	29.0	26.5	12:17	8.5	8.7	-
12:18	16.3	26.5	12:18	8.0	8.6	-
12:19	22.0	27.0	12:19	8.0	8.5	-
12:20	33.8	28.5	12:20	8.0	8.5	-
12:21	37.0	30.4	12:21	7.0	8.4	-
12:22	339.0	43.9	12:22	7.0	8.3	-
12:23	301.8	61.1	12:23	7.5	8.2	-
12:24	219.3	74.9	12:24	7.5	8.1	-
12:25	20.3	75.1	12:25	7.0	8.0	-
12:26	20.5	74.7	12:26	7.0	7.8	-
12:27	27.5	75.0	12:27	8.2	7.8	-
12:28	41.4	76.5	12:28	8.6	7.9	-
12:29	63.2	79.9	12:29	7.5	7.8	-
12:30	26.8	80.9	12:30	6.3	7.7	-
12:31	23.6	81.4	12:31	6.0	7.5	-
12:32	29.8	81.5	12:32	6.0	7.3	-
12:33	138.5	89.6	12:33	6.0	7.2	-
12:34	138.0	97.4	12:34	6.0	7.0	-
12:35	43.3	98.0	12:35	6.0	6.9	-
12:36	54.8	99.2	12:36	6.5	6.9	-
12:37	15.3	77.6	12:37	7.0	6.9	-
12:38	17.3	58.6	12:38	7.0	6.8	-
12:39	16.5	45.1	12:39	7.5	6.8	-
12:40	15.8	44.8	12:40	8.0	6.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:41	25.0	45.1	12:41	8.0	7.0	-
12:42	20.3	44.6	12:42	7.0	6.9	-
12:43	18.5	43.1	12:43	7.0	6.8	-
12:44	17.0	40.0	12:44	8.0	6.8	-
12:45	17.3	39.4	12:45	7.5	6.9	-
12:46	16.5	38.9	12:46	7.0	7.0	-
12:47	15.5	38.0	12:47	5.8	7.0	-
12:48	15.3	29.7	12:48	5.5	6.9	-
12:49	14.3	21.5	12:49	24.8	8.2	-
12:50	14.0	19.5	12:50	9.3	8.4	-
12:51	14.0	16.8	12:51	6.0	8.4	-
12:52	14.0	16.7	12:52	6.0	8.3	-
12:53	15.0	16.6	12:53	6.0	8.2	-
12:54	15.0	16.5	12:54	6.5	8.2	-
12:55	15.3	16.5	12:55	6.0	8.0	-
12:56	15.3	15.8	12:56	6.0	7.9	-
12:57	17.0	15.6	12:57	7.0	7.9	-
12:58	16.0	15.4	12:58	7.0	7.9	-
12:59	16.0	15.4	12:59	6.5	7.8	-
13:00	15.8	15.3	13:00	6.0	7.7	-
13:01	15.5	15.2	13:01	6.5	7.7	-
13:02	15.8	15.2	13:02	7.0	7.7	-
13:03	14.3	15.1	13:03	6.0	7.8	-
13:04	14.8	15.2	13:04	5.8	6.5	-
13:05	14.5	15.2	13:05	5.5	6.3	-
13:06	15.0	15.3	13:06	6.0	6.3	-
13:07	16.8	15.5	13:07	6.8	6.3	-
13:08	15.3	15.5	13:08	6.3	6.3	-
13:09	15.0	15.5	13:09	10.3	6.6	-
13:10	17.0	15.6	13:10	14.5	7.1	-
13:11	23.8	16.2	13:11	7.0	7.2	-
13:12	21.3	16.4	13:12	5.0	7.1	-
13:13	16.8	16.5	13:13	5.0	6.9	-
13:14	16.8	16.5	13:14	5.0	6.8	-
13:15	16.8	16.6	13:15	6.3	6.9	-
13:16	15.0	16.6	13:16	8.3	7.0	-
13:17	15.3	16.5	13:17	6.0	6.9	-
13:18	19.3	16.9	13:18	4.3	6.8	-
13:19	14.8	16.9	13:19	5.0	6.7	-
13:20	13.3	16.8	13:20	5.3	6.7	-
13:21	13.5	16.7	13:21	6.5	6.8	-
13:22	14.0	16.5	13:22	5.8	6.7	-
13:23	14.8	16.5	13:23	5.0	6.6	-
13:24	15.0	16.5	13:24	5.0	6.3	-
13:25	14.5	16.3	13:25	4.5	5.6	-
13:26	14.3	15.7	13:26	4.8	5.4	-
13:27	15.3	15.3	13:27	4.3	5.4	-
13:28	15.8	15.2	13:28	4.5	5.4	-
13:29	16.8	15.2	13:29	5.0	5.4	-
13:30	14.3	15.0	13:30	5.3	5.3	-
13:31	14.5	15.0	13:31	5.8	5.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:32	14.0	14.9	13:32	5.0	5.1	-
13:33	14.0	14.6	13:33	6.0	5.2	-
13:34	17.5	14.8	13:34	5.8	5.2	-
13:35	15.0	14.9	13:35	5.5	5.2	-
13:36	14.8	15.0	13:36	6.0	5.2	-
13:37	14.8	15.0	13:37	5.8	5.2	-
13:38	15.0	15.0	13:38	6.8	5.3	-
13:39	15.0	15.0	13:39	7.0	5.5	-
13:40	15.0	15.1	13:40	7.0	5.6	-
13:41	14.5	15.1	13:41	6.0	5.7	-
13:42	14.8	15.0	13:42	6.0	5.8	-
13:43	13.5	14.9	13:43	6.5	6.0	-
13:44	17.3	14.9	13:44	6.5	6.1	-
13:45	14.5	14.9	13:45	6.0	6.1	-
13:46	14.0	14.9	13:46	7.0	6.2	-
13:47	14.0	14.9	13:47	6.3	6.3	-
13:48	13.0	14.8	13:48	7.0	6.3	-
13:49	13.5	14.6	13:49	6.3	6.4	-
13:50	13.5	14.5	13:50	6.0	6.4	-
13:51	15.5	14.5	13:51	9.3	6.6	-
13:52	12.3	14.4	13:52	18.8	7.5	-
13:53	13.0	14.2	13:53	13.5	7.9	-
13:54	15.8	14.3	13:54	6.3	7.9	-
13:55	20.0	14.6	13:55	5.5	7.8	-
13:56	16.5	14.7	13:56	7.8	7.9	-
13:57	14.5	14.7	13:57	6.5	7.9	-
13:58	15.8	14.9	13:58	6.0	7.9	-
13:59	13.8	14.6	13:59	6.8	7.9	-
14:00	13.0	14.5	14:00	7.0	8.0	-
14:01	13.5	14.5	14:01	5.8	7.9	-
14:02	12.5	14.4	14:02	6.0	7.9	-
14:03	15.3	14.6	14:03	5.0	7.8	-
14:04	13.8	14.6	14:04	4.8	7.7	-
14:05	14.3	14.6	14:05	5.0	7.6	-
14:06	15.3	14.6	14:06	5.8	7.4	-
14:07	17.3	14.9	14:07	6.3	6.5	-
14:08	17.0	15.2	14:08	8.5	6.2	-
14:09	13.8	15.1	14:09	10.0	6.4	-
14:10	12.5	14.6	14:10	9.0	6.7	-
14:11	13.0	14.3	14:11	7.3	6.6	-
14:12	12.5	14.2	14:12	5.8	6.6	-
14:13	13.0	14.0	14:13	5.0	6.5	-
14:14	14.5	14.1	14:14	5.3	6.4	-

Tuesday, March 16, 2021

Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 = 0
Number of Comparable Data Points = 125
Start Time: 11:55
End Time: 14:14

PID DATA

Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:55	0.3	-	11:55	0.0	-	-
11:56	0.3	-	11:56	0.0	-	-
11:57	0.3	-	11:57	0.0	-	-
11:58	0.3	-	11:58	0.0	-	-
11:59	0.3	-	11:59	0.0	-	-
12:00	0.3	-	12:00	0.0	-	-
12:01	0.3	-	12:01	0.0	-	-
12:02	0.3	-	12:02	0.0	-	-
12:03	0.2	-	12:03	0.0	-	-
12:04	0.2	-	12:04	0.0	-	-
12:05	0.2	-	12:05	0.0	-	-
12:06	0.2	-	12:06	0.0	-	-
12:07	0.2	-	12:07	0.0	-	-
12:08	0.2	-	12:08	0.0	-	-
12:09	0.2	-	12:09	0.0	-	-
12:10	0.2	0.2	12:10	0.0	0.0	-
12:11	0.2	0.2	12:11	0.0	0.0	-
12:12	0.2	0.2	12:12	0.0	0.0	-
12:13	0.2	0.2	12:13	0.0	0.0	-
12:14	0.2	0.2	12:14	0.0	0.0	-
12:15	0.2	0.2	12:15	0.0	0.0	-
12:16	0.2	0.2	12:16	0.0	0.0	-
12:17	0.2	0.2	12:17	0.0	0.0	-
12:18	0.2	0.2	12:18	0.0	0.0	-
12:19	0.2	0.2	12:19	0.0	0.0	-
12:20	0.2	0.2	12:20	0.0	0.0	-
12:21	0.2	0.2	12:21	0.0	0.0	-
12:22	0.2	0.2	12:22	0.0	0.0	-
12:23	0.2	0.2	12:23	0.0	0.0	-
12:24	0.2	0.2	12:24	0.0	0.0	-
12:25	0.2	0.2	12:25	0.0	0.0	-
12:26	0.2	0.2	12:26	0.0	0.0	-
12:27	0.2	0.2	12:27	0.0	0.0	-
12:28	0.2	0.2	12:28	0.0	0.0	-
12:29	0.2	0.2	12:29	0.0	0.0	-
12:30	0.2	0.2	12:30	0.0	0.0	-
12:31	0.2	0.2	12:31	0.0	0.0	-
12:32	0.2	0.2	12:32	0.0	0.0	-
12:33	0.2	0.2	12:33	0.0	0.0	-
12:34	0.2	0.2	12:34	0.0	0.0	-
12:35	0.2	0.2	12:35	0.0	0.0	-
12:36	0.2	0.2	12:36	0.0	0.0	-
12:37	0.2	0.2	12:37	0.0	0.0	-
12:38	0.2	0.2	12:38	0.0	0.0	-
12:39	0.2	0.2	12:39	0.0	0.0	-
12:40	0.2	0.2	12:40	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:41	0.2	0.2	12:41	0.0	0.0	-
12:42	0.2	0.2	12:42	0.0	0.0	-
12:43	0.2	0.2	12:43	0.0	0.0	-
12:44	0.2	0.2	12:44	0.0	0.0	-
12:45	0.2	0.2	12:45	0.0	0.0	-
12:46	0.2	0.2	12:46	0.0	0.0	-
12:47	0.2	0.2	12:47	0.0	0.0	-
12:48	0.2	0.2	12:48	0.0	0.0	-
12:49	0.1	0.2	12:49	0.0	0.0	-
12:50	0.1	0.2	12:50	0.0	0.0	-
12:51	0.1	0.2	12:51	0.0	0.0	-
12:52	0.1	0.2	12:52	0.0	0.0	-
12:53	0.1	0.2	12:53	0.0	0.0	-
12:54	0.1	0.2	12:54	0.0	0.0	-
12:55	0.1	0.2	12:55	0.0	0.0	-
12:56	0.1	0.1	12:56	0.0	0.0	-
12:57	0.1	0.1	12:57	0.0	0.0	-
12:58	0.1	0.1	12:58	0.0	0.0	-
12:59	0.1	0.1	12:59	0.0	0.0	-
13:00	0.1	0.1	13:00	0.0	0.0	-
13:01	0.1	0.1	13:01	0.0	0.0	-
13:02	0.1	0.1	13:02	0.0	0.0	-
13:03	0.1	0.1	13:03	0.0	0.0	-
13:04	0.1	0.1	13:04	0.0	0.0	-
13:05	0.1	0.1	13:05	0.0	0.0	-
13:06	0.1	0.1	13:06	0.0	0.0	-
13:07	0.1	0.1	13:07	0.0	0.0	-
13:08	0.1	0.1	13:08	0.0	0.0	-
13:09	0.1	0.1	13:09	0.0	0.0	-
13:10	0.1	0.1	13:10	0.0	0.0	-
13:11	0.1	0.1	13:11	0.0	0.0	-
13:12	0.1	0.1	13:12	0.0	0.0	-
13:13	0.1	0.1	13:13	0.0	0.0	-
13:14	0.1	0.1	13:14	0.0	0.0	-
13:15	0.1	0.1	13:15	0.0	0.0	-
13:16	0.1	0.1	13:16	0.0	0.0	-
13:17	0.1	0.1	13:17	0.0	0.0	-
13:18	0.1	0.1	13:18	0.0	0.0	-
13:19	0.1	0.1	13:19	0.0	0.0	-
13:20	0.1	0.1	13:20	0.0	0.0	-
13:21	0.1	0.1	13:21	0.0	0.0	-
13:22	0.1	0.1	13:22	0.0	0.0	-
13:23	0.1	0.1	13:23	0.0	0.0	-
13:24	0.1	0.1	13:24	0.0	0.0	-
13:25	0.1	0.1	13:25	0.0	0.0	-
13:26	0.1	0.1	13:26	0.0	0.0	-
13:27	0.1	0.1	13:27	0.0	0.0	-
13:28	0.1	0.1	13:28	0.0	0.0	-
13:29	0.1	0.1	13:29	0.0	0.0	-
13:30	0.1	0.1	13:30	0.0	0.0	-
13:31	0.1	0.1	13:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:32	0.1	0.1	13:32	0.0	0.0	-
13:33	0.1	0.1	13:33	0.0	0.0	-
13:34	0.1	0.1	13:34	0.0	0.0	-
13:35	0.1	0.1	13:35	0.0	0.0	-
13:36	0.1	0.1	13:36	0.0	0.0	-
13:37	0.1	0.1	13:37	0.0	0.0	-
13:38	0.1	0.1	13:38	0.0	0.0	-
13:39	0.1	0.1	13:39	0.0	0.0	-
13:40	0.1	0.1	13:40	0.0	0.0	-
13:41	0.1	0.1	13:41	0.0	0.0	-
13:42	0.1	0.1	13:42	0.0	0.0	-
13:43	0.1	0.1	13:43	0.0	0.0	-
13:44	0.1	0.1	13:44	0.0	0.0	-
13:45	0.1	0.1	13:45	0.0	0.0	-
13:46	0.1	0.1	13:46	0.0	0.0	-
13:47	0.1	0.1	13:47	0.0	0.0	-
13:48	0.1	0.1	13:48	0.0	0.0	-
13:49	0.1	0.1	13:49	0.0	0.0	-
13:50	0.1	0.1	13:50	0.0	0.0	-
13:51	0.1	0.1	13:51	0.0	0.0	-
13:52	0.1	0.1	13:52	0.0	0.0	-
13:53	0.1	0.1	13:53	0.0	0.0	-
13:54	0.1	0.1	13:54	0.0	0.0	-
13:55	0.1	0.1	13:55	0.0	0.0	-
13:56	0.1	0.1	13:56	0.0	0.0	-
13:57	0.1	0.1	13:57	0.0	0.0	-
13:58	0.1	0.1	13:58	0.0	0.0	-
13:59	0.1	0.1	13:59	0.0	0.0	-
14:00	0.1	0.1	14:00	0.0	0.0	-
14:01	0.1	0.1	14:01	0.0	0.0	-
14:02	0.1	0.1	14:02	0.0	0.0	-
14:03	0.1	0.1	14:03	0.0	0.0	-
14:04	0.1	0.1	14:04	0.0	0.0	-
14:05	0.1	0.1	14:05	0.0	0.0	-
14:06	0.1	0.1	14:06	0.0	0.0	-
14:07	0.1	0.1	14:07	0.0	0.0	-
14:08	0.1	0.1	14:08	0.0	0.0	-
14:09	0.1	0.1	14:09	0.0	0.0	-
14:10	0.1	0.1	14:10	0.0	0.0	-
14:11	0.1	0.1	14:11	0.0	0.0	-
14:12	0.1	0.1	14:12	0.0	0.0	-
14:13	0.1	0.1	14:13	0.0	0.0	-
14:14	0.1	0.1	14:14	0.0	0.0	-

PROJECT No.: 170364005	CLIENT: President Union LLC 505 Flushing Avenue, #1D Brooklyn, New York 11205	DATE: Fri., May 14, 2021
PROJECT: President Street Properties		WEATHER: Sunny, 60's °F, Wind: SSW @ 0 – 5 mph
LOCATION: Brooklyn, New York		TIME: 7:15 am – 12:30 pm
BCP SITE ID: C224221		MONITOR: Seyena Simpson
EQUIPMENT: Hitachi 225US Excavator		PRESENT AT SITE: Langan (Waterfront): Seyena Simpson Maspeth Masonry (Contractor): Contractor
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was present to document the following activities in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved April 10, 2020 Interim Remedial Measure Work Plan (IRM WP) and the United States Environmental Protection Agency (USEPA)-approved President Street Properties Bulkhead Replacement Design Drawings revised February 14, 2020, prepared by Langan:		
Site Activities		
<ul style="list-style-type: none"> Maspeth Masonry used a Hitachi 225US excavator to load the spent turbidity curtain into a permitted tri-axle truck for off-site disposal. Langan collected soil samples from previously stockpiled soil/fill in the southern part of the site for waste characterization purposes. Langan collected wipe samples from the steel ladder structure that was previously removed from the Gowanus Canal. 		
Impacts Observed		
<ul style="list-style-type: none"> No impacts were observed. 		
Sampling		
<ul style="list-style-type: none"> The following waste characterization soil samples were collected for analysis: <ul style="list-style-type: none"> SP10_COMP_01 SP10_GRAB_01 The following wipe samples were collected for analysis: <ul style="list-style-type: none"> Ladder_WIPE01_051421 Ladder_WIPE02_051421 Ladder_WIPE03_051421 Ladder_WIPE04_051421 All samples were submitted to Alpha Analytical, Inc., a New York State Department of Environmental Health (NYSDOH) Environmental Laboratory Approval Program (ELAP)-certified laboratory in Westborough, Massachusetts (ELAP No. 11148). <ul style="list-style-type: none"> The waste characterization samples will be analyzed for extractable petroleum hydrocarbons (EPH), volatile organic compounds (VOC), semivolatile organic compounds (SVOC), metals (including hexavalent/trivalent chromium, cyanide and mercury), toxicity characteristic leaching procedure (TCLP) Metals, polychlorinated biphenyls (PCB), pesticides, herbicides and Resource Conservation and Recovery Act (RCRA) Characteristics. The wipe samples will be analyzed for VOCs, SVOCs, PCBs, pesticides, herbicides and metals (including hexavalent/trivalent chromium, cyanide and mercury). 		
Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Seyena Simpson
		Langan D.P.C.

Material Tracking

- No material was imported to the site.
- Maspeth exported the spent turbidity curtain to Clean Earth of North Jersey in Kearny, NJ for disposal.

Summary of Exported Material – Soil

Material/ Facility	Non-Hazardous Soil/Fill		TOTAL	
	Clean Earth of Carteret			
	Carteret, NJ			
-	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	169	3,380	169	3,380

*Note: 1 truck load estimated as 20 cubic yards (CY).

Summary of Exported Material – Containerized Groundwater

Material/ Facility	Non-Hazardous Groundwater		TOTAL	
	Clear Flo Technologies, Inc.			
	Lindenhurst, NY			
-	Trucks	Gallons	Trucks	Gallons
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	5	16,000	5	16,000

Summary of Imported Material

Material/ Facility	Recycled Engineered Fill		¾-inch Virgin Quarry Stone		ASTM #57 ¾-inch Stone		TOTAL	
	Allocco Recycling – Brooklyn		Tilcon – Clinton Point		Eastern Concrete Materials Inc. - Hamburg Quarry			
	Brooklyn, NY		New Hamburg, NY		Hamburg, NJ			
-	Trucks	CY	Trucks	CY	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0	0	0	0	0
Totals (trucks, cy)	68	2,380	13	210	79	1,580	160	4,170

CAMP Activities

- Ground intrusive activities were not conducted; therefore, the Community Air Monitoring Plan (CAMP) was not implemented.

Anticipated Activities

- A-Construction will cut a sheet pile that overhangs over the grout plug in the southern part of the site (adjacent to the Carroll Street Bridge abutment) and remove an I-beam adjacent to the grout plug (Lot 11).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Seyena Simpson

Langan D.P.C.

Photographs:




Photo 1: View of Maspeth Masonry using a Hitachi 225US Excavator to load the spent turbidity curtain into a permitted tri-axle truck for off- site disposal (facing north).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Seyena Simpson

Langan D.P.C.

Figure 1 - Site Map:




Cc: N. Kung, E. Snead, R. Manderbach - File	By: Seyena Simpson Langan D.P.C.
---	--

Figure 2 - Bulkhead Construction Plan:

Notes:

1. Drawing background from February 14, 2020 Bulkhead Design "Bulkhead Plan and Elevation" by Langan.
2. Items highlighted in the following Bulkhead Construction Plan are associated with bulkhead construction progress only. See Figure 1 - Site Plan for the BCP site boundary, general work areas, CAMP monitoring locations, and approximate stockpile locations.



Legend:

- Tie Rod Previously Installed
- Wale Previously Installed
- Excavation Previously Performed
- Previously Installed Sheet Piles

Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Seyena Simpson Langan D.P.C.
---	-----	--

PROJECT No.: 170364005	CLIENT: President Union LLC 505 Flushing Avenue, #1D Brooklyn, New York 11205	DATE: Wed., August 04, 2021
PROJECT: President Street Properties		WEATHER: Cloudy, 70-75 °F, Wind: SW @ 5 – 10 mph
LOCATION: Brooklyn, New York		TIME: 7:30 am – 3:45 pm
BCP SITE ID: C224221		MONITOR: Tyler Goodnough
EQUIPMENT: Komatsu PC 228US Excavator		PRESENT AT SITE: Langan (Environmental): Tyler Goodnough Maspeth Masonry (Contractor): Contractors

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan was present to document the following activities in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved April 10, 2020 Interim Remedial Measure Work Plan (IRM WP) and the United States Environmental Protection Agency (USEPA)-approved President Street Properties Bulkhead Replacement Design Drawings revised February 14, 2020, prepared by Langan:

Site Activities

- Maspeth Masonry used a Komatsu PC 228US excavator to load previously stockpiled soil/fill and previously imported recycled engineered fill into a permitted tri-axle truck for off-site disposal.

Impacts Observed

- No impacts were observed.

Sampling

- No samples were collected today.

Material Tracking

- No material was imported to the site.
- Twenty (20) truckloads (about 400 cubic yards [CY]) of non-hazardous soil/fill and previously imported recycled engineered fill (represented by waste characterization samples WC01_COMP_12312020, WC02_COMP_12312020, WC03_COMP_12312020, Soil-1, Soil-2, Soil-3, Soil-4, Soil-5, Soil-6, Soil-7, Soil-8, Soil-9, Soil-10, Soil-11, Soil-12, Soil-13, Soil-14, Soil-15, RCA-16, RCA-17, SP07_COMP_01, SPO8-09_COMP_01, SP10_COMP_01 and its associated grab samples) were transported off-site to the Clean Earth of Carteret facility in Carteret, NJ for disposal.

Summary of Exported Material – Soil

Material/ Facility	Non-Hazardous Soil/Fill		TOTAL	
	Clean Earth of Carteret		Trucks	CY
	Carteret, NJ			
-	Trucks	CY	Trucks	CY
Today (trucks, cy)	20	400	20	400
Totals (trucks, cy)	189	3,780	189	3,780

*Note: 1 truck load estimated as 20 cubic yards (CY).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Seyena Simpson

Langan D.P.C.

Summary of Exported Material – Containerized Groundwater

Material/ Facility	Non-Hazardous Groundwater		TOTAL	
	Clear Flo Technologies, Inc.			
	Lindenhurst, NY			
-	Trucks	Gallons	Trucks	Gallons
Today (trucks, cy)	0	0	0	0
Totals (trucks, cy)	5	16,000	5	16,000

Summary of Imported Material

Material/ Facility	Recycled Engineered Fill		¾-inch Virgin Quarry Stone		ASTM #57 ¾-inch Stone		TOTAL	
	Allocco Recycling – Brooklyn		Tilcon – Clinton Point		Eastern Concrete Materials Inc. - Hamburg Quarry			
	Brooklyn, NY		New Hamburg, NY		Hamburg, NJ			
-	Trucks	CY	Trucks	CY	Trucks	CY	Trucks	CY
Today (trucks, cy)	0	0	0	0	0	0	0	0
Totals (trucks, cy)	68	2,380	13	210	79	1,580	160	4,170

CAMP Activities

- Langan performed community air monitoring at the perimeter of the site at two locations (one downwind and one upwind) during construction activities. Implementation of the Community Air Monitoring Plan (CAMP) included air monitoring for particulate matter for particulates less than 10 µm in diameter (PM10) and volatile organic compounds (VOC). No VOCs or particulates exceeded the action levels established in the site-specific CAMP.
- No fugitive dust or odors associated with construction activities were observed migrating from the site.

Anticipated Activities

- A-Construction will cut a sheet pile that overhangs over the grout plug in the southern part of the site (adjacent to the Carroll Street Bridge abutment) and remove an I-beam adjacent to the grout plug (Lot 11).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Tyler Goodnough

Langan D.P.C.

Photographs:



Photo 1: View of Maspeth Masonry loading stockpiled soil/fill into a permitted tri-axle truck for off- site disposal (facing north).

Cc: N. Kung, E. Snead, R. Manderbach - File

By: Tyler Goodnough

Langan D.P.C.

Figure 1 - Site Map:




Cc: N. Kung, E. Snead, R. Manderbach - File

By: Tyler Goodnough
Langan D.P.C.

Figure 2 - Bulkhead Construction Plan:

Notes:

1. Drawing background from February 14, 2020 Bulkhead Design "Bulkhead Plan and Elevation" by Langan.
2. Items highlighted in the following Bulkhead Construction Plan are associated with bulkhead construction progress only. See Figure 1 - Site Plan for the BCP site boundary, general work areas, CAMP monitoring locations, and approximate stockpile locations.



Legend:

- Tie Rod Previously Installed
- Wale Previously Installed
- Excavation Previously Performed
- Previously Installed Sheet Piles


Cc: N. Kung, E. Snead, R. Manderbach - File	By:	Tyler Goodnough Langan D.P.C.
---	-----	---

Date: Wednesday, August 4, 2021
 Start: 8:07
 End: 15:31
 Observer: Tyler Goodnough

PARTICULATE MATTER		
	Upwind	Downwind
Daily Background	0.0000	
Daily Average	0.0158	0.0214
Maximum 15min Average	0.0274	0.0621
Minimum 1min Reading	0.0080	0.0090
Maximum 1min Reading	0.0400	0.3750
Exceedance (15min >.15)	NA	0

ORGANIC VAPOR MONITORING		
	Upwind	Downwind
Daily Average	0.0	0.0
Maximum 15min Average	0.0000	0.0267
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.0	0.4
Exceedance (15min >5)	NA	0

NA - Not applicable, upwind unit used for background concentrations
 All reported units are mg/m³ or milligrams per cubic meter unless specified otherwise



Wednesday, August 4, 2021						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						437
Start Time:						8:09
End Time:						15:28
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
8:09			8:09	0.030		
8:10			8:10	0.027		
8:11	0.033		8:11	0.026		
8:12	0.024		8:12	0.025		
8:13	0.026		8:13	0.026		
8:14	0.024		8:14	0.024		
8:15	0.025		8:15	0.024		
8:16	0.036		8:16	0.024		
8:17	0.039		8:17	0.024		
8:18	0.025		8:18	0.024		
8:19	0.020		8:19	0.026		
8:20	0.020		8:20	0.028		
8:21	0.021		8:21	0.026		
8:22	0.026		8:22	0.025		
8:23	0.040		8:23	0.024	0.026	
8:24	0.030		8:24	0.024	0.025	
8:25	0.022	0.027	8:25	0.024	0.025	-
8:26	0.021	0.027	8:26	0.023	0.025	-
8:27	0.020	0.026	8:27	0.026	0.025	-
8:28	0.019	0.026	8:28	0.022	0.025	-
8:29	0.021	0.026	8:29	0.022	0.024	-
8:30	0.020	0.025	8:30	0.022	0.024	-
8:31	0.022	0.024	8:31	0.022	0.024	-
8:32	0.020	0.023	8:32	0.022	0.024	-
8:33	0.021	0.023	8:33	0.021	0.024	-
8:34	0.021	0.023	8:34	0.021	0.023	-
8:35	0.020	0.023	8:35	0.021	0.023	-
8:36	0.019	0.023	8:36	0.022	0.023	-
8:37	0.018	0.022	8:37	0.029	0.023	-
8:38	0.018	0.021	8:38	0.021	0.023	-
8:39	0.018	0.020	8:39	0.020	0.023	-
8:40	0.018	0.020	8:40	0.020	0.022	-
8:41	0.023	0.020	8:41	0.020	0.022	-
8:42	0.019	0.020	8:42	0.019	0.022	-
8:43	0.022	0.020	8:43	0.019	0.021	-
8:44	0.019	0.020	8:44	0.019	0.021	-
8:45	0.023	0.020	8:45	0.020	0.021	-
8:46	0.019	0.020	8:46	0.020	0.021	-
8:47	0.018	0.020	8:47	0.021	0.021	-
8:48	0.017	0.019	8:48	0.021	0.021	-
8:49	0.018	0.019	8:49	0.021	0.021	-
8:50	0.017	0.019	8:50	0.020	0.021	-
8:51	0.017	0.019	8:51	0.019	0.021	-
8:52	0.017	0.019	8:52	0.019	0.020	-
8:53	0.016	0.019	8:53	0.020	0.020	-
8:54	0.017	0.019	8:54	0.021	0.020	-
8:55	0.016	0.019	8:55	0.020	0.020	-
8:56	0.016	0.018	8:56	0.020	0.020	-
8:57	0.017	0.018	8:57	0.020	0.020	-
8:58	0.018	0.018	8:58	0.020	0.020	-
8:59	0.018	0.018	8:59	0.019	0.020	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
9:00	0.017	0.017	9:00	0.019	0.020	-
9:01	0.017	0.017	9:01	0.020	0.020	-
9:02	0.017	0.017	9:02	0.019	0.020	-
9:03	0.016	0.017	9:03	0.019	0.020	-
9:04	0.017	0.017	9:04	0.020	0.020	-
9:05	0.017	0.017	9:05	0.019	0.020	-
9:06	0.016	0.017	9:06	0.020	0.020	-
9:07	0.016	0.017	9:07	0.020	0.020	-
9:08	0.016	0.017	9:08	0.020	0.020	-
9:09	0.017	0.017	9:09	0.020	0.020	-
9:10	0.017	0.017	9:10	0.020	0.020	-
9:11	0.017	0.017	9:11	0.020	0.020	-
9:12	0.017	0.017	9:12	0.022	0.020	-
9:13	0.017	0.017	9:13	0.020	0.020	-
9:14	0.017	0.017	9:14	0.020	0.020	-
9:15	0.017	0.017	9:15	0.020	0.020	-
9:16	0.017	0.017	9:16	0.020	0.020	-
9:17	0.017	0.017	9:17	0.020	0.020	-
9:18	0.018	0.017	9:18	0.020	0.020	-
9:19	0.018	0.017	9:19	0.020	0.020	-
9:20	0.019	0.017	9:20	0.020	0.020	-
9:21	0.019	0.017	9:21	0.020	0.020	-
9:22	0.019	0.017	9:22	0.021	0.020	-
9:23	0.019	0.018	9:23	0.021	0.020	-
9:24	0.018	0.018	9:24	0.021	0.020	-
9:25	0.020	0.018	9:25	0.024	0.021	-
9:26	0.023	0.018	9:26	0.025	0.021	-
9:27	0.026	0.019	9:27	0.030	0.021	-
9:28	0.027	0.020	9:28	0.034	0.022	-
9:29	0.021	0.020	9:29	0.029	0.023	-
9:30	0.022	0.020	9:30	0.037	0.024	-
9:31	0.022	0.021	9:31	0.030	0.025	-
9:32	0.023	0.021	9:32	0.030	0.025	-
9:33	0.022	0.021	9:33	0.025	0.026	-
9:34	0.022	0.021	9:34	0.025	0.026	-
9:35	0.022	0.022	9:35	0.025	0.026	-
9:36	0.020	0.022	9:36	0.026	0.027	-
9:37	0.020	0.022	9:37	0.028	0.027	-
9:38	0.020	0.022	9:38	0.028	0.028	-
9:39	0.021	0.022	9:39	0.027	0.028	-
9:40	0.025	0.022	9:40	0.027	0.028	-
9:41	0.023	0.022	9:41	0.026	0.028	-
9:42	0.022	0.022	9:42	0.027	0.028	-
9:43	0.021	0.022	9:43	0.026	0.028	-
9:44	0.021	0.022	9:44	0.026	0.028	-
9:45	0.021	0.022	9:45	0.032	0.027	-
9:46	0.021	0.022	9:46	0.030	0.027	-
9:47	0.021	0.021	9:47	0.035	0.028	-
9:48	0.021	0.021	9:48	0.032	0.028	-
9:49	0.029	0.022	9:49	0.029	0.028	-
9:50	0.027	0.022	9:50	0.025	0.028	-
9:51	0.023	0.022	9:51	0.025	0.028	-
9:52	0.020	0.022	9:52	0.026	0.028	-
9:53	0.020	0.022	9:53	0.032	0.028	-
9:54	0.020	0.022	9:54	0.026	0.028	-
9:55	0.020	0.022	9:55	0.024	0.028	-
9:56	0.021	0.022	9:56	0.028	0.028	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
9:57	0.020	0.022	9:57	0.035	0.029	-
9:58	0.020	0.022	9:58	0.028	0.029	-
9:59	0.022	0.022	9:59	0.026	0.029	-
10:00	0.021	0.022	10:00	0.044	0.030	-
10:01	0.020	0.022	10:01	0.029	0.030	-
10:02	0.021	0.022	10:02	0.027	0.029	-
10:03	0.020	0.022	10:03	0.023	0.028	-
10:04	0.020	0.021	10:04	0.033	0.029	-
10:05	0.019	0.020	10:05	0.043	0.030	-
10:06	0.020	0.020	10:06	0.037	0.031	-
10:07	0.022	0.020	10:07	0.026	0.031	-
10:08	0.020	0.020	10:08	0.025	0.030	-
10:09	0.019	0.020	10:09	0.025	0.030	-
10:10	0.017	0.020	10:10	0.033	0.031	-
10:11	0.017	0.020	10:11	0.047	0.032	-
10:12	0.017	0.020	10:12	0.035	0.032	-
10:13	0.017	0.019	10:13	0.032	0.032	-
10:14	0.017	0.019	10:14	0.033	0.033	-
10:15	0.018	0.019	10:15	0.026	0.032	-
10:16	0.018	0.019	10:16	0.026	0.031	-
10:17	0.017	0.019	10:17	0.025	0.031	-
10:18	0.018	0.018	10:18	0.025	0.031	-
10:19	0.017	0.018	10:19	0.024	0.031	-
10:20	0.017	0.018	10:20	0.025	0.030	-
10:21	0.018	0.018	10:21	0.025	0.029	-
10:22	0.017	0.018	10:22	0.026	0.029	-
10:23	0.017	0.017	10:23	0.028	0.029	-
10:24	0.017	0.017	10:24	0.026	0.029	-
10:25	0.016	0.017	10:25	0.026	0.029	-
10:26	0.016	0.017	10:26	0.026	0.027	-
10:27	0.017	0.017	10:27	0.026	0.027	-
10:28	0.017	0.017	10:28	0.029	0.026	-
10:29	0.016	0.017	10:29	0.026	0.026	-
10:30	0.017	0.017	10:30	0.375	0.049	-
10:31	0.018	0.017	10:31	0.079	0.053	-
10:32	0.016	0.017	10:32	0.041	0.054	-
10:33	0.017	0.017	10:33	0.030	0.054	-
10:34	0.017	0.017	10:34	0.026	0.054	-
10:35	0.018	0.017	10:35	0.028	0.054	-
10:36	0.018	0.017	10:36	0.031	0.055	-
10:37	0.018	0.017	10:37	0.027	0.055	-
10:38	0.018	0.017	10:38	0.028	0.055	-
10:39	0.017	0.017	10:39	0.029	0.055	-
10:40	0.018	0.017	10:40	0.042	0.056	-
10:41	0.019	0.017	10:41	0.035	0.057	-
10:42	0.020	0.018	10:42	0.093	0.061	-
10:43	0.020	0.018	10:43	0.032	0.061	-
10:44	0.020	0.018	10:44	0.035	0.062	-
10:45	0.020	0.018	10:45	0.037	0.040	-
10:46	0.020	0.018	10:46	0.038	0.037	-
10:47	0.020	0.019	10:47	0.039	0.037	-
10:48	0.020	0.019	10:48	0.036	0.037	-
10:49	0.021	0.019	10:49	0.067	0.040	-
10:50	0.021	0.019	10:50	0.032	0.040	-
10:51	0.021	0.020	10:51	0.031	0.040	-
10:52	0.020	0.020	10:52	0.030	0.040	-
10:53	0.020	0.020	10:53	0.029	0.040	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
10:54	0.020	0.020	10:54	0.030	0.040	-
10:55	0.020	0.020	10:55	0.029	0.040	-
10:56	0.019	0.020	10:56	0.029	0.039	-
10:57	0.019	0.020	10:57	0.029	0.035	-
10:58	0.020	0.020	10:58	0.028	0.035	-
10:59	0.019	0.020	10:59	0.026	0.034	-
11:00	0.020	0.020	11:00	0.031	0.034	-
11:01	0.018	0.020	11:01	0.027	0.033	-
11:02	0.016	0.020	11:02	0.025	0.032	-
11:03	0.022	0.020	11:03	0.037	0.032	-
11:04	0.018	0.020	11:04	0.021	0.029	-
11:05	0.019	0.019	11:05	0.024	0.028	-
11:06	0.020	0.019	11:06	0.047	0.029	-
11:07	0.014	0.019	11:07	0.025	0.029	-
11:08	0.021	0.019	11:08	0.030	0.029	-
11:09	0.017	0.019	11:09	0.022	0.029	-
11:10	0.017	0.019	11:10	0.025	0.028	-
11:11	0.015	0.018	11:11	0.019	0.028	-
11:12	0.015	0.018	11:12	0.018	0.027	-
11:13	0.012	0.018	11:13	0.019	0.026	-
11:14	0.014	0.017	11:14	0.081	0.030	-
11:15	0.019	0.017	11:15	0.020	0.029	-
11:16	0.016	0.017	11:16	0.015	0.029	-
11:17	0.012	0.017	11:17	0.014	0.028	-
11:18	0.012	0.016	11:18	0.018	0.027	-
11:19	0.011	0.016	11:19	0.020	0.026	-
11:20	0.010	0.015	11:20	0.014	0.026	-
11:21	0.012	0.014	11:21	0.016	0.024	-
11:22	0.015	0.015	11:22	0.012	0.023	-
11:23	0.017	0.014	11:23	0.016	0.022	-
11:24	0.013	0.014	11:24	0.016	0.022	-
11:25	0.008	0.013	11:25	0.016	0.021	-
11:26	0.010	0.013	11:26	0.013	0.021	-
11:27	0.014	0.013	11:27	0.012	0.020	-
11:28	0.013	0.013	11:28	0.015	0.020	-
11:29	0.009	0.013	11:29	0.016	0.016	-
11:30	0.009	0.012	11:30	0.012	0.015	-
11:31	0.010	0.012	11:31	0.012	0.015	-
11:32	0.009	0.011	11:32	0.013	0.015	-
11:33	0.013	0.012	11:33	0.013	0.014	-
11:34	0.009	0.011	11:34	0.013	0.014	-
11:35	0.010	0.011	11:35	0.014	0.014	-
11:36	0.010	0.011	11:36	0.014	0.014	-
11:37	0.010	0.011	11:37	0.016	0.014	-
11:38	0.010	0.010	11:38	0.015	0.014	-
11:39	0.015	0.011	11:39	0.015	0.014	-
11:40	0.013	0.011	11:40	0.015	0.014	-
11:41	0.010	0.011	11:41	0.015	0.014	-
11:42	0.010	0.011	11:42	0.013	0.014	-
11:43	0.011	0.011	11:43	0.012	0.014	-
11:44	0.009	0.011	11:44	0.013	0.014	-
11:45	0.009	0.011	11:45	0.032	0.015	-
11:46	0.009	0.010	11:46	0.021	0.016	-
11:47	0.009	0.010	11:47	0.014	0.016	-
11:48	0.010	0.010	11:48	0.013	0.016	-
11:49	0.012	0.010	11:49	0.014	0.016	-
11:50	0.009	0.010	11:50	0.012	0.016	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
11:51	0.010	0.010	11:51	0.014	0.016	-
11:52	0.012	0.011	11:52	0.015	0.016	-
11:53	0.010	0.011	11:53	0.060	0.019	-
11:54	0.010	0.010	11:54	0.017	0.019	-
11:55	0.012	0.010	11:55	0.018	0.019	-
11:56	0.014	0.010	11:56	0.029	0.020	-
11:57	0.011	0.010	11:57	0.019	0.020	-
11:58	0.011	0.010	11:58	0.015	0.020	-
11:59	0.015	0.011	11:59	0.016	0.021	-
12:00	0.018	0.011	12:00	0.015	0.019	-
12:01	0.015	0.012	12:01	0.014	0.019	-
12:02	0.014	0.012	12:02	0.013	0.019	-
12:03	0.010	0.012	12:03	0.014	0.019	-
12:04	0.010	0.012	12:04	0.012	0.019	-
12:05	0.013	0.012	12:05	0.012	0.019	-
12:06	0.012	0.012	12:06	0.014	0.019	-
12:07	0.012	0.012	12:07	0.023	0.019	-
12:08	0.011	0.013	12:08	0.016	0.016	-
12:09	0.011	0.013	12:09	0.015	0.016	-
12:10	0.012	0.013	12:10	0.013	0.016	-
12:11	0.014	0.013	12:11	0.015	0.015	-
12:12	0.014	0.013	12:12	0.021	0.015	-
12:13	0.014	0.013	12:13	0.017	0.015	-
12:14	0.012	0.013	12:14	0.013	0.015	-
12:15	0.013	0.012	12:15	0.013	0.015	-
12:16	0.016	0.013	12:16	0.013		
12:17	0.011	0.012	12:17	0.012	0.015	-
12:18	0.011	0.012	12:18	0.013	0.015	-
12:19	0.011	0.012	12:19	0.014	0.015	-
12:20	0.011	0.012	12:20	0.018	0.015	-
12:21	0.011	0.012	12:21	0.014	0.015	-
12:22	0.012	0.012	12:22	0.013	0.015	-
12:23	0.015	0.013	12:23	0.012	0.014	-
12:24	0.010	0.012	12:24	0.012	0.014	-
12:25	0.012	0.012	12:25	0.015	0.014	-
12:26	0.010	0.012	12:26	0.013	0.014	-
12:27	0.009	0.012	12:27	0.011	0.014	-
12:28	0.009	0.012	12:28	0.010	0.013	-
12:29	0.010	0.011	12:29	0.021	0.014	-
12:30	0.009	0.011	12:30	0.023	0.014	-
12:31	0.008	0.011	12:31	0.026	0.015	-
12:32	0.009	0.010	12:32	0.018	0.016	-
12:33	0.009	0.010	12:33	0.014	0.016	-
12:34	0.011	0.010	12:34	0.012	0.015	-
12:35	0.013	0.010	12:35	0.011	0.015	-
12:36	0.009	0.010	12:36	0.009	0.015	-
12:37	0.009	0.010	12:37	0.009	0.014	-
12:38	0.010	0.010	12:38	0.010	0.014	-
12:39	0.009	0.010	12:39	0.010	0.014	-
12:40	0.009	0.010	12:40	0.010	0.014	-
12:41	0.008	0.009	12:41	0.010	0.014	-
12:42	0.008	0.009	12:42	0.010	0.014	-
12:43	0.010	0.009	12:43	0.016	0.014	-
12:44	0.008	0.009	12:44	0.012	0.013	-
12:45	0.008	0.009	12:45	0.012	0.013	-
12:46	0.010	0.009	12:46	0.015	0.012	-
12:47	0.010	0.009	12:47	0.012	0.011	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
12:48	0.010	0.009	12:48	0.012	0.011	-
12:49	0.010	0.009	12:49	0.013	0.011	-
12:50	0.009	0.009	12:50	0.013	0.012	-
12:51	0.010	0.009	12:51	0.013	0.012	-
12:52	0.010	0.009	12:52	0.013	0.012	-
12:53	0.010	0.009	12:53	0.013	0.012	-
12:54	0.012	0.009	12:54	0.014	0.013	-
12:55	0.022	0.010	12:55	0.014	0.013	-
12:56	0.021	0.011	12:56	0.014	0.013	-
12:57	0.012	0.011	12:57	0.014	0.013	-
12:58	0.010	0.011	12:58	0.016	0.013	-
12:59	0.011	0.012	12:59	0.015	0.014	-
13:00	0.011	0.012	13:00	0.015	0.014	-
13:01	0.011	0.012	13:01	0.015	0.014	-
13:02	0.012	0.012	13:02	0.016	0.014	-
13:03	0.012	0.012	13:03	0.016	0.014	-
13:04	0.011	0.012	13:04	0.017	0.015	-
13:05	0.012	0.012	13:05	0.018	0.015	-
13:06	0.013	0.013	13:06	0.018	0.015	-
13:07	0.013	0.013	13:07	0.018	0.016	-
13:08	0.013	0.013	13:08	0.018	0.016	-
13:09	0.013	0.013	13:09	0.017	0.016	-
13:10	0.014	0.013	13:10	0.018	0.016	-
13:11	0.015	0.012	13:11	0.020	0.017	-
13:12	0.013	0.012	13:12	0.020	0.017	-
13:13	0.015	0.013	13:13	0.021	0.017	-
13:14	0.029	0.014	13:14	0.021	0.018	-
13:15	0.018	0.014	13:15	0.022	0.018	-
13:16	0.019	0.015	13:16	0.021	0.019	-
13:17	0.015	0.015	13:17	0.021	0.019	-
13:18	0.016	0.015	13:18	0.020	0.019	-
13:19	0.016	0.016	13:19	0.021	0.020	-
13:20	0.015	0.016	13:20	0.021	0.020	-
13:21	0.016	0.016	13:21	0.023	0.020	-
13:22	0.016	0.016	13:22	0.022	0.020	-
13:23	0.016	0.016	13:23	0.022	0.021	-
13:24	0.017	0.017	13:24	0.022	0.021	-
13:25	0.018	0.017	13:25	0.022	0.021	-
13:26	0.016	0.017	13:26	0.022	0.021	-
13:27	0.017	0.017	13:27	0.023	0.022	-
13:28	0.018	0.017	13:28	0.024	0.022	-
13:29	0.019	0.017	13:29	0.023	0.022	-
13:30	0.018	0.017	13:30	0.023	0.022	-
13:31	0.018	0.017	13:31	0.023	0.022	-
13:32	0.018	0.017	13:32	0.023	0.022	-
13:33	0.017	0.017	13:33	0.024	0.023	-
13:34	0.018	0.017	13:34	0.024	0.023	-
13:35	0.018	0.017	13:35	0.022	0.023	-
13:36	0.017	0.017	13:36	0.022	0.023	-
13:37	0.018	0.018	13:37	0.023	0.023	-
13:38	0.017	0.018	13:38	0.023	0.023	-
13:39	0.018	0.018	13:39	0.022	0.023	-
13:40	0.017	0.018	13:40	0.021	0.023	-
13:41	0.026	0.018	13:41	0.023	0.023	-
13:42	0.018	0.018	13:42	0.022	0.023	-
13:43	0.017	0.018	13:43	0.023	0.023	-
13:44	0.017	0.018	13:44	0.023	0.023	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
13:45	0.017	0.018	13:45	0.023	0.023	-
13:46	0.017	0.018	13:46	0.021	0.023	-
13:47	0.016	0.018	13:47	0.022	0.023	-
13:48	0.016	0.018	13:48	0.022	0.022	-
13:49	0.016	0.018	13:49	0.021	0.022	-
13:50	0.017	0.018	13:50	0.022	0.022	-
13:51	0.017	0.018	13:51	0.021	0.022	-
13:52	0.016	0.017	13:52	0.027	0.022	-
13:53	0.016	0.017	13:53	0.022	0.022	-
13:54	0.017	0.017	13:54	0.021	0.022	-
13:55	0.028	0.018	13:55	0.020	0.022	-
13:56	0.017	0.017	13:56	0.021	0.022	-
13:57	0.028	0.018	13:57	0.020	0.022	-
13:58	0.016	0.018	13:58	0.020	0.022	-
13:59	0.035	0.019	13:59	0.022	0.022	-
14:00	0.019	0.019	14:00	0.021	0.022	-
14:01	0.019	0.020	14:01	0.022	0.022	-
14:02	0.020	0.020	14:02	0.020	0.021	-
14:03	0.039	0.021	14:03	0.020	0.021	-
14:04	0.032	0.022	14:04	0.019	0.021	-
14:05	0.037	0.024	14:05	0.018	0.021	-
14:06	0.015	0.024	14:06	0.019	0.021	-
14:07	0.014	0.023	14:07	0.017	0.020	-
14:08	0.019	0.024	14:08	0.017	0.020	-
14:09	0.026	0.024	14:09	0.017	0.020	-
14:10	0.029	0.024	14:10	0.018	0.019	-
14:11	0.015	0.024	14:11	0.018	0.019	-
14:12	0.039	0.025	14:12	0.017	0.019	-
14:13	0.028	0.026	14:13	0.018	0.019	-
14:14	0.014	0.024	14:14	0.017	0.019	-
14:15	0.012	0.024	14:15	0.016	0.018	-
14:16	0.013	0.023	14:16	0.016	0.018	-
14:17	0.016	0.023	14:17	0.016	0.018	-
14:18	0.014	0.022	14:18	0.015	0.017	-
14:19	0.012	0.020	14:19	0.013	0.017	-
14:20	0.013	0.019	14:20	0.012	0.016	-
14:21	0.011	0.018	14:21	0.013	0.016	-
14:22	0.011	0.018	14:22	0.013	0.016	-
14:23	0.009	0.017	14:23	0.013	0.015	-
14:24	0.009	0.016	14:24	0.013	0.015	-
14:25	0.011	0.015	14:25	0.012	0.015	-
14:26	0.010	0.015	14:26	0.012	0.014	-
14:27	0.010	0.013	14:27	0.012	0.014	-
14:28	0.009	0.012	14:28	0.012	0.014	-
14:29	0.008	0.011	14:29	0.013	0.013	-
14:30	0.009	0.011	14:30	0.012	0.013	-
14:31	0.010	0.011	14:31	0.012	0.013	-
14:32	0.009	0.010	14:32	0.012	0.013	-
14:33	0.009	0.010	14:33	0.011	0.012	-
14:34	0.009	0.010	14:34	0.012	0.012	-
14:35	0.009	0.010	14:35	0.012	0.012	-
14:36	0.009	0.009	14:36	0.013	0.012	-
14:37	0.009	0.009	14:37	0.013	0.012	-
14:38	0.010	0.009	14:38	0.013	0.012	-
14:39	0.010	0.009	14:39	0.012	0.012	-
14:40	0.009	0.009	14:40	0.013	0.012	-
14:41	0.009	0.009	14:41	0.014	0.012	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limits
Time	Concentration (mg/m ³)	15-Minute Average	Time	Concentration (mg/m ³)	15-Minute Average	
14:42	0.010	0.009	14:42	0.015	0.013	-
14:43	0.010	0.009	14:43	0.014	0.013	-
14:44	0.010	0.009	14:44	0.013	0.013	-
14:45	0.011	0.010	14:45	0.012	0.013	-
14:46	0.010	0.010	14:46	0.012	0.013	-
14:47	0.009	0.010	14:47	0.012	0.013	-
14:48	0.011	0.010	14:48	0.012	0.013	-
14:49	0.010	0.010	14:49	0.012	0.013	-
14:50	0.009	0.010	14:50	0.012	0.013	-
14:51	0.010	0.010	14:51	0.012	0.013	-
14:52	0.009	0.010	14:52	0.012	0.013	-
14:53	0.010	0.010	14:53	0.013	0.013	-
14:54	0.010	0.010	14:54	0.012	0.013	-
14:55	0.009	0.010	14:55	0.012	0.013	-
14:56	0.009	0.010	14:56	0.013	0.013	-
14:57	0.010	0.010	14:57	0.012	0.012	-
14:58	0.009	0.010	14:58	0.012	0.012	-
14:59	0.009	0.010	14:59	0.011	0.012	-
15:00	0.020	0.010	15:00	0.012	0.012	-
15:01	0.011	0.010	15:01	0.012	0.012	-
15:02	0.010	0.010	15:02	0.011	0.012	-
15:03	0.010	0.010	15:03	0.011	0.012	-
15:04	0.010	0.010	15:04	0.012	0.012	-
15:05	0.009	0.010	15:05	0.013	0.012	-
15:06	0.009	0.010	15:06	0.011	0.012	-
15:07	0.010	0.010	15:07	0.012	0.012	-
15:08	0.009	0.010	15:08	0.013	0.012	-
15:09	0.009	0.010	15:09	0.012	0.012	-
15:10	0.009	0.010	15:10	0.012	0.012	-
15:11	0.010	0.010	15:11	0.012	0.012	-
15:12	0.010	0.010	15:12	0.012	0.012	-
15:13	0.010	0.010	15:13	0.013	0.012	-
15:14	0.010	0.010	15:14	0.012	0.012	-
15:15	0.010	0.010	15:15	0.012	0.012	-
15:16	0.009	0.010	15:16	0.011	0.012	-
15:17	0.008	0.009	15:17	0.010	0.012	-
15:18	0.009	0.009	15:18	0.012	0.012	-
15:19	0.009	0.009	15:19	0.012	0.012	-
15:20	0.010	0.009	15:20	0.011	0.012	-
15:21	0.009	0.009	15:21	0.011	0.012	-
15:22	0.008	0.009	15:22	0.010	0.012	-
15:23	0.010	0.009	15:23	0.011	0.012	-
15:24	0.009	0.009	15:24	0.011	0.011	-
15:25	0.008	0.009	15:25	0.010	0.011	-
15:26	0.008	0.009	15:26	0.010	0.011	-
15:27	0.009	0.009	15:27	0.010	0.011	-
15:28	0.008	0.009	15:28	0.011	0.011	-

Wednesday, August 4, 2021						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						187
Start Time:						8:07
End Time:						15:31
PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:07	0.00		8:07	0.40		
8:08	0.00		8:08	0.00		
8:09	0.00		8:09	0.00		
8:10	0.00		8:10	0.00		
8:11	0.00		8:11	0.00		
8:12	0.00		8:12	0.00		
8:13	0.00		8:13	0.00		
8:14	0.00		8:14	0.00		
8:15	0.00		8:15	0.00		
8:16	0.00		8:16	0.00		
8:17	0.00		8:17	0.00		
8:18	0.00		8:18	0.00		
8:19	0.00		8:19	0.00		
8:20	0.00		8:20	0.00		
8:21	0.00	0.0	8:21	0.00	0.0	-
8:22	0.00	0.0	8:22	0.00	0.0	-
8:23	0.00	0.0	8:23	0.00	0.0	-
8:24	0.00	0.0	8:24	0.00	0.0	-
8:25	0.00	0.0	8:25	0.00	0.0	-
8:26	0.00	0.0	8:26	0.00	0.0	-
8:27	0.00	0.0	8:27	0.00	0.0	-
8:28	0.00	0.0	8:28	0.00	0.0	-
8:29	0.00	0.0	8:29	0.00	0.0	-
8:30	0.00	0.0	8:30	0.00	0.0	-
8:31	0.00	0.0	8:31	0.00	0.0	-
8:32	0.00	0.0	8:32	0.00	0.0	-
8:33	0.00	0.0	8:33	0.00	0.0	-
8:34	0.00	0.0	8:34	0.00	0.0	-
8:35	0.00	0.0	8:35	0.00	0.0	-
8:36	0.00	0.0	8:36	0.00	0.0	-
8:37	0.00	0.0	8:37	0.00	0.0	-
8:38	0.00	0.0	8:38	0.00	0.0	-
8:39	0.00	0.0	8:39	0.00	0.0	-
8:40	0.00	0.0	8:40	0.00	0.0	-
8:41	0.00	0.0	8:41	0.00	0.0	-
8:42	0.00	0.0	8:42	0.00	0.0	-
8:43	0.00	0.0	8:43	0.00	0.0	-
8:44	0.00	0.0	8:44	0.00	0.0	-
8:45	0.00	0.0	8:45	0.00	0.0	-
8:46	0.00	0.0	8:46	0.00	0.0	-
8:47	0.00	0.0	8:47	0.00	0.0	-
8:48	0.00	0.0	8:48	0.00	0.0	-
8:49	0.00	0.0	8:49	0.00	0.0	-
8:50	0.00	0.0	8:50	0.00	0.0	-
8:51	0.00	0.0	8:51	0.00	0.0	-
8:52	0.00	0.0	8:52	0.00	0.0	-
8:53	0.00	0.0	8:53	0.00	0.0	-
8:54	0.00	0.0	8:54	0.00	0.0	-
8:55	0.00	0.0	8:55	0.00	0.0	-
8:56	0.00	0.0	8:56	0.00	0.0	-
8:57	0.00	0.0	8:57	0.00	0.0	-
8:58	0.00	0.0	8:58	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:59	0.00	0.0	8:59	0.00	0.0	-
9:00	0.00	0.0	9:00	0.00	0.0	-
9:01	0.00	0.0	9:01	0.00	0.0	-
9:02	0.00	0.0	9:02	0.00	0.0	-
9:03	0.00	0.0	9:03	0.00	0.0	-
9:04	0.00	0.0	9:04	0.00	0.0	-
9:05	0.00	0.0	9:05	0.00	0.0	-
9:06	0.00	0.0	9:06	0.00	0.0	-
9:07	0.00	0.0	9:07	0.00	0.0	-
9:08	0.00	0.0	9:08	0.00	0.0	-
9:09	0.00	0.0	9:09	0.00	0.0	-
9:10	0.00	0.0	9:10	0.00	0.0	-
9:11	0.00	0.0	9:11	0.00	0.0	-
9:12	0.00	0.0	9:12	0.00	0.0	-
9:13	0.00	0.0	9:13	0.00	0.0	-
9:14	0.00	0.0	9:14	0.00	0.0	-
9:15	0.00	0.0	9:15	0.00	0.0	-
9:16	0.00	0.0	9:16	0.00	0.0	-
9:17	0.00	0.0	9:17	0.00	0.0	-
9:18	0.00	0.0	9:18	0.00	0.0	-
9:19	0.00	0.0	9:19	0.00	0.0	-
9:20	0.00	0.0	9:20	0.00	0.0	-
9:21	0.00	0.0	9:21	0.00	0.0	-
9:22	0.00	0.0	9:22	0.00	0.0	-
9:23	0.00	0.0	9:23	0.00	0.0	-
9:24	0.00	0.0	9:24	0.00	0.0	-
9:25	0.00	0.0	9:25	0.00	0.0	-
9:26	0.00	0.0	9:26	0.00	0.0	-
9:27	0.00	0.0	9:27	0.00	0.0	-
9:28	0.00	0.0	9:28	0.00	0.0	-
9:29	0.00	0.0	9:29	0.00	0.0	-
9:30	0.00	0.0	9:30	0.00	0.0	-
9:31	0.00	0.0	9:31	0.00	0.0	-
9:32	0.00	0.0	9:32	0.00	0.0	-
9:33	0.00	0.0	9:33	0.00	0.0	-
9:34	0.00	0.0	9:34	0.00	0.0	-
9:35	0.00	0.0	9:35	0.00	0.0	-
9:36	0.00	0.0	9:36	0.00	0.0	-
9:37	0.00	0.0	9:37	0.00	0.0	-
9:38	0.00	0.0	9:38	0.00	0.0	-
9:39	0.00	0.0	9:39	0.00	0.0	-
9:40	0.00	0.0	9:40	0.00	0.0	-
9:41	0.00	0.0	9:41	0.00	0.0	-
9:42	0.00	0.0	9:42	0.00	0.0	-
9:43	0.00	0.0	9:43	0.00	0.0	-
9:44	0.00	0.0	9:44	0.00	0.0	-
9:45	0.00	0.0	9:45	0.00	0.0	-
9:46	0.00	0.0	9:46	0.00	0.0	-
9:47	0.00	0.0	9:47	0.00	0.0	-
9:48	0.00	0.0	9:48	0.00	0.0	-
9:49	0.00	0.0	9:49	0.00	0.0	-
9:50	0.00	0.0	9:50	0.00	0.0	-
9:51	0.00	0.0	9:51	0.00	0.0	-
9:52	0.00	0.0	9:52	0.00	0.0	-
9:53	0.00	0.0	9:53	0.00	0.0	-
9:54	0.00	0.0	9:54	0.00	0.0	-
9:55	0.00	0.0	9:55	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:56	0.00	0.0	9:56	0.00	0.0	-
9:57	0.00	0.0	9:57	0.00	0.0	-
9:58	0.00	0.0	9:58	0.00	0.0	-
9:59	0.00	0.0	9:59	0.00	0.0	-
10:00	0.00	0.0	10:00	0.00	0.0	-
10:01	0.00	0.0	10:01	0.00	0.0	-
10:02	0.00	0.0	10:02	0.00	0.0	-
10:03	0.00	0.0	10:03	0.00	0.0	-
10:04	0.00	0.0	10:04	0.00	0.0	-
10:05	0.00	0.0	10:05	0.00	0.0	-
10:06	0.00	0.0	10:06	0.00	0.0	-
10:07	0.00	0.0	10:07	0.00	0.0	-
10:08	0.00	0.0	10:08	0.00	0.0	-
10:09	0.00	0.0	10:09	0.00	0.0	-
10:10	0.00	0.0	10:10	0.00	0.0	-
10:11	0.00	0.0	10:11	0.00	0.0	-
10:12	0.00	0.0	10:12	0.00	0.0	-
10:13	0.00	0.0	10:13	0.00	0.0	-
10:14	0.00	0.0	10:14	0.00	0.0	-
10:15	0.00	0.0	10:15	0.00	0.0	-
10:16	0.00	0.0	10:16	0.00	0.0	-
10:17	0.00	0.0	10:17	0.00	0.0	-
10:18	0.00	0.0	10:18	0.00	0.0	-
10:19	0.00	0.0	10:19	0.00	0.0	-
10:20	0.00	0.0	10:20	0.00	0.0	-
10:21	0.00	0.0	10:21	0.00	0.0	-
10:22	0.00	0.0	10:22	0.00	0.0	-
10:23	0.00	0.0	10:23	0.00	0.0	-
10:24	0.00	0.0	10:24	0.00	0.0	-
10:25	0.00	0.0	10:25	0.00	0.0	-
10:26	0.00	0.0	10:26	0.00	0.0	-
10:27	0.00	0.0	10:27	0.00	0.0	-
10:28	0.00	0.0	10:28	0.00	0.0	-
10:29	0.00	0.0	10:29	0.00	0.0	-
10:30	0.00	0.0	10:30	0.00	0.0	-
10:31	0.00	0.0	10:31	0.00	0.0	-
10:32	0.00	0.0	10:32	0.00	0.0	-
10:33	0.00	0.0	10:33	0.00	0.0	-
10:34	0.00	0.0	10:34	0.00	0.0	-
10:35	0.00	0.0	10:35	0.00	0.0	-
10:36	0.00	0.0	10:36	0.00	0.0	-
10:37	0.00	0.0	10:37	0.00	0.0	-
10:38	0.00	0.0	10:38	0.00	0.0	-
10:39	0.00	0.0	10:39	0.00	0.0	-
10:40	0.00	0.0	10:40	0.00	0.0	-
10:41	0.00	0.0	10:41	0.00	0.0	-
10:42	0.00	0.0	10:42	0.00	0.0	-
10:43	0.00	0.0	10:43	0.00	0.0	-
10:44	0.00	0.0	10:44	0.00	0.0	-
10:45	0.00	0.0	10:45	0.00	0.0	-
10:46	0.00	0.0	10:46	0.00	0.0	-
10:47	0.00	0.0	10:47	0.00	0.0	-
10:48	0.00	0.0	10:48	0.00	0.0	-
10:49	0.00	0.0	10:49	0.00	0.0	-
10:50	0.00	0.0	10:50	0.00	0.0	-
10:51	0.00	0.0	10:51	0.00	0.0	-
10:52	0.00	0.0	10:52	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:53	0.00	0.0	10:53	0.00	0.0	-
10:54	0.00	0.0	10:54	0.00	0.0	-
10:55	0.00	0.0	10:55	0.00	0.0	-
10:56	0.00	0.0	10:56	0.00	0.0	-
10:57	0.00	0.0	10:57	0.00	0.0	-
10:58	0.00	0.0	10:58	0.00	0.0	-
10:59	0.00	0.0	10:59	0.00	0.0	-
11:00	0.00	0.0	11:00	0.00	0.0	-
11:01	0.00	0.0	11:01	0.00	0.0	-
11:02	0.00	0.0	11:02	0.00	0.0	-
11:03	0.00	0.0	11:03	0.00	0.0	-
11:04	0.00	0.0	11:04	0.00	0.0	-
11:05	0.00	0.0	11:05	0.00	0.0	-
11:06	0.00	0.0	11:06	0.00	0.0	-
11:07	0.00	0.0	11:07	0.00	0.0	-
11:08	0.00	0.0	11:08	0.00	0.0	-
11:09	0.00	0.0	11:09	0.00	0.0	-
11:10	0.00	0.0	11:10	0.00	0.0	-
11:11	0.00	0.0	11:11	0.00	0.0	-
11:12	0.00	0.0	11:12	0.00	0.0	-
11:13	0.00	0.0	11:13	0.00	0.0	-
11:14	0.00	0.0	11:14	0.00	0.0	-
11:15	0.00	0.0	11:15	0.00	0.0	-
11:16	0.00	0.0	11:16	0.00	0.0	-
11:17	0.00	0.0	11:17	0.00	0.0	-
11:18	0.00	0.0	11:18	0.00	0.0	-
11:19	0.00	0.0	11:19	0.00	0.0	-
11:20	0.00	0.0	11:20	0.00	0.0	-
11:21	0.00	0.0	11:21	0.00	0.0	-
11:22	0.00	0.0	11:22	0.00	0.0	-
11:23	0.00	0.0	11:23	0.00	0.0	-
11:24	0.00	0.0	11:24	0.00	0.0	-
11:25	0.00	0.0	11:25	0.00	0.0	-
11:26	0.00	0.0	11:26	0.00	0.0	-
11:27	0.00	0.0	11:27	0.00	0.0	-
11:28	0.00	0.0	11:28	0.00	0.0	-
11:29	0.00	0.0	11:29	0.00	0.0	-
11:30	0.00	0.0	11:30	0.00	0.0	-
11:31	0.00	0.0	11:31	0.00	0.0	-
11:32	0.00	0.0	11:32	0.00	0.0	-
11:33	0.00	0.0	11:33	0.00	0.0	-
11:34	0.00	0.0	11:34	0.00	0.0	-
11:35	0.00	0.0	11:35	0.00	0.0	-
11:36	0.00	0.0	11:36	0.00	0.0	-
11:37	0.00	0.0	11:37	0.00	0.0	-
11:38	0.00	0.0	11:38	0.00	0.0	-
11:39	0.00	0.0	11:39	0.00	0.0	-
11:40	0.00	0.0	11:40	0.00	0.0	-
11:41	0.00	0.0	11:41	0.00	0.0	-
11:42	0.00	0.0	11:42	0.00	0.0	-
11:43	0.00	0.0	11:43	0.00	0.0	-
11:44	0.00	0.0	11:44	0.00	0.0	-
11:45	0.00	0.0	11:45	0.00	0.0	-
11:46	0.00	0.0	11:46	0.00	0.0	-
11:47	0.00	0.0	11:47	0.00	0.0	-
11:48	0.00	0.0	11:48	0.00	0.0	-
11:49	0.00	0.0	11:49	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
11:50	0.00	0.0	11:50	0.00	0.0	-
11:51	0.00	0.0	11:51	0.00	0.0	-
11:52	0.00	0.0	11:52	0.00	0.0	-
11:53	0.00	0.0	11:53	0.00	0.0	-
11:54	0.00	0.0	11:54	0.00	0.0	-
11:55	0.00	0.0	11:55	0.00	0.0	-
11:56	0.00	0.0	11:56	0.00	0.0	-
11:57	0.00	0.0	11:57	0.00	0.0	-
11:58	0.00	0.0	11:58	0.00	0.0	-
11:59	0.00	0.0	11:59	0.00	0.0	-
12:00	0.00	0.0	12:00	0.00	0.0	-
12:01	0.00	0.0	12:01	0.00	0.0	-
12:02	0.00	0.0	12:02	0.00	0.0	-
12:03	0.00	0.0	12:03	0.00	0.0	-
12:04	0.00	0.0	12:04	0.00	0.0	-
12:05	0.00	0.0	12:05	0.00	0.0	-
12:06	0.00	0.0	12:06	0.00	0.0	-
12:07	0.00	0.0	12:07	0.00	0.0	-
12:08	0.00	0.0	12:08	0.00	0.0	-
12:09	0.00	0.0	12:09	0.00	0.0	-
12:10	0.00	0.0	12:10	0.00	0.0	-
12:11	0.00	0.0	12:11	0.00	0.0	-
12:12	0.00	0.0	12:12	0.00	0.0	-
12:13	0.00	0.0	12:13	0.00	0.0	-
12:14	0.00	0.0	12:14	0.00	0.0	-
12:15	0.00	0.0	12:15	0.00	0.0	-
12:16	0.00	0.0	12:16	0.00	0.0	-
12:17	0.00	0.0	12:17	0.00	0.0	-
12:18	0.00	0.0	12:18	0.00	0.0	-
12:19	0.00	0.0	12:19	0.00	0.0	-
12:20	0.00	0.0	12:20	0.00	0.0	-
12:21	0.00	0.0	12:21	0.00	0.0	-
12:22	0.00	0.0	12:22	0.00	0.0	-
12:23	0.00	0.0	12:23	0.00	0.0	-
12:24	0.00	0.0	12:24	0.00	0.0	-
12:25	0.00	0.0	12:25	0.00	0.0	-
12:26	0.00	0.0	12:26	0.00	0.0	-
12:27	0.00	0.0	12:27	0.00	0.0	-
12:28	0.00	0.0	12:28	0.00	0.0	-
12:29	0.00	0.0	12:29	0.00	0.0	-
12:30	0.00	0.0	12:30	0.00	0.0	-
12:31	0.00	0.0	12:31	0.00	0.0	-
12:32	0.00	0.0	12:32	0.00	0.0	-
12:33	0.00	0.0	12:33	0.00	0.0	-
12:34	0.00	0.0	12:34	0.00	0.0	-
12:35	0.00	0.0	12:35	0.00	0.0	-
12:36	0.00	0.0	12:36	0.00	0.0	-
12:37	0.00	0.0	12:37	0.00	0.0	-
12:38	0.00	0.0	12:38	0.00	0.0	-
12:39	0.00	0.0	12:39	0.00	0.0	-
12:40	0.00	0.0	12:40	0.00	0.0	-
12:41	0.00	0.0	12:41	0.00	0.0	-
12:42	0.00	0.0	12:42	0.00	0.0	-
12:43	0.00	0.0	12:43	0.00	0.0	-
12:44	0.00	0.0	12:44	0.00	0.0	-
12:45	0.00	0.0	12:45	0.00	0.0	-
12:46	0.00	0.0	12:46	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
12:47	0.00	0.0	12:47	0.00	0.0	-
12:48	0.00	0.0	12:48	0.00	0.0	-
12:49	0.00	0.0	12:49	0.00	0.0	-
12:50	0.00	0.0	12:50	0.00	0.0	-
12:51	0.00	0.0	12:51	0.00	0.0	-
12:52	0.00	0.0	12:52	0.00	0.0	-
12:53	0.00	0.0	12:53	0.00	0.0	-
12:54	0.00	0.0	12:54	0.00	0.0	-
12:55	0.00	0.0	12:55	0.00	0.0	-
12:56	0.00	0.0	12:56	0.00	0.0	-
12:57	0.00	0.0	12:57	0.00	0.0	-
12:58	0.00	0.0	12:58	0.00	0.0	-
12:59	0.00	0.0	12:59	0.00	0.0	-
13:00	0.00	0.0	13:00	0.00	0.0	-
13:01	0.00	0.0	13:01	0.00	0.0	-
13:02	0.00	0.0	13:02	0.00	0.0	-
13:03	0.00	0.0	13:03	0.00	0.0	-
13:04	0.00	0.0	13:04	0.00	0.0	-
13:05	0.00	0.0	13:05	0.00	0.0	-
13:06	0.00	0.0	13:06	0.00	0.0	-
13:07	0.00	0.0	13:07	0.00	0.0	-
13:08	0.00	0.0	13:08	0.00	0.0	-
13:09	0.00	0.0	13:09	0.00	0.0	-
13:10	0.00	0.0	13:10	0.00	0.0	-
13:11	0.00	0.0	13:11	0.00	0.0	-
13:12	0.00	0.0	13:12	0.00	0.0	-
13:13	0.00	0.0	13:13	0.00	0.0	-
13:14	0.00	0.0	13:14	0.00	0.0	-
13:15	0.00	0.0	13:15	0.00	0.0	-
13:16	0.00	0.0	13:16	0.00	0.0	-
13:17	0.00	0.0	13:17	0.00	0.0	-
13:18	0.00	0.0	13:18	0.00	0.0	-
13:19	0.00	0.0	13:19	0.00	0.0	-
13:20	0.00	0.0	13:20	0.00	0.0	-
13:21	0.00	0.0	13:21	0.00	0.0	-
13:22	0.00	0.0	13:22	0.00	0.0	-
13:23	0.00	0.0	13:23	0.00	0.0	-
13:24	0.00	0.0	13:24	0.00	0.0	-
13:25	0.00	0.0	13:25	0.00	0.0	-
13:26	0.00	0.0	13:26	0.00	0.0	-
13:27	0.00	0.0	13:27	0.00	0.0	-
13:28	0.00	0.0	13:28	0.00	0.0	-
13:29	0.00	0.0	13:29	0.00	0.0	-
13:30	0.00	0.0	13:30	0.00	0.0	-
13:31	0.00	0.0	13:31	0.00	0.0	-
13:32	0.00	0.0	13:32	0.00	0.0	-
13:33	0.00	0.0	13:33	0.00	0.0	-
13:34	0.00	0.0	13:34	0.00	0.0	-
13:35	0.00	0.0	13:35	0.00	0.0	-
13:36	0.00	0.0	13:36	0.00	0.0	-
13:37	0.00	0.0	13:37	0.00	0.0	-
13:38	0.00	0.0	13:38	0.00	0.0	-
13:39	0.00	0.0	13:39	0.00	0.0	-
13:40	0.00	0.0	13:40	0.00	0.0	-
13:41	0.00	0.0	13:41	0.00	0.0	-
13:42	0.00	0.0	13:42	0.00	0.0	-
13:43	0.00	0.0	13:43	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
13:44	0.00	0.0	13:44	0.00	0.0	-
13:45	0.00	0.0	13:45	0.00	0.0	-
13:46	0.00	0.0	13:46	0.00	0.0	-
13:47	0.00	0.0	13:47	0.00	0.0	-
13:48	0.00	0.0	13:48	0.00	0.0	-
13:49	0.00	0.0	13:49	0.00	0.0	-
13:50	0.00	0.0	13:50	0.00	0.0	-
13:51	0.00	0.0	13:51	0.00	0.0	-
13:52	0.00	0.0	13:52	0.00	0.0	-
13:53	0.00	0.0	13:53	0.00	0.0	-
13:54	0.00	0.0	13:54	0.00	0.0	-
13:55	0.00	0.0	13:55	0.00	0.0	-
13:56	0.00	0.0	13:56	0.00	0.0	-
13:57	0.00	0.0	13:57	0.00	0.0	-
13:58	0.00	0.0	13:58	0.00	0.0	-
13:59	0.00	0.0	13:59	0.00	0.0	-
14:00	0.00	0.0	14:00	0.00	0.0	-
14:01	0.00	0.0	14:01	0.00	0.0	-
14:02	0.00	0.0	14:02	0.00	0.0	-
14:03	0.00	0.0	14:03	0.00	0.0	-
14:04	0.00	0.0	14:04	0.00	0.0	-
14:05	0.00	0.0	14:05	0.00	0.0	-
14:06	0.00	0.0	14:06	0.00	0.0	-
14:07	0.00	0.0	14:07	0.00	0.0	-
14:08	0.00	0.0	14:08	0.00	0.0	-
14:09	0.00	0.0	14:09	0.00	0.0	-
14:10	0.00	0.0	14:10	0.00	0.0	-
14:11	0.00	0.0	14:11	0.00	0.0	-
14:12	0.00	0.0	14:12	0.00	0.0	-
14:13	0.00	0.0	14:13	0.00	0.0	-
14:14	0.00	0.0	14:14	0.00	0.0	-
14:15	0.00	0.0	14:15	0.00	0.0	-
14:16	0.00	0.0	14:16	0.00	0.0	-
14:17	0.00	0.0	14:17	0.00	0.0	-
14:18	0.00	0.0	14:18	0.00	0.0	-
14:19	0.00	0.0	14:19	0.00	0.0	-
14:20	0.00	0.0	14:20	0.00	0.0	-
14:21	0.00	0.0	14:21	0.00	0.0	-
14:22	0.00	0.0	14:22	0.00	0.0	-
14:23	0.00	0.0	14:23	0.00	0.0	-
14:24	0.00	0.0	14:24	0.00	0.0	-
14:25	0.00	0.0	14:25	0.00	0.0	-
14:26	0.00	0.0	14:26	0.00	0.0	-
14:27	0.00	0.0	14:27	0.00	0.0	-
14:28	0.00	0.0	14:28	0.00	0.0	-
14:29	0.00	0.0	14:29	0.00	0.0	-
14:30	0.00	0.0	14:30	0.00	0.0	-
14:31	0.00	0.0	14:31	0.00	0.0	-
14:32	0.00	0.0	14:32	0.00	0.0	-
14:33	0.00	0.0	14:33	0.00	0.0	-
14:34	0.00	0.0	14:34	0.00	0.0	-
14:35	0.00	0.0	14:35	0.00	0.0	-
14:36	0.00	0.0	14:36	0.00	0.0	-
14:37	0.00	0.0	14:37	0.00	0.0	-
14:38	0.00	0.0	14:38	0.00	0.0	-
14:39	0.00	0.0	14:39	0.00	0.0	-
14:40	0.00	0.0	14:40	0.00	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
14:41	0.00	0.0	14:41	0.00	0.0	-
14:42	0.00	0.0	14:42	0.00	0.0	-
14:43	0.00	0.0	14:43	0.00	0.0	-
14:44	0.00	0.0	14:44	0.00	0.0	-
14:45	0.00	0.0	14:45	0.00	0.0	-
14:46	0.00	0.0	14:46	0.00	0.0	-
14:47	0.00	0.0	14:47	0.00	0.0	-
14:48	0.00	0.0	14:48	0.00	0.0	-
14:49	0.00	0.0	14:49	0.00	0.0	-
14:50	0.00	0.0	14:50	0.00	0.0	-
14:51	0.00	0.0	14:51	0.00	0.0	-
14:52	0.00	0.0	14:52	0.00	0.0	-
14:53	0.00	0.0	14:53	0.00	0.0	-
14:54	0.00	0.0	14:54	0.00	0.0	-
14:55	0.00	0.0	14:55	0.00	0.0	-
14:56	0.00	0.0	14:56	0.00	0.0	-
14:57	0.00	0.0	14:57	0.00	0.0	-
14:58	0.00	0.0	14:58	0.00	0.0	-
14:59	0.00	0.0	14:59	0.00	0.0	-
15:00	0.00	0.0	15:00	0.00	0.0	-
15:01	0.00	0.0	15:01	0.00	0.0	-
15:02	0.00	0.0	15:02	0.00	0.0	-
15:03	0.00	0.0	15:03	0.00	0.0	-
15:04	0.00	0.0	15:04	0.00	0.0	-
15:05	0.00	0.0	15:05	0.00	0.0	-
15:06	0.00	0.0	15:06	0.00	0.0	-
15:07	0.00	0.0	15:07	0.00	0.0	-
15:08	0.00	0.0	15:08	0.00	0.0	-
15:09	0.00	0.0	15:09	0.00	0.0	-
15:10	0.00	0.0	15:10	0.00	0.0	-
15:11	0.00	0.0	15:11	0.00	0.0	-
15:12	0.00	0.0	15:12	0.00	0.0	-
15:13	0.00	0.0	15:13	0.00	0.0	-
15:14	0.00	0.0	15:14	0.00	0.0	-
15:15	0.00	0.0	15:15	0.00	0.0	-
15:16	0.00	0.0	15:16	0.00	0.0	-
15:17	0.00	0.0	15:17	0.00	0.0	-
15:18	0.00	0.0	15:18	0.00	0.0	-
15:19	0.00	0.0	15:19	0.00	0.0	-
15:20	0.00	0.0	15:20	0.00	0.0	-
15:21	0.00	0.0	15:21	0.00	0.0	-
15:22	0.00	0.0	15:22	0.00	0.0	-
15:23	0.00	0.0	15:23	0.00	0.0	-
15:24	0.00	0.0	15:24	0.00	0.0	-
15:25	0.00	0.0	15:25	0.00	0.0	-
15:26	0.00	0.0	15:26	0.00	0.0	-
15:27	0.00	0.0	15:27	0.00	0.0	-
15:28	0.00	0.0	15:28	0.00	0.0	-
15:29			15:29	0.00	0.0	
15:30			15:30	0.00	0.0	
15:31			15:31	0.00	0.0	