

# DAILY STATUS REPORT

Prepared By: Bradley Moore

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	
TEMP.	< 32		32-50		50-70		70-85		>85	

NYSDEC Site No.:	C224307	Date:	5-27-22
Site Address:	1665 Stillwell Ave, Brooklyn, NY		

Consultant: RSK Environmental Group LLC	Safety Officer: Drumita Dmello
--	-----------------------------------

General Contractor/Subcontractor: <ul style="list-style-type: none"><li>Ted Yen &amp; Associates - Engineer</li></ul>	Site Manager/Supervisor: <ul style="list-style-type: none"><li>Bradley Moore</li></ul>
---	--

Work Activities Performed (Since Last Report): <ul style="list-style-type: none"><li>Purged and developed the six (6) permanent monitoring wells.</li><li>Installed six monitoring well covers and secured with concrete to site grade.</li><li>Previously collected soil samples on May 26, 2022 were submitted to a Phoenix Environmental Lab courier to be transported to the lab for analysis.</li></ul>
--

Samples Collected (Since Last Report): <ul style="list-style-type: none"><li>None</li></ul>
---

Air Monitoring (Since Last Report): Wind speed:    Wind direction: Prestart Conditions – PID = 0.5 ppm, Dust = 0.20 mcg/m3 High Conditions – PID = 0.6 ppm, Dust = 0.20 mcg/m3
---

Problems Encountered: None
-------------------------------

Planned Activities for the Next Day/ Week: <ul style="list-style-type: none"><li>Four soil vapor samples with 8-hour flow controllers will be set 10-foot bgs, along with one ambient air sample.</li><li>Take a groundwater sample from each of the six (6) groundwater wells.</li></ul>
---

## Photo Log

Photo 1 – Depicts site wide conditions, facing west



Photo 2- Depicts setup with tubing and pump to purge and develop the groundwater wells.




Photo 3 –Depicts purged groundwater being containerized on-site into DOT-approved 55-gallon drums.



Photo 4 –Depicts monitoring well cover secured with concrete to match site grade.







Environmental Laboratories, Inc.

587 East Middle Turnpike, P. O. Box 370, Manchester, CT 06040

Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

**NY/NJ/PA CHAIN OF CUSTODY RECORD**

Cooler: Yes  No   
Coolant: IPK  ICE  No

Temp °C Pg 1 of 4

Contact Options:  
Phone: 718-438-2200 ext 201  
Fax:   
Email: office@phoenixlabs.com

Customer: RSK ENVIRONMENTAL LLC  
Address: 192-02 89th AVENUE #222  
RICHMOND HILL, NY 11918

Project: 1665 STUMMEL AVENUE  
Report to: RSK  
Invoice to: RSK  
QUOTE # : \_\_\_\_\_

Project P. O.: \_\_\_\_\_  
**This section MUST be completed with Bottle Quantities.**

Client Sample - Information - Identification  
Date: 5/26/22

Matrix Code: GW=Ground Water SW=Surface Water WW=Waste Water  
DW=Drinking Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe  
Oil=Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Analysis Request	GL Amber 8 oz. w/H3PO4	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( 4 ) oz	40 ml VOA Vial [ ] HCl	GL Amber 100ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL NaOH 250ml	PL HNO3 250ml	Bacteria Bottle witho	Bacteria Bottle as is
	SB-1 (0'-2')	S	5/26/22	12:00	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-1 (6'-8')	S		12:10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-1 (14'-16')	S		12:15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-2 (0'-2')	S		10:50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-2 (6'-8')	S		10:55	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-2 (14'-16')	S		11:00am	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-3 (0'-2')	S		1:15pm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-3 (6'-8')	S		1:20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-3 (14'-16')	S		1:30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-4 (0'-2')	S		12:35	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	SB-4 (6'-8')	S		12:40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Relinquished by: Bradley Moore Accepted by: Phyllis Date: 5-27-22 Time: 12:47

Comments, Special Requirements or Regulations:

Data Format:  Phoenix Std Report  EQUIS  Excel  NJ Hazsite EDD  PDF  NY EZ EDD  GIS/Key  Other

Data Package:  NJ Reduced Deliv. \*  Other  NY Enhanced (ASP B) \*

Turnaround:  1 Day\*  2 Days\*  3 Days\*  5 Days  10 Days  Other

\* SURCHARGE APPLIES

NJ Res. Criteria  Non-Res. Criteria  Impact to GW Soil Cleanup Criteria  Impact to GW soil screen Criteria  GW Criteria

NY TOGS GW  CP-51 SOIL  375SCO  Unrestricted Soil  375SCO  Residential Soil  375SCO  Residential Restricted Soil  Commercial Soil  375SCO  Industrial Soil  Subpart 5 DW

PA Clean Fill Limits  PA-GW  Reg Fill Limits  PA Soil Restricted  PA Soil non-restricted

State Samples Collected? NY



Environmental Laboratories, Inc.

**NY/NJ/PA CHAIN OF CUSTODY RECORD**  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040  
 Email: info@phoenixlabs.com Fax (860) 645-0823  
 Client Services (860) 645-8726

Cooler: Yes  No   
 Coolant: IPK  ICE  No   
 Temp ° C Pg 2 of 4  
 Contact Options:  
 Phone:   
 Fax:   
 Email:

Customer: RSK  
 Address: \_\_\_\_\_

Project: 1665 STUMMEL AVENUE  
 Report to: RSK  
 Invoice to: RSK  
 QUOTE # : \_\_\_\_\_

**This section MUST be completed with Bottle Quantities.**

Client Sample - Information - Identification  
 Sampler's Signature: [Signature] Date: 5/24/02

Matrix Code:  
 DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water  
 RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe  
 OIL-Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Analysis Request	GL Amber 8 oz. w/3PO4	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( [ ] ) oz	40 ml VOA Vial [ ] oz	GL Amber 1000ml [ ] HCl	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL NaOH 250ml	PL HNO3 250ml	Bacteria Bottle with/without
SB-4 (14'-16')	S		5/26/02	12:45	8260 (VOG)										
SB-5 (10'-21')				9:20am	8270 (SVOG)										
SB-5 (6'-8')				9:30	LY DIOXANE										
SB-5 (14'-16')				9:40	PCB, PCBs										
SB-6 (6'-8')				10:10	TAL Metals										
SB-6 (14'-16')				10:15	Hex. U-120-02										
SB-7 (0'-21')				10:20	Cyanide										
SB-7 (6'-8')				2:16											
SB-7 (14'-16')				2:20											
SB-7 (0'-21')				2:25											
SB-8 (0'-21')				1:35											

Relinquished by: Bradley Moore  
 Accepted by: [Signature]  
 Date: 5-27-02  
 Time: 12:47

Comments, Special Requirements or Regulations:

Data Format:  
 Phoenix Std Report  
 EQUIS  
 Excel  
 NJ Hazsite EDD  
 PDF  
 NY EZ EDD  
 GIS/key  
 Other

Data Package:  
 NJ Reduced Deliv. \*  
 NY Enhanced (ASP B) \*  
 Other

Turnaround:  
 1 Day\*  
 2 Days\*  
 3 Days\*  
 5 Days  
 10 Days  
 Other

\* surcharge APPLIES

NY Criteria:  
 TOGS GW  
 CP-51 SOIL  
 375SCO  
 Unrestricted Soil  
 375SCO  
 Residential Soil  
 375SCO  
 Residential Restricted Soil  
 375SCO  
 Commercial Soil  
 375SCO  
 Industrial Soil  
 Subpart 5 DW

PA Criteria:  
 Clean Fill Limits  
 PA-GW  
 Reg Fill Limits  
 PA Soil Restricted  
 PA Soil non-restricted

State Samples Collected? NY





**NY/NJ/PA CHAIN OF CUSTODY RECORD**  
 587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040  
 Email: info@phoenixlabs.com Fax (860) 645-0823  
 Client Services (860) 645-8726

Cooler: Yes  No   
 Coolant: IPK  ICE   
 Temp °C Pg 4 of 4  
 Contact Options:  
 Phone:   
 Fax:   
 Email:

Customer: RSK  
 Address: \_\_\_\_\_

Project: 1665 Stillwell Avenue Project P.O.:  
 Report to: RSK  
 Invoice to: RSK  
 QUOTE # : \_\_\_\_\_

**This section MUST be completed with Bottle Quantities.**

Sampler's Signature: [Signature] Date: 5/26/22  
 Client Sample - Information - Identification

Matrix Code: DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water  
 RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe  
 OIL=Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Analysis Request	GL Amber 8 oz. w/H3PO4	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] oz	GL Amber 100ml [ ] As is [ ] HCl	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL NaOH 250ml	PL HNO3 250ml	Bacteria Bottle w/HO	Bacteria Bottle as is
	SB-6 PHAS FR-1	L	5/26	10:20	8260 (VOCs)												
	SB-1 MS-1	S		12:30	8270 (SVOCs)												
	SB-1 MSD-1	S		12:30	1,4 DIOXANE												
	SB-8 MS-2	S		1:50	TAL M ETALS												
	SB-8 MSD-2	S		1:50	PCB Pesticides												
	TR-1	L		2:45	Hex-4 Tr. Cr.												
	FR-1	L		3:00													
	EQUIPMENT BLANK	L		12:10													
	SB-1 PHAS FR-2	L															

Relinquished by: [Signature] Accepted by: [Signature] Date: 5-27-22 Time: 1:34 Turnaround:  1 Day\*  2 Days\*  3 Days\*  5 Days  10 Days

Comments, Special Requirements or Regulations:  
No PAS-1, 4 Dioxane analysis for MS, MSD and used blank samples.

Data Format:  Phoenix Std Report  EQUIS  Excel  NY EZ EDD  PDF  GIS/Key  Other

Data Package:  NU Reduced Deliv. \*  NY Enhanced (ASP B) \*  Other

Res. Criteria  Non-Res. Criteria  Impact to GW Soil Cleanup Criteria  Impact to GW soil screen Criteria  GW Criteria

NY TOGS GW  CP-51 SOIL  37SSCO  Unrestricted Soil  37SSCO  Residential Soil  37SSCO  Residential Restricted Soil  37SSCO  Commercial Soil  37SSCO  Industrial Soil  Subpart 5 DW

PA Clean Fill Limits  PA-GW  Reg Fill Limits  PA Soil Restricted  PA Soil non-restricted  State Samples Collected? NY