

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Tuesday, September 6, 2022 WEATHER: Rainy, 68-78 °F Wind: N @ 0 – 2 mph TIME: 6:45 am – 9:45 am MONITOR: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator CAT 325C Excavator Takeuchi TB260 Mini Excavator JLG 12054 Telescopic Forklift	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities - Bauer Structures (Bauer) installed pile cap formwork and rebar in preparation for pouring concrete in the northern and eastern parts of the site. Sampling - No samples were collected. CAMP Activities - Community air monitoring was not performed due to inclement weather. Anticipated Activities - Bauer will continue installation of foundation elements.		

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	248	8,720	24	475	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: Bauer installing formwork in the northern part of the site (facing southwest)



Photo 2: General view of the eastern part of the site (facing southeast)

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled

Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Wednesday, September 7, 2022 WEATHER: Cloudy, 65-72 °F Wind: NE @ 2.8 – 4.5 mph TIME: 6:45 am – 5:00 pm MONITOR: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator CAT 325C Excavator Takeuchi TB260 Mini Excavator JLG 12054 Telescopic Forklift	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo	

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.

Site Activities

- Bauer Structures (Bauer) excavated an about 60-foot-long by 5- to 10-foot-wide area to about 2 to 3 feet below grade surface (bgs) in the north-central and northwestern part of the site. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). No impacts were observed.
 - Excavated material consisted of previously imported clean fill and recycled concrete aggregate (RCA) and was temporarily stockpiled the western part of the site for future placement.
- Bauer excavated an about 18-foot-long by 18-foot-wide area to about 2 to 3 feet bgs in the northeastern part of the site in preparation for the installation of pile cap formwork. Excavated material was screened for odors, staining, and organic vapors using a PID. No impacts were observed.
 - Excavated material consisted of previously imported clean fill and RCA and was temporarily stockpiled adjacent to their corresponding excavated area pending return to their original location once pile cap installation has been completed.
- Bauer excavated an about 30-foot-long by 4-foot-wide area to about 2 to 3 feet bgs in the southeastern part of the site in preparation for the installation of insulation around the poured pile caps. Excavated material was screened for odors, staining, and organic vapors using a PID. No impacts were observed.
 - Excavated material consisted of concrete and historic fill and was temporarily stockpiled adjacent to their corresponding excavated areas pending return to their original location once the pile cap insulation installation has been completed.

Sampling

- No samples were collected.

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	16.9	8.4
Maximum 15min Average	28.2	21.8
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	5.0	0.0
Maximum 1min Reading	144.3	111.3

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.0	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter

ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	248	8,720	24	475	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos



Photo 1: Bauer excavating to remove formwork in the southeastern part of the site (facing southeast).





Photo 2: Bauer excavating for pile cap installation in the northern part of the site (facing south).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled

Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Thursday, September 8, 2022 WEATHER: Sunny, 65-72 °F Wind: NNE @ 1.9 – 5.0 mph TIME: 6:45 am – 5:00 pm MONITOR: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator CAT 325C Excavator Takeuchi TB260 Mini Excavator JLG 12054 Telescopic Forklift	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities - Bauer Structures (Bauer) excavated two about 10-foot-long by 10-foot-wide areas to about 2 to 3 feet below grade surface (bgs) in the north-central part of the site. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). No impacts were observed. - Excavated material consisted of previously imported clean fill and recycled concrete aggregate (RCA) and was temporarily stockpiled the western part of the site for future placement. - Bauer returned previously excavated and temporarily stockpiled historic fill (WC03 [0-3]) to its original location in an about 30-foot-long by 1-foot-wide area in the northeastern part of the site. - Bauer installed pile cap formwork in preparation for pouring concrete. - During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork. Sampling - No samples were collected.		

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	11.8	15.8
Maximum 15min Average	20.3	54.5
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	3.0	3.3
Maximum 1min Reading	332.8	443.8

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.1	0.2
Maximum 1min Reading	0.0	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	248	8,720	24	475	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversion factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: Bauer excavating for pile cap installation in the north-central part of the site (facing southwest).



Photo 2: Bauer installing the waterproofing/vapor barrier membrane (Preprufe 160R Plus) within the formwork in the northern part of the site (facing north).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled

Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

PROJECT No.: 170430003	CLIENT:	DATE: Friday, September 9, 2022
PROJECT: 240 Huntington Street	300 Huntington Street LLC	WEATHER: Sunny, 65-82 °F Wind: NE @ 1.2 – 6.4 mph
LOCATION: Brooklyn, New York		TIME: 6:45 am – 4:45 pm
BCP SITE NO: C224314		MONITOR: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator CAT 325C Excavator Takeuchi TB260 Mini Excavator JLG 12054 Telescopic Forklift	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo	

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.

Site Activities

- Bauer Structures (Bauer) installed a shoring box in the northwestern part of the site in preparation for the installation of the Consolidated Edison (ConEd) vault. During the installation of the shoring box, Bauer excavated an about 20-foot-long by 18-foot-wide area to about 8 to 9 feet below grade surface (bgs). Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). No impacts were observed.
 - Excavated material consisted of previously imported clean fill, and onsite fill material from WC04 (4-9) (9-14). The material was stockpiled on polyethylene sheeting in preparation for offsite disposal.
 - Bauer returned previously excavated clean fill and recycled concrete aggregate (RCA) around the perimeter of the shoring box to ensure stabilization.
- Bauer returned previously excavated and temporarily stockpiled fill (WC03 [0-3]) to its original location in the southeastern part of the site.
- Bauer poured concrete for the construction of pile caps along the northeast and northern site perimeter.
- Bauer installed pile cap formwork and rebar in preparation for pouring concrete along the northern perimeter of the site.
 - During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork.
- Bauer used a hand saw and jackhammer to break up concrete piles in preparation for the construction of pile caps in the north-central part of the site.

Sampling

- No samples were collected.

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	14.5	17.6
Maximum 15min Average	33.2	39.0
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	2.3	1.2
Maximum 1min Reading	568.0	450.0

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.0	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	248	8,720	24	475	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos



Photo 1: Bauer installing the shoring box and excavating within the shoring box in the northwestern part of the site (facing west).





Photo 2: Bauer pouring concrete in the formwork along the northern part of the site (facing southeast)

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled

Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Saturday, September 10, 2022 WEATHER: Sunny, 71-86 °F Wind: NW @ 0.6 - 3.8 mph TIME: 8:30 am – 3:30 pm MONITOR: Jack Millman
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator CAT 325C Excavator Takeuchi TB260 Mini Excavator JLG 12054 Telescopic Forklift	PRESENT AT SITE: Langan: Jack Millman Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities - Bauer Structures (Bauer) excavated two about 18-foot-long by 15-foot-wide areas to about 3 to 4 feet below grade surface (bgs) in the north-central part of the site in preparation for the installation of pile cap formwork. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). No impacts were observed. - Excavated material consisted of previously imported clean fill and recycled concrete aggregate (RCA) and was temporarily stockpiled in the northern and eastern parts of the site for future placement or was used to backfill in the northern part of the site. - Bauer removed formwork from previously poured foundation elements along the northern site perimeter. - Bauer returned previously excavated and temporarily stockpiled imported clean fill, RCA, and historic fill (WC03) to their original locations in two about 15-foot-long by 12-foot-wide areas in the northeastern part of the site. - Bauer used a hand saw and jackhammer to break up concrete piles in preparation for the construction of pile caps in the north-central part of the site. Sampling - No samples were collected.		

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	14.4	19.9
Maximum 15min Average	23.1	29.8
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	8.3	12.0
Maximum 1min Reading	33.5	57.0

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter

ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	248	8,720	24	475	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: Bauer excavating previously imported clean fill and RCA for pile cap installation in the north-central part of the site (facing south).



Photo 2: Bauer backfilling using previously imported clean fill and RCA in the northern part of the site (facing southwest)

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/07/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NE	Relative Humidity (%)	70.0 - 94.0	Daily Rain (in)	0.03	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	65.0 - 72.0	Wind Speed (MPH)	2.8 - 4.5	Barometer (inHg)	30.00 - 30.00			

Station Location Area	Work	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		16.9	28.2	9:45	0.0	0.0	7:23
Downwind		8.4	21.8	16:27	0.0	0.0	7:23



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Wednesday, September 7, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						570
Start Time:						7:08
End Time:						16:52
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:08	144.3	-	7:08	111.3	-	-
7:09	30.3	-	7:09	23.0	-	-
7:10	14.8	-	7:10	15.8	-	-
7:11	14.8	-	7:11	15.0	-	-
7:12	15.0	-	7:12	15.0	-	-
7:13	16.5	-	7:13	15.0	-	-
7:14	16.8	-	7:14	15.0	-	-
7:15	19.5	-	7:15	14.5	-	-
7:16	19.5	-	7:16	14.0	-	-
7:17	17.8	-	7:17	14.2	-	-
7:18	16.8	-	7:18	15.8	-	-
7:19	16.5	-	7:19	16.2	-	-
7:20	13.5	-	7:20	16.0	-	-
7:21	13.0	-	7:21	14.0	-	-
7:22	12.5	-	7:22	14.0	-	-
7:23	13.8	16.7	7:23	13.3	15.4	-
7:24	14.3	15.7	7:24	13.0	14.7	-
7:25	14.8	15.7	7:25	13.0	14.5	-
7:26	12.5	15.5	7:26	13.0	14.4	-
7:27	15.5	15.5	7:27	12.0	14.2	-
7:28	63.5	18.7	7:28	11.5	14.0	-
7:29	20.5	18.9	7:29	10.8	13.7	-
7:30	14.0	18.6	7:30	11.0	13.4	-
7:31	10.8	18.0	7:31	9.5	13.1	-
7:32	10.5	17.5	7:32	10.3	12.9	-
7:33	11.0	17.1	7:33	12.8	12.7	-
7:34	12.0	16.8	7:34	12.0	12.4	-
7:35	12.3	16.7	7:35	9.3	12.0	-
7:36	13.8	16.8	7:36	10.3	11.7	-
7:37	15.0	16.9	7:37	10.8	11.5	-
7:38	11.0	16.8	7:38	8.8	11.2	-
7:39	8.2	16.3	7:39	9.0	10.9	-
7:40	8.4	15.9	7:40	7.0	10.5	-
7:41	10.3	15.8	7:41	6.0	10.1	-
7:42	9.5	15.4	7:42	7.3	9.7	-
7:43	9.8	11.8	7:43	6.3	9.4	-
7:44	10.0	11.1	7:44	5.5	9.0	-
7:45	10.0	10.8	7:45	5.5	8.7	-
7:46	10.0	10.8	7:46	5.0	8.4	-
7:47	7.8	10.6	7:47	5.0	8.0	-
7:48	8.8	10.4	7:48	5.5	7.5	-
7:49	23.0	11.2	7:49	4.0	7.0	-
7:50	20.3	11.7	7:50	6.3	6.8	-
7:51	19.3	12.1	7:51	6.0	6.5	-
7:52	13.0	11.9	7:52	5.8	6.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:53	13.8	12.1	7:53	5.0	5.9	-
7:54	24.5	13.2	7:54	4.0	5.6	-
7:55	17.8	13.8	7:55	4.0	5.4	-
7:56	17.3	14.3	7:56	5.5	5.4	-
7:57	14.0	14.6	7:57	5.5	5.3	-
7:58	13.8	14.9	7:58	5.3	5.2	-
7:59	13.5	15.1	7:59	5.0	5.2	-
8:00	25.5	16.1	8:00	5.3	5.1	-
8:01	16.8	16.6	8:01	6.8	5.3	-
8:02	21.8	17.5	8:02	5.5	5.3	-
8:03	18.5	18.2	8:03	4.8	5.2	-
8:04	13.5	17.5	8:04	3.5	5.2	-
8:05	15.8	17.2	8:05	4.8	5.1	-
8:06	11.3	16.7	8:06	7.5	5.2	-
8:07	15.0	16.8	8:07	3.8	5.1	-
8:08	24.0	17.5	8:08	2.0	4.9	-
8:09	39.5	18.5	8:09	2.0	4.7	-
8:10	17.5	18.5	8:10	3.5	4.7	-
8:11	23.8	18.9	8:11	4.3	4.6	-
8:12	16.0	19.1	8:12	3.8	4.5	-
8:13	8.3	18.7	8:13	9.5	4.8	-
8:14	6.0	18.2	8:14	8.5	5.0	-
8:15	7.8	17.0	8:15	11.0	5.4	-
8:16	15.5	16.9	8:16	4.3	5.2	-
8:17	21.8	16.9	8:17	3.0	5.1	-
8:18	21.8	17.2	8:18	1.0	4.8	-
8:19	22.8	17.8	8:19	2.0	4.7	-
8:20	11.3	17.5	8:20	2.0	4.5	-
8:21	16.5	17.8	8:21	1.3	4.1	-
8:22	16.0	17.9	8:22	1.0	3.9	-
8:23	27.3	18.1	8:23	1.0	3.9	-
8:24	16.3	16.6	8:24	1.2	3.8	-
8:25	14.8	16.4	8:25	3.6	3.8	-
8:26	7.0	15.3	8:26	4.2	3.8	-
8:27	12.0	15.0	8:27	1.8	3.7	-
8:28	18.8	15.7	8:28	2.6	3.2	-
8:29	22.5	16.8	8:29	3.2	2.9	-
8:30	8.5	16.8	8:30	0.8	2.2	-
8:31	10.8	16.5	8:31	0.5	1.9	-
8:32	24.5	16.7	8:32	0.5	1.8	-
8:33	24.0	16.9	8:33	2.5	1.9	-
8:34	18.3	16.6	8:34	3.8	2.0	-
8:35	8.5	16.4	8:35	15.8	2.9	-
8:36	18.8	16.5	8:36	17.0	4.0	-
8:37	27.5	17.3	8:37	3.3	4.1	-
8:38	35.3	17.8	8:38	1.5	4.1	-
8:39	18.5	18.0	8:39	0.3	4.1	-
8:40	30.8	19.0	8:40	0.0	3.8	-
8:41	10.8	19.3	8:41	1.0	3.6	-
8:42	5.0	18.8	8:42	1.0	3.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:43	6.5	18.0	8:43	1.0	3.5	-
8:44	11.8	17.3	8:44	2.8	3.4	-
8:45	7.5	17.2	8:45	1.5	3.5	-
8:46	6.0	16.9	8:46	5.8	3.8	-
8:47	6.3	15.7	8:47	5.0	4.1	-
8:48	16.3	15.2	8:48	0.8	4.0	-
8:49	26.3	15.7	8:49	1.5	3.9	-
8:50	26.5	16.9	8:50	2.5	3.0	-
8:51	29.8	17.6	8:51	4.5	2.2	-
8:52	22.5	17.3	8:52	2.8	2.1	-
8:53	12.8	15.8	8:53	1.5	2.1	-
8:54	10.5	15.3	8:54	3.3	2.3	-
8:55	9.5	13.9	8:55	4.3	2.6	-
8:56	23.0	14.7	8:56	2.8	2.7	-
8:57	25.5	16.0	8:57	1.3	2.7	-
8:58	23.0	17.1	8:58	2.0	2.8	-
8:59	18.0	17.6	8:59	3.5	2.9	-
9:00	16.5	18.2	9:00	3.3	3.0	-
9:01	24.5	19.4	9:01	2.8	2.8	-
9:02	21.8	20.4	9:02	2.3	2.6	-
9:03	11.0	20.1	9:03	3.0	2.7	-
9:04	9.0	18.9	9:04	1.8	2.8	-
9:05	9.0	17.8	9:05	1.5	2.7	-
9:06	8.3	16.3	9:06	1.5	2.5	-
9:07	7.5	15.3	9:07	2.0	2.4	-
9:08	7.5	15.0	9:08	1.8	2.5	-
9:09	8.8	14.9	9:09	2.5	2.4	-
9:10	7.3	14.7	9:10	2.5	2.3	-
9:11	7.3	13.7	9:11	2.5	2.3	-
9:12	8.0	12.5	9:12	2.5	2.4	-
9:13	8.0	11.5	9:13	1.0	2.3	-
9:14	9.8	10.9	9:14	2.3	2.2	-
9:15	8.5	10.4	9:15	2.3	2.1	-
9:16	8.8	9.4	9:16	2.8	2.1	-
9:17	8.5	8.5	9:17	1.3	2.1	-
9:18	8.8	8.3	9:18	1.0	1.9	-
9:19	8.0	8.3	9:19	1.5	1.9	-
9:20	7.3	8.1	9:20	2.0	2.0	-
9:21	7.0	8.1	9:21	2.8	2.0	-
9:22	7.0	8.0	9:22	3.3	2.1	-
9:23	7.8	8.0	9:23	3.5	2.2	-
9:24	8.5	8.0	9:24	3.8	2.3	-
9:25	9.8	8.2	9:25	3.5	2.4	-
9:26	9.5	8.3	9:26	6.5	2.7	-
9:27	12.0	8.6	9:27	5.0	2.8	-
9:28	14.0	9.0	9:28	6.3	3.2	-
9:29	22.0	9.8	9:29	3.0	3.2	-
9:30	16.8	10.4	9:30	3.3	3.3	-
9:31	36.3	12.2	9:31	4.8	3.4	-
9:32	40.0	14.3	9:32	2.0	3.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:33	24.5	15.4	9:33	3.0	3.6	-
9:34	36.8	17.3	9:34	3.3	3.7	-
9:35	39.5	19.4	9:35	3.8	3.8	-
9:36	32.8	21.1	9:36	3.0	3.9	-
9:37	27.5	22.5	9:37	3.0	3.8	-
9:38	31.0	24.1	9:38	3.0	3.8	-
9:39	24.5	25.1	9:39	3.8	3.8	-
9:40	11.3	25.2	9:40	4.8	3.9	-
9:41	15.5	25.6	9:41	6.8	3.9	-
9:42	13.8	25.7	9:42	5.5	3.9	-
9:43	10.3	25.5	9:43	4.3	3.8	-
9:44	20.5	25.4	9:44	5.5	4.0	-
9:45	59.0	28.2	9:45	13.3	4.6	-
9:46	12.5	26.6	9:46	12.5	5.2	-
9:47	11.8	24.7	9:47	5.3	5.4	-
9:48	8.3	23.7	9:48	5.8	5.6	-
9:49	7.8	21.7	9:49	8.3	5.9	-
9:50	12.0	19.9	9:50	5.3	6.0	-
9:51	19.0	19.0	9:51	4.0	6.1	-
9:52	13.5	18.0	9:52	4.3	6.1	-
9:53	14.5	16.9	9:53	6.0	6.3	-
9:54	8.8	15.9	9:54	4.5	6.4	-
9:55	7.5	15.6	9:55	5.3	6.4	-
9:56	13.6	15.5	9:56	4.3	6.3	-
9:57	18.8	15.8	9:57	4.0	6.2	-
9:58	19.4	16.5	9:58	4.0	6.1	-
9:59	18.5	16.3	9:59	4.5	6.1	-
10:00	15.8	13.4	10:00	4.5	5.5	-
10:01	11.8	13.4	10:01	3.8	4.9	-
10:02	21.8	14.1	10:02	3.0	4.8	-
10:03	24.8	15.2	10:03	3.0	4.6	-
10:04	32.5	16.8	10:04	4.8	4.3	-
10:05	30.5	18.0	10:05	3.3	4.2	-
10:06	30.5	18.8	10:06	6.5	4.4	-
10:07	22.5	19.4	10:07	2.5	4.3	-
10:08	9.8	19.1	10:08	3.8	4.1	-
10:09	11.5	19.3	10:09	3.3	4.0	-
10:10	13.5	19.7	10:10	4.3	4.0	-
10:11	13.8	19.7	10:11	4.5	4.0	-
10:12	18.8	19.7	10:12	4.3	4.0	-
10:13	24.0	20.0	10:13	5.5	4.1	-
10:14	18.3	20.0	10:14	4.8	4.1	-
10:15	30.5	21.0	10:15	4.3	4.1	-
10:16	20.3	21.5	10:16	4.8	4.2	-
10:17	17.8	21.3	10:17	3.5	4.2	-
10:18	13.5	20.5	10:18	3.3	4.2	-
10:19	12.0	19.1	10:19	4.0	4.2	-
10:20	11.3	17.9	10:20	4.0	4.2	-
10:21	9.0	16.4	10:21	4.3	4.1	-
10:22	14.0	15.9	10:22	5.8	4.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:23	18.3	16.4	10:23	5.3	4.4	-
10:24	21.8	17.1	10:24	7.0	4.6	-
10:25	22.8	17.7	10:25	8.3	4.9	-
10:26	19.8	18.1	10:26	5.0	4.9	-
10:27	15.5	17.9	10:27	4.8	5.0	-
10:28	22.0	17.8	10:28	4.5	4.9	-
10:29	28.5	18.5	10:29	5.0	4.9	-
10:30	34.3	18.7	10:30	4.8	4.9	-
10:31	17.5	18.5	10:31	5.0	5.0	-
10:32	24.0	18.9	10:32	5.0	5.1	-
10:33	27.8	19.9	10:33	6.0	5.2	-
10:34	35.5	21.5	10:34	7.0	5.4	-
10:35	12.5	21.5	10:35	5.0	5.5	-
10:36	10.8	21.7	10:36	5.0	5.6	-
10:37	9.0	21.3	10:37	5.0	5.5	-
10:38	8.8	20.7	10:38	5.0	5.5	-
10:39	13.8	20.2	10:39	5.0	5.4	-
10:40	13.5	19.5	10:40	4.8	5.1	-
10:41	10.0	18.9	10:41	5.0	5.1	-
10:42	10.5	18.6	10:42	5.3	5.2	-
10:43	11.0	17.8	10:43	20.0	6.2	-
10:44	10.0	16.6	10:44	16.0	6.9	-
10:45	9.8	15.0	10:45	8.5	7.2	-
10:46	10.0	14.5	10:46	7.8	7.4	-
10:47	11.0	13.6	10:47	8.0	7.6	-
10:48	12.0	12.5	10:48	10.8	7.9	-
10:49	10.0	10.8	10:49	4.0	7.7	-
10:50	10.0	10.7	10:50	4.0	7.6	-
10:51	10.0	10.6	10:51	5.0	7.6	-
10:52	9.3	10.6	10:52	4.0	7.5	-
10:53	10.5	10.8	10:53	4.5	7.5	-
10:54	10.0	10.5	10:54	6.5	7.6	-
10:55	10.0	10.3	10:55	8.3	7.8	-
10:56	10.8	10.3	10:56	8.0	8.0	-
10:57	10.5	10.3	10:57	14.0	8.6	-
10:58	11.0	10.3	10:58	6.5	7.7	-
10:59	10.8	10.4	10:59	7.8	7.2	-
11:00	11.0	10.5	11:00	7.5	7.1	-
11:01	10.5	10.5	11:01	13.0	7.5	-
11:02	9.5	10.4	11:02	11.5	7.7	-
11:03	10.8	10.3	11:03	6.8	7.4	-
11:04	10.0	10.3	11:04	5.8	7.5	-
11:05	10.6	10.3	11:05	13.3	8.2	-
11:06	9.5	10.3	11:06	16.3	8.9	-
11:07	11.0	10.4	11:07	16.3	9.7	-
11:08	11.0	10.5	11:08	13.3	10.3	-
11:09	11.3	10.5	11:09	8.5	10.4	-
11:10	11.8	10.7	11:10	10.3	10.6	-
11:11	14.0	10.9	11:11	14.5	11.0	-
11:12	65.5	14.5	11:12	13.5	11.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:13	37.8	16.3	11:13	18.5	11.8	-
11:14	9.5	16.2	11:14	5.8	11.6	-
11:15	11.8	16.3	11:15	6.8	11.6	-
11:16	22.5	17.1	11:16	18.8	12.0	-
11:17	16.0	17.5	11:17	28.8	13.1	-
11:18	11.8	17.6	11:18	29.8	14.7	-
11:19	10.0	17.6	11:19	7.3	14.8	-
11:20	10.0	17.6	11:20	10.3	14.6	-
11:21	13.0	17.8	11:21	13.3	14.4	-
11:22	13.5	18.0	11:22	7.5	13.8	-
11:23	14.0	18.2	11:23	7.8	13.4	-
11:24	11.5	18.2	11:24	4.3	13.1	-
11:25	16.0	18.5	11:25	5.0	12.8	-
11:26	17.0	18.7	11:26	5.0	12.1	-
11:27	17.3	15.4	11:27	5.5	11.6	-
11:28	20.3	14.3	11:28	6.0	10.8	-
11:29	22.3	15.1	11:29	8.8	11.0	-
11:30	21.0	15.7	11:30	8.8	11.1	-
11:31	16.0	15.3	11:31	10.3	10.5	-
11:32	13.5	15.1	11:32	7.0	9.1	-
11:33	13.5	15.3	11:33	11.0	7.8	-
11:34	13.5	15.5	11:34	10.8	8.1	-
11:35	10.5	15.5	11:35	12.5	8.2	-
11:36	10.3	15.3	11:36	9.3	8.0	-
11:37	18.5	15.7	11:37	10.5	8.2	-
11:38	20.0	16.1	11:38	11.3	8.4	-
11:39	17.0	16.4	11:39	8.3	8.7	-
11:40	28.0	17.2	11:40	7.0	8.8	-
11:41	27.3	17.9	11:41	7.0	8.9	-
11:42	36.5	19.2	11:42	8.8	9.1	-
11:43	31.5	20.0	11:43	5.0	9.1	-
11:44	27.0	20.3	11:44	8.0	9.0	-
11:45	17.5	20.0	11:45	14.0	9.4	-
11:46	18.8	20.2	11:46	26.5	10.5	-
11:47	17.5	20.5	11:47	20.0	11.3	-
11:48	14.5	20.6	11:48	9.3	11.2	-
11:49	12.8	20.5	11:49	23.3	12.0	-
11:50	11.3	20.6	11:50	20.0	12.5	-
11:51	11.0	20.6	11:51	14.8	12.9	-
11:52	23.0	20.9	11:52	14.8	13.2	-
11:53	19.3	20.9	11:53	17.0	13.6	-
11:54	10.8	20.4	11:54	10.3	13.7	-
11:55	10.3	19.3	11:55	11.3	14.0	-
11:56	14.0	18.4	11:56	9.2	14.1	-
11:57	18.5	17.2	11:57	6.4	14.0	-
11:58	15.3	16.1	11:58	6.0	14.0	-
11:59	12.0	15.1	11:59	11.3	14.3	-
12:00	27.3	15.7	12:00	9.3	13.9	-
12:01	20.3	15.8	12:01	8.0	12.7	-
12:02	25.5	16.4	12:02	7.3	11.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:03	31.3	17.5	12:03	5.0	11.6	-
12:04	28.3	18.5	12:04	8.8	10.6	-
12:05	26.8	19.6	12:05	8.5	9.8	-
12:06	21.8	20.3	12:06	5.3	9.2	-
12:07	16.3	19.8	12:07	5.0	8.6	-
12:08	19.3	19.8	12:08	6.3	7.8	-
12:09	31.8	21.2	12:09	7.5	7.7	-
12:10	21.5	22.0	12:10	7.3	7.4	-
12:11	28.8	23.0	12:11	5.3	7.1	-
12:12	15.5	22.8	12:12	5.8	7.1	-
12:13	17.5	22.9	12:13	5.8	7.1	-
12:14	18.5	23.3	12:14	6.0	6.7	-
12:15	14.8	22.5	12:15	6.3	6.5	-
12:16	13.2	22.0	12:16	7.5	6.5	-
12:17	36.2	22.7	12:17	6.5	6.4	-
12:18	37.0	23.1	12:18	8.3	6.7	-
12:19	21.0	22.6	12:19	4.8	6.4	-
12:20	20.3	22.2	12:20	4.3	6.1	-
12:21	16.8	21.9	12:21	3.5	6.0	-
12:22	12.0	21.6	12:22	7.3	6.1	-
12:23	10.8	21.0	12:23	8.3	6.3	-
12:24	15.0	19.9	12:24	7.0	6.2	-
12:25	18.0	19.7	12:25	5.5	6.1	-
12:26	17.0	18.9	12:26	5.0	6.1	-
12:27	15.3	18.9	12:27	5.0	6.1	-
12:28	19.8	19.0	12:28	4.3	6.0	-
12:29	26.3	19.5	12:29	4.5	5.9	-
12:30	13.8	19.5	12:30	10.0	6.1	-
12:31	35.5	21.0	12:31	5.8	6.0	-
12:32	16.8	19.7	12:32	6.5	6.0	-
12:33	24.0	18.8	12:33	11.3	6.2	-
12:34	26.5	19.2	12:34	10.5	6.6	-
12:35	12.0	18.6	12:35	10.5	7.0	-
12:36	13.3	18.4	12:36	9.0	7.4	-
12:37	17.8	18.8	12:37	7.5	7.4	-
12:38	9.3	18.7	12:38	6.3	7.2	-
12:39	9.5	18.3	12:39	12.3	7.6	-
12:40	10.0	17.8	12:40	12.8	8.1	-
12:41	10.3	17.3	12:41	11.3	8.5	-
12:42	13.5	17.2	12:42	8.0	8.7	-
12:43	11.0	16.6	12:43	11.0	9.1	-
12:44	12.0	15.7	12:44	12.3	9.7	-
12:45	12.3	15.6	12:45	10.5	9.7	-
12:46	11.3	14.0	12:46	12.0	10.1	-
12:47	11.5	13.6	12:47	15.5	10.7	-
12:48	11.0	12.7	12:48	11.5	10.7	-
12:49	11.3	11.7	12:49	12.5	10.9	-
12:50	12.0	11.7	12:50	10.0	10.8	-
12:51	13.0	11.7	12:51	7.0	10.7	-
12:52	12.0	11.3	12:52	5.3	10.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:53	11.8	11.5	12:53	6.3	10.5	-
12:54	17.5	12.0	12:54	6.5	10.2	-
12:55	28.5	13.3	12:55	9.0	9.9	-
12:56	18.5	13.8	12:56	9.5	9.8	-
12:57	12.0	13.7	12:57	14.5	10.2	-
12:58	12.0	13.8	12:58	11.5	10.3	-
12:59	12.0	13.8	12:59	13.0	10.3	-
13:00	12.5	13.8	13:00	12.5	10.4	-
13:01	13.0	13.9	13:01	11.0	10.4	-
13:02	12.0	13.9	13:02	10.0	10.0	-
13:03	12.0	14.0	13:03	7.8	9.8	-
13:04	12.3	14.1	13:04	6.0	9.3	-
13:05	12.5	14.1	13:05	6.0	9.1	-
13:06	12.3	14.1	13:06	6.8	9.0	-
13:07	11.0	14.0	13:07	6.8	9.1	-
13:08	10.0	13.9	13:08	5.8	9.1	-
13:09	11.3	13.5	13:09	5.3	9.0	-
13:10	21.8	13.0	13:10	6.0	8.8	-
13:11	15.3	12.8	13:11	5.3	8.5	-
13:12	13.8	12.9	13:12	5.0	7.9	-
13:13	13.3	13.0	13:13	5.0	7.5	-
13:14	26.5	14.0	13:14	5.0	6.9	-
13:15	21.8	14.6	13:15	5.0	6.4	-
13:16	11.8	14.5	13:16	5.5	6.1	-
13:17	11.0	14.4	13:17	6.0	5.8	-
13:18	11.0	14.4	13:18	6.0	5.7	-
13:19	12.0	14.3	13:19	5.3	5.6	-
13:20	13.3	14.4	13:20	5.8	5.6	-
13:21	11.3	14.3	13:21	5.0	5.5	-
13:22	11.0	14.3	13:22	5.0	5.4	-
13:23	10.6	14.4	13:23	5.0	5.3	-
13:24	11.0	14.3	13:24	5.0	5.3	-
13:25	11.0	13.6	13:25	6.0	5.3	-
13:26	12.0	13.4	13:26	6.5	5.4	-
13:27	12.5	13.3	13:27	6.0	5.5	-
13:28	10.3	13.1	13:28	6.8	5.6	-
13:29	12.3	12.2	13:29	7.3	5.7	-
13:30	14.8	11.7	13:30	10.8	6.1	-
13:31	12.3	11.7	13:31	18.0	7.0	-
13:32	19.0	12.3	13:32	16.5	7.7	-
13:33	30.8	13.6	13:33	10.3	7.9	-
13:34	29.5	14.8	13:34	7.8	8.1	-
13:35	23.3	15.4	13:35	6.0	8.1	-
13:36	31.5	16.8	13:36	6.0	8.2	-
13:37	36.0	18.4	13:37	6.0	8.3	-
13:38	17.0	18.9	13:38	7.0	8.4	-
13:39	26.3	19.9	13:39	6.8	8.5	-
13:40	24.5	20.8	13:40	6.0	8.5	-
13:41	19.8	21.3	13:41	6.3	8.5	-
13:42	25.5	22.2	13:42	13.0	9.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:43	38.0	24.0	13:43	28.3	10.4	-
13:44	26.3	25.0	13:44	17.0	11.0	-
13:45	33.5	26.2	13:45	7.8	10.8	-
13:46	17.0	26.5	13:46	16.0	10.7	-
13:47	31.5	27.4	13:47	13.0	10.5	-
13:48	33.3	27.5	13:48	11.3	10.5	-
13:49	33.8	27.8	13:49	12.8	10.9	-
13:50	24.8	27.9	13:50	9.3	11.1	-
13:51	25.8	27.5	13:51	6.0	11.1	-
13:52	18.8	26.4	13:52	7.0	11.2	-
13:53	12.3	26.1	13:53	10.8	11.4	-
13:54	15.8	25.4	13:54	7.5	11.5	-
13:55	17.3	24.9	13:55	6.3	11.5	-
13:56	14.5	24.5	13:56	6.0	11.5	-
13:57	15.3	23.8	13:57	6.0	11.0	-
13:58	16.3	22.4	13:58	6.8	9.6	-
13:59	14.0	21.6	13:59	8.3	9.0	-
14:00	26.8	21.1	14:00	9.5	9.1	-
14:01	31.0	22.1	14:01	9.3	8.6	-
14:02	13.3	20.8	14:02	18.3	9.0	-
14:03	12.8	19.5	14:03	10.5	8.9	-
14:04	14.0	18.2	14:04	8.8	8.7	-
14:05	16.3	17.6	14:05	8.8	8.6	-
14:06	21.3	17.3	14:06	7.5	8.7	-
14:07	15.0	17.0	14:07	12.3	9.1	-
14:08	13.0	17.1	14:08	14.3	9.3	-
14:09	12.0	16.8	14:09	17.0	10.0	-
14:10	12.0	16.5	14:10	14.0	10.5	-
14:11	12.8	16.4	14:11	16.3	11.2	-
14:12	13.3	16.2	14:12	14.0	11.7	-
14:13	13.0	16.0	14:13	15.6	12.3	-
14:14	13.0	16.0	14:14	11.6	12.5	-
14:15	12.8	15.0	14:15	10.0	12.5	-
14:16	11.8	13.7	14:16	14.0	12.8	-
14:17	13.5	13.8	14:17	14.8	12.6	-
14:18	16.0	14.0	14:18	13.2	12.8	-
14:19	17.5	14.2	14:19	10.8	12.9	-
14:20	27.5	15.0	14:20	6.5	12.8	-
14:21	18.8	14.8	14:21	8.5	12.8	-
14:22	19.5	15.1	14:22	8.8	12.6	-
14:23	20.8	15.6	14:23	6.0	12.1	-
14:24	18.8	16.1	14:24	6.0	11.3	-
14:25	16.5	16.4	14:25	7.3	10.9	-
14:26	15.3	16.5	14:26	7.5	10.3	-
14:27	13.3	16.5	14:27	7.0	9.8	-
14:28	15.0	16.7	14:28	7.0	9.3	-
14:29	13.8	16.7	14:29	8.3	9.0	-
14:30	12.8	16.7	14:30	13.0	9.2	-
14:31	13.5	16.8	14:31	10.8	9.0	-
14:32	36.0	18.3	14:32	9.0	8.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:33	25.5	19.0	14:33	5.8	8.1	-
14:34	15.5	18.8	14:34	5.3	7.8	-
14:35	15.4	18.0	14:35	6.0	7.7	-
14:36	13.2	17.6	14:36	8.5	7.7	-
14:37	12.0	17.1	14:37	8.5	7.7	-
14:38	12.0	16.6	14:38	9.3	7.9	-
14:39	13.5	16.2	14:39	11.3	8.3	-
14:40	12.5	15.9	14:40	8.8	8.4	-
14:41	12.3	15.7	14:41	6.0	8.3	-
14:42	13.0	15.7	14:42	6.0	8.2	-
14:43	13.0	15.6	14:43	6.0	8.2	-
14:44	13.0	15.5	14:44	7.0	8.1	-
14:45	12.3	15.5	14:45	6.0	7.6	-
14:46	11.3	15.4	14:46	6.3	7.3	-
14:47	12.8	13.8	14:47	9.8	7.4	-
14:48	13.8	13.0	14:48	7.8	7.5	-
14:49	14.8	13.0	14:49	6.0	7.5	-
14:50	15.5	13.0	14:50	5.8	7.5	-
14:51	15.3	13.1	14:51	7.5	7.5	-
14:52	15.0	13.3	14:52	9.8	7.5	-
14:53	14.5	13.5	14:53	7.3	7.4	-
14:54	13.3	13.5	14:54	7.0	7.1	-
14:55	12.3	13.5	14:55	6.5	7.0	-
14:56	13.0	13.5	14:56	6.0	7.0	-
14:57	18.3	13.9	14:57	7.5	7.1	-
14:58	22.3	14.5	14:58	7.0	7.1	-
14:59	25.0	15.3	14:59	7.3	7.2	-
15:00	16.0	15.5	15:00	8.5	7.3	-
15:01	13.5	15.7	15:01	16.8	8.0	-
15:02	13.0	15.7	15:02	11.3	8.1	-
15:03	13.5	15.7	15:03	10.3	8.3	-
15:04	13.5	15.6	15:04	8.8	8.5	-
15:05	15.5	15.6	15:05	9.0	8.7	-
15:06	15.3	15.6	15:06	16.0	9.3	-
15:07	15.0	15.6	15:07	15.3	9.6	-
15:08	13.5	15.5	15:08	9.5	9.8	-
15:09	13.5	15.5	15:09	8.0	9.8	-
15:10	12.0	15.5	15:10	10.0	10.1	-
15:11	13.0	15.5	15:11	9.0	10.3	-
15:12	13.3	15.2	15:12	10.3	10.5	-
15:13	13.0	14.6	15:13	12.8	10.8	-
15:14	13.0	13.8	15:14	13.0	11.2	-
15:15	14.0	13.6	15:15	11.0	11.4	-
15:16	13.3	13.6	15:16	8.3	10.8	-
15:17	15.3	13.8	15:17	6.8	10.5	-
15:18	41.8	15.7	15:18	15.0	10.8	-
15:19	29.3	16.7	15:19	15.8	11.3	-
15:20	22.8	17.2	15:20	12.3	11.5	-
15:21	15.0	17.2	15:21	16.3	11.5	-
15:22	13.3	17.1	15:22	16.5	11.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:23	13.8	17.1	15:23	15.6	12.0	-
15:24	14.8	17.2	15:24	16.8	12.6	-
15:25	14.0	17.3	15:25	18.0	13.1	-
15:26	14.5	17.4	15:26	10.4	13.2	-
15:27	14.8	17.5	15:27	7.0	13.0	-
15:28	13.0	17.5	15:28	7.8	12.7	-
15:29	17.8	17.8	15:29	8.8	12.4	-
15:30	26.5	18.6	15:30	6.0	12.1	-
15:31	17.0	18.9	15:31	6.0	11.9	-
15:32	12.5	18.7	15:32	5.8	11.9	-
15:33	12.0	16.7	15:33	5.0	11.2	-
15:34	12.5	15.6	15:34	6.5	10.6	-
15:35	14.5	15.1	15:35	6.3	10.2	-
15:36	12.8	14.9	15:36	5.8	9.5	-
15:37	12.5	14.9	15:37	6.3	8.8	-
15:38	19.3	15.2	15:38	6.0	8.1	-
15:39	44.8	17.2	15:39	6.8	7.5	-
15:40	24.8	17.9	15:40	6.8	6.7	-
15:41	19.8	18.3	15:41	6.0	6.4	-
15:42	13.2	18.2	15:42	6.5	6.4	-
15:43	13.6	18.2	15:43	7.0	6.4	-
15:44	14.2	18.0	15:44	7.3	6.3	-
15:45	16.3	17.3	15:45	6.3	6.3	-
15:46	14.8	17.2	15:46	6.8	6.3	-
15:47	14.0	17.3	15:47	8.8	6.5	-
15:48	13.8	17.4	15:48	7.0	6.7	-
15:49	11.5	17.3	15:49	7.0	6.7	-
15:50	12.8	17.2	15:50	9.0	6.9	-
15:51	13.5	17.2	15:51	10.0	7.2	-
15:52	12.3	17.2	15:52	9.8	7.4	-
15:53	13.3	16.8	15:53	8.0	7.5	-
15:54	15.3	14.9	15:54	8.3	7.6	-
15:55	12.3	14.0	15:55	12.5	8.0	-
15:56	12.8	13.6	15:56	9.3	8.2	-
15:57	13.0	13.5	15:57	6.5	8.2	-
15:58	14.8	13.6	15:58	5.8	8.1	-
15:59	14.8	13.7	15:59	5.0	8.0	-
16:00	12.0	13.4	16:00	6.0	8.0	-
16:01	11.3	13.1	16:01	6.3	7.9	-
16:02	15.0	13.2	16:02	6.0	7.8	-
16:03	25.8	14.0	16:03	5.5	7.7	-
16:04	17.5	14.4	16:04	7.0	7.7	-
16:05	16.8	14.7	16:05	6.3	7.5	-
16:06	20.0	15.1	16:06	6.3	7.2	-
16:07	14.8	15.3	16:07	7.5	7.1	-
16:08	14.5	15.4	16:08	11.0	7.3	-
16:09	12.3	15.2	16:09	9.5	7.4	-
16:10	12.8	15.2	16:10	8.3	7.1	-
16:11	15.0	15.3	16:11	7.0	6.9	-
16:12	16.0	15.5	16:12	6.5	6.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:13	22.8	16.1	16:13	11.5	7.3	-
16:14	31.0	17.2	16:14	9.8	7.6	-
16:15	42.0	19.2	16:15	50.0	10.6	-
16:16	32.5	20.6	16:16	86.8	15.9	-
16:17	22.0	21.0	16:17	31.0	17.6	-
16:18	19.0	20.6	16:18	24.3	18.8	-
16:19	15.0	20.4	16:19	11.8	19.2	-
16:20	15.5	20.3	16:20	16.8	19.9	-
16:21	14.0	19.9	16:21	16.5	20.5	-
16:22	16.3	20.0	16:22	10.0	20.7	-
16:23	17.5	20.2	16:23	8.8	20.6	-
16:24	50.3	22.8	16:24	12.3	20.7	-
16:25	42.8	24.8	16:25	11.3	20.9	-
16:26	21.5	25.2	16:26	13.3	21.4	-
16:27	16.0	25.2	16:27	13.3	21.8	-
16:28	14.0	24.6	16:28	7.3	21.5	-
16:29	14.0	23.5	16:29	6.8	21.3	-
16:30	15.3	21.7	16:30	8.5	18.6	-
16:31	15.3	20.6	16:31	11.5	13.5	-
16:32	12.0	19.9	16:32	9.3	12.1	-
16:33	12.3	19.4	16:33	9.5	11.1	-
16:34	12.0	19.2	16:34	17.4	11.5	-
16:35	12.0	19.0	16:35	13.4	11.3	-
16:36	19.8	19.4	16:36	13.0	11.0	-
16:37	16.8	19.4	16:37	15.4	11.4	-
16:38	13.3	19.1	16:38	14.8	11.8	-
16:39	12.8	16.6	16:39	26.2	12.7	-
16:40	12.0	14.6	16:40	23.5	13.5	-
16:41	11.3	13.9	16:41	26.0	14.4	-
16:42	11.5	13.6	16:42	11.8	14.3	-
16:43	11.0	13.4	16:43	11.0	14.5	-
16:44	10.8	13.2	16:44	13.3	15.0	-
16:45	11.0	12.9	16:45	12.5	15.2	-
16:46	10.5	12.6	16:46	10.5	15.2	-
16:47	11.5	12.6	16:47	6.0	14.9	-
16:48	10.5	12.4	16:48	7.5	14.8	-
16:49	10.0	12.3	16:49	10.5	14.4	-
16:50	10.0	12.2	16:50	12.5	14.3	-
16:51	10.0	11.5	16:51	12.3	14.2	-
16:52	10.0	11.1	16:52	7.3	13.7	-

Wednesday, September 7, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						570
Start Time:						7:08
End Time:						16:52
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:08	0.0	-	7:08	0.0	-	-
7:09	0.0	-	7:09	0.0	-	-
7:10	0.0	-	7:10	0.0	-	-
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	0.0	7:23	0.0	0.0	-
7:24	0.0	0.0	7:24	0.0	0.0	-
7:25	0.0	0.0	7:25	0.0	0.0	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-



PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-
16:26	0.0	0.0	16:26	0.0	0.0	-
16:27	0.0	0.0	16:27	0.0	0.0	-
16:28	0.0	0.0	16:28	0.0	0.0	-
16:29	0.0	0.0	16:29	0.0	0.0	-
16:30	0.0	0.0	16:30	0.0	0.0	-
16:31	0.0	0.0	16:31	0.0	0.0	-
16:32	0.0	0.0	16:32	0.0	0.0	-
16:33	0.0	0.0	16:33	0.0	0.0	-
16:34	0.0	0.0	16:34	0.0	0.0	-
16:35	0.0	0.0	16:35	0.0	0.0	-
16:36	0.0	0.0	16:36	0.0	0.0	-
16:37	0.0	0.0	16:37	0.0	0.0	-
16:38	0.0	0.0	16:38	0.0	0.0	-
16:39	0.0	0.0	16:39	0.0	0.0	-
16:40	0.0	0.0	16:40	0.0	0.0	-
16:41	0.0	0.0	16:41	0.0	0.0	-
16:42	0.0	0.0	16:42	0.0	0.0	-
16:43	0.0	0.0	16:43	0.0	0.0	-
16:44	0.0	0.0	16:44	0.0	0.0	-
16:45	0.0	0.0	16:45	0.0	0.0	-
16:46	0.0	0.0	16:46	0.0	0.0	-
16:47	0.0	0.0	16:47	0.0	0.0	-
16:48	0.0	0.0	16:48	0.0	0.0	-
16:49	0.0	0.0	16:49	0.0	0.0	-
16:50	0.0	0.0	16:50	0.0	0.0	-
16:51	0.0	0.0	16:51	0.0	0.0	-
16:52	0.0	0.0	16:52	0.0	0.0	-

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/08/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NNE	Relative Humidity (%)	53.0 - 77.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	67.0 - 79.0	Wind Speed (MPH)	1.9 - 5.0	Barometer (inHg)	29.90 - 30.00			

Station Location Area	Work	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		11.8	20.3	8:01	0.0	0.0	10:51
Downwind		15.8	54.5	10:15	0.0	0.0	9:34



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Thursday, September 8, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						569
Start Time:						7:17
End Time:						17:00
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:17	332.8	-	7:17	262.3	-	-
7:18	38.8	-	7:18	40.0	-	-
7:19	26.8	-	7:19	30.0	-	-
7:20	17.3	-	7:20	24.8	-	-
7:21	14.8	-	7:21	24.5	-	-
7:22	15.8	-	7:22	17.8	-	-
7:23	15.0	-	7:23	18.3	-	-
7:24	13.3	-	7:24	19.5	-	-
7:25	13.8	-	7:25	21.0	-	-
7:26	13.6	-	7:26	19.0	-	-
7:27	13.0	-	7:27	21.3	-	-
7:28	13.0	-	7:28	20.8	-	-
7:29	12.8	-	7:29	15.3	-	-
7:30	12.0	-	7:30	20.5	-	-
7:31	11.0	-	7:31	17.0	-	-
7:32	13.0	16.2	7:32	31.3	22.7	-
7:33	24.8	15.3	7:33	28.5	22.0	-
7:34	32.5	15.7	7:34	15.5	21.0	-
7:35	16.5	15.6	7:35	14.8	20.3	-
7:36	14.0	15.6	7:36	24.5	20.3	-
7:37	13.0	15.4	7:37	31.8	21.3	-
7:38	12.3	15.2	7:38	17.5	21.2	-
7:39	14.8	15.3	7:39	15.3	20.9	-
7:40	15.0	15.4	7:40	13.5	20.4	-
7:41	10.5	15.2	7:41	12.0	20.0	-
7:42	11.0	15.1	7:42	11.0	19.3	-
7:43	9.3	14.8	7:43	10.5	18.6	-
7:44	10.3	14.7	7:44	11.5	18.3	-
7:45	10.3	14.5	7:45	13.5	17.9	-
7:46	10.8	14.5	7:46	13.3	17.6	-
7:47	11.8	14.4	7:47	13.0	16.4	-
7:48	13.3	13.7	7:48	14.8	15.5	-
7:49	10.5	12.2	7:49	13.5	15.4	-
7:50	10.3	11.8	7:50	10.0	15.0	-
7:51	10.3	11.5	7:51	11.0	14.1	-
7:52	51.3	14.1	7:52	12.3	12.8	-
7:53	42.5	16.1	7:53	12.3	12.5	-
7:54	12.3	15.9	7:54	10.8	12.2	-
7:55	14.0	15.9	7:55	12.3	12.1	-
7:56	14.3	16.1	7:56	11.0	12.0	-
7:57	31.8	17.5	7:57	11.0	12.0	-
7:58	37.0	19.4	7:58	8.3	11.9	-
7:59	18.0	19.9	7:59	10.0	11.8	-
8:00	15.5	20.2	8:00	9.8	11.5	-
8:01	12.0	20.3	8:01	9.8	11.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:02	9.8	20.2	8:02	12.3	11.3	-
8:03	9.0	19.9	8:03	16.8	11.4	-
8:04	10.0	19.9	8:04	11.8	11.3	-
8:05	10.5	19.9	8:05	10.5	11.3	-
8:06	10.3	19.9	8:06	11.0	11.3	-
8:07	8.0	17.0	8:07	10.8	11.2	-
8:08	8.5	14.7	8:08	11.3	11.1	-
8:09	9.8	14.6	8:09	13.0	11.3	-
8:10	16.5	14.7	8:10	23.8	12.1	-
8:11	12.3	14.6	8:11	16.5	12.4	-
8:12	17.0	13.6	8:12	10.0	12.4	-
8:13	17.5	12.3	8:13	10.8	12.5	-
8:14	14.8	12.1	8:14	7.8	12.4	-
8:15	9.3	11.7	8:15	5.3	12.1	-
8:16	9.3	11.5	8:16	6.0	11.8	-
8:17	8.8	11.4	8:17	8.6	11.6	-
8:18	8.3	11.4	8:18	8.0	11.0	-
8:19	8.8	11.3	8:19	5.5	10.6	-
8:20	7.3	11.1	8:20	5.5	10.2	-
8:21	7.8	10.9	8:21	5.8	9.9	-
8:22	8.8	11.0	8:22	5.0	9.5	-
8:23	7.3	10.9	8:23	5.0	9.1	-
8:24	6.3	10.6	8:24	5.5	8.6	-
8:25	6.8	10.0	8:25	6.0	7.4	-
8:26	7.3	9.7	8:26	6.0	6.7	-
8:27	8.0	9.1	8:27	6.8	6.5	-
8:28	8.5	8.5	8:28	7.0	6.2	-
8:29	9.0	8.1	8:29	6.0	6.1	-
8:30	8.5	8.0	8:30	6.0	6.2	-
8:31	8.8	8.0	8:31	22.3	7.3	-
8:32	10.0	8.1	8:32	12.3	7.5	-
8:33	9.3	8.1	8:33	31.8	9.1	-
8:34	9.0	8.2	8:34	15.5	9.8	-
8:35	10.0	8.3	8:35	7.8	9.9	-
8:36	11.8	8.6	8:36	5.8	9.9	-
8:37	9.0	8.6	8:37	6.5	10.0	-
8:38	10.5	8.8	8:38	6.0	10.1	-
8:39	10.8	9.1	8:39	6.0	10.1	-
8:40	5.0	9.0	8:40	10.5	10.4	-
8:41	6.0	8.9	8:41	10.0	10.7	-
8:42	5.3	8.8	8:42	9.0	10.8	-
8:43	6.3	8.6	8:43	9.8	11.0	-
8:44	7.0	8.5	8:44	10.3	11.3	-
8:45	7.3	8.4	8:45	9.0	11.5	-
8:46	7.8	8.3	8:46	10.3	10.7	-
8:47	6.0	8.1	8:47	9.3	10.5	-
8:48	5.3	7.8	8:48	8.5	8.9	-
8:49	4.3	7.5	8:49	7.3	8.4	-
8:50	4.8	7.1	8:50	7.5	8.4	-
8:51	4.0	6.6	8:51	7.5	8.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:52	4.0	6.3	8:52	8.0	8.6	-
8:53	4.8	5.9	8:53	7.5	8.7	-
8:54	5.0	5.5	8:54	14.3	9.2	-
8:55	4.3	5.5	8:55	9.3	9.2	-
8:56	4.3	5.3	8:56	6.0	8.9	-
8:57	4.0	5.3	8:57	6.3	8.7	-
8:58	3.3	5.1	8:58	8.0	8.6	-
8:59	4.8	4.9	8:59	8.5	8.5	-
9:00	4.0	4.7	9:00	9.0	8.5	-
9:01	3.0	4.4	9:01	7.8	8.3	-
9:02	4.0	4.2	9:02	8.3	8.2	-
9:03	6.3	4.3	9:03	8.0	8.2	-
9:04	17.5	5.2	9:04	11.8	8.5	-
9:05	9.0	5.5	9:05	13.8	8.9	-
9:06	12.5	6.0	9:06	28.3	10.3	-
9:07	6.8	6.2	9:07	13.8	10.7	-
9:08	3.3	6.1	9:08	7.0	10.7	-
9:09	3.8	6.0	9:09	7.8	10.2	-
9:10	8.3	6.3	9:10	4.3	9.9	-
9:11	7.8	6.5	9:11	4.0	9.8	-
9:12	7.0	6.7	9:12	3.3	9.6	-
9:13	7.3	7.0	9:13	3.5	9.3	-
9:14	7.0	7.2	9:14	3.5	8.9	-
9:15	6.5	7.3	9:15	5.0	8.7	-
9:16	7.0	7.6	9:16	5.0	8.5	-
9:17	7.5	7.8	9:17	5.0	8.3	-
9:18	7.5	7.9	9:18	5.0	8.1	-
9:19	6.0	7.1	9:19	4.0	7.5	-
9:20	7.0	7.0	9:20	4.0	6.9	-
9:21	6.0	6.6	9:21	4.0	5.3	-
9:22	7.0	6.6	9:22	4.3	4.6	-
9:23	10.0	7.0	9:23	5.0	4.5	-
9:24	8.0	7.3	9:24	4.3	4.3	-
9:25	7.3	7.3	9:25	4.0	4.3	-
9:26	11.8	7.5	9:26	4.2	4.3	-
9:27	6.3	7.5	9:27	5.0	4.4	-
9:28	7.0	7.5	9:28	7.8	4.7	-
9:29	7.0	7.5	9:29	5.5	4.8	-
9:30	7.0	7.5	9:30	6.0	4.9	-
9:31	6.8	7.5	9:31	11.0	5.3	-
9:32	7.5	7.5	9:32	22.5	6.4	-
9:33	8.0	7.5	9:33	16.3	7.2	-
9:34	7.0	7.6	9:34	42.5	9.7	-
9:35	8.3	7.7	9:35	15.3	10.5	-
9:36	8.0	7.8	9:36	4.0	10.5	-
9:37	7.0	7.8	9:37	3.8	10.5	-
9:38	8.0	7.7	9:38	5.5	10.5	-
9:39	6.5	7.6	9:39	4.8	10.5	-
9:40	7.8	7.6	9:40	5.8	10.6	-
9:41	15.3	7.8	9:41	5.0	10.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:42	22.8	8.9	9:42	6.0	10.8	-
9:43	14.5	9.4	9:43	5.0	10.6	-
9:44	14.5	9.9	9:44	5.3	10.6	-
9:45	20.2	10.8	9:45	4.0	10.4	-
9:46	24.8	12.0	9:46	4.0	10.0	-
9:47	16.3	12.6	9:47	5.5	8.8	-
9:48	6.3	12.5	9:48	6.0	8.2	-
9:49	14.0	12.9	9:49	6.3	5.7	-
9:50	15.3	13.4	9:50	5.0	5.1	-
9:51	9.8	13.5	9:51	4.8	5.1	-
9:52	7.3	13.5	9:52	5.8	5.2	-
9:53	7.5	13.5	9:53	7.0	5.3	-
9:54	7.8	13.6	9:54	8.0	5.6	-
9:55	7.0	13.5	9:55	6.0	5.6	-
9:56	6.5	13.0	9:56	5.5	5.6	-
9:57	7.0	11.9	9:57	4.3	5.5	-
9:58	10.5	11.6	9:58	7.8	5.7	-
9:59	11.5	11.4	9:59	7.0	5.8	-
10:00	6.8	10.5	10:00	6.8	6.0	-
10:01	6.0	9.3	10:01	58.5	9.6	-
10:02	6.0	8.6	10:02	29.5	11.2	-
10:03	6.8	8.6	10:03	23.0	12.3	-
10:04	9.0	8.3	10:04	35.5	14.3	-
10:05	9.0	7.9	10:05	443.8	43.5	-
10:06	7.8	7.8	10:06	100.0	49.9	-
10:07	6.5	7.7	10:07	35.5	51.9	-
10:08	7.3	7.7	10:08	28.3	53.3	-
10:09	9.0	7.8	10:09	7.0	53.2	-
10:10	7.0	7.8	10:10	6.0	53.2	-
10:11	6.5	7.8	10:11	14.5	53.8	-
10:12	7.5	7.8	10:12	14.3	54.5	-
10:13	15.3	8.1	10:13	7.0	54.4	-
10:14	7.8	7.9	10:14	7.8	54.5	-
10:15	6.8	7.9	10:15	7.0	54.5	-
10:16	6.0	7.9	10:16	6.8	51.1	-
10:17	5.8	7.9	10:17	6.8	49.5	-
10:18	8.3	8.0	10:18	7.0	48.5	-
10:19	6.5	7.8	10:19	17.5	47.3	-
10:20	6.3	7.6	10:20	15.0	18.7	-
10:21	6.3	7.5	10:21	9.0	12.6	-
10:22	7.5	7.6	10:22	13.8	11.2	-
10:23	9.3	7.7	10:23	15.3	10.3	-
10:24	8.3	7.7	10:24	9.8	10.5	-
10:25	8.0	7.7	10:25	8.5	10.7	-
10:26	6.3	7.7	10:26	9.3	10.3	-
10:27	10.0	7.9	10:27	9.8	10.0	-
10:28	8.3	7.4	10:28	8.3	10.1	-
10:29	14.5	7.9	10:29	7.0	10.0	-
10:30	20.3	8.8	10:30	7.0	10.0	-
10:31	8.8	8.9	10:31	7.8	10.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:32	11.8	9.3	10:32	15.0	10.7	-
10:33	10.0	9.5	10:33	28.0	12.1	-
10:34	8.3	9.6	10:34	23.0	12.4	-
10:35	7.0	9.6	10:35	22.3	12.9	-
10:36	9.2	9.8	10:36	17.8	13.5	-
10:37	13.0	10.2	10:37	24.0	14.2	-
10:38	15.2	10.6	10:38	11.3	13.9	-
10:39	11.2	10.8	10:39	6.5	13.7	-
10:40	9.8	10.9	10:40	5.3	13.5	-
10:41	8.3	11.0	10:41	6.3	13.3	-
10:42	8.8	10.9	10:42	6.0	13.0	-
10:43	7.8	10.9	10:43	7.5	13.0	-
10:44	8.3	10.5	10:44	7.5	13.0	-
10:45	10.5	9.8	10:45	8.3	13.1	-
10:46	11.5	10.0	10:46	8.5	13.1	-
10:47	12.5	10.1	10:47	10.3	12.8	-
10:48	9.0	10.0	10:48	10.5	11.7	-
10:49	10.3	10.1	10:49	9.0	10.7	-
10:50	10.8	10.4	10:50	9.5	9.9	-
10:51	9.0	10.4	10:51	13.3	9.6	-
10:52	9.8	10.2	10:52	14.8	9.0	-
10:53	14.0	10.1	10:53	9.0	8.8	-
10:54	23.0	10.9	10:54	11.8	9.2	-
10:55	15.6	11.3	10:55	10.3	9.5	-
10:56	12.0	11.5	10:56	10.3	9.8	-
10:57	8.8	11.5	10:57	9.5	10.0	-
10:58	8.8	11.6	10:58	10.3	10.2	-
10:59	9.5	11.7	10:59	16.5	10.8	-
11:00	8.8	11.5	11:00	14.5	11.2	-
11:01	12.8	11.6	11:01	10.5	11.3	-
11:02	15.5	11.8	11:02	22.0	12.1	-
11:03	9.8	11.9	11:03	15.8	12.5	-
11:04	11.5	12.0	11:04	14.3	12.8	-
11:05	9.3	11.9	11:05	15.0	13.2	-
11:06	8.8	11.8	11:06	12.3	13.1	-
11:07	7.3	11.7	11:07	14.0	13.1	-
11:08	7.0	11.2	11:08	14.3	13.4	-
11:09	7.0	10.1	11:09	9.0	13.2	-
11:10	7.5	9.6	11:10	10.5	13.2	-
11:11	7.3	9.3	11:11	10.3	13.2	-
11:12	8.5	9.3	11:12	14.8	13.6	-
11:13	9.3	9.3	11:13	13.0	13.8	-
11:14	10.0	9.3	11:14	10.5	13.4	-
11:15	9.5	9.4	11:15	13.8	13.3	-
11:16	9.0	9.1	11:16	17.0	13.8	-
11:17	9.0	8.7	11:17	12.0	13.1	-
11:18	8.3	8.6	11:18	10.8	12.8	-
11:19	8.8	8.4	11:19	10.3	12.5	-
11:20	9.0	8.4	11:20	10.3	12.2	-
11:21	9.5	8.5	11:21	9.0	12.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:22	9.0	8.6	11:22	10.0	11.7	-
11:23	9.0	8.7	11:23	10.5	11.4	-
11:24	8.0	8.8	11:24	9.5	11.5	-
11:25	8.5	8.8	11:25	32.5	12.9	-
11:26	8.5	8.9	11:26	202.3	25.7	-
11:27	8.0	8.9	11:27	27.8	26.6	-
11:28	8.0	8.8	11:28	8.0	26.3	-
11:29	8.0	8.7	11:29	8.8	26.2	-
11:30	10.3	8.7	11:30	9.3	25.9	-
11:31	9.5	8.8	11:31	9.0	25.3	-
11:32	8.0	8.7	11:32	11.0	25.3	-
11:33	9.8	8.8	11:33	10.3	25.2	-
11:34	11.0	8.9	11:34	8.0	25.1	-
11:35	9.0	8.9	11:35	9.8	25.0	-
11:36	9.3	8.9	11:36	10.5	25.1	-
11:37	10.0	9.0	11:37	10.5	25.2	-
11:38	10.0	9.1	11:38	11.5	25.2	-
11:39	10.8	9.2	11:39	9.3	25.2	-
11:40	9.5	9.3	11:40	9.5	23.7	-
11:41	8.5	9.3	11:41	12.8	11.1	-
11:42	8.0	9.3	11:42	10.8	9.9	-
11:43	8.3	9.3	11:43	11.5	10.2	-
11:44	9.3	9.4	11:44	11.2	10.3	-
11:45	9.8	9.4	11:45	11.2	10.4	-
11:46	9.8	9.4	11:46	9.6	10.5	-
11:47	9.0	9.5	11:47	7.8	10.3	-
11:48	8.8	9.4	11:48	8.0	10.1	-
11:49	9.0	9.3	11:49	10.0	10.3	-
11:50	9.0	9.3	11:50	15.3	10.6	-
11:51	9.5	9.3	11:51	10.5	10.6	-
11:52	9.5	9.2	11:52	10.3	10.6	-
11:53	9.0	9.2	11:53	9.3	10.5	-
11:54	7.8	9.0	11:54	9.8	10.5	-
11:55	7.3	8.8	11:55	10.5	10.6	-
11:56	8.0	8.8	11:56	10.8	10.4	-
11:57	8.8	8.8	11:57	17.8	10.9	-
11:58	8.0	8.8	11:58	20.3	11.5	-
11:59	7.3	8.7	11:59	12.0	11.5	-
12:00	8.0	8.6	12:00	10.0	11.4	-
12:01	11.3	8.7	12:01	10.0	11.5	-
12:02	10.3	8.8	12:02	9.0	11.6	-
12:03	10.0	8.8	12:03	9.0	11.6	-
12:04	9.0	8.8	12:04	9.0	11.6	-
12:05	8.8	8.8	12:05	8.8	11.1	-
12:06	8.0	8.7	12:06	9.8	11.1	-
12:07	8.8	8.7	12:07	12.8	11.2	-
12:08	8.8	8.7	12:08	13.8	11.5	-
12:09	8.0	8.7	12:09	9.3	11.5	-
12:10	9.8	8.8	12:10	10.0	11.5	-
12:11	13.0	9.2	12:11	9.8	11.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:12	16.0	9.7	12:12	10.5	10.9	-
12:13	11.8	9.9	12:13	10.5	10.3	-
12:14	10.8	10.1	12:14	12.8	10.3	-
12:15	10.5	10.3	12:15	11.5	10.4	-
12:16	27.5	11.4	12:16	11.8	10.5	-
12:17	28.8	12.6	12:17	11.0	10.7	-
12:18	14.3	12.9	12:18	11.0	10.8	-
12:19	11.0	13.0	12:19	10.5	10.9	-
12:20	10.0	13.1	12:20	11.0	11.1	-
12:21	11.0	13.3	12:21	10.0	11.1	-
12:22	11.5	13.5	12:22	11.5	11.0	-
12:23	14.0	13.9	12:23	13.3	11.0	-
12:24	10.8	14.0	12:24	13.5	11.2	-
12:25	10.8	14.1	12:25	12.8	11.4	-
12:26	11.0	14.0	12:26	11.5	11.5	-
12:27	12.0	13.7	12:27	12.5	11.7	-
12:28	11.0	13.7	12:28	12.5	11.8	-
12:29	10.3	13.6	12:29	11.0	11.7	-
12:30	8.3	13.5	12:30	11.0	11.7	-
12:31	8.3	12.2	12:31	10.5	11.6	-
12:32	8.0	10.8	12:32	10.3	11.5	-
12:33	8.0	10.4	12:33	13.0	11.7	-
12:34	16.5	10.8	12:34	13.8	11.9	-
12:35	29.3	12.0	12:35	22.0	12.6	-
12:36	10.3	12.0	12:36	23.5	13.5	-
12:37	9.5	11.9	12:37	11.5	13.5	-
12:38	9.5	11.6	12:38	11.8	13.4	-
12:39	9.0	11.4	12:39	12.3	13.3	-
12:40	8.0	11.3	12:40	11.8	13.3	-
12:41	9.0	11.1	12:41	11.0	13.2	-
12:42	8.0	10.9	12:42	12.3	13.2	-
12:43	8.0	10.7	12:43	14.0	13.3	-
12:44	11.5	10.7	12:44	12.8	13.4	-
12:45	9.5	10.8	12:45	11.3	13.4	-
12:46	8.8	10.9	12:46	11.0	13.5	-
12:47	11.5	11.1	12:47	12.3	13.6	-
12:48	11.8	11.3	12:48	12.5	13.6	-
12:49	9.3	10.9	12:49	13.0	13.5	-
12:50	9.0	9.5	12:50	12.3	12.9	-
12:51	9.0	9.4	12:51	12.5	12.1	-
12:52	10.3	9.5	12:52	52.5	14.9	-
12:53	9.5	9.5	12:53	43.8	17.0	-
12:54	8.0	9.4	12:54	13.8	17.1	-
12:55	8.5	9.4	12:55	11.6	17.1	-
12:56	9.8	9.5	12:56	11.0	17.1	-
12:57	10.5	9.7	12:57	11.8	17.1	-
12:58	14.8	10.1	12:58	14.5	17.1	-
12:59	21.0	10.7	12:59	14.3	17.2	-
13:00	13.0	11.0	13:00	10.0	17.1	-
13:01	13.5	11.3	13:01	9.5	17.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:02	13.3	11.4	13:02	7.3	16.7	-
13:03	12.0	11.4	13:03	7.3	16.3	-
13:04	12.0	11.6	13:04	8.0	16.0	-
13:05	12.8	11.9	13:05	8.0	15.7	-
13:06	13.3	12.1	13:06	8.5	15.4	-
13:07	13.5	12.4	13:07	8.5	12.5	-
13:08	15.5	12.8	13:08	10.8	10.3	-
13:09	15.3	13.2	13:09	9.8	10.0	-
13:10	9.0	13.3	13:10	14.0	10.2	-
13:11	9.0	13.2	13:11	13.0	10.3	-
13:12	9.5	13.2	13:12	13.8	10.5	-
13:13	8.4	12.7	13:13	14.0	10.4	-
13:14	8.8	11.9	13:14	13.3	10.4	-
13:15	8.2	11.6	13:15	13.0	10.6	-
13:16	8.6	11.3	13:16	13.0	10.8	-
13:17	8.6	11.0	13:17	13.0	11.2	-
13:18	9.0	10.8	13:18	13.8	11.6	-
13:19	9.0	10.6	13:19	14.0	12.0	-
13:20	9.0	10.3	13:20	14.0	12.4	-
13:21	9.0	10.0	13:21	14.5	12.8	-
13:22	9.0	9.7	13:22	15.3	13.3	-
13:23	8.0	9.2	13:23	13.8	13.5	-
13:24	7.8	8.7	13:24	13.0	13.7	-
13:25	8.0	8.7	13:25	13.0	13.6	-
13:26	9.0	8.7	13:26	13.5	13.7	-
13:27	8.3	8.6	13:27	13.8	13.7	-
13:28	9.0	8.6	13:28	13.3	13.6	-
13:29	8.0	8.6	13:29	13.8	13.6	-
13:30	8.0	8.5	13:30	13.3	13.7	-
13:31	7.0	8.4	13:31	13.0	13.7	-
13:32	7.3	8.4	13:32	12.0	13.6	-
13:33	8.0	8.3	13:33	13.3	13.6	-
13:34	8.0	8.2	13:34	14.0	13.6	-
13:35	8.0	8.2	13:35	13.5	13.5	-
13:36	8.8	8.1	13:36	13.0	13.4	-
13:37	7.3	8.0	13:37	13.0	13.3	-
13:38	7.0	8.0	13:38	13.0	13.2	-
13:39	7.0	7.9	13:39	12.3	13.2	-
13:40	8.3	7.9	13:40	12.0	13.1	-
13:41	10.8	8.0	13:41	12.5	13.0	-
13:42	11.0	8.2	13:42	14.5	13.1	-
13:43	11.0	8.4	13:43	17.0	13.3	-
13:44	11.0	8.6	13:44	22.0	13.9	-
13:45	11.0	8.8	13:45	22.8	14.5	-
13:46	11.0	9.0	13:46	26.3	15.4	-
13:47	11.0	9.3	13:47	23.8	16.2	-
13:48	11.0	9.5	13:48	19.3	16.6	-
13:49	11.3	9.7	13:49	18.3	16.9	-
13:50	31.0	11.2	13:50	17.3	17.1	-
13:51	34.0	12.9	13:51	15.0	17.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:52	13.0	13.3	13:52	16.0	17.5	-
13:53	12.5	13.7	13:53	16.0	17.7	-
13:54	11.3	13.9	13:54	16.3	17.9	-
13:55	12.0	14.2	13:55	20.0	18.5	-
13:56	48.3	16.7	13:56	20.8	19.0	-
13:57	20.8	17.3	13:57	14.8	19.0	-
13:58	20.5	18.0	13:58	15.0	18.9	-
13:59	15.0	18.2	13:59	16.5	18.5	-
14:00	15.3	18.5	14:00	16.3	18.1	-
14:01	15.0	18.8	14:01	12.5	17.2	-
14:02	15.8	19.1	14:02	10.8	16.3	-
14:03	15.0	19.4	14:03	13.8	15.9	-
14:04	14.2	19.6	14:04	16.8	15.8	-
14:05	10.8	18.2	14:05	14.0	15.6	-
14:06	12.5	16.8	14:06	14.3	15.6	-
14:07	13.5	16.8	14:07	14.0	15.4	-
14:08	14.0	16.9	14:08	14.0	15.3	-
14:09	11.5	16.9	14:09	14.8	15.2	-
14:10	16.0	17.2	14:10	14.8	14.9	-
14:11	14.3	14.9	14:11	14.0	14.4	-
14:12	10.0	14.2	14:12	14.5	14.4	-
14:13	9.5	13.5	14:13	14.3	14.3	-
14:14	10.5	13.2	14:14	14.3	14.2	-
14:15	11.0	12.9	14:15	15.5	14.1	-
14:16	11.0	12.6	14:16	23.5	14.9	-
14:17	14.8	12.6	14:17	42.5	17.0	-
14:18	14.3	12.5	14:18	18.0	17.3	-
14:19	12.5	12.4	14:19	16.0	17.2	-
14:20	12.3	12.5	14:20	15.0	17.3	-
14:21	11.0	12.4	14:21	17.3	17.5	-
14:22	10.3	12.2	14:22	21.5	18.0	-
14:23	10.2	11.9	14:23	15.5	18.1	-
14:24	10.0	11.8	14:24	16.0	18.2	-
14:25	12.4	11.6	14:25	21.0	18.6	-
14:26	13.0	11.5	14:26	18.0	18.9	-
14:27	11.0	11.6	14:27	26.0	19.6	-
14:28	11.0	11.7	14:28	29.8	20.7	-
14:29	11.0	11.7	14:29	21.3	21.1	-
14:30	11.0	11.7	14:30	19.5	21.4	-
14:31	11.0	11.7	14:31	19.0	21.1	-
14:32	11.8	11.5	14:32	16.8	19.4	-
14:33	12.8	11.4	14:33	14.5	19.1	-
14:34	14.0	11.5	14:34	15.5	19.1	-
14:35	11.3	11.4	14:35	19.8	19.4	-
14:36	12.0	11.5	14:36	19.0	19.5	-
14:37	11.3	11.6	14:37	15.3	19.1	-
14:38	10.5	11.6	14:38	15.0	19.1	-
14:39	10.8	11.6	14:39	14.5	19.0	-
14:40	10.0	11.5	14:40	14.0	18.5	-
14:41	10.5	11.3	14:41	14.0	18.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:42	10.0	11.3	14:42	15.3	17.5	-
14:43	10.0	11.2	14:43	17.0	16.7	-
14:44	10.0	11.1	14:44	15.5	16.3	-
14:45	10.3	11.1	14:45	15.0	16.0	-
14:46	10.5	11.0	14:46	15.0	15.7	-
14:47	10.5	11.0	14:47	15.0	15.6	-
14:48	11.0	10.8	14:48	15.0	15.7	-
14:49	11.0	10.6	14:49	16.3	15.7	-
14:50	11.0	10.6	14:50	16.8	15.5	-
14:51	11.0	10.6	14:51	16.5	15.3	-
14:52	13.0	10.7	14:52	17.0	15.5	-
14:53	19.0	11.2	14:53	16.5	15.6	-
14:54	13.5	11.4	14:54	16.0	15.7	-
14:55	12.8	11.6	14:55	15.8	15.8	-
14:56	13.0	11.8	14:56	16.3	15.9	-
14:57	12.0	11.9	14:57	24.3	16.5	-
14:58	13.8	12.2	14:58	16.3	16.5	-
14:59	11.8	12.3	14:59	16.0	16.5	-
15:00	11.0	12.3	15:00	17.8	16.7	-
15:01	11.0	12.4	15:01	15.0	16.7	-
15:02	12.3	12.5	15:02	15.5	16.7	-
15:03	12.3	12.6	15:03	16.3	16.8	-
15:04	12.0	12.6	15:04	16.3	16.8	-
15:05	13.8	12.8	15:05	17.0	16.8	-
15:06	13.5	13.0	15:06	16.8	16.8	-
15:07	12.0	12.9	15:07	16.0	16.8	-
15:08	12.3	12.5	15:08	15.5	16.7	-
15:09	12.8	12.4	15:09	15.5	16.7	-
15:10	11.5	12.3	15:10	16.8	16.7	-
15:11	11.0	12.2	15:11	15.3	16.7	-
15:12	11.0	12.1	15:12	15.8	16.1	-
15:13	11.0	11.9	15:13	16.0	16.1	-
15:14	11.0	11.9	15:14	16.0	16.1	-
15:15	12.0	12.0	15:15	16.0	16.0	-
15:16	12.0	12.0	15:16	16.0	16.0	-
15:17	11.3	12.0	15:17	16.0	16.1	-
15:18	12.8	12.0	15:18	16.0	16.1	-
15:19	12.3	12.0	15:19	16.0	16.0	-
15:20	12.3	11.9	15:20	16.0	16.0	-
15:21	12.8	11.9	15:21	16.8	16.0	-
15:22	11.5	11.8	15:22	17.3	16.1	-
15:23	11.0	11.7	15:23	16.8	16.1	-
15:24	11.3	11.6	15:24	16.5	16.2	-
15:25	12.0	11.7	15:25	16.0	16.2	-
15:26	12.0	11.7	15:26	16.0	16.2	-
15:27	12.0	11.8	15:27	16.0	16.2	-
15:28	12.5	11.9	15:28	16.0	16.2	-
15:29	14.5	12.1	15:29	16.0	16.2	-
15:30	14.0	12.3	15:30	16.0	16.2	-
15:31	12.0	12.3	15:31	16.0	16.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:32	11.0	12.3	15:32	15.5	16.2	-
15:33	11.0	12.1	15:33	15.0	16.1	-
15:34	11.2	12.1	15:34	15.0	16.1	-
15:35	12.4	12.1	15:35	15.5	16.0	-
15:36	16.4	12.3	15:36	17.3	16.1	-
15:37	19.6	12.9	15:37	23.0	16.4	-
15:38	21.0	13.5	15:38	19.0	16.6	-
15:39	19.8	14.1	15:39	19.8	16.8	-
15:40	13.5	14.2	15:40	16.5	16.8	-
15:41	11.5	14.2	15:41	15.0	16.8	-
15:42	11.0	14.1	15:42	15.0	16.7	-
15:43	11.8	14.0	15:43	15.5	16.7	-
15:44	12.0	13.9	15:44	16.0	16.7	-
15:45	12.0	13.7	15:45	16.0	16.7	-
15:46	11.5	13.7	15:46	15.8	16.7	-
15:47	11.3	13.7	15:47	15.0	16.6	-
15:48	12.3	13.8	15:48	15.3	16.6	-
15:49	13.3	13.9	15:49	16.0	16.7	-
15:50	12.0	13.9	15:50	15.5	16.7	-
15:51	12.0	13.6	15:51	16.0	16.6	-
15:52	12.3	13.1	15:52	16.0	16.2	-
15:53	13.0	12.6	15:53	16.0	16.0	-
15:54	12.0	12.1	15:54	15.3	15.7	-
15:55	12.0	12.0	15:55	15.0	15.6	-
15:56	12.8	12.1	15:56	15.0	15.6	-
15:57	14.0	12.3	15:57	15.0	15.6	-
15:58	13.0	12.4	15:58	15.0	15.5	-
15:59	11.5	12.3	15:59	15.3	15.5	-
16:00	11.0	12.3	16:00	15.0	15.4	-
16:01	14.0	12.4	16:01	15.5	15.4	-
16:02	14.3	12.6	16:02	15.5	15.4	-
16:03	12.8	12.7	16:03	15.0	15.4	-
16:04	12.0	12.6	16:04	15.0	15.3	-
16:05	11.8	12.6	16:05	15.0	15.3	-
16:06	15.3	12.8	16:06	15.3	15.3	-
16:07	16.0	13.0	16:07	16.8	15.3	-
16:08	29.3	14.1	16:08	16.5	15.3	-
16:09	13.5	14.2	16:09	20.5	15.7	-
16:10	16.3	14.5	16:10	19.5	16.0	-
16:11	13.8	14.6	16:11	18.0	16.2	-
16:12	11.0	14.4	16:12	19.8	16.5	-
16:13	12.5	14.3	16:13	17.3	16.7	-
16:14	11.8	14.3	16:14	52.3	19.1	-
16:15	11.0	14.3	16:15	105.8	25.2	-
16:16	10.0	14.1	16:16	30.8	26.2	-
16:17	10.0	13.8	16:17	30.5	27.2	-
16:18	10.8	13.7	16:18	23.8	27.8	-
16:19	14.3	13.8	16:19	17.3	27.9	-
16:20	17.5	14.2	16:20	18.8	28.2	-
16:21	17.5	14.3	16:21	20.8	28.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:22	13.0	14.1	16:22	97.8	33.9	-
16:23	12.0	13.0	16:23	24.0	34.4	-
16:24	11.3	12.8	16:24	18.3	34.3	-
16:25	12.3	12.6	16:25	28.8	34.9	-
16:26	13.8	12.6	16:26	39.2	36.3	-
16:27	13.8	12.8	16:27	28.0	36.9	-
16:28	12.8	12.8	16:28	15.8	36.8	-
16:29	12.0	12.8	16:29	16.3	34.4	-
16:30	12.5	12.9	16:30	18.3	28.5	-
16:31	14.5	13.2	16:31	18.0	27.7	-
16:32	13.8	13.4	16:32	16.8	26.8	-
16:33	13.5	13.6	16:33	19.3	26.5	-
16:34	13.5	13.6	16:34	17.0	26.4	-
16:35	15.0	13.4	16:35	16.5	26.3	-
16:36	14.0	13.2	16:36	20.0	26.2	-
16:37	13.0	13.2	16:37	23.3	21.3	-
16:38	13.0	13.2	16:38	17.5	20.8	-
16:39	13.0	13.4	16:39	19.5	20.9	-
16:40	15.0	13.5	16:40	18.8	20.3	-
16:41	19.8	13.9	16:41	16.8	18.8	-
16:42	15.8	14.1	16:42	16.8	18.0	-
16:43	13.6	14.1	16:43	17.5	18.1	-
16:44	16.0	14.4	16:44	17.5	18.2	-
16:45	23.8	15.1	16:45	16.5	18.1	-
16:46	16.6	15.3	16:46	16.0	18.0	-
16:47	19.0	15.6	16:47	16.3	17.9	-
16:48	15.8	15.8	16:48	16.0	17.7	-
16:49	13.5	15.8	16:49	15.3	17.6	-
16:50	12.0	15.6	16:50	15.5	17.5	-
16:51	11.0	15.4	16:51	19.0	17.5	-
16:52	14.0	15.5	16:52	17.8	17.1	-
16:53	16.0	15.7	16:53	16.0	17.0	-
16:54	12.8	15.6	16:54	15.0	16.7	-
16:55	13.5	15.5	16:55	16.5	16.6	-
16:56	11.3	15.0	16:56	14.3	16.4	-
16:57	11.0	14.7	16:57	15.0	16.3	-
16:58	10.3	14.4	16:58	15.0	16.1	-
16:59	10.0	14.0	16:59	14.5	15.9	-
17:00	10.0	13.1	17:00	13.5	15.7	-

Thursday, September 8, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						569
Start Time:						7:17
End Time:						17:00
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	-	7:26	0.0	-	-
7:27	0.0	-	7:27	0.0	-	-
7:28	0.0	-	7:28	0.0	-	-
7:29	0.0	-	7:29	0.0	-	-
7:30	0.0	-	7:30	0.0	-	-
7:31	0.0	-	7:31	0.0	-	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.1	0.0	10:43	0.0	0.0	-
10:44	0.1	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.2	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-



PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-
16:26	0.0	0.0	16:26	0.0	0.0	-
16:27	0.0	0.0	16:27	0.0	0.0	-
16:28	0.0	0.0	16:28	0.0	0.0	-
16:29	0.0	0.0	16:29	0.0	0.0	-
16:30	0.0	0.0	16:30	0.0	0.0	-
16:31	0.0	0.0	16:31	0.0	0.0	-
16:32	0.0	0.0	16:32	0.0	0.0	-
16:33	0.0	0.0	16:33	0.0	0.0	-
16:34	0.0	0.0	16:34	0.0	0.0	-
16:35	0.0	0.0	16:35	0.0	0.0	-
16:36	0.0	0.0	16:36	0.0	0.0	-
16:37	0.0	0.0	16:37	0.0	0.0	-
16:38	0.0	0.0	16:38	0.0	0.0	-
16:39	0.0	0.0	16:39	0.0	0.0	-
16:40	0.0	0.0	16:40	0.0	0.0	-
16:41	0.0	0.0	16:41	0.0	0.0	-
16:42	0.0	0.0	16:42	0.0	0.0	-
16:43	0.0	0.0	16:43	0.0	0.0	-
16:44	0.0	0.0	16:44	0.0	0.0	-
16:45	0.0	0.0	16:45	0.0	0.0	-
16:46	0.0	0.0	16:46	0.0	0.0	-
16:47	0.0	0.0	16:47	0.0	0.0	-
16:48	0.0	0.0	16:48	0.0	0.0	-
16:49	0.0	0.0	16:49	0.0	0.0	-
16:50	0.0	0.0	16:50	0.0	0.0	-
16:51	0.0	0.0	16:51	0.0	0.0	-
16:52	0.0	0.0	16:52	0.0	0.0	-
16:53	0.0	0.0	16:53	0.0	0.0	-
16:54	0.0	0.0	16:54	0.0	0.0	-
16:55	0.0	0.0	16:55	0.0	0.0	-
16:56	0.0	0.0	16:56	0.0	0.0	-
16:57	0.0	0.0	16:57	0.0	0.0	-
16:58	0.0	0.0	16:58	0.0	0.0	-
16:59	0.0	0.0	16:59	0.0	0.0	-
17:00	0.0	0.0	17:00	0.0	0.0	-

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/09/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NE	Relative Humidity (%)	38.0 - 79.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	65.0 - 82.0	Wind Speed (MPH)	1.2 - 6.4	Barometer (inHg)	30.00 - 30.10			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	14.5	33.2	11:41	0.0	0.0	7:26
Downwind	17.6	39.0	14:00	0.0	0.0	11:42



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Friday, September 9, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						540
Start Time:						7:11
End Time:						16:25
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:11	568.0	-	7:11	450.0	-	-
7:12	130.3	-	7:12	102.5	-	-
7:13	11.5	-	7:13	16.8	-	-
7:14	11.5	-	7:14	15.5	-	-
7:15	12.8	-	7:15	16.5	-	-
7:16	13.3	-	7:16	15.0	-	-
7:17	13.3	-	7:17	14.8	-	-
7:18	13.8	-	7:18	14.5	-	-
7:19	15.5	-	7:19	15.0	-	-
7:20	19.8	-	7:20	15.5	-	-
7:21	15.8	-	7:21	15.8	-	-
7:22	20.5	-	7:22	16.5	-	-
7:23	13.8	-	7:23	14.0	-	-
7:24	13.0	-	7:24	13.3	-	-
7:25	13.5	-	7:25	18.3	-	-
7:26	15.8	22.3	7:26	17.0	21.4	-
7:27	30.3	15.6	7:27	17.8	15.7	-
7:28	51.0	18.2	7:28	18.8	15.9	-
7:29	20.5	18.8	7:29	19.8	16.2	-
7:30	13.5	18.9	7:30	16.5	16.2	-
7:31	14.5	19.0	7:31	14.3	16.1	-
7:32	11.8	18.9	7:32	14.3	16.1	-
7:33	11.0	18.7	7:33	15.3	16.1	-
7:34	11.8	18.4	7:34	15.8	16.2	-
7:35	12.0	17.9	7:35	17.0	16.3	-
7:36	13.3	17.7	7:36	33.3	17.4	-
7:37	13.0	17.2	7:37	24.8	18.0	-
7:38	12.0	17.1	7:38	20.5	18.4	-
7:39	12.0	17.1	7:39	19.0	18.8	-
7:40	17.5	17.3	7:40	10.3	18.3	-
7:41	17.8	17.5	7:41	10.8	17.9	-
7:42	17.5	16.6	7:42	24.0	18.3	-
7:43	16.5	14.3	7:43	14.5	18.0	-
7:44	15.0	13.9	7:44	11.3	17.4	-
7:45	16.3	14.1	7:45	35.3	18.7	-
7:46	18.5	14.4	7:46	17.3	18.9	-
7:47	35.0	15.9	7:47	110.3	25.3	-
7:48	41.3	18.0	7:48	52.8	27.8	-
7:49	23.5	18.7	7:49	11.3	27.5	-
7:50	18.3	19.2	7:50	10.0	27.0	-
7:51	16.0	19.3	7:51	8.8	25.4	-
7:52	16.3	19.6	7:52	7.4	24.2	-
7:53	19.0	20.0	7:53	7.4	23.3	-
7:54	20.0	20.6	7:54	8.8	22.7	-
7:55	18.5	20.6	7:55	7.5	22.5	-
7:56	15.3	20.5	7:56	7.5	22.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:57	15.5	20.3	7:57	8.0	21.2	-
7:58	16.3	20.3	7:58	8.0	20.8	-
7:59	16.0	20.4	7:59	8.8	20.6	-
8:00	17.3	20.4	8:00	8.3	18.8	-
8:01	18.3	20.4	8:01	8.0	18.2	-
8:02	18.0	19.3	8:02	8.0	11.4	-
8:03	15.0	17.5	8:03	8.0	8.4	-
8:04	14.3	16.9	8:04	8.8	8.2	-
8:05	13.0	16.6	8:05	8.5	8.1	-
8:06	13.0	16.4	8:06	8.0	8.1	-
8:07	13.0	16.2	8:07	8.0	8.1	-
8:08	12.0	15.7	8:08	7.5	8.1	-
8:09	12.0	15.2	8:09	7.8	8.0	-
8:10	6.3	14.3	8:10	12.0	8.3	-
8:11	7.5	13.8	8:11	11.4	8.6	-
8:12	4.8	13.1	8:12	12.4	8.9	-
8:13	4.3	12.3	8:13	12.2	9.2	-
8:14	4.8	11.6	8:14	11.0	9.3	-
8:15	5.0	10.7	8:15	11.8	9.6	-
8:16	4.0	9.8	8:16	13.0	9.9	-
8:17	3.0	8.8	8:17	11.2	10.1	-
8:18	4.0	8.1	8:18	11.5	10.3	-
8:19	5.0	7.4	8:19	10.8	10.5	-
8:20	5.0	6.9	8:20	9.5	10.5	-
8:21	5.0	6.4	8:21	10.0	10.7	-
8:22	5.0	5.8	8:22	10.0	10.8	-
8:23	5.0	5.4	8:23	10.0	11.0	-
8:24	5.0	4.9	8:24	10.5	11.2	-
8:25	5.0	4.8	8:25	11.3	11.1	-
8:26	6.0	4.7	8:26	11.5	11.1	-
8:27	9.0	5.0	8:27	11.8	11.1	-
8:28	11.0	5.5	8:28	11.8	11.0	-
8:29	9.5	5.8	8:29	12.5	11.1	-
8:30	14.8	6.4	8:30	11.0	11.1	-
8:31	14.3	7.1	8:31	29.3	12.2	-
8:32	7.3	7.4	8:32	31.0	13.5	-
8:33	3.5	7.4	8:33	19.5	14.0	-
8:34	4.0	7.3	8:34	12.3	14.1	-
8:35	4.3	7.2	8:35	14.3	14.4	-
8:36	4.0	7.2	8:36	23.0	15.3	-
8:37	4.5	7.1	8:37	40.3	17.3	-
8:38	4.8	7.1	8:38	39.8	19.3	-
8:39	5.0	7.1	8:39	36.0	21.0	-
8:40	10.0	7.5	8:40	29.0	22.2	-
8:41	10.5	7.8	8:41	21.5	22.9	-
8:42	7.0	7.6	8:42	18.8	23.3	-
8:43	5.3	7.2	8:43	19.0	23.8	-
8:44	5.5	7.0	8:44	27.5	24.8	-
8:45	3.8	6.2	8:45	22.8	25.6	-
8:46	2.3	5.4	8:46	33.0	25.8	-
8:47	2.8	5.1	8:47	25.8	25.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:48	3.0	5.1	8:48	25.3	25.9	-
8:49	3.0	5.0	8:49	26.0	26.8	-
8:50	3.3	5.0	8:50	39.3	28.5	-
8:51	5.5	5.1	8:51	31.8	29.0	-
8:52	7.5	5.3	8:52	39.3	29.0	-
8:53	9.0	5.6	8:53	45.8	29.4	-
8:54	4.0	5.5	8:54	38.3	29.5	-
8:55	6.3	5.2	8:55	24.5	29.2	-
8:56	9.0	5.1	8:56	22.8	29.3	-
8:57	9.3	5.3	8:57	34.8	30.4	-
8:58	8.5	5.5	8:58	51.0	32.5	-
8:59	8.8	5.7	8:59	34.0	32.9	-
9:00	4.5	5.8	9:00	26.8	33.2	-
9:01	6.2	6.0	9:01	16.0	32.1	-
9:02	12.2	6.7	9:02	12.3	31.2	-
9:03	14.5	7.4	9:03	11.8	30.3	-
9:04	16.8	8.3	9:04	13.8	29.5	-
9:05	8.0	8.7	9:05	14.5	27.8	-
9:06	5.6	8.7	9:06	14.8	26.7	-
9:07	7.4	8.7	9:07	11.8	24.8	-
9:08	8.5	8.6	9:08	12.5	22.6	-
9:09	4.0	8.6	9:09	12.5	20.9	-
9:10	11.0	8.9	9:10	23.5	20.8	-
9:11	9.5	9.0	9:11	20.3	20.7	-
9:12	5.0	8.7	9:12	18.0	19.6	-
9:13	11.0	8.9	9:13	11.3	16.9	-
9:14	10.8	9.0	9:14	12.5	15.5	-
9:15	7.5	9.2	9:15	12.3	14.5	-
9:16	7.8	9.3	9:16	11.8	14.2	-
9:17	8.0	9.0	9:17	11.3	14.2	-
9:18	6.5	8.5	9:18	12.0	14.2	-
9:19	7.8	7.9	9:19	14.3	14.2	-
9:20	5.5	7.7	9:20	17.5	14.4	-
9:21	6.5	7.8	9:21	18.3	14.6	-
9:22	8.0	7.8	9:22	16.2	14.9	-
9:23	10.8	8.0	9:23	26.2	15.8	-
9:24	8.3	8.3	9:24	13.0	15.9	-
9:25	11.2	8.3	9:25	7.0	14.8	-
9:26	12.5	8.5	9:26	5.8	13.8	-
9:27	12.5	9.0	9:27	4.8	12.9	-
9:28	10.3	8.9	9:28	6.8	12.6	-
9:29	11.3	8.9	9:29	6.3	12.2	-
9:30	10.0	9.1	9:30	6.8	11.8	-
9:31	9.3	9.2	9:31	5.8	11.4	-
9:32	14.5	9.6	9:32	5.5	11.1	-
9:33	21.8	10.7	9:33	8.3	10.8	-
9:34	18.0	11.3	9:34	7.0	10.3	-
9:35	12.3	11.8	9:35	6.0	9.6	-
9:36	22.5	12.9	9:36	3.5	8.6	-
9:37	25.5	14.0	9:37	4.0	7.8	-
9:38	14.8	14.3	9:38	5.5	6.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:39	11.0	14.5	9:39	8.3	6.1	-
9:40	18.5	15.0	9:40	4.0	5.9	-
9:41	11.5	14.9	9:41	4.0	5.8	-
9:42	8.5	14.6	9:42	4.0	5.7	-
9:43	8.8	14.5	9:43	6.0	5.7	-
9:44	8.0	14.3	9:44	6.8	5.7	-
9:45	8.3	14.2	9:45	4.3	5.5	-
9:46	9.5	14.2	9:46	4.8	5.5	-
9:47	11.5	14.0	9:47	5.8	5.5	-
9:48	12.8	13.4	9:48	6.0	5.3	-
9:49	14.0	13.2	9:49	3.3	5.1	-
9:50	10.5	13.0	9:50	3.0	4.9	-
9:51	15.5	12.6	9:51	2.3	4.8	-
9:52	38.8	13.5	9:52	2.0	4.7	-
9:53	25.0	14.1	9:53	2.3	4.4	-
9:54	10.3	14.1	9:54	4.3	4.2	-
9:55	9.5	13.5	9:55	4.8	4.2	-
9:56	8.8	13.3	9:56	7.8	4.5	-
9:57	8.3	13.3	9:57	4.8	4.5	-
9:58	8.5	13.3	9:58	3.3	4.3	-
9:59	11.5	13.5	9:59	28.3	5.8	-
10:00	10.8	13.7	10:00	10.0	6.2	-
10:01	7.0	13.5	10:01	16.0	6.9	-
10:02	8.3	13.3	10:02	16.8	7.6	-
10:03	14.3	13.4	10:03	9.5	7.9	-
10:04	11.5	13.2	10:04	22.5	9.2	-
10:05	10.3	13.2	10:05	8.5	9.5	-
10:06	8.5	12.7	10:06	6.8	9.8	-
10:07	12.3	11.0	10:07	4.5	10.0	-
10:08	10.0	10.0	10:08	4.0	10.1	-
10:09	8.0	9.8	10:09	2.8	10.0	-
10:10	7.0	9.7	10:10	2.4	9.8	-
10:11	6.0	9.5	10:11	3.2	9.5	-
10:12	7.0	9.4	10:12	2.4	9.4	-
10:13	9.0	9.4	10:13	12.0	10.0	-
10:14	9.3	9.3	10:14	5.6	8.5	-
10:15	9.0	9.2	10:15	10.2	8.5	-
10:16	8.0	9.2	10:16	56.2	11.2	-
10:17	9.0	9.3	10:17	16.3	11.1	-
10:18	9.8	9.0	10:18	4.3	10.8	-
10:19	9.3	8.8	10:19	3.8	9.5	-
10:20	9.8	8.8	10:20	3.5	9.2	-
10:21	8.0	8.8	10:21	3.0	8.9	-
10:22	8.3	8.5	10:22	2.5	8.8	-
10:23	8.8	8.4	10:23	3.0	8.7	-
10:24	8.0	8.4	10:24	3.5	8.8	-
10:25	9.0	8.5	10:25	5.0	9.0	-
10:26	9.0	8.7	10:26	4.0	9.0	-
10:27	9.0	8.9	10:27	3.3	9.1	-
10:28	8.3	8.8	10:28	4.0	8.5	-
10:29	8.3	8.8	10:29	4.3	8.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:30	8.5	8.7	10:30	7.3	8.2	-
10:31	10.5	8.9	10:31	5.3	4.9	-
10:32	8.6	8.9	10:32	4.5	4.1	-
10:33	7.8	8.7	10:33	4.5	4.1	-
10:34	10.0	8.8	10:34	3.8	4.1	-
10:35	10.0	8.8	10:35	5.3	4.2	-
10:36	9.3	8.9	10:36	8.8	4.6	-
10:37	7.5	8.8	10:37	3.5	4.7	-
10:38	7.0	8.7	10:38	4.8	4.8	-
10:39	8.8	8.8	10:39	4.0	4.8	-
10:40	18.8	9.4	10:40	5.8	4.9	-
10:41	10.3	9.5	10:41	10.5	5.3	-
10:42	7.0	9.4	10:42	8.0	5.6	-
10:43	8.5	9.4	10:43	10.3	6.0	-
10:44	9.0	9.4	10:44	9.5	6.4	-
10:45	7.5	9.4	10:45	8.0	6.4	-
10:46	6.5	9.1	10:46	5.5	6.4	-
10:47	9.5	9.2	10:47	4.3	6.4	-
10:48	14.0	9.6	10:48	4.8	6.4	-
10:49	8.8	9.5	10:49	2.5	6.4	-
10:50	28.5	10.7	10:50	2.8	6.2	-
10:51	32.5	12.3	10:51	4.5	5.9	-
10:52	18.3	13.0	10:52	3.8	5.9	-
10:53	16.0	13.6	10:53	2.5	5.8	-
10:54	14.0	13.9	10:54	5.8	5.9	-
10:55	6.3	13.1	10:55	6.3	5.9	-
10:56	10.5	13.1	10:56	11.5	6.0	-
10:57	8.3	13.2	10:57	12.5	6.3	-
10:58	6.0	13.0	10:58	19.3	6.9	-
10:59	6.5	12.9	10:59	12.0	7.1	-
11:00	8.5	12.9	11:00	14.8	7.5	-
11:01	10.0	13.2	11:01	8.8	7.7	-
11:02	10.0	13.2	11:02	9.5	8.1	-
11:03	21.0	13.7	11:03	7.0	8.2	-
11:04	28.0	15.0	11:04	2.0	8.2	-
11:05	15.5	14.1	11:05	3.8	8.3	-
11:06	11.3	12.7	11:06	3.5	8.2	-
11:07	16.8	12.6	11:07	4.8	8.3	-
11:08	7.0	12.0	11:08	3.0	8.3	-
11:09	13.0	11.9	11:09	2.3	8.1	-
11:10	15.5	12.5	11:10	3.0	7.8	-
11:11	10.0	12.5	11:11	3.5	7.3	-
11:12	11.3	12.7	11:12	5.8	6.9	-
11:13	8.3	12.8	11:13	4.5	5.9	-
11:14	8.3	13.0	11:14	4.0	5.3	-
11:15	8.3	12.9	11:15	4.5	4.7	-
11:16	6.8	12.7	11:16	5.3	4.4	-
11:17	11.0	12.8	11:17	3.5	4.0	-
11:18	14.3	12.3	11:18	6.0	4.0	-
11:19	11.5	11.2	11:19	9.5	4.5	-
11:20	8.0	10.7	11:20	1.5	4.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:21	11.8	10.8	11:21	4.3	4.4	-
11:22	12.0	10.5	11:22	3.2	4.2	-
11:23	7.8	10.5	11:23	1.6	4.2	-
11:24	7.8	10.2	11:24	3.3	4.2	-
11:25	9.8	9.8	11:25	15.0	5.0	-
11:26	11.3	9.9	11:26	16.0	5.9	-
11:27	18.3	10.3	11:27	29.8	7.5	-
11:28	10.8	10.5	11:28	69.3	11.8	-
11:29	53.3	13.5	11:29	33.3	13.7	-
11:30	88.5	18.8	11:30	36.0	15.8	-
11:31	47.0	21.5	11:31	33.8	17.7	-
11:32	12.5	21.6	11:32	23.0	19.0	-
11:33	22.0	22.1	11:33	25.0	20.3	-
11:34	31.5	23.5	11:34	30.3	21.7	-
11:35	21.0	24.3	11:35	17.8	22.8	-
11:36	25.3	25.2	11:36	5.3	22.8	-
11:37	27.8	26.3	11:37	5.0	22.9	-
11:38	23.5	27.3	11:38	1.8	23.0	-
11:39	49.3	30.1	11:39	3.3	23.0	-
11:40	48.8	32.7	11:40	3.3	22.2	-
11:41	19.4	33.2	11:41	2.0	21.2	-
11:42	8.0	32.6	11:42	23.3	20.8	-
11:43	5.5	32.2	11:43	24.3	17.8	-
11:44	5.3	29.0	11:44	9.3	16.2	-
11:45	8.2	23.7	11:45	3.3	14.0	-
11:46	5.8	20.9	11:46	7.3	12.3	-
11:47	6.0	20.5	11:47	3.8	11.0	-
11:48	6.5	19.4	11:48	2.0	9.4	-
11:49	7.0	17.8	11:49	5.5	7.8	-
11:50	6.0	16.8	11:50	7.0	7.1	-
11:51	6.5	15.6	11:51	88.8	12.6	-
11:52	7.3	14.2	11:52	63.0	16.5	-
11:53	6.3	13.0	11:53	29.0	18.3	-
11:54	6.3	10.2	11:54	10.5	18.8	-
11:55	6.0	7.3	11:55	5.8	19.0	-
11:56	6.5	6.5	11:56	2.5	19.0	-
11:57	8.3	6.5	11:57	3.5	17.7	-
11:58	6.8	6.6	11:58	2.5	16.2	-
11:59	5.8	6.6	11:59	6.3	16.0	-
12:00	5.0	6.4	12:00	3.5	16.1	-
12:01	6.3	6.4	12:01	2.3	15.7	-
12:02	6.3	6.4	12:02	8.0	16.0	-
12:03	5.8	6.4	12:03	5.0	16.2	-
12:04	6.5	6.4	12:04	5.3	16.2	-
12:05	6.5	6.4	12:05	12.5	16.6	-
12:06	6.5	6.4	12:06	2.5	10.8	-
12:07	8.0	6.4	12:07	2.5	6.8	-
12:08	6.5	6.5	12:08	4.5	5.1	-
12:09	6.0	6.4	12:09	7.5	4.9	-
12:10	7.0	6.5	12:10	12.0	5.4	-
12:11	7.0	6.5	12:11	14.8	6.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:12	7.0	6.5	12:12	14.3	6.9	-
12:13	7.0	6.5	12:13	6.5	7.2	-
12:14	7.5	6.6	12:14	5.8	7.1	-
12:15	8.3	6.8	12:15	6.3	7.3	-
12:16	6.8	6.8	12:16	12.5	8.0	-
12:17	10.0	7.1	12:17	10.5	8.2	-
12:18	31.5	8.8	12:18	13.0	8.7	-
12:19	11.3	9.1	12:19	48.0	11.5	-
12:20	9.8	9.3	12:20	5.8	11.1	-
12:21	16.0	10.0	12:21	2.8	11.1	-
12:22	12.3	10.3	12:22	9.3	11.6	-
12:23	13.8	10.7	12:23	5.5	11.6	-
12:24	18.3	11.6	12:24	4.5	11.4	-
12:25	38.8	13.7	12:25	4.3	10.9	-
12:26	22.0	14.7	12:26	2.5	10.1	-
12:27	16.3	15.3	12:27	3.8	9.4	-
12:28	8.0	15.4	12:28	22.3	10.4	-
12:29	10.5	15.6	12:29	13.0	10.9	-
12:30	14.3	16.0	12:30	10.0	11.2	-
12:31	9.5	16.1	12:31	3.2	10.5	-
12:32	7.3	16.0	12:32	5.6	10.2	-
12:33	7.0	14.3	12:33	3.8	9.6	-
12:34	11.8	14.4	12:34	1.2	6.5	-
12:35	13.3	14.6	12:35	1.5	6.2	-
12:36	11.3	14.3	12:36	13.0	6.9	-
12:37	17.3	14.6	12:37	13.5	7.2	-
12:38	12.3	14.5	12:38	10.3	7.5	-
12:39	8.8	13.9	12:39	21.3	8.6	-
12:40	10.0	12.0	12:40	2.3	8.5	-
12:41	9.3	11.1	12:41	2.5	8.5	-
12:42	19.5	11.3	12:42	3.0	8.4	-
12:43	20.0	12.1	12:43	12.0	7.7	-
12:44	12.5	12.3	12:44	77.0	12.0	-
12:45	9.3	11.9	12:45	10.3	12.0	-
12:46	11.3	12.0	12:46	7.3	12.3	-
12:47	13.8	12.5	12:47	80.3	17.3	-
12:48	10.5	12.7	12:48	16.5	18.1	-
12:49	9.3	12.5	12:49	9.0	18.6	-
12:50	8.6	12.2	12:50	6.0	18.9	-
12:51	10.0	12.1	12:51	6.0	18.5	-
12:52	12.2	11.8	12:52	6.5	18.0	-
12:53	10.8	11.7	12:53	29.3	19.3	-
12:54	18.0	12.3	12:54	13.0	18.7	-
12:55	18.5	12.9	12:55	11.5	19.3	-
12:56	12.5	13.1	12:56	32.8	21.4	-
12:57	12.5	12.6	12:57	9.0	21.8	-
12:58	9.8	12.0	12:58	61.3	25.0	-
12:59	13.8	12.0	12:59	22.3	21.4	-
13:00	12.0	12.2	13:00	7.3	21.2	-
13:01	11.3	12.2	13:01	6.5	21.1	-
13:02	15.0	12.3	13:02	7.0	16.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:03	10.8	12.3	13:03	9.0	15.8	-
13:04	9.5	12.3	13:04	12.3	16.0	-
13:05	9.0	12.4	13:05	10.3	16.3	-
13:06	9.5	12.3	13:06	7.5	16.4	-
13:07	9.3	12.1	13:07	8.8	16.5	-
13:08	10.0	12.1	13:08	7.8	15.1	-
13:09	10.3	11.6	13:09	8.0	14.7	-
13:10	17.0	11.5	13:10	10.0	14.6	-
13:11	18.0	11.8	13:11	9.5	13.1	-
13:12	16.0	12.1	13:12	9.8	13.1	-
13:13	12.0	12.2	13:13	15.0	10.1	-
13:14	11.0	12.0	13:14	21.5	10.0	-
13:15	12.0	12.0	13:15	8.5	10.1	-
13:16	12.0	12.1	13:16	8.3	10.2	-
13:17	12.3	11.9	13:17	8.0	10.3	-
13:18	11.0	11.9	13:18	8.8	10.3	-
13:19	10.5	12.0	13:19	8.3	10.0	-
13:20	10.0	12.1	13:20	9.0	9.9	-
13:21	10.0	12.1	13:21	9.0	10.0	-
13:22	10.0	12.1	13:22	9.0	10.0	-
13:23	10.3	12.2	13:23	10.0	10.2	-
13:24	10.8	12.2	13:24	10.8	10.4	-
13:25	11.8	11.8	13:25	11.0	10.4	-
13:26	12.0	11.4	13:26	12.3	10.6	-
13:27	12.8	11.2	13:27	14.3	10.9	-
13:28	13.8	11.3	13:28	11.0	10.6	-
13:29	12.5	11.4	13:29	11.0	9.9	-
13:30	12.3	11.5	13:30	12.3	10.2	-
13:31	11.5	11.4	13:31	14.5	10.6	-
13:32	12.0	11.4	13:32	12.5	10.9	-
13:33	12.0	11.5	13:33	11.0	11.1	-
13:34	12.0	11.6	13:34	11.0	11.2	-
13:35	11.8	11.7	13:35	11.8	11.4	-
13:36	12.0	11.8	13:36	13.5	11.7	-
13:37	13.0	12.0	13:37	12.8	12.0	-
13:38	13.3	12.2	13:38	15.0	12.3	-
13:39	13.8	12.4	13:39	20.5	13.0	-
13:40	13.5	12.5	13:40	15.8	13.3	-
13:41	12.0	12.5	13:41	11.8	13.2	-
13:42	12.0	12.5	13:42	12.0	13.1	-
13:43	12.8	12.4	13:43	12.8	13.2	-
13:44	13.3	12.5	13:44	13.0	13.3	-
13:45	13.5	12.6	13:45	14.0	13.5	-
13:46	12.8	12.6	13:46	22.5	14.0	-
13:47	12.0	12.6	13:47	82.8	18.7	-
13:48	12.8	12.7	13:48	265.5	35.6	-
13:49	19.0	13.2	13:49	28.5	36.8	-
13:50	16.0	13.4	13:50	27.0	37.8	-
13:51	14.0	13.6	13:51	17.0	38.1	-
13:52	13.8	13.6	13:52	14.3	38.2	-
13:53	13.0	13.6	13:53	14.8	38.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:54	12.8	13.5	13:54	14.8	37.8	-
13:55	13.5	13.5	13:55	16.5	37.8	-
13:56	14.3	13.7	13:56	17.5	38.2	-
13:57	14.0	13.8	13:57	16.3	38.5	-
13:58	14.0	13.9	13:58	15.0	38.6	-
13:59	14.5	14.0	13:59	15.0	38.8	-
14:00	15.0	14.1	14:00	17.0	39.0	-
14:01	17.2	14.4	14:01	18.5	38.7	-
14:02	16.4	14.7	14:02	17.5	34.3	-
14:03	16.0	14.9	14:03	20.3	18.0	-
14:04	14.0	14.6	14:04	17.3	17.2	-
14:05	14.8	14.5	14:05	20.8	16.8	-
14:06	15.3	14.6	14:06	17.3	16.8	-
14:07	15.8	14.7	14:07	16.8	17.0	-
14:08	14.8	14.8	14:08	16.3	17.1	-
14:09	16.8	15.1	14:09	43.0	19.0	-
14:10	14.8	15.2	14:10	19.0	19.2	-
14:11	14.0	15.1	14:11	21.5	19.4	-
14:12	15.8	15.3	14:12	27.5	20.2	-
14:13	22.0	15.8	14:13	17.0	20.3	-
14:14	18.3	16.0	14:14	17.0	20.4	-
14:15	14.0	16.0	14:15	16.0	20.4	-
14:16	15.8	15.9	14:16	36.8	21.6	-
14:17	21.5	16.2	14:17	45.5	23.5	-
14:18	53.8	18.7	14:18	41.0	24.8	-
14:19	35.3	20.2	14:19	45.3	26.7	-
14:20	20.8	20.6	14:20	47.0	28.5	-
14:21	17.3	20.7	14:21	31.8	29.4	-
14:22	15.0	20.6	14:22	22.5	29.8	-
14:23	15.3	20.7	14:23	17.3	29.9	-
14:24	15.0	20.6	14:24	19.0	28.3	-
14:25	15.0	20.6	14:25	17.5	28.2	-
14:26	15.5	20.7	14:26	18.5	28.0	-
14:27	16.5	20.7	14:27	19.3	27.4	-
14:28	17.8	20.4	14:28	18.5	27.5	-
14:29	15.5	20.3	14:29	17.5	27.6	-
14:30	16.5	20.4	14:30	16.0	27.6	-
14:31	15.8	20.4	14:31	15.5	26.1	-
14:32	14.0	19.9	14:32	15.5	24.1	-
14:33	14.0	17.3	14:33	16.0	22.5	-
14:34	14.5	15.9	14:34	18.5	20.7	-
14:35	15.0	15.5	14:35	31.0	19.6	-
14:36	15.0	15.4	14:36	93.8	23.8	-
14:37	15.0	15.4	14:37	48.5	25.5	-
14:38	15.3	15.4	14:38	25.8	26.1	-
14:39	16.0	15.4	14:39	19.5	26.1	-
14:40	16.3	15.5	14:40	18.5	26.2	-
14:41	15.8	15.5	14:41	19.3	26.2	-
14:42	15.3	15.4	14:42	20.5	26.3	-
14:43	14.0	15.2	14:43	17.8	26.2	-
14:44	14.3	15.1	14:44	36.3	27.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:45	14.5	15.0	14:45	50.3	29.8	-
14:46	14.0	14.9	14:46	47.3	31.9	-
14:47	15.0	14.9	14:47	40.5	33.6	-
14:48	14.0	14.9	14:48	18.0	33.7	-
14:49	14.0	14.9	14:49	17.5	33.6	-
14:50	14.3	14.8	14:50	17.5	32.7	-
14:51	17.8	15.0	14:51	21.0	27.9	-
14:52	21.0	15.4	14:52	27.6	26.5	-
14:53	19.5	15.7	14:53	20.0	26.1	-
14:54	15.8	15.7	14:54	18.8	26.0	-
14:55	14.3	15.6	14:55	18.0	26.0	-
14:56	15.3	15.5	14:56	18.5	26.0	-
14:57	14.8	15.5	14:57	18.5	25.8	-
14:58	14.0	15.5	14:58	16.5	25.7	-
14:59	14.0	15.5	14:59	16.8	24.4	-
15:00	14.8	15.5	15:00	18.0	22.3	-
15:01	15.0	15.6	15:01	16.3	20.2	-
15:02	14.3	15.5	15:02	16.3	18.6	-
15:03	14.0	15.5	15:03	16.8	18.5	-
15:04	14.0	15.5	15:04	16.3	18.4	-
15:05	15.3	15.6	15:05	16.5	18.4	-
15:06	15.0	15.4	15:06	17.3	18.1	-
15:07	15.0	15.0	15:07	18.3	17.5	-
15:08	15.3	14.7	15:08	18.0	17.4	-
15:09	17.0	14.8	15:09	18.5	17.4	-
15:10	16.2	14.9	15:10	19.5	17.5	-
15:11	16.0	15.0	15:11	18.3	17.4	-
15:12	16.0	15.0	15:12	19.8	17.5	-
15:13	16.0	15.2	15:13	45.0	19.4	-
15:14	16.0	15.3	15:14	43.8	21.2	-
15:15	17.0	15.5	15:15	23.5	21.6	-
15:16	19.5	15.8	15:16	21.8	22.0	-
15:17	16.3	15.9	15:17	44.3	23.8	-
15:18	16.5	16.1	15:18	132.0	31.5	-
15:19	18.0	16.3	15:19	25.5	32.1	-
15:20	18.0	16.5	15:20	19.5	32.3	-
15:21	20.5	16.9	15:21	18.0	32.4	-
15:22	16.5	17.0	15:22	17.0	32.3	-
15:23	24.3	17.6	15:23	17.5	32.3	-
15:24	19.0	17.7	15:24	19.8	32.3	-
15:25	15.5	17.7	15:25	17.8	32.2	-
15:26	15.0	17.6	15:26	16.0	32.1	-
15:27	16.3	17.6	15:27	16.8	31.9	-
15:28	17.3	17.7	15:28	19.8	30.2	-
15:29	15.3	17.7	15:29	18.3	28.5	-
15:30	16.5	17.6	15:30	19.5	28.2	-
15:31	39.5	19.0	15:31	19.5	28.1	-
15:32	26.8	19.7	15:32	20.8	26.5	-
15:33	15.5	19.6	15:33	16.3	18.8	-
15:34	17.3	19.5	15:34	16.8	18.2	-
15:35	18.8	19.6	15:35	20.8	18.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:36	21.8	19.7	15:36	22.8	18.6	-
15:37	22.3	20.1	15:37	22.8	19.0	-
15:38	16.5	19.5	15:38	22.5	19.3	-
15:39	15.5	19.3	15:39	24.3	19.6	-
15:40	15.0	19.3	15:40	17.8	19.6	-
15:41	14.0	19.2	15:41	16.0	19.6	-
15:42	14.0	19.1	15:42	16.3	19.6	-
15:43	14.5	18.9	15:43	17.5	19.4	-
15:44	15.0	18.9	15:44	20.5	19.6	-
15:45	15.0	18.8	15:45	16.3	19.4	-
15:46	15.3	17.1	15:46	18.3	19.3	-
15:47	15.0	16.4	15:47	20.5	19.3	-
15:48	15.0	16.3	15:48	18.5	19.4	-
15:49	15.0	16.2	15:49	24.0	19.9	-
15:50	15.0	15.9	15:50	24.8	20.2	-
15:51	15.0	15.5	15:51	34.0	20.9	-
15:52	15.0	15.0	15:52	25.3	21.1	-
15:53	15.5	14.9	15:53	17.3	20.7	-
15:54	15.8	14.9	15:54	19.5	20.4	-
15:55	15.0	14.9	15:55	39.3	21.9	-
15:56	15.0	15.0	15:56	25.5	22.5	-
15:57	14.8	15.1	15:57	18.0	22.6	-
15:58	15.0	15.1	15:58	26.5	23.2	-
15:59	15.8	15.1	15:59	20.5	23.2	-
16:00	15.5	15.2	16:00	22.3	23.6	-
16:01	15.0	15.2	16:01	20.8	23.8	-
16:02	15.0	15.2	16:02	16.0	23.5	-
16:03	15.0	15.2	16:03	16.0	23.3	-
16:04	15.0	15.2	16:04	19.8	23.0	-
16:05	15.0	15.2	16:05	36.8	23.8	-
16:06	15.0	15.2	16:06	44.5	24.5	-
16:07	15.0	15.2	16:07	31.3	24.9	-
16:08	18.0	15.3	16:08	18.8	25.0	-
16:09	17.8	15.5	16:09	16.8	24.8	-
16:10	15.5	15.5	16:10	29.5	24.2	-
16:11	15.5	15.5	16:11	16.8	23.6	-
16:12	15.0	15.5	16:12	19.0	23.7	-
16:13	15.0	15.5	16:13	34.5	24.2	-
16:14	14.8	15.5	16:14	43.0	25.7	-
16:15	14.8	15.4	16:15	37.8	26.7	-
16:16	14.5	15.4	16:16	22.5	26.9	-
16:17	15.0	15.4	16:17	23.0	27.3	-
16:18	15.8	15.4	16:18	43.8	29.2	-
16:19	15.5	15.5	16:19	22.8	29.4	-
16:20	15.0	15.5	16:20	31.3	29.0	-
16:21	15.6	15.5	16:21	23.0	27.6	-
16:22	16.6	15.6	16:22	18.0	26.7	-
16:23	17.0	15.5	16:23	19.3	26.7	-
16:24	20.6	15.7	16:24	19.8	26.9	-
16:25	22.0	16.2	16:25	20.5	26.3	-

Friday, September 9, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						540
Start Time:						7:11
End Time:						16:25
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-



PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/10/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By: Jack Millman	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NW	Relative Humidity (%)	27.0 - 67.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	71.0 - 86.0	Wind Speed (MPH)	0.6 - 3.8	Barometer (inHg)	30.20 - 30.30			

Station Location Area	Work	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		14.4	23.1	13:40	0.0	0.1	11:17
Downwind		19.9	29.8	14:19	0.0	0.0	9:09



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Saturday, September 10, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						364
Start Time:						8:55
End Time:						15:13
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:55	21.5	-	8:55	21.3	-	-
8:56	18.3	-	8:56	21.0	-	-
8:57	16.0	-	8:57	18.5	-	-
8:58	16.0	-	8:58	20.3	-	-
8:59	15.5	-	8:59	21.5	-	-
9:00	14.5	-	9:00	19.8	-	-
9:01	15.5	-	9:01	21.0	-	-
9:02	14.5	-	9:02	20.5	-	-
9:03	14.0	-	9:03	20.0	-	-
9:04	14.0	-	9:04	20.0	-	-
9:05	14.3	-	9:05	20.0	-	-
9:06	14.8	-	9:06	20.3	-	-
9:07	13.3	-	9:07	21.0	-	-
9:08	13.0	-	9:08	21.0	-	-
9:09	13.3	-	9:09	20.0	-	-
9:10	14.0	14.7	9:10	20.5	20.4	-
9:11	13.5	14.4	9:11	20.0	20.3	-
9:12	13.8	14.3	9:12	20.0	20.4	-
9:13	19.8	14.5	9:13	20.0	20.4	-
9:14	17.0	14.6	9:14	20.8	20.3	-
9:15	13.5	14.5	9:15	20.3	20.4	-
9:16	12.8	14.4	9:16	20.0	20.3	-
9:17	12.0	14.2	9:17	20.0	20.3	-
9:18	12.8	14.1	9:18	20.0	20.3	-
9:19	12.3	14.0	9:19	19.5	20.2	-
9:20	12.0	13.8	9:20	18.5	20.1	-
9:21	12.0	13.7	9:21	18.3	20.0	-
9:22	12.0	13.6	9:22	18.5	19.8	-
9:23	12.0	13.5	9:23	20.0	19.8	-
9:24	13.0	13.5	9:24	21.3	19.8	-
9:25	12.0	13.4	9:25	20.8	19.9	-
9:26	12.0	13.3	9:26	19.0	19.8	-
9:27	12.0	13.1	9:27	20.5	19.8	-
9:28	12.0	12.6	9:28	18.8	19.7	-
9:29	13.3	12.4	9:29	20.0	19.7	-
9:30	13.2	12.3	9:30	20.3	19.7	-
9:31	12.0	12.3	9:31	18.5	19.6	-
9:32	12.4	12.3	9:32	18.8	19.5	-
9:33	12.8	12.3	9:33	19.0	19.4	-
9:34	11.3	12.3	9:34	18.5	19.4	-
9:35	11.0	12.2	9:35	17.3	19.3	-
9:36	11.0	12.1	9:36	17.5	19.2	-
9:37	11.8	12.1	9:37	17.0	19.1	-
9:38	11.5	12.1	9:38	17.0	18.9	-
9:39	11.5	12.0	9:39	28.0	19.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:40	10.5	11.9	9:40	31.5	20.1	-
9:41	11.0	11.8	9:41	17.8	20.0	-
9:42	11.0	11.7	9:42	17.5	19.8	-
9:43	11.0	11.7	9:43	17.0	19.7	-
9:44	11.0	11.5	9:44	16.3	19.5	-
9:45	11.0	11.4	9:45	21.5	19.5	-
9:46	11.0	11.3	9:46	17.0	19.4	-
9:47	11.5	11.3	9:47	17.0	19.3	-
9:48	10.5	11.1	9:48	21.0	19.5	-
9:49	10.0	11.0	9:49	24.0	19.8	-
9:50	10.0	11.0	9:50	16.3	19.8	-
9:51	10.8	10.9	9:51	15.0	19.6	-
9:52	11.8	10.9	9:52	17.4	19.6	-
9:53	11.8	11.0	9:53	19.0	19.7	-
9:54	10.3	10.9	9:54	16.8	19.0	-
9:55	10.0	10.8	9:55	13.8	17.8	-
9:56	10.3	10.8	9:56	14.5	17.6	-
9:57	11.3	10.8	9:57	15.8	17.5	-
9:58	11.8	10.9	9:58	19.0	17.6	-
9:59	12.0	10.9	9:59	17.0	17.7	-
10:00	12.8	11.0	10:00	16.5	17.3	-
10:01	13.0	11.2	10:01	18.5	17.4	-
10:02	12.8	11.3	10:02	17.0	17.4	-
10:03	11.0	11.3	10:03	16.5	17.1	-
10:04	11.0	11.4	10:04	16.0	16.6	-
10:05	11.0	11.4	10:05	16.0	16.6	-
10:06	11.0	11.4	10:06	16.0	16.6	-
10:07	10.3	11.3	10:07	17.3	16.6	-
10:08	10.3	11.2	10:08	16.3	16.5	-
10:09	11.0	11.3	10:09	14.0	16.3	-
10:10	10.5	11.3	10:10	14.0	16.3	-
10:11	10.3	11.3	10:11	14.0	16.3	-
10:12	10.3	11.3	10:12	14.3	16.2	-
10:13	9.8	11.1	10:13	13.3	15.8	-
10:14	10.5	11.0	10:14	12.5	15.5	-
10:15	10.0	10.8	10:15	13.0	15.2	-
10:16	10.8	10.7	10:16	13.5	14.9	-
10:17	11.3	10.6	10:17	14.0	14.7	-
10:18	11.0	10.6	10:18	14.0	14.5	-
10:19	11.0	10.6	10:19	14.3	14.4	-
10:20	11.0	10.6	10:20	16.5	14.5	-
10:21	11.0	10.6	10:21	19.0	14.7	-
10:22	10.3	10.6	10:22	16.0	14.6	-
10:23	10.0	10.6	10:23	16.5	14.6	-
10:24	10.0	10.5	10:24	16.8	14.8	-
10:25	10.0	10.5	10:25	18.3	15.1	-
10:26	23.8	11.4	10:26	18.5	15.4	-
10:27	22.5	12.2	10:27	14.8	15.4	-
10:28	10.8	12.3	10:28	14.5	15.5	-
10:29	10.3	12.2	10:29	14.8	15.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:30	11.0	12.3	10:30	14.0	15.7	-
10:31	10.3	12.3	10:31	15.3	15.8	-
10:32	10.0	12.2	10:32	14.3	15.8	-
10:33	10.0	12.1	10:33	14.5	15.9	-
10:34	10.0	12.1	10:34	16.3	16.0	-
10:35	10.5	12.0	10:35	15.8	15.9	-
10:36	11.0	12.0	10:36	15.5	15.7	-
10:37	11.0	12.1	10:37	16.0	15.7	-
10:38	11.0	12.1	10:38	15.3	15.6	-
10:39	11.6	12.2	10:39	16.0	15.6	-
10:40	12.8	12.4	10:40	16.0	15.4	-
10:41	13.2	11.7	10:41	15.0	15.2	-
10:42	13.0	11.1	10:42	13.8	15.1	-
10:43	12.4	11.2	10:43	14.3	15.1	-
10:44	11.8	11.3	10:44	14.3	15.1	-
10:45	11.0	11.3	10:45	15.5	15.2	-
10:46	11.0	11.4	10:46	16.0	15.2	-
10:47	10.8	11.4	10:47	16.0	15.3	-
10:48	11.3	11.5	10:48	15.8	15.4	-
10:49	12.8	11.7	10:49	13.8	15.3	-
10:50	12.8	11.8	10:50	12.5	15.0	-
10:51	10.8	11.8	10:51	12.8	14.9	-
10:52	11.0	11.8	10:52	13.0	14.7	-
10:53	10.0	11.7	10:53	13.0	14.5	-
10:54	10.8	11.7	10:54	13.0	14.3	-
10:55	10.8	11.5	10:55	13.5	14.1	-
10:56	11.0	11.4	10:56	14.0	14.1	-
10:57	10.8	11.2	10:57	13.2	14.0	-
10:58	9.3	11.0	10:58	12.0	13.9	-
10:59	9.0	10.9	10:59	12.0	13.7	-
11:00	8.8	10.7	11:00	12.0	13.5	-
11:01	9.0	10.6	11:01	12.4	13.3	-
11:02	8.3	10.4	11:02	15.0	13.2	-
11:03	8.3	10.2	11:03	14.0	13.1	-
11:04	9.0	10.0	11:04	12.0	13.0	-
11:05	11.5	9.9	11:05	16.5	13.2	-
11:06	14.3	10.1	11:06	13.5	13.3	-
11:07	12.8	10.2	11:07	13.5	13.3	-
11:08	12.0	10.4	11:08	16.5	13.5	-
11:09	12.0	10.4	11:09	20.5	14.0	-
11:10	13.3	10.6	11:10	19.5	14.4	-
11:11	10.8	10.6	11:11	18.0	14.7	-
11:12	10.8	10.6	11:12	17.0	15.0	-
11:13	12.5	10.8	11:13	23.5	15.7	-
11:14	12.8	11.1	11:14	22.0	16.4	-
11:15	9.5	11.1	11:15	15.8	16.6	-
11:16	9.0	11.1	11:16	16.3	16.9	-
11:17	9.5	11.2	11:17	17.5	17.1	-
11:18	11.8	11.4	11:18	14.8	17.1	-
11:19	11.0	11.6	11:19	15.0	17.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:20	9.3	11.4	11:20	14.0	17.2	-
11:21	9.0	11.1	11:21	14.5	17.2	-
11:22	9.0	10.8	11:22	16.3	17.4	-
11:23	9.0	10.6	11:23	15.8	17.4	-
11:24	10.0	10.5	11:24	21.5	17.4	-
11:25	11.8	10.4	11:25	20.5	17.5	-
11:26	14.0	10.6	11:26	20.8	17.7	-
11:27	12.8	10.7	11:27	19.5	17.8	-
11:28	11.3	10.6	11:28	20.0	17.6	-
11:29	11.0	10.5	11:29	18.5	17.4	-
11:30	11.3	10.6	11:30	16.8	17.4	-
11:31	13.5	10.9	11:31	17.5	17.5	-
11:32	16.0	11.4	11:32	26.5	18.1	-
11:33	14.8	11.6	11:33	22.3	18.6	-
11:34	13.3	11.7	11:34	22.0	19.1	-
11:35	12.8	12.0	11:35	21.0	19.6	-
11:36	12.0	12.2	11:36	18.8	19.8	-
11:37	12.5	12.4	11:37	17.0	19.9	-
11:38	14.8	12.8	11:38	17.0	20.0	-
11:39	14.0	13.0	11:39	16.0	19.6	-
11:40	14.5	13.2	11:40	18.5	19.5	-
11:41	15.0	13.3	11:41	18.0	19.3	-
11:42	16.0	13.5	11:42	18.0	19.2	-
11:43	16.0	13.8	11:43	18.5	19.1	-
11:44	16.0	14.2	11:44	20.0	19.2	-
11:45	18.3	14.6	11:45	21.3	19.5	-
11:46	17.0	14.9	11:46	20.5	19.7	-
11:47	14.5	14.8	11:47	20.5	19.3	-
11:48	14.8	14.8	11:48	20.0	19.1	-
11:49	15.0	14.9	11:49	19.3	19.0	-
11:50	14.4	15.0	11:50	19.8	18.9	-
11:51	14.2	15.1	11:51	19.5	18.9	-
11:52	14.2	15.2	11:52	24.8	19.4	-
11:53	14.2	15.2	11:53	21.3	19.7	-
11:54	14.8	15.3	11:54	27.8	20.5	-
11:55	15.0	15.3	11:55	29.0	21.2	-
11:56	15.5	15.3	11:56	28.5	21.9	-
11:57	16.0	15.3	11:57	32.8	22.9	-
11:58	14.5	15.2	11:58	25.5	23.4	-
11:59	14.5	15.1	11:59	25.5	23.7	-
12:00	14.8	14.9	12:00	23.0	23.8	-
12:01	14.0	14.7	12:01	21.5	23.9	-
12:02	13.8	14.6	12:02	22.5	24.0	-
12:03	13.0	14.5	12:03	22.0	24.2	-
12:04	12.3	14.3	12:04	27.0	24.7	-
12:05	12.0	14.2	12:05	32.8	25.6	-
12:06	12.3	14.0	12:06	22.3	25.7	-
12:07	14.0	14.0	12:07	23.3	25.6	-
12:08	14.5	14.1	12:08	22.3	25.7	-
12:09	12.8	13.9	12:09	18.4	25.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:10	11.3	13.7	12:10	18.4	24.4	-
12:11	11.8	13.4	12:11	17.6	23.6	-
12:12	12.5	13.2	12:12	16.0	22.5	-
12:13	13.8	13.1	12:13	18.4	22.1	-
12:14	12.5	13.0	12:14	23.3	21.9	-
12:15	10.3	12.7	12:15	26.0	22.1	-
12:16	10.0	12.4	12:16	18.5	21.9	-
12:17	10.5	12.2	12:17	21.0	21.8	-
12:18	11.5	12.1	12:18	24.3	22.0	-
12:19	11.5	12.1	12:19	21.0	21.6	-
12:20	12.3	12.1	12:20	21.3	20.8	-
12:21	12.0	12.1	12:21	17.3	20.5	-
12:22	12.0	11.9	12:22	16.0	20.0	-
12:23	11.5	11.7	12:23	17.3	19.6	-
12:24	10.0	11.6	12:24	17.5	19.6	-
12:25	10.5	11.5	12:25	17.3	19.5	-
12:26	11.0	11.5	12:26	20.3	19.7	-
12:27	10.3	11.3	12:27	22.3	20.1	-
12:28	10.5	11.1	12:28	24.0	20.5	-
12:29	10.8	11.0	12:29	18.8	20.2	-
12:30	10.8	11.0	12:30	19.0	19.7	-
12:31	10.0	11.0	12:31	20.5	19.8	-
12:32	9.8	11.0	12:32	16.8	19.6	-
12:33	9.5	10.8	12:33	15.5	19.0	-
12:34	10.0	10.7	12:34	15.8	18.6	-
12:35	10.5	10.6	12:35	15.3	18.2	-
12:36	12.0	10.6	12:36	18.0	18.3	-
12:37	13.3	10.7	12:37	19.0	18.5	-
12:38	14.0	10.9	12:38	20.0	18.7	-
12:39	13.8	11.1	12:39	19.8	18.8	-
12:40	14.0	11.3	12:40	26.3	19.4	-
12:41	13.8	11.5	12:41	37.8	20.6	-
12:42	11.3	11.6	12:42	19.5	20.4	-
12:43	11.0	11.6	12:43	16.8	19.9	-
12:44	11.0	11.6	12:44	27.3	20.5	-
12:45	12.0	11.7	12:45	21.0	20.6	-
12:46	12.3	11.9	12:46	30.8	21.3	-
12:47	12.8	12.1	12:47	20.5	21.5	-
12:48	11.0	12.2	12:48	16.3	21.6	-
12:49	11.0	12.2	12:49	15.0	21.5	-
12:50	11.0	12.3	12:50	14.8	21.5	-
12:51	10.3	12.2	12:51	14.5	21.3	-
12:52	10.0	11.9	12:52	16.0	21.1	-
12:53	10.0	11.7	12:53	18.8	21.0	-
12:54	11.3	11.5	12:54	15.8	20.7	-
12:55	12.0	11.4	12:55	17.3	20.1	-
12:56	12.0	11.3	12:56	23.8	19.2	-
12:57	13.3	11.4	12:57	26.0	19.6	-
12:58	14.3	11.6	12:58	17.3	19.7	-
12:59	14.0	11.8	12:59	17.0	19.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:00	14.0	11.9	13:00	17.0	18.7	-
13:01	14.0	12.1	13:01	17.0	17.8	-
13:02	14.0	12.1	13:02	17.8	17.6	-
13:03	14.0	12.3	13:03	17.5	17.7	-
13:04	14.0	12.5	13:04	16.8	17.8	-
13:05	14.0	12.7	13:05	17.5	18.0	-
13:06	15.0	13.1	13:06	17.5	18.2	-
13:07	15.3	13.4	13:07	17.0	18.3	-
13:08	16.5	13.8	13:08	17.0	18.1	-
13:09	17.0	14.2	13:09	17.0	18.2	-
13:10	17.0	14.6	13:10	17.0	18.2	-
13:11	17.5	14.9	13:11	18.0	17.8	-
13:12	18.0	15.2	13:12	18.0	17.3	-
13:13	17.0	15.4	13:13	17.3	17.3	-
13:14	17.3	15.6	13:14	19.5	17.5	-
13:15	18.0	15.9	13:15	19.5	17.6	-
13:16	17.5	16.1	13:16	18.3	17.7	-
13:17	18.0	16.4	13:17	18.8	17.8	-
13:18	18.3	16.7	13:18	18.0	17.8	-
13:19	19.0	17.0	13:19	17.6	17.9	-
13:20	19.0	17.4	13:20	17.0	17.8	-
13:21	19.8	17.7	13:21	17.3	17.8	-
13:22	20.3	18.0	13:22	17.5	17.8	-
13:23	21.0	18.3	13:23	19.0	18.0	-
13:24	22.3	18.7	13:24	21.5	18.3	-
13:25	22.3	19.0	13:25	21.3	18.6	-
13:26	22.8	19.4	13:26	21.0	18.8	-
13:27	22.8	19.7	13:27	19.8	18.9	-
13:28	23.5	20.1	13:28	18.0	18.9	-
13:29	23.0	20.5	13:29	17.3	18.8	-
13:30	23.5	20.9	13:30	16.0	18.5	-
13:31	24.5	21.3	13:31	16.0	18.4	-
13:32	21.3	21.5	13:32	16.8	18.3	-
13:33	19.5	21.6	13:33	16.0	18.1	-
13:34	21.8	21.8	13:34	16.0	18.0	-
13:35	20.3	21.9	13:35	17.0	18.0	-
13:36	19.8	21.9	13:36	17.0	18.0	-
13:37	19.0	21.8	13:37	17.5	18.0	-
13:38	20.0	21.7	13:38	16.8	17.9	-
13:39	33.5	22.5	13:39	16.8	17.5	-
13:40	32.0	23.1	13:40	17.8	17.3	-
13:41	20.8	23.0	13:41	24.8	17.6	-
13:42	20.0	22.8	13:42	26.8	18.0	-
13:43	18.5	22.5	13:43	19.3	18.1	-
13:44	17.0	22.1	13:44	20.5	18.3	-
13:45	17.0	21.7	13:45	23.8	18.8	-
13:46	17.0	21.2	13:46	23.0	19.3	-
13:47	17.5	20.9	13:47	22.0	19.7	-
13:48	18.0	20.8	13:48	23.8	20.2	-
13:49	17.5	20.5	13:49	24.3	20.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:50	17.0	20.3	13:50	21.5	21.0	-
13:51	17.0	20.1	13:51	20.8	21.3	-
13:52	17.0	20.0	13:52	20.0	21.4	-
13:53	17.3	19.8	13:53	20.0	21.7	-
13:54	18.0	18.8	13:54	20.0	21.9	-
13:55	18.0	17.8	13:55	20.0	22.0	-
13:56	17.8	17.6	13:56	21.0	21.8	-
13:57	18.0	17.5	13:57	22.8	21.5	-
13:58	17.0	17.4	13:58	25.0	21.9	-
13:59	17.0	17.4	13:59	23.5	22.1	-
14:00	17.8	17.5	14:00	21.3	21.9	-
14:01	25.8	18.0	14:01	22.0	21.9	-
14:02	27.0	18.7	14:02	25.3	22.1	-
14:03	19.0	18.7	14:03	29.3	22.4	-
14:04	18.3	18.8	14:04	24.0	22.4	-
14:05	17.3	18.8	14:05	22.8	22.5	-
14:06	17.0	18.8	14:06	23.0	22.7	-
14:07	17.0	18.8	14:07	57.0	25.1	-
14:08	17.8	18.8	14:08	55.0	27.5	-
14:09	18.0	18.8	14:09	26.8	27.9	-
14:10	18.0	18.8	14:10	23.4	28.1	-
14:11	18.0	18.9	14:11	22.5	28.2	-
14:12	18.0	18.9	14:12	24.3	28.3	-
14:13	18.5	19.0	14:13	22.0	28.1	-
14:14	19.0	19.1	14:14	22.5	28.1	-
14:15	18.5	19.1	14:15	22.5	28.1	-
14:16	18.0	18.6	14:16	21.5	28.1	-
14:17	18.0	18.0	14:17	21.5	27.9	-
14:18	18.3	18.0	14:18	25.5	27.6	-
14:19	18.0	18.0	14:19	57.0	29.8	-
14:20	17.5	18.0	14:20	21.3	29.7	-
14:21	18.0	18.0	14:21	20.8	29.6	-
14:22	18.0	18.1	14:22	28.5	27.7	-
14:23	18.0	18.1	14:23	38.0	26.5	-
14:24	18.0	18.1	14:24	25.3	26.4	-
14:25	18.0	18.1	14:25	28.5	26.8	-
14:26	18.0	18.1	14:26	34.0	27.5	-
14:27	18.0	18.1	14:27	39.8	28.6	-
14:28	18.5	18.1	14:28	27.8	29.0	-
14:29	19.0	18.1	14:29	22.5	29.0	-
14:30	18.8	18.1	14:30	21.5	28.9	-
14:31	18.8	18.2	14:31	21.3	28.9	-
14:32	18.8	18.2	14:32	21.0	28.8	-
14:33	19.0	18.3	14:33	21.0	28.5	-
14:34	18.0	18.3	14:34	21.0	26.1	-
14:35	18.0	18.3	14:35	20.3	26.1	-
14:36	18.0	18.3	14:36	20.8	26.1	-
14:37	17.3	18.3	14:37	23.3	25.7	-
14:38	17.3	18.2	14:38	20.3	24.5	-
14:39	18.0	18.2	14:39	21.5	24.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:40	18.0	18.2	14:40	22.3	23.9	-
14:41	18.0	18.2	14:41	22.8	23.1	-
14:42	18.0	18.2	14:42	24.0	22.1	-
14:43	18.8	18.2	14:43	21.8	21.7	-
14:44	19.5	18.3	14:44	20.0	21.5	-
14:45	18.0	18.2	14:45	20.5	21.4	-
14:46	18.0	18.2	14:46	19.8	21.3	-
14:47	18.0	18.1	14:47	19.8	21.3	-
14:48	18.3	18.1	14:48	20.5	21.2	-
14:49	18.8	18.1	14:49	20.5	21.2	-
14:50	18.3	18.1	14:50	20.0	21.2	-
14:51	18.0	18.1	14:51	20.0	21.1	-
14:52	18.8	18.2	14:52	21.8	21.0	-
14:53	18.3	18.3	14:53	22.0	21.1	-
14:54	19.0	18.4	14:54	20.5	21.1	-
14:55	18.0	18.4	14:55	19.0	20.9	-
14:56	18.0	18.4	14:56	19.5	20.6	-
14:57	18.0	18.4	14:57	19.8	20.4	-
14:58	18.0	18.3	14:58	20.0	20.2	-
14:59	18.0	18.2	14:59	20.8	20.3	-
15:00	18.0	18.2	15:00	23.0	20.5	-
15:01	18.0	18.2	15:01	20.3	20.5	-
15:02	17.8	18.2	15:02	20.0	20.5	-
15:03	18.0	18.2	15:03	20.0	20.5	-
15:04	18.0	18.1	15:04	21.0	20.5	-
15:05	18.0	18.1	15:05	23.0	20.7	-
15:06	18.5	18.2	15:06	35.5	21.7	-
15:07	18.3	18.1	15:07	39.0	22.9	-
15:08	18.0	18.1	15:08	34.3	23.7	-
15:09	18.0	18.0	15:09	31.8	24.5	-
15:10	18.0	18.0	15:10	25.3	24.9	-
15:11	18.0	18.0	15:11	23.0	25.1	-
15:12	18.8	18.1	15:12	22.8	25.3	-
15:13	19.0	18.2	15:13	29.3	25.9	-

Saturday, September 10, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						365
Start Time:						8:54
End Time:						15:13
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:54	0.0	-	8:54	0.0	-	-
8:55	0.0	-	8:55	0.0	-	-
8:56	0.0	-	8:56	0.0	-	-
8:57	0.0	-	8:57	0.0	-	-
8:58	0.0	-	8:58	0.0	-	-
8:59	0.0	-	8:59	0.0	-	-
9:00	0.0	-	9:00	0.0	-	-
9:01	0.0	-	9:01	0.0	-	-
9:02	0.0	-	9:02	0.0	-	-
9:03	0.0	-	9:03	0.0	-	-
9:04	0.0	-	9:04	0.0	-	-
9:05	0.0	-	9:05	0.0	-	-
9:06	0.0	-	9:06	0.0	-	-
9:07	0.0	-	9:07	0.0	-	-
9:08	0.0	-	9:08	0.0	-	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.1	0.0	10:20	0.0	0.0	-
10:21	0.1	0.0	10:21	0.0	0.0	-
10:22	0.1	0.0	10:22	0.0	0.0	-
10:23	0.1	0.0	10:23	0.0	0.0	-
10:24	0.1	0.0	10:24	0.0	0.0	-
10:25	0.1	0.0	10:25	0.0	0.0	-
10:26	0.1	0.0	10:26	0.0	0.0	-
10:27	0.1	0.0	10:27	0.0	0.0	-
10:28	0.1	0.1	10:28	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:29	0.1	0.1	10:29	0.0	0.0	-
10:30	0.1	0.1	10:30	0.0	0.0	-
10:31	0.0	0.1	10:31	0.0	0.0	-
10:32	0.0	0.1	10:32	0.0	0.0	-
10:33	0.1	0.1	10:33	0.0	0.0	-
10:34	0.1	0.1	10:34	0.0	0.0	-
10:35	0.1	0.1	10:35	0.0	0.0	-
10:36	0.0	0.1	10:36	0.0	0.0	-
10:37	0.0	0.1	10:37	0.0	0.0	-
10:38	0.1	0.1	10:38	0.0	0.0	-
10:39	0.0	0.1	10:39	0.0	0.0	-
10:40	0.0	0.1	10:40	0.0	0.0	-
10:41	0.1	0.1	10:41	0.0	0.0	-
10:42	0.1	0.1	10:42	0.0	0.0	-
10:43	0.1	0.1	10:43	0.0	0.0	-
10:44	0.1	0.1	10:44	0.0	0.0	-
10:45	0.1	0.1	10:45	0.0	0.0	-
10:46	0.1	0.1	10:46	0.0	0.0	-
10:47	0.1	0.1	10:47	0.0	0.0	-
10:48	0.1	0.1	10:48	0.0	0.0	-
10:49	0.1	0.1	10:49	0.0	0.0	-
10:50	0.1	0.1	10:50	0.0	0.0	-
10:51	0.1	0.1	10:51	0.0	0.0	-
10:52	0.1	0.1	10:52	0.0	0.0	-
10:53	0.1	0.1	10:53	0.0	0.0	-
10:54	0.1	0.1	10:54	0.0	0.0	-
10:55	0.1	0.1	10:55	0.0	0.0	-
10:56	0.1	0.1	10:56	0.0	0.0	-
10:57	0.1	0.1	10:57	0.0	0.0	-
10:58	0.1	0.1	10:58	0.0	0.0	-
10:59	0.1	0.1	10:59	0.0	0.0	-
11:00	0.1	0.1	11:00	0.0	0.0	-
11:01	0.1	0.1	11:01	0.0	0.0	-
11:02	0.1	0.1	11:02	0.0	0.0	-
11:03	0.1	0.1	11:03	0.0	0.0	-
11:04	0.1	0.1	11:04	0.0	0.0	-
11:05	0.1	0.1	11:05	0.0	0.0	-
11:06	0.1	0.1	11:06	0.0	0.0	-
11:07	0.1	0.1	11:07	0.0	0.0	-
11:08	0.1	0.1	11:08	0.0	0.0	-
11:09	0.1	0.1	11:09	0.0	0.0	-
11:10	0.1	0.1	11:10	0.0	0.0	-
11:11	0.1	0.1	11:11	0.0	0.0	-
11:12	0.1	0.1	11:12	0.0	0.0	-
11:13	0.1	0.1	11:13	0.0	0.0	-
11:14	0.1	0.1	11:14	0.0	0.0	-
11:15	0.1	0.1	11:15	0.0	0.0	-
11:16	0.1	0.1	11:16	0.0	0.0	-
11:17	0.1	0.1	11:17	0.0	0.0	-
11:18	0.1	0.1	11:18	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:19	0.1	0.1	11:19	0.0	0.0	-
11:20	0.1	0.1	11:20	0.0	0.0	-
11:21	0.1	0.1	11:21	0.0	0.0	-
11:22	0.1	0.1	11:22	0.0	0.0	-
11:23	0.1	0.1	11:23	0.0	0.0	-
11:24	0.1	0.1	11:24	0.0	0.0	-
11:25	0.1	0.1	11:25	0.0	0.0	-
11:26	0.1	0.1	11:26	0.0	0.0	-
11:27	0.1	0.1	11:27	0.0	0.0	-
11:28	0.1	0.1	11:28	0.0	0.0	-
11:29	0.1	0.1	11:29	0.0	0.0	-
11:30	0.1	0.1	11:30	0.0	0.0	-
11:31	0.1	0.1	11:31	0.0	0.0	-
11:32	0.0	0.1	11:32	0.0	0.0	-
11:33	0.0	0.1	11:33	0.0	0.0	-
11:34	0.0	0.1	11:34	0.0	0.0	-
11:35	0.0	0.1	11:35	0.0	0.0	-
11:36	0.0	0.1	11:36	0.0	0.0	-
11:37	0.0	0.1	11:37	0.0	0.0	-
11:38	0.0	0.1	11:38	0.0	0.0	-
11:39	0.0	0.1	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-