

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Thursday, September 15, 2022 WEATHER: Sunny, 64-75 °F Wind: N @ 2.9 – 5.1 mph TIME: 7:00 am – 5:30 pm MONITORS: Ellie Seery, Camille Quick
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator	PRESENT AT SITE: Langan: Ellie Seery, Camille Quick Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo American Standard Plumbing and Heating (American Standard): Pawel Chrzan	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities - Bauer Structures (Bauer) excavated an about 10-foot-long by 10-foot-wide area to about 3 to 4 feet below grade surface (bgs) in the north-central part of the site in preparation for the installation of pile cap formwork. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). No impacts were observed. - Excavated material consisted of previously imported clean fill and recycled concrete aggregate (RCA) and was temporarily stockpiled the western part of the site for future placement. - American Standard began to install a 12-inch-diameter cast iron storm drain pipe that will lead to an outfall along the Gowanus Canal in the southeastern part of the site. - Bauer backfilled around completed formwork in an about 30-foot-long by 18-foot-wide area by about 3-foot-deep area in the north-central part of the site with clean fill and RCA. - Bauer installed pile cap formwork and rebar in preparation for pouring concrete in the central part of the site. - During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork. - Bauer used a jackhammer and excavator with hydraulic hammer attachment to break up concrete piles in preparation for the construction of pile caps in the north-central part of the site. - Bauer relocated a stockpile of clean fill and RCA from the western part of the site to the southern part of the site. Sampling - No samples were collected.		

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	14.2	10.7
Maximum 15min Average	20.8	18.1
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	8.0	6.0
Maximum 1min Reading	25.3	27.8

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.0	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.0	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	249	8,745	25	495	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: Bauer chopping existing concrete piles in the central part of the site (facing southeast)



Photo 2: Bauer excavating in the north-central part of the site for formwork installation (facing southwest)

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/15/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	N	Relative Humidity (%)	33.0 - 63.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	64.0 - 75.0	Wind Speed (MPH)	2.9 - 5.1	Barometer (inHg)	30.10 - 30.20			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	14.2	20.8	14:00	0.0	0.0	7:33
Downwind	10.7	18.1	11:52	0.0	0.0	7:33



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Thursday, September 15, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						566
Start Time:						7:18
End Time:						16:58
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:18	16.4	-	7:18	14.8	-	-
7:19	16.3	-	7:19	14.8	-	-
7:20	18.8	-	7:20	16.0	-	-
7:21	18.8	-	7:21	16.8	-	-
7:22	17.0	-	7:22	16.5	-	-
7:23	17.0	-	7:23	15.0	-	-
7:24	17.0	-	7:24	15.0	-	-
7:25	17.3	-	7:25	14.8	-	-
7:26	17.8	-	7:26	13.3	-	-
7:27	17.0	-	7:27	14.0	-	-
7:28	17.3	-	7:28	14.8	-	-
7:29	17.0	-	7:29	15.8	-	-
7:30	17.0	-	7:30	14.3	-	-
7:31	17.3	-	7:31	14.0	-	-
7:32	17.8	-	7:32	14.3	-	-
7:33	17.0	17.3	7:33	14.3	14.9	-
7:34	17.0	17.4	7:34	13.3	14.8	-
7:35	17.5	17.3	7:35	12.0	14.5	-
7:36	17.0	17.2	7:36	12.0	14.2	-
7:37	17.5	17.2	7:37	12.3	13.9	-
7:38	18.5	17.3	7:38	14.3	13.9	-
7:39	18.3	17.4	7:39	17.4	14.0	-
7:40	18.5	17.5	7:40	14.0	14.0	-
7:41	17.0	17.4	7:41	13.6	14.0	-
7:42	16.0	17.4	7:42	13.0	13.9	-
7:43	16.3	17.3	7:43	13.0	13.8	-
7:44	17.0	17.3	7:44	12.5	13.6	-
7:45	16.3	17.3	7:45	12.0	13.5	-
7:46	16.8	17.2	7:46	11.3	13.3	-
7:47	16.0	17.1	7:47	12.0	13.1	-
7:48	15.3	17.0	7:48	11.5	12.9	-
7:49	14.0	16.8	7:49	11.5	12.8	-
7:50	15.0	16.6	7:50	12.0	12.8	-
7:51	15.0	16.5	7:51	11.0	12.8	-
7:52	15.0	16.3	7:52	13.0	12.8	-
7:53	15.0	16.1	7:53	14.3	12.8	-
7:54	15.0	15.9	7:54	15.3	12.7	-
7:55	14.0	15.6	7:55	12.0	12.5	-
7:56	14.8	15.4	7:56	12.3	12.4	-
7:57	14.3	15.3	7:57	13.8	12.5	-
7:58	14.8	15.2	7:58	14.5	12.6	-
7:59	14.5	15.0	7:59	14.0	12.7	-
8:00	14.5	14.9	8:00	14.3	12.8	-
8:01	13.0	14.7	8:01	11.0	12.8	-
8:02	13.0	14.5	8:02	11.0	12.8	-
8:03	12.0	14.3	8:03	11.0	12.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:04	14.3	14.3	8:04	11.0	12.7	-
8:05	22.8	14.8	8:05	15.3	12.9	-
8:06	13.8	14.7	8:06	13.8	13.1	-
8:07	13.5	14.6	8:07	11.0	13.0	-
8:08	13.5	14.5	8:08	11.5	12.8	-
8:09	13.5	14.4	8:09	11.8	12.5	-
8:10	12.0	14.3	8:10	12.0	12.5	-
8:11	12.0	14.1	8:11	11.5	12.5	-
8:12	11.3	13.9	8:12	11.8	12.4	-
8:13	11.8	13.7	8:13	12.8	12.2	-
8:14	12.5	13.6	8:14	11.0	12.0	-
8:15	12.3	13.4	8:15	10.8	11.8	-
8:16	12.3	13.4	8:16	10.0	11.7	-
8:17	15.8	13.5	8:17	10.0	11.7	-
8:18	14.8	13.7	8:18	10.3	11.6	-
8:19	10.0	13.4	8:19	10.0	11.6	-
8:20	10.5	12.6	8:20	10.5	11.2	-
8:21	10.8	12.4	8:21	11.0	11.1	-
8:22	10.3	12.2	8:22	12.0	11.1	-
8:23	10.5	12.0	8:23	11.3	11.1	-
8:24	10.3	11.8	8:24	11.3	11.1	-
8:25	10.3	11.7	8:25	11.3	11.0	-
8:26	10.5	11.6	8:26	10.0	10.9	-
8:27	9.3	11.4	8:27	9.5	10.8	-
8:28	9.0	11.3	8:28	14.0	10.9	-
8:29	9.0	11.0	8:29	13.5	11.0	-
8:30	10.2	10.9	8:30	10.8	11.0	-
8:31	10.8	10.8	8:31	9.3	11.0	-
8:32	12.3	10.5	8:32	11.8	11.1	-
8:33	11.5	10.3	8:33	11.5	11.2	-
8:34	9.8	10.3	8:34	10.3	11.2	-
8:35	8.8	10.2	8:35	10.5	11.2	-
8:36	8.5	10.0	8:36	10.0	11.1	-
8:37	9.0	10.0	8:37	12.0	11.1	-
8:38	8.0	9.8	8:38	13.5	11.3	-
8:39	8.0	9.6	8:39	10.5	11.2	-
8:40	8.0	9.5	8:40	9.5	11.1	-
8:41	8.8	9.4	8:41	10.3	11.1	-
8:42	9.8	9.4	8:42	14.5	11.5	-
8:43	10.3	9.5	8:43	11.0	11.3	-
8:44	10.3	9.6	8:44	9.3	11.0	-
8:45	10.0	9.6	8:45	9.8	10.9	-
8:46	9.0	9.5	8:46	9.0	10.9	-
8:47	9.0	9.2	8:47	9.3	10.7	-
8:48	10.0	9.1	8:48	10.8	10.7	-
8:49	9.3	9.1	8:49	9.0	10.6	-
8:50	9.0	9.1	8:50	8.4	10.4	-
8:51	9.0	9.2	8:51	8.6	10.4	-
8:52	9.0	9.2	8:52	8.8	10.1	-
8:53	9.0	9.2	8:53	8.6	9.8	-
8:54	9.0	9.3	8:54	9.0	9.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:55	9.0	9.4	8:55	8.3	9.6	-
8:56	9.0	9.4	8:56	9.8	9.6	-
8:57	9.0	9.3	8:57	8.8	9.2	-
8:58	9.0	9.2	8:58	10.0	9.1	-
8:59	9.8	9.2	8:59	9.3	9.1	-
9:00	20.8	9.9	9:00	9.3	9.1	-
9:01	9.0	9.9	9:01	9.5	9.1	-
9:02	9.0	9.9	9:02	8.8	9.1	-
9:03	9.0	9.9	9:03	9.3	9.0	-
9:04	10.3	9.9	9:04	7.5	8.9	-
9:05	10.3	10.0	9:05	10.0	9.0	-
9:06	10.0	10.1	9:06	9.8	9.1	-
9:07	9.8	10.1	9:07	9.3	9.1	-
9:08	9.5	10.2	9:08	9.0	9.2	-
9:09	9.3	10.2	9:09	9.8	9.2	-
9:10	9.5	10.2	9:10	11.0	9.4	-
9:11	9.0	10.2	9:11	11.0	9.5	-
9:12	9.5	10.2	9:12	11.0	9.6	-
9:13	9.0	10.2	9:13	10.8	9.7	-
9:14	9.3	10.2	9:14	10.3	9.7	-
9:15	10.3	9.5	9:15	10.0	9.8	-
9:16	10.0	9.6	9:16	9.0	9.8	-
9:17	11.0	9.7	9:17	9.0	9.8	-
9:18	10.8	9.8	9:18	9.0	9.8	-
9:19	10.3	9.8	9:19	12.3	10.1	-
9:20	9.5	9.8	9:20	10.5	10.1	-
9:21	9.0	9.7	9:21	10.5	10.2	-
9:22	9.3	9.7	9:22	15.3	10.6	-
9:23	9.3	9.7	9:23	9.5	10.6	-
9:24	10.8	9.8	9:24	9.8	10.6	-
9:25	9.5	9.8	9:25	10.8	10.6	-
9:26	9.8	9.8	9:26	14.5	10.8	-
9:27	10.0	9.8	9:27	11.3	10.8	-
9:28	11.8	10.0	9:28	9.8	10.8	-
9:29	11.3	10.2	9:29	9.3	10.7	-
9:30	10.5	10.2	9:30	10.0	10.7	-
9:31	11.3	10.3	9:31	9.0	10.7	-
9:32	21.0	10.9	9:32	9.0	10.7	-
9:33	18.0	11.4	9:33	9.5	10.7	-
9:34	10.0	11.4	9:34	10.0	10.6	-
9:35	10.6	11.5	9:35	10.5	10.6	-
9:36	11.0	11.6	9:36	10.8	10.6	-
9:37	10.6	11.7	9:37	9.3	10.2	-
9:38	10.4	11.8	9:38	9.8	10.2	-
9:39	10.4	11.7	9:39	9.0	10.2	-
9:40	10.2	11.8	9:40	9.0	10.0	-
9:41	10.0	11.8	9:41	10.5	9.8	-
9:42	10.3	11.8	9:42	10.0	9.7	-
9:43	11.0	11.8	9:43	9.8	9.7	-
9:44	9.8	11.7	9:44	9.8	9.7	-
9:45	10.5	11.7	9:45	9.0	9.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:46	11.0	11.6	9:46	9.0	9.7	-
9:47	10.3	10.9	9:47	9.8	9.7	-
9:48	11.3	10.5	9:48	9.5	9.7	-
9:49	10.8	10.5	9:49	9.3	9.7	-
9:50	10.0	10.5	9:50	9.0	9.6	-
9:51	10.0	10.4	9:51	9.0	9.4	-
9:52	10.0	10.4	9:52	9.0	9.4	-
9:53	10.0	10.4	9:53	9.0	9.4	-
9:54	10.0	10.3	9:54	9.0	9.4	-
9:55	9.5	10.3	9:55	9.0	9.4	-
9:56	9.5	10.3	9:56	8.8	9.3	-
9:57	9.5	10.2	9:57	9.0	9.2	-
9:58	9.8	10.1	9:58	9.3	9.2	-
9:59	10.0	10.1	9:59	10.6	9.2	-
10:00	10.0	10.1	10:00	11.0	9.3	-
10:01	10.0	10.0	10:01	9.4	9.4	-
10:02	10.5	10.1	10:02	9.8	9.4	-
10:03	10.8	10.0	10:03	10.5	9.4	-
10:04	10.5	10.0	10:04	10.0	9.5	-
10:05	10.0	10.0	10:05	9.8	9.5	-
10:06	10.0	10.0	10:06	9.5	9.6	-
10:07	10.5	10.0	10:07	10.8	9.7	-
10:08	11.0	10.1	10:08	9.3	9.7	-
10:09	10.0	10.1	10:09	9.8	9.8	-
10:10	15.8	10.5	10:10	13.5	10.1	-
10:11	14.5	10.9	10:11	12.5	10.3	-
10:12	11.0	11.0	10:12	12.0	10.5	-
10:13	10.3	11.0	10:13	11.0	10.6	-
10:14	9.0	10.9	10:14	11.3	10.7	-
10:15	9.5	10.9	10:15	10.0	10.6	-
10:16	9.8	10.9	10:16	10.0	10.6	-
10:17	9.8	10.8	10:17	9.5	10.6	-
10:18	10.0	10.8	10:18	10.3	10.6	-
10:19	10.0	10.7	10:19	10.0	10.6	-
10:20	11.8	10.9	10:20	10.0	10.6	-
10:21	10.0	10.9	10:21	10.5	10.7	-
10:22	10.0	10.8	10:22	9.0	10.6	-
10:23	10.0	10.8	10:23	9.0	10.6	-
10:24	10.0	10.8	10:24	9.0	10.5	-
10:25	11.5	10.5	10:25	9.8	10.3	-
10:26	11.8	10.3	10:26	10.8	10.1	-
10:27	11.5	10.3	10:27	9.8	10.0	-
10:28	10.8	10.4	10:28	9.0	9.9	-
10:29	11.0	10.5	10:29	9.0	9.7	-
10:30	11.0	10.6	10:30	8.8	9.6	-
10:31	9.3	10.6	10:31	10.3	9.6	-
10:32	9.0	10.5	10:32	10.0	9.7	-
10:33	10.0	10.5	10:33	9.3	9.6	-
10:34	11.0	10.6	10:34	10.5	9.6	-
10:35	9.0	10.4	10:35	10.5	9.7	-
10:36	9.0	10.3	10:36	9.5	9.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:37	9.5	10.3	10:37	11.3	9.8	-
10:38	10.0	10.3	10:38	11.0	9.9	-
10:39	10.0	10.3	10:39	11.0	10.0	-
10:40	9.3	10.1	10:40	12.8	10.2	-
10:41	9.3	10.0	10:41	12.3	10.3	-
10:42	9.0	9.8	10:42	9.0	10.3	-
10:43	10.0	9.8	10:43	9.5	10.3	-
10:44	11.0	9.8	10:44	9.0	10.3	-
10:45	10.2	9.7	10:45	8.8	10.3	-
10:46	10.0	9.7	10:46	9.0	10.2	-
10:47	10.0	9.8	10:47	8.3	10.1	-
10:48	10.8	9.9	10:48	10.0	10.2	-
10:49	10.3	9.8	10:49	8.5	10.0	-
10:50	10.0	9.9	10:50	8.5	9.9	-
10:51	10.0	9.9	10:51	9.5	9.9	-
10:52	10.0	10.0	10:52	9.0	9.7	-
10:53	10.5	10.0	10:53	9.5	9.6	-
10:54	12.0	10.1	10:54	11.3	9.7	-
10:55	10.8	10.2	10:55	9.5	9.4	-
10:56	10.0	10.3	10:56	9.8	9.3	-
10:57	9.3	10.3	10:57	9.5	9.3	-
10:58	8.5	10.2	10:58	9.8	9.3	-
10:59	9.0	10.1	10:59	9.3	9.3	-
11:00	8.8	10.0	11:00	8.5	9.3	-
11:01	10.3	10.0	11:01	9.0	9.3	-
11:02	8.0	9.9	11:02	8.8	9.4	-
11:03	8.0	9.7	11:03	8.8	9.3	-
11:04	9.0	9.6	11:04	9.3	9.3	-
11:05	9.8	9.6	11:05	9.8	9.4	-
11:06	9.5	9.6	11:06	10.0	9.4	-
11:07	10.0	9.6	11:07	10.0	9.5	-
11:08	9.8	9.5	11:08	10.0	9.5	-
11:09	9.8	9.4	11:09	10.0	9.5	-
11:10	9.0	9.2	11:10	9.5	9.5	-
11:11	9.0	9.2	11:11	13.8	9.7	-
11:12	9.0	9.2	11:12	12.4	9.9	-
11:13	9.0	9.2	11:13	10.0	9.9	-
11:14	10.0	9.3	11:14	10.0	10.0	-
11:15	10.0	9.3	11:15	12.5	10.2	-
11:16	10.0	9.3	11:16	12.5	10.5	-
11:17	9.0	9.4	11:17	12.5	10.7	-
11:18	9.8	9.5	11:18	11.0	10.9	-
11:19	10.3	9.6	11:19	9.3	10.9	-
11:20	10.3	9.6	11:20	10.0	10.9	-
11:21	12.5	9.8	11:21	10.3	10.9	-
11:22	11.0	9.9	11:22	12.5	11.1	-
11:23	11.0	10.0	11:23	10.0	11.1	-
11:24	11.0	10.1	11:24	13.5	11.3	-
11:25	10.0	10.1	11:25	12.3	11.5	-
11:26	10.8	10.2	11:26	10.0	11.2	-
11:27	11.8	10.4	11:27	10.0	11.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:28	13.8	10.7	11:28	10.0	11.1	-
11:29	11.8	10.9	11:29	10.0	11.1	-
11:30	10.5	10.9	11:30	11.0	11.0	-
11:31	10.5	10.9	11:31	11.8	10.9	-
11:32	11.0	11.1	11:32	16.3	11.2	-
11:33	11.0	11.1	11:33	16.0	11.5	-
11:34	11.0	11.2	11:34	14.0	11.8	-
11:35	12.0	11.3	11:35	14.3	12.1	-
11:36	11.5	11.2	11:36	19.0	12.7	-
11:37	12.5	11.3	11:37	13.0	12.7	-
11:38	12.5	11.4	11:38	15.3	13.1	-
11:39	14.5	11.7	11:39	15.0	13.2	-
11:40	15.5	12.0	11:40	14.8	13.4	-
11:41	15.0	12.3	11:41	16.0	13.8	-
11:42	22.3	13.0	11:42	17.5	14.3	-
11:43	22.8	13.6	11:43	16.5	14.7	-
11:44	11.5	13.6	11:44	18.3	15.2	-
11:45	12.3	13.7	11:45	19.3	15.8	-
11:46	12.3	13.8	11:46	24.3	16.6	-
11:47	12.3	13.9	11:47	27.8	17.4	-
11:48	13.0	14.1	11:48	14.8	17.3	-
11:49	12.0	14.1	11:49	13.0	17.2	-
11:50	11.0	14.1	11:50	12.8	17.1	-
11:51	11.5	14.1	11:51	21.0	17.3	-
11:52	14.8	14.2	11:52	25.0	18.1	-
11:53	15.3	14.4	11:53	13.8	18.0	-
11:54	11.8	14.2	11:54	12.8	17.8	-
11:55	11.5	13.9	11:55	11.5	17.6	-
11:56	10.8	13.7	11:56	10.3	17.2	-
11:57	11.0	12.9	11:57	10.3	16.7	-
11:58	10.2	12.1	11:58	12.0	16.4	-
11:59	10.0	12.0	11:59	16.0	16.3	-
12:00	10.0	11.8	12:00	11.0	15.7	-
12:01	11.0	11.7	12:01	10.8	14.8	-
12:02	11.0	11.6	12:02	11.5	13.8	-
12:03	10.3	11.5	12:03	11.0	13.5	-
12:04	11.5	11.4	12:04	12.5	13.5	-
12:05	13.0	11.6	12:05	11.8	13.4	-
12:06	12.5	11.6	12:06	12.5	12.8	-
12:07	11.0	11.4	12:07	11.5	11.9	-
12:08	11.0	11.1	12:08	14.8	12.0	-
12:09	11.0	11.0	12:09	16.8	12.3	-
12:10	10.8	11.0	12:10	20.0	12.8	-
12:11	11.3	11.0	12:11	11.5	12.9	-
12:12	11.0	11.0	12:12	11.3	13.0	-
12:13	11.0	11.1	12:13	11.5	13.0	-
12:14	10.5	11.1	12:14	12.0	12.7	-
12:15	10.0	11.1	12:15	11.0	12.7	-
12:16	10.0	11.1	12:16	11.0	12.7	-
12:17	10.0	11.0	12:17	11.0	12.7	-
12:18	10.0	11.0	12:18	11.0	12.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:19	10.0	10.9	12:19	10.8	12.6	-
12:20	10.0	10.7	12:20	10.8	12.5	-
12:21	10.0	10.5	12:21	11.2	12.4	-
12:22	10.0	10.4	12:22	11.8	12.4	-
12:23	10.8	10.4	12:23	11.2	12.2	-
12:24	10.0	10.4	12:24	18.8	12.3	-
12:25	10.0	10.3	12:25	17.8	12.2	-
12:26	10.0	10.2	12:26	17.8	12.6	-
12:27	9.8	10.1	12:27	12.5	12.7	-
12:28	9.8	10.1	12:28	10.5	12.6	-
12:29	10.0	10.0	12:29	11.3	12.6	-
12:30	10.0	10.0	12:30	15.3	12.8	-
12:31	10.0	10.0	12:31	24.5	13.7	-
12:32	10.8	10.1	12:32	13.8	13.9	-
12:33	11.8	10.2	12:33	12.0	14.0	-
12:34	11.0	10.3	12:34	13.3	14.2	-
12:35	10.3	10.3	12:35	13.8	14.4	-
12:36	12.0	10.4	12:36	11.5	14.4	-
12:37	13.3	10.6	12:37	17.5	14.8	-
12:38	15.3	10.9	12:38	17.8	15.2	-
12:39	14.8	11.2	12:39	12.5	14.8	-
12:40	11.8	11.4	12:40	9.8	14.2	-
12:41	9.8	11.3	12:41	9.5	13.7	-
12:42	10.0	11.4	12:42	10.5	13.6	-
12:43	9.8	11.4	12:43	12.5	13.7	-
12:44	10.0	11.4	12:44	11.3	13.7	-
12:45	10.0	11.4	12:45	13.8	13.6	-
12:46	10.0	11.4	12:46	10.3	12.6	-
12:47	10.0	11.3	12:47	10.0	12.4	-
12:48	10.5	11.2	12:48	10.0	12.3	-
12:49	11.0	11.2	12:49	10.0	12.0	-
12:50	12.0	11.3	12:50	17.8	12.3	-
12:51	11.8	11.3	12:51	21.5	13.0	-
12:52	12.0	11.2	12:52	12.5	12.6	-
12:53	12.8	11.1	12:53	12.8	12.3	-
12:54	12.3	10.9	12:54	10.5	12.2	-
12:55	12.8	11.0	12:55	9.0	12.1	-
12:56	12.8	11.2	12:56	10.5	12.2	-
12:57	11.0	11.2	12:57	10.0	12.2	-
12:58	12.0	11.4	12:58	9.0	11.9	-
12:59	12.8	11.6	12:59	9.0	11.8	-
13:00	13.0	11.8	13:00	9.8	11.5	-
13:01	13.0	12.0	13:01	10.0	11.5	-
13:02	13.0	12.2	13:02	9.5	11.5	-
13:03	13.5	12.4	13:03	8.5	11.4	-
13:04	14.0	12.6	13:04	10.5	11.4	-
13:05	14.0	12.7	13:05	11.0	10.9	-
13:06	14.8	12.9	13:06	9.5	10.1	-
13:07	16.8	13.2	13:07	8.3	9.9	-
13:08	13.4	13.3	13:08	8.0	9.5	-
13:09	13.6	13.4	13:09	8.3	9.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:10	14.5	13.5	13:10	9.0	9.4	-
13:11	15.5	13.7	13:11	10.3	9.4	-
13:12	16.3	14.0	13:12	9.8	9.4	-
13:13	14.5	14.2	13:13	8.5	9.3	-
13:14	14.8	14.3	13:14	9.0	9.3	-
13:15	15.8	14.5	13:15	9.3	9.3	-
13:16	16.0	14.7	13:16	9.5	9.3	-
13:17	17.3	15.0	13:17	9.0	9.2	-
13:18	18.3	15.3	13:18	9.5	9.3	-
13:19	17.3	15.5	13:19	8.0	9.1	-
13:20	17.0	15.7	13:20	8.8	9.0	-
13:21	17.8	15.9	13:21	8.8	8.9	-
13:22	17.3	15.9	13:22	9.0	9.0	-
13:23	17.0	16.2	13:23	8.8	9.0	-
13:24	18.0	16.5	13:24	8.0	9.0	-
13:25	19.8	16.8	13:25	8.0	8.9	-
13:26	18.8	17.0	13:26	9.0	8.9	-
13:27	18.0	17.2	13:27	9.3	8.8	-
13:28	18.0	17.4	13:28	14.0	9.2	-
13:29	17.0	17.5	13:29	16.0	9.7	-
13:30	18.0	17.7	13:30	17.4	10.2	-
13:31	18.3	17.8	13:31	10.0	10.2	-
13:32	18.3	17.9	13:32	20.0	11.0	-
13:33	19.0	18.0	13:33	14.0	11.3	-
13:34	18.0	18.0	13:34	8.8	11.3	-
13:35	18.0	18.1	13:35	9.5	11.4	-
13:36	18.3	18.1	13:36	10.8	11.5	-
13:37	18.8	18.2	13:37	9.3	11.5	-
13:38	18.8	18.3	13:38	14.0	11.9	-
13:39	19.8	18.4	13:39	15.3	12.3	-
13:40	19.0	18.4	13:40	9.5	12.4	-
13:41	18.3	18.4	13:41	11.0	12.6	-
13:42	18.8	18.4	13:42	10.3	12.6	-
13:43	20.0	18.5	13:43	9.0	12.3	-
13:44	22.3	18.9	13:44	9.0	11.8	-
13:45	20.3	19.0	13:45	16.5	11.8	-
13:46	20.5	19.2	13:46	15.0	12.1	-
13:47	25.3	19.7	13:47	12.3	11.6	-
13:48	21.5	19.8	13:48	13.3	11.6	-
13:49	19.0	19.9	13:49	10.3	11.7	-
13:50	19.0	20.0	13:50	18.0	12.2	-
13:51	18.8	20.0	13:51	14.0	12.4	-
13:52	18.5	20.0	13:52	8.3	12.4	-
13:53	19.5	20.0	13:53	9.8	12.1	-
13:54	22.5	20.2	13:54	16.8	12.2	-
13:55	20.3	20.3	13:55	10.3	12.2	-
13:56	21.0	20.5	13:56	8.0	12.0	-
13:57	21.3	20.6	13:57	8.8	11.9	-
13:58	21.3	20.7	13:58	9.5	12.0	-
13:59	21.3	20.7	13:59	8.0	11.9	-
14:00	22.5	20.8	14:00	8.8	11.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:01	20.3	20.8	14:01	9.0	11.0	-
14:02	20.0	20.4	14:02	8.5	10.7	-
14:03	19.5	20.3	14:03	7.3	10.3	-
14:04	19.5	20.3	14:04	8.5	10.2	-
14:05	19.0	20.3	14:05	17.5	10.2	-
14:06	19.8	20.4	14:06	17.0	10.4	-
14:07	19.3	20.5	14:07	8.8	10.4	-
14:08	19.3	20.4	14:08	7.3	10.3	-
14:09	22.3	20.4	14:09	7.5	9.6	-
14:10	20.5	20.4	14:10	9.5	9.6	-
14:11	19.3	20.3	14:11	9.0	9.7	-
14:12	20.0	20.2	14:12	8.8	9.7	-
14:13	19.0	20.1	14:13	10.3	9.7	-
14:14	19.0	19.9	14:14	8.8	9.8	-
14:15	19.4	19.7	14:15	8.3	9.7	-
14:16	19.2	19.7	14:16	9.0	9.7	-
14:17	20.5	19.7	14:17	9.0	9.8	-
14:18	23.6	20.0	14:18	10.0	9.9	-
14:19	21.5	20.1	14:19	14.8	10.4	-
14:20	20.0	20.2	14:20	9.5	9.8	-
14:21	20.0	20.2	14:21	9.0	9.3	-
14:22	19.5	20.2	14:22	10.0	9.4	-
14:23	20.3	20.3	14:23	9.3	9.5	-
14:24	20.5	20.1	14:24	8.3	9.6	-
14:25	19.3	20.1	14:25	7.5	9.4	-
14:26	20.3	20.1	14:26	8.5	9.4	-
14:27	20.3	20.1	14:27	10.8	9.5	-
14:28	20.0	20.2	14:28	10.5	9.5	-
14:29	21.3	20.4	14:29	9.0	9.6	-
14:30	20.8	20.5	14:30	9.0	9.6	-
14:31	21.0	20.6	14:31	10.3	9.7	-
14:32	19.0	20.5	14:32	10.5	9.8	-
14:33	18.8	20.2	14:33	9.3	9.7	-
14:34	18.0	19.9	14:34	11.5	9.5	-
14:35	18.0	19.8	14:35	10.0	9.6	-
14:36	18.0	19.7	14:36	10.5	9.7	-
14:37	18.0	19.6	14:37	9.0	9.6	-
14:38	18.0	19.4	14:38	10.3	9.7	-
14:39	18.8	19.3	14:39	10.8	9.8	-
14:40	19.0	19.3	14:40	9.4	9.9	-
14:41	18.3	19.1	14:41	14.0	10.3	-
14:42	18.8	19.0	14:42	15.2	10.6	-
14:43	19.3	19.0	14:43	14.0	10.8	-
14:44	21.5	19.0	14:44	16.0	11.3	-
14:45	19.8	18.9	14:45	16.3	11.8	-
14:46	18.3	18.8	14:46	10.0	11.8	-
14:47	20.0	18.8	14:47	8.0	11.6	-
14:48	20.0	18.9	14:48	8.0	11.5	-
14:49	18.5	18.9	14:49	8.8	11.3	-
14:50	18.0	18.9	14:50	9.0	11.3	-
14:51	18.0	18.9	14:51	9.0	11.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:52	17.8	18.9	14:52	8.5	11.1	-
14:53	18.0	18.9	14:53	8.0	11.0	-
14:54	18.0	18.9	14:54	8.0	10.8	-
14:55	17.3	18.8	14:55	9.3	10.8	-
14:56	17.8	18.7	14:56	10.0	10.5	-
14:57	18.0	18.7	14:57	9.0	10.1	-
14:58	17.5	18.6	14:58	8.0	9.7	-
14:59	17.0	18.3	14:59	9.5	9.3	-
15:00	17.3	18.1	15:00	8.8	8.8	-
15:01	18.0	18.1	15:01	7.3	8.6	-
15:02	17.5	17.9	15:02	7.3	8.6	-
15:03	17.3	17.7	15:03	8.0	8.6	-
15:04	17.8	17.7	15:04	7.5	8.5	-
15:05	18.0	17.7	15:05	8.0	8.4	-
15:06	18.8	17.7	15:06	8.0	8.3	-
15:07	18.0	17.7	15:07	7.5	8.3	-
15:08	17.0	17.7	15:08	8.0	8.3	-
15:09	18.0	17.7	15:09	7.3	8.2	-
15:10	17.5	17.7	15:10	8.5	8.2	-
15:11	17.0	17.6	15:11	8.0	8.0	-
15:12	17.0	17.6	15:12	9.3	8.1	-
15:13	20.3	17.8	15:13	10.3	8.2	-
15:14	23.0	18.2	15:14	11.0	8.3	-
15:15	21.0	18.4	15:15	8.8	8.3	-
15:16	18.0	18.4	15:16	8.0	8.4	-
15:17	18.0	18.4	15:17	8.0	8.4	-
15:18	18.0	18.5	15:18	8.0	8.4	-
15:19	17.5	18.5	15:19	9.3	8.5	-
15:20	18.5	18.5	15:20	9.0	8.6	-
15:21	19.5	18.6	15:21	8.0	8.6	-
15:22	18.5	18.6	15:22	8.5	8.7	-
15:23	17.0	18.6	15:23	9.0	8.7	-
15:24	17.0	18.5	15:24	8.0	8.8	-
15:25	17.0	18.5	15:25	8.5	8.8	-
15:26	17.2	18.5	15:26	9.0	8.8	-
15:27	17.8	18.6	15:27	9.5	8.9	-
15:28	17.6	18.4	15:28	9.0	8.8	-
15:29	18.2	18.1	15:29	9.3	8.7	-
15:30	19.6	18.0	15:30	9.8	8.7	-
15:31	18.3	18.0	15:31	9.8	8.8	-
15:32	17.3	17.9	15:32	10.0	9.0	-
15:33	17.8	17.9	15:33	9.0	9.0	-
15:34	18.5	18.0	15:34	9.0	9.0	-
15:35	18.3	18.0	15:35	8.5	9.0	-
15:36	17.8	17.8	15:36	8.8	9.0	-
15:37	17.3	17.8	15:37	9.0	9.1	-
15:38	17.8	17.8	15:38	9.0	9.1	-
15:39	18.5	17.9	15:39	9.0	9.1	-
15:40	18.8	18.0	15:40	9.0	9.2	-
15:41	19.0	18.1	15:41	9.0	9.2	-
15:42	19.0	18.2	15:42	10.0	9.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:43	19.0	18.3	15:43	9.8	9.3	-
15:44	19.0	18.4	15:44	9.0	9.2	-
15:45	18.8	18.3	15:45	9.3	9.2	-
15:46	19.0	18.4	15:46	10.0	9.2	-
15:47	19.0	18.5	15:47	9.3	9.2	-
15:48	19.0	18.6	15:48	9.0	9.2	-
15:49	19.0	18.6	15:49	9.8	9.2	-
15:50	19.0	18.7	15:50	10.0	9.3	-
15:51	19.0	18.7	15:51	10.3	9.4	-
15:52	19.5	18.9	15:52	11.0	9.6	-
15:53	20.0	19.0	15:53	10.0	9.6	-
15:54	21.5	19.2	15:54	11.0	9.8	-
15:55	21.5	19.4	15:55	10.3	9.8	-
15:56	19.3	19.4	15:56	9.0	9.8	-
15:57	18.0	19.4	15:57	8.0	9.7	-
15:58	18.0	19.3	15:58	9.0	9.7	-
15:59	18.0	19.2	15:59	8.5	9.6	-
16:00	18.0	19.2	16:00	8.3	9.6	-
16:01	18.0	19.1	16:01	8.0	9.4	-
16:02	17.0	19.0	16:02	8.3	9.4	-
16:03	17.3	18.9	16:03	8.3	9.3	-
16:04	18.0	18.8	16:04	8.8	9.2	-
16:05	17.8	18.7	16:05	8.0	9.1	-
16:06	17.0	18.6	16:06	9.8	9.1	-
16:07	17.0	18.4	16:07	8.3	8.9	-
16:08	17.0	18.2	16:08	8.0	8.8	-
16:09	16.3	17.9	16:09	8.3	8.6	-
16:10	16.0	17.5	16:10	8.8	8.5	-
16:11	16.8	17.3	16:11	8.0	8.4	-
16:12	18.5	17.4	16:12	8.8	8.5	-
16:13	20.0	17.5	16:13	8.0	8.4	-
16:14	19.3	17.6	16:14	8.8	8.4	-
16:15	17.8	17.6	16:15	8.5	8.4	-
16:16	17.0	17.5	16:16	8.3	8.4	-
16:17	16.0	17.4	16:17	8.3	8.4	-
16:18	16.8	17.4	16:18	10.0	8.6	-
16:19	17.0	17.3	16:19	8.8	8.6	-
16:20	17.0	17.3	16:20	8.8	8.6	-
16:21	16.0	17.2	16:21	8.0	8.5	-
16:22	16.0	17.2	16:22	8.0	8.5	-
16:23	16.0	17.1	16:23	8.5	8.5	-
16:24	16.0	17.1	16:24	8.0	8.5	-
16:25	16.5	17.1	16:25	8.5	8.5	-
16:26	16.0	17.1	16:26	8.5	8.5	-
16:27	16.0	16.9	16:27	8.8	8.5	-
16:28	16.0	16.6	16:28	7.5	8.5	-
16:29	16.0	16.4	16:29	7.3	8.4	-
16:30	16.0	16.3	16:30	7.5	8.3	-
16:31	16.0	16.2	16:31	8.0	8.3	-
16:32	16.0	16.2	16:32	8.0	8.3	-
16:33	16.0	16.2	16:33	8.5	8.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:34	16.0	16.1	16:34	8.0	8.1	-
16:35	16.0	16.0	16:35	7.5	8.0	-
16:36	16.0	16.0	16:36	7.8	8.0	-
16:37	16.0	16.0	16:37	8.0	8.0	-
16:38	16.0	16.0	16:38	7.0	7.9	-
16:39	16.0	16.0	16:39	7.5	7.9	-
16:40	16.0	16.0	16:40	7.3	7.8	-
16:41	16.0	16.0	16:41	7.5	7.7	-
16:42	15.5	16.0	16:42	7.0	7.6	-
16:43	15.0	15.9	16:43	7.0	7.6	-
16:44	15.0	15.8	16:44	6.5	7.5	-
16:45	15.8	15.8	16:45	7.0	7.5	-
16:46	15.0	15.8	16:46	8.0	7.5	-
16:47	15.0	15.7	16:47	7.5	7.5	-
16:48	15.0	15.6	16:48	6.5	7.3	-
16:49	15.5	15.6	16:49	6.0	7.2	-
16:50	15.0	15.5	16:50	6.0	7.1	-
16:51	14.8	15.4	16:51	6.0	7.0	-
16:52	15.0	15.4	16:52	6.3	6.9	-
16:53	16.0	15.4	16:53	6.0	6.8	-
16:54	16.0	15.4	16:54	6.5	6.7	-
16:55	15.0	15.3	16:55	6.3	6.7	-
16:56	16.0	15.3	16:56	6.0	6.6	-
16:57	15.0	15.3	16:57	6.0	6.5	-
16:58	15.0	15.3	16:58	7.0	6.5	-

Thursday, September 15, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						566
Start Time:						7:18
End Time:						16:58
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	-	7:26	0.0	-	-
7:27	0.0	-	7:27	0.0	-	-
7:28	0.0	-	7:28	0.0	-	-
7:29	0.0	-	7:29	0.0	-	-
7:30	0.0	-	7:30	0.0	-	-
7:31	0.0	-	7:31	0.0	-	-
7:32	0.0	-	7:32	0.0	-	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-
16:26	0.0	0.0	16:26	0.0	0.0	-
16:27	0.0	0.0	16:27	0.0	0.0	-
16:28	0.0	0.0	16:28	0.0	0.0	-
16:29	0.0	0.0	16:29	0.0	0.0	-
16:30	0.0	0.0	16:30	0.0	0.0	-
16:31	0.0	0.0	16:31	0.0	0.0	-
16:32	0.0	0.0	16:32	0.0	0.0	-
16:33	0.0	0.0	16:33	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:34	0.0	0.0	16:34	0.0	0.0	-
16:35	0.0	0.0	16:35	0.0	0.0	-
16:36	0.0	0.0	16:36	0.0	0.0	-
16:37	0.0	0.0	16:37	0.0	0.0	-
16:38	0.0	0.0	16:38	0.0	0.0	-
16:39	0.0	0.0	16:39	0.0	0.0	-
16:40	0.0	0.0	16:40	0.0	0.0	-
16:41	0.0	0.0	16:41	0.0	0.0	-
16:42	0.0	0.0	16:42	0.0	0.0	-
16:43	0.0	0.0	16:43	0.0	0.0	-
16:44	0.0	0.0	16:44	0.0	0.0	-
16:45	0.0	0.0	16:45	0.0	0.0	-
16:46	0.0	0.0	16:46	0.0	0.0	-
16:47	0.0	0.0	16:47	0.0	0.0	-
16:48	0.0	0.0	16:48	0.0	0.0	-
16:49	0.0	0.0	16:49	0.0	0.0	-
16:50	0.0	0.0	16:50	0.0	0.0	-
16:51	0.0	0.0	16:51	0.0	0.0	-
16:52	0.0	0.0	16:52	0.0	0.0	-
16:53	0.0	0.0	16:53	0.0	0.0	-
16:54	0.0	0.0	16:54	0.0	0.0	-
16:55	0.0	0.0	16:55	0.0	0.0	-
16:56	0.0	0.0	16:56	0.0	0.0	-
16:57	0.0	0.0	16:57	0.0	0.0	-
16:58	0.0	0.0	16:58	0.0	0.0	-