

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Friday, September 16, 2022 WEATHER: Sunny, 60-76 °F Wind: NNW @ 0.6 – 2.8 mph TIME: 6:45 am – 4:30 pm MONITORS: Camille Quick
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator	PRESENT AT SITE: Langan: Camille Quick Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo American Standard Plumbing and Heating (American Standard): Pawel Chrzan Domani Inspections: Abdul Brimah	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.		
Site Activities - American Standard continued to install a 12-inch-diameter cast iron storm drain that will lead to an outfall along the Gowanus Canal in the southeastern part of the site. - Bauer Structures (Bauer) backfilled around formwork in an about 20-foot-long by 15-foot-wide by about 3-foot-deep area in the central part of the site with previously imported clean fill from Evergreen Recycling of Corona (EROG) in Flushing, NY and recycled concrete aggregate (RCA) from the NYC Department of Transportation (DOT) stockpile in Brooklyn, NY. - Bauer graded a stockpile located in the northeastern corner of the site consisting of previously imported clean fill from EROG and RCA from the NYC DOT stockpile along the 45-foot-long by 20-foot-wide perimeter of completed formwork in the northern part of the site. - Bauer poured concrete for the construction of pile caps in the central and northern parts of the site. - Bauer excavated an about 10-foot-long by 3-foot-wide area to about 3 to 5 feet below grade surface (bgs) in the southeastern part of the site in preparation for the continued installation of storm drain piping. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Impacts included petroleum-like odor and PID readings above background of up to 63.4 parts per million (ppm). - Excavated material was temporarily stockpiled in the southeastern part of the site for future off-site disposal.		
Sampling No samples were collected.		

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	13.5	-0.3
Maximum 15min Average	39.3	3.6
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	3.0	-2.0
Maximum 1min Reading	66.3	26.0

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	249	8,745	25	495	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	Tilcon New York Inc. - Mount Hope Quarry		Tilcon New York Inc. - Mount Hope Quarry		Clean Soil Bank (CSB) Forbell Street Stockpile		DOT RCA Stockpile - DOT Sunset Park Yard	
Location	Wharton, NJ		Wharton, NJ		Brooklyn, NY		Brooklyn, NY	
Type of Material	ASTM #3 Stone		ASTM #5 Stone		Soil		RCA	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	11	271.9	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversion factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	Evergreen Recycling of Corona Inc.							
Location	Flushing, NY							
Type of Material	Clean Fill							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos



Photo 1: Bauer pouring concrete in the central part of the site (facing southeast).





Photo 2: Bauer excavating in the southeastern part of the site for the continued installation of a storm drain (facing southeast).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/16/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NNW	Relative Humidity (%)	28.0 - 67.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	60.0 - 76.0	Wind Speed (MPH)	0.6 - 2.8	Barometer (inHg)	30.20 - 30.20			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	13.5	39.3	15:53	0.0	0.1	11:24
Downwind	-0.3	3.6	14:02	0.0	0.0	7:22



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Friday, September 16, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						514
Start Time:						7:08
End Time:						15:56
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:08	10.0	-	7:08	0.0	-	-
7:09	10.2	-	7:09	0.0	-	-
7:10	10.0	-	7:10	0.0	-	-
7:11	9.6	-	7:11	0.0	-	-
7:12	9.0	-	7:12	0.0	-	-
7:13	9.0	-	7:13	0.0	-	-
7:14	10.5	-	7:14	0.0	-	-
7:15	11.8	-	7:15	0.0	-	-
7:16	13.3	-	7:16	0.0	-	-
7:17	13.3	-	7:17	0.0	-	-
7:18	11.3	-	7:18	0.0	-	-
7:19	10.0	-	7:19	0.0	-	-
7:20	10.5	-	7:20	0.0	-	-
7:21	11.3	-	7:21	0.0	-	-
7:22	12.0	-	7:22	0.0	-	-
7:23	12.0	10.9	7:23	0.0	0.0	-
7:24	11.3	11.0	7:24	0.0	0.0	-
7:25	11.0	11.0	7:25	0.0	0.0	-
7:26	12.8	11.3	7:26	0.0	0.0	-
7:27	12.3	11.5	7:27	0.0	0.0	-
7:28	21.0	12.3	7:28	0.0	0.0	-
7:29	20.5	12.9	7:29	0.0	0.0	-
7:30	13.3	13.0	7:30	0.0	0.0	-
7:31	13.0	13.0	7:31	0.0	0.0	-
7:32	12.5	13.0	7:32	0.0	0.0	-
7:33	12.0	13.0	7:33	0.0	0.0	-
7:34	10.8	13.1	7:34	0.0	0.0	-
7:35	13.0	13.2	7:35	0.0	0.0	-
7:36	11.5	13.3	7:36	0.0	0.0	-
7:37	10.0	13.1	7:37	0.0	0.0	-
7:38	11.8	13.1	7:38	0.0	0.0	-
7:39	12.0	13.2	7:39	0.0	0.0	-
7:40	11.5	13.2	7:40	0.0	0.0	-
7:41	10.3	13.0	7:41	0.0	0.0	-
7:42	9.0	12.8	7:42	0.0	0.0	-
7:43	9.0	12.0	7:43	0.0	0.0	-
7:44	18.8	11.9	7:44	0.0	0.0	-
7:45	18.3	12.2	7:45	0.0	0.0	-
7:46	13.0	12.2	7:46	0.0	0.0	-
7:47	11.8	12.2	7:47	-0.8	-0.1	-
7:48	11.0	12.1	7:48	-1.0	-0.1	-
7:49	12.8	12.2	7:49	0.0	-0.1	-
7:50	17.3	12.5	7:50	0.0	-0.1	-
7:51	14.3	12.7	7:51	0.0	-0.1	-
7:52	11.5	12.8	7:52	0.0	-0.1	-
7:53	19.3	13.3	7:53	0.0	-0.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:54	21.5	13.9	7:54	0.0	-0.1	-
7:55	15.0	14.2	7:55	0.0	-0.1	-
7:56	10.5	14.2	7:56	-0.3	-0.1	-
7:57	9.8	14.2	7:57	-1.0	-0.2	-
7:58	9.5	14.3	7:58	-1.0	-0.3	-
7:59	9.5	13.7	7:59	-1.0	-0.3	-
8:00	9.8	13.1	8:00	-1.0	-0.4	-
8:01	10.0	12.9	8:01	-1.0	-0.5	-
8:02	9.0	12.7	8:02	-1.0	-0.5	-
8:03	9.5	12.6	8:03	-1.0	-0.5	-
8:04	10.0	12.4	8:04	-1.0	-0.6	-
8:05	10.0	11.9	8:05	-1.0	-0.6	-
8:06	9.3	11.6	8:06	-1.0	-0.7	-
8:07	9.0	11.4	8:07	-1.0	-0.8	-
8:08	9.0	10.8	8:08	-1.0	-0.8	-
8:09	9.5	10.0	8:09	-1.0	-0.9	-
8:10	10.0	9.6	8:10	-1.0	-1.0	-
8:11	10.0	9.6	8:11	-1.0	-1.0	-
8:12	9.5	9.6	8:12	-1.0	-1.0	-
8:13	9.3	9.6	8:13	-1.0	-1.0	-
8:14	9.0	9.5	8:14	-1.0	-1.0	-
8:15	9.5	9.5	8:15	-1.0	-1.0	-
8:16	11.0	9.6	8:16	-1.0	-1.0	-
8:17	11.0	9.7	8:17	-1.0	-1.0	-
8:18	11.2	9.8	8:18	-1.8	-1.1	-
8:19	12.0	9.9	8:19	-2.0	-1.1	-
8:20	13.5	10.2	8:20	-2.0	-1.2	-
8:21	14.0	10.5	8:21	-2.0	-1.3	-
8:22	13.3	10.8	8:22	-2.0	-1.3	-
8:23	13.0	11.0	8:23	-2.0	-1.4	-
8:24	12.0	11.2	8:24	-2.0	-1.5	-
8:25	13.5	11.4	8:25	-2.0	-1.5	-
8:26	13.0	11.6	8:26	-2.0	-1.6	-
8:27	14.0	11.9	8:27	-2.0	-1.7	-
8:28	14.0	12.3	8:28	-2.0	-1.7	-
8:29	14.0	12.6	8:29	-1.8	-1.8	-
8:30	14.8	12.9	8:30	-2.0	-1.8	-
8:31	16.3	13.3	8:31	-1.0	-1.8	-
8:32	13.8	13.5	8:32	-1.0	-1.8	-
8:33	13.8	13.7	8:33	-1.0	-1.8	-
8:34	20.0	14.2	8:34	-1.0	-1.7	-
8:35	15.8	14.3	8:35	-1.0	-1.7	-
8:36	15.3	14.4	8:36	-1.0	-1.6	-
8:37	17.0	14.7	8:37	-1.0	-1.5	-
8:38	14.8	14.8	8:38	-1.0	-1.5	-
8:39	14.0	14.9	8:39	-1.0	-1.4	-
8:40	14.0	15.0	8:40	-1.6	-1.4	-
8:41	13.8	15.0	8:41	-2.0	-1.4	-
8:42	13.0	14.9	8:42	-2.0	-1.4	-
8:43	14.0	14.9	8:43	-2.0	-1.4	-
8:44	15.8	15.1	8:44	-1.0	-1.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:45	16.0	15.1	8:45	-2.0	-1.3	-
8:46	14.5	15.0	8:46	-2.0	-1.4	-
8:47	15.5	15.1	8:47	-2.0	-1.4	-
8:48	15.0	15.2	8:48	-2.0	-1.5	-
8:49	14.3	14.8	8:49	-2.0	-1.6	-
8:50	11.8	14.6	8:50	-2.0	-1.6	-
8:51	13.0	14.4	8:51	-2.0	-1.7	-
8:52	14.0	14.2	8:52	-2.0	-1.8	-
8:53	13.0	14.1	8:53	-2.0	-1.8	-
8:54	12.3	14.0	8:54	-2.0	-1.9	-
8:55	13.8	14.0	8:55	-2.0	-1.9	-
8:56	13.5	14.0	8:56	-2.0	-1.9	-
8:57	11.3	13.8	8:57	-1.3	-1.9	-
8:58	10.3	13.6	8:58	-1.0	-1.8	-
8:59	8.8	13.1	8:59	-1.0	-1.8	-
9:00	8.0	12.6	9:00	-1.0	-1.8	-
9:01	8.5	12.2	9:01	-1.0	-1.7	-
9:02	9.8	11.8	9:02	-1.0	-1.6	-
9:03	10.5	11.5	9:03	-1.0	-1.6	-
9:04	12.5	11.4	9:04	-1.0	-1.5	-
9:05	12.8	11.5	9:05	-1.0	-1.4	-
9:06	11.3	11.3	9:06	-1.0	-1.4	-
9:07	10.8	11.1	9:07	-1.0	-1.3	-
9:08	9.8	10.9	9:08	-1.0	-1.2	-
9:09	8.8	10.7	9:09	-1.3	-1.2	-
9:10	7.5	10.3	9:10	-1.5	-1.1	-
9:11	8.0	9.9	9:11	-2.0	-1.1	-
9:12	7.3	9.6	9:12	-2.0	-1.2	-
9:13	8.0	9.5	9:13	-2.0	-1.3	-
9:14	8.0	9.4	9:14	-2.0	-1.3	-
9:15	7.8	9.4	9:15	-2.0	-1.4	-
9:16	8.0	9.4	9:16	-2.0	-1.5	-
9:17	7.3	9.2	9:17	-2.0	-1.5	-
9:18	7.5	9.0	9:18	-2.0	-1.6	-
9:19	8.0	8.7	9:19	-2.0	-1.7	-
9:20	7.3	8.3	9:20	-2.0	-1.7	-
9:21	8.3	8.1	9:21	-2.0	-1.8	-
9:22	8.0	8.0	9:22	-2.0	-1.9	-
9:23	8.0	7.8	9:23	-2.0	-1.9	-
9:24	8.8	7.8	9:24	-2.0	-2.0	-
9:25	8.4	7.9	9:25	-2.0	-2.0	-
9:26	8.0	7.9	9:26	-2.0	-2.0	-
9:27	8.2	8.0	9:27	-2.0	-2.0	-
9:28	9.0	8.0	9:28	-2.0	-2.0	-
9:29	8.8	8.1	9:29	-2.0	-2.0	-
9:30	8.0	8.1	9:30	-2.0	-2.0	-
9:31	8.0	8.1	9:31	-1.5	-2.0	-
9:32	8.0	8.1	9:32	-1.0	-1.9	-
9:33	7.5	8.1	9:33	-1.0	-1.8	-
9:34	7.0	8.1	9:34	-1.0	-1.8	-
9:35	7.0	8.1	9:35	-1.0	-1.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:36	8.3	8.1	9:36	-1.0	-1.6	-
9:37	7.3	8.0	9:37	-1.0	-1.6	-
9:38	8.5	8.0	9:38	-1.0	-1.5	-
9:39	9.0	8.1	9:39	-1.0	-1.4	-
9:40	10.0	8.2	9:40	-1.0	-1.4	-
9:41	13.8	8.5	9:41	-1.0	-1.3	-
9:42	11.8	8.8	9:42	-1.0	-1.2	-
9:43	10.3	8.9	9:43	-1.0	-1.2	-
9:44	10.0	9.0	9:44	-1.8	-1.2	-
9:45	9.0	9.0	9:45	-2.0	-1.2	-
9:46	9.8	9.1	9:46	-2.0	-1.2	-
9:47	9.0	9.2	9:47	-2.0	-1.3	-
9:48	8.0	9.2	9:48	-2.0	-1.3	-
9:49	8.8	9.4	9:49	-2.0	-1.4	-
9:50	8.8	9.5	9:50	-2.0	-1.5	-
9:51	9.0	9.5	9:51	-2.0	-1.5	-
9:52	9.0	9.6	9:52	-2.0	-1.6	-
9:53	9.0	9.7	9:53	-2.0	-1.7	-
9:54	8.0	9.6	9:54	-2.0	-1.7	-
9:55	9.5	9.6	9:55	-2.0	-1.8	-
9:56	9.3	9.3	9:56	-2.0	-1.9	-
9:57	9.8	9.1	9:57	-2.0	-1.9	-
9:58	11.8	9.2	9:58	-2.0	-2.0	-
9:59	11.0	9.3	9:59	-2.0	-2.0	-
10:00	11.5	9.5	10:00	-2.0	-2.0	-
10:01	12.0	9.6	10:01	-2.0	-2.0	-
10:02	12.3	9.8	10:02	-2.0	-2.0	-
10:03	12.8	10.2	10:03	-2.0	-2.0	-
10:04	11.0	10.3	10:04	-2.0	-2.0	-
10:05	11.8	10.5	10:05	-2.0	-2.0	-
10:06	12.0	10.7	10:06	-2.0	-2.0	-
10:07	11.0	10.8	10:07	-1.0	-1.9	-
10:08	9.8	10.9	10:08	-1.0	-1.9	-
10:09	9.0	11.0	10:09	-1.0	-1.8	-
10:10	9.3	10.9	10:10	-1.0	-1.7	-
10:11	9.3	10.9	10:11	-1.0	-1.7	-
10:12	11.0	11.0	10:12	-1.0	-1.6	-
10:13	11.3	11.0	10:13	-1.0	-1.5	-
10:14	18.8	11.5	10:14	-1.0	-1.5	-
10:15	21.8	12.2	10:15	-1.0	-1.4	-
10:16	13.3	12.3	10:16	-1.0	-1.3	-
10:17	10.3	12.1	10:17	-1.0	-1.3	-
10:18	10.8	12.0	10:18	-1.0	-1.2	-
10:19	9.3	11.9	10:19	-1.0	-1.1	-
10:20	7.8	11.6	10:20	-1.0	-1.1	-
10:21	7.0	11.3	10:21	-1.5	-1.0	-
10:22	8.3	11.1	10:22	-1.8	-1.1	-
10:23	11.3	11.2	10:23	-2.0	-1.2	-
10:24	14.8	11.6	10:24	-2.0	-1.2	-
10:25	12.0	11.8	10:25	-2.0	-1.3	-
10:26	8.8	11.7	10:26	-2.0	-1.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:27	8.0	11.5	10:27	-2.0	-1.4	-
10:28	8.0	11.3	10:28	-2.0	-1.5	-
10:29	8.0	10.6	10:29	-2.0	-1.6	-
10:30	8.0	9.7	10:30	-2.0	-1.6	-
10:31	8.0	9.3	10:31	-2.0	-1.7	-
10:32	9.0	9.3	10:32	-2.0	-1.8	-
10:33	9.5	9.2	10:33	-2.0	-1.8	-
10:34	11.5	9.3	10:34	1.3	-1.7	-
10:35	14.0	9.7	10:35	26.0	0.1	-
10:36	14.0	10.2	10:36	12.3	1.1	-
10:37	12.8	10.5	10:37	4.5	1.5	-
10:38	9.8	10.4	10:38	1.5	1.7	-
10:39	8.6	10.0	10:39	0.3	1.9	-
10:40	7.4	9.7	10:40	0.8	2.0	-
10:41	7.0	9.6	10:41	0.3	2.2	-
10:42	7.0	9.5	10:42	0.0	2.3	-
10:43	7.0	9.4	10:43	0.0	2.5	-
10:44	7.0	9.4	10:44	0.0	2.6	-
10:45	7.5	9.3	10:45	0.0	2.7	-
10:46	7.5	9.3	10:46	-1.0	2.8	-
10:47	6.8	9.2	10:47	-1.0	2.9	-
10:48	4.0	8.8	10:48	-1.0	2.9	-
10:49	3.0	8.2	10:49	-1.0	2.8	-
10:50	4.0	7.6	10:50	-1.0	1.0	-
10:51	4.0	6.9	10:51	-1.3	0.1	-
10:52	5.3	6.4	10:52	-1.5	-0.3	-
10:53	8.0	6.3	10:53	-1.0	-0.5	-
10:54	9.5	6.3	10:54	-1.0	-0.6	-
10:55	9.3	6.5	10:55	-1.0	-0.7	-
10:56	7.3	6.5	10:56	-1.0	-0.8	-
10:57	6.5	6.4	10:57	-1.0	-0.9	-
10:58	7.0	6.4	10:58	-1.0	-0.9	-
10:59	7.8	6.5	10:59	-1.0	-1.0	-
11:00	8.0	6.5	11:00	-1.0	-1.1	-
11:01	7.0	6.5	11:01	-1.0	-1.1	-
11:02	7.0	6.5	11:02	-1.0	-1.1	-
11:03	8.0	6.8	11:03	-1.0	-1.1	-
11:04	8.0	7.1	11:04	-1.0	-1.1	-
11:05	8.8	7.4	11:05	-1.0	-1.1	-
11:06	8.3	7.7	11:06	-1.0	-1.0	-
11:07	10.0	8.0	11:07	-1.5	-1.0	-
11:08	9.5	8.1	11:08	-1.8	-1.1	-
11:09	8.0	8.0	11:09	-1.0	-1.1	-
11:10	8.0	7.9	11:10	-1.0	-1.1	-
11:11	7.5	8.0	11:11	-1.0	-1.1	-
11:12	7.0	8.0	11:12	-1.0	-1.1	-
11:13	7.0	8.0	11:13	-1.0	-1.1	-
11:14	7.8	8.0	11:14	-1.0	-1.1	-
11:15	9.0	8.1	11:15	-1.0	-1.1	-
11:16	9.0	8.2	11:16	-1.0	-1.1	-
11:17	8.0	8.3	11:17	-0.3	-1.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:18	8.0	8.3	11:18	-0.3	-1.0	-
11:19	8.0	8.3	11:19	-0.5	-1.0	-
11:20	9.0	8.3	11:20	-1.0	-1.0	-
11:21	9.0	8.3	11:21	-1.0	-1.0	-
11:22	7.0	8.1	11:22	-1.0	-0.9	-
11:23	6.8	7.9	11:23	-1.0	-0.9	-
11:24	6.5	7.8	11:24	-1.0	-0.9	-
11:25	6.5	7.7	11:25	-1.0	-0.9	-
11:26	8.0	7.8	11:26	-1.0	-0.9	-
11:27	7.3	7.8	11:27	-1.0	-0.9	-
11:28	7.0	7.8	11:28	-1.0	-0.9	-
11:29	8.3	7.8	11:29	-1.0	-0.9	-
11:30	8.3	7.8	11:30	-1.0	-0.9	-
11:31	8.0	7.7	11:31	-0.8	-0.9	-
11:32	8.3	7.7	11:32	0.0	-0.8	-
11:33	9.0	7.8	11:33	0.0	-0.8	-
11:34	8.0	7.8	11:34	-0.8	-0.8	-
11:35	8.8	7.8	11:35	-1.0	-0.8	-
11:36	12.3	8.0	11:36	-1.0	-0.8	-
11:37	12.3	8.3	11:37	-1.0	-0.8	-
11:38	10.5	8.6	11:38	-1.0	-0.8	-
11:39	8.8	8.7	11:39	-1.0	-0.8	-
11:40	8.3	8.9	11:40	-1.0	-0.8	-
11:41	9.0	8.9	11:41	-1.0	-0.8	-
11:42	10.8	9.2	11:42	-1.0	-0.8	-
11:43	11.8	9.5	11:43	-1.0	-0.8	-
11:44	8.3	9.5	11:44	-1.0	-0.8	-
11:45	8.0	9.5	11:45	-0.8	-0.8	-
11:46	7.3	9.4	11:46	0.0	-0.8	-
11:47	7.4	9.3	11:47	0.0	-0.8	-
11:48	8.0	9.3	11:48	0.0	-0.8	-
11:49	7.6	9.3	11:49	0.0	-0.7	-
11:50	13.4	9.6	11:50	0.0	-0.7	-
11:51	20.8	10.1	11:51	0.0	-0.6	-
11:52	11.8	10.1	11:52	-0.5	-0.6	-
11:53	8.8	10.0	11:53	-1.0	-0.6	-
11:54	8.0	9.9	11:54	-1.0	-0.6	-
11:55	9.0	10.0	11:55	-1.0	-0.6	-
11:56	10.3	10.1	11:56	-1.0	-0.6	-
11:57	7.3	9.8	11:57	-1.0	-0.6	-
11:58	7.5	9.5	11:58	0.0	-0.5	-
11:59	7.0	9.5	11:59	0.0	-0.4	-
12:00	8.8	9.5	12:00	0.0	-0.4	-
12:01	6.0	9.4	12:01	0.0	-0.4	-
12:02	6.0	9.3	12:02	0.0	-0.4	-
12:03	7.0	9.3	12:03	0.0	-0.4	-
12:04	6.3	9.2	12:04	0.0	-0.4	-
12:05	6.0	8.7	12:05	0.0	-0.4	-
12:06	6.3	7.7	12:06	0.0	-0.4	-
12:07	9.8	7.6	12:07	0.0	-0.3	-
12:08	8.3	7.6	12:08	0.0	-0.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:09	7.5	7.5	12:09	0.0	-0.2	-
12:10	7.0	7.4	12:10	0.0	-0.1	-
12:11	6.8	7.2	12:11	0.0	-0.1	-
12:12	6.5	7.1	12:12	0.0	0.0	-
12:13	7.0	7.1	12:13	0.0	0.0	-
12:14	7.0	7.1	12:14	0.0	0.0	-
12:15	7.0	7.0	12:15	0.0	0.0	-
12:16	7.3	7.0	12:16	0.0	0.0	-
12:17	8.0	7.2	12:17	0.0	0.0	-
12:18	8.3	7.3	12:18	0.0	0.0	-
12:19	8.8	7.4	12:19	0.0	0.0	-
12:20	8.3	7.6	12:20	0.0	0.0	-
12:21	9.0	7.8	12:21	0.0	0.0	-
12:22	9.8	7.8	12:22	0.0	0.0	-
12:23	8.0	7.7	12:23	0.0	0.0	-
12:24	7.8	7.8	12:24	0.0	0.0	-
12:25	7.3	7.8	12:25	0.0	0.0	-
12:26	7.0	7.8	12:26	0.0	0.0	-
12:27	6.5	7.8	12:27	0.0	0.0	-
12:28	7.0	7.8	12:28	0.0	0.0	-
12:29	9.8	8.0	12:29	0.0	0.0	-
12:30	8.3	8.1	12:30	0.0	0.0	-
12:31	8.8	8.2	12:31	0.0	0.0	-
12:32	8.3	8.2	12:32	0.0	0.0	-
12:33	9.8	8.3	12:33	0.0	0.0	-
12:34	18.3	8.9	12:34	0.0	0.0	-
12:35	12.0	9.2	12:35	0.0	0.0	-
12:36	8.0	9.1	12:36	0.0	0.0	-
12:37	8.3	9.0	12:37	0.0	0.0	-
12:38	9.0	9.1	12:38	0.0	0.0	-
12:39	11.3	9.3	12:39	0.0	0.0	-
12:40	12.3	9.6	12:40	0.0	0.0	-
12:41	10.5	9.9	12:41	0.0	0.0	-
12:42	10.3	10.1	12:42	0.0	0.0	-
12:43	11.5	10.4	12:43	0.0	0.0	-
12:44	12.3	10.6	12:44	0.0	0.0	-
12:45	11.0	10.8	12:45	0.0	0.0	-
12:46	11.8	11.0	12:46	0.0	0.0	-
12:47	12.0	11.2	12:47	0.0	0.0	-
12:48	11.0	11.3	12:48	0.0	0.0	-
12:49	10.5	10.8	12:49	0.0	0.0	-
12:50	9.3	10.6	12:50	0.0	0.0	-
12:51	9.0	10.7	12:51	0.0	0.0	-
12:52	8.8	10.7	12:52	0.0	0.0	-
12:53	9.0	10.7	12:53	0.0	0.0	-
12:54	11.0	10.7	12:54	0.0	0.0	-
12:55	11.0	10.6	12:55	0.0	0.0	-
12:56	10.2	10.6	12:56	0.0	0.0	-
12:57	9.8	10.5	12:57	0.0	0.0	-
12:58	10.0	10.4	12:58	0.0	0.0	-
12:59	12.4	10.4	12:59	0.0	0.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:00	17.6	10.9	13:00	0.0	0.0	-
13:01	12.6	10.9	13:01	0.0	0.0	-
13:02	12.3	11.0	13:02	0.0	0.0	-
13:03	14.3	11.2	13:03	0.0	0.0	-
13:04	14.0	11.4	13:04	0.0	0.0	-
13:05	15.0	11.8	13:05	0.0	0.0	-
13:06	15.0	12.2	13:06	0.0	0.0	-
13:07	15.0	12.6	13:07	0.0	0.0	-
13:08	13.5	12.9	13:08	0.0	0.0	-
13:09	13.5	13.1	13:09	0.0	0.0	-
13:10	13.3	13.2	13:10	0.0	0.0	-
13:11	15.5	13.6	13:11	0.0	0.0	-
13:12	14.8	13.9	13:12	0.0	0.0	-
13:13	15.0	14.2	13:13	0.0	0.0	-
13:14	15.0	14.4	13:14	0.0	0.0	-
13:15	17.5	14.4	13:15	0.0	0.0	-
13:16	19.5	14.9	13:16	0.0	0.0	-
13:17	15.5	15.1	13:17	0.0	0.0	-
13:18	15.0	15.1	13:18	0.0	0.0	-
13:19	15.5	15.2	13:19	0.0	0.0	-
13:20	15.3	15.3	13:20	0.0	0.0	-
13:21	17.0	15.4	13:21	0.0	0.0	-
13:22	16.3	15.5	13:22	0.0	0.0	-
13:23	16.8	15.7	13:23	0.0	0.0	-
13:24	17.5	16.0	13:24	0.0	0.0	-
13:25	17.3	16.2	13:25	0.0	0.0	-
13:26	17.0	16.3	13:26	0.0	0.0	-
13:27	16.0	16.4	13:27	0.0	0.0	-
13:28	15.0	16.4	13:28	0.0	0.0	-
13:29	14.0	16.3	13:29	0.0	0.0	-
13:30	14.8	16.2	13:30	0.0	0.0	-
13:31	29.0	16.8	13:31	0.0	0.0	-
13:32	39.3	18.4	13:32	0.0	0.0	-
13:33	18.8	18.6	13:33	0.0	0.0	-
13:34	19.8	18.9	13:34	0.0	0.0	-
13:35	19.8	19.2	13:35	0.0	0.0	-
13:36	16.0	19.1	13:36	0.0	0.0	-
13:37	16.8	19.2	13:37	0.0	0.0	-
13:38	16.5	19.2	13:38	0.0	0.0	-
13:39	16.5	19.1	13:39	0.0	0.0	-
13:40	18.0	19.1	13:40	0.0	0.0	-
13:41	16.5	19.1	13:41	0.0	0.0	-
13:42	17.5	19.2	13:42	0.0	0.0	-
13:43	17.3	19.4	13:43	0.0	0.0	-
13:44	18.8	19.7	13:44	0.0	0.0	-
13:45	18.0	19.9	13:45	0.0	0.0	-
13:46	18.8	19.2	13:46	0.0	0.0	-
13:47	20.3	17.9	13:47	0.0	0.0	-
13:48	20.8	18.1	13:48	0.0	0.0	-
13:49	19.3	18.0	13:49	4.0	0.3	-
13:50	18.8	18.0	13:50	20.8	1.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:51	18.8	18.2	13:51	9.8	2.3	-
13:52	19.0	18.3	13:52	5.5	2.7	-
13:53	18.5	18.4	13:53	3.3	2.9	-
13:54	17.3	18.5	13:54	2.8	3.1	-
13:55	18.3	18.5	13:55	2.0	3.2	-
13:56	18.8	18.7	13:56	1.5	3.3	-
13:57	18.0	18.7	13:57	1.0	3.4	-
13:58	18.8	18.8	13:58	1.0	3.4	-
13:59	19.3	18.8	13:59	1.0	3.5	-
14:00	18.3	18.8	14:00	1.0	3.6	-
14:01	18.8	18.8	14:01	0.0	3.6	-
14:02	19.3	18.8	14:02	0.3	3.6	-
14:03	20.0	18.7	14:03	0.0	3.6	-
14:04	20.3	18.8	14:04	0.0	3.3	-
14:05	21.0	18.9	14:05	0.3	2.0	-
14:06	21.5	19.1	14:06	0.0	1.3	-
14:07	21.0	19.3	14:07	0.0	0.9	-
14:08	20.8	19.4	14:08	0.0	0.7	-
14:09	20.0	19.6	14:09	0.0	0.5	-
14:10	20.8	19.8	14:10	0.0	0.4	-
14:11	20.5	19.9	14:11	0.0	0.3	-
14:12	19.8	20.0	14:12	0.0	0.2	-
14:13	19.8	20.1	14:13	0.0	0.2	-
14:14	19.0	20.0	14:14	0.0	0.1	-
14:15	20.3	20.2	14:15	0.0	0.0	-
14:16	20.8	20.3	14:16	0.0	0.0	-
14:17	19.5	20.3	14:17	0.0	0.0	-
14:18	20.3	20.3	14:18	0.0	0.0	-
14:19	18.8	20.2	14:19	0.0	0.0	-
14:20	18.3	20.1	14:20	0.0	0.0	-
14:21	19.0	19.9	14:21	0.0	0.0	-
14:22	19.0	19.8	14:22	0.0	0.0	-
14:23	19.0	19.6	14:23	0.0	0.0	-
14:24	18.3	19.5	14:24	0.0	0.0	-
14:25	19.5	19.4	14:25	0.0	0.0	-
14:26	19.0	19.3	14:26	0.0	0.0	-
14:27	19.0	19.3	14:27	0.0	0.0	-
14:28	18.5	19.2	14:28	0.0	0.0	-
14:29	17.3	19.1	14:29	0.0	0.0	-
14:30	18.0	18.9	14:30	0.0	0.0	-
14:31	18.0	18.8	14:31	0.0	0.0	-
14:32	18.0	18.7	14:32	0.0	0.0	-
14:33	18.0	18.5	14:33	0.0	0.0	-
14:34	18.8	18.5	14:34	0.0	0.0	-
14:35	20.0	18.6	14:35	0.0	0.0	-
14:36	19.8	18.7	14:36	0.0	0.0	-
14:37	19.0	18.7	14:37	0.0	0.0	-
14:38	20.0	18.7	14:38	0.0	0.0	-
14:39	19.5	18.8	14:39	0.0	0.0	-
14:40	18.0	18.7	14:40	0.0	0.0	-
14:41	18.0	18.7	14:41	0.0	0.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:42	18.0	18.6	14:42	0.0	0.0	-
14:43	18.3	18.6	14:43	0.0	0.0	-
14:44	18.0	18.6	14:44	0.0	0.0	-
14:45	17.5	18.6	14:45	0.0	0.0	-
14:46	16.3	18.5	14:46	0.0	0.0	-
14:47	18.5	18.5	14:47	0.0	0.0	-
14:48	18.0	18.5	14:48	0.0	0.0	-
14:49	22.3	18.7	14:49	0.0	0.0	-
14:50	21.5	18.8	14:50	0.0	0.0	-
14:51	17.3	18.7	14:51	0.0	0.0	-
14:52	17.3	18.6	14:52	0.0	0.0	-
14:53	17.3	18.4	14:53	0.0	0.0	-
14:54	17.8	18.3	14:54	0.0	0.0	-
14:55	18.3	18.3	14:55	0.0	0.0	-
14:56	19.8	18.4	14:56	0.0	0.0	-
14:57	18.3	18.4	14:57	0.0	0.0	-
14:58	18.0	18.4	14:58	0.0	0.0	-
14:59	18.0	18.4	14:59	0.0	0.0	-
15:00	18.5	18.5	15:00	0.0	0.0	-
15:01	28.5	19.3	15:01	0.0	0.0	-
15:02	23.0	19.6	15:02	0.0	0.0	-
15:03	21.0	19.8	15:03	0.0	0.0	-
15:04	21.3	19.7	15:04	0.0	0.0	-
15:05	19.0	19.5	15:05	0.0	0.0	-
15:06	17.3	19.5	15:06	0.0	0.0	-
15:07	18.0	19.6	15:07	0.0	0.0	-
15:08	18.0	19.6	15:08	0.0	0.0	-
15:09	18.5	19.7	15:09	0.0	0.0	-
15:10	22.5	20.0	15:10	0.0	0.0	-
15:11	20.8	20.0	15:11	0.0	0.0	-
15:12	17.0	20.0	15:12	0.0	0.0	-
15:13	17.0	19.9	15:13	0.3	0.0	-
15:14	17.0	19.8	15:14	0.0	0.0	-
15:15	17.6	19.8	15:15	0.5	0.1	-
15:16	19.6	19.2	15:16	0.0	0.1	-
15:17	20.6	19.0	15:17	0.0	0.1	-
15:18	19.8	18.9	15:18	0.5	0.1	-
15:19	18.3	18.7	15:19	1.0	0.2	-
15:20	17.0	18.6	15:20	0.8	0.2	-
15:21	17.0	18.6	15:21	0.5	0.2	-
15:22	16.8	18.5	15:22	1.0	0.3	-
15:23	18.8	18.5	15:23	1.0	0.4	-
15:24	24.0	18.9	15:24	1.0	0.4	-
15:25	18.0	18.6	15:25	1.0	0.5	-
15:26	17.3	18.4	15:26	0.5	0.5	-
15:27	21.0	18.6	15:27	1.0	0.6	-
15:28	20.0	18.8	15:28	1.0	0.7	-
15:29	16.3	18.8	15:29	0.5	0.7	-
15:30	16.0	18.7	15:30	0.8	0.7	-
15:31	16.0	18.4	15:31	1.0	0.8	-
15:32	16.3	18.2	15:32	1.0	0.8	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:33	21.5	18.3	15:33	1.0	0.9	-
15:34	32.8	19.2	15:34	0.2	0.8	-
15:35	22.8	19.6	15:35	0.0	0.8	-
15:36	17.5	19.7	15:36	0.8	0.8	-
15:37	16.8	19.7	15:37	0.6	0.8	-
15:38	19.5	19.7	15:38	1.0	0.8	-
15:39	36.3	20.5	15:39	0.2	0.7	-
15:40	45.0	22.3	15:40	0.5	0.7	-
15:41	64.3	25.5	15:41	1.0	0.7	-
15:42	33.3	26.3	15:42	1.0	0.7	-
15:43	25.0	26.6	15:43	1.0	0.7	-
15:44	38.8	28.1	15:44	1.0	0.7	-
15:45	40.5	29.7	15:45	1.0	0.8	-
15:46	22.8	30.2	15:46	1.0	0.8	-
15:47	19.3	30.4	15:47	1.0	0.8	-
15:48	22.3	30.4	15:48	1.0	0.8	-
15:49	47.0	31.4	15:49	1.0	0.8	-
15:50	28.8	31.8	15:50	1.0	0.9	-
15:51	53.5	34.2	15:51	0.8	0.9	-
15:52	66.3	37.5	15:52	1.0	0.9	-
15:53	46.0	39.3	15:53	1.0	0.9	-
15:54	24.3	38.5	15:54	0.8	0.9	-
15:55	19.0	36.7	15:55	0.3	0.9	-
15:56	18.0	33.6	15:56	1.0	0.9	-

Friday, September 16, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						515
Start Time:						7:07
End Time:						15:56
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:07	0.0	-	7:07	0.0	-	-
7:08	0.0	-	7:08	0.0	-	-
7:09	0.0	-	7:09	0.0	-	-
7:10	0.0	-	7:10	0.0	-	-
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	0.0	7:22	0.0	0.0	-
7:23	0.0	0.0	7:23	0.0	0.0	-
7:24	0.0	0.0	7:24	0.0	0.0	-
7:25	0.0	0.0	7:25	0.0	0.0	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.1	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.1	0.0	10:02	0.0	0.0	-
10:03	0.1	0.0	10:03	0.0	0.0	-
10:04	0.1	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.1	0.0	10:06	0.0	0.0	-
10:07	0.1	0.0	10:07	0.0	0.0	-
10:08	0.1	0.0	10:08	0.0	0.0	-
10:09	0.1	0.0	10:09	0.0	0.0	-
10:10	0.1	0.1	10:10	0.0	0.0	-
10:11	0.1	0.1	10:11	0.0	0.0	-
10:12	0.1	0.1	10:12	0.0	0.0	-
10:13	0.1	0.1	10:13	0.0	0.0	-
10:14	0.1	0.1	10:14	0.0	0.0	-
10:15	0.1	0.1	10:15	0.0	0.0	-
10:16	0.1	0.1	10:16	0.0	0.0	-
10:17	0.1	0.1	10:17	0.0	0.0	-
10:18	0.1	0.1	10:18	0.0	0.0	-
10:19	0.1	0.1	10:19	0.0	0.0	-
10:20	0.1	0.1	10:20	0.0	0.0	-
10:21	0.1	0.1	10:21	0.0	0.0	-
10:22	0.1	0.1	10:22	0.0	0.0	-
10:23	0.1	0.1	10:23	0.0	0.0	-
10:24	0.1	0.1	10:24	0.0	0.0	-
10:25	0.1	0.1	10:25	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:26	0.1	0.1	10:26	0.0	0.0	-
10:27	0.1	0.1	10:27	0.0	0.0	-
10:28	0.1	0.1	10:28	0.0	0.0	-
10:29	0.1	0.1	10:29	0.0	0.0	-
10:30	0.1	0.1	10:30	0.0	0.0	-
10:31	0.1	0.1	10:31	0.0	0.0	-
10:32	0.1	0.1	10:32	0.0	0.0	-
10:33	0.1	0.1	10:33	0.0	0.0	-
10:34	0.1	0.1	10:34	0.0	0.0	-
10:35	0.1	0.1	10:35	0.0	0.0	-
10:36	0.1	0.1	10:36	0.0	0.0	-
10:37	0.1	0.1	10:37	0.0	0.0	-
10:38	0.1	0.1	10:38	0.0	0.0	-
10:39	0.1	0.1	10:39	0.0	0.0	-
10:40	0.1	0.1	10:40	0.0	0.0	-
10:41	0.1	0.1	10:41	0.0	0.0	-
10:42	0.1	0.1	10:42	0.0	0.0	-
10:43	0.1	0.1	10:43	0.0	0.0	-
10:44	0.1	0.1	10:44	0.0	0.0	-
10:45	0.1	0.1	10:45	0.0	0.0	-
10:46	0.1	0.1	10:46	0.0	0.0	-
10:47	0.1	0.1	10:47	0.0	0.0	-
10:48	0.1	0.1	10:48	0.0	0.0	-
10:49	0.1	0.1	10:49	0.0	0.0	-
10:50	0.1	0.1	10:50	0.0	0.0	-
10:51	0.1	0.1	10:51	0.0	0.0	-
10:52	0.1	0.1	10:52	0.0	0.0	-
10:53	0.1	0.1	10:53	0.0	0.0	-
10:54	0.1	0.1	10:54	0.0	0.0	-
10:55	0.1	0.1	10:55	0.0	0.0	-
10:56	0.1	0.1	10:56	0.0	0.0	-
10:57	0.1	0.1	10:57	0.0	0.0	-
10:58	0.1	0.1	10:58	0.0	0.0	-
10:59	0.1	0.1	10:59	0.0	0.0	-
11:00	0.1	0.1	11:00	0.0	0.0	-
11:01	0.1	0.1	11:01	0.0	0.0	-
11:02	0.1	0.1	11:02	0.0	0.0	-
11:03	0.1	0.1	11:03	0.0	0.0	-
11:04	0.1	0.1	11:04	0.0	0.0	-
11:05	0.1	0.1	11:05	0.0	0.0	-
11:06	0.1	0.1	11:06	0.0	0.0	-
11:07	0.1	0.1	11:07	0.0	0.0	-
11:08	0.1	0.1	11:08	0.0	0.0	-
11:09	0.1	0.1	11:09	0.0	0.0	-
11:10	0.1	0.1	11:10	0.0	0.0	-
11:11	0.1	0.1	11:11	0.0	0.0	-
11:12	0.1	0.1	11:12	0.0	0.0	-
11:13	0.1	0.1	11:13	0.0	0.0	-
11:14	0.1	0.1	11:14	0.0	0.0	-
11:15	0.1	0.1	11:15	0.0	0.0	-
11:16	0.1	0.1	11:16	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:17	0.1	0.1	11:17	0.0	0.0	-
11:18	0.1	0.1	11:18	0.0	0.0	-
11:19	0.1	0.1	11:19	0.0	0.0	-
11:20	0.1	0.1	11:20	0.0	0.0	-
11:21	0.1	0.1	11:21	0.0	0.0	-
11:22	0.1	0.1	11:22	0.0	0.0	-
11:23	0.1	0.1	11:23	0.0	0.0	-
11:24	0.1	0.1	11:24	0.0	0.0	-
11:25	0.1	0.1	11:25	0.0	0.0	-
11:26	0.1	0.1	11:26	0.0	0.0	-
11:27	0.1	0.1	11:27	0.0	0.0	-
11:28	0.1	0.1	11:28	0.0	0.0	-
11:29	0.1	0.1	11:29	0.0	0.0	-
11:30	0.1	0.1	11:30	0.0	0.0	-
11:31	0.1	0.1	11:31	0.0	0.0	-
11:32	0.1	0.1	11:32	0.0	0.0	-
11:33	0.1	0.1	11:33	0.0	0.0	-
11:34	0.1	0.1	11:34	0.0	0.0	-
11:35	0.1	0.1	11:35	0.0	0.0	-
11:36	0.1	0.1	11:36	0.0	0.0	-
11:37	0.1	0.1	11:37	0.0	0.0	-
11:38	0.1	0.1	11:38	0.0	0.0	-
11:39	0.1	0.1	11:39	0.0	0.0	-
11:40	0.1	0.1	11:40	0.0	0.0	-
11:41	0.1	0.1	11:41	0.0	0.0	-
11:42	0.1	0.1	11:42	0.0	0.0	-
11:43	0.1	0.1	11:43	0.0	0.0	-
11:44	0.1	0.1	11:44	0.0	0.0	-
11:45	0.1	0.1	11:45	0.0	0.0	-
11:46	0.1	0.1	11:46	0.0	0.0	-
11:47	0.1	0.1	11:47	0.0	0.0	-
11:48	0.1	0.1	11:48	0.0	0.0	-
11:49	0.1	0.1	11:49	0.0	0.0	-
11:50	0.1	0.1	11:50	0.0	0.0	-
11:51	0.1	0.1	11:51	0.0	0.0	-
11:52	0.1	0.1	11:52	0.0	0.0	-
11:53	0.1	0.1	11:53	0.0	0.0	-
11:54	0.1	0.1	11:54	0.0	0.0	-
11:55	0.1	0.1	11:55	0.0	0.0	-
11:56	0.1	0.1	11:56	0.0	0.0	-
11:57	0.1	0.1	11:57	0.0	0.0	-
11:58	0.1	0.1	11:58	0.0	0.0	-
11:59	0.1	0.1	11:59	0.0	0.0	-
12:00	0.1	0.1	12:00	0.0	0.0	-
12:01	0.1	0.1	12:01	0.0	0.0	-
12:02	0.1	0.1	12:02	0.0	0.0	-
12:03	0.1	0.1	12:03	0.0	0.0	-
12:04	0.1	0.1	12:04	0.0	0.0	-
12:05	0.0	0.1	12:05	0.0	0.0	-
12:06	0.0	0.1	12:06	0.0	0.0	-
12:07	0.0	0.1	12:07	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:08	0.0	0.1	12:08	0.0	0.0	-
12:09	0.0	0.1	12:09	0.0	0.0	-
12:10	0.0	0.1	12:10	0.0	0.0	-
12:11	0.0	0.1	12:11	0.0	0.0	-
12:12	0.1	0.1	12:12	0.0	0.0	-
12:13	0.1	0.1	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-