

PROJECT No.: 170430003	CLIENT:	DATE: Thursday, September 29, 2022
PROJECT: 240 Huntington Street	300 Huntington Street LLC	WEATHER: Sunny, 55-67 °F Wind: NNE @ 2.5 – 6.0 mph
LOCATION: Brooklyn, New York		TIME: 7:00 am – 5:00 pm
BCP SITE NO: C224314		MONITORS: Ellie Seery, Caitlyn Dempsey

EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator Takeuchi TL10V2	PRESENT AT SITE: Langan: Ellie Seery, Caitlyn Dempsey Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo American Standard Plumbing and Heating (American Standard): Pawel Chrzan
---	--

<p>OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:</p> <p>Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.</p> <p>Site Activities</p> <ul style="list-style-type: none"> • Bauer installed formwork in the western and northern parts of the site. <ul style="list-style-type: none"> ○ During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork. • Bauer poured concrete in the formwork in the western part of the site. • Bauer used a jackhammer to break up concrete piles in preparation for the construction of pile caps in the western part of the site. • Bauer excavated an about 40-foot-long by 3- to 8-foot-wide area to about 2 to 3 feet below grade surface (bgs) in the western part of the site in preparation for installation of pile cap rebar and formwork. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Evidence of impacts was not observed. <ul style="list-style-type: none"> ○ Excavated material consisted of historic fill (WC04 [0-4], WC01 [0-4]) and concrete and was stockpiled in the southern part of the site in preparation for offsite disposal on polyethylene sheeting. • Bauer excavated an about 30-foot-long by 2 to 3-foot-wide trench to about 3 to 4 feet bgs in the central part of the site for floor drain installation. Excavated material was screened for odors, staining, and organic vapors using a PID. Evidence of impacts was not observed. <ul style="list-style-type: none"> ○ Excavated material consisted of previously imported clean fill from Evergreen Recycling of Corona (EROC) in Flushing, NY and recycled concrete aggregate (RCA) from the DOT Stockpile in Brooklyn, NY . • American Standard Plumbing and Heating (American Standard) installed 4-inch floor drain piping in the central part of the site. <p>Sampling</p> <ul style="list-style-type: none"> ○ None.

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 μm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust was not observed migrating off-site throughout the day.
- A summary of CAMP monitoring data is included below:

Particulate Monitoring ($\mu\text{g}/\text{m}^3$)		
	Upwind	Downwind
Daily 15min Average	19.4	7.9
Maximum 15min Average	103.2	19.5
High Intervals "exceedances" (15min >150 + Upwind level)	N/A	No
Minimum 1min Reading	1.8	0.0
Maximum 1min Reading	348.8	50.5

Organic Vapor Monitoring (ppm)		
	Upwind	Downwind
Daily 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.0
High Intervals "exceedances" (15min >5+Upwind level)	N/A	No
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.3	0.0

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
ppm = parts per million

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	261	9,045	25	495	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	17	422.41	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: General site view of the western part of the site (facing northwest).



Photo 2: Bauer excavating in the western part of the site in preparation for pile cap formwork installation (facing southeast).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled
- Approximate SSDS Trench Excavation



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				09/29/22					
					Project number: 170430003				Rev. No. 0	
					Page 1 of 1					
					Submitted By:					
					Dust Action Level				150 µg/m ³	
TVOC Action Level				5 ppm						

Weather Data Range for Work Day		Wind Direction	NNE	Relative Humidity (%)	46.0 - 72.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	55.0 - 67.0	Wind Speed (MPH)	2.5 - 6.0	Barometer (inHg)	30.30 - 30.40			

Station Location Area	Work	Daily Avg. Dust Concentration (µg/m ³)	Max 15 Min Dust Concentration (µg/m ³)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		19.4	103.2	15:15	0.0	0.1	12:24
Downwind		7.9	19.5	7:54	0.0	0.0	7:30



Air Monitoring Notes:

Sampling Notes:

Weather Notes:



Thursday, September 29, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						561
Start Time:						7:15
End Time:						16:50
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:15	6.0	-	7:15	6.0	-	-
7:16	6.0	-	7:16	6.0	-	-
7:17	348.8	-	7:17	6.0	-	-
7:18	20.8	-	7:18	6.0	-	-
7:19	8.3	-	7:19	10.5	-	-
7:20	7.0	-	7:20	8.5	-	-
7:21	7.0	-	7:21	6.0	-	-
7:22	7.0	-	7:22	6.8	-	-
7:23	8.0	-	7:23	6.8	-	-
7:24	8.0	-	7:24	6.0	-	-
7:25	10.0	-	7:25	6.0	-	-
7:26	16.3	-	7:26	6.5	-	-
7:27	8.8	-	7:27	6.0	-	-
7:28	9.0	-	7:28	5.0	-	-
7:29	9.0	-	7:29	5.5	-	-
7:30	7.0	32.1	7:30	5.5	6.5	-
7:31	7.0	32.1	7:31	8.0	6.6	-
7:32	7.5	9.4	7:32	29.5	8.2	-
7:33	7.8	8.5	7:33	10.8	8.5	-
7:34	8.0	8.5	7:34	6.0	8.2	-
7:35	8.3	8.6	7:35	10.5	8.3	-
7:36	8.8	8.7	7:36	11.0	8.7	-
7:37	9.8	8.9	7:37	7.8	8.7	-
7:38	14.5	9.3	7:38	7.6	8.8	-
7:39	22.8	10.3	7:39	13.5	9.3	-
7:40	17.0	10.8	7:40	28.8	10.8	-
7:41	17.3	10.8	7:41	24.0	12.0	-
7:42	45.0	13.2	7:42	7.5	12.1	-
7:43	39.4	15.3	7:43	10.5	12.4	-
7:44	66.8	19.1	7:44	38.0	14.6	-
7:45	34.5	20.9	7:45	50.0	17.6	-
7:46	25.8	22.2	7:46	28.5	18.9	-
7:47	11.3	22.4	7:47	16.8	18.1	-
7:48	8.5	22.5	7:48	16.0	18.4	-
7:49	8.8	22.5	7:49	7.5	18.5	-
7:50	10.8	22.7	7:50	10.3	18.5	-
7:51	7.0	22.6	7:51	7.8	18.3	-
7:52	6.0	22.3	7:52	7.3	18.3	-
7:53	6.5	21.8	7:53	12.0	18.6	-
7:54	6.5	20.7	7:54	27.5	19.5	-
7:55	5.8	20.0	7:55	17.0	18.7	-
7:56	6.8	19.3	7:56	8.0	17.6	-
7:57	6.3	16.7	7:57	14.8	18.1	-
7:58	7.3	14.6	7:58	11.8	18.2	-
7:59	6.5	10.5	7:59	5.8	16.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	
8:00	8.8	8.8	8:00	5.0	13.1	-
8:01	6.5	7.5	8:01	6.0	11.6	-
8:02	5.5	7.2	8:02	7.0	10.9	-
8:03	10.5	7.3	8:03	6.3	10.3	-
8:04	14.5	7.7	8:04	5.8	10.1	-
8:05	10.0	7.6	8:05	4.8	9.8	-
8:06	8.3	7.7	8:06	6.8	9.7	-
8:07	5.5	7.7	8:07	9.8	9.9	-
8:08	6.5	7.7	8:08	6.0	9.5	-
8:09	6.8	7.7	8:09	12.8	8.5	-
8:10	6.3	7.7	8:10	6.3	7.8	-
8:11	5.0	7.6	8:11	5.0	7.6	-
8:12	5.0	7.5	8:12	5.5	7.0	-
8:13	5.0	7.4	8:13	5.5	6.5	-
8:14	5.0	7.3	8:14	4.3	6.4	-
8:15	6.0	7.1	8:15	5.0	6.4	-
8:16	5.0	7.0	8:16	4.8	6.4	-
8:17	4.8	6.9	8:17	13.5	6.8	-
8:18	6.8	6.7	8:18	24.3	8.0	-
8:19	6.3	6.1	8:19	14.8	8.6	-
8:20	5.8	5.9	8:20	8.5	8.8	-
8:21	5.0	5.6	8:21	7.3	8.9	-
8:22	6.0	5.7	8:22	5.0	8.6	-
8:23	7.8	5.8	8:23	4.3	8.4	-
8:24	6.0	5.7	8:24	5.8	8.0	-
8:25	4.8	5.6	8:25	4.8	7.9	-
8:26	4.8	5.6	8:26	5.0	7.9	-
8:27	5.5	5.6	8:27	5.3	7.9	-
8:28	7.5	5.8	8:28	5.8	7.9	-
8:29	6.3	5.9	8:29	5.3	7.9	-
8:30	8.8	6.1	8:30	13.0	8.5	-
8:31	8.3	6.3	8:31	13.0	9.0	-
8:32	8.3	6.5	8:32	5.0	8.5	-
8:33	8.3	6.6	8:33	5.0	7.2	-
8:34	91.5	12.3	8:34	5.5	6.6	-
8:35	221.3	26.7	8:35	5.3	6.3	-
8:36	5.8	26.7	8:36	6.0	6.3	-
8:37	4.0	26.6	8:37	5.8	6.3	-
8:38	8.3	26.6	8:38	6.5	6.5	-
8:39	6.8	26.7	8:39	13.5	7.0	-
8:40	25.5	28.0	8:40	9.0	7.3	-
8:41	16.3	28.8	8:41	3.0	7.1	-
8:42	9.0	29.0	8:42	4.0	7.0	-
8:43	6.5	29.0	8:43	10.0	7.3	-
8:44	21.3	30.0	8:44	7.8	7.5	-
8:45	20.8	30.8	8:45	6.8	7.1	-
8:46	6.0	30.6	8:46	7.8	6.7	-
8:47	16.3	31.2	8:47	8.6	7.0	-
8:48	11.3	31.4	8:48	6.0	7.0	-
8:49	14.8	26.2	8:49	7.8	7.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:50	11.3	12.2	8:50	3.2	7.0	-
8:51	238.3	27.7	8:51	2.0	6.8	-
8:52	71.0	32.2	8:52	2.8	6.6	-
8:53	15.5	32.7	8:53	4.3	6.4	-
8:54	27.2	34.0	8:54	2.5	5.7	-
8:55	25.6	34.1	8:55	14.3	6.0	-
8:56	28.2	34.9	8:56	7.0	6.3	-
8:57	40.8	37.0	8:57	6.0	6.4	-
8:58	11.3	37.3	8:58	6.0	6.2	-
8:59	3.3	36.1	8:59	4.3	5.9	-
9:00	5.3	35.1	9:00	4.0	5.8	-
9:01	21.3	36.1	9:01	5.3	5.6	-
9:02	18.3	36.2	9:02	14.5	6.0	-
9:03	7.3	35.9	9:03	5.8	6.0	-
9:04	26.0	36.7	9:04	5.5	5.8	-
9:05	12.3	36.8	9:05	16.3	6.7	-
9:06	8.0	21.4	9:06	32.3	8.7	-
9:07	4.8	17.0	9:07	20.3	9.9	-
9:08	4.5	16.3	9:08	6.8	10.0	-
9:09	3.3	14.7	9:09	3.5	10.1	-
9:10	4.0	13.2	9:10	2.5	9.3	-
9:11	6.0	11.7	9:11	1.5	9.0	-
9:12	3.3	9.2	9:12	1.5	8.7	-
9:13	2.5	8.7	9:13	2.5	8.4	-
9:14	3.3	8.7	9:14	5.3	8.5	-
9:15	3.3	8.5	9:15	18.8	9.5	-
9:16	4.5	7.4	9:16	14.3	10.1	-
9:17	4.0	6.5	9:17	3.0	9.3	-
9:18	4.8	6.3	9:18	17.3	10.1	-
9:19	14.5	5.5	9:19	13.0	10.6	-
9:20	13.8	5.6	9:20	10.5	10.2	-
9:21	8.0	5.6	9:21	6.5	8.5	-
9:22	14.3	6.3	9:22	5.5	7.5	-
9:23	16.3	7.0	9:23	5.3	7.4	-
9:24	4.8	7.1	9:24	1.3	7.2	-
9:25	2.3	7.0	9:25	1.3	7.2	-
9:26	2.8	6.8	9:26	2.5	7.2	-
9:27	3.5	6.8	9:27	4.8	7.4	-
9:28	3.0	6.9	9:28	2.0	7.4	-
9:29	4.5	6.9	9:29	3.3	7.3	-
9:30	4.0	7.0	9:30	3.0	6.2	-
9:31	4.5	7.0	9:31	3.0	5.5	-
9:32	3.3	6.9	9:32	2.5	5.4	-
9:33	7.0	7.1	9:33	2.8	4.5	-
9:34	8.0	6.7	9:34	2.3	3.8	-
9:35	4.0	6.0	9:35	2.0	3.2	-
9:36	3.3	5.7	9:36	2.0	2.9	-
9:37	3.5	5.0	9:37	3.0	2.7	-
9:38	3.0	4.1	9:38	2.0	2.5	-
9:39	4.3	4.1	9:39	1.8	2.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:40	10.8	4.6	9:40	2.5	2.6	-
9:41	78.8	9.7	9:41	5.0	2.8	-
9:42	4.8	9.8	9:42	2.3	2.6	-
9:43	3.8	9.8	9:43	2.5	2.7	-
9:44	6.3	9.9	9:44	2.5	2.6	-
9:45	6.8	10.1	9:45	2.3	2.6	-
9:46	7.3	10.3	9:46	3.0	2.6	-
9:47	3.0	10.3	9:47	2.5	2.6	-
9:48	3.0	10.0	9:48	2.3	2.5	-
9:49	4.0	9.8	9:49	5.3	2.7	-
9:50	3.8	9.7	9:50	4.3	2.9	-
9:51	2.0	9.7	9:51	5.8	3.1	-
9:52	5.0	9.8	9:52	46.0	6.0	-
9:53	46.3	12.6	9:53	50.5	9.2	-
9:54	7.0	12.8	9:54	11.0	9.8	-
9:55	2.0	12.2	9:55	7.0	10.1	-
9:56	13.0	7.9	9:56	5.5	10.2	-
9:57	7.0	8.0	9:57	4.5	10.3	-
9:58	1.8	7.9	9:58	16.3	11.2	-
9:59	3.5	7.7	9:59	8.8	11.7	-
10:00	9.8	7.9	10:00	5.0	11.8	-
10:01	2.3	7.6	10:01	4.2	11.9	-
10:02	2.5	7.5	10:02	10.0	12.4	-
10:03	2.5	7.5	10:03	14.0	13.2	-
10:04	2.0	7.4	10:04	33.3	15.1	-
10:05	2.0	7.2	10:05	13.8	15.7	-
10:06	2.0	7.2	10:06	3.5	15.6	-
10:07	2.6	7.1	10:07	4.8	12.8	-
10:08	2.8	4.2	10:08	1.8	9.6	-
10:09	2.8	3.9	10:09	3.0	9.0	-
10:10	2.0	3.9	10:10	10.0	9.2	-
10:11	2.0	3.2	10:11	27.0	10.7	-
10:12	2.3	2.8	10:12	9.3	11.0	-
10:13	4.3	3.0	10:13	11.5	10.7	-
10:14	3.3	3.0	10:14	5.8	10.4	-
10:15	3.0	2.5	10:15	18.0	11.3	-
10:16	11.3	3.1	10:16	17.5	12.2	-
10:17	13.8	3.9	10:17	7.0	12.0	-
10:18	5.0	4.1	10:18	3.3	11.3	-
10:19	9.5	4.6	10:19	6.8	9.5	-
10:20	4.5	4.7	10:20	3.3	8.8	-
10:21	10.8	5.3	10:21	2.0	8.7	-
10:22	9.0	5.7	10:22	5.0	8.7	-
10:23	3.5	5.8	10:23	4.5	8.9	-
10:24	3.5	5.8	10:24	4.3	9.0	-
10:25	6.8	6.2	10:25	19.8	9.7	-
10:26	15.0	7.0	10:26	11.5	8.6	-
10:27	3.8	7.1	10:27	6.5	8.4	-
10:28	2.8	7.0	10:28	4.5	8.0	-
10:29	2.8	7.0	10:29	2.8	7.8	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:30	4.8	7.1	10:30	8.0	7.1	-
10:31	3.0	6.6	10:31	2.5	6.1	-
10:32	5.3	6.0	10:32	3.3	5.9	-
10:33	18.3	6.9	10:33	4.3	5.9	-
10:34	14.3	7.2	10:34	1.5	5.6	-
10:35	5.3	7.2	10:35	5.8	5.7	-
10:36	9.0	7.1	10:36	16.3	6.7	-
10:37	15.5	7.6	10:37	7.0	6.8	-
10:38	16.0	8.4	10:38	3.0	6.7	-
10:39	10.3	8.8	10:39	1.8	6.6	-
10:40	14.0	9.3	10:40	3.8	5.5	-
10:41	8.8	8.9	10:41	1.8	4.8	-
10:42	6.5	9.1	10:42	1.0	4.5	-
10:43	25.3	10.6	10:43	7.0	4.6	-
10:44	21.5	11.8	10:44	9.8	5.1	-
10:45	7.0	12.0	10:45	23.8	6.2	-
10:46	9.5	12.4	10:46	16.8	7.1	-
10:47	11.0	12.8	10:47	4.5	7.2	-
10:48	16.3	12.7	10:48	3.3	7.1	-
10:49	7.5	12.2	10:49	10.8	7.7	-
10:50	4.0	12.1	10:50	5.8	7.7	-
10:51	8.3	12.1	10:51	2.3	6.8	-
10:52	4.5	11.4	10:52	1.5	6.4	-
10:53	8.5	10.9	10:53	2.0	6.4	-
10:54	5.3	10.5	10:54	3.0	6.5	-
10:55	4.3	9.9	10:55	3.0	6.4	-
10:56	5.3	9.6	10:56	2.0	6.4	-
10:57	24.5	10.8	10:57	0.5	6.4	-
10:58	80.0	14.5	10:58	0.0	5.9	-
10:59	22.5	14.6	10:59	1.0	5.3	-
11:00	6.0	14.5	11:00	2.0	3.9	-
11:01	5.0	14.2	11:01	2.3	2.9	-
11:02	14.3	14.4	11:02	2.3	2.8	-
11:03	6.5	13.8	11:03	3.0	2.8	-
11:04	11.5	14.0	11:04	3.5	2.3	-
11:05	7.0	14.2	11:05	3.8	2.1	-
11:06	5.3	14.0	11:06	4.0	2.3	-
11:07	3.0	13.9	11:07	3.6	2.4	-
11:08	4.3	13.6	11:08	5.0	2.6	-
11:09	4.5	13.6	11:09	4.8	2.7	-
11:10	4.0	13.6	11:10	5.0	2.8	-
11:11	3.5	13.5	11:11	3.3	2.9	-
11:12	5.5	12.2	11:12	2.5	3.1	-
11:13	5.8	7.2	11:13	2.3	3.2	-
11:14	12.2	6.6	11:14	2.8	3.3	-
11:15	10.0	6.8	11:15	1.8	3.3	-
11:16	6.0	6.9	11:16	2.8	3.3	-
11:17	5.0	6.3	11:17	3.8	3.4	-
11:18	5.0	6.2	11:18	3.0	3.4	-
11:19	47.3	8.6	11:19	2.8	3.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:20	15.5	9.1	11:20	2.5	3.3	-
11:21	30.5	10.8	11:21	16.0	4.1	-
11:22	11.5	11.4	11:22	34.5	6.2	-
11:23	7.3	11.6	11:23	27.8	7.7	-
11:24	7.5	11.8	11:24	22.8	8.9	-
11:25	5.0	11.8	11:25	19.8	9.9	-
11:26	7.5	12.1	11:26	13.5	10.6	-
11:27	5.8	12.1	11:27	4.8	10.7	-
11:28	6.8	12.2	11:28	3.0	10.8	-
11:29	11.3	12.1	11:29	3.5	10.8	-
11:30	2.0	11.6	11:30	7.3	11.2	-
11:31	2.5	11.4	11:31	21.5	12.4	-
11:32	7.3	11.5	11:32	9.3	12.8	-
11:33	17.8	12.4	11:33	7.0	13.1	-
11:34	27.0	11.0	11:34	8.0	13.4	-
11:35	36.3	12.4	11:35	5.0	13.6	-
11:36	100.3	17.0	11:36	2.5	12.7	-
11:37	39.3	18.9	11:37	3.0	10.6	-
11:38	17.3	19.6	11:38	14.3	9.7	-
11:39	37.0	21.5	11:39	25.0	9.8	-
11:40	31.8	23.3	11:40	18.0	9.7	-
11:41	5.5	23.2	11:41	14.5	9.8	-
11:42	3.3	23.0	11:42	11.0	10.2	-
11:43	3.3	22.8	11:43	15.0	11.0	-
11:44	5.8	22.4	11:44	28.0	12.6	-
11:45	5.3	22.6	11:45	22.8	13.7	-
11:46	5.3	22.8	11:46	8.8	12.8	-
11:47	4.5	22.6	11:47	17.3	13.3	-
11:48	8.8	22.0	11:48	15.5	13.9	-
11:49	7.5	20.7	11:49	25.8	15.1	-
11:50	12.8	19.2	11:50	11.5	15.5	-
11:51	7.8	13.0	11:51	4.0	15.6	-
11:52	47.5	13.5	11:52	8.0	16.0	-
11:53	46.0	15.5	11:53	9.3	15.6	-
11:54	9.5	13.6	11:54	19.0	15.2	-
11:55	28.8	13.4	11:55	4.5	14.3	-
11:56	24.5	14.7	11:56	4.5	13.7	-
11:57	20.3	15.8	11:57	12.0	13.7	-
11:58	9.0	16.2	11:58	24.0	14.3	-
11:59	10.5	16.5	11:59	35.8	14.8	-
12:00	17.3	17.3	12:00	17.0	14.5	-
12:01	9.8	17.6	12:01	8.0	14.4	-
12:02	4.3	17.6	12:02	20.3	14.6	-
12:03	11.0	17.8	12:03	27.0	15.4	-
12:04	3.8	17.5	12:04	18.5	14.9	-
12:05	3.8	16.9	12:05	5.0	14.5	-
12:06	3.0	16.6	12:06	6.5	14.6	-
12:07	6.8	13.9	12:07	6.0	14.5	-
12:08	11.5	11.6	12:08	5.0	14.2	-
12:09	18.5	12.2	12:09	7.8	13.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	
12:10	19.5	11.6	12:10	5.3	13.5	-
12:11	18.3	11.1	12:11	8.3	13.8	-
12:12	27.3	11.6	12:12	5.3	13.3	-
12:13	29.3	13.0	12:13	6.0	12.1	-
12:14	7.8	12.8	12:14	7.3	10.2	-
12:15	20.3	13.0	12:15	6.0	9.5	-
12:16	22.0	13.8	12:16	5.6	9.3	-
12:17	7.3	14.0	12:17	4.0	8.2	-
12:18	10.5	14.0	12:18	4.0	6.7	-
12:19	8.5	14.3	12:19	3.0	5.7	-
12:20	19.3	15.3	12:20	3.0	5.5	-
12:21	74.4	20.1	12:21	3.3	5.3	-
12:22	84.0	25.2	12:22	4.3	5.2	-
12:23	43.0	27.3	12:23	4.0	5.1	-
12:24	59.6	30.1	12:24	4.0	4.9	-
12:25	44.0	31.7	12:25	5.0	4.9	-
12:26	18.6	31.7	12:26	4.8	4.6	-
12:27	8.3	30.4	12:27	10.0	4.9	-
12:28	11.3	29.2	12:28	7.8	5.1	-
12:29	11.0	29.5	12:29	2.0	4.7	-
12:30	6.8	28.6	12:30	2.5	4.5	-
12:31	12.0	27.9	12:31	2.3	4.3	-
12:32	3.5	27.6	12:32	2.8	4.2	-
12:33	2.5	27.1	12:33	3.0	4.1	-
12:34	2.5	26.7	12:34	3.5	4.1	-
12:35	9.3	26.0	12:35	7.8	4.5	-
12:36	15.8	22.1	12:36	5.8	4.6	-
12:37	68.0	21.1	12:37	4.0	4.6	-
12:38	21.3	19.6	12:38	3.3	4.6	-
12:39	5.0	16.0	12:39	3.3	4.5	-
12:40	4.3	13.3	12:40	3.3	4.4	-
12:41	3.5	12.3	12:41	3.5	4.3	-
12:42	8.5	12.3	12:42	7.3	4.1	-
12:43	13.3	12.5	12:43	16.5	4.7	-
12:44	5.8	12.1	12:44	15.0	5.6	-
12:45	3.8	11.9	12:45	3.3	5.6	-
12:46	3.3	11.3	12:46	3.0	5.7	-
12:47	4.5	11.4	12:47	3.8	5.7	-
12:48	18.5	12.5	12:48	9.3	6.2	-
12:49	62.8	16.5	12:49	12.5	6.8	-
12:50	10.0	16.5	12:50	11.8	7.0	-
12:51	7.3	16.0	12:51	27.5	8.5	-
12:52	5.3	11.8	12:52	15.0	9.2	-
12:53	15.3	11.4	12:53	11.5	9.8	-
12:54	18.3	12.3	12:54	10.8	10.3	-
12:55	14.0	12.9	12:55	7.0	10.5	-
12:56	9.5	13.3	12:56	3.8	10.5	-
12:57	12.8	13.6	12:57	3.5	10.3	-
12:58	16.3	13.8	12:58	4.8	9.5	-
12:59	11.3	14.2	12:59	5.5	8.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:00	7.0	14.4	13:00	3.3	8.9	-
13:01	6.0	14.6	13:01	3.5	8.9	-
13:02	7.8	14.8	13:02	3.3	8.9	-
13:03	76.0	18.6	13:03	3.0	8.4	-
13:04	58.3	18.3	13:04	2.8	7.8	-
13:05	22.8	19.2	13:05	6.3	7.4	-
13:06	18.0	19.9	13:06	15.5	6.6	-
13:07	15.8	20.6	13:07	9.0	6.2	-
13:08	12.8	20.4	13:08	5.3	5.8	-
13:09	11.0	19.9	13:09	5.3	5.4	-
13:10	8.5	19.6	13:10	5.8	5.4	-
13:11	12.0	19.7	13:11	6.0	5.5	-
13:12	17.8	20.1	13:12	8.3	5.8	-
13:13	26.3	20.7	13:13	6.0	5.9	-
13:14	17.0	21.1	13:14	5.0	5.9	-
13:15	14.5	21.6	13:15	6.3	6.1	-
13:16	17.3	22.4	13:16	7.5	6.3	-
13:17	19.8	23.2	13:17	7.5	6.6	-
13:18	20.5	19.5	13:18	5.3	6.8	-
13:19	23.3	17.1	13:19	5.5	7.0	-
13:20	14.3	16.6	13:20	5.5	6.9	-
13:21	13.0	16.2	13:21	4.0	6.1	-
13:22	11.8	16.0	13:22	3.5	5.8	-
13:23	11.0	15.9	13:23	5.5	5.8	-
13:24	12.5	16.0	13:24	6.5	5.9	-
13:25	16.5	16.5	13:25	5.0	5.8	-
13:26	14.0	16.6	13:26	5.0	5.8	-
13:27	13.5	16.3	13:27	4.5	5.5	-
13:28	16.5	15.7	13:28	4.8	5.4	-
13:29	18.8	15.8	13:29	7.2	5.6	-
13:30	15.8	15.9	13:30	7.0	5.6	-
13:31	20.8	16.1	13:31	5.0	5.5	-
13:32	20.8	16.2	13:32	4.8	5.3	-
13:33	18.4	16.0	13:33	4.0	5.2	-
13:34	18.0	15.7	13:34	4.3	5.1	-
13:35	24.0	16.3	13:35	5.5	5.1	-
13:36	36.0	17.9	13:36	4.5	5.1	-
13:37	15.0	18.1	13:37	4.8	5.2	-
13:38	13.8	18.3	13:38	7.0	5.3	-
13:39	23.3	19.0	13:39	14.0	5.8	-
13:40	18.8	19.1	13:40	20.5	6.9	-
13:41	16.0	19.3	13:41	25.3	8.2	-
13:42	13.0	19.2	13:42	13.0	8.8	-
13:43	13.3	19.0	13:43	6.3	8.9	-
13:44	16.5	18.9	13:44	4.8	8.7	-
13:45	32.5	20.0	13:45	4.5	8.5	-
13:46	50.8	22.0	13:46	5.8	8.6	-
13:47	17.5	21.8	13:47	6.3	8.7	-
13:48	25.3	22.2	13:48	13.5	9.3	-
13:49	20.5	22.4	13:49	8.5	9.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	
13:50	14.0	21.7	13:50	10.0	9.9	-
13:51	14.3	20.3	13:51	12.5	10.4	-
13:52	15.3	20.3	13:52	8.3	10.7	-
13:53	12.3	20.2	13:53	3.0	10.4	-
13:54	13.0	19.5	13:54	4.0	9.7	-
13:55	13.5	19.2	13:55	5.0	8.7	-
13:56	13.8	19.0	13:56	5.5	7.4	-
13:57	13.5	19.1	13:57	4.8	6.8	-
13:58	12.0	19.0	13:58	4.0	6.7	-
13:59	12.5	18.7	13:59	4.8	6.7	-
14:00	12.8	17.4	14:00	5.8	6.8	-
14:01	18.3	15.2	14:01	8.5	7.0	-
14:02	17.0	15.2	14:02	5.8	6.9	-
14:03	16.3	14.6	14:03	6.0	6.4	-
14:04	14.8	14.2	14:04	8.8	6.4	-
14:05	15.3	14.3	14:05	5.0	6.1	-
14:06	14.0	14.3	14:06	4.0	5.5	-
14:07	13.0	14.1	14:07	4.5	5.3	-
14:08	14.0	14.2	14:08	4.0	5.4	-
14:09	18.5	14.6	14:09	4.0	5.4	-
14:10	17.8	14.9	14:10	5.0	5.4	-
14:11	14.0	14.9	14:11	5.5	5.4	-
14:12	18.0	15.2	14:12	4.0	5.3	-
14:13	17.5	15.6	14:13	4.3	5.3	-
14:14	16.3	15.8	14:14	5.0	5.3	-
14:15	15.0	16.0	14:15	6.0	5.4	-
14:16	19.5	16.1	14:16	6.0	5.2	-
14:17	20.5	16.3	14:17	10.5	5.5	-
14:18	18.3	16.4	14:18	6.8	5.6	-
14:19	15.8	16.5	14:19	5.0	5.3	-
14:20	13.3	16.4	14:20	5.0	5.3	-
14:21	15.3	16.4	14:21	4.8	5.4	-
14:22	22.3	17.1	14:22	4.0	5.3	-
14:23	20.3	17.5	14:23	4.8	5.4	-
14:24	16.0	17.3	14:24	8.8	5.7	-
14:25	14.5	17.1	14:25	7.5	5.9	-
14:26	14.0	17.1	14:26	4.5	5.8	-
14:27	15.5	16.9	14:27	4.3	5.8	-
14:28	16.3	16.8	14:28	4.0	5.8	-
14:29	21.5	17.2	14:29	5.5	5.8	-
14:30	21.5	17.6	14:30	6.0	5.8	-
14:31	23.3	17.9	14:31	5.8	5.8	-
14:32	18.0	17.7	14:32	6.0	5.5	-
14:33	15.8	17.5	14:33	5.0	5.4	-
14:34	14.0	17.4	14:34	5.3	5.4	-
14:35	17.0	17.7	14:35	4.5	5.4	-
14:36	19.3	17.9	14:36	5.6	5.4	-
14:37	28.0	18.3	14:37	4.2	5.4	-
14:38	23.0	18.5	14:38	4.0	5.4	-
14:39	34.3	19.7	14:39	4.0	5.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	Time	Concentration ($\mu\text{g}/\text{m}^3$)	15-Min Avg Concentration ($\mu\text{g}/\text{m}^3$)	
14:40	49.5	22.1	14:40	4.0	4.8	-
14:41	27.6	23.0	14:41	4.3	4.8	-
14:42	29.6	23.9	14:42	5.0	4.9	-
14:43	37.0	25.3	14:43	4.8	4.9	-
14:44	38.8	26.4	14:44	4.5	4.9	-
14:45	27.4	26.8	14:45	4.0	4.7	-
14:46	16.6	26.4	14:46	4.0	4.6	-
14:47	13.5	26.1	14:47	4.0	4.5	-
14:48	14.3	26.0	14:48	4.0	4.4	-
14:49	13.5	26.0	14:49	4.5	4.4	-
14:50	33.3	27.0	14:50	4.8	4.4	-
14:51	46.5	28.9	14:51	5.0	4.3	-
14:52	50.0	30.3	14:52	4.5	4.4	-
14:53	51.0	32.2	14:53	4.5	4.4	-
14:54	45.8	33.0	14:54	5.8	4.5	-
14:55	89.0	35.6	14:55	5.8	4.6	-
14:56	86.5	39.5	14:56	6.5	4.8	-
14:57	63.0	41.7	14:57	6.0	4.8	-
14:58	58.3	43.2	14:58	6.5	5.0	-
14:59	47.0	43.7	14:59	8.3	5.2	-
15:00	17.5	43.0	15:00	5.8	5.3	-
15:01	20.8	43.3	15:01	4.5	5.4	-
15:02	60.8	46.5	15:02	5.5	5.5	-
15:03	115.5	53.2	15:03	4.8	5.5	-
15:04	121.0	60.4	15:04	6.0	5.6	-
15:05	33.3	60.4	15:05	6.8	5.7	-
15:06	35.0	59.6	15:06	6.0	5.8	-
15:07	70.5	61.0	15:07	6.8	6.0	-
15:08	82.5	63.1	15:08	13.5	6.6	-
15:09	109.0	67.3	15:09	8.3	6.7	-
15:10	173.8	73.0	15:10	22.3	7.8	-
15:11	193.0	80.1	15:11	12.0	8.2	-
15:12	198.3	89.1	15:12	6.8	8.2	-
15:13	247.8	101.7	15:13	5.0	8.1	-
15:14	60.5	102.6	15:14	5.0	7.9	-
15:15	25.8	103.2	15:15	5.5	7.9	-
15:16	19.5	103.1	15:16	5.5	8.0	-
15:17	18.0	100.2	15:17	12.3	8.4	-
15:18	16.8	93.6	15:18	8.3	8.7	-
15:19	21.0	87.0	15:19	7.3	8.7	-
15:20	68.8	89.3	15:20	9.3	8.9	-
15:21	34.3	89.3	15:21	5.8	8.9	-
15:22	26.0	86.3	15:22	5.0	8.8	-
15:23	24.3	82.4	15:23	5.0	8.2	-
15:24	29.0	77.1	15:24	5.0	8.0	-
15:25	17.3	66.7	15:25	5.3	6.9	-
15:26	18.8	55.1	15:26	4.3	6.3	-
15:27	27.0	43.6	15:27	4.3	6.2	-
15:28	14.5	28.1	15:28	5.0	6.2	-
15:29	15.5	25.1	15:29	5.5	6.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:30	19.5	24.7	15:30	6.3	6.3	-
15:31	12.5	24.2	15:31	6.5	6.3	-
15:32	14.3	24.0	15:32	4.3	5.8	-
15:33	12.8	23.7	15:33	4.3	5.5	-
15:34	12.5	23.1	15:34	13.0	5.9	-
15:35	14.0	19.5	15:35	10.0	6.0	-
15:36	15.5	18.2	15:36	9.8	6.2	-
15:37	14.0	17.4	15:37	9.8	6.5	-
15:38	14.5	16.8	15:38	7.8	6.7	-
15:39	11.5	15.6	15:39	8.5	7.0	-
15:40	14.0	15.4	15:40	12.8	7.5	-
15:41	21.3	15.6	15:41	25.8	8.9	-
15:42	15.0	14.8	15:42	10.5	9.3	-
15:43	12.8	14.6	15:43	7.5	9.5	-
15:44	12.5	14.4	15:44	7.0	9.6	-
15:45	14.3	14.1	15:45	7.6	9.7	-
15:46	13.0	14.1	15:46	10.4	9.9	-
15:47	12.5	14.0	15:47	9.8	10.3	-
15:48	15.8	14.2	15:48	8.4	10.6	-
15:49	14.0	14.3	15:49	12.2	10.5	-
15:50	12.3	14.2	15:50	25.3	11.5	-
15:51	12.0	14.0	15:51	37.3	13.4	-
15:52	12.8	13.9	15:52	28.3	14.6	-
15:53	12.8	13.8	15:53	7.3	14.6	-
15:54	14.6	14.0	15:54	6.3	14.4	-
15:55	15.4	14.1	15:55	4.8	13.9	-
15:56	15.2	13.7	15:56	8.0	12.7	-
15:57	12.8	13.5	15:57	13.5	12.9	-
15:58	12.3	13.5	15:58	18.0	13.6	-
15:59	13.3	13.5	15:59	7.0	13.6	-
16:00	12.8	13.4	16:00	4.0	13.4	-
16:01	15.0	13.6	16:01	4.5	13.0	-
16:02	16.3	13.8	16:02	5.5	12.7	-
16:03	12.0	13.6	16:03	4.3	12.4	-
16:04	23.5	14.2	16:04	4.3	11.9	-
16:05	18.0	14.6	16:05	5.5	10.6	-
16:06	13.5	14.7	16:06	4.3	8.4	-
16:07	19.5	15.1	16:07	4.0	6.7	-
16:08	18.5	15.5	16:08	7.0	6.7	-
16:09	18.0	15.7	16:09	20.8	7.7	-
16:10	32.8	16.9	16:10	6.8	7.8	-
16:11	26.8	17.7	16:11	8.5	7.9	-
16:12	20.5	18.2	16:12	14.3	7.9	-
16:13	26.3	19.1	16:13	14.3	7.7	-
16:14	18.8	19.5	16:14	5.5	7.6	-
16:15	12.8	19.5	16:15	5.5	7.7	-
16:16	13.0	19.3	16:16	6.0	7.8	-
16:17	21.3	19.7	16:17	5.8	7.8	-
16:18	17.3	20.0	16:18	8.8	8.1	-
16:19	13.3	19.3	16:19	10.5	8.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:20	14.5	19.1	16:20	7.3	8.6	-
16:21	14.5	19.2	16:21	5.0	8.7	-
16:22	14.0	18.8	16:22	8.3	8.9	-
16:23	14.3	18.5	16:23	9.3	9.1	-
16:24	23.5	18.9	16:24	28.3	9.6	-
16:25	20.3	18.1	16:25	17.0	10.3	-
16:26	19.0	17.5	16:26	19.5	11.0	-
16:27	21.0	17.6	16:27	5.8	10.4	-
16:28	76.8	20.9	16:28	5.8	9.9	-
16:29	30.3	21.7	16:29	5.8	9.9	-
16:30	45.5	23.9	16:30	5.3	9.9	-
16:31	68.3	27.6	16:31	5.8	9.9	-
16:32	17.8	27.3	16:32	5.5	9.8	-
16:33	37.3	28.7	16:33	5.0	9.6	-
16:34	30.8	29.8	16:34	5.5	9.3	-
16:35	12.3	29.7	16:35	6.8	9.2	-
16:36	17.3	29.9	16:36	7.3	9.4	-
16:37	22.8	30.5	16:37	4.5	9.1	-
16:38	30.3	31.5	16:38	4.3	8.8	-
16:39	18.0	31.2	16:39	5.0	7.2	-
16:40	15.5	30.8	16:40	5.0	6.4	-
16:41	12.5	30.4	16:41	5.0	5.5	-
16:42	20.0	30.3	16:42	5.0	5.4	-
16:43	27.3	27.0	16:43	4.0	5.3	-
16:44	26.5	26.8	16:44	4.8	5.2	-
16:45	20.3	25.1	16:45	5.0	5.2	-
16:46	10.5	21.3	16:46	5.0	5.2	-
16:47	11.0	20.8	16:47	5.0	5.1	-
16:48	14.8	19.3	16:48	6.0	5.2	-
16:49	23.5	18.8	16:49	6.0	5.2	-
16:50	19.0	19.3	16:50	6.0	5.2	-

Thursday, September 29, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						561
Start Time:						7:15
End Time:						16:50
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	-	7:26	0.0	-	-
7:27	0.0	-	7:27	0.0	-	-
7:28	0.0	-	7:28	0.0	-	-
7:29	0.0	-	7:29	0.0	-	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.1	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.1	0.0	10:42	0.0	0.0	-
10:43	0.1	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.1	0.0	10:45	0.0	0.0	-
10:46	0.1	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.1	0.1	10:50	0.0	0.0	-
10:51	0.1	0.1	10:51	0.0	0.0	-
10:52	0.1	0.1	10:52	0.0	0.0	-
10:53	0.0	0.1	10:53	0.0	0.0	-
10:54	0.0	0.1	10:54	0.0	0.0	-
10:55	0.0	0.1	10:55	0.0	0.0	-
10:56	0.1	0.1	10:56	0.0	0.0	-
10:57	0.1	0.1	10:57	0.0	0.0	-
10:58	0.1	0.1	10:58	0.0	0.0	-
10:59	0.1	0.1	10:59	0.0	0.0	-
11:00	0.1	0.1	11:00	0.0	0.0	-
11:01	0.1	0.1	11:01	0.0	0.0	-
11:02	0.1	0.1	11:02	0.0	0.0	-
11:03	0.0	0.1	11:03	0.0	0.0	-
11:04	0.1	0.1	11:04	0.0	0.0	-
11:05	0.0	0.1	11:05	0.0	0.0	-
11:06	0.1	0.1	11:06	0.0	0.0	-
11:07	0.1	0.1	11:07	0.0	0.0	-
11:08	0.1	0.1	11:08	0.0	0.0	-
11:09	0.1	0.1	11:09	0.0	0.0	-
11:10	0.1	0.1	11:10	0.0	0.0	-
11:11	0.1	0.1	11:11	0.0	0.0	-
11:12	0.1	0.1	11:12	0.0	0.0	-
11:13	0.1	0.1	11:13	0.0	0.0	-
11:14	0.1	0.1	11:14	0.0	0.0	-
11:15	0.1	0.1	11:15	0.0	0.0	-
11:16	0.1	0.1	11:16	0.0	0.0	-
11:17	0.1	0.1	11:17	0.0	0.0	-
11:18	0.1	0.1	11:18	0.0	0.0	-
11:19	0.1	0.1	11:19	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:20	0.2	0.1	11:20	0.0	0.0	-
11:21	0.1	0.1	11:21	0.0	0.0	-
11:22	0.1	0.1	11:22	0.0	0.0	-
11:23	0.1	0.1	11:23	0.0	0.0	-
11:24	0.1	0.1	11:24	0.0	0.0	-
11:25	0.1	0.1	11:25	0.0	0.0	-
11:26	0.1	0.1	11:26	0.0	0.0	-
11:27	0.1	0.1	11:27	0.0	0.0	-
11:28	0.1	0.1	11:28	0.0	0.0	-
11:29	0.1	0.1	11:29	0.0	0.0	-
11:30	0.1	0.1	11:30	0.0	0.0	-
11:31	0.1	0.1	11:31	0.0	0.0	-
11:32	0.1	0.1	11:32	0.0	0.0	-
11:33	0.1	0.1	11:33	0.0	0.0	-
11:34	0.1	0.1	11:34	0.0	0.0	-
11:35	0.1	0.1	11:35	0.0	0.0	-
11:36	0.1	0.1	11:36	0.0	0.0	-
11:37	0.1	0.1	11:37	0.0	0.0	-
11:38	0.1	0.1	11:38	0.0	0.0	-
11:39	0.1	0.1	11:39	0.0	0.0	-
11:40	0.1	0.1	11:40	0.0	0.0	-
11:41	0.1	0.1	11:41	0.0	0.0	-
11:42	0.2	0.1	11:42	0.0	0.0	-
11:43	0.1	0.1	11:43	0.0	0.0	-
11:44	0.1	0.1	11:44	0.0	0.0	-
11:45	0.1	0.1	11:45	0.0	0.0	-
11:46	0.1	0.1	11:46	0.0	0.0	-
11:47	0.1	0.1	11:47	0.0	0.0	-
11:48	0.1	0.1	11:48	0.0	0.0	-
11:49	0.1	0.1	11:49	0.0	0.0	-
11:50	0.1	0.1	11:50	0.0	0.0	-
11:51	0.1	0.1	11:51	0.0	0.0	-
11:52	0.1	0.1	11:52	0.0	0.0	-
11:53	0.1	0.1	11:53	0.0	0.0	-
11:54	0.1	0.1	11:54	0.0	0.0	-
11:55	0.1	0.1	11:55	0.0	0.0	-
11:56	0.1	0.1	11:56	0.0	0.0	-
11:57	0.1	0.1	11:57	0.0	0.0	-
11:58	0.1	0.1	11:58	0.0	0.0	-
11:59	0.1	0.1	11:59	0.0	0.0	-
12:00	0.0	0.1	12:00	0.0	0.0	-
12:01	0.1	0.1	12:01	0.0	0.0	-
12:02	0.0	0.1	12:02	0.0	0.0	-
12:03	0.1	0.1	12:03	0.0	0.0	-
12:04	0.1	0.1	12:04	0.0	0.0	-
12:05	0.1	0.1	12:05	0.0	0.0	-
12:06	0.1	0.1	12:06	0.0	0.0	-
12:07	0.1	0.1	12:07	0.0	0.0	-
12:08	0.0	0.1	12:08	0.0	0.0	-
12:09	0.1	0.1	12:09	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:10	0.2	0.1	12:10	0.0	0.0	-
12:11	0.2	0.1	12:11	0.0	0.0	-
12:12	0.1	0.1	12:12	0.0	0.0	-
12:13	0.1	0.1	12:13	0.0	0.0	-
12:14	0.1	0.1	12:14	0.0	0.0	-
12:15	0.2	0.1	12:15	0.0	0.0	-
12:16	0.1	0.1	12:16	0.0	0.0	-
12:17	0.1	0.1	12:17	0.0	0.0	-
12:18	0.1	0.1	12:18	0.0	0.0	-
12:19	0.1	0.1	12:19	0.0	0.0	-
12:20	0.3	0.1	12:20	0.0	0.0	-
12:21	0.1	0.1	12:21	0.0	0.0	-
12:22	0.1	0.1	12:22	0.0	0.0	-
12:23	0.1	0.1	12:23	0.0	0.0	-
12:24	0.1	0.1	12:24	0.0	0.0	-
12:25	0.1	0.1	12:25	0.0	0.0	-
12:26	0.1	0.1	12:26	0.0	0.0	-
12:27	0.1	0.1	12:27	0.0	0.0	-
12:28	0.1	0.1	12:28	0.0	0.0	-
12:29	0.1	0.1	12:29	0.0	0.0	-
12:30	0.1	0.1	12:30	0.0	0.0	-
12:31	0.0	0.1	12:31	0.0	0.0	-
12:32	0.0	0.1	12:32	0.0	0.0	-
12:33	0.0	0.1	12:33	0.0	0.0	-
12:34	0.0	0.1	12:34	0.0	0.0	-
12:35	0.0	0.1	12:35	0.0	0.0	-
12:36	0.0	0.1	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.1	0.0	14:32	0.0	0.0	-
14:33	0.1	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.2	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-
16:26	0.0	0.0	16:26	0.0	0.0	-
16:27	0.0	0.0	16:27	0.0	0.0	-
16:28	0.0	0.0	16:28	0.0	0.0	-
16:29	0.0	0.0	16:29	0.0	0.0	-
16:30	0.0	0.0	16:30	0.0	0.0	-
16:31	0.0	0.0	16:31	0.0	0.0	-
16:32	0.0	0.0	16:32	0.0	0.0	-
16:33	0.0	0.0	16:33	0.0	0.0	-
16:34	0.0	0.0	16:34	0.0	0.0	-
16:35	0.0	0.0	16:35	0.0	0.0	-
16:36	0.0	0.0	16:36	0.0	0.0	-
16:37	0.0	0.0	16:37	0.0	0.0	-
16:38	0.0	0.0	16:38	0.0	0.0	-
16:39	0.0	0.0	16:39	0.0	0.0	-
16:40	0.0	0.0	16:40	0.0	0.0	-
16:41	0.0	0.0	16:41	0.0	0.0	-
16:42	0.0	0.0	16:42	0.0	0.0	-
16:43	0.0	0.0	16:43	0.0	0.0	-
16:44	0.0	0.0	16:44	0.0	0.0	-
16:45	0.0	0.0	16:45	0.0	0.0	-
16:46	0.0	0.0	16:46	0.0	0.0	-
16:47	0.0	0.0	16:47	0.0	0.0	-
16:48	0.0	0.0	16:48	0.0	0.0	-
16:49	0.0	0.0	16:49	0.0	0.0	-
16:50	0.0	0.0	16:50	0.0	0.0	-