

<b>PROJECT No.:</b> 170430003	<b>CLIENT:</b>	<b>DATE:</b> Monday, October 3, 2022
<b>PROJECT:</b> 240 Huntington Street	300 Huntington Street LLC	<b>WEATHER:</b> Rainy, 49-54 °F Wind: NE @ 4.4 – 7.1 mph
<b>LOCATION:</b> Brooklyn, New York		<b>TIME:</b> 7:00 am – 5:00 pm
<b>BCP SITE NO:</b> C224314		<b>MONITORS:</b> Ellie Seery

<b>EQUIPMENT:</b> Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator Takeuchi TL10V2	<b>PRESENT AT SITE:</b> <b>Langan:</b> Ellie Seery <b>Bauer Structures (Bauer):</b> George Lopez <b>Monadnock Construction Inc. (Monadnock):</b> David Parlo <b>American Standard Plumbing and Heating (American Standard):</b> Pawel Chrzan
---	---

**OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:**

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.

**Site Activities**

- Bauer Structures (Bauer) installed formwork in the western part of the site.
  - During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork, and waterproofing/vapor barrier membrane (Preprufe 300) was installed on the horizontal base of the utility installation.
- Bauer poured concrete within the formwork in the western part of the site.
- Bauer removed the southern and eastern sides of the shoring box in the northwestern part of the site. During removal, Bauer backfilled the perimeter of the additional shoring box with previously imported clean fill from Evergreen Recycling of Corona (EROG) in Flushing, NY and recycled concrete aggregate (RCA) from the DOT Stockpile in Brooklyn, NY to stabilize the area from about 7 to 5 feet below grade surface (bgs).
- American Standard Plumbing and Heating (American Standard) excavated two about 3-foot-long trenches by 2-foot-wide to about 2 to 3 feet bgs in preparation for installation of floor drain and waste service utilities. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Evidence of impacts was not observed.
  - Excavated material consisted of previously imported clean fill from EROG in Flushing, NY and RCA from the DOT Stockpile in Brooklyn, NY and was stockpiled in the northern part of the site for future placement.
- American Standard installed 4-inch-diameter utility piping in the central and western parts of the site.
- Bauer utilized dewatering sumps in the shoring box in the northwestern part of the site to remove the excess rainwater from heavy precipitation. The extracted groundwater was collected and sent through a treatment system before the effluent was discharged to the NYC Department of Environmental Protection (DEP) combined sewer system (via the catch basin located along the eastern side of the intersection between Huntington Street and Smith Street). The dewatering and effluent discharge activities were performed in accordance with NYCDEP Dewatering Permit No. C001565643.

## Sampling

- None.

## CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10  $\mu\text{m}$  in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
  - The upwind CAMP station stopped sending data at 8:15 and 8:35. The station was recalibrated and datalogging resumed at 8:29 and 8:47, respectively. Dust and odors were not observed while the station was down.
  - The downwind CAMP station stopped sending data at 8:30. The station was recalibrated and datalogging resumed at 8:35. Dust and odors were not observed while the station was down.
  - CAMP was not performed between 13:24 and 13:28 at the upwind station, and 13:24 to 13:33 at the downwind station due to equipment servicing. Once the equipment was successfully serviced, datalogging resumed. Intrusive work was not conducted while the station was down.
- CAMP was not performed from 15:58 to 17:00 due to heavy precipitation.
- Dust was not observed migrating off-site throughout the day.
- Refer to the attached Daily Air Monitoring Report for summary and raw CAMP results.

## Anticipated Activities

- Bauer will continue installation of foundation elements.

## 240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

### MATERIALS EXPORT SUMMARY

<b>Facility Name</b>	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
<b>Location</b>	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
<b>Type of Waste</b>	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	263	9,095	25	495	2	30	2	30

### MATERIALS EXPORT SUMMARY

<b>Facility Name</b>	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
<b>Location</b>	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
<b>Type of Material</b>	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

## 240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	17	422.41	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

\* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

## Site Photos




**Photo 1:** Bauer installing waterproofing/vapor barrier membrane (Preprufe 160R Plus) on the vertical walls within the formwork in the western part of the site (facing west).



**Photo 2:** Bauer removing the sides of the shoring box in the northwestern part of the site (facing northeast).

## Site Map:



### LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Area Pre-Cleared Today
- Approximate Area Previously Pre-Cleared
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled
- Approximate SSDS Trench Excavation

Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.



Drawing Shown Not to Scale



	<b>DAILY AIR MONITORING REPORT</b> <b>240 Huntington Street</b> <b>Brooklyn, New York</b>					10/03/22	
						Project number: 170430003	
						Page 1 of 1	Rev. No. 0
						Submitted By:	
						Dust Action Level	150 µg/m <sup>3</sup>
						TVOC Action Level	5 ppm

Weather Data Range for Work Day		Wind Direction	NE	Relative Humidity (%)	67.0 - 80.0	Daily Rain (in)	0.12	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	49.0 - 54.0	Wind Speed (MPH)	4.4 - 7.1	Barometer (inHg)	30.20 - 30.20			

Station Location Area	Work	Daily Avg. Dust Concentration (µg/m <sup>3</sup> )	Max 15 Min Dust Concentration (µg/m <sup>3</sup> )	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		10.5	27.3	7:26	0.0	0.0	7:26
Downwind		9.4	33.4	7:26	0.0	0.0	14:19



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

**Monday, October 3, 2022**

<b>Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =</b>	<b>0</b>
<b>Number of Comparable Data Points =</b>	<b>440</b>
<b>Start Time:</b>	<b>7:11</b>
<b>End Time:</b>	<b>15:58</b>

**PARTICULATE DATA**

Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
7:11	237.0	-	7:11	1560.0	-	-
7:12	77.3	-	7:12	368.5	-	-
7:13	42.3	-	7:13	12.8	-	-
7:14	46.3	-	7:14	12.3	-	-
7:15	31.8	-	7:15	10.0	-	-
7:16	17.0	-	7:16	11.3	-	-
7:17	16.0	-	7:17	10.5	-	-
7:18	16.0	-	7:18	8.5	-	-
7:19	29.5	-	7:19	8.0	-	-
7:20	26.5	-	7:20	8.0	-	-
7:21	9.8	-	7:21	8.0	-	-
7:22	12.5	-	7:22	8.8	-	-
7:23	10.3	-	7:23	9.0	-	-
7:24	18.0	-	7:24	7.8	-	-
7:25	32.3	-	7:25	7.5	-	-
7:26	23.8	27.3	7:26	9.8	33.4	-
7:27	9.8	22.8	7:27	8.3	9.4	-
7:28	8.8	20.5	7:28	8.5	9.1	-
7:29	9.3	18.1	7:29	8.3	8.8	-
7:30	6.8	16.4	7:30	7.0	8.6	-
7:31	8.0	15.8	7:31	7.0	8.3	-
7:32	8.0	15.3	7:32	7.5	8.1	-
7:33	6.2	14.6	7:33	18.3	8.8	-
7:34	5.4	13.0	7:34	9.3	8.9	-
7:35	4.8	11.6	7:35	5.0	8.7	-
7:36	3.8	11.2	7:36	5.0	8.5	-
7:37	5.3	10.7	7:37	5.8	8.3	-
7:38	5.0	10.3	7:38	4.0	7.9	-
7:39	6.0	9.5	7:39	5.5	7.8	-
7:40	6.0	7.8	7:40	4.5	7.6	-
7:41	5.3	6.5	7:41	4.0	7.2	-
7:42	5.0	6.2	7:42	3.0	6.8	-
7:43	4.0	5.9	7:43	3.0	6.5	-
7:44	4.8	5.6	7:44	3.8	6.2	-
7:45	4.8	5.5	7:45	3.8	6.0	-
7:46	4.8	5.3	7:46	3.8	5.7	-
7:47	12.8	5.6	7:47	3.8	5.5	-
7:48	7.0	5.6	7:48	4.0	4.5	-
7:49	6.0	5.7	7:49	3.3	4.1	-
7:50	6.0	5.8	7:50	2.8	4.0	-
7:51	6.0	5.9	7:51	2.0	3.8	-
7:52	5.3	5.9	7:52	2.0	3.5	-
7:53	4.5	5.9	7:53	3.8	3.5	-
7:54	5.0	5.8	7:54	5.5	3.5	-
7:55	5.0	5.7	7:55	3.8	3.5	-



PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
7:56	5.3	5.7	7:56	4.0	3.5	-
7:57	6.5	5.8	7:57	4.3	3.6	-
7:58	5.0	5.9	7:58	17.8	4.5	-
7:59	5.0	5.9	7:59	16.0	5.4	-
8:00	5.8	6.0	8:00	4.8	5.4	-
8:01	4.0	5.9	8:01	3.3	5.4	-
8:02	4.8	5.4	8:02	3.5	5.4	-
8:03	6.0	5.3	8:03	3.0	5.3	-
8:04	4.5	5.2	8:04	3.3	5.3	-
8:05	5.0	5.2	8:05	4.0	5.4	-
8:06	4.5	5.1	8:06	4.0	5.5	-
8:07	25.0	6.4	8:07	3.8	5.6	-
8:08	11.5	6.9	8:08	4.0	5.7	-
8:09	8.3	7.1	8:09	3.3	5.5	-
8:10	7.0	7.2	8:10	3.3	5.5	-
8:11	8.3	7.4	8:11	4.5	5.5	-
8:12	21.0	8.4	8:12	5.8	5.6	-
8:13	10.5	8.7	8:13	4.5	4.7	-
8:14	6.5	8.8	8:14	4.0	3.9	-
8:15	-	-	8:15	3.4	3.8	-
8:16	-	-	8:16	3.0	3.8	-
8:17	-	-	8:17	3.3	3.8	-
8:18	-	-	8:18	2.6	3.8	-
8:19	-	-	8:19	2.4	3.7	-
8:20	-	-	8:20	3.3	3.7	-
8:21	-	-	8:21	6.8	3.8	-
8:22	-	-	8:22	4.5	3.9	-
8:23	-	-	8:23	4.3	3.9	-
8:24	-	-	8:24	3.0	3.9	-
8:25	-	-	8:25	5.0	4.0	-
8:26	-	-	8:26	4.5	4.0	-
8:27	-	-	8:27	2.3	3.8	-
8:28	-	-	8:28	2.8	3.7	-
8:29	-	-	8:29	3.5	3.6	-
8:30	3.0	-	8:30	-	-	-
8:31	6.0	-	8:31	-	-	-
8:32	3.8	-	8:32	-	-	-
8:33	2.0	-	8:33	3.0	-	-
8:34	2.3	-	8:34	-	-	-
8:35	-	-	8:35	3.8	-	-
8:36	-	-	8:36	3.3	-	-
8:37	-	-	8:37	2.3	-	-
8:38	-	-	8:38	3.3	-	-
8:39	-	-	8:39	2.3	-	-
8:40	-	-	8:40	2.8	-	-
8:41	-	-	8:41	2.0	-	-
8:42	-	-	8:42	2.0	-	-
8:43	-	-	8:43	2.0	-	-
8:44	-	-	8:44	2.0	-	-
8:45	-	-	8:45	2.0	-	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:46	-	-	8:46	2.0	-	-
8:47	28.0	-	8:47	2.5	-	-
8:48	11.8	-	8:48	3.8	-	-
8:49	13.8	-	8:49	3.0	-	-
8:50	22.0	-	8:50	12.0	3.1	-
8:51	24.8	-	8:51	4.3	3.2	-
8:52	23.8	-	8:52	3.8	3.3	-
8:53	25.0	-	8:53	2.8	3.3	-
8:54	2.3	-	8:54	2.3	3.3	-
8:55	2.0	-	8:55	2.0	3.2	-
8:56	8.3	-	8:56	1.5	3.2	-
8:57	9.0	-	8:57	8.0	3.6	-
8:58	14.3	-	8:58	3.0	3.7	-
8:59	17.8	-	8:59	1.8	3.6	-
9:00	5.3	-	9:00	1.5	3.6	-
9:01	2.5	-	9:01	1.8	3.6	-
9:02	2.0	12.3	9:02	2.5	3.6	-
9:03	2.0	11.6	9:03	2.8	3.5	-
9:04	3.0	10.9	9:04	1.5	3.4	-
9:05	2.3	9.6	9:05	1.0	2.7	-
9:06	4.0	8.2	9:06	1.3	2.5	-
9:07	5.5	7.0	9:07	1.5	2.3	-
9:08	3.5	5.6	9:08	2.0	2.3	-
9:09	2.5	5.6	9:09	2.3	2.3	-
9:10	3.0	5.7	9:10	3.5	2.4	-
9:11	2.3	5.3	9:11	2.5	2.5	-
9:12	6.2	5.1	9:12	2.8	2.1	-
9:13	8.2	4.7	9:13	1.3	2.0	-
9:14	19.6	4.8	9:14	1.8	2.0	-
9:15	35.8	6.8	9:15	3.8	2.1	-
9:16	12.8	7.5	9:16	9.5	2.7	-
9:17	11.8	8.2	9:17	4.3	2.8	-
9:18	4.5	8.3	9:18	2.0	2.7	-
9:19	3.5	8.4	9:19	1.3	2.7	-
9:20	3.0	8.4	9:20	1.8	2.8	-
9:21	3.0	8.3	9:21	2.0	2.8	-
9:22	3.5	8.2	9:22	2.0	2.8	-
9:23	3.5	8.2	9:23	2.0	2.8	-
9:24	3.3	8.3	9:24	1.5	2.8	-
9:25	2.3	8.2	9:25	1.4	2.6	-
9:26	4.3	8.3	9:26	2.4	2.6	-
9:27	3.8	8.2	9:27	2.6	2.6	-
9:28	3.0	7.8	9:28	1.8	2.7	-
9:29	9.8	7.2	9:29	2.4	2.7	-
9:30	22.0	6.3	9:30	2.8	2.6	-
9:31	49.5	8.7	9:31	2.0	2.1	-
9:32	36.0	10.3	9:32	2.8	2.0	-
9:33	22.0	11.5	9:33	2.3	2.1	-
9:34	17.0	12.4	9:34	1.3	2.1	-
9:35	5.8	12.6	9:35	1.0	2.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
9:36	3.5	12.6	9:36	1.0	1.9	-
9:37	2.8	12.6	9:37	1.0	1.9	-
9:38	2.3	12.5	9:38	1.5	1.8	-
9:39	2.8	12.4	9:39	2.0	1.9	-
9:40	4.0	12.6	9:40	1.8	1.9	-
9:41	3.8	12.5	9:41	1.5	1.8	-
9:42	2.0	12.4	9:42	1.5	1.8	-
9:43	4.8	12.5	9:43	2.0	1.8	-
9:44	4.3	12.2	9:44	2.0	1.8	-
9:45	2.8	10.9	9:45	1.0	1.6	-
9:46	3.0	7.8	9:46	1.0	1.6	-
9:47	3.5	5.6	9:47	1.5	1.5	-
9:48	3.8	4.4	9:48	2.5	1.5	-
9:49	3.3	3.5	9:49	1.5	1.5	-
9:50	5.8	3.5	9:50	1.3	1.5	-
9:51	3.0	3.4	9:51	1.5	1.6	-
9:52	3.0	3.5	9:52	2.0	1.6	-
9:53	4.8	3.6	9:53	2.0	1.7	-
9:54	5.0	3.8	9:54	2.0	1.7	-
9:55	2.5	3.7	9:55	4.8	1.9	-
9:56	2.0	3.6	9:56	3.8	2.0	-
9:57	2.0	3.6	9:57	3.3	2.1	-
9:58	2.8	3.4	9:58	6.0	2.4	-
9:59	2.0	3.3	9:59	8.5	2.8	-
10:00	10.3	3.8	10:00	2.0	2.9	-
10:01	6.8	4.0	10:01	2.8	3.0	-
10:02	6.5	4.2	10:02	2.5	3.1	-
10:03	9.8	4.6	10:03	3.0	3.1	-
10:04	5.5	4.8	10:04	2.0	3.2	-
10:05	29.0	6.3	10:05	2.3	3.2	-
10:06	45.5	9.2	10:06	3.0	3.3	-
10:07	8.3	9.5	10:07	3.0	3.4	-
10:08	4.0	9.5	10:08	3.0	3.5	-
10:09	2.5	9.3	10:09	3.0	3.5	-
10:10	3.8	9.4	10:10	3.0	3.4	-
10:11	3.5	9.5	10:11	3.0	3.4	-
10:12	5.8	9.7	10:12	3.0	3.3	-
10:13	13.5	10.4	10:13	3.0	3.1	-
10:14	37.5	12.8	10:14	2.8	2.8	-
10:15	16.5	13.2	10:15	2.3	2.8	-
10:16	7.8	13.3	10:16	4.8	2.9	-
10:17	3.0	13.1	10:17	3.3	3.0	-
10:18	3.0	12.6	10:18	2.8	2.9	-
10:19	25.3	13.9	10:19	2.0	2.9	-
10:20	15.8	13.0	10:20	2.8	3.0	-
10:21	4.5	10.3	10:21	4.0	3.0	-
10:22	5.8	10.1	10:22	5.0	3.2	-
10:23	5.2	10.2	10:23	3.5	3.2	-
10:24	6.3	10.5	10:24	3.5	3.2	-
10:25	16.8	11.3	10:25	5.3	3.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
10:26	8.8	11.7	10:26	6.0	3.6	-
10:27	8.3	11.9	10:27	3.3	3.6	-
10:28	10.8	11.7	10:28	3.0	3.6	-
10:29	6.3	9.6	10:29	3.0	3.6	-
10:30	2.8	8.7	10:30	2.0	3.6	-
10:31	6.5	8.6	10:31	3.8	3.5	-
10:32	6.5	8.8	10:32	3.3	3.5	-
10:33	3.3	8.8	10:33	3.5	3.6	-
10:34	3.3	7.4	10:34	2.8	3.6	-
10:35	3.0	6.5	10:35	3.6	3.7	-
10:36	3.0	6.4	10:36	2.4	3.6	-
10:37	4.8	6.3	10:37	3.0	3.5	-
10:38	4.8	6.3	10:38	3.4	3.4	-
10:39	5.0	6.2	10:39	2.0	3.3	-
10:40	5.5	5.5	10:40	3.0	3.2	-
10:41	2.0	5.0	10:41	3.0	3.0	-
10:42	2.3	4.6	10:42	4.5	3.1	-
10:43	3.3	4.1	10:43	3.3	3.1	-
10:44	2.5	3.9	10:44	3.0	3.1	-
10:45	2.5	3.9	10:45	2.8	3.1	-
10:46	4.5	3.7	10:46	2.5	3.1	-
10:47	3.5	3.5	10:47	3.0	3.0	-
10:48	3.0	3.5	10:48	2.5	3.0	-
10:49	2.5	3.5	10:49	3.5	3.0	-
10:50	2.0	3.4	10:50	2.5	3.0	-
10:51	5.8	3.6	10:51	2.0	2.9	-
10:52	8.5	3.8	10:52	2.3	2.9	-
10:53	3.0	3.7	10:53	3.0	2.9	-
10:54	2.0	3.5	10:54	2.5	2.9	-
10:55	3.5	3.4	10:55	3.8	2.9	-
10:56	9.0	3.9	10:56	3.0	2.9	-
10:57	5.0	4.0	10:57	3.3	2.9	-
10:58	3.8	4.1	10:58	3.8	2.9	-
10:59	3.0	4.1	10:59	3.8	2.9	-
11:00	2.8	4.1	11:00	2.5	2.9	-
11:01	4.0	4.1	11:01	4.0	3.0	-
11:02	4.5	4.2	11:02	4.3	3.1	-
11:03	30.5	6.0	11:03	2.3	3.1	-
11:04	13.8	6.7	11:04	4.5	3.2	-
11:05	14.0	7.5	11:05	7.8	3.5	-
11:06	13.0	8.0	11:06	9.5	4.0	-
11:07	7.8	8.0	11:07	9.0	4.5	-
11:08	19.8	9.1	11:08	7.5	4.8	-
11:09	8.3	9.5	11:09	8.3	5.1	-
11:10	5.3	9.6	11:10	9.3	5.5	-
11:11	4.0	9.3	11:11	5.3	5.7	-
11:12	6.5	9.4	11:12	3.8	5.7	-
11:13	6.0	9.5	11:13	3.8	5.7	-
11:14	12.8	10.2	11:14	3.3	5.7	-
11:15	6.8	10.5	11:15	10.0	6.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
11:16	4.8	10.5	11:16	10.5	6.6	-
11:17	12.8	11.1	11:17	6.3	6.7	-
11:18	11.8	9.8	11:18	3.3	6.8	-
11:19	5.8	9.3	11:19	3.8	6.7	-
11:20	3.0	8.5	11:20	2.8	6.4	-
11:21	7.5	8.2	11:21	3.5	6.0	-
11:22	9.8	8.3	11:22	5.0	5.7	-
11:23	13.0	7.9	11:23	9.0	5.8	-
11:24	12.0	8.1	11:24	8.8	5.9	-
11:25	12.0	8.6	11:25	4.3	5.5	-
11:26	8.3	8.8	11:26	3.3	5.4	-
11:27	5.3	8.8	11:27	3.0	5.4	-
11:28	4.0	8.6	11:28	4.0	5.4	-
11:29	8.0	8.3	11:29	7.8	5.7	-
11:30	29.6	9.8	11:30	5.3	5.4	-
11:31	22.8	11.0	11:31	2.3	4.8	-
11:32	20.2	11.5	11:32	3.5	4.6	-
11:33	9.6	11.4	11:33	5.5	4.8	-
11:34	13.2	11.9	11:34	2.8	4.7	-
11:35	9.2	12.3	11:35	1.0	4.6	-
11:36	11.2	12.5	11:36	1.8	4.5	-
11:37	5.3	12.2	11:37	2.0	4.3	-
11:38	12.3	12.2	11:38	2.3	3.8	-
11:39	5.8	11.8	11:39	2.0	3.4	-
11:40	5.8	11.4	11:40	2.5	3.3	-
11:41	19.8	12.1	11:41	4.0	3.3	-
11:42	36.0	14.2	11:42	3.3	3.3	-
11:43	29.5	15.9	11:43	2.3	3.2	-
11:44	9.3	16.0	11:44	4.0	3.0	-
11:45	10.5	14.7	11:45	3.8	2.9	-
11:46	12.0	14.0	11:46	2.0	2.8	-
11:47	12.8	13.5	11:47	1.3	2.7	-
11:48	5.5	13.2	11:48	1.8	2.4	-
11:49	11.5	13.1	11:49	2.0	2.4	-
11:50	9.8	13.1	11:50	2.0	2.5	-
11:51	4.8	12.7	11:51	2.0	2.5	-
11:52	12.0	13.1	11:52	2.5	2.5	-
11:53	9.0	12.9	11:53	1.3	2.4	-
11:54	4.8	12.9	11:54	1.8	2.4	-
11:55	3.0	12.7	11:55	1.3	2.3	-
11:56	5.8	11.7	11:56	1.8	2.2	-
11:57	25.0	11.0	11:57	2.0	2.1	-
11:58	44.5	12.0	11:58	2.0	2.1	-
11:59	32.0	13.5	11:59	1.5	1.9	-
12:00	15.5	13.9	12:00	1.8	1.8	-
12:01	9.8	13.7	12:01	2.0	1.8	-
12:02	21.5	14.3	12:02	2.3	1.9	-
12:03	11.8	14.7	12:03	5.5	2.1	-
12:04	3.5	14.2	12:04	8.0	2.5	-
12:05	4.3	13.8	12:05	6.5	2.8	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
12:06	3.3	13.7	12:06	4.8	3.0	-
12:07	3.0	13.1	12:07	2.0	3.0	-
12:08	3.5	12.7	12:08	2.0	3.0	-
12:09	2.5	12.6	12:09	2.8	3.1	-
12:10	4.3	12.7	12:10	14.0	3.9	-
12:11	5.0	12.6	12:11	8.3	4.4	-
12:12	5.8	11.3	12:12	5.0	4.6	-
12:13	5.0	8.7	12:13	19.3	5.7	-
12:14	4.0	6.8	12:14	7.8	6.1	-
12:15	2.8	6.0	12:15	7.5	6.5	-
12:16	3.0	5.5	12:16	8.3	6.9	-
12:17	3.0	4.3	12:17	1.5	6.9	-
12:18	2.8	3.7	12:18	2.0	6.6	-
12:19	3.3	3.7	12:19	3.0	6.3	-
12:20	3.5	3.6	12:20	5.0	6.2	-
12:21	7.0	3.9	12:21	11.8	6.7	-
12:22	11.8	4.5	12:22	2.5	6.7	-
12:23	11.3	5.0	12:23	2.8	6.8	-
12:24	10.3	5.5	12:24	2.8	6.8	-
12:25	5.0	5.6	12:25	4.8	6.1	-
12:26	11.3	6.0	12:26	9.5	6.2	-
12:27	17.3	6.7	12:27	12.5	6.7	-
12:28	14.3	7.4	12:28	3.0	5.6	-
12:29	10.5	7.8	12:29	11.8	5.9	-
12:30	9.0	8.2	12:30	4.8	5.7	-
12:31	10.0	8.7	12:31	2.3	5.3	-
12:32	9.3	9.1	12:32	2.0	5.4	-
12:33	12.3	9.7	12:33	3.0	5.4	-
12:34	7.3	10.0	12:34	2.3	5.4	-
12:35	5.3	10.1	12:35	3.5	5.3	-
12:36	6.8	10.1	12:36	4.8	4.8	-
12:37	12.3	10.1	12:37	4.3	4.9	-
12:38	20.8	10.8	12:38	4.3	5.0	-
12:39	11.0	10.8	12:39	6.5	5.3	-
12:40	13.4	11.4	12:40	23.5	6.5	-
12:41	13.8	11.5	12:41	9.5	6.5	-
12:42	8.0	10.9	12:42	18.3	6.9	-
12:43	10.8	10.7	12:43	4.3	7.0	-
12:44	5.3	10.3	12:44	3.0	6.4	-
12:45	16.4	10.8	12:45	4.5	6.4	-
12:46	22.5	11.7	12:46	4.3	6.5	-
12:47	17.0	12.2	12:47	3.5	6.6	-
12:48	6.0	11.8	12:48	5.5	6.8	-
12:49	13.0	12.1	12:49	8.0	7.2	-
12:50	18.3	13.0	12:50	6.5	7.4	-
12:51	24.0	14.2	12:51	6.8	7.5	-
12:52	28.5	15.2	12:52	6.0	7.6	-
12:53	22.0	15.3	12:53	4.4	7.6	-
12:54	18.3	15.8	12:54	6.2	7.6	-
12:55	16.8	16.0	12:55	4.8	6.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
12:56	13.3	16.0	12:56	3.4	6.0	-
12:57	8.8	16.0	12:57	3.4	5.0	-
12:58	18.8	16.6	12:58	3.0	4.9	-
12:59	18.0	17.4	12:59	3.0	4.9	-
13:00	3.3	16.6	13:00	4.5	4.9	-
13:01	4.5	15.4	13:01	3.8	4.8	-
13:02	6.0	14.6	13:02	3.0	4.8	-
13:03	7.3	14.7	13:03	3.8	4.7	-
13:04	4.8	14.2	13:04	4.0	4.4	-
13:05	4.5	13.2	13:05	4.3	4.3	-
13:06	5.0	12.0	13:06	4.3	4.1	-
13:07	6.0	10.5	13:07	3.8	4.0	-
13:08	6.8	9.5	13:08	3.3	3.9	-
13:09	6.3	8.7	13:09	4.0	3.7	-
13:10	3.3	7.8	13:10	4.0	3.7	-
13:11	4.8	7.2	13:11	5.0	3.8	-
13:12	9.3	7.2	13:12	4.5	3.9	-
13:13	11.3	6.7	13:13	5.0	4.0	-
13:14	20.8	6.9	13:14	4.8	4.1	-
13:15	17.3	7.8	13:15	4.5	4.1	-
13:16	5.3	7.9	13:16	4.3	4.2	-
13:17	13.8	8.4	13:17	5.3	4.3	-
13:18	8.5	8.5	13:18	5.8	4.4	-
13:19	8.0	8.7	13:19	5.5	4.5	-
13:20	12.3	9.2	13:20	5.3	4.6	-
13:21	12.3	9.7	13:21	7.3	4.8	-
13:22	4.5	9.6	13:22	5.0	4.9	-
13:23	3.0	9.4	13:23	4.0	4.9	-
13:24	-	-	13:24	-	-	-
13:25	-	-	13:25	-	-	-
13:26	-	-	13:26	-	-	-
13:27	-	-	13:27	-	-	-
13:28	-	-	13:28	-	-	-
13:29	6.0	-	13:29	-	-	-
13:30	4.5	-	13:30	-	-	-
13:31	4.0	-	13:31	-	-	-
13:32	3.3	-	13:32	-	-	-
13:33	4.5	-	13:33	-	-	-
13:34	3.3	-	13:34	-	-	-
13:35	5.3	-	13:35	17.3	-	-
13:36	6.0	-	13:36	9.3	-	-
13:37	6.3	-	13:37	8.8	-	-
13:38	6.5	-	13:38	7.8	-	-
13:39	17.0	-	13:39	8.3	-	-
13:40	16.3	-	13:40	6.0	-	-
13:41	12.3	-	13:41	6.0	-	-
13:42	10.0	-	13:42	6.5	-	-
13:43	4.5	-	13:43	9.0	-	-
13:44	6.5	7.3	13:44	10.3	-	-
13:45	15.0	8.0	13:45	7.8	-	-



PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
13:46	17.3	8.9	13:46	6.3	-	-
13:47	10.5	9.4	13:47	7.3	-	-
13:48	6.0	9.5	13:48	8.8	-	-
13:49	6.0	9.7	13:49	17.0	-	-
13:50	6.8	9.8	13:50	18.5	9.2	-
13:51	5.3	9.7	13:51	8.3	9.1	-
13:52	5.3	9.7	13:52	11.8	9.3	-
13:53	7.0	9.7	13:53	10.8	9.5	-
13:54	5.8	9.0	13:54	10.0	9.6	-
13:55	16.3	9.0	13:55	10.8	9.9	-
13:56	29.8	10.1	13:56	12.5	10.4	-
13:57	20.3	10.8	13:57	12.8	10.8	-
13:58	9.0	11.1	13:58	12.0	11.0	-
13:59	11.5	11.4	13:59	13.0	11.2	-
14:00	11.8	11.2	14:00	13.3	11.5	-
14:01	24.8	11.7	14:01	10.5	11.8	-
14:02	26.0	12.8	14:02	15.3	12.3	-
14:03	8.2	12.9	14:03	16.5	12.9	-
14:04	12.4	13.3	14:04	13.8	12.6	-
14:05	11.3	13.6	14:05	13.0	12.3	-
14:06	15.8	14.3	14:06	9.3	12.3	-
14:07	15.5	15.0	14:07	11.3	12.3	-
14:08	10.3	15.2	14:08	7.3	12.1	-
14:09	26.0	16.6	14:09	8.0	11.9	-
14:10	17.5	16.7	14:10	8.8	11.8	-
14:11	13.0	15.5	14:11	12.4	11.8	-
14:12	21.0	15.6	14:12	9.4	11.6	-
14:13	16.0	16.1	14:13	8.3	11.3	-
14:14	11.8	16.1	14:14	8.0	11.0	-
14:15	11.8	16.1	14:15	8.8	10.7	-
14:16	5.8	14.8	14:16	13.8	10.9	-
14:17	13.0	13.9	14:17	11.8	10.7	-
14:18	24.0	15.0	14:18	10.8	10.3	-
14:19	11.8	15.0	14:19	10.3	10.1	-
14:20	4.0	14.5	14:20	10.8	9.9	-
14:21	11.3	14.2	14:21	9.8	9.9	-
14:22	19.8	14.5	14:22	9.0	9.8	-
14:23	15.5	14.8	14:23	9.5	9.9	-
14:24	17.8	14.3	14:24	10.0	10.1	-
14:25	9.0	13.7	14:25	9.8	10.1	-
14:26	17.0	14.0	14:26	11.5	10.1	-
14:27	19.0	13.8	14:27	14.0	10.4	-
14:28	26.3	14.5	14:28	10.0	10.5	-
14:29	19.5	15.0	14:29	9.3	10.6	-
14:30	16.0	15.3	14:30	9.8	10.7	-
14:31	13.0	15.8	14:31	10.8	10.5	-
14:32	20.3	16.3	14:32	11.5	10.4	-
14:33	18.3	15.9	14:33	13.8	10.6	-
14:34	11.8	15.9	14:34	11.3	10.7	-
14:35	9.5	16.3	14:35	11.3	10.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
14:36	9.5	16.1	14:36	8.5	10.7	-
14:37	12.5	15.7	14:37	8.0	10.6	-
14:38	8.3	15.2	14:38	6.8	10.4	-
14:39	8.5	14.6	14:39	7.0	10.2	-
14:40	25.8	15.7	14:40	7.8	10.1	-
14:41	9.3	15.2	14:41	6.0	9.7	-
14:42	5.5	14.3	14:42	7.5	9.3	-
14:43	17.8	13.7	14:43	11.8	9.4	-
14:44	16.3	13.5	14:44	6.8	9.2	-
14:45	10.8	13.1	14:45	7.0	9.0	-
14:46	5.8	12.6	14:46	7.3	8.8	-
14:47	5.3	11.6	14:47	7.0	8.5	-
14:48	5.8	10.8	14:48	6.8	8.0	-
14:49	7.8	10.5	14:49	6.8	7.7	-
14:50	9.5	10.5	14:50	7.0	7.5	-
14:51	6.5	10.3	14:51	7.5	7.4	-
14:52	12.8	10.4	14:52	12.0	7.7	-
14:53	17.3	11.0	14:53	7.3	7.7	-
14:54	9.3	11.0	14:54	6.8	7.7	-
14:55	4.3	9.6	14:55	6.5	7.6	-
14:56	4.0	9.2	14:56	7.0	7.7	-
14:57	4.0	9.1	14:57	7.3	7.6	-
14:58	25.5	9.6	14:58	8.0	7.4	-
14:59	28.0	10.4	14:59	7.0	7.4	-
15:00	9.8	10.4	15:00	6.0	7.3	-
15:01	4.0	10.2	15:01	5.8	7.2	-
15:02	4.0	10.2	15:02	6.0	7.2	-
15:03	4.0	10.0	15:03	6.3	7.1	-
15:04	3.0	9.7	15:04	6.0	7.1	-
15:05	4.3	9.4	15:05	6.3	7.0	-
15:06	4.3	9.2	15:06	7.0	7.0	-
15:07	3.8	8.6	15:07	9.5	6.8	-
15:08	3.0	7.7	15:08	8.8	6.9	-
15:09	3.0	7.3	15:09	7.0	7.0	-
15:10	4.5	7.3	15:10	7.0	7.0	-
15:11	4.2	7.3	15:11	7.0	7.0	-
15:12	4.2	7.3	15:12	6.0	6.9	-
15:13	4.0	5.9	15:13	6.0	6.8	-
15:14	5.0	4.3	15:14	6.5	6.7	-
15:15	4.6	4.0	15:15	6.0	6.7	-
15:16	4.2	4.0	15:16	6.0	6.8	-
15:17	4.6	4.0	15:17	6.0	6.8	-
15:18	4.0	4.0	15:18	6.0	6.7	-
15:19	4.8	4.2	15:19	5.2	6.7	-
15:20	7.3	4.4	15:20	5.2	6.6	-
15:21	4.5	4.4	15:21	5.2	6.5	-
15:22	3.5	4.4	15:22	5.4	6.2	-
15:23	3.3	4.4	15:23	6.5	6.1	-
15:24	7.3	4.7	15:24	7.0	6.1	-
15:25	11.3	5.1	15:25	6.5	6.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
15:26	5.5	5.2	15:26	6.0	6.0	-
15:27	5.0	5.2	15:27	6.0	6.0	-
15:28	10.8	5.7	15:28	5.3	5.9	-
15:29	4.8	5.7	15:29	4.3	5.8	-
15:30	9.5	6.0	15:30	5.0	5.7	-
15:31	21.5	7.2	15:31	6.5	5.7	-
15:32	14.5	7.8	15:32	5.5	5.7	-
15:33	16.0	8.6	15:33	6.5	5.7	-
15:34	7.3	8.8	15:34	6.3	5.8	-
15:35	6.3	8.7	15:35	6.0	5.9	-
15:36	9.8	9.1	15:36	6.5	5.9	-
15:37	5.8	9.2	15:37	5.5	6.0	-
15:38	5.5	9.4	15:38	6.0	5.9	-
15:39	7.5	9.4	15:39	6.3	5.9	-
15:40	13.5	9.5	15:40	5.5	5.8	-
15:41	30.8	11.2	15:41	5.5	5.8	-
15:42	15.5	11.9	15:42	7.0	5.8	-
15:43	15.5	12.2	15:43	8.0	6.0	-
15:44	22.5	13.4	15:44	8.0	6.3	-
15:45	9.8	13.4	15:45	7.3	6.4	-
15:46	17.8	13.2	15:46	7.0	6.5	-
15:47	13.8	13.1	15:47	7.5	6.6	-
15:48	7.8	12.6	15:48	15.5	7.2	-
15:49	9.3	12.7	15:49	10.3	7.5	-
15:50	6.3	12.7	15:50	15.3	8.1	-
15:51	6.0	12.5	15:51	15.5	8.7	-
15:52	6.5	12.5	15:52	26.5	10.1	-
15:53	6.8	12.6	15:53	24.0	11.3	-
15:54	7.0	12.6	15:54	21.3	12.3	-
15:55	7.0	12.1	15:55	24.0	13.5	-
15:56	7.0	10.6	15:56	18.0	14.3	-
15:57	6.5	10.0	15:57	13.0	14.7	-
15:58	6.5	9.4	15:58	5.5	14.6	-

Monday, October 3, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						455
Start Time:						7:11
End Time:						15:58
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.1	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	-	-	8:15	0.0	0.0	-
8:16	-	-	8:16	0.0	0.0	-
8:17	-	-	8:17	0.0	0.0	-
8:18	-	-	8:18	0.0	0.0	-
8:19	-	-	8:19	0.0	0.0	-
8:20	-	-	8:20	0.0	0.0	-
8:21	-	-	8:21	0.0	0.0	-
8:22	-	-	8:22	0.0	0.0	-
8:23	-	-	8:23	0.0	0.0	-
8:24	-	-	8:24	0.0	0.0	-
8:25	-	-	8:25	0.0	0.0	-
8:26	-	-	8:26	0.0	0.0	-
8:27	-	-	8:27	0.0	0.0	-
8:28	-	-	8:28	0.0	0.0	-
8:29	-	-	8:29	0.0	0.0	-
8:30	0.0	-	8:30	-	-	-
8:31	0.0	-	8:31	-	-	-
8:32	0.0	-	8:32	-	-	-
8:33	0.0	-	8:33	0.0	-	-
8:34	0.0	-	8:34	0.0	-	-
8:35	0.0	-	8:35	0.0	-	-
8:36	0.0	-	8:36	0.0	-	-
8:37	0.0	-	8:37	0.0	-	-
8:38	0.0	-	8:38	0.0	-	-
8:39	0.0	-	8:39	0.0	-	-
8:40	0.0	-	8:40	0.0	-	-
8:41	0.0	-	8:41	0.0	-	-
8:42	0.0	-	8:42	0.0	-	-
8:43	0.0	-	8:43	0.0	-	-
8:44	0.0	-	8:44	0.0	-	-
8:45	0.0	0.0	8:45	0.0	-	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:46	0.0	0.0	8:46	0.0	-	-
8:47	0.0	0.0	8:47	0.0	-	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-



PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.1	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	-	-	13:24	-	-	-
13:25	-	-	13:25	-	-	-
13:26	-	-	13:26	-	-	-
13:27	-	-	13:27	-	-	-
13:28	-	-	13:28	-	-	-
13:29	0.0	-	13:29	-	-	-
13:30	0.0	-	13:30	-	-	-
13:31	0.0	-	13:31	-	-	-
13:32	0.0	-	13:32	-	-	-
13:33	0.0	-	13:33	-	-	-
13:34	0.0	-	13:34	0.0	-	-
13:35	0.0	-	13:35	0.0	-	-
13:36	0.0	-	13:36	0.0	-	-
13:37	0.0	-	13:37	0.0	-	-
13:38	0.0	-	13:38	0.0	-	-
13:39	0.0	-	13:39	0.0	-	-
13:40	0.0	-	13:40	0.0	-	-
13:41	0.0	-	13:41	0.0	-	-
13:42	0.0	-	13:42	0.0	-	-
13:43	0.0	-	13:43	0.0	-	-
13:44	0.0	0.0	13:44	0.0	-	-
13:45	0.0	0.0	13:45	0.0	-	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:46	0.0	0.0	13:46	0.0	-	-
13:47	0.0	0.0	13:47	0.0	-	-
13:48	0.0	0.0	13:48	0.0	-	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.1	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.1	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-