

PROJECT No.: 170430003	CLIENT: 300 Huntington Street LLC	DATE: Wednesday, October 5, 2022
PROJECT: 240 Huntington Street		WEATHER: Rainy, 56-61 °F Wind: NNE @ 2.8 – 5.0 mph
LOCATION: Brooklyn, New York		TIME: 7:00 am – 5:30 pm
BCP SITE NO: C224314		MONITORS: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator Takehuchi TL10V2	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo American Standard Plumbing and Heating (American Standard): Pawel Chrzan Reliant Electrical Cont. Inc. (Reliant): Christian Paris	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities • Bauer Structures (Bauer) excavated an about 5-foot-long by 5-foot-wide area to about 6 feet below grade surface (bgs) in the northwestern part of the site in preparation for pile cap formwork installation. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Evidence of impacts was not observed. ◦ Excavated material consisted of previously imported clean fill from Evergreen Recycling of Corona (EROC) in Flushing, NY, and was stockpiled in the western part of the site for future placement. • Bauer installed formwork in the northwestern and western parts of the site. ◦ During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork. • Bauer used a jackhammer to break up concrete piles in preparation for the construction of pile caps in the western part of the site. • Bauer placed previously imported ASTM#5 stone in the base of an about 15-foot-long by 15-foot-wide excavation for formwork installation. • Bauer backfilled an about 80-foot-long by 60-foot-wide area with between 8 and 14 inches of previously imported and stockpiled ASTM #5 stone in the southeastern part of the site for the installation of the sub-membrane depressurization system (SMD). • Reliant Electrical Cont. Inc. (Reliant) installed plastic electrical pipes in the central part of the site. • Bauer utilized dewatering sumps in the shoring box in the northwestern part of the site to remove the excess rainwater from heavy precipitation. The extracted groundwater was collected and sent through a treatment system before the effluent was discharged to the NYC Department of Environmental Protection (DEP) combined sewer system (via the catch basin located along the eastern side of the intersection between Huntington Street and Smith Street). The dewatering and effluent discharge activities were performed in accordance with NYCDEP Dewatering Permit No. C001565643.		

Sampling

- The following documentation endpoint samples were collected and submitted for laboratory analysis:
 - EP35_el_11-10
- The following quality assurance/quality control (QA/QC) samples were collected and submitted for laboratory analysis:
 - TB10_100522 (trip blank)
 - FB02_100522 (field blank)

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 µm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- CAMP was not performed from 16:21 to 17:30 due to heavy precipitation.
- Dust was not observed migrating off-site throughout the day.
- Refer to the attached Daily Air Monitoring Report for summary and raw CAMP results.

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	263	9,095	25	495	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY

Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	17	422.41	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY

Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos




Photo 1: Bauer backfilling with previously imported and stockpiled ASTM #5 stone for the installation of the sub-slab depressurization system in the southeastern part of the site (facing west).



Photo 2: Bauer installing formwork in the western part of the site (facing north).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled
- Approximate SMD Trench Excavation
- Approximate SMD Backfill Area



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				10/05/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NNE	Relative Humidity (%)	86.0 - 99.0	Daily Rain (in)	0.06	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	56.0 - 61.0	Wind Speed (MPH)	2.8 - 5.0	Barometer (inHg)	29.90 - 29.90			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	8.6	18.5	9:42	0.0	0.0	7:55
Downwind	9.2	19.6	10:37	0.0	0.0	10:50



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Wednesday, October 5, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						507
Start Time:						7:40
End Time:						16:21
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:40	6.3	-	7:40	9.0	-	-
7:41	7.8	-	7:41	9.8	-	-
7:42	6.0	-	7:42	8.3	-	-
7:43	6.0	-	7:43	7.3	-	-
7:44	6.8	-	7:44	7.8	-	-
7:45	6.3	-	7:45	7.0	-	-
7:46	6.8	-	7:46	7.0	-	-
7:47	7.0	-	7:47	6.3	-	-
7:48	23.8	-	7:48	9.3	-	-
7:49	19.8	-	7:49	35.5	-	-
7:50	20.5	-	7:50	30.5	-	-
7:51	24.8	-	7:51	26.5	-	-
7:52	20.0	-	7:52	15.8	-	-
7:53	24.3	-	7:53	19.0	-	-
7:54	19.3	-	7:54	12.0	-	-
7:55	49.3	16.5	7:55	26.0	15.2	-
7:56	12.3	16.8	7:56	10.5	15.2	-
7:57	6.5	16.9	7:57	5.8	15.1	-
7:58	4.5	16.8	7:58	10.8	15.3	-
7:59	5.0	16.7	7:59	7.5	15.3	-
8:00	5.5	16.6	8:00	4.3	15.1	-
8:01	17.5	17.3	8:01	6.3	15.1	-
8:02	7.0	17.3	8:02	5.0	15.0	-
8:03	12.3	16.6	8:03	5.8	14.7	-
8:04	11.8	16.0	8:04	7.5	12.9	-
8:05	3.3	14.9	8:05	7.3	11.3	-
8:06	1.0	13.3	8:06	5.0	9.9	-
8:07	0.8	12.0	8:07	5.5	9.2	-
8:08	0.8	10.4	8:08	6.8	8.4	-
8:09	2.8	9.3	8:09	5.3	7.9	-
8:10	6.8	6.5	8:10	4.3	6.5	-
8:11	8.5	6.3	8:11	6.0	6.2	-
8:12	8.5	6.4	8:12	5.0	6.1	-
8:13	9.3	6.7	8:13	5.0	5.8	-
8:14	4.3	6.7	8:14	5.0	5.6	-
8:15	10.0	7.0	8:15	4.8	5.6	-
8:16	12.5	6.6	8:16	5.5	5.6	-
8:17	8.5	6.7	8:17	5.5	5.6	-
8:18	2.3	6.1	8:18	5.0	5.6	-
8:19	7.3	5.8	8:19	4.8	5.4	-
8:20	5.3	5.9	8:20	5.0	5.2	-
8:21	5.5	6.2	8:21	5.5	5.3	-
8:22	3.0	6.3	8:22	5.5	5.3	-
8:23	7.3	6.8	8:23	5.0	5.1	-
8:24	6.8	7.0	8:24	10.5	5.5	-
8:25	4.3	6.9	8:25	34.0	7.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:26	3.8	6.6	8:26	30.8	9.1	-
8:27	2.5	6.2	8:27	39.0	11.4	-
8:28	0.0	5.5	8:28	27.8	12.9	-
8:29	0.0	5.3	8:29	29.0	14.5	-
8:30	0.0	4.6	8:30	14.5	15.2	-
8:31	0.0	3.8	8:31	5.5	15.2	-
8:32	0.0	3.2	8:32	4.3	15.1	-
8:33	0.0	3.0	8:33	4.8	15.1	-
8:34	-0.3	2.5	8:34	3.8	15.0	-
8:35	-0.3	2.2	8:35	4.0	14.9	-
8:36	0.5	1.8	8:36	5.6	14.9	-
8:37	6.8	2.1	8:37	5.4	14.9	-
8:38	3.0	1.8	8:38	4.5	14.9	-
8:39	0.0	1.4	8:39	5.0	14.5	-
8:40	-0.5	1.0	8:40	5.0	12.6	-
8:41	0.0	0.8	8:41	4.3	10.8	-
8:42	0.0	0.6	8:42	4.0	8.5	-
8:43	0.0	0.6	8:43	5.0	7.0	-
8:44	1.8	0.7	8:44	5.5	5.4	-
8:45	2.3	0.9	8:45	8.0	5.0	-
8:46	3.5	1.1	8:46	12.8	5.5	-
8:47	0.3	1.1	8:47	6.8	5.6	-
8:48	0.0	1.1	8:48	6.3	5.7	-
8:49	2.3	1.3	8:49	9.0	6.1	-
8:50	1.3	1.4	8:50	17.3	7.0	-
8:51	0.0	1.4	8:51	7.3	7.1	-
8:52	0.0	0.9	8:52	6.8	7.2	-
8:53	0.0	0.7	8:53	8.0	7.4	-
8:54	0.0	0.7	8:54	9.0	7.7	-
8:55	-0.5	0.7	8:55	6.3	7.7	-
8:56	-1.0	0.7	8:56	5.0	7.8	-
8:57	-0.8	0.6	8:57	6.0	7.9	-
8:58	-0.8	0.6	8:58	6.0	8.0	-
8:59	2.8	0.6	8:59	6.0	8.0	-
9:00	0.8	0.5	9:00	10.3	8.2	-
9:01	-1.0	0.2	9:01	18.3	8.5	-
9:02	-1.0	0.1	9:02	8.8	8.7	-
9:03	-0.5	0.1	9:03	11.0	9.0	-
9:04	0.0	-0.1	9:04	16.3	9.5	-
9:05	0.0	-0.1	9:05	4.8	8.6	-
9:06	0.0	-0.1	9:06	4.3	8.4	-
9:07	0.0	-0.1	9:07	4.0	8.3	-
9:08	0.0	-0.1	9:08	4.0	8.0	-
9:09	0.0	-0.1	9:09	4.0	7.7	-
9:10	0.0	-0.1	9:10	5.0	7.6	-
9:11	0.0	0.0	9:11	5.0	7.6	-
9:12	0.0	0.0	9:12	4.5	7.5	-
9:13	0.0	0.1	9:13	4.0	7.3	-
9:14	0.0	-0.1	9:14	5.0	7.3	-
9:15	-1.0	-0.2	9:15	4.0	6.9	-
9:16	-1.0	-0.2	9:16	4.0	5.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:17	-1.0	-0.2	9:17	9.3	5.9	-
9:18	-1.0	-0.3	9:18	19.3	6.5	-
9:19	-1.0	-0.3	9:19	4.0	5.7	-
9:20	-0.8	-0.4	9:20	3.0	5.6	-
9:21	-1.0	-0.5	9:21	6.0	5.7	-
9:22	-0.3	-0.5	9:22	11.0	6.1	-
9:23	-0.5	-0.5	9:23	5.3	6.2	-
9:24	-1.0	-0.6	9:24	4.0	6.2	-
9:25	0.0	-0.6	9:25	4.0	6.2	-
9:26	4.0	-0.3	9:26	4.0	6.1	-
9:27	4.0	0.0	9:27	4.0	6.1	-
9:28	151.0	10.0	9:28	5.3	6.1	-
9:29	14.3	11.0	9:29	5.8	6.2	-
9:30	8.0	11.6	9:30	4.5	6.2	-
9:31	9.3	12.3	9:31	5.0	6.3	-
9:32	8.8	12.9	9:32	3.5	5.9	-
9:33	8.0	13.5	9:33	3.8	4.9	-
9:34	7.3	14.1	9:34	4.5	4.9	-
9:35	8.0	14.7	9:35	6.8	5.2	-
9:36	8.8	15.3	9:36	4.8	5.1	-
9:37	8.8	15.9	9:37	4.0	4.6	-
9:38	9.0	16.5	9:38	4.8	4.6	-
9:39	9.0	17.2	9:39	4.8	4.6	-
9:40	8.5	17.8	9:40	14.5	5.3	-
9:41	10.0	18.2	9:41	31.0	7.1	-
9:42	9.5	18.5	9:42	10.3	7.5	-
9:43	9.0	9.1	9:43	9.0	7.8	-
9:44	8.8	8.7	9:44	12.8	8.3	-
9:45	8.8	8.8	9:45	4.3	8.2	-
9:46	8.8	8.7	9:46	4.8	8.2	-
9:47	7.0	8.6	9:47	22.8	9.5	-
9:48	6.0	8.5	9:48	22.0	10.7	-
9:49	5.5	8.4	9:49	4.5	10.7	-
9:50	6.0	8.2	9:50	7.8	10.8	-
9:51	7.0	8.1	9:51	5.0	10.8	-
9:52	7.5	8.0	9:52	2.5	10.7	-
9:53	8.0	8.0	9:53	3.0	10.6	-
9:54	8.5	7.9	9:54	3.8	10.5	-
9:55	9.0	8.0	9:55	4.3	9.8	-
9:56	8.0	7.8	9:56	8.5	8.3	-
9:57	8.8	7.8	9:57	16.3	8.7	-
9:58	8.0	7.7	9:58	44.0	11.1	-
9:59	7.3	7.6	9:59	8.0	10.8	-
10:00	7.0	7.5	10:00	5.3	10.8	-
10:01	6.0	7.3	10:01	13.0	11.4	-
10:02	6.3	7.3	10:02	22.3	11.3	-
10:03	8.0	7.4	10:03	4.8	10.2	-
10:04	8.0	7.6	10:04	4.0	10.2	-
10:05	8.0	7.7	10:05	4.0	9.9	-
10:06	8.0	7.8	10:06	4.8	9.9	-
10:07	8.0	7.8	10:07	14.5	10.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:08	7.6	7.8	10:08	34.8	12.8	-
10:09	7.0	7.7	10:09	6.5	13.0	-
10:10	7.0	7.5	10:10	7.0	13.2	-
10:11	7.0	7.5	10:11	6.8	13.1	-
10:12	7.0	7.3	10:12	14.8	13.0	-
10:13	7.0	7.3	10:13	36.8	12.5	-
10:14	6.3	7.2	10:14	18.3	13.2	-
10:15	7.0	7.2	10:15	13.0	13.7	-
10:16	7.0	7.3	10:16	4.3	13.1	-
10:17	6.3	7.3	10:17	5.0	11.9	-
10:18	6.5	7.2	10:18	5.3	12.0	-
10:19	7.5	7.1	10:19	13.8	12.6	-
10:20	8.0	7.1	10:20	20.0	13.7	-
10:21	8.0	7.1	10:21	14.8	14.4	-
10:22	8.8	7.2	10:22	10.0	14.1	-
10:23	9.8	7.3	10:23	27.5	13.6	-
10:24	8.0	7.4	10:24	16.0	14.2	-
10:25	8.5	7.5	10:25	31.8	15.9	-
10:26	10.0	7.7	10:26	38.5	18.0	-
10:27	9.3	7.9	10:27	22.8	18.5	-
10:28	9.0	8.0	10:28	11.5	16.8	-
10:29	8.8	8.2	10:29	28.0	17.5	-
10:30	9.0	8.3	10:30	24.3	18.2	-
10:31	8.8	8.4	10:31	11.5	18.7	-
10:32	8.3	8.5	10:32	9.0	19.0	-
10:33	9.3	8.7	10:33	5.8	19.0	-
10:34	9.8	8.9	10:34	5.0	18.4	-
10:35	8.3	8.9	10:35	12.0	17.9	-
10:36	8.0	8.9	10:36	32.5	19.1	-
10:37	8.0	8.8	10:37	18.0	19.6	-
10:38	8.0	8.7	10:38	5.0	18.1	-
10:39	9.0	8.8	10:39	4.3	17.3	-
10:40	9.0	8.8	10:40	4.3	15.5	-
10:41	9.0	8.8	10:41	6.0	13.3	-
10:42	8.3	8.7	10:42	17.0	12.9	-
10:43	8.3	8.6	10:43	6.5	12.6	-
10:44	9.0	8.7	10:44	4.0	11.0	-
10:45	8.5	8.6	10:45	5.0	9.7	-
10:46	8.3	8.6	10:46	9.8	9.6	-
10:47	8.8	8.6	10:47	18.3	10.2	-
10:48	8.3	8.6	10:48	6.3	10.3	-
10:49	8.0	8.4	10:49	8.5	10.5	-
10:50	8.0	8.4	10:50	7.5	10.2	-
10:51	8.0	8.4	10:51	13.0	8.9	-
10:52	8.3	8.4	10:52	25.0	9.4	-
10:53	8.5	8.5	10:53	7.5	9.5	-
10:54	8.3	8.4	10:54	4.3	9.5	-
10:55	8.8	8.4	10:55	4.6	9.5	-
10:56	7.0	8.3	10:56	5.0	9.5	-
10:57	7.0	8.2	10:57	5.8	8.7	-
10:58	7.0	8.1	10:58	6.0	8.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:59	7.8	8.0	10:59	5.5	8.8	-
11:00	8.0	8.0	11:00	5.3	8.8	-
11:01	8.0	8.0	11:01	6.0	8.6	-
11:02	8.0	7.9	11:02	7.5	7.8	-
11:03	8.0	7.9	11:03	5.8	7.8	-
11:04	8.8	8.0	11:04	5.0	7.6	-
11:05	9.0	8.0	11:05	5.0	7.4	-
11:06	9.3	8.1	11:06	6.8	7.0	-
11:07	9.5	8.2	11:07	6.0	5.7	-
11:08	8.0	8.2	11:08	5.0	5.6	-
11:09	8.0	8.1	11:09	5.0	5.6	-
11:10	7.5	8.1	11:10	5.3	5.7	-
11:11	8.5	8.2	11:11	6.5	5.8	-
11:12	7.5	8.2	11:12	6.0	5.8	-
11:13	7.0	8.2	11:13	5.0	5.7	-
11:14	6.3	8.1	11:14	4.3	5.6	-
11:15	6.8	8.0	11:15	4.3	5.6	-
11:16	6.0	7.9	11:16	5.0	5.5	-
11:17	18.3	8.6	11:17	5.0	5.3	-
11:18	14.3	9.0	11:18	4.0	5.2	-
11:19	6.6	8.8	11:19	4.8	5.2	-
11:20	6.6	8.7	11:20	4.0	5.1	-
11:21	8.0	8.6	11:21	4.0	4.9	-
11:22	7.4	8.4	11:22	4.8	4.9	-
11:23	6.5	8.3	11:23	6.3	4.9	-
11:24	6.0	8.2	11:24	6.8	5.1	-
11:25	7.0	8.2	11:25	5.0	5.0	-
11:26	7.0	8.1	11:26	5.8	5.0	-
11:27	6.8	8.0	11:27	4.5	4.9	-
11:28	6.3	8.0	11:28	5.5	4.9	-
11:29	7.5	8.1	11:29	6.8	5.1	-
11:30	6.5	8.0	11:30	5.0	5.1	-
11:31	6.0	8.0	11:31	5.8	5.2	-
11:32	7.5	7.3	11:32	5.3	5.2	-
11:33	7.5	6.9	11:33	7.5	5.4	-
11:34	7.8	7.0	11:34	34.5	7.4	-
11:35	7.0	7.0	11:35	26.8	8.9	-
11:36	6.8	6.9	11:36	21.0	10.1	-
11:37	6.5	6.8	11:37	13.5	10.7	-
11:38	6.0	6.8	11:38	11.5	11.0	-
11:39	6.5	6.8	11:39	16.5	11.7	-
11:40	7.0	6.8	11:40	21.5	12.8	-
11:41	7.8	6.9	11:41	36.0	14.8	-
11:42	7.3	6.9	11:42	9.5	15.1	-
11:43	7.5	7.0	11:43	5.3	15.1	-
11:44	7.5	7.0	11:44	5.0	15.0	-
11:45	8.8	7.2	11:45	5.0	15.0	-
11:46	7.3	7.2	11:46	7.8	15.1	-
11:47	6.0	7.1	11:47	11.0	15.5	-
11:48	7.0	7.1	11:48	11.8	15.8	-
11:49	7.3	7.1	11:49	10.5	14.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:50	7.3	7.1	11:50	16.8	13.5	-
11:51	7.5	7.1	11:51	21.8	13.6	-
11:52	8.0	7.2	11:52	11.0	13.4	-
11:53	7.5	7.3	11:53	6.0	13.0	-
11:54	8.0	7.4	11:54	5.8	12.3	-
11:55	7.5	7.5	11:55	5.0	11.2	-
11:56	7.3	7.4	11:56	5.0	9.1	-
11:57	9.0	7.6	11:57	7.0	9.0	-
11:58	8.0	7.6	11:58	9.3	9.2	-
11:59	8.3	7.6	11:59	5.0	9.2	-
12:00	7.0	7.5	12:00	8.5	9.5	-
12:01	8.0	7.6	12:01	6.0	9.4	-
12:02	8.8	7.8	12:02	13.0	9.5	-
12:03	8.5	7.9	12:03	16.0	9.8	-
12:04	7.0	7.8	12:04	9.2	9.7	-
12:05	7.8	7.9	12:05	4.6	8.9	-
12:06	7.5	7.9	12:06	8.0	8.0	-
12:07	7.0	7.8	12:07	11.8	8.0	-
12:08	7.8	7.8	12:08	7.8	8.1	-
12:09	8.3	7.8	12:09	6.0	8.1	-
12:10	8.5	7.9	12:10	6.0	8.2	-
12:11	6.5	7.9	12:11	6.5	8.3	-
12:12	7.0	7.7	12:12	10.3	8.5	-
12:13	7.3	7.7	12:13	19.8	9.2	-
12:14	8.5	7.7	12:14	19.8	10.2	-
12:15	8.5	7.8	12:15	19.0	10.9	-
12:16	7.8	7.8	12:16	15.3	11.5	-
12:17	7.0	7.7	12:17	11.5	11.4	-
12:18	7.0	7.6	12:18	7.3	10.8	-
12:19	6.0	7.5	12:19	8.0	10.8	-
12:20	6.0	7.4	12:20	6.8	10.9	-
12:21	7.5	7.4	12:21	7.0	10.8	-
12:22	7.5	7.4	12:22	11.0	10.8	-
12:23	7.3	7.4	12:23	7.5	10.8	-
12:24	9.8	7.5	12:24	7.5	10.9	-
12:25	9.0	7.5	12:25	7.8	11.0	-
12:26	9.5	7.7	12:26	8.0	11.1	-
12:27	8.4	7.8	12:27	7.3	10.9	-
12:28	8.8	7.9	12:28	6.0	10.0	-
12:29	8.6	7.9	12:29	11.8	9.4	-
12:30	8.6	7.9	12:30	7.5	8.7	-
12:31	8.2	7.9	12:31	5.3	8.0	-
12:32	8.8	8.1	12:32	6.0	7.6	-
12:33	9.6	8.2	12:33	8.5	7.7	-
12:34	9.0	8.4	12:34	11.3	7.9	-
12:35	7.5	8.5	12:35	10.8	8.2	-
12:36	8.5	8.6	12:36	15.0	8.7	-
12:37	8.3	8.7	12:37	11.5	8.8	-
12:38	8.0	8.7	12:38	7.0	8.7	-
12:39	8.0	8.6	12:39	7.0	8.7	-
12:40	8.0	8.5	12:40	6.5	8.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:41	8.0	8.4	12:41	6.5	8.5	-
12:42	8.0	8.4	12:42	6.8	8.5	-
12:43	8.0	8.3	12:43	6.0	8.5	-
12:44	8.0	8.3	12:44	6.3	8.1	-
12:45	8.8	8.3	12:45	7.0	8.1	-
12:46	8.3	8.3	12:46	6.8	8.2	-
12:47	8.0	8.3	12:47	6.3	8.2	-
12:48	8.0	8.2	12:48	7.5	8.1	-
12:49	8.3	8.1	12:49	8.0	7.9	-
12:50	9.0	8.2	12:50	7.0	7.7	-
12:51	9.8	8.3	12:51	7.0	7.1	-
12:52	10.8	8.5	12:52	6.8	6.8	-
12:53	10.0	8.6	12:53	6.0	6.8	-
12:54	9.3	8.7	12:54	8.0	6.8	-
12:55	9.0	8.7	12:55	9.8	7.0	-
12:56	9.8	8.9	12:56	7.8	7.1	-
12:57	10.0	9.0	12:57	6.5	7.1	-
12:58	9.5	9.1	12:58	6.5	7.1	-
12:59	8.8	9.1	12:59	7.8	7.2	-
13:00	8.5	9.1	13:00	8.5	7.3	-
13:01	9.3	9.2	13:01	7.0	7.4	-
13:02	8.3	9.2	13:02	7.0	7.4	-
13:03	8.0	9.2	13:03	7.8	7.4	-
13:04	9.5	9.3	13:04	8.3	7.4	-
13:05	9.0	9.3	13:05	12.5	7.8	-
13:06	10.3	9.3	13:06	9.8	8.0	-
13:07	10.8	9.3	13:07	8.3	8.1	-
13:08	11.5	9.4	13:08	8.5	8.3	-
13:09	11.0	9.5	13:09	7.5	8.2	-
13:10	10.0	9.6	13:10	8.0	8.1	-
13:11	11.0	9.7	13:11	7.0	8.1	-
13:12	10.5	9.7	13:12	7.8	8.1	-
13:13	10.0	9.8	13:13	8.8	8.3	-
13:14	10.0	9.8	13:14	8.4	8.3	-
13:15	10.0	9.9	13:15	8.6	8.3	-
13:16	10.0	10.0	13:16	9.6	8.5	-
13:17	9.5	10.1	13:17	8.4	8.6	-
13:18	9.0	10.1	13:18	7.8	8.6	-
13:19	9.0	10.1	13:19	7.8	8.6	-
13:20	10.0	10.2	13:20	9.0	8.3	-
13:21	10.0	10.2	13:21	10.8	8.4	-
13:22	10.5	10.1	13:22	10.0	8.5	-
13:23	11.0	10.1	13:23	9.8	8.6	-
13:24	10.3	10.1	13:24	8.8	8.7	-
13:25	10.5	10.1	13:25	8.5	8.7	-
13:26	11.3	10.1	13:26	8.8	8.8	-
13:27	12.0	10.2	13:27	9.3	8.9	-
13:28	12.0	10.3	13:28	10.0	9.0	-
13:29	12.0	10.5	13:29	10.0	9.1	-
13:30	12.5	10.6	13:30	10.0	9.2	-
13:31	13.0	10.8	13:31	10.0	9.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:32	14.0	11.1	13:32	10.5	9.4	-
13:33	13.5	11.4	13:33	10.0	9.5	-
13:34	12.3	11.7	13:34	10.8	9.7	-
13:35	12.0	11.8	13:35	11.0	9.9	-
13:36	12.0	11.9	13:36	11.0	9.9	-
13:37	12.0	12.0	13:37	10.0	9.9	-
13:38	12.0	12.1	13:38	9.0	9.8	-
13:39	11.4	12.2	13:39	9.5	9.9	-
13:40	11.0	12.2	13:40	9.5	10.0	-
13:41	11.4	12.2	13:41	9.8	10.0	-
13:42	15.0	12.4	13:42	9.5	10.0	-
13:43	15.5	12.6	13:43	9.0	10.0	-
13:44	13.5	12.7	13:44	9.0	9.9	-
13:45	11.3	12.7	13:45	9.5	9.9	-
13:46	11.0	12.5	13:46	8.5	9.8	-
13:47	11.0	12.3	13:47	8.0	9.6	-
13:48	11.0	12.2	13:48	8.0	9.5	-
13:49	10.5	12.0	13:49	8.5	9.3	-
13:50	16.8	12.4	13:50	9.0	9.2	-
13:51	13.3	12.4	13:51	8.0	9.0	-
13:52	11.8	12.4	13:52	9.0	8.9	-
13:53	12.0	12.4	13:53	9.0	8.9	-
13:54	11.3	12.4	13:54	9.0	8.9	-
13:55	10.5	12.4	13:55	9.0	8.9	-
13:56	10.3	12.3	13:56	10.3	8.9	-
13:57	11.0	12.0	13:57	11.5	9.0	-
13:58	11.0	11.7	13:58	11.0	9.2	-
13:59	11.0	11.6	13:59	11.5	9.3	-
14:00	11.8	11.6	14:00	11.3	9.4	-
14:01	11.0	11.6	14:01	12.0	9.7	-
14:02	13.0	11.7	14:02	10.8	9.9	-
14:03	13.0	11.9	14:03	10.0	10.0	-
14:04	11.0	11.9	14:04	10.0	10.1	-
14:05	11.0	11.5	14:05	11.3	10.2	-
14:06	11.0	11.4	14:06	10.3	10.4	-
14:07	11.0	11.3	14:07	10.0	10.5	-
14:08	11.0	11.3	14:08	10.3	10.5	-
14:09	11.0	11.2	14:09	11.0	10.7	-
14:10	11.3	11.3	14:10	11.3	10.8	-
14:11	11.5	11.4	14:11	11.8	10.9	-
14:12	11.0	11.4	14:12	10.5	10.9	-
14:13	11.0	11.4	14:13	9.8	10.8	-
14:14	11.0	11.4	14:14	10.3	10.7	-
14:15	11.0	11.3	14:15	11.0	10.7	-
14:16	11.0	11.3	14:16	9.8	10.5	-
14:17	10.0	11.1	14:17	9.0	10.4	-
14:18	11.0	11.0	14:18	11.8	10.5	-
14:19	11.0	11.0	14:19	10.0	10.5	-
14:20	11.3	11.0	14:20	9.0	10.4	-
14:21	11.0	11.0	14:21	9.5	10.3	-
14:22	11.8	11.1	14:22	10.3	10.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:23	11.3	11.1	14:23	11.8	10.4	-
14:24	11.3	11.1	14:24	11.3	10.5	-
14:25	11.8	11.1	14:25	10.8	10.4	-
14:26	11.0	11.1	14:26	8.8	10.2	-
14:27	12.0	11.2	14:27	8.6	10.1	-
14:28	12.0	11.2	14:28	9.0	10.0	-
14:29	12.0	11.3	14:29	10.0	10.0	-
14:30	13.8	11.5	14:30	10.8	10.0	-
14:31	12.8	11.6	14:31	10.8	10.1	-
14:32	11.0	11.7	14:32	12.0	10.3	-
14:33	12.0	11.7	14:33	10.0	10.2	-
14:34	11.5	11.8	14:34	9.8	10.1	-
14:35	11.0	11.7	14:35	9.5	10.2	-
14:36	11.0	11.7	14:36	9.5	10.2	-
14:37	10.0	11.6	14:37	8.3	10.0	-
14:38	9.8	11.5	14:38	8.3	9.8	-
14:39	10.3	11.5	14:39	9.0	9.7	-
14:40	10.8	11.4	14:40	8.3	9.5	-
14:41	10.0	11.3	14:41	8.0	9.4	-
14:42	9.5	11.2	14:42	8.8	9.5	-
14:43	11.0	11.1	14:43	8.0	9.4	-
14:44	11.0	11.0	14:44	9.0	9.3	-
14:45	10.0	10.8	14:45	9.0	9.2	-
14:46	10.0	10.6	14:46	8.0	9.0	-
14:47	10.0	10.5	14:47	8.3	8.8	-
14:48	10.0	10.4	14:48	9.8	8.8	-
14:49	10.0	10.3	14:49	9.5	8.7	-
14:50	10.0	10.2	14:50	9.0	8.7	-
14:51	10.0	10.2	14:51	9.0	8.7	-
14:52	10.6	10.2	14:52	9.3	8.7	-
14:53	11.0	10.3	14:53	9.0	8.8	-
14:54	12.5	10.4	14:54	8.3	8.7	-
14:55	10.8	10.4	14:55	8.0	8.7	-
14:56	10.0	10.4	14:56	8.8	8.8	-
14:57	10.3	10.5	14:57	9.0	8.8	-
14:58	11.8	10.5	14:58	7.5	8.8	-
14:59	11.3	10.5	14:59	8.0	8.7	-
15:00	10.3	10.6	15:00	9.8	8.7	-
15:01	10.0	10.6	15:01	14.0	9.1	-
15:02	10.8	10.6	15:02	15.5	9.6	-
15:03	11.8	10.7	15:03	9.0	9.6	-
15:04	10.8	10.8	15:04	9.0	9.5	-
15:05	10.8	10.8	15:05	9.5	9.6	-
15:06	10.5	10.9	15:06	9.5	9.6	-
15:07	10.0	10.8	15:07	7.8	9.5	-
15:08	9.8	10.7	15:08	8.3	9.5	-
15:09	9.8	10.6	15:09	9.3	9.5	-
15:10	11.0	10.6	15:10	9.5	9.6	-
15:11	10.0	10.6	15:11	8.0	9.6	-
15:12	11.0	10.6	15:12	8.8	9.6	-
15:13	12.3	10.7	15:13	8.0	9.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:14	12.3	10.7	15:14	8.0	9.6	-
15:15	11.8	10.8	15:15	8.3	9.5	-
15:16	11.0	10.9	15:16	8.5	9.1	-
15:17	11.0	10.9	15:17	8.0	8.6	-
15:18	10.0	10.8	15:18	7.8	8.5	-
15:19	9.3	10.7	15:19	9.3	8.6	-
15:20	9.8	10.6	15:20	10.3	8.6	-
15:21	10.3	10.6	15:21	7.5	8.5	-
15:22	12.0	10.7	15:22	8.0	8.5	-
15:23	9.0	10.7	15:23	7.8	8.5	-
15:24	9.0	10.6	15:24	7.0	8.3	-
15:25	9.0	10.5	15:25	7.0	8.1	-
15:26	9.0	10.4	15:26	7.0	8.1	-
15:27	9.0	10.3	15:27	7.0	8.0	-
15:28	10.8	10.2	15:28	7.5	7.9	-
15:29	9.3	10.0	15:29	8.3	7.9	-
15:30	9.0	9.8	15:30	8.8	8.0	-
15:31	9.8	9.7	15:31	8.0	7.9	-
15:32	9.8	9.7	15:32	8.0	7.9	-
15:33	10.5	9.7	15:33	7.0	7.9	-
15:34	14.8	10.1	15:34	7.5	7.8	-
15:35	11.8	10.2	15:35	8.4	7.6	-
15:36	11.0	10.2	15:36	8.0	7.7	-
15:37	11.3	10.2	15:37	8.0	7.7	-
15:38	14.5	10.6	15:38	12.3	8.0	-
15:39	14.0	10.9	15:39	7.8	8.0	-
15:40	14.8	11.3	15:40	5.0	7.9	-
15:41	12.3	11.5	15:41	5.0	7.8	-
15:42	11.8	11.7	15:42	5.0	7.6	-
15:43	11.0	11.7	15:43	5.0	7.5	-
15:44	11.0	11.8	15:44	5.3	7.3	-
15:45	11.0	11.9	15:45	6.0	7.1	-
15:46	10.5	12.0	15:46	6.3	7.0	-
15:47	11.0	12.1	15:47	7.5	6.9	-
15:48	11.5	12.1	15:48	7.3	6.9	-
15:49	10.8	11.9	15:49	7.3	6.9	-
15:50	10.0	11.8	15:50	7.8	6.9	-
15:51	10.0	11.7	15:51	7.0	6.8	-
15:52	10.0	11.6	15:52	8.0	6.8	-
15:53	10.0	11.3	15:53	6.5	6.4	-
15:54	9.8	11.0	15:54	5.0	6.3	-
15:55	9.0	10.6	15:55	5.0	6.3	-
15:56	8.8	10.4	15:56	5.0	6.3	-
15:57	8.3	10.2	15:57	5.0	6.3	-
15:58	9.0	10.0	15:58	4.0	6.2	-
15:59	9.0	9.9	15:59	4.3	6.1	-
16:00	8.8	9.8	16:00	4.3	6.0	-
16:01	8.0	9.6	16:01	5.0	5.9	-
16:02	7.3	9.3	16:02	5.0	5.8	-
16:03	7.8	9.1	16:03	4.3	5.6	-
16:04	8.8	9.0	16:04	4.0	5.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:05	9.0	8.9	16:05	4.0	5.1	-
16:06	9.0	8.8	16:06	5.0	5.0	-
16:07	8.8	8.7	16:07	5.0	4.8	-
16:08	8.3	8.6	16:08	6.3	4.7	-
16:09	9.0	8.6	16:09	7.0	4.9	-
16:10	9.0	8.6	16:10	6.0	4.9	-
16:11	9.5	8.6	16:11	5.0	4.9	-
16:12	9.3	8.7	16:12	6.0	5.0	-
16:13	9.0	8.7	16:13	5.5	5.1	-
16:14	8.5	8.7	16:14	5.8	5.2	-
16:15	9.0	8.7	16:15	5.0	5.3	-
16:16	9.0	8.7	16:16	5.8	5.3	-
16:17	8.8	8.8	16:17	6.0	5.4	-
16:18	8.3	8.9	16:18	6.0	5.5	-
16:19	9.0	8.9	16:19	6.0	5.6	-
16:20	9.8	8.9	16:20	6.0	5.8	-
16:21	9.0	8.9	16:21	6.0	5.8	-

Wednesday, October 5, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						507
Start Time:						7:40
End Time:						16:21
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:40	0.0	-	7:40	0.0	-	-
7:41	0.0	-	7:41	0.0	-	-
7:42	0.0	-	7:42	0.0	-	-
7:43	0.0	-	7:43	0.0	-	-
7:44	0.0	-	7:44	0.0	-	-
7:45	0.0	-	7:45	0.0	-	-
7:46	0.0	-	7:46	0.0	-	-
7:47	0.0	-	7:47	0.0	-	-
7:48	0.0	-	7:48	0.0	-	-
7:49	0.0	-	7:49	0.0	-	-
7:50	0.0	-	7:50	0.0	-	-
7:51	0.0	-	7:51	0.0	-	-
7:52	0.0	-	7:52	0.0	-	-
7:53	0.0	-	7:53	0.0	-	-
7:54	0.0	-	7:54	0.0	-	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-