

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Thursday, October 6, 2022 WEATHER: Sunny, 55-76 °F Wind: NNW @ 1.2 – 2.4 mph TIME: 7:00 am – 5:30 pm MONITORS: Ellie Seery
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator Takeuchi TL10V2	PRESENT AT SITE: Langan: Ellie Seery Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo American Standard Plumbing and Heating (American Standard): Pawel Chrzan Reliant Electrical Cont. Inc. (Reliant): Christian Paris	
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314. Site Activities • Bauer Structures (Bauer) excavated an about 15-foot-long by 2-foot-wide trench to about 1 to 2 feet below grade surface (bgs) in the northwestern part of the site for plastic electrical conduit installation. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Evidence of impacts was not observed. ◦ Excavated material consisted of previously imported clean fill from Evergreen Recycling of Corona (EROC) in Flushing, NY, and recycled concrete aggregate (RCA) from the DOT Stockpile in Brooklyn, NY and was stockpiled in the western part of the site for future placement. • Bauer installed formwork in the northwestern and western parts of the site. ◦ During pile cap formwork installation, waterproofing/vapor barrier membrane (Preprufe 160R Plus) was installed on vertical walls within the formwork. • Bauer backfilled over plastic electrical conduit with previously imported and stockpiled clean fill from the Office of Environmental Remediation (OER) Clean Soil Bank (CSB) in Brooklyn, NY in an about 30-foot-long by 10-foot-wide area from about 2 to 3 feet bgs to grade in the central part of the site. • Reliant Electrical Cont. Inc. (Reliant) installed plastic electrical conduit in the central and northern parts of the site. • Bauer excavated about 100 feet of 1- to 2-foot-wide trenches about 4-inches deep in the southeastern part of the site in preparation for the installation of the sub-membrane depressurization system (SMD). Excavated material was screened for odors, staining, and organic vapors using a PID. Evidence of impacts was not observed. ◦ Excavated material consisted of previously imported clean fill from the OER CSB in Brooklyn, NY, and RCA from the DOT Stockpile in Brooklyn, NY and was stockpiled in the central part of the site for future placement. • Bauer placed filter fabric and 4-inch perforated piping in an about 30-foot-long by 60-foot-wide area in the southeastern part of the site for the installation of the SMD system.		

- Bauer utilized dewatering sumps in the shoring box in the northwestern part of the site to remove the excess rainwater from heavy precipitation. The extracted groundwater was collected and sent through a treatment system before the effluent was discharged to the NYC Department of Environmental Protection (DEP) combined sewer system (via the catch basin located along the eastern side of the intersection between Huntington Street and Smith Street). The dewatering and effluent discharge activities were performed in accordance with NYCDEP Dewatering Permit No. C001565643.
- Bauer imported 4 truckloads of ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry located in Wharton, New Jersey for the SMD system.

Sampling

- None.

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 µm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- The downwind CAMP station stopped recording data at 14:32 due to a low battery voltage. The battery was replaced, the CAMP station was recalibrated, and data logging resumed at 14:45.
 - No intrusive work was conducted while the downwind CAMP station was not recording data.
- Dust was not observed migrating off-site throughout the day.
- Refer to the attached Daily Air Monitoring Report for summary and raw CAMP results.

Anticipated Activities

- Bauer will continue installation of foundation elements.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	263	9,095	25	495	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY

Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	4	100.16	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	5	123.44	21	522.37	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY

Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos



Photo 1: Bauer backfilling with previously imported and stockpiled clean fill over the electrical conduits in the central part of the site (facing northwest).





Photo 2: Bauer excavating a trench in the northcentral part of the site in preparation for electrical conduit installation (facing south).

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- ☁ Soil/Fill Stockpile
- ☁ RCA/Imported Stone Stockpiled
- Approximate SMD Trench Excavation
- Approximate SMD Backfill Area



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				10/06/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	NNW	Relative Humidity (%)	40.0 - 87.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	55.0 - 76.0	Wind Speed (MPH)	1.2 - 2.4	Barometer (inHg)	30.00 - 30.00			

Station Location Area	Work	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		13.9	31.6	7:33	0.0	0.0	7:32
Downwind		11.6	40.7	15:01	0.0	0.0	7:34



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Thursday, October 6, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						545
Start Time:						7:18
End Time:						17:06
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:18	36.8	-	7:18	-	-	-
7:19	25.5	-	7:19	58.0	-	-
7:20	25.0	-	7:20	30.5	-	-
7:21	25.0	-	7:21	16.0	-	-
7:22	26.0	-	7:22	16.0	-	-
7:23	29.3	-	7:23	16.8	-	-
7:24	26.0	-	7:24	18.0	-	-
7:25	23.8	-	7:25	18.0	-	-
7:26	22.5	-	7:26	17.8	-	-
7:27	23.3	-	7:27	16.0	-	-
7:28	32.0	-	7:28	16.0	-	-
7:29	52.0	-	7:29	16.8	-	-
7:30	63.8	-	7:30	17.3	-	-
7:31	45.8	-	7:31	17.8	-	-
7:32	30.8	-	7:32	15.3	-	-
7:33	22.8	31.6	7:33	15.0	-	-
7:34	21.5	31.3	7:34	13.0	17.3	-
7:35	21.8	31.1	7:35	12.0	16.1	-
7:36	21.0	30.8	7:36	12.8	15.9	-
7:37	16.3	30.2	7:37	13.5	15.7	-
7:38	16.5	29.3	7:38	12.5	15.4	-
7:39	16.5	28.7	7:39	12.8	15.1	-
7:40	16.0	28.2	7:40	12.5	14.7	-
7:41	22.0	28.1	7:41	14.0	14.5	-
7:42	21.0	28.0	7:42	14.0	14.3	-
7:43	16.3	26.9	7:43	13.8	14.2	-
7:44	14.3	24.4	7:44	11.8	13.9	-
7:45	12.3	21.0	7:45	11.0	13.4	-
7:46	10.5	18.6	7:46	11.5	13.0	-
7:47	8.3	17.1	7:47	11.0	12.7	-
7:48	8.0	16.1	7:48	12.0	12.5	-
7:49	8.5	15.3	7:49	12.8	12.5	-
7:50	10.3	14.5	7:50	12.3	12.5	-
7:51	10.3	13.8	7:51	12.5	12.5	-
7:52	9.0	13.3	7:52	13.8	12.5	-
7:53	8.0	12.7	7:53	13.0	12.6	-
7:54	10.8	12.4	7:54	12.4	12.5	-
7:55	18.5	12.5	7:55	12.0	12.5	-
7:56	19.8	12.4	7:56	12.0	12.4	-
7:57	23.8	12.6	7:57	12.0	12.2	-
7:58	33.5	13.7	7:58	15.3	12.3	-
7:59	21.8	14.2	7:59	13.5	12.5	-
8:00	12.0	14.2	8:00	13.5	12.6	-
8:01	7.5	14.0	8:01	12.8	12.7	-
8:02	7.0	13.9	8:02	11.5	12.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:03	5.3	13.7	8:03	11.0	12.7	-
8:04	6.0	13.6	8:04	11.0	12.6	-
8:05	7.3	13.4	8:05	11.3	12.5	-
8:06	8.3	13.2	8:06	12.0	12.5	-
8:07	21.8	14.1	8:07	11.5	12.3	-
8:08	21.0	14.9	8:08	10.8	12.2	-
8:09	20.3	15.6	8:09	11.3	12.1	-
8:10	17.8	15.5	8:10	11.3	12.0	-
8:11	10.8	14.9	8:11	11.5	12.0	-
8:12	7.0	13.8	8:12	10.5	11.9	-
8:13	5.3	11.9	8:13	11.0	11.6	-
8:14	5.0	10.8	8:14	10.0	11.4	-
8:15	5.8	10.4	8:15	11.0	11.2	-
8:16	6.8	10.3	8:16	9.5	11.0	-
8:17	4.8	10.2	8:17	10.0	10.9	-
8:18	4.5	10.1	8:18	10.0	10.8	-
8:19	3.8	10.0	8:19	10.0	10.8	-
8:20	3.3	9.7	8:20	9.8	10.7	-
8:21	7.0	9.6	8:21	9.0	10.5	-
8:22	4.4	8.5	8:22	9.5	10.3	-
8:23	3.0	7.3	8:23	10.5	10.3	-
8:24	3.2	6.1	8:24	9.0	10.2	-
8:25	3.8	5.2	8:25	9.0	10.0	-
8:26	3.0	4.7	8:26	9.0	9.9	-
8:27	3.0	4.4	8:27	9.0	9.8	-
8:28	4.8	4.4	8:28	9.0	9.6	-
8:29	4.3	4.3	8:29	9.0	9.6	-
8:30	4.3	4.2	8:30	9.0	9.4	-
8:31	6.5	4.2	8:31	9.0	9.4	-
8:32	6.5	4.3	8:32	9.0	9.3	-
8:33	5.0	4.4	8:33	9.0	9.3	-
8:34	3.8	4.4	8:34	9.0	9.2	-
8:35	3.8	4.4	8:35	9.0	9.1	-
8:36	7.5	4.4	8:36	10.5	9.2	-
8:37	4.8	4.5	8:37	11.5	9.4	-
8:38	4.0	4.5	8:38	10.8	9.4	-
8:39	4.3	4.6	8:39	10.0	9.5	-
8:40	5.8	4.7	8:40	10.0	9.5	-
8:41	5.5	4.9	8:41	9.3	9.5	-
8:42	5.0	5.0	8:42	9.8	9.6	-
8:43	4.5	5.0	8:43	10.0	9.7	-
8:44	4.5	5.0	8:44	10.8	9.8	-
8:45	4.3	5.0	8:45	10.0	9.8	-
8:46	5.3	5.0	8:46	9.0	9.8	-
8:47	5.3	4.9	8:47	9.0	9.8	-
8:48	6.8	5.0	8:48	9.0	9.8	-
8:49	6.5	5.2	8:49	9.0	9.8	-
8:50	4.5	5.2	8:50	9.5	9.9	-
8:51	3.3	4.9	8:51	12.5	10.0	-
8:52	3.0	4.8	8:52	12.8	10.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:53	3.8	4.8	8:53	11.3	10.1	-
8:54	4.3	4.8	8:54	9.3	10.1	-
8:55	6.3	4.8	8:55	8.0	9.9	-
8:56	4.5	4.8	8:56	8.0	9.9	-
8:57	3.8	4.7	8:57	7.5	9.7	-
8:58	4.5	4.7	8:58	6.3	9.5	-
8:59	2.0	4.5	8:59	6.3	9.2	-
9:00	3.3	4.5	9:00	7.3	9.0	-
9:01	6.0	4.5	9:01	7.5	8.9	-
9:02	9.5	4.8	9:02	8.3	8.8	-
9:03	4.0	4.6	9:03	7.3	8.7	-
9:04	2.8	4.4	9:04	7.3	8.6	-
9:05	2.5	4.2	9:05	8.0	8.5	-
9:06	2.0	4.1	9:06	8.0	8.2	-
9:07	2.0	4.1	9:07	8.0	7.9	-
9:08	4.8	4.1	9:08	7.5	7.6	-
9:09	15.5	4.9	9:09	7.5	7.5	-
9:10	13.3	5.4	9:10	9.3	7.6	-
9:11	12.3	5.9	9:11	10.0	7.7	-
9:12	8.3	6.2	9:12	11.5	8.0	-
9:13	9.5	6.5	9:13	11.5	8.3	-
9:14	11.0	7.1	9:14	11.8	8.7	-
9:15	8.8	7.5	9:15	10.3	8.9	-
9:16	7.8	7.6	9:16	10.0	9.1	-
9:17	7.0	7.4	9:17	10.0	9.2	-
9:18	7.0	7.6	9:18	10.5	9.4	-
9:19	7.0	7.9	9:19	10.0	9.6	-
9:20	6.5	8.2	9:20	9.3	9.7	-
9:21	6.0	8.4	9:21	9.0	9.7	-
9:22	6.8	8.8	9:22	9.8	9.9	-
9:23	6.0	8.8	9:23	9.0	10.0	-
9:24	5.3	8.2	9:24	9.0	10.1	-
9:25	6.5	7.7	9:25	9.8	10.1	-
9:26	6.5	7.3	9:26	9.5	10.1	-
9:27	8.0	7.3	9:27	10.3	10.0	-
9:28	10.3	7.4	9:28	10.5	9.9	-
9:29	11.0	7.4	9:29	10.5	9.8	-
9:30	11.0	7.5	9:30	14.0	10.1	-
9:31	10.8	7.7	9:31	13.5	10.3	-
9:32	11.5	8.0	9:32	13.3	10.5	-
9:33	10.3	8.2	9:33	13.0	10.7	-
9:34	9.6	8.4	9:34	13.3	10.9	-
9:35	9.8	8.6	9:35	12.0	11.1	-
9:36	9.2	8.8	9:36	11.8	11.3	-
9:37	14.2	9.3	9:37	10.0	11.3	-
9:38	12.5	9.8	9:38	11.0	11.4	-
9:39	11.5	10.2	9:39	11.0	11.6	-
9:40	8.3	10.3	9:40	12.3	11.7	-
9:41	8.0	10.4	9:41	10.0	11.8	-
9:42	9.0	10.5	9:42	10.0	11.7	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:43	8.3	10.3	9:43	10.8	11.8	-
9:44	8.3	10.1	9:44	10.0	11.7	-
9:45	8.3	10.0	9:45	10.0	11.5	-
9:46	8.0	9.8	9:46	11.0	11.3	-
9:47	9.5	9.6	9:47	12.0	11.2	-
9:48	11.3	9.7	9:48	11.8	11.1	-
9:49	12.0	9.9	9:49	11.5	11.0	-
9:50	10.5	9.9	9:50	11.8	11.0	-
9:51	10.0	10.0	9:51	11.0	10.9	-
9:52	11.3	9.8	9:52	12.3	11.1	-
9:53	14.8	9.9	9:53	12.5	11.2	-
9:54	13.5	10.1	9:54	11.8	11.2	-
9:55	12.0	10.3	9:55	12.0	11.2	-
9:56	11.0	10.5	9:56	11.5	11.3	-
9:57	12.0	10.7	9:57	13.3	11.5	-
9:58	13.0	11.0	9:58	12.5	11.7	-
9:59	10.8	11.2	9:59	11.8	11.8	-
10:00	11.0	11.4	10:00	12.0	11.9	-
10:01	13.8	11.8	10:01	13.5	12.1	-
10:02	15.0	12.1	10:02	16.0	12.3	-
10:03	12.8	12.2	10:03	13.8	12.5	-
10:04	10.3	12.1	10:04	11.3	12.5	-
10:05	10.5	12.1	10:05	10.5	12.4	-
10:06	9.0	12.0	10:06	11.5	12.4	-
10:07	7.3	11.8	10:07	10.8	12.3	-
10:08	7.3	11.3	10:08	9.3	12.1	-
10:09	8.0	10.9	10:09	10.0	12.0	-
10:10	9.5	10.7	10:10	10.0	11.8	-
10:11	9.3	10.6	10:11	10.0	11.7	-
10:12	7.8	10.3	10:12	10.0	11.5	-
10:13	7.0	9.9	10:13	9.8	11.3	-
10:14	8.8	9.8	10:14	9.6	11.2	-
10:15	9.0	9.7	10:15	10.6	11.1	-
10:16	9.5	9.4	10:16	10.0	10.9	-
10:17	9.0	9.0	10:17	10.0	10.5	-
10:18	8.5	8.7	10:18	10.0	10.2	-
10:19	8.0	8.6	10:19	10.8	10.2	-
10:20	10.3	8.5	10:20	11.8	10.3	-
10:21	12.0	8.7	10:21	12.8	10.3	-
10:22	10.3	8.9	10:22	10.3	10.3	-
10:23	15.3	9.5	10:23	11.5	10.5	-
10:24	15.8	10.0	10:24	13.3	10.7	-
10:25	14.0	10.3	10:25	12.5	10.8	-
10:26	9.0	10.3	10:26	11.0	10.9	-
10:27	9.5	10.4	10:27	11.0	11.0	-
10:28	17.0	11.1	10:28	12.0	11.1	-
10:29	31.5	12.6	10:29	11.3	11.2	-
10:30	20.0	13.3	10:30	9.5	11.2	-
10:31	21.3	14.1	10:31	9.0	11.1	-
10:32	23.0	15.0	10:32	9.0	11.0	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:33	25.0	16.1	10:33	9.5	11.0	-
10:34	20.5	17.0	10:34	9.0	10.9	-
10:35	19.0	17.5	10:35	8.3	10.7	-
10:36	33.0	18.9	10:36	8.3	10.4	-
10:37	17.8	19.4	10:37	9.0	10.3	-
10:38	7.3	18.9	10:38	8.0	10.0	-
10:39	6.3	18.3	10:39	8.3	9.7	-
10:40	6.0	17.7	10:40	9.5	9.5	-
10:41	5.2	17.5	10:41	7.0	9.2	-
10:42	4.0	17.1	10:42	6.3	8.9	-
10:43	5.8	16.4	10:43	8.0	8.7	-
10:44	7.8	14.8	10:44	10.5	8.6	-
10:45	6.6	13.9	10:45	8.5	8.5	-
10:46	5.8	12.9	10:46	7.5	8.4	-
10:47	6.0	11.7	10:47	8.0	8.4	-
10:48	6.8	10.5	10:48	8.3	8.3	-
10:49	8.0	9.7	10:49	8.0	8.2	-
10:50	8.0	8.9	10:50	9.0	8.3	-
10:51	7.8	7.3	10:51	8.8	8.3	-
10:52	8.8	6.7	10:52	8.3	8.3	-
10:53	8.0	6.7	10:53	8.5	8.3	-
10:54	12.3	7.1	10:54	9.0	8.3	-
10:55	14.8	7.7	10:55	8.8	8.3	-
10:56	10.5	8.0	10:56	8.0	8.4	-
10:57	10.5	8.5	10:57	8.0	8.5	-
10:58	10.8	8.8	10:58	8.3	8.5	-
10:59	11.0	9.0	10:59	10.0	8.5	-
11:00	9.3	9.2	11:00	10.0	8.6	-
11:01	9.8	9.5	11:01	8.5	8.6	-
11:02	8.0	9.6	11:02	8.8	8.7	-
11:03	6.8	9.6	11:03	8.0	8.7	-
11:04	6.0	9.5	11:04	8.0	8.7	-
11:05	6.0	9.3	11:05	7.0	8.5	-
11:06	6.3	9.2	11:06	7.0	8.4	-
11:07	7.0	9.1	11:07	7.5	8.4	-
11:08	7.0	9.1	11:08	8.0	8.3	-
11:09	7.8	8.8	11:09	8.0	8.3	-
11:10	6.8	8.2	11:10	8.0	8.2	-
11:11	5.8	7.9	11:11	8.0	8.2	-
11:12	6.0	7.6	11:12	8.0	8.2	-
11:13	6.0	7.3	11:13	8.0	8.2	-
11:14	6.0	7.0	11:14	8.0	8.1	-
11:15	7.0	6.8	11:15	9.0	8.0	-
11:16	6.8	6.6	11:16	8.5	8.0	-
11:17	7.8	6.6	11:17	8.8	8.0	-
11:18	6.5	6.6	11:18	8.3	8.0	-
11:19	6.8	6.6	11:19	8.8	8.1	-
11:20	6.0	6.6	11:20	8.3	8.1	-
11:21	6.8	6.7	11:21	8.3	8.2	-
11:22	7.0	6.7	11:22	10.0	8.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:23	8.0	6.7	11:23	10.2	8.5	-
11:24	8.3	6.8	11:24	10.6	8.7	-
11:25	9.0	6.9	11:25	11.0	8.9	-
11:26	9.0	7.1	11:26	11.0	9.1	-
11:27	9.3	7.3	11:27	10.5	9.3	-
11:28	9.3	7.6	11:28	10.0	9.4	-
11:29	8.3	7.7	11:29	10.0	9.5	-
11:30	9.3	7.9	11:30	10.0	9.6	-
11:31	8.0	7.9	11:31	9.0	9.6	-
11:32	8.0	8.0	11:32	9.0	9.7	-
11:33	8.0	8.1	11:33	9.0	9.7	-
11:34	8.0	8.1	11:34	10.0	9.8	-
11:35	8.8	8.3	11:35	10.5	9.9	-
11:36	9.8	8.5	11:36	10.8	10.1	-
11:37	11.0	8.8	11:37	11.0	10.2	-
11:38	11.5	9.0	11:38	11.0	10.2	-
11:39	14.0	9.4	11:39	11.0	10.3	-
11:40	15.8	9.9	11:40	11.0	10.3	-
11:41	10.8	10.0	11:41	12.0	10.3	-
11:42	10.8	10.1	11:42	12.5	10.5	-
11:43	10.8	10.2	11:43	11.8	10.6	-
11:44	10.5	10.3	11:44	11.0	10.6	-
11:45	8.8	10.3	11:45	10.8	10.7	-
11:46	13.0	10.6	11:46	11.0	10.8	-
11:47	8.8	10.7	11:47	11.0	11.0	-
11:48	8.5	10.7	11:48	11.0	11.1	-
11:49	7.3	10.7	11:49	11.0	11.2	-
11:50	8.0	10.6	11:50	12.3	11.3	-
11:51	7.8	10.5	11:51	11.8	11.3	-
11:52	7.4	10.2	11:52	11.5	11.4	-
11:53	9.2	10.1	11:53	11.3	11.4	-
11:54	9.3	9.8	11:54	11.3	11.4	-
11:55	9.0	9.3	11:55	11.0	11.4	-
11:56	12.3	9.4	11:56	11.0	11.3	-
11:57	20.3	10.0	11:57	11.0	11.2	-
11:58	20.0	10.7	11:58	12.0	11.3	-
11:59	13.8	10.9	11:59	13.5	11.4	-
12:00	15.5	11.3	12:00	13.3	11.6	-
12:01	12.3	11.3	12:01	11.3	11.6	-
12:02	7.0	11.2	12:02	11.0	11.6	-
12:03	7.0	11.1	12:03	10.0	11.5	-
12:04	6.8	11.0	12:04	10.8	11.5	-
12:05	9.0	11.1	12:05	11.0	11.4	-
12:06	8.0	11.1	12:06	12.0	11.5	-
12:07	7.0	11.1	12:07	11.5	11.5	-
12:08	6.5	10.9	12:08	11.0	11.4	-
12:09	6.5	10.7	12:09	10.0	11.4	-
12:10	6.3	10.5	12:10	10.0	11.3	-
12:11	5.0	10.1	12:11	10.8	11.3	-
12:12	5.8	9.1	12:12	10.5	11.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:13	7.0	8.2	12:13	10.3	11.1	-
12:14	7.0	7.8	12:14	11.0	11.0	-
12:15	7.0	7.2	12:15	11.0	10.8	-
12:16	7.0	6.9	12:16	12.5	10.9	-
12:17	7.0	6.9	12:17	11.5	10.9	-
12:18	7.0	6.9	12:18	12.0	11.1	-
12:19	7.8	6.9	12:19	12.0	11.1	-
12:20	7.8	6.8	12:20	10.8	11.1	-
12:21	6.0	6.7	12:21	10.5	11.0	-
12:22	5.5	6.6	12:22	11.3	11.0	-
12:23	5.3	6.5	12:23	12.0	11.1	-
12:24	6.8	6.5	12:24	12.0	11.2	-
12:25	6.0	6.5	12:25	13.3	11.4	-
12:26	6.0	6.6	12:26	13.5	11.6	-
12:27	6.3	6.6	12:27	11.8	11.7	-
12:28	7.0	6.6	12:28	11.0	11.7	-
12:29	7.8	6.7	12:29	11.5	11.8	-
12:30	9.0	6.8	12:30	11.5	11.8	-
12:31	15.0	7.3	12:31	11.0	11.7	-
12:32	9.5	7.5	12:32	11.0	11.7	-
12:33	8.0	7.6	12:33	11.3	11.6	-
12:34	9.0	7.7	12:34	12.0	11.6	-
12:35	8.0	7.7	12:35	12.8	11.8	-
12:36	6.5	7.7	12:36	12.4	11.9	-
12:37	6.0	7.7	12:37	10.8	11.8	-
12:38	6.0	7.8	12:38	11.0	11.8	-
12:39	6.0	7.7	12:39	11.5	11.7	-
12:40	7.0	7.8	12:40	12.0	11.7	-
12:41	7.8	7.9	12:41	11.5	11.5	-
12:42	8.0	8.0	12:42	12.0	11.5	-
12:43	7.0	8.0	12:43	11.3	11.6	-
12:44	7.3	8.0	12:44	11.3	11.5	-
12:45	8.0	7.9	12:45	12.0	11.6	-
12:46	8.0	7.5	12:46	13.0	11.7	-
12:47	10.5	7.5	12:47	12.0	11.8	-
12:48	9.0	7.6	12:48	11.0	11.8	-
12:49	8.5	7.6	12:49	11.5	11.7	-
12:50	9.0	7.6	12:50	12.8	11.7	-
12:51	9.3	7.8	12:51	11.8	11.7	-
12:52	10.0	8.1	12:52	13.0	11.8	-
12:53	10.3	8.4	12:53	15.5	12.1	-
12:54	16.5	9.1	12:54	14.3	12.3	-
12:55	36.8	11.1	12:55	11.8	12.3	-
12:56	11.5	11.3	12:56	11.5	12.3	-
12:57	9.5	11.4	12:57	12.5	12.3	-
12:58	10.8	11.7	12:58	12.0	12.4	-
12:59	11.5	11.9	12:59	12.8	12.5	-
13:00	11.3	12.2	13:00	13.0	12.6	-
13:01	12.0	12.4	13:01	13.5	12.6	-
13:02	11.3	12.5	13:02	12.5	12.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:03	11.8	12.7	13:03	12.0	12.7	-
13:04	12.4	12.9	13:04	12.0	12.7	-
13:05	14.0	13.2	13:05	13.3	12.8	-
13:06	10.2	13.3	13:06	12.3	12.8	-
13:07	10.3	13.3	13:07	11.0	12.7	-
13:08	10.8	13.4	13:08	11.0	12.4	-
13:09	11.8	13.0	13:09	11.0	12.1	-
13:10	13.3	11.5	13:10	11.0	12.1	-
13:11	14.0	11.6	13:11	10.8	12.0	-
13:12	15.8	12.1	13:12	11.0	11.9	-
13:13	13.8	12.3	13:13	11.0	11.9	-
13:14	13.0	12.4	13:14	11.0	11.8	-
13:15	13.0	12.5	13:15	11.0	11.6	-
13:16	13.3	12.6	13:16	11.0	11.5	-
13:17	13.0	12.7	13:17	11.0	11.4	-
13:18	13.0	12.8	13:18	11.0	11.3	-
13:19	13.0	12.8	13:19	11.3	11.2	-
13:20	13.8	12.8	13:20	11.0	11.1	-
13:21	14.0	13.0	13:21	11.0	11.0	-
13:22	14.5	13.3	13:22	11.0	11.0	-
13:23	16.3	13.7	13:23	11.0	11.0	-
13:24	16.0	14.0	13:24	12.0	11.1	-
13:25	16.8	14.2	13:25	12.0	11.1	-
13:26	17.0	14.4	13:26	13.3	11.3	-
13:27	14.8	14.3	13:27	12.3	11.4	-
13:28	15.3	14.4	13:28	11.0	11.4	-
13:29	16.0	14.6	13:29	11.0	11.4	-
13:30	15.3	14.8	13:30	10.8	11.4	-
13:31	15.0	14.9	13:31	10.0	11.3	-
13:32	15.5	15.1	13:32	10.0	11.2	-
13:33	14.5	15.2	13:33	10.3	11.2	-
13:34	14.0	15.2	13:34	11.0	11.2	-
13:35	14.5	15.3	13:35	11.0	11.2	-
13:36	16.0	15.4	13:36	11.0	11.2	-
13:37	16.8	15.6	13:37	11.5	11.2	-
13:38	16.5	15.6	13:38	11.5	11.2	-
13:39	16.0	15.6	13:39	11.8	11.2	-
13:40	16.0	15.5	13:40	12.0	11.2	-
13:41	16.0	15.5	13:41	12.0	11.1	-
13:42	17.0	15.6	13:42	12.0	11.1	-
13:43	16.3	15.7	13:43	12.4	11.2	-
13:44	15.3	15.6	13:44	12.0	11.3	-
13:45	17.3	15.8	13:45	11.6	11.3	-
13:46	17.0	15.9	13:46	11.6	11.4	-
13:47	15.3	15.9	13:47	11.0	11.5	-
13:48	16.3	16.0	13:48	11.0	11.6	-
13:49	16.0	16.1	13:49	11.0	11.6	-
13:50	16.0	16.2	13:50	11.0	11.6	-
13:51	16.5	16.3	13:51	11.0	11.6	-
13:52	18.5	16.4	13:52	11.0	11.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:53	15.3	16.3	13:53	11.0	11.5	-
13:54	16.0	16.3	13:54	11.0	11.4	-
13:55	16.5	16.3	13:55	11.0	11.4	-
13:56	16.3	16.4	13:56	11.0	11.3	-
13:57	16.0	16.3	13:57	10.8	11.2	-
13:58	16.0	16.3	13:58	10.5	11.1	-
13:59	15.0	16.3	13:59	10.8	11.0	-
14:00	15.8	16.2	14:00	11.5	11.0	-
14:01	16.0	16.1	14:01	12.5	11.1	-
14:02	18.8	16.3	14:02	12.3	11.2	-
14:03	17.0	16.4	14:03	11.3	11.2	-
14:04	18.3	16.5	14:04	12.8	11.3	-
14:05	19.0	16.7	14:05	13.0	11.4	-
14:06	19.0	16.9	14:06	13.0	11.6	-
14:07	17.8	16.8	14:07	12.3	11.6	-
14:08	16.0	16.9	14:08	12.0	11.7	-
14:09	17.0	17.0	14:09	13.0	11.8	-
14:10	16.0	16.9	14:10	12.8	12.0	-
14:11	16.0	16.9	14:11	12.0	12.0	-
14:12	16.5	16.9	14:12	12.0	12.1	-
14:13	17.0	17.0	14:13	12.0	12.2	-
14:14	16.4	17.1	14:14	11.0	12.2	-
14:15	16.0	17.1	14:15	12.8	12.3	-
14:16	16.2	17.1	14:16	17.3	12.6	-
14:17	18.0	17.1	14:17	12.0	12.6	-
14:18	19.0	17.2	14:18	14.0	12.8	-
14:19	20.5	17.4	14:19	14.0	12.9	-
14:20	20.0	17.4	14:20	14.0	12.9	-
14:21	18.8	17.4	14:21	14.0	13.0	-
14:22	18.3	17.4	14:22	13.0	13.1	-
14:23	20.5	17.7	14:23	13.0	13.1	-
14:24	17.5	17.8	14:24	12.5	13.1	-
14:25	16.0	17.8	14:25	11.0	13.0	-
14:26	16.3	17.8	14:26	10.3	12.9	-
14:27	17.8	17.9	14:27	11.0	12.8	-
14:28	19.0	18.0	14:28	11.8	12.8	-
14:29	18.0	18.1	14:29	12.0	12.8	-
14:30	18.5	18.3	14:30	12.8	12.8	-
14:31	19.0	18.5	14:31	15.0	12.7	-
14:32	20.0	18.6	14:32	-	-	-
14:33	19.8	18.7	14:33	-	-	-
14:34	19.0	18.6	14:34	-	-	-
14:35	19.8	18.5	14:35	-	-	-
14:36	27.3	19.1	14:36	-	-	-
14:37	28.3	19.8	14:37	-	-	-
14:38	23.8	20.0	14:38	-	-	-
14:39	35.0	21.2	14:39	-	-	-
14:40	31.0	22.2	14:40	-	-	-
14:41	27.8	22.9	14:41	-56.0	-	-
14:42	37.0	24.2	14:42	-54.0	-	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
14:43	29.5	24.9	14:43	-	-	-
14:44	26.5	25.5	14:44	-	-	-
14:45	41.5	27.0	14:45	-47.3	-	-
14:46	28.3	27.6	14:46	10.0	-	-
14:47	25.3	28.0	14:47	69.8	-	-
14:48	23.5	28.2	14:48	318.3	-	-
14:49	21.0	28.4	14:49	78.3	-	-
14:50	29.8	29.0	14:50	13.3	-	-
14:51	31.5	29.3	14:51	15.8	-	-
14:52	23.3	29.0	14:52	14.0	-	-
14:53	19.5	28.7	14:53	11.3	-	-
14:54	21.8	27.8	14:54	13.0	-	-
14:55	23.5	27.3	14:55	9.5	-	-
14:56	23.0	27.0	14:56	10.0	-	-
14:57	18.3	25.7	14:57	10.0	-	-
14:58	19.0	25.0	14:58	10.3	-	-
14:59	18.8	24.5	14:59	11.8	-	-
15:00	18.0	23.0	15:00	10.3	40.4	-
15:01	18.0	22.3	15:01	14.5	40.7	-
15:02	19.3	21.9	15:02	18.3	37.2	-
15:03	22.5	21.8	15:03	10.3	16.7	-
15:04	21.3	21.8	15:04	10.5	12.2	-
15:05	21.5	21.3	15:05	11.0	12.0	-
15:06	22.0	20.6	15:06	11.0	11.7	-
15:07	22.0	20.6	15:07	11.3	11.5	-
15:08	28.8	21.2	15:08	11.3	11.5	-
15:09	22.8	21.2	15:09	10.5	11.4	-
15:10	19.5	21.0	15:10	9.5	11.4	-
15:11	18.5	20.7	15:11	9.0	11.3	-
15:12	17.5	20.6	15:12	9.0	11.2	-
15:13	21.3	20.8	15:13	9.0	11.1	-
15:14	33.5	21.8	15:14	9.0	11.0	-
15:15	25.5	22.3	15:15	10.8	11.0	-
15:16	27.8	22.9	15:16	10.0	10.7	-
15:17	20.5	23.0	15:17	9.5	10.1	-
15:18	19.5	22.8	15:18	10.0	10.1	-
15:19	19.5	22.7	15:19	10.5	10.1	-
15:20	20.0	22.6	15:20	13.2	10.2	-
15:21	20.3	22.5	15:21	13.2	10.4	-
15:22	22.8	22.5	15:22	12.0	10.4	-
15:23	20.0	21.9	15:23	12.6	10.5	-
15:24	18.6	21.6	15:24	17.3	11.0	-
15:25	18.4	21.6	15:25	10.5	11.0	-
15:26	18.0	21.5	15:26	9.5	11.1	-
15:27	19.0	21.6	15:27	11.5	11.2	-
15:28	19.3	21.5	15:28	12.5	11.5	-
15:29	19.5	20.6	15:29	11.3	11.6	-
15:30	18.3	20.1	15:30	12.0	11.7	-
15:31	18.0	19.4	15:31	11.3	11.8	-
15:32	19.3	19.4	15:32	11.0	11.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
15:33	17.3	19.2	15:33	11.8	12.0	-
15:34	17.0	19.0	15:34	11.8	12.1	-
15:35	18.3	18.9	15:35	11.8	12.0	-
15:36	19.0	18.8	15:36	13.3	12.0	-
15:37	19.0	18.6	15:37	12.8	12.0	-
15:38	19.8	18.6	15:38	11.5	12.0	-
15:39	21.0	18.7	15:39	12.8	11.7	-
15:40	21.0	18.9	15:40	12.0	11.8	-
15:41	19.5	19.0	15:41	11.5	11.9	-
15:42	18.5	19.0	15:42	12.0	11.9	-
15:43	18.3	18.9	15:43	12.0	11.9	-
15:44	20.0	18.9	15:44	13.0	12.0	-
15:45	19.0	19.0	15:45	10.5	11.9	-
15:46	19.3	19.1	15:46	10.0	11.8	-
15:47	20.5	19.2	15:47	10.0	11.8	-
15:48	19.0	19.3	15:48	9.3	11.6	-
15:49	18.5	19.4	15:49	10.0	11.5	-
15:50	19.3	19.4	15:50	9.5	11.3	-
15:51	19.8	19.5	15:51	10.0	11.1	-
15:52	20.0	19.6	15:52	10.0	10.9	-
15:53	18.5	19.5	15:53	10.0	10.8	-
15:54	21.0	19.5	15:54	10.0	10.7	-
15:55	23.0	19.6	15:55	9.0	10.5	-
15:56	18.8	19.6	15:56	9.0	10.3	-
15:57	18.8	19.6	15:57	12.0	10.3	-
15:58	18.5	19.6	15:58	18.0	10.7	-
15:59	19.0	19.5	15:59	9.5	10.5	-
16:00	18.0	19.5	16:00	8.8	10.3	-
16:01	17.0	19.3	16:01	9.0	10.3	-
16:02	17.5	19.1	16:02	8.5	10.2	-
16:03	18.0	19.0	16:03	9.5	10.2	-
16:04	17.0	18.9	16:04	12.3	10.3	-
16:05	19.8	19.0	16:05	10.3	10.4	-
16:06	25.3	19.3	16:06	9.0	10.3	-
16:07	19.8	19.3	16:07	9.0	10.3	-
16:08	24.3	19.7	16:08	9.3	10.2	-
16:09	30.8	20.4	16:09	9.0	10.1	-
16:10	18.0	20.0	16:10	9.3	10.2	-
16:11	18.0	20.0	16:11	9.0	10.2	-
16:12	18.5	20.0	16:12	9.0	10.0	-
16:13	18.0	19.9	16:13	9.0	9.4	-
16:14	17.3	19.8	16:14	9.5	9.4	-
16:15	17.0	19.7	16:15	10.0	9.4	-
16:16	17.5	19.8	16:16	11.3	9.6	-
16:17	19.8	19.9	16:17	11.8	9.8	-
16:18	18.8	20.0	16:18	10.5	9.9	-
16:19	22.3	20.3	16:19	9.3	9.7	-
16:20	18.0	20.2	16:20	10.0	9.7	-
16:21	17.3	19.7	16:21	10.5	9.8	-
16:22	19.3	19.6	16:22	11.5	9.9	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
16:23	20.3	19.4	16:23	9.8	10.0	-
16:24	20.8	18.7	16:24	9.0	10.0	-
16:25	17.8	18.7	16:25	9.8	10.0	-
16:26	16.3	18.6	16:26	10.0	10.1	-
16:27	17.5	18.5	16:27	10.0	10.1	-
16:28	18.3	18.5	16:28	10.8	10.2	-
16:29	20.2	18.7	16:29	12.2	10.4	-
16:30	22.4	19.1	16:30	11.8	10.5	-
16:31	20.6	19.3	16:31	11.0	10.5	-
16:32	19.6	19.3	16:32	11.3	10.5	-
16:33	18.2	19.2	16:33	10.0	10.5	-
16:34	17.0	18.9	16:34	10.8	10.6	-
16:35	18.5	18.9	16:35	11.8	10.7	-
16:36	19.8	19.1	16:36	11.3	10.7	-
16:37	20.3	19.2	16:37	11.0	10.7	-
16:38	19.8	19.1	16:38	11.0	10.8	-
16:39	18.8	19.0	16:39	11.0	10.9	-
16:40	18.5	19.0	16:40	11.0	11.0	-
16:41	19.0	19.2	16:41	11.0	11.1	-
16:42	19.5	19.4	16:42	11.0	11.1	-
16:43	19.8	19.5	16:43	11.0	11.1	-
16:44	18.3	19.3	16:44	10.8	11.0	-
16:45	17.0	19.0	16:45	10.0	10.9	-
16:46	17.3	18.7	16:46	10.0	10.9	-
16:47	17.3	18.6	16:47	10.0	10.8	-
16:48	18.0	18.6	16:48	10.8	10.8	-
16:49	18.5	18.7	16:49	12.0	10.9	-
16:50	20.5	18.8	16:50	14.0	11.1	-
16:51	21.3	18.9	16:51	15.3	11.3	-
16:52	18.5	18.8	16:52	14.8	11.6	-
16:53	17.5	18.6	16:53	13.3	11.7	-
16:54	19.0	18.7	16:54	13.0	11.9	-
16:55	18.0	18.6	16:55	13.0	12.0	-
16:56	17.8	18.5	16:56	13.3	12.1	-
16:57	17.0	18.4	16:57	13.3	12.3	-
16:58	17.0	18.2	16:58	13.0	12.4	-
16:59	16.8	18.1	16:59	13.0	12.6	-
17:00	16.0	18.0	17:00	13.0	12.8	-
17:01	15.5	17.9	17:01	11.5	12.9	-
17:02	17.5	17.9	17:02	11.3	13.0	-
17:03	17.5	17.9	17:03	12.5	13.1	-
17:04	18.8	17.9	17:04	15.0	13.3	-
17:05	18.8	17.8	17:05	16.8	13.5	-
17:06	20.0	17.7	17:06	16.5	13.5	-

Thursday, October 6, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						554
Start Time:						7:17
End Time:						17:06
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:17	0.0	-	7:17	-	-	-
7:18	0.0	-	7:18	-	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	-	7:25	0.0	-	-
7:26	0.0	-	7:26	0.0	-	-
7:27	0.0	-	7:27	0.0	-	-
7:28	0.0	-	7:28	0.0	-	-
7:29	0.0	-	7:29	0.0	-	-
7:30	0.0	-	7:30	0.0	-	-
7:31	0.0	-	7:31	0.0	-	-
7:32	0.0	0.0	7:32	0.0	-	-
7:33	0.0	0.0	7:33	0.0	-	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	-	-	-
14:37	0.0	0.0	14:37	-	-	-
14:38	0.0	0.0	14:38	-	-	-
14:39	0.0	0.0	14:39	-	-	-
14:40	0.0	0.0	14:40	0.0	-	-
14:41	0.0	0.0	14:41	0.0	-	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:42	0.0	0.0	14:42	0.0	-	-
14:43	0.0	0.0	14:43	0.0	-	-
14:44	0.0	0.0	14:44	0.0	-	-
14:45	0.0	0.0	14:45	0.0	-	-
14:46	0.0	0.0	14:46	0.0	-	-
14:47	0.0	0.0	14:47	0.0	-	-
14:48	0.0	0.0	14:48	0.0	-	-
14:49	0.0	0.0	14:49	0.0	-	-
14:50	0.0	0.0	14:50	0.0	-	-
14:51	0.0	0.0	14:51	0.0	-	-
14:52	0.0	0.0	14:52	0.0	-	-
14:53	0.0	0.0	14:53	0.0	-	-
14:54	0.0	0.0	14:54	0.0	-	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-
15:39	0.0	0.0	15:39	0.0	0.0	-
15:40	0.0	0.0	15:40	0.0	0.0	-
15:41	0.0	0.0	15:41	0.0	0.0	-
15:42	0.0	0.0	15:42	0.0	0.0	-
15:43	0.0	0.0	15:43	0.0	0.0	-
15:44	0.0	0.0	15:44	0.0	0.0	-
15:45	0.0	0.0	15:45	0.0	0.0	-
15:46	0.0	0.0	15:46	0.0	0.0	-
15:47	0.0	0.0	15:47	0.0	0.0	-
15:48	0.0	0.0	15:48	0.0	0.0	-
15:49	0.0	0.0	15:49	0.0	0.0	-
15:50	0.0	0.0	15:50	0.0	0.0	-
15:51	0.0	0.0	15:51	0.0	0.0	-
15:52	0.0	0.0	15:52	0.0	0.0	-
15:53	0.0	0.0	15:53	0.0	0.0	-
15:54	0.0	0.0	15:54	0.0	0.0	-
15:55	0.0	0.0	15:55	0.0	0.0	-
15:56	0.0	0.0	15:56	0.0	0.0	-
15:57	0.0	0.0	15:57	0.0	0.0	-
15:58	0.0	0.0	15:58	0.0	0.0	-
15:59	0.0	0.0	15:59	0.0	0.0	-
16:00	0.0	0.0	16:00	0.0	0.0	-
16:01	0.0	0.0	16:01	0.0	0.0	-
16:02	0.0	0.0	16:02	0.0	0.0	-
16:03	0.0	0.0	16:03	0.0	0.0	-
16:04	0.0	0.0	16:04	0.0	0.0	-
16:05	0.0	0.0	16:05	0.0	0.0	-
16:06	0.0	0.0	16:06	0.0	0.0	-
16:07	0.0	0.0	16:07	0.0	0.0	-
16:08	0.0	0.0	16:08	0.0	0.0	-
16:09	0.0	0.0	16:09	0.0	0.0	-
16:10	0.0	0.0	16:10	0.0	0.0	-
16:11	0.0	0.0	16:11	0.0	0.0	-
16:12	0.0	0.0	16:12	0.0	0.0	-
16:13	0.0	0.0	16:13	0.0	0.0	-
16:14	0.0	0.0	16:14	0.0	0.0	-
16:15	0.0	0.0	16:15	0.0	0.0	-
16:16	0.0	0.0	16:16	0.0	0.0	-
16:17	0.0	0.0	16:17	0.0	0.0	-
16:18	0.0	0.0	16:18	0.0	0.0	-
16:19	0.0	0.0	16:19	0.0	0.0	-
16:20	0.0	0.0	16:20	0.0	0.0	-
16:21	0.0	0.0	16:21	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
16:22	0.0	0.0	16:22	0.0	0.0	-
16:23	0.0	0.0	16:23	0.0	0.0	-
16:24	0.0	0.0	16:24	0.0	0.0	-
16:25	0.0	0.0	16:25	0.0	0.0	-
16:26	0.0	0.0	16:26	0.0	0.0	-
16:27	0.0	0.0	16:27	0.0	0.0	-
16:28	0.0	0.0	16:28	0.0	0.0	-
16:29	0.0	0.0	16:29	0.0	0.0	-
16:30	0.0	0.0	16:30	0.0	0.0	-
16:31	0.0	0.0	16:31	0.0	0.0	-
16:32	0.0	0.0	16:32	0.0	0.0	-
16:33	0.0	0.0	16:33	0.0	0.0	-
16:34	0.0	0.0	16:34	0.0	0.0	-
16:35	0.0	0.0	16:35	0.0	0.0	-
16:36	0.0	0.0	16:36	0.0	0.0	-
16:37	0.0	0.0	16:37	0.0	0.0	-
16:38	0.0	0.0	16:38	0.0	0.0	-
16:39	0.0	0.0	16:39	0.0	0.0	-
16:40	0.0	0.0	16:40	0.0	0.0	-
16:41	0.0	0.0	16:41	0.0	0.0	-
16:42	0.0	0.0	16:42	0.0	0.0	-
16:43	0.0	0.0	16:43	0.0	0.0	-
16:44	0.0	0.0	16:44	0.0	0.0	-
16:45	0.0	0.0	16:45	0.0	0.0	-
16:46	0.0	0.0	16:46	0.0	0.0	-
16:47	0.0	0.0	16:47	0.0	0.0	-
16:48	0.0	0.0	16:48	0.0	0.0	-
16:49	0.0	0.0	16:49	0.0	0.0	-
16:50	0.0	0.0	16:50	0.0	0.0	-
16:51	0.0	0.0	16:51	0.0	0.0	-
16:52	0.0	0.0	16:52	0.0	0.0	-
16:53	0.0	0.0	16:53	0.0	0.0	-
16:54	0.0	0.0	16:54	0.0	0.0	-
16:55	0.0	0.0	16:55	0.0	0.0	-
16:56	0.0	0.0	16:56	0.0	0.0	-
16:57	0.0	0.0	16:57	0.0	0.0	-
16:58	0.0	0.0	16:58	0.0	0.0	-
16:59	0.0	0.0	16:59	0.0	0.0	-
17:00	0.0	0.0	17:00	0.0	0.0	-
17:01	0.0	0.0	17:01	0.0	0.0	-
17:02	0.0	0.0	17:02	0.0	0.0	-
17:03	0.0	0.0	17:03	0.0	0.0	-
17:04	0.0	0.0	17:04	0.0	0.0	-
17:05	0.0	0.0	17:05	0.0	0.0	-
17:06	0.0	0.0	17:06	0.0	0.0	-