

<b>PROJECT No.:</b> 170430003	<b>CLIENT:</b>	<b>DATE:</b> Thursday, October 27, 2022
<b>PROJECT:</b> 240 Huntington Street	300 Huntington Street LLC	<b>WEATHER:</b> Sunny, 57-66 °F Wind: NNW @ 2.5 – 6.7 mph
<b>LOCATION:</b> Brooklyn, New York		<b>TIME:</b> 6:45 am – 4:00 pm
<b>BCP SITE NO:</b> C224314		<b>MONITORS:</b> Ellie Seery

<b>EQUIPMENT:</b> Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TB260 Mini Excavator Takeuchi TL10V2	<b>PRESENT AT SITE:</b> <b>Langan:</b> Ellie Seery <b>Bauer Structures (Bauer):</b> George Lopez <b>Monadnock Construction Inc. (Monadnock):</b> David Parlo <b>Urban Erectors (Urban):</b> Ricky Persaud
---	---

### OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.

#### Site Activities

- Bauer Structures (Bauer) excavated an about 25-foot-long by 4-foot-wide trench to about 3 feet below grade surface (bgs) in the southeastern part of the site in preparation for the installation of a stormwater conduit and manhole. Excavated material was screened for odors, staining, and organic vapors using a photoionization detector (PID). Evidence of impacts was not observed.
  - Excavated material consisted of historic fill and concrete and was stockpiled adjacent to the excavation area pending future return to the excavation.
- Urban Erectors (Urban) installed steel elements in the western part of the site.

#### Sampling

- None

#### CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 µm in diameter (PM10) and volatile organic compounds (VOC).

- VOC and PM10 concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- Dust and odors were not observed migrating off-site throughout the day.
- Refer to the attached Daily Air Monitoring Report for summary and raw CAMP results.

#### Anticipated Activities

- Bauer will continue to install a manhole and stormwater pipe in the southeastern part of the site.

## 240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

### MATERIALS EXPORT SUMMARY

<b>Facility Name</b>	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
<b>Location</b>	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
<b>Type of Waste</b>	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	263	9,095	26	515	2	30	2	30

### MATERIALS EXPORT SUMMARY

<b>Facility Name</b>	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
<b>Location</b>	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
<b>Type of Material</b>	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

## 240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	9	224.62	36	933.90	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

\* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY								
Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
		0	-	0	-	0	-	0
Total	Number of Loads	Volume (tons)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	205	3,912	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

## Site Photos



**Photo 1:** Bauer excavating a trench for the stormwater conduit installation in the southeastern part of the site (facing east)



**Photo 2:** View of the installed manhole in the southeastern part of the site (facing east).

## Site Map:



### LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled
- Approximate SMD Trench Excavation
- Approximate SMD Backfill Area
- Approximate Location of Completed Building Slab



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	<b>DAILY AIR MONITORING REPORT</b> <b>240 Huntington Street</b> <b>Brooklyn, New York</b>				10/27/22					
					Project number: 170430003				Rev. No. 0	
					Page 1 of 1					
					Submitted By:					
					Dust Action Level				150 µg/m <sup>3</sup>	
TVOC Action Level				5 ppm						

Weather Data Range for Work Day		Wind Direction	NNW	Relative Humidity (%)	42.0 - 85.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	57.0 - 66.0	Wind Speed (MPH)	2.5 - 6.7	Barometer (inHg)	30.00 - 30.20			

Station Location Area	Work	Daily Avg. Dust Concentration (µg/m <sup>3</sup> )	Max 15 Min Dust Concentration (µg/m <sup>3</sup> )	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		11.0	81.3	11:04	0.0	0.1	10:22
Downwind		6.7	40.5	13:56	0.0	0.0	7:17



Air Monitoring Notes:

Sampling Notes:

Weather Notes:



Thursday, October 27, 2022

Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 = 0  
 Number of Comparable Data Points = 501  
 Start Time: 7:03  
 End Time: 15:38

**PARTICULATE DATA**

Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
7:03	35.5	-	7:03	38.5	-	-
7:04	27.8	-	7:04	26.0	-	-
7:05	29.0	-	7:05	23.5	-	-
7:06	29.0	-	7:06	23.3	-	-
7:07	28.5	-	7:07	24.0	-	-
7:08	27.0	-	7:08	24.0	-	-
7:09	27.0	-	7:09	23.0	-	-
7:10	27.0	-	7:10	21.8	-	-
7:11	27.0	-	7:11	21.0	-	-
7:12	26.8	-	7:12	23.5	-	-
7:13	24.5	-	7:13	19.8	-	-
7:14	21.5	-	7:14	17.5	-	-
7:15	18.8	-	7:15	15.8	-	-
7:16	16.8	-	7:16	15.0	-	-
7:17	15.0	-	7:17	13.5	-	-
7:18	13.8	24.0	7:18	12.0	20.2	-
7:19	11.3	22.9	7:19	16.0	19.6	-
7:20	10.0	21.6	7:20	16.5	19.1	-
7:21	10.0	20.3	7:21	12.0	18.4	-
7:22	8.8	19.0	7:22	10.3	17.4	-
7:23	8.0	17.7	7:23	10.0	16.5	-
7:24	7.3	16.4	7:24	9.0	15.6	-
7:25	6.3	15.0	7:25	8.5	14.7	-
7:26	6.0	13.6	7:26	8.0	13.8	-
7:27	5.0	12.2	7:27	7.3	12.7	-
7:28	5.0	10.9	7:28	6.0	11.8	-
7:29	4.5	9.8	7:29	7.0	11.1	-
7:30	4.0	8.8	7:30	6.5	10.5	-
7:31	3.3	7.9	7:31	6.5	9.9	-
7:32	4.6	7.2	7:32	7.5	9.5	-
7:33	7.3	6.7	7:33	8.0	9.3	-
7:34	5.0	6.3	7:34	8.0	8.7	-
7:35	4.4	6.0	7:35	8.5	8.2	-
7:36	4.0	5.6	7:36	7.5	7.9	-
7:37	3.0	5.2	7:37	7.0	7.7	-
7:38	2.0	4.8	7:38	6.0	7.4	-
7:39	1.5	4.4	7:39	6.3	7.2	-
7:40	0.5	4.0	7:40	5.8	7.1	-
7:41	0.0	3.6	7:41	5.0	6.9	-
7:42	0.5	3.3	7:42	5.5	6.7	-
7:43	0.0	3.0	7:43	5.5	6.7	-
7:44	0.0	2.7	7:44	4.5	6.5	-
7:45	7.0	2.9	7:45	9.8	6.8	-
7:46	8.0	3.2	7:46	5.0	6.7	-
7:47	0.5	2.9	7:47	4.8	6.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
7:48	2.3	2.6	7:48	5.3	6.3	-
7:49	2.5	2.4	7:49	6.3	6.2	-
7:50	1.0	2.2	7:50	5.5	6.0	-
7:51	1.0	2.0	7:51	5.2	5.8	-
7:52	0.0	1.8	7:52	4.6	5.7	-
7:53	0.0	1.7	7:53	4.2	5.5	-
7:54	0.0	1.6	7:54	3.8	5.4	-
7:55	0.0	1.5	7:55	3.8	5.2	-
7:56	0.0	1.5	7:56	4.8	5.2	-
7:57	0.0	1.5	7:57	2.0	5.0	-
7:58	-0.5	1.5	7:58	2.5	4.8	-
7:59	-0.5	1.4	7:59	2.0	4.6	-
8:00	-0.5	0.9	8:00	3.0	4.2	-
8:01	-1.0	0.3	8:01	3.0	4.0	-
8:02	-1.0	0.2	8:02	2.8	3.9	-
8:03	-1.0	0.0	8:03	3.0	3.8	-
8:04	-1.0	-0.2	8:04	3.8	3.6	-
8:05	-1.0	-0.4	8:05	2.3	3.4	-
8:06	-1.3	-0.5	8:06	3.5	3.3	-
8:07	-1.3	-0.6	8:07	3.0	3.2	-
8:08	-0.5	-0.6	8:08	1.5	3.0	-
8:09	-1.8	-0.8	8:09	4.0	3.0	-
8:10	-2.0	-0.9	8:10	3.0	2.9	-
8:11	-2.0	-1.0	8:11	6.0	3.0	-
8:12	-2.0	-1.2	8:12	4.0	3.2	-
8:13	7.8	-0.6	8:13	2.0	3.1	-
8:14	1.0	-0.5	8:14	2.5	3.2	-
8:15	-1.0	-0.5	8:15	2.3	3.1	-
8:16	-1.0	-0.5	8:16	2.5	3.1	-
8:17	-1.5	-0.6	8:17	3.8	3.1	-
8:18	-1.0	-0.6	8:18	2.5	3.1	-
8:19	-1.0	-0.6	8:19	3.5	3.1	-
8:20	-0.3	-0.5	8:20	4.5	3.2	-
8:21	0.8	-0.4	8:21	3.8	3.3	-
8:22	-0.3	-0.3	8:22	2.0	3.2	-
8:23	-0.5	-0.3	8:23	2.5	3.3	-
8:24	-1.0	-0.3	8:24	1.5	3.1	-
8:25	-0.8	-0.2	8:25	2.0	3.0	-
8:26	0.0	-0.1	8:26	1.8	2.7	-
8:27	-1.5	0.0	8:27	1.0	2.5	-
8:28	-1.0	-0.6	8:28	2.3	2.6	-
8:29	-1.5	-0.8	8:29	2.3	2.5	-
8:30	-2.0	-0.8	8:30	1.0	2.5	-
8:31	-2.0	-0.9	8:31	1.0	2.4	-
8:32	-2.0	-0.9	8:32	1.8	2.2	-
8:33	-2.0	-1.0	8:33	2.0	2.2	-
8:34	-2.0	-1.1	8:34	1.5	2.1	-
8:35	-1.3	-1.1	8:35	1.0	1.8	-
8:36	-0.8	-1.2	8:36	1.3	1.7	-
8:37	-1.3	-1.3	8:37	2.0	1.7	-



PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
8:38	-1.8	-1.4	8:38	1.3	1.6	-
8:39	-2.0	-1.5	8:39	4.3	1.8	-
8:40	-2.0	-1.5	8:40	4.3	1.9	-
8:41	-1.5	-1.6	8:41	1.0	1.9	-
8:42	-2.0	-1.7	8:42	1.0	1.9	-
8:43	-2.0	-1.7	8:43	2.0	1.8	-
8:44	1.8	-1.5	8:44	1.8	1.8	-
8:45	2.8	-1.2	8:45	1.3	1.8	-
8:46	-2.0	-1.2	8:46	4.8	2.1	-
8:47	-1.5	-1.2	8:47	1.8	2.1	-
8:48	-2.0	-1.2	8:48	12.5	2.8	-
8:49	-1.8	-1.1	8:49	14.8	3.7	-
8:50	-0.3	-1.1	8:50	37.3	6.1	-
8:51	0.0	-1.0	8:51	11.0	6.7	-
8:52	-0.3	-1.0	8:52	3.5	6.8	-
8:53	-0.8	-0.9	8:53	5.0	7.1	-
8:54	5.8	-0.4	8:54	3.8	7.0	-
8:55	6.8	0.2	8:55	4.3	7.0	-
8:56	-1.3	0.2	8:56	8.0	7.5	-
8:57	-1.0	0.3	8:57	5.3	7.8	-
8:58	-1.0	0.4	8:58	9.5	8.3	-
8:59	-1.0	0.2	8:59	6.3	8.6	-
9:00	-1.0	-0.1	9:00	1.0	8.6	-
9:01	3.5	0.3	9:01	1.3	8.3	-
9:02	2.0	0.5	9:02	2.0	8.4	-
9:03	-2.0	0.5	9:03	1.6	7.6	-
9:04	-1.5	0.5	9:04	1.0	6.7	-
9:05	-1.0	0.5	9:05	1.0	4.3	-
9:06	-1.3	0.4	9:06	1.0	3.6	-
9:07	-1.0	0.4	9:07	1.8	3.5	-
9:08	-1.0	0.3	9:08	1.5	3.3	-
9:09	-1.0	-0.1	9:09	2.0	3.2	-
9:10	-0.8	-0.6	9:10	3.0	3.1	-
9:11	0.0	-0.5	9:11	3.8	2.8	-
9:12	-0.5	-0.5	9:12	6.3	2.9	-
9:13	-0.3	-0.5	9:13	2.8	2.4	-
9:14	1.0	-0.3	9:14	1.5	2.1	-
9:15	3.0	-0.1	9:15	1.5	2.1	-
9:16	1.5	-0.2	9:16	1.0	2.1	-
9:17	0.0	-0.3	9:17	1.0	2.0	-
9:18	-0.5	-0.2	9:18	1.0	2.0	-
9:19	-1.0	-0.2	9:19	1.0	2.0	-
9:20	-0.3	-0.1	9:20	0.8	2.0	-
9:21	0.5	0.0	9:21	1.0	2.0	-
9:22	-1.0	0.0	9:22	1.0	1.9	-
9:23	-1.0	0.0	9:23	1.5	1.9	-
9:24	-0.3	0.0	9:24	1.0	1.9	-
9:25	133.5	9.0	9:25	1.0	1.7	-
9:26	20.0	10.3	9:26	0.3	1.5	-
9:27	-1.0	10.3	9:27	0.8	1.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
9:28	-1.0	10.2	9:28	1.8	1.1	-
9:29	-1.3	10.1	9:29	0.5	1.0	-
9:30	-2.0	9.8	9:30	0.0	0.9	-
9:31	-1.5	9.6	9:31	1.3	0.9	-
9:32	-1.3	9.5	9:32	1.3	0.9	-
9:33	8.3	10.1	9:33	5.0	1.2	-
9:34	2.5	10.3	9:34	2.5	1.3	-
9:35	8.0	10.8	9:35	1.0	1.3	-
9:36	4.5	11.1	9:36	1.0	1.3	-
9:37	-0.3	11.2	9:37	0.3	1.3	-
9:38	0.0	11.2	9:38	0.0	1.2	-
9:39	0.0	11.2	9:39	1.0	1.2	-
9:40	-0.8	2.3	9:40	1.0	1.2	-
9:41	-1.0	0.9	9:41	1.0	1.2	-
9:42	-1.0	0.9	9:42	1.0	1.2	-
9:43	-1.0	0.9	9:43	1.8	1.2	-
9:44	-1.0	0.9	9:44	4.0	1.5	-
9:45	-1.0	1.0	9:45	2.0	1.6	-
9:46	-1.0	1.0	9:46	2.0	1.7	-
9:47	-1.0	1.0	9:47	4.3	1.9	-
9:48	-1.0	0.4	9:48	17.5	2.7	-
9:49	-1.0	0.2	9:49	6.3	2.9	-
9:50	-0.8	-0.4	9:50	1.5	3.0	-
9:51	-0.3	-0.7	9:51	2.0	3.0	-
9:52	-1.0	-0.8	9:52	2.3	3.2	-
9:53	3.8	-0.5	9:53	3.0	3.4	-
9:54	2.2	-0.4	9:54	1.0	3.4	-
9:55	-1.6	-0.4	9:55	0.0	3.3	-
9:56	-1.3	-0.5	9:56	4.5	3.5	-
9:57	0.5	-0.4	9:57	6.5	3.9	-
9:58	0.0	-0.3	9:58	1.8	3.9	-
9:59	1.0	-0.2	9:59	1.0	3.7	-
10:00	0.5	-0.1	10:00	3.3	3.8	-
10:01	6.8	0.5	10:01	3.8	3.9	-
10:02	0.0	0.5	10:02	1.5	3.7	-
10:03	-0.5	0.6	10:03	6.5	3.0	-
10:04	-0.3	0.6	10:04	4.3	2.9	-
10:05	0.0	0.7	10:05	3.3	3.0	-
10:06	-0.3	0.7	10:06	2.3	3.0	-
10:07	0.0	0.7	10:07	0.8	2.9	-
10:08	1.0	0.5	10:08	1.5	2.8	-
10:09	0.0	0.4	10:09	2.8	2.9	-
10:10	0.0	0.5	10:10	2.8	3.1	-
10:11	-0.3	0.6	10:11	0.5	2.8	-
10:12	-0.5	0.5	10:12	0.3	2.4	-
10:13	-0.5	0.5	10:13	1.0	2.4	-
10:14	-1.0	0.3	10:14	1.6	2.4	-
10:15	-1.0	0.2	10:15	1.8	2.3	-
10:16	-1.0	-0.3	10:16	2.0	2.2	-
10:17	-0.8	-0.3	10:17	8.5	2.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
10:18	-0.3	-0.3	10:18	10.3	2.9	-
10:19	-1.0	-0.4	10:19	5.8	3.0	-
10:20	46.5	2.7	10:20	2.8	3.0	-
10:21	71.8	7.5	10:21	3.5	3.0	-
10:22	1.0	7.6	10:22	4.0	3.3	-
10:23	8.8	8.1	10:23	8.8	3.7	-
10:24	2.8	8.3	10:24	2.8	3.7	-
10:25	25.3	10.0	10:25	0.3	3.6	-
10:26	13.5	10.9	10:26	3.5	3.8	-
10:27	10.5	11.6	10:27	4.8	4.1	-
10:28	4.3	12.0	10:28	2.8	4.2	-
10:29	5.0	12.4	10:29	0.8	4.1	-
10:30	11.0	13.2	10:30	4.3	4.3	-
10:31	25.8	14.9	10:31	3.5	4.4	-
10:32	6.0	15.4	10:32	1.5	3.9	-
10:33	4.5	15.7	10:33	3.8	3.5	-
10:34	5.3	16.1	10:34	2.3	3.3	-
10:35	5.0	13.4	10:35	3.3	3.3	-
10:36	15.0	9.6	10:36	1.5	3.2	-
10:37	11.3	10.3	10:37	3.5	3.1	-
10:38	15.8	10.7	10:38	3.3	2.8	-
10:39	7.5	11.0	10:39	2.3	2.7	-
10:40	6.0	9.8	10:40	0.5	2.8	-
10:41	5.0	9.2	10:41	0.0	2.5	-
10:42	6.3	8.9	10:42	0.8	2.3	-
10:43	7.0	9.1	10:43	6.8	2.5	-
10:44	11.5	9.5	10:44	3.5	2.7	-
10:45	6.0	9.2	10:45	1.0	2.5	-
10:46	9.2	8.1	10:46	3.0	2.5	-
10:47	27.0	9.5	10:47	5.5	2.7	-
10:48	9.6	9.8	10:48	3.8	2.7	-
10:49	28.4	11.4	10:49	4.5	2.9	-
10:50	511.3	45.1	10:50	9.3	3.3	-
10:51	154.0	54.4	10:51	3.8	3.4	-
10:52	188.0	66.2	10:52	1.8	3.3	-
10:53	83.3	70.7	10:53	1.0	3.2	-
10:54	6.8	70.6	10:54	1.3	3.1	-
10:55	6.0	70.6	10:55	0.5	3.1	-
10:56	5.8	70.7	10:56	0.8	3.1	-
10:57	5.0	70.6	10:57	2.5	3.3	-
10:58	4.3	70.4	10:58	18.3	4.0	-
10:59	3.0	69.8	10:59	50.8	7.2	-
11:00	4.0	69.7	11:00	24.5	8.7	-
11:01	17.0	70.2	11:01	15.5	9.6	-
11:02	76.3	73.5	11:02	9.0	9.8	-
11:03	34.0	75.1	11:03	17.8	10.7	-
11:04	121.0	81.3	11:04	6.8	10.9	-
11:05	19.3	48.5	11:05	10.5	11.0	-
11:06	3.0	38.4	11:06	12.0	11.5	-
11:07	3.0	26.1	11:07	13.3	12.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
11:08	3.0	20.8	11:08	15.0	13.2	-
11:09	3.0	20.5	11:09	15.8	14.2	-
11:10	3.0	20.3	11:10	16.8	15.3	-
11:11	3.3	20.1	11:11	11.3	16.0	-
11:12	3.8	20.1	11:12	9.3	16.4	-
11:13	3.0	20.0	11:13	4.0	15.5	-
11:14	4.0	20.0	11:14	3.0	12.3	-
11:15	4.0	20.0	11:15	5.5	11.0	-
11:16	4.0	19.2	11:16	1.8	10.1	-
11:17	4.0	14.4	11:17	7.3	10.0	-
11:18	3.3	12.3	11:18	3.5	9.0	-
11:19	6.3	4.7	11:19	1.3	8.7	-
11:20	5.8	3.8	11:20	1.6	8.1	-
11:21	3.5	3.8	11:21	1.4	7.4	-
11:22	4.0	3.9	11:22	1.0	6.6	-
11:23	3.8	3.9	11:23	0.8	5.6	-
11:24	3.0	3.9	11:24	2.6	4.7	-
11:25	3.0	3.9	11:25	3.0	3.8	-
11:26	3.8	3.9	11:26	5.6	3.4	-
11:27	3.3	3.9	11:27	4.8	3.1	-
11:28	4.0	4.0	11:28	2.0	3.0	-
11:29	4.5	4.0	11:29	1.3	2.9	-
11:30	4.3	4.0	11:30	2.5	2.7	-
11:31	3.0	4.0	11:31	3.3	2.8	-
11:32	3.0	3.9	11:32	1.8	2.4	-
11:33	3.8	3.9	11:33	2.0	2.3	-
11:34	4.5	3.8	11:34	2.0	2.4	-
11:35	4.5	3.7	11:35	1.5	2.4	-
11:36	4.5	3.8	11:36	2.0	2.4	-
11:37	5.0	3.9	11:37	4.8	2.7	-
11:38	7.0	4.1	11:38	6.0	3.0	-
11:39	7.0	4.3	11:39	6.0	3.2	-
11:40	6.0	4.5	11:40	4.3	3.3	-
11:41	5.3	4.6	11:41	4.5	3.2	-
11:42	5.3	4.8	11:42	8.0	3.5	-
11:43	6.0	4.9	11:43	5.0	3.7	-
11:44	5.3	5.0	11:44	2.8	3.8	-
11:45	4.5	5.0	11:45	4.5	3.9	-
11:46	4.0	5.0	11:46	6.0	4.1	-
11:47	6.3	5.3	11:47	3.3	4.2	-
11:48	6.3	5.4	11:48	2.0	4.2	-
11:49	5.8	5.5	11:49	2.3	4.2	-
11:50	5.0	5.5	11:50	6.5	4.5	-
11:51	5.0	5.6	11:51	6.3	4.8	-
11:52	4.0	5.5	11:52	4.3	4.8	-
11:53	5.3	5.4	11:53	2.0	4.5	-
11:54	5.8	5.3	11:54	2.0	4.2	-
11:55	4.5	5.2	11:55	1.8	4.1	-
11:56	6.0	5.3	11:56	1.0	3.8	-
11:57	5.6	5.3	11:57	1.8	3.4	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
11:58	4.2	5.2	11:58	3.0	3.3	-
11:59	8.0	5.3	11:59	5.8	3.5	-
12:00	19.3	6.3	12:00	7.8	3.7	-
12:01	7.3	6.5	12:01	2.0	3.4	-
12:02	4.8	6.4	12:02	3.5	3.5	-
12:03	5.3	6.4	12:03	6.5	3.8	-
12:04	5.3	6.3	12:04	1.0	3.7	-
12:05	5.3	6.4	12:05	1.0	3.3	-
12:06	46.5	9.1	12:06	2.8	3.1	-
12:07	13.3	9.7	12:07	1.8	2.9	-
12:08	4.0	9.7	12:08	1.3	2.9	-
12:09	4.0	9.5	12:09	2.5	2.9	-
12:10	5.0	9.6	12:10	4.5	3.1	-
12:11	4.5	9.5	12:11	3.8	3.3	-
12:12	4.0	9.4	12:12	3.5	3.4	-
12:13	8.5	9.7	12:13	3.5	3.4	-
12:14	4.0	9.4	12:14	3.8	3.3	-
12:15	3.5	8.3	12:15	2.0	2.9	-
12:16	4.0	8.1	12:16	1.5	2.9	-
12:17	4.0	8.1	12:17	3.0	2.8	-
12:18	4.5	8.0	12:18	2.0	2.5	-
12:19	5.0	8.0	12:19	4.5	2.8	-
12:20	5.5	8.0	12:20	5.5	3.1	-
12:21	6.0	5.3	12:21	5.3	3.2	-
12:22	6.0	4.8	12:22	2.0	3.2	-
12:23	7.0	5.0	12:23	2.8	3.3	-
12:24	7.8	5.3	12:24	4.3	3.5	-
12:25	12.8	5.8	12:25	4.3	3.4	-
12:26	38.3	8.1	12:26	2.8	3.4	-
12:27	15.0	8.8	12:27	2.0	3.3	-
12:28	9.5	8.9	12:28	1.0	3.1	-
12:29	6.8	9.0	12:29	1.8	3.0	-
12:30	6.0	9.2	12:30	3.2	3.0	-
12:31	6.3	9.4	12:31	7.4	3.4	-
12:32	8.0	9.6	12:32	6.4	3.7	-
12:33	8.0	9.9	12:33	3.8	3.8	-
12:34	7.8	10.0	12:34	12.8	4.3	-
12:35	7.0	10.1	12:35	6.3	4.4	-
12:36	7.0	10.2	12:36	1.3	4.1	-
12:37	7.0	10.3	12:37	2.5	4.2	-
12:38	7.3	10.3	12:38	1.3	4.1	-
12:39	9.5	10.4	12:39	2.5	3.9	-
12:40	7.3	10.0	12:40	4.3	3.9	-
12:41	7.0	8.0	12:41	7.5	4.3	-
12:42	7.3	7.4	12:42	4.8	4.4	-
12:43	8.8	7.4	12:43	3.0	4.6	-
12:44	8.0	7.5	12:44	3.0	4.7	-
12:45	8.0	7.6	12:45	3.5	4.7	-
12:46	9.3	7.8	12:46	4.0	4.5	-
12:47	10.8	8.0	12:47	2.5	4.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	Time	Concentration (ug/m <sup>3</sup> )	15-Min Avg Concentration (ug/m <sup>3</sup> )	
12:48	10.5	8.2	12:48	2.5	4.1	-
12:49	10.5	8.3	12:49	4.0	3.5	-
12:50	11.3	8.6	12:50	3.0	3.3	-
12:51	93.8	14.4	12:51	5.3	3.6	-
12:52	116.8	21.7	12:52	7.5	3.9	-
12:53	14.8	22.2	12:53	3.5	4.1	-
12:54	104.8	28.6	12:54	1.8	4.0	-
12:55	46.5	31.2	12:55	1.0	3.8	-
12:56	12.5	31.6	12:56	1.5	3.4	-
12:57	11.8	31.9	12:57	2.8	3.3	-
12:58	15.8	32.3	12:58	3.0	3.3	-
12:59	12.3	32.6	12:59	2.0	3.2	-
13:00	12.5	32.9	13:00	2.0	3.1	-
13:01	12.0	33.1	13:01	2.0	3.0	-
13:02	10.8	33.1	13:02	1.0	2.9	-
13:03	11.8	33.2	13:03	1.8	2.8	-
13:04	12.8	33.3	13:04	2.8	2.7	-
13:05	11.8	33.4	13:05	2.8	2.7	-
13:06	11.0	27.8	13:06	2.8	2.5	-
13:07	10.4	20.7	13:07	1.5	2.1	-
13:08	10.0	20.4	13:08	1.3	2.0	-
13:09	10.5	14.1	13:09	3.5	2.1	-
13:10	10.0	11.7	13:10	2.3	2.2	-
13:11	10.5	11.6	13:11	2.8	2.3	-
13:12	12.0	11.6	13:12	2.0	2.2	-
13:13	12.0	11.3	13:13	1.0	2.1	-
13:14	12.0	11.3	13:14	1.0	2.0	-
13:15	12.0	11.3	13:15	1.0	2.0	-
13:16	12.0	11.3	13:16	1.0	1.9	-
13:17	12.0	11.4	13:17	2.0	2.0	-
13:18	13.0	11.5	13:18	2.8	2.0	-
13:19	17.5	11.8	13:19	1.3	1.9	-
13:20	12.5	11.8	13:20	1.0	1.8	-
13:21	12.0	11.9	13:21	5.8	2.0	-
13:22	13.0	12.1	13:22	8.0	2.4	-
13:23	13.0	12.3	13:23	3.0	2.6	-
13:24	13.0	12.4	13:24	1.3	2.4	-
13:25	12.5	12.6	13:25	1.0	2.3	-
13:26	12.0	12.7	13:26	1.0	2.2	-
13:27	12.0	12.7	13:27	1.5	2.2	-
13:28	12.5	12.7	13:28	2.0	2.2	-
13:29	15.0	12.9	13:29	2.0	2.3	-
13:30	13.3	13.0	13:30	3.0	2.4	-
13:31	12.5	13.1	13:31	1.8	2.5	-
13:32	13.0	13.1	13:32	2.3	2.5	-
13:33	12.0	13.1	13:33	2.0	2.5	-
13:34	12.0	12.7	13:34	2.0	2.5	-
13:35	12.0	12.7	13:35	3.0	2.6	-
13:36	12.0	12.7	13:36	3.3	2.5	-
13:37	12.0	12.6	13:37	2.8	2.1	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
13:38	12.5	12.6	13:38	3.5	2.2	-
13:39	13.3	12.6	13:39	3.0	2.3	-
13:40	14.8	12.7	13:40	2.0	2.3	-
13:41	13.3	12.8	13:41	2.8	2.5	-
13:42	11.3	12.8	13:42	7.6	2.9	-
13:43	11.0	12.7	13:43	4.8	3.0	-
13:44	12.8	12.5	13:44	7.2	3.4	-
13:45	13.5	12.5	13:45	3.8	3.4	-
13:46	13.0	12.6	13:46	3.8	3.6	-
13:47	13.0	12.6	13:47	328.5	25.3	-
13:48	13.0	12.6	13:48	195.5	38.2	-
13:49	14.0	12.8	13:49	4.0	38.4	-
13:50	14.5	12.9	13:50	3.5	38.4	-
13:51	14.0	13.1	13:51	4.5	38.5	-
13:52	13.8	13.2	13:52	7.5	38.8	-
13:53	17.3	13.5	13:53	25.0	40.2	-
13:54	14.3	13.6	13:54	2.5	40.2	-
13:55	15.5	13.6	13:55	3.3	40.3	-
13:56	13.5	13.6	13:56	5.5	40.5	-
13:57	22.8	14.4	13:57	3.5	40.2	-
13:58	22.0	15.1	13:58	3.0	40.1	-
13:59	13.0	15.1	13:59	2.0	39.7	-
14:00	13.0	15.1	14:00	2.3	39.6	-
14:01	13.0	15.1	14:01	3.8	39.6	-
14:02	13.0	15.1	14:02	2.8	17.9	-
14:03	13.0	15.1	14:03	2.8	5.1	-
14:04	12.8	15.0	14:04	2.5	5.0	-
14:05	12.5	14.9	14:05	3.0	4.9	-
14:06	13.0	14.8	14:06	3.3	4.8	-
14:07	13.3	14.8	14:07	5.8	4.7	-
14:08	14.0	14.6	14:08	4.5	3.4	-
14:09	12.5	14.5	14:09	4.0	3.5	-
14:10	12.3	14.2	14:10	5.8	3.6	-
14:11	13.0	14.2	14:11	3.3	3.5	-
14:12	12.4	13.5	14:12	7.8	3.8	-
14:13	12.0	12.8	14:13	3.8	3.8	-
14:14	12.0	12.8	14:14	3.5	3.9	-
14:15	12.0	12.7	14:15	18.5	5.0	-
14:16	12.0	12.6	14:16	13.3	5.6	-
14:17	12.5	12.6	14:17	4.0	5.7	-
14:18	15.8	12.8	14:18	4.3	5.8	-
14:19	13.8	12.9	14:19	3.0	5.8	-
14:20	13.8	12.9	14:20	2.0	5.8	-
14:21	12.3	12.9	14:21	2.0	5.7	-
14:22	12.0	12.8	14:22	2.0	5.4	-
14:23	12.0	12.7	14:23	2.5	5.3	-
14:24	12.0	12.6	14:24	10.3	5.7	-
14:25	11.8	12.6	14:25	5.3	5.7	-
14:26	12.0	12.5	14:26	4.8	5.8	-
14:27	12.0	12.5	14:27	4.0	5.5	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
14:28	13.0	12.6	14:28	40.8	8.0	-
14:29	15.8	12.8	14:29	43.3	10.7	-
14:30	29.5	14.0	14:30	16.8	10.5	-
14:31	22.3	14.7	14:31	13.0	10.5	-
14:32	13.8	14.8	14:32	5.3	10.6	-
14:33	12.8	14.6	14:33	4.3	10.6	-
14:34	12.8	14.5	14:34	4.5	10.7	-
14:35	12.5	14.4	14:35	4.0	10.8	-
14:36	18.3	14.8	14:36	4.0	11.0	-
14:37	43.8	16.9	14:37	5.5	11.2	-
14:38	13.3	17.0	14:38	4.5	11.3	-
14:39	12.3	17.0	14:39	29.3	12.6	-
14:40	12.5	17.1	14:40	8.8	12.8	-
14:41	12.3	17.1	14:41	8.0	13.1	-
14:42	13.0	17.2	14:42	6.0	13.2	-
14:43	13.0	17.2	14:43	5.3	10.8	-
14:44	13.5	17.0	14:44	6.5	8.4	-
14:45	14.5	16.0	14:45	8.0	7.8	-
14:46	14.3	15.5	14:46	6.0	7.3	-
14:47	14.8	15.6	14:47	5.8	7.4	-
14:48	15.8	15.8	14:48	5.8	7.5	-
14:49	14.0	15.8	14:49	8.5	7.7	-
14:50	15.0	16.0	14:50	5.3	7.8	-
14:51	15.0	15.8	14:51	7.8	8.1	-
14:52	14.8	13.9	14:52	9.8	8.3	-
14:53	14.0	13.9	14:53	6.0	8.4	-
14:54	13.0	14.0	14:54	6.0	6.9	-
14:55	13.0	14.0	14:55	13.8	7.2	-
14:56	13.0	14.0	14:56	6.8	7.1	-
14:57	15.8	14.2	14:57	5.5	7.1	-
14:58	16.0	14.4	14:58	10.3	7.4	-
14:59	13.0	14.4	14:59	85.0	12.7	-
15:00	13.0	14.3	15:00	41.5	14.9	-
15:01	13.8	14.3	15:01	20.0	15.8	-
15:02	18.3	14.5	15:02	7.3	15.9	-
15:03	16.5	14.5	15:03	9.8	16.2	-
15:04	13.5	14.5	15:04	8.3	16.2	-
15:05	15.5	14.5	15:05	5.3	16.2	-
15:06	15.0	14.5	15:06	81.0	21.1	-
15:07	17.3	14.7	15:07	42.3	23.2	-
15:08	16.8	14.9	15:08	8.5	23.4	-
15:09	14.0	15.0	15:09	6.0	23.4	-
15:10	14.8	15.1	15:10	6.0	22.9	-
15:11	16.5	15.3	15:11	5.3	22.8	-
15:12	14.5	15.2	15:12	5.0	22.8	-
15:13	13.8	15.1	15:13	5.0	22.4	-
15:14	13.0	15.1	15:14	6.8	17.2	-
15:15	13.8	15.1	15:15	8.3	15.0	-
15:16	16.5	15.3	15:16	7.5	14.1	-
15:17	14.0	15.0	15:17	7.0	14.1	-



PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	Time	Concentration ( $\mu\text{g}/\text{m}^3$ )	15-Min Avg Concentration ( $\mu\text{g}/\text{m}^3$ )	
15:18	13.5	14.8	15:18	6.3	13.9	-
15:19	18.0	15.1	15:19	6.0	13.7	-
15:20	14.5	15.1	15:20	6.0	13.8	-
15:21	13.0	14.9	15:21	7.0	8.9	-
15:22	13.0	14.6	15:22	6.0	6.4	-
15:23	13.2	14.4	15:23	6.0	6.3	-
15:24	13.4	14.4	15:24	6.5	6.3	-
15:25	14.4	14.3	15:25	6.8	6.4	-
15:26	14.8	14.2	15:26	6.0	6.4	-
15:27	14.3	14.2	15:27	6.8	6.5	-
15:28	12.5	14.1	15:28	7.0	6.7	-
15:29	20.8	14.6	15:29	7.5	6.7	-
15:30	22.0	15.2	15:30	8.0	6.7	-
15:31	13.5	15.0	15:31	7.8	6.7	-
15:32	13.3	14.9	15:32	7.8	6.8	-
15:33	15.0	15.0	15:33	8.0	6.9	-
15:34	17.0	15.0	15:34	6.0	6.9	-
15:35	21.5	15.4	15:35	7.3	7.0	-
15:36	23.5	16.1	15:36	7.8	7.0	-
15:37	18.8	16.5	15:37	6.0	7.0	-
15:38	19.0	16.9	15:38	6.0	7.0	-

Thursday, October 27, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						502
Start Time:						7:02
End Time:						15:38
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:02	0.0	-	7:02	0.0	-	-
7:03	0.0	-	7:03	0.0	-	-
7:04	0.0	-	7:04	0.0	-	-
7:05	0.0	-	7:05	0.0	-	-
7:06	0.0	-	7:06	0.0	-	-
7:07	0.0	-	7:07	0.0	-	-
7:08	0.0	-	7:08	0.0	-	-
7:09	0.0	-	7:09	0.0	-	-
7:10	0.0	-	7:10	0.0	-	-
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	0.0	7:17	0.0	0.0	-
7:18	0.0	0.0	7:18	0.0	0.0	-
7:19	0.0	0.0	7:19	0.0	0.0	-
7:20	0.0	0.0	7:20	0.0	0.0	-
7:21	0.0	0.0	7:21	0.0	0.0	-
7:22	0.0	0.0	7:22	0.0	0.0	-
7:23	0.0	0.0	7:23	0.0	0.0	-
7:24	0.0	0.0	7:24	0.0	0.0	-
7:25	0.0	0.0	7:25	0.0	0.0	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.1	0.0	7:32	0.0	0.0	-
7:33	0.1	0.0	7:33	0.0	0.0	-
7:34	0.1	0.0	7:34	0.0	0.0	-
7:35	0.1	0.0	7:35	0.0	0.0	-
7:36	0.1	0.0	7:36	0.0	0.0	-
7:37	0.1	0.0	7:37	0.0	0.0	-
7:38	0.1	0.0	7:38	0.0	0.0	-
7:39	0.1	0.0	7:39	0.0	0.0	-
7:40	0.1	0.1	7:40	0.0	0.0	-
7:41	0.1	0.1	7:41	0.0	0.0	-
7:42	0.1	0.1	7:42	0.0	0.0	-
7:43	0.1	0.1	7:43	0.0	0.0	-
7:44	0.1	0.1	7:44	0.0	0.0	-
7:45	0.1	0.1	7:45	0.0	0.0	-
7:46	0.1	0.1	7:46	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:47	0.0	0.1	7:47	0.0	0.0	-
7:48	0.1	0.1	7:48	0.0	0.0	-
7:49	0.1	0.1	7:49	0.0	0.0	-
7:50	0.1	0.1	7:50	0.0	0.0	-
7:51	0.1	0.1	7:51	0.0	0.0	-
7:52	0.0	0.1	7:52	0.0	0.0	-
7:53	0.1	0.1	7:53	0.0	0.0	-
7:54	0.1	0.1	7:54	0.0	0.0	-
7:55	0.1	0.1	7:55	0.0	0.0	-
7:56	0.1	0.1	7:56	0.0	0.0	-
7:57	0.0	0.1	7:57	0.0	0.0	-
7:58	0.1	0.1	7:58	0.0	0.0	-
7:59	0.1	0.1	7:59	0.0	0.0	-
8:00	0.1	0.1	8:00	0.0	0.0	-
8:01	0.1	0.1	8:01	0.0	0.0	-
8:02	0.1	0.1	8:02	0.0	0.0	-
8:03	0.1	0.1	8:03	0.0	0.0	-
8:04	0.1	0.1	8:04	0.0	0.0	-
8:05	0.1	0.1	8:05	0.0	0.0	-
8:06	0.0	0.1	8:06	0.0	0.0	-
8:07	0.1	0.1	8:07	0.0	0.0	-
8:08	0.1	0.1	8:08	0.0	0.0	-
8:09	0.0	0.1	8:09	0.0	0.0	-
8:10	0.0	0.1	8:10	0.0	0.0	-
8:11	0.0	0.1	8:11	0.0	0.0	-
8:12	0.0	0.1	8:12	0.0	0.0	-
8:13	0.0	0.1	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.1	0.0	8:49	0.0	0.0	-
8:50	0.1	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.1	0.0	9:29	0.0	0.0	-
9:30	0.1	0.0	9:30	0.0	0.0	-
9:31	0.1	0.0	9:31	0.0	0.0	-
9:32	0.1	0.0	9:32	0.0	0.0	-
9:33	0.1	0.0	9:33	0.0	0.0	-
9:34	0.1	0.0	9:34	0.0	0.0	-
9:35	0.1	0.0	9:35	0.0	0.0	-
9:36	0.1	0.1	9:36	0.0	0.0	-
9:37	0.1	0.1	9:37	0.0	0.0	-
9:38	0.1	0.1	9:38	0.0	0.0	-
9:39	0.1	0.1	9:39	0.0	0.0	-
9:40	0.1	0.1	9:40	0.0	0.0	-
9:41	0.1	0.1	9:41	0.0	0.0	-
9:42	0.1	0.1	9:42	0.0	0.0	-
9:43	0.1	0.1	9:43	0.0	0.0	-
9:44	0.1	0.1	9:44	0.0	0.0	-
9:45	0.1	0.1	9:45	0.0	0.0	-
9:46	0.1	0.1	9:46	0.0	0.0	-
9:47	0.1	0.1	9:47	0.0	0.0	-
9:48	0.1	0.1	9:48	0.0	0.0	-
9:49	0.1	0.1	9:49	0.0	0.0	-
9:50	0.1	0.1	9:50	0.0	0.0	-
9:51	0.1	0.1	9:51	0.0	0.0	-
9:52	0.1	0.1	9:52	0.0	0.0	-
9:53	0.1	0.1	9:53	0.0	0.0	-
9:54	0.0	0.1	9:54	0.0	0.0	-
9:55	0.0	0.1	9:55	0.0	0.0	-
9:56	0.0	0.1	9:56	0.0	0.0	-
9:57	0.0	0.1	9:57	0.0	0.0	-
9:58	0.0	0.1	9:58	0.0	0.0	-
9:59	0.0	0.1	9:59	0.0	0.0	-
10:00	0.0	0.1	10:00	0.0	0.0	-
10:01	0.0	0.1	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.1	0.0	10:05	0.0	0.0	-
10:06	0.1	0.0	10:06	0.0	0.0	-
10:07	0.1	0.0	10:07	0.0	0.0	-
10:08	0.1	0.0	10:08	0.0	0.0	-
10:09	0.1	0.0	10:09	0.0	0.0	-
10:10	0.1	0.0	10:10	0.0	0.0	-
10:11	0.1	0.0	10:11	0.0	0.0	-
10:12	0.1	0.1	10:12	0.0	0.0	-
10:13	0.1	0.1	10:13	0.0	0.0	-
10:14	0.1	0.1	10:14	0.0	0.0	-
10:15	0.1	0.1	10:15	0.0	0.0	-
10:16	0.1	0.1	10:16	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:17	0.1	0.1	10:17	0.0	0.0	-
10:18	0.1	0.1	10:18	0.0	0.0	-
10:19	0.1	0.1	10:19	0.0	0.0	-
10:20	0.1	0.1	10:20	0.0	0.0	-
10:21	0.1	0.1	10:21	0.0	0.0	-
10:22	0.1	0.1	10:22	0.0	0.0	-
10:23	0.0	0.1	10:23	0.0	0.0	-
10:24	0.0	0.1	10:24	0.0	0.0	-
10:25	0.1	0.1	10:25	0.0	0.0	-
10:26	0.1	0.1	10:26	0.0	0.0	-
10:27	0.1	0.1	10:27	0.0	0.0	-
10:28	0.1	0.1	10:28	0.0	0.0	-
10:29	0.1	0.1	10:29	0.0	0.0	-
10:30	0.1	0.1	10:30	0.0	0.0	-
10:31	0.1	0.1	10:31	0.0	0.0	-
10:32	0.1	0.1	10:32	0.0	0.0	-
10:33	0.1	0.1	10:33	0.0	0.0	-
10:34	0.1	0.1	10:34	0.0	0.0	-
10:35	0.1	0.1	10:35	0.0	0.0	-
10:36	0.1	0.1	10:36	0.0	0.0	-
10:37	0.1	0.1	10:37	0.0	0.0	-
10:38	0.1	0.1	10:38	0.0	0.0	-
10:39	0.1	0.1	10:39	0.0	0.0	-
10:40	0.1	0.1	10:40	0.0	0.0	-
10:41	0.1	0.1	10:41	0.0	0.0	-
10:42	0.1	0.1	10:42	0.0	0.0	-
10:43	0.1	0.1	10:43	0.0	0.0	-
10:44	0.1	0.1	10:44	0.0	0.0	-
10:45	0.1	0.1	10:45	0.0	0.0	-
10:46	0.1	0.1	10:46	0.0	0.0	-
10:47	0.1	0.1	10:47	0.0	0.0	-
10:48	0.1	0.1	10:48	0.0	0.0	-
10:49	0.1	0.1	10:49	0.0	0.0	-
10:50	0.1	0.1	10:50	0.0	0.0	-
10:51	0.1	0.1	10:51	0.0	0.0	-
10:52	0.1	0.1	10:52	0.0	0.0	-
10:53	0.1	0.1	10:53	0.0	0.0	-
10:54	0.1	0.1	10:54	0.0	0.0	-
10:55	0.1	0.1	10:55	0.0	0.0	-
10:56	0.1	0.1	10:56	0.0	0.0	-
10:57	0.1	0.1	10:57	0.0	0.0	-
10:58	0.1	0.1	10:58	0.0	0.0	-
10:59	0.1	0.1	10:59	0.0	0.0	-
11:00	0.1	0.1	11:00	0.0	0.0	-
11:01	0.0	0.1	11:01	0.0	0.0	-
11:02	0.0	0.1	11:02	0.0	0.0	-
11:03	0.0	0.1	11:03	0.0	0.0	-
11:04	0.0	0.1	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-



PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-
13:21	0.0	0.0	13:21	0.0	0.0	-
13:22	0.0	0.0	13:22	0.0	0.0	-
13:23	0.0	0.0	13:23	0.0	0.0	-
13:24	0.0	0.0	13:24	0.0	0.0	-
13:25	0.0	0.0	13:25	0.0	0.0	-
13:26	0.0	0.0	13:26	0.0	0.0	-
13:27	0.0	0.0	13:27	0.0	0.0	-
13:28	0.0	0.0	13:28	0.0	0.0	-
13:29	0.0	0.0	13:29	0.0	0.0	-
13:30	0.0	0.0	13:30	0.0	0.0	-
13:31	0.0	0.0	13:31	0.0	0.0	-
13:32	0.0	0.0	13:32	0.0	0.0	-
13:33	0.0	0.0	13:33	0.0	0.0	-
13:34	0.0	0.0	13:34	0.0	0.0	-
13:35	0.0	0.0	13:35	0.0	0.0	-
13:36	0.0	0.0	13:36	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:37	0.0	0.0	13:37	0.0	0.0	-
13:38	0.0	0.0	13:38	0.0	0.0	-
13:39	0.0	0.0	13:39	0.0	0.0	-
13:40	0.0	0.0	13:40	0.0	0.0	-
13:41	0.0	0.0	13:41	0.0	0.0	-
13:42	0.0	0.0	13:42	0.0	0.0	-
13:43	0.0	0.0	13:43	0.0	0.0	-
13:44	0.0	0.0	13:44	0.0	0.0	-
13:45	0.0	0.0	13:45	0.0	0.0	-
13:46	0.0	0.0	13:46	0.0	0.0	-
13:47	0.0	0.0	13:47	0.0	0.0	-
13:48	0.0	0.0	13:48	0.0	0.0	-
13:49	0.0	0.0	13:49	0.0	0.0	-
13:50	0.0	0.0	13:50	0.0	0.0	-
13:51	0.0	0.0	13:51	0.0	0.0	-
13:52	0.0	0.0	13:52	0.0	0.0	-
13:53	0.0	0.0	13:53	0.0	0.0	-
13:54	0.0	0.0	13:54	0.0	0.0	-
13:55	0.0	0.0	13:55	0.0	0.0	-
13:56	0.0	0.0	13:56	0.0	0.0	-
13:57	0.0	0.0	13:57	0.0	0.0	-
13:58	0.0	0.0	13:58	0.0	0.0	-
13:59	0.0	0.0	13:59	0.0	0.0	-
14:00	0.0	0.0	14:00	0.0	0.0	-
14:01	0.0	0.0	14:01	0.0	0.0	-
14:02	0.0	0.0	14:02	0.0	0.0	-
14:03	0.0	0.0	14:03	0.0	0.0	-
14:04	0.0	0.0	14:04	0.0	0.0	-
14:05	0.0	0.0	14:05	0.0	0.0	-
14:06	0.0	0.0	14:06	0.0	0.0	-
14:07	0.0	0.0	14:07	0.0	0.0	-
14:08	0.0	0.0	14:08	0.0	0.0	-
14:09	0.0	0.0	14:09	0.0	0.0	-
14:10	0.0	0.0	14:10	0.0	0.0	-
14:11	0.0	0.0	14:11	0.0	0.0	-
14:12	0.0	0.0	14:12	0.0	0.0	-
14:13	0.0	0.0	14:13	0.0	0.0	-
14:14	0.0	0.0	14:14	0.0	0.0	-
14:15	0.0	0.0	14:15	0.0	0.0	-
14:16	0.0	0.0	14:16	0.0	0.0	-
14:17	0.0	0.0	14:17	0.0	0.0	-
14:18	0.0	0.0	14:18	0.0	0.0	-
14:19	0.0	0.0	14:19	0.0	0.0	-
14:20	0.0	0.0	14:20	0.0	0.0	-
14:21	0.0	0.0	14:21	0.0	0.0	-
14:22	0.0	0.0	14:22	0.0	0.0	-
14:23	0.0	0.0	14:23	0.0	0.0	-
14:24	0.0	0.0	14:24	0.0	0.0	-
14:25	0.0	0.0	14:25	0.0	0.0	-
14:26	0.0	0.0	14:26	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
14:27	0.0	0.0	14:27	0.0	0.0	-
14:28	0.0	0.0	14:28	0.0	0.0	-
14:29	0.0	0.0	14:29	0.0	0.0	-
14:30	0.0	0.0	14:30	0.0	0.0	-
14:31	0.0	0.0	14:31	0.0	0.0	-
14:32	0.0	0.0	14:32	0.0	0.0	-
14:33	0.0	0.0	14:33	0.0	0.0	-
14:34	0.0	0.0	14:34	0.0	0.0	-
14:35	0.0	0.0	14:35	0.0	0.0	-
14:36	0.0	0.0	14:36	0.0	0.0	-
14:37	0.0	0.0	14:37	0.0	0.0	-
14:38	0.0	0.0	14:38	0.0	0.0	-
14:39	0.0	0.0	14:39	0.0	0.0	-
14:40	0.0	0.0	14:40	0.0	0.0	-
14:41	0.0	0.0	14:41	0.0	0.0	-
14:42	0.0	0.0	14:42	0.0	0.0	-
14:43	0.0	0.0	14:43	0.0	0.0	-
14:44	0.0	0.0	14:44	0.0	0.0	-
14:45	0.0	0.0	14:45	0.0	0.0	-
14:46	0.0	0.0	14:46	0.0	0.0	-
14:47	0.0	0.0	14:47	0.0	0.0	-
14:48	0.0	0.0	14:48	0.0	0.0	-
14:49	0.0	0.0	14:49	0.0	0.0	-
14:50	0.0	0.0	14:50	0.0	0.0	-
14:51	0.0	0.0	14:51	0.0	0.0	-
14:52	0.0	0.0	14:52	0.0	0.0	-
14:53	0.0	0.0	14:53	0.0	0.0	-
14:54	0.0	0.0	14:54	0.0	0.0	-
14:55	0.0	0.0	14:55	0.0	0.0	-
14:56	0.0	0.0	14:56	0.0	0.0	-
14:57	0.0	0.0	14:57	0.0	0.0	-
14:58	0.0	0.0	14:58	0.0	0.0	-
14:59	0.0	0.0	14:59	0.0	0.0	-
15:00	0.0	0.0	15:00	0.0	0.0	-
15:01	0.0	0.0	15:01	0.0	0.0	-
15:02	0.0	0.0	15:02	0.0	0.0	-
15:03	0.0	0.0	15:03	0.0	0.0	-
15:04	0.0	0.0	15:04	0.0	0.0	-
15:05	0.0	0.0	15:05	0.0	0.0	-
15:06	0.0	0.0	15:06	0.0	0.0	-
15:07	0.0	0.0	15:07	0.0	0.0	-
15:08	0.0	0.0	15:08	0.0	0.0	-
15:09	0.0	0.0	15:09	0.0	0.0	-
15:10	0.0	0.0	15:10	0.0	0.0	-
15:11	0.0	0.0	15:11	0.0	0.0	-
15:12	0.0	0.0	15:12	0.0	0.0	-
15:13	0.0	0.0	15:13	0.0	0.0	-
15:14	0.0	0.0	15:14	0.0	0.0	-
15:15	0.0	0.0	15:15	0.0	0.0	-
15:16	0.0	0.0	15:16	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
15:17	0.0	0.0	15:17	0.0	0.0	-
15:18	0.0	0.0	15:18	0.0	0.0	-
15:19	0.0	0.0	15:19	0.0	0.0	-
15:20	0.0	0.0	15:20	0.0	0.0	-
15:21	0.0	0.0	15:21	0.0	0.0	-
15:22	0.0	0.0	15:22	0.0	0.0	-
15:23	0.0	0.0	15:23	0.0	0.0	-
15:24	0.0	0.0	15:24	0.0	0.0	-
15:25	0.0	0.0	15:25	0.0	0.0	-
15:26	0.0	0.0	15:26	0.0	0.0	-
15:27	0.0	0.0	15:27	0.0	0.0	-
15:28	0.0	0.0	15:28	0.0	0.0	-
15:29	0.0	0.0	15:29	0.0	0.0	-
15:30	0.0	0.0	15:30	0.0	0.0	-
15:31	0.0	0.0	15:31	0.0	0.0	-
15:32	0.0	0.0	15:32	0.0	0.0	-
15:33	0.0	0.0	15:33	0.0	0.0	-
15:34	0.0	0.0	15:34	0.0	0.0	-
15:35	0.0	0.0	15:35	0.0	0.0	-
15:36	0.0	0.0	15:36	0.0	0.0	-
15:37	0.0	0.0	15:37	0.0	0.0	-
15:38	0.0	0.0	15:38	0.0	0.0	-