

PROJECT No.: 170430003 PROJECT: 240 Huntington Street LOCATION: Brooklyn, New York BCP SITE NO: C224314	CLIENT: 300 Huntington Street LLC	DATE: Friday, December 9, 2022 WEATHER: Sunny, 36-46 °F Wind: N @ 3.5 – 5.6 mph TIME: 6:45 am – 3:30 pm MONITORS: Elsayh Boak
EQUIPMENT: Hand Tools Bobcat E50 Mini Excavator Kolbeco Excavator Deere 245C Excavator Takeuchi TL10V2	PRESENT AT SITE: Langan: Elsayh Boak Bauer Structures (Bauer): George Lopez Monadnock Construction Inc. (Monadnock): David Parlo Urban Erectors (Urban): Ricky Persaud	

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) was present to document site remediation in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for the BCP Site No. C224314.

Site Activities

- Bauer stockpiled imported clean fill from Evergreen Recycling of Corona Inc. in Flushing, NY (ERO) in the northwestern part of the site.
- Urban Erectors (Urban) installed steel elements in the central and eastern parts of the site.

Material Tracking

- Bauer imported two truckloads (40 cubic yards) of general fill from Evergreen Recycling of Corona Inc. in Flushing, NY.
- No material was exported from the site.

Sampling

- None.

CAMP Activities

Community air monitoring was performed at the perimeters of the site at two locations (upwind and downwind) for particulate matter less than 10 µm in diameter (PM10) and volatile organic compounds (VOC).

- VOC concentrations were not recorded above the action levels established in the site Community Air Monitoring Plan (CAMP).
- PM10 concentrations exceed action levels from 12:09 to 12:12 due to machinery idling adjacent to the downwind CAMP station. No intrusive work was occurring at this time.
- Dust and odors were not observed migrating off-site throughout the day.
- Refer to the attached Daily Air Monitoring Report for summary and raw CAMP results.

Anticipated Activities

- Urban Erectors will install steel elements on the building foundation.
- Bauer will backfill around installed utility conduits.

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - EXPORT SUMMARIES

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth of Carteret</i>		<i>Allocco Recycling</i>		<i>Advanced Waste Water Treatment Corp.</i>		<i>Allocco Recycling</i>	
Location	<i>Middlesex, NJ</i>		<i>Brooklyn, NY</i>		<i>Farmingdale, NY</i>		<i>Brooklyn, NY</i>	
Type of Waste	<i>Non-Hazardous Soil</i>		<i>Concrete</i>		<i>Water with Trace Gasoline</i>		<i>Scrap Metal</i>	
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	363	9,095	26	515	2	30	2	30

MATERIALS EXPORT SUMMARY

Facility Name	<i>Clean Earth Of Southeastern Pennsylvania</i>		<i>Clean Earth of North Jersey</i>					
Location	<i>Brooklyn, NY</i>		<i>Kearney, NJ</i>					
Type of Material	<i>Non-Hazardous Soil</i>		<i>Hazardous Soil</i>					
Today	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	63	1,440	3	54	0	-	0	-

240 HUNTINGTON STREET CONSTRUCTION/FOUNDATION - IMPORT SUMMARIES

MATERIALS IMPORT SUMMARY

Facility Name	<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Tilcon New York Inc. - Mount Hope Quarry</i>		<i>Clean Soil Bank (CSB) Forbell Street Stockpile</i>		<i>DOT RCA Stockpile - DOT Sunset Park Yard</i>	
Location	<i>Wharton, NJ</i>		<i>Wharton, NJ</i>		<i>Brooklyn, NY</i>		<i>Brooklyn, NY</i>	
Type of Material	<i>ASTM #3 Stone</i>		<i>ASTM #5 Stone</i>		<i>Soil</i>		<i>RCA</i>	
Today	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	0	-	0	-	0	-	0	-
Total	Number of Loads	Volume (tons)	Number of Loads	Volume (tons)	Number of Loads	Volume (CY)	Number of Loads	Volume (CY)
	9	224.62	36	933.90	46	920	197	3,940
NYSDEC-Approved Quantity	-	540*	-	1,800*	-	7,000	-	4,000

* - ASTM #3 stone and ASTM #5 stone from Tilcon New York Inc. Mount Hope Quarry were approved for import of 300 cubic yards (CY) and 1,000 CY, respectively. Assuming a conversation factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets.

MATERIALS IMPORT SUMMARY

Facility Name	<i>Evergreen Recycling of Corona Inc.</i>							
Location	<i>Flushing, NY</i>							
Type of Material	<i>Clean Fill</i>							
Today	Number of Loads	Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	2	40	0	-	0	-	0	-
Total	Number of Loads	Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)	Number of Loads	Approx. Volume (CY)
	216	4,132	0	-	0	-	0	-
NYSDEC-Approved Quantity	-	6,000						

Site Photos



Photo 1: Bauer stockpiling imported clean fill from EROC in the northwestern part of the site (facing northwest)



Photo 2: General view of the south-central part of the site (facing southwest)

Site Map:



LEGEND

- Approximate Site Boundary
- Approximate Location of Geophysical Anomaly
- Upwind CAMP Station
- Downwind CAMP Station
- Approximate Excavation Area
- Approximate Area Previously Excavated
- Approximate Graded Area
- Approximate Backfill Area
- Approximate Location of UST
- Soil/Fill Stockpile
- RCA/Imported Stone Stockpiled
- Approximate SMD Trench Excavation
- Approximate SMD Backfill Area
- Approximate Location of Completed Building Slab



Note: Drawing background from December 2021 Remedial Investigation Report by Langan Engineering.

Drawing Shown Not to Scale

	DAILY AIR MONITORING REPORT 240 Huntington Street Brooklyn, New York				12/09/22	
					Project number: 170430003	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	N	Relative Humidity (%)	43.0 - 69.0	Daily Rain (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	36.0 - 46.0	Wind Speed (MPH)	3.5 - 5.6	Barometer (inHg)	30.30 - 30.30			

Station Location Work Area	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	11.4	40.8	11:27	0.0	0.0	7:25
Downwind	38.6	172.2	12:10	0.0	0.0	7:25



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

Friday, December 9, 2022						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						4
Number of Comparable Data Points =						356
Start Time:						7:10
End Time:						13:20
PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:10	17.3	-	7:10	17.3	-	-
7:11	17.0	-	7:11	19.0	-	-
7:12	17.0	-	7:12	17.0	-	-
7:13	18.5	-	7:13	17.8	-	-
7:14	20.0	-	7:14	33.8	-	-
7:15	18.0	-	7:15	37.0	-	-
7:16	16.8	-	7:16	48.8	-	-
7:17	16.0	-	7:17	59.3	-	-
7:18	14.5	-	7:18	38.5	-	-
7:19	14.0	-	7:19	87.5	-	-
7:20	14.3	-	7:20	135.3	-	-
7:21	15.8	-	7:21	30.5	-	-
7:22	21.5	-	7:22	27.3	-	-
7:23	15.5	-	7:23	24.3	-	-
7:24	14.5	-	7:24	30.0	-	-
7:25	12.5	16.4	7:25	26.5	42.2	-
7:26	14.0	16.2	7:26	22.8	42.4	-
7:27	12.8	15.9	7:27	30.3	43.3	-
7:28	12.5	15.5	7:28	17.3	43.3	-
7:29	12.0	15.0	7:29	13.0	41.9	-
7:30	12.0	14.6	7:30	13.8	40.3	-
7:31	12.0	14.3	7:31	13.0	37.9	-
7:32	12.5	14.0	7:32	13.3	34.9	-
7:33	13.8	14.0	7:33	19.3	33.6	-
7:34	18.0	14.2	7:34	25.5	29.5	-
7:35	10.8	14.0	7:35	23.3	22.0	-
7:36	9.3	13.6	7:36	17.5	21.1	-
7:37	11.5	12.9	7:37	17.3	20.5	-
7:38	11.0	12.6	7:38	181.5	30.9	-
7:39	11.5	12.4	7:39	32.8	31.1	-
7:40	10.0	12.2	7:40	36.0	31.8	-
7:41	10.0	12.0	7:41	37.5	32.7	-
7:42	13.0	12.0	7:42	21.8	32.2	-
7:43	8.5	11.7	7:43	20.3	32.4	-
7:44	8.8	11.5	7:44	14.0	32.4	-
7:45	8.0	11.2	7:45	14.0	32.5	-
7:46	8.8	11.0	7:46	15.0	32.6	-
7:47	8.3	10.7	7:47	13.3	32.6	-
7:48	7.5	10.3	7:48	12.0	32.1	-
7:49	7.8	9.6	7:49	13.8	31.3	-
7:50	6.5	9.4	7:50	14.0	30.7	-
7:51	6.0	9.1	7:51	13.5	30.4	-
7:52	9.3	9.0	7:52	13.3	30.2	-
7:53	7.8	8.8	7:53	15.0	19.1	-
7:54	18.3	9.2	7:54	17.0	18.0	-
7:55	15.5	9.6	7:55	15.3	16.6	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
7:56	6.0	9.3	7:56	17.8	15.3	-
7:57	5.8	8.8	7:57	20.0	15.2	-
7:58	5.5	8.6	7:58	19.8	15.2	-
7:59	17.3	9.2	7:59	16.0	15.3	-
8:00	16.5	9.8	8:00	14.8	15.4	-
8:01	7.3	9.7	8:01	12.0	15.2	-
8:02	5.3	9.5	8:02	11.5	15.0	-
8:03	6.0	9.4	8:03	12.5	15.1	-
8:04	6.0	9.3	8:04	15.3	15.2	-
8:05	5.3	9.2	8:05	16.5	15.3	-
8:06	4.0	9.0	8:06	15.8	15.5	-
8:07	4.0	8.7	8:07	11.8	15.4	-
8:08	4.0	8.4	8:08	16.8	15.5	-
8:09	4.0	7.5	8:09	27.0	16.2	-
8:10	5.5	6.8	8:10	23.0	16.7	-
8:11	4.8	6.7	8:11	36.4	17.9	-
8:12	7.3	6.8	8:12	31.8	18.7	-
8:13	37.0	8.9	8:13	54.5	21.0	-
8:14	12.8	8.6	8:14	45.5	23.0	-
8:15	5.8	7.9	8:15	20.3	23.4	-
8:16	9.4	8.1	8:16	21.3	24.0	-
8:17	7.3	8.2	8:17	29.8	25.2	-
8:18	5.0	8.1	8:18	49.0	27.6	-
8:19	4.5	8.0	8:19	30.0	28.6	-
8:20	4.8	8.0	8:20	33.0	29.7	-
8:21	6.0	8.1	8:21	22.8	30.2	-
8:22	7.3	8.4	8:22	17.3	30.5	-
8:23	6.8	8.5	8:23	30.3	31.4	-
8:24	15.5	9.3	8:24	64.3	33.9	-
8:25	34.3	11.2	8:25	79.0	37.7	-
8:26	12.3	11.7	8:26	30.8	37.3	-
8:27	4.0	11.5	8:27	25.0	36.8	-
8:28	4.5	9.3	8:28	31.5	35.3	-
8:29	5.5	8.8	8:29	120.8	40.3	-
8:30	12.0	9.3	8:30	345.0	62.0	-
8:31	5.0	9.0	8:31	59.0	64.5	-
8:32	3.8	8.7	8:32	18.0	63.7	-
8:33	4.5	8.7	8:33	17.8	61.6	-
8:34	7.5	8.9	8:34	29.0	61.6	-
8:35	17.3	9.7	8:35	15.8	60.4	-
8:36	21.5	10.8	8:36	10.8	59.6	-
8:37	26.5	12.1	8:37	10.3	59.1	-
8:38	14.5	12.6	8:38	34.8	59.4	-
8:39	4.0	11.8	8:39	23.8	56.7	-
8:40	7.8	10.0	8:40	15.8	52.5	-
8:41	18.3	10.4	8:41	11.8	51.3	-
8:42	23.8	11.8	8:42	12.5	50.4	-
8:43	20.3	12.8	8:43	14.8	49.3	-
8:44	14.3	13.4	8:44	13.3	42.1	-
8:45	11.0	13.3	8:45	16.5	20.2	-
8:46	22.3	14.5	8:46	15.5	17.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
8:47	19.5	15.5	8:47	13.0	17.0	-
8:48	19.8	16.5	8:48	14.0	16.8	-
8:49	11.8	16.8	8:49	15.8	15.9	-
8:50	10.3	16.4	8:50	13.8	15.7	-
8:51	18.0	16.1	8:51	14.5	16.0	-
8:52	9.8	15.0	8:52	37.8	17.8	-
8:53	8.5	14.6	8:53	83.3	21.1	-
8:54	7.5	14.8	8:54	34.3	21.8	-
8:55	3.0	14.5	8:55	39.3	23.3	-
8:56	3.0	13.5	8:56	13.0	23.4	-
8:57	4.3	12.2	8:57	14.0	23.5	-
8:58	3.5	11.1	8:58	12.3	23.3	-
8:59	3.0	10.3	8:59	12.3	23.3	-
9:00	4.3	9.9	9:00	15.3	23.2	-
9:01	6.3	8.8	9:01	13.5	23.1	-
9:02	5.8	7.9	9:02	16.3	23.3	-
9:03	10.3	7.3	9:03	14.0	23.3	-
9:04	16.8	7.6	9:04	12.3	23.0	-
9:05	17.0	8.1	9:05	13.0	23.0	-
9:06	6.5	7.3	9:06	14.8	23.0	-
9:07	4.0	6.9	9:07	16.3	21.6	-
9:08	4.0	6.6	9:08	14.3	17.0	-
9:09	4.0	6.4	9:09	16.5	15.8	-
9:10	12.5	7.0	9:10	3.3	13.4	-
9:11	13.5	7.7	9:11	4.0	12.8	-
9:12	14.3	8.4	9:12	3.8	12.1	-
9:13	14.3	9.1	9:13	7.0	11.8	-
9:14	13.4	9.8	9:14	24.3	12.6	-
9:15	12.4	10.3	9:15	14.3	12.5	-
9:16	13.0	10.8	9:16	6.0	12.0	-
9:17	19.8	11.7	9:17	4.3	11.2	-
9:18	18.5	12.3	9:18	5.8	10.6	-
9:19	16.3	12.2	9:19	5.0	10.2	-
9:20	14.3	12.0	9:20	4.3	9.6	-
9:21	22.3	13.1	9:21	8.0	9.1	-
9:22	17.0	14.0	9:22	6.0	8.4	-
9:23	14.5	14.7	9:23	3.0	7.7	-
9:24	14.5	15.4	9:24	3.5	6.8	-
9:25	14.0	15.5	9:25	4.8	6.9	-
9:26	15.0	15.6	9:26	5.6	7.0	-
9:27	14.0	15.5	9:27	6.0	7.2	-
9:28	23.0	16.1	9:28	5.5	7.1	-
9:29	30.0	17.2	9:29	7.0	5.9	-
9:30	4.3	16.7	9:30	13.8	5.9	-
9:31	6.8	16.3	9:31	13.8	6.4	-
9:32	4.3	15.2	9:32	15.3	7.1	-
9:33	3.0	14.2	9:33	14.0	7.7	-
9:34	3.0	13.3	9:34	16.3	8.4	-
9:35	4.5	12.7	9:35	15.0	9.2	-
9:36	4.0	11.5	9:36	14.5	9.6	-
9:37	5.3	10.7	9:37	15.8	10.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
9:38	5.0	10.0	9:38	15.0	11.0	-
9:39	5.3	9.4	9:39	22.8	12.3	-
9:40	7.3	9.0	9:40	40.5	14.7	-
9:41	4.3	8.3	9:41	117.8	22.2	-
9:42	3.8	7.6	9:42	58.5	25.7	-
9:43	5.5	6.4	9:43	77.5	30.5	-
9:44	7.3	4.9	9:44	265.3	47.7	-
9:45	5.5	5.0	9:45	254.0	63.7	-
9:46	11.8	5.3	9:46	393.8	89.1	-
9:47	16.5	6.1	9:47	409.5	115.3	-
9:48	11.0	6.7	9:48	268.5	132.3	-
9:49	6.0	6.9	9:49	22.5	132.7	-
9:50	6.0	7.0	9:50	17.3	132.9	-
9:51	7.0	7.2	9:51	27.8	133.8	-
9:52	6.8	7.3	9:52	63.5	136.9	-
9:53	7.0	7.4	9:53	75.0	140.9	-
9:54	6.0	7.4	9:54	55.5	143.1	-
9:55	5.8	7.3	9:55	25.0	142.1	-
9:56	4.0	7.3	9:56	16.3	135.3	-
9:57	3.8	7.3	9:57	15.8	132.5	-
9:58	4.8	7.3	9:58	13.8	128.2	-
9:59	5.5	7.2	9:59	18.3	111.8	-
10:00	4.3	7.1	10:00	18.0	96.0	-
10:01	4.5	6.6	10:01	17.5	70.9	-
10:02	11.0	6.2	10:02	15.0	44.6	-
10:03	4.5	5.8	10:03	17.0	27.9	-
10:04	5.3	5.7	10:04	21.0	27.8	-
10:05	4.8	5.7	10:05	17.3	27.8	-
10:06	4.5	5.5	10:06	19.0	27.2	-
10:07	5.0	5.4	10:07	15.0	24.0	-
10:08	5.5	5.3	10:08	15.8	20.0	-
10:09	6.5	5.3	10:09	21.3	17.7	-
10:10	12.8	5.8	10:10	70.0	20.7	-
10:11	11.8	6.3	10:11	130.3	28.3	-
10:12	8.5	6.6	10:12	32.5	29.4	-
10:13	4.0	6.6	10:13	20.5	29.9	-
10:14	4.5	6.5	10:14	22.3	30.2	-
10:15	6.0	6.6	10:15	33.8	31.2	-
10:16	5.5	6.7	10:16	32.3	32.2	-
10:17	6.0	6.3	10:17	23.3	32.7	-
10:18	9.0	6.6	10:18	26.0	33.3	-
10:19	6.3	6.7	10:19	24.8	33.6	-
10:20	26.8	8.2	10:20	23.8	34.0	-
10:21	35.5	10.2	10:21	28.5	34.7	-
10:22	24.8	11.6	10:22	25.0	35.3	-
10:23	8.5	11.8	10:23	34.8	36.6	-
10:24	7.0	11.8	10:24	24.3	36.8	-
10:25	16.8	12.1	10:25	20.0	33.5	-
10:26	41.5	14.0	10:26	20.3	26.1	-
10:27	16.0	14.5	10:27	19.3	25.2	-
10:28	6.3	14.7	10:28	20.3	25.2	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
10:29	4.8	14.7	10:29	21.3	25.2	-
10:30	4.3	14.6	10:30	54.3	26.5	-
10:31	5.8	14.6	10:31	48.8	27.6	-
10:32	6.3	14.6	10:32	17.5	27.2	-
10:33	5.0	14.4	10:33	22.5	27.0	-
10:34	4.8	14.3	10:34	17.5	26.5	-
10:35	5.0	12.8	10:35	15.3	26.0	-
10:36	4.4	10.7	10:36	17.8	25.2	-
10:37	4.4	9.4	10:37	18.0	24.8	-
10:38	4.0	9.1	10:38	18.3	23.7	-
10:39	6.5	9.0	10:39	20.0	23.4	-
10:40	8.5	8.5	10:40	26.3	23.8	-
10:41	6.3	6.1	10:41	26.0	24.2	-
10:42	5.0	5.4	10:42	28.8	24.8	-
10:43	5.0	5.3	10:43	70.5	28.2	-
10:44	4.8	5.3	10:44	31.3	28.8	-
10:45	5.3	5.4	10:45	18.5	26.5	-
10:46	7.0	5.5	10:46	19.8	24.5	-
10:47	7.0	5.5	10:47	39.0	26.0	-
10:48	7.0	5.7	10:48	20.0	25.8	-
10:49	5.5	5.7	10:49	20.0	26.0	-
10:50	5.0	5.7	10:50	51.5	28.4	-
10:51	7.0	5.9	10:51	29.5	29.2	-
10:52	4.8	5.9	10:52	20.3	29.3	-
10:53	4.3	5.9	10:53	20.5	29.5	-
10:54	10.5	6.2	10:54	21.3	29.5	-
10:55	5.5	6.0	10:55	20.8	29.2	-
10:56	6.5	6.0	10:56	23.3	29.0	-
10:57	9.0	6.3	10:57	20.8	28.5	-
10:58	10.5	6.6	10:58	20.0	25.1	-
10:59	12.5	7.2	10:59	19.5	24.3	-
11:00	10.8	7.5	11:00	19.8	24.4	-
11:01	6.5	7.5	11:01	19.8	24.4	-
11:02	5.5	7.4	11:02	23.3	23.3	-
11:03	9.8	7.6	11:03	34.8	24.3	-
11:04	9.0	7.8	11:04	26.3	24.7	-
11:05	8.0	8.0	11:05	26.3	23.1	-
11:06	12.0	8.3	11:06	32.3	23.2	-
11:07	7.8	8.5	11:07	31.5	24.0	-
11:08	10.5	9.0	11:08	44.8	25.6	-
11:09	8.5	8.8	11:09	26.0	25.9	-
11:10	5.3	8.8	11:10	28.8	26.5	-
11:11	6.5	8.8	11:11	37.0	27.4	-
11:12	7.5	8.7	11:12	46.3	29.1	-
11:13	8.8	8.6	11:13	62.0	31.9	-
11:14	7.3	8.2	11:14	31.3	32.7	-
11:15	6.0	7.9	11:15	26.3	33.1	-
11:16	6.0	7.9	11:16	26.3	33.5	-
11:17	57.8	11.4	11:17	29.3	33.9	-
11:18	55.8	14.4	11:18	314.0	52.5	-
11:19	24.0	15.4	11:19	600.8	90.8	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
11:20	67.8	19.4	11:20	83.8	94.7	-
11:21	209.3	32.6	11:21	70.8	97.2	-
11:22	100.8	38.8	11:22	88.8	101.1	-
11:23	8.3	38.6	11:23	69.0	102.7	-
11:24	4.8	38.4	11:24	29.0	102.9	-
11:25	7.8	38.5	11:25	18.0	102.2	-
11:26	24.3	39.7	11:26	19.3	101.0	-
11:27	23.3	40.8	11:27	24.3	99.5	-
11:28	5.5	40.6	11:28	31.3	97.5	-
11:29	4.3	40.4	11:29	32.5	97.5	-
11:30	5.0	40.3	11:30	25.8	97.5	-
11:31	5.5	40.3	11:31	28.5	97.7	-
11:32	6.0	36.8	11:32	29.5	97.7	-
11:33	5.3	33.4	11:33	29.8	78.7	-
11:34	4.3	32.1	11:34	32.0	40.8	-
11:35	5.5	28.0	11:35	30.5	37.3	-
11:36	6.5	14.5	11:36	38.2	35.1	-
11:37	5.3	8.1	11:37	25.6	30.9	-
11:38	5.0	7.9	11:38	22.4	27.8	-
11:39	5.0	7.9	11:39	32.0	28.0	-
11:40	5.8	7.8	11:40	43.8	29.7	-
11:41	5.3	6.5	11:41	40.6	31.1	-
11:42	5.8	5.3	11:42	36.8	31.9	-
11:43	18.5	6.2	11:43	27.5	31.7	-
11:44	24.5	7.5	11:44	43.8	32.4	-
11:45	12.4	8.0	11:45	38.0	33.3	-
11:46	7.4	8.2	11:46	25.5	33.1	-
11:47	6.4	8.2	11:47	19.3	32.4	-
11:48	5.8	8.2	11:48	18.0	31.6	-
11:49	11.0	8.7	11:49	18.3	30.7	-
11:50	17.5	9.5	11:50	19.3	29.9	-
11:51	14.5	10.0	11:51	17.5	28.5	-
11:52	7.3	10.1	11:52	18.5	28.1	-
11:53	7.0	10.3	11:53	35.5	28.9	-
11:54	5.5	10.3	11:54	42.0	29.6	-
11:55	5.8	10.3	11:55	32.0	28.8	-
11:56	7.8	10.5	11:56	36.8	28.6	-
11:57	5.5	10.4	11:57	88.5	32.0	-
11:58	4.0	9.5	11:58	100.8	36.9	-
11:59	4.5	8.1	11:59	37.0	36.5	-
12:00	5.0	7.7	12:00	66.3	38.3	-
12:01	5.0	7.5	12:01	78.0	41.8	-
12:02	5.0	7.4	12:02	99.0	47.2	-
12:03	7.0	7.5	12:03	116.3	53.7	-
12:04	10.0	7.4	12:04	226.3	67.6	-
12:05	7.0	6.7	12:05	170.0	77.6	-
12:06	7.0	6.2	12:06	217.8	91.0	-
12:07	18.3	7.0	12:07	280.5	108.4	-
12:08	40.8	9.2	12:08	449.8	136.1	-
12:09	20.5	10.2	12:09	489.3	165.9	X
12:10	17.0	11.0	12:10	126.5	172.2	X

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
12:11	11.3	11.2	12:11	16.3	170.8	X
12:12	9.0	11.4	12:12	16.3	166.0	X
12:13	9.0	11.8	12:13	16.0	160.3	-
12:14	7.3	11.9	12:14	15.0	158.9	-
12:15	7.0	12.1	12:15	15.0	155.5	-
12:16	7.0	12.2	12:16	16.0	151.3	-
12:17	8.5	12.4	12:17	16.0	145.8	-
12:18	7.5	12.5	12:18	16.0	139.1	-
12:19	10.3	12.5	12:19	16.5	125.1	-
12:20	10.0	12.7	12:20	18.8	115.0	-
12:21	10.0	12.9	12:21	20.5	101.9	-
12:22	9.0	12.3	12:22	19.3	84.5	-
12:23	7.0	10.0	12:23	33.0	56.7	-
12:24	10.0	9.3	12:24	55.3	27.8	-
12:25	10.0	8.9	12:25	18.5	20.6	-
12:26	9.8	8.8	12:26	16.0	20.5	-
12:27	9.5	8.8	12:27	16.8	20.6	-
12:28	8.0	8.7	12:28	18.0	20.7	-
12:29	8.3	8.8	12:29	16.3	20.8	-
12:30	9.3	8.9	12:30	16.0	20.9	-
12:31	10.3	9.2	12:31	16.0	20.9	-
12:32	11.0	9.3	12:32	17.0	20.9	-
12:33	10.0	9.5	12:33	17.0	21.0	-
12:34	10.0	9.5	12:34	17.0	21.0	-
12:35	9.5	9.4	12:35	17.0	20.9	-
12:36	9.0	9.4	12:36	17.8	20.7	-
12:37	8.0	9.3	12:37	20.5	20.8	-
12:38	8.0	9.4	12:38	21.5	20.0	-
12:39	8.0	9.2	12:39	26.8	18.1	-
12:40	8.0	9.1	12:40	16.8	18.0	-
12:41	8.0	9.0	12:41	15.3	18.0	-
12:42	8.8	8.9	12:42	15.3	17.9	-
12:43	8.0	8.9	12:43	15.3	17.7	-
12:44	9.5	9.0	12:44	17.0	17.7	-
12:45	11.0	9.1	12:45	20.5	18.0	-
12:46	11.8	9.2	12:46	17.8	18.2	-
12:47	13.0	9.4	12:47	17.0	18.2	-
12:48	17.3	9.9	12:48	16.4	18.1	-
12:49	12.0	10.0	12:49	16.5	18.1	-
12:50	13.8	10.3	12:50	17.0	18.1	-
12:51	18.8	10.9	12:51	24.3	18.5	-
12:52	12.3	11.2	12:52	19.5	18.4	-
12:53	14.5	11.6	12:53	17.3	18.2	-
12:54	14.0	12.0	12:54	16.3	17.5	-
12:55	16.4	12.6	12:55	16.5	17.4	-
12:56	19.2	13.3	12:56	17.8	17.6	-
12:57	19.8	14.1	12:57	18.0	17.8	-
12:58	19.3	14.8	12:58	17.0	17.9	-
12:59	15.8	15.2	12:59	20.3	18.1	-
13:00	13.0	15.4	13:00	18.8	18.0	-
13:01	9.5	15.2	13:01	22.8	18.3	-

PARTICULATE DATA						
Upwind			Downwind			Exceeds Particulate Alarm Limit
Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	Time	Concentration (ug/m ³)	15-Min Avg Concentration (ug/m ³)	
13:02	10.3	15.0	13:02	17.5	18.4	-
13:03	9.8	14.5	13:03	16.0	18.4	-
13:04	10.5	14.4	13:04	16.8	18.4	-
13:05	11.5	14.3	13:05	16.3	18.3	-
13:06	11.5	13.8	13:06	15.0	17.7	-
13:07	10.5	13.7	13:07	16.0	17.5	-
13:08	10.0	13.4	13:08	26.0	18.1	-
13:09	10.3	13.1	13:09	19.5	18.3	-
13:10	12.5	12.9	13:10	15.0	18.2	-
13:11	15.0	12.6	13:11	15.3	18.0	-
13:12	13.3	12.2	13:12	15.0	17.8	-
13:13	13.8	11.8	13:13	14.0	17.6	-
13:14	16.3	11.8	13:14	14.8	17.2	-
13:15	13.8	11.9	13:15	17.3	17.1	-
13:16	13.0	12.1	13:16	22.3	17.1	-
13:17	14.3	12.4	13:17	31.3	18.0	-
13:18	12.0	12.5	13:18	33.8	19.2	-
13:19	10.3	12.5	13:19	36.8	20.5	-
13:20	10.5	12.5	13:20	27.5	21.3	-

Friday, December 9, 2022						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						356
Start Time:						7:10
End Time:						13:20
PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:10	0.0	-	7:10	0.0	-	-
7:11	0.0	-	7:11	0.0	-	-
7:12	0.0	-	7:12	0.0	-	-
7:13	0.0	-	7:13	0.0	-	-
7:14	0.0	-	7:14	0.0	-	-
7:15	0.0	-	7:15	0.0	-	-
7:16	0.0	-	7:16	0.0	-	-
7:17	0.0	-	7:17	0.0	-	-
7:18	0.0	-	7:18	0.0	-	-
7:19	0.0	-	7:19	0.0	-	-
7:20	0.0	-	7:20	0.0	-	-
7:21	0.0	-	7:21	0.0	-	-
7:22	0.0	-	7:22	0.0	-	-
7:23	0.0	-	7:23	0.0	-	-
7:24	0.0	-	7:24	0.0	-	-
7:25	0.0	0.0	7:25	0.0	0.0	-
7:26	0.0	0.0	7:26	0.0	0.0	-
7:27	0.0	0.0	7:27	0.0	0.0	-
7:28	0.0	0.0	7:28	0.0	0.0	-
7:29	0.0	0.0	7:29	0.0	0.0	-
7:30	0.0	0.0	7:30	0.0	0.0	-
7:31	0.0	0.0	7:31	0.0	0.0	-
7:32	0.0	0.0	7:32	0.0	0.0	-
7:33	0.0	0.0	7:33	0.0	0.0	-
7:34	0.0	0.0	7:34	0.0	0.0	-
7:35	0.0	0.0	7:35	0.0	0.0	-
7:36	0.0	0.0	7:36	0.0	0.0	-
7:37	0.0	0.0	7:37	0.0	0.0	-
7:38	0.0	0.0	7:38	0.0	0.0	-
7:39	0.0	0.0	7:39	0.0	0.0	-
7:40	0.0	0.0	7:40	0.0	0.0	-
7:41	0.0	0.0	7:41	0.0	0.0	-
7:42	0.0	0.0	7:42	0.0	0.0	-
7:43	0.0	0.0	7:43	0.0	0.0	-
7:44	0.0	0.0	7:44	0.0	0.0	-
7:45	0.0	0.0	7:45	0.0	0.0	-
7:46	0.0	0.0	7:46	0.0	0.0	-
7:47	0.0	0.0	7:47	0.0	0.0	-
7:48	0.0	0.0	7:48	0.0	0.0	-
7:49	0.0	0.0	7:49	0.0	0.0	-
7:50	0.0	0.0	7:50	0.0	0.0	-
7:51	0.0	0.0	7:51	0.0	0.0	-
7:52	0.0	0.0	7:52	0.0	0.0	-
7:53	0.0	0.0	7:53	0.0	0.0	-
7:54	0.0	0.0	7:54	0.0	0.0	-
7:55	0.0	0.0	7:55	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
7:56	0.0	0.0	7:56	0.0	0.0	-
7:57	0.0	0.0	7:57	0.0	0.0	-
7:58	0.0	0.0	7:58	0.0	0.0	-
7:59	0.0	0.0	7:59	0.0	0.0	-
8:00	0.0	0.0	8:00	0.0	0.0	-
8:01	0.0	0.0	8:01	0.0	0.0	-
8:02	0.0	0.0	8:02	0.0	0.0	-
8:03	0.0	0.0	8:03	0.0	0.0	-
8:04	0.0	0.0	8:04	0.0	0.0	-
8:05	0.0	0.0	8:05	0.0	0.0	-
8:06	0.0	0.0	8:06	0.0	0.0	-
8:07	0.0	0.0	8:07	0.0	0.0	-
8:08	0.0	0.0	8:08	0.0	0.0	-
8:09	0.0	0.0	8:09	0.0	0.0	-
8:10	0.0	0.0	8:10	0.0	0.0	-
8:11	0.0	0.0	8:11	0.0	0.0	-
8:12	0.0	0.0	8:12	0.0	0.0	-
8:13	0.0	0.0	8:13	0.0	0.0	-
8:14	0.0	0.0	8:14	0.0	0.0	-
8:15	0.0	0.0	8:15	0.0	0.0	-
8:16	0.0	0.0	8:16	0.0	0.0	-
8:17	0.0	0.0	8:17	0.0	0.0	-
8:18	0.0	0.0	8:18	0.0	0.0	-
8:19	0.0	0.0	8:19	0.0	0.0	-
8:20	0.0	0.0	8:20	0.0	0.0	-
8:21	0.0	0.0	8:21	0.0	0.0	-
8:22	0.0	0.0	8:22	0.0	0.0	-
8:23	0.0	0.0	8:23	0.0	0.0	-
8:24	0.0	0.0	8:24	0.0	0.0	-
8:25	0.0	0.0	8:25	0.0	0.0	-
8:26	0.0	0.0	8:26	0.0	0.0	-
8:27	0.0	0.0	8:27	0.0	0.0	-
8:28	0.0	0.0	8:28	0.0	0.0	-
8:29	0.0	0.0	8:29	0.0	0.0	-
8:30	0.0	0.0	8:30	0.0	0.0	-
8:31	0.0	0.0	8:31	0.0	0.0	-
8:32	0.0	0.0	8:32	0.0	0.0	-
8:33	0.0	0.0	8:33	0.0	0.0	-
8:34	0.0	0.0	8:34	0.0	0.0	-
8:35	0.0	0.0	8:35	0.0	0.0	-
8:36	0.0	0.0	8:36	0.0	0.0	-
8:37	0.0	0.0	8:37	0.0	0.0	-
8:38	0.0	0.0	8:38	0.0	0.0	-
8:39	0.0	0.0	8:39	0.0	0.0	-
8:40	0.0	0.0	8:40	0.0	0.0	-
8:41	0.0	0.0	8:41	0.0	0.0	-
8:42	0.0	0.0	8:42	0.0	0.0	-
8:43	0.0	0.0	8:43	0.0	0.0	-
8:44	0.0	0.0	8:44	0.0	0.0	-
8:45	0.0	0.0	8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	-
11:30	0.0	0.0	11:30	0.0	0.0	-
11:31	0.0	0.0	11:31	0.0	0.0	-
11:32	0.0	0.0	11:32	0.0	0.0	-
11:33	0.0	0.0	11:33	0.0	0.0	-
11:34	0.0	0.0	11:34	0.0	0.0	-
11:35	0.0	0.0	11:35	0.0	0.0	-
11:36	0.0	0.0	11:36	0.0	0.0	-
11:37	0.0	0.0	11:37	0.0	0.0	-
11:38	0.0	0.0	11:38	0.0	0.0	-
11:39	0.0	0.0	11:39	0.0	0.0	-
11:40	0.0	0.0	11:40	0.0	0.0	-
11:41	0.0	0.0	11:41	0.0	0.0	-
11:42	0.0	0.0	11:42	0.0	0.0	-
11:43	0.0	0.0	11:43	0.0	0.0	-
11:44	0.0	0.0	11:44	0.0	0.0	-
11:45	0.0	0.0	11:45	0.0	0.0	-
11:46	0.0	0.0	11:46	0.0	0.0	-
11:47	0.0	0.0	11:47	0.0	0.0	-
11:48	0.0	0.0	11:48	0.0	0.0	-
11:49	0.0	0.0	11:49	0.0	0.0	-
11:50	0.0	0.0	11:50	0.0	0.0	-
11:51	0.0	0.0	11:51	0.0	0.0	-
11:52	0.0	0.0	11:52	0.0	0.0	-
11:53	0.0	0.0	11:53	0.0	0.0	-
11:54	0.0	0.0	11:54	0.0	0.0	-
11:55	0.0	0.0	11:55	0.0	0.0	-
11:56	0.0	0.0	11:56	0.0	0.0	-
11:57	0.0	0.0	11:57	0.0	0.0	-
11:58	0.0	0.0	11:58	0.0	0.0	-
11:59	0.0	0.0	11:59	0.0	0.0	-
12:00	0.0	0.0	12:00	0.0	0.0	-
12:01	0.0	0.0	12:01	0.0	0.0	-
12:02	0.0	0.0	12:02	0.0	0.0	-
12:03	0.0	0.0	12:03	0.0	0.0	-
12:04	0.0	0.0	12:04	0.0	0.0	-
12:05	0.0	0.0	12:05	0.0	0.0	-
12:06	0.0	0.0	12:06	0.0	0.0	-
12:07	0.0	0.0	12:07	0.0	0.0	-
12:08	0.0	0.0	12:08	0.0	0.0	-
12:09	0.0	0.0	12:09	0.0	0.0	-
12:10	0.0	0.0	12:10	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
12:11	0.0	0.0	12:11	0.0	0.0	-
12:12	0.0	0.0	12:12	0.0	0.0	-
12:13	0.0	0.0	12:13	0.0	0.0	-
12:14	0.0	0.0	12:14	0.0	0.0	-
12:15	0.0	0.0	12:15	0.0	0.0	-
12:16	0.0	0.0	12:16	0.0	0.0	-
12:17	0.0	0.0	12:17	0.0	0.0	-
12:18	0.0	0.0	12:18	0.0	0.0	-
12:19	0.0	0.0	12:19	0.0	0.0	-
12:20	0.0	0.0	12:20	0.0	0.0	-
12:21	0.0	0.0	12:21	0.0	0.0	-
12:22	0.0	0.0	12:22	0.0	0.0	-
12:23	0.0	0.0	12:23	0.0	0.0	-
12:24	0.0	0.0	12:24	0.0	0.0	-
12:25	0.0	0.0	12:25	0.0	0.0	-
12:26	0.0	0.0	12:26	0.0	0.0	-
12:27	0.0	0.0	12:27	0.0	0.0	-
12:28	0.0	0.0	12:28	0.0	0.0	-
12:29	0.0	0.0	12:29	0.0	0.0	-
12:30	0.0	0.0	12:30	0.0	0.0	-
12:31	0.0	0.0	12:31	0.0	0.0	-
12:32	0.0	0.0	12:32	0.0	0.0	-
12:33	0.0	0.0	12:33	0.0	0.0	-
12:34	0.0	0.0	12:34	0.0	0.0	-
12:35	0.0	0.0	12:35	0.0	0.0	-
12:36	0.0	0.0	12:36	0.0	0.0	-
12:37	0.0	0.0	12:37	0.0	0.0	-
12:38	0.0	0.0	12:38	0.0	0.0	-
12:39	0.0	0.0	12:39	0.0	0.0	-
12:40	0.0	0.0	12:40	0.0	0.0	-
12:41	0.0	0.0	12:41	0.0	0.0	-
12:42	0.0	0.0	12:42	0.0	0.0	-
12:43	0.0	0.0	12:43	0.0	0.0	-
12:44	0.0	0.0	12:44	0.0	0.0	-
12:45	0.0	0.0	12:45	0.0	0.0	-
12:46	0.0	0.0	12:46	0.0	0.0	-
12:47	0.0	0.0	12:47	0.0	0.0	-
12:48	0.0	0.0	12:48	0.0	0.0	-
12:49	0.0	0.0	12:49	0.0	0.0	-
12:50	0.0	0.0	12:50	0.0	0.0	-
12:51	0.0	0.0	12:51	0.0	0.0	-
12:52	0.0	0.0	12:52	0.0	0.0	-
12:53	0.0	0.0	12:53	0.0	0.0	-
12:54	0.0	0.0	12:54	0.0	0.0	-
12:55	0.0	0.0	12:55	0.0	0.0	-
12:56	0.0	0.0	12:56	0.0	0.0	-
12:57	0.0	0.0	12:57	0.0	0.0	-
12:58	0.0	0.0	12:58	0.0	0.0	-
12:59	0.0	0.0	12:59	0.0	0.0	-
13:00	0.0	0.0	13:00	0.0	0.0	-
13:01	0.0	0.0	13:01	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOC Alarm Limit
Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	Time	Concentration (ppm)	15-Min Avg Concentration (ppm)	
13:02	0.0	0.0	13:02	0.0	0.0	-
13:03	0.0	0.0	13:03	0.0	0.0	-
13:04	0.0	0.0	13:04	0.0	0.0	-
13:05	0.0	0.0	13:05	0.0	0.0	-
13:06	0.0	0.0	13:06	0.0	0.0	-
13:07	0.0	0.0	13:07	0.0	0.0	-
13:08	0.0	0.0	13:08	0.0	0.0	-
13:09	0.0	0.0	13:09	0.0	0.0	-
13:10	0.0	0.0	13:10	0.0	0.0	-
13:11	0.0	0.0	13:11	0.0	0.0	-
13:12	0.0	0.0	13:12	0.0	0.0	-
13:13	0.0	0.0	13:13	0.0	0.0	-
13:14	0.0	0.0	13:14	0.0	0.0	-
13:15	0.0	0.0	13:15	0.0	0.0	-
13:16	0.0	0.0	13:16	0.0	0.0	-
13:17	0.0	0.0	13:17	0.0	0.0	-
13:18	0.0	0.0	13:18	0.0	0.0	-
13:19	0.0	0.0	13:19	0.0	0.0	-
13:20	0.0	0.0	13:20	0.0	0.0	-