

**DAILY STATUS REPORT****Prepared****By:**Thomas
Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		S- 8mph

IEC Project No:	14729	NYSDEC BCP Site No:	C224329	Date:	2/27/23
Project:	585 Union Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:45 Time Out: 17:30	Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group, Shannon Dowling Raptor – Foundation Contractor Equipment On Site: Cat325C, Cat 311C, MC15 Pile Rig, MC22 Pile Rig, Minirae 3000 PID, DustTrak II, Bauer BG 36 H
---	--

Scope of Work:

- Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP);
- Oversight of excavation/foundation removal;
- Oversight of excavation/loading of fill materials; and
- Oversight of hot spot excavations

Site Activities:

- Continuation of installing and grouting piles by ECD;
- A total of three (3) concrete trucks came to site to grout structural piles;
- Exposing installed piles in WC-7 and WC-8 and removed grout from top portion;
- A total of twelve (12) truckloads of material from WC-8 were sent to Bayshore for off site disposal; and
- Preparation for lateral test on pile.

Community Air Monitoring Program (CAMP) -

- PID remained at nominal levels throughout the day;
- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = __0.0__ ppm, Dust = __0.231__ mg/m³ @ 06:42 **High initial reading due to moisture buildup overnight.
- High Conditions (Upwind) – PID = __0.0__ ppm, Dust = __0.231__ mg/m³ @ 06:42
- High Conditions (Downwind) – PID = __0.0__ ppm, Dust = __0.139__ mg/m³ @ 08:44

*Note Upwind CAMP unit died at 11:55 due to a battery issue, PINE was called for delivery of backup marine batteries so units can hold charge while they are operating.

Notable Site Conditions:

- Refer to Site Activities

Planned Activities for the Next Day:

- Continuation of installation of structural piles;
- Removal of soil from WC-7 to Bayshore (10 trucks scheduled);
- Continuation of exposing installed piles;
- Installation of whalers along Sackett Street; and
- Collection of end-point samples site-wide.

PHOTO LOG

585 Union Street, Brooklyn,
NY



Photo 1 –
Representative
photo of soil
being removed
from WC-8 to
Bayshore.



Photo 2 –

Representative photo of ECD drilling a pile in WC-7.



Photo 3 –

Representative photo of exposing piles in WC-8.




Photo 4 –
Representative
photo of
cleaning the
tires of a car
onsite on track
pad.



SITE PLAN

585 Union Street, Brooklyn,
NY






NOTES:
1. BASE MAP TAKEN FROM "SUPPORT OF EXCAVATION PLAN"
(DRAWING NO. SOE-102.01) PREPARED BY GEOTECHNICAL
ENGINEERING SERVICES, P.C., DATED 12/21/2021.

LEGEND

SITE PLAN

577-585 UNION STREET
BROOKLYN, NY
BLOCK 433, LOT 20

SHEET NO.	
14729	
PROJECT NO.	14729
DESIGNED BY	JE
DRAWN BY	JE
CHECKED BY	JE
DATE	1/10/2022
SCALE	1"=30'
REVISIONS	
NO.	DESCRIPTION



UPWIND CAMP READINGS

585 Union Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530123704
Firmware Version	3.1
Calibration Date	6/13/2022
Test Name	MANUAL_001
Test Start Time	6:42:39 AM
Test Start Date	2/27/2023
Test Length [D:H:M]	0:10:24
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.021
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.231
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	314

Elapsed Time [s]	Mass [mg/m3]	PID (ppmv)	Alarms	Errors
6:42	0.231	0		
6:43	0.029	0		
6:44	0.015	0		
6:45	0.017	0		
6:46	0.016	0		
6:47	0.015	0		
6:48	0.015	0		
6:49	0.016	0		
6:50	0.014	0		
6:51	0.017	0		
6:52	0.015	0		
6:53	0.017	0		
6:54	0.015	0		
6:55	0.016	0		
6:56	0.016	0		
6:57	0.015	0		
6:58	0.016	0		
6:59	0.016	0		
7:00	0.016	0		
7:01	0.016	0		
7:02	0.016	0		
7:03	0.026	0		
7:04	0.023	0		
7:05	0.024	0		
7:06	0.025	0		
7:07	0.022	0		
7:08	0.032	0		

7:09	0.036	0
7:10	0.034	0
7:11	0.05	0
7:12	0.028	0
7:13	0.025	0
7:14	0.022	0
7:15	0.019	0
7:16	0.019	0
7:17	0.016	0
7:18	0.014	0
7:19	0.014	0
7:20	0.012	0
7:21	0.015	0
7:22	0.014	0
7:23	0.014	0
7:24	0.015	0
7:25	0.016	0
7:26	0.016	0
7:27	0.016	0
7:28	0.014	0
7:29	0.016	0
7:30	0.018	0
7:31	0.02	0
7:32	0.019	0
7:33	0.017	0
7:34	0.017	0
7:35	0.018	0
7:36	0.017	0
7:37	0.016	0
7:38	0.016	0
7:39	0.016	0
7:40	0.018	0
7:41	0.019	0
7:42	0.016	0
7:43	0.015	0
7:44	0.016	0
7:45	0.015	0
7:46	0.016	0
7:47	0.016	0
7:48	0.018	0
7:49	0.017	0
7:50	0.023	0
7:51	0.019	0
7:52	0.021	0
7:53	0.022	0
7:54	0.022	0
7:55	0.022	0

7:56	0.018	0
7:57	0.018	0
7:58	0.017	0
7:59	0.019	0
8:00	0.019	0
8:01	0.017	0
8:02	0.017	0
8:03	0.017	0
8:04	0.02	0
8:05	0.037	0
8:06	0.023	0
8:07	0.023	0
8:08	0.021	0
8:09	0.021	0
8:10	0.023	0
8:11	0.021	0
8:12	0.019	0
8:13	0.018	0
8:14	0.015	0
8:15	0.016	0
8:16	0.016	0
8:17	0.017	0
8:18	0.017	0
8:19	0.016	0
8:20	0.017	0
8:21	0.018	0
8:22	0.02	0
8:23	0.02	0
8:24	0.02	0
8:25	0.019	0
8:26	0.019	0
8:27	0.019	0
8:28	0.018	0
8:29	0.019	0
8:30	0.019	0
8:31	0.019	0
8:32	0.02	0
8:33	0.02	0
8:34	0.02	0
8:35	0.02	0
8:36	0.02	0
8:37	0.021	0
8:38	0.046	0
8:39	0.021	0
8:40	0.02	0
8:41	0.021	0
8:42	0.021	0

8:43	0.021	0
8:44	0.02	0
8:45	0.021	0
8:46	0.044	0
8:47	0.029	0
8:48	0.023	0
8:49	0.023	0
8:50	0.022	0
8:51	0.022	0
8:52	0.022	0
8:53	0.021	0
8:54	0.021	0
8:55	0.021	0
8:56	0.021	0
8:57	0.021	0
8:58	0.021	0
8:59	0.021	0
9:00	0.021	0
9:01	0.022	0
9:02	0.022	0
9:03	0.022	0
9:04	0.022	0
9:05	0.024	0
9:06	0.023	0
9:07	0.022	0
9:08	0.021	0
9:09	0.02	0
9:10	0.021	0
9:11	0.021	0
9:12	0.02	0
9:13	0.02	0
9:14	0.02	0
9:15	0.021	0
9:16	0.021	0
9:17	0.021	0
9:18	0.021	0
9:19	0.021	0
9:20	0.024	0
9:21	0.022	0
9:22	0.021	0
9:23	0.021	0
9:24	0.023	0
9:25	0.023	0
9:26	0.023	0
9:27	0.022	0
9:28	0.022	0
9:29	0.022	0

9:30	0.023	0
9:31	0.022	0
9:32	0.021	0
9:33	0.021	0
9:34	0.02	0
9:35	0.021	0
9:36	0.021	0
9:37	0.021	0
9:38	0.02	0
9:39	0.02	0
9:40	0.02	0
9:41	0.02	0
9:42	0.02	0
9:43	0.022	0
9:44	0.026	0
9:45	0.028	0
9:46	0.026	0
9:47	0.025	0
9:48	0.025	0
9:49	0.022	0
9:50	0.02	0
9:51	0.018	0
9:52	0.018	0
9:53	0.021	0
9:54	0.018	0
9:55	0.018	0
9:56	0.018	0
9:57	0.018	0
9:58	0.019	0
9:59	0.021	0
10:00	0.018	0
10:01	0.018	0
10:02	0.017	0
10:03	0.017	0
10:04	0.018	0
10:05	0.018	0
10:06	0.018	0
10:07	0.017	0
10:08	0.019	0
10:09	0.019	0
10:10	0.019	0
10:11	0.025	0
10:12	0.02	0
10:13	0.019	0
10:14	0.02	0
10:15	0.017	0
10:16	0.017	0

10:17	0.017	0
10:18	0.018	0
10:19	0.018	0
10:20	0.017	0
10:21	0.016	0
10:22	0.016	0
10:23	0.016	0
10:24	0.018	0
10:25	0.017	0
10:26	0.016	0
10:27	0.016	0
10:28	0.016	0
10:29	0.016	0
10:30	0.016	0
10:31	0.016	0
10:32	0.017	0
10:33	0.018	0
10:34	0.018	0
10:35	0.019	0
10:36	0.018	0
10:37	0.016	0
10:38	0.016	0
10:39	0.018	0
10:40	0.017	0
10:41	0.017	0
10:42	0.016	0
10:43	0.015	0
10:44	0.015	0
10:45	0.016	0
10:46	0.017	0
10:47	0.017	0
10:48	0.015	0
10:49	0.016	0
10:50	0.018	0
10:51	0.016	0
10:52	0.015	0
10:53	0.015	0
10:54	0.017	0
10:55	0.016	0
10:56	0.017	0
10:57	0.015	0
10:58	0.018	0
10:59	0.016	0
11:00	0.016	0
11:01	0.016	0
11:02	0.016	0
11:03	0.016	0

11:04	0.017	0
11:05	0.016	0
11:06	0.015	0
11:07	0.016	0
11:08	0.015	0
11:09	0.016	0
11:10	0.019	0
11:11	0.018	0
11:12	0.018	0
11:13	0.018	0
11:14	0.018	0
11:15	0.017	0
11:16	0.017	0
11:17	0.019	0
11:18	0.018	0
11:19	0.018	0
11:20	0.018	0
11:21	0.018	0
11:22	0.017	0
11:23	0.02	0
11:24	0.018	0
11:25	0.018	0
11:26	0.018	0
11:27	0.018	0
11:28	0.019	0
11:29	0.018	0
11:30	0.02	0
11:31	0.017	0
11:32	0.017	0
11:33	0.018	0
11:34	0.018	0
11:35	0.017	0
11:36	0.022	0
11:37	0.022	0
11:38	0.02	0
11:39	0.021	0
11:40	0.019	0
11:41	0.026	0
11:42	0.02	0
11:43	0.018	0
11:44	0.018	0
11:45	0.021	0
11:46	0.02	0
11:47	0.022	0
11:48	0.013	0
11:49	0.01	0
11:50	0.014	0

11:51	0.011	0
11:52	0.008	0
11:53	0.011	0
11:54	0.009	0
11:55	0	0

DOWNWIND CAMP READINGS

585 Union Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530171414
Firmware Version	3.1
Calibration Date	9/29/2022
Test Name	MANUAL_001
Test Start Time	6:47:49 AM
Test Start Date	2/27/2023
Test Length [D:H:M]	0:09:38
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.029
Mass Minimum [mg/m3]	0.001
Mass Maximum [mg/m3]	0.139
Mass TWA [mg/m3]	0.031
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	0

Elapsed Time [s]	Mass [mg/m3]	PID (ppmv)	Alarms	Errors
6:47	0.026	0		
6:48	0.014	0		
6:49	0.013	0.2		
6:50	0.017	0		
6:51	0.014	0		
6:52	0.014	0.2		
6:53	0.014	0		
6:54	0.014	0		
6:55	0.025	0.2		
6:56	0.034	0		
6:57	0.018	0		
6:58	0.019	0.2		
6:59	0.018	0		
7:00	0.034	0		
7:01	0.026	0.2		
7:02	0.019	0		
7:03	0.03	0		
7:04	0.026	0.2		
7:05	0.025	0		
7:06	0.043	0		
7:07	0.029	0.2		
7:08	0.029	0		
7:09	0.039	0		
7:10	0.058	0.2		
7:11	0.092	0		
7:12	0.063	0		
7:13	0.061	0.2		

7:14	0.049	0
7:15	0.042	0
7:16	0.042	0.2
7:17	0.047	0
7:18	0.034	0
7:19	0.023	0.2
7:20	0.024	0
7:21	0.045	0
7:22	0.036	0.2
7:23	0.03	0
7:24	0.059	0
7:25	0.058	0.2
7:26	0.045	0
7:27	0.02	0
7:28	0.018	0.2
7:29	0.015	0
7:30	0.014	0
7:31	0.026	0.2
7:32	0.059	0
7:33	0.024	0
7:34	0.075	0.2
7:35	0.031	0
7:36	0.086	0
7:37	0.041	0.2
7:38	0.069	0
7:39	0.037	0
7:40	0.033	0.2
7:41	0.028	0
7:42	0.037	0
7:43	0.024	0.2
7:44	0.021	0
7:45	0.029	0
7:46	0.027	0.2
7:47	0.054	0
7:48	0.038	0
7:49	0.025	0.2
7:50	0.026	0
7:51	0.019	0
7:52	0.016	0.2
7:53	0.025	0
7:54	0.036	0
7:55	0.051	0.2
7:56	0.026	0
7:57	0.024	0
7:58	0.021	0.2
7:59	0.059	0
8:00	0.053	0

8:01	0.021	0.2
8:02	0.037	0
8:03	0.027	0
8:04	0.018	0.2
8:05	0.023	0
8:06	0.039	0
8:07	0.041	0.2
8:08	0.019	0
8:09	0.021	0
8:10	0.026	0.2
8:11	0.019	0
8:12	0.023	0
8:13	0.019	0.2
8:14	0.016	0
8:15	0.026	0
8:16	0.017	0.2
8:17	0.024	0
8:18	0.026	0
8:19	0.021	0.2
8:20	0.028	0
8:21	0.019	0
8:22	0.019	0.2
8:23	0.02	0
8:24	0.02	0
8:25	0.022	0.2
8:26	0.019	0
8:27	0.024	0
8:28	0.024	0.2
8:29	0.022	0
8:30	0.03	0
8:31	0.022	0.2
8:32	0.021	0
8:33	0.021	0
8:34	0.019	0.2
8:35	0.027	0
8:36	0.046	0
8:37	0.031	0.2
8:38	0.075	0
8:39	0.032	0
8:40	0.039	0.2
8:41	0.083	0
8:42	0.105	0
8:43	0.099	0.2
8:44	0.139	0
8:45	0.121	0
8:46	0.119	0.2
8:47	0.117	0

8:48	0.032	0
8:49	0.045	0.2
8:50	0.042	0
8:51	0.041	0
8:52	0.06	0.2
8:53	0.028	0
8:54	0.033	0
8:55	0.035	0.2
8:56	0.022	0
8:57	0.021	0
8:58	0.021	0
8:59	0.019	0.2
9:00	0.019	0
9:01	0.053	0
9:02	0.038	0
9:03	0.023	0.2
9:04	0.023	0
9:05	0.034	0
9:06	0.026	0
9:07	0.024	0.2
9:08	0.024	0
9:09	0.019	0
9:10	0.022	0
9:11	0.022	0.2
9:12	0.026	0
9:13	0.023	0
9:14	0.036	0
9:15	0.026	0.2
9:16	0.022	0
9:17	0.02	0
9:18	0.056	0
9:19	0.03	0.2
9:20	0.022	0
9:21	0.021	0
9:22	0.02	0
9:23	0.019	0.2
9:24	0.019	0
9:25	0.021	0
9:26	0.029	0
9:27	0.02	0.2
9:28	0.02	0
9:29	0.022	0
9:30	0.027	0
9:31	0.021	0.2
9:32	0.02	0
9:33	0.022	0
9:34	0.019	0

9:35	0.02	0.2
9:36	0.019	0
9:37	0.02	0
9:38	0.027	0
9:39	0.023	0.2
9:40	0.032	0
9:41	0.026	0
9:42	0.023	0
9:43	0.024	0.2
9:44	0.021	0
9:45	0.022	0
9:46	0.028	0
9:47	0.019	0.2
9:48	0.019	0
9:49	0.019	0
9:50	0.019	0
9:51	0.018	0.2
9:52	0.017	0
9:53	0.017	0
9:54	0.017	0
9:55	0.017	0.2
9:56	0.017	0
9:57	0.017	0
9:58	0.017	0
9:59	0.017	0.2
10:00	0.019	0
10:01	0.023	0
10:02	0.023	0
10:03	0.02	0.2
10:04	0.019	0
10:05	0.02	0
10:06	0.018	0
10:07	0.036	0
10:08	0.024	0.2
10:09	0.019	0
10:10	0.019	0
10:11	0.024	0
10:12	0.021	0
10:13	0.019	0.2
10:14	0.018	0
10:15	0.017	0
10:16	0.017	0
10:17	0.019	0
10:18	0.018	0.2
10:19	0.016	0
10:20	0.016	0
10:21	0.016	0

10:22	0.044	0
10:23	0.074	0.2
10:24	0.075	0
10:25	0.045	0
10:26	0.058	0
10:27	0.044	0
10:28	0.02	0.2
10:29	0.025	0
10:30	0.025	0
10:31	0.018	0
10:32	0.018	0
10:33	0.017	0.2
10:34	0.016	0
10:35	0.019	0
10:36	0.025	0
10:37	0.025	0
10:38	0.017	0.2
10:39	0.024	0
10:40	0.017	0
10:41	0.021	0
10:42	0.048	0
10:43	0.04	0
10:44	0.02	0.2
10:45	0.021	0
10:46	0.016	0
10:47	0.015	0
10:48	0.015	0
10:49	0.015	0
10:50	0.024	0.2
10:51	0.03	0
10:52	0.045	0
10:53	0.078	0
10:54	0.022	0
10:55	0.016	0
10:56	0.016	0.2
10:57	0.015	0
10:58	0.017	0
10:59	0.016	0
11:00	0.026	0
11:01	0.034	0
11:02	0.023	0.2
11:03	0.016	0
11:04	0.017	0
11:05	0.023	0
11:06	0.019	0
11:07	0.018	0
11:08	0.02	0.2

11:09	0.022	0
11:10	0.023	0
11:11	0.025	0
11:12	0.036	0
11:13	0.034	0
11:14	0.03	0.2
11:15	0.026	0
11:16	0.023	0
11:17	0.024	0
11:18	0.016	0
11:19	0.017	0
11:20	0.052	0.2
11:21	0.03	0
11:22	0.019	0
11:23	0.072	0
11:24	0.115	0
11:25	0.06	0
11:26	0.021	0.2
11:27	0.017	0
11:28	0.019	0
11:29	0.082	0
11:30	0.047	0
11:31	0.018	0
11:32	0.017	0.2
11:33	0.033	0
11:34	0.028	0
11:35	0.036	0
11:36	0.066	0
11:37	0.054	0
11:38	0.018	0.3
11:39	0.022	0
11:40	0.047	0
11:41	0.066	0
11:42	0.022	0
11:43	0.036	0
11:44	0.021	0.2
11:45	0.017	0
11:46	0.017	0
11:47	0.017	0
11:48	0.02	0
11:49	0.023	0
11:50	0.027	0.2
11:51	0.024	0
11:52	0.022	0
11:53	0.022	0
11:54	0.022	0
11:55	0.023	0

11:56	0.022	0.2
11:57	0.021	0
11:58	0.021	0
11:59	0.02	0
12:00	0.02	0
12:01	0.02	0
12:02	0.022	0.3
12:03	0.02	0
12:04	0.02	0
12:05	0.064	0
12:06	0.023	0
12:07	0.022	0
12:08	0.022	0.3
12:09	0.025	0
12:10	0.024	0
12:11	0.026	0
12:12	0.025	0
12:13	0.023	0
12:14	0.026	0.3
12:15	0.032	0
12:16	0.025	0
12:17	0.026	0
12:18	0.025	0
12:19	0.027	0
12:20	0.026	0.3
12:21	0.024	0
12:22	0.023	0
12:23	0.024	0
12:24	0.023	0
12:25	0.023	0
12:26	0.025	0.3
12:27	0.026	0
12:28	0.025	0
12:29	0.034	0
12:30	0.031	0
12:31	0.066	0
12:32	0.06	0.2
12:33	0.036	0
12:34	0.043	0
12:35	0.082	0
12:36	0.03	0
12:37	0.03	0
12:38	0.029	0.2
12:39	0.026	0
12:40	0.026	0
12:41	0.027	0
12:42	0.027	0

12:43	0.029	0
12:44	0.03	0.3
12:45	0.033	0
12:46	0.04	0
12:47	0.029	0
12:48	0.04	0
12:49	0.029	0
12:50	0.034	0.3
12:51	0.055	0
12:52	0.05	0
12:53	0.04	0
12:54	0.033	0
12:55	0.03	0
12:56	0.035	0.3
12:57	0.044	0
12:58	0.035	0
12:59	0.075	0
13:00	0.052	0
13:01	0.031	0
13:02	0.032	0.3
13:03	0.032	0
13:04	0.049	0
13:05	0.026	0
13:06	0.023	0
13:07	0.024	0
13:08	0.023	0.3
13:09	0.021	0
13:10	0.022	0
13:11	0.027	0
13:12	0.037	0
13:13	0.03	0
13:14	0.032	0.3
13:15	0.024	0
13:16	0.022	0
13:17	0.019	0
13:18	0.019	0
13:19	0.051	0
13:20	0.054	0.3
13:21	0.021	0
13:22	0.018	0
13:23	0.018	0
13:24	0.021	0
13:25	0.023	0
13:26	0.022	0.3
13:27	0.021	0
13:28	0.02	0
13:29	0.019	0

13:30	0.019	0
13:31	0.028	0
13:32	0.071	0.3
13:33	0.087	0
13:34	0.031	0
13:35	0.02	0
13:36	0.019	0
13:37	0.019	0
13:38	0.018	0.3
13:39	0.017	0
13:40	0.017	0
13:41	0.017	0
13:42	0.017	0
13:43	0.019	0
13:44	0.016	0.3
13:45	0.017	0
13:46	0.021	0
13:47	0.02	0
13:48	0.016	0
13:49	0.016	0
13:50	0.017	0.3
13:51	0.017	0
13:52	0.015	0
13:53	0.016	0
13:54	0.017	0
13:55	0.017	0
13:56	0.018	0.3
13:57	0.019	0
13:58	0.034	0
13:59	0.022	0
14:00	0.024	0
14:01	0.02	0
14:02	0.021	0.3
14:03	0.019	0
14:04	0.023	0
14:05	0.02	0
14:06	0.021	0
14:07	0.024	0
14:08	0.025	0.3
14:09	0.017	0
14:10	0.018	0
14:11	0.024	0
14:12	0.025	0
14:13	0.02	0
14:14	0.019	0.3
14:15	0.024	0
14:16	0.021	0

14:17	0.017	0
14:18	0.031	0
14:19	0.039	0
14:20	0.055	0.3
14:21	0.037	0
14:22	0.068	0
14:23	0.034	0
14:24	0.021	0
14:25	0.029	0
14:26	0.035	0.3
14:27	0.04	0
14:28	0.02	0
14:29	0.023	0
14:30	0.112	0
14:31	0.042	0
14:32	0.066	0.3
14:33	0.085	0
14:34	0.035	0
14:35	0.049	0
14:36	0.023	0
14:37	0.052	0
14:38	0.087	0.3
14:39	0.038	0
14:40	0.025	0
14:41	0.019	0
14:42	0.023	0
14:43	0.019	0
14:44	0.018	0.3
14:45	0.018	0
14:46	0.017	0
14:47	0.018	0
14:48	0.017	0
14:49	0.02	0
14:50	0.021	0.3
14:51	0.023	0
14:52	0.042	0
14:53	0.023	0
14:54	0.015	0
14:55	0.017	0
14:56	0.023	0.3
14:57	0.024	0
14:58	0.019	0
14:59	0.018	0
15:00	0.019	0
15:01	0.042	0
15:02	0.019	0.3
15:03	0.016	0

15:04	0.029	0
15:05	0.033	0
15:06	0.028	0
15:07	0.019	0
15:08	0.023	0.3
15:09	0.021	0
15:10	0.018	0
15:11	0.015	0
15:12	0.016	0
15:13	0.02	0
15:14	0.022	0.3
15:15	0.022	0
15:16	0.039	0
15:17	0.035	0
15:18	0.02	0
15:19	0.018	0
15:20	0.02	0.3
15:21	0.112	0
15:22	0.022	0
15:23	0.024	0
15:24	0.024	0
15:25	0.017	0
15:26	0.02	0.3
15:27	0.023	0
15:28	0.034	0
15:29	0.022	0
15:30	0.019	0
15:31	0.033	0
15:32	0.018	0.3
15:33	0.02	0
15:34	0.018	0
15:35	0.016	0
15:36	0.019	0
15:37	0.013	0
15:38	0.014	0.3
15:39	0.016	0
15:40	0.014	0
15:41	0.014	0
15:42	0.015	0
15:43	0.016	0
15:44	0.014	0.3
15:45	0.014	0
15:46	0.014	0
15:47	0.016	0
15:48	0.017	0
15:49	0.021	0
15:50	0.018	0.3

15:51	0.038	0	
15:52	0.014	0	
15:53	0.013	0	
15:54	0.014	0	
15:55	0.014	0	
15:56	0.016	0.3	
15:57	0.014	0	
15:58	0.014	0	
15:59	0.014	0	
16:00	0.018	0	
16:01	0.019	0	
16:02	0.017	0.3	
16:03	0.016	0	
16:04	0.014	0	
16:05	0.018	0	
16:06	0.013	0	
16:07	0.013	0	
16:08	0.012	0	
16:09	0.075	0.3	
16:10	0.029	0	
16:11	0.015	0	
16:12	0.014	0	Flow Error
16:13	0.019	0	Flow Error
16:14	0.004	0	Flow Error
16:15	0.06	0	Flow Error
16:16	0.011	0.3	Flow Error
16:17	0.008	0	Flow Error
16:18	0.005	0	Flow Error
16:19	0.002	0	Flow Error
16:20	0.014	0	Flow Error
16:21	0.011	0	Flow Error
16:22	0.006	0	Flow Error
16:23	0.002	0.3	Flow Error
16:24	0.001	0	Flow Error