

**DAILY STATUS REPORT****Prepared By:**

Tyler LaSorsa

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70		70-85	X	>85		E – 5 mph

IEC Project No:	14729	NYSDEC BCP Site No:	C224329	Date:	5/12/23
Project:	585 Union Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:45

Time Out: 16:00

Personnel On Site:IEEG (Environmental) – Tyler LaSorsa
Broadway Construction Group, Shannon Dowling
Raptor – Foundation Contractor**Equipment On Site:**

Cat325C, Cat 311C, Minirae 3000 PID, DustTrak II,

Scope of Work:

- Community Air Monitoring Program (CAMP) implementation in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP)
- Pouring concrete slab in Con Ed vault – north end of site.
- Continue rebar work throughout site.

Site Activities:

- CAMP deployed at the start of the day's activities;
- Three (3) truckloads of material from Mt. Hope delivered to Site; and
- Two (2) loads of concrete delivered for pour of Con Ed vault.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.1_ ppm, Dust = 0.49 mg/m³ @ 07:07
- High Conditions (Upwind) – PID = _0.4_ ppm @ 09:32, Dust = 0.176 mg/m³ @ 10:41
- High Conditions (Downwind) – PID = _4.3_ ppm @ 12:34, Dust = 0.070 mg/m³ @ 07:34

**It should be noted that the downwind unit data logged every 15-minutes as the unit is a replacement, data logging will be changed to 1-minute intervals going forward.

Notable Site Conditions:

- See Site Activities.

Planned for the Next Day:

- Continued rebar and pile work;

- Excavation of petroleum contaminated area; and
- Continued dewatering.

PHOTO LOG

585 Union Street, Brooklyn,
NY



Photo 1 – View of work area in the morning from southeast side.



Photo 2 – Representative view of petroleum impacted area.



Photo 3 –


Representative
view of workers
pouring
concrete in Con
Ed vault.



SITE PLAN

585 Union Street, Brooklyn,
NY





UPWIND CAMP READINGS

585 Union Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132131
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_016
Test Start Time	7:06:41 AM
Test Start Date	5/12/2023
Test Length [D:H:M]	0:08:16
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.054
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.176
Mass TWA [mg/m3]	0.055
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	424

Elapsed Time [s]		Mass [mg/m3]	PID (ppmv)	Alarms	Errors
0	7:06:41 AM				
60	7:07:41 AM	0.049		0.1	
120	7:08:41 AM	0		0.1	
180	7:09:41 AM	0		0.1	
240	7:10:41 AM	0.003		0.1	
300	7:11:41 AM	0.006		0.1	
360	7:12:41 AM	0		0.1	
420	7:13:41 AM	0		0.1	
4829	7:14:41 AM	0		0.1	
4860	7:15:41 AM	0.109		0.1	
4920	7:16:41 AM	0.106		0.1	
4980	7:17:41 AM	0.076		0.1	
5040	7:18:41 AM	0.07		0.1	
5100	7:19:41 AM	0.074		0.1	
5160	7:20:41 AM	0.083		0.1	
5220	7:21:41 AM	0.077		0.1	
5280	7:22:41 AM	0.075		0.1	
5340	7:23:41 AM	0.075		0.1	
5400	7:24:41 AM	0.071		0.1	
5460	7:25:41 AM	0.073		0.1	
5520	7:26:41 AM	0.071		0.1	
5580	7:27:41 AM	0.068		0.1	
5640	7:28:41 AM	0.065		0.1	
5700	7:29:41 AM	0.072		0.1	
5760	7:30:41 AM	0.096		0.1	
5820	7:31:41 AM	0.083		0.1	
5880	7:32:41 AM	0.074		0.1	

5940	7:33:41 AM	0.07	0.1
6000	7:34:41 AM	0.066	0.1
6060	7:35:41 AM	0.066	0.1
6120	7:36:41 AM	0.065	0.1
6180	7:37:41 AM	0.063	0.1
6240	7:38:41 AM	0.063	0.1
6300	7:39:41 AM	0.074	0.1
6360	7:40:41 AM	0.084	0.1
6420	7:41:41 AM	0.067	0.1
6480	7:42:41 AM	0.065	0.1
6540	7:43:41 AM	0.064	0.1
6600	7:44:41 AM	0.064	0.1
6660	7:45:41 AM	0.059	0.1
6720	7:46:41 AM	0.06	0.1
6780	7:47:41 AM	0.062	0.1
6840	7:48:41 AM	0.066	0.1
6900	7:49:41 AM	0.063	0.1
6960	7:50:41 AM	0.062	0.1
7020	7:51:41 AM	0.063	0.1
7080	7:52:41 AM	0.062	0.1
7140	7:53:41 AM	0.102	0.1
7200	7:54:41 AM	0.146	0.1
7260	7:55:41 AM	0.108	0.1
7320	7:56:41 AM	0.133	0.2
7380	7:57:41 AM	0.099	0.2
7440	7:58:41 AM	0.101	0.1
7500	7:59:41 AM	0.065	0.1
7560	8:00:41 AM	0.063	0.1
7620	8:01:41 AM	0.062	0.1
7680	8:02:41 AM	0.075	0.1
7740	8:03:41 AM	0.063	0.1
7800	8:04:41 AM	0.062	0.1
7860	8:05:41 AM	0.062	0.1
7920	8:06:41 AM	0.064	0.1
7980	8:07:41 AM	0.075	0.1
8040	8:08:41 AM	0.074	0.1
8100	8:09:41 AM	0.078	0.1
8160	8:10:41 AM	0.08	0.2
8220	8:11:41 AM	0.076	0.1
8280	8:12:41 AM	0.079	0.1
8340	8:13:41 AM	0.075	0.1
8400	8:14:41 AM	0.075	0.2
8460	8:15:41 AM	0.075	0.2
8520	8:16:41 AM	0.073	0.2
8580	8:17:41 AM	0.075	0.1
8640	8:18:41 AM	0.074	0.1
8700	8:19:41 AM	0.074	0.2

8760	8:20:41 AM	0.077	0.2
8820	8:21:41 AM	0.076	0.2
8880	8:22:41 AM	0.093	0.2
8940	8:23:41 AM	0.094	0.2
9000	8:24:41 AM	0.079	0.2
9060	8:25:41 AM	0.08	0.2
9120	8:26:41 AM	0.072	0.2
9180	8:27:41 AM	0.081	0.2
9240	8:28:41 AM	0.072	0.2
9300	8:29:41 AM	0.072	0.1
9360	8:30:41 AM	0.071	0.2
9420	8:31:41 AM	0.074	0.2
9480	8:32:41 AM	0.071	0.2
9540	8:33:41 AM	0.073	0.2
9600	8:34:41 AM	0.072	0.2
9660	8:35:41 AM	0.076	0.2
9720	8:36:41 AM	0.074	0.2
9780	8:37:41 AM	0.078	0.2
9840	8:38:41 AM	0.07	0.2
9900	8:39:41 AM	0.07	0.2
9960	8:40:41 AM	0.072	0.2
10020	8:41:41 AM	0.082	0.2
10080	8:42:41 AM	0.078	0.2
10140	8:43:41 AM	0.076	0.2
10200	8:44:41 AM	0.069	0.2
10260	8:45:41 AM	0.075	0.2
10320	8:46:41 AM	0.082	0.2
10380	8:47:41 AM	0.087	0.2
10440	8:48:41 AM	0.097	0.2
10500	8:49:41 AM	0.079	0.2
10560	8:50:41 AM	0.076	0.2
10620	8:51:41 AM	0.077	0.2
10680	8:52:41 AM	0.072	0.2
10740	8:53:41 AM	0.074	0.2
10800	8:54:41 AM	0.071	0.2
10860	8:55:41 AM	0.073	0.2
10920	8:56:41 AM	0.109	0.2
10980	8:57:41 AM	0.081	0.2
11040	8:58:41 AM	0.067	0.2
11100	8:59:41 AM	0.065	0.2
11160	9:00:41 AM	0.064	0.2
11220	9:01:41 AM	0.062	0.2
11280	9:02:41 AM	0.074	0.2
11340	9:03:41 AM	0.083	0.2
11400	9:04:41 AM	0.071	0.2
11460	9:05:41 AM	0.077	0.2
11520	9:06:41 AM	0.065	0.2

11580	9:07:41 AM	0.06	0.2
11640	9:08:41 AM	0.072	0.2
11700	9:09:41 AM	0.063	0.2
11760	9:10:41 AM	0.061	0.2
11820	9:11:41 AM	0.063	0.2
11880	9:12:41 AM	0.061	0.2
11940	9:13:41 AM	0.059	0.2
12000	9:14:41 AM	0.06	0.2
12060	9:15:41 AM	0.061	0.3
12120	9:16:41 AM	0.06	0.3
12180	9:17:41 AM	0.062	0.2
12240	9:18:41 AM	0.06	0.2
12300	9:19:41 AM	0.059	0.2
12360	9:20:41 AM	0.062	0.2
12420	9:21:41 AM	0.07	0.2
12480	9:22:41 AM	0.063	0.2
12540	9:23:41 AM	0.063	0.2
12600	9:24:41 AM	0.074	0.2
12660	9:25:41 AM	0.067	0.3
12720	9:26:41 AM	0.055	0.3
12780	9:27:41 AM	0.066	0.3
12840	9:28:41 AM	0.051	0.3
12900	9:29:41 AM	0.048	0.3
12960	9:30:41 AM	0.05	0.3
13020	9:31:41 AM	0.049	0.3
13080	9:32:41 AM	0.056	0.4
13140	9:33:41 AM	0.068	0.3
13200	9:34:41 AM	0.054	0.3
13260	9:35:41 AM	0.054	0.2
13320	9:36:41 AM	0.056	0.3
13380	9:37:41 AM	0.049	0.2
13440	9:38:41 AM	0.046	0.2
13500	9:39:41 AM	0.05	0.2
13560	9:40:41 AM	0.048	0.3
13620	9:41:41 AM	0.047	0.3
13680	9:42:41 AM	0.06	0.3
13740	9:43:41 AM	0.072	0.4
13800	9:44:41 AM	0.049	0.3
13860	9:45:41 AM	0.046	0.3
13920	9:46:41 AM	0.044	0.5
13980	9:47:41 AM	0.053	0.3
14040	9:48:41 AM	0.052	0.3
14100	9:49:41 AM	0.06	0.3
14160	9:50:41 AM	0.048	0.3
14220	9:51:41 AM	0.057	0.3
14280	9:52:41 AM	0.047	0.3
14340	9:53:41 AM	0.054	0.3

14400	9:54:41 AM	0.049	0.3
14460	9:55:41 AM	0.051	0.3
14520	9:56:41 AM	0.054	0.2
14580	9:57:41 AM	0.048	0.2
14640	9:58:41 AM	0.053	0.3
14700	9:59:41 AM	0.063	0.3
14760	10:00:41 AM	0.052	0.3
14820	10:01:41 AM	0.079	0.3
14880	10:02:41 AM	0.101	0.3
14940	10:03:41 AM	0.045	0.3
15000	10:04:41 AM	0.042	0.3
15060	10:05:41 AM	0.043	0.2
15120	10:06:41 AM	0.046	0.3
15180	10:07:41 AM	0.045	0.3
15240	10:08:41 AM	0.073	0.3
15300	10:09:41 AM	0.051	0.3
15360	10:10:41 AM	0.048	0.3
15420	10:11:41 AM	0.041	0.3
15480	10:12:41 AM	0.043	0.3
15540	10:13:41 AM	0.048	0.2
15600	10:14:41 AM	0.041	0.3
15660	10:15:41 AM	0.041	0.3
15720	10:16:41 AM	0.043	0.3
15780	10:17:41 AM	0.041	0.3
15840	10:18:41 AM	0.046	0.2
15900	10:19:41 AM	0.072	0.3
15960	10:20:41 AM	0.044	0.2
16020	10:21:41 AM	0.168	0.2
16080	10:22:41 AM	0.065	0.3
16140	10:23:41 AM	0.058	0.3
16200	10:24:41 AM	0.048	0.2
16260	10:25:41 AM	0.043	0.3
16320	10:26:41 AM	0.042	0.3
16380	10:27:41 AM	0.048	0.3
16440	10:28:41 AM	0.111	0.3
16500	10:29:41 AM	0.054	0.3
16560	10:30:41 AM	0.045	0.3
16620	10:31:41 AM	0.041	0.3
16680	10:32:41 AM	0.048	0.3
16740	10:33:41 AM	0.052	0.3
16800	10:34:41 AM	0.045	0.3
16860	10:35:41 AM	0.043	0.3
16920	10:36:41 AM	0.045	0.3
16980	10:37:41 AM	0.045	0.2
17040	10:38:41 AM	0.045	0.2
17100	10:39:41 AM	0.058	0.3
17160	10:40:41 AM	0.047	0.3

17220	10:41:41 AM	0.176	0.3
17280	10:42:41 AM	0.041	0.2
17340	10:43:41 AM	0.039	0.3
17400	10:44:41 AM	0.046	0.2
17460	10:45:41 AM	0.046	0.3
17520	10:46:41 AM	0.05	0.2
17580	10:47:41 AM	0.041	0.3
17640	10:48:41 AM	0.076	0.3
17700	10:49:41 AM	0.046	0.3
17760	10:50:41 AM	0.038	0.2
17820	10:51:41 AM	0.032	0.3
17880	10:52:41 AM	0.035	0.3
17940	10:53:41 AM	0.06	0.3
18000	10:54:41 AM	0.056	0.3
18060	10:55:41 AM	0.11	0.3
18120	10:56:41 AM	0.11	0.3
18180	10:57:41 AM	0.054	0.3
18240	10:58:41 AM	0.041	0.3
18300	10:59:41 AM	0.089	0.3
18360	11:00:41 AM	0.057	0.3
18420	11:01:41 AM	0.042	0.3
18480	11:02:41 AM	0.039	0.3
18540	11:03:41 AM	0.037	0.3
18600	11:04:41 AM	0.027	0.3
18660	11:05:41 AM	0.054	0.3
18720	11:06:41 AM	0.038	0.3
18780	11:07:41 AM	0.034	0.3
18840	11:08:41 AM	0.034	0.3
18900	11:09:41 AM	0.035	0.3
18960	11:10:41 AM	0.034	0.3
19020	11:11:41 AM	0.04	0.3
19080	11:12:41 AM	0.034	0.3
19140	11:13:41 AM	0.035	0.3
19200	11:14:41 AM	0.059	0.3
19260	11:15:41 AM	0.043	0.3
19320	11:16:41 AM	0.044	0.3
19380	11:17:41 AM	0.047	0.3
19440	11:18:41 AM	0.039	0.3
19500	11:19:41 AM	0.052	0.3
19560	11:20:41 AM	0.039	0.3
19620	11:21:41 AM	0.038	0.3
19680	11:22:41 AM	0.032	0.3
19740	11:23:41 AM	0.035	0.3
19800	11:24:41 AM	0.036	0.3
19860	11:25:41 AM	0.032	0.3
19920	11:26:41 AM	0.036	0.3
19980	11:27:41 AM	0.032	0.3

20040	11:28:41 AM	0.031	0.3
20100	11:29:41 AM	0.036	0.3
20160	11:30:41 AM	0.032	0.3
20220	11:31:41 AM	0.028	0.3
20280	11:32:41 AM	0.03	0.3
20340	11:33:41 AM	0.027	0.3
20400	11:34:41 AM	0.03	0.3
20460	11:35:41 AM	0.032	0.3
20520	11:36:41 AM	0.031	0.3
20580	11:37:41 AM	0.029	0.3
20640	11:38:41 AM	0.031	0.3
20700	11:39:41 AM	0.028	0.3
20760	11:40:41 AM	0.029	0.3
20820	11:41:41 AM	0.032	0.3
20880	11:42:41 AM	0.031	0.3
20940	11:43:41 AM	0.027	0.3
21000	11:44:41 AM	0.028	0.3
21060	11:45:41 AM	0.034	0.3
21120	11:46:41 AM	0.03	0.4
21180	11:47:41 AM	0.03	0.4
21240	11:48:41 AM	0.034	0.3
21300	11:49:41 AM	0.026	0.3
21360	11:50:41 AM	0.03	0.3
21420	11:51:41 AM	0.027	0.3
21480	11:52:41 AM	0.027	0.3
21540	11:53:41 AM	0.029	0.3
21600	11:54:41 AM	0.029	0.3
21660	11:55:41 AM	0.031	0.3
21720	11:56:41 AM	0.054	0.3
21780	11:57:41 AM	0.029	0.4
21840	11:58:41 AM	0.027	0.3
21900	11:59:41 AM	0.028	0.3
21960	12:00:41 PM	0.028	0.3
22020	12:01:41 PM	0.029	0.3
22080	12:02:41 PM	0.03	0.3
22140	12:03:41 PM	0.03	0.3
22200	12:04:41 PM	0.029	0.3
22260	12:05:41 PM	0.031	0.3
22320	12:06:41 PM	0.029	0.3
22380	12:07:41 PM	0.031	0.3
22440	12:08:41 PM	0.043	0.3
22500	12:09:41 PM	0.038	0.3
22560	12:10:41 PM	0.032	0.3
22620	12:11:41 PM	0.032	0.3
22680	12:12:41 PM	0.035	0.3
22740	12:13:41 PM	0.029	0.3
22800	12:14:41 PM	0.03	0.3

22860	12:15:41 PM	0.031	0.3
22920	12:16:41 PM	0.031	0.3
22980	12:17:41 PM	0.033	0.3
23040	12:18:41 PM	0.038	0.3
23100	12:19:41 PM	0.034	0.3
23160	12:20:41 PM	0.082	0.3
23220	12:21:41 PM	0.034	0.3
23280	12:22:41 PM	0.035	0.3
23340	12:23:41 PM	0.032	0.3
23400	12:24:41 PM	0.032	0.3
23460	12:25:41 PM	0.033	0.3
23520	12:26:41 PM	0.033	0.3
23580	12:27:41 PM	0.034	0.3
23640	12:28:41 PM	0.032	0.3
23700	12:29:41 PM	0.032	0.3
23760	12:30:41 PM	0.034	0.3
23820	12:31:41 PM	0.035	0.3
23880	12:32:41 PM	0.037	0.3
23940	12:33:41 PM	0.036	0.3
24000	12:34:41 PM	0.034	0.3
24060	12:35:41 PM	0.033	0.3
24120	12:36:41 PM	0.032	0.3
24180	12:37:41 PM	0.033	0.4
24240	12:38:41 PM	0.034	0.3
24300	12:39:41 PM	0.032	0.3
24360	12:40:41 PM	0.032	0.3
24420	12:41:41 PM	0.03	0.3
24480	12:42:41 PM	0.032	0.3
24540	12:43:41 PM	0.032	0.3
24600	12:44:41 PM	0.049	0.3
24660	12:45:41 PM	0.037	0.3
24720	12:46:41 PM	0.035	0.3
24780	12:47:41 PM	0.04	0.3
24840	12:48:41 PM	0.031	0.3
24900	12:49:41 PM	0.032	0.3
24960	12:50:41 PM	0.036	0.3
25020	12:51:41 PM	0.036	0.3
25080	12:52:41 PM	0.045	0.3
25140	12:53:41 PM	0.033	0.3
25200	12:54:41 PM	0.034	0.3
25260	12:55:41 PM	0.031	0.3
25320	12:56:41 PM	0.029	0.3
25380	12:57:41 PM	0.034	0.3
25440	12:58:41 PM	0.03	0.3
25500	12:59:41 PM	0.038	0.3
25560	1:00:41 PM	0.045	0.3
25620	1:01:41 PM	0.037	0.3

25680	1:02:41 PM	0.04	0.3
25740	1:03:41 PM	0.039	0.3
25800	1:04:41 PM	0.034	0.3
25860	1:05:41 PM	0.03	0.3
25920	1:06:41 PM	0.029	0.3
25980	1:07:41 PM	0.027	0.3
26040	1:08:41 PM	0.028	0.3
26100	1:09:41 PM	0.028	0.3
26160	1:10:41 PM	0.03	0.3
26220	1:11:41 PM	0.029	0.3
26280	1:12:41 PM	0.029	0.3
26340	1:13:41 PM	0.033	0.3
26400	1:14:41 PM	0.03	0.3
26460	1:15:41 PM	0.032	0.3
26520	1:16:41 PM	0.036	0.2
26580	1:17:41 PM	0.032	0.2
26640	1:18:41 PM	0.03	0.2
26700	1:19:41 PM	0.032	0.3
26760	1:20:41 PM	0.029	0.3
26820	1:21:41 PM	0.03	0.3
26880	1:22:41 PM	0.029	0.3
26940	1:23:41 PM	0.035	0.3
27000	1:24:41 PM	0.034	0.3
27060	1:25:41 PM	0.029	0.3
27120	1:26:41 PM	0.039	0.3
27180	1:27:41 PM	0.03	0.3
27240	1:28:41 PM	0.03	0.3
27300	1:29:41 PM	0.033	0.3
27360	1:30:41 PM	0.044	0.3
27420	1:31:41 PM	0.033	0.3
27480	1:32:41 PM	0.031	0.4
27540	1:33:41 PM	0.031	0.4
27600	1:34:41 PM	0.04	0.3
27660	1:35:41 PM	0.034	0.4
27720	1:36:41 PM	0.032	0.5
27780	1:37:41 PM	0.031	0.4
27840	1:38:41 PM	0.031	0.5
27900	1:39:41 PM	0.033	0.7
27960	1:40:41 PM	0.032	0.3
28020	1:41:41 PM	0.031	0.3
28080	1:42:41 PM	0.039	0.3
28140	1:43:41 PM	0.034	0.3
28200	1:44:41 PM	0.033	0.3
28260	1:45:41 PM	0.035	0.3
28320	1:46:41 PM	0.035	0.3
28380	1:47:41 PM	0.033	0.3
28440	1:48:41 PM	0.03	0.3

28500	1:49:41 PM	0.028	0.3
28560	1:50:41 PM	0.029	0.3
28620	1:51:41 PM	0.028	0.3
28680	1:52:41 PM	0.028	0.3
28740	1:53:41 PM	0.028	0.3
28800	1:54:41 PM	0.028	0.3
28860	1:55:41 PM	0.029	0.3
28920	1:56:41 PM	0.031	0.3
28980	1:57:41 PM	0.032	0.3
29040	1:58:41 PM	0.028	0.3
29100	1:59:41 PM	0.026	0.3
29160	2:00:41 PM	0.027	0.3
29220	2:01:41 PM	0.031	0.3
29280	2:02:41 PM	0.029	0.3
29340	2:03:41 PM	0.028	0.3
29400	2:04:41 PM	0.028	0.3
29460	2:05:41 PM	0.03	0.3
29520	2:06:41 PM	0.03	0.3
29580	2:07:41 PM	0.033	0.3
29640	2:08:41 PM	0.035	0.3
29700	2:09:41 PM	0.038	0.3
29760	2:10:41 PM	0.038	0.3

DOWNWIND CAMP READINGS

585 Union Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530142601
Firmware Version	3.1
Calibration Date	10/4/2022
Test Name	MANUAL_002
Test Start Time	7:19:48 AM
Test Start Date	5/12/2023
Test Length [D:H:M]	0:08:00
Test Interval [M:S]	15:00
Mass Average [mg/m3]	0.04
Mass Minimum [mg/m3]	0.018
Mass Maximum [mg/m3]	0.07
Mass TWA [mg/m3]	0.04
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	32

Elapsed Time [s]		Mass [mg/m3]	PID (ppmv)	Alarms	Errors
0	7:19:48 AM				
900	7:34:48 AM	0.07		3.6	
1800	7:49:48 AM	0.067		3.5	
2700	8:04:48 AM	0.064		3.3	
3600	8:19:48 AM	0.064		3.3	
4500	8:34:48 AM	0.066		3.5	
5400	8:49:48 AM	0.063		3.5	
6300	9:04:48 AM	0.056		3.7	
7200	9:19:48 AM	0.062		3.6	
8100	9:34:48 AM	0.067		3.7	
9000	9:49:48 AM	0.067		3.5	
9900	10:04:48 AM	0.064		3.7	
10800	10:19:48 AM	0.058		3.8	
11700	10:34:48 AM	0.049		3.8	
12600	10:49:48 AM	0.04		4.0	
13500	11:04:48 AM	0.035		4.0	
14400	11:19:48 AM	0.033		3.9	
15300	11:34:48 AM	0.029		3.9	
16200	11:49:48 AM	0.028		3.9	
17100	12:04:48 PM	0.026		4.1	
18000	12:19:48 PM	0.026		4.2	
18900	12:34:48 PM	0.022		4.3	
19800	12:49:48 PM	0.02		4.2	
20700	1:04:48 PM	0.018		4.2	
21600	1:19:48 PM	0.019		4.2	
22500	1:34:48 PM	0.02		4.0	
23400	1:49:48 PM	0.02		4.1	

24300	2:04:48 PM	0.022	4.0
25200	2:19:48 PM	0.025	4.1
26100	2:34:48 PM	0.022	4.1
27000	2:49:48 PM	0.022	3.9
27900	3:04:48 PM	0.021	3.5
28800	3:19:48 PM	0.018	3.1