SITE OBSERVATION REPORT – RDD for ISS Implementation – Day 1

LANGAN

PROJECT No.:	170390001	**CLIENT:**	**DATE:**	Thursday 24 October 2024	
PROJECT:	141 3rd Street	Third Street Owner LLC and 155 Third St., LLC	**WEATHER:**	Partly Cloudy, 64-69 ^{0}F Wind: NNW @ 10-22 mph	
LOCATION:	Brooklyn, New York		**TIME:**	07:30 a.m. – 12:00 p.m.	
BCP SITE ID:	C224336		**MONITOR:**	Adam R. Spaulding	

EQUIPMENT:
Komatsu PC400

PRESENT AT SITE:
Langan: Adam R. Spaulding
Monadnock: John Henry
New Leaf (Development/Drilling Contractor): Joe Sullivan, Jose Gomez
New York State Department of Environmental Conservation: Monica Pula (WSP)

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan was onsite to document implementation of the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Design Document (RDD) for In-Situ Stabilization (ISS), dated 5 April 2024.

Site Activities

- New Leaf continued to mobilize equipment for ISS implementation.
- A representative from WSP conducted a site visit on behalf of the NYSDEC. No adverse conditions were noted as a result of the site visit and no further action was required.

Sampling

- None

Community Air Monitoring Plan (CAMP) Activities

- Langan conducted real-time air monitoring for volatile organic compounds (VOC) and particulate matter smaller than 10 microns in diameter (PM10) at upwind and downwind perimeters of the work area during equipment mobilization. The 15-minute time-weighted average action levels for VOCs and PM10 were not exceeded during the monitoring period.

	Particulate Monitoring (µg/m^3)		Organic Vapor Monitoring (ppm)	
	Upwind	**Downwind**	**Upwind**	**Downwind**
Daily Background	0.02	0.02	0.0	0.0
Minimum 15-min Average	0.00	0.00	0.0	0.0
Maximum 15-min Average	0.10	0.05	0.1	0.1

µg/m^3= micrograms per cubic meter ppm= parts per million

Material Tracking

- One 55-gallon drum containing purged groundwater and Dense Non-Aqueous Phase Liquid (DNAPL) is staged in the east-central part of the site.
- Two 55-gallon drums containing decontamination fluid and purged groundwater are staged in the east-central part of the site.
- Six 55-gallon drums containing soil cuttings are staged in the eastern part of the site.
- One 55-gallon drum containing soil cuttings is staged in the southern part of the site.

Anticipated Activities


- New Leaf will continue to mobilize equipment for ISS implementation.
- New Leaf will begin Storm Water Pollution Prevention Plan (SWPPP) installation.

SITE PHOTOGRAPHS:



Photo 1: View of equipment staged in the eastern part of site (facing northeast)

SITE MAP:



LEGEND:

- APPROXIMATE SITE BOUNDARY
- PROPOSED BUILDING FOOTPRINT
- APPROXIMATE PROPOSED EXTENT OF ISS AREA TO BE EXCAVATED TO 4 FEET BGS (EL. 3.5± FEET NAVD88)

COMPLETED WORK KEY

- Approximate work area
- Approximate location of upwind CAMP station
- Approximate location of downwind CAMP station
- Approximate location of drum
- Approximate wind direction

Base map includes Figure 5 – Pre-ISS Excavation Plan from the NYSDEC-approved RDD for ISS, prepared by Langan Engineering, dated 4/5/2024

LANGAN

141 3rd Street
170390001
CAMP Data Summary

Date: 10/24/2024
Start: 8:28
End: 11:37
Observer: Adam Spauling


UPWIND - UW
DOWNWIND - DW

Particulate Monitoring		
	UW	**DW**
Daily Average	0.002	0.002
Minimum 15min Average	0.000	0.000
Maximum 15min Average	0.010	0.005
Exceedance (15min >.15)	NA	0
Minimum 1min Reading	0.000	0.000
Maximum 1min Reading	0.014	0.040

NA - Not applicable, upwind unit used for background concentrations
All reported units are mg/m^3 or milligrams per cubic meter unless specified otherwise

Organic Vapor Monitoring		
	UW	**DW**
Daily Average	0.0	0.0
Minimum 15min Average	0.0	0.0
Maximum 15min Average	0.1	0.1
Exceedance (15min >5)	NA	0
Minimum 1min Reading	0.0	0.0
Maximum 1min Reading	0.1	0.1

NA - Not applicable, upwind unit used for background concentrations
All reported units are ppm or parts per million unless specified otherwise



Thursday, October 24, 2024						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate + 150 =						0
Number of Comparable Data Points =						156
Start Time:						8:40
End Time:						14:59
PARTICULATE DATA						
Upwind						Exceeds Particulate Alarm Limits
Time	Concentration (mg/m^3)	15-Minute Average	Time	Concentration (mg/m^3)	15-Minute Average	
8:40			8:40	0.013		
8:41			8:41	0.006		
8:42			8:42	0.006		
8:43			8:43	0.005		
8:44			8:44	0.006		
8:45	0.014		8:45	0.005		
8:46	0.013		8:46	0.005		
8:47	0.012		8:47	0.004		
8:48	0.011		8:48	0.004		
8:49	0.011		8:49	0.003		
8:50	0.011		8:50	0.003		
8:51	0.010		8:51	0.002		
8:52	0.009		8:52	0.003		
8:53	0.009		8:53	0.002		
8:54	0.008		8:54	0.002	0.005	
8:55	0.008	0.010	8:55	0.002	0.004	-
8:56	0.008	0.010	8:56	0.002	0.004	-
8:57	0.007	0.010	8:57	0.001	0.003	-
8:58	0.006	0.009	8:58	0.001	0.003	-
8:59	0.006	0.008	8:59	0.000	0.003	-
9:00	0.006	0.008	9:00	0.000	0.002	-
9:01	0.005	0.007	9:01	0.000	0.002	-
9:02	0.004	0.007	9:02	0.000	0.002	-
9:03	0.004	0.007	9:03	0.000	0.001	-
9:04	0.004	0.006	9:04	0.000	0.001	-
9:05	0.004	0.006	9:05	0.000	0.001	-
9:06	0.004	0.005	9:06	0.000	0.001	-
9:07	0.003	0.005	9:07	0.000	0.001	-
9:08	0.003	0.005	9:08	0.000	0.001	-
9:09	0.003	0.004	9:09	0.000	0.000	-
9:10	0.003	0.004	9:10	0.001	0.000	-
9:11	0.003	0.004	9:11	0.005	0.001	-
9:12	0.003	0.004	9:12	0.000	0.000	-
9:13	0.002	0.003	9:13	0.001	0.000	-
9:14	0.002	0.003	9:14	0.002	0.001	-
9:15	0.003	0.003	9:15	0.005	0.001	-
9:16	0.002	0.003	9:16	0.002	0.001	-
9:17	0.003	0.003	9:17	0.000	0.001	-
9:18	0.003	0.003	9:18	0.000	0.001	-
9:19	0.002	0.003	9:19	0.000	0.001	-
9:20	0.002	0.003	9:20	0.000	0.001	-
9:21	0.002	0.002	9:21	0.001	0.001	-
9:22	0.002	0.002	9:22	0.000	0.001	-
9:23	0.002	0.002	9:23	0.000	0.001	-
9:24	0.002	0.002	9:24	0.000	0.001	-
9:25	0.001	0.002	9:25	0.000	0.001	-
9:26	0.001	0.002	9:26	0.000	0.001	-
9:27	0.001	0.002	9:27	0.001	0.001	-
9:28	0.001	0.002	9:28	0.000	0.001	-
9:29	0.001	0.002	9:29	0.000	0.001	-
9:30	0.002	0.002	9:30	0.008	0.001	-
9:31	0.002	0.002	9:31	0.000	0.001	-
9:32	0.001	0.001	9:32	0.000	0.001	-
9:33	0.001	0.001	9:33	0.008	0.001	-
9:34	0.001	0.001	9:34	0.001	0.001	-
9:35	0.001	0.001	9:35	0.002	0.001	-
9:36	0.001	0.001	9:36	0.001	0.001	-
9:37	0.001	0.001	9:37	0.000	0.001	-
9:38	0.001	0.001	9:38	0.000	0.001	-
9:39	0.001	0.001	9:39	0.000	0.001	-
9:40	0.000	0.001	9:40	0.000	0.001	-
9:41	0.000	0.001	9:41	0.000	0.001	-
9:42	0.000	0.001	9:42	0.000	0.001	-
9:43	0.001	0.001	9:43	0.001	0.001	-
9:44	0.001	0.001	9:44	0.002	0.002	-
9:45	0.001	0.001	9:45	0.000	0.001	-
9:46	0.001	0.001	9:46	0.001	0.001	-
9:47	0.001	0.001	9:47	0.000	0.001	-
9:48	0.002	0.001	9:48	0.018	0.002	-
9:49	0.002	0.001	9:49	0.002	0.002	-
9:50	0.001	0.001	9:50	0.001	0.002	-
9:51	0.000	0.001	9:51	0.001	0.002	-
9:52	0.001	0.001	9:52	0.000	0.002	-
9:53	0.001	0.001	9:53	0.001	0.002	-

PARTICULATE DATA						
Upwind						Exceeds Particulate Alarm Limits
Time	Concentration (mg/m^3)	15-Minute Average	Time	Concentration (mg/m^3)	15-Minute Average	
9:54	0.002	0.001	9:54	0.000	0.002	-
9:55	0.001	0.001	9:55	0.001	0.002	-
9:56	0.001	0.001	9:56	0.001	0.002	-
9:57	0.000	0.001	9:57	0.002	0.002	-
9:58	0.000	0.001	9:58	0.000	0.002	-
9:59	0.000	0.001	9:59	0.001	0.002	-
10:00	0.000	0.001	10:00	0.001	0.002	-
10:01	0.000	0.001	10:01	0.003	0.002	-
10:02	0.007	0.001	10:02	0.004	0.002	-
10:03	0.006	0.001	10:03	0.001	0.001	-
10:04	0.001	0.001	10:04	0.002	0.001	-
10:05	0.000	0.001	10:05	0.001	0.001	-
10:06	0.000	0.001	10:06	0.001	0.001	-
10:07	0.000	0.001	10:07	0.003	0.001	-
10:08	0.000	0.001	10:08	0.000	0.001	-
10:09	0.000	0.001	10:09	0.005	0.002	-
10:10	0.000	0.001	10:10	0.002	0.002	-
10:11	0.000	0.001	10:11	0.040	0.004	-
10:12	0.000	0.001	10:12	0.009	0.005	-
10:13	0.000	0.001	10:13	0.006	0.005	-
10:14	0.000	0.001	10:14	0.001	0.005	-
10:15	0.001	0.001	10:15	0.000	0.005	-
10:16	0.000	0.000	10:16	0.001	0.005	-
10:17	0.000	0.000	10:17	0.002	0.005	-
10:18	0.000	0.000	10:18	0.001	0.005	-
10:19	0.000	0.000	10:19	0.001	0.005	-
10:20	0.000	0.000	10:20	0.001	0.005	-
10:21	0.000	0.000	10:21	0.001	0.005	-
10:22	0.000	0.000	10:22	0.001	0.005	-
10:23	0.000	0.000	10:23	0.001	0.005	-
10:24	0.000	0.000	10:24	0.002	0.005	-
10:25	0.000	0.000	10:25	0.005	0.005	-
10:26	0.000	0.000	10:26	0.012	0.003	-
10:27	0.000	0.000	10:27	0.011	0.003	-
10:28	0.001	0.000	10:28	0.018	0.004	-
10:29	0.001	0.000	10:29	0.003	0.004	-
10:30	0.000	0.001	10:30	0.004	0.004	-
10:31	0.002	0.001	10:31	0.002	0.004	-
10:32	0.004	0.001	10:32	0.001	0.004	-
10:33	0.002	0.001	10:33	0.000	0.004	-
10:34	0.004	0.001	10:34	0.001	0.004	-
10:35	0.004	0.001	10:35	0.001	0.004	-
10:36	0.002	0.001	10:36	0.001	0.004	-
10:37	0.000	0.001	10:37	0.001	0.004	-
10:38	0.000	0.001	10:38	0.007	0.005	-
10:39	0.000	0.001	10:39	0.004	0.005	-
10:40	0.001	0.001	10:40	0.004	0.005	-
10:41	0.001	0.001	10:41	0.004	0.004	-
10:42	0.000	0.001	10:42	0.005	0.004	-
10:43	0.000	0.001	10:43	0.001	0.003	-
10:44	0.000	0.001	10:44	0.002	0.003	-
10:45	0.000	0.001	10:45	0.002	0.002	-
10:46	0.000	0.001	10:46	0.000	0.002	-
10:47	0.000	0.001	10:47	0.001	0.002	-
10:48	0.000	0.000	10:48	0.001	0.002	-
10:49	0.000	0.000	10:49	0.001	0.002	-
10:50	0.000	0.000	10:50	0.002	0.002	-
10:51	0.000	0.000	10:51	0.001	0.002	-
10:52	0.000	0.000	10:52	0.002	0.002	-
10:53	0.000	0.000	10:53	0.001	0.002	-
10:54	0.000	0.000	10:54	0.001	0.002	-
10:55	0.000	0.000	10:55	0.001	0.002	-
10:56	0.000	0.000	10:56	0.020	0.003	-
10:57	0.000	0.000	10:57	0.008	0.003	-
10:58	0.000	0.000	10:58	0.003	0.003	-
10:59	0.000	0.000	10:59	0.001	0.003	-
11:00	0.000	0.000	11:00	0.000	0.003	-
11:01	0.000	0.000	11:01	0.001	0.003	-
11:02	0.000	0.000	11:02	0.001	0.003	-
11:03	0.000	0.000	11:03	0.001	0.003	-
11:04	0.000	0.000	11:04	0.001	0.003	-
11:05	0.000	0.000	11:05	0.001	0.003	-
11:06	0.000	0.000	11:06	0.000	0.003	-
11:07	0.000	0.000	11:07	0.001	0.003	-
11:08	0.006	0.000	11:08	0.000	0.003	-
11:09	0.000	0.000	11:09	0.000	0.003	-
11:10	0.001	0.000	11:10	0.001	0.003	-
11:11	0.000	0.000	11:11	0.000	0.001	-
11:12	0.000	0.000	11:12	0.001	0.001	-
11:13	0.000	0.000	11:13	0.002	0.001	-

PARTICULATE DATA						
Upwind						Exceeds Particulate Alarm Limits
Time	Concentration (mg/m^3)	15-Minute Average	Time	Concentration (mg/m^3)	15-Minute Average	
11:14	0.000	0.000	11:14	0.001	0.001	-
11:15	0.000	0.000	11:15	0.001	0.001	-
11:16	0.000	0.000	11:16	0.000	0.001	-
11:17	0.000	0.000	11:17	0.000	0.001	-
11:18	0.000	0.000	11:18	0.000	0.001	-
11:19	0.000	0.000	11:19	0.000	0.001	-
11:20	0.000	0.000	11:20	0.001	0.001	-
11:21	0.000	0.000	11:21	0.000	0.001	-
11:22	0.000	0.000	11:22	0.002	0.001	-
11:23	0.000	0.000	11:23	0.000	0.001	-
11:24	0.000	0.000	11:24	0.000	0.001	-
11:25	0.000	0.000	11:25	0.001	0.001	-
11:26	0.000	0.000	11:26	0.000	0.001	-
11:27	0.000	0.000	11:27	0.001	0.001	-
11:28	0.000	0.000	11:28	0.000	0.000	-
11:29	0.000	0.000	11:29	0.000	0.000	-
11:30	0.000	0.000	11:30	0.000	0.000	-
11:31			11:31	0.001	0.000	
11:32			11:32	0.001	0.000	
11:33			11:33	0.003	0.001	
11:34			11:34	0.002	0.001	
11:35			11:35	0.003	0.001	

Thursday, October 24, 2024						
				Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =		0
				Number of Comparable Data Points =		282
				Start Time:		8:28
				End Time:		15:30
PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
8:28			8:28	0.0		
8:29			8:29	0.0		
8:30			8:30	0.0		
8:31			8:31	0.0		
8:32			8:32	0.0		
8:33			8:33	0.0		
8:34			8:34	0.0		
8:35			8:35	0.0		
8:36			8:36	0.0		
8:37			8:37	0.0		
8:38			8:38	0.0		
8:39			8:39	0.0		
8:40			8:40	0.0		
8:41			8:41	0.0		
8:42			8:42	0.0	0.0	-
8:43	0.0		8:43	0.0	0.0	-
8:44	0.0		8:44	0.0	0.0	-
8:45	0.0		8:45	0.0	0.0	-
8:46	0.0	0.0	8:46	0.0	0.0	-
8:47	0.0	0.0	8:47	0.0	0.0	-
8:48	0.0	0.0	8:48	0.0	0.0	-
8:49	0.0	0.0	8:49	0.0	0.0	-
8:50	0.0	0.0	8:50	0.0	0.0	-
8:51	0.0	0.0	8:51	0.0	0.0	-
8:52	0.0	0.0	8:52	0.0	0.0	-
8:53	0.0	0.0	8:53	0.0	0.0	-
8:54	0.0	0.0	8:54	0.0	0.0	-
8:55	0.0	0.0	8:55	0.0	0.0	-
8:56	0.0	0.0	8:56	0.0	0.0	-
8:57	0.0	0.0	8:57	0.0	0.0	-
8:58	0.0	0.0	8:58	0.0	0.0	-
8:59	0.0	0.0	8:59	0.0	0.0	-
9:00	0.0	0.0	9:00	0.0	0.0	-
9:01	0.0	0.0	9:01	0.0	0.0	-
9:02	0.0	0.0	9:02	0.0	0.0	-
9:03	0.0	0.0	9:03	0.0	0.0	-
9:04	0.0	0.0	9:04	0.0	0.0	-
9:05	0.0	0.0	9:05	0.0	0.0	-
9:06	0.0	0.0	9:06	0.0	0.0	-
9:07	0.0	0.0	9:07	0.0	0.0	-
9:08	0.0	0.0	9:08	0.0	0.0	-
9:09	0.0	0.0	9:09	0.0	0.0	-
9:10	0.0	0.0	9:10	0.0	0.0	-
9:11	0.0	0.0	9:11	0.0	0.0	-
9:12	0.0	0.0	9:12	0.0	0.0	-
9:13	0.0	0.0	9:13	0.0	0.0	-
9:14	0.0	0.0	9:14	0.0	0.0	-
9:15	0.0	0.0	9:15	0.0	0.0	-
9:16	0.0	0.0	9:16	0.0	0.0	-
9:17	0.0	0.0	9:17	0.0	0.0	-
9:18	0.0	0.0	9:18	0.0	0.0	-
9:19	0.0	0.0	9:19	0.0	0.0	-
9:20	0.0	0.0	9:20	0.0	0.0	-
9:21	0.0	0.0	9:21	0.0	0.0	-
9:22	0.0	0.0	9:22	0.0	0.0	-
9:23	0.0	0.0	9:23	0.0	0.0	-
9:24	0.0	0.0	9:24	0.0	0.0	-
9:25	0.0	0.0	9:25	0.0	0.0	-
9:26	0.0	0.0	9:26	0.0	0.0	-
9:27	0.0	0.0	9:27	0.0	0.0	-
9:28	0.0	0.0	9:28	0.0	0.0	-
9:29	0.0	0.0	9:29	0.0	0.0	-
9:30	0.0	0.0	9:30	0.0	0.0	-
9:31	0.0	0.0	9:31	0.0	0.0	-
9:32	0.0	0.0	9:32	0.0	0.0	-
9:33	0.0	0.0	9:33	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
9:34	0.0	0.0	9:34	0.0	0.0	-
9:35	0.0	0.0	9:35	0.0	0.0	-
9:36	0.0	0.0	9:36	0.0	0.0	-
9:37	0.0	0.0	9:37	0.0	0.0	-
9:38	0.0	0.0	9:38	0.0	0.0	-
9:39	0.0	0.0	9:39	0.0	0.0	-
9:40	0.0	0.0	9:40	0.0	0.0	-
9:41	0.0	0.0	9:41	0.0	0.0	-
9:42	0.0	0.0	9:42	0.0	0.0	-
9:43	0.0	0.0	9:43	0.0	0.0	-
9:44	0.0	0.0	9:44	0.0	0.0	-
9:45	0.0	0.0	9:45	0.0	0.0	-
9:46	0.0	0.0	9:46	0.0	0.0	-
9:47	0.0	0.0	9:47	0.0	0.0	-
9:48	0.0	0.0	9:48	0.0	0.0	-
9:49	0.0	0.0	9:49	0.0	0.0	-
9:50	0.0	0.0	9:50	0.0	0.0	-
9:51	0.0	0.0	9:51	0.0	0.0	-
9:52	0.0	0.0	9:52	0.0	0.0	-
9:53	0.0	0.0	9:53	0.0	0.0	-
9:54	0.0	0.0	9:54	0.0	0.0	-
9:55	0.0	0.0	9:55	0.0	0.0	-
9:56	0.0	0.0	9:56	0.0	0.0	-
9:57	0.0	0.0	9:57	0.0	0.0	-
9:58	0.0	0.0	9:58	0.0	0.0	-
9:59	0.0	0.0	9:59	0.0	0.0	-
10:00	0.0	0.0	10:00	0.0	0.0	-
10:01	0.0	0.0	10:01	0.0	0.0	-
10:02	0.0	0.0	10:02	0.0	0.0	-
10:03	0.0	0.0	10:03	0.0	0.0	-
10:04	0.0	0.0	10:04	0.0	0.0	-
10:05	0.0	0.0	10:05	0.0	0.0	-
10:06	0.0	0.0	10:06	0.0	0.0	-
10:07	0.0	0.0	10:07	0.0	0.0	-
10:08	0.0	0.0	10:08	0.0	0.0	-
10:09	0.0	0.0	10:09	0.0	0.0	-
10:10	0.0	0.0	10:10	0.0	0.0	-
10:11	0.0	0.0	10:11	0.0	0.0	-
10:12	0.0	0.0	10:12	0.0	0.0	-
10:13	0.0	0.0	10:13	0.0	0.0	-
10:14	0.0	0.0	10:14	0.0	0.0	-
10:15	0.0	0.0	10:15	0.0	0.0	-
10:16	0.0	0.0	10:16	0.0	0.0	-
10:17	0.0	0.0	10:17	0.0	0.0	-
10:18	0.0	0.0	10:18	0.0	0.0	-
10:19	0.0	0.0	10:19	0.0	0.0	-
10:20	0.0	0.0	10:20	0.0	0.0	-
10:21	0.0	0.0	10:21	0.0	0.0	-
10:22	0.0	0.0	10:22	0.0	0.0	-
10:23	0.0	0.0	10:23	0.0	0.0	-
10:24	0.0	0.0	10:24	0.0	0.0	-
10:25	0.0	0.0	10:25	0.0	0.0	-
10:26	0.0	0.0	10:26	0.0	0.0	-
10:27	0.0	0.0	10:27	0.0	0.0	-
10:28	0.0	0.0	10:28	0.0	0.0	-
10:29	0.0	0.0	10:29	0.0	0.0	-
10:30	0.0	0.0	10:30	0.0	0.0	-
10:31	0.0	0.0	10:31	0.0	0.0	-
10:32	0.0	0.0	10:32	0.0	0.0	-
10:33	0.0	0.0	10:33	0.0	0.0	-
10:34	0.0	0.0	10:34	0.0	0.0	-
10:35	0.0	0.0	10:35	0.0	0.0	-
10:36	0.0	0.0	10:36	0.0	0.0	-
10:37	0.0	0.0	10:37	0.0	0.0	-
10:38	0.0	0.0	10:38	0.0	0.0	-
10:39	0.0	0.0	10:39	0.0	0.0	-
10:40	0.0	0.0	10:40	0.0	0.0	-
10:41	0.0	0.0	10:41	0.0	0.0	-
10:42	0.0	0.0	10:42	0.0	0.0	-
10:43	0.0	0.0	10:43	0.0	0.0	-
10:44	0.0	0.0	10:44	0.0	0.0	-
10:45	0.0	0.0	10:45	0.0	0.0	-

PID DATA						
Upwind			Downwind			Exceeds VOCs Alarm Limits
Time	VOC (ppm)	15-Minute Average	Time	VOC (ppm)	15-Minute Average	
10:46	0.0	0.0	10:46	0.0	0.0	-
10:47	0.0	0.0	10:47	0.0	0.0	-
10:48	0.0	0.0	10:48	0.0	0.0	-
10:49	0.0	0.0	10:49	0.0	0.0	-
10:50	0.0	0.0	10:50	0.0	0.0	-
10:51	0.0	0.0	10:51	0.0	0.0	-
10:52	0.0	0.0	10:52	0.0	0.0	-
10:53	0.0	0.0	10:53	0.0	0.0	-
10:54	0.0	0.0	10:54	0.0	0.0	-
10:55	0.0	0.0	10:55	0.0	0.0	-
10:56	0.0	0.0	10:56	0.0	0.0	-
10:57	0.0	0.0	10:57	0.0	0.0	-
10:58	0.0	0.0	10:58	0.0	0.0	-
10:59	0.0	0.0	10:59	0.0	0.0	-
11:00	0.0	0.0	11:00	0.0	0.0	-
11:01	0.0	0.0	11:01	0.0	0.0	-
11:02	0.0	0.0	11:02	0.0	0.0	-
11:03	0.0	0.0	11:03	0.0	0.0	-
11:04	0.0	0.0	11:04	0.0	0.0	-
11:05	0.0	0.0	11:05	0.0	0.0	-
11:06	0.0	0.0	11:06	0.0	0.0	-
11:07	0.0	0.0	11:07	0.0	0.0	-
11:08	0.0	0.0	11:08	0.0	0.0	-
11:09	0.0	0.0	11:09	0.0	0.0	-
11:10	0.0	0.0	11:10	0.0	0.0	-
11:11	0.0	0.0	11:11	0.0	0.0	-
11:12	0.0	0.0	11:12	0.0	0.0	-
11:13	0.0	0.0	11:13	0.0	0.0	-
11:14	0.0	0.0	11:14	0.0	0.0	-
11:15	0.0	0.0	11:15	0.0	0.0	-
11:16	0.0	0.0	11:16	0.0	0.0	-
11:17	0.0	0.0	11:17	0.0	0.0	-
11:18	0.0	0.0	11:18	0.0	0.0	-
11:19	0.0	0.0	11:19	0.0	0.0	-
11:20	0.0	0.0	11:20	0.0	0.0	-
11:21	0.0	0.0	11:21	0.0	0.0	-
11:22	0.0	0.0	11:22	0.0	0.0	-
11:23	0.0	0.0	11:23	0.0	0.0	-
11:24	0.0	0.0	11:24	0.0	0.0	-
11:25	0.0	0.0	11:25	0.0	0.0	-
11:26	0.0	0.0	11:26	0.0	0.0	-
11:27	0.0	0.0	11:27	0.0	0.0	-
11:28	0.0	0.0	11:28	0.0	0.0	-
11:29	0.0	0.0	11:29	0.0	0.0	
11:30	0.0	0.0	11:30	0.0	0.0	
11:31	0.0	0.0	11:31	0.0	0.0	
11:32	0.0	0.0	11:32	0.0	0.0	
11:33			11:33	0.0	0.0	
11:34			11:34	0.0	0.0	-
11:35			11:35	0.0	0.0	-
11:36			11:36	0.0	0.0	-
11:37			11:37	0.0	0.0	-