



AMC Engineering PLLC

18-36 42nd Street
Astoria, NY 11105
718.545.0474
Info@AMC-Engineering.com

July 30, 2024
Rev. April 24, 2025

Richard P. Mustico
Assistant Engineer
NYSDEC Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7016

Re: Final Proposed Remedy
Former Anglo Chemical and Rubber Site (BCP No. C224337)
1-9 Wythe Avenue, Brooklyn, New York

Mr. Mustico:

This letter presents an Addendum to the Remedial Action Work Plan, dated July 2023, and the Arsenic Investigation and Delineation Summary and Proposed Remedial Excavation Letter, dated April 2024, for the Former Anglo Chemical and Rubber Site in Brooklyn, New York (the Site). This letter proposes a final remedy to address the residual contamination remaining at the Site and has been prepared and is being submitted in accordance with NYSDEC DER-10 Section 4.2 (c) 4. Original letter dated July 30, 2024, is revised to reflect changes from proposed Track 2 Commercial Soil Cleanup Objectives (CSCOs) to Track 2 Restricted Residential SCOs (RRSCOs).

In April 2024, it was determined that excavation and removal of soils to 18 feet across the Site, except the southeastern corner outside the sheet piles, was required to achieve remedial goals. Soils within the southeast corner were proposed to be excavated to 10 feet below grade, removed off-site, and backfilled with clean fill to grade level. In order to excavate soils deeper than initially proposed, the existing support of excavation (SOE) elements, including sheet piles along the site perimeters, was utilized along with the existing dewatering system within the sheet piles.

Between May and June 2024, remedial excavations to 18 feet below grade across the building footprint and to 10 feet below grade in the southeast corner were conducted. Post-excavation endpoint samples were collected to evaluate the performance of the remedy with respect to the attainment of either a Track 1 Unrestricted Use Soil Cleanup Objectives (UUSCOs) or a Track 2 RRSCOs remedy. If endpoint samples did not meet UUSCOs or RRSCOs, further excavation was proposed to be completed until they were met (as demonstrated by the collection of additional endpoint samples). Otherwise, a Track 4 Site-Specific SCO would be pursued.



Twenty (20) post-excavation samples were collected at the bottom of the excavation as per the April 2024 letter, and seventeen (17) of the 19 samples, which were collected at 18 feet below grade within the cellar footprint, achieved the Track 2 Restricted Residential Use Soil Cleanup Objectives as well as the NYSDEC Part 375 Protection of Groundwater Soil Cleanup Objectives (PGWSCOs) for metals. Mercury (1.4 parts per million (ppm)) was detected in EP-7 at 18 feet bgs above its RRSCO. Semi-volatile organic compound (SVOC), benzo(a)anthracene (3.14 ppm), benzo(b)fluoranthene (2.68 ppm), dibenzo(a,h)anthracene (0.538 ppm), indeno(1,2,3-cd)pyrene (1.89 ppm), and naphthalene (391 ppm) exceeded their respective RRSCOs in EP-19 at 18 feet bgs. The remaining endpoint sample, EP-20, collected at 10 feet below grade in the southeastern corner of the Site, did not meet Track 2 RRSCOs due to four SVOCs. Benzo(a)anthracene (2.28 ppm), benzo(a)pyrene (2.29 ppm), benzo(b)fluoranthene (2.66 ppm), and indeno(1,2,3-cd)pyrene (1.33 ppm) were detected slightly exceeding their RRSCOs. Since EP-20 is located outside of the building footprint and sheet pile system, and the area is currently covered with a demarcation layer and clean fill with the eventual site cover consisting of concrete (minimum of 6-inches) and landscaping within above grade planters, the Applicant is seeking approval from the Department for the Site to achieve a Track 2 remedy within the building footprint and a Track 4 remedy in the southeast corner. As no Track 4 SCOs are explicitly outlined in the July 2023 RAWP, the Applicant proposes the SCO for benzo(a)pyrene under a Track 4 remedy as 2.3 parts per million for the Site.

Ariel Czemerinski, P.E.



Attachments:

Figure 1: Endpoint Sampling Plan

Figure 2: Proposed Final Remedy

Table 1: Endpoint Sampling Results



vEktor consultants

t: +1.347.871.0750
f: +1.347.402.7735
e: info@vektorconsultants.com
www.vektorconsultants.com

Legend:

- Site Boundary
- Excavation to 18' bgs - Track 2 Cleanup
- Excavation to 10' bgs - Track 4 Cleanup
- Location of Installed Sheet Piles



Notes:

- All feature locations are approximate

Scale:




Figure No. 2

Figure Name: Proposed Final Remedy

Report: RAWP Addendum Letter

Date: 7/24/2024

Drawn By: TG

Site Address: 1-9 Wythe Avenue
Brooklyn, New York

Table 9

Endpoint Sample Results at 18' Grade Or Below
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-1 (18ft)	EP-2 (18ft)	EP-3 (18ft)	EP-4 (18ft)	EP-5 (18ft)	EP-6 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24E0432-03	24E0432-05	24E1175-03	24E1175-04	24E0432-04	24E0432-02
Sampling Date		Clean-up Objectives	Clean-up Objectives	Clean-up Objectives	5/7/24	5/7/24	5/16/24	5/7/24	5/7/24	5/7/24
Sample Matrix		Clean-up Objectives	Clean-up Objectives	Clean-up Objectives	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number	mg/Kg	mg/Kg	mg/Kg	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER										
Dilution Factor										
1,1,1,2-Tetrachloroethane	630-20-6	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,1,1-Trichloroethane	71-55-6	0.68	100	0.68	0.0037	U	0.0034	U	0.0036	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,1,2-Trichloroethane	79-00-5	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,1-Dichloroethane	75-34-3	0.27	26	0.27	0.0037	U	0.0034	U	0.0036	U
1,1-Dichloroethylene	75-35-4	0.33	100	0.33	0.0037	U	0.0034	U	0.0036	U
1,2,3-Trichlorobenzene	87-61-6	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,2,3-Trichloropropane	96-18-4	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,2,4-Trimethylbenzene	95-63-6	3.6	52	3.6	0.0037	U	0.0034	U	0.0036	U
1,2-Dibromo-3-chloropropane	96-12-8	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,2-Dibromoethane	106-93-4	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	0.0037	U	0.0034	U	0.0036	U
1,2-Dichloroethane	107-06-2	0.02	3.1	0.02	0.0037	U	0.0034	U	0.0036	U
1,2-Dichloropropane	78-87-5	~	~	~	0.0037	U	0.0034	U	0.0036	U
1,3,5-Trimethylbenzene	108-67-8	8.4	52	8.4	0.0037	U	0.0034	U	0.0036	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	0.0037	U	0.0034	U	0.0036	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	0.0037	U	0.0034	U	0.0036	U
1,4-Dioxane	123-91-1	0.1	13	0.1	0.073	U	0.068	U	0.072	U
2-Butanone	78-93-3	0.12	100	0.12	0.0037	U	0.0034	U	0.0036	U
2-Hexanone	591-78-6	~	~	~	0.0037	U	0.0034	U	0.0036	U
4-Methyl-2-pentanone	108-10-1	~	~	~	0.0037	U	0.0034	U	0.0036	U
Acetone	67-64-1	0.05	100	0.05	0.01	J	0.011	J	0.035	0.016
Acrolein	107-02-8	~	~	~	0.0073	U	0.0068	U	0.0082	U
Acrylonitrile	107-13-1	~	~	~	0.0037	U	0.0034	U	0.0041	U
Benzene	71-43-2	0.06	4.8	0.06	0.0037	U	0.0034	U	0.0041	U
Bromodichloromethane	74-97-5	~	~	~	0.0037	U	0.0034	U	0.0041	U
Bromodichloromethane	75-27-4	~	~	~	0.0037	U	0.0034	U	0.0041	U
Bromoform	75-25-2	~	~	~	0.0037	U	0.0034	U	0.0041	U
Bromomethane	74-83-9	~	~	~	0.0037	U	0.0034	U	0.0041	U
Carbon disulfide	75-15-0	~	~	~	0.0037	U	0.0034	U	0.0041	U
Carbon tetrachloride	56-23-5	0.76	2.4	0.76	0.0037	U	0.0034	U	0.0041	U
Chlorobenzene	108-90-7	1.1	100	1.1	0.0037	U	0.0034	U	0.0041	U
Chloroethane	75-00-3	~	~	~	0.0037	U	0.0034	U	0.0041	U
Chloroform	67-66-3	0.37	49	0.37	0.0037	U	0.0034	U	0.0041	U
Chloromethane	74-87-3	~	~	~	0.0037	U	0.0034	U	0.0041	U
cis-1,2-Dichloroethylene	156-59-2	0.25	100	0.25	0.0037	U	0.0034	U	0.0041	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	~	0.0037	U	0.0034	U	0.0041	U
Cyclohexane	110-82-7	~	~	~	0.0037	U	0.0034	U	0.0041	U
Dibromochloromethane	124-48-1	~	~	~	0.0037	U	0.0034	U	0.0041	U
Dibromomethane	74-95-3	~	~	~	0.0037	U	0.0034	U	0.0041	U
Dichlorodifluoromethane	75-71-8	~	~	~	0.0037	U	0.0034	U	0.0041	U
Ethyl Benzene	100-41-4	1	41	1	0.0037	U	0.0034	U	0.0041	U
Hexachlorobutadiene	87-68-3	~	~	~	0.0037	U	0.0034	U	0.0041	U
Isopropylbenzene	98-82-8	~	~	~	0.0037	U	0.0034	U	0.0041	U
Methyl acetate	79-20-9	~	~	~	0.0037	U	0.0034	U	0.0041	U
Methyl tert-butyl ether (MTBE)	1634-04-4	0.93	100	0.93	0.0037	U	0.0034	U	0.0041	U
Methylcyclohexane	108-87-2	~	~	~	0.0037	U	0.0034	U	0.0041	U
Methylene chloride	75-09-2	0.05	100	0.05	0.0073	U	0.0068	U	0.0082	U
n-Butylbenzene	104-51-8	12	100	12	0.0037	U	0.0034	U	0.0041	U
n-Propylbenzene	103-65-1	3.9	100	3.9	0.0037	U	0.0034	U	0.0041	U
o-Xylene	95-47-6	~	~	~	0.0037	U	0.0034	U	0.0041	U
p- & m- Xylenes	179601-23-1	~	~	~	0.0073	U	0.0068	U	0.0082	U
p-Isopropyltoluene	99-87-6	~	~	~	0.0037	U	0.0034	U	0.0041	U
sec-Butylbenzene	135-98-8	11	100	11	0.0037	U	0.0034	U	0.0041	U
Styrene	100-42-5	~	~	~	0.0037	U	0.0034	U	0.0041	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	~	0.0037	U	0.0034	U	0.0041	U
tert-Butylbenzene	98-06-6	5.9	100	5.9	0.0037	U	0.0034	U	0.0041	U
Tetrachloroethylene	127-18-4	1.3	19	1.3	0.0037	U	0.0034	U	0.0041	U
Toluene	108-88-3	0.7	100	0.7	0.0037	U	0.0034	U	0.0041	U
trans-1,2-Dichloroethylene	156-60-5	0.19	100	0.19	0.0037	U	0.0034	U	0.0041	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	~	0.0037	U	0.0034	U	0.0041	U
Trichloroethylene	79-01-6	0.47	21	0.47	0.0037	U	0.0034	U	0.0041	U
Trichlorofluoromethane	75-69-4	~	~	~	0.0037	U	0.0034	U	0.0041	U
Vinyl Chloride	75-01-4	0.02	0.9	0.02	0.0037	U	0.0034	U	0.0041	U
Xylenes, Total	1330-20-7	0.26	100	1.6	0.011	U	0.01	U	0.012	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

~=this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 9

Endpoint Sample Results at 18' Grade Or Below
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-7 (20 Ft)	EP-8 (18ft)	EP-9 (18ft)	EP-10 (18ft)	EP-11 (18ft)	EP-11 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0311-06	24E0844-01	24E0844-02	24E0432-01	24A1707-01	24E0432-06
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/5/24	5/13/24	5/13/24	5/7/24	1/30/24	5/7/24
Sample Matrix					Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1	
1,1,1,2-Tetrachloroethane	630-20-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,1,1-Trichloroethane	71-55-6	0.68	100	0.68	0.0049	U	0.0038	U	0.0037	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,1,2-Trichloroethane	79-00-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,1-Dichloroethane	75-34-3	0.27	26	0.27	0.0049	U	0.0038	U	0.0037	U
1,1-Dichloroethylene	75-35-4	0.33	100	0.33	0.0049	U	0.0038	U	0.0037	U
1,2,3-Trichlorobenzene	87-61-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,2,3-Trichloropropane	96-18-4	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,2,4-Trimethylbenzene	95-63-6	3.6	52	3.6	0.0049	U	0.0038	U	0.0037	U
1,2-Dibromo-3-chloropropane	96-12-8	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,2-Dibromoethane	106-93-4	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	0.0049	U	0.0038	U	0.0037	U
1,2-Dichloroethane	107-06-2	0.02	3.1	0.02	0.0049	U	0.0038	U	0.0037	U
1,2-Dichloropropane	78-87-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
1,3,5-Trimethylbenzene	108-67-8	8.4	52	8.4	0.0049	U	0.0038	U	0.0037	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	0.0049	U	0.0038	U	0.0037	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	0.0049	U	0.0038	U	0.0037	U
1,4-Dioxane	123-91-1	0.1	13	0.1	0.098	J	0.077	U	0.073	U
2-Butanone	78-93-3	0.12	100	0.12	0.023	U	0.0038	U	0.0037	U
2-Hexanone	591-78-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
4-Methyl-2-pentanone	108-10-1	~	~	~	0.0049	U	0.0038	U	0.0037	U
Acetone	67-64-1	0.05	100	0.05	0.065	J	0.013	J	0.019	NT
Acrolein	107-02-8	~	~	~	0.0098	U	0.0077	U	0.0073	U
Acrylonitrile	107-13-1	~	~	~	0.0049	U	0.0038	U	0.0037	U
Benzene	71-43-2	0.06	4.8	0.06	0.0049	U	0.0038	U	0.0037	U
Bromochloromethane	74-97-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
Bromodichloromethane	75-27-4	~	~	~	0.0049	U	0.0038	U	0.0037	U
Bromoform	75-25-2	~	~	~	0.0049	U	0.0038	U	0.0037	U
Bromomethane	74-83-9	~	~	~	0.0049	U	0.0038	U	0.0037	U
Carbon disulfide	75-15-0	~	~	~	0.0049	U	0.0056	J	0.0053	J
Carbon tetrachloride	56-23-5	0.76	2.4	0.76	0.0049	U	0.0038	U	0.0037	U
Chlorobenzene	108-90-7	1.1	100	1.1	0.0049	U	0.0038	U	0.0037	U
Chloroethane	75-00-3	~	~	~	0.0049	U	0.0038	U	0.0037	U
Chloroform	67-66-3	0.37	49	0.37	0.0049	U	0.0038	U	0.0037	U
Chloromethane	74-87-3	~	~	~	0.0049	U	0.0038	U	0.0037	U
cis-1,2-Dichloroethylene	156-59-2	0.25	100	0.25	0.0049	U	0.0038	U	0.0037	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
Cyclohexane	110-82-7	~	~	~	0.0072	J	0.0038	U	0.0037	U
Dibromochloromethane	124-48-1	~	~	~	0.0049	U	0.0038	U	0.0037	U
Dibromomethane	74-95-3	~	~	~	0.0049	U	0.0038	U	0.0037	U
Dichlorodifluoromethane	75-71-8	~	~	~	0.0049	U	0.0038	U	0.0037	U
Ethyl Benzene	100-41-4	1	41	1	0.0049	U	0.0038	U	0.0037	U
Hexachlorobutadiene	87-68-3	~	~	~	0.0049	U	0.0038	U	0.0037	U
Isopropylbenzene	98-82-8	~	~	~	0.0049	U	0.0038	U	0.0037	U
Methyl acetate	79-20-9	~	~	~	0.0055	J	0.0038	U	0.0037	U
Methyl tert-butyl ether (MTBE)	1634-04-4	0.93	100	0.93	0.0049	U	0.0038	U	0.0037	U
Methylcyclohexane	108-87-2	~	~	~	0.016	U	0.0038	U	0.0037	U
Methylene chloride	75-09-2	0.05	100	0.05	0.0098	U	0.0077	U	0.0073	U
n-Butylbenzene	104-51-8	12	100	12	0.0049	U	0.0038	U	0.0037	U
n-Propylbenzene	103-65-1	3.9	100	3.9	0.0049	U	0.0038	U	0.0037	U
o-Xylene	95-47-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
p- & m- Xylenes	179601-23-1	~	~	~	0.0098	U	0.0077	U	0.0073	U
p-Isopropyltoluene	99-87-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
sec-Butylbenzene	135-98-8	11	100	11	0.0049	U	0.0038	U	0.0037	U
Styrene	100-42-5	~	~	~	0.0049	U	0.0038	U	0.0037	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	~	0.0049	U	0.0038	U	0.0037	U
tert-Butylbenzene	98-06-6	5.9	100	5.9	0.0049	U	0.0038	U	0.0037	U
Tetrachloroethylene	127-18-4	1.3	19	1.3	0.0049	U	0.0038	U	0.0037	U
Toluene	108-88-3	0.7	100	0.7	0.0049	U	0.0038	U	0.0037	U
trans-1,2-Dichloroethylene	156-60-5	0.19	100	0.19	0.0049	U	0.0038	U	0.0037	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	~	0.0049	U	0.0038	U	0.0037	U
Trichloroethylene	79-01-6	0.47	21	0.47	0.0049	U	0.0038	U	0.0037	U
Trichlorofluoromethane	75-69-4	~	~	~	0.0049	U	0.0038	U	0.0037	U
Vinyl Chloride	75-01-4	0.02	0.9	0.02	0.0049	U	0.0038	U	0.0037	U
Xylenes, Total	1330-20-7	0.26	100	1.6	0.015	U	0.012	U	0.011	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

~=this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 9

Endpoint Sample Results at 18' Grade Or Below
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-12 (18Ft)	EP-12 (18 Ft)	EP-13 (18Ft)	EP-13 (18 Ft)	EP-14 (18Ft)	EP-14 (18Ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24A1707-04	24E0347-01	24A1707-07	24E0347-02	24A1707-10	24E0255-05
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	1/30/24	5/6/24	1/30/24	5/6/24	1/30/24	5/3/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER		mg/Kg	mg/Kg	mg/Kg						
Dilution Factor										
1,1,1,2-Tetrachloroethane	630-20-6	~	~	~	NT		0.0034	U	0.0036	U
1,1,1-Trichloroethane	71-55-6	0.68	100	0.68	NT		0.0034	U	0.0036	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	~	NT		0.0034	U	0.0036	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	~	~	~	NT		0.0034	U	0.0036	U
1,1,2-Trichloroethane	79-00-5	~	~	~	NT		0.0034	U	0.0036	U
1,1-Dichloroethane	75-34-3	0.27	26	0.27	NT		0.0034	U	0.0036	U
1,1-Dichloroethylene	75-35-4	0.33	100	0.33	NT		0.0034	U	0.0036	U
1,2,3-Trichlorobenzene	87-61-6	~	~	~	NT		0.0034	U	0.0036	U
1,2,3-Trichloropropane	96-18-4	~	~	~	NT		0.0034	U	0.0036	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	NT		0.0034	U	0.0036	U
1,2,4-Trimethylbenzene	95-63-6	3.6	52	3.6	NT		0.0034	U	0.0036	U
1,2-Dibromo-3-chloropropane	96-12-8	~	~	~	NT		0.0034	U	0.0036	U
1,2-Dibromoethane	106-93-4	~	~	~	NT		0.0034	U	0.0036	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	NT		0.0034	U	0.0036	U
1,2-Dichloroethane	107-06-2	0.02	3.1	0.02	NT		0.0034	U	0.0036	U
1,2-Dichloropropane	78-87-5	~	~	~	NT		0.0034	U	0.0036	U
1,3,5-Trimethylbenzene	108-67-8	8.4	52	8.4	NT		0.0034	U	0.0036	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	NT		0.0034	U	0.0036	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	NT		0.0034	U	0.0036	U
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.067	U	0.072	U
2-Butanone	78-93-3	0.12	100	0.12	NT		0.0034	U	0.0068	U
2-Hexanone	591-78-6	~	~	~	NT		0.0034	U	0.0036	U
4-Methyl-2-pentanone	108-10-1	~	~	~	NT		0.0034	U	0.0036	U
Acetone	67-64-1	0.05	100	0.05	NT		0.021	U	0.028	U
Acrolein	107-02-8	~	~	~	NT		0.0067	U	0.0072	U
Acrylonitrile	107-13-1	~	~	~	NT		0.0034	U	0.0036	U
Benzene	71-43-2	0.06	4.8	0.06	NT		0.0034	U	0.0036	U
Bromochloromethane	74-97-5	~	~	~	NT		0.0034	U	0.0036	U
Bromodichloromethane	75-27-4	~	~	~	NT		0.0034	U	0.0036	U
Bromoform	75-25-2	~	~	~	NT		0.0034	U	0.0036	U
Bromomethane	74-83-9	~	~	~	NT		0.0034	U	0.0036	U
Carbon disulfide	75-15-0	~	~	~	NT		0.0072	U	0.0077	U
Carbon tetrachloride	56-23-5	0.76	2.4	0.76	NT		0.0034	U	0.0036	U
Chlorobenzene	108-90-7	1.1	100	1.1	NT		0.0034	U	0.0036	U
Chloroethane	75-00-3	~	~	~	NT		0.0034	U	0.0036	U
Chloroform	67-66-3	0.37	49	0.37	NT		0.0034	U	0.0036	U
Chloromethane	74-87-3	~	~	~	NT		0.0034	U	0.0036	U
cis-1,2-Dichloroethylene	156-59-2	0.25	100	0.25	NT		0.0034	U	0.0036	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	~	NT		0.0034	U	0.0036	U
Cyclohexane	110-82-7	~	~	~	NT		0.0034	U	0.0036	U
Dibromochloromethane	124-48-1	~	~	~	NT		0.0034	U	0.0036	U
Dibromomethane	74-95-3	~	~	~	NT		0.0034	U	0.0036	U
Dichlorodifluoromethane	75-71-8	~	~	~	NT		0.0034	U	0.0036	U
Ethyl Benzene	100-41-4	1	41	1	NT		0.0034	U	0.0036	U
Hexachlorobutadiene	87-68-3	~	~	~	NT		0.0034	U	0.0036	U
Isopropylbenzene	98-82-8	~	~	~	NT		0.0034	U	0.0036	U
Methyl acetate	79-20-9	~	~	~	NT		0.0034	U	0.0036	U
Methyl tert-butyl ether (MTBE)	1634-04-4	0.93	100	0.93	NT		0.0034	U	0.0036	U
Methylcyclohexane	108-87-2	~	~	~	NT		0.0034	U	0.0036	U
Methylene chloride	75-09-2	0.05	100	0.05	NT		0.0067	U	0.0072	U
n-Butylbenzene	104-51-8	12	100	12	NT		0.0034	U	0.0036	U
n-Propylbenzene	103-65-1	3.9	100	3.9	NT		0.0034	U	0.0036	U
o-Xylene	95-47-6	~	~	~	NT		0.0034	U	0.0036	U
p- & m- Xylenes	179601-23-1	~	~	~	NT		0.0067	U	0.0072	U
p-Isopropyltoluene	99-87-6	~	~	~	NT		0.0034	U	0.0036	U
sec-Butylbenzene	135-98-8	11	100	11	NT		0.0034	U	0.0036	U
Styrene	100-42-5	~	~	~	NT		0.0034	U	0.0036	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	~	NT		0.0034	U	0.0036	U
tert-Butylbenzene	98-06-6	5.9	100	5.9	NT		0.0034	U	0.0036	U
Tetrachloroethylene	127-18-4	1.3	19	1.3	NT		0.0034	U	0.0036	U
Toluene	108-88-3	0.7	100	0.7	NT		0.0034	U	0.0036	U
trans-1,2-Dichloroethylene	156-60-5	0.19	100	0.19	NT		0.0034	U	0.0036	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	~	NT		0.0034	U	0.0036	U
Trichloroethylene	79-01-6	0.47	21	0.47	NT		0.0034	U	0.0036	U
Trichlorofluoromethane	75-69-4	~	~	~	NT		0.0034	U	0.0036	U
Vinyl Chloride	75-01-4	0.02	0.9	0.02	NT		0.0034	U	0.0036	U
Xylenes, Total	1330-20-7	0.26	100	1.6	NT		0.01	U	0.011	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

~=this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 9

Endpoint Sample Results at 18' Grade Or Below
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-15 (18 Ft)	EP-15 (18ft)	EP-16 (18 Ft)	EP-16 (18ft)	EP-17 (18ft)	EP-17 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0538-01	24E0255-06	24B0539-01	24E0255-07	24A1707-19	24E0255-04
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	2/8/24	5/3/24	2/8/24	5/3/24	1/30/24	5/3/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER		mg/Kg	mg/Kg	mg/Kg						
Dilution Factor										
1,1,1,2-Tetrachloroethane	630-20-6	~	~	~	NT		0.0036	U	0.0035	U
1,1,1-Trichloroethane	71-55-6	0.68	100	0.68	NT		0.0036	U	0.0035	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	~	NT		0.0036	U	0.0035	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	~	~	~	NT		0.0036	U	0.0035	U
1,1,2-Trichloroethane	79-00-5	~	~	~	NT		0.0036	U	0.0035	U
1,1-Dichloroethane	75-34-3	0.27	26	0.27	NT		0.0036	U	0.0035	U
1,1-Dichloroethylene	75-35-4	0.33	100	0.33	NT		0.0036	U	0.0035	U
1,2,3-Trichlorobenzene	87-61-6	~	~	~	NT		0.0036	U	0.0035	U
1,2,3-Trichloropropane	96-18-4	~	~	~	NT		0.0036	U	0.0035	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	NT		0.0036	U	0.0035	U
1,2,4-Trimethylbenzene	95-63-6	3.6	52	3.6	NT		0.0036	U	0.0035	U
1,2-Dibromo-3-chloropropane	96-12-8	~	~	~	NT		0.0036	U	0.0035	U
1,2-Dibromoethane	106-93-4	~	~	~	NT		0.0036	U	0.0035	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	NT		0.0036	U	0.0035	U
1,2-Dichloroethane	107-06-2	0.02	3.1	0.02	NT		0.0036	U	0.0035	U
1,2-Dichloropropane	78-87-5	~	~	~	NT		0.0036	U	0.0035	U
1,3,5-Trimethylbenzene	108-67-8	8.4	52	8.4	NT		0.0036	U	0.0035	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	NT		0.0036	U	0.0035	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	NT		0.0036	U	0.0035	U
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.072	U	0.07	U
2-Butanone	78-93-3	0.12	100	0.12	NT		0.0036	U	0.0035	U
2-Hexanone	591-78-6	~	~	~	NT		0.0036	U	0.0035	U
4-Methyl-2-pentanone	108-10-1	~	~	~	NT		0.0036	U	0.0035	U
Acetone	67-64-1	0.05	100	0.05	NT		0.021	U	0.017	U
Acrolein	107-02-8	~	~	~	NT		0.0072	U	0.0070	U
Acrylonitrile	107-13-1	~	~	~	NT		0.0036	U	0.0035	U
Benzene	71-43-2	0.06	4.8	0.06	NT		0.0036	U	0.0035	U
Bromochloromethane	74-97-5	~	~	~	NT		0.0036	U	0.0035	U
Bromodichloromethane	75-27-4	~	~	~	NT		0.0036	U	0.0035	U
Bromoform	75-25-2	~	~	~	NT		0.0036	U	0.0035	U
Bromomethane	74-83-9	~	~	~	NT		0.0036	U	0.0035	U
Carbon disulfide	75-15-0	~	~	~	NT		0.0075	U	0.0035	U
Carbon tetrachloride	56-23-5	0.76	2.4	0.76	NT		0.0036	U	0.0035	U
Chlorobenzene	108-90-7	1.1	100	1.1	NT		0.0036	U	0.0035	U
Chloroethane	75-00-3	~	~	~	NT		0.0036	U	0.0035	U
Chloroform	67-66-3	0.37	49	0.37	NT		0.0036	U	0.0035	U
Chloromethane	74-87-3	~	~	~	NT		0.0036	U	0.0035	U
cis-1,2-Dichloroethylene	156-59-2	0.25	100	0.25	NT		0.0036	U	0.0035	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	~	NT		0.0036	U	0.0035	U
Cyclohexane	110-82-7	~	~	~	NT		0.0036	U	0.0035	U
Dibromochloromethane	124-48-1	~	~	~	NT		0.0036	U	0.0035	U
Dibromomethane	74-95-3	~	~	~	NT		0.0036	U	0.0035	U
Dichlorodifluoromethane	75-71-8	~	~	~	NT		0.0036	U	0.0035	U
Ethyl Benzene	100-41-4	1	41	1	NT		0.0036	U	0.0035	U
Hexachlorobutadiene	87-68-3	~	~	~	NT		0.0036	U	0.0035	U
Isopropylbenzene	98-82-8	~	~	~	NT		0.0036	U	0.0035	U
Methyl acetate	79-20-9	~	~	~	NT		0.0036	U	0.0035	U
Methyl tert-butyl ether (MTBE)	1634-04-4	0.93	100	0.93	NT		0.0036	U	0.0035	U
Methylcyclohexane	108-87-2	~	~	~	NT		0.0036	U	0.0035	U
Methylene chloride	75-09-2	0.05	100	0.05	NT		0.0072	U	0.0070	U
n-Butylbenzene	104-51-8	12	100	12	NT		0.0036	U	0.0035	U
n-Propylbenzene	103-65-1	3.9	100	3.9	NT		0.0036	U	0.0035	U
o-Xylene	95-47-6	~	~	~	NT		0.0036	U	0.0035	U
p- & m- Xylenes	179601-23-1	~	~	~	NT		0.0072	U	0.0070	U
p-Isopropyltoluene	99-87-6	~	~	~	NT		0.0036	U	0.0035	U
sec-Butylbenzene	135-98-8	11	100	11	NT		0.0036	U	0.0035	U
Styrene	100-42-5	~	~	~	NT		0.0036	U	0.0035	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	~	NT		0.0036	U	0.0035	U
tert-Butylbenzene	98-06-6	5.9	100	5.9	NT		0.0036	U	0.0035	U
Tetrachloroethylene	127-18-4	1.3	19	1.3	NT		0.0036	U	0.0035	U
Toluene	108-88-3	0.7	100	0.7	NT		0.0036	U	0.0035	U
trans-1,2-Dichloroethylene	156-60-5	0.19	100	0.19	NT		0.0036	U	0.0035	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	~	NT		0.0036	U	0.0035	U
Trichloroethylene	79-01-6	0.47	21	0.47	NT		0.0036	U	0.0035	U
Trichlorofluoromethane	75-69-4	~	~	~	NT		0.0036	U	0.0035	U
Vinyl Chloride	75-01-4	0.02	0.9	0.02	NT		0.0036	U	0.0035	U
Xylenes, Total	1330-20-7	0.26	100	1.6	NT		0.011	U	0.01	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

~=this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 9

Endpoint Sample Results at 18' Grade Or Below
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-18 (18 Ft)	EP-18 (18ft)	EP-X-3	EP-19 (18ft)	EP-19 (18ft)	EP-20 (10ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0540-01	24E0255-01	24E0255-02	24A1707-25	24E0255-03	24F1289-01
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/8/24	5/3/24	5/3/24	1/30/24	5/3/24	6/19/24
Sample Matrix					Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER		mg/Kg	mg/Kg	mg/Kg						
Dilution Factor										
1,1,1,2-Tetrachloroethane	630-20-6	~	~	~	NT		0.003	U	0.003	U
1,1,1-Trichloroethane	71-55-6	0.68	100	0.68	NT		0.003	U	0.003	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	~	NT		0.003	U	0.003	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	76-13-1	~	~	~	NT		0.003	U	0.003	U
1,1,2-Trichloroethane	79-00-5	~	~	~	NT		0.003	U	0.003	U
1,1-Dichloroethane	75-34-3	0.27	26	0.27	NT		0.003	U	0.003	U
1,1-Dichloroethylene	75-35-4	0.33	100	0.33	NT		0.003	U	0.003	U
1,2,3-Trichlorobenzene	87-61-6	~	~	~	NT		0.003	U	0.003	U
1,2,3-Trichloropropane	96-18-4	~	~	~	NT		0.003	U	0.003	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	NT		0.003	U	0.003	U
1,2,4-Trimethylbenzene	95-63-6	3.6	52	3.6	NT		0.003	U	0.003	U
1,2-Dibromo-3-chloropropane	96-12-8	~	~	~	NT		0.003	U	0.003	U
1,2-Dibromoethane	106-93-4	~	~	~	NT		0.003	U	0.003	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	NT		0.003	U	0.003	U
1,2-Dichloroethane	107-06-2	0.02	3.1	0.02	NT		0.003	U	0.003	U
1,2-Dichloropropane	78-87-5	~	~	~	NT		0.003	U	0.003	U
1,3,5-Trimethylbenzene	108-67-8	8.4	52	8.4	NT		0.003	U	0.003	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	NT		0.003	U	0.003	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	NT		0.003	U	0.003	U
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.061	U	0.059	U
2-Butanone	78-93-3	0.12	100	0.12	NT		0.003	U	0.003	U
2-Hexanone	591-78-6	~	~	~	NT		0.003	U	0.003	U
4-Methyl-2-pentanone	108-10-1	~	~	~	NT		0.003	U	0.003	U
Acetone	67-64-1	0.05	100	0.05	NT		0.01	J	0.013	U
Acrolein	107-02-8	~	~	~	NT		0.0061	R	0.0059	U
Acrylonitrile	107-13-1	~	~	~	NT		0.003	U	0.003	U
Benzene	71-43-2	0.06	4.8	0.06	NT		0.003	U	0.003	U
Bromodichloromethane	74-97-5	~	~	~	NT		0.003	U	0.003	U
Bromodichloromethane	75-27-4	~	~	~	NT		0.003	U	0.003	U
Bromoform	75-25-2	~	~	~	NT		0.003	U	0.003	U
Bromomethane	74-83-9	~	~	~	NT		0.003	U	0.003	U
Carbon disulfide	75-15-0	~	~	~	NT		0.003	J	0.004	U
Carbon tetrachloride	56-23-5	0.76	2.4	0.76	NT		0.003	U	0.003	U
Chlorobenzene	108-90-7	1.1	100	1.1	NT		0.003	U	0.003	U
Chloroethane	75-00-3	~	~	~	NT		0.003	U	0.003	U
Chloroform	67-66-3	0.37	49	0.37	NT		0.003	U	0.003	U
Chloromethane	74-87-3	~	~	~	NT		0.003	U	0.003	U
cis-1,2-Dichloroethylene	156-59-2	0.25	100	0.25	NT		0.003	U	0.003	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	~	NT		0.003	U	0.003	U
Cyclohexane	110-82-7	~	~	~	NT		0.003	U	0.003	U
Dibromochloromethane	124-48-1	~	~	~	NT		0.003	U	0.003	U
Dibromomethane	74-95-3	~	~	~	NT		0.003	U	0.003	U
Dichlorodifluoromethane	75-71-8	~	~	~	NT		0.003	U	0.003	U
Ethyl Benzene	100-41-4	1	41	1	NT		0.003	U	0.003	U
Hexachlorobutadiene	87-68-3	~	~	~	NT		0.003	U	0.003	U
Isopropylbenzene	98-82-8	~	~	~	NT		0.003	U	0.003	U
Methyl acetate	79-20-9	~	~	~	NT		0.003	U	0.003	U
Methyl tert-butyl ether (MTBE)	1634-04-4	0.93	100	0.93	NT		0.003	U	0.003	U
Methylcyclohexane	108-87-2	~	~	~	NT		0.003	U	0.003	U
Methylene chloride	75-09-2	0.05	100	0.05	NT		0.0061	U	0.0059	U
n-Butylbenzene	104-51-8	12	100	12	NT		0.003	U	0.003	U
n-Propylbenzene	103-65-1	3.9	100	3.9	NT		0.003	U	0.003	U
o-Xylene	95-47-6	~	~	~	NT		0.003	U	0.003	U
p- & m- Xylenes	179601-23-1	~	~	~	NT		0.0061	U	0.0059	U
p-Isopropyltoluene	99-87-6	~	~	~	NT		0.003	U	0.003	U
sec-Butylbenzene	135-98-8	11	100	11	NT		0.003	U	0.003	U
Styrene	100-42-5	~	~	~	NT		0.003	U	0.003	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	~	NT		0.003	U	0.003	U
tert-Butylbenzene	98-06-6	5.9	100	5.9	NT		0.003	U	0.003	U
Tetrachloroethylene	127-18-4	1.3	19	1.3	NT		0.003	U	0.003	U
Toluene	108-88-3	0.7	100	0.7	NT		0.003	U	0.003	U
trans-1,2-Dichloroethylene	156-60-5	0.19	100	0.19	NT		0.003	U	0.003	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	~	NT		0.003	U	0.003	U
Trichloroethylene	79-01-6	0.47	21	0.47	NT		0.003	U	0.003	U
Trichlorofluoromethane	75-69-4	~	~	~	NT		0.003	U	0.003	U
Vinyl Chloride	75-01-4	0.02	0.9	0.02	NT		0.003	U	0.003	U
Xylenes, Total	1330-20-7	0.26	100	1.6	NT		0.0091	U	0.0089	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

~=this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-1 (18R)		EP-2 (18R)		EP-3 (18R)		EP-4 (18R)		EP-5 (18R)		EP-6 (18R)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24E0432-03		24E0432-05		24E1175-03		24E1175-04		24E0432-04		24E0432-02
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	5/7/24		5/7/24		5/16/24		5/16/24		5/7/24		5/7/24
Sample Matrix					Soil		Soil		Soil		Soil		Soil		Soil
Compound	CAS Number	Result	Result	Result	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Soil		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg
Dilution Factor		1	1	1	1		1		1		1		1		1
1,4-Dioxane	123-91-1	0.1	13	0.1	0.0187	U	0.0198	U	0.0196	U	0.0196	U	0.0198	U	0.0198
SVOA, 8270 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg
Dilution Factor		2	2	2	2		2		2		2		2		2
1,1-Biphenyl	92-52-4	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
1,2,4-Trichlorobenzene	120-82-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
2,4,5-Trichlorophenol	95-95-4	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,4,6-Trichlorophenol	88-06-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,4-Dichlorophenol	120-83-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,4-Dimethylphenol	105-67-9	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,4-Dinitrophenol	51-28-5	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
2,4-Dinitrotoluene	121-14-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2,6-Dinitrotoluene	606-20-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2-Chloronaphthalene	91-58-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2-Chlorophenol	95-57-8	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2-Methylnaphthalene	91-57-6	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2-Methylphenol	95-48-7	0.33	100	0.33	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
2-Nitroaniline	88-74-4	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
2-Nitrophenol	88-75-5	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
3- & 4-Methylphenols	65794-96-9	0.33	100	0.33	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
3,3-Dichlorobenzidine	91-94-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
3-Nitroaniline	99-09-2	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
4,6-Dinitro-2-methylphenol	534-52-1	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
4-Bromophenyl phenyl ether	101-55-3	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
4-Chloro-3-methylphenol	59-50-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
4-Chloroaniline	106-47-8	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
4-Chlorophenyl phenyl ether	7005-72-3	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
4-Nitroaniline	100-01-6	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
4-Nitrophenol	100-02-7	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
Acenaphthene	83-32-9	20	100	98	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Acenaphthylene	208-96-8	100	100	107	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Acetophenone	98-86-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Aniline	62-53-3	~	~	~	0.262	U	0.223	U	0.266	U	0.272	U	0.231	U	0.249
Anthracene	120-12-7	100	100	1000	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Atrazine	1912-24-9	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzaldehyde	100-52-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzidine	92-87-5	~	~	~	0.262	U	0.223	U	0.266	U	0.272	U	0.231	U	0.249
Benzo(a)anthracene	56-55-3	1	1	1	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzo(a)pyrene	50-32-8	1	1	22	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzo(b)fluoranthene	205-99-2	1	1	1.7	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzo(g,h,i)perylene	191-24-2	100	100	1000	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzo(k)fluoranthene	207-08-9	0.8	3.9	1.7	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzoic acid	65-85-0	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzyl alcohol	100-51-6	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Benzyl butyl phthalate	85-68-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Bis(2-chloroethoxy)methane	111-91-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Bis(2-chloroethyl)ether	111-44-4	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Bis(2-chloroisopropyl)ether	108-60-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Caprolactam	105-60-2	~	~	~	0.131	U	0.112	U	0.133	U	0.136	U	0.115	U	0.124
Carbazole	86-74-8	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Chrysene	218-01-9	1	3.9	1	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Dibenzo(a,h)anthracene	53-70-3	0.33	0.33	1000	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Dibenzofuran	132-64-9	7	59	210	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Diethyl phthalate	84-66-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Dimethyl phthalate	131-11-3	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Di-n-butyl phthalate	84-74-2	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Di-n-octyl phthalate	117-84-0	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Fluoranthene	206-44-0	100	100	1000	0.066	U	0.056	U	0.067	U	0.087	JD	0.058	U	0.062
Fluorene	86-73-7	30	100	386	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Hexachlorobenzene	118-74-1	0.33	1.2	3.2	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Hexachlorobutadiene	87-68-3	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Hexachlorocyclopentadiene	77-47-4	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Hexachloroethane	67-72-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Indeno(1,2,3-cd)pyrene	193-39-5	0.5	0.5	8.2	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Isophorone	78-59-1	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Naphthalene	91-20-3	12	100	12	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Nitrobenzene	98-95-3	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
N-Nitrosodimethylamine	62-75-9	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
N-nitroso-di-n-propylamine	621-64-7	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
N-Nitrosodiphenylamine	86-30-6	~	~	~	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Pentachlorophenol	87-86-5	0.8	6.7	0.8	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Phenanthrene	85-01-8	100	100	1000	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Phenol	108-95-2	0.33	100	0.33	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062
Pyrene	129-00-0	100	100	1000	0.066	U	0.056	U	0.067	U	0.068	U	0.058	U	0.062

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) -

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-7 (20 Ft)		EP-8 (18ft)		EP-9 (18ft)		EP-10 (18ft)		EP-11 (18ft)		EP-11 (18ft)	
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0311-06		24E0844-01		24E0844-02		24E0432-01		24A1707-01		24E0432-06	
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	2/5/24		5/13/24		5/13/24		5/7/24		5/7/24		5/7/24	
Sample Matrix					Soil		Soil		Soil		Soil		Soil		Soil	
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Soil		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
1,4-Dioxane	123-91-1	0.1	13	0.1	0.0194	U	0.0194	U	0.0198	U	0.0198	U	NT		0.0187	U
SVOA, 8270 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					2		2		2		2		2		2	
1,1-Biphenyl	92-52-4	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
1,2,4-Trichlorobenzene	120-82-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
2,4,5-Trichlorophenol	95-95-4	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,4,6-Trichlorophenol	88-06-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,4-Dichlorophenol	120-83-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,4-Dimethylphenol	105-67-9	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,4-Dinitrophenol	51-28-5	~	~	~	0.142	R	0.134	U	0.134	U	0.119	U	0.135	U	NT	
2,4-Dinitrotoluene	121-14-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2,6-Dinitrotoluene	606-20-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2-Chloronaphthalene	91-58-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2-Chlorophenol	95-57-8	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2-Methylnaphthalene	91-57-6	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2-Methylphenol	95-48-7	0.33	100	0.33	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
2-Nitroaniline	88-74-4	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
2-Nitrophenol	88-75-5	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
3- & 4-Methylphenols	65794-96-9	0.33	100	0.33	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
3,3-Dichlorobenzidine	91-94-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
3-Nitroaniline	99-09-2	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
4,6-Dinitro-2-methylphenol	534-52-1	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
4-Bromophenyl phenyl ether	101-55-3	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
4-Chloro-3-methylphenol	59-50-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
4-Chloroaniline	106-47-8	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
4-Chlorophenyl phenyl ether	7005-72-3	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
4-Nitroaniline	100-01-6	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
4-Nitrophenol	100-02-7	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
Acenaphthene	83-32-9	20	100	98	0.071	U	0.067	U	0.067	U	0.06	U	0.0734	JD	NT	
Acenaphthylene	208-96-8	100	100	107	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Acetophenone	98-86-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Aniline	62-53-3	~	~	~	0.284	U	0.269	U	0.269	U	0.239	U	0.270	U	NT	
Anthracene	120-12-7	100	100	1000	0.071	U	0.067	U	0.067	U	0.06	U	0.0971	JD	NT	
Atrazine	1912-24-9	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Benzaldehyde	100-52-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Benzidine	92-87-5	~	~	~	0.284	U	0.269	U	0.269	U	0.239	U	0.270	U	NT	
Benzo(a)anthracene	56-55-3	1	1	1	0.071	U	0.067	U	0.067	U	0.06	U	0.160	D	NT	
Benzo(a)pyrene	50-32-8	1	1	22	0.071	U	0.067	U	0.067	U	0.06	U	0.189	D	NT	
Benzo(b)fluoranthene	205-99-2	1	1	1.7	0.071	U	0.067	U	0.067	U	0.06	U	0.133	JD	NT	
Benzo(g,h,i)perylene	191-24-2	100	100	1000	0.071	U	0.067	U	0.067	U	0.06	U	0.141	D	NT	
Benzo(k)fluoranthene	207-08-9	0.8	3.9	1.7	0.071	U	0.067	U	0.067	U	0.06	U	0.145	D	NT	
Benzoic acid	65-85-0	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Benzyl alcohol	100-51-6	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Benzyl butyl phthalate	85-68-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Bis(2-chloroethoxy)methane	111-91-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Bis(2-chloroethoxy)ether	111-44-4	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Bis(2-chloroisopropyl)ether	108-60-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Caprolactam	105-60-2	~	~	~	0.142	U	0.134	U	0.134	U	0.119	U	0.135	U	NT	
Carbazole	86-74-8	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Chrysene	218-01-9	1	3.9	1	0.071	U	0.067	U	0.067	U	0.06	U	0.139	D	NT	
Dibenzo(a,h)anthracene	53-70-3	0.33	0.33	1000	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Dibenzofuran	132-64-9	7	59	210	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Diethyl phthalate	84-66-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Dimethyl phthalate	131-11-3	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Di-n-butyl phthalate	84-74-2	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Di-n-octyl phthalate	117-84-0	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Fluoranthene	206-44-0	100	100	1000	0.142	U	0.067	U	0.067	U	0.06	U	0.377	D	NT	
Fluorene	86-73-7	30	100	386	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Hexachlorobenzene	118-74-1	0.33	1.2	3.2	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Hexachlorobutadiene	87-68-3	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Hexachlorocyclopentadiene	77-47-4	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Hexachloroethane	67-72-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Indeno(1,2,3-cd)pyrene	193-39-5	0.5	0.5	8.2	0.071	U	0.067	U	0.067	U	0.06	U	0.110	JD	NT	
Isophorone	78-59-1	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Naphthalene	91-20-3	12	100	12	0.071	U	0.067	U	0.067	U	0.06	U	0.239	D	NT	
Nitrobenzene	98-95-3	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
N-Nitrosodimethylamine	62-75-9	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
N-nitroso-di-n-propylamine	621-64-7	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
N-Nitrosodiphenylamine	86-30-6	~	~	~	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Pentachlorophenol	87-86-5	0.8	6.7	0.8	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Phenanthrene	85-01-8	100	100	1000	0.071	U	0.067	U	0.067	U	0.06	U	0.370	D	NT	
Phenol	108-95-2	0.33	100	0.33	0.071	U	0.067	U	0.067	U	0.06	U	0.0677	U	NT	
Pyrene	129-00-0	100	100	1000	0.071	U	0.067	U	0.067	U	0.06	U	0.292	D	NT	

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-12 (18F)	EP-12 (18 F)	EP-13 (18F)	EP-13 (18 F)	EP-14 (18F)	EP-14 (18F)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24A1707-04	24E0347-01	24A1707-07	24E0347-02	24A1707-10	24E0255-05
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	1/30/24	5/6/24	1/30/24	5/6/24	1/30/24	5/3/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Soil		mg/Kg	mg/Kg	mg/Kg			mg/Kg		mg/Kg	
Dilution Factor		1	1	1			1		1	
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.0198	U	NT	
SVOA, 8270 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg	
Dilution Factor		2	2	2	2		2		2	
1,1-Biphenyl	92-52-4	~	~	~	0.0650	U	NT	0.0682	U	NT
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	~	0.130	U	NT	0.136	U	NT
1,2,4-Trichlorobenzene	120-82-1	~	~	~	0.0650	U	NT	0.0682	U	NT
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	0.0650	U	NT	0.0682	U	NT
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	~	0.0650	U	NT	0.0682	U	NT
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	0.0650	U	NT	0.0682	U	NT
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	0.0650	U	NT	0.0682	U	NT
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	~	0.130	U	NT	0.136	U	NT
2,4,5-Trichlorophenol	95-95-4	~	~	~	0.0650	U	NT	0.0682	U	NT
2,4,6-Trichlorophenol	88-06-2	~	~	~	0.0650	U	NT	0.0682	U	NT
2,4-Dichlorophenol	120-83-2	~	~	~	0.0650	U	NT	0.0682	U	NT
2,4-Dimethylphenol	105-67-9	~	~	~	0.0650	U	NT	0.0682	U	NT
2,4-Dinitrophenol	51-28-5	~	~	~	0.130	U	NT	0.136	U	NT
2,4-Dinitrotoluene	121-14-2	~	~	~	0.0650	U	NT	0.0682	U	NT
2,6-Dinitrotoluene	606-20-2	~	~	~	0.0650	U	NT	0.0682	U	NT
2-Chloronaphthalene	91-58-7	~	~	~	0.0650	U	NT	0.0682	U	NT
2-Chlorophenol	95-57-8	~	~	~	0.0650	U	NT	0.0682	U	NT
2-Methylnaphthalene	91-57-6	~	~	~	0.0650	U	NT	0.0682	U	NT
2-Methylphenol	95-48-7	0.33	100	0.33	0.0650	U	NT	0.0682	U	NT
2-Nitroaniline	88-74-4	~	~	~	0.130	U	NT	0.136	U	NT
2-Nitrophenol	88-75-5	~	~	~	0.0650	U	NT	0.0682	U	NT
3- & 4-Methylphenols	65794-96-9	0.33	100	0.33	0.0650	U	NT	0.0682	U	NT
3,3-Dichlorobenzidine	91-94-1	~	~	~	0.0650	U	NT	0.0682	U	NT
3-Nitroaniline	99-09-2	~	~	~	0.130	U	NT	0.136	U	NT
4,6-Dinitro-2-methylphenol	534-52-1	~	~	~	0.130	U	NT	0.136	U	NT
4-Bromophenyl phenyl ether	101-55-3	~	~	~	0.0650	U	NT	0.0682	U	NT
4-Chloro-3-methylphenol	59-50-7	~	~	~	0.0650	U	NT	0.0682	U	NT
4-Chloroaniline	106-47-8	~	~	~	0.0650	U	NT	0.0682	U	NT
4-Chlorophenyl phenyl ether	7005-72-3	~	~	~	0.0650	U	NT	0.0682	U	NT
4-Nitroaniline	100-01-6	~	~	~	0.130	U	NT	0.136	U	NT
4-Nitrophenol	100-02-7	~	~	~	0.130	U	NT	0.136	U	NT
Acenaphthene	83-32-9	20	100	98	0.0650	U	NT	0.0682	U	NT
Acenaphthylene	208-96-8	100	100	107	0.0650	U	NT	0.0682	U	NT
Acetophenone	98-86-2	~	~	~	0.0650	U	NT	0.0682	U	NT
Aniline	62-53-3	~	~	~	0.260	U	NT	0.272	U	NT
Anthracene	120-12-7	100	100	1000	0.0799	JD	NT	0.0682	U	NT
Atrazine	1912-24-9	~	~	~	0.0650	U	NT	0.0682	U	NT
Benzaldehyde	100-52-7	~	~	~	0.0650	U	NT	0.0682	U	NT
Benzidine	92-87-5	~	~	~	0.260	U	NT	0.272	U	NT
Benzo(a)anthracene	56-55-3	1	1	1	0.345	D	NT	0.0682	U	NT
Benzo(a)pyrene	50-32-8	1	1	22	0.131	D	NT	0.0682	U	NT
Benzo(b)fluoranthene	205-99-2	1	1	1.7	0.310	D	NT	0.0682	U	NT
Benzo(g,h,i)perylene	191-24-2	100	100	1000	0.163	D	NT	0.0682	U	NT
Benzo(k)fluoranthene	207-08-9	0.8	3.9	1.7	0.280	D	NT	0.0682	U	NT
Benzoic acid	65-85-0	~	~	~	0.0650	U	NT	0.0682	U	NT
Benzyl alcohol	100-51-6	~	~	~	0.0650	U	NT	0.0682	U	NT
Benzyl butyl phthalate	85-68-7	~	~	~	0.0650	U	NT	0.0682	U	NT
Bis(2-chloroethoxy)methane	111-91-1	~	~	~	0.0650	U	NT	0.0682	U	NT
Bis(2-chloroethyl)ether	111-44-4	~	~	~	0.0650	U	NT	0.0682	U	NT
Bis(2-chloroisopropyl)ether	108-60-1	~	~	~	0.0650	U	NT	0.0682	U	NT
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	~	0.0650	U	NT	0.0682	U	NT
Caprolactam	105-60-2	~	~	~	0.130	U	NT	0.136	U	NT
Carbazole	86-74-8	~	~	~	0.0650	U	NT	0.0682	U	NT
Chrysene	218-01-9	1	3.9	1	0.314	D	NT	0.0682	U	NT
Dibenzo(a,h)anthracene	53-70-3	0.33	0.33	1000	0.0674	JD	NT	0.0682	U	NT
Dibenzofuran	132-64-9	7	59	210	0.0650	U	NT	0.0682	U	NT
Diethyl phthalate	84-66-2	~	~	~	0.0650	U	NT	0.0682	U	NT
Dimethyl phthalate	131-11-3	~	~	~	0.0650	U	NT	0.0682	U	NT
Di-n-butyl phthalate	84-74-2	~	~	~	0.0650	U	NT	0.0682	U	NT
Di-n-octyl phthalate	117-84-0	~	~	~	0.0650	U	NT	0.0682	U	NT
Fluoranthene	206-44-0	100	100	1000	0.476	D	NT	0.0682	U	NT
Fluorene	86-73-7	30	100	386	0.0650	U	NT	0.0682	U	NT
Hexachlorobenzene	118-74-1	0.33	1.2	3.2	0.0650	U	NT	0.0682	U	NT
Hexachlorobutadiene	87-68-3	~	~	~	0.0650	U	NT	0.0682	U	NT
Hexachlorocyclopentadiene	77-47-4	~	~	~	0.0650	U	NT	0.0682	U	NT
Hexachloroethane	67-72-1	~	~	~	0.0650	U	NT	0.0682	U	NT
Indeno(1,2,3-cd)pyrene	193-39-5	0.5	0.5	8.2	0.139	D	NT	0.0682	U	NT
Isophorone	78-59-1	~	~	~	0.0650	U	NT	0.0682	U	NT
Naphthalene	91-20-3	12	100	12	0.119	JD	NT	0.0979	JD	NT
Nitrobenzene	98-95-3	~	~	~	0.0650	U	NT	0.0682	U	NT
N-Nitrosodimethylamine	62-75-9	~	~	~	0.0650	U	NT	0.0682	U	NT
N-nitroso-di-n-propylamine	621-64-7	~	~	~	0.0650	U	NT	0.0682	U	NT
N-Nitrosodiphenylamine	86-30-6	~	~	~	0.0650	U	NT	0.0682	U	NT
Pentachlorophenol	87-86-5	0.8	6.7	0.8	0.0650	U	NT	0.0682	U	NT
Phenanthrene	85-01-8	100	100	1000	0.0840	JD	NT	0.0682	U	NT
Phenol	108-95-2	0.33	100	0.33	0.0650	U	NT	0.0682	U	NT
Pyrene	129-00-0	100	100	1000	0.380	D	NT	0.0682	U	NT

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U= analyte not detected at or above the level indicated

~this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-15 (18 Ft)	EP-15 (18ft)	EP-16 (18 Ft)	EP-16 (18ft)	EP-17 (18ft)	EP-17 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0538-01	24E0255-06	24B0539-01	24E0255-07	24A1707-19	24E0255-04
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	2/8/24	5/3/24	2/8/24	5/3/24	1/30/24	5/3/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Soil		mg/Kg	mg/Kg	mg/Kg						
Dilution Factor										
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.0198	U	0.0198	U
SVOA, 8270 MASTER		mg/Kg	mg/Kg	mg/Kg						
Dilution Factor										
1,1-Biphenyl	92-52-4	~	~	~	NT		0.061	U	0.060	U
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	~	NT		0.122	U	0.119	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	NT		0.061	U	0.06	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	NT		0.061	U	0.06	U
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	~	NT		0.061	U	0.06	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	NT		0.061	U	0.06	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	NT		0.061	U	0.06	U
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	~	NT		0.122	U	0.119	U
2,4,5-Trichlorophenol	95-95-4	~	~	~	NT		0.061	U	0.06	U
2,4,6-Trichlorophenol	88-06-2	~	~	~	NT		0.061	U	0.06	U
2,4-Dichlorophenol	120-83-2	~	~	~	NT		0.061	U	0.06	U
2,4-Dimethylphenol	105-67-9	~	~	~	NT		0.061	U	0.06	U
2,4-Dinitrophenol	51-28-5	~	~	~	NT		0.122	U	0.119	U
2,4-Dinitrotoluene	121-14-2	~	~	~	NT		0.061	U	0.06	U
2,6-Dinitrotoluene	606-20-2	~	~	~	NT		0.061	U	0.06	U
2-Chloronaphthalene	91-58-7	~	~	~	NT		0.061	U	0.06	U
2-Chlorophenol	95-57-8	~	~	~	NT		0.061	U	0.06	U
2-Methylnaphthalene	91-57-6	~	~	~	NT		0.061	U	0.06	U
2-Methylphenol	95-48-7	0.33	100	0.33	NT		0.061	U	0.06	U
2-Nitroaniline	88-74-4	~	~	~	NT		0.122	U	0.119	U
2-Nitrophenol	88-75-5	~	~	~	NT		0.061	U	0.06	U
3- & 4-Methylphenols	65794-96-9	0.33	100	0.33	NT		0.061	U	0.06	U
3,3-Dichlorobenzidine	91-94-1	~	~	~	NT		0.061	U	0.06	U
3-Nitroaniline	99-09-2	~	~	~	NT		0.122	U	0.119	U
4,6-Dinitro-2-methylphenol	534-52-1	~	~	~	NT		0.122	U	0.119	U
4-Bromophenyl phenyl ether	101-55-3	~	~	~	NT		0.061	U	0.06	U
4-Chloro-3-methylphenol	59-50-7	~	~	~	NT		0.061	U	0.06	U
4-Chloroaniline	106-47-8	~	~	~	NT		0.061	U	0.06	U
4-Chlorophenyl phenyl ether	7005-72-3	~	~	~	NT		0.061	U	0.06	U
4-Nitroaniline	100-01-6	~	~	~	NT		0.122	U	0.119	U
4-Nitrophenol	100-02-7	~	~	~	NT		0.122	U	0.119	U
Acenaphthene	83-32-9	20	100	98	NT		0.061	U	0.06	U
Acenaphthylene	208-96-8	100	100	107	NT		0.061	U	0.06	U
Acetophenone	98-86-2	~	~	~	NT		0.061	U	0.06	U
Aniline	62-53-3	~	~	~	NT		0.244	U	0.239	U
Anthracene	120-12-7	100	100	1000	NT		0.061	U	0.06	U
Atrazine	1912-24-9	~	~	~	NT		0.061	U	0.06	U
Benzaldehyde	100-52-7	~	~	~	NT		0.061	U	0.06	U
Benzidine	92-87-5	~	~	~	NT		0.244	U	0.239	U
Benzo(a)anthracene	56-55-3	1	1	1	NT		0.061	U	0.06	U
Benzo(a)pyrene	50-32-8	1	1	22	NT		0.061	U	0.06	U
Benzo(b)fluoranthene	205-99-2	1	1	1.7	NT		0.061	U	0.06	U
Benzo(g,h,i)perylene	191-24-2	100	100	1000	NT		0.061	U	0.06	U
Benzo(k)fluoranthene	207-08-9	0.8	3.9	1.7	NT		0.061	U	0.06	U
Benzoic acid	65-85-0	~	~	~	NT		0.061	U	0.06	U
Benzyl alcohol	100-51-6	~	~	~	NT		0.061	U	0.06	U
Benzyl butyl phthalate	85-68-7	~	~	~	NT		0.061	U	0.06	U
Bis(2-chloroethoxy)methane	111-91-1	~	~	~	NT		0.061	U	0.06	U
Bis(2-chloroethyl)ether	111-44-4	~	~	~	NT		0.061	U	0.06	U
Bis(2-chloroisopropyl)ether	108-60-1	~	~	~	NT		0.061	U	0.06	U
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	~	NT		0.061	U	0.06	U
Caprolactam	105-60-2	~	~	~	NT		0.122	U	0.119	U
Carbazole	86-74-8	~	~	~	NT		0.061	U	0.06	U
Chrysene	218-01-9	1	3.9	1	NT		0.061	U	0.06	U
Dibenzo(a,h)anthracene	53-70-3	0.33	0.33	1000	NT		0.061	U	0.06	U
Dibenzofuran	132-64-9	7	59	210	NT		0.061	U	0.06	U
Diethyl phthalate	84-66-2	~	~	~	NT		0.061	U	0.06	U
Dimethyl phthalate	131-11-3	~	~	~	NT		0.061	U	0.06	U
Di-n-butyl phthalate	84-74-2	~	~	~	NT		0.061	U	0.06	U
Di-n-octyl phthalate	117-84-0	~	~	~	NT		0.061	U	0.06	U
Fluoranthene	206-44-0	100	100	1000	NT		0.061	U	0.06	U
Fluorene	86-73-7	30	100	386	NT		0.061	U	0.06	U
Hexachlorobenzene	118-74-1	0.33	1.2	3.2	NT		0.061	U	0.06	U
Hexachlorobutadiene	87-68-3	~	~	~	NT		0.061	U	0.06	U
Hexachlorocyclopentadiene	77-47-4	~	~	~	NT		0.061	U	0.06	U
Hexachloroethane	67-72-1	~	~	~	NT		0.061	U	0.06	U
Indeno(1,2,3-cd)pyrene	193-39-5	0.5	0.5	8.2	NT		0.061	U	0.06	U
Isophorone	78-59-1	~	~	~	NT		0.061	U	0.06	U
Naphthalene	91-20-3	12	100	12	NT		0.061	U	0.06	U
Nitrobenzene	98-95-3	~	~	~	NT		0.061	U	0.06	U
N-Nitrosodimethylamine	62-75-9	~	~	~	NT		0.061	U	0.06	U
N-nitroso-di-n-propylamine	621-64-7	~	~	~	NT		0.061	U	0.06	U
N-Nitrosodiphenylamine	86-30-6	~	~	~	NT		0.061	U	0.06	U
Pentachlorophenol	87-86-5	0.8	6.7	0.8	NT		0.061	U	0.06	U
Phenanthrene	85-01-8	100	100	1000	NT		0.061	U	0.06	U
Phenol	108-95-2	0.33	100	0.33	NT		0.061	U	0.06	U
Pyrene	129-00-0	100	100	1000	NT		0.061	U	0.06	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U= analyte not detected at or above the level indicated

~= this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-18 (18 Ft)	EP-18 (18ft)	EP-X-3	EP-19 (18ft)	EP-19 (18ft)	EP-20 (10ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0540-01	24E0255-01	24E0255-02	24A1707-25	24E0255-03	24F1289-01
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	2/8/24	5/3/24	5/3/24	1/30/24	5/3/24	6/19/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Soil		mg/Kg	mg/Kg	mg/Kg			mg/Kg		mg/Kg	
Dilution Factor							1		1	
1,4-Dioxane	123-91-1	0.1	13	0.1	NT		0.0198	U	0.0198	U
SVOA, 8270 MASTER		mg/Kg	mg/Kg	mg/Kg			mg/Kg		mg/Kg	
Dilution Factor							2		200	
1,1-Biphenyl	92-52-4	~	~	~	NT		0.055	U	0.056	U
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	~	NT		0.11	U	0.113	U
1,2,4-Trichlorobenzene	120-82-1	~	~	~	NT		0.055	U	0.056	U
1,2-Dichlorobenzene	95-50-1	1.1	100	1.1	NT		0.055	U	0.056	U
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	~	NT		0.055	U	0.056	U
1,3-Dichlorobenzene	541-73-1	2.4	49	2.4	NT		0.055	U	0.056	U
1,4-Dichlorobenzene	106-46-7	1.8	13	1.8	NT		0.055	U	0.056	U
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	~	NT		0.11	U	0.113	U
2,4,5-Trichlorophenol	95-95-4	~	~	~	NT		0.055	U	0.056	U
2,4,6-Trichlorophenol	88-06-2	~	~	~	NT		0.055	U	0.056	U
2,4-Dichlorophenol	120-83-2	~	~	~	NT		0.055	U	0.056	U
2,4-Dimethylphenol	105-67-9	~	~	~	NT		0.055	U	0.056	U
2,4-Dinitrophenol	51-28-5	~	~	~	NT		0.11	U	0.113	U
2,4-Dinitrotoluene	121-14-2	~	~	~	NT		0.055	U	0.056	U
2,6-Dinitrotoluene	606-20-2	~	~	~	NT		0.055	U	0.056	U
2-Chloronaphthalene	91-58-7	~	~	~	NT		0.055	U	0.056	U
2-Chlorophenol	95-57-8	~	~	~	NT		0.055	U	0.056	U
2-Methylnaphthalene	91-57-6	~	~	~	NT		0.055	U	0.056	U
2-Methylphenol	95-48-7	0.33	100	0.33	NT		0.055	U	0.056	U
2-Nitroaniline	88-74-4	~	~	~	NT		0.11	U	0.113	U
2-Nitrophenol	88-75-5	~	~	~	NT		0.055	U	0.056	U
3- & 4-Methylphenols	65794-96-9	0.33	100	0.33	NT		0.055	U	0.056	U
3,3-Dichlorobenzidine	91-94-1	~	~	~	NT		0.055	U	0.056	U
3-Nitroaniline	99-09-2	~	~	~	NT		0.11	U	0.113	U
4,6-Dinitro-2-methylphenol	534-52-1	~	~	~	NT		0.11	U	0.113	U
4-Bromophenyl phenyl ether	101-55-3	~	~	~	NT		0.055	U	0.056	U
4-Chloro-3-methylphenol	59-50-7	~	~	~	NT		0.055	U	0.056	U
4-Chloroaniline	106-47-8	~	~	~	NT		0.055	U	0.056	U
4-Chlorophenyl phenyl ether	7005-72-3	~	~	~	NT		0.055	U	0.056	U
4-Nitroaniline	100-01-6	~	~	~	NT		0.11	U	0.113	U
4-Nitrophenol	100-02-7	~	~	~	NT		0.11	U	0.113	U
Acenaphthene	83-32-9	20	100	98	NT		0.055	U	0.056	U
Acenaphthylene	208-96-8	100	100	107	NT		0.055	U	0.056	U
Acetophenone	98-86-2	~	~	~	NT		0.055	U	0.056	U
Aniline	62-53-3	~	~	~	NT		0.219	U	0.225	U
Anthracene	120-12-7	100	100	1000	NT		0.055	U	0.056	U
Atrazine	1912-24-9	~	~	~	NT		0.055	U	0.056	U
Benzaldehyde	100-52-7	~	~	~	NT		0.055	U	0.056	U
Benzidine	92-87-5	~	~	~	NT		0.219	U	0.225	U
Benzo(a)anthracene	56-55-3	1	1	1	NT		0.055	U	0.056	U
Benzo(a)pyrene	50-32-8	1	1	22	NT		0.055	U	0.056	U
Benzo(b)fluoranthene	205-99-2	1	1	1.7	NT		0.055	U	0.056	U
Benzo(g,h,i)perylene	191-24-2	100	100	1000	NT		0.055	U	0.056	U
Benzo(k)fluoranthene	207-08-9	0.8	3.9	1.7	NT		0.055	U	0.056	U
Benzoic acid	65-85-0	~	~	~	NT		0.055	U	0.056	U
Benzyl alcohol	100-51-6	~	~	~	NT		0.055	U	0.056	U
Benzyl butyl phthalate	85-68-7	~	~	~	NT		0.055	U	0.056	U
Bis(2-chloroethoxy)methane	111-91-1	~	~	~	NT		0.055	U	0.056	U
Bis(2-chloroethyl)ether	111-44-4	~	~	~	NT		0.055	U	0.056	U
Bis(2-chloroisopropyl)ether	108-60-1	~	~	~	NT		0.055	U	0.056	U
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	~	NT		0.055	U	0.056	U
Caprolactam	105-60-2	~	~	~	NT		0.11	U	0.113	U
Carbazole	86-74-8	~	~	~	NT		0.055	U	0.056	U
Chrysene	218-01-9	1	3.9	1	NT		0.055	U	0.056	U
Dibenzo(a,h)anthracene	53-70-3	0.33	0.33	1000	NT		0.055	U	0.056	U
Dibenzofuran	132-64-9	7	59	210	NT		0.055	U	0.056	U
Diethyl phthalate	84-66-2	~	~	~	NT		0.055	U	0.056	U
Dimethyl phthalate	131-11-3	~	~	~	NT		0.055	U	0.056	U
Di-n-butyl phthalate	84-74-2	~	~	~	NT		0.055	U	0.056	U
Di-n-octyl phthalate	117-84-0	~	~	~	NT		0.055	U	0.056	U
Fluoranthene	206-44-0	100	100	1000	NT		0.055	U	0.056	U
Fluorene	86-73-7	30	100	386	NT		0.055	U	0.056	U
Hexachlorobenzene	118-74-1	0.33	1.2	3.2	NT		0.055	U	0.056	U
Hexachlorobutadiene	87-68-3	~	~	~	NT		0.055	U	0.056	U
Hexachlorocyclopentadiene	77-47-4	~	~	~	NT		0.055	U	0.056	U
Hexachloroethane	67-72-1	~	~	~	NT		0.055	U	0.056	U
Indeno(1,2,3-cd)pyrene	193-39-5	0.5	0.5	8.2	NT		0.055	U	0.056	U
Isophorone	78-59-1	~	~	~	NT		0.055	U	0.056	U
Naphthalene	91-20-3	12	100	12	NT		0.055	U	0.056	U
Nitrobenzene	98-95-3	~	~	~	NT		0.055	U	0.056	U
N-Nitrosodimethylamine	62-75-9	~	~	~	NT		0.055	U	0.056	U
N-nitroso-di-n-propylamine	621-64-7	~	~	~	NT		0.055	U	0.056	U
N-Nitrosodiphenylamine	86-30-6	~	~	~	NT		0.055	U	0.056	U
Pentachlorophenol	87-86-5	0.8	6.7	0.8	NT		0.055	U	0.056	U
Phenanthrene	85-01-8	100	100	1000	NT		0.055	U	0.056	U
Phenol	108-95-2	0.33	100	0.33	NT		0.055	U	0.056	U
Pyrene	129-00-0	100	100	1000	NT		0.055	U	0.056	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U= analyte not detected at or above the level indicated

~= this indicates that no regulatory limit has been established for this analyte

NT= not tested

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-1 (18ft) 24E0432-03 5/7/24 Soil		EP-2 (18ft) 24E0432-05 5/7/24 Soil		EP-3 (18ft) 24E1175-03 5/16/24 Soil		EP-4 (18ft) 24E1175-04 5/16/24 Soil		EP-5 (18ft) 24E0432-04 5/7/24 Soil		EP-6 (18ft) 24E0432-02 5/7/24 Soil	
Compound	CAS Number				Result		Result		Result		Result		Result		Result	
						Q		Q		Q		Q		Q		Q
PEST, 8081 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					5		5		5		5		5		5	
4,4'-DDD	72-54-8	0.0033	13	14	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
4,4'-DDE	72-55-9	0.0033	8.9	17	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
4,4'-DDT	50-29-3	0.0033	7.9	136	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Aldrin	309-00-2	0.005	0.097	0.19	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
alpha-BHC	319-84-6	0.02	0.48	0.02	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
beta-BHC	5103-71-9	0.094	4.2	2.9	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Chlordane, total	319-85-7	0.036	0.36	0.09	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
	57-74-9	~	~	~	0.0509	U	0.0441	U	0.0528	U	0.0541	U	0.0456	U	0.0492	U
delta-BHC	319-86-8	0.04	100	0.25	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Dieldrin	60-57-1	0.005	0.2	0.1	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endosulfan I	959-98-8	2.4	24	102	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endosulfan II	33213-65-9	2.4	24	102	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endosulfan sulfate	1031-07-8	2.4	24	1000	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endrin	72-20-8	0.014	11	0.06	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endrin aldehyde	7421-93-4	~	~	~	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Endrin ketone	53494-70-5	~	~	~	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
gamma-BHC (Lindane)	58-89-9	0.1	1.3	0.1	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
gamma-Chlordane	5566-34-7	~	~	~	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Heptachlor	76-44-8	0.042	2.1	0.38	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Heptachlor epoxide	1024-57-3	~	~	~	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Methoxychlor	72-43-5	~	~	~	0.00255	U	0.00221	U	0.00264	U	0.00271	U	0.00228	U	0.00246	U
Toxaphene	8001-35-2	~	~	~	0.255	U	0.221	U	0.264	U	0.271	U	0.228	U	0.246	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

US= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-7 (20 Ft) 24B0311-06 2/5/24 Soil		EP-8 (18ft) 24E0844-01 5/13/24 Soil		EP-9 (18ft) 24E0844-02 5/13/24 Soil		EP-10 (18ft) 24E0432-01 5/7/24 Soil		EP-11 (18ft) 24A1707-01 1/30/24 Soil		EP-11 (18ft) 24E0432-06 5/7/24 Soil	
Compound		CAS Number			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER			mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg				mg/Kg	
Dilution Factor																
4,4'-DDD		72-54-8	0.0033	13	14	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
4,4'-DDE		72-55-9	0.0033	8.9	17	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
4,4'-DDT		50-29-3	0.0033	7.9	136	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Aldrin		309-00-2	0.005	0.097	0.19	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
alpha-BHC		319-84-6	0.02	0.48	0.02	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
alpha-Chlordane		5103-71-9	0.094	4.2	2.9	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
beta-BHC		319-85-7	0.036	0.36	0.09	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Chlordane, total		57-74-9	~	~	~	0.0546	U	0.0533	U	0.0531	U	0.0472	U	NT	0.0474	U
delta-BHC		319-86-8	0.04	100	0.25	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Dieldrin		60-57-1	0.005	0.2	0.1	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endosulfan I		959-98-8	2.4	24	102	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endosulfan II		33213-65-9	2.4	24	102	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endosulfan sulfate		1031-07-8	2.4	24	1000	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endrin		72-20-8	0.014	11	0.06	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endrin aldehyde		7421-93-4	~	~	~	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Endrin ketone		53494-70-5	~	~	~	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
gamma-BHC (Lindane)		58-89-9	0.1	1.3	0.1	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
gamma-Chlordane		5566-34-7	~	~	~	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Heptachlor		76-44-8	0.042	2.1	0.38	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Heptachlor epoxide		1024-57-3	~	~	~	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Methoxychlor		72-43-5	~	~	~	0.00273	U	0.00266	U	0.00265	U	0.00236	U	NT	0.00237	U
Toxaphene		8001-35-2	~	~	~	0.273	U	0.266	U	0.265	U	0.236	U	NT	0.237	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UI= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID			NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-12 (18Ft)		EP-12 (18 Ft)		EP-13 (18Ft)		EP-13 (18 Ft)		EP-14 (18Ft)		EP-14 (18Ft)	
Laboratory ID			Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24A1707-04		24E0347-01		24A1707-07		24E0347-02		24A1707-10		24E0255-05	
Sampling Date			Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives-	1/30/24		5/6/24		1/30/24		5/6/24		1/30/24		5/3/24	
Sample Matrix			Objectives	Objectives	Protection of GW	Soil		Soil		Soil		Soil		Soil		Soil	
Compound	CAS Number					Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER			mg/Kg	mg/Kg	mg/Kg			mg/Kg				mg/Kg				mg/Kg	
Dilution Factor			5	5	5			5				5				5	
4,4'-DDD	72-54-8		0.0033	13	14	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
4,4'-DDE	72-55-9		0.0033	8.9	17	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
4,4'-DDT	50-29-3		0.0033	7.9	136	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Aldrin	309-00-2		0.005	0.097	0.19	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
alpha-BHC	319-84-6		0.02	0.48	0.02	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
alpha-Chlordane	5103-71-9		0.094	4.2	2.9	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
beta-BHC	319-85-7		0.036	0.36	0.09	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Chlordane, total	57-74-9		~	~	~	NT		0.0491	U	NT		0.0473	U	NT		0.0465	U
delta-BHC	319-86-8		0.04	100	0.25	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Dieldrin	60-57-1		0.005	0.2	0.1	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endosulfan I	959-98-8		2.4	24	102	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endosulfan II	33213-65-9		2.4	24	102	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endosulfan sulfate	1031-07-8		2.4	24	1000	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endrin	72-20-8		0.014	11	0.06	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endrin aldehyde	7421-93-4		~	~	~	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Endrin ketone	53494-70-5		~	~	~	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
gamma-BHC (Lindane)	58-89-9		0.1	1.3	0.1	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
gamma-Chlordane	5566-34-7		~	~	~	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Heptachlor	76-44-8		0.042	2.1	0.38	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Heptachlor epoxide	1024-57-3		~	~	~	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Methoxychlor	72-43-5		~	~	~	NT		0.00246	U	NT		0.00236	U	NT		0.00232	U
Toxaphene	8001-35-2		~	~	~	NT		0.246	U	NT		0.236	U	NT		0.232	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID			NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-15 (18 Ft)		EP-15 (18ft)		EP-16 (18 Ft)		EP-16 (18ft)		EP-17 (18ft)		EP-17 (18ft)	
Laboratory ID			Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0538-01		24E0255-06		24B0539-01		24E0255-07		24A1707-19		24E0255-04	
Sampling Date			Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives-	2/8/24		5/3/24		2/8/24		5/3/24		1/30/24		5/3/24	
Sample Matrix			Objectives	Objectives	Protection of GW	Soil		Soil		Soil		Soil		Soil		Soil	
Compound	CAS Number					Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER			mg/Kg	mg/Kg	mg/Kg			mg/Kg				mg/Kg				mg/Kg	
Dilution Factor			5	5	5			5				5				5	
4,4'-DDD	72-54-8	0.0033	13	14	14	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
4,4'-DDE	72-55-9	0.0033	8.9	17	17	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
4,4'-DDT	50-29-3	0.0033	7.9	136	136	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Aldrin	309-00-2	0.005	0.097	0.19	0.19	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
alpha-BHC	319-84-6	0.02	0.48	0.02	0.02	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
alpha-Chlordane	5103-71-9	0.094	4.2	2.9	2.9	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
beta-BHC	319-85-7	0.036	0.36	0.09	0.09	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Chlordane, total	57-74-9	~	~	~	~	NT		0.0477	U	NT		0.0465	U	NT		0.0461	U
delta-BHC	319-86-8	0.04	100	0.25	0.25	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Dieldrin	60-57-1	0.005	0.2	0.1	0.1	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endosulfan I	959-98-8	2.4	24	102	102	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endosulfan II	33213-65-9	2.4	24	102	102	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endosulfan sulfate	1031-07-8	2.4	24	1000	1000	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endrin	72-20-8	0.014	11	0.06	0.06	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endrin aldehyde	7421-93-4	~	~	~	~	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Endrin ketone	53494-70-5	~	~	~	~	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
gamma-BHC (Lindane)	58-89-9	0.1	1.3	0.1	0.1	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
gamma-Chlordane	5566-34-7	~	~	~	~	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Heptachlor	76-44-8	0.042	2.1	0.38	0.38	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Heptachlor epoxide	1024-57-3	~	~	~	~	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Methoxychlor	72-43-5	~	~	~	~	NT		0.00239	U	NT		0.00233	U	NT		0.00231	U
Toxaphene	8001-35-2	~	~	~	~	NT		0.239	U	NT		0.233	U	NT		0.231	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID	Laboratory ID	Sampling Date	Sample Matrix	NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-18 (18 Ft)	EP-18 (18ft)	EP-X-3	EP-19 (18ft)	EP-19 (18ft)	EP-20 (18ft)
				Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0540-01	24E0255-01	24E0255-02	24A1707-25	24E0255-03	24F1289-01
				Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/8/24	5/3/24	5/3/24	1/30/24	5/3/24	6/19/24
							Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER		mg/Kg	mg/Kg	mg/Kg			mg/Kg		mg/Kg		mg/Kg	
Dilution Factor							5		5		5	
4,4'-DDD	72-54-8	0.0033	13	14	NT		0.00217	U	0.00219	U	0.00239	U
4,4'-DDE	72-55-9	0.0033	8.9	17	NT		0.00217	U	0.00219	U	0.00239	U
4,4'-DDT	50-29-3	0.0033	7.9	136	NT		0.00217	U	0.00219	U	0.00239	U
Aldrin	309-00-2	0.005	0.097	0.19	NT		0.00217	U	0.00219	U	0.00239	U
alpha-BHC	319-84-6	0.02	0.48	0.02	NT		0.00217	U	0.00219	U	0.00239	U
alpha-Chlordane	5103-71-9	0.094	4.2	2.9	NT		0.00217	U	0.00219	U	0.00239	U
beta-BHC	319-85-7	0.036	0.36	0.09	NT		0.00217	U	0.00219	U	0.00239	U
Chlordane, total	57-74-9	~	~	~	NT		0.0433	U	0.0438	U	0.0477	U
delta-BHC	319-86-8	0.04	100	0.25	NT		0.00217	U	0.00219	U	0.00239	U
Dieldrin	60-57-1	0.005	0.2	0.1	NT		0.00217	U	0.00219	U	0.00239	U
Endosulfan I	959-98-8	2.4	24	102	NT		0.00217	U	0.00219	U	0.00239	U
Endosulfan II	33213-65-9	2.4	24	102	NT		0.00217	U	0.00219	U	0.00239	U
Endosulfan sulfate	1031-07-8	2.4	24	1000	NT		0.00217	U	0.00219	U	0.00239	U
Endrin	72-20-8	0.014	11	0.06	NT		0.00217	U	0.00219	U	0.00239	U
Endrin aldehyde	7421-93-4	~	~	~	NT		0.00217	U	0.00219	U	0.00239	U
Endrin ketone	53494-70-5	~	~	~	NT		0.00217	U	0.00219	U	0.00239	U
gamma-BHC (Lindane)	58-89-9	0.1	1.3	0.1	NT		0.00217	U	0.00219	U	0.00239	U
gamma-Chlordane	5566-34-7	~	~	~	NT		0.00217	U	0.00219	U	0.00239	U
Heptachlor	76-44-8	0.042	2.1	0.38	NT		0.00217	U	0.00219	U	0.00239	U
Heptachlor epoxide	1024-57-3	~	~	~	NT		0.00217	U	0.00219	U	0.00239	U
Methoxychlor	72-43-5	~	~	~	NT		0.00217	U	0.00219	U	0.00239	U
Toxaphene	8001-35-2	~	~	~	NT		0.217	U	0.219	U	0.239	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UI= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-1 (18ft) 24E0432-03 5/7/24 Soil		EP-2 (18ft) 24E0432-05 5/7/24 Soil		EP-3 (18ft) 24E1175-03 5/16/24 Soil		EP-4 (18ft) 24E1175-04 5/16/24 Soil		EP-5 (18ft) 24E0432-04 5/7/24 Soil		EP-6 (18ft) 24E0432-02 5/7/24 Soil	
Laboratory ID																
Sampling Date																
Sample Matrix																
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
Aluminum	7429-90-5	~	~	~	16,400		14,400		20,200		19,800		15,100		17,200	
Antimony	7440-36-0	~	~	~	3.28	UJ	2.79		3.36		3.43		2.89		3.11	
Arsenic	7440-38-2	13	16	16	9.87		8.82		10.6	J	14.4	J	9.54		9.730	
Barium	7440-39-3	350	400	820	34.2		29.4		45.9	J	45.1	J	30.9		222	
Beryllium	7440-41-7	7.2	72	47	0.709		0.604		0.07	U	0.07	U	0.636		0.735	
Cadmium	7440-43-9	2.5	4.3	7,500	0.525	J-	0.525	J-	0.403	UJ	0.411	UJ	0.567	J-	0.635	J-
Calcium	7440-70-2	~	~	~	2,530		2,760		2,570	J	2,290	J	2,380		3,200	
Chromium	7440-47-3	~	~	~	31.2		27		34.2	J	32.9	J	28.800		31.9	
Cobalt	7440-48-4	~	~	~	12		10.4		10.6	J	10.8	J	11.1		12.6	
Copper	7440-50-8	50	270	1720	15.9		14		15.8		14.9		14.5		27.5	
Iron	7439-89-6	~	~	~	31,300		30,100		31,000	J	32,500	J	32,300		33,900	
Lead	7439-92-1	63	400	450	12.7		11.3		15.5	J	15.9	J	11.9		196	
Magnesium	7439-95-4	~	~	~	7,630		7,020		7,220	J	7,180	J	7,090		7,610	
Manganese	7439-96-5	1600	2,000	2000	365		417		417	J	372	J	366		450	
Nickel	7440-02-0	30	310	130	27.5		23.9		28.1	J	28.5	J	25		29.2	
Potassium	7440-09-7	~	~	~	3,720	B	3,190	B	4,660		4,570		3,530	B	3,700	B
Selenium	7782-49-2	3.9	180	4	3.28	U	2.79	U	3.36	U	3.43	U	2.89	U	3.11	U
Silver	7440-22-4	2	180	8.3	0.661	U	0.563	U	0.677	UJ	0.691	UJ	0.583	U	0.628	U
Sodium	7440-23-5	~	~	~	689		516		1,100		1,440		587		607	
Thallium	7440-28-0	~	~	~	3.28	U	2.79	U	3.36	U	3.43	U	2.89	U	3.11	U
Vanadium	7440-62-2	~	~	~	38.1		31.5		42.8	J	45.2	J	35.1		41.2	
Zinc	7440-66-6	109	10,000	2480	73.6		65.5		81.3	J	80.1	J	68.1		103	
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
Mercury	7439-97-6	0.18	0.81	0.73	0.0472	U	0.0402	U	0.0575		0.0494	U	0.0416	U	0.0448	U
Total Solids					%		%		%		%		%		%	
Dilution Factor					1		1		1		1		1		1	
% Solids	solids	~	~	~	63.5		74.5		62.1		60.8		72.1		66.9	

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-7 (20 Ft) 24B0311-06 2/5/24 Soil		EP-8 (18ft) 24E0844-01 5/13/24 Soil		EP-9 (18ft) 24E0844-02 5/13/24 Soil		EP-10 (18ft) 24E0432-01 5/7/24 Soil		EP-11 (18ft) 24A1707-01 1/30/24 Soil		EP-11 (18ft) 24E0432-06 5/7/24 Soil	
Laboratory ID																
Sampling Date																
Sample Matrix																
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
Aluminum	7429-90-5	~	~	~	22,300	J	17,200		18,300		16,100		18,400		NT	
Antimony	7440-36-0	~	~	~	3.55	UJ	3.37		3.36		2.99		3.39		NT	
Arsenic	7440-38-2	13	16	16	9.2	J	12.2		11.7		6.58		5.79		9.11	
Barium	7440-39-3	350	400	820	71.9	J	36.3		38.3		33.1		45.7	JD	NT	
Beryllium	7440-41-7	7.2	72	47	0.07	U	0.07	U	0.07		0.682		0.068	U	NT	
Cadmium	7440-43-9	2.5	4.3	7,500	0.426	U	0.405	UJ	0.404	UJ	0.491	J-	0.407	U	NT	
Calcium	7440-70-2	~	~	~	4,040	J	1,900		3,820		3,000		8,750	J	NT	
Chromium	7440-47-3	~	~	~	42.1	J-	28.6		23.2		30		34	J	NT	
Cobalt	7440-48-4	~	~	~	14.40	J	9.67		9.93		11.5		12.7	J	NT	
Copper	7440-50-8	50	270	1720	30.6	J+	19.5		20.6		16.5		20.1	J-	NT	
Iron	7439-89-6	~	~	~	38,600	J	27,200		29,500		30,500		33,900	J	NT	
Lead	7439-92-1	63	400	450	54.7	J-	13.4		15.9		12.7		29.3	J	NT	
Magnesium	7439-95-4	~	~	~	8,600	J	6,370		6,570		7,780		7,380	J	NT	
Manganese	7439-96-5	1600	2,000	2000	590	J	336		416		406		446	J	NT	
Nickel	7440-02-0	30	310	130	61.9	J+	25.4		25.9		26.1		34.1	J	NT	
Potassium	7440-09-7	~	~	~	5,440	J	3,850		4,040		3,580	B	3,970	J	NT	
Selenium	7782-49-2	3.9	180	4	3.55	U	3.37	U	3.36	U	2.99	U	3.39	UJ	NT	
Silver	7440-22-4	2	180	8.3	0.716	UJ	0.68	U	0.678	U	0.603	U	0.684	UJ	NT	
Sodium	7440-23-5	~	~	~	1,240	J	1,070		1,190		441		1,500	J	NT	
Thallium	7440-28-0	~	~	~	3.55	UJ	3.37	U	3.36	U	2.99	U	3.39	U	NT	
Vanadium	7440-62-2	~	~	~	52.9	J-	35.5		38.4		34.7		41.8	J	NT	
Zinc	7440-66-6	109	10,000	2480	105	J-	67.5	J-	71.5	J-	72		79.8	J-	NT	
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg			
Dilution Factor					1		1		1		1		1			
Mercury	7439-97-6	0.18	0.81	0.73	1.4		0.0486	U	0.0484	U	0.0431	U	0.248		NT	
Total Solids					%		%		%		%		%		%	
Dilution Factor					1		1		1		1		1		1	
% Solids	solids	~	~	~	58.7		61.7		62		69.6		61.4		68	

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-12 (18Ft)		EP-12 (18 Ft)		EP-13 (18Ft)		EP-13 (18 Ft)		EP-14 (18Ft)		EP-14 (18Ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24A1707-04		24E0347-01		24A1707-07		24E0347-02		24A1707-10		24E0255-05
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	1/30/24		5/6/24		1/30/24		5/6/24		1/30/24		5/3/24
Sample Matrix					Soil		Soil		Soil		Soil		Soil		Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg
Dilution Factor					1		1		1		1		1		1
Aluminum	7429-90-5	~	~	~	23,700		NT		20,100		NT		19,300		NT
Antimony	7440-36-0	~	~	~	3.28	UJ	NT		3.42		NT		3.28	UJ	NT
Arsenic	7440-38-2	13	16	16	2.14		13	J	3.43		12.1	J	4.99		9.29
Barium	7440-39-3	350	400	820	68.5	J	NT		47.5	JD	NT		48.3	J	NT
Beryllium	7440-41-7	7.2	72	47	0.066	U	NT		0.069	U	NT		0.066	U	NT
Cadmium	7440-43-9	2.5	4.3	7,500	0.394	U	NT		0.41	U	NT		0.394	U	NT
Calcium	7440-70-2	~	~	~	5,370	J	NT		2,920	J	NT		3,560	J	NT
Chromium	7440-47-3	~	~	~	38.8	J	NT		36	J	NT		34.6	J	NT
Cobalt	7440-48-4	~	~	~	14.2	J	NT		13.9	J	NT		12.5	J	NT
Copper	7440-50-8	50	270	1720	42.3	J-	NT		15.8	J-	NT		21.8	J-	NT
Iron	7439-89-6	~	~	~	38,800	J	NT		35,500	J	NT		33,700	J	NT
Lead	7439-92-1	63	400	450	108	J	NT		24.7	J	NT		37.7	J	NT
Magnesium	7439-95-4	~	~	~	7,790	J	NT		8,030	J	NT		7,140	J	NT
Manganese	7439-96-5	1600	2,000	2000	428	J	NT		506	J	NT		410	J	NT
Nickel	7440-02-0	30	310	130	42.3	J	NT		37.9	J	NT		33.2	J	NT
Potassium	7440-09-7	~	~	~	4,510	J	NT		4,400	J	NT		3,930	J	NT
Selenium	7782-49-2	3.9	180	4	3.28	UJ	NT		3.42	UJ	NT		3.28	UJ	NT
Silver	7440-22-4	2	180	8.3	0.662	UJ	NT		0.690	UJ	NT		0.662	UJ	NT
Sodium	7440-23-5	~	~	~	773	J	NT		1,480	J	NT		1,490	J	NT
Thallium	7440-28-0	~	~	~	3.28	U	NT		3.42	U	NT		3.28	U	NT
Vanadium	7440-62-2	~	~	~	48.6	J	NT		45.4	J	NT		44.5	J	NT
Zinc	7440-66-6	109	10,000	2480	114	J	NT		84.6	J-	NT		80.8	J-	NT
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg	mg/Kg		J-		mg/Kg				mg/Kg		
Dilution Factor					1				1				1		
Mercury	7439-97-6	0.18	0.81	0.73	0.369		NT		0.0493	U	NT		0.121		NT
Total Solids					%		%		%		%		%		%
Dilution Factor					1		1		1		1		1		1
% Solids	solids	~	~	~	63.4		65.9		60.9		68		63.4		69.8

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-15 (18 Ft)		EP-15 (18ft)		EP-16 (18 Ft)		EP-16 (18ft)		EP-17 (18ft)		EP-17 (18ft)	
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0538-01		24E0255-06		24B0539-01		24E0255-07		24A1707-19		24E0255-04	
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/8/24		5/3/24		2/8/24		5/3/24		1/30/24		5/3/24	
Sample Matrix					Soil		Soil		Soil		Soil		Soil		Soil	
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
Aluminum	7429-90-5	~	~	~	17,900	J	NT		19,800	J	NT		16,700		NT	
Antimony	7440-36-0	~	~	~	3.57	UJ	NT		3.46	UJ	NT		3.02	U	NT	
Arsenic	7440-38-2	13	16	16	7.2	J	8.02	J	7.45	J	9.25	J	6.85		7.82	J
Barium	7440-39-3	350	400	820	52.8	J+	NT		53.5	J+	NT		41.7		NT	
Beryllium	7440-41-7	7.2	72	47	0.072	U	NT		0.07	U	NT		0.061	U	NT	
Cadmium	7440-43-9	2.5	4.3	7,500	0.428	U	NT		0.415	U	NT		0.363	U	NT	
Calcium	7440-70-2	~	~	~	10,200	J	NT		2,740	J	NT		2,580		NT	
Chromium	7440-47-3	~	~	~	35.3	J-	NT		37.7	J-	NT		29.7		NT	
Cobalt	7440-48-4	~	~	~	13.2	J	NT		15.1	J	NT		11.1		NT	
Copper	7440-50-8	50	270	1720	21	J-	NT		20.1	J-	NT		17.9		NT	
Iron	7439-89-6	~	~	~	34,100	J	NT		37,500	J	NT		30,300		NT	
Lead	7439-92-1	63	400	450	44.3	J-	NT		29.9	J-	NT		31.5		NT	
Magnesium	7439-95-4	~	~	~	7,440	J	NT		8,070	J	NT		6,390		NT	
Manganese	7439-96-5	1600	2,000	2000	434	J	NT		495	J	NT		385		NT	
Nickel	7440-02-0	30	310	130	56.6	J+	NT		60.5	J+	NT		29.3		NT	
Potassium	7440-09-7	~	~	~	3,980	J	NT		4,340	J	NT		3,400		NT	
Selenium	7782-49-2	3.9	180	4	3.57	UJ	NT		3.46	UJ	NT		3.02	U	NT	
Silver	7440-22-4	2	180	8.3	0.719	UJ	NT		0.698	UJ	NT		0.609	U	NT	
Sodium	7440-23-5	~	~	~	1,160	J	NT		1,760	J	NT		1,150		NT	
Thallium	7440-28-0	~	~	~	3.57	U	NT		3.46	U	NT		3.02	U	NT	
Vanadium	7440-62-2	~	~	~	46.5	J	NT		48.9	J-	NT		36.7		NT	
Zinc	7440-66-6	109	10,000	2480	112	J+	NT		105	J+	NT		71.5		NT	
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg	mg/Kg				mg/Kg				mg/Kg			
Dilution Factor					1				1				1			
Mercury	7439-97-6	0.18	0.81	0.73	0.172		NT		0.0718		NT		0.137		NT	
Total Solids					%		%		%		%		%		%	
Dilution Factor					1		1		1		1		1		1	
% Solids	solids	~	~	~	58.4		68.3		60.2		69.7		68.9		70.4	

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U= analyte not detected at or above the level indicated

B= analyte found in the analysis batch blank

E= result is estimated and cannot be accurately reported due to levels encountered or interferences

P= this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT= this indicates the analyte was not a target for this sample

~= this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-18 (18 Ft)		EP-18 (18ft)		EP-X-3		EP-19 (18ft)		EP-19 (18ft)		EP-20 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0540-01		24E0255-01		24E0255-02		24A1707-25		24E0255-03		24F1289-01
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/8/24		5/3/24		5/3/24		1/30/24		5/3/24		6/19/24
Sample Matrix					Soil		Soil		Soil		Soil		Soil		Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg
Dilution Factor					1		1		1		1		1		1
Aluminum	7429-90-5	~	~	~	18,300	J	NT		NT		15,300		NT		6,300
Antimony	7440-36-0	~	~	~	3.47	UJ	NT		NT		3.19	UJ	NT		2.4
Arsenic	7440-38-2	13	16	16	5.11	J	10.2	J	9.57	J	5.52		10.9	J	14.1
Barium	7440-39-3	350	400	820	60	J+	NT		NT		111	J	NT		110
Beryllium	7440-41-7	7.2	72	47	0.07	U	NT		NT		0.064	U	NT		0.264
Cadmium	7440-43-9	2.5	4.3	7,500	0.417	U	NT		NT		0.383	U	NT		0.714
Calcium	7440-70-2	~	~	~	6,290	J	NT		NT		6,610	J	NT		11,300
Chromium	7440-47-3	~	~	~	36.6	J-	NT		NT		31.7	J	NT		29.6
Cobalt	7440-48-4	~	~	~	13.6	J	NT		NT		11.1	J	NT		8.63
Copper	7440-50-8	50	270	1720	70.1	J-	NT		NT		114	J-	NT		145
Iron	7439-89-6	~	~	~	39,600	J	NT		NT		32,100	J	NT		29,600
Lead	7439-92-1	63	400	450	96.7	J-	NT		NT		387	J	NT		405
Magnesium	7439-95-4	~	~	~	7,010	J	NT		NT		5,310	J	NT		2,000
Manganese	7439-96-5	1600	2,000	2000	437	J	NT		NT		297	J	NT		289
Nickel	7440-02-0	30	310	130	59.3	J+	NT		NT		30.2	J	NT		24
Potassium	7440-09-7	~	~	~	3,820	J	NT		NT		2,760	J	NT		1,160
Selenium	7782-49-2	3.9	180	4	3.47	UJ	NT		NT		3.19	UJ	NT		2.57
Silver	7440-22-4	2	180	8.3	0.7	UJ	NT		NT		0.644	UJ	NT		0.493
Sodium	7440-23-5	~	~	~	1,420	J	NT		NT		1,030	J	NT		283
Thallium	7440-28-0	~	~	~	3.47	U	NT		NT		3.19	U	NT		2.4
Vanadium	7440-62-2	~	~	~	44.3	J-	NT		NT		33.5	J	NT		24
Zinc	7440-66-6	109	10,000	2480	189	J+	NT		NT		170	J-	NT		296
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg	mg/Kg						mg/Kg				mg/Kg
Dilution Factor					1						1				1
Mercury	7439-97-6	0.18	0.81	0.73	0.192		NT		NT		0.0916		NT		1.63
Total Solids					%		%		%		%		%		%
Dilution Factor					1		1		1		1		1		1
% Solids	solids	~	~	~	60		74.2		73.9		65.3		68		85.2

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J+= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J-= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-1 (18ft) 24E0432-03 5/7/24 Soil		EP-2 (18ft) 24E0432-05 5/7/24 Soil		EP-3 (18ft) 24E1175-03 5/16/24 Soil		EP-4 (18ft) 24E1175-04 5/16/24 Soil		EP-5 (18ft) 24E0432-04 5/7/24 Soil		EP-6 (18ft) 24E0432-02 5/7/24 Soil	
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
					mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
PCB, 8082 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor					1		1		1		1		1		1	
Aroclor 1016	12674-11-2	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1221	11104-28-2	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1232	11141-16-5	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1242	53469-21-9	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1248	12672-29-6	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1254	11097-69-1	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Aroclor 1260	11096-82-5	~	~	~	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U
Total PCBs	1336-36-3	0.1	1	3.2	0.0257	U	0.0223	U	0.0267	U	0.0273	U	0.0230	U	0.0248	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UI= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-7 (20 Ft) 24B0311-06 2/5/24 Soil		EP-8 (18ft) 24E0844-01 5/13/24 Soil		EP-9 (18ft) 24E0844-02 5/13/24 Soil		EP-10 (18ft) 24E0432-01 5/7/24 Soil		EP-11 (18ft) 24A1707-01 1/30/24 Soil		EP-11 (18ft) 24E0432-06 5/7/24 Soil	
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
					mg/Kg		mg/Kg		mg/Kg		mg/Kg				mg/Kg	
PCB, 8082 MASTER		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg				mg/Kg	
Dilution Factor					1		1		1		1				1	
Aroclor 1016	12674-11-2	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1221	11104-28-2	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1232	11141-16-5	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1242	53469-21-9	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1248	12672-29-6	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1254	11097-69-1	~	~	~	0.0276	U	0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Aroclor 1260	11096-82-5	~	~	~	0.0916		0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U
Total PCBs	1336-36-3	0.1	1	3.2	0.0916		0.0269	U	0.0268	U	0.0238	U	NT		0.0239	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-12 (18ft) 24A1707-04 1/30/24 Soil		EP-12 (18 ft) 24E0347-01 5/6/24 Soil		EP-13 (18ft) 24A1707-07 1/30/24 Soil		EP-13 (18 ft) 24E0347-02 5/6/24 Soil		EP-14 (18ft) 24A1707-10 1/30/24 Soil		EP-14 (18ft) 24E0255-05 5/3/24 Soil	
Compound	CAS Number				Result		Result		Result		Result		Result		Result	
					Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PCB, 8082 MASTER		mg/Kg	mg/Kg	mg/Kg			mg/Kg				mg/Kg				mg/Kg	
Dilution Factor							1				1				1	
Aroclor 1016	12674-11-2	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1221	11104-28-2	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1232	11141-16-5	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1242	53469-21-9	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1248	12672-29-6	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1254	11097-69-1	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Aroclor 1260	11096-82-5	~	~	~	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U
Total PCBs	1336-36-3	0.1	1	3.2	NT		0.0248	U	NT		0.0239	U	NT		0.0235	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

H= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-15 (18 Ft) 24B0538-01 2/8/24 Soil		EP-15 (18ft) 24E0255-06 5/3/24 Soil		EP-16 (18 Ft) 24B0539-01 2/8/24 Soil		EP-16 (18ft) 24E0255-07 5/3/24 Soil		EP-17 (18ft) 24A1707-19 1/30/24 Soil		EP-17 (18ft) 24E0255-04 5/3/24 Soil	
Compound	CAS Number				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PCB, 8082 MASTER		mg/Kg	mg/Kg	mg/Kg			mg/Kg				mg/Kg				mg/Kg	
Dilution Factor							1				1				1	
Aroclor 1016	12674-11-2	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1221	11104-28-2	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1232	11141-16-5	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1242	53469-21-9	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1248	12672-29-6	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1254	11097-69-1	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Aroclor 1260	11096-82-5	~	~	~	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U
Total PCBs	1336-36-3	0.1	1	3.2	NT		0.0241	U	NT		0.0235	U	NT		0.0233	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

H= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-18 (18 Ft) 24B0540-01 2/8/24 Soil		EP-18 (18ft) 24E0255-01 5/3/24 Soil		EP-X-3 24E0255-02 5/3/24 Soil		EP-19 (18ft) 24A1707-25 1/30/24 Soil		EP-19 (18ft) 24E0255-03 5/3/24 Soil		EP-20 (18ft) 24F1289-01 6/19/24 Soil	
Compound	CAS Number				Result		Result		Result		Result		Result		Result	
						Q		Q		Q		Q		Q		Q
PCB, 8082 MASTER		mg/Kg	mg/Kg	mg/Kg			mg/Kg		mg/Kg				mg/Kg		mg/Kg	
Dilution Factor							1		1				1		1	
Aroclor 1016	12674-11-2	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1221	11104-28-2	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1232	11141-16-5	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1242	53469-21-9	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1248	12672-29-6	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1254	11097-69-1	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Aroclor 1260	11096-82-5	~	~	~	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U
Total PCBs	1336-36-3	0.1	1	3.2	NT		0.0219	U	0.0221	U	NT		0.0241	U	0.0193	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the tw

NT=this indicates the analyte was not a target for this sample

~=this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UI= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID	NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-1 (18ft)	EP-2 (18ft)	EP-3 (18ft)	EP-4 (18ft)	EP-5 (18ft)	EP-6 (18ft)
Laboratory ID	Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24E0432-03	24E0432-05	24E1175-03	24E1175-04	24E0432-04	24E0432-02
Sampling Date	Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives-	5/7/24	5/16/24	5/16/24	5/16/24	5/7/24	5/7/24
Sample Matrix			Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number			Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List				mg/kg		mg/kg		mg/kg	
Dilution Factor				1		1		1	
11CL-PF3OUds	763051-92-9	~	~	0.00051	U	0.0005	U	0.0005	U
11H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	~	~	0.00124	U	0.0012	U	0.00122	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	757124-72-4	~	~	0.00097	U	0.00095	U	0.00096	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	~	~	0.00097	U	0.00095	U	0.00096	U
3-Perfluoroheptyl propanoic acid (FHpPA)	812-70-4	~	~	0.00246	U	0.00239	U	0.0024	U
3-Perfluoropentyl propanoic acid (FPePA)	914637-49-3	~	~	0.00343	U	0.00334	U	0.00336	U
3-Perfluoropropyl propanoic acid (FPpPA)	356-02-5	~	~	0.00104	U	0.00101	U	0.00102	U
9CL-PF3ONS	756426-58-1	~	~	0.0004	U	0.00039	U	0.0004	U
ADONA	919005-14-4	~	~	0.00029	U	0.00028	U	0.00028	U
HFPO-DA (Gen-X)	13252-13-6	~	~	0.001	U	0.00097	U	0.00099	U
N-EtFOSA	4151-50-2	~	~	0.00032	U	0.00032	U	0.00032	U
N-EtFOSAA	2991-50-6	~	~	0.00032	U	0.00031	U	0.00031	U
N-EtFOSE	1691-99-2	~	~	0.00114	U	0.00111	U	0.00112	U
N-MeFOSA	31506-32-8	~	~	0.0003	U	0.00029	U	0.00029	U
N-MeFOSAA	2355-31-9	~	~	0.00024	U	0.00024	U	0.00024	U
N-MeFOSE	24448-09-7	~	~	0.001	U	0.00097	U	0.00098	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEEA)	113507-82-7	~	~	0.00023	U	0.00022	U	0.00023	U
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	~	~	0.00031	U	0.0003	U	0.00031	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	~	~	0.00025	U	0.00025	U	0.00025	U
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	~	~	0.0002	U	0.0002	U	0.0002	U
Perfluoro-1-octanesulfonamide (FOSA)	754-91-6	~	~	0.00024	U	0.00023	U	0.00024	U
Perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	~	~	0.00026	U	0.00025	U	0.00025	U
Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	151772-58-6	~	~	0.00032	U	0.00031	U	0.00031	U
Perfluoro-4-oxapentanoic acid (PFMPA)	377-73-1	~	~	0.0001	U	0.0001	U	0.00010	U
Perfluoro-5-oxahexanoic acid (PFMBA)	863090-89-5	~	~	0.00016	U	0.00015	U	0.00016	U
Perfluorobutanesulfonic acid (PFBS)	375-73-5	~	~	0.00018	U	0.00018	U	0.00018	U
Perfluorodecanoic acid (PFDA)	335-76-2	~	~	0.00031	U	0.0003	U	0.00031	U
Perfluorodecanesulfonic acid (PFDS)	79780-39-5	~	~	0.00028	U	0.00027	U	0.00027	U
Perfluorodecanoic acid (PFDoA)	307-55-1	~	~	0.00027	U	0.00026	U	0.00026	U
Perfluoroheptanoic acid (PFHpA)	375-85-9	~	~	0.00017	U	0.00017	U	0.00017	U
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	~	~	0.00029	U	0.00029	U	0.00029	U
Perfluorohexanoic acid (PFHxA)	307-24-4	~	~	0.00009	U	0.00008	U	0.00009	U
Perfluoro-n-butanoic acid (PFBA)	375-22-4	~	~	0.00018	R	0.00017	R	0.00018	R
Perfluorononanoic acid (PFNA)	375-95-1	~	~	0.00031	U	0.0003	U	0.00031	U
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	0.00088	0.044	0.00027	U	0.00027	U	0.00027	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.00066	0.033	0.00028	U	0.00027	U	0.00028	U
Perfluoropentanoic acid (PFPeA)	2706-90-3	~	~	0.00018	U	0.00017	U	0.00018	U
Perfluorotetradecanoic acid (PFTA)	376-06-7	~	~	0.00017	U	0.00016	U	0.00017	U
Perfluorotridecanoic acid (PFTriDA)	72629-94-8	~	~	0.00021	U	0.0002	U	0.0002	U
Perfluoroundecanoic acid (PFUnA)	2058-94-8	~	~	0.00032	U	0.00032	U	0.00032	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the two GC columns used for analysis

NT=this indicates the analyte was not a target for this sample

~this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J+= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-7 (20 Ft)	EP-8 (18ft)	EP-9 (18ft)	EP-10 (18ft)	EP-11 (18ft)	EP-11 (18ft)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24B0311-06	24E0844-01	24E0844-02	24E0432-01	24A1707-01	24E0432-06
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives- Protection of GW	2/5/24	5/13/24	5/13/24	5/7/24	1/30/24	5/7/24
Sample Matrix					Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List					mg/kg		mg/kg		mg/kg	
Dilution Factor					1		1		1	
11CL-PF3OUds	763051-92-9	~	~	~	0.00053	UJ	0.0005	UJ	0.00048	U
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	~	~	~	0.00129	U	0.00122	U	0.00117	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	757124-72-4	~	~	~	0.00101	U	0.00096	U	0.00095	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	~	~	~	0.00101	U	0.00096	U	0.00095	U
3-Perfluoroheptyl propanoic acid (FHpPA)	812-70-4	~	~	~	0.00256	U	0.00242	UJ	0.00238	U
3-Perfluoropentyl propanoic acid (FPpPA)	914637-49-3	~	~	~	0.00357	U	0.00338	U	0.00333	U
3-Perfluoropropyl propanoic acid (FPpPA)	356-02-5	~	~	~	0.00108	U	0.00102	U	0.00101	U
9CL-PF3ONS	756426-58-1	~	~	~	0.00042	UJ	0.0004	U	0.00039	U
ADONA	919005-14-4	~	~	~	0.0003	U	0.00028	U	0.00027	U
HFPO-DA (Gen-X)	13252-13-6	~	~	~	0.00104	U	0.00098	U	0.00097	U
N-EtFOSA	4151-50-2	~	~	~	0.00034	U	0.00032	U	0.00031	U
N-EtFOSAA	2991-50-6	~	~	~	0.00033	U	0.00031	U	0.0003	U
N-EtFOSE	1691-99-2	~	~	~	0.00119	U	0.00112	U	0.00108	U
N-MeFOSA	31506-32-8	~	~	~	0.00031	U	0.00029	U	0.00028	U
N-MeFOSAA	2355-31-9	~	~	~	0.00025	U	0.00024	U	0.00023	U
N-MeFOSE	24448-09-7	~	~	~	0.00104	U	0.00099	U	0.00095	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	113507-82-7	~	~	~	0.00024	U	0.00022	U	0.00022	U
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	~	~	~	0.00033	U	0.00031	U	0.0003	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	~	~	~	0.00026	U	0.00025	U	0.00024	U
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	~	~	~	0.00021	U	0.0002	U	0.00019	U
Perfluoro-1-octanesulfonamide (FOSA)	754-91-6	~	~	~	0.00025	U	0.00024	U	0.00023	U
Perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	~	~	~	0.00027	U	0.00025	U	0.00024	U
Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	151772-58-6	~	~	~	0.00033	U	0.00031	U	0.00030	U
Perfluoro-4-oxapentanoic acid (PFMPA)	377-73-1	~	~	~	0.00011	U	0.0001	R	0.00010	U
Perfluoro-5-oxahexanoic acid (PFMBA)	863090-89-5	~	~	~	0.00016	UJ	0.00016	U	0.00015	U
Perfluorobutanesulfonic acid (PFBS)	375-73-5	~	~	~	0.00019	U	0.00018	U	0.00017	U
Perfluorodecanoic acid (PFDA)	335-76-2	~	~	~	0.00033	U	0.00031	U	0.0003	U
Perfluorodecanesulfonic acid (PFDoS)	79780-39-5	~	~	~	0.00029	U	0.00027	UJ	0.00026	U
Perfluorodecanoic acid (PFDoA)	307-55-1	~	~	~	0.00028	U	0.00026	U	0.00025	U
Perfluoroheptanoic acid (PFHpA)	375-85-9	~	~	~	0.00018	U	0.00017	U	0.00016	U
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	~	~	~	0.00031	U	0.00029	U	0.00028	U
Perfluorohexanoic acid (PFHxA)	307-24-4	~	~	~	0.00009	U	0.00009	U	0.00008	U
Perfluoro-n-butanoic acid (PFBA)	375-22-4	~	~	~	0.00019	R	0.00018	R	0.00017	R
Perfluorononanoic acid (PFNA)	375-95-1	~	~	~	0.00032	U	0.00031	U	0.0003	U
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	0.00088	0.044	0.001	0.00029	U	0.00027	U	0.00026	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.00066	0.033	0.0008	0.00029	U	0.00028	U	0.00027	U
Perfluoropentanoic acid (PFPeA)	2706-90-3	~	~	~	0.00019	U	0.00018	U	0.00017	U
Perfluorotetradecanoic acid (PFTA)	376-06-7	~	~	~	0.00018	U	0.00017	U	0.00016	U
Perfluorotridecanoic acid (PFTriDA)	72629-94-8	~	~	~	0.00021	U	0.0002	U	0.00019	U
Perfluoroundecanoic acid (PFUnA)	2058-94-8	~	~	~	0.00034	U	0.00032	U	0.00031	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the n

NT=this indicates the analyte was not a target for this sample

~this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID		NYSDEC Part 375	NYSDEC Part 375	NYSDEC Part 375	EP-12 (18F)	EP-12 (18 F)	EP-13 (18F)	EP-13 (18 F)	EP-14 (18F)	EP-14 (18F)
Laboratory ID		Unrestricted Use Soil	Restricted Residential Use	Restricted Use Soil	24A1707-04	24E0347-01	24A1707-07	24E0347-02	24A1707-10	24E0255-05
Sampling Date		Cleanup Objectives	Soil Cleanup Objectives	Cleanup Objectives	1/30/24	5/6/24	1/30/24	5/6/24	1/30/24	5/3/24
Sample Matrix				Protection of GW	Soil	Soil	Soil	Soil	Soil	Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List										
Dilution Factor					mg/kg		mg/kg		mg/kg	
11CL-PF3OUds	763051-92-9	~	~	~	1		1		1	
11H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4	~	~	~	0.00047	U	0.00045	U	0.00049	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	757124-72-4	~	~	~	0.00114	U	0.00109	U	0.00119	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2	~	~	~	0.00090	U	0.00086	U	0.00094	U
3-Perfluoroheptyl propanoic acid (FHpPA)	812-70-4	~	~	~	0.00090	U	0.00086	U	0.00094	U
3-Perfluoropentyl propanoic acid (FPpPA)	914637-49-3	~	~	~	0.00227	U	0.00217	U	0.00236	U
3-Perfluoropropyl propanoic acid (FPpPA)	356-02-5	~	~	~	0.00318	U	0.00304	U	0.00333	U
9CL-PF3ONS	756426-58-1	~	~	~	0.00096	U	0.00092	U	0.00100	U
ADONA	919005-14-4	~	~	~	0.00037	U	0.00036	U	0.00039	U
HFPO-DA (Gen-X)	13252-13-6	~	~	~	0.00026	U	0.00025	U	0.00027	U
N-EtFOSA	4151-50-2	~	~	~	0.00092	U	0.00088	U	0.00096	U
N-EtFOSAA	2991-50-6	~	~	~	0.0003	U	0.00029	U	0.00031	U
N-EtFOSE	1691-99-2	~	~	~	0.00029	U	0.00028	U	0.00031	U
N-MeFOSA	31506-32-8	~	~	~	0.00106	U	0.00101	U	0.0011	U
N-MeFOSAA	2355-31-9	~	~	~	0.00027	U	0.00026	U	0.00028	U
N-MeFOSE	24448-09-7	~	~	~	0.00022	U	0.00021	U	0.00023	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	113507-82-7	~	~	~	0.00093	U	0.00089	U	0.00096	U
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	~	~	~	0.00021	U	0.0002	U	0.00022	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	~	~	~	0.00029	U	0.00028	U	0.0003	U
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	~	~	~	0.00024	U	0.00022	U	0.00024	U
Perfluoro-1-octanesulfonamide (FOSA)	754-91-6	~	~	~	0.00019	U	0.00018	U	0.00020	U
Perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	~	~	~	0.00022	U	0.00021	U	0.00023	U
Perfluoro-3,6-dioxahexanoic acid (NFDHA)	151772-58-6	~	~	~	0.00024	U	0.00023	U	0.00025	U
Perfluoro-4-oxapentanoic acid (PFMPA)	377-73-1	~	~	~	0.00029	U	0.00028	U	0.00030	U
Perfluoro-5-oxahexanoic acid (PFMBA)	863090-89-5	~	~	~	0.00009	U	0.00009	U	0.00010	U
Perfluorobutanesulfonic acid (PFBS)	375-73-5	~	~	~	0.00015	U	0.00014	U	0.00015	U
Perfluorodecanoic acid (PFDA)	335-76-2	~	~	~	0.00017	U	0.00016	U	0.00018	U
Perfluorododecanesulfonic acid (PFDS)	79780-39-5	~	~	~	0.00029	U	0.00028	U	0.00030	U
Perfluorododecanoic acid (PFDoA)	307-55-1	~	~	~	0.00026	U	0.00025	U	0.00027	U
Perfluoroheptanoic acid (PFHpA)	375-85-9	~	~	~	0.00025	U	0.00024	U	0.00026	U
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	~	~	~	0.00016	U	0.00015	U	0.00017	U
Perfluorohexanoic acid (PFHxA)	307-24-4	~	~	~	0.00027	U	0.00026	U	0.00028	U
Perfluoro-n-butanoic acid (PFBA)	375-22-4	~	~	~	0.00008	U	0.00008	U	0.00008	U
Perfluorononanoic acid (PFNA)	375-95-1	~	~	~	0.00017	U	0.00016	U	0.00017	R
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	0.00088	0.044	0.001	0.00029	U	0.00027	U	0.0003	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.00066	0.033	0.0008	0.00025	U	0.00024	U	0.00026	U
Perfluoropentanoic acid (PFPeA)	2706-90-3	~	~	~	0.00026	U	0.00025	U	0.00027	U
Perfluorotetradecanoic acid (PFTA)	376-06-7	~	~	~	0.00017	U	0.00016	U	0.00017	U
Perfluorotridecanoic acid (PFTriDA)	72629-94-8	~	~	~	0.00016	U	0.00015	U	0.00016	U
Perfluoroundecanoic acid (PFUnA)	2058-94-8	~	~	~	0.00019	U	0.00018	U	0.0002	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D= result is from an analysis that required a dilution

J= analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U= analyte not detected at or above the level indicated

B= analyte found in the analysis batch blank

E= result is estimated and cannot be accurately reported due to levels encountered or interferences

P= this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the

NT= this indicates the analyte was not a target for this sample

~ = this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

UJ= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID Laboratory ID Sampling Date Sample Matrix		NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-15 (18 Ft) 24B0538-01 2/8/24 Soil	EP-15 (18ft) 24E0255-06 5/3/24 Soil	EP-16 (18 Ft) 24B0539-01 2/8/24 Soil	EP-16 (18ft) 24E0255-07 5/3/24 Soil	EP-17 (18ft) 24A1707-19 1/30/24 Soil	EP-17 (18ft) 24E0255-04 5/3/24 Soil
Compound	CAS Number				Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List										
Dilution Factor						mg/kg		mg/kg		mg/kg
11CL-PF3OUds		763051-92-9	~	~	NT	1		1		
11H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)		39108-34-4	~	~	NT	0.0005	U	NT	NT	0.00048
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)		757124-72-4	~	~	NT	0.0012	U	NT	NT	0.00117
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)		27619-97-2	~	~	NT	0.00095	U	NT	NT	0.00092
3-Perfluoroheptyl propanoic acid (FHpPA)		812-70-4	~	~	NT	0.00095	U	NT	NT	0.00092
3-Perfluoropentyl propanoic acid (FPePA)		914637-49-3	~	~	NT	0.00239	U	NT	NT	0.00232
3-Perfluoropropyl propanoic acid (FPpPA)		356-02-5	~	~	NT	0.00334	U	NT	NT	0.00325
9CL-PF3ONS		756426-58-1	~	~	NT	0.00101	U	NT	NT	0.00098
ADONA		919005-14-4	~	~	NT	0.00039	U	NT	NT	0.00038
HFPO-DA (Gen-X)		13252-13-6	~	~	NT	0.00028	U	NT	NT	0.00027
N-EtFOSA		4151-50-2	~	~	NT	0.00097	U	NT	NT	0.00094
N-EtFOSAA		2991-50-6	~	~	NT	0.00032	U	NT	NT	0.00031
N-EtFOSE		1691-99-2	~	~	NT	0.00031	U	NT	NT	0.0003
N-MeFOSA		31506-32-8	~	~	NT	0.00111	U	NT	NT	0.00108
N-MeFOSAA		2355-31-9	~	~	NT	0.00029	U	NT	NT	0.00028
N-MeFOSE		24448-09-7	~	~	NT	0.00024	U	NT	NT	0.00023
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)		113507-82-7	~	~	NT	0.00097	U	NT	NT	0.00095
Perfluoro-1-decanesulfonic acid (PFDS)		335-77-3	~	~	NT	0.00022	U	NT	NT	0.00022
Perfluoro-1-heptanesulfonic acid (PFHpS)		375-92-8	~	~	NT	0.0003	U	NT	NT	0.0003
Perfluoro-1-nonanesulfonic acid (PFNS)		68259-12-1	~	~	NT	0.00025	U	NT	NT	0.00024
Perfluoro-1-octanesulfonamide (FOSA)		754-91-6	~	~	NT	0.0002	U	NT	NT	0.00019
Perfluoro-1-pentanesulfonate (PFPeS)		2706-91-4	~	~	NT	0.00023	U	NT	NT	0.00023
Perfluoro-3,6-dioxahexanoic acid (NFDHA)		151772-58-6	~	~	NT	0.00025	U	NT	NT	0.00024
Perfluoro-4-oxapentanoic acid (PFMPA)		377-73-1	~	~	NT	0.00031	U	NT	NT	0.0003
Perfluoro-5-oxahexanoic acid (PFMBA)		863090-89-5	~	~	NT	0.0001	U	NT	NT	0.0001
Perfluorobutanesulfonic acid (PFBS)		375-73-5	~	~	NT	0.00015	U	NT	NT	0.00015
Perfluorodecanoic acid (PFDA)		335-76-2	~	~	NT	0.00018	U	NT	NT	0.00017
Perfluorododecanesulfonic acid (PFDS)		79780-39-5	~	~	NT	0.0003	U	NT	NT	0.00030
Perfluorododecanoic acid (PFDoA)		307-55-1	~	~	NT	0.00027	U	NT	NT	0.00026
Perfluoroheptanoic acid (PFHpA)		375-85-9	~	~	NT	0.00026	U	NT	NT	0.00025
Perfluorohexanesulfonic acid (PFHxS)		355-46-4	~	~	NT	0.00017	U	NT	NT	0.00016
Perfluorohexanoic acid (PFHxA)		307-24-4	~	~	NT	0.00029	U	NT	NT	0.00028
Perfluoro-n-butanoic acid (PFBA)		375-22-4	~	~	NT	0.00008	U	NT	NT	0.00008
Perfluorononanoic acid (PFNA)		375-95-1	~	~	NT	0.00017	U	NT	R	0.00017
Perfluorooctanesulfonic acid (PFOS)		1763-23-1	0.00088	0.044	NT	0.0003	U	NT	U	0.00029
Perfluorooctanoic acid (PFOA)		335-67-1	0.00066	0.033	NT	0.00027	U	NT	U	0.00026
Perfluoropentanoic acid (PFPeA)		2706-90-3	~	~	NT	0.00027	U	NT	U	0.00027
Perfluorotetradecanoic acid (PFTA)		376-06-7	~	~	NT	0.00017	U	NT	U	0.00017
Perfluorotridecanoic acid (PFTriDA)		72629-94-8	~	~	NT	0.00016	U	NT	U	0.00016
Perfluoroundecanoic acid (PFUnA)		2058-94-8	~	~	NT	0.0002	U	NT	U	0.00019
					NT	0.00032	U	NT	U	0.00031

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the n

NT=this indicates the analyte was not a target for this sample

~this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise

Table 1
Endpoint Sample Results
1-9 Wythe Avenue, Brooklyn, NY
Former Anglo Chemical and Rubber Site (C224337)

Sample ID	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	EP-18 (18 Ft) 24B0540-01 2/8/24 Soil		EP-18 (18ft) 24E0255-01 5/3/24 Soil		EP-X-3 24E0255-02 5/3/24 Soil		EP-19 (18ft) 24A1707-25 1/30/24 Soil		EP-19 (18ft) 24E0255-03 5/3/24 Soil		EP-20 (10ft) 24F1289-01 6/19/24 Soil	
Laboratory ID				Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Sampling Date				mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
Sample Matrix				1		1		1		1		1		1	
Compound		CAS Number													
PFAS, EPA 1633 Target List															
Dilution Factor															
11CL-PF3OUds		763051-92-9	~	~	~	NT	0.00049	U	0.00049	U	NT	0.00048	U	0.00036	U
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)		39108-34-4	~	~	~	NT	0.00118	U	0.00120	U	NT	0.00116	U	0.00088	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)		757124-72-4	~	~	~	NT	0.00093	U	0.00094	U	NT	0.00091	U	0.0007	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)		27619-97-2	~	~	~	NT	0.00093	U	0.00094	U	NT	0.00091	U	0.0007	U
3-Perfluoroheptyl propanoic acid (FHpPA)		812-70-4	~	~	~	NT	0.00235	U	0.00238	U	NT	0.0023	U	0.00175	U
3-Perfluoropentyl propanoic acid (FPpPA)		914637-49-3	~	~	~	NT	0.00328	U	0.00333	U	NT	0.00321	U	0.00245	U
3-Perfluoropropyl propanoic acid (FPpPA)		356-02-5	~	~	~	NT	0.00099	U	0.00101	U	NT	0.00097	U	0.00074	U
9CL-PF3ONS		756426-58-1	~	~	~	NT	0.00039	U	0.00039	U	NT	0.00038	U	0.00029	U
ADONA		919005-14-4	~	~	~	NT	0.00027	U	0.00028	U	NT	0.00027	U	0.0002	U
HFPO-DA (Gen-X)		13252-13-6	~	~	~	NT	0.00095	U	0.00096	U	NT	0.00093	U	0.00071	U
N-EtFOSA		4151-50-2	~	~	~	NT	0.00031	U	0.00031	U	NT	0.0003	U	0.00023	U
N-EtFOSAA		2991-50-6	~	~	~	NT	0.0003	U	0.00031	U	NT	0.0003	U	0.00023	U
N-EtFOSE		1691-99-2	~	~	~	NT	0.00109	U	0.00111	U	NT	0.00107	U	0.00081	U
N-MeFOSA		31506-32-8	~	~	~	NT	0.00028	U	0.00029	U	NT	0.00028	U	0.00021	U
N-MeFOSAA		2355-31-9	~	~	~	NT	0.00023	U	0.00024	U	NT	0.00023	U	0.00017	U
N-MeFOSE		24448-09-7	~	~	~	NT	0.00096	U	0.00097	U	NT	0.00094	U	0.00071	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)		113507-82-7	~	~	~	NT	0.00022	U	0.00022	U	NT	0.00021	U	0.00016	U
Perfluoro-1-decanesulfonic acid (PFDS)		335-77-3	~	~	~	NT	0.0003	U	0.0003	U	NT	0.00029	U	0.00022	U
Perfluoro-1-heptanesulfonic acid (PFHpS)		375-92-8	~	~	~	NT	0.00024	U	0.00025	U	NT	0.00024	U	0.00018	U
Perfluoro-1-nonanesulfonic acid (PFNS)		68259-12-1	~	~	~	NT	0.00019	U	0.0002	U	NT	0.00019	U	0.00015	U
Perfluoro-1-octanesulfonamide (FOSA)		754-91-6	~	~	~	NT	0.00023	U	0.00023	U	NT	0.00022	U	0.00017	U
Perfluoro-1-pentanesulfonate (PFPeS)		2706-91-4	~	~	~	NT	0.00025	U	0.00025	U	NT	0.00024	U	0.00018	U
Perfluoro-3,6-dioxahexanoic acid (NFDHA)		151772-58-6	~	~	~	NT	0.0003	U	0.00031	U	NT	0.0003	U	0.00023	U
Perfluoro-4-oxapentanoic acid (PFMPA)		377-73-1	~	~	~	NT	0.0001	U	0.0001	U	NT	0.00009	U	0.00007	U
Perfluoro-5-oxahexanoic acid (PFMBA)		863090-89-5	~	~	~	NT	0.00015	U	0.00015	U	NT	0.00015	U	0.00011	U
Perfluorobutanesulfonic acid (PFBS)		375-73-5	~	~	~	NT	0.00017	U	0.00018	U	NT	0.00017	U	0.00013	U
Perfluorodecanoic acid (PFDA)		335-76-2	~	~	~	NT	0.00030	U	0.00030	U	NT	0.00029	U	0.00022	U
Perfluorododecanesulfonic acid (PFDS)		79780-39-5	~	~	~	NT	0.00026	U	0.00027	U	NT	0.00026	U	0.0002	U
Perfluorododecanoic acid (PFDoA)		307-55-1	~	~	~	NT	0.00026	U	0.00026	U	NT	0.00025	U	0.00019	U
Perfluoroheptanoic acid (PFHpA)		375-85-9	~	~	~	NT	0.00016	U	0.00017	U	NT	0.00016	U	0.00012	U
Perfluorohexanesulfonic acid (PFHxS)		355-46-4	~	~	~	NT	0.00028	U	0.00028	U	NT	0.00027	U	0.00021	U
Perfluorohexanoic acid (PFHxA)		307-24-4	~	~	~	NT	0.00008	U	0.00008	U	NT	0.00008	U	0.00006	U
Perfluoro-n-butanoic acid (PFBA)		375-22-4	~	~	~	NT	0.00017	R	0.00017	R	NT	0.00017	R	0.00013	U
Perfluorononanoic acid (PFNA)		375-95-1	~	~	~	NT	0.00030	U	0.00030	U	NT	0.00029	U	0.00022	U
Perfluorooctanesulfonic acid (PFOS)		1763-23-1	0.00088	0.044	0.001	NT	0.00026	U	0.00027	U	NT	0.00026	U	0.00028	U
Perfluorooctanoic acid (PFOA)		335-67-1	0.00066	0.033	0.0008	NT	0.00027	U	0.00027	U	NT	0.00026	U	0.00035	U
Perfluoropentanoic acid (PFPeA)		2706-90-3	~	~	~	NT	0.00017	U	0.00017	U	NT	0.00017	U	0.00013	U
Perfluorotetradecanoic acid (PFTA)		376-06-7	~	~	~	NT	0.00016	U	0.00016	U	NT	0.00016	U	0.00012	U
Perfluorotridecanoic acid (PFTriDA)		72629-94-8	~	~	~	NT	0.0002	U	0.0002	U	NT	0.00019	U	0.00015	U
Perfluoroundecanoic acid (PFUnA)		2058-94-8	~	~	~	NT	0.00031	U	0.00031	U	NT	0.0003	U	0.00023	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the n

NT=this indicates the analyte was not a target for this sample

~this indicates that no regulatory limit has been established for this analyte

R= Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample

J= Analyte is present. Reported value may be biased low and associated with a higher level of uncertainty than is normally expected with the analytical method.

J= Analyte is present. Reported value may be biased high and associated with a higher level of uncertainty than is normally expected with the analytical method.

U= Not detected, quantitation limit may be inaccurate or imprecise