



DAILY STATUS REPORT

Prepared by: Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		> 85	

DEC BCP Project. No.	C224350	Date:	09/27/22
Project Name:	318 Nevins Street, Brooklyn, NY		

Environmental Consultant: Impact Environmental Closures, Inc 170 Keyland Court Bohemia, NY 11716.	Environmental Safety Officer: Thomas Jensen– Impact Environmental Closures, Inc.
General Contractor: Broadway Construction	Site Manager/ Supervisor: Site Super: Shannon Dowling- Broadway Construction Group, LLC Diana Posten– Impact Environmental Closures, Inc.
Work Activities Performed (Since Last Report) • Impact Arrived on-Site and held tailgate Health and Safety meeting with PG Environmental; • Impact deployed the dedicated Upwind and dedicated Downwind Dusttrack CAMP units; • At 9:30 am, subsurface work began as the NYSDEC sent their RIWP acceptance letter; • Advanced SB-16 (located along the Gowanus Canal bulkhead) 75'.	
Working In Area: • Southwest portion of the Site (along the Gowanus Canal Bulkhead)	

Samples Collected (Since Last Report): From within SB-16: • SB-16 (0-2') • SB-16 (6-7') • SB-16 (35-37') • SB-16 (45-47')
Air Monitoring (Since Last Report): Prestart Conditions – PID = __0.00__ ppm, Dust = 0.016mg/m ³ @ 9:16 High Conditions – PID = __0.00__ ppm @ Dust = 0.024mg/m ³ @ 10:45
Problems Encountered: Lab did not provide trip blank for samples collected on this day.

Planned Activities for the Next Day/ Week:

- Continuation of advancing SB-16;
- Begin advancing Soil Boring SB-17;
- Xolle to install Bulkhead test pits

Site Grid Map




Photo Log

Photo 1 – Representative photo of PG Environmental advancing SB-16.




Photo 2 – Representative photo of soil from SB-16.



Photo 3 – Representative view of the Site facing southeast.



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173315
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_008
Test Start Time	9:15:07 AM
Test Start Date	9/27/2022
Test Length [D:H:M]	0:06:57
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.093
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	417

Elapsed Time [s]	Time	Mass [mg/l PID]	Alarms	Errors
60	8:15 AM	0.052	0	
120	8:16 AM	0.011	0	
180	8:17 AM	0.012	0	
240	8:18 AM	0.011	0	
300	8:19 AM	0.011	0	
360	8:20 AM	0.012	0	
420	8:21 AM	0.011	0	
480	8:22 AM	0.013	0	
540	8:23 AM	0.012	0	
600	8:24 AM	0.012	0	
660	8:25 AM	0.014	0	
720	8:26 AM	0.014	0	
780	8:27 AM	0.014	0	
840	8:28 AM	0.013	0	
900	8:29 AM	0.014	0	
960	8:30 AM	0.014	0	
1020	8:31 AM	0.015	0	
1080	8:32 AM	0.016	0	
1140	8:33 AM	0.015	0	
1200	8:34 AM	0.013	0	
1260	8:35 AM	0.013	0	
1320	8:36 AM	0.014	0	
1380	8:37 AM	0.012	0	
1440	8:38 AM	0.012	0	
1500	8:39 AM	0.011	0	
1560	8:40 AM	0.011	0	
1620	8:41 AM	0.011	0	

1680	8:42 AM	0.01	0
1740	8:43 AM	0.011	0
1800	8:44 AM	0.013	0
1860	8:45 AM	0.011	0
1920	8:46 AM	0.011	0
1980	8:47 AM	0.011	0
2040	8:48 AM	0.012	0
2100	8:49 AM	0.011	0
2160	8:50 AM	0.01	0
2220	8:51 AM	0.011	0
2280	8:52 AM	0.013	0
2340	8:53 AM	0.013	0
2400	8:54 AM	0.011	0
2460	8:55 AM	0.011	0
2520	8:56 AM	0.011	0
2580	8:57 AM	0.01	0
2640	8:58 AM	0.011	0
2700	8:59 AM	0.01	0
2760	9:00 AM	0.01	0
2820	9:01 AM	0.01	0
2880	9:02 AM	0.011	0
2940	9:03 AM	0.01	0
3000	9:04 AM	0.009	0
3060	9:05 AM	0.01	0
3120	9:06 AM	0.01	0
3180	9:07 AM	0.01	0
3240	9:08 AM	0.01	0
3300	9:09 AM	0.009	0
3360	9:10 AM	0.008	0
3420	9:11 AM	0.009	0
3480	9:12 AM	0.01	0
3540	9:13 AM	0.009	0
3600	9:14 AM	0.009	0
3660	9:15 AM	0.009	0
3720	9:16 AM	0.01	0
3780	9:17 AM	0.009	0
3840	9:18 AM	0.009	0
3900	9:19 AM	0.009	0
3960	9:20 AM	0.009	0
4020	9:21 AM	0.008	0
4080	9:22 AM	0.008	0
4140	9:23 AM	0.008	0
4200	9:24 AM	0.01	0
4260	9:25 AM	0.009	0
4320	9:26 AM	0.009	0
4380	9:27 AM	0.009	0
4440	9:28 AM	0.009	0

4500	9:29 AM	0.007	0
4560	9:30 AM	0.007	0
4620	9:31 AM	0.007	0
4680	9:32 AM	0.007	0
4740	9:33 AM	0.008	0
4800	9:34 AM	0.008	0
4860	9:35 AM	0.009	0
4920	9:36 AM	0.008	0
4980	9:37 AM	0.007	0
5040	9:38 AM	0.008	0
5100	9:39 AM	0.008	0
5160	9:40 AM	0.013	0
5220	9:41 AM	0.008	0
5280	9:42 AM	0.008	0
5340	9:43 AM	0.007	0
5400	9:44 AM	0.008	0
5460	9:45 AM	0.01	0
5520	9:46 AM	0.02	0
5580	9:47 AM	0.019	0
5640	9:48 AM	0.012	0
5700	9:49 AM	0.007	0
5760	9:50 AM	0.007	0
5820	9:51 AM	0.006	0
5880	9:52 AM	0.006	0
5940	9:53 AM	0.008	0
6000	9:54 AM	0.006	0
6060	9:55 AM	0.006	0
6120	9:56 AM	0.006	0
6180	9:57 AM	0.006	0
6240	9:58 AM	0.006	0
6300	9:59 AM	0.006	0
6360	10:00 AM	0.005	0
6420	10:01 AM	0.005	0
6480	10:02 AM	0.013	0
6540	10:03 AM	0.006	0
6600	10:04 AM	0.007	0
6660	10:05 AM	0.009	0
6720	10:06 AM	0.006	0
6780	10:07 AM	0.006	0
6840	10:08 AM	0.005	0
6900	10:09 AM	0.005	0
6960	10:10 AM	0.007	0
7020	10:11 AM	0.005	0
7080	10:12 AM	0.006	0
7140	10:13 AM	0.006	0
7200	10:14 AM	0.008	0
7260	10:15 AM	0.009	0

7320	10:16 AM	0.007	0
7380	10:17 AM	0.007	0
7440	10:18 AM	0.007	0
7500	10:19 AM	0.006	0
7560	10:20 AM	0.008	0
7620	10:21 AM	0.007	0
7680	10:22 AM	0.008	0
7740	10:23 AM	0.007	0
7800	10:24 AM	0.006	0
7860	10:25 AM	0.005	0
7920	10:26 AM	0.006	0
7980	10:27 AM	0.004	0
8040	10:28 AM	0.004	0
8100	10:29 AM	0.005	0
8160	10:30 AM	0.005	0
8220	10:31 AM	0.005	0
8280	10:32 AM	0.005	0
8340	10:33 AM	0.005	0
8400	10:34 AM	0.005	0
8460	10:35 AM	0.005	0
8520	10:36 AM	0.093	0
8580	10:37 AM	0.013	0
8640	10:38 AM	0.016	0
8700	10:39 AM	0.009	0
8760	10:40 AM	0.007	0
8820	10:41 AM	0.01	0
8880	10:42 AM	0.009	0
8940	10:43 AM	0.006	0
9000	10:44 AM	0.007	0
9060	10:45 AM	0.024	0
9120	10:46 AM	0.007	0
9180	10:47 AM	0.008	0
9240	10:48 AM	0.005	0
9300	10:49 AM	0.004	0
9360	10:50 AM	0.005	0
9420	10:51 AM	0.004	0
9480	10:52 AM	0.006	0
9540	10:53 AM	0.006	0
9600	10:54 AM	0.004	0
9660	10:55 AM	0.004	0
9720	10:56 AM	0.004	0
9780	10:57 AM	0.005	0
9840	10:58 AM	0.004	0
9900	10:59 AM	0.004	0
9960	11:00 AM	0.004	0
10020	11:01 AM	0.005	0
10080	11:02 AM	0.003	0

10140	11:03 AM	0.003	0
10200	11:04 AM	0.004	0
10260	11:05 AM	0.004	0
10320	11:06 AM	0.006	0
10380	11:07 AM	0.006	0
10440	11:08 AM	0.006	0
10500	11:09 AM	0.005	0
10560	11:10 AM	0.006	0
10620	11:11 AM	0.005	0
10680	11:12 AM	0.004	0
10740	11:13 AM	0.004	0
10800	11:14 AM	0.004	0
10860	11:15 AM	0.003	0
10920	11:16 AM	0.004	0
10980	11:17 AM	0.005	0
11040	11:18 AM	0.004	0
11100	11:19 AM	0.004	0
11160	11:20 AM	0.004	0
11220	11:21 AM	0.004	0
11280	11:22 AM	0.004	0
11340	11:23 AM	0.004	0
11400	11:24 AM	0.003	0
11460	11:25 AM	0.004	0
11520	11:26 AM	0.004	0
11580	11:27 AM	0.004	0
11640	11:28 AM	0.004	0
11700	11:29 AM	0.004	0
11760	11:30 AM	0.004	0
11820	11:31 AM	0.004	0
11880	11:32 AM	0.004	0
11940	11:33 AM	0.005	0
12000	11:34 AM	0.005	0
12060	11:35 AM	0.004	0
12120	11:36 AM	0.003	0
12180	11:37 AM	0.003	0
12240	11:38 AM	0.004	0
12300	11:39 AM	0.004	0
12360	11:40 AM	0.008	0
12420	11:41 AM	0.006	0
12480	11:42 AM	0.006	0
12540	11:43 AM	0.004	0
12600	11:44 AM	0.004	0
12660	11:45 AM	0.004	0
12720	11:46 AM	0.003	0
12780	11:47 AM	0.004	0
12840	11:48 AM	0.004	0
12900	11:49 AM	0.004	0

12960	11:50 AM	0.004	0
13020	11:51 AM	0.004	0
13080	11:52 AM	0.003	0
13140	11:53 AM	0.003	0
13200	11:54 AM	0.003	0
13260	11:55 AM	0.004	0
13320	11:56 AM	0.006	0
13380	11:57 AM	0.003	0
13440	11:58 AM	0.004	0
13500	11:59 AM	0.005	0
13560	12:00 PM	0.005	0
13620	12:01 PM	0.006	0
13680	12:02 PM	0.006	0
13740	12:03 PM	0.005	0
13800	12:04 PM	0.005	0
13860	12:05 PM	0.004	0
13920	12:06 PM	0.004	0
13980	12:07 PM	0.006	0
14040	12:08 PM	0.006	0
14100	12:09 PM	0.005	0
14160	12:10 PM	0.007	0
14220	12:11 PM	0.005	0
14280	12:12 PM	0.005	0
14340	12:13 PM	0.005	0
14400	12:14 PM	0.005	0
14460	12:15 PM	0.005	0
14520	12:16 PM	0.004	0
14580	12:17 PM	0.005	0
14640	12:18 PM	0.004	0
14700	12:19 PM	0.005	0
14760	12:20 PM	0.005	0
14820	12:21 PM	0.005	0
14880	12:22 PM	0.005	0
14940	12:23 PM	0.006	0
15000	12:24 PM	0.007	0
15060	12:25 PM	0.005	0
15120	12:26 PM	0.006	0
15180	12:27 PM	0.005	0
15240	12:28 PM	0.004	0
15300	12:29 PM	0.005	0
15360	12:30 PM	0.004	0
15420	12:31 PM	0.003	0
15480	12:32 PM	0.003	0
15540	12:33 PM	0.003	0
15600	12:34 PM	0.004	0
15660	12:35 PM	0.003	0
15720	12:36 PM	0.003	0

15780	12:37 PM	0.011	0
15840	12:38 PM	0.005	0
15900	12:39 PM	0.003	0
15960	12:40 PM	0.004	0
16020	12:41 PM	0.004	0
16080	12:42 PM	0.005	0
16140	12:43 PM	0.004	0
16200	12:44 PM	0.005	0
16260	12:45 PM	0.005	0
16320	12:46 PM	0.004	0
16380	12:47 PM	0.004	0
16440	12:48 PM	0.004	0
16500	12:49 PM	0.005	0
16560	12:50 PM	0.005	0
16620	12:51 PM	0.006	0
16680	12:52 PM	0.013	0
16740	12:53 PM	0.005	0
16800	12:54 PM	0.004	0
16860	12:55 PM	0.003	0
16920	12:56 PM	0.004	0
16980	12:57 PM	0.005	0
17040	12:58 PM	0.006	0
17100	12:59 PM	0.004	0
17160	1:00 PM	0.004	0
17220	1:01 PM	0.004	0
17280	1:02 PM	0.009	0
17340	1:03 PM	0.005	0
17400	1:04 PM	0.004	0
17460	1:05 PM	0.005	0
17520	1:06 PM	0.005	0
17580	1:07 PM	0.004	0
17640	1:08 PM	0.006	0
17700	1:09 PM	0.007	0
17760	1:10 PM	0.004	0
17820	1:11 PM	0.004	0
17880	1:12 PM	0.004	0
17940	1:13 PM	0.004	0
18000	1:14 PM	0.005	0
18060	1:15 PM	0.005	0
18120	1:16 PM	0.004	0
18180	1:17 PM	0.004	0
18240	1:18 PM	0.005	0
18300	1:19 PM	0.006	0
18360	1:20 PM	0.005	0
18420	1:21 PM	0.005	0
18480	1:22 PM	0.006	0
18540	1:23 PM	0.005	0

18600	1:24 PM	0.006	0
18660	1:25 PM	0.004	0
18720	1:26 PM	0.004	0
18780	1:27 PM	0.005	0
18840	1:28 PM	0.005	0
18900	1:29 PM	0.005	0
18960	1:30 PM	0.006	0
19020	1:31 PM	0.006	0
19080	1:32 PM	0.005	0
19140	1:33 PM	0.005	0
19200	1:34 PM	0.004	0
19260	1:35 PM	0.005	0
19320	1:36 PM	0.005	0
19380	1:37 PM	0.006	0
19440	1:38 PM	0.005	0
19500	1:39 PM	0.004	0
19560	1:40 PM	0.005	0
19620	1:41 PM	0.006	0
19680	1:42 PM	0.005	0
19740	1:43 PM	0.004	0
19800	1:44 PM	0.005	0
19860	1:45 PM	0.004	0
19920	1:46 PM	0.007	0
19980	1:47 PM	0.01	0
20040	1:48 PM	0.006	0
20100	1:49 PM	0.005	0
20160	1:50 PM	0.006	0
20220	1:51 PM	0.005	0
20280	1:52 PM	0.005	0
20340	1:53 PM	0.005	0
20400	1:54 PM	0.005	0
20460	1:55 PM	0.005	0
20520	1:56 PM	0.006	0
20580	1:57 PM	0.005	0
20640	1:58 PM	0.004	0
20700	1:59 PM	0.004	0
20760	2:00 PM	0.005	0
20820	2:01 PM	0.005	0
20880	2:02 PM	0.004	0
20940	2:03 PM	0.004	0
21000	2:04 PM	0.004	0
21060	2:05 PM	0.004	0
21120	2:06 PM	0.004	0
21180	2:07 PM	0.004	0
21240	2:08 PM	0.004	0
21300	2:09 PM	0.004	0
21360	2:10 PM	0.005	0

21420	2:11 PM	0.005	0
21480	2:12 PM	0.005	0
21540	2:13 PM	0.005	0
21600	2:14 PM	0.007	0
21660	2:15 PM	0.005	0
21720	2:16 PM	0.005	0
21780	2:17 PM	0.005	0
21840	2:18 PM	0.005	0
21900	2:19 PM	0.006	0
21960	2:20 PM	0.006	0
22020	2:21 PM	0.005	0
22080	2:22 PM	0.005	0
22140	2:23 PM	0.005	0
22200	2:24 PM	0.005	0
22260	2:25 PM	0.005	0
22320	2:26 PM	0.005	0
22380	2:27 PM	0.005	0
22440	2:28 PM	0.005	0
22500	2:29 PM	0.007	0
22560	2:30 PM	0.006	0
22620	2:31 PM	0.005	0
22680	2:32 PM	0.005	0
22740	2:33 PM	0.006	0
22800	2:34 PM	0.005	0
22860	2:35 PM	0.006	0
22920	2:36 PM	0.005	0
22980	2:37 PM	0.005	0
23040	2:38 PM	0.005	0
23100	2:39 PM	0.006	0
23160	2:40 PM	0.005	0
23220	2:41 PM	0.005	0
23280	2:42 PM	0.007	0
23340	2:43 PM	0.006	0
23400	2:44 PM	0.006	0
23460	2:45 PM	0.006	0
23520	2:46 PM	0.005	0
23580	2:47 PM	0.005	0
23640	2:48 PM	0.005	0
23700	2:49 PM	0.005	0
23760	2:50 PM	0.005	0
23820	2:51 PM	0.005	0
23880	2:52 PM	0.006	0
23940	2:53 PM	0.006	0
24000	2:54 PM	0.006	0
24060	2:55 PM	0.006	0
24120	2:56 PM	0.006	0
24180	2:57 PM	0.006	0

24240	2:58 PM	0.006	0
24300	2:59 PM	0.006	0
24360	3:00 PM	0.006	0
24420	3:01 PM	0.005	0
24480	3:02 PM	0.006	0
24540	3:03 PM	0.006	0
24600	3:04 PM	0.008	0
24660	3:05 PM	0.015	0
24720	3:06 PM	0.01	0
24780	3:07 PM	0.005	0
24840	3:08 PM	0.005	0
24900	3:09 PM	0.006	0
24960	3:10 PM	0.005	0
25020	3:11 PM	0.014	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_010
Test Start Time	9:16:18 AM
Test Start Date	9/27/2022
Test Length [D:H:M]	0:06:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.051
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	414

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.016		
120	0.015		
180	0.014		
240	0.014		
300	0.013		
360	0.015		
420	0.015		
480	0.019		
540	0.016		
600	0.016		
660	0.016		
720	0.016		
780	0.017		
840	0.016		
900	0.014		
960	0.014		
1020	0.015		
1080	0.013		
1140	0.012		
1200	0.012		
1260	0.011		
1320	0.013		
1380	0.013		
1440	0.015		
1500	0.014		
1560	0.012		
1620	0.012		

1680	0.011
1740	0.011
1800	0.011
1860	0.011
1920	0.011
1980	0.012
2040	0.013
2100	0.011
2160	0.01
2220	0.01
2280	0.011
2340	0.01
2400	0.01
2460	0.01
2520	0.011
2580	0.011
2640	0.016
2700	0.011
2760	0.012
2820	0.011
2880	0.011
2940	0.01
3000	0.01
3060	0.01
3120	0.009
3180	0.009
3240	0.009
3300	0.009
3360	0.011
3420	0.011
3480	0.013
3540	0.011
3600	0.01
3660	0.009
3720	0.009
3780	0.009
3840	0.009
3900	0.013
3960	0.01
4020	0.011
4080	0.009
4140	0.01
4200	0.008
4260	0.008
4320	0.009
4380	0.009
4440	0.01

4500	0.008
4560	0.009
4620	0.01
4680	0.01
4740	0.01
4800	0.009
4860	0.011
4920	0.011
4980	0.01
5040	0.008
5100	0.009
5160	0.009
5220	0.009
5280	0.008
5340	0.009
5400	0.008
5460	0.007
5520	0.008
5580	0.008
5640	0.009
5700	0.008
5760	0.011
5820	0.033
5880	0.016
5940	0.012
6000	0.022
6060	0.014
6120	0.013
6180	0.036
6240	0.017
6300	0.027
6360	0.013
6420	0.008
6480	0.01
6540	0.01
6600	0.008
6660	0.01
6720	0.009
6780	0.011
6840	0.009
6900	0.007
6960	0.008
7020	0.014
7080	0.014
7140	0.011
7200	0.01
7260	0.015

7320	0.01
7380	0.011
7440	0.009
7500	0.009
7560	0.008
7620	0.008
7680	0.009
7740	0.009
7800	0.011
7860	0.009
7920	0.009
7980	0.009
8040	0.009
8100	0.009
8160	0.008
8220	0.016
8280	0.022
8340	0.014
8400	0.027
8460	0.027
8520	0.051
8580	0.043
8640	0.018
8700	0.011
8760	0.011
8820	0.011
8880	0.012
8940	0.008
9000	0.008
9060	0.008
9120	0.008
9180	0.01
9240	0.008
9300	0.007
9360	0.007
9420	0.007
9480	0.007
9540	0.007
9600	0.008
9660	0.007
9720	0.008
9780	0.007
9840	0.006
9900	0.007
9960	0.007
10020	0.008
10080	0.009

10140	0.012
10200	0.012
10260	0.01
10320	0.01
10380	0.008
10440	0.01
10500	0.007
10560	0.006
10620	0.006
10680	0.007
10740	0.007
10800	0.007
10860	0.007
10920	0.007
10980	0.007
11040	0.007
11100	0.007
11160	0.009
11220	0.009
11280	0.007
11340	0.008
11400	0.007
11460	0.007
11520	0.007
11580	0.008
11640	0.008
11700	0.008
11760	0.008
11820	0.007
11880	0.007
11940	0.006
12000	0.006
12060	0.018
12120	0.008
12180	0.009
12240	0.007
12300	0.007
12360	0.006
12420	0.007
12480	0.007
12540	0.006
12600	0.006
12660	0.008
12720	0.01
12780	0.006
12840	0.006
12900	0.006

12960	0.006
13020	0.007
13080	0.007
13140	0.006
13200	0.006
13260	0.007
13320	0.007
13380	0.008
13440	0.007
13500	0.007
13560	0.006
13620	0.006
13680	0.007
13740	0.007
13800	0.01
13860	0.009
13920	0.007
13980	0.007
14040	0.009
14100	0.007
14160	0.007
14220	0.007
14280	0.007
14340	0.007
14400	0.007
14460	0.007
14520	0.007
14580	0.007
14640	0.008
14700	0.008
14760	0.009
14820	0.01
14880	0.01
14940	0.007
15000	0.007
15060	0.006
15120	0.006
15180	0.005
15240	0.006
15300	0.005
15360	0.004
15420	0.005
15480	0.005
15540	0.005
15600	0.005
15660	0.005
15720	0.006

15780	0.006
15840	0.006
15900	0.007
15960	0.007
16020	0.007
16080	0.007
16140	0.006
16200	0.007
16260	0.007
16320	0.007
16380	0.014
16440	0.007
16500	0.006
16560	0.006
16620	0.007
16680	0.005
16740	0.006
16800	0.006
16860	0.007
16920	0.007
16980	0.013
17040	0.012
17100	0.009
17160	0.006
17220	0.008
17280	0.007
17340	0.007
17400	0.007
17460	0.007
17520	0.006
17580	0.006
17640	0.007
17700	0.008
17760	0.008
17820	0.006
17880	0.006
17940	0.006
18000	0.007
18060	0.014
18120	0.009
18180	0.007
18240	0.008
18300	0.008
18360	0.007
18420	0.007
18480	0.007
18540	0.007

18600	0.007
18660	0.008
18720	0.008
18780	0.008
18840	0.007
18900	0.006
18960	0.007
19020	0.007
19080	0.008
19140	0.009
19200	0.008
19260	0.007
19320	0.008
19380	0.008
19440	0.007
19500	0.007
19560	0.006
19620	0.008
19680	0.007
19740	0.011
19800	0.01
19860	0.012
19920	0.011
19980	0.008
20040	0.008
20100	0.007
20160	0.007
20220	0.008
20280	0.006
20340	0.007
20400	0.007
20460	0.007
20520	0.007
20580	0.006
20640	0.007
20700	0.007
20760	0.006
20820	0.007
20880	0.007
20940	0.007
21000	0.006
21060	0.008
21120	0.008
21180	0.008
21240	0.008
21300	0.009
21360	0.007

21420	0.008
21480	0.007
21540	0.008
21600	0.009
21660	0.009
21720	0.009
21780	0.009
21840	0.009
21900	0.008
21960	0.008
22020	0.008
22080	0.008
22140	0.008
22200	0.01
22260	0.008
22320	0.008
22380	0.008
22440	0.007
22500	0.008
22560	0.008
22620	0.008
22680	0.009
22740	0.008
22800	0.008
22860	0.009
22920	0.008
22980	0.01
23040	0.009
23100	0.009
23160	0.008
23220	0.008
23280	0.008
23340	0.008
23400	0.009
23460	0.013
23520	0.01
23580	0.009
23640	0.009
23700	0.011
23760	0.009
23820	0.01
23880	0.01
23940	0.009
24000	0.009
24060	0.009
24120	0.009
24180	0.009

24240	0.009
24300	0.009
24360	0.01
24420	0.009
24480	0.008
24540	0.007
24600	0.01
24660	0.01
24720	0.009
24780	0.008
24840	0.01