



DAILY STATUS REPORT

Prepared by: Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	x
TEMP.	< 32		32-50		50-70	x	70-85		> 85	

DEC BCP Project. No.	C224350	Date:	9/29/22
Project Name:	318 Nevins Street, Brooklyn, NY		

Environmental Consultant: Impact Environmental Closures, Inc 170 Keyland Court Bohemia, NY 11716.	Environmental Safety Officer: Thomas Jensen– Impact Environmental Closures, Inc.
General Contractor: Broadway Construction	Site Manager/ Supervisor: Site Super: Shannon Dowling- Broadway Construction Group, LLC Diana Posten– Impact Environmental Closures, Inc.
Work Activities Performed (Since Last Report) - Impact arrived on site at 0800 and held Health and Safety meeting with PG Environmental; - Impact set up downwind and upwind CAMP units; - At 0815 workers began to finish drilling SB-17, refusal was met at 60’; - Began drilling SB-18, it should be noted that multiple step-offs were attempted at this location (7 step-offs) as refusal was met at 3-5’ due to gravel. SB-18 was advanced to 70’, the remaining 10’ will be advance on 9/30/22.; - Two test pits were dug by Xolle within the bulkhead area under the direction of McLaren Engineering to determine the structural integrity of the bulkhead. All excavated material was placed on poly sheeting and covered at the end of the workday.	
Working In Area: Northern portion of the Site.	

Samples Collected (Since Last Report): None
Air Monitoring (Since Last Report): Prestart Conditions – PID = __0.00__ ppm, Dust = 0.006 mg/m ³ @ 7:21 High Conditions – PID = __0.00__ ppm @ Dust = 0.042 mg/m ³ @ 7:25
Problems Encountered: - Refusal met at SB-17 at 60-feet. - Multiple step-offs (7) were attempted at SB-18 due to gravel.

Planned Activities for the Next Day/ Week:

- Finish drilling SB-18 to 80' (possibly more if impacted material is discovered);
- Begin advancing SB-19; and
- Xolle/McLaren to continue with bulkhead test pits.

Site Grid Map




Photo Log

Photo 1 – Representative photo of test pit dug by Xolle.



Photo 2 – Representative photo of Xolle placing material from test pit on poly sheeting.



Photo 3 – Photo of gravel from SB-18 (5'-10'). Samples from this location were not able to be collected at the 0-2' interval or the interface, 6'-8' due to gravel being present.



Photo 4 – Representative photo of clean sand from SB-18 (35'-40').



Photo 5 – Representative photo of material at SB-18 (10'-15') and SB-18 (15'-20').



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_012
Test Start Time	7:21:27 AM
Test Start Date	9/29/2022
Test Length [D:H:M]	0:06:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.005
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.013
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	414

Elapsed Time [s]	time	Mass [mg/l PID]	Alarms	Errors
60	7:21:27 AM	0.006	0	
120	7:22:27 AM	0.006	0	
180	7:23:27 AM	0.006	0	
240	7:24:27 AM	0.006	0	
300	7:25:27 AM	0.006	0	
360	7:26:27 AM	0.005	0	
420	7:27:27 AM	0.005	0	
480	7:28:27 AM	0.005	0	
540	7:29:27 AM	0.007	0	
600	7:30:27 AM	0.007	0	
660	7:31:27 AM	0.006	0	
720	7:32:27 AM	0.005	0	
780	7:33:27 AM	0.008	0	
840	7:34:27 AM	0.009	0	
900	7:35:27 AM	0.01	0	
960	7:36:27 AM	0.012	0	
1020	7:37:27 AM	0.008	0	
1080	7:38:27 AM	0.006	0	
1140	7:39:27 AM	0.005	0	
1200	7:40:27 AM	0.006	0	
1260	7:41:27 AM	0.007	0	
1320	7:42:27 AM	0.007	0	
1380	7:43:27 AM	0.006	0	
1440	7:44:27 AM	0.006	0	
1500	7:45:27 AM	0.007	0	
1560	7:46:27 AM	0.007	0	
1620	7:47:27 AM	0.007	0	

1680	7:48:27 AM	0.005	0
1740	7:49:27 AM	0.006	0
1800	7:50:27 AM	0.005	0
1860	7:51:27 AM	0.005	0
1920	7:52:27 AM	0.005	0
1980	7:53:27 AM	0.005	0
2040	7:54:27 AM	0.005	0
2100	7:55:27 AM	0.005	0
2160	7:56:27 AM	0.005	0
2220	7:57:27 AM	0.005	0
2280	7:58:27 AM	0.008	0
2340	7:59:27 AM	0.006	0
2400	8:00:27 AM	0.006	0
2460	8:01:27 AM	0.007	0
2520	8:02:27 AM	0.005	0
2580	8:03:27 AM	0.006	0
2640	8:04:27 AM	0.007	0
2700	8:05:27 AM	0.007	0
2760	8:06:27 AM	0.006	0
2820	8:07:27 AM	0.006	0
2880	8:08:27 AM	0.007	0
2940	8:09:27 AM	0.006	0
3000	8:10:27 AM	0.006	0
3060	8:11:27 AM	0.009	0
3120	8:12:27 AM	0.011	0
3180	8:13:27 AM	0.01	0
3240	8:14:27 AM	0.01	0
3300	8:15:27 AM	0.007	0
3360	8:16:27 AM	0.008	0
3420	8:17:27 AM	0.01	0
3480	8:18:27 AM	0.007	0
3540	8:19:27 AM	0.007	0
3600	8:20:27 AM	0.007	0
3660	8:21:27 AM	0.01	0
3720	8:22:27 AM	0.008	0
3780	8:23:27 AM	0.007	0
3840	8:24:27 AM	0.006	0
3900	8:25:27 AM	0.008	0
3960	8:26:27 AM	0.007	0
4020	8:27:27 AM	0.006	0
4080	8:28:27 AM	0.007	0
4140	8:29:27 AM	0.012	0
4200	8:30:27 AM	0.008	0
4260	8:31:27 AM	0.005	0
4320	8:32:27 AM	0.005	0
4380	8:33:27 AM	0.008	0
4440	8:34:27 AM	0.005	0

4500	8:35:27 AM	0.005	0
4560	8:36:27 AM	0.006	0
4620	8:37:27 AM	0.007	0
4680	8:38:27 AM	0.007	0
4740	8:39:27 AM	0.007	0
4800	8:40:27 AM	0.005	0
4860	8:41:27 AM	0.004	0
4920	8:42:27 AM	0.005	0
4980	8:43:27 AM	0.008	0
5040	8:44:27 AM	0.005	0
5100	8:45:27 AM	0.007	0
5160	8:46:27 AM	0.008	0
5220	8:47:27 AM	0.005	0
5280	8:48:27 AM	0.005	0
5340	8:49:27 AM	0.005	0
5400	8:50:27 AM	0.005	0
5460	8:51:27 AM	0.004	0
5520	8:52:27 AM	0.005	0
5580	8:53:27 AM	0.005	0
5640	8:54:27 AM	0.004	0
5700	8:55:27 AM	0.005	0
5760	8:56:27 AM	0.006	0
5820	8:57:27 AM	0.003	0
5880	8:58:27 AM	0.004	0
5940	8:59:27 AM	0.004	0
6000	9:00:27 AM	0.004	0
6060	9:01:27 AM	0.004	0
6120	9:02:27 AM	0.005	0
6180	9:03:27 AM	0.006	0
6240	9:04:27 AM	0.004	0
6300	9:05:27 AM	0.004	0
6360	9:06:27 AM	0.004	0
6420	9:07:27 AM	0.003	0
6480	9:08:27 AM	0.005	0
6540	9:09:27 AM	0.005	0
6600	9:10:27 AM	0.005	0
6660	9:11:27 AM	0.004	0
6720	9:12:27 AM	0.004	0
6780	9:13:27 AM	0.004	0
6840	9:14:27 AM	0.005	0
6900	9:15:27 AM	0.004	0
6960	9:16:27 AM	0.004	0
7020	9:17:27 AM	0.004	0
7080	9:18:27 AM	0.004	0
7140	9:19:27 AM	0.005	0
7200	9:20:27 AM	0.005	0
7260	9:21:27 AM	0.005	0

7320	9:22:27 AM	0.004	0
7380	9:23:27 AM	0.004	0
7440	9:24:27 AM	0.003	0
7500	9:25:27 AM	0.003	0
7560	9:26:27 AM	0.003	0
7620	9:27:27 AM	0.003	0
7680	9:28:27 AM	0.004	0
7740	9:29:27 AM	0.004	0
7800	9:30:27 AM	0.004	0
7860	9:31:27 AM	0.004	0
7920	9:32:27 AM	0.007	0
7980	9:33:27 AM	0.005	0
8040	9:34:27 AM	0.004	0
8100	9:35:27 AM	0.006	0
8160	9:36:27 AM	0.007	0
8220	9:37:27 AM	0.004	0
8280	9:38:27 AM	0.005	0
8340	9:39:27 AM	0.004	0
8400	9:40:27 AM	0.004	0
8460	9:41:27 AM	0.004	0
8520	9:42:27 AM	0.004	0
8580	9:43:27 AM	0.004	0
8640	9:44:27 AM	0.004	0
8700	9:45:27 AM	0.004	0
8760	9:46:27 AM	0.004	0
8820	9:47:27 AM	0.004	0
8880	9:48:27 AM	0.004	0
8940	9:49:27 AM	0.005	0
9000	9:50:27 AM	0.006	0
9060	9:51:27 AM	0.006	0
9120	9:52:27 AM	0.004	0
9180	9:53:27 AM	0.004	0
9240	9:54:27 AM	0.005	0
9300	9:55:27 AM	0.007	0
9360	9:56:27 AM	0.005	0
9420	9:57:27 AM	0.005	0
9480	9:58:27 AM	0.004	0
9540	9:59:27 AM	0.004	0
9600	10:00:27 AM	0.008	0
9660	10:01:27 AM	0.004	0
9720	10:02:27 AM	0.006	0
9780	10:03:27 AM	0.004	0
9840	10:04:27 AM	0.004	0
9900	10:05:27 AM	0.004	0
9960	10:06:27 AM	0.005	0
10020	10:07:27 AM	0.005	0
10080	10:08:27 AM	0.004	0

10140	10:09:27 AM	0.004	0
10200	10:10:27 AM	0.004	0
10260	10:11:27 AM	0.004	0
10320	10:12:27 AM	0.013	0
10380	10:13:27 AM	0.003	0
10440	10:14:27 AM	0.003	0
10500	10:15:27 AM	0.003	0
10560	10:16:27 AM	0.004	0
10620	10:17:27 AM	0.004	0
10680	10:18:27 AM	0.003	0
10740	10:19:27 AM	0.002	0
10800	10:20:27 AM	0.003	0
10860	10:21:27 AM	0.003	0
10920	10:22:27 AM	0.003	0
10980	10:23:27 AM	0.004	0
11040	10:24:27 AM	0.006	0
11100	10:25:27 AM	0.004	0
11160	10:26:27 AM	0.003	0
11220	10:27:27 AM	0.003	0
11280	10:28:27 AM	0.009	0
11340	10:29:27 AM	0.002	0
11400	10:30:27 AM	0.003	0
11460	10:31:27 AM	0.004	0
11520	10:32:27 AM	0.003	0
11580	10:33:27 AM	0.003	0
11640	10:34:27 AM	0.004	0
11700	10:35:27 AM	0.006	0
11760	10:36:27 AM	0.005	0
11820	10:37:27 AM	0.003	0
11880	10:38:27 AM	0.008	0
11940	10:39:27 AM	0.007	0
12000	10:40:27 AM	0.005	0
12060	10:41:27 AM	0.004	0
12120	10:42:27 AM	0.004	0
12180	10:43:27 AM	0.004	0
12240	10:44:27 AM	0.003	0
12300	10:45:27 AM	0.003	0
12360	10:46:27 AM	0.005	0
12420	10:47:27 AM	0.003	0
12480	10:48:27 AM	0.003	0
12540	10:49:27 AM	0.003	0
12600	10:50:27 AM	0.005	0
12660	10:51:27 AM	0.005	0
12720	10:52:27 AM	0.003	0
12780	10:53:27 AM	0.003	0
12840	10:54:27 AM	0.004	0
12900	10:55:27 AM	0.002	0

12960	10:56:27 AM	0.003	0
13020	10:57:27 AM	0.003	0
13080	10:58:27 AM	0.003	0
13140	10:59:27 AM	0.005	0
13200	11:00:27 AM	0.004	0
13260	11:01:27 AM	0.004	0
13320	11:02:27 AM	0.003	0
13380	11:03:27 AM	0.003	0
13440	11:04:27 AM	0.006	0
13500	11:05:27 AM	0.005	0
13560	11:06:27 AM	0.005	0
13620	11:07:27 AM	0.005	0
13680	11:08:27 AM	0.004	0
13740	11:09:27 AM	0.007	0
13800	11:10:27 AM	0.006	0
13860	11:11:27 AM	0.005	0
13920	11:12:27 AM	0.004	0
13980	11:13:27 AM	0.006	0
14040	11:14:27 AM	0.006	0
14100	11:15:27 AM	0.003	0
14160	11:16:27 AM	0.003	0
14220	11:17:27 AM	0.003	0
14280	11:18:27 AM	0.008	0
14340	11:19:27 AM	0.003	0
14400	11:20:27 AM	0.004	0
14460	11:21:27 AM	0.012	0
14520	11:22:27 AM	0.004	0
14580	11:23:27 AM	0.005	0
14640	11:24:27 AM	0.003	0
14700	11:25:27 AM	0.004	0
14760	11:26:27 AM	0.006	0
14820	11:27:27 AM	0.004	0
14880	11:28:27 AM	0.004	0
14940	11:29:27 AM	0.004	0
15000	11:30:27 AM	0.005	0
15060	11:31:27 AM	0.004	0
15120	11:32:27 AM	0.004	0
15180	11:33:27 AM	0.006	0
15240	11:34:27 AM	0.002	0
15300	11:35:27 AM	0.002	0
15360	11:36:27 AM	0.003	0
15420	11:37:27 AM	0.003	0
15480	11:38:27 AM	0.003	0
15540	11:39:27 AM	0.003	0
15600	11:40:27 AM	0.004	0
15660	11:41:27 AM	0.003	0
15720	11:42:27 AM	0.004	0

15780	11:43:27 AM	0.003	0
15840	11:44:27 AM	0.003	0
15900	11:45:27 AM	0.002	0
15960	11:46:27 AM	0.002	0
16020	11:47:27 AM	0.002	0
16080	11:48:27 AM	0.003	0
16140	11:49:27 AM	0.003	0
16200	11:50:27 AM	0.003	0
16260	11:51:27 AM	0.003	0
16320	11:52:27 AM	0.003	0
16380	11:53:27 AM	0.005	0
16440	11:54:27 AM	0.006	0
16500	11:55:27 AM	0.002	0
16560	11:56:27 AM	0.003	0
16620	11:57:27 AM	0.003	0
16680	11:58:27 AM	0.003	0
16740	11:59:27 AM	0.003	0
16800	12:00:27 PM	0.003	0
16860	12:01:27 PM	0.002	0
16920	12:02:27 PM	0.002	0
16980	12:03:27 PM	0.002	0
17040	12:04:27 PM	0.003	0
17100	12:05:27 PM	0.003	0
17160	12:06:27 PM	0.003	0
17220	12:07:27 PM	0.003	0
17280	12:08:27 PM	0.003	0
17340	12:09:27 PM	0.003	0
17400	12:10:27 PM	0.003	0
17460	12:11:27 PM	0.003	0
17520	12:12:27 PM	0.002	0
17580	12:13:27 PM	0.003	0
17640	12:14:27 PM	0.003	0
17700	12:15:27 PM	0.004	0
17760	12:16:27 PM	0.003	0
17820	12:17:27 PM	0.003	0
17880	12:18:27 PM	0.004	0
17940	12:19:27 PM	0.01	0
18000	12:20:27 PM	0.003	0
18060	12:21:27 PM	0.005	0
18120	12:22:27 PM	0.003	0
18180	12:23:27 PM	0.003	0
18240	12:24:27 PM	0.003	0
18300	12:25:27 PM	0.003	0
18360	12:26:27 PM	0.003	0
18420	12:27:27 PM	0.003	0
18480	12:28:27 PM	0.003	0
18540	12:29:27 PM	0.006	0

18600	12:30:27 PM	0.008	0
18660	12:31:27 PM	0.003	0
18720	12:32:27 PM	0.003	0
18780	12:33:27 PM	0.004	0
18840	12:34:27 PM	0.003	0
18900	12:35:27 PM	0.003	0
18960	12:36:27 PM	0.003	0
19020	12:37:27 PM	0.003	0
19080	12:38:27 PM	0.004	0
19140	12:39:27 PM	0.004	0
19200	12:40:27 PM	0.004	0
19260	12:41:27 PM	0.003	0
19320	12:42:27 PM	0.003	0
19380	12:43:27 PM	0.004	0
19440	12:44:27 PM	0.003	0
19500	12:45:27 PM	0.005	0
19560	12:46:27 PM	0.003	0
19620	12:47:27 PM	0.003	0
19680	12:48:27 PM	0.003	0
19740	12:49:27 PM	0.004	0
19800	12:50:27 PM	0.003	0
19860	12:51:27 PM	0.003	0
19920	12:52:27 PM	0.003	0
19980	12:53:27 PM	0.003	0
20040	12:54:27 PM	0.003	0
20100	12:55:27 PM	0.004	0
20160	12:56:27 PM	0.004	0
20220	12:57:27 PM	0.004	0
20280	12:58:27 PM	0.006	0
20340	12:59:27 PM	0.005	0
20400	1:00:27 PM	0.004	0
20460	1:01:27 PM	0.004	0
20520	1:02:27 PM	0.004	0
20580	1:03:27 PM	0.003	0
20640	1:04:27 PM	0.004	0
20700	1:05:27 PM	0.004	0
20760	1:06:27 PM	0.006	0
20820	1:07:27 PM	0.005	0
20880	1:08:27 PM	0.005	0
20940	1:09:27 PM	0.005	0
21000	1:10:27 PM	0.005	0
21060	1:11:27 PM	0.005	0
21120	1:12:27 PM	0.006	0
21180	1:13:27 PM	0.005	0
21240	1:14:27 PM	0.004	0
21300	1:15:27 PM	0.005	0
21360	1:16:27 PM	0.004	0

21420	1:17:27 PM	0.004	0
21480	1:18:27 PM	0.004	0
21540	1:19:27 PM	0.004	0
21600	1:20:27 PM	0.004	0
21660	1:21:27 PM	0.004	0
21720	1:22:27 PM	0.007	0
21780	1:23:27 PM	0.008	0
21840	1:24:27 PM	0.005	0
21900	1:25:27 PM	0.004	0
21960	1:26:27 PM	0.004	0
22020	1:27:27 PM	0.004	0
22080	1:28:27 PM	0.004	0
22140	1:29:27 PM	0.004	0
22200	1:30:27 PM	0.004	0
22260	1:31:27 PM	0.005	0
22320	1:32:27 PM	0.004	0
22380	1:33:27 PM	0.004	0
22440	1:34:27 PM	0.003	0
22500	1:35:27 PM	0.004	0
22560	1:36:27 PM	0.005	0
22620	1:37:27 PM	0.006	0
22680	1:38:27 PM	0.005	0
22740	1:39:27 PM	0.004	0
22800	1:40:27 PM	0.004	0
22860	1:41:27 PM	0.003	0
22920	1:42:27 PM	0.004	0
22980	1:43:27 PM	0.004	0
23040	1:44:27 PM	0.005	0
23100	1:45:27 PM	0.006	0
23160	1:46:27 PM	0.01	0
23220	1:47:27 PM	0.005	0
23280	1:48:27 PM	0.004	0
23340	1:49:27 PM	0.005	0
23400	1:50:27 PM	0.005	0
23460	1:51:27 PM	0.004	0
23520	1:52:27 PM	0.005	0
23580	1:53:27 PM	0.004	0
23640	1:54:27 PM	0.005	0
23700	1:55:27 PM	0.006	0
23760	1:56:27 PM	0.005	0
23820	1:57:27 PM	0.006	0
23880	1:58:27 PM	0.004	0
23940	1:59:27 PM	0.004	0
24000	2:00:27 PM	0.004	0
24060	2:01:27 PM	0.004	0
24120	2:02:27 PM	0.004	0
24180	2:03:27 PM	0.005	0

24240	2:04:27 PM	0.004	0
24300	2:05:27 PM	0.004	0
24360	2:06:27 PM	0.004	0
24420	2:07:27 PM	0.004	0
24480	2:08:27 PM	0.005	0
24540	2:09:27 PM	0.004	0
24600	2:10:27 PM	0.005	0
24660	2:11:27 PM	0.007	0
24720	2:12:27 PM	0.004	0
24780	2:13:27 PM	0.004	0
24840	2:14:27 PM	0.006	0

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173315
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_010
Test Start Time	7:25:36 AM
Test Start Date	9/29/2022
Test Length [D:H:M]	0:06:48
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.042
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	408

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.042		
120	0.009		
180	0.008		
240	0.012		
300	0.008		
360	0.007		
420	0.008		
480	0.012		
540	0.013		
600	0.011		
660	0.01		
720	0.012		
780	0.014		
840	0.013		
900	0.012		
960	0.014		
1020	0.015		
1080	0.011		
1140	0.01		
1200	0.012		
1260	0.01		
1320	0.01		
1380	0.011		
1440	0.012		
1500	0.01		
1560	0.01		
1620	0.012		

1680	0.009
1740	0.01
1800	0.01
1860	0.01
1920	0.009
1980	0.009
2040	0.009
2100	0.009
2160	0.01
2220	0.01
2280	0.011
2340	0.013
2400	0.012
2460	0.01
2520	0.012
2580	0.013
2640	0.011
2700	0.013
2760	0.014
2820	0.01
2880	0.011
2940	0.012
3000	0.01
3060	0.009
3120	0.01
3180	0.01
3240	0.01
3300	0.011
3360	0.014
3420	0.016
3480	0.02
3540	0.014
3600	0.009
3660	0.009
3720	0.013
3780	0.012
3840	0.01
3900	0.01
3960	0.01
4020	0.01
4080	0.012
4140	0.01
4200	0.007
4260	0.008
4320	0.009
4380	0.007
4440	0.009

4500	0.008
4560	0.008
4620	0.008
4680	0.008
4740	0.009
4800	0.008
4860	0.007
4920	0.008
4980	0.007
5040	0.008
5100	0.007
5160	0.015
5220	0.016
5280	0.007
5340	0.006
5400	0.006
5460	0.007
5520	0.007
5580	0.008
5640	0.006
5700	0.008
5760	0.006
5820	0.013
5880	0.006
5940	0.006
6000	0.006
6060	0.007
6120	0.01
6180	0.007
6240	0.007
6300	0.006
6360	0.009
6420	0.014
6480	0.007
6540	0.007
6600	0.006
6660	0.007
6720	0.007
6780	0.008
6840	0.01
6900	0.007
6960	0.006
7020	0.007
7080	0.006
7140	0.008
7200	0.006
7260	0.012

7320	0.006
7380	0.006
7440	0.005
7500	0.005
7560	0.005
7620	0.005
7680	0.005
7740	0.005
7800	0.006
7860	0.007
7920	0.006
7980	0.006
8040	0.007
8100	0.009
8160	0.006
8220	0.005
8280	0.007
8340	0.007
8400	0.01
8460	0.008
8520	0.007
8580	0.006
8640	0.008
8700	0.017
8760	0.008
8820	0.008
8880	0.007
8940	0.008
9000	0.009
9060	0.007
9120	0.006
9180	0.009
9240	0.01
9300	0.01
9360	0.007
9420	0.008
9480	0.007
9540	0.007
9600	0.007
9660	0.007
9720	0.009
9780	0.006
9840	0.008
9900	0.01
9960	0.011
10020	0.009
10080	0.007

10140	0.007
10200	0.006
10260	0.005
10320	0.005
10380	0.007
10440	0.005
10500	0.006
10560	0.006
10620	0.007
10680	0.005
10740	0.006
10800	0.009
10860	0.008
10920	0.006
10980	0.006
11040	0.005
11100	0.007
11160	0.007
11220	0.005
11280	0.004
11340	0.004
11400	0.004
11460	0.005
11520	0.004
11580	0.006
11640	0.007
11700	0.007
11760	0.007
11820	0.01
11880	0.019
11940	0.011
12000	0.004
12060	0.006
12120	0.006
12180	0.006
12240	0.005
12300	0.007
12360	0.008
12420	0.005
12480	0.007
12540	0.006
12600	0.006
12660	0.008
12720	0.007
12780	0.005
12840	0.004
12900	0.005

12960	0.006
13020	0.008
13080	0.008
13140	0.007
13200	0.008
13260	0.005
13320	0.004
13380	0.006
13440	0.006
13500	0.007
13560	0.018
13620	0.008
13680	0.008
13740	0.008
13800	0.006
13860	0.007
13920	0.009
13980	0.005
14040	0.005
14100	0.006
14160	0.007
14220	0.01
14280	0.005
14340	0.003
14400	0.01
14460	0.011
14520	0.008
14580	0.006
14640	0.019
14700	0.009
14760	0.008
14820	0.005
14880	0.005
14940	0.013
15000	0.006
15060	0.005
15120	0.004
15180	0.004
15240	0.004
15300	0.003
15360	0.004
15420	0.004
15480	0.003
15540	0.008
15600	0.004
15660	0.004
15720	0.006

15780	0.004
15840	0.004
15900	0.003
15960	0.004
16020	0.004
16080	0.003
16140	0.004
16200	0.004
16260	0.004
16320	0.005
16380	0.004
16440	0.003
16500	0.004
16560	0.004
16620	0.005
16680	0.006
16740	0.011
16800	0.003
16860	0.003
16920	0.003
16980	0.003
17040	0.003
17100	0.004
17160	0.008
17220	0.012
17280	0.005
17340	0.007
17400	0.009
17460	0.007
17520	0.004
17580	0.004
17640	0.005
17700	0.004
17760	0.004
17820	0.004
17880	0.004
17940	0.004
18000	0.005
18060	0.005
18120	0.005
18180	0.005
18240	0.004
18300	0.004
18360	0.004
18420	0.003
18480	0.004
18540	0.005

18600	0.007
18660	0.006
18720	0.01
18780	0.005
18840	0.005
18900	0.004
18960	0.004
19020	0.005
19080	0.006
19140	0.006
19200	0.004
19260	0.006
19320	0.006
19380	0.006
19440	0.005
19500	0.005
19560	0.004
19620	0.004
19680	0.004
19740	0.003
19800	0.004
19860	0.004
19920	0.005
19980	0.005
20040	0.004
20100	0.004
20160	0.005
20220	0.006
20280	0.005
20340	0.004
20400	0.004
20460	0.006
20520	0.004
20580	0.005
20640	0.005
20700	0.006
20760	0.007
20820	0.007
20880	0.005
20940	0.005
21000	0.007
21060	0.008
21120	0.008
21180	0.005
21240	0.006
21300	0.006
21360	0.007

21420	0.008
21480	0.006
21540	0.007
21600	0.007
21660	0.004
21720	0.005
21780	0.006
21840	0.007
21900	0.005
21960	0.005
22020	0.004
22080	0.004
22140	0.006
22200	0.005
22260	0.005
22320	0.006
22380	0.005
22440	0.005
22500	0.006
22560	0.006
22620	0.007
22680	0.005
22740	0.004
22800	0.004
22860	0.004
22920	0.004
22980	0.006
23040	0.007
23100	0.005
23160	0.004
23220	0.005
23280	0.005
23340	0.005
23400	0.004
23460	0.006
23520	0.005
23580	0.008
23640	0.007
23700	0.008
23760	0.006
23820	0.005
23880	0.004
23940	0.004
24000	0.004
24060	0.005
24120	0.005
24180	0.005

24240	0.005
24300	0.004
24360	0.004
24420	0.006
24480	0.006