



DAILY STATUS REPORT

Prepared by: Thomas Jensen

WEATHER	Snow		Rain	x	Overcast		Partly Cloudy		Bright Sun	
TEMP.	< 32		32-50	x	50-70		70-85		> 85	

DEC BCP Project. No.	C224350	Date:	10/03/22
Project Name:	318 Nevins Street, Brooklyn, NY		

Environmental Consultant: Impact Environmental Closures, Inc 170 Keyland Court Bohemia, NY 11716.	Environmental Safety Officer: Thomas Jensen– Impact Environmental Closures, Inc.
General Contractor: Broadway Construction	Site Manager/ Supervisor: Site Super: Shannon Dowling- Broadway Construction Group, LLC Diana Posten– Impact Environmental Closures, Inc.
Work Activities Performed (Since Last Report) - Impact arrived on site at 0800 and held Health and Safety meeting with PG Environmental; - Impact set up downwind and upwind CAMP units; - PG began advancing SB-20 to 80' and completed the boring location.	
Working In Area: Southern portion of the Site.	

Samples Collected (Since Last Report): - SB-19 (0'-2') - SB-19 (3'-5') - SB-19 (6'-8') - SB-19 (78'-80')
Air Monitoring (Since Last Report): Prestart Conditions – PID = __0.00__ ppm, Dust = __.001__ mg/m ³ @ 08:15 High Conditions – PID = __0.00__ ppm @ Dust = __.012__ mg/m ³ @ 1030
Problems Encountered: None
Planned Activities for the Next Day/ Week: - Continuation of soil borings; - Remaining monitoring wells will be installed with additional PG rig onsite; - Soil vapor points will be installed with additional PG rig onsite; - Bulkhead test pit work currently on-hold, start date TBD.

Site Grid Map




Photo Log

Photo 1 – Representative photo of PG advancing SB-20.



Photo 2 – Photo of SB-20 at the 0-5' and 5-10' intervals.



Photo 3 – Photo of SB-20 at the 10-15', 15-20' and 20-25' intervals.



Photo 4 – Photo of SB-20 at the 45-50' and 50-55' interval.



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173315
Firmware Version	3.1
Calibration Date	8/11/2022
Test Name	MANUAL_012
Test Start Time	8:13:11 AM
Test Start Date	10/3/2022
Test Length [D:H:M]	0:06:16
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.046
Mass TWA [mg/m3]	0.005
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	376

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.046		
120	0.01		
180	0.006		
240	0.009		
300	0.006		
360	0.007		
420	0.011		
480	0.006		
540	0.006		
600	0.007		
660	0.005		
720	0.005		
780	0.007		
840	0.005		
900	0.005		
960	0.005		
1020	0.005		
1080	0.004		
1140	0.005		
1200	0.005		
1260	0.004		
1320	0.004		
1380	0.005		
1440	0.004		
1500	0.004		
1560	0.005		
1620	0.004		

1680	0.004
1740	0.004
1800	0.005
1860	0.004
1920	0.006
1980	0.004
2040	0.006
2100	0.005
2160	0.004
2220	0.005
2280	0.005
2340	0.004
2400	0.005
2460	0.005
2520	0.005
2580	0.004
2640	0.004
2700	0.005
2760	0.005
2820	0.004
2880	0.004
2940	0.005
3000	0.005
3060	0.004
3120	0.004
3180	0.005
3240	0.004
3300	0.004
3360	0.005
3420	0.005
3480	0.005
3540	0.005
3600	0.005
3660	0.005
3720	0.005
3780	0.005
3840	0.005
3900	0.004
3960	0.005
4020	0.005
4080	0.005
4140	0.005
4200	0.006
4260	0.005
4320	0.005
4380	0.005
4440	0.005

4500	0.005
4560	0.004
4620	0.005
4680	0.005
4740	0.005
4800	0.005
4860	0.005
4920	0.005
4980	0.005
5040	0.004
5100	0.005
5160	0.006
5220	0.006
5280	0.007
5340	0.006
5400	0.009
5460	0.01
5520	0.008
5580	0.01
5640	0.011
5700	0.01
5760	0.009
5820	0.007
5880	0.008
5940	0.008
6000	0.008
6060	0.007
6120	0.006
6180	0.007
6240	0.006
6300	0.006
6360	0.005
6420	0.006
6480	0.005
6540	0.005
6600	0.005
6660	0.006
6720	0.006
6780	0.006
6840	0.005
6900	0.005
6960	0.006
7020	0.006
7080	0.006
7140	0.005
7200	0.006
7260	0.006

7320	0.005
7380	0.006
7440	0.006
7500	0.006
7560	0.006
7620	0.006
7680	0.006
7740	0.005
7800	0.006
7860	0.006
7920	0.006
7980	0.006
8040	0.007
8100	0.007
8160	0.008
8220	0.009
8280	0.008
8340	0.01
8400	0.009
8460	0.008
8520	0.008
8580	0.008
8640	0.008
8700	0.007
8760	0.027
8820	0.019
8880	0.009
8940	0.009
9000	0.007
9060	0.007
9120	0.007
9180	0.006
9240	0.006
9300	0.006
9360	0.008
9420	0.006
9480	0.006
9540	0.006
9600	0.006
9660	0.006
9720	0.006
9780	0.006
9840	0.006
9900	0.006
9960	0.006
10020	0.006
10080	0.006

10140	0.006
10200	0.005
10260	0.005
10320	0.006
10380	0.005
10440	0.005
10500	0.005
10560	0.005
10620	0.006
10680	0.006
10740	0.006
10800	0.006
10860	0.005
10920	0.005
10980	0.005
11040	0.005
11100	0.005
11160	0.006
11220	0.006
11280	0.006
11340	0.006
11400	0.006
11460	0.006
11520	0.005
11580	0.005
11640	0.005
11700	0.005
11760	0.005
11820	0.005
11880	0.004
11940	0.004
12000	0.005
12060	0.022
12120	0.019
12180	0.007
12240	0.006
12300	0.006
12360	0.005
12420	0.005
12480	0.005
12540	0.005
12600	0.005
12660	0.004
12720	0.005
12780	0.005
12840	0.005
12900	0.005

12960	0.005
13020	0.005
13080	0.005
13140	0.005
13200	0.005
13260	0.006
13320	0.005
13380	0.005
13440	0.007
13500	0.005
13560	0.005
13620	0.006
13680	0.006
13740	0.005
13800	0.005
13860	0.006
13920	0.005
13980	0.005
14040	0.006
14100	0.005
14160	0.005
14220	0.005
14280	0.005
14340	0.005
14400	0.005
14460	0.005
14520	0.005
14580	0.005
14640	0.005
14700	0.005
14760	0.005
14820	0.006
14880	0.005
14940	0.006
15000	0.006
15060	0.005
15120	0.005
15180	0.005
15240	0.005
15300	0.004
15360	0.005
15420	0.005
15480	0.006
15540	0.006
15600	0.006
15660	0.006
15720	0.005

15780	0.006
15840	0.005
15900	0.005
15960	0.005
16020	0.006
16080	0.007
16140	0.007
16200	0.005
16260	0.006
16320	0.006
16380	0.007
16440	0.007
16500	0.006
16560	0.007
16620	0.009
16680	0.007
16740	0.007
16800	0.006
16860	0.006
16920	0.006
16980	0.006
17040	0.006
17100	0.006
17160	0.006
17220	0.006
17280	0.007
17340	0.006
17400	0.009
17460	0.008
17520	0.008
17580	0.008
17640	0.006
17700	0.007
17760	0.007
17820	0.006
17880	0.006
17940	0.006
18000	0.006
18060	0.006
18120	0.006
18180	0.007
18240	0.007
18300	0.007
18360	0.007
18420	0.007
18480	0.007
18540	0.006

18600	0.007
18660	0.007
18720	0.007
18780	0.007
18840	0.007
18900	0.008
18960	0.007
19020	0.007
19080	0.007
19140	0.008
19200	0.008
19260	0.007
19320	0.007
19380	0.007
19440	0.007
19500	0.007
19560	0.007
19620	0.007
19680	0.007
19740	0.007
19800	0.007
19860	0.007
19920	0.007
19980	0.008
20040	0.008
20100	0.007
20160	0.007
20220	0.007
20280	0.008
20340	0.008
20400	0.008
20460	0.008
20520	0.008
20580	0.008
20640	0.007
20700	0.007
20760	0.007
20820	0.007
20880	0.007
20940	0.007
21000	0.01
21060	0.012
21120	0.01
21180	0.009
21240	0.008
21300	0.008
21360	0.007

21420	0.008
21480	0.008
21540	0.007
21600	0.007
21660	0.006
21720	0.007
21780	0.006
21840	0.01
21900	0.009
21960	0.008
22020	0.007
22080	0.008
22140	0.006
22200	0.007
22260	0.007
22320	0.007
22380	0.008
22440	0.008
22500	0.008
22560	0.007

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530111721
Firmware Version	3.1
Calibration Date	8/17/2021
Test Name	MANUAL_014
Test Start Time	8:05:33 AM
Test Start Date	10/3/2022
Test Length [D:H:M]	0:06:22
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.012
Mass TWA [mg/m3]	0.005
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	382

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.008		
120	0.008		
180	0.007		
240	0.007		
300	0.006		
360	0.006		
420	0.006		
480	0.007		
540	0.006		
600	0.006		
660	0.006		
720	0.006		
780	0.006		
840	0.006		
900	0.005		
960	0.005		
1020	0.005		
1080	0.005		
1140	0.005		
1200	0.005		
1260	0.005		
1320	0.004		
1380	0.005		
1440	0.005		
1500	0.005		
1560	0.005		
1620	0.005		

1680	0.005
1740	0.004
1800	0.006
1860	0.005
1920	0.005
1980	0.006
2040	0.006
2100	0.005
2160	0.005
2220	0.004
2280	0.006
2340	0.005
2400	0.005
2460	0.004
2520	0.005
2580	0.005
2640	0.005
2700	0.005
2760	0.006
2820	0.005
2880	0.004
2940	0.005
3000	0.005
3060	0.004
3120	0.005
3180	0.005
3240	0.004
3300	0.005
3360	0.004
3420	0.005
3480	0.004
3540	0.004
3600	0.005
3660	0.005
3720	0.005
3780	0.005
3840	0.005
3900	0.005
3960	0.005
4020	0.005
4080	0.006
4140	0.004
4200	0.004
4260	0.005
4320	0.005
4380	0.004
4440	0.005

4500	0.005
4560	0.005
4620	0.005
4680	0.005
4740	0.005
4800	0.005
4860	0.005
4920	0.005
4980	0.005
5040	0.005
5100	0.005
5160	0.005
5220	0.005
5280	0.005
5340	0.005
5400	0.005
5460	0.005
5520	0.005
5580	0.005
5640	0.006
5700	0.006
5760	0.005
5820	0.005
5880	0.007
5940	0.006
6000	0.005
6060	0.006
6120	0.005
6180	0.006
6240	0.008
6300	0.005
6360	0.011
6420	0.005
6480	0.006
6540	0.006
6600	0.005
6660	0.005
6720	0.005
6780	0.005
6840	0.006
6900	0.006
6960	0.005
7020	0.006
7080	0.005
7140	0.006
7200	0.006
7260	0.006

7320	0.005
7380	0.005
7440	0.006
7500	0.006
7560	0.006
7620	0.006
7680	0.006
7740	0.007
7800	0.006
7860	0.006
7920	0.006
7980	0.005
8040	0.007
8100	0.005
8160	0.006
8220	0.006
8280	0.006
8340	0.006
8400	0.007
8460	0.007
8520	0.006
8580	0.009
8640	0.008
8700	0.007
8760	0.007
8820	0.008
8880	0.007
8940	0.007
9000	0.009
9060	0.012
9120	0.007
9180	0.006
9240	0.006
9300	0.006
9360	0.006
9420	0.006
9480	0.006
9540	0.006
9600	0.005
9660	0.007
9720	0.006
9780	0.006
9840	0.006
9900	0.006
9960	0.005
10020	0.005
10080	0.006

10140	0.006
10200	0.005
10260	0.005
10320	0.005
10380	0.006
10440	0.005
10500	0.005
10560	0.005
10620	0.006
10680	0.005
10740	0.005
10800	0.006
10860	0.006
10920	0.006
10980	0.006
11040	0.007
11100	0.006
11160	0.005
11220	0.005
11280	0.006
11340	0.007
11400	0.006
11460	0.006
11520	0.006
11580	0.007
11640	0.006
11700	0.006
11760	0.006
11820	0.006
11880	0.005
11940	0.006
12000	0.006
12060	0.005
12120	0.006
12180	0.006
12240	0.005
12300	0.007
12360	0.011
12420	0.009
12480	0.008
12540	0.006
12600	0.005
12660	0.005
12720	0.006
12780	0.006
12840	0.005
12900	0.005

12960	0.006
13020	0.006
13080	0.006
13140	0.005
13200	0.006
13260	0.006
13320	0.006
13380	0.006
13440	0.005
13500	0.006
13560	0.006
13620	0.007
13680	0.007
13740	0.006
13800	0.006
13860	0.007
13920	0.006
13980	0.007
14040	0.006
14100	0.007
14160	0.006
14220	0.006
14280	0.006
14340	0.006
14400	0.006
14460	0.006
14520	0.006
14580	0.006
14640	0.006
14700	0.008
14760	0.005
14820	0.006
14880	0.006
14940	0.006
15000	0.007
15060	0.007
15120	0.006
15180	0.007
15240	0.007
15300	0.007
15360	0.006
15420	0.007
15480	0.005
15540	0.006
15600	0.006
15660	0.006
15720	0.006

15780	0.007
15840	0.006
15900	0.007
15960	0.006
16020	0.006
16080	0.007
16140	0.006
16200	0.006
16260	0.006
16320	0.006
16380	0.007
16440	0.006
16500	0.007
16560	0.007
16620	0.007
16680	0.007
16740	0.007
16800	0.008
16860	0.008
16920	0.008
16980	0.006
17040	0.007
17100	0.007
17160	0.006
17220	0.006
17280	0.007
17340	0.006
17400	0.006
17460	0.007
17520	0.007
17580	0.006
17640	0.008
17700	0.01
17760	0.01
17820	0.007
17880	0.006
17940	0.007
18000	0.006
18060	0.006
18120	0.006
18180	0.006
18240	0.006
18300	0.006
18360	0.006
18420	0.007
18480	0.007
18540	0.007

18600	0.006
18660	0.006
18720	0.006
18780	0.006
18840	0.007
18900	0.007
18960	0.007
19020	0.007
19080	0.007
19140	0.006
19200	0.006
19260	0.007
19320	0.007
19380	0.007
19440	0.008
19500	0.007
19560	0.007
19620	0.007
19680	0.007
19740	0.007
19800	0.007
19860	0.006
19920	0.006
19980	0.006
20040	0.007
20100	0.006
20160	0.007
20220	0.007
20280	0.007
20340	0.007
20400	0.007
20460	0.007
20520	0.007
20580	0.007
20640	0.008
20700	0.007
20760	0.008
20820	0.007
20880	0.006
20940	0.007
21000	0.007
21060	0.007
21120	0.006
21180	0.006
21240	0.007
21300	0.008
21360	0.008

21420	0.008
21480	0.007
21540	0.007
21600	0.007
21660	0.007
21720	0.008
21780	0.007
21840	0.006
21900	0.006
21960	0.006
22020	0.006
22080	0.007
22140	0.008
22200	0.007
22260	0.006
22320	0.006
22380	0.006
22440	0.007
22500	0.007
22560	0.007
22620	0.007
22680	0.008
22740	0.008
22800	0.007
22860	0.008
22920	0.007