

**DAILY STATUS REPORT****Prepared By:**

Thomas Jensen

WEATHER	Snow	Rain		Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	X	50-70	X	70-85		>85		NE –11 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	11/27/23
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:30

Time Out: 16:30

Personnel On Site:

IEEG (Environmental) – Thomas Jensen

Capital (Contractor)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), GeoProbe**Scope of Work:** Oversee soil excavation, soil removal for off-site disposal, confirmation endpoint sampling.**Site Activities:**

- Deploy CAMP at the start of the work, set up ATMOS foam unit, spray ATMOS foam to ensure equipment is working properly, and prepare truck wash;
- Continued 2' cut in column O. Continue additional 2' cut in grids A3, A5, B3-5, C3-5, D3-5, and E5. Followed by PID screenings of soil. Refer to attached Alpha Numeric grid Map with Proposed Documentation/Confirmation Sample Locations;
- AB environmental was able to confirm and pump water out of two tanks. The remaining four were confirmed to be a sand and water mixture.
- Four (4) endpoint samples were collected EP-107, 90, 75, 60
- Ten (10) truck load of concrete was removed off Site for disposal to P-Park;
- Seventeen (17) truckloads of soil were removed off Site for disposal to Jackson Puresoil

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.036_ mg/m³ @ 06:52
- High Conditions (Upwind) – PID = _0.1_ ppm @ 6:58, Dust = _0.179_ mg/m³ @ 13:48
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.108_ mg/m³ @ 08:27
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.223_ mg/m³ @ 07:03

*Dust suppression implemented by Capital throughout soil loadout activities.

Notable Site Conditions:

- While clearing off soil of the four (4) tanks in A4, and additional two (2) tanks were found. These tanks were encased in concrete next to the four (4) that were previously found.

Planned Activities for the Next Day/Week:

- UST endpoint sample collection;
- Continuation of end point sampling;
- Excavation throughout Site; and
- Off-Site disposal of material and asphalt.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of AB
environmental
confirming
contents of USTs



Photo 2 –
Representative
photo of AB
environmental
pumping water
out of tanks



Photo 3 –

Representative photo straps being tied down on the side of a truck



Photo 4 –

Representative photo of continuation of 4' excavation



Photo 5 –

Representative photo of USTs covered with poly at the end of the day.



Alpha Numeric Grid Map


318 Nevins Street, Brooklyn, NY



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_019
Test Start Time	6:52:03 AM
Test Start Date	11/27/2023
Test Length [D:H:M]	0:09:25
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.179
Mass TWA [mg/m3]	0.029
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	565

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:52	0.036		
6:53	0.034		
6:54	0.034		
6:55	0.034		
6:56	0.035		
6:57	0.035		
6:58	0.035		
6:59	0.036		
7:00	0.036		
7:01	0.037		
7:02	0.037		
7:03	0.038		
7:04	0.038		
7:05	0.039		
7:06	0.039		
7:07	0.04		
7:08	0.04		
7:09	0.04		
7:10	0.04		
7:11	0.04		
7:12	0.04		
7:13	0.041		
7:14	0.041		
7:15	0.041		
7:16	0.041		
7:17	0.041		
7:18	0.042		

7:19	0.042
7:20	0.042
7:21	0.045
7:22	0.043
7:23	0.043
7:24	0.043
7:25	0.046
7:26	0.043
7:27	0.044
7:28	0.047
7:29	0.044
7:30	0.044
7:31	0.044
7:32	0.044
7:33	0.045
7:34	0.045
7:35	0.048
7:36	0.046
7:37	0.046
7:38	0.046
7:39	0.046
7:40	0.047
7:41	0.047
7:42	0.046
7:43	0.047
7:44	0.048
7:45	0.048
7:46	0.048
7:47	0.048
7:48	0.05
7:49	0.048
7:50	0.049
7:51	0.049
7:52	0.049
7:53	0.049
7:54	0.049
7:55	0.049
7:56	0.048
7:57	0.049
7:58	0.049
7:59	0.049
8:00	0.049
8:01	0.049
8:02	0.049
8:03	0.049
8:04	0.049
8:05	0.05

8:06	0.052
8:07	0.051
8:08	0.051
8:09	0.052
8:10	0.052
8:11	0.051
8:12	0.051
8:13	0.051
8:14	0.052
8:15	0.052
8:16	0.052
8:17	0.052
8:18	0.052
8:19	0.052
8:20	0.053
8:21	0.052
8:22	0.052
8:23	0.053
8:24	0.053
8:25	0.053
8:26	0.054
8:27	0.054
8:28	0.055
8:29	0.055
8:30	0.054
8:31	0.055
8:32	0.055
8:33	0.057
8:34	0.056
8:35	0.055
8:36	0.055
8:37	0.055
8:38	0.061
8:39	0.06
8:40	0.057
8:41	0.053
8:42	0.053
8:43	0.055
8:44	0.054
8:45	0.053
8:46	0.053
8:47	0.053
8:48	0.054
8:49	0.053
8:50	0.053
8:51	0.054
8:52	0.054

8:53	0.054
8:54	0.053
8:55	0.054
8:56	0.054
8:57	0.058
8:58	0.054
8:59	0.053
9:00	0.053
9:01	0.053
9:02	0.053
9:03	0.057
9:04	0.057
9:05	0.09
9:06	0.053
9:07	0.054
9:08	0.053
9:09	0.054
9:10	0.056
9:11	0.058
9:12	0.055
9:13	0.054
9:14	0.059
9:15	0.054
9:16	0.056
9:17	0.055
9:18	0.055
9:19	0.121
9:20	0.058
9:21	0.052
9:22	0.052
9:23	0.052
9:24	0.051
9:25	0.051
9:26	0.051
9:27	0.051
9:28	0.051
9:29	0.051
9:30	0.051
9:31	0.049
9:32	0.048
9:33	0.048
9:34	0.047
9:35	0.047
9:36	0.047
9:37	0.046
9:38	0.046
9:39	0.046

9:40	0.047
9:41	0.046
9:42	0.047
9:43	0.05
9:44	0.047
9:45	0.047
9:46	0.046
9:47	0.046
9:48	0.044
9:49	0.045
9:50	0.043
9:51	0.042
9:52	0.039
9:53	0.039
9:54	0.038
9:55	0.038
9:56	0.039
9:57	0.04
9:58	0.039
9:59	0.038
10:00	0.037
10:01	0.036
10:02	0.037
10:03	0.034
10:04	0.033
10:05	0.033
10:06	0.034
10:07	0.034
10:08	0.033
10:09	0.031
10:10	0.031
10:11	0.031
10:12	0.03
10:13	0.028
10:14	0.027
10:15	0.026
10:16	0.027
10:17	0.027
10:18	0.027
10:19	0.026
10:20	0.026
10:21	0.027
10:22	0.027
10:23	0.027
10:24	0.027
10:25	0.026
10:26	0.034

10:27	0.025
10:28	0.026
10:29	0.025
10:30	0.025
10:31	0.024
10:32	0.025
10:33	0.026
10:34	0.026
10:35	0.026
10:36	0.026
10:37	0.026
10:38	0.024
10:39	0.024
10:40	0.024
10:41	0.024
10:42	0.024
10:43	0.023
10:44	0.025
10:45	0.023
10:46	0.022
10:47	0.022
10:48	0.022
10:49	0.02
10:50	0.02
10:51	0.021
10:52	0.021
10:53	0.021
10:54	0.021
10:55	0.021
10:56	0.021
10:57	0.021
10:58	0.021
10:59	0.02
11:00	0.02
11:01	0.02
11:02	0.021
11:03	0.021
11:04	0.021
11:05	0.021
11:06	0.021
11:07	0.022
11:08	0.022
11:09	0.023
11:10	0.024
11:11	0.024
11:12	0.024
11:13	0.023

11:14	0.024
11:15	0.024
11:16	0.03
11:17	0.024
11:18	0.023
11:19	0.023
11:20	0.023
11:21	0.022
11:22	0.02
11:23	0.018
11:24	0.016
11:25	0.015
11:26	0.014
11:27	0.013
11:28	0.013
11:29	0.013
11:30	0.013
11:31	0.012
11:32	0.011
11:33	0.011
11:34	0.011
11:35	0.011
11:36	0.011
11:37	0.011
11:38	0.011
11:39	0.011
11:40	0.011
11:41	0.011
11:42	0.01
11:43	0.011
11:44	0.011
11:45	0.01
11:46	0.01
11:47	0.01
11:48	0.01
11:49	0.011
11:50	0.011
11:51	0.012
11:52	0.01
11:53	0.01
11:54	0.009
11:55	0.01
11:56	0.009
11:57	0.009
11:58	0.008
11:59	0.009
12:00	0.011

12:01	0.009
12:02	0.009
12:03	0.008
12:04	0.008
12:05	0.008
12:06	0.008
12:07	0.009
12:08	0.008
12:09	0.008
12:10	0.01
12:11	0.009
12:12	0.009
12:13	0.008
12:14	0.009
12:15	0.008
12:16	0.009
12:17	0.009
12:18	0.008
12:19	0.008
12:20	0.008
12:21	0.008
12:22	0.008
12:23	0.009
12:24	0.009
12:25	0.008
12:26	0.008
12:27	0.008
12:28	0.008
12:29	0.008
12:30	0.008
12:31	0.008
12:32	0.008
12:33	0.009
12:34	0.009
12:35	0.009
12:36	0.009
12:37	0.009
12:38	0.009
12:39	0.009
12:40	0.008
12:41	0.008
12:42	0.009
12:43	0.009
12:44	0.009
12:45	0.01
12:46	0.009
12:47	0.009

12:48	0.009
12:49	0.009
12:50	0.009
12:51	0.009
12:52	0.009
12:53	0.009
12:54	0.009
12:55	0.009
12:56	0.009
12:57	0.009
12:58	0.009
12:59	0.009
13:00	0.009
13:01	0.009
13:02	0.008
13:03	0.008
13:04	0.008
13:05	0.008
13:06	0.009
13:07	0.009
13:08	0.009
13:09	0.009
13:10	0.013
13:11	0.009
13:12	0.009
13:13	0.009
13:14	0.01
13:15	0.01
13:16	0.01
13:17	0.01
13:18	0.009
13:19	0.016
13:20	0.01
13:21	0.01
13:22	0.01
13:23	0.009
13:24	0.009
13:25	0.009
13:26	0.008
13:27	0.008
13:28	0.008
13:29	0.008
13:30	0.008
13:31	0.008
13:32	0.009
13:33	0.012
13:34	0.016

13:35	0.009
13:36	0.013
13:37	0.026
13:38	0.098
13:39	0.072
13:40	0.071
13:41	0.024
13:42	0.069
13:43	0.054
13:44	0.058
13:45	0.06
13:46	0.127
13:47	0.079
13:48	0.179
13:49	0.009
13:50	0.007
13:51	0.007
13:52	0.006
13:53	0.006
13:54	0.006
13:55	0.006
13:56	0.007
13:57	0.006
13:58	0.007
13:59	0.006
14:00	0.006
14:01	0.007
14:02	0.006
14:03	0.007
14:04	0.007
14:05	0.007
14:06	0.007
14:07	0.006
14:08	0.006
14:09	0.008
14:10	0.006
14:11	0.006
14:12	0.006
14:13	0.007
14:14	0.007
14:15	0.007
14:16	0.007
14:17	0.007
14:18	0.015
14:19	0.008
14:20	0.008
14:21	0.007

14:22	0.009
14:23	0.007
14:24	0.007
14:25	0.006
14:26	0.006
14:27	0.006
14:28	0.006
14:29	0.006
14:30	0.006
14:31	0.007
14:32	0.007
14:33	0.006
14:34	0.006
14:35	0.007
14:36	0.007
14:37	0.008
14:38	0.014
14:39	0.007
14:40	0.007
14:41	0.006
14:42	0.006
14:43	0.007
14:44	0.007
14:45	0.006
14:46	0.007
14:47	0.007
14:48	0.007
14:49	0.006
14:50	0.006
14:51	0.006
14:52	0.006
14:53	0.006
14:54	0.006
14:55	0.006
14:56	0.007
14:57	0.006
14:58	0.006
14:59	0.006
15:00	0.006
15:01	0.007
15:02	0.007
15:03	0.007
15:04	0.007
15:05	0.007
15:06	0.007
15:07	0.007
15:08	0.007

15:09	0.007
15:10	0.007
15:11	0.007
15:12	0.007
15:13	0.007
15:14	0.007
15:15	0.009
15:16	0.007
15:17	0.007
15:18	0.007
15:19	0.006
15:20	0.006
15:21	0.007
15:22	0.007
15:23	0.008
15:24	0.007
15:25	0.007
15:26	0.007
15:27	0.007
15:28	0.01
15:29	0.01
15:30	0.007
15:31	0.007
15:32	0.01
15:33	0.008
15:34	0.007
15:35	0.006
15:36	0.006
15:37	0.007
15:38	0.015
15:39	0.01
15:40	0.011
15:41	0.009
15:42	0.011
15:43	0.015
15:44	0.024
15:45	0.027
15:46	0.028
15:47	0.016
15:48	0.02
15:49	0.019
15:50	0.014
15:51	0.018
15:52	0.02
15:53	0.027
15:54	0.024
15:55	0.02

15:56	0.012
15:57	0.021
15:58	0.015
15:59	0.013
16:00	0.013
16:01	0.02
16:02	0.034
16:03	0.04
16:04	0.029
16:05	0.019
16:06	0.017
16:07	0.026
16:08	0.016
16:09	0.014
16:10	0.015
16:11	0.016
16:12	0.013
16:13	0.01
16:14	0.013
16:15	0.009
16:16	0.008

Sensor Serial No	Log Time	Log Type	Log Interval	Sensor 1 Type	Sensor 1 Display Unit	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading	Sensor 1 Average Reading	Sensor 1 Maximum Reading	Sensor 1 Minimum Reading	Sensor 1 STEL Reading	Sensor 1 TWA Reading
592-600853	11/27/2023 17:41 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:40 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:39 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:38 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:37 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:36 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:35 Readings	PID				SC23030449A8	Normal	0.1	0	0.1	0	0	0
592-600853	11/27/2023 17:34 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:33 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:32 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:31 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:30 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:29 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:28 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:27 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:26 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:25 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:24 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:23 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:22 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:21 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:20 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:19 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:18 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:17 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:16 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:15 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:14 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:13 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:12 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:11 Readings	PID				SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 17:10 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:09 Readings	PID				SC23030449A8	Normal	0	0	0.1	0	0	0
592-600853	11/27/2023 17:08 Readings	PID											

[illegible]

[illegible]

592-600853	11/27/2023 8:34 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:33 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:32 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:31 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:30 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:29 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:28 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:27 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:26 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:25 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:24 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:23 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:22 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:21 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:20 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:19 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:18 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:17 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:16 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:15 Readings	PID		SC23030449A8	Normal	0	0	0	0	0	0
592-600853	11/27/2023 8:14 CONFIG	60 PID	ppm	SC23030449A8	Normal	0	0	0.1	0	0	0

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_008
Test Start Time	6:46:26 AM
Test Start Date	11/27/2023
Test Length [D:H:M]	0:09:34
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.026
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.108
Mass TWA [mg/m3]	0.029
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	574

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46	0.03		
6:47	0.028		
6:48	0.028		
6:49	0.029		
6:50	0.029		
6:51	0.03		
6:52	0.031		
6:53	0.031		
6:54	0.031		
6:55	0.032		
6:56	0.033		
6:57	0.037		
6:58	0.046		
6:59	0.037		
7:00	0.048		
7:01	0.058		
7:02	0.059		
7:03	0.051		
7:04	0.044		
7:05	0.046		
7:06	0.042		
7:07	0.044		
7:08	0.059		
7:09	0.099		
7:10	0.048		
7:11	0.045		
7:12	0.094		

7:13	0.054
7:14	0.054
7:15	0.053
7:16	0.092
7:17	0.052
7:18	0.061
7:19	0.051
7:20	0.059
7:21	0.058
7:22	0.081
7:23	0.055
7:24	0.05
7:25	0.041
7:26	0.042
7:27	0.089
7:28	0.054
7:29	0.062
7:30	0.081
7:31	0.042
7:32	0.043
7:33	0.048
7:34	0.049
7:35	0.063
7:36	0.049
7:37	0.063
7:38	0.049
7:39	0.048
7:40	0.042
7:41	0.05
7:42	0.044
7:43	0.045
7:44	0.053
7:45	0.049
7:46	0.047
7:47	0.043
7:48	0.044
7:49	0.043
7:50	0.043
7:51	0.051
7:52	0.057
7:53	0.055
7:54	0.049
7:55	0.047
7:56	0.056
7:57	0.045
7:58	0.046
7:59	0.046

8:00	0.044
8:01	0.044
8:02	0.043
8:03	0.044
8:04	0.049
8:05	0.046
8:06	0.047
8:07	0.048
8:08	0.051
8:09	0.045
8:10	0.048
8:11	0.054
8:12	0.056
8:13	0.046
8:14	0.045
8:15	0.046
8:16	0.045
8:17	0.047
8:18	0.047
8:19	0.053
8:20	0.05
8:21	0.047
8:22	0.053
8:23	0.052
8:24	0.047
8:25	0.053
8:26	0.077
8:27	0.108
8:28	0.089
8:29	0.085
8:30	0.059
8:31	0.048
8:32	0.064
8:33	0.061
8:34	0.076
8:35	0.09
8:36	0.056
8:37	0.069
8:38	0.056
8:39	0.048
8:40	0.058
8:41	0.051
8:42	0.048
8:43	0.049
8:44	0.047
8:45	0.048
8:46	0.049

8:47	0.048
8:48	0.049
8:49	0.046
8:50	0.046
8:51	0.048
8:52	0.047
8:53	0.046
8:54	0.047
8:55	0.046
8:56	0.046
8:57	0.046
8:58	0.047
8:59	0.047
9:00	0.047
9:01	0.047
9:02	0.046
9:03	0.046
9:04	0.046
9:05	0.048
9:06	0.048
9:07	0.048
9:08	0.047
9:09	0.047
9:10	0.047
9:11	0.047
9:12	0.047
9:13	0.047
9:14	0.047
9:15	0.056
9:16	0.052
9:17	0.046
9:18	0.055
9:19	0.055
9:20	0.049
9:21	0.054
9:22	0.067
9:23	0.047
9:24	0.045
9:25	0.057
9:26	0.047
9:27	0.047
9:28	0.045
9:29	0.045
9:30	0.044
9:31	0.043
9:32	0.043
9:33	0.047

9:34	0.045
9:35	0.043
9:36	0.044
9:37	0.044
9:38	0.045
9:39	0.042
9:40	0.043
9:41	0.045
9:42	0.044
9:43	0.042
9:44	0.043
9:45	0.043
9:46	0.041
9:47	0.056
9:48	0.051
9:49	0.04
9:50	0.039
9:51	0.038
9:52	0.037
9:53	0.036
9:54	0.036
9:55	0.035
9:56	0.036
9:57	0.036
9:58	0.036
9:59	0.035
10:00	0.034
10:01	0.034
10:02	0.033
10:03	0.032
10:04	0.032
10:05	0.032
10:06	0.032
10:07	0.033
10:08	0.033
10:09	0.037
10:10	0.032
10:11	0.031
10:12	0.03
10:13	0.029
10:14	0.033
10:15	0.033
10:16	0.042
10:17	0.027
10:18	0.028
10:19	0.027
10:20	0.028

10:21	0.036
10:22	0.043
10:23	0.035
10:24	0.032
10:25	0.035
10:26	0.039
10:27	0.025
10:28	0.04
10:29	0.03
10:30	0.063
10:31	0.084
10:32	0.031
10:33	0.027
10:34	0.027
10:35	0.026
10:36	0.027
10:37	0.025
10:38	0.029
10:39	0.028
10:40	0.026
10:41	0.026
10:42	0.024
10:43	0.024
10:44	0.026
10:45	0.025
10:46	0.022
10:47	0.023
10:48	0.022
10:49	0.02
10:50	0.02
10:51	0.021
10:52	0.022
10:53	0.022
10:54	0.022
10:55	0.021
10:56	0.021
10:57	0.023
10:58	0.023
10:59	0.024
11:00	0.023
11:01	0.023
11:02	0.021
11:03	0.02
11:04	0.02
11:05	0.02
11:06	0.021
11:07	0.021

11:08	0.022
11:09	0.021
11:10	0.022
11:11	0.021
11:12	0.022
11:13	0.022
11:14	0.023
11:15	0.022
11:16	0.023
11:17	0.021
11:18	0.021
11:19	0.02
11:20	0.021
11:21	0.02
11:22	0.018
11:23	0.016
11:24	0.016
11:25	0.014
11:26	0.014
11:27	0.014
11:28	0.014
11:29	0.015
11:30	0.014
11:31	0.012
11:32	0.011
11:33	0.011
11:34	0.012
11:35	0.017
11:36	0.032
11:37	0.02
11:38	0.019
11:39	0.015
11:40	0.012
11:41	0.011
11:42	0.012
11:43	0.011
11:44	0.011
11:45	0.01
11:46	0.01
11:47	0.011
11:48	0.013
11:49	0.013
11:50	0.011
11:51	0.011
11:52	0.01
11:53	0.01
11:54	0.01

11:55	0.009
11:56	0.01
11:57	0.009
11:58	0.009
11:59	0.01
12:00	0.011
12:01	0.008
12:02	0.009
12:03	0.01
12:04	0.009
12:05	0.01
12:06	0.01
12:07	0.009
12:08	0.009
12:09	0.009
12:10	0.009
12:11	0.009
12:12	0.009
12:13	0.01
12:14	0.01
12:15	0.008
12:16	0.01
12:17	0.011
12:18	0.011
12:19	0.012
12:20	0.011
12:21	0.014
12:22	0.017
12:23	0.014
12:24	0.012
12:25	0.012
12:26	0.009
12:27	0.012
12:28	0.017
12:29	0.011
12:30	0.01
12:31	0.011
12:32	0.018
12:33	0.014
12:34	0.011
12:35	0.012
12:36	0.009
12:37	0.009
12:38	0.009
12:39	0.009
12:40	0.009
12:41	0.01

12:42	0.009
12:43	0.011
12:44	0.012
12:45	0.011
12:46	0.009
12:47	0.01
12:48	0.009
12:49	0.009
12:50	0.009
12:51	0.009
12:52	0.009
12:53	0.01
12:54	0.011
12:55	0.01
12:56	0.011
12:57	0.009
12:58	0.01
12:59	0.012
13:00	0.01
13:01	0.009
13:02	0.009
13:03	0.008
13:04	0.008
13:05	0.009
13:06	0.009
13:07	0.009
13:08	0.01
13:09	0.01
13:10	0.011
13:11	0.01
13:12	0.01
13:13	0.011
13:14	0.01
13:15	0.01
13:16	0.011
13:17	0.011
13:18	0.014
13:19	0.013
13:20	0.011
13:21	0.009
13:22	0.009
13:23	0.009
13:24	0.009
13:25	0.009
13:26	0.009
13:27	0.009
13:28	0.009

13:29	0.009
13:30	0.01
13:31	0.009
13:32	0.01
13:33	0.01
13:34	0.009
13:35	0.01
13:36	0.01
13:37	0.01
13:38	0.012
13:39	0.013
13:40	0.008
13:41	0.008
13:42	0.015
13:43	0.011
13:44	0.013
13:45	0.01
13:46	0.014
13:47	0.013
13:48	0.018
13:49	0.014
13:50	0.015
13:51	0.011
13:52	0.014
13:53	0.016
13:54	0.013
13:55	0.014
13:56	0.014
13:57	0.009
13:58	0.01
13:59	0.007
14:00	0.008
14:01	0.008
14:02	0.009
14:03	0.01
14:04	0.013
14:05	0.04
14:06	0.011
14:07	0.009
14:08	0.011
14:09	0.01
14:10	0.008
14:11	0.008
14:12	0.01
14:13	0.011
14:14	0.011
14:15	0.011

14:16	0.012
14:17	0.01
14:18	0.01
14:19	0.011
14:20	0.014
14:21	0.01
14:22	0.01
14:23	0.01
14:24	0.011
14:25	0.013
14:26	0.009
14:27	0.008
14:28	0.008
14:29	0.009
14:30	0.008
14:31	0.009
14:32	0.009
14:33	0.007
14:34	0.009
14:35	0.008
14:36	0.009
14:37	0.009
14:38	0.008
14:39	0.011
14:40	0.01
14:41	0.011
14:42	0.009
14:43	0.009
14:44	0.009
14:45	0.008
14:46	0.009
14:47	0.01
14:48	0.011
14:49	0.009
14:50	0.007
14:51	0.007
14:52	0.009
14:53	0.01
14:54	0.011
14:55	0.009
14:56	0.008
14:57	0.009
14:58	0.009
14:59	0.011
15:00	0.008
15:01	0.008
15:02	0.009

15:03	0.009
15:04	0.009
15:05	0.01
15:06	0.008
15:07	0.008
15:08	0.008
15:09	0.008
15:10	0.009
15:11	0.008
15:12	0.008
15:13	0.008
15:14	0.007
15:15	0.008
15:16	0.008
15:17	0.008
15:18	0.008
15:19	0.008
15:20	0.009
15:21	0.01
15:22	0.008
15:23	0.008
15:24	0.01
15:25	0.01
15:26	0.011
15:27	0.012
15:28	0.01
15:29	0.011
15:30	0.01
15:31	0.01
15:32	0.008
15:33	0.009
15:34	0.01
15:35	0.009
15:36	0.008
15:37	0.008
15:38	0.009
15:39	0.01
15:40	0.011
15:41	0.009
15:42	0.009
15:43	0.009
15:44	0.01
15:45	0.009
15:46	0.009
15:47	0.01
15:48	0.008
15:49	0.012

15:50	0.008
15:51	0.009
15:52	0.009
15:53	0.01
15:54	0.011
15:55	0.011
15:56	0.009
15:57	0.011
15:58	0.011
15:59	0.01
16:00	0.01
16:01	0.011
16:02	0.011
16:03	0.011
16:04	0.011
16:05	0.012
16:06	0.021
16:07	0.016
16:08	0.012
16:09	0.011
16:10	0.012
16:11	0.012
16:12	0.01
16:13	0.011
16:14	0.01
16:15	0.01
16:16	0.012
16:17	0.011
16:18	0.011
16:19	0.012

Device Serial No	Log Time	Log Type	Log Interval	Sensor 1 Type	Sensor 1 Display Unit	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading	Sensor 1 Average Reading	Sensor 1 Maximum Reading	Sensor 1 Minimum Reading
592-000289	11/27/2023 17:28 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:27 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:26 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:25 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:24 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:23 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:22 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:21 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:20 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:19 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:18 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:17 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:16 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:15 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:14 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:13 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:12 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:11 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:10 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:09 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:08 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:07 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:06 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:05 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:04 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:03 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:02 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:01 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 17:00 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:59 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:58 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:57 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:56 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:55 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:54 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:53 Readings	PID		PID		5C23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 16:52 Readings	PID		PID							

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	11/27/2023 8:09 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:08 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:07 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:06 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:05 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:04 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:03 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:02 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:01 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 8:00 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:59 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:58 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:57 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:56 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:55 Readings	PID		SC23030140W3	Normal	0	0	0	0
592-000289	11/27/2023 7:54 CONFIG	60 PID	ppm	SC23030140W3		0	0	0	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_019
Test Start Time	6:46:30 AM
Test Start Date	11/27/2023
Test Length [D:H:M]	0:09:38
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.223
Mass TWA [mg/m3]	0.028
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	578

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46	0.036		
6:47	0.029		
6:48	0.029		
6:49	0.028		
6:50	0.029		
6:51	0.029		
6:52	0.03		
6:53	0.03		
6:54	0.03		
6:55	0.031		
6:56	0.033		
6:57	0.031		
6:58	0.032		
6:59	0.035		
7:00	0.035		
7:01	0.036		
7:02	0.037		
7:03	0.223		
7:04	0.042		
7:05	0.034		
7:06	0.115		
7:07	0.146		
7:08	0.061		
7:09	0.169		
7:10	0.048		
7:11	0.054		
7:12	0.054		

7:13	0.079
7:14	0.042
7:15	0.034
7:16	0.043
7:17	0.034
7:18	0.036
7:19	0.046
7:20	0.047
7:21	0.043
7:22	0.036
7:23	0.037
7:24	0.035
7:25	0.035
7:26	0.036
7:27	0.037
7:28	0.038
7:29	0.037
7:30	0.038
7:31	0.038
7:32	0.038
7:33	0.038
7:34	0.038
7:35	0.054
7:36	0.04
7:37	0.04
7:38	0.04
7:39	0.039
7:40	0.042
7:41	0.041
7:42	0.042
7:43	0.045
7:44	0.039
7:45	0.04
7:46	0.042
7:47	0.041
7:48	0.057
7:49	0.04
7:50	0.043
7:51	0.04
7:52	0.041
7:53	0.04
7:54	0.041
7:55	0.042
7:56	0.041
7:57	0.041
7:58	0.041
7:59	0.05

8:00	0.04
8:01	0.054
8:02	0.048
8:03	0.042
8:04	0.062
8:05	0.043
8:06	0.052
8:07	0.044
8:08	0.045
8:09	0.044
8:10	0.043
8:11	0.044
8:12	0.043
8:13	0.044
8:14	0.044
8:15	0.046
8:16	0.044
8:17	0.042
8:18	0.048
8:19	0.051
8:20	0.047
8:21	0.054
8:22	0.055
8:23	0.048
8:24	0.049
8:25	0.048
8:26	0.045
8:27	0.045
8:28	0.046
8:29	0.045
8:30	0.044
8:31	0.045
8:32	0.047
8:33	0.054
8:34	0.047
8:35	0.044
8:36	0.045
8:37	0.045
8:38	0.045
8:39	0.046
8:40	0.047
8:41	0.051
8:42	0.052
8:43	0.046
8:44	0.046
8:45	0.044
8:46	0.045

8:47	0.047
8:48	0.049
8:49	0.047
8:50	0.043
8:51	0.044
8:52	0.043
8:53	0.044
8:54	0.043
8:55	0.042
8:56	0.043
8:57	0.043
8:58	0.042
8:59	0.045
9:00	0.046
9:01	0.043
9:02	0.044
9:03	0.045
9:04	0.042
9:05	0.041
9:06	0.042
9:07	0.043
9:08	0.044
9:09	0.042
9:10	0.043
9:11	0.041
9:12	0.042
9:13	0.041
9:14	0.041
9:15	0.041
9:16	0.041
9:17	0.085
9:18	0.049
9:19	0.071
9:20	0.144
9:21	0.049
9:22	0.05
9:23	0.071
9:24	0.057
9:25	0.173
9:26	0.076
9:27	0.044
9:28	0.041
9:29	0.039
9:30	0.053
9:31	0.057
9:32	0.063
9:33	0.041

9:34	0.063
9:35	0.15
9:36	0.052
9:37	0.036
9:38	0.037
9:39	0.039
9:40	0.041
9:41	0.04
9:42	0.038
9:43	0.036
9:44	0.036
9:45	0.038
9:46	0.039
9:47	0.037
9:48	0.036
9:49	0.034
9:50	0.034
9:51	0.032
9:52	0.033
9:53	0.033
9:54	0.032
9:55	0.031
9:56	0.032
9:57	0.031
9:58	0.031
9:59	0.031
10:00	0.031
10:01	0.029
10:02	0.03
10:03	0.028
10:04	0.029
10:05	0.028
10:06	0.028
10:07	0.027
10:08	0.028
10:09	0.027
10:10	0.027
10:11	0.029
10:12	0.026
10:13	0.025
10:14	0.025
10:15	0.025
10:16	0.024
10:17	0.023
10:18	0.023
10:19	0.022
10:20	0.023

10:21	0.022
10:22	0.054
10:23	0.097
10:24	0.033
10:25	0.029
10:26	0.027
10:27	0.022
10:28	0.038
10:29	0.135
10:30	0.047
10:31	0.022
10:32	0.04
10:33	0.022
10:34	0.023
10:35	0.021
10:36	0.027
10:37	0.043
10:38	0.025
10:39	0.024
10:40	0.024
10:41	0.024
10:42	0.022
10:43	0.021
10:44	0.021
10:45	0.02
10:46	0.023
10:47	0.021
10:48	0.021
10:49	0.019
10:50	0.021
10:51	0.019
10:52	0.016
10:53	0.018
10:54	0.018
10:55	0.018
10:56	0.019
10:57	0.019
10:58	0.018
10:59	0.018
11:00	0.019
11:01	0.019
11:02	0.018
11:03	0.019
11:04	0.017
11:05	0.017
11:06	0.018
11:07	0.035

11:08	0.02
11:09	0.018
11:10	0.018
11:11	0.018
11:12	0.019
11:13	0.019
11:14	0.019
11:15	0.019
11:16	0.019
11:17	0.019
11:18	0.022
11:19	0.027
11:20	0.026
11:21	0.022
11:22	0.021
11:23	0.021
11:24	0.018
11:25	0.022
11:26	0.058
11:27	0.014
11:28	0.015
11:29	0.029
11:30	0.017
11:31	0.03
11:32	0.012
11:33	0.011
11:34	0.009
11:35	0.01
11:36	0.011
11:37	0.012
11:38	0.077
11:39	0.071
11:40	0.096
11:41	0.046
11:42	0.01
11:43	0.01
11:44	0.01
11:45	0.009
11:46	0.009
11:47	0.01
11:48	0.008
11:49	0.009
11:50	0.011
11:51	0.01
11:52	0.009
11:53	0.011
11:54	0.01

11:55	0.009
11:56	0.009
11:57	0.008
11:58	0.008
11:59	0.008
12:00	0.008
12:01	0.008
12:02	0.007
12:03	0.007
12:04	0.007
12:05	0.007
12:06	0.008
12:07	0.007
12:08	0.008
12:09	0.008
12:10	0.008
12:11	0.008
12:12	0.008
12:13	0.009
12:14	0.007
12:15	0.008
12:16	0.008
12:17	0.008
12:18	0.007
12:19	0.007
12:20	0.008
12:21	0.01
12:22	0.009
12:23	0.013
12:24	0.011
12:25	0.014
12:26	0.015
12:27	0.01
12:28	0.009
12:29	0.008
12:30	0.013
12:31	0.01
12:32	0.008
12:33	0.012
12:34	0.015
12:35	0.029
12:36	0.012
12:37	0.009
12:38	0.009
12:39	0.009
12:40	0.008
12:41	0.008

12:42	0.008
12:43	0.008
12:44	0.007
12:45	0.007
12:46	0.008
12:47	0.01
12:48	0.008
12:49	0.008
12:50	0.009
12:51	0.008
12:52	0.008
12:53	0.008
12:54	0.007
12:55	0.008
12:56	0.011
12:57	0.01
12:58	0.01
12:59	0.01
13:00	0.009
13:01	0.011
13:02	0.01
13:03	0.008
13:04	0.008
13:05	0.008
13:06	0.007
13:07	0.007
13:08	0.007
13:09	0.007
13:10	0.007
13:11	0.01
13:12	0.009
13:13	0.009
13:14	0.009
13:15	0.009
13:16	0.009
13:17	0.008
13:18	0.009
13:19	0.01
13:20	0.011
13:21	0.012
13:22	0.011
13:23	0.008
13:24	0.008
13:25	0.008
13:26	0.007
13:27	0.007
13:28	0.007

13:29	0.008
13:30	0.008
13:31	0.007
13:32	0.008
13:33	0.008
13:34	0.008
13:35	0.009
13:36	0.009
13:37	0.008
13:38	0.008
13:39	0.008
13:40	0.012
13:41	0.014
13:42	0.008
13:43	0.007
13:44	0.011
13:45	0.012
13:46	0.009
13:47	0.012
13:48	0.009
13:49	0.009
13:50	0.016
13:51	0.012
13:52	0.012
13:53	0.012
13:54	0.014
13:55	0.011
13:56	0.014
13:57	0.015
13:58	0.013
13:59	0.01
14:00	0.008
14:01	0.007
14:02	0.008
14:03	0.007
14:04	0.007
14:05	0.007
14:06	0.008
14:07	0.007
14:08	0.009
14:09	0.009
14:10	0.01
14:11	0.011
14:12	0.009
14:13	0.008
14:14	0.008
14:15	0.009

14:16	0.008
14:17	0.009
14:18	0.01
14:19	0.011
14:20	0.009
14:21	0.011
14:22	0.011
14:23	0.01
14:24	0.009
14:25	0.007
14:26	0.009
14:27	0.009
14:28	0.01
14:29	0.01
14:30	0.007
14:31	0.008
14:32	0.008
14:33	0.008
14:34	0.008
14:35	0.007
14:36	0.006
14:37	0.008
14:38	0.008
14:39	0.007
14:40	0.008
14:41	0.008
14:42	0.009
14:43	0.011
14:44	0.007
14:45	0.008
14:46	0.008
14:47	0.009
14:48	0.008
14:49	0.011
14:50	0.011
14:51	0.009
14:52	0.007
14:53	0.006
14:54	0.008
14:55	0.009
14:56	0.008
14:57	0.008
14:58	0.008
14:59	0.006
15:00	0.007
15:01	0.009
15:02	0.009

15:03	0.007
15:04	0.006
15:05	0.01
15:06	0.009
15:07	0.009
15:08	0.009
15:09	0.007
15:10	0.01
15:11	0.008
15:12	0.007
15:13	0.009
15:14	0.007
15:15	0.009
15:16	0.007
15:17	0.006
15:18	0.007
15:19	0.007
15:20	0.006
15:21	0.006
15:22	0.006
15:23	0.008
15:24	0.008
15:25	0.008
15:26	0.008
15:27	0.01
15:28	0.011
15:29	0.011
15:30	0.011
15:31	0.01
15:32	0.01
15:33	0.009
15:34	0.009
15:35	0.009
15:36	0.01
15:37	0.01
15:38	0.008
15:39	0.008
15:40	0.008
15:41	0.009
15:42	0.01
15:43	0.01
15:44	0.01
15:45	0.009
15:46	0.008
15:47	0.009
15:48	0.009
15:49	0.01

15:50	0.01
15:51	0.009
15:52	0.009
15:53	0.007
15:54	0.009
15:55	0.009
15:56	0.009
15:57	0.01
15:58	0.011
15:59	0.01
16:00	0.009
16:01	0.009
16:02	0.009
16:03	0.008
16:04	0.009
16:05	0.008
16:06	0.009
16:07	0.009
16:08	0.013
16:09	0.029
16:10	0.017
16:11	0.013
16:12	0.012
16:13	0.011
16:14	0.012
16:15	0.011
16:16	0.01
16:17	0.009
16:18	0.01
16:19	0.009
16:20	0.01
16:21	0.014
16:22	0.011
16:23	0.009

[illegible]

[illegible]