

**DAILY STATUS REPORT****Prepared By:**

Thomas Jensen

WEATHER	Snow	X	Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32	X	32-50	X	50-70		70-85		>85		E –8 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	12/7/23
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:40

Time Out: 16:00

Personnel On Site:IEEG (Environmental) – Thomas Jensen and Jack Gillespie
Capital (Contractor)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), GeoProbe**Scope of Work:** Oversee soil excavation, soil removal for off-site disposal, confirmation endpoint sampling.**Site Activities:**

- Deploy CAMP at the start of the work, set up ATMOS foam unit, spray ATMOS foam to ensure equipment is working properly, and prepare truck wash;
- Removal and stockpile of old concrete foundations throughout the site.
- Continue additional 2' cut (bringing the Site down to 4-feet bgs) in grids G2 through J2, & E8 through G8. Refer to attached Alpha Numeric grid Map with Proposed Documentation/Confirmation Sample Locations;
- The following twenty (20) endpoint samples were collected from the additional 2' cut (4-feet bgs), following results of the initial endpoints failing to meet Track 4 SCOs: EP-35, EP-36, EP-37, EP-50, EP-51, EP-52, EP-65, EP-66, EP-67, EP-78, EP-79, EP-80, EP-81, EP-82, EP-93, EP-94, EP-95, EP-96, EP-106, and EP-107;
- National Grid was on Site to confirm that a gas pipe found while excavating was not live;
- Delivery of one (1) truckload of clean and approved limestone from Braen Stone;
- Four (4) truckloads of concrete were removed off Site for disposal to P-Park;
- One (1) truckload of material was removed off Site for disposal to Jackson Puresoil; and
- Collection of wastewater sample from the truck washdown pad in the frac tank (WW-120723).

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.028_ mg/m³ @ 06:55
- High Conditions (Upwind) – PID = _0.2_ ppm @ 08:45, Dust = _0.050_ mg/m³ @ 09:50
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.2_ mg/m³ @ 7:27
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.042_ mg/m³ @ 11:59

*Dust suppression implemented by Capital throughout soil loadout activities.

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- UST Cleanout and endpoint sample collection;
- Continuation of endpoint sampling;
- Continued excavation throughout Site; and
- Off-Site disposal of material.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo delivery of approved limestone from Braen stone.



Photo 2 –

Representative photo of concrete being removed off Site to P-Park.




Photo 3 –

Representative photo of sorting concrete from a stockpile of material.



Photo 4 –

Representative photo of National Grid working on Site.



Alpha Numeric Grid Map


318 Nevins Street, Brooklyn, NY



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_006
Test Start Time	6:55:04 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:08:49
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.05
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	529

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55	0.028		
6:56	0.008		
6:57	0.008		
6:58	0.008		
6:59	0.008		
7:00	0.008		
7:01	0.008		
7:02	0.008		
7:03	0.008		
7:04	0.009		
7:05	0.008		
7:06	0.008		
7:07	0.008		
7:08	0.009		
7:09	0.009		
7:10	0.008		
7:11	0.008		
7:12	0.008		
7:13	0.011		
7:14	0.009		
7:15	0.01		
7:16	0.009		
7:17	0.008		
7:18	0.008		
7:19	0.013		
7:20	0.01		
7:21	0.009		

7:22	0.009
7:23	0.009
7:24	0.008
7:25	0.009
7:26	0.011
7:27	0.011
7:28	0.01
7:29	0.009
7:30	0.009
7:31	0.012
7:32	0.015
7:33	0.014
7:34	0.01
7:35	0.01
7:36	0.01
7:37	0.009
7:38	0.01
7:39	0.01
7:40	0.011
7:41	0.01
7:42	0.011
7:43	0.015
7:44	0.017
7:45	0.015
7:46	0.013
7:47	0.011
7:48	0.014
7:49	0.011
7:50	0.011
7:51	0.011
7:52	0.011
7:53	0.011
7:54	0.012
7:55	0.01
7:56	0.012
7:57	0.012
7:58	0.011
7:59	0.01
8:00	0.012
8:01	0.012
8:02	0.012
8:03	0.012
8:04	0.012
8:05	0.012
8:06	0.012
8:07	0.014
8:08	0.012

8:09	0.012
8:10	0.012
8:11	0.012
8:12	0.013
8:13	0.015
8:14	0.013
8:15	0.013
8:16	0.015
8:17	0.013
8:18	0.013
8:19	0.013
8:20	0.014
8:21	0.014
8:22	0.014
8:23	0.015
8:24	0.021
8:25	0.015
8:26	0.014
8:27	0.015
8:28	0.018
8:29	0.02
8:30	0.015
8:31	0.015
8:32	0.015
8:33	0.015
8:34	0.015
8:35	0.015
8:36	0.016
8:37	0.016
8:38	0.015
8:39	0.015
8:40	0.015
8:41	0.015
8:42	0.015
8:43	0.015
8:44	0.015
8:45	0.015
8:46	0.016
8:47	0.016
8:48	0.015
8:49	0.015
8:50	0.016
8:51	0.018
8:52	0.016
8:53	0.016
8:54	0.016
8:55	0.016

8:56	0.017
8:57	0.022
8:58	0.018
8:59	0.018
9:00	0.017
9:01	0.019
9:02	0.022
9:03	0.017
9:04	0.016
9:05	0.017
9:06	0.017
9:07	0.016
9:08	0.017
9:09	0.017
9:10	0.017
9:11	0.017
9:12	0.017
9:13	0.018
9:14	0.017
9:15	0.018
9:16	0.018
9:17	0.017
9:18	0.017
9:19	0.017
9:20	0.017
9:21	0.017
9:22	0.018
9:23	0.017
9:24	0.018
9:25	0.018
9:26	0.017
9:27	0.018
9:28	0.018
9:29	0.019
9:30	0.019
9:31	0.026
9:32	0.019
9:33	0.018
9:34	0.018
9:35	0.026
9:36	0.03
9:37	0.019
9:38	0.019
9:39	0.019
9:40	0.019
9:41	0.019
9:42	0.019

9:43	0.019
9:44	0.019
9:45	0.02
9:46	0.019
9:47	0.019
9:48	0.019
9:49	0.022
9:50	0.05
9:51	0.021
9:52	0.019
9:53	0.018
9:54	0.018
9:55	0.019
9:56	0.019
9:57	0.018
9:58	0.019
9:59	0.019
10:00	0.019
10:01	0.019
10:02	0.019
10:03	0.019
10:04	0.019
10:05	0.019
10:06	0.019
10:07	0.019
10:08	0.019
10:09	0.019
10:10	0.019
10:11	0.02
10:12	0.02
10:13	0.02
10:14	0.019
10:15	0.02
10:16	0.02
10:17	0.022
10:18	0.019
10:19	0.019
10:20	0.018
10:21	0.019
10:22	0.02
10:23	0.02
10:24	0.019
10:25	0.02
10:26	0.02
10:27	0.02
10:28	0.02
10:29	0.021

10:30	0.024
10:31	0.022
10:32	0.021
10:33	0.021
10:34	0.021
10:35	0.021
10:36	0.021
10:37	0.024
10:38	0.023
10:39	0.02
10:40	0.02
10:41	0.02
10:42	0.02
10:43	0.021
10:44	0.021
10:45	0.021
10:46	0.021
10:47	0.021
10:48	0.021
10:49	0.021
10:50	0.021
10:51	0.022
10:52	0.023
10:53	0.022
10:54	0.021
10:55	0.021
10:56	0.021
10:57	0.023
10:58	0.024
10:59	0.022
11:00	0.022
11:01	0.021
11:02	0.024
11:03	0.023
11:04	0.022
11:05	0.022
11:06	0.022
11:07	0.022
11:08	0.023
11:09	0.022
11:10	0.022
11:11	0.024
11:12	0.024
11:13	0.023
11:14	0.023
11:15	0.023
11:16	0.023

11:17	0.023
11:18	0.023
11:19	0.023
11:20	0.023
11:21	0.024
11:22	0.023
11:23	0.022
11:24	0.022
11:25	0.022
11:26	0.022
11:27	0.025
11:28	0.023
11:29	0.023
11:30	0.024
11:31	0.025
11:32	0.026
11:33	0.026
11:34	0.026
11:35	0.025
11:36	0.025
11:37	0.026
11:38	0.026
11:39	0.026
11:40	0.025
11:41	0.025
11:42	0.026
11:43	0.026
11:44	0.027
11:45	0.027
11:46	0.027
11:47	0.028
11:48	0.028
11:49	0.026
11:50	0.027
11:51	0.027
11:52	0.027
11:53	0.026
11:54	0.028
11:55	0.032
11:56	0.028
11:57	0.029
11:58	0.028
11:59	0.029
12:00	0.032
12:01	0.037
12:02	0.04
12:03	0.037

12:04	0.035
12:05	0.035
12:06	0.033
12:07	0.035
12:08	0.037
12:09	0.033
12:10	0.029
12:11	0.028
12:12	0.028
12:13	0.026
12:14	0.027
12:15	0.028
12:16	0.027
12:17	0.026
12:18	0.026
12:19	0.026
12:20	0.026
12:21	0.026
12:22	0.027
12:23	0.027
12:24	0.028
12:25	0.031
12:26	0.028
12:27	0.027
12:28	0.041
12:29	0.026
12:30	0.027
12:31	0.027
12:32	0.03
12:33	0.027
12:34	0.028
12:35	0.027
12:36	0.027
12:37	0.027
12:38	0.027
12:39	0.026
12:40	0.027
12:41	0.027
12:42	0.027
12:43	0.027
12:44	0.027
12:45	0.027
12:46	0.028
12:47	0.027
12:48	0.027
12:49	0.028
12:50	0.028

12:51	0.028
12:52	0.029
12:53	0.028
12:54	0.028
12:55	0.029
12:56	0.029
12:57	0.029
12:58	0.029
12:59	0.028
13:00	0.029
13:01	0.029
13:02	0.031
13:03	0.026
13:04	0.025
13:05	0.025
13:06	0.025
13:07	0.025
13:08	0.025
13:09	0.026
13:10	0.025
13:11	0.025
13:12	0.024
13:13	0.025
13:14	0.024
13:15	0.025
13:16	0.024
13:17	0.025
13:18	0.025
13:19	0.025
13:20	0.025
13:21	0.025
13:22	0.025
13:23	0.026
13:24	0.025
13:25	0.026
13:26	0.026
13:27	0.026
13:28	0.026
13:29	0.027
13:30	0.027
13:31	0.028
13:32	0.028
13:33	0.028
13:34	0.027
13:35	0.027
13:36	0.027
13:37	0.027

13:38	0.028
13:39	0.028
13:40	0.028
13:41	0.028
13:42	0.029
13:43	0.029
13:44	0.028
13:45	0.029
13:46	0.031
13:47	0.031
13:48	0.035
13:49	0.033
13:50	0.034
13:51	0.033
13:52	0.033
13:53	0.031
13:54	0.036
13:55	0.035
13:56	0.034
13:57	0.038
13:58	0.036
13:59	0.034
14:00	0.033
14:01	0.032
14:02	0.034
14:03	0.036
14:04	0.031
14:05	0.031
14:06	0.03
14:07	0.031
14:08	0.032
14:09	0.033
14:10	0.033
14:11	0.033
14:12	0.032
14:13	0.031
14:14	0.035
14:15	0.036
14:16	0.033
14:17	0.033
14:18	0.034
14:19	0.034
14:20	0.036
14:21	0.037
14:22	0.036
14:23	0.035
14:24	0.035

14:25	0.037
14:26	0.035
14:27	0.034
14:28	0.033
14:29	0.035
14:30	0.035
14:31	0.04
14:32	0.04
14:33	0.038
14:34	0.039
14:35	0.037
14:36	0.036
14:37	0.036
14:38	0.037
14:39	0.037
14:40	0.037
14:41	0.037
14:42	0.039
14:43	0.039
14:44	0.04
14:45	0.041
14:46	0.04
14:47	0.041
14:48	0.04
14:49	0.04
14:50	0.039
14:51	0.039
14:52	0.039
14:53	0.039
14:54	0.039
14:55	0.04
14:56	0.039
14:57	0.04
14:58	0.039
14:59	0.04
15:00	0.041
15:01	0.041
15:02	0.041
15:03	0.04
15:04	0.039
15:05	0.038
15:06	0.039
15:07	0.039
15:08	0.038
15:09	0.038
15:10	0.039
15:11	0.039

15:12	0.039
15:13	0.039
15:14	0.04
15:15	0.039
15:16	0.04
15:17	0.04
15:18	0.039
15:19	0.039
15:20	0.039
15:21	0.041
15:22	0.041
15:23	0.04
15:24	0.04
15:25	0.04
15:26	0.04
15:27	0.04
15:28	0.041
15:29	0.041
15:30	0.041
15:31	0.042
15:32	0.041
15:33	0.04
15:34	0.041
15:35	0.041
15:36	0.042
15:37	0.041
15:38	0.041
15:39	0.041
15:40	0.041
15:41	0.042
15:42	0.041
15:43	0.042

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	12/7/2023 17:07	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:06	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:05	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:04	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:03	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:02	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:01	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 17:00	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:57	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:56	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:55	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:54	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:52	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:51	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:50	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:49	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:48	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:47	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:46	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:45	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:44	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:43	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:42	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:40	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:39	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:38	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:37	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 16:34	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	12/7/2023 8:23 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:22 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:21 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:20 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:19 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:18 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:17 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:16 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:15 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:14 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:13 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:12 Readings	PID	SC23030449A8	Normal	0
592-600853	12/7/2023 8:11 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_006
Test Start Time	6:46:57 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:08:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.031
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.2
Mass TWA [mg/m3]	0.029
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	534

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46	0.019		
6:47	0.008		
6:48	0.01		
6:49	0.01		
6:50	0.009		
6:51	0.009		
6:52	0.01		
6:53	0.009		
6:54	0.01		
6:55	0.009		
6:56	0.01		
6:57	0.01		
6:58	0.01		
6:59	0.01		
7:00	0.011		
7:01	0.012		
7:02	0.011		
7:03	0.01		
7:04	0.011		
7:05	0.01		
7:06	0.014		
7:07	0.01		
7:08	0.01		
7:09	0.014		
7:10	0.01		
7:11	0.01		
7:12	0.01		

7:13	0.01
7:14	0.011
7:15	0.122
7:16	0.012
7:17	0.184
7:18	0.027
7:19	0.011
7:20	0.011
7:21	0.012
7:22	0.013
7:23	0.022
7:24	0.01
7:25	0.011
7:26	0.011
7:27	0.2
7:28	0.021
7:29	0.013
7:30	0.012
7:31	0.012
7:32	0.012
7:33	0.012
7:34	0.013
7:35	0.018
7:36	0.013
7:37	0.012
7:38	0.014
7:39	0.02
7:40	0.021
7:41	0.013
7:42	0.016
7:43	0.015
7:44	0.013
7:45	0.017
7:46	0.032
7:47	0.014
7:48	0.016
7:49	0.014
7:50	0.016
7:51	0.013
7:52	0.017
7:53	0.014
7:54	0.018
7:55	0.014
7:56	0.015
7:57	0.013
7:58	0.014
7:59	0.017

8:00	0.014
8:01	0.014
8:02	0.014
8:03	0.024
8:04	0.015
8:05	0.022
8:06	0.015
8:07	0.019
8:08	0.03
8:09	0.016
8:10	0.017
8:11	0.017
8:12	0.024
8:13	0.017
8:14	0.016
8:15	0.016
8:16	0.037
8:17	0.017
8:18	0.017
8:19	0.018
8:20	0.019
8:21	0.018
8:22	0.03
8:23	0.034
8:24	0.017
8:25	0.024
8:26	0.019
8:27	0.018
8:28	0.027
8:29	0.019
8:30	0.019
8:31	0.019
8:32	0.02
8:33	0.02
8:34	0.084
8:35	0.073
8:36	0.02
8:37	0.033
8:38	0.019
8:39	0.019
8:40	0.019
8:41	0.018
8:42	0.019
8:43	0.02
8:44	0.019
8:45	0.019
8:46	0.068

8:47	0.026
8:48	0.023
8:49	0.025
8:50	0.021
8:51	0.025
8:52	0.022
8:53	0.021
8:54	0.025
8:55	0.022
8:56	0.02
8:57	0.02
8:58	0.02
8:59	0.021
9:00	0.02
9:01	0.021
9:02	0.02
9:03	0.02
9:04	0.02
9:05	0.02
9:06	0.02
9:07	0.02
9:08	0.021
9:09	0.021
9:10	0.021
9:11	0.021
9:12	0.021
9:13	0.023
9:14	0.022
9:15	0.021
9:16	0.022
9:17	0.022
9:18	0.021
9:19	0.021
9:20	0.021
9:21	0.021
9:22	0.021
9:23	0.021
9:24	0.022
9:25	0.023
9:26	0.023
9:27	0.022
9:28	0.022
9:29	0.023
9:30	0.023
9:31	0.024
9:32	0.023
9:33	0.023

9:34	0.023
9:35	0.023
9:36	0.023
9:37	0.023
9:38	0.024
9:39	0.023
9:40	0.023
9:41	0.023
9:42	0.023
9:43	0.023
9:44	0.023
9:45	0.026
9:46	0.024
9:47	0.022
9:48	0.021
9:49	0.022
9:50	0.022
9:51	0.065
9:52	0.024
9:53	0.022
9:54	0.023
9:55	0.024
9:56	0.025
9:57	0.023
9:58	0.023
9:59	0.023
10:00	0.023
10:01	0.023
10:02	0.028
10:03	0.023
10:04	0.023
10:05	0.022
10:06	0.023
10:07	0.024
10:08	0.025
10:09	0.025
10:10	0.023
10:11	0.024
10:12	0.023
10:13	0.023
10:14	0.022
10:15	0.024
10:16	0.026
10:17	0.027
10:18	0.023
10:19	0.023
10:20	0.023

10:21	0.024
10:22	0.025
10:23	0.026
10:24	0.024
10:25	0.026
10:26	0.025
10:27	0.026
10:28	0.026
10:29	0.026
10:30	0.026
10:31	0.032
10:32	0.027
10:33	0.027
10:34	0.026
10:35	0.026
10:36	0.026
10:37	0.029
10:38	0.027
10:39	0.027
10:40	0.026
10:41	0.027
10:42	0.027
10:43	0.027
10:44	0.027
10:45	0.027
10:46	0.027
10:47	0.028
10:48	0.027
10:49	0.027
10:50	0.034
10:51	0.028
10:52	0.031
10:53	0.029
10:54	0.029
10:55	0.032
10:56	0.027
10:57	0.028
10:58	0.028
10:59	0.029
11:00	0.028
11:01	0.028
11:02	0.027
11:03	0.027
11:04	0.029
11:05	0.028
11:06	0.028
11:07	0.028

11:08	0.029
11:09	0.029
11:10	0.028
11:11	0.029
11:12	0.029
11:13	0.029
11:14	0.029
11:15	0.031
11:16	0.031
11:17	0.029
11:18	0.028
11:19	0.028
11:20	0.028
11:21	0.029
11:22	0.028
11:23	0.028
11:24	0.029
11:25	0.029
11:26	0.03
11:27	0.03
11:28	0.031
11:29	0.032
11:30	0.032
11:31	0.032
11:32	0.032
11:33	0.032
11:34	0.032
11:35	0.031
11:36	0.031
11:37	0.033
11:38	0.032
11:39	0.033
11:40	0.034
11:41	0.033
11:42	0.033
11:43	0.033
11:44	0.033
11:45	0.032
11:46	0.033
11:47	0.033
11:48	0.032
11:49	0.032
11:50	0.034
11:51	0.038
11:52	0.035
11:53	0.035
11:54	0.035

11:55	0.035
11:56	0.041
11:57	0.047
11:58	0.046
11:59	0.044
12:00	0.042
12:01	0.041
12:02	0.039
12:03	0.042
12:04	0.043
12:05	0.036
12:06	0.035
12:07	0.035
12:08	0.035
12:09	0.033
12:10	0.033
12:11	0.034
12:12	0.034
12:13	0.033
12:14	0.033
12:15	0.032
12:16	0.032
12:17	0.032
12:18	0.032
12:19	0.033
12:20	0.033
12:21	0.034
12:22	0.034
12:23	0.033
12:24	0.032
12:25	0.032
12:26	0.032
12:27	0.032
12:28	0.033
12:29	0.032
12:30	0.032
12:31	0.033
12:32	0.033
12:33	0.033
12:34	0.033
12:35	0.033
12:36	0.034
12:37	0.035
12:38	0.034
12:39	0.034
12:40	0.034
12:41	0.034

12:42	0.034
12:43	0.035
12:44	0.036
12:45	0.036
12:46	0.034
12:47	0.034
12:48	0.036
12:49	0.035
12:50	0.04
12:51	0.037
12:52	0.035
12:53	0.035
12:54	0.036
12:55	0.036
12:56	0.038
12:57	0.036
12:58	0.034
12:59	0.033
13:00	0.032
13:01	0.032
13:02	0.031
13:03	0.032
13:04	0.032
13:05	0.032
13:06	0.033
13:07	0.032
13:08	0.031
13:09	0.031
13:10	0.036
13:11	0.032
13:12	0.032
13:13	0.031
13:14	0.031
13:15	0.031
13:16	0.032
13:17	0.032
13:18	0.032
13:19	0.032
13:20	0.032
13:21	0.032
13:22	0.032
13:23	0.033
13:24	0.033
13:25	0.033
13:26	0.033
13:27	0.033
13:28	0.034

13:29	0.034
13:30	0.035
13:31	0.034
13:32	0.034
13:33	0.034
13:34	0.034
13:35	0.035
13:36	0.035
13:37	0.035
13:38	0.036
13:39	0.036
13:40	0.035
13:41	0.036
13:42	0.038
13:43	0.04
13:44	0.04
13:45	0.041
13:46	0.044
13:47	0.041
13:48	0.04
13:49	0.04
13:50	0.046
13:51	0.048
13:52	0.042
13:53	0.043
13:54	0.043
13:55	0.04
13:56	0.044
13:57	0.04
13:58	0.041
13:59	0.042
14:00	0.04
14:01	0.038
14:02	0.039
14:03	0.038
14:04	0.04
14:05	0.04
14:06	0.056
14:07	0.057
14:08	0.045
14:09	0.043
14:10	0.039
14:11	0.039
14:12	0.039
14:13	0.039
14:14	0.041
14:15	0.043

14:16	0.042
14:17	0.045
14:18	0.043
14:19	0.042
14:20	0.042
14:21	0.043
14:22	0.043
14:23	0.042
14:24	0.042
14:25	0.042
14:26	0.043
14:27	0.044
14:28	0.046
14:29	0.045
14:30	0.047
14:31	0.045
14:32	0.044
14:33	0.045
14:34	0.044
14:35	0.045
14:36	0.046
14:37	0.049
14:38	0.05
14:39	0.049
14:40	0.05
14:41	0.049
14:42	0.05
14:43	0.051
14:44	0.05
14:45	0.05
14:46	0.048
14:47	0.049
14:48	0.051
14:49	0.052
14:50	0.049
14:51	0.049
14:52	0.049
14:53	0.049
14:54	0.049
14:55	0.05
14:56	0.052
14:57	0.051
14:58	0.05
14:59	0.051
15:00	0.055
15:01	0.049
15:02	0.048

15:03	0.056
15:04	0.051
15:05	0.049
15:06	0.047
15:07	0.048
15:08	0.049
15:09	0.049
15:10	0.051
15:11	0.049
15:12	0.049
15:13	0.049
15:14	0.049
15:15	0.048
15:16	0.049
15:17	0.049
15:18	0.05
15:19	0.052
15:20	0.05
15:21	0.049
15:22	0.049
15:23	0.051
15:24	0.052
15:25	0.093
15:26	0.055
15:27	0.056
15:28	0.059
15:29	0.054
15:30	0.051
15:31	0.052
15:32	0.051
15:33	0.052
15:34	0.053
15:35	0.051
15:36	0.051
15:37	0.053
15:38	0.052
15:39	0.051

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	12/7/2023 16:53	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:52	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:51	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:50	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:49	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:48	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 16:20	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	12/7/2023 8:09 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:08 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:07 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:06 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:05 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:04 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:03 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:02 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:01 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 8:00 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 7:59 Readings	PID	SC23030140W3	Normal	0
592-000289	12/7/2023 7:58 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_016
Test Start Time	6:48:24 AM
Test Start Date	12/7/2023
Test Length [D:H:M]	0:08:55
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.022
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.042
Mass TWA [mg/m3]	0.02
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	535

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48	0.015		
6:49	0.008		
6:50	0.007		
6:51	0.007		
6:52	0.006		
6:53	0.006		
6:54	0.006		
6:55	0.007		
6:56	0.007		
6:57	0.007		
6:58	0.007		
6:59	0.007		
7:00	0.007		
7:01	0.008		
7:02	0.008		
7:03	0.008		
7:04	0.007		
7:05	0.007		
7:06	0.007		
7:07	0.007		
7:08	0.007		
7:09	0.007		
7:10	0.007		
7:11	0.007		
7:12	0.007		
7:13	0.007		
7:14	0.007		

7:15	0.008
7:16	0.008
7:17	0.008
7:18	0.013
7:19	0.009
7:20	0.008
7:21	0.008
7:22	0.008
7:23	0.008
7:24	0.008
7:25	0.008
7:26	0.008
7:27	0.009
7:28	0.009
7:29	0.008
7:30	0.009
7:31	0.009
7:32	0.009
7:33	0.009
7:34	0.009
7:35	0.009
7:36	0.009
7:37	0.01
7:38	0.009
7:39	0.009
7:40	0.009
7:41	0.009
7:42	0.01
7:43	0.009
7:44	0.01
7:45	0.009
7:46	0.01
7:47	0.01
7:48	0.01
7:49	0.01
7:50	0.01
7:51	0.01
7:52	0.01
7:53	0.01
7:54	0.01
7:55	0.01
7:56	0.01
7:57	0.01
7:58	0.01
7:59	0.011
8:00	0.011
8:01	0.011

8:02	0.011
8:03	0.012
8:04	0.011
8:05	0.011
8:06	0.012
8:07	0.012
8:08	0.012
8:09	0.012
8:10	0.014
8:11	0.014
8:12	0.013
8:13	0.013
8:14	0.013
8:15	0.013
8:16	0.016
8:17	0.018
8:18	0.014
8:19	0.013
8:20	0.013
8:21	0.013
8:22	0.013
8:23	0.014
8:24	0.013
8:25	0.014
8:26	0.014
8:27	0.013
8:28	0.014
8:29	0.014
8:30	0.014
8:31	0.014
8:32	0.014
8:33	0.014
8:34	0.014
8:35	0.015
8:36	0.015
8:37	0.014
8:38	0.015
8:39	0.015
8:40	0.014
8:41	0.014
8:42	0.016
8:43	0.014
8:44	0.015
8:45	0.015
8:46	0.015
8:47	0.016
8:48	0.015

8:49	0.015
8:50	0.015
8:51	0.015
8:52	0.015
8:53	0.015
8:54	0.015
8:55	0.015
8:56	0.015
8:57	0.014
8:58	0.014
8:59	0.015
9:00	0.018
9:01	0.018
9:02	0.02
9:03	0.017
9:04	0.016
9:05	0.016
9:06	0.016
9:07	0.018
9:08	0.026
9:09	0.019
9:10	0.016
9:11	0.016
9:12	0.016
9:13	0.016
9:14	0.016
9:15	0.017
9:16	0.016
9:17	0.016
9:18	0.016
9:19	0.016
9:20	0.016
9:21	0.016
9:22	0.017
9:23	0.017
9:24	0.021
9:25	0.018
9:26	0.017
9:27	0.017
9:28	0.017
9:29	0.017
9:30	0.02
9:31	0.017
9:32	0.017
9:33	0.017
9:34	0.018
9:35	0.018

9:36	0.017
9:37	0.017
9:38	0.017
9:39	0.017
9:40	0.019
9:41	0.018
9:42	0.017
9:43	0.017
9:44	0.017
9:45	0.017
9:46	0.016
9:47	0.023
9:48	0.017
9:49	0.017
9:50	0.016
9:51	0.016
9:52	0.017
9:53	0.016
9:54	0.016
9:55	0.017
9:56	0.017
9:57	0.017
9:58	0.017
9:59	0.017
10:00	0.018
10:01	0.017
10:02	0.017
10:03	0.017
10:04	0.017
10:05	0.018
10:06	0.017
10:07	0.017
10:08	0.017
10:09	0.017
10:10	0.017
10:11	0.017
10:12	0.017
10:13	0.017
10:14	0.017
10:15	0.017
10:16	0.017
10:17	0.017
10:18	0.017
10:19	0.017
10:20	0.017
10:21	0.018
10:22	0.021

10:23	0.019
10:24	0.018
10:25	0.019
10:26	0.018
10:27	0.018
10:28	0.018
10:29	0.018
10:30	0.018
10:31	0.019
10:32	0.019
10:33	0.018
10:34	0.018
10:35	0.018
10:36	0.018
10:37	0.018
10:38	0.018
10:39	0.018
10:40	0.019
10:41	0.018
10:42	0.018
10:43	0.018
10:44	0.018
10:45	0.02
10:46	0.026
10:47	0.019
10:48	0.023
10:49	0.023
10:50	0.02
10:51	0.021
10:52	0.02
10:53	0.021
10:54	0.019
10:55	0.031
10:56	0.026
10:57	0.028
10:58	0.023
10:59	0.022
11:00	0.022
11:01	0.022
11:02	0.021
11:03	0.021
11:04	0.021
11:05	0.021
11:06	0.02
11:07	0.023
11:08	0.024
11:09	0.024

11:10	0.024
11:11	0.023
11:12	0.023
11:13	0.029
11:14	0.023
11:15	0.028
11:16	0.025
11:17	0.022
11:18	0.021
11:19	0.026
11:20	0.029
11:21	0.024
11:22	0.024
11:23	0.024
11:24	0.023
11:25	0.023
11:26	0.02
11:27	0.02
11:28	0.024
11:29	0.024
11:30	0.022
11:31	0.028
11:32	0.027
11:33	0.024
11:34	0.023
11:35	0.024
11:36	0.026
11:37	0.023
11:38	0.023
11:39	0.024
11:40	0.024
11:41	0.029
11:42	0.03
11:43	0.027
11:44	0.033
11:45	0.025
11:46	0.024
11:47	0.025
11:48	0.029
11:49	0.027
11:50	0.028
11:51	0.031
11:52	0.031
11:53	0.03
11:54	0.033
11:55	0.029
11:56	0.028

11:57	0.035
11:58	0.038
11:59	0.042
12:00	0.036
12:01	0.034
12:02	0.035
12:03	0.029
12:04	0.027
12:05	0.037
12:06	0.032
12:07	0.029
12:08	0.03
12:09	0.029
12:10	0.028
12:11	0.028
12:12	0.028
12:13	0.026
12:14	0.03
12:15	0.025
12:16	0.026
12:17	0.029
12:18	0.027
12:19	0.025
12:20	0.023
12:21	0.027
12:22	0.029
12:23	0.027
12:24	0.032
12:25	0.026
12:26	0.027
12:27	0.031
12:28	0.028
12:29	0.025
12:30	0.027
12:31	0.025
12:32	0.024
12:33	0.023
12:34	0.026
12:35	0.03
12:36	0.025
12:37	0.026
12:38	0.026
12:39	0.025
12:40	0.026
12:41	0.026
12:42	0.025
12:43	0.024

12:44	0.026
12:45	0.026
12:46	0.031
12:47	0.03
12:48	0.026
12:49	0.027
12:50	0.027
12:51	0.028
12:52	0.027
12:53	0.024
12:54	0.027
12:55	0.027
12:56	0.025
12:57	0.025
12:58	0.024
12:59	0.023
13:00	0.024
13:01	0.022
13:02	0.023
13:03	0.021
13:04	0.022
13:05	0.021
13:06	0.022
13:07	0.022
13:08	0.025
13:09	0.024
13:10	0.025
13:11	0.023
13:12	0.022
13:13	0.021
13:14	0.023
13:15	0.022
13:16	0.022
13:17	0.022
13:18	0.024
13:19	0.025
13:20	0.024
13:21	0.024
13:22	0.024
13:23	0.024
13:24	0.023
13:25	0.023
13:26	0.024
13:27	0.026
13:28	0.023
13:29	0.025
13:30	0.024

13:31	0.023
13:32	0.025
13:33	0.025
13:34	0.025
13:35	0.027
13:36	0.027
13:37	0.032
13:38	0.026
13:39	0.025
13:40	0.026
13:41	0.025
13:42	0.025
13:43	0.026
13:44	0.026
13:45	0.027
13:46	0.026
13:47	0.028
13:48	0.029
13:49	0.029
13:50	0.031
13:51	0.035
13:52	0.038
13:53	0.029
13:54	0.028
13:55	0.03
13:56	0.028
13:57	0.027
13:58	0.027
13:59	0.027
14:00	0.027
14:01	0.03
14:02	0.028
14:03	0.026
14:04	0.026
14:05	0.028
14:06	0.027
14:07	0.029
14:08	0.029
14:09	0.027
14:10	0.027
14:11	0.027
14:12	0.027
14:13	0.027
14:14	0.028
14:15	0.029
14:16	0.03
14:17	0.028

14:18	0.029
14:19	0.03
14:20	0.029
14:21	0.03
14:22	0.029
14:23	0.028
14:24	0.028
14:25	0.029
14:26	0.028
14:27	0.029
14:28	0.029
14:29	0.03
14:30	0.03
14:31	0.031
14:32	0.03
14:33	0.03
14:34	0.03
14:35	0.03
14:36	0.031
14:37	0.031
14:38	0.032
14:39	0.032
14:40	0.033
14:41	0.034
14:42	0.033
14:43	0.033
14:44	0.033
14:45	0.034
14:46	0.034
14:47	0.034
14:48	0.034
14:49	0.034
14:50	0.033
14:51	0.033
14:52	0.034
14:53	0.035
14:54	0.033
14:55	0.033
14:56	0.033
14:57	0.032
14:58	0.032
14:59	0.032
15:00	0.032
15:01	0.033
15:02	0.034
15:03	0.032
15:04	0.032

15:05	0.032
15:06	0.032
15:07	0.033
15:08	0.033
15:09	0.033
15:10	0.033
15:11	0.033
15:12	0.033
15:13	0.033
15:14	0.034
15:15	0.033
15:16	0.033
15:17	0.033
15:18	0.033
15:19	0.034
15:20	0.034
15:21	0.034
15:22	0.034
15:23	0.034
15:24	0.034
15:25	0.034
15:26	0.034
15:27	0.034
15:28	0.034
15:29	0.034
15:30	0.034
15:31	0.034
15:32	0.034
15:33	0.035
15:34	0.034
15:35	0.034
15:36	0.035
15:37	0.035
15:38	0.035
15:39	0.035
15:40	0.035
15:41	0.035
15:42	0.036

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	12/7/2023 16:51	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:50	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:49	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:48	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:47	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:46	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:45	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:44	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:43	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:42	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:41	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:40	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:39	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:38	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:37	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:36	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:35	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:34	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:33	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:32	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:31	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:30	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:29	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:28	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:27	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:26	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:25	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:24	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:23	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:22	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:21	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:20	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:19	Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 16:18	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	12/7/2023 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:02 Readings	PID	SC23030602B4	Normal	0
592-602176	12/7/2023 8:01 CONFIG	PID	SC23030602B4		