



**DAILY STATUS REPORT**

**Prepared By:**

Thomas Jensen

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy		Bright Sun		Wind
TEMP.	< 32	X	32-50	X	50-70		70-85		>85		E 7 mph

<b>IEC Project No:</b>	15977	<b>NYSDEC BCP Site No:</b>	C224350	<b>Date:</b>	01/23/24
<b>Project:</b>	318 Nevins Street, Brooklyn, NY				

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:20 Time Out: 16:50</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Thomas Jensen, Luis Maldonado Capital –Contractor WSP (Environmental oversight) – Tim Williams ECS (Dewatering company)</p> <p><b>Equipment On Site: Dustrack (3x), PID (3x), GeoProbe</b></p>
---	--

**Scope of Work:** Sample sentinel wells, oversee excavation by Capital and continue to collect endpoint samples.

**Site Activities:**

- Deploy CAMP at the start of the workday;
- ECS winterized and staged all dewatering equipment;
- Capital continued to move all staged material in row 1 to the southern portion of the Site in preparation for excavation work along the canal;
- One (1) truckload of approved stone was delivered to the Site from Braen stone to build a trucking pad at the gate in front of President Street;
- Twelve (12) truckloads of material were loaded off site for disposal to the Puresoil Jackson Facility;
- Begin additional 1’ cut (for a total of 5-fet bgs) in grids F2-G2, F3-G3, and F4-G4. Refer to Alpha Numeric Map for grid locations;
- The following nine (9) endpoint samples were collected from the additional 2’ cut (6-feet bgs): EP-25, EP-40, EP-41, EP-55, EP-57, EP-58, EP-70, EP-73, and EP-88. Refer to Alpha Numeric Map for endpoint locations; and
- The following six (6) samples were collected from the sentinel wells: MW-20A, MW-20B, MW-19B, NMAW-2A, NMAW-2B, HRP-MW-5A, HRP-MW-5B.

**Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)**

- Prestart Upwind Conditions – PID = 0.0 ppm, Dust = 0.041 mg/m<sup>3</sup> @ 06:53
- High Conditions (Upwind) – PID = 0.5 ppm @ 10:11, Dust = 0.091 mg/m<sup>3</sup> @ 11:52
- High Conditions (Downwind 1) – PID = 0.3 ppm @ 14:50, Dust = 0.173 mg/m<sup>3</sup> @ 14:29
- High Conditions (Downwind 2) – PID = 0.3 ppm @ 12:29, Dust = 0.163 mg/m<sup>3</sup>@ 07:47

**Notable Site Conditions:**

- None

**Planned Activities for the Next Day/Week:**

- Delineation of spill areas (above the water table);
- Further grid excavation (above the water table);
- Continuation of sampling sentinel wells;
- EDC to mobilize pile rig;
- Additional removal of material for offsite disposal;
- Additional import for a trucking ramp on Presidents Street; and
- Sewer connection anticipated on 1/26/24.

## Photo Log

318 Nevins Street, Brooklyn, NY



## Photo Log

### Photo 1 –

Representative photo of material being loaded for offsite disposal.



### Photo 2 –

Representative photo of bungees being secured on the side of a truck prior to exiting the Site.



**Photo 3 –**

Representative photo of ECS winterizing the dewatering equipment.



**Photo 4 –**

Representative photo of equipment being moved to the southern portion of the Site.



**Photo 5 –**  
Representative  
photo of  
excavation on  
the southern  
portion of the  
Site.



## **Alpha Numeric Grid Map**

318 Nevins Street, Brooklyn, NY





# IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


[www.impactenvironmental.com](http://www.impactenvironmental.com)



A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



 = 1' Excavation  
 = 2' Excavation

## Site Plan

318 Nevins Street, Brooklyn, NY





**UPWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:53:52 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:09:01
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.043
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.091
Mass TWA [mg/m3]	0.044
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	541

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53	0.041		
6:54	0.038		
6:55	0.041		
6:56	0.039		
6:57	0.038		
6:58	0.039		
6:59	0.038		
7:00	0.039		
7:01	0.039		
7:02	0.04		
7:03	0.04		
7:04	0.039		
7:05	0.042		
7:06	0.04		
7:07	0.04		
7:08	0.04		
7:09	0.039		
7:10	0.039		
7:11	0.041		
7:12	0.04		
7:13	0.05		
7:14	0.043		
7:15	0.041		
7:16	0.04		
7:17	0.047		
7:18	0.049		
7:19	0.044		

7:20	0.044
7:21	0.041
7:22	0.04
7:23	0.039
7:24	0.041
7:25	0.069
7:26	0.047
7:27	0.04
7:28	0.04
7:29	0.039
7:30	0.039
7:31	0.04
7:32	0.039
7:33	0.039
7:34	0.04
7:35	0.041
7:36	0.04
7:37	0.039
7:38	0.039
7:39	0.039
7:40	0.039
7:41	0.04
7:42	0.04
7:43	0.04
7:44	0.041
7:45	0.041
7:46	0.046
7:47	0.046
7:48	0.047
7:49	0.045
7:50	0.042
7:51	0.044
7:52	0.045
7:53	0.041
7:54	0.041
7:55	0.04
7:56	0.044
7:57	0.041
7:58	0.042
7:59	0.041
8:00	0.041
8:01	0.044
8:02	0.045
8:03	0.044
8:04	0.07
8:05	0.051
8:06	0.044

8:07	0.045
8:08	0.045
8:09	0.045
8:10	0.044
8:11	0.043
8:12	0.068
8:13	0.049
8:14	0.045
8:15	0.045
8:16	0.045
8:17	0.044
8:18	0.045
8:19	0.044
8:20	0.046
8:21	0.044
8:22	0.045
8:23	0.045
8:24	0.044
8:25	0.044
8:26	0.045
8:27	0.045
8:28	0.045
8:29	0.044
8:30	0.045
8:31	0.045
8:32	0.044
8:33	0.046
8:34	0.045
8:35	0.045
8:36	0.046
8:37	0.042
8:38	0.043
8:39	0.044
8:40	0.044
8:41	0.047
8:42	0.048
8:43	0.047
8:44	0.047
8:45	0.045
8:46	0.047
8:47	0.059
8:48	0.065
8:49	0.055
8:50	0.053
8:51	0.047
8:52	0.047
8:53	0.047

8:54	0.047
8:55	0.054
8:56	0.051
8:57	0.061
8:58	0.055
8:59	0.048
9:00	0.049
9:01	0.051
9:02	0.048
9:03	0.046
9:04	0.047
9:05	0.046
9:06	0.046
9:07	0.046
9:08	0.046
9:09	0.046
9:10	0.046
9:11	0.045
9:12	0.045
9:13	0.046
9:14	0.046
9:15	0.046
9:16	0.046
9:17	0.046
9:18	0.045
9:19	0.047
9:20	0.052
9:21	0.047
9:22	0.047
9:23	0.047
9:24	0.046
9:25	0.047
9:26	0.047
9:27	0.048
9:28	0.048
9:29	0.047
9:30	0.048
9:31	0.05
9:32	0.053
9:33	0.052
9:34	0.05
9:35	0.048
9:36	0.048
9:37	0.056
9:38	0.051
9:39	0.048
9:40	0.047

9:41	0.048
9:42	0.048
9:43	0.049
9:44	0.049
9:45	0.058
9:46	0.049
9:47	0.049
9:48	0.051
9:49	0.05
9:50	0.05
9:51	0.049
9:52	0.047
9:53	0.047
9:54	0.051
9:55	0.047
9:56	0.048
9:57	0.048
9:58	0.047
9:59	0.048
10:00	0.048
10:01	0.047
10:02	0.048
10:03	0.048
10:04	0.05
10:05	0.047
10:06	0.048
10:07	0.048
10:08	0.048
10:09	0.049
10:10	0.048
10:11	0.049
10:12	0.049
10:13	0.049
10:14	0.05
10:15	0.051
10:16	0.052
10:17	0.052
10:18	0.05
10:19	0.05
10:20	0.051
10:21	0.052
10:22	0.052
10:23	0.054
10:24	0.056
10:25	0.053
10:26	0.052
10:27	0.052

10:28	0.052
10:29	0.053
10:30	0.053
10:31	0.055
10:32	0.056
10:33	0.069
10:34	0.084
10:35	0.063
10:36	0.053
10:37	0.058
10:38	0.079
10:39	0.053
10:40	0.051
10:41	0.057
10:42	0.054
10:43	0.052
10:44	0.051
10:45	0.05
10:46	0.049
10:47	0.05
10:48	0.049
10:49	0.05
10:50	0.05
10:51	0.049
10:52	0.049
10:53	0.055
10:54	0.049
10:55	0.049
10:56	0.049
10:57	0.051
10:58	0.05
10:59	0.05
11:00	0.049
11:01	0.048
11:02	0.047
11:03	0.048
11:04	0.049
11:05	0.05
11:06	0.05
11:07	0.049
11:08	0.049
11:09	0.05
11:10	0.05
11:11	0.053
11:12	0.052
11:13	0.052
11:14	0.051

11:15	0.054
11:16	0.051
11:17	0.051
11:18	0.051
11:19	0.05
11:20	0.05
11:21	0.052
11:22	0.051
11:23	0.051
11:24	0.053
11:25	0.051
11:26	0.051
11:27	0.052
11:28	0.051
11:29	0.05
11:30	0.053
11:31	0.052
11:32	0.05
11:33	0.049
11:34	0.047
11:35	0.049
11:36	0.049
11:37	0.048
11:38	0.048
11:39	0.082
11:40	0.053
11:41	0.056
11:42	0.051
11:43	0.048
11:44	0.054
11:45	0.045
11:46	0.045
11:47	0.045
11:48	0.047
11:49	0.048
11:50	0.046
11:51	0.045
11:52	0.091
11:53	0.051
11:54	0.046
11:55	0.046
11:56	0.046
11:57	0.047
11:58	0.047
11:59	0.046
12:00	0.045
12:01	0.05

12:02	0.046
12:03	0.046
12:04	0.043
12:05	0.043
12:06	0.043
12:07	0.044
12:08	0.044
12:09	0.044
12:10	0.044
12:11	0.044
12:12	0.044
12:13	0.044
12:14	0.046
12:15	0.044
12:16	0.044
12:17	0.045
12:18	0.045
12:19	0.046
12:20	0.044
12:21	0.045
12:22	0.045
12:23	0.046
12:24	0.045
12:25	0.044
12:26	0.045
12:27	0.045
12:28	0.046
12:29	0.046
12:30	0.046
12:31	0.048
12:32	0.048
12:33	0.048
12:34	0.047
12:35	0.046
12:36	0.045
12:37	0.046
12:38	0.045
12:39	0.046
12:40	0.045
12:41	0.046
12:42	0.046
12:43	0.046
12:44	0.049
12:45	0.048
12:46	0.047
12:47	0.048
12:48	0.049

12:49	0.048
12:50	0.048
12:51	0.047
12:52	0.048
12:53	0.047
12:54	0.047
12:55	0.047
12:56	0.047
12:57	0.046
12:58	0.047
12:59	0.061
13:00	0.046
13:01	0.046
13:02	0.047
13:03	0.046
13:04	0.046
13:05	0.045
13:06	0.044
13:07	0.041
13:08	0.04
13:09	0.04
13:10	0.041
13:11	0.041
13:12	0.042
13:13	0.041
13:14	0.04
13:15	0.039
13:16	0.036
13:17	0.036
13:18	0.035
13:19	0.032
13:20	0.029
13:21	0.028
13:22	0.028
13:23	0.028
13:24	0.026
13:25	0.026
13:26	0.028
13:27	0.035
13:28	0.032
13:29	0.029
13:30	0.028
13:31	0.027
13:32	0.027
13:33	0.029
13:34	0.029
13:35	0.028

13:36	0.027
13:37	0.027
13:38	0.028
13:39	0.031
13:40	0.03
13:41	0.03
13:42	0.029
13:43	0.028
13:44	0.028
13:45	0.028
13:46	0.028
13:47	0.028
13:48	0.029
13:49	0.029
13:50	0.028
13:51	0.029
13:52	0.029
13:53	0.031
13:54	0.028
13:55	0.03
13:56	0.031
13:57	0.03
13:58	0.03
13:59	0.032
14:00	0.032
14:01	0.033
14:02	0.035
14:03	0.03
14:04	0.03
14:05	0.032
14:06	0.033
14:07	0.033
14:08	0.034
14:09	0.035
14:10	0.035
14:11	0.034
14:12	0.034
14:13	0.037
14:14	0.032
14:15	0.034
14:16	0.034
14:17	0.033
14:18	0.032
14:19	0.032
14:20	0.031
14:21	0.032
14:22	0.031

14:23	0.031
14:24	0.031
14:25	0.031
14:26	0.031
14:27	0.052
14:28	0.038
14:29	0.032
14:30	0.034
14:31	0.033
14:32	0.033
14:33	0.034
14:34	0.033
14:35	0.031
14:36	0.031
14:37	0.03
14:38	0.03
14:39	0.032
14:40	0.033
14:41	0.032
14:42	0.032
14:43	0.032
14:44	0.033
14:45	0.034
14:46	0.034
14:47	0.034
14:48	0.034
14:49	0.035
14:50	0.034
14:51	0.034
14:52	0.036
14:53	0.039
14:54	0.038
14:55	0.036
14:56	0.035
14:57	0.038
14:58	0.04
14:59	0.034
15:00	0.034
15:01	0.035
15:02	0.033
15:03	0.035
15:04	0.033
15:05	0.033
15:06	0.033
15:07	0.033
15:08	0.034
15:09	0.034

15:10	0.032
15:11	0.032
15:12	0.032
15:13	0.034
15:14	0.033
15:15	0.033
15:16	0.033
15:17	0.033
15:18	0.033
15:19	0.034
15:20	0.033
15:21	0.033
15:22	0.034
15:23	0.033
15:24	0.035
15:25	0.036
15:26	0.036
15:27	0.037
15:28	0.035
15:29	0.036
15:30	0.034
15:31	0.034
15:32	0.034
15:33	0.033
15:34	0.034
15:35	0.035
15:36	0.036
15:37	0.036
15:38	0.035
15:39	0.035
15:40	0.036
15:41	0.037
15:42	0.036
15:43	0.037
15:44	0.037
15:45	0.039
15:46	0.039
15:47	0.04
15:48	0.039
15:49	0.04
15:50	0.041
15:51	0.042
15:52	0.043
15:53	0.044

Device Serial No	Log Date	Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	1/23/2024	16:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	16:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	15:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	15:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	15:57	Readings	PID	SC23030449A8	Normal	0.2











592-600853	1/23/2024	13:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	13:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:59	Readings	PID	SC23030449A8	Normal	0.3
592-600853	1/23/2024	12:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:36	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:33	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	1/23/2024	12:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	1/23/2024	12:27	Readings	PID	SC23030449A8	Normal	0.1

















592-600853	1/23/2024	7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	1/23/2024	7:29 CONFIG	PID	SC23030449A8	Normal	0

**DOWNWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_002
Test Start Time	7:03:10 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:08:47
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.033
Mass Minimum [mg/m3]	0.018
Mass Maximum [mg/m3]	0.173
Mass TWA [mg/m3]	0.033
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	527

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:03	0.034		
7:04	0.034		
7:05	0.035		
7:06	0.032		
7:07	0.03		
7:08	0.03		
7:09	0.029		
7:10	0.029		
7:11	0.029		
7:12	0.029		
7:13	0.03		
7:14	0.031		
7:15	0.031		
7:16	0.031		
7:17	0.03		
7:18	0.031		
7:19	0.032		
7:20	0.03		
7:21	0.029		
7:22	0.029		
7:23	0.029		
7:24	0.028		
7:25	0.028		
7:26	0.028		
7:27	0.029		
7:28	0.029		
7:29	0.029		

7:30	0.028
7:31	0.028
7:32	0.028
7:33	0.028
7:34	0.028
7:35	0.029
7:36	0.029
7:37	0.029
7:38	0.031
7:39	0.032
7:40	0.039
7:41	0.029
7:42	0.03
7:43	0.029
7:44	0.029
7:45	0.03
7:46	0.03
7:47	0.03
7:48	0.03
7:49	0.031
7:50	0.031
7:51	0.03
7:52	0.029
7:53	0.029
7:54	0.029
7:55	0.032
7:56	0.032
7:57	0.03
7:58	0.03
7:59	0.03
8:00	0.03
8:01	0.031
8:02	0.031
8:03	0.034
8:04	0.038
8:05	0.041
8:06	0.033
8:07	0.033
8:08	0.033
8:09	0.036
8:10	0.035
8:11	0.041
8:12	0.038
8:13	0.034
8:14	0.036
8:15	0.035
8:16	0.039

8:17	0.043
8:18	0.033
8:19	0.034
8:20	0.033
8:21	0.034
8:22	0.041
8:23	0.036
8:24	0.033
8:25	0.034
8:26	0.033
8:27	0.038
8:28	0.038
8:29	0.038
8:30	0.041
8:31	0.037
8:32	0.035
8:33	0.034
8:34	0.033
8:35	0.033
8:36	0.036
8:37	0.034
8:38	0.033
8:39	0.035
8:40	0.04
8:41	0.044
8:42	0.038
8:43	0.041
8:44	0.038
8:45	0.033
8:46	0.033
8:47	0.033
8:48	0.035
8:49	0.04
8:50	0.036
8:51	0.034
8:52	0.036
8:53	0.036
8:54	0.035
8:55	0.035
8:56	0.035
8:57	0.037
8:58	0.036
8:59	0.038
9:00	0.044
9:01	0.05
9:02	0.04
9:03	0.041

9:04	0.039
9:05	0.04
9:06	0.039
9:07	0.038
9:08	0.044
9:09	0.038
9:10	0.034
9:11	0.034
9:12	0.033
9:13	0.033
9:14	0.033
9:15	0.033
9:16	0.034
9:17	0.033
9:18	0.033
9:19	0.033
9:20	0.033
9:21	0.037
9:22	0.038
9:23	0.035
9:24	0.035
9:25	0.036
9:26	0.036
9:27	0.036
9:28	0.036
9:29	0.035
9:30	0.035
9:31	0.036
9:32	0.04
9:33	0.039
9:34	0.038
9:35	0.037
9:36	0.035
9:37	0.035
9:38	0.035
9:39	0.035
9:40	0.036
9:41	0.035
9:42	0.035
9:43	0.035
9:44	0.035
9:45	0.035
9:46	0.035
9:47	0.035
9:48	0.035
9:49	0.035
9:50	0.035

9:51	0.035
9:52	0.037
9:53	0.035
9:54	0.035
9:55	0.039
9:56	0.037
9:57	0.036
9:58	0.036
9:59	0.037
10:00	0.039
10:01	0.045
10:02	0.037
10:03	0.039
10:04	0.039
10:05	0.038
10:06	0.037
10:07	0.036
10:08	0.037
10:09	0.038
10:10	0.041
10:11	0.039
10:12	0.036
10:13	0.036
10:14	0.036
10:15	0.037
10:16	0.037
10:17	0.037
10:18	0.036
10:19	0.036
10:20	0.037
10:21	0.041
10:22	0.04
10:23	0.041
10:24	0.04
10:25	0.04
10:26	0.041
10:27	0.042
10:28	0.042
10:29	0.041
10:30	0.041
10:31	0.039
10:32	0.038
10:33	0.038
10:34	0.038
10:35	0.04
10:36	0.037
10:37	0.038

10:38	0.037
10:39	0.037
10:40	0.036
10:41	0.036
10:42	0.036
10:43	0.037
10:44	0.037
10:45	0.036
10:46	0.035
10:47	0.035
10:48	0.036
10:49	0.036
10:50	0.036
10:51	0.035
10:52	0.036
10:53	0.036
10:54	0.036
10:55	0.035
10:56	0.035
10:57	0.035
10:58	0.035
10:59	0.035
11:00	0.035
11:01	0.035
11:02	0.034
11:03	0.035
11:04	0.034
11:05	0.034
11:06	0.035
11:07	0.035
11:08	0.038
11:09	0.04
11:10	0.039
11:11	0.036
11:12	0.036
11:13	0.039
11:14	0.038
11:15	0.038
11:16	0.036
11:17	0.036
11:18	0.036
11:19	0.036
11:20	0.036
11:21	0.035
11:22	0.036
11:23	0.036
11:24	0.035

11:25	0.037
11:26	0.036
11:27	0.037
11:28	0.036
11:29	0.035
11:30	0.036
11:31	0.037
11:32	0.037
11:33	0.036
11:34	0.036
11:35	0.035
11:36	0.041
11:37	0.033
11:38	0.034
11:39	0.033
11:40	0.033
11:41	0.039
11:42	0.034
11:43	0.033
11:44	0.032
11:45	0.032
11:46	0.032
11:47	0.033
11:48	0.033
11:49	0.032
11:50	0.034
11:51	0.032
11:52	0.032
11:53	0.032
11:54	0.032
11:55	0.032
11:56	0.031
11:57	0.031
11:58	0.032
11:59	0.032
12:00	0.032
12:01	0.032
12:02	0.032
12:03	0.032
12:04	0.031
12:05	0.031
12:06	0.03
12:07	0.03
12:08	0.03
12:09	0.03
12:10	0.031
12:11	0.032

12:12	0.032
12:13	0.032
12:14	0.032
12:15	0.031
12:16	0.031
12:17	0.031
12:18	0.032
12:19	0.031
12:20	0.031
12:21	0.031
12:22	0.031
12:23	0.031
12:24	0.031
12:25	0.032
12:26	0.032
12:27	0.032
12:28	0.032
12:29	0.032
12:30	0.032
12:31	0.033
12:32	0.032
12:33	0.033
12:34	0.033
12:35	0.033
12:36	0.032
12:37	0.033
12:38	0.033
12:39	0.033
12:40	0.033
12:41	0.033
12:42	0.033
12:43	0.033
12:44	0.033
12:45	0.034
12:46	0.035
12:47	0.037
12:48	0.039
12:49	0.04
12:50	0.042
12:51	0.039
12:52	0.036
12:53	0.039
12:54	0.038
12:55	0.04
12:56	0.035
12:57	0.038
12:58	0.036

12:59	0.036
13:00	0.035
13:01	0.035
13:02	0.034
13:03	0.04
13:04	0.042
13:05	0.038
13:06	0.039
13:07	0.04
13:08	0.029
13:09	0.029
13:10	0.03
13:11	0.03
13:12	0.029
13:13	0.028
13:14	0.028
13:15	0.029
13:16	0.028
13:17	0.026
13:18	0.025
13:19	0.025
13:20	0.024
13:21	0.021
13:22	0.021
13:23	0.023
13:24	0.022
13:25	0.02
13:26	0.019
13:27	0.019
13:28	0.02
13:29	0.021
13:30	0.021
13:31	0.021
13:32	0.02
13:33	0.018
13:34	0.02
13:35	0.021
13:36	0.021
13:37	0.02
13:38	0.02
13:39	0.02
13:40	0.02
13:41	0.021
13:42	0.02
13:43	0.021
13:44	0.02
13:45	0.02

13:46	0.021
13:47	0.02
13:48	0.02
13:49	0.021
13:50	0.021
13:51	0.02
13:52	0.021
13:53	0.021
13:54	0.021
13:55	0.021
13:56	0.021
13:57	0.022
13:58	0.022
13:59	0.022
14:00	0.022
14:01	0.022
14:02	0.023
14:03	0.024
14:04	0.024
14:05	0.023
14:06	0.023
14:07	0.024
14:08	0.024
14:09	0.024
14:10	0.024
14:11	0.025
14:12	0.024
14:13	0.024
14:14	0.024
14:15	0.024
14:16	0.023
14:17	0.023
14:18	0.023
14:19	0.023
14:20	0.023
14:21	0.022
14:22	0.022
14:23	0.022
14:24	0.023
14:25	0.023
14:26	0.023
14:27	0.023
14:28	0.05
14:29	0.173
14:30	0.025
14:31	0.025
14:32	0.024

14:33	0.024
14:34	0.024
14:35	0.032
14:36	0.032
14:37	0.024
14:38	0.022
14:39	0.023
14:40	0.024
14:41	0.036
14:42	0.051
14:43	0.038
14:44	0.082
14:45	0.071
14:46	0.035
14:47	0.032
14:48	0.03
14:49	0.029
14:50	0.045
14:51	0.034
14:52	0.029
14:53	0.027
14:54	0.026
14:55	0.027
14:56	0.029
14:57	0.027
14:58	0.027
14:59	0.026
15:00	0.025
15:01	0.027
15:02	0.025
15:03	0.024
15:04	0.025
15:05	0.028
15:06	0.024
15:07	0.026
15:08	0.029
15:09	0.075
15:10	0.092
15:11	0.032
15:12	0.032
15:13	0.041
15:14	0.032
15:15	0.037
15:16	0.052
15:17	0.028
15:18	0.039
15:19	0.056

15:20	0.033
15:21	0.031
15:22	0.034
15:23	0.033
15:24	0.054
15:25	0.026
15:26	0.026
15:27	0.025
15:28	0.024
15:29	0.025
15:30	0.024
15:31	0.024
15:32	0.034
15:33	0.032
15:34	0.026
15:35	0.028
15:36	0.026
15:37	0.026
15:38	0.025
15:39	0.028
15:40	0.027
15:41	0.026
15:42	0.026
15:43	0.027
15:44	0.027
15:45	0.028
15:46	0.028
15:47	0.029
15:48	0.029
15:49	0.029

Device Serial No	Log Date	Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	1/23/2024	16:10	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:09	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:08	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:07	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:06	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:05	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:04	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:03	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:02	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:01	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	16:00	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:59	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:58	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:57	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:56	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:55	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:54	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:53	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:52	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:51	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:50	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:49	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:48	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:47	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:46	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:45	Readings	PID	SC23030140W3	Normal	0.3
592-000289	1/23/2024	15:44	Readings	PID	SC23030140W3	Normal	0.3
592-000289	1/23/2024	15:43	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:42	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:41	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:40	Readings	PID	SC23030140W3	Normal	0.2
592-000289	1/23/2024	15:39	Readings	PID	SC23030140W3	Normal	0.2
592-000289	1/23/2024	15:38	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:37	Readings	PID	SC23030140W3	Normal	0.2

592-000289	1/23/2024	15:36	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:35	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:34	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:33	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:32	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:31	Readings	PID	SC23030140W3	Normal	0.3
592-000289	1/23/2024	15:30	Readings	PID	SC23030140W3	Normal	0.2
592-000289	1/23/2024	15:29	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:28	Readings	PID	SC23030140W3	Normal	0
592-000289	1/23/2024	15:27	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:26	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:25	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:24	Readings	PID	SC23030140W3	Normal	0
592-000289	1/23/2024	15:23	Readings	PID	SC23030140W3	Normal	0
592-000289	1/23/2024	15:22	Readings	PID	SC23030140W3	Normal	0
592-000289	1/23/2024	15:21	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:20	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:19	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:18	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:17	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:16	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:15	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:14	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:13	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:12	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:11	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:10	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:09	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:08	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:07	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:06	Readings	PID	SC23030140W3	Normal	0.2
592-000289	1/23/2024	15:05	Readings	PID	SC23030140W3	Normal	0.2
592-000289	1/23/2024	15:04	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:03	Readings	PID	SC23030140W3	Normal	0.1
592-000289	1/23/2024	15:02	Readings	PID	SC23030140W3	Normal	0.1



























592-000289	1/23/2024	7:26	Readings	PID	SC23030140W3	Normal	0
592-000289			CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:50:30 AM
Test Start Date	1/23/2024
Test Length [D:H:M]	0:09:13
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.04
Mass Minimum [mg/m3]	0.024
Mass Maximum [mg/m3]	0.163
Mass TWA [mg/m3]	0.041
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	553

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50	0.139		
6:51	0.034		
6:52	0.034		
6:53	0.034		
6:54	0.037		
6:55	0.035		
6:56	0.035		
6:57	0.035		
6:58	0.034		
6:59	0.035		
7:00	0.035		
7:01	0.035		
7:02	0.036		
7:03	0.042		
7:04	0.041		
7:05	0.038		
7:06	0.04		
7:07	0.038		
7:08	0.042		
7:09	0.038		
7:10	0.04		
7:11	0.039		
7:12	0.038		
7:13	0.038		
7:14	0.037		
7:15	0.039		
7:16	0.037		

7:17	0.039
7:18	0.038
7:19	0.037
7:20	0.037
7:21	0.037
7:22	0.038
7:23	0.04
7:24	0.039
7:25	0.039
7:26	0.038
7:27	0.038
7:28	0.037
7:29	0.036
7:30	0.038
7:31	0.04
7:32	0.037
7:33	0.036
7:34	0.036
7:35	0.037
7:36	0.036
7:37	0.037
7:38	0.037
7:39	0.04
7:40	0.038
7:41	0.038
7:42	0.037
7:43	0.039
7:44	0.039
7:45	0.037
7:46	0.093
7:47	0.163
7:48	0.037
7:49	0.038
7:50	0.038
7:51	0.039
7:52	0.038
7:53	0.038
7:54	0.039
7:55	0.04
7:56	0.038
7:57	0.039
7:58	0.039
7:59	0.04
8:00	0.043
8:01	0.038
8:02	0.039
8:03	0.038

8:04	0.039
8:05	0.039
8:06	0.043
8:07	0.039
8:08	0.04
8:09	0.042
8:10	0.041
8:11	0.04
8:12	0.04
8:13	0.041
8:14	0.041
8:15	0.041
8:16	0.04
8:17	0.04
8:18	0.04
8:19	0.04
8:20	0.041
8:21	0.042
8:22	0.042
8:23	0.044
8:24	0.043
8:25	0.044
8:26	0.042
8:27	0.041
8:28	0.041
8:29	0.04
8:30	0.041
8:31	0.041
8:32	0.041
8:33	0.042
8:34	0.042
8:35	0.041
8:36	0.042
8:37	0.042
8:38	0.041
8:39	0.04
8:40	0.043
8:41	0.041
8:42	0.041
8:43	0.041
8:44	0.041
8:45	0.043
8:46	0.045
8:47	0.044
8:48	0.046
8:49	0.044
8:50	0.042

8:51	0.044
8:52	0.046
8:53	0.045
8:54	0.043
8:55	0.044
8:56	0.043
8:57	0.042
8:58	0.043
8:59	0.043
9:00	0.051
9:01	0.049
9:02	0.045
9:03	0.046
9:04	0.045
9:05	0.048
9:06	0.046
9:07	0.044
9:08	0.043
9:09	0.042
9:10	0.042
9:11	0.042
9:12	0.042
9:13	0.042
9:14	0.043
9:15	0.044
9:16	0.042
9:17	0.042
9:18	0.043
9:19	0.043
9:20	0.048
9:21	0.047
9:22	0.043
9:23	0.043
9:24	0.042
9:25	0.043
9:26	0.048
9:27	0.044
9:28	0.046
9:29	0.044
9:30	0.043
9:31	0.043
9:32	0.044
9:33	0.045
9:34	0.045
9:35	0.044
9:36	0.046
9:37	0.049

9:38	0.047
9:39	0.045
9:40	0.043
9:41	0.043
9:42	0.044
9:43	0.044
9:44	0.045
9:45	0.045
9:46	0.045
9:47	0.046
9:48	0.047
9:49	0.047
9:50	0.046
9:51	0.045
9:52	0.046
9:53	0.049
9:54	0.046
9:55	0.044
9:56	0.045
9:57	0.044
9:58	0.046
9:59	0.045
10:00	0.044
10:01	0.044
10:02	0.044
10:03	0.044
10:04	0.046
10:05	0.045
10:06	0.044
10:07	0.046
10:08	0.045
10:09	0.044
10:10	0.043
10:11	0.045
10:12	0.044
10:13	0.043
10:14	0.044
10:15	0.044
10:16	0.045
10:17	0.045
10:18	0.045
10:19	0.045
10:20	0.045
10:21	0.045
10:22	0.046
10:23	0.047
10:24	0.046

10:25	0.046
10:26	0.048
10:27	0.049
10:28	0.049
10:29	0.049
10:30	0.049
10:31	0.049
10:32	0.048
10:33	0.048
10:34	0.051
10:35	0.05
10:36	0.049
10:37	0.05
10:38	0.05
10:39	0.049
10:40	0.047
10:41	0.047
10:42	0.047
10:43	0.047
10:44	0.047
10:45	0.048
10:46	0.048
10:47	0.045
10:48	0.046
10:49	0.047
10:50	0.046
10:51	0.046
10:52	0.045
10:53	0.046
10:54	0.046
10:55	0.044
10:56	0.044
10:57	0.043
10:58	0.044
10:59	0.044
11:00	0.045
11:01	0.045
11:02	0.045
11:03	0.045
11:04	0.046
11:05	0.044
11:06	0.044
11:07	0.045
11:08	0.048
11:09	0.045
11:10	0.045
11:11	0.044

11:12	0.044
11:13	0.044
11:14	0.045
11:15	0.046
11:16	0.045
11:17	0.047
11:18	0.046
11:19	0.046
11:20	0.046
11:21	0.046
11:22	0.046
11:23	0.047
11:24	0.048
11:25	0.045
11:26	0.047
11:27	0.046
11:28	0.047
11:29	0.046
11:30	0.046
11:31	0.044
11:32	0.045
11:33	0.044
11:34	0.044
11:35	0.045
11:36	0.043
11:37	0.043
11:38	0.042
11:39	0.043
11:40	0.045
11:41	0.046
11:42	0.046
11:43	0.045
11:44	0.044
11:45	0.045
11:46	0.047
11:47	0.045
11:48	0.041
11:49	0.042
11:50	0.042
11:51	0.041
11:52	0.04
11:53	0.045
11:54	0.041
11:55	0.041
11:56	0.043
11:57	0.043
11:58	0.041

11:59	0.041
12:00	0.04
12:01	0.041
12:02	0.041
12:03	0.041
12:04	0.04
12:05	0.04
12:06	0.039
12:07	0.04
12:08	0.039
12:09	0.039
12:10	0.04
12:11	0.04
12:12	0.039
12:13	0.041
12:14	0.04
12:15	0.039
12:16	0.039
12:17	0.04
12:18	0.04
12:19	0.04
12:20	0.041
12:21	0.04
12:22	0.04
12:23	0.039
12:24	0.04
12:25	0.04
12:26	0.041
12:27	0.039
12:28	0.04
12:29	0.042
12:30	0.043
12:31	0.043
12:32	0.041
12:33	0.042
12:34	0.041
12:35	0.043
12:36	0.042
12:37	0.043
12:38	0.043
12:39	0.044
12:40	0.042
12:41	0.042
12:42	0.043
12:43	0.043
12:44	0.043
12:45	0.042

12:46	0.047
12:47	0.048
12:48	0.062
12:49	0.046
12:50	0.044
12:51	0.043
12:52	0.042
12:53	0.044
12:54	0.041
12:55	0.043
12:56	0.043
12:57	0.043
12:58	0.043
12:59	0.043
13:00	0.043
13:01	0.042
13:02	0.043
13:03	0.043
13:04	0.043
13:05	0.042
13:06	0.042
13:07	0.042
13:08	0.041
13:09	0.041
13:10	0.053
13:11	0.065
13:12	0.049
13:13	0.072
13:14	0.048
13:15	0.042
13:16	0.038
13:17	0.039
13:18	0.038
13:19	0.036
13:20	0.035
13:21	0.038
13:22	0.035
13:23	0.037
13:24	0.035
13:25	0.031
13:26	0.039
13:27	0.03
13:28	0.028
13:29	0.032
13:30	0.026
13:31	0.025
13:32	0.031

13:33	0.028
13:34	0.028
13:35	0.027
13:36	0.029
13:37	0.026
13:38	0.027
13:39	0.027
13:40	0.026
13:41	0.027
13:42	0.027
13:43	0.028
13:44	0.027
13:45	0.027
13:46	0.028
13:47	0.028
13:48	0.029
13:49	0.029
13:50	0.027
13:51	0.027
13:52	0.029
13:53	0.029
13:54	0.027
13:55	0.027
13:56	0.028
13:57	0.029
13:58	0.027
13:59	0.027
14:00	0.028
14:01	0.029
14:02	0.03
14:03	0.029
14:04	0.028
14:05	0.029
14:06	0.028
14:07	0.024
14:08	0.025
14:09	0.028
14:10	0.029
14:11	0.029
14:12	0.028
14:13	0.029
14:14	0.029
14:15	0.03
14:16	0.029
14:17	0.029
14:18	0.03
14:19	0.03

14:20	0.03
14:21	0.03
14:22	0.029
14:23	0.029
14:24	0.028
14:25	0.027
14:26	0.028
14:27	0.029
14:28	0.03
14:29	0.029
14:30	0.029
14:31	0.028
14:32	0.029
14:33	0.029
14:34	0.031
14:35	0.028
14:36	0.03
14:37	0.068
14:38	0.054
14:39	0.033
14:40	0.044
14:41	0.031
14:42	0.033
14:43	0.034
14:44	0.03
14:45	0.033
14:46	0.033
14:47	0.03
14:48	0.031
14:49	0.036
14:50	0.034
14:51	0.033
14:52	0.039
14:53	0.032
14:54	0.031
14:55	0.03
14:56	0.032
14:57	0.034
14:58	0.031
14:59	0.031
15:00	0.032
15:01	0.031
15:02	0.033
15:03	0.032
15:04	0.031
15:05	0.031
15:06	0.031

15:07	0.032
15:08	0.03
15:09	0.029
15:10	0.029
15:11	0.029
15:12	0.03
15:13	0.029
15:14	0.028
15:15	0.029
15:16	0.029
15:17	0.029
15:18	0.028
15:19	0.028
15:20	0.029
15:21	0.028
15:22	0.028
15:23	0.029
15:24	0.028
15:25	0.029
15:26	0.029
15:27	0.03
15:28	0.029
15:29	0.029
15:30	0.03
15:31	0.03
15:32	0.031
15:33	0.03
15:34	0.03
15:35	0.03
15:36	0.031
15:37	0.03
15:38	0.031
15:39	0.031
15:40	0.032
15:41	0.033
15:42	0.033
15:43	0.032
15:44	0.032
15:45	0.032
15:46	0.032
15:47	0.034
15:48	0.034
15:49	0.034
15:50	0.034
15:51	0.035
15:52	0.035
15:53	0.035

15:54	0.035
15:55	0.037
15:56	0.038
15:57	0.039
15:58	0.037
15:59	0.036
16:00	0.036
16:01	0.036
16:02	0.035

Device Serial No	Log Date	Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-913341	1/23/2024	15:14	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:13	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:12	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:11	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:10	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:09	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:08	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:07	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:06	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:05	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:04	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:03	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	15:02	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:01	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	15:00	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:59	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:58	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:57	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:56	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:55	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:54	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:53	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:52	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:51	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:50	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:49	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:48	Readings	PID	SC23030312AA	Normal	0.3
592-913341	1/23/2024	14:47	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:46	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:45	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:44	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:43	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:42	Readings	PID	SC23030312AA	Normal	0.2
592-913341	1/23/2024	14:41	Readings	PID	SC23030312AA	Normal	0.2



























592-913341	1/23/2024	7:05 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	7:04 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	7:03 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	7:02 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	7:01 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	7:00 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	6:59 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	6:58 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	6:57 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	6:56 Readings	PID	SC23030312AA	Normal	0
592-913341	1/23/2024	6:55 CONFIG	PID	SC23030312AA		