



**DAILY STATUS REPORT**

**Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		S 7 mph

<b>IEC Project No:</b>	15977	<b>NYSDEC BCP Site No:</b>	C224350	<b>Date:</b>	02/7/24
<b>Project:</b>	318 Nevins Street, Brooklyn, NY				

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 16:30</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Marius Sidlauskas Capital (Contractor) WSP (Environmental oversight) – Tim Williams ECS (Dewatering) PAL Environmental (Tank Pump Out)</p> <p><b>Equipment On Site: Dustrack (3x), PID (3x), Pile Rig</b></p>
---	---

**Scope of Work:** Oversee excavation by Capital and continue to collect endpoint samples.

**Site Activities:**

- Deploy CAMP at the start of the workday;
- Fifteen (15) truckloads of approved stone delivered to the Site from Braen Stone to begin backfilling passed grids to raise the grade for test piles installation;
- Two (2) truckloads of approved gravel was delivered to the Site from Tilicon to begin backfilling of President’s Street ramp;
- One (1) truckload of material was loaded for off-Site disposal to Conestoga Facility;
- One (1) truckload of material was loaded for off-Site disposal Puresoil Jackson Facility;
- One (1) truckload of concrete was loaded for off-Site disposal to PPark Facility;
- Construction of truck wash/ramp on President’s Street, membrane layer placed followed by gravel;
- Backfilling and compaction of grid H7-L7;
- Gauging of all dewatering wells;
- ECS continues set up dewatering system, dewatering sumps in grid A5 and A6 activated and pumped into frac tank; and
- PAL pumps out all contents within Tank-11, the tank area is layered with poly and temporarily backfilled.

**Community Air Monitoring Program (CAMP) -** CAMP action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.012\_ mg/m<sup>3</sup> @ 09:00
- High Conditions (Upwind) – PID = \_0.8\_ ppm @ 11:19, Dust = \_0.119\_ mg/m<sup>3</sup> @ 09:20
- High Conditions (Downwind 1) – PID = \_0.6\_ ppm @ 08:29, Dust = \_0.135\_ mg/m<sup>3</sup> @ 07:06
- High Conditions (Downwind 2) – PID = \_0.3\_ ppm @ 13:52, Dust = \_0.030\_ mg/m<sup>3</sup> @ 13:17

**Notable Site Conditions:**

- Upwind troubleshooting, delayed dust unit start

**Planned Activities for the Next Day/Week:**

- Delineation of spill areas (above the water table);
- Further grid excavation (above the water table);
- Dewatering of spill area;
- Backfilling and compaction.

## Photo Log

318 Nevins Street, Brooklyn, NY



## Photo Log

**Photo 1 –**  
Representative photo of washing tires over the truck pad prior to exiting the Site.



**Photo 2 –**  
Representative photo of import material being unloaded.





**Photo 3 –**  
Representative  
photo of  
dewatering in  
grid A5.



**Photo 4 –**  
Representative  
photo of PAL  
pumping out  
Tank-11.





**Photo 5 –**

Representative photo of membrane layer and gravel stockpiled on presidents street ramp.



## **Alpha Numeric Grid Map**

318 Nevins Street, Brooklyn, NY





# IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


[www.impactenvironmental.com](http://www.impactenvironmental.com)



A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



Legend for Excavation Depths:


- = 1' Excavation
- = 2' Excavation



## Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND	
	PROPERTY LINE
	TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
	POTENTIAL OIL/WATER SEPARATOR IDENTIFIED DURING THE SEPTEMBER GPR SURVEY

**FIGURE 3:  
REMEDIAL INVESTIGATION  
SAMPLE LOCATION MAP**

318 Nevins Street Brooklyn, New York		Figure No: 03
PROJECT NO:	DATE:	
DRAWN BY:	DATE:	
CHECKED BY:	DATE:	
SCALE:	1" = 10'	
REVISION:		

**IMPACT ENVIRONMENTAL**

170 KEYLAND COURT  
BOHEMIA, NEW YORK 11716  
TEL (831) 289-8800  
FAX (831) 289-1599

**UPWIND Air Monitor**

318 Nevins Street, Brooklyn, NY





Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_013
Test Start Time	9:00:43 AM
Test Start Date	2/7/2024
Test Length [D:H:M]	0:06:08
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.003
Mass Minimum [mg/m3]	-0.005
Mass Maximum [mg/m3]	0.119
Mass TWA [mg/m3]	0.001
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	368

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
9:00:43 AM	0.012		
9:01:43 AM	0.003		
9:02:43 AM	0.003		
9:03:43 AM	0.001		
9:04:43 AM	0.001		
9:05:43 AM	0.003		
9:06:43 AM	0.001		
9:07:43 AM	0.001		
9:08:43 AM	0.001		
9:09:43 AM	0.009		
9:10:43 AM	0.005		
9:11:43 AM	0.031		
9:12:43 AM	0.042		
9:13:43 AM	0.031		
9:14:43 AM	0.014		
9:15:43 AM	0.017		
9:16:43 AM	0.028		
9:17:43 AM	0.015		
9:18:43 AM	0.023		
9:19:43 AM	0.105		
9:20:43 AM	0.119		
9:21:43 AM	0.052		
9:22:43 AM	0.016		
9:23:43 AM	0.009		

9:24:43 AM	0.005
9:25:43 AM	0.005
9:26:43 AM	0.011
9:27:43 AM	0.005
9:28:43 AM	0.002
9:29:43 AM	0.007
9:30:43 AM	0.013
9:31:43 AM	0.001
9:32:43 AM	0.002
9:33:43 AM	0.002
9:34:43 AM	0.001
9:35:43 AM	0.004
9:36:43 AM	0.003
9:37:43 AM	0.003
9:38:43 AM	0.004
9:39:43 AM	0.003
9:40:43 AM	0.003
9:41:43 AM	0.004
9:42:43 AM	0.003
9:43:43 AM	0.002
9:44:43 AM	0.001
9:45:43 AM	0.003
9:46:43 AM	0.002
9:47:43 AM	0.001
9:48:43 AM	0.002
9:49:43 AM	0.001
9:50:43 AM	0.001
9:51:43 AM	0.001
9:52:43 AM	0.001
9:53:43 AM	0.001
9:54:43 AM	0.001
9:55:43 AM	0.003
9:56:43 AM	0.002
9:57:43 AM	0.001
9:58:43 AM	0.002
9:59:43 AM	0.001
10:00:43 AM	0.001
10:01:43 AM	0.001
10:02:43 AM	0.001
10:03:43 AM	0.001
10:04:43 AM	0.001
10:05:43 AM	0.001
10:06:43 AM	0.003
10:07:43 AM	0.002

10:08:43 AM	0.001
10:09:43 AM	0.002
10:10:43 AM	0.001
10:11:43 AM	0.001
10:12:43 AM	0.001
10:13:43 AM	0.001
10:14:43 AM	0.001
10:15:43 AM	0.001
10:16:43 AM	0.001
10:17:43 AM	0.001
10:18:43 AM	0
10:19:43 AM	0.001
10:20:43 AM	0.001
10:21:43 AM	0
10:22:43 AM	0
10:23:43 AM	0.001
10:24:43 AM	0.002
10:25:43 AM	0.001
10:26:43 AM	0
10:27:43 AM	0
10:28:43 AM	0
10:29:43 AM	0.001
10:30:43 AM	0.002
10:31:43 AM	0.001
10:32:43 AM	0.002
10:33:43 AM	0.002
10:34:43 AM	0.001
10:35:43 AM	0.002
10:36:43 AM	0.001
10:37:43 AM	0.002
10:38:43 AM	0.002
10:39:43 AM	0.001
10:40:43 AM	0.002
10:41:43 AM	0.001
10:42:43 AM	0.002
10:43:43 AM	0.002
10:44:43 AM	0.001
10:45:43 AM	0.001
10:46:43 AM	0.002
10:47:43 AM	0.001
10:48:43 AM	0.002
10:49:43 AM	0.002
10:50:43 AM	0.001
10:51:43 AM	0



10:52:43 AM	0
10:53:43 AM	0
10:54:43 AM	0.002
10:55:43 AM	0.001
10:56:43 AM	0.002
10:57:43 AM	0.002
10:58:43 AM	0.001
10:59:43 AM	0.003
11:00:43 AM	0.001
11:01:43 AM	0.003
11:02:43 AM	0.002
11:03:43 AM	0.003
11:04:43 AM	0.001
11:05:43 AM	0.003
11:06:43 AM	0.001
11:07:43 AM	0.003
11:08:43 AM	0.002
11:09:43 AM	0.003
11:10:43 AM	0.003
11:11:43 AM	0.001
11:12:43 AM	0.003
11:13:43 AM	0.002
11:14:43 AM	0.003
11:15:43 AM	0.002
11:16:43 AM	0.001
11:17:43 AM	0.001
11:18:43 AM	0.002
11:19:43 AM	0.002
11:20:43 AM	0.001
11:21:43 AM	0
11:22:43 AM	0
11:23:43 AM	0
11:24:43 AM	0
11:25:43 AM	0
11:26:43 AM	0
11:27:43 AM	-0.001
11:28:43 AM	-0.001
11:29:43 AM	-0.001
11:30:43 AM	0
11:31:43 AM	-0.001
11:32:43 AM	-0.001
11:33:43 AM	-0.002
11:34:43 AM	-0.001
11:35:43 AM	-0.001

11:36:43 AM	-0.002
11:37:43 AM	0
11:38:43 AM	-0.001
11:39:43 AM	0
11:40:43 AM	-0.002
11:41:43 AM	-0.001
11:42:43 AM	-0.002
11:43:43 AM	-0.001
11:44:43 AM	-0.002
11:45:43 AM	-0.002
11:46:43 AM	-0.001
11:47:43 AM	-0.001
11:48:43 AM	-0.001
11:49:43 AM	-0.001
11:50:43 AM	-0.002
11:51:43 AM	-0.002
11:52:43 AM	-0.001
11:53:43 AM	-0.002
11:54:43 AM	-0.002
11:55:43 AM	-0.002
11:56:43 AM	-0.003
11:57:43 AM	-0.003
11:58:43 AM	-0.003
11:59:43 AM	-0.001
12:00:43 PM	0
12:01:43 PM	-0.003
12:02:43 PM	-0.003
12:03:43 PM	-0.001
12:04:43 PM	-0.004
12:05:43 PM	-0.003
12:06:43 PM	-0.003
12:07:43 PM	-0.003
12:08:43 PM	-0.004
12:09:43 PM	-0.003
12:10:43 PM	-0.003
12:11:43 PM	-0.003
12:12:43 PM	-0.002
12:13:43 PM	-0.003
12:14:43 PM	-0.004
12:15:43 PM	-0.004
12:16:43 PM	-0.003
12:17:43 PM	-0.001
12:18:43 PM	0
12:19:43 PM	-0.002

12:20:43 PM	-0.004
12:21:43 PM	-0.003
12:22:43 PM	-0.003
12:23:43 PM	-0.004
12:24:43 PM	-0.004
12:25:43 PM	-0.004
12:26:43 PM	-0.004
12:27:43 PM	-0.004
12:28:43 PM	-0.003
12:29:43 PM	-0.002
12:30:43 PM	-0.002
12:31:43 PM	-0.003
12:32:43 PM	-0.004
12:33:43 PM	-0.004
12:34:43 PM	-0.004
12:35:43 PM	-0.004
12:36:43 PM	-0.004
12:37:43 PM	-0.004
12:38:43 PM	-0.003
12:39:43 PM	-0.002
12:40:43 PM	-0.003
12:41:43 PM	-0.003
12:42:43 PM	-0.002
12:43:43 PM	-0.003
12:44:43 PM	-0.003
12:45:43 PM	-0.003
12:46:43 PM	-0.004
12:47:43 PM	-0.004
12:48:43 PM	-0.004
12:49:43 PM	-0.003
12:50:43 PM	-0.004
12:51:43 PM	-0.004
12:52:43 PM	-0.004
12:53:43 PM	-0.003
12:54:43 PM	-0.004
12:55:43 PM	-0.003
12:56:43 PM	-0.002
12:57:43 PM	-0.003
12:58:43 PM	-0.003
12:59:43 PM	-0.004
1:00:43 PM	-0.004
1:01:43 PM	-0.004
1:02:43 PM	-0.004
1:03:43 PM	-0.004



1:04:43 PM	-0.004
1:05:43 PM	-0.004
1:06:43 PM	-0.004
1:07:43 PM	-0.005
1:08:43 PM	-0.004
1:09:43 PM	-0.004
1:10:43 PM	-0.005
1:11:43 PM	-0.005
1:12:43 PM	-0.004
1:13:43 PM	-0.004
1:14:43 PM	0
1:15:43 PM	0
1:16:43 PM	-0.002
1:17:43 PM	-0.002
1:18:43 PM	-0.001
1:19:43 PM	-0.004
1:20:43 PM	-0.004
1:21:43 PM	-0.004
1:22:43 PM	-0.005
1:23:43 PM	-0.004
1:24:43 PM	-0.004
1:25:43 PM	-0.005
1:26:43 PM	-0.005
1:27:43 PM	-0.005
1:28:43 PM	-0.003
1:29:43 PM	-0.005
1:30:43 PM	-0.004
1:31:43 PM	-0.004
1:32:43 PM	-0.005
1:33:43 PM	-0.004
1:34:43 PM	-0.005
1:35:43 PM	-0.004
1:36:43 PM	-0.005
1:37:43 PM	-0.005
1:38:43 PM	-0.005
1:39:43 PM	-0.003
1:40:43 PM	-0.004
1:41:43 PM	-0.004
1:42:43 PM	-0.004
1:43:43 PM	-0.002
1:44:43 PM	-0.004
1:45:43 PM	0
1:46:43 PM	0.001
1:47:43 PM	-0.005

1:48:43 PM	-0.005
1:49:43 PM	-0.004
1:50:43 PM	-0.003
1:51:43 PM	-0.003
1:52:43 PM	-0.003
1:53:43 PM	-0.004
1:54:43 PM	-0.004
1:55:43 PM	-0.004
1:56:43 PM	-0.005
1:57:43 PM	-0.001
1:58:43 PM	-0.002
1:59:43 PM	-0.003
2:00:43 PM	-0.004
2:01:43 PM	-0.004
2:02:43 PM	-0.005
2:03:43 PM	-0.004
2:04:43 PM	-0.004
2:05:43 PM	-0.005
2:06:43 PM	-0.004
2:07:43 PM	-0.004
2:08:43 PM	-0.004
2:09:43 PM	-0.005
2:10:43 PM	-0.005
2:11:43 PM	-0.005
2:12:43 PM	-0.005
2:13:43 PM	-0.005
2:14:43 PM	-0.005
2:15:43 PM	-0.004
2:16:43 PM	-0.004
2:17:43 PM	-0.004
2:18:43 PM	-0.004
2:19:43 PM	-0.004
2:20:43 PM	-0.004
2:21:43 PM	-0.003
2:22:43 PM	-0.002
2:23:43 PM	-0.003
2:24:43 PM	-0.003
2:25:43 PM	-0.003
2:26:43 PM	-0.003
2:27:43 PM	-0.003
2:28:43 PM	-0.002
2:29:43 PM	-0.002
2:30:43 PM	-0.003
2:31:43 PM	-0.003

2:32:43 PM	-0.003
2:33:43 PM	-0.003
2:34:43 PM	-0.003
2:35:43 PM	-0.004
2:36:43 PM	-0.003
2:37:43 PM	-0.003
2:38:43 PM	-0.003
2:39:43 PM	-0.002
2:40:43 PM	-0.003
2:41:43 PM	-0.004
2:42:43 PM	-0.004
2:43:43 PM	-0.003
2:44:43 PM	-0.003
2:45:43 PM	-0.002
2:46:43 PM	-0.003
2:47:43 PM	-0.003
2:48:43 PM	-0.002
2:49:43 PM	-0.003
2:50:43 PM	-0.001
2:51:43 PM	-0.003
2:52:43 PM	-0.003
2:53:43 PM	-0.003
2:54:43 PM	-0.002
2:55:43 PM	-0.002
2:56:43 PM	-0.003
2:57:43 PM	-0.003
2:58:43 PM	-0.002
2:59:43 PM	-0.001
3:00:43 PM	-0.002
3:01:43 PM	-0.001
3:02:43 PM	-0.002
3:03:43 PM	-0.001
3:04:43 PM	-0.002
3:05:43 PM	0
3:06:43 PM	0.007
3:07:43 PM	0.007



Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/7/2024 17:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:12	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:11	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:10	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:09	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:08	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:07	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:06	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:05	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:04	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:03	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:02	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:01	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 17:00	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:57	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:55	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:54	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:52	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:44	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/7/2024 16:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:32	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:26	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:24	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:23	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:22	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:12	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:11	Readings	PID	SC23030449A8	Normal	0

592-600853	2/7/2024 16:10 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:09 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:08 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:07 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:06 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:05 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:04 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:03 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:02 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:01 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 16:00 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:59 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 15:57 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:56 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:55 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:54 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 15:38 Readings	PID	SC23030449A8	Normal	0







592-600853	2/7/2024 14:31	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:27	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:26	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:25	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:24	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:23	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:22	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:18	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:17	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:16	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:12	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:11	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:10	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:09	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:08	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:07	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:06	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:05	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:04	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:03	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:02	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:01	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 14:00	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:59	Readings	PID	SC23030449A8	Normal	0

592-600853	2/7/2024 13:58	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:57	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:56	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:55	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:54	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:53	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:52	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:51	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:50	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:49	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:48	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:47	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:46	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:44	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:43	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:39	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:37	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:36	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 13:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 13:26	Readings	PID	SC23030449A8	Normal	0.1









592-600853	2/7/2024 11:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/7/2024 11:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/7/2024 11:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/7/2024 11:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/7/2024 11:29	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/7/2024 11:28	Readings	PID	SC23030449A8	Normal	0.4
592-600853	2/7/2024 11:27	Readings	PID	SC23030449A8	Normal	0.4
592-600853	2/7/2024 11:26	Readings	PID	SC23030449A8	Normal	0.5
592-600853	2/7/2024 11:25	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/7/2024 11:24	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/7/2024 11:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/7/2024 11:22	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/7/2024 11:21	Readings	PID	SC23030449A8	Normal	0.5
592-600853	2/7/2024 11:20	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/7/2024 11:19	Readings	PID	SC23030449A8	Normal	0.8
592-600853	2/7/2024 11:18	Readings	PID	SC23030449A8	Normal	0.7
592-600853	2/7/2024 11:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 11:14	Readings	PID	SC23030449A8	Normal	0.1



592-600853	2/7/2024 10:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:36	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:33	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:27	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:18	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:17	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:16	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:12	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:11	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:09	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:08	Readings	PID	SC23030449A8	Normal	0

592-600853	2/7/2024 10:07	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/7/2024 10:05	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:04	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:03	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:02	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:01	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 10:00	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:59	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:58	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:57	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:56	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:55	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:54	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:53	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:52	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:51	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:50	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:48	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:47	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:46	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:44	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:43	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:39	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:35	Readings	PID	SC23030449A8	Normal	0



592-600853	2/7/2024 9:01 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:59 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/7/2024 8:37 CONFIG	PID	SC23030449A8		

**DOWNWIND Air Monitor**

318 Nevins Street, Brooklyn, NY





Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_012
Test Start Time	6:50:20 AM
Test Start Date	2/7/2024
Test Length [D:H:M]	0:08:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.135
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	510

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50:20 AM	0.105		
6:51:20 AM	0.012		
6:52:20 AM	0.011		
6:53:20 AM	0.011		
6:54:20 AM	0.01		
6:55:20 AM	0.01		
6:56:20 AM	0.01		
6:57:20 AM	0.011		
6:58:20 AM	0.012		
6:59:20 AM	0.011		
7:00:20 AM	0.011		
7:01:20 AM	0.014		
7:02:20 AM	0.023		
7:03:20 AM	0.011		
7:04:20 AM	0.011		
7:05:20 AM	0.011		
7:06:20 AM	0.135		
7:07:20 AM	0.016		
7:08:20 AM	0.011		
7:09:20 AM	0.012		
7:10:20 AM	0.013		
7:11:20 AM	0.012		
7:12:20 AM	0.027		
7:13:20 AM	0.014		

7:14:20 AM	0.013
7:15:20 AM	0.014
7:16:20 AM	0.012
7:17:20 AM	0.016
7:18:20 AM	0.012
7:19:20 AM	0.012
7:20:20 AM	0.012
7:21:20 AM	0.013
7:22:20 AM	0.014
7:23:20 AM	0.013
7:24:20 AM	0.012
7:25:20 AM	0.011
7:26:20 AM	0.011
7:27:20 AM	0.012
7:28:20 AM	0.014
7:29:20 AM	0.015
7:30:20 AM	0.012
7:31:20 AM	0.012
7:32:20 AM	0.012
7:33:20 AM	0.015
7:34:20 AM	0.016
7:35:20 AM	0.014
7:36:20 AM	0.013
7:37:20 AM	0.012
7:38:20 AM	0.013
7:39:20 AM	0.014
7:40:20 AM	0.012
7:41:20 AM	0.012
7:42:20 AM	0.012
7:43:20 AM	0.013
7:44:20 AM	0.012
7:45:20 AM	0.013
7:46:20 AM	0.013
7:47:20 AM	0.012
7:48:20 AM	0.013
7:49:20 AM	0.014
7:50:20 AM	0.013
7:51:20 AM	0.012
7:52:20 AM	0.013
7:53:20 AM	0.019
7:54:20 AM	0.015
7:55:20 AM	0.013
7:56:20 AM	0.013
7:57:20 AM	0.012

7:58:20 AM	0.013
7:59:20 AM	0.012
8:00:20 AM	0.012
8:01:20 AM	0.012
8:02:20 AM	0.014
8:03:20 AM	0.016
8:04:20 AM	0.016
8:05:20 AM	0.018
8:06:20 AM	0.02
8:07:20 AM	0.013
8:08:20 AM	0.014
8:09:20 AM	0.015
8:10:20 AM	0.015
8:11:20 AM	0.016
8:12:20 AM	0.014
8:13:20 AM	0.013
8:14:20 AM	0.013
8:15:20 AM	0.014
8:16:20 AM	0.012
8:17:20 AM	0.012
8:18:20 AM	0.012
8:19:20 AM	0.012
8:20:20 AM	0.013
8:21:20 AM	0.015
8:22:20 AM	0.013
8:23:20 AM	0.011
8:24:20 AM	0.011
8:25:20 AM	0.014
8:26:20 AM	0.017
8:27:20 AM	0.016
8:28:20 AM	0.015
8:29:20 AM	0.012
8:30:20 AM	0.013
8:31:20 AM	0.016
8:32:20 AM	0.014
8:33:20 AM	0.014
8:34:20 AM	0.015
8:35:20 AM	0.02
8:36:20 AM	0.021
8:37:20 AM	0.016
8:38:20 AM	0.016
8:39:20 AM	0.015
8:40:20 AM	0.015
8:41:20 AM	0.016

8:42:20 AM	0.015
8:43:20 AM	0.016
8:44:20 AM	0.015
8:45:20 AM	0.015
8:46:20 AM	0.017
8:47:20 AM	0.018
8:48:20 AM	0.016
8:49:20 AM	0.014
8:50:20 AM	0.011
8:51:20 AM	0.011
8:52:20 AM	0.011
8:53:20 AM	0.011
8:54:20 AM	0.01
8:55:20 AM	0.013
8:56:20 AM	0.013
8:57:20 AM	0.014
8:58:20 AM	0.015
8:59:20 AM	0.016
9:00:20 AM	0.014
9:01:20 AM	0.015
9:02:20 AM	0.015
9:03:20 AM	0.012
9:04:20 AM	0.014
9:05:20 AM	0.013
9:06:20 AM	0.011
9:07:20 AM	0.012
9:08:20 AM	0.016
9:09:20 AM	0.015
9:10:20 AM	0.011
9:11:20 AM	0.012
9:12:20 AM	0.014
9:13:20 AM	0.012
9:14:20 AM	0.012
9:15:20 AM	0.01
9:16:20 AM	0.015
9:17:20 AM	0.012
9:18:20 AM	0.011
9:19:20 AM	0.011
9:20:20 AM	0.011
9:21:20 AM	0.013
9:22:20 AM	0.009
9:23:20 AM	0.009
9:24:20 AM	0.009
9:25:20 AM	0.009

9:26:20 AM	0.009
9:27:20 AM	0.01
9:28:20 AM	0.011
9:29:20 AM	0.012
9:30:20 AM	0.012
9:31:20 AM	0.01
9:32:20 AM	0.01
9:33:20 AM	0.01
9:34:20 AM	0.01
9:35:20 AM	0.009
9:36:20 AM	0.009
9:37:20 AM	0.009
9:38:20 AM	0.012
9:39:20 AM	0.011
9:40:20 AM	0.01
9:41:20 AM	0.01
9:42:20 AM	0.012
9:43:20 AM	0.011
9:44:20 AM	0.012
9:45:20 AM	0.012
9:46:20 AM	0.015
9:47:20 AM	0.011
9:48:20 AM	0.017
9:49:20 AM	0.011
9:50:20 AM	0.011
9:51:20 AM	0.014
9:52:20 AM	0.018
9:53:20 AM	0.014
9:54:20 AM	0.013
9:55:20 AM	0.015
9:56:20 AM	0.015
9:57:20 AM	0.017
9:58:20 AM	0.018
9:59:20 AM	0.016
10:00:20 AM	0.015
10:01:20 AM	0.014
10:02:20 AM	0.015
10:03:20 AM	0.014
10:04:20 AM	0.014
10:05:20 AM	0.016
10:06:20 AM	0.015
10:07:20 AM	0.015
10:08:20 AM	0.015
10:09:20 AM	0.016

10:10:20 AM	0.016
10:11:20 AM	0.014
10:12:20 AM	0.014
10:13:20 AM	0.015
10:14:20 AM	0.015
10:15:20 AM	0.014
10:16:20 AM	0.012
10:17:20 AM	0.014
10:18:20 AM	0.015
10:19:20 AM	0.013
10:20:20 AM	0.013
10:21:20 AM	0.013
10:22:20 AM	0.014
10:23:20 AM	0.013
10:24:20 AM	0.014
10:25:20 AM	0.014
10:26:20 AM	0.014
10:27:20 AM	0.016
10:28:20 AM	0.012
10:29:20 AM	0.012
10:30:20 AM	0.013
10:31:20 AM	0.013
10:32:20 AM	0.014
10:33:20 AM	0.013
10:34:20 AM	0.012
10:35:20 AM	0.012
10:36:20 AM	0.013
10:37:20 AM	0.01
10:38:20 AM	0.01
10:39:20 AM	0.01
10:40:20 AM	0.012
10:41:20 AM	0.016
10:42:20 AM	0.014
10:43:20 AM	0.012
10:44:20 AM	0.012
10:45:20 AM	0.012
10:46:20 AM	0.017
10:47:20 AM	0.014
10:48:20 AM	0.011
10:49:20 AM	0.012
10:50:20 AM	0.012
10:51:20 AM	0.014
10:52:20 AM	0.013
10:53:20 AM	0.013

10:54:20 AM	0.013
10:55:20 AM	0.023
10:56:20 AM	0.017
10:57:20 AM	0.025
10:58:20 AM	0.013
10:59:20 AM	0.011
11:00:20 AM	0.01
11:01:20 AM	0.01
11:02:20 AM	0.011
11:03:20 AM	0.021
11:04:20 AM	0.013
11:05:20 AM	0.013
11:06:20 AM	0.016
11:07:20 AM	0.013
11:08:20 AM	0.016
11:09:20 AM	0.066
11:10:20 AM	0.014
11:11:20 AM	0.015
11:12:20 AM	0.015
11:13:20 AM	0.015
11:14:20 AM	0.012
11:15:20 AM	0.022
11:16:20 AM	0.025
11:17:20 AM	0.037
11:18:20 AM	0.016
11:19:20 AM	0.014
11:20:20 AM	0.019
11:21:20 AM	0.036
11:22:20 AM	0.025
11:23:20 AM	0.016
11:24:20 AM	0.013
11:25:20 AM	0.016
11:26:20 AM	0.017
11:27:20 AM	0.023
11:28:20 AM	0.033
11:29:20 AM	0.03
11:30:20 AM	0.014
11:31:20 AM	0.015
11:32:20 AM	0.014
11:33:20 AM	0.014
11:34:20 AM	0.015
11:35:20 AM	0.015
11:36:20 AM	0.015
11:37:20 AM	0.015



11:38:20 AM	0.015
11:39:20 AM	0.016
11:40:20 AM	0.019
11:41:20 AM	0.019
11:42:20 AM	0.018
11:43:20 AM	0.023
11:44:20 AM	0.026
11:45:20 AM	0.019
11:46:20 AM	0.018
11:47:20 AM	0.023
11:48:20 AM	0.019
11:49:20 AM	0.017
11:50:20 AM	0.019
11:51:20 AM	0.021
11:52:20 AM	0.019
11:53:20 AM	0.025
11:54:20 AM	0.017
11:55:20 AM	0.014
11:56:20 AM	0.014
11:57:20 AM	0.016
11:58:20 AM	0.019
11:59:20 AM	0.015
12:00:20 PM	0.011
12:01:20 PM	0.01
12:02:20 PM	0.013
12:03:20 PM	0.029
12:04:20 PM	0.02
12:05:20 PM	0.012
12:06:20 PM	0.011
12:07:20 PM	0.011
12:08:20 PM	0.01
12:09:20 PM	0.01
12:10:20 PM	0.01
12:11:20 PM	0.012
12:12:20 PM	0.014
12:13:20 PM	0.012
12:14:20 PM	0.01
12:15:20 PM	0.01
12:16:20 PM	0.011
12:17:20 PM	0.017
12:18:20 PM	0.02
12:19:20 PM	0.013
12:20:20 PM	0.01
12:21:20 PM	0.012

12:22:20 PM	0.01
12:23:20 PM	0.012
12:24:20 PM	0.009
12:25:20 PM	0.009
12:26:20 PM	0.01
12:27:20 PM	0.011
12:28:20 PM	0.009
12:29:20 PM	0.009
12:30:20 PM	0.009
12:31:20 PM	0.009
12:32:20 PM	0.015
12:33:20 PM	0.016
12:34:20 PM	0.017
12:35:20 PM	0.037
12:36:20 PM	0.037
12:37:20 PM	0.014
12:38:20 PM	0.014
12:39:20 PM	0.013
12:40:20 PM	0.012
12:41:20 PM	0.009
12:42:20 PM	0.032
12:43:20 PM	0.015
12:44:20 PM	0.038
12:45:20 PM	0.012
12:46:20 PM	0.008
12:47:20 PM	0.015
12:48:20 PM	0.016
12:49:20 PM	0.02
12:50:20 PM	0.02
12:51:20 PM	0.023
12:52:20 PM	0.014
12:53:20 PM	0.011
12:54:20 PM	0.014
12:55:20 PM	0.014
12:56:20 PM	0.014
12:57:20 PM	0.01
12:58:20 PM	0.009
12:59:20 PM	0.009
1:00:20 PM	0.009
1:01:20 PM	0.009
1:02:20 PM	0.019
1:03:20 PM	0.016
1:04:20 PM	0.015
1:05:20 PM	0.008

1:06:20 PM	0.008
1:07:20 PM	0.009
1:08:20 PM	0.01
1:09:20 PM	0.013
1:10:20 PM	0.014
1:11:20 PM	0.012
1:12:20 PM	0.009
1:13:20 PM	0.009
1:14:20 PM	0.01
1:15:20 PM	0.009
1:16:20 PM	0.008
1:17:20 PM	0.009
1:18:20 PM	0.009
1:19:20 PM	0.01
1:20:20 PM	0.008
1:21:20 PM	0.021
1:22:20 PM	0.014
1:23:20 PM	0.009
1:24:20 PM	0.014
1:25:20 PM	0.017
1:26:20 PM	0.014
1:27:20 PM	0.009
1:28:20 PM	0.009
1:29:20 PM	0.009
1:30:20 PM	0.008
1:31:20 PM	0.008
1:32:20 PM	0.008
1:33:20 PM	0.007
1:34:20 PM	0.008
1:35:20 PM	0.008
1:36:20 PM	0.008
1:37:20 PM	0.01
1:38:20 PM	0.008
1:39:20 PM	0.007
1:40:20 PM	0.01
1:41:20 PM	0.008
1:42:20 PM	0.007
1:43:20 PM	0.007
1:44:20 PM	0.007
1:45:20 PM	0.01
1:46:20 PM	0.009
1:47:20 PM	0.008
1:48:20 PM	0.009
1:49:20 PM	0.008

1:50:20 PM	0.009
1:51:20 PM	0.009
1:52:20 PM	0.008
1:53:20 PM	0.008
1:54:20 PM	0.007
1:55:20 PM	0.007
1:56:20 PM	0.014
1:57:20 PM	0.014
1:58:20 PM	0.008
1:59:20 PM	0.007
2:00:20 PM	0.007
2:01:20 PM	0.012
2:02:20 PM	0.009
2:03:20 PM	0.009
2:04:20 PM	0.009
2:05:20 PM	0.007
2:06:20 PM	0.007
2:07:20 PM	0.007
2:08:20 PM	0.011
2:09:20 PM	0.008
2:10:20 PM	0.01
2:11:20 PM	0.01
2:12:20 PM	0.013
2:13:20 PM	0.007
2:14:20 PM	0.008
2:15:20 PM	0.007
2:16:20 PM	0.008
2:17:20 PM	0.008
2:18:20 PM	0.007
2:19:20 PM	0.007
2:20:20 PM	0.006
2:21:20 PM	0.011
2:22:20 PM	0.011
2:23:20 PM	0.009
2:24:20 PM	0.008
2:25:20 PM	0.014
2:26:20 PM	0.018
2:27:20 PM	0.02
2:28:20 PM	0.014
2:29:20 PM	0.011
2:30:20 PM	0.008
2:31:20 PM	0.012
2:32:20 PM	0.015
2:33:20 PM	0.012

2:34:20 PM	0.011
2:35:20 PM	0.01
2:36:20 PM	0.014
2:37:20 PM	0.011
2:38:20 PM	0.01
2:39:20 PM	0.01
2:40:20 PM	0.008
2:41:20 PM	0.008
2:42:20 PM	0.01
2:43:20 PM	0.008
2:44:20 PM	0.008
2:45:20 PM	0.03
2:46:20 PM	0.014
2:47:20 PM	0.012
2:48:20 PM	0.015
2:49:20 PM	0.017
2:50:20 PM	0.012
2:51:20 PM	0.011
2:52:20 PM	0.01
2:53:20 PM	0.009
2:54:20 PM	0.008
2:55:20 PM	0.008
2:56:20 PM	0.01
2:57:20 PM	0.009
2:58:20 PM	0.012
2:59:20 PM	0.012
3:00:20 PM	0.011
3:01:20 PM	0.01
3:02:20 PM	0.012
3:03:20 PM	0.016
3:04:20 PM	0.01
3:05:20 PM	0.01
3:06:20 PM	0.008
3:07:20 PM	0.008
3:08:20 PM	0.009
3:09:20 PM	0.015
3:10:20 PM	0.019
3:11:20 PM	0.017
3:12:20 PM	0.023
3:13:20 PM	0.014
3:14:20 PM	0.012
3:15:20 PM	0.01
3:16:20 PM	0.008
3:17:20 PM	0.01

3:18:20 PM	0.009
3:19:20 PM	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/7/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:16	Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 16:15	Readings	PID	SC23030140W3	Normal	0











592-000289	2/7/2024 14:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 14:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 14:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 13:30 Readings	PID	SC23030140W3	Normal	0















592-000289	2/7/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 9:39 Readings	PID	SC23030140W3	Normal	0





592-000289	2/7/2024 8:32 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/7/2024 8:31 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/7/2024 8:30 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/7/2024 8:29 Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/7/2024 8:28 Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/7/2024 8:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/7/2024 8:06 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_013
Test Start Time	6:47:37 AM
Test Start Date	2/7/2024
Test Length [D:H:M]	0:08:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.011
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.03
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	512

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:47:37 AM	0.014		
6:48:37 AM	0.008		
6:49:37 AM	0.008		
6:50:37 AM	0.008		
6:51:37 AM	0.008		
6:52:37 AM	0.008		
6:53:37 AM	0.008		
6:54:37 AM	0.008		
6:55:37 AM	0.007		
6:56:37 AM	0.008		
6:57:37 AM	0.009		
6:58:37 AM	0.011		
6:59:37 AM	0.008		
7:00:37 AM	0.008		
7:01:37 AM	0.008		
7:02:37 AM	0.009		
7:03:37 AM	0.009		
7:04:37 AM	0.009		
7:05:37 AM	0.009		
7:06:37 AM	0.01		
7:07:37 AM	0.01		
7:08:37 AM	0.012		
7:09:37 AM	0.012		
7:10:37 AM	0.009		

7:11:37 AM	0.01
7:12:37 AM	0.009
7:13:37 AM	0.008
7:14:37 AM	0.009
7:15:37 AM	0.009
7:16:37 AM	0.009
7:17:37 AM	0.01
7:18:37 AM	0.01
7:19:37 AM	0.009
7:20:37 AM	0.009
7:21:37 AM	0.009
7:22:37 AM	0.009
7:23:37 AM	0.01
7:24:37 AM	0.01
7:25:37 AM	0.01
7:26:37 AM	0.01
7:27:37 AM	0.01
7:28:37 AM	0.009
7:29:37 AM	0.01
7:30:37 AM	0.011
7:31:37 AM	0.011
7:32:37 AM	0.01
7:33:37 AM	0.01
7:34:37 AM	0.01
7:35:37 AM	0.011
7:36:37 AM	0.01
7:37:37 AM	0.01
7:38:37 AM	0.009
7:39:37 AM	0.01
7:40:37 AM	0.01
7:41:37 AM	0.011
7:42:37 AM	0.01
7:43:37 AM	0.01
7:44:37 AM	0.011
7:45:37 AM	0.011
7:46:37 AM	0.011
7:47:37 AM	0.01
7:48:37 AM	0.011
7:49:37 AM	0.029
7:50:37 AM	0.012
7:51:37 AM	0.011
7:52:37 AM	0.011
7:53:37 AM	0.01
7:54:37 AM	0.011



7:55:37 AM	0.01
7:56:37 AM	0.01
7:57:37 AM	0.011
7:58:37 AM	0.011
7:59:37 AM	0.014
8:00:37 AM	0.012
8:01:37 AM	0.013
8:02:37 AM	0.013
8:03:37 AM	0.011
8:04:37 AM	0.012
8:05:37 AM	0.013
8:06:37 AM	0.011
8:07:37 AM	0.011
8:08:37 AM	0.011
8:09:37 AM	0.011
8:10:37 AM	0.011
8:11:37 AM	0.011
8:12:37 AM	0.01
8:13:37 AM	0.01
8:14:37 AM	0.01
8:15:37 AM	0.01
8:16:37 AM	0.01
8:17:37 AM	0.01
8:18:37 AM	0.01
8:19:37 AM	0.009
8:20:37 AM	0.011
8:21:37 AM	0.011
8:22:37 AM	0.012
8:23:37 AM	0.011
8:24:37 AM	0.014
8:25:37 AM	0.01
8:26:37 AM	0.01
8:27:37 AM	0.011
8:28:37 AM	0.012
8:29:37 AM	0.011
8:30:37 AM	0.011
8:31:37 AM	0.013
8:32:37 AM	0.013
8:33:37 AM	0.013
8:34:37 AM	0.013
8:35:37 AM	0.012
8:36:37 AM	0.011
8:37:37 AM	0.012
8:38:37 AM	0.011

8:39:37 AM	0.011
8:40:37 AM	0.01
8:41:37 AM	0.01
8:42:37 AM	0.01
8:43:37 AM	0.012
8:44:37 AM	0.011
8:45:37 AM	0.009
8:46:37 AM	0.01
8:47:37 AM	0.009
8:48:37 AM	0.009
8:49:37 AM	0.009
8:50:37 AM	0.009
8:51:37 AM	0.009
8:52:37 AM	0.01
8:53:37 AM	0.011
8:54:37 AM	0.011
8:55:37 AM	0.01
8:56:37 AM	0.01
8:57:37 AM	0.011
8:58:37 AM	0.01
8:59:37 AM	0.009
9:00:37 AM	0.01
9:01:37 AM	0.01
9:02:37 AM	0.009
9:03:37 AM	0.01
9:04:37 AM	0.012
9:05:37 AM	0.011
9:06:37 AM	0.009
9:07:37 AM	0.009
9:08:37 AM	0.01
9:09:37 AM	0.01
9:10:37 AM	0.01
9:11:37 AM	0.009
9:12:37 AM	0.009
9:13:37 AM	0.01
9:14:37 AM	0.009
9:15:37 AM	0.009
9:16:37 AM	0.008
9:17:37 AM	0.009
9:18:37 AM	0.008
9:19:37 AM	0.008
9:20:37 AM	0.008
9:21:37 AM	0.008
9:22:37 AM	0.008

9:23:37 AM	0.008
9:24:37 AM	0.009
9:25:37 AM	0.009
9:26:37 AM	0.009
9:27:37 AM	0.008
9:28:37 AM	0.008
9:29:37 AM	0.008
9:30:37 AM	0.008
9:31:37 AM	0.007
9:32:37 AM	0.008
9:33:37 AM	0.008
9:34:37 AM	0.008
9:35:37 AM	0.008
9:36:37 AM	0.008
9:37:37 AM	0.008
9:38:37 AM	0.008
9:39:37 AM	0.009
9:40:37 AM	0.008
9:41:37 AM	0.008
9:42:37 AM	0.009
9:43:37 AM	0.009
9:44:37 AM	0.009
9:45:37 AM	0.01
9:46:37 AM	0.01
9:47:37 AM	0.01
9:48:37 AM	0.012
9:49:37 AM	0.01
9:50:37 AM	0.011
9:51:37 AM	0.011
9:52:37 AM	0.011
9:53:37 AM	0.012
9:54:37 AM	0.012
9:55:37 AM	0.012
9:56:37 AM	0.012
9:57:37 AM	0.011
9:58:37 AM	0.011
9:59:37 AM	0.01
10:00:37 AM	0.011
10:01:37 AM	0.012
10:02:37 AM	0.011
10:03:37 AM	0.011
10:04:37 AM	0.012
10:05:37 AM	0.012
10:06:37 AM	0.012

10:07:37 AM	0.011
10:08:37 AM	0.011
10:09:37 AM	0.012
10:10:37 AM	0.011
10:11:37 AM	0.011
10:12:37 AM	0.01
10:13:37 AM	0.01
10:14:37 AM	0.012
10:15:37 AM	0.011
10:16:37 AM	0.01
10:17:37 AM	0.011
10:18:37 AM	0.011
10:19:37 AM	0.011
10:20:37 AM	0.011
10:21:37 AM	0.011
10:22:37 AM	0.013
10:23:37 AM	0.014
10:24:37 AM	0.009
10:25:37 AM	0.01
10:26:37 AM	0.011
10:27:37 AM	0.01
10:28:37 AM	0.011
10:29:37 AM	0.01
10:30:37 AM	0.01
10:31:37 AM	0.01
10:32:37 AM	0.01
10:33:37 AM	0.009
10:34:37 AM	0.009
10:35:37 AM	0.008
10:36:37 AM	0.01
10:37:37 AM	0.02
10:38:37 AM	0.011
10:39:37 AM	0.01
10:40:37 AM	0.01
10:41:37 AM	0.009
10:42:37 AM	0.01
10:43:37 AM	0.011
10:44:37 AM	0.01
10:45:37 AM	0.01
10:46:37 AM	0.01
10:47:37 AM	0.01
10:48:37 AM	0.012
10:49:37 AM	0.011
10:50:37 AM	0.012

10:51:37 AM	0.012
10:52:37 AM	0.024
10:53:37 AM	0.016
10:54:37 AM	0.011
10:55:37 AM	0.01
10:56:37 AM	0.009
10:57:37 AM	0.009
10:58:37 AM	0.01
10:59:37 AM	0.011
11:00:37 AM	0.011
11:01:37 AM	0.01
11:02:37 AM	0.01
11:03:37 AM	0.01
11:04:37 AM	0.01
11:05:37 AM	0.021
11:06:37 AM	0.012
11:07:37 AM	0.012
11:08:37 AM	0.016
11:09:37 AM	0.013
11:10:37 AM	0.015
11:11:37 AM	0.016
11:12:37 AM	0.015
11:13:37 AM	0.014
11:14:37 AM	0.013
11:15:37 AM	0.012
11:16:37 AM	0.019
11:17:37 AM	0.02
11:18:37 AM	0.02
11:19:37 AM	0.013
11:20:37 AM	0.011
11:21:37 AM	0.013
11:22:37 AM	0.014
11:23:37 AM	0.022
11:24:37 AM	0.028
11:25:37 AM	0.02
11:26:37 AM	0.013
11:27:37 AM	0.013
11:28:37 AM	0.013
11:29:37 AM	0.012
11:30:37 AM	0.013
11:31:37 AM	0.012
11:32:37 AM	0.013
11:33:37 AM	0.013
11:34:37 AM	0.014

11:35:37 AM	0.014
11:36:37 AM	0.02
11:37:37 AM	0.019
11:38:37 AM	0.016
11:39:37 AM	0.021
11:40:37 AM	0.023
11:41:37 AM	0.015
11:42:37 AM	0.017
11:43:37 AM	0.026
11:44:37 AM	0.019
11:45:37 AM	0.014
11:46:37 AM	0.017
11:47:37 AM	0.018
11:48:37 AM	0.017
11:49:37 AM	0.023
11:50:37 AM	0.016
11:51:37 AM	0.013
11:52:37 AM	0.015
11:53:37 AM	0.016
11:54:37 AM	0.017
11:55:37 AM	0.016
11:56:37 AM	0.01
11:57:37 AM	0.01
11:58:37 AM	0.011
11:59:37 AM	0.022
12:00:37 PM	0.014
12:01:37 PM	0.011
12:02:37 PM	0.011
12:03:37 PM	0.01
12:04:37 PM	0.011
12:05:37 PM	0.01
12:06:37 PM	0.011
12:07:37 PM	0.012
12:08:37 PM	0.011
12:09:37 PM	0.012
12:10:37 PM	0.01
12:11:37 PM	0.009
12:12:37 PM	0.012
12:13:37 PM	0.016
12:14:37 PM	0.02
12:15:37 PM	0.012
12:16:37 PM	0.01
12:17:37 PM	0.012
12:18:37 PM	0.01

12:19:37 PM	0.009
12:20:37 PM	0.009
12:21:37 PM	0.009
12:22:37 PM	0.009
12:23:37 PM	0.009
12:24:37 PM	0.009
12:25:37 PM	0.009
12:26:37 PM	0.009
12:27:37 PM	0.01
12:28:37 PM	0.019
12:29:37 PM	0.018
12:30:37 PM	0.012
12:31:37 PM	0.016
12:32:37 PM	0.016
12:33:37 PM	0.011
12:34:37 PM	0.011
12:35:37 PM	0.009
12:36:37 PM	0.011
12:37:37 PM	0.011
12:38:37 PM	0.01
12:39:37 PM	0.011
12:40:37 PM	0.014
12:41:37 PM	0.009
12:42:37 PM	0.009
12:43:37 PM	0.016
12:44:37 PM	0.012
12:45:37 PM	0.01
12:46:37 PM	0.017
12:47:37 PM	0.016
12:48:37 PM	0.012
12:49:37 PM	0.013
12:50:37 PM	0.01
12:51:37 PM	0.011
12:52:37 PM	0.01
12:53:37 PM	0.009
12:54:37 PM	0.008
12:55:37 PM	0.009
12:56:37 PM	0.009
12:57:37 PM	0.022
12:58:37 PM	0.023
12:59:37 PM	0.013
1:00:37 PM	0.009
1:01:37 PM	0.008
1:02:37 PM	0.008

1:03:37 PM	0.018
1:04:37 PM	0.013
1:05:37 PM	0.01
1:06:37 PM	0.016
1:07:37 PM	0.011
1:08:37 PM	0.009
1:09:37 PM	0.009
1:10:37 PM	0.01
1:11:37 PM	0.009
1:12:37 PM	0.009
1:13:37 PM	0.01
1:14:37 PM	0.01
1:15:37 PM	0.01
1:16:37 PM	0.008
1:17:37 PM	0.03
1:18:37 PM	0.009
1:19:37 PM	0.009
1:20:37 PM	0.028
1:21:37 PM	0.018
1:22:37 PM	0.011
1:23:37 PM	0.009
1:24:37 PM	0.009
1:25:37 PM	0.009
1:26:37 PM	0.008
1:27:37 PM	0.008
1:28:37 PM	0.008
1:29:37 PM	0.008
1:30:37 PM	0.008
1:31:37 PM	0.008
1:32:37 PM	0.008
1:33:37 PM	0.008
1:34:37 PM	0.008
1:35:37 PM	0.007
1:36:37 PM	0.009
1:37:37 PM	0.008
1:38:37 PM	0.007
1:39:37 PM	0.007
1:40:37 PM	0.007
1:41:37 PM	0.008
1:42:37 PM	0.008
1:43:37 PM	0.007
1:44:37 PM	0.007
1:45:37 PM	0.007
1:46:37 PM	0.007



1:47:37 PM	0.008
1:48:37 PM	0.008
1:49:37 PM	0.008
1:50:37 PM	0.007
1:51:37 PM	0.007
1:52:37 PM	0.022
1:53:37 PM	0.013
1:54:37 PM	0.007
1:55:37 PM	0.007
1:56:37 PM	0.007
1:57:37 PM	0.008
1:58:37 PM	0.009
1:59:37 PM	0.009
2:00:37 PM	0.008
2:01:37 PM	0.007
2:02:37 PM	0.007
2:03:37 PM	0.008
2:04:37 PM	0.01
2:05:37 PM	0.008
2:06:37 PM	0.008
2:07:37 PM	0.009
2:08:37 PM	0.008
2:09:37 PM	0.007
2:10:37 PM	0.007
2:11:37 PM	0.007
2:12:37 PM	0.007
2:13:37 PM	0.007
2:14:37 PM	0.007
2:15:37 PM	0.007
2:16:37 PM	0.006
2:17:37 PM	0.01
2:18:37 PM	0.01
2:19:37 PM	0.009
2:20:37 PM	0.007
2:21:37 PM	0.017
2:22:37 PM	0.027
2:23:37 PM	0.024
2:24:37 PM	0.014
2:25:37 PM	0.008
2:26:37 PM	0.008
2:27:37 PM	0.02
2:28:37 PM	0.013
2:29:37 PM	0.019
2:30:37 PM	0.013

2:31:37 PM	0.02
2:32:37 PM	0.012
2:33:37 PM	0.009
2:34:37 PM	0.01
2:35:37 PM	0.008
2:36:37 PM	0.007
2:37:37 PM	0.008
2:38:37 PM	0.011
2:39:37 PM	0.01
2:40:37 PM	0.018
2:41:37 PM	0.027
2:42:37 PM	0.014
2:43:37 PM	0.011
2:44:37 PM	0.019
2:45:37 PM	0.017
2:46:37 PM	0.01
2:47:37 PM	0.008
2:48:37 PM	0.008
2:49:37 PM	0.008
2:50:37 PM	0.007
2:51:37 PM	0.007
2:52:37 PM	0.009
2:53:37 PM	0.008
2:54:37 PM	0.011
2:55:37 PM	0.015
2:56:37 PM	0.011
2:57:37 PM	0.011
2:58:37 PM	0.012
2:59:37 PM	0.015
3:00:37 PM	0.01
3:01:37 PM	0.008
3:02:37 PM	0.008
3:03:37 PM	0.009
3:04:37 PM	0.008
3:05:37 PM	0.02
3:06:37 PM	0.02
3:07:37 PM	0.017
3:08:37 PM	0.017
3:09:37 PM	0.013
3:10:37 PM	0.012
3:11:37 PM	0.009
3:12:37 PM	0.007
3:13:37 PM	0.008
3:14:37 PM	0.008

3:15:37 PM	0.008
3:16:37 PM	0.008
3:17:37 PM	0.008
3:18:37 PM	0.007

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	2/7/2024 16:39	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:38	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:34	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:33	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:32	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:31	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:26	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:25	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:24	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:23	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:22	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:21	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:20	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:19	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:18	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:17	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:16	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:15	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:14	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:13	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:12	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:11	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:10	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:09	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:08	Readings	PID	SC23030602B4	Normal	0.2

592-602176	2/7/2024 16:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:06 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:05 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 16:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 16:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:35 Readings	PID	SC23030602B4	Normal	0.3

592-602176	2/7/2024 15:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:29 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:26 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:23 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 15:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:02 Readings	PID	SC23030602B4	Normal	0.2

592-602176	2/7/2024 15:01	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 15:00	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:59	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:58	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:57	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:56	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:55	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:54	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:53	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:52	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:51	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:50	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:49	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:48	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:47	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:46	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:45	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:44	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:42	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:41	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:40	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:39	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:35	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:34	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:33	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:32	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:31	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:30	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:29	Readings	PID	SC23030602B4	Normal	0.3

592-602176	2/7/2024 14:28	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:26	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:25	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:24	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:23	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:22	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:21	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:20	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:19	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:18	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:17	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:16	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:15	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:14	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:13	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:12	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:11	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:10	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 14:09	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:08	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:07	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:06	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:05	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:04	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:03	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:02	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:01	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 14:00	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/7/2024 13:59	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 13:58	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 13:57	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 13:56	Readings	PID	SC23030602B4	Normal	0.2











592-602176	2/7/2024 11:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:41	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:40	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:39	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:34	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:32	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:29	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:27	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:26	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:25	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:23	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:22	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:21	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:19	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:18	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 11:17	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:16	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:15	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:14	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:13	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:12	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/7/2024 11:11	Readings	PID	SC23030602B4	Normal	0.1









592-602176	2/7/2024 9:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:29	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:28	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:27	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:26	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:25	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:23	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:22	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:21	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:19	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:18	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:17	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:16	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:15	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:14	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:13	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:12	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:11	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:10	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:09	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:08	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:07	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:06	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:05	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:04	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:03	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:02	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 9:01	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 9:00	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:59	Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/7/2024 8:58	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:57	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:56	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:55	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:54	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:53	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:52	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:51	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:50	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:49	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:48	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:47	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:46	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:45	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:44	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:43	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:42	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:39	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:38	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:37	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:36	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:34	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/7/2024 8:33	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:32	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:31	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:30	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:29	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:28	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:27	Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:26	Readings	PID	SC23030602B4	Normal	0

592-602176	2/7/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:24 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:23 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:22 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:21 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:16 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:14 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:13 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:12 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:11 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:10 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	2/7/2024 8:08 CONFIG	PID	SC23030602B4		