



DAILY STATUS REPORT

Prepared By:

Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		S 2 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	02/8/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 16:30</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Capital (Contractor) WSP (Environmental oversight) – Tim Williams ECS (Dewatering) PAL Environmental (Tank Pump Out)</p> <p>Equipment On Site: Dustrack (3x), PID (3x), Pile Rig</p>
---	---

Scope of Work: Oversee material disposal, backfilling of passed grids and Site preparations for groundbreaking ceremony and NY Governors visit.

Site Activities:

- Deploy CAMP at the start of the workday;
- Twenty-six (26) truckloads of approved stone was delivered to the Site from Braen Stone to begin backfilling passed grids to raise the grade for test piles installation;
- Four (4) truckloads of approved stone was delivered to the Site from Mt. Hope Quarry to begin backfilling of President’s Street ramp;
- Two (2) truckload of material was disposed off-Site to Puresoil Jackson Facility;
- Two (2) truckload of concrete was disposed off-Site to PPark Facility;
- Construction of truck wash/ramp on President’s street. Conduct a pitch test to ensure all liquid will drain into holding basin, inspect the interior of the holding basin for cracks, and fill the holding basin with water from a fire hydrant to ensure it is tightly sealed prior to use (holding basin will be checked on 2/9/24);
- Backfilling and compaction of grid H6-L6, H7-L7, and H8-L8 for groundbreaking ceremony occurring on 2/9/2023 and New York Governors Hochel’s housing announcement;
- Gauging of all dewatering wells.
- ESC delivered an additional frac tank for waste water produced during the washing of vehicles;
- A-Z Party Rentals delivered and set up a tent for the groundbreaking ceremony.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.023_ mg/m³ @ 06:39
- High Conditions (Upwind) – PID = _0.6_ ppm @ 08:58, Dust = _0.027_ mg/m³ @ 10:24
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 09:04, Dust = _0.567_ mg/m³ @ 07:57
- High Conditions (Downwind 2) – PID = _0.5_ ppm @ 08:25, Dust = _0.178_ mg/m³ @ 07:55

Notable Site Conditions:

- Aaron Fischer from the NYSDEC arrived on site. While on site he noted that areas that had failed confirmation samples obtained backfill. The field tech on and Tim Williams ensured that orange snow fencing and/or poly was beneath all failed grids and the backfill will be excavated to that depth. All backfill that has been cross contaminated will be excavated for offsite disposal.

Planned Activities for the Next Day/Week:

- Delineation of spill areas (above the water table);
- Further grid excavation (above the water table);
- Dewatering of spill area;
- ECS will arrive on site on 2/12/2024 to move the sump pumps deeper in the spill area;
- Backfilling and compaction.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo 1 –

Representative photo of backfill being placed on poly.



Photo 2 –

Representative photo of concrete being loaded for offsite disposal.



Photo 3 –

Representative photo of preparation for groundbreaking ceremony.



Photo 4 –

Representative photo of snow fencing placed around the clean, imported backfill to prevent people from walking outside this area.



Photo 5 –

Representative photo of a tent being setup for groundbreaking ceremony.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_014
Test Start Time	6:39:49 AM
Test Start Date	2/8/2024
Test Length [D:H:M]	0:10:08
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.001
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.027
Mass TWA [mg/m3]	0.001
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	608

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:39	0.023		
6:40	0.012		
6:41	0.007		
6:42	0.005		
6:43	0.003		
6:44	0.003		
6:45	0.002		
6:46	0.002		
6:47	0.001		
6:48	0.001		
6:49	0.001		
6:50	0.001		
6:51	0.001		
6:52	0.001		
6:53	0.001		
6:54	0.001		
6:55	0		
6:56	0		
6:57	0		
6:58	0		
6:59	0		
7:00	0		
7:01	0		
7:02	0		

7:03	0
7:04	0
7:05	0
7:06	0
7:07	0
7:08	0
7:09	0
7:10	0
7:11	0
7:12	0
7:13	0
7:14	0
7:15	0
7:16	0.001
7:17	0.001
7:18	0.001
7:19	0.001
7:20	0.001
7:21	0.001
7:22	0.001
7:23	0.001
7:24	0.001
7:25	0.001
7:26	0.001
7:27	0.001
7:28	0.001
7:29	0.001
7:30	0.001
7:31	0.001
7:32	0.001
7:33	0.001
7:34	0.001
7:35	0.001
7:36	0.001
7:37	0.001
7:38	0.001
7:39	0.001
7:40	0.001
7:41	0.001
7:42	0.001
7:43	0.001
7:44	0.001
7:45	0.001
7:46	0.001

7:47	0.001
7:48	0.001
7:49	0.001
7:50	0.001
7:51	0.001
7:52	0.001
7:53	0.001
7:54	0.001
7:55	0.001
7:56	0.001
7:57	0.001
7:58	0.001
7:59	0.001
8:00	0.001
8:01	0.001
8:02	0.001
8:03	0.001
8:04	0.001
8:05	0.001
8:06	0.001
8:07	0.001
8:08	0.001
8:09	0.001
8:10	0.001
8:11	0.001
8:12	0.001
8:13	0.001
8:14	0.001
8:15	0.001
8:16	0.001
8:17	0.001
8:18	0.001
8:19	0.002
8:20	0.002
8:21	0.001
8:22	0.001
8:23	0.001
8:24	0.001
8:25	0.001
8:26	0.001
8:27	0.002
8:28	0.001
8:29	0.001
8:30	0.001

8:31	0.001
8:32	0.001
8:33	0.001
8:34	0.001
8:35	0.001
8:36	0.001
8:37	0.001
8:38	0.001
8:39	0.001
8:40	0.002
8:41	0.001
8:42	0.001
8:43	0.001
8:44	0.001
8:45	0.001
8:46	0.001
8:47	0.001
8:48	0.001
8:49	0.001
8:50	0.001
8:51	0.001
8:52	0.001
8:53	0.001
8:54	0.001
8:55	0.001
8:56	0.001
8:57	0.001
8:58	0.001
8:59	0.001
9:00	0.001
9:01	0.001
9:02	0.001
9:03	0.001
9:04	0.001
9:05	0.001
9:06	0.001
9:07	0.001
9:08	0.001
9:09	0.001
9:10	0.001
9:11	0.001
9:12	0.001
9:13	0.001
9:14	0.001

9:15	0.001
9:16	0.001
9:17	0.001
9:18	0.001
9:19	0.001
9:20	0.001
9:21	0.001
9:22	0.001
9:23	0.001
9:24	0.001
9:25	0.001
9:26	0.001
9:27	0.001
9:28	0.001
9:29	0.001
9:30	0.001
9:31	0.001
9:32	0.001
9:33	0.001
9:34	0.001
9:35	0.001
9:36	0.001
9:37	0.001
9:38	0.001
9:39	0.001
9:40	0.001
9:41	0.001
9:42	0.001
9:43	0.001
9:44	0.001
9:45	0.001
9:46	0.001
9:47	0.001
9:48	0.001
9:49	0.001
9:50	0.001
9:51	0.001
9:52	0.001
9:53	0.001
9:54	0.001
9:55	0.001
9:56	0.001
9:57	0.001
9:58	0.001

9:59	0.001
10:00	0
10:01	0.001
10:02	0.001
10:03	0.001
10:04	0.001
10:05	0.001
10:06	0
10:07	0
10:08	0
10:09	0.001
10:10	0
10:11	0
10:12	0
10:13	0
10:14	0
10:15	0
10:16	0
10:17	0
10:18	0
10:19	0
10:20	0
10:21	0
10:22	0
10:23	0
10:24	0.027
10:25	0.015
10:26	0.009
10:27	0.006
10:28	0.004
10:29	0.003
10:30	0.003
10:31	0.002
10:32	0.002
10:33	0.001
10:34	0.001
10:35	0.001
10:36	0.001
10:37	0.001
10:38	0
10:39	0
10:40	0
10:41	0
10:42	0

10:43	0.001
10:44	0.002
10:45	0.003
10:46	0.005
10:47	0.005
10:48	0.005
10:49	0.006
10:50	0.006
10:51	0.005
10:52	0.005
10:53	0.003
10:54	0.003
10:55	0.003
10:56	0.002
10:57	0.001
10:58	0.001
10:59	0.001
11:00	0.001
11:01	0.001
11:02	0.001
11:03	0.004
11:04	0.004
11:05	0.002
11:06	0.002
11:07	0.002
11:08	0.002
11:09	0.002
11:10	0.003
11:11	0.003
11:12	0.003
11:13	0.004
11:14	0.002
11:15	0.001
11:16	0.001
11:17	0.001
11:18	0.002
11:19	0.001
11:20	0.002
11:21	0.005
11:22	0.003
11:23	0.002
11:24	0.002
11:25	0.001
11:26	0.001

11:27	0.001
11:28	0.001
11:29	0.001
11:30	0.001
11:31	0
11:32	0
11:33	0
11:34	0
11:35	0
11:36	0
11:37	0
11:38	0
11:39	0
11:40	0
11:41	0.001
11:42	0.001
11:43	0.001
11:44	0.001
11:45	0
11:46	0
11:47	0
11:48	0
11:49	0
11:50	0
11:51	0
11:52	0
11:53	0
11:54	0
11:55	0
11:56	0.001
11:57	0
11:58	0
11:59	0
12:00	0
12:01	0
12:02	0
12:03	0
12:04	0
12:05	0.002
12:06	0.001
12:07	0
12:08	0
12:09	0
12:10	0.001

12:11	0
12:12	0
12:13	0.001
12:14	0
12:15	0
12:16	0
12:17	0.001
12:18	0.003
12:19	0.001
12:20	0.001
12:21	0.002
12:22	0.002
12:23	0.003
12:24	0.001
12:25	0.001
12:26	0
12:27	0.026
12:28	0.016
12:29	0.01
12:30	0.007
12:31	0.005
12:32	0.003
12:33	0.002
12:34	0.001
12:35	0.001
12:36	0.001
12:37	0
12:38	0
12:39	0
12:40	0
12:41	0
12:42	0
12:43	0
12:44	0
12:45	0
12:46	0
12:47	0
12:48	0
12:49	0
12:50	0
12:51	0
12:52	0
12:53	0
12:54	0

12:55	0
12:56	0
12:57	0
12:58	0
12:59	0
13:00	0
13:01	0
13:02	0
13:03	0
13:04	0
13:05	0
13:06	0
13:07	0
13:08	0
13:09	0
13:10	0
13:11	0
13:12	0
13:13	0
13:14	0
13:15	0
13:16	0
13:17	0
13:18	0
13:19	0
13:20	0
13:21	0
13:22	0
13:23	0
13:24	0
13:25	0
13:26	0
13:27	0
13:28	0
13:29	0
13:30	0
13:31	0
13:32	0
13:33	0
13:34	0
13:35	0
13:36	0
13:37	0
13:38	0

13:39	0
13:40	0
13:41	0
13:42	0
13:43	0
13:44	0
13:45	0
13:46	0
13:47	0
13:48	0
13:49	0
13:50	0
13:51	0
13:52	0
13:53	0
13:54	0
13:55	0
13:56	0
13:57	0
13:58	0
13:59	0
14:00	0
14:01	0
14:02	0
14:03	0
14:04	0
14:05	0
14:06	0
14:07	0
14:08	0
14:09	0
14:10	0
14:11	0
14:12	0
14:13	0.014
14:14	0.012
14:15	0.007
14:16	0.004
14:17	0.003
14:18	0.002
14:19	0.001
14:20	0.001
14:21	0
14:22	0

14:23	0
14:24	0
14:25	0
14:26	0.001
14:27	0.001
14:28	0
14:29	0
14:30	0
14:31	0
14:32	0
14:33	0
14:34	0
14:35	0
14:36	0
14:37	0
14:38	0
14:39	0
14:40	0
14:41	0
14:42	0
14:43	0
14:44	0
14:45	0
14:46	0
14:47	0
14:48	0
14:49	0
14:50	0
14:51	0
14:52	0
14:53	0
14:54	0
14:55	0
14:56	0
14:57	0
14:58	0
14:59	0
15:00	0
15:01	0
15:02	0
15:03	0
15:04	0
15:05	0
15:06	0

15:07	0
15:08	0
15:09	0
15:10	0
15:11	0
15:12	0
15:13	0
15:14	0
15:15	0
15:16	0
15:17	0
15:18	0
15:19	0
15:20	0
15:21	0
15:22	0
15:23	0
15:24	0
15:25	0
15:26	0
15:27	0
15:28	0
15:29	0
15:30	0
15:31	0
15:32	0
15:33	0
15:34	0
15:35	0
15:36	0
15:37	0
15:38	0
15:39	0
15:40	0
15:41	0
15:42	0
15:43	0
15:44	0
15:45	0
15:46	0
15:47	0
15:48	0
15:49	0
15:50	0

15:51	0
15:52	0
15:53	0
15:54	0
15:55	0
15:56	0
15:57	0
15:58	0
15:59	0
16:00	0
16:01	0
16:02	0
16:03	0
16:04	0
16:05	0
16:06	0
16:07	0
16:08	0
16:09	0
16:10	0
16:11	0
16:12	0
16:13	0
16:14	0
16:15	0
16:16	0
16:17	0
16:18	0
16:19	0
16:20	0
16:21	0
16:22	0
16:23	0
16:24	0
16:25	0
16:26	0
16:27	0
16:28	0
16:29	0
16:30	0
16:31	0
16:32	0
16:33	0
16:34	0

16:35	0
16:36	0
16:37	0
16:38	0
16:39	0
16:40	0
16:41	0
16:42	0
16:43	0
16:44	0
16:45	0
16:46	0.001

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/8/2024	16:47	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:46	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:45	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:44	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:43	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:39	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:37	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:32	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:31	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:26	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:24	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:23	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:22	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	16:16	Readings	PID	SC23030449A8	Normal	0

592-600853	2/8/2024	15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:27	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:26	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:25	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:24	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:23	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:22	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:18	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:17	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:16	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	15:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	15:10	Readings	PID	SC23030449A8	Normal	0

592-600853	2/8/2024	15:09	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:08	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	15:06	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	15:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	15:03	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:02	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:01	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	15:00	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:59	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:58	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:56	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:55	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:54	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:53	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:52	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:44	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:43	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:37	Readings	PID	SC23030449A8	Normal	0

592-600853	2/8/2024	14:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:35	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:32	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:31	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:27	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:26	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:25	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:24	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:23	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:21	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:20	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:19	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:16	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:15	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:14	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:12	Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	14:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	14:04	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/8/2024	12:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:17	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	12:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	12:07	Readings	PID	SC23030449A8	Normal	1
592-600853	2/8/2024	12:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	12:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	11:52	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/8/2024	10:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	10:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	10:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	10:01	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	10:00	Readings	PID	SC23030449A8	Normal	0.6
592-600853	2/8/2024	9:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:40	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/8/2024	9:39 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:21 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:20 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:19 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:18 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:17 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:16 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:15 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:14 Readings	PID	SC23030449A8	Normal	0.4
592-600853	2/8/2024	9:13 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	9:11 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:10 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:09 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:08 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:07 Readings	PID	SC23030449A8	Normal	0.3

592-600853	2/8/2024	9:06 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:05 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:04 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:03 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	9:02 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	9:01 Readings	PID	SC23030449A8	Normal	0.5
592-600853	2/8/2024	9:00 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	8:59 Readings	PID	SC23030449A8	Normal	0.4
592-600853	2/8/2024	8:58 Readings	PID	SC23030449A8	Normal	0.6
592-600853	2/8/2024	8:57 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	8:56 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/8/2024	8:55 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	8:54 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/8/2024	8:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	8:34 Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/8/2024	8:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:28 Readings	PID	SC23030449A8	Normal	0

592-600853	2/8/2024	7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:20 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/8/2024	7:18 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:17 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:16 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:15 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:14 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:13 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:12 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:55 Readings	PID	SC23030449A8	Normal	0

592-600853	2/8/2024	6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/8/2024	6:39 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_013
Test Start Time	6:50:04 AM
Test Start Date	2/8/2024
Test Length [D:H:M]	0:09:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.057
Mass Minimum [mg/m3]	0.021
Mass Maximum [mg/m3]	0.567
Mass TWA [mg/m3]	0.063
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	598

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50	0.158		
6:51	0.03		
6:52	0.03		
6:53	0.029		
6:54	0.029		
6:55	0.029		
6:56	0.028		
6:57	0.029		
6:58	0.029		
6:59	0.029		
7:00	0.03		
7:01	0.029		
7:02	0.029		
7:03	0.029		
7:04	0.029		
7:05	0.03		
7:06	0.03		
7:07	0.029		
7:08	0.029		
7:09	0.029		
7:10	0.03		
7:11	0.03		
7:12	0.029		
7:13	0.03		

7:14	0.031
7:15	0.032
7:16	0.032
7:17	0.033
7:18	0.034
7:19	0.036
7:20	0.037
7:21	0.035
7:22	0.037
7:23	0.038
7:24	0.035
7:25	0.036
7:26	0.045
7:27	0.04
7:28	0.036
7:29	0.035
7:30	0.054
7:31	0.042
7:32	0.037
7:33	0.034
7:34	0.037
7:35	0.036
7:36	0.033
7:37	0.073
7:38	0.144
7:39	0.079
7:40	0.055
7:41	0.095
7:42	0.113
7:43	0.072
7:44	0.061
7:45	0.065
7:46	0.063
7:47	0.048
7:48	0.042
7:49	0.041
7:50	0.048
7:51	0.11
7:52	0.308
7:53	0.4
7:54	0.129
7:55	0.061
7:56	0.025
7:57	0.567

7:58	0.289
7:59	0.151
8:00	0.031
8:01	0.323
8:02	0.215
8:03	0.172
8:04	0.017
8:05	0.014
8:06	0.031
8:07	0.052
8:08	0.019
8:09	0.063
8:10	0.141
8:11	0.081
8:12	0.094
8:13	0.083
8:14	0.056
8:15	0.053
8:16	0.051
8:17	0.12
8:18	0.118
8:19	0.11
8:20	0.125
8:21	0.106
8:22	0.082
8:23	0.065
8:24	0.071
8:25	0.114
8:26	0.071
8:27	0.05
8:28	0.043
8:29	0.04
8:30	0.039
8:31	0.044
8:32	0.041
8:33	0.039
8:34	0.04
8:35	0.044
8:36	0.055
8:37	0.047
8:38	0.077
8:39	0.065
8:40	0.054
8:41	0.051

8:42	0.066
8:43	0.089
8:44	0.068
8:45	0.062
8:46	0.057
8:47	0.05
8:48	0.07
8:49	0.188
8:50	0.099
8:51	0.061
8:52	0.054
8:53	0.051
8:54	0.047
8:55	0.047
8:56	0.047
8:57	0.047
8:58	0.046
8:59	0.046
9:00	0.047
9:01	0.057
9:02	0.064
9:03	0.075
9:04	0.073
9:05	0.075
9:06	0.065
9:07	0.056
9:08	0.054
9:09	0.079
9:10	0.119
9:11	0.112
9:12	0.065
9:13	0.032
9:14	0.034
9:15	0.028
9:16	0.027
9:17	0.026
9:18	0.028
9:19	0.028
9:20	0.028
9:21	0.028
9:22	0.029
9:23	0.027
9:24	0.028
9:25	0.026

9:26	0.026
9:27	0.034
9:28	0.031
9:29	0.026
9:30	0.031
9:31	0.03
9:32	0.028
9:33	0.028
9:34	0.026
9:35	0.027
9:36	0.026
9:37	0.025
9:38	0.025
9:39	0.026
9:40	0.028
9:41	0.028
9:42	0.031
9:43	0.028
9:44	0.028
9:45	0.025
9:46	0.025
9:47	0.023
9:48	0.024
9:49	0.024
9:50	0.026
9:51	0.024
9:52	0.023
9:53	0.024
9:54	0.023
9:55	0.022
9:56	0.023
9:57	0.024
9:58	0.026
9:59	0.033
10:00	0.026
10:01	0.022
10:02	0.024
10:03	0.025
10:04	0.022
10:05	0.023
10:06	0.021
10:07	0.022
10:08	0.024
10:09	0.023

10:10	0.023
10:11	0.023
10:12	0.024
10:13	0.028
10:14	0.025
10:15	0.023
10:16	0.023
10:17	0.023
10:18	0.023
10:19	0.023
10:20	0.024
10:21	0.026
10:22	0.046
10:23	0.034
10:24	0.024
10:25	0.024
10:26	0.024
10:27	0.128
10:28	0.049
10:29	0.043
10:30	0.027
10:31	0.026
10:32	0.025
10:33	0.024
10:34	0.024
10:35	0.024
10:36	0.025
10:37	0.024
10:38	0.024
10:39	0.044
10:40	0.066
10:41	0.069
10:42	0.126
10:43	0.061
10:44	0.048
10:45	0.055
10:46	0.06
10:47	0.132
10:48	0.119
10:49	0.107
10:50	0.093
10:51	0.116
10:52	0.086
10:53	0.142

10:54	0.082
10:55	0.069
10:56	0.091
10:57	0.138
10:58	0.113
10:59	0.073
11:00	0.06
11:01	0.12
11:02	0.081
11:03	0.116
11:04	0.109
11:05	0.101
11:06	0.079
11:07	0.091
11:08	0.095
11:09	0.113
11:10	0.084
11:11	0.066
11:12	0.068
11:13	0.076
11:14	0.066
11:15	0.075
11:16	0.069
11:17	0.073
11:18	0.062
11:19	0.067
11:20	0.069
11:21	0.063
11:22	0.067
11:23	0.09
11:24	0.108
11:25	0.088
11:26	0.089
11:27	0.122
11:28	0.147
11:29	0.061
11:30	0.064
11:31	0.082
11:32	0.102
11:33	0.116
11:34	0.118
11:35	0.083
11:36	0.095
11:37	0.095

11:38	0.075
11:39	0.083
11:40	0.092
11:41	0.091
11:42	0.068
11:43	0.058
11:44	0.071
11:45	0.117
11:46	0.093
11:47	0.058
11:48	0.071
11:49	0.055
11:50	0.064
11:51	0.074
11:52	0.061
11:53	0.047
11:54	0.042
11:55	0.04
11:56	0.041
11:57	0.039
11:58	0.038
11:59	0.042
12:00	0.038
12:01	0.038
12:02	0.038
12:03	0.038
12:04	0.037
12:05	0.038
12:06	0.038
12:07	0.039
12:08	0.039
12:09	0.038
12:10	0.038
12:11	0.037
12:12	0.037
12:13	0.038
12:14	0.04
12:15	0.04
12:16	0.041
12:17	0.041
12:18	0.043
12:19	0.04
12:20	0.043
12:21	0.041

12:22	0.039
12:23	0.041
12:24	0.04
12:25	0.041
12:26	0.041
12:27	0.042
12:28	0.041
12:29	0.041
12:30	0.038
12:31	0.04
12:32	0.049
12:33	0.048
12:34	0.042
12:35	0.068
12:36	0.044
12:37	0.043
12:38	0.041
12:39	0.037
12:40	0.041
12:41	0.038
12:42	0.038
12:43	0.038
12:44	0.056
12:45	0.053
12:46	0.064
12:47	0.054
12:48	0.054
12:49	0.044
12:50	0.041
12:51	0.036
12:52	0.038
12:53	0.034
12:54	0.035
12:55	0.037
12:56	0.037
12:57	0.043
12:58	0.054
12:59	0.036
13:00	0.033
13:01	0.043
13:02	0.043
13:03	0.035
13:04	0.035
13:05	0.039

13:06	0.036
13:07	0.037
13:08	0.036
13:09	0.037
13:10	0.077
13:11	0.036
13:12	0.065
13:13	0.089
13:14	0.156
13:15	0.042
13:16	0.037
13:17	0.164
13:18	0.094
13:19	0.093
13:20	0.044
13:21	0.037
13:22	0.065
13:23	0.035
13:24	0.04
13:25	0.04
13:26	0.037
13:27	0.099
13:28	0.121
13:29	0.074
13:30	0.185
13:31	0.086
13:32	0.046
13:33	0.033
13:34	0.032
13:35	0.032
13:36	0.032
13:37	0.033
13:38	0.033
13:39	0.032
13:40	0.033
13:41	0.034
13:42	0.033
13:43	0.032
13:44	0.033
13:45	0.033
13:46	0.035
13:47	0.035
13:48	0.034
13:49	0.038

13:50	0.045
13:51	0.051
13:52	0.05
13:53	0.045
13:54	0.044
13:55	0.041
13:56	0.037
13:57	0.039
13:58	0.045
13:59	0.039
14:00	0.035
14:01	0.061
14:02	0.092
14:03	0.066
14:04	0.042
14:05	0.054
14:06	0.047
14:07	0.143
14:08	0.052
14:09	0.088
14:10	0.053
14:11	0.077
14:12	0.11
14:13	0.074
14:14	0.059
14:15	0.061
14:16	0.071
14:17	0.08
14:18	0.064
14:19	0.094
14:20	0.05
14:21	0.048
14:22	0.041
14:23	0.046
14:24	0.042
14:25	0.041
14:26	0.057
14:27	0.043
14:28	0.091
14:29	0.092
14:30	0.066
14:31	0.058
14:32	0.055
14:33	0.047

14:34	0.043
14:35	0.093
14:36	0.089
14:37	0.079
14:38	0.079
14:39	0.05
14:40	0.054
14:41	0.051
14:42	0.048
14:43	0.042
14:44	0.035
14:45	0.036
14:46	0.041
14:47	0.035
14:48	0.041
14:49	0.045
14:50	0.039
14:51	0.04
14:52	0.041
14:53	0.042
14:54	0.035
14:55	0.036
14:56	0.038
14:57	0.044
14:58	0.041
14:59	0.04
15:00	0.034
15:01	0.035
15:02	0.034
15:03	0.033
15:04	0.032
15:05	0.034
15:06	0.036
15:07	0.04
15:08	0.04
15:09	0.038
15:10	0.041
15:11	0.043
15:12	0.041
15:13	0.041
15:14	0.043
15:15	0.042
15:16	0.042
15:17	0.039

15:18	0.038
15:19	0.039
15:20	0.039
15:21	0.037
15:22	0.038
15:23	0.038
15:24	0.039
15:25	0.038
15:26	0.037
15:27	0.039
15:28	0.039
15:29	0.038
15:30	0.038
15:31	0.038
15:32	0.038
15:33	0.038
15:34	0.043
15:35	0.039
15:36	0.038
15:37	0.037
15:38	0.036
15:39	0.035
15:40	0.035
15:41	0.034
15:42	0.034
15:43	0.033
15:44	0.034
15:45	0.035
15:46	0.033
15:47	0.033
15:48	0.033
15:49	0.033
15:50	0.033
15:51	0.033
15:52	0.032
15:53	0.031
15:54	0.031
15:55	0.03
15:56	0.031
15:57	0.03
15:58	0.03
15:59	0.031
16:00	0.032
16:01	0.031

16:02	0.031
16:03	0.031
16:04	0.031
16:05	0.03
16:06	0.03
16:07	0.031
16:08	0.034
16:09	0.031
16:10	0.03
16:11	0.03
16:12	0.03
16:13	0.031
16:14	0.029
16:15	0.03
16:16	0.03
16:17	0.032
16:18	0.032
16:19	0.03
16:20	0.03
16:21	0.03
16:22	0.029
16:23	0.03
16:24	0.03
16:25	0.03
16:26	0.031
16:27	0.03
16:28	0.032
16:29	0.03
16:30	0.029
16:31	0.029
16:32	0.03
16:33	0.029
16:34	0.028
16:35	0.029
16:36	0.028
16:37	0.029
16:38	0.029
16:39	0.029
16:40	0.029
16:41	0.029
16:42	0.029
16:43	0.029
16:44	0.03
16:45	0.03

16:46	0.029
16:47	0.033

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/8/2024	16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	16:16	Readings	PID	SC23030140W3	Normal	0

592-000289	2/8/2024	10:12	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:11	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:10	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:09	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:08	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:07	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:06	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:05	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:04	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:03	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:02	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:01	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	10:00	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:59	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:58	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:57	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:56	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:55	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:54	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:53	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:52	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:51	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:50	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:49	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:48	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:47	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:45	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:43	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:42	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:40	Readings	PID	SC23030140W3	Normal	0

592-000289	2/8/2024	9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/8/2024	9:08 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/8/2024	9:07 Readings	PID	SC23030140W3	Normal	0

592-000289	2/8/2024	9:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:05 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/8/2024	9:04 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/8/2024	9:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	9:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	8:34 Readings	PID	SC23030140W3	Normal	0

592-000289	2/8/2024	8:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	7:28 Readings	PID	SC23030140W3	Normal	0

592-000289	2/8/2024	6:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	6:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	6:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	6:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/8/2024	6:50 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_014
Test Start Time	6:48:56 AM
Test Start Date	2/8/2024
Test Length [D:H:M]	0:09:57
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.019
Mass Maximum [mg/m3]	0.178
Mass TWA [mg/m3]	0.036
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	597

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48	0.031		
6:49	0.025		
6:50	0.024		
6:51	0.023		
6:52	0.023		
6:53	0.023		
6:54	0.023		
6:55	0.022		
6:56	0.023		
6:57	0.022		
6:58	0.023		
6:59	0.023		
7:00	0.022		
7:01	0.023		
7:02	0.022		
7:03	0.022		
7:04	0.022		
7:05	0.023		
7:06	0.022		
7:07	0.023		
7:08	0.023		
7:09	0.023		
7:10	0.023		
7:11	0.023		

7:12	0.024
7:13	0.024
7:14	0.024
7:15	0.024
7:16	0.024
7:17	0.024
7:18	0.024
7:19	0.024
7:20	0.024
7:21	0.025
7:22	0.025
7:23	0.026
7:24	0.026
7:25	0.027
7:26	0.027
7:27	0.032
7:28	0.03
7:29	0.03
7:30	0.028
7:31	0.027
7:32	0.026
7:33	0.026
7:34	0.027
7:35	0.027
7:36	0.034
7:37	0.038
7:38	0.036
7:39	0.034
7:40	0.032
7:41	0.032
7:42	0.033
7:43	0.034
7:44	0.039
7:45	0.038
7:46	0.036
7:47	0.036
7:48	0.037
7:49	0.049
7:50	0.063
7:51	0.048
7:52	0.046
7:53	0.047
7:54	0.158
7:55	0.178

7:56	0.122
7:57	0.099
7:58	0.096
7:59	0.079
8:00	0.063
8:01	0.065
8:02	0.066
8:03	0.055
8:04	0.055
8:05	0.053
8:06	0.053
8:07	0.053
8:08	0.05
8:09	0.051
8:10	0.049
8:11	0.039
8:12	0.041
8:13	0.036
8:14	0.039
8:15	0.049
8:16	0.043
8:17	0.043
8:18	0.041
8:19	0.039
8:20	0.038
8:21	0.037
8:22	0.037
8:23	0.036
8:24	0.035
8:25	0.034
8:26	0.032
8:27	0.032
8:28	0.033
8:29	0.033
8:30	0.033
8:31	0.033
8:32	0.032
8:33	0.031
8:34	0.032
8:35	0.031
8:36	0.034
8:37	0.034
8:38	0.032
8:39	0.034

8:40	0.033
8:41	0.035
8:42	0.038
8:43	0.039
8:44	0.037
8:45	0.036
8:46	0.037
8:47	0.038
8:48	0.036
8:49	0.035
8:50	0.034
8:51	0.034
8:52	0.034
8:53	0.034
8:54	0.035
8:55	0.033
8:56	0.035
8:57	0.035
8:58	0.036
8:59	0.04
9:00	0.041
9:01	0.042
9:02	0.044
9:03	0.042
9:04	0.035
9:05	0.037
9:06	0.041
9:07	0.028
9:08	0.022
9:09	0.021
9:10	0.02
9:11	0.02
9:12	0.019
9:13	0.02
9:14	0.021
9:15	0.02
9:16	0.021
9:17	0.021
9:18	0.02
9:19	0.021
9:20	0.019
9:21	0.019
9:22	0.02
9:23	0.021

9:24	0.02
9:25	0.02
9:26	0.02
9:27	0.02
9:28	0.021
9:29	0.021
9:30	0.022
9:31	0.022
9:32	0.021
9:33	0.021
9:34	0.021
9:35	0.022
9:36	0.022
9:37	0.023
9:38	0.022
9:39	0.021
9:40	0.021
9:41	0.02
9:42	0.02
9:43	0.02
9:44	0.022
9:45	0.022
9:46	0.022
9:47	0.02
9:48	0.019
9:49	0.019
9:50	0.019
9:51	0.019
9:52	0.019
9:53	0.02
9:54	0.02
9:55	0.023
9:56	0.021
9:57	0.019
9:58	0.02
9:59	0.019
10:00	0.026
10:01	0.02
10:02	0.019
10:03	0.019
10:04	0.019
10:05	0.019
10:06	0.019
10:07	0.019

10:08	0.022
10:09	0.021
10:10	0.02
10:11	0.019
10:12	0.019
10:13	0.019
10:14	0.019
10:15	0.019
10:16	0.021
10:17	0.023
10:18	0.03
10:19	0.021
10:20	0.02
10:21	0.02
10:22	0.02
10:23	0.05
10:24	0.052
10:25	0.029
10:26	0.022
10:27	0.021
10:28	0.02
10:29	0.02
10:30	0.02
10:31	0.02
10:32	0.02
10:33	0.02
10:34	0.02
10:35	0.022
10:36	0.052
10:37	0.117
10:38	0.066
10:39	0.068
10:40	0.041
10:41	0.042
10:42	0.042
10:43	0.051
10:44	0.043
10:45	0.044
10:46	0.046
10:47	0.045
10:48	0.046
10:49	0.046
10:50	0.047
10:51	0.049

10:52	0.05
10:53	0.045
10:54	0.043
10:55	0.042
10:56	0.042
10:57	0.042
10:58	0.043
10:59	0.045
11:00	0.044
11:01	0.044
11:02	0.045
11:03	0.045
11:04	0.042
11:05	0.042
11:06	0.042
11:07	0.042
11:08	0.056
11:09	0.066
11:10	0.049
11:11	0.051
11:12	0.052
11:13	0.048
11:14	0.05
11:15	0.05
11:16	0.048
11:17	0.049
11:18	0.048
11:19	0.051
11:20	0.055
11:21	0.055
11:22	0.051
11:23	0.054
11:24	0.056
11:25	0.05
11:26	0.05
11:27	0.067
11:28	0.066
11:29	0.059
11:30	0.063
11:31	0.06
11:32	0.053
11:33	0.05
11:34	0.048
11:35	0.05

11:36	0.053
11:37	0.047
11:38	0.045
11:39	0.047
11:40	0.047
11:41	0.045
11:42	0.057
11:43	0.051
11:44	0.042
11:45	0.04
11:46	0.039
11:47	0.039
11:48	0.04
11:49	0.038
11:50	0.037
11:51	0.036
11:52	0.035
11:53	0.033
11:54	0.033
11:55	0.034
11:56	0.034
11:57	0.033
11:58	0.033
11:59	0.033
12:00	0.032
12:01	0.032
12:02	0.033
12:03	0.033
12:04	0.034
12:05	0.034
12:06	0.033
12:07	0.033
12:08	0.033
12:09	0.033
12:10	0.034
12:11	0.034
12:12	0.034
12:13	0.035
12:14	0.035
12:15	0.034
12:16	0.034
12:17	0.034
12:18	0.033
12:19	0.034

12:20	0.034
12:21	0.034
12:22	0.034
12:23	0.034
12:24	0.034
12:25	0.035
12:26	0.034
12:27	0.033
12:28	0.033
12:29	0.039
12:30	0.038
12:31	0.039
12:32	0.038
12:33	0.033
12:34	0.037
12:35	0.034
12:36	0.033
12:37	0.033
12:38	0.033
12:39	0.033
12:40	0.033
12:41	0.033
12:42	0.033
12:43	0.032
12:44	0.033
12:45	0.032
12:46	0.032
12:47	0.032
12:48	0.032
12:49	0.031
12:50	0.031
12:51	0.042
12:52	0.04
12:53	0.035
12:54	0.033
12:55	0.032
12:56	0.03
12:57	0.03
12:58	0.043
12:59	0.033
13:00	0.03
13:01	0.031
13:02	0.031
13:03	0.033

13:04	0.034
13:05	0.036
13:06	0.048
13:07	0.04
13:08	0.039
13:09	0.069
13:10	0.063
13:11	0.064
13:12	0.046
13:13	0.049
13:14	0.047
13:15	0.045
13:16	0.043
13:17	0.034
13:18	0.041
13:19	0.041
13:20	0.037
13:21	0.036
13:22	0.036
13:23	0.038
13:24	0.043
13:25	0.047
13:26	0.044
13:27	0.042
13:28	0.037
13:29	0.031
13:30	0.029
13:31	0.029
13:32	0.03
13:33	0.03
13:34	0.031
13:35	0.032
13:36	0.029
13:37	0.03
13:38	0.03
13:39	0.029
13:40	0.03
13:41	0.03
13:42	0.03
13:43	0.037
13:44	0.034
13:45	0.035
13:46	0.033
13:47	0.034

13:48	0.034
13:49	0.034
13:50	0.032
13:51	0.032
13:52	0.03
13:53	0.03
13:54	0.03
13:55	0.032
13:56	0.033
13:57	0.033
13:58	0.044
13:59	0.036
14:00	0.035
14:01	0.034
14:02	0.034
14:03	0.033
14:04	0.033
14:05	0.033
14:06	0.034
14:07	0.04
14:08	0.039
14:09	0.037
14:10	0.036
14:11	0.037
14:12	0.039
14:13	0.039
14:14	0.036
14:15	0.033
14:16	0.034
14:17	0.033
14:18	0.036
14:19	0.035
14:20	0.034
14:21	0.034
14:22	0.035
14:23	0.035
14:24	0.037
14:25	0.037
14:26	0.036
14:27	0.037
14:28	0.037
14:29	0.037
14:30	0.035
14:31	0.034

14:32	0.041
14:33	0.045
14:34	0.037
14:35	0.036
14:36	0.035
14:37	0.035
14:38	0.035
14:39	0.032
14:40	0.032
14:41	0.035
14:42	0.037
14:43	0.039
14:44	0.035
14:45	0.031
14:46	0.033
14:47	0.033
14:48	0.034
14:49	0.033
14:50	0.034
14:51	0.033
14:52	0.033
14:53	0.035
14:54	0.035
14:55	0.032
14:56	0.034
14:57	0.032
14:58	0.029
14:59	0.03
15:00	0.028
15:01	0.03
15:02	0.031
15:03	0.033
15:04	0.034
15:05	0.033
15:06	0.034
15:07	0.035
15:08	0.037
15:09	0.04
15:10	0.035
15:11	0.034
15:12	0.034
15:13	0.033
15:14	0.034
15:15	0.033

15:16	0.032
15:17	0.032
15:18	0.032
15:19	0.032
15:20	0.031
15:21	0.031
15:22	0.031
15:23	0.032
15:24	0.032
15:25	0.031
15:26	0.032
15:27	0.032
15:28	0.031
15:29	0.036
15:30	0.036
15:31	0.035
15:32	0.034
15:33	0.032
15:34	0.031
15:35	0.031
15:36	0.03
15:37	0.03
15:38	0.029
15:39	0.029
15:40	0.03
15:41	0.03
15:42	0.029
15:43	0.028
15:44	0.029
15:45	0.029
15:46	0.028
15:47	0.027
15:48	0.027
15:49	0.027
15:50	0.026
15:51	0.026
15:52	0.026
15:53	0.028
15:54	0.031
15:55	0.026
15:56	0.026
15:57	0.027
15:58	0.027
15:59	0.027

16:00	0.027
16:01	0.026
16:02	0.029
16:03	0.028
16:04	0.027
16:05	0.03
16:06	0.028
16:07	0.026
16:08	0.026
16:09	0.026
16:10	0.026
16:11	0.026
16:12	0.028
16:13	0.027
16:14	0.027
16:15	0.026
16:16	0.026
16:17	0.026
16:18	0.025
16:19	0.026
16:20	0.027
16:21	0.026
16:22	0.027
16:23	0.027
16:24	0.027
16:25	0.026
16:26	0.027
16:27	0.027
16:28	0.026
16:29	0.026
16:30	0.026
16:31	0.026
16:32	0.025
16:33	0.025
16:34	0.026
16:35	0.026
16:36	0.026
16:37	0.026
16:38	0.027
16:39	0.028
16:40	0.027
16:41	0.027
16:42	0.033
16:43	0.028

16:44

0.027

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	2/8/2024	16:47	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:46	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:45	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:44	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:43	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:42	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:39	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:38	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:37	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:34	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:32	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:29	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:28	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	16:26	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:25	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:23	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:22	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:21	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:19	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:18	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:17	Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	16:16	Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	15:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	15:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	15:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	15:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	15:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:37 Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	14:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	14:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:06 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/8/2024	14:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	14:04 Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	11:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:33 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/8/2024	11:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:19 Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	11:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/8/2024	11:09 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/8/2024	11:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	11:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	11:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	10:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	10:46 Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	9:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	9:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	9:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	9:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	9:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	9:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	9:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:48 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/8/2024	8:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:34 Readings	PID	SC23030602B4	Normal	0.1

592-602176	2/8/2024	8:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:25 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/8/2024	8:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:16 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/8/2024	8:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/8/2024	8:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	8:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	8:01 Readings	PID	SC23030602B4	Normal	0

592-602176	2/8/2024	8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:28 Readings	PID	SC23030602B4	Normal	0

592-602176	2/8/2024	7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/8/2024	7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:02 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:01 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	7:00 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:59 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:58 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:57 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:56 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:55 Readings	PID	SC23030602B4	Normal	0

592-602176	2/8/2024	6:54 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:53 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:52 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:51 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:50 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:49 Readings	PID	SC23030602B4	Normal	0
592-602176	2/8/2024	6:48 CONFIG	PID	SC23030602B4		