

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

|         |      |   |       |  |          |  |               |  |            |   |           |
|---------|------|---|-------|--|----------|--|---------------|--|------------|---|-----------|
| WEATHER | Snow |   | Rain  |  | Overcast |  | Partly Cloudy |  | Bright Sun | X | Wind      |
| TEMP.   | < 32 | X | 32-50 |  | 50-70    |  | 70-85         |  | >85        |   | SE 15 mph |

|                 |                                 |                     |         |       |          |
|-----------------|---------------------------------|---------------------|---------|-------|----------|
| IEC Project No: | 15977                           | NYSDEC BCP Site No: | C224350 | Date: | 02/14/24 |
| Project:        | 318 Nevins Street, Brooklyn, NY |                     |         |       |          |

**Consultant:**

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:45

Time Out: 15:30

**Personnel On Site:**

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

WSP (Environmental oversight) – Tim Williams

ECS (Dewatering)

**Equipment On Site: Dustrack (3x), PID (3x), Pile Rig****Scope of Work:** Site preparations for NY Governors visit and groundbreaking ceremony.**Site Activities:**

- Deploy CAMP at the start of the workday;
- Depth to water gauging of 14 sentinel wells;
- Twenty-Four (24) loads of crushed limestone imported on site, stockpiled on approved grids, subsequently filled in grids D7/8-E7/8;
- Five (5) truckloads of material loaded offsite for disposal to Conestoga facility;
- Five (5) truckloads of concrete loaded offsite for disposal to PPark facility;
- ECS (dewatering contractor) sets up additional pumps in grid: A6;
- Excavation of A6 spill area, additional 7-8 cut, ~12 bsg. Area screened with a PID, all readings were below 25 ppm.

**Community Air Monitoring Program (CAMP)** – CAMP action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.036\_ mg/m<sup>3</sup> @ 06:45
- High Conditions (Upwind) – PID = \_4.7\_ ppm @ 16:23, Dust = \_0.08\_ mg/m<sup>3</sup> @ 06:58
- High Conditions (Downwind 1) – PID = \_0.4\_ ppm @ 08:52, Dust = \_0.055\_ mg/m<sup>3</sup> @ 06:58
- High Conditions (Downwind 2) – PID = \_0.6\_ ppm @ 15:50 Dust = \_0.013\_ mg/m<sup>3</sup> @ 07:27

**Notable Site Conditions:**

- Upwind Dust flow error

**Planned Activities for the Next Day/Week:**

- Delineation of spill area within grid A6;
- Further grid excavation (above the water table);
- Continued dewatering of spill area;

## **Photo Log**

318 Nevins Street, Brooklyn, NY



## Photo Log

**Photo 1 –**  
Representative  
photo of  
dewatering well  
gauging.



**Photo 2 –**  
Representative  
photo of  
approved  
crushed  
limestone being  
unloaded on grid  
E6.





**Photo 3 –**

Representative photo of spill over excavation in A6.



**Photo 4 –**

Representative photo of soil compaction in grids E6&7.





## **Alpha Numeric Grid Map**

318 Nevins Street, Brooklyn, NY






# IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

[www.impactenvironmental.com](http://www.impactenvironmental.com)




## **Site Plan**

318 Nevins Street, Brooklyn, NY







## **UPWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530132208  |
| Firmware Version     | 3.1         |
| Calibration Date     | 7/31/2023   |
| Test Name            | MANUAL_001  |
| Test Start Time      | 6:45:53 AM  |
| Test Start Date      | 2/14/2024   |
| Test Length [D:H:M]  | 0:01:08     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.007       |
| Mass Minimum [mg/m3] | 0.001       |
| Mass Maximum [mg/m3] | 0.08        |
| Mass TWA [mg/m3]     | 0.001       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               | Flow Error  |
| Number of Samples    | 68          |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:45:53 AM       | 0.036        |        |        |
| 6:46:53 AM       | 0.006        |        |        |
| 6:47:53 AM       | 0.021        |        |        |
| 6:48:53 AM       | 0.011        |        |        |
| 6:49:53 AM       | 0.006        |        |        |
| 6:50:53 AM       | 0.007        |        |        |
| 6:51:53 AM       | 0.004        |        |        |
| 6:52:53 AM       | 0.011        |        |        |
| 6:53:53 AM       | 0.004        |        |        |
| 6:54:53 AM       | 0.005        |        |        |
| 6:55:53 AM       | 0.005        |        |        |
| 6:56:53 AM       | 0.006        |        |        |
| 6:57:53 AM       | 0.004        |        |        |
| 6:58:53 AM       | 0.08         |        |        |
| 6:59:53 AM       | 0.005        |        |        |
| 7:00:53 AM       | 0.006        |        |        |
| 7:01:53 AM       | 0.006        |        |        |
| 7:02:53 AM       | 0.009        |        |        |
| 7:03:53 AM       | 0.005        |        |        |
| 7:04:53 AM       | 0.004        |        |        |
| 7:05:53 AM       | 0.004        |        |        |
| 7:06:53 AM       | 0.004        |        |        |
| 7:07:53 AM       | 0.005        |        |        |
| 7:08:53 AM       | 0.005        |        |        |



|            |       |            |
|------------|-------|------------|
| 7:09:53 AM | 0.005 |            |
| 7:10:53 AM | 0.005 |            |
| 7:11:53 AM | 0.009 |            |
| 7:12:53 AM | 0.005 |            |
| 7:13:53 AM | 0.005 |            |
| 7:14:53 AM | 0.005 |            |
| 7:15:53 AM | 0.005 |            |
| 7:16:53 AM | 0.005 |            |
| 7:17:53 AM | 0.005 |            |
| 7:18:53 AM | 0.005 |            |
| 7:19:53 AM | 0.005 |            |
| 7:20:53 AM | 0.005 |            |
| 7:21:53 AM | 0.005 |            |
| 7:22:53 AM | 0.005 |            |
| 7:23:53 AM | 0.005 |            |
| 7:24:53 AM | 0.006 |            |
| 7:25:53 AM | 0.006 |            |
| 7:26:53 AM | 0.006 |            |
| 7:27:53 AM | 0.006 |            |
| 7:28:53 AM | 0.005 |            |
| 7:29:53 AM | 0.005 |            |
| 7:30:53 AM | 0.009 |            |
| 7:31:53 AM | 0.013 |            |
| 7:32:53 AM | 0.006 |            |
| 7:33:53 AM | 0.006 |            |
| 7:34:53 AM | 0.006 |            |
| 7:35:53 AM | 0.005 |            |
| 7:36:53 AM | 0.006 |            |
| 7:37:53 AM | 0.005 |            |
| 7:38:53 AM | 0.006 |            |
| 7:39:53 AM | 0.007 |            |
| 7:40:53 AM | 0.005 | Flow Error |
| 7:41:53 AM | 0.006 | Flow Error |
| 7:42:53 AM | 0.004 | Flow Error |
| 7:43:53 AM | 0.001 | Flow Error |
| 7:44:53 AM | 0.004 | Flow Error |
| 7:45:53 AM | 0.003 | Flow Error |
| 7:46:53 AM | 0.004 | Flow Error |
| 7:47:53 AM | 0.004 | Flow Error |
| 7:48:53 AM | 0.001 | Flow Error |
| 7:49:53 AM | 0.001 | Flow Error |
| 7:50:53 AM | 0.001 | Flow Error |
| 7:51:53 AM | 0.002 | Flow Error |
| 7:52:53 AM | 0.002 | Flow Error |

| Device Serial No | Log Time        | Log Type | Sensor 1 Type | Sensor 1 Serial Number | Sensor 1 Status | Sensor 1 Gas Reading |
|------------------|-----------------|----------|---------------|------------------------|-----------------|----------------------|
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030602B4           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:14 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:13 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030602B4           | Normal          | 0.4                  |
| 592-600853       | 2/14/2024 17:12 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 2/14/2024 17:11 | Readings | PID           | SC23030602B4           | Normal          | 0                    |
| 592-600853       | 2/14/2024 17:11 | Readings | PID           | SC23030602B4           | Normal          | 0                    |

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-600853 | 2/14/2024 16:23 Readings | PID | SC23030602B4 | Normal | 4.7 |
| 592-600853 | 2/14/2024 16:23 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-600853 | 2/14/2024 16:22 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-600853 | 2/14/2024 16:21 Readings | PID | SC23030602B4 | Normal | 0.2 |



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]





[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

## **DOWNWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530173513  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/1/2023    |
| Test Name            | MANUAL_016  |
| Test Start Time      | 6:58:14 AM  |
| Test Start Date      | 2/14/2024   |
| Test Length [D:H:M]  | 0:08:32     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.006       |
| Mass Minimum [mg/m3] | 0.003       |
| Mass Maximum [mg/m3] | 0.055       |
| Mass TWA [mg/m3]     | 0.006       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 512         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:58:14 AM       | 0.055        |        |        |
| 6:59:14 AM       | 0.004        |        |        |
| 7:00:14 AM       | 0.004        |        |        |
| 7:01:14 AM       | 0.004        |        |        |
| 7:02:14 AM       | 0.004        |        |        |
| 7:03:14 AM       | 0.005        |        |        |
| 7:04:14 AM       | 0.005        |        |        |
| 7:05:14 AM       | 0.004        |        |        |
| 7:06:14 AM       | 0.004        |        |        |
| 7:07:14 AM       | 0.003        |        |        |
| 7:08:14 AM       | 0.004        |        |        |
| 7:09:14 AM       | 0.003        |        |        |
| 7:10:14 AM       | 0.004        |        |        |
| 7:11:14 AM       | 0.004        |        |        |
| 7:12:14 AM       | 0.003        |        |        |
| 7:13:14 AM       | 0.004        |        |        |
| 7:14:14 AM       | 0.004        |        |        |
| 7:15:14 AM       | 0.004        |        |        |
| 7:16:14 AM       | 0.004        |        |        |
| 7:17:14 AM       | 0.005        |        |        |
| 7:18:14 AM       | 0.005        |        |        |
| 7:19:14 AM       | 0.004        |        |        |
| 7:20:14 AM       | 0.004        |        |        |
| 7:21:14 AM       | 0.004        |        |        |

|            |       |
|------------|-------|
| 7:22:14 AM | 0.004 |
| 7:23:14 AM | 0.004 |
| 7:24:14 AM | 0.004 |
| 7:25:14 AM | 0.004 |
| 7:26:14 AM | 0.005 |
| 7:27:14 AM | 0.005 |
| 7:28:14 AM | 0.005 |
| 7:29:14 AM | 0.005 |
| 7:30:14 AM | 0.005 |
| 7:31:14 AM | 0.007 |
| 7:32:14 AM | 0.009 |
| 7:33:14 AM | 0.008 |
| 7:34:14 AM | 0.016 |
| 7:35:14 AM | 0.004 |
| 7:36:14 AM | 0.004 |
| 7:37:14 AM | 0.004 |
| 7:38:14 AM | 0.004 |
| 7:39:14 AM | 0.004 |
| 7:40:14 AM | 0.005 |
| 7:41:14 AM | 0.006 |
| 7:42:14 AM | 0.005 |
| 7:43:14 AM | 0.005 |
| 7:44:14 AM | 0.005 |
| 7:45:14 AM | 0.004 |
| 7:46:14 AM | 0.005 |
| 7:47:14 AM | 0.005 |
| 7:48:14 AM | 0.004 |
| 7:49:14 AM | 0.005 |
| 7:50:14 AM | 0.005 |
| 7:51:14 AM | 0.005 |
| 7:52:14 AM | 0.005 |
| 7:53:14 AM | 0.005 |
| 7:54:14 AM | 0.005 |
| 7:55:14 AM | 0.004 |
| 7:56:14 AM | 0.004 |
| 7:57:14 AM | 0.005 |
| 7:58:14 AM | 0.005 |
| 7:59:14 AM | 0.005 |
| 8:00:14 AM | 0.005 |
| 8:01:14 AM | 0.004 |
| 8:02:14 AM | 0.005 |
| 8:03:14 AM | 0.005 |
| 8:04:14 AM | 0.004 |
| 8:05:14 AM | 0.005 |

|            |       |
|------------|-------|
| 8:06:14 AM | 0.005 |
| 8:07:14 AM | 0.005 |
| 8:08:14 AM | 0.005 |
| 8:09:14 AM | 0.004 |
| 8:10:14 AM | 0.004 |
| 8:11:14 AM | 0.005 |
| 8:12:14 AM | 0.005 |
| 8:13:14 AM | 0.005 |
| 8:14:14 AM | 0.005 |
| 8:15:14 AM | 0.005 |
| 8:16:14 AM | 0.005 |
| 8:17:14 AM | 0.023 |
| 8:18:14 AM | 0.005 |
| 8:19:14 AM | 0.004 |
| 8:20:14 AM | 0.005 |
| 8:21:14 AM | 0.005 |
| 8:22:14 AM | 0.004 |
| 8:23:14 AM | 0.004 |
| 8:24:14 AM | 0.008 |
| 8:25:14 AM | 0.004 |
| 8:26:14 AM | 0.004 |
| 8:27:14 AM | 0.004 |
| 8:28:14 AM | 0.004 |
| 8:29:14 AM | 0.004 |
| 8:30:14 AM | 0.004 |
| 8:31:14 AM | 0.005 |
| 8:32:14 AM | 0.005 |
| 8:33:14 AM | 0.004 |
| 8:34:14 AM | 0.005 |
| 8:35:14 AM | 0.004 |
| 8:36:14 AM | 0.005 |
| 8:37:14 AM | 0.006 |
| 8:38:14 AM | 0.004 |
| 8:39:14 AM | 0.005 |
| 8:40:14 AM | 0.004 |
| 8:41:14 AM | 0.004 |
| 8:42:14 AM | 0.004 |
| 8:43:14 AM | 0.006 |
| 8:44:14 AM | 0.007 |
| 8:45:14 AM | 0.006 |
| 8:46:14 AM | 0.003 |
| 8:47:14 AM | 0.004 |
| 8:48:14 AM | 0.004 |
| 8:49:14 AM | 0.005 |

|            |       |
|------------|-------|
| 8:50:14 AM | 0.005 |
| 8:51:14 AM | 0.005 |
| 8:52:14 AM | 0.007 |
| 8:53:14 AM | 0.006 |
| 8:54:14 AM | 0.006 |
| 8:55:14 AM | 0.004 |
| 8:56:14 AM | 0.004 |
| 8:57:14 AM | 0.005 |
| 8:58:14 AM | 0.004 |
| 8:59:14 AM | 0.004 |
| 9:00:14 AM | 0.003 |
| 9:01:14 AM | 0.004 |
| 9:02:14 AM | 0.004 |
| 9:03:14 AM | 0.005 |
| 9:04:14 AM | 0.004 |
| 9:05:14 AM | 0.004 |
| 9:06:14 AM | 0.004 |
| 9:07:14 AM | 0.005 |
| 9:08:14 AM | 0.004 |
| 9:09:14 AM | 0.005 |
| 9:10:14 AM | 0.004 |
| 9:11:14 AM | 0.004 |
| 9:12:14 AM | 0.005 |
| 9:13:14 AM | 0.004 |
| 9:14:14 AM | 0.004 |
| 9:15:14 AM | 0.003 |
| 9:16:14 AM | 0.003 |
| 9:17:14 AM | 0.003 |
| 9:18:14 AM | 0.003 |
| 9:19:14 AM | 0.003 |
| 9:20:14 AM | 0.004 |
| 9:21:14 AM | 0.004 |
| 9:22:14 AM | 0.005 |
| 9:23:14 AM | 0.007 |
| 9:24:14 AM | 0.01  |
| 9:25:14 AM | 0.005 |
| 9:26:14 AM | 0.004 |
| 9:27:14 AM | 0.007 |
| 9:28:14 AM | 0.004 |
| 9:29:14 AM | 0.004 |
| 9:30:14 AM | 0.004 |
| 9:31:14 AM | 0.008 |
| 9:32:14 AM | 0.004 |
| 9:33:14 AM | 0.004 |

|             |       |
|-------------|-------|
| 9:34:14 AM  | 0.003 |
| 9:35:14 AM  | 0.004 |
| 9:36:14 AM  | 0.004 |
| 9:37:14 AM  | 0.004 |
| 9:38:14 AM  | 0.007 |
| 9:39:14 AM  | 0.004 |
| 9:40:14 AM  | 0.004 |
| 9:41:14 AM  | 0.004 |
| 9:42:14 AM  | 0.005 |
| 9:43:14 AM  | 0.005 |
| 9:44:14 AM  | 0.004 |
| 9:45:14 AM  | 0.004 |
| 9:46:14 AM  | 0.004 |
| 9:47:14 AM  | 0.005 |
| 9:48:14 AM  | 0.006 |
| 9:49:14 AM  | 0.005 |
| 9:50:14 AM  | 0.005 |
| 9:51:14 AM  | 0.004 |
| 9:52:14 AM  | 0.005 |
| 9:53:14 AM  | 0.005 |
| 9:54:14 AM  | 0.005 |
| 9:55:14 AM  | 0.004 |
| 9:56:14 AM  | 0.004 |
| 9:57:14 AM  | 0.004 |
| 9:58:14 AM  | 0.004 |
| 9:59:14 AM  | 0.004 |
| 10:00:14 AM | 0.005 |
| 10:01:14 AM | 0.009 |
| 10:02:14 AM | 0.006 |
| 10:03:14 AM | 0.008 |
| 10:04:14 AM | 0.005 |
| 10:05:14 AM | 0.006 |
| 10:06:14 AM | 0.005 |
| 10:07:14 AM | 0.004 |
| 10:08:14 AM | 0.005 |
| 10:09:14 AM | 0.004 |
| 10:10:14 AM | 0.005 |
| 10:11:14 AM | 0.009 |
| 10:12:14 AM | 0.005 |
| 10:13:14 AM | 0.005 |
| 10:14:14 AM | 0.005 |
| 10:15:14 AM | 0.005 |
| 10:16:14 AM | 0.005 |
| 10:17:14 AM | 0.005 |



|             |       |
|-------------|-------|
| 10:18:14 AM | 0.004 |
| 10:19:14 AM | 0.005 |
| 10:20:14 AM | 0.005 |
| 10:21:14 AM | 0.006 |
| 10:22:14 AM | 0.005 |
| 10:23:14 AM | 0.005 |
| 10:24:14 AM | 0.005 |
| 10:25:14 AM | 0.005 |
| 10:26:14 AM | 0.005 |
| 10:27:14 AM | 0.005 |
| 10:28:14 AM | 0.006 |
| 10:29:14 AM | 0.005 |
| 10:30:14 AM | 0.006 |
| 10:31:14 AM | 0.007 |
| 10:32:14 AM | 0.005 |
| 10:33:14 AM | 0.005 |
| 10:34:14 AM | 0.005 |
| 10:35:14 AM | 0.005 |
| 10:36:14 AM | 0.006 |
| 10:37:14 AM | 0.005 |
| 10:38:14 AM | 0.005 |
| 10:39:14 AM | 0.005 |
| 10:40:14 AM | 0.005 |
| 10:41:14 AM | 0.005 |
| 10:42:14 AM | 0.005 |
| 10:43:14 AM | 0.005 |
| 10:44:14 AM | 0.005 |
| 10:45:14 AM | 0.006 |
| 10:46:14 AM | 0.008 |
| 10:47:14 AM | 0.006 |
| 10:48:14 AM | 0.006 |
| 10:49:14 AM | 0.006 |
| 10:50:14 AM | 0.008 |
| 10:51:14 AM | 0.006 |
| 10:52:14 AM | 0.006 |
| 10:53:14 AM | 0.006 |
| 10:54:14 AM | 0.005 |
| 10:55:14 AM | 0.005 |
| 10:56:14 AM | 0.005 |
| 10:57:14 AM | 0.005 |
| 10:58:14 AM | 0.005 |
| 10:59:14 AM | 0.006 |
| 11:00:14 AM | 0.006 |
| 11:01:14 AM | 0.005 |

|             |       |
|-------------|-------|
| 11:02:14 AM | 0.006 |
| 11:03:14 AM | 0.006 |
| 11:04:14 AM | 0.008 |
| 11:05:14 AM | 0.006 |
| 11:06:14 AM | 0.004 |
| 11:07:14 AM | 0.005 |
| 11:08:14 AM | 0.005 |
| 11:09:14 AM | 0.005 |
| 11:10:14 AM | 0.006 |
| 11:11:14 AM | 0.006 |
| 11:12:14 AM | 0.007 |
| 11:13:14 AM | 0.005 |
| 11:14:14 AM | 0.005 |
| 11:15:14 AM | 0.005 |
| 11:16:14 AM | 0.005 |
| 11:17:14 AM | 0.005 |
| 11:18:14 AM | 0.005 |
| 11:19:14 AM | 0.005 |
| 11:20:14 AM | 0.005 |
| 11:21:14 AM | 0.006 |
| 11:22:14 AM | 0.006 |
| 11:23:14 AM | 0.005 |
| 11:24:14 AM | 0.006 |
| 11:25:14 AM | 0.005 |
| 11:26:14 AM | 0.006 |
| 11:27:14 AM | 0.006 |
| 11:28:14 AM | 0.007 |
| 11:29:14 AM | 0.006 |
| 11:30:14 AM | 0.007 |
| 11:31:14 AM | 0.01  |
| 11:32:14 AM | 0.006 |
| 11:33:14 AM | 0.006 |
| 11:34:14 AM | 0.006 |
| 11:35:14 AM | 0.008 |
| 11:36:14 AM | 0.008 |
| 11:37:14 AM | 0.007 |
| 11:38:14 AM | 0.007 |
| 11:39:14 AM | 0.006 |
| 11:40:14 AM | 0.006 |
| 11:41:14 AM | 0.014 |
| 11:42:14 AM | 0.009 |
| 11:43:14 AM | 0.007 |
| 11:44:14 AM | 0.006 |
| 11:45:14 AM | 0.006 |

|             |       |
|-------------|-------|
| 11:46:14 AM | 0.007 |
| 11:47:14 AM | 0.007 |
| 11:48:14 AM | 0.008 |
| 11:49:14 AM | 0.005 |
| 11:50:14 AM | 0.005 |
| 11:51:14 AM | 0.006 |
| 11:52:14 AM | 0.006 |
| 11:53:14 AM | 0.008 |
| 11:54:14 AM | 0.005 |
| 11:55:14 AM | 0.006 |
| 11:56:14 AM | 0.005 |
| 11:57:14 AM | 0.006 |
| 11:58:14 AM | 0.005 |
| 11:59:14 AM | 0.005 |
| 12:00:14 PM | 0.006 |
| 12:01:14 PM | 0.006 |
| 12:02:14 PM | 0.006 |
| 12:03:14 PM | 0.008 |
| 12:04:14 PM | 0.006 |
| 12:05:14 PM | 0.005 |
| 12:06:14 PM | 0.005 |
| 12:07:14 PM | 0.005 |
| 12:08:14 PM | 0.005 |
| 12:09:14 PM | 0.005 |
| 12:10:14 PM | 0.013 |
| 12:11:14 PM | 0.006 |
| 12:12:14 PM | 0.005 |
| 12:13:14 PM | 0.005 |
| 12:14:14 PM | 0.005 |
| 12:15:14 PM | 0.005 |
| 12:16:14 PM | 0.006 |
| 12:17:14 PM | 0.007 |
| 12:18:14 PM | 0.006 |
| 12:19:14 PM | 0.008 |
| 12:20:14 PM | 0.006 |
| 12:21:14 PM | 0.005 |
| 12:22:14 PM | 0.006 |
| 12:23:14 PM | 0.007 |
| 12:24:14 PM | 0.007 |
| 12:25:14 PM | 0.006 |
| 12:26:14 PM | 0.005 |
| 12:27:14 PM | 0.005 |
| 12:28:14 PM | 0.009 |
| 12:29:14 PM | 0.006 |

|             |       |
|-------------|-------|
| 12:30:14 PM | 0.005 |
| 12:31:14 PM | 0.006 |
| 12:32:14 PM | 0.006 |
| 12:33:14 PM | 0.006 |
| 12:34:14 PM | 0.006 |
| 12:35:14 PM | 0.005 |
| 12:36:14 PM | 0.005 |
| 12:37:14 PM | 0.005 |
| 12:38:14 PM | 0.005 |
| 12:39:14 PM | 0.006 |
| 12:40:14 PM | 0.006 |
| 12:41:14 PM | 0.006 |
| 12:42:14 PM | 0.006 |
| 12:43:14 PM | 0.006 |
| 12:44:14 PM | 0.005 |
| 12:45:14 PM | 0.005 |
| 12:46:14 PM | 0.006 |
| 12:47:14 PM | 0.005 |
| 12:48:14 PM | 0.006 |
| 12:49:14 PM | 0.006 |
| 12:50:14 PM | 0.005 |
| 12:51:14 PM | 0.005 |
| 12:52:14 PM | 0.006 |
| 12:53:14 PM | 0.006 |
| 12:54:14 PM | 0.006 |
| 12:55:14 PM | 0.009 |
| 12:56:14 PM | 0.006 |
| 12:57:14 PM | 0.006 |
| 12:58:14 PM | 0.008 |
| 12:59:14 PM | 0.006 |
| 1:00:14 PM  | 0.008 |
| 1:01:14 PM  | 0.006 |
| 1:02:14 PM  | 0.007 |
| 1:03:14 PM  | 0.005 |
| 1:04:14 PM  | 0.005 |
| 1:05:14 PM  | 0.005 |
| 1:06:14 PM  | 0.004 |
| 1:07:14 PM  | 0.005 |
| 1:08:14 PM  | 0.005 |
| 1:09:14 PM  | 0.007 |
| 1:10:14 PM  | 0.006 |
| 1:11:14 PM  | 0.007 |
| 1:12:14 PM  | 0.011 |
| 1:13:14 PM  | 0.005 |

|            |       |
|------------|-------|
| 1:14:14 PM | 0.005 |
| 1:15:14 PM | 0.005 |
| 1:16:14 PM | 0.005 |
| 1:17:14 PM | 0.005 |
| 1:18:14 PM | 0.005 |
| 1:19:14 PM | 0.006 |
| 1:20:14 PM | 0.009 |
| 1:21:14 PM | 0.008 |
| 1:22:14 PM | 0.007 |
| 1:23:14 PM | 0.006 |
| 1:24:14 PM | 0.007 |
| 1:25:14 PM | 0.013 |
| 1:26:14 PM | 0.006 |
| 1:27:14 PM | 0.007 |
| 1:28:14 PM | 0.005 |
| 1:29:14 PM | 0.005 |
| 1:30:14 PM | 0.005 |
| 1:31:14 PM | 0.005 |
| 1:32:14 PM | 0.006 |
| 1:33:14 PM | 0.005 |
| 1:34:14 PM | 0.006 |
| 1:35:14 PM | 0.005 |
| 1:36:14 PM | 0.005 |
| 1:37:14 PM | 0.006 |
| 1:38:14 PM | 0.005 |
| 1:39:14 PM | 0.005 |
| 1:40:14 PM | 0.005 |
| 1:41:14 PM | 0.01  |
| 1:42:14 PM | 0.005 |
| 1:43:14 PM | 0.005 |
| 1:44:14 PM | 0.005 |
| 1:45:14 PM | 0.005 |
| 1:46:14 PM | 0.005 |
| 1:47:14 PM | 0.005 |
| 1:48:14 PM | 0.006 |
| 1:49:14 PM | 0.006 |
| 1:50:14 PM | 0.005 |
| 1:51:14 PM | 0.005 |
| 1:52:14 PM | 0.006 |
| 1:53:14 PM | 0.005 |
| 1:54:14 PM | 0.005 |
| 1:55:14 PM | 0.006 |
| 1:56:14 PM | 0.005 |
| 1:57:14 PM | 0.004 |

|            |       |
|------------|-------|
| 1:58:14 PM | 0.005 |
| 1:59:14 PM | 0.004 |
| 2:00:14 PM | 0.005 |
| 2:01:14 PM | 0.005 |
| 2:02:14 PM | 0.005 |
| 2:03:14 PM | 0.004 |
| 2:04:14 PM | 0.004 |
| 2:05:14 PM | 0.004 |
| 2:06:14 PM | 0.006 |
| 2:07:14 PM | 0.006 |
| 2:08:14 PM | 0.004 |
| 2:09:14 PM | 0.005 |
| 2:10:14 PM | 0.006 |
| 2:11:14 PM | 0.008 |
| 2:12:14 PM | 0.008 |
| 2:13:14 PM | 0.006 |
| 2:14:14 PM | 0.006 |
| 2:15:14 PM | 0.005 |
| 2:16:14 PM | 0.005 |
| 2:17:14 PM | 0.019 |
| 2:18:14 PM | 0.017 |
| 2:19:14 PM | 0.006 |
| 2:20:14 PM | 0.005 |
| 2:21:14 PM | 0.005 |
| 2:22:14 PM | 0.005 |
| 2:23:14 PM | 0.005 |
| 2:24:14 PM | 0.005 |
| 2:25:14 PM | 0.005 |
| 2:26:14 PM | 0.008 |
| 2:27:14 PM | 0.004 |
| 2:28:14 PM | 0.005 |
| 2:29:14 PM | 0.004 |
| 2:30:14 PM | 0.005 |
| 2:31:14 PM | 0.005 |
| 2:32:14 PM | 0.005 |
| 2:33:14 PM | 0.007 |
| 2:34:14 PM | 0.007 |
| 2:35:14 PM | 0.004 |
| 2:36:14 PM | 0.004 |
| 2:37:14 PM | 0.005 |
| 2:38:14 PM | 0.005 |
| 2:39:14 PM | 0.004 |
| 2:40:14 PM | 0.004 |
| 2:41:14 PM | 0.005 |

|            |       |
|------------|-------|
| 2:42:14 PM | 0.004 |
| 2:43:14 PM | 0.004 |
| 2:44:14 PM | 0.004 |
| 2:45:14 PM | 0.004 |
| 2:46:14 PM | 0.004 |
| 2:47:14 PM | 0.004 |
| 2:48:14 PM | 0.004 |
| 2:49:14 PM | 0.005 |
| 2:50:14 PM | 0.004 |
| 2:51:14 PM | 0.004 |
| 2:52:14 PM | 0.004 |
| 2:53:14 PM | 0.005 |
| 2:54:14 PM | 0.004 |
| 2:55:14 PM | 0.005 |
| 2:56:14 PM | 0.008 |
| 2:57:14 PM | 0.005 |
| 2:58:14 PM | 0.005 |
| 2:59:14 PM | 0.008 |
| 3:00:14 PM | 0.006 |
| 3:01:14 PM | 0.006 |
| 3:02:14 PM | 0.006 |
| 3:03:14 PM | 0.006 |
| 3:04:14 PM | 0.005 |
| 3:05:14 PM | 0.006 |
| 3:06:14 PM | 0.005 |
| 3:07:14 PM | 0.005 |
| 3:08:14 PM | 0.005 |
| 3:09:14 PM | 0.004 |
| 3:10:14 PM | 0.005 |
| 3:11:14 PM | 0.006 |
| 3:12:14 PM | 0.005 |
| 3:13:14 PM | 0.005 |
| 3:14:14 PM | 0.005 |
| 3:15:14 PM | 0.01  |
| 3:16:14 PM | 0.005 |
| 3:17:14 PM | 0.005 |
| 3:18:14 PM | 0.005 |
| 3:19:14 PM | 0.006 |
| 3:20:14 PM | 0.005 |
| 3:21:14 PM | 0.005 |
| 3:22:14 PM | 0.006 |
| 3:23:14 PM | 0.005 |
| 3:24:14 PM | 0.005 |
| 3:25:14 PM | 0.005 |

|            |       |
|------------|-------|
| 3:26:14 PM | 0.005 |
| 3:27:14 PM | 0.005 |
| 3:28:14 PM | 0.005 |
| 3:29:14 PM | 0.005 |



| Device Serial No | Log Time        | Log Type | Sensor 1 Type | Sensor 1 Serial Number | Sensor 1 Status | Sensor 1 Gas Reading |
|------------------|-----------------|----------|---------------|------------------------|-----------------|----------------------|
| 592-000289       | 2/14/2024 16:55 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:54 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:53 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:52 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:51 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:50 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:49 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:48 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:47 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:46 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:45 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:44 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:43 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:42 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:41 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:40 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:39 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:38 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:37 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:36 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:35 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:34 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:33 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:32 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:31 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:30 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:29 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:28 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:27 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:26 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:25 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 2/14/2024 16:24 | Readings | PID           | SC23030140W3           | Normal          | 0                    |

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 12:32 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:31 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:30 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:29 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:28 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:27 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:26 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:25 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:24 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:23 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:22 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:21 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:20 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:19 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:18 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:17 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:16 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:15 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:14 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:13 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:12 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:11 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:10 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:09 Readings | PID | SC23030140W3 | Normal | 0.1 |
| 592-000289 | 2/14/2024 12:08 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:07 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:06 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:05 Readings | PID | SC23030140W3 | Normal | 0.1 |
| 592-000289 | 2/14/2024 12:04 Readings | PID | SC23030140W3 | Normal | 0.1 |
| 592-000289 | 2/14/2024 12:03 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:02 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:01 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 12:00 Readings | PID | SC23030140W3 | Normal | 0   |

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 11:59 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:58 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:57 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:56 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:55 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:54 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:53 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:52 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:51 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:50 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:49 Readings | PID | SC23030140W3 | Normal | 0.2 |
| 592-000289 | 2/14/2024 11:48 Readings | PID | SC23030140W3 | Normal | 0.1 |
| 592-000289 | 2/14/2024 11:47 Readings | PID | SC23030140W3 | Normal | 0.2 |
| 592-000289 | 2/14/2024 11:46 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:45 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:44 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:43 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:42 Readings | PID | SC23030140W3 | Normal | 0.1 |
| 592-000289 | 2/14/2024 11:41 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:40 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:39 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:38 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:37 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:36 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:35 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:34 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:33 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:32 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:31 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:30 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:29 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:28 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 11:27 Readings | PID | SC23030140W3 | Normal | 0   |

[illegible]

[illegible]

|            |                          |     |              |        |   |
|------------|--------------------------|-----|--------------|--------|---|
| 592-000289 | 2/14/2024 10:20 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:19 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:18 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:17 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:16 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:15 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:14 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:13 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:12 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:11 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:10 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:09 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:08 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:07 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:06 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:05 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:04 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:03 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:02 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:01 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 10:00 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:59 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:58 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:57 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:56 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:55 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:54 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:53 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:52 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:51 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:50 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:49 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 2/14/2024 9:48 Readings  | PID | SC23030140W3 | Normal | 0 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 9:47 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:46 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:45 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:44 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:43 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:42 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:41 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:40 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:39 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:38 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:37 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:36 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:35 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:34 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:33 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:32 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:31 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:30 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:29 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:28 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:27 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:26 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:26 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:25 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:25 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:24 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:24 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:23 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:23 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:22 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:22 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:21 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:21 Readings | PID | SC23030140W3 | Normal | 0   |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 9:20 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:20 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:19 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:19 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:18 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:18 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:17 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:17 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:16 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:16 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:15 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:15 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:14 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:14 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:13 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:13 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:12 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:12 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:11 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:11 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:10 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:10 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:09 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:09 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:08 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:08 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:07 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:07 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:06 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 9:06 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:05 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:05 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:04 Readings | PID | SC23030602B4 | Normal | 0.1 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 9:04 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:03 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:03 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:02 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:02 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:01 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 9:01 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:01 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 9:00 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 9:00 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 9:00 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:59 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:59 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:59 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:58 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:58 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:58 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:57 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:57 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:57 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:56 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:56 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:56 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:55 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:55 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:55 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:54 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-000289 | 2/14/2024 8:54 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:54 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:53 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-000289 | 2/14/2024 8:53 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:53 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:52 Readings | PID | SC23030602B4 | Normal | 0.4 |



|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:52 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:52 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:51 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:51 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:51 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:50 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:50 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:50 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:49 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:49 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:49 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:48 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:48 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:48 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:47 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:47 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:47 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:46 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:46 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:46 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:45 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:45 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:45 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:44 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:44 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:44 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:43 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:43 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:43 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:42 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:42 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:42 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:41 Readings | PID | SC23030602B4 | Normal | 0.3 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:41 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:41 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:40 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:40 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:40 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:39 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:39 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:39 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:38 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:38 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:38 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:37 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:37 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:37 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:37 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:36 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:36 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:36 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:36 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:35 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:35 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:35 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:35 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:34 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:34 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:34 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:34 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:33 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:33 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:33 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:33 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:33 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:32 Readings | PID | SC23030602B4 | Normal | 0.2 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:32 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:32 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:32 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:32 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:31 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:31 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:31 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:31 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:31 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:30 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:30 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:30 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:30 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:30 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:29 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:29 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:29 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:29 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:29 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:28 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:28 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:28 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:28 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:28 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:27 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:27 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:27 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:27 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:27 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:26 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:26 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:26 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:26 Readings | PID | SC23030602B4 | Normal | 0.1 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:26 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:25 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:25 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:25 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:25 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:25 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:24 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:24 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:24 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:24 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:24 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:23 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:23 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:23 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:23 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:23 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:22 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:22 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:22 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:22 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:21 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:21 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:21 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:21 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:21 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:20 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:20 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:20 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:20 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:20 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:19 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:19 Readings | PID | SC23030602B4 | Normal | 0.3 |

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:19 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:19 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:19 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:18 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:18 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:18 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:18 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:18 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:17 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:16 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:15 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:14 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-000289 | 2/14/2024 8:14 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:14 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:14 Readings | PID | SC23030602B4 | Normal | 0.3 |

[illegible]

|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-000289 | 2/14/2024 8:10 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:10 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:10 Readings | PID | SC23030140W3 | Normal | 0   |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0   |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.3 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.2 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030602B4 | Normal | 0.1 |
| 592-000289 | 2/14/2024 8:09 CONFIG   | PID | SC23030140W3 |        |     |

|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530152812  |
| Firmware Version     | 3.1         |
| Calibration Date     | 5/2/2023    |
| Test Name            | MANUAL_017  |
| Test Start Time      | 6:57:27 AM  |
| Test Start Date      | 2/14/2024   |
| Test Length [D:H:M]  | 0:08:32     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.006       |
| Mass Minimum [mg/m3] | 0.003       |
| Mass Maximum [mg/m3] | 0.013       |
| Mass TWA [mg/m3]     | 0.006       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 512         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:57:27 AM       | 0.004        |        |        |
| 6:58:27 AM       | 0.003        |        |        |
| 6:59:27 AM       | 0.003        |        |        |
| 7:00:27 AM       | 0.003        |        |        |
| 7:01:27 AM       | 0.003        |        |        |
| 7:02:27 AM       | 0.003        |        |        |
| 7:03:27 AM       | 0.003        |        |        |
| 7:04:27 AM       | 0.003        |        |        |
| 7:05:27 AM       | 0.003        |        |        |
| 7:06:27 AM       | 0.003        |        |        |
| 7:07:27 AM       | 0.003        |        |        |
| 7:08:27 AM       | 0.003        |        |        |
| 7:09:27 AM       | 0.003        |        |        |
| 7:10:27 AM       | 0.003        |        |        |
| 7:11:27 AM       | 0.003        |        |        |
| 7:12:27 AM       | 0.003        |        |        |
| 7:13:27 AM       | 0.003        |        |        |
| 7:14:27 AM       | 0.004        |        |        |
| 7:15:27 AM       | 0.004        |        |        |
| 7:16:27 AM       | 0.004        |        |        |
| 7:17:27 AM       | 0.004        |        |        |
| 7:18:27 AM       | 0.004        |        |        |
| 7:19:27 AM       | 0.004        |        |        |
| 7:20:27 AM       | 0.004        |        |        |



|            |       |
|------------|-------|
| 7:21:27 AM | 0.004 |
| 7:22:27 AM | 0.004 |
| 7:23:27 AM | 0.004 |
| 7:24:27 AM | 0.005 |
| 7:25:27 AM | 0.005 |
| 7:26:27 AM | 0.005 |
| 7:27:27 AM | 0.013 |
| 7:28:27 AM | 0.013 |
| 7:29:27 AM | 0.011 |
| 7:30:27 AM | 0.01  |
| 7:31:27 AM | 0.005 |
| 7:32:27 AM | 0.005 |
| 7:33:27 AM | 0.005 |
| 7:34:27 AM | 0.005 |
| 7:35:27 AM | 0.005 |
| 7:36:27 AM | 0.006 |
| 7:37:27 AM | 0.009 |
| 7:38:27 AM | 0.005 |
| 7:39:27 AM | 0.005 |
| 7:40:27 AM | 0.005 |
| 7:41:27 AM | 0.005 |
| 7:42:27 AM | 0.005 |
| 7:43:27 AM | 0.005 |
| 7:44:27 AM | 0.005 |
| 7:45:27 AM | 0.005 |
| 7:46:27 AM | 0.005 |
| 7:47:27 AM | 0.005 |
| 7:48:27 AM | 0.005 |
| 7:49:27 AM | 0.006 |
| 7:50:27 AM | 0.006 |
| 7:51:27 AM | 0.005 |
| 7:52:27 AM | 0.005 |
| 7:53:27 AM | 0.005 |
| 7:54:27 AM | 0.006 |
| 7:55:27 AM | 0.006 |
| 7:56:27 AM | 0.005 |
| 7:57:27 AM | 0.005 |
| 7:58:27 AM | 0.005 |
| 7:59:27 AM | 0.005 |
| 8:00:27 AM | 0.005 |
| 8:01:27 AM | 0.005 |
| 8:02:27 AM | 0.006 |
| 8:03:27 AM | 0.005 |
| 8:04:27 AM | 0.005 |

|            |       |
|------------|-------|
| 8:05:27 AM | 0.005 |
| 8:06:27 AM | 0.005 |
| 8:07:27 AM | 0.005 |
| 8:08:27 AM | 0.006 |
| 8:09:27 AM | 0.006 |
| 8:10:27 AM | 0.006 |
| 8:11:27 AM | 0.007 |
| 8:12:27 AM | 0.006 |
| 8:13:27 AM | 0.007 |
| 8:14:27 AM | 0.005 |
| 8:15:27 AM | 0.006 |
| 8:16:27 AM | 0.006 |
| 8:17:27 AM | 0.006 |
| 8:18:27 AM | 0.006 |
| 8:19:27 AM | 0.006 |
| 8:20:27 AM | 0.006 |
| 8:21:27 AM | 0.005 |
| 8:22:27 AM | 0.005 |
| 8:23:27 AM | 0.005 |
| 8:24:27 AM | 0.006 |
| 8:25:27 AM | 0.005 |
| 8:26:27 AM | 0.006 |
| 8:27:27 AM | 0.006 |
| 8:28:27 AM | 0.005 |
| 8:29:27 AM | 0.005 |
| 8:30:27 AM | 0.006 |
| 8:31:27 AM | 0.005 |
| 8:32:27 AM | 0.005 |
| 8:33:27 AM | 0.006 |
| 8:34:27 AM | 0.005 |
| 8:35:27 AM | 0.006 |
| 8:36:27 AM | 0.005 |
| 8:37:27 AM | 0.006 |
| 8:38:27 AM | 0.006 |
| 8:39:27 AM | 0.006 |
| 8:40:27 AM | 0.01  |
| 8:41:27 AM | 0.007 |
| 8:42:27 AM | 0.005 |
| 8:43:27 AM | 0.005 |
| 8:44:27 AM | 0.005 |
| 8:45:27 AM | 0.006 |
| 8:46:27 AM | 0.006 |
| 8:47:27 AM | 0.007 |
| 8:48:27 AM | 0.007 |

|            |       |
|------------|-------|
| 8:49:27 AM | 0.006 |
| 8:50:27 AM | 0.005 |
| 8:51:27 AM | 0.005 |
| 8:52:27 AM | 0.005 |
| 8:53:27 AM | 0.005 |
| 8:54:27 AM | 0.005 |
| 8:55:27 AM | 0.005 |
| 8:56:27 AM | 0.005 |
| 8:57:27 AM | 0.005 |
| 8:58:27 AM | 0.005 |
| 8:59:27 AM | 0.005 |
| 9:00:27 AM | 0.005 |
| 9:01:27 AM | 0.005 |
| 9:02:27 AM | 0.005 |
| 9:03:27 AM | 0.005 |
| 9:04:27 AM | 0.005 |
| 9:05:27 AM | 0.006 |
| 9:06:27 AM | 0.005 |
| 9:07:27 AM | 0.005 |
| 9:08:27 AM | 0.006 |
| 9:09:27 AM | 0.005 |
| 9:10:27 AM | 0.005 |
| 9:11:27 AM | 0.005 |
| 9:12:27 AM | 0.005 |
| 9:13:27 AM | 0.005 |
| 9:14:27 AM | 0.005 |
| 9:15:27 AM | 0.005 |
| 9:16:27 AM | 0.005 |
| 9:17:27 AM | 0.005 |
| 9:18:27 AM | 0.007 |
| 9:19:27 AM | 0.01  |
| 9:20:27 AM | 0.008 |
| 9:21:27 AM | 0.006 |
| 9:22:27 AM | 0.005 |
| 9:23:27 AM | 0.005 |
| 9:24:27 AM | 0.005 |
| 9:25:27 AM | 0.005 |
| 9:26:27 AM | 0.005 |
| 9:27:27 AM | 0.008 |
| 9:28:27 AM | 0.005 |
| 9:29:27 AM | 0.005 |
| 9:30:27 AM | 0.006 |
| 9:31:27 AM | 0.005 |
| 9:32:27 AM | 0.005 |

|             |       |
|-------------|-------|
| 9:33:27 AM  | 0.005 |
| 9:34:27 AM  | 0.006 |
| 9:35:27 AM  | 0.005 |
| 9:36:27 AM  | 0.005 |
| 9:37:27 AM  | 0.005 |
| 9:38:27 AM  | 0.005 |
| 9:39:27 AM  | 0.005 |
| 9:40:27 AM  | 0.005 |
| 9:41:27 AM  | 0.005 |
| 9:42:27 AM  | 0.005 |
| 9:43:27 AM  | 0.005 |
| 9:44:27 AM  | 0.006 |
| 9:45:27 AM  | 0.005 |
| 9:46:27 AM  | 0.005 |
| 9:47:27 AM  | 0.005 |
| 9:48:27 AM  | 0.009 |
| 9:49:27 AM  | 0.006 |
| 9:50:27 AM  | 0.006 |
| 9:51:27 AM  | 0.006 |
| 9:52:27 AM  | 0.005 |
| 9:53:27 AM  | 0.005 |
| 9:54:27 AM  | 0.005 |
| 9:55:27 AM  | 0.006 |
| 9:56:27 AM  | 0.006 |
| 9:57:27 AM  | 0.009 |
| 9:58:27 AM  | 0.006 |
| 9:59:27 AM  | 0.007 |
| 10:00:27 AM | 0.006 |
| 10:01:27 AM | 0.009 |
| 10:02:27 AM | 0.006 |
| 10:03:27 AM | 0.005 |
| 10:04:27 AM | 0.006 |
| 10:05:27 AM | 0.005 |
| 10:06:27 AM | 0.005 |
| 10:07:27 AM | 0.005 |
| 10:08:27 AM | 0.006 |
| 10:09:27 AM | 0.006 |
| 10:10:27 AM | 0.01  |
| 10:11:27 AM | 0.006 |
| 10:12:27 AM | 0.006 |
| 10:13:27 AM | 0.006 |
| 10:14:27 AM | 0.006 |
| 10:15:27 AM | 0.006 |
| 10:16:27 AM | 0.006 |

|             |       |
|-------------|-------|
| 10:17:27 AM | 0.006 |
| 10:18:27 AM | 0.006 |
| 10:19:27 AM | 0.006 |
| 10:20:27 AM | 0.006 |
| 10:21:27 AM | 0.006 |
| 10:22:27 AM | 0.006 |
| 10:23:27 AM | 0.006 |
| 10:24:27 AM | 0.007 |
| 10:25:27 AM | 0.006 |
| 10:26:27 AM | 0.006 |
| 10:27:27 AM | 0.006 |
| 10:28:27 AM | 0.006 |
| 10:29:27 AM | 0.006 |
| 10:30:27 AM | 0.006 |
| 10:31:27 AM | 0.006 |
| 10:32:27 AM | 0.006 |
| 10:33:27 AM | 0.007 |
| 10:34:27 AM | 0.006 |
| 10:35:27 AM | 0.006 |
| 10:36:27 AM | 0.006 |
| 10:37:27 AM | 0.006 |
| 10:38:27 AM | 0.006 |
| 10:39:27 AM | 0.006 |
| 10:40:27 AM | 0.007 |
| 10:41:27 AM | 0.008 |
| 10:42:27 AM | 0.007 |
| 10:43:27 AM | 0.007 |
| 10:44:27 AM | 0.007 |
| 10:45:27 AM | 0.007 |
| 10:46:27 AM | 0.007 |
| 10:47:27 AM | 0.007 |
| 10:48:27 AM | 0.007 |
| 10:49:27 AM | 0.007 |
| 10:50:27 AM | 0.007 |
| 10:51:27 AM | 0.007 |
| 10:52:27 AM | 0.006 |
| 10:53:27 AM | 0.007 |
| 10:54:27 AM | 0.007 |
| 10:55:27 AM | 0.009 |
| 10:56:27 AM | 0.007 |
| 10:57:27 AM | 0.007 |
| 10:58:27 AM | 0.007 |
| 10:59:27 AM | 0.007 |
| 11:00:27 AM | 0.009 |

|             |       |
|-------------|-------|
| 11:01:27 AM | 0.007 |
| 11:02:27 AM | 0.006 |
| 11:03:27 AM | 0.006 |
| 11:04:27 AM | 0.006 |
| 11:05:27 AM | 0.006 |
| 11:06:27 AM | 0.007 |
| 11:07:27 AM | 0.007 |
| 11:08:27 AM | 0.007 |
| 11:09:27 AM | 0.007 |
| 11:10:27 AM | 0.007 |
| 11:11:27 AM | 0.007 |
| 11:12:27 AM | 0.007 |
| 11:13:27 AM | 0.007 |
| 11:14:27 AM | 0.007 |
| 11:15:27 AM | 0.007 |
| 11:16:27 AM | 0.008 |
| 11:17:27 AM | 0.007 |
| 11:18:27 AM | 0.007 |
| 11:19:27 AM | 0.007 |
| 11:20:27 AM | 0.007 |
| 11:21:27 AM | 0.007 |
| 11:22:27 AM | 0.007 |
| 11:23:27 AM | 0.007 |
| 11:24:27 AM | 0.007 |
| 11:25:27 AM | 0.007 |
| 11:26:27 AM | 0.007 |
| 11:27:27 AM | 0.007 |
| 11:28:27 AM | 0.007 |
| 11:29:27 AM | 0.007 |
| 11:30:27 AM | 0.007 |
| 11:31:27 AM | 0.008 |
| 11:32:27 AM | 0.007 |
| 11:33:27 AM | 0.008 |
| 11:34:27 AM | 0.008 |
| 11:35:27 AM | 0.007 |
| 11:36:27 AM | 0.007 |
| 11:37:27 AM | 0.007 |
| 11:38:27 AM | 0.01  |
| 11:39:27 AM | 0.008 |
| 11:40:27 AM | 0.007 |
| 11:41:27 AM | 0.007 |
| 11:42:27 AM | 0.007 |
| 11:43:27 AM | 0.008 |
| 11:44:27 AM | 0.007 |

|             |       |
|-------------|-------|
| 11:45:27 AM | 0.007 |
| 11:46:27 AM | 0.007 |
| 11:47:27 AM | 0.007 |
| 11:48:27 AM | 0.007 |
| 11:49:27 AM | 0.008 |
| 11:50:27 AM | 0.007 |
| 11:51:27 AM | 0.007 |
| 11:52:27 AM | 0.007 |
| 11:53:27 AM | 0.007 |
| 11:54:27 AM | 0.007 |
| 11:55:27 AM | 0.007 |
| 11:56:27 AM | 0.007 |
| 11:57:27 AM | 0.007 |
| 11:58:27 AM | 0.007 |
| 11:59:27 AM | 0.008 |
| 12:00:27 PM | 0.007 |
| 12:01:27 PM | 0.007 |
| 12:02:27 PM | 0.007 |
| 12:03:27 PM | 0.007 |
| 12:04:27 PM | 0.007 |
| 12:05:27 PM | 0.007 |
| 12:06:27 PM | 0.007 |
| 12:07:27 PM | 0.008 |
| 12:08:27 PM | 0.007 |
| 12:09:27 PM | 0.007 |
| 12:10:27 PM | 0.007 |
| 12:11:27 PM | 0.007 |
| 12:12:27 PM | 0.007 |
| 12:13:27 PM | 0.008 |
| 12:14:27 PM | 0.008 |
| 12:15:27 PM | 0.009 |
| 12:16:27 PM | 0.007 |
| 12:17:27 PM | 0.007 |
| 12:18:27 PM | 0.008 |
| 12:19:27 PM | 0.008 |
| 12:20:27 PM | 0.007 |
| 12:21:27 PM | 0.007 |
| 12:22:27 PM | 0.007 |
| 12:23:27 PM | 0.007 |
| 12:24:27 PM | 0.008 |
| 12:25:27 PM | 0.007 |
| 12:26:27 PM | 0.007 |
| 12:27:27 PM | 0.007 |
| 12:28:27 PM | 0.007 |

|             |       |
|-------------|-------|
| 12:29:27 PM | 0.007 |
| 12:30:27 PM | 0.007 |
| 12:31:27 PM | 0.007 |
| 12:32:27 PM | 0.007 |
| 12:33:27 PM | 0.007 |
| 12:34:27 PM | 0.007 |
| 12:35:27 PM | 0.007 |
| 12:36:27 PM | 0.007 |
| 12:37:27 PM | 0.007 |
| 12:38:27 PM | 0.007 |
| 12:39:27 PM | 0.008 |
| 12:40:27 PM | 0.007 |
| 12:41:27 PM | 0.007 |
| 12:42:27 PM | 0.007 |
| 12:43:27 PM | 0.007 |
| 12:44:27 PM | 0.007 |
| 12:45:27 PM | 0.007 |
| 12:46:27 PM | 0.007 |
| 12:47:27 PM | 0.007 |
| 12:48:27 PM | 0.007 |
| 12:49:27 PM | 0.007 |
| 12:50:27 PM | 0.007 |
| 12:51:27 PM | 0.008 |
| 12:52:27 PM | 0.007 |
| 12:53:27 PM | 0.007 |
| 12:54:27 PM | 0.009 |
| 12:55:27 PM | 0.007 |
| 12:56:27 PM | 0.008 |
| 12:57:27 PM | 0.007 |
| 12:58:27 PM | 0.007 |
| 12:59:27 PM | 0.007 |
| 1:00:27 PM  | 0.007 |
| 1:01:27 PM  | 0.007 |
| 1:02:27 PM  | 0.006 |
| 1:03:27 PM  | 0.007 |
| 1:04:27 PM  | 0.006 |
| 1:05:27 PM  | 0.009 |
| 1:06:27 PM  | 0.007 |
| 1:07:27 PM  | 0.008 |
| 1:08:27 PM  | 0.009 |
| 1:09:27 PM  | 0.008 |
| 1:10:27 PM  | 0.007 |
| 1:11:27 PM  | 0.007 |
| 1:12:27 PM  | 0.008 |



|            |       |
|------------|-------|
| 1:13:27 PM | 0.007 |
| 1:14:27 PM | 0.007 |
| 1:15:27 PM | 0.008 |
| 1:16:27 PM | 0.01  |
| 1:17:27 PM | 0.009 |
| 1:18:27 PM | 0.008 |
| 1:19:27 PM | 0.008 |
| 1:20:27 PM | 0.009 |
| 1:21:27 PM | 0.01  |
| 1:22:27 PM | 0.007 |
| 1:23:27 PM | 0.009 |
| 1:24:27 PM | 0.007 |
| 1:25:27 PM | 0.007 |
| 1:26:27 PM | 0.006 |
| 1:27:27 PM | 0.006 |
| 1:28:27 PM | 0.007 |
| 1:29:27 PM | 0.007 |
| 1:30:27 PM | 0.006 |
| 1:31:27 PM | 0.006 |
| 1:32:27 PM | 0.006 |
| 1:33:27 PM | 0.007 |
| 1:34:27 PM | 0.007 |
| 1:35:27 PM | 0.007 |
| 1:36:27 PM | 0.006 |
| 1:37:27 PM | 0.011 |
| 1:38:27 PM | 0.006 |
| 1:39:27 PM | 0.006 |
| 1:40:27 PM | 0.007 |
| 1:41:27 PM | 0.007 |
| 1:42:27 PM | 0.006 |
| 1:43:27 PM | 0.006 |
| 1:44:27 PM | 0.007 |
| 1:45:27 PM | 0.007 |
| 1:46:27 PM | 0.006 |
| 1:47:27 PM | 0.006 |
| 1:48:27 PM | 0.007 |
| 1:49:27 PM | 0.007 |
| 1:50:27 PM | 0.007 |
| 1:51:27 PM | 0.007 |
| 1:52:27 PM | 0.007 |
| 1:53:27 PM | 0.006 |
| 1:54:27 PM | 0.006 |
| 1:55:27 PM | 0.006 |
| 1:56:27 PM | 0.006 |

|            |       |
|------------|-------|
| 1:57:27 PM | 0.006 |
| 1:58:27 PM | 0.006 |
| 1:59:27 PM | 0.006 |
| 2:00:27 PM | 0.006 |
| 2:01:27 PM | 0.006 |
| 2:02:27 PM | 0.006 |
| 2:03:27 PM | 0.006 |
| 2:04:27 PM | 0.006 |
| 2:05:27 PM | 0.006 |
| 2:06:27 PM | 0.006 |
| 2:07:27 PM | 0.006 |
| 2:08:27 PM | 0.007 |
| 2:09:27 PM | 0.006 |
| 2:10:27 PM | 0.006 |
| 2:11:27 PM | 0.006 |
| 2:12:27 PM | 0.006 |
| 2:13:27 PM | 0.006 |
| 2:14:27 PM | 0.007 |
| 2:15:27 PM | 0.007 |
| 2:16:27 PM | 0.007 |
| 2:17:27 PM | 0.007 |
| 2:18:27 PM | 0.006 |
| 2:19:27 PM | 0.006 |
| 2:20:27 PM | 0.006 |
| 2:21:27 PM | 0.006 |
| 2:22:27 PM | 0.006 |
| 2:23:27 PM | 0.006 |
| 2:24:27 PM | 0.006 |
| 2:25:27 PM | 0.006 |
| 2:26:27 PM | 0.006 |
| 2:27:27 PM | 0.006 |
| 2:28:27 PM | 0.006 |
| 2:29:27 PM | 0.008 |
| 2:30:27 PM | 0.008 |
| 2:31:27 PM | 0.006 |
| 2:32:27 PM | 0.006 |
| 2:33:27 PM | 0.006 |
| 2:34:27 PM | 0.006 |
| 2:35:27 PM | 0.006 |
| 2:36:27 PM | 0.006 |
| 2:37:27 PM | 0.006 |
| 2:38:27 PM | 0.006 |
| 2:39:27 PM | 0.006 |
| 2:40:27 PM | 0.006 |

|            |       |
|------------|-------|
| 2:41:27 PM | 0.006 |
| 2:42:27 PM | 0.006 |
| 2:43:27 PM | 0.006 |
| 2:44:27 PM | 0.006 |
| 2:45:27 PM | 0.006 |
| 2:46:27 PM | 0.006 |
| 2:47:27 PM | 0.006 |
| 2:48:27 PM | 0.006 |
| 2:49:27 PM | 0.006 |
| 2:50:27 PM | 0.006 |
| 2:51:27 PM | 0.006 |
| 2:52:27 PM | 0.006 |
| 2:53:27 PM | 0.006 |
| 2:54:27 PM | 0.006 |
| 2:55:27 PM | 0.007 |
| 2:56:27 PM | 0.006 |
| 2:57:27 PM | 0.006 |
| 2:58:27 PM | 0.006 |
| 2:59:27 PM | 0.006 |
| 3:00:27 PM | 0.006 |
| 3:01:27 PM | 0.006 |
| 3:02:27 PM | 0.006 |
| 3:03:27 PM | 0.007 |
| 3:04:27 PM | 0.006 |
| 3:05:27 PM | 0.005 |
| 3:06:27 PM | 0.006 |
| 3:07:27 PM | 0.007 |
| 3:08:27 PM | 0.006 |
| 3:09:27 PM | 0.007 |
| 3:10:27 PM | 0.006 |
| 3:11:27 PM | 0.01  |
| 3:12:27 PM | 0.006 |
| 3:13:27 PM | 0.006 |
| 3:14:27 PM | 0.006 |
| 3:15:27 PM | 0.006 |
| 3:16:27 PM | 0.007 |
| 3:17:27 PM | 0.006 |
| 3:18:27 PM | 0.007 |
| 3:19:27 PM | 0.007 |
| 3:20:27 PM | 0.007 |
| 3:21:27 PM | 0.006 |
| 3:22:27 PM | 0.006 |
| 3:23:27 PM | 0.006 |
| 3:24:27 PM | 0.006 |

|            |       |
|------------|-------|
| 3:25:27 PM | 0.006 |
| 3:26:27 PM | 0.006 |
| 3:27:27 PM | 0.007 |
| 3:28:27 PM | 0.007 |

| Device Serial No | Log Time        | Log Type | Sensor 1 Type | Sensor 1 Serial Number | Sensor 1 Status | Sensor 1 Gas Reading |
|------------------|-----------------|----------|---------------|------------------------|-----------------|----------------------|
| 592-602176       | 2/14/2024 16:50 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:49 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:48 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:47 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:46 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:45 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:44 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:43 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:42 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:41 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:40 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:39 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:38 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:37 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:36 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:35 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:34 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:33 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:32 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:31 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:30 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:29 | Readings | PID           | SC23030602B4           | Normal          | 0.2                  |
| 592-602176       | 2/14/2024 16:28 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:27 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:26 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:25 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:24 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:23 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:22 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:21 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |
| 592-602176       | 2/14/2024 16:20 | Readings | PID           | SC23030602B4           | Normal          | 0.4                  |
| 592-602176       | 2/14/2024 16:19 | Readings | PID           | SC23030602B4           | Normal          | 0.3                  |

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-602176 | 2/14/2024 16:18 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:17 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:16 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:15 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:14 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:13 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:12 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:11 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 16:10 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:09 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 16:08 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:07 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:06 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:05 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:04 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:03 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:02 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 16:01 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 16:00 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:59 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:58 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:57 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:56 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:55 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:54 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:53 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:52 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:51 Readings | PID | SC23030602B4 | Normal | 0.6 |
| 592-602176 | 2/14/2024 15:50 Readings | PID | SC23030602B4 | Normal | 0.6 |
| 592-602176 | 2/14/2024 15:49 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:48 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:47 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 15:46 Readings | PID | SC23030602B4 | Normal | 0.3 |

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-602176 | 2/14/2024 15:45 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 15:44 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:43 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:42 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:41 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:40 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:39 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:38 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:37 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:36 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:35 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:34 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:33 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:32 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:31 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:30 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:29 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 15:28 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:27 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:26 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:25 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:24 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:23 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:22 Readings | PID | SC23030602B4 | Normal | 0.4 |
| 592-602176 | 2/14/2024 15:21 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 15:20 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 15:19 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 15:18 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:17 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:16 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:15 Readings | PID | SC23030602B4 | Normal | 0.3 |
| 592-602176 | 2/14/2024 15:14 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 15:13 Readings | PID | SC23030602B4 | Normal | 0.3 |

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-602176 | 2/14/2024 11:54 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:53 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:52 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:51 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:50 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:49 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:48 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:47 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:46 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:45 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:44 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:43 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:42 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 11:41 Readings | PID | SC23030602B4 | Normal | 0.5 |
| 592-602176 | 2/14/2024 11:40 Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-602176 | 2/14/2024 11:39 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:38 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:37 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:36 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:35 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:34 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:33 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:32 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:31 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:30 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:29 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:28 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:27 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:26 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:25 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:24 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:23 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 11:22 Readings | PID | SC23030602B4 | Normal | 0.1 |

[illegible]

|            |                          |     |              |        |     |
|------------|--------------------------|-----|--------------|--------|-----|
| 592-602176 | 2/14/2024 10:48 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:47 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:46 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:45 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:44 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:43 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:42 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:41 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:40 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:39 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:38 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:37 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:36 Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-602176 | 2/14/2024 10:35 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:34 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:33 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:32 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:31 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:30 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:29 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:28 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:27 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:26 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:25 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:24 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:23 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:22 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:21 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:20 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:19 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:18 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:17 Readings | PID | SC23030602B4 | Normal | 0   |
| 592-602176 | 2/14/2024 10:16 Readings | PID | SC23030602B4 | Normal | 0   |



|            |                          |     |              |        |   |
|------------|--------------------------|-----|--------------|--------|---|
| 592-602176 | 2/14/2024 10:15 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:14 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:13 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:12 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:11 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:10 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:09 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:08 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:07 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:06 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:05 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:04 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:03 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:02 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:01 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 10:00 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:59 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:58 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:57 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:56 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:55 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:54 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:53 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:52 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:51 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:50 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:49 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:48 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:47 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:46 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:45 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:44 Readings  | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 9:43 Readings  | PID | SC23030602B4 | Normal | 0 |

[illegible]

[illegible]

|            |                         |     |              |        |   |
|------------|-------------------------|-----|--------------|--------|---|
| 592-602176 | 2/14/2024 8:36 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:35 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:34 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:33 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:32 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:31 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:30 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:29 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:28 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:27 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:26 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:25 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:24 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:23 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:22 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:21 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:20 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:19 Readings | PID | SC23030602B4 | Normal | 0 |
| 592-602176 | 2/14/2024 8:18 CONFIG   | PID | SC23030602B4 |        |   |