



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	X	32-50		50-70		70-85		>85		SE 11 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	02/15/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 15:30</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas Capital (Contractor) WSP (Environmental oversight) – Tim Williams ECS (Dewatering)</p> <p>Equipment On Site: Dustrack (3x), PID (3x), Pile Rig</p>
---	---

Scope of Work: Site preparations for NY Governors visit and groundbreaking ceremony.

Site Activities:

- Deploy CAMP at the start of the workday;
- Depth to water gauging of 14 sentinel wells;
- Twenty-Four (24) truckloads of approved crushed limestone imported on Site;
- Ten (10) truckloads of material loaded offsite disposal to Conestoga facility;
- Four (4) truckloads of concrete loaded offsite for disposal to PPark facility;
- ECS dewatering maintenance;
- Backfilling with approved crushed limestone in grids E2, E3, B2, B3;
- Excavation of A5 spill area, additional 8-9' cut, ~12-13 bsg. Area screened with a PID, southern portion of A5 still above 25 ppm, will require further delineation of excavation;
- Excavation of B6, B7, C7 to depth of 7-8' bsg;
- Endpoint samples taken: EP-76, EP-77, EP-91 and EP-92. Rfer to Alpha Numeric Map for EP locations; and
- Spill Sidewall Samples for Spill #2306470: Sidewall-North-2, South-1, South-2, East-1, East-2, West-1, West-2.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.015_ mg/m³ @ 07:09
- High Conditions (Upwind) – PID = _0.4_ ppm @ 12:45, Dust = _0.048_ mg/m³ @ 09:48
- High Conditions (Downwind 1) – PID = _0.9_ ppm @ 16:24, Dust = _0.164_ mg/m³ @ 07:03
- High Conditions (Downwind 2) – PID = _4.4_ ppm @ 13:44 Dust = _0.229_ mg/m³ @ 07:34

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Delineation of spill areas (above the water table);
- Further grid excavation (above the water table);
- Dewatering of spill area;

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of
dewatering well
gauging.



Photo 2 –
Representative
photo crushed
limestone being
unloaded on grid
E3.



Photo 3 –

Representative photo of spill excavation stockpile covered with Atmos foam and poly sheeting.



Photo 4 –

Representative photo of spill excavation in grid A5, with odor suppression being implemented.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND	
- - -	PROPERTY LINE
[Blue dashed box]	TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
[Green dashed box]	POTENTIAL OIL/WATER SEPARATOR IDENTIFIED DURING THE SEPTEMBER GPR SURVEY

FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP

318 Nevins Street Brooklyn, New York		Figure No: 03
PROJECT NO:	DATE:	
DRAWN BY:	DATE:	
CHECKED BY:	DATE:	
SCALE:	1" = 40'	
REVISIONS:		

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (831) 289-8800
FAX (831) 289-1599



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_001
Test Start Time	7:09:15 AM
Test Start Date	2/15/2024
Test Length [D:H:M]	0:08:32
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.048
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	512

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:09:15 AM	0.015		
7:10:15 AM	0.01		
7:11:15 AM	0.009		
7:12:15 AM	0.009		
7:13:15 AM	0.009		
7:14:15 AM	0.009		
7:15:15 AM	0.012		
7:16:15 AM	0.01		
7:17:15 AM	0.01		
7:18:15 AM	0.009		
7:19:15 AM	0.009		
7:20:15 AM	0.01		
7:21:15 AM	0.01		
7:22:15 AM	0.011		
7:23:15 AM	0.01		
7:24:15 AM	0.01		
7:25:15 AM	0.01		
7:26:15 AM	0.01		
7:27:15 AM	0.01		
7:28:15 AM	0.011		
7:29:15 AM	0.011		
7:30:15 AM	0.011		
7:31:15 AM	0.012		
7:32:15 AM	0.011		

7:33:15 AM	0.011
7:34:15 AM	0.01
7:35:15 AM	0.01
7:36:15 AM	0.011
7:37:15 AM	0.011
7:38:15 AM	0.01
7:39:15 AM	0.011
7:40:15 AM	0.01
7:41:15 AM	0.011
7:42:15 AM	0.011
7:43:15 AM	0.012
7:44:15 AM	0.014
7:45:15 AM	0.013
7:46:15 AM	0.012
7:47:15 AM	0.012
7:48:15 AM	0.012
7:49:15 AM	0.012
7:50:15 AM	0.012
7:51:15 AM	0.012
7:52:15 AM	0.012
7:53:15 AM	0.012
7:54:15 AM	0.012
7:55:15 AM	0.012
7:56:15 AM	0.012
7:57:15 AM	0.012
7:58:15 AM	0.012
7:59:15 AM	0.012
8:00:15 AM	0.012
8:01:15 AM	0.012
8:02:15 AM	0.012
8:03:15 AM	0.011
8:04:15 AM	0.011
8:05:15 AM	0.011
8:06:15 AM	0.011
8:07:15 AM	0.011
8:08:15 AM	0.015
8:09:15 AM	0.012
8:10:15 AM	0.011
8:11:15 AM	0.011
8:12:15 AM	0.011
8:13:15 AM	0.011
8:14:15 AM	0.011
8:15:15 AM	0.011
8:16:15 AM	0.011

8:17:15 AM	0.011
8:18:15 AM	0.011
8:19:15 AM	0.011
8:20:15 AM	0.012
8:21:15 AM	0.012
8:22:15 AM	0.011
8:23:15 AM	0.012
8:24:15 AM	0.014
8:25:15 AM	0.011
8:26:15 AM	0.012
8:27:15 AM	0.01
8:28:15 AM	0.01
8:29:15 AM	0.01
8:30:15 AM	0.01
8:31:15 AM	0.01
8:32:15 AM	0.011
8:33:15 AM	0.011
8:34:15 AM	0.011
8:35:15 AM	0.011
8:36:15 AM	0.011
8:37:15 AM	0.015
8:38:15 AM	0.015
8:39:15 AM	0.012
8:40:15 AM	0.011
8:41:15 AM	0.011
8:42:15 AM	0.01
8:43:15 AM	0.01
8:44:15 AM	0.011
8:45:15 AM	0.011
8:46:15 AM	0.011
8:47:15 AM	0.01
8:48:15 AM	0.011
8:49:15 AM	0.01
8:50:15 AM	0.01
8:51:15 AM	0.01
8:52:15 AM	0.016
8:53:15 AM	0.011
8:54:15 AM	0.011
8:55:15 AM	0.01
8:56:15 AM	0.01
8:57:15 AM	0.01
8:58:15 AM	0.01
8:59:15 AM	0.01
9:00:15 AM	0.01

9:01:15 AM	0.01
9:02:15 AM	0.011
9:03:15 AM	0.011
9:04:15 AM	0.011
9:05:15 AM	0.012
9:06:15 AM	0.012
9:07:15 AM	0.012
9:08:15 AM	0.012
9:09:15 AM	0.012
9:10:15 AM	0.013
9:11:15 AM	0.012
9:12:15 AM	0.012
9:13:15 AM	0.012
9:14:15 AM	0.011
9:15:15 AM	0.012
9:16:15 AM	0.015
9:17:15 AM	0.011
9:18:15 AM	0.011
9:19:15 AM	0.01
9:20:15 AM	0.01
9:21:15 AM	0.01
9:22:15 AM	0.011
9:23:15 AM	0.013
9:24:15 AM	0.013
9:25:15 AM	0.01
9:26:15 AM	0.011
9:27:15 AM	0.01
9:28:15 AM	0.01
9:29:15 AM	0.01
9:30:15 AM	0.01
9:31:15 AM	0.01
9:32:15 AM	0.011
9:33:15 AM	0.011
9:34:15 AM	0.011
9:35:15 AM	0.011
9:36:15 AM	0.01
9:37:15 AM	0.01
9:38:15 AM	0.011
9:39:15 AM	0.01
9:40:15 AM	0.01
9:41:15 AM	0.01
9:42:15 AM	0.014
9:43:15 AM	0.011
9:44:15 AM	0.012

9:45:15 AM	0.01
9:46:15 AM	0.01
9:47:15 AM	0.017
9:48:15 AM	0.048
9:49:15 AM	0.047
9:50:15 AM	0.021
9:51:15 AM	0.01
9:52:15 AM	0.01
9:53:15 AM	0.011
9:54:15 AM	0.011
9:55:15 AM	0.011
9:56:15 AM	0.011
9:57:15 AM	0.01
9:58:15 AM	0.011
9:59:15 AM	0.012
10:00:15 AM	0.01
10:01:15 AM	0.01
10:02:15 AM	0.01
10:03:15 AM	0.01
10:04:15 AM	0.012
10:05:15 AM	0.011
10:06:15 AM	0.011
10:07:15 AM	0.01
10:08:15 AM	0.01
10:09:15 AM	0.011
10:10:15 AM	0.011
10:11:15 AM	0.011
10:12:15 AM	0.011
10:13:15 AM	0.011
10:14:15 AM	0.011
10:15:15 AM	0.011
10:16:15 AM	0.011
10:17:15 AM	0.011
10:18:15 AM	0.011
10:19:15 AM	0.011
10:20:15 AM	0.014
10:21:15 AM	0.011
10:22:15 AM	0.011
10:23:15 AM	0.011
10:24:15 AM	0.011
10:25:15 AM	0.012
10:26:15 AM	0.012
10:27:15 AM	0.011
10:28:15 AM	0.011

10:29:15 AM	0.011
10:30:15 AM	0.011
10:31:15 AM	0.011
10:32:15 AM	0.011
10:33:15 AM	0.011
10:34:15 AM	0.012
10:35:15 AM	0.012
10:36:15 AM	0.012
10:37:15 AM	0.011
10:38:15 AM	0.011
10:39:15 AM	0.012
10:40:15 AM	0.012
10:41:15 AM	0.012
10:42:15 AM	0.012
10:43:15 AM	0.012
10:44:15 AM	0.012
10:45:15 AM	0.012
10:46:15 AM	0.012
10:47:15 AM	0.012
10:48:15 AM	0.012
10:49:15 AM	0.012
10:50:15 AM	0.012
10:51:15 AM	0.014
10:52:15 AM	0.012
10:53:15 AM	0.012
10:54:15 AM	0.016
10:55:15 AM	0.015
10:56:15 AM	0.012
10:57:15 AM	0.012
10:58:15 AM	0.012
10:59:15 AM	0.013
11:00:15 AM	0.017
11:01:15 AM	0.017
11:02:15 AM	0.015
11:03:15 AM	0.013
11:04:15 AM	0.02
11:05:15 AM	0.012
11:06:15 AM	0.012
11:07:15 AM	0.012
11:08:15 AM	0.012
11:09:15 AM	0.011
11:10:15 AM	0.012
11:11:15 AM	0.012
11:12:15 AM	0.012

11:13:15 AM	0.012
11:14:15 AM	0.011
11:15:15 AM	0.013
11:16:15 AM	0.012
11:17:15 AM	0.012
11:18:15 AM	0.013
11:19:15 AM	0.017
11:20:15 AM	0.015
11:21:15 AM	0.013
11:22:15 AM	0.013
11:23:15 AM	0.012
11:24:15 AM	0.012
11:25:15 AM	0.013
11:26:15 AM	0.015
11:27:15 AM	0.014
11:28:15 AM	0.012
11:29:15 AM	0.013
11:30:15 AM	0.012
11:31:15 AM	0.012
11:32:15 AM	0.014
11:33:15 AM	0.012
11:34:15 AM	0.012
11:35:15 AM	0.013
11:36:15 AM	0.013
11:37:15 AM	0.012
11:38:15 AM	0.012
11:39:15 AM	0.012
11:40:15 AM	0.012
11:41:15 AM	0.013
11:42:15 AM	0.012
11:43:15 AM	0.012
11:44:15 AM	0.013
11:45:15 AM	0.013
11:46:15 AM	0.013
11:47:15 AM	0.013
11:48:15 AM	0.013
11:49:15 AM	0.013
11:50:15 AM	0.013
11:51:15 AM	0.015
11:52:15 AM	0.016
11:53:15 AM	0.015
11:54:15 AM	0.014
11:55:15 AM	0.015
11:56:15 AM	0.016

11:57:15 AM	0.017
11:58:15 AM	0.015
11:59:15 AM	0.015
12:00:15 PM	0.015
12:01:15 PM	0.015
12:02:15 PM	0.015
12:03:15 PM	0.014
12:04:15 PM	0.014
12:05:15 PM	0.014
12:06:15 PM	0.014
12:07:15 PM	0.014
12:08:15 PM	0.014
12:09:15 PM	0.014
12:10:15 PM	0.017
12:11:15 PM	0.015
12:12:15 PM	0.014
12:13:15 PM	0.014
12:14:15 PM	0.014
12:15:15 PM	0.014
12:16:15 PM	0.014
12:17:15 PM	0.015
12:18:15 PM	0.014
12:19:15 PM	0.014
12:20:15 PM	0.014
12:21:15 PM	0.014
12:22:15 PM	0.014
12:23:15 PM	0.014
12:24:15 PM	0.013
12:25:15 PM	0.014
12:26:15 PM	0.014
12:27:15 PM	0.014
12:28:15 PM	0.014
12:29:15 PM	0.014
12:30:15 PM	0.013
12:31:15 PM	0.013
12:32:15 PM	0.013
12:33:15 PM	0.013
12:34:15 PM	0.013
12:35:15 PM	0.013
12:36:15 PM	0.014
12:37:15 PM	0.013
12:38:15 PM	0.013
12:39:15 PM	0.014
12:40:15 PM	0.014

12:41:15 PM	0.017
12:42:15 PM	0.015
12:43:15 PM	0.013
12:44:15 PM	0.013
12:45:15 PM	0.014
12:46:15 PM	0.014
12:47:15 PM	0.014
12:48:15 PM	0.013
12:49:15 PM	0.015
12:50:15 PM	0.015
12:51:15 PM	0.016
12:52:15 PM	0.015
12:53:15 PM	0.013
12:54:15 PM	0.013
12:55:15 PM	0.013
12:56:15 PM	0.013
12:57:15 PM	0.013
12:58:15 PM	0.013
12:59:15 PM	0.015
1:00:15 PM	0.017
1:01:15 PM	0.021
1:02:15 PM	0.017
1:03:15 PM	0.016
1:04:15 PM	0.013
1:05:15 PM	0.013
1:06:15 PM	0.013
1:07:15 PM	0.013
1:08:15 PM	0.013
1:09:15 PM	0.013
1:10:15 PM	0.013
1:11:15 PM	0.013
1:12:15 PM	0.013
1:13:15 PM	0.014
1:14:15 PM	0.012
1:15:15 PM	0.013
1:16:15 PM	0.013
1:17:15 PM	0.015
1:18:15 PM	0.013
1:19:15 PM	0.022
1:20:15 PM	0.019
1:21:15 PM	0.016
1:22:15 PM	0.014
1:23:15 PM	0.014
1:24:15 PM	0.014

1:25:15 PM	0.028
1:26:15 PM	0.028
1:27:15 PM	0.013
1:28:15 PM	0.013
1:29:15 PM	0.014
1:30:15 PM	0.018
1:31:15 PM	0.018
1:32:15 PM	0.019
1:33:15 PM	0.02
1:34:15 PM	0.02
1:35:15 PM	0.031
1:36:15 PM	0.03
1:37:15 PM	0.024
1:38:15 PM	0.015
1:39:15 PM	0.02
1:40:15 PM	0.017
1:41:15 PM	0.016
1:42:15 PM	0.016
1:43:15 PM	0.015
1:44:15 PM	0.015
1:45:15 PM	0.017
1:46:15 PM	0.021
1:47:15 PM	0.023
1:48:15 PM	0.018
1:49:15 PM	0.018
1:50:15 PM	0.019
1:51:15 PM	0.021
1:52:15 PM	0.021
1:53:15 PM	0.024
1:54:15 PM	0.019
1:55:15 PM	0.018
1:56:15 PM	0.021
1:57:15 PM	0.018
1:58:15 PM	0.018
1:59:15 PM	0.019
2:00:15 PM	0.02
2:01:15 PM	0.02
2:02:15 PM	0.023
2:03:15 PM	0.017
2:04:15 PM	0.016
2:05:15 PM	0.015
2:06:15 PM	0.017
2:07:15 PM	0.015
2:08:15 PM	0.023

2:09:15 PM	0.018
2:10:15 PM	0.02
2:11:15 PM	0.017
2:12:15 PM	0.014
2:13:15 PM	0.014
2:14:15 PM	0.015
2:15:15 PM	0.015
2:16:15 PM	0.015
2:17:15 PM	0.019
2:18:15 PM	0.021
2:19:15 PM	0.021
2:20:15 PM	0.023
2:21:15 PM	0.028
2:22:15 PM	0.019
2:23:15 PM	0.014
2:24:15 PM	0.028
2:25:15 PM	0.019
2:26:15 PM	0.022
2:27:15 PM	0.026
2:28:15 PM	0.024
2:29:15 PM	0.016
2:30:15 PM	0.015
2:31:15 PM	0.013
2:32:15 PM	0.014
2:33:15 PM	0.014
2:34:15 PM	0.017
2:35:15 PM	0.015
2:36:15 PM	0.016
2:37:15 PM	0.026
2:38:15 PM	0.031
2:39:15 PM	0.029
2:40:15 PM	0.015
2:41:15 PM	0.015
2:42:15 PM	0.021
2:43:15 PM	0.02
2:44:15 PM	0.015
2:45:15 PM	0.014
2:46:15 PM	0.02
2:47:15 PM	0.017
2:48:15 PM	0.014
2:49:15 PM	0.014
2:50:15 PM	0.013
2:51:15 PM	0.013
2:52:15 PM	0.013

2:53:15 PM	0.012
2:54:15 PM	0.012
2:55:15 PM	0.014
2:56:15 PM	0.013
2:57:15 PM	0.013
2:58:15 PM	0.013
2:59:15 PM	0.012
3:00:15 PM	0.013
3:01:15 PM	0.013
3:02:15 PM	0.013
3:03:15 PM	0.013
3:04:15 PM	0.016
3:05:15 PM	0.014
3:06:15 PM	0.013
3:07:15 PM	0.013
3:08:15 PM	0.015
3:09:15 PM	0.013
3:10:15 PM	0.013
3:11:15 PM	0.014
3:12:15 PM	0.013
3:13:15 PM	0.013
3:14:15 PM	0.013
3:15:15 PM	0.012
3:16:15 PM	0.012
3:17:15 PM	0.012
3:18:15 PM	0.012
3:19:15 PM	0.012
3:20:15 PM	0.013
3:21:15 PM	0.013
3:22:15 PM	0.015
3:23:15 PM	0.014
3:24:15 PM	0.015
3:25:15 PM	0.014
3:26:15 PM	0.014
3:27:15 PM	0.014
3:28:15 PM	0.014
3:29:15 PM	0.014
3:30:15 PM	0.016
3:31:15 PM	0.016
3:32:15 PM	0.015
3:33:15 PM	0.015
3:34:15 PM	0.015
3:35:15 PM	0.015
3:36:15 PM	0.015

3:37:15 PM	0.015
3:38:15 PM	0.015
3:39:15 PM	0.015
3:40:15 PM	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/15/2024 17:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 17:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:47	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/15/2024 16:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:45	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/15/2024 16:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:40	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:36	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/15/2024 16:35	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:34	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:33	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:32	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:31	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:30	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:29	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:28	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:18	Readings	PID	SC23030449A8	Normal	0.4
592-600853	2/15/2024 16:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 16:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 16:03	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/15/2024 13:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:44	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:41	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 13:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:25	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:24	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:22	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:20	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:19	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 13:18	Readings	PID	SC23030449A8	Normal	0.3

592-600853	2/15/2024 10:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:31	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:30	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:29	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:28	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:27	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:26	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:23	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:21	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:18	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:07	Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/15/2024 10:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/15/2024 10:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 10:00	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/15/2024 9:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:50	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:49	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:45	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:44	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:43	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/15/2024 9:42	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:41	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:40	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:39	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:38	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:37	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:36	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:35	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:34	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:33	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:32	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:31	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:30	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:29	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:28	Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 9:27	Readings	PID	SC23030449A8	Normal	0

592-600853	2/15/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	2/15/2024 8:33 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_016
Test Start Time	7:03:14 AM
Test Start Date	2/15/2024
Test Length [D:H:M]	0:08:29
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.164
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	512

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:03:14 AM	0.164		
7:04:14 AM	0.025		
7:05:14 AM	0.018		
7:06:14 AM	0.017		
7:07:14 AM	0.016		
7:08:14 AM	0.016		
7:09:14 AM	0.014		
7:10:14 AM	0.015		
7:11:14 AM	0.038		
7:12:14 AM	0.003		
7:13:14 AM	0.016		
7:14:14 AM	0.027		
7:15:14 AM	0.019		
7:16:14 AM	0.024		
7:17:14 AM	0.022		
7:18:14 AM	0.015		
7:19:14 AM	0.017		
7:20:14 AM	0.018		
7:21:14 AM	0.016		
7:22:14 AM	0.027		
7:23:14 AM	0.021		
7:24:14 AM	0.015		
7:25:14 AM	0.018		
7:26:14 AM	0.022		

7:27:14 AM	0.015
7:28:14 AM	0.034
7:29:14 AM	0.018
7:30:14 AM	0.021
7:31:14 AM	0.015
7:32:14 AM	0.016
7:33:14 AM	0.02
7:34:14 AM	0.018
7:35:14 AM	0.014
7:36:14 AM	0.021
7:37:14 AM	0.019
7:38:14 AM	0.014
7:39:14 AM	0.016
7:40:14 AM	0.016
7:41:14 AM	0.015
7:42:14 AM	0.651
7:43:14 AM	0.108
7:44:14 AM	0.019
7:45:14 AM	0.015
7:46:14 AM	0.015
7:47:14 AM	0.015
7:48:14 AM	0.039
7:49:14 AM	0.035
7:50:14 AM	0.021
7:51:14 AM	0.016
7:52:14 AM	0.017
7:53:14 AM	0.016
7:54:14 AM	0.027
7:55:14 AM	0.028
7:56:14 AM	0.017
7:57:14 AM	0.015
7:58:14 AM	0.015
7:59:14 AM	0.015
8:00:14 AM	0.022
8:01:14 AM	0.015
8:02:14 AM	0.014
8:03:14 AM	0.015
8:04:14 AM	0.018
8:05:14 AM	0.017
8:06:14 AM	0.118
8:07:14 AM	0.021
8:08:14 AM	0.014
8:09:14 AM	0.014
8:10:14 AM	0.016

8:11:14 AM	0.017
8:12:14 AM	0.017
8:13:14 AM	0.016
8:14:14 AM	0.014
8:15:14 AM	0.014
8:16:14 AM	0.014
8:17:14 AM	0.014
8:18:14 AM	0.014
8:19:14 AM	0.014
8:20:14 AM	0.018
8:21:14 AM	0.015
8:22:14 AM	0.014
8:23:14 AM	0.014
8:24:14 AM	0.015
8:25:14 AM	0.013
8:26:14 AM	0.029
8:27:14 AM	0.013
8:28:14 AM	0.014
8:29:14 AM	0.012
8:30:14 AM	0.012
8:31:14 AM	0.012
8:32:14 AM	0.012
8:33:14 AM	0.014
8:34:14 AM	0.013
8:35:14 AM	0.022
8:36:14 AM	0.016
8:37:14 AM	0.048
8:38:14 AM	0.064
8:39:14 AM	0.016
8:40:14 AM	0.014
8:41:14 AM	0.013
8:42:14 AM	0.014
8:43:14 AM	0.018
8:44:14 AM	0.081
8:45:14 AM	0.017
8:46:14 AM	0.025
8:47:14 AM	0.017
8:48:14 AM	0.012
8:49:14 AM	0.013
8:50:14 AM	0.014
8:51:14 AM	0.012
8:52:14 AM	0.011
8:53:14 AM	0.011
8:54:14 AM	0.012

8:55:14 AM	0.012
8:56:14 AM	0.028
8:57:14 AM	0.013
8:58:14 AM	0.013
8:59:14 AM	0.138
9:00:14 AM	0.037
9:01:14 AM	0.014
9:02:14 AM	0.012
9:03:14 AM	0.016
9:04:14 AM	0.017
9:05:14 AM	0.015
9:06:14 AM	0.014
9:07:14 AM	0.015
9:08:14 AM	0.014
9:09:14 AM	0.014
9:10:14 AM	0.017
9:11:14 AM	0.016
9:12:14 AM	0.016
9:13:14 AM	0.015
9:14:14 AM	0.016
9:15:14 AM	0.019
9:16:14 AM	0.066
9:17:14 AM	0.019
9:18:14 AM	0.015
9:19:14 AM	0.014
9:20:14 AM	0.013
9:21:14 AM	0.023
9:22:14 AM	0.014
9:23:14 AM	0.014
9:24:14 AM	0.014
9:25:14 AM	0.013
9:26:14 AM	0.015
9:27:14 AM	0.012
9:28:14 AM	0.013
9:29:14 AM	0.012
9:30:14 AM	0.012
9:31:14 AM	0.013
9:32:14 AM	0.013
9:33:14 AM	0.013
9:34:14 AM	0.144
9:35:14 AM	0.015
9:36:14 AM	0.014
9:37:14 AM	0.013
9:38:14 AM	0.013

9:39:14 AM	0.013
9:40:14 AM	0.013
9:41:14 AM	0.013
9:42:14 AM	0.012
9:43:14 AM	0.013
9:44:14 AM	0.013
9:45:14 AM	0.025
9:46:14 AM	0.011
9:47:14 AM	0.013
9:48:14 AM	0.015
9:49:14 AM	0.017
9:50:14 AM	0.015
9:51:14 AM	0.016
9:52:14 AM	0.015
9:53:14 AM	0.014
9:54:14 AM	0.013
9:55:14 AM	0.013
9:56:14 AM	0.013
9:57:14 AM	0.012
9:58:14 AM	0.013
9:59:14 AM	0.014
10:00:14 AM	0.016
10:01:14 AM	0.013
10:02:14 AM	0.012
10:03:14 AM	0.012
10:04:14 AM	0.012
10:05:14 AM	0.012
10:06:14 AM	0.012
10:07:14 AM	0.012
10:08:14 AM	0.012
10:09:14 AM	0.012
10:10:14 AM	0.013
10:11:14 AM	0.013
10:12:14 AM	0.013
10:13:14 AM	0.013
10:14:14 AM	0.012
10:15:14 AM	0.012
10:16:14 AM	0.013
10:17:14 AM	0.014
10:18:14 AM	0.013
10:19:14 AM	0.013
10:20:14 AM	0.013
10:21:14 AM	0.012
10:22:14 AM	0.013

10:23:14 AM	0.013
10:24:14 AM	0.013
10:25:14 AM	0.013
10:26:14 AM	0.013
10:27:14 AM	0.013
10:28:14 AM	0.013
10:29:14 AM	0.013
10:30:14 AM	0.019
10:31:14 AM	0.013
10:32:14 AM	0.013
10:33:14 AM	0.013
10:34:14 AM	0.013
10:35:14 AM	0.013
10:36:14 AM	0.013
10:37:14 AM	0.013
10:38:14 AM	0.016
10:39:14 AM	0.014
10:40:14 AM	0.016
10:41:14 AM	0.014
10:42:14 AM	0.013
10:43:14 AM	0.015
10:44:14 AM	0.014
10:45:14 AM	0.103
10:46:14 AM	0.174
10:47:14 AM	0.035
10:48:14 AM	0.013
10:49:14 AM	0.013
10:50:14 AM	0.014
10:51:14 AM	0.013
10:52:14 AM	0.013
10:53:14 AM	0.012
10:54:14 AM	0.013
10:55:14 AM	0.013
10:56:14 AM	0.013
10:57:14 AM	0.012
10:58:14 AM	0.016
10:59:14 AM	0.085
11:00:14 AM	0.019
11:01:14 AM	0.015
11:02:14 AM	0.015
11:03:14 AM	0.014
11:04:14 AM	0.014
11:05:14 AM	0.013
11:06:14 AM	0.017

11:07:14 AM	0.012
11:08:14 AM	0.025
11:09:14 AM	0.013
11:10:14 AM	0.013
11:11:14 AM	0.012
11:12:14 AM	0.013
11:13:14 AM	0.013
11:14:14 AM	0.029
11:15:14 AM	0.016
11:16:14 AM	0.015
11:17:14 AM	0.02
11:18:14 AM	0.015
11:19:14 AM	0.012
11:20:14 AM	0.012
11:21:14 AM	0.016
11:22:14 AM	0.014
11:23:14 AM	0.012
11:24:14 AM	0.013
11:25:14 AM	0.013
11:26:14 AM	0.012
11:27:14 AM	0.016
11:28:14 AM	0.015
11:29:14 AM	0.013
11:30:14 AM	0.014
11:31:14 AM	0.012
11:32:14 AM	0.012
11:33:14 AM	0.011
11:34:14 AM	0.011
11:35:14 AM	0.011
11:36:14 AM	0.013
11:37:14 AM	0.013
11:38:14 AM	0.012
11:39:14 AM	0.012
11:40:14 AM	0.014
11:41:14 AM	0.012
11:42:14 AM	0.013
11:43:14 AM	0.014
11:44:14 AM	0.013
11:45:14 AM	0.013
11:46:14 AM	0.013
11:47:14 AM	0.013
11:48:14 AM	0.013
11:49:14 AM	0.015
11:50:14 AM	0.015

11:51:14 AM	0.015
11:52:14 AM	0.144
11:53:14 AM	0.395
11:54:14 AM	0.021
11:55:14 AM	0.022
11:56:14 AM	0.015
11:57:14 AM	0.016
11:58:14 AM	0.016
11:59:14 AM	0.016
12:00:14 PM	0.016
12:01:14 PM	0.017
12:02:14 PM	0.016
12:03:14 PM	0.017
12:04:14 PM	0.017
12:05:14 PM	0.016
12:06:14 PM	0.015
12:07:14 PM	0.023
12:08:14 PM	0.017
12:09:14 PM	0.015
12:10:14 PM	0.014
12:11:14 PM	0.015
12:12:14 PM	0.016
12:13:14 PM	0.016
12:14:14 PM	0.016
12:15:14 PM	0.016
12:16:14 PM	0.016
12:17:14 PM	0.016
12:18:14 PM	0.016
12:19:14 PM	0.016
12:20:14 PM	0.016
12:21:14 PM	0.016
12:22:14 PM	0.016
12:23:14 PM	0.016
12:24:14 PM	0.016
12:25:14 PM	0.016
12:26:14 PM	0.016
12:27:14 PM	0.016
12:28:14 PM	0.016
12:29:14 PM	0.016
12:30:14 PM	0.016
12:31:14 PM	0.016
12:32:14 PM	0.016
12:33:14 PM	0.016
12:34:14 PM	0.016

12:35:14 PM	0.016
12:36:14 PM	0.016
12:37:14 PM	0.016
12:38:14 PM	0.016
12:39:14 PM	0.016
12:40:14 PM	0.016
12:41:14 PM	0.016
12:42:14 PM	0.016
12:43:14 PM	0.016
12:44:14 PM	0.016
12:45:14 PM	0.016
12:46:14 PM	0.016
12:47:14 PM	0.016
12:48:14 PM	0.016
12:49:14 PM	0.016
12:50:14 PM	0.016
12:51:14 PM	0.016
12:52:14 PM	0.016
12:53:14 PM	0.016
12:54:14 PM	0.016
12:55:14 PM	0.016
12:56:14 PM	0.016
12:57:14 PM	0.016
12:58:14 PM	0.016
12:59:14 PM	0.016
1:00:14 PM	0.016
1:01:14 PM	0.016
1:02:14 PM	0.016
1:03:14 PM	0.016
1:04:14 PM	0.016
1:05:14 PM	0.016
1:06:14 PM	0.016
1:07:14 PM	0.016
1:08:14 PM	0.016
1:09:14 PM	0.016
1:10:14 PM	0.016
1:11:14 PM	0.016
1:12:14 PM	0.016
1:13:14 PM	0.016
1:14:14 PM	0.016
1:15:14 PM	0.016
1:16:14 PM	0.016
1:17:14 PM	0.016
1:18:14 PM	0.016

1:19:14 PM	0.016
1:20:14 PM	0.016
1:21:14 PM	0.016
1:22:14 PM	0.016
1:23:14 PM	0.016
1:24:14 PM	0.016
1:25:14 PM	0.016
1:26:14 PM	0.016
1:27:14 PM	0.016
1:28:14 PM	0.016
1:29:14 PM	0.016
1:30:14 PM	0.016
1:31:14 PM	0.016
1:32:14 PM	0.016
1:33:14 PM	0.016
1:34:14 PM	0.016
1:35:14 PM	0.016
1:36:14 PM	0.016
1:37:14 PM	0.016
1:38:14 PM	0.016
1:39:14 PM	0.016
1:40:14 PM	0.016
1:41:14 PM	0.016
1:42:14 PM	0.016
1:43:14 PM	0.016
1:44:14 PM	0.016
1:45:14 PM	0.016
1:46:14 PM	0.016
1:47:14 PM	0.016
1:48:14 PM	0.016
1:49:14 PM	0.016
1:50:14 PM	0.016
1:51:14 PM	0.016
1:52:14 PM	0.016
1:53:14 PM	0.016
1:54:14 PM	0.016
1:55:14 PM	0.016
1:56:14 PM	0.016
1:57:14 PM	0.016
1:58:14 PM	0.016
1:59:14 PM	0.016
2:00:14 PM	0.016
2:01:14 PM	0.016
2:02:14 PM	0.016

2:03:14 PM	0.016
2:04:14 PM	0.016
2:05:14 PM	0.016
2:06:14 PM	0.016
2:07:14 PM	0.016
2:08:14 PM	0.016
2:09:14 PM	0.016
2:10:14 PM	0.016
2:11:14 PM	0.016
2:12:14 PM	0.016
2:13:14 PM	0.016
2:14:14 PM	0.016
2:15:14 PM	0.016
2:16:14 PM	0.016
2:17:14 PM	0.016
2:18:14 PM	0.016
2:19:14 PM	0.016
2:20:14 PM	0.016
2:21:14 PM	0.016
2:22:14 PM	0.016
2:23:14 PM	0.016
2:24:14 PM	0.016
2:25:14 PM	0.016
2:26:14 PM	0.016
2:27:14 PM	0.016
2:28:14 PM	0.016
2:29:14 PM	0.016
2:30:14 PM	0.016
2:31:14 PM	0.016
2:32:14 PM	0.016
2:33:14 PM	0.016
2:34:14 PM	0.016
2:35:14 PM	0.016
2:36:14 PM	0.016
2:37:14 PM	0.016
2:38:14 PM	0.016
2:39:14 PM	0.016
2:40:14 PM	0.016
2:41:14 PM	0.016
2:42:14 PM	0.016
2:43:14 PM	0.016
2:44:14 PM	0.016
2:45:14 PM	0.016
2:46:14 PM	0.016

2:47:14 PM	0.016
2:48:14 PM	0.016
2:49:14 PM	0.016
2:50:14 PM	0.016
2:51:14 PM	0.016
2:52:14 PM	0.016
2:53:14 PM	0.016
2:54:14 PM	0.016
2:55:14 PM	0.016
2:56:14 PM	0.016
2:57:14 PM	0.016
2:58:14 PM	0.016
2:59:14 PM	0.016
3:00:14 PM	0.016
3:01:14 PM	0.016
3:02:14 PM	0.016
3:03:14 PM	0.016
3:04:14 PM	0.016
3:05:14 PM	0.016
3:06:14 PM	0.016
3:07:14 PM	0.016
3:08:14 PM	0.016
3:09:14 PM	0.016
3:10:14 PM	0.016
3:11:14 PM	0.016
3:12:14 PM	0.016
3:13:14 PM	0.016
3:14:14 PM	0.016
3:15:14 PM	0.016
3:16:14 PM	0.016
3:17:14 PM	0.016
3:18:14 PM	0.016
3:19:14 PM	0.016
3:20:14 PM	0.016
3:21:14 PM	0.016
3:22:14 PM	0.016
3:23:14 PM	0.016
3:24:14 PM	0.016
3:25:14 PM	0.016
3:26:14 PM	0.016
3:27:14 PM	0.016
3:28:14 PM	0.016
3:29:14 PM	0.016

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/15/2024 16:56	Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:55	Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:54	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:53	Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:52	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:51	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:50	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:49	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:48	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:47	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:46	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:45	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:44	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:43	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:42	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:41	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:40	Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:39	Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:38	Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:37	Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:36	Readings	PID	SC23030140W3	Normal	0.7
592-000289	2/15/2024 16:35	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:34	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:33	Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:32	Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:31	Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:30	Readings	PID	SC23030140W3	Normal	0.8
592-000289	2/15/2024 16:29	Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:28	Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:27	Readings	PID	SC23030140W3	Normal	0.7
592-000289	2/15/2024 16:26	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:25	Readings	PID	SC23030140W3	Normal	0.5

592-000289	2/15/2024 16:24 Readings	PID	SC23030140W3	Normal	0.9
592-000289	2/15/2024 16:23 Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:22 Readings	PID	SC23030140W3	Normal	0.5
592-000289	2/15/2024 16:21 Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:20 Readings	PID	SC23030140W3	Normal	0.6
592-000289	2/15/2024 16:19 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:18 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:17 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:16 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:15 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:14 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:13 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:12 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:11 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:10 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:09 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 16:08 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:07 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:06 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:05 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:04 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:03 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 16:02 Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:01 Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 16:00 Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 15:59 Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 15:58 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 15:57 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 15:56 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 15:55 Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 15:54 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 15:53 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/15/2024 15:52 Readings	PID	SC23030140W3	Normal	0.2

592-000289	2/15/2024 15:51	Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/15/2024 15:50	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 15:49	Readings	PID	SC23030140W3	Normal	0.4
592-000289	2/15/2024 15:48	Readings	PID	SC23030140W3	Normal	1
592-000289	2/15/2024 15:47	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:45	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:43	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:42	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:40	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:39	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:38	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:37	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:36	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:35	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:34	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:33	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:32	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:31	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:30	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:29	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:28	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:27	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:26	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:25	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:24	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:23	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:22	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:21	Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 15:20	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/15/2024 15:19	Readings	PID	SC23030140W3	Normal	0

592-000289	2/15/2024 10:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 9:49 Readings	PID	SC23030140W3	Normal	0

592-000289	2/15/2024 8:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/15/2024 8:25 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:55:06 AM
Test Start Date	2/15/2024
Test Length [D:H:M]	0:08:33
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.02
Mass Minimum [mg/m3]	0.011
Mass Maximum [mg/m3]	0.229
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	513

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55:06 AM	0.122		
6:56:06 AM	0.016		
6:57:06 AM	0.019		
6:58:06 AM	0.017		
6:59:06 AM	0.015		
7:00:06 AM	0.015		
7:01:06 AM	0.014		
7:02:06 AM	0.015		
7:03:06 AM	0.046		
7:04:06 AM	0.025		
7:05:06 AM	0.025		
7:06:06 AM	0.019		
7:07:06 AM	0.022		
7:08:06 AM	0.028		
7:09:06 AM	0.016		
7:10:06 AM	0.016		
7:11:06 AM	0.019		
7:12:06 AM	0.017		
7:13:06 AM	0.017		
7:14:06 AM	0.031		
7:15:06 AM	0.014		
7:16:06 AM	0.015		
7:17:06 AM	0.023		
7:18:06 AM	0.017		

7:19:06 AM	0.029
7:20:06 AM	0.022
7:21:06 AM	0.022
7:22:06 AM	0.016
7:23:06 AM	0.015
7:24:06 AM	0.017
7:25:06 AM	0.022
7:26:06 AM	0.015
7:27:06 AM	0.015
7:28:06 AM	0.026
7:29:06 AM	0.015
7:30:06 AM	0.014
7:31:06 AM	0.017
7:32:06 AM	0.015
7:33:06 AM	0.015
7:34:06 AM	0.229
7:35:06 AM	0.025
7:36:06 AM	0.016
7:37:06 AM	0.015
7:38:06 AM	0.016
7:39:06 AM	0.015
7:40:06 AM	0.054
7:41:06 AM	0.025
7:42:06 AM	0.016
7:43:06 AM	0.017
7:44:06 AM	0.016
7:45:06 AM	0.02
7:46:06 AM	0.029
7:47:06 AM	0.021
7:48:06 AM	0.015
7:49:06 AM	0.015
7:50:06 AM	0.015
7:51:06 AM	0.019
7:52:06 AM	0.018
7:53:06 AM	0.014
7:54:06 AM	0.014
7:55:06 AM	0.016
7:56:06 AM	0.018
7:57:06 AM	0.016
7:58:06 AM	0.111
7:59:06 AM	0.014
8:00:06 AM	0.013
8:01:06 AM	0.016
8:02:06 AM	0.016

8:03:06 AM	0.017
8:04:06 AM	0.017
8:05:06 AM	0.014
8:06:06 AM	0.014
8:07:06 AM	0.014
8:08:06 AM	0.014
8:09:06 AM	0.014
8:10:06 AM	0.014
8:11:06 AM	0.014
8:12:06 AM	0.019
8:13:06 AM	0.014
8:14:06 AM	0.015
8:15:06 AM	0.014
8:16:06 AM	0.014
8:17:06 AM	0.025
8:18:06 AM	0.016
8:19:06 AM	0.014
8:20:06 AM	0.012
8:21:06 AM	0.013
8:22:06 AM	0.012
8:23:06 AM	0.012
8:24:06 AM	0.012
8:25:06 AM	0.014
8:26:06 AM	0.014
8:27:06 AM	0.024
8:28:06 AM	0.013
8:29:06 AM	0.102
8:30:06 AM	0.018
8:31:06 AM	0.015
8:32:06 AM	0.014
8:33:06 AM	0.013
8:34:06 AM	0.015
8:35:06 AM	0.067
8:36:06 AM	0.032
8:37:06 AM	0.019
8:38:06 AM	0.025
8:39:06 AM	0.012
8:40:06 AM	0.013
8:41:06 AM	0.015
8:42:06 AM	0.012
8:43:06 AM	0.011
8:44:06 AM	0.011
8:45:06 AM	0.011
8:46:06 AM	0.012

8:47:06 AM	0.02
8:48:06 AM	0.021
8:49:06 AM	0.012
8:50:06 AM	0.036
8:51:06 AM	0.131
8:52:06 AM	0.018
8:53:06 AM	0.013
8:54:06 AM	0.015
8:55:06 AM	0.017
8:56:06 AM	0.015
8:57:06 AM	0.013
8:58:06 AM	0.015
8:59:06 AM	0.015
9:00:06 AM	0.014
9:01:06 AM	0.015
9:02:06 AM	0.018
9:03:06 AM	0.016
9:04:06 AM	0.015
9:05:06 AM	0.016
9:06:06 AM	0.017
9:07:06 AM	0.02
9:08:06 AM	0.067
9:09:06 AM	0.018
9:10:06 AM	0.015
9:11:06 AM	0.013
9:12:06 AM	0.013
9:13:06 AM	0.024
9:14:06 AM	0.015
9:15:06 AM	0.013
9:16:06 AM	0.014
9:17:06 AM	0.015
9:18:06 AM	0.013
9:19:06 AM	0.012
9:20:06 AM	0.013
9:21:06 AM	0.012
9:22:06 AM	0.012
9:23:06 AM	0.013
9:24:06 AM	0.013
9:25:06 AM	0.132
9:26:06 AM	0.032
9:27:06 AM	0.014
9:28:06 AM	0.013
9:29:06 AM	0.012
9:30:06 AM	0.013

9:31:06 AM	0.013
9:32:06 AM	0.013
9:33:06 AM	0.012
9:34:06 AM	0.012
9:35:06 AM	0.013
9:36:06 AM	0.024
9:37:06 AM	0.013
9:38:06 AM	0.012
9:39:06 AM	0.014
9:40:06 AM	0.016
9:41:06 AM	0.017
9:42:06 AM	0.015
9:43:06 AM	0.015
9:44:06 AM	0.014
9:45:06 AM	0.013
9:46:06 AM	0.013
9:47:06 AM	0.013
9:48:06 AM	0.013
9:49:06 AM	0.013
9:50:06 AM	0.014
9:51:06 AM	0.014
9:52:06 AM	0.015
9:53:06 AM	0.012
9:54:06 AM	0.012
9:55:06 AM	0.012
9:56:06 AM	0.012
9:57:06 AM	0.012
9:58:06 AM	0.012
9:59:06 AM	0.012
10:00:06 AM	0.012
10:01:06 AM	0.013
10:02:06 AM	0.012
10:03:06 AM	0.013
10:04:06 AM	0.013
10:05:06 AM	0.013
10:06:06 AM	0.012
10:07:06 AM	0.012
10:08:06 AM	0.014
10:09:06 AM	0.013
10:10:06 AM	0.013
10:11:06 AM	0.013
10:12:06 AM	0.013
10:13:06 AM	0.013
10:14:06 AM	0.013

10:15:06 AM	0.013
10:16:06 AM	0.014
10:17:06 AM	0.012
10:18:06 AM	0.013
10:19:06 AM	0.013
10:20:06 AM	0.013
10:21:06 AM	0.014
10:22:06 AM	0.019
10:23:06 AM	0.013
10:24:06 AM	0.013
10:25:06 AM	0.013
10:26:06 AM	0.013
10:27:06 AM	0.013
10:28:06 AM	0.014
10:29:06 AM	0.013
10:30:06 AM	0.016
10:31:06 AM	0.014
10:32:06 AM	0.016
10:33:06 AM	0.014
10:34:06 AM	0.014
10:35:06 AM	0.015
10:36:06 AM	0.092
10:37:06 AM	0.053
10:38:06 AM	0.16
10:39:06 AM	0.015
10:40:06 AM	0.012
10:41:06 AM	0.014
10:42:06 AM	0.013
10:43:06 AM	0.014
10:44:06 AM	0.013
10:45:06 AM	0.013
10:46:06 AM	0.013
10:47:06 AM	0.013
10:48:06 AM	0.013
10:49:06 AM	0.014
10:50:06 AM	0.022
10:51:06 AM	0.09
10:52:06 AM	0.016
10:53:06 AM	0.016
10:54:06 AM	0.014
10:55:06 AM	0.014
10:56:06 AM	0.014
10:57:06 AM	0.013
10:58:06 AM	0.015

10:59:06 AM	0.012
11:00:06 AM	0.028
11:01:06 AM	0.012
11:02:06 AM	0.012
11:03:06 AM	0.012
11:04:06 AM	0.014
11:05:06 AM	0.016
11:06:06 AM	0.031
11:07:06 AM	0.012
11:08:06 AM	0.022
11:09:06 AM	0.017
11:10:06 AM	0.012
11:11:06 AM	0.012
11:12:06 AM	0.014
11:13:06 AM	0.016
11:14:06 AM	0.013
11:15:06 AM	0.012
11:16:06 AM	0.013
11:17:06 AM	0.012
11:18:06 AM	0.012
11:19:06 AM	0.019
11:20:06 AM	0.013
11:21:06 AM	0.015
11:22:06 AM	0.013
11:23:06 AM	0.012
11:24:06 AM	0.012
11:25:06 AM	0.011
11:26:06 AM	0.011
11:27:06 AM	0.011
11:28:06 AM	0.014
11:29:06 AM	0.013
11:30:06 AM	0.012
11:31:06 AM	0.014
11:32:06 AM	0.013
11:33:06 AM	0.012
11:34:06 AM	0.014
11:35:06 AM	0.014
11:36:06 AM	0.013
11:37:06 AM	0.013
11:38:06 AM	0.013
11:39:06 AM	0.013
11:40:06 AM	0.014
11:41:06 AM	0.015
11:42:06 AM	0.015

11:43:06 AM	0.015
11:44:06 AM	0.481
11:45:06 AM	0.081
11:46:06 AM	0.021
11:47:06 AM	0.017
11:48:06 AM	0.015
11:49:06 AM	0.016
11:50:06 AM	0.016
11:51:06 AM	0.016
11:52:06 AM	0.018
11:53:06 AM	0.016
11:54:06 AM	0.016
11:55:06 AM	0.018
11:56:06 AM	0.017
11:57:06 AM	0.016
11:58:06 AM	0.017
11:59:06 AM	0.022
12:00:06 PM	0.016
12:01:06 PM	0.014
12:02:06 PM	0.015
12:03:06 PM	0.015
12:04:06 PM	0.014
12:05:06 PM	0.014
12:06:06 PM	0.015
12:07:06 PM	0.017
12:08:06 PM	0.015
12:09:06 PM	0.016
12:10:06 PM	0.015
12:11:06 PM	0.02
12:12:06 PM	0.015
12:13:06 PM	0.015
12:14:06 PM	0.014
12:15:06 PM	0.015
12:16:06 PM	0.015
12:17:06 PM	0.015
12:18:06 PM	0.015
12:19:06 PM	0.014
12:20:06 PM	0.014
12:21:06 PM	0.013
12:22:06 PM	0.013
12:23:06 PM	0.013
12:24:06 PM	0.014
12:25:06 PM	0.014
12:26:06 PM	0.014

12:27:06 PM	0.014
12:28:06 PM	0.014
12:29:06 PM	0.014
12:30:06 PM	0.015
12:31:06 PM	0.013
12:32:06 PM	0.013
12:33:06 PM	0.014
12:34:06 PM	0.014
12:35:06 PM	0.014
12:36:06 PM	0.013
12:37:06 PM	0.014
12:38:06 PM	0.016
12:39:06 PM	0.014
12:40:06 PM	0.013
12:41:06 PM	0.014
12:42:06 PM	0.014
12:43:06 PM	0.015
12:44:06 PM	0.016
12:45:06 PM	0.014
12:46:06 PM	0.014
12:47:06 PM	0.014
12:48:06 PM	0.013
12:49:06 PM	0.013
12:50:06 PM	0.013
12:51:06 PM	0.013
12:52:06 PM	0.014
12:53:06 PM	0.013
12:54:06 PM	0.014
12:55:06 PM	0.013
12:56:06 PM	0.013
12:57:06 PM	0.013
12:58:06 PM	0.014
12:59:06 PM	0.013
1:00:06 PM	0.013
1:01:06 PM	0.014
1:02:06 PM	0.014
1:03:06 PM	0.015
1:04:06 PM	0.014
1:05:06 PM	0.013
1:06:06 PM	0.014
1:07:06 PM	0.013
1:08:06 PM	0.014
1:09:06 PM	0.014
1:10:06 PM	0.014

1:11:06 PM	0.014
1:12:06 PM	0.014
1:13:06 PM	0.014
1:14:06 PM	0.014
1:15:06 PM	0.014
1:16:06 PM	0.015
1:17:06 PM	0.016
1:18:06 PM	0.015
1:19:06 PM	0.015
1:20:06 PM	0.015
1:21:06 PM	0.015
1:22:06 PM	0.016
1:23:06 PM	0.015
1:24:06 PM	0.016
1:25:06 PM	0.019
1:26:06 PM	0.017
1:27:06 PM	0.02
1:28:06 PM	0.016
1:29:06 PM	0.016
1:30:06 PM	0.016
1:31:06 PM	0.016
1:32:06 PM	0.019
1:33:06 PM	0.018
1:34:06 PM	0.019
1:35:06 PM	0.016
1:36:06 PM	0.017
1:37:06 PM	0.017
1:38:06 PM	0.019
1:39:06 PM	0.019
1:40:06 PM	0.018
1:41:06 PM	0.017
1:42:06 PM	0.017
1:43:06 PM	0.017
1:44:06 PM	0.018
1:45:06 PM	0.017
1:46:06 PM	0.017
1:47:06 PM	0.018
1:48:06 PM	0.018
1:49:06 PM	0.016
1:50:06 PM	0.018
1:51:06 PM	0.018
1:52:06 PM	0.022
1:53:06 PM	0.016
1:54:06 PM	0.016

1:55:06 PM	0.015
1:56:06 PM	0.015
1:57:06 PM	0.016
1:58:06 PM	0.015
1:59:06 PM	0.016
2:00:06 PM	0.016
2:01:06 PM	0.014
2:02:06 PM	0.014
2:03:06 PM	0.014
2:04:06 PM	0.015
2:05:06 PM	0.015
2:06:06 PM	0.017
2:07:06 PM	0.017
2:08:06 PM	0.016
2:09:06 PM	0.016
2:10:06 PM	0.016
2:11:06 PM	0.017
2:12:06 PM	0.018
2:13:06 PM	0.019
2:14:06 PM	0.015
2:15:06 PM	0.016
2:16:06 PM	0.018
2:17:06 PM	0.018
2:18:06 PM	0.017
2:19:06 PM	0.019
2:20:06 PM	0.017
2:21:06 PM	0.015
2:22:06 PM	0.015
2:23:06 PM	0.015
2:24:06 PM	0.014
2:25:06 PM	0.014
2:26:06 PM	0.017
2:27:06 PM	0.016
2:28:06 PM	0.016
2:29:06 PM	0.017
2:30:06 PM	0.018
2:31:06 PM	0.02
2:32:06 PM	0.018
2:33:06 PM	0.018
2:34:06 PM	0.016
2:35:06 PM	0.021
2:36:06 PM	0.017
2:37:06 PM	0.016
2:38:06 PM	0.019

2:39:06 PM	0.034
2:40:06 PM	0.016
2:41:06 PM	0.015
2:42:06 PM	0.016
2:43:06 PM	0.017
2:44:06 PM	0.015
2:45:06 PM	0.014
2:46:06 PM	0.014
2:47:06 PM	0.014
2:48:06 PM	0.014
2:49:06 PM	0.014
2:50:06 PM	0.014
2:51:06 PM	0.014
2:52:06 PM	0.014
2:53:06 PM	0.015
2:54:06 PM	0.015
2:55:06 PM	0.017
2:56:06 PM	0.068
2:57:06 PM	0.018
2:58:06 PM	0.015
2:59:06 PM	0.015
3:00:06 PM	0.015
3:01:06 PM	0.015
3:02:06 PM	0.015
3:03:06 PM	0.015
3:04:06 PM	0.018
3:05:06 PM	0.015
3:06:06 PM	0.014
3:07:06 PM	0.018
3:08:06 PM	0.017
3:09:06 PM	0.015
3:10:06 PM	0.015
3:11:06 PM	0.014
3:12:06 PM	0.02
3:13:06 PM	0.016
3:14:06 PM	0.016
3:15:06 PM	0.017
3:16:06 PM	0.017
3:17:06 PM	0.016
3:18:06 PM	0.016
3:19:06 PM	0.017
3:20:06 PM	0.017
3:21:06 PM	0.017
3:22:06 PM	0.017

3:23:06 PM	0.018
3:24:06 PM	0.018
3:25:06 PM	0.018
3:26:06 PM	0.018
3:27:06 PM	0.018

Device Seri	Log Time	Log Type	Sensor 1 Ty	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-60217	2/15/2024 17:12	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 17:11	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 17:10	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 17:09	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 17:08	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 17:07	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 17:06	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 17:05	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 17:04	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 17:03	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 17:02	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 17:01	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 17:00	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:59	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:58	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:57	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:56	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:55	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:54	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:53	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:52	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:51	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:50	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:49	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:48	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:47	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:46	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 16:45	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:44	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:43	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:42	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:41	Readings	PID	SC23030602B4	Normal	0.4

592-60217	2/15/2024 16:40	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:39	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:38	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:37	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:36	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:35	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:34	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:33	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:32	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:31	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:30	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:29	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:28	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:27	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:26	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 16:25	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 16:24	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 16:23	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 16:22	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:21	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 16:20	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:19	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:18	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 16:17	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 16:16	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 16:15	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:14	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:13	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 16:12	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 16:11	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:10	Readings	PID	SC23030602B4	Normal	1.6
592-60217	2/15/2024 16:09	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:08	Readings	PID	SC23030602B4	Normal	0.6

592-60217	2/15/2024 16:07	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:06	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:05	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:04	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 16:03	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:02	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 16:01	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 16:00	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 15:59	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 15:58	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 15:57	Readings	PID	SC23030602B4	Normal	2
592-60217	2/15/2024 15:56	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:55	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:54	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:53	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:52	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:51	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:50	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:49	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:48	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 15:47	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 15:46	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:45	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:44	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:43	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:42	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:41	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:40	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:39	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:38	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:37	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:36	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:35	Readings	PID	SC23030602B4	Normal	0.4

592-60217	2/15/2024 15:34	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 15:33	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:32	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:31	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:30	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:29	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:28	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:27	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:26	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:25	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:24	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:23	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:22	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:21	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:20	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:19	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:18	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:17	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:16	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:15	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:14	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:13	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:12	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:11	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:10	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:09	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:08	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:07	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:06	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:05	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 15:04	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:03	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 15:02	Readings	PID	SC23030602B4	Normal	0.4

592-60217	2/15/2024 15:01	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 15:00	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:59	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 14:58	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 14:57	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:56	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:55	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 14:54	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 14:53	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:52	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:51	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:50	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:49	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:48	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 14:47	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 14:46	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:45	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:44	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:43	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:42	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:41	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:40	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:39	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:38	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:37	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:36	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:35	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:34	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:33	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:32	Readings	PID	SC23030602B4	Normal	1.3
592-60217	2/15/2024 14:31	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:30	Readings	PID	SC23030602B4	Normal	1.3
592-60217	2/15/2024 14:29	Readings	PID	SC23030602B4	Normal	1.4

592-60217	2/15/2024 14:28	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 14:27	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 14:26	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:25	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 14:24	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:23	Readings	PID	SC23030602B4	Normal	2.4
592-60217	2/15/2024 14:22	Readings	PID	SC23030602B4	Normal	1.5
592-60217	2/15/2024 14:21	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:20	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 14:19	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:18	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:17	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 14:16	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 14:15	Readings	PID	SC23030602B4	Normal	1.2
592-60217	2/15/2024 14:14	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 14:13	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 14:12	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 14:11	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 14:10	Readings	PID	SC23030602B4	Normal	1.2
592-60217	2/15/2024 14:09	Readings	PID	SC23030602B4	Normal	2
592-60217	2/15/2024 14:08	Readings	PID	SC23030602B4	Normal	2.2
592-60217	2/15/2024 14:07	Readings	PID	SC23030602B4	Normal	2
592-60217	2/15/2024 14:06	Readings	PID	SC23030602B4	Normal	2.8
592-60217	2/15/2024 14:05	Readings	PID	SC23030602B4	Normal	1.7
592-60217	2/15/2024 14:04	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 14:03	Readings	PID	SC23030602B4	Normal	1.5
592-60217	2/15/2024 14:02	Readings	PID	SC23030602B4	Normal	2.1
592-60217	2/15/2024 14:01	Readings	PID	SC23030602B4	Normal	1.1
592-60217	2/15/2024 14:00	Readings	PID	SC23030602B4	Normal	2.2
592-60217	2/15/2024 13:59	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 13:58	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 13:57	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 13:56	Readings	PID	SC23030602B4	Normal	0.7

592-60217	2/15/2024 13:55	Readings	PID	SC23030602B4	Normal	1.4
592-60217	2/15/2024 13:54	Readings	PID	SC23030602B4	Normal	2.4
592-60217	2/15/2024 13:53	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 13:52	Readings	PID	SC23030602B4	Normal	2.3
592-60217	2/15/2024 13:51	Readings	PID	SC23030602B4	Normal	4.2
592-60217	2/15/2024 13:50	Readings	PID	SC23030602B4	Normal	1.5
592-60217	2/15/2024 13:49	Readings	PID	SC23030602B4	Normal	1.5
592-60217	2/15/2024 13:48	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 13:47	Readings	PID	SC23030602B4	Normal	0.7
592-60217	2/15/2024 13:46	Readings	PID	SC23030602B4	Normal	1
592-60217	2/15/2024 13:45	Readings	PID	SC23030602B4	Normal	1.4
592-60217	2/15/2024 13:44	Readings	PID	SC23030602B4	Normal	4.5
592-60217	2/15/2024 13:43	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 13:42	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 13:41	Readings	PID	SC23030602B4	Normal	3
592-60217	2/15/2024 13:40	Readings	PID	SC23030602B4	Normal	1.1
592-60217	2/15/2024 13:39	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 13:38	Readings	PID	SC23030602B4	Normal	0.5
592-60217	2/15/2024 13:37	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 13:36	Readings	PID	SC23030602B4	Normal	1.9
592-60217	2/15/2024 13:35	Readings	PID	SC23030602B4	Normal	2.2
592-60217	2/15/2024 13:34	Readings	PID	SC23030602B4	Normal	1.8
592-60217	2/15/2024 13:33	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 13:32	Readings	PID	SC23030602B4	Normal	0.6
592-60217	2/15/2024 13:31	Readings	PID	SC23030602B4	Normal	2.2
592-60217	2/15/2024 13:30	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 13:29	Readings	PID	SC23030602B4	Normal	1.6
592-60217	2/15/2024 13:28	Readings	PID	SC23030602B4	Normal	0.8
592-60217	2/15/2024 13:27	Readings	PID	SC23030602B4	Normal	0.9
592-60217	2/15/2024 13:26	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 13:25	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:24	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:23	Readings	PID	SC23030602B4	Normal	0.3

592-60217	2/15/2024 13:22	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:21	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:20	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:19	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:18	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:17	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:16	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:15	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:14	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:13	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:12	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:11	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:10	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:09	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:08	Readings	PID	SC23030602B4	Normal	0.4
592-60217	2/15/2024 13:07	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:06	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:05	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 13:04	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:03	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:02	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:01	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 13:00	Readings	PID	SC23030602B4	Normal	0.3
592-60217	2/15/2024 12:59	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:58	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:57	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:56	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:55	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:54	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:53	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:52	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:51	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 12:50	Readings	PID	SC23030602B4	Normal	0.2

592-60217	2/15/2024 11:43	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:42	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:41	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:40	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:39	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:38	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:37	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:36	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:35	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:34	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:33	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:32	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:31	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:30	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:29	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:28	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:27	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:26	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:25	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:24	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:23	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:22	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:21	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:20	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:19	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:18	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:17	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:16	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:15	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:14	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:13	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:12	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:11	Readings	PID	SC23030602B4	Normal	0.2

592-60217	2/15/2024 11:10	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:09	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:08	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:07	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:06	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:05	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:04	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:03	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:02	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 11:01	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 11:00	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:59	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:58	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:57	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:56	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:55	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:54	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:53	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:52	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:51	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:50	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:49	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:48	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:47	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:46	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:45	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:44	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:43	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:42	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:41	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:40	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:39	Readings	PID	SC23030602B4	Normal	0.2
592-60217	2/15/2024 10:38	Readings	PID	SC23030602B4	Normal	0.1

592-60217	2/15/2024 10:04	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:03	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:02	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:01	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 10:00	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:59	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:58	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:57	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:56	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:55	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:54	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:53	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:52	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:51	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:50	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:49	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:48	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:47	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:46	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:45	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:44	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:43	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:42	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:41	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:40	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:39	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:38	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:37	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:36	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:35	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:34	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:33	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:32	Readings	PID	SC23030602B4	Normal	0.1

592-60217	2/15/2024 9:31	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:30	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:29	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:28	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:27	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:26	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:25	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:24	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:23	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:22	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:21	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:20	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:19	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:18	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:17	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:16	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:15	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:14	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:13	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:12	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:11	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:10	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:09	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:08	Readings	PID	SC23030602B4	Normal	0.1
592-60217	2/15/2024 9:07	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:06	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:05	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:04	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:03	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:02	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:01	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 9:00	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:59	Readings	PID	SC23030602B4	Normal	0

592-60217	2/15/2024 8:58	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:57	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:56	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:55	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:54	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:53	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:52	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:51	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:50	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:49	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:48	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:47	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:46	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:45	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:44	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:43	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:42	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:41	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:40	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:39	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:38	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:37	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:36	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:35	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:34	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:33	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:32	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:31	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:30	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:29	Readings	PID	SC23030602B4	Normal	0
592-60217	2/15/2024 8:28	CONFIG	PID	SC23030602B4		