

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	X	32-50	X	50-70		70-85		>85		SW 8mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	02/20/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:25

Time Out: 16:20

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

WSP (Environmental oversight) – Chris DiSclafani

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig

Scope of Work: Dewatering operations in spill area, oversight of additional excavation by Capital, continue to collect endpoint samples and begin low flow groundwater sampling of the sentinel wells.

Site Activities:

- Deploy CAMP at the start of the workday;
- Additional 1' to 2' excavation of Spill of grids A4-A5 (for a total excavation depth of 8-9' bsg). PID screenings indicated that A4 and A5 will require further excavation/delineation due to readings observed above 25 ppm;
- Excavation of C2 and D2 with an additional 2' cut (for a total excavation of 7' bsg);
- Begin low flow groundwater sampling of sentinel wells (required by-weekly during dewatering);
- ECD starts test pile tests in grid O6 and J3; and
- Dewatering shutoff due to Frac Tank reaching capacity, Tank will be pumped out on 2/23/24).

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.080_ mg/m³ @ 06:42
- High Conditions (Upwind) – PID = _0.3_ ppm @ 14:34, Dust = _0.162_ mg/m³ @ 09:34
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 11:49, Dust = _0.102_ mg/m³ @ 07:07
- High Conditions (Downwind 2) – PID = _4.4_ ppm @ 14:01 Dust = _0.068_ mg/m³ @ 12:59

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- Delineation of spill areas;
- Further grid excavation;
- Loading out soil (20 loads) to Puresoil Jackson; and
- Continue low flow groundwater sampling of sentinel wells.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of bi-
weekly sentinel
well sampling.



Photo 2 –
Representative
photo of washing
tires over truck
pad.



Photo 3 –

Representative photo of odor suppression (ATMOS foam) on Grid A4 and stockpile.



Photo 4 –

Representative photo of excavation in C2.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	6:42:46 AM
Test Start Date	2/20/2024
Test Length [D:H:M]	0:09:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.162
Mass TWA [mg/m3]	0.01
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	542

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:42:46 AM	0.08		
6:43:46 AM	0.013		
6:44:46 AM	0.013		
6:45:46 AM	0.013		
6:46:46 AM	0.007		
6:47:46 AM	0.008		
6:48:46 AM	0.009		
6:49:46 AM	0.007		
6:50:46 AM	0.008		
6:51:46 AM	0.008		
6:52:46 AM	0.009		
6:53:46 AM	0.008		
6:54:46 AM	0.008		
6:55:46 AM	0.007		
6:56:46 AM	0.007		
6:57:46 AM	0.008		
6:58:46 AM	0.009		
6:59:46 AM	0.007		
7:00:46 AM	0.007		
7:01:46 AM	0.007		
7:02:46 AM	0.008		
7:03:46 AM	0.008		
7:04:46 AM	0.008		
7:05:46 AM	0.007		

7:06:46 AM	0.01
7:07:46 AM	0.01
7:08:46 AM	0.008
7:09:46 AM	0.008
7:10:46 AM	0.009
7:11:46 AM	0.01
7:12:46 AM	0.01
7:13:46 AM	0.01
7:14:46 AM	0.008
7:15:46 AM	0.009
7:16:46 AM	0.012
7:17:46 AM	0.009
7:18:46 AM	0.009
7:19:46 AM	0.007
7:20:46 AM	0.008
7:21:46 AM	0.009
7:22:46 AM	0.012
7:23:46 AM	0.017
7:24:46 AM	0.017
7:25:46 AM	0.013
7:26:46 AM	0.012
7:27:46 AM	0.008
7:28:46 AM	0.008
7:29:46 AM	0.008
7:30:46 AM	0.009
7:31:46 AM	0.011
7:32:46 AM	0.01
7:33:46 AM	0.01
7:34:46 AM	0.009
7:35:46 AM	0.01
7:36:46 AM	0.01
7:37:46 AM	0.01
7:38:46 AM	0.01
7:39:46 AM	0.01
7:40:46 AM	0.015
7:41:46 AM	0.028
7:42:46 AM	0.012
7:43:46 AM	0.009
7:44:46 AM	0.009
7:45:46 AM	0.009
7:46:46 AM	0.008
7:47:46 AM	0.009
7:48:46 AM	0.009
7:49:46 AM	0.009

7:50:46 AM	0.009
7:51:46 AM	0.011
7:52:46 AM	0.008
7:53:46 AM	0.008
7:54:46 AM	0.01
7:55:46 AM	0.011
7:56:46 AM	0.009
7:57:46 AM	0.011
7:58:46 AM	0.011
7:59:46 AM	0.01
8:00:46 AM	0.013
8:01:46 AM	0.013
8:02:46 AM	0.013
8:03:46 AM	0.011
8:04:46 AM	0.011
8:05:46 AM	0.01
8:06:46 AM	0.012
8:07:46 AM	0.011
8:08:46 AM	0.012
8:09:46 AM	0.013
8:10:46 AM	0.011
8:11:46 AM	0.01
8:12:46 AM	0.012
8:13:46 AM	0.011
8:14:46 AM	0.012
8:15:46 AM	0.011
8:16:46 AM	0.012
8:17:46 AM	0.009
8:18:46 AM	0.015
8:19:46 AM	0.011
8:20:46 AM	0.012
8:21:46 AM	0.012
8:22:46 AM	0.013
8:23:46 AM	0.013
8:24:46 AM	0.015
8:25:46 AM	0.012
8:26:46 AM	0.009
8:27:46 AM	0.009
8:28:46 AM	0.01
8:29:46 AM	0.01
8:30:46 AM	0.01
8:31:46 AM	0.01
8:32:46 AM	0.01
8:33:46 AM	0.011

8:34:46 AM	0.011
8:35:46 AM	0.011
8:36:46 AM	0.008
8:37:46 AM	0.014
8:38:46 AM	0.012
8:39:46 AM	0.012
8:40:46 AM	0.009
8:41:46 AM	0.008
8:42:46 AM	0.013
8:43:46 AM	0.016
8:44:46 AM	0.012
8:45:46 AM	0.01
8:46:46 AM	0.011
8:47:46 AM	0.014
8:48:46 AM	0.012
8:49:46 AM	0.01
8:50:46 AM	0.009
8:51:46 AM	0.01
8:52:46 AM	0.009
8:53:46 AM	0.009
8:54:46 AM	0.008
8:55:46 AM	0.011
8:56:46 AM	0.01
8:57:46 AM	0.007
8:58:46 AM	0.008
8:59:46 AM	0.009
9:00:46 AM	0.008
9:01:46 AM	0.008
9:02:46 AM	0.007
9:03:46 AM	0.007
9:04:46 AM	0.008
9:05:46 AM	0.008
9:06:46 AM	0.008
9:07:46 AM	0.007
9:08:46 AM	0.006
9:09:46 AM	0.008
9:10:46 AM	0.008
9:11:46 AM	0.007
9:12:46 AM	0.008
9:13:46 AM	0.009
9:14:46 AM	0.007
9:15:46 AM	0.008
9:16:46 AM	0.008
9:17:46 AM	0.024

9:18:46 AM	0.009
9:19:46 AM	0.008
9:20:46 AM	0.007
9:21:46 AM	0.01
9:22:46 AM	0.008
9:23:46 AM	0.008
9:24:46 AM	0.007
9:25:46 AM	0.008
9:26:46 AM	0.009
9:27:46 AM	0.01
9:28:46 AM	0.007
9:29:46 AM	0.009
9:30:46 AM	0.01
9:31:46 AM	0.009
9:32:46 AM	0.009
9:33:46 AM	0.009
9:34:46 AM	0.162
9:35:46 AM	0.009
9:36:46 AM	0.009
9:37:46 AM	0.011
9:38:46 AM	0.008
9:39:46 AM	0.008
9:40:46 AM	0.008
9:41:46 AM	0.008
9:42:46 AM	0.007
9:43:46 AM	0.009
9:44:46 AM	0.007
9:45:46 AM	0.008
9:46:46 AM	0.008
9:47:46 AM	0.008
9:48:46 AM	0.009
9:49:46 AM	0.007
9:50:46 AM	0.008
9:51:46 AM	0.008
9:52:46 AM	0.008
9:53:46 AM	0.008
9:54:46 AM	0.01
9:55:46 AM	0.01
9:56:46 AM	0.009
9:57:46 AM	0.008
9:58:46 AM	0.009
9:59:46 AM	0.008
10:00:46 AM	0.009
10:01:46 AM	0.01

10:02:46 AM	0.009
10:03:46 AM	0.009
10:04:46 AM	0.008
10:05:46 AM	0.007
10:06:46 AM	0.012
10:07:46 AM	0.008
10:08:46 AM	0.007
10:09:46 AM	0.008
10:10:46 AM	0.011
10:11:46 AM	0.009
10:12:46 AM	0.009
10:13:46 AM	0.01
10:14:46 AM	0.007
10:15:46 AM	0.007
10:16:46 AM	0.007
10:17:46 AM	0.01
10:18:46 AM	0.012
10:19:46 AM	0.011
10:20:46 AM	0.008
10:21:46 AM	0.007
10:22:46 AM	0.007
10:23:46 AM	0.011
10:24:46 AM	0.013
10:25:46 AM	0.011
10:26:46 AM	0.009
10:27:46 AM	0.007
10:28:46 AM	0.007
10:29:46 AM	0.007
10:30:46 AM	0.008
10:31:46 AM	0.007
10:32:46 AM	0.007
10:33:46 AM	0.008
10:34:46 AM	0.008
10:35:46 AM	0.009
10:36:46 AM	0.01
10:37:46 AM	0.009
10:38:46 AM	0.01
10:39:46 AM	0.011
10:40:46 AM	0.012
10:41:46 AM	0.012
10:42:46 AM	0.012
10:43:46 AM	0.009
10:44:46 AM	0.009
10:45:46 AM	0.009

10:46:46 AM	0.008
10:47:46 AM	0.009
10:48:46 AM	0.007
10:49:46 AM	0.007
10:50:46 AM	0.009
10:51:46 AM	0.009
10:52:46 AM	0.008
10:53:46 AM	0.007
10:54:46 AM	0.007
10:55:46 AM	0.006
10:56:46 AM	0.006
10:57:46 AM	0.007
10:58:46 AM	0.01
10:59:46 AM	0.011
11:00:46 AM	0.008
11:01:46 AM	0.006
11:02:46 AM	0.006
11:03:46 AM	0.007
11:04:46 AM	0.007
11:05:46 AM	0.007
11:06:46 AM	0.007
11:07:46 AM	0.01
11:08:46 AM	0.008
11:09:46 AM	0.008
11:10:46 AM	0.01
11:11:46 AM	0.009
11:12:46 AM	0.007
11:13:46 AM	0.008
11:14:46 AM	0.008
11:15:46 AM	0.007
11:16:46 AM	0.007
11:17:46 AM	0.01
11:18:46 AM	0.02
11:19:46 AM	0.05
11:20:46 AM	0.009
11:21:46 AM	0.008
11:22:46 AM	0.008
11:23:46 AM	0.007
11:24:46 AM	0.007
11:25:46 AM	0.006
11:26:46 AM	0.006
11:27:46 AM	0.006
11:28:46 AM	0.006
11:29:46 AM	0.006

11:30:46 AM	0.006
11:31:46 AM	0.006
11:32:46 AM	0.006
11:33:46 AM	0.006
11:34:46 AM	0.008
11:35:46 AM	0.01
11:36:46 AM	0.009
11:37:46 AM	0.009
11:38:46 AM	0.009
11:39:46 AM	0.009
11:40:46 AM	0.009
11:41:46 AM	0.008
11:42:46 AM	0.008
11:43:46 AM	0.008
11:44:46 AM	0.008
11:45:46 AM	0.01
11:46:46 AM	0.011
11:47:46 AM	0.008
11:48:46 AM	0.01
11:49:46 AM	0.009
11:50:46 AM	0.009
11:51:46 AM	0.015
11:52:46 AM	0.01
11:53:46 AM	0.008
11:54:46 AM	0.008
11:55:46 AM	0.009
11:56:46 AM	0.008
11:57:46 AM	0.008
11:58:46 AM	0.008
11:59:46 AM	0.011
12:00:46 PM	0.012
12:01:46 PM	0.01
12:02:46 PM	0.009
12:03:46 PM	0.01
12:04:46 PM	0.008
12:05:46 PM	0.009
12:06:46 PM	0.008
12:07:46 PM	0.008
12:08:46 PM	0.008
12:09:46 PM	0.009
12:10:46 PM	0.008
12:11:46 PM	0.008
12:12:46 PM	0.008
12:13:46 PM	0.008

12:14:46 PM	0.008
12:15:46 PM	0.008
12:16:46 PM	0.009
12:17:46 PM	0.009
12:18:46 PM	0.009
12:19:46 PM	0.009
12:20:46 PM	0.01
12:21:46 PM	0.01
12:22:46 PM	0.01
12:23:46 PM	0.009
12:24:46 PM	0.01
12:25:46 PM	0.009
12:26:46 PM	0.008
12:27:46 PM	0.008
12:28:46 PM	0.008
12:29:46 PM	0.009
12:30:46 PM	0.009
12:31:46 PM	0.009
12:32:46 PM	0.007
12:33:46 PM	0.008
12:34:46 PM	0.008
12:35:46 PM	0.011
12:36:46 PM	0.009
12:37:46 PM	0.009
12:38:46 PM	0.008
12:39:46 PM	0.009
12:40:46 PM	0.009
12:41:46 PM	0.009
12:42:46 PM	0.008
12:43:46 PM	0.008
12:44:46 PM	0.008
12:45:46 PM	0.008
12:46:46 PM	0.008
12:47:46 PM	0.008
12:48:46 PM	0.009
12:49:46 PM	0.008
12:50:46 PM	0.018
12:51:46 PM	0.009
12:52:46 PM	0.009
12:53:46 PM	0.008
12:54:46 PM	0.008
12:55:46 PM	0.008
12:56:46 PM	0.008
12:57:46 PM	0.008

12:58:46 PM	0.008
12:59:46 PM	0.008
1:00:46 PM	0.01
1:01:46 PM	0.008
1:02:46 PM	0.008
1:03:46 PM	0.008
1:04:46 PM	0.008
1:05:46 PM	0.008
1:06:46 PM	0.008
1:07:46 PM	0.008
1:08:46 PM	0.008
1:09:46 PM	0.008
1:10:46 PM	0.008
1:11:46 PM	0.008
1:12:46 PM	0.008
1:13:46 PM	0.008
1:14:46 PM	0.008
1:15:46 PM	0.008
1:16:46 PM	0.008
1:17:46 PM	0.008
1:18:46 PM	0.008
1:19:46 PM	0.009
1:20:46 PM	0.008
1:21:46 PM	0.009
1:22:46 PM	0.011
1:23:46 PM	0.009
1:24:46 PM	0.008
1:25:46 PM	0.008
1:26:46 PM	0.008
1:27:46 PM	0.009
1:28:46 PM	0.009
1:29:46 PM	0.01
1:30:46 PM	0.009
1:31:46 PM	0.008
1:32:46 PM	0.008
1:33:46 PM	0.009
1:34:46 PM	0.009
1:35:46 PM	0.009
1:36:46 PM	0.008
1:37:46 PM	0.008
1:38:46 PM	0.008
1:39:46 PM	0.008
1:40:46 PM	0.008
1:41:46 PM	0.009

1:42:46 PM	0.009
1:43:46 PM	0.009
1:44:46 PM	0.008
1:45:46 PM	0.008
1:46:46 PM	0.008
1:47:46 PM	0.008
1:48:46 PM	0.009
1:49:46 PM	0.009
1:50:46 PM	0.009
1:51:46 PM	0.009
1:52:46 PM	0.009
1:53:46 PM	0.009
1:54:46 PM	0.008
1:55:46 PM	0.009
1:56:46 PM	0.01
1:57:46 PM	0.01
1:58:46 PM	0.01
1:59:46 PM	0.009
2:00:46 PM	0.01
2:01:46 PM	0.011
2:02:46 PM	0.01
2:03:46 PM	0.01
2:04:46 PM	0.013
2:05:46 PM	0.01
2:06:46 PM	0.011
2:07:46 PM	0.01
2:08:46 PM	0.01
2:09:46 PM	0.01
2:10:46 PM	0.009
2:11:46 PM	0.011
2:12:46 PM	0.012
2:13:46 PM	0.01
2:14:46 PM	0.01
2:15:46 PM	0.01
2:16:46 PM	0.01
2:17:46 PM	0.009
2:18:46 PM	0.01
2:19:46 PM	0.01
2:20:46 PM	0.011
2:21:46 PM	0.011
2:22:46 PM	0.01
2:23:46 PM	0.012
2:24:46 PM	0.011
2:25:46 PM	0.013

2:26:46 PM	0.011
2:27:46 PM	0.01
2:28:46 PM	0.011
2:29:46 PM	0.011
2:30:46 PM	0.011
2:31:46 PM	0.011
2:32:46 PM	0.013
2:33:46 PM	0.012
2:34:46 PM	0.011
2:35:46 PM	0.011
2:36:46 PM	0.01
2:37:46 PM	0.01
2:38:46 PM	0.01
2:39:46 PM	0.01
2:40:46 PM	0.01
2:41:46 PM	0.01
2:42:46 PM	0.01
2:43:46 PM	0.01
2:44:46 PM	0.012
2:45:46 PM	0.014
2:46:46 PM	0.013
2:47:46 PM	0.01
2:48:46 PM	0.009
2:49:46 PM	0.009
2:50:46 PM	0.011
2:51:46 PM	0.01
2:52:46 PM	0.011
2:53:46 PM	0.011
2:54:46 PM	0.009
2:55:46 PM	0.01
2:56:46 PM	0.009
2:57:46 PM	0.01
2:58:46 PM	0.011
2:59:46 PM	0.012
3:00:46 PM	0.013
3:01:46 PM	0.014
3:02:46 PM	0.012
3:03:46 PM	0.011
3:04:46 PM	0.011
3:05:46 PM	0.013
3:06:46 PM	0.013
3:07:46 PM	0.011
3:08:46 PM	0.011
3:09:46 PM	0.011

3:10:46 PM	0.015
3:11:46 PM	0.017
3:12:46 PM	0.015
3:13:46 PM	0.011
3:14:46 PM	0.013
3:15:46 PM	0.011
3:16:46 PM	0.011
3:17:46 PM	0.011
3:18:46 PM	0.011
3:19:46 PM	0.011
3:20:46 PM	0.011
3:21:46 PM	0.011
3:22:46 PM	0.012
3:23:46 PM	0.01
3:24:46 PM	0.011
3:25:46 PM	0.012
3:26:46 PM	0.01
3:27:46 PM	0.009
3:28:46 PM	0.01
3:29:46 PM	0.011
3:30:46 PM	0.01
3:31:46 PM	0.009
3:32:46 PM	0.01
3:33:46 PM	0.011
3:34:46 PM	0.009
3:35:46 PM	0.013
3:36:46 PM	0.013
3:37:46 PM	0.01
3:38:46 PM	0.01
3:39:46 PM	0.01
3:40:46 PM	0.01
3:41:46 PM	0.01
3:42:46 PM	0.009
3:43:46 PM	0.01

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/20/2024 17:25	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:24	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:23	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 17:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 16:54	Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	2/20/2024 14:41 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:37 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:36 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:35 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/20/2024 14:34 Readings	PID	SC23030449A8	Normal	0.3
592-600853	2/20/2024 14:33 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:32 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:27 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:26 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:25 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:23 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:22 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:21 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:20 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:19 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:18 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:17 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:16 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:15 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:13 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:12 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/20/2024 14:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 14:09 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	2/20/2024 10:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:12 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:09 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 9:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:45 Readings	PID	SC23030449A8	Normal	0

592-600853	2/20/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/20/2024 9:32 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 9:12 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	2/20/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:29 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:28 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:27 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:26 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	2/20/2024 8:24 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	7:07:45 AM
Test Start Date	2/20/2024
Test Length [D:H:M]	0:08:36
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.102
Mass TWA [mg/m3]	0.01
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	516

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:07:45 AM	0.102		
7:08:45 AM	0.008		
7:09:45 AM	0.007		
7:10:45 AM	0.006		
7:11:45 AM	0.007		
7:12:45 AM	0.005		
7:13:45 AM	0.005		
7:14:45 AM	0.005		
7:15:45 AM	0.005		
7:16:45 AM	0.006		
7:17:45 AM	0.007		
7:18:45 AM	0.008		
7:19:45 AM	0.006		
7:20:45 AM	0.006		
7:21:45 AM	0.008		
7:22:45 AM	0.006		
7:23:45 AM	0.005		
7:24:45 AM	0.005		
7:25:45 AM	0.006		
7:26:45 AM	0.005		
7:27:45 AM	0.005		
7:28:45 AM	0.006		
7:29:45 AM	0.006		
7:30:45 AM	0.007		

7:31:45 AM	0.007
7:32:45 AM	0.006
7:33:45 AM	0.007
7:34:45 AM	0.007
7:35:45 AM	0.005
7:36:45 AM	0.005
7:37:45 AM	0.006
7:38:45 AM	0.006
7:39:45 AM	0.007
7:40:45 AM	0.008
7:41:45 AM	0.007
7:42:45 AM	0.006
7:43:45 AM	0.006
7:44:45 AM	0.006
7:45:45 AM	0.007
7:46:45 AM	0.007
7:47:45 AM	0.007
7:48:45 AM	0.006
7:49:45 AM	0.006
7:50:45 AM	0.006
7:51:45 AM	0.005
7:52:45 AM	0.007
7:53:45 AM	0.007
7:54:45 AM	0.006
7:55:45 AM	0.007
7:56:45 AM	0.008
7:57:45 AM	0.007
7:58:45 AM	0.005
7:59:45 AM	0.007
8:00:45 AM	0.006
8:01:45 AM	0.006
8:02:45 AM	0.006
8:03:45 AM	0.006
8:04:45 AM	0.006
8:05:45 AM	0.006
8:06:45 AM	0.006
8:07:45 AM	0.007
8:08:45 AM	0.01
8:09:45 AM	0.008
8:10:45 AM	0.009
8:11:45 AM	0.013
8:12:45 AM	0.012
8:13:45 AM	0.009
8:14:45 AM	0.008

8:15:45 AM	0.009
8:16:45 AM	0.009
8:17:45 AM	0.008
8:18:45 AM	0.009
8:19:45 AM	0.017
8:20:45 AM	0.025
8:21:45 AM	0.008
8:22:45 AM	0.009
8:23:45 AM	0.019
8:24:45 AM	0.027
8:25:45 AM	0.011
8:26:45 AM	0.008
8:27:45 AM	0.009
8:28:45 AM	0.011
8:29:45 AM	0.006
8:30:45 AM	0.007
8:31:45 AM	0.007
8:32:45 AM	0.009
8:33:45 AM	0.01
8:34:45 AM	0.01
8:35:45 AM	0.01
8:36:45 AM	0.016
8:37:45 AM	0.013
8:38:45 AM	0.008
8:39:45 AM	0.008
8:40:45 AM	0.012
8:41:45 AM	0.009
8:42:45 AM	0.009
8:43:45 AM	0.007
8:44:45 AM	0.008
8:45:45 AM	0.006
8:46:45 AM	0.006
8:47:45 AM	0.018
8:48:45 AM	0.021
8:49:45 AM	0.013
8:50:45 AM	0.007
8:51:45 AM	0.007
8:52:45 AM	0.007
8:53:45 AM	0.008
8:54:45 AM	0.01
8:55:45 AM	0.007
8:56:45 AM	0.007
8:57:45 AM	0.007
8:58:45 AM	0.008

8:59:45 AM	0.008
9:00:45 AM	0.009
9:01:45 AM	0.011
9:02:45 AM	0.008
9:03:45 AM	0.009
9:04:45 AM	0.007
9:05:45 AM	0.006
9:06:45 AM	0.007
9:07:45 AM	0.006
9:08:45 AM	0.006
9:09:45 AM	0.005
9:10:45 AM	0.008
9:11:45 AM	0.009
9:12:45 AM	0.008
9:13:45 AM	0.012
9:14:45 AM	0.009
9:15:45 AM	0.017
9:16:45 AM	0.01
9:17:45 AM	0.007
9:18:45 AM	0.007
9:19:45 AM	0.009
9:20:45 AM	0.008
9:21:45 AM	0.009
9:22:45 AM	0.007
9:23:45 AM	0.006
9:24:45 AM	0.007
9:25:45 AM	0.008
9:26:45 AM	0.008
9:27:45 AM	0.006
9:28:45 AM	0.009
9:29:45 AM	0.008
9:30:45 AM	0.007
9:31:45 AM	0.007
9:32:45 AM	0.006
9:33:45 AM	0.007
9:34:45 AM	0.007
9:35:45 AM	0.007
9:36:45 AM	0.009
9:37:45 AM	0.009
9:38:45 AM	0.006
9:39:45 AM	0.011
9:40:45 AM	0.008
9:41:45 AM	0.006
9:42:45 AM	0.006

9:43:45 AM	0.018
9:44:45 AM	0.007
9:45:45 AM	0.006
9:46:45 AM	0.006
9:47:45 AM	0.008
9:48:45 AM	0.01
9:49:45 AM	0.006
9:50:45 AM	0.006
9:51:45 AM	0.007
9:52:45 AM	0.006
9:53:45 AM	0.006
9:54:45 AM	0.006
9:55:45 AM	0.005
9:56:45 AM	0.006
9:57:45 AM	0.007
9:58:45 AM	0.007
9:59:45 AM	0.006
10:00:45 AM	0.006
10:01:45 AM	0.006
10:02:45 AM	0.007
10:03:45 AM	0.005
10:04:45 AM	0.005
10:05:45 AM	0.006
10:06:45 AM	0.007
10:07:45 AM	0.006
10:08:45 AM	0.006
10:09:45 AM	0.006
10:10:45 AM	0.006
10:11:45 AM	0.006
10:12:45 AM	0.006
10:13:45 AM	0.006
10:14:45 AM	0.007
10:15:45 AM	0.01
10:16:45 AM	0.022
10:17:45 AM	0.019
10:18:45 AM	0.007
10:19:45 AM	0.007
10:20:45 AM	0.007
10:21:45 AM	0.007
10:22:45 AM	0.007
10:23:45 AM	0.007
10:24:45 AM	0.006
10:25:45 AM	0.006
10:26:45 AM	0.005

10:27:45 AM	0.009
10:28:45 AM	0.007
10:29:45 AM	0.009
10:30:45 AM	0.025
10:31:45 AM	0.01
10:32:45 AM	0.006
10:33:45 AM	0.006
10:34:45 AM	0.006
10:35:45 AM	0.006
10:36:45 AM	0.005
10:37:45 AM	0.005
10:38:45 AM	0.006
10:39:45 AM	0.006
10:40:45 AM	0.006
10:41:45 AM	0.006
10:42:45 AM	0.006
10:43:45 AM	0.006
10:44:45 AM	0.005
10:45:45 AM	0.007
10:46:45 AM	0.006
10:47:45 AM	0.005
10:48:45 AM	0.006
10:49:45 AM	0.007
10:50:45 AM	0.007
10:51:45 AM	0.006
10:52:45 AM	0.005
10:53:45 AM	0.005
10:54:45 AM	0.005
10:55:45 AM	0.005
10:56:45 AM	0.006
10:57:45 AM	0.005
10:58:45 AM	0.005
10:59:45 AM	0.006
11:00:45 AM	0.007
11:01:45 AM	0.008
11:02:45 AM	0.009
11:03:45 AM	0.006
11:04:45 AM	0.005
11:05:45 AM	0.005
11:06:45 AM	0.007
11:07:45 AM	0.007
11:08:45 AM	0.007
11:09:45 AM	0.008
11:10:45 AM	0.005

11:11:45 AM	0.005
11:12:45 AM	0.006
11:13:45 AM	0.01
11:14:45 AM	0.008
11:15:45 AM	0.009
11:16:45 AM	0.009
11:17:45 AM	0.006
11:18:45 AM	0.009
11:19:45 AM	0.02
11:20:45 AM	0.011
11:21:45 AM	0.009
11:22:45 AM	0.014
11:23:45 AM	0.014
11:24:45 AM	0.011
11:25:45 AM	0.008
11:26:45 AM	0.007
11:27:45 AM	0.008
11:28:45 AM	0.006
11:29:45 AM	0.011
11:30:45 AM	0.019
11:31:45 AM	0.008
11:32:45 AM	0.005
11:33:45 AM	0.005
11:34:45 AM	0.005
11:35:45 AM	0.005
11:36:45 AM	0.007
11:37:45 AM	0.017
11:38:45 AM	0.007
11:39:45 AM	0.005
11:40:45 AM	0.005
11:41:45 AM	0.006
11:42:45 AM	0.007
11:43:45 AM	0.011
11:44:45 AM	0.009
11:45:45 AM	0.012
11:46:45 AM	0.011
11:47:45 AM	0.013
11:48:45 AM	0.009
11:49:45 AM	0.009
11:50:45 AM	0.01
11:51:45 AM	0.026
11:52:45 AM	0.016
11:53:45 AM	0.015
11:54:45 AM	0.01

11:55:45 AM	0.014
11:56:45 AM	0.01
11:57:45 AM	0.011
11:58:45 AM	0.011
11:59:45 AM	0.009
12:00:45 PM	0.007
12:01:45 PM	0.008
12:02:45 PM	0.015
12:03:45 PM	0.008
12:04:45 PM	0.008
12:05:45 PM	0.009
12:06:45 PM	0.009
12:07:45 PM	0.008
12:08:45 PM	0.009
12:09:45 PM	0.009
12:10:45 PM	0.008
12:11:45 PM	0.009
12:12:45 PM	0.008
12:13:45 PM	0.014
12:14:45 PM	0.01
12:15:45 PM	0.009
12:16:45 PM	0.008
12:17:45 PM	0.008
12:18:45 PM	0.008
12:19:45 PM	0.009
12:20:45 PM	0.009
12:21:45 PM	0.008
12:22:45 PM	0.009
12:23:45 PM	0.011
12:24:45 PM	0.009
12:25:45 PM	0.009
12:26:45 PM	0.012
12:27:45 PM	0.011
12:28:45 PM	0.014
12:29:45 PM	0.018
12:30:45 PM	0.024
12:31:45 PM	0.011
12:32:45 PM	0.013
12:33:45 PM	0.017
12:34:45 PM	0.01
12:35:45 PM	0.011
12:36:45 PM	0.01
12:37:45 PM	0.009
12:38:45 PM	0.008

12:39:45 PM	0.008
12:40:45 PM	0.01
12:41:45 PM	0.011
12:42:45 PM	0.012
12:43:45 PM	0.017
12:44:45 PM	0.013
12:45:45 PM	0.014
12:46:45 PM	0.015
12:47:45 PM	0.013
12:48:45 PM	0.017
12:49:45 PM	0.015
12:50:45 PM	0.009
12:51:45 PM	0.008
12:52:45 PM	0.008
12:53:45 PM	0.01
12:54:45 PM	0.012
12:55:45 PM	0.017
12:56:45 PM	0.013
12:57:45 PM	0.012
12:58:45 PM	0.013
12:59:45 PM	0.019
1:00:45 PM	0.01
1:01:45 PM	0.009
1:02:45 PM	0.009
1:03:45 PM	0.008
1:04:45 PM	0.012
1:05:45 PM	0.013
1:06:45 PM	0.01
1:07:45 PM	0.009
1:08:45 PM	0.008
1:09:45 PM	0.008
1:10:45 PM	0.008
1:11:45 PM	0.008
1:12:45 PM	0.009
1:13:45 PM	0.009
1:14:45 PM	0.009
1:15:45 PM	0.009
1:16:45 PM	0.015
1:17:45 PM	0.021
1:18:45 PM	0.009
1:19:45 PM	0.011
1:20:45 PM	0.012
1:21:45 PM	0.01
1:22:45 PM	0.009

1:23:45 PM	0.009
1:24:45 PM	0.009
1:25:45 PM	0.008
1:26:45 PM	0.009
1:27:45 PM	0.008
1:28:45 PM	0.008
1:29:45 PM	0.009
1:30:45 PM	0.01
1:31:45 PM	0.01
1:32:45 PM	0.01
1:33:45 PM	0.009
1:34:45 PM	0.008
1:35:45 PM	0.009
1:36:45 PM	0.008
1:37:45 PM	0.009
1:38:45 PM	0.008
1:39:45 PM	0.008
1:40:45 PM	0.008
1:41:45 PM	0.009
1:42:45 PM	0.008
1:43:45 PM	0.008
1:44:45 PM	0.009
1:45:45 PM	0.009
1:46:45 PM	0.009
1:47:45 PM	0.008
1:48:45 PM	0.009
1:49:45 PM	0.01
1:50:45 PM	0.02
1:51:45 PM	0.017
1:52:45 PM	0.017
1:53:45 PM	0.013
1:54:45 PM	0.01
1:55:45 PM	0.01
1:56:45 PM	0.009
1:57:45 PM	0.009
1:58:45 PM	0.009
1:59:45 PM	0.011
2:00:45 PM	0.01
2:01:45 PM	0.009
2:02:45 PM	0.01
2:03:45 PM	0.011
2:04:45 PM	0.011
2:05:45 PM	0.011
2:06:45 PM	0.01

2:07:45 PM	0.009
2:08:45 PM	0.011
2:09:45 PM	0.011
2:10:45 PM	0.011
2:11:45 PM	0.01
2:12:45 PM	0.01
2:13:45 PM	0.01
2:14:45 PM	0.01
2:15:45 PM	0.011
2:16:45 PM	0.011
2:17:45 PM	0.011
2:18:45 PM	0.01
2:19:45 PM	0.01
2:20:45 PM	0.011
2:21:45 PM	0.01
2:22:45 PM	0.01
2:23:45 PM	0.009
2:24:45 PM	0.009
2:25:45 PM	0.01
2:26:45 PM	0.01
2:27:45 PM	0.013
2:28:45 PM	0.028
2:29:45 PM	0.024
2:30:45 PM	0.011
2:31:45 PM	0.014
2:32:45 PM	0.011
2:33:45 PM	0.011
2:34:45 PM	0.011
2:35:45 PM	0.01
2:36:45 PM	0.01
2:37:45 PM	0.01
2:38:45 PM	0.012
2:39:45 PM	0.032
2:40:45 PM	0.017
2:41:45 PM	0.023
2:42:45 PM	0.019
2:43:45 PM	0.016
2:44:45 PM	0.012
2:45:45 PM	0.01
2:46:45 PM	0.01
2:47:45 PM	0.01
2:48:45 PM	0.011
2:49:45 PM	0.015
2:50:45 PM	0.014

2:51:45 PM	0.043
2:52:45 PM	0.026
2:53:45 PM	0.023
2:54:45 PM	0.015
2:55:45 PM	0.026
2:56:45 PM	0.029
2:57:45 PM	0.011
2:58:45 PM	0.01
2:59:45 PM	0.01
3:00:45 PM	0.011
3:01:45 PM	0.013
3:02:45 PM	0.015
3:03:45 PM	0.012
3:04:45 PM	0.013
3:05:45 PM	0.011
3:06:45 PM	0.043
3:07:45 PM	0.022
3:08:45 PM	0.013
3:09:45 PM	0.015
3:10:45 PM	0.022
3:11:45 PM	0.014
3:12:45 PM	0.013
3:13:45 PM	0.014
3:14:45 PM	0.011
3:15:45 PM	0.01
3:16:45 PM	0.01
3:17:45 PM	0.011
3:18:45 PM	0.011
3:19:45 PM	0.011
3:20:45 PM	0.01
3:21:45 PM	0.009
3:22:45 PM	0.015
3:23:45 PM	0.011
3:24:45 PM	0.011
3:25:45 PM	0.01
3:26:45 PM	0.01
3:27:45 PM	0.01
3:28:45 PM	0.012
3:29:45 PM	0.013
3:30:45 PM	0.013
3:31:45 PM	0.011
3:32:45 PM	0.012
3:33:45 PM	0.01
3:34:45 PM	0.009

3:35:45 PM	0.009
3:36:45 PM	0.02
3:37:45 PM	0.012
3:38:45 PM	0.009
3:39:45 PM	0.009
3:40:45 PM	0.009
3:41:45 PM	0.016
3:42:45 PM	0.014

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/20/2024 17:06	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:05	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:04	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:03	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:02	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:01	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 17:00	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:59	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:58	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:57	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:56	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:55	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:54	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:53	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:52	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:51	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:50	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:49	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:48	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:47	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:46	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:45	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:44	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:43	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:42	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:41	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:40	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:39	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:38	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:37	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:36	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/20/2024 16:35	Readings	PID	SC23030140W3	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	2/20/2024 8:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/20/2024 8:26 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_004
Test Start Time	7:10:48 AM
Test Start Date	2/20/2024
Test Length [D:H:M]	0:08:39
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.068
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	519

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:10:48 AM	0.025		
7:11:48 AM	0.004		
7:12:48 AM	0.004		
7:13:48 AM	0.003		
7:14:48 AM	0.003		
7:15:48 AM	0.003		
7:16:48 AM	0.004		
7:17:48 AM	0.004		
7:18:48 AM	0.004		
7:19:48 AM	0.004		
7:20:48 AM	0.004		
7:21:48 AM	0.005		
7:22:48 AM	0.004		
7:23:48 AM	0.004		
7:24:48 AM	0.004		
7:25:48 AM	0.004		
7:26:48 AM	0.005		
7:27:48 AM	0.004		
7:28:48 AM	0.004		
7:29:48 AM	0.005		
7:30:48 AM	0.005		
7:31:48 AM	0.005		
7:32:48 AM	0.006		
7:33:48 AM	0.006		

7:34:48 AM	0.005
7:35:48 AM	0.006
7:36:48 AM	0.006
7:37:48 AM	0.005
7:38:48 AM	0.005
7:39:48 AM	0.006
7:40:48 AM	0.006
7:41:48 AM	0.006
7:42:48 AM	0.006
7:43:48 AM	0.006
7:44:48 AM	0.005
7:45:48 AM	0.006
7:46:48 AM	0.006
7:47:48 AM	0.007
7:48:48 AM	0.006
7:49:48 AM	0.006
7:50:48 AM	0.006
7:51:48 AM	0.006
7:52:48 AM	0.005
7:53:48 AM	0.005
7:54:48 AM	0.006
7:55:48 AM	0.006
7:56:48 AM	0.005
7:57:48 AM	0.005
7:58:48 AM	0.005
7:59:48 AM	0.006
8:00:48 AM	0.006
8:01:48 AM	0.006
8:02:48 AM	0.006
8:03:48 AM	0.006
8:04:48 AM	0.006
8:05:48 AM	0.006
8:06:48 AM	0.006
8:07:48 AM	0.006
8:08:48 AM	0.007
8:09:48 AM	0.007
8:10:48 AM	0.008
8:11:48 AM	0.008
8:12:48 AM	0.007
8:13:48 AM	0.007
8:14:48 AM	0.007
8:15:48 AM	0.008
8:16:48 AM	0.008
8:17:48 AM	0.008

8:18:48 AM	0.007
8:19:48 AM	0.007
8:20:48 AM	0.007
8:21:48 AM	0.007
8:22:48 AM	0.007
8:23:48 AM	0.006
8:24:48 AM	0.007
8:25:48 AM	0.006
8:26:48 AM	0.007
8:27:48 AM	0.007
8:28:48 AM	0.007
8:29:48 AM	0.006
8:30:48 AM	0.006
8:31:48 AM	0.006
8:32:48 AM	0.007
8:33:48 AM	0.008
8:34:48 AM	0.008
8:35:48 AM	0.007
8:36:48 AM	0.007
8:37:48 AM	0.006
8:38:48 AM	0.006
8:39:48 AM	0.005
8:40:48 AM	0.005
8:41:48 AM	0.006
8:42:48 AM	0.006
8:43:48 AM	0.005
8:44:48 AM	0.005
8:45:48 AM	0.006
8:46:48 AM	0.005
8:47:48 AM	0.005
8:48:48 AM	0.005
8:49:48 AM	0.006
8:50:48 AM	0.006
8:51:48 AM	0.006
8:52:48 AM	0.007
8:53:48 AM	0.007
8:54:48 AM	0.005
8:55:48 AM	0.006
8:56:48 AM	0.007
8:57:48 AM	0.009
8:58:48 AM	0.007
8:59:48 AM	0.006
9:00:48 AM	0.006
9:01:48 AM	0.005

9:02:48 AM	0.006
9:03:48 AM	0.006
9:04:48 AM	0.006
9:05:48 AM	0.006
9:06:48 AM	0.005
9:07:48 AM	0.006
9:08:48 AM	0.006
9:09:48 AM	0.005
9:10:48 AM	0.005
9:11:48 AM	0.005
9:12:48 AM	0.005
9:13:48 AM	0.005
9:14:48 AM	0.005
9:15:48 AM	0.005
9:16:48 AM	0.005
9:17:48 AM	0.005
9:18:48 AM	0.005
9:19:48 AM	0.005
9:20:48 AM	0.006
9:21:48 AM	0.005
9:22:48 AM	0.006
9:23:48 AM	0.006
9:24:48 AM	0.005
9:25:48 AM	0.005
9:26:48 AM	0.006
9:27:48 AM	0.006
9:28:48 AM	0.005
9:29:48 AM	0.005
9:30:48 AM	0.006
9:31:48 AM	0.005
9:32:48 AM	0.005
9:33:48 AM	0.005
9:34:48 AM	0.005
9:35:48 AM	0.005
9:36:48 AM	0.005
9:37:48 AM	0.005
9:38:48 AM	0.006
9:39:48 AM	0.005
9:40:48 AM	0.005
9:41:48 AM	0.005
9:42:48 AM	0.005
9:43:48 AM	0.006
9:44:48 AM	0.006
9:45:48 AM	0.005

9:46:48 AM	0.005
9:47:48 AM	0.005
9:48:48 AM	0.004
9:49:48 AM	0.005
9:50:48 AM	0.005
9:51:48 AM	0.005
9:52:48 AM	0.004
9:53:48 AM	0.005
9:54:48 AM	0.005
9:55:48 AM	0.005
9:56:48 AM	0.004
9:57:48 AM	0.005
9:58:48 AM	0.005
9:59:48 AM	0.006
10:00:48 AM	0.005
10:01:48 AM	0.005
10:02:48 AM	0.004
10:03:48 AM	0.005
10:04:48 AM	0.004
10:05:48 AM	0.004
10:06:48 AM	0.004
10:07:48 AM	0.005
10:08:48 AM	0.006
10:09:48 AM	0.005
10:10:48 AM	0.005
10:11:48 AM	0.005
10:12:48 AM	0.005
10:13:48 AM	0.005
10:14:48 AM	0.005
10:15:48 AM	0.005
10:16:48 AM	0.005
10:17:48 AM	0.005
10:18:48 AM	0.005
10:19:48 AM	0.005
10:20:48 AM	0.005
10:21:48 AM	0.005
10:22:48 AM	0.005
10:23:48 AM	0.005
10:24:48 AM	0.005
10:25:48 AM	0.004
10:26:48 AM	0.004
10:27:48 AM	0.005
10:28:48 AM	0.004
10:29:48 AM	0.004

10:30:48 AM	0.004
10:31:48 AM	0.005
10:32:48 AM	0.004
10:33:48 AM	0.004
10:34:48 AM	0.005
10:35:48 AM	0.005
10:36:48 AM	0.004
10:37:48 AM	0.004
10:38:48 AM	0.004
10:39:48 AM	0.004
10:40:48 AM	0.004
10:41:48 AM	0.004
10:42:48 AM	0.004
10:43:48 AM	0.004
10:44:48 AM	0.004
10:45:48 AM	0.008
10:46:48 AM	0.006
10:47:48 AM	0.005
10:48:48 AM	0.004
10:49:48 AM	0.004
10:50:48 AM	0.005
10:51:48 AM	0.005
10:52:48 AM	0.005
10:53:48 AM	0.004
10:54:48 AM	0.004
10:55:48 AM	0.007
10:56:48 AM	0.005
10:57:48 AM	0.004
10:58:48 AM	0.004
10:59:48 AM	0.004
11:00:48 AM	0.004
11:01:48 AM	0.004
11:02:48 AM	0.004
11:03:48 AM	0.003
11:04:48 AM	0.003
11:05:48 AM	0.003
11:06:48 AM	0.003
11:07:48 AM	0.004
11:08:48 AM	0.004
11:09:48 AM	0.005
11:10:48 AM	0.003
11:11:48 AM	0.003
11:12:48 AM	0.003
11:13:48 AM	0.003

11:14:48 AM	0.004
11:15:48 AM	0.004
11:16:48 AM	0.003
11:17:48 AM	0.003
11:18:48 AM	0.004
11:19:48 AM	0.003
11:20:48 AM	0.003
11:21:48 AM	0.004
11:22:48 AM	0.003
11:23:48 AM	0.003
11:24:48 AM	0.004
11:25:48 AM	0.003
11:26:48 AM	0.004
11:27:48 AM	0.004
11:28:48 AM	0.004
11:29:48 AM	0.004
11:30:48 AM	0.005
11:31:48 AM	0.004
11:32:48 AM	0.004
11:33:48 AM	0.003
11:34:48 AM	0.003
11:35:48 AM	0.004
11:36:48 AM	0.004
11:37:48 AM	0.004
11:38:48 AM	0.004
11:39:48 AM	0.004
11:40:48 AM	0.004
11:41:48 AM	0.004
11:42:48 AM	0.004
11:43:48 AM	0.004
11:44:48 AM	0.004
11:45:48 AM	0.005
11:46:48 AM	0.006
11:47:48 AM	0.006
11:48:48 AM	0.006
11:49:48 AM	0.005
11:50:48 AM	0.005
11:51:48 AM	0.005
11:52:48 AM	0.005
11:53:48 AM	0.005
11:54:48 AM	0.007
11:55:48 AM	0.006
11:56:48 AM	0.004
11:57:48 AM	0.009

11:58:48 AM	0.009
11:59:48 AM	0.015
12:00:48 PM	0.017
12:01:48 PM	0.005
12:02:48 PM	0.004
12:03:48 PM	0.005
12:04:48 PM	0.007
12:05:48 PM	0.005
12:06:48 PM	0.005
12:07:48 PM	0.006
12:08:48 PM	0.005
12:09:48 PM	0.005
12:10:48 PM	0.006
12:11:48 PM	0.006
12:12:48 PM	0.004
12:13:48 PM	0.005
12:14:48 PM	0.006
12:15:48 PM	0.005
12:16:48 PM	0.006
12:17:48 PM	0.005
12:18:48 PM	0.005
12:19:48 PM	0.005
12:20:48 PM	0.005
12:21:48 PM	0.005
12:22:48 PM	0.005
12:23:48 PM	0.006
12:24:48 PM	0.011
12:25:48 PM	0.011
12:26:48 PM	0.008
12:27:48 PM	0.006
12:28:48 PM	0.007
12:29:48 PM	0.008
12:30:48 PM	0.007
12:31:48 PM	0.006
12:32:48 PM	0.005
12:33:48 PM	0.006
12:34:48 PM	0.006
12:35:48 PM	0.006
12:36:48 PM	0.005
12:37:48 PM	0.005
12:38:48 PM	0.005
12:39:48 PM	0.005
12:40:48 PM	0.005
12:41:48 PM	0.005

12:42:48 PM	0.005
12:43:48 PM	0.005
12:44:48 PM	0.005
12:45:48 PM	0.006
12:46:48 PM	0.008
12:47:48 PM	0.008
12:48:48 PM	0.008
12:49:48 PM	0.005
12:50:48 PM	0.008
12:51:48 PM	0.006
12:52:48 PM	0.005
12:53:48 PM	0.005
12:54:48 PM	0.005
12:55:48 PM	0.005
12:56:48 PM	0.005
12:57:48 PM	0.007
12:58:48 PM	0.017
12:59:48 PM	0.068
1:00:48 PM	0.01
1:01:48 PM	0.007
1:02:48 PM	0.006
1:03:48 PM	0.006
1:04:48 PM	0.006
1:05:48 PM	0.005
1:06:48 PM	0.005
1:07:48 PM	0.006
1:08:48 PM	0.007
1:09:48 PM	0.007
1:10:48 PM	0.005
1:11:48 PM	0.005
1:12:48 PM	0.005
1:13:48 PM	0.006
1:14:48 PM	0.006
1:15:48 PM	0.005
1:16:48 PM	0.005
1:17:48 PM	0.005
1:18:48 PM	0.005
1:19:48 PM	0.005
1:20:48 PM	0.005
1:21:48 PM	0.005
1:22:48 PM	0.005
1:23:48 PM	0.005
1:24:48 PM	0.005
1:25:48 PM	0.006

1:26:48 PM	0.006
1:27:48 PM	0.006
1:28:48 PM	0.006
1:29:48 PM	0.006
1:30:48 PM	0.007
1:31:48 PM	0.01
1:32:48 PM	0.008
1:33:48 PM	0.007
1:34:48 PM	0.007
1:35:48 PM	0.006
1:36:48 PM	0.007
1:37:48 PM	0.008
1:38:48 PM	0.007
1:39:48 PM	0.007
1:40:48 PM	0.006
1:41:48 PM	0.006
1:42:48 PM	0.007
1:43:48 PM	0.007
1:44:48 PM	0.006
1:45:48 PM	0.006
1:46:48 PM	0.006
1:47:48 PM	0.006
1:48:48 PM	0.006
1:49:48 PM	0.006
1:50:48 PM	0.007
1:51:48 PM	0.007
1:52:48 PM	0.007
1:53:48 PM	0.006
1:54:48 PM	0.006
1:55:48 PM	0.006
1:56:48 PM	0.007
1:57:48 PM	0.006
1:58:48 PM	0.007
1:59:48 PM	0.006
2:00:48 PM	0.006
2:01:48 PM	0.007
2:02:48 PM	0.006
2:03:48 PM	0.006
2:04:48 PM	0.007
2:05:48 PM	0.007
2:06:48 PM	0.007
2:07:48 PM	0.006
2:08:48 PM	0.007
2:09:48 PM	0.008

2:10:48 PM	0.008
2:11:48 PM	0.008
2:12:48 PM	0.008
2:13:48 PM	0.007
2:14:48 PM	0.007
2:15:48 PM	0.006
2:16:48 PM	0.007
2:17:48 PM	0.007
2:18:48 PM	0.007
2:19:48 PM	0.011
2:20:48 PM	0.008
2:21:48 PM	0.007
2:22:48 PM	0.008
2:23:48 PM	0.008
2:24:48 PM	0.012
2:25:48 PM	0.013
2:26:48 PM	0.008
2:27:48 PM	0.008
2:28:48 PM	0.007
2:29:48 PM	0.008
2:30:48 PM	0.009
2:31:48 PM	0.009
2:32:48 PM	0.01
2:33:48 PM	0.011
2:34:48 PM	0.009
2:35:48 PM	0.009
2:36:48 PM	0.008
2:37:48 PM	0.008
2:38:48 PM	0.009
2:39:48 PM	0.008
2:40:48 PM	0.014
2:41:48 PM	0.011
2:42:48 PM	0.009
2:43:48 PM	0.01
2:44:48 PM	0.009
2:45:48 PM	0.009
2:46:48 PM	0.008
2:47:48 PM	0.007
2:48:48 PM	0.008
2:49:48 PM	0.007
2:50:48 PM	0.007
2:51:48 PM	0.007
2:52:48 PM	0.008
2:53:48 PM	0.014

2:54:48 PM	0.013
2:55:48 PM	0.01
2:56:48 PM	0.008
2:57:48 PM	0.008
2:58:48 PM	0.011
2:59:48 PM	0.01
3:00:48 PM	0.008
3:01:48 PM	0.009
3:02:48 PM	0.008
3:03:48 PM	0.007
3:04:48 PM	0.007
3:05:48 PM	0.007
3:06:48 PM	0.009
3:07:48 PM	0.009
3:08:48 PM	0.013
3:09:48 PM	0.024
3:10:48 PM	0.009
3:11:48 PM	0.007
3:12:48 PM	0.007
3:13:48 PM	0.011
3:14:48 PM	0.018
3:15:48 PM	0.01
3:16:48 PM	0.01
3:17:48 PM	0.01
3:18:48 PM	0.009
3:19:48 PM	0.021
3:20:48 PM	0.011
3:21:48 PM	0.01
3:22:48 PM	0.01
3:23:48 PM	0.009
3:24:48 PM	0.008
3:25:48 PM	0.009
3:26:48 PM	0.008
3:27:48 PM	0.01
3:28:48 PM	0.01
3:29:48 PM	0.01
3:30:48 PM	0.011
3:31:48 PM	0.011
3:32:48 PM	0.009
3:33:48 PM	0.015
3:34:48 PM	0.014
3:35:48 PM	0.008
3:36:48 PM	0.009
3:37:48 PM	0.011

3:38:48 PM	0.01
3:39:48 PM	0.01
3:40:48 PM	0.015
3:41:48 PM	0.016
3:42:48 PM	0.012
3:43:48 PM	0.012
3:44:48 PM	0.022
3:45:48 PM	0.016
3:46:48 PM	0.013
3:47:48 PM	0.011
3:48:48 PM	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	2/20/2024 17:01	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 17:00	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:59	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:58	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:57	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:56	Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 16:55	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:54	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:53	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:52	Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 16:51	Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 16:50	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:49	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:48	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:47	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:46	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:45	Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 16:44	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:43	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:42	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:41	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:40	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:39	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:38	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:37	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:36	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:35	Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 16:34	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:33	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 16:32	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:31	Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 16:30	Readings	PID	SC23030602B4	Normal	0.5

[illegible]

592-602176	2/20/2024 15:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:52 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:45 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:44 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:42 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:41 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:40 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:38 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 15:37 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 15:36 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 15:35 Readings	PID	SC23030602B4	Normal	1.3
592-602176	2/20/2024 15:34 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 15:33 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 15:32 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:31 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:30 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 15:29 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 15:28 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:27 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:26 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 15:25 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:24 Readings	PID	SC23030602B4	Normal	0.5

592-602176	2/20/2024 15:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:22 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:21 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 15:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:19 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:18 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:15 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:12 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:10 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:09 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:08 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 15:07 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 15:06 Readings	PID	SC23030602B4	Normal	1.7
592-602176	2/20/2024 15:05 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 15:04 Readings	PID	SC23030602B4	Normal	2.1
592-602176	2/20/2024 15:03 Readings	PID	SC23030602B4	Normal	2.7
592-602176	2/20/2024 15:02 Readings	PID	SC23030602B4	Normal	2.3
592-602176	2/20/2024 15:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 15:00 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:59 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:58 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:55 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:54 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:53 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:52 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 14:51 Readings	PID	SC23030602B4	Normal	0.5

592-602176	2/20/2024 14:50 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 14:49 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:48 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:45 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:44 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:39 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:35 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:33 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:30 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 14:29 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:27 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:26 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 14:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:24 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 14:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:22 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:21 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 14:20 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:19 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:18 Readings	PID	SC23030602B4	Normal	0.4

592-602176	2/20/2024 14:17 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 14:16 Readings	PID	SC23030602B4	Normal	1.8
592-602176	2/20/2024 14:15 Readings	PID	SC23030602B4	Normal	1.7
592-602176	2/20/2024 14:14 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:13 Readings	PID	SC23030602B4	Normal	2.5
592-602176	2/20/2024 14:12 Readings	PID	SC23030602B4	Normal	3.3
592-602176	2/20/2024 14:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:10 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:09 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 14:08 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 14:07 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 14:06 Readings	PID	SC23030602B4	Normal	3.1
592-602176	2/20/2024 14:05 Readings	PID	SC23030602B4	Normal	2.8
592-602176	2/20/2024 14:04 Readings	PID	SC23030602B4	Normal	2.9
592-602176	2/20/2024 14:03 Readings	PID	SC23030602B4	Normal	3.5
592-602176	2/20/2024 14:02 Readings	PID	SC23030602B4	Normal	4.4
592-602176	2/20/2024 14:01 Readings	PID	SC23030602B4	Normal	4.4
592-602176	2/20/2024 14:00 Readings	PID	SC23030602B4	Normal	1.2
592-602176	2/20/2024 13:59 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 13:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:57 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 13:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:52 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:45 Readings	PID	SC23030602B4	Normal	0.3

592-602176	2/20/2024 13:44 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:43 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:42 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 13:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:40 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:39 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 13:38 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 13:37 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 13:36 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 13:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:33 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:30 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:29 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:27 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:26 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:24 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 13:23 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 13:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:21 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:18 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:16 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:15 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:14 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 13:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:12 Readings	PID	SC23030602B4	Normal	0.3

592-602176	2/20/2024 13:11 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:08 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:07 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:06 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 13:05 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 13:02 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 13:01 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 13:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:59 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 12:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:52 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:48 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 12:47 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 12:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:45 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 12:44 Readings	PID	SC23030602B4	Normal	1.4
592-602176	2/20/2024 12:43 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 12:42 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:41 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 12:40 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:39 Readings	PID	SC23030602B4	Normal	0.4

592-602176	2/20/2024 12:38 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 12:37 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 12:36 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 12:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 12:34 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 12:33 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 12:32 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 12:31 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 12:30 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:29 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:28 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 12:27 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 12:26 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:24 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 12:23 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:22 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:21 Readings	PID	SC23030602B4	Normal	1.9
592-602176	2/20/2024 12:20 Readings	PID	SC23030602B4	Normal	1.8
592-602176	2/20/2024 12:19 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 12:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:15 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:14 Readings	PID	SC23030602B4	Normal	1.9
592-602176	2/20/2024 12:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:07 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 12:06 Readings	PID	SC23030602B4	Normal	0.2

592-602176	2/20/2024 12:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 12:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 12:00 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:59 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:58 Readings	PID	SC23030602B4	Normal	1.6
592-602176	2/20/2024 11:57 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 11:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:53 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 11:52 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:47 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:36 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 11:35 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:33 Readings	PID	SC23030602B4	Normal	0.3

592-602176	2/20/2024 11:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:29 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:27 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:26 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 11:25 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:24 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 11:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 11:21 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:20 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 11:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:18 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:16 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 11:15 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 11:14 Readings	PID	SC23030602B4	Normal	1.5
592-602176	2/20/2024 11:13 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 11:12 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:11 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 11:10 Readings	PID	SC23030602B4	Normal	1.5
592-602176	2/20/2024 11:09 Readings	PID	SC23030602B4	Normal	1.6
592-602176	2/20/2024 11:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:07 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:06 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 11:05 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 11:04 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 11:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 11:02 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 11:01 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 11:00 Readings	PID	SC23030602B4	Normal	0.2

592-602176	2/20/2024 10:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:50 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:45 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:43 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:41 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 10:40 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:39 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:38 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:36 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:35 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:34 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:33 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 10:32 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:31 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:30 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 10:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:28 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:27 Readings	PID	SC23030602B4	Normal	0.5

592-602176	2/20/2024 10:26 Readings	PID	SC23030602B4	Normal	0.7
592-602176	2/20/2024 10:25 Readings	PID	SC23030602B4	Normal	1.7
592-602176	2/20/2024 10:24 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 10:23 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 10:22 Readings	PID	SC23030602B4	Normal	2.4
592-602176	2/20/2024 10:21 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:20 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:19 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 10:18 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:17 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:15 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:14 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:12 Readings	PID	SC23030602B4	Normal	1.3
592-602176	2/20/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 10:10 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 10:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:07 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:06 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 10:05 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 10:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:03 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 10:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 10:01 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 10:00 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 9:59 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 9:58 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 9:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 9:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 9:55 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 9:54 Readings	PID	SC23030602B4	Normal	1.7

592-602176	2/20/2024 9:53 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 9:52 Readings	PID	SC23030602B4	Normal	1
592-602176	2/20/2024 9:51 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 9:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:48 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 9:47 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 9:46 Readings	PID	SC23030602B4	Normal	1.4
592-602176	2/20/2024 9:45 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 9:44 Readings	PID	SC23030602B4	Normal	0.8
592-602176	2/20/2024 9:43 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 9:42 Readings	PID	SC23030602B4	Normal	1.3
592-602176	2/20/2024 9:41 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:41 Readings	PID	SC23030602B4	Normal	1.6
592-602176	2/20/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:40 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 9:39 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:39 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 9:38 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:38 Readings	PID	SC23030602B4	Normal	1.7
592-602176	2/20/2024 9:37 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:37 Readings	PID	SC23030602B4	Normal	1.1
592-602176	2/20/2024 9:36 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:36 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 9:35 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:35 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 9:34 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:33 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:32 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 9:31 Readings	PID	SC23030140W3	Normal	0

592-602176	2/20/2024 9:31 Readings	PID	SC23030602B4	Normal	0.9
592-602176	2/20/2024 9:30 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:30 Readings	PID	SC23030602B4	Normal	0.6
592-602176	2/20/2024 9:29 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:29 Readings	PID	SC23030602B4	Normal	1.4
592-602176	2/20/2024 9:28 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:28 Readings	PID	SC23030602B4	Normal	0.4
592-602176	2/20/2024 9:27 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:26 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 9:25 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:25 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 9:24 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:23 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:22 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:21 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:20 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:19 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:18 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:18 Readings	PID	SC23030602B4	Normal	0.5
592-602176	2/20/2024 9:17 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/20/2024 9:16 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:15 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:15 Readings	PID	SC23030602B4	Normal	0.9

592-602176	2/20/2024 9:14 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:13 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/20/2024 9:12 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:11 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:10 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:10 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:09 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:09 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:08 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:08 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:07 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:07 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:06 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:06 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:06 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:05 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:05 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:05 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:04 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:04 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:04 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:03 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:03 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 9:02 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:02 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:01 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:01 Readings	PID	SC23030140W3	Normal	0

592-602176	2/20/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 9:00 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 9:00 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 9:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 8:59 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:59 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:58 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:58 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:57 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:57 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 8:56 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:56 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:56 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:55 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:55 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:55 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:54 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:54 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:54 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:53 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:53 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:53 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:53 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:52 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:52 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:52 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:52 Readings	PID	SC23030140W3	Normal	0

592-602176	2/20/2024 8:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/20/2024 8:51 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:51 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:51 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:51 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:50 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:50 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:50 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:50 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:49 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:49 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:49 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:49 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:48 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:48 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:48 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:48 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:47 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:47 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:47 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:47 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:46 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:46 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:46 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:46 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:45 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:45 Readings	PID	SC23030140W3	Normal	0.2

592-602176	2/20/2024 8:45 Readings	PID	SC23030140W3	Normal	
592-602176	2/20/2024 8:45 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:44 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:44 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:44 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:44 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:43 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:43 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:43 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:43 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:42 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:42 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:42 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:42 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:41 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:41 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:41 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:41 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:40 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:40 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:40 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:40 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:39 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:39 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:39 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:39 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:39 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0.1
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0.1
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:26 Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0.1
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0.1
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030140W3	Normal	0.2
592-602176	2/20/2024 8:25 CONFIG	PID	SC23030602B4		