

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	x	Partly Cloudy	x	Bright Sun		Wind
TEMP.	< 32		32-50	x	50-70		70-85		>85		SW 6 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	02/27/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:30

Time Out: 16:10

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

ECD (Pile Installation)

ECS (Dewatering)

GES (Geotech)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig**Scope of Work:** Oversee excavation by Capital and continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Depth to water gauging within all 14 of sentinel wells for dewatering purposes;
- Compaction of backfill material in grids O3-4 and N3-4;
- Spill over excavation/delineation in A4 (~11' bsg);
- Approximate 2' excavation (for a total of 7-feet bgs) in grids D3 and C3;
- Approximate 2' excavation (for a total of 11-feet bgs) in grids A4 and A5;
- Endpoint soil samples collected at approximately 7-feet bgs; EP- 33, EP-34 ,EP-91, EP-88 and EP-87;
- Endpoint soil samples collected at approximately 11-feet bgs; EP- 46 and EP-61;
- Spill # 2307585 sidewall samples collected: North, West and South;
- Spill # 2306470 sidewall North-2 sample collected;
- Pile tension test performed by ECD and GES;
- Partial cave-in of Grid A4, this grid had to be temporarily backfilled with approved stone; and
- Dewatering sewer connection shut off halfway through day due to technical issues.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.098_ mg/m³ @ 06:19
- High Conditions (Upwind) – PID = _0.2_ ppm @ 12:53, Dust = _0.098_ mg/m³ @ 06:19
- High Conditions (Downwind 1) – PID = _0.3_ ppm @ 10:32, Dust = _0.171_ mg/m³ @ 06:39
- High Conditions (Downwind 2) – PID = _1.3_ ppm @ 16:20 Dust = _0.144_ mg/m³ @ 09:15

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- Endpoint sampling
- Further grid excavation

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of odor suppression in A4/5.



Photo 3 –

Representative photo of compaction of imported material in grids O4/5 and N4/5.



Photo 4 –

Representative
photo of
excavation in
grids C3 and D3.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_010
Test Start Time	6:19:40 AM
Test Start Date	2/27/2024
Test Length [D:H:M]	0:09:20
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.048
Mass Minimum [mg/m3]	0.028
Mass Maximum [mg/m3]	0.098
Mass TWA [mg/m3]	0.051
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	560

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:19:40 AM	0.098		
6:20:40 AM	0.048		
6:21:40 AM	0.046		
6:22:40 AM	0.044		
6:23:40 AM	0.046		
6:24:40 AM	0.046		
6:25:40 AM	0.054		
6:26:40 AM	0.054		
6:27:40 AM	0.058		
6:28:40 AM	0.053		
6:29:40 AM	0.056		
6:30:40 AM	0.052		
6:31:40 AM	0.052		
6:32:40 AM	0.059		
6:33:40 AM	0.057		
6:34:40 AM	0.054		
6:35:40 AM	0.052		
6:36:40 AM	0.053		
6:37:40 AM	0.053		
6:38:40 AM	0.06		
6:39:40 AM	0.078		
6:40:40 AM	0.061		
6:41:40 AM	0.053		
6:42:40 AM	0.051		

6:43:40 AM	0.055
6:44:40 AM	0.056
6:45:40 AM	0.055
6:46:40 AM	0.055
6:47:40 AM	0.059
6:48:40 AM	0.059
6:49:40 AM	0.058
6:50:40 AM	0.053
6:51:40 AM	0.052
6:52:40 AM	0.053
6:53:40 AM	0.055
6:54:40 AM	0.057
6:55:40 AM	0.057
6:56:40 AM	0.058
6:57:40 AM	0.058
6:58:40 AM	0.054
6:59:40 AM	0.056
7:00:40 AM	0.057
7:01:40 AM	0.056
7:02:40 AM	0.056
7:03:40 AM	0.056
7:04:40 AM	0.053
7:05:40 AM	0.068
7:06:40 AM	0.061
7:07:40 AM	0.054
7:08:40 AM	0.053
7:09:40 AM	0.052
7:10:40 AM	0.054
7:11:40 AM	0.051
7:12:40 AM	0.056
7:13:40 AM	0.053
7:14:40 AM	0.051
7:15:40 AM	0.051
7:16:40 AM	0.053
7:17:40 AM	0.055
7:18:40 AM	0.056
7:19:40 AM	0.057
7:20:40 AM	0.057
7:21:40 AM	0.056
7:22:40 AM	0.057
7:23:40 AM	0.057
7:24:40 AM	0.057
7:25:40 AM	0.061
7:26:40 AM	0.061

7:27:40 AM	0.06
7:28:40 AM	0.061
7:29:40 AM	0.064
7:30:40 AM	0.065
7:31:40 AM	0.066
7:32:40 AM	0.064
7:33:40 AM	0.063
7:34:40 AM	0.065
7:35:40 AM	0.061
7:36:40 AM	0.063
7:37:40 AM	0.059
7:38:40 AM	0.062
7:39:40 AM	0.061
7:40:40 AM	0.06
7:41:40 AM	0.058
7:42:40 AM	0.057
7:43:40 AM	0.059
7:44:40 AM	0.057
7:45:40 AM	0.058
7:46:40 AM	0.058
7:47:40 AM	0.056
7:48:40 AM	0.055
7:49:40 AM	0.053
7:50:40 AM	0.054
7:51:40 AM	0.06
7:52:40 AM	0.055
7:53:40 AM	0.054
7:54:40 AM	0.054
7:55:40 AM	0.055
7:56:40 AM	0.054
7:57:40 AM	0.055
7:58:40 AM	0.057
7:59:40 AM	0.077
8:00:40 AM	0.065
8:01:40 AM	0.079
8:02:40 AM	0.055
8:03:40 AM	0.05
8:04:40 AM	0.051
8:05:40 AM	0.051
8:06:40 AM	0.053
8:07:40 AM	0.051
8:08:40 AM	0.05
8:09:40 AM	0.05
8:10:40 AM	0.051

8:11:40 AM	0.054
8:12:40 AM	0.053
8:13:40 AM	0.05
8:14:40 AM	0.052
8:15:40 AM	0.054
8:16:40 AM	0.056
8:17:40 AM	0.053
8:18:40 AM	0.054
8:19:40 AM	0.057
8:20:40 AM	0.059
8:21:40 AM	0.055
8:22:40 AM	0.051
8:23:40 AM	0.05
8:24:40 AM	0.051
8:25:40 AM	0.052
8:26:40 AM	0.054
8:27:40 AM	0.055
8:28:40 AM	0.053
8:29:40 AM	0.056
8:30:40 AM	0.056
8:31:40 AM	0.061
8:32:40 AM	0.054
8:33:40 AM	0.053
8:34:40 AM	0.056
8:35:40 AM	0.07
8:36:40 AM	0.085
8:37:40 AM	0.072
8:38:40 AM	0.065
8:39:40 AM	0.057
8:40:40 AM	0.054
8:41:40 AM	0.055
8:42:40 AM	0.056
8:43:40 AM	0.055
8:44:40 AM	0.056
8:45:40 AM	0.062
8:46:40 AM	0.06
8:47:40 AM	0.057
8:48:40 AM	0.057
8:49:40 AM	0.058
8:50:40 AM	0.056
8:51:40 AM	0.056
8:52:40 AM	0.057
8:53:40 AM	0.056
8:54:40 AM	0.066

8:55:40 AM	0.074
8:56:40 AM	0.058
8:57:40 AM	0.066
8:58:40 AM	0.071
8:59:40 AM	0.066
9:00:40 AM	0.059
9:01:40 AM	0.062
9:02:40 AM	0.059
9:03:40 AM	0.06
9:04:40 AM	0.06
9:05:40 AM	0.061
9:06:40 AM	0.061
9:07:40 AM	0.063
9:08:40 AM	0.067
9:09:40 AM	0.066
9:10:40 AM	0.066
9:11:40 AM	0.064
9:12:40 AM	0.062
9:13:40 AM	0.064
9:14:40 AM	0.061
9:15:40 AM	0.061
9:16:40 AM	0.061
9:17:40 AM	0.06
9:18:40 AM	0.061
9:19:40 AM	0.06
9:20:40 AM	0.059
9:21:40 AM	0.06
9:22:40 AM	0.061
9:23:40 AM	0.059
9:24:40 AM	0.061
9:25:40 AM	0.061
9:26:40 AM	0.067
9:27:40 AM	0.065
9:28:40 AM	0.066
9:29:40 AM	0.065
9:30:40 AM	0.063
9:31:40 AM	0.055
9:32:40 AM	0.056
9:33:40 AM	0.056
9:34:40 AM	0.055
9:35:40 AM	0.075
9:36:40 AM	0.068
9:37:40 AM	0.057
9:38:40 AM	0.056

9:39:40 AM	0.051
9:40:40 AM	0.05
9:41:40 AM	0.059
9:42:40 AM	0.059
9:43:40 AM	0.051
9:44:40 AM	0.048
9:45:40 AM	0.049
9:46:40 AM	0.048
9:47:40 AM	0.051
9:48:40 AM	0.05
9:49:40 AM	0.052
9:50:40 AM	0.052
9:51:40 AM	0.048
9:52:40 AM	0.05
9:53:40 AM	0.051
9:54:40 AM	0.051
9:55:40 AM	0.05
9:56:40 AM	0.049
9:57:40 AM	0.051
9:58:40 AM	0.051
9:59:40 AM	0.051
10:00:40 AM	0.065
10:01:40 AM	0.067
10:02:40 AM	0.065
10:03:40 AM	0.068
10:04:40 AM	0.066
10:05:40 AM	0.066
10:06:40 AM	0.063
10:07:40 AM	0.067
10:08:40 AM	0.066
10:09:40 AM	0.066
10:10:40 AM	0.066
10:11:40 AM	0.068
10:12:40 AM	0.065
10:13:40 AM	0.064
10:14:40 AM	0.071
10:15:40 AM	0.065
10:16:40 AM	0.063
10:17:40 AM	0.064
10:18:40 AM	0.067
10:19:40 AM	0.069
10:20:40 AM	0.067
10:21:40 AM	0.066
10:22:40 AM	0.066

10:23:40 AM	0.065
10:24:40 AM	0.068
10:25:40 AM	0.066
10:26:40 AM	0.066
10:27:40 AM	0.066
10:28:40 AM	0.066
10:29:40 AM	0.062
10:30:40 AM	0.059
10:31:40 AM	0.06
10:32:40 AM	0.057
10:33:40 AM	0.051
10:34:40 AM	0.05
10:35:40 AM	0.049
10:36:40 AM	0.052
10:37:40 AM	0.054
10:38:40 AM	0.051
10:39:40 AM	0.051
10:40:40 AM	0.049
10:41:40 AM	0.048
10:42:40 AM	0.047
10:43:40 AM	0.049
10:44:40 AM	0.048
10:45:40 AM	0.058
10:46:40 AM	0.047
10:47:40 AM	0.046
10:48:40 AM	0.048
10:49:40 AM	0.047
10:50:40 AM	0.049
10:51:40 AM	0.059
10:52:40 AM	0.051
10:53:40 AM	0.049
10:54:40 AM	0.045
10:55:40 AM	0.047
10:56:40 AM	0.045
10:57:40 AM	0.044
10:58:40 AM	0.043
10:59:40 AM	0.044
11:00:40 AM	0.043
11:01:40 AM	0.044
11:02:40 AM	0.044
11:03:40 AM	0.045
11:04:40 AM	0.046
11:05:40 AM	0.048
11:06:40 AM	0.05

11:07:40 AM	0.049
11:08:40 AM	0.05
11:09:40 AM	0.058
11:10:40 AM	0.059
11:11:40 AM	0.051
11:12:40 AM	0.045
11:13:40 AM	0.055
11:14:40 AM	0.048
11:15:40 AM	0.044
11:16:40 AM	0.041
11:17:40 AM	0.042
11:18:40 AM	0.045
11:19:40 AM	0.042
11:20:40 AM	0.042
11:21:40 AM	0.044
11:22:40 AM	0.045
11:23:40 AM	0.051
11:24:40 AM	0.045
11:25:40 AM	0.046
11:26:40 AM	0.046
11:27:40 AM	0.045
11:28:40 AM	0.044
11:29:40 AM	0.042
11:30:40 AM	0.047
11:31:40 AM	0.043
11:32:40 AM	0.041
11:33:40 AM	0.043
11:34:40 AM	0.046
11:35:40 AM	0.048
11:36:40 AM	0.045
11:37:40 AM	0.047
11:38:40 AM	0.049
11:39:40 AM	0.046
11:40:40 AM	0.042
11:41:40 AM	0.041
11:42:40 AM	0.043
11:43:40 AM	0.047
11:44:40 AM	0.05
11:45:40 AM	0.044
11:46:40 AM	0.042
11:47:40 AM	0.044
11:48:40 AM	0.045
11:49:40 AM	0.044
11:50:40 AM	0.044

11:51:40 AM	0.041
11:52:40 AM	0.041
11:53:40 AM	0.042
11:54:40 AM	0.043
11:55:40 AM	0.043
11:56:40 AM	0.041
11:57:40 AM	0.047
11:58:40 AM	0.043
11:59:40 AM	0.044
12:00:40 PM	0.043
12:01:40 PM	0.044
12:02:40 PM	0.044
12:03:40 PM	0.043
12:04:40 PM	0.043
12:05:40 PM	0.04
12:06:40 PM	0.041
12:07:40 PM	0.042
12:08:40 PM	0.043
12:09:40 PM	0.042
12:10:40 PM	0.042
12:11:40 PM	0.041
12:12:40 PM	0.042
12:13:40 PM	0.043
12:14:40 PM	0.042
12:15:40 PM	0.042
12:16:40 PM	0.042
12:17:40 PM	0.041
12:18:40 PM	0.04
12:19:40 PM	0.041
12:20:40 PM	0.042
12:21:40 PM	0.041
12:22:40 PM	0.043
12:23:40 PM	0.041
12:24:40 PM	0.04
12:25:40 PM	0.041
12:26:40 PM	0.042
12:27:40 PM	0.04
12:28:40 PM	0.042
12:29:40 PM	0.042
12:30:40 PM	0.039
12:31:40 PM	0.04
12:32:40 PM	0.04
12:33:40 PM	0.04
12:34:40 PM	0.04

12:35:40 PM	0.041
12:36:40 PM	0.04
12:37:40 PM	0.04
12:38:40 PM	0.038
12:39:40 PM	0.038
12:40:40 PM	0.037
12:41:40 PM	0.038
12:42:40 PM	0.039
12:43:40 PM	0.039
12:44:40 PM	0.039
12:45:40 PM	0.041
12:46:40 PM	0.042
12:47:40 PM	0.039
12:48:40 PM	0.04
12:49:40 PM	0.04
12:50:40 PM	0.039
12:51:40 PM	0.04
12:52:40 PM	0.039
12:53:40 PM	0.039
12:54:40 PM	0.038
12:55:40 PM	0.037
12:56:40 PM	0.04
12:57:40 PM	0.041
12:58:40 PM	0.042
12:59:40 PM	0.039
1:00:40 PM	0.039
1:01:40 PM	0.038
1:02:40 PM	0.038
1:03:40 PM	0.038
1:04:40 PM	0.036
1:05:40 PM	0.037
1:06:40 PM	0.038
1:07:40 PM	0.043
1:08:40 PM	0.04
1:09:40 PM	0.039
1:10:40 PM	0.038
1:11:40 PM	0.039
1:12:40 PM	0.039
1:13:40 PM	0.04
1:14:40 PM	0.042
1:15:40 PM	0.038
1:16:40 PM	0.038
1:17:40 PM	0.038
1:18:40 PM	0.042

1:19:40 PM	0.038
1:20:40 PM	0.039
1:21:40 PM	0.046
1:22:40 PM	0.042
1:23:40 PM	0.039
1:24:40 PM	0.038
1:25:40 PM	0.036
1:26:40 PM	0.037
1:27:40 PM	0.044
1:28:40 PM	0.047
1:29:40 PM	0.042
1:30:40 PM	0.038
1:31:40 PM	0.035
1:32:40 PM	0.037
1:33:40 PM	0.037
1:34:40 PM	0.037
1:35:40 PM	0.043
1:36:40 PM	0.047
1:37:40 PM	0.049
1:38:40 PM	0.042
1:39:40 PM	0.036
1:40:40 PM	0.036
1:41:40 PM	0.035
1:42:40 PM	0.033
1:43:40 PM	0.032
1:44:40 PM	0.03
1:45:40 PM	0.031
1:46:40 PM	0.031
1:47:40 PM	0.033
1:48:40 PM	0.032
1:49:40 PM	0.031
1:50:40 PM	0.031
1:51:40 PM	0.031
1:52:40 PM	0.031
1:53:40 PM	0.032
1:54:40 PM	0.035
1:55:40 PM	0.035
1:56:40 PM	0.035
1:57:40 PM	0.037
1:58:40 PM	0.034
1:59:40 PM	0.032
2:00:40 PM	0.033
2:01:40 PM	0.034
2:02:40 PM	0.039

2:03:40 PM	0.036
2:04:40 PM	0.035
2:05:40 PM	0.034
2:06:40 PM	0.033
2:07:40 PM	0.036
2:08:40 PM	0.033
2:09:40 PM	0.03
2:10:40 PM	0.031
2:11:40 PM	0.037
2:12:40 PM	0.031
2:13:40 PM	0.032
2:14:40 PM	0.033
2:15:40 PM	0.043
2:16:40 PM	0.042
2:17:40 PM	0.042
2:18:40 PM	0.042
2:19:40 PM	0.038
2:20:40 PM	0.032
2:21:40 PM	0.031
2:22:40 PM	0.031
2:23:40 PM	0.033
2:24:40 PM	0.031
2:25:40 PM	0.029
2:26:40 PM	0.029
2:27:40 PM	0.029
2:28:40 PM	0.031
2:29:40 PM	0.032
2:30:40 PM	0.033
2:31:40 PM	0.035
2:32:40 PM	0.035
2:33:40 PM	0.036
2:34:40 PM	0.039
2:35:40 PM	0.041
2:36:40 PM	0.04
2:37:40 PM	0.035
2:38:40 PM	0.034
2:39:40 PM	0.03
2:40:40 PM	0.028
2:41:40 PM	0.029
2:42:40 PM	0.029
2:43:40 PM	0.031
2:44:40 PM	0.03
2:45:40 PM	0.029
2:46:40 PM	0.03

2:47:40 PM	0.029
2:48:40 PM	0.029
2:49:40 PM	0.052
2:50:40 PM	0.047
2:51:40 PM	0.039
2:52:40 PM	0.034
2:53:40 PM	0.03
2:54:40 PM	0.028
2:55:40 PM	0.03
2:56:40 PM	0.03
2:57:40 PM	0.031
2:58:40 PM	0.029
2:59:40 PM	0.028
3:00:40 PM	0.028
3:01:40 PM	0.028
3:02:40 PM	0.029
3:03:40 PM	0.04
3:04:40 PM	0.029
3:05:40 PM	0.028
3:06:40 PM	0.032
3:07:40 PM	0.029
3:08:40 PM	0.033
3:09:40 PM	0.031
3:10:40 PM	0.032
3:11:40 PM	0.03
3:12:40 PM	0.039
3:13:40 PM	0.043
3:14:40 PM	0.053
3:15:40 PM	0.055
3:16:40 PM	0.042
3:17:40 PM	0.037
3:18:40 PM	0.033
3:19:40 PM	0.033
3:20:40 PM	0.032
3:21:40 PM	0.032
3:22:40 PM	0.033
3:23:40 PM	0.033
3:24:40 PM	0.031
3:25:40 PM	0.032
3:26:40 PM	0.031
3:27:40 PM	0.032
3:28:40 PM	0.031
3:29:40 PM	0.033
3:30:40 PM	0.032

3:31:40 PM	0.031
3:32:40 PM	0.032
3:33:40 PM	0.031
3:34:40 PM	0.031
3:35:40 PM	0.031
3:36:40 PM	0.031
3:37:40 PM	0.031
3:38:40 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/27/2024 17:22	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:21	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:20	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:19	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:18	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:16	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:13	Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 17:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 17:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 16:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:51	Readings	PID	SC23030449A8	Normal	0.1

592-600853	2/27/2024 16:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 16:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:32 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 16:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:29 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 16:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 16:18 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

592-600853	2/27/2024 15:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:09 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 15:01 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 15:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:55 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:54 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:53 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:51 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:50 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:49 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:47 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:46 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:42 Readings	PID	SC23030449A8	Normal	0.2
592-600853	2/27/2024 14:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 14:39 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	2/27/2024 9:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/27/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 9:09 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	2/27/2024 8:02 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 8:01 Readings	PID	SC23030449A8	Normal	0
592-600853	2/27/2024 8:00 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_009
Test Start Time	6:39:36 AM
Test Start Date	2/27/2024
Test Length [D:H:M]	0:08:55
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.044
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.171
Mass TWA [mg/m3]	0.046
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	535

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:39:36 AM	0.171		
6:40:36 AM	0.039		
6:41:36 AM	0.039		
6:42:36 AM	0.04		
6:43:36 AM	0.041		
6:44:36 AM	0.042		
6:45:36 AM	0.043		
6:46:36 AM	0.043		
6:47:36 AM	0.043		
6:48:36 AM	0.044		
6:49:36 AM	0.044		
6:50:36 AM	0.045		
6:51:36 AM	0.046		
6:52:36 AM	0.045		
6:53:36 AM	0.047		
6:54:36 AM	0.046		
6:55:36 AM	0.047		
6:56:36 AM	0.046		
6:57:36 AM	0.047		
6:58:36 AM	0.047		
6:59:36 AM	0.047		
7:00:36 AM	0.048		
7:01:36 AM	0.048		
7:02:36 AM	0.048		

7:03:36 AM	0.048
7:04:36 AM	0.048
7:05:36 AM	0.047
7:06:36 AM	0.047
7:07:36 AM	0.046
7:08:36 AM	0.047
7:09:36 AM	0.047
7:10:36 AM	0.047
7:11:36 AM	0.047
7:12:36 AM	0.048
7:13:36 AM	0.048
7:14:36 AM	0.048
7:15:36 AM	0.047
7:16:36 AM	0.047
7:17:36 AM	0.048
7:18:36 AM	0.048
7:19:36 AM	0.046
7:20:36 AM	0.046
7:21:36 AM	0.046
7:22:36 AM	0.047
7:23:36 AM	0.047
7:24:36 AM	0.046
7:25:36 AM	0.047
7:26:36 AM	0.045
7:27:36 AM	0.048
7:28:36 AM	0.048
7:29:36 AM	0.05
7:30:36 AM	0.051
7:31:36 AM	0.052
7:32:36 AM	0.053
7:33:36 AM	0.054
7:34:36 AM	0.054
7:35:36 AM	0.056
7:36:36 AM	0.055
7:37:36 AM	0.055
7:38:36 AM	0.055
7:39:36 AM	0.056
7:40:36 AM	0.056
7:41:36 AM	0.056
7:42:36 AM	0.057
7:43:36 AM	0.054
7:44:36 AM	0.058
7:45:36 AM	0.054
7:46:36 AM	0.053

7:47:36 AM	0.055
7:48:36 AM	0.057
7:49:36 AM	0.056
7:50:36 AM	0.054
7:51:36 AM	0.054
7:52:36 AM	0.053
7:53:36 AM	0.049
7:54:36 AM	0.047
7:55:36 AM	0.047
7:56:36 AM	0.049
7:57:36 AM	0.048
7:58:36 AM	0.049
7:59:36 AM	0.05
8:00:36 AM	0.05
8:01:36 AM	0.05
8:02:36 AM	0.049
8:03:36 AM	0.049
8:04:36 AM	0.049
8:05:36 AM	0.049
8:06:36 AM	0.05
8:07:36 AM	0.05
8:08:36 AM	0.052
8:09:36 AM	0.048
8:10:36 AM	0.049
8:11:36 AM	0.05
8:12:36 AM	0.048
8:13:36 AM	0.05
8:14:36 AM	0.051
8:15:36 AM	0.053
8:16:36 AM	0.053
8:17:36 AM	0.051
8:18:36 AM	0.049
8:19:36 AM	0.048
8:20:36 AM	0.048
8:21:36 AM	0.049
8:22:36 AM	0.048
8:23:36 AM	0.047
8:24:36 AM	0.05
8:25:36 AM	0.051
8:26:36 AM	0.054
8:27:36 AM	0.049
8:28:36 AM	0.047
8:29:36 AM	0.048
8:30:36 AM	0.049

8:31:36 AM	0.049
8:32:36 AM	0.049
8:33:36 AM	0.053
8:34:36 AM	0.053
8:35:36 AM	0.058
8:36:36 AM	0.057
8:37:36 AM	0.051
8:38:36 AM	0.051
8:39:36 AM	0.051
8:40:36 AM	0.051
8:41:36 AM	0.055
8:42:36 AM	0.067
8:43:36 AM	0.068
8:44:36 AM	0.053
8:45:36 AM	0.058
8:46:36 AM	0.06
8:47:36 AM	0.06
8:48:36 AM	0.058
8:49:36 AM	0.054
8:50:36 AM	0.055
8:51:36 AM	0.057
8:52:36 AM	0.053
8:53:36 AM	0.055
8:54:36 AM	0.058
8:55:36 AM	0.056
8:56:36 AM	0.058
8:57:36 AM	0.055
8:58:36 AM	0.056
8:59:36 AM	0.056
9:00:36 AM	0.057
9:01:36 AM	0.053
9:02:36 AM	0.057
9:03:36 AM	0.056
9:04:36 AM	0.059
9:05:36 AM	0.069
9:06:36 AM	0.06
9:07:36 AM	0.065
9:08:36 AM	0.075
9:09:36 AM	0.059
9:10:36 AM	0.053
9:11:36 AM	0.052
9:12:36 AM	0.053
9:13:36 AM	0.053
9:14:36 AM	0.054

9:15:36 AM	0.054
9:16:36 AM	0.052
9:17:36 AM	0.053
9:18:36 AM	0.052
9:19:36 AM	0.053
9:20:36 AM	0.053
9:21:36 AM	0.052
9:22:36 AM	0.053
9:23:36 AM	0.053
9:24:36 AM	0.052
9:25:36 AM	0.053
9:26:36 AM	0.054
9:27:36 AM	0.053
9:28:36 AM	0.054
9:29:36 AM	0.054
9:30:36 AM	0.055
9:31:36 AM	0.058
9:32:36 AM	0.057
9:33:36 AM	0.056
9:34:36 AM	0.05
9:35:36 AM	0.049
9:36:36 AM	0.048
9:37:36 AM	0.047
9:38:36 AM	0.043
9:39:36 AM	0.041
9:40:36 AM	0.04
9:41:36 AM	0.041
9:42:36 AM	0.041
9:43:36 AM	0.039
9:44:36 AM	0.038
9:45:36 AM	0.04
9:46:36 AM	0.041
9:47:36 AM	0.04
9:48:36 AM	0.039
9:49:36 AM	0.038
9:50:36 AM	0.038
9:51:36 AM	0.04
9:52:36 AM	0.039
9:53:36 AM	0.04
9:54:36 AM	0.039
9:55:36 AM	0.039
9:56:36 AM	0.039
9:57:36 AM	0.039
9:58:36 AM	0.04

9:59:36 AM	0.042
10:00:36 AM	0.04
10:01:36 AM	0.041
10:02:36 AM	0.041
10:03:36 AM	0.042
10:04:36 AM	0.04
10:05:36 AM	0.042
10:06:36 AM	0.041
10:07:36 AM	0.041
10:08:36 AM	0.042
10:09:36 AM	0.042
10:10:36 AM	0.041
10:11:36 AM	0.042
10:12:36 AM	0.05
10:13:36 AM	0.049
10:14:36 AM	0.046
10:15:36 AM	0.053
10:16:36 AM	0.058
10:17:36 AM	0.058
10:18:36 AM	0.058
10:19:36 AM	0.057
10:20:36 AM	0.056
10:21:36 AM	0.059
10:22:36 AM	0.056
10:23:36 AM	0.058
10:24:36 AM	0.057
10:25:36 AM	0.058
10:26:36 AM	0.059
10:27:36 AM	0.06
10:28:36 AM	0.06
10:29:36 AM	0.049
10:30:36 AM	0.052
10:31:36 AM	0.049
10:32:36 AM	0.056
10:33:36 AM	0.064
10:34:36 AM	0.057
10:35:36 AM	0.049
10:36:36 AM	0.054
10:37:36 AM	0.057
10:38:36 AM	0.046
10:39:36 AM	0.048
10:40:36 AM	0.048
10:41:36 AM	0.046
10:42:36 AM	0.042

10:43:36 AM	0.057
10:44:36 AM	0.065
10:45:36 AM	0.052
10:46:36 AM	0.044
10:47:36 AM	0.041
10:48:36 AM	0.04
10:49:36 AM	0.039
10:50:36 AM	0.041
10:51:36 AM	0.041
10:52:36 AM	0.04
10:53:36 AM	0.041
10:54:36 AM	0.052
10:55:36 AM	0.062
10:56:36 AM	0.045
10:57:36 AM	0.042
10:58:36 AM	0.04
10:59:36 AM	0.041
11:00:36 AM	0.041
11:01:36 AM	0.04
11:02:36 AM	0.04
11:03:36 AM	0.041
11:04:36 AM	0.04
11:05:36 AM	0.042
11:06:36 AM	0.043
11:07:36 AM	0.048
11:08:36 AM	0.045
11:09:36 AM	0.044
11:10:36 AM	0.045
11:11:36 AM	0.051
11:12:36 AM	0.043
11:13:36 AM	0.041
11:14:36 AM	0.041
11:15:36 AM	0.041
11:16:36 AM	0.041
11:17:36 AM	0.041
11:18:36 AM	0.05
11:19:36 AM	0.058
11:20:36 AM	0.07
11:21:36 AM	0.075
11:22:36 AM	0.081
11:23:36 AM	0.104
11:24:36 AM	0.142
11:25:36 AM	0.066
11:26:36 AM	0.068

11:27:36 AM	0.043
11:28:36 AM	0.066
11:29:36 AM	0.063
11:30:36 AM	0.079
11:31:36 AM	0.046
11:32:36 AM	0.047
11:33:36 AM	0.056
11:34:36 AM	0.047
11:35:36 AM	0.042
11:36:36 AM	0.046
11:37:36 AM	0.041
11:38:36 AM	0.043
11:39:36 AM	0.041
11:40:36 AM	0.041
11:41:36 AM	0.058
11:42:36 AM	0.045
11:43:36 AM	0.051
11:44:36 AM	0.054
11:45:36 AM	0.052
11:46:36 AM	0.067
11:47:36 AM	0.053
11:48:36 AM	0.071
11:49:36 AM	0.061
11:50:36 AM	0.043
11:51:36 AM	0.046
11:52:36 AM	0.042
11:53:36 AM	0.047
11:54:36 AM	0.043
11:55:36 AM	0.053
11:56:36 AM	0.045
11:57:36 AM	0.045
11:58:36 AM	0.06
11:59:36 AM	0.049
12:00:36 PM	0.046
12:01:36 PM	0.046
12:02:36 PM	0.05
12:03:36 PM	0.049
12:04:36 PM	0.05
12:05:36 PM	0.046
12:06:36 PM	0.045
12:07:36 PM	0.045
12:08:36 PM	0.048
12:09:36 PM	0.048
12:10:36 PM	0.051

12:11:36 PM	0.045
12:12:36 PM	0.047
12:13:36 PM	0.046
12:14:36 PM	0.049
12:15:36 PM	0.046
12:16:36 PM	0.043
12:17:36 PM	0.043
12:18:36 PM	0.045
12:19:36 PM	0.044
12:20:36 PM	0.044
12:21:36 PM	0.044
12:22:36 PM	0.046
12:23:36 PM	0.047
12:24:36 PM	0.046
12:25:36 PM	0.046
12:26:36 PM	0.045
12:27:36 PM	0.044
12:28:36 PM	0.046
12:29:36 PM	0.043
12:30:36 PM	0.043
12:31:36 PM	0.043
12:32:36 PM	0.042
12:33:36 PM	0.045
12:34:36 PM	0.043
12:35:36 PM	0.041
12:36:36 PM	0.041
12:37:36 PM	0.041
12:38:36 PM	0.041
12:39:36 PM	0.039
12:40:36 PM	0.039
12:41:36 PM	0.04
12:42:36 PM	0.039
12:43:36 PM	0.039
12:44:36 PM	0.04
12:45:36 PM	0.038
12:46:36 PM	0.039
12:47:36 PM	0.038
12:48:36 PM	0.04
12:49:36 PM	0.041
12:50:36 PM	0.042
12:51:36 PM	0.043
12:52:36 PM	0.041
12:53:36 PM	0.041
12:54:36 PM	0.043

12:55:36 PM	0.041
12:56:36 PM	0.04
12:57:36 PM	0.04
12:58:36 PM	0.04
12:59:36 PM	0.039
1:00:36 PM	0.038
1:01:36 PM	0.038
1:02:36 PM	0.038
1:03:36 PM	0.038
1:04:36 PM	0.039
1:05:36 PM	0.038
1:06:36 PM	0.036
1:07:36 PM	0.038
1:08:36 PM	0.037
1:09:36 PM	0.036
1:10:36 PM	0.035
1:11:36 PM	0.035
1:12:36 PM	0.035
1:13:36 PM	0.034
1:14:36 PM	0.036
1:15:36 PM	0.036
1:16:36 PM	0.037
1:17:36 PM	0.035
1:18:36 PM	0.036
1:19:36 PM	0.034
1:20:36 PM	0.034
1:21:36 PM	0.033
1:22:36 PM	0.034
1:23:36 PM	0.034
1:24:36 PM	0.034
1:25:36 PM	0.034
1:26:36 PM	0.034
1:27:36 PM	0.034
1:28:36 PM	0.034
1:29:36 PM	0.034
1:30:36 PM	0.034
1:31:36 PM	0.033
1:32:36 PM	0.033
1:33:36 PM	0.033
1:34:36 PM	0.037
1:35:36 PM	0.035
1:36:36 PM	0.035
1:37:36 PM	0.034
1:38:36 PM	0.033

1:39:36 PM	0.032
1:40:36 PM	0.033
1:41:36 PM	0.033
1:42:36 PM	0.032
1:43:36 PM	0.032
1:44:36 PM	0.031
1:45:36 PM	0.032
1:46:36 PM	0.032
1:47:36 PM	0.031
1:48:36 PM	0.032
1:49:36 PM	0.032
1:50:36 PM	0.031
1:51:36 PM	0.031
1:52:36 PM	0.03
1:53:36 PM	0.031
1:54:36 PM	0.031
1:55:36 PM	0.031
1:56:36 PM	0.03
1:57:36 PM	0.029
1:58:36 PM	0.03
1:59:36 PM	0.03
2:00:36 PM	0.031
2:01:36 PM	0.031
2:02:36 PM	0.031
2:03:36 PM	0.034
2:04:36 PM	0.034
2:05:36 PM	0.033
2:06:36 PM	0.031
2:07:36 PM	0.029
2:08:36 PM	0.031
2:09:36 PM	0.032
2:10:36 PM	0.028
2:11:36 PM	0.028
2:12:36 PM	0.028
2:13:36 PM	0.028
2:14:36 PM	0.028
2:15:36 PM	0.029
2:16:36 PM	0.029
2:17:36 PM	0.027
2:18:36 PM	0.027
2:19:36 PM	0.028
2:20:36 PM	0.027
2:21:36 PM	0.027
2:22:36 PM	0.028

2:23:36 PM	0.028
2:24:36 PM	0.027
2:25:36 PM	0.027
2:26:36 PM	0.029
2:27:36 PM	0.032
2:28:36 PM	0.03
2:29:36 PM	0.028
2:30:36 PM	0.029
2:31:36 PM	0.028
2:32:36 PM	0.031
2:33:36 PM	0.031
2:34:36 PM	0.029
2:35:36 PM	0.03
2:36:36 PM	0.032
2:37:36 PM	0.029
2:38:36 PM	0.029
2:39:36 PM	0.028
2:40:36 PM	0.03
2:41:36 PM	0.029
2:42:36 PM	0.029
2:43:36 PM	0.028
2:44:36 PM	0.029
2:45:36 PM	0.029
2:46:36 PM	0.027
2:47:36 PM	0.033
2:48:36 PM	0.029
2:49:36 PM	0.028
2:50:36 PM	0.028
2:51:36 PM	0.027
2:52:36 PM	0.026
2:53:36 PM	0.027
2:54:36 PM	0.031
2:55:36 PM	0.028
2:56:36 PM	0.028
2:57:36 PM	0.027
2:58:36 PM	0.027
2:59:36 PM	0.027
3:00:36 PM	0.027
3:01:36 PM	0.029
3:02:36 PM	0.027
3:03:36 PM	0.029
3:04:36 PM	0.037
3:05:36 PM	0.034
3:06:36 PM	0.034

3:07:36 PM	0.027
3:08:36 PM	0.027
3:09:36 PM	0.029
3:10:36 PM	0.029
3:11:36 PM	0.027
3:12:36 PM	0.028
3:13:36 PM	0.03
3:14:36 PM	0.032
3:15:36 PM	0.028
3:16:36 PM	0.03
3:17:36 PM	0.028
3:18:36 PM	0.031
3:19:36 PM	0.03
3:20:36 PM	0.03
3:21:36 PM	0.03
3:22:36 PM	0.03
3:23:36 PM	0.03
3:24:36 PM	0.03
3:25:36 PM	0.03
3:26:36 PM	0.032
3:27:36 PM	0.031
3:28:36 PM	0.03
3:29:36 PM	0.03
3:30:36 PM	0.032
3:31:36 PM	0.031
3:32:36 PM	0.03
3:33:36 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/27/2024 17:01	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 17:00	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:59	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:58	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:57	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:56	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:55	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:54	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:53	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:31	Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 16:30	Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 16:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 16:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:07 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 16:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 16:00 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 15:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 15:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 15:57 Readings	PID	SC23030140W3	Normal	0.1

[illegible]

[illegible]

[illegible]

592-000289	2/27/2024 14:17 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 14:16 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:15 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:14 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:13 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:12 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:11 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:10 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:08 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:07 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:06 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 14:04 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:03 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:02 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:01 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 14:00 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:58 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:56 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:55 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:53 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:52 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:51 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:50 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:49 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:48 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:45 Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 13:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:40 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:39 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:38 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:33 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:31 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:23 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 13:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:12 Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 13:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 13:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:56 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:49 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:47 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:46 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:39 Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 12:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:34 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:32 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:30 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:26 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:25 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:24 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:23 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:22 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:20 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:19 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:18 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:17 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:16 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 12:14 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 12:13 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:12 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:11 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:10 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/27/2024 12:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:08 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:07 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:06 Readings	PID	SC23030140W3	Normal	0.1

592-000289	2/27/2024 12:05 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 12:04 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:03 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:02 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:01 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 12:00 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:58 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:57 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:54 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:52 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:33 Readings	PID	SC23030140W3	Normal	0.1

592-000289	2/27/2024 11:32 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 11:23 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:22 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:20 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:19 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:18 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:17 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:16 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/27/2024 11:15 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/27/2024 11:14 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:13 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:12 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:11 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:10 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:08 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:07 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:06 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:05 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:04 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 11:03 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:02 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:01 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 11:00 Readings	PID	SC23030140W3	Normal	0.3

592-000289	2/27/2024 10:59 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 10:58 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:56 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:55 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:54 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:53 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 10:51 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:50 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:49 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:48 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:47 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:46 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:45 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:44 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:43 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:42 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:41 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:40 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:39 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 10:38 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 10:37 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 10:34 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 10:33 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 10:32 Readings	PID	SC23030140W3	Normal	0.3
592-000289	2/27/2024 10:31 CONFIG	PID	SC23030140W3		
592-000289	2/27/2024 9:54 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:53 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:52 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/27/2024 9:51 Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 9:50 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:43 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:42 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:41 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:38 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:24 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:18 Readings	PID	SC23030140W3	Normal	0

592-000289	2/27/2024 9:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:16 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:15 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:09 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:08 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:06 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:05 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:04 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:02 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 9:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 9:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:45 Readings	PID	SC23030140W3	Normal	0.1

[illegible]

592-000289	2/27/2024 8:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/27/2024 8:00 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 7:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 7:58 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 7:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/27/2024 7:56 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_009
Test Start Time	6:38:41 AM
Test Start Date	2/27/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0.023
Mass Maximum [mg/m3]	0.144
Mass TWA [mg/m3]	0.041
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:38:41 AM	0.034		
6:39:41 AM	0.032		
6:40:41 AM	0.033		
6:41:41 AM	0.035		
6:42:41 AM	0.034		
6:43:41 AM	0.035		
6:44:41 AM	0.034		
6:45:41 AM	0.033		
6:46:41 AM	0.032		
6:47:41 AM	0.033		
6:48:41 AM	0.034		
6:49:41 AM	0.034		
6:50:41 AM	0.035		
6:51:41 AM	0.033		
6:52:41 AM	0.033		
6:53:41 AM	0.034		
6:54:41 AM	0.034		
6:55:41 AM	0.035		
6:56:41 AM	0.035		
6:57:41 AM	0.035		
6:58:41 AM	0.035		
6:59:41 AM	0.034		
7:00:41 AM	0.035		
7:01:41 AM	0.035		

7:02:41 AM	0.036
7:03:41 AM	0.036
7:04:41 AM	0.037
7:05:41 AM	0.036
7:06:41 AM	0.036
7:07:41 AM	0.036
7:08:41 AM	0.036
7:09:41 AM	0.035
7:10:41 AM	0.035
7:11:41 AM	0.035
7:12:41 AM	0.035
7:13:41 AM	0.035
7:14:41 AM	0.035
7:15:41 AM	0.036
7:16:41 AM	0.04
7:17:41 AM	0.038
7:18:41 AM	0.035
7:19:41 AM	0.035
7:20:41 AM	0.036
7:21:41 AM	0.037
7:22:41 AM	0.036
7:23:41 AM	0.036
7:24:41 AM	0.04
7:25:41 AM	0.08
7:26:41 AM	0.04
7:27:41 AM	0.036
7:28:41 AM	0.035
7:29:41 AM	0.037
7:30:41 AM	0.046
7:31:41 AM	0.038
7:32:41 AM	0.038
7:33:41 AM	0.039
7:34:41 AM	0.04
7:35:41 AM	0.041
7:36:41 AM	0.041
7:37:41 AM	0.063
7:38:41 AM	0.086
7:39:41 AM	0.046
7:40:41 AM	0.042
7:41:41 AM	0.046
7:42:41 AM	0.059
7:43:41 AM	0.069
7:44:41 AM	0.06
7:45:41 AM	0.097

7:46:41 AM	0.056
7:47:41 AM	0.044
7:48:41 AM	0.05
7:49:41 AM	0.07
7:50:41 AM	0.056
7:51:41 AM	0.042
7:52:41 AM	0.043
7:53:41 AM	0.043
7:54:41 AM	0.043
7:55:41 AM	0.042
7:56:41 AM	0.091
7:57:41 AM	0.04
7:58:41 AM	0.037
7:59:41 AM	0.037
8:00:41 AM	0.037
8:01:41 AM	0.038
8:02:41 AM	0.039
8:03:41 AM	0.04
8:04:41 AM	0.04
8:05:41 AM	0.076
8:06:41 AM	0.038
8:07:41 AM	0.038
8:08:41 AM	0.038
8:09:41 AM	0.038
8:10:41 AM	0.039
8:11:41 AM	0.038
8:12:41 AM	0.036
8:13:41 AM	0.037
8:14:41 AM	0.037
8:15:41 AM	0.035
8:16:41 AM	0.037
8:17:41 AM	0.045
8:18:41 AM	0.048
8:19:41 AM	0.048
8:20:41 AM	0.036
8:21:41 AM	0.036
8:22:41 AM	0.036
8:23:41 AM	0.037
8:24:41 AM	0.038
8:25:41 AM	0.036
8:26:41 AM	0.039
8:27:41 AM	0.037
8:28:41 AM	0.037
8:29:41 AM	0.036

8:30:41 AM	0.036
8:31:41 AM	0.037
8:32:41 AM	0.037
8:33:41 AM	0.038
8:34:41 AM	0.042
8:35:41 AM	0.045
8:36:41 AM	0.051
8:37:41 AM	0.049
8:38:41 AM	0.057
8:39:41 AM	0.052
8:40:41 AM	0.044
8:41:41 AM	0.055
8:42:41 AM	0.048
8:43:41 AM	0.055
8:44:41 AM	0.065
8:45:41 AM	0.044
8:46:41 AM	0.044
8:47:41 AM	0.041
8:48:41 AM	0.042
8:49:41 AM	0.04
8:50:41 AM	0.039
8:51:41 AM	0.042
8:52:41 AM	0.041
8:53:41 AM	0.041
8:54:41 AM	0.041
8:55:41 AM	0.042
8:56:41 AM	0.041
8:57:41 AM	0.04
8:58:41 AM	0.04
8:59:41 AM	0.04
9:00:41 AM	0.04
9:01:41 AM	0.039
9:02:41 AM	0.039
9:03:41 AM	0.04
9:04:41 AM	0.04
9:05:41 AM	0.042
9:06:41 AM	0.042
9:07:41 AM	0.044
9:08:41 AM	0.044
9:09:41 AM	0.041
9:10:41 AM	0.043
9:11:41 AM	0.043
9:12:41 AM	0.044
9:13:41 AM	0.054

9:14:41 AM	0.072
9:15:41 AM	0.144
9:16:41 AM	0.057
9:17:41 AM	0.051
9:18:41 AM	0.05
9:19:41 AM	0.05
9:20:41 AM	0.05
9:21:41 AM	0.053
9:22:41 AM	0.051
9:23:41 AM	0.05
9:24:41 AM	0.05
9:25:41 AM	0.05
9:26:41 AM	0.05
9:27:41 AM	0.051
9:28:41 AM	0.055
9:29:41 AM	0.06
9:30:41 AM	0.051
9:31:41 AM	0.052
9:32:41 AM	0.052
9:33:41 AM	0.051
9:34:41 AM	0.048
9:35:41 AM	0.05
9:36:41 AM	0.047
9:37:41 AM	0.047
9:38:41 AM	0.046
9:39:41 AM	0.047
9:40:41 AM	0.083
9:41:41 AM	0.097
9:42:41 AM	0.044
9:43:41 AM	0.042
9:44:41 AM	0.039
9:45:41 AM	0.038
9:46:41 AM	0.038
9:47:41 AM	0.038
9:48:41 AM	0.039
9:49:41 AM	0.04
9:50:41 AM	0.038
9:51:41 AM	0.037
9:52:41 AM	0.038
9:53:41 AM	0.039
9:54:41 AM	0.04
9:55:41 AM	0.041
9:56:41 AM	0.039
9:57:41 AM	0.039

9:58:41 AM	0.038
9:59:41 AM	0.038
10:00:41 AM	0.04
10:01:41 AM	0.041
10:02:41 AM	0.042
10:03:41 AM	0.04
10:04:41 AM	0.04
10:05:41 AM	0.041
10:06:41 AM	0.039
10:07:41 AM	0.041
10:08:41 AM	0.042
10:09:41 AM	0.04
10:10:41 AM	0.046
10:11:41 AM	0.054
10:12:41 AM	0.052
10:13:41 AM	0.055
10:14:41 AM	0.054
10:15:41 AM	0.053
10:16:41 AM	0.053
10:17:41 AM	0.055
10:18:41 AM	0.055
10:19:41 AM	0.055
10:20:41 AM	0.055
10:21:41 AM	0.055
10:22:41 AM	0.055
10:23:41 AM	0.054
10:24:41 AM	0.054
10:25:41 AM	0.055
10:26:41 AM	0.055
10:27:41 AM	0.056
10:28:41 AM	0.055
10:29:41 AM	0.057
10:30:41 AM	0.056
10:31:41 AM	0.053
10:32:41 AM	0.057
10:33:41 AM	0.054
10:34:41 AM	0.047
10:35:41 AM	0.046
10:36:41 AM	0.054
10:37:41 AM	0.056
10:38:41 AM	0.089
10:39:41 AM	0.056
10:40:41 AM	0.051
10:41:41 AM	0.05

10:42:41 AM	0.046
10:43:41 AM	0.044
10:44:41 AM	0.043
10:45:41 AM	0.044
10:46:41 AM	0.045
10:47:41 AM	0.042
10:48:41 AM	0.04
10:49:41 AM	0.04
10:50:41 AM	0.039
10:51:41 AM	0.04
10:52:41 AM	0.041
10:53:41 AM	0.04
10:54:41 AM	0.039
10:55:41 AM	0.041
10:56:41 AM	0.041
10:57:41 AM	0.043
10:58:41 AM	0.041
10:59:41 AM	0.04
11:00:41 AM	0.039
11:01:41 AM	0.038
11:02:41 AM	0.038
11:03:41 AM	0.039
11:04:41 AM	0.038
11:05:41 AM	0.041
11:06:41 AM	0.04
11:07:41 AM	0.04
11:08:41 AM	0.039
11:09:41 AM	0.039
11:10:41 AM	0.04
11:11:41 AM	0.04
11:12:41 AM	0.04
11:13:41 AM	0.04
11:14:41 AM	0.041
11:15:41 AM	0.04
11:16:41 AM	0.039
11:17:41 AM	0.04
11:18:41 AM	0.039
11:19:41 AM	0.041
11:20:41 AM	0.047
11:21:41 AM	0.048
11:22:41 AM	0.05
11:23:41 AM	0.039
11:24:41 AM	0.045
11:25:41 AM	0.056

11:26:41 AM	0.084
11:27:41 AM	0.048
11:28:41 AM	0.046
11:29:41 AM	0.041
11:30:41 AM	0.042
11:31:41 AM	0.047
11:32:41 AM	0.068
11:33:41 AM	0.047
11:34:41 AM	0.045
11:35:41 AM	0.043
11:36:41 AM	0.043
11:37:41 AM	0.041
11:38:41 AM	0.041
11:39:41 AM	0.041
11:40:41 AM	0.043
11:41:41 AM	0.04
11:42:41 AM	0.041
11:43:41 AM	0.043
11:44:41 AM	0.047
11:45:41 AM	0.05
11:46:41 AM	0.046
11:47:41 AM	0.045
11:48:41 AM	0.064
11:49:41 AM	0.047
11:50:41 AM	0.045
11:51:41 AM	0.044
11:52:41 AM	0.042
11:53:41 AM	0.043
11:54:41 AM	0.041
11:55:41 AM	0.041
11:56:41 AM	0.041
11:57:41 AM	0.042
11:58:41 AM	0.043
11:59:41 AM	0.042
12:00:41 PM	0.042
12:01:41 PM	0.043
12:02:41 PM	0.041
12:03:41 PM	0.041
12:04:41 PM	0.042
12:05:41 PM	0.042
12:06:41 PM	0.04
12:07:41 PM	0.04
12:08:41 PM	0.041
12:09:41 PM	0.041

12:10:41 PM	0.041
12:11:41 PM	0.04
12:12:41 PM	0.042
12:13:41 PM	0.042
12:14:41 PM	0.04
12:15:41 PM	0.041
12:16:41 PM	0.042
12:17:41 PM	0.043
12:18:41 PM	0.041
12:19:41 PM	0.041
12:20:41 PM	0.043
12:21:41 PM	0.041
12:22:41 PM	0.04
12:23:41 PM	0.039
12:24:41 PM	0.041
12:25:41 PM	0.041
12:26:41 PM	0.042
12:27:41 PM	0.041
12:28:41 PM	0.041
12:29:41 PM	0.04
12:30:41 PM	0.04
12:31:41 PM	0.04
12:32:41 PM	0.039
12:33:41 PM	0.039
12:34:41 PM	0.039
12:35:41 PM	0.039
12:36:41 PM	0.038
12:37:41 PM	0.039
12:38:41 PM	0.038
12:39:41 PM	0.038
12:40:41 PM	0.037
12:41:41 PM	0.037
12:42:41 PM	0.035
12:43:41 PM	0.036
12:44:41 PM	0.035
12:45:41 PM	0.035
12:46:41 PM	0.035
12:47:41 PM	0.035
12:48:41 PM	0.035
12:49:41 PM	0.034
12:50:41 PM	0.036
12:51:41 PM	0.035
12:52:41 PM	0.036
12:53:41 PM	0.036

12:54:41 PM	0.036
12:55:41 PM	0.037
12:56:41 PM	0.036
12:57:41 PM	0.036
12:58:41 PM	0.037
12:59:41 PM	0.036
1:00:41 PM	0.036
1:01:41 PM	0.035
1:02:41 PM	0.034
1:03:41 PM	0.034
1:04:41 PM	0.034
1:05:41 PM	0.034
1:06:41 PM	0.033
1:07:41 PM	0.033
1:08:41 PM	0.033
1:09:41 PM	0.033
1:10:41 PM	0.033
1:11:41 PM	0.031
1:12:41 PM	0.031
1:13:41 PM	0.031
1:14:41 PM	0.031
1:15:41 PM	0.031
1:16:41 PM	0.031
1:17:41 PM	0.032
1:18:41 PM	0.031
1:19:41 PM	0.03
1:20:41 PM	0.03
1:21:41 PM	0.03
1:22:41 PM	0.03
1:23:41 PM	0.029
1:24:41 PM	0.029
1:25:41 PM	0.03
1:26:41 PM	0.031
1:27:41 PM	0.03
1:28:41 PM	0.03
1:29:41 PM	0.03
1:30:41 PM	0.03
1:31:41 PM	0.03
1:32:41 PM	0.029
1:33:41 PM	0.029
1:34:41 PM	0.028
1:35:41 PM	0.028
1:36:41 PM	0.029
1:37:41 PM	0.03

1:38:41 PM	0.029
1:39:41 PM	0.03
1:40:41 PM	0.028
1:41:41 PM	0.028
1:42:41 PM	0.028
1:43:41 PM	0.028
1:44:41 PM	0.027
1:45:41 PM	0.03
1:46:41 PM	0.028
1:47:41 PM	0.028
1:48:41 PM	0.027
1:49:41 PM	0.026
1:50:41 PM	0.027
1:51:41 PM	0.029
1:52:41 PM	0.028
1:53:41 PM	0.027
1:54:41 PM	0.027
1:55:41 PM	0.028
1:56:41 PM	0.029
1:57:41 PM	0.027
1:58:41 PM	0.028
1:59:41 PM	0.025
2:00:41 PM	0.026
2:01:41 PM	0.027
2:02:41 PM	0.027
2:03:41 PM	0.027
2:04:41 PM	0.027
2:05:41 PM	0.028
2:06:41 PM	0.028
2:07:41 PM	0.03
2:08:41 PM	0.027
2:09:41 PM	0.026
2:10:41 PM	0.025
2:11:41 PM	0.024
2:12:41 PM	0.024
2:13:41 PM	0.024
2:14:41 PM	0.025
2:15:41 PM	0.024
2:16:41 PM	0.024
2:17:41 PM	0.024
2:18:41 PM	0.024
2:19:41 PM	0.023
2:20:41 PM	0.023
2:21:41 PM	0.024

2:22:41 PM	0.024
2:23:41 PM	0.024
2:24:41 PM	0.024
2:25:41 PM	0.025
2:26:41 PM	0.024
2:27:41 PM	0.024
2:28:41 PM	0.024
2:29:41 PM	0.026
2:30:41 PM	0.027
2:31:41 PM	0.025
2:32:41 PM	0.026
2:33:41 PM	0.025
2:34:41 PM	0.025
2:35:41 PM	0.025
2:36:41 PM	0.028
2:37:41 PM	0.027
2:38:41 PM	0.025
2:39:41 PM	0.024
2:40:41 PM	0.025
2:41:41 PM	0.025
2:42:41 PM	0.026
2:43:41 PM	0.028
2:44:41 PM	0.026
2:45:41 PM	0.025
2:46:41 PM	0.024
2:47:41 PM	0.024
2:48:41 PM	0.024
2:49:41 PM	0.025
2:50:41 PM	0.024
2:51:41 PM	0.025
2:52:41 PM	0.024
2:53:41 PM	0.024
2:54:41 PM	0.023
2:55:41 PM	0.023
2:56:41 PM	0.026
2:57:41 PM	0.025
2:58:41 PM	0.023
2:59:41 PM	0.023
3:00:41 PM	0.024
3:01:41 PM	0.024
3:02:41 PM	0.025
3:03:41 PM	0.023
3:04:41 PM	0.024
3:05:41 PM	0.025

3:06:41 PM	0.026
3:07:41 PM	0.026
3:08:41 PM	0.027
3:09:41 PM	0.038
3:10:41 PM	0.048
3:11:41 PM	0.052
3:12:41 PM	0.027
3:13:41 PM	0.025
3:14:41 PM	0.025
3:15:41 PM	0.024
3:16:41 PM	0.025
3:17:41 PM	0.025
3:18:41 PM	0.026
3:19:41 PM	0.029
3:20:41 PM	0.025
3:21:41 PM	0.025
3:22:41 PM	0.025
3:23:41 PM	0.027
3:24:41 PM	0.026
3:25:41 PM	0.025
3:26:41 PM	0.027
3:27:41 PM	0.027
3:28:41 PM	0.028
3:29:41 PM	0.026
3:30:41 PM	0.026
3:31:41 PM	0.027
3:32:41 PM	0.025
3:33:41 PM	0.025
3:34:41 PM	0.026
3:35:41 PM	0.027
3:36:41 PM	0.026
3:37:41 PM	0.026
3:38:41 PM	0.026
3:39:41 PM	0.026
3:40:41 PM	0.028
3:41:41 PM	0.027
3:42:41 PM	0.027

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	2/27/2024 16:53	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:53	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:53	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:53	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:53	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:52	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:51	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:50	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0.2
592-602176	2/27/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-602176	2/27/2024 16:49	Readings	PID	SC23030602B4	Normal	0.3
592-602176	2/27/2024 16:48	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]