

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32	X	32-50	X	50-70		70-85		>85		SE 11 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	02/29/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:00

Time Out: 16:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

ECD (Pile Installation)

ECS (Dewatering)

GES (Geotech)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig**Scope of Work:** Oversee excavation by Capital and continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Depth to water gauging within all 14 of sentinel wells for dewatering purposes;
- 34 (thirty four) truckloads of material were disposed offsite to the Pure soil Jackson facility;
- 48 (forty-eight) truckloads of approved backfill material (crushed limestone) were imported on Site;
- Backfilling in grid A2, B2 and partially in and A3, backfill stockpile formed in grid L7. Refer to Alpha Numeric Map for grid locations;
- Approximate 2' excavation (for a total of 8-feet bgs) in grids J5 & K5;
- Endpoint sampling of following grids: EP-79 (7-8' bsg & QA/QC) and EP 70 (7-8' bgs);
- Approximate 3' over excavation of Hot Spot (SB-15) (for a total of 9-feet bgs);
- ECD preps pile installation in northern lot; and
- Dewatering sewer connection fixed.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.022 mg/m³ @ 06:47
- High Conditions (Upwind) – PID = _2.5_ ppm @ 14:31, Dust = _0.146_ mg/m³ @ 14:07
- High Conditions (Downwind 1) – PID = _0.2_ ppm @ 10:42, Dust = _0.165_ mg/m³ @ 07:04
- High Conditions (Downwind 2) – PID = _0.2_ ppm @ 10:43 Dust = _0.031_ mg/m³ @ 11:55

Notable Site Conditions:

- None.

Planned Activities for the Next Day/Week:

- Endpoint sampling; and
- Further grid excavation.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of compaction on backfilled area, grid J7.



Photo 2 –

Representative photo of approved backfill material in grid A2.





Photo 3 –

Representative photo of trucks being loaded with material for offsite disposal.



Photo 4 –

Representative photo of washing tires on track pad.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_001
Test Start Time	7:47:21 AM
Test Start Date	2/29/2024
Test Length [D:H:M]	0:08:45
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.146
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	525

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.022		
120	0.003		
180	0.004		
240	0.004		
300	0.003		
360	0.004		
420	0.004		
480	0.004		
540	0.004		
600	0.004		
660	0.005		
720	0.004		
780	0.005		
840	0.006		
900	0.004		
960	0.004		
1020	0.004		
1080	0.004		
1140	0.004		
1200	0.005		
1260	0.004		
1320	0.005		
1380	0.004		
1440	0.004		

1500	0.004
1560	0.004
1620	0.005
1680	0.004
1740	0.004
1800	0.004
1860	0.003
1920	0.004
1980	0.004
2040	0.004
2100	0.004
2160	0.003
2220	0.004
2280	0.004
2340	0.004
2400	0.004
2460	0.004
2520	0.004
2580	0.004
2640	0.004
2700	0.004
2760	0.004
2820	0.004
2880	0.003
2940	0.003
3000	0.01
3060	0.005
3120	0.003
3180	0.004
3240	0.004
3300	0.004
3360	0.004
3420	0.003
3480	0.004
3540	0.004
3600	0.004
3660	0.004
3720	0.006
3780	0.003
3840	0.004
3900	0.004
3960	0.004
4020	0.004
4080	0.003

4140	0.004
4200	0.005
4260	0.004
4320	0.003
4380	0.003
4440	0.006
4500	0.006
4560	0.005
4620	0.005
4680	0.004
4740	0.004
4800	0.004
4860	0.004
4920	0.005
4980	0.006
5040	0.004
5100	0.004
5160	0.004
5220	0.004
5280	0.004
5340	0.004
5400	0.005
5460	0.004
5520	0.005
5580	0.004
5640	0.005
5700	0.005
5760	0.006
5820	0.004
5880	0.005
5940	0.005
6000	0.004
6060	0.005
6120	0.006
6180	0.004
6240	0.01
6300	0.004
6360	0.005
6420	0.018
6480	0.007
6540	0.006
6600	0.005
6660	0.004
6720	0.004

6780	0.004
6840	0.005
6900	0.004
6960	0.005
7020	0.004
7080	0.004
7140	0.005
7200	0.005
7260	0.004
7320	0.004
7380	0.004
7440	0.004
7500	0.004
7560	0.004
7620	0.004
7680	0.005
7740	0.005
7800	0.004
7860	0.007
7920	0.005
7980	0.005
8040	0.004
8100	0.005
8160	0.004
8220	0.006
8280	0.006
8340	0.006
8400	0.006
8460	0.006
8520	0.006
8580	0.007
8640	0.005
8700	0.005
8760	0.005
8820	0.004
8880	0.007
8940	0.01
9000	0.006
9060	0.005
9120	0.016
9180	0.019
9240	0.007
9300	0.006
9360	0.006

9420	0.007
9480	0.006
9540	0.006
9600	0.005
9660	0.006
9720	0.007
9780	0.008
9840	0.008
9900	0.006
9960	0.006
10020	0.007
10080	0.007
10140	0.007
10200	0.003
10260	0.007
10320	0.009
10380	0.006
10440	0.013
10500	0.015
10560	0.006
10620	0.005
10680	0.004
10740	0.011
10800	0.006
10860	0.005
10920	0.006
10980	0.006
11040	0.005
11100	0.006
11160	0.004
11220	0.005
11280	0.005
11340	0.006
11400	0.006
11460	0.005
11520	0.005
11580	0.009
11640	0.006
11700	0.005
11760	0.007
11820	0.007
11880	0.006
11940	0.005
12000	0.004

12060	0.005
12120	0.006
12180	0.007
12240	0.005
12300	0.011
12360	0.006
12420	0.004
12480	0.004
12540	0.004
12600	0.005
12660	0.006
12720	0.005
12780	0.005
12840	0.007
12900	0.006
12960	0.006
13020	0.005
13080	0.005
13140	0.006
13200	0.008
13260	0.006
13320	0.008
13380	0.005
13440	0.007
13500	0.005
13560	0.005
13620	0.006
13680	0.01
13740	0.007
13800	0.005
13860	0.005
13920	0.005
13980	0.005
14040	0.005
14100	0.006
14160	0.005
14220	0.005
14280	0.006
14340	0.009
14400	0.007
14460	0.008
14520	0.008
14580	0.013
14640	0.008

14700	0.006
14760	0.146
14820	0.006
14880	0.004
14940	0.004
15000	0.004
15060	0.005
15120	0.005
15180	0.004
15240	0.006
15300	0.004
15360	0.005
15420	0.004
15480	0.007
15540	0.01
15600	0.006
15660	0.006
15720	0.007
15780	0.006
15840	0.005
15900	0.007
15960	0.005
16020	0.006
16080	0.014
16140	0.006
16200	0.005
16260	0.005
16320	0.005
16380	0.005
16440	0.008
16500	0.006
16560	0.007
16620	0.006
16680	0.007
16740	0.005
16800	0.005
16860	0.005
16920	0.005
16980	0.006
17040	0.006
17100	0.008
17160	0.005
17220	0.006
17280	0.008

17340	0.005
17400	0.005
17460	0.005
17520	0.005
17580	0.006
17640	0.005
17700	0.007
17760	0.005
17820	0.005
17880	0.006
17940	0.005
18000	0.006
18060	0.006
18120	0.006
18180	0.005
18240	0.005
18300	0.005
18360	0.005
18420	0.005
18480	0.004
18540	0.004
18600	0.005
18660	0.005
18720	0.005
18780	0.005
18840	0.005
18900	0.005
18960	0.005
19020	0.005
19080	0.005
19140	0.004
19200	0.006
19260	0.007
19320	0.012
19380	0.005
19440	0.005
19500	0.005
19560	0.005
19620	0.005
19680	0.005
19740	0.004
19800	0.004
19860	0.004
19920	0.005

19980	0.005
20040	0.005
20100	0.006
20160	0.005
20220	0.005
20280	0.006
20340	0.005
20400	0.005
20460	0.005
20520	0.006
20580	0.005
20640	0.006
20700	0.006
20760	0.006
20820	0.006
20880	0.005
20940	0.005
21000	0.006
21060	0.008
21120	0.007
21180	0.005
21240	0.006
21300	0.006
21360	0.006
21420	0.006
21480	0.007
21540	0.005
21600	0.006
21660	0.006
21720	0.014
21780	0.005
21840	0.005
21900	0.007
21960	0.006
22020	0.006
22080	0.006
22140	0.006
22200	0.006
22260	0.006
22320	0.007
22380	0.005
22440	0.005
22500	0.005
22560	0.005

22620	0.005
22680	0.005
22740	0.006
22800	0.005
22860	0.005
22920	0.006
22980	0.005
23040	0.004
23100	0.005
23160	0.005
23220	0.005
23280	0.009
23340	0.005
23400	0.004
23460	0.006
23520	0.006
23580	0.005
23640	0.007
23700	0.007
23760	0.01
23820	0.013
23880	0.005
23940	0.006
24000	0.008
24060	0.006
24120	0.007
24180	0.006
24240	0.005
24300	0.005
24360	0.005
24420	0.005
24480	0.007
24540	0.008
24600	0.007
24660	0.006
24720	0.017
24780	0.007
24840	0.006
24900	0.005
24960	0.007
25020	0.007
25080	0.007
25140	0.009
25200	0.006

25260	0.006
25320	0.005
25380	0.006
25440	0.008
25500	0.007
25560	0.007
25620	0.005
25680	0.006
25740	0.005
25800	0.005
25860	0.006
25920	0.007
25980	0.006
26040	0.005
26100	0.006
26160	0.006
26220	0.006
26280	0.007
26340	0.005
26400	0.005
26460	0.005
26520	0.005
26580	0.005
26640	0.005
26700	0.005
26760	0.004
26820	0.004
26880	0.004
26940	0.011
27000	0.005
27060	0.004
27120	0.004
27180	0.005
27240	0.005
27300	0.005
27360	0.005
27420	0.004
27480	0.005
27540	0.005
27600	0.006
27660	0.008
27720	0.009
27780	0.005
27840	0.005

27900	0.005
27960	0.005
28020	0.008
28080	0.006
28140	0.005
28200	0.005
28260	0.007
28320	0.005
28380	0.009
28440	0.004
28500	0.006
28560	0.007
28620	0.005
28680	0.005
28740	0.006
28800	0.007
28860	0.005
28920	0.008
28980	0.006
29040	0.011
29100	0.005
29160	0.006
29220	0.004
29280	0.006
29340	0.005
29400	0.005
29460	0.005
29520	0.005
29580	0.006
29640	0.006
29700	0.006
29760	0.005
29820	0.004
29880	0.009
29940	0.005
30000	0.005
30060	0.004
30120	0.005
30180	0.004
30240	0.005
30300	0.006
30360	0.007
30420	0.005
30480	0.006

30540	0.006
30600	0.005
30660	0.005
30720	0.005
30780	0.006
30840	0.005
30900	0.005
30960	0.006
31020	0.005
31080	0.005
31140	0.005
31200	0.008
31260	0.006
31320	0.006
31380	0.005
31440	0.004
31500	0.004

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	2/29/2024 17:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:12	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:10	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:09	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:08	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:06	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:05	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:04	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:03	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:02	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:01	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 17:00	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:57	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:56	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:53	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 16:44	Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	2/29/2024 9:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	2/29/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:08 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:06 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:03 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:02 Readings	PID	SC23030449A8	Normal	0

592-600853	2/29/2024 9:01 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:59 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	2/29/2024 8:29 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_001
Test Start Time	7:04:09 AM
Test Start Date	2/29/2024
Test Length [D:H:M]	0:08:43
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.165
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	523

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.165		
120	0.003		
180	0.003		
240	0.003		
300	0.003		
360	0.004		
420	0.005		
480	0.004		
540	0.005		
600	0.003		
660	0.003		
720	0.003		
780	0.003		
840	0.003		
900	0.005		
960	0.004		
1020	0.003		
1080	0.005		
1140	0.003		
1200	0.003		
1260	0.005		
1320	0.008		
1380	0.004		
1440	0.005		

1500	0.004
1560	0.004
1620	0.005
1680	0.004
1740	0.013
1800	0.005
1860	0.004
1920	0.006
1980	0.006
2040	0.005
2100	0.004
2160	0.005
2220	0.014
2280	0.005
2340	0.005
2400	0.012
2460	0.007
2520	0.007
2580	0.006
2640	0.005
2700	0.008
2760	0.005
2820	0.004
2880	0.005
2940	0.006
3000	0.003
3060	0.004
3120	0.005
3180	0.005
3240	0.007
3300	0.005
3360	0.005
3420	0.006
3480	0.005
3540	0.005
3600	0.006
3660	0.004
3720	0.004
3780	0.006
3840	0.004
3900	0.009
3960	0.005
4020	0.011
4080	0.004

4140	0.019
4200	0.008
4260	0.011
4320	0.036
4380	0.004
4440	0.005
4500	0.004
4560	0.004
4620	0.004
4680	0.004
4740	0.004
4800	0.005
4860	0.004
4920	0.004
4980	0.004
5040	0.004
5100	0.005
5160	0.004
5220	0.004
5280	0.004
5340	0.005
5400	0.005
5460	0.006
5520	0.008
5580	0.005
5640	0.006
5700	0.004
5760	0.007
5820	0.005
5880	0.005
5940	0.005
6000	0.005
6060	0.004
6120	0.005
6180	0.004
6240	0.005
6300	0.006
6360	0.005
6420	0.005
6480	0.008
6540	0.005
6600	0.005
6660	0.006
6720	0.005

6780	0.005
6840	0.005
6900	0.004
6960	0.004
7020	0.004
7080	0.008
7140	0.004
7200	0.004
7260	0.004
7320	0.005
7380	0.005
7440	0.004
7500	0.005
7560	0.006
7620	0.005
7680	0.004
7740	0.004
7800	0.004
7860	0.004
7920	0.005
7980	0.005
8040	0.016
8100	0.006
8160	0.007
8220	0.006
8280	0.008
8340	0.004
8400	0.005
8460	0.005
8520	0.004
8580	0.005
8640	0.005
8700	0.006
8760	0.005
8820	0.006
8880	0.005
8940	0.005
9000	0.005
9060	0.006
9120	0.006
9180	0.007
9240	0.007
9300	0.007
9360	0.006

9420	0.006
9480	0.005
9540	0.005
9600	0.004
9660	0.005
9720	0.005
9780	0.005
9840	0.005
9900	0.005
9960	0.005
10020	0.004
10080	0.007
10140	0.005
10200	0.016
10260	0.007
10320	0.009
10380	0.009
10440	0.005
10500	0.007
10560	0.007
10620	0.008
10680	0.007
10740	0.004
10800	0.005
10860	0.005
10920	0.013
10980	0.007
11040	0.004
11100	0.006
11160	0.008
11220	0.006
11280	0.005
11340	0.004
11400	0.004
11460	0.005
11520	0.005
11580	0.005
11640	0.007
11700	0.005
11760	0.004
11820	0.005
11880	0.005
11940	0.005
12000	0.006

12060	0.006
12120	0.009
12180	0.01
12240	0.005
12300	0.005
12360	0.004
12420	0.004
12480	0.004
12540	0.004
12600	0.006
12660	0.004
12720	0.008
12780	0.005
12840	0.005
12900	0.005
12960	0.005
13020	0.006
13080	0.006
13140	0.006
13200	0.005
13260	0.005
13320	0.005
13380	0.005
13440	0.006
13500	0.006
13560	0.006
13620	0.005
13680	0.005
13740	0.006
13800	0.005
13860	0.006
13920	0.005
13980	0.006
14040	0.005
14100	0.005
14160	0.006
14220	0.005
14280	0.005
14340	0.004
14400	0.004
14460	0.004
14520	0.004
14580	0.005
14640	0.004

14700	0.005
14760	0.004
14820	0.006
14880	0.015
14940	0.007
15000	0.005
15060	0.005
15120	0.006
15180	0.005
15240	0.005
15300	0.005
15360	0.005
15420	0.006
15480	0.017
15540	0.007
15600	0.015
15660	0.007
15720	0.008
15780	0.007
15840	0.01
15900	0.006
15960	0.007
16020	0.005
16080	0.006
16140	0.009
16200	0.015
16260	0.012
16320	0.007
16380	0.006
16440	0.006
16500	0.005
16560	0.008
16620	0.007
16680	0.007
16740	0.007
16800	0.008
16860	0.01
16920	0.009
16980	0.008
17040	0.009
17100	0.02
17160	0.012
17220	0.008
17280	0.02

17340	0.007
17400	0.008
17460	0.008
17520	0.008
17580	0.006
17640	0.006
17700	0.007
17760	0.006
17820	0.006
17880	0.006
17940	0.007
18000	0.007
18060	0.006
18120	0.007
18180	0.007
18240	0.006
18300	0.006
18360	0.007
18420	0.006
18480	0.007
18540	0.006
18600	0.01
18660	0.008
18720	0.007
18780	0.011
18840	0.01
18900	0.008
18960	0.007
19020	0.011
19080	0.005
19140	0.005
19200	0.008
19260	0.008
19320	0.007
19380	0.006
19440	0.009
19500	0.029
19560	0.037
19620	0.009
19680	0.009
19740	0.007
19800	0.013
19860	0.007
19920	0.008

19980	0.008
20040	0.006
20100	0.015
20160	0.006
20220	0.006
20280	0.006
20340	0.006
20400	0.006
20460	0.007
20520	0.007
20580	0.008
20640	0.01
20700	0.008
20760	0.007
20820	0.005
20880	0.009
20940	0.006
21000	0.006
21060	0.009
21120	0.006
21180	0.006
21240	0.006
21300	0.006
21360	0.006
21420	0.007
21480	0.008
21540	0.007
21600	0.006
21660	0.006
21720	0.01
21780	0.008
21840	0.006
21900	0.006
21960	0.009
22020	0.006
22080	0.006
22140	0.006
22200	0.006
22260	0.018
22320	0.007
22380	0.006
22440	0.005
22500	0.005
22560	0.007

22620	0.018
22680	0.022
22740	0.008
22800	0.007
22860	0.014
22920	0.011
22980	0.014
23040	0.018
23100	0.012
23160	0.007
23220	0.006
23280	0.007
23340	0.006
23400	0.01
23460	0.006
23520	0.005
23580	0.005
23640	0.006
23700	0.006
23760	0.008
23820	0.007
23880	0.011
23940	0.009
24000	0.008
24060	0.011
24120	0.009
24180	0.008
24240	0.009
24300	0.009
24360	0.008
24420	0.013
24480	0.009
24540	0.009
24600	0.01
24660	0.008
24720	0.017
24780	0.01
24840	0.023
24900	0.011
24960	0.008
25020	0.008
25080	0.011
25140	0.014
25200	0.008

25260	0.011
25320	0.011
25380	0.006
25440	0.005
25500	0.006
25560	0.008
25620	0.007
25680	0.007
25740	0.01
25800	0.007
25860	0.007
25920	0.006
25980	0.007
26040	0.008
26100	0.005
26160	0.006
26220	0.007
26280	0.009
26340	0.009
26400	0.006
26460	0.007
26520	0.005
26580	0.006
26640	0.005
26700	0.006
26760	0.007
26820	0.007
26880	0.008
26940	0.006
27000	0.006
27060	0.018
27120	0.011
27180	0.006
27240	0.006
27300	0.01
27360	0.012
27420	0.014
27480	0.01
27540	0.011
27600	0.007
27660	0.005
27720	0.006
27780	0.008
27840	0.006

27900	0.005
27960	0.005
28020	0.013
28080	0.008
28140	0.006
28200	0.008
28260	0.006
28320	0.006
28380	0.006
28440	0.005
28500	0.005
28560	0.006
28620	0.007
28680	0.01
28740	0.006
28800	0.005
28860	0.006
28920	0.008
28980	0.005
29040	0.006
29100	0.007
29160	0.009
29220	0.007
29280	0.007
29340	0.008
29400	0.006
29460	0.006
29520	0.006
29580	0.005
29640	0.006
29700	0.007
29760	0.005
29820	0.006
29880	0.006
29940	0.006
30000	0.005
30060	0.005
30120	0.007
30180	0.006
30240	0.006
30300	0.007
30360	0.007
30420	0.006
30480	0.006

30540	0.007
30600	0.045
30660	0.007
30720	0.006
30780	0.008
30840	0.006
30900	0.007
30960	0.007
31020	0.008
31080	0.008
31140	0.006
31200	0.008
31260	0.008
31320	0.01
31380	0.01

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	2/29/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 16:18	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	2/29/2024 13:32 Readings	PID	SC23030140W3	Normal	
592-000289	2/29/2024 13:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 13:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:16 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 13:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 13:00 Readings	PID	SC23030140W3	Normal	0

592-000289	2/29/2024 12:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:53 CONFIG	PID	SC23030140W3		
592-000289	2/29/2024 12:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:18 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 12:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 11:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 11:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 11:57 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

592-000289	2/29/2024 10:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:45 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:44 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:43 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:42 Readings	PID	SC23030140W3	Normal	0.2
592-000289	2/29/2024 10:41 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:40 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:39 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:34 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:33 Readings	PID	SC23030140W3	Normal	0.1
592-000289	2/29/2024 10:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:18 Readings	PID	SC23030140W3	Normal	0

592-000289	2/29/2024 10:17 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 9:45 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

592-000289	2/29/2024 8:38 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:37 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:36 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:35 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:34 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:33 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:32 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:31 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:30 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:29 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:28 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:27 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:26 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:25 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:24 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:23 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:22 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:21 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:20 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:19 Readings	PID	SC23030140W3	Normal	0
592-000289	2/29/2024 8:18 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_011
Test Start Time	7:01:06 AM
Test Start Date	2/29/2024
Test Length [D:H:M]	0:08:50
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.008
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.031
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	530

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.003		
120	0.002		
180	0.005		
240	0.006		
300	0.005		
360	0.004		
420	0.003		
480	0.003		
540	0.003		
600	0.003		
660	0.004		
720	0.004		
780	0.004		
840	0.004		
900	0.003		
960	0.003		
1020	0.003		
1080	0.004		
1140	0.006		
1200	0.004		
1260	0.004		
1320	0.004		
1380	0.004		
1440	0.008		

1500	0.005
1560	0.006
1620	0.007
1680	0.004
1740	0.005
1800	0.006
1860	0.014
1920	0.008
1980	0.006
2040	0.004
2100	0.004
2160	0.004
2220	0.006
2280	0.005
2340	0.007
2400	0.005
2460	0.006
2520	0.006
2580	0.008
2640	0.014
2700	0.008
2760	0.005
2820	0.008
2880	0.008
2940	0.009
3000	0.009
3060	0.006
3120	0.005
3180	0.006
3240	0.007
3300	0.005
3360	0.006
3420	0.007
3480	0.011
3540	0.006
3600	0.006
3660	0.006
3720	0.007
3780	0.006
3840	0.006
3900	0.005
3960	0.005
4020	0.005
4080	0.006

4140	0.006
4200	0.009
4260	0.006
4320	0.006
4380	0.006
4440	0.012
4500	0.007
4560	0.011
4620	0.019
4680	0.006
4740	0.006
4800	0.006
4860	0.006
4920	0.006
4980	0.006
5040	0.006
5100	0.006
5160	0.006
5220	0.006
5280	0.006
5340	0.006
5400	0.007
5460	0.006
5520	0.006
5580	0.006
5640	0.008
5700	0.007
5760	0.006
5820	0.006
5880	0.006
5940	0.007
6000	0.006
6060	0.007
6120	0.006
6180	0.006
6240	0.006
6300	0.006
6360	0.006
6420	0.006
6480	0.007
6540	0.007
6600	0.007
6660	0.006
6720	0.006

6780	0.008
6840	0.006
6900	0.007
6960	0.009
7020	0.009
7080	0.007
7140	0.007
7200	0.006
7260	0.006
7320	0.007
7380	0.007
7440	0.008
7500	0.006
7560	0.007
7620	0.007
7680	0.007
7740	0.007
7800	0.008
7860	0.007
7920	0.007
7980	0.006
8040	0.006
8100	0.007
8160	0.011
8220	0.007
8280	0.007
8340	0.007
8400	0.014
8460	0.012
8520	0.014
8580	0.011
8640	0.007
8700	0.007
8760	0.007
8820	0.007
8880	0.009
8940	0.009
9000	0.008
9060	0.008
9120	0.008
9180	0.008
9240	0.009
9300	0.007
9360	0.008

9420	0.011
9480	0.008
9540	0.007
9600	0.007
9660	0.007
9720	0.01
9780	0.007
9840	0.007
9900	0.006
9960	0.006
10020	0.006
10080	0.009
10140	0.008
10200	0.012
10260	0.009
10320	0.007
10380	0.009
10440	0.007
10500	0.023
10560	0.016
10620	0.014
10680	0.011
10740	0.008
10800	0.008
10860	0.01
10920	0.007
10980	0.01
11040	0.006
11100	0.006
11160	0.006
11220	0.007
11280	0.007
11340	0.006
11400	0.007
11460	0.008
11520	0.008
11580	0.006
11640	0.007
11700	0.006
11760	0.007
11820	0.007
11880	0.007
11940	0.008
12000	0.007

12060	0.006
12120	0.007
12180	0.007
12240	0.007
12300	0.007
12360	0.007
12420	0.008
12480	0.011
12540	0.008
12600	0.007
12660	0.006
12720	0.007
12780	0.006
12840	0.006
12900	0.007
12960	0.006
13020	0.011
13080	0.007
13140	0.011
13200	0.007
13260	0.007
13320	0.011
13380	0.017
13440	0.011
13500	0.007
13560	0.008
13620	0.007
13680	0.007
13740	0.008
13800	0.008
13860	0.008
13920	0.008
13980	0.007
14040	0.008
14100	0.008
14160	0.007
14220	0.007
14280	0.008
14340	0.007
14400	0.009
14460	0.008
14520	0.007
14580	0.007
14640	0.01

14700	0.007
14760	0.007
14820	0.01
14880	0.008
14940	0.01
15000	0.008
15060	0.008
15120	0.007
15180	0.01
15240	0.007
15300	0.007
15360	0.008
15420	0.007
15480	0.007
15540	0.007
15600	0.007
15660	0.007
15720	0.008
15780	0.01
15840	0.007
15900	0.008
15960	0.009
16020	0.02
16080	0.015
16140	0.009
16200	0.007
16260	0.008
16320	0.008
16380	0.007
16440	0.009
16500	0.011
16560	0.012
16620	0.013
16680	0.008
16740	0.008
16800	0.009
16860	0.012
16920	0.011
16980	0.012
17040	0.009
17100	0.008
17160	0.009
17220	0.011
17280	0.013

17340	0.017
17400	0.014
17460	0.009
17520	0.008
17580	0.008
17640	0.008
17700	0.031
17760	0.011
17820	0.013
17880	0.008
17940	0.009
18000	0.014
18060	0.009
18120	0.007
18180	0.007
18240	0.01
18300	0.009
18360	0.008
18420	0.008
18480	0.007
18540	0.008
18600	0.012
18660	0.011
18720	0.008
18780	0.008
18840	0.007
18900	0.01
18960	0.01
19020	0.009
19080	0.007
19140	0.01
19200	0.013
19260	0.02
19320	0.01
19380	0.007
19440	0.007
19500	0.008
19560	0.011
19620	0.008
19680	0.01
19740	0.01
19800	0.013
19860	0.012
19920	0.012

19980	0.009
20040	0.008
20100	0.011
20160	0.008
20220	0.008
20280	0.008
20340	0.009
20400	0.007
20460	0.008
20520	0.008
20580	0.008
20640	0.008
20700	0.007
20760	0.008
20820	0.008
20880	0.007
20940	0.009
21000	0.009
21060	0.008
21120	0.007
21180	0.007
21240	0.007
21300	0.007
21360	0.007
21420	0.007
21480	0.007
21540	0.007
21600	0.008
21660	0.008
21720	0.008
21780	0.008
21840	0.008
21900	0.007
21960	0.007
22020	0.007
22080	0.007
22140	0.007
22200	0.007
22260	0.008
22320	0.007
22380	0.007
22440	0.007
22500	0.008
22560	0.015

22620	0.007
22680	0.008
22740	0.006
22800	0.006
22860	0.008
22920	0.014
22980	0.017
23040	0.008
23100	0.007
23160	0.012
23220	0.008
23280	0.01
23340	0.014
23400	0.011
23460	0.008
23520	0.007
23580	0.01
23640	0.013
23700	0.013
23760	0.007
23820	0.007
23880	0.007
23940	0.007
24000	0.007
24060	0.007
24120	0.008
24180	0.007
24240	0.008
24300	0.009
24360	0.014
24420	0.02
24480	0.017
24540	0.017
24600	0.013
24660	0.013
24720	0.016
24780	0.021
24840	0.026
24900	0.013
24960	0.009
25020	0.01
25080	0.02
25140	0.013
25200	0.01

25260	0.009
25320	0.011
25380	0.008
25440	0.012
25500	0.008
25560	0.016
25620	0.008
25680	0.007
25740	0.007
25800	0.007
25860	0.009
25920	0.008
25980	0.007
26040	0.008
26100	0.009
26160	0.007
26220	0.006
26280	0.006
26340	0.006
26400	0.006
26460	0.006
26520	0.007
26580	0.013
26640	0.007
26700	0.006
26760	0.006
26820	0.006
26880	0.006
26940	0.007
27000	0.007
27060	0.007
27120	0.007
27180	0.008
27240	0.007
27300	0.007
27360	0.012
27420	0.007
27480	0.007
27540	0.011
27600	0.017
27660	0.01
27720	0.007
27780	0.008
27840	0.008

27900	0.007
27960	0.006
28020	0.006
28080	0.01
28140	0.007
28200	0.006
28260	0.006
28320	0.006
28380	0.007
28440	0.007
28500	0.01
28560	0.007
28620	0.007
28680	0.007
28740	0.006
28800	0.007
28860	0.006
28920	0.007
28980	0.008
29040	0.007
29100	0.006
29160	0.007
29220	0.006
29280	0.007
29340	0.007
29400	0.009
29460	0.012
29520	0.007
29580	0.012
29640	0.007
29700	0.007
29760	0.007
29820	0.008
29880	0.007
29940	0.007
30000	0.008
30060	0.006
30120	0.007
30180	0.008
30240	0.007
30300	0.006
30360	0.007
30420	0.007
30480	0.007

30540	0.007
30600	0.007
30660	0.007
30720	0.007
30780	0.007
30840	0.008
30900	0.013
30960	0.007
31020	0.009
31080	0.008
31140	0.007
31200	0.008
31260	0.009
31320	0.009
31380	0.009
31440	0.007
31500	0.014
31560	0.008
31620	0.017
31680	0.009
31740	0.007
31800	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	2/29/2024 17:06	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:05	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:04	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:03	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:02	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:01	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 17:00	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:59	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:58	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:57	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:56	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:55	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:54	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:53	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:52	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:51	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:50	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:49	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:48	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:47	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:46	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:45	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:44	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:41	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:40	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:39	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	2/29/2024 14:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 14:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 14:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	2/29/2024 13:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 13:50 Readings	PID	SC23030602B4	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	2/29/2024 9:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 9:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 9:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	2/29/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 9:26 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	2/29/2024 8:52 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:30 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:29 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:28 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:27 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:24 Readings	PID	SC23030602B4	Normal	0
592-602176	2/29/2024 8:23 CONFIG	PID	SC23030602B4		