

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain	X	Overcast		Partly Cloudy		Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		SW 14 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/05/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:30

Time Out: 16:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

ECD (Pile Installation)

ECS (Dewatering)

GES (Geotech)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig**Scope of Work:** Oversee excavation by Capital, continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Depth to water gauging within all 14 of sentinel wells for dewatering purposes;
- 14 (fourteen) truckloads of material were disposed of offsite to the Conestoga facility;
- 20 (twenty) truckloads of approved backfill material (crushed limestone) were imported on site;
- Backfill was stockpiled on grids L7-8 and A2 & B2, a demarcation layer was placed down prior to material being stockpiled;
- Ground Water sampling of sentinel wells: MW-21 A&B, MW-20 A&B, NMAW-2A;
- Dewatering was performed in grids A6, A5, K6;
- Additional 2' cut in grids: F/G2-3 (for a total approximate excavation depth of 7-8' bsg); and
- ECD preps pile installation in northern lot;

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.071_ mg/m³ @ 07:30
- High Conditions (Upwind) – PID = _0.4_ ppm @ 13:14, Dust = 0.071_ mg/m³ @ 07:30
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 11:59, Dust = _0.085_ mg/m³ @ 07:57
- High Conditions (Downwind 2) – PID = _0.3_ ppm @ 11:26 Dust = _0.036_ mg/m³ @ 11:39

Notable Site Conditions:

- Heavy rain, delayed CAMP deployment.

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation;
- Bi-weekly sentinel well groundwater sampling beginning 3/5-3/7/24;
- ATMOS foam spraying mechanism and compressor expected to be delivered on 4/6/24. There will be a dedicated unit on the north and south portions of the Site.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of washing tires over track pad.



Photo 2 –

Representative photo of soil load out.



Photo 3 –

Representative photo of backfilling in grids: A2 & B2.



Photo 4 –

Representative photo of ECD pile prepping in grid N4.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_005
Test Start Time	7:30:57 AM
Test Start Date	3/5/2024
Test Length [D:H:M]	0:08:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.071
Mass TWA [mg/m3]	0.01
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	482

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:30:57 AM	0.071		
7:31:57 AM	0.011		
7:32:57 AM	0.008		
7:33:57 AM	0.008		
7:34:57 AM	0.008		
7:35:57 AM	0.008		
7:36:57 AM	0.008		
7:37:57 AM	0.008		
7:38:57 AM	0.009		
7:39:57 AM	0.01		
7:40:57 AM	0.008		
7:41:57 AM	0.007		
7:42:57 AM	0.008		
7:43:57 AM	0.008		
7:44:57 AM	0.007		
7:45:57 AM	0.007		
7:46:57 AM	0.009		
7:47:57 AM	0.008		
7:48:57 AM	0.009		
7:49:57 AM	0.008		
7:50:57 AM	0.008		
7:51:57 AM	0.009		
7:52:57 AM	0.008		
7:53:57 AM	0.008		

7:54:57 AM	0.008
7:55:57 AM	0.008
7:56:57 AM	0.009
7:57:57 AM	0.008
7:58:57 AM	0.008
7:59:57 AM	0.01
8:00:57 AM	0.01
8:01:57 AM	0.007
8:02:57 AM	0.011
8:03:57 AM	0.012
8:04:57 AM	0.009
8:05:57 AM	0.011
8:06:57 AM	0.009
8:07:57 AM	0.009
8:08:57 AM	0.009
8:09:57 AM	0.009
8:10:57 AM	0.009
8:11:57 AM	0.008
8:12:57 AM	0.011
8:13:57 AM	0.01
8:14:57 AM	0.009
8:15:57 AM	0.01
8:16:57 AM	0.007
8:17:57 AM	0.008
8:18:57 AM	0.007
8:19:57 AM	0.01
8:20:57 AM	0.007
8:21:57 AM	0.007
8:22:57 AM	0.007
8:23:57 AM	0.007
8:24:57 AM	0.006
8:25:57 AM	0.007
8:26:57 AM	0.008
8:27:57 AM	0.009
8:28:57 AM	0.008
8:29:57 AM	0.008
8:30:57 AM	0.009
8:31:57 AM	0.01
8:32:57 AM	0.01
8:33:57 AM	0.008
8:34:57 AM	0.008
8:35:57 AM	0.009
8:36:57 AM	0.009
8:37:57 AM	0.008

8:38:57 AM	0.016
8:39:57 AM	0.018
8:40:57 AM	0.01
8:41:57 AM	0.01
8:42:57 AM	0.01
8:43:57 AM	0.01
8:44:57 AM	0.009
8:45:57 AM	0.009
8:46:57 AM	0.008
8:47:57 AM	0.007
8:48:57 AM	0.007
8:49:57 AM	0.007
8:50:57 AM	0.009
8:51:57 AM	0.007
8:52:57 AM	0.006
8:53:57 AM	0.007
8:54:57 AM	0.006
8:55:57 AM	0.007
8:56:57 AM	0.006
8:57:57 AM	0.006
8:58:57 AM	0.007
8:59:57 AM	0.006
9:00:57 AM	0.005
9:01:57 AM	0.004
9:02:57 AM	0.005
9:03:57 AM	0.005
9:04:57 AM	0.006
9:05:57 AM	0.006
9:06:57 AM	0.006
9:07:57 AM	0.005
9:08:57 AM	0.005
9:09:57 AM	0.005
9:10:57 AM	0.004
9:11:57 AM	0.005
9:12:57 AM	0.005
9:13:57 AM	0.005
9:14:57 AM	0.005
9:15:57 AM	0.005
9:16:57 AM	0.006
9:17:57 AM	0.006
9:18:57 AM	0.007
9:19:57 AM	0.009
9:20:57 AM	0.008
9:21:57 AM	0.006

9:22:57 AM	0.005
9:23:57 AM	0.006
9:24:57 AM	0.006
9:25:57 AM	0.006
9:26:57 AM	0.006
9:27:57 AM	0.005
9:28:57 AM	0.005
9:29:57 AM	0.004
9:30:57 AM	0.005
9:31:57 AM	0.005
9:32:57 AM	0.005
9:33:57 AM	0.005
9:34:57 AM	0.005
9:35:57 AM	0.005
9:36:57 AM	0.004
9:37:57 AM	0.005
9:38:57 AM	0.006
9:39:57 AM	0.006
9:40:57 AM	0.005
9:41:57 AM	0.005
9:42:57 AM	0.005
9:43:57 AM	0.005
9:44:57 AM	0.005
9:45:57 AM	0.005
9:46:57 AM	0.005
9:47:57 AM	0.006
9:48:57 AM	0.006
9:49:57 AM	0.006
9:50:57 AM	0.005
9:51:57 AM	0.004
9:52:57 AM	0.005
9:53:57 AM	0.005
9:54:57 AM	0.009
9:55:57 AM	0.008
9:56:57 AM	0.006
9:57:57 AM	0.005
9:58:57 AM	0.007
9:59:57 AM	0.006
10:00:57 AM	0.006
10:01:57 AM	0.007
10:02:57 AM	0.006
10:03:57 AM	0.005
10:04:57 AM	0.005
10:05:57 AM	0.005

10:06:57 AM	0.005
10:07:57 AM	0.007
10:08:57 AM	0.007
10:09:57 AM	0.006
10:10:57 AM	0.007
10:11:57 AM	0.006
10:12:57 AM	0.006
10:13:57 AM	0.005
10:14:57 AM	0.006
10:15:57 AM	0.006
10:16:57 AM	0.005
10:17:57 AM	0.005
10:18:57 AM	0.005
10:19:57 AM	0.005
10:20:57 AM	0.006
10:21:57 AM	0.01
10:22:57 AM	0.01
10:23:57 AM	0.008
10:24:57 AM	0.007
10:25:57 AM	0.01
10:26:57 AM	0.008
10:27:57 AM	0.009
10:28:57 AM	0.008
10:29:57 AM	0.007
10:30:57 AM	0.009
10:31:57 AM	0.009
10:32:57 AM	0.008
10:33:57 AM	0.008
10:34:57 AM	0.009
10:35:57 AM	0.009
10:36:57 AM	0.009
10:37:57 AM	0.008
10:38:57 AM	0.008
10:39:57 AM	0.009
10:40:57 AM	0.009
10:41:57 AM	0.009
10:42:57 AM	0.009
10:43:57 AM	0.008
10:44:57 AM	0.009
10:45:57 AM	0.008
10:46:57 AM	0.009
10:47:57 AM	0.01
10:48:57 AM	0.009
10:49:57 AM	0.008

10:50:57 AM	0.009
10:51:57 AM	0.009
10:52:57 AM	0.009
10:53:57 AM	0.007
10:54:57 AM	0.009
10:55:57 AM	0.01
10:56:57 AM	0.009
10:57:57 AM	0.009
10:58:57 AM	0.009
10:59:57 AM	0.008
11:00:57 AM	0.009
11:01:57 AM	0.01
11:02:57 AM	0.011
11:03:57 AM	0.011
11:04:57 AM	0.008
11:05:57 AM	0.008
11:06:57 AM	0.007
11:07:57 AM	0.007
11:08:57 AM	0.009
11:09:57 AM	0.009
11:10:57 AM	0.009
11:11:57 AM	0.009
11:12:57 AM	0.01
11:13:57 AM	0.011
11:14:57 AM	0.011
11:15:57 AM	0.013
11:16:57 AM	0.01
11:17:57 AM	0.008
11:18:57 AM	0.009
11:19:57 AM	0.01
11:20:57 AM	0.009
11:21:57 AM	0.009
11:22:57 AM	0.009
11:23:57 AM	0.01
11:24:57 AM	0.01
11:25:57 AM	0.011
11:26:57 AM	0.012
11:27:57 AM	0.011
11:28:57 AM	0.012
11:29:57 AM	0.016
11:30:57 AM	0.014
11:31:57 AM	0.014
11:32:57 AM	0.014
11:33:57 AM	0.016

11:34:57 AM	0.014
11:35:57 AM	0.012
11:36:57 AM	0.014
11:37:57 AM	0.012
11:38:57 AM	0.012
11:39:57 AM	0.013
11:40:57 AM	0.01
11:41:57 AM	0.009
11:42:57 AM	0.011
11:43:57 AM	0.012
11:44:57 AM	0.013
11:45:57 AM	0.012
11:46:57 AM	0.011
11:47:57 AM	0.01
11:48:57 AM	0.011
11:49:57 AM	0.01
11:50:57 AM	0.01
11:51:57 AM	0.011
11:52:57 AM	0.013
11:53:57 AM	0.011
11:54:57 AM	0.01
11:55:57 AM	0.011
11:56:57 AM	0.011
11:57:57 AM	0.013
11:58:57 AM	0.012
11:59:57 AM	0.013
12:00:57 PM	0.015
12:01:57 PM	0.012
12:02:57 PM	0.012
12:03:57 PM	0.011
12:04:57 PM	0.014
12:05:57 PM	0.013
12:06:57 PM	0.011
12:07:57 PM	0.01
12:08:57 PM	0.01
12:09:57 PM	0.01
12:10:57 PM	0.01
12:11:57 PM	0.009
12:12:57 PM	0.009
12:13:57 PM	0.009
12:14:57 PM	0.009
12:15:57 PM	0.009
12:16:57 PM	0.01
12:17:57 PM	0.01

12:18:57 PM	0.01
12:19:57 PM	0.009
12:20:57 PM	0.01
12:21:57 PM	0.01
12:22:57 PM	0.012
12:23:57 PM	0.011
12:24:57 PM	0.01
12:25:57 PM	0.01
12:26:57 PM	0.011
12:27:57 PM	0.01
12:28:57 PM	0.01
12:29:57 PM	0.01
12:30:57 PM	0.01
12:31:57 PM	0.011
12:32:57 PM	0.011
12:33:57 PM	0.012
12:34:57 PM	0.011
12:35:57 PM	0.015
12:36:57 PM	0.015
12:37:57 PM	0.012
12:38:57 PM	0.01
12:39:57 PM	0.011
12:40:57 PM	0.01
12:41:57 PM	0.011
12:42:57 PM	0.015
12:43:57 PM	0.016
12:44:57 PM	0.014
12:45:57 PM	0.016
12:46:57 PM	0.015
12:47:57 PM	0.011
12:48:57 PM	0.011
12:49:57 PM	0.013
12:50:57 PM	0.015
12:51:57 PM	0.009
12:52:57 PM	0.009
12:53:57 PM	0.009
12:54:57 PM	0.009
12:55:57 PM	0.01
12:56:57 PM	0.009
12:57:57 PM	0.009
12:58:57 PM	0.011
12:59:57 PM	0.011
1:00:57 PM	0.009
1:01:57 PM	0.008

1:02:57 PM	0.009
1:03:57 PM	0.008
1:04:57 PM	0.01
1:05:57 PM	0.009
1:06:57 PM	0.011
1:07:57 PM	0.009
1:08:57 PM	0.009
1:09:57 PM	0.008
1:10:57 PM	0.008
1:11:57 PM	0.01
1:12:57 PM	0.01
1:13:57 PM	0.01
1:14:57 PM	0.009
1:15:57 PM	0.009
1:16:57 PM	0.009
1:17:57 PM	0.009
1:18:57 PM	0.012
1:19:57 PM	0.011
1:20:57 PM	0.01
1:21:57 PM	0.009
1:22:57 PM	0.01
1:23:57 PM	0.01
1:24:57 PM	0.011
1:25:57 PM	0.013
1:26:57 PM	0.012
1:27:57 PM	0.011
1:28:57 PM	0.012
1:29:57 PM	0.014
1:30:57 PM	0.013
1:31:57 PM	0.012
1:32:57 PM	0.012
1:33:57 PM	0.012
1:34:57 PM	0.012
1:35:57 PM	0.012
1:36:57 PM	0.012
1:37:57 PM	0.013
1:38:57 PM	0.012
1:39:57 PM	0.012
1:40:57 PM	0.011
1:41:57 PM	0.012
1:42:57 PM	0.011
1:43:57 PM	0.011
1:44:57 PM	0.012
1:45:57 PM	0.011

1:46:57 PM	0.011
1:47:57 PM	0.013
1:48:57 PM	0.013
1:49:57 PM	0.014
1:50:57 PM	0.014
1:51:57 PM	0.013
1:52:57 PM	0.011
1:53:57 PM	0.011
1:54:57 PM	0.013
1:55:57 PM	0.013
1:56:57 PM	0.012
1:57:57 PM	0.013
1:58:57 PM	0.014
1:59:57 PM	0.013
2:00:57 PM	0.016
2:01:57 PM	0.016
2:02:57 PM	0.013
2:03:57 PM	0.013
2:04:57 PM	0.013
2:05:57 PM	0.013
2:06:57 PM	0.013
2:07:57 PM	0.014
2:08:57 PM	0.015
2:09:57 PM	0.016
2:10:57 PM	0.018
2:11:57 PM	0.017
2:12:57 PM	0.016
2:13:57 PM	0.017
2:14:57 PM	0.019
2:15:57 PM	0.018
2:16:57 PM	0.017
2:17:57 PM	0.016
2:18:57 PM	0.016
2:19:57 PM	0.016
2:20:57 PM	0.017
2:21:57 PM	0.016
2:22:57 PM	0.016
2:23:57 PM	0.016
2:24:57 PM	0.015
2:25:57 PM	0.015
2:26:57 PM	0.015
2:27:57 PM	0.017
2:28:57 PM	0.018
2:29:57 PM	0.016

2:30:57 PM	0.018
2:31:57 PM	0.018
2:32:57 PM	0.017
2:33:57 PM	0.017
2:34:57 PM	0.017
2:35:57 PM	0.018
2:36:57 PM	0.021
2:37:57 PM	0.017
2:38:57 PM	0.017
2:39:57 PM	0.016
2:40:57 PM	0.014
2:41:57 PM	0.015
2:42:57 PM	0.016
2:43:57 PM	0.016
2:44:57 PM	0.017
2:45:57 PM	0.018
2:46:57 PM	0.018
2:47:57 PM	0.017
2:48:57 PM	0.016
2:49:57 PM	0.017
2:50:57 PM	0.016
2:51:57 PM	0.018
2:52:57 PM	0.016
2:53:57 PM	0.018
2:54:57 PM	0.018
2:55:57 PM	0.019
2:56:57 PM	0.019
2:57:57 PM	0.02
2:58:57 PM	0.023
2:59:57 PM	0.022
3:00:57 PM	0.017
3:01:57 PM	0.015
3:02:57 PM	0.017
3:03:57 PM	0.019
3:04:57 PM	0.015
3:05:57 PM	0.015
3:06:57 PM	0.016
3:07:57 PM	0.015
3:08:57 PM	0.014
3:09:57 PM	0.014
3:10:57 PM	0.014
3:11:57 PM	0.014
3:12:57 PM	0.014
3:13:57 PM	0.015

3:14:57 PM	0.014
3:15:57 PM	0.012
3:16:57 PM	0.012
3:17:57 PM	0.012
3:18:57 PM	0.012
3:19:57 PM	0.012
3:20:57 PM	0.011
3:21:57 PM	0.011
3:22:57 PM	0.012
3:23:57 PM	0.015
3:24:57 PM	0.014
3:25:57 PM	0.012
3:26:57 PM	0.013
3:27:57 PM	0.013
3:28:57 PM	0.013
3:29:57 PM	0.014
3:30:57 PM	0.014
3:31:57 PM	0.014

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	3/5/2024 17:16	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:15	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:14	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:13	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:12	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:11	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:10	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:09	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:08	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:07	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:06	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:05	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:04	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:03	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 17:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 16:45	Readings	PID	SC23030449A8	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/5/2024 13:26 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:25 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:24 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:23 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:22 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:21 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:20 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:19 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:18 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:17 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:16 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:15 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:14 Readings	PID	SC23030449A8	Normal	0.4
592-600853	3/5/2024 13:13 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:12 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:11 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 13:10 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:09 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:08 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:07 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:06 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:05 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:04 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:03 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:02 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:01 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 13:00 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:59 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:58 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:57 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:56 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:55 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 12:54 Readings	PID	SC23030449A8	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/5/2024 10:08 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 10:07 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 10:06 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 10:05 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 10:04 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 10:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 10:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 10:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 10:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:59 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 9:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:49 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/5/2024 9:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:45 Readings	PID	SC23030449A8	Normal	0.3
592-600853	3/5/2024 9:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:36 Readings	PID	SC23030449A8	Normal	0.1

592-600853	3/5/2024 9:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/5/2024 9:12 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	7:57:02 AM
Test Start Date	3/5/2024
Test Length [D:H:M]	0:07:39
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.01
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.085
Mass TWA [mg/m3]	0.01
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	459

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:57:02 AM	0.085		
7:58:02 AM	0.007		
7:59:02 AM	0.008		
8:00:02 AM	0.007		
8:01:02 AM	0.007		
8:02:02 AM	0.007		
8:03:02 AM	0.007		
8:04:02 AM	0.007		
8:05:02 AM	0.008		
8:06:02 AM	0.008		
8:07:02 AM	0.007		
8:08:02 AM	0.008		
8:09:02 AM	0.007		
8:10:02 AM	0.008		
8:11:02 AM	0.007		
8:12:02 AM	0.008		
8:13:02 AM	0.008		
8:14:02 AM	0.008		
8:15:02 AM	0.008		
8:16:02 AM	0.008		
8:17:02 AM	0.008		
8:18:02 AM	0.008		
8:19:02 AM	0.007		
8:20:02 AM	0.007		

8:21:02 AM	0.008
8:22:02 AM	0.007
8:23:02 AM	0.007
8:24:02 AM	0.006
8:25:02 AM	0.007
8:26:02 AM	0.006
8:27:02 AM	0.006
8:28:02 AM	0.006
8:29:02 AM	0.006
8:30:02 AM	0.007
8:31:02 AM	0.006
8:32:02 AM	0.006
8:33:02 AM	0.006
8:34:02 AM	0.007
8:35:02 AM	0.007
8:36:02 AM	0.007
8:37:02 AM	0.008
8:38:02 AM	0.007
8:39:02 AM	0.008
8:40:02 AM	0.008
8:41:02 AM	0.008
8:42:02 AM	0.009
8:43:02 AM	0.007
8:44:02 AM	0.008
8:45:02 AM	0.008
8:46:02 AM	0.007
8:47:02 AM	0.007
8:48:02 AM	0.009
8:49:02 AM	0.007
8:50:02 AM	0.006
8:51:02 AM	0.006
8:52:02 AM	0.007
8:53:02 AM	0.006
8:54:02 AM	0.005
8:55:02 AM	0.005
8:56:02 AM	0.007
8:57:02 AM	0.007
8:58:02 AM	0.007
8:59:02 AM	0.006
9:00:02 AM	0.006
9:01:02 AM	0.006
9:02:02 AM	0.009
9:03:02 AM	0.006
9:04:02 AM	0.006

9:05:02 AM	0.005
9:06:02 AM	0.005
9:07:02 AM	0.006
9:08:02 AM	0.006
9:09:02 AM	0.005
9:10:02 AM	0.004
9:11:02 AM	0.005
9:12:02 AM	0.005
9:13:02 AM	0.004
9:14:02 AM	0.005
9:15:02 AM	0.005
9:16:02 AM	0.006
9:17:02 AM	0.005
9:18:02 AM	0.005
9:19:02 AM	0.004
9:20:02 AM	0.004
9:21:02 AM	0.005
9:22:02 AM	0.005
9:23:02 AM	0.006
9:24:02 AM	0.006
9:25:02 AM	0.006
9:26:02 AM	0.005
9:27:02 AM	0.006
9:28:02 AM	0.006
9:29:02 AM	0.005
9:30:02 AM	0.005
9:31:02 AM	0.006
9:32:02 AM	0.005
9:33:02 AM	0.005
9:34:02 AM	0.005
9:35:02 AM	0.005
9:36:02 AM	0.005
9:37:02 AM	0.005
9:38:02 AM	0.005
9:39:02 AM	0.005
9:40:02 AM	0.005
9:41:02 AM	0.006
9:42:02 AM	0.005
9:43:02 AM	0.005
9:44:02 AM	0.005
9:45:02 AM	0.005
9:46:02 AM	0.005
9:47:02 AM	0.005
9:48:02 AM	0.006

9:49:02 AM	0.005
9:50:02 AM	0.004
9:51:02 AM	0.004
9:52:02 AM	0.004
9:53:02 AM	0.005
9:54:02 AM	0.005
9:55:02 AM	0.005
9:56:02 AM	0.005
9:57:02 AM	0.005
9:58:02 AM	0.005
9:59:02 AM	0.004
10:00:02 AM	0.005
10:01:02 AM	0.004
10:02:02 AM	0.005
10:03:02 AM	0.005
10:04:02 AM	0.006
10:05:02 AM	0.007
10:06:02 AM	0.005
10:07:02 AM	0.005
10:08:02 AM	0.005
10:09:02 AM	0.005
10:10:02 AM	0.005
10:11:02 AM	0.006
10:12:02 AM	0.007
10:13:02 AM	0.005
10:14:02 AM	0.005
10:15:02 AM	0.005
10:16:02 AM	0.005
10:17:02 AM	0.005
10:18:02 AM	0.006
10:19:02 AM	0.005
10:20:02 AM	0.006
10:21:02 AM	0.005
10:22:02 AM	0.005
10:23:02 AM	0.006
10:24:02 AM	0.006
10:25:02 AM	0.006
10:26:02 AM	0.006
10:27:02 AM	0.005
10:28:02 AM	0.004
10:29:02 AM	0.004
10:30:02 AM	0.006
10:31:02 AM	0.005
10:32:02 AM	0.007

10:33:02 AM	0.006
10:34:02 AM	0.007
10:35:02 AM	0.007
10:36:02 AM	0.006
10:37:02 AM	0.007
10:38:02 AM	0.007
10:39:02 AM	0.007
10:40:02 AM	0.007
10:41:02 AM	0.007
10:42:02 AM	0.008
10:43:02 AM	0.008
10:44:02 AM	0.009
10:45:02 AM	0.01
10:46:02 AM	0.017
10:47:02 AM	0.008
10:48:02 AM	0.01
10:49:02 AM	0.012
10:50:02 AM	0.011
10:51:02 AM	0.011
10:52:02 AM	0.011
10:53:02 AM	0.01
10:54:02 AM	0.011
10:55:02 AM	0.009
10:56:02 AM	0.01
10:57:02 AM	0.008
10:58:02 AM	0.009
10:59:02 AM	0.009
11:00:02 AM	0.009
11:01:02 AM	0.008
11:02:02 AM	0.008
11:03:02 AM	0.008
11:04:02 AM	0.008
11:05:02 AM	0.008
11:06:02 AM	0.008
11:07:02 AM	0.009
11:08:02 AM	0.007
11:09:02 AM	0.008
11:10:02 AM	0.01
11:11:02 AM	0.01
11:12:02 AM	0.009
11:13:02 AM	0.009
11:14:02 AM	0.009
11:15:02 AM	0.007
11:16:02 AM	0.007

11:17:02 AM	0.011
11:18:02 AM	0.008
11:19:02 AM	0.009
11:20:02 AM	0.009
11:21:02 AM	0.01
11:22:02 AM	0.01
11:23:02 AM	0.01
11:24:02 AM	0.011
11:25:02 AM	0.01
11:26:02 AM	0.008
11:27:02 AM	0.008
11:28:02 AM	0.008
11:29:02 AM	0.009
11:30:02 AM	0.009
11:31:02 AM	0.02
11:32:02 AM	0.03
11:33:02 AM	0.01
11:34:02 AM	0.038
11:35:02 AM	0.035
11:36:02 AM	0.015
11:37:02 AM	0.016
11:38:02 AM	0.033
11:39:02 AM	0.016
11:40:02 AM	0.025
11:41:02 AM	0.011
11:42:02 AM	0.011
11:43:02 AM	0.012
11:44:02 AM	0.011
11:45:02 AM	0.018
11:46:02 AM	0.015
11:47:02 AM	0.01
11:48:02 AM	0.013
11:49:02 AM	0.013
11:50:02 AM	0.012
11:51:02 AM	0.017
11:52:02 AM	0.014
11:53:02 AM	0.013
11:54:02 AM	0.013
11:55:02 AM	0.011
11:56:02 AM	0.014
11:57:02 AM	0.01
11:58:02 AM	0.009
11:59:02 AM	0.025
12:00:02 PM	0.011

12:01:02 PM	0.018
12:02:02 PM	0.018
12:03:02 PM	0.012
12:04:02 PM	0.024
12:05:02 PM	0.021
12:06:02 PM	0.015
12:07:02 PM	0.011
12:08:02 PM	0.008
12:09:02 PM	0.01
12:10:02 PM	0.009
12:11:02 PM	0.012
12:12:02 PM	0.018
12:13:02 PM	0.016
12:14:02 PM	0.01
12:15:02 PM	0.01
12:16:02 PM	0.01
12:17:02 PM	0.01
12:18:02 PM	0.009
12:19:02 PM	0.009
12:20:02 PM	0.01
12:21:02 PM	0.009
12:22:02 PM	0.009
12:23:02 PM	0.009
12:24:02 PM	0.009
12:25:02 PM	0.009
12:26:02 PM	0.011
12:27:02 PM	0.009
12:28:02 PM	0.01
12:29:02 PM	0.009
12:30:02 PM	0.009
12:31:02 PM	0.01
12:32:02 PM	0.011
12:33:02 PM	0.015
12:34:02 PM	0.01
12:35:02 PM	0.009
12:36:02 PM	0.009
12:37:02 PM	0.011
12:38:02 PM	0.018
12:39:02 PM	0.014
12:40:02 PM	0.016
12:41:02 PM	0.018
12:42:02 PM	0.011
12:43:02 PM	0.011
12:44:02 PM	0.011

12:45:02 PM	0.012
12:46:02 PM	0.011
12:47:02 PM	0.01
12:48:02 PM	0.011
12:49:02 PM	0.011
12:50:02 PM	0.01
12:51:02 PM	0.01
12:52:02 PM	0.011
12:53:02 PM	0.011
12:54:02 PM	0.012
12:55:02 PM	0.012
12:56:02 PM	0.009
12:57:02 PM	0.01
12:58:02 PM	0.011
12:59:02 PM	0.011
1:00:02 PM	0.009
1:01:02 PM	0.009
1:02:02 PM	0.018
1:03:02 PM	0.011
1:04:02 PM	0.024
1:05:02 PM	0.012
1:06:02 PM	0.008
1:07:02 PM	0.011
1:08:02 PM	0.011
1:09:02 PM	0.008
1:10:02 PM	0.012
1:11:02 PM	0.009
1:12:02 PM	0.008
1:13:02 PM	0.009
1:14:02 PM	0.008
1:15:02 PM	0.009
1:16:02 PM	0.008
1:17:02 PM	0.009
1:18:02 PM	0.008
1:19:02 PM	0.009
1:20:02 PM	0.009
1:21:02 PM	0.009
1:22:02 PM	0.009
1:23:02 PM	0.009
1:24:02 PM	0.009
1:25:02 PM	0.008
1:26:02 PM	0.009
1:27:02 PM	0.01
1:28:02 PM	0.009

1:29:02 PM	0.009
1:30:02 PM	0.009
1:31:02 PM	0.009
1:32:02 PM	0.01
1:33:02 PM	0.01
1:34:02 PM	0.011
1:35:02 PM	0.01
1:36:02 PM	0.01
1:37:02 PM	0.01
1:38:02 PM	0.01
1:39:02 PM	0.011
1:40:02 PM	0.011
1:41:02 PM	0.012
1:42:02 PM	0.011
1:43:02 PM	0.011
1:44:02 PM	0.011
1:45:02 PM	0.012
1:46:02 PM	0.012
1:47:02 PM	0.011
1:48:02 PM	0.011
1:49:02 PM	0.01
1:50:02 PM	0.01
1:51:02 PM	0.012
1:52:02 PM	0.011
1:53:02 PM	0.012
1:54:02 PM	0.011
1:55:02 PM	0.011
1:56:02 PM	0.011
1:57:02 PM	0.011
1:58:02 PM	0.012
1:59:02 PM	0.012
2:00:02 PM	0.011
2:01:02 PM	0.012
2:02:02 PM	0.011
2:03:02 PM	0.014
2:04:02 PM	0.013
2:05:02 PM	0.012
2:06:02 PM	0.011
2:07:02 PM	0.012
2:08:02 PM	0.012
2:09:02 PM	0.013
2:10:02 PM	0.013
2:11:02 PM	0.013
2:12:02 PM	0.013

2:13:02 PM	0.013
2:14:02 PM	0.014
2:15:02 PM	0.015
2:16:02 PM	0.015
2:17:02 PM	0.015
2:18:02 PM	0.015
2:19:02 PM	0.016
2:20:02 PM	0.016
2:21:02 PM	0.016
2:22:02 PM	0.016
2:23:02 PM	0.016
2:24:02 PM	0.016
2:25:02 PM	0.016
2:26:02 PM	0.015
2:27:02 PM	0.016
2:28:02 PM	0.015
2:29:02 PM	0.016
2:30:02 PM	0.016
2:31:02 PM	0.015
2:32:02 PM	0.015
2:33:02 PM	0.015
2:34:02 PM	0.013
2:35:02 PM	0.014
2:36:02 PM	0.015
2:37:02 PM	0.015
2:38:02 PM	0.015
2:39:02 PM	0.015
2:40:02 PM	0.016
2:41:02 PM	0.017
2:42:02 PM	0.017
2:43:02 PM	0.018
2:44:02 PM	0.017
2:45:02 PM	0.016
2:46:02 PM	0.015
2:47:02 PM	0.016
2:48:02 PM	0.015
2:49:02 PM	0.014
2:50:02 PM	0.014
2:51:02 PM	0.015
2:52:02 PM	0.016
2:53:02 PM	0.016
2:54:02 PM	0.016
2:55:02 PM	0.016
2:56:02 PM	0.016

2:57:02 PM	0.016
2:58:02 PM	0.016
2:59:02 PM	0.016
3:00:02 PM	0.017
3:01:02 PM	0.015
3:02:02 PM	0.016
3:03:02 PM	0.015
3:04:02 PM	0.016
3:05:02 PM	0.016
3:06:02 PM	0.018
3:07:02 PM	0.018
3:08:02 PM	0.02
3:09:02 PM	0.016
3:10:02 PM	0.015
3:11:02 PM	0.014
3:12:02 PM	0.014
3:13:02 PM	0.014
3:14:02 PM	0.014
3:15:02 PM	0.012
3:16:02 PM	0.012
3:17:02 PM	0.014
3:18:02 PM	0.014
3:19:02 PM	0.014
3:20:02 PM	0.014
3:21:02 PM	0.014
3:22:02 PM	0.014
3:23:02 PM	0.014
3:24:02 PM	0.013
3:25:02 PM	0.012
3:26:02 PM	0.012
3:27:02 PM	0.012
3:28:02 PM	0.011
3:29:02 PM	0.011
3:30:02 PM	0.011
3:31:02 PM	0.012
3:32:02 PM	0.012
3:33:02 PM	0.012
3:34:02 PM	0.013
3:35:02 PM	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/5/2024 16:55	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:54	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:53	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:52	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 16:24	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/5/2024 11:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/5/2024 11:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:48 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:47 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:44 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:43 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:42 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:41 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 11:27 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

592-000289	3/5/2024 10:20 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:19 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:18 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:17 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:48 Readings	PID	SC23030140W3	Normal	0

592-000289	3/5/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:44 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:43 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:42 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:41 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:27 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:26 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:25 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:24 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:23 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:22 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:21 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:20 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:19 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:18 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:17 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/5/2024 9:15 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_004
Test Start Time	7:55:49 AM
Test Start Date	3/5/2024
Test Length [D:H:M]	0:07:40
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.036
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	460

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:55:49 AM	0.007		
7:56:49 AM	0.006		
7:57:49 AM	0.006		
7:58:49 AM	0.006		
7:59:49 AM	0.006		
8:00:49 AM	0.007		
8:01:49 AM	0.006		
8:02:49 AM	0.006		
8:03:49 AM	0.006		
8:04:49 AM	0.005		
8:05:49 AM	0.005		
8:06:49 AM	0.006		
8:07:49 AM	0.006		
8:08:49 AM	0.006		
8:09:49 AM	0.006		
8:10:49 AM	0.006		
8:11:49 AM	0.005		
8:12:49 AM	0.006		
8:13:49 AM	0.006		
8:14:49 AM	0.007		
8:15:49 AM	0.007		
8:16:49 AM	0.007		
8:17:49 AM	0.006		
8:18:49 AM	0.006		

8:19:49 AM	0.007
8:20:49 AM	0.008
8:21:49 AM	0.006
8:22:49 AM	0.006
8:23:49 AM	0.006
8:24:49 AM	0.006
8:25:49 AM	0.005
8:26:49 AM	0.006
8:27:49 AM	0.005
8:28:49 AM	0.005
8:29:49 AM	0.005
8:30:49 AM	0.005
8:31:49 AM	0.006
8:32:49 AM	0.005
8:33:49 AM	0.005
8:34:49 AM	0.005
8:35:49 AM	0.005
8:36:49 AM	0.006
8:37:49 AM	0.006
8:38:49 AM	0.006
8:39:49 AM	0.006
8:40:49 AM	0.006
8:41:49 AM	0.007
8:42:49 AM	0.007
8:43:49 AM	0.007
8:44:49 AM	0.006
8:45:49 AM	0.007
8:46:49 AM	0.006
8:47:49 AM	0.006
8:48:49 AM	0.007
8:49:49 AM	0.007
8:50:49 AM	0.006
8:51:49 AM	0.005
8:52:49 AM	0.005
8:53:49 AM	0.005
8:54:49 AM	0.005
8:55:49 AM	0.005
8:56:49 AM	0.005
8:57:49 AM	0.005
8:58:49 AM	0.005
8:59:49 AM	0.005
9:00:49 AM	0.005
9:01:49 AM	0.005
9:02:49 AM	0.006

9:03:49 AM	0.006
9:04:49 AM	0.005
9:05:49 AM	0.006
9:06:49 AM	0.005
9:07:49 AM	0.005
9:08:49 AM	0.005
9:09:49 AM	0.005
9:10:49 AM	0.005
9:11:49 AM	0.004
9:12:49 AM	0.005
9:13:49 AM	0.005
9:14:49 AM	0.005
9:15:49 AM	0.005
9:16:49 AM	0.005
9:17:49 AM	0.005
9:18:49 AM	0.004
9:19:49 AM	0.004
9:20:49 AM	0.004
9:21:49 AM	0.004
9:22:49 AM	0.005
9:23:49 AM	0.005
9:24:49 AM	0.005
9:25:49 AM	0.005
9:26:49 AM	0.006
9:27:49 AM	0.005
9:28:49 AM	0.006
9:29:49 AM	0.007
9:30:49 AM	0.005
9:31:49 AM	0.005
9:32:49 AM	0.005
9:33:49 AM	0.005
9:34:49 AM	0.005
9:35:49 AM	0.005
9:36:49 AM	0.005
9:37:49 AM	0.005
9:38:49 AM	0.005
9:39:49 AM	0.005
9:40:49 AM	0.004
9:41:49 AM	0.005
9:42:49 AM	0.005
9:43:49 AM	0.005
9:44:49 AM	0.005
9:45:49 AM	0.005
9:46:49 AM	0.004

9:47:49 AM	0.005
9:48:49 AM	0.005
9:49:49 AM	0.006
9:50:49 AM	0.005
9:51:49 AM	0.004
9:52:49 AM	0.004
9:53:49 AM	0.004
9:54:49 AM	0.005
9:55:49 AM	0.005
9:56:49 AM	0.005
9:57:49 AM	0.005
9:58:49 AM	0.004
9:59:49 AM	0.004
10:00:49 AM	0.004
10:01:49 AM	0.005
10:02:49 AM	0.004
10:03:49 AM	0.005
10:04:49 AM	0.005
10:05:49 AM	0.005
10:06:49 AM	0.006
10:07:49 AM	0.005
10:08:49 AM	0.005
10:09:49 AM	0.007
10:10:49 AM	0.005
10:11:49 AM	0.005
10:12:49 AM	0.005
10:13:49 AM	0.006
10:14:49 AM	0.005
10:15:49 AM	0.005
10:16:49 AM	0.005
10:17:49 AM	0.005
10:18:49 AM	0.006
10:19:49 AM	0.006
10:20:49 AM	0.005
10:21:49 AM	0.005
10:22:49 AM	0.005
10:23:49 AM	0.005
10:24:49 AM	0.006
10:25:49 AM	0.006
10:26:49 AM	0.005
10:27:49 AM	0.005
10:28:49 AM	0.005
10:29:49 AM	0.006
10:30:49 AM	0.007

10:31:49 AM	0.005
10:32:49 AM	0.005
10:33:49 AM	0.007
10:34:49 AM	0.006
10:35:49 AM	0.007
10:36:49 AM	0.007
10:37:49 AM	0.007
10:38:49 AM	0.031
10:39:49 AM	0.018
10:40:49 AM	0.01
10:41:49 AM	0.008
10:42:49 AM	0.008
10:43:49 AM	0.008
10:44:49 AM	0.007
10:45:49 AM	0.008
10:46:49 AM	0.01
10:47:49 AM	0.008
10:48:49 AM	0.008
10:49:49 AM	0.009
10:50:49 AM	0.01
10:51:49 AM	0.011
10:52:49 AM	0.009
10:53:49 AM	0.008
10:54:49 AM	0.009
10:55:49 AM	0.009
10:56:49 AM	0.008
10:57:49 AM	0.009
10:58:49 AM	0.008
10:59:49 AM	0.009
11:00:49 AM	0.008
11:01:49 AM	0.008
11:02:49 AM	0.007
11:03:49 AM	0.007
11:04:49 AM	0.007
11:05:49 AM	0.008
11:06:49 AM	0.008
11:07:49 AM	0.008
11:08:49 AM	0.007
11:09:49 AM	0.007
11:10:49 AM	0.008
11:11:49 AM	0.009
11:12:49 AM	0.009
11:13:49 AM	0.009
11:14:49 AM	0.008

11:15:49 AM	0.007
11:16:49 AM	0.007
11:17:49 AM	0.008
11:18:49 AM	0.008
11:19:49 AM	0.008
11:20:49 AM	0.008
11:21:49 AM	0.008
11:22:49 AM	0.009
11:23:49 AM	0.009
11:24:49 AM	0.009
11:25:49 AM	0.009
11:26:49 AM	0.008
11:27:49 AM	0.007
11:28:49 AM	0.008
11:29:49 AM	0.008
11:30:49 AM	0.008
11:31:49 AM	0.01
11:32:49 AM	0.015
11:33:49 AM	0.011
11:34:49 AM	0.009
11:35:49 AM	0.015
11:36:49 AM	0.013
11:37:49 AM	0.011
11:38:49 AM	0.015
11:39:49 AM	0.036
11:40:49 AM	0.014
11:41:49 AM	0.017
11:42:49 AM	0.01
11:43:49 AM	0.011
11:44:49 AM	0.011
11:45:49 AM	0.012
11:46:49 AM	0.018
11:47:49 AM	0.011
11:48:49 AM	0.011
11:49:49 AM	0.015
11:50:49 AM	0.008
11:51:49 AM	0.01
11:52:49 AM	0.013
11:53:49 AM	0.013
11:54:49 AM	0.014
11:55:49 AM	0.011
11:56:49 AM	0.009
11:57:49 AM	0.011
11:58:49 AM	0.011

11:59:49 AM	0.013
12:00:49 PM	0.013
12:01:49 PM	0.01
12:02:49 PM	0.01
12:03:49 PM	0.01
12:04:49 PM	0.009
12:05:49 PM	0.011
12:06:49 PM	0.011
12:07:49 PM	0.009
12:08:49 PM	0.01
12:09:49 PM	0.008
12:10:49 PM	0.009
12:11:49 PM	0.01
12:12:49 PM	0.01
12:13:49 PM	0.017
12:14:49 PM	0.016
12:15:49 PM	0.009
12:16:49 PM	0.009
12:17:49 PM	0.01
12:18:49 PM	0.009
12:19:49 PM	0.009
12:20:49 PM	0.009
12:21:49 PM	0.009
12:22:49 PM	0.009
12:23:49 PM	0.009
12:24:49 PM	0.009
12:25:49 PM	0.009
12:26:49 PM	0.009
12:27:49 PM	0.009
12:28:49 PM	0.008
12:29:49 PM	0.009
12:30:49 PM	0.008
12:31:49 PM	0.009
12:32:49 PM	0.009
12:33:49 PM	0.009
12:34:49 PM	0.014
12:35:49 PM	0.008
12:36:49 PM	0.008
12:37:49 PM	0.008
12:38:49 PM	0.01
12:39:49 PM	0.018
12:40:49 PM	0.009
12:41:49 PM	0.012
12:42:49 PM	0.014

12:43:49 PM	0.01
12:44:49 PM	0.009
12:45:49 PM	0.01
12:46:49 PM	0.01
12:47:49 PM	0.01
12:48:49 PM	0.01
12:49:49 PM	0.01
12:50:49 PM	0.009
12:51:49 PM	0.01
12:52:49 PM	0.01
12:53:49 PM	0.01
12:54:49 PM	0.01
12:55:49 PM	0.01
12:56:49 PM	0.009
12:57:49 PM	0.009
12:58:49 PM	0.009
12:59:49 PM	0.01
1:00:49 PM	0.01
1:01:49 PM	0.008
1:02:49 PM	0.008
1:03:49 PM	0.012
1:04:49 PM	0.01
1:05:49 PM	0.013
1:06:49 PM	0.008
1:07:49 PM	0.009
1:08:49 PM	0.011
1:09:49 PM	0.008
1:10:49 PM	0.008
1:11:49 PM	0.01
1:12:49 PM	0.008
1:13:49 PM	0.008
1:14:49 PM	0.008
1:15:49 PM	0.007
1:16:49 PM	0.008
1:17:49 PM	0.008
1:18:49 PM	0.008
1:19:49 PM	0.008
1:20:49 PM	0.008
1:21:49 PM	0.008
1:22:49 PM	0.008
1:23:49 PM	0.008
1:24:49 PM	0.008
1:25:49 PM	0.008
1:26:49 PM	0.008

1:27:49 PM	0.009
1:28:49 PM	0.009
1:29:49 PM	0.008
1:30:49 PM	0.008
1:31:49 PM	0.008
1:32:49 PM	0.009
1:33:49 PM	0.009
1:34:49 PM	0.009
1:35:49 PM	0.01
1:36:49 PM	0.01
1:37:49 PM	0.009
1:38:49 PM	0.009
1:39:49 PM	0.01
1:40:49 PM	0.01
1:41:49 PM	0.01
1:42:49 PM	0.01
1:43:49 PM	0.01
1:44:49 PM	0.01
1:45:49 PM	0.011
1:46:49 PM	0.011
1:47:49 PM	0.011
1:48:49 PM	0.01
1:49:49 PM	0.01
1:50:49 PM	0.01
1:51:49 PM	0.01
1:52:49 PM	0.01
1:53:49 PM	0.01
1:54:49 PM	0.01
1:55:49 PM	0.01
1:56:49 PM	0.01
1:57:49 PM	0.01
1:58:49 PM	0.011
1:59:49 PM	0.011
2:00:49 PM	0.011
2:01:49 PM	0.01
2:02:49 PM	0.01
2:03:49 PM	0.01
2:04:49 PM	0.01
2:05:49 PM	0.011
2:06:49 PM	0.01
2:07:49 PM	0.011
2:08:49 PM	0.011
2:09:49 PM	0.011
2:10:49 PM	0.012

2:11:49 PM	0.011
2:12:49 PM	0.011
2:13:49 PM	0.011
2:14:49 PM	0.011
2:15:49 PM	0.012
2:16:49 PM	0.012
2:17:49 PM	0.013
2:18:49 PM	0.013
2:19:49 PM	0.013
2:20:49 PM	0.013
2:21:49 PM	0.013
2:22:49 PM	0.013
2:23:49 PM	0.014
2:24:49 PM	0.014
2:25:49 PM	0.014
2:26:49 PM	0.013
2:27:49 PM	0.013
2:28:49 PM	0.013
2:29:49 PM	0.013
2:30:49 PM	0.013
2:31:49 PM	0.013
2:32:49 PM	0.013
2:33:49 PM	0.013
2:34:49 PM	0.012
2:35:49 PM	0.012
2:36:49 PM	0.012
2:37:49 PM	0.013
2:38:49 PM	0.013
2:39:49 PM	0.013
2:40:49 PM	0.013
2:41:49 PM	0.014
2:42:49 PM	0.014
2:43:49 PM	0.014
2:44:49 PM	0.015
2:45:49 PM	0.014
2:46:49 PM	0.014
2:47:49 PM	0.013
2:48:49 PM	0.014
2:49:49 PM	0.013
2:50:49 PM	0.012
2:51:49 PM	0.012
2:52:49 PM	0.014
2:53:49 PM	0.014
2:54:49 PM	0.014

2:55:49 PM	0.014
2:56:49 PM	0.013
2:57:49 PM	0.014
2:58:49 PM	0.014
2:59:49 PM	0.014
3:00:49 PM	0.014
3:01:49 PM	0.013
3:02:49 PM	0.013
3:03:49 PM	0.014
3:04:49 PM	0.014
3:05:49 PM	0.015
3:06:49 PM	0.016
3:07:49 PM	0.016
3:08:49 PM	0.016
3:09:49 PM	0.015
3:10:49 PM	0.012
3:11:49 PM	0.012
3:12:49 PM	0.012
3:13:49 PM	0.012
3:14:49 PM	0.012
3:15:49 PM	0.011
3:16:49 PM	0.011
3:17:49 PM	0.011
3:18:49 PM	0.012
3:19:49 PM	0.012
3:20:49 PM	0.012
3:21:49 PM	0.012
3:22:49 PM	0.012
3:23:49 PM	0.012
3:24:49 PM	0.012
3:25:49 PM	0.011
3:26:49 PM	0.011
3:27:49 PM	0.011
3:28:49 PM	0.01
3:29:49 PM	0.01
3:30:49 PM	0.01
3:31:49 PM	0.011
3:32:49 PM	0.011
3:33:49 PM	0.011
3:34:49 PM	0.011

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/5/2024 16:55	Readings	PID	SC23030602B4	Normal	0.3
592-602177	3/5/2024 16:54	Readings	PID	SC23030602B5	Normal	0.2
592-602178	3/5/2024 16:53	Readings	PID	SC23030602B6	Normal	0.2
592-602179	3/5/2024 16:52	Readings	PID	SC23030602B7	Normal	0.2
592-602180	3/5/2024 16:51	Readings	PID	SC23030602B8	Normal	0.2
592-602181	3/5/2024 16:50	Readings	PID	SC23030602B9	Normal	0.2
592-602182	3/5/2024 16:49	Readings	PID	SC23030602B10	Normal	0.2
592-602183	3/5/2024 16:48	Readings	PID	SC23030602B11	Normal	0.2
592-602184	3/5/2024 16:47	Readings	PID	SC23030602B12	Normal	0.2
592-602185	3/5/2024 16:46	Readings	PID	SC23030602B13	Normal	0.2
592-602186	3/5/2024 16:45	Readings	PID	SC23030602B14	Normal	0.2
592-602187	3/5/2024 16:44	Readings	PID	SC23030602B15	Normal	0.2
592-602188	3/5/2024 16:43	Readings	PID	SC23030602B16	Normal	0.2
592-602189	3/5/2024 16:42	Readings	PID	SC23030602B17	Normal	0.2
592-602190	3/5/2024 16:41	Readings	PID	SC23030602B18	Normal	0.2
592-602191	3/5/2024 16:40	Readings	PID	SC23030602B19	Normal	0.2
592-602192	3/5/2024 16:39	Readings	PID	SC23030602B20	Normal	0.2
592-602193	3/5/2024 16:38	Readings	PID	SC23030602B21	Normal	0.2
592-602194	3/5/2024 16:37	Readings	PID	SC23030602B22	Normal	0.2
592-602195	3/5/2024 16:36	Readings	PID	SC23030602B23	Normal	0.2
592-602196	3/5/2024 16:35	Readings	PID	SC23030602B24	Normal	0.3
592-602197	3/5/2024 16:34	Readings	PID	SC23030602B25	Normal	0.2
592-602198	3/5/2024 16:33	Readings	PID	SC23030602B26	Normal	0.2
592-602199	3/5/2024 16:32	Readings	PID	SC23030602B27	Normal	0.2
592-602200	3/5/2024 16:31	Readings	PID	SC23030602B28	Normal	0.2
592-602201	3/5/2024 16:30	Readings	PID	SC23030602B29	Normal	0.2
592-602202	3/5/2024 16:29	Readings	PID	SC23030602B30	Normal	0.2
592-602203	3/5/2024 16:28	Readings	PID	SC23030602B31	Normal	0.2
592-602204	3/5/2024 16:27	Readings	PID	SC23030602B32	Normal	0.2
592-602205	3/5/2024 16:26	Readings	PID	SC23030602B33	Normal	0.2
592-602206	3/5/2024 16:25	Readings	PID	SC23030602B34	Normal	0.2
592-602207	3/5/2024 16:24	Readings	PID	SC23030602B35	Normal	0.2

592-602208	3/5/2024 16:23 Readings	PID	SC23030602B36	Normal	0.2
592-602209	3/5/2024 16:22 Readings	PID	SC23030602B37	Normal	0.2
592-602210	3/5/2024 16:21 Readings	PID	SC23030602B38	Normal	0.2
592-602211	3/5/2024 16:20 Readings	PID	SC23030602B39	Normal	0.2
592-602212	3/5/2024 16:19 Readings	PID	SC23030602B40	Normal	0.2
592-602213	3/5/2024 16:18 Readings	PID	SC23030602B41	Normal	0.2
592-602214	3/5/2024 16:17 Readings	PID	SC23030602B42	Normal	0.2
592-602215	3/5/2024 16:16 Readings	PID	SC23030602B43	Normal	0.2
592-602216	3/5/2024 16:15 Readings	PID	SC23030602B44	Normal	0.2
592-602217	3/5/2024 16:14 Readings	PID	SC23030602B45	Normal	0.2
592-602218	3/5/2024 16:13 Readings	PID	SC23030602B46	Normal	0.3
592-602219	3/5/2024 16:12 Readings	PID	SC23030602B47	Normal	0.3
592-602220	3/5/2024 16:11 Readings	PID	SC23030602B48	Normal	0.3
592-602221	3/5/2024 16:10 Readings	PID	SC23030602B49	Normal	0.2
592-602222	3/5/2024 16:09 Readings	PID	SC23030602B50	Normal	0.2
592-602223	3/5/2024 16:08 Readings	PID	SC23030602B51	Normal	0.2
592-602224	3/5/2024 16:07 Readings	PID	SC23030602B52	Normal	0.2
592-602225	3/5/2024 16:06 Readings	PID	SC23030602B53	Normal	0.2
592-602226	3/5/2024 16:05 Readings	PID	SC23030602B54	Normal	0.2
592-602227	3/5/2024 16:04 Readings	PID	SC23030602B55	Normal	0.2
592-602228	3/5/2024 16:03 Readings	PID	SC23030602B56	Normal	0.2
592-602229	3/5/2024 16:02 Readings	PID	SC23030602B57	Normal	0.2
592-602230	3/5/2024 16:01 Readings	PID	SC23030602B58	Normal	0.2
592-602231	3/5/2024 16:00 Readings	PID	SC23030602B59	Normal	0.3
592-602232	3/5/2024 15:59 Readings	PID	SC23030602B60	Normal	0.3
592-602233	3/5/2024 15:58 Readings	PID	SC23030602B61	Normal	0.3
592-602234	3/5/2024 15:57 Readings	PID	SC23030602B62	Normal	0.3
592-602235	3/5/2024 15:56 Readings	PID	SC23030602B63	Normal	0.2
592-602236	3/5/2024 15:55 Readings	PID	SC23030602B64	Normal	0.2
592-602237	3/5/2024 15:54 Readings	PID	SC23030602B65	Normal	0.2
592-602238	3/5/2024 15:53 Readings	PID	SC23030602B66	Normal	0.2
592-602239	3/5/2024 15:52 Readings	PID	SC23030602B67	Normal	0.2
592-602240	3/5/2024 15:51 Readings	PID	SC23030602B68	Normal	0.2

592-602241	3/5/2024 15:50 Readings	PID	SC23030602B69	Normal	0.2
592-602242	3/5/2024 15:49 Readings	PID	SC23030602B70	Normal	0.2
592-602243	3/5/2024 15:48 Readings	PID	SC23030602B71	Normal	0.2
592-602244	3/5/2024 15:47 Readings	PID	SC23030602B72	Normal	0.2
592-602245	3/5/2024 15:46 Readings	PID	SC23030602B73	Normal	0.2
592-602246	3/5/2024 15:45 Readings	PID	SC23030602B74	Normal	0.2
592-602247	3/5/2024 15:44 Readings	PID	SC23030602B75	Normal	0.2
592-602248	3/5/2024 15:43 Readings	PID	SC23030602B76	Normal	0.2
592-602249	3/5/2024 15:42 Readings	PID	SC23030602B77	Normal	0.2
592-602250	3/5/2024 15:41 Readings	PID	SC23030602B78	Normal	0.2
592-602251	3/5/2024 15:40 Readings	PID	SC23030602B79	Normal	0.2
592-602252	3/5/2024 15:39 Readings	PID	SC23030602B80	Normal	0.2
592-602253	3/5/2024 15:38 Readings	PID	SC23030602B81	Normal	0.2
592-602254	3/5/2024 15:37 Readings	PID	SC23030602B82	Normal	0.2
592-602255	3/5/2024 15:36 Readings	PID	SC23030602B83	Normal	0.2
592-602256	3/5/2024 15:35 Readings	PID	SC23030602B84	Normal	0.2
592-602257	3/5/2024 15:34 Readings	PID	SC23030602B85	Normal	0.2
592-602258	3/5/2024 15:33 Readings	PID	SC23030602B86	Normal	0.2
592-602259	3/5/2024 15:32 Readings	PID	SC23030602B87	Normal	0.2
592-602260	3/5/2024 15:31 Readings	PID	SC23030602B88	Normal	0.2
592-602261	3/5/2024 15:30 Readings	PID	SC23030602B89	Normal	0.2
592-602262	3/5/2024 15:29 Readings	PID	SC23030602B90	Normal	0.2
592-602263	3/5/2024 15:28 Readings	PID	SC23030602B91	Normal	0.2
592-602264	3/5/2024 15:27 Readings	PID	SC23030602B92	Normal	0.2
592-602265	3/5/2024 15:26 Readings	PID	SC23030602B93	Normal	0.2
592-602266	3/5/2024 15:25 Readings	PID	SC23030602B94	Normal	0.2
592-602267	3/5/2024 15:24 Readings	PID	SC23030602B95	Normal	0.2
592-602268	3/5/2024 15:23 Readings	PID	SC23030602B96	Normal	0.2
592-602269	3/5/2024 15:22 Readings	PID	SC23030602B97	Normal	0.2
592-602270	3/5/2024 15:21 Readings	PID	SC23030602B98	Normal	0.2
592-602271	3/5/2024 15:20 Readings	PID	SC23030602B99	Normal	0.2
592-602272	3/5/2024 15:19 Readings	PID	SC23030602B100	Normal	0.2
592-602273	3/5/2024 15:18 Readings	PID	SC23030602B101	Normal	0.2

592-602274	3/5/2024 15:17 Readings	PID	SC23030602B102	Normal	0.2
592-602275	3/5/2024 15:16 Readings	PID	SC23030602B103	Normal	0.2
592-602276	3/5/2024 15:15 Readings	PID	SC23030602B104	Normal	0.2
592-602277	3/5/2024 15:14 Readings	PID	SC23030602B105	Normal	0.2
592-602278	3/5/2024 15:13 Readings	PID	SC23030602B106	Normal	0.2
592-602279	3/5/2024 15:12 Readings	PID	SC23030602B107	Normal	0.2
592-602280	3/5/2024 15:11 Readings	PID	SC23030602B108	Normal	0.2
592-602281	3/5/2024 15:10 Readings	PID	SC23030602B109	Normal	0.2
592-602282	3/5/2024 15:09 Readings	PID	SC23030602B110	Normal	0.2
592-602283	3/5/2024 15:08 Readings	PID	SC23030602B111	Normal	0.2
592-602284	3/5/2024 15:07 Readings	PID	SC23030602B112	Normal	0.2
592-602285	3/5/2024 15:06 Readings	PID	SC23030602B113	Normal	0.2
592-602286	3/5/2024 15:05 Readings	PID	SC23030602B114	Normal	0.2
592-602287	3/5/2024 15:04 Readings	PID	SC23030602B115	Normal	0.2
592-602288	3/5/2024 15:03 Readings	PID	SC23030602B116	Normal	0.2
592-602289	3/5/2024 15:02 Readings	PID	SC23030602B117	Normal	0.2
592-602290	3/5/2024 15:01 Readings	PID	SC23030602B118	Normal	0.2
592-602291	3/5/2024 15:00 Readings	PID	SC23030602B119	Normal	0.2
592-602292	3/5/2024 14:59 Readings	PID	SC23030602B120	Normal	0.2
592-602293	3/5/2024 14:58 Readings	PID	SC23030602B121	Normal	0.2
592-602294	3/5/2024 14:57 Readings	PID	SC23030602B122	Normal	0.2
592-602295	3/5/2024 14:56 Readings	PID	SC23030602B123	Normal	0.2
592-602296	3/5/2024 14:55 Readings	PID	SC23030602B124	Normal	0.2
592-602297	3/5/2024 14:54 Readings	PID	SC23030602B125	Normal	0.2
592-602298	3/5/2024 14:53 Readings	PID	SC23030602B126	Normal	0.2
592-602299	3/5/2024 14:52 Readings	PID	SC23030602B127	Normal	0.2
592-602300	3/5/2024 14:51 Readings	PID	SC23030602B128	Normal	0.2
592-602301	3/5/2024 14:50 Readings	PID	SC23030602B129	Normal	0.2
592-602302	3/5/2024 14:49 Readings	PID	SC23030602B130	Normal	0.2
592-602303	3/5/2024 14:48 Readings	PID	SC23030602B131	Normal	0.2
592-602304	3/5/2024 14:47 Readings	PID	SC23030602B132	Normal	0.2
592-602305	3/5/2024 14:46 Readings	PID	SC23030602B133	Normal	0.2
592-602306	3/5/2024 14:45 Readings	PID	SC23030602B134	Normal	0.2

592-602307	3/5/2024 14:44 Readings	PID	SC23030602B135	Normal	0.2
592-602308	3/5/2024 14:43 Readings	PID	SC23030602B136	Normal	0.2
592-602309	3/5/2024 14:42 Readings	PID	SC23030602B137	Normal	0.2
592-602310	3/5/2024 14:41 Readings	PID	SC23030602B138	Normal	0.2
592-602311	3/5/2024 14:40 Readings	PID	SC23030602B139	Normal	0.2
592-602312	3/5/2024 14:39 Readings	PID	SC23030602B140	Normal	0.2
592-602313	3/5/2024 14:38 Readings	PID	SC23030602B141	Normal	0.2
592-602314	3/5/2024 14:37 Readings	PID	SC23030602B142	Normal	0.2
592-602315	3/5/2024 14:36 Readings	PID	SC23030602B143	Normal	0.2
592-602316	3/5/2024 14:35 Readings	PID	SC23030602B144	Normal	0.2
592-602317	3/5/2024 14:34 Readings	PID	SC23030602B145	Normal	0.2
592-602318	3/5/2024 14:33 Readings	PID	SC23030602B146	Normal	0.2
592-602319	3/5/2024 14:32 Readings	PID	SC23030602B147	Normal	0.2
592-602320	3/5/2024 14:31 Readings	PID	SC23030602B148	Normal	0.2
592-602321	3/5/2024 14:30 Readings	PID	SC23030602B149	Normal	0.2
592-602322	3/5/2024 14:29 Readings	PID	SC23030602B150	Normal	0.2
592-602323	3/5/2024 14:28 Readings	PID	SC23030602B151	Normal	0.2
592-602324	3/5/2024 14:27 Readings	PID	SC23030602B152	Normal	0.2
592-602325	3/5/2024 14:26 Readings	PID	SC23030602B153	Normal	0.2
592-602326	3/5/2024 14:25 Readings	PID	SC23030602B154	Normal	0.2
592-602327	3/5/2024 14:24 Readings	PID	SC23030602B155	Normal	0.2
592-602328	3/5/2024 14:23 Readings	PID	SC23030602B156	Normal	0.2
592-602329	3/5/2024 14:22 Readings	PID	SC23030602B157	Normal	0.2
592-602330	3/5/2024 14:21 Readings	PID	SC23030602B158	Normal	0.2
592-602331	3/5/2024 14:20 Readings	PID	SC23030602B159	Normal	0.2
592-602332	3/5/2024 14:19 Readings	PID	SC23030602B160	Normal	0.2
592-602333	3/5/2024 14:18 Readings	PID	SC23030602B161	Normal	0.2
592-602334	3/5/2024 14:17 Readings	PID	SC23030602B162	Normal	0.2
592-602335	3/5/2024 14:16 Readings	PID	SC23030602B163	Normal	0.2
592-602336	3/5/2024 14:15 Readings	PID	SC23030602B164	Normal	0.2
592-602337	3/5/2024 14:14 Readings	PID	SC23030602B165	Normal	0.2
592-602338	3/5/2024 14:13 Readings	PID	SC23030602B166	Normal	0.2
592-602339	3/5/2024 14:12 Readings	PID	SC23030602B167	Normal	0.2

592-602340	3/5/2024 14:11 Readings	PID	SC23030602B168	Normal	0.2
592-602341	3/5/2024 14:10 Readings	PID	SC23030602B169	Normal	0.2
592-602342	3/5/2024 14:09 Readings	PID	SC23030602B170	Normal	0.2
592-602343	3/5/2024 14:08 Readings	PID	SC23030602B171	Normal	0.2
592-602344	3/5/2024 14:07 Readings	PID	SC23030602B172	Normal	0.2
592-602345	3/5/2024 14:06 Readings	PID	SC23030602B173	Normal	0.2
592-602346	3/5/2024 14:05 Readings	PID	SC23030602B174	Normal	0.2
592-602347	3/5/2024 14:04 Readings	PID	SC23030602B175	Normal	0.2
592-602348	3/5/2024 14:03 Readings	PID	SC23030602B176	Normal	0.2
592-602349	3/5/2024 14:02 Readings	PID	SC23030602B177	Normal	0.2
592-602350	3/5/2024 14:01 Readings	PID	SC23030602B178	Normal	0.2
592-602351	3/5/2024 14:00 Readings	PID	SC23030602B179	Normal	0.2
592-602352	3/5/2024 13:59 Readings	PID	SC23030602B180	Normal	0.2
592-602353	3/5/2024 13:58 Readings	PID	SC23030602B181	Normal	0.2
592-602354	3/5/2024 13:57 Readings	PID	SC23030602B182	Normal	0.2
592-602355	3/5/2024 13:56 Readings	PID	SC23030602B183	Normal	0.2
592-602356	3/5/2024 13:55 Readings	PID	SC23030602B184	Normal	0.2
592-602357	3/5/2024 13:54 Readings	PID	SC23030602B185	Normal	0.2
592-602358	3/5/2024 13:53 Readings	PID	SC23030602B186	Normal	0.2
592-602359	3/5/2024 13:52 Readings	PID	SC23030602B187	Normal	0.2
592-602360	3/5/2024 13:51 Readings	PID	SC23030602B188	Normal	0.2
592-602361	3/5/2024 13:50 Readings	PID	SC23030602B189	Normal	0.2
592-602362	3/5/2024 13:49 Readings	PID	SC23030602B190	Normal	0.2
592-602363	3/5/2024 13:48 Readings	PID	SC23030602B191	Normal	0.2
592-602364	3/5/2024 13:47 Readings	PID	SC23030602B192	Normal	0.2
592-602365	3/5/2024 13:46 Readings	PID	SC23030602B193	Normal	0.2
592-602366	3/5/2024 13:45 Readings	PID	SC23030602B194	Normal	0.2
592-602367	3/5/2024 13:44 Readings	PID	SC23030602B195	Normal	0.2
592-602368	3/5/2024 13:43 Readings	PID	SC23030602B196	Normal	0.2
592-602369	3/5/2024 13:42 Readings	PID	SC23030602B197	Normal	0.2
592-602370	3/5/2024 13:41 Readings	PID	SC23030602B198	Normal	0.2
592-602371	3/5/2024 13:40 Readings	PID	SC23030602B199	Normal	0.2
592-602372	3/5/2024 13:39 Readings	PID	SC23030602B200	Normal	0.2

592-602373	3/5/2024 13:38 Readings	PID	SC23030602B201	Normal	0.2
592-602374	3/5/2024 13:37 Readings	PID	SC23030602B202	Normal	0.2
592-602375	3/5/2024 13:36 Readings	PID	SC23030602B203	Normal	0.2
592-602376	3/5/2024 13:35 Readings	PID	SC23030602B204	Normal	0.2
592-602377	3/5/2024 13:34 Readings	PID	SC23030602B205	Normal	0.2
592-602378	3/5/2024 13:33 Readings	PID	SC23030602B206	Normal	0.2
592-602379	3/5/2024 13:32 Readings	PID	SC23030602B207	Normal	0.2
592-602380	3/5/2024 13:31 Readings	PID	SC23030602B208	Normal	0.2
592-602381	3/5/2024 13:30 Readings	PID	SC23030602B209	Normal	0.2
592-602382	3/5/2024 13:29 Readings	PID	SC23030602B210	Normal	0.2
592-602383	3/5/2024 13:28 Readings	PID	SC23030602B211	Normal	0.2
592-602384	3/5/2024 13:27 Readings	PID	SC23030602B212	Normal	0.2
592-602385	3/5/2024 13:26 Readings	PID	SC23030602B213	Normal	0.2
592-602386	3/5/2024 13:25 Readings	PID	SC23030602B214	Normal	0.2
592-602387	3/5/2024 13:24 Readings	PID	SC23030602B215	Normal	0.2
592-602388	3/5/2024 13:23 Readings	PID	SC23030602B216	Normal	0.2
592-602389	3/5/2024 13:22 Readings	PID	SC23030602B217	Normal	0.2
592-602390	3/5/2024 13:21 Readings	PID	SC23030602B218	Normal	0.2
592-602391	3/5/2024 13:20 Readings	PID	SC23030602B219	Normal	0.2
592-602392	3/5/2024 13:19 Readings	PID	SC23030602B220	Normal	0.2
592-602393	3/5/2024 13:18 Readings	PID	SC23030602B221	Normal	0.2
592-602394	3/5/2024 13:17 Readings	PID	SC23030602B222	Normal	0.2
592-602395	3/5/2024 13:16 Readings	PID	SC23030602B223	Normal	0.2
592-602396	3/5/2024 13:15 Readings	PID	SC23030602B224	Normal	0.2
592-602397	3/5/2024 13:14 Readings	PID	SC23030602B225	Normal	0.2
592-602398	3/5/2024 13:13 Readings	PID	SC23030602B226	Normal	0.2
592-602399	3/5/2024 13:12 Readings	PID	SC23030602B227	Normal	0.2
592-602400	3/5/2024 13:11 Readings	PID	SC23030602B228	Normal	0.2
592-602401	3/5/2024 13:10 Readings	PID	SC23030602B229	Normal	0.2
592-602402	3/5/2024 13:09 Readings	PID	SC23030602B230	Normal	0.2
592-602403	3/5/2024 13:08 Readings	PID	SC23030602B231	Normal	0.2
592-602404	3/5/2024 13:07 Readings	PID	SC23030602B232	Normal	0.2
592-602405	3/5/2024 13:06 Readings	PID	SC23030602B233	Normal	0.2

592-602406	3/5/2024 13:05 Readings	PID	SC23030602B234	Normal	0.2
592-602407	3/5/2024 13:04 Readings	PID	SC23030602B235	Normal	0.2
592-602408	3/5/2024 13:03 Readings	PID	SC23030602B236	Normal	0.2
592-602409	3/5/2024 13:02 Readings	PID	SC23030602B237	Normal	0.2
592-602410	3/5/2024 13:01 Readings	PID	SC23030602B238	Normal	0.2
592-602411	3/5/2024 13:00 Readings	PID	SC23030602B239	Normal	0.2
592-602412	3/5/2024 12:59 Readings	PID	SC23030602B240	Normal	0.2
592-602413	3/5/2024 12:58 Readings	PID	SC23030602B241	Normal	0.2
592-602414	3/5/2024 12:57 Readings	PID	SC23030602B242	Normal	0.3
592-602415	3/5/2024 12:56 Readings	PID	SC23030602B243	Normal	0.2
592-602416	3/5/2024 12:55 Readings	PID	SC23030602B244	Normal	0.2
592-602417	3/5/2024 12:54 Readings	PID	SC23030602B245	Normal	0.2
592-602418	3/5/2024 12:53 Readings	PID	SC23030602B246	Normal	0.2
592-602419	3/5/2024 12:52 Readings	PID	SC23030602B247	Normal	0.2
592-602420	3/5/2024 12:51 Readings	PID	SC23030602B248	Normal	0.2
592-602421	3/5/2024 12:50 Readings	PID	SC23030602B249	Normal	0.2
592-602422	3/5/2024 12:49 Readings	PID	SC23030602B250	Normal	0.2
592-602423	3/5/2024 12:48 Readings	PID	SC23030602B251	Normal	0.2
592-602424	3/5/2024 12:47 Readings	PID	SC23030602B252	Normal	0.2
592-602425	3/5/2024 12:46 Readings	PID	SC23030602B253	Normal	0.2
592-602426	3/5/2024 12:45 Readings	PID	SC23030602B254	Normal	0.2
592-602427	3/5/2024 12:44 Readings	PID	SC23030602B255	Normal	0.2
592-602428	3/5/2024 12:43 Readings	PID	SC23030602B256	Normal	0.2
592-602429	3/5/2024 12:42 Readings	PID	SC23030602B257	Normal	0.2
592-602430	3/5/2024 12:41 Readings	PID	SC23030602B258	Normal	0.2
592-602431	3/5/2024 12:40 Readings	PID	SC23030602B259	Normal	0.2
592-602432	3/5/2024 12:39 Readings	PID	SC23030602B260	Normal	0.2
592-602433	3/5/2024 12:38 Readings	PID	SC23030602B261	Normal	0.2
592-602434	3/5/2024 12:37 Readings	PID	SC23030602B262	Normal	0.2
592-602435	3/5/2024 12:36 Readings	PID	SC23030602B263	Normal	0.2
592-602436	3/5/2024 12:35 Readings	PID	SC23030602B264	Normal	0.2
592-602437	3/5/2024 12:34 Readings	PID	SC23030602B265	Normal	0.2
592-602438	3/5/2024 12:33 Readings	PID	SC23030602B266	Normal	0.2

592-602439	3/5/2024 12:32 Readings	PID	SC23030602B267	Normal	0.2
592-602440	3/5/2024 12:31 Readings	PID	SC23030602B268	Normal	0.2
592-602441	3/5/2024 12:30 Readings	PID	SC23030602B269	Normal	0.2
592-602442	3/5/2024 12:29 Readings	PID	SC23030602B270	Normal	0.2
592-602443	3/5/2024 12:28 Readings	PID	SC23030602B271	Normal	0.2
592-602444	3/5/2024 12:27 Readings	PID	SC23030602B272	Normal	0.2
592-602445	3/5/2024 12:26 Readings	PID	SC23030602B273	Normal	0.2
592-602446	3/5/2024 12:25 Readings	PID	SC23030602B274	Normal	0.2
592-602447	3/5/2024 12:24 Readings	PID	SC23030602B275	Normal	0.2
592-602448	3/5/2024 12:23 Readings	PID	SC23030602B276	Normal	0.2
592-602449	3/5/2024 12:22 Readings	PID	SC23030602B277	Normal	0.2
592-602450	3/5/2024 12:21 Readings	PID	SC23030602B278	Normal	0.2
592-602451	3/5/2024 12:20 Readings	PID	SC23030602B279	Normal	0.2
592-602452	3/5/2024 12:19 Readings	PID	SC23030602B280	Normal	0.2
592-602453	3/5/2024 12:18 Readings	PID	SC23030602B281	Normal	0.2
592-602454	3/5/2024 12:17 Readings	PID	SC23030602B282	Normal	0.2
592-602455	3/5/2024 12:16 Readings	PID	SC23030602B283	Normal	0.2
592-602456	3/5/2024 12:15 Readings	PID	SC23030602B284	Normal	0.2
592-602457	3/5/2024 12:14 Readings	PID	SC23030602B285	Normal	0.2
592-602458	3/5/2024 12:13 Readings	PID	SC23030602B286	Normal	0.2
592-602459	3/5/2024 12:12 Readings	PID	SC23030602B287	Normal	0.2
592-602460	3/5/2024 12:11 Readings	PID	SC23030602B288	Normal	0.2
592-602461	3/5/2024 12:10 Readings	PID	SC23030602B289	Normal	0.2
592-602462	3/5/2024 12:09 Readings	PID	SC23030602B290	Normal	0.2
592-602463	3/5/2024 12:08 Readings	PID	SC23030602B291	Normal	0.2
592-602464	3/5/2024 12:07 Readings	PID	SC23030602B292	Normal	0.2
592-602465	3/5/2024 12:06 Readings	PID	SC23030602B293	Normal	0.2
592-602466	3/5/2024 12:05 Readings	PID	SC23030602B294	Normal	0.2
592-602467	3/5/2024 12:04 Readings	PID	SC23030602B295	Normal	0.2
592-602468	3/5/2024 12:03 Readings	PID	SC23030602B296	Normal	0.2
592-602469	3/5/2024 12:02 Readings	PID	SC23030602B297	Normal	0.2
592-602470	3/5/2024 12:01 Readings	PID	SC23030602B298	Normal	0.2
592-602471	3/5/2024 12:00 Readings	PID	SC23030602B299	Normal	0.2

592-602472	3/5/2024 11:59 Readings	PID	SC23030602B300	Normal	0.2
592-602473	3/5/2024 11:58 Readings	PID	SC23030602B301	Normal	0.2
592-602474	3/5/2024 11:57 Readings	PID	SC23030602B302	Normal	0.2
592-602475	3/5/2024 11:56 Readings	PID	SC23030602B303	Normal	0.2
592-602476	3/5/2024 11:55 Readings	PID	SC23030602B304	Normal	0.2
592-602477	3/5/2024 11:54 Readings	PID	SC23030602B305	Normal	0.2
592-602478	3/5/2024 11:53 Readings	PID	SC23030602B306	Normal	0.2
592-602479	3/5/2024 11:52 Readings	PID	SC23030602B307	Normal	0.2
592-602480	3/5/2024 11:51 Readings	PID	SC23030602B308	Normal	0.2
592-602481	3/5/2024 11:50 Readings	PID	SC23030602B309	Normal	0.2
592-602482	3/5/2024 11:49 Readings	PID	SC23030602B310	Normal	0.2
592-602483	3/5/2024 11:48 Readings	PID	SC23030602B311	Normal	0.2
592-602484	3/5/2024 11:47 Readings	PID	SC23030602B312	Normal	0.2
592-602485	3/5/2024 11:46 Readings	PID	SC23030602B313	Normal	0.1
592-602486	3/5/2024 11:45 Readings	PID	SC23030602B314	Normal	0.2
592-602487	3/5/2024 11:44 Readings	PID	SC23030602B315	Normal	0.2
592-602488	3/5/2024 11:43 Readings	PID	SC23030602B316	Normal	0.2
592-602489	3/5/2024 11:42 Readings	PID	SC23030602B317	Normal	0.2
592-602490	3/5/2024 11:41 Readings	PID	SC23030602B318	Normal	0.2
592-602491	3/5/2024 11:40 Readings	PID	SC23030602B319	Normal	0.1
592-602492	3/5/2024 11:39 Readings	PID	SC23030602B320	Normal	0.1
592-602493	3/5/2024 11:38 Readings	PID	SC23030602B321	Normal	0.1
592-602494	3/5/2024 11:37 Readings	PID	SC23030602B322	Normal	0.1
592-602495	3/5/2024 11:36 Readings	PID	SC23030602B323	Normal	0.1
592-602496	3/5/2024 11:35 Readings	PID	SC23030602B324	Normal	0.1
592-602497	3/5/2024 11:34 Readings	PID	SC23030602B325	Normal	0.1
592-602498	3/5/2024 11:33 Readings	PID	SC23030602B326	Normal	0.1
592-602499	3/5/2024 11:32 Readings	PID	SC23030602B327	Normal	0.1
592-602500	3/5/2024 11:31 Readings	PID	SC23030602B328	Normal	0.1
592-602501	3/5/2024 11:30 Readings	PID	SC23030602B329	Normal	0.1
592-602502	3/5/2024 11:29 Readings	PID	SC23030602B330	Normal	0.1
592-602503	3/5/2024 11:28 Readings	PID	SC23030602B331	Normal	0.1
592-602504	3/5/2024 11:27 Readings	PID	SC23030602B332	Normal	0.1

592-602505	3/5/2024 11:26 Readings	PID	SC23030602B333	Normal	0.3
592-602506	3/5/2024 11:25 Readings	PID	SC23030602B334	Normal	0.1
592-602507	3/5/2024 11:24 Readings	PID	SC23030602B335	Normal	0.1
592-602508	3/5/2024 11:23 Readings	PID	SC23030602B336	Normal	0.1
592-602509	3/5/2024 11:22 Readings	PID	SC23030602B337	Normal	0.1
592-602510	3/5/2024 11:21 Readings	PID	SC23030602B338	Normal	0.1
592-602511	3/5/2024 11:20 Readings	PID	SC23030602B339	Normal	0.1
592-602512	3/5/2024 11:19 Readings	PID	SC23030602B340	Normal	0.1
592-602513	3/5/2024 11:18 Readings	PID	SC23030602B341	Normal	0.1
592-602514	3/5/2024 11:17 Readings	PID	SC23030602B342	Normal	0.1
592-602515	3/5/2024 11:16 Readings	PID	SC23030602B343	Normal	0.1
592-602516	3/5/2024 11:15 Readings	PID	SC23030602B344	Normal	0.2
592-602517	3/5/2024 11:14 Readings	PID	SC23030602B345	Normal	0.1
592-602518	3/5/2024 11:13 Readings	PID	SC23030602B346	Normal	0.1
592-602519	3/5/2024 11:12 Readings	PID	SC23030602B347	Normal	0.1
592-602520	3/5/2024 11:11 Readings	PID	SC23030602B348	Normal	0.2
592-602521	3/5/2024 11:10 Readings	PID	SC23030602B349	Normal	0.1
592-602522	3/5/2024 11:09 Readings	PID	SC23030602B350	Normal	0.1
592-602523	3/5/2024 11:08 Readings	PID	SC23030602B351	Normal	0.1
592-602524	3/5/2024 11:07 Readings	PID	SC23030602B352	Normal	0.1
592-602525	3/5/2024 11:06 Readings	PID	SC23030602B353	Normal	0.1
592-602526	3/5/2024 11:05 Readings	PID	SC23030602B354	Normal	0.1
592-602527	3/5/2024 11:04 Readings	PID	SC23030602B355	Normal	0.1
592-602528	3/5/2024 11:03 Readings	PID	SC23030602B356	Normal	0.1
592-602529	3/5/2024 11:02 Readings	PID	SC23030602B357	Normal	0.1
592-602530	3/5/2024 11:01 Readings	PID	SC23030602B358	Normal	0.1
592-602531	3/5/2024 11:00 Readings	PID	SC23030602B359	Normal	0.1
592-602532	3/5/2024 10:59 Readings	PID	SC23030602B360	Normal	0.1
592-602533	3/5/2024 10:58 Readings	PID	SC23030602B361	Normal	0.1
592-602534	3/5/2024 10:57 Readings	PID	SC23030602B362	Normal	0.1
592-602535	3/5/2024 10:56 Readings	PID	SC23030602B363	Normal	0.1
592-602536	3/5/2024 10:55 Readings	PID	SC23030602B364	Normal	0.1
592-602537	3/5/2024 10:54 Readings	PID	SC23030602B365	Normal	0.1

592-602538	3/5/2024 10:53 Readings	PID	SC23030602B366	Normal	0.1
592-602539	3/5/2024 10:52 Readings	PID	SC23030602B367	Normal	0.1
592-602540	3/5/2024 10:51 Readings	PID	SC23030602B368	Normal	0.1
592-602541	3/5/2024 10:50 Readings	PID	SC23030602B369	Normal	0.1
592-602542	3/5/2024 10:49 Readings	PID	SC23030602B370	Normal	0.1
592-602543	3/5/2024 10:48 Readings	PID	SC23030602B371	Normal	0.1
592-602544	3/5/2024 10:47 Readings	PID	SC23030602B372	Normal	0.1
592-602545	3/5/2024 10:46 Readings	PID	SC23030602B373	Normal	0.1
592-602546	3/5/2024 10:45 Readings	PID	SC23030602B374	Normal	0.1
592-602547	3/5/2024 10:44 Readings	PID	SC23030602B375	Normal	0.1
592-602548	3/5/2024 10:43 Readings	PID	SC23030602B376	Normal	0.1
592-602549	3/5/2024 10:42 Readings	PID	SC23030602B377	Normal	0.1
592-602550	3/5/2024 10:41 Readings	PID	SC23030602B378	Normal	0.1
592-602551	3/5/2024 10:40 Readings	PID	SC23030602B379	Normal	0.1
592-602552	3/5/2024 10:39 Readings	PID	SC23030602B380	Normal	0.1
592-602553	3/5/2024 10:38 Readings	PID	SC23030602B381	Normal	0.1
592-602554	3/5/2024 10:37 Readings	PID	SC23030602B382	Normal	0.1
592-602555	3/5/2024 10:36 Readings	PID	SC23030602B383	Normal	0.1
592-602556	3/5/2024 10:35 Readings	PID	SC23030602B384	Normal	0.1
592-602557	3/5/2024 10:34 Readings	PID	SC23030602B385	Normal	0.1
592-602558	3/5/2024 10:33 Readings	PID	SC23030602B386	Normal	0.1
592-602559	3/5/2024 10:32 Readings	PID	SC23030602B387	Normal	0.1
592-602560	3/5/2024 10:31 Readings	PID	SC23030602B388	Normal	0.1
592-602561	3/5/2024 10:30 Readings	PID	SC23030602B389	Normal	0.1
592-602562	3/5/2024 10:29 Readings	PID	SC23030602B390	Normal	0.1
592-602563	3/5/2024 10:28 Readings	PID	SC23030602B391	Normal	0.1
592-602564	3/5/2024 10:27 Readings	PID	SC23030602B392	Normal	0.1
592-602565	3/5/2024 10:26 Readings	PID	SC23030602B393	Normal	0.1
592-602566	3/5/2024 10:25 Readings	PID	SC23030602B394	Normal	0.1
592-602567	3/5/2024 10:24 Readings	PID	SC23030602B395	Normal	0.1
592-602568	3/5/2024 10:23 Readings	PID	SC23030602B396	Normal	0.1
592-602569	3/5/2024 10:22 Readings	PID	SC23030602B397	Normal	0.1
592-602570	3/5/2024 10:21 Readings	PID	SC23030602B398	Normal	0.1

592-602571	3/5/2024 10:20 Readings	PID	SC23030602B399	Normal	0.1
592-602572	3/5/2024 10:19 Readings	PID	SC23030602B400	Normal	0.1
592-602573	3/5/2024 10:18 Readings	PID	SC23030602B401	Normal	0.1
592-602574	3/5/2024 10:17 Readings	PID	SC23030602B402	Normal	0.1
592-602575	3/5/2024 10:16 Readings	PID	SC23030602B403	Normal	0.1
592-602576	3/5/2024 10:15 Readings	PID	SC23030602B404	Normal	0.1
592-602577	3/5/2024 10:14 Readings	PID	SC23030602B405	Normal	0.1
592-602578	3/5/2024 10:13 Readings	PID	SC23030602B406	Normal	0.1
592-602579	3/5/2024 10:12 Readings	PID	SC23030602B407	Normal	0.1
592-602580	3/5/2024 10:11 Readings	PID	SC23030602B408	Normal	0.1
592-602581	3/5/2024 10:10 Readings	PID	SC23030602B409	Normal	0.1
592-602582	3/5/2024 10:09 Readings	PID	SC23030602B410	Normal	0.1
592-602583	3/5/2024 10:08 Readings	PID	SC23030602B411	Normal	0.1
592-602584	3/5/2024 10:07 Readings	PID	SC23030602B412	Normal	0.1
592-602585	3/5/2024 10:06 Readings	PID	SC23030602B413	Normal	0.1
592-602586	3/5/2024 10:05 Readings	PID	SC23030602B414	Normal	0.1
592-602587	3/5/2024 10:04 Readings	PID	SC23030602B415	Normal	0.1
592-602588	3/5/2024 10:03 Readings	PID	SC23030602B416	Normal	0.1
592-602589	3/5/2024 10:02 Readings	PID	SC23030602B417	Normal	0
592-602590	3/5/2024 10:01 Readings	PID	SC23030602B418	Normal	0.1
592-602591	3/5/2024 10:00 Readings	PID	SC23030602B419	Normal	0.1
592-602592	3/5/2024 9:59 Readings	PID	SC23030602B420	Normal	0.1
592-602593	3/5/2024 9:58 Readings	PID	SC23030602B421	Normal	0.1
592-602594	3/5/2024 9:57 Readings	PID	SC23030602B422	Normal	0
592-602595	3/5/2024 9:56 Readings	PID	SC23030602B423	Normal	0.1
592-602596	3/5/2024 9:55 Readings	PID	SC23030602B424	Normal	0
592-602597	3/5/2024 9:54 Readings	PID	SC23030602B425	Normal	0
592-602598	3/5/2024 9:53 Readings	PID	SC23030602B426	Normal	0
592-602599	3/5/2024 9:52 Readings	PID	SC23030602B427	Normal	0
592-602600	3/5/2024 9:51 Readings	PID	SC23030602B428	Normal	0
592-602601	3/5/2024 9:50 Readings	PID	SC23030602B429	Normal	0
592-602602	3/5/2024 9:49 Readings	PID	SC23030602B430	Normal	0
592-602603	3/5/2024 9:48 Readings	PID	SC23030602B431	Normal	0.1

592-602604	3/5/2024 9:47 Readings	PID	SC23030602B432	Normal	0
592-602605	3/5/2024 9:46 Readings	PID	SC23030602B433	Normal	0
592-602606	3/5/2024 9:45 Readings	PID	SC23030602B434	Normal	0
592-602607	3/5/2024 9:44 Readings	PID	SC23030602B435	Normal	0
592-602608	3/5/2024 9:43 Readings	PID	SC23030602B436	Normal	0
592-602609	3/5/2024 9:42 Readings	PID	SC23030602B437	Normal	0
592-602610	3/5/2024 9:41 Readings	PID	SC23030602B438	Normal	0
592-602611	3/5/2024 9:40 Readings	PID	SC23030602B439	Normal	0
592-602612	3/5/2024 9:39 Readings	PID	SC23030602B440	Normal	0
592-602613	3/5/2024 9:38 Readings	PID	SC23030602B441	Normal	0
592-602614	3/5/2024 9:37 Readings	PID	SC23030602B442	Normal	0
592-602615	3/5/2024 9:36 Readings	PID	SC23030602B443	Normal	0
592-602616	3/5/2024 9:35 Readings	PID	SC23030602B444	Normal	0
592-602617	3/5/2024 9:34 Readings	PID	SC23030602B445	Normal	0
592-602618	3/5/2024 9:33 Readings	PID	SC23030602B446	Normal	0
592-602619	3/5/2024 9:32 Readings	PID	SC23030602B447	Normal	0
592-602620	3/5/2024 9:31 Readings	PID	SC23030602B448	Normal	0
592-602621	3/5/2024 9:30 Readings	PID	SC23030602B449	Normal	0
592-602622	3/5/2024 9:29 Readings	PID	SC23030602B450	Normal	0
592-602623	3/5/2024 9:28 Readings	PID	SC23030602B451	Normal	0
592-602624	3/5/2024 9:27 Readings	PID	SC23030602B452	Normal	0
592-602625	3/5/2024 9:26 Readings	PID	SC23030602B453	Normal	0
592-602626	3/5/2024 9:25 Readings	PID	SC23030602B454	Normal	0
592-602627	3/5/2024 9:24 Readings	PID	SC23030602B455	Normal	0
592-602628	3/5/2024 9:23 Readings	PID	SC23030602B456	Normal	0
592-602629	3/5/2024 9:22 Readings	PID	SC23030602B457	Normal	0
592-602630	3/5/2024 9:21 Readings	PID	SC23030602B458	Normal	0
592-602631	3/5/2024 9:20 Readings	PID	SC23030602B459	Normal	0
592-602632	3/5/2024 9:19 Readings	PID	SC23030602B460	Normal	0
592-602633	3/5/2024 9:18 Readings	PID	SC23030602B461	Normal	0
592-602634	3/5/2024 9:17 Readings	PID	SC23030602B462	Normal	0
592-602635	3/5/2024 9:16 Readings	PID	SC23030602B463	Normal	0
592-602636	3/5/2024 9:15 CONFIG	PID	SC23030602B464		0