



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		E 19 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/11/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:35 Time Out: 16:30</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas Capital (Contractor) ECD (Pile Installation) GES (Geotech) WSP (Environmental oversight) – Tim Williams</p> <p>Equipment On Site: Dustrack (3x), PID (3x), Pile Rig</p>
---	--

Scope of Work: Oversee excavation by Capital, continue to collect endpoint samples and gauging of sentinel wells.

Site Activities:

- Deploy three (3) CAMP stations at the start of the workday;
- Fifteen (15) truckloads of approved backfill material (crushed limestone) were imported on site;
- Fifteen (15) truckloads of material were disposed of offsite to the Conestoga Facility;
- Depth to water gauging within all 14 of sentinel wells for dewatering purposes;
- Dewatering sumps active in grids: B4, N7, O6. Refer to Alpha Numeric Grid Map for grid locaitons;
- Endpoint sampling collected for the following endpoints: EP-36 and EP-37;
- Backfilling in grids A5 and A6 with approved crushed limestone;
- Pile Installation in grids O5/4;
- Approved stone was placed in truck wash pad area to refresh it; and
- Perimeter check of Site was conducted at the end of the work day to confirm that there was no presence of solid or liquid material observed exiting the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m3) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.059_ mg/m³ @ 06:47
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = 0.059_ mg/m³ @ 06:47
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.103_ mg/m³ @ 07:10
- High Conditions (Downwind 2) – PID = _0.2_ ppm @ 11:40 Dust = _0.02_ mg/m³ @ 09:09

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation;

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of poly
sheeting
coverage in grid
B4.



Photo 2 –
Representative
photo of truck
load out.



Photo 3 –

Representative photo of truck wash taking place over truck pad.



Photo 4 –

Representative photo Pile Installation in Grid O4.



Photo 5 –

Representative photo of the Site's perimeter inspection, note, filter socks in place.



Photo 6 –

Alternate photo of perimeter inspection, view of Nevins Street, note the area outside of the Site is free from any material migrating offsite.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



A B C D E F G H I J K L M N O

GOWANUS CANAL


GOWANUS CANAL



Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND

- - - PROPERTY LINE
- TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
- POTENTIAL OIL/WATER SEPARATOR IDENTIFIED USING THE SEPTEMBER GPR SURVEY

FIGURE 3: REMEDIAL INVESTIGATION SAMPLE LOCATION MAP

318 Nevins Street Brooklyn, New York		Figure No: 03
PROJECT NO:	DATE:	
DRAWN BY:	DATE:	
CHECKED BY:	DATE:	
SCALE:	TITLE:	
SCALE:	TITLE:	

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (831) 289-8800
FAX (831) 289-1599

UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_009
Test Start Time	6:47:37 AM
Test Start Date	3/11/2024
Test Length [D:H:M]	0:09:18
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.059
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	558

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:47:37 AM	0.059		
6:48:37 AM	0.003		
6:49:37 AM	0.003		
6:50:37 AM	0.003		
6:51:37 AM	0.004		
6:52:37 AM	0.003		
6:53:37 AM	0.009		
6:54:37 AM	0.004		
6:55:37 AM	0.006		
6:56:37 AM	0.006		
6:57:37 AM	0.003		
6:58:37 AM	0.003		
6:59:37 AM	0.003		
7:00:37 AM	0.003		
7:01:37 AM	0.003		
7:02:37 AM	0.006		
7:03:37 AM	0.003		
7:04:37 AM	0.003		
7:05:37 AM	0.004		
7:06:37 AM	0.003		
7:07:37 AM	0.003		
7:08:37 AM	0.004		
7:09:37 AM	0.007		
7:10:37 AM	0.003		

7:11:37 AM	0.006
7:12:37 AM	0.005
7:13:37 AM	0.003
7:14:37 AM	0.004
7:15:37 AM	0.006
7:16:37 AM	0.003
7:17:37 AM	0.005
7:18:37 AM	0.004
7:19:37 AM	0.004
7:20:37 AM	0.005
7:21:37 AM	0.005
7:22:37 AM	0.008
7:23:37 AM	0.004
7:24:37 AM	0.003
7:25:37 AM	0.004
7:26:37 AM	0.004
7:27:37 AM	0.003
7:28:37 AM	0.003
7:29:37 AM	0.003
7:30:37 AM	0.006
7:31:37 AM	0.019
7:32:37 AM	0.011
7:33:37 AM	0.013
7:34:37 AM	0.005
7:35:37 AM	0.016
7:36:37 AM	0.01
7:37:37 AM	0.012
7:38:37 AM	0.01
7:39:37 AM	0.004
7:40:37 AM	0.005
7:41:37 AM	0.006
7:42:37 AM	0.004
7:43:37 AM	0.004
7:44:37 AM	0.004
7:45:37 AM	0.005
7:46:37 AM	0.005
7:47:37 AM	0.004
7:48:37 AM	0.004
7:49:37 AM	0.004
7:50:37 AM	0.004
7:51:37 AM	0.003
7:52:37 AM	0.004
7:53:37 AM	0.004
7:54:37 AM	0.018

7:55:37 AM	0.005
7:56:37 AM	0.006
7:57:37 AM	0.003
7:58:37 AM	0.007
7:59:37 AM	0.003
8:00:37 AM	0.003
8:01:37 AM	0.003
8:02:37 AM	0.005
8:03:37 AM	0.006
8:04:37 AM	0.007
8:05:37 AM	0.004
8:06:37 AM	0.006
8:07:37 AM	0.004
8:08:37 AM	0.003
8:09:37 AM	0.003
8:10:37 AM	0.003
8:11:37 AM	0.009
8:12:37 AM	0.003
8:13:37 AM	0.003
8:14:37 AM	0.004
8:15:37 AM	0.003
8:16:37 AM	0.003
8:17:37 AM	0.009
8:18:37 AM	0.012
8:19:37 AM	0.012
8:20:37 AM	0.012
8:21:37 AM	0.015
8:22:37 AM	0.004
8:23:37 AM	0.007
8:24:37 AM	0.004
8:25:37 AM	0.003
8:26:37 AM	0.004
8:27:37 AM	0.004
8:28:37 AM	0.005
8:29:37 AM	0.004
8:30:37 AM	0.003
8:31:37 AM	0.003
8:32:37 AM	0.023
8:33:37 AM	0.004
8:34:37 AM	0.004
8:35:37 AM	0.006
8:36:37 AM	0.005
8:37:37 AM	0.003
8:38:37 AM	0.003

8:39:37 AM	0.003
8:40:37 AM	0.003
8:41:37 AM	0.003
8:42:37 AM	0.003
8:43:37 AM	0.004
8:44:37 AM	0.008
8:45:37 AM	0.005
8:46:37 AM	0.009
8:47:37 AM	0.003
8:48:37 AM	0.005
8:49:37 AM	0.005
8:50:37 AM	0.004
8:51:37 AM	0.005
8:52:37 AM	0.003
8:53:37 AM	0.006
8:54:37 AM	0.004
8:55:37 AM	0.003
8:56:37 AM	0.003
8:57:37 AM	0.004
8:58:37 AM	0.004
8:59:37 AM	0.004
9:00:37 AM	0.006
9:01:37 AM	0.003
9:02:37 AM	0.004
9:03:37 AM	0.007
9:04:37 AM	0.004
9:05:37 AM	0.004
9:06:37 AM	0.003
9:07:37 AM	0.004
9:08:37 AM	0.003
9:09:37 AM	0.003
9:10:37 AM	0.003
9:11:37 AM	0.003
9:12:37 AM	0.003
9:13:37 AM	0.005
9:14:37 AM	0.003
9:15:37 AM	0.003
9:16:37 AM	0.007
9:17:37 AM	0.004
9:18:37 AM	0.004
9:19:37 AM	0.005
9:20:37 AM	0.008
9:21:37 AM	0.005
9:22:37 AM	0.003

9:23:37 AM	0.003
9:24:37 AM	0.003
9:25:37 AM	0.004
9:26:37 AM	0.004
9:27:37 AM	0.004
9:28:37 AM	0.003
9:29:37 AM	0.003
9:30:37 AM	0.004
9:31:37 AM	0.003
9:32:37 AM	0.004
9:33:37 AM	0.004
9:34:37 AM	0.006
9:35:37 AM	0.006
9:36:37 AM	0.005
9:37:37 AM	0.006
9:38:37 AM	0.006
9:39:37 AM	0.009
9:40:37 AM	0.003
9:41:37 AM	0.006
9:42:37 AM	0.004
9:43:37 AM	0.006
9:44:37 AM	0.01
9:45:37 AM	0.014
9:46:37 AM	0.007
9:47:37 AM	0.005
9:48:37 AM	0.004
9:49:37 AM	0.006
9:50:37 AM	0.007
9:51:37 AM	0.006
9:52:37 AM	0.004
9:53:37 AM	0.003
9:54:37 AM	0.004
9:55:37 AM	0.004
9:56:37 AM	0.004
9:57:37 AM	0.005
9:58:37 AM	0.003
9:59:37 AM	0.003
10:00:37 AM	0.004
10:01:37 AM	0.004
10:02:37 AM	0.003
10:03:37 AM	0.009
10:04:37 AM	0.006
10:05:37 AM	0.004
10:06:37 AM	0.006

10:07:37 AM	0.004
10:08:37 AM	0.003
10:09:37 AM	0.011
10:10:37 AM	0.005
10:11:37 AM	0.004
10:12:37 AM	0.003
10:13:37 AM	0.004
10:14:37 AM	0.007
10:15:37 AM	0.004
10:16:37 AM	0.004
10:17:37 AM	0.005
10:18:37 AM	0.003
10:19:37 AM	0.004
10:20:37 AM	0.005
10:21:37 AM	0.006
10:22:37 AM	0.003
10:23:37 AM	0.004
10:24:37 AM	0.004
10:25:37 AM	0.004
10:26:37 AM	0.009
10:27:37 AM	0.005
10:28:37 AM	0.003
10:29:37 AM	0.005
10:30:37 AM	0.004
10:31:37 AM	0.003
10:32:37 AM	0.003
10:33:37 AM	0.003
10:34:37 AM	0.003
10:35:37 AM	0.003
10:36:37 AM	0.004
10:37:37 AM	0.004
10:38:37 AM	0.003
10:39:37 AM	0.005
10:40:37 AM	0.007
10:41:37 AM	0.004
10:42:37 AM	0.005
10:43:37 AM	0.004
10:44:37 AM	0.005
10:45:37 AM	0.003
10:46:37 AM	0.003
10:47:37 AM	0.009
10:48:37 AM	0.007
10:49:37 AM	0.003
10:50:37 AM	0.003

10:51:37 AM	0.006
10:52:37 AM	0.003
10:53:37 AM	0.008
10:54:37 AM	0.004
10:55:37 AM	0.007
10:56:37 AM	0.005
10:57:37 AM	0.005
10:58:37 AM	0.009
10:59:37 AM	0.006
11:00:37 AM	0.004
11:01:37 AM	0.01
11:02:37 AM	0.009
11:03:37 AM	0.006
11:04:37 AM	0.005
11:05:37 AM	0.005
11:06:37 AM	0.028
11:07:37 AM	0.01
11:08:37 AM	0.007
11:09:37 AM	0.006
11:10:37 AM	0.01
11:11:37 AM	0.009
11:12:37 AM	0.011
11:13:37 AM	0.006
11:14:37 AM	0.003
11:15:37 AM	0.005
11:16:37 AM	0.005
11:17:37 AM	0.004
11:18:37 AM	0.004
11:19:37 AM	0.005
11:20:37 AM	0.004
11:21:37 AM	0.007
11:22:37 AM	0.005
11:23:37 AM	0.008
11:24:37 AM	0.003
11:25:37 AM	0.004
11:26:37 AM	0.011
11:27:37 AM	0.007
11:28:37 AM	0.004
11:29:37 AM	0.006
11:30:37 AM	0.005
11:31:37 AM	0.003
11:32:37 AM	0.002
11:33:37 AM	0.006
11:34:37 AM	0.003

11:35:37 AM	0.003
11:36:37 AM	0.003
11:37:37 AM	0.003
11:38:37 AM	0.003
11:39:37 AM	0.004
11:40:37 AM	0.003
11:41:37 AM	0.003
11:42:37 AM	0.012
11:43:37 AM	0.004
11:44:37 AM	0.007
11:45:37 AM	0.004
11:46:37 AM	0.002
11:47:37 AM	0.003
11:48:37 AM	0.003
11:49:37 AM	0.005
11:50:37 AM	0.003
11:51:37 AM	0.004
11:52:37 AM	0.008
11:53:37 AM	0.003
11:54:37 AM	0.004
11:55:37 AM	0.003
11:56:37 AM	0.003
11:57:37 AM	0.004
11:58:37 AM	0.006
11:59:37 AM	0.005
12:00:37 PM	0.007
12:01:37 PM	0.004
12:02:37 PM	0.003
12:03:37 PM	0.004
12:04:37 PM	0.003
12:05:37 PM	0.005
12:06:37 PM	0.004
12:07:37 PM	0.004
12:08:37 PM	0.003
12:09:37 PM	0.011
12:10:37 PM	0.012
12:11:37 PM	0.008
12:12:37 PM	0.005
12:13:37 PM	0.005
12:14:37 PM	0.005
12:15:37 PM	0.003
12:16:37 PM	0.008
12:17:37 PM	0.004
12:18:37 PM	0.004

12:19:37 PM	0.006
12:20:37 PM	0.004
12:21:37 PM	0.018
12:22:37 PM	0.008
12:23:37 PM	0.002
12:24:37 PM	0.002
12:25:37 PM	0.003
12:26:37 PM	0.011
12:27:37 PM	0.003
12:28:37 PM	0.007
12:29:37 PM	0.008
12:30:37 PM	0.017
12:31:37 PM	0.012
12:32:37 PM	0.009
12:33:37 PM	0.008
12:34:37 PM	0.007
12:35:37 PM	0.003
12:36:37 PM	0.01
12:37:37 PM	0.007
12:38:37 PM	0.007
12:39:37 PM	0.006
12:40:37 PM	0.005
12:41:37 PM	0.004
12:42:37 PM	0.003
12:43:37 PM	0.008
12:44:37 PM	0.004
12:45:37 PM	0.021
12:46:37 PM	0.003
12:47:37 PM	0.003
12:48:37 PM	0.011
12:49:37 PM	0.005
12:50:37 PM	0.005
12:51:37 PM	0.005
12:52:37 PM	0.006
12:53:37 PM	0.01
12:54:37 PM	0.004
12:55:37 PM	0.007
12:56:37 PM	0.005
12:57:37 PM	0.007
12:58:37 PM	0.007
12:59:37 PM	0.008
1:00:37 PM	0.004
1:01:37 PM	0.004
1:02:37 PM	0.005

1:03:37 PM	0.009
1:04:37 PM	0.004
1:05:37 PM	0.005
1:06:37 PM	0.004
1:07:37 PM	0.006
1:08:37 PM	0.019
1:09:37 PM	0.01
1:10:37 PM	0.016
1:11:37 PM	0.005
1:12:37 PM	0.013
1:13:37 PM	0.008
1:14:37 PM	0.005
1:15:37 PM	0.007
1:16:37 PM	0.008
1:17:37 PM	0.021
1:18:37 PM	0.005
1:19:37 PM	0.003
1:20:37 PM	0.003
1:21:37 PM	0.004
1:22:37 PM	0.003
1:23:37 PM	0.003
1:24:37 PM	0.003
1:25:37 PM	0.003
1:26:37 PM	0.003
1:27:37 PM	0.005
1:28:37 PM	0.005
1:29:37 PM	0.004
1:30:37 PM	0.003
1:31:37 PM	0.005
1:32:37 PM	0.003
1:33:37 PM	0.003
1:34:37 PM	0.006
1:35:37 PM	0.004
1:36:37 PM	0.003
1:37:37 PM	0.017
1:38:37 PM	0.009
1:39:37 PM	0.003
1:40:37 PM	0.003
1:41:37 PM	0.005
1:42:37 PM	0.016
1:43:37 PM	0.005
1:44:37 PM	0.003
1:45:37 PM	0.005
1:46:37 PM	0.009

1:47:37 PM	0.004
1:48:37 PM	0.006
1:49:37 PM	0.004
1:50:37 PM	0.004
1:51:37 PM	0.004
1:52:37 PM	0.004
1:53:37 PM	0.004
1:54:37 PM	0.004
1:55:37 PM	0.003
1:56:37 PM	0.009
1:57:37 PM	0.003
1:58:37 PM	0.005
1:59:37 PM	0.002
2:00:37 PM	0.003
2:01:37 PM	0.005
2:02:37 PM	0.006
2:03:37 PM	0.004
2:04:37 PM	0.009
2:05:37 PM	0.004
2:06:37 PM	0.004
2:07:37 PM	0.002
2:08:37 PM	0.011
2:09:37 PM	0.003
2:10:37 PM	0.005
2:11:37 PM	0.003
2:12:37 PM	0.003
2:13:37 PM	0.003
2:14:37 PM	0.005
2:15:37 PM	0.014
2:16:37 PM	0.003
2:17:37 PM	0.011
2:18:37 PM	0.004
2:19:37 PM	0.026
2:20:37 PM	0.004
2:21:37 PM	0.004
2:22:37 PM	0.004
2:23:37 PM	0.009
2:24:37 PM	0.01
2:25:37 PM	0.018
2:26:37 PM	0.005
2:27:37 PM	0.004
2:28:37 PM	0.003
2:29:37 PM	0.003
2:30:37 PM	0.005

2:31:37 PM	0.004
2:32:37 PM	0.006
2:33:37 PM	0.008
2:34:37 PM	0.008
2:35:37 PM	0.005
2:36:37 PM	0.005
2:37:37 PM	0.003
2:38:37 PM	0.01
2:39:37 PM	0.004
2:40:37 PM	0.003
2:41:37 PM	0.004
2:42:37 PM	0.004
2:43:37 PM	0.004
2:44:37 PM	0.012
2:45:37 PM	0.008
2:46:37 PM	0.006
2:47:37 PM	0.015
2:48:37 PM	0.032
2:49:37 PM	0.016
2:50:37 PM	0.031
2:51:37 PM	0.008
2:52:37 PM	0.007
2:53:37 PM	0.006
2:54:37 PM	0.004
2:55:37 PM	0.006
2:56:37 PM	0.004
2:57:37 PM	0.005
2:58:37 PM	0.011
2:59:37 PM	0.005
3:00:37 PM	0.005
3:01:37 PM	0.007
3:02:37 PM	0.004
3:03:37 PM	0.004
3:04:37 PM	0.021
3:05:37 PM	0.007
3:06:37 PM	0.005
3:07:37 PM	0.003
3:08:37 PM	0.007
3:09:37 PM	0.005
3:10:37 PM	0.005
3:11:37 PM	0.006
3:12:37 PM	0.004
3:13:37 PM	0.005
3:14:37 PM	0.007

3:15:37 PM	0.004
3:16:37 PM	0.004
3:17:37 PM	0.009
3:18:37 PM	0.005
3:19:37 PM	0.008
3:20:37 PM	0.007
3:21:37 PM	0.004
3:22:37 PM	0.004
3:23:37 PM	0.005
3:24:37 PM	0.003
3:25:37 PM	0.003
3:26:37 PM	0.003
3:27:37 PM	0.049
3:28:37 PM	0.006
3:29:37 PM	0.004
3:30:37 PM	0.005
3:31:37 PM	0.004
3:32:37 PM	0.01
3:33:37 PM	0.003
3:34:37 PM	0.006
3:35:37 PM	0.006
3:36:37 PM	0.004
3:37:37 PM	0.003
3:38:37 PM	0.003
3:39:37 PM	0.003
3:40:37 PM	0.003
3:41:37 PM	0.004
3:42:37 PM	0.006
3:43:37 PM	0.005
3:44:37 PM	0.003
3:45:37 PM	0.004
3:46:37 PM	0.007
3:47:37 PM	0.005
3:48:37 PM	0.004
3:49:37 PM	0.003
3:50:37 PM	0.004
3:51:37 PM	0.003
3:52:37 PM	0.003
3:53:37 PM	0.003
3:54:37 PM	0.007
3:55:37 PM	0.013
3:56:37 PM	0.004
3:57:37 PM	0.003
3:58:37 PM	0.006

3:59:37 PM	0.004
4:00:37 PM	0.004
4:01:37 PM	0.004
4:02:37 PM	0.003
4:03:37 PM	0.012
4:04:37 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	3/11/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 16:57	CONFIG	PID	SC23030449A8		
592-600853	3/11/2024 13:55	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:54	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:53	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:52	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:51	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:50	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:49	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:48	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:47	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:46	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:45	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:44	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:43	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:42	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:41	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:40	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:39	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:38	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:37	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:36	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:35	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:34	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:33	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:32	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:31	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:30	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:29	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:28	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 13:27	Readings	PID	SC23030449A8	Normal	0

592-600853	3/11/2024 7:56	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:55	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:54	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:53	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:52	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:51	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:50	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:49	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:48	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:47	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:46	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:45	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:44	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:43	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:42	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:41	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:40	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:39	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:38	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:37	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:36	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:35	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:34	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:33	Readings	PID	SC23030449A8	Normal	0
592-600853	3/11/2024 7:32	CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_008
Test Start Time	7:10:27 AM
Test Start Date	3/11/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.006
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.103
Mass TWA [mg/m3]	0.006
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:10:27 AM	0.103		
7:11:27 AM	0.007		
7:12:27 AM	0.012		
7:13:27 AM	0.005		
7:14:27 AM	0.003		
7:15:27 AM	0.004		
7:16:27 AM	0.005		
7:17:27 AM	0.006		
7:18:27 AM	0.005		
7:19:27 AM	0.005		
7:20:27 AM	0.006		
7:21:27 AM	0.007		
7:22:27 AM	0.009		
7:23:27 AM	0.008		
7:24:27 AM	0.005		
7:25:27 AM	0.005		
7:26:27 AM	0.007		
7:27:27 AM	0.005		
7:28:27 AM	0.007		
7:29:27 AM	0.007		
7:30:27 AM	0.007		
7:31:27 AM	0.009		
7:32:27 AM	0.01		
7:33:27 AM	0.007		

7:34:27 AM	0.007
7:35:27 AM	0.005
7:36:27 AM	0.005
7:37:27 AM	0.008
7:38:27 AM	0.007
7:39:27 AM	0.014
7:40:27 AM	0.008
7:41:27 AM	0.025
7:42:27 AM	0.012
7:43:27 AM	0.009
7:44:27 AM	0.01
7:45:27 AM	0.012
7:46:27 AM	0.011
7:47:27 AM	0.011
7:48:27 AM	0.009
7:49:27 AM	0.009
7:50:27 AM	0.004
7:51:27 AM	0.004
7:52:27 AM	0.006
7:53:27 AM	0.006
7:54:27 AM	0.007
7:55:27 AM	0.007
7:56:27 AM	0.006
7:57:27 AM	0.008
7:58:27 AM	0.012
7:59:27 AM	0.016
8:00:27 AM	0.004
8:01:27 AM	0.003
8:02:27 AM	0.006
8:03:27 AM	0.005
8:04:27 AM	0.027
8:05:27 AM	0.01
8:06:27 AM	0.005
8:07:27 AM	0.005
8:08:27 AM	0.006
8:09:27 AM	0.005
8:10:27 AM	0.004
8:11:27 AM	0.007
8:12:27 AM	0.006
8:13:27 AM	0.01
8:14:27 AM	0.007
8:15:27 AM	0.01
8:16:27 AM	0.003
8:17:27 AM	0.003

8:18:27 AM	0.004
8:19:27 AM	0.005
8:20:27 AM	0.004
8:21:27 AM	0.004
8:22:27 AM	0.011
8:23:27 AM	0.005
8:24:27 AM	0.013
8:25:27 AM	0.009
8:26:27 AM	0.007
8:27:27 AM	0.007
8:28:27 AM	0.008
8:29:27 AM	0.012
8:30:27 AM	0.008
8:31:27 AM	0.006
8:32:27 AM	0.005
8:33:27 AM	0.004
8:34:27 AM	0.006
8:35:27 AM	0.017
8:36:27 AM	0.01
8:37:27 AM	0.006
8:38:27 AM	0.004
8:39:27 AM	0.003
8:40:27 AM	0.008
8:41:27 AM	0.006
8:42:27 AM	0.006
8:43:27 AM	0.006
8:44:27 AM	0.011
8:45:27 AM	0.006
8:46:27 AM	0.007
8:47:27 AM	0.006
8:48:27 AM	0.005
8:49:27 AM	0.006
8:50:27 AM	0.007
8:51:27 AM	0.004
8:52:27 AM	0.006
8:53:27 AM	0.007
8:54:27 AM	0.006
8:55:27 AM	0.007
8:56:27 AM	0.006
8:57:27 AM	0.008
8:58:27 AM	0.008
8:59:27 AM	0.006
9:00:27 AM	0.005
9:01:27 AM	0.01

9:02:27 AM	0.005
9:03:27 AM	0.004
9:04:27 AM	0.007
9:05:27 AM	0.005
9:06:27 AM	0.003
9:07:27 AM	0.01
9:08:27 AM	0.008
9:09:27 AM	0.005
9:10:27 AM	0.004
9:11:27 AM	0.005
9:12:27 AM	0.008
9:13:27 AM	0.004
9:14:27 AM	0.006
9:15:27 AM	0.022
9:16:27 AM	0.008
9:17:27 AM	0.006
9:18:27 AM	0.005
9:19:27 AM	0.024
9:20:27 AM	0.005
9:21:27 AM	0.004
9:22:27 AM	0.005
9:23:27 AM	0.017
9:24:27 AM	0.004
9:25:27 AM	0.005
9:26:27 AM	0.006
9:27:27 AM	0.006
9:28:27 AM	0.025
9:29:27 AM	0.012
9:30:27 AM	0.006
9:31:27 AM	0.004
9:32:27 AM	0.004
9:33:27 AM	0.004
9:34:27 AM	0.007
9:35:27 AM	0.009
9:36:27 AM	0.005
9:37:27 AM	0.01
9:38:27 AM	0.006
9:39:27 AM	0.004
9:40:27 AM	0.004
9:41:27 AM	0.008
9:42:27 AM	0.008
9:43:27 AM	0.011
9:44:27 AM	0.008
9:45:27 AM	0.022

9:46:27 AM	0.009
9:47:27 AM	0.009
9:48:27 AM	0.007
9:49:27 AM	0.01
9:50:27 AM	0.005
9:51:27 AM	0.006
9:52:27 AM	0.005
9:53:27 AM	0.017
9:54:27 AM	0.02
9:55:27 AM	0.008
9:56:27 AM	0.012
9:57:27 AM	0.006
9:58:27 AM	0.007
9:59:27 AM	0.007
10:00:27 AM	0.004
10:01:27 AM	0.006
10:02:27 AM	0.005
10:03:27 AM	0.005
10:04:27 AM	0.005
10:05:27 AM	0.005
10:06:27 AM	0.005
10:07:27 AM	0.004
10:08:27 AM	0.004
10:09:27 AM	0.004
10:10:27 AM	0.004
10:11:27 AM	0.005
10:12:27 AM	0.005
10:13:27 AM	0.005
10:14:27 AM	0.006
10:15:27 AM	0.005
10:16:27 AM	0.005
10:17:27 AM	0.018
10:18:27 AM	0.008
10:19:27 AM	0.006
10:20:27 AM	0.007
10:21:27 AM	0.006
10:22:27 AM	0.006
10:23:27 AM	0.007
10:24:27 AM	0.006
10:25:27 AM	0.005
10:26:27 AM	0.008
10:27:27 AM	0.005
10:28:27 AM	0.01
10:29:27 AM	0.013

10:30:27 AM	0.004
10:31:27 AM	0.004
10:32:27 AM	0.006
10:33:27 AM	0.005
10:34:27 AM	0.005
10:35:27 AM	0.005
10:36:27 AM	0.009
10:37:27 AM	0.004
10:38:27 AM	0.011
10:39:27 AM	0.01
10:40:27 AM	0.005
10:41:27 AM	0.004
10:42:27 AM	0.007
10:43:27 AM	0.005
10:44:27 AM	0.005
10:45:27 AM	0.004
10:46:27 AM	0.004
10:47:27 AM	0.006
10:48:27 AM	0.007
10:49:27 AM	0.007
10:50:27 AM	0.006
10:51:27 AM	0.005
10:52:27 AM	0.006
10:53:27 AM	0.003
10:54:27 AM	0.004
10:55:27 AM	0.005
10:56:27 AM	0.005
10:57:27 AM	0.004
10:58:27 AM	0.005
10:59:27 AM	0.004
11:00:27 AM	0.004
11:01:27 AM	0.005
11:02:27 AM	0.004
11:03:27 AM	0.005
11:04:27 AM	0.005
11:05:27 AM	0.005
11:06:27 AM	0.005
11:07:27 AM	0.005
11:08:27 AM	0.005
11:09:27 AM	0.006
11:10:27 AM	0.004
11:11:27 AM	0.007
11:12:27 AM	0.004
11:13:27 AM	0.005

11:14:27 AM	0.004
11:15:27 AM	0.007
11:16:27 AM	0.005
11:17:27 AM	0.008
11:18:27 AM	0.01
11:19:27 AM	0.013
11:20:27 AM	0.008
11:21:27 AM	0.008
11:22:27 AM	0.004
11:23:27 AM	0.004
11:24:27 AM	0.003
11:25:27 AM	0.004
11:26:27 AM	0.004
11:27:27 AM	0.006
11:28:27 AM	0.006
11:29:27 AM	0.005
11:30:27 AM	0.004
11:31:27 AM	0.005
11:32:27 AM	0.004
11:33:27 AM	0.006
11:34:27 AM	0.013
11:35:27 AM	0.005
11:36:27 AM	0.007
11:37:27 AM	0.004
11:38:27 AM	0.007
11:39:27 AM	0.005
11:40:27 AM	0.003
11:41:27 AM	0.004
11:42:27 AM	0.004
11:43:27 AM	0.004
11:44:27 AM	0.003
11:45:27 AM	0.004
11:46:27 AM	0.004
11:47:27 AM	0.005
11:48:27 AM	0.003
11:49:27 AM	0.004
11:50:27 AM	0.004
11:51:27 AM	0.004
11:52:27 AM	0.006
11:53:27 AM	0.006
11:54:27 AM	0.004
11:55:27 AM	0.003
11:56:27 AM	0.005
11:57:27 AM	0.004

11:58:27 AM	0.004
11:59:27 AM	0.004
12:00:27 PM	0.012
12:01:27 PM	0.004
12:02:27 PM	0.004
12:03:27 PM	0.004
12:04:27 PM	0.004
12:05:27 PM	0.007
12:06:27 PM	0.005
12:07:27 PM	0.004
12:08:27 PM	0.003
12:09:27 PM	0.004
12:10:27 PM	0.003
12:11:27 PM	0.006
12:12:27 PM	0.005
12:13:27 PM	0.005
12:14:27 PM	0.004
12:15:27 PM	0.004
12:16:27 PM	0.004
12:17:27 PM	0.006
12:18:27 PM	0.006
12:19:27 PM	0.004
12:20:27 PM	0.004
12:21:27 PM	0.005
12:22:27 PM	0.004
12:23:27 PM	0.005
12:24:27 PM	0.004
12:25:27 PM	0.004
12:26:27 PM	0.007
12:27:27 PM	0.005
12:28:27 PM	0.005
12:29:27 PM	0.005
12:30:27 PM	0.006
12:31:27 PM	0.009
12:32:27 PM	0.006
12:33:27 PM	0.005
12:34:27 PM	0.006
12:35:27 PM	0.005
12:36:27 PM	0.004
12:37:27 PM	0.004
12:38:27 PM	0.009
12:39:27 PM	0.008
12:40:27 PM	0.006
12:41:27 PM	0.004

12:42:27 PM	0.007
12:43:27 PM	0.003
12:44:27 PM	0.007
12:45:27 PM	0.006
12:46:27 PM	0.004
12:47:27 PM	0.007
12:48:27 PM	0.003
12:49:27 PM	0.003
12:50:27 PM	0.003
12:51:27 PM	0.003
12:52:27 PM	0.008
12:53:27 PM	0.012
12:54:27 PM	0.005
12:55:27 PM	0.005
12:56:27 PM	0.003
12:57:27 PM	0.003
12:58:27 PM	0.003
12:59:27 PM	0.002
1:00:27 PM	0.002
1:01:27 PM	0.002
1:02:27 PM	0.003
1:03:27 PM	0.003
1:04:27 PM	0.004
1:05:27 PM	0.004
1:06:27 PM	0.005
1:07:27 PM	0.012
1:08:27 PM	0.005
1:09:27 PM	0.005
1:10:27 PM	0.004
1:11:27 PM	0.005
1:12:27 PM	0.004
1:13:27 PM	0.006
1:14:27 PM	0.009
1:15:27 PM	0.004
1:16:27 PM	0.005
1:17:27 PM	0.004
1:18:27 PM	0.003
1:19:27 PM	0.003
1:20:27 PM	0.003
1:21:27 PM	0.005
1:22:27 PM	0.003
1:23:27 PM	0.004
1:24:27 PM	0.003
1:25:27 PM	0.003

1:26:27 PM	0.003
1:27:27 PM	0.003
1:28:27 PM	0.003
1:29:27 PM	0.004
1:30:27 PM	0.002
1:31:27 PM	0.003
1:32:27 PM	0.004
1:33:27 PM	0.003
1:34:27 PM	0.003
1:35:27 PM	0.003
1:36:27 PM	0.003
1:37:27 PM	0.003
1:38:27 PM	0.003
1:39:27 PM	0.004
1:40:27 PM	0.005
1:41:27 PM	0.004
1:42:27 PM	0.004
1:43:27 PM	0.005
1:44:27 PM	0.004
1:45:27 PM	0.006
1:46:27 PM	0.003
1:47:27 PM	0.065
1:48:27 PM	0.002
1:49:27 PM	0.009
1:50:27 PM	0.015
1:51:27 PM	0.008
1:52:27 PM	0.004
1:53:27 PM	0.004
1:54:27 PM	0.007
1:55:27 PM	0.003
1:56:27 PM	0.014
1:57:27 PM	0.014
1:58:27 PM	0.006
1:59:27 PM	0.004
2:00:27 PM	0.003
2:01:27 PM	0.008
2:02:27 PM	0.003
2:03:27 PM	0.004
2:04:27 PM	0.004
2:05:27 PM	0.006
2:06:27 PM	0.006
2:07:27 PM	0.003
2:08:27 PM	0.004
2:09:27 PM	0.005

2:10:27 PM	0.005
2:11:27 PM	0.004
2:12:27 PM	0.007
2:13:27 PM	0.003
2:14:27 PM	0.01
2:15:27 PM	0.01
2:16:27 PM	0.008
2:17:27 PM	0.005
2:18:27 PM	0.005
2:19:27 PM	0.004
2:20:27 PM	0.004
2:21:27 PM	0.009
2:22:27 PM	0.004
2:23:27 PM	0.005
2:24:27 PM	0.004
2:25:27 PM	0.004
2:26:27 PM	0.004
2:27:27 PM	0.003
2:28:27 PM	0.004
2:29:27 PM	0.005
2:30:27 PM	0.007
2:31:27 PM	0.004
2:32:27 PM	0.003
2:33:27 PM	0.006
2:34:27 PM	0.005
2:35:27 PM	0.003
2:36:27 PM	0.005
2:37:27 PM	0.003
2:38:27 PM	0.004
2:39:27 PM	0.006
2:40:27 PM	0.028
2:41:27 PM	0.006
2:42:27 PM	0.006
2:43:27 PM	0.004
2:44:27 PM	0.004
2:45:27 PM	0.004
2:46:27 PM	0.005
2:47:27 PM	0.005
2:48:27 PM	0.006
2:49:27 PM	0.004
2:50:27 PM	0.006
2:51:27 PM	0.004
2:52:27 PM	0.007
2:53:27 PM	0.008

2:54:27 PM	0.005
2:55:27 PM	0.006
2:56:27 PM	0.007
2:57:27 PM	0.013
2:58:27 PM	0.012
2:59:27 PM	0.013
3:00:27 PM	0.004
3:01:27 PM	0.004
3:02:27 PM	0.009
3:03:27 PM	0.007
3:04:27 PM	0.005
3:05:27 PM	0.004
3:06:27 PM	0.007
3:07:27 PM	0.004
3:08:27 PM	0.004
3:09:27 PM	0.003
3:10:27 PM	0.004
3:11:27 PM	0.007
3:12:27 PM	0.006
3:13:27 PM	0.015
3:14:27 PM	0.006
3:15:27 PM	0.003
3:16:27 PM	0.005
3:17:27 PM	0.004
3:18:27 PM	0.004
3:19:27 PM	0.006
3:20:27 PM	0.003
3:21:27 PM	0.019
3:22:27 PM	0.006
3:23:27 PM	0.004
3:24:27 PM	0.004
3:25:27 PM	0.005
3:26:27 PM	0.005
3:27:27 PM	0.004
3:28:27 PM	0.004
3:29:27 PM	0.004
3:30:27 PM	0.004
3:31:27 PM	0.008
3:32:27 PM	0.004
3:33:27 PM	0.003
3:34:27 PM	0.003
3:35:27 PM	0.003
3:36:27 PM	0.003
3:37:27 PM	0.004

3:38:27 PM	0.003
3:39:27 PM	0.004
3:40:27 PM	0.005
3:41:27 PM	0.003
3:42:27 PM	0.004
3:43:27 PM	0.003
3:44:27 PM	0.003
3:45:27 PM	0.003
3:46:27 PM	0.003
3:47:27 PM	0.003
3:48:27 PM	0.003
3:49:27 PM	0.004
3:50:27 PM	0.004
3:51:27 PM	0.003
3:52:27 PM	0.004
3:53:27 PM	0.005
3:54:27 PM	0.007
3:55:27 PM	0.007
3:56:27 PM	0.005
3:57:27 PM	0.004
3:58:27 PM	0.003
3:59:27 PM	0.006
4:00:27 PM	0.004
4:01:27 PM	0.005
4:02:27 PM	0.011
4:03:27 PM	0.013
4:04:27 PM	0.006
4:05:27 PM	0.003
4:06:27 PM	0.009
4:07:27 PM	0.006
4:08:27 PM	0.004
4:09:27 PM	0.007
4:10:27 PM	0.003
4:11:27 PM	0.004
4:12:27 PM	0.004
4:13:27 PM	0.004
4:14:27 PM	0.004

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/11/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:40	CONFIG	PID	SC23030140W3		
592-000289	3/11/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:16	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:15	Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 16:14	Readings	PID	SC23030140W3	Normal	0

592-000289	3/11/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:44 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:43 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:42 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:41 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/11/2024 9:38 Readings	PID	SC23030140W3	Normal	0

592-000289

3/11/2024 7:25 CONFIG PID

SC23030140W3

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_008
Test Start Time	7:05:11 AM
Test Start Date	3/11/2024
Test Length [D:H:M]	0:09:13
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.004
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.02
Mass TWA [mg/m3]	0.004
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	553

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:05:11 AM	0.008		
7:06:11 AM	0.002		
7:07:11 AM	0.002		
7:08:11 AM	0.002		
7:09:11 AM	0.002		
7:10:11 AM	0.002		
7:11:11 AM	0.002		
7:12:11 AM	0.002		
7:13:11 AM	0.003		
7:14:11 AM	0.003		
7:15:11 AM	0.002		
7:16:11 AM	0.003		
7:17:11 AM	0.003		
7:18:11 AM	0.003		
7:19:11 AM	0.003		
7:20:11 AM	0.003		
7:21:11 AM	0.003		
7:22:11 AM	0.005		
7:23:11 AM	0.004		
7:24:11 AM	0.004		
7:25:11 AM	0.003		
7:26:11 AM	0.003		
7:27:11 AM	0.003		
7:28:11 AM	0.003		

7:29:11 AM	0.005
7:30:11 AM	0.003
7:31:11 AM	0.004
7:32:11 AM	0.004
7:33:11 AM	0.004
7:34:11 AM	0.004
7:35:11 AM	0.009
7:36:11 AM	0.005
7:37:11 AM	0.006
7:38:11 AM	0.005
7:39:11 AM	0.004
7:40:11 AM	0.004
7:41:11 AM	0.004
7:42:11 AM	0.005
7:43:11 AM	0.005
7:44:11 AM	0.006
7:45:11 AM	0.01
7:46:11 AM	0.005
7:47:11 AM	0.005
7:48:11 AM	0.005
7:49:11 AM	0.005
7:50:11 AM	0.004
7:51:11 AM	0.005
7:52:11 AM	0.004
7:53:11 AM	0.006
7:54:11 AM	0.006
7:55:11 AM	0.01
7:56:11 AM	0.005
7:57:11 AM	0.005
7:58:11 AM	0.005
7:59:11 AM	0.006
8:00:11 AM	0.004
8:01:11 AM	0.007
8:02:11 AM	0.005
8:03:11 AM	0.006
8:04:11 AM	0.004
8:05:11 AM	0.004
8:06:11 AM	0.004
8:07:11 AM	0.004
8:08:11 AM	0.004
8:09:11 AM	0.005
8:10:11 AM	0.005
8:11:11 AM	0.005
8:12:11 AM	0.005

8:13:11 AM	0.005
8:14:11 AM	0.005
8:15:11 AM	0.006
8:16:11 AM	0.005
8:17:11 AM	0.005
8:18:11 AM	0.005
8:19:11 AM	0.005
8:20:11 AM	0.005
8:21:11 AM	0.004
8:22:11 AM	0.004
8:23:11 AM	0.006
8:24:11 AM	0.004
8:25:11 AM	0.004
8:26:11 AM	0.005
8:27:11 AM	0.005
8:28:11 AM	0.005
8:29:11 AM	0.005
8:30:11 AM	0.005
8:31:11 AM	0.005
8:32:11 AM	0.005
8:33:11 AM	0.005
8:34:11 AM	0.005
8:35:11 AM	0.005
8:36:11 AM	0.005
8:37:11 AM	0.005
8:38:11 AM	0.005
8:39:11 AM	0.005
8:40:11 AM	0.005
8:41:11 AM	0.005
8:42:11 AM	0.005
8:43:11 AM	0.005
8:44:11 AM	0.006
8:45:11 AM	0.006
8:46:11 AM	0.006
8:47:11 AM	0.005
8:48:11 AM	0.007
8:49:11 AM	0.005
8:50:11 AM	0.006
8:51:11 AM	0.006
8:52:11 AM	0.005
8:53:11 AM	0.006
8:54:11 AM	0.005
8:55:11 AM	0.005
8:56:11 AM	0.006

8:57:11 AM	0.005
8:58:11 AM	0.006
8:59:11 AM	0.006
9:00:11 AM	0.005
9:01:11 AM	0.005
9:02:11 AM	0.005
9:03:11 AM	0.005
9:04:11 AM	0.004
9:05:11 AM	0.004
9:06:11 AM	0.004
9:07:11 AM	0.004
9:08:11 AM	0.007
9:09:11 AM	0.02
9:10:11 AM	0.004
9:11:11 AM	0.004
9:12:11 AM	0.005
9:13:11 AM	0.004
9:14:11 AM	0.005
9:15:11 AM	0.005
9:16:11 AM	0.005
9:17:11 AM	0.005
9:18:11 AM	0.005
9:19:11 AM	0.005
9:20:11 AM	0.005
9:21:11 AM	0.005
9:22:11 AM	0.009
9:23:11 AM	0.005
9:24:11 AM	0.005
9:25:11 AM	0.005
9:26:11 AM	0.005
9:27:11 AM	0.006
9:28:11 AM	0.005
9:29:11 AM	0.005
9:30:11 AM	0.005
9:31:11 AM	0.005
9:32:11 AM	0.004
9:33:11 AM	0.005
9:34:11 AM	0.005
9:35:11 AM	0.005
9:36:11 AM	0.005
9:37:11 AM	0.005
9:38:11 AM	0.005
9:39:11 AM	0.006
9:40:11 AM	0.006

9:41:11 AM	0.005
9:42:11 AM	0.005
9:43:11 AM	0.005
9:44:11 AM	0.005
9:45:11 AM	0.006
9:46:11 AM	0.006
9:47:11 AM	0.008
9:48:11 AM	0.006
9:49:11 AM	0.007
9:50:11 AM	0.006
9:51:11 AM	0.005
9:52:11 AM	0.005
9:53:11 AM	0.005
9:54:11 AM	0.006
9:55:11 AM	0.01
9:56:11 AM	0.006
9:57:11 AM	0.005
9:58:11 AM	0.007
9:59:11 AM	0.008
10:00:11 AM	0.006
10:01:11 AM	0.005
10:02:11 AM	0.005
10:03:11 AM	0.005
10:04:11 AM	0.005
10:05:11 AM	0.006
10:06:11 AM	0.005
10:07:11 AM	0.005
10:08:11 AM	0.005
10:09:11 AM	0.005
10:10:11 AM	0.005
10:11:11 AM	0.006
10:12:11 AM	0.006
10:13:11 AM	0.005
10:14:11 AM	0.005
10:15:11 AM	0.005
10:16:11 AM	0.005
10:17:11 AM	0.005
10:18:11 AM	0.005
10:19:11 AM	0.005
10:20:11 AM	0.006
10:21:11 AM	0.005
10:22:11 AM	0.007
10:23:11 AM	0.005
10:24:11 AM	0.005

10:25:11 AM	0.005
10:26:11 AM	0.005
10:27:11 AM	0.006
10:28:11 AM	0.006
10:29:11 AM	0.005
10:30:11 AM	0.004
10:31:11 AM	0.005
10:32:11 AM	0.005
10:33:11 AM	0.004
10:34:11 AM	0.005
10:35:11 AM	0.004
10:36:11 AM	0.004
10:37:11 AM	0.004
10:38:11 AM	0.004
10:39:11 AM	0.004
10:40:11 AM	0.004
10:41:11 AM	0.004
10:42:11 AM	0.004
10:43:11 AM	0.004
10:44:11 AM	0.004
10:45:11 AM	0.004
10:46:11 AM	0.005
10:47:11 AM	0.005
10:48:11 AM	0.004
10:49:11 AM	0.006
10:50:11 AM	0.004
10:51:11 AM	0.004
10:52:11 AM	0.004
10:53:11 AM	0.004
10:54:11 AM	0.005
10:55:11 AM	0.004
10:56:11 AM	0.004
10:57:11 AM	0.004
10:58:11 AM	0.004
10:59:11 AM	0.004
11:00:11 AM	0.004
11:01:11 AM	0.004
11:02:11 AM	0.004
11:03:11 AM	0.004
11:04:11 AM	0.004
11:05:11 AM	0.004
11:06:11 AM	0.004
11:07:11 AM	0.004
11:08:11 AM	0.005

11:09:11 AM	0.004
11:10:11 AM	0.004
11:11:11 AM	0.004
11:12:11 AM	0.004
11:13:11 AM	0.004
11:14:11 AM	0.004
11:15:11 AM	0.004
11:16:11 AM	0.004
11:17:11 AM	0.005
11:18:11 AM	0.004
11:19:11 AM	0.004
11:20:11 AM	0.004
11:21:11 AM	0.004
11:22:11 AM	0.004
11:23:11 AM	0.004
11:24:11 AM	0.003
11:25:11 AM	0.003
11:26:11 AM	0.003
11:27:11 AM	0.004
11:28:11 AM	0.004
11:29:11 AM	0.003
11:30:11 AM	0.003
11:31:11 AM	0.003
11:32:11 AM	0.004
11:33:11 AM	0.004
11:34:11 AM	0.004
11:35:11 AM	0.004
11:36:11 AM	0.006
11:37:11 AM	0.004
11:38:11 AM	0.004
11:39:11 AM	0.003
11:40:11 AM	0.004
11:41:11 AM	0.003
11:42:11 AM	0.003
11:43:11 AM	0.003
11:44:11 AM	0.003
11:45:11 AM	0.003
11:46:11 AM	0.003
11:47:11 AM	0.003
11:48:11 AM	0.003
11:49:11 AM	0.003
11:50:11 AM	0.003
11:51:11 AM	0.003
11:52:11 AM	0.003

11:53:11 AM	0.003
11:54:11 AM	0.003
11:55:11 AM	0.003
11:56:11 AM	0.003
11:57:11 AM	0.003
11:58:11 AM	0.003
11:59:11 AM	0.003
12:00:11 PM	0.003
12:01:11 PM	0.003
12:02:11 PM	0.003
12:03:11 PM	0.003
12:04:11 PM	0.003
12:05:11 PM	0.003
12:06:11 PM	0.003
12:07:11 PM	0.003
12:08:11 PM	0.004
12:09:11 PM	0.003
12:10:11 PM	0.003
12:11:11 PM	0.003
12:12:11 PM	0.003
12:13:11 PM	0.003
12:14:11 PM	0.003
12:15:11 PM	0.003
12:16:11 PM	0.003
12:17:11 PM	0.003
12:18:11 PM	0.003
12:19:11 PM	0.003
12:20:11 PM	0.003
12:21:11 PM	0.004
12:22:11 PM	0.003
12:23:11 PM	0.003
12:24:11 PM	0.003
12:25:11 PM	0.004
12:26:11 PM	0.004
12:27:11 PM	0.003
12:28:11 PM	0.004
12:29:11 PM	0.004
12:30:11 PM	0.004
12:31:11 PM	0.004
12:32:11 PM	0.004
12:33:11 PM	0.004
12:34:11 PM	0.003
12:35:11 PM	0.003
12:36:11 PM	0.004

12:37:11 PM	0.004
12:38:11 PM	0.004
12:39:11 PM	0.004
12:40:11 PM	0.004
12:41:11 PM	0.004
12:42:11 PM	0.004
12:43:11 PM	0.003
12:44:11 PM	0.004
12:45:11 PM	0.003
12:46:11 PM	0.004
12:47:11 PM	0.004
12:48:11 PM	0.004
12:49:11 PM	0.003
12:50:11 PM	0.003
12:51:11 PM	0.004
12:52:11 PM	0.003
12:53:11 PM	0.004
12:54:11 PM	0.008
12:55:11 PM	0.004
12:56:11 PM	0.004
12:57:11 PM	0.004
12:58:11 PM	0.003
12:59:11 PM	0.003
1:00:11 PM	0.003
1:01:11 PM	0.003
1:02:11 PM	0.003
1:03:11 PM	0.003
1:04:11 PM	0.003
1:05:11 PM	0.004
1:06:11 PM	0.004
1:07:11 PM	0.003
1:08:11 PM	0.004
1:09:11 PM	0.004
1:10:11 PM	0.004
1:11:11 PM	0.004
1:12:11 PM	0.003
1:13:11 PM	0.003
1:14:11 PM	0.003
1:15:11 PM	0.005
1:16:11 PM	0.003
1:17:11 PM	0.003
1:18:11 PM	0.003
1:19:11 PM	0.003
1:20:11 PM	0.003

1:21:11 PM	0.003
1:22:11 PM	0.003
1:23:11 PM	0.003
1:24:11 PM	0.003
1:25:11 PM	0.003
1:26:11 PM	0.003
1:27:11 PM	0.003
1:28:11 PM	0.003
1:29:11 PM	0.003
1:30:11 PM	0.003
1:31:11 PM	0.003
1:32:11 PM	0.003
1:33:11 PM	0.003
1:34:11 PM	0.003
1:35:11 PM	0.003
1:36:11 PM	0.003
1:37:11 PM	0.003
1:38:11 PM	0.003
1:39:11 PM	0.003
1:40:11 PM	0.003
1:41:11 PM	0.003
1:42:11 PM	0.005
1:43:11 PM	0.003
1:44:11 PM	0.003
1:45:11 PM	0.003
1:46:11 PM	0.003
1:47:11 PM	0.003
1:48:11 PM	0.003
1:49:11 PM	0.002
1:50:11 PM	0.003
1:51:11 PM	0.003
1:52:11 PM	0.003
1:53:11 PM	0.003
1:54:11 PM	0.004
1:55:11 PM	0.003
1:56:11 PM	0.003
1:57:11 PM	0.003
1:58:11 PM	0.003
1:59:11 PM	0.003
2:00:11 PM	0.003
2:01:11 PM	0.003
2:02:11 PM	0.003
2:03:11 PM	0.003
2:04:11 PM	0.003

2:05:11 PM	0.003
2:06:11 PM	0.003
2:07:11 PM	0.003
2:08:11 PM	0.003
2:09:11 PM	0.003
2:10:11 PM	0.003
2:11:11 PM	0.003
2:12:11 PM	0.004
2:13:11 PM	0.003
2:14:11 PM	0.003
2:15:11 PM	0.003
2:16:11 PM	0.003
2:17:11 PM	0.004
2:18:11 PM	0.003
2:19:11 PM	0.003
2:20:11 PM	0.004
2:21:11 PM	0.003
2:22:11 PM	0.003
2:23:11 PM	0.003
2:24:11 PM	0.003
2:25:11 PM	0.003
2:26:11 PM	0.003
2:27:11 PM	0.003
2:28:11 PM	0.003
2:29:11 PM	0.003
2:30:11 PM	0.003
2:31:11 PM	0.004
2:32:11 PM	0.003
2:33:11 PM	0.003
2:34:11 PM	0.004
2:35:11 PM	0.003
2:36:11 PM	0.004
2:37:11 PM	0.003
2:38:11 PM	0.004
2:39:11 PM	0.003
2:40:11 PM	0.004
2:41:11 PM	0.004
2:42:11 PM	0.004
2:43:11 PM	0.005
2:44:11 PM	0.004
2:45:11 PM	0.004
2:46:11 PM	0.004
2:47:11 PM	0.004
2:48:11 PM	0.004

2:49:11 PM	0.004
2:50:11 PM	0.004
2:51:11 PM	0.004
2:52:11 PM	0.004
2:53:11 PM	0.004
2:54:11 PM	0.005
2:55:11 PM	0.005
2:56:11 PM	0.004
2:57:11 PM	0.004
2:58:11 PM	0.004
2:59:11 PM	0.004
3:00:11 PM	0.004
3:01:11 PM	0.004
3:02:11 PM	0.004
3:03:11 PM	0.005
3:04:11 PM	0.004
3:05:11 PM	0.004
3:06:11 PM	0.004
3:07:11 PM	0.004
3:08:11 PM	0.005
3:09:11 PM	0.005
3:10:11 PM	0.005
3:11:11 PM	0.005
3:12:11 PM	0.004
3:13:11 PM	0.008
3:14:11 PM	0.007
3:15:11 PM	0.004
3:16:11 PM	0.004
3:17:11 PM	0.004
3:18:11 PM	0.004
3:19:11 PM	0.006
3:20:11 PM	0.004
3:21:11 PM	0.004
3:22:11 PM	0.005
3:23:11 PM	0.004
3:24:11 PM	0.004
3:25:11 PM	0.004
3:26:11 PM	0.005
3:27:11 PM	0.004
3:28:11 PM	0.004
3:29:11 PM	0.004
3:30:11 PM	0.004
3:31:11 PM	0.005
3:32:11 PM	0.004

3:33:11 PM	0.004
3:34:11 PM	0.004
3:35:11 PM	0.004
3:36:11 PM	0.003
3:37:11 PM	0.004
3:38:11 PM	0.004
3:39:11 PM	0.004
3:40:11 PM	0.003
3:41:11 PM	0.004
3:42:11 PM	0.004
3:43:11 PM	0.004
3:44:11 PM	0.004
3:45:11 PM	0.004
3:46:11 PM	0.004
3:47:11 PM	0.004
3:48:11 PM	0.004
3:49:11 PM	0.004
3:50:11 PM	0.004
3:51:11 PM	0.003
3:52:11 PM	0.003
3:53:11 PM	0.003
3:54:11 PM	0.004
3:55:11 PM	0.004
3:56:11 PM	0.004
3:57:11 PM	0.004
3:58:11 PM	0.004
3:59:11 PM	0.004
4:00:11 PM	0.005
4:01:11 PM	0.004
4:02:11 PM	0.004
4:03:11 PM	0.007
4:04:11 PM	0.005
4:05:11 PM	0.004
4:06:11 PM	0.004
4:07:11 PM	0.004
4:08:11 PM	0.004
4:09:11 PM	0.004
4:10:11 PM	0.004
4:11:11 PM	0.004
4:12:11 PM	0.004
4:13:11 PM	0.004
4:14:11 PM	0.004
4:15:11 PM	0.004
4:16:11 PM	0.004

4:17:11 PM

0.004

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/11/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:34	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:33	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:32	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:31	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:26	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:25	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:24	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:23	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:22	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:21	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:18	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:17	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:16	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:15	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:14	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:13	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:12	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:11	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:10	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:09	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:08	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:07	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:06	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 16:05	Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/11/2024 14:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 14:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 14:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:53 Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/11/2024 13:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:20 Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/11/2024 13:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 13:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 13:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:47 Readings	PID	SC23030602B4	Normal	0.1

592-602176	3/11/2024 12:46	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:45	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:44	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:39	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:38	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:34	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:33	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:32	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:29	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:26	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:25	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:23	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:22	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:21	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:20	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:19	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:18	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:17	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 12:16	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:15	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/11/2024 12:14	Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/11/2024 9:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/11/2024 9:22 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:21 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:20 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:19 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:18 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:17 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:16 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:15 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:14 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:13 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:12 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:11 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:10 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:09 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:07 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:06 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:05 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:04 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:03 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 8:56 Readings	PID	SC23030602B4	Normal	0

592-602176	3/11/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/11/2024 7:31 CONFIG	PID	SC23030602B4		