

**DAILY STATUS REPORT****Prepared By:**

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85	X	>85		SE 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/14/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:30

Time Out: 17:00

Personnel On Site:

IEEG (Environmental) – Marius Sidlauskas

Capital (Contractor)

ECD (Pile Installation)

GES (Geotech)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig**Scope of Work:** Oversee excavation by Capital, continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Ten (19) truckloads of material were disposed of offsite to the Conestoga Facility;
- Three (3) truckloads of material from spill # 2308807 were disposed of offsite to the Puresoil Jackson Facility, odor suppression was implemented via two (2) ATMOS foam units;
- Three (3) truckloads of concrete were disposed of offsite to PPark Facility;
- Depth to water gauging within all 13 of sentinel wells for dewatering purposes (it should be noted that one well needs to be reinstalled and is scheduled for 3/20);
- Excavation of grids D4-G4, E5, D6 to 9' bsg, and F6 to 6-7' bsg. Refer to Alph Numeric Grid Map for grid locations;
- Endpoint samples collected for the following endpoints: EP-64 (10'), EP-65 (9'), EP-79 (9'), EP-81 (7-8'), and EP-47 (11') was resampled for VOCs only as the previous submittal did not contain the appropriate volume for VOC analysis;
- Backfilling in grids L4-M4;
- Continued pile Installation in O5/4; and
- Perimeter check of site was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site. It should be noted that a Site located on Union Street was spraying down concrete during cutting operations and the liquid drained towards Nevins Street (photo included in the photo log).

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.033_ mg/m³ @ 06:48
- High Conditions (Upwind) – PID = _0.5_ ppm @ 12:06, Dust = 0.308_ mg/m³ @ 14:31
- High Conditions (Downwind 1) – PID = _2.6_ ppm @ 15:42, Dust = _0.14_ mg/m³ @ 11:16
- High Conditions (Downwind 2) – PID = _0.4_ ppm @ 12:27 Dust = _0.143_ mg/m³ @ 11:45

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation; and
- Pile installation

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of truck load out.



Photo 2 –

Representative photo of truck load out of spill stockpile material, odor suppression implemented.



Photo 3 –

Representative photo of excavation of spill stockpile and active odor suppression (ATMOS foam).



Photo 4 –

Representative photo of gravel placement of truck wash pad to re-fresh the area.



Photo 5 –

Representative photo of pile installation.



Photo 6 –

Representative photo of off-site work from Union Street draining towards Nevins Street and location of CAMP station Downwind 1.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:48:06 AM
Test Start Date	3/14/2024
Test Length [D:H:M]	0:09:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.055
Mass Minimum [mg/m3]	0.022
Mass Maximum [mg/m3]	0.308
Mass TWA [mg/m3]	0.056
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	570

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:48:06 AM	0.033		
6:49:06 AM	0.031		
6:50:06 AM	0.026		
6:51:06 AM	0.025		
6:52:06 AM	0.025		
6:53:06 AM	0.025		
6:54:06 AM	0.025		
6:55:06 AM	0.024		
6:56:06 AM	0.024		
6:57:06 AM	0.024		
6:58:06 AM	0.023		
6:59:06 AM	0.025		
7:00:06 AM	0.026		
7:01:06 AM	0.028		
7:02:06 AM	0.024		
7:03:06 AM	0.023		
7:04:06 AM	0.023		
7:05:06 AM	0.024		
7:06:06 AM	0.022		
7:07:06 AM	0.023		
7:08:06 AM	0.024		
7:09:06 AM	0.022		
7:10:06 AM	0.022		
7:11:06 AM	0.022		

7:12:06 AM	0.022
7:13:06 AM	0.025
7:14:06 AM	0.023
7:15:06 AM	0.023
7:16:06 AM	0.026
7:17:06 AM	0.024
7:18:06 AM	0.024
7:19:06 AM	0.199
7:20:06 AM	0.143
7:21:06 AM	0.056
7:22:06 AM	0.028
7:23:06 AM	0.025
7:24:06 AM	0.025
7:25:06 AM	0.025
7:26:06 AM	0.025
7:27:06 AM	0.025
7:28:06 AM	0.025
7:29:06 AM	0.025
7:30:06 AM	0.025
7:31:06 AM	0.033
7:32:06 AM	0.03
7:33:06 AM	0.025
7:34:06 AM	0.024
7:35:06 AM	0.026
7:36:06 AM	0.025
7:37:06 AM	0.027
7:38:06 AM	0.028
7:39:06 AM	0.03
7:40:06 AM	0.037
7:41:06 AM	0.049
7:42:06 AM	0.046
7:43:06 AM	0.036
7:44:06 AM	0.035
7:45:06 AM	0.032
7:46:06 AM	0.031
7:47:06 AM	0.03
7:48:06 AM	0.03
7:49:06 AM	0.029
7:50:06 AM	0.028
7:51:06 AM	0.029
7:52:06 AM	0.028
7:53:06 AM	0.028
7:54:06 AM	0.028
7:55:06 AM	0.028

7:56:06 AM	0.028
7:57:06 AM	0.028
7:58:06 AM	0.032
7:59:06 AM	0.033
8:00:06 AM	0.031
8:01:06 AM	0.03
8:02:06 AM	0.031
8:03:06 AM	0.03
8:04:06 AM	0.03
8:05:06 AM	0.03
8:06:06 AM	0.029
8:07:06 AM	0.03
8:08:06 AM	0.03
8:09:06 AM	0.031
8:10:06 AM	0.031
8:11:06 AM	0.033
8:12:06 AM	0.034
8:13:06 AM	0.033
8:14:06 AM	0.033
8:15:06 AM	0.031
8:16:06 AM	0.032
8:17:06 AM	0.032
8:18:06 AM	0.031
8:19:06 AM	0.032
8:20:06 AM	0.031
8:21:06 AM	0.033
8:22:06 AM	0.035
8:23:06 AM	0.034
8:24:06 AM	0.035
8:25:06 AM	0.037
8:26:06 AM	0.039
8:27:06 AM	0.047
8:28:06 AM	0.04
8:29:06 AM	0.037
8:30:06 AM	0.037
8:31:06 AM	0.039
8:32:06 AM	0.041
8:33:06 AM	0.041
8:34:06 AM	0.039
8:35:06 AM	0.04
8:36:06 AM	0.042
8:37:06 AM	0.044
8:38:06 AM	0.042
8:39:06 AM	0.041

8:40:06 AM	0.042
8:41:06 AM	0.041
8:42:06 AM	0.04
8:43:06 AM	0.039
8:44:06 AM	0.04
8:45:06 AM	0.04
8:46:06 AM	0.04
8:47:06 AM	0.04
8:48:06 AM	0.04
8:49:06 AM	0.041
8:50:06 AM	0.041
8:51:06 AM	0.042
8:52:06 AM	0.042
8:53:06 AM	0.042
8:54:06 AM	0.043
8:55:06 AM	0.045
8:56:06 AM	0.045
8:57:06 AM	0.045
8:58:06 AM	0.045
8:59:06 AM	0.049
9:00:06 AM	0.054
9:01:06 AM	0.047
9:02:06 AM	0.046
9:03:06 AM	0.049
9:04:06 AM	0.057
9:05:06 AM	0.055
9:06:06 AM	0.057
9:07:06 AM	0.052
9:08:06 AM	0.052
9:09:06 AM	0.055
9:10:06 AM	0.058
9:11:06 AM	0.062
9:12:06 AM	0.062
9:13:06 AM	0.067
9:14:06 AM	0.064
9:15:06 AM	0.128
9:16:06 AM	0.072
9:17:06 AM	0.073
9:18:06 AM	0.079
9:19:06 AM	0.078
9:20:06 AM	0.076
9:21:06 AM	0.079
9:22:06 AM	0.091
9:23:06 AM	0.075

9:24:06 AM	0.075
9:25:06 AM	0.071
9:26:06 AM	0.069
9:27:06 AM	0.071
9:28:06 AM	0.069
9:29:06 AM	0.068
9:30:06 AM	0.067
9:31:06 AM	0.072
9:32:06 AM	0.067
9:33:06 AM	0.067
9:34:06 AM	0.069
9:35:06 AM	0.069
9:36:06 AM	0.067
9:37:06 AM	0.063
9:38:06 AM	0.067
9:39:06 AM	0.064
9:40:06 AM	0.061
9:41:06 AM	0.06
9:42:06 AM	0.066
9:43:06 AM	0.061
9:44:06 AM	0.065
9:45:06 AM	0.061
9:46:06 AM	0.062
9:47:06 AM	0.062
9:48:06 AM	0.063
9:49:06 AM	0.064
9:50:06 AM	0.076
9:51:06 AM	0.065
9:52:06 AM	0.064
9:53:06 AM	0.061
9:54:06 AM	0.061
9:55:06 AM	0.069
9:56:06 AM	0.068
9:57:06 AM	0.069
9:58:06 AM	0.066
9:59:06 AM	0.065
10:00:06 AM	0.06
10:01:06 AM	0.06
10:02:06 AM	0.059
10:03:06 AM	0.059
10:04:06 AM	0.061
10:05:06 AM	0.06
10:06:06 AM	0.074
10:07:06 AM	0.066

10:08:06 AM	0.064
10:09:06 AM	0.064
10:10:06 AM	0.064
10:11:06 AM	0.061
10:12:06 AM	0.06
10:13:06 AM	0.059
10:14:06 AM	0.06
10:15:06 AM	0.06
10:16:06 AM	0.059
10:17:06 AM	0.059
10:18:06 AM	0.059
10:19:06 AM	0.059
10:20:06 AM	0.064
10:21:06 AM	0.07
10:22:06 AM	0.073
10:23:06 AM	0.079
10:24:06 AM	0.064
10:25:06 AM	0.064
10:26:06 AM	0.069
10:27:06 AM	0.07
10:28:06 AM	0.068
10:29:06 AM	0.067
10:30:06 AM	0.076
10:31:06 AM	0.073
10:32:06 AM	0.068
10:33:06 AM	0.079
10:34:06 AM	0.07
10:35:06 AM	0.082
10:36:06 AM	0.07
10:37:06 AM	0.072
10:38:06 AM	0.071
10:39:06 AM	0.114
10:40:06 AM	0.074
10:41:06 AM	0.069
10:42:06 AM	0.071
10:43:06 AM	0.071
10:44:06 AM	0.074
10:45:06 AM	0.074
10:46:06 AM	0.09
10:47:06 AM	0.074
10:48:06 AM	0.077
10:49:06 AM	0.076
10:50:06 AM	0.077
10:51:06 AM	0.08

10:52:06 AM	0.082
10:53:06 AM	0.08
10:54:06 AM	0.075
10:55:06 AM	0.078
10:56:06 AM	0.079
10:57:06 AM	0.08
10:58:06 AM	0.08
10:59:06 AM	0.078
11:00:06 AM	0.079
11:01:06 AM	0.077
11:02:06 AM	0.08
11:03:06 AM	0.083
11:04:06 AM	0.086
11:05:06 AM	0.083
11:06:06 AM	0.083
11:07:06 AM	0.085
11:08:06 AM	0.083
11:09:06 AM	0.087
11:10:06 AM	0.091
11:11:06 AM	0.082
11:12:06 AM	0.082
11:13:06 AM	0.09
11:14:06 AM	0.092
11:15:06 AM	0.094
11:16:06 AM	0.088
11:17:06 AM	0.081
11:18:06 AM	0.084
11:19:06 AM	0.079
11:20:06 AM	0.082
11:21:06 AM	0.081
11:22:06 AM	0.076
11:23:06 AM	0.079
11:24:06 AM	0.097
11:25:06 AM	0.079
11:26:06 AM	0.085
11:27:06 AM	0.073
11:28:06 AM	0.074
11:29:06 AM	0.081
11:30:06 AM	0.073
11:31:06 AM	0.073
11:32:06 AM	0.094
11:33:06 AM	0.073
11:34:06 AM	0.076
11:35:06 AM	0.084

11:36:06 AM	0.068
11:37:06 AM	0.061
11:38:06 AM	0.066
11:39:06 AM	0.064
11:40:06 AM	0.066
11:41:06 AM	0.068
11:42:06 AM	0.072
11:43:06 AM	0.075
11:44:06 AM	0.076
11:45:06 AM	0.071
11:46:06 AM	0.114
11:47:06 AM	0.099
11:48:06 AM	0.079
11:49:06 AM	0.066
11:50:06 AM	0.061
11:51:06 AM	0.067
11:52:06 AM	0.076
11:53:06 AM	0.072
11:54:06 AM	0.072
11:55:06 AM	0.071
11:56:06 AM	0.079
11:57:06 AM	0.082
11:58:06 AM	0.077
11:59:06 AM	0.078
12:00:06 PM	0.084
12:01:06 PM	0.08
12:02:06 PM	0.075
12:03:06 PM	0.077
12:04:06 PM	0.075
12:05:06 PM	0.074
12:06:06 PM	0.075
12:07:06 PM	0.075
12:08:06 PM	0.077
12:09:06 PM	0.076
12:10:06 PM	0.075
12:11:06 PM	0.068
12:12:06 PM	0.071
12:13:06 PM	0.075
12:14:06 PM	0.078
12:15:06 PM	0.074
12:16:06 PM	0.072
12:17:06 PM	0.072
12:18:06 PM	0.073
12:19:06 PM	0.064

12:20:06 PM	0.066
12:21:06 PM	0.067
12:22:06 PM	0.083
12:23:06 PM	0.07
12:24:06 PM	0.066
12:25:06 PM	0.068
12:26:06 PM	0.06
12:27:06 PM	0.059
12:28:06 PM	0.057
12:29:06 PM	0.058
12:30:06 PM	0.059
12:31:06 PM	0.056
12:32:06 PM	0.056
12:33:06 PM	0.062
12:34:06 PM	0.053
12:35:06 PM	0.053
12:36:06 PM	0.052
12:37:06 PM	0.051
12:38:06 PM	0.041
12:39:06 PM	0.048
12:40:06 PM	0.047
12:41:06 PM	0.047
12:42:06 PM	0.045
12:43:06 PM	0.045
12:44:06 PM	0.046
12:45:06 PM	0.045
12:46:06 PM	0.046
12:47:06 PM	0.044
12:48:06 PM	0.047
12:49:06 PM	0.049
12:50:06 PM	0.046
12:51:06 PM	0.046
12:52:06 PM	0.046
12:53:06 PM	0.045
12:54:06 PM	0.048
12:55:06 PM	0.053
12:56:06 PM	0.074
12:57:06 PM	0.068
12:58:06 PM	0.056
12:59:06 PM	0.064
1:00:06 PM	0.06
1:01:06 PM	0.051
1:02:06 PM	0.058
1:03:06 PM	0.068

1:04:06 PM	0.061
1:05:06 PM	0.055
1:06:06 PM	0.055
1:07:06 PM	0.055
1:08:06 PM	0.056
1:09:06 PM	0.054
1:10:06 PM	0.053
1:11:06 PM	0.055
1:12:06 PM	0.055
1:13:06 PM	0.062
1:14:06 PM	0.057
1:15:06 PM	0.056
1:16:06 PM	0.049
1:17:06 PM	0.048
1:18:06 PM	0.049
1:19:06 PM	0.049
1:20:06 PM	0.052
1:21:06 PM	0.047
1:22:06 PM	0.045
1:23:06 PM	0.047
1:24:06 PM	0.051
1:25:06 PM	0.069
1:26:06 PM	0.07
1:27:06 PM	0.06
1:28:06 PM	0.057
1:29:06 PM	0.055
1:30:06 PM	0.054
1:31:06 PM	0.051
1:32:06 PM	0.054
1:33:06 PM	0.048
1:34:06 PM	0.044
1:35:06 PM	0.045
1:36:06 PM	0.048
1:37:06 PM	0.045
1:38:06 PM	0.044
1:39:06 PM	0.045
1:40:06 PM	0.04
1:41:06 PM	0.038
1:42:06 PM	0.038
1:43:06 PM	0.038
1:44:06 PM	0.041
1:45:06 PM	0.051
1:46:06 PM	0.047
1:47:06 PM	0.044

1:48:06 PM	0.044
1:49:06 PM	0.051
1:50:06 PM	0.05
1:51:06 PM	0.053
1:52:06 PM	0.063
1:53:06 PM	0.053
1:54:06 PM	0.046
1:55:06 PM	0.05
1:56:06 PM	0.1
1:57:06 PM	0.052
1:58:06 PM	0.05
1:59:06 PM	0.049
2:00:06 PM	0.051
2:01:06 PM	0.063
2:02:06 PM	0.051
2:03:06 PM	0.062
2:04:06 PM	0.046
2:05:06 PM	0.046
2:06:06 PM	0.049
2:07:06 PM	0.046
2:08:06 PM	0.045
2:09:06 PM	0.046
2:10:06 PM	0.049
2:11:06 PM	0.047
2:12:06 PM	0.046
2:13:06 PM	0.043
2:14:06 PM	0.045
2:15:06 PM	0.043
2:16:06 PM	0.042
2:17:06 PM	0.044
2:18:06 PM	0.047
2:19:06 PM	0.044
2:20:06 PM	0.044
2:21:06 PM	0.044
2:22:06 PM	0.042
2:23:06 PM	0.044
2:24:06 PM	0.044
2:25:06 PM	0.052
2:26:06 PM	0.065
2:27:06 PM	0.042
2:28:06 PM	0.046
2:29:06 PM	0.071
2:30:06 PM	0.056
2:31:06 PM	0.308

2:32:06 PM	0.073
2:33:06 PM	0.054
2:34:06 PM	0.053
2:35:06 PM	0.047
2:36:06 PM	0.045
2:37:06 PM	0.05
2:38:06 PM	0.047
2:39:06 PM	0.046
2:40:06 PM	0.044
2:41:06 PM	0.043
2:42:06 PM	0.048
2:43:06 PM	0.06
2:44:06 PM	0.053
2:45:06 PM	0.051
2:46:06 PM	0.048
2:47:06 PM	0.047
2:48:06 PM	0.048
2:49:06 PM	0.051
2:50:06 PM	0.065
2:51:06 PM	0.047
2:52:06 PM	0.046
2:53:06 PM	0.044
2:54:06 PM	0.051
2:55:06 PM	0.049
2:56:06 PM	0.048
2:57:06 PM	0.048
2:58:06 PM	0.051
2:59:06 PM	0.052
3:00:06 PM	0.049
3:01:06 PM	0.048
3:02:06 PM	0.047
3:03:06 PM	0.065
3:04:06 PM	0.065
3:05:06 PM	0.052
3:06:06 PM	0.061
3:07:06 PM	0.055
3:08:06 PM	0.052
3:09:06 PM	0.054
3:10:06 PM	0.059
3:11:06 PM	0.049
3:12:06 PM	0.048
3:13:06 PM	0.048
3:14:06 PM	0.05
3:15:06 PM	0.051

3:16:06 PM	0.062
3:17:06 PM	0.047
3:18:06 PM	0.087
3:19:06 PM	0.068
3:20:06 PM	0.05
3:21:06 PM	0.055
3:22:06 PM	0.052
3:23:06 PM	0.053
3:24:06 PM	0.052
3:25:06 PM	0.056
3:26:06 PM	0.05
3:27:06 PM	0.055
3:28:06 PM	0.05
3:29:06 PM	0.05
3:30:06 PM	0.05
3:31:06 PM	0.048
3:32:06 PM	0.049
3:33:06 PM	0.055
3:34:06 PM	0.049
3:35:06 PM	0.047
3:36:06 PM	0.044
3:37:06 PM	0.044
3:38:06 PM	0.044
3:39:06 PM	0.043
3:40:06 PM	0.042
3:41:06 PM	0.039
3:42:06 PM	0.039
3:43:06 PM	0.04
3:44:06 PM	0.041
3:45:06 PM	0.043
3:46:06 PM	0.042
3:47:06 PM	0.036
3:48:06 PM	0.037
3:49:06 PM	0.037
3:50:06 PM	0.04
3:51:06 PM	0.042
3:52:06 PM	0.044
3:53:06 PM	0.044
3:54:06 PM	0.042
3:55:06 PM	0.046
3:56:06 PM	0.08
3:57:06 PM	0.055
3:58:06 PM	0.054
3:59:06 PM	0.054

4:00:06 PM	0.045
4:01:06 PM	0.043
4:02:06 PM	0.065
4:03:06 PM	0.045
4:04:06 PM	0.05
4:05:06 PM	0.048
4:06:06 PM	0.047
4:07:06 PM	0.041
4:08:06 PM	0.039
4:09:06 PM	0.038
4:10:06 PM	0.039
4:11:06 PM	0.046
4:12:06 PM	0.041
4:13:06 PM	0.035
4:14:06 PM	0.048
4:15:06 PM	0.095
4:16:06 PM	0.033
4:17:06 PM	0.032

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	3/14/2024 17:02	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 17:01	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 17:00	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:59	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:58	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:57	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:56	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:55	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:54	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:53	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:52	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:51	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:50	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:49	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:48	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:47	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:46	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:45	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:44	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:43	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:42	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:41	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:40	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:39	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:38	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:37	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:36	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:35	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:34	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:33	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:32	Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/14/2024 16:31	Readings	PID	SC23030449A8	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/14/2024 11:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:32 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:31 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:30 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:29 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:28 Readings	PID	SC23030449A8	Normal	0

592-600853	3/14/2024 10:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:26 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:25 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:24 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:23 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:22 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:21 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/14/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 9:55 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/14/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	3/14/2024 7:30 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	7:07:51 AM
Test Start Date	3/14/2024
Test Length [D:H:M]	0:09:24
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.059
Mass Minimum [mg/m3]	0.025
Mass Maximum [mg/m3]	0.14
Mass TWA [mg/m3]	0.059
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	564

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:07:51 AM	0.031		
7:08:51 AM	0.028		
7:09:51 AM	0.029		
7:10:51 AM	0.031		
7:11:51 AM	0.029		
7:12:51 AM	0.026		
7:13:51 AM	0.026		
7:14:51 AM	0.026		
7:15:51 AM	0.026		
7:16:51 AM	0.025		
7:17:51 AM	0.026		
7:18:51 AM	0.027		
7:19:51 AM	0.026		
7:20:51 AM	0.026		
7:21:51 AM	0.027		
7:22:51 AM	0.027		
7:23:51 AM	0.028		
7:24:51 AM	0.03		
7:25:51 AM	0.029		
7:26:51 AM	0.027		
7:27:51 AM	0.03		
7:28:51 AM	0.066		
7:29:51 AM	0.05		
7:30:51 AM	0.029		

7:31:51 AM	0.031
7:32:51 AM	0.029
7:33:51 AM	0.03
7:34:51 AM	0.029
7:35:51 AM	0.029
7:36:51 AM	0.029
7:37:51 AM	0.071
7:38:51 AM	0.057
7:39:51 AM	0.052
7:40:51 AM	0.036
7:41:51 AM	0.03
7:42:51 AM	0.029
7:43:51 AM	0.03
7:44:51 AM	0.057
7:45:51 AM	0.037
7:46:51 AM	0.031
7:47:51 AM	0.033
7:48:51 AM	0.085
7:49:51 AM	0.057
7:50:51 AM	0.039
7:51:51 AM	0.041
7:52:51 AM	0.037
7:53:51 AM	0.035
7:54:51 AM	0.032
7:55:51 AM	0.03
7:56:51 AM	0.031
7:57:51 AM	0.031
7:58:51 AM	0.031
7:59:51 AM	0.031
8:00:51 AM	0.031
8:01:51 AM	0.031
8:02:51 AM	0.031
8:03:51 AM	0.032
8:04:51 AM	0.036
8:05:51 AM	0.036
8:06:51 AM	0.038
8:07:51 AM	0.037
8:08:51 AM	0.036
8:09:51 AM	0.037
8:10:51 AM	0.036
8:11:51 AM	0.035
8:12:51 AM	0.035
8:13:51 AM	0.035
8:14:51 AM	0.036

8:15:51 AM	0.036
8:16:51 AM	0.035
8:17:51 AM	0.035
8:18:51 AM	0.036
8:19:51 AM	0.037
8:20:51 AM	0.037
8:21:51 AM	0.038
8:22:51 AM	0.038
8:23:51 AM	0.039
8:24:51 AM	0.038
8:25:51 AM	0.038
8:26:51 AM	0.038
8:27:51 AM	0.039
8:28:51 AM	0.037
8:29:51 AM	0.037
8:30:51 AM	0.037
8:31:51 AM	0.039
8:32:51 AM	0.04
8:33:51 AM	0.039
8:34:51 AM	0.039
8:35:51 AM	0.039
8:36:51 AM	0.04
8:37:51 AM	0.04
8:38:51 AM	0.043
8:39:51 AM	0.046
8:40:51 AM	0.05
8:41:51 AM	0.047
8:42:51 AM	0.049
8:43:51 AM	0.045
8:44:51 AM	0.045
8:45:51 AM	0.046
8:46:51 AM	0.045
8:47:51 AM	0.05
8:48:51 AM	0.059
8:49:51 AM	0.063
8:50:51 AM	0.055
8:51:51 AM	0.055
8:52:51 AM	0.042
8:53:51 AM	0.042
8:54:51 AM	0.04
8:55:51 AM	0.042
8:56:51 AM	0.041
8:57:51 AM	0.042
8:58:51 AM	0.045

8:59:51 AM	0.042
9:00:51 AM	0.041
9:01:51 AM	0.042
9:02:51 AM	0.042
9:03:51 AM	0.043
9:04:51 AM	0.044
9:05:51 AM	0.044
9:06:51 AM	0.044
9:07:51 AM	0.045
9:08:51 AM	0.047
9:09:51 AM	0.049
9:10:51 AM	0.05
9:11:51 AM	0.049
9:12:51 AM	0.047
9:13:51 AM	0.048
9:14:51 AM	0.049
9:15:51 AM	0.054
9:16:51 AM	0.059
9:17:51 AM	0.062
9:18:51 AM	0.062
9:19:51 AM	0.062
9:20:51 AM	0.061
9:21:51 AM	0.062
9:22:51 AM	0.066
9:23:51 AM	0.073
9:24:51 AM	0.071
9:25:51 AM	0.072
9:26:51 AM	0.074
9:27:51 AM	0.075
9:28:51 AM	0.076
9:29:51 AM	0.084
9:30:51 AM	0.09
9:31:51 AM	0.083
9:32:51 AM	0.082
9:33:51 AM	0.079
9:34:51 AM	0.075
9:35:51 AM	0.077
9:36:51 AM	0.092
9:37:51 AM	0.101
9:38:51 AM	0.081
9:39:51 AM	0.078
9:40:51 AM	0.076
9:41:51 AM	0.074
9:42:51 AM	0.07

9:43:51 AM	0.068
9:44:51 AM	0.064
9:45:51 AM	0.065
9:46:51 AM	0.063
9:47:51 AM	0.063
9:48:51 AM	0.064
9:49:51 AM	0.063
9:50:51 AM	0.066
9:51:51 AM	0.062
9:52:51 AM	0.061
9:53:51 AM	0.061
9:54:51 AM	0.059
9:55:51 AM	0.059
9:56:51 AM	0.059
9:57:51 AM	0.06
9:58:51 AM	0.071
9:59:51 AM	0.083
10:00:51 AM	0.068
10:01:51 AM	0.066
10:02:51 AM	0.067
10:03:51 AM	0.064
10:04:51 AM	0.064
10:05:51 AM	0.066
10:06:51 AM	0.066
10:07:51 AM	0.064
10:08:51 AM	0.063
10:09:51 AM	0.062
10:10:51 AM	0.063
10:11:51 AM	0.068
10:12:51 AM	0.07
10:13:51 AM	0.066
10:14:51 AM	0.074
10:15:51 AM	0.082
10:16:51 AM	0.075
10:17:51 AM	0.065
10:18:51 AM	0.064
10:19:51 AM	0.066
10:20:51 AM	0.069
10:21:51 AM	0.067
10:22:51 AM	0.064
10:23:51 AM	0.061
10:24:51 AM	0.064
10:25:51 AM	0.064
10:26:51 AM	0.065

10:27:51 AM	0.073
10:28:51 AM	0.069
10:29:51 AM	0.07
10:30:51 AM	0.068
10:31:51 AM	0.064
10:32:51 AM	0.065
10:33:51 AM	0.065
10:34:51 AM	0.066
10:35:51 AM	0.07
10:36:51 AM	0.068
10:37:51 AM	0.065
10:38:51 AM	0.068
10:39:51 AM	0.072
10:40:51 AM	0.068
10:41:51 AM	0.069
10:42:51 AM	0.081
10:43:51 AM	0.074
10:44:51 AM	0.071
10:45:51 AM	0.075
10:46:51 AM	0.081
10:47:51 AM	0.081
10:48:51 AM	0.078
10:49:51 AM	0.076
10:50:51 AM	0.075
10:51:51 AM	0.073
10:52:51 AM	0.082
10:53:51 AM	0.076
10:54:51 AM	0.072
10:55:51 AM	0.075
10:56:51 AM	0.075
10:57:51 AM	0.075
10:58:51 AM	0.074
10:59:51 AM	0.077
11:00:51 AM	0.079
11:01:51 AM	0.078
11:02:51 AM	0.081
11:03:51 AM	0.082
11:04:51 AM	0.08
11:05:51 AM	0.08
11:06:51 AM	0.083
11:07:51 AM	0.081
11:08:51 AM	0.081
11:09:51 AM	0.082
11:10:51 AM	0.084

11:11:51 AM	0.084
11:12:51 AM	0.09
11:13:51 AM	0.087
11:14:51 AM	0.091
11:15:51 AM	0.087
11:16:51 AM	0.14
11:17:51 AM	0.138
11:18:51 AM	0.107
11:19:51 AM	0.102
11:20:51 AM	0.087
11:21:51 AM	0.087
11:22:51 AM	0.09
11:23:51 AM	0.088
11:24:51 AM	0.082
11:25:51 AM	0.079
11:26:51 AM	0.083
11:27:51 AM	0.078
11:28:51 AM	0.078
11:29:51 AM	0.078
11:30:51 AM	0.105
11:31:51 AM	0.092
11:32:51 AM	0.09
11:33:51 AM	0.08
11:34:51 AM	0.084
11:35:51 AM	0.1
11:36:51 AM	0.081
11:37:51 AM	0.072
11:38:51 AM	0.07
11:39:51 AM	0.075
11:40:51 AM	0.076
11:41:51 AM	0.086
11:42:51 AM	0.09
11:43:51 AM	0.088
11:44:51 AM	0.071
11:45:51 AM	0.07
11:46:51 AM	0.067
11:47:51 AM	0.066
11:48:51 AM	0.087
11:49:51 AM	0.077
11:50:51 AM	0.08
11:51:51 AM	0.08
11:52:51 AM	0.089
11:53:51 AM	0.09
11:54:51 AM	0.088

11:55:51 AM	0.1
11:56:51 AM	0.092
11:57:51 AM	0.09
11:58:51 AM	0.09
11:59:51 AM	0.087
12:00:51 PM	0.078
12:01:51 PM	0.067
12:02:51 PM	0.064
12:03:51 PM	0.067
12:04:51 PM	0.074
12:05:51 PM	0.076
12:06:51 PM	0.078
12:07:51 PM	0.08
12:08:51 PM	0.079
12:09:51 PM	0.077
12:10:51 PM	0.08
12:11:51 PM	0.083
12:12:51 PM	0.076
12:13:51 PM	0.074
12:14:51 PM	0.081
12:15:51 PM	0.08
12:16:51 PM	0.082
12:17:51 PM	0.077
12:18:51 PM	0.075
12:19:51 PM	0.073
12:20:51 PM	0.081
12:21:51 PM	0.085
12:22:51 PM	0.076
12:23:51 PM	0.079
12:24:51 PM	0.076
12:25:51 PM	0.075
12:26:51 PM	0.066
12:27:51 PM	0.066
12:28:51 PM	0.069
12:29:51 PM	0.066
12:30:51 PM	0.07
12:31:51 PM	0.067
12:32:51 PM	0.066
12:33:51 PM	0.06
12:34:51 PM	0.066
12:35:51 PM	0.06
12:36:51 PM	0.053
12:37:51 PM	0.054
12:38:51 PM	0.055

12:39:51 PM	0.056
12:40:51 PM	0.056
12:41:51 PM	0.055
12:42:51 PM	0.052
12:43:51 PM	0.047
12:44:51 PM	0.049
12:45:51 PM	0.047
12:46:51 PM	0.047
12:47:51 PM	0.052
12:48:51 PM	0.052
12:49:51 PM	0.053
12:50:51 PM	0.059
12:51:51 PM	0.056
12:52:51 PM	0.059
12:53:51 PM	0.058
12:54:51 PM	0.052
12:55:51 PM	0.059
12:56:51 PM	0.052
12:57:51 PM	0.048
12:58:51 PM	0.046
12:59:51 PM	0.046
1:00:51 PM	0.046
1:01:51 PM	0.046
1:02:51 PM	0.047
1:03:51 PM	0.047
1:04:51 PM	0.049
1:05:51 PM	0.049
1:06:51 PM	0.049
1:07:51 PM	0.05
1:08:51 PM	0.057
1:09:51 PM	0.06
1:10:51 PM	0.053
1:11:51 PM	0.052
1:12:51 PM	0.053
1:13:51 PM	0.057
1:14:51 PM	0.054
1:15:51 PM	0.054
1:16:51 PM	0.055
1:17:51 PM	0.055
1:18:51 PM	0.053
1:19:51 PM	0.053
1:20:51 PM	0.053
1:21:51 PM	0.053
1:22:51 PM	0.052

1:23:51 PM	0.052
1:24:51 PM	0.053
1:25:51 PM	0.054
1:26:51 PM	0.051
1:27:51 PM	0.053
1:28:51 PM	0.053
1:29:51 PM	0.049
1:30:51 PM	0.06
1:31:51 PM	0.063
1:32:51 PM	0.059
1:33:51 PM	0.072
1:34:51 PM	0.072
1:35:51 PM	0.062
1:36:51 PM	0.058
1:37:51 PM	0.057
1:38:51 PM	0.059
1:39:51 PM	0.071
1:40:51 PM	0.065
1:41:51 PM	0.069
1:42:51 PM	0.063
1:43:51 PM	0.047
1:44:51 PM	0.05
1:45:51 PM	0.052
1:46:51 PM	0.056
1:47:51 PM	0.057
1:48:51 PM	0.075
1:49:51 PM	0.062
1:50:51 PM	0.05
1:51:51 PM	0.052
1:52:51 PM	0.048
1:53:51 PM	0.045
1:54:51 PM	0.044
1:55:51 PM	0.046
1:56:51 PM	0.047
1:57:51 PM	0.057
1:58:51 PM	0.056
1:59:51 PM	0.054
2:00:51 PM	0.057
2:01:51 PM	0.062
2:02:51 PM	0.06
2:03:51 PM	0.062
2:04:51 PM	0.063
2:05:51 PM	0.058
2:06:51 PM	0.072

2:07:51 PM	0.064
2:08:51 PM	0.062
2:09:51 PM	0.061
2:10:51 PM	0.061
2:11:51 PM	0.056
2:12:51 PM	0.053
2:13:51 PM	0.052
2:14:51 PM	0.051
2:15:51 PM	0.05
2:16:51 PM	0.053
2:17:51 PM	0.055
2:18:51 PM	0.061
2:19:51 PM	0.063
2:20:51 PM	0.063
2:21:51 PM	0.061
2:22:51 PM	0.055
2:23:51 PM	0.051
2:24:51 PM	0.049
2:25:51 PM	0.053
2:26:51 PM	0.05
2:27:51 PM	0.051
2:28:51 PM	0.059
2:29:51 PM	0.055
2:30:51 PM	0.052
2:31:51 PM	0.056
2:32:51 PM	0.051
2:33:51 PM	0.051
2:34:51 PM	0.051
2:35:51 PM	0.053
2:36:51 PM	0.053
2:37:51 PM	0.048
2:38:51 PM	0.048
2:39:51 PM	0.055
2:40:51 PM	0.053
2:41:51 PM	0.061
2:42:51 PM	0.051
2:43:51 PM	0.053
2:44:51 PM	0.054
2:45:51 PM	0.058
2:46:51 PM	0.054
2:47:51 PM	0.054
2:48:51 PM	0.055
2:49:51 PM	0.065
2:50:51 PM	0.059

2:51:51 PM	0.062
2:52:51 PM	0.064
2:53:51 PM	0.06
2:54:51 PM	0.064
2:55:51 PM	0.062
2:56:51 PM	0.057
2:57:51 PM	0.054
2:58:51 PM	0.058
2:59:51 PM	0.057
3:00:51 PM	0.053
3:01:51 PM	0.052
3:02:51 PM	0.063
3:03:51 PM	0.066
3:04:51 PM	0.071
3:05:51 PM	0.063
3:06:51 PM	0.056
3:07:51 PM	0.068
3:08:51 PM	0.066
3:09:51 PM	0.071
3:10:51 PM	0.105
3:11:51 PM	0.075
3:12:51 PM	0.068
3:13:51 PM	0.075
3:14:51 PM	0.062
3:15:51 PM	0.058
3:16:51 PM	0.06
3:17:51 PM	0.058
3:18:51 PM	0.06
3:19:51 PM	0.057
3:20:51 PM	0.054
3:21:51 PM	0.085
3:22:51 PM	0.066
3:23:51 PM	0.057
3:24:51 PM	0.06
3:25:51 PM	0.057
3:26:51 PM	0.06
3:27:51 PM	0.058
3:28:51 PM	0.058
3:29:51 PM	0.062
3:30:51 PM	0.061
3:31:51 PM	0.063
3:32:51 PM	0.071
3:33:51 PM	0.062
3:34:51 PM	0.061

3:35:51 PM	0.062
3:36:51 PM	0.057
3:37:51 PM	0.056
3:38:51 PM	0.052
3:39:51 PM	0.053
3:40:51 PM	0.052
3:41:51 PM	0.052
3:42:51 PM	0.048
3:43:51 PM	0.049
3:44:51 PM	0.056
3:45:51 PM	0.056
3:46:51 PM	0.063
3:47:51 PM	0.056
3:48:51 PM	0.051
3:49:51 PM	0.047
3:50:51 PM	0.051
3:51:51 PM	0.059
3:52:51 PM	0.094
3:53:51 PM	0.093
3:54:51 PM	0.063
3:55:51 PM	0.052
3:56:51 PM	0.044
3:57:51 PM	0.044
3:58:51 PM	0.05
3:59:51 PM	0.046
4:00:51 PM	0.055
4:01:51 PM	0.047
4:02:51 PM	0.05
4:03:51 PM	0.047
4:04:51 PM	0.046
4:05:51 PM	0.046
4:06:51 PM	0.049
4:07:51 PM	0.048
4:08:51 PM	0.048
4:09:51 PM	0.046
4:10:51 PM	0.046
4:11:51 PM	0.048
4:12:51 PM	0.048
4:13:51 PM	0.046
4:14:51 PM	0.048
4:15:51 PM	0.046
4:16:51 PM	0.046
4:17:51 PM	0.047
4:18:51 PM	0.04

4:19:51 PM	0.05
4:20:51 PM	0.055
4:21:51 PM	0.043
4:22:51 PM	0.042
4:23:51 PM	0.038
4:24:51 PM	0.035
4:25:51 PM	0.036
4:26:51 PM	0.034
4:27:51 PM	0.046
4:28:51 PM	0.034
4:29:51 PM	0.029
4:30:51 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/14/2024 16:49	Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 16:48	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:47	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:46	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:45	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:44	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:43	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:42	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:41	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:40	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:39	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:38	Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 16:37	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:36	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:35	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:34	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:33	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:32	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:31	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:30	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:29	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:28	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:27	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:26	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:25	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:24	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:23	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:22	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:21	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:20	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:19	Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 16:18	Readings	PID	SC23030140W3	Normal	2.4

[illegible]

592-000289	3/14/2024 15:44 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:43 Readings	PID	SC23030140W3	Normal	2.6
592-000289	3/14/2024 15:42 Readings	PID	SC23030140W3	Normal	2.6
592-000289	3/14/2024 15:41 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:40 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:39 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:38 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:37 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:36 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:35 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:34 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:33 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:32 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:31 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:30 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:29 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:28 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:27 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:26 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:25 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:24 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:23 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:22 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:21 Readings	PID	SC23030140W3	Normal	2.4
592-000289	3/14/2024 15:20 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:19 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:18 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:17 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:16 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:15 Readings	PID	SC23030140W3	Normal	2.5
592-000289	3/14/2024 15:14 Readings	PID	SC23030140W3	Normal	2.3
592-000289	3/14/2024 15:13 Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 15:12 Readings	PID	SC23030140W3	Normal	2.2

592-000289	3/14/2024 15:11 Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 15:10 Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 15:09 Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 15:08 Readings	PID	SC23030140W3	Normal	2.2
592-000289	3/14/2024 15:07 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:06 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:05 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:04 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:03 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:02 Readings	PID	SC23030140W3	Normal	2.1
592-000289	3/14/2024 15:01 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 15:00 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 14:59 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 14:58 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 14:57 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 14:56 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:55 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:54 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:53 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:52 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:51 Readings	PID	SC23030140W3	Normal	1.9
592-000289	3/14/2024 14:50 Readings	PID	SC23030140W3	Normal	1.8
592-000289	3/14/2024 14:49 Readings	PID	SC23030140W3	Normal	1.8
592-000289	3/14/2024 14:48 Readings	PID	SC23030140W3	Normal	1.8
592-000289	3/14/2024 14:47 Readings	PID	SC23030140W3	Normal	1.8
592-000289	3/14/2024 14:46 Readings	PID	SC23030140W3	Normal	1.8
592-000289	3/14/2024 14:45 Readings	PID	SC23030140W3	Normal	1.7
592-000289	3/14/2024 14:44 Readings	PID	SC23030140W3	Normal	1.7
592-000289	3/14/2024 14:43 Readings	PID	SC23030140W3	Normal	1.7
592-000289	3/14/2024 14:42 Readings	PID	SC23030140W3	Normal	1.7
592-000289	3/14/2024 14:41 Readings	PID	SC23030140W3	Normal	1.7
592-000289	3/14/2024 14:40 Readings	PID	SC23030140W3	Normal	1.6
592-000289	3/14/2024 14:39 Readings	PID	SC23030140W3	Normal	1.6

592-000289	3/14/2024 14:38 Readings	PID	SC23030140W3	Normal	1.6
592-000289	3/14/2024 14:37 Readings	PID	SC23030140W3	Normal	1.6
592-000289	3/14/2024 14:36 Readings	PID	SC23030140W3	Normal	1.6
592-000289	3/14/2024 14:35 Readings	PID	SC23030140W3	Normal	1.5
592-000289	3/14/2024 14:34 Readings	PID	SC23030140W3	Normal	1.5
592-000289	3/14/2024 14:33 Readings	PID	SC23030140W3	Normal	1.5
592-000289	3/14/2024 14:32 Readings	PID	SC23030140W3	Normal	1.5
592-000289	3/14/2024 14:31 Readings	PID	SC23030140W3	Normal	1.5
592-000289	3/14/2024 14:30 Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/14/2024 14:29 Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/14/2024 14:28 Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/14/2024 14:27 Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/14/2024 14:26 Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/14/2024 14:25 Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/14/2024 14:24 Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/14/2024 14:23 Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/14/2024 14:22 Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/14/2024 14:21 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:20 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:19 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:18 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:17 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:16 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 14:15 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/14/2024 14:14 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/14/2024 14:13 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/14/2024 14:12 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/14/2024 14:11 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/14/2024 14:10 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 14:09 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 14:08 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 14:07 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 14:06 Readings	PID	SC23030140W3	Normal	1

592-000289	3/14/2024 14:05 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 14:04 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 14:03 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 14:02 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 14:01 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 14:00 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 13:59 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:58 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:57 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:56 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:55 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:54 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:53 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 13:52 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:51 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:50 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:49 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:48 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:47 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:46 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 13:45 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:44 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:43 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:42 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:41 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:40 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:39 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:38 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:37 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:36 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 13:35 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 13:34 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 13:33 Readings	PID	SC23030140W3	Normal	0.5

[illegible]

592-000289	3/14/2024 12:59 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:58 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:57 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:56 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:55 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:54 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:53 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:52 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:51 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 12:50 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:49 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:48 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:47 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:46 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:45 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:44 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:43 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:42 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:41 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:40 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:39 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:38 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 12:37 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:36 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:35 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:34 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:33 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:32 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:31 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:30 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:29 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:28 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:27 Readings	PID	SC23030140W3	Normal	0.8

592-000289	3/14/2024 12:26 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:25 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:24 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:23 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:22 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:21 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:20 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:19 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 12:18 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:17 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:16 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:15 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:14 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:13 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:12 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:11 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 12:10 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:09 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:08 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:07 Readings	PID	SC23030140W3	Normal	1
592-000289	3/14/2024 12:06 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/14/2024 12:05 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:04 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:03 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:02 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:01 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 12:00 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:59 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:58 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:57 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:56 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:55 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:54 Readings	PID	SC23030140W3	Normal	0.7

592-000289	3/14/2024 11:53 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:52 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:51 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:50 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/14/2024 11:49 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:48 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:47 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:46 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:45 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:44 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:43 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:42 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:41 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:40 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:39 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:38 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:37 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 11:36 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 11:35 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:34 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:33 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 11:32 Readings	PID	SC23030140W3	Normal	2
592-000289	3/14/2024 11:31 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:30 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:29 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:28 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:27 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:26 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:25 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:24 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:23 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:22 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:21 Readings	PID	SC23030140W3	Normal	0.6

592-000289	3/14/2024 11:20 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:19 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:18 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:17 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:16 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:15 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:14 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:13 Readings	PID	SC23030140W3	Normal	0.6
592-000289	3/14/2024 11:12 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:11 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:10 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:09 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:08 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:07 Readings	PID	SC23030140W3	Normal	0.4
592-000289	3/14/2024 11:06 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:05 Readings	PID	SC23030140W3	Normal	0.8
592-000289	3/14/2024 11:04 Readings	PID	SC23030140W3	Normal	0.7
592-000289	3/14/2024 11:03 Readings	PID	SC23030140W3	Normal	0.5
592-000289	3/14/2024 11:02 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 11:01 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 11:00 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:59 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:58 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:57 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:56 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:55 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:54 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:53 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:52 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:51 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:50 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:49 Readings	PID	SC23030140W3	Normal	0.3
592-000289	3/14/2024 10:48 Readings	PID	SC23030140W3	Normal	0.2

[illegible]

[illegible]

592-000289	3/14/2024 9:41 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/14/2024 9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:27 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:26 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:25 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:24 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:23 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:22 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:21 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:20 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:19 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:18 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:17 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:15 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:14 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:13 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:12 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:11 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:10 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 9:09 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

592-000289	3/14/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/14/2024 7:28 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/14/2024 7:27 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_002
Test Start Time	7:01:36 AM
Test Start Date	3/14/2024
Test Length [D:H:M]	0:09:20
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.05
Mass Minimum [mg/m3]	0.022
Mass Maximum [mg/m3]	0.143
Mass TWA [mg/m3]	0.051
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	560

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:01:36 AM	0.03		
7:02:36 AM	0.024		
7:03:36 AM	0.025		
7:04:36 AM	0.022		
7:05:36 AM	0.022		
7:06:36 AM	0.024		
7:07:36 AM	0.024		
7:08:36 AM	0.024		
7:09:36 AM	0.022		
7:10:36 AM	0.022		
7:11:36 AM	0.025		
7:12:36 AM	0.024		
7:13:36 AM	0.023		
7:14:36 AM	0.023		
7:15:36 AM	0.022		
7:16:36 AM	0.039		
7:17:36 AM	0.026		
7:18:36 AM	0.023		
7:19:36 AM	0.022		
7:20:36 AM	0.023		
7:21:36 AM	0.023		
7:22:36 AM	0.024		
7:23:36 AM	0.024		
7:24:36 AM	0.024		

7:25:36 AM	0.025
7:26:36 AM	0.024
7:27:36 AM	0.024
7:28:36 AM	0.024
7:29:36 AM	0.024
7:30:36 AM	0.024
7:31:36 AM	0.025
7:32:36 AM	0.028
7:33:36 AM	0.025
7:34:36 AM	0.025
7:35:36 AM	0.029
7:36:36 AM	0.025
7:37:36 AM	0.025
7:38:36 AM	0.026
7:39:36 AM	0.026
7:40:36 AM	0.029
7:41:36 AM	0.03
7:42:36 AM	0.027
7:43:36 AM	0.025
7:44:36 AM	0.025
7:45:36 AM	0.025
7:46:36 AM	0.028
7:47:36 AM	0.028
7:48:36 AM	0.028
7:49:36 AM	0.027
7:50:36 AM	0.026
7:51:36 AM	0.026
7:52:36 AM	0.027
7:53:36 AM	0.027
7:54:36 AM	0.029
7:55:36 AM	0.029
7:56:36 AM	0.027
7:57:36 AM	0.027
7:58:36 AM	0.037
7:59:36 AM	0.056
8:00:36 AM	0.032
8:01:36 AM	0.029
8:02:36 AM	0.028
8:03:36 AM	0.028
8:04:36 AM	0.029
8:05:36 AM	0.029
8:06:36 AM	0.029
8:07:36 AM	0.03
8:08:36 AM	0.03

8:09:36 AM	0.03
8:10:36 AM	0.03
8:11:36 AM	0.03
8:12:36 AM	0.032
8:13:36 AM	0.031
8:14:36 AM	0.031
8:15:36 AM	0.034
8:16:36 AM	0.031
8:17:36 AM	0.03
8:18:36 AM	0.03
8:19:36 AM	0.03
8:20:36 AM	0.03
8:21:36 AM	0.031
8:22:36 AM	0.031
8:23:36 AM	0.032
8:24:36 AM	0.032
8:25:36 AM	0.035
8:26:36 AM	0.034
8:27:36 AM	0.035
8:28:36 AM	0.036
8:29:36 AM	0.036
8:30:36 AM	0.037
8:31:36 AM	0.037
8:32:36 AM	0.037
8:33:36 AM	0.038
8:34:36 AM	0.038
8:35:36 AM	0.038
8:36:36 AM	0.037
8:37:36 AM	0.045
8:38:36 AM	0.039
8:39:36 AM	0.039
8:40:36 AM	0.039
8:41:36 AM	0.04
8:42:36 AM	0.039
8:43:36 AM	0.039
8:44:36 AM	0.037
8:45:36 AM	0.037
8:46:36 AM	0.037
8:47:36 AM	0.037
8:48:36 AM	0.036
8:49:36 AM	0.036
8:50:36 AM	0.036
8:51:36 AM	0.035
8:52:36 AM	0.036

8:53:36 AM	0.037
8:54:36 AM	0.037
8:55:36 AM	0.038
8:56:36 AM	0.038
8:57:36 AM	0.038
8:58:36 AM	0.038
8:59:36 AM	0.038
9:00:36 AM	0.039
9:01:36 AM	0.039
9:02:36 AM	0.039
9:03:36 AM	0.039
9:04:36 AM	0.039
9:05:36 AM	0.039
9:06:36 AM	0.043
9:07:36 AM	0.044
9:08:36 AM	0.043
9:09:36 AM	0.043
9:10:36 AM	0.043
9:11:36 AM	0.045
9:12:36 AM	0.051
9:13:36 AM	0.053
9:14:36 AM	0.056
9:15:36 AM	0.054
9:16:36 AM	0.059
9:17:36 AM	0.064
9:18:36 AM	0.063
9:19:36 AM	0.062
9:20:36 AM	0.064
9:21:36 AM	0.066
9:22:36 AM	0.066
9:23:36 AM	0.067
9:24:36 AM	0.075
9:25:36 AM	0.072
9:26:36 AM	0.064
9:27:36 AM	0.065
9:28:36 AM	0.061
9:29:36 AM	0.06
9:30:36 AM	0.059
9:31:36 AM	0.058
9:32:36 AM	0.058
9:33:36 AM	0.058
9:34:36 AM	0.059
9:35:36 AM	0.058
9:36:36 AM	0.059

9:37:36 AM	0.061
9:38:36 AM	0.06
9:39:36 AM	0.056
9:40:36 AM	0.053
9:41:36 AM	0.053
9:42:36 AM	0.055
9:43:36 AM	0.051
9:44:36 AM	0.053
9:45:36 AM	0.054
9:46:36 AM	0.054
9:47:36 AM	0.054
9:48:36 AM	0.053
9:49:36 AM	0.054
9:50:36 AM	0.057
9:51:36 AM	0.052
9:52:36 AM	0.052
9:53:36 AM	0.053
9:54:36 AM	0.056
9:55:36 AM	0.057
9:56:36 AM	0.055
9:57:36 AM	0.056
9:58:36 AM	0.059
9:59:36 AM	0.062
10:00:36 AM	0.063
10:01:36 AM	0.058
10:02:36 AM	0.057
10:03:36 AM	0.061
10:04:36 AM	0.066
10:05:36 AM	0.055
10:06:36 AM	0.066
10:07:36 AM	0.073
10:08:36 AM	0.058
10:09:36 AM	0.057
10:10:36 AM	0.06
10:11:36 AM	0.062
10:12:36 AM	0.059
10:13:36 AM	0.057
10:14:36 AM	0.055
10:15:36 AM	0.054
10:16:36 AM	0.054
10:17:36 AM	0.057
10:18:36 AM	0.057
10:19:36 AM	0.061
10:20:36 AM	0.055

10:21:36 AM	0.052
10:22:36 AM	0.055
10:23:36 AM	0.059
10:24:36 AM	0.057
10:25:36 AM	0.055
10:26:36 AM	0.058
10:27:36 AM	0.065
10:28:36 AM	0.062
10:29:36 AM	0.066
10:30:36 AM	0.061
10:31:36 AM	0.12
10:32:36 AM	0.072
10:33:36 AM	0.06
10:34:36 AM	0.067
10:35:36 AM	0.065
10:36:36 AM	0.067
10:37:36 AM	0.067
10:38:36 AM	0.066
10:39:36 AM	0.06
10:40:36 AM	0.061
10:41:36 AM	0.059
10:42:36 AM	0.063
10:43:36 AM	0.065
10:44:36 AM	0.064
10:45:36 AM	0.065
10:46:36 AM	0.065
10:47:36 AM	0.067
10:48:36 AM	0.063
10:49:36 AM	0.07
10:50:36 AM	0.067
10:51:36 AM	0.069
10:52:36 AM	0.068
10:53:36 AM	0.073
10:54:36 AM	0.08
10:55:36 AM	0.081
10:56:36 AM	0.068
10:57:36 AM	0.071
10:58:36 AM	0.072
10:59:36 AM	0.066
11:00:36 AM	0.066
11:01:36 AM	0.066
11:02:36 AM	0.068
11:03:36 AM	0.071
11:04:36 AM	0.066

11:05:36 AM	0.067
11:06:36 AM	0.067
11:07:36 AM	0.071
11:08:36 AM	0.074
11:09:36 AM	0.077
11:10:36 AM	0.087
11:11:36 AM	0.079
11:12:36 AM	0.087
11:13:36 AM	0.076
11:14:36 AM	0.077
11:15:36 AM	0.082
11:16:36 AM	0.097
11:17:36 AM	0.099
11:18:36 AM	0.086
11:19:36 AM	0.072
11:20:36 AM	0.065
11:21:36 AM	0.072
11:22:36 AM	0.064
11:23:36 AM	0.062
11:24:36 AM	0.07
11:25:36 AM	0.08
11:26:36 AM	0.067
11:27:36 AM	0.064
11:28:36 AM	0.067
11:29:36 AM	0.059
11:30:36 AM	0.06
11:31:36 AM	0.066
11:32:36 AM	0.061
11:33:36 AM	0.061
11:34:36 AM	0.063
11:35:36 AM	0.07
11:36:36 AM	0.065
11:37:36 AM	0.068
11:38:36 AM	0.067
11:39:36 AM	0.058
11:40:36 AM	0.057
11:41:36 AM	0.058
11:42:36 AM	0.061
11:43:36 AM	0.065
11:44:36 AM	0.093
11:45:36 AM	0.143
11:46:36 AM	0.111
11:47:36 AM	0.113
11:48:36 AM	0.097

11:49:36 AM	0.105
11:50:36 AM	0.077
11:51:36 AM	0.06
11:52:36 AM	0.063
11:53:36 AM	0.07
11:54:36 AM	0.079
11:55:36 AM	0.078
11:56:36 AM	0.07
11:57:36 AM	0.068
11:58:36 AM	0.068
11:59:36 AM	0.072
12:00:36 PM	0.077
12:01:36 PM	0.081
12:02:36 PM	0.085
12:03:36 PM	0.077
12:04:36 PM	0.071
12:05:36 PM	0.073
12:06:36 PM	0.074
12:07:36 PM	0.077
12:08:36 PM	0.066
12:09:36 PM	0.068
12:10:36 PM	0.073
12:11:36 PM	0.075
12:12:36 PM	0.071
12:13:36 PM	0.069
12:14:36 PM	0.071
12:15:36 PM	0.073
12:16:36 PM	0.074
12:17:36 PM	0.072
12:18:36 PM	0.078
12:19:36 PM	0.078
12:20:36 PM	0.082
12:21:36 PM	0.069
12:22:36 PM	0.063
12:23:36 PM	0.072
12:24:36 PM	0.069
12:25:36 PM	0.064
12:26:36 PM	0.069
12:27:36 PM	0.07
12:28:36 PM	0.063
12:29:36 PM	0.067
12:30:36 PM	0.09
12:31:36 PM	0.073
12:32:36 PM	0.054

12:33:36 PM	0.05
12:34:36 PM	0.047
12:35:36 PM	0.052
12:36:36 PM	0.046
12:37:36 PM	0.041
12:38:36 PM	0.042
12:39:36 PM	0.046
12:40:36 PM	0.041
12:41:36 PM	0.044
12:42:36 PM	0.042
12:43:36 PM	0.042
12:44:36 PM	0.041
12:45:36 PM	0.041
12:46:36 PM	0.042
12:47:36 PM	0.056
12:48:36 PM	0.04
12:49:36 PM	0.042
12:50:36 PM	0.041
12:51:36 PM	0.044
12:52:36 PM	0.046
12:53:36 PM	0.043
12:54:36 PM	0.041
12:55:36 PM	0.039
12:56:36 PM	0.04
12:57:36 PM	0.045
12:58:36 PM	0.049
12:59:36 PM	0.044
1:00:36 PM	0.045
1:01:36 PM	0.046
1:02:36 PM	0.044
1:03:36 PM	0.047
1:04:36 PM	0.044
1:05:36 PM	0.048
1:06:36 PM	0.047
1:07:36 PM	0.044
1:08:36 PM	0.045
1:09:36 PM	0.045
1:10:36 PM	0.046
1:11:36 PM	0.046
1:12:36 PM	0.049
1:13:36 PM	0.049
1:14:36 PM	0.045
1:15:36 PM	0.045
1:16:36 PM	0.049

1:17:36 PM	0.051
1:18:36 PM	0.045
1:19:36 PM	0.041
1:20:36 PM	0.043
1:21:36 PM	0.044
1:22:36 PM	0.044
1:23:36 PM	0.042
1:24:36 PM	0.037
1:25:36 PM	0.039
1:26:36 PM	0.041
1:27:36 PM	0.049
1:28:36 PM	0.053
1:29:36 PM	0.052
1:30:36 PM	0.052
1:31:36 PM	0.056
1:32:36 PM	0.059
1:33:36 PM	0.049
1:34:36 PM	0.05
1:35:36 PM	0.046
1:36:36 PM	0.042
1:37:36 PM	0.042
1:38:36 PM	0.037
1:39:36 PM	0.037
1:40:36 PM	0.037
1:41:36 PM	0.04
1:42:36 PM	0.035
1:43:36 PM	0.034
1:44:36 PM	0.035
1:45:36 PM	0.033
1:46:36 PM	0.035
1:47:36 PM	0.039
1:48:36 PM	0.039
1:49:36 PM	0.042
1:50:36 PM	0.04
1:51:36 PM	0.04
1:52:36 PM	0.066
1:53:36 PM	0.049
1:54:36 PM	0.042
1:55:36 PM	0.045
1:56:36 PM	0.044
1:57:36 PM	0.047
1:58:36 PM	0.06
1:59:36 PM	0.055
2:00:36 PM	0.046

2:01:36 PM	0.05
2:02:36 PM	0.056
2:03:36 PM	0.042
2:04:36 PM	0.051
2:05:36 PM	0.087
2:06:36 PM	0.044
2:07:36 PM	0.045
2:08:36 PM	0.04
2:09:36 PM	0.039
2:10:36 PM	0.04
2:11:36 PM	0.04
2:12:36 PM	0.039
2:13:36 PM	0.038
2:14:36 PM	0.039
2:15:36 PM	0.037
2:16:36 PM	0.04
2:17:36 PM	0.044
2:18:36 PM	0.048
2:19:36 PM	0.042
2:20:36 PM	0.036
2:21:36 PM	0.047
2:22:36 PM	0.041
2:23:36 PM	0.039
2:24:36 PM	0.035
2:25:36 PM	0.039
2:26:36 PM	0.04
2:27:36 PM	0.041
2:28:36 PM	0.04
2:29:36 PM	0.04
2:30:36 PM	0.075
2:31:36 PM	0.067
2:32:36 PM	0.059
2:33:36 PM	0.073
2:34:36 PM	0.053
2:35:36 PM	0.047
2:36:36 PM	0.056
2:37:36 PM	0.037
2:38:36 PM	0.039
2:39:36 PM	0.04
2:40:36 PM	0.043
2:41:36 PM	0.04
2:42:36 PM	0.044
2:43:36 PM	0.04
2:44:36 PM	0.042

2:45:36 PM	0.044
2:46:36 PM	0.044
2:47:36 PM	0.042
2:48:36 PM	0.042
2:49:36 PM	0.042
2:50:36 PM	0.044
2:51:36 PM	0.055
2:52:36 PM	0.056
2:53:36 PM	0.042
2:54:36 PM	0.046
2:55:36 PM	0.044
2:56:36 PM	0.044
2:57:36 PM	0.044
2:58:36 PM	0.044
2:59:36 PM	0.05
3:00:36 PM	0.054
3:01:36 PM	0.049
3:02:36 PM	0.052
3:03:36 PM	0.042
3:04:36 PM	0.044
3:05:36 PM	0.047
3:06:36 PM	0.051
3:07:36 PM	0.049
3:08:36 PM	0.047
3:09:36 PM	0.05
3:10:36 PM	0.049
3:11:36 PM	0.059
3:12:36 PM	0.057
3:13:36 PM	0.046
3:14:36 PM	0.048
3:15:36 PM	0.048
3:16:36 PM	0.045
3:17:36 PM	0.045
3:18:36 PM	0.047
3:19:36 PM	0.044
3:20:36 PM	0.046
3:21:36 PM	0.047
3:22:36 PM	0.051
3:23:36 PM	0.044
3:24:36 PM	0.045
3:25:36 PM	0.045
3:26:36 PM	0.049
3:27:36 PM	0.049
3:28:36 PM	0.045

3:29:36 PM	0.041
3:30:36 PM	0.043
3:31:36 PM	0.048
3:32:36 PM	0.052
3:33:36 PM	0.055
3:34:36 PM	0.057
3:35:36 PM	0.059
3:36:36 PM	0.049
3:37:36 PM	0.042
3:38:36 PM	0.04
3:39:36 PM	0.044
3:40:36 PM	0.038
3:41:36 PM	0.036
3:42:36 PM	0.04
3:43:36 PM	0.039
3:44:36 PM	0.044
3:45:36 PM	0.039
3:46:36 PM	0.037
3:47:36 PM	0.036
3:48:36 PM	0.037
3:49:36 PM	0.047
3:50:36 PM	0.038
3:51:36 PM	0.041
3:52:36 PM	0.042
3:53:36 PM	0.036
3:54:36 PM	0.035
3:55:36 PM	0.034
3:56:36 PM	0.07
3:57:36 PM	0.048
3:58:36 PM	0.041
3:59:36 PM	0.051
4:00:36 PM	0.043
4:01:36 PM	0.041
4:02:36 PM	0.04
4:03:36 PM	0.041
4:04:36 PM	0.039
4:05:36 PM	0.043
4:06:36 PM	0.044
4:07:36 PM	0.046
4:08:36 PM	0.046
4:09:36 PM	0.045
4:10:36 PM	0.038
4:11:36 PM	0.042
4:12:36 PM	0.034

4:13:36 PM	0.035
4:14:36 PM	0.035
4:15:36 PM	0.03
4:16:36 PM	0.031
4:17:36 PM	0.039
4:18:36 PM	0.032
4:19:36 PM	0.031
4:20:36 PM	0.03

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/14/2024 16:52	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:51	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:50	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:49	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:48	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:47	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:46	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:45	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:44	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:41	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:40	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:39	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:37	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:34	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:33	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:32	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:31	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:28	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:27	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:26	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:25	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:24	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:23	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:22	Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 16:21	Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

592-602176	3/14/2024 15:14 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/14/2024 15:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 15:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:07 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 15:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 15:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:46 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:42 Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/14/2024 14:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:25 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:24 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:23 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 14:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 14:09 Readings	PID	SC23030602B4	Normal	0.3

[illegible]

[illegible]

[illegible]

592-602176	3/14/2024 12:29 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 12:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 12:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:57 Readings	PID	SC23030602B4	Normal	0.3

[illegible]

592-602176	3/14/2024 11:23 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/14/2024 11:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:21 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:18 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:14 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:10 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 11:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 11:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:58 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/14/2024 10:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:51 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

592-602176	3/14/2024 10:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 10:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 10:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:57 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/14/2024 9:56 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/14/2024 9:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:45 Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/14/2024 9:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:12 Readings	PID	SC23030602B4	Normal	0.2

592-602176	3/14/2024 9:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 9:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/14/2024 9:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 9:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 8:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 8:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 8:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 8:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/14/2024 8:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:39 Readings	PID	SC23030602B4	Normal	0.1

592-602176	3/14/2024 8:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:14 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 8:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/14/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 8:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 8:06 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	3/14/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	3/14/2024 7:29 CONFIG	PID	SC23030602B4		