

**DAILY STATUS REPORT****Prepared By:**

Bill Chaky

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50		50-70	X	70-85		>85		SW 14 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/15/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:45

Time Out: 16:045

Personnel On Site:

IEEG (Environmental) – Victor Barraza / Bill Chaky

Capital (Contractor)

ECD (Pile Installation)

GES (Geotech)

WSP (Environmental oversight) – Tim Williams

Equipment On Site: Dustrack (3x), PID (3x), Pile Rig**Scope of Work:** Oversee excavation by Capital, continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Twenty (20) truckloads of material were disposed of offsite to the Conestoga Facility;
- Two (2) truckloads of concrete material were disposed of offsite to the PPark Facility;
- One (1) truckload of imported clean fill material offloaded at north side of Site;
- Depth to water gauging within all 13 of sentinel wells for dewatering purposes (it should be noted that one well needs to be reinstalled and is scheduled for 3/20);
- Excavation of grids G4 and G5 to 9' bsg. Refer to Alpha Numeric Grid Map for grid locations;
- Excavation of Grid G6 to 7-8' bsg;
- Endpoint samples collected for the following endpoint locations: EP-49 (9'), EP-52 (9'), EP-67 (9');
- Backfilling in grids J5 and K5;
Continued pile Installation in O5/4;
- Capitol Concrete conducted concrete demolition in Grid N7;
- Triumvirate pumped 1038 gallons of rinsate water from frac tank.
- Perimeter check of the site was conducted at the of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.055_ mg/m³ @ 06:58
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.21_ mg/m³ @ 07:28
- High Conditions (Downwind 1) – PID = _1.4_ ppm @15:55, Dust = _0.682_ mg/m³ @ 10:58
- High Conditions (Downwind 2) – PID = _2.0_ ppm @ 07:39 Dust = _0.247_ mg/m³ @ 11:06

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation;
- Expecting 70 trucks with imported approved-fill material on 3/18.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of concrete being loaded for offsite disposal.



Photo 2 –

Representative photo of truck tarp being secured over a truck and wheels being washed at the truck pad before departure offsite.



Photo 3 –

Representative photo of dust suppression deployment along west side gravel roadway.



Photo 4 –

Representative photo of concrete foundation demolition in Grid N7.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:58:23 AM
Test Start Date	3/14/2024
Test Length [D:H:M]	0:09:04
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.022
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.21
Mass TWA [mg/m3]	0.025
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	544

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58	0.055		
6:59	0.046		
7:00	0.037		
7:01	0.039		
7:02	0.033		
7:03	0.033		
7:04	0.031		
7:05	0.032		
7:06	0.032		
7:07	0.031		
7:08	0.031		
7:09	0.032		
7:10	0.032		
7:11	0.031		
7:12	0.032		
7:13	0.032		
7:14	0.034		
7:15	0.034		
7:16	0.035		
7:17	0.035		
7:18	0.036		
7:19	0.037		
7:20	0.038		
7:21	0.039		

7:22	0.049
7:23	0.049
7:24	0.051
7:25	0.051
7:26	0.088
7:27	0.053
7:28	0.21
7:29	0.037
7:30	0.03
7:31	0.029
7:32	0.064
7:33	0.029
7:34	0.028
7:35	0.037
7:36	0.035
7:37	0.037
7:38	0.04
7:39	0.045
7:40	0.043
7:41	0.064
7:42	0.043
7:43	0.045
7:44	0.048
7:45	0.05
7:46	0.057
7:47	0.049
7:48	0.046
7:49	0.054
7:50	0.048
7:51	0.05
7:52	0.053
7:53	0.048
7:54	0.04
7:55	0.04
7:56	0.036
7:57	0.037
7:58	0.038
7:59	0.037
8:00	0.043
8:01	0.05
8:02	0.046
8:03	0.04
8:04	0.049
8:05	0.053

8:06	0.05
8:07	0.057
8:08	0.058
8:09	0.058
8:10	0.057
8:11	0.054
8:12	0.075
8:13	0.059
8:14	0.057
8:15	0.054
8:16	0.057
8:17	0.054
8:18	0.041
8:19	0.041
8:20	0.034
8:21	0.032
8:22	0.031
8:23	0.03
8:24	0.03
8:25	0.044
8:26	0.031
8:27	0.034
8:28	0.032
8:29	0.035
8:30	0.036
8:31	0.035
8:32	0.036
8:33	0.033
8:34	0.033
8:35	0.032
8:36	0.032
8:37	0.032
8:38	0.032
8:39	0.031
8:40	0.032
8:41	0.033
8:42	0.033
8:43	0.034
8:44	0.033
8:45	0.033
8:46	0.033
8:47	0.031
8:48	0.031
8:49	0.032

8:50	0.032
8:51	0.033
8:52	0.033
8:53	0.035
8:54	0.032
8:55	0.032
8:56	0.033
8:57	0.033
8:58	0.035
8:59	0.034
9:00	0.033
9:01	0.039
9:02	0.03
9:03	0.04
9:04	0.032
9:05	0.04
9:06	0.033
9:07	0.034
9:08	0.032
9:09	0.03
9:10	0.029
9:11	0.03
9:12	0.028
9:13	0.027
9:14	0.026
9:15	0.026
9:16	0.026
9:17	0.027
9:18	0.027
9:19	0.027
9:20	0.027
9:21	0.028
9:22	0.026
9:23	0.027
9:24	0.027
9:25	0.027
9:26	0.027
9:27	0.027
9:28	0.028
9:29	0.028
9:30	0.028
9:31	0.028
9:32	0.028
9:33	0.028

9:34	0.028
9:35	0.029
9:36	0.03
9:37	0.03
9:38	0.032
9:39	0.034
9:40	0.034
9:41	0.035
9:42	0.035
9:43	0.035
9:44	0.037
9:45	0.038
9:46	0.035
9:47	0.035
9:48	0.042
9:49	0.034
9:50	0.032
9:51	0.032
9:52	0.031
9:53	0.029
9:54	0.03
9:55	0.031
9:56	0.038
9:57	0.034
9:58	0.036
9:59	0.037
10:00	0.036
10:01	0.034
10:02	0.033
10:03	0.033
10:04	0.031
10:05	0.029
10:06	0.03
10:07	0.028
10:08	0.028
10:09	0.028
10:10	0.027
10:11	0.027
10:12	0.025
10:13	0.025
10:14	0.024
10:15	0.024
10:16	0.024
10:17	0.023

10:18	0.023
10:19	0.024
10:20	0.025
10:21	0.024
10:22	0.024
10:23	0.023
10:24	0.023
10:25	0.023
10:26	0.023
10:27	0.023
10:28	0.023
10:29	0.025
10:30	0.024
10:31	0.024
10:32	0.025
10:33	0.023
10:34	0.024
10:35	0.024
10:36	0.024
10:37	0.024
10:38	0.026
10:39	0.022
10:40	0.023
10:41	0.023
10:42	0.022
10:43	0.022
10:44	0.023
10:45	0.023
10:46	0.022
10:47	0.022
10:48	0.025
10:49	0.027
10:50	0.023
10:51	0.024
10:52	0.021
10:53	0.02
10:54	0.023
10:55	0.021
10:56	0.021
10:57	0.021
10:58	0.02
10:59	0.02
11:00	0.023
11:01	0.023

11:02	0.023
11:03	0.035
11:04	0.021
11:05	0.022
11:06	0.022
11:07	0.023
11:08	0.021
11:09	0.023
11:10	0.023
11:11	0.023
11:12	0.021
11:13	0.02
11:14	0.027
11:15	0.018
11:16	0.017
11:17	0.018
11:18	0.016
11:19	0.016
11:20	0.017
11:21	0.016
11:22	0.015
11:23	0.017
11:24	0.015
11:25	0.014
11:26	0.014
11:27	0.017
11:28	0.018
11:29	0.018
11:30	0.019
11:31	0.018
11:32	0.019
11:33	0.019
11:34	0.029
11:35	0.031
11:36	0.025
11:37	0.022
11:38	0.02
11:39	0.026
11:40	0.029
11:41	0.023
11:42	0.024
11:43	0.026
11:44	0.028
11:45	0.023

11:46	0.028
11:47	0.037
11:48	0.045
11:49	0.047
11:50	0.043
11:51	0.035
11:52	0.026
11:53	0.033
11:54	0.032
11:55	0.038
11:56	0.038
11:57	0.04
11:58	0.042
11:59	0.052
12:00	0.043
12:01	0.038
12:02	0.03
12:03	0.025
12:04	0.031
12:05	0.033
12:06	0.035
12:07	0.027
12:08	0.022
12:09	0.024
12:10	0.024
12:11	0.019
12:12	0.019
12:13	0.018
12:14	0.017
12:15	0.016
12:16	0.014
12:17	0.014
12:18	0.014
12:19	0.014
12:20	0.013
12:21	0.013
12:22	0.013
12:23	0.031
12:24	0.015
12:25	0.012
12:26	0.04
12:27	0.016
12:28	0.011
12:29	0.031

12:30	0.013
12:31	0.011
12:32	0.079
12:33	0.014
12:34	0.01
12:35	0.163
12:36	0.017
12:37	0.024
12:38	0.011
12:39	0.014
12:40	0.011
12:41	0.012
12:42	0.027
12:43	0.013
12:44	0.012
12:45	0.014
12:46	0.009
12:47	0.008
12:48	0.007
12:49	0.007
12:50	0.013
12:51	0.008
12:52	0.008
12:53	0.008
12:54	0.011
12:55	0.012
12:56	0.009
12:57	0.011
12:58	0.012
12:59	0.011
13:00	0.014
13:01	0.009
13:02	0.009
13:03	0.009
13:04	0.006
13:05	0.005
13:06	0.007
13:07	0.006
13:08	0.006
13:09	0.005
13:10	0.006
13:11	0.006
13:12	0.005
13:13	0.005

13:14	0.005
13:15	0.006
13:16	0.006
13:17	0.005
13:18	0.005
13:19	0.005
13:20	0.005
13:21	0.004
13:22	0.005
13:23	0.004
13:24	0.005
13:25	0.005
13:26	0.005
13:27	0.012
13:28	0.005
13:29	0.006
13:30	0.005
13:31	0.005
13:32	0.005
13:33	0.005
13:34	0.005
13:35	0.005
13:36	0.005
13:37	0.005
13:38	0.004
13:39	0.005
13:40	0.005
13:41	0.005
13:42	0.005
13:43	0.004
13:44	0.007
13:45	0.006
13:46	0.005
13:47	0.005
13:48	0.015
13:49	0.005
13:50	0.005
13:51	0.005
13:52	0.005
13:53	0.006
13:54	0.005
13:55	0.004
13:56	0.004
13:57	0.005

13:58	0.006
13:59	0.005
14:00	0.005
14:01	0.004
14:02	0.005
14:03	0.005
14:04	0.005
14:05	0.007
14:06	0.004
14:07	0.004
14:08	0.004
14:09	0.004
14:10	0.005
14:11	0.004
14:12	0.004
14:13	0.004
14:14	0.003
14:15	0.003
14:16	0.003
14:17	0.004
14:18	0.004
14:19	0.003
14:20	0.003
14:21	0.004
14:22	0.007
14:23	0.004
14:24	0.003
14:25	0.004
14:26	0.004
14:27	0.004
14:28	0.005
14:29	0.005
14:30	0.006
14:31	0.013
14:32	0.007
14:33	0.003
14:34	0.012
14:35	0.003
14:36	0.003
14:37	0.003
14:38	0.003
14:39	0.003
14:40	0.003
14:41	0.003

14:42	0.003
14:43	0.003
14:44	0.003
14:45	0.011
14:46	0.007
14:47	0.006
14:48	0.006
14:49	0.006
14:50	0.005
14:51	0.013
14:52	0.005
14:53	0.004
14:54	0.008
14:55	0.007
14:56	0.004
14:57	0.005
14:58	0.004
14:59	0.004
15:00	0.003
15:01	0.004
15:02	0.004
15:03	0.004
15:04	0.004
15:05	0.004
15:06	0.004
15:07	0.004
15:08	0.003
15:09	0.003
15:10	0.004
15:11	0.004
15:12	0.003
15:13	0.004
15:14	0.004
15:15	0.004
15:16	0.003
15:17	0.003
15:18	0.004
15:19	0.004
15:20	0.004
15:21	0.005
15:22	0.005
15:23	0.005
15:24	0.011
15:25	0.005

15:26	0.005
15:27	0.004
15:28	0.004
15:29	0.004
15:30	0.005
15:31	0.004
15:32	0.005
15:33	0.004
15:34	0.004
15:35	0.004
15:36	0.004
15:37	0.005
15:38	0.006
15:39	0.006
15:40	0.005
15:41	0.008
15:42	0.005
15:43	0.006
15:44	0.005
15:45	0.006
15:46	0.007
15:47	0.005
15:48	0.017
15:49	0.007
15:50	0.005
15:51	0.005
15:52	0.004
15:53	0.005
15:54	0.004
15:55	0.004
15:56	0.004
15:57	0.007
15:58	0.004
15:59	0.005
16:00	0.009
16:01	0.004

Device Seri	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-60085	3/15/2024	16:01	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	16:00	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:59	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:58	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:57	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:56	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:55	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:54	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:53	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:52	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:51	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:50	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:49	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:48	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:47	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:46	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:45	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:44	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:43	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:42	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:41	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:40	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:39	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:38	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:37	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:36	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:35	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:34	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:33	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:32	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:31	Readings	PID	SC23030449A8	Normal	0
592-60085	3/15/2024	15:30	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-60085: 3/15/2024	7:14 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:13 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:12 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:11 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:10 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:09 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:08 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:07 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:06 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:05 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:04 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:03 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:02 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:01 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	7:00 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	6:59 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	6:58 Readings	PID	SC23030449A8	Normal	0
592-60085: 3/15/2024	CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_003
Test Start Time	6:53:44 AM
Test Start Date	3/15/2024
Test Length [D:H:M]	0:09:02
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.032
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.682
Mass TWA [mg/m3]	0.035
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	542

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53	0.049		
6:54	0.041		
6:55	0.038		
6:56	0.036		
6:57	0.039		
6:58	0.038		
6:59	0.144		
7:00	0.139		
7:01	0.061		
7:02	0.037		
7:03	0.082		
7:04	0.055		
7:05	0.04		
7:06	0.034		
7:07	0.062		
7:08	0.076		
7:09	0.075		
7:10	0.058		
7:11	0.044		
7:12	0.04		
7:13	0.038		
7:14	0.056		
7:15	0.049		
7:16	0.052		

7:17	0.057
7:18	0.059
7:19	0.057
7:20	0.051
7:21	0.054
7:22	0.056
7:23	0.054
7:24	0.04
7:25	0.039
7:26	0.034
7:27	0.033
7:28	0.038
7:29	0.036
7:30	0.046
7:31	0.051
7:32	0.047
7:33	0.071
7:34	0.056
7:35	0.051
7:36	0.058
7:37	0.052
7:38	0.043
7:39	0.043
7:40	0.047
7:41	0.045
7:42	0.051
7:43	0.059
7:44	0.058
7:45	0.059
7:46	0.061
7:47	0.09
7:48	0.077
7:49	0.072
7:50	0.074
7:51	0.066
7:52	0.055
7:53	0.075
7:54	0.08
7:55	0.069
7:56	0.067
7:57	0.059
7:58	0.052
7:59	0.067
8:00	0.073

8:01	0.046
8:02	0.047
8:03	0.051
8:04	0.056
8:05	0.054
8:06	0.063
8:07	0.079
8:08	0.067
8:09	0.071
8:10	0.07
8:11	0.068
8:12	0.066
8:13	0.065
8:14	0.062
8:15	0.055
8:16	0.05
8:17	0.043
8:18	0.053
8:19	0.036
8:20	0.036
8:21	0.035
8:22	0.034
8:23	0.035
8:24	0.036
8:25	0.037
8:26	0.037
8:27	0.036
8:28	0.049
8:29	0.062
8:30	0.053
8:31	0.049
8:32	0.052
8:33	0.06
8:34	0.064
8:35	0.046
8:36	0.048
8:37	0.046
8:38	0.053
8:39	0.054
8:40	0.042
8:41	0.041
8:42	0.045
8:43	0.044
8:44	0.043

8:45	0.047
8:46	0.05
8:47	0.059
8:48	0.055
8:49	0.044
8:50	0.042
8:51	0.05
8:52	0.078
8:53	0.057
8:54	0.042
8:55	0.046
8:56	0.04
8:57	0.042
8:58	0.046
8:59	0.047
9:00	0.054
9:01	0.107
9:02	0.046
9:03	0.076
9:04	0.049
9:05	0.047
9:06	0.046
9:07	0.042
9:08	0.035
9:09	0.041
9:10	0.041
9:11	0.036
9:12	0.036
9:13	0.038
9:14	0.034
9:15	0.033
9:16	0.032
9:17	0.031
9:18	0.038
9:19	0.032
9:20	0.031
9:21	0.034
9:22	0.035
9:23	0.041
9:24	0.037
9:25	0.034
9:26	0.037
9:27	0.035
9:28	0.035

9:29	0.039
9:30	0.042
9:31	0.037
9:32	0.034
9:33	0.032
9:34	0.04
9:35	0.04
9:36	0.05
9:37	0.045
9:38	0.05
9:39	0.047
9:40	0.045
9:41	0.043
9:42	0.041
9:43	0.052
9:44	0.04
9:45	0.04
9:46	0.047
9:47	0.039
9:48	0.039
9:49	0.045
9:50	0.041
9:51	0.043
9:52	0.046
9:53	0.047
9:54	0.041
9:55	0.044
9:56	0.042
9:57	0.043
9:58	0.045
9:59	0.046
10:00	0.048
10:01	0.045
10:02	0.043
10:03	0.041
10:04	0.041
10:05	0.039
10:06	0.037
10:07	0.035
10:08	0.033
10:09	0.031
10:10	0.03
10:11	0.03
10:12	0.031

10:13	0.03
10:14	0.027
10:15	0.028
10:16	0.03
10:17	0.031
10:18	0.029
10:19	0.04
10:20	0.053
10:21	0.037
10:22	0.028
10:23	0.026
10:24	0.032
10:25	0.026
10:26	0.03
10:27	0.031
10:28	0.03
10:29	0.03
10:30	0.034
10:31	0.031
10:32	0.034
10:33	0.028
10:34	0.031
10:35	0.032
10:36	0.026
10:37	0.026
10:38	0.031
10:39	0.033
10:40	0.026
10:41	0.031
10:42	0.032
10:43	0.034
10:44	0.039
10:45	0.054
10:46	0.042
10:47	0.038
10:48	0.032
10:49	0.043
10:50	0.034
10:51	0.029
10:52	0.028
10:53	0.03
10:54	0.03
10:55	0.031
10:56	0.034

10:57	0.116
10:58	0.682
10:59	0.223
11:00	0.142
11:01	0.03
11:02	0.031
11:03	0.034
11:04	0.03
11:05	0.03
11:06	0.029
11:07	0.029
11:08	0.029
11:09	0.027
11:10	0.035
11:11	0.075
11:12	0.031
11:13	0.026
11:14	0.029
11:15	0.026
11:16	0.028
11:17	0.03
11:18	0.028
11:19	0.024
11:20	0.028
11:21	0.028
11:22	0.029
11:23	0.025
11:24	0.025
11:25	0.023
11:26	0.031
11:27	0.023
11:28	0.025
11:29	0.023
11:30	0.024
11:31	0.023
11:32	0.023
11:33	0.026
11:34	0.023
11:35	0.024
11:36	0.025
11:37	0.024
11:38	0.023
11:39	0.025
11:40	0.029

11:41	0.024
11:42	0.024
11:43	0.026
11:44	0.024
11:45	0.031
11:46	0.029
11:47	0.036
11:48	0.047
11:49	0.05
11:50	0.046
11:51	0.049
11:52	0.031
11:53	0.031
11:54	0.033
11:55	0.043
11:56	0.04
11:57	0.04
11:58	0.04
11:59	0.046
12:00	0.041
12:01	0.04
12:02	0.033
12:03	0.03
12:04	0.03
12:05	0.04
12:06	0.035
12:07	0.03
12:08	0.026
12:09	0.026
12:10	0.024
12:11	0.023
12:12	0.024
12:13	0.021
12:14	0.02
12:15	0.042
12:16	0.026
12:17	0.02
12:18	0.021
12:19	0.023
12:20	0.022
12:21	0.023
12:22	0.024
12:23	0.019
12:24	0.017

12:25	0.016
12:26	0.015
12:27	0.018
12:28	0.018
12:29	0.032
12:30	0.014
12:31	0.014
12:32	0.014
12:33	0.017
12:34	0.02
12:35	0.021
12:36	0.017
12:37	0.022
12:38	0.019
12:39	0.016
12:40	0.015
12:41	0.012
12:42	0.012
12:43	0.018
12:44	0.015
12:45	0.013
12:46	0.015
12:47	0.012
12:48	0.013
12:49	0.035
12:50	0.025
12:51	0.012
12:52	0.015
12:53	0.011
12:54	0.012
12:55	0.011
12:56	0.013
12:57	0.012
12:58	0.014
12:59	0.014
13:00	0.026
13:01	0.016
13:02	0.013
13:03	0.011
13:04	0.01
13:05	0.01
13:06	0.009
13:07	0.008
13:08	0.009

13:09	0.01
13:10	0.009
13:11	0.008
13:12	0.008
13:13	0.013
13:14	0.009
13:15	0.01
13:16	0.009
13:17	0.008
13:18	0.009
13:19	0.012
13:20	0.01
13:21	0.014
13:22	0.022
13:23	0.022
13:24	0.011
13:25	0.009
13:26	0.009
13:27	0.01
13:28	0.009
13:29	0.012
13:30	0.009
13:31	0.009
13:32	0.008
13:33	0.01
13:34	0.009
13:35	0.01
13:36	0.009
13:37	0.008
13:38	0.008
13:39	0.008
13:40	0.012
13:41	0.01
13:42	0.008
13:43	0.011
13:44	0.011
13:45	0.009
13:46	0.021
13:47	0.009
13:48	0.008
13:49	0.009
13:50	0.009
13:51	0.011
13:52	0.012

13:53	0.008
13:54	0.01
13:55	0.011
13:56	0.012
13:57	0.01
13:58	0.01
13:59	0.009
14:00	0.01
14:01	0.015
14:02	0.012
14:03	0.012
14:04	0.014
14:05	0.018
14:06	0.018
14:07	0.008
14:08	0.008
14:09	0.007
14:10	0.007
14:11	0.008
14:12	0.007
14:13	0.01
14:14	0.029
14:15	0.01
14:16	0.01
14:17	0.009
14:18	0.01
14:19	0.007
14:20	0.007
14:21	0.007
14:22	0.009
14:23	0.007
14:24	0.007
14:25	0.008
14:26	0.008
14:27	0.007
14:28	0.009
14:29	0.007
14:30	0.021
14:31	0.009
14:32	0.008
14:33	0.01
14:34	0.012
14:35	0.011
14:36	0.011

14:37	0.006
14:38	0.006
14:39	0.007
14:40	0.007
14:41	0.006
14:42	0.028
14:43	0.014
14:44	0.009
14:45	0.008
14:46	0.008
14:47	0.012
14:48	0.011
14:49	0.008
14:50	0.008
14:51	0.012
14:52	0.016
14:53	0.016
14:54	0.01
14:55	0.008
14:56	0.007
14:57	0.007
14:58	0.008
14:59	0.01
15:00	0.014
15:01	0.019
15:02	0.016
15:03	0.008
15:04	0.017
15:05	0.011
15:06	0.009
15:07	0.008
15:08	0.007
15:09	0.006
15:10	0.008
15:11	0.008
15:12	0.008
15:13	0.008
15:14	0.009
15:15	0.008
15:16	0.009
15:17	0.008
15:18	0.009
15:19	0.007
15:20	0.01

15:21	0.015
15:22	0.013
15:23	0.011
15:24	0.026
15:25	0.008
15:26	0.009
15:27	0.007
15:28	0.01
15:29	0.008
15:30	0.012
15:31	0.011
15:32	0.007
15:33	0.006
15:34	0.006
15:35	0.007
15:36	0.007
15:37	0.007
15:38	0.01
15:39	0.015
15:40	0.041
15:41	0.013
15:42	0.008
15:43	0.01
15:44	0.009
15:45	0.008
15:46	0.011
15:47	0.007
15:48	0.01
15:49	0.008
15:50	0.009
15:51	0.007
15:52	0.007
15:53	0.006
15:54	0.007

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/15/2024	15:48	Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	15:47	Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	15:46	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:45	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:44	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:43	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:42	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:41	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:40	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:39	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:38	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:37	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:36	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:35	Readings	PID	SC23030140W3	Normal	1.3
592-000289	3/15/2024	15:34	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:33	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:32	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:31	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:30	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:29	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:28	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:27	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:26	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:25	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:24	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:23	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:22	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:21	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:20	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:19	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:18	Readings	PID	SC23030140W3	Normal	1.4
592-000289	3/15/2024	15:17	Readings	PID	SC23030140W3	Normal	1.4

[illegible]

592-000289	3/15/2024	14:43 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:42 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:41 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:40 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:39 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:38 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:37 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:36 Readings	PID	SC23030140W3	Normal	1.2
592-000289	3/15/2024	14:35 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:34 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:33 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:32 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:31 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:30 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:29 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:28 Readings	PID	SC23030140W3	Normal	1.1
592-000289	3/15/2024	14:27 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:26 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:25 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:24 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:23 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:22 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:21 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:20 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:19 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:18 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:17 Readings	PID	SC23030140W3	Normal	1
592-000289	3/15/2024	14:16 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/15/2024	14:15 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/15/2024	14:14 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/15/2024	14:13 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/15/2024	14:12 Readings	PID	SC23030140W3	Normal	0.9
592-000289	3/15/2024	14:11 Readings	PID	SC23030140W3	Normal	0.9

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/15/2024	10:52 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:50 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:49 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:48 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:47 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:46 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:45 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:44 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:43 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:42 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:41 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:40 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	10:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:27 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:26 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:25 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:24 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:23 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:22 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:21 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:20 Readings	PID	SC23030140W3	Normal	0

592-000289	3/15/2024	10:19 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:18 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:17 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:47 Readings	PID	SC23030140W3	Normal	0

592-000289	3/15/2024	9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:44 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:43 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:42 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:41 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:27 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:26 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:25 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:24 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:23 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:22 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:21 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:20 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:19 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:18 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	9:17 Readings	PID	SC23030140W3	Normal	0.1
592-000289	3/15/2024	9:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:15 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	9:14 Readings	PID	SC23030140W3	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/15/2024	7:01 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	7:00 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:59 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	6:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/15/2024	CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_003
Test Start Time	6:58:23 AM
Test Start Date	3/15/2024
Test Length [D:H:M]	0:08:56
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	0.247
Mass TWA [mg/m3]	0.033
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	536

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58	0.043		
6:59	0.037		
7:00	0.057		
7:01	0.059		
7:02	0.061		
7:03	0.038		
7:04	0.041		
7:05	0.048		
7:06	0.039		
7:07	0.036		
7:08	0.037		
7:09	0.035		
7:10	0.035		
7:11	0.041		
7:12	0.042		
7:13	0.038		
7:14	0.042		
7:15	0.041		
7:16	0.041		
7:17	0.041		
7:18	0.042		
7:19	0.046		
7:20	0.05		
7:21	0.051		

7:22	0.053
7:23	0.054
7:24	0.056
7:25	0.058
7:26	0.048
7:27	0.046
7:28	0.035
7:29	0.036
7:30	0.039
7:31	0.042
7:32	0.034
7:33	0.028
7:34	0.029
7:35	0.031
7:36	0.033
7:37	0.041
7:38	0.041
7:39	0.041
7:40	0.043
7:41	0.043
7:42	0.046
7:43	0.047
7:44	0.048
7:45	0.047
7:46	0.049
7:47	0.05
7:48	0.057
7:49	0.06
7:50	0.06
7:51	0.054
7:52	0.047
7:53	0.048
7:54	0.046
7:55	0.055
7:56	0.06
7:57	0.053
7:58	0.047
7:59	0.042
8:00	0.046
8:01	0.043
8:02	0.042
8:03	0.046
8:04	0.051
8:05	0.052

8:06	0.054
8:07	0.053
8:08	0.055
8:09	0.061
8:10	0.059
8:11	0.057
8:12	0.057
8:13	0.055
8:14	0.06
8:15	0.057
8:16	0.051
8:17	0.047
8:18	0.045
8:19	0.046
8:20	0.041
8:21	0.04
8:22	0.036
8:23	0.034
8:24	0.035
8:25	0.038
8:26	0.041
8:27	0.038
8:28	0.041
8:29	0.04
8:30	0.036
8:31	0.041
8:32	0.042
8:33	0.045
8:34	0.042
8:35	0.04
8:36	0.042
8:37	0.036
8:38	0.037
8:39	0.039
8:40	0.037
8:41	0.075
8:42	0.036
8:43	0.043
8:44	0.036
8:45	0.036
8:46	0.053
8:47	0.044
8:48	0.044
8:49	0.04

8:50	0.082
8:51	0.044
8:52	0.047
8:53	0.046
8:54	0.046
8:55	0.042
8:56	0.042
8:57	0.039
8:58	0.038
8:59	0.047
9:00	0.205
9:01	0.201
9:02	0.074
9:03	0.046
9:04	0.058
9:05	0.054
9:06	0.042
9:07	0.035
9:08	0.035
9:09	0.033
9:10	0.052
9:11	0.037
9:12	0.032
9:13	0.033
9:14	0.034
9:15	0.032
9:16	0.033
9:17	0.033
9:18	0.034
9:19	0.036
9:20	0.037
9:21	0.032
9:22	0.036
9:23	0.033
9:24	0.032
9:25	0.033
9:26	0.045
9:27	0.045
9:28	0.086
9:29	0.042
9:30	0.058
9:31	0.04
9:32	0.051
9:33	0.047

9:34	0.04
9:35	0.041
9:36	0.052
9:37	0.053
9:38	0.051
9:39	0.053
9:40	0.049
9:41	0.042
9:42	0.044
9:43	0.05
9:44	0.072
9:45	0.058
9:46	0.042
9:47	0.054
9:48	0.134
9:49	0.05
9:50	0.038
9:51	0.039
9:52	0.044
9:53	0.042
9:54	0.039
9:55	0.038
9:56	0.038
9:57	0.041
9:58	0.045
9:59	0.041
10:00	0.041
10:01	0.044
10:02	0.057
10:03	0.043
10:04	0.036
10:05	0.034
10:06	0.031
10:07	0.031
10:08	0.034
10:09	0.031
10:10	0.03
10:11	0.028
10:12	0.028
10:13	0.027
10:14	0.027
10:15	0.027
10:16	0.028
10:17	0.027

10:18	0.03
10:19	0.033
10:20	0.034
10:21	0.027
10:22	0.03
10:23	0.036
10:24	0.051
10:25	0.04
10:26	0.035
10:27	0.033
10:28	0.029
10:29	0.032
10:30	0.029
10:31	0.031
10:32	0.048
10:33	0.041
10:34	0.031
10:35	0.034
10:36	0.033
10:37	0.027
10:38	0.027
10:39	0.03
10:40	0.034
10:41	0.029
10:42	0.028
10:43	0.028
10:44	0.028
10:45	0.036
10:46	0.045
10:47	0.032
10:48	0.038
10:49	0.032
10:50	0.026
10:51	0.027
10:52	0.028
10:53	0.027
10:54	0.027
10:55	0.03
10:56	0.025
10:57	0.037
10:58	0.03
10:59	0.033
11:00	0.038
11:01	0.058

11:02	0.047
11:03	0.026
11:04	0.031
11:05	0.101
11:06	0.247
11:07	0.038
11:08	0.231
11:09	0.23
11:10	0.128
11:11	0.03
11:12	0.044
11:13	0.057
11:14	0.04
11:15	0.021
11:16	0.02
11:17	0.021
11:18	0.022
11:19	0.022
11:20	0.022
11:21	0.021
11:22	0.022
11:23	0.022
11:24	0.022
11:25	0.021
11:26	0.022
11:27	0.024
11:28	0.019
11:29	0.021
11:30	0.02
11:31	0.02
11:32	0.02
11:33	0.02
11:34	0.021
11:35	0.022
11:36	0.025
11:37	0.023
11:38	0.019
11:39	0.022
11:40	0.024
11:41	0.024
11:42	0.023
11:43	0.047
11:44	0.03
11:45	0.028

11:46	0.047
11:47	0.072
11:48	0.089
11:49	0.145
11:50	0.182
11:51	0.079
11:52	0.089
11:53	0.075
11:54	0.054
11:55	0.05
11:56	0.045
11:57	0.039
11:58	0.034
11:59	0.036
12:00	0.043
12:01	0.038
12:02	0.031
12:03	0.027
12:04	0.028
12:05	0.032
12:06	0.027
12:07	0.027
12:08	0.024
12:09	0.022
12:10	0.019
12:11	0.02
12:12	0.019
12:13	0.018
12:14	0.017
12:15	0.016
12:16	0.019
12:17	0.022
12:18	0.016
12:19	0.029
12:20	0.025
12:21	0.014
12:22	0.016
12:23	0.015
12:24	0.014
12:25	0.016
12:26	0.015
12:27	0.015
12:28	0.014
12:29	0.017

12:30	0.018
12:31	0.014
12:32	0.012
12:33	0.014
12:34	0.015
12:35	0.019
12:36	0.015
12:37	0.018
12:38	0.032
12:39	0.021
12:40	0.013
12:41	0.012
12:42	0.014
12:43	0.017
12:44	0.018
12:45	0.015
12:46	0.013
12:47	0.01
12:48	0.011
12:49	0.012
12:50	0.026
12:51	0.015
12:52	0.015
12:53	0.011
12:54	0.011
12:55	0.011
12:56	0.011
12:57	0.017
12:58	0.018
12:59	0.015
13:00	0.011
13:01	0.012
13:02	0.029
13:03	0.009
13:04	0.008
13:05	0.008
13:06	0.007
13:07	0.006
13:08	0.007
13:09	0.006
13:10	0.006
13:11	0.007
13:12	0.007
13:13	0.007

13:14	0.009
13:15	0.006
13:16	0.006
13:17	0.006
13:18	0.006
13:19	0.006
13:20	0.008
13:21	0.008
13:22	0.006
13:23	0.008
13:24	0.008
13:25	0.006
13:26	0.008
13:27	0.007
13:28	0.007
13:29	0.009
13:30	0.009
13:31	0.011
13:32	0.011
13:33	0.011
13:34	0.023
13:35	0.011
13:36	0.015
13:37	0.014
13:38	0.014
13:39	0.024
13:40	0.02
13:41	0.012
13:42	0.01
13:43	0.008
13:44	0.007
13:45	0.006
13:46	0.01
13:47	0.009
13:48	0.007
13:49	0.008
13:50	0.007
13:51	0.008
13:52	0.007
13:53	0.006
13:54	0.008
13:55	0.007
13:56	0.014
13:57	0.008

13:58	0.007
13:59	0.008
14:00	0.007
14:01	0.008
14:02	0.01
14:03	0.008
14:04	0.008
14:05	0.009
14:06	0.008
14:07	0.008
14:08	0.007
14:09	0.006
14:10	0.005
14:11	0.006
14:12	0.006
14:13	0.007
14:14	0.008
14:15	0.006
14:16	0.006
14:17	0.007
14:18	0.006
14:19	0.008
14:20	0.01
14:21	0.005
14:22	0.005
14:23	0.006
14:24	0.006
14:25	0.005
14:26	0.006
14:27	0.004
14:28	0.005
14:29	0.006
14:30	0.006
14:31	0.01
14:32	0.009
14:33	0.005
14:34	0.008
14:35	0.008
14:36	0.01
14:37	0.004
14:38	0.005
14:39	0.007
14:40	0.005
14:41	0.004

14:42	0.008
14:43	0.007
14:44	0.005
14:45	0.01
14:46	0.008
14:47	0.006
14:48	0.011
14:49	0.006
14:50	0.005
14:51	0.006
14:52	0.01
14:53	0.012
14:54	0.009
14:55	0.005
14:56	0.005
14:57	0.004
14:58	0.005
14:59	0.005
15:00	0.004
15:01	0.003
15:02	0.004
15:03	0.005
15:04	0.005
15:05	0.004
15:06	0.007
15:07	0.008
15:08	0.005
15:09	0.004
15:10	0.004
15:11	0.005
15:12	0.005
15:13	0.005
15:14	0.006
15:15	0.007
15:16	0.005
15:17	0.005
15:18	0.014
15:19	0.004
15:20	0.005
15:21	0.007
15:22	0.011
15:23	0.008
15:24	0.013
15:25	0.011

15:26	0.004
15:27	0.005
15:28	0.006
15:29	0.011
15:30	0.009
15:31	0.007
15:32	0.007
15:33	0.004
15:34	0.005
15:35	0.008
15:36	0.005
15:37	0.004
15:38	0.005
15:39	0.007
15:40	0.014
15:41	0.02
15:42	0.009
15:43	0.012
15:44	0.007
15:45	0.008
15:46	0.006
15:47	0.007
15:48	0.01
15:49	0.013
15:50	0.006
15:51	0.005
15:52	0.005
15:53	0.004

Device Serial No	Log Date	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/15/2024	15:59	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:58	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:57	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:56	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:55	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:54	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:53	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:52	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:51	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:50	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:49	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:48	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:47	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:46	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:45	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:44	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:43	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:42	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:39	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:38	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:37	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:34	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:32	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:29	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	15:28	Readings	PID	SC23030602B4	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	3/15/2024	12:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	12:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	12:10 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

592-602176	3/15/2024	11:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:04 Readings	PID	SC23030602B4	Normal	0.1

592-602176	3/15/2024	11:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	11:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	11:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	10:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	10:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	10:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	10:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	10:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	10:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	10:31 Readings	PID	SC23030602B4	Normal	0.1

[illegible]

592-602176	3/15/2024	9:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	9:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	9:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	9:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	9:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	9:25 Readings	PID	SC23030602B4	Normal	0.1

[illegible]

[illegible]

592-602176	3/15/2024	8:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	8:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	8:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	8:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	7:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:50 Readings	PID	SC23030602B4	Normal	0.8
592-602176	3/15/2024	7:49 Readings	PID	SC23030602B4	Normal	0.5
592-602176	3/15/2024	7:48 Readings	PID	SC23030602B4	Normal	0.7
592-602176	3/15/2024	7:47 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/15/2024	7:46 Readings	PID	SC23030602B4	Normal	0.5

592-602176	3/15/2024	7:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/15/2024	7:42 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	7:41 Readings	PID	SC23030602B4	Normal	1
592-602176	3/15/2024	7:40 Readings	PID	SC23030602B4	Normal	1.8
592-602176	3/15/2024	7:39 Readings	PID	SC23030602B4	Normal	2
592-602176	3/15/2024	7:38 Readings	PID	SC23030602B4	Normal	0.4
592-602176	3/15/2024	7:37 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	7:36 Readings	PID	SC23030602B4	Normal	0.5
592-602176	3/15/2024	7:35 Readings	PID	SC23030602B4	Normal	0.3
592-602176	3/15/2024	7:34 Readings	PID	SC23030602B4	Normal	0.5
592-602176	3/15/2024	7:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/15/2024	7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:13 Readings	PID	SC23030602B4	Normal	0

592-602176	3/15/2024	7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:07 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:06 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:05 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:04 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:03 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:02 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:01 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	7:00 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	6:59 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	6:58 Readings	PID	SC23030602B4	Normal	0
592-602176	3/15/2024	CONFIG	PID	SC23030602B4		