

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		SE 13 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/18/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:05 Time Out: 17:00	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas/ Victor Barraza Capital (Contractor) ECD (Pile Installation) GES (Geotech) WSP (Environmental oversight) – Tim Williams Equipment On Site: Dustrack (3x), PID (3x), Pile Rig
--	--

Scope of Work: Oversee excavation by Capital, continue to collect endpoint samples and gauging of sentinel wells.**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Fifty-six (56) truckloads of approved fill material (Crushed Limestone) were unloaded on site;
- Depth to water gauging within all 13 of sentinel wells for dewatering purposes (it should be noted that one well needs to be reinstalled-the installation of this well has been pushed to 3/26 due to the Carroll Street closure);
- Excavation of grid G6 to 7-8' bsg. Refer to Alpha Numeric Grid Map for grid locations;
- Endpoint sample: EP-82 (7-8') was collected;
- Hotspot sampling for SB-12 conducted: SB-12-Bottom (9'), Sidewall-East, West, North, & South (8')
- Backfilling in grids K4, L4, F5, J-L6;
- Pile Installation in O5/4; and
- Perimeter check of the Site was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.037_ mg/m³ @ 05:56
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = 0.088_ mg/m³ @ 12:26
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.245_ mg/m³ @ 09:05
- High Conditions (Downwind 2) – PID = _0.2_ ppm @ 08:16 Dust = _0.081_ mg/m³ @ 06:31

Notable Site Conditions:

- Dewatering sewer system down due to power issues.

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation;
- Continuing of imported clean-fill material; and
- Bi-weekly sentinel well groundwater sampling to begin 3/19.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of clean fill import.



Photo 2 –

Representative photo of truck tire washing over track pad.



Photo 3 –

Representative
photo of pile
installation in O5.



Photo 4 –

Representative
photo of
excavation in grid
G6.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_004
Test Start Time	5:56:04 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:10:22
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.008
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.088
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	622

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
5:56:04 AM	0.037		
5:57:04 AM	0.004		
5:58:04 AM	0.004		
5:59:04 AM	0.004		
6:00:04 AM	0.004		
6:01:04 AM	0.004		
6:02:04 AM	0.004		
6:03:04 AM	0.004		
6:04:04 AM	0.004		
6:05:04 AM	0.004		
6:06:04 AM	0.005		
6:07:04 AM	0.004		
6:08:04 AM	0.004		
6:09:04 AM	0.004		
6:10:04 AM	0.004		
6:11:04 AM	0.004		
6:12:04 AM	0.005		
6:13:04 AM	0.005		
6:14:04 AM	0.005		
6:15:04 AM	0.004		
6:16:04 AM	0.004		
6:17:04 AM	0.004		
6:18:04 AM	0.004		
6:19:04 AM	0.005		

6:20:04 AM	0.004
6:21:04 AM	0.005
6:22:04 AM	0.011
6:23:04 AM	0.007
6:24:04 AM	0.005
6:25:04 AM	0.005
6:26:04 AM	0.004
6:27:04 AM	0.006
6:28:04 AM	0.005
6:29:04 AM	0.005
6:30:04 AM	0.005
6:31:04 AM	0.006
6:32:04 AM	0.006
6:33:04 AM	0.005
6:34:04 AM	0.005
6:35:04 AM	0.005
6:36:04 AM	0.005
6:37:04 AM	0.005
6:38:04 AM	0.005
6:39:04 AM	0.005
6:40:04 AM	0.005
6:41:04 AM	0.007
6:42:04 AM	0.005
6:43:04 AM	0.005
6:44:04 AM	0.006
6:45:04 AM	0.013
6:46:04 AM	0.009
6:47:04 AM	0.007
6:48:04 AM	0.006
6:49:04 AM	0.006
6:50:04 AM	0.006
6:51:04 AM	0.006
6:52:04 AM	0.007
6:53:04 AM	0.006
6:54:04 AM	0.006
6:55:04 AM	0.009
6:56:04 AM	0.007
6:57:04 AM	0.009
6:58:04 AM	0.006
6:59:04 AM	0.006
7:00:04 AM	0.005
7:01:04 AM	0.005
7:02:04 AM	0.005
7:03:04 AM	0.005

7:04:04 AM	0.005
7:05:04 AM	0.005
7:06:04 AM	0.006
7:07:04 AM	0.006
7:08:04 AM	0.008
7:09:04 AM	0.006
7:10:04 AM	0.008
7:11:04 AM	0.009
7:12:04 AM	0.009
7:13:04 AM	0.007
7:14:04 AM	0.007
7:15:04 AM	0.007
7:16:04 AM	0.006
7:17:04 AM	0.006
7:18:04 AM	0.009
7:19:04 AM	0.009
7:20:04 AM	0.006
7:21:04 AM	0.006
7:22:04 AM	0.007
7:23:04 AM	0.007
7:24:04 AM	0.009
7:25:04 AM	0.009
7:26:04 AM	0.008
7:27:04 AM	0.01
7:28:04 AM	0.008
7:29:04 AM	0.01
7:30:04 AM	0.011
7:31:04 AM	0.011
7:32:04 AM	0.009
7:33:04 AM	0.007
7:34:04 AM	0.007
7:35:04 AM	0.008
7:36:04 AM	0.009
7:37:04 AM	0.012
7:38:04 AM	0.007
7:39:04 AM	0.014
7:40:04 AM	0.017
7:41:04 AM	0.02
7:42:04 AM	0.011
7:43:04 AM	0.011
7:44:04 AM	0.01
7:45:04 AM	0.007
7:46:04 AM	0.008
7:47:04 AM	0.007

7:48:04 AM	0.009
7:49:04 AM	0.017
7:50:04 AM	0.007
7:51:04 AM	0.009
7:52:04 AM	0.007
7:53:04 AM	0.006
7:54:04 AM	0.006
7:55:04 AM	0.007
7:56:04 AM	0.008
7:57:04 AM	0.009
7:58:04 AM	0.007
7:59:04 AM	0.008
8:00:04 AM	0.009
8:01:04 AM	0.014
8:02:04 AM	0.018
8:03:04 AM	0.014
8:04:04 AM	0.009
8:05:04 AM	0.007
8:06:04 AM	0.007
8:07:04 AM	0.007
8:08:04 AM	0.013
8:09:04 AM	0.008
8:10:04 AM	0.006
8:11:04 AM	0.008
8:12:04 AM	0.007
8:13:04 AM	0.01
8:14:04 AM	0.009
8:15:04 AM	0.018
8:16:04 AM	0.014
8:17:04 AM	0.023
8:18:04 AM	0.01
8:19:04 AM	0.009
8:20:04 AM	0.008
8:21:04 AM	0.031
8:22:04 AM	0.008
8:23:04 AM	0.007
8:24:04 AM	0.006
8:25:04 AM	0.007
8:26:04 AM	0.007
8:27:04 AM	0.016
8:28:04 AM	0.017
8:29:04 AM	0.008
8:30:04 AM	0.015
8:31:04 AM	0.008

8:32:04 AM	0.008
8:33:04 AM	0.007
8:34:04 AM	0.007
8:35:04 AM	0.006
8:36:04 AM	0.006
8:37:04 AM	0.008
8:38:04 AM	0.01
8:39:04 AM	0.007
8:40:04 AM	0.007
8:41:04 AM	0.007
8:42:04 AM	0.007
8:43:04 AM	0.008
8:44:04 AM	0.009
8:45:04 AM	0.011
8:46:04 AM	0.021
8:47:04 AM	0.01
8:48:04 AM	0.009
8:49:04 AM	0.01
8:50:04 AM	0.01
8:51:04 AM	0.007
8:52:04 AM	0.008
8:53:04 AM	0.009
8:54:04 AM	0.009
8:55:04 AM	0.01
8:56:04 AM	0.007
8:57:04 AM	0.006
8:58:04 AM	0.006
8:59:04 AM	0.009
9:00:04 AM	0.009
9:01:04 AM	0.007
9:02:04 AM	0.01
9:03:04 AM	0.012
9:04:04 AM	0.008
9:05:04 AM	0.008
9:06:04 AM	0.007
9:07:04 AM	0.007
9:08:04 AM	0.008
9:09:04 AM	0.006
9:10:04 AM	0.007
9:11:04 AM	0.013
9:12:04 AM	0.007
9:13:04 AM	0.008
9:14:04 AM	0.008
9:15:04 AM	0.006

9:16:04 AM	0.006
9:17:04 AM	0.006
9:18:04 AM	0.007
9:19:04 AM	0.008
9:20:04 AM	0.008
9:21:04 AM	0.007
9:22:04 AM	0.007
9:23:04 AM	0.056
9:24:04 AM	0.018
9:25:04 AM	0.02
9:26:04 AM	0.012
9:27:04 AM	0.019
9:28:04 AM	0.009
9:29:04 AM	0.006
9:30:04 AM	0.006
9:31:04 AM	0.006
9:32:04 AM	0.009
9:33:04 AM	0.013
9:34:04 AM	0.008
9:35:04 AM	0.008
9:36:04 AM	0.005
9:37:04 AM	0.008
9:38:04 AM	0.008
9:39:04 AM	0.007
9:40:04 AM	0.006
9:41:04 AM	0.006
9:42:04 AM	0.006
9:43:04 AM	0.006
9:44:04 AM	0.006
9:45:04 AM	0.006
9:46:04 AM	0.006
9:47:04 AM	0.006
9:48:04 AM	0.007
9:49:04 AM	0.006
9:50:04 AM	0.008
9:51:04 AM	0.009
9:52:04 AM	0.019
9:53:04 AM	0.007
9:54:04 AM	0.007
9:55:04 AM	0.008
9:56:04 AM	0.007
9:57:04 AM	0.007
9:58:04 AM	0.009
9:59:04 AM	0.006

10:00:04 AM	0.007
10:01:04 AM	0.008
10:02:04 AM	0.008
10:03:04 AM	0.019
10:04:04 AM	0.04
10:05:04 AM	0.006
10:06:04 AM	0.031
10:07:04 AM	0.014
10:08:04 AM	0.014
10:09:04 AM	0.006
10:10:04 AM	0.008
10:11:04 AM	0.008
10:12:04 AM	0.008
10:13:04 AM	0.006
10:14:04 AM	0.006
10:15:04 AM	0.006
10:16:04 AM	0.006
10:17:04 AM	0.007
10:18:04 AM	0.007
10:19:04 AM	0.008
10:20:04 AM	0.006
10:21:04 AM	0.006
10:22:04 AM	0.006
10:23:04 AM	0.024
10:24:04 AM	0.016
10:25:04 AM	0.008
10:26:04 AM	0.006
10:27:04 AM	0.006
10:28:04 AM	0.006
10:29:04 AM	0.008
10:30:04 AM	0.007
10:31:04 AM	0.006
10:32:04 AM	0.008
10:33:04 AM	0.005
10:34:04 AM	0.005
10:35:04 AM	0.011
10:36:04 AM	0.013
10:37:04 AM	0.015
10:38:04 AM	0.007
10:39:04 AM	0.007
10:40:04 AM	0.006
10:41:04 AM	0.012
10:42:04 AM	0.006
10:43:04 AM	0.006

10:44:04 AM	0.007
10:45:04 AM	0.008
10:46:04 AM	0.007
10:47:04 AM	0.008
10:48:04 AM	0.006
10:49:04 AM	0.007
10:50:04 AM	0.007
10:51:04 AM	0.006
10:52:04 AM	0.008
10:53:04 AM	0.007
10:54:04 AM	0.007
10:55:04 AM	0.009
10:56:04 AM	0.014
10:57:04 AM	0.012
10:58:04 AM	0.01
10:59:04 AM	0.009
11:00:04 AM	0.009
11:01:04 AM	0.008
11:02:04 AM	0.008
11:03:04 AM	0.008
11:04:04 AM	0.016
11:05:04 AM	0.008
11:06:04 AM	0.025
11:07:04 AM	0.008
11:08:04 AM	0.009
11:09:04 AM	0.011
11:10:04 AM	0.006
11:11:04 AM	0.007
11:12:04 AM	0.007
11:13:04 AM	0.007
11:14:04 AM	0.005
11:15:04 AM	0.006
11:16:04 AM	0.007
11:17:04 AM	0.006
11:18:04 AM	0.006
11:19:04 AM	0.007
11:20:04 AM	0.006
11:21:04 AM	0.008
11:22:04 AM	0.007
11:23:04 AM	0.007
11:24:04 AM	0.01
11:25:04 AM	0.026
11:26:04 AM	0.006
11:27:04 AM	0.005

11:28:04 AM	0.006
11:29:04 AM	0.006
11:30:04 AM	0.006
11:31:04 AM	0.005
11:32:04 AM	0.005
11:33:04 AM	0.005
11:34:04 AM	0.006
11:35:04 AM	0.006
11:36:04 AM	0.008
11:37:04 AM	0.007
11:38:04 AM	0.006
11:39:04 AM	0.005
11:40:04 AM	0.004
11:41:04 AM	0.004
11:42:04 AM	0.005
11:43:04 AM	0.006
11:44:04 AM	0.005
11:45:04 AM	0.006
11:46:04 AM	0.005
11:47:04 AM	0.006
11:48:04 AM	0.007
11:49:04 AM	0.009
11:50:04 AM	0.012
11:51:04 AM	0.015
11:52:04 AM	0.011
11:53:04 AM	0.009
11:54:04 AM	0.03
11:55:04 AM	0.024
11:56:04 AM	0.025
11:57:04 AM	0.006
11:58:04 AM	0.006
11:59:04 AM	0.004
12:00:04 PM	0.005
12:01:04 PM	0.006
12:02:04 PM	0.027
12:03:04 PM	0.029
12:04:04 PM	0.012
12:05:04 PM	0.014
12:06:04 PM	0.008
12:07:04 PM	0.012
12:08:04 PM	0.009
12:09:04 PM	0.009
12:10:04 PM	0.007
12:11:04 PM	0.005

12:12:04 PM	0.004
12:13:04 PM	0.01
12:14:04 PM	0.006
12:15:04 PM	0.006
12:16:04 PM	0.006
12:17:04 PM	0.006
12:18:04 PM	0.006
12:19:04 PM	0.007
12:20:04 PM	0.005
12:21:04 PM	0.004
12:22:04 PM	0.005
12:23:04 PM	0.006
12:24:04 PM	0.005
12:25:04 PM	0.005
12:26:04 PM	0.088
12:27:04 PM	0.005
12:28:04 PM	0.006
12:29:04 PM	0.005
12:30:04 PM	0.004
12:31:04 PM	0.004
12:32:04 PM	0.004
12:33:04 PM	0.012
12:34:04 PM	0.023
12:35:04 PM	0.019
12:36:04 PM	0.006
12:37:04 PM	0.009
12:38:04 PM	0.009
12:39:04 PM	0.007
12:40:04 PM	0.004
12:41:04 PM	0.004
12:42:04 PM	0.01
12:43:04 PM	0.014
12:44:04 PM	0.018
12:45:04 PM	0.007
12:46:04 PM	0.006
12:47:04 PM	0.008
12:48:04 PM	0.007
12:49:04 PM	0.006
12:50:04 PM	0.005
12:51:04 PM	0.006
12:52:04 PM	0.007
12:53:04 PM	0.007
12:54:04 PM	0.007
12:55:04 PM	0.005

12:56:04 PM	0.009
12:57:04 PM	0.019
12:58:04 PM	0.004
12:59:04 PM	0.021
1:00:04 PM	0.02
1:01:04 PM	0.005
1:02:04 PM	0.006
1:03:04 PM	0.006
1:04:04 PM	0.004
1:05:04 PM	0.005
1:06:04 PM	0.005
1:07:04 PM	0.005
1:08:04 PM	0.01
1:09:04 PM	0.004
1:10:04 PM	0.004
1:11:04 PM	0.004
1:12:04 PM	0.004
1:13:04 PM	0.004
1:14:04 PM	0.005
1:15:04 PM	0.006
1:16:04 PM	0.007
1:17:04 PM	0.004
1:18:04 PM	0.005
1:19:04 PM	0.006
1:20:04 PM	0.005
1:21:04 PM	0.008
1:22:04 PM	0.005
1:23:04 PM	0.007
1:24:04 PM	0.009
1:25:04 PM	0.005
1:26:04 PM	0.006
1:27:04 PM	0.004
1:28:04 PM	0.007
1:29:04 PM	0.004
1:30:04 PM	0.006
1:31:04 PM	0.004
1:32:04 PM	0.008
1:33:04 PM	0.005
1:34:04 PM	0.011
1:35:04 PM	0.01
1:36:04 PM	0.004
1:37:04 PM	0.005
1:38:04 PM	0.004
1:39:04 PM	0.005

1:40:04 PM	0.005
1:41:04 PM	0.005
1:42:04 PM	0.004
1:43:04 PM	0.006
1:44:04 PM	0.006
1:45:04 PM	0.005
1:46:04 PM	0.005
1:47:04 PM	0.006
1:48:04 PM	0.007
1:49:04 PM	0.006
1:50:04 PM	0.004
1:51:04 PM	0.011
1:52:04 PM	0.019
1:53:04 PM	0.008
1:54:04 PM	0.005
1:55:04 PM	0.02
1:56:04 PM	0.037
1:57:04 PM	0.008
1:58:04 PM	0.006
1:59:04 PM	0.008
2:00:04 PM	0.011
2:01:04 PM	0.005
2:02:04 PM	0.005
2:03:04 PM	0.018
2:04:04 PM	0.013
2:05:04 PM	0.012
2:06:04 PM	0.012
2:07:04 PM	0.004
2:08:04 PM	0.004
2:09:04 PM	0.01
2:10:04 PM	0.005
2:11:04 PM	0.004
2:12:04 PM	0.004
2:13:04 PM	0.004
2:14:04 PM	0.008
2:15:04 PM	0.02
2:16:04 PM	0.009
2:17:04 PM	0.004
2:18:04 PM	0.011
2:19:04 PM	0.006
2:20:04 PM	0.012
2:21:04 PM	0.007
2:22:04 PM	0.006
2:23:04 PM	0.005

2:24:04 PM	0.008
2:25:04 PM	0.009
2:26:04 PM	0.008
2:27:04 PM	0.007
2:28:04 PM	0.007
2:29:04 PM	0.005
2:30:04 PM	0.004
2:31:04 PM	0.004
2:32:04 PM	0.005
2:33:04 PM	0.005
2:34:04 PM	0.006
2:35:04 PM	0.006
2:36:04 PM	0.006
2:37:04 PM	0.008
2:38:04 PM	0.005
2:39:04 PM	0.004
2:40:04 PM	0.005
2:41:04 PM	0.008
2:42:04 PM	0.009
2:43:04 PM	0.007
2:44:04 PM	0.005
2:45:04 PM	0.004
2:46:04 PM	0.006
2:47:04 PM	0.005
2:48:04 PM	0.056
2:49:04 PM	0.026
2:50:04 PM	0.006
2:51:04 PM	0.01
2:52:04 PM	0.006
2:53:04 PM	0.005
2:54:04 PM	0.007
2:55:04 PM	0.006
2:56:04 PM	0.006
2:57:04 PM	0.006
2:58:04 PM	0.006
2:59:04 PM	0.007
3:00:04 PM	0.008
3:01:04 PM	0.006
3:02:04 PM	0.006
3:03:04 PM	0.006
3:04:04 PM	0.006
3:05:04 PM	0.006
3:06:04 PM	0.006
3:07:04 PM	0.006

3:08:04 PM	0.006
3:09:04 PM	0.007
3:10:04 PM	0.013
3:11:04 PM	0.013
3:12:04 PM	0.011
3:13:04 PM	0.008
3:14:04 PM	0.006
3:15:04 PM	0.013
3:16:04 PM	0.009
3:17:04 PM	0.011
3:18:04 PM	0.007
3:19:04 PM	0.019
3:20:04 PM	0.008
3:21:04 PM	0.013
3:22:04 PM	0.006
3:23:04 PM	0.006
3:24:04 PM	0.006
3:25:04 PM	0.006
3:26:04 PM	0.007
3:27:04 PM	0.01
3:28:04 PM	0.022
3:29:04 PM	0.005
3:30:04 PM	0.005
3:31:04 PM	0.005
3:32:04 PM	0.005
3:33:04 PM	0.005
3:34:04 PM	0.006
3:35:04 PM	0.006
3:36:04 PM	0.005
3:37:04 PM	0.006
3:38:04 PM	0.006
3:39:04 PM	0.006
3:40:04 PM	0.006
3:41:04 PM	0.006
3:42:04 PM	0.006
3:43:04 PM	0.006
3:44:04 PM	0.006
3:45:04 PM	0.009
3:46:04 PM	0.006
3:47:04 PM	0.009
3:48:04 PM	0.007
3:49:04 PM	0.006
3:50:04 PM	0.006
3:51:04 PM	0.008

3:52:04 PM	0.008
3:53:04 PM	0.009
3:54:04 PM	0.005
3:55:04 PM	0.008
3:56:04 PM	0.005
3:57:04 PM	0.004
3:58:04 PM	0.005
3:59:04 PM	0.006
4:00:04 PM	0.006
4:01:04 PM	0.005
4:02:04 PM	0.008
4:03:04 PM	0.008
4:04:04 PM	0.017
4:05:04 PM	0.006
4:06:04 PM	0.007
4:07:04 PM	0.006
4:08:04 PM	0.012
4:09:04 PM	0.006
4:10:04 PM	0.006
4:11:04 PM	0.005
4:12:04 PM	0.005
4:13:04 PM	0.005
4:14:04 PM	0.005
4:15:04 PM	0.005
4:16:04 PM	0.005
4:17:04 PM	0.005

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	3/18/2024 16:55	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:54	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:52	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:51	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:50	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:49	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:48	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:47	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:46	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:45	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:44	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:43	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:42	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:40	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:39	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:38	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:37	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:34	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:33	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:32	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:31	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:26	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 16:24	Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/18/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 9:48 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/18/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:48 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:47 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:45 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:44 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:43 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/18/2024 6:32 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	6:01:26 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:09:58
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.245
Mass TWA [mg/m3]	0.017
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	598

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:01:26 AM	0.015		
6:02:26 AM	0.006		
6:03:26 AM	0.005		
6:04:26 AM	0.005		
6:05:26 AM	0.006		
6:06:26 AM	0.005		
6:07:26 AM	0.005		
6:08:26 AM	0.004		
6:09:26 AM	0.007		
6:10:26 AM	0.005		
6:11:26 AM	0.009		
6:12:26 AM	0.009		
6:13:26 AM	0.004		
6:14:26 AM	0.007		
6:15:26 AM	0.03		
6:16:26 AM	0.021		
6:17:26 AM	0.012		
6:18:26 AM	0.005		
6:19:26 AM	0.026		
6:20:26 AM	0.025		
6:21:26 AM	0.11		
6:22:26 AM	0.019		
6:23:26 AM	0.008		
6:24:26 AM	0.034		

6:25:26 AM	0.019
6:26:26 AM	0.015
6:27:26 AM	0.018
6:28:26 AM	0.056
6:29:26 AM	0.033
6:30:26 AM	0.014
6:31:26 AM	0.016
6:32:26 AM	0.018
6:33:26 AM	0.04
6:34:26 AM	0.099
6:35:26 AM	0.066
6:36:26 AM	0.032
6:37:26 AM	0.012
6:38:26 AM	0.008
6:39:26 AM	0.013
6:40:26 AM	0.013
6:41:26 AM	0.013
6:42:26 AM	0.009
6:43:26 AM	0.013
6:44:26 AM	0.011
6:45:26 AM	0.009
6:46:26 AM	0.009
6:47:26 AM	0.035
6:48:26 AM	0.009
6:49:26 AM	0.016
6:50:26 AM	0.008
6:51:26 AM	0.006
6:52:26 AM	0.007
6:53:26 AM	0.007
6:54:26 AM	0.008
6:55:26 AM	0.006
6:56:26 AM	0.02
6:57:26 AM	0.01
6:58:26 AM	0.009
6:59:26 AM	0.02
7:00:26 AM	0.019
7:01:26 AM	0.014
7:02:26 AM	0.01
7:03:26 AM	0.016
7:04:26 AM	0.013
7:05:26 AM	0.019
7:06:26 AM	0.013
7:07:26 AM	0.028
7:08:26 AM	0.01

7:09:26 AM	0.012
7:10:26 AM	0.016
7:11:26 AM	0.008
7:12:26 AM	0.009
7:13:26 AM	0.008
7:14:26 AM	0.009
7:15:26 AM	0.008
7:16:26 AM	0.007
7:17:26 AM	0.006
7:18:26 AM	0.008
7:19:26 AM	0.008
7:20:26 AM	0.009
7:21:26 AM	0.01
7:22:26 AM	0.023
7:23:26 AM	0.038
7:24:26 AM	0.01
7:25:26 AM	0.009
7:26:26 AM	0.009
7:27:26 AM	0.015
7:28:26 AM	0.012
7:29:26 AM	0.011
7:30:26 AM	0.007
7:31:26 AM	0.011
7:32:26 AM	0.01
7:33:26 AM	0.01
7:34:26 AM	0.015
7:35:26 AM	0.012
7:36:26 AM	0.01
7:37:26 AM	0.017
7:38:26 AM	0.016
7:39:26 AM	0.028
7:40:26 AM	0.01
7:41:26 AM	0.008
7:42:26 AM	0.009
7:43:26 AM	0.017
7:44:26 AM	0.015
7:45:26 AM	0.016
7:46:26 AM	0.01
7:47:26 AM	0.01
7:48:26 AM	0.01
7:49:26 AM	0.007
7:50:26 AM	0.018
7:51:26 AM	0.01
7:52:26 AM	0.009

7:53:26 AM	0.009
7:54:26 AM	0.01
7:55:26 AM	0.009
7:56:26 AM	0.008
7:57:26 AM	0.007
7:58:26 AM	0.008
7:59:26 AM	0.007
8:00:26 AM	0.015
8:01:26 AM	0.013
8:02:26 AM	0.008
8:03:26 AM	0.008
8:04:26 AM	0.009
8:05:26 AM	0.008
8:06:26 AM	0.008
8:07:26 AM	0.014
8:08:26 AM	0.012
8:09:26 AM	0.011
8:10:26 AM	0.013
8:11:26 AM	0.018
8:12:26 AM	0.007
8:13:26 AM	0.008
8:14:26 AM	0.011
8:15:26 AM	0.009
8:16:26 AM	0.009
8:17:26 AM	0.011
8:18:26 AM	0.012
8:19:26 AM	0.029
8:20:26 AM	0.01
8:21:26 AM	0.01
8:22:26 AM	0.029
8:23:26 AM	0.03
8:24:26 AM	0.012
8:25:26 AM	0.011
8:26:26 AM	0.012
8:27:26 AM	0.015
8:28:26 AM	0.012
8:29:26 AM	0.011
8:30:26 AM	0.009
8:31:26 AM	0.009
8:32:26 AM	0.011
8:33:26 AM	0.015
8:34:26 AM	0.009
8:35:26 AM	0.009
8:36:26 AM	0.009

8:37:26 AM	0.014
8:38:26 AM	0.034
8:39:26 AM	0.015
8:40:26 AM	0.01
8:41:26 AM	0.013
8:42:26 AM	0.033
8:43:26 AM	0.061
8:44:26 AM	0.013
8:45:26 AM	0.017
8:46:26 AM	0.018
8:47:26 AM	0.008
8:48:26 AM	0.007
8:49:26 AM	0.006
8:50:26 AM	0.009
8:51:26 AM	0.009
8:52:26 AM	0.007
8:53:26 AM	0.009
8:54:26 AM	0.007
8:55:26 AM	0.009
8:56:26 AM	0.009
8:57:26 AM	0.011
8:58:26 AM	0.009
8:59:26 AM	0.017
9:00:26 AM	0.015
9:01:26 AM	0.032
9:02:26 AM	0.023
9:03:26 AM	0.015
9:04:26 AM	0.029
9:05:26 AM	0.245
9:06:26 AM	0.023
9:07:26 AM	0.025
9:08:26 AM	0.037
9:09:26 AM	0.024
9:10:26 AM	0.017
9:11:26 AM	0.04
9:12:26 AM	0.018
9:13:26 AM	0.013
9:14:26 AM	0.016
9:15:26 AM	0.016
9:16:26 AM	0.012
9:17:26 AM	0.011
9:18:26 AM	0.013
9:19:26 AM	0.014
9:20:26 AM	0.012

9:21:26 AM	0.016
9:22:26 AM	0.013
9:23:26 AM	0.014
9:24:26 AM	0.016
9:25:26 AM	0.019
9:26:26 AM	0.012
9:27:26 AM	0.023
9:28:26 AM	0.019
9:29:26 AM	0.017
9:30:26 AM	0.012
9:31:26 AM	0.017
9:32:26 AM	0.013
9:33:26 AM	0.011
9:34:26 AM	0.018
9:35:26 AM	0.012
9:36:26 AM	0.012
9:37:26 AM	0.012
9:38:26 AM	0.014
9:39:26 AM	0.022
9:40:26 AM	0.02
9:41:26 AM	0.01
9:42:26 AM	0.011
9:43:26 AM	0.011
9:44:26 AM	0.012
9:45:26 AM	0.022
9:46:26 AM	0.01
9:47:26 AM	0.013
9:48:26 AM	0.014
9:49:26 AM	0.061
9:50:26 AM	0.01
9:51:26 AM	0.025
9:52:26 AM	0.014
9:53:26 AM	0.013
9:54:26 AM	0.011
9:55:26 AM	0.036
9:56:26 AM	0.013
9:57:26 AM	0.013
9:58:26 AM	0.008
9:59:26 AM	0.015
10:00:26 AM	0.012
10:01:26 AM	0.014
10:02:26 AM	0.018
10:03:26 AM	0.009
10:04:26 AM	0.01

10:05:26 AM	0.006
10:06:26 AM	0.009
10:07:26 AM	0.011
10:08:26 AM	0.006
10:09:26 AM	0.006
10:10:26 AM	0.019
10:11:26 AM	0.018
10:12:26 AM	0.007
10:13:26 AM	0.006
10:14:26 AM	0.007
10:15:26 AM	0.007
10:16:26 AM	0.009
10:17:26 AM	0.015
10:18:26 AM	0.065
10:19:26 AM	0.022
10:20:26 AM	0.014
10:21:26 AM	0.015
10:22:26 AM	0.012
10:23:26 AM	0.011
10:24:26 AM	0.008
10:25:26 AM	0.008
10:26:26 AM	0.01
10:27:26 AM	0.006
10:28:26 AM	0.008
10:29:26 AM	0.008
10:30:26 AM	0.008
10:31:26 AM	0.007
10:32:26 AM	0.013
10:33:26 AM	0.007
10:34:26 AM	0.007
10:35:26 AM	0.013
10:36:26 AM	0.009
10:37:26 AM	0.009
10:38:26 AM	0.019
10:39:26 AM	0.01
10:40:26 AM	0.016
10:41:26 AM	0.028
10:42:26 AM	0.028
10:43:26 AM	0.035
10:44:26 AM	0.013
10:45:26 AM	0.012
10:46:26 AM	0.026
10:47:26 AM	0.008
10:48:26 AM	0.008

10:49:26 AM	0.008
10:50:26 AM	0.007
10:51:26 AM	0.007
10:52:26 AM	0.057
10:53:26 AM	0.082
10:54:26 AM	0.014
10:55:26 AM	0.012
10:56:26 AM	0.018
10:57:26 AM	0.015
10:58:26 AM	0.011
10:59:26 AM	0.018
11:00:26 AM	0.018
11:01:26 AM	0.01
11:02:26 AM	0.01
11:03:26 AM	0.013
11:04:26 AM	0.009
11:05:26 AM	0.009
11:06:26 AM	0.018
11:07:26 AM	0.01
11:08:26 AM	0.014
11:09:26 AM	0.012
11:10:26 AM	0.008
11:11:26 AM	0.035
11:12:26 AM	0.113
11:13:26 AM	0.069
11:14:26 AM	0.024
11:15:26 AM	0.018
11:16:26 AM	0.014
11:17:26 AM	0.015
11:18:26 AM	0.018
11:19:26 AM	0.008
11:20:26 AM	0.021
11:21:26 AM	0.033
11:22:26 AM	0.023
11:23:26 AM	0.008
11:24:26 AM	0.017
11:25:26 AM	0.006
11:26:26 AM	0.018
11:27:26 AM	0.007
11:28:26 AM	0.016
11:29:26 AM	0.006
11:30:26 AM	0.011
11:31:26 AM	0.006
11:32:26 AM	0.005

11:33:26 AM	0.019
11:34:26 AM	0.015
11:35:26 AM	0.038
11:36:26 AM	0.008
11:37:26 AM	0.016
11:38:26 AM	0.011
11:39:26 AM	0.015
11:40:26 AM	0.009
11:41:26 AM	0.009
11:42:26 AM	0.017
11:43:26 AM	0.013
11:44:26 AM	0.008
11:45:26 AM	0.009
11:46:26 AM	0.008
11:47:26 AM	0.015
11:48:26 AM	0.03
11:49:26 AM	0.02
11:50:26 AM	0.01
11:51:26 AM	0.019
11:52:26 AM	0.018
11:53:26 AM	0.01
11:54:26 AM	0.006
11:55:26 AM	0.017
11:56:26 AM	0.015
11:57:26 AM	0.018
11:58:26 AM	0.025
11:59:26 AM	0.007
12:00:26 PM	0.063
12:01:26 PM	0.05
12:02:26 PM	0.019
12:03:26 PM	0.037
12:04:26 PM	0.045
12:05:26 PM	0.007
12:06:26 PM	0.013
12:07:26 PM	0.017
12:08:26 PM	0.034
12:09:26 PM	0.034
12:10:26 PM	0.053
12:11:26 PM	0.059
12:12:26 PM	0.059
12:13:26 PM	0.091
12:14:26 PM	0.063
12:15:26 PM	0.077
12:16:26 PM	0.023

12:17:26 PM	0.07
12:18:26 PM	0.026
12:19:26 PM	0.024
12:20:26 PM	0.054
12:21:26 PM	0.019
12:22:26 PM	0.016
12:23:26 PM	0.009
12:24:26 PM	0.006
12:25:26 PM	0.017
12:26:26 PM	0.028
12:27:26 PM	0.06
12:28:26 PM	0.007
12:29:26 PM	0.006
12:30:26 PM	0.006
12:31:26 PM	0.008
12:32:26 PM	0.008
12:33:26 PM	0.011
12:34:26 PM	0.008
12:35:26 PM	0.008
12:36:26 PM	0.011
12:37:26 PM	0.008
12:38:26 PM	0.011
12:39:26 PM	0.009
12:40:26 PM	0.012
12:41:26 PM	0.011
12:42:26 PM	0.055
12:43:26 PM	0.032
12:44:26 PM	0.013
12:45:26 PM	0.025
12:46:26 PM	0.025
12:47:26 PM	0.023
12:48:26 PM	0.093
12:49:26 PM	0.007
12:50:26 PM	0.006
12:51:26 PM	0.015
12:52:26 PM	0.008
12:53:26 PM	0.015
12:54:26 PM	0.011
12:55:26 PM	0.046
12:56:26 PM	0.027
12:57:26 PM	0.006
12:58:26 PM	0.007
12:59:26 PM	0.014
1:00:26 PM	0.008

1:01:26 PM	0.006
1:02:26 PM	0.006
1:03:26 PM	0.008
1:04:26 PM	0.008
1:05:26 PM	0.008
1:06:26 PM	0.007
1:07:26 PM	0.028
1:08:26 PM	0.027
1:09:26 PM	0.047
1:10:26 PM	0.007
1:11:26 PM	0.01
1:12:26 PM	0.012
1:13:26 PM	0.01
1:14:26 PM	0.009
1:15:26 PM	0.013
1:16:26 PM	0.015
1:17:26 PM	0.013
1:18:26 PM	0.01
1:19:26 PM	0.011
1:20:26 PM	0.008
1:21:26 PM	0.006
1:22:26 PM	0.005
1:23:26 PM	0.004
1:24:26 PM	0.004
1:25:26 PM	0.006
1:26:26 PM	0.016
1:27:26 PM	0.009
1:28:26 PM	0.005
1:29:26 PM	0.011
1:30:26 PM	0.01
1:31:26 PM	0.007
1:32:26 PM	0.037
1:33:26 PM	0.009
1:34:26 PM	0.017
1:35:26 PM	0.023
1:36:26 PM	0.015
1:37:26 PM	0.006
1:38:26 PM	0.011
1:39:26 PM	0.007
1:40:26 PM	0.017
1:41:26 PM	0.012
1:42:26 PM	0.01
1:43:26 PM	0.023
1:44:26 PM	0.033

1:45:26 PM	0.016
1:46:26 PM	0.009
1:47:26 PM	0.01
1:48:26 PM	0.008
1:49:26 PM	0.018
1:50:26 PM	0.006
1:51:26 PM	0.012
1:52:26 PM	0.021
1:53:26 PM	0.01
1:54:26 PM	0.023
1:55:26 PM	0.006
1:56:26 PM	0.007
1:57:26 PM	0.006
1:58:26 PM	0.012
1:59:26 PM	0.013
2:00:26 PM	0.01
2:01:26 PM	0.009
2:02:26 PM	0.035
2:03:26 PM	0.018
2:04:26 PM	0.017
2:05:26 PM	0.015
2:06:26 PM	0.01
2:07:26 PM	0.01
2:08:26 PM	0.023
2:09:26 PM	0.011
2:10:26 PM	0.018
2:11:26 PM	0.005
2:12:26 PM	0.007
2:13:26 PM	0.019
2:14:26 PM	0.008
2:15:26 PM	0.016
2:16:26 PM	0.018
2:17:26 PM	0.008
2:18:26 PM	0.008
2:19:26 PM	0.057
2:20:26 PM	0.007
2:21:26 PM	0.013
2:22:26 PM	0.008
2:23:26 PM	0.02
2:24:26 PM	0.009
2:25:26 PM	0.008
2:26:26 PM	0.009
2:27:26 PM	0.007
2:28:26 PM	0.011

2:29:26 PM	0.015
2:30:26 PM	0.013
2:31:26 PM	0.007
2:32:26 PM	0.008
2:33:26 PM	0.007
2:34:26 PM	0.009
2:35:26 PM	0.017
2:36:26 PM	0.075
2:37:26 PM	0.009
2:38:26 PM	0.008
2:39:26 PM	0.007
2:40:26 PM	0.013
2:41:26 PM	0.018
2:42:26 PM	0.009
2:43:26 PM	0.009
2:44:26 PM	0.007
2:45:26 PM	0.009
2:46:26 PM	0.019
2:47:26 PM	0.016
2:48:26 PM	0.015
2:49:26 PM	0.011
2:50:26 PM	0.009
2:51:26 PM	0.011
2:52:26 PM	0.007
2:53:26 PM	0.009
2:54:26 PM	0.016
2:55:26 PM	0.008
2:56:26 PM	0.019
2:57:26 PM	0.04
2:58:26 PM	0.011
2:59:26 PM	0.016
3:00:26 PM	0.039
3:01:26 PM	0.016
3:02:26 PM	0.008
3:03:26 PM	0.01
3:04:26 PM	0.009
3:05:26 PM	0.01
3:06:26 PM	0.02
3:07:26 PM	0.007
3:08:26 PM	0.008
3:09:26 PM	0.007
3:10:26 PM	0.006
3:11:26 PM	0.013
3:12:26 PM	0.019

3:13:26 PM	0.019	
3:14:26 PM	0.009	
3:15:26 PM	0.009	
3:16:26 PM	0.008	
3:17:26 PM	0.007	
3:18:26 PM	0.013	
3:19:26 PM	0.013	
3:20:26 PM	0.008	
3:21:26 PM	0.006	
3:22:26 PM	0.008	
3:23:26 PM	0.007	
3:24:26 PM	0.011	
3:25:26 PM	0.008	
3:26:26 PM	0.016	
3:27:26 PM	0.006	
3:28:26 PM	0.01	
3:29:26 PM	0.007	
3:30:26 PM	0.007	
3:31:26 PM	0.01	
3:32:26 PM	0.008	
3:33:26 PM	0.007	
3:34:26 PM	0.007	
3:35:26 PM	0.01	
3:36:26 PM	0.008	
3:37:26 PM	0.007	
3:38:26 PM	0.007	
3:39:26 PM	0.007	
3:40:26 PM	0.006	
3:41:26 PM	0.02	
3:42:26 PM	0.008	
3:43:26 PM	0.008	
3:44:26 PM	0.008	
3:45:26 PM	0.006	
3:46:26 PM	0.005	Flow Error
3:47:26 PM	0.002	Flow Error
3:48:26 PM	0.005	Flow Error
3:49:26 PM	0.007	Flow Error
3:50:26 PM	0.006	Flow Error
3:51:26 PM	0.005	Flow Error
3:52:26 PM	0.004	Flow Error
3:53:26 PM	0.003	Flow Error
3:54:26 PM	0.004	Flow Error
3:55:26 PM	0.005	Flow Error
3:56:26 PM	0.006	Flow Error

3:57:26 PM	0.003	Flow Error
3:58:26 PM	0.005	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/18/2024 16:51	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 16:20	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/18/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 9:44 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/18/2024 6:58 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:57 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:56 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:55 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:54 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:53 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:52 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:51 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:50 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:49 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:48 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:47 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:46 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:45 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:44 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:43 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:42 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:41 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:40 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/18/2024 6:27 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_004
Test Start Time	6:05:29 AM
Test Start Date	3/18/2024
Test Length [D:H:M]	0:07:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.009
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.081
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	446

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:05:29 AM	0.024		
6:06:29 AM	0.005		
6:07:29 AM	0.004		
6:08:29 AM	0.004		
6:09:29 AM	0.004		
6:10:29 AM	0.004		
6:11:29 AM	0.004		
6:12:29 AM	0.004		
6:13:29 AM	0.004		
6:14:29 AM	0.004		
6:15:29 AM	0.004		
6:16:29 AM	0.004		
6:17:29 AM	0.004		
6:18:29 AM	0.004		
6:19:29 AM	0.008		
6:20:29 AM	0.017		
6:21:29 AM	0.004		
6:22:29 AM	0.011		
6:23:29 AM	0.007		
6:24:29 AM	0.008		
6:25:29 AM	0.004		
6:26:29 AM	0.013		
6:27:29 AM	0.01		
6:28:29 AM	0.014		

6:29:29 AM	0.005
6:30:29 AM	0.005
6:31:29 AM	0.081
6:32:29 AM	0.006
6:33:29 AM	0.005
6:34:29 AM	0.015
6:35:29 AM	0.011
6:36:29 AM	0.012
6:37:29 AM	0.008
6:38:29 AM	0.009
6:39:29 AM	0.008
6:40:29 AM	0.027
6:41:29 AM	0.01
6:42:29 AM	0.007
6:43:29 AM	0.018
6:44:29 AM	0.009
6:45:29 AM	0.01
6:46:29 AM	0.005
6:47:29 AM	0.006
6:48:29 AM	0.006
6:49:29 AM	0.011
6:50:29 AM	0.007
6:51:29 AM	0.006
6:52:29 AM	0.007
6:53:29 AM	0.007
6:54:29 AM	0.007
6:55:29 AM	0.007
6:56:29 AM	0.007
6:57:29 AM	0.007
6:58:29 AM	0.007
6:59:29 AM	0.008
7:00:29 AM	0.008
7:01:29 AM	0.007
7:02:29 AM	0.008
7:03:29 AM	0.006
7:04:29 AM	0.007
7:05:29 AM	0.006
7:06:29 AM	0.006
7:07:29 AM	0.006
7:08:29 AM	0.006
7:09:29 AM	0.006
7:10:29 AM	0.006
7:11:29 AM	0.014
7:12:29 AM	0.007

7:13:29 AM	0.014
7:14:29 AM	0.007
7:15:29 AM	0.006
7:16:29 AM	0.007
7:17:29 AM	0.007
7:18:29 AM	0.007
7:19:29 AM	0.007
7:20:29 AM	0.007
7:21:29 AM	0.007
7:22:29 AM	0.007
7:23:29 AM	0.007
7:24:29 AM	0.006
7:25:29 AM	0.006
7:26:29 AM	0.006
7:27:29 AM	0.007
7:28:29 AM	0.007
7:29:29 AM	0.007
7:30:29 AM	0.007
7:31:29 AM	0.007
7:32:29 AM	0.007
7:33:29 AM	0.007
7:34:29 AM	0.007
7:35:29 AM	0.007
7:36:29 AM	0.007
7:37:29 AM	0.007
7:38:29 AM	0.007
7:39:29 AM	0.007
7:40:29 AM	0.007
7:41:29 AM	0.007
7:42:29 AM	0.007
7:43:29 AM	0.007
7:44:29 AM	0.007
7:45:29 AM	0.007
7:46:29 AM	0.007
7:47:29 AM	0.007
7:48:29 AM	0.007
7:49:29 AM	0.007
7:50:29 AM	0.007
7:51:29 AM	0.007
7:52:29 AM	0.007
7:53:29 AM	0.007
7:54:29 AM	0.011
7:55:29 AM	0.007
7:56:29 AM	0.008

7:57:29 AM	0.008
7:58:29 AM	0.007
7:59:29 AM	0.007
8:00:29 AM	0.007
8:01:29 AM	0.008
8:02:29 AM	0.009
8:03:29 AM	0.009
8:04:29 AM	0.009
8:05:29 AM	0.008
8:06:29 AM	0.008
8:07:29 AM	0.008
8:08:29 AM	0.008
8:09:29 AM	0.008
8:10:29 AM	0.009
8:11:29 AM	0.01
8:12:29 AM	0.009
8:13:29 AM	0.008
8:14:29 AM	0.007
8:15:29 AM	0.007
8:16:29 AM	0.008
8:17:29 AM	0.007
8:18:29 AM	0.007
8:19:29 AM	0.008
8:20:29 AM	0.012
8:21:29 AM	0.011
8:22:29 AM	0.01
8:23:29 AM	0.013
8:24:29 AM	0.008
8:25:29 AM	0.009
8:26:29 AM	0.011
8:27:29 AM	0.008
8:28:29 AM	0.017
8:29:29 AM	0.013
8:30:29 AM	0.01
8:31:29 AM	0.008
8:32:29 AM	0.01
8:33:29 AM	0.009
8:34:29 AM	0.019
8:35:29 AM	0.011
8:36:29 AM	0.01
8:37:29 AM	0.008
8:38:29 AM	0.008
8:39:29 AM	0.008
8:40:29 AM	0.007

8:41:29 AM	0.007
8:42:29 AM	0.018
8:43:29 AM	0.008
8:44:29 AM	0.008
8:45:29 AM	0.016
8:46:29 AM	0.014
8:47:29 AM	0.008
8:48:29 AM	0.013
8:49:29 AM	0.009
8:50:29 AM	0.013
8:51:29 AM	0.01
8:52:29 AM	0.008
8:53:29 AM	0.008
8:54:29 AM	0.008
8:55:29 AM	0.008
8:56:29 AM	0.008
8:57:29 AM	0.008
8:58:29 AM	0.007
8:59:29 AM	0.008
9:00:29 AM	0.008
9:01:29 AM	0.015
9:02:29 AM	0.016
9:03:29 AM	0.013
9:04:29 AM	0.014
9:05:29 AM	0.024
9:06:29 AM	0.02
9:07:29 AM	0.02
9:08:29 AM	0.014
9:09:29 AM	0.049
9:10:29 AM	0.01
9:11:29 AM	0.011
9:12:29 AM	0.009
9:13:29 AM	0.008
9:14:29 AM	0.008
9:15:29 AM	0.007
9:16:29 AM	0.012
9:17:29 AM	0.008
9:18:29 AM	0.009
9:19:29 AM	0.01
9:20:29 AM	0.023
9:21:29 AM	0.01
9:22:29 AM	0.009
9:23:29 AM	0.01
9:24:29 AM	0.01

9:25:29 AM	0.008
9:26:29 AM	0.008
9:27:29 AM	0.008
9:28:29 AM	0.008
9:29:29 AM	0.007
9:30:29 AM	0.008
9:31:29 AM	0.008
9:32:29 AM	0.007
9:33:29 AM	0.007
9:34:29 AM	0.016
9:35:29 AM	0.008
9:36:29 AM	0.007
9:37:29 AM	0.011
9:38:29 AM	0.01
9:39:29 AM	0.013
9:40:29 AM	0.011
9:41:29 AM	0.011
9:42:29 AM	0.01
9:43:29 AM	0.008
9:44:29 AM	0.007
9:45:29 AM	0.007
9:46:29 AM	0.009
9:47:29 AM	0.008
9:48:29 AM	0.007
9:49:29 AM	0.012
9:50:29 AM	0.009
9:51:29 AM	0.013
9:52:29 AM	0.01
9:53:29 AM	0.008
9:54:29 AM	0.009
9:55:29 AM	0.008
9:56:29 AM	0.007
9:57:29 AM	0.009
9:58:29 AM	0.008
9:59:29 AM	0.009
10:00:29 AM	0.009
10:01:29 AM	0.009
10:02:29 AM	0.011
10:03:29 AM	0.007
10:04:29 AM	0.007
10:05:29 AM	0.007
10:06:29 AM	0.008
10:07:29 AM	0.007
10:08:29 AM	0.006

10:09:29 AM	0.007
10:10:29 AM	0.006
10:11:29 AM	0.006
10:12:29 AM	0.006
10:13:29 AM	0.006
10:14:29 AM	0.007
10:15:29 AM	0.008
10:16:29 AM	0.008
10:17:29 AM	0.008
10:18:29 AM	0.007
10:19:29 AM	0.007
10:20:29 AM	0.008
10:21:29 AM	0.007
10:22:29 AM	0.011
10:23:29 AM	0.015
10:24:29 AM	0.007
10:25:29 AM	0.007
10:26:29 AM	0.007
10:27:29 AM	0.006
10:28:29 AM	0.007
10:29:29 AM	0.009
10:30:29 AM	0.01
10:31:29 AM	0.007
10:32:29 AM	0.006
10:33:29 AM	0.006
10:34:29 AM	0.016
10:35:29 AM	0.006
10:36:29 AM	0.008
10:37:29 AM	0.008
10:38:29 AM	0.007
10:39:29 AM	0.006
10:40:29 AM	0.007
10:41:29 AM	0.007
10:42:29 AM	0.007
10:43:29 AM	0.007
10:44:29 AM	0.006
10:45:29 AM	0.006
10:46:29 AM	0.016
10:47:29 AM	0.007
10:48:29 AM	0.013
10:49:29 AM	0.01
10:50:29 AM	0.007
10:51:29 AM	0.007
10:52:29 AM	0.008

10:53:29 AM	0.007
10:54:29 AM	0.01
10:55:29 AM	0.01
10:56:29 AM	0.018
10:57:29 AM	0.009
10:58:29 AM	0.007
10:59:29 AM	0.007
11:00:29 AM	0.007
11:01:29 AM	0.006
11:02:29 AM	0.006
11:03:29 AM	0.006
11:04:29 AM	0.005
11:05:29 AM	0.005
11:06:29 AM	0.006
11:07:29 AM	0.008
11:08:29 AM	0.006
11:09:29 AM	0.006
11:10:29 AM	0.006
11:11:29 AM	0.006
11:12:29 AM	0.007
11:13:29 AM	0.006
11:14:29 AM	0.005
11:15:29 AM	0.013
11:16:29 AM	0.007
11:17:29 AM	0.005
11:18:29 AM	0.004
11:19:29 AM	0.005
11:20:29 AM	0.006
11:21:29 AM	0.006
11:22:29 AM	0.025
11:23:29 AM	0.007
11:24:29 AM	0.008
11:25:29 AM	0.012
11:26:29 AM	0.01
11:27:29 AM	0.009
11:28:29 AM	0.007
11:29:29 AM	0.005
11:30:29 AM	0.006
11:31:29 AM	0.006
11:32:29 AM	0.005
11:33:29 AM	0.005
11:34:29 AM	0.005
11:35:29 AM	0.012
11:36:29 AM	0.013

11:37:29 AM	0.007
11:38:29 AM	0.005
11:39:29 AM	0.013
11:40:29 AM	0.007
11:41:29 AM	0.005
11:42:29 AM	0.005
11:43:29 AM	0.005
11:44:29 AM	0.005
11:45:29 AM	0.005
11:46:29 AM	0.023
11:47:29 AM	0.032
11:48:29 AM	0.013
11:49:29 AM	0.031
11:50:29 AM	0.009
11:51:29 AM	0.008
11:52:29 AM	0.02
11:53:29 AM	0.02
11:54:29 AM	0.007
11:55:29 AM	0.006
11:56:29 AM	0.005
11:57:29 AM	0.006
11:58:29 AM	0.005
11:59:29 AM	0.005
12:00:29 PM	0.008
12:01:29 PM	0.008
12:02:29 PM	0.007
12:03:29 PM	0.007
12:04:29 PM	0.007
12:05:29 PM	0.006
12:06:29 PM	0.006
12:07:29 PM	0.005
12:08:29 PM	0.005
12:09:29 PM	0.006
12:10:29 PM	0.005
12:11:29 PM	0.005
12:12:29 PM	0.005
12:13:29 PM	0.005
12:14:29 PM	0.005
12:15:29 PM	0.005
12:16:29 PM	0.005
12:17:29 PM	0.005
12:18:29 PM	0.005
12:19:29 PM	0.008
12:20:29 PM	0.006

12:21:29 PM	0.005	
12:22:29 PM	0.006	
12:23:29 PM	0.006	
12:24:29 PM	0.039	
12:25:29 PM	0.022	
12:26:29 PM	0.007	
12:27:29 PM	0.01	
12:28:29 PM	0.007	
12:29:29 PM	0.016	
12:30:29 PM	0.007	
12:31:29 PM	0.015	
12:32:29 PM	0.011	
12:33:29 PM	0.006	
12:34:29 PM	0.005	
12:35:29 PM	0.006	
12:36:29 PM	0.006	
12:37:29 PM	0.007	
12:38:29 PM	0.009	
12:39:29 PM	0.007	
12:40:29 PM	0.006	
12:41:29 PM	0.01	
12:42:29 PM	0.006	
12:43:29 PM	0.005	
12:44:29 PM	0.006	
12:45:29 PM	0.012	
12:46:29 PM	0.007	
12:47:29 PM	0.005	
12:48:29 PM	0.006	
12:49:29 PM	0.006	
12:50:29 PM	0.006	
12:51:29 PM	0.007	
12:52:29 PM	0.008	
12:53:29 PM	0.008	
12:54:29 PM	0.006	
12:55:29 PM	0.009	
12:56:29 PM	0.006	
12:57:29 PM	0.005	
12:58:29 PM	0.009	
12:59:29 PM	0.006	
1:00:29 PM	0.005	
1:01:29 PM	0.002	Flow Error
1:02:29 PM	0.003	Flow Error
1:03:29 PM	0.005	Flow Error
1:04:29 PM	0.003	Flow Error

1:05:29 PM	0.002	Flow Error
1:06:29 PM	0.002	Flow Error
1:07:29 PM	0.002	Flow Error
1:08:29 PM	0.002	Flow Error
1:09:29 PM	0.002	Flow Error
1:10:29 PM	0.003	Flow Error
1:11:29 PM	0.037	Flow Error
1:12:29 PM	0.009	Flow Error
1:13:29 PM	0.004	Flow Error
1:14:29 PM	0.002	Flow Error
1:15:29 PM	0.003	Flow Error
1:16:29 PM	0.005	Flow Error
1:17:29 PM	0.003	Flow Error
1:18:29 PM	0.002	Flow Error
1:19:29 PM	0.002	Flow Error
1:20:29 PM	0.002	Flow Error
1:21:29 PM	0.002	Flow Error
1:22:29 PM	0.002	Flow Error
1:23:29 PM	0.003	Flow Error
1:24:29 PM	0.002	Flow Error
1:25:29 PM	0.002	Flow Error
1:26:29 PM	0.003	Flow Error
1:27:29 PM	0.002	Flow Error
1:28:29 PM	0.003	Flow Error
1:29:29 PM	0.003	Flow Error
1:30:29 PM	0.003	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/18/2024 16:43	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:42	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:41	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:40	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:39	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:38	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:37	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:36	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:35	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:34	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:33	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:32	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:31	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:30	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:29	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:28	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:27	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:26	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:25	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:24	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:23	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:22	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:21	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:20	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:19	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:18	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:17	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:16	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:15	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:14	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:13	Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 16:12	Readings	PID	SC23030602B4	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	3/18/2024 10:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 10:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/18/2024 10:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 10:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 10:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 10:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 10:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:43 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:42 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:41 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:40 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:38 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:36 Readings	PID	SC23030602B4	Normal	0

592-602176	3/18/2024 9:35 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:33 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:30 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:26 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:25 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:23 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:22 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:21 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:20 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:19 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:18 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:17 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:16 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:15 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:14 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 9:12 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:11 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:10 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:09 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:07 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:06 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:05 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:04 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:03 Readings	PID	SC23030602B4	Normal	0

592-602176	3/18/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:56 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:52 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:30 Readings	PID	SC23030602B4	Normal	0

592-602176	3/18/2024 8:29 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:28 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:27 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:24 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:23 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:22 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:21 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	3/18/2024 8:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	3/18/2024 8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:14 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:13 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:12 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:11 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:10 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:08 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:02 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:01 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 7:57 Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

592-602176	3/18/2024 6:50 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:49 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:48 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:47 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:46 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:45 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:44 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:43 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:42 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:41 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:40 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:39 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:38 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:37 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:36 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:35 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:34 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:33 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:30 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:29 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:28 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:27 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:26 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:25 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:24 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:23 Readings	PID	SC23030602B4	Normal	0
592-602176	3/18/2024 6:22 CONFIG	PID	SC23030602B4		