



**DAILY STATUS REPORT**

**Prepared By:**

Marius Sidlauskas

|         |      |  |       |   |          |  |               |   |            |  |          |
|---------|------|--|-------|---|----------|--|---------------|---|------------|--|----------|
| WEATHER | Snow |  | Rain  |   | Overcast |  | Partly Cloudy | X | Bright Sun |  | Wind     |
| TEMP.   | < 32 |  | 32-50 | X | 50-70    |  | 70-85         |   | >85        |  | E 15 mph |

|                        |                                 |                            |         |              |          |
|------------------------|---------------------------------|----------------------------|---------|--------------|----------|
| <b>IEC Project No:</b> | 15977                           | <b>NYSDEC BCP Site No:</b> | C224350 | <b>Date:</b> | 03/21/24 |
| <b>Project:</b>        | 318 Nevins Street, Brooklyn, NY |                            |         |              |          |

|   |   |
|---|---|
| <p><b>Consultant:</b><br/>Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 07:00<br/>Time Out: 16:30</p> | <p><b>Personnel On Site:</b><br/>IEEG (Environmental) – Marius Sidlauskas/ Victor Barraza / Bill Chaky<br/>Capital (Contractor)<br/>ECD (Pile Installation)<br/>GES (Geotech)<br/>WSP (Environmental oversight) – Tim Williams<br/>NetPower (Electricians)</p> <p><b>Equipment On Site: Dustrack (3x), PID (3x), Pile Rig</b></p> |
|---|---|

**Scope of Work:** Oversee excavation by Capital, continue to collect endpoint samples, gauging and sampling of sentinel wells.

**Site Activities:**

- Deploy three (3) CAMP stations at the start of the workday;
- Depth to water gauging within all 13 of sentinel wells for dewatering purposes (it should be noted that one well needs to be installed-the installation of this well is scheduled for 3/26);
- 32 (thirty-two) loads of approved crushed limestone were imported on site and stockpiled in grids A2, B2, M6, and M7. Refer to the Alpha Numeric Grid Map for grid locations;
- 27 (twenty-seven) truckloads of material were disposed offsite at the Conestoga Facility;
- Excavation to 10' bsg in grids E4 and F3, and partially excavated in F2, C2, and D2. Refer to the Alpha Numeric Grid Map for grid locations;
- Footing excavations and pile cap work in grids B6/7-E6/7;
- Bracing of sheet piles in hot spot SB-13;
- Pile installation in grid N5;
- Low flow groundwater sampling of the following sentinel wells: GW-17 B, MW-19 A&B and MW-20 B;
- Dewatering active, sump located in grid D2; and
- Perimeter check of the Site conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

**Community Air Monitoring Program (CAMP)** – CAMP action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.021\_ mg/m<sup>3</sup> @ 06:52
- High Conditions (Upwind) – PID = \_0.2\_ ppm @ 13:31, Dust = 0.563\_ mg/m<sup>3</sup> @ 15:51
- High Conditions (Downwind 1) – PID = \_0.3\_ ppm @10:49, Dust = \_0.172\_ mg/m<sup>3</sup> @ 015:50
- High Conditions (Downwind 2) – PID = \_1.1\_ ppm @ 14:43 Dust = \_0.26\_ mg/m<sup>3</sup> @ 06:59

**Notable Site Conditions:**

- Bones and shoe soles were found in grid F3, work was halted in the grid, the police were notified by the GC and it was determined that the remains were not human.

**Planned Activities for the Next Day/Week:**

- Endpoint sampling;
- Further grid excavation;
- Continue groundwater sampling of sentinel wells.

## **Photo Log**

318 Nevins Street, Brooklyn, NY



## Photo Log

**Photo 1 –**  
Representative  
photo of  
imported fill  
being stockpiled  
in grid M6.



**Photo 2 –**  
Representative  
photo of material  
load out.





**Photo 3 –**  
Representative  
photo of dust  
suppression on  
truck route.



**Photo 4 –**  
Representative  
photo of tire  
washing over  
track pad.





**Photo 5 –**  
Representative  
photo of pile  
installation in  
grid N5.



**Photo 6 –**  
Representative  
photo of  
excavation within  
grid F3 as well as  
poly sheeting  
placed over  
stockpile.



## **Alpha Numeric Grid Map**

318 Nevins Street, Brooklyn, NY







# IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


[www.impactenvironmental.com](http://www.impactenvironmental.com)










A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL



1  
2  
3  
4  
5  
6  
7  
8


-  = 2' Excavation
-  = 4' Excavation
-  = 6' Excavation
-  = 7-8' Excavation
-  = 9' Excavation
-  = 10' Excavation
-  = 11' Excavation



## **Site Plan**

318 Nevins Street, Brooklyn, NY





NOTES:

| LEGEND |   |
|--------|---|
|        | PROPERTY LINE   |
|        | TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY              |
|        | POTENTIAL OIL/WATER SEPARATOR IDENTIFIED USING THE SEPTEMBER GPR SURVEY |

**FIGURE 3:  
REMEDIAL INVESTIGATION  
SAMPLE LOCATION MAP**

|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|-------------|----------|-----------|----|-------------|----|-------|----------|--------|--------|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 318 Nevins Street<br>Brooklyn, New York | Figure No: 03  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | <table border="1"> <tr><td>PROJECT NO:</td><td>08/21/21</td></tr> <tr><td>DRAWN BY:</td><td>JA</td></tr> <tr><td>CHECKED BY:</td><td>CP</td></tr> <tr><td>DATE:</td><td>11/20/21</td></tr> <tr><td>SCALE:</td><td>1"=50'</td></tr> <tr><td>REVISION:</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table> | PROJECT NO: | 08/21/21 | DRAWN BY: | JA | CHECKED BY: | CP | DATE: | 11/20/21 | SCALE: | 1"=50' | REVISION: |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PROJECT NO:                             | 08/21/21   |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| DRAWN BY:                               | JA   |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| CHECKED BY:                             | CP   |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| DATE:                                   | 11/20/21   |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SCALE:                                  | 1"=50'   |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| REVISION:                               |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |             |          |           |    |             |    |       |          |        |        |           |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

**IMPACT ENVIRONMENTAL**

170 KEYLAND COURT  
BOHEMIA, NEW YORK 11716  
TEL (831) 289-8800  
FAX (831) 289-1599





## **UPWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530132208  |
| Firmware Version     | 3.1         |
| Calibration Date     | 7/31/2023   |
| Test Name            | MANUAL_007  |
| Test Start Time      | 6:52:07 AM  |
| Test Start Date      | 3/21/2024   |
| Test Length [D:H:M]  | 0:09:09     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.014       |
| Mass Minimum [mg/m3] | 0.004       |
| Mass Maximum [mg/m3] | 0.563       |
| Mass TWA [mg/m3]     | 0.012       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 549         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:52:07 AM       | 0.021        |        |        |
| 6:53:07 AM       | 0.005        |        |        |
| 6:54:07 AM       | 0.006        |        |        |
| 6:55:07 AM       | 0.006        |        |        |
| 6:56:07 AM       | 0.005        |        |        |
| 6:57:07 AM       | 0.006        |        |        |
| 6:58:07 AM       | 0.006        |        |        |
| 6:59:07 AM       | 0.006        |        |        |
| 7:00:07 AM       | 0.008        |        |        |
| 7:01:07 AM       | 0.006        |        |        |
| 7:02:07 AM       | 0.005        |        |        |
| 7:03:07 AM       | 0.007        |        |        |
| 7:04:07 AM       | 0.005        |        |        |
| 7:05:07 AM       | 0.005        |        |        |
| 7:06:07 AM       | 0.025        |        |        |
| 7:07:07 AM       | 0.006        |        |        |
| 7:08:07 AM       | 0.005        |        |        |
| 7:09:07 AM       | 0.005        |        |        |
| 7:10:07 AM       | 0.008        |        |        |
| 7:11:07 AM       | 0.022        |        |        |
| 7:12:07 AM       | 0.008        |        |        |
| 7:13:07 AM       | 0.006        |        |        |
| 7:14:07 AM       | 0.008        |        |        |
| 7:15:07 AM       | 0.01         |        |        |



|            |       |
|------------|-------|
| 7:16:07 AM | 0.049 |
| 7:17:07 AM | 0.023 |
| 7:18:07 AM | 0.012 |
| 7:19:07 AM | 0.008 |
| 7:20:07 AM | 0.01  |
| 7:21:07 AM | 0.012 |
| 7:22:07 AM | 0.015 |
| 7:23:07 AM | 0.013 |
| 7:24:07 AM | 0.008 |
| 7:25:07 AM | 0.012 |
| 7:26:07 AM | 0.012 |
| 7:27:07 AM | 0.008 |
| 7:28:07 AM | 0.01  |
| 7:29:07 AM | 0.007 |
| 7:30:07 AM | 0.014 |
| 7:31:07 AM | 0.011 |
| 7:32:07 AM | 0.024 |
| 7:33:07 AM | 0.012 |
| 7:34:07 AM | 0.01  |
| 7:35:07 AM | 0.011 |
| 7:36:07 AM | 0.013 |
| 7:37:07 AM | 0.011 |
| 7:38:07 AM | 0.011 |
| 7:39:07 AM | 0.009 |
| 7:40:07 AM | 0.025 |
| 7:41:07 AM | 0.018 |
| 7:42:07 AM | 0.009 |
| 7:43:07 AM | 0.013 |
| 7:44:07 AM | 0.016 |
| 7:45:07 AM | 0.018 |
| 7:46:07 AM | 0.013 |
| 7:47:07 AM | 0.054 |
| 7:48:07 AM | 0.028 |
| 7:49:07 AM | 0.009 |
| 7:50:07 AM | 0.015 |
| 7:51:07 AM | 0.008 |
| 7:52:07 AM | 0.008 |
| 7:53:07 AM | 0.008 |
| 7:54:07 AM | 0.026 |
| 7:55:07 AM | 0.032 |
| 7:56:07 AM | 0.052 |
| 7:57:07 AM | 0.017 |
| 7:58:07 AM | 0.013 |
| 7:59:07 AM | 0.012 |

|            |       |
|------------|-------|
| 8:00:07 AM | 0.027 |
| 8:01:07 AM | 0.016 |
| 8:02:07 AM | 0.021 |
| 8:03:07 AM | 0.017 |
| 8:04:07 AM | 0.015 |
| 8:05:07 AM | 0.018 |
| 8:06:07 AM | 0.007 |
| 8:07:07 AM | 0.006 |
| 8:08:07 AM | 0.008 |
| 8:09:07 AM | 0.015 |
| 8:10:07 AM | 0.009 |
| 8:11:07 AM | 0.011 |
| 8:12:07 AM | 0.011 |
| 8:13:07 AM | 0.01  |
| 8:14:07 AM | 0.007 |
| 8:15:07 AM | 0.006 |
| 8:16:07 AM | 0.008 |
| 8:17:07 AM | 0.009 |
| 8:18:07 AM | 0.009 |
| 8:19:07 AM | 0.008 |
| 8:20:07 AM | 0.016 |
| 8:21:07 AM | 0.062 |
| 8:22:07 AM | 0.018 |
| 8:23:07 AM | 0.009 |
| 8:24:07 AM | 0.009 |
| 8:25:07 AM | 0.009 |
| 8:26:07 AM | 0.013 |
| 8:27:07 AM | 0.007 |
| 8:28:07 AM | 0.006 |
| 8:29:07 AM | 0.014 |
| 8:30:07 AM | 0.014 |
| 8:31:07 AM | 0.008 |
| 8:32:07 AM | 0.013 |
| 8:33:07 AM | 0.01  |
| 8:34:07 AM | 0.015 |
| 8:35:07 AM | 0.022 |
| 8:36:07 AM | 0.009 |
| 8:37:07 AM | 0.007 |
| 8:38:07 AM | 0.006 |
| 8:39:07 AM | 0.01  |
| 8:40:07 AM | 0.009 |
| 8:41:07 AM | 0.007 |
| 8:42:07 AM | 0.008 |
| 8:43:07 AM | 0.012 |



|            |       |
|------------|-------|
| 8:44:07 AM | 0.01  |
| 8:45:07 AM | 0.012 |
| 8:46:07 AM | 0.014 |
| 8:47:07 AM | 0.044 |
| 8:48:07 AM | 0.027 |
| 8:49:07 AM | 0.008 |
| 8:50:07 AM | 0.005 |
| 8:51:07 AM | 0.026 |
| 8:52:07 AM | 0.012 |
| 8:53:07 AM | 0.01  |
| 8:54:07 AM | 0.016 |
| 8:55:07 AM | 0.019 |
| 8:56:07 AM | 0.057 |
| 8:57:07 AM | 0.014 |
| 8:58:07 AM | 0.009 |
| 8:59:07 AM | 0.009 |
| 9:00:07 AM | 0.007 |
| 9:01:07 AM | 0.006 |
| 9:02:07 AM | 0.006 |
| 9:03:07 AM | 0.006 |
| 9:04:07 AM | 0.006 |
| 9:05:07 AM | 0.006 |
| 9:06:07 AM | 0.005 |
| 9:07:07 AM | 0.01  |
| 9:08:07 AM | 0.009 |
| 9:09:07 AM | 0.008 |
| 9:10:07 AM | 0.008 |
| 9:11:07 AM | 0.006 |
| 9:12:07 AM | 0.007 |
| 9:13:07 AM | 0.007 |
| 9:14:07 AM | 0.012 |
| 9:15:07 AM | 0.029 |
| 9:16:07 AM | 0.01  |
| 9:17:07 AM | 0.007 |
| 9:18:07 AM | 0.005 |
| 9:19:07 AM | 0.005 |
| 9:20:07 AM | 0.006 |
| 9:21:07 AM | 0.007 |
| 9:22:07 AM | 0.007 |
| 9:23:07 AM | 0.093 |
| 9:24:07 AM | 0.013 |
| 9:25:07 AM | 0.008 |
| 9:26:07 AM | 0.005 |
| 9:27:07 AM | 0.005 |

|             |       |
|-------------|-------|
| 9:28:07 AM  | 0.008 |
| 9:29:07 AM  | 0.009 |
| 9:30:07 AM  | 0.007 |
| 9:31:07 AM  | 0.007 |
| 9:32:07 AM  | 0.006 |
| 9:33:07 AM  | 0.01  |
| 9:34:07 AM  | 0.006 |
| 9:35:07 AM  | 0.008 |
| 9:36:07 AM  | 0.008 |
| 9:37:07 AM  | 0.009 |
| 9:38:07 AM  | 0.012 |
| 9:39:07 AM  | 0.008 |
| 9:40:07 AM  | 0.006 |
| 9:41:07 AM  | 0.006 |
| 9:42:07 AM  | 0.008 |
| 9:43:07 AM  | 0.01  |
| 9:44:07 AM  | 0.005 |
| 9:45:07 AM  | 0.007 |
| 9:46:07 AM  | 0.013 |
| 9:47:07 AM  | 0.007 |
| 9:48:07 AM  | 0.006 |
| 9:49:07 AM  | 0.183 |
| 9:50:07 AM  | 0.016 |
| 9:51:07 AM  | 0.03  |
| 9:52:07 AM  | 0.011 |
| 9:53:07 AM  | 0.007 |
| 9:54:07 AM  | 0.006 |
| 9:55:07 AM  | 0.008 |
| 9:56:07 AM  | 0.006 |
| 9:57:07 AM  | 0.005 |
| 9:58:07 AM  | 0.007 |
| 9:59:07 AM  | 0.006 |
| 10:00:07 AM | 0.006 |
| 10:01:07 AM | 0.006 |
| 10:02:07 AM | 0.006 |
| 10:03:07 AM | 0.007 |
| 10:04:07 AM | 0.011 |
| 10:05:07 AM | 0.01  |
| 10:06:07 AM | 0.006 |
| 10:07:07 AM | 0.011 |
| 10:08:07 AM | 0.008 |
| 10:09:07 AM | 0.025 |
| 10:10:07 AM | 0.013 |
| 10:11:07 AM | 0.015 |

|             |       |
|-------------|-------|
| 10:12:07 AM | 0.011 |
| 10:13:07 AM | 0.02  |
| 10:14:07 AM | 0.01  |
| 10:15:07 AM | 0.019 |
| 10:16:07 AM | 0.03  |
| 10:17:07 AM | 0.101 |
| 10:18:07 AM | 0.047 |
| 10:19:07 AM | 0.01  |
| 10:20:07 AM | 0.007 |
| 10:21:07 AM | 0.006 |
| 10:22:07 AM | 0.007 |
| 10:23:07 AM | 0.013 |
| 10:24:07 AM | 0.006 |
| 10:25:07 AM | 0.008 |
| 10:26:07 AM | 0.01  |
| 10:27:07 AM | 0.01  |
| 10:28:07 AM | 0.012 |
| 10:29:07 AM | 0.014 |
| 10:30:07 AM | 0.009 |
| 10:31:07 AM | 0.007 |
| 10:32:07 AM | 0.007 |
| 10:33:07 AM | 0.008 |
| 10:34:07 AM | 0.007 |
| 10:35:07 AM | 0.008 |
| 10:36:07 AM | 0.013 |
| 10:37:07 AM | 0.044 |
| 10:38:07 AM | 0.064 |
| 10:39:07 AM | 0.026 |
| 10:40:07 AM | 0.009 |
| 10:41:07 AM | 0.007 |
| 10:42:07 AM | 0.009 |
| 10:43:07 AM | 0.009 |
| 10:44:07 AM | 0.011 |
| 10:45:07 AM | 0.007 |
| 10:46:07 AM | 0.019 |
| 10:47:07 AM | 0.007 |
| 10:48:07 AM | 0.008 |
| 10:49:07 AM | 0.009 |
| 10:50:07 AM | 0.015 |
| 10:51:07 AM | 0.015 |
| 10:52:07 AM | 0.007 |
| 10:53:07 AM | 0.005 |
| 10:54:07 AM | 0.005 |
| 10:55:07 AM | 0.095 |



|             |       |
|-------------|-------|
| 10:56:07 AM | 0.014 |
| 10:57:07 AM | 0.017 |
| 10:58:07 AM | 0.043 |
| 10:59:07 AM | 0.01  |
| 11:00:07 AM | 0.007 |
| 11:01:07 AM | 0.004 |
| 11:02:07 AM | 0.009 |
| 11:03:07 AM | 0.01  |
| 11:04:07 AM | 0.004 |
| 11:05:07 AM | 0.006 |
| 11:06:07 AM | 0.006 |
| 11:07:07 AM | 0.005 |
| 11:08:07 AM | 0.005 |
| 11:09:07 AM | 0.004 |
| 11:10:07 AM | 0.004 |
| 11:11:07 AM | 0.005 |
| 11:12:07 AM | 0.01  |
| 11:13:07 AM | 0.013 |
| 11:14:07 AM | 0.011 |
| 11:15:07 AM | 0.01  |
| 11:16:07 AM | 0.017 |
| 11:17:07 AM | 0.011 |
| 11:18:07 AM | 0.008 |
| 11:19:07 AM | 0.012 |
| 11:20:07 AM | 0.004 |
| 11:21:07 AM | 0.018 |
| 11:22:07 AM | 0.005 |
| 11:23:07 AM | 0.005 |
| 11:24:07 AM | 0.013 |
| 11:25:07 AM | 0.01  |
| 11:26:07 AM | 0.009 |
| 11:27:07 AM | 0.008 |
| 11:28:07 AM | 0.01  |
| 11:29:07 AM | 0.013 |
| 11:30:07 AM | 0.011 |
| 11:31:07 AM | 0.006 |
| 11:32:07 AM | 0.008 |
| 11:33:07 AM | 0.005 |
| 11:34:07 AM | 0.013 |
| 11:35:07 AM | 0.006 |
| 11:36:07 AM | 0.006 |
| 11:37:07 AM | 0.007 |
| 11:38:07 AM | 0.01  |
| 11:39:07 AM | 0.007 |

|             |       |
|-------------|-------|
| 11:40:07 AM | 0.004 |
| 11:41:07 AM | 0.005 |
| 11:42:07 AM | 0.005 |
| 11:43:07 AM | 0.004 |
| 11:44:07 AM | 0.008 |
| 11:45:07 AM | 0.006 |
| 11:46:07 AM | 0.01  |
| 11:47:07 AM | 0.008 |
| 11:48:07 AM | 0.009 |
| 11:49:07 AM | 0.011 |
| 11:50:07 AM | 0.006 |
| 11:51:07 AM | 0.005 |
| 11:52:07 AM | 0.007 |
| 11:53:07 AM | 0.005 |
| 11:54:07 AM | 0.007 |
| 11:55:07 AM | 0.02  |
| 11:56:07 AM | 0.006 |
| 11:57:07 AM | 0.007 |
| 11:58:07 AM | 0.006 |
| 11:59:07 AM | 0.019 |
| 12:00:07 PM | 0.016 |
| 12:01:07 PM | 0.007 |
| 12:02:07 PM | 0.008 |
| 12:03:07 PM | 0.01  |
| 12:04:07 PM | 0.007 |
| 12:05:07 PM | 0.005 |
| 12:06:07 PM | 0.005 |
| 12:07:07 PM | 0.006 |
| 12:08:07 PM | 0.005 |
| 12:09:07 PM | 0.004 |
| 12:10:07 PM | 0.004 |
| 12:11:07 PM | 0.009 |
| 12:12:07 PM | 0.011 |
| 12:13:07 PM | 0.012 |
| 12:14:07 PM | 0.008 |
| 12:15:07 PM | 0.007 |
| 12:16:07 PM | 0.011 |
| 12:17:07 PM | 0.007 |
| 12:18:07 PM | 0.011 |
| 12:19:07 PM | 0.012 |
| 12:20:07 PM | 0.007 |
| 12:21:07 PM | 0.007 |
| 12:22:07 PM | 0.013 |
| 12:23:07 PM | 0.013 |

|             |       |
|-------------|-------|
| 12:24:07 PM | 0.009 |
| 12:25:07 PM | 0.008 |
| 12:26:07 PM | 0.01  |
| 12:27:07 PM | 0.012 |
| 12:28:07 PM | 0.009 |
| 12:29:07 PM | 0.006 |
| 12:30:07 PM | 0.008 |
| 12:31:07 PM | 0.011 |
| 12:32:07 PM | 0.023 |
| 12:33:07 PM | 0.01  |
| 12:34:07 PM | 0.007 |
| 12:35:07 PM | 0.007 |
| 12:36:07 PM | 0.008 |
| 12:37:07 PM | 0.025 |
| 12:38:07 PM | 0.021 |
| 12:39:07 PM | 0.022 |
| 12:40:07 PM | 0.008 |
| 12:41:07 PM | 0.007 |
| 12:42:07 PM | 0.008 |
| 12:43:07 PM | 0.008 |
| 12:44:07 PM | 0.062 |
| 12:45:07 PM | 0.021 |
| 12:46:07 PM | 0.011 |
| 12:47:07 PM | 0.015 |
| 12:48:07 PM | 0.008 |
| 12:49:07 PM | 0.007 |
| 12:50:07 PM | 0.007 |
| 12:51:07 PM | 0.008 |
| 12:52:07 PM | 0.01  |
| 12:53:07 PM | 0.025 |
| 12:54:07 PM | 0.006 |
| 12:55:07 PM | 0.015 |
| 12:56:07 PM | 0.016 |
| 12:57:07 PM | 0.011 |
| 12:58:07 PM | 0.014 |
| 12:59:07 PM | 0.007 |
| 1:00:07 PM  | 0.005 |
| 1:01:07 PM  | 0.004 |
| 1:02:07 PM  | 0.004 |
| 1:03:07 PM  | 0.006 |
| 1:04:07 PM  | 0.006 |
| 1:05:07 PM  | 0.008 |
| 1:06:07 PM  | 0.007 |
| 1:07:07 PM  | 0.006 |

|            |       |
|------------|-------|
| 1:08:07 PM | 0.006 |
| 1:09:07 PM | 0.005 |
| 1:10:07 PM | 0.004 |
| 1:11:07 PM | 0.005 |
| 1:12:07 PM | 0.008 |
| 1:13:07 PM | 0.006 |
| 1:14:07 PM | 0.084 |
| 1:15:07 PM | 0.01  |
| 1:16:07 PM | 0.016 |
| 1:17:07 PM | 0.005 |
| 1:18:07 PM | 0.005 |
| 1:19:07 PM | 0.014 |
| 1:20:07 PM | 0.007 |
| 1:21:07 PM | 0.006 |
| 1:22:07 PM | 0.014 |
| 1:23:07 PM | 0.008 |
| 1:24:07 PM | 0.004 |
| 1:25:07 PM | 0.007 |
| 1:26:07 PM | 0.008 |
| 1:27:07 PM | 0.005 |
| 1:28:07 PM | 0.006 |
| 1:29:07 PM | 0.005 |
| 1:30:07 PM | 0.008 |
| 1:31:07 PM | 0.006 |
| 1:32:07 PM | 0.006 |
| 1:33:07 PM | 0.023 |
| 1:34:07 PM | 0.009 |
| 1:35:07 PM | 0.006 |
| 1:36:07 PM | 0.009 |
| 1:37:07 PM | 0.012 |
| 1:38:07 PM | 0.014 |
| 1:39:07 PM | 0.009 |
| 1:40:07 PM | 0.036 |
| 1:41:07 PM | 0.01  |
| 1:42:07 PM | 0.006 |
| 1:43:07 PM | 0.006 |
| 1:44:07 PM | 0.007 |
| 1:45:07 PM | 0.007 |
| 1:46:07 PM | 0.017 |
| 1:47:07 PM | 0.015 |
| 1:48:07 PM | 0.033 |
| 1:49:07 PM | 0.006 |
| 1:50:07 PM | 0.008 |
| 1:51:07 PM | 0.008 |



|            |       |
|------------|-------|
| 1:52:07 PM | 0.011 |
| 1:53:07 PM | 0.008 |
| 1:54:07 PM | 0.009 |
| 1:55:07 PM | 0.011 |
| 1:56:07 PM | 0.019 |
| 1:57:07 PM | 0.011 |
| 1:58:07 PM | 0.008 |
| 1:59:07 PM | 0.005 |
| 2:00:07 PM | 0.008 |
| 2:01:07 PM | 0.014 |
| 2:02:07 PM | 0.02  |
| 2:03:07 PM | 0.01  |
| 2:04:07 PM | 0.024 |
| 2:05:07 PM | 0.013 |
| 2:06:07 PM | 0.008 |
| 2:07:07 PM | 0.014 |
| 2:08:07 PM | 0.005 |
| 2:09:07 PM | 0.005 |
| 2:10:07 PM | 0.009 |
| 2:11:07 PM | 0.004 |
| 2:12:07 PM | 0.005 |
| 2:13:07 PM | 0.007 |
| 2:14:07 PM | 0.015 |
| 2:15:07 PM | 0.013 |
| 2:16:07 PM | 0.008 |
| 2:17:07 PM | 0.014 |
| 2:18:07 PM | 0.009 |
| 2:19:07 PM | 0.032 |
| 2:20:07 PM | 0.089 |
| 2:21:07 PM | 0.008 |
| 2:22:07 PM | 0.013 |
| 2:23:07 PM | 0.008 |
| 2:24:07 PM | 0.009 |
| 2:25:07 PM | 0.01  |
| 2:26:07 PM | 0.007 |
| 2:27:07 PM | 0.007 |
| 2:28:07 PM | 0.005 |
| 2:29:07 PM | 0.027 |
| 2:30:07 PM | 0.01  |
| 2:31:07 PM | 0.008 |
| 2:32:07 PM | 0.008 |
| 2:33:07 PM | 0.015 |
| 2:34:07 PM | 0.014 |
| 2:35:07 PM | 0.015 |

|            |       |
|------------|-------|
| 2:36:07 PM | 0.008 |
| 2:37:07 PM | 0.008 |
| 2:38:07 PM | 0.004 |
| 2:39:07 PM | 0.005 |
| 2:40:07 PM | 0.009 |
| 2:41:07 PM | 0.012 |
| 2:42:07 PM | 0.014 |
| 2:43:07 PM | 0.012 |
| 2:44:07 PM | 0.016 |
| 2:45:07 PM | 0.013 |
| 2:46:07 PM | 0.008 |
| 2:47:07 PM | 0.008 |
| 2:48:07 PM | 0.011 |
| 2:49:07 PM | 0.008 |
| 2:50:07 PM | 0.008 |
| 2:51:07 PM | 0.018 |
| 2:52:07 PM | 0.006 |
| 2:53:07 PM | 0.009 |
| 2:54:07 PM | 0.009 |
| 2:55:07 PM | 0.012 |
| 2:56:07 PM | 0.077 |
| 2:57:07 PM | 0.009 |
| 2:58:07 PM | 0.006 |
| 2:59:07 PM | 0.008 |
| 3:00:07 PM | 0.019 |
| 3:01:07 PM | 0.009 |
| 3:02:07 PM | 0.008 |
| 3:03:07 PM | 0.009 |
| 3:04:07 PM | 0.008 |
| 3:05:07 PM | 0.006 |
| 3:06:07 PM | 0.008 |
| 3:07:07 PM | 0.016 |
| 3:08:07 PM | 0.021 |
| 3:09:07 PM | 0.011 |
| 3:10:07 PM | 0.014 |
| 3:11:07 PM | 0.011 |
| 3:12:07 PM | 0.01  |
| 3:13:07 PM | 0.011 |
| 3:14:07 PM | 0.01  |
| 3:15:07 PM | 0.007 |
| 3:16:07 PM | 0.012 |
| 3:17:07 PM | 0.012 |
| 3:18:07 PM | 0.025 |
| 3:19:07 PM | 0.008 |

|            |       |
|------------|-------|
| 3:20:07 PM | 0.011 |
| 3:21:07 PM | 0.013 |
| 3:22:07 PM | 0.008 |
| 3:23:07 PM | 0.007 |
| 3:24:07 PM | 0.005 |
| 3:25:07 PM | 0.008 |
| 3:26:07 PM | 0.006 |
| 3:27:07 PM | 0.027 |
| 3:28:07 PM | 0.015 |
| 3:29:07 PM | 0.008 |
| 3:30:07 PM | 0.008 |
| 3:31:07 PM | 0.006 |
| 3:32:07 PM | 0.01  |
| 3:33:07 PM | 0.008 |
| 3:34:07 PM | 0.014 |
| 3:35:07 PM | 0.025 |
| 3:36:07 PM | 0.062 |
| 3:37:07 PM | 0.014 |
| 3:38:07 PM | 0.019 |
| 3:39:07 PM | 0.013 |
| 3:40:07 PM | 0.009 |
| 3:41:07 PM | 0.021 |
| 3:42:07 PM | 0.008 |
| 3:43:07 PM | 0.008 |
| 3:44:07 PM | 0.036 |
| 3:45:07 PM | 0.015 |
| 3:46:07 PM | 0.016 |
| 3:47:07 PM | 0.009 |
| 3:48:07 PM | 0.008 |
| 3:49:07 PM | 0.008 |
| 3:50:07 PM | 0.014 |
| 3:51:07 PM | 0.563 |
| 3:52:07 PM | 0.034 |
| 3:53:07 PM | 0.018 |
| 3:54:07 PM | 0.009 |
| 3:55:07 PM | 0.011 |
| 3:56:07 PM | 0.025 |
| 3:57:07 PM | 0.009 |
| 3:58:07 PM | 0.009 |
| 3:59:07 PM | 0.007 |
| 4:00:07 PM | 0.016 |

| Device Serial No | Log Time        | Log Type | Sensor 1 Type | Sensor 1 Serial Number | Sensor 1 Status | Sensor 1 Gas Reading |
|------------------|-----------------|----------|---------------|------------------------|-----------------|----------------------|
| 592-600853       | 3/21/2024 16:39 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:38 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:37 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:36 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:35 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:34 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:33 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:32 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:31 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:30 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:29 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:28 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:27 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:26 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:25 | Readings | PID           | SC23030449A8           | Normal          | 0                    |
| 592-600853       | 3/21/2024 16:24 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:23 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:22 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:21 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:20 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:19 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:18 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:17 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:16 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:15 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:14 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:13 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:12 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:11 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:10 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:09 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |
| 592-600853       | 3/21/2024 16:08 | Readings | PID           | SC23030449A8           | Normal          | 0.1                  |

































|            |                         |     |              |        |     |
|------------|-------------------------|-----|--------------|--------|-----|
| 592-600853 | 3/21/2024 8:58 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:57 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:56 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:55 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:54 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:53 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:52 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:51 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:50 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:49 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:48 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:47 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:46 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:45 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:44 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:43 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:42 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:41 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:40 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:39 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:38 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:37 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:36 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:35 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:34 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:33 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:32 Readings | PID | SC23030449A8 | Normal | 0.1 |
| 592-600853 | 3/21/2024 8:31 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:30 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:29 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:28 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:27 Readings | PID | SC23030449A8 | Normal | 0   |
| 592-600853 | 3/21/2024 8:26 Readings | PID | SC23030449A8 | Normal | 0   |



|            |                         |     |              |        |   |
|------------|-------------------------|-----|--------------|--------|---|
| 592-600853 | 3/21/2024 7:52 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:51 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:50 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:49 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:48 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:47 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:46 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:45 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:44 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:43 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:42 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:41 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:40 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:39 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:38 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:37 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:36 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:35 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:34 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:33 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:32 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:31 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:30 Readings | PID | SC23030449A8 | Normal | 0 |
| 592-600853 | 3/21/2024 7:29 CONFIG   | PID | SC23030449A8 | Normal | 0 |

**DOWNWIND Air Monitor**

318 Nevins Street, Brooklyn, NY



|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530173513  |
| Firmware Version     | 3.1         |
| Calibration Date     | 8/1/2023    |
| Test Name            | MANUAL_007  |
| Test Start Time      | 6:52:53 AM  |
| Test Start Date      | 3/21/2024   |
| Test Length [D:H:M]  | 0:09:01     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.017       |
| Mass Minimum [mg/m3] | 0.003       |
| Mass Maximum [mg/m3] | 0.172       |
| Mass TWA [mg/m3]     | 0.016       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 541         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:52:53 AM       | 0.085        |        |        |
| 6:53:53 AM       | 0.008        |        |        |
| 6:54:53 AM       | 0.013        |        |        |
| 6:55:53 AM       | 0.022        |        |        |
| 6:56:53 AM       | 0.006        |        |        |
| 6:57:53 AM       | 0.005        |        |        |
| 6:58:53 AM       | 0.004        |        |        |
| 6:59:53 AM       | 0.003        |        |        |
| 7:00:53 AM       | 0.037        |        |        |
| 7:01:53 AM       | 0.039        |        |        |
| 7:02:53 AM       | 0.008        |        |        |
| 7:03:53 AM       | 0.029        |        |        |
| 7:04:53 AM       | 0.01         |        |        |
| 7:05:53 AM       | 0.005        |        |        |
| 7:06:53 AM       | 0.004        |        |        |
| 7:07:53 AM       | 0.003        |        |        |
| 7:08:53 AM       | 0.004        |        |        |
| 7:09:53 AM       | 0.003        |        |        |
| 7:10:53 AM       | 0.051        |        |        |
| 7:11:53 AM       | 0.08         |        |        |
| 7:12:53 AM       | 0.147        |        |        |
| 7:13:53 AM       | 0.007        |        |        |
| 7:14:53 AM       | 0.013        |        |        |
| 7:15:53 AM       | 0.02         |        |        |

|            |       |
|------------|-------|
| 7:16:53 AM | 0.007 |
| 7:17:53 AM | 0.004 |
| 7:18:53 AM | 0.053 |
| 7:19:53 AM | 0.012 |
| 7:20:53 AM | 0.012 |
| 7:21:53 AM | 0.005 |
| 7:22:53 AM | 0.015 |
| 7:23:53 AM | 0.038 |
| 7:24:53 AM | 0.043 |
| 7:25:53 AM | 0.01  |
| 7:26:53 AM | 0.06  |
| 7:27:53 AM | 0.02  |
| 7:28:53 AM | 0.034 |
| 7:29:53 AM | 0.009 |
| 7:30:53 AM | 0.004 |
| 7:31:53 AM | 0.004 |
| 7:32:53 AM | 0.029 |
| 7:33:53 AM | 0.051 |
| 7:34:53 AM | 0.042 |
| 7:35:53 AM | 0.048 |
| 7:36:53 AM | 0.024 |
| 7:37:53 AM | 0.009 |
| 7:38:53 AM | 0.007 |
| 7:39:53 AM | 0.028 |
| 7:40:53 AM | 0.035 |
| 7:41:53 AM | 0.038 |
| 7:42:53 AM | 0.011 |
| 7:43:53 AM | 0.007 |
| 7:44:53 AM | 0.037 |
| 7:45:53 AM | 0.008 |
| 7:46:53 AM | 0.013 |
| 7:47:53 AM | 0.036 |
| 7:48:53 AM | 0.013 |
| 7:49:53 AM | 0.03  |
| 7:50:53 AM | 0.053 |
| 7:51:53 AM | 0.012 |
| 7:52:53 AM | 0.018 |
| 7:53:53 AM | 0.012 |
| 7:54:53 AM | 0.019 |
| 7:55:53 AM | 0.068 |
| 7:56:53 AM | 0.063 |
| 7:57:53 AM | 0.046 |
| 7:58:53 AM | 0.016 |
| 7:59:53 AM | 0.034 |



|            |       |
|------------|-------|
| 8:00:53 AM | 0.042 |
| 8:01:53 AM | 0.015 |
| 8:02:53 AM | 0.013 |
| 8:03:53 AM | 0.011 |
| 8:04:53 AM | 0.007 |
| 8:05:53 AM | 0.007 |
| 8:06:53 AM | 0.01  |
| 8:07:53 AM | 0.012 |
| 8:08:53 AM | 0.008 |
| 8:09:53 AM | 0.014 |
| 8:10:53 AM | 0.017 |
| 8:11:53 AM | 0.015 |
| 8:12:53 AM | 0.008 |
| 8:13:53 AM | 0.009 |
| 8:14:53 AM | 0.007 |
| 8:15:53 AM | 0.007 |
| 8:16:53 AM | 0.008 |
| 8:17:53 AM | 0.009 |
| 8:18:53 AM | 0.035 |
| 8:19:53 AM | 0.014 |
| 8:20:53 AM | 0.008 |
| 8:21:53 AM | 0.009 |
| 8:22:53 AM | 0.012 |
| 8:23:53 AM | 0.015 |
| 8:24:53 AM | 0.017 |
| 8:25:53 AM | 0.006 |
| 8:26:53 AM | 0.011 |
| 8:27:53 AM | 0.033 |
| 8:28:53 AM | 0.009 |
| 8:29:53 AM | 0.021 |
| 8:30:53 AM | 0.072 |
| 8:31:53 AM | 0.065 |
| 8:32:53 AM | 0.011 |
| 8:33:53 AM | 0.015 |
| 8:34:53 AM | 0.013 |
| 8:35:53 AM | 0.01  |
| 8:36:53 AM | 0.01  |
| 8:37:53 AM | 0.009 |
| 8:38:53 AM | 0.009 |
| 8:39:53 AM | 0.008 |
| 8:40:53 AM | 0.007 |
| 8:41:53 AM | 0.028 |
| 8:42:53 AM | 0.012 |
| 8:43:53 AM | 0.007 |

|            |       |
|------------|-------|
| 8:44:53 AM | 0.005 |
| 8:45:53 AM | 0.006 |
| 8:46:53 AM | 0.006 |
| 8:47:53 AM | 0.026 |
| 8:48:53 AM | 0.011 |
| 8:49:53 AM | 0.008 |
| 8:50:53 AM | 0.009 |
| 8:51:53 AM | 0.029 |
| 8:52:53 AM | 0.033 |
| 8:53:53 AM | 0.012 |
| 8:54:53 AM | 0.009 |
| 8:55:53 AM | 0.013 |
| 8:56:53 AM | 0.045 |
| 8:57:53 AM | 0.01  |
| 8:58:53 AM | 0.011 |
| 8:59:53 AM | 0.013 |
| 9:00:53 AM | 0.009 |
| 9:01:53 AM | 0.008 |
| 9:02:53 AM | 0.006 |
| 9:03:53 AM | 0.006 |
| 9:04:53 AM | 0.008 |
| 9:05:53 AM | 0.01  |
| 9:06:53 AM | 0.012 |
| 9:07:53 AM | 0.008 |
| 9:08:53 AM | 0.018 |
| 9:09:53 AM | 0.011 |
| 9:10:53 AM | 0.035 |
| 9:11:53 AM | 0.06  |
| 9:12:53 AM | 0.011 |
| 9:13:53 AM | 0.015 |
| 9:14:53 AM | 0.016 |
| 9:15:53 AM | 0.015 |
| 9:16:53 AM | 0.02  |
| 9:17:53 AM | 0.013 |
| 9:18:53 AM | 0.01  |
| 9:19:53 AM | 0.012 |
| 9:20:53 AM | 0.008 |
| 9:21:53 AM | 0.007 |
| 9:22:53 AM | 0.008 |
| 9:23:53 AM | 0.008 |
| 9:24:53 AM | 0.027 |
| 9:25:53 AM | 0.012 |
| 9:26:53 AM | 0.009 |
| 9:27:53 AM | 0.006 |

|             |       |
|-------------|-------|
| 9:28:53 AM  | 0.007 |
| 9:29:53 AM  | 0.012 |
| 9:30:53 AM  | 0.024 |
| 9:31:53 AM  | 0.053 |
| 9:32:53 AM  | 0.012 |
| 9:33:53 AM  | 0.011 |
| 9:34:53 AM  | 0.011 |
| 9:35:53 AM  | 0.008 |
| 9:36:53 AM  | 0.039 |
| 9:37:53 AM  | 0.009 |
| 9:38:53 AM  | 0.01  |
| 9:39:53 AM  | 0.007 |
| 9:40:53 AM  | 0.01  |
| 9:41:53 AM  | 0.007 |
| 9:42:53 AM  | 0.01  |
| 9:43:53 AM  | 0.01  |
| 9:44:53 AM  | 0.01  |
| 9:45:53 AM  | 0.011 |
| 9:46:53 AM  | 0.007 |
| 9:47:53 AM  | 0.007 |
| 9:48:53 AM  | 0.007 |
| 9:49:53 AM  | 0.01  |
| 9:50:53 AM  | 0.012 |
| 9:51:53 AM  | 0.01  |
| 9:52:53 AM  | 0.008 |
| 9:53:53 AM  | 0.008 |
| 9:54:53 AM  | 0.013 |
| 9:55:53 AM  | 0.006 |
| 9:56:53 AM  | 0.007 |
| 9:57:53 AM  | 0.009 |
| 9:58:53 AM  | 0.009 |
| 9:59:53 AM  | 0.008 |
| 10:00:53 AM | 0.005 |
| 10:01:53 AM | 0.006 |
| 10:02:53 AM | 0.01  |
| 10:03:53 AM | 0.029 |
| 10:04:53 AM | 0.018 |
| 10:05:53 AM | 0.009 |
| 10:06:53 AM | 0.016 |
| 10:07:53 AM | 0.007 |
| 10:08:53 AM | 0.016 |
| 10:09:53 AM | 0.006 |
| 10:10:53 AM | 0.015 |
| 10:11:53 AM | 0.007 |

|             |       |
|-------------|-------|
| 10:12:53 AM | 0.01  |
| 10:13:53 AM | 0.016 |
| 10:14:53 AM | 0.041 |
| 10:15:53 AM | 0.015 |
| 10:16:53 AM | 0.025 |
| 10:17:53 AM | 0.027 |
| 10:18:53 AM | 0.017 |
| 10:19:53 AM | 0.009 |
| 10:20:53 AM | 0.007 |
| 10:21:53 AM | 0.006 |
| 10:22:53 AM | 0.01  |
| 10:23:53 AM | 0.008 |
| 10:24:53 AM | 0.007 |
| 10:25:53 AM | 0.009 |
| 10:26:53 AM | 0.009 |
| 10:27:53 AM | 0.01  |
| 10:28:53 AM | 0.007 |
| 10:29:53 AM | 0.008 |
| 10:30:53 AM | 0.007 |
| 10:31:53 AM | 0.007 |
| 10:32:53 AM | 0.007 |
| 10:33:53 AM | 0.01  |
| 10:34:53 AM | 0.011 |
| 10:35:53 AM | 0.008 |
| 10:36:53 AM | 0.007 |
| 10:37:53 AM | 0.01  |
| 10:38:53 AM | 0.121 |
| 10:39:53 AM | 0.015 |
| 10:40:53 AM | 0.01  |
| 10:41:53 AM | 0.01  |
| 10:42:53 AM | 0.013 |
| 10:43:53 AM | 0.017 |
| 10:44:53 AM | 0.012 |
| 10:45:53 AM | 0.01  |
| 10:46:53 AM | 0.008 |
| 10:47:53 AM | 0.006 |
| 10:48:53 AM | 0.01  |
| 10:49:53 AM | 0.014 |
| 10:50:53 AM | 0.011 |
| 10:51:53 AM | 0.009 |
| 10:52:53 AM | 0.016 |
| 10:53:53 AM | 0.016 |
| 10:54:53 AM | 0.009 |
| 10:55:53 AM | 0.016 |

|             |       |
|-------------|-------|
| 10:56:53 AM | 0.009 |
| 10:57:53 AM | 0.017 |
| 10:58:53 AM | 0.013 |
| 10:59:53 AM | 0.017 |
| 11:00:53 AM | 0.013 |
| 11:01:53 AM | 0.012 |
| 11:02:53 AM | 0.013 |
| 11:03:53 AM | 0.006 |
| 11:04:53 AM | 0.006 |
| 11:05:53 AM | 0.006 |
| 11:06:53 AM | 0.022 |
| 11:07:53 AM | 0.013 |
| 11:08:53 AM | 0.01  |
| 11:09:53 AM | 0.008 |
| 11:10:53 AM | 0.016 |
| 11:11:53 AM | 0.024 |
| 11:12:53 AM | 0.016 |
| 11:13:53 AM | 0.036 |
| 11:14:53 AM | 0.012 |
| 11:15:53 AM | 0.031 |
| 11:16:53 AM | 0.009 |
| 11:17:53 AM | 0.011 |
| 11:18:53 AM | 0.022 |
| 11:19:53 AM | 0.032 |
| 11:20:53 AM | 0.023 |
| 11:21:53 AM | 0.055 |
| 11:22:53 AM | 0.018 |
| 11:23:53 AM | 0.016 |
| 11:24:53 AM | 0.018 |
| 11:25:53 AM | 0.01  |
| 11:26:53 AM | 0.047 |
| 11:27:53 AM | 0.011 |
| 11:28:53 AM | 0.022 |
| 11:29:53 AM | 0.044 |
| 11:30:53 AM | 0.019 |
| 11:31:53 AM | 0.015 |
| 11:32:53 AM | 0.021 |
| 11:33:53 AM | 0.012 |
| 11:34:53 AM | 0.01  |
| 11:35:53 AM | 0.011 |
| 11:36:53 AM | 0.01  |
| 11:37:53 AM | 0.036 |
| 11:38:53 AM | 0.016 |
| 11:39:53 AM | 0.022 |

|             |       |
|-------------|-------|
| 11:40:53 AM | 0.017 |
| 11:41:53 AM | 0.036 |
| 11:42:53 AM | 0.024 |
| 11:43:53 AM | 0.008 |
| 11:44:53 AM | 0.01  |
| 11:45:53 AM | 0.022 |
| 11:46:53 AM | 0.013 |
| 11:47:53 AM | 0.012 |
| 11:48:53 AM | 0.007 |
| 11:49:53 AM | 0.007 |
| 11:50:53 AM | 0.007 |
| 11:51:53 AM | 0.005 |
| 11:52:53 AM | 0.008 |
| 11:53:53 AM | 0.007 |
| 11:54:53 AM | 0.013 |
| 11:55:53 AM | 0.017 |
| 11:56:53 AM | 0.007 |
| 11:57:53 AM | 0.006 |
| 11:58:53 AM | 0.05  |
| 11:59:53 AM | 0.062 |
| 12:00:53 PM | 0.018 |
| 12:01:53 PM | 0.016 |
| 12:02:53 PM | 0.01  |
| 12:03:53 PM | 0.011 |
| 12:04:53 PM | 0.01  |
| 12:05:53 PM | 0.008 |
| 12:06:53 PM | 0.019 |
| 12:07:53 PM | 0.008 |
| 12:08:53 PM | 0.008 |
| 12:09:53 PM | 0.008 |
| 12:10:53 PM | 0.024 |
| 12:11:53 PM | 0.015 |
| 12:12:53 PM | 0.083 |
| 12:13:53 PM | 0.011 |
| 12:14:53 PM | 0.012 |
| 12:15:53 PM | 0.006 |
| 12:16:53 PM | 0.009 |
| 12:17:53 PM | 0.012 |
| 12:18:53 PM | 0.012 |
| 12:19:53 PM | 0.02  |
| 12:20:53 PM | 0.01  |
| 12:21:53 PM | 0.021 |
| 12:22:53 PM | 0.01  |
| 12:23:53 PM | 0.011 |

|             |       |
|-------------|-------|
| 12:24:53 PM | 0.008 |
| 12:25:53 PM | 0.02  |
| 12:26:53 PM | 0.035 |
| 12:27:53 PM | 0.009 |
| 12:28:53 PM | 0.006 |
| 12:29:53 PM | 0.017 |
| 12:30:53 PM | 0.007 |
| 12:31:53 PM | 0.018 |
| 12:32:53 PM | 0.06  |
| 12:33:53 PM | 0.063 |
| 12:34:53 PM | 0.09  |
| 12:35:53 PM | 0.036 |
| 12:36:53 PM | 0.018 |
| 12:37:53 PM | 0.009 |
| 12:38:53 PM | 0.017 |
| 12:39:53 PM | 0.008 |
| 12:40:53 PM | 0.005 |
| 12:41:53 PM | 0.016 |
| 12:42:53 PM | 0.01  |
| 12:43:53 PM | 0.046 |
| 12:44:53 PM | 0.017 |
| 12:45:53 PM | 0.029 |
| 12:46:53 PM | 0.014 |
| 12:47:53 PM | 0.012 |
| 12:48:53 PM | 0.012 |
| 12:49:53 PM | 0.013 |
| 12:50:53 PM | 0.01  |
| 12:51:53 PM | 0.02  |
| 12:52:53 PM | 0.021 |
| 12:53:53 PM | 0.014 |
| 12:54:53 PM | 0.05  |
| 12:55:53 PM | 0.017 |
| 12:56:53 PM | 0.011 |
| 12:57:53 PM | 0.008 |
| 12:58:53 PM | 0.009 |
| 12:59:53 PM | 0.006 |
| 1:00:53 PM  | 0.013 |
| 1:01:53 PM  | 0.005 |
| 1:02:53 PM  | 0.007 |
| 1:03:53 PM  | 0.01  |
| 1:04:53 PM  | 0.008 |
| 1:05:53 PM  | 0.007 |
| 1:06:53 PM  | 0.008 |
| 1:07:53 PM  | 0.006 |



|            |       |
|------------|-------|
| 1:08:53 PM | 0.006 |
| 1:09:53 PM | 0.007 |
| 1:10:53 PM | 0.005 |
| 1:11:53 PM | 0.005 |
| 1:12:53 PM | 0.007 |
| 1:13:53 PM | 0.016 |
| 1:14:53 PM | 0.035 |
| 1:15:53 PM | 0.012 |
| 1:16:53 PM | 0.005 |
| 1:17:53 PM | 0.007 |
| 1:18:53 PM | 0.01  |
| 1:19:53 PM | 0.015 |
| 1:20:53 PM | 0.007 |
| 1:21:53 PM | 0.006 |
| 1:22:53 PM | 0.007 |
| 1:23:53 PM | 0.004 |
| 1:24:53 PM | 0.004 |
| 1:25:53 PM | 0.004 |
| 1:26:53 PM | 0.006 |
| 1:27:53 PM | 0.005 |
| 1:28:53 PM | 0.005 |
| 1:29:53 PM | 0.006 |
| 1:30:53 PM | 0.005 |
| 1:31:53 PM | 0.004 |
| 1:32:53 PM | 0.006 |
| 1:33:53 PM | 0.006 |
| 1:34:53 PM | 0.006 |
| 1:35:53 PM | 0.006 |
| 1:36:53 PM | 0.007 |
| 1:37:53 PM | 0.073 |
| 1:38:53 PM | 0.075 |
| 1:39:53 PM | 0.045 |
| 1:40:53 PM | 0.008 |
| 1:41:53 PM | 0.004 |
| 1:42:53 PM | 0.01  |
| 1:43:53 PM | 0.008 |
| 1:44:53 PM | 0.011 |
| 1:45:53 PM | 0.009 |
| 1:46:53 PM | 0.021 |
| 1:47:53 PM | 0.023 |
| 1:48:53 PM | 0.007 |
| 1:49:53 PM | 0.012 |
| 1:50:53 PM | 0.006 |
| 1:51:53 PM | 0.006 |

|            |       |
|------------|-------|
| 1:52:53 PM | 0.006 |
| 1:53:53 PM | 0.005 |
| 1:54:53 PM | 0.005 |
| 1:55:53 PM | 0.011 |
| 1:56:53 PM | 0.013 |
| 1:57:53 PM | 0.014 |
| 1:58:53 PM | 0.007 |
| 1:59:53 PM | 0.007 |
| 2:00:53 PM | 0.011 |
| 2:01:53 PM | 0.009 |
| 2:02:53 PM | 0.009 |
| 2:03:53 PM | 0.008 |
| 2:04:53 PM | 0.012 |
| 2:05:53 PM | 0.011 |
| 2:06:53 PM | 0.005 |
| 2:07:53 PM | 0.004 |
| 2:08:53 PM | 0.01  |
| 2:09:53 PM | 0.007 |
| 2:10:53 PM | 0.005 |
| 2:11:53 PM | 0.011 |
| 2:12:53 PM | 0.006 |
| 2:13:53 PM | 0.021 |
| 2:14:53 PM | 0.01  |
| 2:15:53 PM | 0.006 |
| 2:16:53 PM | 0.009 |
| 2:17:53 PM | 0.007 |
| 2:18:53 PM | 0.01  |
| 2:19:53 PM | 0.007 |
| 2:20:53 PM | 0.008 |
| 2:21:53 PM | 0.008 |
| 2:22:53 PM | 0.009 |
| 2:23:53 PM | 0.006 |
| 2:24:53 PM | 0.009 |
| 2:25:53 PM | 0.015 |
| 2:26:53 PM | 0.009 |
| 2:27:53 PM | 0.015 |
| 2:28:53 PM | 0.007 |
| 2:29:53 PM | 0.013 |
| 2:30:53 PM | 0.01  |
| 2:31:53 PM | 0.008 |
| 2:32:53 PM | 0.008 |
| 2:33:53 PM | 0.008 |
| 2:34:53 PM | 0.009 |
| 2:35:53 PM | 0.006 |

|            |       |
|------------|-------|
| 2:36:53 PM | 0.006 |
| 2:37:53 PM | 0.006 |
| 2:38:53 PM | 0.02  |
| 2:39:53 PM | 0.01  |
| 2:40:53 PM | 0.006 |
| 2:41:53 PM | 0.012 |
| 2:42:53 PM | 0.013 |
| 2:43:53 PM | 0.01  |
| 2:44:53 PM | 0.054 |
| 2:45:53 PM | 0.015 |
| 2:46:53 PM | 0.009 |
| 2:47:53 PM | 0.022 |
| 2:48:53 PM | 0.014 |
| 2:49:53 PM | 0.008 |
| 2:50:53 PM | 0.013 |
| 2:51:53 PM | 0.01  |
| 2:52:53 PM | 0.05  |
| 2:53:53 PM | 0.023 |
| 2:54:53 PM | 0.009 |
| 2:55:53 PM | 0.011 |
| 2:56:53 PM | 0.011 |
| 2:57:53 PM | 0.005 |
| 2:58:53 PM | 0.008 |
| 2:59:53 PM | 0.057 |
| 3:00:53 PM | 0.015 |
| 3:01:53 PM | 0.005 |
| 3:02:53 PM | 0.013 |
| 3:03:53 PM | 0.007 |
| 3:04:53 PM | 0.006 |
| 3:05:53 PM | 0.015 |
| 3:06:53 PM | 0.013 |
| 3:07:53 PM | 0.013 |
| 3:08:53 PM | 0.01  |
| 3:09:53 PM | 0.013 |
| 3:10:53 PM | 0.013 |
| 3:11:53 PM | 0.015 |
| 3:12:53 PM | 0.09  |
| 3:13:53 PM | 0.058 |
| 3:14:53 PM | 0.009 |
| 3:15:53 PM | 0.015 |
| 3:16:53 PM | 0.01  |
| 3:17:53 PM | 0.012 |
| 3:18:53 PM | 0.007 |
| 3:19:53 PM | 0.009 |

|            |       |
|------------|-------|
| 3:20:53 PM | 0.01  |
| 3:21:53 PM | 0.015 |
| 3:22:53 PM | 0.014 |
| 3:23:53 PM | 0.009 |
| 3:24:53 PM | 0.013 |
| 3:25:53 PM | 0.054 |
| 3:26:53 PM | 0.013 |
| 3:27:53 PM | 0.039 |
| 3:28:53 PM | 0.015 |
| 3:29:53 PM | 0.023 |
| 3:30:53 PM | 0.012 |
| 3:31:53 PM | 0.018 |
| 3:32:53 PM | 0.009 |
| 3:33:53 PM | 0.008 |
| 3:34:53 PM | 0.008 |
| 3:35:53 PM | 0.015 |
| 3:36:53 PM | 0.019 |
| 3:37:53 PM | 0.009 |
| 3:38:53 PM | 0.024 |
| 3:39:53 PM | 0.026 |
| 3:40:53 PM | 0.011 |
| 3:41:53 PM | 0.008 |
| 3:42:53 PM | 0.009 |
| 3:43:53 PM | 0.017 |
| 3:44:53 PM | 0.026 |
| 3:45:53 PM | 0.018 |
| 3:46:53 PM | 0.01  |
| 3:47:53 PM | 0.006 |
| 3:48:53 PM | 0.004 |
| 3:49:53 PM | 0.007 |
| 3:50:53 PM | 0.172 |
| 3:51:53 PM | 0.042 |
| 3:52:53 PM | 0.034 |

| Device Serial No | Log Time        | Log Type | Sensor 1 Type | Sensor 1 Serial Number | Sensor 1 Status | Sensor 1 Gas Reading |
|------------------|-----------------|----------|---------------|------------------------|-----------------|----------------------|
| 592-000289       | 3/21/2024 16:20 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:19 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:18 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:17 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:16 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:15 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:14 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:13 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:12 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:11 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:10 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:09 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:08 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:07 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:06 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:05 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:04 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:03 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:02 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:01 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 16:00 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:59 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:58 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:57 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:56 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:55 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:54 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:53 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:52 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:51 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:50 | Readings | PID           | SC23030140W3           | Normal          | 0                    |
| 592-000289       | 3/21/2024 15:49 | Readings | PID           | SC23030140W3           | Normal          | 0                    |























|            |                          |     |              |        |   |
|------------|--------------------------|-----|--------------|--------|---|
| 592-000289 | 3/21/2024 10:18 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:17 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:16 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:15 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:14 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:13 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:12 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:11 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:10 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:09 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:08 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:07 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:06 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:05 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:04 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:03 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:02 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:01 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 10:00 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:59 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:58 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:57 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:56 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:55 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:54 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:53 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:52 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:51 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:50 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:49 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:48 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:47 Readings  | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 9:46 Readings  | PID | SC23030140W3 | Normal | 0 |











|            |                         |     |              |        |   |
|------------|-------------------------|-----|--------------|--------|---|
| 592-000289 | 3/21/2024 7:33 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:32 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:31 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:30 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:29 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:28 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:27 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:26 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:25 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:24 Readings | PID | SC23030140W3 | Normal | 0 |
| 592-000289 | 3/21/2024 7:23 CONFIG   | PID | SC23030140W3 |        |   |

|                      |             |
|----------------------|-------------|
| Instrument Name      | DustTrak II |
| Model Number         | 8530        |
| Serial Number        | 8530152812  |
| Firmware Version     | 3.1         |
| Calibration Date     | 5/2/2023    |
| Test Name            | MANUAL_007  |
| Test Start Time      |             |
| Test Start Date      | 3/21/2024   |
| Test Length [D:H:M]  | 0:08:58     |
| Test Interval [M:S]  | 1:00        |
| Mass Average [mg/m3] | 0.012       |
| Mass Minimum [mg/m3] | 0.005       |
| Mass Maximum [mg/m3] | 0.26        |
| Mass TWA [mg/m3]     | 0.012       |
| Photometric User Cal | 1           |
| Flow User Cal        | 0           |
| Errors               |             |
| Number of Samples    | 538         |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|------------------|--------------|--------|--------|
| 6:59:41 AM       | 0.26         |        |        |
| 7:00:41 AM       | 0.005        |        |        |
| 7:01:41 AM       | 0.005        |        |        |
| 7:02:41 AM       | 0.014        |        |        |
| 7:03:41 AM       | 0.006        |        |        |
| 7:04:41 AM       | 0.006        |        |        |
| 7:05:41 AM       | 0.008        |        |        |
| 7:06:41 AM       | 0.01         |        |        |
| 7:07:41 AM       | 0.006        |        |        |
| 7:08:41 AM       | 0.008        |        |        |
| 7:09:41 AM       | 0.005        |        |        |
| 7:10:41 AM       | 0.005        |        |        |
| 7:11:41 AM       | 0.005        |        |        |
| 7:12:41 AM       | 0.013        |        |        |
| 7:13:41 AM       | 0.018        |        |        |
| 7:14:41 AM       | 0.008        |        |        |
| 7:15:41 AM       | 0.006        |        |        |
| 7:16:41 AM       | 0.006        |        |        |
| 7:17:41 AM       | 0.006        |        |        |
| 7:18:41 AM       | 0.019        |        |        |
| 7:19:41 AM       | 0.006        |        |        |
| 7:20:41 AM       | 0.01         |        |        |
| 7:21:41 AM       | 0.012        |        |        |
| 7:22:41 AM       | 0.011        |        |        |

|            |       |
|------------|-------|
| 7:23:41 AM | 0.007 |
| 7:24:41 AM | 0.006 |
| 7:25:41 AM | 0.006 |
| 7:26:41 AM | 0.007 |
| 7:27:41 AM | 0.07  |
| 7:28:41 AM | 0.053 |
| 7:29:41 AM | 0.007 |
| 7:30:41 AM | 0.006 |
| 7:31:41 AM | 0.007 |
| 7:32:41 AM | 0.006 |
| 7:33:41 AM | 0.007 |
| 7:34:41 AM | 0.01  |
| 7:35:41 AM | 0.006 |
| 7:36:41 AM | 0.012 |
| 7:37:41 AM | 0.011 |
| 7:38:41 AM | 0.007 |
| 7:39:41 AM | 0.018 |
| 7:40:41 AM | 0.019 |
| 7:41:41 AM | 0.027 |
| 7:42:41 AM | 0.008 |
| 7:43:41 AM | 0.009 |
| 7:44:41 AM | 0.009 |
| 7:45:41 AM | 0.01  |
| 7:46:41 AM | 0.015 |
| 7:47:41 AM | 0.012 |
| 7:48:41 AM | 0.016 |
| 7:49:41 AM | 0.009 |
| 7:50:41 AM | 0.008 |
| 7:51:41 AM | 0.007 |
| 7:52:41 AM | 0.008 |
| 7:53:41 AM | 0.01  |
| 7:54:41 AM | 0.024 |
| 7:55:41 AM | 0.056 |
| 7:56:41 AM | 0.034 |
| 7:57:41 AM | 0.008 |
| 7:58:41 AM | 0.009 |
| 7:59:41 AM | 0.009 |
| 8:00:41 AM | 0.011 |
| 8:01:41 AM | 0.008 |
| 8:02:41 AM | 0.008 |
| 8:03:41 AM | 0.011 |
| 8:04:41 AM | 0.016 |
| 8:05:41 AM | 0.016 |
| 8:06:41 AM | 0.027 |

|            |       |
|------------|-------|
| 8:07:41 AM | 0.01  |
| 8:08:41 AM | 0.01  |
| 8:09:41 AM | 0.015 |
| 8:10:41 AM | 0.01  |
| 8:11:41 AM | 0.009 |
| 8:12:41 AM | 0.009 |
| 8:13:41 AM | 0.009 |
| 8:14:41 AM | 0.008 |
| 8:15:41 AM | 0.008 |
| 8:16:41 AM | 0.009 |
| 8:17:41 AM | 0.011 |
| 8:18:41 AM | 0.009 |
| 8:19:41 AM | 0.01  |
| 8:20:41 AM | 0.012 |
| 8:21:41 AM | 0.009 |
| 8:22:41 AM | 0.009 |
| 8:23:41 AM | 0.009 |
| 8:24:41 AM | 0.01  |
| 8:25:41 AM | 0.011 |
| 8:26:41 AM | 0.008 |
| 8:27:41 AM | 0.009 |
| 8:28:41 AM | 0.007 |
| 8:29:41 AM | 0.008 |
| 8:30:41 AM | 0.009 |
| 8:31:41 AM | 0.008 |
| 8:32:41 AM | 0.008 |
| 8:33:41 AM | 0.013 |
| 8:34:41 AM | 0.009 |
| 8:35:41 AM | 0.012 |
| 8:36:41 AM | 0.01  |
| 8:37:41 AM | 0.008 |
| 8:38:41 AM | 0.008 |
| 8:39:41 AM | 0.01  |
| 8:40:41 AM | 0.011 |
| 8:41:41 AM | 0.009 |
| 8:42:41 AM | 0.008 |
| 8:43:41 AM | 0.009 |
| 8:44:41 AM | 0.017 |
| 8:45:41 AM | 0.01  |
| 8:46:41 AM | 0.016 |
| 8:47:41 AM | 0.007 |
| 8:48:41 AM | 0.014 |
| 8:49:41 AM | 0.021 |
| 8:50:41 AM | 0.016 |



|            |       |
|------------|-------|
| 8:51:41 AM | 0.01  |
| 8:52:41 AM | 0.008 |
| 8:53:41 AM | 0.008 |
| 8:54:41 AM | 0.034 |
| 8:55:41 AM | 0.011 |
| 8:56:41 AM | 0.011 |
| 8:57:41 AM | 0.012 |
| 8:58:41 AM | 0.011 |
| 8:59:41 AM | 0.009 |
| 9:00:41 AM | 0.01  |
| 9:01:41 AM | 0.008 |
| 9:02:41 AM | 0.007 |
| 9:03:41 AM | 0.008 |
| 9:04:41 AM | 0.014 |
| 9:05:41 AM | 0.008 |
| 9:06:41 AM | 0.01  |
| 9:07:41 AM | 0.008 |
| 9:08:41 AM | 0.013 |
| 9:09:41 AM | 0.007 |
| 9:10:41 AM | 0.009 |
| 9:11:41 AM | 0.008 |
| 9:12:41 AM | 0.009 |
| 9:13:41 AM | 0.011 |
| 9:14:41 AM | 0.012 |
| 9:15:41 AM | 0.01  |
| 9:16:41 AM | 0.042 |
| 9:17:41 AM | 0.041 |
| 9:18:41 AM | 0.013 |
| 9:19:41 AM | 0.027 |
| 9:20:41 AM | 0.017 |
| 9:21:41 AM | 0.01  |
| 9:22:41 AM | 0.041 |
| 9:23:41 AM | 0.048 |
| 9:24:41 AM | 0.009 |
| 9:25:41 AM | 0.01  |
| 9:26:41 AM | 0.009 |
| 9:27:41 AM | 0.009 |
| 9:28:41 AM | 0.007 |
| 9:29:41 AM | 0.007 |
| 9:30:41 AM | 0.007 |
| 9:31:41 AM | 0.007 |
| 9:32:41 AM | 0.011 |
| 9:33:41 AM | 0.009 |
| 9:34:41 AM | 0.007 |

|             |       |
|-------------|-------|
| 9:35:41 AM  | 0.008 |
| 9:36:41 AM  | 0.009 |
| 9:37:41 AM  | 0.011 |
| 9:38:41 AM  | 0.007 |
| 9:39:41 AM  | 0.017 |
| 9:40:41 AM  | 0.01  |
| 9:41:41 AM  | 0.01  |
| 9:42:41 AM  | 0.009 |
| 9:43:41 AM  | 0.009 |
| 9:44:41 AM  | 0.007 |
| 9:45:41 AM  | 0.012 |
| 9:46:41 AM  | 0.01  |
| 9:47:41 AM  | 0.007 |
| 9:48:41 AM  | 0.007 |
| 9:49:41 AM  | 0.008 |
| 9:50:41 AM  | 0.006 |
| 9:51:41 AM  | 0.006 |
| 9:52:41 AM  | 0.007 |
| 9:53:41 AM  | 0.008 |
| 9:54:41 AM  | 0.008 |
| 9:55:41 AM  | 0.013 |
| 9:56:41 AM  | 0.01  |
| 9:57:41 AM  | 0.008 |
| 9:58:41 AM  | 0.007 |
| 9:59:41 AM  | 0.007 |
| 10:00:41 AM | 0.01  |
| 10:01:41 AM | 0.008 |
| 10:02:41 AM | 0.008 |
| 10:03:41 AM | 0.008 |
| 10:04:41 AM | 0.007 |
| 10:05:41 AM | 0.008 |
| 10:06:41 AM | 0.008 |
| 10:07:41 AM | 0.007 |
| 10:08:41 AM | 0.007 |
| 10:09:41 AM | 0.008 |
| 10:10:41 AM | 0.009 |
| 10:11:41 AM | 0.009 |
| 10:12:41 AM | 0.008 |
| 10:13:41 AM | 0.038 |
| 10:14:41 AM | 0.073 |
| 10:15:41 AM | 0.032 |
| 10:16:41 AM | 0.077 |
| 10:17:41 AM | 0.008 |
| 10:18:41 AM | 0.006 |

|             |       |
|-------------|-------|
| 10:19:41 AM | 0.007 |
| 10:20:41 AM | 0.008 |
| 10:21:41 AM | 0.017 |
| 10:22:41 AM | 0.011 |
| 10:23:41 AM | 0.008 |
| 10:24:41 AM | 0.007 |
| 10:25:41 AM | 0.01  |
| 10:26:41 AM | 0.009 |
| 10:27:41 AM | 0.021 |
| 10:28:41 AM | 0.016 |
| 10:29:41 AM | 0.008 |
| 10:30:41 AM | 0.006 |
| 10:31:41 AM | 0.007 |
| 10:32:41 AM | 0.007 |
| 10:33:41 AM | 0.007 |
| 10:34:41 AM | 0.007 |
| 10:35:41 AM | 0.012 |
| 10:36:41 AM | 0.018 |
| 10:37:41 AM | 0.025 |
| 10:38:41 AM | 0.02  |
| 10:39:41 AM | 0.01  |
| 10:40:41 AM | 0.008 |
| 10:41:41 AM | 0.008 |
| 10:42:41 AM | 0.006 |
| 10:43:41 AM | 0.006 |
| 10:44:41 AM | 0.01  |
| 10:45:41 AM | 0.007 |
| 10:46:41 AM | 0.007 |
| 10:47:41 AM | 0.007 |
| 10:48:41 AM | 0.006 |
| 10:49:41 AM | 0.009 |
| 10:50:41 AM | 0.01  |
| 10:51:41 AM | 0.007 |
| 10:52:41 AM | 0.016 |
| 10:53:41 AM | 0.019 |
| 10:54:41 AM | 0.02  |
| 10:55:41 AM | 0.008 |
| 10:56:41 AM | 0.006 |
| 10:57:41 AM | 0.012 |
| 10:58:41 AM | 0.016 |
| 10:59:41 AM | 0.006 |
| 11:00:41 AM | 0.006 |
| 11:01:41 AM | 0.006 |
| 11:02:41 AM | 0.007 |

|             |       |
|-------------|-------|
| 11:03:41 AM | 0.012 |
| 11:04:41 AM | 0.008 |
| 11:05:41 AM | 0.007 |
| 11:06:41 AM | 0.006 |
| 11:07:41 AM | 0.007 |
| 11:08:41 AM | 0.006 |
| 11:09:41 AM | 0.01  |
| 11:10:41 AM | 0.029 |
| 11:11:41 AM | 0.01  |
| 11:12:41 AM | 0.038 |
| 11:13:41 AM | 0.01  |
| 11:14:41 AM | 0.041 |
| 11:15:41 AM | 0.019 |
| 11:16:41 AM | 0.005 |
| 11:17:41 AM | 0.006 |
| 11:18:41 AM | 0.008 |
| 11:19:41 AM | 0.007 |
| 11:20:41 AM | 0.016 |
| 11:21:41 AM | 0.012 |
| 11:22:41 AM | 0.006 |
| 11:23:41 AM | 0.006 |
| 11:24:41 AM | 0.006 |
| 11:25:41 AM | 0.014 |
| 11:26:41 AM | 0.01  |
| 11:27:41 AM | 0.007 |
| 11:28:41 AM | 0.007 |
| 11:29:41 AM | 0.006 |
| 11:30:41 AM | 0.007 |
| 11:31:41 AM | 0.011 |
| 11:32:41 AM | 0.019 |
| 11:33:41 AM | 0.006 |
| 11:34:41 AM | 0.007 |
| 11:35:41 AM | 0.006 |
| 11:36:41 AM | 0.007 |
| 11:37:41 AM | 0.024 |
| 11:38:41 AM | 0.025 |
| 11:39:41 AM | 0.01  |
| 11:40:41 AM | 0.007 |
| 11:41:41 AM | 0.006 |
| 11:42:41 AM | 0.006 |
| 11:43:41 AM | 0.006 |
| 11:44:41 AM | 0.008 |
| 11:45:41 AM | 0.008 |
| 11:46:41 AM | 0.007 |

|             |       |
|-------------|-------|
| 11:47:41 AM | 0.008 |
| 11:48:41 AM | 0.009 |
| 11:49:41 AM | 0.014 |
| 11:50:41 AM | 0.007 |
| 11:51:41 AM | 0.015 |
| 11:52:41 AM | 0.007 |
| 11:53:41 AM | 0.006 |
| 11:54:41 AM | 0.017 |
| 11:55:41 AM | 0.006 |
| 11:56:41 AM | 0.008 |
| 11:57:41 AM | 0.008 |
| 11:58:41 AM | 0.007 |
| 11:59:41 AM | 0.007 |
| 12:00:41 PM | 0.013 |
| 12:01:41 PM | 0.009 |
| 12:02:41 PM | 0.007 |
| 12:03:41 PM | 0.014 |
| 12:04:41 PM | 0.006 |
| 12:05:41 PM | 0.005 |
| 12:06:41 PM | 0.006 |
| 12:07:41 PM | 0.005 |
| 12:08:41 PM | 0.021 |
| 12:09:41 PM | 0.051 |
| 12:10:41 PM | 0.006 |
| 12:11:41 PM | 0.013 |
| 12:12:41 PM | 0.009 |
| 12:13:41 PM | 0.015 |
| 12:14:41 PM | 0.007 |
| 12:15:41 PM | 0.006 |
| 12:16:41 PM | 0.008 |
| 12:17:41 PM | 0.01  |
| 12:18:41 PM | 0.013 |
| 12:19:41 PM | 0.023 |
| 12:20:41 PM | 0.014 |
| 12:21:41 PM | 0.01  |
| 12:22:41 PM | 0.008 |
| 12:23:41 PM | 0.007 |
| 12:24:41 PM | 0.021 |
| 12:25:41 PM | 0.014 |
| 12:26:41 PM | 0.008 |
| 12:27:41 PM | 0.013 |
| 12:28:41 PM | 0.013 |
| 12:29:41 PM | 0.049 |
| 12:30:41 PM | 0.009 |

|             |       |
|-------------|-------|
| 12:31:41 PM | 0.01  |
| 12:32:41 PM | 0.007 |
| 12:33:41 PM | 0.01  |
| 12:34:41 PM | 0.013 |
| 12:35:41 PM | 0.018 |
| 12:36:41 PM | 0.01  |
| 12:37:41 PM | 0.005 |
| 12:38:41 PM | 0.005 |
| 12:39:41 PM | 0.006 |
| 12:40:41 PM | 0.008 |
| 12:41:41 PM | 0.008 |
| 12:42:41 PM | 0.007 |
| 12:43:41 PM | 0.007 |
| 12:44:41 PM | 0.007 |
| 12:45:41 PM | 0.009 |
| 12:46:41 PM | 0.008 |
| 12:47:41 PM | 0.006 |
| 12:48:41 PM | 0.01  |
| 12:49:41 PM | 0.008 |
| 12:50:41 PM | 0.011 |
| 12:51:41 PM | 0.006 |
| 12:52:41 PM | 0.015 |
| 12:53:41 PM | 0.015 |
| 12:54:41 PM | 0.009 |
| 12:55:41 PM | 0.026 |
| 12:56:41 PM | 0.028 |
| 12:57:41 PM | 0.012 |
| 12:58:41 PM | 0.013 |
| 12:59:41 PM | 0.015 |
| 1:00:41 PM  | 0.038 |
| 1:01:41 PM  | 0.014 |
| 1:02:41 PM  | 0.008 |
| 1:03:41 PM  | 0.008 |
| 1:04:41 PM  | 0.02  |
| 1:05:41 PM  | 0.007 |
| 1:06:41 PM  | 0.009 |
| 1:07:41 PM  | 0.006 |
| 1:08:41 PM  | 0.012 |
| 1:09:41 PM  | 0.013 |
| 1:10:41 PM  | 0.022 |
| 1:11:41 PM  | 0.011 |
| 1:12:41 PM  | 0.006 |
| 1:13:41 PM  | 0.006 |
| 1:14:41 PM  | 0.008 |

|            |       |
|------------|-------|
| 1:15:41 PM | 0.006 |
| 1:16:41 PM | 0.008 |
| 1:17:41 PM | 0.006 |
| 1:18:41 PM | 0.005 |
| 1:19:41 PM | 0.006 |
| 1:20:41 PM | 0.006 |
| 1:21:41 PM | 0.009 |
| 1:22:41 PM | 0.006 |
| 1:23:41 PM | 0.005 |
| 1:24:41 PM | 0.005 |
| 1:25:41 PM | 0.008 |
| 1:26:41 PM | 0.005 |
| 1:27:41 PM | 0.005 |
| 1:28:41 PM | 0.005 |
| 1:29:41 PM | 0.006 |
| 1:30:41 PM | 0.006 |
| 1:31:41 PM | 0.005 |
| 1:32:41 PM | 0.006 |
| 1:33:41 PM | 0.008 |
| 1:34:41 PM | 0.006 |
| 1:35:41 PM | 0.007 |
| 1:36:41 PM | 0.007 |
| 1:37:41 PM | 0.007 |
| 1:38:41 PM | 0.01  |
| 1:39:41 PM | 0.008 |
| 1:40:41 PM | 0.007 |
| 1:41:41 PM | 0.012 |
| 1:42:41 PM | 0.021 |
| 1:43:41 PM | 0.011 |
| 1:44:41 PM | 0.014 |
| 1:45:41 PM | 0.016 |
| 1:46:41 PM | 0.037 |
| 1:47:41 PM | 0.016 |
| 1:48:41 PM | 0.006 |
| 1:49:41 PM | 0.007 |
| 1:50:41 PM | 0.006 |
| 1:51:41 PM | 0.006 |
| 1:52:41 PM | 0.006 |
| 1:53:41 PM | 0.01  |
| 1:54:41 PM | 0.007 |
| 1:55:41 PM | 0.015 |
| 1:56:41 PM | 0.011 |
| 1:57:41 PM | 0.015 |
| 1:58:41 PM | 0.011 |

|            |       |
|------------|-------|
| 1:59:41 PM | 0.009 |
| 2:00:41 PM | 0.009 |
| 2:01:41 PM | 0.009 |
| 2:02:41 PM | 0.008 |
| 2:03:41 PM | 0.01  |
| 2:04:41 PM | 0.008 |
| 2:05:41 PM | 0.026 |
| 2:06:41 PM | 0.015 |
| 2:07:41 PM | 0.012 |
| 2:08:41 PM | 0.05  |
| 2:09:41 PM | 0.019 |
| 2:10:41 PM | 0.01  |
| 2:11:41 PM | 0.026 |
| 2:12:41 PM | 0.024 |
| 2:13:41 PM | 0.008 |
| 2:14:41 PM | 0.008 |
| 2:15:41 PM | 0.008 |
| 2:16:41 PM | 0.008 |
| 2:17:41 PM | 0.009 |
| 2:18:41 PM | 0.008 |
| 2:19:41 PM | 0.009 |
| 2:20:41 PM | 0.009 |
| 2:21:41 PM | 0.009 |
| 2:22:41 PM | 0.008 |
| 2:23:41 PM | 0.011 |
| 2:24:41 PM | 0.012 |
| 2:25:41 PM | 0.011 |
| 2:26:41 PM | 0.017 |
| 2:27:41 PM | 0.013 |
| 2:28:41 PM | 0.042 |
| 2:29:41 PM | 0.021 |
| 2:30:41 PM | 0.012 |
| 2:31:41 PM | 0.01  |
| 2:32:41 PM | 0.009 |
| 2:33:41 PM | 0.007 |
| 2:34:41 PM | 0.011 |
| 2:35:41 PM | 0.009 |
| 2:36:41 PM | 0.014 |
| 2:37:41 PM | 0.014 |
| 2:38:41 PM | 0.014 |
| 2:39:41 PM | 0.007 |
| 2:40:41 PM | 0.007 |
| 2:41:41 PM | 0.007 |
| 2:42:41 PM | 0.009 |



|            |       |
|------------|-------|
| 2:43:41 PM | 0.011 |
| 2:44:41 PM | 0.008 |
| 2:45:41 PM | 0.007 |
| 2:46:41 PM | 0.009 |
| 2:47:41 PM | 0.009 |
| 2:48:41 PM | 0.007 |
| 2:49:41 PM | 0.007 |
| 2:50:41 PM | 0.012 |
| 2:51:41 PM | 0.016 |
| 2:52:41 PM | 0.012 |
| 2:53:41 PM | 0.012 |
| 2:54:41 PM | 0.009 |
| 2:55:41 PM | 0.011 |
| 2:56:41 PM | 0.01  |
| 2:57:41 PM | 0.007 |
| 2:58:41 PM | 0.007 |
| 2:59:41 PM | 0.008 |
| 3:00:41 PM | 0.009 |
| 3:01:41 PM | 0.008 |
| 3:02:41 PM | 0.008 |
| 3:03:41 PM | 0.007 |
| 3:04:41 PM | 0.007 |
| 3:05:41 PM | 0.008 |
| 3:06:41 PM | 0.008 |
| 3:07:41 PM | 0.009 |
| 3:08:41 PM | 0.008 |
| 3:09:41 PM | 0.008 |
| 3:10:41 PM | 0.019 |
| 3:11:41 PM | 0.01  |
| 3:12:41 PM | 0.01  |
| 3:13:41 PM | 0.009 |
| 3:14:41 PM | 0.007 |
| 3:15:41 PM | 0.007 |
| 3:16:41 PM | 0.009 |
| 3:17:41 PM | 0.008 |
| 3:18:41 PM | 0.01  |
| 3:19:41 PM | 0.009 |
| 3:20:41 PM | 0.011 |
| 3:21:41 PM | 0.01  |
| 3:22:41 PM | 0.008 |
| 3:23:41 PM | 0.008 |
| 3:24:41 PM | 0.008 |
| 3:25:41 PM | 0.008 |
| 3:26:41 PM | 0.007 |

|            |       |
|------------|-------|
| 3:27:41 PM | 0.025 |
| 3:28:41 PM | 0.011 |
| 3:29:41 PM | 0.01  |
| 3:30:41 PM | 0.009 |
| 3:31:41 PM | 0.009 |
| 3:32:41 PM | 0.008 |
| 3:33:41 PM | 0.009 |
| 3:34:41 PM | 0.007 |
| 3:35:41 PM | 0.01  |
| 3:36:41 PM | 0.011 |
| 3:37:41 PM | 0.009 |
| 3:38:41 PM | 0.01  |
| 3:39:41 PM | 0.011 |
| 3:40:41 PM | 0.007 |
| 3:41:41 PM | 0.007 |
| 3:42:41 PM | 0.007 |
| 3:43:41 PM | 0.007 |
| 3:44:41 PM | 0.011 |
| 3:45:41 PM | 0.007 |
| 3:46:41 PM | 0.008 |
| 3:47:41 PM | 0.007 |
| 3:48:41 PM | 0.007 |
| 3:49:41 PM | 0.007 |
| 3:50:41 PM | 0.007 |
| 3:51:41 PM | 0.007 |
| 3:52:41 PM | 0.008 |
| 3:53:41 PM | 0.008 |
| 3:54:41 PM | 0.008 |
| 3:55:41 PM | 0.007 |
| 3:56:41 PM | 0.008 |

| Device Seri | Log Time        | Log Type | Sensor 1 Ty | Sensor 1 Serial Number | Sensor 1 St | Sensor 1 Gas Reading |
|-------------|-----------------|----------|-------------|------------------------|-------------|----------------------|
| 592-60217   | 3/21/2024 16:16 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:15 | Readings | PID         | SC23030602B4           | Normal      | 0.2                  |
| 592-60217   | 3/21/2024 16:14 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:13 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:12 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:11 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:10 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:09 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:08 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:07 | Readings | PID         | SC23030602B4           | Normal      | 0.2                  |
| 592-60217   | 3/21/2024 16:06 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:05 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:04 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:03 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:02 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:01 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 16:00 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:59 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:58 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:57 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:56 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:55 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:54 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:53 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:52 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:51 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:50 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:49 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:48 | Readings | PID         | SC23030602B4           | Normal      | 0.2                  |
| 592-60217   | 3/21/2024 15:47 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:46 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |
| 592-60217   | 3/21/2024 15:45 | Readings | PID         | SC23030602B4           | Normal      | 0.1                  |

|           |           |       |          |     |              |        |     |
|-----------|-----------|-------|----------|-----|--------------|--------|-----|
| 592-60217 | 3/21/2024 | 15:44 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:43 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:42 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:41 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:40 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:39 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:38 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:37 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:36 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:35 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:34 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:33 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:32 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:31 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:30 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:29 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:28 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:27 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:26 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:25 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:24 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:23 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:22 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:21 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:20 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:19 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:18 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:17 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:16 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:15 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 | 15:14 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:13 | Readings | PID | SC23030602B4 | Normal | 0.2 |
| 592-60217 | 3/21/2024 | 15:12 | Readings | PID | SC23030602B4 | Normal | 0.2 |

























|           |                |          |     |              |        |     |
|-----------|----------------|----------|-----|--------------|--------|-----|
| 592-60217 | 3/21/2024 9:08 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:07 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:06 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:05 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:04 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:03 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:02 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:01 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 9:00 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:59 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:58 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:57 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:56 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:55 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:54 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:53 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:52 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:51 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:50 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:49 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:48 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:47 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:46 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:45 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:44 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:43 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:42 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:41 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:40 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:39 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:38 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:37 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:36 | Readings | PID | SC23030602B4 | Normal | 0.1 |



|           |                |          |     |              |        |     |
|-----------|----------------|----------|-----|--------------|--------|-----|
| 592-60217 | 3/21/2024 8:35 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:34 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:33 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:32 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:31 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:30 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:29 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:28 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:27 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:26 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:25 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:24 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:23 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:22 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:21 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:20 | Readings | PID | SC23030602B4 | Normal | 0.1 |
| 592-60217 | 3/21/2024 8:19 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:18 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:17 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:16 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:15 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:14 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:13 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:12 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:11 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:10 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:09 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:08 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:07 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:06 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:05 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:04 | Readings | PID | SC23030602B4 | Normal | 0   |
| 592-60217 | 3/21/2024 8:03 | Readings | PID | SC23030602B4 | Normal | 0   |

|           |                |          |     |              |        |   |
|-----------|----------------|----------|-----|--------------|--------|---|
| 592-60217 | 3/21/2024 8:02 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 8:01 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 8:00 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:59 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:58 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:57 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:56 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:55 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:54 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:53 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:52 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:51 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:50 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:49 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:48 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:47 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:46 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:45 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:44 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:43 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:42 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:41 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:40 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:39 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:38 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:37 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:36 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:35 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:34 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:33 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:32 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:31 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:30 | Readings | PID | SC23030602B4 | Normal | 0 |

|           |                |          |     |              |        |   |
|-----------|----------------|----------|-----|--------------|--------|---|
| 592-60217 | 3/21/2024 7:29 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:28 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:27 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:26 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:25 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:24 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:23 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:22 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:21 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:20 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:19 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:18 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:17 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:16 | Readings | PID | SC23030602B4 | Normal | 0 |
| 592-60217 | 3/21/2024 7:15 | CONFIG   | PID | SC23030602B4 |        |   |