

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy		Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		S 7 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	03/27/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 16:00	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas/Victor Barraza Capital (Contractor) ECD (Pile Installation) GES (Geotech) Control Point-Licensed Surveyor WSP (Environmental oversight) – Tim Williams Equipment On Site: Dustrack (3x), PID (3x), Pile Rig
--	--

Scope of Work: Deploy three (3) CAMP stations; oversee backfill activities by Capital; de-water excavations; gauge sentinel wells, Control Point of Survey Endpoint Locations.

Site Activities:

- Deploy three (3) CAMP stations prior to start of site activities;
- 30 (thirty) truckloads of material from Hotspot SB-13 were disposed of offsite to the Puresoil facility;
- ECD continued with pile installation in grids M7 and M8. Refer to alpha Numeric Grip Map for grid locations;
- Footing work and vapor barrier installation in grids B7/8-D7/D8;
- Control Point surveys locations: EP-22, 26, 27, 28, 29, 33, 34, 42, 44, 47, 52, 63, 65, 66, 81, 82, Hotspot-SB-12-Bottom, Sidewall-North, South, East, West;
- Excavation of grids D5 & D6 to 10' bsg;
- Endpoint Sampling: EP-64 (10');
- High PID readings and odorous material were observed during footing excavation in G8 and partially in G7, subsequent area was then over excavated to a depth of 9' bsg. Excavation area and stockpile were covered by Poly Sheeting and one ATMOS unit was placed nearby for odor suppression.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.084_ mg/m³ @ 06:13
- High Conditions (Upwind) – PID = _0.2_ ppm @ 08:59, Dust = 0.37_ mg/m³ @ 14:31
- High Conditions (Downwind 1) – PID = _0.2_ ppm, @15:02 Dust = _0.443_ mg/m³ @ 06:58
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.38_ mg/m³ @ 13:52

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation;
- Continued over excavation of G8/G7.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of imported material being off loaded on northern portion of the Site.



Photo 2 –

Representative photo of Pile Installation in the footprint of the northern building.



Photo 3 –

Representative photo of truck wash over track pad and tarp strapping.



Photo 4 –

Representative photo of Stego vapor barrier installation and footings. Note all overlaps were sealed with Stego Tape and all perforations sealed with Stego Mastic.



Photo 5 –

Representative photo of excavation in grids G7/G8.



Photo 6 –

Representative photo of odorous soil from G7/G8 covered with poly at the end of the day.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY





UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:53:13 AM
Test Start Date	3/27/2024
Test Length [D:H:M]	0:09:10
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.059
Mass Minimum [mg/m3]	0.026
Mass Maximum [mg/m3]	0.37
Mass TWA [mg/m3]	0.058
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	550

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:53:13 AM	0.084		
6:54:13 AM	0.033		
6:55:13 AM	0.03		
6:56:13 AM	0.029		
6:57:13 AM	0.027		
6:58:13 AM	0.026		
6:59:13 AM	0.026		
7:00:13 AM	0.026		
7:01:13 AM	0.026		
7:02:13 AM	0.027		
7:03:13 AM	0.029		
7:04:13 AM	0.029		
7:05:13 AM	0.029		
7:06:13 AM	0.029		
7:07:13 AM	0.029		
7:08:13 AM	0.031		
7:09:13 AM	0.03		
7:10:13 AM	0.03		
7:11:13 AM	0.03		
7:12:13 AM	0.029		
7:13:13 AM	0.03		
7:14:13 AM	0.03		
7:15:13 AM	0.03		
7:16:13 AM	0.031		

7:17:13 AM	0.03
7:18:13 AM	0.034
7:19:13 AM	0.037
7:20:13 AM	0.04
7:21:13 AM	0.038
7:22:13 AM	0.037
7:23:13 AM	0.038
7:24:13 AM	0.038
7:25:13 AM	0.051
7:26:13 AM	0.058
7:27:13 AM	0.038
7:28:13 AM	0.039
7:29:13 AM	0.038
7:30:13 AM	0.037
7:31:13 AM	0.037
7:32:13 AM	0.036
7:33:13 AM	0.035
7:34:13 AM	0.035
7:35:13 AM	0.038
7:36:13 AM	0.04
7:37:13 AM	0.043
7:38:13 AM	0.041
7:39:13 AM	0.036
7:40:13 AM	0.036
7:41:13 AM	0.056
7:42:13 AM	0.047
7:43:13 AM	0.035
7:44:13 AM	0.037
7:45:13 AM	0.041
7:46:13 AM	0.037
7:47:13 AM	0.036
7:48:13 AM	0.035
7:49:13 AM	0.037
7:50:13 AM	0.036
7:51:13 AM	0.037
7:52:13 AM	0.037
7:53:13 AM	0.035
7:54:13 AM	0.034
7:55:13 AM	0.035
7:56:13 AM	0.037
7:57:13 AM	0.052
7:58:13 AM	0.061
7:59:13 AM	0.044
8:00:13 AM	0.033

8:01:13 AM	0.046
8:02:13 AM	0.035
8:03:13 AM	0.042
8:04:13 AM	0.038
8:05:13 AM	0.036
8:06:13 AM	0.037
8:07:13 AM	0.057
8:08:13 AM	0.034
8:09:13 AM	0.052
8:10:13 AM	0.036
8:11:13 AM	0.035
8:12:13 AM	0.064
8:13:13 AM	0.063
8:14:13 AM	0.069
8:15:13 AM	0.067
8:16:13 AM	0.061
8:17:13 AM	0.075
8:18:13 AM	0.079
8:19:13 AM	0.083
8:20:13 AM	0.05
8:21:13 AM	0.04
8:22:13 AM	0.04
8:23:13 AM	0.038
8:24:13 AM	0.037
8:25:13 AM	0.038
8:26:13 AM	0.038
8:27:13 AM	0.039
8:28:13 AM	0.039
8:29:13 AM	0.039
8:30:13 AM	0.039
8:31:13 AM	0.038
8:32:13 AM	0.038
8:33:13 AM	0.039
8:34:13 AM	0.039
8:35:13 AM	0.04
8:36:13 AM	0.041
8:37:13 AM	0.044
8:38:13 AM	0.041
8:39:13 AM	0.04
8:40:13 AM	0.04
8:41:13 AM	0.041
8:42:13 AM	0.042
8:43:13 AM	0.042
8:44:13 AM	0.049

8:45:13 AM	0.044
8:46:13 AM	0.048
8:47:13 AM	0.045
8:48:13 AM	0.042
8:49:13 AM	0.044
8:50:13 AM	0.048
8:51:13 AM	0.05
8:52:13 AM	0.049
8:53:13 AM	0.047
8:54:13 AM	0.045
8:55:13 AM	0.045
8:56:13 AM	0.05
8:57:13 AM	0.043
8:58:13 AM	0.048
8:59:13 AM	0.043
9:00:13 AM	0.044
9:01:13 AM	0.047
9:02:13 AM	0.049
9:03:13 AM	0.048
9:04:13 AM	0.044
9:05:13 AM	0.043
9:06:13 AM	0.043
9:07:13 AM	0.044
9:08:13 AM	0.043
9:09:13 AM	0.044
9:10:13 AM	0.044
9:11:13 AM	0.043
9:12:13 AM	0.043
9:13:13 AM	0.044
9:14:13 AM	0.045
9:15:13 AM	0.046
9:16:13 AM	0.046
9:17:13 AM	0.047
9:18:13 AM	0.047
9:19:13 AM	0.046
9:20:13 AM	0.047
9:21:13 AM	0.047
9:22:13 AM	0.047
9:23:13 AM	0.047
9:24:13 AM	0.047
9:25:13 AM	0.048
9:26:13 AM	0.048
9:27:13 AM	0.049
9:28:13 AM	0.052

9:29:13 AM	0.053
9:30:13 AM	0.052
9:31:13 AM	0.051
9:32:13 AM	0.051
9:33:13 AM	0.05
9:34:13 AM	0.052
9:35:13 AM	0.051
9:36:13 AM	0.051
9:37:13 AM	0.052
9:38:13 AM	0.052
9:39:13 AM	0.052
9:40:13 AM	0.051
9:41:13 AM	0.055
9:42:13 AM	0.054
9:43:13 AM	0.056
9:44:13 AM	0.058
9:45:13 AM	0.055
9:46:13 AM	0.052
9:47:13 AM	0.051
9:48:13 AM	0.053
9:49:13 AM	0.054
9:50:13 AM	0.057
9:51:13 AM	0.06
9:52:13 AM	0.055
9:53:13 AM	0.055
9:54:13 AM	0.056
9:55:13 AM	0.055
9:56:13 AM	0.056
9:57:13 AM	0.057
9:58:13 AM	0.056
9:59:13 AM	0.056
10:00:13 AM	0.056
10:01:13 AM	0.054
10:02:13 AM	0.055
10:03:13 AM	0.056
10:04:13 AM	0.056
10:05:13 AM	0.056
10:06:13 AM	0.055
10:07:13 AM	0.055
10:08:13 AM	0.055
10:09:13 AM	0.056
10:10:13 AM	0.056
10:11:13 AM	0.055
10:12:13 AM	0.055

10:13:13 AM	0.055
10:14:13 AM	0.055
10:15:13 AM	0.056
10:16:13 AM	0.056
10:17:13 AM	0.057
10:18:13 AM	0.058
10:19:13 AM	0.056
10:20:13 AM	0.056
10:21:13 AM	0.057
10:22:13 AM	0.057
10:23:13 AM	0.057
10:24:13 AM	0.058
10:25:13 AM	0.058
10:26:13 AM	0.057
10:27:13 AM	0.058
10:28:13 AM	0.057
10:29:13 AM	0.056
10:30:13 AM	0.057
10:31:13 AM	0.058
10:32:13 AM	0.06
10:33:13 AM	0.058
10:34:13 AM	0.058
10:35:13 AM	0.058
10:36:13 AM	0.06
10:37:13 AM	0.06
10:38:13 AM	0.061
10:39:13 AM	0.063
10:40:13 AM	0.06
10:41:13 AM	0.059
10:42:13 AM	0.059
10:43:13 AM	0.06
10:44:13 AM	0.06
10:45:13 AM	0.059
10:46:13 AM	0.059
10:47:13 AM	0.059
10:48:13 AM	0.058
10:49:13 AM	0.058
10:50:13 AM	0.063
10:51:13 AM	0.06
10:52:13 AM	0.06
10:53:13 AM	0.059
10:54:13 AM	0.059
10:55:13 AM	0.058
10:56:13 AM	0.058

10:57:13 AM	0.06
10:58:13 AM	0.06
10:59:13 AM	0.061
11:00:13 AM	0.062
11:01:13 AM	0.061
11:02:13 AM	0.066
11:03:13 AM	0.061
11:04:13 AM	0.061
11:05:13 AM	0.062
11:06:13 AM	0.061
11:07:13 AM	0.064
11:08:13 AM	0.062
11:09:13 AM	0.063
11:10:13 AM	0.062
11:11:13 AM	0.062
11:12:13 AM	0.062
11:13:13 AM	0.063
11:14:13 AM	0.064
11:15:13 AM	0.062
11:16:13 AM	0.062
11:17:13 AM	0.062
11:18:13 AM	0.062
11:19:13 AM	0.062
11:20:13 AM	0.074
11:21:13 AM	0.063
11:22:13 AM	0.062
11:23:13 AM	0.062
11:24:13 AM	0.061
11:25:13 AM	0.061
11:26:13 AM	0.062
11:27:13 AM	0.065
11:28:13 AM	0.062
11:29:13 AM	0.066
11:30:13 AM	0.065
11:31:13 AM	0.065
11:32:13 AM	0.068
11:33:13 AM	0.066
11:34:13 AM	0.071
11:35:13 AM	0.07
11:36:13 AM	0.073
11:37:13 AM	0.07
11:38:13 AM	0.067
11:39:13 AM	0.062
11:40:13 AM	0.068

11:41:13 AM	0.075
11:42:13 AM	0.073
11:43:13 AM	0.074
11:44:13 AM	0.072
11:45:13 AM	0.07
11:46:13 AM	0.066
11:47:13 AM	0.059
11:48:13 AM	0.06
11:49:13 AM	0.059
11:50:13 AM	0.058
11:51:13 AM	0.058
11:52:13 AM	0.061
11:53:13 AM	0.058
11:54:13 AM	0.059
11:55:13 AM	0.059
11:56:13 AM	0.059
11:57:13 AM	0.06
11:58:13 AM	0.058
11:59:13 AM	0.058
12:00:13 PM	0.059
12:01:13 PM	0.059
12:02:13 PM	0.061
12:03:13 PM	0.06
12:04:13 PM	0.057
12:05:13 PM	0.06
12:06:13 PM	0.057
12:07:13 PM	0.056
12:08:13 PM	0.055
12:09:13 PM	0.056
12:10:13 PM	0.056
12:11:13 PM	0.055
12:12:13 PM	0.053
12:13:13 PM	0.052
12:14:13 PM	0.051
12:15:13 PM	0.053
12:16:13 PM	0.06
12:17:13 PM	0.054
12:18:13 PM	0.079
12:19:13 PM	0.064
12:20:13 PM	0.056
12:21:13 PM	0.056
12:22:13 PM	0.053
12:23:13 PM	0.054
12:24:13 PM	0.056

12:25:13 PM	0.054
12:26:13 PM	0.054
12:27:13 PM	0.053
12:28:13 PM	0.053
12:29:13 PM	0.052
12:30:13 PM	0.053
12:31:13 PM	0.053
12:32:13 PM	0.053
12:33:13 PM	0.053
12:34:13 PM	0.052
12:35:13 PM	0.054
12:36:13 PM	0.056
12:37:13 PM	0.057
12:38:13 PM	0.055
12:39:13 PM	0.058
12:40:13 PM	0.055
12:41:13 PM	0.055
12:42:13 PM	0.056
12:43:13 PM	0.061
12:44:13 PM	0.064
12:45:13 PM	0.055
12:46:13 PM	0.054
12:47:13 PM	0.057
12:48:13 PM	0.058
12:49:13 PM	0.056
12:50:13 PM	0.056
12:51:13 PM	0.057
12:52:13 PM	0.055
12:53:13 PM	0.055
12:54:13 PM	0.06
12:55:13 PM	0.068
12:56:13 PM	0.059
12:57:13 PM	0.054
12:58:13 PM	0.055
12:59:13 PM	0.053
1:00:13 PM	0.053
1:01:13 PM	0.053
1:02:13 PM	0.053
1:03:13 PM	0.054
1:04:13 PM	0.053
1:05:13 PM	0.055
1:06:13 PM	0.054
1:07:13 PM	0.054
1:08:13 PM	0.054

1:09:13 PM	0.053
1:10:13 PM	0.054
1:11:13 PM	0.057
1:12:13 PM	0.058
1:13:13 PM	0.06
1:14:13 PM	0.064
1:15:13 PM	0.062
1:16:13 PM	0.061
1:17:13 PM	0.061
1:18:13 PM	0.062
1:19:13 PM	0.063
1:20:13 PM	0.062
1:21:13 PM	0.064
1:22:13 PM	0.064
1:23:13 PM	0.062
1:24:13 PM	0.062
1:25:13 PM	0.068
1:26:13 PM	0.065
1:27:13 PM	0.061
1:28:13 PM	0.06
1:29:13 PM	0.058
1:30:13 PM	0.057
1:31:13 PM	0.056
1:32:13 PM	0.056
1:33:13 PM	0.057
1:34:13 PM	0.057
1:35:13 PM	0.06
1:36:13 PM	0.058
1:37:13 PM	0.059
1:38:13 PM	0.058
1:39:13 PM	0.057
1:40:13 PM	0.058
1:41:13 PM	0.059
1:42:13 PM	0.06
1:43:13 PM	0.06
1:44:13 PM	0.06
1:45:13 PM	0.06
1:46:13 PM	0.058
1:47:13 PM	0.058
1:48:13 PM	0.058
1:49:13 PM	0.059
1:50:13 PM	0.062
1:51:13 PM	0.064
1:52:13 PM	0.064

1:53:13 PM	0.066
1:54:13 PM	0.064
1:55:13 PM	0.064
1:56:13 PM	0.062
1:57:13 PM	0.06
1:58:13 PM	0.064
1:59:13 PM	0.065
2:00:13 PM	0.067
2:01:13 PM	0.064
2:02:13 PM	0.066
2:03:13 PM	0.081
2:04:13 PM	0.064
2:05:13 PM	0.064
2:06:13 PM	0.065
2:07:13 PM	0.066
2:08:13 PM	0.069
2:09:13 PM	0.101
2:10:13 PM	0.076
2:11:13 PM	0.07
2:12:13 PM	0.071
2:13:13 PM	0.077
2:14:13 PM	0.07
2:15:13 PM	0.069
2:16:13 PM	0.069
2:17:13 PM	0.071
2:18:13 PM	0.072
2:19:13 PM	0.069
2:20:13 PM	0.069
2:21:13 PM	0.07
2:22:13 PM	0.07
2:23:13 PM	0.07
2:24:13 PM	0.066
2:25:13 PM	0.064
2:26:13 PM	0.069
2:27:13 PM	0.089
2:28:13 PM	0.156
2:29:13 PM	0.114
2:30:13 PM	0.309
2:31:13 PM	0.37
2:32:13 PM	0.097
2:33:13 PM	0.37
2:34:13 PM	0.338
2:35:13 PM	0.271
2:36:13 PM	0.091

2:37:13 PM	0.082
2:38:13 PM	0.073
2:39:13 PM	0.068
2:40:13 PM	0.068
2:41:13 PM	0.069
2:42:13 PM	0.07
2:43:13 PM	0.067
2:44:13 PM	0.066
2:45:13 PM	0.067
2:46:13 PM	0.068
2:47:13 PM	0.068
2:48:13 PM	0.068
2:49:13 PM	0.069
2:50:13 PM	0.067
2:51:13 PM	0.068
2:52:13 PM	0.067
2:53:13 PM	0.068
2:54:13 PM	0.069
2:55:13 PM	0.078
2:56:13 PM	0.075
2:57:13 PM	0.07
2:58:13 PM	0.07
2:59:13 PM	0.072
3:00:13 PM	0.072
3:01:13 PM	0.073
3:02:13 PM	0.074
3:03:13 PM	0.076
3:04:13 PM	0.083
3:05:13 PM	0.073
3:06:13 PM	0.069
3:07:13 PM	0.074
3:08:13 PM	0.074
3:09:13 PM	0.072
3:10:13 PM	0.073
3:11:13 PM	0.07
3:12:13 PM	0.069
3:13:13 PM	0.071
3:14:13 PM	0.07
3:15:13 PM	0.069
3:16:13 PM	0.068
3:17:13 PM	0.072
3:18:13 PM	0.071
3:19:13 PM	0.074
3:20:13 PM	0.073

3:21:13 PM	0.072
3:22:13 PM	0.077
3:23:13 PM	0.075
3:24:13 PM	0.075
3:25:13 PM	0.076
3:26:13 PM	0.079
3:27:13 PM	0.081
3:28:13 PM	0.076
3:29:13 PM	0.075
3:30:13 PM	0.077
3:31:13 PM	0.078
3:32:13 PM	0.076
3:33:13 PM	0.076
3:34:13 PM	0.081
3:35:13 PM	0.076
3:36:13 PM	0.078
3:37:13 PM	0.077
3:38:13 PM	0.074
3:39:13 PM	0.074
3:40:13 PM	0.075
3:41:13 PM	0.075
3:42:13 PM	0.075
3:43:13 PM	0.075
3:44:13 PM	0.078
3:45:13 PM	0.084
3:46:13 PM	0.086
3:47:13 PM	0.082
3:48:13 PM	0.076
3:49:13 PM	0.071
3:50:13 PM	0.07
3:51:13 PM	0.068
3:52:13 PM	0.069
3:53:13 PM	0.067
3:54:13 PM	0.067
3:55:13 PM	0.064
3:56:13 PM	0.061
3:57:13 PM	0.06
3:58:13 PM	0.056
3:59:13 PM	0.056
4:00:13 PM	0.056
4:01:13 PM	0.059
4:02:13 PM	0.055

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	3/27/2024 16:43	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:42	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:40	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:39	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:38	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:37	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:35	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:34	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:33	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:32	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:31	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:30	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:29	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:28	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:27	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:26	Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 16:25	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:24	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:23	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:22	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:21	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:17	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:15	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:14	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:13	Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:12	Readings	PID	SC23030449A8	Normal	0

592-600853	3/27/2024 16:11 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 16:09 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:08 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:07 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:06 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:05 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 16:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 16:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 16:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 15:56 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/27/2024 15:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:48 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:47 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:45 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:44 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:43 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:39 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	3/27/2024 15:05 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:03 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 15:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 14:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:48 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 14:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:45 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:44 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:43 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 14:33 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

592-600853	3/27/2024 12:20 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:19 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:18 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:17 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:16 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:15 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:14 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:13 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:12 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:11 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:10 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:09 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:08 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:07 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:06 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 12:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:03 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 12:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:59 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:57 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 11:48 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	3/27/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	3/27/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:22 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:21 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:20 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:19 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:18 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:17 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:16 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:15 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:14 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:13 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:11 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:10 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:09 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:08 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:07 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:06 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:05 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:04 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:03 Readings	PID	SC23030449A8	Normal	0

592-600853	3/27/2024 9:02 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:01 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:59 Readings	PID	SC23030449A8	Normal	0.2
592-600853	3/27/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 8:30 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	3/27/2024 7:56 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:55 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:54 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:51 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:32 CONFIG	PID	SC23030449A8		
592-600853	3/27/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	3/27/2024 7:22 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_004
Test Start Time	6:58:05 AM
Test Start Date	3/27/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.068
Mass Minimum [mg/m3]	0.029
Mass Maximum [mg/m3]	0.443
Mass TWA [mg/m3]	0.067
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:05 AM	0.443		
6:59:05 AM	0.032		
7:00:05 AM	0.03		
7:01:05 AM	0.029		
7:02:05 AM	0.029		
7:03:05 AM	0.029		
7:04:05 AM	0.029		
7:05:05 AM	0.03		
7:06:05 AM	0.031		
7:07:05 AM	0.031		
7:08:05 AM	0.036		
7:09:05 AM	0.036		
7:10:05 AM	0.032		
7:11:05 AM	0.031		
7:12:05 AM	0.031		
7:13:05 AM	0.037		
7:14:05 AM	0.033		
7:15:05 AM	0.033		
7:16:05 AM	0.039		
7:17:05 AM	0.037		
7:18:05 AM	0.032		
7:19:05 AM	0.032		
7:20:05 AM	0.099		
7:21:05 AM	0.05		

7:22:05 AM	0.037
7:23:05 AM	0.032
7:24:05 AM	0.035
7:25:05 AM	0.035
7:26:05 AM	0.057
7:27:05 AM	0.053
7:28:05 AM	0.039
7:29:05 AM	0.04
7:30:05 AM	0.042
7:31:05 AM	0.054
7:32:05 AM	0.044
7:33:05 AM	0.044
7:34:05 AM	0.043
7:35:05 AM	0.039
7:36:05 AM	0.039
7:37:05 AM	0.042
7:38:05 AM	0.04
7:39:05 AM	0.037
7:40:05 AM	0.041
7:41:05 AM	0.041
7:42:05 AM	0.041
7:43:05 AM	0.039
7:44:05 AM	0.038
7:45:05 AM	0.037
7:46:05 AM	0.036
7:47:05 AM	0.038
7:48:05 AM	0.036
7:49:05 AM	0.035
7:50:05 AM	0.035
7:51:05 AM	0.038
7:52:05 AM	0.05
7:53:05 AM	0.046
7:54:05 AM	0.042
7:55:05 AM	0.059
7:56:05 AM	0.073
7:57:05 AM	0.077
7:58:05 AM	0.067
7:59:05 AM	0.045
8:00:05 AM	0.035
8:01:05 AM	0.036
8:02:05 AM	0.036
8:03:05 AM	0.036
8:04:05 AM	0.037
8:05:05 AM	0.045

8:06:05 AM	0.047
8:07:05 AM	0.038
8:08:05 AM	0.039
8:09:05 AM	0.04
8:10:05 AM	0.043
8:11:05 AM	0.047
8:12:05 AM	0.047
8:13:05 AM	0.041
8:14:05 AM	0.038
8:15:05 AM	0.039
8:16:05 AM	0.043
8:17:05 AM	0.081
8:18:05 AM	0.041
8:19:05 AM	0.039
8:20:05 AM	0.039
8:21:05 AM	0.039
8:22:05 AM	0.041
8:23:05 AM	0.048
8:24:05 AM	0.043
8:25:05 AM	0.045
8:26:05 AM	0.043
8:27:05 AM	0.041
8:28:05 AM	0.045
8:29:05 AM	0.047
8:30:05 AM	0.046
8:31:05 AM	0.043
8:32:05 AM	0.05
8:33:05 AM	0.051
8:34:05 AM	0.046
8:35:05 AM	0.065
8:36:05 AM	0.07
8:37:05 AM	0.057
8:38:05 AM	0.051
8:39:05 AM	0.048
8:40:05 AM	0.059
8:41:05 AM	0.058
8:42:05 AM	0.046
8:43:05 AM	0.046
8:44:05 AM	0.053
8:45:05 AM	0.047
8:46:05 AM	0.048
8:47:05 AM	0.046
8:48:05 AM	0.043
8:49:05 AM	0.044

8:50:05 AM	0.047
8:51:05 AM	0.051
8:52:05 AM	0.046
8:53:05 AM	0.051
8:54:05 AM	0.046
8:55:05 AM	0.096
8:56:05 AM	0.054
8:57:05 AM	0.047
8:58:05 AM	0.047
8:59:05 AM	0.045
9:00:05 AM	0.045
9:01:05 AM	0.051
9:02:05 AM	0.047
9:03:05 AM	0.06
9:04:05 AM	0.063
9:05:05 AM	0.12
9:06:05 AM	0.273
9:07:05 AM	0.346
9:08:05 AM	0.247
9:09:05 AM	0.094
9:10:05 AM	0.049
9:11:05 AM	0.051
9:12:05 AM	0.047
9:13:05 AM	0.066
9:14:05 AM	0.076
9:15:05 AM	0.074
9:16:05 AM	0.051
9:17:05 AM	0.059
9:18:05 AM	0.052
9:19:05 AM	0.051
9:20:05 AM	0.059
9:21:05 AM	0.07
9:22:05 AM	0.056
9:23:05 AM	0.077
9:24:05 AM	0.163
9:25:05 AM	0.074
9:26:05 AM	0.055
9:27:05 AM	0.058
9:28:05 AM	0.054
9:29:05 AM	0.063
9:30:05 AM	0.061
9:31:05 AM	0.074
9:32:05 AM	0.075
9:33:05 AM	0.064

9:34:05 AM	0.058
9:35:05 AM	0.058
9:36:05 AM	0.057
9:37:05 AM	0.056
9:38:05 AM	0.057
9:39:05 AM	0.055
9:40:05 AM	0.062
9:41:05 AM	0.057
9:42:05 AM	0.056
9:43:05 AM	0.057
9:44:05 AM	0.059
9:45:05 AM	0.058
9:46:05 AM	0.056
9:47:05 AM	0.059
9:48:05 AM	0.059
9:49:05 AM	0.056
9:50:05 AM	0.055
9:51:05 AM	0.055
9:52:05 AM	0.055
9:53:05 AM	0.055
9:54:05 AM	0.057
9:55:05 AM	0.056
9:56:05 AM	0.056
9:57:05 AM	0.055
9:58:05 AM	0.065
9:59:05 AM	0.057
10:00:05 AM	0.056
10:01:05 AM	0.055
10:02:05 AM	0.058
10:03:05 AM	0.059
10:04:05 AM	0.06
10:05:05 AM	0.06
10:06:05 AM	0.061
10:07:05 AM	0.06
10:08:05 AM	0.06
10:09:05 AM	0.06
10:10:05 AM	0.061
10:11:05 AM	0.062
10:12:05 AM	0.061
10:13:05 AM	0.06
10:14:05 AM	0.061
10:15:05 AM	0.062
10:16:05 AM	0.06
10:17:05 AM	0.06

10:18:05 AM	0.061
10:19:05 AM	0.06
10:20:05 AM	0.063
10:21:05 AM	0.062
10:22:05 AM	0.059
10:23:05 AM	0.06
10:24:05 AM	0.06
10:25:05 AM	0.061
10:26:05 AM	0.063
10:27:05 AM	0.062
10:28:05 AM	0.062
10:29:05 AM	0.061
10:30:05 AM	0.062
10:31:05 AM	0.064
10:32:05 AM	0.062
10:33:05 AM	0.067
10:34:05 AM	0.07
10:35:05 AM	0.064
10:36:05 AM	0.066
10:37:05 AM	0.068
10:38:05 AM	0.066
10:39:05 AM	0.069
10:40:05 AM	0.07
10:41:05 AM	0.072
10:42:05 AM	0.075
10:43:05 AM	0.07
10:44:05 AM	0.07
10:45:05 AM	0.074
10:46:05 AM	0.069
10:47:05 AM	0.067
10:48:05 AM	0.064
10:49:05 AM	0.065
10:50:05 AM	0.064
10:51:05 AM	0.064
10:52:05 AM	0.065
10:53:05 AM	0.067
10:54:05 AM	0.065
10:55:05 AM	0.067
10:56:05 AM	0.066
10:57:05 AM	0.069
10:58:05 AM	0.07
10:59:05 AM	0.069
11:00:05 AM	0.077
11:01:05 AM	0.067

11:02:05 AM	0.069
11:03:05 AM	0.073
11:04:05 AM	0.073
11:05:05 AM	0.072
11:06:05 AM	0.075
11:07:05 AM	0.073
11:08:05 AM	0.077
11:09:05 AM	0.098
11:10:05 AM	0.076
11:11:05 AM	0.081
11:12:05 AM	0.082
11:13:05 AM	0.074
11:14:05 AM	0.075
11:15:05 AM	0.073
11:16:05 AM	0.073
11:17:05 AM	0.073
11:18:05 AM	0.073
11:19:05 AM	0.076
11:20:05 AM	0.074
11:21:05 AM	0.073
11:22:05 AM	0.077
11:23:05 AM	0.082
11:24:05 AM	0.084
11:25:05 AM	0.082
11:26:05 AM	0.083
11:27:05 AM	0.086
11:28:05 AM	0.084
11:29:05 AM	0.078
11:30:05 AM	0.079
11:31:05 AM	0.094
11:32:05 AM	0.116
11:33:05 AM	0.102
11:34:05 AM	0.089
11:35:05 AM	0.085
11:36:05 AM	0.083
11:37:05 AM	0.083
11:38:05 AM	0.082
11:39:05 AM	0.087
11:40:05 AM	0.105
11:41:05 AM	0.187
11:42:05 AM	0.107
11:43:05 AM	0.086
11:44:05 AM	0.086
11:45:05 AM	0.092

11:46:05 AM	0.077
11:47:05 AM	0.066
11:48:05 AM	0.065
11:49:05 AM	0.067
11:50:05 AM	0.064
11:51:05 AM	0.068
11:52:05 AM	0.066
11:53:05 AM	0.076
11:54:05 AM	0.076
11:55:05 AM	0.073
11:56:05 AM	0.07
11:57:05 AM	0.068
11:58:05 AM	0.066
11:59:05 AM	0.066
12:00:05 PM	0.067
12:01:05 PM	0.066
12:02:05 PM	0.071
12:03:05 PM	0.066
12:04:05 PM	0.066
12:05:05 PM	0.089
12:06:05 PM	0.078
12:07:05 PM	0.062
12:08:05 PM	0.067
12:09:05 PM	0.068
12:10:05 PM	0.06
12:11:05 PM	0.058
12:12:05 PM	0.058
12:13:05 PM	0.059
12:14:05 PM	0.06
12:15:05 PM	0.059
12:16:05 PM	0.06
12:17:05 PM	0.061
12:18:05 PM	0.063
12:19:05 PM	0.08
12:20:05 PM	0.104
12:21:05 PM	0.086
12:22:05 PM	0.183
12:23:05 PM	0.106
12:24:05 PM	0.072
12:25:05 PM	0.072
12:26:05 PM	0.064
12:27:05 PM	0.063
12:28:05 PM	0.064
12:29:05 PM	0.073

12:30:05 PM	0.063
12:31:05 PM	0.062
12:32:05 PM	0.06
12:33:05 PM	0.063
12:34:05 PM	0.064
12:35:05 PM	0.065
12:36:05 PM	0.063
12:37:05 PM	0.063
12:38:05 PM	0.066
12:39:05 PM	0.065
12:40:05 PM	0.067
12:41:05 PM	0.063
12:42:05 PM	0.072
12:43:05 PM	0.067
12:44:05 PM	0.07
12:45:05 PM	0.07
12:46:05 PM	0.062
12:47:05 PM	0.063
12:48:05 PM	0.062
12:49:05 PM	0.068
12:50:05 PM	0.064
12:51:05 PM	0.062
12:52:05 PM	0.062
12:53:05 PM	0.062
12:54:05 PM	0.062
12:55:05 PM	0.061
12:56:05 PM	0.061
12:57:05 PM	0.062
12:58:05 PM	0.061
12:59:05 PM	0.065
1:00:05 PM	0.062
1:01:05 PM	0.062
1:02:05 PM	0.062
1:03:05 PM	0.064
1:04:05 PM	0.069
1:05:05 PM	0.071
1:06:05 PM	0.102
1:07:05 PM	0.072
1:08:05 PM	0.068
1:09:05 PM	0.069
1:10:05 PM	0.073
1:11:05 PM	0.068
1:12:05 PM	0.067
1:13:05 PM	0.067

1:14:05 PM	0.067
1:15:05 PM	0.072
1:16:05 PM	0.077
1:17:05 PM	0.081
1:18:05 PM	0.086
1:19:05 PM	0.071
1:20:05 PM	0.067
1:21:05 PM	0.068
1:22:05 PM	0.069
1:23:05 PM	0.07
1:24:05 PM	0.07
1:25:05 PM	0.071
1:26:05 PM	0.07
1:27:05 PM	0.069
1:28:05 PM	0.069
1:29:05 PM	0.069
1:30:05 PM	0.07
1:31:05 PM	0.07
1:32:05 PM	0.073
1:33:05 PM	0.075
1:34:05 PM	0.079
1:35:05 PM	0.082
1:36:05 PM	0.089
1:37:05 PM	0.074
1:38:05 PM	0.074
1:39:05 PM	0.078
1:40:05 PM	0.078
1:41:05 PM	0.073
1:42:05 PM	0.077
1:43:05 PM	0.082
1:44:05 PM	0.083
1:45:05 PM	0.075
1:46:05 PM	0.077
1:47:05 PM	0.078
1:48:05 PM	0.074
1:49:05 PM	0.071
1:50:05 PM	0.072
1:51:05 PM	0.074
1:52:05 PM	0.07
1:53:05 PM	0.069
1:54:05 PM	0.071
1:55:05 PM	0.074
1:56:05 PM	0.076
1:57:05 PM	0.095

1:58:05 PM	0.123
1:59:05 PM	0.091
2:00:05 PM	0.081
2:01:05 PM	0.074
2:02:05 PM	0.075
2:03:05 PM	0.074
2:04:05 PM	0.074
2:05:05 PM	0.072
2:06:05 PM	0.074
2:07:05 PM	0.075
2:08:05 PM	0.079
2:09:05 PM	0.079
2:10:05 PM	0.077
2:11:05 PM	0.077
2:12:05 PM	0.08
2:13:05 PM	0.083
2:14:05 PM	0.083
2:15:05 PM	0.08
2:16:05 PM	0.077
2:17:05 PM	0.077
2:18:05 PM	0.076
2:19:05 PM	0.075
2:20:05 PM	0.079
2:21:05 PM	0.078
2:22:05 PM	0.117
2:23:05 PM	0.079
2:24:05 PM	0.074
2:25:05 PM	0.079
2:26:05 PM	0.079
2:27:05 PM	0.084
2:28:05 PM	0.084
2:29:05 PM	0.08
2:30:05 PM	0.084
2:31:05 PM	0.078
2:32:05 PM	0.078
2:33:05 PM	0.074
2:34:05 PM	0.079
2:35:05 PM	0.075
2:36:05 PM	0.078
2:37:05 PM	0.079
2:38:05 PM	0.077
2:39:05 PM	0.078
2:40:05 PM	0.076
2:41:05 PM	0.074

2:42:05 PM	0.079
2:43:05 PM	0.077
2:44:05 PM	0.077
2:45:05 PM	0.074
2:46:05 PM	0.077
2:47:05 PM	0.078
2:48:05 PM	0.074
2:49:05 PM	0.079
2:50:05 PM	0.076
2:51:05 PM	0.075
2:52:05 PM	0.074
2:53:05 PM	0.075
2:54:05 PM	0.075
2:55:05 PM	0.075
2:56:05 PM	0.075
2:57:05 PM	0.084
2:58:05 PM	0.084
2:59:05 PM	0.08
3:00:05 PM	0.08
3:01:05 PM	0.078
3:02:05 PM	0.077
3:03:05 PM	0.08
3:04:05 PM	0.077
3:05:05 PM	0.078
3:06:05 PM	0.079
3:07:05 PM	0.084
3:08:05 PM	0.077
3:09:05 PM	0.078
3:10:05 PM	0.079
3:11:05 PM	0.079
3:12:05 PM	0.078
3:13:05 PM	0.077
3:14:05 PM	0.078
3:15:05 PM	0.079
3:16:05 PM	0.08
3:17:05 PM	0.081
3:18:05 PM	0.086
3:19:05 PM	0.091
3:20:05 PM	0.088
3:21:05 PM	0.085
3:22:05 PM	0.083
3:23:05 PM	0.083
3:24:05 PM	0.084
3:25:05 PM	0.084

3:26:05 PM	0.082
3:27:05 PM	0.081
3:28:05 PM	0.082
3:29:05 PM	0.08
3:30:05 PM	0.08
3:31:05 PM	0.081
3:32:05 PM	0.082
3:33:05 PM	0.081
3:34:05 PM	0.081
3:35:05 PM	0.082
3:36:05 PM	0.082
3:37:05 PM	0.081
3:38:05 PM	0.081
3:39:05 PM	0.081
3:40:05 PM	0.081
3:41:05 PM	0.08
3:42:05 PM	0.08
3:43:05 PM	0.08
3:44:05 PM	0.08
3:45:05 PM	0.079
3:46:05 PM	0.08
3:47:05 PM	0.078
3:48:05 PM	0.077
3:49:05 PM	0.077
3:50:05 PM	0.075
3:51:05 PM	0.083
3:52:05 PM	0.08
3:53:05 PM	0.075
3:54:05 PM	0.071
3:55:05 PM	0.068
3:56:05 PM	0.066
3:57:05 PM	0.065
3:58:05 PM	0.061
3:59:05 PM	0.06
4:00:05 PM	0.063
4:01:05 PM	0.062
4:02:05 PM	0.061

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	3/27/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:16	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:15	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:14	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:13	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:12	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:11	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:10	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:09	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:08	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:07	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:06	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:05	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:04	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:03	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:02	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:01	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 16:00	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 15:59	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 15:58	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 15:57	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 15:56	Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 15:55	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	3/27/2024 7:39 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:38 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:37 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:36 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:35 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:34 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:33 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:32 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:31 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:30 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:28 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:27 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:26 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:25 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:24 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:23 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:22 Readings	PID	SC23030140W3	Normal	0
592-000289	3/27/2024 7:21 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_004
Test Start Time	6:56:48 AM
Test Start Date	3/27/2024
Test Length [D:H:M]	0:09:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.063
Mass Minimum [mg/m3]	0.028
Mass Maximum [mg/m3]	0.38
Mass TWA [mg/m3]	0.06
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	545

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:56:48 AM	0.139		
6:57:48 AM	0.032		
6:58:48 AM	0.034		
6:59:48 AM	0.033		
7:00:48 AM	0.033		
7:01:48 AM	0.029		
7:02:48 AM	0.029		
7:03:48 AM	0.028		
7:04:48 AM	0.029		
7:05:48 AM	0.029		
7:06:48 AM	0.031		
7:07:48 AM	0.031		
7:08:48 AM	0.032		
7:09:48 AM	0.034		
7:10:48 AM	0.034		
7:11:48 AM	0.032		
7:12:48 AM	0.035		
7:13:48 AM	0.03		
7:14:48 AM	0.037		
7:15:48 AM	0.046		
7:16:48 AM	0.03		
7:17:48 AM	0.03		
7:18:48 AM	0.03		
7:19:48 AM	0.031		

7:20:48 AM	0.035
7:21:48 AM	0.032
7:22:48 AM	0.031
7:23:48 AM	0.031
7:24:48 AM	0.04
7:25:48 AM	0.045
7:26:48 AM	0.038
7:27:48 AM	0.032
7:28:48 AM	0.033
7:29:48 AM	0.039
7:30:48 AM	0.051
7:31:48 AM	0.034
7:32:48 AM	0.035
7:33:48 AM	0.035
7:34:48 AM	0.035
7:35:48 AM	0.036
7:36:48 AM	0.038
7:37:48 AM	0.037
7:38:48 AM	0.036
7:39:48 AM	0.044
7:40:48 AM	0.037
7:41:48 AM	0.038
7:42:48 AM	0.037
7:43:48 AM	0.041
7:44:48 AM	0.036
7:45:48 AM	0.035
7:46:48 AM	0.035
7:47:48 AM	0.035
7:48:48 AM	0.034
7:49:48 AM	0.037
7:50:48 AM	0.086
7:51:48 AM	0.074
7:52:48 AM	0.064
7:53:48 AM	0.056
7:54:48 AM	0.045
7:55:48 AM	0.041
7:56:48 AM	0.038
7:57:48 AM	0.039
7:58:48 AM	0.041
7:59:48 AM	0.039
8:00:48 AM	0.036
8:01:48 AM	0.035
8:02:48 AM	0.036
8:03:48 AM	0.036

8:04:48 AM	0.037
8:05:48 AM	0.037
8:06:48 AM	0.038
8:07:48 AM	0.038
8:08:48 AM	0.039
8:09:48 AM	0.039
8:10:48 AM	0.041
8:11:48 AM	0.043
8:12:48 AM	0.039
8:13:48 AM	0.038
8:14:48 AM	0.038
8:15:48 AM	0.038
8:16:48 AM	0.039
8:17:48 AM	0.043
8:18:48 AM	0.038
8:19:48 AM	0.038
8:20:48 AM	0.039
8:21:48 AM	0.04
8:22:48 AM	0.041
8:23:48 AM	0.041
8:24:48 AM	0.041
8:25:48 AM	0.042
8:26:48 AM	0.04
8:27:48 AM	0.041
8:28:48 AM	0.046
8:29:48 AM	0.042
8:30:48 AM	0.042
8:31:48 AM	0.041
8:32:48 AM	0.042
8:33:48 AM	0.084
8:34:48 AM	0.047
8:35:48 AM	0.048
8:36:48 AM	0.047
8:37:48 AM	0.045
8:38:48 AM	0.048
8:39:48 AM	0.06
8:40:48 AM	0.117
8:41:48 AM	0.085
8:42:48 AM	0.05
8:43:48 AM	0.042
8:44:48 AM	0.042
8:45:48 AM	0.042
8:46:48 AM	0.043
8:47:48 AM	0.043

8:48:48 AM	0.046
8:49:48 AM	0.048
8:50:48 AM	0.045
8:51:48 AM	0.054
8:52:48 AM	0.053
8:53:48 AM	0.045
8:54:48 AM	0.046
8:55:48 AM	0.045
8:56:48 AM	0.045
8:57:48 AM	0.047
8:58:48 AM	0.044
8:59:48 AM	0.043
9:00:48 AM	0.045
9:01:48 AM	0.044
9:02:48 AM	0.045
9:03:48 AM	0.048
9:04:48 AM	0.046
9:05:48 AM	0.06
9:06:48 AM	0.047
9:07:48 AM	0.046
9:08:48 AM	0.056
9:09:48 AM	0.048
9:10:48 AM	0.058
9:11:48 AM	0.055
9:12:48 AM	0.046
9:13:48 AM	0.045
9:14:48 AM	0.047
9:15:48 AM	0.05
9:16:48 AM	0.058
9:17:48 AM	0.05
9:18:48 AM	0.049
9:19:48 AM	0.05
9:20:48 AM	0.052
9:21:48 AM	0.057
9:22:48 AM	0.066
9:23:48 AM	0.054
9:24:48 AM	0.053
9:25:48 AM	0.05
9:26:48 AM	0.05
9:27:48 AM	0.052
9:28:48 AM	0.057
9:29:48 AM	0.056
9:30:48 AM	0.057
9:31:48 AM	0.063

9:32:48 AM	0.06
9:33:48 AM	0.058
9:34:48 AM	0.056
9:35:48 AM	0.055
9:36:48 AM	0.055
9:37:48 AM	0.055
9:38:48 AM	0.054
9:39:48 AM	0.053
9:40:48 AM	0.055
9:41:48 AM	0.053
9:42:48 AM	0.054
9:43:48 AM	0.054
9:44:48 AM	0.054
9:45:48 AM	0.055
9:46:48 AM	0.053
9:47:48 AM	0.054
9:48:48 AM	0.054
9:49:48 AM	0.06
9:50:48 AM	0.055
9:51:48 AM	0.055
9:52:48 AM	0.055
9:53:48 AM	0.056
9:54:48 AM	0.054
9:55:48 AM	0.053
9:56:48 AM	0.054
9:57:48 AM	0.054
9:58:48 AM	0.054
9:59:48 AM	0.055
10:00:48 AM	0.055
10:01:48 AM	0.055
10:02:48 AM	0.056
10:03:48 AM	0.057
10:04:48 AM	0.057
10:05:48 AM	0.057
10:06:48 AM	0.059
10:07:48 AM	0.058
10:08:48 AM	0.057
10:09:48 AM	0.057
10:10:48 AM	0.057
10:11:48 AM	0.059
10:12:48 AM	0.059
10:13:48 AM	0.06
10:14:48 AM	0.059
10:15:48 AM	0.06

10:16:48 AM	0.058
10:17:48 AM	0.062
10:18:48 AM	0.059
10:19:48 AM	0.063
10:20:48 AM	0.059
10:21:48 AM	0.057
10:22:48 AM	0.058
10:23:48 AM	0.057
10:24:48 AM	0.058
10:25:48 AM	0.059
10:26:48 AM	0.062
10:27:48 AM	0.062
10:28:48 AM	0.069
10:29:48 AM	0.067
10:30:48 AM	0.071
10:31:48 AM	0.07
10:32:48 AM	0.067
10:33:48 AM	0.071
10:34:48 AM	0.064
10:35:48 AM	0.065
10:36:48 AM	0.076
10:37:48 AM	0.065
10:38:48 AM	0.064
10:39:48 AM	0.064
10:40:48 AM	0.064
10:41:48 AM	0.061
10:42:48 AM	0.061
10:43:48 AM	0.07
10:44:48 AM	0.072
10:45:48 AM	0.067
10:46:48 AM	0.065
10:47:48 AM	0.062
10:48:48 AM	0.061
10:49:48 AM	0.061
10:50:48 AM	0.062
10:51:48 AM	0.063
10:52:48 AM	0.064
10:53:48 AM	0.063
10:54:48 AM	0.063
10:55:48 AM	0.063
10:56:48 AM	0.064
10:57:48 AM	0.063
10:58:48 AM	0.066
10:59:48 AM	0.065

11:00:48 AM	0.066
11:01:48 AM	0.065
11:02:48 AM	0.066
11:03:48 AM	0.068
11:04:48 AM	0.068
11:05:48 AM	0.068
11:06:48 AM	0.067
11:07:48 AM	0.07
11:08:48 AM	0.067
11:09:48 AM	0.073
11:10:48 AM	0.09
11:11:48 AM	0.076
11:12:48 AM	0.069
11:13:48 AM	0.068
11:14:48 AM	0.068
11:15:48 AM	0.069
11:16:48 AM	0.069
11:17:48 AM	0.07
11:18:48 AM	0.092
11:19:48 AM	0.073
11:20:48 AM	0.07
11:21:48 AM	0.069
11:22:48 AM	0.072
11:23:48 AM	0.085
11:24:48 AM	0.074
11:25:48 AM	0.071
11:26:48 AM	0.069
11:27:48 AM	0.076
11:28:48 AM	0.078
11:29:48 AM	0.071
11:30:48 AM	0.073
11:31:48 AM	0.075
11:32:48 AM	0.081
11:33:48 AM	0.074
11:34:48 AM	0.072
11:35:48 AM	0.069
11:36:48 AM	0.067
11:37:48 AM	0.074
11:38:48 AM	0.086
11:39:48 AM	0.089
11:40:48 AM	0.074
11:41:48 AM	0.07
11:42:48 AM	0.075
11:43:48 AM	0.081

11:44:48 AM	0.071
11:45:48 AM	0.061
11:46:48 AM	0.061
11:47:48 AM	0.061
11:48:48 AM	0.061
11:49:48 AM	0.059
11:50:48 AM	0.06
11:51:48 AM	0.06
11:52:48 AM	0.106
11:53:48 AM	0.069
11:54:48 AM	0.061
11:55:48 AM	0.061
11:56:48 AM	0.058
11:57:48 AM	0.061
11:58:48 AM	0.063
11:59:48 AM	0.062
12:00:48 PM	0.062
12:01:48 PM	0.061
12:02:48 PM	0.059
12:03:48 PM	0.057
12:04:48 PM	0.059
12:05:48 PM	0.059
12:06:48 PM	0.058
12:07:48 PM	0.061
12:08:48 PM	0.06
12:09:48 PM	0.056
12:10:48 PM	0.055
12:11:48 PM	0.055
12:12:48 PM	0.056
12:13:48 PM	0.057
12:14:48 PM	0.056
12:15:48 PM	0.055
12:16:48 PM	0.058
12:17:48 PM	0.057
12:18:48 PM	0.057
12:19:48 PM	0.057
12:20:48 PM	0.06
12:21:48 PM	0.057
12:22:48 PM	0.067
12:23:48 PM	0.063
12:24:48 PM	0.059
12:25:48 PM	0.057
12:26:48 PM	0.056
12:27:48 PM	0.064

12:28:48 PM	0.061
12:29:48 PM	0.061
12:30:48 PM	0.058
12:31:48 PM	0.058
12:32:48 PM	0.068
12:33:48 PM	0.057
12:34:48 PM	0.058
12:35:48 PM	0.058
12:36:48 PM	0.066
12:37:48 PM	0.059
12:38:48 PM	0.059
12:39:48 PM	0.058
12:40:48 PM	0.06
12:41:48 PM	0.06
12:42:48 PM	0.059
12:43:48 PM	0.064
12:44:48 PM	0.063
12:45:48 PM	0.068
12:46:48 PM	0.06
12:47:48 PM	0.059
12:48:48 PM	0.057
12:49:48 PM	0.057
12:50:48 PM	0.06
12:51:48 PM	0.058
12:52:48 PM	0.059
12:53:48 PM	0.057
12:54:48 PM	0.057
12:55:48 PM	0.058
12:56:48 PM	0.057
12:57:48 PM	0.057
12:58:48 PM	0.06
12:59:48 PM	0.058
1:00:48 PM	0.059
1:01:48 PM	0.059
1:02:48 PM	0.062
1:03:48 PM	0.099
1:04:48 PM	0.064
1:05:48 PM	0.066
1:06:48 PM	0.061
1:07:48 PM	0.06
1:08:48 PM	0.062
1:09:48 PM	0.066
1:10:48 PM	0.062
1:11:48 PM	0.063

1:12:48 PM	0.062
1:13:48 PM	0.062
1:14:48 PM	0.063
1:15:48 PM	0.07
1:16:48 PM	0.073
1:17:48 PM	0.069
1:18:48 PM	0.063
1:19:48 PM	0.064
1:20:48 PM	0.065
1:21:48 PM	0.067
1:22:48 PM	0.064
1:23:48 PM	0.07
1:24:48 PM	0.065
1:25:48 PM	0.065
1:26:48 PM	0.065
1:27:48 PM	0.064
1:28:48 PM	0.065
1:29:48 PM	0.065
1:30:48 PM	0.066
1:31:48 PM	0.066
1:32:48 PM	0.067
1:33:48 PM	0.078
1:34:48 PM	0.071
1:35:48 PM	0.067
1:36:48 PM	0.067
1:37:48 PM	0.068
1:38:48 PM	0.068
1:39:48 PM	0.066
1:40:48 PM	0.067
1:41:48 PM	0.067
1:42:48 PM	0.07
1:43:48 PM	0.067
1:44:48 PM	0.071
1:45:48 PM	0.168
1:46:48 PM	0.072
1:47:48 PM	0.066
1:48:48 PM	0.065
1:49:48 PM	0.171
1:50:48 PM	0.071
1:51:48 PM	0.112
1:52:48 PM	0.38
1:53:48 PM	0.131
1:54:48 PM	0.068
1:55:48 PM	0.067

1:56:48 PM	0.071
1:57:48 PM	0.084
1:58:48 PM	0.123
1:59:48 PM	0.088
2:00:48 PM	0.074
2:01:48 PM	0.074
2:02:48 PM	0.078
2:03:48 PM	0.07
2:04:48 PM	0.069
2:05:48 PM	0.068
2:06:48 PM	0.07
2:07:48 PM	0.072
2:08:48 PM	0.07
2:09:48 PM	0.072
2:10:48 PM	0.072
2:11:48 PM	0.073
2:12:48 PM	0.072
2:13:48 PM	0.071
2:14:48 PM	0.072
2:15:48 PM	0.073
2:16:48 PM	0.072
2:17:48 PM	0.072
2:18:48 PM	0.072
2:19:48 PM	0.072
2:20:48 PM	0.072
2:21:48 PM	0.072
2:22:48 PM	0.074
2:23:48 PM	0.071
2:24:48 PM	0.083
2:25:48 PM	0.09
2:26:48 PM	0.075
2:27:48 PM	0.073
2:28:48 PM	0.074
2:29:48 PM	0.073
2:30:48 PM	0.071
2:31:48 PM	0.07
2:32:48 PM	0.07
2:33:48 PM	0.077
2:34:48 PM	0.075
2:35:48 PM	0.073
2:36:48 PM	0.074
2:37:48 PM	0.073
2:38:48 PM	0.071
2:39:48 PM	0.07

2:40:48 PM	0.075
2:41:48 PM	0.073
2:42:48 PM	0.068
2:43:48 PM	0.069
2:44:48 PM	0.068
2:45:48 PM	0.068
2:46:48 PM	0.084
2:47:48 PM	0.077
2:48:48 PM	0.071
2:49:48 PM	0.067
2:50:48 PM	0.082
2:51:48 PM	0.076
2:52:48 PM	0.107
2:53:48 PM	0.082
2:54:48 PM	0.075
2:55:48 PM	0.072
2:56:48 PM	0.072
2:57:48 PM	0.073
2:58:48 PM	0.08
2:59:48 PM	0.077
3:00:48 PM	0.078
3:01:48 PM	0.084
3:02:48 PM	0.106
3:03:48 PM	0.075
3:04:48 PM	0.074
3:05:48 PM	0.073
3:06:48 PM	0.073
3:07:48 PM	0.073
3:08:48 PM	0.073
3:09:48 PM	0.081
3:10:48 PM	0.088
3:11:48 PM	0.082
3:12:48 PM	0.076
3:13:48 PM	0.073
3:14:48 PM	0.073
3:15:48 PM	0.075
3:16:48 PM	0.235
3:17:48 PM	0.209
3:18:48 PM	0.156
3:19:48 PM	0.12
3:20:48 PM	0.082
3:21:48 PM	0.089
3:22:48 PM	0.077
3:23:48 PM	0.079

3:24:48 PM	0.079
3:25:48 PM	0.078
3:26:48 PM	0.075
3:27:48 PM	0.075
3:28:48 PM	0.076
3:29:48 PM	0.075
3:30:48 PM	0.075
3:31:48 PM	0.075
3:32:48 PM	0.076
3:33:48 PM	0.076
3:34:48 PM	0.078
3:35:48 PM	0.078
3:36:48 PM	0.075
3:37:48 PM	0.074
3:38:48 PM	0.074
3:39:48 PM	0.075
3:40:48 PM	0.074
3:41:48 PM	0.074
3:42:48 PM	0.073
3:43:48 PM	0.073
3:44:48 PM	0.072
3:45:48 PM	0.072
3:46:48 PM	0.074
3:47:48 PM	0.075
3:48:48 PM	0.072
3:49:48 PM	0.069
3:50:48 PM	0.07
3:51:48 PM	0.07
3:52:48 PM	0.07
3:53:48 PM	0.067
3:54:48 PM	0.066
3:55:48 PM	0.062
3:56:48 PM	0.061
3:57:48 PM	0.057
3:58:48 PM	0.057
3:59:48 PM	0.062
4:00:48 PM	0.063

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	3/27/2024 16:26	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:25	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:24	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:23	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:22	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:21	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:20	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:19	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:18	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:17	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:16	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:15	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:14	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:13	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:12	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:11	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:10	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:09	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:08	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:07	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:06	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:05	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:04	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:03	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:02	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:01	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 16:00	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 15:59	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 15:58	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 15:57	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 15:56	Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 15:55	Readings	PID	SC23030602B4	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	3/27/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:28 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:22 Readings	PID	SC23030602B4	Normal	0
592-602176	3/27/2024 7:21 CONFIG	PID	SC23030602B4		