

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain	X	Overcast		Partly Cloudy		Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		SW 10 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	04/02/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:45 Time Out: 16:15	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas/Victor Barraza/Hector Miranda Capital (Contractor) ECD (Pile Installation) GES (Geotech) WSP (Environmental oversight) – Tim Williams Equipment On Site: Dustrack (3x), PID (3x), Pile Rig

Scope of Work: Deploy three (3) CAMP stations; oversee backfill activities by Capital; de-water excavations; gauge sentinel wells, continued low-flow groundwater sampling event.

Site Activities:

- Deploy three (3) CAMP stations prior to start of site activities;
- Depth to water gauging within all 14 sentinel wells for dewatering purposes;
- ECD continued with pile installation in grids M/O7-8. Refer to alpha Numeric Grip Map for grid locations;
- Forty-three (43) truckloads of approved crushed limestone imported on Site;
- Backfilling of grids G4, F4, & E4;
- Dewatering Sewer was active, sumps located in grid D4, F5 & D6;
- Low flow groundwater sampling of the following Sentinel wells: GW-17B, MW-1, MW-3, MW-5A, MW-21 A & B;
- Rebar installation, footing work in G7-B7 and F8-B8;
- Perimeter check was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site. The storm drain closest to the Presidents Street gate was cleaned and a new filter sock was installed.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.059_ mg/m³ @ 06:50
- High Conditions (Upwind) – PID = _3.7_ ppm @ 14:36, Dust = 0.074_ mg/m³ @ 08:08
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 14:37, Dust = _0.169_ mg/m³ @ 11:49
- High Conditions (Downwind 2) – PID = _0.6_ ppm @ 10:23, Dust = _0.106_ mg/m³ @ 11:43

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Endpoint sampling;
- Further grid excavation; and
- Continued low flow groundwater sampling.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of backfilling in the southern lot.



Photo 2 –

Representative photo of low-flow ground water sampling.



Photo 3 –

Representative
photo of
compaction of
backfill material.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8.53E+09
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_007
Test Start Time	#####
Test Start Date	4/2/2024
Test Length [D:H:M]	0:09:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.041
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.074
Mass TWA [mg/m3]	0.047
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	566

Elapsed Time [s]	Mass [mg/n	Alarms	Errors
6:50:16 AM	0.059		
6:51:16 AM	0.056		
6:52:16 AM	0.055		
6:53:16 AM	0.056		
6:54:16 AM	0.054		
6:55:16 AM	0.054		
6:56:16 AM	0.051		
6:57:16 AM	0.052		
6:58:16 AM	0.05		
6:59:16 AM	0.049		
7:00:16 AM	0.049		
7:01:16 AM	0.049		
7:02:16 AM	0.049		
7:03:16 AM	0.051		
7:04:16 AM	0.05		
7:05:16 AM	0.048		
7:06:16 AM	0.048		
7:07:16 AM	0.05		
7:08:16 AM	0.049		
7:09:16 AM	0.049		
7:10:16 AM	0.049		
7:11:16 AM	0.048		
7:12:16 AM	0.046		
7:13:16 AM	0.046		

7:14:16 AM	0.045
7:15:16 AM	0.044
7:16:16 AM	0.044
7:17:16 AM	0.044
7:18:16 AM	0.044
7:19:16 AM	0.045
7:20:16 AM	0.045
7:21:16 AM	0.053
7:22:16 AM	0.072
7:23:16 AM	0.049
7:24:16 AM	0.047
7:25:16 AM	0.047
7:26:16 AM	0.052
7:27:16 AM	0.048
7:28:16 AM	0.048
7:29:16 AM	0.048
7:30:16 AM	0.048
7:31:16 AM	0.048
7:32:16 AM	0.049
7:33:16 AM	0.049
7:34:16 AM	0.049
7:35:16 AM	0.05
7:36:16 AM	0.05
7:37:16 AM	0.051
7:38:16 AM	0.051
7:39:16 AM	0.05
7:40:16 AM	0.051
7:41:16 AM	0.051
7:42:16 AM	0.051
7:43:16 AM	0.051
7:44:16 AM	0.052
7:45:16 AM	0.057
7:46:16 AM	0.059
7:47:16 AM	0.056
7:48:16 AM	0.055
7:49:16 AM	0.055
7:50:16 AM	0.055
7:51:16 AM	0.055
7:52:16 AM	0.055
7:53:16 AM	0.055
7:54:16 AM	0.056
7:55:16 AM	0.056
7:56:16 AM	0.057
7:57:16 AM	0.059

7:58:16 AM	0.058
7:59:16 AM	0.058
8:00:16 AM	0.066
8:01:16 AM	0.065
8:02:16 AM	0.066
8:03:16 AM	0.068
8:04:16 AM	0.073
8:05:16 AM	0.064
8:06:16 AM	0.065
8:07:16 AM	0.063
8:08:16 AM	0.074
8:09:16 AM	0.066
8:10:16 AM	0.063
8:11:16 AM	0.062
8:12:16 AM	0.062
8:13:16 AM	0.062
8:14:16 AM	0.062
8:15:16 AM	0.063
8:16:16 AM	0.063
8:17:16 AM	0.063
8:18:16 AM	0.063
8:19:16 AM	0.063
8:20:16 AM	0.066
8:21:16 AM	0.07
8:22:16 AM	0.066
8:23:16 AM	0.064
8:24:16 AM	0.071
8:25:16 AM	0.068
8:26:16 AM	0.063
8:27:16 AM	0.063
8:28:16 AM	0.063
8:29:16 AM	0.063
8:30:16 AM	0.062
8:31:16 AM	0.062
8:32:16 AM	0.063
8:33:16 AM	0.063
8:34:16 AM	0.063
8:35:16 AM	0.063
8:36:16 AM	0.063
8:37:16 AM	0.063
8:38:16 AM	0.063
8:39:16 AM	0.064
8:40:16 AM	0.065
8:41:16 AM	0.065

8:42:16 AM	0.065
8:43:16 AM	0.065
8:44:16 AM	0.064
8:45:16 AM	0.065
8:46:16 AM	0.065
8:47:16 AM	0.066
8:48:16 AM	0.066
8:49:16 AM	0.066
8:50:16 AM	0.066
8:51:16 AM	0.066
8:52:16 AM	0.067
8:53:16 AM	0.066
8:54:16 AM	0.066
8:55:16 AM	0.067
8:56:16 AM	0.066
8:57:16 AM	0.067
8:58:16 AM	0.067
8:59:16 AM	0.067
9:00:16 AM	0.068
9:01:16 AM	0.07
9:02:16 AM	0.069
9:03:16 AM	0.069
9:04:16 AM	0.069
9:05:16 AM	0.071
9:06:16 AM	0.07
9:07:16 AM	0.07
9:08:16 AM	0.069
9:09:16 AM	0.071
9:10:16 AM	0.071
9:11:16 AM	0.071
9:12:16 AM	0.071
9:13:16 AM	0.071
9:14:16 AM	0.071
9:15:16 AM	0.07
9:16:16 AM	0.072
9:17:16 AM	0.071
9:18:16 AM	0.07
9:19:16 AM	0.071
9:20:16 AM	0.071
9:21:16 AM	0.07
9:22:16 AM	0.069
9:23:16 AM	0.061
9:24:16 AM	0.055
9:25:16 AM	0.051

9:26:16 AM	0.049
9:27:16 AM	0.049
9:28:16 AM	0.049
9:29:16 AM	0.05
9:30:16 AM	0.051
9:31:16 AM	0.052
9:32:16 AM	0.052
9:33:16 AM	0.05
9:34:16 AM	0.048
9:35:16 AM	0.049
9:36:16 AM	0.049
9:37:16 AM	0.047
9:38:16 AM	0.046
9:39:16 AM	0.046
9:40:16 AM	0.048
9:41:16 AM	0.05
9:42:16 AM	0.048
9:43:16 AM	0.049
9:44:16 AM	0.05
9:45:16 AM	0.049
9:46:16 AM	0.049
9:47:16 AM	0.05
9:48:16 AM	0.047
9:49:16 AM	0.046
9:50:16 AM	0.045
9:51:16 AM	0.045
9:52:16 AM	0.045
9:53:16 AM	0.043
9:54:16 AM	0.044
9:55:16 AM	0.047
9:56:16 AM	0.045
9:57:16 AM	0.046
9:58:16 AM	0.045
9:59:16 AM	0.047
10:00:16 AM	0.045
10:01:16 AM	0.049
10:02:16 AM	0.046
10:03:16 AM	0.044
10:04:16 AM	0.042
10:05:16 AM	0.042
10:06:16 AM	0.041
10:07:16 AM	0.042
10:08:16 AM	0.043
10:09:16 AM	0.042

10:10:16 AM	0.042
10:11:16 AM	0.041
10:12:16 AM	0.04
10:13:16 AM	0.04
10:14:16 AM	0.04
10:15:16 AM	0.04
10:16:16 AM	0.039
10:17:16 AM	0.039
10:18:16 AM	0.04
10:19:16 AM	0.04
10:20:16 AM	0.041
10:21:16 AM	0.041
10:22:16 AM	0.04
10:23:16 AM	0.04
10:24:16 AM	0.04
10:25:16 AM	0.039
10:26:16 AM	0.039
10:27:16 AM	0.039
10:28:16 AM	0.039
10:29:16 AM	0.04
10:30:16 AM	0.04
10:31:16 AM	0.042
10:32:16 AM	0.043
10:33:16 AM	0.041
10:34:16 AM	0.04
10:35:16 AM	0.041
10:36:16 AM	0.041
10:37:16 AM	0.042
10:38:16 AM	0.04
10:39:16 AM	0.04
10:40:16 AM	0.04
10:41:16 AM	0.04
10:42:16 AM	0.041
10:43:16 AM	0.043
10:44:16 AM	0.042
10:45:16 AM	0.042
10:46:16 AM	0.041
10:47:16 AM	0.041
10:48:16 AM	0.042
10:49:16 AM	0.041
10:50:16 AM	0.042
10:51:16 AM	0.043
10:52:16 AM	0.043
10:53:16 AM	0.044

10:54:16 AM	0.043
10:55:16 AM	0.042
10:56:16 AM	0.042
10:57:16 AM	0.043
10:58:16 AM	0.043
10:59:16 AM	0.043
11:00:16 AM	0.043
11:01:16 AM	0.043
11:02:16 AM	0.043
11:03:16 AM	0.044
11:04:16 AM	0.049
11:05:16 AM	0.05
11:06:16 AM	0.046
11:07:16 AM	0.044
11:08:16 AM	0.044
11:09:16 AM	0.045
11:10:16 AM	0.045
11:11:16 AM	0.044
11:12:16 AM	0.043
11:13:16 AM	0.044
11:14:16 AM	0.044
11:15:16 AM	0.044
11:16:16 AM	0.047
11:17:16 AM	0.046
11:18:16 AM	0.045
11:19:16 AM	0.045
11:20:16 AM	0.046
11:21:16 AM	0.046
11:22:16 AM	0.045
11:23:16 AM	0.045
11:24:16 AM	0.047
11:25:16 AM	0.048
11:26:16 AM	0.047
11:27:16 AM	0.047
11:28:16 AM	0.047
11:29:16 AM	0.046
11:30:16 AM	0.046
11:31:16 AM	0.047
11:32:16 AM	0.047
11:33:16 AM	0.047
11:34:16 AM	0.047
11:35:16 AM	0.047
11:36:16 AM	0.049
11:37:16 AM	0.049

11:38:16 AM	0.049
11:39:16 AM	0.048
11:40:16 AM	0.048
11:41:16 AM	0.05
11:42:16 AM	0.051
11:43:16 AM	0.051
11:44:16 AM	0.052
11:45:16 AM	0.052
11:46:16 AM	0.052
11:47:16 AM	0.05
11:48:16 AM	0.048
11:49:16 AM	0.049
11:50:16 AM	0.049
11:51:16 AM	0.05
11:52:16 AM	0.05
11:53:16 AM	0.051
11:54:16 AM	0.05
11:55:16 AM	0.049
11:56:16 AM	0.047
11:57:16 AM	0.047
11:58:16 AM	0.048
11:59:16 AM	0.05
12:00:16 PM	0.051
12:01:16 PM	0.052
12:02:16 PM	0.052
12:03:16 PM	0.05
12:04:16 PM	0.051
12:05:16 PM	0.057
12:06:16 PM	0.057
12:07:16 PM	0.054
12:08:16 PM	0.055
12:09:16 PM	0.053
12:10:16 PM	0.053
12:11:16 PM	0.052
12:12:16 PM	0.051
12:13:16 PM	0.051
12:14:16 PM	0.05
12:15:16 PM	0.051
12:16:16 PM	0.051
12:17:16 PM	0.05
12:18:16 PM	0.049
12:19:16 PM	0.05
12:20:16 PM	0.05
12:21:16 PM	0.051

12:22:16 PM	0.051
12:23:16 PM	0.051
12:24:16 PM	0.055
12:25:16 PM	0.054
12:26:16 PM	0.054
12:27:16 PM	0.055
12:28:16 PM	0.057
12:29:16 PM	0.058
12:30:16 PM	0.056
12:31:16 PM	0.056
12:32:16 PM	0.055
12:33:16 PM	0.055
12:34:16 PM	0.056
12:35:16 PM	0.056
12:36:16 PM	0.061
12:37:16 PM	0.058
12:38:16 PM	0.057
12:39:16 PM	0.057
12:40:16 PM	0.057
12:41:16 PM	0.058
12:42:16 PM	0.058
12:43:16 PM	0.057
12:44:16 PM	0.06
12:45:16 PM	0.059
12:46:16 PM	0.058
12:47:16 PM	0.072
12:48:16 PM	0.057
12:49:16 PM	0.054
12:50:16 PM	0.054
12:51:16 PM	0.054
12:52:16 PM	0.053
12:53:16 PM	0.052
12:54:16 PM	0.052
12:55:16 PM	0.053
12:56:16 PM	0.053
12:57:16 PM	0.055
12:58:16 PM	0.053
12:59:16 PM	0.052
1:00:16 PM	0.053
1:01:16 PM	0.052
1:02:16 PM	0.048
1:03:16 PM	0.048
1:04:16 PM	0.045
1:05:16 PM	0.045

1:06:16 PM	0.046
1:07:16 PM	0.045
1:08:16 PM	0.042
1:09:16 PM	0.041
1:10:16 PM	0.04
1:11:16 PM	0.04
1:12:16 PM	0.038
1:13:16 PM	0.036
1:14:16 PM	0.036
1:15:16 PM	0.036
1:16:16 PM	0.037
1:17:16 PM	0.036
1:18:16 PM	0.036
1:19:16 PM	0.035
1:20:16 PM	0.035
1:21:16 PM	0.034
1:22:16 PM	0.035
1:23:16 PM	0.035
1:24:16 PM	0.035
1:25:16 PM	0.035
1:26:16 PM	0.033
1:27:16 PM	0.033
1:28:16 PM	0.032
1:29:16 PM	0.032
1:30:16 PM	0.032
1:31:16 PM	0.033
1:32:16 PM	0.033
1:33:16 PM	0.033
1:34:16 PM	0.032
1:35:16 PM	0.031
1:36:16 PM	0.031
1:37:16 PM	0.03
1:38:16 PM	0.028
1:39:16 PM	0.029
1:40:16 PM	0.027
1:41:16 PM	0.024
1:42:16 PM	0.023
1:43:16 PM	0.024
1:44:16 PM	0.024
1:45:16 PM	0.024
1:46:16 PM	0.026
1:47:16 PM	0.025
1:48:16 PM	0.025
1:49:16 PM	0.024

1:50:16 PM	0.023
1:51:16 PM	0.023
1:52:16 PM	0.022
1:53:16 PM	0.023
1:54:16 PM	0.023
1:55:16 PM	0.022
1:56:16 PM	0.022
1:57:16 PM	0.022
1:58:16 PM	0.022
1:59:16 PM	0.022
2:00:16 PM	0.023
2:01:16 PM	0.023
2:02:16 PM	0.022
2:03:16 PM	0.022
2:04:16 PM	0.022
2:05:16 PM	0.022
2:06:16 PM	0.021
2:07:16 PM	0.022
2:08:16 PM	0.021
2:09:16 PM	0.022
2:10:16 PM	0.022
2:11:16 PM	0.022
2:12:16 PM	0.022
2:13:16 PM	0.021
2:14:16 PM	0.022
2:15:16 PM	0.022
2:16:16 PM	0.022
2:17:16 PM	0.021
2:18:16 PM	0.018
2:19:16 PM	0.017
2:20:16 PM	0.017
2:21:16 PM	0.016
2:22:16 PM	0.016
2:23:16 PM	0.016
2:24:16 PM	0.015
2:25:16 PM	0.015
2:26:16 PM	0.015
2:27:16 PM	0.015
2:28:16 PM	0.015
2:29:16 PM	0.015
2:30:16 PM	0.015
2:31:16 PM	0.015
2:32:16 PM	0.016
2:33:16 PM	0.016

2:34:16 PM	0.015
2:35:16 PM	0.016
2:36:16 PM	0.016
2:37:16 PM	0.016
2:38:16 PM	0.016
2:39:16 PM	0.015
2:40:16 PM	0.016
2:41:16 PM	0.016
2:42:16 PM	0.016
2:43:16 PM	0.018
2:44:16 PM	0.016
2:45:16 PM	0.015
2:46:16 PM	0.014
2:47:16 PM	0.014
2:48:16 PM	0.014
2:49:16 PM	0.014
2:50:16 PM	0.014
2:51:16 PM	0.014
2:52:16 PM	0.014
2:53:16 PM	0.013
2:54:16 PM	0.013
2:55:16 PM	0.014
2:56:16 PM	0.015
2:57:16 PM	0.016
2:58:16 PM	0.016
2:59:16 PM	0.017
3:00:16 PM	0.015
3:01:16 PM	0.016
3:02:16 PM	0.016
3:03:16 PM	0.015
3:04:16 PM	0.016
3:05:16 PM	0.016
3:06:16 PM	0.014
3:07:16 PM	0.011
3:08:16 PM	0.011
3:09:16 PM	0.01
3:10:16 PM	0.011
3:11:16 PM	0.011
3:12:16 PM	0.01
3:13:16 PM	0.009
3:14:16 PM	0.009
3:15:16 PM	0.011
3:16:16 PM	0.01
3:17:16 PM	0.01

3:18:16 PM	0.01
3:19:16 PM	0.01
3:20:16 PM	0.011
3:21:16 PM	0.011
3:22:16 PM	0.011
3:23:16 PM	0.011
3:24:16 PM	0.009
3:25:16 PM	0.01
3:26:16 PM	0.01
3:27:16 PM	0.01
3:28:16 PM	0.009
3:29:16 PM	0.009
3:30:16 PM	0.009
3:31:16 PM	0.011
3:32:16 PM	0.011
3:33:16 PM	0.01
3:34:16 PM	0.011
3:35:16 PM	0.018
3:36:16 PM	0.011
3:37:16 PM	0.01
3:38:16 PM	0.01
3:39:16 PM	0.009
3:40:16 PM	0.01
3:41:16 PM	0.01
3:42:16 PM	0.01
3:43:16 PM	0.011
3:44:16 PM	0.011
3:45:16 PM	0.011
3:46:16 PM	0.012
3:47:16 PM	0.014
3:48:16 PM	0.015
3:49:16 PM	0.011
3:50:16 PM	0.012
3:51:16 PM	0.012
3:52:16 PM	0.012
3:53:16 PM	0.011
3:54:16 PM	0.01
3:55:16 PM	0.011
3:56:16 PM	0.01
3:57:16 PM	0.009
3:58:16 PM	0.01
3:59:16 PM	0.01
4:00:16 PM	0.011
4:01:16 PM	0.012

4:02:16 PM	0.011
4:03:16 PM	0.012
4:04:16 PM	0.01
4:05:16 PM	0.009
4:06:16 PM	0.01
4:07:16 PM	0.009
4:08:16 PM	0.01
4:09:16 PM	0.01
4:10:16 PM	0.009
4:11:16 PM	0.01
4:12:16 PM	0.011
4:13:16 PM	0.011
4:14:16 PM	0.011
4:15:16 PM	0.012

Device	Seri	Log Time	Log Type	Sensor 1 Ty	Sensor 1 Serial Number	Sensor 1 St	Sensor 1 Gas Reading
592-00028		4/2/2024 16:50	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:50	Readings	PID	SC23030602B4	Normal	0.3
592-00028		4/2/2024 16:50	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:50	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:49	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:49	Readings	PID	SC23030602B4	Normal	0.3
592-00028		4/2/2024 16:49	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:49	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:48	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:48	Readings	PID	SC23030602B4	Normal	0.4
592-00028		4/2/2024 16:48	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:48	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:47	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:47	Readings	PID	SC23030602B4	Normal	0.4
592-00028		4/2/2024 16:47	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:47	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:46	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:46	Readings	PID	SC23030602B4	Normal	0.4
592-00028		4/2/2024 16:46	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:46	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:45	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:45	Readings	PID	SC23030602B4	Normal	0.3
592-00028		4/2/2024 16:45	Readings	PID	SC23030602B4	Normal	0.1
592-00028		4/2/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:45	Readings	PID	SC23030140W3	Normal	0
592-00028		4/2/2024 16:44	Readings	PID	SC23030602B4	Normal	0.2
592-00028		4/2/2024 16:44	Readings	PID	SC23030602B4	Normal	0.2

592-00028	4/2/2024 16:44	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:44	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:44	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:43	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:43	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:43	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:43	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:43	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:42	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:42	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:42	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:42	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:42	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:41	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:41	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:41	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:41	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:41	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:40	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:40	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:40	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:40	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:40	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:39	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:39	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:39	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:39	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:39	Readings	PID	SC23030140W3	Normal	0

592-00028	4/2/2024 16:39	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:38	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:38	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:38	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:38	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:38	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:37	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:37	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:37	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:37	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:37	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:36	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:36	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:36	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:35	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:35	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:35	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:35	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:34	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:34	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:34	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:34	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:34	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:33	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:33	Readings	PID	SC23030602B4	Normal	0.2

592-00028	4/2/2024 16:33	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:33	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:33	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:32	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:32	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:32	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:32	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:32	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:32	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:31	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:31	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:30	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.3

592-00028	4/2/2024 16:29 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:29 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:29 Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:29 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:28 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:28 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:28 Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:28 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:27 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:27 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:27 Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:27 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:27 Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:26 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

592-00028	4/2/2024 16:21	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:21	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:20	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.3
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.1
592-00028	4/2/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:19	Readings	PID	SC23030140W3	Normal	0.1
592-00028	4/2/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-00028	4/2/2024 16:18	Readings	PID	SC23030602B4	Normal	0.2
592-00028	4/2/2024 16:18	Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_008
Test Start Time	6:58:14 AM
Test Start Date	4/2/2024
Test Length [D:H:M]	0:09:25
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.051
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.169
Mass TWA [mg/m3]	0.058
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	565

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:14 AM	0.066		
6:59:14 AM	0.073		
7:00:14 AM	0.058		
7:01:14 AM	0.058		
7:02:14 AM	0.064		
7:03:14 AM	0.057		
7:04:14 AM	0.056		
7:05:14 AM	0.054		
7:06:14 AM	0.052		
7:07:14 AM	0.052		
7:08:14 AM	0.052		
7:09:14 AM	0.055		
7:10:14 AM	0.054		
7:11:14 AM	0.053		
7:12:14 AM	0.052		
7:13:14 AM	0.051		
7:14:14 AM	0.053		
7:15:14 AM	0.049		
7:16:14 AM	0.049		
7:17:14 AM	0.05		
7:18:14 AM	0.052		
7:19:14 AM	0.052		
7:20:14 AM	0.051		
7:21:14 AM	0.05		

7:22:14 AM	0.05
7:23:14 AM	0.05
7:24:14 AM	0.049
7:25:14 AM	0.051
7:26:14 AM	0.049
7:27:14 AM	0.051
7:28:14 AM	0.053
7:29:14 AM	0.053
7:30:14 AM	0.053
7:31:14 AM	0.054
7:32:14 AM	0.056
7:33:14 AM	0.084
7:34:14 AM	0.058
7:35:14 AM	0.056
7:36:14 AM	0.056
7:37:14 AM	0.059
7:38:14 AM	0.058
7:39:14 AM	0.063
7:40:14 AM	0.062
7:41:14 AM	0.057
7:42:14 AM	0.059
7:43:14 AM	0.062
7:44:14 AM	0.063
7:45:14 AM	0.07
7:46:14 AM	0.062
7:47:14 AM	0.063
7:48:14 AM	0.066
7:49:14 AM	0.08
7:50:14 AM	0.07
7:51:14 AM	0.06
7:52:14 AM	0.061
7:53:14 AM	0.069
7:54:14 AM	0.07
7:55:14 AM	0.077
7:56:14 AM	0.086
7:57:14 AM	0.095
7:58:14 AM	0.064
7:59:14 AM	0.063
8:00:14 AM	0.067
8:01:14 AM	0.07
8:02:14 AM	0.07
8:03:14 AM	0.075
8:04:14 AM	0.067
8:05:14 AM	0.072

8:06:14 AM	0.119
8:07:14 AM	0.092
8:08:14 AM	0.089
8:09:14 AM	0.098
8:10:14 AM	0.072
8:11:14 AM	0.068
8:12:14 AM	0.069
8:13:14 AM	0.068
8:14:14 AM	0.069
8:15:14 AM	0.069
8:16:14 AM	0.068
8:17:14 AM	0.069
8:18:14 AM	0.075
8:19:14 AM	0.071
8:20:14 AM	0.124
8:21:14 AM	0.081
8:22:14 AM	0.076
8:23:14 AM	0.074
8:24:14 AM	0.072
8:25:14 AM	0.078
8:26:14 AM	0.081
8:27:14 AM	0.081
8:28:14 AM	0.108
8:29:14 AM	0.083
8:30:14 AM	0.078
8:31:14 AM	0.076
8:32:14 AM	0.09
8:33:14 AM	0.07
8:34:14 AM	0.071
8:35:14 AM	0.096
8:36:14 AM	0.071
8:37:14 AM	0.071
8:38:14 AM	0.071
8:39:14 AM	0.07
8:40:14 AM	0.109
8:41:14 AM	0.077
8:42:14 AM	0.072
8:43:14 AM	0.072
8:44:14 AM	0.072
8:45:14 AM	0.073
8:46:14 AM	0.076
8:47:14 AM	0.079
8:48:14 AM	0.076
8:49:14 AM	0.072

8:50:14 AM	0.073
8:51:14 AM	0.079
8:52:14 AM	0.077
8:53:14 AM	0.093
8:54:14 AM	0.084
8:55:14 AM	0.077
8:56:14 AM	0.074
8:57:14 AM	0.074
8:58:14 AM	0.074
8:59:14 AM	0.075
9:00:14 AM	0.076
9:01:14 AM	0.081
9:02:14 AM	0.077
9:03:14 AM	0.076
9:04:14 AM	0.077
9:05:14 AM	0.077
9:06:14 AM	0.078
9:07:14 AM	0.078
9:08:14 AM	0.08
9:09:14 AM	0.098
9:10:14 AM	0.103
9:11:14 AM	0.082
9:12:14 AM	0.079
9:13:14 AM	0.104
9:14:14 AM	0.096
9:15:14 AM	0.089
9:16:14 AM	0.081
9:17:14 AM	0.081
9:18:14 AM	0.082
9:19:14 AM	0.081
9:20:14 AM	0.081
9:21:14 AM	0.077
9:22:14 AM	0.072
9:23:14 AM	0.067
9:24:14 AM	0.061
9:25:14 AM	0.058
9:26:14 AM	0.057
9:27:14 AM	0.056
9:28:14 AM	0.055
9:29:14 AM	0.055
9:30:14 AM	0.056
9:31:14 AM	0.056
9:32:14 AM	0.057
9:33:14 AM	0.055

9:34:14 AM	0.056
9:35:14 AM	0.061
9:36:14 AM	0.057
9:37:14 AM	0.057
9:38:14 AM	0.055
9:39:14 AM	0.054
9:40:14 AM	0.056
9:41:14 AM	0.053
9:42:14 AM	0.052
9:43:14 AM	0.052
9:44:14 AM	0.052
9:45:14 AM	0.051
9:46:14 AM	0.051
9:47:14 AM	0.05
9:48:14 AM	0.052
9:49:14 AM	0.053
9:50:14 AM	0.054
9:51:14 AM	0.053
9:52:14 AM	0.054
9:53:14 AM	0.055
9:54:14 AM	0.054
9:55:14 AM	0.053
9:56:14 AM	0.052
9:57:14 AM	0.054
9:58:14 AM	0.059
9:59:14 AM	0.054
10:00:14 AM	0.052
10:01:14 AM	0.051
10:02:14 AM	0.052
10:03:14 AM	0.051
10:04:14 AM	0.05
10:05:14 AM	0.05
10:06:14 AM	0.05
10:07:14 AM	0.049
10:08:14 AM	0.047
10:09:14 AM	0.046
10:10:14 AM	0.046
10:11:14 AM	0.049
10:12:14 AM	0.049
10:13:14 AM	0.047
10:14:14 AM	0.047
10:15:14 AM	0.046
10:16:14 AM	0.046
10:17:14 AM	0.048

10:18:14 AM	0.046
10:19:14 AM	0.045
10:20:14 AM	0.046
10:21:14 AM	0.048
10:22:14 AM	0.047
10:23:14 AM	0.047
10:24:14 AM	0.045
10:25:14 AM	0.046
10:26:14 AM	0.044
10:27:14 AM	0.044
10:28:14 AM	0.044
10:29:14 AM	0.045
10:30:14 AM	0.044
10:31:14 AM	0.045
10:32:14 AM	0.045
10:33:14 AM	0.046
10:34:14 AM	0.046
10:35:14 AM	0.046
10:36:14 AM	0.046
10:37:14 AM	0.049
10:38:14 AM	0.047
10:39:14 AM	0.046
10:40:14 AM	0.047
10:41:14 AM	0.047
10:42:14 AM	0.048
10:43:14 AM	0.047
10:44:14 AM	0.047
10:45:14 AM	0.048
10:46:14 AM	0.049
10:47:14 AM	0.052
10:48:14 AM	0.05
10:49:14 AM	0.051
10:50:14 AM	0.05
10:51:14 AM	0.049
10:52:14 AM	0.048
10:53:14 AM	0.048
10:54:14 AM	0.049
10:55:14 AM	0.049
10:56:14 AM	0.049
10:57:14 AM	0.05
10:58:14 AM	0.05
10:59:14 AM	0.051
11:00:14 AM	0.05
11:01:14 AM	0.05

11:02:14 AM	0.051
11:03:14 AM	0.051
11:04:14 AM	0.051
11:05:14 AM	0.05
11:06:14 AM	0.051
11:07:14 AM	0.052
11:08:14 AM	0.051
11:09:14 AM	0.051
11:10:14 AM	0.05
11:11:14 AM	0.051
11:12:14 AM	0.054
11:13:14 AM	0.052
11:14:14 AM	0.055
11:15:14 AM	0.052
11:16:14 AM	0.053
11:17:14 AM	0.054
11:18:14 AM	0.052
11:19:14 AM	0.055
11:20:14 AM	0.058
11:21:14 AM	0.059
11:22:14 AM	0.059
11:23:14 AM	0.063
11:24:14 AM	0.065
11:25:14 AM	0.059
11:26:14 AM	0.061
11:27:14 AM	0.065
11:28:14 AM	0.073
11:29:14 AM	0.086
11:30:14 AM	0.074
11:31:14 AM	0.062
11:32:14 AM	0.067
11:33:14 AM	0.074
11:34:14 AM	0.079
11:35:14 AM	0.093
11:36:14 AM	0.096
11:37:14 AM	0.112
11:38:14 AM	0.073
11:39:14 AM	0.099
11:40:14 AM	0.074
11:41:14 AM	0.088
11:42:14 AM	0.067
11:43:14 AM	0.131
11:44:14 AM	0.113
11:45:14 AM	0.114

11:46:14 AM	0.114
11:47:14 AM	0.131
11:48:14 AM	0.133
11:49:14 AM	0.169
11:50:14 AM	0.095
11:51:14 AM	0.1
11:52:14 AM	0.11
11:53:14 AM	0.082
11:54:14 AM	0.064
11:55:14 AM	0.082
11:56:14 AM	0.067
11:57:14 AM	0.066
11:58:14 AM	0.079
11:59:14 AM	0.089
12:00:14 PM	0.134
12:01:14 PM	0.072
12:02:14 PM	0.059
12:03:14 PM	0.068
12:04:14 PM	0.07
12:05:14 PM	0.065
12:06:14 PM	0.064
12:07:14 PM	0.07
12:08:14 PM	0.062
12:09:14 PM	0.068
12:10:14 PM	0.079
12:11:14 PM	0.076
12:12:14 PM	0.065
12:13:14 PM	0.064
12:14:14 PM	0.077
12:15:14 PM	0.07
12:16:14 PM	0.075
12:17:14 PM	0.073
12:18:14 PM	0.068
12:19:14 PM	0.078
12:20:14 PM	0.083
12:21:14 PM	0.065
12:22:14 PM	0.078
12:23:14 PM	0.085
12:24:14 PM	0.065
12:25:14 PM	0.066
12:26:14 PM	0.076
12:27:14 PM	0.07
12:28:14 PM	0.068
12:29:14 PM	0.074

12:30:14 PM	0.081
12:31:14 PM	0.071
12:32:14 PM	0.09
12:33:14 PM	0.078
12:34:14 PM	0.078
12:35:14 PM	0.084
12:36:14 PM	0.093
12:37:14 PM	0.08
12:38:14 PM	0.066
12:39:14 PM	0.073
12:40:14 PM	0.076
12:41:14 PM	0.067
12:42:14 PM	0.066
12:43:14 PM	0.07
12:44:14 PM	0.078
12:45:14 PM	0.061
12:46:14 PM	0.058
12:47:14 PM	0.057
12:48:14 PM	0.057
12:49:14 PM	0.059
12:50:14 PM	0.061
12:51:14 PM	0.061
12:52:14 PM	0.062
12:53:14 PM	0.068
12:54:14 PM	0.076
12:55:14 PM	0.078
12:56:14 PM	0.063
12:57:14 PM	0.068
12:58:14 PM	0.063
12:59:14 PM	0.068
1:00:14 PM	0.082
1:01:14 PM	0.127
1:02:14 PM	0.068
1:03:14 PM	0.067
1:04:14 PM	0.066
1:05:14 PM	0.06
1:06:14 PM	0.065
1:07:14 PM	0.057
1:08:14 PM	0.058
1:09:14 PM	0.056
1:10:14 PM	0.052
1:11:14 PM	0.048
1:12:14 PM	0.048
1:13:14 PM	0.046

1:14:14 PM	0.046
1:15:14 PM	0.043
1:16:14 PM	0.044
1:17:14 PM	0.046
1:18:14 PM	0.046
1:19:14 PM	0.045
1:20:14 PM	0.044
1:21:14 PM	0.043
1:22:14 PM	0.039
1:23:14 PM	0.041
1:24:14 PM	0.049
1:25:14 PM	0.049
1:26:14 PM	0.048
1:27:14 PM	0.038
1:28:14 PM	0.037
1:29:14 PM	0.039
1:30:14 PM	0.037
1:31:14 PM	0.038
1:32:14 PM	0.036
1:33:14 PM	0.036
1:34:14 PM	0.036
1:35:14 PM	0.034
1:36:14 PM	0.036
1:37:14 PM	0.034
1:38:14 PM	0.033
1:39:14 PM	0.035
1:40:14 PM	0.035
1:41:14 PM	0.032
1:42:14 PM	0.031
1:43:14 PM	0.03
1:44:14 PM	0.03
1:45:14 PM	0.03
1:46:14 PM	0.027
1:47:14 PM	0.027
1:48:14 PM	0.027
1:49:14 PM	0.027
1:50:14 PM	0.026
1:51:14 PM	0.026
1:52:14 PM	0.027
1:53:14 PM	0.025
1:54:14 PM	0.024
1:55:14 PM	0.024
1:56:14 PM	0.024
1:57:14 PM	0.023

1:58:14 PM	0.026
1:59:14 PM	0.025
2:00:14 PM	0.022
2:01:14 PM	0.021
2:02:14 PM	0.021
2:03:14 PM	0.022
2:04:14 PM	0.022
2:05:14 PM	0.022
2:06:14 PM	0.022
2:07:14 PM	0.024
2:08:14 PM	0.026
2:09:14 PM	0.023
2:10:14 PM	0.024
2:11:14 PM	0.026
2:12:14 PM	0.025
2:13:14 PM	0.027
2:14:14 PM	0.027
2:15:14 PM	0.026
2:16:14 PM	0.045
2:17:14 PM	0.033
2:18:14 PM	0.026
2:19:14 PM	0.028
2:20:14 PM	0.024
2:21:14 PM	0.02
2:22:14 PM	0.02
2:23:14 PM	0.018
2:24:14 PM	0.017
2:25:14 PM	0.018
2:26:14 PM	0.018
2:27:14 PM	0.019
2:28:14 PM	0.018
2:29:14 PM	0.018
2:30:14 PM	0.018
2:31:14 PM	0.018
2:32:14 PM	0.017
2:33:14 PM	0.017
2:34:14 PM	0.017
2:35:14 PM	0.017
2:36:14 PM	0.017
2:37:14 PM	0.018
2:38:14 PM	0.018
2:39:14 PM	0.017
2:40:14 PM	0.017
2:41:14 PM	0.017

2:42:14 PM	0.016
2:43:14 PM	0.016
2:44:14 PM	0.017
2:45:14 PM	0.016
2:46:14 PM	0.016
2:47:14 PM	0.016
2:48:14 PM	0.016
2:49:14 PM	0.015
2:50:14 PM	0.015
2:51:14 PM	0.015
2:52:14 PM	0.016
2:53:14 PM	0.016
2:54:14 PM	0.016
2:55:14 PM	0.017
2:56:14 PM	0.018
2:57:14 PM	0.017
2:58:14 PM	0.015
2:59:14 PM	0.017
3:00:14 PM	0.017
3:01:14 PM	0.017
3:02:14 PM	0.017
3:03:14 PM	0.017
3:04:14 PM	0.016
3:05:14 PM	0.017
3:06:14 PM	0.016
3:07:14 PM	0.013
3:08:14 PM	0.012
3:09:14 PM	0.012
3:10:14 PM	0.012
3:11:14 PM	0.012
3:12:14 PM	0.011
3:13:14 PM	0.012
3:14:14 PM	0.012
3:15:14 PM	0.011
3:16:14 PM	0.012
3:17:14 PM	0.012
3:18:14 PM	0.011
3:19:14 PM	0.012
3:20:14 PM	0.012
3:21:14 PM	0.012
3:22:14 PM	0.013
3:23:14 PM	0.012
3:24:14 PM	0.012
3:25:14 PM	0.012

3:26:14 PM	0.01
3:27:14 PM	0.01
3:28:14 PM	0.011
3:29:14 PM	0.011
3:30:14 PM	0.01
3:31:14 PM	0.01
3:32:14 PM	0.01
3:33:14 PM	0.01
3:34:14 PM	0.011
3:35:14 PM	0.01
3:36:14 PM	0.015
3:37:14 PM	0.013
3:38:14 PM	0.013
3:39:14 PM	0.013
3:40:14 PM	0.013
3:41:14 PM	0.014
3:42:14 PM	0.015
3:43:14 PM	0.016
3:44:14 PM	0.015
3:45:14 PM	0.012
3:46:14 PM	0.013
3:47:14 PM	0.015
3:48:14 PM	0.015
3:49:14 PM	0.012
3:50:14 PM	0.012
3:51:14 PM	0.013
3:52:14 PM	0.012
3:53:14 PM	0.013
3:54:14 PM	0.011
3:55:14 PM	0.011
3:56:14 PM	0.012
3:57:14 PM	0.012
3:58:14 PM	0.012
3:59:14 PM	0.012
4:00:14 PM	0.012
4:01:14 PM	0.012
4:02:14 PM	0.012
4:03:14 PM	0.014
4:04:14 PM	0.014
4:05:14 PM	0.013
4:06:14 PM	0.013
4:07:14 PM	0.011
4:08:14 PM	0.012
4:09:14 PM	0.011

4:10:14 PM	0.011
4:11:14 PM	0.012
4:12:14 PM	0.012
4:13:14 PM	0.015
4:14:14 PM	0.014
4:15:14 PM	0.014
4:16:14 PM	0.013
4:17:14 PM	0.013
4:18:14 PM	0.012
4:19:14 PM	0.013
4:20:14 PM	0.013
4:21:14 PM	0.014
4:22:14 PM	0.013

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	4/1/2024 16:30	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:29	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:28	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:27	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:26	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:25	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:24	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:23	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:22	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:21	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:20	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:19	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:16	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:15	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:14	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:13	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:12	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:11	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:10	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:09	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:08	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:07	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:06	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:05	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:04	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:03	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:02	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:01	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 16:00	Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:59	Readings	PID	SC23030140W3	Normal	0

[illegible]

592-000289	4/1/2024 15:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:21 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:20 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:19 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:18 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:17 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:16 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:15 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:14 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:12 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:11 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:10 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:07 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:05 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:04 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:02 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:01 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 15:00 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:59 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:58 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/1/2024 14:56 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:55 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:54 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:53 Readings	PID	SC23030140W3	Normal	0

592-000289	4/1/2024 14:52 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:51 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:50 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:49 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:48 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:47 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:46 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:45 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:44 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:43 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:42 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:41 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:40 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:39 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:38 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:37 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/1/2024 14:36 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:35 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:34 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:33 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:32 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:31 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:30 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:29 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:28 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:27 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:26 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:21 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 14:20 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	4/1/2024 10:28 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:27 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:26 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:21 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:20 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:19 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:18 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:17 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 9:56 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	4/1/2024 7:43 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:42 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:41 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:40 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:39 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:38 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:37 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:36 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:35 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:34 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:33 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:32 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:31 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:30 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:28 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:27 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:26 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:21 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:20 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:19 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:18 Readings	PID	SC23030140W3	Normal	0
592-000289	4/1/2024 7:17 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_008
Test Start Time	6:57:31 AM
Test Start Date	4/2/2024
Test Length [D:H:M]	0:09:27
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.044
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	0.106
Mass TWA [mg/m3]	0.049
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	567

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:57:31 AM	0.087		
6:58:31 AM	0.052		
6:59:31 AM	0.052		
7:00:31 AM	0.052		
7:01:31 AM	0.051		
7:02:31 AM	0.05		
7:03:31 AM	0.05		
7:04:31 AM	0.05		
7:05:31 AM	0.049		
7:06:31 AM	0.049		
7:07:31 AM	0.052		
7:08:31 AM	0.05		
7:09:31 AM	0.051		
7:10:31 AM	0.05		
7:11:31 AM	0.05		
7:12:31 AM	0.048		
7:13:31 AM	0.049		
7:14:31 AM	0.046		
7:15:31 AM	0.045		
7:16:31 AM	0.046		
7:17:31 AM	0.046		
7:18:31 AM	0.047		
7:19:31 AM	0.047		
7:20:31 AM	0.047		

7:21:31 AM	0.047
7:22:31 AM	0.049
7:23:31 AM	0.048
7:24:31 AM	0.048
7:25:31 AM	0.047
7:26:31 AM	0.052
7:27:31 AM	0.059
7:28:31 AM	0.084
7:29:31 AM	0.052
7:30:31 AM	0.051
7:31:31 AM	0.051
7:32:31 AM	0.051
7:33:31 AM	0.051
7:34:31 AM	0.051
7:35:31 AM	0.051
7:36:31 AM	0.051
7:37:31 AM	0.052
7:38:31 AM	0.053
7:39:31 AM	0.053
7:40:31 AM	0.053
7:41:31 AM	0.052
7:42:31 AM	0.055
7:43:31 AM	0.058
7:44:31 AM	0.054
7:45:31 AM	0.056
7:46:31 AM	0.063
7:47:31 AM	0.057
7:48:31 AM	0.056
7:49:31 AM	0.056
7:50:31 AM	0.055
7:51:31 AM	0.057
7:52:31 AM	0.056
7:53:31 AM	0.056
7:54:31 AM	0.057
7:55:31 AM	0.062
7:56:31 AM	0.058
7:57:31 AM	0.057
7:58:31 AM	0.058
7:59:31 AM	0.06
8:00:31 AM	0.057
8:01:31 AM	0.057
8:02:31 AM	0.059
8:03:31 AM	0.059
8:04:31 AM	0.06

8:05:31 AM	0.065
8:06:31 AM	0.067
8:07:31 AM	0.064
8:08:31 AM	0.062
8:09:31 AM	0.063
8:10:31 AM	0.061
8:11:31 AM	0.064
8:12:31 AM	0.064
8:13:31 AM	0.065
8:14:31 AM	0.064
8:15:31 AM	0.065
8:16:31 AM	0.065
8:17:31 AM	0.065
8:18:31 AM	0.062
8:19:31 AM	0.064
8:20:31 AM	0.064
8:21:31 AM	0.064
8:22:31 AM	0.065
8:23:31 AM	0.063
8:24:31 AM	0.062
8:25:31 AM	0.062
8:26:31 AM	0.061
8:27:31 AM	0.062
8:28:31 AM	0.062
8:29:31 AM	0.063
8:30:31 AM	0.063
8:31:31 AM	0.062
8:32:31 AM	0.069
8:33:31 AM	0.067
8:34:31 AM	0.064
8:35:31 AM	0.063
8:36:31 AM	0.061
8:37:31 AM	0.063
8:38:31 AM	0.069
8:39:31 AM	0.063
8:40:31 AM	0.063
8:41:31 AM	0.064
8:42:31 AM	0.065
8:43:31 AM	0.064
8:44:31 AM	0.064
8:45:31 AM	0.063
8:46:31 AM	0.064
8:47:31 AM	0.065
8:48:31 AM	0.065

8:49:31 AM	0.064
8:50:31 AM	0.065
8:51:31 AM	0.065
8:52:31 AM	0.066
8:53:31 AM	0.066
8:54:31 AM	0.065
8:55:31 AM	0.065
8:56:31 AM	0.065
8:57:31 AM	0.065
8:58:31 AM	0.065
8:59:31 AM	0.066
9:00:31 AM	0.065
9:01:31 AM	0.067
9:02:31 AM	0.074
9:03:31 AM	0.067
9:04:31 AM	0.068
9:05:31 AM	0.067
9:06:31 AM	0.067
9:07:31 AM	0.068
9:08:31 AM	0.068
9:09:31 AM	0.068
9:10:31 AM	0.084
9:11:31 AM	0.073
9:12:31 AM	0.069
9:13:31 AM	0.07
9:14:31 AM	0.069
9:15:31 AM	0.069
9:16:31 AM	0.07
9:17:31 AM	0.07
9:18:31 AM	0.069
9:19:31 AM	0.07
9:20:31 AM	0.069
9:21:31 AM	0.067
9:22:31 AM	0.069
9:23:31 AM	0.096
9:24:31 AM	0.055
9:25:31 AM	0.07
9:26:31 AM	0.053
9:27:31 AM	0.057
9:28:31 AM	0.054
9:29:31 AM	0.061
9:30:31 AM	0.054
9:31:31 AM	0.057
9:32:31 AM	0.055

9:33:31 AM	0.055
9:34:31 AM	0.051
9:35:31 AM	0.052
9:36:31 AM	0.051
9:37:31 AM	0.05
9:38:31 AM	0.047
9:39:31 AM	0.05
9:40:31 AM	0.049
9:41:31 AM	0.049
9:42:31 AM	0.048
9:43:31 AM	0.048
9:44:31 AM	0.047
9:45:31 AM	0.046
9:46:31 AM	0.05
9:47:31 AM	0.048
9:48:31 AM	0.046
9:49:31 AM	0.048
9:50:31 AM	0.047
9:51:31 AM	0.047
9:52:31 AM	0.052
9:53:31 AM	0.048
9:54:31 AM	0.046
9:55:31 AM	0.048
9:56:31 AM	0.046
9:57:31 AM	0.046
9:58:31 AM	0.045
9:59:31 AM	0.047
10:00:31 AM	0.044
10:01:31 AM	0.043
10:02:31 AM	0.045
10:03:31 AM	0.046
10:04:31 AM	0.073
10:05:31 AM	0.043
10:06:31 AM	0.043
10:07:31 AM	0.044
10:08:31 AM	0.04
10:09:31 AM	0.04
10:10:31 AM	0.042
10:11:31 AM	0.042
10:12:31 AM	0.041
10:13:31 AM	0.04
10:14:31 AM	0.039
10:15:31 AM	0.04
10:16:31 AM	0.04

10:17:31 AM	0.04
10:18:31 AM	0.04
10:19:31 AM	0.04
10:20:31 AM	0.041
10:21:31 AM	0.047
10:22:31 AM	0.041
10:23:31 AM	0.039
10:24:31 AM	0.04
10:25:31 AM	0.039
10:26:31 AM	0.039
10:27:31 AM	0.039
10:28:31 AM	0.039
10:29:31 AM	0.04
10:30:31 AM	0.039
10:31:31 AM	0.04
10:32:31 AM	0.04
10:33:31 AM	0.041
10:34:31 AM	0.041
10:35:31 AM	0.041
10:36:31 AM	0.041
10:37:31 AM	0.04
10:38:31 AM	0.041
10:39:31 AM	0.041
10:40:31 AM	0.047
10:41:31 AM	0.046
10:42:31 AM	0.051
10:43:31 AM	0.045
10:44:31 AM	0.042
10:45:31 AM	0.052
10:46:31 AM	0.043
10:47:31 AM	0.052
10:48:31 AM	0.054
10:49:31 AM	0.052
10:50:31 AM	0.045
10:51:31 AM	0.045
10:52:31 AM	0.044
10:53:31 AM	0.045
10:54:31 AM	0.049
10:55:31 AM	0.045
10:56:31 AM	0.047
10:57:31 AM	0.044
10:58:31 AM	0.052
10:59:31 AM	0.052
11:00:31 AM	0.049

11:01:31 AM	0.045
11:02:31 AM	0.045
11:03:31 AM	0.049
11:04:31 AM	0.048
11:05:31 AM	0.047
11:06:31 AM	0.047
11:07:31 AM	0.044
11:08:31 AM	0.045
11:09:31 AM	0.044
11:10:31 AM	0.045
11:11:31 AM	0.045
11:12:31 AM	0.055
11:13:31 AM	0.053
11:14:31 AM	0.051
11:15:31 AM	0.045
11:16:31 AM	0.045
11:17:31 AM	0.05
11:18:31 AM	0.049
11:19:31 AM	0.064
11:20:31 AM	0.05
11:21:31 AM	0.049
11:22:31 AM	0.053
11:23:31 AM	0.052
11:24:31 AM	0.053
11:25:31 AM	0.048
11:26:31 AM	0.051
11:27:31 AM	0.051
11:28:31 AM	0.05
11:29:31 AM	0.06
11:30:31 AM	0.057
11:31:31 AM	0.053
11:32:31 AM	0.055
11:33:31 AM	0.054
11:34:31 AM	0.056
11:35:31 AM	0.051
11:36:31 AM	0.058
11:37:31 AM	0.063
11:38:31 AM	0.059
11:39:31 AM	0.066
11:40:31 AM	0.068
11:41:31 AM	0.059
11:42:31 AM	0.07
11:43:31 AM	0.106
11:44:31 AM	0.067

11:45:31 AM	0.062
11:46:31 AM	0.083
11:47:31 AM	0.054
11:48:31 AM	0.072
11:49:31 AM	0.07
11:50:31 AM	0.077
11:51:31 AM	0.058
11:52:31 AM	0.061
11:53:31 AM	0.056
11:54:31 AM	0.052
11:55:31 AM	0.061
11:56:31 AM	0.049
11:57:31 AM	0.055
11:58:31 AM	0.055
11:59:31 AM	0.063
12:00:31 PM	0.062
12:01:31 PM	0.054
12:02:31 PM	0.053
12:03:31 PM	0.063
12:04:31 PM	0.054
12:05:31 PM	0.057
12:06:31 PM	0.056
12:07:31 PM	0.059
12:08:31 PM	0.056
12:09:31 PM	0.055
12:10:31 PM	0.054
12:11:31 PM	0.058
12:12:31 PM	0.055
12:13:31 PM	0.054
12:14:31 PM	0.055
12:15:31 PM	0.057
12:16:31 PM	0.056
12:17:31 PM	0.061
12:18:31 PM	0.052
12:19:31 PM	0.054
12:20:31 PM	0.057
12:21:31 PM	0.053
12:22:31 PM	0.061
12:23:31 PM	0.063
12:24:31 PM	0.053
12:25:31 PM	0.055
12:26:31 PM	0.058
12:27:31 PM	0.065
12:28:31 PM	0.055

12:29:31 PM	0.057
12:30:31 PM	0.061
12:31:31 PM	0.067
12:32:31 PM	0.078
12:33:31 PM	0.072
12:34:31 PM	0.076
12:35:31 PM	0.063
12:36:31 PM	0.07
12:37:31 PM	0.061
12:38:31 PM	0.063
12:39:31 PM	0.063
12:40:31 PM	0.062
12:41:31 PM	0.069
12:42:31 PM	0.06
12:43:31 PM	0.062
12:44:31 PM	0.066
12:45:31 PM	0.069
12:46:31 PM	0.054
12:47:31 PM	0.052
12:48:31 PM	0.063
12:49:31 PM	0.06
12:50:31 PM	0.057
12:51:31 PM	0.06
12:52:31 PM	0.056
12:53:31 PM	0.055
12:54:31 PM	0.062
12:55:31 PM	0.056
12:56:31 PM	0.055
12:57:31 PM	0.054
12:58:31 PM	0.055
12:59:31 PM	0.058
1:00:31 PM	0.066
1:01:31 PM	0.071
1:02:31 PM	0.058
1:03:31 PM	0.056
1:04:31 PM	0.056
1:05:31 PM	0.053
1:06:31 PM	0.054
1:07:31 PM	0.051
1:08:31 PM	0.065
1:09:31 PM	0.057
1:10:31 PM	0.048
1:11:31 PM	0.056
1:12:31 PM	0.049

1:13:31 PM	0.052
1:14:31 PM	0.066
1:15:31 PM	0.05
1:16:31 PM	0.053
1:17:31 PM	0.042
1:18:31 PM	0.039
1:19:31 PM	0.039
1:20:31 PM	0.037
1:21:31 PM	0.039
1:22:31 PM	0.036
1:23:31 PM	0.037
1:24:31 PM	0.039
1:25:31 PM	0.038
1:26:31 PM	0.037
1:27:31 PM	0.036
1:28:31 PM	0.033
1:29:31 PM	0.034
1:30:31 PM	0.034
1:31:31 PM	0.034
1:32:31 PM	0.035
1:33:31 PM	0.033
1:34:31 PM	0.032
1:35:31 PM	0.032
1:36:31 PM	0.033
1:37:31 PM	0.03
1:38:31 PM	0.03
1:39:31 PM	0.031
1:40:31 PM	0.034
1:41:31 PM	0.027
1:42:31 PM	0.025
1:43:31 PM	0.028
1:44:31 PM	0.028
1:45:31 PM	0.027
1:46:31 PM	0.025
1:47:31 PM	0.026
1:48:31 PM	0.026
1:49:31 PM	0.026
1:50:31 PM	0.024
1:51:31 PM	0.025
1:52:31 PM	0.028
1:53:31 PM	0.023
1:54:31 PM	0.023
1:55:31 PM	0.023
1:56:31 PM	0.024

1:57:31 PM	0.023
1:58:31 PM	0.024
1:59:31 PM	0.024
2:00:31 PM	0.021
2:01:31 PM	0.021
2:02:31 PM	0.021
2:03:31 PM	0.021
2:04:31 PM	0.022
2:05:31 PM	0.023
2:06:31 PM	0.024
2:07:31 PM	0.023
2:08:31 PM	0.024
2:09:31 PM	0.026
2:10:31 PM	0.03
2:11:31 PM	0.025
2:12:31 PM	0.029
2:13:31 PM	0.028
2:14:31 PM	0.026
2:15:31 PM	0.023
2:16:31 PM	0.025
2:17:31 PM	0.026
2:18:31 PM	0.025
2:19:31 PM	0.022
2:20:31 PM	0.021
2:21:31 PM	0.019
2:22:31 PM	0.019
2:23:31 PM	0.017
2:24:31 PM	0.017
2:25:31 PM	0.017
2:26:31 PM	0.018
2:27:31 PM	0.018
2:28:31 PM	0.017
2:29:31 PM	0.017
2:30:31 PM	0.018
2:31:31 PM	0.017
2:32:31 PM	0.017
2:33:31 PM	0.016
2:34:31 PM	0.017
2:35:31 PM	0.016
2:36:31 PM	0.017
2:37:31 PM	0.018
2:38:31 PM	0.019
2:39:31 PM	0.018
2:40:31 PM	0.017

2:41:31 PM	0.017
2:42:31 PM	0.016
2:43:31 PM	0.017
2:44:31 PM	0.016
2:45:31 PM	0.015
2:46:31 PM	0.016
2:47:31 PM	0.017
2:48:31 PM	0.016
2:49:31 PM	0.023
2:50:31 PM	0.022
2:51:31 PM	0.018
2:52:31 PM	0.016
2:53:31 PM	0.016
2:54:31 PM	0.016
2:55:31 PM	0.018
2:56:31 PM	0.018
2:57:31 PM	0.017
2:58:31 PM	0.015
2:59:31 PM	0.016
3:00:31 PM	0.017
3:01:31 PM	0.017
3:02:31 PM	0.016
3:03:31 PM	0.017
3:04:31 PM	0.018
3:05:31 PM	0.017
3:06:31 PM	0.015
3:07:31 PM	0.013
3:08:31 PM	0.013
3:09:31 PM	0.012
3:10:31 PM	0.013
3:11:31 PM	0.012
3:12:31 PM	0.025
3:13:31 PM	0.015
3:14:31 PM	0.012
3:15:31 PM	0.013
3:16:31 PM	0.013
3:17:31 PM	0.012
3:18:31 PM	0.012
3:19:31 PM	0.012
3:20:31 PM	0.013
3:21:31 PM	0.012
3:22:31 PM	0.012
3:23:31 PM	0.012
3:24:31 PM	0.012

3:25:31 PM	0.011
3:26:31 PM	0.011
3:27:31 PM	0.011
3:28:31 PM	0.011
3:29:31 PM	0.011
3:30:31 PM	0.011
3:31:31 PM	0.01
3:32:31 PM	0.01
3:33:31 PM	0.011
3:34:31 PM	0.011
3:35:31 PM	0.012
3:36:31 PM	0.013
3:37:31 PM	0.013
3:38:31 PM	0.012
3:39:31 PM	0.012
3:40:31 PM	0.012
3:41:31 PM	0.014
3:42:31 PM	0.014
3:43:31 PM	0.013
3:44:31 PM	0.013
3:45:31 PM	0.011
3:46:31 PM	0.013
3:47:31 PM	0.015
3:48:31 PM	0.014
3:49:31 PM	0.012
3:50:31 PM	0.012
3:51:31 PM	0.013
3:52:31 PM	0.013
3:53:31 PM	0.013
3:54:31 PM	0.011
3:55:31 PM	0.011
3:56:31 PM	0.012
3:57:31 PM	0.012
3:58:31 PM	0.011
3:59:31 PM	0.012
4:00:31 PM	0.012
4:01:31 PM	0.012
4:02:31 PM	0.012
4:03:31 PM	0.013
4:04:31 PM	0.012
4:05:31 PM	0.011
4:06:31 PM	0.012
4:07:31 PM	0.011
4:08:31 PM	0.011

4:09:31 PM	0.011
4:10:31 PM	0.012
4:11:31 PM	0.012
4:12:31 PM	0.012
4:13:31 PM	0.014
4:14:31 PM	0.013
4:15:31 PM	0.013
4:16:31 PM	0.013
4:17:31 PM	0.013
4:18:31 PM	0.012
4:19:31 PM	0.016
4:20:31 PM	0.014
4:21:31 PM	0.013
4:22:31 PM	0.013
4:23:31 PM	0.013

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	4/2/2024 16:47	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:46	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:45	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:44	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:43	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:42	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:41	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:40	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:39	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:38	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:37	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:36	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:35	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:34	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:33	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:32	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:31	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:30	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:29	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:28	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:27	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:26	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:25	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:24	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:23	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:22	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:21	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:20	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:19	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:18	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:17	Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 16:16	Readings	PID	SC23030602B4	Normal	0.3

[illegible]

[illegible]

592-602176	4/2/2024 15:09 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:07 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:06 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:05 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:02 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:01 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 15:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:56 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:55 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:54 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:53 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:52 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:51 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:50 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:49 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:47 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:44 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:41 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 14:38 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 14:37 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

[illegible]

[illegible]

592-602176	4/2/2024 12:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 12:00 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 11:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:57 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/2/2024 11:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 11:52 Readings	PID	SC23030602B4	Normal	0.3

[illegible]

[illegible]

[illegible]

592-602176	4/2/2024 10:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:07 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 10:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 10:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 10:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 10:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 10:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:40 Readings	PID	SC23030602B4	Normal	0.2

592-602176	4/2/2024 9:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:34 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:13 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:07 Readings	PID	SC23030602B4	Normal	0.1

592-602176	4/2/2024 9:06 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:05 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 9:03 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 9:00 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:59 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:58 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/2/2024 8:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:37 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:34 Readings	PID	SC23030602B4	Normal	0.1

592-602176	4/2/2024 8:33 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:32 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:29 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:27 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:26 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:23 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:18 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:17 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:16 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:14 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 8:12 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:11 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:10 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 8:04 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 8:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/2/2024 8:01 Readings	PID	SC23030602B4	Normal	0

592-602176	4/2/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:28 Readings	PID	SC23030602B4	Normal	0

592-602176	4/2/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/2/2024 7:24 CONFIG	PID	SC23030602B4		