

**DAILY STATUS REPORT****Prepared By:**

VICTOR B

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		S/SE 9 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	04/05/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 15:30	Personnel On Site: IEEG (Environmental) – Victor Barraza / Bill Chaky Capital (Contractor) ECD (Pile Installation) GES (Geotech) WSP (Environmental oversight) – Tim Williams Equipment On Site: DusTrak (x3), PID (x3), Pile Rig
--	---

Scope of Work: Deploy three (3) CAMP stations; oversee excavation activities by Capital; de-water excavations; gauge sentinel wells; ECD to continue with pile installation at north building.

Site Activities:

- Deploy three (3) CAMP stations prior to start of site activities;
- Depth to water gauging within all 14 sentinel wells for dewatering purposes;
- ECD continued with pile installation at north building;
- Four (4) loads of approved crushed limestone were imported on Site;
- Excavation in grid G8 to 10-feet bgs. Refer to Alpha Numeric Grid map for grid locations;
- Impact moved Atmos equipment near excavation and applied Atmos foam to stockpile;
- Impact collected endpoint samples in EP-109;
- Backfilled in grid D5;
- Dewatering to sewer was active, sumps located in grids F2 & F3;
- Dewatering in grid G8 from 1100 to 1400;
- Rebar installation and footing work in grids G7-B7 and F8-B8; and
- Perimeter check was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 7-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.1_ ppm, Dust = _0.011_ mg/m³ @ 07:07
- High Conditions (Upwind) – PID = _0.8_ ppm @ 14:40, Dust = 0.133_ mg/m³ @ 14:52
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.056_ mg/m³ @ 13:10
- High Conditions (Downwind 2) – PID = _0.6_ ppm @ 10:29, Dust = _0.612_ mg/m³ @ 08:08

Notable Site Conditions:

- None

Planned Activities for the Next Day/Week:

- Soil loadout to Conestoga;
- Continued rebar and footing work;
- Continued pile installation;
- Endpoint sampling; and
- Further grid excavation and dewatering.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –

Representative photo of dewatering system running within grids F-2 and F-3.



Photo 2 –

Representative photo of tire washing over track pad.



Photo 3 –

Representative
photo of
excavation
performed in grid
G-8



Photo 4 –

Representative
photo of end
point samples
being collected
at EP-109



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_001
Test Start Time	7:06:52 AM
Test Start Date	4/5/2024
Test Length [D:H:M]	0:08:52
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.133
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	532

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.011		
120	0.008		
180	0.011		
240	0.009		
300	0.008		
360	0.009		
420	0.011		
480	0.011		
540	0.009		
600	0.008		
660	0.008		
720	0.008		
780	0.006		
840	0.006		
900	0.007		
960	0.006		
1020	0.007		
1080	0.007		
1140	0.011		
1200	0.008		
1260	0.007		
1320	0.009		
1380	0.008		
1440	0.011		

1500	0.01
1560	0.012
1620	0.011
1680	0.007
1740	0.004
1800	0.006
1860	0.004
1920	0.004
1980	0.037
2040	0.011
2100	0.012
2160	0.006
2220	0.004
2280	0.004
2340	0.004
2400	0.007
2460	0.006
2520	0.006
2580	0.006
2640	0.006
2700	0.021
2760	0.013
2820	0.004
2880	0.004
2940	0.003
3000	0.004
3060	0.004
3120	0.004
3180	0.004
3240	0.005
3300	0.006
3360	0.007
3420	0.025
3480	0.012
3540	0.012
3600	0.005
3660	0.004
3720	0.003
3780	0.005
3840	0.004
3900	0.003
3960	0.004
4020	0.02
4080	0.01

4140	0.005
4200	0.005
4260	0.004
4320	0.003
4380	0.003
4440	0.005
4500	0.006
4560	0.006
4620	0.005
4680	0.005
4740	0.003
4800	0.004
4860	0.004
4920	0.006
4980	0.004
5040	0.004
5100	0.005
5160	0.004
5220	0.004
5280	0.014
5340	0.006
5400	0.004
5460	0.004
5520	0.005
5580	0.004
5640	0.004
5700	0.008
5760	0.004
5820	0.005
5880	0.005
5940	0.005
6000	0.019
6060	0.02
6120	0.005
6180	0.008
6240	0.004
6300	0.005
6360	0.005
6420	0.007
6480	0.008
6540	0.007
6600	0.016
6660	0.006
6720	0.006

6780	0.017
6840	0.008
6900	0.006
6960	0.006
7020	0.005
7080	0.004
7140	0.004
7200	0.004
7260	0.004
7320	0.004
7380	0.004
7440	0.004
7500	0.006
7560	0.004
7620	0.003
7680	0.003
7740	0.004
7800	0.005
7860	0.005
7920	0.004
7980	0.022
8040	0.014
8100	0.005
8160	0.006
8220	0.007
8280	0.006
8340	0.004
8400	0.004
8460	0.005
8520	0.004
8580	0.004
8640	0.008
8700	0.008
8760	0.004
8820	0.005
8880	0.005
8940	0.003
9000	0.005
9060	0.005
9120	0.008
9180	0.006
9240	0.008
9300	0.005
9360	0.005

9420	0.007
9480	0.005
9540	0.006
9600	0.004
9660	0.004
9720	0.005
9780	0.004
9840	0.005
9900	0.003
9960	0.005
10020	0.005
10080	0.008
10140	0.005
10200	0.004
10260	0.004
10320	0.004
10380	0.004
10440	0.004
10500	0.004
10560	0.005
10620	0.004
10680	0.003
10740	0.005
10800	0.007
10860	0.004
10920	0.002
10980	0.005
11040	0.004
11100	0.006
11160	0.004
11220	0.004
11280	0.004
11340	0.006
11400	0.005
11460	0.004
11520	0.004
11580	0.003
11640	0.006
11700	0.007
11760	0.003
11820	0.006
11880	0.019
11940	0.007
12000	0.005

12060	0.005
12120	0.004
12180	0.005
12240	0.008
12300	0.005
12360	0.005
12420	0.004
12480	0.003
12540	0.004
12600	0.005
12660	0.005
12720	0.006
12780	0.005
12840	0.007
12900	0.007
12960	0.005
13020	0.006
13080	0.007
13140	0.005
13200	0.004
13260	0.002
13320	0.003
13380	0.002
13440	0.004
13500	0.005
13560	0.003
13620	0.004
13680	0.006
13740	0.005
13800	0.004
13860	0.004
13920	0.004
13980	0.005
14040	0.005
14100	0.004
14160	0.003
14220	0.005
14280	0.005
14340	0.006
14400	0.004
14460	0.004
14520	0.004
14580	0.004
14640	0.004

14700	0.004
14760	0.005
14820	0.006
14880	0.005
14940	0.005
15000	0.005
15060	0.004
15120	0.003
15180	0.004
15240	0.006
15300	0.004
15360	0.005
15420	0.006
15480	0.005
15540	0.006
15600	0.013
15660	0.006
15720	0.007
15780	0.005
15840	0.003
15900	0.005
15960	0.003
16020	0.003
16080	0.004
16140	0.006
16200	0.005
16260	0.004
16320	0.006
16380	0.003
16440	0.011
16500	0.005
16560	0.006
16620	0.006
16680	0.006
16740	0.005
16800	0.005
16860	0.005
16920	0.006
16980	0.007
17040	0.007
17100	0.007
17160	0.007
17220	0.016
17280	0.026

17340	0.009
17400	0.006
17460	0.007
17520	0.007
17580	0.007
17640	0.007
17700	0.005
17760	0.007
17820	0.006
17880	0.009
17940	0.009
18000	0.01
18060	0.008
18120	0.007
18180	0.008
18240	0.008
18300	0.005
18360	0.003
18420	0.004
18480	0.008
18540	0.006
18600	0.006
18660	0.006
18720	0.015
18780	0.008
18840	0.022
18900	0.017
18960	0.009
19020	0.006
19080	0.006
19140	0.006
19200	0.006
19260	0.006
19320	0.005
19380	0.003
19440	0.004
19500	0.013
19560	0.01
19620	0.008
19680	0.014
19740	0.006
19800	0.004
19860	0.005
19920	0.006

19980	0.004
20040	0.006
20100	0.009
20160	0.007
20220	0.01
20280	0.006
20340	0.007
20400	0.007
20460	0.005
20520	0.006
20580	0.007
20640	0.006
20700	0.005
20760	0.006
20820	0.004
20880	0.006
20940	0.006
21000	0.005
21060	0.005
21120	0.006
21180	0.017
21240	0.005
21300	0.005
21360	0.005
21420	0.005
21480	0.007
21540	0.006
21600	0.006
21660	0.007
21720	0.005
21780	0.006
21840	0.007
21900	0.005
21960	0.006
22020	0.006
22080	0.006
22140	0.007
22200	0.006
22260	0.005
22320	0.004
22380	0.005
22440	0.004
22500	0.004
22560	0.004

22620	0.008
22680	0.006
22740	0.004
22800	0.05
22860	0.006
22920	0.026
22980	0.004
23040	0.005
23100	0.017
23160	0.013
23220	0.007
23280	0.004
23340	0.005
23400	0.033
23460	0.008
23520	0.007
23580	0.006
23640	0.008
23700	0.008
23760	0.005
23820	0.005
23880	0.005
23940	0.005
24000	0.004
24060	0.003
24120	0.004
24180	0.004
24240	0.005
24300	0.006
24360	0.006
24420	0.003
24480	0.007
24540	0.004
24600	0.005
24660	0.004
24720	0.003
24780	0.005
24840	0.015
24900	0.005
24960	0.005
25020	0.005
25080	0.005
25140	0.004
25200	0.006

25260	0.006
25320	0.005
25380	0.005
25440	0.01
25500	0.007
25560	0.006
25620	0.009
25680	0.007
25740	0.008
25800	0.025
25860	0.026
25920	0.019
25980	0.013
26040	0.011
26100	0.01
26160	0.007
26220	0.005
26280	0.006
26340	0.007
26400	0.021
26460	0.012
26520	0.01
26580	0.11
26640	0.009
26700	0.037
26760	0.006
26820	0.006
26880	0.019
26940	0.007
27000	0.005
27060	0.028
27120	0.006
27180	0.005
27240	0.005
27300	0.004
27360	0.005
27420	0.006
27480	0.005
27540	0.133
27600	0.021
27660	0.024
27720	0.01
27780	0.005
27840	0.007

27900	0.006
27960	0.008
28020	0.007
28080	0.021
28140	0.007
28200	0.006
28260	0.005
28320	0.005
28380	0.004
28440	0.005
28500	0.006
28560	0.004
28620	0.005
28680	0.005
28740	0.007
28800	0.015
28860	0.008
28920	0.004
28980	0.005
29040	0.004
29100	0.005
29160	0.006
29220	0.011
29280	0.005
29340	0.005
29400	0.005
29460	0.006
29520	0.006
29580	0.007
29640	0.007
29700	0.03
29760	0.006
29820	0.02
29880	0.023
29940	0.005
30000	0.005
30060	0.02
30120	0.005
30180	0.006
30240	0.006
30300	0.007
30360	0.005
30420	0.007
30480	0.004

30540	0.004
30600	0.006
30660	0.004
30720	0.003
30780	0.004
30840	0.008
30900	0.004
30960	0.003
31020	0.004
31080	0.005
31140	0.012
31200	0.006
31260	0.003
31320	0.003
31380	0.003
31440	0.004
31500	0.003
31560	0.003
31620	0.004
31680	0.004
31740	0.008
31800	0.004
31860	0.003
31920	0.004

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	4/5/2024 16:20	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:19	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:18	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:17	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:16	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:15	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:14	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:13	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:12	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:11	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:10	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:09	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:08	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:07	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 16:06	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:05	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:04	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:03	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:02	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:01	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 16:00	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:59	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:58	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:49	Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 15:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 15:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:24 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:20 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 15:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:16 Readings	PID	SC23030449A8	Normal	0.1

592-600853	4/5/2024 15:15 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 15:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:12 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 15:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:09 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:08 Readings	PID	SC23030449A8	Normal	0.4
592-600853	4/5/2024 15:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:04 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 15:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:59 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:48 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:44 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:43 Readings	PID	SC23030449A8	Normal	0.1

592-600853	4/5/2024 14:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:41 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:40 Readings	PID	SC23030449A8	Normal	0.8
592-600853	4/5/2024 14:39 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:34 Readings	PID	SC23030449A8	Normal	0.4
592-600853	4/5/2024 14:33 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:29 Readings	PID	SC23030449A8	Normal	0.4
592-600853	4/5/2024 14:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:26 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:25 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:23 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:22 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:21 Readings	PID	SC23030449A8	Normal	0.4
592-600853	4/5/2024 14:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:19 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:18 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:17 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:16 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:15 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:13 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:12 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 14:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:10 Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 14:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 14:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 14:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:37 Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 13:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:28 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:26 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:22 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:10 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 13:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 13:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:04 Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 13:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 13:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 12:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 12:31 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	4/5/2024 11:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 11:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 11:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 11:29 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 11:28 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 11:27 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 11:26 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 11:25 Readings	PID	SC23030449A8	Normal	0.3

592-600853	4/5/2024 11:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:23 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 11:22 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 11:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 11:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:52 Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	4/5/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:46 Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 9:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:28 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:26 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:18 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:15 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:14 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:13 Readings	PID	SC23030449A8	Normal	0.1

592-600853	4/5/2024 9:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:11 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:10 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:09 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:07 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:04 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 9:03 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 9:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 9:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:54 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:40 Readings	PID	SC23030449A8	Normal	0

592-600853	4/5/2024 8:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:35 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:31 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:30 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:29 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:28 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:27 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:26 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:25 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:24 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:23 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:22 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:21 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:20 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:19 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:18 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:17 Readings	PID	SC23030449A8	Normal	0.5
592-600853	4/5/2024 8:16 Readings	PID	SC23030449A8	Normal	0.4
592-600853	4/5/2024 8:15 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:14 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:13 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:12 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:11 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:10 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 8:09 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:08 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:07 Readings	PID	SC23030449A8	Normal	0.1

592-600853	4/5/2024 8:06 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:05 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 8:02 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 8:01 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 8:00 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 7:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:56 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 7:55 Readings	PID	SC23030449A8	Normal	0.3
592-600853	4/5/2024 7:54 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/5/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:34 Readings	PID	SC23030449A8	Normal	0.1

592-600853	4/5/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:28 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:26 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/5/2024 7:22 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:21 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:20 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:19 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/5/2024 7:18 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_001
Test Start Time	7:02:50 AM
Test Start Date	4/5/2024
Test Length [D:H:M]	0:08:54
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.007
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.056
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	534

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.005		
120	0.01		
180	0.004		
240	0.004		
300	0.004		
360	0.004		
420	0.004		
480	0.004		
540	0.008		
600	0.005		
660	0.004		
720	0.004		
780	0.004		
840	0.005		
900	0.006		
960	0.005		
1020	0.005		
1080	0.005		
1140	0.005		
1200	0.006		
1260	0.006		
1320	0.007		
1380	0.005		
1440	0.005		

1500	0.006
1560	0.008
1620	0.008
1680	0.008
1740	0.006
1800	0.005
1860	0.005
1920	0.004
1980	0.004
2040	0.004
2100	0.004
2160	0.004
2220	0.004
2280	0.005
2340	0.004
2400	0.011
2460	0.004
2520	0.004
2580	0.004
2640	0.005
2700	0.005
2760	0.004
2820	0.006
2880	0.008
2940	0.005
3000	0.005
3060	0.004
3120	0.004
3180	0.004
3240	0.004
3300	0.004
3360	0.004
3420	0.004
3480	0.004
3540	0.004
3600	0.004
3660	0.004
3720	0.004
3780	0.004
3840	0.004
3900	0.003
3960	0.004
4020	0.004
4080	0.005

4140	0.004
4200	0.003
4260	0.003
4320	0.003
4380	0.003
4440	0.004
4500	0.004
4560	0.004
4620	0.004
4680	0.004
4740	0.004
4800	0.007
4860	0.006
4920	0.005
4980	0.004
5040	0.006
5100	0.005
5160	0.006
5220	0.008
5280	0.004
5340	0.003
5400	0.003
5460	0.003
5520	0.004
5580	0.004
5640	0.005
5700	0.006
5760	0.006
5820	0.006
5880	0.005
5940	0.005
6000	0.005
6060	0.008
6120	0.006
6180	0.009
6240	0.005
6300	0.005
6360	0.004
6420	0.006
6480	0.007
6540	0.007
6600	0.004
6660	0.004
6720	0.003

6780	0.003
6840	0.004
6900	0.007
6960	0.007
7020	0.008
7080	0.004
7140	0.004
7200	0.003
7260	0.003
7320	0.003
7380	0.006
7440	0.006
7500	0.004
7560	0.01
7620	0.004
7680	0.007
7740	0.006
7800	0.004
7860	0.006
7920	0.006
7980	0.011
8040	0.003
8100	0.003
8160	0.005
8220	0.008
8280	0.007
8340	0.004
8400	0.004
8460	0.005
8520	0.005
8580	0.008
8640	0.007
8700	0.007
8760	0.018
8820	0.006
8880	0.005
8940	0.003
9000	0.003
9060	0.003
9120	0.004
9180	0.003
9240	0.003
9300	0.004
9360	0.009

9420	0.007
9480	0.008
9540	0.006
9600	0.004
9660	0.008
9720	0.015
9780	0.008
9840	0.007
9900	0.01
9960	0.008
10020	0.014
10080	0.004
10140	0.005
10200	0.006
10260	0.005
10320	0.004
10380	0.013
10440	0.004
10500	0.008
10560	0.006
10620	0.004
10680	0.005
10740	0.004
10800	0.004
10860	0.004
10920	0.003
10980	0.004
11040	0.003
11100	0.003
11160	0.004
11220	0.004
11280	0.003
11340	0.005
11400	0.003
11460	0.006
11520	0.006
11580	0.004
11640	0.003
11700	0.002
11760	0.005
11820	0.005
11880	0.006
11940	0.005
12000	0.007

12060	0.004
12120	0.004
12180	0.015
12240	0.008
12300	0.008
12360	0.004
12420	0.003
12480	0.003
12540	0.003
12600	0.01
12660	0.007
12720	0.003
12780	0.004
12840	0.005
12900	0.008
12960	0.008
13020	0.004
13080	0.013
13140	0.005
13200	0.017
13260	0.015
13320	0.01
13380	0.01
13440	0.009
13500	0.007
13560	0.01
13620	0.014
13680	0.017
13740	0.005
13800	0.008
13860	0.022
13920	0.017
13980	0.006
14040	0.016
14100	0.011
14160	0.011
14220	0.009
14280	0.008
14340	0.014
14400	0.011
14460	0.008
14520	0.004
14580	0.013
14640	0.014

14700	0.008
14760	0.003
14820	0.013
14880	0.033
14940	0.006
15000	0.056
15060	0.03
15120	0.024
15180	0.015
15240	0.007
15300	0.006
15360	0.014
15420	0.025
15480	0.023
15540	0.005
15600	0.006
15660	0.008
15720	0.006
15780	0.006
15840	0.013
15900	0.017
15960	0.008
16020	0.012
16080	0.02
16140	0.055
16200	0.015
16260	0.041
16320	0.014
16380	0.005
16440	0.008
16500	0.015
16560	0.013
16620	0.012
16680	0.011
16740	0.004
16800	0.005
16860	0.008
16920	0.007
16980	0.009
17040	0.006
17100	0.005
17160	0.007
17220	0.005
17280	0.005

17340	0.006
17400	0.005
17460	0.004
17520	0.003
17580	0.003
17640	0.005
17700	0.009
17760	0.008
17820	0.017
17880	0.009
17940	0.004
18000	0.006
18060	0.004
18120	0.009
18180	0.01
18240	0.004
18300	0.003
18360	0.004
18420	0.005
18480	0.005
18540	0.003
18600	0.017
18660	0.003
18720	0.003
18780	0.003
18840	0.003
18900	0.005
18960	0.01
19020	0.004
19080	0.005
19140	0.014
19200	0.006
19260	0.005
19320	0.003
19380	0.005
19440	0.012
19500	0.006
19560	0.006
19620	0.004
19680	0.004
19740	0.009
19800	0.004
19860	0.004
19920	0.004

19980	0.005
20040	0.006
20100	0.003
20160	0.003
20220	0.004
20280	0.014
20340	0.012
20400	0.004
20460	0.006
20520	0.007
20580	0.004
20640	0.004
20700	0.004
20760	0.009
20820	0.043
20880	0.011
20940	0.009
21000	0.005
21060	0.004
21120	0.006
21180	0.007
21240	0.01
21300	0.008
21360	0.004
21420	0.005
21480	0.009
21540	0.005
21600	0.009
21660	0.005
21720	0.006
21780	0.004
21840	0.004
21900	0.004
21960	0.005
22020	0.003
22080	0.003
22140	0.003
22200	0.003
22260	0.004
22320	0.003
22380	0.005
22440	0.004
22500	0.031
22560	0.013

22620	0.007
22680	0.004
22740	0.004
22800	0.016
22860	0.01
22920	0.01
22980	0.008
23040	0.006
23100	0.005
23160	0.005
23220	0.004
23280	0.004
23340	0.004
23400	0.005
23460	0.006
23520	0.017
23580	0.005
23640	0.013
23700	0.007
23760	0.009
23820	0.005
23880	0.003
23940	0.003
24000	0.004
24060	0.004
24120	0.006
24180	0.003
24240	0.004
24300	0.004
24360	0.004
24420	0.005
24480	0.007
24540	0.008
24600	0.005
24660	0.007
24720	0.009
24780	0.005
24840	0.004
24900	0.005
24960	0.004
25020	0.005
25080	0.005
25140	0.005
25200	0.006

25260	0.004
25320	0.004
25380	0.004
25440	0.006
25500	0.008
25560	0.008
25620	0.01
25680	0.006
25740	0.006
25800	0.005
25860	0.004
25920	0.005
25980	0.004
26040	0.006
26100	0.006
26160	0.012
26220	0.007
26280	0.006
26340	0.007
26400	0.008
26460	0.011
26520	0.007
26580	0.008
26640	0.01
26700	0.012
26760	0.01
26820	0.038
26880	0.009
26940	0.006
27000	0.006
27060	0.003
27120	0.005
27180	0.006
27240	0.009
27300	0.006
27360	0.014
27420	0.005
27480	0.006
27540	0.005
27600	0.021
27660	0.006
27720	0.004
27780	0.006
27840	0.004

27900	0.008
27960	0.006
28020	0.005
28080	0.007
28140	0.007
28200	0.01
28260	0.008
28320	0.007
28380	0.005
28440	0.006
28500	0.007
28560	0.005
28620	0.006
28680	0.005
28740	0.014
28800	0.005
28860	0.006
28920	0.005
28980	0.006
29040	0.004
29100	0.004
29160	0.003
29220	0.004
29280	0.006
29340	0.005
29400	0.005
29460	0.004
29520	0.003
29580	0.004
29640	0.003
29700	0.003
29760	0.004
29820	0.004
29880	0.003
29940	0.004
30000	0.004
30060	0.005
30120	0.003
30180	0.004
30240	0.009
30300	0.004
30360	0.007
30420	0.004
30480	0.003

30540	0.004
30600	0.009
30660	0.003
30720	0.003
30780	0.002
30840	0.005
30900	0.003
30960	0.003
31020	0.004
31080	0.003
31140	0.003
31200	0.003
31260	0.003
31320	0.007
31380	0.004
31440	0.003
31500	0.003
31560	0.003
31620	0.002
31680	0.003
31740	0.003
31800	0.003
31860	0.002
31920	0.002
31980	0.002
32040	0.003

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	4/5/2024 16:18	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:17	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:16	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:15	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:14	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:13	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:12	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:11	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:10	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:09	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:08	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:07	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:06	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:05	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:04	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:03	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:02	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:01	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 16:00	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:59	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:58	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:57	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:56	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:55	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:54	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:53	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:52	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:51	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:50	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:49	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:48	Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 15:47	Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	4/5/2024 10:16 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:15 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:14 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:12 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:11 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:10 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:07 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:05 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:04 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:02 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:01 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 10:00 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:59 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:58 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:57 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:56 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:55 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:54 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:53 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:52 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:51 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:50 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:49 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:48 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:47 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:46 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:45 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 9:44 Readings	PID	SC23030140W3	Normal	0

[illegible]

[illegible]

[illegible]

[illegible]

592-000289	4/5/2024 7:31 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:30 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:28 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:27 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:26 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/5/2024 7:21 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_001
Test Start Time	6:55:08 AM
Test Start Date	4/5/2024
Test Length [D:H:M]	0:08:05
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.011
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.612
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	Flow Error
Number of Samples	485

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.174		
120	0.006		
180	0.612		
240	0.006		
300	0.006		
360	0.006		
420	0.005		
480	0.006		
540	0.007		
600	0.006		
660	0.005		
720	0.007		
780	0.007		
840	0.01		
900	0.006		
960	0.006		
1020	0.008		
1080	0.006		
1140	0.007		
1200	0.008		
1260	0.008		
1320	0.006		
1380	0.005		
1440	0.008		

1500	0.008
1560	0.006
1620	0.009
1680	0.006
1740	0.007
1800	0.009
1860	0.008
1920	0.013
1980	0.009
2040	0.01
2100	0.009
2160	0.011
2220	0.009
2280	0.007
2340	0.011
2400	0.009
2460	0.005
2520	0.005
2580	0.005
2640	0.005
2700	0.005
2760	0.005
2820	0.006
2880	0.006
2940	0.143
3000	0.008
3060	0.008
3120	0.009
3180	0.007
3240	0.007
3300	0.006
3360	0.007
3420	0.011
3480	0.023
3540	0.009
3600	0.028
3660	0.008
3720	0.016
3780	0.008
3840	0.007
3900	0.007
3960	0.005
4020	0.007
4080	0.007

4140	0.011
4200	0.006
4260	0.012
4320	0.006
4380	0.008
4440	0.008
4500	0.008
4560	0.008
4620	0.007
4680	0.008
4740	0.117
4800	0.076
4860	0.006
4920	0.006
4980	0.006
5040	0.01
5100	0.006
5160	0.006
5220	0.007
5280	0.007
5340	0.008
5400	0.006
5460	0.006
5520	0.006
5580	0.006
5640	0.012
5700	0.009
5760	0.006
5820	0.006
5880	0.005
5940	0.005
6000	0.006
6060	0.006
6120	0.006
6180	0.005
6240	0.005
6300	0.006
6360	0.006
6420	0.006
6480	0.005
6540	0.009
6600	0.042
6660	0.019
6720	0.6

6780	0.005
6840	0.009
6900	0.01
6960	0.007
7020	0.01
7080	0.007
7140	0.006
7200	0.006
7260	0.006
7320	0.008
7380	0.009
7440	0.009
7500	0.015
7560	0.009
7620	0.009
7680	0.006
7740	0.006
7800	0.005
7860	0.005
7920	0.008
7980	0.022
8040	0.005
8100	0.005
8160	0.005
8220	0.007
8280	0.007
8340	0.005
8400	0.005
8460	0.005
8520	0.005
8580	0.007
8640	0.008
8700	0.008
8760	0.011
8820	0.006
8880	0.005
8940	0.005
9000	0.009
9060	0.014
9120	0.009
9180	0.014
9240	0.01
9300	0.01
9360	0.006

9420	0.009
9480	0.007
9540	0.006
9600	0.007
9660	0.006
9720	0.008
9780	0.009
9840	0.01
9900	0.009
9960	0.008
10020	0.006
10080	0.007
10140	0.006
10200	0.014
10260	0.01
10320	0.006
10380	0.006
10440	0.011
10500	0.007
10560	0.007
10620	0.008
10680	0.007
10740	0.005
10800	0.006
10860	0.006
10920	0.005
10980	0.006
11040	0.005
11100	0.005
11160	0.005
11220	0.005
11280	0.004
11340	0.005
11400	0.005
11460	0.005
11520	0.005
11580	0.005
11640	0.005
11700	0.005
11760	0.008
11820	0.005
11880	0.005
11940	0.004
12000	0.005

12060	0.005
12120	0.004
12180	0.004
12240	0.004
12300	0.004
12360	0.005
12420	0.005
12480	0.005
12540	0.004
12600	0.005
12660	0.004
12720	0.004
12780	0.005
12840	0.005
12900	0.004
12960	0.004
13020	0.01
13080	0.022
13140	0.017
13200	0.008
13260	0.007
13320	0.004
13380	0.006
13440	0.017
13500	0.006
13560	0.006
13620	0.005
13680	0.005
13740	0.006
13800	0.006
13860	0.009
13920	0.004
13980	0.006
14040	0.009
14100	0.011
14160	0.008
14220	0.005
14280	0.005
14340	0.005
14400	0.005
14460	0.005
14520	0.006
14580	0.004
14640	0.004

14700	0.004
14760	0.004
14820	0.003
14880	0.004
14940	0.007
15000	0.047
15060	0.01
15120	0.007
15180	0.004
15240	0.008
15300	0.012
15360	0.016
15420	0.02
15480	0.01
15540	0.098
15600	0.015
15660	0.005
15720	0.005
15780	0.005
15840	0.005
15900	0.006
15960	0.007
16020	0.005
16080	0.005
16140	0.005
16200	0.005
16260	0.005
16320	0.007
16380	0.008
16440	0.006
16500	0.007
16560	0.009
16620	0.014
16680	0.014
16740	0.013
16800	0.007
16860	0.008
16920	0.006
16980	0.005
17040	0.005
17100	0.006
17160	0.006
17220	0.005
17280	0.005

17340	0.005
17400	0.006
17460	0.006
17520	0.007
17580	0.008
17640	0.005
17700	0.006
17760	0.007
17820	0.007
17880	0.006
17940	0.008
18000	0.007
18060	0.007
18120	0.007
18180	0.006
18240	0.007
18300	0.007
18360	0.006
18420	0.007
18480	0.006
18540	0.006
18600	0.006
18660	0.006
18720	0.006
18780	0.005
18840	0.005
18900	0.006
18960	0.006
19020	0.005
19080	0.004
19140	0.006
19200	0.011
19260	0.007
19320	0.007
19380	0.005
19440	0.006
19500	0.006
19560	0.007
19620	0.006
19680	0.005
19740	0.006
19800	0.006
19860	0.005
19920	0.005

19980	0.009
20040	0.008
20100	0.01
20160	0.006
20220	0.005
20280	0.008
20340	0.007
20400	0.006
20460	0.006
20520	0.006
20580	0.005
20640	0.005
20700	0.007
20760	0.006
20820	0.007
20880	0.008
20940	0.008
21000	0.005
21060	0.007
21120	0.006
21180	0.005
21240	0.005
21300	0.006
21360	0.005
21420	0.005
21480	0.005
21540	0.007
21600	0.007
21660	0.011
21720	0.009
21780	0.005
21840	0.006
21900	0.008
21960	0.006
22020	0.005
22080	0.007
22140	0.006
22200	0.004
22260	0.006
22320	0.006
22380	0.006
22440	0.006
22500	0.007
22560	0.006

22620	0.007
22680	0.007
22740	0.007
22800	0.007
22860	0.006
22920	0.006
22980	0.006
23040	0.005
23100	0.006
23160	0.007
23220	0.01
23280	0.007
23340	0.007
23400	0.007
23460	0.011
23520	0.005
23580	0.005
23640	0.004
23700	0.005
23760	0.005
23820	0.005
23880	0.004
23940	0.009
24000	0.005
24060	0.008
24120	0.006
24180	0.006
24240	0.006
24300	0.005
24360	0.008
24420	0.006
24480	0.007
24540	0.005
24600	0.003
24660	0.005
24720	0.005
24780	0.004
24840	0.005
24900	0.004
24960	0.006
25020	0.005
25080	0.005
25140	0.006
25200	0.005

25260	0.004
25320	0.007
25380	0.007
25440	0.006
25500	0.004
25560	0.006
25620	0.005
25680	0.004
25740	0.005
25800	0.004
25860	0.01
25920	0.005
25980	0.005
26040	0.006
26100	0.005
26160	0.005
26220	0.005
26280	0.004
26340	0.004
26400	0.005
26460	0.006
26520	0.009
26580	0.007
26640	0.008
26700	0.009
26760	0.007
26820	0.011
26880	0.007
26940	0.008
27000	0.005
27060	0.008
27120	0.006
27180	0.006
27240	0.005
27300	0.005
27360	0.01
27420	0.01
27480	0.005
27540	0.006
27600	0.006
27660	0.008
27720	0.007
27780	0.008
27840	0.009

27900	0.009	
27960	0.005	
28020	0.005	
28080	0.007	
28140	0.005	
28200	0.005	
28260	0.006	
28320	0.014	
28380	0.006	Flow Error
28440	0.003	Flow Error
28500	0.002	Flow Error
28560	0.001	Flow Error
28620	0.001	Flow Error
28680	0.001	Flow Error
28740	0.001	Flow Error
28800	0.002	Flow Error
28860	0.001	Flow Error
28920	0	Flow Error
28980	0	Flow Error
29040	0.001	Flow Error
29100	0.001	Flow Error

Device Serial No	Log Time	Log Type	Sensor 1 Ty	Sensor 1 Serial Number	Sensor 1 St	Sensor 1 Gas Reading
592-602176	4/5/2024 16:12	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:11	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:10	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:09	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:08	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:07	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:06	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:05	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:04	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:03	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:02	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:01	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 16:00	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:59	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:58	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:57	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:56	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:55	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:54	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:53	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:52	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:51	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:50	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:49	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:48	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:47	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:46	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:45	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:44	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:43	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:42	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 15:41	Readings	PID	SC23030602B4	Normal	0.2

[illegible]

[illegible]

[illegible]

592-602176	4/5/2024 14:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 14:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:39 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 13:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:35 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 13:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:29 Readings	PID	SC23030602B4	Normal	0.2

592-602176	4/5/2024 13:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:11 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:09 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:08 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 13:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:03 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 13:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 13:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:58 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:57 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/5/2024 12:56 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

592-602176	4/5/2024 12:22 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:20 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:19 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:17 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:16 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:15 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:14 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:13 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:12 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:11 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 12:10 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:09 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/5/2024 12:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:04 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:03 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:02 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:01 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 12:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:59 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:57 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:56 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:55 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:54 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:53 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:52 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:51 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:50 Readings	PID	SC23030602B4	Normal	0.2

592-602176	4/5/2024 11:49 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:48 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:47 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:46 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:45 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:44 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:41 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/5/2024 11:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:36 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:32 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:29 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:28 Readings	PID	SC23030602B4	Normal	0.6
592-602176	4/5/2024 11:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:26 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:24 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:22 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:20 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 11:19 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 11:18 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/5/2024 11:17 Readings	PID	SC23030602B4	Normal	0.2

[illegible]

592-602176	4/5/2024 10:43 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:42 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:41 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:40 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:39 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:38 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:37 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:36 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:35 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:34 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:33 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:32 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:31 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:30 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:29 Readings	PID	SC23030602B4	Normal	0.6
592-602176	4/5/2024 10:28 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:27 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:26 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:25 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:24 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:23 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:22 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:21 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:20 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:19 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:18 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:16 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:15 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:14 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:13 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:12 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:11 Readings	PID	SC23030602B4	Normal	0.2

592-602176	4/5/2024 10:10 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/5/2024 10:09 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:08 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:07 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:06 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:05 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 10:04 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 10:03 Readings	PID	SC23030602B4	Normal	0.5
592-602176	4/5/2024 10:02 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:01 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 10:00 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 9:59 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/5/2024 9:58 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/5/2024 9:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:55 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:53 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:52 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:49 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:46 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:45 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:44 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:43 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:42 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:41 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:40 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 9:38 Readings	PID	SC23030602B4	Normal	0.1

[illegible]

[illegible]

592-602176	4/5/2024 8:31 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 8:30 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 8:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:21 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/5/2024 8:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:59 Readings	PID	SC23030602B4	Normal	0

592-602176	4/5/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/5/2024 7:29 CONFIG	PID	SC23030602B4		