

**DAILY STATUS REPORT****Prepared By:**Marius
Sidlauskas

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		SE 4 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	04/08/24
Project:	318 Nevins Street, Brooklyn, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 06:30 Time Out: 16:00	Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barraza Capital (Contractor) ECD (Pile Installation) GES (Geotech) Triumvirate (Pump Truck) WSP (Environmental oversight) – Chris Disclafani Equipment On Site: DusTrak (x3), PID (x3), Pile Rig
---	--

Scope of Work: Deploy three (3) CAMP stations; oversee excavation activities by Capital; de-water excavations; gauge sentinel wells; ECD to continue with pile installation at north building.

Site Activities:

- Deploy three (3) CAMP stations prior to start of site activities;
- Depth to water gauging within all 14 sentinel wells for dewatering purposes;
- ECD continued with pile installation at north building;
- Fourteen (14) truckloads of material were disposed offsite to the Conestoga Facility;
- Seventy-six (76) loads of approved crushed limestone were imported on site;
- Backfilling of grids: A3, A4, F4, G3, G4 to sidewalk grade. Refer to Alpha Numeric Grid Map for grid locations;
- Soil compacting in grid G3, G4, and F3;
- Dewatering sewer system active, sumps located in grids F2 & F3;
- Triumvirate pumps out ~2,000 gallons of water from the Truck Wash frac tank;
- Rebar installation, footing work in grids G7-B7 and F8-B8;
- Inspection of vapor barrier in grids G7-B7 and F8-B8, vapor barriers were properly sealed, and no breaches were observed; and
- Perimeter check was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.026_ mg/m³ @ 06:45
- High Conditions (Upwind) – PID = _0.4_ ppm @ 07:57, Dust = 0.064_ mg/m³ @ 16:14
- High Conditions (Downwind 1) – PID = _2.9_ ppm @13:30, Dust = _0.26_ mg/m³ @ 10:12
- High Conditions (Downwind 2) – PID = _0.4_ ppm @10:52, Dust = _0.666_ mg/m³ @ 13:26

Notable Site Conditions:

- Solar Eclipse at 15:25.
- Gowanus Canal Work adjacent to site.

Planned Activities for the Next Day/Week:

- Rebar and footing work to continue;
- ECD to continue with pile installation;
- Endpoint sampling;
- Further grid excavation; and
- National Grid to install test pits for gas main relocation offsite 4/9/24.

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of
dewatering
system running
at grids F2 AND
F3.



Photo 2 –

Representative photo of tire washing over track pad.



Photo 3 –

Representative photo of soil load out.



Photo 4 –

Representative photo of backfill material being unloaded on grid: G4.




Photo 5 –

Representative photo of vproperly installated vapor barrier.



Photo 6 –

Representative photo of utility work being performed off site on Carol and Nevins Street.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com



Site Plan

318 Nevins Street, Brooklyn, NY



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_002
Test Start Time	6:45:59 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:09:39
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.014
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.064
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	579

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:45:59 AM	0.026		
6:46:59 AM	0.017		
6:47:59 AM	0.015		
6:48:59 AM	0.015		
6:49:59 AM	0.017		
6:50:59 AM	0.015		
6:51:59 AM	0.015		
6:52:59 AM	0.015		
6:53:59 AM	0.015		
6:54:59 AM	0.014		
6:55:59 AM	0.014		
6:56:59 AM	0.017		
6:57:59 AM	0.022		
6:58:59 AM	0.027		
6:59:59 AM	0.025		
7:00:59 AM	0.023		
7:01:59 AM	0.021		
7:02:59 AM	0.021		
7:03:59 AM	0.023		
7:04:59 AM	0.017		
7:05:59 AM	0.018		
7:06:59 AM	0.021		
7:07:59 AM	0.021		
7:08:59 AM	0.021		

7:09:59 AM	0.019
7:10:59 AM	0.024
7:11:59 AM	0.023
7:12:59 AM	0.025
7:13:59 AM	0.021
7:14:59 AM	0.02
7:15:59 AM	0.019
7:16:59 AM	0.018
7:17:59 AM	0.019
7:18:59 AM	0.019
7:19:59 AM	0.022
7:20:59 AM	0.021
7:21:59 AM	0.02
7:22:59 AM	0.019
7:23:59 AM	0.021
7:24:59 AM	0.026
7:25:59 AM	0.028
7:26:59 AM	0.032
7:27:59 AM	0.02
7:28:59 AM	0.018
7:29:59 AM	0.021
7:30:59 AM	0.02
7:31:59 AM	0.028
7:32:59 AM	0.031
7:33:59 AM	0.025
7:34:59 AM	0.026
7:35:59 AM	0.056
7:36:59 AM	0.051
7:37:59 AM	0.036
7:38:59 AM	0.031
7:39:59 AM	0.034
7:40:59 AM	0.029
7:41:59 AM	0.021
7:42:59 AM	0.019
7:43:59 AM	0.022
7:44:59 AM	0.022
7:45:59 AM	0.018
7:46:59 AM	0.018
7:47:59 AM	0.019
7:48:59 AM	0.021
7:49:59 AM	0.017
7:50:59 AM	0.016
7:51:59 AM	0.037
7:52:59 AM	0.014

7:53:59 AM	0.016
7:54:59 AM	0.016
7:55:59 AM	0.033
7:56:59 AM	0.016
7:57:59 AM	0.015
7:58:59 AM	0.015
7:59:59 AM	0.017
8:00:59 AM	0.018
8:01:59 AM	0.017
8:02:59 AM	0.015
8:03:59 AM	0.016
8:04:59 AM	0.014
8:05:59 AM	0.014
8:06:59 AM	0.016
8:07:59 AM	0.017
8:08:59 AM	0.015
8:09:59 AM	0.014
8:10:59 AM	0.018
8:11:59 AM	0.016
8:12:59 AM	0.018
8:13:59 AM	0.018
8:14:59 AM	0.018
8:15:59 AM	0.017
8:16:59 AM	0.016
8:17:59 AM	0.017
8:18:59 AM	0.016
8:19:59 AM	0.017
8:20:59 AM	0.018
8:21:59 AM	0.019
8:22:59 AM	0.019
8:23:59 AM	0.018
8:24:59 AM	0.014
8:25:59 AM	0.014
8:26:59 AM	0.015
8:27:59 AM	0.015
8:28:59 AM	0.015
8:29:59 AM	0.017
8:30:59 AM	0.02
8:31:59 AM	0.025
8:32:59 AM	0.036
8:33:59 AM	0.018
8:34:59 AM	0.019
8:35:59 AM	0.021
8:36:59 AM	0.016

8:37:59 AM	0.015
8:38:59 AM	0.014
8:39:59 AM	0.014
8:40:59 AM	0.016
8:41:59 AM	0.014
8:42:59 AM	0.015
8:43:59 AM	0.016
8:44:59 AM	0.013
8:45:59 AM	0.017
8:46:59 AM	0.016
8:47:59 AM	0.018
8:48:59 AM	0.037
8:49:59 AM	0.021
8:50:59 AM	0.019
8:51:59 AM	0.016
8:52:59 AM	0.015
8:53:59 AM	0.018
8:54:59 AM	0.021
8:55:59 AM	0.019
8:56:59 AM	0.021
8:57:59 AM	0.021
8:58:59 AM	0.013
8:59:59 AM	0.013
9:00:59 AM	0.016
9:01:59 AM	0.018
9:02:59 AM	0.014
9:03:59 AM	0.016
9:04:59 AM	0.016
9:05:59 AM	0.017
9:06:59 AM	0.011
9:07:59 AM	0.011
9:08:59 AM	0.014
9:09:59 AM	0.011
9:10:59 AM	0.014
9:11:59 AM	0.013
9:12:59 AM	0.012
9:13:59 AM	0.011
9:14:59 AM	0.011
9:15:59 AM	0.011
9:16:59 AM	0.011
9:17:59 AM	0.011
9:18:59 AM	0.011
9:19:59 AM	0.011
9:20:59 AM	0.014

9:21:59 AM	0.021
9:22:59 AM	0.014
9:23:59 AM	0.013
9:24:59 AM	0.012
9:25:59 AM	0.012
9:26:59 AM	0.012
9:27:59 AM	0.011
9:28:59 AM	0.012
9:29:59 AM	0.012
9:30:59 AM	0.013
9:31:59 AM	0.011
9:32:59 AM	0.012
9:33:59 AM	0.01
9:34:59 AM	0.012
9:35:59 AM	0.012
9:36:59 AM	0.012
9:37:59 AM	0.014
9:38:59 AM	0.013
9:39:59 AM	0.013
9:40:59 AM	0.013
9:41:59 AM	0.013
9:42:59 AM	0.017
9:43:59 AM	0.016
9:44:59 AM	0.021
9:45:59 AM	0.012
9:46:59 AM	0.011
9:47:59 AM	0.012
9:48:59 AM	0.012
9:49:59 AM	0.013
9:50:59 AM	0.013
9:51:59 AM	0.013
9:52:59 AM	0.013
9:53:59 AM	0.015
9:54:59 AM	0.012
9:55:59 AM	0.012
9:56:59 AM	0.011
9:57:59 AM	0.011
9:58:59 AM	0.012
9:59:59 AM	0.011
10:00:59 AM	0.01
10:01:59 AM	0.01
10:02:59 AM	0.01
10:03:59 AM	0.01
10:04:59 AM	0.01

10:05:59 AM	0.01
10:06:59 AM	0.011
10:07:59 AM	0.01
10:08:59 AM	0.011
10:09:59 AM	0.011
10:10:59 AM	0.011
10:11:59 AM	0.012
10:12:59 AM	0.012
10:13:59 AM	0.013
10:14:59 AM	0.012
10:15:59 AM	0.012
10:16:59 AM	0.012
10:17:59 AM	0.013
10:18:59 AM	0.013
10:19:59 AM	0.014
10:20:59 AM	0.012
10:21:59 AM	0.011
10:22:59 AM	0.012
10:23:59 AM	0.011
10:24:59 AM	0.01
10:25:59 AM	0.01
10:26:59 AM	0.01
10:27:59 AM	0.012
10:28:59 AM	0.012
10:29:59 AM	0.011
10:30:59 AM	0.011
10:31:59 AM	0.011
10:32:59 AM	0.013
10:33:59 AM	0.014
10:34:59 AM	0.012
10:35:59 AM	0.011
10:36:59 AM	0.009
10:37:59 AM	0.009
10:38:59 AM	0.008
10:39:59 AM	0.008
10:40:59 AM	0.009
10:41:59 AM	0.01
10:42:59 AM	0.012
10:43:59 AM	0.009
10:44:59 AM	0.01
10:45:59 AM	0.008
10:46:59 AM	0.008
10:47:59 AM	0.01
10:48:59 AM	0.009

10:49:59 AM	0.009
10:50:59 AM	0.009
10:51:59 AM	0.009
10:52:59 AM	0.009
10:53:59 AM	0.009
10:54:59 AM	0.009
10:55:59 AM	0.009
10:56:59 AM	0.009
10:57:59 AM	0.011
10:58:59 AM	0.011
10:59:59 AM	0.009
11:00:59 AM	0.009
11:01:59 AM	0.009
11:02:59 AM	0.008
11:03:59 AM	0.009
11:04:59 AM	0.011
11:05:59 AM	0.036
11:06:59 AM	0.01
11:07:59 AM	0.01
11:08:59 AM	0.017
11:09:59 AM	0.02
11:10:59 AM	0.011
11:11:59 AM	0.009
11:12:59 AM	0.008
11:13:59 AM	0.01
11:14:59 AM	0.011
11:15:59 AM	0.008
11:16:59 AM	0.007
11:17:59 AM	0.007
11:18:59 AM	0.015
11:19:59 AM	0.028
11:20:59 AM	0.01
11:21:59 AM	0.007
11:22:59 AM	0.007
11:23:59 AM	0.011
11:24:59 AM	0.008
11:25:59 AM	0.006
11:26:59 AM	0.011
11:27:59 AM	0.007
11:28:59 AM	0.011
11:29:59 AM	0.012
11:30:59 AM	0.007
11:31:59 AM	0.007
11:32:59 AM	0.009

11:33:59 AM	0.014
11:34:59 AM	0.012
11:35:59 AM	0.012
11:36:59 AM	0.01
11:37:59 AM	0.007
11:38:59 AM	0.008
11:39:59 AM	0.007
11:40:59 AM	0.006
11:41:59 AM	0.006
11:42:59 AM	0.007
11:43:59 AM	0.007
11:44:59 AM	0.008
11:45:59 AM	0.009
11:46:59 AM	0.007
11:47:59 AM	0.006
11:48:59 AM	0.008
11:49:59 AM	0.008
11:50:59 AM	0.007
11:51:59 AM	0.021
11:52:59 AM	0.017
11:53:59 AM	0.008
11:54:59 AM	0.008
11:55:59 AM	0.008
11:56:59 AM	0.007
11:57:59 AM	0.008
11:58:59 AM	0.007
11:59:59 AM	0.008
12:00:59 PM	0.008
12:01:59 PM	0.01
12:02:59 PM	0.011
12:03:59 PM	0.012
12:04:59 PM	0.016
12:05:59 PM	0.013
12:06:59 PM	0.012
12:07:59 PM	0.016
12:08:59 PM	0.01
12:09:59 PM	0.012
12:10:59 PM	0.011
12:11:59 PM	0.011
12:12:59 PM	0.011
12:13:59 PM	0.01
12:14:59 PM	0.009
12:15:59 PM	0.009
12:16:59 PM	0.008

12:17:59 PM	0.008
12:18:59 PM	0.007
12:19:59 PM	0.01
12:20:59 PM	0.01
12:21:59 PM	0.01
12:22:59 PM	0.011
12:23:59 PM	0.009
12:24:59 PM	0.01
12:25:59 PM	0.01
12:26:59 PM	0.012
12:27:59 PM	0.012
12:28:59 PM	0.012
12:29:59 PM	0.013
12:30:59 PM	0.012
12:31:59 PM	0.011
12:32:59 PM	0.012
12:33:59 PM	0.012
12:34:59 PM	0.011
12:35:59 PM	0.011
12:36:59 PM	0.013
12:37:59 PM	0.012
12:38:59 PM	0.014
12:39:59 PM	0.013
12:40:59 PM	0.009
12:41:59 PM	0.01
12:42:59 PM	0.008
12:43:59 PM	0.01
12:44:59 PM	0.01
12:45:59 PM	0.01
12:46:59 PM	0.008
12:47:59 PM	0.008
12:48:59 PM	0.009
12:49:59 PM	0.007
12:50:59 PM	0.006
12:51:59 PM	0.011
12:52:59 PM	0.015
12:53:59 PM	0.016
12:54:59 PM	0.014
12:55:59 PM	0.013
12:56:59 PM	0.013
12:57:59 PM	0.015
12:58:59 PM	0.011
12:59:59 PM	0.013
1:00:59 PM	0.011

1:01:59 PM	0.009
1:02:59 PM	0.026
1:03:59 PM	0.023
1:04:59 PM	0.05
1:05:59 PM	0.018
1:06:59 PM	0.033
1:07:59 PM	0.013
1:08:59 PM	0.013
1:09:59 PM	0.017
1:10:59 PM	0.018
1:11:59 PM	0.014
1:12:59 PM	0.012
1:13:59 PM	0.012
1:14:59 PM	0.009
1:15:59 PM	0.008
1:16:59 PM	0.011
1:17:59 PM	0.009
1:18:59 PM	0.009
1:19:59 PM	0.01
1:20:59 PM	0.012
1:21:59 PM	0.014
1:22:59 PM	0.012
1:23:59 PM	0.011
1:24:59 PM	0.012
1:25:59 PM	0.008
1:26:59 PM	0.008
1:27:59 PM	0.01
1:28:59 PM	0.01
1:29:59 PM	0.011
1:30:59 PM	0.009
1:31:59 PM	0.007
1:32:59 PM	0.007
1:33:59 PM	0.006
1:34:59 PM	0.006
1:35:59 PM	0.007
1:36:59 PM	0.006
1:37:59 PM	0.005
1:38:59 PM	0.008
1:39:59 PM	0.008
1:40:59 PM	0.009
1:41:59 PM	0.01
1:42:59 PM	0.01
1:43:59 PM	0.008
1:44:59 PM	0.009

1:45:59 PM	0.01
1:46:59 PM	0.006
1:47:59 PM	0.007
1:48:59 PM	0.006
1:49:59 PM	0.009
1:50:59 PM	0.009
1:51:59 PM	0.007
1:52:59 PM	0.007
1:53:59 PM	0.006
1:54:59 PM	0.006
1:55:59 PM	0.007
1:56:59 PM	0.007
1:57:59 PM	0.007
1:58:59 PM	0.006
1:59:59 PM	0.006
2:00:59 PM	0.008
2:01:59 PM	0.014
2:02:59 PM	0.008
2:03:59 PM	0.014
2:04:59 PM	0.011
2:05:59 PM	0.011
2:06:59 PM	0.011
2:07:59 PM	0.013
2:08:59 PM	0.012
2:09:59 PM	0.02
2:10:59 PM	0.016
2:11:59 PM	0.016
2:12:59 PM	0.01
2:13:59 PM	0.007
2:14:59 PM	0.007
2:15:59 PM	0.016
2:16:59 PM	0.009
2:17:59 PM	0.009
2:18:59 PM	0.009
2:19:59 PM	0.011
2:20:59 PM	0.012
2:21:59 PM	0.008
2:22:59 PM	0.012
2:23:59 PM	0.009
2:24:59 PM	0.008
2:25:59 PM	0.009
2:26:59 PM	0.009
2:27:59 PM	0.009
2:28:59 PM	0.009

2:29:59 PM	0.008
2:30:59 PM	0.026
2:31:59 PM	0.013
2:32:59 PM	0.011
2:33:59 PM	0.013
2:34:59 PM	0.01
2:35:59 PM	0.019
2:36:59 PM	0.016
2:37:59 PM	0.021
2:38:59 PM	0.013
2:39:59 PM	0.022
2:40:59 PM	0.038
2:41:59 PM	0.027
2:42:59 PM	0.01
2:43:59 PM	0.008
2:44:59 PM	0.008
2:45:59 PM	0.008
2:46:59 PM	0.011
2:47:59 PM	0.023
2:48:59 PM	0.01
2:49:59 PM	0.007
2:50:59 PM	0.009
2:51:59 PM	0.008
2:52:59 PM	0.013
2:53:59 PM	0.009
2:54:59 PM	0.008
2:55:59 PM	0.014
2:56:59 PM	0.012
2:57:59 PM	0.013
2:58:59 PM	0.016
2:59:59 PM	0.017
3:00:59 PM	0.01
3:01:59 PM	0.014
3:02:59 PM	0.018
3:03:59 PM	0.015
3:04:59 PM	0.011
3:05:59 PM	0.018
3:06:59 PM	0.014
3:07:59 PM	0.016
3:08:59 PM	0.013
3:09:59 PM	0.009
3:10:59 PM	0.016
3:11:59 PM	0.011
3:12:59 PM	0.016

3:13:59 PM	0.013
3:14:59 PM	0.009
3:15:59 PM	0.008
3:16:59 PM	0.008
3:17:59 PM	0.011
3:18:59 PM	0.013
3:19:59 PM	0.012
3:20:59 PM	0.009
3:21:59 PM	0.012
3:22:59 PM	0.011
3:23:59 PM	0.009
3:24:59 PM	0.016
3:25:59 PM	0.016
3:26:59 PM	0.009
3:27:59 PM	0.009
3:28:59 PM	0.013
3:29:59 PM	0.011
3:30:59 PM	0.016
3:31:59 PM	0.01
3:32:59 PM	0.013
3:33:59 PM	0.013
3:34:59 PM	0.011
3:35:59 PM	0.011
3:36:59 PM	0.009
3:37:59 PM	0.009
3:38:59 PM	0.01
3:39:59 PM	0.01
3:40:59 PM	0.008
3:41:59 PM	0.008
3:42:59 PM	0.009
3:43:59 PM	0.007
3:44:59 PM	0.008
3:45:59 PM	0.016
3:46:59 PM	0.045
3:47:59 PM	0.022
3:48:59 PM	0.007
3:49:59 PM	0.008
3:50:59 PM	0.027
3:51:59 PM	0.009
3:52:59 PM	0.007
3:53:59 PM	0.009
3:54:59 PM	0.028
3:55:59 PM	0.007
3:56:59 PM	0.008

3:57:59 PM	0.038
3:58:59 PM	0.01
3:59:59 PM	0.009
4:00:59 PM	0.061
4:01:59 PM	0.014
4:02:59 PM	0.01
4:03:59 PM	0.011
4:04:59 PM	0.011
4:05:59 PM	0.041
4:06:59 PM	0.028
4:07:59 PM	0.021
4:08:59 PM	0.024
4:09:59 PM	0.014
4:10:59 PM	0.012
4:11:59 PM	0.012
4:12:59 PM	0.013
4:13:59 PM	0.052
4:14:59 PM	0.064
4:15:59 PM	0.02
4:16:59 PM	0.011
4:17:59 PM	0.009
4:18:59 PM	0.012
4:19:59 PM	0.01
4:20:59 PM	0.01
4:21:59 PM	0.008
4:22:59 PM	0.008
4:23:59 PM	0.011

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	4/8/2024 17:06	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:05	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:04	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:03	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:02	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:01	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 17:00	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:59	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:58	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:57	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:56	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:55	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:54	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:53	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:52	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:51	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:50	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:49	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:48	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:47	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:46	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:45	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:44	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:43	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:42	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:41	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:40	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:39	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:38	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:37	Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:36	Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 16:35	Readings	PID	SC23030449A8	Normal	0

[illegible]

592-600853	4/8/2024 16:01 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 16:00 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:59 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:58 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:57 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:56 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:55 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:54 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:53 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:52 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:51 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:50 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:49 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:48 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/8/2024 15:47 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:46 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:45 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:44 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:40 Readings	PID	SC23030449A8	Normal	0.2
592-600853	4/8/2024 15:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 15:29 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-600853	4/8/2024 12:43 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:42 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:41 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:40 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:39 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:38 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:37 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:36 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:35 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:34 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:28 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:26 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:22 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:17 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:16 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 12:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 12:11 Readings	PID	SC23030449A8	Normal	0.1

[illegible]

[illegible]

[illegible]

592-600853	4/8/2024 10:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:28 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:26 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:22 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 10:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 9:59 Readings	PID	SC23030449A8	Normal	0

[illegible]

[illegible]

592-600853	4/8/2024 8:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:31 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:30 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:29 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:28 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:28 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:27 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:27 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:26 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:26 Readings	PID	SC23030449A8	Normal	0

592-600853	4/8/2024 8:25 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:25 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:24 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:24 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:23 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:23 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:22 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:22 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:21 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:21 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:20 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:20 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:19 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:19 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:18 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:18 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:17 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:17 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:16 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:16 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:15 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:15 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:14 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:14 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:13 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:13 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:12 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:12 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:11 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 8:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:10 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:09 Readings	PID	SC23030602B4	Normal	0.1

592-600853	4/8/2024 8:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:08 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:07 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:06 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:06 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:05 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:05 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:04 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:04 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:03 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:03 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:02 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:02 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:01 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:01 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 8:00 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 8:00 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 8:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:59 Readings	PID	SC23030602B4	Normal	0.4
592-600853	4/8/2024 7:59 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:58 Readings	PID	SC23030602B4	Normal	0.4
592-600853	4/8/2024 7:58 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:57 Readings	PID	SC23030602B4	Normal	0.4

592-600853	4/8/2024 7:57 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:56 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:56 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:55 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:55 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:54 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:54 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:53 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:53 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:53 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:52 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:52 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:52 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:51 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:51 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:51 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:50 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:50 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:50 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:49 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:49 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:49 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:48 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:48 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:48 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:47 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:47 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:47 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:46 Readings	PID	SC23030602B4	Normal	0.3

592-600853	4/8/2024 7:46 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:46 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:45 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:45 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:45 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:44 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:44 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:44 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:43 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:43 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:43 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:42 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:42 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:42 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:42 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:41 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:41 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:41 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:41 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:40 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:40 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:40 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:40 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:39 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:39 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:39 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:39 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:38 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0.2

592-600853	4/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:37 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:36 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:35 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:34 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:33 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:33 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:32 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:32 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:31 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0.2

592-600853	4/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:31 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:30 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:30 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:29 Readings	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0.1
592-600853	4/8/2024 7:29 Readings	PID	SC23030449A8	Normal	0
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030449A8	Normal	0.1
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030602B4	Normal	0.3
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030602B4	Normal	0.2
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030602B4	Normal	0
592-600853	4/8/2024 7:28 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530173513
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	6:56:02 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:09:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.021
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.26
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	566

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:56:02 AM	0.028		
6:57:02 AM	0.041		
6:58:02 AM	0.022		
6:59:02 AM	0.021		
7:00:02 AM	0.021		
7:01:02 AM	0.024		
7:02:02 AM	0.024		
7:03:02 AM	0.022		
7:04:02 AM	0.02		
7:05:02 AM	0.023		
7:06:02 AM	0.022		
7:07:02 AM	0.023		
7:08:02 AM	0.024		
7:09:02 AM	0.023		
7:10:02 AM	0.023		
7:11:02 AM	0.023		
7:12:02 AM	0.023		
7:13:02 AM	0.022		
7:14:02 AM	0.022		
7:15:02 AM	0.021		
7:16:02 AM	0.025		
7:17:02 AM	0.022		
7:18:02 AM	0.032		
7:19:02 AM	0.028		

7:20:02 AM	0.02
7:21:02 AM	0.021
7:22:02 AM	0.018
7:23:02 AM	0.02
7:24:02 AM	0.022
7:25:02 AM	0.022
7:26:02 AM	0.019
7:27:02 AM	0.018
7:28:02 AM	0.022
7:29:02 AM	0.019
7:30:02 AM	0.026
7:31:02 AM	0.026
7:32:02 AM	0.02
7:33:02 AM	0.026
7:34:02 AM	0.048
7:35:02 AM	0.024
7:36:02 AM	0.022
7:37:02 AM	0.02
7:38:02 AM	0.018
7:39:02 AM	0.02
7:40:02 AM	0.023
7:41:02 AM	0.021
7:42:02 AM	0.019
7:43:02 AM	0.021
7:44:02 AM	0.022
7:45:02 AM	0.021
7:46:02 AM	0.02
7:47:02 AM	0.02
7:48:02 AM	0.088
7:49:02 AM	0.095
7:50:02 AM	0.03
7:51:02 AM	0.093
7:52:02 AM	0.028
7:53:02 AM	0.02
7:54:02 AM	0.044
7:55:02 AM	0.023
7:56:02 AM	0.024
7:57:02 AM	0.047
7:58:02 AM	0.029
7:59:02 AM	0.045
8:00:02 AM	0.033
8:01:02 AM	0.036
8:02:02 AM	0.037
8:03:02 AM	0.028

8:04:02 AM	0.087
8:05:02 AM	0.079
8:06:02 AM	0.023
8:07:02 AM	0.045
8:08:02 AM	0.034
8:09:02 AM	0.026
8:10:02 AM	0.021
8:11:02 AM	0.028
8:12:02 AM	0.06
8:13:02 AM	0.04
8:14:02 AM	0.023
8:15:02 AM	0.025
8:16:02 AM	0.026
8:17:02 AM	0.021
8:18:02 AM	0.019
8:19:02 AM	0.023
8:20:02 AM	0.028
8:21:02 AM	0.019
8:22:02 AM	0.021
8:23:02 AM	0.017
8:24:02 AM	0.02
8:25:02 AM	0.022
8:26:02 AM	0.025
8:27:02 AM	0.05
8:28:02 AM	0.044
8:29:02 AM	0.028
8:30:02 AM	0.023
8:31:02 AM	0.018
8:32:02 AM	0.044
8:33:02 AM	0.073
8:34:02 AM	0.025
8:35:02 AM	0.018
8:36:02 AM	0.026
8:37:02 AM	0.047
8:38:02 AM	0.04
8:39:02 AM	0.038
8:40:02 AM	0.043
8:41:02 AM	0.03
8:42:02 AM	0.026
8:43:02 AM	0.037
8:44:02 AM	0.019
8:45:02 AM	0.024
8:46:02 AM	0.023
8:47:02 AM	0.027

8:48:02 AM	0.02
8:49:02 AM	0.044
8:50:02 AM	0.022
8:51:02 AM	0.019
8:52:02 AM	0.073
8:53:02 AM	0.059
8:54:02 AM	0.021
8:55:02 AM	0.024
8:56:02 AM	0.03
8:57:02 AM	0.022
8:58:02 AM	0.018
8:59:02 AM	0.017
9:00:02 AM	0.051
9:01:02 AM	0.032
9:02:02 AM	0.041
9:03:02 AM	0.044
9:04:02 AM	0.019
9:05:02 AM	0.021
9:06:02 AM	0.02
9:07:02 AM	0.037
9:08:02 AM	0.025
9:09:02 AM	0.041
9:10:02 AM	0.028
9:11:02 AM	0.06
9:12:02 AM	0.022
9:13:02 AM	0.018
9:14:02 AM	0.019
9:15:02 AM	0.041
9:16:02 AM	0.018
9:17:02 AM	0.018
9:18:02 AM	0.02
9:19:02 AM	0.03
9:20:02 AM	0.014
9:21:02 AM	0.015
9:22:02 AM	0.015
9:23:02 AM	0.019
9:24:02 AM	0.018
9:25:02 AM	0.021
9:26:02 AM	0.019
9:27:02 AM	0.021
9:28:02 AM	0.085
9:29:02 AM	0.022
9:30:02 AM	0.045
9:31:02 AM	0.019

9:32:02 AM	0.016
9:33:02 AM	0.017
9:34:02 AM	0.015
9:35:02 AM	0.039
9:36:02 AM	0.017
9:37:02 AM	0.015
9:38:02 AM	0.035
9:39:02 AM	0.032
9:40:02 AM	0.024
9:41:02 AM	0.021
9:42:02 AM	0.014
9:43:02 AM	0.019
9:44:02 AM	0.034
9:45:02 AM	0.064
9:46:02 AM	0.026
9:47:02 AM	0.029
9:48:02 AM	0.018
9:49:02 AM	0.018
9:50:02 AM	0.017
9:51:02 AM	0.013
9:52:02 AM	0.019
9:53:02 AM	0.022
9:54:02 AM	0.023
9:55:02 AM	0.018
9:56:02 AM	0.032
9:57:02 AM	0.014
9:58:02 AM	0.014
9:59:02 AM	0.015
10:00:02 AM	0.015
10:01:02 AM	0.015
10:02:02 AM	0.017
10:03:02 AM	0.015
10:04:02 AM	0.014
10:05:02 AM	0.012
10:06:02 AM	0.021
10:07:02 AM	0.016
10:08:02 AM	0.032
10:09:02 AM	0.075
10:10:02 AM	0.089
10:11:02 AM	0.017
10:12:02 AM	0.26
10:13:02 AM	0.018
10:14:02 AM	0.014
10:15:02 AM	0.037

10:16:02 AM	0.016
10:17:02 AM	0.083
10:18:02 AM	0.014
10:19:02 AM	0.021
10:20:02 AM	0.017
10:21:02 AM	0.017
10:22:02 AM	0.018
10:23:02 AM	0.02
10:24:02 AM	0.014
10:25:02 AM	0.016
10:26:02 AM	0.014
10:27:02 AM	0.013
10:28:02 AM	0.031
10:29:02 AM	0.018
10:30:02 AM	0.014
10:31:02 AM	0.014
10:32:02 AM	0.016
10:33:02 AM	0.014
10:34:02 AM	0.013
10:35:02 AM	0.012
10:36:02 AM	0.016
10:37:02 AM	0.015
10:38:02 AM	0.011
10:39:02 AM	0.02
10:40:02 AM	0.01
10:41:02 AM	0.02
10:42:02 AM	0.017
10:43:02 AM	0.011
10:44:02 AM	0.019
10:45:02 AM	0.014
10:46:02 AM	0.015
10:47:02 AM	0.01
10:48:02 AM	0.012
10:49:02 AM	0.01
10:50:02 AM	0.012
10:51:02 AM	0.015
10:52:02 AM	0.009
10:53:02 AM	0.011
10:54:02 AM	0.013
10:55:02 AM	0.01
10:56:02 AM	0.017
10:57:02 AM	0.011
10:58:02 AM	0.011
10:59:02 AM	0.012

11:00:02 AM	0.013
11:01:02 AM	0.019
11:02:02 AM	0.015
11:03:02 AM	0.011
11:04:02 AM	0.012
11:05:02 AM	0.012
11:06:02 AM	0.009
11:07:02 AM	0.01
11:08:02 AM	0.016
11:09:02 AM	0.017
11:10:02 AM	0.01
11:11:02 AM	0.015
11:12:02 AM	0.013
11:13:02 AM	0.008
11:14:02 AM	0.012
11:15:02 AM	0.011
11:16:02 AM	0.01
11:17:02 AM	0.007
11:18:02 AM	0.007
11:19:02 AM	0.009
11:20:02 AM	0.009
11:21:02 AM	0.011
11:22:02 AM	0.019
11:23:02 AM	0.023
11:24:02 AM	0.011
11:25:02 AM	0.012
11:26:02 AM	0.046
11:27:02 AM	0.024
11:28:02 AM	0.01
11:29:02 AM	0.007
11:30:02 AM	0.012
11:31:02 AM	0.013
11:32:02 AM	0.014
11:33:02 AM	0.013
11:34:02 AM	0.012
11:35:02 AM	0.009
11:36:02 AM	0.014
11:37:02 AM	0.011
11:38:02 AM	0.011
11:39:02 AM	0.012
11:40:02 AM	0.015
11:41:02 AM	0.016
11:42:02 AM	0.015
11:43:02 AM	0.024

11:44:02 AM	0.012
11:45:02 AM	0.018
11:46:02 AM	0.016
11:47:02 AM	0.013
11:48:02 AM	0.016
11:49:02 AM	0.017
11:50:02 AM	0.015
11:51:02 AM	0.012
11:52:02 AM	0.016
11:53:02 AM	0.023
11:54:02 AM	0.016
11:55:02 AM	0.014
11:56:02 AM	0.021
11:57:02 AM	0.019
11:58:02 AM	0.021
11:59:02 AM	0.017
12:00:02 PM	0.024
12:01:02 PM	0.067
12:02:02 PM	0.017
12:03:02 PM	0.051
12:04:02 PM	0.02
12:05:02 PM	0.011
12:06:02 PM	0.019
12:07:02 PM	0.013
12:08:02 PM	0.012
12:09:02 PM	0.026
12:10:02 PM	0.055
12:11:02 PM	0.022
12:12:02 PM	0.046
12:13:02 PM	0.027
12:14:02 PM	0.016
12:15:02 PM	0.019
12:16:02 PM	0.01
12:17:02 PM	0.013
12:18:02 PM	0.028
12:19:02 PM	0.023
12:20:02 PM	0.014
12:21:02 PM	0.016
12:22:02 PM	0.03
12:23:02 PM	0.028
12:24:02 PM	0.048
12:25:02 PM	0.021
12:26:02 PM	0.034
12:27:02 PM	0.026

12:28:02 PM	0.033
12:29:02 PM	0.033
12:30:02 PM	0.018
12:31:02 PM	0.07
12:32:02 PM	0.025
12:33:02 PM	0.019
12:34:02 PM	0.019
12:35:02 PM	0.021
12:36:02 PM	0.02
12:37:02 PM	0.022
12:38:02 PM	0.02
12:39:02 PM	0.019
12:40:02 PM	0.02
12:41:02 PM	0.022
12:42:02 PM	0.021
12:43:02 PM	0.016
12:44:02 PM	0.017
12:45:02 PM	0.016
12:46:02 PM	0.022
12:47:02 PM	0.023
12:48:02 PM	0.011
12:49:02 PM	0.011
12:50:02 PM	0.018
12:51:02 PM	0.019
12:52:02 PM	0.02
12:53:02 PM	0.021
12:54:02 PM	0.019
12:55:02 PM	0.018
12:56:02 PM	0.022
12:57:02 PM	0.024
12:58:02 PM	0.019
12:59:02 PM	0.023
1:00:02 PM	0.028
1:01:02 PM	0.016
1:02:02 PM	0.019
1:03:02 PM	0.023
1:04:02 PM	0.024
1:05:02 PM	0.023
1:06:02 PM	0.028
1:07:02 PM	0.021
1:08:02 PM	0.016
1:09:02 PM	0.014
1:10:02 PM	0.014
1:11:02 PM	0.013

1:12:02 PM	0.013
1:13:02 PM	0.012
1:14:02 PM	0.011
1:15:02 PM	0.01
1:16:02 PM	0.013
1:17:02 PM	0.012
1:18:02 PM	0.011
1:19:02 PM	0.011
1:20:02 PM	0.013
1:21:02 PM	0.013
1:22:02 PM	0.015
1:23:02 PM	0.013
1:24:02 PM	0.013
1:25:02 PM	0.012
1:26:02 PM	0.011
1:27:02 PM	0.01
1:28:02 PM	0.015
1:29:02 PM	0.013
1:30:02 PM	0.014
1:31:02 PM	0.011
1:32:02 PM	0.008
1:33:02 PM	0.01
1:34:02 PM	0.011
1:35:02 PM	0.012
1:36:02 PM	0.011
1:37:02 PM	0.011
1:38:02 PM	0.01
1:39:02 PM	0.014
1:40:02 PM	0.016
1:41:02 PM	0.016
1:42:02 PM	0.019
1:43:02 PM	0.021
1:44:02 PM	0.012
1:45:02 PM	0.02
1:46:02 PM	0.016
1:47:02 PM	0.019
1:48:02 PM	0.018
1:49:02 PM	0.024
1:50:02 PM	0.013
1:51:02 PM	0.008
1:52:02 PM	0.01
1:53:02 PM	0.01
1:54:02 PM	0.01
1:55:02 PM	0.012

1:56:02 PM	0.019
1:57:02 PM	0.013
1:58:02 PM	0.01
1:59:02 PM	0.01
2:00:02 PM	0.015
2:01:02 PM	0.011
2:02:02 PM	0.015
2:03:02 PM	0.019
2:04:02 PM	0.017
2:05:02 PM	0.013
2:06:02 PM	0.013
2:07:02 PM	0.013
2:08:02 PM	0.015
2:09:02 PM	0.015
2:10:02 PM	0.014
2:11:02 PM	0.012
2:12:02 PM	0.033
2:13:02 PM	0.063
2:14:02 PM	0.015
2:15:02 PM	0.015
2:16:02 PM	0.099
2:17:02 PM	0.026
2:18:02 PM	0.022
2:19:02 PM	0.022
2:20:02 PM	0.02
2:21:02 PM	0.013
2:22:02 PM	0.036
2:23:02 PM	0.024
2:24:02 PM	0.013
2:25:02 PM	0.013
2:26:02 PM	0.012
2:27:02 PM	0.014
2:28:02 PM	0.016
2:29:02 PM	0.011
2:30:02 PM	0.013
2:31:02 PM	0.016
2:32:02 PM	0.014
2:33:02 PM	0.014
2:34:02 PM	0.017
2:35:02 PM	0.022
2:36:02 PM	0.026
2:37:02 PM	0.015
2:38:02 PM	0.014
2:39:02 PM	0.018

2:40:02 PM	0.014
2:41:02 PM	0.02
2:42:02 PM	0.033
2:43:02 PM	0.018
2:44:02 PM	0.009
2:45:02 PM	0.011
2:46:02 PM	0.012
2:47:02 PM	0.016
2:48:02 PM	0.021
2:49:02 PM	0.011
2:50:02 PM	0.011
2:51:02 PM	0.026
2:52:02 PM	0.02
2:53:02 PM	0.016
2:54:02 PM	0.013
2:55:02 PM	0.027
2:56:02 PM	0.011
2:57:02 PM	0.019
2:58:02 PM	0.028
2:59:02 PM	0.018
3:00:02 PM	0.013
3:01:02 PM	0.014
3:02:02 PM	0.035
3:03:02 PM	0.027
3:04:02 PM	0.018
3:05:02 PM	0.014
3:06:02 PM	0.016
3:07:02 PM	0.017
3:08:02 PM	0.013
3:09:02 PM	0.024
3:10:02 PM	0.02
3:11:02 PM	0.017
3:12:02 PM	0.013
3:13:02 PM	0.019
3:14:02 PM	0.014
3:15:02 PM	0.014
3:16:02 PM	0.011
3:17:02 PM	0.01
3:18:02 PM	0.012
3:19:02 PM	0.012
3:20:02 PM	0.011
3:21:02 PM	0.011
3:22:02 PM	0.012
3:23:02 PM	0.013

3:24:02 PM	0.013
3:25:02 PM	0.012
3:26:02 PM	0.02
3:27:02 PM	0.01
3:28:02 PM	0.01
3:29:02 PM	0.013
3:30:02 PM	0.012
3:31:02 PM	0.011
3:32:02 PM	0.009
3:33:02 PM	0.012
3:34:02 PM	0.011
3:35:02 PM	0.009
3:36:02 PM	0.01
3:37:02 PM	0.009
3:38:02 PM	0.014
3:39:02 PM	0.014
3:40:02 PM	0.013
3:41:02 PM	0.012
3:42:02 PM	0.011
3:43:02 PM	0.009
3:44:02 PM	0.011
3:45:02 PM	0.023
3:46:02 PM	0.017
3:47:02 PM	0.013
3:48:02 PM	0.009
3:49:02 PM	0.008
3:50:02 PM	0.009
3:51:02 PM	0.009
3:52:02 PM	0.008
3:53:02 PM	0.008
3:54:02 PM	0.008
3:55:02 PM	0.008
3:56:02 PM	0.008
3:57:02 PM	0.011
3:58:02 PM	0.011
3:59:02 PM	0.011
4:00:02 PM	0.012
4:01:02 PM	0.011
4:02:02 PM	0.011
4:03:02 PM	0.012
4:04:02 PM	0.016
4:05:02 PM	0.015
4:06:02 PM	0.015
4:07:02 PM	0.014

4:08:02 PM	0.014
4:09:02 PM	0.014
4:10:02 PM	0.013
4:11:02 PM	0.012
4:12:02 PM	0.013
4:13:02 PM	0.014
4:14:02 PM	0.014
4:15:02 PM	0.014
4:16:02 PM	0.014
4:17:02 PM	0.013
4:18:02 PM	0.011
4:19:02 PM	0.011
4:20:02 PM	0.019
4:21:02 PM	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	4/8/2024 16:43	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:42	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:41	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:40	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:39	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:38	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:37	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:36	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:35	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:34	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:33	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:32	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:31	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:30	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:29	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:28	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:27	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:26	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:25	Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 16:24	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:23	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:22	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:21	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:20	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:19	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:18	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:17	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:16	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:15	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:14	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:13	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:12	Readings	PID	SC23030140W3	Normal	0.4

592-000289	4/8/2024 16:11 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:10 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:09 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:08 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:07 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 16:06 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:05 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:04 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:03 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:02 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:01 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 16:00 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:59 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:58 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:57 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:56 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:55 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 15:54 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:53 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:52 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:51 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:50 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:49 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:48 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:47 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:46 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 15:45 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:44 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:43 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:42 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:41 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:40 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:39 Readings	PID	SC23030140W3	Normal	0.7

592-000289	4/8/2024 15:38 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:37 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:36 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:35 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 15:34 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:33 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:32 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:31 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:30 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:29 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:28 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:27 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 15:26 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:25 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:24 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:23 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:22 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:21 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:20 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:19 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:18 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 15:17 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:16 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:15 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:14 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:13 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:12 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:11 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:10 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:09 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 15:08 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:07 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:06 Readings	PID	SC23030140W3	Normal	1.1

592-000289	4/8/2024 15:05 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:04 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:03 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:02 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 15:01 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 15:00 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 14:59 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 14:58 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 14:57 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 14:56 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 14:55 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 14:54 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 14:53 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 14:52 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 14:51 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 14:50 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 14:49 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 14:48 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 14:47 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 14:46 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 14:45 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 14:44 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 14:43 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 14:42 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 14:41 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 14:40 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 14:39 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 14:38 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 14:37 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 14:36 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 14:35 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 14:34 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 14:33 Readings	PID	SC23030140W3	Normal	1.8

592-000289	4/8/2024 14:32 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 14:31 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 14:30 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 14:29 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 14:28 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 14:27 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 14:26 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 14:25 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 14:24 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 14:23 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 14:22 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 14:21 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 14:20 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 14:19 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 14:18 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 14:17 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 14:16 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 14:15 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 14:14 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 14:13 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 14:12 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 14:11 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 14:10 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 14:09 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 14:08 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 14:07 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 14:06 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 14:05 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 14:04 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 14:03 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 14:02 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 14:01 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 14:00 Readings	PID	SC23030140W3	Normal	2.7

592-000289	4/8/2024 13:59 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 13:58 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:57 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:56 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:55 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:54 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:53 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:52 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:51 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:50 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:49 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:48 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:47 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:46 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:45 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:44 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:43 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:42 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:41 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:40 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:39 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:38 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:37 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:36 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:35 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:34 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:33 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:32 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:31 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:30 Readings	PID	SC23030140W3	Normal	2.9
592-000289	4/8/2024 13:29 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:28 Readings	PID	SC23030140W3	Normal	2.8
592-000289	4/8/2024 13:27 Readings	PID	SC23030140W3	Normal	2.8

[illegible]

592-000289	4/8/2024 12:53 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 12:52 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 12:51 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 12:50 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:49 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:48 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:47 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:46 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:45 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:44 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:43 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:42 Readings	PID	SC23030140W3	Normal	2.7
592-000289	4/8/2024 12:41 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:40 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:39 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:38 Readings	PID	SC23030140W3	Normal	2.6
592-000289	4/8/2024 12:37 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:36 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:35 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:34 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:33 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:32 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:31 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:30 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:29 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:28 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:27 Readings	PID	SC23030140W3	Normal	2.5
592-000289	4/8/2024 12:26 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:25 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:24 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:23 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:22 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:21 Readings	PID	SC23030140W3	Normal	2.4

592-000289	4/8/2024 12:20 Readings	PID	SC23030140W3	Normal	2.4
592-000289	4/8/2024 12:19 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:18 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:17 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:16 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:15 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:14 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:13 Readings	PID	SC23030140W3	Normal	2.3
592-000289	4/8/2024 12:12 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:11 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:10 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:09 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:08 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:07 Readings	PID	SC23030140W3	Normal	2.2
592-000289	4/8/2024 12:06 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:05 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:04 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:03 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:02 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:01 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 12:00 Readings	PID	SC23030140W3	Normal	2.1
592-000289	4/8/2024 11:59 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 11:58 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 11:57 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 11:56 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 11:55 Readings	PID	SC23030140W3	Normal	2
592-000289	4/8/2024 11:54 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 11:53 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 11:52 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 11:51 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 11:50 Readings	PID	SC23030140W3	Normal	1.9
592-000289	4/8/2024 11:49 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 11:48 Readings	PID	SC23030140W3	Normal	1.8

592-000289	4/8/2024 11:47 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 11:46 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 11:45 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 11:44 Readings	PID	SC23030140W3	Normal	1.8
592-000289	4/8/2024 11:43 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:42 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:41 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:40 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:39 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:38 Readings	PID	SC23030140W3	Normal	1.7
592-000289	4/8/2024 11:37 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:36 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:35 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:34 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:33 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:32 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:31 Readings	PID	SC23030140W3	Normal	1.6
592-000289	4/8/2024 11:30 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:29 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:28 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:27 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:26 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:25 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:24 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:23 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/8/2024 11:22 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:21 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:20 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:19 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:18 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:17 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:16 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:15 Readings	PID	SC23030140W3	Normal	1.3

592-000289	4/8/2024 11:14 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 11:13 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/8/2024 11:12 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 11:11 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 11:10 Readings	PID	SC23030140W3	Normal	1.3
592-000289	4/8/2024 11:09 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:08 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:07 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:06 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:05 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:04 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:03 Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/8/2024 11:02 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 11:01 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 11:00 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 10:59 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 10:58 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 10:57 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 10:56 Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/8/2024 10:55 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:54 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:53 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:52 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:51 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:50 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:49 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:48 Readings	PID	SC23030140W3	Normal	1
592-000289	4/8/2024 10:47 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:46 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:45 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:44 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:43 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:42 Readings	PID	SC23030140W3	Normal	0.9

592-000289	4/8/2024 10:41 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:40 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:39 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/8/2024 10:38 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:37 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:36 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:35 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:34 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:33 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:32 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:31 Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/8/2024 10:30 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:29 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:28 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:27 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:26 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:25 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:24 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:23 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:22 Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/8/2024 10:21 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:20 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:19 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:18 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:17 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:16 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:15 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:14 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:13 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:12 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:11 Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/8/2024 10:10 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:09 Readings	PID	SC23030140W3	Normal	0.5

592-000289	4/8/2024 10:08 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:07 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:06 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:05 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:04 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:03 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:02 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:01 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 10:00 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 9:59 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/8/2024 9:58 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:57 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:56 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:55 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:54 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:53 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:52 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:51 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:50 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:49 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:48 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:47 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:46 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:45 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:44 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:43 Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/8/2024 9:42 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:41 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:40 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:39 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:38 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:37 Readings	PID	SC23030140W3	Normal	0.3
592-000289	4/8/2024 9:36 Readings	PID	SC23030140W3	Normal	0.3

[illegible]

[illegible]

592-000289	4/8/2024 8:29 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:28 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:27 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:26 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:25 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:24 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:23 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:22 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:20 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:19 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:18 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:17 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:16 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:15 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:14 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 8:12 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:11 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:10 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 8:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 8:07 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 8:05 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:04 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 8:02 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:01 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 8:00 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:59 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:58 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:57 Readings	PID	SC23030140W3	Normal	0

592-000289	4/8/2024 7:56 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:55 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:54 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:53 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:52 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:51 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:50 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:49 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:48 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:47 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:46 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:45 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:44 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:43 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:42 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:41 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:40 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:39 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:38 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:37 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:34 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:33 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:32 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:31 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:30 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:28 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:27 CONFIG	PID	SC23030140W3		
592-000289	4/8/2024 7:25 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:24 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:23 Readings	PID	SC23030140W3	Normal	0.1

592-000289	4/8/2024 7:22 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/8/2024 7:20 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:19 Readings	PID	SC23030140W3	Normal	0
592-000289	4/8/2024 7:18 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_002
Test Start Time	6:51:31 AM
Test Start Date	4/8/2024
Test Length [D:H:M]	0:09:24
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.02
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	0.666
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	564

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:51:31 AM	0.085		
6:52:31 AM	0.019		
6:53:31 AM	0.048		
6:54:31 AM	0.059		
6:55:31 AM	0.029		
6:56:31 AM	0.028		
6:57:31 AM	0.025		
6:58:31 AM	0.041		
6:59:31 AM	0.269		
7:00:31 AM	0.026		
7:01:31 AM	0.022		
7:02:31 AM	0.02		
7:03:31 AM	0.021		
7:04:31 AM	0.02		
7:05:31 AM	0.02		
7:06:31 AM	0.019		
7:07:31 AM	0.019		
7:08:31 AM	0.019		
7:09:31 AM	0.019		
7:10:31 AM	0.019		
7:11:31 AM	0.02		
7:12:31 AM	0.019		
7:13:31 AM	0.02		
7:14:31 AM	0.019		

7:15:31 AM	0.018
7:16:31 AM	0.02
7:17:31 AM	0.021
7:18:31 AM	0.02
7:19:31 AM	0.025
7:20:31 AM	0.026
7:21:31 AM	0.021
7:22:31 AM	0.024
7:23:31 AM	0.021
7:24:31 AM	0.021
7:25:31 AM	0.02
7:26:31 AM	0.021
7:27:31 AM	0.024
7:28:31 AM	0.026
7:29:31 AM	0.044
7:30:31 AM	0.036
7:31:31 AM	0.031
7:32:31 AM	0.03
7:33:31 AM	0.026
7:34:31 AM	0.024
7:35:31 AM	0.029
7:36:31 AM	0.055
7:37:31 AM	0.032
7:38:31 AM	0.026
7:39:31 AM	0.039
7:40:31 AM	0.034
7:41:31 AM	0.033
7:42:31 AM	0.02
7:43:31 AM	0.033
7:44:31 AM	0.039
7:45:31 AM	0.016
7:46:31 AM	0.025
7:47:31 AM	0.021
7:48:31 AM	0.023
7:49:31 AM	0.037
7:50:31 AM	0.023
7:51:31 AM	0.029
7:52:31 AM	0.015
7:53:31 AM	0.017
7:54:31 AM	0.018
7:55:31 AM	0.016
7:56:31 AM	0.047
7:57:31 AM	0.018
7:58:31 AM	0.017

7:59:31 AM	0.02
8:00:31 AM	0.035
8:01:31 AM	0.029
8:02:31 AM	0.039
8:03:31 AM	0.026
8:04:31 AM	0.028
8:05:31 AM	0.039
8:06:31 AM	0.021
8:07:31 AM	0.014
8:08:31 AM	0.014
8:09:31 AM	0.015
8:10:31 AM	0.018
8:11:31 AM	0.017
8:12:31 AM	0.024
8:13:31 AM	0.047
8:14:31 AM	0.033
8:15:31 AM	0.026
8:16:31 AM	0.015
8:17:31 AM	0.015
8:18:31 AM	0.016
8:19:31 AM	0.014
8:20:31 AM	0.012
8:21:31 AM	0.012
8:22:31 AM	0.014
8:23:31 AM	0.015
8:24:31 AM	0.013
8:25:31 AM	0.016
8:26:31 AM	0.019
8:27:31 AM	0.017
8:28:31 AM	0.014
8:29:31 AM	0.023
8:30:31 AM	0.015
8:31:31 AM	0.013
8:32:31 AM	0.013
8:33:31 AM	0.012
8:34:31 AM	0.015
8:35:31 AM	0.013
8:36:31 AM	0.012
8:37:31 AM	0.012
8:38:31 AM	0.018
8:39:31 AM	0.018
8:40:31 AM	0.018
8:41:31 AM	0.016
8:42:31 AM	0.02

8:43:31 AM	0.024
8:44:31 AM	0.021
8:45:31 AM	0.018
8:46:31 AM	0.012
8:47:31 AM	0.011
8:48:31 AM	0.016
8:49:31 AM	0.026
8:50:31 AM	0.015
8:51:31 AM	0.016
8:52:31 AM	0.014
8:53:31 AM	0.013
8:54:31 AM	0.017
8:55:31 AM	0.014
8:56:31 AM	0.017
8:57:31 AM	0.012
8:58:31 AM	0.012
8:59:31 AM	0.013
9:00:31 AM	0.014
9:01:31 AM	0.012
9:02:31 AM	0.011
9:03:31 AM	0.012
9:04:31 AM	0.012
9:05:31 AM	0.01
9:06:31 AM	0.011
9:07:31 AM	0.01
9:08:31 AM	0.015
9:09:31 AM	0.02
9:10:31 AM	0.014
9:11:31 AM	0.012
9:12:31 AM	0.012
9:13:31 AM	0.012
9:14:31 AM	0.012
9:15:31 AM	0.011
9:16:31 AM	0.012
9:17:31 AM	0.012
9:18:31 AM	0.013
9:19:31 AM	0.011
9:20:31 AM	0.011
9:21:31 AM	0.01
9:22:31 AM	0.012
9:23:31 AM	0.016
9:24:31 AM	0.015
9:25:31 AM	0.014
9:26:31 AM	0.011

9:27:31 AM	0.012
9:28:31 AM	0.013
9:29:31 AM	0.013
9:30:31 AM	0.011
9:31:31 AM	0.013
9:32:31 AM	0.012
9:33:31 AM	0.012
9:34:31 AM	0.014
9:35:31 AM	0.015
9:36:31 AM	0.014
9:37:31 AM	0.016
9:38:31 AM	0.012
9:39:31 AM	0.011
9:40:31 AM	0.015
9:41:31 AM	0.013
9:42:31 AM	0.012
9:43:31 AM	0.018
9:44:31 AM	0.014
9:45:31 AM	0.016
9:46:31 AM	0.017
9:47:31 AM	0.016
9:48:31 AM	0.011
9:49:31 AM	0.012
9:50:31 AM	0.011
9:51:31 AM	0.011
9:52:31 AM	0.01
9:53:31 AM	0.012
9:54:31 AM	0.014
9:55:31 AM	0.018
9:56:31 AM	0.014
9:57:31 AM	0.013
9:58:31 AM	0.013
9:59:31 AM	0.015
10:00:31 AM	0.016
10:01:31 AM	0.013
10:02:31 AM	0.011
10:03:31 AM	0.011
10:04:31 AM	0.01
10:05:31 AM	0.009
10:06:31 AM	0.009
10:07:31 AM	0.009
10:08:31 AM	0.01
10:09:31 AM	0.01
10:10:31 AM	0.011

10:11:31 AM	0.014
10:12:31 AM	0.01
10:13:31 AM	0.011
10:14:31 AM	0.015
10:15:31 AM	0.01
10:16:31 AM	0.01
10:17:31 AM	0.011
10:18:31 AM	0.011
10:19:31 AM	0.012
10:20:31 AM	0.009
10:21:31 AM	0.011
10:22:31 AM	0.01
10:23:31 AM	0.011
10:24:31 AM	0.011
10:25:31 AM	0.013
10:26:31 AM	0.008
10:27:31 AM	0.007
10:28:31 AM	0.01
10:29:31 AM	0.016
10:30:31 AM	0.011
10:31:31 AM	0.011
10:32:31 AM	0.008
10:33:31 AM	0.011
10:34:31 AM	0.017
10:35:31 AM	0.016
10:36:31 AM	0.013
10:37:31 AM	0.012
10:38:31 AM	0.011
10:39:31 AM	0.012
10:40:31 AM	0.009
10:41:31 AM	0.014
10:42:31 AM	0.029
10:43:31 AM	0.014
10:44:31 AM	0.043
10:45:31 AM	0.014
10:46:31 AM	0.008
10:47:31 AM	0.008
10:48:31 AM	0.009
10:49:31 AM	0.01
10:50:31 AM	0.009
10:51:31 AM	0.009
10:52:31 AM	0.009
10:53:31 AM	0.008
10:54:31 AM	0.008

10:55:31 AM	0.007
10:56:31 AM	0.018
10:57:31 AM	0.01
10:58:31 AM	0.061
10:59:31 AM	0.037
11:00:31 AM	0.019
11:01:31 AM	0.013
11:02:31 AM	0.01
11:03:31 AM	0.006
11:04:31 AM	0.006
11:05:31 AM	0.007
11:06:31 AM	0.009
11:07:31 AM	0.008
11:08:31 AM	0.008
11:09:31 AM	0.008
11:10:31 AM	0.01
11:11:31 AM	0.007
11:12:31 AM	0.006
11:13:31 AM	0.005
11:14:31 AM	0.007
11:15:31 AM	0.006
11:16:31 AM	0.006
11:17:31 AM	0.006
11:18:31 AM	0.011
11:19:31 AM	0.005
11:20:31 AM	0.005
11:21:31 AM	0.005
11:22:31 AM	0.006
11:23:31 AM	0.008
11:24:31 AM	0.008
11:25:31 AM	0.006
11:26:31 AM	0.006
11:27:31 AM	0.006
11:28:31 AM	0.006
11:29:31 AM	0.01
11:30:31 AM	0.013
11:31:31 AM	0.015
11:32:31 AM	0.027
11:33:31 AM	0.017
11:34:31 AM	0.012
11:35:31 AM	0.006
11:36:31 AM	0.007
11:37:31 AM	0.006
11:38:31 AM	0.02

11:39:31 AM	0.007
11:40:31 AM	0.007
11:41:31 AM	0.01
11:42:31 AM	0.009
11:43:31 AM	0.006
11:44:31 AM	0.009
11:45:31 AM	0.008
11:46:31 AM	0.011
11:47:31 AM	0.013
11:48:31 AM	0.014
11:49:31 AM	0.016
11:50:31 AM	0.01
11:51:31 AM	0.006
11:52:31 AM	0.009
11:53:31 AM	0.005
11:54:31 AM	0.005
11:55:31 AM	0.005
11:56:31 AM	0.008
11:57:31 AM	0.007
11:58:31 AM	0.009
11:59:31 AM	0.011
12:00:31 PM	0.01
12:01:31 PM	0.007
12:02:31 PM	0.005
12:03:31 PM	0.007
12:04:31 PM	0.007
12:05:31 PM	0.01
12:06:31 PM	0.007
12:07:31 PM	0.011
12:08:31 PM	0.01
12:09:31 PM	0.009
12:10:31 PM	0.008
12:11:31 PM	0.011
12:12:31 PM	0.016
12:13:31 PM	0.013
12:14:31 PM	0.05
12:15:31 PM	0.012
12:16:31 PM	0.012
12:17:31 PM	0.009
12:18:31 PM	0.014
12:19:31 PM	0.01
12:20:31 PM	0.01
12:21:31 PM	0.012
12:22:31 PM	0.014

12:23:31 PM	0.016
12:24:31 PM	0.012
12:25:31 PM	0.011
12:26:31 PM	0.016
12:27:31 PM	0.027
12:28:31 PM	0.018
12:29:31 PM	0.021
12:30:31 PM	0.013
12:31:31 PM	0.02
12:32:31 PM	0.015
12:33:31 PM	0.023
12:34:31 PM	0.019
12:35:31 PM	0.015
12:36:31 PM	0.014
12:37:31 PM	0.015
12:38:31 PM	0.017
12:39:31 PM	0.025
12:40:31 PM	0.017
12:41:31 PM	0.072
12:42:31 PM	0.018
12:43:31 PM	0.018
12:44:31 PM	0.027
12:45:31 PM	0.021
12:46:31 PM	0.024
12:47:31 PM	0.034
12:48:31 PM	0.019
12:49:31 PM	0.023
12:50:31 PM	0.026
12:51:31 PM	0.029
12:52:31 PM	0.035
12:53:31 PM	0.021
12:54:31 PM	0.014
12:55:31 PM	0.034
12:56:31 PM	0.029
12:57:31 PM	0.019
12:58:31 PM	0.026
12:59:31 PM	0.013
1:00:31 PM	0.017
1:01:31 PM	0.023
1:02:31 PM	0.055
1:03:31 PM	0.03
1:04:31 PM	0.041
1:05:31 PM	0.042
1:06:31 PM	0.037

1:07:31 PM	0.044
1:08:31 PM	0.035
1:09:31 PM	0.032
1:10:31 PM	0.016
1:11:31 PM	0.02
1:12:31 PM	0.018
1:13:31 PM	0.019
1:14:31 PM	0.022
1:15:31 PM	0.01
1:16:31 PM	0.008
1:17:31 PM	0.021
1:18:31 PM	0.051
1:19:31 PM	0.047
1:20:31 PM	0.049
1:21:31 PM	0.033
1:22:31 PM	0.026
1:23:31 PM	0.04
1:24:31 PM	0.008
1:25:31 PM	0
1:26:31 PM	0.666
1:27:31 PM	0.03
1:28:31 PM	0.272
1:29:31 PM	0.037
1:30:31 PM	0.018
1:31:31 PM	0.008
1:32:31 PM	0.005
1:33:31 PM	0.009
1:34:31 PM	0.011
1:35:31 PM	0.007
1:36:31 PM	0.035
1:37:31 PM	0.013
1:38:31 PM	0.021
1:39:31 PM	0.026
1:40:31 PM	0.018
1:41:31 PM	0.02
1:42:31 PM	0.021
1:43:31 PM	0.023
1:44:31 PM	0.051
1:45:31 PM	0.029
1:46:31 PM	0.031
1:47:31 PM	0.039
1:48:31 PM	0.038
1:49:31 PM	0.022
1:50:31 PM	0.007

1:51:31 PM	0.006
1:52:31 PM	0.007
1:53:31 PM	0.008
1:54:31 PM	0.01
1:55:31 PM	0.007
1:56:31 PM	0.01
1:57:31 PM	0.006
1:58:31 PM	0.006
1:59:31 PM	0.006
2:00:31 PM	0.006
2:01:31 PM	0.014
2:02:31 PM	0.013
2:03:31 PM	0.012
2:04:31 PM	0.027
2:05:31 PM	0.017
2:06:31 PM	0.012
2:07:31 PM	0.013
2:08:31 PM	0.027
2:09:31 PM	0.018
2:10:31 PM	0.011
2:11:31 PM	0.011
2:12:31 PM	0.018
2:13:31 PM	0.014
2:14:31 PM	0.036
2:15:31 PM	0.017
2:16:31 PM	0.015
2:17:31 PM	0.028
2:18:31 PM	0.013
2:19:31 PM	0.013
2:20:31 PM	0.011
2:21:31 PM	0.021
2:22:31 PM	0.023
2:23:31 PM	0.021
2:24:31 PM	0.017
2:25:31 PM	0.013
2:26:31 PM	0.032
2:27:31 PM	0.027
2:28:31 PM	0.022
2:29:31 PM	0.015
2:30:31 PM	0.033
2:31:31 PM	0.014
2:32:31 PM	0.018
2:33:31 PM	0.021
2:34:31 PM	0.03

2:35:31 PM	0.041
2:36:31 PM	0.043
2:37:31 PM	0.031
2:38:31 PM	0.073
2:39:31 PM	0.052
2:40:31 PM	0.091
2:41:31 PM	0.061
2:42:31 PM	0.029
2:43:31 PM	0.025
2:44:31 PM	0.032
2:45:31 PM	0.045
2:46:31 PM	0.034
2:47:31 PM	0.029
2:48:31 PM	0.019
2:49:31 PM	0.016
2:50:31 PM	0.024
2:51:31 PM	0.038
2:52:31 PM	0.036
2:53:31 PM	0.031
2:54:31 PM	0.028
2:55:31 PM	0.023
2:56:31 PM	0.015
2:57:31 PM	0.036
2:58:31 PM	0.023
2:59:31 PM	0.034
3:00:31 PM	0.031
3:01:31 PM	0.013
3:02:31 PM	0.013
3:03:31 PM	0.016
3:04:31 PM	0.018
3:05:31 PM	0.029
3:06:31 PM	0.024
3:07:31 PM	0.022
3:08:31 PM	0.036
3:09:31 PM	0.043
3:10:31 PM	0.032
3:11:31 PM	0.02
3:12:31 PM	0.02
3:13:31 PM	0.02
3:14:31 PM	0.02
3:15:31 PM	0.012
3:16:31 PM	0.018
3:17:31 PM	0.03
3:18:31 PM	0.028

3:19:31 PM	0.019
3:20:31 PM	0.022
3:21:31 PM	0.013
3:22:31 PM	0.011
3:23:31 PM	0.015
3:24:31 PM	0.019
3:25:31 PM	0.028
3:26:31 PM	0.016
3:27:31 PM	0.038
3:28:31 PM	0.029
3:29:31 PM	0.015
3:30:31 PM	0.017
3:31:31 PM	0.027
3:32:31 PM	0.017
3:33:31 PM	0.022
3:34:31 PM	0.012
3:35:31 PM	0.013
3:36:31 PM	0.016
3:37:31 PM	0.024
3:38:31 PM	0.016
3:39:31 PM	0.018
3:40:31 PM	0.017
3:41:31 PM	0.014
3:42:31 PM	0.01
3:43:31 PM	0.015
3:44:31 PM	0.016
3:45:31 PM	0.03
3:46:31 PM	0.033
3:47:31 PM	0.014
3:48:31 PM	0.01
3:49:31 PM	0.008
3:50:31 PM	0.012
3:51:31 PM	0.008
3:52:31 PM	0.007
3:53:31 PM	0.008
3:54:31 PM	0.011
3:55:31 PM	0.009
3:56:31 PM	0.012
3:57:31 PM	0.008
3:58:31 PM	0.01
3:59:31 PM	0.012
4:00:31 PM	0.01
4:01:31 PM	0.011
4:02:31 PM	0.014

4:03:31 PM	0.017
4:04:31 PM	0.015
4:05:31 PM	0.014
4:06:31 PM	0.015
4:07:31 PM	0.017
4:08:31 PM	0.013
4:09:31 PM	0.002
4:10:31 PM	0.001
4:11:31 PM	0.002
4:12:31 PM	0.003
4:13:31 PM	0.01
4:14:31 PM	0.005

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	4/8/2024 16:47	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:46	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:45	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:44	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:43	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:42	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:41	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:40	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:39	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:38	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:37	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:36	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:35	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:34	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:33	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:32	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:31	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:30	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:29	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:28	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:27	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:26	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:25	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:24	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:23	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:22	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:21	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:20	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:19	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:18	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:17	Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 16:16	Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	4/8/2024 15:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 15:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:28 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 15:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:25 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 15:24 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 15:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:17 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/8/2024 15:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:10 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 15:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 15:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 14:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 14:38 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 14:37 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 14:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:35 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 14:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:04 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 14:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 14:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 13:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:31 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 13:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 13:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:58 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 12:57 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:54 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:51 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:50 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:47 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:36 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 12:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 12:25 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	4/8/2024 11:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:48 Readings	PID	SC23030602B4	Normal	0.3
592-602176	4/8/2024 11:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:19 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 11:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:08 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 11:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 11:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:52 Readings	PID	SC23030602B4	Normal	0.4
592-602176	4/8/2024 10:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:50 Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/8/2024 10:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:48 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 10:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:46 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	4/8/2024 10:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:07 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 10:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:40 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 9:39 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 9:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:28 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:22 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:08 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:07 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 9:06 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:05 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:04 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:03 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:02 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:01 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:56 Readings	PID	SC23030602B4	Normal	0.1
592-602176	4/8/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 8:34 Readings	PID	SC23030602B4	Normal	0

[illegible]

592-602176	4/8/2024 8:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:28 Readings	PID	SC23030602B4	Normal	0

592-602176	4/8/2024 7:27 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:26 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:25 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:24 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:23 Readings	PID	SC23030602B4	Normal	0
592-602176	4/8/2024 7:22 CONFIG	PID	SC23030602B4		