



DAILY STATUS REPORT

Prepared By:

Marius Sidlauskas

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50		50-70	X	70-85		>85		SW 6 mph

IEC Project No:	15977	NYSDEC BCP Site No:	C224350	Date:	04/17/24
Project:	318 Nevins Street, Brooklyn, NY				

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 16:00</p>	<p>Personnel On Site: IEEG (Environmental) – Marius Sidlauskas / Victor Barazza / Bill Chalky Capital (Contractor) ECD (Pile Installation) GES (Geotech) – Leo Humber-Henriquez WSP (Environmental oversight) – Tim Williams</p> <p>Equipment On Site: DustTrak (x3), PID (x3), Pile Rig</p>
---	--

Scope of Work: Deploy three (3) CAMP stations; import clean fill; gauge sentinel wells; collect end-point soil sample; ECD to continue with pile installation at north building; KFS to continue with rebar installation; ; oversee excavation activities by Capital.

Site Activities:

- Deployed three (3) CAMP stations prior to start of site activities;
- Gauged depth to water within all 14 sentinel wells for de-watering purposes;
- ECD continued with pile installation at north building;
- Dewatering system not active;
- Backfilling of several grids in the northern building to grade, grids I2-O2, K3-O3. Refer to Alpha Numeric Grid Map for grid locations;
- Thirty (30) truckloads of approved crushed limestone were imported onto site;
- Low flow sampling of sentinel wells: MW-20 A & B, MW-19 A & B, GW-17 B.
- Remaining soil scrapped off the sides of SB-13 and stockpiled on poly sheeting.
- FDNY investigated “fume” complaint on Nevins Street at 8:45 AM, investigation determined no fumes were originating from the site or nearby buildings; and
- Perimeter check was conducted at the end of the day to confirm that there was no presence of soil or liquid material observed leaving the Site.

Community Air Monitoring Program (CAMP) – CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- No sustained dust exceedances were observed over a 15-min period during monitoring;
- Prestart Upwind Conditions – PID = _0.0_ ppm, Dust = _0.06_ mg/m³ @ 06:52
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = 0.078_ mg/m³ @ 14:13
- High Conditions (Downwind 1) – PID = _1.7_ ppm @11:54, Dust = _0.190_ mg/m³ @ 07:01
- High Conditions (Downwind 2) – PID = _4.4_ ppm @14:23, Dust = _0.444_ mg/m³ @ 07:01

Notable Site Conditions:

- Sheening was observed on the Gowanus Canal.
- Carol Street Shut down due to sewer repair work.

Planned Activities for the Next Day/Week:

- Rebar and footing work to continue;
- ECD to continue with pile installation;
- Continue low-flow sampling of sentinel wells; and
- Continuation of ground water sampling,

Photo Log

318 Nevins Street, Brooklyn, NY



Photo Log

Photo 1 –
Representative
photo of
unloading
approved fill
material (crushed
limestone).



Photo 2 –
Representative
photo of grid I2
being backfilled.



Photo 3 –
Representative photo of tire washing over temporary track pad.



Photo 4 –
Representative photo of SB-13 excavation.



Photo 5 –

Representative photo of ECD installing piles on the northern lot.



Photo 6 –

Representative photo of JLJ (contracted by DEP) performing repairs on sewer pipe on Carol Street.



Alpha Numeric Grid Map

318 Nevins Street, Brooklyn, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800


www.impactenvironmental.com











A B C D E F G H I J K L M N O

GOWANUS CANAL

GOWANUS CANAL




1
2
3
4
5
6
7
8

-  = 2' Excavation
-  = 4' Excavation
-  = 6' Excavation
-  = 7-8' Excavation
-  = 9' Excavation
-  = 10' Excavation
-  = 11' Excavation
-  = 19' Excavation

Site Plan

318 Nevins Street, Brooklyn, NY





NOTES:

LEGEND	
	PROPERTY LINE
	TANK FIELD IDENTIFIED DURING THE SEPTEMBER 2022 GPR SURVEY
	POTENTIAL OIL/WATER SEPARATOR IDENTIFIED USING THE SEPTEMBER GPR SURVEY

**FIGURE 3:
REMEDIAL INVESTIGATION
SAMPLE LOCATION MAP**

318 Nevins Street Brooklyn, New York	Figure No: 03																																	
	<table border="1"> <tr><td>PROJECT NO:</td><td>1908-001</td></tr> <tr><td>DRAWN BY:</td><td>AS</td></tr> <tr><td>CHECKED BY:</td><td>AS</td></tr> <tr><td>DATE:</td><td>08/20/2023</td></tr> <tr><td>SCALE:</td><td>1"=100'</td></tr> <tr><td>REVISIONS:</td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table>	PROJECT NO:	1908-001	DRAWN BY:	AS	CHECKED BY:	AS	DATE:	08/20/2023	SCALE:	1"=100'	REVISIONS:																						
PROJECT NO:	1908-001																																	
DRAWN BY:	AS																																	
CHECKED BY:	AS																																	
DATE:	08/20/2023																																	
SCALE:	1"=100'																																	
REVISIONS:																																		

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (831) 289-8800
FAX (831) 289-1599



UPWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530132208
Firmware Version	3.1
Calibration Date	7/31/2023
Test Name	MANUAL_003
Test Start Time	6:52:19 AM
Test Start Date	4/17/2024
Test Length [D:H:M]	0:09:04
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.012
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.078
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	544

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:52:19 AM	0.06		
6:53:19 AM	0.021		
6:54:19 AM	0.02		
6:55:19 AM	0.017		
6:56:19 AM	0.016		
6:57:19 AM	0.016		
6:58:19 AM	0.015		
6:59:19 AM	0.016		
7:00:19 AM	0.016		
7:01:19 AM	0.02		
7:02:19 AM	0.033		
7:03:19 AM	0.034		
7:04:19 AM	0.036		
7:05:19 AM	0.027		
7:06:19 AM	0.029		
7:07:19 AM	0.03		
7:08:19 AM	0.029		
7:09:19 AM	0.021		
7:10:19 AM	0.019		
7:11:19 AM	0.019		
7:12:19 AM	0.021		
7:13:19 AM	0.021		
7:14:19 AM	0.02		
7:15:19 AM	0.02		

7:16:19 AM	0.02
7:17:19 AM	0.025
7:18:19 AM	0.021
7:19:19 AM	0.02
7:20:19 AM	0.022
7:21:19 AM	0.022
7:22:19 AM	0.022
7:23:19 AM	0.023
7:24:19 AM	0.024
7:25:19 AM	0.025
7:26:19 AM	0.028
7:27:19 AM	0.029
7:28:19 AM	0.028
7:29:19 AM	0.026
7:30:19 AM	0.029
7:31:19 AM	0.048
7:32:19 AM	0.027
7:33:19 AM	0.026
7:34:19 AM	0.027
7:35:19 AM	0.021
7:36:19 AM	0.02
7:37:19 AM	0.019
7:38:19 AM	0.019
7:39:19 AM	0.016
7:40:19 AM	0.016
7:41:19 AM	0.016
7:42:19 AM	0.016
7:43:19 AM	0.018
7:44:19 AM	0.017
7:45:19 AM	0.018
7:46:19 AM	0.017
7:47:19 AM	0.018
7:48:19 AM	0.017
7:49:19 AM	0.016
7:50:19 AM	0.014
7:51:19 AM	0.012
7:52:19 AM	0.015
7:53:19 AM	0.012
7:54:19 AM	0.012
7:55:19 AM	0.012
7:56:19 AM	0.011
7:57:19 AM	0.011
7:58:19 AM	0.012
7:59:19 AM	0.012

8:00:19 AM	0.012
8:01:19 AM	0.011
8:02:19 AM	0.012
8:03:19 AM	0.011
8:04:19 AM	0.013
8:05:19 AM	0.013
8:06:19 AM	0.012
8:07:19 AM	0.012
8:08:19 AM	0.011
8:09:19 AM	0.011
8:10:19 AM	0.01
8:11:19 AM	0.011
8:12:19 AM	0.011
8:13:19 AM	0.012
8:14:19 AM	0.012
8:15:19 AM	0.011
8:16:19 AM	0.016
8:17:19 AM	0.012
8:18:19 AM	0.01
8:19:19 AM	0.012
8:20:19 AM	0.016
8:21:19 AM	0.019
8:22:19 AM	0.01
8:23:19 AM	0.01
8:24:19 AM	0.01
8:25:19 AM	0.01
8:26:19 AM	0.01
8:27:19 AM	0.011
8:28:19 AM	0.01
8:29:19 AM	0.009
8:30:19 AM	0.01
8:31:19 AM	0.01
8:32:19 AM	0.01
8:33:19 AM	0.01
8:34:19 AM	0.01
8:35:19 AM	0.011
8:36:19 AM	0.01
8:37:19 AM	0.011
8:38:19 AM	0.01
8:39:19 AM	0.01
8:40:19 AM	0.011
8:41:19 AM	0.01
8:42:19 AM	0.01
8:43:19 AM	0.01

8:44:19 AM	0.017
8:45:19 AM	0.013
8:46:19 AM	0.012
8:47:19 AM	0.013
8:48:19 AM	0.013
8:49:19 AM	0.015
8:50:19 AM	0.013
8:51:19 AM	0.013
8:52:19 AM	0.017
8:53:19 AM	0.013
8:54:19 AM	0.012
8:55:19 AM	0.011
8:56:19 AM	0.011
8:57:19 AM	0.011
8:58:19 AM	0.012
8:59:19 AM	0.011
9:00:19 AM	0.01
9:01:19 AM	0.01
9:02:19 AM	0.008
9:03:19 AM	0.008
9:04:19 AM	0.008
9:05:19 AM	0.009
9:06:19 AM	0.009
9:07:19 AM	0.009
9:08:19 AM	0.008
9:09:19 AM	0.01
9:10:19 AM	0.011
9:11:19 AM	0.01
9:12:19 AM	0.009
9:13:19 AM	0.009
9:14:19 AM	0.009
9:15:19 AM	0.009
9:16:19 AM	0.012
9:17:19 AM	0.011
9:18:19 AM	0.009
9:19:19 AM	0.012
9:20:19 AM	0.011
9:21:19 AM	0.009
9:22:19 AM	0.009
9:23:19 AM	0.012
9:24:19 AM	0.011
9:25:19 AM	0.011
9:26:19 AM	0.01
9:27:19 AM	0.011

9:28:19 AM	0.012
9:29:19 AM	0.01
9:30:19 AM	0.01
9:31:19 AM	0.01
9:32:19 AM	0.011
9:33:19 AM	0.012
9:34:19 AM	0.011
9:35:19 AM	0.014
9:36:19 AM	0.012
9:37:19 AM	0.011
9:38:19 AM	0.012
9:39:19 AM	0.011
9:40:19 AM	0.012
9:41:19 AM	0.012
9:42:19 AM	0.013
9:43:19 AM	0.012
9:44:19 AM	0.013
9:45:19 AM	0.012
9:46:19 AM	0.011
9:47:19 AM	0.011
9:48:19 AM	0.012
9:49:19 AM	0.011
9:50:19 AM	0.013
9:51:19 AM	0.011
9:52:19 AM	0.011
9:53:19 AM	0.01
9:54:19 AM	0.012
9:55:19 AM	0.019
9:56:19 AM	0.022
9:57:19 AM	0.013
9:58:19 AM	0.011
9:59:19 AM	0.016
10:00:19 AM	0.014
10:01:19 AM	0.013
10:02:19 AM	0.011
10:03:19 AM	0.011
10:04:19 AM	0.01
10:05:19 AM	0.01
10:06:19 AM	0.013
10:07:19 AM	0.012
10:08:19 AM	0.01
10:09:19 AM	0.01
10:10:19 AM	0.015
10:11:19 AM	0.011

10:12:19 AM	0.009
10:13:19 AM	0.009
10:14:19 AM	0.009
10:15:19 AM	0.01
10:16:19 AM	0.012
10:17:19 AM	0.012
10:18:19 AM	0.01
10:19:19 AM	0.009
10:20:19 AM	0.05
10:21:19 AM	0.013
10:22:19 AM	0.01
10:23:19 AM	0.011
10:24:19 AM	0.016
10:25:19 AM	0.01
10:26:19 AM	0.01
10:27:19 AM	0.008
10:28:19 AM	0.008
10:29:19 AM	0.01
10:30:19 AM	0.008
10:31:19 AM	0.01
10:32:19 AM	0.011
10:33:19 AM	0.011
10:34:19 AM	0.009
10:35:19 AM	0.009
10:36:19 AM	0.011
10:37:19 AM	0.008
10:38:19 AM	0.008
10:39:19 AM	0.009
10:40:19 AM	0.007
10:41:19 AM	0.008
10:42:19 AM	0.009
10:43:19 AM	0.008
10:44:19 AM	0.007
10:45:19 AM	0.007
10:46:19 AM	0.008
10:47:19 AM	0.009
10:48:19 AM	0.011
10:49:19 AM	0.009
10:50:19 AM	0.008
10:51:19 AM	0.008
10:52:19 AM	0.012
10:53:19 AM	0.007
10:54:19 AM	0.009
10:55:19 AM	0.011

10:56:19 AM	0.016
10:57:19 AM	0.011
10:58:19 AM	0.008
10:59:19 AM	0.01
11:00:19 AM	0.008
11:01:19 AM	0.01
11:02:19 AM	0.009
11:03:19 AM	0.008
11:04:19 AM	0.01
11:05:19 AM	0.012
11:06:19 AM	0.007
11:07:19 AM	0.008
11:08:19 AM	0.008
11:09:19 AM	0.009
11:10:19 AM	0.01
11:11:19 AM	0.015
11:12:19 AM	0.01
11:13:19 AM	0.011
11:14:19 AM	0.01
11:15:19 AM	0.009
11:16:19 AM	0.008
11:17:19 AM	0.012
11:18:19 AM	0.008
11:19:19 AM	0.007
11:20:19 AM	0.007
11:21:19 AM	0.008
11:22:19 AM	0.006
11:23:19 AM	0.007
11:24:19 AM	0.007
11:25:19 AM	0.008
11:26:19 AM	0.008
11:27:19 AM	0.008
11:28:19 AM	0.008
11:29:19 AM	0.007
11:30:19 AM	0.007
11:31:19 AM	0.007
11:32:19 AM	0.007
11:33:19 AM	0.007
11:34:19 AM	0.008
11:35:19 AM	0.007
11:36:19 AM	0.007
11:37:19 AM	0.025
11:38:19 AM	0.012
11:39:19 AM	0.008

11:40:19 AM	0.007
11:41:19 AM	0.008
11:42:19 AM	0.007
11:43:19 AM	0.007
11:44:19 AM	0.008
11:45:19 AM	0.007
11:46:19 AM	0.007
11:47:19 AM	0.007
11:48:19 AM	0.007
11:49:19 AM	0.006
11:50:19 AM	0.007
11:51:19 AM	0.006
11:52:19 AM	0.006
11:53:19 AM	0.009
11:54:19 AM	0.008
11:55:19 AM	0.007
11:56:19 AM	0.007
11:57:19 AM	0.007
11:58:19 AM	0.009
11:59:19 AM	0.012
12:00:19 PM	0.008
12:01:19 PM	0.008
12:02:19 PM	0.01
12:03:19 PM	0.008
12:04:19 PM	0.009
12:05:19 PM	0.007
12:06:19 PM	0.008
12:07:19 PM	0.008
12:08:19 PM	0.009
12:09:19 PM	0.01
12:10:19 PM	0.01
12:11:19 PM	0.009
12:12:19 PM	0.011
12:13:19 PM	0.01
12:14:19 PM	0.008
12:15:19 PM	0.006
12:16:19 PM	0.007
12:17:19 PM	0.007
12:18:19 PM	0.008
12:19:19 PM	0.007
12:20:19 PM	0.008
12:21:19 PM	0.008
12:22:19 PM	0.007
12:23:19 PM	0.007

12:24:19 PM	0.007
12:25:19 PM	0.006
12:26:19 PM	0.006
12:27:19 PM	0.006
12:28:19 PM	0.006
12:29:19 PM	0.006
12:30:19 PM	0.008
12:31:19 PM	0.007
12:32:19 PM	0.007
12:33:19 PM	0.007
12:34:19 PM	0.006
12:35:19 PM	0.006
12:36:19 PM	0.006
12:37:19 PM	0.006
12:38:19 PM	0.006
12:39:19 PM	0.006
12:40:19 PM	0.007
12:41:19 PM	0.008
12:42:19 PM	0.007
12:43:19 PM	0.007
12:44:19 PM	0.008
12:45:19 PM	0.01
12:46:19 PM	0.01
12:47:19 PM	0.007
12:48:19 PM	0.007
12:49:19 PM	0.007
12:50:19 PM	0.007
12:51:19 PM	0.006
12:52:19 PM	0.008
12:53:19 PM	0.007
12:54:19 PM	0.007
12:55:19 PM	0.007
12:56:19 PM	0.006
12:57:19 PM	0.007
12:58:19 PM	0.007
12:59:19 PM	0.007
1:00:19 PM	0.007
1:01:19 PM	0.009
1:02:19 PM	0.006
1:03:19 PM	0.007
1:04:19 PM	0.006
1:05:19 PM	0.007
1:06:19 PM	0.008
1:07:19 PM	0.008

1:08:19 PM	0.007
1:09:19 PM	0.007
1:10:19 PM	0.007
1:11:19 PM	0.007
1:12:19 PM	0.007
1:13:19 PM	0.007
1:14:19 PM	0.008
1:15:19 PM	0.008
1:16:19 PM	0.007
1:17:19 PM	0.007
1:18:19 PM	0.007
1:19:19 PM	0.007
1:20:19 PM	0.009
1:21:19 PM	0.008
1:22:19 PM	0.009
1:23:19 PM	0.008
1:24:19 PM	0.009
1:25:19 PM	0.008
1:26:19 PM	0.01
1:27:19 PM	0.011
1:28:19 PM	0.007
1:29:19 PM	0.007
1:30:19 PM	0.008
1:31:19 PM	0.007
1:32:19 PM	0.008
1:33:19 PM	0.008
1:34:19 PM	0.008
1:35:19 PM	0.007
1:36:19 PM	0.01
1:37:19 PM	0.008
1:38:19 PM	0.007
1:39:19 PM	0.008
1:40:19 PM	0.008
1:41:19 PM	0.009
1:42:19 PM	0.009
1:43:19 PM	0.008
1:44:19 PM	0.008
1:45:19 PM	0.008
1:46:19 PM	0.009
1:47:19 PM	0.009
1:48:19 PM	0.01
1:49:19 PM	0.01
1:50:19 PM	0.009
1:51:19 PM	0.008

1:52:19 PM	0.008
1:53:19 PM	0.01
1:54:19 PM	0.011
1:55:19 PM	0.012
1:56:19 PM	0.009
1:57:19 PM	0.01
1:58:19 PM	0.015
1:59:19 PM	0.009
2:00:19 PM	0.009
2:01:19 PM	0.009
2:02:19 PM	0.009
2:03:19 PM	0.009
2:04:19 PM	0.008
2:05:19 PM	0.009
2:06:19 PM	0.009
2:07:19 PM	0.01
2:08:19 PM	0.008
2:09:19 PM	0.008
2:10:19 PM	0.008
2:11:19 PM	0.01
2:12:19 PM	0.021
2:13:19 PM	0.078
2:14:19 PM	0.016
2:15:19 PM	0.012
2:16:19 PM	0.038
2:17:19 PM	0.013
2:18:19 PM	0.015
2:19:19 PM	0.012
2:20:19 PM	0.009
2:21:19 PM	0.01
2:22:19 PM	0.012
2:23:19 PM	0.011
2:24:19 PM	0.008
2:25:19 PM	0.01
2:26:19 PM	0.009
2:27:19 PM	0.013
2:28:19 PM	0.011
2:29:19 PM	0.009
2:30:19 PM	0.012
2:31:19 PM	0.012
2:32:19 PM	0.009
2:33:19 PM	0.009
2:34:19 PM	0.009
2:35:19 PM	0.008

2:36:19 PM	0.008
2:37:19 PM	0.008
2:38:19 PM	0.008
2:39:19 PM	0.008
2:40:19 PM	0.008
2:41:19 PM	0.008
2:42:19 PM	0.009
2:43:19 PM	0.01
2:44:19 PM	0.009
2:45:19 PM	0.01
2:46:19 PM	0.01
2:47:19 PM	0.009
2:48:19 PM	0.008
2:49:19 PM	0.009
2:50:19 PM	0.009
2:51:19 PM	0.009
2:52:19 PM	0.008
2:53:19 PM	0.009
2:54:19 PM	0.009
2:55:19 PM	0.009
2:56:19 PM	0.01
2:57:19 PM	0.01
2:58:19 PM	0.011
2:59:19 PM	0.009
3:00:19 PM	0.009
3:01:19 PM	0.01
3:02:19 PM	0.011
3:03:19 PM	0.011
3:04:19 PM	0.012
3:05:19 PM	0.011
3:06:19 PM	0.011
3:07:19 PM	0.011
3:08:19 PM	0.014
3:09:19 PM	0.01
3:10:19 PM	0.01
3:11:19 PM	0.013
3:12:19 PM	0.011
3:13:19 PM	0.011
3:14:19 PM	0.011
3:15:19 PM	0.011
3:16:19 PM	0.01
3:17:19 PM	0.011
3:18:19 PM	0.01
3:19:19 PM	0.011

3:20:19 PM	0.012
3:21:19 PM	0.01
3:22:19 PM	0.01
3:23:19 PM	0.011
3:24:19 PM	0.011
3:25:19 PM	0.011
3:26:19 PM	0.01
3:27:19 PM	0.01
3:28:19 PM	0.011
3:29:19 PM	0.012
3:30:19 PM	0.014
3:31:19 PM	0.011
3:32:19 PM	0.011
3:33:19 PM	0.017
3:34:19 PM	0.014
3:35:19 PM	0.013
3:36:19 PM	0.016
3:37:19 PM	0.018
3:38:19 PM	0.02
3:39:19 PM	0.017
3:40:19 PM	0.016
3:41:19 PM	0.016
3:42:19 PM	0.013
3:43:19 PM	0.013
3:44:19 PM	0.014
3:45:19 PM	0.014
3:46:19 PM	0.016
3:47:19 PM	0.014
3:48:19 PM	0.014
3:49:19 PM	0.013
3:50:19 PM	0.014
3:51:19 PM	0.015
3:52:19 PM	0.015
3:53:19 PM	0.015
3:54:19 PM	0.015
3:55:19 PM	0.014

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-600853	4/17/2024 15:58	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:57	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:56	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:55	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:54	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:53	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:52	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:51	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:50	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:49	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:48	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:47	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:46	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:45	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:44	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:43	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:42	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:41	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:40	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:39	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:38	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:37	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:36	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:35	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:34	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:33	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:32	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:31	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:30	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:29	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:28	Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 15:27	Readings	PID	SC23030449A8	Normal	0

592-600853	4/17/2024 7:11 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:10 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:09 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:08 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:07 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:06 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:05 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:04 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:03 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:02 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:01 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 7:00 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:59 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:58 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:57 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:56 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:55 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:54 Readings	PID	SC23030449A8	Normal	0
592-600853	4/17/2024 6:53 CONFIG	PID	SC23030449A8		

DOWNWIND Air Monitor

318 Nevins Street, Brooklyn, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152812
Firmware Version	3.1
Calibration Date	5/2/2023
Test Name	MANUAL_003
Test Start Time	7:00:11 AM
Test Start Date	4/17/2024
Test Length [D:H:M]	0:09:01
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.19
Mass TWA [mg/m3]	0.016
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	541

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00:11 AM	0.166		
7:01:11 AM	0.19		
7:02:11 AM	0.023		
7:03:11 AM	0.025		
7:04:11 AM	0.023		
7:05:11 AM	0.025		
7:06:11 AM	0.025		
7:07:11 AM	0.029		
7:08:11 AM	0.028		
7:09:11 AM	0.04		
7:10:11 AM	0.037		
7:11:11 AM	0.027		
7:12:11 AM	0.026		
7:13:11 AM	0.025		
7:14:11 AM	0.035		
7:15:11 AM	0.035		
7:16:11 AM	0.02		
7:17:11 AM	0.022		
7:18:11 AM	0.029		
7:19:11 AM	0.029		
7:20:11 AM	0.024		
7:21:11 AM	0.03		
7:22:11 AM	0.033		
7:23:11 AM	0.026		

7:24:11 AM	0.033
7:25:11 AM	0.032
7:26:11 AM	0.045
7:27:11 AM	0.04
7:28:11 AM	0.031
7:29:11 AM	0.031
7:30:11 AM	0.031
7:31:11 AM	0.024
7:32:11 AM	0.026
7:33:11 AM	0.03
7:34:11 AM	0.025
7:35:11 AM	0.021
7:36:11 AM	0.02
7:37:11 AM	0.017
7:38:11 AM	0.016
7:39:11 AM	0.017
7:40:11 AM	0.02
7:41:11 AM	0.018
7:42:11 AM	0.019
7:43:11 AM	0.021
7:44:11 AM	0.02
7:45:11 AM	0.022
7:46:11 AM	0.022
7:47:11 AM	0.025
7:48:11 AM	0.024
7:49:11 AM	0.018
7:50:11 AM	0.017
7:51:11 AM	0.014
7:52:11 AM	0.013
7:53:11 AM	0.022
7:54:11 AM	0.013
7:55:11 AM	0.014
7:56:11 AM	0.136
7:57:11 AM	0.013
7:58:11 AM	0.017
7:59:11 AM	0.014
8:00:11 AM	0.015
8:01:11 AM	0.016
8:02:11 AM	0.015
8:03:11 AM	0.013
8:04:11 AM	0.015
8:05:11 AM	0.016
8:06:11 AM	0.014
8:07:11 AM	0.017

8:08:11 AM	0.014
8:09:11 AM	0.015
8:10:11 AM	0.015
8:11:11 AM	0.012
8:12:11 AM	0.012
8:13:11 AM	0.013
8:14:11 AM	0.014
8:15:11 AM	0.01
8:16:11 AM	0.012
8:17:11 AM	0.019
8:18:11 AM	0.017
8:19:11 AM	0.016
8:20:11 AM	0.017
8:21:11 AM	0.032
8:22:11 AM	0.168
8:23:11 AM	0.037
8:24:11 AM	0.045
8:25:11 AM	0.05
8:26:11 AM	0.016
8:27:11 AM	0.022
8:28:11 AM	0.014
8:29:11 AM	0.014
8:30:11 AM	0.012
8:31:11 AM	0.012
8:32:11 AM	0.016
8:33:11 AM	0.014
8:34:11 AM	0.014
8:35:11 AM	0.014
8:36:11 AM	0.011
8:37:11 AM	0.012
8:38:11 AM	0.014
8:39:11 AM	0.012
8:40:11 AM	0.015
8:41:11 AM	0.015
8:42:11 AM	0.015
8:43:11 AM	0.013
8:44:11 AM	0.011
8:45:11 AM	0.011
8:46:11 AM	0.015
8:47:11 AM	0.012
8:48:11 AM	0.012
8:49:11 AM	0.02
8:50:11 AM	0.013
8:51:11 AM	0.015

8:52:11 AM	0.012
8:53:11 AM	0.011
8:54:11 AM	0.011
8:55:11 AM	0.01
8:56:11 AM	0.011
8:57:11 AM	0.012
8:58:11 AM	0.011
8:59:11 AM	0.011
9:00:11 AM	0.011
9:01:11 AM	0.02
9:02:11 AM	0.008
9:03:11 AM	0.009
9:04:11 AM	0.011
9:05:11 AM	0.008
9:06:11 AM	0.009
9:07:11 AM	0.013
9:08:11 AM	0.014
9:09:11 AM	0.011
9:10:11 AM	0.015
9:11:11 AM	0.01
9:12:11 AM	0.013
9:13:11 AM	0.012
9:14:11 AM	0.01
9:15:11 AM	0.016
9:16:11 AM	0.011
9:17:11 AM	0.012
9:18:11 AM	0.011
9:19:11 AM	0.018
9:20:11 AM	0.011
9:21:11 AM	0.011
9:22:11 AM	0.025
9:23:11 AM	0.013
9:24:11 AM	0.009
9:25:11 AM	0.009
9:26:11 AM	0.009
9:27:11 AM	0.009
9:28:11 AM	0.01
9:29:11 AM	0.024
9:30:11 AM	0.01
9:31:11 AM	0.013
9:32:11 AM	0.04
9:33:11 AM	0.009
9:34:11 AM	0.009
9:35:11 AM	0.014

9:36:11 AM	0.019
9:37:11 AM	0.012
9:38:11 AM	0.01
9:39:11 AM	0.014
9:40:11 AM	0.024
9:41:11 AM	0.019
9:42:11 AM	0.015
9:43:11 AM	0.012
9:44:11 AM	0.012
9:45:11 AM	0.011
9:46:11 AM	0.011
9:47:11 AM	0.01
9:48:11 AM	0.011
9:49:11 AM	0.012
9:50:11 AM	0.011
9:51:11 AM	0.009
9:52:11 AM	0.01
9:53:11 AM	0.009
9:54:11 AM	0.011
9:55:11 AM	0.009
9:56:11 AM	0.009
9:57:11 AM	0.011
9:58:11 AM	0.012
9:59:11 AM	0.009
10:00:11 AM	0.009
10:01:11 AM	0.01
10:02:11 AM	0.01
10:03:11 AM	0.01
10:04:11 AM	0.019
10:05:11 AM	0.011
10:06:11 AM	0.01
10:07:11 AM	0.008
10:08:11 AM	0.008
10:09:11 AM	0.013
10:10:11 AM	0.007
10:11:11 AM	0.036
10:12:11 AM	0.01
10:13:11 AM	0.009
10:14:11 AM	0.019
10:15:11 AM	0.009
10:16:11 AM	0.009
10:17:11 AM	0.008
10:18:11 AM	0.009
10:19:11 AM	0.012

10:20:11 AM	0.009
10:21:11 AM	0.017
10:22:11 AM	0.01
10:23:11 AM	0.01
10:24:11 AM	0.012
10:25:11 AM	0.017
10:26:11 AM	0.009
10:27:11 AM	0.011
10:28:11 AM	0.011
10:29:11 AM	0.008
10:30:11 AM	0.011
10:31:11 AM	0.057
10:32:11 AM	0.079
10:33:11 AM	0.024
10:34:11 AM	0.016
10:35:11 AM	0.02
10:36:11 AM	0.012
10:37:11 AM	0.015
10:38:11 AM	0.012
10:39:11 AM	0.019
10:40:11 AM	0.007
10:41:11 AM	0.008
10:42:11 AM	0.013
10:43:11 AM	0.009
10:44:11 AM	0.009
10:45:11 AM	0.01
10:46:11 AM	0.007
10:47:11 AM	0.013
10:48:11 AM	0.012
10:49:11 AM	0.01
10:50:11 AM	0.043
10:51:11 AM	0.013
10:52:11 AM	0.016
10:53:11 AM	0.012
10:54:11 AM	0.01
10:55:11 AM	0.007
10:56:11 AM	0.057
10:57:11 AM	0.008
10:58:11 AM	0.006
10:59:11 AM	0.009
11:00:11 AM	0.026
11:01:11 AM	0.01
11:02:11 AM	0.009
11:03:11 AM	0.007

11:04:11 AM	0.009
11:05:11 AM	0.008
11:06:11 AM	0.008
11:07:11 AM	0.032
11:08:11 AM	0.01
11:09:11 AM	0.007
11:10:11 AM	0.008
11:11:11 AM	0.019
11:12:11 AM	0.013
11:13:11 AM	0.008
11:14:11 AM	0.044
11:15:11 AM	0.007
11:16:11 AM	0.008
11:17:11 AM	0.034
11:18:11 AM	0.007
11:19:11 AM	0.03
11:20:11 AM	0.006
11:21:11 AM	0.014
11:22:11 AM	0.006
11:23:11 AM	0.01
11:24:11 AM	0.014
11:25:11 AM	0.007
11:26:11 AM	0.017
11:27:11 AM	0.006
11:28:11 AM	0.007
11:29:11 AM	0.007
11:30:11 AM	0.006
11:31:11 AM	0.009
11:32:11 AM	0.013
11:33:11 AM	0.011
11:34:11 AM	0.008
11:35:11 AM	0.007
11:36:11 AM	0.007
11:37:11 AM	0.011
11:38:11 AM	0.013
11:39:11 AM	0.027
11:40:11 AM	0.023
11:41:11 AM	0.018
11:42:11 AM	0.062
11:43:11 AM	0.017
11:44:11 AM	0.013
11:45:11 AM	0.008
11:46:11 AM	0.011
11:47:11 AM	0.01

11:48:11 AM	0.01
11:49:11 AM	0.008
11:50:11 AM	0.051
11:51:11 AM	0.051
11:52:11 AM	0.021
11:53:11 AM	0.019
11:54:11 AM	0.011
11:55:11 AM	0.008
11:56:11 AM	0.008
11:57:11 AM	0.011
11:58:11 AM	0.013
11:59:11 AM	0.017
12:00:11 PM	0.047
12:01:11 PM	0.015
12:02:11 PM	0.011
12:03:11 PM	0.008
12:04:11 PM	0.008
12:05:11 PM	0.006
12:06:11 PM	0.015
12:07:11 PM	0.011
12:08:11 PM	0.009
12:09:11 PM	0.017
12:10:11 PM	0.015
12:11:11 PM	0.008
12:12:11 PM	0.006
12:13:11 PM	0.046
12:14:11 PM	0.01
12:15:11 PM	0.007
12:16:11 PM	0.01
12:17:11 PM	0.006
12:18:11 PM	0.007
12:19:11 PM	0.007
12:20:11 PM	0.011
12:21:11 PM	0.007
12:22:11 PM	0.012
12:23:11 PM	0.03
12:24:11 PM	0.009
12:25:11 PM	0.01
12:26:11 PM	0.01
12:27:11 PM	0.007
12:28:11 PM	0.007
12:29:11 PM	0.006
12:30:11 PM	0.009
12:31:11 PM	0.008

12:32:11 PM	0.008
12:33:11 PM	0.007
12:34:11 PM	0.009
12:35:11 PM	0.01
12:36:11 PM	0.019
12:37:11 PM	0.014
12:38:11 PM	0.015
12:39:11 PM	0.007
12:40:11 PM	0.01
12:41:11 PM	0.007
12:42:11 PM	0.007
12:43:11 PM	0.013
12:44:11 PM	0.01
12:45:11 PM	0.008
12:46:11 PM	0.008
12:47:11 PM	0.01
12:48:11 PM	0.009
12:49:11 PM	0.009
12:50:11 PM	0.009
12:51:11 PM	0.008
12:52:11 PM	0.007
12:53:11 PM	0.008
12:54:11 PM	0.008
12:55:11 PM	0.007
12:56:11 PM	0.007
12:57:11 PM	0.015
12:58:11 PM	0.006
12:59:11 PM	0.007
1:00:11 PM	0.067
1:01:11 PM	0.011
1:02:11 PM	0.01
1:03:11 PM	0.01
1:04:11 PM	0.008
1:05:11 PM	0.08
1:06:11 PM	0.013
1:07:11 PM	0.052
1:08:11 PM	0.011
1:09:11 PM	0.008
1:10:11 PM	0.009
1:11:11 PM	0.016
1:12:11 PM	0.008
1:13:11 PM	0.039
1:14:11 PM	0.06
1:15:11 PM	0.01

1:16:11 PM	0.008
1:17:11 PM	0.008
1:18:11 PM	0.007
1:19:11 PM	0.007
1:20:11 PM	0.008
1:21:11 PM	0.007
1:22:11 PM	0.007
1:23:11 PM	0.009
1:24:11 PM	0.008
1:25:11 PM	0.008
1:26:11 PM	0.009
1:27:11 PM	0.006
1:28:11 PM	0.006
1:29:11 PM	0.007
1:30:11 PM	0.007
1:31:11 PM	0.006
1:32:11 PM	0.009
1:33:11 PM	0.007
1:34:11 PM	0.006
1:35:11 PM	0.007
1:36:11 PM	0.008
1:37:11 PM	0.014
1:38:11 PM	0.012
1:39:11 PM	0.01
1:40:11 PM	0.011
1:41:11 PM	0.012
1:42:11 PM	0.007
1:43:11 PM	0.008
1:44:11 PM	0.029
1:45:11 PM	0.015
1:46:11 PM	0.01
1:47:11 PM	0.009
1:48:11 PM	0.022
1:49:11 PM	0.011
1:50:11 PM	0.01
1:51:11 PM	0.015
1:52:11 PM	0.012
1:53:11 PM	0.009
1:54:11 PM	0.013
1:55:11 PM	0.008
1:56:11 PM	0.011
1:57:11 PM	0.009
1:58:11 PM	0.008
1:59:11 PM	0.009

2:00:11 PM	0.01
2:01:11 PM	0.011
2:02:11 PM	0.014
2:03:11 PM	0.014
2:04:11 PM	0.018
2:05:11 PM	0.015
2:06:11 PM	0.01
2:07:11 PM	0.009
2:08:11 PM	0.014
2:09:11 PM	0.012
2:10:11 PM	0.009
2:11:11 PM	0.012
2:12:11 PM	0.014
2:13:11 PM	0.01
2:14:11 PM	0.017
2:15:11 PM	0.012
2:16:11 PM	0.02
2:17:11 PM	0.012
2:18:11 PM	0.011
2:19:11 PM	0.028
2:20:11 PM	0.013
2:21:11 PM	0.009
2:22:11 PM	0.016
2:23:11 PM	0.014
2:24:11 PM	0.01
2:25:11 PM	0.01
2:26:11 PM	0.013
2:27:11 PM	0.011
2:28:11 PM	0.011
2:29:11 PM	0.012
2:30:11 PM	0.011
2:31:11 PM	0.013
2:32:11 PM	0.012
2:33:11 PM	0.012
2:34:11 PM	0.009
2:35:11 PM	0.011
2:36:11 PM	0.014
2:37:11 PM	0.013
2:38:11 PM	0.012
2:39:11 PM	0.015
2:40:11 PM	0.01
2:41:11 PM	0.01
2:42:11 PM	0.009
2:43:11 PM	0.011

2:44:11 PM	0.011
2:45:11 PM	0.01
2:46:11 PM	0.013
2:47:11 PM	0.01
2:48:11 PM	0.012
2:49:11 PM	0.018
2:50:11 PM	0.013
2:51:11 PM	0.01
2:52:11 PM	0.01
2:53:11 PM	0.013
2:54:11 PM	0.015
2:55:11 PM	0.012
2:56:11 PM	0.012
2:57:11 PM	0.013
2:58:11 PM	0.01
2:59:11 PM	0.011
3:00:11 PM	0.014
3:01:11 PM	0.012
3:02:11 PM	0.013
3:03:11 PM	0.013
3:04:11 PM	0.015
3:05:11 PM	0.011
3:06:11 PM	0.011
3:07:11 PM	0.012
3:08:11 PM	0.015
3:09:11 PM	0.012
3:10:11 PM	0.015
3:11:11 PM	0.043
3:12:11 PM	0.013
3:13:11 PM	0.014
3:14:11 PM	0.015
3:15:11 PM	0.012
3:16:11 PM	0.014
3:17:11 PM	0.013
3:18:11 PM	0.015
3:19:11 PM	0.013
3:20:11 PM	0.013
3:21:11 PM	0.012
3:22:11 PM	0.014
3:23:11 PM	0.013
3:24:11 PM	0.013
3:25:11 PM	0.013
3:26:11 PM	0.013
3:27:11 PM	0.013

3:28:11 PM	0.012
3:29:11 PM	0.012
3:30:11 PM	0.013
3:31:11 PM	0.015
3:32:11 PM	0.014
3:33:11 PM	0.016
3:34:11 PM	0.013
3:35:11 PM	0.016
3:36:11 PM	0.019
3:37:11 PM	0.033
3:38:11 PM	0.018
3:39:11 PM	0.019
3:40:11 PM	0.02
3:41:11 PM	0.017
3:42:11 PM	0.016
3:43:11 PM	0.015
3:44:11 PM	0.017
3:45:11 PM	0.017
3:46:11 PM	0.015
3:47:11 PM	0.015
3:48:11 PM	0.013
3:49:11 PM	0.014
3:50:11 PM	0.015
3:51:11 PM	0.015
3:52:11 PM	0.014
3:53:11 PM	0.015
3:54:11 PM	0.015
3:55:11 PM	0.014
3:56:11 PM	0.014
3:57:11 PM	0.013
3:58:11 PM	0.013
3:59:11 PM	0.013
4:00:11 PM	0.013

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-000289	4/17/2024 16:03	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 16:02	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 16:01	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 16:00	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:59	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:58	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:57	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:56	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:55	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:54	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:53	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:52	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:51	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:50	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:49	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:48	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:47	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:46	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:45	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:44	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:43	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:42	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:41	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:40	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:39	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:38	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:37	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:36	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:35	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:34	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:33	Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 15:32	Readings	PID	SC23030140W3	Normal	0.1

592-000289	4/17/2024 13:52	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 13:51	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:50	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:49	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:48	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:47	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:46	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:45	Readings	PID	SC23030140W3	Normal	0.8
592-000289	4/17/2024 13:44	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:43	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:42	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:41	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:40	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:39	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 13:38	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:37	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:36	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:35	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:34	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:33	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:32	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 13:31	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:30	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:29	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:28	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:27	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:26	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:25	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:24	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 13:23	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 13:22	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 13:21	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 13:20	Readings	PID	SC23030140W3	Normal	1.2

592-000289	4/17/2024 11:07	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:06	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:05	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:04	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:03	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:02	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:01	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 11:00	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 10:59	Readings	PID	SC23030140W3	Normal	1.2
592-000289	4/17/2024 10:58	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:57	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:56	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:55	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:54	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:53	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:52	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:51	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:50	Readings	PID	SC23030140W3	Normal	1.1
592-000289	4/17/2024 10:49	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:48	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:47	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:46	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:45	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:44	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:43	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:42	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:41	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:40	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:39	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:38	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:37	Readings	PID	SC23030140W3	Normal	1
592-000289	4/17/2024 10:36	Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 10:35	Readings	PID	SC23030140W3	Normal	1

592-000289	4/17/2024 10:01	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 10:00	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:59	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:58	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:57	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:56	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:55	Readings	PID	SC23030140W3	Normal	0.7
592-000289	4/17/2024 9:54	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:53	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:52	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:51	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:50	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:49	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:48	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:47	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:46	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:45	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:44	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:43	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:42	Readings	PID	SC23030140W3	Normal	0.6
592-000289	4/17/2024 9:41	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:40	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:39	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:38	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:37	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:36	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:35	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:34	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:33	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:32	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:31	Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 9:30	Readings	PID	SC23030140W3	Normal	0.4
592-000289	4/17/2024 9:29	Readings	PID	SC23030140W3	Normal	0.4

592-000289	4/17/2024 8:55 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:54 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:53 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:52 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:51 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:50 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:49 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:48 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:47 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:46 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:45 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:44 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:43 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:42 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:41 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:40 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:39 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:38 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:37 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:34 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:33 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:32 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:31 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:30 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:29 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:28 Readings	PID	SC23030140W3	Normal	0.2
592-000289	4/17/2024 8:27 Readings	PID	SC23030140W3	Normal	0.5
592-000289	4/17/2024 8:26 Readings	PID	SC23030140W3	Normal	0.9
592-000289	4/17/2024 8:25 Readings	PID	SC23030140W3	Normal	1.4
592-000289	4/17/2024 8:24 Readings	PID	SC23030140W3	Normal	1.5
592-000289	4/17/2024 8:23 Readings	PID	SC23030140W3	Normal	0.1

592-000289	4/17/2024 8:22 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:21 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:20 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:19 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:18 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:17 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 8:16 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:15 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:14 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:12 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:11 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:10 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:07 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:05 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:04 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:02 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:01 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 8:00 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:59 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:58 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:57 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:56 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:55 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:54 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:53 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:52 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:51 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:50 Readings	PID	SC23030140W3	Normal	0.1

592-000289	4/17/2024 7:49 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:48 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:47 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:46 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:45 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:44 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:43 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:42 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:41 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:40 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:39 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:38 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:37 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:36 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:35 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:34 Readings	PID	SC23030140W3	Normal	0.1
592-000289	4/17/2024 7:33 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:32 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:31 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:30 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:29 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:28 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:27 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:26 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:25 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:24 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:23 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:22 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:21 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:20 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:19 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:18 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:17 Readings	PID	SC23030140W3	Normal	0

592-000289	4/17/2024 7:16 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:15 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:14 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:13 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:12 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:11 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:10 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:09 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:08 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:07 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:06 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:05 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:04 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:03 Readings	PID	SC23030140W3	Normal	0
592-000289	4/17/2024 7:02 CONFIG	PID	SC23030140W3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8.53E+09
Firmware Version	3.1
Calibration Date	8/1/2023
Test Name	MANUAL_002
Test Start Time	#####
Test Start Date	4/17/2024
Test Length [D:H:M]	0:09:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.018
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.444
Mass TWA [mg/m3]	0.018
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	540

Elapsed Time [s]	Mass [mg/n	Alarms	Errors
7:01:30 AM	0.444		
7:02:30 AM	0.025		
7:03:30 AM	0.027		
7:04:30 AM	0.028		
7:05:30 AM	0.03		
7:06:30 AM	0.039		
7:07:30 AM	0.036		
7:08:30 AM	0.031		
7:09:30 AM	0.023		
7:10:30 AM	0.024		
7:11:30 AM	0.029		
7:12:30 AM	0.03		
7:13:30 AM	0.022		
7:14:30 AM	0.028		
7:15:30 AM	0.032		
7:16:30 AM	0.027		
7:17:30 AM	0.028		
7:18:30 AM	0.03		
7:19:30 AM	0.028		
7:20:30 AM	0.029		
7:21:30 AM	0.033		
7:22:30 AM	0.033		
7:23:30 AM	0.034		
7:24:30 AM	0.031		

7:25:30 AM	0.03
7:26:30 AM	0.03
7:27:30 AM	0.027
7:28:30 AM	0.028
7:29:30 AM	0.035
7:30:30 AM	0.028
7:31:30 AM	0.02
7:32:30 AM	0.019
7:33:30 AM	0.021
7:34:30 AM	0.02
7:35:30 AM	0.021
7:36:30 AM	0.019
7:37:30 AM	0.019
7:38:30 AM	0.019
7:39:30 AM	0.02
7:40:30 AM	0.02
7:41:30 AM	0.024
7:42:30 AM	0.023
7:43:30 AM	0.023
7:44:30 AM	0.024
7:45:30 AM	0.023
7:46:30 AM	0.02
7:47:30 AM	0.019
7:48:30 AM	0.017
7:49:30 AM	0.02
7:50:30 AM	0.016
7:51:30 AM	0.015
7:52:30 AM	0.014
7:53:30 AM	0.016
7:54:30 AM	0.017
7:55:30 AM	0.022
7:56:30 AM	0.015
7:57:30 AM	0.015
7:58:30 AM	0.015
7:59:30 AM	0.016
8:00:30 AM	0.014
8:01:30 AM	0.015
8:02:30 AM	0.014
8:03:30 AM	0.014
8:04:30 AM	0.017
8:05:30 AM	0.016
8:06:30 AM	0.015
8:07:30 AM	0.014
8:08:30 AM	0.013

8:09:30 AM	0.013
8:10:30 AM	0.015
8:11:30 AM	0.015
8:12:30 AM	0.012
8:13:30 AM	0.017
8:14:30 AM	0.029
8:15:30 AM	0.016
8:16:30 AM	0.014
8:17:30 AM	0.015
8:18:30 AM	0.012
8:19:30 AM	0.013
8:20:30 AM	0.016
8:21:30 AM	0.013
8:22:30 AM	0.014
8:23:30 AM	0.014
8:24:30 AM	0.014
8:25:30 AM	0.014
8:26:30 AM	0.018
8:27:30 AM	0.013
8:28:30 AM	0.014
8:29:30 AM	0.015
8:30:30 AM	0.013
8:31:30 AM	0.013
8:32:30 AM	0.013
8:33:30 AM	0.016
8:34:30 AM	0.017
8:35:30 AM	0.014
8:36:30 AM	0.014
8:37:30 AM	0.013
8:38:30 AM	0.014
8:39:30 AM	0.015
8:40:30 AM	0.014
8:41:30 AM	0.014
8:42:30 AM	0.012
8:43:30 AM	0.017
8:44:30 AM	0.012
8:45:30 AM	0.017
8:46:30 AM	0.016
8:47:30 AM	0.016
8:48:30 AM	0.026
8:49:30 AM	0.02
8:50:30 AM	0.026
8:51:30 AM	0.025
8:52:30 AM	0.03

8:53:30 AM	0.045
8:54:30 AM	0.014
8:55:30 AM	0.016
8:56:30 AM	0.027
8:57:30 AM	0.012
8:58:30 AM	0.012
8:59:30 AM	0.011
9:00:30 AM	0.015
9:01:30 AM	0.02
9:02:30 AM	0.014
9:03:30 AM	0.01
9:04:30 AM	0.014
9:05:30 AM	0.022
9:06:30 AM	0.011
9:07:30 AM	0.01
9:08:30 AM	0.019
9:09:30 AM	0.023
9:10:30 AM	0.014
9:11:30 AM	0.029
9:12:30 AM	0.018
9:13:30 AM	0.012
9:14:30 AM	0.017
9:15:30 AM	0.013
9:16:30 AM	0.014
9:17:30 AM	0.024
9:18:30 AM	0.02
9:19:30 AM	0.016
9:20:30 AM	0.015
9:21:30 AM	0.015
9:22:30 AM	0.014
9:23:30 AM	0.038
9:24:30 AM	0.02
9:25:30 AM	0.024
9:26:30 AM	0.08
9:27:30 AM	0.058
9:28:30 AM	0.029
9:29:30 AM	0.018
9:30:30 AM	0.014
9:31:30 AM	0.016
9:32:30 AM	0.017
9:33:30 AM	0.017
9:34:30 AM	0.028
9:35:30 AM	0.017
9:36:30 AM	0.023

9:37:30 AM	0.027
9:38:30 AM	0.029
9:39:30 AM	0.024
9:40:30 AM	0.018
9:41:30 AM	0.013
9:42:30 AM	0.016
9:43:30 AM	0.012
9:44:30 AM	0.013
9:45:30 AM	0.011
9:46:30 AM	0.012
9:47:30 AM	0.012
9:48:30 AM	0.014
9:49:30 AM	0.011
9:50:30 AM	0.019
9:51:30 AM	0.038
9:52:30 AM	0.057
9:53:30 AM	0.104
9:54:30 AM	0.014
9:55:30 AM	0.017
9:56:30 AM	0.016
9:57:30 AM	0.015
9:58:30 AM	0.034
9:59:30 AM	0.039
10:00:30 AM	0.057
10:01:30 AM	0.033
10:02:30 AM	0.021
10:03:30 AM	0.018
10:04:30 AM	0.012
10:05:30 AM	0.015
10:06:30 AM	0.019
10:07:30 AM	0.016
10:08:30 AM	0.012
10:09:30 AM	0.011
10:10:30 AM	0.011
10:11:30 AM	0.012
10:12:30 AM	0.01
10:13:30 AM	0.011
10:14:30 AM	0.012
10:15:30 AM	0.014
10:16:30 AM	0.011
10:17:30 AM	0.012
10:18:30 AM	0.011
10:19:30 AM	0.01
10:20:30 AM	0.014

10:21:30 AM	0.012
10:22:30 AM	0.012
10:23:30 AM	0.01
10:24:30 AM	0.013
10:25:30 AM	0.027
10:26:30 AM	0.016
10:27:30 AM	0.015
10:28:30 AM	0.01
10:29:30 AM	0.011
10:30:30 AM	0.013
10:31:30 AM	0.011
10:32:30 AM	0.009
10:33:30 AM	0.01
10:34:30 AM	0.01
10:35:30 AM	0.01
10:36:30 AM	0.014
10:37:30 AM	0.012
10:38:30 AM	0.011
10:39:30 AM	0.013
10:40:30 AM	0.013
10:41:30 AM	0.014
10:42:30 AM	0.009
10:43:30 AM	0.015
10:44:30 AM	0.02
10:45:30 AM	0.013
10:46:30 AM	0.013
10:47:30 AM	0.011
10:48:30 AM	0.01
10:49:30 AM	0.009
10:50:30 AM	0.011
10:51:30 AM	0.011
10:52:30 AM	0.011
10:53:30 AM	0.011
10:54:30 AM	0.012
10:55:30 AM	0.009
10:56:30 AM	0.01
10:57:30 AM	0.011
10:58:30 AM	0.011
10:59:30 AM	0.013
11:00:30 AM	0.013
11:01:30 AM	0.01
11:02:30 AM	0.012
11:03:30 AM	0.016
11:04:30 AM	0.014

11:05:30 AM	0.015
11:06:30 AM	0.015
11:07:30 AM	0.018
11:08:30 AM	0.012
11:09:30 AM	0.013
11:10:30 AM	0.01
11:11:30 AM	0.017
11:12:30 AM	0.012
11:13:30 AM	0.011
11:14:30 AM	0.011
11:15:30 AM	0.01
11:16:30 AM	0.009
11:17:30 AM	0.01
11:18:30 AM	0.008
11:19:30 AM	0.009
11:20:30 AM	0.009
11:21:30 AM	0.009
11:22:30 AM	0.013
11:23:30 AM	0.015
11:24:30 AM	0.014
11:25:30 AM	0.011
11:26:30 AM	0.022
11:27:30 AM	0.012
11:28:30 AM	0.011
11:29:30 AM	0.018
11:30:30 AM	0.018
11:31:30 AM	0.017
11:32:30 AM	0.012
11:33:30 AM	0.014
11:34:30 AM	0.019
11:35:30 AM	0.019
11:36:30 AM	0.051
11:37:30 AM	0.021
11:38:30 AM	0.029
11:39:30 AM	0.018
11:40:30 AM	0.016
11:41:30 AM	0.02
11:42:30 AM	0.042
11:43:30 AM	0.02
11:44:30 AM	0.018
11:45:30 AM	0.037
11:46:30 AM	0.018
11:47:30 AM	0.03
11:48:30 AM	0.029

11:49:30 AM	0.027
11:50:30 AM	0.025
11:51:30 AM	0.024
11:52:30 AM	0.027
11:53:30 AM	0.041
11:54:30 AM	0.027
11:55:30 AM	0.052
11:56:30 AM	0.033
11:57:30 AM	0.018
11:58:30 AM	0.013
11:59:30 AM	0.01
12:00:30 PM	0.015
12:01:30 PM	0.009
12:02:30 PM	0.016
12:03:30 PM	0.012
12:04:30 PM	0.021
12:05:30 PM	0.02
12:06:30 PM	0.013
12:07:30 PM	0.013
12:08:30 PM	0.015
12:09:30 PM	0.014
12:10:30 PM	0.015
12:11:30 PM	0.011
12:12:30 PM	0.008
12:13:30 PM	0.008
12:14:30 PM	0.01
12:15:30 PM	0.012
12:16:30 PM	0.011
12:17:30 PM	0.015
12:18:30 PM	0.011
12:19:30 PM	0.009
12:20:30 PM	0.01
12:21:30 PM	0.012
12:22:30 PM	0.01
12:23:30 PM	0.013
12:24:30 PM	0.011
12:25:30 PM	0.01
12:26:30 PM	0.011
12:27:30 PM	0.016
12:28:30 PM	0.016
12:29:30 PM	0.013
12:30:30 PM	0.025
12:31:30 PM	0.026
12:32:30 PM	0.058

12:33:30 PM	0.076
12:34:30 PM	0.038
12:35:30 PM	0.025
12:36:30 PM	0.016
12:37:30 PM	0.014
12:38:30 PM	0.011
12:39:30 PM	0.018
12:40:30 PM	0.021
12:41:30 PM	0.024
12:42:30 PM	0.038
12:43:30 PM	0.066
12:44:30 PM	0.039
12:45:30 PM	0.02
12:46:30 PM	0.018
12:47:30 PM	0.015
12:48:30 PM	0.012
12:49:30 PM	0.011
12:50:30 PM	0.014
12:51:30 PM	0.017
12:52:30 PM	0.013
12:53:30 PM	0.009
12:54:30 PM	0.011
12:55:30 PM	0.013
12:56:30 PM	0.014
12:57:30 PM	0.014
12:58:30 PM	0.012
12:59:30 PM	0.013
1:00:30 PM	0.01
1:01:30 PM	0.018
1:02:30 PM	0.011
1:03:30 PM	0.009
1:04:30 PM	0.01
1:05:30 PM	0.017
1:06:30 PM	0.016
1:07:30 PM	0.011
1:08:30 PM	0.012
1:09:30 PM	0.011
1:10:30 PM	0.012
1:11:30 PM	0.01
1:12:30 PM	0.012
1:13:30 PM	0.014
1:14:30 PM	0.011
1:15:30 PM	0.014
1:16:30 PM	0.018

1:17:30 PM	0.012
1:18:30 PM	0.01
1:19:30 PM	0.01
1:20:30 PM	0.012
1:21:30 PM	0.013
1:22:30 PM	0.01
1:23:30 PM	0.008
1:24:30 PM	0.009
1:25:30 PM	0.01
1:26:30 PM	0.012
1:27:30 PM	0.009
1:28:30 PM	0.009
1:29:30 PM	0.009
1:30:30 PM	0.009
1:31:30 PM	0.011
1:32:30 PM	0.009
1:33:30 PM	0.009
1:34:30 PM	0.01
1:35:30 PM	0.011
1:36:30 PM	0.013
1:37:30 PM	0.013
1:38:30 PM	0.015
1:39:30 PM	0.011
1:40:30 PM	0.01
1:41:30 PM	0.01
1:42:30 PM	0.01
1:43:30 PM	0.01
1:44:30 PM	0.013
1:45:30 PM	0.025
1:46:30 PM	0.011
1:47:30 PM	0.012
1:48:30 PM	0.015
1:49:30 PM	0.014
1:50:30 PM	0.014
1:51:30 PM	0.01
1:52:30 PM	0.011
1:53:30 PM	0.01
1:54:30 PM	0.011
1:55:30 PM	0.015
1:56:30 PM	0.012
1:57:30 PM	0.011
1:58:30 PM	0.011
1:59:30 PM	0.013
2:00:30 PM	0.01

2:01:30 PM	0.011
2:02:30 PM	0.011
2:03:30 PM	0.011
2:04:30 PM	0.01
2:05:30 PM	0.01
2:06:30 PM	0.011
2:07:30 PM	0.01
2:08:30 PM	0.016
2:09:30 PM	0.012
2:10:30 PM	0.012
2:11:30 PM	0.01
2:12:30 PM	0.01
2:13:30 PM	0.011
2:14:30 PM	0.015
2:15:30 PM	0.011
2:16:30 PM	0.059
2:17:30 PM	0.015
2:18:30 PM	0.014
2:19:30 PM	0.012
2:20:30 PM	0.011
2:21:30 PM	0.011
2:22:30 PM	0.013
2:23:30 PM	0.01
2:24:30 PM	0.011
2:25:30 PM	0.013
2:26:30 PM	0.012
2:27:30 PM	0.014
2:28:30 PM	0.012
2:29:30 PM	0.01
2:30:30 PM	0.01
2:31:30 PM	0.011
2:32:30 PM	0.011
2:33:30 PM	0.011
2:34:30 PM	0.011
2:35:30 PM	0.011
2:36:30 PM	0.013
2:37:30 PM	0.012
2:38:30 PM	0.011
2:39:30 PM	0.011
2:40:30 PM	0.011
2:41:30 PM	0.012
2:42:30 PM	0.012
2:43:30 PM	0.012
2:44:30 PM	0.016

2:45:30 PM	0.011
2:46:30 PM	0.011
2:47:30 PM	0.013
2:48:30 PM	0.013
2:49:30 PM	0.013
2:50:30 PM	0.013
2:51:30 PM	0.014
2:52:30 PM	0.013
2:53:30 PM	0.013
2:54:30 PM	0.015
2:55:30 PM	0.014
2:56:30 PM	0.014
2:57:30 PM	0.013
2:58:30 PM	0.012
2:59:30 PM	0.012
3:00:30 PM	0.013
3:01:30 PM	0.016
3:02:30 PM	0.014
3:03:30 PM	0.015
3:04:30 PM	0.012
3:05:30 PM	0.012
3:06:30 PM	0.012
3:07:30 PM	0.024
3:08:30 PM	0.03
3:09:30 PM	0.013
3:10:30 PM	0.014
3:11:30 PM	0.013
3:12:30 PM	0.013
3:13:30 PM	0.014
3:14:30 PM	0.014
3:15:30 PM	0.018
3:16:30 PM	0.02
3:17:30 PM	0.014
3:18:30 PM	0.014
3:19:30 PM	0.013
3:20:30 PM	0.013
3:21:30 PM	0.013
3:22:30 PM	0.013
3:23:30 PM	0.014
3:24:30 PM	0.013
3:25:30 PM	0.013
3:26:30 PM	0.014
3:27:30 PM	0.015
3:28:30 PM	0.013

3:29:30 PM	0.014
3:30:30 PM	0.014
3:31:30 PM	0.015
3:32:30 PM	0.017
3:33:30 PM	0.019
3:34:30 PM	0.02
3:35:30 PM	0.019
3:36:30 PM	0.017
3:37:30 PM	0.016
3:38:30 PM	0.018
3:39:30 PM	0.018
3:40:30 PM	0.017
3:41:30 PM	0.017
3:42:30 PM	0.015
3:43:30 PM	0.016
3:44:30 PM	0.015
3:45:30 PM	0.015
3:46:30 PM	0.017
3:47:30 PM	0.016
3:48:30 PM	0.023
3:49:30 PM	0.016
3:50:30 PM	0.017
3:51:30 PM	0.016
3:52:30 PM	0.016
3:53:30 PM	0.015
3:54:30 PM	0.015
3:55:30 PM	0.014
3:56:30 PM	0.014
3:57:30 PM	0.015
3:58:30 PM	0.015
3:59:30 PM	0.014
4:00:30 PM	0.015

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602176	4/17/2024 16:08	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:07	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:06	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:05	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:04	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:03	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:02	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:01	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 16:00	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:59	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:58	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:57	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:56	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:55	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:54	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:53	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:52	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:51	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:50	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:49	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:48	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:47	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:46	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:45	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:44	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:43	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:42	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:41	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:40	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:39	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:38	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 15:37	Readings	PID	SC23030602B4	Normal	0

592-602176	4/17/2024 14:30	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:29	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:28	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:27	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:26	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:25	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:24	Readings	PID	SC23030602B4	Normal	2.7
592-602176	4/17/2024 14:23	Readings	PID	SC23030602B4	Normal	4.4
592-602176	4/17/2024 14:22	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:21	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:20	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:19	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:18	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:17	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:16	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:15	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:14	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:13	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:12	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:11	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:10	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:09	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:08	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:07	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:06	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:05	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:04	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:03	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:02	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:01	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 14:00	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 13:59	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 13:58	Readings	PID	SC23030602B4	Normal	0

592-602176	4/17/2024 10:06	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:05	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:04	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:03	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:02	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:01	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 10:00	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:59	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:58	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:57	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:56	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:55	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:54	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:53	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:52	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:51	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:50	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:49	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:48	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:47	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:46	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:45	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:44	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:43	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:42	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:41	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:40	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:39	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:38	Readings	PID	SC23030602B4	Normal	0.2
592-602176	4/17/2024 9:37	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:36	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:35	Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 9:34	Readings	PID	SC23030602B4	Normal	0

592-602176	4/17/2024 9:00 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:59 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:58 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:57 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:56 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:55 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:54 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:53 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:52 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:51 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:50 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:49 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:48 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:47 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:46 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:45 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:44 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:43 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:42 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:41 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:40 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:39 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:38 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:37 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:36 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:35 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:34 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:33 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:32 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:31 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:30 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:29 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 8:28 Readings	PID	SC23030602B4	Normal	0

592-602176	4/17/2024 7:21 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:20 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:19 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:18 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:17 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:16 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:15 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:14 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:13 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:12 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:11 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:10 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:09 Readings	PID	SC23030602B4	Normal	0
592-602176	4/17/2024 7:08 CONFIG	PID	SC23030602B4		